

# Computer algebra independent integration tests

6-Hyperbolic-functions/6.3-Hyperbolic-tangent/6.3.7-d-hyper-<sup>m</sup>-a+b-c-  
tanh-<sup>n</sup>-<sup>p</sup>

Nasser M. Abbasi

July 24, 2021

Compiled on July 24, 2021 at 11:45pm

## Contents

<b>1</b>	<b>Introduction</b>	<b>13</b>
1.1	Listing of CAS systems tested . . . . .	13
1.2	Results . . . . .	14
1.3	Performance . . . . .	18
1.4	list of integrals that has no closed form antiderivative . . . . .	19
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	20
1.6	list of integrals solved by CAS but failed verification . . . . .	20
1.7	Timing . . . . .	21
1.8	Verification . . . . .	21
1.9	Important notes about some of the results . . . . .	21
1.9.1	Important note about Maxima results . . . . .	21
1.9.2	Important note about FriCAS and Giac/XCAS results . . . . .	22
1.9.3	Important note about finding leaf size of antiderivative . . . . .	22
1.9.4	Important note about Mupad results . . . . .	23
1.10	Design of the test system . . . . .	24
<b>2</b>	<b>detailed summary tables of results</b>	<b>25</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.1.1	Rubi . . . . .	25
2.1.2	Mathematica . . . . .	25
2.1.3	Maple . . . . .	26

2.1.4	Maxima . . . . .	26
2.1.5	FriCAS . . . . .	27
2.1.6	Sympy . . . . .	27
2.1.7	Giac . . . . .	28
2.1.8	Mupad . . . . .	28
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	82

### 3 Listing of integrals 93

3.1	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	93
3.2	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	98
3.3	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	102
3.4	$\int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	106
3.5	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	109
3.6	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	112
3.7	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	115
3.8	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx)) dx$ . . . . .	119
3.9	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	123
3.10	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	128
3.11	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	132
3.12	$\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	136
3.13	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	140
3.14	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	144
3.15	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	148
3.16	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$ . . . . .	154
3.17	$\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	158
3.18	$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	164
3.19	$\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	168
3.20	$\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	174
3.21	$\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	178
3.22	$\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	183
3.23	$\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	187
3.24	$\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$ . . . . .	195
3.25	$\int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$ . . . . .	200

3.26	$\int \frac{\sinh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	207
3.27	$\int \frac{\sinh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	213
3.28	$\int \frac{\sinh(c+dx)}{a+b \tanh^2(c+dx)} dx$	218
3.29	$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^2(c+dx)} dx$	223
3.30	$\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	228
3.31	$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	232
3.32	$\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	238
3.33	$\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	243
3.34	$\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	253
3.35	$\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	261
3.36	$\int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	269
3.37	$\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	275
3.38	$\int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	282
3.39	$\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	288
3.40	$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	297
3.41	$\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	305
3.42	$\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	313
3.43	$\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	319
3.44	$\int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	333
3.45	$\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	342
3.46	$\int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	354

3.47	$\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	363
3.48	$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	370
3.49	$\int \sinh^4(c+dx) (a+b \tanh^3(c+dx)) dx$	376
3.50	$\int \sinh^3(c+dx) (a+b \tanh^3(c+dx)) dx$	381
3.51	$\int \sinh^2(c+dx) (a+b \tanh^3(c+dx)) dx$	386
3.52	$\int \sinh(c+dx) (a+b \tanh^3(c+dx)) dx$	391
3.53	$\int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx)) dx$	396
3.54	$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx)) dx$	400
3.55	$\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx)) dx$	403
3.56	$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx)) dx$	407
3.57	$\int \sinh^4(c+dx) (a+b \tanh^3(c+dx))^2 dx$	412
3.58	$\int \sinh^3(c+dx) (a+b \tanh^3(c+dx))^2 dx$	420
3.59	$\int \sinh^2(c+dx) (a+b \tanh^3(c+dx))^2 dx$	427
3.60	$\int \sinh(c+dx) (a+b \tanh^3(c+dx))^2 dx$	434
3.61	$\int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx))^2 dx$	440
3.62	$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx))^2 dx$	446
3.63	$\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx))^2 dx$	450
3.64	$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx))^2 dx$	457
3.65	$\int \sinh^4(c+dx) (a+b \tanh^3(c+dx))^3 dx$	463
3.66	$\int \sinh^3(c+dx) (a+b \tanh^3(c+dx))^3 dx$	469
3.67	$\int \sinh^2(c+dx) (a+b \tanh^3(c+dx))^3 dx$	481
3.68	$\int \sinh(c+dx) (a+b \tanh^3(c+dx))^3 dx$	492
3.69	$\int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx))^3 dx$	502
3.70	$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx))^3 dx$	511
3.71	$\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx))^3 dx$	516
3.72	$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx))^3 dx$	528
3.73	$\int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx$	538
3.74	$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$	547
3.75	$\int \frac{\sinh^2(c+dx)}{a+b \tanh^3(c+dx)} dx$	551

3.76	$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$	564
3.77	$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$	569
3.78	$\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx$	574
3.79	$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$	580
3.80	$\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx$	585
3.81	$\int \cosh^4(c+dx) (a+b \tanh^2(c+dx)) dx$	595
3.82	$\int \cosh^3(c+dx) (a+b \tanh^2(c+dx)) dx$	599
3.83	$\int \cosh^2(c+dx) (a+b \tanh^2(c+dx)) dx$	602
3.84	$\int \cosh(c+dx) (a+b \tanh^2(c+dx)) dx$	605
3.85	$\int \operatorname{sech}(c+dx) (a+b \tanh^2(c+dx)) dx$	608
3.86	$\int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx)) dx$	612
3.87	$\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx)) dx$	615
3.88	$\int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx)) dx$	620
3.89	$\int \cosh^4(c+dx) (a+b \tanh^2(c+dx))^2 dx$	624
3.90	$\int \cosh^3(c+dx) (a+b \tanh^2(c+dx))^2 dx$	628
3.91	$\int \cosh^2(c+dx) (a+b \tanh^2(c+dx))^2 dx$	632
3.92	$\int \cosh(c+dx) (a+b \tanh^2(c+dx))^2 dx$	636
3.93	$\int \operatorname{sech}(c+dx) (a+b \tanh^2(c+dx))^2 dx$	640
3.94	$\int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^2 dx$	645
3.95	$\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx))^2 dx$	649
3.96	$\int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^2 dx$	656
3.97	$\int \cosh^4(c+dx) (a+b \tanh^2(c+dx))^3 dx$	661
3.98	$\int \cosh^3(c+dx) (a+b \tanh^2(c+dx))^3 dx$	666
3.99	$\int \cosh^2(c+dx) (a+b \tanh^2(c+dx))^3 dx$	672
3.100	$\int \cosh(c+dx) (a+b \tanh^2(c+dx))^3 dx$	676
3.101	$\int \operatorname{sech}(c+dx) (a+b \tanh^2(c+dx))^3 dx$	682
3.102	$\int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^3 dx$	690
3.103	$\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx))^3 dx$	695
3.104	$\int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^3 dx$	705

3.105	$\int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	711
3.106	$\int \frac{\cosh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	718
3.107	$\int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	725
3.108	$\int \frac{\cosh(c+dx)}{a+b \tanh^2(c+dx)} dx$	731
3.109	$\int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx$	736
3.110	$\int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	740
3.111	$\int \frac{\operatorname{sech}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	744
3.112	$\int \frac{\operatorname{sech}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	749
3.113	$\int \frac{\operatorname{sech}^5(c+dx)}{a+b \tanh^2(c+dx)} dx$	754
3.114	$\int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx$	760
3.115	$\int \frac{\cosh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	766
3.116	$\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	775
3.117	$\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	783
3.118	$\int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	790
3.119	$\int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	796
3.120	$\int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	801
3.121	$\int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	806
3.122	$\int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	811
3.123	$\int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	817
3.124	$\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	823
3.125	$\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	832
3.126	$\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	846

3.127	$\int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	859
3.128	$\int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	869
3.129	$\int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	876
3.130	$\int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	885
3.131	$\int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	893
3.132	$\int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	900
3.133	$\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	908
3.134	$\int \tanh^4(c+dx) (a+b \tanh^2(c+dx)) dx$	919
3.135	$\int \tanh^3(c+dx) (a+b \tanh^2(c+dx)) dx$	923
3.136	$\int \tanh^2(c+dx) (a+b \tanh^2(c+dx)) dx$	927
3.137	$\int \tanh(c+dx) (a+b \tanh^2(c+dx)) dx$	931
3.138	$\int (a+b \tanh^2(c+dx)) dx$	934
3.139	$\int \coth(c+dx) (a+b \tanh^2(c+dx)) dx$	937
3.140	$\int \coth^2(c+dx) (a+b \tanh^2(c+dx)) dx$	940
3.141	$\int \coth^3(c+dx) (a+b \tanh^2(c+dx)) dx$	943
3.142	$\int \coth^4(c+dx) (a+b \tanh^2(c+dx)) dx$	947
3.143	$\int \coth^5(c+dx) (a+b \tanh^2(c+dx)) dx$	951
3.144	$\int \tanh^4(c+dx) (a+b \tanh^2(c+dx))^2 dx$	955
3.145	$\int \tanh^3(c+dx) (a+b \tanh^2(c+dx))^2 dx$	960
3.146	$\int \tanh^2(c+dx) (a+b \tanh^2(c+dx))^2 dx$	966
3.147	$\int \tanh(c+dx) (a+b \tanh^2(c+dx))^2 dx$	970
3.148	$\int (a+b \tanh^2(c+dx))^2 dx$	975
3.149	$\int \coth(c+dx) (a+b \tanh^2(c+dx))^2 dx$	979
3.150	$\int \coth^2(c+dx) (a+b \tanh^2(c+dx))^2 dx$	983
3.151	$\int \coth^3(c+dx) (a+b \tanh^2(c+dx))^2 dx$	987
3.152	$\int \coth^4(c+dx) (a+b \tanh^2(c+dx))^2 dx$	991
3.153	$\int \coth^5(c+dx) (a+b \tanh^2(c+dx))^2 dx$	995
3.154	$\int \coth^6(c+dx) (a+b \tanh^2(c+dx))^2 dx$	1000

3.155	$\int \coth^7(c + dx) (a + b \tanh^2(c + dx))^2 dx$	.1004
3.156	$\int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1010
3.157	$\int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1016
3.158	$\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1025
3.159	$\int \tanh(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1030
3.160	$\int (a + b \tanh^2(c + dx))^3 dx$	.1036
3.161	$\int \coth(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1040
3.162	$\int \coth^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1045
3.163	$\int \coth^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1049
3.164	$\int \coth^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1054
3.165	$\int \coth^5(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1058
3.166	$\int \coth^6(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1063
3.167	$\int \coth^7(c + dx) (a + b \tanh^2(c + dx))^3 dx$	.1067
3.168	$\int (a + b \tanh^2(c + dx))^4 dx$	.1073
3.169	$\int (a + b \tanh^2(c + dx))^5 dx$	.1078
3.170	$\int \frac{\tanh^5(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1084
3.171	$\int \frac{\tanh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1089
3.172	$\int \frac{\tanh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1094
3.173	$\int \frac{\tanh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1098
3.174	$\int \frac{\tanh(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1103
3.175	$\int \frac{1}{a+b \tanh^2(c+dx)} dx$	.1107
3.176	$\int \frac{\coth(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1111
3.177	$\int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1115
3.178	$\int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1120
3.179	$\int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx$	.1124
3.180	$\int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	.1131
3.181	$\int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	.1135



3.182	$\int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1141
3.183	$\int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1145
3.184	$\int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1151
3.185	$\int \frac{1}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1155
3.186	$\int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1160
3.187	$\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1165
3.188	$\int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1173
3.189	$\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$	. . . . .	.1179
3.190	$\int \frac{\tanh^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1190
3.191	$\int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1202
3.192	$\int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1210
3.193	$\int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1221
3.194	$\int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1228
3.195	$\int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1238
3.196	$\int \frac{1}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1245
3.197	$\int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1254
3.198	$\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1261
3.199	$\int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1274
3.200	$\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$	. . . . .	.1284
3.201	$\int \frac{1}{(a+b \tanh^2(c+dx))^4} dx$	. . . . .	.1293
3.202	$\int \sqrt{1 - \tanh^2(x)} dx$	. . . . .	.1301

3.203	$\int \sqrt{-1 + \tanh^2(x)} dx$	. . . . .	.1304
3.204	$\int (1 - \tanh^2(x))^{3/2} dx$	. . . . .	.1307
3.205	$\int (-1 + \tanh^2(x))^{3/2} dx$	. . . . .	.1310
3.206	$\int \frac{1}{\sqrt{1 - \tanh^2(x)}} dx$	. . . . .	.1314
3.207	$\int \frac{1}{\sqrt{-1 + \tanh^2(x)}} dx$	. . . . .	.1317
3.208	$\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1320
3.209	$\int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1328
3.210	$\int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1339
3.211	$\int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1346
3.212	$\int \tanh(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1354
3.213	$\int \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1359
3.214	$\int \coth(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1365
3.215	$\int \coth^2(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1371
3.216	$\int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1376
3.217	$\int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1384
3.218	$\int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx$	. . . . .	.1391
3.219	$\int \tanh^3(x) (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1402
3.220	$\int \tanh^2(x) (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1411
3.221	$\int \tanh(x) (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1417
3.222	$\int (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1424
3.223	$\int \coth(x) (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1432
3.224	$\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx$	. . . . .	.1439
3.225	$\int \sqrt{1 + \tanh^2(x)} dx$	. . . . .	.1446
3.226	$\int \sqrt{-1 - \tanh^2(x)} dx$	. . . . .	.1450
3.227	$\int (1 + \tanh^2(x))^{3/2} dx$	. . . . .	.1454
3.228	$\int (-1 - \tanh^2(x))^{3/2} dx$	. . . . .	.1459

3.229	$\int \frac{\tanh^5(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1464
3.230	$\int \frac{\tanh^4(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1470
3.231	$\int \frac{\tanh^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1478
3.232	$\int \frac{\tanh^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1483
3.233	$\int \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1489
3.234	$\int \frac{1}{\sqrt{a+b \tanh^2(x)}} dx$	.1494
3.235	$\int \frac{\coth(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1498
3.236	$\int \frac{\coth^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1504
3.237	$\int \frac{\coth^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$	.1509
3.238	$\int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1517
3.239	$\int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1524
3.240	$\int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1533
3.241	$\int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1539
3.242	$\int \frac{\tanh(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1545
3.243	$\int \frac{1}{(a+b \tanh^2(x))^{3/2}} dx$	.1551
3.244	$\int \frac{\coth(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1557
3.245	$\int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$	.1566
3.246	$\int \frac{\tanh^6(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1573
3.247	$\int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1578
3.248	$\int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{5/2}} dx$	.1587

3.249	$\int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1595
3.250	$\int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1604
3.251	$\int \frac{\tanh(x)}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1613
3.252	$\int \frac{1}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1621
3.253	$\int \frac{\coth(x)}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1630
3.254	$\int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$	. . . . .	.1635
3.255	$\int \frac{1}{\sqrt{1+\tanh^2(x)}} dx$	. . . . .	.1646
3.256	$\int \frac{1}{\sqrt{-1-\tanh^2(x)}} dx$	. . . . .	.1650
3.257	$\int (a + b \tanh^3(c + dx))^2 dx$	. . . . .	.1654
3.258	$\int \frac{1}{1+\tanh^3(x)} dx$	. . . . .	.1659
3.259	$\int \tanh(x) (a + b \tanh^4(x))^{3/2} dx$	. . . . .	.1663
3.260	$\int \tanh(x) \sqrt{a + b \tanh^4(x)} dx$	. . . . .	.1668
3.261	$\int \frac{\tanh(x)}{\sqrt{a+b \tanh^4(x)}} dx$	. . . . .	.1676
3.262	$\int \frac{\tanh(x)}{(a+b \tanh^4(x))^{3/2}} dx$	. . . . .	.1680
3.263	$\int \frac{\tanh(x)}{(a+b \tanh^4(x))^{5/2}} dx$	. . . . .	.1687

<b>4</b>	<b>Listing of Grading functions</b>		<b>1693</b>
4.0.1	Mathematica and Rubi grading function	. . . . .	.1693
4.0.2	Maple grading function	. . . . .	.1695
4.0.3	Sympy grading function	. . . . .	.1700
4.0.4	SageMath grading function	. . . . .	.1703

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 263 ]. This is test number [ 173 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 ( 263 )	% 0.00 ( 0 )
Mathematica	% 100.00 ( 263 )	% 0.00 ( 0 )
Maple	% 94.68 ( 249 )	% 5.32 ( 14 )
Maxima	% 67.30 ( 177 )	% 32.70 ( 86 )
Fricas	% 93.54 ( 246 )	% 6.46 ( 17 )
Sympy	% 15.21 ( 40 )	% 84.79 ( 223 )
Giac	% 88.59 ( 233 )	% 11.41 ( 30 )
Mupad	% 70.34 ( 185 )	% 29.66 ( 78 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	79.47	2.28	18.25	0.00
Maple	35.36	56.65	2.66	5.32
Maxima	12.93	53.61	0.76	32.70
Fricas	4.56	87.07	1.90	6.46
Sympy	13.69	1.52	0.00	84.79
Giac	20.15	67.30	1.14	11.41
Mupad	1.14	69.20	0.00	29.66

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.



The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	14	100.00 %	0.00 %	0.00 %
Maxima	86	98.84 %	0.00 %	1.16 %
Fricas	17	0.00 %	100.00 %	0.00 %
Sympy	223	81.61 %	18.39 %	0.00 %
Giac	30	16.67 %	0.00 %	83.33 %
Mupad	78	98.72 %	1.28 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



## 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.12	91.19	0.99	78.00	1.00
Mathematica	1.26	125.33	1.53	86.00	1.00
Maple	0.28	363.71	3.69	189.00	2.28
Maxima	0.47	410.79	3.84	231.00	2.82
Fricas	0.66	2758.11	27.15	1626.50	21.91
Sympy	16.84	406.25	4.92	124.00	1.96
Giac	0.60	374.85	4.03	241.00	2.60
Mupad	2.07	434.32	5.85	177.00	2.67

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



## 1.4 list of integrals that has no closed form antiderivative

{74,76,77,79}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {74,76,77,79}

**Maple** {74,76,77,79}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {74,76,77,79}

**Mupad** {76,77,79}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {93,95,98,101,217,236,243,250,252}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

[ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](http://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. This is description of each record**

1. integer, the problem number.
  2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
  3. integer. Leaf size of result.
  4. integer. Leaf size of the optimal antiderivative.
  5. number. CPU time used to solve this integral. 0 if failed.
  6. string. The integral in Latex format
  7. string. The input used in CAS own syntax.
  8. string. The result (antiderivative) produced by CAS in Latex format
  9. string. The optimal antiderivative in Latex format.
  10. integer. 0 or 1. Indicates if problem has known antiderivative or not
  11. String. The result (antiderivative) in CAS own syntax.
  12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
  15. integer. Integrand leaf size.
  16. real number. Ratio of field 14 over field 15
  17. integer. 1 if result was verified or 0 if not verified.
  18. String of form "{n,n,...}" which is list of the rules used by Rubi

**High level overview of the CAS independent integration test build system**

Nassier M. Abbasi  
May 11, 2021



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32, 33, 35, 38, 40, 41, 43, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 76, 77, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 96, 97, 99, 100, 102, 103, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 134, 135, 136, 137, 138, 139, 141, 143, 145, 147, 148, 149, 151,

152, 153, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 203, 204, 205, 206, 207, 208, 210, 212, 214, 216, 218, 219, 221, 222, 223, 225, 226, 227, 228, 229, 231, 233, 234, 235, 237, 240, 248, 255, 256, 257, 258, 259, 260, 261, 262, 263 }

B grade: { 104, 144, 146, 202, 213, 241 }

C grade: { 26, 28, 29, 31, 34, 36, 37, 39, 42, 44, 45, 47, 73, 75, 78, 80, 93, 95, 98, 101, 133, 140, 142, 150, 154, 209, 211, 215, 217, 220, 224, 230, 232, 236, 238, 239, 242, 243, 244, 245, 246, 247, 249, 250, 251, 252, 253, 254 }

F grade: { }

### 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13, 14, 15, 16, 17, 19, 21, 23, 24, 29, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 63, 64, 65, 66, 67, 68, 69, 71, 72, 74, 76, 77, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 139, 140, 141, 142, 143, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 165, 166, 167, 170, 171, 172, 173, 174, 180, 182, 184, 202, 203, 204, 205, 206, 207, 257, 258, 260, 261 }

B grade: { 10, 12, 18, 20, 22, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 62, 70, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 144, 145, 146, 147, 148, 156, 157, 158, 159, 160, 168, 169, 175, 176, 177, 178, 179, 181, 183, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 208, 209, 210, 211, 212, 213, 219, 220, 221, 222, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 238, 239, 240, 241, 242, 243, 246, 247, 248, 249, 250, 251, 252, 255, 256 }

C grade: { 73, 75, 78, 80, 259, 262, 263 }

F grade: { 214, 215, 216, 217, 218, 223, 224, 235, 236, 237, 244, 245, 253, 254 }

### 2.1.4 Maxima

A grade: { 5, 6, 30, 49, 50, 51, 52, 53, 54, 66, 68, 74, 76, 77, 79, 81, 86, 94, 102, 110, 112, 121, 138, 139, 140, 150, 172, 174, 175, 176, 178, 202, 204, 206 }

B grade: { 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 32, 33, 35, 38, 40, 41, 43, 46, 48, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 67, 69, 70, 71, 72, 82, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 95, 96, 97, 98, 99, 100, 101, 103, 104, 105, 107, 114, 116, 119, 123, 125, 128, 130, 132, 134, 135, 136, 137, 141, 142, 143, 144, 145, 146, 147, 148, 149, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 173, 177, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 207, 257, 258 }

C grade: { 203, 205 }

F grade: { 26, 28, 29, 31, 34, 36, 37, 39, 42, 44, 45, 47, 73, 75, 78, 80, 106, 108, 109, 111, 113, 115, 117, 118, 120, 122, 124, 126, 127, 129, 131, 133, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 259, 260, 261, 262, 263 }

## 2.1.5 FriCAS

A grade: { 1, 3, 4, 81, 82, 83, 89, 138, 203, 205, 206, 207 }

B grade: { 2, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 43, 44, 45, 46, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 78, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 202, 204, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 227, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 247, 248, 249, 250, 251, 252, 254, 255, 257, 258, 260, 261, 262 }

C grade: { 75, 80, 226, 228, 256 }

F grade: { 41, 42, 47, 48, 65, 73, 74, 76, 77, 79, 200, 201, 220, 246, 253, 259, 263 }

## 2.1.6 Sympy

A grade: { 77, 79, 134, 135, 136, 137, 138, 144, 145, 146, 147, 148, 156, 157, 158, 159, 160, 168, 169, 170, 171, 172, 173, 174, 175, 191, 193, 195, 206, 208, 210, 212, 233, 242, 251, 257 }

B grade: { 140, 219, 221, 258 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 139, 141, 142, 143, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 165, 166, 167, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 192, 194, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 207, 209, 211, 213, 214, 215, 216, 217, 218, 220, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 234, 235, 236, 237, 238, 239, 240, 241, 243, 244, 245, 246, 247, 248, 249, 250, 252, 253, 254, 255, 256, 259, 260, 261, 262, 263 }

## 2.1.7 Giac

A grade: { 5, 6, 8, 14, 23, 30, 49, 50, 51, 52, 53, 54, 58, 60, 61, 63, 66, 68, 73, 74, 75, 76, 77, 78, 79, 80, 81, 85, 93, 110, 112, 137, 138, 139, 140, 141, 150, 153, 171, 173, 174, 175, 176, 177, 178, 189, 202, 203, 205, 206, 207, 257, 258 }

B grade: { 1, 2, 3, 4, 7, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 55, 56, 57, 59, 62, 64, 65, 67, 69, 70, 71, 72, 82, 83, 84, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 111, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 142, 143, 144, 145, 146, 147, 148, 149, 151, 152, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 172, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 204, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 227, 234, 255 }

C grade: { 226, 228, 256 }

F grade: { 229, 230, 231, 232, 233, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 259, 260, 261, 262, 263 }

## 2.1.8 Mupad

A grade: { 76, 77, 79 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 75, 78, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 190, 191, 192, 193, 194, 195, 196, 201, 202, 203, 204, 205, 206, 207, 208, 210, 212, 219, 221, 225, 226, 227, 229, 231, 233, 234, 238, 240, 242, 247, 249, 251, 255, 256, 257, 258 }

C grade: { }

F grade: { 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 74, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 186, 187, 188, 189, 197, 198, 199, 200, 209, 211, 213, 214, 215, 216, 217, 218, 220, 222, 223, 224, 228, 230, 232, 235, 236, 237, 239, 241, 243, 244, 245, 246, 248, 250, 252, 253, 254, 259, 260, 261, 262, 263 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	56	96	154	120	0	145	101
normalized size	1	1.00	0.77	1.32	2.11	1.64	0.00	1.99	1.38
time (sec)	N/A	0.076	0.369	0.267	1.130	0.512	0.000	0.202	0.245
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	73	75	136	91	0	120	99
normalized size	1	1.00	1.55	1.60	2.89	1.94	0.00	2.55	2.11
time (sec)	N/A	0.055	0.054	0.263	0.391	0.785	0.000	0.168	1.174
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	41	66	101	71	0	109	64
normalized size	1	1.00	0.93	1.50	2.30	1.61	0.00	2.48	1.45
time (sec)	N/A	0.051	0.210	0.176	1.384	0.651	0.000	0.176	0.145

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	45	44	67	42	0	79	27
normalized size	1	1.00	1.80	1.76	2.68	1.68	0.00	3.16	1.08
time (sec)	N/A	0.032	0.056	0.171	0.367	0.563	0.000	0.150	0.118

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	52	27	40	167	0	52	64
normalized size	1	1.00	2.00	1.04	1.54	6.42	0.00	2.00	2.46
time (sec)	N/A	0.033	0.029	0.249	0.348	0.745	0.000	0.155	0.118

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	23	39	88	0	45	43
normalized size	1	1.00	1.00	0.96	1.62	3.67	0.00	1.88	1.79
time (sec)	N/A	0.033	0.023	0.333	0.340	0.471	0.000	0.162	1.050

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	87	50	152	924	0	113	156
normalized size	1	1.00	1.71	0.98	2.98	18.12	0.00	2.22	3.06
time (sec)	N/A	0.059	0.048	0.345	0.384	0.660	0.000	0.148	1.133

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	61	55	113	244	0	80	173
normalized size	1	1.00	1.39	1.25	2.57	5.55	0.00	1.82	3.93
time (sec)	N/A	0.043	0.072	0.371	0.358	0.723	0.000	0.151	1.097

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	94	166	295	394	0	295	293
normalized size	1	1.00	0.80	1.41	2.50	3.34	0.00	2.50	2.48
time (sec)	N/A	0.133	1.449	0.293	0.358	0.610	0.000	0.458	0.309

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	71	148	265	259	0	290	215
normalized size	1	1.00	0.92	1.92	3.44	3.36	0.00	3.77	2.79
time (sec)	N/A	0.098	0.538	0.293	0.365	0.524	0.000	0.420	0.287

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	70	118	217	291	0	215	248
normalized size	1	1.00	0.89	1.49	2.75	3.68	0.00	2.72	3.14
time (sec)	N/A	0.111	0.902	0.210	0.347	0.476	0.000	0.326	1.177

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	46	98	171	167	0	162	154
normalized size	1	1.00	0.94	2.00	3.49	3.41	0.00	3.31	3.14
time (sec)	N/A	0.053	0.341	0.210	0.354	0.545	0.000	0.216	0.191

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	50	63	196	890	0	126	160
normalized size	1	1.00	0.98	1.24	3.84	17.45	0.00	2.47	3.14
time (sec)	N/A	0.065	0.169	0.243	0.349	0.897	0.000	0.232	0.154

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	43	68	136	264	0	86	209
normalized size	1	1.00	0.93	1.48	2.96	5.74	0.00	1.87	4.54
time (sec)	N/A	0.057	0.492	0.431	0.339	0.516	0.000	0.265	1.157

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	96	67	181	2462	0	168	261
normalized size	1	1.00	1.17	0.82	2.21	30.02	0.00	2.05	3.18
time (sec)	N/A	0.119	1.591	0.382	0.316	0.514	0.000	0.266	0.162

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	59	81	210	393	0	143	143
normalized size	1	1.00	0.82	1.12	2.92	5.46	0.00	1.99	1.99
time (sec)	N/A	0.079	0.520	0.455	0.319	0.714	0.000	0.259	1.080

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	125	246	480	879	0	507	730
normalized size	1	1.00	0.69	1.35	2.64	4.83	0.00	2.79	4.01
time (sec)	N/A	0.222	3.925	0.357	0.340	0.551	0.000	0.793	1.390

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	91	239	439	540	0	442	361
normalized size	1	1.00	0.87	2.28	4.18	5.14	0.00	4.21	3.44
time (sec)	N/A	0.123	0.303	0.319	0.350	0.588	0.000	0.660	0.412



Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	139	95	180	377	725	0	395	668
normalized size	1	1.14	0.78	1.48	3.09	5.94	0.00	3.24	5.48
time (sec)	N/A	0.185	2.198	0.234	0.329	0.875	0.000	0.643	0.315

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	63	170	321	383	0	322	308
normalized size	1	1.00	0.90	2.43	4.59	5.47	0.00	4.60	4.40
time (sec)	N/A	0.068	0.880	0.230	0.326	0.636	0.000	0.391	1.245

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	79	118	560	2277	0	262	317
normalized size	1	1.00	0.94	1.40	6.67	27.11	0.00	3.12	3.77
time (sec)	N/A	0.084	0.326	0.245	0.325	0.793	0.000	0.365	0.246

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	70	141	348	572	0	202	590
normalized size	1	1.00	1.09	2.20	5.44	8.94	0.00	3.16	9.22
time (sec)	N/A	0.064	0.714	0.510	0.326	0.487	0.000	0.443	1.235

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	127	103	403	5037	0	281	412
normalized size	1	1.00	0.84	0.68	2.65	33.14	0.00	1.85	2.71
time (sec)	N/A	0.225	6.197	0.391	0.332	0.967	0.000	0.495	1.256

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	87	136	493	925	0	257	622
normalized size	1	1.00	0.89	1.39	5.03	9.44	0.00	2.62	6.35
time (sec)	N/A	0.097	1.255	0.529	0.344	0.594	0.000	0.462	0.279

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	93	865	514	2024	0	301	250
normalized size	1	1.00	0.79	7.33	4.36	17.15	0.00	2.55	2.12
time (sec)	N/A	0.172	0.273	0.344	0.510	0.802	0.000	1.093	1.678

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	135	202	0	1367	0	810	955
normalized size	1	1.00	1.80	2.69	0.00	18.23	0.00	10.80	12.73
time (sec)	N/A	0.128	0.577	0.301	0.000	0.650	0.000	0.495	2.655

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	67	605	316	916	0	176	198
normalized size	1	1.00	0.86	7.76	4.05	11.74	0.00	2.26	2.54
time (sec)	N/A	0.104	0.153	0.316	0.461	0.566	0.000	0.590	1.512

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	107	104	0	666	0	1065	520
normalized size	1	1.00	2.02	1.96	0.00	12.57	0.00	20.09	9.81
time (sec)	N/A	0.063	0.273	0.217	0.000	0.915	0.000	0.250	2.002

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	123	69	0	587	0	958	284
normalized size	1	1.00	2.24	1.25	0.00	10.67	0.00	17.42	5.16
time (sec)	N/A	0.078	0.211	0.394	0.000	0.551	0.000	0.215	1.921

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	413	62	618	0	69	136
normalized size	1	1.00	1.00	8.60	1.29	12.88	0.00	1.44	2.83
time (sec)	N/A	0.063	0.128	0.356	0.433	0.538	0.000	0.348	1.311

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	170	181	0	1790	0	475	787
normalized size	1	1.00	2.00	2.13	0.00	21.06	0.00	5.59	9.26
time (sec)	N/A	0.119	0.697	0.391	0.000	1.272	0.000	0.377	1.802

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	71	750	134	1628	0	132	254
normalized size	1	1.00	1.01	10.71	1.91	23.26	0.00	1.89	3.63
time (sec)	N/A	0.088	0.319	0.372	0.463	0.625	0.000	0.360	1.439

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	132	1246	1690	7366	0	525	-1
normalized size	1	1.00	0.69	6.49	8.80	38.36	0.00	2.73	-0.01
time (sec)	N/A	0.252	1.039	0.350	0.718	1.078	0.000	1.906	0.000

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	160	267	0	5025	0	1929	-1
normalized size	1	1.00	1.29	2.15	0.00	40.52	0.00	15.56	-0.01
time (sec)	N/A	0.218	1.371	0.321	0.000	0.755	0.000	0.943	0.000

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	105	1128	840	3918	0	400	-1
normalized size	1	1.00	0.80	8.55	6.36	29.68	0.00	3.03	-0.01
time (sec)	N/A	0.165	0.737	0.335	0.586	0.812	0.000	1.132	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	133	167	0	2252	0	924	-1
normalized size	1	1.00	1.45	1.82	0.00	24.48	0.00	10.04	-0.01
time (sec)	N/A	0.075	0.775	0.318	0.000	0.613	0.000	0.408	0.000

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	175	331	0	2614	0	1405	-1
normalized size	1	1.00	1.70	3.21	0.00	25.38	0.00	13.64	-0.01
time (sec)	N/A	0.144	0.746	0.472	0.000	1.094	0.000	0.373	0.000

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	86	552	212	2562	0	227	-1
normalized size	1	1.00	1.05	6.73	2.59	31.24	0.00	2.77	-0.01
time (sec)	N/A	0.076	0.502	0.459	0.505	0.633	0.000	0.621	0.000

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	203	367	0	6335	0	1074	-1
normalized size	1	1.00	1.44	2.60	0.00	44.93	0.00	7.62	-0.01
time (sec)	N/A	0.209	4.346	0.463	0.000	0.733	0.000	0.713	0.000

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	114	1012	282	5062	0	221	-1
normalized size	1	1.00	1.01	8.96	2.50	44.80	0.00	1.96	-0.01
time (sec)	N/A	0.154	0.929	0.467	0.550	0.859	0.000	0.563	0.000

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	F(-1)	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	184	2366	3392	0	0	923	-1
normalized size	1	1.00	0.77	9.86	14.13	0.00	0.00	3.85	-0.00
time (sec)	N/A	0.345	0.858	0.394	1.120	0.000	0.000	3.004	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F(-1)	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	227	341	0	0	0	1748	-1
normalized size	1	1.00	1.37	2.05	0.00	0.00	0.00	10.53	-0.01
time (sec)	N/A	0.286	2.004	0.336	0.000	0.000	0.000	1.639	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	158	2110	1806	12965	0	584	-1
normalized size	1	1.00	0.85	11.41	9.76	70.08	0.00	3.16	-0.01
time (sec)	N/A	0.251	1.340	0.355	0.817	1.712	0.000	1.940	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	157	252	0	7119	0	1718	-1
normalized size	1	1.00	1.25	2.00	0.00	56.50	0.00	13.63	-0.01
time (sec)	N/A	0.097	1.828	0.305	0.000	1.381	0.000	0.615	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	236	1132	0	10716	0	2033	-1
normalized size	1	1.00	1.51	7.26	0.00	68.69	0.00	13.03	-0.01
time (sec)	N/A	0.254	1.513	0.447	0.000	1.775	0.000	0.502	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	109	816	478	8312	0	351	-1
normalized size	1	1.00	0.97	7.29	4.27	74.21	0.00	3.13	-0.01
time (sec)	N/A	0.087	1.060	0.439	0.619	0.675	0.000	0.802	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	269	1083	0	0	0	1877	-1
normalized size	1	1.00	1.37	5.53	0.00	0.00	0.00	9.58	-0.01
time (sec)	N/A	0.334	4.447	0.476	0.000	0.000	0.000	1.026	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	149	1416	615	0	0	407	-1
normalized size	1	1.00	0.99	9.38	4.07	0.00	0.00	2.70	-0.01
time (sec)	N/A	0.201	1.401	0.480	0.700	0.000	0.000	0.847	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	92	122	194	1530	0	206	156
normalized size	1	1.00	0.70	0.92	1.47	11.59	0.00	1.56	1.18
time (sec)	N/A	0.172	0.200	0.299	0.418	0.571	0.000	0.251	0.269

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	104	129	174	1070	0	142	171
normalized size	1	1.00	1.06	1.32	1.78	10.92	0.00	1.45	1.74
time (sec)	N/A	0.120	0.276	0.353	0.412	0.740	0.000	0.192	0.228

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	69	79	141	924	0	142	115
normalized size	1	1.00	0.69	0.79	1.41	9.24	0.00	1.42	1.15
time (sec)	N/A	0.117	0.115	0.205	0.410	0.590	0.000	0.177	1.147

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	72	85	105	528	0	95	128
normalized size	1	1.00	1.14	1.35	1.67	8.38	0.00	1.51	2.03
time (sec)	N/A	0.076	0.126	0.280	0.414	0.948	0.000	0.172	0.139

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	75	65	83	522	0	74	233
normalized size	1	1.00	1.53	1.33	1.69	10.65	0.00	1.51	4.76
time (sec)	N/A	0.074	0.032	0.367	0.408	0.958	0.000	0.159	2.471

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	26	44	141	0	45	79
normalized size	1	1.00	1.00	0.90	1.52	4.86	0.00	1.55	2.72
time (sec)	N/A	0.034	0.027	0.356	0.302	1.299	0.000	0.189	0.165

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	95	62	156	1188	0	143	173
normalized size	1	1.00	1.34	0.87	2.20	16.73	0.00	2.01	2.44
time (sec)	N/A	0.090	0.028	0.452	0.421	1.683	0.000	0.165	2.481

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	74	60	184	1739	0	149	162
normalized size	1	1.00	1.32	1.07	3.29	31.05	0.00	2.66	2.89
time (sec)	N/A	0.058	0.223	0.385	0.401	0.739	0.000	0.178	1.235

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	206	156	243	379	5034	0	376	359
normalized size	1	1.21	0.92	1.43	2.23	29.61	0.00	2.21	2.11
time (sec)	N/A	0.297	2.829	0.320	0.408	0.749	0.000	0.711	0.444

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	121	250	348	3341	0	300	397
normalized size	1	1.00	0.66	1.37	1.91	18.36	0.00	1.65	2.18
time (sec)	N/A	0.225	0.780	0.378	0.407	0.660	0.000	0.485	1.436



Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	159	137	173	301	3649	0	298	306
normalized size	1	1.23	1.06	1.34	2.33	28.29	0.00	2.31	2.37
time (sec)	N/A	0.205	1.602	0.252	0.411	0.742	0.000	0.444	1.360

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	90	179	253	2230	0	214	338
normalized size	1	1.00	0.73	1.46	2.06	18.13	0.00	1.74	2.75
time (sec)	N/A	0.147	0.438	0.320	0.409	0.720	0.000	0.313	1.290

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	106	134	447	2498	0	178	522
normalized size	1	1.00	1.08	1.37	4.56	25.49	0.00	1.82	5.33
time (sec)	N/A	0.136	0.171	0.392	0.407	0.775	0.000	0.285	3.283

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	94	98	256	518	0	122	483
normalized size	1	1.00	2.00	2.09	5.45	11.02	0.00	2.60	10.28
time (sec)	N/A	0.058	0.252	0.457	0.315	0.566	0.000	0.322	1.264

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	138	108	378	4642	0	192	561
normalized size	1	1.00	1.29	1.01	3.53	43.38	0.00	1.79	5.24
time (sec)	N/A	0.160	0.164	0.529	0.411	1.007	0.000	0.312	2.896

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	147	146	468	4125	0	249	344
normalized size	1	1.00	1.52	1.51	4.82	42.53	0.00	2.57	3.55
time (sec)	N/A	0.098	0.218	0.493	0.410	0.617	0.000	0.331	0.261

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	306	294	385	647	0	0	708	682
normalized size	1	1.11	1.07	1.40	2.35	0.00	0.00	2.57	2.48
time (sec)	N/A	0.494	6.271	0.409	0.432	0.000	0.000	1.633	1.703

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	291	506	604	8462	0	601	757
normalized size	1	1.00	0.83	1.44	1.72	24.11	0.00	1.71	2.16
time (sec)	N/A	0.350	6.614	0.486	0.429	0.603	0.000	1.248	1.598

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	241	244	289	544	9862	0	592	617
normalized size	1	1.10	1.11	1.31	2.47	44.83	0.00	2.69	2.80
time (sec)	N/A	0.315	6.253	0.293	0.425	0.637	0.000	1.276	0.556

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	233	410	484	6410	0	485	707
normalized size	1	1.00	0.87	1.52	1.80	23.83	0.00	1.80	2.63
time (sec)	N/A	0.249	6.329	0.428	0.424	0.525	0.000	0.678	1.487

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	219	219	154	339	654	7127	0	422	671
normalized size	1	1.00	0.70	1.55	2.99	32.54	0.00	1.93	3.06
time (sec)	N/A	0.264	3.206	0.524	0.433	0.550	0.000	0.598	6.399

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	113	171	679	1192	0	311	1515
normalized size	1	1.00	1.59	2.41	9.56	16.79	0.00	4.38	21.34
time (sec)	N/A	0.065	0.770	0.505	0.336	0.404	0.000	0.765	1.378

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	232	232	243	286	586	10985	0	434	731
normalized size	1	1.00	1.05	1.23	2.53	47.35	0.00	1.87	3.15
time (sec)	N/A	0.316	6.365	0.614	0.427	0.606	0.000	0.841	8.048

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	213	219	997	9459	0	437	646
normalized size	1	1.00	1.54	1.59	7.22	68.54	0.00	3.17	4.68
time (sec)	N/A	0.115	0.197	0.556	0.426	0.582	0.000	0.825	0.540

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	491	491	645	603	0	0	0	362	3313
normalized size	1	1.00	1.31	1.23	0.00	0.00	0.00	0.74	6.75
time (sec)	N/A	0.892	4.831	0.509	0.000	0.000	0.000	0.759	4.355

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-1)	F(-1)	A	F(-1)
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	0	826	346	0	0	0	344	-1
normalized size	1	0.00	25.03	10.48	0.00	0.00	0.00	10.42	-0.03
time (sec)	N/A	0.046	0.535	0.467	0.000	0.000	0.000	3.164	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	384	384	423	356	0	10695	0	223	2100
normalized size	1	1.00	1.10	0.93	0.00	27.85	0.00	0.58	5.47
time (sec)	N/A	0.629	3.813	0.459	0.000	1.413	0.000	0.365	2.815

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-1)	F(-1)	A	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	0	409	164	0	0	0	189	4474
normalized size	1	0.00	13.19	5.29	0.00	0.00	0.00	6.10	144.32
time (sec)	N/A	0.028	0.269	0.528	0.000	0.000	0.000	1.841	87.988

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	0	319	98	0	0	0	147	3679
normalized size	1	0.00	10.29	3.16	0.00	0.00	0.00	4.74	118.68
time (sec)	N/A	0.041	0.179	0.619	0.000	0.000	0.000	1.398	16.503

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	190	121	0	640	0	21	669
normalized size	1	1.00	1.21	0.77	0.00	4.08	0.00	0.13	4.26
time (sec)	N/A	0.140	0.148	0.570	0.000	0.720	0.000	0.252	8.707

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	0	201	144	0	0	0	68	3643
normalized size	1	0.00	6.09	4.36	0.00	0.00	0.00	2.06	110.39
time (sec)	N/A	0.047	0.386	0.595	0.000	0.000	0.000	0.788	26.921

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	215	215	322	187	0	1954	0	180	4563
normalized size	1	1.00	1.50	0.87	0.00	9.09	0.00	0.84	21.22
time (sec)	N/A	0.239	3.618	0.600	0.000	1.869	0.000	0.285	3.218

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	44	82	104	63	0	107	74
normalized size	1	1.00	0.70	1.30	1.65	1.00	0.00	1.70	1.17
time (sec)	N/A	0.050	0.169	0.325	0.349	0.412	0.000	0.177	0.212

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	44	37	83	45	0	94	74
normalized size	1	1.00	1.47	1.23	2.77	1.50	0.00	3.13	2.47
time (sec)	N/A	0.036	0.018	0.318	0.344	0.392	0.000	0.159	0.210

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	32	54	69	30	0	81	27
normalized size	1	1.00	0.97	1.64	2.09	0.91	0.00	2.45	0.82
time (sec)	N/A	0.039	0.060	0.208	0.322	0.394	0.000	0.140	0.146

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	47	37	55	102	0	56	66
normalized size	1	1.00	1.74	1.37	2.04	3.78	0.00	2.07	2.44
time (sec)	N/A	0.032	0.037	0.197	0.440	0.408	0.000	0.143	0.139

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	48	65	80	323	0	63	125
normalized size	1	1.00	1.20	1.62	2.00	8.08	0.00	1.58	3.12
time (sec)	N/A	0.031	0.027	0.270	0.426	0.393	0.000	0.145	0.132

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	53	34	159	0	59	59
normalized size	1	1.00	1.00	1.89	1.21	5.68	0.00	2.11	2.11
time (sec)	N/A	0.029	0.013	0.368	0.344	0.382	0.000	0.156	1.218

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	93	103	181	1046	0	132	280
normalized size	1	1.00	1.41	1.56	2.74	15.85	0.00	2.00	4.24
time (sec)	N/A	0.046	0.034	0.386	0.438	0.401	0.000	0.154	1.251

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	86	75	371	345	0	95	304
normalized size	1	1.00	1.79	1.56	7.73	7.19	0.00	1.98	6.33
time (sec)	N/A	0.040	0.053	0.361	0.347	0.393	0.000	0.159	0.165

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	63	124	171	95	0	189	102
normalized size	1	1.00	0.74	1.46	2.01	1.12	0.00	2.22	1.20
time (sec)	N/A	0.087	0.327	0.380	0.361	0.412	0.000	0.388	0.266

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	71	98	161	519	0	164	130
normalized size	1	1.00	1.31	1.81	2.98	9.61	0.00	3.04	2.41
time (sec)	N/A	0.060	0.458	0.274	0.502	0.419	0.000	0.364	0.257

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	54	96	140	105	0	170	77
normalized size	1	1.00	1.06	1.88	2.75	2.06	0.00	3.33	1.51
time (sec)	N/A	0.076	0.411	0.213	0.340	0.427	0.000	0.276	1.289

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	54	122	152	774	0	137	182
normalized size	1	1.00	0.90	2.03	2.53	12.90	0.00	2.28	3.03
time (sec)	N/A	0.082	0.178	0.306	0.446	0.428	0.000	0.248	0.237

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	B	B	F	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	427	173	199	1373	0	157	303
normalized size	1	1.00	4.69	1.90	2.19	15.09	0.00	1.73	3.33
time (sec)	N/A	0.085	7.277	0.370	0.461	0.418	0.000	0.203	0.162

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	49	126	53	391	0	169	482
normalized size	1	1.00	1.00	2.57	1.08	7.98	0.00	3.45	9.84
time (sec)	N/A	0.053	0.213	0.458	0.329	0.402	0.000	0.229	1.240

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	B	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	792	236	345	2824	0	291	572
normalized size	1	1.00	6.34	1.89	2.76	22.59	0.00	2.33	4.58
time (sec)	N/A	0.152	8.761	0.506	0.426	0.470	0.000	0.215	0.181

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	83	158	928	677	0	238	732
normalized size	1	1.00	1.09	2.08	12.21	8.91	0.00	3.13	9.63
time (sec)	N/A	0.070	0.577	0.466	0.342	0.403	0.000	0.244	1.220

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	81	184	267	227	0	285	133
normalized size	1	1.00	0.89	2.02	2.93	2.49	0.00	3.13	1.46
time (sec)	N/A	0.130	0.703	0.380	0.329	0.423	0.000	0.755	1.407

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	B	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	494	206	284	1840	0	279	232
normalized size	1	1.00	5.68	2.37	3.26	21.15	0.00	3.21	2.67
time (sec)	N/A	0.105	6.885	0.380	0.431	0.451	0.000	0.656	0.355



Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	69	148	256	369	0	267	243
normalized size	1	1.00	0.88	1.90	3.28	4.73	0.00	3.42	3.12
time (sec)	N/A	0.090	0.969	0.240	0.410	0.411	0.000	0.599	0.289

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	89	257	295	2411	0	257	355
normalized size	1	1.00	0.90	2.60	2.98	24.35	0.00	2.60	3.59
time (sec)	N/A	0.116	0.422	0.397	0.698	0.452	0.000	0.384	0.309

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	B	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	1341	334	362	3465	0	321	535
normalized size	1	1.00	9.00	2.24	2.43	23.26	0.00	2.15	3.59
time (sec)	N/A	0.154	16.676	0.421	0.432	0.446	0.000	0.309	1.394

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	67	227	71	786	0	347	1050
normalized size	1	1.00	1.00	3.39	1.06	11.73	0.00	5.18	15.67
time (sec)	N/A	0.061	0.179	0.547	0.325	0.396	0.000	0.392	1.333

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	158	421	553	6114	0	517	951
normalized size	1	1.00	0.80	2.13	2.79	30.88	0.00	2.61	4.80
time (sec)	N/A	0.239	11.837	0.589	0.693	1.184	0.000	0.410	1.364

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	218	269	1847	1185	0	447	1424
normalized size	1	1.00	2.14	2.64	18.11	11.62	0.00	4.38	13.96
time (sec)	N/A	0.089	0.910	0.563	0.350	0.401	0.000	0.412	1.333

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	115	857	514	2180	0	326	967
normalized size	1	1.00	0.96	7.14	4.28	18.17	0.00	2.72	8.06
time (sec)	N/A	0.168	0.303	0.465	0.509	0.482	0.000	1.068	1.930

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	79	468	0	1850	0	829	2194
normalized size	1	1.00	0.99	5.85	0.00	23.12	0.00	10.36	27.42
time (sec)	N/A	0.109	0.430	0.444	0.000	0.493	0.000	0.487	2.877

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	77	608	316	948	0	172	880
normalized size	1	1.00	1.00	7.90	4.10	12.31	0.00	2.23	11.43
time (sec)	N/A	0.103	0.161	0.432	0.616	0.447	0.000	0.564	1.933

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	53	315	0	766	0	1117	154
normalized size	1	1.00	1.00	5.94	0.00	14.45	0.00	21.08	2.91
time (sec)	N/A	0.070	0.107	0.376	0.000	0.451	0.000	0.268	1.676

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	36	235	0	511	0	480	147
normalized size	1	1.00	1.00	6.53	0.00	14.19	0.00	13.33	4.08
time (sec)	N/A	0.044	0.047	0.317	0.000	0.423	0.000	0.182	0.335

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	32	363	36	455	0	44	81
normalized size	1	1.00	1.00	11.34	1.12	14.22	0.00	1.38	2.53
time (sec)	N/A	0.056	0.058	0.356	0.525	0.455	0.000	0.329	1.459

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	494	0	540	0	563	449
normalized size	1	1.00	1.00	8.98	0.00	9.82	0.00	10.24	8.16
time (sec)	N/A	0.073	0.208	0.344	0.000	0.448	0.000	0.397	1.705

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	648	63	649	0	84	176
normalized size	1	1.00	1.00	12.96	1.26	12.98	0.00	1.68	3.52
time (sec)	N/A	0.070	0.146	0.303	0.449	0.440	0.000	0.342	1.615

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	79	836	0	1584	0	428	1012
normalized size	1	1.00	0.92	9.72	0.00	18.42	0.00	4.98	11.77
time (sec)	N/A	0.120	0.601	0.329	0.000	0.471	0.000	0.402	2.096

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	71	1077	140	2032	0	153	252
normalized size	1	1.00	0.95	14.36	1.87	27.09	0.00	2.04	3.36
time (sec)	N/A	0.092	0.401	0.349	0.456	0.482	0.000	0.361	1.654

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	128	111	875	0	6934	0	2074	-1
normalized size	1	1.00	0.87	6.84	0.00	54.17	0.00	16.20	-0.01
time (sec)	N/A	0.182	1.186	0.523	0.000	0.563	0.000	0.937	0.000

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	110	1146	840	4324	0	449	-1
normalized size	1	1.00	0.79	8.19	6.00	30.89	0.00	3.21	-0.01
time (sec)	N/A	0.194	0.836	0.472	0.704	0.526	0.000	1.096	0.000

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	84	729	0	3502	0	1838	-1
normalized size	1	1.00	0.83	7.22	0.00	34.67	0.00	18.20	-0.01
time (sec)	N/A	0.139	0.762	0.415	0.000	0.543	0.000	0.453	0.000

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	78	666	0	2041	0	1309	-1
normalized size	1	1.00	0.94	8.02	0.00	24.59	0.00	15.77	-0.01
time (sec)	N/A	0.071	0.306	0.386	0.000	0.463	0.000	0.324	0.000

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	63	498	125	1515	0	138	-1
normalized size	1	1.00	0.95	7.55	1.89	22.95	0.00	2.09	-0.02
time (sec)	N/A	0.066	0.268	0.400	0.518	0.435	0.000	0.558	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	69	375	0	1555	0	978	-1
normalized size	1	1.00	0.96	5.21	0.00	21.60	0.00	13.58	-0.01
time (sec)	N/A	0.077	0.140	0.390	0.000	0.438	0.000	0.599	0.000

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	83	746	127	1443	0	156	-1
normalized size	1	1.00	1.08	9.69	1.65	18.74	0.00	2.03	-0.01
time (sec)	N/A	0.079	0.327	0.367	0.538	0.444	0.000	0.554	0.000

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	203	1007	0	2140	0	1035	-1
normalized size	1	1.00	1.99	9.87	0.00	20.98	0.00	10.15	-0.01
time (sec)	N/A	0.127	0.555	0.364	0.000	0.516	0.000	0.675	0.000

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	102	1283	209	2869	0	248	-1
normalized size	1	1.00	1.05	13.23	2.15	29.58	0.00	2.56	-0.01
time (sec)	N/A	0.129	0.654	0.365	0.604	0.502	0.000	0.596	0.000

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	265	1477	0	6396	0	870	-1
normalized size	1	1.00	1.71	9.53	0.00	41.26	0.00	5.61	-0.01
time (sec)	N/A	0.249	1.414	0.402	0.000	0.573	0.000	0.687	0.000

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	164	2132	1806	13887	0	595	-1
normalized size	1	1.00	0.83	10.77	9.12	70.14	0.00	3.01	-0.01
time (sec)	N/A	0.310	1.424	0.514	1.048	0.714	0.000	1.913	0.000

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	136	1570	0	11392	0	2145	-1
normalized size	1	1.00	0.88	10.19	0.00	73.97	0.00	13.93	-0.01
time (sec)	N/A	0.223	2.137	0.492	0.000	0.652	0.000	0.684	0.000

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	134	1676	0	7909	0	1137	-1
normalized size	1	1.00	0.93	11.64	0.00	54.92	0.00	7.90	-0.01
time (sec)	N/A	0.141	1.184	0.451	0.000	0.565	0.000	0.445	0.000

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	77	764	366	5840	0	320	-1
normalized size	1	1.00	0.80	7.96	3.81	60.83	0.00	3.33	-0.01
time (sec)	N/A	0.075	0.828	0.483	0.632	0.544	0.000	0.750	0.000

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	123	1226	0	6614	0	1495	-1
normalized size	1	1.00	0.95	9.50	0.00	51.27	0.00	11.59	-0.01
time (sec)	N/A	0.120	0.724	0.486	0.000	0.567	0.000	0.991	0.000

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	115	1270	360	5659	0	332	-1
normalized size	1	1.00	1.00	11.04	3.13	49.21	0.00	2.89	-0.01
time (sec)	N/A	0.097	1.051	0.401	0.697	0.534	0.000	0.731	0.000

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	88	634	0	5077	0	690	-1
normalized size	1	1.00	0.85	6.10	0.00	48.82	0.00	6.63	-0.01
time (sec)	N/A	0.091	0.311	0.401	0.000	0.516	0.000	0.823	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	128	1776	332	5233	0	338	-1
normalized size	1	1.00	0.98	13.56	2.53	39.95	0.00	2.58	-0.01
time (sec)	N/A	0.124	0.995	0.418	0.677	0.546	0.000	0.752	0.000

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	317	1907	0	8070	0	1040	-1
normalized size	1	1.00	2.03	12.22	0.00	51.73	0.00	6.67	-0.01
time (sec)	N/A	0.228	3.382	0.402	0.000	0.598	0.000	0.929	0.000

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	97	128	199	339	82	134	50
normalized size	1	1.00	1.80	2.37	3.69	6.28	1.52	2.48	0.93
time (sec)	N/A	0.052	0.039	0.015	0.328	0.412	0.553	0.210	1.218

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	43	104	168	1205	88	92	53
normalized size	1	1.00	0.88	2.12	3.43	24.59	1.80	1.88	1.08
time (sec)	N/A	0.059	0.249	0.014	0.405	0.444	0.419	0.182	0.118

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	65	100	105	160	54	86	34
normalized size	1	1.00	1.81	2.78	2.92	4.44	1.50	2.39	0.94
time (sec)	N/A	0.040	0.028	0.016	0.326	0.411	0.292	0.175	1.170

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	41	76	76	399	60	57	37
normalized size	1	1.00	1.32	2.45	2.45	12.87	1.94	1.84	1.19
time (sec)	N/A	0.032	0.024	0.016	0.406	0.443	0.205	0.162	1.168

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	28	47	31	37	20	29	18
normalized size	1	1.00	1.47	2.47	1.63	1.95	1.05	1.53	0.95
time (sec)	N/A	0.013	0.007	0.016	0.301	0.403	0.155	0.134	0.073



Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	33	26	35	70	0	46	228
normalized size	1	1.00	1.32	1.04	1.40	2.80	0.00	1.84	9.12
time (sec)	N/A	0.041	0.042	0.267	0.312	0.421	0.000	0.159	1.312

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	32	28	31	38	49	30	25
normalized size	1	1.00	1.78	1.56	1.72	2.11	2.72	1.67	1.39
time (sec)	N/A	0.029	0.027	0.211	0.323	0.404	7.559	0.170	1.267

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	39	40	106	407	0	58	76
normalized size	1	1.00	1.26	1.29	3.42	13.13	0.00	1.87	2.45
time (sec)	N/A	0.042	0.122	0.268	0.320	0.426	0.000	0.196	1.264

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	61	46	105	156	0	86	162
normalized size	1	1.00	1.69	1.28	2.92	4.33	0.00	2.39	4.50
time (sec)	N/A	0.039	0.040	0.235	0.329	0.425	0.000	0.188	1.168

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	51	68	206	1216	0	93	177
normalized size	1	1.00	1.04	1.39	4.20	24.82	0.00	1.90	3.61
time (sec)	N/A	0.062	0.335	0.252	0.337	0.432	0.000	0.236	1.246

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	190	236	369	796	165	300	91
normalized size	1	1.00	2.29	2.84	4.45	9.59	1.99	3.61	1.10
time (sec)	N/A	0.079	0.082	0.016	0.344	0.416	1.110	0.318	0.180

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	66	196	333	3441	170	191	100
normalized size	1	1.00	0.87	2.58	4.38	45.28	2.24	2.51	1.32
time (sec)	N/A	0.110	0.426	0.016	0.429	0.475	0.886	0.287	1.315

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	137	189	231	483	117	218	67
normalized size	1	1.00	2.17	3.00	3.67	7.67	1.86	3.46	1.06
time (sec)	N/A	0.076	0.053	0.017	0.338	0.429	0.643	0.256	1.300

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	50	149	186	1638	122	116	76
normalized size	1	1.00	0.88	2.61	3.26	28.74	2.14	2.04	1.33
time (sec)	N/A	0.073	0.323	0.016	0.420	0.431	0.474	0.222	1.206

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	65	144	114	201	68	103	47
normalized size	1	1.00	1.51	3.35	2.65	4.67	1.58	2.40	1.09
time (sec)	N/A	0.031	0.750	0.019	0.327	0.396	0.322	0.144	1.243

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	48	60	104	668	0	141	210
normalized size	1	1.00	0.98	1.22	2.12	13.63	0.00	2.88	4.29
time (sec)	N/A	0.077	0.135	0.264	0.422	0.417	0.000	0.208	1.319

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	64	49	64	97	0	71	59
normalized size	1	1.00	1.78	1.36	1.78	2.69	0.00	1.97	1.64
time (sec)	N/A	0.067	0.107	0.209	0.347	0.391	0.000	0.253	1.244

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	50	60	134	677	0	141	211
normalized size	1	1.00	0.96	1.15	2.58	13.02	0.00	2.71	4.06
time (sec)	N/A	0.095	0.171	0.267	0.330	0.434	0.000	0.270	1.415

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	65	59	114	197	0	103	175
normalized size	1	1.00	1.51	1.37	2.65	4.58	0.00	2.40	4.07
time (sec)	N/A	0.071	0.619	0.228	0.332	0.404	0.000	0.279	0.175

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	58	91	236	1649	0	118	197
normalized size	1	1.00	0.81	1.26	3.28	22.90	0.00	1.64	2.74
time (sec)	N/A	0.099	0.429	0.288	0.335	0.465	0.000	0.335	1.272

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	98	87	231	473	0	218	529
normalized size	1	1.00	1.56	1.38	3.67	7.51	0.00	3.46	8.40
time (sec)	N/A	0.077	0.094	0.238	0.351	0.410	0.000	0.360	0.204

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	74	138	390	3454	0	192	362
normalized size	1	1.00	0.80	1.50	4.24	37.54	0.00	2.09	3.93
time (sec)	N/A	0.113	0.517	0.257	0.354	0.472	0.000	0.431	0.274

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	123	365	583	1563	260	534	138
normalized size	1	1.00	1.08	3.20	5.11	13.71	2.28	4.68	1.21
time (sec)	N/A	0.101	1.519	0.017	0.368	0.449	2.091	0.539	0.260

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	98	307	540	7502	279	309	155
normalized size	1	1.00	0.92	2.87	5.05	70.11	2.61	2.89	1.45
time (sec)	N/A	0.152	0.313	0.017	0.454	0.558	1.683	0.466	1.241

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	108	299	400	1036	192	418	106
normalized size	1	1.00	1.15	3.18	4.26	11.02	2.04	4.45	1.13
time (sec)	N/A	0.093	1.724	0.017	0.347	0.431	1.200	0.394	1.218

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	76	241	351	4298	211	216	123
normalized size	1	1.00	0.92	2.90	4.23	51.78	2.54	2.60	1.48
time (sec)	N/A	0.101	0.249	0.019	0.441	0.488	0.969	0.352	1.253

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	95	235	239	567	126	241	86
normalized size	1	1.00	1.28	3.18	3.23	7.66	1.70	3.26	1.16
time (sec)	N/A	0.046	0.615	0.017	0.348	0.410	0.685	0.177	1.282

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	67	111	214	2381	0	267	380
normalized size	1	1.00	0.93	1.54	2.97	33.07	0.00	3.71	5.28
time (sec)	N/A	0.098	0.547	0.286	0.437	0.468	0.000	0.331	0.401

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	81	80	147	341	0	135	218
normalized size	1	1.00	1.37	1.36	2.49	5.78	0.00	2.29	3.69
time (sec)	N/A	0.080	2.312	0.246	0.341	0.428	0.000	0.413	1.308

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	63	94	203	1686	0	274	327
normalized size	1	1.00	0.88	1.31	2.82	23.42	0.00	3.81	4.54
time (sec)	N/A	0.108	0.462	0.275	0.438	0.445	0.000	0.443	2.476

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	82	80	147	341	0	135	219
normalized size	1	1.00	1.39	1.36	2.49	5.78	0.00	2.29	3.71
time (sec)	N/A	0.081	1.284	0.246	0.340	0.437	0.000	0.523	1.287

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	67	111	264	2393	0	267	381
normalized size	1	1.00	0.81	1.34	3.18	28.83	0.00	3.22	4.59
time (sec)	N/A	0.117	0.583	0.270	0.350	0.461	0.000	0.577	0.395

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	100	100	239	557	0	241	568
normalized size	1	1.00	1.35	1.35	3.23	7.53	0.00	3.26	7.68
time (sec)	N/A	0.089	1.781	0.283	0.349	0.441	0.000	0.557	1.299

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	76	161	420	4305	0	217	380
normalized size	1	1.00	0.74	1.56	4.08	41.80	0.00	2.11	3.69
time (sec)	N/A	0.129	0.254	0.273	0.355	0.493	0.000	0.782	0.318

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	128	344	410	1176	209	447	133
normalized size	1	1.00	1.16	3.13	3.73	10.69	1.90	4.06	1.21
time (sec)	N/A	0.070	1.793	0.018	0.353	0.427	1.276	0.216	0.200

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	170	472	624	2133	308	721	188
normalized size	1	1.00	1.06	2.95	3.90	13.33	1.92	4.51	1.18
time (sec)	N/A	0.094	2.338	0.020	0.357	0.437	2.316	0.308	1.321

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	60	93	133	742	425	132	72
normalized size	1	1.00	0.91	1.41	2.02	11.24	6.44	2.00	1.09
time (sec)	N/A	0.115	0.180	0.089	0.428	0.519	13.457	0.260	0.269

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	66	95	509	777	495	87	56
normalized size	1	1.00	1.12	1.61	8.63	13.17	8.39	1.47	0.95
time (sec)	N/A	0.108	0.199	0.097	0.603	0.465	11.281	0.226	1.230

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	42	75	82	118	316	96	46
normalized size	1	1.00	0.91	1.63	1.78	2.57	6.87	2.09	1.00
time (sec)	N/A	0.104	0.039	0.107	0.409	0.462	9.647	0.229	1.236

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	47	77	215	486	294	65	38
normalized size	1	1.00	1.02	1.67	4.67	10.57	6.39	1.41	0.83
time (sec)	N/A	0.083	0.031	0.072	0.451	0.489	8.966	0.184	0.106

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	35	71	58	82	156	61	43
normalized size	1	1.00	0.83	1.69	1.38	1.95	3.71	1.45	1.02
time (sec)	N/A	0.061	0.037	0.087	0.327	0.415	8.830	0.174	1.170

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	65	76	57	484	280	63	37
normalized size	1	1.00	1.44	1.69	1.27	10.76	6.22	1.40	0.82
time (sec)	N/A	0.074	0.084	0.144	0.422	0.458	8.957	0.149	0.091

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	54	121	101	118	0	97	194
normalized size	1	1.00	0.90	2.02	1.68	1.97	0.00	1.62	3.23
time (sec)	N/A	0.101	0.076	0.403	0.329	0.453	0.000	0.175	1.468

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	67	494	329	784	0	89	402
normalized size	1	1.00	1.12	8.23	5.48	13.07	0.00	1.48	6.70
time (sec)	N/A	0.106	0.191	0.398	0.475	0.453	0.000	0.205	1.616

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	60	180	159	747	0	133	313
normalized size	1	1.00	0.71	2.12	1.87	8.79	0.00	1.56	3.68
time (sec)	N/A	0.137	0.182	0.422	0.331	0.519	0.000	0.251	1.539



Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	91	580	1038	2368	0	147	519
normalized size	1	1.00	1.11	7.07	12.66	28.88	0.00	1.79	6.33
time (sec)	N/A	0.177	0.710	0.484	0.613	0.462	0.000	0.252	1.614

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	69	156	217	1141	0	194	170
normalized size	1	1.00	0.83	1.88	2.61	13.75	0.00	2.34	2.05
time (sec)	N/A	0.150	0.560	0.101	0.438	0.549	0.000	0.446	1.609

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	90	172	1010	1950	0	195	1655
normalized size	1	1.00	1.01	1.93	11.35	21.91	0.00	2.19	18.60
time (sec)	N/A	0.117	0.599	0.098	0.792	0.477	0.000	0.336	1.692

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	57	118	170	629	0	149	210
normalized size	1	1.00	0.79	1.64	2.36	8.74	0.00	2.07	2.92
time (sec)	N/A	0.118	0.530	0.098	0.341	0.466	0.000	0.318	0.427

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	86	162	614	2025	0	177	106
normalized size	1	1.00	1.01	1.91	7.22	23.82	0.00	2.08	1.25
time (sec)	N/A	0.108	0.472	0.096	0.605	0.461	0.000	0.307	0.660

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	55	113	170	623	0	149	129
normalized size	1	1.00	0.81	1.66	2.50	9.16	0.00	2.19	1.90
time (sec)	N/A	0.086	0.466	0.120	0.342	0.443	0.000	0.266	1.466

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	97	172	206	1942	0	195	110
normalized size	1	1.00	1.09	1.93	2.31	21.82	0.00	2.19	1.24
time (sec)	N/A	0.088	0.578	0.153	0.461	0.473	0.000	0.184	1.541

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	83	325	235	1148	0	195	-1
normalized size	1	1.00	0.87	3.42	2.47	12.08	0.00	2.05	-0.01
time (sec)	N/A	0.149	2.164	0.464	0.335	0.563	0.000	0.314	0.000

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	111	1061	976	3725	0	336	-1
normalized size	1	1.00	0.93	8.92	8.20	31.30	0.00	2.82	-0.01
time (sec)	N/A	0.194	1.863	0.422	0.637	0.502	0.000	0.361	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	93	383	402	3468	0	323	-1
normalized size	1	1.00	0.75	3.09	3.24	27.97	0.00	2.60	-0.01
time (sec)	N/A	0.189	0.920	0.482	0.346	0.671	0.000	0.378	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	139	1137	2345	8482	0	281	-1
normalized size	1	1.00	0.87	7.15	14.75	53.35	0.00	1.77	-0.01
time (sec)	N/A	0.283	1.565	0.469	1.084	0.593	0.000	0.442	0.000

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	144	352	3354	7528	0	408	2669
normalized size	1	1.00	1.00	2.44	23.29	52.28	0.00	2.83	18.53
time (sec)	N/A	0.208	1.293	0.102	1.891	0.581	0.000	0.602	0.922

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	91	234	376	2584	3937	245	416
normalized size	1	1.00	0.83	2.15	3.45	23.71	36.12	2.25	3.82
time (sec)	N/A	0.170	1.098	0.107	0.363	0.482	157.941	0.514	0.825

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	135	340	2432	7757	0	384	2574
normalized size	1	1.00	0.99	2.48	17.75	56.62	0.00	2.80	18.79
time (sec)	N/A	0.195	1.150	0.121	1.345	0.578	0.000	0.488	1.856

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	80	196	384	2611	3434	245	397
normalized size	1	1.00	0.82	2.00	3.92	26.64	35.04	2.50	4.05
time (sec)	N/A	0.138	0.505	0.104	0.367	0.480	157.413	0.477	1.805

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	137	340	1472	7791	0	388	255
normalized size	1	1.00	1.00	2.48	10.74	56.87	0.00	2.83	1.86
time (sec)	N/A	0.157	1.166	0.108	0.901	0.577	0.000	0.441	3.471

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	77	193	378	2554	3442	245	235
normalized size	1	1.00	0.82	2.05	4.02	27.17	36.62	2.61	2.50
time (sec)	N/A	0.105	0.592	0.120	0.370	0.467	157.269	0.394	2.255

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	147	352	507	7496	0	409	260
normalized size	1	1.00	1.04	2.48	3.57	52.79	0.00	2.88	1.83
time (sec)	N/A	0.163	0.321	0.153	0.566	0.560	0.000	0.211	0.897

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	117	952	498	4800	0	295	-1
normalized size	1	1.00	0.85	6.90	3.61	34.78	0.00	2.14	-0.01
time (sec)	N/A	0.205	1.756	0.499	0.397	0.873	0.000	0.491	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	166	2045	1944	11865	0	437	-1
normalized size	1	1.00	0.93	11.49	10.92	66.66	0.00	2.46	-0.01
time (sec)	N/A	0.291	6.311	0.481	0.942	0.680	0.000	0.549	0.000

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	138	1020	770	10720	0	474	-1
normalized size	1	1.00	0.81	5.96	4.50	62.69	0.00	2.77	-0.01
time (sec)	N/A	0.262	1.906	0.496	0.421	1.293	0.000	1.062	0.000

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	194	2139	4285	0	0	493	-1
normalized size	1	1.00	0.85	9.38	18.79	0.00	0.00	2.16	-0.00
time (sec)	N/A	0.368	3.866	0.496	2.671	0.000	0.000	1.017	0.000

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	203	608	925	0	0	1356	3685
normalized size	1	1.00	1.01	3.02	4.60	0.00	0.00	6.75	18.33
time (sec)	N/A	0.277	0.680	0.162	0.743	0.000	0.000	0.530	1.380

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	3	19	4	5	8	0	5	3
normalized size	1	1.00	6.33	1.33	1.67	2.67	0.00	1.67	1.00
time (sec)	N/A	0.017	0.009	0.082	0.475	0.744	0.000	0.133	0.045

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	21	15	5	1	0	1	14
normalized size	1	1.00	1.31	0.94	0.31	0.06	0.00	0.06	0.88
time (sec)	N/A	0.021	0.008	0.112	0.493	2.082	0.000	0.126	0.248

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	29	21	28	140	0	45	20
normalized size	1	1.00	1.32	0.95	1.27	6.36	0.00	2.05	0.91
time (sec)	N/A	0.020	0.021	0.066	0.478	0.451	0.000	0.125	0.100

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	28	28	32	1	0	41	27
normalized size	1	1.00	0.80	0.80	0.91	0.03	0.00	1.17	0.77
time (sec)	N/A	0.024	0.023	0.119	0.461	0.613	0.000	0.118	1.173

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	14	11	2	12	11	2
normalized size	1	1.00	1.00	1.27	1.00	0.18	1.09	1.00	0.18
time (sec)	N/A	0.021	0.008	0.051	0.417	0.552	0.405	0.141	0.145

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	12	25	1	0	21	14
normalized size	1	1.00	1.00	0.92	1.92	0.08	0.00	1.62	1.08
time (sec)	N/A	0.021	0.007	0.089	0.421	0.461	0.000	0.130	0.095

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	85	288	0	4529	97	980	119
normalized size	1	1.00	0.98	3.31	0.00	52.06	1.11	11.26	1.37
time (sec)	N/A	0.161	0.521	0.134	0.000	0.867	6.393	2.950	9.603

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	580	337	0	9360	0	938	-1
normalized size	1	1.00	4.79	2.79	0.00	77.36	0.00	7.75	-0.01
time (sec)	N/A	0.200	6.217	0.104	0.000	0.951	0.000	3.036	0.000

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	60	253	0	2329	71	630	66
normalized size	1	1.00	0.95	4.02	0.00	36.97	1.13	10.00	1.05
time (sec)	N/A	0.119	0.176	0.091	0.000	0.584	4.277	2.177	3.465

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	193	276	0	4825	0	554	-1
normalized size	1	1.00	2.27	3.25	0.00	56.76	0.00	6.52	-0.01
time (sec)	N/A	0.125	3.437	0.089	0.000	0.685	0.000	1.744	0.000

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	238	0	1543	51	349	51
normalized size	1	1.00	1.00	5.41	0.00	35.07	1.16	7.93	1.16
time (sec)	N/A	0.077	0.028	0.096	0.000	0.505	2.257	0.989	1.694

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	137	238	0	3443	0	253	-1
normalized size	1	1.00	2.28	3.97	0.00	57.38	0.00	4.22	-0.02
time (sec)	N/A	0.047	0.235	0.106	0.000	0.571	0.000	0.690	0.000

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	3467	0	255	-1
normalized size	1	1.00	1.00	0.00	0.00	61.91	0.00	4.55	-0.02
time (sec)	N/A	0.112	0.031	0.384	0.000	0.602	0.000	0.765	0.000

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	42	0	0	1539	0	348	-1
normalized size	1	1.00	0.88	0.00	0.00	32.06	0.00	7.25	-0.02
time (sec)	N/A	0.093	0.135	0.338	0.000	0.506	0.000	1.072	0.000

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	0	0	4891	0	557	-1
normalized size	1	1.00	1.00	0.00	0.00	58.93	0.00	6.71	-0.01
time (sec)	N/A	0.155	0.223	0.353	0.000	0.794	0.000	1.757	0.000

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	161	0	0	2355	0	629	-1
normalized size	1	1.00	2.06	0.00	0.00	30.19	0.00	8.06	-0.01
time (sec)	N/A	0.146	6.218	0.348	0.000	0.599	0.000	2.215	0.000

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	111	0	0	9642	0	947	-1
normalized size	1	1.00	0.92	0.00	0.00	79.69	0.00	7.83	-0.01
time (sec)	N/A	0.213	0.630	0.358	0.000	0.961	0.000	3.118	0.000



Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	86	593	0	4941	175	1063	112
normalized size	1	1.00	1.05	7.23	0.00	60.26	2.13	12.96	1.37
time (sec)	N/A	0.152	0.444	0.075	0.000	0.832	29.540	4.081	10.989

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	584	633	0	0	0	949	-1
normalized size	1	1.00	4.75	5.15	0.00	0.00	0.00	7.72	-0.01
time (sec)	N/A	0.244	6.270	0.073	0.000	0.000	0.000	3.671	0.000

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	59	578	0	2385	128	662	64
normalized size	1	1.00	0.94	9.17	0.00	37.86	2.03	10.51	1.02
time (sec)	N/A	0.101	0.175	0.059	0.000	2.124	17.584	2.591	3.711

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	161	578	0	4841	0	584	-1
normalized size	1	1.00	1.83	6.57	0.00	55.01	0.00	6.64	-0.01
time (sec)	N/A	0.085	0.367	0.089	0.000	3.055	0.000	1.997	0.000

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	0	0	4039	0	433	-1
normalized size	1	1.00	1.00	0.00	0.00	56.89	0.00	6.10	-0.01
time (sec)	N/A	0.136	0.069	0.313	0.000	0.645	0.000	2.776	0.000

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	197	0	0	3913	0	430	-1
normalized size	1	1.00	2.56	0.00	0.00	50.82	0.00	5.58	-0.01
time (sec)	N/A	0.127	3.005	0.300	0.000	0.641	0.000	2.795	0.000

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	51	97	0	679	0	104	68
normalized size	1	1.00	1.65	3.13	0.00	21.90	0.00	3.35	2.19
time (sec)	N/A	0.027	0.063	0.135	0.000	0.458	0.000	0.154	0.235

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	53	142	0	228	0	104	43
normalized size	1	1.00	1.18	3.16	0.00	5.07	0.00	2.31	0.96
time (sec)	N/A	0.035	0.037	0.123	0.000	0.427	0.000	0.166	1.343

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	74	158	0	1027	0	202	78
normalized size	1	1.00	1.48	3.16	0.00	20.54	0.00	4.04	1.56
time (sec)	N/A	0.039	0.148	0.100	0.000	0.429	0.000	0.139	0.287

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	76	211	0	361	0	204	-1
normalized size	1	1.00	1.13	3.15	0.00	5.39	0.00	3.04	-0.01
time (sec)	N/A	0.047	0.075	0.106	0.000	0.405	0.000	0.172	0.000

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	68	164	0	2827	0	0	65
normalized size	1	1.00	0.97	2.34	0.00	40.39	0.00	0.00	0.93
time (sec)	N/A	0.136	0.537	0.114	0.000	0.673	0.000	0.000	2.166

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	208	178	0	5494	0	0	-1
normalized size	1	1.00	2.36	2.02	0.00	62.43	0.00	0.00	-0.01
time (sec)	N/A	0.123	4.900	0.128	0.000	0.769	0.000	0.000	0.000

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	47	129	0	1625	0	0	39
normalized size	1	1.00	1.00	2.74	0.00	34.57	0.00	0.00	0.83
time (sec)	N/A	0.106	0.108	0.101	0.000	0.511	0.000	0.000	1.688

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	101	137	0	3361	0	0	-1
normalized size	1	1.00	1.68	2.28	0.00	56.02	0.00	0.00	-0.02
time (sec)	N/A	0.093	0.512	0.102	0.000	0.668	0.000	0.000	0.000

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	114	0	1361	31	0	23
normalized size	1	1.00	1.00	3.93	0.00	46.93	1.07	0.00	0.79
time (sec)	N/A	0.064	0.017	0.100	0.000	0.500	1.297	0.000	1.625

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	114	0	1287	0	188	25
normalized size	1	1.00	1.00	3.68	0.00	41.52	0.00	6.06	0.81
time (sec)	N/A	0.027	0.024	0.109	0.000	0.481	0.000	0.322	1.571

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	0	0	3527	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	62.98	0.00	0.00	-0.02
time (sec)	N/A	0.113	0.050	0.335	0.000	0.611	0.000	0.000	0.000

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	123	0	0	1565	0	0	-1
normalized size	1	1.00	2.41	0.00	0.00	30.69	0.00	0.00	-0.02
time (sec)	N/A	0.095	6.180	0.360	0.000	0.599	0.000	0.000	0.000

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	107	0	0	5711	0	0	-1
normalized size	1	1.00	1.22	0.00	0.00	64.90	0.00	0.00	-0.01
time (sec)	N/A	0.166	0.469	0.362	0.000	0.986	0.000	0.000	0.000

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	67	322	0	3991	0	0	70
normalized size	1	1.00	0.93	4.47	0.00	55.43	0.00	0.00	0.97
time (sec)	N/A	0.163	0.113	0.084	0.000	0.864	0.000	0.000	2.521

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	188	328	0	6973	0	0	-1
normalized size	1	1.00	2.24	3.90	0.00	83.01	0.00	0.00	-0.01
time (sec)	N/A	0.130	2.452	0.099	0.000	0.832	0.000	0.000	0.000

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	52	287	0	2525	0	0	45
normalized size	1	1.00	1.00	5.52	0.00	48.56	0.00	0.00	0.87
time (sec)	N/A	0.123	0.130	0.081	0.000	0.536	0.000	0.000	2.060

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	112	289	0	2281	0	0	-1
normalized size	1	1.00	2.11	5.45	0.00	43.04	0.00	0.00	-0.02
time (sec)	N/A	0.099	1.833	0.084	0.000	0.553	0.000	0.000	0.000

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	41	273	0	2277	51	0	41
normalized size	1	1.00	0.84	5.57	0.00	46.47	1.04	0.00	0.84
time (sec)	N/A	0.086	0.035	0.083	0.000	0.669	23.264	0.000	1.942

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	223	272	0	2509	0	0	-1
normalized size	1	1.00	3.98	4.86	0.00	44.80	0.00	0.00	-0.02
time (sec)	N/A	0.043	4.600	0.092	0.000	0.716	0.000	0.000	0.000

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	70	0	0	6955	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	89.17	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.077	0.332	0.000	1.007	0.000	0.000	0.000

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	230	0	0	3929	0	0	-1
normalized size	1	1.00	2.71	0.00	0.00	46.22	0.00	0.00	-0.01
time (sec)	N/A	0.161	7.990	0.341	0.000	0.927	0.000	0.000	0.000

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	231	549	0	0	0	0	-1
normalized size	1	1.00	1.96	4.65	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.220	2.033	0.098	0.000	0.000	0.000	0.000	0.000

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	68	469	0	7033	0	0	92
normalized size	1	1.00	0.81	5.58	0.00	83.73	0.00	0.00	1.10
time (sec)	N/A	0.181	0.116	0.101	0.000	1.579	0.000	0.000	4.013

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	132	491	0	5719	0	0	-1
normalized size	1	1.00	1.47	5.46	0.00	63.54	0.00	0.00	-0.01
time (sec)	N/A	0.138	3.126	0.096	0.000	1.803	0.000	0.000	0.000

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	63	435	0	6621	0	0	82
normalized size	1	1.00	0.85	5.88	0.00	89.47	0.00	0.00	1.11
time (sec)	N/A	0.144	0.093	0.083	0.000	1.431	0.000	0.000	3.824

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	259	454	0	6507	0	0	-1
normalized size	1	1.00	2.94	5.16	0.00	73.94	0.00	0.00	-0.01
time (sec)	N/A	0.132	7.823	0.091	0.000	1.597	0.000	0.000	0.000

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	43	420	0	5779	73	0	76
normalized size	1	1.00	0.61	6.00	0.00	82.56	1.04	0.00	1.09
time (sec)	N/A	0.103	0.047	0.084	0.000	1.396	30.763	0.000	3.556

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	976	420	0	6933	0	0	-1
normalized size	1	1.00	10.49	4.52	0.00	74.55	0.00	0.00	-0.01
time (sec)	N/A	0.085	7.711	0.095	0.000	1.482	0.000	0.000	0.000

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	73	0	0	0	0	0	-1
normalized size	1	1.00	0.68	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.208	0.072	0.334	0.000	0.000	0.000	0.000	0.000

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	246	0	0	10671	0	0	-1
normalized size	1	1.00	1.88	0.00	0.00	81.46	0.00	0.00	-0.01
time (sec)	N/A	0.242	7.766	0.350	0.000	2.491	0.000	0.000	0.000

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	35	62	0	543	0	58	63
normalized size	1	1.00	1.40	2.48	0.00	21.72	0.00	2.32	2.52
time (sec)	N/A	0.019	0.023	0.131	0.000	0.446	0.000	0.119	0.171

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	C	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	37	66	0	175	0	58	22
normalized size	1	1.00	1.37	2.44	0.00	6.48	0.00	2.15	0.81
time (sec)	N/A	0.020	0.021	0.125	0.000	0.407	0.000	0.137	1.200

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	112	95	163	194	2074	100	142	91
normalized size	1	1.26	1.07	1.83	2.18	23.30	1.12	1.60	1.02
time (sec)	N/A	0.075	0.761	0.016	0.413	0.430	0.620	0.159	1.157

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	40	41	73	95	102	25	38
normalized size	1	1.00	1.05	1.08	1.92	2.50	2.68	0.66	1.00
time (sec)	N/A	0.066	0.072	0.064	0.412	0.527	0.559	0.114	0.097



Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	166	620	0	0	0	0	-1
normalized size	1	1.00	1.34	5.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.242	4.810	0.240	0.000	0.000	0.000	0.000	0.000

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	86	116	0	5136	0	0	-1
normalized size	1	1.00	0.97	1.30	0.00	57.71	0.00	0.00	-0.01
time (sec)	N/A	0.128	0.062	0.118	0.000	0.649	0.000	0.000	0.000

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	40	37	0	1286	0	0	-1
normalized size	1	1.00	1.00	0.92	0.00	32.15	0.00	0.00	-0.02
time (sec)	N/A	0.078	0.018	0.128	0.000	0.639	0.000	0.000	0.000

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	73	431	0	3914	0	0	-1
normalized size	1	1.00	0.99	5.82	0.00	52.89	0.00	0.00	-0.01
time (sec)	N/A	0.123	0.544	0.119	0.000	0.807	0.000	0.000	0.000

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	113	637	0	0	0	0	-1
normalized size	1	1.00	0.96	5.40	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.199	0.853	0.137	0.000	0.000	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [258] had the largest ratio of [.6250]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	5	1.00	21	0.238
2	A	3	2	1.00	21	0.095
3	A	4	4	1.00	21	0.190
4	A	3	2	1.00	19	0.105
5	A	3	3	1.00	19	0.158
6	A	3	2	1.00	21	0.095
7	A	4	4	1.00	21	0.190
8	A	3	2	1.00	21	0.095
9	A	6	5	1.00	23	0.217
10	A	3	2	1.00	23	0.087
11	A	5	5	1.00	23	0.217
12	A	3	2	1.00	21	0.095
13	A	4	3	1.00	21	0.143
14	A	3	2	1.00	23	0.087
15	A	5	5	1.00	23	0.217

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
16	A	3	2	1.00	23	0.087
17	A	6	5	1.00	23	0.217
18	A	3	2	1.00	23	0.087
19	A	6	5	1.14	23	0.217
20	A	3	2	1.00	21	0.095
21	A	4	3	1.00	21	0.143
22	A	3	2	1.00	23	0.087
23	A	6	5	1.00	23	0.217
24	A	3	2	1.00	23	0.087
25	A	6	6	1.00	23	0.261
26	A	4	4	1.00	23	0.174
27	A	5	5	1.00	23	0.217
28	A	3	3	1.00	21	0.143
29	A	4	4	1.00	21	0.190
30	A	3	3	1.00	23	0.130
31	A	5	5	1.00	23	0.217
32	A	4	4	1.00	23	0.174
33	A	7	6	1.00	23	0.261
34	A	5	4	1.00	23	0.174
35	A	6	6	1.00	23	0.261
36	A	4	4	1.00	21	0.190
37	A	5	5	1.00	21	0.238
38	A	4	4	1.00	23	0.174
39	A	6	6	1.00	23	0.261
40	A	5	4	1.00	23	0.174
41	A	8	6	1.00	23	0.261

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
42	A	6	5	1.00	23	0.217
43	A	7	6	1.00	23	0.261
44	A	5	4	1.00	21	0.190
45	A	6	6	1.00	21	0.286
46	A	5	4	1.00	23	0.174
47	A	7	6	1.00	23	0.261
48	A	6	5	1.00	23	0.217
49	A	8	5	1.00	21	0.238
50	A	9	6	1.00	21	0.286
51	A	7	5	1.00	21	0.238
52	A	7	6	1.00	19	0.316
53	A	5	3	1.00	19	0.158
54	A	3	2	1.00	21	0.095
55	A	6	3	1.00	21	0.143
56	A	3	2	1.00	21	0.095
57	A	8	5	1.21	23	0.217
58	A	12	8	1.00	23	0.348
59	A	7	5	1.23	23	0.217
60	A	10	8	1.00	21	0.381
61	A	8	5	1.00	21	0.238
62	A	3	2	1.00	23	0.087
63	A	9	5	1.00	23	0.217
64	A	3	2	1.00	23	0.087
65	A	8	5	1.11	23	0.217
66	A	20	8	1.00	23	0.348
67	A	7	5	1.10	23	0.217

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
68	A	17	8	1.00	21	0.381
69	A	13	5	1.00	21	0.238
70	A	3	2	1.00	23	0.087
71	A	14	6	1.00	23	0.261
72	A	3	2	1.00	23	0.087
73	A	11	10	1.00	23	0.435
74	A	0	0	0.00	0	0.000
75	A	11	10	1.00	23	0.435
76	A	0	0	0.00	0	0.000
77	A	0	0	0.00	0	0.000
78	A	8	8	1.00	23	0.348
79	A	0	0	0.00	0	0.000
80	A	12	11	1.00	23	0.478
81	A	4	4	1.00	21	0.190
82	A	2	1	1.00	21	0.048
83	A	3	3	1.00	21	0.143
84	A	3	3	1.00	19	0.158
85	A	3	3	1.00	19	0.158
86	A	2	1	1.00	21	0.048
87	A	4	4	1.00	21	0.190
88	A	3	2	1.00	21	0.095
89	A	4	4	1.00	23	0.174
90	A	4	3	1.00	23	0.130
91	A	5	4	1.00	23	0.174
92	A	5	4	1.00	21	0.190
93	A	4	4	1.00	21	0.190

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
94	A	3	2	1.00	23	0.087
95	A	5	5	1.00	23	0.217
96	A	3	2	1.00	23	0.087
97	A	6	5	1.00	23	0.217
98	A	5	4	1.00	23	0.174
99	A	5	4	1.00	23	0.174
100	A	6	5	1.00	21	0.238
101	A	5	5	1.00	21	0.238
102	A	3	2	1.00	23	0.087
103	A	6	6	1.00	23	0.261
104	A	3	2	1.00	23	0.087
105	A	6	6	1.00	23	0.261
106	A	4	3	1.00	23	0.130
107	A	5	5	1.00	23	0.217
108	A	3	3	1.00	21	0.143
109	A	2	2	1.00	21	0.095
110	A	2	2	1.00	23	0.087
111	A	4	4	1.00	23	0.174
112	A	3	3	1.00	23	0.130
113	A	5	5	1.00	23	0.217
114	A	4	3	1.00	23	0.130
115	A	5	4	1.00	23	0.174
116	A	6	6	1.00	23	0.261
117	A	5	4	1.00	21	0.190
118	A	3	3	1.00	21	0.143
119	A	3	3	1.00	23	0.130

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
120	A	3	3	1.00	23	0.130
121	A	3	3	1.00	23	0.130
122	A	5	5	1.00	23	0.217
123	A	5	4	1.00	23	0.174
124	A	6	6	1.00	23	0.261
125	A	7	6	1.00	23	0.261
126	A	6	5	1.00	21	0.238
127	A	4	4	1.00	21	0.190
128	A	4	3	1.00	23	0.130
129	A	4	4	1.00	23	0.174
130	A	4	4	1.00	23	0.174
131	A	4	3	1.00	23	0.130
132	A	4	4	1.00	23	0.174
133	A	6	6	1.00	23	0.261
134	A	4	3	1.00	21	0.143
135	A	3	3	1.00	21	0.143
136	A	3	3	1.00	21	0.143
137	A	2	2	1.00	19	0.105
138	A	3	2	1.00	12	0.167
139	A	3	2	1.00	19	0.105
140	A	2	2	1.00	21	0.095
141	A	3	3	1.00	21	0.143
142	A	4	4	1.00	21	0.190
143	A	4	4	1.00	21	0.190
144	A	4	3	1.00	23	0.130
145	A	4	3	1.00	23	0.130

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
146	A	4	3	1.00	23	0.130
147	A	4	3	1.00	21	0.143
148	A	4	3	1.00	14	0.214
149	A	4	3	1.00	21	0.143
150	A	4	3	1.00	23	0.130
151	A	4	3	1.00	23	0.130
152	A	4	3	1.00	23	0.130
153	A	4	3	1.00	23	0.130
154	A	4	3	1.00	23	0.130
155	A	4	3	1.00	23	0.130
156	A	4	3	1.00	23	0.130
157	A	4	3	1.00	23	0.130
158	A	4	3	1.00	23	0.130
159	A	4	3	1.00	21	0.143
160	A	4	3	1.00	14	0.214
161	A	4	3	1.00	21	0.143
162	A	4	3	1.00	23	0.130
163	A	4	3	1.00	23	0.130
164	A	4	3	1.00	23	0.130
165	A	4	3	1.00	23	0.130
166	A	4	3	1.00	23	0.130
167	A	4	3	1.00	23	0.130
168	A	4	3	1.00	14	0.214
169	A	4	3	1.00	14	0.214
170	A	4	3	1.00	23	0.130
171	A	5	5	1.00	23	0.217

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
172	A	4	3	1.00	23	0.130
173	A	4	4	1.00	23	0.174
174	A	5	4	1.00	21	0.190
175	A	3	3	1.00	14	0.214
176	A	4	3	1.00	21	0.143
177	A	5	5	1.00	23	0.217
178	A	4	3	1.00	23	0.130
179	A	6	6	1.00	23	0.261
180	A	4	3	1.00	23	0.130
181	A	5	5	1.00	23	0.217
182	A	4	3	1.00	23	0.130
183	A	5	5	1.00	23	0.217
184	A	4	3	1.00	21	0.143
185	A	5	5	1.00	14	0.357
186	A	4	3	1.00	21	0.143
187	A	6	6	1.00	23	0.261
188	A	4	3	1.00	23	0.130
189	A	7	6	1.00	23	0.261
190	A	6	6	1.00	23	0.261
191	A	4	3	1.00	23	0.130
192	A	6	6	1.00	23	0.261
193	A	4	3	1.00	23	0.130
194	A	6	6	1.00	23	0.261
195	A	4	3	1.00	21	0.143
196	A	6	6	1.00	14	0.429
197	A	4	3	1.00	21	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
198	A	7	7	1.00	23	0.304
199	A	4	3	1.00	23	0.130
200	A	8	7	1.00	23	0.304
201	A	7	6	1.00	14	0.429
202	A	3	3	1.00	12	0.250
203	A	4	4	1.00	10	0.400
204	A	4	4	1.00	12	0.333
205	A	5	5	1.00	10	0.500
206	A	3	3	1.00	12	0.250
207	A	3	3	1.00	10	0.300
208	A	7	6	1.00	17	0.353
209	A	8	7	1.00	17	0.412
210	A	6	6	1.00	17	0.353
211	A	7	6	1.00	17	0.353
212	A	5	5	1.00	15	0.333
213	A	6	5	1.00	12	0.417
214	A	7	5	1.00	15	0.333
215	A	5	5	1.00	17	0.294
216	A	8	6	1.00	17	0.353
217	A	6	6	1.00	17	0.353
218	A	9	7	1.00	17	0.412
219	A	7	6	1.00	17	0.353
220	A	8	7	1.00	17	0.412
221	A	6	5	1.00	15	0.333
222	A	7	6	1.00	12	0.500
223	A	8	6	1.00	15	0.400

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
224	A	7	6	1.00	17	0.353
225	A	5	5	1.00	10	0.500
226	A	6	5	1.00	12	0.417
227	A	6	6	1.00	10	0.600
228	A	7	6	1.00	12	0.500
229	A	6	5	1.00	17	0.294
230	A	7	6	1.00	17	0.353
231	A	5	5	1.00	17	0.294
232	A	6	5	1.00	17	0.294
233	A	4	4	1.00	15	0.267
234	A	3	3	1.00	12	0.250
235	A	7	5	1.00	15	0.333
236	A	5	5	1.00	17	0.294
237	A	8	6	1.00	17	0.353
238	A	6	5	1.00	17	0.294
239	A	7	6	1.00	17	0.353
240	A	5	5	1.00	17	0.294
241	A	4	4	1.00	17	0.235
242	A	5	5	1.00	15	0.333
243	A	4	4	1.00	12	0.333
244	A	8	6	1.00	15	0.400
245	A	6	6	1.00	17	0.353
246	A	8	7	1.00	17	0.412
247	A	6	5	1.00	17	0.294
248	A	6	6	1.00	17	0.353
249	A	6	6	1.00	17	0.353

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
250	A	6	6	1.00	17	0.353
251	A	6	5	1.00	15	0.333
252	A	6	6	1.00	12	0.500
253	A	9	7	1.00	15	0.467
254	A	7	7	1.00	17	0.412
255	A	3	3	1.00	10	0.300
256	A	3	3	1.00	12	0.250
257	A	6	4	1.26	14	0.286
258	A	6	5	1.00	8	0.625
259	A	9	8	1.00	15	0.533
260	A	8	7	1.00	15	0.467
261	A	4	4	1.00	15	0.267
262	A	6	6	1.00	15	0.400
263	A	7	7	1.00	15	0.467

# Chapter 3

## Listing of integrals

### 3.1 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=73

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} - \frac{(5a + 9b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{3}{8}x(a+5b) - \frac{b \tanh(c + dx)}{d}$$

[Out] 3/8\*(a+5\*b)\*x-1/8\*(5\*a+9\*b)\*cosh(d\*x+c)\*sinh(d\*x+c)/d+1/4\*(a+b)\*cosh(d\*x+c)^3\*sinh(d\*x+c)/d-b\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.08, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 455, 1157, 388, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} - \frac{(5a + 9b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{3}{8}x(a+5b) - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (3\*(a + 5\*b)\*x)/8 - ((5\*a + 9\*b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b\*Tanh[c + d\*x])/d

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 455

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[(-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1)/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*Expand
ToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 -
1)*(b*c - a*d))/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x], x] /; F
reeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] &&
(IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} + \frac{\text{Subst}\left(\int \frac{-a-b-4(a+b)x^2-4bx^4}{(1-x^2)^2} dx\right)}{4d} \\
&= -\frac{(5a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \\
&= -\frac{(5a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \\
&= \frac{3}{8}(a + 5b)x - \frac{(5a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.37, size = 56, normalized size = 0.77

$$\frac{12(a + 5b)(c + dx) - 8(a + 2b) \sinh(2(c + dx)) + (a + b) \sinh(4(c + dx)) - 32b \tanh(c + dx)}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (12\*(a + 5\*b)\*(c + d\*x) - 8\*(a + 2\*b)\*Sinh[2\*(c + d\*x)] + (a + b)\*Sinh[4\*(c + d\*x)] - 32\*b\*Tanh[c + d\*x])/(32\*d)

**fricas [A]** time = 0.51, size = 120, normalized size = 1.64

$$\frac{(a + b) \sinh(dx + c)^5 + (10(a + b) \cosh(dx + c)^2 - 7a - 15b) \sinh(dx + c)^3 + 8(3(a + 5b)dx + 8b) \cosh(dx + c)}{64d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/64\*((a + b)\*sinh(d\*x + c)^5 + (10\*(a + b)\*cosh(d\*x + c)^2 - 7\*a - 15\*b)\*sinh(d\*x + c)^3 + 8\*(3\*(a + 5\*b)\*d\*x + 8\*b)\*cosh(d\*x + c) + (5\*(a + b)\*cosh(d\*x + c)^4 - 3\*(7\*a + 15\*b)\*cosh(d\*x + c)^2 - 8\*a - 80\*b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c))

**giac [B]** time = 0.20, size = 145, normalized size = 1.99

$$\frac{24(a+5b)dx - (18ae^{(4dx+4c)} + 90be^{(4dx+4c)} - 8ae^{(2dx+2c)} - 16be^{(2dx+2c)} + a + b)e^{(-4dx-4c)} + (ae^{(4dx+20c)} + be^{(4dx+20c)} - 8ae^{(2dx+18c)} - 16be^{(2dx+18c)})e^{(-16c)} + 128b/(e^{(2dx+2c)} + 1)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/64\*(24\*(a+5\*b)\*d\*x - (18\*a\*e^(4\*d\*x+4\*c) + 90\*b\*e^(4\*d\*x+4\*c) - 8\*a\*e^(2\*d\*x+2\*c) - 16\*b\*e^(2\*d\*x+2\*c) + a + b)\*e^(-4\*d\*x-4\*c) + (a\*e^(4\*d\*x+20\*c) + b\*e^(4\*d\*x+20\*c) - 8\*a\*e^(2\*d\*x+18\*c) - 16\*b\*e^(2\*d\*x+18\*c))\*e^(-16\*c) + 128\*b/(e^(2\*d\*x+2\*c) + 1))/d

**maple [A]** time = 0.27, size = 96, normalized size = 1.32

$$\frac{a \left( \left( \frac{\sinh^3(dx+c)}{4} - \frac{3 \sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + b \left( \frac{\sinh^5(dx+c)}{4 \cosh(dx+c)} - \frac{5(\sinh^3(dx+c))}{8 \cosh(dx+c)} + \frac{15dx}{8} + \frac{15c}{8} - \frac{15 \tanh(dx+c)}{8} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x)

[Out] 1/d\*(a\*((1/4\*sinh(d\*x+c)^3-3/8\*sinh(d\*x+c))\*cosh(d\*x+c)+3/8\*d\*x+3/8\*c)+b\*(1/4\*sinh(d\*x+c)^5/cosh(d\*x+c)-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)+15/8\*d\*x+15/8\*c-15/8\*tanh(d\*x+c)))

**maxima [B]** time = 1.13, size = 154, normalized size = 2.11

$$\frac{1}{64} a \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{1}{64} b \left( \frac{120(dx+c)}{d} + \frac{16e^{(-2dx-2c)} - e^{(-4dx-4c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/64\*a\*(24\*x + e^(4\*d\*x+4\*c)/d - 8\*e^(2\*d\*x+2\*c)/d + 8\*e^(-2\*d\*x-2\*c)/d - e^(-4\*d\*x-4\*c)/d) + 1/64\*b\*(120\*(d\*x+c)/d + (16\*e^(-2\*d\*x-2\*c) - e^(-4\*d\*x-4\*c))/d - (15\*e^(-2\*d\*x-2\*c) + 144\*e^(-4\*d\*x-4\*c) - 1)/(d\*(e^(-4\*d\*x-4\*c) + e^(-6\*d\*x-6\*c))))

**mupad [B]** time = 0.24, size = 101, normalized size = 1.38

$$x \left( \frac{3a}{8} + \frac{15b}{8} \right) + \frac{2b}{d(e^{2c+2dx} + 1)} - \frac{e^{-4c-4dx}(a+b)}{64d} + \frac{e^{4c+4dx}(a+b)}{64d} + \frac{e^{-2c-2dx}(a+2b)}{8d} - \frac{e^{2c+2dx}(a+2b)}{8d}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(c + d*x)^4*(a + b*tanh(c + d*x)^2), x)
```

```
[Out] x*((3*a)/8 + (15*b)/8) + (2*b)/(d*(exp(2*c + 2*d*x) + 1)) - (exp(- 4*c - 4*d*x)*(a + b))/(64*d) + (exp(4*c + 4*d*x)*(a + b))/(64*d) + (exp(- 2*c - 2*d*x)*(a + 2*b))/(8*d) - (exp(2*c + 2*d*x)*(a + 2*b))/(8*d)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \sinh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**4*(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*sinh(c + d*x)**4, x)
```

## 3.2 $\int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=47

$$\frac{(a + b) \cosh^3(c + dx)}{3d} - \frac{(a + 2b) \cosh(c + dx)}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out]  $-(a+2*b)*\cosh(d*x+c)/d+1/3*(a+b)*\cosh(d*x+c)^3/d-b*\operatorname{sech}(d*x+c)/d$

**Rubi [A]** time = 0.05, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 448}

$$\frac{(a + b) \cosh^3(c + dx)}{3d} - \frac{(a + 2b) \cosh(c + dx)}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^3*(a + b*Tanh[c + d*x]^2),x]`

[Out]  $-\frac{((a + 2*b)*\operatorname{Cosh}[c + d*x])/d + ((a + b)*\operatorname{Cosh}[c + d*x]^3)/(3*d) - (b*\operatorname{Sech}[c + d*x])/d}$

### Rule 448

`Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]`

### Rule 3664

`Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]`

### Rubi steps

$$\begin{aligned} \int \sinh^3(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{(-1+x^2)(a+b-bx^2)}{x^4} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b + \frac{-a-b}{x^4} + \frac{a+2b}{x^2}\right) dx, x, \text{sech}(c + dx)\right)}{d} \\ &= -\frac{(a+2b) \cosh(c + dx)}{d} + \frac{(a+b) \cosh^3(c + dx)}{3d} - \frac{b \text{sech}(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 73, normalized size = 1.55

$$-\frac{3a \cosh(c + dx)}{4d} + \frac{a \cosh(3(c + dx))}{12d} - \frac{7b \cosh(c + dx)}{4d} + \frac{b \cosh(3(c + dx))}{12d} - \frac{b \text{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (-3\*a\*Cosh[c + d\*x])/(4\*d) - (7\*b\*Cosh[c + d\*x])/(4\*d) + (a\*Cosh[3\*(c + d\*x)])/((12\*d) + (b\*Cosh[3\*(c + d\*x)])/(12\*d) - (b\*Sech[c + d\*x])/d

**fricas [B]** time = 0.78, size = 91, normalized size = 1.94

$$\frac{(a + b) \cosh(dx + c)^4 + (a + b) \sinh(dx + c)^4 - 4(2a + 5b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 - 4a - 9a - 45b)}{24d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/24\*((a + b)\*cosh(d\*x + c)^4 + (a + b)\*sinh(d\*x + c)^4 - 4\*(2\*a + 5\*b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 4\*a - 10\*b)\*sinh(d\*x + c)^2 - 9\*a - 45\*b)/(d\*cosh(d\*x + c))

**giac [B]** time = 0.17, size = 120, normalized size = 2.55

$$\frac{(9ae^{(2dx+2c)} + 21be^{(2dx+2c)} - a - b)e^{(-3dx-3c)} - (ae^{(3dx+24c)} + be^{(3dx+24c)} - 9ae^{(dx+22c)} - 21be^{(dx+22c)})e^{(-21c)}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $-1/24*((9*a*e^{(2*d*x + 2*c)} + 21*b*e^{(2*d*x + 2*c)} - a - b)*e^{(-3*d*x - 3*c)} - (a*e^{(3*d*x + 24*c)} + b*e^{(3*d*x + 24*c)} - 9*a*e^{(d*x + 22*c)} - 21*b*e^{(d*x + 22*c)})*e^{(-21*c)} + 48*b*e^{(d*x + c)}/(e^{(2*d*x + 2*c)} + 1))/d$

**maple [A]** time = 0.26, size = 75, normalized size = 1.60

$$\frac{a\left(-\frac{2}{3} + \frac{\sinh^2(dx+c)}{3}\right)\cosh(dx+c) + b\left(\frac{\sinh^4(dx+c)}{3\cosh(dx+c)} - \frac{4\sinh^2(dx+c)}{3\cosh(dx+c)} - \frac{8}{3\cosh(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^2),x)`

[Out]  $1/d*(a*(-2/3+1/3*\sinh(d*x+c)^2)*\cosh(d*x+c)+b*(1/3*\sinh(d*x+c)^4/\cosh(d*x+c)-4/3*\sinh(d*x+c)^2/\cosh(d*x+c)-8/3/\cosh(d*x+c)))$

**maxima [B]** time = 0.39, size = 136, normalized size = 2.89

$$-\frac{1}{24}b\left(\frac{21e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{20e^{(-2dx-2c)} + 69e^{(-4dx-4c)} - 1}{d(e^{(-3dx-3c)} + e^{(-5dx-5c)})}\right) + \frac{1}{24}a\left(\frac{e^{(3dx+3c)}}{d} - \frac{9e^{(dx+c)}}{d} - \frac{9e^{(-dx-c)}}{d} + \frac{e^{(-3dx-3c)}}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $-1/24*b*((21*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (20*e^{(-2*d*x - 2*c)} + 69*e^{(-4*d*x - 4*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)}))) + 1/24*a*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$

**mupad [B]** time = 1.17, size = 99, normalized size = 2.11

$$\frac{e^{-3c-3dx}(a+b)}{24d} + \frac{e^{3c+3dx}(a+b)}{24d} - \frac{e^{c+dx}(3a+7b)}{8d} - \frac{e^{-c-dx}(3a+7b)}{8d} - \frac{2be^{c+dx}}{d(e^{2c+2dx}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^2),x)`

[Out]  $(\exp(-3*c - 3*d*x)*(a + b))/(24*d) + (\exp(3*c + 3*d*x)*(a + b))/(24*d) - (\exp(c + d*x)*(3*a + 7*b))/(8*d) - (\exp(-c - d*x)*(3*a + 7*b))/(8*d) - (2*b*\exp(c + d*x))/(d*(\exp(2*c + 2*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*sinh(c + d*x)**3, x)
```

### 3.3 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=44

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} - \frac{1}{2}x(a + 3b) + \frac{b \tanh(c + dx)}{d}$$

[Out]  $-1/2*(a+3*b)*x+1/2*(a+b)*\cosh(d*x+c)*\sinh(d*x+c)/d+b*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.05, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3663, 455, 388, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} - \frac{1}{2}x(a + 3b) + \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-((a + 3*b)*x)/2 + ((a + b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(2*d) + (b*\text{Tanh}[c + d*x])/d$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 455

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[(-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1)/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*x^2\*Together[(b^(m/2)\*x^(m - 2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)]/(a + b\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d), x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned} \int \sinh^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} - \frac{\text{Subst}\left(\int \frac{a+b+2bx^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b \tanh(c + dx)}{d} - \frac{(a + 3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= -\frac{1}{2}(a + 3b)x + \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 41, normalized size = 0.93

$$\frac{-2(a + 3b)(c + dx) + (a + b) \sinh(2(c + dx)) + 4b \tanh(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (-2\*(a + 3\*b)\*(c + d\*x) + (a + b)\*Sinh[2\*(c + d\*x)] + 4\*b\*Tanh[c + d\*x])/(4\*d)

**fricas [A]** time = 0.65, size = 71, normalized size = 1.61

$$\frac{(a + b) \sinh(dx + c)^3 - 4((a + 3b)dx + 2b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + a + 9b) \sinh(dx + c)}{8d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out]  $\frac{1}{8}((a+b)\sinh(dx+c)^3 - 4((a+3b)dx + 2b)\cosh(dx+c) + (3(a+b)\cosh(dx+c)^2 + a + 9b)\sinh(dx+c))/(d\cosh(dx+c))$

**giac** [B] time = 0.18, size = 109, normalized size = 2.48

$$\frac{4(a+3b)dx - (ae^{2dx+8c} + be^{2dx+8c})e^{-6c} - \frac{(ae^{4dx+4c} + 3be^{4dx+4c} - 14be^{2dx+2c} - a - b)e^{-2c}}{e^{2dx} + e^{4dx+2c}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(dx+c)^2*(a+b*tanh(dx+c)^2),x, algorithm="giac")`

[Out]  $-\frac{1}{8}(4(a+3b)dx - (ae^{2dx+8c} + be^{2dx+8c})e^{-6c} - (ae^{4dx+4c} + 3be^{4dx+4c} - 14be^{2dx+2c} - a - b)e^{-2c})/(e^{2dx} + e^{4dx+2c})/d$

**maple** [A] time = 0.18, size = 66, normalized size = 1.50

$$\frac{a\left(\frac{\cosh(dx+c)\sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2}\right) + b\left(\frac{\sinh^3(dx+c)}{2\cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3\tanh(dx+c)}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(dx+c)^2*(a+b*tanh(dx+c)^2),x)`

[Out]  $\frac{1}{d}(a(1/2\cosh(dx+c)\sinh(dx+c) - 1/2dx - 1/2c) + b(1/2\sinh(dx+c)^3/\cosh(dx+c) - 3/2dx - 3/2c + 3/2\tanh(dx+c)))$

**maxima** [B] time = 1.38, size = 101, normalized size = 2.30

$$-\frac{1}{8}a\left(4x - \frac{e^{2dx+2c}}{d} + \frac{e^{-2dx-2c}}{d}\right) - \frac{1}{8}b\left(\frac{12(dx+c)}{d} + \frac{e^{-2dx-2c}}{d} - \frac{17e^{-2dx-2c} + 1}{d(e^{-2dx-2c} + e^{-4dx-4c})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(dx+c)^2*(a+b*tanh(dx+c)^2),x, algorithm="maxima")`

[Out]  $-\frac{1}{8}a(4x - e^{2dx+2c}/d + e^{-2dx-2c}/d) - \frac{1}{8}b(12(dx+c)/d + e^{-2dx-2c}/d - (17e^{-2dx-2c} + 1)/(d(e^{-2dx-2c} + e^{-4dx-4c})))$

**mupad** [B] time = 0.15, size = 64, normalized size = 1.45

$$\frac{e^{2c+2dx}(a+b)}{8d} - \frac{2b}{d(e^{2c+2dx} + 1)} - \frac{e^{-2c-2dx}(a+b)}{8d} - x\left(\frac{a}{2} + \frac{3b}{2}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^2), x)`

[Out]  $(\exp(2*c + 2*d*x)*(a + b))/(8*d) - (2*b)/(d*(\exp(2*c + 2*d*x) + 1)) - (\exp(-2*c - 2*d*x)*(a + b))/(8*d) - x*(a/2 + (3*b)/2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**2*(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*sinh(c + d*x)**2, x)`

### 3.4 $\int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=25

$$\frac{(a + b) \cosh(c + dx)}{d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] (a+b)\*cosh(d\*x+c)/d+b\*sech(d\*x+c)/d

**Rubi [A]** time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3664, 14}

$$\frac{(a + b) \cosh(c + dx)}{d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] ((a + b)\*Cosh[c + d\*x])/d + (b\*Sech[c + d\*x])/d

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

#### Rubi steps

$$\begin{aligned} \int \sinh(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{\text{Subst}\left(\int \frac{a+b-bx^2}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \left(-b + \frac{a+b}{x^2}\right) dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh(c + dx)}{d} + \frac{b \text{sech}(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 45, normalized size = 1.80

$$\frac{a \sinh(c) \sinh(dx)}{d} + \frac{a \cosh(c) \cosh(dx)}{d} + \frac{b \cosh(c + dx)}{d} + \frac{b \text{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Cosh[c]\*Cosh[d\*x])/d + (b\*Cosh[c + d\*x])/d + (b\*Sech[c + d\*x])/d + (a\*Sinh[c]\*Sinh[d\*x])/d

**fricas [A]** time = 0.56, size = 42, normalized size = 1.68

$$\frac{(a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a + 3b}{2d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/2\*((a + b)\*cosh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^2 + a + 3\*b)/(d\*cosh(d\*x + c))

**giac [B]** time = 0.15, size = 79, normalized size = 3.16

$$\frac{(ae^{(dx+6c)} + be^{(dx+6c)})e^{(-5c)} + \frac{(ae^{(2dx+2c)} + 5be^{(2dx+2c)+a+b})e^{(-c)}}{e^{(3dx+2c)+e^{(dx)}}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/2\*((a\*e^(d\*x + 6\*c) + b\*e^(d\*x + 6\*c))\*e^(-5\*c) + (a\*e^(2\*d\*x + 2\*c) + 5\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-c)/(e^(3\*d\*x + 2\*c) + e^(d\*x)))/d

**maple** [A] time = 0.17, size = 44, normalized size = 1.76

$$\frac{a \cosh(dx + c) + b \left( \frac{\sinh^2(dx+c)}{\cosh(dx+c)} + \frac{2}{\cosh(dx+c)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)*(a+b*tanh(d*x+c)^2), x)`

[Out] `1/d*(a*cosh(d*x+c)+b*(sinh(d*x+c)^2/cosh(d*x+c)+2/cosh(d*x+c)))`

**maxima** [B] time = 0.37, size = 67, normalized size = 2.68

$$\frac{1}{2} b \left( \frac{e^{-dx-c}}{d} + \frac{5e^{-2dx-2c} + 1}{d(e^{-dx-c} + e^{-3dx-3c})} \right) + \frac{a \cosh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out] `1/2*b*(e^(-d*x - c)/d + (5*e^(-2*d*x - 2*c) + 1)/(d*(e^(-d*x - c) + e^(-3*d*x - 3*c)))) + a*cosh(d*x + c)/d`

**mupad** [B] time = 0.12, size = 27, normalized size = 1.08

$$\frac{b}{d \cosh(c + dx)} + \frac{\cosh(c + dx) (a + b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)*(a + b*tanh(c + d*x)^2), x)`

[Out] `b/(d*cosh(c + d*x)) + (cosh(c + d*x)*(a + b))/d`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*sinh(c + d*x), x)`

### 3.5 $\int \operatorname{csch}(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=26

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] `-a*arctanh(cosh(d*x+c))/d-b*sech(d*x+c)/d`

**Rubi [A]** time = 0.03, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3664, 388, 207}

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]*(a + b*Tanh[c + d*x]^2), x]`

[Out] `-((a*ArcTanh[Cosh[c + d*x]])/d) - (b*Sech[c + d*x])/d`

#### Rule 207

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])`

#### Rule 388

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]`

#### Rule 3664

`Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]`

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+b-bx^2}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}(c+dx)}{d} + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\ &= -\frac{a \tanh^{-1}(\operatorname{cosh}(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 52, normalized size = 2.00

$$\frac{a \log\left(\sinh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{a \log\left(\cosh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{b \operatorname{sech}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((a\*Log[Cosh[c/2 + (d\*x)/2]])/d) + (a\*Log[Sinh[c/2 + (d\*x)/2]])/d - (b\*Sech[c + d\*x])/d

**fricas [B]** time = 0.74, size = 167, normalized size = 6.42

$$\frac{2b \cosh(dx+c) + (a \cosh(dx+c)^2 + 2a \cosh(dx+c) \sinh(dx+c) + a \sinh(dx+c)^2 + a) \log(\cosh(dx+c))}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -(2\*b\*cosh(d\*x + c) + (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) - (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + 2\*b\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^2 + 2\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + d\*sinh(d\*x + c)^2 + d)

**giac [A]** time = 0.16, size = 52, normalized size = 2.00

$$\frac{a \log(e^{(dx+c)} + 1) - a \log(|e^{(dx+c)} - 1|) + \frac{2be^{(dx+c)}}{e^{(2dx+2c)} + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-(a*\log(e^{(d*x + c)} + 1) - a*\log(\text{abs}(e^{(d*x + c)} - 1))) + 2*b*e^{(d*x + c)}/(e^{(2*d*x + 2*c)} + 1))/d$

**maple** [A] time = 0.25, size = 27, normalized size = 1.04

$$\frac{-2a \operatorname{arctanh}\left(e^{dx+c}\right) - \frac{b}{\cosh(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x)

[Out]  $1/d*(-2*a*\operatorname{arctanh}(\exp(d*x+c))-b/\cosh(d*x+c))$

**maxima** [A] time = 0.35, size = 40, normalized size = 1.54

$$\frac{a \log\left(\tanh\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{d} - \frac{2b}{d(e^{(dx+c)} + e^{(-dx-c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $a*\log(\tanh(1/2*d*x + 1/2*c))/d - 2*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)}))$

**mupad** [B] time = 0.12, size = 64, normalized size = 2.46

$$\frac{2 \operatorname{atan}\left(\frac{a e^{dx} e^c \sqrt{-d^2}}{d \sqrt{a^2}}\right) \sqrt{a^2}}{\sqrt{-d^2}} - \frac{2 b e^{c+dx}}{d (e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/sinh(c + d\*x),x)

[Out]  $-(2*\operatorname{atan}((a*\exp(d*x)*\exp(c)*(-d^2)^{(1/2)})/(d*(a^2)^{(1/2)}))*(a^2)^{(1/2)})/(-d^2)^{(1/2)} - (2*b*\exp(c + d*x))/(d*(\exp(2*c + 2*d*x) + 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*csch(c + d\*x), x)

### 3.6 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=24

$$\frac{b \tanh(c + dx)}{d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

[Out]  $-a \operatorname{coth}(d*x+c)/d + b \tanh(d*x+c)/d$

**Rubi [A]** time = 0.03, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 14}

$$\frac{b \tanh(c + dx)}{d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]^2*(a + b*Tanh[c + d*x]^2), x]`

[Out] `-((a*Coth[c + d*x])/d) + (b*Tanh[c + d*x])/d`

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+bx^2}{x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(b + \frac{a}{x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{a \operatorname{coth}(c + dx)}{d} + \frac{b \tanh(c + dx)}{d} \end{aligned}$$



**Mathematica [A]** time = 0.02, size = 24, normalized size = 1.00

$$\frac{b \tanh(c + dx)}{d} - \frac{a \coth(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((a\*Coth[c + d\*x])/d) + (b\*Tanh[c + d\*x])/d

**fricas [B]** time = 0.47, size = 88, normalized size = 3.67

$$\frac{4(a \cosh(dx + c) + b \sinh(dx + c))}{d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c)^2 + d \sinh(dx + c)^3 - d \cosh(dx + c) + (3d \cosh(dx + c)^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -4\*(a\*cosh(d\*x + c) + b\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + d\*sinh(d\*x + c)^3 - d\*cosh(d\*x + c) + (3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c))

**giac [A]** time = 0.16, size = 45, normalized size = 1.88

$$\frac{2(ae^{2dx+2c} + be^{2dx+2c} + a - b)}{d(e^{4dx+4c} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/(d\*(e^(4\*d\*x + 4\*c) - 1))

**maple [A]** time = 0.33, size = 23, normalized size = 0.96

$$\frac{-\coth(dx + c)a + b \tanh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(-coth(d\*x+c)\*a+b\*tanh(d\*x+c))

**maxima** [A] time = 0.34, size = 39, normalized size = 1.62

$$\frac{2b}{d(e^{(-2dx-2c)} + 1)} + \frac{2a}{d(e^{(-2dx-2c)} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 2\*b/(d\*(e^(-2\*d\*x - 2\*c) + 1)) + 2\*a/(d\*(e^(-2\*d\*x - 2\*c) - 1))

**mupad** [B] time = 1.05, size = 43, normalized size = 1.79

$$-\frac{\frac{2(a-b)}{d} + \frac{2e^{2c+2dx}(a+b)}{d}}{e^{4c+4dx} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/sinh(c + d\*x)^2,x)

[Out] -((2\*(a - b))/d + (2\*exp(2\*c + 2\*d\*x)\*(a + b))/d)/(exp(4\*c + 4\*d\*x) - 1)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*csch(c + d\*x)\*\*2, x)

### 3.7 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=51

$$\frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

[Out] 1/2\*(a-2\*b)\*arctanh(cosh(d\*x+c))/d-1/2\*a\*coth(d\*x+c)\*csch(d\*x+c)/d+b\*sech(d\*x+c)/d

**Rubi [A]** time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3664, 455, 388, 207}

$$\frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a - 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Coth[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x])/d

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 455

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] := Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1))/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*x^2\*Together[(b^(m/2)\*x^(m - 2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)]/(a + b\*x^2)] - (-a)^(m/2 - 1)\*(b\*c - a\*d), x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] &&

(IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2(a+b-bx^2)}{(-1+x^2)^2} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\ &= -\frac{a \operatorname{coth}(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{\operatorname{Subst}\left(\int \frac{-a+2bx^2}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\ &= -\frac{a \operatorname{coth}(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} - \frac{(a - 2b) \operatorname{Subst}\left(\int \frac{-1}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\ &= \frac{(a - 2b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \operatorname{coth}(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 87, normalized size = 1.71

$$-\frac{a \operatorname{acsch}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a \operatorname{asech}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{2d} + \frac{b \operatorname{sech}(c + dx)}{d} + \frac{b \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/8\*(a\*Csch[(c + d\*x)/2]^2)/d - (a\*Log[Tanh[(c + d\*x)/2]])/(2\*d) + (b\*Log[Tanh[(c + d\*x)/2]])/d - (a\*Sech[(c + d\*x)/2]^2)/(8\*d) + (b\*Sech[c + d\*x])/d

**fricas** [B] time = 0.66, size = 924, normalized size = 18.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/2*(2*(a - 2*b)*\cosh(d*x + c)^5 + 10*(a - 2*b)*\cosh(d*x + c)*\sinh(d*x + c) \\ & )^4 + 2*(a - 2*b)*\sinh(d*x + c)^5 + 4*(a + 2*b)*\cosh(d*x + c)^3 + 4*(5*(a - \\ & 2*b)*\cosh(d*x + c)^2 + a + 2*b)*\sinh(d*x + c)^3 + 4*(5*(a - 2*b)*\cosh(d*x \\ & + c)^3 + 3*(a + 2*b)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 2*(a - 2*b)*\cosh(d*x \\ & + c) - ((a - 2*b)*\cosh(d*x + c)^6 + 6*(a - 2*b)*\cosh(d*x + c)*\sinh(d*x + c) \\ & )^5 + (a - 2*b)*\sinh(d*x + c)^6 - (a - 2*b)*\cosh(d*x + c)^4 + (15*(a - 2*b)* \\ & \cosh(d*x + c)^2 - a + 2*b)*\sinh(d*x + c)^4 + 4*(5*(a - 2*b)*\cosh(d*x + c)^3 \\ & - (a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (a - 2*b)*\cosh(d*x + c)^2 + ( \\ & 15*(a - 2*b)*\cosh(d*x + c)^4 - 6*(a - 2*b)*\cosh(d*x + c)^2 - a + 2*b)*\sinh( \\ & d*x + c)^2 + 2*(3*(a - 2*b)*\cosh(d*x + c)^5 - 2*(a - 2*b)*\cosh(d*x + c)^3 - \\ & (a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c) + a - 2*b)*\log(\cosh(d*x + c) + \sinh \\ & (d*x + c) + 1) + ((a - 2*b)*\cosh(d*x + c)^6 + 6*(a - 2*b)*\cosh(d*x + c)*\sin \\ & h(d*x + c)^5 + (a - 2*b)*\sinh(d*x + c)^6 - (a - 2*b)*\cosh(d*x + c)^4 + (15* \\ & (a - 2*b)*\cosh(d*x + c)^2 - a + 2*b)*\sinh(d*x + c)^4 + 4*(5*(a - 2*b)*\cosh( \\ & d*x + c)^3 - (a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (a - 2*b)*\cosh(d*x \\ & + c)^2 + (15*(a - 2*b)*\cosh(d*x + c)^4 - 6*(a - 2*b)*\cosh(d*x + c)^2 - a + \\ & 2*b)*\sinh(d*x + c)^2 + 2*(3*(a - 2*b)*\cosh(d*x + c)^5 - 2*(a - 2*b)*\cosh(d*x \\ & + c)^3 - (a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c) + a - 2*b)*\log(\cosh(d*x + \\ & c) + \sinh(d*x + c) - 1) + 2*(5*(a - 2*b)*\cosh(d*x + c)^4 + 6*(a + 2*b)*\cos \\ & h(d*x + c)^2 + a - 2*b)*\sinh(d*x + c))/(d*\cosh(d*x + c)^6 + 6*d*\cosh(d*x + \\ & c)*\sinh(d*x + c)^5 + d*\sinh(d*x + c)^6 - d*\cosh(d*x + c)^4 + (15*d*\cosh(d*x \\ & + c)^2 - d)*\sinh(d*x + c)^4 + 4*(5*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\si \\ & nh(d*x + c)^3 - d*\cosh(d*x + c)^2 + (15*d*\cosh(d*x + c)^4 - 6*d*\cosh(d*x + \\ & c)^2 - d)*\sinh(d*x + c)^2 + 2*(3*d*\cosh(d*x + c)^5 - 2*d*\cosh(d*x + c)^3 - \\ & d*\cosh(d*x + c))*\sinh(d*x + c) + d) \end{aligned}$$

**giac** [B] time = 0.15, size = 113, normalized size = 2.22

$$\frac{(ae^c - 2be^c)e^{(-c)} \log(e^{(dx+c)} + 1) - (ae^c - 2be^c)e^{(-c)} \log(|e^{(dx+c)} - 1|) + \frac{4be^{(dx+c)}}{e^{(2dx+2c)+1}} - \frac{2(ae^{(3dx+3c)} + ae^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/2*((a*e^c - 2*b*e^c)*e^{(-c)}*\log(e^{(d*x + c)} + 1) - (a*e^c - 2*b*e^c)*e^{(- \\ & c)}*\log(\text{abs}(e^{(d*x + c)} - 1)) + 4*b*e^{(d*x + c)}/(e^{(2*d*x + 2*c)} + 1) - 2*(a \\ & *e^{(3*d*x + 3*c)} + a*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} - 1)^2)/d \end{aligned}$$

**maple** [A] time = 0.34, size = 50, normalized size = 0.98

$$\frac{a\left(-\frac{\text{csch}(dx+c)\text{coth}(dx+c)}{2} + \text{arctanh}\left(e^{dx+c}\right)\right) + b\left(\frac{1}{\cosh(dx+c)} - 2\text{arctanh}\left(e^{dx+c}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2),x)`

[Out]  $1/d*(a*(-1/2*csch(d*x+c)*coth(d*x+c)+arctanh(\exp(d*x+c)))+b*(1/cosh(d*x+c)-2*arctanh(\exp(d*x+c)))$

**maxima** [B] time = 0.38, size = 152, normalized size = 2.98

$$\frac{1}{2}a\left(\frac{\log(e^{-dx-c}+1)}{d}-\frac{\log(e^{-dx-c}-1)}{d}+\frac{2(e^{-dx-c}+e^{-3dx-3c})}{d(2e^{(-2dx-2c)}-e^{(-4dx-4c)}-1)}\right)-b\left(\frac{\log(e^{-dx-c}+1)}{d}-\frac{\log(e^{-dx-c}-1)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $1/2*a*(\log(e^{-d*x-c}+1)/d-\log(e^{-d*x-c}-1)/d+2*(e^{-d*x-c}+e^{-3*d*x-3*c})/(d*(2*e^{-2*d*x-2*c}-e^{-4*d*x-4*c}-1)))-b*(\log(e^{-d*x-c}+1)/d-\log(e^{-d*x-c}-1)/d-2*e^{-d*x-c}/(d*(e^{-2*d*x-2*c}+1)))$

**mupad** [B] time = 1.13, size = 156, normalized size = 3.06

$$\frac{\operatorname{atan}\left(\frac{e^{dx}e^c(a\sqrt{-d^2}-2b\sqrt{-d^2})}{d\sqrt{a^2-4ab+4b^2}}\right)\sqrt{a^2-4ab+4b^2}}{\sqrt{-d^2}}-\frac{ae^{c+dx}}{d(e^{2c+2dx}-1)}+\frac{2be^{c+dx}}{d(e^{2c+2dx}+1)}-\frac{2ae^{c+dx}}{d(e^{4c+4dx}-2e^{2c+2dx}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(c+d*x)^2)/sinh(c+d*x)^3,x)`

[Out]  $(\operatorname{atan}((\exp(d*x)*\exp(c)*(a*(-d^2)^{(1/2)}-2*b*(-d^2)^{(1/2)})))/(d*(a^2-4*a*b+4*b^2)^{(1/2}))*((a^2-4*a*b+4*b^2)^{(1/2)})/(-d^2)^{(1/2)}-(a*\exp(c+d*x))/((d*(\exp(2*c+2*d*x))-1))+(2*b*\exp(c+d*x))/(d*(\exp(2*c+2*d*x)+1))-(2*a*\exp(c+d*x))/(d*(\exp(4*c+4*d*x)-2*\exp(2*c+2*d*x)+1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**3*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*csch(c + d*x)**3, x)`

### 3.8 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=44

$$\frac{(a-b)\operatorname{coth}(c+dx)}{d} - \frac{a\operatorname{coth}^3(c+dx)}{3d} - \frac{b\tanh(c+dx)}{d}$$

[Out] (a-b)\*coth(d\*x+c)/d-1/3\*a\*coth(d\*x+c)^3/d-b\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 448}

$$\frac{(a-b)\operatorname{coth}(c+dx)}{d} - \frac{a\operatorname{coth}^3(c+dx)}{3d} - \frac{b\tanh(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a - b)\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x])/d

#### Rule 448

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(e\*x)^m\*(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^2(c+dx)) dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(-b + \frac{a}{x^4} + \frac{-a+b}{x^2}\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{(a-b) \operatorname{coth}(c+dx)}{d} - \frac{a \operatorname{coth}^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d}$$

**Mathematica [A]** time = 0.07, size = 61, normalized size = 1.39

$$\frac{2a \operatorname{coth}(c+dx)}{3d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} - \frac{b \operatorname{coth}(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*a\*Coth[c + d\*x])/(3\*d) - (b\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (b\*Tanh[c + d\*x])/d

**fricas [B]** time = 0.72, size = 244, normalized size = 5.55

$$3(d \cosh(dx+c))^6 + 6d \cosh(dx+c) \sinh(dx+c)^5 + d \sinh(dx+c)^6 - 2d \cosh(dx+c)^4 + (15d \cosh(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -8/3\*((a + 3\*b)\*cosh(d\*x + c)^2 + 4\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + 3\*b)\*sinh(d\*x + c)^2 + a - 3\*b)/(d\*cosh(d\*x + c)^6 + 6\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + d\*sinh(d\*x + c)^6 - 2\*d\*cosh(d\*x + c)^4 + (15\*d\*cosh(d\*x + c)^2 - 2\*d)\*sinh(d\*x + c)^4 + 4\*(5\*d\*cosh(d\*x + c)^3 - 2\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - d\*cosh(d\*x + c)^2 + (15\*d\*cosh(d\*x + c)^4 - 12\*d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^5 - 4\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + 2\*d)

**giac [A]** time = 0.15, size = 80, normalized size = 1.82

$$\frac{2\left(\frac{3b}{e^{(2dx+2c)+1}} - \frac{3be^{(4dx+4c)} + 6ae^{(2dx+2c)} - 6be^{(2dx+2c)} - 2a + 3b}{(e^{(2dx+2c)} - 1)^3}\right)}{3d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $\frac{2}{3} * (3*b / (e^{(2*d*x + 2*c)} + 1) - (3*b*e^{(4*d*x + 4*c)} + 6*a*e^{(2*d*x + 2*c)} - 6*b*e^{(2*d*x + 2*c)} - 2*a + 3*b) / (e^{(2*d*x + 2*c)} - 1)^3) / d$

**maple [A]** time = 0.37, size = 55, normalized size = 1.25

$$\frac{a \left( \frac{2}{3} - \frac{\operatorname{csch}(dx+c)^2}{3} \right) \operatorname{coth}(dx+c) + b \left( -\frac{1}{\sinh(dx+c) \cosh(dx+c)} - 2 \tanh(dx+c) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x)

[Out]  $\frac{1}{d} * (a * (\frac{2}{3} - \frac{1}{3} * \operatorname{csch}(d*x+c)^2) * \operatorname{coth}(d*x+c) + b * (-\frac{1}{\sinh(d*x+c)} / \cosh(d*x+c) - 2 * \tanh(d*x+c)))$

**maxima [B]** time = 0.36, size = 113, normalized size = 2.57

$$\frac{4}{3} a \left( \frac{3 e^{(-2 dx-2 c)}}{d(3 e^{(-2 dx-2 c)} - 3 e^{(-4 dx-4 c)} + e^{(-6 dx-6 c)} - 1)} - \frac{1}{d(3 e^{(-2 dx-2 c)} - 3 e^{(-4 dx-4 c)} + e^{(-6 dx-6 c)} - 1)} \right) + \frac{4 b}{d(e^{(-4 dx-4 c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{4}{3} * a * (3 * e^{(-2*d*x - 2*c)} / (d * (3 * e^{(-2*d*x - 2*c)} - 3 * e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1)) - 1 / (d * (3 * e^{(-2*d*x - 2*c)} - 3 * e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 4 * b / (d * (e^{(-4*d*x - 4*c)} - 1))$

**mupad [B]** time = 1.10, size = 173, normalized size = 3.93

$$\frac{2b}{d(e^{2c+2dx} + 1)} - \frac{\frac{2(2a-b)}{3d} + \frac{2be^{2c+2dx}}{3d}}{e^{4c+4dx} - 2e^{2c+2dx} + 1} - \frac{2b}{3d(e^{2c+2dx} - 1)} - \frac{\frac{2b}{3d} + \frac{2be^{4c+4dx}}{3d} + \frac{4e^{2c+2dx}(2a-b)}{3d}}{3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/sinh(c + d\*x)^4,x)

[Out]  $\frac{(2*b)/(d*(\exp(2*c + 2*d*x) + 1)) - ((2*(2*a - b))/(3*d) + (2*b*\exp(2*c + 2*d*x))/(3*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) - (2*b)/(3*d*(\exp(2*c + 2*d*x) - 1)) - ((2*b)/(3*d) + (2*b*\exp(4*c + 4*d*x))/(3*d) + (4*\exp(2*c + 2*d*x)*(2*a - b))/(3*d))/(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1)}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*csch(c + d*x)**4, x)
```

### 3.9 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=118

$$\frac{(a^2 + 10ab + 13b^2) \tanh(c + dx)}{4d} + \frac{1}{8}x(3a^2 + 30ab + 35b^2) + \frac{(a + b)^2 \sinh^4(c + dx) \tanh(c + dx)}{4d} - \frac{(a + b)(a + 9b)}{4d}$$

[Out]  $1/8*(3*a^2+30*a*b+35*b^2)*x-1/8*(a+b)*(a+9*b)*\cosh(d*x+c)*\sinh(d*x+c)/d-1/4*(a^2+10*a*b+13*b^2)*\tanh(d*x+c)/d+1/4*(a+b)^2*\sinh(d*x+c)^4*\tanh(d*x+c)/d-1/3*b^2*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.13, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 463, 455, 1153, 206}

$$\frac{(a^2 + 10ab + 13b^2) \tanh(c + dx)}{4d} + \frac{1}{8}x(3a^2 + 30ab + 35b^2) + \frac{(a + b)^2 \sinh^4(c + dx) \tanh(c + dx)}{4d} - \frac{(a + b)(a + 9b)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $((3*a^2 + 30*a*b + 35*b^2)*x)/8 - ((a + b)*(a + 9*b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*d) - ((a^2 + 10*a*b + 13*b^2)*\text{Tanh}[c + d*x])/(4*d) + ((a + b)^2*\text{Sinh}[c + d*x]^4*\text{Tanh}[c + d*x])/(4*d) - (b^2*\text{Tanh}[c + d*x]^3)/(3*d)$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 455

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_)\*((c\_) + (d\_)\*(x\_)^2), x\_Symbol] :> Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1))/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*x^2\*Together[(b^(m/2)\*x^(m - 2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)]/(a + b\*x^2)] - (-a)^(m/2 - 1)\*(b\*c - a\*d), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

#### Rule 463

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[((b\*c - a\*d)^2\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/

```
(a*b^2*e^n*(p + 1)), x] + Dist[1/(a*b^2*n*(p + 1)), Int[(e*x)^m*(a + b*x^n)
^(p + 1)*Simp[(b*c - a*d)^2*(m + 1) + b^2*c^2*n*(p + 1) + a*b*d^2*n*(p + 1)
*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[n, 0] && LtQ[p, -1]
```

### Rule 1153

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
 \int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{(a + b)^2 \sinh^4(c + dx) \tanh(c + dx)}{4d} - \frac{\text{Subst}\left(\int \frac{x^4(a^2+10ab+5b^2+4b^2x^2)}{(1-x^2)^2}\right)}{4d} \\
 &= -\frac{(a + b)(a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b)^2 \sinh^4(c + dx)}{4d} \\
 &= -\frac{(a + b)(a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b)^2 \sinh^4(c + dx)}{4d} \\
 &= -\frac{(a + b)(a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d} - \frac{(a^2 + 10ab + 13b^2) \tanh^2(c + dx)}{4d} \\
 &= \frac{1}{8} (3a^2 + 30ab + 35b^2) x - \frac{(a + b)(a + 9b) \cosh(c + dx) \sinh(c + dx)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 1.45, size = 94, normalized size = 0.80

$$\frac{12(3a^2 + 30ab + 35b^2)(c + dx) - 24(a^2 + 4ab + 3b^2)\sinh(2(c + dx)) + 3(a + b)^2\sinh(4(c + dx)) + 32b\tanh(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (12\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*(c + d\*x) - 24\*(a^2 + 4\*a\*b + 3\*b^2)\*Sinh[2\*(c + d\*x)] + 3\*(a + b)^2\*Sinh[4\*(c + d\*x)] + 32\*b\*(-6\*a - 10\*b + b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(96\*d)

**fricas [B]** time = 0.61, size = 394, normalized size = 3.34

$$\frac{3(a^2 + 2ab + b^2)\sinh(dx + c)^7 + 3(21(a^2 + 2ab + b^2)\cosh(dx + c)^2 - 5a^2 - 26ab - 21b^2)\sinh(dx + c)^5 + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/192\*(3\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^7 + 3\*(21\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 - 5\*a^2 - 26\*a\*b - 21\*b^2)\*sinh(d\*x + c)^5 + 8\*(3\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*d\*x + 48\*a\*b + 80\*b^2)\*cosh(d\*x + c)^3 + 24\*(3\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*d\*x + 48\*a\*b + 80\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (105\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 - 30\*(5\*a^2 + 26\*a\*b + 21\*b^2)\*cosh(d\*x + c)^2 - 63\*a^2 - 654\*a\*b - 847\*b^2)\*sinh(d\*x + c)^3 + 24\*(3\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*d\*x + 48\*a\*b + 80\*b^2)\*cosh(d\*x + c) + 3\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 - 5\*(5\*a^2 + 26\*a\*b + 21\*b^2)\*cosh(d\*x + c)^4 - (63\*a^2 + 654\*a\*b + 847\*b^2)\*cosh(d\*x + c)^2 - 15\*a^2 - 190\*a\*b - 175\*b^2)\*sinh(d\*x + c))/((d\*cosh(d\*x + c))^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**giac [B]** time = 0.46, size = 295, normalized size = 2.50

$$24(3a^2 + 30ab + 35b^2)dx - 3(18a^2e^{(4dx+4c)} + 180abe^{(4dx+4c)} + 210b^2e^{(4dx+4c)} - 8a^2e^{(2dx+2c)} - 32abe^{(2dx+2c)} - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/192\*(24\*(3\*a^2 + 30\*a\*b + 35\*b^2)\*d\*x - 3\*(18\*a^2\*e^(4\*d\*x + 4\*c) + 180\*a\*b\*e^(4\*d\*x + 4\*c) + 210\*b^2\*e^(4\*d\*x + 4\*c) - 8\*a^2\*e^(2\*d\*x + 2\*c) - 32\*a\*b\*e^(2\*d\*x + 2\*c) - \dots))

$$\begin{aligned} & *b*e^{(2*d*x + 2*c)} - 24*b^2*e^{(2*d*x + 2*c)} + a^2 + 2*a*b + b^2)*e^{(-4*d*x \\ & - 4*c)} + 3*(a^2*e^{(4*d*x + 28*c)} + 2*a*b*e^{(4*d*x + 28*c)} + b^2*e^{(4*d*x + \\ & 28*c)} - 8*a^2*e^{(2*d*x + 26*c)} - 32*a*b*e^{(2*d*x + 26*c)} - 24*b^2*e^{(2*d*x \\ & + 26*c)})*e^{(-24*c)} + 256*(3*a*b*e^{(4*d*x + 4*c)} + 6*b^2*e^{(4*d*x + 4*c)} + 6 \\ & *a*b*e^{(2*d*x + 2*c)} + 9*b^2*e^{(2*d*x + 2*c)} + 3*a*b + 5*b^2)/(e^{(2*d*x + 2 \\ & *c)} + 1)^3)/d \end{aligned}$$

**maple [A]** time = 0.29, size = 166, normalized size = 1.41

$$\frac{a^2 \left( \left( \frac{\sinh^3(dx+c)}{4} - \frac{3\sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 2ab \left( \frac{\sinh^5(dx+c)}{4\cosh(dx+c)} - \frac{5\sinh^3(dx+c)}{8\cosh(dx+c)} + \frac{15dx}{8} + \frac{15c}{8} - \frac{15\tanh(dx+c)}{8} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*((1/4\*sinh(d\*x+c)^3-3/8\*sinh(d\*x+c))\*cosh(d\*x+c)+3/8\*d\*x+3/8\*c)+2\*a\*b\*(1/4\*sinh(d\*x+c)^5/cosh(d\*x+c)-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)+15/8\*d\*x+15/8\*c-15/8\*tanh(d\*x+c))+b^2\*(1/4\*sinh(d\*x+c)^7/cosh(d\*x+c)^3-7/8\*sinh(d\*x+c)^5/cosh(d\*x+c)^3+35/8\*d\*x+35/8\*c-35/8\*tanh(d\*x+c)-35/24\*tanh(d\*x+c)^3))

**maxima [B]** time = 0.36, size = 295, normalized size = 2.50

$$\frac{1}{64} a^2 \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{1}{192} b^2 \left( \frac{840(dx+c)}{d} + \frac{3(24e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/64\*a^2\*(24\*x + e^{(4\*d\*x + 4\*c)}/d - 8\*e^{(2\*d\*x + 2\*c)}/d + 8\*e^{(-2\*d\*x - 2\*c)}/d - e^{(-4\*d\*x - 4\*c)}/d) + 1/192\*b^2\*(840\*(d\*x + c)/d + 3\*(24\*e^{(-2\*d\*x - 2\*c)} - e^{(-4\*d\*x - 4\*c)})/d - (63\*e^{(-2\*d\*x - 2\*c)} + 1487\*e^{(-4\*d\*x - 4\*c)} + 2517\*e^{(-6\*d\*x - 6\*c)} + 1608\*e^{(-8\*d\*x - 8\*c)} - 3)/(d\*(e^{(-4\*d\*x - 4\*c)} + 3\*e^{(-6\*d\*x - 6\*c)} + 3\*e^{(-8\*d\*x - 8\*c)} + e^{(-10\*d\*x - 10\*c)}))) + 1/32\*a\*b\*(120\*(d\*x + c)/d + (16\*e^{(-2\*d\*x - 2\*c)} - e^{(-4\*d\*x - 4\*c)})/d - (15\*e^{(-2\*d\*x - 2\*c)} + 144\*e^{(-4\*d\*x - 4\*c)} - 1)/(d\*(e^{(-4\*d\*x - 4\*c)} + e^{(-6\*d\*x - 6\*c)})))

**mapad [B]** time = 0.31, size = 293, normalized size = 2.48

$$\frac{\frac{4(b^2+ab)}{3d} + \frac{4e^{2c+2dx}(2b^2+ab)}{3d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} + x \left( \frac{3a^2}{8} + \frac{15ab}{4} + \frac{35b^2}{8} \right) + \frac{\frac{4(2b^2+ab)}{3d} + \frac{8e^{2c+2dx}(b^2+ab)}{3d} + \frac{4e^{4c+4dx}(2b^2+ab)}{3d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} + \frac{4(2b^2+ab)}{3d(e^{2c+2dx} + e^{4c+4dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^4*(a + b*tanh(c + d*x)^2)^2,x)`

[Out] 
$$\begin{aligned} & \left( \frac{4(a*b + b^2)}{3*d} + \frac{4*\exp(2*c + 2*d*x)*(a*b + 2*b^2)}{3*d} \right) / (2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1) + x * \left( \frac{15*a*b}{4} + \frac{3*a^2}{8} + \frac{35*b^2}{8} \right) \\ & + \left( \frac{4(a*b + 2*b^2)}{3*d} + \frac{8*\exp(2*c + 2*d*x)*(a*b + b^2)}{3*d} + \frac{4*\exp(4*c + 4*d*x)*(a*b + 2*b^2)}{3*d} \right) / (3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1) \\ & + \frac{4*(a*b + 2*b^2)}{3*d*(\exp(2*c + 2*d*x) + 1)} + \frac{\exp(-2*c - 2*d*x)*(4*a*b + a^2 + 3*b^2)}{8*d} - \frac{\exp(2*c + 2*d*x)*(4*a*b + a^2 + 3*b^2)}{8*d} \\ & - \frac{\exp(-4*c - 4*d*x)*(a + b)^2}{64*d} + \frac{\exp(4*c + 4*d*x)*(a + b)^2}{64*d} \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \sinh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**4*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*sinh(c + d*x)**4, x)`

### 3.10 $\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=77

$$\frac{(a+b)^2 \cosh^3(c+dx)}{3d} - \frac{(a+b)(a+3b) \cosh(c+dx)}{d} - \frac{b(2a+3b) \operatorname{sech}(c+dx)}{d} + \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

[Out]  $-(a+b)*(a+3*b)*\cosh(d*x+c)/d+1/3*(a+b)^2*\cosh(d*x+c)^3/d-b*(2*a+3*b)*\operatorname{sech}(d*x+c)/d+1/3*b^2*\operatorname{sech}(d*x+c)^3/d$

**Rubi [A]** time = 0.10, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3664, 448}

$$\frac{(a+b)^2 \cosh^3(c+dx)}{3d} - \frac{(a+b)(a+3b) \cosh(c+dx)}{d} - \frac{b(2a+3b) \operatorname{sech}(c+dx)}{d} + \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^3*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-\left(\frac{(a+b)*(a+3*b)*\text{Cosh}[c+d*x]}{d}\right) + \left(\frac{(a+b)^2*\text{Cosh}[c+d*x]^3}{(3*d)}\right) - \left(\frac{b*(2*a+3*b)*\text{Sech}[c+d*x]}{d}\right) + \left(\frac{b^2*\text{Sech}[c+d*x]^3}{(3*d)}\right)$

#### Rule 448

$\text{Int}[\left(\frac{(e_*)*(x_*)^{(m_*)}}{(a_*) + (b_*)*(x_*)^{(n_*)}}\right)^{(p_*)}*((c_*) + (d_*)*(x_*)^{(n_*)})^{(q_*)}, x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; \text{FreeQ}\{a, b, c, d, e, m, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, 0]$

#### Rule 3664

$\text{Int}[\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((a_*) + (b_*)*\tan[(e_*) + (f_*)*(x_*)]^2)^{(p_*)}, x\_Symbol] := \text{With}\{\text{ff} = \text{FreeFactors}[\text{Sec}[e + f*x], x]\}, \text{Dist}[1/(f*\text{ff}^m), \text{Subst}[\text{Int}[\left(\frac{(-1 + \text{ff}^2*x^2)^{(m-1)/2}*(a - b + b*\text{ff}^2*x^2)^p}{x^{m+1}}\right), x], x, \text{Sec}[e + f*x]/\text{ff}], x] /; \text{FreeQ}\{a, b, e, f, p\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

#### Rubi steps



$$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx = \frac{\text{Subst}\left(\int \frac{(-1+x^2)(a+b-bx^2)^2}{x^4} dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= \frac{\text{Subst}\left(\int \left(-b(2a + 3b) - \frac{(a+b)^2}{x^4} + \frac{(a+b)(a+3b)}{x^2} + b^2x^2\right) dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= -\frac{(a + b)(a + 3b) \cosh(c + dx)}{d} + \frac{(a + b)^2 \cosh^3(c + dx)}{3d} - \frac{b(2a + 3b) \cosh(c + dx)}{3d}$$

**Mathematica [A]** time = 0.54, size = 71, normalized size = 0.92

$$\frac{-3(3a^2 + 14ab + 11b^2) \cosh(c + dx) + (a + b)^2 \cosh(3(c + dx)) + 4b \text{sech}(c + dx) (-6a + b \text{sech}^2(c + dx) - 9b)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-3\*(3\*a^2 + 14\*a\*b + 11\*b^2)\*Cosh[c + d\*x] + (a + b)^2\*Cosh[3\*(c + d\*x)] + 4\*b\*Sech[c + d\*x]\*(-6\*a - 9\*b + b\*Sech[c + d\*x]^2))/(12\*d)

**fricas [B]** time = 0.52, size = 259, normalized size = 3.36

$$\frac{(a^2 + 2ab + b^2) \cosh(dx + c)^6 + (a^2 + 2ab + b^2) \sinh(dx + c)^6 - 6(a^2 + 6ab + 5b^2) \cosh(dx + c)^4 + 3(5(a^2 + 2ab + b^2) \cosh(dx + c)^2 - 2a^2 - 12ab - 10b^2) \sinh(dx + c)^4 - 3(11a^2 + 86ab + 91b^2) \cosh(dx + c)^2 + 3(5(a^2 + 2ab + b^2) \cosh(dx + c)^4 - 12(a^2 + 6ab + 5b^2) \cosh(dx + c)^2 - 11a^2 - 86ab - 91b^2) \sinh(dx + c)^2 - 26a^2 - 220ab - 210b^2}{(d \cosh(dx + c))^3 + 3d \cosh(dx + c) \sinh(dx + c)^2 + 3d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/24\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^6 - 6\*(a^2 + 6\*a\*b + 5\*b^2)\*cosh(d\*x + c)^4 + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 - 2\*a^2 - 12\*a\*b - 10\*b^2)\*sinh(d\*x + c)^4 - 3\*(11\*a^2 + 86\*a\*b + 91\*b^2)\*cosh(d\*x + c)^2 + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 - 12\*(a^2 + 6\*a\*b + 5\*b^2)\*cosh(d\*x + c)^2 - 11\*a^2 - 86\*a\*b - 91\*b^2)\*sinh(d\*x + c)^2 - 26\*a^2 - 220\*a\*b - 210\*b^2)/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**giac [B]** time = 0.42, size = 290, normalized size = 3.77

$$\frac{(a^2 e^{3dx+36c} + 2abe^{3dx+36c} + b^2 e^{3dx+36c} - 9a^2 e^{(dx+34c)} - 42abe^{(dx+34c)} - 33b^2 e^{(dx+34c)})e^{(-33c)} - (9a^2 e^{(8dx+8c)} + \dots)}{d^3 \cosh^3(dx + c) + 3d \cosh(dx + c) \sinh(dx + c)^2 + 3d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{24} * ((a^2 * e^{(3*d*x + 36*c)} + 2*a*b * e^{(3*d*x + 36*c)} + b^2 * e^{(3*d*x + 36*c)} - 9*a^2 * e^{(d*x + 34*c)} - 42*a*b * e^{(d*x + 34*c)} - 33*b^2 * e^{(d*x + 34*c)}) * e^{(-33*c)} - (9*a^2 * e^{(8*d*x + 8*c)} + 138*a*b * e^{(8*d*x + 8*c)} + 177*b^2 * e^{(8*d*x + 8*c)} + 26*a^2 * e^{(6*d*x + 6*c)} + 316*a*b * e^{(6*d*x + 6*c)} + 322*b^2 * e^{(6*d*x + 6*c)} + 24*a^2 * e^{(4*d*x + 4*c)} + 216*a*b * e^{(4*d*x + 4*c)} + 240*b^2 * e^{(4*d*x + 4*c)} + 6*a^2 * e^{(2*d*x + 2*c)} + 36*a*b * e^{(2*d*x + 2*c)} + 30*b^2 * e^{(2*d*x + 2*c)} - a^2 - 2*a*b - b^2) * e^{(-3*c)} / (e^{(3*d*x + 2*c)} + e^{(d*x)})^3 / d$

**maple [B]** time = 0.29, size = 148, normalized size = 1.92

$$\frac{a^2 \left( -\frac{2}{3} + \frac{\sinh^2(dx+c)}{3} \right) \cosh(dx+c) + 2ab \left( \frac{\sinh^4(dx+c)}{3 \cosh(dx+c)} - \frac{4 \sinh^2(dx+c)}{3 \cosh(dx+c)} - \frac{8}{3 \cosh(dx+c)} \right) + b^2 \left( \frac{\sinh^6(dx+c)}{3 \cosh(dx+c)^3} - \frac{2 \sinh^4(dx+c)}{\cosh(dx+c)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d} * (a^2 * (-2/3 + 1/3 * \sinh(d*x+c)^2) * \cosh(d*x+c) + 2*a*b * (1/3 * \sinh(d*x+c)^4 / \cosh(d*x+c) - 4/3 * \sinh(d*x+c)^2 / \cosh(d*x+c) - 8/3 / \cosh(d*x+c)) + b^2 * (1/3 * \sinh(d*x+c)^6 / \cosh(d*x+c)^3 - 2 * \sinh(d*x+c)^4 / \cosh(d*x+c)^3 - 8 * \sinh(d*x+c)^2 / \cosh(d*x+c)^3 - 16/3 / \cosh(d*x+c)^3))$

**maxima [B]** time = 0.37, size = 265, normalized size = 3.44

$$-\frac{1}{24} b^2 \left( \frac{33 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{30 e^{(-2dx-2c)} + 240 e^{(-4dx-4c)} + 322 e^{(-6dx-6c)} + 177 e^{(-8dx-8c)} - 1}{d(e^{(-3dx-3c)} + 3 e^{(-5dx-5c)} + 3 e^{(-7dx-7c)} + e^{(-9dx-9c)})} \right) - \frac{1}{12} ab \left( \frac{21 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{20 e^{(-2dx-2c)} + 69 e^{(-4dx-4c)} - 1}{d(e^{(-3dx-3c)} + e^{(-5dx-5c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $-1/24 * b^2 * ((33 * e^{(-d*x - c)} - e^{(-3*d*x - 3*c)}) / d + (30 * e^{(-2*d*x - 2*c)} + 240 * e^{(-4*d*x - 4*c)} + 322 * e^{(-6*d*x - 6*c)} + 177 * e^{(-8*d*x - 8*c)} - 1) / (d * (e^{(-3*d*x - 3*c)} + 3 * e^{(-5*d*x - 5*c)} + 3 * e^{(-7*d*x - 7*c)} + e^{(-9*d*x - 9*c)}))) - 1/12 * a * b * ((21 * e^{(-d*x - c)} - e^{(-3*d*x - 3*c)}) / d + (20 * e^{(-2*d*x - 2*c)} + 69 * e^{(-4*d*x - 4*c)} - 1) / (d * (e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)}))) + 1/24 * a^2 * (e^{(3*d*x + 3*c)} / d - 9 * e^{(d*x + c)} / d - 9 * e^{(-d*x - c)} / d + e^{(-3*d*x - 3*c)} / d)$

**mupad [B]** time = 0.29, size = 215, normalized size = 2.79

$$\frac{e^{-3c-3dx} (a+b)^2}{24d} - \frac{e^{c+dx} (3a^2 + 14ab + 11b^2)}{8d} + \frac{e^{3c+3dx} (a+b)^2}{24d} - \frac{e^{-c-dx} (3a^2 + 14ab + 11b^2)}{8d} - \frac{1}{3d} (3e^{2c+2dx})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^2)^2,x)
```

```
[Out] (exp(- 3*c - 3*d*x)*(a + b)^2)/(24*d) - (exp(c + d*x)*(14*a*b + 3*a^2 + 11*
b^2))/(8*d) + (exp(3*c + 3*d*x)*(a + b)^2)/(24*d) - (exp(- c - d*x)*(14*a*b
+ 3*a^2 + 11*b^2))/(8*d) - (8*b^2*exp(c + d*x))/(3*d*(3*exp(2*c + 2*d*x) +
3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1)) - (2*exp(c + d*x)*(2*a*b + 3*b
^2))/(d*(exp(2*c + 2*d*x) + 1)) + (8*b^2*exp(c + d*x))/(3*d*(2*exp(2*c + 2*
d*x) + exp(4*c + 4*d*x) + 1))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \tanh^2(c + dx))^2 \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*sinh(c + d*x)**3, x)
```

### 3.11 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=79

$$\frac{(a+b)(a+5b)\tanh(c+dx)}{2d} + \frac{(a+b)^2\sinh^2(c+dx)\tanh(c+dx)}{2d} - \frac{1}{2}x(a+b)(a+5b) + \frac{b^2\tanh^3(c+dx)}{3d}$$

[Out]  $-1/2*(a+b)*(a+5*b)*x+1/2*(a+b)*(a+5*b)*\tanh(d*x+c)/d+1/2*(a+b)^2*\sinh(d*x+c)^2*\tanh(d*x+c)/d+1/3*b^2*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.11, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 463, 459, 321, 206}

$$\frac{(a+b)(a+5b)\tanh(c+dx)}{2d} + \frac{(a+b)^2\sinh^2(c+dx)\tanh(c+dx)}{2d} - \frac{1}{2}x(a+b)(a+5b) + \frac{b^2\tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-((a+b)*(a+5*b)*x)/2 + ((a+b)*(a+5*b)*\text{Tanh}[c+d*x])/(2*d) + ((a+b)^2*\text{Sinh}[c+d*x]^2*\text{Tanh}[c+d*x])/(2*d) + (b^2*\text{Tanh}[c+d*x]^3)/(3*d)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n-1)\*(c\*x)^(m-n+1)\*(a+b\*x^n)^(p+1))/(b\*(m+n\*p+1)), x] - Dist[(a\*c^n\*(m-n+1))/(b\*(m+n\*p+1)), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 459

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(b\*e\*(m+n\*(p+1)+1)), x] - Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1))/(b\*(m+n\*(p+1)+1)), Int[(e\*x)^m\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m+n\*(p+1)+1, 0]

Rule 463

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))
^2, x_Symbol] := -Simp[((b*c - a*d)^2*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/
(a*b^2*e*n*(p + 1)), x] + Dist[1/(a*b^2*n*(p + 1)), Int[(e*x)^m*(a + b*x^n)
^(p + 1)*Simp[(b*c - a*d)^2*(m + 1) + b^2*c^2*n*(p + 1) + a*b*d^2*n*(p + 1)
*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[n, 0] && LtQ[p, -1]
```

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned} \int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} - \frac{\text{Subst}\left(\int \frac{x^2(a^2+6ab+3b^2+2b^2x^2)}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} + \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{((a + b)^2 \sinh^2(c + dx) \tanh(c + dx))}{2d} \\ &= \frac{(a + b)(a + 5b) \tanh(c + dx)}{2d} + \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} \\ &= -\frac{1}{2}(a + b)(a + 5b)x + \frac{(a + b)(a + 5b) \tanh(c + dx)}{2d} + \frac{(a + b)^2 \sinh^2(c + dx) \tanh(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.90, size = 70, normalized size = 0.89

$$\frac{-6(a^2 + 6ab + 5b^2)(c + dx) + 3(a + b)^2 \sinh(2(c + dx)) + 4b \tanh(c + dx) (6a - b \operatorname{sech}^2(c + dx) + 7b)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^2, x]
```

[Out]  $(-6*(a^2 + 6*a*b + 5*b^2)*(c + d*x) + 3*(a + b)^2*\text{Sinh}[2*(c + d*x)] + 4*b*(6*a + 7*b - b*\text{Sech}[c + d*x]^2)*\text{Tanh}[c + d*x])/(12*d)$

**fricas** [B] time = 0.48, size = 291, normalized size = 3.68

$$\frac{3(a^2 + 2ab + b^2)\sinh(dx + c)^5 - 4(3(a^2 + 6ab + 5b^2)dx + 12ab + 14b^2)\cosh(dx + c)^3 - 12(3(a^2 + 6ab + 5b^2)dx + 12ab + 14b^2)\cosh(dx + c)^2 + 3(5(a^2 + 2ab + b^2)*c\cosh(dx + c)^4 + (9a^2 + 66ab + 65b^2)\cosh(dx + c)^2 + 2a^2 + 20ab + 10b^2)\sinh(dx + c)}{(d\cosh(dx + c)^3 + 3d\cosh(dx + c)\sinh(dx + c)^2 + 3d\cosh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")`

[Out]  $1/24*(3*(a^2 + 2*a*b + b^2)*\sinh(d*x + c)^5 - 4*(3*(a^2 + 6*a*b + 5*b^2)*d*x + 12*a*b + 14*b^2)*\cosh(d*x + c)^3 - 12*(3*(a^2 + 6*a*b + 5*b^2)*d*x + 12*a*b + 14*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (30*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 9*a^2 + 66*a*b + 65*b^2)*\sinh(d*x + c)^3 - 12*(3*(a^2 + 6*a*b + 5*b^2)*d*x + 12*a*b + 14*b^2)*\cosh(d*x + c) + 3*(5*(a^2 + 2*a*b + b^2)*c\cosh(d*x + c)^4 + (9*a^2 + 66*a*b + 65*b^2)*\cosh(d*x + c)^2 + 2*a^2 + 20*a*b + 10*b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*d*\cosh(d*x + c))$

**giac** [B] time = 0.33, size = 215, normalized size = 2.72

$$\frac{12(a^2 + 6ab + 5b^2)dx - 3(2a^2e^{2dx+2c} + 12abe^{2dx+2c} + 10b^2e^{2dx+2c} - a^2 - 2ab - b^2)e^{(-2dx-2c)} - 3(a^2e^{2dx+2c} + 12abe^{2dx+2c} + 10b^2e^{2dx+2c} - a^2 - 2ab - b^2)e^{(-2dx-2c)}}{24d}$$

24 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")`

[Out]  $-1/24*(12*(a^2 + 6*a*b + 5*b^2)*d*x - 3*(2*a^2*e^{(2*d*x + 2*c)} + 12*a*b*e^{(2*d*x + 2*c)} + 10*b^2*e^{(2*d*x + 2*c)} - a^2 - 2*a*b - b^2)*e^{(-2*d*x - 2*c)} - 3*(a^2*e^{(2*d*x + 12*c)} + 2*a*b*e^{(2*d*x + 12*c)} + b^2*e^{(2*d*x + 12*c)})*e^{(-10*c)} + 16*(6*a*b*e^{(4*d*x + 4*c)} + 9*b^2*e^{(4*d*x + 4*c)} + 12*a*b*e^{(2*d*x + 2*c)} + 12*b^2*e^{(2*d*x + 2*c)} + 6*a*b + 7*b^2)/(e^{(2*d*x + 2*c)} + 1)^3)/d$

**maple** [A] time = 0.21, size = 118, normalized size = 1.49

$$\frac{a^2 \left( \frac{\cosh(dx+c)\sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + 2ab \left( \frac{\sinh^3(dx+c)}{2\cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3\tanh(dx+c)}{2} \right) + b^2 \left( \frac{\sinh^5(dx+c)}{2\cosh(dx+c)^3} - \frac{5dx}{2} - \frac{5c}{2} + \frac{5\tanh(dx+c)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{d} \left( a^2 \left( \frac{1}{2} \cosh(d*x+c) \sinh(d*x+c) - \frac{1}{2} d*x - \frac{1}{2} c \right) + 2*a*b \left( \frac{1}{2} \sinh(d*x+c) \right)^3 / \cosh(d*x+c) - \frac{3}{2} d*x - \frac{3}{2} c + \frac{3}{2} \tanh(d*x+c) \right) + b^2 \left( \frac{1}{2} \sinh(d*x+c) \right)^5 / \cosh(d*x+c)^3 - \frac{5}{2} d*x - \frac{5}{2} c + \frac{5}{2} \tanh(d*x+c) + \frac{5}{6} \tanh(d*x+c)^3 \right)$

**maxima** [B] time = 0.35, size = 217, normalized size = 2.75

$$-\frac{1}{8} a^2 \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{24} b^2 \left( \frac{60(dx+c)}{d} + \frac{3e^{(-2dx-2c)}}{d} - \frac{121e^{(-2dx-2c)} + 201e^{(-4dx-4c)} + 147e^{(-6dx-6c)}}{d(e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 3e^{(-6dx-6c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $-1/8*a^2*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d) - 1/24*b^2*(60*(d*x + c)/d + 3*e^{(-2*d*x - 2*c)}/d - (121*e^{(-2*d*x - 2*c)} + 201*e^{(-4*d*x - 4*c)} + 147*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)})) - 1/4*a*b*(12*(d*x + c)/d + e^{(-2*d*x - 2*c)}/d - (17*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)})))$

**mupad** [B] time = 1.18, size = 248, normalized size = 3.14

$$\frac{e^{2c+2dx} (a+b)^2}{8d} - x \left( \frac{a^2}{2} + 3ab + \frac{5b^2}{2} \right) - \frac{\frac{2(3b^2+2ab)}{3d} + \frac{4e^{2c+2dx}(b^2+2ab)}{3d} + \frac{2e^{4c+4dx}(3b^2+2ab)}{3d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{2(3b^2+2ab)}{3d(e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2,x)`

[Out]  $(\exp(2*c + 2*d*x)*(a + b)^2)/(8*d) - x*(3*a*b + a^2/2 + (5*b^2)/2) - ((2*(2*a*b + 3*b^2))/(3*d) + (4*\exp(2*c + 2*d*x)*(2*a*b + b^2))/(3*d) + (2*\exp(4*c + 4*d*x)*(2*a*b + 3*b^2))/(3*d))/(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1) - (2*(2*a*b + 3*b^2))/(3*d*(\exp(2*c + 2*d*x) + 1)) - (\exp(-2*c - 2*d*x)*(a + b)^2)/(8*d) - ((2*(2*a*b + b^2))/(3*d) + (2*\exp(2*c + 2*d*x)*(2*a*b + 3*b^2))/(3*d))/(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*sinh(c + d*x)**2, x)`

### 3.12 $\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=49

$$\frac{(a+b)^2 \cosh(c+dx)}{d} + \frac{2b(a+b)\operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

[Out] (a+b)^2\*cosh(d\*x+c)/d+2\*b\*(a+b)\*sech(d\*x+c)/d-1/3\*b^2\*sech(d\*x+c)^3/d

**Rubi [A]** time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 270}

$$\frac{(a+b)^2 \cosh(c+dx)}{d} + \frac{2b(a+b)\operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + b)^2\*Cosh[c + d\*x])/d + (2\*b\*(a + b)\*Sech[c + d\*x])/d - (b^2\*Sech[c + d\*x]^3)/(3\*d)

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[Exp andIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

#### Rubi steps



$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= -\frac{\text{Subst}\left(\int \frac{(a+b-bx^2)^2}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(-2b(a+b) + \frac{(a+b)^2}{x^2} + b^2x^2\right) dx, x, \text{sech}(c + dx)\right)}{d} \\
&= \frac{(a+b)^2 \cosh(c + dx)}{d} + \frac{2b(a+b)\text{sech}(c + dx)}{d} - \frac{b^2\text{sech}^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.34, size = 46, normalized size = 0.94

$$\frac{3(a+b)^2 \cosh(c + dx) + b\text{sech}(c + dx) (6(a+b) - b\text{sech}^2(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*(a + b)^2\*Cosh[c + d\*x] + b\*Sech[c + d\*x]\*(6\*(a + b) - b\*Sech[c + d\*x]^2))/ (3\*d)

**fricas [B]** time = 0.54, size = 167, normalized size = 3.41

$$\frac{3(a^2 + 2ab + b^2) \cosh(dx + c)^4 + 3(a^2 + 2ab + b^2) \sinh(dx + c)^4 + 12(a^2 + 4ab + 3b^2) \cosh(dx + c)^2 + 6(3d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c))}{6(d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/6\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 3\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 12\*(a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^2 + 6\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a^2 + 8\*a\*b + 6\*b^2)\*sinh(d\*x + c)^2 + 9\*a^2 + 42\*a\*b + 25\*b^2)/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**giac [B]** time = 0.22, size = 162, normalized size = 3.31

$$\frac{3(a^2 + 2ab + b^2)e^{(-dx-c)} + 3(a^2e^{(dx+10c)} + 2abe^{(dx+10c)} + b^2e^{(dx+10c)})e^{(-9c)} + \frac{8(3abe^{(5dx+5c)} + 3b^2e^{(5dx+5c)} + 6abe^{(3dx+3c)})}{e^{(2dx+2c)}}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{6}*(3*(a^2 + 2*a*b + b^2)*e^{(-d*x - c)} + 3*(a^2*e^{(d*x + 10*c)} + 2*a*b*e^{(d*x + 10*c)} + b^2*e^{(d*x + 10*c)})*e^{(-9*c)} + 8*(3*a*b*e^{(5*d*x + 5*c)} + 3*b^2*e^{(5*d*x + 5*c)} + 6*a*b*e^{(3*d*x + 3*c)} + 4*b^2*e^{(3*d*x + 3*c)} + 3*a*b*e^{(d*x + c)} + 3*b^2*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^3)/d$

**maple [B]** time = 0.21, size = 98, normalized size = 2.00

$$\frac{a^2 \cosh(dx + c) + 2ab \left( \frac{\sinh^2(dx+c)}{\cosh(dx+c)} + \frac{2}{\cosh(dx+c)} \right) + b^2 \left( \frac{\sinh^4(dx+c)}{\cosh(dx+c)^3} + \frac{4(\sinh^2(dx+c))}{\cosh(dx+c)^3} + \frac{8}{3 \cosh(dx+c)^3} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d}*(a^2*\cosh(d*x+c)+2*a*b*(\sinh(d*x+c)^2/\cosh(d*x+c)+2/\cosh(d*x+c))+b^2*(\sinh(d*x+c)^4/\cosh(d*x+c)^3+4*\sinh(d*x+c)^2/\cosh(d*x+c)^3+8/3/\cosh(d*x+c)^3)$

**maxima [B]** time = 0.35, size = 171, normalized size = 3.49

$$\frac{1}{6}b^2 \left( \frac{3e^{(-dx-c)}}{d} + \frac{33e^{(-2dx-2c)} + 41e^{(-4dx-4c)} + 27e^{(-6dx-6c)} + 3}{d(e^{(-dx-c)} + 3e^{(-3dx-3c)} + 3e^{(-5dx-5c)} + e^{(-7dx-7c)})} \right) + ab \left( \frac{e^{(-dx-c)}}{d} + \frac{5e^{(-2dx-2c)} + 1}{d(e^{(-dx-c)} + e^{(-3dx-3c)})} \right) + \frac{a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{6}b^2*(3*e^{(-d*x - c)}/d + (33*e^{(-2*d*x - 2*c)} + 41*e^{(-4*d*x - 4*c)} + 27*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-d*x - c)} + 3*e^{(-3*d*x - 3*c)} + 3*e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + a*b*(e^{(-d*x - c)}/d + (5*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-d*x - c)} + e^{(-3*d*x - 3*c)}))) + a^2*\cosh(d*x + c)/d$

**mupad [B]** time = 0.19, size = 154, normalized size = 3.14

$$\frac{e^{c+dx} (a+b)^2}{2d} + \frac{e^{-c-dx} (a+b)^2}{2d} + \frac{8b^2 e^{c+dx}}{3d (3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} + \frac{4e^{c+dx} (b^2 + ab)}{d (e^{2c+2dx} + 1)} - \frac{8b^2 e^{c+dx}}{3d (2e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)\*(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $(\exp(c + d*x)*(a + b)^2)/(2*d) + (\exp(-c - d*x)*(a + b)^2)/(2*d) + (8*b^2*\exp(c + d*x))/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x)))$

$*x) + 1)) + (4*\exp(c + d*x)*(a*b + b^2))/(d*(\exp(2*c + 2*d*x) + 1)) - (8*b^2*\exp(c + d*x))/(3*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sinh(c + d\*x), x)

### 3.13 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=51

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b(2a + b)\operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out]  $-a^2 \operatorname{arctanh}(\cosh(d*x+c))/d - b*(2*a+b)*\operatorname{sech}(d*x+c)/d + 1/3*b^2*\operatorname{sech}(d*x+c)^3/d$

**Rubi [A]** time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 390, 207}

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b(2a + b)\operatorname{sech}(c + dx)}{d} + \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $-((a^2 \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/d) - (b*(2*a + b)*\operatorname{Sech}[c + d*x])/d + (b^2*\operatorname{Sech}[c + d*x]^3)/(3*d)$

#### Rule 207

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])`

#### Rule 390

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

#### Rule 3664

`Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]`

#### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+b-bx^2)^2}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(-b(2a+b) + b^2x^2 + \frac{a^2}{-1+x^2}\right) dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{b(2a+b)\operatorname{sech}(c+dx)}{d} + \frac{b^2\operatorname{sech}^3(c+dx)}{3d} + \frac{a^2 \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx\right)}{d} \\
&= -\frac{a^2 \tanh^{-1}(\operatorname{cosh}(c+dx))}{d} - \frac{b(2a+b)\operatorname{sech}(c+dx)}{d} + \frac{b^2\operatorname{sech}^3(c+dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 50, normalized size = 0.98

$$\frac{3a^2 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - 3b(2a+b)\operatorname{sech}(c+dx) + b^2\operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*a^2\*Log[Tanh[(c + d\*x)/2]] - 3\*b\*(2\*a + b)\*Sech[c + d\*x] + b^2\*Sech[c + d\*x]^3)/(3\*d)

**fricas [B]** time = 0.90, size = 890, normalized size = 17.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/3\*(6\*(2\*a\*b + b^2)\*cosh(d\*x + c)^5 + 30\*(2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 6\*(2\*a\*b + b^2)\*sinh(d\*x + c)^5 + 4\*(6\*a\*b + b^2)\*cosh(d\*x + c)^3 + 4\*(15\*(2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 6\*a\*b + b^2)\*sinh(d\*x + c)^3 + 12\*(5\*(2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (6\*a\*b + b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 6\*(2\*a\*b + b^2)\*cosh(d\*x + c) + 3\*(a^2\*cosh(d\*x + c)^6 + 6\*a^2\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + a^2\*sinh(d\*x + c)^6 + 3\*a^2\*cosh(d\*x + c)^4 + 3\*(5\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^4 + 3\*a^2\*cosh(d\*x + c)^2 + 4\*(5\*a^2\*cosh(d\*x + c)^3 + 3\*a^2\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 3\*(5\*a^2\*cosh(d\*x + c)^4 + 6\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^2 + a^2 + 6\*(a^2\*cosh(d\*x + c)^5 + 2\*a^2\*cosh(d\*x + c)^3 + a^2\*cosh(d\*x + c))\*sinh(d\*x +

c))\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) - 3\*(a^2\*cosh(d\*x + c)^6 + 6\*a^2\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + a^2\*sinh(d\*x + c)^6 + 3\*a^2\*cosh(d\*x + c)^4 + 3\*(5\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^4 + 3\*a^2\*cosh(d\*x + c)^2 + 4\*(5\*a^2\*cosh(d\*x + c)^3 + 3\*a^2\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 3\*(5\*a^2\*cosh(d\*x + c)^4 + 6\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^2 + a^2 + 6\*(a^2\*cosh(d\*x + c)^5 + 2\*a^2\*cosh(d\*x + c)^3 + a^2\*cosh(d\*x + c))\*sinh(d\*x + c))\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + 6\*(5\*(2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 2\*(6\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a\*b + b^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^6 + 6\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + d\*sinh(d\*x + c)^6 + 3\*d\*cosh(d\*x + c)^4 + 3\*(5\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^4 + 4\*(5\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)^2 + 3\*(5\*d\*cosh(d\*x + c)^4 + 6\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 6\*(d\*cosh(d\*x + c)^5 + 2\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac** [B] time = 0.23, size = 126, normalized size = 2.47

$$\frac{3a^2 \log(e^{(dx+c)} + 1) - 3a^2 \log(|e^{(dx+c)} - 1|) + \frac{2(6abe^{5dx+5c} + 3b^2e^{5dx+5c} + 12abe^{3dx+3c} + 2b^2e^{3dx+3c} + 6abe^{dx+c} + 3b^2e^{dx+c})}{(e^{2dx+2c} + 1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/3\*(3\*a^2\*log(e^(d\*x + c) + 1) - 3\*a^2\*log(abs(e^(d\*x + c) - 1)) + 2\*(6\*a\*b\*e^(5\*d\*x + 5\*c) + 3\*b^2\*e^(5\*d\*x + 5\*c) + 12\*a\*b\*e^(3\*d\*x + 3\*c) + 2\*b^2\*e^(3\*d\*x + 3\*c) + 6\*a\*b\*e^(d\*x + c) + 3\*b^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^3)/d

**maple** [A] time = 0.24, size = 63, normalized size = 1.24

$$\frac{-2a^2 \operatorname{arctanh}(e^{dx+c}) - \frac{2ab}{\cosh(dx+c)} + b^2 \left( -\frac{\sinh^2(dx+c)}{\cosh(dx+c)^3} - \frac{2}{3 \cosh(dx+c)^3} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(-2\*a^2\*arctanh(exp(d\*x+c))-2\*a\*b/cosh(d\*x+c)+b^2\*(-sinh(d\*x+c)^2/cosh(d\*x+c)^3-2/3/cosh(d\*x+c)^3))

**maxima** [B] time = 0.35, size = 196, normalized size = 3.84

$$-\frac{2}{3}b^2 \left( \frac{3e^{(-dx-c)}}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{2e^{(-3dx-3c)}}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $-2/3*b^2*(3*e^{(-d*x - c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 2*e^{(-3*d*x - 3*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 3*e^{(-5*d*x - 5*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + a^2*\log(\tanh(1/2*d*x + 1/2*c))/d - 4*a*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)}))$

**mupad** [B] time = 0.15, size = 160, normalized size = 3.14

$$\frac{8b^2e^{c+dx}}{3d(2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{8b^2e^{c+dx}}{3d(3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} - \frac{2e^{c+dx}(b^2 + 2ab)}{d(e^{2c+2dx} + 1)} - \frac{2\operatorname{atan}\left(\frac{a^2e^{dx}e^c}{d\sqrt{-d^2}}\right)}{\sqrt{-d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^2/sinh(c + d\*x),x)

[Out]  $(8*b^2*\exp(c + d*x))/(3*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (8*b^2*\exp(c + d*x))/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) - (2*\exp(c + d*x)*(2*a*b + b^2))/(d*(\exp(2*c + 2*d*x) + 1)) - (2*\operatorname{atan}((a^2*\exp(d*x)*\exp(c)*(-d^2)^{(1/2)})/(d*(a^4)^{(1/2)}))*(a^4)^{(1/2)})/(-d^2)^{(1/2)}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*csch(c + d\*x), x)

### 3.14 $\int \operatorname{csch}^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=46

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{2ab \tanh(c + dx)}{d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out]  $-a^2 \operatorname{coth}(d*x+c)/d + 2*a*b*\tanh(d*x+c)/d + 1/3*b^2*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.06, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{2ab \tanh(c + dx)}{d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Csch}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^2)^2, x]$

[Out]  $-((a^2*\text{Coth}[c + d*x])/d) + (2*a*b*\text{Tanh}[c + d*x])/d + (b^2*\text{Tanh}[c + d*x]^3)/(3*d)$

#### Rule 270

$\text{Int}[(c_.)*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.))}^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \ \&\amp; \ \text{IGtQ}[p, 0]$

#### Rule 3663

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((a_.) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_.)])^{(n_.))}^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff^{(m+1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2 + 1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \ \&\amp; \ \text{IntegerQ}[m/2]$

#### Rubi steps



$$\begin{aligned} \int \operatorname{csch}^2(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+bx^2)^2}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(2ab + \frac{a^2}{x^2} + b^2x^2\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a^2 \operatorname{coth}(c+dx)}{d} + \frac{2ab \tanh(c+dx)}{d} + \frac{b^2 \tanh^3(c+dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.49, size = 43, normalized size = 0.93

$$\frac{b \tanh(c+dx) (6a - b \operatorname{sech}^2(c+dx) + b) - 3a^2 \operatorname{coth}(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-3\*a^2\*Coth[c + d\*x] + b\*(6\*a + b - b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(3\*d)

**fricas [B]** time = 0.52, size = 264, normalized size = 5.74

$$\frac{4 \left( (3a^2 + b^2) \cosh(dx+c)^3 + 3(3a^2 + b^2) \cosh(dx+c) \sinh(dx+c) \right)}{3 \left( d \cosh(dx+c)^5 + 5d \cosh(dx+c) \sinh(dx+c)^4 + d \sinh(dx+c)^5 + d \cosh(dx+c)^3 + (10d \cosh(dx+c) \sinh(dx+c))^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -4/3\*((3\*a^2 + b^2)\*cosh(d\*x + c)^3 + 3\*(3\*a^2 + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 2\*(3\*a\*b + b^2)\*sinh(d\*x + c)^3 + (9\*a^2 - b^2)\*cosh(d\*x + c) + 2\*(3\*(3\*a\*b + b^2)\*cosh(d\*x + c)^2 + 3\*a\*b - b^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + d\*sinh(d\*x + c)^5 + d\*cosh(d\*x + c)^3 + (10\*d\*cosh(d\*x + c)^2 + 3\*d)\*sinh(d\*x + c)^3 + (10\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - 2\*d\*cosh(d\*x + c) + (5\*d\*cosh(d\*x + c)^4 + 9\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c))

**giac [A]** time = 0.26, size = 86, normalized size = 1.87

$$\frac{2 \left( \frac{3a^2}{e^{(2dx+2c)-1}} + \frac{6abe^{(4dx+4c)} + 3b^2e^{(4dx+4c)} + 12abe^{(2dx+2c)} + 6ab + b^2}{(e^{(2dx+2c)+1})^3} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-2/3*(3*a^2/(e^{(2*d*x + 2*c)} - 1) + (6*a*b*e^{(4*d*x + 4*c)} + 3*b^2*e^{(4*d*x + 4*c)} + 12*a*b*e^{(2*d*x + 2*c)} + 6*a*b + b^2)/(e^{(2*d*x + 2*c)} + 1)^3)/d$

maple [A] time = 0.43, size = 68, normalized size = 1.48

$$\frac{-a^2 \coth(dx + c) + 2ab \tanh(dx + c) + b^2 \left( -\frac{\sinh(dx+c)}{2 \cosh(dx+c)^3} + \frac{\left(\frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3}\right) \tanh(dx+c)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(-a^2*\coth(d*x+c)+2*a*b*\tanh(d*x+c)+b^2*(-1/2*\sinh(d*x+c)/\cosh(d*x+c)^3+1/2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)))$

maxima [B] time = 0.34, size = 136, normalized size = 2.96

$$\frac{2}{3}b^2 \left( \frac{3e^{(-4dx-4c)}}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + \frac{4ab}{d(e^{(-2dx-2c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $2/3*b^2*(3*e^{(-4*d*x - 4*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 1/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 4*a*b/(d*(e^{(-2*d*x - 2*c)} + 1)) + 2*a^2/(d*(e^{(-2*d*x - 2*c)} - 1))$

mupad [B] time = 1.16, size = 209, normalized size = 4.54

$$\frac{\frac{2(2ab-b^2)}{3d} + \frac{2e^{2c+2dx}(b^2+2ab)}{3d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} - \frac{\frac{2(b^2+2ab)}{3d} + \frac{2e^{4c+4dx}(b^2+2ab)}{3d} + \frac{4e^{2c+2dx}(2ab-b^2)}{3d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{2a^2}{d(e^{2c+2dx} - 1)} - \frac{2(b^2 + 2ab)}{3d(e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^2/sinh(c + d\*x)^2,x)

[Out]  $-((2*(2*a*b - b^2))/(3*d) + (2*\exp(2*c + 2*d*x)*(2*a*b + b^2))/(3*d))/(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1) - ((2*(2*a*b + b^2))/(3*d) + (2*\exp(2*c + 2*d*x)*(2*a*b - b^2))/(3*d))/(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)$

```
(4*c + 4*d*x)*(2*a*b + b^2))/(3*d) + (4*exp(2*c + 2*d*x)*(2*a*b - b^2))/(3*d)))/(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1) - (2*a^2)/(d*(exp(2*c + 2*d*x) - 1)) - (2*(2*a*b + b^2))/(3*d*(exp(2*c + 2*d*x) + 1))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2, x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*csch(c + d*x)**2, x)
```

### 3.15 $\int \operatorname{csch}^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=82

$$\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} + \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out]  $1/2*a*(a-4*b)*\operatorname{arctanh}(\cosh(d*x+c))/d-1/2*a*(a-4*b)*\operatorname{sech}(d*x+c)/d-1/2*a^2*\operatorname{csch}(d*x+c)^2*\operatorname{sech}(d*x+c)/d-1/3*b^2*\operatorname{sech}(d*x+c)^3/d$

**Rubi [A]** time = 0.12, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 463, 459, 321, 207}

$$\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} + \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^3*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $(a*(a - 4*b)*\operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/(2*d) - (a*(a - 4*b)*\operatorname{Sech}[c + d*x])/(2*d) - (a^2*\operatorname{Csch}[c + d*x]^2*\operatorname{Sech}[c + d*x])/(2*d) - (b^2*\operatorname{Sech}[c + d*x]^3)/(3*d)$

#### Rule 207

$\operatorname{Int}[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /;$   $\operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{LtQ}[a, b, 0] \ || \ \operatorname{GtQ}[b, 0])$

#### Rule 321

$\operatorname{Int}(((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}), x\_Symbol] \rightarrow \operatorname{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m + n*p + 1)), x] - \operatorname{Dist}[(a*c^n*(m-n+1))/(b*(m + n*p + 1)), \operatorname{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, p\}, x \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ \operatorname{GtQ}[m, n-1] \ \&\& \ \operatorname{NeQ}[m + n*p + 1, 0] \ \&\& \ \operatorname{IntBinomialQ}[a, b, c, n, m, p, x]$

#### Rule 459

$\operatorname{Int}(((e_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)}), x\_Symbol] \rightarrow \operatorname{Simp}[(d*(e*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(b*e*(m + n*(p+1) + 1)), x] - \operatorname{Dist}[(a*d*(m+1) - b*c*(m + n*(p+1) + 1))/(b*(m + n*(p+1) + 1)), \operatorname{Int}[(e*x)^m*(a + b*x^n)^p, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, m,$

$n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m + n*(p + 1) + 1, 0]$

### Rule 463

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))
^2, x_Symbol] :> -Simp[((b*c - a*d)^2*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/
(a*b^2*e*n*(p + 1)), x] + Dist[1/(a*b^2*n*(p + 1)), Int[(e*x)^m*(a + b*x^n)
^(p + 1)*Simp[(b*c - a*d)^2*(m + 1) + b^2*c^2*n*(p + 1) + a*b*d^2*n*(p + 1)
*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[n, 0] && LtQ[p, -1]
```

### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(
p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^
m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1)
), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m
- 1)/2]
```

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2(a+b-bx^2)^2}{(-1+x^2)^2} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\ &= -\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{\operatorname{Subst}\left(\int \frac{x^2(3a^2 - 2(a+b)^2 + 2b^2x^2)}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{2d} \\ &= -\frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} - \frac{(a(a - 4b)) \operatorname{sech}(c + dx)}{2d} \\ &= -\frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} - \frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{3d} \\ &= \frac{a(a - 4b) \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a(a - 4b) \operatorname{sech}(c + dx)}{2d} - \frac{a^2 \operatorname{csch}^2(c + dx) \operatorname{sech}(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 1.59, size = 96, normalized size = 1.17

$$\frac{3a^2 \operatorname{csch}^2\left(\frac{1}{2}(c + dx)\right) + 3a^2 \operatorname{sech}^2\left(\frac{1}{2}(c + dx)\right) + 12a^2 \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right) - 48ab \operatorname{sech}(c + dx) - 48ab \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] -1/24*(3*a^2*Csch[(c + d*x)/2]^2 + 12*a^2*Log[Tanh[(c + d*x)/2]] - 48*a*b*Log[Tanh[(c + d*x)/2]] + 3*a^2*Sech[(c + d*x)/2]^2 - 48*a*b*Sech[c + d*x] + 8*b^2*Sech[c + d*x]^3)/d
```

**fricas** [B] time = 0.51, size = 2462, normalized size = 30.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] -1/6*(6*(a^2 - 4*a*b)*cosh(d*x + c)^9 + 54*(a^2 - 4*a*b)*cosh(d*x + c)*sinh(d*x + c)^8 + 6*(a^2 - 4*a*b)*sinh(d*x + c)^9 + 8*(3*a^2 + 2*b^2)*cosh(d*x + c)^7 + 8*(27*(a^2 - 4*a*b)*cosh(d*x + c)^2 + 3*a^2 + 2*b^2)*sinh(d*x + c)^7 + 56*(9*(a^2 - 4*a*b)*cosh(d*x + c)^3 + (3*a^2 + 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^6 + 4*(9*a^2 + 12*a*b - 8*b^2)*cosh(d*x + c)^5 + 4*(189*(a^2 - 4*a*b)*cosh(d*x + c)^4 + 42*(3*a^2 + 2*b^2)*cosh(d*x + c)^2 + 9*a^2 + 12*a*b - 8*b^2)*sinh(d*x + c)^5 + 4*(189*(a^2 - 4*a*b)*cosh(d*x + c)^5 + 70*(3*a^2 + 2*b^2)*cosh(d*x + c)^3 + 5*(9*a^2 + 12*a*b - 8*b^2)*cosh(d*x + c))*sinh(d*x + c)^4 + 8*(3*a^2 + 2*b^2)*cosh(d*x + c)^3 + 8*(63*(a^2 - 4*a*b)*cosh(d*x + c)^6 + 35*(3*a^2 + 2*b^2)*cosh(d*x + c)^4 + 5*(9*a^2 + 12*a*b - 8*b^2)*cosh(d*x + c)^2 + 3*a^2 + 2*b^2)*sinh(d*x + c)^3 + 8*(27*(a^2 - 4*a*b)*cosh(d*x + c)^7 + 21*(3*a^2 + 2*b^2)*cosh(d*x + c)^5 + 5*(9*a^2 + 12*a*b - 8*b^2)*cosh(d*x + c)^3 + 3*(3*a^2 + 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^2 + 6*(a^2 - 4*a*b)*cosh(d*x + c) - 3*((a^2 - 4*a*b)*cosh(d*x + c)^10 + 10*(a^2 - 4*a*b)*cosh(d*x + c)*sinh(d*x + c)^9 + (a^2 - 4*a*b)*sinh(d*x + c)^10 + (a^2 - 4*a*b)*cosh(d*x + c)^8 + (45*(a^2 - 4*a*b)*cosh(d*x + c)^2 + a^2 - 4*a*b)*sinh(d*x + c)^8 + 8*(15*(a^2 - 4*a*b)*cosh(d*x + c)^3 + (a^2 - 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^7 - 2*(a^2 - 4*a*b)*cosh(d*x + c)^6 + 2*(105*(a^2 - 4*a*b)*cosh(d*x + c)^4 + 14*(a^2 - 4*a*b)*cosh(d*x + c)^2 - a^2 + 4*a*b)*sinh(d*x + c)^6 + 4*(63*(a^2 - 4*a*b)*cosh(d*x + c)^5 + 14*(a^2 - 4*a*b)*cosh(d*x + c)^3 - 3*(a^2 - 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(a^2 - 4*a*b)*cosh(d*x + c)^4 + 2*(105*(a^2 - 4*a*b)*cosh(d*x + c)^6 + 35*(a^2 - 4*a*b)*cosh(d*x + c)^4 - 15*(a^2 - 4*a*b)*cosh(d*x + c)^2 - a^2 + 4*a*b)*sinh(d*x + c)^4 + 8*(15*(a^2 - 4*a*b)*cosh(d*x + c)^7 + 7*(a^2 - 4*a*b)*cosh(d*x + c)^5 - 5*(a^2 - 4*a*b)*cosh(d*x + c)^3 - (a^2 - 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^3 + (a^2 - 4*a*b)*cosh(d*x + c)^2 + (45*(a^2 - 4*a*b)*cosh(d*x + c)^8 + 28*(a^2 - 4*a*b)*cosh(d*x + c)^6 - 30*(a^2 - 4*a*b)*cosh(d*x + c)^4 - 12*(a^2 - 4*a*b)*cosh(d*x + c)^2 + a^2 - 4*a*b)*sinh(d*x + c)^2 + a^2 - 4*a*b + 2*(5*(a^2 - 4*a*b)*cosh(d*x + c)^9 + 4*(a^2 - 4*a*b)*cosh(d*x + c)^7 - 6*(a^2 - 4*a*b)*cosh(d*x + c)^5 - 4*(a^2 - 4*a*b)*cosh(d*x + c)
```

$$\begin{aligned} &^3 + (a^2 - 4ab)\cosh(dx + c)\sinh(dx + c)\log(\cosh(dx + c) + \sinh(dx \\ &x + c) + 1) + 3((a^2 - 4ab)\cosh(dx + c)^{10} + 10(a^2 - 4ab)\cosh(dx \\ &x + c)\sinh(dx + c)^9 + (a^2 - 4ab)\sinh(dx + c)^{10} + (a^2 - 4ab)\cos \\ &h(dx + c)^8 + (45(a^2 - 4ab)\cosh(dx + c)^2 + a^2 - 4ab)\sinh(dx + \\ &c)^8 + 8(15(a^2 - 4ab)\cosh(dx + c)^3 + (a^2 - 4ab)\cosh(dx + c))\sinh \\ &inh(dx + c)^7 - 2(a^2 - 4ab)\cosh(dx + c)^6 + 2(105(a^2 - 4ab)\cos \\ &h(dx + c)^4 + 14(a^2 - 4ab)\cosh(dx + c)^2 - a^2 + 4ab)\sinh(dx + c \\ &)^6 + 4(63(a^2 - 4ab)\cosh(dx + c)^5 + 14(a^2 - 4ab)\cosh(dx + c)^ \\ &3 - 3(a^2 - 4ab)\cosh(dx + c))\sinh(dx + c)^5 - 2(a^2 - 4ab)\cosh(dx \\ &x + c)^4 + 2(105(a^2 - 4ab)\cosh(dx + c)^6 + 35(a^2 - 4ab)\cosh(dx \\ &x + c)^4 - 15(a^2 - 4ab)\cosh(dx + c)^2 - a^2 + 4ab)\sinh(dx + c)^4 \\ &+ 8(15(a^2 - 4ab)\cosh(dx + c)^7 + 7(a^2 - 4ab)\cosh(dx + c)^5 - 5 \\ &*(a^2 - 4ab)\cosh(dx + c)^3 - (a^2 - 4ab)\cosh(dx + c))\sinh(dx + c) \\ &^3 + (a^2 - 4ab)\cosh(dx + c)^2 + (45(a^2 - 4ab)\cosh(dx + c)^8 + 28 \\ &*(a^2 - 4ab)\cosh(dx + c)^6 - 30(a^2 - 4ab)\cosh(dx + c)^4 - 12(a^2 \\ &- 4ab)\cosh(dx + c)^2 + a^2 - 4ab)\sinh(dx + c)^2 + a^2 - 4ab + 2 \\ &(5(a^2 - 4ab)\cosh(dx + c)^9 + 4(a^2 - 4ab)\cosh(dx + c)^7 - 6(a^2 \\ &- 4ab)\cosh(dx + c)^5 - 4(a^2 - 4ab)\cosh(dx + c)^3 + (a^2 - 4ab) \\ &*\cosh(dx + c))\sinh(dx + c)\log(\cosh(dx + c) + \sinh(dx + c) - 1) + 2( \\ &27(a^2 - 4ab)\cosh(dx + c)^8 + 28(3a^2 + 2b^2)\cosh(dx + c)^6 + 10 \\ &(9a^2 + 12ab - 8b^2)\cosh(dx + c)^4 + 12(3a^2 + 2b^2)\cosh(dx + c) \\ &^2 + 3a^2 - 12ab)\sinh(dx + c))/(d\cosh(dx + c)^{10} + 10d\cosh(dx + c) \\ &)\sinh(dx + c)^9 + d\sinh(dx + c)^{10} + d\cosh(dx + c)^8 + (45d\cosh(dx \\ &+ c)^2 + d)\sinh(dx + c)^8 + 8(15d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh \\ &inh(dx + c)^7 - 2d\cosh(dx + c)^6 + 2(105d\cosh(dx + c)^4 + 14d\cosh \\ &(dx + c)^2 - d)\sinh(dx + c)^6 + 4(63d\cosh(dx + c)^5 + 14d\cosh(dx \\ &+ c)^3 - 3d\cosh(dx + c))\sinh(dx + c)^5 - 2d\cosh(dx + c)^4 + 2(105 \\ &d\cosh(dx + c)^6 + 35d\cosh(dx + c)^4 - 15d\cosh(dx + c)^2 - d)\sinh(dx \\ &x + c)^4 + 8(15d\cosh(dx + c)^7 + 7d\cosh(dx + c)^5 - 5d\cosh(dx + \\ &c)^3 - d\cosh(dx + c))\sinh(dx + c)^3 + d\cosh(dx + c)^2 + (45d\cosh(dx \\ &x + c)^8 + 28d\cosh(dx + c)^6 - 30d\cosh(dx + c)^4 - 12d\cosh(dx + c) \\ &^2 + d)\sinh(dx + c)^2 + 2(5d\cosh(dx + c)^9 + 4d\cosh(dx + c)^7 - 6 \\ &d\cosh(dx + c)^5 - 4d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh(dx + c) + \\ &d) \end{aligned}$$

**giac [B]** time = 0.27, size = 168, normalized size = 2.05

$$\frac{3(a^2e^c - 4abe^c)e^{(-c)} \log(e^{(dx+c)} + 1) - 3(a^2e^c - 4abe^c)e^{(-c)} \log(|e^{(dx+c)} - 1|) - \frac{6(a^2e^{(3dx+3c)} + a^2e^{(dx+c)})}{(e^{(2dx+2c)} - 1)^2} + \frac{8(3abe^{(5dx+c)})}{(e^{(2dx+2c)} - 1)^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out] 1/6\*(3\*(a^2\*e^c - 4\*a\*b\*e^c)\*e^(-c)\*log(e^(dx + c) + 1) - 3\*(a^2\*e^c - 4\*a

$*b*e^c)*e^{-c}*\log(\text{abs}(e^{(d*x + c)} - 1)) - 6*(a^2*e^{(3*d*x + 3*c)} + a^2*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} - 1)^2 + 8*(3*a*b*e^{(5*d*x + 5*c)} + 6*a*b*e^{(3*d*x + 3*c)} - 2*b^2*e^{(3*d*x + 3*c)} + 3*a*b*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^3)/d$

**maple [A]** time = 0.38, size = 67, normalized size = 0.82

$$\frac{a^2 \left( -\frac{\text{csch}(dx+c) \coth(dx+c)}{2} + \text{arctanh}(e^{dx+c}) \right) + 2ab \left( \frac{1}{\cosh(dx+c)} - 2 \text{arctanh}(e^{dx+c}) \right) - \frac{b^2}{3 \cosh(dx+c)^3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)`

[Out] `1/d*(a^2*(-1/2*csch(d*x+c)*coth(d*x+c)+arctanh(exp(d*x+c)))+2*a*b*(1/cosh(d*x+c)-2*arctanh(exp(d*x+c)))-1/3*b^2/cosh(d*x+c)^3)`

**maxima [B]** time = 0.32, size = 181, normalized size = 2.21

$$\frac{1}{2} a^2 \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2(e^{-dx-c} + e^{-3dx-3c})}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) - 2ab \left( \frac{\log(e^{-dx-c} + 1)}{d} - \frac{\log(e^{-dx-c} - 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] `1/2*a^2*(log(e^(-d*x - c) + 1)/d - log(e^(-d*x - c) - 1)/d + 2*(e^(-d*x - c) + e^(-3*d*x - 3*c))/(d*(2*e^(-2*d*x - 2*c) - e^(-4*d*x - 4*c) - 1))) - 2*a*b*(log(e^(-d*x - c) + 1)/d - log(e^(-d*x - c) - 1)/d - 2*e^(-d*x - c)/(d*(e^(-2*d*x - 2*c) + 1))) - 8/3*b^2/(d*(e^(d*x + c) + e^(-d*x - c))^3)`

**mupad [B]** time = 0.16, size = 261, normalized size = 3.18

$$\frac{\text{atan}\left(\frac{e^{dx} e^c (a^2 \sqrt{-d^2} - 4ab \sqrt{-d^2})}{d \sqrt{a^4 - 8a^3 b + 16a^2 b^2}}\right) \sqrt{a^4 - 8a^3 b + 16a^2 b^2}}{\sqrt{-d^2}} + \frac{8b^2 e^{c+dx}}{3d (3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} - \frac{a^2 e^{c+dx}}{d (e^{2c+2dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^2)^2/sinh(c + d*x)^3,x)`

[Out] `(atan((exp(d*x)*exp(c)*(a^2*(-d^2)^(1/2) - 4*a*b*(-d^2)^(1/2)))/(d*(a^4 - 8*a^3*b + 16*a^2*b^2)^(1/2)))*(a^4 - 8*a^3*b + 16*a^2*b^2)^(1/2))/(-d^2)^(1/2) + (8*b^2*exp(c + d*x))/(3*d*(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + e`



```

xp(6*c + 6*d*x) + 1)) - (a^2*exp(c + d*x))/(d*(exp(2*c + 2*d*x) - 1)) - (2*
a^2*exp(c + d*x))/(d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x) + 1)) - (8*b^2*
exp(c + d*x))/(3*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1)) + (4*a*b*ex
p(c + d*x))/(d*(exp(2*c + 2*d*x) + 1))

```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**3*(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*csch(c + d*x)**3, x)
```

### 3.16 $\int \operatorname{csch}^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=72

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} - \frac{b(2a - b) \tanh(c + dx)}{d} + \frac{a(a - 2b) \operatorname{coth}(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out]  $a*(a-2*b)*\operatorname{coth}(d*x+c)/d-1/3*a^2*\operatorname{coth}(d*x+c)^3/d-(2*a-b)*b*\tanh(d*x+c)/d-1/3*b^2*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.08, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 448}

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} - \frac{b(2a - b) \tanh(c + dx)}{d} + \frac{a(a - 2b) \operatorname{coth}(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^4*(a + b*\operatorname{Tanh}[c + d*x]^2)^2, x]$

[Out]  $(a*(a - 2*b)*\operatorname{Coth}[c + d*x])/d - (a^2*\operatorname{Coth}[c + d*x]^3)/(3*d) - ((2*a - b)*b*\operatorname{Tanh}[c + d*x])/d - (b^2*\operatorname{Tanh}[c + d*x]^3)/(3*d)$

#### Rule 448

$\operatorname{Int}[(e_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}*((c_*) + (d_*)*(x_*)^{(n_*)})^{(q_*)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, m, n\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{IGtQ}[p, 0] \ \&\& \operatorname{IGtQ}[q, 0]$

#### Rule 3663

$\operatorname{Int}[\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((a_*) + (b_*)*((c_*)*\tan[(e_*) + (f_*)*(x_*)])^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \operatorname{With}\{\{ff = \operatorname{FreeFactors}[\tan[e + f*x], x]\}, \operatorname{Dist}[(c*ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2+1)}, x], x, (c*\tan[e + f*x])/ff], x]\} /; \operatorname{FreeQ}\{a, b, c, e, f, n, p\}, x] \ \&\& \operatorname{IntegerQ}[m/2]$

#### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^4(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)^2}{x^4} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(b(-2a+b) + \frac{a^2}{x^4} - \frac{a(a-2b)}{x^2} - b^2x^2\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a(a-2b) \operatorname{coth}(c+dx)}{d} - \frac{a^2 \operatorname{coth}^3(c+dx)}{3d} - \frac{(2a-b)b \tanh(c+dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.52, size = 59, normalized size = 0.82

$$\frac{b \tanh(c+dx) (-6a + b \operatorname{sech}^2(c+dx) + 2b) - a \operatorname{coth}(c+dx) (\operatorname{acsch}^2(c+dx) - 2a + 6b)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(-(a \operatorname{Coth}[c + d*x] * (-2*a + 6*b + a \operatorname{Csch}[c + d*x]^2)) + b * (-6*a + 2*b + b \operatorname{Sech}[c + d*x]^2) * \operatorname{Tanh}[c + d*x]) / (3*d)$

**fricas [B]** time = 0.71, size = 393, normalized size = 5.46

$$\frac{8 \left( (a^2 + 6ab + b^2) \cosh(dx+c)^4 + 8(a^2 + b^2) \cosh(dx+c) \sinh(dx+c)^3 \right)}{3 \left( d \cosh(dx+c)^8 + 56d \cosh(dx+c)^3 \sinh(dx+c)^5 + 28d \cosh(dx+c)^2 \sinh(dx+c)^6 + 8d \cosh(dx+c) \sinh(dx+c)^7 + 3d \sinh(dx+c)^8 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-8/3 * ((a^2 + 6*a*b + b^2) * \cosh(d*x + c)^4 + 8*(a^2 + b^2) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a^2 + 6*a*b + b^2) * \sinh(d*x + c)^4 + 4*(a^2 - b^2) * \cosh(d*x + c)^2 + 2*(3*(a^2 + 6*a*b + b^2) * \cosh(d*x + c)^2 + 2*a^2 - 2*b^2) * \sinh(d*x + c)^2 + 3*a^2 - 6*a*b + 3*b^2 + 8*((a^2 + b^2) * \cosh(d*x + c)^3 + (a^2 - b^2) * \cosh(d*x + c) * \sinh(d*x + c))) / (d * \cosh(d*x + c)^8 + 56*d * \cosh(d*x + c)^3 * \sinh(d*x + c)^5 + 28*d * \cosh(d*x + c)^2 * \sinh(d*x + c)^6 + 8*d * \cosh(d*x + c) * \sinh(d*x + c)^7 + d * \sinh(d*x + c)^8 - 4*d * \cosh(d*x + c)^4 + 2*(35*d * \cosh(d*x + c)^4 - 2*d) * \sinh(d*x + c)^4 + 8*(7*d * \cosh(d*x + c)^5 - d * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 4*(7*d * \cosh(d*x + c)^6 - 6*d * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 8*(d * \cosh(d*x + c)^7 - d * \cosh(d*x + c)^3) * \sinh(d*x + c) + 3*d)$

**giac [B]** time = 0.26, size = 143, normalized size = 1.99

$$\frac{4 \left( 3 a^2 e^{(8dx+8c)} + 6 abe^{(8dx+8c)} + 3 b^2 e^{(8dx+8c)} + 8 a^2 e^{(6dx+6c)} - 8 b^2 e^{(6dx+6c)} + 6 a^2 e^{(4dx+4c)} - 12 abe^{(4dx+4c)} + 6 a^2 e^{(4dx+4c)} - 12 abe^{(4dx+4c)} + 6 a^2 e^{(4dx+4c)} \right)}{3 d \left( e^{(4dx+4c)} - 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-4/3*(3*a^2*e^{(8*d*x + 8*c)} + 6*a*b*e^{(8*d*x + 8*c)} + 3*b^2*e^{(8*d*x + 8*c)} + 8*a^2*e^{(6*d*x + 6*c)} - 8*b^2*e^{(6*d*x + 6*c)} + 6*a^2*e^{(4*d*x + 4*c)} - 12*a*b*e^{(4*d*x + 4*c)} + 6*b^2*e^{(4*d*x + 4*c)} - a^2 + 6*a*b - b^2)/(d*(e^{(4*d*x + 4*c)} - 1)^3)$

**maple [A]** time = 0.46, size = 81, normalized size = 1.12

$$\frac{a^2 \left( \frac{2}{3} - \frac{\operatorname{csch}(dx+c)^2}{3} \right) \operatorname{coth}(dx+c) + 2ab \left( -\frac{1}{\sinh(dx+c) \cosh(dx+c)} - 2 \tanh(dx+c) \right) + b^2 \left( \frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3} \right) \tanh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(a^2*(2/3-1/3*\operatorname{csch}(d*x+c)^2)*\operatorname{coth}(d*x+c)+2*a*b*(-1/\sinh(d*x+c)/\cosh(d*x+c)-2*\tanh(d*x+c))+b^2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c))$

**maxima [B]** time = 0.32, size = 210, normalized size = 2.92

$$\frac{4}{3} b^2 \left( \frac{3 e^{(-2dx-2c)}}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{1}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + \frac{4}{3} a^2 \left( \frac{1}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $4/3*b^2*(3*e^{(-2*d*x - 2*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 1/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + 4/3*a^2*(3*e^{(-2*d*x - 2*c)}/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1)) - 1/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 8*a*b/(d*(e^{(-4*d*x - 4*c)} - 1))$

**mapad [B]** time = 1.08, size = 143, normalized size = 1.99

$$\frac{4 \left( 6 a b - a^2 - b^2 + 6 a^2 e^{4c+4dx} + 8 a^2 e^{6c+6dx} + 3 a^2 e^{8c+8dx} + 6 b^2 e^{4c+4dx} - 8 b^2 e^{6c+6dx} + 3 b^2 e^{8c+8dx} - 12 a b e^{4c+4dx} + 12 a b e^{6c+6dx} - 12 a b e^{8c+8dx} \right)}{3 d \left( e^{4c+4dx} - 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^2)^2/sinh(c + d*x)^4,x)`

[Out] 
$$\frac{-(4*(6*a*b - a^2 - b^2 + 6*a^2*\exp(4*c + 4*d*x) + 8*a^2*\exp(6*c + 6*d*x) + 3*a^2*\exp(8*c + 8*d*x) + 6*b^2*\exp(4*c + 4*d*x) - 8*b^2*\exp(6*c + 6*d*x) + 3*b^2*\exp(8*c + 8*d*x) - 12*a*b*\exp(4*c + 4*d*x) + 6*a*b*\exp(8*c + 8*d*x))}{(3*d*(\exp(4*c + 4*d*x) - 1)^3)}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*csch(c + d*x)**4, x)`

### 3.17 $\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=182

$$\frac{b(6a^2 + 35ab + 21b^2) \tanh^3(c + dx)}{8d} - \frac{3(a + b)(a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d} + \frac{3}{8} x^{(a+b)} (a^2 + 14ab + 21b^2) - \dots$$

[Out]  $\frac{3}{8} (a+b) (a^2+14ab+21b^2) x - \frac{3}{8} (a+b) (a^2+14ab+21b^2) \tanh(dx+c) / d - \frac{1}{8} b (6a^2+35ab+21b^2) \tanh(dx+c)^3 / d - \frac{3}{40} b^2 (5a+21b) \tanh(dx+c)^5 / d - \frac{3}{8} (a+3b) \sinh(dx+c)^2 \tanh(dx+c) (a+b \tanh(dx+c)^2)^2 / d + \frac{1}{4} \cosh(dx+c) \sinh(dx+c)^3 (a+b \tanh(dx+c)^2)^3 / d$

**Rubi [A]** time = 0.22, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 467, 577, 570, 206}

$$\frac{b(6a^2 + 35ab + 21b^2) \tanh^3(c + dx)}{8d} - \frac{3(a + b)(a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d} + \frac{3}{8} x^{(a+b)} (a^2 + 14ab + 21b^2) - \dots$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $\frac{3(a+b)(a^2+14ab+21b^2)x}{8} - \frac{3(a+b)(a^2+14ab+21b^2) \tanh[c+d*x]}{8d} - \frac{b(6a^2+35ab+21b^2) \tanh[c+d*x]^3}{8d} - \frac{3b^2(5a+21b) \tanh[c+d*x]^5}{40d} - \frac{3(a+3b) \sinh[c+d*x]^2 \tanh[c+d*x] (a+b \tanh[c+d*x]^2)^2}{8d} + \frac{\cosh[c+d*x] \sinh[c+d*x]^3 (a+b \tanh[c+d*x]^2)^3}{4d}$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 467

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q)/(b\*n\*(p+1)), x] - Dist[e^n/(b\*n\*(p+1)), Int[(e\*x)^(m-n)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q-1)\*Simp[c\*(m-n+1)+d\*(m+n\*(q-1)+1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b\*c-a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m-n+1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 570

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_))^(r_.), x_Symbol] := Int[ExpandIntegrand[(g*x)^m*(a + b*x^n)^p*(c + d*x^n)^q*(e + f*x^n)^r, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, -2] && IGtQ[q, 0] && IGtQ[r, 0]
```

Rule 577

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*b*g*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(g*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(b*e*n*(p + 1) + (b*e - a*f)*(m + 1)) + d*(b*e*n*(p + 1) + (b*e - a*f)*(m + n*q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && !(EqQ[q, 1] && SimplerQ[b*c - a*d, b*e - a*f])
```

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\cosh(c + dx) \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3}{4d} - \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{4d} \\
&= -\frac{3(a + 3b) \sinh^2(c + dx) \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{8d} + \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{4d} \\
&= -\frac{3(a + 3b) \sinh^2(c + dx) \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{8d} + \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{4d} \\
&= -\frac{3(a + b) (a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d} - \frac{b (6a^2 + 35ab + 21b^2)}{8d} \\
&= \frac{3}{8}(a + b) (a^2 + 14ab + 21b^2) x - \frac{3(a + b) (a^2 + 14ab + 21b^2) \tanh(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 3.92, size = 125, normalized size = 0.69

$$\frac{-32b \tanh(c + dx) (15a^2 - b(5a + 7b)\text{sech}^2(c + dx) + 50ab + b^2\text{sech}^4(c + dx) + 36b^2) + 60 (a^3 + 15a^2b + 35ab^2)}{160d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (60\*(a^3 + 15\*a^2\*b + 35\*a\*b^2 + 21\*b^3)\*(c + d\*x) - 40\*(a + b)^2\*(a + 4\*b)\*Sinh[2\*(c + d\*x)] + 5\*(a + b)^3\*Sinh[4\*(c + d\*x)] - 32\*b\*(15\*a^2 + 50\*a\*b + 36\*b^2 - b\*(5\*a + 7\*b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(160\*d)

**fricas [B]** time = 0.55, size = 879, normalized size = 4.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")



```
[Out] 1/320*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^9 - 15*(a^3 + 11*a^2
*b + 19*a*b^2 + 9*b^3 - 12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)
*sinh(d*x + c)^7 + 8*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b
+ 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)^5 + 40*(120*a^2*b + 400*a*b^2 + 288
*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)*sinh(d*x
+ c)^4 + (630*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 - 150*a^3 - 2
010*a^2*b - 4850*a*b^2 - 3054*b^3 - 315*(a^3 + 11*a^2*b + 19*a*b^2 + 9*b^3)
*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 40*(120*a^2*b + 400*a*b^2 + 288*b^3 + 1
5*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c)^3 + 5*(84*(a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 - 105*(a^3 + 11*a^2*b + 19*a*b^2 +
9*b^3)*cosh(d*x + c)^4 - 62*a^3 - 978*a^2*b - 2282*a*b^2 - 1302*b^3 - 4*(7
5*a^3 + 1005*a^2*b + 2425*a*b^2 + 1527*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^
3 + 40*(2*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2
+ 21*b^3)*d*x)*cosh(d*x + c)^3 + 3*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a
^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^2 + 80
*(120*a^2*b + 400*a*b^2 + 288*b^3 + 15*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)
*d*x)*cosh(d*x + c) + 5*(9*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8
- 21*(a^3 + 11*a^2*b + 19*a*b^2 + 9*b^3)*cosh(d*x + c)^6 - 2*(75*a^3 + 1005
*a^2*b + 2425*a*b^2 + 1527*b^3)*cosh(d*x + c)^4 - 36*a^3 - 612*a^2*b - 1372
*a*b^2 - 924*b^3 - 6*(31*a^3 + 489*a^2*b + 1141*a*b^2 + 651*b^3)*cosh(d*x +
c)^2)*sinh(d*x + c))/(d*cosh(d*x + c)^5 + 5*d*cosh(d*x + c)*sinh(d*x + c)^
4 + 5*d*cosh(d*x + c)^3 + 5*(2*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(
d*x + c)^2 + 10*d*cosh(d*x + c))
```

**giac [B]** time = 0.79, size = 507, normalized size = 2.79

$$120 \left( a^3 + 15 a^2 b + 35 a b^2 + 21 b^3 \right) dx - 5 \left( 18 a^3 e^{(4dx+4c)} + 270 a^2 b e^{(4dx+4c)} + 630 a b^2 e^{(4dx+4c)} + 378 b^3 e^{(4dx+4c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] 1/320*(120*(a^3 + 15*a^2*b + 35*a*b^2 + 21*b^3)*d*x - 5*(18*a^3*e^(4*d*x +
4*c) + 270*a^2*b*e^(4*d*x + 4*c) + 630*a*b^2*e^(4*d*x + 4*c) + 378*b^3*e^(4
*d*x + 4*c) - 8*a^3*e^(2*d*x + 2*c) - 48*a^2*b*e^(2*d*x + 2*c) - 72*a*b^2*e
^(2*d*x + 2*c) - 32*b^3*e^(2*d*x + 2*c) + a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^
(-4*d*x - 4*c) + 5*(a^3*e^(4*d*x + 36*c) + 3*a^2*b*e^(4*d*x + 36*c) + 3*a*b
^2*e^(4*d*x + 36*c) + b^3*e^(4*d*x + 36*c) - 8*a^3*e^(2*d*x + 34*c) - 48*a^
2*b*e^(2*d*x + 34*c) - 72*a*b^2*e^(2*d*x + 34*c) - 32*b^3*e^(2*d*x + 34*c))
*e^(-32*c) + 128*(15*a^2*b*e^(8*d*x + 8*c) + 60*a*b^2*e^(8*d*x + 8*c) + 50*
b^3*e^(8*d*x + 8*c) + 60*a^2*b*e^(6*d*x + 6*c) + 210*a*b^2*e^(6*d*x + 6*c)
+ 150*b^3*e^(6*d*x + 6*c) + 90*a^2*b*e^(4*d*x + 4*c) + 290*a*b^2*e^(4*d*x +
4*c) + 210*b^3*e^(4*d*x + 4*c) + 60*a^2*b*e^(2*d*x + 2*c) + 190*a*b^2*e^(2
```

$$*d*x + 2*c) + 130*b^3*e^(2*d*x + 2*c) + 15*a^2*b + 50*a*b^2 + 36*b^3)/(e^(2*d*x + 2*c) + 1)^5/d$$

**maple [A]** time = 0.36, size = 246, normalized size = 1.35

$$a^3 \left( \left( \frac{\sinh^3(dx+c)}{4} - \frac{3\sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 3a^2b \left( \frac{\sinh^5(dx+c)}{4\cosh(dx+c)} - \frac{5(\sinh^3(dx+c))}{8\cosh(dx+c)} + \frac{15dx}{8} + \frac{15c}{8} - \frac{15\tanh(dx+c)}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*((1/4\*sinh(d\*x+c)^3-3/8\*sinh(d\*x+c))\*cosh(d\*x+c)+3/8\*d\*x+3/8\*c)+3\*a^2\*b\*(1/4\*sinh(d\*x+c)^5/cosh(d\*x+c)-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)+15/8\*d\*x+15/8\*c-15/8\*tanh(d\*x+c))+3\*a\*b^2\*(1/4\*sinh(d\*x+c)^7/cosh(d\*x+c)^3-7/8\*sinh(d\*x+c)^5/cosh(d\*x+c)^3+35/8\*d\*x+35/8\*c-35/8\*tanh(d\*x+c)-35/24\*tanh(d\*x+c)^3)+b^3\*(1/4\*sinh(d\*x+c)^9/cosh(d\*x+c)^5-9/8\*sinh(d\*x+c)^7/cosh(d\*x+c)^5+63/8\*d\*x+63/8\*c-63/8\*tanh(d\*x+c)-21/8\*tanh(d\*x+c)^3-63/40\*tanh(d\*x+c)^5))

**maxima [B]** time = 0.34, size = 480, normalized size = 2.64

$$\frac{1}{64} a^3 \left( 24x + \frac{e^{4dx+4c}}{d} - \frac{8e^{2dx+2c}}{d} + \frac{8e^{-2dx-2c}}{d} - \frac{e^{-4dx-4c}}{d} \right) + \frac{1}{320} b^3 \left( \frac{2520(dx+c)}{d} + \frac{5(32e^{-2dx-2c} - e^{-4dx-4c})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/64\*a^3\*(24\*x + e^(4\*d\*x + 4\*c)/d - 8\*e^(2\*d\*x + 2\*c)/d + 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 1/320\*b^3\*(2520\*(d\*x + c)/d + 5\*(32\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (135\*e^(-2\*d\*x - 2\*c) + 5358\*e^(-4\*d\*x - 4\*c) + 18190\*e^(-6\*d\*x - 6\*c) + 28455\*e^(-8\*d\*x - 8\*c) + 19995\*e^(-10\*d\*x - 10\*c) + 6560\*e^(-12\*d\*x - 12\*c) - 5)/(d\*(e^(-4\*d\*x - 4\*c) + 5\*e^(-6\*d\*x - 6\*c) + 10\*e^(-8\*d\*x - 8\*c) + 10\*e^(-10\*d\*x - 10\*c) + 5\*e^(-12\*d\*x - 12\*c) + e^(-14\*d\*x - 14\*c)))) + 1/64\*a\*b^2\*(840\*(d\*x + c)/d + 3\*(24\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (63\*e^(-2\*d\*x - 2\*c) + 1487\*e^(-4\*d\*x - 4\*c) + 2517\*e^(-6\*d\*x - 6\*c) + 1608\*e^(-8\*d\*x - 8\*c) - 3)/(d\*(e^(-4\*d\*x - 4\*c) + 3\*e^(-6\*d\*x - 6\*c) + 3\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c)))) + 3/64\*a^2\*b\*(120\*(d\*x + c)/d + (16\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (15\*e^(-2\*d\*x - 2\*c) + 144\*e^(-4\*d\*x - 4\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c))))

**mupad [B]** time = 1.39, size = 730, normalized size = 4.01

$$\frac{2(3a^2b+12ab^2+10b^3)}{5d} + \frac{8e^{2c+2dx}(3a^2b+9ab^2+5b^3)}{5d} + \frac{12e^{4c+4dx}(3a^2b+8ab^2+6b^3)}{5d} + \frac{8e^{6c+6dx}(3a^2b+9ab^2+5b^3)}{5d} + \frac{2e^{8c+8dx}(3a^2b+6b^3)}{5d} + \frac{10e^{10c+10dx}}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(c + d*x)^4*(a + b*\tanh(c + d*x)^2)^3, x)$

[Out]  $((2*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d) + (8*\exp(2*c + 2*d*x)*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (12*\exp(4*c + 4*d*x)*(8*a*b^2 + 3*a^2*b + 6*b^3))/(5*d) + (8*\exp(6*c + 6*d*x)*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (2*\exp(8*c + 8*d*x)*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d))/(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1) + ((2*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (2*\exp(2*c + 2*d*x)*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d))/(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1) + x*((105*a*b^2)/8 + (45*a^2*b)/8 + (3*a^3)/8 + (63*b^3)/8) + ((2*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (6*\exp(2*c + 2*d*x)*(8*a*b^2 + 3*a^2*b + 6*b^3))/(5*d) + (6*\exp(4*c + 4*d*x)*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (2*\exp(6*c + 6*d*x)*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d))/(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1) + ((2*(8*a*b^2 + 3*a^2*b + 6*b^3))/(5*d) + (4*\exp(2*c + 2*d*x)*(9*a*b^2 + 3*a^2*b + 5*b^3))/(5*d) + (2*\exp(4*c + 4*d*x)*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d))/(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1) + (2*(12*a*b^2 + 3*a^2*b + 10*b^3))/(5*d*(\exp(2*c + 2*d*x) + 1)) - (\exp(-4*c - 4*d*x)*(a + b)^3)/(64*d) + (\exp(4*c + 4*d*x)*(a + b)^3)/(64*d) + (\exp(-2*c - 2*d*x)*(a + b)^2*(a + 4*b))/(8*d) - (\exp(2*c + 2*d*x)*(a + b)^2*(a + 4*b))/(8*d)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sinh(d*x+c)**4*(a+b*\tanh(d*x+c)**2)**3, x)$

[Out] Timed out

### 3.18 $\int \sinh^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=105

$$\frac{b^2(3a + 4b)\operatorname{sech}^3(c + dx)}{3d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} - \frac{3b(a + b)(a + 2b)\operatorname{sech}(c + dx)}{d}$$

[Out]  $-(a+b)^2*(a+4*b)*\cosh(d*x+c)/d+1/3*(a+b)^3*\cosh(d*x+c)^3/d-3*b*(a+b)*(a+2*b)*\operatorname{sech}(d*x+c)/d+1/3*b^2*(3*a+4*b)*\operatorname{sech}(d*x+c)^3/d-1/5*b^3*\operatorname{sech}(d*x+c)^5/d$

**Rubi [A]** time = 0.12, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3664, 448}

$$\frac{b^2(3a + 4b)\operatorname{sech}^3(c + dx)}{3d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} - \frac{3b(a + b)(a + 2b)\operatorname{sech}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^3,x]`

[Out]  $-\left(\frac{(a + b)^2(a + 4b)\operatorname{Cosh}[c + d*x]}{d}\right) + \left(\frac{(a + b)^3\operatorname{Cosh}[c + d*x]^3}{(3*d)}\right) - \left(\frac{3*b*(a + b)*(a + 2*b)*\operatorname{Sech}[c + d*x]}{d}\right) + \left(\frac{b^2*(3*a + 4*b)*\operatorname{Sech}[c + d*x]^3}{(3*d)}\right) - \left(\frac{b^3*\operatorname{Sech}[c + d*x]^5}{(5*d)}\right)$

#### Rule 448

`Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]`

#### Rule 3664

`Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]`

#### Rubi steps

$$\int \sinh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx = \frac{\text{Subst}\left(\int \frac{(-1+x^2)(a+b-bx^2)^3}{x^4} dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= \frac{\text{Subst}\left(\int \left(3(-a - 2b)b(a + b) - \frac{(a+b)^3}{x^4} + \frac{(a+b)^2(a+4b)}{x^2} + b^2(3a + 4b)\right) dx, x, \text{sech}(c + dx)\right)}{d}$$

$$= -\frac{(a + b)^2(a + 4b) \cosh(c + dx)}{d} + \frac{(a + b)^3 \cosh^3(c + dx)}{3d} - \frac{3b(a + b)^2 \cosh(c + dx)}{3d}$$

**Mathematica [A]** time = 0.30, size = 91, normalized size = 0.87

$$\frac{20b^2(3a + 4b)\text{sech}^3(c + dx) - 45(a + b)^2(a + 5b) \cosh(c + dx) + 5(a + b)^3 \cosh(3(c + dx)) - 180b(a + b)(a + 2b) \cosh(c + dx)}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-45\*(a + b)^2\*(a + 5\*b)\*Cosh[c + d\*x] + 5\*(a + b)^3\*Cosh[3\*(c + d\*x)] - 180\*b\*(a + b)\*(a + 2\*b)\*Sech[c + d\*x] + 20\*b^2\*(3\*a + 4\*b)\*Sech[c + d\*x]^3 - 12\*b^3\*Sech[c + d\*x]^5)/(60\*d)

**fricas [B]** time = 0.59, size = 540, normalized size = 5.14

$$\frac{5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^8 - 20(a^3 + 12a^2b + 21ab^2 + 10b^3) \cosh(dx + c)^6 \sinh(dx + c)^2 - 20(a^3 + 12a^2b + 21ab^2 + 10b^3) \cosh(dx + c)^4 \sinh(dx + c)^4 - 20(a^3 + 12a^2b + 21ab^2 + 10b^3) \cosh(dx + c)^2 \sinh(dx + c)^6 - 20(a^3 + 12a^2b + 21ab^2 + 10b^3) \cosh(dx + c) \sinh(dx + c)^8}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 1/120\*(5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^8 + 5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^8 - 20\*(a^3 + 12\*a^2\*b + 21\*a\*b^2 + 10\*b^3)\*cosh(d\*x + c)^6 - 20\*(a^3 + 12\*a^2\*b + 21\*a\*b^2 + 10\*b^3 - 7\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 - 20\*(11\*a^3 + 123\*a^2\*b + 249\*a\*b^2 + 137\*b^3)\*cosh(d\*x + c)^4 + 10\*(35\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 - 22\*a^3 - 246\*a^2\*b - 498\*a\*b^2 - 274\*b^3 - 30\*(a^3 + 12\*a^2\*b + 21\*a\*b^2 + 10\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 - 425\*a^3 - 5235\*a^2\*b - 10395\*a\*b^2 - 5649\*b^3 - 20\*(31\*a^3 + 372\*a^2\*b + 747\*a\*b^2 + 390\*b^3)\*cosh(d\*x + c)^2 + 20\*(7\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2 - 15\*(a^3 + 12\*a^2\*b + 21\*a\*b^2 + 10\*b^3)\*cosh(d\*x + c)^4 - 31\*a^3 - 372\*a^2\*b - 747\*a\*b^2 - 390\*b^3 - 6\*(11\*a^3 + 123\*a^2\*b + 249\*a\*b^2 + 137\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 - 20\*(11\*a^3 + 123\*a^2\*b + 249\*a\*b^2 + 137\*b^3)\*cosh(d\*x + c) \*sinh(d\*x + c)^8)

$7*b^3*\cosh(d*x + c)^2*\sinh(d*x + c)^2)/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c))$

**giac [B]** time = 0.66, size = 442, normalized size = 4.21

$$5\left(9a^3e^{2dx+2c} + 63a^2be^{2dx+2c} + 99ab^2e^{2dx+2c} + 45b^3e^{2dx+2c} - a^3 - 3a^2b - 3ab^2 - b^3\right)e^{(-3dx-3c)} - 5\left(a^3e^{(-3dx-3c)} - \dots\right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/120*(5*(9*a^3*e^{(2*d*x + 2*c)} + 63*a^2*b*e^{(2*d*x + 2*c)} + 99*a*b^2*e^{(2*d*x + 2*c)} + 45*b^3*e^{(2*d*x + 2*c)} - a^3 - 3*a^2*b - 3*a*b^2 - b^3)*e^{(-3*d*x - 3*c)} - 5*(a^3*e^{(3*d*x + 48*c)} + 3*a^2*b*e^{(3*d*x + 48*c)} + 3*a*b^2*e^{(3*d*x + 48*c)} + b^3*e^{(3*d*x + 48*c)} - 9*a^3*e^{(d*x + 46*c)} - 63*a^2*b*e^{(d*x + 46*c)} - 99*a*b^2*e^{(d*x + 46*c)} - 45*b^3*e^{(d*x + 46*c)})*e^{(-45*c)} + 16*(45*a^2*b*e^{(9*d*x + 9*c)} + 135*a*b^2*e^{(9*d*x + 9*c)} + 90*b^3*e^{(9*d*x + 9*c)} + 180*a^2*b*e^{(7*d*x + 7*c)} + 480*a*b^2*e^{(7*d*x + 7*c)} + 280*b^3*e^{(7*d*x + 7*c)} + 270*a^2*b*e^{(5*d*x + 5*c)} + 690*a*b^2*e^{(5*d*x + 5*c)} + 428*b^3*e^{(5*d*x + 5*c)} + 180*a^2*b*e^{(3*d*x + 3*c)} + 480*a*b^2*e^{(3*d*x + 3*c)} + 280*b^3*e^{(3*d*x + 3*c)} + 45*a^2*b*e^{(d*x + c)} + 135*a*b^2*e^{(d*x + c)} + 90*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^5)/d$

**maple [B]** time = 0.32, size = 239, normalized size = 2.28

$$a^3\left(-\frac{2}{3} + \frac{\sinh^2(dx+c)}{3}\right)\cosh(dx+c) + 3a^2b\left(\frac{\sinh^4(dx+c)}{3\cosh(dx+c)} - \frac{4(\sinh^2(dx+c))}{3\cosh(dx+c)} - \frac{8}{3\cosh(dx+c)}\right) + 3ab^2\left(\frac{\sinh^6(dx+c)}{3\cosh(dx+c)^3} - \frac{2(\sinh^4(dx+c))}{\cosh(dx+c)}\right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $1/d*(a^3*(-2/3+1/3*\sinh(d*x+c)^2)*\cosh(d*x+c)+3*a^2*b*(1/3*\sinh(d*x+c)^4/\cosh(d*x+c)-4/3*\sinh(d*x+c)^2/\cosh(d*x+c)-8/3/\cosh(d*x+c))+3*a*b^2*(1/3*\sinh(d*x+c)^6/\cosh(d*x+c)^3-2*\sinh(d*x+c)^4/\cosh(d*x+c)^3-8*\sinh(d*x+c)^2/\cosh(d*x+c)^3-16/3/\cosh(d*x+c)^3)+b^3*(1/3*\sinh(d*x+c)^8/\cosh(d*x+c)^5-8/3*\sinh(d*x+c)^6/\cosh(d*x+c)^5-16*\sinh(d*x+c)^4/\cosh(d*x+c)^5-64/3*\sinh(d*x+c)^2/\cosh(d*x+c)^5-128/15/\cosh(d*x+c)^5))$

**maxima [B]** time = 0.35, size = 439, normalized size = 4.18

$$-\frac{1}{120}b^3\left(\frac{5\left(45e^{(-dx-c)} - e^{(-3dx-3c)}\right)}{d} + \frac{200e^{(-2dx-2c)} + 2515e^{(-4dx-4c)} + 6680e^{(-6dx-6c)} + 9073e^{(-8dx-8c)} + 5600e^{(-10dx-10c)}}{d\left(e^{(-3dx-3c)} + 5e^{(-5dx-5c)} + 10e^{(-7dx-7c)} + 10e^{(-9dx-9c)} + 5e^{(-11dx-11c)}\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/120*b^3*(5*(45*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (200*e^{(-2*d*x - 2*c)} \\ & + 2515*e^{(-4*d*x - 4*c)} + 6680*e^{(-6*d*x - 6*c)} + 9073*e^{(-8*d*x - 8*c)} + \\ & 5600*e^{(-10*d*x - 10*c)} + 1665*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-3*d*x - 3*c)} \\ & + 5*e^{(-5*d*x - 5*c)} + 10*e^{(-7*d*x - 7*c)} + 10*e^{(-9*d*x - 9*c)} + 5*e^{(-11*d*x - 11*c)} \\ & + e^{(-13*d*x - 13*c)})) - 1/8*a*b^2*((33*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (30*e^{(-2*d*x - 2*c)} \\ & + 240*e^{(-4*d*x - 4*c)} + 322*e^{(-6*d*x - 6*c)} + 177*e^{(-8*d*x - 8*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + 3*e^{(-5*d*x - 5*c)} \\ & + 3*e^{(-7*d*x - 7*c)} + e^{(-9*d*x - 9*c)})) - 1/8*a^2*b*((21*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d \\ & + (20*e^{(-2*d*x - 2*c)} + 69*e^{(-4*d*x - 4*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)})) \\ & + 1/24*a^3*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d) \end{aligned}$$

mupad [B] time = 0.41, size = 361, normalized size = 3.44

$$\frac{e^{-3c-3dx}(a+b)^3}{24d} + \frac{e^{3c+3dx}(a+b)^3}{24d} + \frac{8e^{c+dx}(4b^3+3ab^2)}{3d(2e^{2c+2dx}+e^{4c+4dx}+1)} + \frac{64b^3e^{c+dx}}{5d(4e^{2c+2dx}+6e^{4c+4dx}+4e^{6c+6dx}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] 
$$\begin{aligned} & (\exp(-3*c - 3*d*x)*(a + b)^3)/(24*d) + (\exp(3*c + 3*d*x)*(a + b)^3)/(24*d) \\ & + (8*\exp(c + d*x)*(3*a*b^2 + 4*b^3))/(3*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + \\ & 4*d*x) + 1)) + (64*b^3*\exp(c + d*x))/(5*d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + \\ & 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (8*\exp(c + d*x)*(15 \\ & *a*b^2 + 32*b^3))/(15*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c \\ & + 6*d*x) + 1)) - (32*b^3*\exp(c + d*x))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c \\ & + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) \\ & + 1)) - (3*\exp(c + d*x)*(a + b)^2*(a + 5*b))/(8*d) - (6*\exp(c + d*x)*(3*a*b \\ & ^2 + a^2*b + 2*b^3))/(d*(\exp(2*c + 2*d*x) + 1)) - (3*\exp(-c - d*x)*(a + b)^2*(a + 5*b))/(8*d) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sinh(c + d\*x)\*\*3, x)

### 3.19 $\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=122

$$\frac{b^2(3a + 2b) \tanh^3(c + dx)}{3d} + \frac{3b(a + b)^2 \tanh(c + dx)}{d} + \frac{(a + b)^3}{4d(1 - \tanh(c + dx))} - \frac{(a + b)^3}{4d(\tanh(c + dx) + 1)} - \frac{1}{2} x(a + b)^2(a + b)$$

[Out]  $-1/2*(a+b)^2*(a+7*b)*x+1/4*(a+b)^3/d/(1-\tanh(d*x+c))+3*b*(a+b)^2*\tanh(d*x+c)/d+1/3*b^2*(3*a+2*b)*\tanh(d*x+c)^3/d+1/5*b^3*\tanh(d*x+c)^5/d-1/4*(a+b)^3/d/(1+\tanh(d*x+c))$

**Rubi [A]** time = 0.19, antiderivative size = 139, normalized size of antiderivative = 1.14, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 467, 528, 388, 206}

$$\frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{7b \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{10d} + \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sinh}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $-((a + b)^2*(a + 7*b)*x)/2 + (b*(81*a^2 + 190*a*b + 105*b^2)*\text{Tanh}[c + d*x])/(30*d) + (b*(33*a + 35*b)*\text{Tanh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2))/(30*d) + (7*b*\text{Tanh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)^2)/(10*d) + (\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)^3)/(2*d)$

#### Rule 206

$\text{Int}[(a + (b*x)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 388

$\text{Int}[(a + (b*x)^n)^p * (c + (d*x)^n), x\_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x^n)^{p+1})/(b*(n*(p+1) + 1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(b*(n*(p+1) + 1)), \text{Int}[(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n*(p+1) + 1, 0]$

#### Rule 467

$\text{Int}[(e*x)^m * (a + (b*x)^n)^p * (c + (d*x)^n)^q, x\_Symbol] \rightarrow \text{Simp}[(e^{n-1}*(e*x)^{m-n+1}*(a + b*x^n)^{p+1}*(c + d*x^n)^q]/(b*n*(p+1)), x] - \text{Dist}[e^n/(b*n*(p+1)), \text{Int}[(e*x)^{m-n}*(a + b*x^n)^p * (c + d*x^n)^q, x], x]$



```
n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(m - n + 1) + d*(m + n*(q
- 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*c - a*d, 0
] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinom
ialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 528

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (
f_)*(x_)^(n_)), x_Symbol] :> Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/
(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^
n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e -
a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x] /; FreeQ[{
a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]
```

### Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\cosh(c + dx) \sinh(c + dx) (a + b \tanh^2(c + dx))^3}{2d} - \frac{\text{Subst}\left(\int \frac{(a+bx^2)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{2d} \\
&= \frac{7b \tanh(c + dx) (a + b \tanh^2(c + dx))^2}{10d} + \frac{\cosh(c + dx) \sinh(c + dx)}{2d} \\
&= \frac{b(33a + 35b) \tanh(c + dx) (a + b \tanh^2(c + dx))}{30d} + \frac{7b \tanh(c + dx)}{30d} \\
&= \frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{b(33a + 35b) \tanh(c + dx)}{30d} \\
&= -\frac{1}{2}(a + b)^2(a + 7b)x + \frac{b(81a^2 + 190ab + 105b^2) \tanh(c + dx)}{30d} + \frac{b(33a + 35b) \tanh(c + dx)}{30d}
\end{aligned}$$

**Mathematica [A]** time = 2.20, size = 95, normalized size = 0.78

$$\frac{4b \tanh(c + dx) (45a^2 - b(15a + 16b)\text{sech}^2(c + dx) + 105ab + 3b^2\text{sech}^4(c + dx) + 58b^2) - 30(a + 7b)(a + b)^2(c + dx)}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-30\*(a + b)^2\*(a + 7\*b)\*(c + d\*x) + 15\*(a + b)^3\*Sinh[2\*(c + d\*x)] + 4\*b\*(45\*a^2 + 105\*a\*b + 58\*b^2 - b\*(15\*a + 16\*b)\*Sech[c + d\*x]^2 + 3\*b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(60\*d)

**fricas [B]** time = 0.87, size = 725, normalized size = 5.94

$$\frac{15(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^7 - 4(90a^2b + 210ab^2 + 116b^3 + 15(a^3 + 9a^2b + 15ab^2 + 7b^3)dx) \cosh(dx + c)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] 1/120*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^7 - 4*(90*a^2*b + 2
10*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x)*cosh(d*x +
c)^5 - 20*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 +
7*b^3)*d*x)*cosh(d*x + c)*sinh(d*x + c)^4 + (75*a^3 + 585*a^2*b + 1065*a*b^
2 + 539*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x
+ c)^5 - 20*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2
+ 7*b^3)*d*x)*cosh(d*x + c)^3 + 5*(105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cos
h(d*x + c)^4 + 27*a^3 + 297*a^2*b + 489*a*b^2 + 203*b^3 + 2*(75*a^3 + 585*a
^2*b + 1065*a*b^2 + 539*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 - 20*(2*(90*a
^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x)*cos
h(d*x + c)^3 + 3*(90*a^2*b + 210*a*b^2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a
*b^2 + 7*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^2 - 40*(90*a^2*b + 210*a*b^
2 + 116*b^3 + 15*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x)*cosh(d*x + c) + 5*
(21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 + (75*a^3 + 585*a^2*b +
1065*a*b^2 + 539*b^3)*cosh(d*x + c)^4 + 15*a^3 + 189*a^2*b + 285*a*b^2 + 1
75*b^3 + 3*(27*a^3 + 297*a^2*b + 489*a*b^2 + 203*b^3)*cosh(d*x + c)^2)*sinh
(d*x + c))/(d*cosh(d*x + c)^5 + 5*d*cosh(d*x + c)*sinh(d*x + c)^4 + 5*d*cos
h(d*x + c)^3 + 5*(2*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^2
+ 10*d*cosh(d*x + c))
```

**giac [B]** time = 0.64, size = 395, normalized size = 3.24

$$60(a^3 + 9a^2b + 15ab^2 + 7b^3)dx - 15(2a^3e^{(2dx+2c)} + 18a^2be^{(2dx+2c)} + 30ab^2e^{(2dx+2c)} + 14b^3e^{(2dx+2c)} - a^3 -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] -1/120*(60*(a^3 + 9*a^2*b + 15*a*b^2 + 7*b^3)*d*x - 15*(2*a^3*e^(2*d*x + 2*
c) + 18*a^2*b*e^(2*d*x + 2*c) + 30*a*b^2*e^(2*d*x + 2*c) + 14*b^3*e^(2*d*x
+ 2*c) - a^3 - 3*a^2*b - 3*a*b^2 - b^3)*e^(-2*d*x - 2*c) - 15*(a^3*e^(2*d*x
+ 16*c) + 3*a^2*b*e^(2*d*x + 16*c) + 3*a*b^2*e^(2*d*x + 16*c) + b^3*e^(2*d
*x + 16*c))*e^(-14*c) + 16*(45*a^2*b*e^(8*d*x + 8*c) + 135*a*b^2*e^(8*d*x +
8*c) + 90*b^3*e^(8*d*x + 8*c) + 180*a^2*b*e^(6*d*x + 6*c) + 450*a*b^2*e^(6
*d*x + 6*c) + 240*b^3*e^(6*d*x + 6*c) + 270*a^2*b*e^(4*d*x + 4*c) + 600*a*b
^2*e^(4*d*x + 4*c) + 340*b^3*e^(4*d*x + 4*c) + 180*a^2*b*e^(2*d*x + 2*c) +
390*a*b^2*e^(2*d*x + 2*c) + 200*b^3*e^(2*d*x + 2*c) + 45*a^2*b + 105*a*b^2
+ 58*b^3)/(e^(2*d*x + 2*c) + 1)^5)/d
```

**maple [A]** time = 0.23, size = 180, normalized size = 1.48

$$a^3 \left( \frac{\cosh(dx+c)\sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + 3a^2b \left( \frac{\sinh^3(dx+c)}{2\cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3\tanh(dx+c)}{2} \right) + 3ab^2 \left( \frac{\sinh^5(dx+c)}{2\cosh(dx+c)^3} - \frac{5dx}{2} - \frac{5c}{2} + \frac{5\tanh^3(dx+c)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d} \left( a^3 \left( \frac{1}{2} \cosh(d*x+c) \sinh(d*x+c) - \frac{1}{2} d*x - \frac{1}{2} c \right) + 3 a^2 b \left( \frac{1}{2} \sinh(d*x+c)^3 / \cosh(d*x+c) - \frac{3}{2} d*x - \frac{3}{2} c + \frac{3}{2} \tanh(d*x+c) \right) + 3 a b^2 \left( \frac{1}{2} \sinh(d*x+c)^5 / \cosh(d*x+c)^3 - \frac{5}{2} d*x - \frac{5}{2} c + \frac{5}{2} \tanh(d*x+c) + \frac{5}{6} \tanh(d*x+c)^3 \right) + b^3 \left( \frac{1}{2} \sinh(d*x+c)^7 / \cosh(d*x+c)^5 - \frac{7}{2} d*x - \frac{7}{2} c + \frac{7}{2} \tanh(d*x+c) + \frac{7}{6} \tanh(d*x+c)^3 + \frac{7}{10} \tanh(d*x+c)^5 \right) \right)$

**maxima** [B] time = 0.33, size = 377, normalized size = 3.09

$$-\frac{1}{8} a^3 \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{120} b^3 \left( \frac{420(dx+c)}{d} + \frac{15e^{(-2dx-2c)}}{d} - \frac{1003e^{(-2dx-2c)} + 3350e^{(-4dx-4c)} + 5590e^{(-6dx-6c)} + 3915e^{(-8dx-8c)} + 1455e^{(-10dx-10c)} + 15}{d(e^{(-2dx-2c)} + 5e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 10e^{(-8dx-8c)} + 5e^{(-10dx-10c)} + e^{(-12dx-12c)})} \right) - \frac{1}{8} a b^2 \left( \frac{60(dx+c)}{d} + \frac{3e^{(-2dx-2c)}}{d} - \frac{121e^{(-2dx-2c)} + 201e^{(-4dx-4c)} + 147e^{(-6dx-6c)} + 3}{d(e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 3e^{(-6dx-6c)} + e^{(-8dx-8c)})} \right) - \frac{3}{8} a^2 b \left( \frac{12(dx+c)}{d} + \frac{e^{(-2dx-2c)}}{d} - \frac{17e^{(-2dx-2c)} + 1}{d(e^{(-2dx-2c)} + e^{(-4dx-4c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $-1/8*a^3*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d) - 1/120*b^3*(420*(d*x + c)/d + 15*e^{(-2*d*x - 2*c)}/d - (1003*e^{(-2*d*x - 2*c)} + 3350*e^{(-4*d*x - 4*c)} + 5590*e^{(-6*d*x - 6*c)} + 3915*e^{(-8*d*x - 8*c)} + 1455*e^{(-10*d*x - 10*c)} + 15)/(d*(e^{(-2*d*x - 2*c)} + 5*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 10*e^{(-8*d*x - 8*c)} + 5*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)})) - 1/8*a*b^2*(60*(d*x + c)/d + 3*e^{(-2*d*x - 2*c)}/d - (121*e^{(-2*d*x - 2*c)} + 201*e^{(-4*d*x - 4*c)} + 147*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)})) - 3/8*a^2*b*(12*(d*x + c)/d + e^{(-2*d*x - 2*c)}/d - (17*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)})))$

**mupad** [B] time = 0.32, size = 668, normalized size = 5.48

$$\frac{e^{2c+2dx} (a+b)^3}{8d} - \frac{\frac{2(3a^2b+6ab^2+2b^3)}{5d} + \frac{6e^{2c+2dx}(a^2b+3ab^2+2b^3)}{5d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} - \frac{\frac{2(3a^2b+6ab^2+2b^3)}{5d} + \frac{6e^{6c+6dx}(a^2b+3ab^2+2b^3)}{5d} + \frac{6e^{4c+4dx}}{5d}}{4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^3,x)`

[Out]  $(\exp(2*c + 2*d*x)*(a + b)^3)/(8*d) - ((2*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d) + (6*\exp(2*c + 2*d*x)*(3*a*b^2 + a^2*b + 2*b^3))/(5*d))/(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1) - ((2*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d) + (6*\exp(6*c + 6*d*x)*(3*a*b^2 + a^2*b + 2*b^3))/(5*d) + (6*\exp(4*c + 4*d*x)*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d) + (2*\exp(2*c + 2*d*x)*(15*a*b^2 + 9*a^2*b + 10*b^3))/(5*d))/(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x))$

```

+ exp(8*c + 8*d*x) + 1) - ((2*(15*a*b^2 + 9*a^2*b + 10*b^3))/(15*d) + (6*exp(4*c + 4*d*x)*(3*a*b^2 + a^2*b + 2*b^3))/(5*d) + (4*exp(2*c + 2*d*x)*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d))/(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1) - (6*(3*a*b^2 + a^2*b + 2*b^3))/(5*d*(exp(2*c + 2*d*x) + 1)) - (exp(- 2*c - 2*d*x)*(a + b)^3)/(8*d) - ((6*(3*a*b^2 + a^2*b + 2*b^3))/(5*d) + (8*exp(2*c + 2*d*x)*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d) + (6*exp(8*c + 8*d*x)*(3*a*b^2 + a^2*b + 2*b^3))/(5*d) + (8*exp(6*c + 6*d*x)*(6*a*b^2 + 3*a^2*b + 2*b^3))/(5*d) + (4*exp(4*c + 4*d*x)*(15*a*b^2 + 9*a^2*b + 10*b^3))/(5*d))/(5*exp(2*c + 2*d*x) + 10*exp(4*c + 4*d*x) + 10*exp(6*c + 6*d*x) + 5*exp(8*c + 8*d*x) + exp(10*c + 10*d*x) + 1) - (x*(a + b)^2*(a + 7*b))/2

```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sinh(c + d\*x)\*\*2, x)

### 3.20 $\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=70

$$-\frac{b^2(a+b)\operatorname{sech}^3(c+dx)}{d} + \frac{(a+b)^3 \cosh(c+dx)}{d} + \frac{3b(a+b)^2 \operatorname{sech}(c+dx)}{d} + \frac{b^3 \operatorname{sech}^5(c+dx)}{5d}$$

[Out]  $(a+b)^3 \cosh(dx+c)/d + 3*b*(a+b)^2 * \operatorname{sech}(dx+c)/d - b^2*(a+b) * \operatorname{sech}(dx+c)^3/d + 1/5*b^3 * \operatorname{sech}(dx+c)^5/d$

**Rubi [A]** time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3664, 270}

$$-\frac{b^2(a+b)\operatorname{sech}^3(c+dx)}{d} + \frac{(a+b)^3 \cosh(c+dx)}{d} + \frac{3b(a+b)^2 \operatorname{sech}(c+dx)}{d} + \frac{b^3 \operatorname{sech}^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $((a+b)^3 \cosh[c+dx])/d + (3*b*(a+b)^2 * \operatorname{Sech}[c+dx])/d - (b^2*(a+b) * \operatorname{Sech}[c+dx]^3)/d + (b^3 * \operatorname{Sech}[c+dx]^5)/(5*d)$

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[Exp andIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m-1)/2)\*(a - b + b\*ff^2\*x^2)^p)/x^(m+1), x], x, Sec[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m-1)/2]

#### Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= -\frac{\text{Subst}\left(\int \frac{(a+b-x^2)^3}{x^2} dx, x, \text{sech}(c + dx)\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(-3b(a+b)^2 + \frac{(a+b)^3}{x^2} + 3b^2(a+b)x^2 - b^3x^4\right) dx, x, \text{sech}(c + dx)\right)}{d} \\
&= \frac{(a+b)^3 \cosh(c + dx)}{d} + \frac{3b(a+b)^2 \text{sech}(c + dx)}{d} - \frac{b^2(a+b) \text{sech}^3(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.88, size = 63, normalized size = 0.90

$$\frac{b \text{sech}(c + dx) \left(-5b(a+b) \text{sech}^2(c + dx) + 15(a+b)^2 + b^2 \text{sech}^4(c + dx)\right) + 5(a+b)^3 \cosh(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (5\*(a + b)^3\*Cosh[c + d\*x] + b\*Sech[c + d\*x]\*(15\*(a + b)^2 - 5\*b\*(a + b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4))/(5\*d)

**fricas [B]** time = 0.64, size = 383, normalized size = 5.47

$$\frac{5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^6 + 30(a^3 + 5a^2b + 7ab^2 + b^3) \cosh(dx + c)^5 \sinh(dx + c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 1/10\*(5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^6 + 5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^6 + 30\*(a^3 + 5\*a^2\*b + 7\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^5\*sinh(d\*x + c) + 15\*(2\*a^3 + 10\*a^2\*b + 14\*a\*b^2 + 6\*b^3 + 5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 50\*a^3 + 330\*a^2\*b + 430\*a\*b^2 + 182\*b^3 + 5\*(15\*a^3 + 93\*a^2\*b + 125\*a\*b^2 + 47\*b^3)\*cosh(d\*x + c)^2 + 5\*(15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 + 15\*a^3 + 93\*a^2\*b + 125\*a\*b^2 + 47\*b^3 + 36\*(a^3 + 5\*a^2\*b + 7\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2)/(d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 5\*d\*cosh(d\*x + c)^3 + 5\*(2\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*d\*cosh(d\*x + c))

**giac [B]** time = 0.39, size = 322, normalized size = 4.60

$$5(a^3 + 3a^2b + 3ab^2 + b^3)e^{(-dx-c)} + 5(a^3e^{(dx+14c)} + 3a^2be^{(dx+14c)} + 3ab^2e^{(dx+14c)} + b^3e^{(dx+14c)})e^{(-13c)} + \frac{4(15a^2be^{(dx+14c)} + \dots)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/10\*(5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*e^(-d\*x - c) + 5\*(a^3\*e^(d\*x + 14\*c) + 3\*a^2\*b\*e^(d\*x + 14\*c) + 3\*a\*b^2\*e^(d\*x + 14\*c) + b^3\*e^(d\*x + 14\*c))\*e^(-13\*c) + 4\*(15\*a^2\*b\*e^(9\*d\*x + 9\*c) + 30\*a\*b^2\*e^(9\*d\*x + 9\*c) + 15\*b^3\*e^(9\*d\*x + 9\*c) + 60\*a^2\*b\*e^(7\*d\*x + 7\*c) + 100\*a\*b^2\*e^(7\*d\*x + 7\*c) + 40\*b^3\*e^(7\*d\*x + 7\*c) + 90\*a^2\*b\*e^(5\*d\*x + 5\*c) + 140\*a\*b^2\*e^(5\*d\*x + 5\*c) + 66\*b^3\*e^(5\*d\*x + 5\*c) + 60\*a^2\*b\*e^(3\*d\*x + 3\*c) + 100\*a\*b^2\*e^(3\*d\*x + 3\*c) + 40\*b^3\*e^(3\*d\*x + 3\*c) + 15\*a^2\*b\*e^(d\*x + c) + 30\*a\*b^2\*e^(d\*x + c) + 15\*b^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple [B]** time = 0.23, size = 170, normalized size = 2.43

$$a^3 \cosh(dx+c) + 3a^2b \left( \frac{\sinh^2(dx+c)}{\cosh(dx+c)} + \frac{2}{\cosh(dx+c)} \right) + 3ab^2 \left( \frac{\sinh^4(dx+c)}{\cosh(dx+c)^3} + \frac{4(\sinh^2(dx+c))}{\cosh(dx+c)^3} + \frac{8}{3\cosh(dx+c)^3} \right) + b^3 \left( \frac{\sinh^6(dx+c)}{\cosh(dx+c)^5} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*cosh(d\*x+c)+3\*a^2\*b\*(sinh(d\*x+c)^2/cosh(d\*x+c)+2/cosh(d\*x+c))+3\*a\*b^2\*(sinh(d\*x+c)^4/cosh(d\*x+c)^3+4\*sinh(d\*x+c)^2/cosh(d\*x+c)^3+8/3/cosh(d\*x+c)^3)+b^3\*(sinh(d\*x+c)^6/cosh(d\*x+c)^5+6\*sinh(d\*x+c)^4/cosh(d\*x+c)^5+8\*sinh(d\*x+c)^2/cosh(d\*x+c)^5+16/5/cosh(d\*x+c)^5))

**maxima [B]** time = 0.33, size = 321, normalized size = 4.59

$$\frac{1}{10} b^3 \left( \frac{5e^{(-dx-c)}}{d} + \frac{85e^{(-2dx-2c)} + 210e^{(-4dx-4c)} + 314e^{(-6dx-6c)} + 185e^{(-8dx-8c)} + 65e^{(-10dx-10c)} + 5}{d(e^{(-dx-c)} + 5e^{(-3dx-3c)} + 10e^{(-5dx-5c)} + 10e^{(-7dx-7c)} + 5e^{(-9dx-9c)} + e^{(-11dx-11c)})} \right) + \frac{1}{2} ab^2 \left( \frac{3e^{(-dx-c)}}{d} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/10\*b^3\*(5\*e^(-d\*x - c)/d + (85\*e^(-2\*d\*x - 2\*c) + 210\*e^(-4\*d\*x - 4\*c) + 314\*e^(-6\*d\*x - 6\*c) + 185\*e^(-8\*d\*x - 8\*c) + 65\*e^(-10\*d\*x - 10\*c) + 5)/(d\*(e^(-d\*x - c) + 5\*e^(-3\*d\*x - 3\*c) + 10\*e^(-5\*d\*x - 5\*c) + 10\*e^(-7\*d\*x - 7\*c) + 5\*e^(-9\*d\*x - 9\*c) + e^(-11\*d\*x - 11\*c)))) + 1/2\*ab^2\*(3\*e^(-d\*x - c)/d + \dots)



$7*c) + 5*e^{(-9*d*x - 9*c) + e^{(-11*d*x - 11*c))}) + 1/2*a*b^2*(3*e^{(-d*x - c)}/d + (33*e^{(-2*d*x - 2*c)} + 41*e^{(-4*d*x - 4*c)} + 27*e^{(-6*d*x - 6*c)} + 3)/(d*(e^{(-d*x - c)} + 3*e^{(-3*d*x - 3*c)} + 3*e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + 3/2*a^2*b*(e^{(-d*x - c)}/d + (5*e^{(-2*d*x - 2*c)} + 1)/(d*(e^{(-d*x - c)} + e^{(-3*d*x - 3*c)}))) + a^3*cosh(d*x + c)/d$

**mupad [B]** time = 1.25, size = 308, normalized size = 4.40

$$\frac{e^{c+dx}(a+b)^3}{2d} + \frac{e^{-c-dx}(a+b)^3}{2d} + \frac{6e^{c+dx}(a^2b + 2ab^2 + b^3)}{d(e^{2c+2dx} + 1)} - \frac{64b^3e^{c+dx}}{5d(4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)*(a + b*tanh(c + d*x)^2)^3, x)`

[Out]  $(\exp(c + d*x)*(a + b)^3)/(2*d) + (\exp(-c - d*x)*(a + b)^3)/(2*d) + (6*\exp(c + d*x)*(2*a*b^2 + a^2*b + b^3))/(d*(\exp(2*c + 2*d*x) + 1)) - (64*b^3*\exp(c + d*x))/(5*d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) + (8*\exp(c + d*x)*(5*a*b^2 + 9*b^3))/(5*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) + (32*b^3*\exp(c + d*x))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (8*\exp(c + d*x)*(a*b^2 + b^3))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)**2)**3, x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**3*sinh(c + d*x), x)`

### 3.21 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=84

$$\frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{b(3a^2 + 3ab + b^2) \operatorname{sech}(c + dx)}{d} + \frac{b^2(3a + 2b) \operatorname{sech}^3(c + dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c + dx)}{5d}$$

[Out]  $-a^3 \operatorname{arctanh}(\cosh(dx+c))/d - b*(3a^2+3a*b+b^2)*\operatorname{sech}(dx+c)/d + 1/3*b^2*(3a+2*b)*\operatorname{sech}(dx+c)^3/d - 1/5*b^3*\operatorname{sech}(dx+c)^5/d$

**Rubi [A]** time = 0.08, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 390, 207}

$$-\frac{b(3a^2 + 3ab + b^2) \operatorname{sech}(c + dx)}{d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b^2(3a + 2b) \operatorname{sech}^3(c + dx)}{3d} - \frac{b^3 \operatorname{sech}^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]*(a + b*Tanh[c + d*x]^2)^3,x]`

[Out]  $-(a^3 \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/d - (b*(3a^2 + 3a*b + b^2)*\operatorname{Sech}[c + d*x])/d + (b^2*(3a + 2*b)*\operatorname{Sech}[c + d*x]^3)/(3*d) - (b^3*\operatorname{Sech}[c + d*x]^5)/(5*d)$

#### Rule 207

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])`

#### Rule 390

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

#### Rule 3664

`Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1), x], x, Sec[e + f*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]`

Rubi steps

$$\begin{aligned}
\int \operatorname{csch}(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+b-bx^2)^3}{-1+x^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(-b(3a^2+3ab+b^2) + b^2(3a+2b)x^2 - b^3x^4 + \frac{a^3}{-1+x^2}\right) dx\right)}{d} \\
&= -\frac{b(3a^2+3ab+b^2)\operatorname{sech}(c+dx)}{d} + \frac{b^2(3a+2b)\operatorname{sech}^3(c+dx)}{3d} - \frac{b^3\operatorname{sech}^5(c+dx)}{5d} \\
&= -\frac{a^3 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b(3a^2+3ab+b^2)\operatorname{sech}(c+dx)}{d} + \frac{b^2(3a+2b)\operatorname{sech}^3(c+dx)}{3d} - \frac{b^3\operatorname{sech}^5(c+dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 79, normalized size = 0.94

$$\frac{15a^3 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) - 15b(3a^2+3ab+b^2)\operatorname{sech}(c+dx) + 5b^2(3a+2b)\operatorname{sech}^3(c+dx) - 3b^3\operatorname{sech}^5(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (15\*a^3\*Log[Tanh[(c + d\*x)/2]] - 15\*b\*(3\*a^2 + 3\*a\*b + b^2)\*Sech[c + d\*x] + 5\*b^2\*(3\*a + 2\*b)\*Sech[c + d\*x]^3 - 3\*b^3\*Sech[c + d\*x]^5)/(15\*d)

**fricas [B]** time = 0.79, size = 2277, normalized size = 27.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/15\*(30\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^9 + 270\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^8 + 30\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^9 + 40\*(9\*a^2\*b + 6\*a\*b^2 + b^3)\*cosh(d\*x + c)^7 + 40\*(9\*a^2\*b + 6\*a\*b^2 + b^3 + 27\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^7 + 280\*(9\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^3 + (9\*a^2\*b + 6\*a\*b^2 + b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^6 + 4\*(135\*a^2\*b + 75\*a\*b^2 + 29\*b^3)\*cosh(d\*x + c)^5 + 4\*(945\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 + 135\*a^2\*b + 75\*a\*b^2 + 29\*b^3 + 210\*(9\*a^2\*b + 6\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh

$$\begin{aligned}
& (d*x + c)^5 + 20*(189*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 70*(9*a^2 \\
& *b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + (135*a^2*b + 75*a*b^2 + 29*b^3)*\cosh( \\
& d*x + c))*\sinh(d*x + c)^4 + 40*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + \\
& 40*(63*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 35*(9*a^2*b + 6*a*b^2 + \\
& b^3)*\cosh(d*x + c)^4 + 9*a^2*b + 6*a*b^2 + b^3 + (135*a^2*b + 75*a*b^2 + 29 \\
& *b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 40*(27*(3*a^2*b + 3*a*b^2 + b^3)*c \\
& osh(d*x + c)^7 + 21*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^5 + (135*a^2*b \\
& + 75*a*b^2 + 29*b^3)*\cosh(d*x + c)^3 + 3*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x \\
& + c))*\sinh(d*x + c)^2 + 30*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c) + 15*(a \\
& ^3*\cosh(d*x + c)^10 + 10*a^3*\cosh(d*x + c)*\sinh(d*x + c)^9 + a^3*\sinh(d*x + \\
& c)^10 + 5*a^3*\cosh(d*x + c)^8 + 10*a^3*\cosh(d*x + c)^6 + 5*(9*a^3*\cosh(d*x \\
& + c)^2 + a^3)*\sinh(d*x + c)^8 + 40*(3*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + \\
& c))*\sinh(d*x + c)^7 + 10*a^3*\cosh(d*x + c)^4 + 10*(21*a^3*\cosh(d*x + c)^4 \\
& + 14*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 4*(63*a^3*\cosh(d*x + c)^5 \\
& + 70*a^3*\cosh(d*x + c)^3 + 15*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 5*a^3*c \\
& osh(d*x + c)^2 + 10*(21*a^3*\cosh(d*x + c)^6 + 35*a^3*\cosh(d*x + c)^4 + 15*a \\
& ^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 + 40*(3*a^3*\cosh(d*x + c)^7 + 7*a \\
& ^3*\cosh(d*x + c)^5 + 5*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + a^3 + 5*(9*a^3*\cosh(d*x + c)^8 + 28*a^3*\cosh(d*x + c)^6 + 30*a^3*cos \\
& h(d*x + c)^4 + 12*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 + 10*(a^3*\cosh \\
& (d*x + c)^9 + 4*a^3*\cosh(d*x + c)^7 + 6*a^3*\cosh(d*x + c)^5 + 4*a^3*\cosh(d* \\
& x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + \\
& c) + 1) - 15*(a^3*\cosh(d*x + c)^10 + 10*a^3*\cosh(d*x + c)*\sinh(d*x + c)^9 \\
& + a^3*\sinh(d*x + c)^10 + 5*a^3*\cosh(d*x + c)^8 + 10*a^3*\cosh(d*x + c)^6 + 5 \\
& *(9*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^8 + 40*(3*a^3*\cosh(d*x + c)^3 \\
& + a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*a^3*\cosh(d*x + c)^4 + 10*(21*a^3* \\
& cosh(d*x + c)^4 + 14*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 4*(63*a^3 \\
& *\cosh(d*x + c)^5 + 70*a^3*\cosh(d*x + c)^3 + 15*a^3*\cosh(d*x + c))*\sinh(d*x \\
& + c)^5 + 5*a^3*\cosh(d*x + c)^2 + 10*(21*a^3*\cosh(d*x + c)^6 + 35*a^3*\cosh(d \\
& *x + c)^4 + 15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 + 40*(3*a^3*\cosh( \\
& d*x + c)^7 + 7*a^3*\cosh(d*x + c)^5 + 5*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + \\
& c))*\sinh(d*x + c)^3 + a^3 + 5*(9*a^3*\cosh(d*x + c)^8 + 28*a^3*\cosh(d*x + c \\
& )^6 + 30*a^3*\cosh(d*x + c)^4 + 12*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^ \\
& 2 + 10*(a^3*\cosh(d*x + c)^9 + 4*a^3*\cosh(d*x + c)^7 + 6*a^3*\cosh(d*x + c)^5 \\
& + 4*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + \\
& c) + \sinh(d*x + c) - 1) + 10*(27*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 \\
& + 28*(9*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^6 + 2*(135*a^2*b + 75*a*b^2 + \\
& 29*b^3)*\cosh(d*x + c)^4 + 9*a^2*b + 9*a*b^2 + 3*b^3 + 12*(9*a^2*b + 6*a*b^ \\
& 2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^10 + 10*d*\cosh(d* \\
& x + c)*\sinh(d*x + c)^9 + d*\sinh(d*x + c)^10 + 5*d*\cosh(d*x + c)^8 + 5*(9*d* \\
& cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 40*(3*d*\cosh(d*x + c)^3 + d*\cosh(d*x \\
& + c))*\sinh(d*x + c)^7 + 10*d*\cosh(d*x + c)^6 + 10*(21*d*\cosh(d*x + c)^4 + \\
& 14*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 4*(63*d*\cosh(d*x + c)^5 + 70*d* \\
& cosh(d*x + c)^3 + 15*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*d*\cosh(d*x + c)^ \\
& 4 + 10*(21*d*\cosh(d*x + c)^6 + 35*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2
\end{aligned}$$

+ d)\*sinh(d\*x + c)^4 + 40\*(3\*d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 5\*d\*cosh(d\*x + c)^2 + 5\*(9\*d\*cosh(d\*x + c)^8 + 28\*d\*cosh(d\*x + c)^6 + 30\*d\*cosh(d\*x + c)^4 + 12\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 10\*(d\*cosh(d\*x + c)^9 + 4\*d\*cosh(d\*x + c)^7 + 6\*d\*cosh(d\*x + c)^5 + 4\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac [B]** time = 0.37, size = 262, normalized size = 3.12

$$15 a^3 \log(e^{(dx+c)} + 1) - 15 a^3 \log(|e^{(dx+c)} - 1|) + \frac{2(45 a^2 b e^{(9 dx+9 c)} + 45 a b^2 e^{(9 dx+9 c)} + 15 b^3 e^{(9 dx+9 c)} + 180 a^2 b e^{(7 dx+7 c)} + 120 a b^2 e^{(7 dx+7 c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -1/15\*(15\*a^3\*log(e^(d\*x + c) + 1) - 15\*a^3\*log(abs(e^(d\*x + c) - 1))) + 2\*(45\*a^2\*b\*e^(9\*d\*x + 9\*c) + 45\*a\*b^2\*e^(9\*d\*x + 9\*c) + 15\*b^3\*e^(9\*d\*x + 9\*c) + 180\*a^2\*b\*e^(7\*d\*x + 7\*c) + 120\*a\*b^2\*e^(7\*d\*x + 7\*c) + 20\*b^3\*e^(7\*d\*x + 7\*c) + 270\*a^2\*b\*e^(5\*d\*x + 5\*c) + 150\*a\*b^2\*e^(5\*d\*x + 5\*c) + 58\*b^3\*e^(5\*d\*x + 5\*c) + 180\*a^2\*b\*e^(3\*d\*x + 3\*c) + 120\*a\*b^2\*e^(3\*d\*x + 3\*c) + 20\*b^3\*e^(3\*d\*x + 3\*c) + 45\*a^2\*b\*e^(d\*x + c) + 45\*a\*b^2\*e^(d\*x + c) + 15\*b^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple [A]** time = 0.24, size = 118, normalized size = 1.40

$$\frac{-2a^3 \operatorname{arctanh}(e^{dx+c}) - \frac{3a^2b}{\cosh(dx+c)} + 3ab^2 \left( -\frac{\sinh^2(dx+c)}{\cosh(dx+c)^3} - \frac{2}{3\cosh(dx+c)^3} \right) + b^3 \left( -\frac{\sinh^4(dx+c)}{\cosh(dx+c)^5} - \frac{4(\sinh^2(dx+c))}{3\cosh(dx+c)^5} - \frac{8}{15\cosh(dx+c)^5} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(-2\*a^3\*arctanh(exp(d\*x+c))-3\*a^2\*b/cosh(d\*x+c)+3\*a\*b^2\*(-sinh(d\*x+c)^2/cosh(d\*x+c)^3-2/3/cosh(d\*x+c)^3)+b^3\*(-sinh(d\*x+c)^4/cosh(d\*x+c)^5-4/3\*sinh(d\*x+c)^2/cosh(d\*x+c)^5-8/15/cosh(d\*x+c)^5))

**maxima [B]** time = 0.33, size = 560, normalized size = 6.67

$$-\frac{2}{15} b^3 \left( \frac{15 e^{(-dx-c)}}{d(5 e^{(-2 dx-2 c)} + 10 e^{(-4 dx-4 c)} + 10 e^{(-6 dx-6 c)} + 5 e^{(-8 dx-8 c)} + e^{(-10 dx-10 c)} + 1)} \right) + \frac{1}{d(5 e^{(-2 dx-2 c)} + 10 e^{(-4 dx-4 c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -2/15*b^3*(15*e^{(-d*x - c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-3*d*x - 3*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 58*e^{(-5*d*x - 5*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-7*d*x - 7*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 15*e^{(-9*d*x - 9*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) - 2*a*b^2*(3*e^{(-d*x - c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 2*e^{(-3*d*x - 3*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1)) + 3*e^{(-5*d*x - 5*c)}/(d*(3*e^{(-2*d*x - 2*c)} + 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))) + a^3*\log(\tanh(1/2*d*x + 1/2*c))/d - 6*a^2*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)})) \end{aligned}$$

mupad [B] time = 0.25, size = 317, normalized size = 3.77

$$\frac{8e^{c+dx} (2b^3 + 3ab^2)}{3d (2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{2 \operatorname{atan}\left(\frac{a^3 e^{dx} e^c \sqrt{-d^2}}{d \sqrt{a^6}}\right) \sqrt{a^6}}{\sqrt{-d^2}} - \frac{2e^{c+dx} (3a^2 b + 3ab^2 + b^3)}{d (e^{2c+2dx} + 1)} + \frac{1}{5d (4e^{2c+2dx} + 6e^{4c+4dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x))^2)^3/sinh(c + d\*x),x)

[Out] 
$$\begin{aligned} & (8*\exp(c + d*x)*(3*a*b^2 + 2*b^3))/(3*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (2*\operatorname{atan}((a^3*\exp(d*x)*\exp(c)*(-d^2)^{(1/2)})/(d*(a^6)^{(1/2)}))*(a^6)^{(1/2)})/((-d^2)^{(1/2)} - (2*\exp(c + d*x)*(3*a*b^2 + 3*a^2*b + b^3))/(d*(\exp(2*c + 2*d*x) + 1)) + (64*b^3*\exp(c + d*x))/(5*d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (8*\exp(c + d*x)*(15*a*b^2 + 22*b^3))/(15*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) - (32*b^3*\exp(c + d*x))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*csch(c + d\*x), x)

## 3.22 $\int \operatorname{csch}^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=64

$$-\frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{3a^2 b \tanh(c + dx)}{d} + \frac{ab^2 \tanh^3(c + dx)}{d} + \frac{b^3 \tanh^5(c + dx)}{5d}$$

[Out]  $-a^3 \operatorname{coth}(d*x+c)/d + 3*a^2*b*\tanh(d*x+c)/d + a*b^2*\tanh(d*x+c)^3/d + 1/5*b^3*\tanh(d*x+c)^5/d$

**Rubi [A]** time = 0.06, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$\frac{3a^2 b \tanh(c + dx)}{d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{ab^2 \tanh^3(c + dx)}{d} + \frac{b^3 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-((a^3*\operatorname{Coth}[c + d*x])/d) + (3*a^2*b*\operatorname{Tanh}[c + d*x])/d + (a*b^2*\operatorname{Tanh}[c + d*x]^3)/d + (b^3*\operatorname{Tanh}[c + d*x]^5)/(5*d)$

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_.)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rubi steps

$$\begin{aligned} \int \operatorname{csch}^2(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+bx^2)^3}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(3a^2b + \frac{a^3}{x^2} + 3ab^2x^2 + b^3x^4\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a^3 \operatorname{coth}(c+dx)}{d} + \frac{3a^2b \tanh(c+dx)}{d} + \frac{ab^2 \tanh^3(c+dx)}{d} + \frac{b^3 \operatorname{tanh}^5(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.71, size = 70, normalized size = 1.09

$$\frac{b \tanh(c+dx) (15a^2 - b(5a+2b)\operatorname{sech}^2(c+dx) + 5ab + b^2\operatorname{sech}^4(c+dx) + b^2) - 5a^3 \operatorname{coth}(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-5\*a^3\*Coth[c + d\*x] + b\*(15\*a^2 + 5\*a\*b + b^2 - b\*(5\*a + 2\*b)\*Sech[c + d\*x]^2 + b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(5\*d)

**fricas [B]** time = 0.49, size = 572, normalized size = 8.94

$$\frac{4((5a^3 + 5ab^2 + 2b^3) \cosh(dx+c)^5 + 5(5a^3 + 5ab^2 + 2b^3) \cosh(dx+c) \sinh(dx+c)^4 + (15a^2b + 10ab^2 + 5b^3) \sinh(dx+c)^5)}{5(d \cosh(dx+c)^7 + 7d \cosh(dx+c) \sinh(dx+c)^6 + d \sinh(dx+c)^7 + 3d \cosh(dx+c) \sinh(dx+c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -4/5\*((5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^5 + 5\*(5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + (15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*sinh(d\*x + c)^5 + (25\*a^3 + 5\*a\*b^2 - 2\*b^3)\*cosh(d\*x + c)^3 + (45\*a^2\*b + 10\*a\*b^2 - 3\*b^3 + 10\*(15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + (10\*(5\*a^3 + 5\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^3 + 3\*(25\*a^3 + 5\*a\*b^2 - 2\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*(5\*a^3 - a\*b^2)\*cosh(d\*x + c) + (5\*(15\*a^2\*b + 10\*a\*b^2 + 3\*b^3)\*cosh(d\*x + c)^4 + 30\*a^2\*b + 10\*b^3 + 3\*(45\*a^2\*b + 10\*a\*b^2 - 3\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + d\*sinh(d\*x + c)^7 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (21\*d\*cosh(d\*x + c)^2 + 5\*d)\*sinh(d\*x + c)^5 + 5\*(7\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + d\*cosh(d\*x + c)^3 + (35\*d\*cosh(d\*x + c)^4 + 50\*d\*cosh(d\*x + c)^2 + 9\*d)\*sinh(d\*x + c)^3 + 3\*(7\*d\*cosh(d\*x + c)



$$\sqrt[5]{10*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^2 - 5*d*\cosh(d*x + c) + (7*d*\cosh(d*x + c)^6 + 25*d*\cosh(d*x + c)^4 + 27*d*\cosh(d*x + c)^2 + 5*d)*\sinh(d*x + c)}$$

**giac [B]** time = 0.44, size = 202, normalized size = 3.16

$$\frac{2 \left( \frac{5a^3}{e^{(2dx+2c)-1}} + \frac{15a^2be^{(8dx+8c)} + 15ab^2e^{(8dx+8c)} + 5b^3e^{(8dx+8c)} + 60a^2be^{(6dx+6c)} + 30ab^2e^{(6dx+6c)} + 90a^2be^{(4dx+4c)} + 20ab^2e^{(4dx+4c)} + 10b^3e^{(4dx+4c)}}{e^{(2dx+2c)+1} \right)^5}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & -2/5*(5*a^3/(e^{(2*d*x + 2*c)} - 1) + (15*a^2*b*e^{(8*d*x + 8*c)} + 15*a*b^2*e^{(8*d*x + 8*c)} \\ & + 5*b^3*e^{(8*d*x + 8*c)} + 60*a^2*b*e^{(6*d*x + 6*c)} + 30*a*b^2*e^{(6*d*x + 6*c)} + 90*a^2*b*e^{(4*d*x + 4*c)} \\ & + 20*a*b^2*e^{(4*d*x + 4*c)} + 10*b^3*e^{(4*d*x + 4*c)} + 60*a^2*b*e^{(2*d*x + 2*c)} + 10*a*b^2*e^{(2*d*x + 2*c)} \\ & + 15*a^2*b + 5*a*b^2 + b^3)/(e^{(2*d*x + 2*c)} + 1)^5)/d \end{aligned}$$

**maple [B]** time = 0.51, size = 141, normalized size = 2.20

$$\frac{-a^3 \coth(dx + c) + 3a^2b \tanh(dx + c) + 3ab^2 \left( -\frac{\sinh(dx+c)}{2 \cosh(dx+c)^3} + \frac{\left(\frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3}\right) \tanh(dx+c)}{2} \right) + b^3 \left( -\frac{\sinh^3(dx+c)}{2 \cosh(dx+c)^5} - \frac{3 \sinh(dx+c)}{8 \cosh(dx+c)^3} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

$$\begin{aligned} \text{[Out]} & 1/d*(-a^3*\coth(d*x+c)+3*a^2*b*\tanh(d*x+c)+3*a*b^2*(-1/2*\sinh(d*x+c)/\cosh(d*x+c)^3 \\ & +1/2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c))+b^3*(-1/2*\sinh(d*x+c)^3/\cosh(d*x+c)^5 \\ & -3/8*\sinh(d*x+c)/\cosh(d*x+c)^5+3/8*(8/15+1/5*\operatorname{sech}(d*x+c)^4+4/15*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)) \end{aligned}$$

**maxima [B]** time = 0.33, size = 348, normalized size = 5.44

$$\frac{2}{5}b^3 \left( \frac{10e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{10e^{(-4dx-4c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & 2/5*b^3*(10*e^{(-4*d*x - 4*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + \\ & 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 5*e^{(-4*d*x - 4*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) \end{aligned}$$

$$\begin{aligned} & (-8dx - 8c)/(d(5e^{-2dx - 2c} + 10e^{-4dx - 4c} + 10e^{-6dx - 6c} + 5e^{-8dx - 8c} + e^{-10dx - 10c} + 1)) + 1/(d(5e^{-2dx - 2c} + 10e^{-4dx - 4c} + 10e^{-6dx - 6c} + 5e^{-8dx - 8c} + e^{-10dx - 10c} + 1))) \\ & + 2ab^2(3e^{-4dx - 4c}/(d(3e^{-2dx - 2c} + 3e^{-4dx - 4c} + e^{-6dx - 6c} + 1)) + 1/(d(3e^{-2dx - 2c} + 3e^{-4dx - 4c} + e^{-6dx - 6c} + 1)))) \\ & + 6a^2b/(d(e^{-2dx - 2c} + 1)) + 2a^3/(d(e^{-2dx - 2c} - 1)) \end{aligned}$$

**mupad [B]** time = 1.23, size = 590, normalized size = 9.22

$$\frac{\frac{2(3a^2b-b^3)}{5d} + \frac{2e^{2c+2dx}(3a^2b+3ab^2+b^3)}{5d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} - \frac{\frac{2(3a^2b-ab^2+b^3)}{5d} + \frac{2e^{4c+4dx}(3a^2b+3ab^2+b^3)}{5d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{\frac{2(3a^2b-b^3)}{5d} + \frac{6e^{2c+2dx}(3a^2b-b^3)}{5d}}{5d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^3/sinh(c + d\*x)^2,x)

[Out] - ((2\*(3\*a^2\*b - b^3))/(5\*d) + (2\*exp(2\*c + 2\*d\*x)\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d))/(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1) - ((2\*(3\*a^2\*b - a\*b^2 + b^3))/(5\*d) + (2\*exp(4\*c + 4\*d\*x)\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d) + (4\*exp(2\*c + 2\*d\*x)\*(3\*a^2\*b - b^3))/(5\*d))/(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1) - ((2\*(3\*a^2\*b - b^3))/(5\*d) + (6\*exp(2\*c + 2\*d\*x)\*(3\*a^2\*b - a\*b^2 + b^3))/(5\*d) + (2\*exp(6\*c + 6\*d\*x)\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d) + (6\*exp(4\*c + 4\*d\*x)\*(3\*a^2\*b - b^3))/(5\*d))/(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1) - ((2\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d) + (12\*exp(4\*c + 4\*d\*x)\*(3\*a^2\*b - a\*b^2 + b^3))/(5\*d) + (2\*exp(8\*c + 8\*d\*x)\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d) + (8\*exp(2\*c + 2\*d\*x)\*(3\*a^2\*b - b^3))/(5\*d) + (8\*exp(6\*c + 6\*d\*x)\*(3\*a^2\*b - b^3))/(5\*d))/(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1) - (2\*a^3)/(d\*(exp(2\*c + 2\*d\*x) - 1)) - (2\*(3\*a\*b^2 + 3\*a^2\*b + b^3))/(5\*d\*(exp(2\*c + 2\*d\*x) + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*csch(c + d\*x)\*\*2, x)

### 3.23 $\int \operatorname{csch}^3(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=152

$$\frac{b(81a^2 - 28ab - 4b^2) \operatorname{sech}(c + dx)}{30d} + \frac{a^2(a - 6b) \tanh^{-1}(\cosh(c + dx))}{2d} + \frac{7b \operatorname{sech}(c + dx) (a - b \operatorname{sech}^2(c + dx) + b)}{10d}$$

[Out] 1/2\*a^2\*(a-6\*b)\*arctanh(cosh(d\*x+c))/d+1/30\*b\*(81\*a^2-28\*a\*b-4\*b^2)\*sech(d\*x+c)/d+1/30\*(33\*a-2\*b)\*b\*sech(d\*x+c)\*(a+b-b\*sech(d\*x+c)^2)/d+7/10\*b\*sech(d\*x+c)\*(a+b-b\*sech(d\*x+c)^2)^2/d-1/2\*coth(d\*x+c)\*csch(d\*x+c)\*(a+b-b\*sech(d\*x+c)^2)^3/d

**Rubi [A]** time = 0.23, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 467, 528, 388, 207}

$$\frac{b(81a^2 - 28ab - 4b^2) \operatorname{sech}(c + dx)}{30d} + \frac{a^2(a - 6b) \tanh^{-1}(\cosh(c + dx))}{2d} + \frac{7b \operatorname{sech}(c + dx) (a - b \operatorname{sech}^2(c + dx) + b)}{10d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^2\*(a - 6\*b)\*ArcTanh[Cosh[c + d\*x]]/(2\*d) + (b\*(81\*a^2 - 28\*a\*b - 4\*b^2)\*Sech[c + d\*x])/(30\*d) + ((33\*a - 2\*b)\*b\*Sech[c + d\*x]\*(a + b - b\*Sech[c + d\*x]^2))/(30\*d) + (7\*b\*Sech[c + d\*x]\*(a + b - b\*Sech[c + d\*x]^2)^2)/(10\*d) - (Coth[c + d\*x]\*Csch[c + d\*x]\*(a + b - b\*Sech[c + d\*x]^2)^3)/(3\*d)

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

#### Rule 467

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))

```

*(c + d*x^n)^q/(b*n*(p + 1)), x] - Dist[e^n/(b*n*(p + 1)), Int[(e*x)^(m -
n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[c*(m - n + 1) + d*(m + n*(q
- 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b*c - a*d, 0
] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinom
ialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 528

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (
f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/
(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^
n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e -
a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x], x] /; FreeQ[{
a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]

```

### Rule 3664

```

Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^
(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^
m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1
), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m
- 1)/2]

```

### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^2(c+dx))^3 dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2(a+b-bx^2)^3}{(-1+x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx) \operatorname{csch}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^3}{2d} - \frac{\operatorname{Subst}\left(\int \frac{x^2(a+b-bx^2)^3}{(-1+x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{7b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^2}{10d} - \frac{\operatorname{coth}(c+dx) \operatorname{csch}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^3}{2d} \\
&= \frac{(33a-2b)b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))}{30d} + \frac{7b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))^2}{10d} \\
&= \frac{b(81a^2-28ab-4b^2) \operatorname{sech}(c+dx)}{30d} + \frac{(33a-2b)b \operatorname{sech}(c+dx) (a+b-b \operatorname{sech}^2(c+dx))}{30d} \\
&= \frac{a^2(a-6b) \tanh^{-1}(\cosh(c+dx))}{2d} + \frac{b(81a^2-28ab-4b^2) \operatorname{sech}(c+dx)}{30d}
\end{aligned}$$

**Mathematica [A]** time = 6.20, size = 127, normalized size = 0.84

$$-\frac{a^3 \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a^3 \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8d} + \frac{3a^2 b \operatorname{sech}(c+dx)}{d} - \frac{a^2(a-6b) \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{2d} - \frac{b^2(3a+b) \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] -1/8\*(a^3\*Csch[(c + d\*x)/2]^2)/d - (a^2\*(a - 6\*b)\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a^3\*Sech[(c + d\*x)/2]^2)/(8\*d) + (3\*a^2\*b\*Sech[c + d\*x])/d - (b^2\*(3\*a + b)\*Sech[c + d\*x]^3)/(3\*d) + (b^3\*Sech[c + d\*x]^5)/(5\*d)

**fricas [B]** time = 0.97, size = 5037, normalized size = 33.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3, x, algorithm="fricas")

[Out] -1/30\*(30\*(a^3 - 6\*a^2\*b)\*cosh(d\*x + c)^13 + 390\*(a^3 - 6\*a^2\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^12 + 30\*(a^3 - 6\*a^2\*b)\*sinh(d\*x + c)^13 + 20\*(9\*a^3 - 18

$$\begin{aligned}
& *a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^{11} + 20*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3 + 117*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{11} + 220*(3 \\
& 9*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + (9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 6*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + \\
& c)^9 + 2*(10725*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + 225*a^3 + 90*a^2*b - 96*b^3 + 550*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^9 + 6*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 550*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^3 + 9*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^8 + 8*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^7 + 8*(6435*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 825*(9*a^3 - 18*a^2*b + 1 \\
& 2*a*b^2 + 4*b^3)*\cosh(d*x + c)^4 + 75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3 + 27*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 8*(6435* \\
& (a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 1155*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^5 + 63*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^3 + 7*(75 \\
& *a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 6*(75 \\
& *a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^5 + 6*(6435*(a^3 - 6*a^2*b)*\cosh(d* \\
& x + c)^8 + 1540*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^6 + 126 \\
& *(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^4 + 75*a^3 + 30*a^2*b - 32*b^3 \\
& + 28*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\
& ^5 + 2*(10725*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 3300*(9*a^3 - 18*a^2*b + 12 \\
& *a*b^2 + 4*b^3)*\cosh(d*x + c)^7 + 378*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x \\
& + c)^5 + 140*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^3 + 15* \\
& (75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 20*(9*a^3 - 1 \\
& 8*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^3 + 4*(2145*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^10 + 825*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(d*x + c)^8 + 1 \\
& 26*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^6 + 70*(75*a^3 + 90*a^2*b - 6 \\
& 0*a*b^2 + 28*b^3)*\cosh(d*x + c)^4 + 45*a^3 - 90*a^2*b + 60*a*b^2 + 20*b^3 + \\
& 15*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(585* \\
& (a^3 - 6*a^2*b)*\cosh(d*x + c)^11 + 275*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3) \\
& )*\cosh(d*x + c)^9 + 54*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(d*x + c)^7 + 42*(7 \\
& 5*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(d*x + c)^5 + 15*(75*a^3 + 30*a^2 \\
& *b - 32*b^3)*\cosh(d*x + c)^3 + 15*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cos \\
& h(d*x + c))*\sinh(d*x + c)^2 + 30*(a^3 - 6*a^2*b)*\cosh(d*x + c) - 15*((a^3 - \\
& 6*a^2*b)*\cosh(d*x + c)^14 + 14*(a^3 - 6*a^2*b)*\cosh(d*x + c)*\sinh(d*x + c) \\
& ^13 + (a^3 - 6*a^2*b)*\sinh(d*x + c)^14 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^12 \\
& + (3*a^3 - 18*a^2*b + 91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 \\
& + 4*(91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + 9*(a^3 - 6*a^2*b)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^11 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + (1001*(a^3 - 6*a^2*b \\
& )*\cosh(d*x + c)^4 + a^3 - 6*a^2*b + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\si \\
& nh(d*x + c)^10 + 2*(1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 330*(a^3 - 6*a^2 \\
& *b)*\cosh(d*x + c)^3 + 5*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 5* \\
& (a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 1 \\
& 485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b + 45*(a^3 - 6*a^2*b) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(429*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 \\
& + 297*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3
\end{aligned}$$

$$\begin{aligned}
& - 5*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 5*(a^3 - 6*a^2*b)*\cosh \\
& (d*x + c)^6 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + 2772*(a^3 - 6*a^2*b)* \\
& \cosh(d*x + c)^6 + 210*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b - \\
& 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 2*(1001*(a^3 - 6*a^2 \\
& *b)*\cosh(d*x + c)^9 + 1188*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 126*(a^3 - 6*a \\
& ^2*b)*\cosh(d*x + c)^5 - 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 15*(a^3 - 6*a \\
& ^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + (1 \\
& 001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + 1485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 \\
& + 210*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 - 350*(a^3 - 6*a^2*b)*\cosh(d*x + c)^ \\
& 4 + a^3 - 6*a^2*b - 75*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4 \\
& *(91*(a^3 - 6*a^2*b)*\cosh(d*x + c)^11 + 165*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 \\
& + 30*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 - 70*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 \\
& - 25*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + (a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 + a^3 - 6*a^2*b + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2 + (91*(a^3 - \\
& 6*a^2*b)*\cosh(d*x + c)^12 + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^10 + 45*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^8 - 140*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 - 75*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^4 + 3*a^3 - 18*a^2*b + 6*(a^3 - 6*a^2*b)*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^2 + 2*(7*(a^3 - 6*a^2*b)*\cosh(d*x + c)^13 + 18*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^11 + 5*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 - 20*(a^3 - \\
& 6*a^2*b)*\cosh(d*x + c)^7 - 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 2*(a^3 - 6 \\
& *a^2*b)*\cosh(d*x + c)^3 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c))*l \\
& og(\cosh(d*x + c) + \sinh(d*x + c) + 1) + 15*((a^3 - 6*a^2*b)*\cosh(d*x + c)^1 \\
& 4 + 14*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^13 + (a^3 - 6*a^2*b)*\sin \\
& h(d*x + c)^14 + 3*(a^3 - 6*a^2*b)*\cosh(d*x + c)^12 + (3*a^3 - 18*a^2*b + 91 \\
& *(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 4*(91*(a^3 - 6*a^2*b)* \\
& \cosh(d*x + c)^3 + 9*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^11 + (a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^10 + (1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + a^3 - \\
& 6*a^2*b + 198*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 2*(1001* \\
& (a^3 - 6*a^2*b)*\cosh(d*x + c)^5 + 330*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 + 5*( \\
& a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 5*(a^3 - 6*a^2*b)*\cosh(d*x \\
& + c)^8 + (3003*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 1485*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^4 - 5*a^3 + 30*a^2*b + 45*(a^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c)^8 + 8*(429*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 297*(a^3 - 6*a^2*b)*\cos \\
& h(d*x + c)^5 + 15*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 5*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c))*\sinh(d*x + c)^7 - 5*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + (3003*(a^3 \\
& - 6*a^2*b)*\cosh(d*x + c)^8 + 2772*(a^3 - 6*a^2*b)*\cosh(d*x + c)^6 + 210*(a^ \\
& 3 - 6*a^2*b)*\cosh(d*x + c)^4 - 5*a^3 + 30*a^2*b - 140*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^2)*\sinh(d*x + c)^6 + 2*(1001*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 118 \\
& 8*(a^3 - 6*a^2*b)*\cosh(d*x + c)^7 + 126*(a^3 - 6*a^2*b)*\cosh(d*x + c)^5 - 1 \\
& 40*(a^3 - 6*a^2*b)*\cosh(d*x + c)^3 - 15*(a^3 - 6*a^2*b)*\cosh(d*x + c))*\sinh \\
& (d*x + c)^5 + (a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + (1001*(a^3 - 6*a^2*b)*\cosh( \\
& d*x + c)^10 + 1485*(a^3 - 6*a^2*b)*\cosh(d*x + c)^8 + 210*(a^3 - 6*a^2*b)*\co \\
& sh(d*x + c)^6 - 350*(a^3 - 6*a^2*b)*\cosh(d*x + c)^4 + a^3 - 6*a^2*b - 75*(a \\
& ^3 - 6*a^2*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(91*(a^3 - 6*a^2*b)*\cosh \\
& (d*x + c)^11 + 165*(a^3 - 6*a^2*b)*\cosh(d*x + c)^9 + 30*(a^3 - 6*a^2*b)*\cos
\end{aligned}$$

$$\begin{aligned}
& h(dx + c)^7 - 70*(a^3 - 6*a^2*b)*\cosh(dx + c)^5 - 25*(a^3 - 6*a^2*b)*\cosh \\
& (dx + c)^3 + (a^3 - 6*a^2*b)*\cosh(dx + c))*\sinh(dx + c)^3 + a^3 - 6*a^2* \\
& b + 3*(a^3 - 6*a^2*b)*\cosh(dx + c)^2 + (91*(a^3 - 6*a^2*b)*\cosh(dx + c)^1 \\
& 2 + 198*(a^3 - 6*a^2*b)*\cosh(dx + c)^10 + 45*(a^3 - 6*a^2*b)*\cosh(dx + c) \\
& ^8 - 140*(a^3 - 6*a^2*b)*\cosh(dx + c)^6 - 75*(a^3 - 6*a^2*b)*\cosh(dx + c) \\
& ^4 + 3*a^3 - 18*a^2*b + 6*(a^3 - 6*a^2*b)*\cosh(dx + c)^2)*\sinh(dx + c)^2 \\
& + 2*(7*(a^3 - 6*a^2*b)*\cosh(dx + c)^13 + 18*(a^3 - 6*a^2*b)*\cosh(dx + c)^ \\
& 11 + 5*(a^3 - 6*a^2*b)*\cosh(dx + c)^9 - 20*(a^3 - 6*a^2*b)*\cosh(dx + c)^7 \\
& - 15*(a^3 - 6*a^2*b)*\cosh(dx + c)^5 + 2*(a^3 - 6*a^2*b)*\cosh(dx + c)^3 + \\
& 3*(a^3 - 6*a^2*b)*\cosh(dx + c))*\sinh(dx + c))*\log(\cosh(dx + c) + \sinh(dx \\
& *x + c) - 1) + 2*(195*(a^3 - 6*a^2*b)*\cosh(dx + c)^12 + 110*(9*a^3 - 18*a^ \\
& 2*b + 12*a*b^2 + 4*b^3)*\cosh(dx + c)^10 + 27*(75*a^3 + 30*a^2*b - 32*b^3)* \\
& \cosh(dx + c)^8 + 28*(75*a^3 + 90*a^2*b - 60*a*b^2 + 28*b^3)*\cosh(dx + c)^ \\
& 6 + 15*(75*a^3 + 30*a^2*b - 32*b^3)*\cosh(dx + c)^4 + 15*a^3 - 90*a^2*b + 3 \\
& 0*(9*a^3 - 18*a^2*b + 12*a*b^2 + 4*b^3)*\cosh(dx + c)^2)*\sinh(dx + c))/(d* \\
& \cosh(dx + c)^14 + 14*d*\cosh(dx + c)*\sinh(dx + c)^13 + d*\sinh(dx + c)^14 \\
& + 3*d*\cosh(dx + c)^12 + (91*d*\cosh(dx + c)^2 + 3*d)*\sinh(dx + c)^12 + 4 \\
& *(91*d*\cosh(dx + c)^3 + 9*d*\cosh(dx + c))*\sinh(dx + c)^11 + d*\cosh(dx + \\
& c)^10 + (1001*d*\cosh(dx + c)^4 + 198*d*\cosh(dx + c)^2 + d)*\sinh(dx + c) \\
& ^10 + 2*(1001*d*\cosh(dx + c)^5 + 330*d*\cosh(dx + c)^3 + 5*d*\cosh(dx + c) \\
& )*\sinh(dx + c)^9 - 5*d*\cosh(dx + c)^8 + (3003*d*\cosh(dx + c)^6 + 1485*d* \\
& \cosh(dx + c)^4 + 45*d*\cosh(dx + c)^2 - 5*d)*\sinh(dx + c)^8 + 8*(429*d*\co \\
& sh(dx + c)^7 + 297*d*\cosh(dx + c)^5 + 15*d*\cosh(dx + c)^3 - 5*d*\cosh(dx \\
& + c))*\sinh(dx + c)^7 - 5*d*\cosh(dx + c)^6 + (3003*d*\cosh(dx + c)^8 + 27 \\
& 72*d*\cosh(dx + c)^6 + 210*d*\cosh(dx + c)^4 - 140*d*\cosh(dx + c)^2 - 5*d) \\
& *\sinh(dx + c)^6 + 2*(1001*d*\cosh(dx + c)^9 + 1188*d*\cosh(dx + c)^7 + 126 \\
& *d*\cosh(dx + c)^5 - 140*d*\cosh(dx + c)^3 - 15*d*\cosh(dx + c))*\sinh(dx + \\
& c)^5 + d*\cosh(dx + c)^4 + (1001*d*\cosh(dx + c)^10 + 1485*d*\cosh(dx + c) \\
& ^8 + 210*d*\cosh(dx + c)^6 - 350*d*\cosh(dx + c)^4 - 75*d*\cosh(dx + c)^2 + \\
& d)*\sinh(dx + c)^4 + 4*(91*d*\cosh(dx + c)^11 + 165*d*\cosh(dx + c)^9 + 30 \\
& *d*\cosh(dx + c)^7 - 70*d*\cosh(dx + c)^5 - 25*d*\cosh(dx + c)^3 + d*\cosh(dx \\
& *x + c))*\sinh(dx + c)^3 + 3*d*\cosh(dx + c)^2 + (91*d*\cosh(dx + c)^12 + 1 \\
& 98*d*\cosh(dx + c)^10 + 45*d*\cosh(dx + c)^8 - 140*d*\cosh(dx + c)^6 - 75*d \\
& *\cosh(dx + c)^4 + 6*d*\cosh(dx + c)^2 + 3*d)*\sinh(dx + c)^2 + 2*(7*d*\cosh \\
& (dx + c)^13 + 18*d*\cosh(dx + c)^11 + 5*d*\cosh(dx + c)^9 - 20*d*\cosh(dx \\
& + c)^7 - 15*d*\cosh(dx + c)^5 + 2*d*\cosh(dx + c)^3 + 3*d*\cosh(dx + c))*\si \\
& nh(dx + c) + d)
\end{aligned}$$

**giac [A]** time = 0.50, size = 281, normalized size = 1.85

$$15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( e^{(dx+c)} + 1 \right) - 15 \left( a^3 e^c - 6 a^2 b e^c \right) e^{(-c)} \log \left( \left| e^{(dx+c)} - 1 \right| \right) - \frac{30 \left( a^3 e^{(3 dx+3 c)} + a^3 e^{(dx+c)} \right)}{\left( e^{(2 dx+2 c)} - 1 \right)^2} + \frac{4 \left( 45 a^2 \right)}{e^{(2 dx+2 c)} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{30}*(15*(a^3e^c - 6*a^2*b*e^c)*e^{-c}*\log(e^{(d*x + c)} + 1) - 15*(a^3e^c - 6*a^2*b*e^c)*e^{-c}*\log(\text{abs}(e^{(d*x + c)} - 1)) - 30*(a^3e^{(3*d*x + 3*c)} + a^3e^{(d*x + c)})/(e^{(2*d*x + 2*c)} - 1)^2 + 4*(45*a^2*b*e^{(9*d*x + 9*c)} + 180*a^2*b*e^{(7*d*x + 7*c)} - 60*a*b^2*e^{(7*d*x + 7*c)} - 20*b^3*e^{(7*d*x + 7*c)} + 270*a^2*b*e^{(5*d*x + 5*c)} - 120*a*b^2*e^{(5*d*x + 5*c)} + 8*b^3*e^{(5*d*x + 5*c)} + 180*a^2*b*e^{(3*d*x + 3*c)} - 60*a*b^2*e^{(3*d*x + 3*c)} - 20*b^3*e^{(3*d*x + 3*c)} + 45*a^2*b*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^5)/d$

**maple [A]** time = 0.39, size = 103, normalized size = 0.68

$$\frac{a^3 \left( -\frac{\text{csch}(dx+c)\text{coth}(dx+c)}{2} + \text{arctanh}(e^{dx+c}) \right) + 3a^2b \left( \frac{1}{\cosh(dx+c)} - 2 \text{arctanh}(e^{dx+c}) \right) - \frac{ab^2}{\cosh(dx+c)^3} + b^3 \left( -\frac{\sinh^2(dx+c)}{3 \cosh(dx+c)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{d}*(a^3*(-1/2*\text{csch}(d*x+c)*\text{coth}(d*x+c)+\text{arctanh}(\exp(d*x+c)))+3*a^2*b*(1/\cosh(d*x+c)-2*\text{arctanh}(\exp(d*x+c)))-a*b^2/\cosh(d*x+c)^3+b^3*(-1/3*\sinh(d*x+c)^2/\cosh(d*x+c)^5-2/15/\cosh(d*x+c)^5))$

**maxima [B]** time = 0.33, size = 403, normalized size = 2.65

$$\frac{1}{2}a^3 \left( \frac{\log(e^{(-dx-c)} + 1)}{d} - \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{2(e^{(-dx-c)} + e^{(-3dx-3c)})}{d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)} \right) - 3a^2b \left( \frac{\log(e^{(-dx-c)} + 1)}{d} - \frac{\log(e^{(-dx-c)} - 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{2}*a^3*(\log(e^{(-d*x - c)} + 1)/d - \log(e^{(-d*x - c)} - 1)/d + 2*(e^{(-d*x - c)} + e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1))) - 3*a^2*b*(\log(e^{(-d*x - c)} + 1)/d - \log(e^{(-d*x - c)} - 1)/d - 2*e^{(-d*x - c)}/(d*(e^{(-2*d*x - 2*c)} + 1))) - 8/15*b^3*(5*e^{(-3*d*x - 3*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) - 2*e^{(-5*d*x - 5*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 5*e^{(-7*d*x - 7*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))) - 8*a*b^2/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^3)$

mupad [B] time = 1.26, size = 412, normalized size = 2.71

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (a^3 \sqrt{-d^2} - 6a^2 b \sqrt{-d^2})}{d \sqrt{a^6 - 12a^5 b + 36a^4 b^2}}\right) \sqrt{a^6 - 12a^5 b + 36a^4 b^2}}{\sqrt{-d^2}} - \frac{64b^3 e^{c+dx}}{5d (4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^2)^3/sinh(c + d*x)^3,x`

[Out] `(atan((exp(d*x)*exp(c)*(a^3*(-d^2)^(1/2) - 6*a^2*b*(-d^2)^(1/2)))/(d*(a^6 - 12*a^5*b + 36*a^4*b^2)^(1/2)))*(a^6 - 12*a^5*b + 36*a^4*b^2)^(1/2))/(-d^2)^(1/2) - (64*b^3*exp(c + d*x))/(5*d*(4*exp(2*c + 2*d*x) + 6*exp(4*c + 4*d*x) + 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1)) + (8*exp(c + d*x)*(15*a*b^2 + 17*b^3))/(15*d*(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1)) + (32*b^3*exp(c + d*x))/(5*d*(5*exp(2*c + 2*d*x) + 10*exp(4*c + 4*d*x) + 10*exp(6*c + 6*d*x) + 5*exp(8*c + 8*d*x) + exp(10*c + 10*d*x) + 1)) - (a^3*exp(c + d*x))/(d*(exp(2*c + 2*d*x) - 1)) - (8*exp(c + d*x)*(3*a*b^2 + b^3))/(3*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1)) - (2*a^3*exp(c + d*x))/(d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x) + 1)) + (6*a^2*b*exp(c + d*x))/(d*(exp(2*c + 2*d*x) + 1))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**3*(a+b*tanh(d*x+c)**2)**3,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**3*csch(c + d*x)**3, x)`

### 3.24 $\int \operatorname{csch}^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=98

$$\frac{a^3 \operatorname{coth}^3(c + dx)}{3d} + \frac{a^2(a - 3b) \operatorname{coth}(c + dx)}{d} - \frac{b^2(3a - b) \tanh^3(c + dx)}{3d} - \frac{3ab(a - b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^5(c + dx)}{5d}$$

[Out]  $a^2(a-3b)*\operatorname{coth}(d*x+c)/d-1/3*a^3*\operatorname{coth}(d*x+c)^3/d-3*a*(a-b)*b*\tanh(d*x+c)/d-1/3*(3*a-b)*b^2*\tanh(d*x+c)^3/d-1/5*b^3*\tanh(d*x+c)^5/d$

**Rubi [A]** time = 0.10, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 448}

$$\frac{a^2(a - 3b) \operatorname{coth}(c + dx)}{d} - \frac{a^3 \operatorname{coth}^3(c + dx)}{3d} - \frac{b^2(3a - b) \tanh^3(c + dx)}{3d} - \frac{3ab(a - b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d*x]^4*(a + b*\operatorname{Tanh}[c + d*x]^2)^3, x]$

[Out]  $(a^2*(a - 3*b)*\operatorname{Coth}[c + d*x])/d - (a^3*\operatorname{Coth}[c + d*x]^3)/(3*d) - (3*a*(a - b)*b*\operatorname{Tanh}[c + d*x])/d - ((3*a - b)*b^2*\operatorname{Tanh}[c + d*x]^3)/(3*d) - (b^3*\operatorname{Tanh}[c + d*x]^5)/(5*d)$

#### Rule 448

$\operatorname{Int}[(e_.*x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})^{(q_)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandIntegrand}[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /;$  FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 3663

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_)]^{(m_)}*((a_) + (b_)*((c_)*\tan[(e_.) + (f_.)*(x_)])^{(n_)})^{(p_)}, x\_Symbol] :> \operatorname{With}[\{ff = \operatorname{FreeFactors}[\tan[e + f*x], x]\}, \operatorname{Dist}[(c*ff^{(m+1)})/f, \operatorname{Subst}[\operatorname{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2+1)}, x], x, (c*\tan[e + f*x])/ff], x] /;$  FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^2(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^2)^3}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(-3a(a-b)b + \frac{a^3}{x^4} - \frac{a^2(a-3b)}{x^2} - (3a-b)b^2x^2 - b^3x^4\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^2(a-3b) \operatorname{coth}(c+dx)}{d} - \frac{a^3 \operatorname{coth}^3(c+dx)}{3d} - \frac{3a(a-b)b \tanh(c+dx)}{d}$$

**Mathematica [A]** time = 1.26, size = 87, normalized size = 0.89

$$\frac{b \tanh(c+dx) (-45a^2 + b(15a+b)\operatorname{sech}^2(c+dx) + 30ab - 3b^2\operatorname{sech}^4(c+dx) + 2b^2) - 5a^2 \operatorname{coth}(c+dx) (\operatorname{acsch}^2(c+dx) + 1)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (-5\*a^2\*Coth[c + d\*x]\*(-2\*a + 9\*b + a\*Csch[c + d\*x]^2) + b\*(-45\*a^2 + 30\*a\*b + 2\*b^2 + b\*(15\*a + b)\*Sech[c + d\*x]^2 - 3\*b^2\*Sech[c + d\*x]^4)\*Tanh[c + d\*x])/(15\*d)

**fricas [B]** time = 0.59, size = 925, normalized size = 9.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -8/15\*((5\*a^3 + 45\*a^2\*b + 15\*a\*b^2 + 7\*b^3)\*cosh(d\*x + c)^6 + 12\*(5\*a^3 + 15\*a\*b^2 + 4\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (5\*a^3 + 45\*a^2\*b + 15\*a\*b^2 + 7\*b^3)\*sinh(d\*x + c)^6 + 2\*(15\*a^3 + 45\*a^2\*b - 15\*a\*b^2 - 13\*b^3)\*cosh(d\*x + c)^4 + (30\*a^3 + 90\*a^2\*b - 30\*a\*b^2 - 26\*b^3 + 15\*(5\*a^3 + 45\*a^2\*b + 15\*a\*b^2 + 7\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 8\*(5\*(5\*a^3 + 15\*a\*b^2 + 4\*b^3)\*cosh(d\*x + c)^3 + 4\*(5\*a^3 - 3\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 50\*a^3 - 90\*a^2\*b + 30\*a\*b^2 - 22\*b^3 + (75\*a^3 - 45\*a^2\*b - 15\*a\*b^2 + 41\*b^3)\*cosh(d\*x + c)^2 + (15\*(5\*a^3 + 45\*a^2\*b + 15\*a\*b^2 + 7\*b^3)\*cosh(d\*x + c)^4 + 75\*a^3 - 45\*a^2\*b - 15\*a\*b^2 + 41\*b^3 + 12\*(15\*a^3 + 45\*a^2\*b - 15\*a\*b^2 - 13\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 4\*(3\*(5\*a^3 + 15\*a\*b^2 + 4\*b^3)\*cosh(d\*x + c)^5 + 8\*(5\*a^3 - 3\*b^3)\*cosh(d\*x + c)^3 + (25\*a^3 - 45\*a\*b^2 + 12\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^10

$$+ 10*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + d*\sinh(d*x + c)^{10} + 2*d*\cosh(d*x + c)^8 + (45*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^8 + 8*(15*d*\cosh(d*x + c)^3 + 2*d*\cosh(d*x + c))*\sinh(d*x + c)^7 - 3*d*\cosh(d*x + c)^6 + (210*d*\cosh(d*x + c)^4 + 56*d*\cosh(d*x + c)^2 - 3*d)*\sinh(d*x + c)^6 + 2*(126*d*\cosh(d*x + c)^5 + 56*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*d*\cosh(d*x + c)^4 + (210*d*\cosh(d*x + c)^6 + 140*d*\cosh(d*x + c)^4 - 45*d*\cosh(d*x + c)^2 - 8*d)*\sinh(d*x + c)^4 + 4*(30*d*\cosh(d*x + c)^7 + 28*d*\cosh(d*x + c)^5 - 5*d*\cosh(d*x + c)^3 - 4*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*d*\cosh(d*x + c)^2 + (45*d*\cosh(d*x + c)^8 + 56*d*\cosh(d*x + c)^6 - 45*d*\cosh(d*x + c)^4 - 48*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^2 + 2*(5*d*\cosh(d*x + c)^9 + 8*d*\cosh(d*x + c)^7 - 3*d*\cosh(d*x + c)^5 - 8*d*\cosh(d*x + c)^3 - 2*d*\cosh(d*x + c))*\sinh(d*x + c) + 6*d)$$

**giac** [B] time = 0.46, size = 257, normalized size = 2.62

$$2 \left( \frac{5(9a^2be^{(4dx+4c)} + 6a^3e^{(2dx+2c)} - 18a^2be^{(2dx+2c)} - 2a^3 + 9a^2b)}{(e^{(2dx+2c)} - 1)^3} - \frac{45a^2be^{(8dx+8c)} + 180a^2be^{(6dx+6c)} - 90ab^2e^{(6dx+6c)} - 30b^3e^{(6dx+6c)} + 270a^2be^{(4dx+4c)} - 210a^2be^{(2dx+2c)} - 150ab^2e^{(2dx+2c)} - 10b^3e^{(2dx+2c)} + 45a^2b - 30a^2b^2 - 2b^3)}{(e^{(2dx+2c)} + 1)^5} \right) / d$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-2/15*(5*(9*a^2*b*e^{(4*d*x + 4*c)} + 6*a^3*e^{(2*d*x + 2*c)} - 18*a^2*b*e^{(2*d*x + 2*c)} - 2*a^3 + 9*a^2*b)/(e^{(2*d*x + 2*c)} - 1)^3 - (45*a^2*b*e^{(8*d*x + 8*c)} + 180*a^2*b*e^{(6*d*x + 6*c)} - 90*a*b^2*e^{(6*d*x + 6*c)} - 30*b^3*e^{(6*d*x + 6*c)} + 270*a^2*b*e^{(4*d*x + 4*c)} - 210*a*b^2*e^{(4*d*x + 4*c)} + 10*b^3*e^{(4*d*x + 4*c)} + 180*a^2*b*e^{(2*d*x + 2*c)} - 150*a*b^2*e^{(2*d*x + 2*c)} - 10*b^3*e^{(2*d*x + 2*c)} + 45*a^2*b - 30*a*b^2 - 2*b^3)/(e^{(2*d*x + 2*c)} + 1)^5)/d$

**maple** [A] time = 0.53, size = 136, normalized size = 1.39

$$a^3 \left( \frac{2}{3} - \frac{\operatorname{csch}(dx+c)^2}{3} \right) \operatorname{coth}(dx+c) + 3a^2b \left( -\frac{1}{\sinh(dx+c)\cosh(dx+c)} - 2 \tanh(dx+c) \right) + 3ab^2 \left( \frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3} \right) \tanh(dx+c)$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $1/d*(a^3*(2/3-1/3*\operatorname{csch}(d*x+c)^2)*\operatorname{coth}(d*x+c)+3*a^2*b*(-1/\sinh(d*x+c)/\cosh(d*x+c)-2*\tanh(d*x+c))+3*a*b^2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)+b^3*(-1/4*\sinh(d*x+c)/\cosh(d*x+c)^5+1/4*(8/15+1/5*\operatorname{sech}(d*x+c)^4+4/15*\operatorname{sech}(d*x+c)^2)*\operatorname{tanh}(d*x+c))$

**maxima [B]** time = 0.34, size = 493, normalized size = 5.03

$$\frac{4}{15} b^3 \left( \frac{5 e^{(-2dx-2c)}}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{5 e^{(-2dx-2c)}}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{4}{15} b^3 \left( \frac{5 e^{(-2dx-2c)}}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{5 e^{(-2dx-2c)}}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + \frac{4 a^2 b^2 (3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} + \frac{4}{3} a^3 \frac{(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} - \frac{1}{d(3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} + 12 a^2 b \frac{1}{d(e^{(-4dx-4c)} - 1)}$

**mupad [B]** time = 0.28, size = 622, normalized size = 6.35

$$\frac{2(9a^2b-12ab^2+4b^3)}{15d} - \frac{4e^{2c+2dx}(-3a^2b+3ab^2+b^3)}{5d} + \frac{6a^2be^{4c+4dx}}{5d} - \frac{2(-3a^2b+3ab^2+b^3)}{5d} + \frac{6e^{4c+4dx}(-3a^2b+3ab^2+b^3)}{5d} - \frac{2e^{2c+2dx}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{2e^{2c+2dx}}{4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^3/sinh(c + d\*x)^4,x)

[Out]  $\frac{(2(9a^2b - 12ab^2 + 4b^3))/(15d) - (4 \exp(2c + 2dx) * (3a^2b^2 - 3a^2b + b^3))/(5d) + (6a^2b \exp(4c + 4dx))/(5d) / (3 \exp(2c + 2dx) + 3 \exp(4c + 4dx) + \exp(6c + 6dx) + 1) - ((2(3a^2b^2 - 3a^2b + b^3))/(5d) + (6 \exp(4c + 4dx) * (3a^2b^2 - 3a^2b + b^3))/(5d) - (2 \exp(2c + 2dx) * (9a^2b - 12ab^2 + 4b^3))/(5d) - (6a^2b \exp(6c + 6dx))/(5d)) / (4 \exp(2c + 2dx) + 6 \exp(4c + 4dx) + 4 \exp(6c + 6dx) + \exp(8c + 8dx) + 1) + ((6a^2b)/(5d) - (8 \exp(6c + 6dx) * (3a^2b^2 - 3a^2b + b^3))/(5d) - (8 \exp(2c + 2dx) * (3a^2b^2 - 3a^2b + b^3))/(5d) + (4 \exp(4c + 4dx) * (9a^2b - 12ab^2 + 4b^3))/(5d) + (6a^2b \exp(8c + 8dx))/(5d)) / (5 \exp(2c + 2dx) + 10 \exp(4c + 4dx) + 10 \exp(6c + 6dx) + 5 \exp(8c + 8dx) + \exp(10c + 10dx) + 1) - ((2(3a^2b^2 - 3a^2b + b^3))/(5d) - (6a^2b \exp(2c + 2dx))/(5d)) / (2 \exp(2c + 2dx))$

```
+ exp(4*c + 4*d*x) + 1) - (4*a^3)/(d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x)
+ 1)) - (8*a^3)/(3*d*(3*exp(2*c + 2*d*x) - 3*exp(4*c + 4*d*x) + exp(6*c +
6*d*x) - 1)) - (6*a^2*b)/(d*(exp(2*c + 2*d*x) - 1)) + (6*a^2*b)/(5*d*(exp(2
*c + 2*d*x) + 1))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**3*csch(c + d*x)**4, x)
```

$$3.25 \quad \int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^3} + \frac{x(3a^2 - 6ab - b^2)}{8(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} - \frac{(5a+b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

[Out] 1/8\*(3\*a^2-6\*a\*b-b^2)\*x/(a+b)^3-1/8\*(5\*a+b)\*cosh(d\*x+c)\*sinh(d\*x+c)/(a+b)^2/d+1/4\*cosh(d\*x+c)^3\*sinh(d\*x+c)/(a+b)/d+a^(3/2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/(a+b)^3/d

**Rubi [A]** time = 0.17, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{x(3a^2 - 6ab - b^2)}{8(a+b)^3} + \frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} - \frac{(5a+b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a^2 - 6\*a\*b - b^2)\*x)/(8\*(a + b)^3) + (a^(3/2)\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a + b)^3\*d - ((5\*a + b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*(a + b)^2\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 470

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1)], x]



```
n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n,
x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n,
0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n,
p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} - \frac{\text{Subst}\left(\int \frac{a+(4a+b)x^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} - \frac{\text{Subst}\left(\int \frac{-a(3a+b)}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{(a^2b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{(3a^2 - 6ab - b^2)x}{8(a+b)^3} + \frac{a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{(a+b)^3d} - \frac{(5a+b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 93, normalized size = 0.79

$$\frac{32a^{3/2}\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + 4(3a^2 - 6ab - b^2)(c+dx) + (a+b)^2 \sinh(4(c+dx)) - 8a(a+b) \sinh(2(c+dx))}{32d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (4\*(3\*a^2 - 6\*a\*b - b^2)\*(c + d\*x) + 32\*a^(3/2)\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] - 8\*a\*(a + b)\*Sinh[2\*(c + d\*x)] + (a + b)^2\*Sinh[4\*(c + d\*x)])/(32\*(a + b)^3\*d)

**fricas [B]** time = 0.80, size = 2024, normalized size = 17.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/64\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^8 + 8\*(3\*a^2 - 6\*a\*b - b^2)\*d\*x\*cosh(d\*x + c)^4 - 8\*(a^2 + a\*b)\*cosh(d\*x + c)^6 + 4\*(7\*(a^2

$$\begin{aligned}
& + 2*a*b + b^2)*\cosh(d*x + c)^2 - 2*a^2 - 2*a*b)*\sinh(d*x + c)^6 + 8*(7*(a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^3 - 6*(a^2 + a*b)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^5 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(3*a^2 - 6*a*b - b^2)*d \\
& *x - 60*(a^2 + a*b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + \\
& b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 - 6*a*b - b^2)*d*x*\cosh(d*x + c) - 20*(a^2 \\
& + a*b)*\cosh(d*x + c)^3)*\sinh(d*x + c)^3 + 8*(a^2 + a*b)*\cosh(d*x + c)^2 + 4 \\
& *(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 12*(3*a^2 - 6*a*b - b^2)*d*x*\cosh \\
& (d*x + c)^2 - 30*(a^2 + a*b)*\cosh(d*x + c)^4 + 2*a^2 + 2*a*b)*\sinh(d*x + c) \\
& ^2 + 32*(a*\cosh(d*x + c)^4 + 4*a*\cosh(d*x + c)^3*\sinh(d*x + c) + 6*a*\cosh(d \\
& *x + c)^2*\sinh(d*x + c)^2 + 4*a*\cosh(d*x + c)*\sinh(d*x + c)^3 + a*\sinh(d*x \\
& + c)^4)*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a* \\
& b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^ \\
& 4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^ \\
& 2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2) \\
& *\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a + b)*\co \\
& sh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + \\
& c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c \\
& )*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2 \\
& *(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x \\
& + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) - a^2 - 2*a*b - b^2 \\
& + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 4*(3*a^2 - 6*a*b - b^2)*d*x*\cos \\
& h(d*x + c)^3 - 6*(a^2 + a*b)*\cosh(d*x + c)^5 + 2*(a^2 + a*b)*\cosh(d*x + c)) \\
& *\sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^4 + 4*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^3*\sinh(d*x + c) + 6*(a^3 + 3*a^ \\
& 2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*\sinh(d*x + c)^4), 1/64*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a \\
& ^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh( \\
& d*x + c)^8 + 8*(3*a^2 - 6*a*b - b^2)*d*x*\cosh(d*x + c)^4 - 8*(a^2 + a*b)*\co \\
& sh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - 2*a^2 - 2*a*b)*\s \\
& inh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 6*(a^2 + a*b)*\c \\
& osh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + \\
& 4*(3*a^2 - 6*a*b - b^2)*d*x - 60*(a^2 + a*b)*\cosh(d*x + c)^2)*\sinh(d*x + c \\
& )^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 - 6*a*b - b^2)*d* \\
& x*\cosh(d*x + c) - 20*(a^2 + a*b)*\cosh(d*x + c)^3)*\sinh(d*x + c)^3 + 8*(a^2 \\
& + a*b)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 12*(3*a \\
& ^2 - 6*a*b - b^2)*d*x*\cosh(d*x + c)^2 - 30*(a^2 + a*b)*\cosh(d*x + c)^4 + 2* \\
& a^2 + 2*a*b)*\sinh(d*x + c)^2 + 64*(a*\cosh(d*x + c)^4 + 4*a*\cosh(d*x + c)^3* \\
& sinh(d*x + c) + 6*a*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*a*\cosh(d*x + c)*\sin \\
& h(d*x + c)^3 + a*\sinh(d*x + c)^4)*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d*x + \\
& c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a \\
& - b)*\sqrt{a*b}/(a*b)) - a^2 - 2*a*b - b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)^7 + 4*(3*a^2 - 6*a*b - b^2)*d*x*\cosh(d*x + c)^3 - 6*(a^2 + a*b)*\cosh( \\
& d*x + c)^5 + 2*(a^2 + a*b)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*\cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh
\end{aligned}$$

$(d*x + c)^3*\sinh(d*x + c) + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\sinh(d*x + c)^4]$

**giac [B]** time = 1.09, size = 301, normalized size = 2.55

$$\frac{64 a^2 b \arctan\left(\frac{a e^{(2 d x+2 c)}+b e^{(2 d x+2 c)}+a-b}{2 \sqrt{a b}}\right)}{\left(a^3+3 a^2 b+3 a b^2+b^3\right) \sqrt{a b}}+\frac{8\left(3 a^2-6 a b-b^2\right) d x}{a^3+3 a^2 b+3 a b^2+b^3}-\frac{\left(18 a^2 e^{(4 d x+4 c)}-36 a b e^{(4 d x+4 c)}-6 b^2 e^{(4 d x+4 c)}-8 a^2 e^{(2 d x+2 c)}-8 a b e^{(2 d x+2 c)}+a^2+\right)}{a^3 e^{(4 c)}+3 a^2 b e^{(4 c)}+3 a b^2 e^{(4 c)}+b^3 e^{(4 c)}}}{64 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $1/64*(64*a^2*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sqrt{a*b}) + 8*(3*a^2 - 6*a*b - b^2)*d*x/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - (18*a^2*e^{(4*d*x + 4*c)} - 36*a*b*e^{(4*d*x + 4*c)} - 6*b^2*e^{(4*d*x + 4*c)} - 8*a^2*e^{(2*d*x + 2*c)} - 8*a*b*e^{(2*d*x + 2*c)} + a^2 + 2*a*b + b^2)*e^{(-4*d*x)}/(a^3*e^{(4*c)} + 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} + b^3*e^{(4*c)}) + (a*e^{(4*d*x + 20*c)} + b*e^{(4*d*x + 20*c)} - 8*a*e^{(2*d*x + 18*c)})/(a^2*e^{(16*c)} + 2*a*b*e^{(16*c)} + b^2*e^{(16*c)})/d$

**maple [B]** time = 0.34, size = 865, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x)

[Out]  $8/d/(32*a+32*b)/(\tanh(1/2*d*x+1/2*c)-1)^4+32/d/(64*a+64*b)/(\tanh(1/2*d*x+1/2*c)-1)^3-1/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2*a+3/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2*b-3/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*a+1/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*b-3/8/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*a^2+3/4/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*a*b+1/8/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*b^2-8/d/(32*a+32*b)/(\tanh(1/2*d*x+1/2*c)+1)^4+32/d/(64*a+64*b)/(\tanh(1/2*d*x+1/2*c)+1)^3+1/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2*a-3/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2*b-3/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*a+1/8/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*b+3/8/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*a^2-3/4/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*a*b-1/8/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*b^2-1/d*a^3*b/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*a^2*b/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*a^2*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))$

$$\frac{(b*(a+b))^{(1/2)-a-2*b}*a^{(1/2)}-1/d*a^3*b/(a+b)^3/(b*(a+b))^{(1/2)}+((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}-1/d*a^2*b/(a+b)^3/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}-1/d*a^2*b^2/(a+b)^3/(b*(a+b))^{(1/2)}+((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}))$$

**maxima [B]** time = 0.51, size = 514, normalized size = 4.36

$$\frac{(ab - b^2)(dx + c)}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{(8be^{(-2dx-2c)} + a + b)e^{(4dx+4c)}}{64(a^2 + 2ab + b^2)d} - \frac{b \log((a + b)e^{(4dx+4c)} + 2(a - b)e^{(2dx+2c)} + a + b)}{4(a^2 + 2ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/2*(a*b - b^2)*(d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 1/64*(8*b* \\ & e^{(-2*d*x - 2*c)} + a + b)*e^{(4*d*x + 4*c)/((a^2 + 2*a*b + b^2)*d) - 1/4*b* \\ & \log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^2 + 2*a* \\ & *b + b^2)*d) + 1/4*b*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4* \\ & *c)} + a + b)/((a^2 + 2*a*b + b^2)*d) + 1/4*(a*b - b^2)*arctan(1/2*((a + b)* \\ & e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^2 + 2*a*b + b^2)*\sqrt{a*b}*d) - 1/8 \\ & *(a^2*b - 6*a*b^2 + b^3)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{ \\ & (a*b)})/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sqrt{a*b}*d) - 1/4*(a*b - b^2)*arct \\ & an(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^2 + 2*a*b + b^2)*\sqrt{ \\ & a*b}*d) - 3/8*b*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b} \\ & )/(\sqrt{a*b}*(a + b)*d) - 1/64*(8*b*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - \\ & 4*c)})/((a^2 + 2*a*b + b^2)*d) + 3/8*(d*x + c)/((a + b)*d) - 1/8*e^{(2*d*x + \\ & 2*c)}/((a + b)*d) + 1/8*e^{(-2*d*x - 2*c)}/((a + b)*d) \end{aligned}$$

**mupad [B]** time = 1.68, size = 250, normalized size = 2.12

$$\frac{e^{4c+4dx}}{64d(a+b)} - \frac{e^{-4c-4dx}}{64d(a+b)} - \frac{x(-3a^2 + 6ab + b^2)}{8(a+b)^3} + \frac{ae^{-2c-2dx}}{8d(a+b)^2} - \frac{ae^{2c+2dx}}{8d(a+b)^2} + \frac{(-a)^{3/2}\sqrt{b}\ln((-a)^{3/2}b^{3/2}(e^{2c+2dx})^{3/2})}{8d(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2),x)

[Out] 
$$\begin{aligned} & \exp(4*c + 4*d*x)/(64*d*(a + b)) - \exp(-4*c - 4*d*x)/(64*d*(a + b)) - (x*(6 \\ & *a*b - 3*a^2 + b^2))/(8*(a + b)^3) + (a*\exp(-2*c - 2*d*x))/(8*d*(a + b)^2) \\ & - (a*\exp(2*c + 2*d*x))/(8*d*(a + b)^2) + ((-a)^{(3/2)}*b^{(1/2)}*\log((-a)^{(3/2)} \\ & )*b^{(3/2)}*(\exp(2*c + 2*d*x) - 1) - 2*a^2*b*\exp(2*c + 2*d*x) + (-a)^{(5/2)}*b^{ \\ & (1/2)}*(\exp(2*c + 2*d*x) + 1))/(2*d*(a + b)^3) - ((-a)^{(3/2)}*b^{(1/2)}*\log(2* \end{aligned}$$

$a^2 b \exp(2c + 2dx) + (-a)^{3/2} b^{3/2} (\exp(2c + 2dx) - 1) + (-a)^{5/2} b^{1/2} (\exp(2c + 2dx) + 1) / (2d(a + b)^3)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sinh^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sinh(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.26 \quad \int \frac{\sinh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=75

$$\frac{\cosh^3(c+dx)}{3d(a+b)} - \frac{a \cosh(c+dx)}{d(a+b)^2} + \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{5/2}}$$

[Out]  $-a \cosh(d*x+c)/(a+b)^{2/d+1/3} \cosh(d*x+c)^3/(a+b)/d + a \operatorname{arctanh}(\operatorname{sech}(d*x+c) * b^{1/2}/(a+b)^{1/2}) * b^{1/2}/(a+b)^{5/2}/d$

Rubi [A] time = 0.13, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3664, 453, 325, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)} - \frac{a \cosh(c+dx)}{d(a+b)^2} + \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(a \sqrt{b} \operatorname{ArcTanh}[(\sqrt{b} \operatorname{Sech}[c + d*x])/\sqrt{a + b}]) / ((a + b)^{5/2} * d) - (a \operatorname{Cosh}[c + d*x]) / ((a + b)^2 * d) + \operatorname{Cosh}[c + d*x]^3 / (3 * (a + b) * d)$

#### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 325

Int[((c\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 453

Int[((e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(c\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*e\*(m+1)), x] + Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1))/(a\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c

- a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{\cosh^3(c + dx)}{3(a + b)d} + \frac{a \text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{(a + b)d} \\ &= -\frac{a \cosh(c + dx)}{(a + b)^2 d} + \frac{\cosh^3(c + dx)}{3(a + b)d} + \frac{(ab) \text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c + dx)\right)}{(a + b)^2 d} \\ &= \frac{a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{(a + b)^{5/2} d} - \frac{a \cosh(c + dx)}{(a + b)^2 d} + \frac{\cosh^3(c + dx)}{3(a + b)d} \end{aligned}$$

**Mathematica** [C] time = 0.58, size = 135, normalized size = 1.80

$$\frac{(a + b)^{3/2} \cosh(3(c + dx)) - 3(3a - b)\sqrt{a + b} \cosh(c + dx) + 12ia\sqrt{b} \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a}}{\sqrt{b}}\right) \right)}{12d(a + b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((12\*I)\*a\*Sqrt[b]\*(ArcTan[((-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]] + ArcTan[((-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]]) - 3\*(3\*a - b)\*Sqrt[a + b]\*Cosh[c + d\*x] + (a + b)^(3/2)\*Cosh[3\*(c + d\*x)]/(12\*(a + b)^(5/2)\*d)



**fricas [B]** time = 0.65, size = 1367, normalized size = 18.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/24*((a + b)*\cosh(d*x + c)^6 + 6*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 + \\ & (a + b)*\sinh(d*x + c)^6 - 3*(3*a - b)*\cosh(d*x + c)^4 + 3*(5*(a + b)*\cosh(d \\ & *x + c)^2 - 3*a + b)*\sinh(d*x + c)^4 + 4*(5*(a + b)*\cosh(d*x + c)^3 - 3*(3* \\ & a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 3*(3*a - b)*\cosh(d*x + c)^2 + 3*(5* \\ & (a + b)*\cosh(d*x + c)^4 - 6*(3*a - b)*\cosh(d*x + c)^2 - 3*a + b)*\sinh(d*x + \\ & c)^2 + 12*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*a*\cos \\ & h(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{b/(a + b)}*\log(((a + b \\ & )*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh( \\ & d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a \\ & + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + \\ & c))*\sinh(d*x + c) + 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\s \\ & inh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + \\ & b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b \\ & )*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh( \\ & d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - \\ & b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\s \\ & inh(d*x + c) + a + b)) + 6*((a + b)*\cosh(d*x + c)^5 - 2*(3*a - b)*\cosh(d*x \\ & + c)^3 - (3*a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^ \\ & 2)*d*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)^2*\sinh(d*x + c \\ & ) + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a^2 + 2*a*b + \\ & b^2)*d*\sinh(d*x + c)^3), 1/24*((a + b)*\cosh(d*x + c)^6 + 6*(a + b)*\cosh(d*x \\ & + c)*\sinh(d*x + c)^5 + (a + b)*\sinh(d*x + c)^6 - 3*(3*a - b)*\cosh(d*x + c) \\ & ^4 + 3*(5*(a + b)*\cosh(d*x + c)^2 - 3*a + b)*\sinh(d*x + c)^4 + 4*(5*(a + b) \\ & *\cosh(d*x + c)^3 - 3*(3*a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 3*(3*a - b) \\ & *\cosh(d*x + c)^2 + 3*(5*(a + b)*\cosh(d*x + c)^4 - 6*(3*a - b)*\cosh(d*x + c) \\ & ^2 - 3*a + b)*\sinh(d*x + c)^2 + 24*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2 \\ & *\sinh(d*x + c) + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{ \\ & t(-b/(a + b))*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c) \\ & *\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*( \\ & a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b - 24*( \\ & a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*a*\cosh(d*x + c)*\s \\ & inh(d*x + c)^2 + a*\sinh(d*x + c)^3)*\sqrt{-b/(a + b))*\arctan(1/2*((a + b)*\co \\ & sh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b + 6*((a + b)*\cosh( \\ & d*x + c)^5 - 2*(3*a - b)*\cosh(d*x + c)^3 - (3*a - b)*\cosh(d*x + c))*\sinh(d* \\ & x + c) + a + b)/((a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b \\ & ^2)*d*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c) \\ & *\sinh(d*x + c)^2 + (a^2 + 2*a*b + b^2)*d*\sinh(d*x + c)^3)] \end{aligned}$$

**giac [B]** time = 0.49, size = 810, normalized size = 10.80

$$24 \sqrt{a^2 - b^2 + 2 \sqrt{-ab} (a+b)} (ab - \sqrt{-ab} a) |ae^{(2c)} + be^{(2c)}| \arctan \left( \frac{e^{(dx)}}{\sqrt{\frac{a^3 e^{(2c)} + a^2 b e^{(2c)} - ab^2 e^{(2c)} - b^3 e^{(2c)} + \sqrt{(a^3 e^{(2c)} + a^2 b e^{(2c)} - ab^2 e^{(2c)} - b^3 e^{(2c)})^2 - (a^3 e^{(4c)} + 3 a^2 b e^{(4c)} - a^3 e^{(4c)} + 3 a^2 b e^{(4c)})}}}{a^5 + 3 a^4 b + 2 a^3 b^2 - 2 a^2 b^3 - 3 a b^4 - b^5 + 2 (a^4 + 4 a^3 b + 6 a^2 b^2 + 4 a b^3 + b^4) \sqrt{-ab}}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 
$$-1/24 * (24 * \sqrt{a^2 - b^2 + 2 * \sqrt{-a*b} * (a + b)} * (a*b - \sqrt{-a*b} * a) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * \arctan(e^{(d*x)} / \sqrt{(a^3 * e^{(2*c)} + a^2 * b * e^{(2*c)} - a * b^2 * e^{(2*c)} - b^3 * e^{(2*c)} + \sqrt{(a^3 * e^{(2*c)} + a^2 * b * e^{(2*c)} - a * b^2 * e^{(2*c)} - b^3 * e^{(2*c)})^2 - (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} - a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)})})} - (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} + 3 * a * b^2 * e^{(4*c)} + b^3 * e^{(4*c)}) * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3))) / (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} + 3 * a * b^2 * e^{(4*c)} + b^3 * e^{(4*c)}) * e^{(-2*c)} / (a^5 + 3 * a^4 * b + 2 * a^3 * b^2 - 2 * a^2 * b^3 - 3 * a * b^4 - b^5 + 2 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \sqrt{-a*b})) + 24 * (3 * a^2 * b - a * b^2 + (a^2 - 3 * a * b) * \sqrt{-a*b}) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * \arctan(e^{(d*x)} / \sqrt{(a^3 * e^{(2*c)} + a^2 * b * e^{(2*c)} - a * b^2 * e^{(2*c)} - b^3 * e^{(2*c)} + \sqrt{(a^3 * e^{(2*c)} + a^2 * b * e^{(2*c)} - a * b^2 * e^{(2*c)} - b^3 * e^{(2*c)})^2 - (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} - a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)})})} - (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} + 3 * a * b^2 * e^{(4*c)} + b^3 * e^{(4*c)}) * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3))) / (a^3 * e^{(4*c)} + 3 * a^2 * b * e^{(4*c)} + 3 * a * b^2 * e^{(4*c)} + b^3 * e^{(4*c)}) * e^{(-2*c)} / ((a^4 + 2 * a^3 * b - 2 * a * b^3 - b^4 - 2 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \sqrt{-a*b})) * \sqrt{a^2 - b^2 - 2 * \sqrt{-a*b} * (a + b)}) + (9 * a * e^{(2*d*x + 2*c)} - 3 * b * e^{(2*d*x + 2*c)} - a - b) * e^{(-3*d*x)} / (a^2 * e^{(3*c)} + 2 * a * b * e^{(3*c)} + b^2 * e^{(3*c)}) - (a^2 * e^{(3*d*x + 24*c)} + 2 * a * b * e^{(3*d*x + 24*c)} + b^2 * e^{(3*d*x + 24*c)} - 9 * a^2 * e^{(d*x + 22*c)} - 6 * a * b * e^{(d*x + 22*c)} + 3 * b^2 * e^{(d*x + 22*c)}) / (a^3 * e^{(21*c)} + 3 * a^2 * b * e^{(21*c)} + 3 * a * b^2 * e^{(21*c)} + b^3 * e^{(21*c)})) / d$$

**maple [B]** time = 0.30, size = 202, normalized size = 2.69

$$\frac{16}{3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^3 (16a + 16b)} - \frac{8}{(16a + 16b) \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^2} - \frac{-a+b}{2(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} - \frac{8}{(16a + 16b) \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^2} + \frac{16}{3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^3} + \frac{16}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $1/d*(-16/3/(\tanh(1/2*d*x+1/2*c)-1)^3/(16*a+16*b)-8/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)-1)^2-1/2/(a+b)^2*(-a+b)/(\tanh(1/2*d*x+1/2*c)-1)-8/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)+1)^2+16/3/(\tanh(1/2*d*x+1/2*c)+1)^3/(16*a+16*b)-1/2*(a-b)/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)+a*b/(a+b)^2/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2}))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left(\left(ae^{6c} + be^{6c}\right)e^{6dx} - 3\left(3ae^{4c} - be^{4c}\right)e^{4dx} - 3\left(3ae^{2c} - be^{2c}\right)e^{2dx} + a + b\right)e^{-3dx}}{24\left(a^2de^{3c} + 2abde^{3c} + b^2de^{3c}\right)} - \frac{1}{8} \int \frac{1}{a^3 + 3a^2b + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $1/24*((a*e^{6c} + b*e^{6c})*e^{6d*x} - 3*(3*a*e^{4c} - b*e^{4c})*e^{4d*x} - 3*(3*a*e^{2c} - b*e^{2c})*e^{2d*x} + a + b)*e^{-3d*x}/(a^2*d*e^{3c} + 2*a*b*d*e^{3c} + b^2*d*e^{3c}) - 1/8*\operatorname{integrate}(16*(a*b*e^{3d*x} + 3*c) - a*b*e^{d*x + c})/(a^3 + 3*a^2*b + 3*a*b^2 + b^3 + (a^3*e^{4c} + 3*a^2*b*e^{4c} + 3*a*b^2*e^{4c} + b^3*e^{4c})*e^{4d*x} + 2*(a^3*e^{2c} + a^2*b*e^{2c} - a*b^2*e^{2c} - b^3*e^{2c})*e^{2d*x}), x)$

**mupad** [B] time = 2.65, size = 955, normalized size = 12.73

$$\frac{e^{-3c-3dx}}{24d(a+b)} + \frac{e^{3c+3dx}}{24d(a+b)} - \frac{\sqrt{a^2b} \left( 2 \operatorname{atan} \left( \frac{e^{dx} e^c \left( \frac{4(2a^2b^3d\sqrt{a^2b} + 4a^3b^2d\sqrt{a^2b} + 2a^4bd\sqrt{a^2b})}{a(a+b)\sqrt{-d^2(a+b)^5(a^2+2ab+b^2)}(a^3+3a^2b+3ab^2+b^3)\sqrt{-a^5d^2-5a^4bd^2-10a^3b^2d^2-10a^2b^3d^2-5a^4b^4d^2-5a^4b^4d^2-10a^2b^3d^2-10a^3b^2d^2} \right)}{a(a+b)\sqrt{-d^2(a+b)^5(a^2+2ab+b^2)}(a^3+3a^2b+3ab^2+b^3)\sqrt{-a^5d^2-5a^4bd^2-10a^3b^2d^2-10a^2b^3d^2-5a^4b^4d^2-5a^4b^4d^2-10a^2b^3d^2-10a^3b^2d^2}} \right)}{24d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^3/(a + b*tanh(c + d*x)^2),x)`

[Out]  $\exp(-3c - 3d*x)/(24*d*(a + b)) + \exp(3c + 3d*x)/(24*d*(a + b)) - ((a^2*b)^{(1/2)}*(2*\operatorname{atan}(((\exp(d*x)*\exp(c))*((4*(2*a^2*b^3*d*(a^2*b)^{(1/2)} + 4*a^3*b^2*d*(a^2*b)^{(1/2)} + 2*a^4*b*d*(a^2*b)^{(1/2)})))/(a*(a + b)*(-d^2*(a + b)^5)^{(1/2)}*(2*a*b + a^2 + b^2)*(3*a*b^2 + 3*a^2*b + a^3 + b^3))*(-a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)})) + (2*a^3*b)/(d*(a + b)^3*(a^2*b)^{(1/2)}*(2*a*b + a^2 + b^2)*(3*a*b^2 + 3*a^2*b + a^3 + b^3))) + (2*a^3*b*\exp(3c)*\exp(3d*x))/(d*(a + b)^3*(a^2*b)^{(1/2)}*(2*a*b + a^2 + b^2)*(3*a*b^2 + 3*a^2*b + a^3 + b^3)))*(a^6*(-a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} + b^6*(-a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} + 15*a^2*b^4*(-a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a$

$$\begin{aligned}
& ^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} + 20*a^3*b^3*(- a^5*d^2 - \\
& b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} \\
& + 15*a^4*b^2*(- a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} \\
& + 6*a*b^5*(- a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} \\
& + 6*a^5*b*(- a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b*d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)} \\
& )/(4*a^2*b)) - 2*atan((a*exp(d*x)*exp(c)*(-d^2*(a + b)^5)^{(1/2)))/(2*d \\
& *(a + b)^2*(a^2*b)^{(1/2)))))/(2*(- a^5*d^2 - b^5*d^2 - 5*a*b^4*d^2 - 5*a^4*b \\
& *d^2 - 10*a^2*b^3*d^2 - 10*a^3*b^2*d^2)^{(1/2)}) - (exp(- c - d*x)*(3*a - b) \\
& )/(8*d*(a + b)^2) - (exp(c + d*x)*(3*a - b))/(8*d*(a + b)^2)
\end{aligned}$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sinh^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sinh(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.27 \quad \int \frac{\sinh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=78

$$-\frac{\sqrt{a} \sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} - \frac{x(a-b)}{2(a+b)^2}$$

[Out]  $-1/2*(a-b)*x/(a+b)^2+1/2*\cosh(d*x+c)*\sinh(d*x+c)/(a+b)/d-\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*a^{(1/2)}*b^{(1/2)/(a+b)^2/d}$

**Rubi [A]** time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 471, 522, 206, 205}

$$-\frac{\sqrt{a} \sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} - \frac{x(a-b)}{2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-\frac{((a-b)*x)/(2*(a+b)^2) - (\text{Sqrt}[a]*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])}{(a+b)^2*d} + \frac{(\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])}{2*(a+b)*d}$

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 471

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(n\*(b\*c-a\*d)\*(p+1)), x] - Dist[e^n/(n\*(b\*c-a\*d)\*(p+1)), Int[(e\*x)^(m-n)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q\*Simp[c\*(m-n+1)+d\*(m+n\*(p+q+1)+1]\*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c-a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m-n+1]

1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3663

Int[sin[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh^2(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\cosh(c + dx) \sinh(c + dx)}{2(a + b)d} - \frac{\text{Subst}\left(\int \frac{a-bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2(a + b)d} \\ &= \frac{\cosh(c + dx) \sinh(c + dx)}{2(a + b)d} - \frac{(a - b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{2(a + b)^2 d} - \frac{(ab) \text{Subst}\left(\int \frac{x^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{2(a + b)^2 d} \\ &= -\frac{(a - b)x}{2(a + b)^2} - \frac{\sqrt{a} \sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{(a + b)^2 d} + \frac{\cosh(c + dx) \sinh(c + dx)}{2(a + b)d} \end{aligned}$$

**Mathematica** [A] time = 0.15, size = 67, normalized size = 0.86

$$\frac{-2(a - b)(c + dx) + (a + b) \sinh(2(c + dx)) - 4\sqrt{a} \sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{4d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(-2*(a - b)*(c + d*x) - 4*\text{Sqrt}[a]*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]] + (a + b)*\text{Sinh}[2*(c + d*x)])/(4*(a + b)^2*d)$

**fricas** [B] time = 0.57, size = 916, normalized size = 11.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [-1/8*(4*(a - b)*d*x*\cosh(d*x + c)^2 - (a + b)*\cosh(d*x + c)^4 - 4*(a + b)* \\ & \cosh(d*x + c)*\sinh(d*x + c)^3 - (a + b)*\sinh(d*x + c)^4 + 2*(2*(a - b)*d*x \\ & - 3*(a + b)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 4*\text{sqrt}(-a*b)*(\cosh(d*x + c)^2 \\ & + 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)*\log(((a^2 + 2*a*b + b^2) \\ & )*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + \\ & (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2) \\ & )*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2) \\ & )*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 \\ & + 2*(a + b)*\cosh(d*x + c))*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\text{sqrt}(-a*b) \\ & )/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 \\ & + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 \\ & + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b) + 4*(2*(a - b) \\ & )*d*x*\cosh(d*x + c) - (a + b)*\cosh(d*x + c)^3)*\sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^2) \\ & )*d*\cosh(d*x + c)^2 + 2*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + 2*a*b + b^2) \\ & )*d*\sinh(d*x + c)^2), -1/8*(4*(a - b)*d*x*\cosh(d*x + c)^2 - (a + b)*\cosh(d*x + c)^4 - 4*(a + b) \\ & )*\cosh(d*x + c)*\sinh(d*x + c)^3 - (a + b)*\sinh(d*x + c)^4 + 2*(2*(a - b)*d*x - 3*(a + b) \\ & )*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*\text{sqrt}(a*b)*(\cosh(d*x + c)^2 + 2*\cosh(d*x + c) \\ & )*\sinh(d*x + c) + \sinh(d*x + c)^2)*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b) \\ & )*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\text{sqrt}(a*b)/(a*b)) + 4*(2*(a - b) \\ & )*d*x*\cosh(d*x + c) - (a + b)*\cosh(d*x + c)^3)*\sinh(d*x + c) + a + b)/((a^2 + 2*a*b + b^2) \\ & )*d*\cosh(d*x + c)^2 + 2*(a^2 + 2*a*b + b^2)*d*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + 2*a*b + b^2) \\ & )*d*\sinh(d*x + c)^2)] \end{aligned}$$

**giac** [B] time = 0.59, size = 176, normalized size = 2.26

$$\frac{\frac{4(a-b)dx}{a^2+2ab+b^2} + \frac{8ab \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)}{(a^2+2ab+b^2)\sqrt{ab}} - \frac{(2ae^{2dx+2c}-2be^{2dx+2c}-a-b)e^{-2dx}}{a^2e^{2c}+2abe^{2c}+b^2e^{2c}} - \frac{e^{2dx+8c}}{ae^{6c}+be^{6c}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="giac")`

[Out] 
$$\frac{-1/8*(4*(a-b)*d*x/(a^2+2*a*b+b^2)+8*a*b*\arctan(1/2*(a*e^{(2*d*x+2*c)}+b*e^{(2*d*x+2*c)}+a-b)/\sqrt{a*b}))/((a^2+2*a*b+b^2)*\sqrt{a*b})-(2*a*e^{(2*d*x+2*c)}-2*b*e^{(2*d*x+2*c)}-a-b)*e^{(-2*d*x)/(a^2*e^{(2*c)}+2*a*b*e^{(2*c)}+b^2*e^{(2*c)})}-e^{(2*d*x+8*c)/(a*e^{(6*c)}+b*e^{(6*c)})})/d$$

**maple [B]** time = 0.32, size = 605, normalized size = 7.76

$$\frac{4}{d(8a+8b)\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)^2} + \frac{8}{d(16a+16b)\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)} + \frac{\ln\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)a}{2d(a+b)^2} - \frac{\ln\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)+1\right)b}{2d(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x)`

[Out] 
$$\frac{4/d/(8*a+8*b)/(\tanh(1/2*d*x+1/2*c)-1)^2+8/d/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1)*a-1/2/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-4/d/(8*a+8*b)/(\tanh(1/2*d*x+1/2*c)+1)^2+8/d/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)+1)-1/2/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+1/2/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)*b+1/d*a^2*b/(a+b)^2/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/d*a*b/(a+b)^2/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*a*b^2/(a+b)^2/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*a^2*b/(a+b)^2/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*a*b/(a+b)^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*a*b^2/(a+b)^2/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})}$$

**maxima [B]** time = 0.46, size = 316, normalized size = 4.05

$$\frac{b \log\left((a+b)e^{(4dx+4c)}+2(a-b)e^{(2dx+2c)}+a+b\right)}{4(a^2+2ab+b^2)d} - \frac{b \log\left(2(a-b)e^{(-2dx-2c)}+(a+b)e^{(-4dx-4c)}+a+b\right)}{4(a^2+2ab+b^2)d} - \frac{(ab - \dots)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] 
$$\frac{1/4*b*\log((a+b)*e^{(4*d*x+4*c)}+2*(a-b)*e^{(2*d*x+2*c)}+a+b)/((a^2+2*a*b+b^2)*d)-1/4*b*\log(2*(a-b)*e^{(-2*d*x-2*c)}+(a+b)*e^{(-4*c)})}{4}$$



$$\begin{aligned} & d*x - 4*c) + a + b)/((a^2 + 2*a*b + b^2)*d) - 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{2*d*x + 2*c} + a - b)/\sqrt{a*b}))/((a^2 + 2*a*b + b^2)*\sqrt{a*b}*d) \\ & ) + 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{-2*d*x - 2*c} + a - b)/\sqrt{a*b}))/((a^2 + 2*a*b + b^2)*\sqrt{a*b}*d) + 1/2*b*\arctan(1/2*((a + b)*e^{-2*d*x - 2*c} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*(a + b)*d) - 1/2*(d*x + c)/((a + b)*d) \\ & + 1/8*e^{2*d*x + 2*c}/((a + b)*d) - 1/8*e^{-2*d*x - 2*c}/((a + b)*d) \end{aligned}$$

**mupad [B]** time = 1.51, size = 198, normalized size = 2.54

$$\frac{e^{2c+2dx}}{8d(a+b)} - \frac{e^{-2c-2dx}}{8d(a+b)} - \frac{x(a-b)}{2(a+b)^2} - \frac{\sqrt{-a}\sqrt{b}\ln(\sqrt{-a}b^{3/2}(e^{2c+2dx}-1) + (-a)^{3/2}\sqrt{b}(e^{2c+2dx}+1) - 2abe^2)}{2d(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2), x)

[Out]  $\frac{\exp(2*c + 2*d*x)}{8*d*(a + b)} - \frac{\exp(-2*c - 2*d*x)}{8*d*(a + b)} - \frac{x*(a - b)}{2*(a + b)^2} - \frac{((-a)^{1/2}*b^{1/2}*\log((-a)^{1/2}*b^{3/2}*(\exp(2*c + 2*d*x) - 1) + (-a)^{3/2}*b^{1/2}*(\exp(2*c + 2*d*x) + 1) - 2*a*b*\exp(2*c + 2*d*x))}{2*d*(a + b)^2} + \frac{((-a)^{1/2}*b^{1/2}*\log((-a)^{1/2}*b^{3/2}*(\exp(2*c + 2*d*x) - 1) + (-a)^{3/2}*b^{1/2}*(\exp(2*c + 2*d*x) + 1) + 2*a*b*\exp(2*c + 2*d*x))}{2*d*(a + b)^2}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sinh^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(sinh(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.28 \quad \int \frac{\sinh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=53

$$\frac{\cosh(c+dx)}{d(a+b)} - \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{3/2}}$$

[Out] cosh(d\*x+c)/(a+b)/d-arctanh(sech(d\*x+c)\*b^(1/2)/(a+b)^(1/2))\*b^(1/2)/(a+b)^(3/2)/d

**Rubi [A]** time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3664, 325, 208}

$$\frac{\cosh(c+dx)}{d(a+b)} - \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((Sqrt[b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/((a + b)^(3/2)\*d)) + Cosh[c + d\*x]/((a + b)\*d)

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 325

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^(m-1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m+1), x], x, Sec[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[m]

- 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{\sinh(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c+dx)\right)}{d} \\ &= \frac{\cosh(c+dx)}{(a+b)d} - \frac{b \text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c+dx)\right)}{(a+b)d} \\ &= -\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{(a+b)^{3/2}d} + \frac{\cosh(c+dx)}{(a+b)d} \end{aligned}$$

**Mathematica [C]** time = 0.27, size = 107, normalized size = 2.02

$$\frac{\sqrt{a+b} \cosh(c+dx) - i\sqrt{b} \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) \right)}{d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

```
[Out] ((-I)*Sqrt[b]*(ArcTan[(-I)*Sqrt[a + b] - Sqrt[a]*Tanh[(c + d*x)/2]]/Sqrt[b]
]] + ArcTan[(-I)*Sqrt[a + b] + Sqrt[a]*Tanh[(c + d*x)/2]]/Sqrt[b]]) + Sqrt
[a + b]*Cosh[c + d*x])/((a + b)^(3/2)*d)
```

**fricas [B]** time = 0.92, size = 666, normalized size = 12.57

$$\left[ \frac{\sqrt{\frac{b}{a+b}} (\cosh(dx+c) + \sinh(dx+c)) \log\left(\frac{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a+3b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^2}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a+3b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^2}\right)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a+3b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

```
[Out] [1/2*(sqrt(b/(a + b))*(cosh(d*x + c) + sinh(d*x + c))*log((a + b)*cosh(d*x
+ c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4
```

$$\begin{aligned}
& + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + \cosh(d*x + c)^2 + 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2 + 1)/((a + b)*d*\cosh(d*x + c) + (a + b)*d*\sinh(d*x + c)), -1/2*(2*\sqrt{(-b/(a + b))*(\cosh(d*x + c) + \sinh(d*x + c))*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b} - 2*\sqrt{-b/(a + b))*(\cosh(d*x + c) + \sinh(d*x + c))*\arctan(1/2*((a + b)*\cosh(d*x + c) + (a + b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b} - \cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) - \sinh(d*x + c)^2 - 1)/((a + b)*d*\cosh(d*x + c) + (a + b)*d*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.25, size = 1065, normalized size = 20.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/2*(2*(2*(2*a*b^2 - (a*b - b^2)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b))*(a*e^{(2*c)} + b*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) + (a^3*b + a^2*b^2 - a*b^3 - b^4 + 2*(a^2*b + 2*a*b^2 + b^3))*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b)*abs(a*e^{(2*c)} + b*e^{(2*c)})*abs(-a*e^{(2*c)} - b*e^{(2*c)})*e^{(2*c)} + (2*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (a^4 - 2*a^2*b^2 + b^4))*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b)*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)} - \sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})^2 - (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})})/(\sqrt{(a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})))*e^{(-4*c)}/((a^7 + 5*a^6*b + 9*a^5*b^2 + 5*a^4*b^3 - 5*a^3*b^4 - 9*a^2*b^5 - 5*a*b^6 - b^7 + 2*(a^6 + 6*a^5*b + 15*a^4*b^2 + 20*a^3*b^3 + 15*a^2*b^4 + 6*a*b^5 + b^6))*\sqrt{-a*b})*abs(-a*e^{(2*c)} - b*e^{(2*c)})) + 2*(2*(4*a^2*b^2 - 4*a*b^3 + (a^2*b - 6*a*b^2 + b^3))*\sqrt{-a*b})*(a*e^{(2*c)} + b*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) + (a^4*b - 4*a^3*b^2 - 10*a^2*b^3 - 4*a*b^4 + b^5 - 4*(a^3*b + a^2*b^2 - a*b^3 - b^4))*\sqrt{-a*b})*abs(a*e^{(2*c)} + b*e^{(2*c)})*abs(-a*e^{(2*c)} - b*e^{(2*c)})*e^{(2*c)} + (4*a^5*b - 8*a^3*b^3 + 4*a*b^5 + (a^5 - 5*a^4*b - 6*a^3*b^2 + 6*a^2*b^3 + 5*a*b^4 - b^5))*\sqrt{-a*b})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)} + \sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})^2 - (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})})/(\sqrt{(a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})))*e^{(-4*c)}/
\end{aligned}$$

$((a^6 + 4a^5b + 5a^4b^2 - 5a^2b^4 - 4ab^5 - b^6 - 2(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5))\sqrt{-ab})\sqrt{a^2 - b^2 - 2\sqrt{-ab}(a+b)}\operatorname{abs}(-ae^{2c} - be^{2c})) - e^{(dx+6c)}/(ae^{5c} + be^{5c}) - e^{(-dx)}/(ae^c + be^c))/d$

**maple [B]** time = 0.22, size = 104, normalized size = 1.96

$$\frac{\frac{4}{(4a+4b)\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)+1\right)} - \frac{b \operatorname{arctanh}\left(\frac{2\left(\tanh^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^{a+2a+4b}}{4\sqrt{ab+b^2}}\right)}{(a+b)\sqrt{ab+b^2}} - \frac{4}{(4a+4b)\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)/(a+b*tanh(d*x+c)^2), x)`

[Out]  $1/d*(4/(4*a+4*b)/(\tanh(1/2*d*x+1/2*c)+1)-b/(a+b)/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2}))-4/(4*a+4*b)/(\tanh(1/2*d*x+1/2*c)-1))$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{(e^{2dx+2c} + 1)e^{-dx}}{2(ade^c + bde^c)} + \frac{1}{2} \int \frac{4(b e^{3dx+3c} - b e^{dx+c})}{a^2 + 2ab + b^2 + (a^2 e^{4c} + 2abe^{4c} + b^2 e^{4c})e^{4dx} + 2(a^2 e^{2c} - b^2 e^{2c})e^{2dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out]  $1/2*(e^{(2*d*x + 2*c)} + 1)*e^{-d*x}/(a*d*e^c + b*d*e^c) + 1/2*\operatorname{integrate}(4*(b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/(a^2 + 2*a*b + b^2 + (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^2*e^{(2*c)} - b^2*e^{(2*c)})*e^{(2*d*x)}), x)$

**mupad [B]** time = 2.00, size = 520, normalized size = 9.81

$$\frac{e^{c+dx}}{2d(a+b)} + \frac{e^{-c-dx}}{2d(a+b)} - \frac{\sqrt{b} \left( 2 \operatorname{atan}\left(\frac{e^{dx} e^c \sqrt{-d^2(a+b)^3}}{2\sqrt{b} d(a+b)}\right) - 2 \operatorname{atan}\left(\frac{e^{dx} e^c \left(\frac{2a\sqrt{b}}{d(a+b)^2(a^3+3a^2b+3ab^2+b^3)} + \frac{1}{(a+b)\sqrt{-d^2(a+b)^3}\sqrt{-a^3}}\right)}{d(a+b)^2(a^3+3a^2b+3ab^2+b^3)} + \frac{1}{(a+b)\sqrt{-d^2(a+b)^3}\sqrt{-a^3}}\right)}{2\sqrt{b} d(a+b)}\right)}{2d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)/(a + b*tanh(c + d*x)^2), x)`

```
[Out] exp(c + d*x)/(2*d*(a + b)) + exp(- c - d*x)/(2*d*(a + b)) - (b^(1/2)*(2*atan
n((exp(d*x)*exp(c)*(-d^2*(a + b)^3)^(1/2))/(2*b^(1/2)*d*(a + b))) - 2*atan(
((exp(d*x)*exp(c)*((2*a*b^(1/2))/(d*(a + b)^2*(3*a*b^2 + 3*a^2*b + a^3 + b^
3)) + (4*(2*a^2*b^(3/2)*d + 2*a*b^(5/2)*d)))/((a + b)*(-d^2*(a + b)^3)^(1/2)
*(- a^3*d^2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2)*(3*a*b^2 + 3*a^2*b
+ a^3 + b^3))) + (2*a*b^(1/2)*exp(3*c)*exp(3*d*x))/(d*(a + b)^2*(3*a*b^2 +
3*a^2*b + a^3 + b^3)))*(a^4*(- a^3*d^2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d
^2)^(1/2) + b^4*(- a^3*d^2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2) + 4
*a*b^3*(- a^3*d^2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2) + 4*a^3*b*(-
a^3*d^2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2) + 6*a^2*b^2*(- a^3*d^
2 - b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2)))/(4*a*b)))/(2*(- a^3*d^2 -
b^3*d^2 - 3*a*b^2*d^2 - 3*a^2*b*d^2)^(1/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sinh(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(sinh(c + d*x)/(a + b*tanh(c + d*x)**2), x)
```

$$3.29 \quad \int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=55

$$\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{ad\sqrt{a+b}} - \frac{\tanh^{-1}(\cosh(c+dx))}{ad}$$

[Out]  $-\operatorname{arctanh}(\cosh(d*x+c))/a/d+\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{(1/2)/(a+b)^{(1/2)}}*b^{(1/2)}/a/d/(a+b)^{(1/2)})$

**Rubi [A]** time = 0.08, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3664, 391, 207, 208}

$$\frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{ad\sqrt{a+b}} - \frac{\tanh^{-1}(\cosh(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]/(a+b*\operatorname{Tanh}[c+d*x]^2), x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]]/(a*d)) + (\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/ \operatorname{Sqrt}[a+b]])/(a*\operatorname{Sqrt}[a+b]*d)$

#### Rule 207

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ || \ \operatorname{GtQ}[b, 0])$

#### Rule 208

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b]$

#### Rule 391

$\operatorname{Int}[1/(((a_+ + (b_+)*(x_+)^{n_+}))*((c_+ + (d_+)*(x_+)^{n_+}))), x\_Symbol] \rightarrow \operatorname{Dist}[b/(b*c - a*d), \operatorname{Int}[1/(a + b*x^n), x], x] - \operatorname{Dist}[d/(b*c - a*d), \operatorname{Int}[1/(c + d*x^n), x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0]$

#### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p)/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-bx^2)} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{ad} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \operatorname{sech}(c + dx)\right)}{ad} \\ &= -\frac{\tanh^{-1}(\cosh(c + dx))}{ad} + \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a\sqrt{a+b}d} \end{aligned}$$

**Mathematica [C]** time = 0.21, size = 123, normalized size = 2.24

$$\frac{\sqrt{a+b} \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right) + i\sqrt{b} \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + i\sqrt{b} \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{ad\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (I\*Sqrt[b]\*ArcTan[((-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]] + I\*Sqrt[b]\*ArcTan[((-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]] + Sqrt[a + b]\*Log[Tanh[(c + d\*x)/2]]/(a\*Sqrt[a + b]\*d)

**fricas [B]** time = 0.55, size = 587, normalized size = 10.67

$$\left[ \frac{\sqrt{\frac{b}{a+b}} \log\left(\frac{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a+3b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 + a+3b) \sinh(dx+c)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4}\right)}{\right]$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $\frac{1}{2} \sqrt{\frac{b}{a+b}} \log\left(\frac{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a+3b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 + a+3b) \sinh(dx+c)^2 + 4((a+b) \cosh(dx+c)^3 + (a+3b) \cosh(dx+c)) \sinh(dx+c) + 4((a+b) \cosh(dx+c)^3 + 3(a+b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^3 + (a+b) \cosh(dx+c) + (3(a+b) \cosh(dx+c)^2 + a+b) \sinh(dx+c)) \sqrt{\frac{b}{a+b}} + a+b}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a-b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 + a-b) \sinh(dx+c)^2 + 4((a+b) \cosh(dx+c)^3 + (a-b) \cosh(dx+c)) \sinh(dx+c) + a+b}\right) - 2 \log(\cosh(dx+c) + \sinh(dx+c) + 1) + 2 \log(\cosh(dx+c) + \sinh(dx+c) - 1) \Big/ (a*d),$   
 $(\sqrt{-\frac{b}{a+b}} \arctan\left(\frac{1}{2} \sqrt{\frac{b}{a+b}} \left(\frac{(a+b) \cosh(dx+c)^3 + 3(a+b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^3 + (a-3b) \cosh(dx+c) + (3(a+b) \cosh(dx+c)^2 + a-3b) \sinh(dx+c))}{(a+b) \cosh(dx+c) + (a+b) \sinh(dx+c)}\right) \Big/ \sqrt{-\frac{b}{a+b}} \Big/ b) - \sqrt{-\frac{b}{a+b}} \arctan\left(\frac{1}{2} \sqrt{\frac{b}{a+b}} \left(\frac{(a+b) \cosh(dx+c) + (a+b) \sinh(dx+c)}{(a+b) \cosh(dx+c) + (a+b) \sinh(dx+c)}\right) \Big/ \sqrt{-\frac{b}{a+b}} \Big/ b) - \log(\cosh(dx+c) + \sinh(dx+c) + 1) + \log(\cosh(dx+c) + \sinh(dx+c) - 1) \Big/ (a*d)]$

**giac [B]** time = 0.21, size = 958, normalized size = 17.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-\left(\frac{2(4a^2b^2 - 4ab^3 - (a^2b - 6ab^2 + b^3) \sqrt{-ab}) \sqrt{a^2 - b^2} + 2 \sqrt{-ab} (a+b) a^2 \operatorname{abs}(ae^{2c} + be^{2c}) - (a^4b - 5a^3b^2 - 5a^2b^3 + ab^4 + 4(a^3b - ab^3) \sqrt{-ab}) \sqrt{a^2 - b^2} + 2 \sqrt{-ab} (a+b) \operatorname{abs}(ae^{2c} + be^{2c}) \operatorname{abs}(a) + (4a^5b - 8a^4b^2 + 4a^3b^3 - (a^5 - 7a^4b + 7a^3b^2 - a^2b^3) \sqrt{-ab}) \sqrt{a^2 - b^2} + 2 \sqrt{-ab} (a+b) \operatorname{abs}(ae^{2c} + be^{2c}) \arctan(e^{dx}/\sqrt{(a^2e^{2c} - abe^{2c} + \sqrt{(a^2e^{2c} - abe^{2c})^2 - (a^2e^{4c} + abe^{4c})(a^2 + ab)})})}{(a^8 - 2a^7b - 17a^6b^2 - 28a^5b^3 - 17a^4b^4 - 2a^3b^5 + a^2b^6 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) \sqrt{-ab}) \operatorname{abs}(a) + (2(4a^2b^2 - 4ab^3 + (a^2b - 6ab^2 + b^3) \sqrt{-ab}) \sqrt{a^2 - b^2} - 2 \sqrt{-ab} (a+b) a^2 \operatorname{abs}(ae^{2c} + be^{2c}) - (a^4b - 5a^3b^2 - 5a^2b^3 + ab^4 - 4(a^3b - ab^3) \sqrt{-ab}) \sqrt{a^2 - b^2} - 2 \sqrt{-ab} (a+b) \operatorname{abs}(ae^{2c} + be^{2c}) \operatorname{abs}(a) + (4a^5b - 8a^4b^2 + 4a^3b^3 + (a^5 - 7a^4b + 7a^3b^2 - a^2b^3) \sqrt{-ab}) \sqrt{a^2 - b^2} - 2 \sqrt{-ab} (a+b) \operatorname{abs}(ae^{2c} + be^{2c}) \arctan(e^{dx}/\sqrt{(a^2e^{2c} - abe^{2c} - \sqrt{(a^2e^{2c} - abe^{2c})^2 - (a^2e^{4c} + abe^{4c})(a^2 + ab)})})}{(a^2e^{4c} + abe^{4c})(a^2 + ab)}\right)$

c))))\*e^(-2\*c)/((a^8 - 2\*a^7\*b - 17\*a^6\*b^2 - 28\*a^5\*b^3 - 17\*a^4\*b^4 - 2\*a^3\*b^5 + a^2\*b^6 - 4\*(a^7 + 3\*a^6\*b + 2\*a^5\*b^2 - 2\*a^4\*b^3 - 3\*a^3\*b^4 - a^2\*b^5)\*sqrt(-a\*b))\*abs(a)) + log(e^(d\*x + c) + 1)/a - log(abs(e^(d\*x + c) - 1))/a)/d

**maple** [A] time = 0.39, size = 69, normalized size = 1.25

$$\frac{b \operatorname{arctanh}\left(\frac{2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{a+2a+4b}}{4\sqrt{ab+b^2}}\right)}{da\sqrt{ab+b^2}} + \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)/(a+b*tanh(d*x+c)^2),x)`

[Out]  $1/d/a*b/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2}))+1/d/a*\ln(\tanh(1/2*d*x+1/2*c))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log\left(\left(e^{(dx+c)} + 1\right)e^{(-c)}\right)}{ad} + \frac{\log\left(\left(e^{(dx+c)} - 1\right)e^{(-c)}\right)}{ad} - 2 \int \frac{be^{(3dx+3c)} - be^{(dx+c)}}{a^2 + ab + \left(a^2e^{(4c)} + abe^{(4c)}\right)e^{(4dx)} + 2\left(a^2e^{(2c)} - abe^{(2c)}\right)e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $-\log\left(\left(e^{(d*x+c)} + 1\right)*e^{(-c)}\right)/(a*d) + \log\left(\left(e^{(d*x+c)} - 1\right)*e^{(-c)}\right)/(a*d) - 2*\operatorname{integrate}\left(\left(b*e^{(3*d*x+3*c)} - b*e^{(d*x+c)}\right)/\left(a^2 + a*b + \left(a^2*e^{(4*c)} + a*b*e^{(4*c)}\right)*e^{(4*d*x)} + 2*\left(a^2*e^{(2*c)} - a*b*e^{(2*c)}\right)*e^{(2*d*x)}\right), x\right)$

**mupad** [B] time = 1.92, size = 284, normalized size = 5.16

$$\frac{2 \operatorname{atan}\left(\frac{e^{dx} e^c \left(9 b^4 \sqrt{-a^2 d^2} + 16 a^2 b^2 \sqrt{-a^2 d^2} + 24 a b^3 \sqrt{-a^2 d^2}\right)}{16 d a^3 b^2 + 24 d a^2 b^3 + 9 d a b^4}\right)}{\sqrt{-a^2 d^2}} \sqrt{b} \left(2 \operatorname{atan}\left(\frac{e^{dx} e^c \sqrt{-a^3 d^2 - b a^2 d^2} \sqrt{-a^2 d^2 (a+b)} + e^{3c} e^{3dx} \sqrt{-a^3 d^2}}{2 a \sqrt{b} d \sqrt{-a^2 d^2 (a+b)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c+d*x)*(a+b*tanh(c+d*x)^2)),x)`

[Out]  $-(2*\operatorname{atan}\left(\left(\exp(d*x)*\exp(c)\right)*\left(9*b^4*(-a^2*d^2)^{(1/2)} + 16*a^2*b^2*(-a^2*d^2)^{(1/2)} + 24*a*b^3*(-a^2*d^2)^{(1/2)}\right)\right)/\left(24*a^2*b^3*d + 16*a^3*b^2*d + 9*a*b^4*d\right))/(-a^2*d^2)^{(1/2)} - (b^{(1/2)}*(2*\operatorname{atan}\left(\left(\exp(d*x)*\exp(c)\right)*\left(-a^3*d^2 - a^2*b*d^2\right)^{(1/2)}*(-a^2*d^2*(a+b))^{(1/2)} + \exp(3*c)*\exp(3*d*x)*\left(-a^3*d^2 - a^2*b*d^2\right)^{(1/2)}\right)))/\left(2*\sqrt{-a^2*d^2}\right)$

$$2*b*d^2)^{(1/2)}*(-a^2*d^2*(a + b))^{(1/2)} + 4*a^2*b*d^2*\exp(d*x)*\exp(c))/(2*a*b^{(1/2)}*d*(-a^2*d^2*(a + b))^{(1/2)}) - 2*atan((\exp(d*x)*\exp(c)*(-a^2*d^2*(a + b))^{(1/2)})/(2*a*b^{(1/2)}*d)))/(2*(-a^3*d^2 - a^2*b*d^2)^{(1/2)})$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(csch(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.30 \quad \int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=48

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad}$$

[Out]  $-\operatorname{coth}(d*x+c)/a/d - \arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(3/2)}/d$

**Rubi [A]** time = 0.06, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3663, 325, 205}

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-\left(\frac{\sqrt{b} \operatorname{ArcTan}\left[\frac{\sqrt{b} \operatorname{Tanh}[c + d*x]}{\sqrt{a}}\right]}{a^{3/2}d}\right) - \operatorname{Coth}[c + d*x]/(a*d)$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m+1))/f, Subst[Int[(x^m\*(a+b\*(ff\*x)^n)^p]/(c^2+ff^2\*x^2)^(m/2+1), x], x, (c\*Tan[e+f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{\operatorname{coth}(c+dx)}{ad} - \frac{b \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{ad} \\ &= -\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 48, normalized size = 1.00

$$-\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{\operatorname{coth}(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*d)) - Coth[c + d\*x]/(a\*d)

**fricas [B]** time = 0.54, size = 618, normalized size = 12.88

$$\left[ \frac{(\cosh(dx+c)^2 + 2 \cosh(dx+c) \sinh(dx+c) + \sinh(dx+c)^2 - 1) \sqrt{-\frac{b}{a}} \log\left(\frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^2 + a^2 - b^2) \sinh(dx+c)^2 + a^2 - 6ab + b^2 + 4((a^2+2ab+b^2) \cosh(dx+c)^3 + (a^2-b^2) \cosh(dx+c)) \sinh(dx+c) - 4((a^2+ab) \cosh(dx+c) + b \sinh(dx+c)) \sinh(dx+c) + b^2 \sinh(dx+c)^2}{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^2 + a^2 - b^2) \sinh(dx+c)^2 + a^2 - 6ab + b^2 + 4((a^2+2ab+b^2) \cosh(dx+c)^3 + (a^2-b^2) \cosh(dx+c)) \sinh(dx+c) - 4((a^2+ab) \cosh(dx+c) + b \sinh(dx+c)) \sinh(dx+c) + b^2 \sinh(dx+c)^2}\right)}{a^{3/2}d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/2\*((cosh(d\*x + c)^2 + 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2 - 1)\*sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a^2 + a\*b)\*cosh(d\*x + c) + b\*sinh(d\*x + c))\*sinh(d\*x + c) + b^2\*sinh(d\*x + c)^2)/((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a^2 + a\*b)\*cosh(d\*x + c) + b\*sinh(d\*x + c))\*sinh(d\*x + c) + b^2\*sinh(d\*x + c)^2)]/a^(3/2)\*d

$$\frac{h(dx + c)^2 + 2*(a^2 + a*b)*\cosh(dx + c)*\sinh(dx + c) + (a^2 + a*b)*\sinh(dx + c)^2 + a^2 - a*b*\sqrt{-b/a}}{(a + b)*\cosh(dx + c)^4 + 4*(a + b)*\cosh(dx + c)*\sinh(dx + c)^3 + (a + b)*\sinh(dx + c)^4 + 2*(a - b)*\cosh(dx + c)^2 + 2*(3*(a + b)*\cosh(dx + c)^2 + a - b)*\sinh(dx + c)^2 + 4*((a + b)*\cosh(dx + c)^3 + (a - b)*\cosh(dx + c))*\sinh(dx + c) + a + b) - 4}/(a*d*\cosh(dx + c)^2 + 2*a*d*\cosh(dx + c)*\sinh(dx + c) + a*d*\sinh(dx + c)^2 - a*d), -((\cosh(dx + c)^2 + 2*\cosh(dx + c)*\sinh(dx + c) + \sinh(dx + c)^2 - 1)*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(dx + c)^2 + 2*(a + b)*\cosh(dx + c)*\sinh(dx + c) + (a + b)*\sinh(dx + c)^2 + a - b)*\sqrt{b/a}/b) + 2)/(a*d*\cosh(dx + c)^2 + 2*a*d*\cosh(dx + c)*\sinh(dx + c) + a*d*\sinh(dx + c)^2 - a*d)]$$

**giac** [A] time = 0.35, size = 69, normalized size = 1.44

$$-\frac{b \arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)}{\sqrt{ab}a} + \frac{2}{a(e^{(2dx+2c)}-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)^2/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out]  $-(b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a) + 2/(a*(e^{(2*d*x + 2*c)} - 1))/d$

**maple** [B] time = 0.36, size = 413, normalized size = 8.60

$$-\frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da} - \frac{1}{2da \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)} + \frac{b \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)}-a-2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)}-a-2b)a}} - \frac{b \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)}-a-2b)a}}\right)}{da\sqrt{(2\sqrt{b(a+b)}-a-2b)a}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(dx+c)^2/(a+b\*tanh(dx+c)^2),x)

[Out]  $-1/2/d/a*\tanh(1/2*d*x+1/2*c)-1/2/d/a/\tanh(1/2*d*x+1/2*c)+1/d*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d*b/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b^2+1/d*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d/(b*(a+b))^(1/2)$

$/a/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)})*b^2$

**maxima** [A] time = 0.43, size = 62, normalized size = 1.29

$$\frac{b \arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{\sqrt{ab} ad} + \frac{2}{(ae^{(-2dx-2c)} - a)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] b\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*a\*d) + 2/((a\*e^(-2\*d\*x - 2\*c) - a)\*d)

**mupad** [B] time = 1.31, size = 136, normalized size = 2.83

$$\frac{2}{ad - ade^{2c+2dx}} - \frac{\sqrt{b} \operatorname{atan}\left(\frac{\sqrt{a^3 d^2}}{2a\sqrt{b}d} - \frac{\sqrt{b}\sqrt{a^3 d^2}}{2a^2 d} + \frac{e^{2c}e^{2dx}\sqrt{a^3 d^2}}{2a\sqrt{b}d} + \frac{\sqrt{b}e^{2c}e^{2dx}\sqrt{a^3 d^2}}{2a^2 d}\right)}{\sqrt{a^3 d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)),x)

[Out] 2/(a\*d - a\*d\*exp(2\*c + 2\*d\*x)) - (b^(1/2)\*atan((a^3\*d^2)^(1/2)/(2\*a\*b^(1/2)\*d) - (b^(1/2)\*(a^3\*d^2)^(1/2))/(2\*a^2\*d) + (exp(2\*c)\*exp(2\*d\*x)\*(a^3\*d^2)^(1/2))/(2\*a\*b^(1/2)\*d) + (b^(1/2)\*exp(2\*c)\*exp(2\*d\*x)\*(a^3\*d^2)^(1/2))/(2\*a^2\*d)))/(a^3\*d^2)^(1/2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.31 \quad \int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{(a+2b) \tanh^{-1}(\cosh(c+dx))}{2a^2d} - \frac{\sqrt{b} \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\coth(c+dx) \operatorname{csch}(c+dx)}{2ad}$$

[Out] 1/2\*(a+2\*b)\*arctanh(cosh(d\*x+c))/a^2/d-1/2\*coth(d\*x+c)\*csch(d\*x+c)/a/d-arctanh(sech(d\*x+c)\*b^(1/2)/(a+b)^(1/2))\*b^(1/2)\*(a+b)^(1/2)/a^2/d

**Rubi [A]** time = 0.12, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 471, 522, 207, 208}

$$\frac{(a+2b) \tanh^{-1}(\cosh(c+dx))}{2a^2d} - \frac{\sqrt{b} \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\coth(c+dx) \operatorname{csch}(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + 2\*b)\*ArcTanh[Cosh[c + d\*x]])/(2\*a^2\*d) - (Sqrt[b]\*Sqrt[a + b]\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]])/(a^2\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d)

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(n\*(b\*c-a\*d)\*(p+1)), x] - Dist[e^n/(n\*(b\*c-a\*d)\*(p+1)), Int[(e\*x)^(m-n)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q\*Simp[c\*(m-n+1)+d\*(m+n\*(p+q+1)+1]\*x^n, x], x] /; FreeQ[{a, b, c, d, e,



q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/(((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3664

Int[sin[(e\_) + (f\_)\*(x\_)^(m\_)]\*((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)^2]^(p\_)), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p]/x^(m + 1), x], x, Sec[e + f\*x]/ff, x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-bx^2)} dx, x, \operatorname{sech}(c + dx)\right)}{d} \\ &= -\frac{\operatorname{coth}(c + dx)\operatorname{csch}(c + dx)}{2ad} - \frac{\operatorname{Subst}\left(\int \frac{a+b+bx^2}{(-1+x^2)(a+b-bx^2)} dx, x, \operatorname{sech}(c + dx)\right)}{2ad} \\ &= -\frac{\operatorname{coth}(c + dx)\operatorname{csch}(c + dx)}{2ad} - \frac{(b(a + b)) \operatorname{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \operatorname{sech}(c + dx)\right)}{a^2d} - \frac{(a + 2b) \operatorname{tanh}^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c + dx)}{\sqrt{a+b}}\right)}{a^2d} \\ &= \frac{(a + 2b) \tanh^{-1}(\cosh(c + dx))}{2a^2d} - \frac{\sqrt{b} \sqrt{a + b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c + dx)}{\sqrt{a+b}}\right)}{a^2d} - \frac{\operatorname{coth}(c + dx)}{2a} \end{aligned}$$

**Mathematica [C]** time = 0.70, size = 170, normalized size = 2.00

$$\frac{8i\sqrt{b}\sqrt{a+b} \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + 8i\sqrt{b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \operatorname{acsch}^2\left(\frac{1}{2}(c + dx)\right)}{8a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2),x]

[Out]  $-\frac{1}{8} \cdot ((8I) \cdot \sqrt{b} \cdot \sqrt{a+b} \cdot \text{ArcTan}[\frac{(-I) \cdot \sqrt{a+b} - \sqrt{a} \cdot \text{Tanh}[(c+d*x)/2]}{\sqrt{b}}] + (8I) \cdot \sqrt{b} \cdot \sqrt{a+b} \cdot \text{ArcTan}[\frac{(-I) \cdot \sqrt{a+b} + \sqrt{a} \cdot \text{Tanh}[(c+d*x)/2]}{\sqrt{b}}] + a \cdot \text{Csch}[(c+d*x)/2]^2 + 4a \cdot \text{Log}[\text{Tanh}[(c+d*x)/2]] + 8b \cdot \text{Log}[\text{Tanh}[(c+d*x)/2]] + a \cdot \text{Sech}[(c+d*x)/2]^2) / (a^2 \cdot d)$

**fricas [B]** time = 1.27, size = 1790, normalized size = 21.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out]  $[-\frac{1}{2} \cdot (2a \cdot \cosh(d*x+c)^3 + 6a \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^2 + 2a \cdot \sinh(d*x+c)^3 - (\cosh(d*x+c)^4 + 4 \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + \sinh(d*x+c)^4 + 2 \cdot (3 \cdot \cosh(d*x+c)^2 - 1) \cdot \sinh(d*x+c)^2 - 2 \cdot \cosh(d*x+c)^2 + 4 \cdot (\cosh(d*x+c)^3 - \cosh(d*x+c)) \cdot \sinh(d*x+c) + 1) \cdot \sqrt{a \cdot b + b^2}) \cdot \log((a+b) \cdot \cosh(d*x+c)^4 + 4 \cdot (a+b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + (a+b) \cdot \sinh(d*x+c)^4 + 2 \cdot (a+3b) \cdot \cosh(d*x+c)^2 + 2 \cdot (3 \cdot (a+b) \cdot \cosh(d*x+c)^2 + a+3b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+b) \cdot \cosh(d*x+c)^3 + (a+3b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) - 4 \cdot (\cosh(d*x+c)^3 + 3 \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^2 + \sinh(d*x+c)^3 + (3 \cdot \cosh(d*x+c)^2 + 1) \cdot \sinh(d*x+c) + \cosh(d*x+c)) \cdot \sqrt{a \cdot b + b^2}) + a+b) / ((a+b) \cdot \cosh(d*x+c)^4 + 4 \cdot (a+b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + (a+b) \cdot \sinh(d*x+c)^4 + 2 \cdot (a-b) \cdot \cosh(d*x+c)^2 + 2 \cdot (3 \cdot (a+b) \cdot \cosh(d*x+c)^2 + a-b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+b) \cdot \cosh(d*x+c)^3 + (a-b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) + a+b) + 2a \cdot \cosh(d*x+c) - ((a+2b) \cdot \cosh(d*x+c)^4 + 4 \cdot (a+2b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + (a+2b) \cdot \sinh(d*x+c)^4 - 2 \cdot (a+2b) \cdot \cosh(d*x+c)^2 + 2 \cdot (3 \cdot (a+2b) \cdot \cosh(d*x+c)^2 - a-2b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+2b) \cdot \cosh(d*x+c)^3 - (a+2b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) + a+2b) \cdot \log(\cosh(d*x+c) + \sinh(d*x+c) + 1) + ((a+2b) \cdot \cosh(d*x+c)^4 + 4 \cdot (a+2b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + (a+2b) \cdot \sinh(d*x+c)^4 - 2 \cdot (a+2b) \cdot \cosh(d*x+c)^2 + 2 \cdot (3 \cdot (a+2b) \cdot \cosh(d*x+c)^2 - a-2b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+2b) \cdot \cosh(d*x+c)^3 - (a+2b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) + a+2b) \cdot \log(\cosh(d*x+c) + \sinh(d*x+c) - 1) + 2 \cdot (3a \cdot \cosh(d*x+c)^2 + a) \cdot \sinh(d*x+c)) / (a^2 \cdot d \cdot \cosh(d*x+c)^4 + 4a^2 \cdot d \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + a^2 \cdot d \cdot \sinh(d*x+c)^4 - 2a^2 \cdot d \cdot \cosh(d*x+c)^2 + a^2 \cdot d + 2 \cdot (3a^2 \cdot d \cdot \cosh(d*x+c)^2 - a^2 \cdot d) \cdot \sinh(d*x+c)^2 + 4 \cdot (a^2 \cdot d \cdot \cosh(d*x+c)^3 - a^2 \cdot d \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c)), -\frac{1}{2} \cdot (2a \cdot \cosh(d*x+c)^3 + 6a \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^2 + 2a \cdot \sinh(d*x+c)^3 + 2 \cdot (\cosh(d*x+c)^4 + 4 \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + \sinh(d*x+c)^4 + 2 \cdot (3 \cdot \cosh(d*x+c)^2 - 1) \cdot \sinh(d*x+c)^2 - 2 \cdot \cosh(d*x+c)^2 + 4 \cdot (\cosh(d*x+c)^3 - \cosh(d*x+c)) \cdot \sinh(d*x+c) + 1) \cdot \sqrt{-a \cdot b - b^2}) \cdot \arctan(\frac{1}{2} \cdot ((a+b) \cdot \cosh(d*x+c)^3 + 3 \cdot (a+b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^2 + (a+b) \cdot \sinh(d*x+c)^3 + (a-3b) \cdot \cosh(d*x+c) + (3 \cdot (a+2b) \cdot \cosh(d*x+c)^2 + a-2b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+2b) \cdot \cosh(d*x+c)^3 - (a+2b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) + a+2b) \cdot \log(\cosh(d*x+c) + \sinh(d*x+c) + 1) + ((a+2b) \cdot \cosh(d*x+c)^4 + 4 \cdot (a+2b) \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + (a+2b) \cdot \sinh(d*x+c)^4 - 2 \cdot (a+2b) \cdot \cosh(d*x+c)^2 + 2 \cdot (3 \cdot (a+2b) \cdot \cosh(d*x+c)^2 - a-2b) \cdot \sinh(d*x+c)^2 + 4 \cdot ((a+2b) \cdot \cosh(d*x+c)^3 - (a+2b) \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c) + a+2b) \cdot \log(\cosh(d*x+c) + \sinh(d*x+c) - 1) + 2 \cdot (3a \cdot \cosh(d*x+c)^2 + a) \cdot \sinh(d*x+c)) / (a^2 \cdot d \cdot \cosh(d*x+c)^4 + 4a^2 \cdot d \cdot \cosh(d*x+c) \cdot \sinh(d*x+c)^3 + a^2 \cdot d \cdot \sinh(d*x+c)^4 - 2a^2 \cdot d \cdot \cosh(d*x+c)^2 + a^2 \cdot d + 2 \cdot (3a^2 \cdot d \cdot \cosh(d*x+c)^2 - a^2 \cdot d) \cdot \sinh(d*x+c)^2 + 4 \cdot (a^2 \cdot d \cdot \cosh(d*x+c)^3 - a^2 \cdot d \cdot \cosh(d*x+c)) \cdot \sinh(d*x+c))]$

```

b)*cosh(d*x + c)^2 + a - 3*b)*sinh(d*x + c))*sqrt(-a*b - b^2)/(a*b + b^2))
- 2*(cosh(d*x + c)^4 + 4*cosh(d*x + c)*sinh(d*x + c)^3 + sinh(d*x + c)^4 +
2*(3*cosh(d*x + c)^2 - 1)*sinh(d*x + c)^2 - 2*cosh(d*x + c)^2 + 4*(cosh(d*x
+ c)^3 - cosh(d*x + c))*sinh(d*x + c) + 1)*sqrt(-a*b - b^2)*arctan(1/2*sqrt
(-a*b - b^2)*(cosh(d*x + c) + sinh(d*x + c))/b) + 2*a*cosh(d*x + c) - ((a
+ 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + 2
*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2*(3*(a + 2*b)*cosh(d*x
+ c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cosh(d*x + c)^3 - (a + 2*
b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d*x + c) + sinh(d*x + c
) + 1) + ((a + 2*b)*cosh(d*x + c)^4 + 4*(a + 2*b)*cosh(d*x + c)*sinh(d*x +
c)^3 + (a + 2*b)*sinh(d*x + c)^4 - 2*(a + 2*b)*cosh(d*x + c)^2 + 2*(3*(a +
2*b)*cosh(d*x + c)^2 - a - 2*b)*sinh(d*x + c)^2 + 4*((a + 2*b)*cosh(d*x + c
)^3 - (a + 2*b)*cosh(d*x + c))*sinh(d*x + c) + a + 2*b)*log(cosh(d*x + c) +
sinh(d*x + c) - 1) + 2*(3*a*cosh(d*x + c)^2 + a)*sinh(d*x + c))/(a^2*d*cos
h(d*x + c)^4 + 4*a^2*d*cosh(d*x + c)*sinh(d*x + c)^3 + a^2*d*sinh(d*x + c)^
4 - 2*a^2*d*cosh(d*x + c)^2 + a^2*d + 2*(3*a^2*d*cosh(d*x + c)^2 - a^2*d)*s
inh(d*x + c)^2 + 4*(a^2*d*cosh(d*x + c)^3 - a^2*d*cosh(d*x + c))*sinh(d*x +
c)]]

```

**giac [B]** time = 0.38, size = 475, normalized size = 5.59

$$\frac{2(3ab - b^2 - \sqrt{-ab}(a-3b))|ae^{(2c)} + be^{(2c)}| \arctan\left(\frac{e^{(dx)}}{\sqrt{\frac{a^3e^{(2c)} - a^2be^{(2c)} + \sqrt{(a^3e^{(2c)} - a^2be^{(2c)})^2 - (a^3e^{(4c)} + a^2be^{(4c)})(a^3 + a^2b)}}{a^3e^{(4c)} + a^2be^{(4c)}}}}\right) e^{(-2c)}}{(a^3 - a^2b + 2\sqrt{-ab}a^2)\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)}}} + \frac{2(3ab - b^2 + \sqrt{-ab}(a-3b))|ae^{(2c)} + be^{(2c)}| \arctan\left(\frac{e^{(dx)}}{\sqrt{\frac{a^3e^{(2c)} - a^2be^{(2c)} + \sqrt{(a^3e^{(2c)} - a^2be^{(2c)})^2 - (a^3e^{(4c)} + a^2be^{(4c)})(a^3 + a^2b)}}{a^3e^{(4c)} + a^2be^{(4c)}}}}\right) e^{(-2c)}}{(a^3 - a^2b + 2\sqrt{-ab}a^2)\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

```

[Out] 1/2*(2*(3*a*b - b^2 - sqrt(-a*b)*(a - 3*b))*abs(a*e^(2*c) + b*e^(2*c))*arct
an(e^(d*x)/sqrt((a^3*e^(2*c) - a^2*b*e^(2*c) + sqrt((a^3*e^(2*c) - a^2*b*e^(
2*c))^2 - (a^3*e^(4*c) + a^2*b*e^(4*c))*(a^3 + a^2*b)))/(a^3*e^(4*c) + a^2
*b*e^(4*c))))*e^(-2*c)/((a^3 - a^2*b + 2*sqrt(-a*b)*a^2)*sqrt(a^2 - b^2 + 2
*sqrt(-a*b)*(a + b))) + 2*(3*a*b - b^2 + sqrt(-a*b)*(a - 3*b))*abs(a*e^(2*c
) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a^3*e^(2*c) - a^2*b*e^(2*c) - sqrt((a^3
*e^(2*c) - a^2*b*e^(2*c))^2 - (a^3*e^(4*c) + a^2*b*e^(4*c))*(a^3 + a^2*b)))/
(a^3*e^(4*c) + a^2*b*e^(4*c))))*e^(-2*c)/((a^3 - a^2*b - 2*sqrt(-a*b)*a^2)
*sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))) + (a*e^c + 2*b*e^c)*e^(-c)*log(e^(
d*x + c) + 1)/a^2 - (a*e^c + 2*b*e^c)*e^(-c)*log(abs(e^(d*x + c) - 1))/a^2
- 2*(e^(3*d*x + 3*c) + e^(d*x + c))/(a*(e^(2*d*x + 2*c) - 1)^2)/d

```

**maple [B]** time = 0.39, size = 181, normalized size = 2.13

$$\frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} - \frac{b \operatorname{arctanh}\left(\frac{2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a+2a+4b}{4\sqrt{ab+b^2}}\right)}{da\sqrt{ab+b^2}} - \frac{b^2 \operatorname{arctanh}\left(\frac{2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a+2a+4b}{4\sqrt{ab+b^2}}\right)}{d a^2 \sqrt{ab+b^2}} - \frac{1}{8da \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)^2} - \ln\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2), x)`

[Out]  $\frac{1}{8} \frac{d}{a} \frac{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{-2} - 1}{d a b} \frac{1}{(a b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} \frac{2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 2 a + 4 b}{(a b + b^2)^{\frac{1}{2}}}\right) - \frac{1}{d} \frac{b^2}{a^2} \frac{1}{(a b + b^2)^{\frac{1}{2}}} \operatorname{arctanh}\left(\frac{1}{4} \frac{2 \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 a + 2 a + 4 b}{(a b + b^2)^{\frac{1}{2}}}\right) - \frac{1}{8} \frac{d}{a} \frac{1}{\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2} - \frac{1}{2} \frac{d}{a} \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) - \frac{1}{d} \frac{1}{a^2} b \ln\left(\tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-\frac{e^{(3dx+3c)} + e^{(dx+c)}}{ade^{(4dx+4c)} - 2ade^{(2dx+2c)} + ad} + \frac{(a+2b) \log\left(\left(e^{(dx+c)} + 1\right)e^{(-c)}\right)}{2a^2d} - \frac{(a+2b) \log\left(\left(e^{(dx+c)} - 1\right)e^{(-c)}\right)}{2a^2d} + 8 \int \frac{1}{4(a^3 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out]  $-\frac{e^{(3dx+3c)} + e^{(dx+c)}}{(a d e^{(4dx+4c)} - 2 a d e^{(2dx+2c)} + a d) + \frac{1}{2}(a+2b) \log\left(\frac{e^{(dx+c)} + 1}{e^{(-c)}}\right) - \frac{1}{2}(a+2b) \log\left(\frac{e^{(dx+c)} - 1}{e^{(-c)}}\right) + 8 \int \frac{1}{4} \left( \frac{a b e^{(3c)}}{a^3 + a^2 b + (a^3 e^{(4c)} + a^2 b e^{(4c)}) e^{(4dx)} + 2(a^3 e^{(2c)} - a^2 b e^{(2c)}) e^{(2dx)} \right)}$

**mupad [B]** time = 1.80, size = 787, normalized size = 9.26

$$\operatorname{atan}\left(\frac{e^{dx} e^c \left(18 b^7 \sqrt{-a^4 d^2} + 48 a^2 b^5 \sqrt{-a^4 d^2} + 27 a^3 b^4 \sqrt{-a^4 d^2} + 8 a^4 b^3 \sqrt{-a^4 d^2} + a^5 b^2 \sqrt{-a^4 d^2} + 45 a b^6 \sqrt{-a^4 d^2}\right)}{9 a^2 b^6 d \sqrt{a^2+4 a b+4 b^2} + 18 a^3 b^5 d \sqrt{a^2+4 a b+4 b^2} + 15 a^4 b^4 d \sqrt{a^2+4 a b+4 b^2} + 6 a^5 b^3 d \sqrt{a^2+4 a b+4 b^2} + a^6 b^2 d \sqrt{a^2+4 a b+4 b^2}}\right) \sqrt{a^2 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c+d*x)^3*(a+b*tanh(c+d*x)^2)), x)`

```
[Out] (atan((exp(d*x)*exp(c)*(18*b^7*(-a^4*d^2)^(1/2) + 48*a^2*b^5*(-a^4*d^2)^(1/2) + 27*a^3*b^4*(-a^4*d^2)^(1/2) + 8*a^4*b^3*(-a^4*d^2)^(1/2) + a^5*b^2*(-a^4*d^2)^(1/2) + 45*a*b^6*(-a^4*d^2)^(1/2)))/(9*a^2*b^6*d*(4*a*b + a^2 + 4*b^2)^(1/2) + 18*a^3*b^5*d*(4*a*b + a^2 + 4*b^2)^(1/2) + 15*a^4*b^4*d*(4*a*b + a^2 + 4*b^2)^(1/2) + 6*a^5*b^3*d*(4*a*b + a^2 + 4*b^2)^(1/2) + a^6*b^2*d*(4*a*b + a^2 + 4*b^2)^(1/2)))*(4*a*b + a^2 + 4*b^2)^(1/2)/(-a^4*d^2)^(1/2) - ((2*atan((exp(d*x)*exp(c)*(a + b)*(-a^4*d^2)^(1/2))/(2*a^2*d*(b*(a + b))^(1/2))) + 2*atan(((exp(d*x)*exp(c))*((64*(2*a^4*b*d*(a*b + b^2)^(1/2) + 6*a^2*b^3*d*(a*b + b^2)^(1/2) + 6*a^3*b^2*d*(a*b + b^2)^(1/2)))/(a^9*d^2*(a + b)^2*(2*a*b + a^2 + b^2)) - (32*(3*b^4*(-a^4*d^2)^(1/2) + 4*a^2*b^2*(-a^4*d^2)^(1/2) + 6*a*b^3*(-a^4*d^2)^(1/2) + a^3*b*(-a^4*d^2)^(1/2)))/(a^7*d*(a + b)*(-a^4*d^2)^(1/2)*(b*(a + b))^(1/2)*(2*a*b + a^2 + b^2))) - (32*exp(3*c)*exp(3*d*x)*(3*b^4*(-a^4*d^2)^(1/2) + 4*a^2*b^2*(-a^4*d^2)^(1/2) + 6*a*b^3*(-a^4*d^2)^(1/2) + a^3*b*(-a^4*d^2)^(1/2)))/(a^7*d*(a + b)*(-a^4*d^2)^(1/2)*(b*(a + b))^(1/2)*(2*a*b + a^2 + b^2)))*(a^8*(-a^4*d^2)^(1/2) + a^5*b^3*(-a^4*d^2)^(1/2) + 3*a^6*b^2*(-a^4*d^2)^(1/2) + 3*a^7*b*(-a^4*d^2)^(1/2)))/(192*a*b^2 + 64*a^2*b + 192*b^3)))*(a*b + b^2)^(1/2)/(2*(-a^4*d^2)^(1/2)) - exp(c + d*x)/(a*d*(exp(2*c + 2*d*x) - 1)) - (2*exp(c + d*x))/(a*d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x) + 1))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**3/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(csch(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)
```

$$3.32 \quad \int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=70

$$\frac{\sqrt{b}(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(a+b) \operatorname{coth}(c+dx)}{a^2d} - \frac{\operatorname{coth}^3(c+dx)}{3ad}$$

[Out] (a+b)\*coth(d\*x+c)/a^2/d-1/3\*coth(d\*x+c)^3/a/d+(a+b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/a^(5/2)/d

**Rubi [A]** time = 0.09, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 453, 325, 205}

$$\frac{(a+b) \operatorname{coth}(c+dx)}{a^2d} + \frac{\sqrt{b}(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d} - \frac{\operatorname{coth}^3(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (Sqrt[b]\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*d) + ((a + b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 325

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 453

Int[((e\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(c\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*e\*(m + 1)), x] + Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(a\*e^n\*(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c

- a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^4(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\operatorname{coth}^3(c + dx)}{3ad} - \frac{(a + b) \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{ad} \\ &= \frac{(a + b) \operatorname{coth}(c + dx)}{a^2d} - \frac{\operatorname{coth}^3(c + dx)}{3ad} + \frac{(b(a + b)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{a^2d} \\ &= \frac{\sqrt{b}(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d} + \frac{(a + b) \operatorname{coth}(c + dx)}{a^2d} - \frac{\operatorname{coth}^3(c + dx)}{3ad} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 71, normalized size = 1.01

$$\frac{3\sqrt{b}(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + \sqrt{a} \operatorname{coth}(c + dx) (-\operatorname{acsch}^2(c + dx) + 2a + 3b)}{3a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (3\*Sqrt[b]\*(a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] + Sqrt[a]\*Coth[c + d\*x]\*(2\*a + 3\*b - a\*Csch[c + d\*x]^2))/(3\*a^(5/2)\*d)

**fricas [B]** time = 0.62, size = 1628, normalized size = 23.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\frac{1}{6} \cdot (12 \cdot b \cdot \cosh(d \cdot x + c)^4 + 48 \cdot b \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^3 + 12 \cdot b \cdot \sinh(d \cdot x + c)^4 - 24 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + 24 \cdot (3 \cdot b \cdot \cosh(d \cdot x + c)^2 - a - b) \cdot \sinh(d \cdot x + c)^2 + 3 \cdot ((a + b) \cdot \cosh(d \cdot x + c)^6 + 6 \cdot (a + b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^5 + (a + b) \cdot \sinh(d \cdot x + c)^6 - 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)^4 + 3 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 - a - b) \cdot \sinh(d \cdot x + c)^4 + 4 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^3 - 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c)^3 + 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + 3 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^4 - 6 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + a + b) \cdot \sinh(d \cdot x + c)^2 + 6 \cdot ((a + b) \cdot \cosh(d \cdot x + c)^5 - 2 \cdot (a + b) \cdot \cosh(d \cdot x + c)^3 + (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) - a - b) \cdot \sqrt{-b/a} \cdot \log(((a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(d \cdot x + c)^4 + 4 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^3 + (a^2 + 2 \cdot a \cdot b + b^2) \cdot \sinh(d \cdot x + c)^4 + 2 \cdot (a^2 - b^2) \cdot \cosh(d \cdot x + c)^2 + 2 \cdot (3 \cdot (a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(d \cdot x + c)^2 + a^2 - b^2) \cdot \sinh(d \cdot x + c)^2 + a^2 - 6 \cdot a \cdot b + b^2 + 4 \cdot ((a^2 + 2 \cdot a \cdot b + b^2) \cdot \cosh(d \cdot x + c)^3 + (a^2 - b^2) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) + 4 \cdot ((a^2 + a \cdot b) \cdot \cosh(d \cdot x + c)^2 + 2 \cdot (a^2 + a \cdot b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c) + (a^2 + a \cdot b) \cdot \sinh(d \cdot x + c)^2 + a^2 - a \cdot b) \cdot \sqrt{-b/a})) / ((a + b) \cdot \cosh(d \cdot x + c)^4 + 4 \cdot (a + b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^3 + (a + b) \cdot \sinh(d \cdot x + c)^4 + 2 \cdot (a - b) \cdot \cosh(d \cdot x + c)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + a - b) \cdot \sinh(d \cdot x + c)^2 + 4 \cdot ((a + b) \cdot \cosh(d \cdot x + c)^3 + (a - b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) + a + b) + 48 \cdot (b \cdot \cosh(d \cdot x + c)^3 - (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) + 8 \cdot a + 12 \cdot b) / (a^2 \cdot d \cdot \cosh(d \cdot x + c)^6 + 6 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^5 + a^2 \cdot d \cdot \sinh(d \cdot x + c)^6 - 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^4 + 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 + 3 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 - a^2 \cdot d) \cdot \sinh(d \cdot x + c)^4 + 4 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^3 - 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c)^3 - a^2 \cdot d + 3 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^4 - 6 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 + a^2 \cdot d) \cdot \sinh(d \cdot x + c)^2 + 6 \cdot (a^2 \cdot d \cdot \cosh(d \cdot x + c)^5 - 2 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^3 + a^2 \cdot d \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c)), \frac{1}{3} \cdot (6 \cdot b \cdot \cosh(d \cdot x + c)^4 + 24 \cdot b \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^3 + 6 \cdot b \cdot \sinh(d \cdot x + c)^4 - 12 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + 12 \cdot (3 \cdot b \cdot \cosh(d \cdot x + c)^2 - a - b) \cdot \sinh(d \cdot x + c)^2 + 3 \cdot ((a + b) \cdot \cosh(d \cdot x + c)^6 + 6 \cdot (a + b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^5 + (a + b) \cdot \sinh(d \cdot x + c)^6 - 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)^4 + 3 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 - a - b) \cdot \sinh(d \cdot x + c)^4 + 4 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^3 - 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c)^3 + 3 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + 3 \cdot (5 \cdot (a + b) \cdot \cosh(d \cdot x + c)^4 - 6 \cdot (a + b) \cdot \cosh(d \cdot x + c)^2 + a + b) \cdot \sinh(d \cdot x + c)^2 + 6 \cdot ((a + b) \cdot \cosh(d \cdot x + c)^5 - 2 \cdot (a + b) \cdot \cosh(d \cdot x + c)^3 + (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) - a - b) \cdot \sqrt{b/a} \cdot \arctan(\frac{1}{2} \cdot ((a + b) \cdot \cosh(d \cdot x + c)^2 + 2 \cdot (a + b) \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c) + (a + b) \cdot \sinh(d \cdot x + c)^2 + a - b) \cdot \sqrt{b/a}) / b) + 24 \cdot (b \cdot \cosh(d \cdot x + c)^3 - (a + b) \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c) + 4 \cdot a + 6 \cdot b) / (a^2 \cdot d \cdot \cosh(d \cdot x + c)^6 + 6 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c) \cdot \sinh(d \cdot x + c)^5 + a^2 \cdot d \cdot \sinh(d \cdot x + c)^6 - 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^4 + 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 + 3 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 - a^2 \cdot d) \cdot \sinh(d \cdot x + c)^4 + 4 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^3 - 3 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)) \cdot \sinh(d \cdot x + c)^3 - a^2 \cdot d + 3 \cdot (5 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^4 - 6 \cdot a^2 \cdot d \cdot \cosh(d \cdot x + c)^2 + a^2 \cdot d)$$



\*d)\*sinh(d\*x + c)^2 + 6\*(a^2\*d\*cosh(d\*x + c)^5 - 2\*a^2\*d\*cosh(d\*x + c)^3 + a^2\*d\*cosh(d\*x + c))\*sinh(d\*x + c))]

giac [B] time = 0.36, size = 132, normalized size = 1.89

$$\frac{3 \left( a b e^{(2c)} + b^2 e^{(2c)} \right) \arctan \left( \frac{a e^{(2dx+2c)} + b e^{(2dx+2c)} + a - b}{2 \sqrt{ab}} \right) e^{(-2c)}}{\sqrt{ab} a^2} + \frac{2 \left( 3 b e^{(4dx+4c)} - 6 a e^{(2dx+2c)} - 6 b e^{(2dx+2c)} + 2 a + 3 b \right)}{a^2 \left( e^{(2dx+2c)} - 1 \right)^3}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/3\*(3\*(a\*b\*e^(2\*c) + b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*a^2) + 2\*(3\*b\*e^(4\*d\*x + 4\*c) - 6\*a\*e^(2\*d\*x + 2\*c) - 6\*b\*e^(2\*d\*x + 2\*c) + 2\*a + 3\*b)/(a^2\*(e^(2\*d\*x + 2\*c) - 1)^3))/d

maple [B] time = 0.37, size = 750, normalized size = 10.71

$$-\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{24da} + \frac{3 \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} + \frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)b}{2d a^2} - \frac{b \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{b \operatorname{arctanh}\left(\frac{a}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{da\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/24/d/a\*tanh(1/2\*d\*x+1/2\*c)^3+3/8/d/a\*tanh(1/2\*d\*x+1/2\*c)+1/2/d/a^2\*tanh(1/2\*d\*x+1/2\*c)\*b-1/d\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+1/d\*b/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*b^2-1/d\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d\*b/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*b^2+1/d/a^2\*b^2/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/d/a^2\*b^3/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/d/a^2\*b^2/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d/a^2\*b^3/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)-1/d/a^2\*b^3/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)

$$\frac{1}{\sqrt{2}} \left/ \left( (2(b(a+b))^{1/2} + a + 2b) \cdot a \right)^{1/2} \cdot \arctan\left(\frac{a \tanh(1/2 dx + 1/2 c)}{\left( (2(b(a+b))^{1/2} + a + 2b) \cdot a \right)^{1/2}}\right) - \frac{1}{24} \frac{d}{a} \frac{1}{\tanh(1/2 dx + 1/2 c)} \right. \\ \left. + \frac{3}{8} \frac{d}{a} \frac{1}{\tanh(1/2 dx + 1/2 c)} + \frac{1}{2} \frac{d \cdot b}{a^2} \frac{1}{\tanh(1/2 dx + 1/2 c)} \right)$$

**maxima** [B] time = 0.46, size = 134, normalized size = 1.91

$$\frac{2 \left( 6(a+b)e^{(-2dx-2c)} - 3be^{(-4dx-4c)} - 2a - 3b \right)}{3 \left( 3a^2e^{(-2dx-2c)} - 3a^2e^{(-4dx-4c)} + a^2e^{(-6dx-6c)} - a^2 \right) d} - \frac{(ab+b^2) \arctan\left(\frac{(a+b)e^{(-2dx-2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab} a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $\frac{2/3 * (6 * (a + b) * e^{(-2 * d * x - 2 * c)} - 3 * b * e^{(-4 * d * x - 4 * c)} - 2 * a - 3 * b) / ((3 * a^2 * e^{(-2 * d * x - 2 * c)} - 3 * a^2 * e^{(-4 * d * x - 4 * c)} + a^2 * e^{(-6 * d * x - 6 * c)} - a^2) * d) - (a * b + b^2) * \arctan(1/2 * ((a + b) * e^{(-2 * d * x - 2 * c)} + a - b) / \sqrt{a * b}) / (\sqrt{a * b} * a^2 * d)}$

**mupad** [B] time = 1.44, size = 254, normalized size = 3.63

$$\frac{2b}{a^2 d (e^{2c+2dx} - 1)} - \frac{8}{3ad (3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1)} - \frac{4}{ad (e^{4c+4dx} - 2e^{2c+2dx} + 1)} + \frac{\sqrt{-b} \ln\left(-\frac{4be^2}{a}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)), x)

[Out]  $\frac{(2 * b) / (a^2 * d * (\exp(2 * c + 2 * d * x) - 1)) - 8 / (3 * a * d * (3 * \exp(2 * c + 2 * d * x) - 3 * \exp(4 * c + 4 * d * x) + \exp(6 * c + 6 * d * x) - 1)) - 4 / (a * d * (\exp(4 * c + 4 * d * x) - 2 * \exp(2 * c + 2 * d * x) + 1)) + ((-b)^{(1/2)} * \log(- (4 * b * \exp(2 * c + 2 * d * x)) / a^2 - (2 * (-b)^{(1/2)} * (a * d + b * d + a * d * \exp(2 * c + 2 * d * x) - b * d * \exp(2 * c + 2 * d * x)))) / (a^{(5/2)} * d)) * (a + b) / (2 * a^{(5/2)} * d) - ((-b)^{(1/2)} * \log((2 * (-b)^{(1/2)} * (a * d + b * d + a * d * \exp(2 * c + 2 * d * x) - b * d * \exp(2 * c + 2 * d * x))) / (a^{(5/2)} * d) - (4 * b * \exp(2 * c + 2 * d * x)) / a^2) * (a + b)) / (2 * a^{(5/2)} * d)}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.33 \quad \int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=192

$$\frac{3x(a^2 - 6ab + b^2)}{8(a+b)^4} + \frac{3b(3a-b) \tanh(c+dx)}{8d(a+b)^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{a}\sqrt{b}(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2d(a+b)^4} + \frac{\sinh(c+dx) \cos}{4d(a+b)(a+b \tanh^2(c+dx))}$$

[Out]  $3/8*(a^2-6*a*b+b^2)*x/(a+b)^4+3/2*(a-b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})$   
 $*a^{(1/2)*b^{(1/2)}/(a+b)^4/d-1/8*(5*a-b)*\cosh(d*x+c)*\sinh(d*x+c)/(a+b)^2/d/(a$   
 $+b*\tanh(d*x+c)^2)+1/4*\cosh(d*x+c)^3*\sinh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2)$   
 $+3/8*(3*a-b)*b*\tanh(d*x+c)/(a+b)^3/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.25, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{3x(a^2 - 6ab + b^2)}{8(a+b)^4} + \frac{3b(3a-b) \tanh(c+dx)}{8d(a+b)^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{a}\sqrt{b}(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2d(a+b)^4} + \frac{\sinh(c+dx) \cos}{4d(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $(3*(a^2 - 6*a*b + b^2)*x)/(8*(a + b)^4) + (3*\text{Sqrt}[a]*(a - b)*\text{Sqrt}[b]*\text{ArcTan}$   
 $[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/(\text{Sqrt}[a])]/(2*(a + b)^4*d) - ((5*a - b)*\text{Cosh}[c + d*$   
 $x]*\text{Sinh}[c + d*x]/(8*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2)) + (\text{Cosh}[c + d*x]^$   
 $3*\text{Sinh}[c + d*x]/(4*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)) + (3*(3*a - b)*b*\text{Tan}$   
 $h[c + d*x]/(8*(a + b)^3*d*(a + b*\text{Tanh}[c + d*x]^2))$

**Rule 205**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 470**

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a+(4a-b)x^2}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{3x}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8(a+b)d} \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} + \frac{3}{8(a+b)d} \text{Subst}\left(\int \frac{x}{1-x^2} dx, x, \tanh(c+dx)\right) \\
&= -\frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))} + \frac{3}{8(a+b)d} \ln|\tanh(c+dx)| \\
&= \frac{3(a^2 - 6ab + b^2)x}{8(a+b)^4} + \frac{3\sqrt{a}(a-b)\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2(a+b)^4 d} - \frac{(5a-b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 1.04, size = 132, normalized size = 0.69

$$\frac{12(a^2 - 6ab + b^2)(c + dx) + (a + b)^2 \sinh(4(c + dx)) - 8(a - b)(a + b) \sinh(2(c + dx)) + 48\sqrt{a}\sqrt{b}(a - b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c + dx)}{\sqrt{a}}\right)}{32d(a + b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (12\*(a^2 - 6\*a\*b + b^2)\*(c + d\*x) + 48\*sqrt[a]\*(a - b)\*sqrt[b]\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] - 8\*(a - b)\*(a + b)\*Sinh[2\*(c + d\*x)] + (16\*a\*b\*(a + b)\*Sinh[2\*(c + d\*x)])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]) + (a + b)^2\*Sinh[4\*(c + d\*x)]/(32\*(a + b)^4\*d)

**fricas [B]** time = 1.08, size = 7366, normalized size = 38.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/64\*((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^12 + 12\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^12 - 6\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^10 - 6\*(a^3 + a^2\*b - a\*b^2 - b^3 - 11\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^10 + 20\*(11\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^3 - 3\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 - (15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^8 + (495\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 - 15\*a^3 + 19\*a^2\*b + 19\*a\*b^2 - 15\*b^3 + 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x - 270\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^8 + 8\*(99\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^5 - 90\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^3 - (15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 16\*(4\*a^2\*b - 4\*a\*b^2 - 3\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x)\*cosh(d\*x + c)^6 + 4\*(231\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^6 - 315\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^4 - 16\*a^2\*b + 16\*a\*b^2 + 12\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x - 7\*(15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 8\*(99\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^7 - 189\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^5 - 7\*(15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^3 - 12\*(4\*a^2\*b - 4\*a\*b^2 - 3\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + (15\*a^3 - 83\*a^2\*b - 83\*a\*b^2 + 15\*b^3 + 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^4 + (495\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^8 - 1260\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^6 - 70\*(15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^4 + 15\*a^3 - 83\*a^2\*b - 83\*a\*b^2 + 15\*b^3 + 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x - 240\*(4\*a^2\*b - 4\*a\*b^2 - 3\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 4\*(55\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^9 - 180\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^7 - 14\*(15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^5 - 80\*(4\*a^2\*b - 4\*a\*b^2 - 3\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x)\*cosh(d\*x + c)^3 + (15\*a^3 - 83\*a^2\*b - 83\*a\*b^2 + 15\*b^3 + 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - a^3 - 3\*a^2\*b - 3\*a\*b^2 - b^3 + 6\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^2 + 2\*(33\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^10 - 135\*(a^3 + a^2\*b - a\*b^2 - b^3)\*cosh(d\*x + c)^8 - 14\*(15\*a^3 - 19\*a^2\*b - 19\*a\*b^2 + 15\*b^3 - 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^6 - 120\*(4\*a^2\*b - 4\*a\*b^2 - 3\*(a^3 - 7\*a^2\*b + 7\*a\*b^2 - b^3)\*d\*x)\*cosh(d\*x + c)^4 + 3\*a^3 + 3\*a^2\*b - 3\*a\*b^2 - 3\*b^3 + 3\*(15\*a^3 - 83\*a^2\*b - 83\*a\*b^2 + 15\*b^3 + 24\*(a^3 - 5\*a^2\*b - 5\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 - 48\*((a^2 - b^2)\*cosh(d\*x + c)^8 + 8\*(a^2 - b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 - b^2)\*sinh(d\*x + c)^8 + 2\*(a^2 - 2\*a\*b + b^2)\*cosh(d\*x + c)^6 + 2\*(14\*(a^2 - b^2)\*c

$$\begin{aligned}
& \text{osh}(d*x + c)^2 + a^2 - 2*a*b + b^2) * \sinh(d*x + c)^6 + 4*(14*(a^2 - b^2) * \cos \\
& h(d*x + c)^3 + 3*(a^2 - 2*a*b + b^2) * \cosh(d*x + c)) * \sinh(d*x + c)^5 + (a^2 \\
& - b^2) * \cosh(d*x + c)^4 + (70*(a^2 - b^2) * \cosh(d*x + c)^4 + 30*(a^2 - 2*a*b \\
& + b^2) * \cosh(d*x + c)^2 + a^2 - b^2) * \sinh(d*x + c)^4 + 4*(14*(a^2 - b^2) * \cos \\
& h(d*x + c)^5 + 10*(a^2 - 2*a*b + b^2) * \cosh(d*x + c)^3 + (a^2 - b^2) * \cosh(d* \\
& x + c)) * \sinh(d*x + c)^3 + 2*(14*(a^2 - b^2) * \cosh(d*x + c)^6 + 15*(a^2 - 2*a \\
& *b + b^2) * \cosh(d*x + c)^4 + 3*(a^2 - b^2) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 \\
& + 4*(2*(a^2 - b^2) * \cosh(d*x + c)^7 + 3*(a^2 - 2*a*b + b^2) * \cosh(d*x + c)^5 \\
& + (a^2 - b^2) * \cosh(d*x + c)^3) * \sinh(d*x + c)) * \sqrt{-a*b} * \log(((a^2 + 2*a*b \\
& + b^2) * \cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2) * \cosh(d*x + c) * \sinh(d*x + c)^ \\
& 3 + (a^2 + 2*a*b + b^2) * \sinh(d*x + c)^4 + 2*(a^2 - b^2) * \cosh(d*x + c)^2 + 2 \\
& *(3*(a^2 + 2*a*b + b^2) * \cosh(d*x + c)^2 + a^2 - b^2) * \sinh(d*x + c)^2 + a^2 \\
& - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2) * \cosh(d*x + c)^3 + (a^2 - b^2) * \cosh(d \\
& *x + c)) * \sinh(d*x + c) - 4*((a + b) * \cosh(d*x + c)^2 + 2*(a + b) * \cosh(d*x + \\
& c) * \sinh(d*x + c) + (a + b) * \sinh(d*x + c)^2 + a - b) * \sqrt{-a*b})) / ((a + b) * \co \\
& sh(d*x + c)^4 + 4*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a + b) * \sinh(d*x \\
& + c)^4 + 2*(a - b) * \cosh(d*x + c)^2 + 2*(3*(a + b) * \cosh(d*x + c)^2 + a - b) * \\
& \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c)^3 + (a - b) * \cosh(d*x + c)) * \sinh( \\
& d*x + c) + a + b)) + 4*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^11 \\
& - 15*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^9 - 2*(15*a^3 - 19*a^2*b - 1 \\
& 9*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^7 \\
& - 24*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + \\
& c)^5 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^ \\
& 2 + b^3) * d*x) * \cosh(d*x + c)^3 + 3*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c) \\
& ) * \sinh(d*x + c)) / ((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) \\
& * d * \cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + \\
& b^5) * d * \cosh(d*x + c) * \sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^ \\
& 2*b^3 + 5*a*b^4 + b^5) * d * \sinh(d*x + c)^8 + 2*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2 \\
& *a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(d*x + c)^6 + 2*(14*(a^5 + 5*a^4*b + 10*a^3 \\
& *b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a \\
& ^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d) * \sinh(d*x + c)^6 + (a^5 + 5*a^4*b + 1 \\
& 0*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^4 + 4*(14*(a^5 + 5* \\
& a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^3 + 3*(a^5 \\
& + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(d*x + c)) * \sinh(d \\
& *x + c)^5 + (70*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \\
& * \cosh(d*x + c)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^ \\
& 5) * d * \cosh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + \\
& b^5) * d) * \sinh(d*x + c)^4 + 4*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + \\
& 5*a*b^4 + b^5) * d * \cosh(d*x + c)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b \\
& ^3 - 3*a*b^4 - b^5) * d * \cosh(d*x + c)^3 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^ \\
& 2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 2*(14*(a^5 + 5*a^ \\
& 4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^6 + 15*(a^5 \\
& + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(d*x + c)^4 + 3*(a \\
& ^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^2) * \\
& \sinh(d*x + c)^2 + 4*(2*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 +
\end{aligned}$$

$$\begin{aligned}
& b^5 * d * \cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d * \cosh(d*x + c)^5 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \cosh(d*x + c)^3 * \sinh(d*x + c), \\
& 1/64*((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^{12} + 12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c) * \sinh(d*x + c)^{11} + (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \sinh(d*x + c)^{12} - 6*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^{10} - 6*(a^3 + a^2*b - a*b^2 - b^3 - 11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^{10} + 20*(11*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^3 - 3*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)) * \sinh(d*x + c)^9 - (15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^8 + (495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^4 - 15*a^3 + 19*a^2*b + 19*a*b^2 - 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x - 270*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^8 + 8*(99*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^5 - 90*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^3 - (15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^7 - 16*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + c)^6 + 4*(231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^6 - 315*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^4 - 16*a^2*b + 16*a*b^2 + 12*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x - 7*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^6 + 8*(99*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^7 - 189*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^5 - 7*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^3 - 12*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^5 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^4 + (495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^8 - 1260*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^6 - 70*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^4 + 15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x - 240*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 4*(55*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^9 - 180*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^7 - 14*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^5 - 80*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + c)^3 + (15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)) * \sinh(d*x + c)^3 - a^3 - 3*a^2*b - 3*a*b^2 - b^3 + 6*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^2 + 2*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \cosh(d*x + c)^{10} - 135*(a^3 + a^2*b - a*b^2 - b^3) * \cosh(d*x + c)^8 - 14*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^6 - 120*(4*a^2*b - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * d*x) * \cosh(d*x + c)^4 + 3*a^3 + 3*a^2*b - 3*a*b^2 - 3*b^3 + 3*(15*a^3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * d*x) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 96*((a^2 - b^2) * \cosh(d*x + c)^8 + 8*(a^2 - b^2) * \cosh(d*x + c) * \sinh(d*x + c)^7 + (a^2 - b^2) * \sinh(d*x + c)^8 + 2*(a^2 - 2*a
\end{aligned}$$



$$\begin{aligned}
& b + b^2) \cosh(dx + c)^6 + 2*(14*(a^2 - b^2) \cosh(dx + c)^2 + a^2 - 2*a*b \\
& + b^2) \sinh(dx + c)^6 + 4*(14*(a^2 - b^2) \cosh(dx + c)^3 + 3*(a^2 - 2*a*b \\
& + b^2) \cosh(dx + c)) \sinh(dx + c)^5 + (a^2 - b^2) \cosh(dx + c)^4 + (70* \\
& (a^2 - b^2) \cosh(dx + c)^4 + 30*(a^2 - 2*a*b + b^2) \cosh(dx + c)^2 + a^2 \\
& - b^2) \sinh(dx + c)^4 + 4*(14*(a^2 - b^2) \cosh(dx + c)^5 + 10*(a^2 - 2*a* \\
& b + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c)^3 + 2*( \\
& 14*(a^2 - b^2) \cosh(dx + c)^6 + 15*(a^2 - 2*a*b + b^2) \cosh(dx + c)^4 + 3 \\
& *(a^2 - b^2) \cosh(dx + c)^2) \sinh(dx + c)^2 + 4*(2*(a^2 - b^2) \cosh(dx + \\
& c)^7 + 3*(a^2 - 2*a*b + b^2) \cosh(dx + c)^5 + (a^2 - b^2) \cosh(dx + c)^3 \\
& ) \sinh(dx + c)) \sqrt{a*b} \arctan(1/2*((a + b) \cosh(dx + c)^2 + 2*(a + b) * \\
& \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{a*b} / (a \\
& *b)) + 4*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \cosh(dx + c)^11 - 15*(a^3 + a^ \\
& 2*b - a*b^2 - b^3) \cosh(dx + c)^9 - 2*(15*a^3 - 19*a^2*b - 19*a*b^2 + 15*b \\
& ^3 - 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * dx) \cosh(dx + c)^7 - 24*(4*a^2*b \\
& - 4*a*b^2 - 3*(a^3 - 7*a^2*b + 7*a*b^2 - b^3) * dx) \cosh(dx + c)^5 + (15*a^ \\
& 3 - 83*a^2*b - 83*a*b^2 + 15*b^3 + 24*(a^3 - 5*a^2*b - 5*a*b^2 + b^3) * dx) * \\
& \cosh(dx + c)^3 + 3*(a^3 + a^2*b - a*b^2 - b^3) \cosh(dx + c) \sinh(dx + c \\
& )) / ((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + \\
& c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(d \\
& *x + c) \sinh(dx + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^ \\
& 4 + b^5) * d \sinh(dx + c)^8 + 2*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a \\
& *b^4 - b^5) * d \cosh(dx + c)^6 + 2*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2* \\
& b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2 \\
& *b^3 - 3*a*b^4 - b^5) * d) \sinh(dx + c)^6 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10 \\
& *a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c)^4 + 4*(14*(a^5 + 5*a^4*b + 10*a^3 \\
& *b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c)^3 + 3*(a^5 + 3*a^4*b + 2 \\
& *a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d \cosh(dx + c)) \sinh(dx + c)^5 + (7 \\
& 0*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c) \\
& ^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d \cosh(dx \\
& + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d) \sinh( \\
& dx + c)^4 + 4*(14*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 \\
& ) * d \cosh(dx + c)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - \\
& b^5) * d \cosh(dx + c)^3 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^ \\
& 4 + b^5) * d \cosh(dx + c) \sinh(dx + c)^3 + 2*(14*(a^5 + 5*a^4*b + 10*a^3*b \\
& ^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c)^6 + 15*(a^5 + 3*a^4*b + 2* \\
& a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d \cosh(dx + c)^4 + 3*(a^5 + 5*a^4*b + \\
& 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(dx + c)^2) \sinh(dx + c)^ \\
& 2 + 4*(2*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d \cosh(d \\
& *x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5) * d \cos \\
& h(dx + c)^5 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) * d * \\
& \cosh(dx + c)^3) \sinh(dx + c)]
\end{aligned}$$

**giac [B]** time = 1.91, size = 525, normalized size = 2.73

$$\frac{24(a^2 - 6ab + b^2)dx}{a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4} + \frac{96(a^2be^{2c} - ab^2e^{2c}) \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)e^{-2c}}{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)\sqrt{ab}} - \frac{(18a^2e^{(4dx+4c)} - 108abe^{(4dx+4c)} + 18b^2e^{(4dx+4c)} - 8a^4e^{(4c)} + 4a^3be^{(4c)} + 6a^2b^2e^{(4c)})}{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/64\*(24\*(a^2 - 6\*a\*b + b^2)\*d\*x/(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4) + 96\*(a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/((a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*sqrt(a\*b)) - (18\*a^2\*e^(4\*d\*x + 4\*c) - 108\*a\*b\*e^(4\*d\*x + 4\*c) + 18\*b^2\*e^(4\*d\*x + 4\*c) - 8\*a^2\*e^(2\*d\*x + 2\*c) + 8\*b^2\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-4\*d\*x)/(a^4\*e^(4\*c) + 4\*a^3\*b\*e^(4\*c) + 6\*a^2\*b^2\*e^(4\*c) + 4\*a\*b^3\*e^(4\*c) + b^4\*e^(4\*c)) + (a^2\*e^(4\*d\*x + 28\*c) + 2\*a\*b\*e^(4\*d\*x + 28\*c) + b^2\*e^(4\*d\*x + 28\*c) - 8\*a^2\*e^(2\*d\*x + 26\*c) + 8\*b^2\*e^(2\*d\*x + 26\*c))/(a^4\*e^(24\*c) + 4\*a^3\*b\*e^(24\*c) + 6\*a^2\*b^2\*e^(24\*c) + 4\*a\*b^3\*e^(24\*c) + b^4\*e^(24\*c)) - 64\*(a^2\*b\*e^(2\*d\*x + 2\*c) - a\*b^2\*e^(2\*d\*x + 2\*c) + a^2\*b + a\*b^2)/((a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b))/d

**maple [B]** time = 0.35, size = 1246, normalized size = 6.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -3/2/d\*a^3\*b/(a+b)^4/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+3/2/d\*a\*b^3/(a+b)^4/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+3/2/d\*a\*b^3/(a+b)^4/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/8/d/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^2\*a+7/8/d/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^2\*b-3/8/d/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)\*a+5/8/d/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)\*b-3/8/d/(a+b)^4\*ln(tanh(1/2\*d\*x+1/2\*c)-1)\*a^2-3/8/d/(a+b)^4\*ln(tanh(1/2\*d\*x+1/2\*c)-1)\*b^2+1/8/d/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)^2\*a-3/2/d\*a^3\*b/(a+b)^4/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/2/d\*a\*b^2/(a+b)^4/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+3/2

$$\begin{aligned} & /d*a*b^2/(a+b)^4/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+ \\ & 1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-7/8/d/(a+b)^3/(\tanh(1/2*d*x+1/2 \\ & *c)+1)^2*b-3/8/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)*a+5/8/d/(a+b)^3/(\tanh(1/2* \\ & d*x+1/2*c)+1)*b+3/8/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*a^2+3/8/d/(a+b)^4*\ln \\ & n(\tanh(1/2*d*x+1/2*c)+1)*b^2+1/d*a^2*b/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*t \\ & anh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1 \\ & /d*a*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh( \\ & 1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1/d*a^2*b/(a+b)^4/(\tanh(1/2*d*x \\ & +1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2 \\ & *d*x+1/2*c)+1/d*a*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c \\ & )^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+3/2/d*a^2*b/(a+b)^4/ \\ & ((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a \\ & +b))^(1/2)-a-2*b)*a)^(1/2))-3/2/d*a^2*b/(a+b)^4/((2*(b*(a+b))^(1/2)+a+2*b)* \\ & a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+ \\ & 1/4/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^4+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)- \\ & 1)^3-1/4/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^4+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/ \\ & 2*c)+1)^3+9/4/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)-1)*a*b-9/4/d/(a+b)^4*\ln(\tanh \\ & (1/2*d*x+1/2*c)+1)*a*b \end{aligned}$$

**maxima [B]** time = 0.72, size = 1690, normalized size = 8.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/4*(a*b - 2*b^2)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} \\ & + a + b)/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d) - 1/2*b*\log((a + b) \\ & )*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^3 + 3*a^2*b + 3* \\ & a*b^2 + b^3)*d) + 1/4*(a*b - 2*b^2)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b) \\ & )*e^{(-4*d*x - 4*c)} + a + b)/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d) \\ & + 1/2*b*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b) \\ & /((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 1/32*(3*a^3*b - 33*a^2*b^2 + 13*a*b^3 \\ & + b^4)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^5 + 4* \\ & a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*\sqrt{a*b}*d) + 1/8*(3*a^2*b - 6*a*b^2 \\ & - b^3)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^4 + 3* \\ & a^3*b + 3*a^2*b^2 + a*b^3)*\sqrt{a*b}*d) - 1/32*(3*a^3*b - 33*a^2*b^2 + 13*a \\ & *b^3 + b^4)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^5 \\ & + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*\sqrt{a*b}*d) - 1/8*(3*a^2*b - 6* \\ & a*b^2 - b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^4 \\ & + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sqrt{a*b}*d) - 3/16*(3*a*b + b^2)*\arctan(1/ \\ & 2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^3 + 2*a^2*b + a*b^2)*\sqrt{ \\ & a*b}*d) - 1/16*(a^3*b - 5*a^2*b^2 - 5*a*b^3 + b^4 + (a^3*b - 15*a^2*b^2 \\ & + 15*a*b^3 - b^4)*e^{(2*d*x + 2*c)})/((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 \\ & + 5*a^2*b^4 + a*b^5 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 \end{aligned}$$

```

4 + a*b^5)*e^(4*d*x + 4*c) + 2*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a
^2*b^4 - a*b^5)*e^(2*d*x + 2*c))*d) + 1/16*(a^3*b - 5*a^2*b^2 - 5*a*b^3 + b
^4 + (a^3*b - 15*a^2*b^2 + 15*a*b^3 - b^4)*e^(-2*d*x - 2*c))/((a^6 + 5*a^5*b
b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5 + 2*(a^6 + 3*a^5*b + 2*a^4*
b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*e^(-2*d*x - 2*c) + (a^6 + 5*a^5*b + 10
*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*e^(-4*d*x - 4*c))*d) - 1/4*(a^2*
b - b^3 + (a^2*b - 6*a*b^2 + b^3)*e^(2*d*x + 2*c))/((a^5 + 4*a^4*b + 6*a^3*
b^2 + 4*a^2*b^3 + a*b^4 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*e
^(4*d*x + 4*c) + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*e^(2*d*x + 2*c))*d)
+ 1/4*(a^2*b - b^3 + (a^2*b - 6*a*b^2 + b^3)*e^(-2*d*x - 2*c))/((a^5 + 4*a^
4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)
*e^(-2*d*x - 2*c) + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*e^(-4*d
*x - 4*c))*d) + 3/8*(a*b + b^2 + (a*b - b^2)*e^(-2*d*x - 2*c))/((a^4 + 3*a^
3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^(-2*d*x - 2*c
) + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^(-4*d*x - 4*c))*d) + 3/8*(d*x + c
)/((a^2 + 2*a*b + b^2)*d) + 1/64*((a + b)*e^(4*d*x + 4*c) + 16*b*e^(2*d*x +
2*c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/64*(16*b*e^(-2*d*x - 2*c) +
(a + b)*e^(-4*d*x - 4*c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/8*e^(2*d*
x + 2*c)/((a^2 + 2*a*b + b^2)*d) + 1/8*e^(-2*d*x - 2*c)/((a^2 + 2*a*b + b^2
)*d)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)^4}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(c + d*x)^4/(a + b*tanh(c + d*x)^2)^2,x)
```

```
[Out] int(sinh(c + d*x)^4/(a + b*tanh(c + d*x)^2)^2, x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**4/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Timed out
```

$$3.34 \quad \int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=124

$$\frac{\cosh^3(c+dx)}{3d(a+b)^2} - \frac{(a-b)\cosh(c+dx)}{d(a+b)^3} + \frac{ab\operatorname{sech}(c+dx)}{2d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{\sqrt{b}(3a-2b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{7/2}}$$

[Out]  $-(a-b)*\cosh(d*x+c)/(a+b)^{3/d+1/3}*\cosh(d*x+c)^3/(a+b)^{2/d+1/2}*a*b*\operatorname{sech}(d*x+c)/(a+b)^{3/d}/(a+b-b*\operatorname{sech}(d*x+c)^2)+1/2*(3*a-2*b)*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{1/2})/(a+b)^{(1/2)}*b^{1/2}/(a+b)^{(7/2)}/d$

**Rubi [A]** time = 0.22, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3664, 456, 1261, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)^2} - \frac{(a-b)\cosh(c+dx)}{d(a+b)^3} + \frac{ab\operatorname{sech}(c+dx)}{2d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{\sqrt{b}(3a-2b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^3/(a + b*Tanh[c + d*x]^2)^2, x]`

[Out]  $((3*a - 2*b)*\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c + d*x])/(\operatorname{Sqrt}[a + b])])/(2*(a + b)^{(7/2)*d}) - ((a - b)*\operatorname{Cosh}[c + d*x])/((a + b)^{3*d}) + \operatorname{Cosh}[c + d*x]^3/(3*(a + b)^{2*d}) + (a*b*\operatorname{Sech}[c + d*x])/((2*(a + b)^{3*d}*(a + b - b*\operatorname{Sech}[c + d*x]^2))$

### Rule 208

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

### Rule 456

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_)*((c_) + (d_)*(x_)^2), x_Symbol] :> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p + 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*ExpandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c - a*d)*x^(-m + 2)]/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])`

Rule 1261

Int[((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)^2]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[(-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p/x^(m + 1), x], x, Sec[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{\sinh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{b \text{Subst}\left(\int \frac{\frac{2}{b(a+b)} + \frac{2ax^2}{b(a+b)^2} + \frac{ax^4}{(a+b)^3}}{x^4(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{2d} \\ &= \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{b \text{Subst}\left(\int \left(-\frac{2}{b(a+b)^2 x^4} + \frac{2(a-b)}{b(a+b)^3 x^2} + \frac{3a-b}{(a+b)^3}\right) dx, x, \text{sech}(c + dx)\right)}{2d} \\ &= -\frac{(a - b) \cosh(c + dx)}{(a + b)^3 d} + \frac{\cosh^3(c + dx)}{3(a + b)^2 d} + \frac{ab \text{sech}(c + dx)}{2(a + b)^3 d (a + b - b \text{sech}^2(c + dx))} + \frac{3a-b}{2(a+b)^3} \\ &= \frac{(3a - 2b)\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c + dx)}{\sqrt{a+b}}\right)}{2(a + b)^{7/2} d} - \frac{(a - b) \cosh(c + dx)}{(a + b)^3 d} + \frac{\cosh^3(c + dx)}{3(a + b)^2 d} + \frac{3a-b}{2(a+b)^3} \end{aligned}$$

**Mathematica [C]** time = 1.37, size = 160, normalized size = 1.29

$$\frac{3 \cosh(c + dx) \left( a \left( \frac{4b}{(a+b) \cosh(2(c+dx)) + a - b} - 3 \right) + 5b \right)}{(a+b)^3} + \frac{\cosh(3(c+dx))}{(a+b)^2} + \frac{6i\sqrt{b}(3a-2b) \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) \right)}{(a+b)^{7/2}}$$


---

12d

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]^3/(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] (((6*I)*(3*a - 2*b)*Sqrt[b]*(ArcTan[(-I)*Sqrt[a + b] - Sqrt[a]*Tanh[(c + d*x)/2])/Sqrt[b]] + ArcTan[(-I)*Sqrt[a + b] + Sqrt[a]*Tanh[(c + d*x)/2])/Sqrt[b]))/(a + b)^(7/2) + (3*Cosh[c + d*x]*(5*b + a*(-3 + (4*b)/(a - b + (a + b)*Cosh[2*(c + d*x)]))))/(a + b)^3 + Cosh[3*(c + d*x)]/(a + b)^2/(12*d)
```

**fricas** [B] time = 0.75, size = 5025, normalized size = 40.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/24*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^10 + 10*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^9 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^10 - (7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^8 + (45*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - 7*a^2 + 6*a*b + 13*b^2)*sinh(d*x + c)^8 + 8*(15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c))*sinh(d*x + c)^7 - 2*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^6 + 2*(105*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 - 14*(7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^2 - 13*a^2 + 40*a*b - 7*b^2)*sinh(d*x + c)^6 + 4*(63*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 - 14*(7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^3 - 3*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^4 + 2*(105*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 - 35*(7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^4 - 15*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^2 - 13*a^2 + 40*a*b - 7*b^2)*sinh(d*x + c)^4 + 8*(15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 - 7*(7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^5 - 5*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^3 - (13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^2 + (45*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 - 28*(7*a^2 - 6*a*b - 13*b^2)*cosh(d*x + c)^6 - 30*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^4 - 12*(13*a^2 - 40*a*b + 7*b^2)*cosh(d*x + c)^2 - 7*a^2 + 6*a*b + 13*b^2)*sinh(d*x + c)^2 - 6*((3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^7 + 7*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)*sinh(d*x + c)^6 + (3*a^2 + a*b - 2*b^2)*sinh(d*x + c)^7 + 2*(3*a^2 - 5*a*b + 2*b^2)*cosh(d*x + c)^5 + (21*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^2 + 6*a^2 - 10*a*b + 4*b^2)*sinh(d*x + c)^5 + 5*(7*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^3 + 2*(3*a^2 - 5*a*b + 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^4 + (3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^3 + (35*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^4 + 20*(3*a^2 - 5*a*b + 2*b^2)*cosh(d*x + c)^2 + 3*a^2 + a*b - 2*b^2)*sinh(d*x + c)^3 + (21*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^5 + 20*(3*a^2 - 5*a*b + 2*b^2)*cosh(d*x + c)^3 + 3*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^2 + (7*(3*a^2 + a*b - 2*b^2)*cosh(d*x + c)^6 + 10*(3*a^2 - 5*a*b + 2*b^2)*cosh(d*x + c)^4 + 3*(3*a^2 + a
```

$$\begin{aligned}
& *b - 2*b^2)*\cosh(d*x + c)^2*\sinh(d*x + c))*\sqrt{b/(a + b)}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + a^2 + 2*a*b + b^2 + 2*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 - 4*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^7 - 6*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^5 - 4*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^4 + 4*a^3*b + 6*a^2*b^2 + b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^7 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\sinh(d*x + c)^7 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^5 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d)*\sinh(d*x + c)^5 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 5*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^4 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)*\sinh(d*x + c)^3 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^5 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^3 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^6 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^4 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)), 1/24*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^10 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^8 + (45*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - 7*a^2 + 6*a*b + 13*b^2)*\sinh(d*x + c)^8 + 8*(15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 2*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^6 + 2*(105*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 14*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^2 - 13*a^2 + 40*a*b - 7*b^2)*\sinh(d*x + c)^6 + 4*(63*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 14*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^3 - 3*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^4 + 2*(105*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 35*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^4 - 15*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^2 - 13*a^2 + 40*a*b - 7*b^2)*\sinh(d*x + c)^4 + 8*(15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 7*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^5 - 5*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^3 - (13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^2 + (45
\end{aligned}$$



$$\begin{aligned}
&*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 - 28*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x \\
&+ c)^6 - 30*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + c)^4 - 12*(13*a^2 - 40*a* \\
&b + 7*b^2)*\cosh(d*x + c)^2 - 7*a^2 + 6*a*b + 13*b^2)*\sinh(d*x + c)^2 + 12*( \\
&(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^7 + 7*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + \\
&c)*\sinh(d*x + c)^6 + (3*a^2 + a*b - 2*b^2)*\sinh(d*x + c)^7 + 2*(3*a^2 - 5*a \\
&*b + 2*b^2)*\cosh(d*x + c)^5 + (21*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^2 + 6 \\
&*a^2 - 10*a*b + 4*b^2)*\sinh(d*x + c)^5 + 5*(7*(3*a^2 + a*b - 2*b^2)*\cosh(d* \\
&x + c)^3 + 2*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (3*a^ \\
&2 + a*b - 2*b^2)*\cosh(d*x + c)^3 + (35*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^ \\
&4 + 20*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c)^2 + 3*a^2 + a*b - 2*b^2)*\sinh( \\
&d*x + c)^3 + (21*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^5 + 20*(3*a^2 - 5*a*b \\
&+ 2*b^2)*\cosh(d*x + c)^3 + 3*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x \\
&+ c)^2 + (7*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^6 + 10*(3*a^2 - 5*a*b + 2*b \\
&^2)*\cosh(d*x + c)^4 + 3*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c \\
&))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d* \\
&x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) \\
&+ (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)}/b) \\
&- 12*((3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^7 + 7*(3*a^2 + a*b - 2*b^2)*\cosh( \\
&d*x + c)*\sinh(d*x + c)^6 + (3*a^2 + a*b - 2*b^2)*\sinh(d*x + c)^7 + 2*(3*a^2 \\
&- 5*a*b + 2*b^2)*\cosh(d*x + c)^5 + (21*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c) \\
&^2 + 6*a^2 - 10*a*b + 4*b^2)*\sinh(d*x + c)^5 + 5*(7*(3*a^2 + a*b - 2*b^2)*c \\
&osh(d*x + c)^3 + 2*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + \\
&(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^3 + (35*(3*a^2 + a*b - 2*b^2)*\cosh(d*x \\
&+ c)^4 + 20*(3*a^2 - 5*a*b + 2*b^2)*\cosh(d*x + c)^2 + 3*a^2 + a*b - 2*b^2) \\
&*\sinh(d*x + c)^3 + (21*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^5 + 20*(3*a^2 - \\
&5*a*b + 2*b^2)*\cosh(d*x + c)^3 + 3*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c))*\sin \\
&h(d*x + c)^2 + (7*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^6 + 10*(3*a^2 - 5*a*b \\
&+ 2*b^2)*\cosh(d*x + c)^4 + 3*(3*a^2 + a*b - 2*b^2)*\cosh(d*x + c)^2)*\sinh(d \\
&*x + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(d*x + c) + (a + b)*\sinh( \\
&d*x + c))*\sqrt{-b/(a + b)}/b) + a^2 + 2*a*b + b^2 + 2*(5*(a^2 + 2*a*b + b^2) \\
&)*\cosh(d*x + c)^9 - 4*(7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c)^7 - 6*(13*a^2 \\
&- 40*a*b + 7*b^2)*\cosh(d*x + c)^5 - 4*(13*a^2 - 40*a*b + 7*b^2)*\cosh(d*x + \\
&c)^3 - (7*a^2 - 6*a*b - 13*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^4 + 4*a^3 \\
&*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^7 + 7*(a^4 + 4*a^3*b + 6*a^ \\
&2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + (a^4 + 4*a^3*b + 6 \\
&*a^2*b^2 + 4*a*b^3 + b^4)*d*\sinh(d*x + c)^7 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - \\
&b^4)*d*\cosh(d*x + c)^5 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d* \\
&cosh(d*x + c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d)*\sinh(d*x + c)^5 + (a \\
&^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 5*(7*(a^4 + 4 \\
&*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^3 + 2*(a^4 + 2*a^3*b - \\
&2*a*b^3 - b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35*(a^4 + 4*a^3*b + 6*a^ \\
&2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^4 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^ \\
&4)*d*\cosh(d*x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)*\sinh( \\
&d*x + c)^3 + (21*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c \\
&)^5 + 20*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^3 + 3*(a^4 + 4*a^3
\end{aligned}$$

```
*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c))*sinh(d*x + c)^2 + (7*(a^4
+ 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^6 + 10*(a^4 + 2*a^3*
b - 2*a*b^3 - b^4)*d*cosh(d*x + c)^4 + 3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b
^3 + b^4)*d*cosh(d*x + c)^2)*sinh(d*x + c))]
```

**giac** [B] time = 0.94, size = 1929, normalized size = 15.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] -1/24*((9*a*e^(2*d*x + 2*c) - 15*b*e^(2*d*x + 2*c) - a - b)*e^(-3*d*x)/(a^3
*e^(3*c) + 3*a^2*b*e^(3*c) + 3*a*b^2*e^(3*c) + b^3*e^(3*c)) - 12*(2*(6*a^2*
b^2 - 4*a*b^3 + (3*a^2*b - 5*a*b^2 + 2*b^3)*sqrt(-a*b))*(a^3*e^(2*c) + 3*a^
2*b*e^(2*c) + 3*a*b^2*e^(2*c) + b^3*e^(2*c))^2*abs(a*e^(2*c) + b*e^(2*c)) +
(3*a^6*b + 7*a^5*b^2 - 10*a^3*b^4 - 5*a^2*b^5 + 3*a*b^6 + 2*b^7 - 2*(3*a^5
*b + 10*a^4*b^2 + 10*a^3*b^3 - 5*a*b^5 - 2*b^6)*sqrt(-a*b))*abs(-a^3*e^(2*c
) - 3*a^2*b*e^(2*c) - 3*a*b^2*e^(2*c) - b^3*e^(2*c))*abs(a*e^(2*c) + b*e^(2
*c))*e^(2*c) + (6*a^9*b + 26*a^8*b^2 + 34*a^7*b^3 - 6*a^6*b^4 - 50*a^5*b^5
- 34*a^4*b^6 + 6*a^3*b^7 + 14*a^2*b^8 + 4*a*b^9 + (3*a^9 + 10*a^8*b + 4*a^7
*b^2 - 20*a^6*b^3 - 22*a^5*b^4 + 8*a^4*b^5 + 20*a^3*b^6 + 4*a^2*b^7 - 5*a*b
^8 - 2*b^9)*sqrt(-a*b))*abs(a*e^(2*c) + b*e^(2*c))*e^(4*c))*arctan(e^(d*x)/
sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2*c) - b^4*e^(2*c) + sqrt(
(a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2*c) - b^4*e^(2*c))^2 - (a^4*e^
(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c) + b^4*e^(4*c)
)*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)))/(a^4*e^(4*c) + 4*a^3*b*e^(4
*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c) + b^4*e^(4*c))))*e^(-4*c)/((a^9 +
9*a^8*b + 36*a^7*b^2 + 84*a^6*b^3 + 126*a^5*b^4 + 126*a^4*b^5 + 84*a^3*b^6
+ 36*a^2*b^7 + 9*a*b^8 + b^9)*sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*abs(-
a^3*e^(2*c) - 3*a^2*b*e^(2*c) - 3*a*b^2*e^(2*c) - b^3*e^(2*c))) - 12*(2*(6*
a^2*b^2 - 4*a*b^3 - (3*a^2*b - 5*a*b^2 + 2*b^3)*sqrt(-a*b))*(a^3*e^(2*c) +
3*a^2*b*e^(2*c) + 3*a*b^2*e^(2*c) + b^3*e^(2*c))^2*abs(a*e^(2*c) + b*e^(2*c)
)) + (3*a^6*b + 7*a^5*b^2 - 10*a^3*b^4 - 5*a^2*b^5 + 3*a*b^6 + 2*b^7 + 2*(3
*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 - 5*a*b^5 - 2*b^6)*sqrt(-a*b))*abs(-a^3*e^
(2*c) - 3*a^2*b*e^(2*c) - 3*a*b^2*e^(2*c) - b^3*e^(2*c))*abs(a*e^(2*c) + b*
e^(2*c))*e^(2*c) + (6*a^9*b + 26*a^8*b^2 + 34*a^7*b^3 - 6*a^6*b^4 - 50*a^5*
b^5 - 34*a^4*b^6 + 6*a^3*b^7 + 14*a^2*b^8 + 4*a*b^9 - (3*a^9 + 10*a^8*b + 4
*a^7*b^2 - 20*a^6*b^3 - 22*a^5*b^4 + 8*a^4*b^5 + 20*a^3*b^6 + 4*a^2*b^7 - 5
*a*b^8 - 2*b^9)*sqrt(-a*b))*abs(a*e^(2*c) + b*e^(2*c))*e^(4*c))*arctan(e^(d
*x)/sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2*c) - b^4*e^(2*c) - s
qrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2*c) - b^4*e^(2*c))^2 - (a^
4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c) + b^4*e^(
4*c)))*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)))/(a^4*e^(4*c) + 4*a^3*b*
e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c) + b^4*e^(4*c))))*e^(-4*c)/((a
```

$$\begin{aligned} &^9 + 9*a^8*b + 36*a^7*b^2 + 84*a^6*b^3 + 126*a^5*b^4 + 126*a^4*b^5 + 84*a^3 \\ &*b^6 + 36*a^2*b^7 + 9*a*b^8 + b^9)*\text{sqrt}(a^2 - b^2 + 2*\text{sqrt}(-a*b)*(a + b))*a \\ &\text{bs}(-a^3*e^{(2*c)} - 3*a^2*b*e^{(2*c)} - 3*a*b^2*e^{(2*c)} - b^3*e^{(2*c)})) - (a^4* \\ &e^{(3*d*x + 36*c)} + 4*a^3*b*e^{(3*d*x + 36*c)} + 6*a^2*b^2*e^{(3*d*x + 36*c)} + \\ &4*a*b^3*e^{(3*d*x + 36*c)} + b^4*e^{(3*d*x + 36*c)} - 9*a^4*e^{(d*x + 34*c)} - 12 \\ &*a^3*b*e^{(d*x + 34*c)} + 18*a^2*b^2*e^{(d*x + 34*c)} + 36*a*b^3*e^{(d*x + 34*c)} \\ &+ 15*b^4*e^{(d*x + 34*c)})/(a^6*e^{(33*c)} + 6*a^5*b*e^{(33*c)} + 15*a^4*b^2*e^{( \\ &33*c)} + 20*a^3*b^3*e^{(33*c)} + 15*a^2*b^4*e^{(33*c)} + 6*a*b^5*e^{(33*c)} + b^6* \\ &e^{(33*c)}) - 24*(a*b*e^{(3*d*x + 3*c)} + a*b*e^{(d*x + c)})/((a^3 + 3*a^2*b + 3* \\ &a*b^2 + b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - \\ &2*b*e^{(2*d*x + 2*c)} + a + b))/d \end{aligned}$$

**maple [B]** time = 0.32, size = 267, normalized size = 2.15

$$\frac{\frac{1}{3(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^3} - \frac{1}{2(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^2} - \frac{-a+3b}{2(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} + \frac{1}{3(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^3} - \frac{1}{2(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(-1/3/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^3-1/2/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^2-1/2/(a+b)^3\*(-a+3\*b)/(tanh(1/2\*d\*x+1/2\*c)-1)+1/3/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^3-1/2/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^2-1/2\*(a-3\*b)/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)-4\*b/(a+b)^3\*((-1/4\*a-1/2\*b)\*tanh(1/2\*d\*x+1/2\*c)^2-1/4\*a)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)-1/8\*(3\*a-2\*b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^2 + 2ab + b^2 + (a^2e^{(10c)} + 2abe^{(10c)} + b^2e^{(10c)})e^{(10dx)} - (7a^2e^{(8c)} - 6abe^{(8c)} - 13b^2e^{(8c)})e^{(8dx)} - 2(13a^2e^{(6c)} - 24((a^4de^{(7c)} + 4a^3bde^{(7c)} + 6a^2b^2de^{(7c)} + 4ab^3de^{(7c)} + b^4de^{(7c)})e^{(7dx)} + 2(a^4de^{(5c)} + 2a^3bde^{(5c)} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/24\*(a^2 + 2\*a\*b + b^2 + (a^2\*e^{(10\*c)} + 2\*a\*b\*e^{(10\*c)} + b^2\*e^{(10\*c)}))\*e^{(10\*d\*x)} - (7\*a^2\*e^{(8\*c)} - 6\*a\*b\*e^{(8\*c)} - 13\*b^2\*e^{(8\*c)})\*e^{(8\*d\*x)} - 2\*(13\*a^2\*e^{(6\*c)} - 40\*a\*b\*e^{(6\*c)} + 7\*b^2\*e^{(6\*c)})\*e^{(6\*d\*x)} - 2\*(13\*a^2\*e^{(4

$$\begin{aligned}
 & *c) - 40*a*b*e^{(4*c)} + 7*b^2*e^{(4*c)})*e^{(4*d*x)} - (7*a^2*e^{(2*c)} - 6*a*b*e^{(2*c)} - 13*b^2*e^{(2*c)})*e^{(2*d*x)})/((a^4*d*e^{(7*c)} + 4*a^3*b*d*e^{(7*c)} + 6*a^2*b^2*d*e^{(7*c)} + 4*a*b^3*d*e^{(7*c)} + b^4*d*e^{(7*c)})*e^{(7*d*x)} + 2*(a^4*d*e^{(5*c)} + 2*a^3*b*d*e^{(5*c)} - 2*a*b^3*d*e^{(5*c)} - b^4*d*e^{(5*c)})*e^{(5*d*x)} \\
 & + (a^4*d*e^{(3*c)} + 4*a^3*b*d*e^{(3*c)} + 6*a^2*b^2*d*e^{(3*c)} + 4*a*b^3*d*e^{(3*c)} + b^4*d*e^{(3*c)})*e^{(3*d*x)}) - 1/8*\text{integrate}(8*((3*a*b*e^{(3*c)} - 2*b^2*e^{(3*c)})*e^{(3*d*x)} - (3*a*b*e^c - 2*b^2*e^c)*e^{(d*x)})/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + (a^4*e^{(4*c)} + 4*a^3*b*e^{(4*c)} + 6*a^2*b^2*e^{(4*c)} + 4*a*b^3*e^{(4*c)} + b^4*e^{(4*c)})*e^{(4*d*x)} + 2*(a^4*e^{(2*c)} + 2*a^3*b*e^{(2*c)} - 2*a*b^3*e^{(2*c)} - b^4*e^{(2*c)})*e^{(2*d*x)}), x)
 \end{aligned}$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)^3}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

[Out] int(sinh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Timed out

$$3.35 \quad \int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=132

$$\frac{b \tanh(c+dx)}{d(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{\sqrt{b}(3a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a} d(a+b)^3} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b) (a+b \tanh^2(c+dx))} - \frac{x(a-3b)}{2(a+b)^3}$$

[Out]  $-1/2*(a-3*b)*x/(a+b)^3 - 1/2*(3*a-b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/(a+b)^3/d/a^{(1/2)} + 1/2*\cosh(d*x+c)*\sinh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2) - b*\tanh(d*x+c)/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.17, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 471, 527, 522, 206, 205}

$$\frac{b \tanh(c+dx)}{d(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{\sqrt{b}(3a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a} d(a+b)^3} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b) (a+b \tanh^2(c+dx))} - \frac{x(a-3b)}{2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-((a-3*b)*x)/(2*(a+b)^3) - ((3*a-b)*\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*(a+b)^3*d) + (\text{Cosh}[c+d*x]*\text{Sinh}[c+d*x])/(2*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2)) - (b*\text{Tanh}[c+d*x])/((a+b)^2*d*(a+b*\text{Tanh}[c+d*x]^2))$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1))

```

*(c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3663

```

Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{a-3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{b \tanh(c+dx)}{(a+b)^2 d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a-b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{b \tanh(c+dx)}{(a+b)^2 d(a+b \tanh^2(c+dx))} - \frac{(a-3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{(a-3b)x}{2(a+b)^3} - \frac{(3a-b)\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a}(a+b)^3 d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.74, size = 105, normalized size = 0.80

$$\frac{-2(a-3b)(c+dx) + (a+b) \sinh(2(c+dx)) + \frac{2\sqrt{b}(b-3a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} - \frac{2b(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b}}{4d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (-2\*(a - 3\*b)\*(c + d\*x) + (2\*Sqrt[b]\*(-3\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[a] + (a + b)\*Sinh[2\*(c + d\*x)] - (2\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(4\*(a + b)^3\*d)

**fricas [B]** time = 0.81, size = 3918, normalized size = 29.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2, x, algorithm="fricas")

```
[Out] [1/8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 - 2*(2*(a^2 - 2*
a*b - 3*b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^6 - 2*(2*(a^2 - 2*a*b - 3*b^2)*
d*x - 14*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - a^2 + b^2)*sinh(d*x + c)^6 +
4*(14*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - 3*(2*(a^2 - 2*a*b - 3*b^2)*d*x
- a^2 + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3*b^2)*d*x
- a*b + b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 -
4*(a^2 - 4*a*b + 3*b^2)*d*x - 15*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)
*cosh(d*x + c)^2 + 4*a*b - 4*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)
)*cosh(d*x + c)^5 - 5*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*cosh(d*x +
c)^3 - 4*((a^2 - 4*a*b + 3*b^2)*d*x - a*b + b^2)*cosh(d*x + c))*sinh(d*x +
c)^3 - 2*(2*(a^2 - 2*a*b - 3*b^2)*d*x + a^2 - 4*a*b - 5*b^2)*cosh(d*x + c)^
2 + 2*(14*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 - 15*(2*(a^2 - 2*a*b - 3*b^2)
*d*x - a^2 + b^2)*cosh(d*x + c)^4 - 2*(a^2 - 2*a*b - 3*b^2)*d*x - 24*((a^2
- 4*a*b + 3*b^2)*d*x - a*b + b^2)*cosh(d*x + c)^2 - a^2 + 4*a*b + 5*b^2)*si
nh(d*x + c)^2 - 2*((3*a^2 + 2*a*b - b^2)*cosh(d*x + c)^6 + 6*(3*a^2 + 2*a*b
- b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (3*a^2 + 2*a*b - b^2)*sinh(d*x + c)
^6 + 2*(3*a^2 - 4*a*b + b^2)*cosh(d*x + c)^4 + (15*(3*a^2 + 2*a*b - b^2)*co
sh(d*x + c)^2 + 6*a^2 - 8*a*b + 2*b^2)*sinh(d*x + c)^4 + 4*(5*(3*a^2 + 2*a*
b - b^2)*cosh(d*x + c)^3 + 2*(3*a^2 - 4*a*b + b^2)*cosh(d*x + c))*sinh(d*x
+ c)^3 + (3*a^2 + 2*a*b - b^2)*cosh(d*x + c)^2 + (15*(3*a^2 + 2*a*b - b^2)*
cosh(d*x + c)^4 + 12*(3*a^2 - 4*a*b + b^2)*cosh(d*x + c)^2 + 3*a^2 + 2*a*b
- b^2)*sinh(d*x + c)^2 + 2*(3*(3*a^2 + 2*a*b - b^2)*cosh(d*x + c)^5 + 4*(3*
a^2 - 4*a*b + b^2)*cosh(d*x + c)^3 + (3*a^2 + 2*a*b - b^2)*cosh(d*x + c))*s
inh(d*x + c))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2
+ 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x
+ c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b
+ b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a^2
+ a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2
+ a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 +
4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a -
b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2
+ 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b
)) - a^2 - 2*a*b - b^2 + 4*(2*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 - 3*(2*(a
^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3*
b^2)*d*x - a*b + b^2)*cosh(d*x + c)^3 - (2*(a^2 - 2*a*b - 3*b^2)*d*x + a^2
- 4*a*b - 5*b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 4*a^3*b + 6*a^2*b^2
+ 4*a*b^3 + b^4)*d*cosh(d*x + c)^6 + 6*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3
+ b^4)*d*cosh(d*x + c)*sinh(d*x + c)^5 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*
b^3 + b^4)*d*sinh(d*x + c)^6 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*cosh(d*x
+ c)^4 + (15*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^2
+ 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d)*sinh(d*x + c)^4 + (a^4 + 4*a^3*b +
6*a^2*b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^2 + 4*(5*(a^4 + 4*a^3*b + 6*a^2*
b^2 + 4*a*b^3 + b^4)*d*cosh(d*x + c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*
```



$$\begin{aligned}
& d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 \\
& + b^4)*d*\cosh(d*x + c)^4 + 12*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + \\
& c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)*\sinh(d*x + c)^2 + 2* \\
& (3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^5 + 4*(a^4 + \\
& 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^3 + (a^4 + 4*a^3*b + 6*a^2*b^2 + \\
& 4*a*b^3 + b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*((a^2 + 2*a*b + b^2)*co \\
& sh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 \\
& + 2*a*b + b^2)*\sinh(d*x + c)^8 - 2*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2 \\
& )*\cosh(d*x + c)^6 - 2*(2*(a^2 - 2*a*b - 3*b^2)*d*x - 14*(a^2 + 2*a*b + b^2) \\
& )*\cosh(d*x + c)^2 - a^2 + b^2)*\sinh(d*x + c)^6 + 4*(14*(a^2 + 2*a*b + b^2)*c \\
& osh(d*x + c)^3 - 3*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3*b^2)*d*x - a*b + b^2)*\cosh(d*x + c)^ \\
& 4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 4*(a^2 - 4*a*b + 3*b^2)*d*x \\
& - 15*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + c)^2 + 4*a*b - 4 \\
& *b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 5*(2*(a^ \\
& 2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + c)^3 - 4*((a^2 - 4*a*b + 3*b \\
& ^2)*d*x - a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 2*(2*(a^2 - 2*a*b - 3 \\
& *b^2)*d*x + a^2 - 4*a*b - 5*b^2)*\cosh(d*x + c)^2 + 2*(14*(a^2 + 2*a*b + b^2) \\
& )*\cosh(d*x + c)^6 - 15*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b^2)*\cosh(d*x + \\
& c)^4 - 2*(a^2 - 2*a*b - 3*b^2)*d*x - 24*((a^2 - 4*a*b + 3*b^2)*d*x - a*b + \\
& b^2)*\cosh(d*x + c)^2 - a^2 + 4*a*b + 5*b^2)*\sinh(d*x + c)^2 - 4*((3*a^2 + \\
& 2*a*b - b^2)*\cosh(d*x + c)^6 + 6*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)*\sinh(d \\
& *x + c)^5 + (3*a^2 + 2*a*b - b^2)*\sinh(d*x + c)^6 + 2*(3*a^2 - 4*a*b + b^2) \\
& )*\cosh(d*x + c)^4 + (15*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^2 + 6*a^2 - 8*a* \\
& b + 2*b^2)*\sinh(d*x + c)^4 + 4*(5*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^3 + 2 \\
& *(3*a^2 - 4*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (3*a^2 + 2*a*b - b^ \\
& 2)*\cosh(d*x + c)^2 + (15*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^4 + 12*(3*a^2 \\
& - 4*a*b + b^2)*\cosh(d*x + c)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(d*x + c)^2 + 2*( \\
& 3*(3*a^2 + 2*a*b - b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 - 4*a*b + b^2)*\cosh(d*x \\
& + c)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/a}*\arct \\
& an(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + ( \\
& a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) - a^2 - 2*a*b - b^2 + 4*(2*(a^ \\
& 2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 3*(2*(a^2 - 2*a*b - 3*b^2)*d*x - a^2 + b \\
& ^2)*\cosh(d*x + c)^5 - 8*((a^2 - 4*a*b + 3*b^2)*d*x - a*b + b^2)*\cosh(d*x + \\
& c)^3 - (2*(a^2 - 2*a*b - 3*b^2)*d*x + a^2 - 4*a*b - 5*b^2)*\cosh(d*x + c))*s \\
& inh(d*x + c))/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^ \\
& 6 + 6*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)*\sinh(d*x \\
& + c)^5 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\sinh(d*x + c)^6 + 2* \\
& (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^4 + (15*(a^4 + 4*a^3*b + 6* \\
& a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^2 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b \\
& ^4)*d)*\sinh(d*x + c)^4 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh \\
& (d*x + c)^2 + 4*(5*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + \\
& c)^3 + 2*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& + (15*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^4 + 12*(a \\
& ^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^2 + (a^4 + 4*a^3*b + 6*a^2*b^
\end{aligned}$$

$2 + 4*a*b^3 + b^4)*d)*\sinh(d*x + c)^2 + 2*(3*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c)^5 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*d*\cosh(d*x + c)^3 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)]$

**giac [B]** time = 1.13, size = 400, normalized size = 3.03

$$\frac{12(a-3b)dx}{a^3+3a^2b+3ab^2+b^3} + \frac{12(3abe^{2c}-b^2e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{(a^3+3a^2b+3ab^2+b^3)\sqrt{ab}} - \frac{3e^{2dx+12c}}{a^2e^{10c}+2abe^{10c}+b^2e^{10c}} - \frac{2a^2e^{6dx+6c}-4abe^{6dx+6c}}{(a^3e^{10c}+3a^2be^{10c}+3ab^2e^{10c}+b^3e^{10c})}$$

24 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-1/24*(12*(a - 3*b)*d*x/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 12*(3*a*b*e^{(2*c)} - b^2*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sqrt{a*b}) - 3*e^{(2*d*x + 12*c)}/(a^2*e^{(10*c)} + 2*a*b*e^{(10*c)} + b^2*e^{(10*c)}) - (2*a^2*e^{(6*d*x + 6*c)} - 4*a*b*e^{(6*d*x + 6*c)} - 6*b^2*e^{(6*d*x + 6*c)} + a^2*e^{(4*d*x + 4*c)} + 2*a*b*e^{(4*d*x + 4*c)} - 15*b^2*e^{(4*d*x + 4*c)} - 4*a^2*e^{(2*d*x + 2*c)} + 20*a*b*e^{(2*d*x + 2*c)} + 24*b^2*e^{(2*d*x + 2*c)} - 3*a^2 - 6*a*b - 3*b^2)/((a^3*e^{(2*c)} + 3*a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})*(a*e^{(2*d*x)} + b*e^{(2*d*x)} + a*e^{(6*d*x + 4*c)} + b*e^{(6*d*x + 4*c)} + 2*a*e^{(4*d*x + 2*c)} - 2*b*e^{(4*d*x + 2*c)})))/d$

**maple [B]** time = 0.34, size = 1128, normalized size = 8.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*a-3/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)-1/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+3/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*b-1/d*b/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3*a-1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3-1/d*b/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)*a-1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+3/2/d*b/(a+b)^3*a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b$

$$\begin{aligned} & * (a+b)^{(1/2)-a-2*b} * a^{(1/2)} - 3/2/d*b/(a+b)^3*a/((2*(b*(a+b))^{(1/2)-a-2*b} \\ & * a^{(1/2)} * \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)} \\ & )+1/d*b^2/(a+b)^3*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)} * \operatorname{arc} \\ & \operatorname{tanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)}))+3/2/d*b/(a+ \\ & b)^3*a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b} * a^{(1/2)} * \operatorname{arctan}(a*\tanh( \\ & 1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b} * a^{(1/2)}))+3/2/d*b/(a+b)^3*a/((2*( \\ & b*(a+b))^{(1/2)+a+2*b} * a^{(1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{( \\ & 1/2)+a+2*b} * a^{(1/2)}))+1/d*b^2/(a+b)^3*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2) \\ & +a+2*b} * a^{(1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b} * a \\ & ^{(1/2)}))+1/2/d*b^2/(a+b)^3/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)} * \operatorname{arctanh}(a*\tan \\ & h(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)}))-1/2/d*b^3/(a+b)^3/(b* \\ & (a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)} * \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2 \\ & *c)/((2*(b*(a+b))^{(1/2)-a-2*b} * a^{(1/2)}))-1/2/d*b^2/(a+b)^3/((2*(b*(a+b))^{(1 \\ & /2)+a+2*b} * a^{(1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b} \\ & * a^{(1/2)}))-1/2/d*b^3/(a+b)^3/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b} * a^{ \\ & (1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b} * a^{(1/2)})) \end{aligned}$$

**maxima [B]** time = 0.59, size = 840, normalized size = 6.36

$$\frac{b \log((a+b)e^{4dx+4c}) + 2(a-b)e^{2dx+2c} + a+b}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} - \frac{b \log(2(a-b)e^{-2dx-2c}) + (a+b)e^{-4dx-4c} + a+b}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} - \frac{(3a^2)}{2(a^3 + 3a^2b + 3ab^2 + b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & 1/2*b*\log((a+b)*e^{(4*d*x+4*c)} + 2*(a-b)*e^{(2*d*x+2*c)} + a+b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/2*b*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a \\ & + b)*e^{(-4*d*x-4*c)} + a+b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/8*( \\ & 3*a^2*b - 6*a*b^2 - b^3)*\operatorname{arctan}(1/2*((a+b)*e^{(2*d*x+2*c)} + a-b)/\operatorname{sqrt}( \\ & a*b))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\operatorname{sqrt}(a*b)*d) + 1/8*(3*a^2*b - 6* \\ & a*b^2 - b^3)*\operatorname{arctan}(1/2*((a+b)*e^{(-2*d*x-2*c)} + a-b)/\operatorname{sqrt}(a*b))/((a^4 \\ & + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\operatorname{sqrt}(a*b)*d) + 1/4*(3*a*b + b^2)*\operatorname{arctan}(1/2 \\ & *((a+b)*e^{(-2*d*x-2*c)} + a-b)/\operatorname{sqrt}(a*b))/((a^3 + 2*a^2*b + a*b^2)*\operatorname{sqrt} \\ & t(a*b)*d) + 1/4*(a^2*b - b^3 + (a^2*b - 6*a*b^2 + b^3)*e^{(2*d*x+2*c)})/((a \\ & ^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4 + (a^5 + 4*a^4*b + 6*a^3*b^2 + \\ & 4*a^2*b^3 + a*b^4)*e^{(4*d*x+4*c)} + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4) \\ & *e^{(2*d*x+2*c)})*d) - 1/4*(a^2*b - b^3 + (a^2*b - 6*a*b^2 + b^3)*e^{(-2*d*x \\ & - 2*c)})/((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4 + 2*(a^5 + 2*a^4*b \\ & - 2*a^2*b^3 - a*b^4)*e^{(-2*d*x-2*c)} + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2 \\ & *b^3 + a*b^4)*e^{(-4*d*x-4*c)})*d) - 1/2*(a*b + b^2 + (a*b - b^2)*e^{(-2*d*x \\ & - 2*c)})/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a \\ & *b^3)*e^{(-2*d*x-2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x-4* \\ & c)})*d) - 1/2*(d*x+c)/((a^2 + 2*a*b + b^2)*d) + 1/8*e^{(2*d*x+2*c)}/((a^2 \\ & + 2*a*b + b^2)*d) - 1/8*e^{(-2*d*x-2*c)}/((a^2 + 2*a*b + b^2)*d) \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)^2}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out] int(sinh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

$$3.36 \quad \int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=92

$$\frac{3 \cosh(c+dx)}{2d(a+b)^2} - \frac{\cosh(c+dx)}{2d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{5/2}}$$

[Out]  $3/2*\cosh(d*x+c)/(a+b)^2/d-1/2*\cosh(d*x+c)/(a+b)/d/(a+b-b*\operatorname{sech}(d*x+c)^2)-3/2*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{(1/2)/(a+b)^{(1/2)})}*b^{(1/2)/(a+b)^{(5/2)}/d}$

**Rubi [A]** time = 0.07, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3664, 290, 325, 208}

$$\frac{3 \cosh(c+dx)}{2d(a+b)^2} - \frac{\cosh(c+dx)}{2d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2d(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $(-3*\sqrt{b}*\operatorname{ArcTanh}[(\sqrt{b}*\operatorname{Sech}[c + d*x])/(\sqrt{a + b})])/(2*(a + b)^{(5/2)*d}) + (3*\operatorname{Cosh}[c + d*x])/(2*(a + b)^2*d) - \operatorname{Cosh}[c + d*x]/(2*(a + b)*d*(a + b - b*\operatorname{Sech}[c + d*x]^2))$

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 290

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*n\*(p+1)), x] + Dist[(m+n\*(p+1)+1)/(a\*n\*(p+1)), Int[(c\*x)^m\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1))

+ 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 3664

Int[sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sec[e + f\*x], x]}, Dist[1/(f\*ff^m), Subst[Int[((-1 + ff^2\*x^2)^((m - 1)/2)\*(a - b + b\*ff^2\*x^2)^p)/x^(m + 1), x], x, Sec[e + f\*x]/ff], x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]

### Rubi steps

$$\begin{aligned} \int \frac{\sinh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)^2} dx, x, \text{sech}(c + dx)\right)}{d} \\ &= \frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} - \frac{3 \text{Subst}\left(\int \frac{1}{x^2(a+b-bx^2)} dx, x, \text{sech}(c + dx)\right)}{2(a + b)d} \\ &= \frac{3 \cosh(c + dx)}{2(a + b)^2d} - \frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} - \frac{(3b) \text{Subst}\left(\int \frac{1}{a+b-bx^2} dx, x, \text{sech}(c + dx)\right)}{2(a + b)^2d} \\ &= -\frac{3\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b}\text{sech}(c+dx)}{\sqrt{a+b}}\right)}{2(a + b)^{5/2}d} + \frac{3 \cosh(c + dx)}{2(a + b)^2d} - \frac{\cosh(c + dx)}{2(a + b)d(a + b - b\text{sech}^2(c + dx))} \end{aligned}$$

**Mathematica** [C] time = 0.77, size = 133, normalized size = 1.45

$$\frac{2 \cosh(c+dx) \left(1 - \frac{b}{(a+b) \cosh(2(c+dx))+a-b}\right) - \frac{3i\sqrt{b} \left(\tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)\right)}{(a+b)^{5/2}}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (((-3\*I)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]))/(a

$$\frac{+ b)^{(5/2)} + (2*\text{Cosh}[c + d*x]*(1 - b/(a - b + (a + b)*\text{Cosh}[2*(c + d*x)]))}{(a + b)^2}/(2*d)$$

**fricas [B]** time = 0.61, size = 2252, normalized size = 24.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\frac{1}{4}*(2*(a + b)*\cosh(d*x + c)^6 + 12*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 2*(a + b)*\sinh(d*x + c)^6 + 6*(a - b)*\cosh(d*x + c)^4 + 6*(5*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^4 + 8*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*(a - b)*\cosh(d*x + c)^2 + 6*(5*(a + b)*\cosh(d*x + c)^4 + 6*(a - b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 3*((a + b)*\cosh(d*x + c)^5 + 5*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^4 + (a + b)*\sinh(d*x + c)^5 + 2*(a - b)*\cosh(d*x + c)^3 + 2*(5*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^3 + 2*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a - b)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (a + b)*\cosh(d*x + c) + (5*(a + b)*\cosh(d*x + c)^4 + 6*(a - b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b) + 12*((a + b)*\cosh(d*x + c)^5 + 2*(a - b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + 2*a + 2*b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^5 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\sinh(d*x + c)^5 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d*\cosh(d*x + c)^3 + 2*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^2 + (a^3 + a^2*b - a*b^2 - b^3)*d)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c) + 2*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^3 + 3*(a^3 + a^2*b - a*b^2 - b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^4 + 6*(a^3 + a^2*b - a*b^2 - b^3)*d*\cosh(d*x + c)^2 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d)*\sinh(d*x + c)), 1/2*((a + b)*\cosh(d*x + c)^6 + 6*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a + b)*\sinh(d*x + c)^6 + 3*(a - b)*\cosh(d*x + c)^4 + 3*(5*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^4 + 4*(5*(a + b)*\cosh(d*x + c)^3 + 3*(a - b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(a - b)*\cosh(d*x + c)^2 + 3*(5*(a + b)*\cosh(d*x + c)^4 + 6*(a - b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 - 3*((a + b)*\cosh(d*x + c)^5 + 5*$$

$$\begin{aligned} & (a + b) \cosh(dx + c) \sinh(dx + c)^4 + (a + b) \sinh(dx + c)^5 + 2(a - b) \\ & \cosh(dx + c)^3 + 2(5(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^3 + \\ & 2(5(a + b) \cosh(dx + c)^3 + 3(a - b) \cosh(dx + c)) \sinh(dx + c)^2 + ( \\ & a + b) \cosh(dx + c) + (5(a + b) \cosh(dx + c)^4 + 6(a - b) \cosh(dx + c) \\ & ^2 + a + b) \sinh(dx + c) \sqrt{-b/(a + b)} \arctan(1/2((a + b) \cosh(dx + \\ & c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(dx + c)^3 + \\ & (a - 3b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + a - 3b) \sinh(dx + \\ & c)) \sqrt{-b/(a + b)})/b + 3((a + b) \cosh(dx + c)^5 + 5(a + b) \cosh(dx + \\ & c) \sinh(dx + c)^4 + (a + b) \sinh(dx + c)^5 + 2(a - b) \cosh(dx + c)^3 + \\ & 2(5(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^3 + 2(5(a + b) \cosh(dx + \\ & c)^3 + 3(a - b) \cosh(dx + c)) \sinh(dx + c)^2 + (a + b) \cosh(dx + \\ & c) + (5(a + b) \cosh(dx + c)^4 + 6(a - b) \cosh(dx + c)^2 + a + b) \sinh(dx + \\ & c)) \sqrt{-b/(a + b)} \arctan(1/2((a + b) \cosh(dx + c) + (a + b) \sinh(dx + \\ & c)) \sqrt{-b/(a + b)})/b + 6((a + b) \cosh(dx + c)^5 + 2(a - b) \cosh(dx + \\ & c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) / ((a^3 + 3a^2b \\ & + 3ab^2 + b^3) d \cosh(dx + c)^5 + 5(a^3 + 3a^2b + 3ab^2 + b^3) d \c \\ & \cosh(dx + c) \sinh(dx + c)^4 + (a^3 + 3a^2b + 3ab^2 + b^3) d \sinh(dx + \\ & c)^5 + 2(a^3 + a^2b - ab^2 - b^3) d \cosh(dx + c)^3 + 2(5(a^3 + 3a^2 \\ & *b + 3ab^2 + b^3) d \cosh(dx + c)^2 + (a^3 + a^2b - ab^2 - b^3) d) \sinh \\ & (dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) d \cosh(dx + c) + 2(5(a^3 + \\ & 3a^2b + 3ab^2 + b^3) d \cosh(dx + c)^3 + 3(a^3 + a^2b - ab^2 - b^3) \\ & *d \cosh(dx + c)) \sinh(dx + c)^2 + (5(a^3 + 3a^2b + 3ab^2 + b^3) d \c \\ & \cosh(dx + c)^4 + 6(a^3 + a^2b - ab^2 - b^3) d \cosh(dx + c)^2 + (a^3 + 3a \\ & ^2b + 3ab^2 + b^3) d) \sinh(dx + c)) ] \end{aligned}$$

**giac [B]** time = 0.41, size = 924, normalized size = 10.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} * (3 * (5 * a^2 * b - 10 * a * b^2 + b^3 - (a^2 - 10 * a * b + 5 * b^2) * \sqrt{-a * b})) * \sqrt{(a^2 - b^2 + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \arctan(e^{(d * x)} / \sqrt{(a^3 * e^{(2 * c)} + a^2 * b * e^{(2 * c)} - a * b^2 * e^{(2 * c)} - b^3 * e^{(2 * c)} + \sqrt{(a^3 * e^{(2 * c)} + a^2 * b * e^{(2 * c)} - a * b^2 * e^{(2 * c)} - b^3 * e^{(2 * c)})^2 - (a^3 * e^{(4 * c)} + 3 * a^2 * b * e^{(4 * c)} + 3 * a * b^2 * e^{(4 * c)} + b^3 * e^{(4 * c))}) * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3)))} / (a^3 * e^{(4 * c)} + 3 * a^2 * b * e^{(4 * c)} + 3 * a * b^2 * e^{(4 * c)} + b^3 * e^{(4 * c)})} * e^{(-2 * c)} / (a^7 - 11 * a^6 * b - 39 * a^5 * b^2 - 27 * a^4 * b^3 + 27 * a^3 * b^4 + 39 * a^2 * b^5 + 11 * a * b^6 - b^7 + 2 * (3 * a^6 + 2 * a^5 * b - 19 * a^4 * b^2 - 36 * a^3 * b^3 - 19 * a^2 * b^4 + 2 * a * b^5 + 3 * b^6) * \sqrt{-a * b}) + 3 * (5 * a^2 * b - 10 * a * b^2 + b^3 + (a^2 - 10 * a * b + 5 * b^2) * \sqrt{-a * b})) * \sqrt{(a^2 - b^2 - 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \arctan(e^{(d * x)} / \sqrt{(a^3 * e^{(2 * c)} + a^2 * b * e^{(2 * c)} - a * b^2 * e^{(2 * c)} - b^3 * e^{(2 * c)} - \sqrt{(a^3 * e^{(2 * c)} + a^2 * b * e^{(2 * c)} - a * b^2 * e^{(2 * c)} - b^3 * e^{(2 * c)})^2 - (a^3 * e^{(4 * c)} + 3 * a^2 * b * e^{(4 * c)} + 3 * a * b^2 * e^{(4 * c)} + b^3 * e^{(4 * c))}) * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3)))} / (a^3 * e^{(4 * c)} + 3 * a^2 * b * e^{(4 * c)} + 3 * a * b^2 * e^{(4 * c)} + b^3 * e^{(4 * c)})} * e^{(2 * c)}$



$$(4*c))*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)))/(a^3*e^(4*c) + 3*a^2*b*e^(4*c) + 3*a*b^2*e^(4*c) + b^3*e^(4*c)))*e^(-2*c)/(a^7 - 11*a^6*b - 39*a^5*b^2 - 27*a^4*b^3 + 27*a^3*b^4 + 39*a^2*b^5 + 11*a*b^6 - b^7 - 2*(3*a^6 + 2*a^5*b - 19*a^4*b^2 - 36*a^3*b^3 - 19*a^2*b^4 + 2*a*b^5 + 3*b^6)*sqrt(-a*b)) + e^(d*x + 10*c)/(a^2*e^(9*c) + 2*a*b*e^(9*c) + b^2*e^(9*c)) + (a*e^(4*d*x + 4*c) - b*e^(4*d*x + 4*c) + 2*a*e^(2*d*x + 2*c) - 4*b*e^(2*d*x + 2*c) + a + b)/((a^2*e^c + 2*a*b*e^c + b^2*e^c)*(a*e^(5*d*x + 4*c) + b*e^(5*d*x + 4*c) + 2*a*e^(3*d*x + 2*c) - 2*b*e^(3*d*x + 2*c) + a*e^(d*x) + b*e^(d*x)))/d$$

**maple [B]** time = 0.32, size = 167, normalized size = 1.82

$$\frac{\frac{1}{(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} + \frac{1}{(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)} + \frac{2b \left( \frac{(a+2b) \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{1}{2}}{2a} - \frac{3 \operatorname{arctanh}\left(\frac{2 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{a+2a+4}}{4 \sqrt{ab+b^2}}\right)}{4 \sqrt{ab+b^2}} \right)}{\left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{a+2} \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{a+4} \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{b+a}}}{(a+b)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(-1/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)+1/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)+2\*b/(a+b)^2\*((-1/2\*(a+2\*b)/a\*tanh(1/2\*d\*x+1/2\*c)^2-1/2)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)-3/4/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ae^{6c} + be^{6c})e^{6dx} + 3(ae^{4c} - be^{4c})e^{4dx} + 3(ae^{2c} - be^{2c})e^{2dx} + a^3de^{5c} + 3a^2bde^{5c} + 3ab^2de^{5c} + b^3de^{5c})e^{5dx} + 2(a^3de^{3c} + a^2bde^{3c} - ab^2de^{3c} - b^3de^{3c})e^{3dx} + (a^3e^{4c} + 3a^2be^{4c} + 3ab^2e^{4c} + b^3e^{4c})e^{4dx} + 2(a^3e^{2c} + 3a^2be^{2c} + 3ab^2e^{2c} + b^3e^{2c})e^{2dx} + a^3e^c + 3a^2be^c + 3ab^2e^c + b^3e^c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/2\*((a\*e^(6\*c) + b\*e^(6\*c))\*e^(6\*d\*x) + 3\*(a\*e^(4\*c) - b\*e^(4\*c))\*e^(4\*d\*x) + 3\*(a\*e^(2\*c) - b\*e^(2\*c))\*e^(2\*d\*x) + a + b)/((a^3\*d\*e^(5\*c) + 3\*a^2\*b\*d\*e^(5\*c) + b^3\*d\*e^(5\*c))\*e^(5\*d\*x) + 2\*(a^3\*d\*e^(3\*c) + a^2\*b\*d\*e^(3\*c) - a\*b^2\*d\*e^(3\*c) - b^3\*d\*e^(3\*c))\*e^(3\*d\*x) + (a^3\*d\*e^c + 3\*a^2\*b\*d\*e^c + 3\*a\*b^2\*d\*e^c + b^3\*d\*e^c)\*e^(d\*x)) + 1/2\*integrate(6\*(b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c))/(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + (a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c))\*e^(2\*d\*x)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^2, x)

[Out] int(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sinh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Integral(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.37 \quad \int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=103

$$\frac{\sqrt{b}(3a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^2d(a+b)^{3/2}} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^2d} + \frac{b \operatorname{sech}(c+dx)}{2ad(a+b)(a-b \operatorname{sech}^2(c+dx)+b)}$$

[Out]  $-\operatorname{arctanh}(\cosh(d*x+c))/a^2/d+1/2*b*\operatorname{sech}(d*x+c)/a/(a+b)/d/(a+b-b*\operatorname{sech}(d*x+c)^2)+1/2*(3*a+2*b)*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{(1/2)/(a+b)^{(1/2)})}*b^{(1/2)/a^2/(a+b)^{(3/2)/d}$

**Rubi [A]** time = 0.14, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3664, 414, 522, 207, 208}

$$\frac{\sqrt{b}(3a+2b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^2d(a+b)^{3/2}} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^2d} + \frac{b \operatorname{sech}(c+dx)}{2ad(a+b)(a-b \operatorname{sech}^2(c+dx)+b)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]/(a+b*\operatorname{Tanh}[c+d*x]^2)^2, x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]]/(a^2*d)) + (\operatorname{Sqrt}[b]*(3*a+2*b)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/\operatorname{Sqrt}[a+b]])/(2*a^2*(a+b)^{(3/2)*d}) + (b*\operatorname{Sech}[c+d*x])/(2*a*(a+b)*d*(a+b-b*\operatorname{Sech}[c+d*x]^2))$

#### Rule 207

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ || \ \operatorname{GtQ}[b, 0])$

#### Rule 208

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

#### Rule 414

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^{n_+})^{p_+}*((c_+ + (d_+)*(x_+)^{n_+})^{q_+}), x\_Symbol] \rightarrow -\operatorname{Simp}[(b*x*(a+b*x^n)^{(p+1)}*(c+d*x^n)^{(q+1)})/(a*n*(p+1)*(b*c-a*d)), x] + \operatorname{Dist}[1/(a*n*(p+1)*(b*c-a*d)), \operatorname{Int}[(a+b*x^n)^{(p+1)}*(c+$

```
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 3664

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*tan[(e_) + (f_)*(x_)]^2)^(
p_), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^
m), Subst[Int[((-1 + ff^2*x^2)^(m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1
), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m
- 1)/2]
```

### Rubi steps

$$\int \frac{\operatorname{csch}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-bx^2)^2} dx, x, \operatorname{sech}(c + dx)\right)}{d}$$

$$= \frac{b \operatorname{sech}(c + dx)}{2a(a + b)d(a + b - b \operatorname{sech}^2(c + dx))} + \frac{\operatorname{Subst}\left(\int \frac{2a+b+bx^2}{(-1+x^2)(a+b-bx^2)} dx, x, \operatorname{sech}(c + dx)\right)}{2a(a + b)d}$$

$$= \frac{b \operatorname{sech}(c + dx)}{2a(a + b)d(a + b - b \operatorname{sech}^2(c + dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \operatorname{sech}(c + dx)\right)}{a^2 d} + \frac{(b(3a + 2b) \operatorname{sech}(c + dx))}{2a(a + b)d(a + b)}$$

$$= -\frac{\tanh^{-1}(\cosh(c + dx))}{a^2 d} + \frac{\sqrt{b}(3a + 2b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c + dx)}{\sqrt{a+b}}\right)}{2a^2(a + b)^{3/2} d} + \frac{b \operatorname{sech}(c + dx)}{2a(a + b)d(a + b)}$$

**Mathematica [C]** time = 0.75, size = 175, normalized size = 1.70

$$\frac{2ab \cosh(c+dx)}{(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{i\sqrt{b}(3a+2b) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + \frac{i\sqrt{b}(3a+2b) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + 2 \log\left(\tan\left(\frac{2a^2d}{2a^2d}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2),x]

[Out] ((I\*Sqrt[b]\*(3\*a + 2\*b)\*ArcTan[((-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(3/2) + (I\*Sqrt[b]\*(3\*a + 2\*b)\*ArcTan[((-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(3/2) + (2\*a\*b\*Cosh[c + d\*x])/((a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + 2\*Log[Tanh[(c + d\*x)/2]]/(2\*a^2\*d)

**fricas [B]** time = 1.09, size = 2614, normalized size = 25.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/4\*(4\*a\*b\*cosh(d\*x + c)^3 + 12\*a\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 4\*a\*b\*sinh(d\*x + c)^3 + 4\*a\*b\*cosh(d\*x + c) + ((3\*a^2 + 5\*a\*b + 2\*b^2)\*cosh(d\*x + c)^4 + 4\*(3\*a^2 + 5\*a\*b + 2\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (3\*a^2 + 5\*a\*b + 2\*b^2)\*sinh(d\*x + c)^4 + 2\*(3\*a^2 - a\*b - 2\*b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(3\*a^2 + 5\*a\*b + 2\*b^2)\*cosh(d\*x + c)^2 + 3\*a^2 - a\*b - 2\*b^2)\*sinh(d\*x + c)^2 + 3\*a^2 + 5\*a\*b + 2\*b^2 + 4\*((3\*a^2 + 5\*a\*b + 2\*b^2)\*cosh(d\*x + c)^3 + (3\*a^2 - a\*b - 2\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(b/(a + b))\*log(((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a + 3\*b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a + 3\*b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a + 3\*b)\*cosh(d\*x + c))\*sinh(d\*x + c) + 4\*((a + b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^3 + (a + b)\*cosh(d\*x + c) + (3\*(a + b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c))\*sqrt(b/(a + b)) + a + b)/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b) - 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 + 2\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*1

$$\begin{aligned}
& \log(\cosh(dx + c) + \sinh(dx + c) + 1) + 4*((a^2 + 2ab + b^2)*\cosh(dx + c) \\
& )^4 + 4*(a^2 + 2ab + b^2)*\cosh(dx + c)*\sinh(dx + c)^3 + (a^2 + 2ab + \\
& b^2)*\sinh(dx + c)^4 + 2*(a^2 - b^2)*\cosh(dx + c)^2 + 2*(3*(a^2 + 2ab + \\
& b^2)*\cosh(dx + c)^2 + a^2 - b^2)*\sinh(dx + c)^2 + a^2 + 2ab + b^2 + 4*( \\
& (a^2 + 2ab + b^2)*\cosh(dx + c)^3 + (a^2 - b^2)*\cosh(dx + c))*\sinh(dx + \\
& c))*\log(\cosh(dx + c) + \sinh(dx + c) - 1) + 4*(3ab*\cosh(dx + c)^2 + ab \\
& )*\sinh(dx + c))/((a^4 + 2a^3b + a^2b^2)*d*\cosh(dx + c)^4 + 4*(a^4 + 2 \\
& *a^3b + a^2b^2)*d*\cosh(dx + c)*\sinh(dx + c)^3 + (a^4 + 2a^3b + a^2b^2 \\
& )*d*\sinh(dx + c)^4 + 2*(a^4 - a^2b^2)*d*\cosh(dx + c)^2 + 2*(3*(a^4 + 2 \\
& a^3b + a^2b^2)*d*\cosh(dx + c)^2 + (a^4 - a^2b^2)*d)*\sinh(dx + c)^2 + ( \\
& a^4 + 2a^3b + a^2b^2)*d + 4*((a^4 + 2a^3b + a^2b^2)*d*\cosh(dx + c)^3 \\
& + (a^4 - a^2b^2)*d*\cosh(dx + c))*\sinh(dx + c)), 1/2*(2ab*\cosh(dx + c) \\
& )^3 + 6ab*\cosh(dx + c)*\sinh(dx + c)^2 + 2ab*\sinh(dx + c)^3 + 2ab*c \\
& \cosh(dx + c) + ((3a^2 + 5ab + 2b^2)*\cosh(dx + c)^4 + 4*(3a^2 + 5ab \\
& + 2b^2)*\cosh(dx + c)*\sinh(dx + c)^3 + (3a^2 + 5ab + 2b^2)*\sinh(dx + \\
& c)^4 + 2*(3a^2 - ab - 2b^2)*\cosh(dx + c)^2 + 2*(3*(3a^2 + 5ab + 2b \\
& ^2)*\cosh(dx + c)^2 + 3a^2 - ab - 2b^2)*\sinh(dx + c)^2 + 3a^2 + 5ab \\
& + 2b^2 + 4*((3a^2 + 5ab + 2b^2)*\cosh(dx + c)^3 + (3a^2 - ab - 2b^2 \\
& )*\cosh(dx + c))*\sinh(dx + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(d \\
& *x + c)^3 + 3*(a + b)*\cosh(dx + c)*\sinh(dx + c)^2 + (a + b)*\sinh(dx + c) \\
& ^3 + (a - 3b)*\cosh(dx + c) + (3*(a + b)*\cosh(dx + c)^2 + a - 3b)*\sinh(d \\
& *x + c))*\sqrt{-b/(a + b)})/b - ((3a^2 + 5ab + 2b^2)*\cosh(dx + c)^4 + 4 \\
& *(3a^2 + 5ab + 2b^2)*\cosh(dx + c)*\sinh(dx + c)^3 + (3a^2 + 5ab + 2 \\
& *b^2)*\sinh(dx + c)^4 + 2*(3a^2 - ab - 2b^2)*\cosh(dx + c)^2 + 2*(3*(3a \\
& ^2 + 5ab + 2b^2)*\cosh(dx + c)^2 + 3a^2 - ab - 2b^2)*\sinh(dx + c)^2 \\
& + 3a^2 + 5ab + 2b^2 + 4*((3a^2 + 5ab + 2b^2)*\cosh(dx + c)^3 + (3a \\
& ^2 - ab - 2b^2)*\cosh(dx + c))*\sinh(dx + c))*\sqrt{-b/(a + b)}*\arctan(1/2 \\
& *((a + b)*\cosh(dx + c) + (a + b)*\sinh(dx + c))*\sqrt{-b/(a + b)})/b - 2*(( \\
& a^2 + 2ab + b^2)*\cosh(dx + c)^4 + 4*(a^2 + 2ab + b^2)*\cosh(dx + c)*\si \\
& nh(dx + c)^3 + (a^2 + 2ab + b^2)*\sinh(dx + c)^4 + 2*(a^2 - b^2)*\cosh(dx \\
& + c)^2 + 2*(3*(a^2 + 2ab + b^2)*\cosh(dx + c)^2 + a^2 - b^2)*\sinh(dx + \\
& c)^2 + a^2 + 2ab + b^2 + 4*((a^2 + 2ab + b^2)*\cosh(dx + c)^3 + (a^2 - \\
& b^2)*\cosh(dx + c))*\sinh(dx + c))*\log(\cosh(dx + c) + \sinh(dx + c) + 1) \\
& + 2*((a^2 + 2ab + b^2)*\cosh(dx + c)^4 + 4*(a^2 + 2ab + b^2)*\cosh(dx + c) \\
& )*\sinh(dx + c)^3 + (a^2 + 2ab + b^2)*\sinh(dx + c)^4 + 2*(a^2 - b^2)*\c \\
& osh(dx + c)^2 + 2*(3*(a^2 + 2ab + b^2)*\cosh(dx + c)^2 + a^2 - b^2)*\sinh \\
& (dx + c)^2 + a^2 + 2ab + b^2 + 4*((a^2 + 2ab + b^2)*\cosh(dx + c)^3 + \\
& (a^2 - b^2)*\cosh(dx + c))*\sinh(dx + c))*\log(\cosh(dx + c) + \sinh(dx + c) \\
& - 1) + 2*(3ab*\cosh(dx + c)^2 + ab)*\sinh(dx + c))/((a^4 + 2a^3b + a^2 \\
& b^2)*d*\cosh(dx + c)^4 + 4*(a^4 + 2a^3b + a^2b^2)*d*\cosh(dx + c)*\sinh \\
& (dx + c)^3 + (a^4 + 2a^3b + a^2b^2)*d*\sinh(dx + c)^4 + 2*(a^4 - a^2b^2 \\
& )*d*\cosh(dx + c)^2 + 2*(3*(a^4 + 2a^3b + a^2b^2)*d*\cosh(dx + c)^2 + ( \\
& a^4 - a^2b^2)*d)*\sinh(dx + c)^2 + (a^4 + 2a^3b + a^2b^2)*d + 4*((a^4 + \\
& 2a^3b + a^2b^2)*d*\cosh(dx + c)^3 + (a^4 - a^2b^2)*d*\cosh(dx + c))*\si \\
& nh(dx + c))]
\end{aligned}$$

**giac [B]** time = 0.37, size = 1405, normalized size = 13.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} \left( (2(6a^2b^2 + 4ab^3 - (3a^2b - ab^2 - 2b^3)\sqrt{-ab})) (a^3e^{2c} + a^2be^{2c})^2 \sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)} \operatorname{abs}(a^2e^{2c} + be^{2c}) + (3a^6b + 5a^5b^2 - a^4b^3 - 5a^3b^4 - 2a^2b^5 + 2(3a^5b + 8a^4b^2 + 7a^3b^3 + 2a^2b^4)\sqrt{-ab}) \sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)} \operatorname{abs}(-a^3e^{2c} - a^2be^{2c}) \operatorname{abs}(a^2e^{2c} + be^{2c}) e^{2c} + (6a^9b + 10a^8b^2 - 2a^7b^3 - 10a^6b^4 - 4a^5b^5 - (3a^9 + 2a^8b - 6a^7b^2 - 4a^6b^3 + 3a^5b^4 + 2a^4b^5)\sqrt{-ab}) \sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)} \operatorname{abs}(a^2e^{2c} + be^{2c}) e^{4c} \arctan\left(\frac{e^{dx}}{\sqrt{(a^4e^{2c} - a^2b^2e^{2c})^2 - (a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c})(a^4 + 2a^3b + a^2b^2)}}\right) \right) / (a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c}) e^{-4c} / ((a^{11} + 5a^{10}b + 9a^9b^2 + 5a^8b^3 - 5a^7b^4 - 9a^6b^5 - 5a^5b^6 - a^4b^7 + 2(a^{10} + 6a^9b + 15a^8b^2 + 20a^7b^3 + 15a^6b^4 + 6a^5b^5 + a^4b^6)\sqrt{-ab}) \operatorname{abs}(-a^3e^{2c} - a^2be^{2c})) + (2(12a^3b^2 - 4a^2b^3 - 8ab^4 + (3a^3b - 16a^2b^2 - 9ab^3 + 2b^4)\sqrt{-ab})) (a^3e^{2c} + a^2be^{2c})^2 \operatorname{abs}(a^2e^{2c} + be^{2c}) + (3a^7b - 10a^6b^2 - 38a^5b^3 - 32a^4b^4 - 5a^3b^5 + 2a^2b^6 - 4(3a^6b + 5a^5b^2 - a^4b^3 - 5a^3b^4 - 2a^2b^5)\sqrt{-ab}) \operatorname{abs}(-a^3e^{2c} - a^2be^{2c}) \operatorname{abs}(a^2e^{2c} + be^{2c}) e^{2c} + (12a^{10}b + 8a^9b^2 - 24a^8b^3 - 16a^7b^4 + 12a^6b^5 + 8a^5b^6 + (3a^{10} - 13a^9b - 28a^8b^2 + 6a^7b^3 + 27a^6b^4 + 7a^5b^5 - 2a^4b^6)\sqrt{-ab}) \operatorname{abs}(a^2e^{2c} + be^{2c}) e^{4c} \arctan\left(\frac{e^{dx}}{\sqrt{(a^4e^{2c} - a^2b^2e^{2c})^2 - (a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c})(a^4 + 2a^3b + a^2b^2)}}\right) / (a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c}) e^{-4c} / ((a^{10} + 4a^9b + 5a^8b^2 - 5a^6b^4 - 4a^5b^5 - a^4b^6 - 2(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)\sqrt{-ab}) \sqrt{a^2 - b^2 - 2\sqrt{-ab}(a+b)} \operatorname{abs}(-a^3e^{2c} - a^2be^{2c})) + 2(be^{3dx} + 3c) + be^{dx+c} / ((a^2 + ab)(ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b)) - 2\log(e^{dx+c} + 1) / a^2 + 2\log(\operatorname{abs}(e^{dx+c} - 1)) / a^2) / d$

**maple [B]** time = 0.47, size = 331, normalized size = 3.21

$$\frac{b \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{da \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a \right) (a+b)} + da^2 \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{d} \frac{1}{a*b} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{(a+b) \tanh(1/2*d*x+1/2*c)^{2+2/d} a^{2*b^2} (\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{(a+b) \tanh(1/2*d*x+1/2*c)^{2+1/d} a*b} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{(a+b)+3/2/d} \frac{1}{a*b} \frac{1}{(a+b)} \frac{1}{(a*b+b^2)^{1/2}} \arctanh(1/4*(2*\tanh(1/2*d*x+1/2*c)^{2*a+2} a^{4*b}) / (a*b+b^2)^{1/2}) + 1/d} \frac{1}{a^{2*b^2} (a+b)} \frac{1}{(a*b+b^2)^{1/2}} \arctanh(1/4*(2*\tanh(1/2*d*x+1/2*c)^{2*a+2} a^{4*b}) / (a*b+b^2)^{1/2}) + 1/d} \frac{1}{a^{2*} \ln(\tanh(1/2*d*x+1/2*c))}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{be^{3dx+3c} + be^{dx+c}}{a^3d + 2a^2bd + ab^2d + (a^3de^{4c} + 2a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^3de^{2c} - ab^2de^{2c})e^{2dx}} \frac{\log((e^{dx+c} + 1))}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $(b*e^{(3*d*x + 3*c)} + b*e^{(d*x + c)}) / (a^3*d + 2*a^2*b*d + a*b^2*d + (a^3*d*e^{(4*c)} + 2*a^2*b*d*e^{(4*c)} + a*b^2*d*e^{(4*c)}) * e^{(4*d*x)} + 2*(a^3*d*e^{(2*c)} - a*b^2*d*e^{(2*c)}) * e^{(2*d*x)}) - \log((e^{(d*x + c)} + 1) * e^{(-c)}) / (a^2*d) + \log((e^{(d*x + c)} - 1) * e^{(-c)}) / (a^2*d) - 2 * \int (1/2 * ((3*a*b*e^{(3*c)} + 2*b^2*e^{(3*c)}) * e^{(3*d*x)} - (3*a*b*e^c + 2*b^2*e^c) * e^{(d*x)}) / (a^4 + 2*a^3*b + a^2*b^2 + (a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)}) * e^{(4*d*x)} + 2*(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)}) * e^{(2*d*x)}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx) (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c + d*x)*(a + b*tanh(c + d*x)^2)^2),x)`

[Out] `int(1/(sinh(c + d*x)*(a + b*tanh(c + d*x)^2)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral(csch(c + d*x)/(a + b*tanh(c + d*x)**2)**2, x)
```

$$3.38 \quad \int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=82

$$-\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c+dx)}{2a^2d} + \frac{\operatorname{coth}(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

[Out]  $-3/2*\operatorname{coth}(d*x+c)/a^{2/d}-3/2*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(5/2)}/d+1/2*\operatorname{coth}(d*x+c)/a/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 290, 325, 205}

$$-\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c+dx)}{2a^2d} + \frac{\operatorname{coth}(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(-3*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c + d*x])/(\operatorname{Sqrt}[a])]/(2*a^{(5/2)*d}) - (3*\operatorname{Coth}[c + d*x])/(2*a^2*d) + \operatorname{Coth}[c + d*x]/(2*a*d*(a + b*\operatorname{Tanh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 290

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*n\*(p+1)), x] + Dist[(m+n\*(p+1)+1)/(a\*n\*(p+1)), Int[(c\*x)^m\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 325

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a,

b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2ad} \\ &= -\frac{3 \operatorname{coth}(c + dx)}{2a^2d} + \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} - \frac{(3b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{2a^2d} \\ &= -\frac{3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{3 \operatorname{coth}(c + dx)}{2a^2d} + \frac{\operatorname{coth}(c + dx)}{2ad(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.50, size = 86, normalized size = 1.05

$$\frac{-3\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{a} b \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b} - 2\sqrt{a} \operatorname{coth}(c + dx)}{2a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (-3\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] - 2\*Sqrt[a]\*Coth[c + d\*x] - (Sqrt[a]\*b\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(2\*a^(5/2)\*d)

fricas [B] time = 0.63, size = 2562, normalized size = 31.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4*(4*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^4 + 16*(2*a^2 + 3*a*b + 3*b^2) \\ & * \cosh(d*x + c)*\sinh(d*x + c)^3 + 4*(2*a^2 + 3*a*b + 3*b^2)*\sinh(d*x + c)^4 \\ & + 8*(2*a^2 - 3*b^2)*\cosh(d*x + c)^2 + 8*(3*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^2 \\ & + 2*a^2 - 3*b^2)*\sinh(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 6*(a^2 + 2*a*b + b^2) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^6 + (a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^4 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - 2*a*b - 3*b^2)*\sinh(d*x + c)^4 + 4 \\ & *(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^2 + (15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 6*(a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c)^2 - a^2 \\ & + 2*a*b + 3*b^2)*\sinh(d*x + c)^2 - a^2 - 2*a*b - b^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 2*(a^2 - 2*a*b - 3*b^2) \\ & *\cosh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2) \\ & *\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 \\ & + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b \\ & + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a^2 + a*b)*\cosh(d*x + c)^2 \\ & + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a}) \\ & /((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b) \\ & *\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b) \\ & *\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*a^2 + 20*a*b + 12*b^2 + 16*((2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^3 \\ & + (2*a^2 - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)) /((a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^6 + 6*(a^4 + 2*a^3*b + a^2*b^2) \\ & *d*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^4 + 2*a^3*b + a^2*b^2)*d*\sinh(d*x + c)^6 + (a^4 - 2*a^3*b - 3*a^2*b^2) \\ & *d*\cosh(d*x + c)^4 + (15*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^2 + (a^4 - 2*a^3*b - 3*a^2*b^2)*d) \\ & *\sinh(d*x + c)^4 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^2 + 4*(5*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^3 \\ & + (a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^4 \\ & + 6*(a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^2 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d)*\sinh(d*x + c)^2 - (a^4 + 2*a^3*b + a^2*b^2) \\ & *d + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*d*\cosh(d*x + c)^5 + 2*(a^4 - 2*a^3*b - 3*a^2*b^2)*d*\cosh(d*x + c)^3 - (a^4 - 2*a^3*b - 3*a^2*b^2) \\ & *d*\cosh(d*x + c))*\sinh(d*x + c)), -1/2*(2*(2*a^2 + 3*a*b + 3*b^2)*\cosh(d*x + c)^4 + 8*(2*a^2 + 3*a*b + 3*b^2) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^3 + 2*(2*a^2 + 3*a*b + 3*b^2)*\sinh(d*x + c)^4 + 4*(2*a^2 - 3*b^2) \end{aligned}$$

```

*cosh(d*x + c)^2 + 4*(3*(2*a^2 + 3*a*b + 3*b^2)*cosh(d*x + c)^2 + 2*a^2 - 3
*b^2)*sinh(d*x + c)^2 + 3*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 6*(a^2 + 2
*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*sinh(d*x +
c)^6 + (a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^4 + (15*(a^2 + 2*a*b + b^2)*cosh
(d*x + c)^2 + a^2 - 2*a*b - 3*b^2)*sinh(d*x + c)^4 + 4*(5*(a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b - 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 -
(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^2 + (15*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^4 + 6*(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^2 - a^2 + 2*a*b + 3*b^2)*sinh
(d*x + c)^2 - a^2 - 2*a*b - b^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5
+ 2*(a^2 - 2*a*b - 3*b^2)*cosh(d*x + c)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(d*x
+ c))*sinh(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a +
b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(b/a
)/b) + 4*a^2 + 10*a*b + 6*b^2 + 8*((2*a^2 + 3*a*b + 3*b^2)*cosh(d*x + c)^3
+ (2*a^2 - 3*b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 2*a^3*b + a^2*b^2)*
d*cosh(d*x + c)^6 + 6*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)*sinh(d*x +
c)^5 + (a^4 + 2*a^3*b + a^2*b^2)*d*sinh(d*x + c)^6 + (a^4 - 2*a^3*b - 3*a^2
*b^2)*d*cosh(d*x + c)^4 + (15*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^2 +
(a^4 - 2*a^3*b - 3*a^2*b^2)*d)*sinh(d*x + c)^4 - (a^4 - 2*a^3*b - 3*a^2*b^
2)*d*cosh(d*x + c)^2 + 4*(5*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^3 + (
a^4 - 2*a^3*b - 3*a^2*b^2)*d*cosh(d*x + c))*sinh(d*x + c)^3 + (15*(a^4 + 2*
a^3*b + a^2*b^2)*d*cosh(d*x + c)^4 + 6*(a^4 - 2*a^3*b - 3*a^2*b^2)*d*cosh(d
*x + c)^2 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d)*sinh(d*x + c)^2 - (a^4 + 2*a^3*b
+ a^2*b^2)*d + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*d*cosh(d*x + c)^5 + 2*(a^4 -
2*a^3*b - 3*a^2*b^2)*d*cosh(d*x + c)^3 - (a^4 - 2*a^3*b - 3*a^2*b^2)*d*cos
h(d*x + c))*sinh(d*x + c))]

```

**giac [B]** time = 0.62, size = 227, normalized size = 2.77

$$\frac{3b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}a^2} + \frac{2(2a^2e^{(4dx+4c)} + 3abe^{(4dx+4c)} + 3b^2e^{(4dx+4c)} + 4a^2e^{(2dx+2c)} - 6b^2e^{(2dx+2c)} + 2a^2 + 5ab + 3b^2)}{(a^3 + a^2b)(ae^{(6dx+6c)} + be^{(6dx+6c)} + ae^{(4dx+4c)} - 3be^{(4dx+4c)} - ae^{(2dx+2c)} + 3be^{(2dx+2c)} - a - b)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/2*(3*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a^2) + 2*(2*a^2*e^{(4*d*x + 4*c)} + 3*a*b*e^{(4*d*x + 4*c)} + 3*b^2*e^{(4*d*x + 4*c)} + 4*a^2*e^{(2*d*x + 2*c)} - 6*b^2*e^{(2*d*x + 2*c)} + 2*a^2 + 5*a*b + 3*b^2)/((a^3 + a^2*b)*(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} - a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} - a - b))/d$$

maple [B] time = 0.46, size = 552, normalized size = 6.73

$$\frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} \frac{b\left(\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^2 \left( \left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 2 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 4 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a \right) d a^2 \left( \left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 2 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 4 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$\begin{aligned} & -1/2/d/a^2*\tanh(1/2*d*x+1/2*c)-1/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3-1/d/a^2 \\ & *b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+3/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2 \\ & *b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) \\ & *b-3/2/d/a^2*b/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) \\ & +3/2/d/a^2*b^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) \\ & +3/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) \\ & *b+3/2/d/a^2*b/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) \\ & +3/2/d/a^2*b^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/a^2/\tanh(1/2*d*x+1/2*c) \end{aligned}$$

maxima [B] time = 0.50, size = 212, normalized size = 2.59

$$\frac{2a^2 + 5ab + 3b^2 + 2(2a^2 - 3b^2)e^{(-2dx-2c)} + (2a^2 + 3ab + 3b^2)e^{(-4dx-4c)}}{(a^4 + 2a^3b + a^2b^2 + (a^4 - 2a^3b - 3a^2b^2)e^{(-2dx-2c)} - (a^4 - 2a^3b - 3a^2b^2)e^{(-4dx-4c)} - (a^4 + 2a^3b + a^2b^2)e^{(-6dx-6c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -(2*a^2 + 5*a*b + 3*b^2 + 2*(2*a^2 - 3*b^2)*e^{(-2*d*x - 2*c)} + (2*a^2 + 3*a \\ & *b + 3*b^2)*e^{(-4*d*x - 4*c)})/((a^4 + 2*a^3*b + a^2*b^2 + (a^4 - 2*a^3*b - \\ & 3*a^2*b^2)*e^{(-2*d*x - 2*c)} - (a^4 - 2*a^3*b - 3*a^2*b^2)*e^{(-4*d*x - 4*c)} \\ & - (a^4 + 2*a^3*b + a^2*b^2)*e^{(-6*d*x - 6*c)})*d) + 3/2*b*\operatorname{arctan}(1/2*((a + b) \\ & )*e^{(-2*d*x - 2*c)} + a - b)/\operatorname{sqrt}(a*b))/(\operatorname{sqrt}(a*b)*a^2*d) \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c+dx)^2 (b \tanh(c+dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2), x)`

[Out] `int(1/(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**2/(a+b*tanh(d*x+c)**2)**2, x)`

[Out] `Integral(csch(c + d*x)**2/(a + b*tanh(c + d*x)**2)**2, x)`

$$3.39 \quad \int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=141

$$\frac{(a+4b) \tanh^{-1}(\cosh(c+dx))}{2a^3d} - \frac{\sqrt{b}(3a+4b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3d\sqrt{a+b}} - \frac{b \operatorname{sech}(c+dx)}{a^2d(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{\coth(c+dx)}{2ad(a-b \operatorname{sech}^2(c+dx)+b)}$$

[Out] 1/2\*(a+4\*b)\*arctanh(cosh(d\*x+c))/a^3/d-1/2\*coth(d\*x+c)\*csch(d\*x+c)/a/d/(a+b-b\*sech(d\*x+c)^2)-b\*sech(d\*x+c)/a^2/d/(a+b-b\*sech(d\*x+c)^2)-1/2\*(3\*a+4\*b)\*arctanh(sech(d\*x+c)\*b^(1/2)/(a+b)^(1/2))\*b^(1/2)/a^3/d/(a+b)^(1/2)

**Rubi [A]** time = 0.21, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3664, 471, 527, 522, 207, 208}

$$-\frac{b \operatorname{sech}(c+dx)}{a^2d(a-b \operatorname{sech}^2(c+dx)+b)} + \frac{(a+4b) \tanh^{-1}(\cosh(c+dx))}{2a^3d} - \frac{\sqrt{b}(3a+4b) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3d\sqrt{a+b}} - \frac{\coth(c+dx)}{2ad(a-b \operatorname{sech}^2(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + 4\*b)\*ArcTanh[Cosh[c + d\*x]]/(2\*a^3\*d) - (Sqrt[b]\*(3\*a + 4\*b)\*ArcTanh[(Sqrt[b]\*Sech[c + d\*x])/Sqrt[a + b]]/(2\*a^3\*Sqrt[a + b]\*d) - (Coth[c + d\*x]\*Csch[c + d\*x])/(2\*a\*d\*(a + b - b\*Sech[c + d\*x]^2)) - (b\*Sech[c + d\*x])/(a^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1)



```

*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))], x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3664

```

Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*tan[(e_) + (f_)*(x_)]^2)^(
p_), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^
m), Subst[Int[((-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1
), x], x, Sec[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m
- 1)/2]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{a+b+3bx^2}{(-1+x^2)(a+b-x^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= \frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{b\operatorname{sech}(c+dx)}{a^2d(a+b-b\operatorname{sech}^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{2(a+b)}{(-1+x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= \frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))} - \frac{b\operatorname{sech}(c+dx)}{a^2d(a+b-b\operatorname{sech}^2(c+dx))} - \frac{(a+4b)\operatorname{Subst}\left(\int \frac{2(a+b)}{(-1+x^2)} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= \frac{(a+4b)\tanh^{-1}(\cosh(c+dx))}{2a^3d} - \frac{\sqrt{b}(3a+4b)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{2a^3\sqrt{a+b}d} - \frac{\operatorname{coth}(c+dx)}{2ad(a+b)}
\end{aligned}$$

**Mathematica [C]** time = 4.35, size = 203, normalized size = 1.44

$$\frac{8ab \cosh(c+dx)}{(a+b) \cosh(2(c+dx))+a-b} + 4(a+4b) \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + \frac{4i\sqrt{b}(3a+4b) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{\sqrt{a+b}} + \frac{4i\sqrt{b}(3a+4b) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) + i\sqrt{a+b}}{\sqrt{b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-1/8 * (((4*I) * \sqrt{b} * (3*a + 4*b) * \operatorname{ArcTan}[\frac{(-I) * \sqrt{a+b} - \sqrt{a} * \operatorname{Tanh}[(c+d*x)/2]}{\sqrt{b}}] / \sqrt{a+b} + ((4*I) * \sqrt{b} * (3*a + 4*b) * \operatorname{ArcTan}[\frac{(-I) * \sqrt{a+b} + \sqrt{a} * \operatorname{Tanh}[(c+d*x)/2]}{\sqrt{b}}] / \sqrt{a+b} + (8*a*b * \operatorname{Cosh}[c+d*x]) / (a-b + (a+b) * \operatorname{Cosh}[2*(c+d*x)]) + a * \operatorname{Csch}[(c+d*x)/2]^2 + 4*(a+4*b) * \operatorname{Log}[\operatorname{Tanh}[(c+d*x)/2]] + a * \operatorname{Sech}[(c+d*x)/2]^2) / (a^3*d)$

**fricas [B]** time = 0.73, size = 6335, normalized size = 44.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(a^2 + 2*a*b)*\cosh(d*x + c)^7 + 28*(a^2 + 2*a*b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^6 + 4*(a^2 + 2*a*b)*\sinh(d*x + c)^7 + 4*(3*a^2 - 2*a*b)*\cosh(d*x \\ & + c)^5 + 4*(21*(a^2 + 2*a*b)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c) \\ & ^5 + 20*(7*(a^2 + 2*a*b)*\cosh(d*x + c)^3 + (3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh \\ & (d*x + c)^4 + 4*(3*a^2 - 2*a*b)*\cosh(d*x + c)^3 + 4*(35*(a^2 + 2*a*b)*\cosh \\ & (d*x + c)^4 + 10*(3*a^2 - 2*a*b)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x \\ & + c)^3 + 4*(21*(a^2 + 2*a*b)*\cosh(d*x + c)^5 + 10*(3*a^2 - 2*a*b)*\cosh(d*x \\ & + c)^3 + 3*(3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((3*a^2 + 7*a \\ & *b + 4*b^2)*\cosh(d*x + c)^8 + 8*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^7 + (3*a^2 + 7*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4*(3*a*b + 4*b^2)*\cosh \\ & (d*x + c)^6 + 4*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2) \\ & *\sinh(d*x + c)^6 + 8*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^3 - 3*(3*a*b \\ & + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(3*a^2 - 5*a*b - 12*b^2)*\cosh \\ & (d*x + c)^4 + 2*(35*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(3*a*b + 4 \\ & *b^2)*\cosh(d*x + c)^2 - 3*a^2 + 5*a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(3*a \\ & ^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(3*a*b + 4*b^2)*\cosh(d*x + c)^3 - \\ & (3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(3*a*b + 4*b^2) \\ & *\cosh(d*x + c)^2 + 4*(7*(3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(3*a*b \\ & + 4*b^2)*\cosh(d*x + c)^4 - 3*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^2 - 3*a \\ & *b - 4*b^2)*\sinh(d*x + c)^2 + 3*a^2 + 7*a*b + 4*b^2 + 8*((3*a^2 + 7*a*b + \\ & 4*b^2)*\cosh(d*x + c)^7 - 3*(3*a*b + 4*b^2)*\cosh(d*x + c)^5 - (3*a^2 - 5*a*b \\ & - 12*b^2)*\cosh(d*x + c)^3 - (3*a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))* \\ & \sqrt{b/(a + b)}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a + 3*b)*\cosh(d*x + c)^2 + 2*(3* \\ & (a + b)*\cosh(d*x + c)^2 + a + 3*b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + \\ & c)^3 + (a + 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^3 \\ & + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a + \\ & b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c))*\sqrt{ \\ & b/(a + b)} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh \\ & (d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a \\ & + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 \\ & + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*(a^2 + 2*a*b)*\cosh(d*x \\ & + c) - 2*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 5*a*b + 4*b^2) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4* \\ & (a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^2 \\ & - a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^3 \\ & - 3*(a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(a^2 + a*b - 12*b^2)* \\ & \cosh(d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(a*b + 4 \\ & *b^2)*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 5 \\ & *a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d*x + c)^3 - (a^2 + a \\ & *b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + 4*b^2)*\cosh(d*x + c) \\ & ^2 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a*b + 4*b^2)*\cosh(d*x \\ & + c)^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + \end{aligned}$$

$$\begin{aligned}
& c)^2 + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^7 - 3*( \\
& a*b + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c)^3 - (a*b \\
& + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + \\
& 1) + 2*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 5*a*b + 4*b^2)*\cos \\
& h(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 5*a*b + 4*b^2)*\sinh(d*x + c)^8 - 4*(a*b \\
& + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^2 - a* \\
& b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^3 - 3 \\
& *(a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(a^2 + a*b - 12*b^2)*\cosh \\
& (d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^4 - 30*(a*b + 4*b^2 \\
& )*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 5*a*b \\
& + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d*x + c)^3 - (a^2 + a*b - \\
& 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + 4*b^2)*\cosh(d*x + c)^2 + \\
& 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a*b + 4*b^2)*\cosh(d*x + c \\
& )^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b - 4*b^2)*\sinh(d*x + c)^2 \\
& + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^7 - 3*(a*b \\
& + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c)^3 - (a*b + 4* \\
& b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) + \\
& 4*(7*(a^2 + 2*a*b)*\cosh(d*x + c)^6 + 5*(3*a^2 - 2*a*b)*\cosh(d*x + c)^4 + 3 \\
& *(3*a^2 - 2*a*b)*\cosh(d*x + c)^2 + a^2 + 2*a*b)*\sinh(d*x + c))/(4*a^3*b*d*c \\
& osh(d*x + c)^6 - (a^4 + a^3*b)*d*\cosh(d*x + c)^8 - 8*(a^4 + a^3*b)*d*\cosh(d \\
& *x + c)*\sinh(d*x + c)^7 - (a^4 + a^3*b)*d*\sinh(d*x + c)^8 + 4*a^3*b*d*\cosh( \\
& d*x + c)^2 + 4*(a^3*b*d - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 6 + 2*(a^4 - 3*a^3*b)*d*\cosh(d*x + c)^4 + 8*(3*a^3*b*d*\cosh(d*x + c) - 7*(a \\
& ^4 + a^3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)^5 + 2*(30*a^3*b*d*\cosh(d*x + c \\
& )^2 - 35*(a^4 + a^3*b)*d*\cosh(d*x + c)^4 + (a^4 - 3*a^3*b)*d)*\sinh(d*x + c) \\
& ^4 + 8*(10*a^3*b*d*\cosh(d*x + c)^3 - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^5 + (a \\
& ^4 - 3*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^3*b*d*\cosh(d*x + c \\
& )^4 - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^6 + a^3*b*d + 3*(a^4 - 3*a^3*b)*d*\cos \\
& h(d*x + c)^2)*\sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 8*(3*a^3*b*d*\cosh(d*x + c \\
& )^5 - (a^4 + a^3*b)*d*\cosh(d*x + c)^7 + a^3*b*d*\cosh(d*x + c) + (a^4 - 3*a^ \\
& 3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)), 1/2*(2*(a^2 + 2*a*b)*\cosh(d*x + c)^ \\
& 7 + 14*(a^2 + 2*a*b)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 2*(a^2 + 2*a*b)*\sinh(d \\
& *x + c)^7 + 2*(3*a^2 - 2*a*b)*\cosh(d*x + c)^5 + 2*(21*(a^2 + 2*a*b)*\cosh(d* \\
& x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c)^5 + 10*(7*(a^2 + 2*a*b)*\cosh(d*x + \\
& c)^3 + (3*a^2 - 2*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 2*(3*a^2 - 2*a*b)*c \\
& osh(d*x + c)^3 + 2*(35*(a^2 + 2*a*b)*\cosh(d*x + c)^4 + 10*(3*a^2 - 2*a*b)*c \\
& osh(d*x + c)^2 + 3*a^2 - 2*a*b)*\sinh(d*x + c)^3 + 2*(21*(a^2 + 2*a*b)*\cosh( \\
& d*x + c)^5 + 10*(3*a^2 - 2*a*b)*\cosh(d*x + c)^3 + 3*(3*a^2 - 2*a*b)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^2 + ((3*a^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)^8 + 8*(3*a \\
& ^2 + 7*a*b + 4*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^2 + 7*a*b + 4*b^2) \\
& *\sinh(d*x + c)^8 - 4*(3*a*b + 4*b^2)*\cosh(d*x + c)^6 + 4*(7*(3*a^2 + 7*a*b \\
& + 4*b^2)*\cosh(d*x + c)^2 - 3*a*b - 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^2 + 7 \\
& *a*b + 4*b^2)*\cosh(d*x + c)^3 - 3*(3*a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^5 - 2*(3*a^2 - 5*a*b - 12*b^2)*\cosh(d*x + c)^4 + 2*(35*(3*a^2 + 7*a*b + \\
& 4*b^2)*\cosh(d*x + c)^4 - 30*(3*a*b + 4*b^2)*\cosh(d*x + c)^2 - 3*a^2 + 5*a*
\end{aligned}$$

$$\begin{aligned}
& b + 12b^2) \sinh(dx + c)^4 + 8(7(3a^2 + 7ab + 4b^2) \cosh(dx + c)^5 \\
& - 10(3ab + 4b^2) \cosh(dx + c)^3 - (3a^2 - 5ab - 12b^2) \cosh(dx + \\
& c)) \sinh(dx + c)^3 - 4(3ab + 4b^2) \cosh(dx + c)^2 + 4(7(3a^2 + 7a \\
& b + 4b^2) \cosh(dx + c)^6 - 15(3ab + 4b^2) \cosh(dx + c)^4 - 3(3a^2 \\
& - 5ab - 12b^2) \cosh(dx + c)^2 - 3ab - 4b^2) \sinh(dx + c)^2 + 3a^2 \\
& + 7ab + 4b^2 + 8((3a^2 + 7ab + 4b^2) \cosh(dx + c)^7 - 3(3ab + \\
& 4b^2) \cosh(dx + c)^5 - (3a^2 - 5ab - 12b^2) \cosh(dx + c)^3 - (3ab \\
& + 4b^2) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-b/(a + b)} \arctan(1/2((a + b) \\
& * \cosh(dx + c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(d \\
& x + c)^3 + (a - 3b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + a - 3b) \\
& * \sinh(dx + c)) \sqrt{-b/(a + b)})/b - ((3a^2 + 7ab + 4b^2) \cosh(dx + c \\
& )^8 + 8(3a^2 + 7ab + 4b^2) \cosh(dx + c) \sinh(dx + c)^7 + (3a^2 + 7a \\
& b + 4b^2) \sinh(dx + c)^8 - 4(3ab + 4b^2) \cosh(dx + c)^6 + 4(7(3a \\
& a^2 + 7ab + 4b^2) \cosh(dx + c)^2 - 3ab - 4b^2) \sinh(dx + c)^6 + 8( \\
& 7(3a^2 + 7ab + 4b^2) \cosh(dx + c)^3 - 3(3ab + 4b^2) \cosh(dx + c) \\
& ) \sinh(dx + c)^5 - 2(3a^2 - 5ab - 12b^2) \cosh(dx + c)^4 + 2(35(3a \\
& ^2 + 7ab + 4b^2) \cosh(dx + c)^4 - 30(3ab + 4b^2) \cosh(dx + c)^2 - \\
& 3a^2 + 5ab + 12b^2) \sinh(dx + c)^4 + 8(7(3a^2 + 7ab + 4b^2) \cosh \\
& (dx + c)^5 - 10(3ab + 4b^2) \cosh(dx + c)^3 - (3a^2 - 5ab - 12b^2) \\
& * \cosh(dx + c)) \sinh(dx + c)^3 - 4(3ab + 4b^2) \cosh(dx + c)^2 + 4(7( \\
& 3a^2 + 7ab + 4b^2) \cosh(dx + c)^6 - 15(3ab + 4b^2) \cosh(dx + c)^4 \\
& - 3(3a^2 - 5ab - 12b^2) \cosh(dx + c)^2 - 3ab - 4b^2) \sinh(dx + \\
& c)^2 + 3a^2 + 7ab + 4b^2 + 8((3a^2 + 7ab + 4b^2) \cosh(dx + c)^7 - \\
& 3(3ab + 4b^2) \cosh(dx + c)^5 - (3a^2 - 5ab - 12b^2) \cosh(dx + c) \\
& ^3 - (3ab + 4b^2) \cosh(dx + c)) \sinh(dx + c)) \sqrt{-b/(a + b)} \arctan( \\
& 1/2((a + b) \cosh(dx + c) + (a + b) \sinh(dx + c)) \sqrt{-b/(a + b)})/b + 2 \\
& *(a^2 + 2ab) \cosh(dx + c) - ((a^2 + 5ab + 4b^2) \cosh(dx + c)^8 + 8( \\
& a^2 + 5ab + 4b^2) \cosh(dx + c) \sinh(dx + c)^7 + (a^2 + 5ab + 4b^2) * \\
& \sinh(dx + c)^8 - 4(ab + 4b^2) \cosh(dx + c)^6 + 4(7(a^2 + 5ab + 4b \\
& ^2) \cosh(dx + c)^2 - ab - 4b^2) \sinh(dx + c)^6 + 8(7(a^2 + 5ab + 4 \\
& b^2) \cosh(dx + c)^3 - 3(ab + 4b^2) \cosh(dx + c)) \sinh(dx + c)^5 - 2( \\
& a^2 + ab - 12b^2) \cosh(dx + c)^4 + 2(35(a^2 + 5ab + 4b^2) \cosh(dx \\
& + c)^4 - 30(ab + 4b^2) \cosh(dx + c)^2 - a^2 - ab + 12b^2) \sinh(dx + \\
& c)^4 + 8(7(a^2 + 5ab + 4b^2) \cosh(dx + c)^5 - 10(ab + 4b^2) \cosh(d \\
& x + c)^3 - (a^2 + ab - 12b^2) \cosh(dx + c)) \sinh(dx + c)^3 - 4(ab + \\
& 4b^2) \cosh(dx + c)^2 + 4(7(a^2 + 5ab + 4b^2) \cosh(dx + c)^6 - 15(a \\
& b + 4b^2) \cosh(dx + c)^4 - 3(a^2 + ab - 12b^2) \cosh(dx + c)^2 - ab \\
& - 4b^2) \sinh(dx + c)^2 + a^2 + 5ab + 4b^2 + 8((a^2 + 5ab + 4b^2) * \\
& osh(dx + c)^7 - 3(ab + 4b^2) \cosh(dx + c)^5 - (a^2 + ab - 12b^2) * \\
& h(dx + c)^3 - (ab + 4b^2) \cosh(dx + c)) \sinh(dx + c)) \log(\cosh(dx + c \\
& ) + \sinh(dx + c) + 1) + ((a^2 + 5ab + 4b^2) \cosh(dx + c)^8 + 8(a^2 + \\
& 5ab + 4b^2) \cosh(dx + c) \sinh(dx + c)^7 + (a^2 + 5ab + 4b^2) \sinh(d \\
& x + c)^8 - 4(ab + 4b^2) \cosh(dx + c)^6 + 4(7(a^2 + 5ab + 4b^2) * \\
& sh(dx + c)^2 - ab - 4b^2) \sinh(dx + c)^6 + 8(7(a^2 + 5ab + 4b^2) * \\
& osh(dx + c)^3 - 3(ab + 4b^2) \cosh(dx + c)) \sinh(dx + c)^5 - 2(a^2 +
\end{aligned}$$

$$\begin{aligned}
& a*b - 12*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^4 \\
& - 30*(a*b + 4*b^2)*\cosh(d*x + c)^2 - a^2 - a*b + 12*b^2)*\sinh(d*x + c)^4 + \\
& 8*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^5 - 10*(a*b + 4*b^2)*\cosh(d*x + c \\
& )^3 - (a^2 + a*b - 12*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a*b + 4*b^2) \\
& *\cosh(d*x + c)^2 + 4*(7*(a^2 + 5*a*b + 4*b^2)*\cosh(d*x + c)^6 - 15*(a*b + 4 \\
& *b^2)*\cosh(d*x + c)^4 - 3*(a^2 + a*b - 12*b^2)*\cosh(d*x + c)^2 - a*b - 4*b^ \\
& 2)*\sinh(d*x + c)^2 + a^2 + 5*a*b + 4*b^2 + 8*((a^2 + 5*a*b + 4*b^2)*\cosh(d* \\
& x + c)^7 - 3*(a*b + 4*b^2)*\cosh(d*x + c)^5 - (a^2 + a*b - 12*b^2)*\cosh(d*x \\
& + c)^3 - (a*b + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \si \\
& nh(d*x + c) - 1) + 2*(7*(a^2 + 2*a*b)*\cosh(d*x + c)^6 + 5*(3*a^2 - 2*a*b)*\c \\
& osh(d*x + c)^4 + 3*(3*a^2 - 2*a*b)*\cosh(d*x + c)^2 + a^2 + 2*a*b)*\sinh(d*x \\
& + c))/(4*a^3*b*d*\cosh(d*x + c)^6 - (a^4 + a^3*b)*d*\cosh(d*x + c)^8 - 8*(a^4 \\
& + a^3*b)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 - (a^4 + a^3*b)*d*\sinh(d*x + c)^8 \\
& + 4*a^3*b*d*\cosh(d*x + c)^2 + 4*(a^3*b*d - 7*(a^4 + a^3*b)*d*\cosh(d*x + c) \\
& ^2)*\sinh(d*x + c)^6 + 2*(a^4 - 3*a^3*b)*d*\cosh(d*x + c)^4 + 8*(3*a^3*b*d*\co \\
& sh(d*x + c) - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c)^5 + 2*(30*a^ \\
& 3*b*d*\cosh(d*x + c)^2 - 35*(a^4 + a^3*b)*d*\cosh(d*x + c)^4 + (a^4 - 3*a^3*b \\
& )*d)*\sinh(d*x + c)^4 + 8*(10*a^3*b*d*\cosh(d*x + c)^3 - 7*(a^4 + a^3*b)*d*\co \\
& sh(d*x + c)^5 + (a^4 - 3*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^ \\
& 3*b*d*\cosh(d*x + c)^4 - 7*(a^4 + a^3*b)*d*\cosh(d*x + c)^6 + a^3*b*d + 3*(a^ \\
& 4 - 3*a^3*b)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 8*(3*a^ \\
& 3*b*d*\cosh(d*x + c)^5 - (a^4 + a^3*b)*d*\cosh(d*x + c)^7 + a^3*b*d*\cosh(d*x \\
& + c) + (a^4 - 3*a^3*b)*d*\cosh(d*x + c)^3)*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.71, size = 1074, normalized size = 7.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/2*((2*(12*a^3*b^2 + 4*a^2*b^3 - 16*a*b^4 + (3*a^3*b - 14*a^2*b^2 - 21*a* \\
& b^3 + 4*b^4)*\sqrt{-a*b})*a^2*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) + (3*a^5*b - 11*a^4 \\
& *b^2 - 35*a^3*b^3 - 17*a^2*b^4 + 4*a*b^5 - 4*(3*a^4*b + 4*a^3*b^2 - 3*a^2*b \\
& ^3 - 4*a*b^4)*\sqrt{-a*b})*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\text{abs}(a) + (12*a^6*b - 8 \\
& *a^5*b^2 - 20*a^4*b^3 + 16*a^3*b^4 + (3*a^6 - 17*a^5*b - 7*a^4*b^2 + 25*a^3 \\
& *b^3 - 4*a^2*b^4)*\sqrt{-a*b})*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}))*\arctan(e^{(d*x)/\sq \\
& rt((a^4*e^{(2*c)} - a^3*b*e^{(2*c)} + \sqrt{(a^4*e^{(2*c)} - a^3*b*e^{(2*c)})^2 - (a \\
& ^4*e^{(4*c)} + a^3*b*e^{(4*c)})*(a^4 + a^3*b)))/(\sqrt{(a^4*e^{(2*c)} - a^3*b*e^{(2*c)})^2 - (a \\
& ^4*e^{(4*c)} + a^3*b*e^{(4*c)})*(a^4 + a^3*b))})*e^{(-2*c)})/((a^8 + 2*a^7*b - 2*a^5*b^3 - a^4*b^4 - 2*(a^7 + 3*a^6*b + 3*a^5* \\
& b^2 + a^4*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*\text{abs}(a) + \\
& (2*(12*a^3*b^2 + 4*a^2*b^3 - 16*a*b^4 - (3*a^3*b - 14*a^2*b^2 - 21*a*b^3 + \\
& 4*b^4)*\sqrt{-a*b})*a^2*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) + (3*a^5*b - 11*a^4*b^2 \\
& - 35*a^3*b^3 - 17*a^2*b^4 + 4*a*b^5 + 4*(3*a^4*b + 4*a^3*b^2 - 3*a^2*b^3 - \\
& 4*a*b^4)*\sqrt{-a*b})*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\text{abs}(a) + (12*a^6*b - 8*a^5*
\end{aligned}$$

$$\frac{b^2 - 20a^4b^3 + 16a^3b^4 - (3a^6 - 17a^5b - 7a^4b^2 + 25a^3b^3 - 4a^2b^4)\sqrt{-ab})\operatorname{abs}(ae^{(2c)} + be^{(2c)})\arctan(e^{(dx)}/\sqrt{(a^4e^{(2c)} - a^3be^{(2c)} - \sqrt{(a^4e^{(2c)} - a^3be^{(2c)})^2 - (a^4e^{(4c)} + a^3be^{(4c)})})})}{(a^4e^{(4c)} + a^3be^{(4c)})}e^{(-2c)}/((a^8 + 2a^7b - 2a^5b^3 - a^4b^4 + 2(a^7 + 3a^6b + 3a^5b^2 + a^4b^3)\sqrt{-ab})\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a + b)}\operatorname{abs}(a)) - (ae^c + 4be^c)e^{(-c)}\log(e^{(dx + c)} + 1)/a^3 + (ae^c + 4be^c)e^{(-c)}\log(\operatorname{abs}(e^{(dx + c)} - 1))/a^3 + 2(be^{(3dx + 3c)} + be^{(dx + c)})/((ae^{(4dx + 4c)} + be^{(4dx + 4c)} + 2ae^{(2dx + 2c)} - 2be^{(2dx + 2c)} + a + b)a^2) + 2(e^{(3dx + 3c)} + e^{(dx + c)})/(a^2(e^{(2dx + 2c)} - 1)^2))/d$$

**maple [B]** time = 0.46, size = 367, normalized size = 2.60

$$\frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da^2} \frac{b\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{da^2\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right) da^3\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{8}d\tanh(1/2dx+1/2c)^2/a^2-1/d*b/a^2/(\tanh(1/2dx+1/2c)^4*a+2\tanh(1/2dx+1/2c)^2*a+4\tanh(1/2dx+1/2c)^2*b+a)*\tanh(1/2dx+1/2c)^2-2/d*b^2/a^3/(\tanh(1/2dx+1/2c)^4*a+2\tanh(1/2dx+1/2c)^2*a+4\tanh(1/2dx+1/2c)^2*b+a)*\tanh(1/2dx+1/2c)^2-1/d*b/a^2/(\tanh(1/2dx+1/2c)^4*a+2\tanh(1/2dx+1/2c)^2*a+4\tanh(1/2dx+1/2c)^2*b+a)-3/2/d*b/a^2/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2\tanh(1/2dx+1/2c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2)})-2/d*b^2/a^3/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2\tanh(1/2dx+1/2c)^2*a+2*a+4*b)/(a*b+b^2)^{(1/2)})-1/8/d/a^2/\tanh(1/2dx+1/2c)^2-1/2/d/a^2*\ln(\tanh(1/2dx+1/2c))-2/d/a^3*\ln(\tanh(1/2dx+1/2c))*b$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ae^{(7c)} + 2be^{(7c)})e^{(7dx)} + (3ae^{(5c)} - 2be^{(5c)})e^{(5dx)} + (3ae^{(3c)} - 2be^{(3c)})e^{(3dx)} + (ae^c + 2be^c)e^{(dx)}}{4a^2bde^{(6dx+6c)} + 4a^2bde^{(2dx+2c)} - a^3d - a^2bd - (a^3de^{(8c)} + a^2bde^{(8c)})e^{(8dx)} + 2(a^3de^{(4c)} - 3a^2bde^{(4c)})e^{(4dx)} + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $((ae^{(7c)} + 2be^{(7c)})e^{(7dx)} + (3ae^{(5c)} - 2be^{(5c)})e^{(5dx)} + (3ae^{(3c)} - 2be^{(3c)})e^{(3dx)} + (ae^c + 2be^c)e^{(dx)})/(4a^2bde^{(6dx+6c)} + 4a^2bde^{(2dx+2c)} - a^3d - a^2bd - (a^3de^{(8c)} + a^2bde^{(8c)})e^{(8dx)} + 2(a^3de^{(4c)} - 3a^2bde^{(4c)})e^{(4dx)} + \dots)$

```
*d*e^(8*c) + a^2*b*d*e^(8*c))*e^(8*d*x) + 2*(a^3*d*e^(4*c) - 3*a^2*b*d*e^(4*c))*e^(4*d*x)) + 1/2*(a + 4*b)*log((e^(d*x + c) + 1)*e^(-c))/(a^3*d) - 1/2*(a + 4*b)*log((e^(d*x + c) - 1)*e^(-c))/(a^3*d) + 8*integrate(1/8*((3*a*b*e^(3*c) + 4*b^2*e^(3*c))*e^(3*d*x) - (3*a*b*e^c + 4*b^2*e^c)*e^(d*x))/(a^4 + a^3*b + (a^4*e^(4*c) + a^3*b*e^(4*c))*e^(4*d*x) + 2*(a^4*e^(2*c) - a^3*b*e^(2*c))*e^(2*d*x)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx)^3 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^2), x)

[Out] int(1/(sinh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Integral(csch(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)



$$3.40 \quad \int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=113

$$\frac{\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} + \frac{b(a+b) \tanh(c+dx)}{2a^3d(a+b \tanh^2(c+dx))} + \frac{(a+2b) \operatorname{coth}(c+dx)}{a^3d} - \frac{\operatorname{coth}^3(c+dx)}{3a^2d}$$

[Out] (a+2\*b)\*coth(d\*x+c)/a^3/d-1/3\*coth(d\*x+c)^3/a^2/d+1/2\*(3\*a+5\*b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/a^(7/2)/d+1/2\*b\*(a+b)\*tanh(d\*x+c)/a^3/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.15, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 456, 1261, 205}

$$\frac{b(a+b) \tanh(c+dx)}{2a^3d(a+b \tanh^2(c+dx))} + \frac{(a+2b) \operatorname{coth}(c+dx)}{a^3d} + \frac{\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} - \frac{\operatorname{coth}^3(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (Sqrt[b]\*(3\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(7/2)\*d) + ((a + 2\*b)\*Coth[c + d\*x])/(a^3\*d) - Coth[c + d\*x]^3/(3\*a^2\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(2\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 456

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1))/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[x^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*Together[(b^(m/2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)\*x^(-m + 2)]/(a + b\*x^2)] - ((-a)^(m/2 - 1)\*(b\*c - a\*d))/x^m, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && ILtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

#### Rule 1261

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_.)^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b(a+b) \tanh(c + dx)}{2a^3 d (a + b \tanh^2(c + dx))} - \frac{b \operatorname{Subst}\left(\int \frac{\frac{2}{ab} + \frac{2(a+b)x^2}{a^2b} - \frac{(a+b)x^4}{a^3}}{x^4(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{b(a+b) \tanh(c + dx)}{2a^3 d (a + b \tanh^2(c + dx))} - \frac{b \operatorname{Subst}\left(\int \left(-\frac{2}{a^2bx^4} + \frac{2(a+2b)}{a^3bx^2} + \frac{-3a-5b}{a^3(a+bx^2)}\right) dx, x, \tanh(c + dx)\right)}{2d} \\ &= \frac{(a+2b) \operatorname{coth}(c + dx)}{a^3 d} - \frac{\operatorname{coth}^3(c + dx)}{3a^2 d} + \frac{b(a+b) \tanh(c + dx)}{2a^3 d (a + b \tanh^2(c + dx))} + \frac{(b(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right))}{2a^{7/2}d} \\ &= \frac{\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d} + \frac{(a+2b) \operatorname{coth}(c + dx)}{a^3 d} - \frac{\operatorname{coth}^3(c + dx)}{3a^2 d} + \frac{b(a+b) \tanh(c + dx)}{2a^3 d (a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.93, size = 114, normalized size = 1.01

$$\frac{3\sqrt{b}(3a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + \frac{3\sqrt{a}b(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b} + 2\sqrt{a} \operatorname{coth}(c + dx) (-\operatorname{acsch}^2(c + dx) + 2a + 6b)}{6a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (3\*sqrt[b]\*(3\*a + 5\*b)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] + 2\*sqrt[a]\*Coth[c + d\*x]\*(2\*a + 6\*b - a\*Csch[c + d\*x]^2) + (3\*sqrt[a]\*b\*(a + b)\*Sinh[2\*(c + d\*x)])/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(6\*a^(7/2)\*d)

**fricas** [B] time = 0.86, size = 5062, normalized size = 44.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/12\*(12\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^8 + 96\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + 12\*(3\*a\*b + 5\*b^2)\*sinh(d\*x + c)^8 - 24\*(2\*a^2 + a\*b + 10\*b^2)\*cosh(d\*x + c)^6 + 24\*(14\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^2 - 2\*a^2 - a\*b - 10\*b^2)\*sinh(d\*x + c)^6 + 48\*(14\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^3 - 3\*(2\*a^2 + a\*b + 10\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 - 8\*(10\*a^2 - 2\*a\*b - 45\*b^2)\*cosh(d\*x + c)^4 + 8\*(105\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^4 - 45\*(2\*a^2 + a\*b + 10\*b^2)\*cosh(d\*x + c)^2 - 10\*a^2 + 2\*a\*b + 45\*b^2)\*sinh(d\*x + c)^4 + 32\*(21\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^5 - 15\*(2\*a^2 + a\*b + 10\*b^2)\*cosh(d\*x + c)^3 - (10\*a^2 - 2\*a\*b - 45\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - 8\*(2\*a^2 + 13\*a\*b + 30\*b^2)\*cosh(d\*x + c)^2 + 8\*(42\*(3\*a\*b + 5\*b^2)\*cosh(d\*x + c)^6 - 45\*(2\*a^2 + a\*b + 10\*b^2)\*cosh(d\*x + c)^4 - 6\*(10\*a^2 - 2\*a\*b - 45\*b^2)\*cosh(d\*x + c)^2 - 2\*a^2 - 13\*a\*b - 30\*b^2)\*sinh(d\*x + c)^2 + 3\*((3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^10 + 10\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + (3\*a^2 + 8\*a\*b + 5\*b^2)\*sinh(d\*x + c)^10 - (3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^8 + (45\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^2 - 3\*a^2 - 20\*a\*b - 25\*b^2)\*sinh(d\*x + c)^8 + 8\*(15\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^3 - (3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 2\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^6 + 2\*(105\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^4 - 14\*(3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^2 - 3\*a^2 + 10\*a\*b + 25\*b^2)\*sinh(d\*x + c)^6 + 4\*(63\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^5 - 14\*(3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^3 - 3\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^4 + 2\*(105\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^6 - 35\*(3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^4 - 15\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^2 + 3\*a^2 - 10\*a\*b - 25\*b^2)\*sinh(d\*x + c)^4 + 8\*(15\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^7 - 7\*(3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^5 - 5\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^3 + (3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + (3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^2 + (45\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^8 - 28\*(3\*a^2 + 20\*a\*b + 25\*b^2)\*cosh(d\*x + c)^6 - 30\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^4 + 12\*(3\*a^2 - 10\*a\*b - 25\*b^2)\*cosh(d\*x + c)^2 + 3\*a^2 + 20\*a\*b + 25\*b^2)\*sinh(d\*x + c)^2 - 3\*a^2 - 8\*a\*b - 5\*b^2 + 2\*(5\*(3\*a^2 + 8\*a\*b + 5\*b^2)\*cosh(d\*x + c)^9 - 4\*

$$\begin{aligned}
& (3a^2 + 20ab + 25b^2) \cosh(dx + c)^7 - 6(3a^2 - 10ab - 25b^2) \cosh(dx + c)^5 + 4(3a^2 - 10ab - 25b^2) \cosh(dx + c)^3 + (3a^2 + 20ab + 25b^2) \cosh(dx + c) \cdot \sinh(dx + c) \cdot \sqrt{-b/a} \cdot \log((a^2 + 2ab + b^2) \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c) \sinh(dx + c) + 4((a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sinh(dx + c) + (a^2 + ab) \sinh(dx + c)^2 + a^2 - ab) \sqrt{-b/a})) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c) \sinh(dx + c) + a + b)) + 16a^2 + 76ab + 60b^2 + 16(6(3ab + 5b^2) \cosh(dx + c)^7 - 9(2a^2 + ab + 10b^2) \cosh(dx + c)^5 - 2(10a^2 - 2ab - 45b^2) \cosh(dx + c)^3 - (2a^2 + 13ab + 30b^2) \cosh(dx + c) \sinh(dx + c)) / ((a^4 + a^3b) d \cosh(dx + c)^{10} + 10(a^4 + a^3b) d \cosh(dx + c) \sinh(dx + c)^9 + (a^4 + a^3b) d \sinh(dx + c)^{10} - (a^4 + 5a^3b) d \cosh(dx + c)^8 + (45(a^4 + a^3b) d \cosh(dx + c)^2 - (a^4 + 5a^3b) d) \sinh(dx + c)^8 - 2(a^4 - 5a^3b) d \cosh(dx + c)^6 + 8(15(a^4 + a^3b) d \cosh(dx + c)^3 - (a^4 + 5a^3b) d \cosh(dx + c) \sinh(dx + c)^7 + 2(105(a^4 + a^3b) d \cosh(dx + c)^4 - 14(a^4 + 5a^3b) d \cosh(dx + c)^2 - (a^4 - 5a^3b) d) \sinh(dx + c)^6 + 2(a^4 - 5a^3b) d \cosh(dx + c)^4 + 4(63(a^4 + a^3b) d \cosh(dx + c)^5 - 14(a^4 + 5a^3b) d \cosh(dx + c)^3 - 3(a^4 - 5a^3b) d \cosh(dx + c) \sinh(dx + c)^5 + 2(105(a^4 + a^3b) d \cosh(dx + c)^6 - 35(a^4 + 5a^3b) d \cosh(dx + c)^4 - 15(a^4 - 5a^3b) d \cosh(dx + c)^2 + (a^4 - 5a^3b) d) \sinh(dx + c)^4 + (a^4 + 5a^3b) d \cosh(dx + c)^2 + 8(15(a^4 + a^3b) d \cosh(dx + c)^7 - 7(a^4 + 5a^3b) d \cosh(dx + c)^5 - 5(a^4 - 5a^3b) d \cosh(dx + c)^3 + (a^4 - 5a^3b) d \cosh(dx + c) \sinh(dx + c)^3 + (45(a^4 + a^3b) d \cosh(dx + c)^8 - 28(a^4 + 5a^3b) d \cosh(dx + c)^6 - 30(a^4 - 5a^3b) d \cosh(dx + c)^4 + 12(a^4 - 5a^3b) d \cosh(dx + c)^2 + (a^4 + 5a^3b) d) \sinh(dx + c)^2 - (a^4 + a^3b) d + 2(5(a^4 + a^3b) d \cosh(dx + c)^9 - 4(a^4 + 5a^3b) d \cosh(dx + c)^7 - 6(a^4 - 5a^3b) d \cosh(dx + c)^5 + 4(a^4 - 5a^3b) d \cosh(dx + c)^3 + (a^4 + 5a^3b) d \cosh(dx + c) \sinh(dx + c)), 1/6(6(3ab + 5b^2) \cosh(dx + c)^8 + 48(3ab + 5b^2) \cosh(dx + c) \sinh(dx + c)^7 + 6(3ab + 5b^2) \sinh(dx + c)^8 - 12(2a^2 + ab + 10b^2) \cosh(dx + c)^6 + 12(14(3ab + 5b^2) \cosh(dx + c)^2 - 2a^2 - ab - 10b^2) \sinh(dx + c)^6 + 24(14(3ab + 5b^2) \cosh(dx + c)^3 - 3(2a^2 + ab + 10b^2) \cosh(dx + c) \sinh(dx + c)^5 - 4(10a^2 - 2ab - 45b^2) \cosh(dx + c)^4 + 4(105(3ab + 5b^2) \cosh(dx + c)^4 - 45(2a^2 + ab + 10b^2) \cosh(dx + c)^2 - 10a^2 + 2ab + 45b^2) \sinh(dx + c)^4 + 16(21(3ab + 5b^2) \cosh(dx + c)^5 - 15(2a^2 + ab + 10b^2) \cosh(dx + c)^3 - (10a^2 - 2ab - 45b^2) \cosh(dx + c) \sinh(dx + c)^3 - 4(2a^2 + 13ab + 30b^2) \cosh(dx + c)^2 + 4(42(3ab + 5b^2) \cosh(dx + c)^6 - 45(2a^2 + ab + 10b^2) \cosh(dx + c)^4 - 6(10a^2
\end{aligned}$$

$$\begin{aligned}
& - 2*a*b - 45*b^2)*\cosh(d*x + c)^2 - 2*a^2 - 13*a*b - 30*b^2)*\sinh(d*x + c)^2 \\
& + 3*((3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^{10} + 10*(3*a^2 + 8*a*b + 5*b^2) \\
& )*\cosh(d*x + c)*\sinh(d*x + c)^9 + (3*a^2 + 8*a*b + 5*b^2)*\sinh(d*x + c)^{10} \\
& - (3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^8 + (45*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^2 - 3*a^2 - 20*a*b - 25*b^2)*\sinh(d*x + c)^8 + 8*(15*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^3 - (3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 2*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^6 + 2*(105*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^4 - 14*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^2 - 3*a^2 + 10*a*b + 25*b^2)*\sinh(d*x + c)^6 + 4*(63*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^5 - 14*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^3 - 3*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^4 + 2*(105*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^6 - 35*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^4 - 15*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^2 + 3*a^2 - 10*a*b - 25*b^2)*\sinh(d*x + c)^4 + 8*(15*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^7 - 7*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^5 - 5*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^3 + (3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^2 + (45*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^8 - 28*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^6 - 30*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^4 + 12*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^2 + 3*a^2 + 20*a*b + 25*b^2)*\sinh(d*x + c)^2 - 3*a^2 - 8*a*b - 5*b^2 + 2*(5*(3*a^2 + 8*a*b + 5*b^2)*\cosh(d*x + c)^9 - 4*(3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c)^7 - 6*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 - 10*a*b - 25*b^2)*\cosh(d*x + c)^3 + (3*a^2 + 20*a*b + 25*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^4 + a^3*b)*d*\cosh(d*x + c)^{10} + 10*(a^4 + a^3*b)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^4 + a^3*b)*d*\sinh(d*x + c)^{10} - (a^4 + 5*a^3*b)*d*\cosh(d*x + c)^8 + (45*(a^4 + a^3*b)*d*\cosh(d*x + c)^2 - (a^4 + 5*a^3*b)*d)*\sinh(d*x + c)^8 - 2*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^6 + 8*(15*(a^4 + a^3*b)*d*\cosh(d*x + c)^3 - (a^4 + 5*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^4 + a^3*b)*d*\cosh(d*x + c)^4 - 14*(a^4 + 5*a^3*b)*d*\cosh(d*x + c)^2 - (a^4 - 5*a^3*b)*d)*\sinh(d*x + c)^6 + 2*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^4 + 4*(63*(a^4 + a^3*b)*d*\cosh(d*x + c)^5 - 14*(a^4 + 5*a^3*b)*d*\cosh(d*x + c)^3 - 3*(a^4 - 5*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^4 + a^3*b)*d*\cosh(d*x + c)^6 - 35*(a^4 + 5*a^3*b)*d*\cosh(d*x + c)^4 - 15*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^2 + (a^4 - 5*a^3*b)*d)*\sinh(d*x + c)^4 + (a^4 + 5*a^3*b)*d*\cosh(d*x + c)^2 + 8*(15*(a^4 + a^3*b)*d*\cosh(d*x + c)^7 - 7*(a^4 + 5*a^3*b)*d*\cosh(d*x + c)^5 - 5*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^3 + (a^4 - 5*a^3*b)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^4 + a^3*b)*d*\cosh(d*x + c)^8 - 28*(a^4 + 5*a^3*b)*d*\cosh(d*x + c)^6 - 30*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^4 + 12*(a^4 - 5*a^3*b)*d*\cosh(d*x + c)^2 + (a^4 + 5*a^3*b)*d)*\sinh(d*x + c)^2 - (a^4 + a^3*b)*d + 2*(5*(a^4 + a^3*b)*d*\cosh(d*x + c
\end{aligned}$$

)^9 - 4\*(a^4 + 5\*a^3\*b)\*d\*cosh(d\*x + c)^7 - 6\*(a^4 - 5\*a^3\*b)\*d\*cosh(d\*x + c)^5 + 4\*(a^4 - 5\*a^3\*b)\*d\*cosh(d\*x + c)^3 + (a^4 + 5\*a^3\*b)\*d\*cosh(d\*x + c))\*sinh(d\*x + c)]

**giac [B]** time = 0.56, size = 221, normalized size = 1.96

$$\frac{3(3abe^{2c}+5b^2e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}a^3} - \frac{6(abe^{2dx+2c}-b^2e^{2dx+2c}+ab+b^2)}{(ae^{4dx+4c}+be^{4dx+4c}+2ae^{2dx+2c}-2be^{2dx+2c}+a+b)a^3} + \frac{8(3be^{4dx+4c}-3a)}{a^3}$$


---


$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/6\*(3\*(3\*a\*b\*e^(2\*c) + 5\*b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*a^3) - 6\*(a\*b\*e^(2\*d\*x + 2\*c) - b^2\*e^(2\*d\*x + 2\*c) + a\*b + b^2)/((a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)\*a^3) + 8\*(3\*b\*e^(4\*d\*x + 4\*c) - 3\*a\*e^(2\*d\*x + 2\*c) - 6\*b\*e^(2\*d\*x + 2\*c) + a + 3\*b)/(a^3\*(e^(2\*d\*x + 2\*c) - 1)^3))/d

**maple [B]** time = 0.47, size = 1012, normalized size = 8.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -1/24/d/a^2\*tanh(1/2\*d\*x+1/2\*c)^3+3/8/d/a^2\*tanh(1/2\*d\*x+1/2\*c)+1/d/a^3\*tanh(1/2\*d\*x+1/2\*c)\*b+1/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/a^3\*b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*tanh(1/2\*d\*x+1/2\*c)+1/d/a^3\*b^2/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)\*tanh(1/2\*d\*x+1/2\*c)-3/2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*b+3/2/d/a^2\*b/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-4/d/a^2\*b^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*b-3/2/d/a^2\*b/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-4/d/a^2\*b^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))

$$\begin{aligned} & *b) *a)^{(1/2)} + 5/2/d/a^3*b^2/((2*(b*(a+b))^{(1/2)} - a - 2*b) *a)^{(1/2)} * \operatorname{arctanh}(a * \operatorname{tanh}(1/2*d*x + 1/2*c) / ((2*(b*(a+b))^{(1/2)} - a - 2*b) *a)^{(1/2)}) - 5/2/d/a^3*b^3/(b*(a+b))^{(1/2)} / ((2*(b*(a+b))^{(1/2)} - a - 2*b) *a)^{(1/2)} * \operatorname{arctanh}(a * \operatorname{tanh}(1/2*d*x + 1/2*c) / ((2*(b*(a+b))^{(1/2)} - a - 2*b) *a)^{(1/2)}) - 5/2/d/a^3*b^2/((2*(b*(a+b))^{(1/2)} + a + 2*b) *a)^{(1/2)} * \operatorname{arctan}(a * \operatorname{tanh}(1/2*d*x + 1/2*c) / ((2*(b*(a+b))^{(1/2)} + a + 2*b) *a)^{(1/2)}) - 5/2/d/a^3*b^3/(b*(a+b))^{(1/2)} / ((2*(b*(a+b))^{(1/2)} + a + 2*b) *a)^{(1/2)} * \operatorname{arctan}(a * \operatorname{tanh}(1/2*d*x + 1/2*c) / ((2*(b*(a+b))^{(1/2)} + a + 2*b) *a)^{(1/2)}) - 1/24/d/a^2/\operatorname{tanh}(1/2*d*x + 1/2*c)^3 + 3/8/d/a^2/\operatorname{tanh}(1/2*d*x + 1/2*c) + 1/d/a^3/\operatorname{tanh}(1/2*d*x + 1/2*c) * b \end{aligned}$$

**maxima** [B] time = 0.55, size = 282, normalized size = 2.50

$$\frac{4a^2 + 19ab + 15b^2 - 2(2a^2 + 13ab + 30b^2)e^{(-2dx-2c)} - 2(10a^2 - 2ab - 45b^2)e^{(-4dx-4c)} - 6(2a^2 + ab + 10b^2)e^{(-6dx-6c)} + 3(a^4 + a^3b - (a^4 + 5a^3b)e^{(-2dx-2c)} - 2(a^4 - 5a^3b)e^{(-4dx-4c)} + 2(a^4 - 5a^3b)e^{(-6dx-6c)} + (a^4 + 5a^3b)e^{(-8dx-8c)})}{3(a^4 + a^3b - (a^4 + 5a^3b)e^{(-2dx-2c)} - 2(a^4 - 5a^3b)e^{(-4dx-4c)} + 2(a^4 - 5a^3b)e^{(-6dx-6c)} + (a^4 + 5a^3b)e^{(-8dx-8c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & 1/3*(4*a^2 + 19*a*b + 15*b^2 - 2*(2*a^2 + 13*a*b + 30*b^2)*e^{(-2*d*x - 2*c)} \\ & - 2*(10*a^2 - 2*a*b - 45*b^2)*e^{(-4*d*x - 4*c)} - 6*(2*a^2 + a*b + 10*b^2)* \\ & e^{(-6*d*x - 6*c)} + 3*(3*a*b + 5*b^2)*e^{(-8*d*x - 8*c)})/((a^4 + a^3*b - (a^4 \\ & + 5*a^3*b)*e^{(-2*d*x - 2*c)} - 2*(a^4 - 5*a^3*b)*e^{(-4*d*x - 4*c)} + 2*(a^4 \\ & - 5*a^3*b)*e^{(-6*d*x - 6*c)} + (a^4 + 5*a^3*b)*e^{(-8*d*x - 8*c)} - (a^4 + a^3 \\ & *b)*e^{(-10*d*x - 10*c)})*d - 1/2*(3*a*b + 5*b^2)*\operatorname{arctan}(1/2*((a + b)*e^{(-2* \\ & d*x - 2*c)} + a - b)/\operatorname{sqrt}(a*b))/(\operatorname{sqrt}(a*b)*a^3*d) \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c+dx)^4 (b \tanh(c+dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c+d\*x)^4\*(a+b\*tanh(c+d\*x)^2)^2),x)

[Out] int(1/(sinh(c+d\*x)^4\*(a+b\*tanh(c+d\*x)^2)^2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**4/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral(csch(c + d*x)**4/(a + b*tanh(c + d*x)**2)**2, x)
```



$$3.41 \quad \int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=240

$$\frac{3\sqrt{b} (5a^2 - 10ab + b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a} d(a+b)^5} + \frac{3x(a^2 - 10ab + 5b^2)}{8(a+b)^5} + \frac{3b(a-b) \tanh(c+dx)}{2d(a+b)^4 (a+b \tanh^2(c+dx))} + \frac{b(7a^2 - 10ab + 5b^2)}{8d(a+b)^5}$$

[Out]  $3/8*(a^2-10*a*b+5*b^2)*x/(a+b)^5+3/8*(5*a^2-10*a*b+b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/(a+b)^5/d/a^{(1/2)}-1/8*(5*a-3*b)*\cosh(d*x+c)*\sinh(d*x+c)/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)^2+1/4*\cosh(d*x+c)^3*\sinh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2+1/8*(7*a-5*b)*b*\tanh(d*x+c)/(a+b)^3/d/(a+b*\tanh(d*x+c)^2)^2+3/2*(a-b)*b*\tanh(d*x+c)/(a+b)^4/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.35, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 470, 527, 522, 206, 205}

$$\frac{3\sqrt{b} (5a^2 - 10ab + b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a} d(a+b)^5} + \frac{3x(a^2 - 10ab + 5b^2)}{8(a+b)^5} + \frac{3b(a-b) \tanh(c+dx)}{2d(a+b)^4 (a+b \tanh^2(c+dx))} + \frac{b(7a^2 - 10ab + 5b^2)}{8d(a+b)^5}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(3*(a^2 - 10*a*b + 5*b^2)*x)/(8*(a + b)^5) + (3*\text{Sqrt}[b]*(5*a^2 - 10*a*b + b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])/(8*\text{Sqrt}[a]*(a + b)^5*d) - ((5*a - 3*b)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/(8*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2)^2) + (\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x])/(4*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) + ((7*a - 5*b)*b*\text{Tanh}[c + d*x])/(8*(a + b)^3*d*(a + b*\text{Tanh}[c + d*x]^2)^2) + (3*(a - b)*b*\text{Tanh}[c + d*x])/(2*(a + b)^4*d*(a + b*\text{Tanh}[c + d*x]^2))$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 470

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d (a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d (a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d (a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d (a+b \tanh^2(c+dx))^2} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{a+(4a-3b)x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{3(a^2-10ab+5b^2)x}{8(a+b)^5} + \frac{3\sqrt{b}(5a^2-10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a}(a+b)^5 d} - \frac{(5a-3b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2 d (a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.86, size = 184, normalized size = 0.77

$$\frac{12(a^2-10ab+5b^2)(c+dx) + \frac{12\sqrt{b}(5a^2-10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{16ab^2(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} - 8(a-2b)(a+b) \sinh(c+dx)}{32d(a+b)^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (12\*(a^2 - 10\*a\*b + 5\*b^2)\*(c + d\*x) + (12\*Sqrt[b]\*(5\*a^2 - 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[a] - 8\*(a - 2\*b)\*(a + b)\*Sinh[c + d\*x])/(32\*d\*(a + b)^5)

$$2*(c + d*x)] + (16*a*b^2*(a + b)*\text{Sinh}[2*(c + d*x)])/(a - b + (a + b)*\text{Cosh}[2*(c + d*x)])^2 + (4*(9*a - 5*b)*b*(a + b)*\text{Sinh}[2*(c + d*x)]/(a - b + (a + b)*\text{Cosh}[2*(c + d*x)]) + (a + b)^2*\text{Sinh}[4*(c + d*x)]/(32*(a + b)^5*d)$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 3.00, size = 923, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{64}*(24*(a^2 - 10*a*b + 5*b^2)*d*x/(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5) + 24*(5*a^2*b*e^{(2*c)} - 10*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\sqrt{a*b}) + (a^3*e^{(4*d*x + 36*c)} + 3*a^2*b*e^{(4*d*x + 36*c)} + 3*a*b^2*e^{(4*d*x + 36*c)} + b^3*e^{(4*d*x + 36*c)} - 8*a^3*e^{(2*d*x + 34*c)} + 24*a*b^2*e^{(2*d*x + 34*c)} + 16*b^3*e^{(2*d*x + 34*c)})/(a^6*e^{(32*c)} + 6*a^5*b*e^{(32*c)} + 15*a^4*b^2*e^{(32*c)} + 20*a^3*b^3*e^{(32*c)} + 15*a^2*b^4*e^{(32*c)} + 6*a*b^5*e^{(32*c)} + b^6*e^{(32*c)}) - (6*a^4*e^{(12*d*x + 12*c)} - 48*a^3*b*e^{(12*d*x + 12*c)} - 84*a^2*b^2*e^{(12*d*x + 12*c)} + 30*b^4*e^{(12*d*x + 12*c)} + 16*a^4*e^{(10*d*x + 10*c)} - 104*a^3*b*e^{(10*d*x + 10*c)} - 24*a^2*b^2*e^{(10*d*x + 10*c)} + 72*a*b^3*e^{(10*d*x + 10*c)} - 24*b^4*e^{(10*d*x + 10*c)} + 5*a^4*e^{(8*d*x + 8*c)} + 84*a^3*b*e^{(8*d*x + 8*c)} + 30*a^2*b^2*e^{(8*d*x + 8*c)} + 84*a*b^3*e^{(8*d*x + 8*c)} - 123*b^4*e^{(8*d*x + 8*c)} - 20*a^4*e^{(6*d*x + 6*c)} + 280*a^3*b*e^{(6*d*x + 6*c)} - 64*a^2*b^2*e^{(6*d*x + 6*c)} - 152*a*b^3*e^{(6*d*x + 6*c)} + 212*b^4*e^{(6*d*x + 6*c)} - 20*a^4*e^{(4*d*x + 4*c)} + 136*a^3*b*e^{(4*d*x + 4*c)} + 224*a^2*b^2*e^{(4*d*x + 4*c)} - 40*a*b^3*e^{(4*d*x + 4*c)} - 108*b^4*e^{(4*d*x + 4*c)} - 4*a^4*e^{(2*d*x + 2*c)} + 24*a^2*b^2*e^{(2*d*x + 2*c)} + 32*a*b^3*e^{(2*d*x + 2*c)} + 12*b^4*e^{(2*d*x + 2*c)} + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)/((a^5*e^{(4*c)} + 5*a^4*b*e^{(4*c)} + 10*a^3*b^2*e^{(4*c)} + 10*a^2*b^3*e^{(4*c)} + 5*a*b^4*e^{(4*c)} + b^5*e^{(4*c)})*(a*e^{(2*d*x)} + b*e^{(2*d*x)} + a*e^{(6*d*x + 4*c)} + b*e^{(6*d*x + 4*c)} + 2*a*e^{(4*d*x + 2*c)} - 2*b*e^{(4*d*x + 2*c)})^2))/d$$

**maple** [B] time = 0.39, size = 2366, normalized size = 9.86

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(d*x+c)^4/(a+b*\tanh(d*x+c)^2)^3, x)$

[Out] 
$$\begin{aligned} & -1/4/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)^4+1/4/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c) \\ & -1)^4+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)^3-15/8/d*b/(a+b)^5/(b*(a+b))^{(1 \\ & /2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b \\ & *(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})*a^3-15/8/d*b/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b \\ & *(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1 \\ & /2)}+a+2*b)*a)^{(1/2)})*a^3+15/8/d*b^2/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1 \\ & /2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2* \\ & b)*a)^{(1/2)})*a^2+27/8/d*b^3/(a+b)^5*a/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a \\ & -2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1 \\ & /2)})+15/8/d*b^2/(a+b)^5/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1 \\ & /2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*a^2+27 \\ & /8/d*b^3/(a+b)^5*a/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arct \\ & an(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/2/d/(a+b)^3 \\ & /(\tanh(1/2*d*x+1/2*c)-1)^3-1/8/d/(a+b)^4/(\tanh(1/2*d*x+1/2*c)-1)^2*a+11/8/d \\ & /(a+b)^4/(\tanh(1/2*d*x+1/2*c)-1)^2*b-3/8/d/(a+b)^4/(\tanh(1/2*d*x+1/2*c)-1)* \\ & a+9/8/d/(a+b)^4/(\tanh(1/2*d*x+1/2*c)-1)*b-3/8/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2 \\ & *c)-1)*a^2-15/8/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2*c)-1)*b^2+1/8/d/(a+b)^4/(\tanh \\ & (1/2*d*x+1/2*c)+1)^2*a-11/8/d/(a+b)^4/(\tanh(1/2*d*x+1/2*c)+1)^2*b-3/8/d/(a+ \\ & b)^4/(\tanh(1/2*d*x+1/2*c)+1)*a+9/8/d/(a+b)^4/(\tanh(1/2*d*x+1/2*c)+1)*b+3/8/ \\ & d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2*c)+1)*a^2+15/8/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2* \\ & c)+1)*b^2-5/d*b^4/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2* \\ & a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-5/d*b^4/(a+b)^5/(\tan \\ & h(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) \\ & ^2*\tanh(1/2*d*x+1/2*c)^3+3/8/d*b^3/(a+b)^5/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1 \\ & /2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-3/8/ \\ & d*b^3/(a+b)^5/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2 \\ & *c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+15/4/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2 \\ & *c)-1)*a*b-15/4/d/(a+b)^5*\ln(\tanh(1/2*d*x+1/2*c)+1)*a*b-15/8/d*b/(a+b)^5*a^ \\ & 2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*( \\ & a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+9/4/d*b/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tan \\ & h(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7*a \\ & ^3+9/4/d*b/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tan \\ & h(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)*a^3+27/4/d*b/(a+b)^5/(\tanh(1/ \\ & 2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*t \\ & anh(1/2*d*x+1/2*c)^5*a^3+27/4/d*b/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1 \\ & /2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3*a^3- \\ & 15/4/d*b^2/(a+b)^5*a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2 \\ & *d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+3/2/d*b^2/(a+b)^5/(\tanh(1/ \\ & 2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*t \\ & anh(1/2*d*x+1/2*c)^7*a^2-3/4/d*b^3/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh( \\ & 1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7*a+2 \end{aligned}$$

$$\begin{aligned} & 3/2/d*b^2/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh \\ & (1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5*a^2-1/4/d*b^3/(a+b)^5/(\tanh( \\ & 1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2 \\ & *\tanh(1/2*d*x+1/2*c)^5*a+23/2/d*b^2/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh \\ & (1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3*a^2 \\ & -1/4/d*b^3/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh \\ & (1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3*a+3/2/d*b^2/(a+b)^5/(\tanh( \\ & 1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2 \\ & *\tanh(1/2*d*x+1/2*c)*a^2-3/4/d*b^3/(a+b)^5/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh( \\ & 1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)*a+15/ \\ & 8/d*b/(a+b)^5*a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x \\ & +1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-3/8/d*b^4/(a+b)^5/(b*(a+b))^( \\ & 1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*( \\ & a+b))^(1/2)-a-2*b)*a)^(1/2))-3/8/d*b^4/(a+b)^5/(b*(a+b))^(1/2)/((2*(b*( \\ & a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2) \\ & )+a+2*b)*a)^(1/2))+15/4/d*b^2/(a+b)^5*a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2) \\ & *\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) \end{aligned}$$

**maxima** [B] time = 1.12, size = 3392, normalized size = 14.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -3/8*(a*b - 3*b^2)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} \\ & + a + b)/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d) - 3/ \\ & 4*b*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^4 \\ & + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d) + 3/8*(a*b - 3*b^2)*\log(2*(a - b) \\ & *e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^5 + 5*a^4*b + 10* \\ & a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d) + 3/4*b*\log(2*(a - b)*e^{(-2*d*x - \\ & 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a* \\ & b^3 + b^4)*d) + 3/128*(5*a^4*b - 80*a^3*b^2 + 50*a^2*b^3 + 8*a*b^4 + b^5)*a \\ & rctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^7 + 5*a^6*b + 10 \\ & *a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\sqrt{a*b}*d) + 3/32*(5*a^3*b - \\ & 15*a^2*b^2 - 5*a*b^3 - b^4)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{ \\ & a*b})/((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*\sqrt{a*b}*d) - \\ & 3/128*(5*a^4*b - 80*a^3*b^2 + 50*a^2*b^3 + 8*a*b^4 + b^5)*\arctan(1/2*((a + \\ & b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10* \\ & a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\sqrt{a*b}*d) - 3/32*(5*a^3*b - 15*a^2*b^2 - \\ & 5*a*b^3 - b^4)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a \\ & ^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*\sqrt{a*b}*d) - 3/64*(15*a^2 \\ & *b + 10*a*b^2 + 3*b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a \\ & *b})/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sqrt{a*b}*d) - 1/64*(9*a^5*b - \\ & 65*a^4*b^2 - 134*a^3*b^3 - 34*a^2*b^4 + 29*a*b^5 + 3*b^6 + (9*a^5*b - 183*a \end{aligned}$$

$$\begin{aligned}
&^4*b^2 + 98*a^3*b^3 + 266*a^2*b^4 - 27*a*b^5 - 3*b^6)*e^{(6*d*x + 6*c)} + (27 \\
&*a^5*b - 459*a^4*b^2 + 710*a^3*b^3 - 542*a^2*b^4 + 63*a*b^5 + 9*b^6)*e^{(4*d \\
&*x + 4*c)} + (27*a^5*b - 341*a^4*b^2 + 86*a^3*b^3 + 398*a^2*b^4 - 65*a*b^5 - \\
&9*b^6)*e^{(2*d*x + 2*c)})/((a^9 + 7*a^8*b + 21*a^7*b^2 + 35*a^6*b^3 + 35*a^5 \\
&*b^4 + 21*a^4*b^5 + 7*a^3*b^6 + a^2*b^7 + (a^9 + 7*a^8*b + 21*a^7*b^2 + 35* \\
&a^6*b^3 + 35*a^5*b^4 + 21*a^4*b^5 + 7*a^3*b^6 + a^2*b^7)*e^{(8*d*x + 8*c)} + \\
&4*(a^9 + 5*a^8*b + 9*a^7*b^2 + 5*a^6*b^3 - 5*a^5*b^4 - 9*a^4*b^5 - 5*a^3*b^ \\
&6 - a^2*b^7)*e^{(6*d*x + 6*c)} + 2*(3*a^9 + 13*a^8*b + 23*a^7*b^2 + 25*a^6*b^ \\
&3 + 25*a^5*b^4 + 23*a^4*b^5 + 13*a^3*b^6 + 3*a^2*b^7)*e^{(4*d*x + 4*c)} + 4*( \\
&a^9 + 5*a^8*b + 9*a^7*b^2 + 5*a^6*b^3 - 5*a^5*b^4 - 9*a^4*b^5 - 5*a^3*b^6 - \\
&a^2*b^7)*e^{(2*d*x + 2*c)})*d) + 1/64*(9*a^5*b - 65*a^4*b^2 - 134*a^3*b^3 - \\
&34*a^2*b^4 + 29*a*b^5 + 3*b^6 + (27*a^5*b - 341*a^4*b^2 + 86*a^3*b^3 + 398* \\
&a^2*b^4 - 65*a*b^5 - 9*b^6)*e^{(-2*d*x - 2*c)} + (27*a^5*b - 459*a^4*b^2 + 71 \\
&0*a^3*b^3 - 542*a^2*b^4 + 63*a*b^5 + 9*b^6)*e^{(-4*d*x - 4*c)} + (9*a^5*b - 1 \\
&83*a^4*b^2 + 98*a^3*b^3 + 266*a^2*b^4 - 27*a*b^5 - 3*b^6)*e^{(-6*d*x - 6*c)}) \\
&/((a^9 + 7*a^8*b + 21*a^7*b^2 + 35*a^6*b^3 + 35*a^5*b^4 + 21*a^4*b^5 + 7*a^ \\
&3*b^6 + a^2*b^7 + 4*(a^9 + 5*a^8*b + 9*a^7*b^2 + 5*a^6*b^3 - 5*a^5*b^4 - 9* \\
&a^4*b^5 - 5*a^3*b^6 - a^2*b^7)*e^{(-2*d*x - 2*c)} + 2*(3*a^9 + 13*a^8*b + 23* \\
&a^7*b^2 + 25*a^6*b^3 + 25*a^5*b^4 + 23*a^4*b^5 + 13*a^3*b^6 + 3*a^2*b^7)*e^{ \\
&(-4*d*x - 4*c)} + 4*(a^9 + 5*a^8*b + 9*a^7*b^2 + 5*a^6*b^3 - 5*a^5*b^4 - 9*a \\
&^4*b^5 - 5*a^3*b^6 - a^2*b^7)*e^{(-6*d*x - 6*c)} + (a^9 + 7*a^8*b + 21*a^7*b^ \\
&2 + 35*a^6*b^3 + 35*a^5*b^4 + 21*a^4*b^5 + 7*a^3*b^6 + a^2*b^7)*e^{(-8*d*x - \\
&8*c)})*d) - 1/16*(9*a^4*b + 4*a^3*b^2 - 22*a^2*b^3 - 20*a*b^4 - 3*b^5 + 3*( \\
&3*a^4*b - 22*a^3*b^2 - 20*a^2*b^3 + 6*a*b^4 + b^5)*e^{(6*d*x + 6*c)} + (27*a^ \\
&4*b - 156*a^3*b^2 + 110*a^2*b^3 - 36*a*b^4 - 9*b^5)*e^{(4*d*x + 4*c)} + (27*a \\
&^4*b - 86*a^3*b^2 - 84*a^2*b^3 + 38*a*b^4 + 9*b^5)*e^{(2*d*x + 2*c)})/((a^8 + \\
&6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6 + (a^ \\
&8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*e \\
&^{(8*d*x + 8*c)} + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2 \\
&*b^6)*e^{(6*d*x + 6*c)} + 2*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13* \\
&a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*e^{(4*d*x + 4*c)} + 4*(a^8 + 4*a^7*b + 5*a^ \\
&6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*e^{(2*d*x + 2*c)})*d) + 1/16*(9*a^4*b \\
&b + 4*a^3*b^2 - 22*a^2*b^3 - 20*a*b^4 - 3*b^5 + (27*a^4*b - 86*a^3*b^2 - 84 \\
&*a^2*b^3 + 38*a*b^4 + 9*b^5)*e^{(-2*d*x - 2*c)} + (27*a^4*b - 156*a^3*b^2 + 1 \\
&10*a^2*b^3 - 36*a*b^4 - 9*b^5)*e^{(-4*d*x - 4*c)} + 3*(3*a^4*b - 22*a^3*b^2 - \\
&20*a^2*b^3 + 6*a*b^4 + b^5)*e^{(-6*d*x - 6*c)})/((a^8 + 6*a^7*b + 15*a^6*b^2 \\
&+ 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6 + 4*(a^8 + 4*a^7*b + 5*a^6 \\
&*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*e^{(-2*d*x - 2*c)} + 2*(3*a^8 + 10*a^ \\
&7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*e^{(-4* \\
&d*x - 4*c)} + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6 \\
&)*e^{(-6*d*x - 6*c)} + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 \\
&+ 6*a^3*b^5 + a^2*b^6)*e^{(-8*d*x - 8*c)})*d) + 3/32*(9*a^3*b + 21*a^2*b^2 + \\
&15*a*b^3 + 3*b^4 + (27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4)*e^{(-2*d*x - 2 \\
&*c)} + 3*(9*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 3*b^4)*e^{(-4*d*x - 4*c)} + (9*a^3*b \\
&- a^2*b^2 - 13*a*b^3 - 3*b^4)*e^{(-6*d*x - 6*c)})/((a^7 + 5*a^6*b + 10*a^5*b
\end{aligned}$$

$$\begin{aligned} &^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-2*d*x - 2*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(-4*d*x - 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-6*d*x - 6*c)} + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(-8*d*x - 8*c)} * \\ &d) + 3/8*(d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 1/64*((a + b)*e^{(4*d*x + 4*c)} + 24*b*e^{(2*d*x + 2*c)})/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d) - 1/64*(24*b*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)})/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d) - 1/8*e^{(2*d*x + 2*c)}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 1/8*e^{(-2*d*x - 2*c)}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) \end{aligned}$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sinh(c + dx)^4}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(sinh(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out



$$3.42 \quad \int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=166

$$\frac{\cosh^3(c+dx)}{3d(a+b)^3} - \frac{(a-2b)\cosh(c+dx)}{d(a+b)^4} + \frac{b(7a-4b)\operatorname{sech}(c+dx)}{8d(a+b)^4(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{ab\operatorname{sech}(c+dx)}{4d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)}$$

[Out]  $-(a-2*b)*\cosh(d*x+c)/(a+b)^4/d+1/3*\cosh(d*x+c)^3/(a+b)^3/d+1/4*a*b*\operatorname{sech}(d*x+c)/(a+b)^3/d/(a+b-b*\operatorname{sech}(d*x+c)^2)^2+1/8*(7*a-4*b)*b*\operatorname{sech}(d*x+c)/(a+b)^4/d/(a+b-b*\operatorname{sech}(d*x+c)^2)+5/8*(3*a-4*b)*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{1/2})/(a+b)^{(1/2)})*b^{1/2}/(a+b)^{(9/2)}/d$

**Rubi [A]** time = 0.29, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3664, 456, 1259, 1261, 208}

$$\frac{\cosh^3(c+dx)}{3d(a+b)^3} - \frac{(a-2b)\cosh(c+dx)}{d(a+b)^4} + \frac{b(7a-4b)\operatorname{sech}(c+dx)}{8d(a+b)^4(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{ab\operatorname{sech}(c+dx)}{4d(a+b)^3(a-b\operatorname{sech}^2(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $(5*(3*a - 4*b)*\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c + d*x])/(\operatorname{Sqrt}[a + b])])/(8*(a + b)^{(9/2)}*d) - ((a - 2*b)*\operatorname{Cosh}[c + d*x])/((a + b)^4*d) + \operatorname{Cosh}[c + d*x]^3/(3*(a + b)^3*d) + (a*b*\operatorname{Sech}[c + d*x])/(4*(a + b)^3*d*(a + b - b*\operatorname{Sech}[c + d*x]^2)^2) + ((7*a - 4*b)*b*\operatorname{Sech}[c + d*x])/(8*(a + b)^4*d*(a + b - b*\operatorname{Sech}[c + d*x]^2))$

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]]/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 456

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1))/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[x^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*Together[(b^(m/2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)\*x^(-m + 2))]/(a + b\*x^2)] - ((-a)^(m/2 - 1)\*(b\*c - a\*d))/x^m, x], x],

$x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m/2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{EqQ}[m + 2*p + 1, 0])$

### Rule 1259

$\text{Int}[(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] \ :> \ \text{Simp}[((-d)^{(m/2 - 1)}*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^{(q + 1)})/(2*e^{(2*p + m/2)}*(q + 1)), x] + \text{Dist}[(-d)^{(m/2 - 1)}/(2*e^{(2*p)}*(q + 1)), \text{Int}[x^m*(d + e*x^2)^{(q + 1)}*\text{ExpandToSum}[\text{Together}[(1*(2*(-d)^{-(m/2) + 1})*e^{(2*p)}*(q + 1)*(a + b*x^2 + c*x^4))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^{(m/2)}*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{ILtQ}[q, -1] \ \&\& \ \text{ILtQ}[m/2, 0]$

### Rule 1261

$\text{Int}[(f_)*(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, q\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, -2]$

### Rule 3664

$\text{Int}[\sin[(e_) + (f_)*(x_)]^{(m_)}*((a_) + (b_)*\tan[(e_) + (f_)*(x_)]^2)^{(p_)}, x\_Symbol] \ :> \ \text{With}\{\{ff = \text{FreeFactors}[\text{Sec}[e + f*x], x]\}, \text{Dist}[1/(f*ff^m), \text{Subst}[\text{Int}[((-1 + ff^2*x^2)^{(m - 1)/2}*(a - b + b*ff^2*x^2)^p)/x^{(m + 1)}, x], x, \text{Sec}[e + f*x]/ff], x]\} /; \text{FreeQ}\{a, b, e, f, p\}, x] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{-1+x^2}{x^4(a+b-bx^2)^3} dx, x, \text{sech}(c+dx)\right)}{d} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{b \text{Subst}\left(\int \frac{-\frac{4}{b(a+b)} + \frac{4ax^2}{b(a+b)^2} + \frac{3ax^4}{(a+b)^3}}{x^4(a+b-bx^2)^2} dx, x, \text{sech}(c+dx)\right)}{4d} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{(7a-4b)b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))^2} \\
&= \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{(7a-4b)b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))^2} + \frac{b \text{sech}(c+dx)}{8(a+b)^4 d (a+b-b \text{sech}^2(c+dx))^2} \\
&= -\frac{(a-2b) \cosh(c+dx)}{(a+b)^4 d} + \frac{\cosh^3(c+dx)}{3(a+b)^3 d} + \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2} \\
&= \frac{5(3a-4b)\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{8(a+b)^{9/2} d} - \frac{(a-2b) \cosh(c+dx)}{(a+b)^4 d} + \frac{\cosh^3(c+dx)}{3(a+b)^3 d} + \frac{ab \text{sech}(c+dx)}{4(a+b)^3 d (a+b-b \text{sech}^2(c+dx))^2}
\end{aligned}$$

**Mathematica [C]** time = 2.00, size = 227, normalized size = 1.37

$$\frac{6 \cosh(c+dx)(3a^3-24a^2b+(6a^3-27a^2b-11ab^2+22b^3) \cosh(2(c+dx))+30ab^2+3(a-3b)(a+b)^2 \cosh^2(2(c+dx))-13b^3)}{(a+b)^4((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{2 \cosh(3(c+dx))}{(a+b)^3} + \frac{15i\sqrt{b} \cosh(3(c+dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (((15\*I)\*(3\*a - 4\*b)\*Sqrt[b]\*(ArcTan[(-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]] + ArcTan[(-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2]]/Sqrt[b]))/(a + b)^(9/2) - (6\*Cosh[c + d\*x]\*(3\*a^3 - 24\*a^2\*b + 30\*a\*b^2 - 13\*b^3) + (6\*a^3 - 27\*a^2\*b - 11\*a\*b^2 + 22\*b^3)\*Cosh[2\*(c + d\*x)] + 3\*(a - 3\*b)\*(a + b)^2\*Cosh[2\*(c + d\*x)]^2)/((a + b)^4\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (2\*Cosh[3\*(c + d\*x)])/(a + b)^3)/(24\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 1.64, size = 1748, normalized size = 10.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/24*(15*(15*a^3*b - 50*a^2*b^2 + 43*a*b^3 - 4*b^4 - (3*a^3 - 34*a^2*b + 55*a*b^2 - 20*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{2*c} + b*e^{2*c})*\arctan(e^{d*x}/\sqrt{(a^5*e^{2*c} + 3*a^4*b*e^{2*c} + 2*a^3*b^2*e^{2*c} - 2*a^2*b^3*e^{2*c} - 3*a*b^4*e^{2*c} - b^5*e^{2*c}) + \sqrt{(a^5*e^{2*c} + 3*a^4*b*e^{2*c} + 2*a^3*b^2*e^{2*c} - 2*a^2*b^3*e^{2*c} - 3*a*b^4*e^{2*c} - b^5*e^{2*c})^2 - (a^5*e^{4*c} + 5*a^4*b*e^{4*c} + 10*a^3*b^2*e^{4*c} + 10*a^2*b^3*e^{4*c} + 5*a*b^4*e^{4*c} + b^5*e^{4*c})*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)))/\sqrt{(a^5*e^{4*c} + 5*a^4*b*e^{4*c} + 10*a^3*b^2*e^{4*c} + 10*a^2*b^3*e^{4*c} + 5*a*b^4*e^{4*c} + b^5*e^{4*c})))e^{-2*c}/(a^9 - 9*a^8*b - 60*a^7*b^2 - 116*a^6*b^3 - 66*a^5*b^4 + 66*a^4*b^5 + 116*a^3*b^6 + 60*a^2*b^7 + 9*a*b^8 - b^9 + 2*(3*a^8 + 8*a^7*b - 12*a^6*b^2 - 72*a^5*b^3 - 110*a^4*b^4 - 72*a^3*b^5 - 12*a^2*b^6 + 8*a*b^7 + 3*b^8)*\sqrt{-a*b}) + 15*(15*a^3*b - 50*a^2*b^2 + 43*a*b^3 - 4*b^4 + (3*a^3 - 34*a^2*b + 55*a*b^2 - 20*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{2*c} + b*e^{2*c})*\arctan(e^{d*x}/\sqrt{(a^5*e^{2*c} + 3*a^4*b*e^{2*c} + 2*a^3*b^2*e^{2*c} - 2*a^2*b^3*e^{2*c} - 3*a*b^4*e^{2*c} - b^5*e^{2*c}) - \sqrt{(a^5*e^{2*c} + 3*a^4*b*e^{2*c} + 2*a^3*b^2*e^{2*c} - 2*a^2*b^3*e^{2*c} - 3*a*b^4*e^{2*c} - b^5*e^{2*c})^2 - (a^5*e^{4*c} + 5*a^4*b*e^{4*c} + 10*a^3*b^2*e^{4*c} + 10*a^2*b^3*e^{4*c} + 5*a*b^4*e^{4*c} + b^5*e^{4*c})*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)))/\sqrt{(a^5*e^{4*c} + 5*a^4*b*e^{4*c} + 10*a^3*b^2*e^{4*c} + 10*a^2*b^3*e^{4*c} + 5*a*b^4*e^{4*c} + b^5*e^{4*c})))e^{-2*c}/(a^9 - 9*a^8*b - 60*a^7*b^2 - 116*a^6*b^3 - 66*a^5*b^4 + 66*a^4*b^5 + 116*a^3*b^6 + 60*a^2*b^7 + 9*a*b^8 - b^9 - 2*(3*a^8 + 8*a^7*b - 12*a^6*b^2 - 72*a^5*b^3 - 110*a^4*b^4 - 72*a^3*b^5 - 12*a^2*b^6 + 8*a*b^7 + 3*b^8)*\sqrt{-a*b}) + (9*a*e^{2*d*x + 2*c} - 27*b*e^{2*d*x + 2*c} - a - b)*e^{-3*d*x}/(a^4*e^{3*c} + 4*a^3*b*e^{3*c} + 6*a^2*b^2*e^{3*c} + 4*a*b^3*e^{3*c} + b^4*e^{3*c}) - (a^6*e^{3*d*x + 48*c} + 6*a^5*b*e^{3*d*x + 48*c} + 15*a^4*b^2*e^{3*d*x + 48*c} + 20*a^3*b^3*e^{3*d*x + 48*c} +$$

$$\frac{15a^2b^4e^{(3dx+48c)} + 6a^3b^5e^{(3dx+48c)} + b^6e^{(3dx+48c)} - 9a^6e^{(dx+46c)} - 18a^5b^2e^{(dx+46c)} + 45a^4b^2e^{(dx+46c)} + 180a^3b^3e^{(dx+46c)} + 225a^2b^4e^{(dx+46c)} + 126a^2b^5e^{(dx+46c)} + 27b^6e^{(dx+46c)}}{(a^9e^{(45c)} + 9a^8b^2e^{(45c)} + 36a^7b^2e^{(45c)} + 84a^6b^3e^{(45c)} + 126a^5b^4e^{(45c)} + 126a^4b^5e^{(45c)} + 84a^3b^6e^{(45c)} + 36a^2b^7e^{(45c)} + 9a^2b^8e^{(45c)} + b^9e^{(45c)})} - \frac{6(9a^2b^2e^{(7dx+7c)} + 5ab^2e^{(7dx+7c)} - 4b^3e^{(7dx+7c)} + 27a^2b^2e^{(5dx+5c)} - 13ab^2e^{(5dx+5c)} + 4b^3e^{(5dx+5c)} + 27a^2b^2e^{(3dx+3c)} - 13ab^2e^{(3dx+3c)} + 4b^3e^{(3dx+3c)} + 9a^2b^2e^{(dx+c)} + 5ab^2e^{(dx+c)} - 4b^3e^{(dx+c)})}{(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)(a^4e^{(4dx+4c)} + b^4e^{(4dx+4c)} + 2a^2e^{(2dx+2c)} - 2b^2e^{(2dx+2c)} + a + b)^2} / d$$

**maple [B]** time = 0.34, size = 341, normalized size = 2.05

$$\frac{1}{3(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^3} - \frac{1}{2(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^2} - \frac{-a+5b}{2(a+b)^4 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} + \frac{1}{3(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^3} - \frac{1}{2(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x)

[Out] 1/d\*(-1/3/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^3-1/2/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)^2-1/2/(a+b)^4\*(-a+5\*b)/(tanh(1/2\*d\*x+1/2\*c)-1)+1/3/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)^3-1/2/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)^2-1/2\*(a-5\*b)/(a+b)^4/(tanh(1/2\*d\*x+1/2\*c)+1)-2\*b/(a+b)^4\*((-1/8\*(9\*a+20\*b)\*a\*tanh(1/2\*d\*x+1/2\*c)^6-1/8\*(27\*a^3+66\*a^2\*b+56\*a\*b^2-16\*b^3)/a\*tanh(1/2\*d\*x+1/2\*c)^4+(-27/8\*a^2-1/2\*a\*b+2\*b^2)\*tanh(1/2\*d\*x+1/2\*c)^2-9/8\*a^2+1/4\*a\*b)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2-5/16\*(3\*a-4\*b)/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))))

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)^3}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(sinh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.43 \quad \int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=185

$$\frac{\sqrt{b} (15a^2 - 10ab - b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8a^{3/2}d(a+b)^4} - \frac{b(11a-b) \tanh(c+dx)}{8ad(a+b)^3 (a+b \tanh^2(c+dx))} - \frac{3b \tanh(c+dx)}{4d(a+b)^2 (a+b \tanh^2(c+dx))}$$

[Out]  $-1/2*(a-5*b)*x/(a+b)^4-1/8*(15*a^2-10*a*b-b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(3/2)}/(a+b)^4/d+1/2*\cosh(d*x+c)*\sinh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2-3/4*b*\tanh(d*x+c)/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)^2-1/8*(11*a-b)*b*\tanh(d*x+c)/a/(a+b)^3/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.25, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3663, 471, 527, 522, 206, 205}

$$\frac{\sqrt{b} (15a^2 - 10ab - b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8a^{3/2}d(a+b)^4} - \frac{b(11a-b) \tanh(c+dx)}{8ad(a+b)^3 (a+b \tanh^2(c+dx))} - \frac{3b \tanh(c+dx)}{4d(a+b)^2 (a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-((a-5*b)*x)/(2*(a+b)^4) - (\text{Sqrt}[b]*(15*a^2-10*a*b-b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(8*a^{(3/2)}*(a+b)^4*d) + (\text{Cosh}[c+d*x]*\text{Sinh}[c+d*x])/(2*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2)^2) - (3*b*\text{Tanh}[c+d*x])/(4*(a+b)^2*d*(a+b*\text{Tanh}[c+d*x]^2)^2) - ((11*a-b)*b*\text{Tanh}[c+d*x])/(8*a*(a+b)^3*d*(a+b*\text{Tanh}[c+d*x]^2))$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 471**

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\sinh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a-5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{8a(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} - \frac{1}{8a(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{3b \tanh(c+dx)}{4(a+b)^2 d(a+b \tanh^2(c+dx))^2} - \frac{1}{8a(a+b)d} \\
&= -\frac{(a-5b)x}{2(a+b)^4} - \frac{\sqrt{b}(15a^2-10ab-b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}(a+b)^4 d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.34, size = 158, normalized size = 0.85

$$\frac{\sqrt{b}(-15a^2+10ab+b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} - \frac{4b^2(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} - 4(a-5b)(c+dx) + 2(a+b) \sinh(2(c+dx)) - \frac{b(9a-b)}{a(a+b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (-4\*(a - 5\*b)\*(c + d\*x) + (Sqrt[b]\*(-15\*a^2 + 10\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2) + 2\*(a + b)\*Sinh[2\*(c + d\*x)] - (4\*b^2\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2 - ((9\*a - b)\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^4\*d)

**fricas [B]** time = 1.71, size = 12965, normalized size = 70.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(2*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^{12} + 24*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + 2*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(d*x + c)^{12} + 8*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^{10} + 4*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 2*a*b^3 - 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x + 33*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 40*(11*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 2*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 2*(495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^4 + 5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 180*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(99*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^5 + 60*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + (5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 4*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^6 + 4*(462*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^6 + 420*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(198*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^7 + 252*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^5 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 2*(5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 2*(495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^8 + 840*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^6 + 70*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 - 5*a^4 + 55*a^3*b + 3*a^2*b^2 - 51*a*b^3 + 6*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 30*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 2*a^4 - 6*a^3*b - 6*a^2*b^2 - 2*a*b^3 + 8*(55*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^9 + 120*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4$$

$$\begin{aligned}
& - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^5 + 10*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^3 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2 + 4*(33*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^10 + 90*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^6 + 15*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^4 - 2*a^4 + 7*a^3*b + 19*a^2*b^2 + 9*a*b^3 - b^4 - 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x - 3*(5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^10 + 10*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\sinh(d*x + c)^10 + 4*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^8 + (60*a^4 - 40*a^3*b - 64*a^2*b^2 + 40*a*b^3 + 4*b^4 + 45*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^3 + 4*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 2*(105*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^4 + 45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4 + 56*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^5 + 56*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + 3*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 2*(105*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^6 + 140*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 30*a^4 - 20*a^3*b - 32*a^2*b^2 + 20*a*b^3 + 2*b^4 + 15*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^7 + 28*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^5 + 5*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + 2*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^2 + (45*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^8 + 112*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^6 + 30*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4 + 24*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(5*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^9 + 16*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^7 + 6*(45*a^4 -
\end{aligned}$$

$$\begin{aligned}
& 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + 8*(15*a^4 - 10 \\
& *a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b \\
& - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a)*\log( \\
& ((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)* \\
& \sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh( \\
& d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x \\
& + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 \\
& - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*( \\
& a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 \\
& - a*b)*\sqrt{-b/a))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh( \\
& d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a \\
& + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 \\
& + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(a^4 + 3*a^3*b + 3* \\
& a^2*b^2 + a*b^3)*\cosh(d*x + c)^11 + 10*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^ \\
& 4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^4 + 17*a^3 \\
& *b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3) \\
& *d*x)*\cosh(d*x + c)^7 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3* \\
& a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^5 - (5*a^4 - 55* \\
& a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^ \\
& 3)*d*x)*\cosh(d*x + c)^3 - (2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2 \\
& *(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/ \\
& (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)* \\
& d*\cosh(d*x + c)^10 + 10*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b \\
& ^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^7 + 6*a^6*b + \\
& 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\sinh(d*x + c)^1 \\
& 0 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d* \\
& x + c)^8 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^ \\
& 2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 \\
& - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^8 + 2*(3*a^7 + 10*a^6*b + 13*a^5*b^2 \\
& + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^6 + 8*(1 \\
& 5*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6 \\
& )*d*\cosh(d*x + c)^3 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 \\
& - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^7 + 6*a^6*b + 15*a^5* \\
& b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^4 + 56*( \\
& a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^ \\
& 2 + (3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + \\
& 3*a*b^6)*d)*\sinh(d*x + c)^6 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4 \\
& *a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^4 + 4*(63*(a^7 + 6*a^6*b + 15*a^5*b^2 + 2 \\
& 0*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^5 + 56*(a^7 + 4 \\
& *a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^3 + 3*( \\
& 3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a* \\
& b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^7 + 6*a^6*b + 15*a^5*b^2 \\
& + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^6 + 140*(a^7 \\
& + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^4 + \\
& 15*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 +
\end{aligned}$$

$$\begin{aligned}
& 3*a*b^6)*d*\cosh(d*x + c)^2 + 2*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^4 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 8*(15*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^7 + 28*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^5 + 5*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^3 + 2*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^8 + 112*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^6 + 30*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^4 + 24*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^2 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d)*\sinh(d*x + c)^2 + 2*(5*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^9 + 16*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^7 + 6*(3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c)^5 + 8*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c)^3 + (a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^12 + 12*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(d*x + c)^12 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^10 + 2*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 2*a*b^3 - 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x + 33*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20*(11*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 + (5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + (495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^4 + 5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x + 180*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^5 + 60*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + (5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^6 + 2*(462*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^6 + 420*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^4 + 27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(198*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*
\end{aligned}$$

$$\begin{aligned}
& x + c)^7 + 252*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 \\
& - 5*a*b^3)*d*x)*\cosh(d*x + c)^5 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a* \\
& b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 + \\
& 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2 \\
& *b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - (5*a^4 - 55*a^3*b - \\
& 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)* \\
& \cosh(d*x + c)^4 + (495*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^8 \\
& + 840*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3 \\
& )*d*x)*\cosh(d*x + c)^6 + 70*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b \\
& ^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^4 - 5*a^4 + \\
& 55*a^3*b + 3*a^2*b^2 - 51*a*b^3 + 6*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a \\
& *b^3)*d*x + 30*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^ \\
& 3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - a^4 - \\
& 3*a^3*b - 3*a^2*b^2 - a*b^3 + 4*(55*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cos \\
& h(d*x + c)^9 + 120*(a^4 + a^3*b - a^2*b^2 - a*b^3 - (a^4 - 3*a^3*b - 9*a^2* \\
& b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 14*(5*a^4 + 17*a^3*b - 11*a^2*b^2 - 2 \\
& 1*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c) \\
& ^5 + 10*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b^4 - 4*(3*a^4 - 17*a^3*b + 1 \\
& 3*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^3 - (5*a^4 - 55*a^3*b - 3*a^2*b^2 \\
& + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^3 - 2*(2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 + b^4 + 2* \\
& (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^2 + 2*(33*(a^4 + 3 \\
& *a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^10 + 90*(a^4 + a^3*b - a^2*b^2 - \\
& a*b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^8 + 14*(5* \\
& a^4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^ \\
& 2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^6 + 15*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - \\
& 3*b^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^4 - \\
& 2*a^4 + 7*a^3*b + 19*a^2*b^2 + 9*a*b^3 - b^4 - 2*(a^4 - 3*a^3*b - 9*a^2*b^ \\
& 2 - 5*a*b^3)*d*x - 3*(5*a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16* \\
& (a^4 - 5*a^3*b - a^2*b^2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - \\
& ((15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^10 + 10*(1 \\
& 5*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)*\sinh(d*x + c)^ \\
& 9 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\sinh(d*x + c)^10 + 4*( \\
& 15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^8 + (60*a^4 \\
& - 40*a^3*b - 64*a^2*b^2 + 40*a*b^3 + 4*b^4 + 45*(15*a^4 + 20*a^3*b - 6*a^2* \\
& b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(15*a^4 + 20 \\
& *a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^3 + 4*(15*a^4 - 10*a^3*b \\
& - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(45*a^4 \\
& - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 2*(105*(15*a^ \\
& 4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^4 + 45*a^4 - 60*a^ \\
& 3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4 + 56*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + \\
& 10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(15*a^4 + 20*a^3*b \\
& - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^5 + 56*(15*a^4 - 10*a^3*b - 16 \\
& *a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + 3*(45*a^4 - 60*a^3*b + 62*a^2* \\
& b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(15*a^4 - 10*a^3
\end{aligned}$$

$$\begin{aligned}
& *b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 2*(105*(15*a^4 + 20*a^3 \\
& *b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^6 + 140*(15*a^4 - 10*a^3*b - \\
& 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^4 + 30*a^4 - 20*a^3*b - 32*a^2* \\
& b^2 + 20*a*b^3 + 2*b^4 + 15*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3* \\
& b^4)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 + 8*(15*(15*a^4 + 20*a^3*b - 6*a^2*b^ \\
& 2 - 12*a*b^3 - b^4)*\cosh(d*x + c)^7 + 28*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + \\
& 10*a*b^3 + b^4)*\cosh(d*x + c)^5 + 5*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a* \\
& b^3 - 3*b^4)*\cosh(d*x + c)^3 + 2*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 \\
& + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 6*a^2*b^2 - 1 \\
& 2*a*b^3 - b^4)*\cosh(d*x + c)^2 + (45*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a* \\
& b^3 - b^4)*\cosh(d*x + c)^8 + 112*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 \\
& + b^4)*\cosh(d*x + c)^6 + 30*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3 \\
& *b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4 + 24 \\
& *(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c)^2 + 2*(5*(15*a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + \\
& c)^9 + 16*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^ \\
& 7 + 6*(45*a^4 - 60*a^3*b + 62*a^2*b^2 - 28*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + \\
& 8*(15*a^4 - 10*a^3*b - 16*a^2*b^2 + 10*a*b^3 + b^4)*\cosh(d*x + c)^3 + (15* \\
& a^4 + 20*a^3*b - 6*a^2*b^2 - 12*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))* \\
& \sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sin \\
& h(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(3*(a^4 + 3* \\
& a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(d*x + c)^11 + 10*(a^4 + a^3*b - a^2*b^2 - a \\
& *b^3 - (a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^ \\
& 4 + 17*a^3*b - 11*a^2*b^2 - 21*a*b^3 + 2*b^4 - 16*(a^4 - 5*a^3*b - a^2*b^2 \\
& + 5*a*b^3)*d*x)*\cosh(d*x + c)^7 + 3*(27*a^3*b - 21*a^2*b^2 + 29*a*b^3 - 3*b \\
& ^4 - 4*(3*a^4 - 17*a^3*b + 13*a^2*b^2 - 15*a*b^3)*d*x)*\cosh(d*x + c)^5 - (5 \\
& *a^4 - 55*a^3*b - 3*a^2*b^2 + 51*a*b^3 - 6*b^4 + 16*(a^4 - 5*a^3*b - a^2*b^ \\
& 2 + 5*a*b^3)*d*x)*\cosh(d*x + c)^3 - (2*a^4 - 7*a^3*b - 19*a^2*b^2 - 9*a*b^3 \\
& + b^4 + 2*(a^4 - 3*a^3*b - 9*a^2*b^2 - 5*a*b^3)*d*x)*\cosh(d*x + c))*\sinh(d \\
& *x + c))/((a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 \\
& + a*b^6)*d*\cosh(d*x + c)^10 + 10*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 \\
& + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^7 + \\
& 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\sinh( \\
& d*x + c)^10 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6) \\
& *d*\cosh(d*x + c)^8 + (45*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3* \\
& b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c)^2 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - \\
& 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d)*\sinh(d*x + c)^8 + 2*(3*a^7 + 10*a^6*b + \\
& 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10*a^2*b^5 + 3*a*b^6)*d*\cosh(d*x + c \\
& )^6 + 8*(15*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b \\
& ^5 + a*b^6)*d*\cosh(d*x + c)^3 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - \\
& 4*a^2*b^5 - a*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(105*(a^7 + 6*a^6*b \\
& + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*d*\cosh(d*x + c \\
& )^4 + 56*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6)*d*\cosh \\
& (d*x + c)^2 + (3*a^7 + 10*a^6*b + 13*a^5*b^2 + 12*a^4*b^3 + 13*a^3*b^4 + 10 \\
& *a^2*b^5 + 3*a*b^6)*d)*\sinh(d*x + c)^6 + 4*(a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a
\end{aligned}$$

$$\begin{aligned} &^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^4 + 4 * (63 * (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^5 + 5 \\ &6 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^3 + 3 * (3a^7 + 10a^6b + 13a^5b^2 + 12a^4b^3 + 13a^3b^4 + 10a^2b^5 + 3ab^6) * d * \cosh(dx + c) * \sinh(dx + c)^5 + 2 * (105 * (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^6 \\ &+ 140 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^4 + 15 * (3a^7 + 10a^6b + 13a^5b^2 + 12a^4b^3 + 13a^3b^4 + 10a^2b^5 + 3ab^6) * d * \cosh(dx + c)^2 + 2 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \sinh(dx + c)^4 + (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^2 + 8 * (15 * (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^7 + 28 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^5 + 5 * (3a^7 + 10a^6b + 13a^5b^2 + 12a^4b^3 + 13a^3b^4 + 10a^2b^5 + 3ab^6) * d * \cosh(dx + c)^3 + 2 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c) * \sinh(dx + c)^3 \\ &+ (45 * (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^8 + 112 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^6 + 30 * (3a^7 + 10a^6b + 13a^5b^2 + 12a^4b^3 + 13a^3b^4 + 10a^2b^5 + 3ab^6) * d * \cosh(dx + c)^4 + 24 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^2 + (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \sinh(dx + c)^2 + 2 * (5 * (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c)^9 + 16 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^7 + 6 * (3a^7 + 10a^6b + 13a^5b^2 + 12a^4b^3 + 13a^3b^4 + 10a^2b^5 + 3ab^6) * d * \cosh(dx + c)^5 + 8 * (a^7 + 4a^6b + 5a^5b^2 - 5a^3b^4 - 4a^2b^5 - ab^6) * d * \cosh(dx + c)^3 + (a^7 + 6a^6b + 15a^5b^2 + 20a^4b^3 + 15a^3b^4 + 6a^2b^5 + ab^6) * d * \cosh(dx + c) * \sinh(dx + c)) ] \end{aligned}$$

**giac [B]** time = 1.94, size = 584, normalized size = 3.16

$$\frac{4(a-5b)dx}{a^4+4a^3b+6a^2b^2+4ab^3+b^4} + \frac{(15a^2be^{2c}-10ab^2e^{2c}-b^3e^{2c}) \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right) e^{-(2c)}}{(a^5+4a^4b+6a^3b^2+4a^2b^3+ab^4)\sqrt{ab}} - \frac{(2ae^{2dx+2c}-10be^{2dx+2c}-a-b)}{a^4e^{2c}+4a^3be^{2c}+6a^2b^2e^{2c}+4ab^3e^{2c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^2/(a+b\*tanh(dx+c))^2)^3,x, algorithm="giac")

[Out]  $-1/8 * (4 * (a - 5 * b) * d * x / (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) + (15 * a^2 * b * e^{(2 * c)} - 10 * a * b^2 * e^{(2 * c)} - b^3 * e^{(2 * c)}) * \arctan(1/2 * (a * e^{(2 * d * x + 2 * c)} + b * e^{(2 * d * x + 2 * c)} + a - b) / \sqrt{a * b}) * e^{-(2 * c)} / ((a^5 + 4 * a^4 * b + 6 * a^3 * b^2 + 4 * a^2 * b^3 + a * b^4) * \sqrt{a * b}) - (2 * a * e^{(2 * d * x + 2 * c)} - 10 * b * e^{(2 * d * x + 2 * c)} - a - b) * e^{-(2 * d * x)} / (a^4 * e^{(2 * c)} + 4 * a^3 * b * e^{(2 * c)} + 6 * a^2 * b^2 * e^{(2 * c)})$



$$\begin{aligned}
& + 4*a*b^3*e^{(2*c)} + b^4*e^{(2*c)}) - e^{(2*d*x + 16*c)}/(a^3*e^{(14*c)} + 3*a^2* \\
& b*e^{(14*c)} + 3*a*b^2*e^{(14*c)} + b^3*e^{(14*c)}) - 2*(9*a^3*b*e^{(6*d*x + 6*c)} \\
& - 5*a^2*b^2*e^{(6*d*x + 6*c)} - 13*a*b^3*e^{(6*d*x + 6*c)} + b^4*e^{(6*d*x + 6*c)} \\
& ) + 27*a^3*b*e^{(4*d*x + 4*c)} - 21*a^2*b^2*e^{(4*d*x + 4*c)} + 29*a*b^3*e^{(4*d* \\
& *x + 4*c)} - 3*b^4*e^{(4*d*x + 4*c)} + 27*a^3*b*e^{(2*d*x + 2*c)} + a^2*b^2*e^{(2 \\
& *d*x + 2*c)} - 23*a*b^3*e^{(2*d*x + 2*c)} + 3*b^4*e^{(2*d*x + 2*c)} + 9*a^3*b + \\
& 17*a^2*b^2 + 7*a*b^3 - b^4)/((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4 \\
& )*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d \\
& *x + 2*c)} + a + b)^2))/d
\end{aligned}$$

**maple [B]** time = 0.36, size = 2110, normalized size = 11.41

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$\begin{aligned}
& -1/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+1/d*b^4/(a+b)^4/(\tanh(1/2*d*x+1/ \\
& 2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/ \\
& 2*d*x+1/2*c)^5-29/2/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1 \\
& /2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*\tanh(1/2*d*x+1/2*c)^3-5/2/d*b^2/ \\
& (a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1 \\
& /2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)*a-27/4/d*b^3/(a+b)^4/(\tanh(1/2*d*x+1/2*c \\
& )^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x \\
& +1/2*c)^5-27/4/d*b^3/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c) \\
& ^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3-5/4/d*b^2/(a+b)^4 \\
& /((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a \\
& +b))^(1/2)+a+2*b)*a)^(1/2))+5/4/d*b^2/(a+b)^4/((2*(b*(a+b))^(1/2)-a-2*b)*a) \\
& ^{(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1 \\
& /4/d*b^3/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh( \\
& 1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)-1/4/d*b^3/(a+b)^4/(\tanh(1/2*d*x \\
& +1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1 \\
& /2*d*x+1/2*c)^7+5/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*b+1/2/d/(a+b)^4*\ln( \\
& \tanh(1/2*d*x+1/2*c)-1)*a-5/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-11/8/d*b \\
& ^3/(a+b)^4/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tan \\
& h(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-5/2/d*b^2/(a+b)^4/(ta \\
& nh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a \\
& )^2*\tanh(1/2*d*x+1/2*c)^7*a-1/8/d*b^3/(a+b)^4/a/((2*(b*(a+b))^(1/2)+a+2*b)* \\
& a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))- \\
& 11/8/d*b^3/(a+b)^4/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arct \\
& anh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-9/4/d*b/(a+b \\
& )^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c \\
& )^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7*a^2+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)^ \\
& 2+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)-1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+ \\
& 1)^2+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)-1/8/d*b^4/(a+b)^4/(b*(a+b))^(1/2)
\end{aligned}$$

$$\begin{aligned} & )/a/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}-1/8/d*b^4/(a+b)^4/(b*(a+b))^{(1/2)})/a/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}+15/8/d*b/(a+b)^4*a^2/(b*(a+b))^{(1/2)})/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}+15/8/d*b/(a+b)^4*a^2/(b*(a+b))^{(1/2)})/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}+5/8/d*b^2/(a+b)^4*a/(b*(a+b))^{(1/2)})/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}+5/8/d*b^2/(a+b)^4*a/(b*(a+b))^{(1/2)})/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}-27/4/d*b/(a+b)^4/(a+b)^4*(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2*a^2*\operatorname{tanh}(1/2*d*x+1/2*c)^5-27/4/d*b/(a+b)^4/(a+b)^4*(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2*a^2*\operatorname{tanh}(1/2*d*x+1/2*c)^3+1/d*b^4/(a+b)^4/(a+b)^4*(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/a*\operatorname{tanh}(1/2*d*x+1/2*c)^3-15/8/d*b/(a+b)^4*a/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}-29/2/d*b^2/(a+b)^4/(a+b)^4*(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2*a*\operatorname{tanh}(1/2*d*x+1/2*c)^5+1/8/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}*\operatorname{arctanh}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b}*a)^{(1/2)}-9/4/d*b/(a+b)^4/(a+b)^4*(\operatorname{tanh}(1/2*d*x+1/2*c)^4*a+2*\operatorname{tanh}(1/2*d*x+1/2*c)^2*a+4*\operatorname{tanh}(1/2*d*x+1/2*c)^2*b+a)^2*\operatorname{tanh}(1/2*d*x+1/2*c)*a^2+15/8/d*b/(a+b)^4*a/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)}*\operatorname{arctan}(a*\operatorname{tanh}(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b}*a)^{(1/2)})) \end{aligned}$$

**maxima** [B] time = 0.82, size = 1806, normalized size = 9.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="maxima")

[Out]  $\frac{3}{4}b \log((a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b) / ((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)d) - \frac{3}{4}b \log(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b) / ((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)d) - \frac{3}{32}(5a^3b - 15a^2b^2 - 5ab^3 - b^4) \operatorname{arctan}(1/2((a+b)e^{2dx+2c} + a-b)/\sqrt{ab}) / ((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)\sqrt{ab}d) + \frac{3}{32}(5a^3b - 15a^2b^2 - 5ab^3 - b^4) \operatorname{arctan}(1/2((a+b)e^{-2dx-2c} + a-b)/\sqrt{ab}) / ((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4)\sqrt{ab}d) + \frac{1}{16}(15a^2b + 10ab^2 + 3b^3) \operatorname{arctan}(1/2((a+b)e^{-2dx-2c} + a-b)/\sqrt{ab}) / ((a^5 + 3a^4b + 3a^3b^2 + a^2b^3)\sqrt{ab}d) + \frac{1}{16}(9a^4b + 4a^3b^2 - 22a^2b^3 - 20ab^4 - 3b^5 + 3(3a^4b - 22a^3b^2 - 20a^2b^3 + 6ab^4 + b^5))e^{6dx+6c} + (27a^4b - 156a^3b^2 + 110a^2b^3 - 36ab^4 - 9b^5)e^{4dx+4c} + (27a^4b - 86a^3b^2 - 84a^2b^3 + 38ab^4 - 9b^5)e^{2dx+2c} + (27a^4b - 86a^3b^2 - 84a^2b^3 + 38ab^4 - 9b^5)$

$$\begin{aligned} &^4 + 9b^5) * e^{(2dx + 2c)} / ((a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15 \\ &a^4b^4 + 6a^3b^5 + a^2b^6) * e^{(8dx + 8c)} + 4(a^8 + 4a^7b + 5a \\ &^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * e^{(6dx + 6c)} + 2(3a^8 + 10a \\ &^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * e^{(4 \\ &dx + 4c)} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6 \\ &) * e^{(2dx + 2c)} * d) - 1/16(9a^4b + 4a^3b^2 - 22a^2b^3 - 20ab^4 - \\ &3b^5 + (27a^4b - 86a^3b^2 - 84a^2b^3 + 38ab^4 + 9b^5) * e^{(-2dx \\ &- 2c)} + (27a^4b - 156a^3b^2 + 110a^2b^3 - 36ab^4 - 9b^5) * e^{(-4dx \\ &x - 4c)} + 3(3a^4b - 22a^3b^2 - 20a^2b^3 + 6ab^4 + b^5) * e^{(-6dx \\ &- 6c)}) / ((a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 \\ &+ a^2b^6 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) \\ &* e^{(-2dx - 2c)} + 2(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4 \\ &b^4 + 10a^3b^5 + 3a^2b^6) * e^{(-4dx - 4c)} + 4(a^8 + 4a^7b + 5a^6b \\ &^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * e^{(-6dx - 6c)} + (a^8 + 6a^7b + 1 \\ &5a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * e^{(-8dx - 8c)} \\ &) * d) - 1/8(9a^3b + 21a^2b^2 + 15ab^3 + 3b^4 + (27a^3b + 13a^2b^ \\ &2 - 23ab^3 - 9b^4) * e^{(-2dx - 2c)} + 3(9a^3b - 3a^2b^2 + 7ab^3 + \\ &3b^4) * e^{(-4dx - 4c)} + (9a^3b - a^2b^2 - 13ab^3 - 3b^4) * e^{(-6dx \\ &- 6c)}) / ((a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5 + \\ &4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) * e^{(-2dx - \\ &2c)} + 2(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) \\ &* e^{(-4dx - 4c)} + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - \\ &a^2b^5) * e^{(-6dx - 6c)} + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^ \\ &3b^4 + a^2b^5) * e^{(-8dx - 8c)}) * d) - 1/2(dx + c) / ((a^3 + 3a^2b + 3a \\ &* b^2 + b^3) * d) + 1/8 * e^{(2dx + 2c)} / ((a^3 + 3a^2b + 3a * b^2 + b^3) * d) - \\ &1/8 * e^{(-2dx - 2c)} / ((a^3 + 3a^2b + 3a * b^2 + b^3) * d) \end{aligned}$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)^2}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(sinh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.44 \quad \int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=126

$$\frac{15 \cosh(c+dx)}{8d(a+b)^3} - \frac{5 \cosh(c+dx)}{8d(a+b)^2(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{\cosh(c+dx)}{4d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)^2} - \frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{a+b}\right)}{8d(a+b)^{7/2}}$$

[Out] 15/8\*cosh(d\*x+c)/(a+b)^3/d-1/4\*cosh(d\*x+c)/(a+b)/d/(a+b-b\*sech(d\*x+c)^2)^2-5/8\*cosh(d\*x+c)/(a+b)^2/d/(a+b-b\*sech(d\*x+c)^2)-15/8\*arctanh(sech(d\*x+c)\*b^(1/2)/(a+b)^(1/2))\*b^(1/2)/(a+b)^(7/2)/d

**Rubi [A]** time = 0.10, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3664, 290, 325, 208}

$$\frac{15 \cosh(c+dx)}{8d(a+b)^3} - \frac{5 \cosh(c+dx)}{8d(a+b)^2(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{\cosh(c+dx)}{4d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)^2} - \frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{a+b}\right)}{8d(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (-15\*sqrt[b]\*ArcTanh[(sqrt[b]\*Sech[c + d\*x])/sqrt[a + b]])/(8\*(a + b)^(7/2)\*d) + (15\*Cosh[c + d\*x])/(8\*(a + b)^3\*d) - Cosh[c + d\*x]/(4\*(a + b)\*d\*(a + b - b\*Sech[c + d\*x]^2)^2) - (5\*Cosh[c + d\*x])/(8\*(a + b)^2\*d\*(a + b - b\*Sech[c + d\*x]^2))

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 290

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*n\*(p+1)), x] + Dist[(m+n\*(p+1)+1)/(a\*n\*(p+1)), Int[(c\*x)^m\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*c^n*(m+1)), Int[(c*x)^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[((-1 + ff^2*x^2)^((m-1)/2)*(a-b+b*ff^2*x^2)^p]/x^(m+1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m-1)/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sinh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^{2(a+b-bx^2)^3}} dx, x, \text{sech}(c+dx)\right)}{d} \\ &= \frac{\cosh(c+dx)}{4(a+b)d(a+b-b \text{sech}^2(c+dx))^2} - \frac{5 \text{Subst}\left(\int \frac{1}{x^{2(a+b-bx^2)^2}} dx, x, \text{sech}(c+dx)\right)}{4(a+b)d} \\ &= \frac{\cosh(c+dx)}{4(a+b)d(a+b-b \text{sech}^2(c+dx))^2} - \frac{5 \cosh(c+dx)}{8(a+b)^2 d(a+b-b \text{sech}^2(c+dx))} - \frac{15}{8(a+b)^2 d} \\ &= \frac{15 \cosh(c+dx)}{8(a+b)^3 d} - \frac{\cosh(c+dx)}{4(a+b)d(a+b-b \text{sech}^2(c+dx))^2} - \frac{5 \cosh(c+dx)}{8(a+b)^2 d(a+b-b \text{sech}^2(c+dx))} \\ &= \frac{15\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \text{sech}(c+dx)}{\sqrt{a+b}}\right)}{8(a+b)^{7/2} d} + \frac{15 \cosh(c+dx)}{8(a+b)^3 d} - \frac{\cosh(c+dx)}{4(a+b)d(a+b-b \text{sech}^2(c+dx))^2} \end{aligned}$$

**Mathematica** [C] time = 1.83, size = 157, normalized size = 1.25

$$\frac{2 \cosh(c+dx) \left( -\frac{4b^2}{((a+b) \cosh(2(c+dx))+a-b)^2} - \frac{9b}{(a+b) \cosh(2(c+dx))+a-b} + 4 \right) - \frac{15i\sqrt{b} \left( \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) + \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right) \right)}{(a+b)^{7/2}}}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]/(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (((-15*I)*Sqrt[b]*(ArcTan[(-I)*Sqrt[a + b] - Sqrt[a]*Tanh[(c + d*x)/2])/Sqrt[b]] + ArcTan[(-I)*Sqrt[a + b] + Sqrt[a]*Tanh[(c + d*x)/2])/Sqrt[b]))/(a + b)^(7/2) + (2*Cosh[c + d*x]*(4 - (4*b^2)/(a - b + (a + b)*Cosh[2*(c + d*x)]))^2 - (9*b)/(a - b + (a + b)*Cosh[2*(c + d*x)])))/(a + b)^3/(8*d)
```

**fricas** [B] time = 1.38, size = 7119, normalized size = 56.50

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] [1/16*(8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^10 + 80*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^9 + 8*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^10 + 20*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^8 + 20*(18*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 2*a^2 - a*b - 3*b^2)*sinh(d*x + c)^8 + 160*(6*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (2*a^2 - a*b - 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^7 + 20*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^6 + 20*(84*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 28*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*sinh(d*x + c)^6 + 8*(252*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 140*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^3 + 15*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 20*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^4 + 20*(84*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 70*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^4 + 15*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^2 + 4*a^2 - 7*a*b + b^2)*sinh(d*x + c)^4 + 80*(12*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 14*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^5 + 5*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^3 + (4*a^2 - 7*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 20*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^2 + 20*(18*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 28*(2*a^2 - a*b - 3*b^2)*cosh(d*x + c)^6 + 15*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^4 + 6*(4*a^2 - 7*a*b + b^2)*cosh(d*x + c)^2 + 2*a^2 - a*b - 3*b^2)*sinh(d*x + c)^2 + 15*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^9 + 9*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^8 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^9 + 4*(a^2 - b^2)*cosh(d*x + c)^7 + 4*(9*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^7 + 28*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^6 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 42*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 70*(a^2 - b^2)*cosh(d*x + c)^3 + 5*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^4 + 4*(a^2 - b^2)*cosh(d*x + c)^3 + 4*(21*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 35*(a^2 - b^2)*cosh(d*x + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^3 + 4*(9*(a^2 + 2*a*b + b^2)*co
```

$$\begin{aligned}
& \text{sh}(d*x + c)^7 + 21*(a^2 - b^2)*\text{cosh}(d*x + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2)* \\
& \text{cosh}(d*x + c)^3 + 3*(a^2 - b^2)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^2 + (a^2 + 2*a \\
& *b + b^2)*\text{cosh}(d*x + c) + (9*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^8 + 28*(a^2 \\
& - b^2)*\text{cosh}(d*x + c)^6 + 10*(3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(d*x + c)^4 + 12*(a \\
& ^2 - b^2)*\text{cosh}(d*x + c)^2 + a^2 + 2*a*b + b^2)*\text{sinh}(d*x + c))*\text{sqrt}(b/(a + b \\
& ))*\log(((a + b)*\text{cosh}(d*x + c)^4 + 4*(a + b)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^3 + \\
& (a + b)*\text{sinh}(d*x + c)^4 + 2*(a + 3*b)*\text{cosh}(d*x + c)^2 + 2*(3*(a + b)*\text{cosh}( \\
& d*x + c)^2 + a + 3*b)*\text{sinh}(d*x + c)^2 + 4*((a + b)*\text{cosh}(d*x + c)^3 + (a + 3 \\
& *b)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c) - 4*((a + b)*\text{cosh}(d*x + c)^3 + 3*(a + b)*c \\
& \text{osh}(d*x + c)*\text{sinh}(d*x + c)^2 + (a + b)*\text{sinh}(d*x + c)^3 + (a + b)*\text{cosh}(d*x + \\
& c) + (3*(a + b)*\text{cosh}(d*x + c)^2 + a + b)*\text{sinh}(d*x + c))*\text{sqrt}(b/(a + b)) + \\
& a + b)/((a + b)*\text{cosh}(d*x + c)^4 + 4*(a + b)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^3 + \\
& (a + b)*\text{sinh}(d*x + c)^4 + 2*(a - b)*\text{cosh}(d*x + c)^2 + 2*(3*(a + b)*\text{cosh}(d* \\
& x + c)^2 + a - b)*\text{sinh}(d*x + c)^2 + 4*((a + b)*\text{cosh}(d*x + c)^3 + (a - b)*c \\
& \text{osh}(d*x + c))*\text{sinh}(d*x + c) + a + b)) + 8*a^2 + 16*a*b + 8*b^2 + 40*(2*(a^2 \\
& + 2*a*b + b^2)*\text{cosh}(d*x + c)^9 + 4*(2*a^2 - a*b - 3*b^2)*\text{cosh}(d*x + c)^7 + \\
& 3*(4*a^2 - 7*a*b + b^2)*\text{cosh}(d*x + c)^5 + 2*(4*a^2 - 7*a*b + b^2)*\text{cosh}(d*x \\
& + c)^3 + (2*a^2 - a*b - 3*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c))/((a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^9 + 9*(a^5 + 5 \\
& *a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)*\text{sinh}(d*x \\
& + c)^8 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{sinh}(d \\
& *x + c)^9 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cos} \\
& \text{h}(d*x + c)^7 + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^ \\
& 5)*d*\text{cosh}(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b \\
& ^5)*d)*\text{sinh}(d*x + c)^7 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b \\
& ^4 + 3*b^5)*d*\text{cosh}(d*x + c)^5 + 28*(3*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2* \\
& b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2 \\
& *b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^6 + 2*(63*(a^5 + 5*a^4 \\
& *b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^4 + 42*(a^5 + \\
& 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^2 + (3*a^ \\
& 5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\text{sinh}(d*x + c)^5 + \\
& 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^ \\
& 3 + 2*(63*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}( \\
& d*x + c)^5 + 70*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*c \\
& \text{osh}(d*x + c)^3 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b \\
& ^5)*d*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^4 + 4*(21*(a^5 + 5*a^4*b + 10*a^3*b^2 + \\
& 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^6 + 35*(a^5 + 3*a^4*b + 2*a^3*b \\
& ^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^4 + 5*(3*a^5 + 7*a^4*b + 6* \\
& a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\text{cosh}(d*x + c)^2 + (a^5 + 3*a^4*b + \\
& 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\text{sinh}(d*x + c)^3 + (a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c) + 4*(9*(a^5 + 5 \\
& *a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\text{cosh}(d*x + c)^7 + 21*(a \\
& ^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x + c)^5 + 5 \\
& *(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\text{cosh}(d*x + c \\
& )^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\text{cosh}(d*x
\end{aligned}$$



$$\begin{aligned}
& + c)) * \sinh(dx + c)^2 + (9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d * \cosh(dx + c)^8 + 28*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d * \cosh(dx + c)^6 + 10*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d * \cosh(dx + c)^4 + 12*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d * \cosh(dx + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d) * \sinh(dx + c)), 1/8*(4*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^10 + 40*(a^2 + 2*a*b + b^2) * \cosh(dx + c) * \sinh(dx + c)^9 + 4*(a^2 + 2*a*b + b^2) * \sinh(dx + c)^10 + 10*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^8 + 10*(18*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^2 + 2*a^2 - a*b - 3*b^2) * \sinh(dx + c)^8 + 80*(6*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^3 + (2*a^2 - a*b - 3*b^2) * \cosh(dx + c)) * \sinh(dx + c)^7 + 10*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^6 + 10*(84*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^4 + 28*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^2 + 4*a^2 - 7*a*b + b^2) * \sinh(dx + c)^6 + 4*(252*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^5 + 140*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^3 + 15*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 + 10*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^4 + 10*(84*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^6 + 70*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^4 + 15*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^2 + 4*a^2 - 7*a*b + b^2) * \sinh(dx + c)^4 + 40*(12*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^7 + 14*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^5 + 5*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^3 + (4*a^2 - 7*a*b + b^2) * \cosh(dx + c)) * \sinh(dx + c)^3 + 10*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^2 + 10*(18*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^8 + 28*(2*a^2 - a*b - 3*b^2) * \cosh(dx + c)^6 + 15*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^4 + 6*(4*a^2 - 7*a*b + b^2) * \cosh(dx + c)^2 + 2*a^2 - a*b - 3*b^2) * \sinh(dx + c)^2 - 15*((a^2 + 2*a*b + b^2) * \cosh(dx + c)^9 + 9*(a^2 + 2*a*b + b^2) * \cosh(dx + c) * \sinh(dx + c)^8 + (a^2 + 2*a*b + b^2) * \sinh(dx + c)^9 + 4*(a^2 - b^2) * \cosh(dx + c)^7 + 4*(9*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^2 + a^2 - b^2) * \sinh(dx + c)^7 + 28*(3*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^3 + (a^2 - b^2) * \cosh(dx + c)) * \sinh(dx + c)^6 + 2*(3*a^2 - 2*a*b + 3*b^2) * \cosh(dx + c)^5 + 2*(63*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^4 + 42*(a^2 - b^2) * \cosh(dx + c)^2 + 3*a^2 - 2*a*b + 3*b^2) * \sinh(dx + c)^5 + 2*(63*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^5 + 70*(a^2 - b^2) * \cosh(dx + c)^3 + 5*(3*a^2 - 2*a*b + 3*b^2) * \cosh(dx + c)) * \sinh(dx + c)^4 + 4*(a^2 - b^2) * \cosh(dx + c)^3 + 4*(21*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^6 + 35*(a^2 - b^2) * \cosh(dx + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2) * \cosh(dx + c)^2 + a^2 - b^2) * \sinh(dx + c)^3 + 4*(9*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^7 + 21*(a^2 - b^2) * \cosh(dx + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2) * \cosh(dx + c)^3 + 3*(a^2 - b^2) * \cosh(dx + c)) * \sinh(dx + c)^2 + (a^2 + 2*a*b + b^2) * \cosh(dx + c) + (9*(a^2 + 2*a*b + b^2) * \cosh(dx + c)^8 + 28*(a^2 - b^2) * \cosh(dx + c)^6 + 10*(3*a^2 - 2*a*b + 3*b^2) * \cosh(dx + c)^4 + 12*(a^2 - b^2) * \cosh(dx + c)^2 + a^2 + 2*a*b + b^2) * \sinh(dx + c)) * \sqrt{-b/(a + b)} * \arctan(1/2*((a + b) * \cosh(dx + c)^3 + 3*(a + b) * \cosh(dx + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (a - 3*b) * \cosh(dx + c) + (3*(a + b) * \cosh(dx + c)^2 + a - 3*b) * \sinh(dx + c))) * \sqrt{-b/(a + b)})/b + 15*((a^2 + 2*a*b + b^2) * \cosh(dx + c)^9 + 9*(a^2 + 2*a*b + b^2) * \cosh(dx + c) * \sinh(dx + c)^8 + (a^2 + 2*a*b + b^2) * \sinh(dx + c)^9 + 4*(a^2 - b^2) * \cosh(dx + c)^7 + 4*(9*(a^2 + 2*a*b + b^2) * \cos
\end{aligned}$$

$$\begin{aligned}
& h(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^7 + 28*(3*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^3 + (a^2 - b^2)*\cosh(dx + c))*\sinh(dx + c)^6 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^4 + 42*(a^2 - b^2)*\cosh(dx + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh(dx + c)^5 + 2*(63*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^5 + 70*(a^2 - b^2)*\cosh(dx + c)^3 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c))*\sinh(dx + c)^4 + 4*(a^2 - b^2)*\cosh(dx + c)^3 + 4*(21*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^6 + 35*(a^2 - b^2)*\cosh(dx + c)^4 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^2 + a^2 - b^2)*\sinh(dx + c)^3 + 4*(9*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^7 + 21*(a^2 - b^2)*\cosh(dx + c)^5 + 5*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^3 + 3*(a^2 - b^2)*\cosh(dx + c))*\sinh(dx + c)^2 + (a^2 + 2*a*b + b^2)*\cosh(dx + c) + (9*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^8 + 28*(a^2 - b^2)*\cosh(dx + c)^6 + 10*(3*a^2 - 2*a*b + 3*b^2)*\cosh(dx + c)^4 + 12*(a^2 - b^2)*\cosh(dx + c)^2 + a^2 + 2*a*b + b^2)*\sinh(dx + c))*\sqrt{-b/(a + b))*\arctan(1/2*((a + b)*\cosh(dx + c) + (a + b)*\sinh(dx + c))*\sqrt{-b/(a + b)})/b) + 4*a^2 + 8*a*b + 4*b^2 + 20*(2*(a^2 + 2*a*b + b^2)*\cosh(dx + c)^9 + 4*(2*a^2 - a*b - 3*b^2)*\cosh(dx + c)^7 + 3*(4*a^2 - 7*a*b + b^2)*\cosh(dx + c)^5 + 2*(4*a^2 - 7*a*b + b^2)*\cosh(dx + c)^3 + (2*a^2 - a*b - 3*b^2)*\cosh(dx + c))*\sinh(dx + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^9 + 9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)*\sinh(dx + c)^8 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\sinh(dx + c)^9 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^7 + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\sinh(dx + c)^7 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(dx + c)^5 + 28*(3*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c))*\sinh(dx + c)^6 + 2*(63*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^4 + 42*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^2 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\sinh(dx + c)^5 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^3 + 2*(63*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^5 + 70*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^3 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(dx + c))*\sinh(dx + c)^4 + 4*(21*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^6 + 35*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^4 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(dx + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\sinh(dx + c)^3 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c) + 4*(9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(dx + c)^7 + 21*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(dx + c)^5 + 5*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(dx + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d
\end{aligned}$$

```
*cosh(d*x + c))*sinh(d*x + c)^2 + (9*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 28*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 10*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^4 + 12*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d)*sinh(d*x + c))]
```

**giac [B]** time = 0.62, size = 1718, normalized size = 13.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")
```

```
[Out] -1/8*(15*(2*(a^3*e^(2*c) + 3*a^2*b*e^(2*c) + 3*a*b^2*e^(2*c) + b^3*e^(2*c))
^2*(2*a*b^2 + (a*b - b^2)*sqrt(-a*b))*abs(a*e^(2*c) + b*e^(2*c)) + (a^5*b +
3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6 - 2*(a^4*b + 4*a^3*b^2 +
6*a^2*b^3 + 4*a*b^4 + b^5)*sqrt(-a*b))*abs(-a^3*e^(2*c) - 3*a^2*b*e^(2*c)
- 3*a*b^2*e^(2*c) - b^3*e^(2*c))*abs(a*e^(2*c) + b*e^(2*c))*e^(2*c) + (2*a^
8*b + 10*a^7*b^2 + 18*a^6*b^3 + 10*a^5*b^4 - 10*a^4*b^5 - 18*a^3*b^6 - 10*a
^2*b^7 - 2*a*b^8 + (a^8 + 4*a^7*b + 4*a^6*b^2 - 4*a^5*b^3 - 10*a^4*b^4 - 4*
a^3*b^5 + 4*a^2*b^6 + 4*a*b^7 + b^8)*sqrt(-a*b))*abs(a*e^(2*c) + b*e^(2*c))
*e^(4*c))*arctan(e^(d*x)/sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2
*c) - b^4*e^(2*c) + sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3*e^(2*c) -
b^4*e^(2*c))^2 - (a^4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*
b^3*e^(4*c) + b^4*e^(4*c))*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)))/(a
^4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c) + b^4*e
(4*c))))*e^(-4*c)/((a^9 + 9*a^8*b + 36*a^7*b^2 + 84*a^6*b^3 + 126*a^5*b^4 +
126*a^4*b^5 + 84*a^3*b^6 + 36*a^2*b^7 + 9*a*b^8 + b^9)*sqrt(a^2 - b^2 - 2*
sqrt(-a*b)*(a + b))*abs(-a^3*e^(2*c) - 3*a^2*b*e^(2*c) - 3*a*b^2*e^(2*c) -
b^3*e^(2*c))) + 15*(2*(a^3*e^(2*c) + 3*a^2*b*e^(2*c) + 3*a*b^2*e^(2*c) + b^
3*e^(2*c))^2*(2*a*b^2 - (a*b - b^2)*sqrt(-a*b))*abs(a*e^(2*c) + b*e^(2*c))
+ (a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6 + 2*(a^4*b + 4
*a^3*b^2 + 6*a^2*b^3 + 4*a*b^4 + b^5)*sqrt(-a*b))*abs(-a^3*e^(2*c) - 3*a^2*
b*e^(2*c) - 3*a*b^2*e^(2*c) - b^3*e^(2*c))*abs(a*e^(2*c) + b*e^(2*c))*e^(2*
c) + (2*a^8*b + 10*a^7*b^2 + 18*a^6*b^3 + 10*a^5*b^4 - 10*a^4*b^5 - 18*a^3*
b^6 - 10*a^2*b^7 - 2*a*b^8 - (a^8 + 4*a^7*b + 4*a^6*b^2 - 4*a^5*b^3 - 10*a^
4*b^4 - 4*a^3*b^5 + 4*a^2*b^6 + 4*a*b^7 + b^8)*sqrt(-a*b))*abs(a*e^(2*c) +
b*e^(2*c))*e^(4*c))*arctan(e^(d*x)/sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*
a*b^3*e^(2*c) - b^4*e^(2*c) - sqrt((a^4*e^(2*c) + 2*a^3*b*e^(2*c) - 2*a*b^3
*e^(2*c) - b^4*e^(2*c))^2 - (a^4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4
*c) + 4*a*b^3*e^(4*c) + b^4*e^(4*c))*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 +
b^4)))/(a^4*e^(4*c) + 4*a^3*b*e^(4*c) + 6*a^2*b^2*e^(4*c) + 4*a*b^3*e^(4*c
) + b^4*e^(4*c))))*e^(-4*c)/((a^9 + 9*a^8*b + 36*a^7*b^2 + 84*a^6*b^3 + 126
*a^5*b^4 + 126*a^4*b^5 + 84*a^3*b^6 + 36*a^2*b^7 + 9*a*b^8 + b^9)*sqrt(a^2
```

$$\begin{aligned}
& -b^2 + 2\sqrt{-a*b}*(a+b))*abs(-a^3*e^{(2*c)} - 3*a^2*b*e^{(2*c)} - 3*a*b^2* \\
& e^{(2*c)} - b^3*e^{(2*c)})) - 4*e^{(d*x + 14*c)}/(a^3*e^{(13*c)} + 3*a^2*b*e^{(13*c)} \\
& + 3*a*b^2*e^{(13*c)} + b^3*e^{(13*c)}) - 4*e^{(-d*x)}/(a^3*e^c + 3*a^2*b*e^c + 3 \\
& *a*b^2*e^c + b^3*e^c) + 2*(9*a*b*e^{(7*d*x + 7*c)} + 9*b^2*e^{(7*d*x + 7*c)} + \\
& 27*a*b*e^{(5*d*x + 5*c)} - b^2*e^{(5*d*x + 5*c)} + 27*a*b*e^{(3*d*x + 3*c)} - b^2 \\
& *e^{(3*d*x + 3*c)} + 9*a*b*e^{(d*x + c)} + 9*b^2*e^{(d*x + c)})/((a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} \\
& ) - 2*b*e^{(2*d*x + 2*c)} + a + b)^2)/d
\end{aligned}$$

**maple [B]** time = 0.30, size = 252, normalized size = 2.00

$$\frac{1}{(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} + \frac{1}{(a+b)^3 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)} + \frac{2b \left( \frac{(9a^2+24ab+8b^2) \left( \tanh^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - (27a^3+78a^2b+88ab^2+16b^3) \left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - (27a^2+56ab+8b^2)}{8a} - \frac{(27a^3+78a^2b+88ab^2+16b^3) \left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - (27a^2+56ab+8b^2)}{8a^2} \right)}{\left( \left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right)_{a+2} \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)_{a+4} \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)_{b+a} \right)^2} \right)}{(a+b)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(-1/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)-1)+1/(a+b)^3/(tanh(1/2\*d\*x+1/2\*c)+1)+2\*b/(a+b)^3\*((-1/8\*(9\*a^2+24\*a\*b+8\*b^2)/a\*tanh(1/2\*d\*x+1/2\*c)^6-1/8/a^2\*(27\*a^3+78\*a^2\*b+88\*a\*b^2+16\*b^3)\*tanh(1/2\*d\*x+1/2\*c)^4-1/8\*(27\*a^2+56\*a\*b+8\*b^2)/a\*tanh(1/2\*d\*x+1/2\*c)^2-9/8\*a-1/4\*b)/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2-15/16/(a\*b+b^2)^(1/2)\*arctanh(1/4\*(2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+2\*a+4\*b)/(a\*b+b^2)^(1/2))))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{2a^2 + 4ab + 2}{4 \left( (a^5 de^{9c} + 5a^4 bde^{9c} + 10a^3 b^2 de^{9c} + 10a^2 b^3 de^{9c} + 5ab^4 de^{9c} + b^5 de^{9c}) e^{9dx} + 4(a^5 de^{7c} + 3a^4 bde^{7c}) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*(2\*a^2 + 4\*a\*b + 2\*b^2 + 2\*(a^2\*e^{(10\*c)} + 2\*a\*b\*e^{(10\*c)} + b^2\*e^{(10\*c)}))\*e^{(10\*d\*x)} + 5\*(2\*a^2\*e^{(8\*c)} - a\*b\*e^{(8\*c)} - 3\*b^2\*e^{(8\*c)})\*e^{(8\*d\*x)} + 5\*(4\*a^2\*e^{(6\*c)} - 7\*a\*b\*e^{(6\*c)} + b^2\*e^{(6\*c)})\*e^{(6\*d\*x)} + 5\*(4\*a^2\*e^{(4\*c)} - 7\*a\*b\*e^{(4\*c)} + b^2\*e^{(4\*c)})\*e^{(4\*d\*x)} + 5\*(2\*a^2\*e^{(2\*c)} - a\*b\*e^{(2\*c)} - 3\*b^2\*e^{(2\*c)})\*e^{(2\*d\*x)}/((a^5\*d\*e^{(9\*c)} + 5\*a^4\*b\*d\*e^{(9\*c)} + 10\*a^3\*b^2\*d\*e^{(9\*c)} + 10\*a^2\*b^3\*d\*e^{(9\*c)} + 5\*a\*b^4\*d\*e^{(9\*c)} + b^5\*d\*e^{(9\*c)})\*e^{(9\*d\*x)} + 4\*(a^5\*d\*e^{(7\*c)} + 3\*a^4\*b\*d\*e^{(7\*c)} + 2\*a^3\*b^2\*d\*e^{(7\*c)} - 2\*a

$$\begin{aligned} &^2b^3d^5e^{7c} - 3ab^4d^5e^{7c} - b^5d^5e^{7c})e^{7dx} + 2(3a^5d^5e^{5c} + 7a^4b^5d^5e^{5c} + 6a^3b^2d^5e^{5c} + 6a^2b^3d^5e^{5c} + \\ &7ab^4d^5e^{5c} + 3b^5d^5e^{5c})e^{5dx} + 4(a^5d^3e^{3c} + 3a^4b^5d^3e^{3c} + 2a^3b^2d^3e^{3c} - 2a^2b^3d^3e^{3c} - 3ab^4d^3e^{3c} \\ &- b^5d^3e^{3c})e^{3dx} + (a^5d^2e^c + 5a^4b^5d^2e^c + 10a^3b^2d^2e^c + 10a^2b^3d^2e^c + 5ab^4d^2e^c + b^5d^2e^c)e^{dx} \\ &+ 1/2 \int (b^5e^{3dx+3c} - b^5e^{dx+c}) / (a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4 + (a^4e^{4c} + 4a^3b^5e^{4c} + 6a^2b^2e^{4c} + 4ab^3e^{4c} + b^4e^{4c}))e^{4dx} \\ &+ 2(a^4e^{2c} + 2a^3b^5e^{2c} - 2ab^3e^{2c} - b^4e^{2c})e^{2dx}), x \end{aligned}$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sinh(c + dx)}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.45 \quad \int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=156

$$-\frac{\tanh^{-1}(\cosh(c+dx))}{a^3 d} + \frac{b(7a+4b)\operatorname{sech}(c+dx)}{8a^2 d(a+b)^2(a-b\operatorname{sech}^2(c+dx)+b)} + \frac{\sqrt{b}(15a^2+20ab+8b^2)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3 d(a+b)^{5/2}} +$$

[Out]  $-\operatorname{arctanh}(\cosh(d*x+c))/a^3/d+1/4*b*\operatorname{sech}(d*x+c)/a/(a+b)/d/(a+b-b*\operatorname{sech}(d*x+c)^2)^2+1/8*b*(7*a+4*b)*\operatorname{sech}(d*x+c)/a^2/(a+b)^2/d/(a+b-b*\operatorname{sech}(d*x+c)^2)+1/8*(15*a^2+20*a*b+8*b^2)*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{(1/2)}/(a+b)^{(1/2)})*b^{(1/2)}/a^3/(a+b)^{(5/2)}/d$

**Rubi [A]** time = 0.25, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3664, 414, 527, 522, 207, 208}

$$\frac{\sqrt{b}(15a^2+20ab+8b^2)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3 d(a+b)^{5/2}} + \frac{b(7a+4b)\operatorname{sech}(c+dx)}{8a^2 d(a+b)^2(a-b\operatorname{sech}^2(c+dx)+b)} - \frac{\tanh^{-1}(\cosh(c+dx))}{a^3 d} +$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]]/(a^3*d)) + (\operatorname{Sqrt}[b]*(15*a^2+20*a*b+8*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/(\operatorname{Sqrt}[a+b])]/(8*a^3*(a+b)^{(5/2)*d}) + (b*\operatorname{Sech}[c+d*x])/(4*a*(a+b)*d*(a+b-b*\operatorname{Sech}[c+d*x]^2)^2) + (b*(7*a+4*b)*\operatorname{Sech}[c+d*x])/(8*a^2*(a+b)^2*d*(a+b-b*\operatorname{Sech}[c+d*x]^2))$

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3664

```

Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(
p_.), x_Symbol] :> With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^
m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p]/x^(m + 1
), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m
- 1)/2]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(-1+x^2)(a+b-bx^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{\operatorname{Subst}\left(\int \frac{4a+b+3bx^2}{(-1+x^2)(a+b-bx^2)^2} dx, x, \operatorname{sech}(c+dx)\right)}{4a(a+b)d} \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{b(7a+4b) \operatorname{sech}(c+dx)}{8a^2(a+b)^2 d(a+b-b \operatorname{sech}^2(c+dx))} + \\
&= \frac{b \operatorname{sech}(c+dx)}{4a(a+b)d(a+b-b \operatorname{sech}^2(c+dx))^2} + \frac{b(7a+4b) \operatorname{sech}(c+dx)}{8a^2(a+b)^2 d(a+b-b \operatorname{sech}^2(c+dx))} + \\
&= -\frac{\tanh^{-1}(\cosh(c+dx))}{a^3 d} + \frac{\sqrt{b}(15a^2+20ab+8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^3(a+b)^{5/2} d} + \frac{1}{4a(a+b)}
\end{aligned}$$

**Mathematica [C]** time = 1.51, size = 236, normalized size = 1.51

$$\frac{8a^2b^2 \cosh(c+dx)}{(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{i\sqrt{b}(15a^2+20ab+8b^2) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{5/2}} + \frac{i\sqrt{b}(15a^2+20ab+8b^2) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)-i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{5/2}}}{8a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((I\*Sqrt[b]\*(15\*a^2 + 20\*a\*b + 8\*b^2)\*ArcTan[((-I)\*Sqrt[a + b] - Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(5/2) + (I\*Sqrt[b]\*(15\*a^2 + 20\*a\*b + 8\*b^2)\*ArcTan[((-I)\*Sqrt[a + b] + Sqrt[a]\*Tanh[(c + d\*x)/2])/Sqrt[b]])/(a + b)^(5/2) + (8\*a^2\*b^2\*Cosh[c + d\*x])/((a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2) + (2\*a\*b\*(9\*a + 4\*b)\*Cosh[c + d\*x])/((a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])) + 8\*Log[Tanh[(c + d\*x)/2]]/(8\*a^3\*d)

**fricas [B]** time = 1.77, size = 10716, normalized size = 68.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\frac{1}{16} \cdot (4 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c)^7 + 28 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c) \sinh(dx+c)^6 + 4 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \sinh(dx+c)^7 + 4 \cdot (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)^5 + 4 \cdot (27a^3b + 11a^2b^2 - 4ab^3 + 21 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c)^2) \sinh(dx+c)^5 + 20 \cdot (7 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c)^3 + (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)) \sinh(dx+c)^4 + 4 \cdot (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)^3 + 4 \cdot (35 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c)^4 + 27a^3b + 11a^2b^2 - 4ab^3 + 10 \cdot (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)^2) \sinh(dx+c)^3 + 4 \cdot (21 \cdot (9a^3b + 13a^2b^2 + 4ab^3) \cosh(dx+c)^5 + 10 \cdot (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)^3 + 3 \cdot (27a^3b + 11a^2b^2 - 4ab^3) \cosh(dx+c)) \sinh(dx+c)^2 + ((15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^8 + 8 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c) \sinh(dx+c)^7 + (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \sinh(dx+c)^8 + 4 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^6 + 4 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4 + 7 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^2) \sinh(dx+c)^6 + 8 \cdot (7 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^3 + 3 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)) \sinh(dx+c)^5 + 2 \cdot (45a^4 + 30a^3b + 29a^2b^2 + 44ab^3 + 24b^4) \cosh(dx+c)^4 + 2 \cdot (35 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^4 + 45a^4 + 30a^3b + 29a^2b^2 + 44ab^3 + 24b^4 + 30 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^2) \sinh(dx+c)^4 + 15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4 + 8 \cdot (7 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^5 + 10 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^3 + (45a^4 + 30a^3b + 29a^2b^2 + 44ab^3 + 24b^4) \cosh(dx+c)) \sinh(dx+c)^3 + 4 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^2 + 4 \cdot (7 \cdot (15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^6 + 15 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^4 + 15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4 + 3 \cdot (45a^4 + 30a^3b + 29a^2b^2 + 44ab^3 + 24b^4) \cosh(dx+c)^2) \sinh(dx+c)^2 + 8 \cdot ((15a^4 + 50a^3b + 63a^2b^2 + 36ab^3 + 8b^4) \cosh(dx+c)^7 + 3 \cdot (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)^5 + (45a^4 + 30a^3b + 29a^2b^2 + 44ab^3 + 24b^4) \cosh(dx+c)^3 + (15a^4 + 20a^3b - 7a^2b^2 - 20ab^3 - 8b^4) \cosh(dx+c)) \sinh(dx+c)) \sqrt{b/(a+b)} \cdot \log(((a+b) \cosh(dx+c)^4 + 4 \cdot (a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2 \cdot (a+3b) \cosh(dx+c)^2 + 2 \cdot (3 \cdot (a+b) \cosh(dx+c)^2 + a+3b) \sinh(dx+c)^2 + 4 \cdot ((a+b) \cosh(dx+c)^3 + (a+3b) \cosh(dx+c)) \sinh(dx+c) + 4 \cdot ((a+b) \cosh(dx+c)^3 + 3 \cdot (a+b) \cosh(dx+c) \sinh(dx+c)^2 + (a+b) \sinh(dx+c)^3 + (a+b) \cosh(dx+c) + (3 \cdot (a+b) \cosh(dx+c)^2 + a+b) \sinh(dx+c)) \sqrt{b/(a+b)} + a+b) / ((a+b) \cosh(dx+c)^4 + 4 \cdot (a+b) \cosh(dx+c) \sinh(dx+c)$$

$$\begin{aligned}
& *x + c)^3 + (a + b)*\sinh(dx + c)^4 + 2*(a - b)*\cosh(dx + c)^2 + 2*(3*(a + \\
& b)*\cosh(dx + c)^2 + a - b)*\sinh(dx + c)^2 + 4*((a + b)*\cosh(dx + c)^3 + \\
& (a - b)*\cosh(dx + c))*\sinh(dx + c) + a + b)) + 4*(9*a^3*b + 13*a^2*b^2 + \\
& 4*a*b^3)*\cosh(dx + c) - 16*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*c \\
& \cosh(dx + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c \\
& )*\sinh(dx + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(dx + \\
& c)^8 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c)^6 + 4*(a^4 + 2*a^3*b \\
& - 2*a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + \\
& c)^2)*\sinh(dx + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*c \\
& \cosh(dx + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c))*\sinh(dx \\
& + c)^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx + c)^4 \\
& + 2*(35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c)^4 + 3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^ \\
& 4)*\cosh(dx + c)^2)*\sinh(dx + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c)^5 + 1 \\
& 0*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c)^3 + (3*a^4 + 4*a^3*b + 2*a^ \\
& 2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx + c))*\sinh(dx + c)^3 + 4*(a^4 + 2*a^3*b \\
& - 2*a*b^3 - b^4)*\cosh(dx + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^ \\
& 3 + b^4)*\cosh(dx + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c) \\
& ^4 + a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b \\
& ^3 + 3*b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^ \\
& 2 + 4*a*b^3 + b^4)*\cosh(dx + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh \\
& (dx + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx + c) \\
& ^3 + (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c))*\sinh(dx + c))*\log(\cosh \\
& (dx + c) + \sinh(dx + c) + 1) + 16*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4)*\cosh(dx + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\
& dx + c)*\sinh(dx + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh \\
& (dx + c)^8 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c)^6 + 4*(a^4 + \\
& 2*a^3*b - 2*a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cos \\
& h(dx + c)^2)*\sinh(dx + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\
& b^4)*\cosh(dx + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c))*\si \\
& nh(dx + c)^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx \\
& + c)^4 + 2*(35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c)^4 \\
& + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b \\
& ^3 - b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4* \\
& a*b^3 + b^4 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c \\
& )^5 + 10*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c)^3 + (3*a^4 + 4*a^3*b \\
& + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx + c))*\sinh(dx + c)^3 + 4*(a^4 + 2 \\
& *a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + \\
& 4*a*b^3 + b^4)*\cosh(dx + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d \\
& *x + c)^4 + a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 \\
& + 4*a*b^3 + 3*b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^2 + 8*((a^4 + 4*a^3*b + 6 \\
& *a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^ \\
& 4)*\cosh(dx + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d \\
& *x + c)^3 + (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx + c))*\sinh(dx + c))*1
\end{aligned}$$

$$\begin{aligned}
& \log(\cosh(dx + c) + \sinh(dx + c) - 1) + 4*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3) \\
& * \cosh(dx + c)^6 + 5*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)* \cosh(dx + c)^4 + \\
& 9*a^3*b + 13*a^2*b^2 + 4*a*b^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)* \cosh(dx \\
& * c)^2) * \sinh(dx + c)) / ((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) \\
& ) * d * \cosh(dx + c)^8 + 8*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d \\
& * \cosh(dx + c) * \sinh(dx + c)^7 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a \\
& ^3*b^4) * d * \sinh(dx + c)^8 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d * \cosh( \\
& dx + c)^6 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh( \\
& dx + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d) * \sinh(dx + c)^6 + 2*( \\
& 3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4) * d * \cosh(dx + c)^4 + 8* \\
& (7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh(dx + c)^3 + 3* \\
& (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2* \\
& (35*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh(dx + c)^4 + 3 \\
& 0*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d * \cosh(dx + c)^2 + (3*a^7 + 4*a^6* \\
& b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4) * d) * \sinh(dx + c)^4 + 4*(a^7 + 2*a^6* \\
& b - 2*a^4*b^3 - a^3*b^4) * d * \cosh(dx + c)^2 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^ \\
& 2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh(dx + c)^5 + 10*(a^7 + 2*a^6*b - 2*a^4*b^3 \\
& - a^3*b^4) * d * \cosh(dx + c)^3 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3 \\
& *a^3*b^4) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^ \\
& 2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh(dx + c)^6 + 15*(a^7 + 2*a^6*b - 2*a^4*b^3 \\
& - a^3*b^4) * d * \cosh(dx + c)^4 + 3*(3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + \\
& 3*a^3*b^4) * d * \cosh(dx + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d) * \si \\
& nh(dx + c)^2 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d + 8*((a \\
& ^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4) * d * \cosh(dx + c)^7 + 3*(a^7 \\
& + 2*a^6*b - 2*a^4*b^3 - a^3*b^4) * d * \cosh(dx + c)^5 + (3*a^7 + 4*a^6*b + 2*a \\
& ^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4) * d * \cosh(dx + c)^3 + (a^7 + 2*a^6*b - 2*a^4* \\
& b^3 - a^3*b^4) * d * \cosh(dx + c)) * \sinh(dx + c)), 1/8*(2*(9*a^3*b + 13*a^2*b^ \\
& 2 + 4*a*b^3) * \cosh(dx + c)^7 + 14*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3) * \cosh(dx \\
& + c) * \sinh(dx + c)^6 + 2*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3) * \sinh(dx + c)^7 \\
& + 2*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3) * \cosh(dx + c)^5 + 2*(27*a^3*b + 11*a^ \\
& 2*b^2 - 4*a*b^3 + 21*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3) * \cosh(dx + c)^2) * \sinh \\
& (dx + c)^5 + 10*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3) * \cosh(dx + c)^3 + (27* \\
& a^3*b + 11*a^2*b^2 - 4*a*b^3) * \cosh(dx + c)) * \sinh(dx + c)^4 + 2*(27*a^3*b \\
& + 11*a^2*b^2 - 4*a*b^3) * \cosh(dx + c)^3 + 2*(35*(9*a^3*b + 13*a^2*b^2 + 4*a \\
& *b^3) * \cosh(dx + c)^4 + 27*a^3*b + 11*a^2*b^2 - 4*a*b^3 + 10*(27*a^3*b + 11 \\
& *a^2*b^2 - 4*a*b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + 2*(21*(9*a^3*b + 13* \\
& a^2*b^2 + 4*a*b^3) * \cosh(dx + c)^5 + 10*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3) * \c \\
& osh(dx + c)^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3) * \cosh(dx + c)) * \sinh(dx \\
& x + c)^2 + ((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4) * \cosh(dx + \\
& c)^8 + 8*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4) * \cosh(dx + c) * \\
& \sinh(dx + c)^7 + (15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4) * \sinh( \\
& dx + c)^8 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4) * \cosh(dx \\
& + c)^6 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 7*(15*a^4 + \\
& 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^6 \\
& + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4) * \cosh(dx + c)^3
\end{aligned}$$

$$\begin{aligned}
& + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^4 + 45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4 + 30*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^5 + 10*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^3 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^6 + 15*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 3*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/(a + b)}*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + a - 3*b)*\sinh(d*x + c))*\sqrt{-b/(a + b)})/b - ((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^8 + 8*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\sinh(d*x + c)^8 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^6 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^3 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^4 + 45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4 + 30*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4 + 8*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^5 + 10*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^3 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^2 + 4*(7*(15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^6 + 15*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^4 + 15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4 + 3*(45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 50*a^3*b + 63*a^2*b^2 + 36*a*b^3 + 8*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 30*a^3*b + 29*a^2*b^2 + 44*a*b^3 + 24*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 20*a^3*b - 7*a^2*b^2 - 20*a*b^3 - 8*b^4)*\cosh(d*x + c))*\sinh(d*x + c))
\end{aligned}$$

$$\begin{aligned}
& * \sqrt{-b/(a+b)} * \arctan(1/2*((a+b)*\cosh(dx+c) + (a+b)*\sinh(dx+c)) \\
& ) * \sqrt{-b/(a+b))/b) + 2*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(dx+c) - \\
& 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^8 + 8*(a^4 + 4 \\
& *a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)*\sinh(dx+c)^7 + (a^4 + \\
& 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(dx+c)^8 + 4*(a^4 + 2*a^3*b - 2 \\
& *a*b^3 - b^4)*\cosh(dx+c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 7*(a^4 + \\
& 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^2)*\sinh(dx+c)^6 + 8* \\
& (7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^3 + 3*(a^4 + 2 \\
& *a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c))*\sinh(dx+c)^5 + 2*(3*a^4 + 4*a^3*b \\
& + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx+c)^4 + 2*(35*(a^4 + 4*a^3*b + 6* \\
& a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4* \\
& a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^2)*\sinh(dx \\
& x+c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + 4*a^3*b \\
& + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^5 + 10*(a^4 + 2*a^3*b - 2*a*b^3 \\
& - b^4)*\cosh(dx+c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*co \\
& sh(dx+c))*\sinh(dx+c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c \\
& )^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^6 + \\
& 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^4 + a^4 + 2*a^3*b - 2*a*b^ \\
& 3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx+c)^2 \\
& )*\sinh(dx+c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx \\
& +c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^5 + (3*a^4 + 4*a^ \\
& 3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx+c)^3 + (a^4 + 2*a^3*b - 2*a*b \\
& ^3 - b^4)*\cosh(dx+c))*\sinh(dx+c))*\log(\cosh(dx+c) + \sinh(dx+c) + \\
& 1) + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^8 + 8*(a \\
& ^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)*\sinh(dx+c)^7 + ( \\
& a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(dx+c)^8 + 4*(a^4 + 2*a^3 \\
& *b - 2*a*b^3 - b^4)*\cosh(dx+c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 7* \\
& (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^2)*\sinh(dx+c)^ \\
& 6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^3 + 3*(a \\
& ^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c))*\sinh(dx+c)^5 + 2*(3*a^4 + 4 \\
& *a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx+c)^4 + 2*(35*(a^4 + 4*a^3* \\
& b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^ \\
& 2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^2)*s \\
& inh(dx+c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + 4* \\
& a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c)^5 + 10*(a^4 + 2*a^3*b - 2* \\
& a*b^3 - b^4)*\cosh(dx+c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b \\
& ^4)*\cosh(dx+c))*\sinh(dx+c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh \\
& (dx+c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(dx+c \\
& )^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^4 + a^4 + 2*a^3*b - \\
& 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx \\
& +c)^2)*\sinh(dx+c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*co \\
& sh(dx+c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(dx+c)^5 + (3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(dx+c)^3 + (a^4 + 2*a^3*b - \\
& 2*a*b^3 - b^4)*\cosh(dx+c))*\sinh(dx+c))*\log(\cosh(dx+c) + \sinh(dx \\
& +c) - 1) + 2*(7*(9*a^3*b + 13*a^2*b^2 + 4*a*b^3)*\cosh(dx+c)^6 + 5*(27*a
\end{aligned}$$

$$\begin{aligned} &^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^4 + 9*a^3*b + 13*a^2*b^2 + 4*a*b \\ &^3 + 3*(27*a^3*b + 11*a^2*b^2 - 4*a*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c))/(( \\ &a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^8 + 8*(a^7 \\ &+ 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)*\sinh(d*x + c) \\ &^7 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\sinh(d*x + c)^8 + \\ &4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^6 + 4*(7*(a^7 + 4*a \\ &^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^6*b \\ &- 2*a^4*b^3 - a^3*b^4)*d)*\sinh(d*x + c)^6 + 2*(3*a^7 + 4*a^6*b + 2*a^5*b^2 \\ &+ 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^4 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 \\ &+ 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^3 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - \\ &a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^7 + 4*a^6*b + 6*a^5*b \\ &^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^4 + 30*(a^7 + 2*a^6*b - 2*a^4*b^3 \\ &- a^3*b^4)*d*\cosh(d*x + c)^2 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + \\ &3*a^3*b^4)*d)*\sinh(d*x + c)^4 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*c \\ &osh(d*x + c)^2 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*c \\ &osh(d*x + c)^5 + 10*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^3 \\ &+ (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c))*s \\ &inh(d*x + c)^3 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*c \\ &osh(d*x + c)^6 + 15*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^4 \\ &+ 3*(3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^2 \\ &+ (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*\sinh(d*x + c)^2 + (a^7 + 4*a^6 \\ &*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 8*((a^7 + 4*a^6*b + 6*a^5*b^2 + 4 \\ &a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^7 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3* \\ &b^4)*d*\cosh(d*x + c)^5 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b \\ &^4)*d*\cosh(d*x + c)^3 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + \\ &c))*\sinh(d*x + c)))] \end{aligned}$$

**giac [B]** time = 0.50, size = 2033, normalized size = 13.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} &-1/8*((2*(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} + a^3*b^2*e^{(2*c)})^2*(30*a^3*b^2 + \\ &40*a^2*b^3 + 16*a*b^4 - (15*a^3*b + 5*a^2*b^2 - 12*a*b^3 - 8*b^4)*\sqrt{-a*b} \\ &))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b))*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (15* \\ &a^9*b + 50*a^8*b^2 + 48*a^7*b^3 - 14*a^6*b^4 - 55*a^5*b^5 - 36*a^4*b^6 - 8* \\ &a^3*b^7 + 2*(15*a^8*b + 65*a^7*b^2 + 113*a^6*b^3 + 99*a^5*b^4 + 44*a^4*b^5 \\ &+ 8*a^3*b^6)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b))*\text{abs}(a^5*e^{( \\ &2*c)} + 2*a^4*b*e^{(2*c)} + a^3*b^2*e^{(2*c)})*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c} \\ &)+ (30*a^{14}*b + 130*a^{13}*b^2 + 196*a^{12}*b^3 + 68*a^{11}*b^4 - 138*a^{10}*b^5 - \\ &182*a^9*b^6 - 88*a^8*b^7 - 16*a^7*b^8 - (15*a^{14} + 50*a^{13}*b + 33*a^{12}*b^2 \\ &- 64*a^{11}*b^3 - 103*a^{10}*b^4 - 22*a^9*b^5 + 47*a^8*b^6 + 36*a^7*b^7 + 8*a^ \\ &6*b^8)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b))*\text{abs}(a*e^{(2*c)} + b \end{aligned}$$

$$\begin{aligned}
& e^{(2c)} e^{(4c)} \operatorname{arctan}(e^{(d*x)} / \sqrt{(a^6 e^{(2c)} + a^5 b e^{(2c)} - a^4 b^2 e^{(2c)} - a^3 b^3 e^{(2c)} + \sqrt{(a^6 e^{(2c)} + a^5 b e^{(2c)} - a^4 b^2 e^{(2c)} - a^3 b^3 e^{(2c)})^2 - (a^6 e^{(4c)} + 3 a^5 b e^{(4c)} + 3 a^4 b^2 e^{(4c)} + a^3 b^3 e^{(4c)})} (a^6 + 3 a^5 b + 3 a^4 b^2 + a^3 b^3))} / (a^6 e^{(4c)} + 3 a^5 b e^{(4c)} + 3 a^4 b^2 e^{(4c)} + a^3 b^3 e^{(4c)})) e^{(-4c)} / ((a^{15} + 7 a^{14} b + 20 a^{13} b^2 + 28 a^{12} b^3 + 14 a^{11} b^4 - 14 a^{10} b^5 - 28 a^9 b^6 - 20 a^8 b^7 - 7 a^7 b^8 - a^6 b^9 + 2(a^{14} + 8 a^{13} b + 28 a^{12} b^2 + 56 a^{11} b^3 + 70 a^{10} b^4 + 56 a^9 b^5 + 28 a^8 b^6 + 8 a^7 b^7 + a^6 b^8) \sqrt{-a*b}) * \operatorname{abs}(a^5 e^{(2c)} + 2 a^4 b e^{(2c)} + a^3 b^2 e^{(2c)})) + (2(60 a^4 b^2 + 20 a^3 b^3 - 48 a^2 b^4 - 32 a b^5 + (15 a^4 b - 70 a^3 b^2 - 97 a^2 b^3 - 28 a b^4 + 8 b^5) \sqrt{-a*b}) * (a^5 e^{(2c)} + 2 a^4 b e^{(2c)} + a^3 b^2 e^{(2c)})^2 * \operatorname{abs}(a e^{(2c)} + b e^{(2c)}) - (15 a^{10} b - 25 a^9 b^2 - 262 a^8 b^3 - 514 a^7 b^4 - 437 a^6 b^5 - 157 a^5 b^6 - 4 a^4 b^7 + 8 a^3 b^8 - 4(15 a^9 b + 50 a^8 b^2 + 48 a^7 b^3 - 14 a^6 b^4 - 55 a^5 b^5 - 36 a^4 b^6 - 8 a^3 b^7) \sqrt{-a*b}) * \operatorname{abs}(a^5 e^{(2c)} + 2 a^4 b e^{(2c)} + a^3 b^2 e^{(2c)}) * \operatorname{abs}(a e^{(2c)} + b e^{(2c)}) e^{(2c)} + (60 a^{15} b + 200 a^{14} b^2 + 132 a^{13} b^3 - 256 a^{12} b^4 - 412 a^{11} b^5 - 88 a^{10} b^6 + 188 a^9 b^7 + 144 a^8 b^8 + 32 a^7 b^9 + (15 a^{15} - 25 a^{14} b - 277 a^{13} b^2 - 489 a^{12} b^3 - 175 a^{11} b^4 + 357 a^{10} b^5 + 433 a^9 b^6 + 165 a^8 b^7 + 4 a^7 b^8 - 8 a^6 b^9) \sqrt{-a*b}) * \operatorname{abs}(a e^{(2c)} + b e^{(2c)}) e^{(4c)}) * \operatorname{arctan}(e^{(d*x)} / \sqrt{(a^6 e^{(2c)} + a^5 b e^{(2c)} - a^4 b^2 e^{(2c)} - a^3 b^3 e^{(2c)} - \sqrt{(a^6 e^{(2c)} + a^5 b e^{(2c)} - a^4 b^2 e^{(2c)} - a^3 b^3 e^{(2c)})^2 - (a^6 e^{(4c)} + 3 a^5 b e^{(4c)} + 3 a^4 b^2 e^{(4c)} + a^3 b^3 e^{(4c)})} (a^6 + 3 a^5 b + 3 a^4 b^2 + a^3 b^3))} / (a^6 e^{(4c)} + 3 a^5 b e^{(4c)} + 3 a^4 b^2 e^{(4c)} + a^3 b^3 e^{(4c)})) e^{(-4c)} / ((a^{14} + 6 a^{13} b + 14 a^{12} b^2 + 14 a^{11} b^3 - 14 a^9 b^5 - 14 a^8 b^6 - 6 a^7 b^7 - a^6 b^8 - 2(a^{13} + 7 a^{12} b + 21 a^{11} b^2 + 35 a^{10} b^3 + 35 a^9 b^4 + 21 a^8 b^5 + 7 a^7 b^6 + a^6 b^7) \sqrt{-a*b}) * \sqrt{a^2 - b^2 - 2 \sqrt{-a*b} (a + b)} * \operatorname{abs}(a^5 e^{(2c)} + 2 a^4 b e^{(2c)} + a^3 b^2 e^{(2c)})) - 2(9 a^2 b e^{(7*d*x + 7*c)} + 13 a b^2 e^{(7*d*x + 7*c)} + 4 b^3 e^{(7*d*x + 7*c)} + 27 a^2 b e^{(5*d*x + 5*c)} + 11 a b^2 e^{(5*d*x + 5*c)} - 4 b^3 e^{(5*d*x + 5*c)} + 27 a^2 b e^{(3*d*x + 3*c)} + 11 a b^2 e^{(3*d*x + 3*c)} - 4 b^3 e^{(3*d*x + 3*c)} + 9 a^2 b e^{(d*x + c)} + 13 a b^2 e^{(d*x + c)} + 4 b^3 e^{(d*x + c)}) / ((a^4 + 2 a^3 b + a^2 b^2) * (a e^{(4*d*x + 4*c)} + b e^{(4*d*x + 4*c)} + 2 a e^{(2*d*x + 2*c)} - 2 b e^{(2*d*x + 2*c)} + (a + b)^2) + 8 \log(e^{(d*x + c)} + 1) / a^3 - 8 \log(\operatorname{abs}(e^{(d*x + c)} - 1)) / a^3) / d
\end{aligned}$$

**maple [B]** time = 0.45, size = 1132, normalized size = 7.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(\operatorname{csch}(d*x+c)/(a+b*\tanh(d*x+c))^2)^3, x$

[Out]  $9/4/d*b/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^6+7/d/a*b^2/(\tanh(1/2*d*$

$$\begin{aligned} & x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+ \\ & 2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^6+4/d/a^2*b^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh \\ & (1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/ \\ & 2*d*x+1/2*c)^6+27/4/d*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+ \\ & 4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^4+45/2/d \\ & /a*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/ \\ & 2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^4+30/d/a^2*b^3/(\tanh(1/2* \\ & d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^ \\ & 2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^4+12/d/a^3*b^4/(\tanh(1/2*d*x+1/2*c)^4*a+2* \\ & \tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh \\ & (1/2*d*x+1/2*c)^4+27/4/d*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2 \\ & *a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^2+17/ \\ & d/a*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1 \\ & /2*c)^2*b+a)^2/(a^2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^2+8/d/a^2*b^3/(\tanh(1/2* \\ & d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^ \\ & 2+2*a*b+b^2)*\tanh(1/2*d*x+1/2*c)^2+9/4/d*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh( \\ & 1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a^2+2*a*b+b^2)+3/2/d/a*b \\ & ^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c) \\ & ^2*b+a)^2/(a^2+2*a*b+b^2)+15/8/d/a*b/(a^2+2*a*b+b^2)/(a*b+b^2)^(1/2)*\arctan \\ & h(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^(1/2))+5/2/d/a^2*b^2/(a \\ & ^2+2*a*b+b^2)/(a*b+b^2)^(1/2)*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4* \\ & b)/(a*b+b^2)^(1/2))+1/d/a^3*b^3/(a^2+2*a*b+b^2)/(a*b+b^2)^(1/2)*\operatorname{arctanh}(1/4 \\ & *(2*\tanh(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^(1/2))+1/d/a^3*\ln(\tanh(1/2*d \\ & *x+1/2*c)) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(9a^2be^{7c} + 13ab^2e^{7c} + 4b^3e^{7c})e^{7d} + 4(a^6d + 4a^5bd + 6a^4b^2d + 4a^3b^3d + a^2b^4d + (a^6de^{8c} + 4a^5bde^{8c} + 6a^4b^2de^{8c} + 4a^3b^3de^{8c} + a^2b^4de^{8c}))e^{8d}}{4(a^6d + 4a^5bd + 6a^4b^2d + 4a^3b^3d + a^2b^4d + (a^6de^{8c} + 4a^5bde^{8c} + 6a^4b^2de^{8c} + 4a^3b^3de^{8c} + a^2b^4de^{8c}))e^{8d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*((9\*a^2\*b\*e^(7\*c) + 13\*a\*b^2\*e^(7\*c) + 4\*b^3\*e^(7\*c))\*e^(7\*d\*x) + (27\*a^2\*b\*e^(5\*c) + 11\*a\*b^2\*e^(5\*c) - 4\*b^3\*e^(5\*c))\*e^(5\*d\*x) + (27\*a^2\*b\*e^(3\*c) + 11\*a\*b^2\*e^(3\*c) - 4\*b^3\*e^(3\*c))\*e^(3\*d\*x) + (9\*a^2\*b\*e^c + 13\*a\*b^2\*e^c + 4\*b^3\*e^c)\*e^(d\*x))/(a^6\*d + 4\*a^5\*b\*d + 6\*a^4\*b^2\*d + 4\*a^3\*b^3\*d + a^2\*b^4\*d + (a^6\*d\*e^(8\*c) + 4\*a^5\*b\*d\*e^(8\*c) + 6\*a^4\*b^2\*d\*e^(8\*c) + 4\*a^3\*b^3\*d\*e^(8\*c) + a^2\*b^4\*d\*e^(8\*c))\*e^(8\*d\*x) + 4\*(a^6\*d\*e^(6\*c) + 2\*a^5\*b\*d\*e^(6\*c) - 2\*a^3\*b^3\*d\*e^(6\*c) - a^2\*b^4\*d\*e^(6\*c))\*e^(6\*d\*x) + 2\*(3\*a^6\*d\*e^(4\*c) + 4\*a^5\*b\*d\*e^(4\*c) + 2\*a^4\*b^2\*d\*e^(4\*c) + 4\*a^3\*b^3\*d\*e^(4\*c) + 3\*a^2\*b^4\*d\*e^(4\*c))\*e^(4\*d\*x) + 4\*(a^6\*d\*e^(2\*c) + 2\*a^5\*b\*d\*e^(2\*c) - 2\*a^3\*b^3\*d\*e^(2\*c) - a^2\*b^4\*d\*e^(2\*c))\*e^(2\*d\*x)) - log((e^(d\*x + c) + 1)\*e^(-c))/(a^3\*d) + log((e^(d\*x + c) - 1)\*e^(-c))/(a^3\*d) - 2\*integrate(1/8\*(



$(15*a^2*b*e^{(3*c)} + 20*a*b^2*e^{(3*c)} + 8*b^3*e^{(3*c)})*e^{(3*d*x)} - (15*a^2*b*e^c + 20*a*b^2*e^c + 8*b^3*e^c)*e^{(d*x)}/(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3 + (a^6*e^{(4*c)} + 3*a^5*b*e^{(4*c)} + 3*a^4*b^2*e^{(4*c)} + a^3*b^3*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*e^{(2*c)} + a^5*b*e^{(2*c)} - a^4*b^2*e^{(2*c)} - a^3*b^3*e^{(2*c)})*e^{(2*d*x)}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx) (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c + d*x)*(a + b*tanh(c + d*x)^2)^3), x)`

[Out] `int(1/(sinh(c + d*x)*(a + b*tanh(c + d*x)^2)^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)/(a+b*tanh(d*x+c)**2)**3, x)`

[Out] `Integral(csch(c + d*x)/(a + b*tanh(c + d*x)**2)**3, x)`

$$3.46 \quad \int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=112

$$-\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} - \frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

[Out]  $-15/8*\operatorname{coth}(d*x+c)/a^3/d-15/8*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(7/2)}/d+1/4*\operatorname{coth}(d*x+c)/a/d/(a+b*\tanh(d*x+c)^2)^2+5/8*\operatorname{coth}(d*x+c)/a^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.09, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3663, 290, 325, 205}

$$-\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} - \frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(-15*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c + d*x])/(\operatorname{Sqrt}[a])]/(8*a^{(7/2)*d}) - (15*\operatorname{Coth}[c + d*x])/(8*a^3*d) + \operatorname{Coth}[c + d*x]/(4*a*d*(a + b*\operatorname{Tanh}[c + d*x]^2)^2) + (5*\operatorname{Coth}[c + d*x])/(8*a^2*d*(a + b*\operatorname{Tanh}[c + d*x]^2)))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 290

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*n\*(p+1)), x] + Dist[(m+n\*(p+1)+1)/(a\*n\*(p+1)), Int[(c\*x)^m\*(a+b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*c^n*(m+1)), Int[(c*x)^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m+1))/f, Subst[Int[(x^m*(a+b*(ff*x)^n)^p]/(c^2+ff^2*x^2)^(m/2+1), x], x, (c*Tan[e+f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{csch}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{5 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4ad} \\ &= \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{15 \operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{8ad} \\ &= -\frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \frac{5 \operatorname{coth}(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} \\ &= -\frac{15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d} - \frac{15 \operatorname{coth}(c+dx)}{8a^3d} + \frac{\operatorname{coth}(c+dx)}{4ad(a+b \tanh^2(c+dx))^2} + \end{aligned}$$

**Mathematica [A]** time = 1.06, size = 109, normalized size = 0.97

$$\frac{-15\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{a} b \sinh(2(c+dx))((9a+7b) \cosh(2(c+dx))+9a-7b)}{((a+b) \cosh(2(c+dx))+a-b)^2} - 8\sqrt{a} \operatorname{coth}(c+dx)}{8a^{7/2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]^2/(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (-15*Sqrt[b]*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]] - 8*Sqrt[a]*Coth[c + d*x] - (Sqrt[a]*b*(9*a - 7*b + (9*a + 7*b)*Cosh[2*(c + d*x)])*Sinh[2*(c + d*x)])/(a - b + (a + b)*Cosh[2*(c + d*x)]^2)/(8*a^(7/2)*d)
```

**fricas [B]** time = 0.67, size = 8312, normalized size = 74.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")
```

```
[Out] [-1/16*(4*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)^8 + 32*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + 4*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*sinh(d*x + c)^8 + 8*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*cosh(d*x + c)^6 + 8*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4 + 14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 16*(14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)^3 + 3*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 8*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*cosh(d*x + c)^4 + 8*(35*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)^4 + 24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4 + 15*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4))*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 32*a^4 + 164*a^3*b + 292*a^2*b^2 + 220*a*b^3 + 60*b^4 + 32*(7*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4))*cosh(d*x + c)^5 + 5*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*cosh(d*x + c)^3 + (24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 8*(16*a^4 + 41*a^3*b - 55*a*b^3 - 30*b^4)*cosh(d*x + c)^2 + 8*(14*(8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*cosh(d*x + c)^6 + 15*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*cosh(d*x + c)^4 + 16*a^4 + 41*a^3*b - 55*a*b^3 - 30*b^4 + 6*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4))*cosh(d*x + c)^2)*sinh(d*x + c)^2 - 15*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*cosh(d*x + c)^10 + 10*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*cosh(d*x + c)*sinh(d*x + c)^9 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*sinh(d*x + c)^10 + (3*a^4 + 4*a^3*b - 6*a^2*b^2 - 12*a*b^3 - 5*b^4)*cosh(d*x + c)^8 + (3*a^4 + 4*a^3*b - 6*a^2*b^2 - 12*a*b^3 - 5*b^4 + 45*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4))*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 8*(15*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b - 6*a^2*b^2 - 12*a*b^3 - 5*b^4)*cosh(d*x + c))*sinh(d*x + c)^7 + 2*(a^4 + 2*a^2*b^2 + 8*a*b^3 + 5*b^4)*cosh(d*x + c)^6 + 2*(105*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*cosh(d*x + c)^4 + a^4 + 2*a^2*b^2 + 8*a*b^3 + 5*b^4 + 14*(3*a^4 + 4*a^3*b - 6*a^2*b^2 - 12*a*b^3 - 5*b^4))*cosh(d*x + c)^
```

$$\begin{aligned}
& 2) * \sinh(dx + c)^6 + 4 * (63 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \cosh(dx + c) \\
& (dx + c)^5 + 14 * (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c) \\
& + c)^3 + 3 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c) * \sinh(dx + c) \\
& ^5 - 2 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)^4 + 2 * (105 * (a^4 + \\
& 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \cosh(dx + c)^6 + 35 * (3 * a^4 + 4 * a^3 * b \\
& - 6 * a^2 * b^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c)^4 - a^4 - 2 * a^2 * b^2 - 8 * a * b^3 \\
& - 5 * b^4 + 15 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)^2) * \sinh(dx + c) \\
& + c)^4 - a^4 - 4 * a^3 * b - 6 * a^2 * b^2 - 4 * a * b^3 - b^4 + 8 * (15 * (a^4 + 4 * a^3 * b \\
& + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \cosh(dx + c)^7 + 7 * (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b \\
& ^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c)^5 + 5 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b \\
& ^4) * \cosh(dx + c)^3 - (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)) * \sinh(dx + c) \\
& ^3 - (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c) \\
& + c)^2 + (45 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \cosh(dx + c)^8 + 2 \\
& 8 * (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c)^6 + 30 * (a^4 \\
& + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)^4 - 3 * a^4 - 4 * a^3 * b + 6 * a^2 * b \\
& ^2 + 12 * a * b^3 + 5 * b^4 - 12 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c) \\
& + c)^2) * \sinh(dx + c)^2 + 2 * (5 * (a^4 + 4 * a^3 * b + 6 * a^2 * b^2 + 4 * a * b^3 + b^4) * \cosh(dx + c) \\
& ^9 + 4 * (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b^2 - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c) \\
& + c)^7 + 6 * (a^4 + 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)^5 - 4 * (a^4 + \\
& 2 * a^2 * b^2 + 8 * a * b^3 + 5 * b^4) * \cosh(dx + c)^3 - (3 * a^4 + 4 * a^3 * b - 6 * a^2 * b^2 \\
& - 12 * a * b^3 - 5 * b^4) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{-b/a} * \log(((a^2 + 2 \\
& * a * b + b^2) * \cosh(dx + c)^4 + 4 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c) * \sinh(dx + c) \\
& + c)^3 + (a^2 + 2 * a * b + b^2) * \sinh(dx + c)^4 + 2 * (a^2 - b^2) * \cosh(dx + c)^2 \\
& + 2 * (3 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^2 + a^2 - b^2) * \sinh(dx + c)^2 + \\
& a^2 - 6 * a * b + b^2 + 4 * ((a^2 + 2 * a * b + b^2) * \cosh(dx + c)^3 + (a^2 - b^2) * \cosh(dx + c)) * \sinh(dx + c) \\
& - 4 * ((a^2 + a * b) * \cosh(dx + c)^2 + 2 * (a^2 + a * b) * \cosh(dx + c) * \sinh(dx + c) + (a^2 + a * b) * \sinh(dx + c)^2 + a^2 - a * b) * \sqrt{-b/a}) / (((a + b) * \cosh(dx + c)^4 + 4 * (a + b) * \cosh(dx + c) * \sinh(dx + c)^3 + (a + b) * \sinh(dx + c)^4 + 2 * (a - b) * \cosh(dx + c)^2 + 2 * (3 * (a + b) * \cosh(dx + c)^2 + a - b) * \sinh(dx + c)^2 + 4 * ((a + b) * \cosh(dx + c)^3 + (a - b) * \cosh(dx + c)) * \sinh(dx + c) + a + b)) + 16 * (2 * (8 * a^4 + 23 * a^3 * b + 45 * a^2 * b^2 + 45 * a * b^3 + 15 * b^4) * \cosh(dx + c)^7 + 3 * (16 * a^4 + 23 * a^3 * b - 45 * a * b^3 - 30 * b^4) * \cosh(dx + c)^5 + 2 * (24 * a^4 + 32 * a^3 * b + 5 * a^2 * b^2 + 50 * a * b^3 + 4 * 5 * b^4) * \cosh(dx + c)^3 + (16 * a^4 + 41 * a^3 * b - 55 * a * b^3 - 30 * b^4) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \cosh(dx + c)^10 + 10 * (a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \cosh(dx + c) * \sinh(dx + c)^9 + (a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \sinh(dx + c)^10 + (3 * a^7 + 4 * a^6 * b - 6 * a^5 * b^2 - 12 * a^4 * b^3 - 5 * a^3 * b^4) * d * \cosh(dx + c)^8 + (45 * (a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \cosh(dx + c)^2 + (3 * a^7 + 4 * a^6 * b - 6 * a^5 * b^2 - 12 * a^4 * b^3 - 5 * a^3 * b^4) * d) * \sinh(dx + c)^8 + 2 * (a^7 + 2 * a^5 * b^2 + 8 * a^4 * b^3 + 5 * a^3 * b^4) * d * \cosh(dx + c)^6 + 8 * (15 * (a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \cosh(dx + c)^3 + (3 * a^7 + 4 * a^6 * b - 6 * a^5 * b^2 - 12 * a^4 * b^3 - 5 * a^3 * b^4) * d * \cosh(dx + c)) * \sinh(dx + c)^7 + 2 * (105 * (a^7 + 4 * a^6 * b + 6 * a^5 * b^2 + 4 * a^4 * b^3 + a^3 * b^4) * d * \cosh(dx + c)^4 + 14 * (3 * a^7 + 4 * a^6 * b - 6 * a^5 * b^2 - 12 * a^4 * b^3
\end{aligned}$$

$$\begin{aligned}
& 3 - 5a^3b^4) * d * \cosh(dx + c)^2 + (a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) \\
& ) * d * \sinh(dx + c)^6 - 2(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(d \\
& * x + c)^4 + 4(63(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d * \cosh( \\
& dx + c)^5 + 14(3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \cosh( \\
& dx + c)^3 + 3(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(dx + c) \\
& ) * \sinh(dx + c)^5 + 2(105(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) \\
& ) * d * \cosh(dx + c)^6 + 35(3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) \\
& ) * d * \cosh(dx + c)^4 + 15(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh \\
& (dx + c)^2 - (a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \sinh(dx + c)^4 \\
& - (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \cosh(dx + c)^2 \\
& + 8(15(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d * \cosh(dx + c)^7 \\
& + 7(3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \cosh(dx + c) \\
& )^5 + 5(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(dx + c)^3 - (a^7 \\
& + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + (45 \\
& * (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d * \cosh(dx + c)^8 + 28 * ( \\
& 3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \cosh(dx + c)^6 + 3 \\
& 0 * (a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(dx + c)^4 - 12 * (a^7 + 2 \\
& * a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh(dx + c)^2 - (3a^7 + 4a^6b - 6a \\
& ^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \sinh(dx + c)^2 - (a^7 + 4a^6b + 6a \\
& ^5b^2 + 4a^4b^3 + a^3b^4) * d + 2 * (5 * (a^7 + 4a^6b + 6a^5b^2 + 4a^4b \\
& ^3 + a^3b^4) * d * \cosh(dx + c)^9 + 4 * (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b \\
& ^3 - 5a^3b^4) * d * \cosh(dx + c)^7 + 6 * (a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b \\
& ^4) * d * \cosh(dx + c)^5 - 4 * (a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4) * d * \cosh \\
& (dx + c)^3 - (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4) * d * \cosh \\
& (dx + c)) * \sinh(dx + c)), -1/8 * (2 * (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 \\
& + 15b^4) * \cosh(dx + c)^8 + 16 * (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 \\
& + 15b^4) * \cosh(dx + c) * \sinh(dx + c)^7 + 2 * (8a^4 + 23a^3b + 45a^2b^2 \\
& + 45ab^3 + 15b^4) * \sinh(dx + c)^8 + 4 * (16a^4 + 23a^3b - 45ab^3 - 30 \\
& * b^4) * \cosh(dx + c)^6 + 4 * (16a^4 + 23a^3b - 45ab^3 - 30b^4 + 14 * (8a^4 \\
& + 23a^3b + 45a^2b^2 + 45ab^3 + 15b^4) * \cosh(dx + c)^2) * \sinh(dx + \\
& c)^6 + 8 * (14 * (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 + 15b^4) * \cosh(dx + \\
& c)^3 + 3 * (16a^4 + 23a^3b - 45ab^3 - 30b^4) * \cosh(dx + c)) * \sinh(dx + \\
& c)^5 + 4 * (24a^4 + 32a^3b + 5a^2b^2 + 50ab^3 + 45b^4) * \cosh(dx + c) \\
& )^4 + 4 * (35 * (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 + 15b^4) * \cosh(dx + c) \\
& )^4 + 24a^4 + 32a^3b + 5a^2b^2 + 50ab^3 + 45b^4 + 15 * (16a^4 + 23a^ \\
& ^3b - 45ab^3 - 30b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 16a^4 + 82a^ \\
& 3b + 146a^2b^2 + 110ab^3 + 30b^4 + 16 * (7 * (8a^4 + 23a^3b + 45a^2b^ \\
& ^2 + 45ab^3 + 15b^4) * \cosh(dx + c)^5 + 5 * (16a^4 + 23a^3b - 45ab^3 - \\
& 30b^4) * \cosh(dx + c)^3 + (24a^4 + 32a^3b + 5a^2b^2 + 50ab^3 + 45b \\
& ^4) * \cosh(dx + c)) * \sinh(dx + c)^3 + 4 * (16a^4 + 41a^3b - 55ab^3 - 30b \\
& ^4) * \cosh(dx + c)^2 + 4 * (14 * (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 + 15 \\
& b^4) * \cosh(dx + c)^6 + 15 * (16a^4 + 23a^3b - 45ab^3 - 30b^4) * \cosh(dx \\
& + c)^4 + 16a^4 + 41a^3b - 55ab^3 - 30b^4 + 6 * (24a^4 + 32a^3b + 5a \\
& ^2b^2 + 50ab^3 + 45b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 15 * ((a^4 + 4 \\
& * a^3b + 6a^2b^2 + 4ab^3 + b^4) * \cosh(dx + c)^10 + 10 * (a^4 + 4a^3b +
\end{aligned}$$



$$\begin{aligned}
& 5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^4 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d)*\sinh(d*x + c)^6 - 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^4 + 4*(63*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^5 + 14*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^3 + 3*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^6 + 35*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^4 + 15*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^2 - (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d)*\sinh(d*x + c)^4 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^2 + 8*(15*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^7 + 7*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^5 + 5*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^3 - (a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^8 + 28*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^6 + 30*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^4 - 12*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^2 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d)*\sinh(d*x + c)^2 - (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 2*(5*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^9 + 4*(3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c)^7 + 6*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^5 - 4*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*d*\cosh(d*x + c)^3 - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.80, size = 351, normalized size = 3.13

$$\frac{15b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}a^3} - \frac{2\left(9a^3be^{(6dx+6c)} + 3a^2b^2e^{(6dx+6c)} - 13ab^3e^{(6dx+6c)} - 7b^4e^{(6dx+6c)} + 27a^3be^{(4dx+4c)} + 3a^2b^2e^{(4dx+4c)} + 13ab^3e^{(4dx+4c)} - 7b^4e^{(4dx+4c)}\right)}{(a^5 + 2a^4b + a^3b^2)(ae^{(4dx+4c)} + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/8*(15*b*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*a^3) - 2*(9*a^3*b*e^{(6*d*x + 6*c)} + 3*a^2*b^2*e^{(6*d*x + 6*c)} - 13*a*b^3*e^{(6*d*x + 6*c)} - 7*b^4*e^{(6*d*x + 6*c)} + 27*a^3*b*e^{(4*d*x + 4*c)} + 3*a^2*b^2*e^{(4*d*x + 4*c)} + 13*a*b^3*e^{(4*d*x + 4*c)} + 21*b^4*e^{(4*d*x + 4*c)} + 27*a^3*b*e^{(2*d*x + 2*c)} + 25*a^2*b^2*e^{(2*d*x + 2*c)} - 23*a*b^3*e^{(2*d*x + 2*c)} - 21*b^4*e^{(2*d*x + 2*c)} + 9*a^3*b + 25*a^2*b^2 + 23*a*b^3 + 7*b^4)/((a^5 + 2*a^4*b + a^3*b^2)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)}))
\end{aligned}$$



$*c) + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2 + 16/(a^3*(e^{(2*d*x + 2*c)} - 1)))/d$

**maple [B]** time = 0.44, size = 816, normalized size = 7.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$-1/2/d/a^3*\tanh(1/2*d*x+1/2*c)-9/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-27/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-7/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-27/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3-7/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3-9/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+15/8/d/a^2*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-15/8/d/a^3*b/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+15/8/d/a^3*b^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+15/8/d/a^2*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+15/8/d/a^3*b/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/a^3/\operatorname{tanh}(1/2*d*x+1/2*c)$$

**maxima [B]** time = 0.62, size = 478, normalized size = 4.27

$$\frac{8a^4 + 41a^3b + 73a^2b^2 + 55ab^3 + 15b^4 + 2(16a^4 + 41a^3b - 55ab^3 - 30b^4)e^{(-2dx-2c)} + 4(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4 + (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4)e^{(-2dx-2c)} + 2(a^7 + 2a^5b^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$-1/4*(8*a^4 + 41*a^3*b + 73*a^2*b^2 + 55*a*b^3 + 15*b^4 + 2*(16*a^4 + 41*a^3*b - 55*a*b^3 - 30*b^4)*e^{(-2*d*x - 2*c)} + 2*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*e^{(-4*d*x - 4*c)} + 2*(16*a^4 + 23*a^3*b - 45*a*b^3 -$$

$$30*b^4)*e^{(-6*d*x - 6*c)} + (8*a^4 + 23*a^3*b + 45*a^2*b^2 + 45*a*b^3 + 15*b^4)*e^{(-8*d*x - 8*c))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4 + (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*e^{(-2*d*x - 2*c)} + 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*e^{(-4*d*x - 4*c)} - 2*(a^7 + 2*a^5*b^2 + 8*a^4*b^3 + 5*a^3*b^4)*e^{(-6*d*x - 6*c)} - (3*a^7 + 4*a^6*b - 6*a^5*b^2 - 12*a^4*b^3 - 5*a^3*b^4)*e^{(-8*d*x - 8*c)} - (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*e^{(-10*d*x - 10*c)})*d) + 15/8*b*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b))/sqrt(a*b)*a^3*d$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx)^2 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3), x)

[Out] int(1/(sinh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3, x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

$$3.47 \quad \int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=196

$$\frac{(a+6b) \tanh^{-1}(\cosh(c+dx))}{2a^4d} - \frac{b(11a+12b) \operatorname{sech}(c+dx)}{8a^3d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3b \operatorname{sech}(c+dx)}{4a^2d(a-b \operatorname{sech}^2(c+dx)+b)^2} - \frac{\sqrt{b}(15a^2+40ab+24b^2) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4d(a+b)^{3/2}} - \frac{b(11a+12b) \operatorname{sech}(c+dx)}{8a^3d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3b \operatorname{sech}(c+dx)}{4a^2d(a-b \operatorname{sech}^2(c+dx)+b)^2}$$

[Out]  $1/2*(a+6*b)*\operatorname{arctanh}(\cosh(d*x+c))/a^4/d-1/2*\coth(d*x+c)*\operatorname{csch}(d*x+c)/a/d/(a+b-b*\operatorname{sech}(d*x+c)^2)^2-3/4*b*\operatorname{sech}(d*x+c)/a^2/d/(a+b-b*\operatorname{sech}(d*x+c)^2)^2-1/8*b*(11*a+12*b)*\operatorname{sech}(d*x+c)/a^3/(a+b)/d/(a+b-b*\operatorname{sech}(d*x+c)^2)-1/8*(15*a^2+40*a*b+24*b^2)*\operatorname{arctanh}(\operatorname{sech}(d*x+c)*b^{1/2}/(a+b)^{1/2})*b^{1/2}/a^4/(a+b)^{3/2}/d$

**Rubi [A]** time = 0.33, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3664, 471, 527, 522, 207, 208}

$$\frac{\sqrt{b}(15a^2+40ab+24b^2) \tanh^{-1}\left(\frac{\sqrt{b} \operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4d(a+b)^{3/2}} - \frac{b(11a+12b) \operatorname{sech}(c+dx)}{8a^3d(a+b)(a-b \operatorname{sech}^2(c+dx)+b)} - \frac{3b \operatorname{sech}(c+dx)}{4a^2d(a-b \operatorname{sech}^2(c+dx)+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $((a+6*b)*\operatorname{ArcTanh}[\operatorname{Cosh}[c+d*x]])/(2*a^4*d) - (\operatorname{Sqrt}[b]*(15*a^2+40*a*b+24*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sech}[c+d*x])/(\operatorname{Sqrt}[a+b])])/(8*a^4*(a+b)^{3/2}*d) - (\operatorname{Coth}[c+d*x]*\operatorname{Csch}[c+d*x])/(2*a*d*(a+b-b*\operatorname{Sech}[c+d*x]^2)^2) - (3*b*\operatorname{Sech}[c+d*x])/(4*a^2*d*(a+b-b*\operatorname{Sech}[c+d*x]^2)^2) - (b*(11*a+12*b)*\operatorname{Sech}[c+d*x])/(8*a^3*(a+b)*d*(a+b-b*\operatorname{Sech}[c+d*x]^2))$

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_))), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3664

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^(p_.), x_Symbol] := With[{ff = FreeFactors[Sec[e + f*x], x]}, Dist[1/(f*ff^m), Subst[Int[(-1 + ff^2*x^2)^((m - 1)/2)*(a - b + b*ff^2*x^2)^p/x^(m + 1), x], x, Sec[e + f*x]/ff], x] /; FreeQ[{a, b, e, f, p}, x] && IntegerQ[(m - 1)/2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= -\frac{\operatorname{Subst}\left(\int \frac{x^2}{(-1+x^2)^2(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{a+b+5bx^2}{(-1+x^2)(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{2}{(-1+x^2)^2(a+b-x^2)^3} dx, x, \operatorname{sech}(c+dx)\right)}{2ad} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{b(11a^2+4ab+24b^2)\operatorname{sech}(c+dx)}{8a^3(a+b-b\operatorname{sech}^2(c+dx))^2} \\
&= -\frac{\operatorname{coth}(c+dx)\operatorname{csch}(c+dx)}{2ad(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{3b\operatorname{sech}(c+dx)}{4a^2d(a+b-b\operatorname{sech}^2(c+dx))^2} - \frac{b(11a^2+4ab+24b^2)\operatorname{sech}(c+dx)}{8a^3(a+b-b\operatorname{sech}^2(c+dx))^2} \\
&= \frac{(a+6b)\tanh^{-1}(\operatorname{cosh}(c+dx))}{2a^4d} - \frac{\sqrt{b}(15a^2+40ab+24b^2)\tanh^{-1}\left(\frac{\sqrt{b}\operatorname{sech}(c+dx)}{\sqrt{a+b}}\right)}{8a^4(a+b)^{3/2}d}
\end{aligned}$$

**Mathematica [C]** time = 4.45, size = 269, normalized size = 1.37

$$\frac{8a^2b^2 \cosh(c+dx)}{(a+b)((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{i\sqrt{b}(15a^2+40ab+24b^2) \tan^{-1}\left(\frac{-\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right) - i\sqrt{a+b}}{\sqrt{b}}\right)}{(a+b)^{3/2}} + \frac{i\sqrt{b}(15a^2+40ab+24b^2) \tan^{-1}\left(\frac{\sqrt{a} \tanh\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] 
$$\begin{aligned}
& -1/8*((I*\operatorname{Sqrt}[b]*(15*a^2 + 40*a*b + 24*b^2)*\operatorname{ArcTan}[((-I)*\operatorname{Sqrt}[a + b] - \operatorname{Sqrt}[a]*\operatorname{Tanh}[(c + d*x)/2])/ \operatorname{Sqrt}[b]])/(a + b)^{(3/2)} + (I*\operatorname{Sqrt}[b]*(15*a^2 + 40*a*b + 24*b^2)*\operatorname{ArcTan}[((-I)*\operatorname{Sqrt}[a + b] + \operatorname{Sqrt}[a]*\operatorname{Tanh}[(c + d*x)/2])/ \operatorname{Sqrt}[b]])/(a + b)^{(3/2)} \\
& + (8*a^2*b^2*\operatorname{Cosh}[c + d*x])/((a + b)*(a - b + (a + b)*\operatorname{Cosh}[2*(c + d*x)])^2) + (2*a*b*(9*a + 8*b)*\operatorname{Cosh}[c + d*x])/((a + b)*(a - b + (a + b)*\operatorname{Cosh}[2*(c + d*x)])) + a*\operatorname{Csch}[(c + d*x)/2]^2 + 4*(a + 6*b)*\operatorname{Log}[\operatorname{Tanh}[(c + d*x)/2]] + a*\operatorname{Sech}[(c + d*x)/2]^2/(a^4*d)
\end{aligned}$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 1.03, size = 1877, normalized size = 9.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8 * ((2 * (a^5 * e^{(2*c)} + a^4 * b * e^{(2*c)})^2 * (30 * a^3 * b^2 + 80 * a^2 * b^3 + 48 * a * b^4 - (15 * a^3 * b + 25 * a^2 * b^2 - 16 * a * b^3 - 24 * b^4) * \sqrt{-a * b}) * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) + (15 * a^9 * b + 55 * a^8 * b^2 + 49 * a^7 * b^3 - 31 * a^6 * b^4 - 64 * a^5 * b^5 - 24 * a^4 * b^6 + 2 * (15 * a^8 * b + 70 * a^7 * b^2 + 119 * a^6 * b^3 + 88 * a^5 * b^4 + 24 * a^4 * b^5) * \sqrt{-a * b}) * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(-a^5 * e^{(2*c)} - a^4 * b * e^{(2*c)}) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * e^{(2*c)} + (30 * a^{14} * b + 110 * a^{13} * b^2 + 98 * a^{12} * b^3 - 62 * a^{11} * b^4 - 128 * a^{10} * b^5 - 48 * a^9 * b^6 - (15 * a^{14} + 40 * a^{13} * b - 6 * a^{12} * b^2 - 80 * a^{11} * b^3 - 33 * a^{10} * b^4 + 40 * a^9 * b^5 + 24 * a^8 * b^6) * \sqrt{-a * b}) * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * e^{(4*c)} * \arctan(e^{(d*x)} / \sqrt{(a^6 * e^{(2*c)} - a^4 * b^2 * e^{(2*c)} - \sqrt{(a^6 * e^{(2*c)} - a^4 * b^2 * e^{(2*c)})^2 - (a^6 * e^{(4*c)} + 2 * a^5 * b * e^{(4*c)} + a^4 * b^2 * e^{(4*c)}) * (a^6 + 2 * a^5 * b + a^4 * b^2)}))) / ((a^6 * e^{(4*c)} + 2 * a^5 * b * e^{(4*c)} + a^4 * b^2 * e^{(4*c)})) * e^{(-4*c)} / ((a^{15} + 5 * a^{14} * b + 9 * a^{13} * b^2 + 5 * a^{12} * b^3 - 5 * a^{11} * b^4 - 9 * a^{10} * b^5 - 5 * a^9 * b^6 - a^8 * b^7 + 2 * (a^{14} + 6 * a^{13} * b + 15 * a^{12} * b^2 + 20 * a^{11} * b^3 + 15 * a^{10} * b^4 + 6 * a^9 * b^5 + a^8 * b^6) * \sqrt{-a * b})) * \text{abs}(-a^5 * e^{(2*c)} - a^4 * b * e^{(2*c)})) + (2 * (60 * a^4 * b^2 + 100 * a^3 * b^3 - 64 * a^2 * b^4 - 96 * a * b^5 + (15 * a^4 * b - 50 * a^3 * b^2 - 201 * a^2 * b^3 - 104 * a * b^4 + 24 * b^5) * \sqrt{-a * b})) * (a^5 * e^{(2*c)} + a^4 * b * e^{(2*c)})^2 * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) + (15 * a^{10} * b - 20 * a^9 * b^2 - 286 * a^8 * b^3 - 556 * a^7 * b^4 - 385 * a^6 * b^5 - 56 * a^5 * b^6 + 24 * a^4 * b^7 - 4 * (15 * a^9 * b + 55 * a^8 * b^2 + 49 * a^7 * b^3 - 31 * a^6 * b^4 - 64 * a^5 * b^5 - 24 * a^4 * b^6) * \sqrt{-a * b})) * \text{abs}(-a^5 * e^{(2*c)} - a^4 * b * e^{(2*c)}) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * e^{(2*c)} + (60 * a^{15} * b + 160 * a^{14} * b^2 - 24 * a^{13} * b^3 - 320 * a^{12} * b^4 - 132 * a^{11} * b^5 + 160 * a^{10} * b^6 + 96 * a^9 * b^7 + (15 * a^{15} - 35 * a^{14} * b - 266 * a^{13} * b^2 - 270 * a^{12} * b^3 + 171 * a^{11} * b^4 + 329 * a^{10} * b^5 + 80 * a^9 * b^6 - 24 * a^8 * b^7) * \sqrt{-a * b})) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * e^{(4*c)} * \arctan(e^{(d*x)} / \sqrt{(a^6 * e^{(2*c)} - a^4 * b^2 * e^{(2*c)} + \sqrt{(a^6 * e^{(2*c)} - a^4 * b^2 * e^{(2*c)})^2 - (a^6 * e^{(4*c)} + 2 * a^5 * b * e^{(4*c)} + a^4 * b^2 * e^{(4*c)}) * (a^6 + 2 * a^5 * b + a^4 * b^2)}))) / ((a^6 * e^{(4*c)} + 2 * a^5 * b * e^{(4*c)} + a^4 * b^2 * e^{(4*c)}))$$

$$\begin{aligned}
 &^{(4*c)})))*e^{(-4*c)} / ((a^{14} + 4*a^{13}*b + 5*a^{12}*b^2 - 5*a^{10}*b^4 - 4*a^9*b^5 - \\
 &a^8*b^6 - 2*(a^{13} + 5*a^{12}*b + 10*a^{11}*b^2 + 10*a^{10}*b^3 + 5*a^9*b^4 + a^8*b^5)*\sqrt{-a*b})*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*abs(-a^5*e^{(2*c)} \\
 &- a^4*b*e^{(2*c)})) - 4*(a*e^c + 6*b*e^c)*e^{(-c)}*\log(e^{(d*x + c)} + 1)/a^4 + 4 \\
 &*(a*e^c + 6*b*e^c)*e^{(-c)}*\log(abs(-e^{(d*x + c)} + 1))/a^4 + 2*(4*a^3*e^{(11*d \\
 &*x + 11*c)} + 21*a^2*b*e^{(11*d*x + 11*c)} + 29*a*b^2*e^{(11*d*x + 11*c)} + 12*b \\
 &^3*e^{(11*d*x + 11*c)} + 20*a^3*e^{(9*d*x + 9*c)} + 37*a^2*b*e^{(9*d*x + 9*c)} - \\
 &15*a*b^2*e^{(9*d*x + 9*c)} - 36*b^3*e^{(9*d*x + 9*c)} + 40*a^3*e^{(7*d*x + 7*c)} \\
 &+ 6*a^2*b*e^{(7*d*x + 7*c)} - 14*a*b^2*e^{(7*d*x + 7*c)} + 24*b^3*e^{(7*d*x + 7* \\
 &c)} + 40*a^3*e^{(5*d*x + 5*c)} + 6*a^2*b*e^{(5*d*x + 5*c)} - 14*a*b^2*e^{(5*d*x + \\
 &5*c)} + 24*b^3*e^{(5*d*x + 5*c)} + 20*a^3*e^{(3*d*x + 3*c)} + 37*a^2*b*e^{(3*d*x \\
 &+ 3*c)} - 15*a*b^2*e^{(3*d*x + 3*c)} - 36*b^3*e^{(3*d*x + 3*c)} + 4*a^3*e^{(d*x \\
 &+ c)} + 21*a^2*b*e^{(d*x + c)} + 29*a*b^2*e^{(d*x + c)} + 12*b^3*e^{(d*x + c)})) / (( \\
 &a^4 + a^3*b)*(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + a*e^{(4*d*x + 4*c)} - 3 \\
 &*b*e^{(4*d*x + 4*c)} - a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} - a - b)^2)) / d
 \end{aligned}$$

maple [B] time = 0.48, size = 1083, normalized size = 5.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{csch}(d*x+c)^3/(a+b*\text{tanh}(d*x+c)^2)^3,x)$

[Out]  $\frac{1}{8}d*\text{tanh}(1/2*d*x+1/2*c)^2/a^3-9/4/d/a*b/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^6-8/d/a^2*b^2/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^6-6/d/a^3*b^3/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^6-27/4/d/a*b/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^6-20/d/a^4*b^4/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^4-51/2/d/a^2*b^2/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^4-38/d/a^3*b^3/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^4-20/d/a^2*b^2/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^2-14/d/a^3*b^3/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\text{tanh}(1/2*d*x+1/2*c)^2-9/4/d/a*b/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)-5/2/d/a^2*b^2/(\text{tanh}(1/2*d*x+1/2*c)^4*a+2*\text{tanh}(1/2*d*x+1/2*c)^2*a+4*\text{tanh}(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)-15/8/d/a^2*b/(a+b)/(a*b+b^2)^(1/2)*\text{arctanh}(1/4*(2*\text{tanh}(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^(1/2))-5/d/a^3*b^2/(a+b)/(a*b+b^2)^(1/2)*\text{arctanh}(1/4*(2*\text{tanh}(1/2*d*x+1/2*c)^2*a+2*a+4*b)/(a*b+b^2)^(1/2))$

2)) $-3/d/a^4*b^3/(a+b)/(a*b+b^2)^{(1/2)}*\operatorname{arctanh}(1/4*(2*\tanh(1/2*d*x+1/2*c))^2*a+2*a+4*b)/(a*b+b^2)^{(1/2)})-1/8/d/a^3/\tanh(1/2*d*x+1/2*c)^2-1/2/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))-3/d/a^4*\ln(\tanh(1/2*d*x+1/2*c))*b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^3/(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$-1/4*((4*a^3*e^{(11*c)} + 21*a^2*b*e^{(11*c)} + 29*a*b^2*e^{(11*c)} + 12*b^3*e^{(11*c)})*e^{(11*d*x)} + (20*a^3*e^{(9*c)} + 37*a^2*b*e^{(9*c)} - 15*a*b^2*e^{(9*c)} - 36*b^3*e^{(9*c)})*e^{(9*d*x)} + 2*(20*a^3*e^{(7*c)} + 3*a^2*b*e^{(7*c)} - 7*a*b^2*e^{(7*c)} + 12*b^3*e^{(7*c)})*e^{(7*d*x)} + 2*(20*a^3*e^{(5*c)} + 3*a^2*b*e^{(5*c)} - 7*a*b^2*e^{(5*c)} + 12*b^3*e^{(5*c)})*e^{(5*d*x)} + (20*a^3*e^{(3*c)} + 37*a^2*b*e^{(3*c)} - 15*a*b^2*e^{(3*c)} - 36*b^3*e^{(3*c)})*e^{(3*d*x)} + (4*a^3*e^c + 21*a^2*b*e^c + 29*a*b^2*e^c + 12*b^3*e^c)*e^{(d*x)})/(a^6*d + 3*a^5*b*d + 3*a^4*b^2*d + a^3*b^3*d + (a^6*d*e^{(12*c)} + 3*a^5*b*d*e^{(12*c)} + 3*a^4*b^2*d*e^{(12*c)} + a^3*b^3*d*e^{(12*c)})*e^{(12*d*x)} + 2*(a^6*d*e^{(10*c)} - a^5*b*d*e^{(10*c)} - 5*a^4*b^2*d*e^{(10*c)} - 3*a^3*b^3*d*e^{(10*c)})*e^{(10*d*x)} - (a^6*d*e^{(8*c)} + 3*a^5*b*d*e^{(8*c)} - 13*a^4*b^2*d*e^{(8*c)} - 15*a^3*b^3*d*e^{(8*c)})*e^{(8*d*x)} - 4*(a^6*d*e^{(6*c)} - a^5*b*d*e^{(6*c)} + 3*a^4*b^2*d*e^{(6*c)} + 5*a^3*b^3*d*e^{(6*c)})*e^{(6*d*x)} - (a^6*d*e^{(4*c)} + 3*a^5*b*d*e^{(4*c)} - 13*a^4*b^2*d*e^{(4*c)} - 15*a^3*b^3*d*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*d*e^{(2*c)} - a^5*b*d*e^{(2*c)} - 5*a^4*b^2*d*e^{(2*c)} - 3*a^3*b^3*d*e^{(2*c)})*e^{(2*d*x)}) + 1/2*(a + 6*b)*\log((e^{(d*x + c)} + 1)*e^{(-c)})/(a^4*d) - 1/2*(a + 6*b)*\log((e^{(d*x + c)} - 1)*e^{(-c)})/(a^4*d) + 8*\integrate(1/32*((15*a^2*b*e^{(3*c)} + 40*a*b^2*e^{(3*c)} + 24*b^3*e^{(3*c)})*e^{(3*d*x)} - (15*a^2*b*e^c + 40*a*b^2*e^c + 24*b^3*e^c)*e^{(d*x)})/(a^6 + 2*a^5*b + a^4*b^2 + (a^6*e^{(4*c)} + 2*a^5*b*e^{(4*c)} + a^4*b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*e^{(2*c)} - a^4*b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx)^3 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^2)^3),x)`

[Out] `int(1/(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^2)^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**3/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral(csch(c + d*x)**3/(a + b*tanh(c + d*x)**2)**3, x)
```

$$3.48 \quad \int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=151

$$\frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))}$$

[Out] (a+3\*b)\*coth(d\*x+c)/a^4/d-1/3\*coth(d\*x+c)^3/a^3/d+5/8\*(3\*a+7\*b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/a^(9/2)/d+1/4\*b\*(a+b)\*tanh(d\*x+c)/a^3/d/(a+b\*tanh(d\*x+c)^2)^2+1/8\*b\*(7\*a+11\*b)\*tanh(d\*x+c)/a^4/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.20, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 456, 1259, 1261, 205}

$$\frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} + \frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (5\*Sqrt[b]\*(3\*a + 7\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*d) + ((a + 3\*b)\*Coth[c + d\*x])/(a^4\*d) - Coth[c + d\*x]^3/(3\*a^3\*d) + (b\*(a + b)\*Tanh[c + d\*x])/(4\*a^3\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 11\*b)\*Tanh[c + d\*x])/(8\*a^4\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 456

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p + 1))/(2\*b^(m/2 + 1)\*(p + 1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p + 1)), Int[x^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*b\*(p + 1)\*Together[(b^(m/2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c - a\*d)\*x^(-m + 2)]/(a + b\*x^2)] - ((-a)^(m/2 - 1)\*(b\*c - a\*d))/x^m, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && ILtQ[m/2, 0] && (IntegerQ[p] || EqQ[m + 2\*p + 1, 0])

Rule 1259

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]
```

Rule 1261

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} - \frac{b \operatorname{Subst}\left(\int \frac{\frac{4}{ab} + \frac{4(a+b)x^2}{a^2b} - \frac{3(a+b)x^4}{a^3}}{x^4(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{-8ab+8b(a+2x^2)}{x^4} dx, x, \tanh(c+dx)\right)}{4d} \\
&= \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \left(-\frac{8b}{x^4} + \frac{8b}{a}\right) dx, x, \tanh(c+dx)\right)}{4d} \\
&= \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} - \frac{\operatorname{coth}^3(c+dx)}{3a^3d} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2} + \frac{b(7a+11b) \tanh(c+dx)}{8a^4d(a+b \tanh^2(c+dx))} \\
&= \frac{5\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d} + \frac{(a+3b) \operatorname{coth}(c+dx)}{a^4d} - \frac{\operatorname{coth}^3(c+dx)}{3a^3d} + \frac{b(a+b) \tanh(c+dx)}{4a^3d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.40, size = 149, normalized size = 0.99

$$\frac{3\sqrt{a}b \sinh(2(c+dx))((9a^2+20ab+11b^2) \cosh(2(c+dx))+9a^2+6ab-11b^2)}{((a+b) \cosh(2(c+dx))+a-b)^2} + 15\sqrt{b}(3a+7b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - 8\sqrt{a} \operatorname{coth}(c+dx)$$


---


$$24a^{9/2}d$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (15\*sqrt[b]\*(3\*a + 7\*b)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] - 8\*sqrt[a]\*Coth[c + d\*x]\*(-2\*a - 9\*b + a\*Csch[c + d\*x]^2) + (3\*sqrt[a]\*b\*(9\*a^2 + 6\*a\*b - 11\*b^2 + (9\*a^2 + 20\*a\*b + 11\*b^2)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/((a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2)/(24\*a^(9/2)\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 0.85, size = 407, normalized size = 2.70

$$\frac{15(3abe^{2c}+7b^2e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}a^4} - \frac{6(9a^3be^{6dx+6c}+7a^2b^2e^{6dx+6c}-13ab^3e^{6dx+6c}-11b^4e^{6dx+6c})+27a^3be^{4dx}}{\sqrt{ab}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot (15 \cdot (3 \cdot a \cdot b \cdot e^{2c} + 7 \cdot b^2 \cdot e^{2c})) \cdot \arctan\left(\frac{1}{2} \cdot \frac{a \cdot e^{2dx+2c} + b}{\sqrt{a \cdot b}}\right) \cdot e^{-2c} + b \cdot e^{2dx+2c} + a - b \cdot \sqrt{a \cdot b} \cdot e^{-2c} / (\sqrt{a \cdot b} \cdot a^4) - 6 \cdot (9 \cdot a^3 \cdot b \cdot e^{6dx+6c} + 7 \cdot a^2 \cdot b^2 \cdot e^{6dx+6c} - 13 \cdot a \cdot b^3 \cdot e^{6dx+6c} - 11 \cdot b^4 \cdot e^{6dx+6c} + 27 \cdot a^3 \cdot b \cdot e^{4dx+4c} + 15 \cdot a^2 \cdot b^2 \cdot e^{4dx+4c} + 5 \cdot a \cdot b^3 \cdot e^{4dx+4c} + 33 \cdot b^4 \cdot e^{4dx+4c} + 27 \cdot a^3 \cdot b \cdot e^{2dx+2c} + 37 \cdot a^2 \cdot b^2 \cdot e^{2dx+2c} - 23 \cdot a \cdot b^3 \cdot e^{2dx+2c} - 33 \cdot b^4 \cdot e^{2dx+2c} + 9 \cdot a^3 \cdot b + 29 \cdot a^2 \cdot b^2 + 31 \cdot a \cdot b^3 + 11 \cdot b^4) / ((a^5 + a^4 \cdot b) \cdot (a \cdot e^{4dx+4c} + b \cdot e^{4dx+4c} + 2 \cdot a \cdot e^{2dx+2c} - 2 \cdot b \cdot e^{2dx+2c} + a + b)^2) + 16 \cdot (9 \cdot b \cdot e^{4dx+4c} - 6 \cdot a \cdot e^{2dx+2c} - 18 \cdot b \cdot e^{2dx+2c} + 2 \cdot a + 9 \cdot b) / (a^4 \cdot (e^{2dx+2c} - 1)^3) / d$

**maple** [B] time = 0.48, size = 1416, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $-25/4/d/a^3b^2/(b(a+b))^{1/2}/((2(b(a+b))^{1/2}+a+2b)a)^{1/2} \cdot \arctan(a \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) / ((2(b(a+b))^{1/2}+a+2b)a)^{1/2}) - 1/24/d/a^3/\tanh(1/2 \cdot dx+1/2 \cdot c)^3 - 1/24/d/a^3 \cdot \tanh(1/2 \cdot dx+1/2 \cdot c)^3 + 3/8/d/a^3 \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) + 3/8/d/a^3/\tanh(1/2 \cdot dx+1/2 \cdot c) - 25/4/d/a^3b^2/(b(a+b))^{1/2}/((2(b(a+b))^{1/2}-a-2b)a)^{1/2} \cdot \operatorname{arctanh}(a \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) / ((2(b(a+b))^{1/2}-a-2b)a)^{1/2}) - 15/8/d/a^2b/(b(a+b))^{1/2}/((2(b(a+b))^{1/2}+a+2b)a)^{1/2} \cdot \arctan(a \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) / ((2(b(a+b))^{1/2}+a+2b)a)^{1/2}) - 35/8/d \cdot b^3/a^4/(b(a+b))^{1/2}/((2(b(a+b))^{1/2}+a+2b)a)^{1/2} \cdot \arctan(a \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) / ((2(b(a+b))^{1/2}+a+2b)a)^{1/2}) - 35/8/d \cdot b^3/a^4/(b(a+b))^{1/2}/((2(b(a+b))^{1/2}-a-2b)a)^{1/2} \cdot \operatorname{arctanh}(a \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) / ((2(b(a+b))^{1/2}-a-2b)a)^{1/2}) + 3/2/d/a^4 \cdot \tanh(1/2 \cdot dx+1/2 \cdot c) \cdot b + 3$

$$\frac{1/2/d/a^4/\tanh(1/2*d*x+1/2*c)*b+9/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-15/8/d/a^2*b/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+11/d*b^3/a^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+13/4/d*b^2/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+35/8/d*b^2/a^4/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-35/8/d*b^2/a^4/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+13/4/d*b^2/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7+11/d*b^3/a^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+27/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+67/4/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+27/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+67/4/d/a^3*b^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+9/4/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+15/8/d/a^3*b/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-15/8/d/a^3*b/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))$$

**maxima** [B] time = 0.70, size = 615, normalized size = 4.07

$$\frac{16a^4 + 147a^3b + 351a^2b^2 + 325ab^3 + 105b^4 + 2(8a^4 + 32a^3b - 251a^2b^2 - 590ab^3 - 315b^4)e^{(-2dx-2c)} - (96a^4 + 12(a^7 + 3a^6b + 3a^5b^2 + a^4b^3 + (a^7 - 5a^6b - 13a^5b^2 - 7a^4b^3)e^{(-2dx-2c)} - (3a^7 + a^6b - 23a^5b^2 - 21a^4b^3)e^{(-4dx-4c)} - (3a^7 - 7a^6b + 25a^5b^2 + 35a^4b^3)e^{(-6dx-6c)} + (3a^7 - 7a^6b + 25a^5b^2 + 35a^4b^3)e^{(-8dx-8c)} + (3a^7 + a^6b - 23a^5b^2 - 21a^4b^3)e^{(-10dx-10c)} + 15(3a^3b + 13a^2b^2 + 17ab^3 + 7b^4)e^{(-12dx-12c)})}{(a^7 + 3a^6b + 3a^5b^2 + a^4b^3 + (a^7 - 5a^6b - 13a^5b^2 - 7a^4b^3)e^{(-2dx-2c)} - (3a^7 - 7a^6b + 25a^5b^2 + 35a^4b^3)e^{(-6dx-6c)} + (3a^7 - 7a^6b + 25a^5b^2 + 35a^4b^3)e^{(-8dx-8c)} + (3a^7 + a^6b - 23a^5b^2 - 21a^4b^3)e^{(-10dx-10c)} + 15(3a^3b + 13a^2b^2 + 17ab^3 + 7b^4)e^{(-12dx-12c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/12\*(16\*a^4 + 147\*a^3\*b + 351\*a^2\*b^2 + 325\*a\*b^3 + 105\*b^4 + 2\*(8\*a^4 + 3\*2\*a^3\*b - 251\*a^2\*b^2 - 590\*a\*b^3 - 315\*b^4)\*e^(-2\*d\*x - 2\*c) - (96\*a^4 + 3\*13\*a^3\*b + 19\*a^2\*b^2 - 1725\*a\*b^3 - 1575\*b^4)\*e^(-4\*d\*x - 4\*c) - 4\*(56\*a^4 + 80\*a^3\*b - 65\*a^2\*b^2 + 400\*a\*b^3 + 525\*b^4)\*e^(-6\*d\*x - 6\*c) - (176\*a^4 + 135\*a^3\*b + 15\*a^2\*b^2 - 1375\*a\*b^3 - 1575\*b^4)\*e^(-8\*d\*x - 8\*c) - 6\*(8\*a^4 + 45\*a^3\*b + 150\*a\*b^3 + 105\*b^4)\*e^(-10\*d\*x - 10\*c) + 15\*(3\*a^3\*b + 13\*a^2\*b^2 + 17\*a\*b^3 + 7\*b^4)\*e^(-12\*d\*x - 12\*c))/((a^7 + 3\*a^6\*b + 3\*a^5\*b^2 + a^4\*b^3 + (a^7 - 5\*a^6\*b - 13\*a^5\*b^2 - 7\*a^4\*b^3)\*e^(-2\*d\*x - 2\*c) - (3\*a^7 + a^6\*b - 23\*a^5\*b^2 - 21\*a^4\*b^3)\*e^(-4\*d\*x - 4\*c) - (3\*a^7 - 7\*a^6\*b + 25\*a^5\*b^2 + 35\*a^4\*b^3)\*e^(-6\*d\*x - 6\*c) + (3\*a^7 - 7\*a^6\*b + 25\*a^5\*b^2 + 35\*a^4\*b^3)\*e^(-8\*d\*x - 8\*c) + (3\*a^7 + a^6\*b - 23\*a^5\*b^2 - 21\*a^4\*b^3)\*e^(-10\*d\*x - 10\*c) + 15\*(3\*a^3\*b + 13\*a^2\*b^2 + 17\*a\*b^3 + 7\*b^4)\*e^(-12\*d\*x - 12\*c))

$b^3)e^{-10dx - 10c} - (a^7 - 5a^6b - 13a^5b^2 - 7a^4b^3)e^{-12dx - 12c} - (a^7 + 3a^6b + 3a^5b^2 + a^4b^3)e^{-14dx - 14c})d - 5/8(3ab + 7b^2) \arctan(1/2((a+b)e^{-2dx - 2c} + a - b)/\sqrt{ab})) / (\sqrt{ab}a^4d)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sinh(c + dx)^4 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^3), x)

[Out] int(1/(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^4(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3, x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

### 3.49 $\int \sinh^4(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=132

$$-\frac{3(a+8b)\log(1-\tanh(c+dx))}{16d} + \frac{3(a-8b)\log(\tanh(c+dx)+1)}{16d} + \frac{\sinh^4(c+dx)(a\tanh(c+dx)+b)}{4d} - \frac{\sinh^2(c+dx)}{4d}$$

[Out] -3/16\*(a+8\*b)\*ln(1-tanh(d\*x+c))/d+3/16\*(a-8\*b)\*ln(1+tanh(d\*x+c))/d-3/8\*a\*tanh(d\*x+c)/d-3/2\*b\*tanh(d\*x+c)^2/d+1/4\*sinh(d\*x+c)^4\*(b+a\*tanh(d\*x+c))/d-1/8\*sinh(d\*x+c)^2\*tanh(d\*x+c)\*(a+8\*b\*tanh(d\*x+c))/d

**Rubi [A]** time = 0.17, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 1804, 801, 633, 31}

$$-\frac{3(a+8b)\log(1-\tanh(c+dx))}{16d} + \frac{3(a-8b)\log(\tanh(c+dx)+1)}{16d} + \frac{\sinh^4(c+dx)(a\tanh(c+dx)+b)}{4d} - \frac{\sinh^2(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-3\*(a + 8\*b)\*Log[1 - Tanh[c + d\*x]])/(16\*d) + (3\*(a - 8\*b)\*Log[1 + Tanh[c + d\*x]])/(16\*d) - (3\*a\*Tanh[c + d\*x])/(8\*d) - (3\*b\*Tanh[c + d\*x]^2)/(2\*d) + (Sinh[c + d\*x]^4\*(b + a\*Tanh[c + d\*x]))/(4\*d) - (Sinh[c + d\*x]^2\*Tanh[c + d\*x]\*(a + 8\*b\*Tanh[c + d\*x]))/(8\*d)

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

#### Rule 801

Int[(((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_)))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IntegerQ[m]



Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^3(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^4(c + dx)(b + a \tanh(c + dx))}{4d} + \frac{\text{Subst}\left(\int \frac{x^3(-4b-ax-4bx^2)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{4d} \\
&= \frac{\sinh^4(c + dx)(b + a \tanh(c + dx))}{4d} - \frac{\sinh^2(c + dx) \tanh(c + dx)(a - b \tanh(c + dx))}{8d} \\
&= \frac{\sinh^4(c + dx)(b + a \tanh(c + dx))}{4d} - \frac{\sinh^2(c + dx) \tanh(c + dx)(a - b \tanh(c + dx))}{8d} \\
&= -\frac{3a \tanh(c + dx)}{8d} - \frac{3b \tanh^2(c + dx)}{2d} + \frac{\sinh^4(c + dx)(b + a \tanh(c + dx))}{4d} \\
&= -\frac{3a \tanh(c + dx)}{8d} - \frac{3b \tanh^2(c + dx)}{2d} + \frac{\sinh^4(c + dx)(b + a \tanh(c + dx))}{4d} \\
&= -\frac{3(a + 8b) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a - 8b) \log(1 + \tanh(c + dx))}{16d}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 92, normalized size = 0.70

$$\frac{3a(c+dx)}{8d} - \frac{a \sinh(2(c+dx))}{4d} + \frac{a \sinh(4(c+dx))}{32d} + \frac{b(\sinh^4(c+dx) - 4 \sinh^2(c+dx) + 2 \operatorname{sech}^2(c+dx) + 12 \log(\cosh(c+dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (3\*a\*(c + d\*x))/(8\*d) + (b\*(12\*Log[Cosh[c + d\*x]] + 2\*Sech[c + d\*x]^2 - 4\*Sinh[c + d\*x]^2 + Sinh[c + d\*x]^4))/(4\*d) - (a\*Sinh[2\*(c + d\*x)])/(4\*d) + (a\*Sinh[4\*(c + d\*x)])/(32\*d)

**fricas [B]** time = 0.57, size = 1530, normalized size = 11.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x, algorithm="fricas")

[Out] 1/64\*((a + b)\*cosh(d\*x + c)^12 + 12\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + (a + b)\*sinh(d\*x + c)^12 - 6\*(a + 3\*b)\*cosh(d\*x + c)^10 + 6\*(11\*(a + b)\*cosh(d\*x + c)^2 - a - 3\*b)\*sinh(d\*x + c)^10 + 20\*(11\*(a + b)\*cosh(d\*x + c)^3 - 3\*(a + 3\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 + 3\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^8 + 3\*(165\*(a + b)\*cosh(d\*x + c)^4 + 8\*(a - 8\*b)\*d\*x - 90\*(a + 3\*b)\*cosh(d\*x + c)^2 - 5\*a - 13\*b)\*sinh(d\*x + c)^8 + 24\*(33\*(a + b)\*cosh(d\*x + c)^5 - 30\*(a + 3\*b)\*cosh(d\*x + c)^3 + (8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 + 8\*(6\*(a - 8\*b)\*d\*x + 11\*b)\*cosh(d\*x + c)^6 + 4\*(231\*(a + b)\*cosh(d\*x + c)^6 - 315\*(a + 3\*b)\*cosh(d\*x + c)^4 + 12\*(a - 8\*b)\*d\*x + 21\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^2 + 22\*b)\*sinh(d\*x + c)^6 + 24\*(33\*(a + b)\*cosh(d\*x + c)^7 - 63\*(a + 3\*b)\*cosh(d\*x + c)^5 + 7\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^3 + 2\*(6\*(a - 8\*b)\*d\*x + 11\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 3\*(8\*(a - 8\*b)\*d\*x + 5\*a - 13\*b)\*cosh(d\*x + c)^4 + 3\*(165\*(a + b)\*cosh(d\*x + c)^8 - 420\*(a + 3\*b)\*cosh(d\*x + c)^6 + 70\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^4 + 8\*(a - 8\*b)\*d\*x + 40\*(6\*(a - 8\*b)\*d\*x + 11\*b)\*cosh(d\*x + c)^2 + 5\*a - 13\*b)\*sinh(d\*x + c)^4 + 4\*(55\*(a + b)\*cosh(d\*x + c)^9 - 180\*(a + 3\*b)\*cosh(d\*x + c)^7 + 42\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^5 + 40\*(6\*(a - 8\*b)\*d\*x + 11\*b)\*cosh(d\*x + c)^3 + 3\*(8\*(a - 8\*b)\*d\*x + 5\*a - 13\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 6\*(a - 3\*b)\*cosh(d\*x + c)^2 + 6\*(11\*(a + b)\*cosh(d\*x + c)^10 - 45\*(a + 3\*b)\*cosh(d\*x + c)^8 + 14\*(8\*(a - 8\*b)\*d\*x - 5\*a - 13\*b)\*cosh(d\*x + c)^6 + 20\*(6\*(a - 8\*b)\*d\*x + 11\*b)\*cosh(d\*x + c)^4 + 3\*(8\*(a - 8\*b)\*d\*x + 5\*a - 13\*b)\*cosh(d\*x + c)^2 + a - 3\*b)\*sinh(d\*x + c)^2 + 192\*(b\*cosh(d\*x + c)^8 + 8\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + b\*sinh(d\*x + c)^8 + 2\*b\*cosh(d\*x + c)^6 + 2\*(14\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c)^6 + 4\*(14\*b\*cosh(d\*x + c)

$$\begin{aligned} &^3 + 3*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + b*\cosh(d*x + c)^4 + (70*b*\cosh(d*x + c)^4 + 30*b*\cosh(d*x + c)^2 + b)*\sinh(d*x + c)^4 + 4*(14*b*\cosh(d*x + c)^5 + 10*b*\cosh(d*x + c)^3 + b*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(14*b*\cosh(d*x + c)^6 + 15*b*\cosh(d*x + c)^4 + 3*b*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(2*b*\cosh(d*x + c)^7 + 3*b*\cosh(d*x + c)^5 + b*\cosh(d*x + c)^3)*\sinh(d*x + c)) * \log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*((a + b)*\cosh(d*x + c)^11 - 5*(a + 3*b)*\cosh(d*x + c)^9 + 2*(8*(a - 8*b)*d*x - 5*a - 13*b)*\cosh(d*x + c)^7 + 4*(6*(a - 8*b)*d*x + 11*b)*\cosh(d*x + c)^5 + (8*(a - 8*b)*d*x + 5*a - 13*b)*\cosh(d*x + c)^3 + (a - 3*b)*\cosh(d*x + c))*\sinh(d*x + c) - a + b)/(d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 2*d*\cosh(d*x + c)^6 + 2*(14*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 4*(14*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + d*\cosh(d*x + c)^4 + (70*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 4*(14*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(14*d*\cosh(d*x + c)^6 + 15*d*\cosh(d*x + c)^4 + 3*d*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(2*d*\cosh(d*x + c)^7 + 3*d*\cosh(d*x + c)^5 + d*\cosh(d*x + c)^3)*\sinh(d*x + c)) \end{aligned}$$

**giac** [A] time = 0.25, size = 206, normalized size = 1.56

$$24(a - 8b)dx + \left( ae^{(4dx+24c)} + be^{(4dx+24c)} - 8ae^{(2dx+22c)} - 20be^{(2dx+22c)} \right) e^{(-20c)} + 192b \log\left( e^{(2dx+2c)} + 1 \right) - \frac{(9}{64d}$$

---

64d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $\frac{1}{64}*(24*(a - 8*b)*d*x + (a*e^{(4*d*x + 24*c)} + b*e^{(4*d*x + 24*c)} - 8*a*e^{(2*d*x + 22*c)} - 20*b*e^{(2*d*x + 22*c)})*e^{(-20*c)} + 192*b*\log(e^{(2*d*x + 2*c)} + 1) - (9*a*e^{(8*d*x + 8*c)} + 72*b*e^{(8*d*x + 8*c)} + 10*a*e^{(6*d*x + 6*c)} + 36*b*e^{(6*d*x + 6*c)} - 6*a*e^{(4*d*x + 4*c)} + 111*b*e^{(4*d*x + 4*c)} - 6*a*e^{(2*d*x + 2*c)} + 18*b*e^{(2*d*x + 2*c)} + a - b)*e^{(-4*c)})/(e^{(2*d*x)} + e^{(4*d*x + 2*c)})^2)/d$

**maple** [A] time = 0.30, size = 122, normalized size = 0.92

$$\frac{a \cosh(dx + c) \left( \sinh^3(dx + c) \right)}{4d} - \frac{3a \cosh(dx + c) \sinh(dx + c)}{8d} + \frac{3ax}{8} + \frac{3ac}{8d} + \frac{b \left( \sinh^6(dx + c) \right)}{4d \cosh(dx + c)^2} - \frac{3b \left( \sinh^4(dx + c) \right)}{4d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3),x)

[Out]  $\frac{1}{4}*a*\cosh(d*x+c)*\sinh(d*x+c)^3/d - 3/8*a*\cosh(d*x+c)*\sinh(d*x+c)/d + 3/8*a*x + 3/8/d*a*c + 1/4/d*b*\sinh(d*x+c)^6/\cosh(d*x+c)^2 - 3/4/d*b*\sinh(d*x+c)^4/\cosh(d*x+c)^2 + 3*b*\ln(\cosh(d*x+c))/d - 3/2*b*tanh(d*x+c)^2/d$

**maxima** [A] time = 0.42, size = 194, normalized size = 1.47

$$\frac{1}{64} a \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{1}{64} b \left( \frac{192(dx+c)}{d} - \frac{20e^{(-2dx-2c)} - e^{(-4dx-4c)}}{d} + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] 1/64\*a\*(24\*x + e^(4\*d\*x + 4\*c)/d - 8\*e^(2\*d\*x + 2\*c)/d + 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 1/64\*b\*(192\*(d\*x + c)/d - (20\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d + 192\*log(e^(-2\*d\*x - 2\*c) + 1)/d - (18\*e^(-2\*d\*x - 2\*c) + 39\*e^(-4\*d\*x - 4\*c) - 108\*e^(-6\*d\*x - 6\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + 2\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c))))

**mupad** [B] time = 0.27, size = 156, normalized size = 1.18

$$x \left( \frac{3a}{8} - 3b \right) + \frac{2b}{d(e^{2c+2dx} + 1)} + \frac{e^{4c+4dx}(a+b)}{64d} - \frac{2b}{d(2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{e^{-4c-4dx}(a-b)}{64d} + \frac{3b \ln(e^{2c} e^{2d})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^3), x)

[Out] x\*((3\*a)/8 - 3\*b) + (2\*b)/(d\*(exp(2\*c + 2\*d\*x) + 1)) + (exp(4\*c + 4\*d\*x)\*(a + b))/(64\*d) - (2\*b)/(d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1)) - (exp(-4\*c - 4\*d\*x)\*(a - b))/(64\*d) + (3\*b\*log(exp(2\*c)\*exp(2\*d\*x) + 1))/d + (exp(-2\*c - 2\*d\*x)\*(2\*a - 5\*b))/(16\*d) - (exp(2\*c + 2\*d\*x)\*(2\*a + 5\*b))/(16\*d)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \sinh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*sinh(c + d\*x)\*\*4, x)

### 3.50 $\int \sinh^3(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=98

$$\frac{a \cosh^3(c + dx)}{3d} - \frac{a \cosh(c + dx)}{d} + \frac{5b \sinh^3(c + dx)}{6d} - \frac{5b \sinh(c + dx)}{2d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{5b \tan^{-1}(\sinh(c + dx))}{2d}$$

[Out]  $5/2*b*\arctan(\sinh(d*x+c))/d - a*\cosh(d*x+c)/d + 1/3*a*\cosh(d*x+c)^3/d - 5/2*b*\sinh(d*x+c)/d + 5/6*b*\sinh(d*x+c)^3/d - 1/2*b*\sinh(d*x+c)^3*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.12, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3666, 2633, 2592, 288, 302, 203}

$$\frac{a \cosh^3(c + dx)}{3d} - \frac{a \cosh(c + dx)}{d} + \frac{5b \sinh^3(c + dx)}{6d} - \frac{5b \sinh(c + dx)}{2d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{5b \tan^{-1}(\sinh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $(5*b*\text{ArcTan}[\text{Sinh}[c + d*x]])/(2*d) - (a*\text{Cosh}[c + d*x])/d + (a*\text{Cosh}[c + d*x]^3)/(3*d) - (5*b*\text{Sinh}[c + d*x])/(2*d) + (5*b*\text{Sinh}[c + d*x]^3)/(6*d) - (b*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 288

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n-1)\*(c\*x)^(m-n+1)\*(a + b\*x^n)^(p+1))/(b\*n\*(p+1)), x] - Dist[(c^n\*(m-n+1))/(b\*n\*(p+1)), Int[(c\*x)^(m-n)\*(a + b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m+1, n] && !LtQ[(m+n\*(p+1)+1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n-1]

Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(f
ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_.))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a
+ b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&
IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \sinh^3(c + dx) (a + b \tanh^3(c + dx)) dx &= i \int (-ia \sinh^3(c + dx) - ib \sinh^3(c + dx) \tanh^3(c + dx)) dx \\
&= a \int \sinh^3(c + dx) dx + b \int \sinh^3(c + dx) \tanh^3(c + dx) dx \\
&= -\frac{a \operatorname{Subst}\left(\int (1 - x^2) dx, x, \cosh(c + dx)\right)}{d} + \frac{b \operatorname{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x\right)}{d} \\
&= -\frac{a \cosh(c + dx)}{d} + \frac{a \cosh^3(c + dx)}{3d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
&= -\frac{a \cosh(c + dx)}{d} + \frac{a \cosh^3(c + dx)}{3d} - \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
&= -\frac{a \cosh(c + dx)}{d} + \frac{a \cosh^3(c + dx)}{3d} - \frac{5b \sinh(c + dx)}{2d} + \frac{5b \sinh^3(c + dx)}{6d} \\
&= \frac{5b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a \cosh(c + dx)}{d} + \frac{a \cosh^3(c + dx)}{3d} - \frac{5b \sinh(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 104, normalized size = 1.06

$$\frac{3a \cosh(c + dx)}{4d} + \frac{a \cosh(3(c + dx))}{12d} + \frac{b \sinh^3(c + dx) \tanh^2(c + dx)}{3d} - \frac{5b (2 \sinh(c + dx) \tanh^2(c + dx) - 3 (\tanh(c + dx))^3)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3),x]

[Out] (-3\*a\*Cosh[c + d\*x])/(4\*d) + (a\*Cosh[3\*(c + d\*x)])/(12\*d) + (b\*Sinh[c + d\*x]^3\*Tanh[c + d\*x]^2)/(3\*d) - (5\*b\*(2\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2 - 3\*(ArcTan[Sinh[c + d\*x]] - Sech[c + d\*x]\*Tanh[c + d\*x]))/(6\*d)

**fricas [B]** time = 0.74, size = 1070, normalized size = 10.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] 1/24\*((a + b)\*cosh(d\*x + c)^10 + 10\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + (a + b)\*sinh(d\*x + c)^10 - (7\*a + 25\*b)\*cosh(d\*x + c)^8 + (45\*(a + b)\*cosh(d\*x + c)^2 - 7\*a - 25\*b)\*sinh(d\*x + c)^8 + 8\*(15\*(a + b)\*cosh(d\*x + c)^3 - (7\*a + 25\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 2\*(13\*a + 25\*b)\*cosh(d\*x + c)^6 + 2\*(105\*(a + b)\*cosh(d\*x + c)^4 - 14\*(7\*a + 25\*b)\*cosh(d\*x + c)^2 - 13\*a - 25\*b)\*sinh(d\*x + c)^6 + 4\*(63\*(a + b)\*cosh(d\*x + c)^5 - 14\*(7\*a + 25\*b)\*cosh(d\*x + c)^3 - 3\*(13\*a + 25\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 - 2\*(13\*a - 25\*b)\*cosh(d\*x + c)^4 + 2\*(105\*(a + b)\*cosh(d\*x + c)^6 - 35\*(7\*a + 25\*b)\*cosh(d\*x + c)^4 - 15\*(13\*a + 25\*b)\*cosh(d\*x + c)^2 - 13\*a + 25\*b)\*sinh(d\*x + c)^4 + 8\*(15\*(a + b)\*cosh(d\*x + c)^7 - 7\*(7\*a + 25\*b)\*cosh(d\*x + c)^5 - 5\*(13\*a + 25\*b)\*cosh(d\*x + c)^3 - (13\*a - 25\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - (7\*a - 25\*b)\*cosh(d\*x + c)^2 + (45\*(a + b)\*cosh(d\*x + c)^8 - 28\*(7\*a + 25\*b)\*cosh(d\*x + c)^6 - 30\*(13\*a + 25\*b)\*cosh(d\*x + c)^4 - 12\*(13\*a - 25\*b)\*cosh(d\*x + c)^2 - 7\*a + 25\*b)\*sinh(d\*x + c)^2 + 120\*(b\*cosh(d\*x + c)^7 + 7\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + b\*sinh(d\*x + c)^7 + 2\*b\*cosh(d\*x + c)^5 + (21\*b\*cosh(d\*x + c)^2 + 2\*b)\*sinh(d\*x + c)^5 + 5\*(7\*b\*cosh(d\*x + c)^3 + 2\*b\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + b\*cosh(d\*x + c)^3 + (35\*b\*cosh(d\*x + c)^4 + 20\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c)^3 + (21\*b\*cosh(d\*x + c)^5 + 20\*b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + (7\*b\*cosh(d\*x + c)^6 + 10\*b\*cosh(d\*x + c)^4 + 3\*b\*cosh(d\*x + c)^2)\*sinh(d\*x + c))\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) + 2\*(5\*(a + b)\*cosh(d\*x + c)^9 - 4\*(7\*a + 25\*b)\*cosh(d\*x + c)^7 - 6\*(13\*a + 25\*b)\*cosh(d\*x + c)^5 - 4\*(13\*a - 25\*b)\*cosh(d\*x + c)^3 - (7\*a - 25\*b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a - b)/(d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + d\*sinh(d\*x + c)^7 + 2\*d\*cosh(d\*x + c)^5 + (21\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c)^5 + 5\*(7\*d\*cosh(d

$x + c)^3 + 2*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + d*\cosh(d*x + c)^3 + (35*d*\cosh(d*x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^3 + (21*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*d*\cosh(d*x + c)^6 + 10*d*\cosh(d*x + c)^4 + 3*d*\cosh(d*x + c)^2)*\sinh(d*x + c))$

**giac** [A] time = 0.19, size = 142, normalized size = 1.45

$$\frac{120 b \arctan \left( e^{(dx+c)} \right) - \left( 9 a e^{(2dx+2c)} - 27 b e^{(2dx+2c)} - a + b \right) e^{(-3dx-3c)} + \left( a e^{(3dx+30c)} + b e^{(3dx+30c)} - 9 a e^{(dx+28c)} - b e^{(dx+28c)} \right) e^{(-27c)}}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $\frac{1}{24} * (120 * b * \arctan(e^{(d*x + c)}) - (9 * a * e^{(2*d*x + 2*c)} - 27 * b * e^{(2*d*x + 2*c)} - a + b) * e^{(-3*d*x - 3*c)} + (a * e^{(3*d*x + 30*c)} + b * e^{(3*d*x + 30*c)} - 9 * a * e^{(d*x + 28*c)} - 27 * b * e^{(d*x + 28*c)}) * e^{(-27*c)} - 24 * (b * e^{(3*d*x + 3*c)} - b * e^{(d*x + c)}) / (e^{(2*d*x + 2*c)} + 1)^2) / d$

**maple** [A] time = 0.35, size = 129, normalized size = 1.32

$$-\frac{2a \cosh(dx + c)}{3d} + \frac{a \cosh(dx + c) (\sinh^2(dx + c))}{3d} + \frac{b (\sinh^5(dx + c))}{3d \cosh(dx + c)^2} - \frac{5b (\sinh^3(dx + c))}{3d \cosh(dx + c)^2} - \frac{5b \sinh(dx + c)}{d \cosh(dx + c)^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-2/3*a*\cosh(d*x+c)/d + 1/3/d*a*\cosh(d*x+c)*\sinh(d*x+c)^2 + 1/3/d*b*\sinh(d*x+c)^5/\cosh(d*x+c)^2 - 5/3/d*b*\sinh(d*x+c)^3/\cosh(d*x+c)^2 - 5/d*b*\sinh(d*x+c)/\cosh(d*x+c)^2 + 5/2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d + 5/d*b*\arctan(\exp(d*x+c))$

**maxima** [A] time = 0.41, size = 174, normalized size = 1.78

$$\frac{1}{24} b \left( \frac{27 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} - \frac{120 \arctan \left( e^{(-dx-c)} \right)}{d} - \frac{25 e^{(-2dx-2c)} + 77 e^{(-4dx-4c)} + 3 e^{(-6dx-6c)} - 1}{d \left( e^{(-3dx-3c)} + 2 e^{(-5dx-5c)} + e^{(-7dx-7c)} \right)} \right) + \frac{1}{24} a \left( \frac{e^{(3dx+30c)} + b e^{(3dx+30c)} - 9 a e^{(dx+28c)} - b e^{(dx+28c)}}{e^{(-27c)}} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out]  $\frac{1}{24} * b * ((27 * e^{(-d*x - c)} - e^{(-3*d*x - 3*c)}) / d - 120 * \arctan(e^{(-d*x - c)}) / d - (25 * e^{(-2*d*x - 2*c)} + 77 * e^{(-4*d*x - 4*c)} + 3 * e^{(-6*d*x - 6*c)} - 1) / (d * (e^{(-3*d*x - 3*c)} + 2 * e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + \dots$



$(e^{-3dx} - 3c) + 2e^{-5dx} - 5c + e^{-7dx} - 7c)) + 1/24 * a * (e^{3dx} + 3c)/d - 9e^{dx} + c/d - 9e^{-dx} - c/d + e^{-3dx} - 3c/d)$

**mupad [B]** time = 0.23, size = 171, normalized size = 1.74

$$\frac{e^{3c+3dx} (a+b)}{24d} + \frac{5 \operatorname{atan}\left(\frac{b e^{dx} e^c \sqrt{d^2}}{d \sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{d^2}} + \frac{e^{-3c-3dx} (a-b)}{24d} - \frac{e^{c+dx} (3a+9b)}{8d} - \frac{e^{-c-dx} (3a-9b)}{8d} - \frac{b e^{c+dx}}{d (e^{2c+2dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^3), x)`

[Out]  $(\exp(3c + 3dx) * (a + b)) / (24 * d) + (5 * \operatorname{atan}((b * \exp(dx) * \exp(c) * (d^2)^{(1/2)}) / (d * (b^2)^{(1/2)})) * (b^2)^{(1/2)}) / (d^2)^{(1/2)} + (\exp(-3c - 3dx) * (a - b)) / (24 * d) - (\exp(c + dx) * (3a + 9b)) / (8 * d) - (\exp(-c - dx) * (3a - 9b)) / (8 * d) - (b * \exp(c + dx)) / (d * (\exp(2c + 2dx) + 1)) + (2 * b * \exp(c + dx)) / (d * (2 * \exp(2c + 2dx) + \exp(4c + 4dx) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**3), x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)*sinh(c + d*x)**3, x)`

### 3.51 $\int \sinh^2(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=100

$$\frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(\tanh(c + dx) + 1)}{4d} + \frac{\sinh^2(c + dx)(a \tanh(c + dx) + b)}{2d} + \frac{a \tanh(c + dx)}{2d}$$

[Out]  $1/4*(a+4*b)*\ln(1-\tanh(d*x+c))/d-1/4*(a-4*b)*\ln(1+\tanh(d*x+c))/d+1/2*a*\tanh(d*x+c)/d+1/2*b*\tanh(d*x+c)^2/d+1/2*\sinh(d*x+c)^2*(b+a*\tanh(d*x+c))/d$

**Rubi [A]** time = 0.12, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(\tanh(c + dx) + 1)}{4d} + \frac{\sinh^2(c + dx)(a \tanh(c + dx) + b)}{2d} + \frac{a \tanh(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^3), x]`

[Out] `((a + 4*b)*Log[1 - Tanh[c + d*x]])/(4*d) - ((a - 4*b)*Log[1 + Tanh[c + d*x]])/(4*d) + (a*Tanh[c + d*x])/(2*d) + (b*Tanh[c + d*x]^2)/(2*d) + (Sinh[c + d*x]^2*(b + a*Tanh[c + d*x]))/(2*d)`

#### Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

#### Rule 633

`Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]`

#### Rule 1802

`Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

#### Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^(m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 3663

```
Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^3(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{x(-2b-ax-2bx^2)}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d} \\
&= \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \left(a + 2bx - \frac{a+4bx}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{2d} \\
&= \frac{a \tanh(c + dx)}{2d} + \frac{b \tanh^2(c + dx)}{2d} + \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} \\
&= \frac{a \tanh(c + dx)}{2d} + \frac{b \tanh^2(c + dx)}{2d} + \frac{\sinh^2(c + dx)(b + a \tanh(c + dx))}{2d} \\
&= \frac{(a + 4b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 4b) \log(1 + \tanh(c + dx))}{4d} +
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 69, normalized size = 0.69

$$\frac{a(-c - dx)}{2d} + \frac{a \sinh(2(c + dx))}{4d} - \frac{b(-\sinh^2(c + dx) + \text{sech}^2(c + dx) + 4 \log(\cosh(c + dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3),x]

[Out] (a\*(-c - d\*x))/(2\*d) - (b\*(4\*Log[Cosh[c + d\*x]] + Sech[c + d\*x]^2 - Sinh[c + d\*x]^2))/(2\*d) + (a\*Sinh[2\*(c + d\*x)])/(4\*d)

**fricas** [B] time = 0.59, size = 924, normalized size = 9.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out]  $\frac{1}{8}((a + b)\cosh(dx + c)^8 + 8(a + b)\cosh(dx + c)\sinh(dx + c)^7 + (a + b)\sinh(dx + c)^8 - 2(2(a - 4b)dx - a - b)\cosh(dx + c)^6 - 2(2(a - 4b)dx - 14(a + b)\cosh(dx + c)^2 - a - b)\sinh(dx + c)^6 + 4(14(a + b)\cosh(dx + c)^3 - 3(2(a - 4b)dx - a - b)\cosh(dx + c))\sinh(dx + c)^5 - 2(4(a - 4b)dx + 7b)\cosh(dx + c)^4 + 2(35(a + b)\cosh(dx + c)^4 - 4(a - 4b)dx - 15(2(a - 4b)dx - a - b)\cosh(dx + c)^2 - 7b)\sinh(dx + c)^4 + 8(7(a + b)\cosh(dx + c)^5 - 5(2(a - 4b)dx - a - b)\cosh(dx + c)^3 - (4(a - 4b)dx + 7b)\cosh(dx + c))\sinh(dx + c)^3 - 2(2(a - 4b)dx + a - b)\cosh(dx + c)^2 + 2(14(a + b)\cosh(dx + c)^6 - 15(2(a - 4b)dx - a - b)\cosh(dx + c)^4 - 2(a - 4b)dx - 6(4(a - 4b)dx + 7b)\cosh(dx + c)^2 - a + b)\sinh(dx + c)^2 - 16(b\cosh(dx + c)^6 + 6b\cosh(dx + c)\sinh(dx + c)^5 + b\sinh(dx + c)^6 + 2b\cosh(dx + c)^4 + (15b\cosh(dx + c)^2 + 2b)\sinh(dx + c)^4 + 4(5b\cosh(dx + c)^3 + 2b\cosh(dx + c))\sinh(dx + c)^3 + b\cosh(dx + c)^2 + (15b\cosh(dx + c)^4 + 12b\cosh(dx + c)^2 + b)\sinh(dx + c)^2 + 2(3b\cosh(dx + c)^5 + 4b\cosh(dx + c)^3 + b\cosh(dx + c))\sinh(dx + c))\log\left(\frac{2\cosh(dx + c)}{\cosh(dx + c) - \sinh(dx + c)}\right) + 4(2(a + b)\cosh(dx + c)^7 - 3(2(a - 4b)dx - a - b)\cosh(dx + c)^5 - 2(4(a - 4b)dx + 7b)\cosh(dx + c)^3 - (2(a - 4b)dx + a - b)\cosh(dx + c))\sinh(dx + c) - a + b)/(d\cosh(dx + c)^6 + 6d\cosh(dx + c)\sinh(dx + c)^5 + d\sinh(dx + c)^6 + 2d\cosh(dx + c)^4 + (15d\cosh(dx + c)^2 + 2d)\sinh(dx + c)^4 + 4(5d\cosh(dx + c)^3 + 2d\cosh(dx + c))\sinh(dx + c)^3 + d\cosh(dx + c)^2 + (15d\cosh(dx + c)^4 + 12d\cosh(dx + c)^2 + d)\sinh(dx + c)^2 + 2(3d\cosh(dx + c)^5 + 4d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh(dx + c))$

**giac** [A] time = 0.18, size = 142, normalized size = 1.42

$$4(a - 4b)dx - \left(2ae^{(2dx+2c)} - 8be^{(2dx+2c)} - a + b\right)e^{(-2dx-2c)} - \left(ae^{(2dx+10c)} + be^{(2dx+10c)}\right)e^{(-8c)} + 16b \log\left(e^{(2dx+2c)}\right)$$

---

$8d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 
$$-1/8*(4*(a - 4*b)*d*x - (2*a*e^{(2*d*x + 2*c)} - 8*b*e^{(2*d*x + 2*c)} - a + b) * e^{(-2*d*x - 2*c)} - (a*e^{(2*d*x + 10*c)} + b*e^{(2*d*x + 10*c)}) * e^{(-8*c)} + 16 * b * \log(e^{(2*d*x + 2*c)} + 1) - 8*(3*b*e^{(4*d*x + 4*c)} + 4*b*e^{(2*d*x + 2*c)} + 3*b)/(e^{(2*d*x + 2*c)} + 1)^2)/d$$

**maple** [A] time = 0.20, size = 79, normalized size = 0.79

$$\frac{a \cosh(dx + c) \sinh(dx + c)}{2d} - \frac{ax}{2} - \frac{ac}{2d} + \frac{b \left( \sinh^4(dx + c) \right)}{2d \cosh(dx + c)^2} - \frac{2b \ln(\cosh(dx + c))}{d} + \frac{b \left( \tanh^2(dx + c) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x)

[Out] 
$$1/2*a*\cosh(d*x+c)*\sinh(d*x+c)/d - 1/2*a*x - 1/2/d*a*c + 1/2/d*b*\sinh(d*x+c)^4/\cosh(d*x+c)^2 - 2*b*\ln(\cosh(d*x+c))/d + b*\tanh(d*x+c)^2/d$$

**maxima** [A] time = 0.41, size = 141, normalized size = 1.41

$$-\frac{1}{8}a\left(4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d}\right) - \frac{1}{8}b\left(\frac{16(dx+c)}{d} - \frac{e^{(-2dx-2c)}}{d} + \frac{16\log(e^{(-2dx-2c)}+1)}{d}\right) - \frac{2e^{(-2dx-2c)}}{d(e^{(-2dx-2c)}+2e^{(-2dx-2c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] 
$$-1/8*a*(4*x - e^{(2*d*x + 2*c)}/d + e^{(-2*d*x - 2*c)}/d) - 1/8*b*(16*(d*x + c)/d - e^{(-2*d*x - 2*c)}/d + 16*\log(e^{(-2*d*x - 2*c)} + 1)/d - (2*e^{(-2*d*x - 2*c)} - 15*e^{(-4*d*x - 4*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + 2*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})))$$

**mupad** [B] time = 1.15, size = 115, normalized size = 1.15

$$\frac{e^{2c+2dx} (a + b)}{8d} - \frac{2b}{d(e^{2c+2dx} + 1)} - x\left(\frac{a}{2} - 2b\right) + \frac{2b}{d(2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{e^{-2c-2dx} (a - b)}{8d} - \frac{2b \ln(e^{2c} e^{2d})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^3),x)

[Out] 
$$(\exp(2*c + 2*d*x)*(a + b))/(8*d) - (2*b)/(d*(\exp(2*c + 2*d*x) + 1)) - x*(a/2 - 2*b) + (2*b)/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (\exp(-2*c - 2*d*x)*(a - b))/(8*d) - (2*b*\log(\exp(2*c)*\exp(2*d*x) + 1))/d$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**2*(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**3)*sinh(c + d*x)**2, x)
```

### 3.52 $\int \sinh(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=63

$$\frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{3b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}$$

[Out]  $-3/2*b*\arctan(\sinh(d*x+c))/d+a*\cosh(d*x+c)/d+3/2*b*\sinh(d*x+c)/d-1/2*b*\sinh(d*x+c)*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {3666, 2638, 2592, 288, 321, 203}

$$\frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{3b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $(-3*b*\text{ArcTan}[\text{Sinh}[c + d*x]])/(2*d) + (a*\text{Cosh}[c + d*x])/d + (3*b*\text{Sinh}[c + d*x])/d - (b*\text{Sinh}[c + d*x]*\text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !IntegerQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 321

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(
ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_.))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a
+ b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&
IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^3(c + dx)) dx &= -\left(i \int (ia \sinh(c + dx) + ib \sinh(c + dx) \tanh^3(c + dx)) dx\right) \\
&= a \int \sinh(c + dx) dx + b \int \sinh(c + dx) \tanh^3(c + dx) dx \\
&= \frac{a \cosh(c + dx)}{d} + \frac{b \operatorname{Subst}\left(\int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\
&= \frac{a \cosh(c + dx)}{d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{(3b) \operatorname{Subst}\left(\int \frac{x^2}{1+x^2} dx, x, \sinh(c + dx)\right)}{2d} \\
&= \frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d} \\
&= -\frac{3b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a \cosh(c + dx)}{d} + \frac{3b \sinh(c + dx)}{2d} - \frac{b \sinh(c + dx) \tanh^2(c + dx)}{2d}
\end{aligned}$$

**Mathematica** [A] time = 0.13, size = 72, normalized size = 1.14

$$\frac{a \sinh(c) \sinh(dx)}{d} + \frac{a \cosh(c) \cosh(dx)}{d} + \frac{b \sinh(c + dx) \tanh^2(c + dx)}{d} - \frac{3b (\tan^{-1}(\sinh(c + dx)) - \tanh(c + dx) \operatorname{sech}(c + dx))}{2d}$$



Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3),x]

[Out] (a\*Cosh[c]\*Cosh[d\*x])/d + (a\*Sinh[c]\*Sinh[d\*x])/d + (b\*Sinh[c + d\*x]\*Tanh[c + d\*x]^2)/d - (3\*b\*(ArcTan[Sinh[c + d\*x]] - Sech[c + d\*x]\*Tanh[c + d\*x]))/(2\*d)

**fricas** [B] time = 0.95, size = 528, normalized size = 8.38

$$\frac{(a + b) \cosh(dx + c)^6 + 6(a + b) \cosh(dx + c) \sinh(dx + c)^5 + (a + b) \sinh(dx + c)^6 + 3(a + b) \cosh(dx + c)^4}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] 1/2\*((a + b)\*cosh(d\*x + c)^6 + 6\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (a + b)\*sinh(d\*x + c)^6 + 3\*(a + b)\*cosh(d\*x + c)^4 + 3\*(5\*(a + b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c)^4 + 4\*(5\*(a + b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 3\*(a - b)\*cosh(d\*x + c)^2 + 3\*(5\*(a + b)\*cosh(d\*x + c)^4 + 6\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 - 6\*(b\*cosh(d\*x + c)^5 + 5\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + b\*sinh(d\*x + c)^5 + 2\*b\*cosh(d\*x + c)^3 + 2\*(5\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c)^3 + 2\*(5\*b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + b\*cosh(d\*x + c) + (5\*b\*cosh(d\*x + c)^4 + 6\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c))\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) + 6\*((a + b)\*cosh(d\*x + c)^5 + 2\*(a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a - b)/(d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + d\*sinh(d\*x + c)^5 + 2\*d\*cosh(d\*x + c)^3 + 2\*(5\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^3 + 2\*(5\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + d\*cosh(d\*x + c) + (5\*d\*cosh(d\*x + c)^4 + 6\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c))

**giac** [A] time = 0.17, size = 95, normalized size = 1.51

$$\frac{6 b \arctan \left( e^{(dx+c)} \right) - (a - b) e^{(-dx-c)} - \left( a e^{(dx+8c)} + b e^{(dx+8c)} \right) e^{(-7c)} - \frac{2 \left( b e^{(3dx+3c)} - b e^{(dx+c)} \right)}{\left( e^{(2dx+2c)} + 1 \right)^2}}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] -1/2\*(6\*b\*arctan(e^(d\*x + c)) - (a - b)\*e^(-d\*x - c) - (a\*e^(d\*x + 8\*c) + b\*e^(d\*x + 8\*c))\*e^(-7\*c) - 2\*(b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c)))/(e^(2\*d\*x + 2\*c) + 1)^2/d

**maple** [A] time = 0.28, size = 85, normalized size = 1.35

$$\frac{a \cosh(dx+c)}{d} + \frac{b(\sinh^3(dx+c))}{d \cosh(dx+c)^2} + \frac{3b \sinh(dx+c)}{d \cosh(dx+c)^2} - \frac{3b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} - \frac{3b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x)

[Out] a\*cosh(d\*x+c)/d+1/d\*b\*sinh(d\*x+c)^3/cosh(d\*x+c)^2+3/d\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2-3/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d-3/d\*b\*arctan(exp(d\*x+c))

**maxima** [A] time = 0.41, size = 105, normalized size = 1.67

$$\frac{1}{2}b \left( \frac{6 \arctan(e^{(-dx-c)})}{d} - \frac{e^{(-dx-c)}}{d} + \frac{4e^{(-2dx-2c)} - e^{(-4dx-4c)} + 1}{d(e^{(-dx-c)} + 2e^{(-3dx-3c)} + e^{(-5dx-5c)})} \right) + \frac{a \cosh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] 1/2\*b\*(6\*arctan(e^(-d\*x - c))/d - e^(-d\*x - c)/d + (4\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) + 1)/(d\*(e^(-d\*x - c) + 2\*e^(-3\*d\*x - 3\*c) + e^(-5\*d\*x - 5\*c)))) + a\*cosh(d\*x + c)/d

**mupad** [B] time = 0.14, size = 128, normalized size = 2.03

$$\frac{e^{-c-dx} (a-b)}{2d} - \frac{3 \operatorname{atan}\left(\frac{b e^{dx} e^c \sqrt{d^2}}{d \sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{d^2}} + \frac{e^{c+dx} (a+b)}{2d} + \frac{b e^{c+dx}}{d (e^{2c+2dx} + 1)} - \frac{2 b e^{c+dx}}{d (2 e^{2c+2dx} + e^{4c+4dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)\*(a + b\*tanh(c + d\*x)^3),x)

[Out] (exp(-c - d\*x)\*(a - b))/(2\*d) - (3\*atan((b\*exp(d\*x)\*exp(c)\*(d^2)^(1/2))/(d\*(b^2)^(1/2)))\*(b^2)^(1/2))/(d^2)^(1/2) + (exp(c + d\*x)\*(a + b))/(2\*d) + (b\*exp(c + d\*x))/(d\*(exp(2\*c + 2\*d\*x) + 1)) - (2\*b\*exp(c + d\*x))/(d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)*(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**3)*sinh(c + d*x), x)
```

### 3.53 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^3(c + dx) \right) dx$

**Optimal.** Leaf size=49

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b \tanh^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $1/2*b*\arctan(\sinh(d*x+c))/d - a*\operatorname{arctanh}(\cosh(d*x+c))/d - 1/2*b*\operatorname{sech}(d*x+c)*\operatorname{tanh}(d*x+c)/d$

**Rubi [A]** time = 0.07, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3666, 3770, 2611}

$$-\frac{a \tanh^{-1}(\cosh(c + dx))}{d} + \frac{b \tanh^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]*(a + b*Tanh[c + d*x]^3), x]`

[Out] `(b*ArcTan[Sinh[c + d*x]])/(2*d) - (a*ArcTanh[Cosh[c + d*x]])/d - (b*Sech[c + d*x]*Tanh[c + d*x])/(2*d)`

#### Rule 2611

`Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*(m + n - 1)), x] - Dist[(b^2*(n - 1))/(m + n - 1), Int[(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && NeQ[m + n - 1, 0] && IntegersQ[2*m, 2*n]`

#### Rule 3666

`Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] :> Int[ExpandTrig[(d*sin[e + f*x])^m*(a + b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx)) dx &= i \int (-i a \operatorname{csch}(c+dx) - b \operatorname{sech}(c+dx) \tanh^2(c+dx)) dx \\
&= a \int \operatorname{csch}(c+dx) dx + b \int \operatorname{sech}(c+dx) \tanh^2(c+dx) dx \\
&= -\frac{a \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} + \frac{1}{2} b \int \operatorname{sech}(c+dx) dx \\
&= \frac{b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{a \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 75, normalized size = 1.53

$$\frac{a \log\left(\sinh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{a \log\left(\cosh\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{b \tan^{-1}(\sinh(c+dx))}{2d} - \frac{b \tanh(c+dx) \operatorname{sech}(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Log[Cosh[c/2 + (d\*x)/2]])/d + (a\*Log[Sinh[c/2 + (d\*x)/2]])/d - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**fricas [B]** time = 0.96, size = 522, normalized size = 10.65

$$\frac{b \cosh(dx+c)^3 + 3b \cosh(dx+c) \sinh(dx+c)^2 + b \sinh(dx+c)^3 - (b \cosh(dx+c)^4 + 4b \cosh(dx+c) \sinh(dx+c)^2 + 4b \sinh(dx+c)^3)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3), x, algorithm="fricas")

[Out] -(b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + b\*sinh(d\*x + c)^3 - (b\*cosh(d\*x + c)^4 + 4\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + b\*sinh(d\*x + c)^4 + 2\*b\*cosh(d\*x + c)^2 + 2\*(3\*b\*cosh(d\*x + c)^2 + b)\*sinh(d\*x + c)^2 + 4\*(b\*cosh(d\*x + c)^3 + b\*cosh(d\*x + c))\*sinh(d\*x + c) + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - b\*cosh(d\*x + c) + (a\*cosh(d\*x + c)^4 + 4\*a\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + a\*sinh(d\*x + c)^4 + 2\*a\*cosh(d\*x + c)^2 + 2\*(3\*a\*cosh(d\*x + c)^2 + a)\*sinh(d\*x + c)^2 + 4\*(a\*cosh(d\*x + c)^3 + a\*cosh(d\*x + c))\*sinh(d\*x + c) + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) + 1) - (a\*cosh(d\*x + c)^4 + 4\*a\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + a\*sinh(d\*x + c)^4 + 2\*a\*cosh(d\*x + c)^2 + 2\*(3\*a\*cosh(d\*x + c)^2 + a)\*sinh(d\*x + c)^2 + 4\*(a\*cosh(d\*x + c)^3 + a\*cosh(d\*x + c))\*sinh(d\*x + c) + a)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + (3\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^4 + 4\*d\*cosh

$(d*x + c)*\sinh(d*x + c)^3 + d*\sinh(d*x + c)^4 + 2*d*\cosh(d*x + c)^2 + 2*(3*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 4*(d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d$

**giac** [A] time = 0.16, size = 74, normalized size = 1.51

$$\frac{b \arctan(e^{(dx+c)}) - a \log(e^{(dx+c)} + 1) + a \log(|e^{(dx+c)} - 1|) - \frac{be^{(3dx+3c)} - be^{(dx+c)}}{(e^{(2dx+2c)} + 1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $(b*\arctan(e^{(d*x + c)}) - a*\log(e^{(d*x + c)} + 1) + a*\log(\text{abs}(e^{(d*x + c)} - 1))) - (b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^2/d$

**maple** [A] time = 0.37, size = 65, normalized size = 1.33

$$-\frac{2a \operatorname{arctanh}(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-2/d*a*\operatorname{arctanh}(\exp(d*x+c))-1/d*b*\sinh(d*x+c)/\cosh(d*x+c)^2+1/2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d+1/d*b*\arctan(\exp(d*x+c))$

**maxima** [A] time = 0.41, size = 83, normalized size = 1.69

$$-b \left( \frac{\arctan(e^{(-dx-c)})}{d} + \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{a \log\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out]  $-b*(\arctan(e^{(-d*x - c)})/d + (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + a*\log(\tanh(1/2*d*x + 1/2*c))/d$

**mupad** [B] time = 2.47, size = 233, normalized size = 4.76

$$\frac{2be^{c+dx}}{d + 2de^{2c+2dx} + de^{4c+4dx}} - \frac{a \ln(-8ab^2 - 32a^3 - 32a^3e^{dx}e^c - 8ab^2e^{dx}e^c)}{d} + \frac{a \ln(8ab^2 + 32a^3 - 32a^3e^{dx}e^c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^3)/sinh(c + d*x), x)`

[Out]  $(2*b*\exp(c + d*x))/(d + 2*d*\exp(2*c + 2*d*x) + d*\exp(4*c + 4*d*x)) - (a*\log(-8*a*b^2 - 32*a^3 - 32*a^3*\exp(d*x)*\exp(c) - 8*a*b^2*\exp(d*x)*\exp(c)))/d + (a*\log(8*a*b^2 + 32*a^3 - 32*a^3*\exp(d*x)*\exp(c) - 8*a*b^2*\exp(d*x)*\exp(c)))/d - (b*(\log(4*b^3*\exp(d*x)*\exp(c) - b^3*4i - a^2*b*16i + 16*a^2*b*\exp(d*x)*\exp(c))*1i - \log(a^2*b*16i + b^3*4i + 4*b^3*\exp(d*x)*\exp(c) + 16*a^2*b*\exp(d*x)*\exp(c))*1i))/(2*d) - (b*\exp(c + d*x))/(d + d*\exp(2*c + 2*d*x))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)*(a+b*tanh(d*x+c)**3), x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)*csch(c + d*x), x)`

### 3.54 $\int \operatorname{csch}^2(c + dx) (a + b \tanh^3(c + dx)) dx$

Optimal. Leaf size=29

$$\frac{b \tanh^2(c + dx)}{2d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

[Out]  $-a \operatorname{coth}(d*x+c)/d + 1/2*b*\tanh(d*x+c)^2/d$

Rubi [A] time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 14}

$$\frac{b \tanh^2(c + dx)}{2d} - \frac{a \operatorname{coth}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Csch}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^3), x]$

[Out]  $-((a*\text{Coth}[c + d*x])/d) + (b*\text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

#### Rubi steps



$$\begin{aligned} \int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+bx^3}{x^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{a}{x^2} + bx\right) dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{a \operatorname{coth}(c+dx)}{d} + \frac{b \tanh^2(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 29, normalized size = 1.00

$$-\frac{a \operatorname{coth}(c+dx)}{d} - \frac{b \operatorname{sech}^2(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] -((a\*Coth[c + d\*x])/d) - (b\*Sech[c + d\*x]^2)/(2\*d)

**fricas [B]** time = 1.30, size = 141, normalized size = 4.86

$$\frac{2 \left( (2a+b) \cosh(dx+c)^2 + 2b \cosh(dx+c) \sinh(dx+c) + (2a+b) \sinh(dx+c) \right)}{d \cosh(dx+c)^4 + 6d \cosh(dx+c)^2 \sinh(dx+c)^2 + 4d \cosh(dx+c) \sinh(dx+c)^3 + d \sinh(dx+c)^4 + 4 \left( a \cosh(dx+c)^3 + b \sinh(dx+c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3), x, algorithm="fricas")

[Out] -2\*((2\*a + b)\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + (2\*a + b)\*sinh(d\*x + c)^2 + 2\*a - b)/(d\*cosh(d\*x + c)^4 + 6\*d\*cosh(d\*x + c)^2\*sinh(d\*x + c)^2 + 4\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + d\*sinh(d\*x + c)^4 + 4\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) - d)

**giac [A]** time = 0.19, size = 45, normalized size = 1.55

$$-\frac{2 \left( \frac{a}{e^{2dx+2c}-1} + \frac{be^{2dx+2c}}{(e^{2dx+2c}+1)^2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3), x, algorithm="giac")

[Out]  $-2*(a/(e^{(2*d*x + 2*c)} - 1) + b*e^{(2*d*x + 2*c)}/(e^{(2*d*x + 2*c)} + 1)^2)/d$

**maple** [A] time = 0.36, size = 26, normalized size = 0.90

$$\frac{-\coth(dx+c)a - \frac{b}{2\cosh(dx+c)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^2*(a+b*tanh(d*x+c)^3),x)`

[Out]  $1/d*(-\coth(d*x+c)*a-1/2*b/\cosh(d*x+c)^2)$

**maxima** [A] time = 0.30, size = 44, normalized size = 1.52

$$\frac{2a}{d(e^{-2dx-2c}-1)} - \frac{2b}{d(e^{dx+c} + e^{-dx-c})^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2*(a+b*tanh(d*x+c)^3),x, algorithm="maxima")`

[Out]  $2*a/(d*(e^{-2*d*x - 2*c} - 1)) - 2*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^2)$

**mupad** [B] time = 0.17, size = 79, normalized size = 2.72

$$\frac{2(a + 2ae^{2c+2dx} + ae^{4c+4dx} - be^{2c+2dx} + be^{4c+4dx})}{d(e^{2c+2dx}-1)(e^{2c+2dx}+1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^3)/sinh(c + d*x)^2,x)`

[Out]  $-(2*(a + 2*a*\exp(2*c + 2*d*x) + a*\exp(4*c + 4*d*x) - b*\exp(2*c + 2*d*x) + b*\exp(4*c + 4*d*x)))/(d*(\exp(2*c + 2*d*x) - 1)*(\exp(2*c + 2*d*x) + 1)^2)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**2*(a+b*tanh(d*x+c)**3),x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)*csch(c + d*x)**2, x)`

### 3.55 $\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx)) dx$

**Optimal.** Leaf size=71

$$\frac{a \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out] 1/2\*b\*arctan(sinh(d\*x+c))/d+1/2\*a\*arctanh(cosh(d\*x+c))/d-1/2\*a\*coth(d\*x+c)\*csch(d\*x+c)/d+1/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.09, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3666, 3768, 3770}

$$\frac{a \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) + (a\*ArcTanh[Cosh[c + d\*x]])/(2\*d) - (a\*Cot h[c + d\*x]\*Csch[c + d\*x])/(2\*d) + (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

#### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\* (b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx)) dx &= -\left(i \int (i a \operatorname{csch}^3(c+dx) + i b \operatorname{sech}^3(c+dx)) dx\right) \\
&= a \int \operatorname{csch}^3(c+dx) dx + b \int \operatorname{sech}^3(c+dx) dx \\
&= -\frac{a \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} + \frac{b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} - \frac{1}{2} a \int \\
&= \frac{b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 95, normalized size = 1.34

$$-\frac{a \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{2d} + \frac{b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{b \tanh(c+dx) \operatorname{sech}(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (a\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a\*Sech[(c + d\*x)/2]^2)/(8\*d) + (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**fricas [B]** time = 1.68, size = 1188, normalized size = 16.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3), x, algorithm="fricas")

[Out] -1/2\*(2\*(a - b)\*cosh(d\*x + c)^7 + 14\*(a - b)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + 2\*(a - b)\*sinh(d\*x + c)^7 + 6\*(a + b)\*cosh(d\*x + c)^5 + 6\*(7\*(a - b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c)^5 + 10\*(7\*(a - b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 6\*(a - b)\*cosh(d\*x + c)^3 + 2\*(35\*(a - b)\*cosh(d\*x + c)^4 + 30\*(a + b)\*cosh(d\*x + c)^2 + 3\*a - 3\*b)\*sinh(d\*x + c)^3 + 6\*(7\*(a - b)\*cosh(d\*x + c)^5 + 10\*(a + b)\*cosh(d\*x + c)^3 + 3\*(a - b)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 - 2\*(b\*cosh(d\*x + c)^8 + 56\*b\*cosh(d\*x + c)^3\*sinh(d\*x + c)^5 + 28\*b\*cosh(d\*x + c)^2\*sinh(d\*x + c)^6 + 8\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + b\*sinh(d\*x + c)^8 - 2\*b\*cosh(d\*x + c)^4 + 2\*(35\*b\*cosh(d\*x + c)^4 - b)\*sinh(d\*x + c)^4 + 8\*(7\*b\*cosh(d\*x + c)^5 - b\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(7\*b\*cosh(d\*x + c)^6 - 3\*b\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*(b\*cosh(d\*x + c)^7 - b\*cosh(d\*x + c)^3)\*sinh(d\*x + c) + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) + 2\*(a + b)\*cosh(d\*x + c) - (a\*cosh(d\*x + c)

$c)^8 + 56*a*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*a*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*a*cosh(d*x + c)*sinh(d*x + c)^7 + a*sinh(d*x + c)^8 - 2*a*cosh(d*x + c)^4 + 2*(35*a*cosh(d*x + c)^4 - a)*sinh(d*x + c)^4 + 8*(7*a*cosh(d*x + c)^5 - a*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*a*cosh(d*x + c)^6 - 3*a*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(a*cosh(d*x + c)^7 - a*cosh(d*x + c)^3)*sinh(d*x + c) + a*log(cosh(d*x + c) + sinh(d*x + c) + 1) + (a*cosh(d*x + c)^8 + 56*a*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*a*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*a*cosh(d*x + c)*sinh(d*x + c)^7 + a*sinh(d*x + c)^8 - 2*a*cosh(d*x + c)^4 + 2*(35*a*cosh(d*x + c)^4 - a)*sinh(d*x + c)^4 + 8*(7*a*cosh(d*x + c)^5 - a*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*a*cosh(d*x + c)^6 - 3*a*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(a*cosh(d*x + c)^7 - a*cosh(d*x + c)^3)*sinh(d*x + c) + a*log(cosh(d*x + c) + sinh(d*x + c) - 1) + 2*(7*(a - b)*cosh(d*x + c)^6 + 15*(a + b)*cosh(d*x + c)^4 + 9*(a - b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c))/(d*cosh(d*x + c)^8 + 56*d*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*d*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 - 2*d*cosh(d*x + c)^4 + 2*(35*d*cosh(d*x + c)^4 - d)*sinh(d*x + c)^4 + 8*(7*d*cosh(d*x + c)^5 - d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*d*cosh(d*x + c)^6 - 3*d*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^7 - d*cosh(d*x + c)^3)*sinh(d*x + c) + d)$

**giac [B]** time = 0.17, size = 143, normalized size = 2.01

$$\frac{2b \arctan(e^{dx+c}) + a \log(e^{dx+c} + 1) - a \log(|e^{dx+c} - 1|) - \frac{2(ae^{7dx+7c} - be^{7dx+7c}) + 3ae^{5dx+5c} + 3be^{5dx+5c} + 3ae^{3dx+3c}}{(e^{4dx+4c} - 1)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $\frac{1}{2}*(2*b*\arctan(e^{(d*x + c)}) + a*\log(e^{(d*x + c)} + 1) - a*\log(\text{abs}(e^{(d*x + c)} - 1))) - 2*(a*e^{(7*d*x + 7*c)} - b*e^{(7*d*x + 7*c)} + 3*a*e^{(5*d*x + 5*c)} + 3*b*e^{(5*d*x + 5*c)} + 3*a*e^{(3*d*x + 3*c)} - 3*b*e^{(3*d*x + 3*c)} + a*e^{(d*x + c)} + b*e^{(d*x + c)})/(e^{(4*d*x + 4*c)} - 1)^2)/d$

**maple [A]** time = 0.45, size = 62, normalized size = 0.87

$$-\frac{a \coth(dx + c) \operatorname{csch}(dx + c)}{2d} + \frac{a \operatorname{arctanh}(e^{dx+c})}{d} + \frac{b \operatorname{sech}(dx + c) \tanh(dx + c)}{2d} + \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-1/2*a*\coth(d*x+c)*\operatorname{csch}(d*x+c)/d + 1/d*a*\operatorname{arctanh}(\exp(d*x+c)) + 1/2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d + 1/d*b*\operatorname{arctan}(\exp(d*x+c))$

**maxima** [B] time = 0.42, size = 156, normalized size = 2.20

$$-b \left( \frac{\arctan(e^{(-dx-c)})}{d} - \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{1}{2} a \left( \frac{\log(e^{(-dx-c)} + 1)}{d} - \frac{\log(e^{(-dx-c)} - 1)}{d} \right) + \frac{2(e^{(-dx-c)} - 1)}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] -b\*(arctan(e^(-d\*x - c))/d - (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + 1/2\*a\*(log(e^(-d\*x - c) + 1)/d - log(e^(-d\*x - c) - 1)/d + 2\*(e^(-d\*x - c) + e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) - 1)))

**mupad** [B] time = 2.48, size = 173, normalized size = 2.44

$$\frac{a \ln(e^{c+dx} + 1)}{2d} - \frac{\frac{4e^{3c+3dx}(a-b)}{d} + \frac{4e^{c+dx}(a+b)}{d}}{e^{8c+8dx} - 2e^{4c+4dx} + 1} - \frac{a \ln(e^{c+dx} - 1)}{2d} - \frac{\frac{e^{3c+3dx}(a-b)}{d} + \frac{3e^{c+dx}(a+b)}{d}}{e^{4c+4dx} - 1} - \frac{b \ln(e^{c+dx} - i)}{2d} + \frac{b \ln(e^{c+dx} + i)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^3)/sinh(c + d\*x)^3,x)

[Out] (a\*log(exp(c + d\*x) + 1))/(2\*d) - ((4\*exp(3\*c + 3\*d\*x)\*(a - b))/d + (4\*exp(c + d\*x)\*(a + b))/d)/(exp(8\*c + 8\*d\*x) - 2\*exp(4\*c + 4\*d\*x) + 1) - (a\*log(exp(c + d\*x) - 1))/(2\*d) - ((exp(3\*c + 3\*d\*x)\*(a - b))/d + (3\*exp(c + d\*x)\*(a + b))/d)/(exp(4\*c + 4\*d\*x) - 1) - (b\*log(exp(c + d\*x) - 1i)\*1i)/(2\*d) + (b\*log(exp(c + d\*x) + 1i)\*1i)/(2\*d)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*csch(c + d\*x)\*\*3, x)

### 3.56 $\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx)) dx$

Optimal. Leaf size=56

$$-\frac{a \operatorname{coth}^3(c + dx)}{3d} + \frac{a \operatorname{coth}(c + dx)}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\tanh(c + dx))}{d}$$

[Out]  $a \operatorname{coth}(d*x+c)/d - 1/3*a*\operatorname{coth}(d*x+c)^3/d + b*\ln(\tanh(d*x+c))/d - 1/2*b*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.06, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3663, 1802}

$$-\frac{a \operatorname{coth}^3(c + dx)}{3d} + \frac{a \operatorname{coth}(c + dx)}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\tanh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $(a*\operatorname{Coth}[c + d*x])/d - (a*\operatorname{Coth}[c + d*x]^3)/(3*d) + (b*\operatorname{Log}[\operatorname{Tanh}[c + d*x]])/d - (b*\operatorname{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 1802

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rule 3663

Int[sin[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx)) dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a}{x^4} - \frac{a}{x^2} + \frac{b}{x} - bx\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a \operatorname{coth}(c+dx)}{d} - \frac{a \operatorname{coth}^3(c+dx)}{3d} + \frac{b \log(\tanh(c+dx))}{d} - \frac{b \tanh^2(c+dx)}{2d}$$

**Mathematica [A]** time = 0.22, size = 74, normalized size = 1.32

$$\frac{2a \operatorname{coth}(c+dx)}{3d} - \frac{a \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} - \frac{b(-\operatorname{sech}^2(c+dx) - 2 \log(\sinh(c+dx)) + 2 \log(\cosh(c+dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (2\*a\*Coth[c + d\*x])/(3\*d) - (a\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (b\*(2\*Log[Cosh[c + d\*x]] - 2\*Log[Sinh[c + d\*x]] - Sech[c + d\*x]^2))/(2\*d)

**fricas [B]** time = 0.74, size = 1739, normalized size = 31.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x, algorithm="fricas")

[Out] 1/3\*(6\*b\*cosh(d\*x + c)^8 + 48\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + 6\*b\*sinh(d\*x + c)^8 - 6\*(2\*a + 3\*b)\*cosh(d\*x + c)^6 + 6\*(28\*b\*cosh(d\*x + c)^2 - 2\*a - 3\*b)\*sinh(d\*x + c)^6 + 12\*(28\*b\*cosh(d\*x + c)^3 - 3\*(2\*a + 3\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 - 2\*(10\*a - 9\*b)\*cosh(d\*x + c)^4 + 2\*(210\*b\*cosh(d\*x + c)^4 - 45\*(2\*a + 3\*b)\*cosh(d\*x + c)^2 - 10\*a + 9\*b)\*sinh(d\*x + c)^4 + 8\*(42\*b\*cosh(d\*x + c)^5 - 15\*(2\*a + 3\*b)\*cosh(d\*x + c)^3 - (10\*a - 9\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - 2\*(2\*a + 3\*b)\*cosh(d\*x + c)^2 + 2\*(84\*b\*cosh(d\*x + c)^6 - 45\*(2\*a + 3\*b)\*cosh(d\*x + c)^4 - 6\*(10\*a - 9\*b)\*cosh(d\*x + c)^2 - 2\*a - 3\*b)\*sinh(d\*x + c)^2 - 3\*(b\*cosh(d\*x + c)^10 + 10\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + b\*sinh(d\*x + c)^10 - b\*cosh(d\*x + c)^8 + (45\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c)^8 + 8\*(15\*b\*cosh(d\*x + c)^3 - b\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 2\*b\*cosh(d\*x + c)^6 + 2\*(105\*b\*cosh(d\*x + c)^4 - 14\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c)^6 + 4\*(63\*b\*cosh(d\*x + c)^5 - 14\*b\*cosh(d\*x + c)^3 - 3\*b\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*b\*cosh(d\*x + c)^4 + 2\*(105\*b\*cosh



```

(d*x + c)^6 - 35*b*cosh(d*x + c)^4 - 15*b*cosh(d*x + c)^2 + b)*sinh(d*x + c
)^4 + 8*(15*b*cosh(d*x + c)^7 - 7*b*cosh(d*x + c)^5 - 5*b*cosh(d*x + c)^3 +
b*cosh(d*x + c))*sinh(d*x + c)^3 + b*cosh(d*x + c)^2 + (45*b*cosh(d*x + c)
^8 - 28*b*cosh(d*x + c)^6 - 30*b*cosh(d*x + c)^4 + 12*b*cosh(d*x + c)^2 + b
)*sinh(d*x + c)^2 + 2*(5*b*cosh(d*x + c)^9 - 4*b*cosh(d*x + c)^7 - 6*b*cosh
(d*x + c)^5 + 4*b*cosh(d*x + c)^3 + b*cosh(d*x + c))*sinh(d*x + c) - b)*log
(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 3*(b*cosh(d*x + c)^10 +
10*b*cosh(d*x + c)*sinh(d*x + c)^9 + b*sinh(d*x + c)^10 - b*cosh(d*x + c)^
8 + (45*b*cosh(d*x + c)^2 - b)*sinh(d*x + c)^8 + 8*(15*b*cosh(d*x + c)^3 -
b*cosh(d*x + c))*sinh(d*x + c)^7 - 2*b*cosh(d*x + c)^6 + 2*(105*b*cosh(d*x
+ c)^4 - 14*b*cosh(d*x + c)^2 - b)*sinh(d*x + c)^6 + 4*(63*b*cosh(d*x + c)^
5 - 14*b*cosh(d*x + c)^3 - 3*b*cosh(d*x + c))*sinh(d*x + c)^5 + 2*b*cosh(d*
x + c)^4 + 2*(105*b*cosh(d*x + c)^6 - 35*b*cosh(d*x + c)^4 - 15*b*cosh(d*x
+ c)^2 + b)*sinh(d*x + c)^4 + 8*(15*b*cosh(d*x + c)^7 - 7*b*cosh(d*x + c)^5
- 5*b*cosh(d*x + c)^3 + b*cosh(d*x + c))*sinh(d*x + c)^3 + b*cosh(d*x + c)
^2 + (45*b*cosh(d*x + c)^8 - 28*b*cosh(d*x + c)^6 - 30*b*cosh(d*x + c)^4 +
12*b*cosh(d*x + c)^2 + b)*sinh(d*x + c)^2 + 2*(5*b*cosh(d*x + c)^9 - 4*b*co
sh(d*x + c)^7 - 6*b*cosh(d*x + c)^5 + 4*b*cosh(d*x + c)^3 + b*cosh(d*x + c)
)*sinh(d*x + c) - b)*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) +
4*(12*b*cosh(d*x + c)^7 - 9*(2*a + 3*b)*cosh(d*x + c)^5 - 2*(10*a - 9*b)*c
osh(d*x + c)^3 - (2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 4*a)/(d*cosh(d*
x + c)^10 + 10*d*cosh(d*x + c)*sinh(d*x + c)^9 + d*sinh(d*x + c)^10 - d*cos
h(d*x + c)^8 + (45*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^8 + 8*(15*d*cosh(d*
x + c)^3 - d*cosh(d*x + c))*sinh(d*x + c)^7 - 2*d*cosh(d*x + c)^6 + 2*(105*
d*cosh(d*x + c)^4 - 14*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^6 + 4*(63*d*cos
h(d*x + c)^5 - 14*d*cosh(d*x + c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^5 +
2*d*cosh(d*x + c)^4 + 2*(105*d*cosh(d*x + c)^6 - 35*d*cosh(d*x + c)^4 - 15*
d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 8*(15*d*cosh(d*x + c)^7 - 7*d*cosh
(d*x + c)^5 - 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^3 + d*co
sh(d*x + c)^2 + (45*d*cosh(d*x + c)^8 - 28*d*cosh(d*x + c)^6 - 30*d*cosh(d*
x + c)^4 + 12*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 2*(5*d*cosh(d*x + c)
^9 - 4*d*cosh(d*x + c)^7 - 6*d*cosh(d*x + c)^5 + 4*d*cosh(d*x + c)^3 + d*co
sh(d*x + c))*sinh(d*x + c) - d)

```

**giac [B]** time = 0.18, size = 149, normalized size = 2.66

$$\frac{6b \log(e^{(2dx+2c)} + 1) - 6b \log(|e^{(2dx+2c)} - 1|) - \frac{3(3be^{(4dx+4c)} + 10be^{(2dx+2c)} + 3b)}{(e^{(2dx+2c)} + 1)^2} + \frac{11be^{(6dx+6c)} - 33be^{(4dx+4c)} + 24ae^{(2dx+2c)}}{(e^{(2dx+2c)} - 1)^3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] -1/6\*(6\*b\*log(e^(2\*d\*x + 2\*c) + 1) - 6\*b\*log(abs(e^(2\*d\*x + 2\*c) - 1))) - 3\*(3\*b\*e^(4\*d\*x + 4\*c) + 10\*b\*e^(2\*d\*x + 2\*c) + 3\*b)/(e^(2\*d\*x + 2\*c) + 1)^2

$$+ (11*b*e^{(6*d*x + 6*c)} - 33*b*e^{(4*d*x + 4*c)} + 24*a*e^{(2*d*x + 2*c)} + 33*b*e^{(2*d*x + 2*c)} - 8*a - 11*b)/(e^{(2*d*x + 2*c)} - 1)^3/d$$

**maple [A]** time = 0.38, size = 60, normalized size = 1.07

$$\frac{2a \coth(dx + c)}{3d} - \frac{a \coth(dx + c) \operatorname{csch}(dx + c)^2}{3d} + \frac{b}{2d \cosh(dx + c)^2} + \frac{b \ln(\tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x)

[Out] 2/3\*a\*coth(d\*x+c)/d-1/3\*a\*coth(d\*x+c)\*csch(d\*x+c)^2/d+1/2/d\*b/cosh(d\*x+c)^2+b\*ln(tanh(d\*x+c))/d

**maxima [B]** time = 0.40, size = 184, normalized size = 3.29

$$b \left( \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} - \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{4}{3} a \left( \frac{1}{d(3e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] b\*(log(e^(-d\*x - c) + 1)/d + log(e^(-d\*x - c) - 1)/d - log(e^(-2\*d\*x - 2\*c) + 1)/d + 2\*e^(-2\*d\*x - 2\*c)/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + 4/3\*a\*(3\*e^(-2\*d\*x - 2\*c)/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1)) - 1/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1)))

**mupad [B]** time = 1.24, size = 162, normalized size = 2.89

$$\frac{2b}{d(e^{2c+2dx} + 1)} - \frac{4a}{d(e^{4c+4dx} - 2e^{2c+2dx} + 1)} - \frac{2b}{d(2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{8a}{3d(3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^3)/sinh(c + d\*x)^4, x)

[Out] (2\*b)/(d\*(exp(2\*c + 2\*d\*x) + 1)) - (4\*a)/(d\*(exp(4\*c + 4\*d\*x) - 2\*exp(2\*c + 2\*d\*x) + 1)) - (2\*b)/(d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1)) - (8\*a)/(3\*d\*(3\*exp(2\*c + 2\*d\*x) - 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) - 1)) - (2\*atan((b\*exp(2\*c)\*exp(2\*d\*x)\*(-d^2)^(1/2))/(d\*(b^2)^(1/2)))\*(b^2)^(1/2))/(-d^2)^(1/2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx)) \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**3), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**3)*csch(c + d*x)**4, x)
```

### 3.57 $\int \sinh^4(c + dx) \left(a + b \tanh^3(c + dx)\right)^2 dx$

**Optimal.** Leaf size=170

$$\frac{\sinh(c + dx) \cosh^3(c + dx) (a^2 + 2ab \tanh(c + dx) + b^2)}{4d} - \frac{\sinh(c + dx) \cosh(c + dx) (5a^2 + 20ab \tanh(c + dx) + b^2)}{8d}$$

[Out]  $\frac{3}{8} \frac{(a^2 + 21b^2)x + 6ab \ln(\cosh(dx+c))}{d} - \frac{6b^2 \tanh(dx+c)}{d} - \frac{a b \tanh(dx+c)^2}{d} - \frac{b^2 \tanh(dx+c)^3}{d} - \frac{1}{5} \frac{b^2 \tanh(dx+c)^5}{d} + \frac{1}{4} \frac{\cosh(dx+c)^3 \sinh(dx+c) (a^2 + b^2 + 2ab \tanh(dx+c))}{d} - \frac{1}{8} \frac{\cosh(dx+c) \sinh(dx+c) (5a^2 + 17b^2 + 20ab \tanh(dx+c))}{d}$

**Rubi [A]** time = 0.30, antiderivative size = 206, normalized size of antiderivative = 1.21, number of steps used = 8, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{3(a^2 + 21b^2) \tanh(c + dx)}{8d} - \frac{3(a^2 + 16ab + 21b^2) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a^2 - 16ab + 21b^2) \log(\tanh(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out]  $(-3(a^2 + 16ab + 21b^2) \text{Log}[1 - \text{Tanh}[c + dx]])/(16d) + (3(a^2 - 16ab + 21b^2) \text{Log}[1 + \text{Tanh}[c + dx]])/(16d) - (3(a^2 + 21b^2) \text{Tanh}[c + dx])/(8d) - (3ab \text{Tanh}[c + dx]^2)/d - (b^2 \text{Tanh}[c + dx]^3)/d - (b^2 \text{Tanh}[c + dx]^5)/(5d) - (\text{Sinh}[c + dx]^2 \text{Tanh}[c + dx] (a^2 + 13b^2 + 16ab \text{Tanh}[c + dx]))/(8d) + (\text{Sinh}[c + dx]^4 (2ab + (a^2 + b^2) \text{Tanh}[c + dx]))/(4d)$

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

#### Rule 1802

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]

&& PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^4(c + dx) (2ab + (a^2 + b^2) \tanh(c + dx))}{4d} + \frac{\text{Subst}\left(\int \frac{x^3(-8ab-(a^2+b^2)x^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{\sinh^2(c + dx) \tanh(c + dx) (a^2 + 13b^2 + 16ab \tanh(c + dx))}{8d} + \frac{\text{Subst}\left(\int \frac{x^2(-8ab-(a^2+b^2)x^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{\sinh^2(c + dx) \tanh(c + dx) (a^2 + 13b^2 + 16ab \tanh(c + dx))}{8d} + \frac{\text{Subst}\left(\int \frac{x(-8ab-(a^2+b^2)x^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{3(a^2 + 21b^2) \tanh(c + dx)}{8d} - \frac{3ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{d} + \frac{\text{Subst}\left(\int \frac{x^0(-8ab-(a^2+b^2)x^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{3(a^2 + 21b^2) \tanh(c + dx)}{8d} - \frac{3ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{d} + \frac{\text{Subst}\left(\int \frac{x^0(-8ab-(a^2+b^2)x^3)}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{3(a^2 + 16ab + 21b^2) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a^2 - 16ab + 21b^2)}{16d}
\end{aligned}$$

**Mathematica [A]** time = 2.83, size = 156, normalized size = 0.92

$$\frac{60(a^2 + 21b^2)(c + dx) - 40(a^2 + 4b^2) \sinh(2(c + dx)) + 5(a^2 + b^2) \sinh(4(c + dx)) - 200ab \cosh(2(c + dx)) + 100ab \cosh(4(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (60\*(a^2 + 21\*b^2)\*(c + d\*x) - 200\*a\*b\*Cosh[2\*(c + d\*x)] + 10\*a\*b\*Cosh[4\*(c + d\*x)] + 960\*a\*b\*Log[Cosh[c + d\*x]] + 160\*a\*b\*Sech[c + d\*x]^2 - 40\*(a^2 + 4\*b^2)\*Sinh[2\*(c + d\*x)] + 5\*(a^2 + b^2)\*Sinh[4\*(c + d\*x)] - 1152\*b^2\*Tanh[c + d\*x] + 224\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x] - 32\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(160\*d)

**fricas [B]** time = 0.75, size = 5034, normalized size = 29.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^4*(a+b*tanh(d*x+c)^3)^2,x, algorithm="fricas")  
[Out] 1/320*(5*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^18 + 90*(a^2 + 2*a*b + b^2)*cosh  
(d*x + c)*sinh(d*x + c)^17 + 5*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^18 - 15*(a  
^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^16 + 15*(51*(a^2 + 2*a*b + b^2)*cosh(d*x  
+ c)^2 - a^2 - 10*a*b - 9*b^2)*sinh(d*x + c)^16 + 240*(17*(a^2 + 2*a*b + b  
^2)*cosh(d*x + c)^3 - (a^2 + 10*a*b + 9*b^2)*cosh(d*x + c))*sinh(d*x + c)^1  
5 + 30*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x +  
c)^14 + 30*(510*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 - 16*a*b + 21  
*b^2)*d*x - 60*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^2 - 5*a^2 - 30*a*b - 25  
*b^2)*sinh(d*x + c)^14 + 420*(102*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 - 20*  
(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^3 + (4*(a^2 - 16*a*b + 21*b^2)*d*x - 5  
*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c))*sinh(d*x + c)^13 + 10*(60*(a^2 - 16*  
a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^12 + 10*(9282*  
(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 - 2730*(a^2 + 10*a*b + 9*b^2)*cosh(d*x  
+ c)^4 + 60*(a^2 - 16*a*b + 21*b^2)*d*x + 273*(4*(a^2 - 16*a*b + 21*b^2)*d*  
x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^2 - 31*a^2 - 82*a*b + 501*b^2)*s  
inh(d*x + c)^12 + 120*(1326*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 - 546*(a^2  
+ 10*a*b + 9*b^2)*cosh(d*x + c)^5 + 91*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a  
^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^3 + (60*(a^2 - 16*a*b + 21*b^2)*d*x - 3  
1*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c))*sinh(d*x + c)^11 + 60*(20*(a^2 - 1  
6*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + c)^10 + 30*(7293  
*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 - 4004*(a^2 + 10*a*b + 9*b^2)*cosh(d*x  
+ c)^6 + 1001*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*co  
sh(d*x + c)^4 + 40*(a^2 - 16*a*b + 21*b^2)*d*x + 22*(60*(a^2 - 16*a*b + 21*  
b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^2 - 6*a^2 + 30*a*b + 61  
4*b^2)*sinh(d*x + c)^10 + 20*(12155*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^9 - 8  
580*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^7 + 3003*(4*(a^2 - 16*a*b + 21*b^2  
) *d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^5 + 110*(60*(a^2 - 16*a*b +  
21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^3 + 30*(20*(a^2 - 16  
*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + c))*sinh(d*x + c)  
^9 + 60*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*cosh(d*  
x + c)^8 + 30*(7293*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^10 - 6435*(a^2 + 10*a  
*b + 9*b^2)*cosh(d*x + c)^8 + 3003*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 -  
30*a*b - 25*b^2)*cosh(d*x + c)^6 + 165*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 3  
1*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^4 + 40*(a^2 - 16*a*b + 21*b^2)*d*x  
+ 90*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x +  
c)^2 + 6*a^2 + 30*a*b + 922*b^2)*sinh(d*x + c)^8 + 240*(663*(a^2 + 2*a*b +  
b^2)*cosh(d*x + c)^11 - 715*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^9 + 429*(  
4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^7 +  
33*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x +  
c)^5 + 30*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(  
d*x + c)^3 + 2*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*  
cosh(d*x + c))*sinh(d*x + c)^7 + 10*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^  
2 - 82*a*b + 1803*b^2)*cosh(d*x + c)^6 + 10*(9282*(a^2 + 2*a*b + b^2)*cosh(  

```

$$\begin{aligned}
& d*x + c)^{12} - 12012*(a^2 + 10*a*b + 9*b^2)*\cosh(d*x + c)^{10} + 9009*(4*(a^2 \\
& - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^8 + 924*(60 \\
& *(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^6 + \\
& 1260*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x \\
& + c)^4 + 60*(a^2 - 16*a*b + 21*b^2)*d*x + 168*(20*(a^2 - 16*a*b + 21*b^2)*d \\
& *x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^2 + 31*a^2 - 82*a*b + 1803*b^2 \\
& )*\sinh(d*x + c)^6 + 60*(714*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{13} - 1092*(a^ \\
& 2 + 10*a*b + 9*b^2)*\cosh(d*x + c)^{11} + 1001*(4*(a^2 - 16*a*b + 21*b^2)*d*x \\
& - 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^9 + 132*(60*(a^2 - 16*a*b + 21*b^2) \\
& )*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^7 + 252*(20*(a^2 - 16*a*b \\
& + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^5 + 56*(20*(a^2 - 1 \\
& 6*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^3 + (60*(a^2 \\
& - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b^2)*\cosh(d*x + c))*\sinh(d* \\
& x + c)^5 + 6*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b + 893*b^2)* \\
& \cosh(d*x + c)^4 + 6*(2550*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{14} - 4550*(a^2 \\
& + 10*a*b + 9*b^2)*\cosh(d*x + c)^{12} + 5005*(4*(a^2 - 16*a*b + 21*b^2)*d*x - \\
& 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^{10} + 825*(60*(a^2 - 16*a*b + 21*b^2) \\
& )*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c)^8 + 2100*(20*(a^2 - 16*a*b \\
& + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^6 + 700*(20*(a^2 - \\
& 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^4 + 20*(a^2 \\
& - 16*a*b + 21*b^2)*d*x + 25*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a \\
& *b + 1803*b^2)*\cosh(d*x + c)^2 + 25*a^2 - 150*a*b + 893*b^2)*\sinh(d*x + c)^ \\
& 4 + 8*(510*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{15} - 1050*(a^2 + 10*a*b + 9*b^ \\
& 2)*\cosh(d*x + c)^{13} + 1365*(4*(a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b \\
& - 25*b^2)*\cosh(d*x + c)^{11} + 275*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - \\
& 82*a*b + 501*b^2)*\cosh(d*x + c)^9 + 900*(20*(a^2 - 16*a*b + 21*b^2)*d*x - \\
& 3*a^2 + 15*a*b + 307*b^2)*\cosh(d*x + c)^7 + 420*(20*(a^2 - 16*a*b + 21*b^2) \\
& )*d*x + 3*a^2 + 15*a*b + 461*b^2)*\cosh(d*x + c)^5 + 25*(60*(a^2 - 16*a*b + 2 \\
& 1*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b^2)*\cosh(d*x + c)^3 + 3*(20*(a^2 - 16* \\
& a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b + 893*b^2)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^3 + 15*(a^2 - 10*a*b + 9*b^2)*\cosh(d*x + c)^2 + 3*(255*(a^2 + 2*a*b + b^2) \\
& )*\cosh(d*x + c)^{16} - 600*(a^2 + 10*a*b + 9*b^2)*\cosh(d*x + c)^{14} + 910*(4*( \\
& a^2 - 16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*\cosh(d*x + c)^{12} + 22 \\
& 0*(60*(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*\cosh(d*x + c \\
& )^{10} + 900*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*\cosh \\
& (d*x + c)^8 + 560*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^ \\
& 2)*\cosh(d*x + c)^6 + 50*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + \\
& 1803*b^2)*\cosh(d*x + c)^4 + 12*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - \\
& 150*a*b + 893*b^2)*\cosh(d*x + c)^2 + 5*a^2 - 50*a*b + 45*b^2)*\sinh(d*x + c) \\
& ^2 - 5*a^2 + 10*a*b - 5*b^2 + 1920*(a*b*\cosh(d*x + c)^{14} + 14*a*b*\cosh(d*x \\
& + c))*\sinh(d*x + c)^{13} + a*b*\sinh(d*x + c)^{14} + 5*a*b*\cosh(d*x + c)^{12} + (91 \\
& *a*b*\cosh(d*x + c)^2 + 5*a*b)*\sinh(d*x + c)^{12} + 10*a*b*\cosh(d*x + c)^{10} + \\
& 4*(91*a*b*\cosh(d*x + c)^3 + 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^{11} + (1001* \\
& a*b*\cosh(d*x + c)^4 + 330*a*b*\cosh(d*x + c)^2 + 10*a*b)*\sinh(d*x + c)^{10} + \\
& 10*a*b*\cosh(d*x + c)^8 + 2*(1001*a*b*\cosh(d*x + c)^5 + 550*a*b*\cosh(d*x + c
\end{aligned}$$



$$\begin{aligned}
&)^3 + 50*a*b*cosh(d*x + c))*sinh(d*x + c)^9 + (3003*a*b*cosh(d*x + c)^6 + 2 \\
&475*a*b*cosh(d*x + c)^4 + 450*a*b*cosh(d*x + c)^2 + 10*a*b))*sinh(d*x + c)^8 \\
&+ 5*a*b*cosh(d*x + c)^6 + 8*(429*a*b*cosh(d*x + c)^7 + 495*a*b*cosh(d*x + \\
&c)^5 + 150*a*b*cosh(d*x + c)^3 + 10*a*b*cosh(d*x + c))*sinh(d*x + c)^7 + (3 \\
&003*a*b*cosh(d*x + c)^8 + 4620*a*b*cosh(d*x + c)^6 + 2100*a*b*cosh(d*x + c) \\
&^4 + 280*a*b*cosh(d*x + c)^2 + 5*a*b))*sinh(d*x + c)^6 + a*b*cosh(d*x + c)^4 \\
&+ 2*(1001*a*b*cosh(d*x + c)^9 + 1980*a*b*cosh(d*x + c)^7 + 1260*a*b*cosh(d \\
&*x + c)^5 + 280*a*b*cosh(d*x + c)^3 + 15*a*b*cosh(d*x + c))*sinh(d*x + c)^5 \\
&+ (1001*a*b*cosh(d*x + c)^10 + 2475*a*b*cosh(d*x + c)^8 + 2100*a*b*cosh(d* \\
&x + c)^6 + 700*a*b*cosh(d*x + c)^4 + 75*a*b*cosh(d*x + c)^2 + a*b))*sinh(d*x \\
&+ c)^4 + 4*(91*a*b*cosh(d*x + c)^11 + 275*a*b*cosh(d*x + c)^9 + 300*a*b*co \\
&sh(d*x + c)^7 + 140*a*b*cosh(d*x + c)^5 + 25*a*b*cosh(d*x + c)^3 + a*b*cosh \\
&(d*x + c))*sinh(d*x + c)^3 + (91*a*b*cosh(d*x + c)^12 + 330*a*b*cosh(d*x + \\
&c)^10 + 450*a*b*cosh(d*x + c)^8 + 280*a*b*cosh(d*x + c)^6 + 75*a*b*cosh(d*x \\
&+ c)^4 + 6*a*b*cosh(d*x + c)^2))*sinh(d*x + c)^2 + 2*(7*a*b*cosh(d*x + c)^1 \\
&3 + 30*a*b*cosh(d*x + c)^11 + 50*a*b*cosh(d*x + c)^9 + 40*a*b*cosh(d*x + c) \\
&^7 + 15*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^3))*sinh(d*x + c))*log(2*c \\
&osh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 6*(15*(a^2 + 2*a*b + b^2)*c \\
&osh(d*x + c)^17 - 40*(a^2 + 10*a*b + 9*b^2)*cosh(d*x + c)^15 + 70*(4*(a^2 - \\
&16*a*b + 21*b^2)*d*x - 5*a^2 - 30*a*b - 25*b^2)*cosh(d*x + c)^13 + 20*(60* \\
&(a^2 - 16*a*b + 21*b^2)*d*x - 31*a^2 - 82*a*b + 501*b^2)*cosh(d*x + c)^11 + \\
&100*(20*(a^2 - 16*a*b + 21*b^2)*d*x - 3*a^2 + 15*a*b + 307*b^2)*cosh(d*x + \\
&c)^9 + 80*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 3*a^2 + 15*a*b + 461*b^2)*cosh \\
&(d*x + c)^7 + 10*(60*(a^2 - 16*a*b + 21*b^2)*d*x + 31*a^2 - 82*a*b + 1803*b \\
&^2)*cosh(d*x + c)^5 + 4*(20*(a^2 - 16*a*b + 21*b^2)*d*x + 25*a^2 - 150*a*b \\
&+ 893*b^2)*cosh(d*x + c)^3 + 5*(a^2 - 10*a*b + 9*b^2)*cosh(d*x + c))*sinh(d \\
&*x + c))/(d*cosh(d*x + c)^14 + 14*d*cosh(d*x + c)*sinh(d*x + c)^13 + d*sinh \\
&(d*x + c)^14 + 5*d*cosh(d*x + c)^12 + (91*d*cosh(d*x + c)^2 + 5*d))*sinh(d*x \\
&+ c)^12 + 4*(91*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^11 + \\
&10*d*cosh(d*x + c)^10 + (1001*d*cosh(d*x + c)^4 + 330*d*cosh(d*x + c)^2 + \\
&10*d))*sinh(d*x + c)^10 + 2*(1001*d*cosh(d*x + c)^5 + 550*d*cosh(d*x + c)^3 \\
&+ 50*d*cosh(d*x + c))*sinh(d*x + c)^9 + 10*d*cosh(d*x + c)^8 + (3003*d*cosh \\
&(d*x + c)^6 + 2475*d*cosh(d*x + c)^4 + 450*d*cosh(d*x + c)^2 + 10*d))*sinh(d \\
&*x + c)^8 + 8*(429*d*cosh(d*x + c)^7 + 495*d*cosh(d*x + c)^5 + 150*d*cosh(d \\
&*x + c)^3 + 10*d*cosh(d*x + c))*sinh(d*x + c)^7 + 5*d*cosh(d*x + c)^6 + (30 \\
&03*d*cosh(d*x + c)^8 + 4620*d*cosh(d*x + c)^6 + 2100*d*cosh(d*x + c)^4 + 28 \\
&0*d*cosh(d*x + c)^2 + 5*d))*sinh(d*x + c)^6 + 2*(1001*d*cosh(d*x + c)^9 + 19 \\
&80*d*cosh(d*x + c)^7 + 1260*d*cosh(d*x + c)^5 + 280*d*cosh(d*x + c)^3 + 15* \\
&d*cosh(d*x + c))*sinh(d*x + c)^5 + d*cosh(d*x + c)^4 + (1001*d*cosh(d*x + c) \\
&)^10 + 2475*d*cosh(d*x + c)^8 + 2100*d*cosh(d*x + c)^6 + 700*d*cosh(d*x + c) \\
&)^4 + 75*d*cosh(d*x + c)^2 + d))*sinh(d*x + c)^4 + 4*(91*d*cosh(d*x + c)^11 \\
&+ 275*d*cosh(d*x + c)^9 + 300*d*cosh(d*x + c)^7 + 140*d*cosh(d*x + c)^5 + 2 \\
&5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^3 + (91*d*cosh(d*x + c) \\
&)^12 + 330*d*cosh(d*x + c)^10 + 450*d*cosh(d*x + c)^8 + 280*d*cosh(d*x + c) \\
&^6 + 75*d*cosh(d*x + c)^4 + 6*d*cosh(d*x + c)^2))*sinh(d*x + c)^2 + 2*(7*d*c
\end{aligned}$$

$\cosh(dx + c)^{13} + 30*d*\cosh(dx + c)^{11} + 50*d*\cosh(dx + c)^9 + 40*d*\cosh(dx + c)^7 + 15*d*\cosh(dx + c)^5 + 2*d*\cosh(dx + c)^3*\sinh(dx + c)$

**giac [B]** time = 0.71, size = 376, normalized size = 2.21

$120(a^2 - 16ab + 21b^2)dx + 1920ab \log(e^{(2dx+2c)} + 1) - 5(18a^2e^{(4dx+4c)} - 288abe^{(4dx+4c)} + 378b^2e^{(4dx+4c)} - 8$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)^4\*(a+b\*tanh(dx+c)^3)^2,x, algorithm="giac")

[Out]  $\frac{1}{320}*(120*(a^2 - 16*a*b + 21*b^2)*d*x + 1920*a*b*\log(e^{(2*d*x + 2*c)} + 1) - 5*(18*a^2*e^{(4*d*x + 4*c)} - 288*a*b*e^{(4*d*x + 4*c)} + 378*b^2*e^{(4*d*x + 4*c)} - 8*a^2*e^{(2*d*x + 2*c)} + 40*a*b*e^{(2*d*x + 2*c)} - 32*b^2*e^{(2*d*x + 2*c)} + a^2 - 2*a*b + b^2)*e^{(-4*d*x - 4*c)} + 5*(a^2*e^{(4*d*x + 36*c)} + 2*a*b*e^{(4*d*x + 36*c)} + b^2*e^{(4*d*x + 36*c)} - 8*a^2*e^{(2*d*x + 34*c)} - 40*a*b*e^{(2*d*x + 34*c)} - 32*b^2*e^{(2*d*x + 34*c)})*e^{(-32*c)} - 32*(137*a*b*e^{(10*d*x + 10*c)} + 645*a*b*e^{(8*d*x + 8*c)} - 200*b^2*e^{(8*d*x + 8*c)} + 1250*a*b*e^{(6*d*x + 6*c)} - 600*b^2*e^{(6*d*x + 6*c)} + 1250*a*b*e^{(4*d*x + 4*c)} - 840*b^2*e^{(4*d*x + 4*c)} + 645*a*b*e^{(2*d*x + 2*c)} - 520*b^2*e^{(2*d*x + 2*c)} + 137*a*b - 144*b^2)/(e^{(2*d*x + 2*c)} + 1)^5)/d$

**maple [A]** time = 0.32, size = 243, normalized size = 1.43

$\frac{a^2 \cosh(dx + c) (\sinh^3(dx + c))}{4d} - \frac{3a^2 \cosh(dx + c) \sinh(dx + c)}{8d} + \frac{3a^2x}{8} + \frac{3a^2c}{8d} + \frac{ab (\sinh^6(dx + c))}{2d \cosh(dx + c)^2} - \frac{3ab (\sinh^4(dx + c))}{2d \cosh(dx + c)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(dx+c)^4\*(a+b\*tanh(dx+c)^3)^2,x)

[Out]  $\frac{1}{4}/d*a^2*\cosh(dx+c)*\sinh(dx+c)^3 - 3/8*a^2*\cosh(dx+c)*\sinh(dx+c)/d + 3/8*a^2*x + 3/8/d*a^2*c + 1/2/d*a*b*\sinh(dx+c)^6/\cosh(dx+c)^2 - 3/2/d*a*b*\sinh(dx+c)^4/\cosh(dx+c)^2 + 6*a*b*\ln(\cosh(dx+c))/d - 3*a*b*\tanh(dx+c)^2/d + 1/4/d*b^2*\sinh(dx+c)^9/\cosh(dx+c)^5 - 9/8/d*b^2*\sinh(dx+c)^7/\cosh(dx+c)^5 + 63/8*b^2*x + 63/8/d*c*b^2 - 63/8*b^2*\tanh(dx+c)/d - 21/8*b^2*\tanh(dx+c)^3/d - 63/40*b^2*\tanh(dx+c)^5/d$

**maxima [B]** time = 0.41, size = 379, normalized size = 2.23

$\frac{1}{64}a^2\left(24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d}\right) + \frac{1}{320}b^2\left(\frac{2520(dx+c)}{d} + \frac{5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out]  $\frac{1}{64}a^2(24dx + e^{(4dx+4c)}/d - 8e^{(2dx+2c)}/d + 8e^{(-2dx-2c)}/d - e^{(-4dx-4c)}/d) + \frac{1}{320}b^2(2520(dx+c)/d + 5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})/d - (135e^{(-2dx-2c)} + 5358e^{(-4dx-4c)} + 18190e^{(-6dx-6c)} + 28455e^{(-8dx-8c)} + 19995e^{(-10dx-10c)} + 6560e^{(-12dx-12c)} - 5)/(d(e^{(-4dx-4c)} + 5e^{(-6dx-6c)} + 10e^{(-8dx-8c)} + 10e^{(-10dx-10c)} + 5e^{(-12dx-12c)} + e^{(-14dx-14c)}))) + \frac{1}{32}ab(192(dx+c)/d - (20e^{(-2dx-2c)} - e^{(-4dx-4c)})/d + 192\log(e^{(-2dx-2c)} + 1)/d - (18e^{(-2dx-2c)} + 39e^{(-4dx-4c)} - 108e^{(-6dx-6c)} - 1)/(d(e^{(-4dx-4c)} + 2e^{(-6dx-6c)} + e^{(-8dx-8c)})))$

**mupad [B]** time = 0.44, size = 359, normalized size = 2.11

$$x \left( \frac{3a^2}{8} - 6ab + \frac{63b^2}{8} \right) + \frac{4(5b^2 + ab)}{d(e^{2c+2dx} + 1)} + \frac{e^{-2c-2dx}(a^2 - 5ab + 4b^2)}{8d} - \frac{e^{2c+2dx}(a^2 + 5ab + 4b^2)}{8d} + \frac{e^{4c+4dx}}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^3)^2,x)

[Out]  $x \left( \frac{3a^2}{8} - 6ab + \frac{63b^2}{8} \right) + \frac{4(ab + 5b^2)}{d(\exp(2c + 2dx) + 1)} + \frac{(\exp(-2c - 2dx)(a^2 - 5ab + 4b^2))}{(8d)} - \frac{(\exp(2c + 2dx)x)(5ab + a^2 + 4b^2)}{(8d)} + \frac{(\exp(4c + 4dx)(a + b)^2)}{(64d)} - \frac{4(ab + 5b^2)}{d(2\exp(2c + 2dx) + \exp(4c + 4dx) + 1)} + \frac{24b^2}{d(3\exp(2c + 2dx) + 3\exp(4c + 4dx) + \exp(6c + 6dx) + 1)} - \frac{(\exp(-4c - 4dx)(a - b)^2)}{(64d)} - \frac{16b^2}{d(4\exp(2c + 2dx) + 6\exp(4c + 4dx) + 4\exp(6c + 6dx) + \exp(8c + 8dx) + 1)} + \frac{32b^2}{5d(5\exp(2c + 2dx) + 10\exp(4c + 4dx) + 10\exp(6c + 6dx) + 5\exp(8c + 8dx) + \exp(10c + 10dx) + 1)} + \frac{6ab \log(\exp(2c)\exp(2dx) + 1)}{d}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Timed out

$$3.58 \quad \int \sinh^3(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=182

$$\frac{a^2 \cosh^3(c + dx)}{3d} - \frac{a^2 \cosh(c + dx)}{d} + \frac{5ab \sinh^3(c + dx)}{3d} - \frac{5ab \sinh(c + dx)}{d} - \frac{ab \sinh^3(c + dx) \tanh^2(c + dx)}{d} + \frac{5ab \tanh^2(c + dx)}{d}$$

[Out]  $5*a*b*\arctan(\sinh(d*x+c))/d - a^2*\cosh(d*x+c)/d - 4*b^2*\cosh(d*x+c)/d + 1/3*a^2*\cosh(d*x+c)^3/d + 1/3*b^2*\cosh(d*x+c)^3/d - 6*b^2*\operatorname{sech}(d*x+c)/d + 4/3*b^2*\operatorname{sech}(d*x+c)^3/d - 1/5*b^2*\operatorname{sech}(d*x+c)^5/d - 5*a*b*\sinh(d*x+c)/d + 5/3*a*b*\sinh(d*x+c)^3/d - a*b*\sinh(d*x+c)^3*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.22, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3666, 2633, 2592, 288, 302, 203, 2590, 270}

$$\frac{a^2 \cosh^3(c + dx)}{3d} - \frac{a^2 \cosh(c + dx)}{d} + \frac{5ab \sinh^3(c + dx)}{3d} - \frac{5ab \sinh(c + dx)}{d} - \frac{ab \sinh^3(c + dx) \tanh^2(c + dx)}{d} + \frac{5ab \tanh^2(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out]  $(5*a*b*\text{ArcTan}[\text{Sinh}[c + d*x]])/d - (a^2*\text{Cosh}[c + d*x])/d - (4*b^2*\text{Cosh}[c + d*x])/d + (a^2*\text{Cosh}[c + d*x]^3)/(3*d) + (b^2*\text{Cosh}[c + d*x]^3)/(3*d) - (6*b^2*\text{Sech}[c + d*x])/d + (4*b^2*\text{Sech}[c + d*x]^3)/(3*d) - (b^2*\text{Sech}[c + d*x]^5)/(5*d) - (5*a*b*\text{Sinh}[c + d*x])/d + (5*a*b*\text{Sinh}[c + d*x]^3)/(3*d) - (a*b*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^2)/d$

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^

$n*(m - n + 1)/(b*n*(p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^{(p + 1)}, x], x]$   
 /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I  
 LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 302

$\text{Int}[(x_)^{(m)}/((a_) + (b_)*(x_)^{(n)}), x\_Symbol] \text{:>} \text{Int}[\text{PolynomialDivide}[x$   
 $^{m}, a + b*x^n, x], x] /;$  FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt  
 Q[m, 2\*n - 1]

### Rule 2590

$\text{Int}[\sin[(e_) + (f_)*(x_)]^{(m_)}*\tan[(e_) + (f_)*(x_)]^{(n_)}, x\_Symbol]$   
 $\text{:>} -\text{Dist}[f^{(-1)}, \text{Subst}[\text{Int}[(1 - x^2)^{((m + n - 1)/2)}/x^n, x], x, \text{Cos}[e + f*$   
 $x]], x] /;$  FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

### Rule 2592

$\text{Int}[(a_)*\sin[(e_) + (f_)*(x_)]^{(m_)}*\tan[(e_) + (f_)*(x_)]^{(n_)}, x_$   
 $Symbol] \text{:>} \text{With}[\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[($   
 $ff*x)^{(m + n)}/(a^2 - ff^2*x^2)^{((n + 1)/2)}, x], x, (a*\text{Sin}[e + f*x])/ff], x]$   
 ] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 2633

$\text{Int}[\sin[(c_) + (d_)*(x_)]^{(n_)}, x\_Symbol] \text{:>} -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expa}$   
 $\text{nd}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /;$  FreeQ[{c, d}, x]  
 && IGtQ[(n - 1)/2, 0]

### Rule 3666

$\text{Int}[(d_)*\sin[(e_) + (f_)*(x_)]^{(m_)}*((a_) + (b_)*((c_)*\tan[(e_) +$   
 $(f_)*(x_)]^{(n_)})^{(p_)}, x\_Symbol] \text{:>} \text{Int}[\text{ExpandTrig}[(d*\sin[e + f*x])^m*(a$   
 $+ b*(c*\tan[e + f*x])^n)^p, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n}, x] &&  
 IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
\int \sinh^3(c + dx) (a + b \tanh^3(c + dx))^2 dx &= i \int (-ia^2 \sinh^3(c + dx) - 2iab \sinh^3(c + dx) \tanh^3(c + dx) - ib^2 \sinh^3(c + dx) \tanh^6(c + dx)) dx \\
&= a^2 \int \sinh^3(c + dx) dx + (2ab) \int \sinh^3(c + dx) \tanh^3(c + dx) dx + \dots \\
&= -\frac{a^2 \operatorname{Subst}\left(\int (1 - x^2) dx, x, \cosh(c + dx)\right)}{d} + \frac{(2ab) \operatorname{Subst}\left(\int \frac{x^6}{(1+x^2)^2} dx, x, \cosh(c + dx)\right)}{d} \\
&= -\frac{a^2 \cosh(c + dx)}{d} + \frac{a^2 \cosh^3(c + dx)}{3d} - \frac{ab \sinh^3(c + dx) \tanh^2(c + dx)}{d} + \dots \\
&= -\frac{a^2 \cosh(c + dx)}{d} - \frac{4b^2 \cosh(c + dx)}{d} + \frac{a^2 \cosh^3(c + dx)}{3d} + \frac{b^2 \cosh^5(c + dx)}{5d} \\
&= -\frac{a^2 \cosh(c + dx)}{d} - \frac{4b^2 \cosh(c + dx)}{d} + \frac{a^2 \cosh^3(c + dx)}{3d} + \frac{b^2 \cosh^5(c + dx)}{5d} \\
&= \frac{5ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{a^2 \cosh(c + dx)}{d} - \frac{4b^2 \cosh(c + dx)}{d} + \frac{a^2 \cosh^3(c + dx)}{3d} + \frac{b^2 \cosh^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.78, size = 121, normalized size = 0.66

$$\frac{-45(a^2 + 5b^2) \cosh(c + dx) + 5(a^2 + b^2) \cosh(3(c + dx)) - 2b(30 \operatorname{sech}(c + dx)(a \tanh(c + dx) + 6b) - 5a(-27 \sinh(c + dx) + \sinh(3(c + dx))))}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (-45\*(a^2 + 5\*b^2)\*Cosh[c + d\*x] + 5\*(a^2 + b^2)\*Cosh[3\*(c + d\*x)] - 2\*b\*(-40\*b\*Sech[c + d\*x]^3 + 6\*b\*Sech[c + d\*x]^5 - 5\*a\*(60\*ArcTan[Tanh[(c + d\*x)/2]] - 27\*Sinh[c + d\*x] + Sinh[3\*(c + d\*x)])) + 30\*Sech[c + d\*x]\*(6\*b + a\*Tanh[c + d\*x]))/(60\*d)

**fricas [B]** time = 0.66, size = 3341, normalized size = 18.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 1/120\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^16 + 80\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^15 + 5\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^16 - 20\*(a

$$\begin{aligned}
&^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{14} + 20*(30*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 11*a*b - 10*b^2)*\sinh(d*x + c)^{14} + 280*(10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{13} - 20*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^{12} + 20*(455*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 91*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^2 - 11*a^2 - 61*a*b - 137*b^2)*\sinh(d*x + c)^{12} + 80*(273*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 91*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^3 - 3*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{11} - 20*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^{10} + 20*(2002*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^4 - 66*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^2 - 31*a^2 - 87*a*b - 390*b^2)*\sinh(d*x + c)^{10} + 40*(1430*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^5 - 110*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^3 - 5*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 2*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^8 + 2*(32175*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 - 30030*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^6 - 4950*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^4 - 450*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^2 - 425*a^2 - 5649*b^2)*\sinh(d*x + c)^8 + 16*(3575*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 - 4290*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^7 - 990*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^5 - 150*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^3 - (425*a^2 + 5649*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 20*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^6 + 4*(10010*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{10} - 15015*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^8 - 4620*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^6 - 1050*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^4 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^2 - 155*a^2 + 435*a*b - 1950*b^2)*\sinh(d*x + c)^6 + 8*(2730*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{11} - 5005*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^9 - 1980*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^7 - 630*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^5 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^3 - 15*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 20*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c)^4 + 20*(455*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{12} - 1001*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{10} - 495*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^8 - 210*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^6 - 7*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^4 - 15*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^2 - 11*a^2 + 61*a*b - 137*b^2)*\sinh(d*x + c)^4 + 16*(175*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{13} - 455*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{11} - 275*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^9 - 150*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^7 - 7*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^5 - 25*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^3 - 5*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 20*(a^2 - 11*a*b + 10*b^2)*\cosh(d*x + c)^2 + 4*(150*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^{14} - 455*(a^2 + 11*a*b + 10*b^2)*\cosh(d*x + c)^{12} - 330*(11*a^2 + 61*a*b + 137*b^2)*\cosh(d*x + c)^{10} - 225*(31*a^2 + 87*a*b + 390*b^2)*\cosh(d*x + c)^8 - 14*(425*a^2 + 5649*b^2)*\cosh(d*x + c)^6 - 75*(31*a^2 - 87*a*b + 390*b^2)*\cosh(d*x + c)^4 - 30*(11*a^2 - 61*a*b + 137*b^2)*\cosh(d*x + c)^2 - 5*a^2 + 55*a*b - 50*b^2)*\sinh(d*x + c)^2 + 5*a^2 - 10*a*b + 5*b^2 + 1200*(a*b*\cosh(d*x +
\end{aligned}$$

$$\begin{aligned}
& c)^{13} + 13*a*b*cosh(d*x + c)*sinh(d*x + c)^{12} + a*b*sinh(d*x + c)^{13} + 5*a* \\
& b*cosh(d*x + c)^{11} + (78*a*b*cosh(d*x + c)^2 + 5*a*b)*sinh(d*x + c)^{11} + 10 \\
& *a*b*cosh(d*x + c)^9 + 11*(26*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*si \\
& nh(d*x + c)^{10} + 5*(143*a*b*cosh(d*x + c)^4 + 55*a*b*cosh(d*x + c)^2 + 2*a* \\
& b)*sinh(d*x + c)^9 + 10*a*b*cosh(d*x + c)^7 + 3*(429*a*b*cosh(d*x + c)^5 + \\
& 275*a*b*cosh(d*x + c)^3 + 30*a*b*cosh(d*x + c))*sinh(d*x + c)^8 + 2*(858*a* \\
& b*cosh(d*x + c)^6 + 825*a*b*cosh(d*x + c)^4 + 180*a*b*cosh(d*x + c)^2 + 5*a \\
& *b)*sinh(d*x + c)^7 + 5*a*b*cosh(d*x + c)^5 + 2*(858*a*b*cosh(d*x + c)^7 + \\
& 1155*a*b*cosh(d*x + c)^5 + 420*a*b*cosh(d*x + c)^3 + 35*a*b*cosh(d*x + c))* \\
& sinh(d*x + c)^6 + (1287*a*b*cosh(d*x + c)^8 + 2310*a*b*cosh(d*x + c)^6 + 12 \\
& 60*a*b*cosh(d*x + c)^4 + 210*a*b*cosh(d*x + c)^2 + 5*a*b)*sinh(d*x + c)^5 + \\
& a*b*cosh(d*x + c)^3 + 5*(143*a*b*cosh(d*x + c)^9 + 330*a*b*cosh(d*x + c)^7 \\
& + 252*a*b*cosh(d*x + c)^5 + 70*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))* \\
& sinh(d*x + c)^4 + (286*a*b*cosh(d*x + c)^10 + 825*a*b*cosh(d*x + c)^8 + 840 \\
& *a*b*cosh(d*x + c)^6 + 350*a*b*cosh(d*x + c)^4 + 50*a*b*cosh(d*x + c)^2 + a \\
& *b)*sinh(d*x + c)^3 + (78*a*b*cosh(d*x + c)^11 + 275*a*b*cosh(d*x + c)^9 + \\
& 360*a*b*cosh(d*x + c)^7 + 210*a*b*cosh(d*x + c)^5 + 50*a*b*cosh(d*x + c)^3 \\
& + 3*a*b*cosh(d*x + c))*sinh(d*x + c)^2 + (13*a*b*cosh(d*x + c)^12 + 55*a*b* \\
& cosh(d*x + c)^10 + 90*a*b*cosh(d*x + c)^8 + 70*a*b*cosh(d*x + c)^6 + 25*a*b* \\
& *cosh(d*x + c)^4 + 3*a*b*cosh(d*x + c)^2)*sinh(d*x + c))*arctan(cosh(d*x + \\
& c) + sinh(d*x + c)) + 8*(10*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^15 - 35*(a^2 \\
& + 11*a*b + 10*b^2)*cosh(d*x + c)^13 - 30*(11*a^2 + 61*a*b + 137*b^2)*cosh(d \\
& *x + c)^11 - 25*(31*a^2 + 87*a*b + 390*b^2)*cosh(d*x + c)^9 - 2*(425*a^2 + \\
& 5649*b^2)*cosh(d*x + c)^7 - 15*(31*a^2 - 87*a*b + 390*b^2)*cosh(d*x + c)^5 \\
& - 10*(11*a^2 - 61*a*b + 137*b^2)*cosh(d*x + c)^3 - 5*(a^2 - 11*a*b + 10*b^2 \\
& )*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^13 + 13*d*cosh(d*x + c)*si \\
& nh(d*x + c)^12 + d*sinh(d*x + c)^13 + 5*d*cosh(d*x + c)^11 + (78*d*cosh(d*x \\
& + c)^2 + 5*d)*sinh(d*x + c)^11 + 11*(26*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + \\
& c))*sinh(d*x + c)^10 + 10*d*cosh(d*x + c)^9 + 5*(143*d*cosh(d*x + c)^4 + 5 \\
& 5*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^9 + 3*(429*d*cosh(d*x + c)^5 + 275 \\
& *d*cosh(d*x + c)^3 + 30*d*cosh(d*x + c))*sinh(d*x + c)^8 + 10*d*cosh(d*x + \\
& c)^7 + 2*(858*d*cosh(d*x + c)^6 + 825*d*cosh(d*x + c)^4 + 180*d*cosh(d*x + \\
& c)^2 + 5*d)*sinh(d*x + c)^7 + 2*(858*d*cosh(d*x + c)^7 + 1155*d*cosh(d*x + \\
& c)^5 + 420*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^6 + 5*d*co \\
& sh(d*x + c)^5 + (1287*d*cosh(d*x + c)^8 + 2310*d*cosh(d*x + c)^6 + 1260*d*c \\
& osh(d*x + c)^4 + 210*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^5 + 5*(143*d*co \\
& sh(d*x + c)^9 + 330*d*cosh(d*x + c)^7 + 252*d*cosh(d*x + c)^5 + 70*d*cosh(d \\
& *x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^4 + d*cosh(d*x + c)^3 + (286*d \\
& *cosh(d*x + c)^10 + 825*d*cosh(d*x + c)^8 + 840*d*cosh(d*x + c)^6 + 350*d*c \\
& osh(d*x + c)^4 + 50*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^3 + (78*d*cosh(d*x \\
& + c)^11 + 275*d*cosh(d*x + c)^9 + 360*d*cosh(d*x + c)^7 + 210*d*cosh(d*x + \\
& c)^5 + 50*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^2 + (13*d*c \\
& osh(d*x + c)^12 + 55*d*cosh(d*x + c)^10 + 90*d*cosh(d*x + c)^8 + 70*d*cosh( \\
& d*x + c)^6 + 25*d*cosh(d*x + c)^4 + 3*d*cosh(d*x + c)^2)*sinh(d*x + c))
\end{aligned}$$



**giac [A]** time = 0.48, size = 300, normalized size = 1.65

$$1200 ab \arctan\left(e^{(dx+c)}\right) - 5\left(9 a^2 e^{(2 dx+2 c)} - 54 a b e^{(2 dx+2 c)} + 45 b^2 e^{(2 dx+2 c)} - a^2 + 2 a b - b^2\right) e^{(-3 dx-3 c)} + 5\left(a^2 e^{(3 dx+3 c)} - 9 a^2 e^{(3 dx+3 c)} + 2 a^2 b e^{(3 dx+3 c)} - 9 a b^2 e^{(3 dx+3 c)} + b^3\right) e^{(-3 dx-3 c)} + 5\left(a^2 e^{(3 dx+3 c)} - 9 a^2 e^{(3 dx+3 c)} + 2 a^2 b e^{(3 dx+3 c)} - 9 a b^2 e^{(3 dx+3 c)} + b^3\right) e^{(-3 dx-3 c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} \quad & \frac{1}{120} \left( 1200 a b \arctan\left(e^{(d x+c)}\right) - 5 \left( 9 a^2 e^{(2 d x+2 c)} - 54 a b e^{(2 d x+2 c)} + 45 b^2 e^{(2 d x+2 c)} - a^2 + 2 a b - b^2 \right) e^{(-3 d x-3 c)} \right. \\ & + 5 \left( a^2 e^{(3 d x+3 c)} - 9 a^2 e^{(3 d x+3 c)} + 2 a^2 b e^{(3 d x+3 c)} - 9 a b^2 e^{(3 d x+3 c)} + b^3 \right) e^{(-3 d x-3 c)} \\ & - 9 a^2 e^{(d x+46 c)} - 54 a b e^{(d x+46 c)} - 45 b^2 e^{(d x+46 c)} \left. \right) e^{(-45 c)} - 16 \left( 15 a b e^{(9 d x+9 c)} + 90 b^2 e^{(9 d x+9 c)} + 30 a b e^{(7 d x+7 c)} \right. \\ & + 280 b^2 e^{(7 d x+7 c)} + 428 b^2 e^{(5 d x+5 c)} - 30 a b e^{(3 d x+3 c)} + 280 b^2 e^{(3 d x+3 c)} - 15 a b e^{(d x+c)} + 90 b^2 e^{(d x+c)} \left. \right) / \left( e^{(2 d x+2 c)} + 1 \right)^5 / d \end{aligned}$$

**maple [A]** time = 0.38, size = 250, normalized size = 1.37

$$\frac{2 a^2 \cosh(dx+c)}{3 d} + \frac{a^2 \cosh(dx+c) \left( \sinh^2(dx+c) \right)}{3 d} + \frac{2 a b \left( \sinh^5(dx+c) \right)}{3 d \cosh(dx+c)^2} - \frac{10 a b \left( \sinh^3(dx+c) \right)}{3 d \cosh(dx+c)^2} - \frac{10 a b \sinh(dx+c)}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x)

$$\begin{aligned} \text{[Out]} \quad & -2/3 a^2 \cosh(d x+c) / d + 1/3 / d a^2 \cosh(d x+c) * \sinh(d x+c)^2 + 2/3 / d a b \sinh(d x+c)^5 / \cosh(d x+c)^2 - 10/3 / d a b \sinh(d x+c)^3 / \cosh(d x+c)^2 - 10 / d a b \sinh(d x+c) / \cosh(d x+c)^2 + 5 / d a b \operatorname{sech}(d x+c) * \tanh(d x+c) + 10 / d a b \arctan(\exp(d x+c)) \\ & + 1/3 / d b^2 \sinh(d x+c)^8 / \cosh(d x+c)^5 - 8/3 / d b^2 \sinh(d x+c)^6 / \cosh(d x+c)^5 - 16 / d b^2 \sinh(d x+c)^4 / \cosh(d x+c)^5 - 64 / 3 / d b^2 \sinh(d x+c)^2 / \cosh(d x+c)^5 - 128 / 15 / d b^2 / \cosh(d x+c)^5 \end{aligned}$$

**maxima [B]** time = 0.41, size = 348, normalized size = 1.91

$$-\frac{1}{120} b^2 \left( \frac{5 \left( 45 e^{(-d x-c)} - e^{(-3 d x-3 c)} \right)}{d} + \frac{200 e^{(-2 d x-2 c)} + 2515 e^{(-4 d x-4 c)} + 6680 e^{(-6 d x-6 c)} + 9073 e^{(-8 d x-8 c)} + 560 e^{(-10 d x-10 c)}}{d \left( e^{(-3 d x-3 c)} + 5 e^{(-5 d x-5 c)} + 10 e^{(-7 d x-7 c)} + 10 e^{(-9 d x-9 c)} + 5 e^{(-11 d x-11 c)} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} \quad & -1/120 b^2 \left( 5 \left( 45 e^{(-d x-c)} - e^{(-3 d x-3 c)} \right) / d + \left( 200 e^{(-2 d x-2 c)} + 2515 e^{(-4 d x-4 c)} + 6680 e^{(-6 d x-6 c)} + 9073 e^{(-8 d x-8 c)} + 560 e^{(-10 d x-10 c)} \right) / \right. \\ & \left. d \left( e^{(-3 d x-3 c)} + 5 e^{(-5 d x-5 c)} + 10 e^{(-7 d x-7 c)} + 10 e^{(-9 d x-9 c)} + 5 e^{(-11 d x-11 c)} \right) \right) \end{aligned}$$

$$5600e^{(-10dx - 10c)} + 1665e^{(-12dx - 12c)} - 5)/(d(e^{(-3dx - 3c)} + 5e^{(-5dx - 5c)} + 10e^{(-7dx - 7c)} + 10e^{(-9dx - 9c)} + 5e^{(-11dx - 11c)} + e^{(-13dx - 13c)})) + 1/12ab((27e^{(-dx - c)} - e^{(-3dx - 3c)})/d - 120\arctan(e^{(-dx - c)})/d - (25e^{(-2dx - 2c)} + 77e^{(-4dx - 4c)} + 3e^{(-6dx - 6c)} - 1)/(d(e^{(-3dx - 3c)} + 2e^{(-5dx - 5c)} + e^{(-7dx - 7c)}))) + 1/24a^2(e^{(3dx + 3c)}/d - 9e^{(dx + c)}/d - 9e^{(-dx - c)}/d + e^{(-3dx - 3c)}/d)$$

**mupad [B]** time = 1.44, size = 397, normalized size = 2.18

$$\frac{e^{3c+3dx}(a+b)^2}{24d} - \frac{e^{c+dx}(3a^2+18ab+15b^2)}{8d} - \frac{e^{-c-dx}(3a^2-18ab+15b^2)}{8d} + \frac{e^{-3c-3dx}(a-b)^2}{24d} + \frac{10\operatorname{atan}\left(\frac{abe^{dx}}{d\sqrt{\dots}}\right)}{\sqrt{\dots}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^3)^2,x)`

[Out]  $(\exp(3c + 3dx)(a + b)^2)/(24d) - (\exp(c + dx)(18ab + 3a^2 + 15b^2))/(8d) - (\exp(-c - dx)(3a^2 - 18ab + 15b^2))/(8d) + (\exp(-3c - 3dx)(a - b)^2)/(24d) + (10\operatorname{atan}((a*b*\exp(dx)*\exp(c)*(d^2)^{(1/2)}))/(d*(a^2*b^2)^{(1/2)}))*(a^2*b^2)^{(1/2)}/(d^2)^{(1/2)} - (256*b^2*\exp(c + dx))/(15*d*(3*\exp(2c + 2dx) + 3*\exp(4c + 4dx) + \exp(6c + 6dx) + 1)) + (64*b^2*\exp(c + dx))/(5*d*(4*\exp(2c + 2dx) + 6*\exp(4c + 4dx) + 4*\exp(6c + 6dx) + \exp(8c + 8dx) + 1)) - (32*b^2*\exp(c + dx))/(5*d*(5*\exp(2c + 2dx) + 10*\exp(4c + 4dx) + 10*\exp(6c + 6dx) + 5*\exp(8c + 8dx) + \exp(10c + 10dx) + 1)) - (2*\exp(c + dx)*(a*b + 6*b^2))/(d*(\exp(2c + 2dx) + 1)) + (4*\exp(c + dx)*(3*a*b + 8*b^2))/(3*d*(2*\exp(2c + 2dx) + \exp(4c + 4dx) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \sinh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**3)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)**2*sinh(c + d*x)**3, x)`

### 3.59 $\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^2 dx$

**Optimal.** Leaf size=129

$$\frac{\sinh(c + dx) \cosh(c + dx) (a^2 + 2ab \tanh(c + dx) + b^2)}{2d} - \frac{1}{2}x(a^2 + 7b^2) + \frac{ab \tanh^2(c + dx)}{d} - \frac{4ab \log(\cosh(c + dx))}{d}$$

[Out]  $-1/2*(a^2+7*b^2)*x-4*a*b*\ln(\cosh(d*x+c))/d+3*b^2*\tanh(d*x+c)/d+a*b*\tanh(d*x+c)^2/d+2/3*b^2*\tanh(d*x+c)^3/d+1/5*b^2*\tanh(d*x+c)^5/d+1/2*\cosh(d*x+c)*\sinh(d*x+c)*(a^2+b^2+2*a*b*\tanh(d*x+c))/d$

**Rubi [A]** time = 0.21, antiderivative size = 159, normalized size of antiderivative = 1.23, number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{\sinh^2(c + dx) ((a^2 + b^2) \tanh(c + dx) + 2ab)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{(a + b)(a + 7b) \log(\cosh(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out]  $((a + b)*(a + 7*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(4*d) - ((a - 7*b)*(a - b)*\text{Log}[1 + \text{Tanh}[c + d*x]])/(4*d) + ((a^2 + 7*b^2)*\text{Tanh}[c + d*x])/(2*d) + (a*b*\text{Tanh}[c + d*x]^2)/d + (2*b^2*\text{Tanh}[c + d*x]^3)/(3*d) + (b^2*\text{Tanh}[c + d*x]^5)/(5*d) + (\text{Sinh}[c + d*x]^2*(2*a*b + (a^2 + b^2)*\text{Tanh}[c + d*x]))/(2*d)$

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

#### Rule 1802

Int[(Pq\_)\*((c\_.)\*(x\_))<sup>(m\_.)\*((a\_) + (b\_.)\*(x\_)^2)<sup>(p\_.)</sup>, x\_Symbol] := Int[ExpandIntegrand[(c\*x)<sup>m</sup>\*Pq\*(a + b\*x^2)<sup>p</sup>, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]</sup>

Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (2ab + (a^2 + b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int \frac{x(-4ab - (a^2 + b^2)x^2)}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (2ab + (a^2 + b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}\left(\int (a^2 + 7b^2 - 4abx) dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{2b^2 \tanh^3(c + dx)}{3d} + \frac{(a - 7b) \log(1 - \tanh(c + dx))}{4d} \\
&= \frac{(a^2 + 7b^2) \tanh(c + dx)}{2d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{2b^2 \tanh^3(c + dx)}{3d} + \frac{(a + b)(a + 7b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 7b)(a - b) \log(1 + \tanh(c + dx))}{4d}
\end{aligned}$$

Mathematica [A] time = 1.60, size = 137, normalized size = 1.06

---


$$15a^2 \sinh(2(c + dx)) - 30a^2c - 30a^2dx + 30ab \cosh(2(c + dx)) - 240ab \log(\cosh(c + dx)) - 4b \text{sech}^2(c + dx)(15a^2c + 15a^2dx - 30ab \cosh(2(c + dx)) + 240ab \log(\cosh(c + dx)))$$

Antiderivative was successfully verified.

```
[In] Integrate[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^3)^2,x]
```

```
[Out] (-30*a^2*c - 210*b^2*c - 30*a^2*d*x - 210*b^2*d*x + 30*a*b*Cosh[2*(c + d*x)] - 240*a*b*Log[Cosh[c + d*x]] + 15*a^2*Sinh[2*(c + d*x)] + 15*b^2*Sinh[2*(c + d*x)] + 232*b^2*Tanh[c + d*x] + 12*b^2*Sech[c + d*x]^4*Tanh[c + d*x] - 4*b*Sech[c + d*x]^2*(15*a + 16*b*Tanh[c + d*x]))/(60*d)
```

**fricas** [B] time = 0.74, size = 3649, normalized size = 28.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^2,x, algorithm="fricas")
```

```
[Out] 1/120*(15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^14 + 210*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^13 + 15*(a^2 + 2*a*b + b^2)*sinh(d*x + c)^14 - 15*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^12 - 15*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 91*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 - 5*a^2 - 10*a*b - 5*b^2)*sinh(d*x + c)^12 + 60*(91*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 - 3*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c))*sinh(d*x + c)^11 - 15*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c)^10 + 15*(1001*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 - 20*(a^2 - 8*a*b + 7*b^2)*d*x - 66*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^2 + 9*a^2 - 10*a*b - 87*b^2)*sinh(d*x + c)^10 + 30*(1001*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 - 110*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^3 - 5*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c))*sinh(d*x + c)^9 - 15*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2)*cosh(d*x + c)^8 + 15*(3003*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 - 495*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^4 - 40*(a^2 - 8*a*b + 7*b^2)*d*x - 45*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c)^2 + 5*a^2 - 66*a*b - 251*b^2)*sinh(d*x + c)^8 + 120*(429*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 - 99*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^5 - 15*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c)^3 - (40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2)*cosh(d*x + c))*sinh(d*x + c)^7 - 5*(120*(a^2 - 8*a*b + 7*b^2)*d*x + 15*a^2 + 198*a*b + 1103*b^2)*cosh(d*x + c)^6 + 5*(9009*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 - 2772*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d*x + c)^6 - 630*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c)^4 - 120*(a^2 - 8*a*b + 7*b^2)*d*x - 84*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2)*cosh(d*x + c)^2 - 15*a^2 - 198*a*b - 1103*b^2)*sinh(d*x + c)^6 + 30*(1001*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^9 - 396*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*cosh(d
```

$$\begin{aligned}
& *x + c)^7 - 126*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*\text{cosh}(d*x + c)^5 - 28*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2) \\
& )*\text{cosh}(d*x + c)^3 - (120*(a^2 - 8*a*b + 7*b^2)*d*x + 15*a^2 + 198*a*b + 110 \\
& 3*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^5 - 5*(60*(a^2 - 8*a*b + 7*b^2)*d*x + 2 \\
& 7*a^2 + 30*a*b + 667*b^2)*\text{cosh}(d*x + c)^4 + 5*(3003*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^{10} - 1485*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2) \\
& )*\text{cosh}(d*x + c)^8 - 630*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87* \\
& b^2)*\text{cosh}(d*x + c)^6 - 210*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + \\
& 251*b^2)*\text{cosh}(d*x + c)^4 - 60*(a^2 - 8*a*b + 7*b^2)*d*x - 15*(120*(a^2 - 8 \\
& *a*b + 7*b^2)*d*x + 15*a^2 + 198*a*b + 1103*b^2)*\text{cosh}(d*x + c)^2 - 27*a^2 - \\
& 30*a*b - 667*b^2)*\text{sinh}(d*x + c)^4 + 20*(273*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + \\
& c)^{11} - 165*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*\text{cosh}(d* \\
& x + c)^9 - 90*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*\text{cosh} \\
& (d*x + c)^7 - 42*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2)* \\
& \text{cosh}(d*x + c)^5 - 5*(120*(a^2 - 8*a*b + 7*b^2)*d*x + 15*a^2 + 198*a*b + 110 \\
& 3*b^2)*\text{cosh}(d*x + c)^3 - (60*(a^2 - 8*a*b + 7*b^2)*d*x + 27*a^2 + 30*a*b + \\
& 667*b^2)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^3 - (60*(a^2 - 8*a*b + 7*b^2)*d*x + 7 \\
& 5*a^2 - 150*a*b + 1003*b^2)*\text{cosh}(d*x + c)^2 + (1365*(a^2 + 2*a*b + b^2)*\text{cosh} \\
& (d*x + c)^{12} - 990*(4*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)* \\
& \text{cosh}(d*x + c)^{10} - 675*(20*(a^2 - 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87* \\
& b^2)*\text{cosh}(d*x + c)^8 - 420*(40*(a^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + \\
& 251*b^2)*\text{cosh}(d*x + c)^6 - 75*(120*(a^2 - 8*a*b + 7*b^2)*d*x + 15*a^2 + 19 \\
& 8*a*b + 1103*b^2)*\text{cosh}(d*x + c)^4 - 60*(a^2 - 8*a*b + 7*b^2)*d*x - 30*(60*( \\
& a^2 - 8*a*b + 7*b^2)*d*x + 27*a^2 + 30*a*b + 667*b^2)*\text{cosh}(d*x + c)^2 - 75* \\
& a^2 + 150*a*b - 1003*b^2)*\text{sinh}(d*x + c)^2 - 15*a^2 + 30*a*b - 15*b^2 - 480* \\
& (a*b*\text{cosh}(d*x + c)^{12} + 12*a*b*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^{11} + a*b*\text{sinh}(d* \\
& x + c)^{12} + 5*a*b*\text{cosh}(d*x + c)^{10} + (66*a*b*\text{cosh}(d*x + c)^2 + 5*a*b)*\text{sinh}( \\
& d*x + c)^{10} + 10*a*b*\text{cosh}(d*x + c)^8 + 10*(22*a*b*\text{cosh}(d*x + c)^3 + 5*a*b*c \\
& \text{osh}(d*x + c))*\text{sinh}(d*x + c)^9 + 5*(99*a*b*\text{cosh}(d*x + c)^4 + 45*a*b*\text{cosh}(d*x \\
& + c)^2 + 2*a*b)*\text{sinh}(d*x + c)^8 + 10*a*b*\text{cosh}(d*x + c)^6 + 8*(99*a*b*\text{cosh}( \\
& d*x + c)^5 + 75*a*b*\text{cosh}(d*x + c)^3 + 10*a*b*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^7 \\
& + 2*(462*a*b*\text{cosh}(d*x + c)^6 + 525*a*b*\text{cosh}(d*x + c)^4 + 140*a*b*\text{cosh}(d*x \\
& + c)^2 + 5*a*b)*\text{sinh}(d*x + c)^6 + 5*a*b*\text{cosh}(d*x + c)^4 + 4*(198*a*b*\text{cosh}(d \\
& *x + c)^7 + 315*a*b*\text{cosh}(d*x + c)^5 + 140*a*b*\text{cosh}(d*x + c)^3 + 15*a*b*\text{cosh} \\
& (d*x + c))*\text{sinh}(d*x + c)^5 + 5*(99*a*b*\text{cosh}(d*x + c)^8 + 210*a*b*\text{cosh}(d*x + \\
& c)^6 + 140*a*b*\text{cosh}(d*x + c)^4 + 30*a*b*\text{cosh}(d*x + c)^2 + a*b)*\text{sinh}(d*x + \\
& c)^4 + a*b*\text{cosh}(d*x + c)^2 + 20*(11*a*b*\text{cosh}(d*x + c)^9 + 30*a*b*\text{cosh}(d*x + \\
& c)^7 + 28*a*b*\text{cosh}(d*x + c)^5 + 10*a*b*\text{cosh}(d*x + c)^3 + a*b*\text{cosh}(d*x + c) \\
& )*\text{sinh}(d*x + c)^3 + (66*a*b*\text{cosh}(d*x + c)^{10} + 225*a*b*\text{cosh}(d*x + c)^8 + 28 \\
& 0*a*b*\text{cosh}(d*x + c)^6 + 150*a*b*\text{cosh}(d*x + c)^4 + 30*a*b*\text{cosh}(d*x + c)^2 + \\
& a*b)*\text{sinh}(d*x + c)^2 + 2*(6*a*b*\text{cosh}(d*x + c)^{11} + 25*a*b*\text{cosh}(d*x + c)^9 + \\
& 40*a*b*\text{cosh}(d*x + c)^7 + 30*a*b*\text{cosh}(d*x + c)^5 + 10*a*b*\text{cosh}(d*x + c)^3 + \\
& a*b*\text{cosh}(d*x + c))*\text{sinh}(d*x + c))*\log(2*\text{cosh}(d*x + c)/(\text{cosh}(d*x + c) - \text{sin} \\
& h(d*x + c))) + 2*(105*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^{13} - 90*(4*(a^2 - 8 \\
& *a*b + 7*b^2)*d*x - 5*a^2 - 10*a*b - 5*b^2)*\text{cosh}(d*x + c)^{11} - 75*(20*(a^2
\end{aligned}$$

```

- 8*a*b + 7*b^2)*d*x - 9*a^2 + 10*a*b + 87*b^2)*cosh(d*x + c)^9 - 60*(40*(a
^2 - 8*a*b + 7*b^2)*d*x - 5*a^2 + 66*a*b + 251*b^2)*cosh(d*x + c)^7 - 15*(1
20*(a^2 - 8*a*b + 7*b^2)*d*x + 15*a^2 + 198*a*b + 1103*b^2)*cosh(d*x + c)^5
- 10*(60*(a^2 - 8*a*b + 7*b^2)*d*x + 27*a^2 + 30*a*b + 667*b^2)*cosh(d*x +
c)^3 - (60*(a^2 - 8*a*b + 7*b^2)*d*x + 75*a^2 - 150*a*b + 1003*b^2)*cosh(d
*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^12 + 12*d*cosh(d*x + c)*sinh(d*x +
c)^11 + d*sinh(d*x + c)^12 + 5*d*cosh(d*x + c)^10 + (66*d*cosh(d*x + c)^2
+ 5*d)*sinh(d*x + c)^10 + 10*(22*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + c))*sin
h(d*x + c)^9 + 10*d*cosh(d*x + c)^8 + 5*(99*d*cosh(d*x + c)^4 + 45*d*cosh(d
*x + c)^2 + 2*d)*sinh(d*x + c)^8 + 8*(99*d*cosh(d*x + c)^5 + 75*d*cosh(d*x
+ c)^3 + 10*d*cosh(d*x + c))*sinh(d*x + c)^7 + 10*d*cosh(d*x + c)^6 + 2*(46
2*d*cosh(d*x + c)^6 + 525*d*cosh(d*x + c)^4 + 140*d*cosh(d*x + c)^2 + 5*d)*
sinh(d*x + c)^6 + 4*(198*d*cosh(d*x + c)^7 + 315*d*cosh(d*x + c)^5 + 140*d*
cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^5 + 5*d*cosh(d*x + c)^4
+ 5*(99*d*cosh(d*x + c)^8 + 210*d*cosh(d*x + c)^6 + 140*d*cosh(d*x + c)^4
+ 30*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 20*(11*d*cosh(d*x + c)^9 + 30
*d*cosh(d*x + c)^7 + 28*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + d*cosh(d
*x + c))*sinh(d*x + c)^3 + d*cosh(d*x + c)^2 + (66*d*cosh(d*x + c)^10 + 225
*d*cosh(d*x + c)^8 + 280*d*cosh(d*x + c)^6 + 150*d*cosh(d*x + c)^4 + 30*d*c
osh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 2*(6*d*cosh(d*x + c)^11 + 25*d*cosh(d
*x + c)^9 + 40*d*cosh(d*x + c)^7 + 30*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c
)^3 + d*cosh(d*x + c))*sinh(d*x + c))

```

**giac [B]** time = 0.44, size = 298, normalized size = 2.31

$$60(a^2 - 8ab + 7b^2)dx + 480ab \log(e^{(2dx+2c)} + 1) - 15(2a^2e^{(2dx+2c)} - 16abe^{(2dx+2c)} + 14b^2e^{(2dx+2c)} - a^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

```

[Out] -1/120*(60*(a^2 - 8*a*b + 7*b^2)*d*x + 480*a*b*log(e^(2*d*x + 2*c) + 1) - 1
5*(2*a^2*e^(2*d*x + 2*c) - 16*a*b*e^(2*d*x + 2*c) + 14*b^2*e^(2*d*x + 2*c)
- a^2 + 2*a*b - b^2)*e^(-2*d*x - 2*c) - 15*(a^2*e^(2*d*x + 16*c) + 2*a*b*e^
(2*d*x + 16*c) + b^2*e^(2*d*x + 16*c))*e^(-14*c) - 8*(137*a*b*e^(10*d*x + 1
0*c) + 625*a*b*e^(8*d*x + 8*c) - 180*b^2*e^(8*d*x + 8*c) + 1190*a*b*e^(6*d*
x + 6*c) - 480*b^2*e^(6*d*x + 6*c) + 1190*a*b*e^(4*d*x + 4*c) - 680*b^2*e^(
4*d*x + 4*c) + 625*a*b*e^(2*d*x + 2*c) - 400*b^2*e^(2*d*x + 2*c) + 137*a*b
- 116*b^2)/(e^(2*d*x + 2*c) + 1)^5)/d

```

**maple [A]** time = 0.25, size = 173, normalized size = 1.34

$$\frac{a^2 \cosh(dx + c) \sinh(dx + c)}{2d} - \frac{a^2 x}{2} - \frac{a^2 c}{2d} + \frac{ab \left( \sinh^4(dx + c) \right)}{d \cosh(dx + c)^2} - \frac{4ab \ln(\cosh(dx + c))}{d} + \frac{2ab \left( \tanh^2(dx + c) \right)}{d} + \frac{b^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^2,x)`

[Out]  $\frac{1}{2}a^2\cosh(d*x+c)*\sinh(d*x+c)/d - \frac{1}{2}a^2*x - \frac{1}{2}d*a^2*c + \frac{1}{d}a*b*\sinh(d*x+c)^4/\cosh(d*x+c)^2 - 4*a*b*\ln(\cosh(d*x+c))/d + 2*a*b*tanh(d*x+c)^2/d + \frac{1}{2}d*b^2*\sinh(d*x+c)^7/\cosh(d*x+c)^5 - 7/2*b^2*x - 7/2/d*c*b^2 + 7/2*b^2*tanh(d*x+c)/d + 7/6*b^2*tanh(d*x+c)^3/d + 7/10*b^2*tanh(d*x+c)^5/d$

**maxima** [B] time = 0.41, size = 301, normalized size = 2.33

$$-\frac{1}{8}a^2\left(4x - \frac{e^{2dx+2c}}{d} + \frac{e^{-2dx-2c}}{d}\right) - \frac{1}{120}b^2\left(\frac{420(dx+c)}{d} + \frac{15e^{-2dx-2c}}{d} - \frac{1003e^{-2dx-2c} + 3350e^{-4dx-4c} + 5590e^{-6dx-6c} + 3915e^{-8dx-8c} + 1455e^{-10dx-10c} + 15}{d(e^{-2dx-2c} + 5e^{-4dx-4c} + 10e^{-6dx-6c} + 10e^{-8dx-8c} + 5e^{-10dx-10c} + e^{-12dx-12c})}\right) - \frac{1}{4}a*b*\left(\frac{16(dx+c)}{d} - \frac{e^{-2dx-2c}}{d} + 16*\log(e^{-2dx-2c} + 1)\right) - \frac{(2e^{-2dx-2c} - 15e^{-4dx-4c} + 1)}{(d*(e^{-2dx-2c} + 2e^{-4dx-4c} + e^{-6dx-6c}))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)^2*(a+b*tanh(d*x+c)^3)^2,x, algorithm="maxima")`

[Out]  $-\frac{1}{8}a^2*(4*x - e^{2*d*x + 2*c}/d + e^{-2*d*x - 2*c}/d) - \frac{1}{120}b^2*(420*(d*x + c)/d + 15*e^{-2*d*x - 2*c}/d - (1003*e^{-2*d*x - 2*c} + 3350*e^{-4*d*x - 4*c} + 5590*e^{-6*d*x - 6*c} + 3915*e^{-8*d*x - 8*c} + 1455*e^{-10*d*x - 10*c} + 15)/(d*(e^{-2*d*x - 2*c} + 5*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 10*e^{-8*d*x - 8*c} + 5*e^{-10*d*x - 10*c} + e^{-12*d*x - 12*c}))) - \frac{1}{4}a*b*(16*(d*x + c)/d - e^{-2*d*x - 2*c}/d + 16*\log(e^{-2*d*x - 2*c} + 1)/d - (2*e^{-2*d*x - 2*c} - 15*e^{-4*d*x - 4*c} + 1)/(d*(e^{-2*d*x - 2*c} + 2*e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c})))$

**mupad** [B] time = 1.36, size = 306, normalized size = 2.37

$$\frac{e^{2c+2dx}(a+b)^2}{8d} - \frac{4(3b^2+ab)}{d(e^{2c+2dx}+1)} - x\left(\frac{a^2}{2} - 4ab + \frac{7b^2}{2}\right) + \frac{4(4b^2+ab)}{d(2e^{2c+2dx}+e^{4c+4dx}+1)} - \frac{64b^2}{3d(3e^{2c+2dx}+3e^{4c+4dx}+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^3)^2,x)`

[Out]  $(\exp(2*c + 2*d*x)*(a + b)^2)/(8*d) - (4*(a*b + 3*b^2))/(d*(\exp(2*c + 2*d*x) + 1)) - x*(a^2/2 - 4*a*b + (7*b^2)/2) + (4*(a*b + 4*b^2))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (64*b^2)/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) - (\exp(-2*c - 2*d*x)*(a - b)^2)/(8*d) + (16*b^2)/(d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (32*b^2)/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (4*a*b*\log(\exp(2*c)*\exp(2*d*x) + 1))/d$



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \sinh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**2*(a+b*tanh(d*x+c)**3)**2, x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**3)**2*sinh(c + d*x)**2, x)
```

### 3.60 $\int \sinh(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=123

$$\frac{a^2 \cosh(c + dx)}{d} + \frac{3ab \sinh(c + dx)}{d} - \frac{3ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \sinh(c + dx) \tanh^2(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \dots$$

[Out]  $-3*a*b*\arctan(\sinh(d*x+c))/d+a^2*\cosh(d*x+c)/d+b^2*\cosh(d*x+c)/d+3*b^2*\operatorname{sech}(d*x+c)/d-b^2*\operatorname{sech}(d*x+c)^3/d+1/5*b^2*\operatorname{sech}(d*x+c)^5/d+3*a*b*\sinh(d*x+c)/d-a*b*\sinh(d*x+c)*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.15, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {3666, 2638, 2592, 288, 321, 203, 2590, 270}

$$\frac{a^2 \cosh(c + dx)}{d} + \frac{3ab \sinh(c + dx)}{d} - \frac{3ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \sinh(c + dx) \tanh^2(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]*(a + b*Tanh[c + d*x]^3)^2,x]`

[Out]  $(-3*a*b*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/d + (a^2*\operatorname{Cosh}[c + d*x])/d + (b^2*\operatorname{Cosh}[c + d*x])/d + (3*b^2*\operatorname{Sech}[c + d*x])/d - (b^2*\operatorname{Sech}[c + d*x]^3)/d + (b^2*\operatorname{Sech}[c + d*x]^5)/(5*d) + (3*a*b*\operatorname{Sinh}[c + d*x])/d - (a*b*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^2)/d$

#### Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

#### Rule 270

`Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]`

#### Rule 288

`Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^n*n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I`

LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 2590

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]

### Rule 2592

Int[((a\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[(ff\*x)^(m + n)/(a^2 - ff^2\*x^2)^((n + 1)/2), x], x, (a\*Sin[e + f\*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]

### Rule 2638

Int[sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[Cos[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

### Rule 3666

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := Int[ExpandTrig[(d\*sin[e + f\*x])^m\*(a + b\*(c\*tan[e + f\*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^3(c + dx))^2 dx &= - \left( i \int (ia^2 \sinh(c + dx) + 2iab \sinh(c + dx) \tanh^3(c + dx) + ib^2 \sinh(c + dx) \tanh^6(c + dx)) dx \right) \\
&= a^2 \int \sinh(c + dx) dx + (2ab) \int \sinh(c + dx) \tanh^3(c + dx) dx + b^2 \int \sinh(c + dx) \tanh^6(c + dx) dx \\
&= \frac{a^2 \cosh(c + dx)}{d} + \frac{(2ab) \operatorname{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} - \frac{b^2 \operatorname{Subst} \left( \int \frac{x^6}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{a^2 \cosh(c + dx)}{d} - \frac{ab \sinh(c + dx) \tanh^2(c + dx)}{d} + \frac{(3ab) \operatorname{Subst} \left( \int \frac{x^4}{1+x^2} dx, x, \sinh(c + dx) \right)}{d} - \frac{b^2 \operatorname{Subst} \left( \int \frac{x^6}{1+x^2} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{a^2 \cosh(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \frac{3b^2 \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{d} \\
&= -\frac{3ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{a^2 \cosh(c + dx)}{d} + \frac{b^2 \cosh(c + dx)}{d} + \frac{3b^2 \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^3(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.44, size = 90, normalized size = 0.73

$$\frac{5(a^2 + b^2) \cosh(c + dx) + b \left( 5 \operatorname{sech}(c + dx) (a \tanh(c + dx) + 3b) + 10a \left( \sinh(c + dx) - 3 \tan^{-1} \left( \tanh \left( \frac{1}{2}(c + dx) \right) \right) \right) \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (5\*(a^2 + b^2)\*Cosh[c + d\*x] + b\*(-5\*b\*Sech[c + d\*x]^3 + b\*Sech[c + d\*x]^5 + 10\*a\*(-3\*ArcTan[Tanh[(c + d\*x)/2]] + Sinh[c + d\*x]) + 5\*Sech[c + d\*x]\*(3\*b + a\*Tanh[c + d\*x]))) / (5\*d)

**fricas [B]** time = 0.72, size = 2230, normalized size = 18.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 1/10\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^12 + 60\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + 5\*(a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^12 + 30\*(a^2 + 2\*a\*b + 3\*b^2)\*cosh(d\*x + c)^10 + 30\*(11\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 + 2\*a\*b + 3\*b^2)\*sinh(d\*x + c)^10 + 100\*(11\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + 3\*(a^2 + 2\*a\*b + 3\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 +

$$\begin{aligned}
& 5*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^8 + 5*(495*(a^2 + 2*a*b + b^2)* \\
& \cosh(d*x + c)^4 + 270*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^2 + 15*a^2 + 18*a \\
& *b + 47*b^2)*\sinh(d*x + c)^8 + 40*(99*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + \\
& 90*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^3 + (15*a^2 + 18*a*b + 47*b^2)*\cosh \\
& (d*x + c))*\sinh(d*x + c)^7 + 4*(25*a^2 + 91*b^2)*\cosh(d*x + c)^6 + 4*(1155* \\
& (a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 1575*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + \\
& c)^4 + 35*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^2 + 25*a^2 + 91*b^2)*\si \\
& nh(d*x + c)^6 + 8*(495*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 945*(a^2 + 2*a \\
& *b + 3*b^2)*\cosh(d*x + c)^5 + 35*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^3 \\
& + 3*(25*a^2 + 91*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 5*(15*a^2 - 18*a*b \\
& + 47*b^2)*\cosh(d*x + c)^4 + 5*(495*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 12 \\
& 60*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^6 + 70*(15*a^2 + 18*a*b + 47*b^2)*\co \\
& sh(d*x + c)^4 + 12*(25*a^2 + 91*b^2)*\cosh(d*x + c)^2 + 15*a^2 - 18*a*b + 47 \\
& *b^2)*\sinh(d*x + c)^4 + 20*(55*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 180*(a \\
& ^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^7 + 14*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d* \\
& x + c)^5 + 4*(25*a^2 + 91*b^2)*\cosh(d*x + c)^3 + (15*a^2 - 18*a*b + 47*b^2) \\
& *\cosh(d*x + c))*\sinh(d*x + c)^3 + 30*(a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^2 \\
& + 10*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 135*(a^2 + 2*a*b + 3*b^2)*\c \\
& osh(d*x + c)^8 + 14*(15*a^2 + 18*a*b + 47*b^2)*\cosh(d*x + c)^6 + 6*(25*a^2 \\
& + 91*b^2)*\cosh(d*x + c)^4 + 3*(15*a^2 - 18*a*b + 47*b^2)*\cosh(d*x + c)^2 + \\
& 3*a^2 - 6*a*b + 9*b^2)*\sinh(d*x + c)^2 + 5*a^2 - 10*a*b + 5*b^2 - 60*(a*b*c \\
& osh(d*x + c)^11 + 11*a*b*cosh(d*x + c)*\sinh(d*x + c)^10 + a*b*\sinh(d*x + c) \\
& ^11 + 5*a*b*cosh(d*x + c)^9 + 5*(11*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c \\
& )^9 + 10*a*b*cosh(d*x + c)^7 + 15*(11*a*b*cosh(d*x + c)^3 + 3*a*b*cosh(d*x \\
& + c))*\sinh(d*x + c)^8 + 10*(33*a*b*cosh(d*x + c)^4 + 18*a*b*cosh(d*x + c)^2 \\
& + a*b)*\sinh(d*x + c)^7 + 10*a*b*cosh(d*x + c)^5 + 14*(33*a*b*cosh(d*x + c) \\
& ^5 + 30*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(231 \\
& *a*b*cosh(d*x + c)^6 + 315*a*b*cosh(d*x + c)^4 + 105*a*b*cosh(d*x + c)^2 + \\
& 5*a*b)*\sinh(d*x + c)^5 + 5*a*b*cosh(d*x + c)^3 + 10*(33*a*b*cosh(d*x + c)^7 \\
& + 63*a*b*cosh(d*x + c)^5 + 35*a*b*cosh(d*x + c)^3 + 5*a*b*cosh(d*x + c))*\s \\
& inh(d*x + c)^4 + 5*(33*a*b*cosh(d*x + c)^8 + 84*a*b*cosh(d*x + c)^6 + 70*a* \\
& b*cosh(d*x + c)^4 + 20*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^3 + a*b*cos \\
& h(d*x + c) + 5*(11*a*b*cosh(d*x + c)^9 + 36*a*b*cosh(d*x + c)^7 + 42*a*b*co \\
& sh(d*x + c)^5 + 20*a*b*cosh(d*x + c)^3 + 3*a*b*cosh(d*x + c))*\sinh(d*x + c) \\
& ^2 + (11*a*b*cosh(d*x + c)^10 + 45*a*b*cosh(d*x + c)^8 + 70*a*b*cosh(d*x + \\
& c)^6 + 50*a*b*cosh(d*x + c)^4 + 15*a*b*cosh(d*x + c)^2 + a*b)*\sinh(d*x + c) \\
& )*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 4*(15*(a^2 + 2*a*b + b^2)*\cosh(d* \\
& x + c)^11 + 75*(a^2 + 2*a*b + 3*b^2)*\cosh(d*x + c)^9 + 10*(15*a^2 + 18*a*b \\
& + 47*b^2)*\cosh(d*x + c)^7 + 6*(25*a^2 + 91*b^2)*\cosh(d*x + c)^5 + 5*(15*a^2 \\
& - 18*a*b + 47*b^2)*\cosh(d*x + c)^3 + 15*(a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c \\
& ))*\sinh(d*x + c))/(d*cosh(d*x + c)^11 + 11*d*cosh(d*x + c)*\sinh(d*x + c)^10 \\
& + d*\sinh(d*x + c)^11 + 5*d*cosh(d*x + c)^9 + 5*(11*d*cosh(d*x + c)^2 + d)* \\
& \sinh(d*x + c)^9 + 15*(11*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*\sinh(d*x + \\
& c)^8 + 10*d*cosh(d*x + c)^7 + 10*(33*d*cosh(d*x + c)^4 + 18*d*cosh(d*x + c) \\
& ^2 + d)*\sinh(d*x + c)^7 + 14*(33*d*cosh(d*x + c)^5 + 30*d*cosh(d*x + c)^3 +
\end{aligned}$$

$5*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 10*d*\cosh(d*x + c)^5 + 2*(231*d*\cosh(d*x + c)^6 + 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + 5*d)*\sinh(d*x + c)^5 + 10*(33*d*\cosh(d*x + c)^7 + 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^3 + 5*(11*d*\cosh(d*x + c)^9 + 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + d*\cosh(d*x + c) + (11*d*\cosh(d*x + c)^10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c))$

**giac** [A] time = 0.31, size = 214, normalized size = 1.74

$$60 ab \arctan(e^{(dx+c)}) - 5(a^2 - 2ab + b^2)e^{-dx-c} - 5(a^2e^{(dx+14c)} + 2abe^{(dx+14c)} + b^2e^{(dx+14c)})e^{-13c} - \frac{4(5abe^{9dx+c})}{10d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out]  $-1/10*(60*a*b*\arctan(e^{(d*x + c)}) - 5*(a^2 - 2*a*b + b^2)*e^{(-d*x - c)} - 5*(a^2*e^{(d*x + 14*c)} + 2*a*b*e^{(d*x + 14*c)} + b^2*e^{(d*x + 14*c)})*e^{(-13*c)} - 4*(5*a*b*e^{(9*d*x + 9*c)} + 15*b^2*e^{(9*d*x + 9*c)} + 10*a*b*e^{(7*d*x + 7*c)} + 40*b^2*e^{(7*d*x + 7*c)} + 66*b^2*e^{(5*d*x + 5*c)} - 10*a*b*e^{(3*d*x + 3*c)} + 40*b^2*e^{(3*d*x + 3*c)} - 5*a*b*e^{(d*x + c)} + 15*b^2*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^5)/d$

**maple** [A] time = 0.32, size = 179, normalized size = 1.46

$$\frac{a^2 \cosh(dx+c)}{d} + \frac{2ab \left(\sinh^3(dx+c)\right)}{d \cosh(dx+c)^2} + \frac{6ab \sinh(dx+c)}{d \cosh(dx+c)^2} - \frac{3ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} - \frac{6ab \arctan(e^{dx+c})}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out]  $a^2*\cosh(d*x+c)/d+2/d*a*b*\sinh(d*x+c)^3/\cosh(d*x+c)^2+6/d*a*b*\sinh(d*x+c)/\cosh(d*x+c)^2-3/d*a*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)-6/d*a*b*\arctan(\exp(d*x+c))+1/d*b^2*\sinh(d*x+c)^6/\cosh(d*x+c)^5+6/d*b^2*\sinh(d*x+c)^4/\cosh(d*x+c)^5+8/d*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^5+16/5/d*b^2/\cosh(d*x+c)^5$

**maxima** [B] time = 0.41, size = 253, normalized size = 2.06

$$ab \left( \frac{6 \arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d} + \frac{4e^{-2dx-2c} - e^{-4dx-4c} + 1}{d(e^{-dx-c} + 2e^{-3dx-3c} + e^{-5dx-5c})} \right) + \frac{1}{10} b^2 \left( \frac{5e^{-dx-c}}{d} + \frac{85e^{-2dx-2c} + 210}{d(e^{-dx-c} + 5e^{-3dx-3c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out] a\*b\*(6\*arctan(e^(-d\*x - c))/d - e^(-d\*x - c)/d + (4\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) + 1)/(d\*(e^(-d\*x - c) + 2\*e^(-3\*d\*x - 3\*c) + e^(-5\*d\*x - 5\*c))) + 1/10\*b^2\*(5\*e^(-d\*x - c)/d + (85\*e^(-2\*d\*x - 2\*c) + 210\*e^(-4\*d\*x - 4\*c) + 314\*e^(-6\*d\*x - 6\*c) + 185\*e^(-8\*d\*x - 8\*c) + 65\*e^(-10\*d\*x - 10\*c) + 5)/(d\*(e^(-d\*x - c) + 5\*e^(-3\*d\*x - 3\*c) + 10\*e^(-5\*d\*x - 5\*c) + 10\*e^(-7\*d\*x - 7\*c) + 5\*e^(-9\*d\*x - 9\*c) + e^(-11\*d\*x - 11\*c)))) + a^2\*cosh(d\*x + c)/d

mupad [B] time = 1.29, size = 338, normalized size = 2.75

$$\frac{e^{c+dx}(a+b)^2}{2d} + \frac{e^{-c-dx}(a-b)^2}{2d} - \frac{6 \operatorname{atan}\left(\frac{ab e^{dx} e^c \sqrt{a^2}}{d \sqrt{a^2 b^2}}\right) \sqrt{a^2 b^2}}{\sqrt{d^2}} + \frac{72 b^2 e^{c+dx}}{5d (3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} - \frac{1}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)\*(a + b\*tanh(c + d\*x)^3)^2,x)

[Out] (exp(c + d\*x)\*(a + b)^2)/(2\*d) + (exp(-c - d\*x)\*(a - b)^2)/(2\*d) - (6\*atan((a\*b\*exp(d\*x)\*exp(c)\*(d^2)^(1/2))/(d\*(a^2\*b^2)^(1/2)))\*(a^2\*b^2)^(1/2))/(d^2)^(1/2) + (72\*b^2\*exp(c + d\*x))/(5\*d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1)) - (64\*b^2\*exp(c + d\*x))/(5\*d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1)) + (32\*b^2\*exp(c + d\*x))/(5\*d\*(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1)) + (2\*exp(c + d\*x)\*(a\*b + 3\*b^2))/(d\*(exp(2\*c + 2\*d\*x) + 1)) - (4\*exp(c + d\*x)\*(a\*b + 2\*b^2))/(d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*sinh(c + d\*x), x)

### 3.61 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=98

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2b^2 \operatorname{sech}^3(c + dx)}{3d}$$

[Out] a\*b\*arctan(sinh(d\*x+c))/d-a^2\*arctanh(cosh(d\*x+c))/d-b^2\*sech(d\*x+c)/d+2/3\*b^2\*sech(d\*x+c)^3/d-1/5\*b^2\*sech(d\*x+c)^5/d-a\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.14, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3666, 3770, 2611, 2606, 194}

$$-\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} - \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} - \frac{b^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2b^2 \operatorname{sech}^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (a\*b\*ArcTan[Sinh[c + d\*x]])/d - (a^2\*ArcTanh[Cosh[c + d\*x]])/d - (b^2\*Sech[c + d\*x])/d + (2\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 2611

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[(b\*(a\*Sec[e+f\*x])^m\*(b\*Tan[e+f\*x])^(n-1))/(f\*(m+n-1)), x] - Dist[(b^2\*(n-1))/(m+n-1), Int[(a\*Sec[e+f\*x])^m\*(b\*Tan[e+f\*x])^(n-2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && NeQ[m+n-1, 0] && IntegerQ[2\*m, 2\*n]



Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a
+ b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&
IGtQ[p, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \operatorname{csch}(c+dx) (a+b \tanh^3(c+dx))^2 dx &= i \int (-ia^2 \operatorname{csch}(c+dx) - 2iab \operatorname{sech}(c+dx) \tanh^2(c+dx) - ib^2 \operatorname{sech}^3(c+dx)) dx \\ &= a^2 \int \operatorname{csch}(c+dx) dx + (2ab) \int \operatorname{sech}(c+dx) \tanh^2(c+dx) dx + b^2 \int \operatorname{sech}^3(c+dx) dx \\ &= -\frac{a^2 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{ab \operatorname{sech}(c+dx) \tanh(c+dx)}{d} + (ab) \int \operatorname{sech}^3(c+dx) dx \\ &= \frac{ab \tan^{-1}(\sinh(c+dx))}{d} - \frac{a^2 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{ab \operatorname{sech}(c+dx)}{d} \\ &= \frac{ab \tan^{-1}(\sinh(c+dx))}{d} - \frac{a^2 \tanh^{-1}(\cosh(c+dx))}{d} - \frac{b^2 \operatorname{sech}(c+dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 106, normalized size = 1.08

$$\frac{a^2 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{d} + \frac{2ab \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{d} - \frac{ab \tanh(c+dx) \operatorname{sech}(c+dx)}{d} - \frac{b^2 \operatorname{sech}^5(c+dx)}{5d} + \frac{2b^2 \operatorname{sech}^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^2, x]

[Out] (2\*a\*b\*ArcTan[Tanh[(c + d\*x)/2]])/d + (a^2\*Log[Tanh[(c + d\*x)/2]])/d - (b^2\*Sech[c + d\*x])/d + (2\*b^2\*Sech[c + d\*x]^3)/(3\*d) - (b^2\*Sech[c + d\*x]^5)/(5\*d) - (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

**fricas [B]** time = 0.77, size = 2498, normalized size = 25.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/15*(30*(a*b + b^2)*\cosh(d*x + c)^9 + 270*(a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^8 + 30*(a*b + b^2)*\sinh(d*x + c)^9 + 20*(3*a*b + 2*b^2)*\cosh(d*x + c)^7 + 20*(54*(a*b + b^2)*\cosh(d*x + c)^2 + 3*a*b + 2*b^2)*\sinh(d*x + c)^7 + 116*b^2*\cosh(d*x + c)^5 + 140*(18*(a*b + b^2)*\cosh(d*x + c)^3 + (3*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 4*(945*(a*b + b^2)*\cosh(d*x + c)^4 + 105*(3*a*b + 2*b^2)*\cosh(d*x + c)^2 + 29*b^2)*\sinh(d*x + c)^5 + 20*(189*(a*b + b^2)*\cosh(d*x + c)^5 + 35*(3*a*b + 2*b^2)*\cosh(d*x + c)^3 + 29*b^2*\cosh(d*x + c))*\sinh(d*x + c)^4 - 20*(3*a*b - 2*b^2)*\cosh(d*x + c)^3 + 20*(12*6*(a*b + b^2)*\cosh(d*x + c)^6 + 35*(3*a*b + 2*b^2)*\cosh(d*x + c)^4 + 58*b^2*\cosh(d*x + c)^2 - 3*a*b + 2*b^2)*\sinh(d*x + c)^3 + 20*(54*(a*b + b^2)*\cosh(d*x + c)^7 + 21*(3*a*b + 2*b^2)*\cosh(d*x + c)^5 + 58*b^2*\cosh(d*x + c)^3 - 3*(3*a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 30*(a*b*\cosh(d*x + c)^10 + 10*a*b*\cosh(d*x + c)*\sinh(d*x + c)^9 + a*b*\sinh(d*x + c)^10 + 5*a*b*\cosh(d*x + c)^8 + 5*(9*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^8 + 10*a*b*\cosh(d*x + c)^6 + 40*(3*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(21*a*b*\cosh(d*x + c)^4 + 14*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^6 + 10*a*b*\cosh(d*x + c)^4 + 4*(63*a*b*\cosh(d*x + c)^5 + 70*a*b*\cosh(d*x + c)^3 + 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(21*a*b*\cosh(d*x + c)^6 + 35*a*b*\cosh(d*x + c)^4 + 15*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^4 + 5*a*b*\cosh(d*x + c)^2 + 40*(3*a*b*\cosh(d*x + c)^7 + 7*a*b*\cosh(d*x + c)^5 + 5*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^3 + 5*(9*a*b*\cosh(d*x + c)^8 + 28*a*b*\cosh(d*x + c)^6 + 30*a*b*\cosh(d*x + c)^4 + 12*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^2 + a*b + 10*(a*b*\cosh(d*x + c)^9 + 4*a*b*\cosh(d*x + c)^7 + 6*a*b*\cosh(d*x + c)^5 + 4*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 30*(a*b - b^2)*\cosh(d*x + c) + 15*(a^2*\cosh(d*x + c)^10 + 10*a^2*\cosh(d*x + c)*\sinh(d*x + c)^9 + a^2*\sinh(d*x + c)^10 + 5*a^2*\cosh(d*x + c)^8 + 5*(9*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^8 + 10*a^2*\cosh(d*x + c)^6 + 40*(3*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c)^7 + 10*(21*a^2*\cosh(d*x + c)^4 + 14*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^6 + 10*a^2*\cosh(d*x + c)^4 + 4*(63*a^2*\cosh(d*x + c)^5 + 70*a^2*\cosh(d*x + c)^3 + 15*a^2*\cosh(d*x + c))*\sinh(d*x + c)^5 + 10*(21*a^2*\cosh(d*x + c)^6 + 35*a^2*\cosh(d*x + c)^4 + 15*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^4 + 5*a^2*\cosh(d*x + c)^2 + 40*(3*a^2*\cosh(d*x + c)^7 + 7*a^2*\cosh(d*x + c)^5 + 5*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c)^3 + 5*(9*a^2*\cosh(d*x + c)^8 + 28*a^2*\cosh(d*x + c)^6 + 30*a^2*\cosh(d*x + c)^4 + 12*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^2 + a^2 + 10*(a^2*\cosh(d*x + c)^9 + 4*a^2*\cosh(d*x + c)^7 + 6*a^2*\cosh(d*x + c)^5 + 4*a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + 1) - 15*(a^2*\cosh(d*x + c)^10 + 10*a^2*\cosh(d*x + c)*\sinh(d*x + c)^9 + a^2*\sinh(d*x + c)^10 + 5*a^2*\cosh(d*x + c)^8 + 5*(9*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^8 + 10*a^2*\cosh(d*x + c)^6 \end{aligned}$$

+ 40\*(3\*a^2\*cosh(d\*x + c)^3 + a^2\*cosh(d\*x + c))\*sinh(d\*x + c)^7 + 10\*(21\*a^2\*cosh(d\*x + c)^4 + 14\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^6 + 10\*a^2\*cosh(d\*x + c)^4 + 4\*(63\*a^2\*cosh(d\*x + c)^5 + 70\*a^2\*cosh(d\*x + c)^3 + 15\*a^2\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 10\*(21\*a^2\*cosh(d\*x + c)^6 + 35\*a^2\*cosh(d\*x + c)^4 + 15\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^4 + 5\*a^2\*cosh(d\*x + c)^2 + 40\*(3\*a^2\*cosh(d\*x + c)^7 + 7\*a^2\*cosh(d\*x + c)^5 + 5\*a^2\*cosh(d\*x + c)^3 + a^2\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 5\*(9\*a^2\*cosh(d\*x + c)^8 + 28\*a^2\*cosh(d\*x + c)^6 + 30\*a^2\*cosh(d\*x + c)^4 + 12\*a^2\*cosh(d\*x + c)^2 + a^2)\*sinh(d\*x + c)^2 + a^2 + 10\*(a^2\*cosh(d\*x + c)^9 + 4\*a^2\*cosh(d\*x + c)^7 + 6\*a^2\*cosh(d\*x + c)^5 + 4\*a^2\*cosh(d\*x + c)^3 + a^2\*cosh(d\*x + c))\*sinh(d\*x + c)\*log(cosh(d\*x + c) + sinh(d\*x + c) - 1) + 10\*(27\*(a\*b + b^2)\*cosh(d\*x + c)^8 + 14\*(3\*a\*b + 2\*b^2)\*cosh(d\*x + c)^6 + 58\*b^2\*cosh(d\*x + c)^4 - 6\*(3\*a\*b - 2\*b^2)\*cosh(d\*x + c)^2 - 3\*a\*b + 3\*b^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^10 + 10\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + d\*sinh(d\*x + c)^10 + 5\*d\*cosh(d\*x + c)^8 + 5\*(9\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^8 + 40\*(3\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^7 + 10\*d\*cosh(d\*x + c)^6 + 10\*(21\*d\*cosh(d\*x + c)^4 + 14\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^6 + 4\*(63\*d\*cosh(d\*x + c)^5 + 70\*d\*cosh(d\*x + c)^3 + 15\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 10\*d\*cosh(d\*x + c)^4 + 10\*(21\*d\*cosh(d\*x + c)^6 + 35\*d\*cosh(d\*x + c)^4 + 15\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^4 + 40\*(3\*d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 5\*d\*cosh(d\*x + c)^2 + 5\*(9\*d\*cosh(d\*x + c)^8 + 28\*d\*cosh(d\*x + c)^6 + 30\*d\*cosh(d\*x + c)^4 + 12\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 10\*(d\*cosh(d\*x + c)^9 + 4\*d\*cosh(d\*x + c)^7 + 6\*d\*cosh(d\*x + c)^5 + 4\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac** [A] time = 0.29, size = 178, normalized size = 1.82

$$30 ab \arctan(e^{(dx+c)}) - 15 a^2 \log(e^{(dx+c)} + 1) + 15 a^2 \log(|e^{(dx+c)} - 1|) - \frac{2(15 abe^{(9 dx+9 c)} + 15 b^2 e^{(9 dx+9 c)} + 30 abe^{(7 dx+7 c)} + 20 b^2 e^{(7 dx+7 c)} + 58 b^2 e^{(5 dx+5 c)} - 30 a b e^{(3 dx+3 c)} + 20 b^2 e^{(3 dx+3 c)} - 15 a b e^{(dx+c)} + 15 b^2 e^{(dx+c)})}{(e^{(2 dx+2 c)} + 1)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 1/15\*(30\*a\*b\*arctan(e^(d\*x + c)) - 15\*a^2\*log(e^(d\*x + c) + 1) + 15\*a^2\*log(abs(e^(d\*x + c) - 1)) - 2\*(15\*a\*b\*e^(9\*d\*x + 9\*c) + 15\*b^2\*e^(9\*d\*x + 9\*c) + 30\*a\*b\*e^(7\*d\*x + 7\*c) + 20\*b^2\*e^(7\*d\*x + 7\*c) + 58\*b^2\*e^(5\*d\*x + 5\*c) - 30\*a\*b\*e^(3\*d\*x + 3\*c) + 20\*b^2\*e^(3\*d\*x + 3\*c) - 15\*a\*b\*e^(d\*x + c) + 15\*b^2\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple** [A] time = 0.39, size = 134, normalized size = 1.37

$$\frac{2a^2 \operatorname{arctanh}(e^{dx+c})}{d} - \frac{2ab \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + \frac{2ab \operatorname{arctan}(e^{dx+c})}{d} - \frac{b^2 (\sinh^4(dx+c) + \cosh^4(dx+c))}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)*(a+b*tanh(d*x+c)^3)^2,x)`

[Out]  $-2/d*a^2*\operatorname{arctanh}(\exp(d*x+c))-2/d*a*b*\sinh(d*x+c)/\cosh(d*x+c)^2+1/d*a*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+2/d*a*b*\operatorname{arctan}(\exp(d*x+c))-1/d*b^2*\sinh(d*x+c)^4/\cosh(d*x+c)^5-4/3/d*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^5-8/15/d*b^2/\cosh(d*x+c)^5$

**maxima** [B] time = 0.41, size = 447, normalized size = 4.56

$$-2ab \left( \frac{\operatorname{arctan}\left(\frac{e^{(-dx-c)}}{d}\right)}{d} + \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) - \frac{2}{15} b^2 \left( \frac{15e^{(-dx-c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^3)^2,x, algorithm="maxima")`

[Out]  $-2*a*b*(\operatorname{arctan}(e^{(-d*x - c)})/d + (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) - 2/15*b^2*(15*e^{(-d*x - c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-3*d*x - 3*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 58*e^{(-5*d*x - 5*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-7*d*x - 7*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 15*e^{(-9*d*x - 9*c)}/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + a^2*\log(\tanh(1/2*d*x + 1/2*c))/d$

**mupad** [B] time = 3.28, size = 522, normalized size = 5.33

$$\frac{a^2 \ln(32a^6 + 32a^4b^2 - 32a^6e^{dx}e^c - 32a^4b^2e^{dx}e^c)}{d} - \frac{176b^2e^{c+dx}}{15(d + 3de^{2c+2dx} + 3de^{4c+4dx} + de^{6c+6dx})} - \frac{1}{5(d + 5d e^{2c+2dx} + 10d e^{4c+4dx} + 10d e^{6c+6dx} + 5d e^{8c+8dx} + d e^{10c+10dx})} - (a^2 \log(-32a^6 - 32a^4b^2 - 32a^6 \exp(dx) \exp(c) - 32a^4b^2 \exp(dx) \exp(c)))/d - (2b^2 \exp(c + dx))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^3)^2/sinh(c + d*x),x)`

[Out]  $(a^2*\log(32*a^6 + 32*a^4*b^2 - 32*a^6*\exp(d*x)*\exp(c) - 32*a^4*b^2*\exp(d*x)*\exp(c)))/d - (176*b^2*\exp(c + d*x))/(15*(d + 3*d*\exp(2*c + 2*d*x) + 3*d*\exp(4*c + 4*d*x) + d*\exp(6*c + 6*d*x))) - (32*b^2*\exp(c + d*x))/(5*(d + 5*d*\exp(2*c + 2*d*x) + 10*d*\exp(4*c + 4*d*x) + 10*d*\exp(6*c + 6*d*x) + 5*d*\exp(8*c + 8*d*x) + d*\exp(10*c + 10*d*x))) - (a^2*\log(-32*a^6 - 32*a^4*b^2 - 32*a^6*\exp(d*x)*\exp(c) - 32*a^4*b^2*\exp(d*x)*\exp(c)))/d - (2*b^2*\exp(c + d*x))$

```
/(d + d*exp(2*c + 2*d*x)) + (16*b^2*exp(c + d*x))/(3*(d + 2*d*exp(2*c + 2*d
*x) + d*exp(4*c + 4*d*x))) + (64*b^2*exp(c + d*x))/(5*(d + 4*d*exp(2*c + 2*
d*x) + 6*d*exp(4*c + 4*d*x) + 4*d*exp(6*c + 6*d*x) + d*exp(8*c + 8*d*x))) -
(2*a*b*exp(c + d*x))/(d + d*exp(2*c + 2*d*x)) + (4*a*b*exp(c + d*x))/(d +
2*d*exp(2*c + 2*d*x) + d*exp(4*c + 4*d*x)) - (a*b*(log(32*a^3*b^3*exp(d*x)*
exp(c) - a^3*b^3*32i - a^5*b*32i + 32*a^5*b*exp(d*x)*exp(c))*1i - log(a^5*b
*32i + a^3*b^3*32i + 32*a^3*b^3*exp(d*x)*exp(c) + 32*a^5*b*exp(d*x)*exp(c))
*1i))/d
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x), x)

### 3.62 $\int \operatorname{csch}^2(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

Optimal. Leaf size=47

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

[Out]  $-a^2 \operatorname{coth}(d*x+c)/d + a*b*\tanh(d*x+c)^2/d + 1/5*b^2*\tanh(d*x+c)^5/d$

**Rubi [A]** time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$-\frac{a^2 \operatorname{coth}(c + dx)}{d} + \frac{ab \tanh^2(c + dx)}{d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Csch}[c + d*x]^2*(a + b*\text{Tanh}[c + d*x]^3)^2, x]$

[Out]  $-((a^2*\text{Coth}[c + d*x])/d) + (a*b*\text{Tanh}[c + d*x]^2)/d + (b^2*\text{Tanh}[c + d*x]^5)/(5*d)$

#### Rule 270

$\text{Int}[(c_*)*(x_)^{(m_*)}*((a_*) + (b_*)*(x_)^{(n_)})^{(p_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

#### Rule 3663

$\text{Int}[\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((a_*) + (b_*)*((c_*)*\tan[(e_*) + (f_*)*(x_)]))^{(n_*)}^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{ff = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff^{(m+1)})/f, \text{Subst}[\text{Int}[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^{(m/2 + 1)}, x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \ \&\& \ \text{IntegerQ}[m/2]$

#### Rubi steps



$\cosh(dx + c)^3 + d \cosh(dx + c) \sinh(dx + c)^2 - 5d \cosh(dx + c) + (7d \cosh(dx + c)^6 + 25d \cosh(dx + c)^4 + 27d \cosh(dx + c)^2 + 5d) \sinh(dx + c)$

**giac [B]** time = 0.32, size = 122, normalized size = 2.60

$$\frac{2 \left( \frac{5a^2}{e^{2dx+2c}-1} + \frac{10abe^{8dx+8c} + 5b^2e^{8dx+8c} + 30abe^{6dx+6c} + 30abe^{4dx+4c} + 10b^2e^{4dx+4c} + 10abe^{2dx+2c} + b^2}{(e^{2dx+2c}+1)^5} \right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)^2\*(a+b\*tanh(dx+c)^3)^2,x, algorithm="giac")

[Out]  $-2/5*(5a^2/(e^{(2dx+2c)}-1) + (10a*b*e^{(8dx+8c)} + 5b^2*e^{(8dx+8c)} + 30a*b*e^{(6dx+6c)} + 30a*b*e^{(4dx+4c)} + 10*b^2*e^{(4dx+4c)} + 10a*b*e^{(2dx+2c)} + b^2)/(e^{(2dx+2c)}+1)^5)/d$

**maple [B]** time = 0.46, size = 98, normalized size = 2.09

$$\frac{-a^2 \coth(dx+c) - \frac{ab}{\cosh(dx+c)^2} + b^2 \left( -\frac{\sinh^3(dx+c)}{2 \cosh(dx+c)^5} - \frac{3 \sinh(dx+c)}{8 \cosh(dx+c)^5} + \frac{3 \left( \frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5} + \frac{4 \operatorname{sech}(dx+c)^2}{15} \right) \tanh(dx+c)}{8} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(dx+c)^2\*(a+b\*tanh(dx+c)^3)^2,x)

[Out]  $1/d*(-a^2*\coth(dx+c)-a*b/\cosh(dx+c)^2+b^2*(-1/2*\sinh(dx+c)^3/\cosh(dx+c)^5-3/8*\sinh(dx+c)/\cosh(dx+c)^5+3/8*(8/15+1/5*\operatorname{sech}(dx+c)^4+4/15*\operatorname{sech}(dx+c)^2)*\tanh(dx+c)))$

**maxima [B]** time = 0.31, size = 256, normalized size = 5.45

$$\frac{2}{5} b^2 \left( \frac{10 e^{(-4dx-4c)}}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} + \frac{1}{d(5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)^2\*(a+b\*tanh(dx+c)^3)^2,x, algorithm="maxima")

[Out]  $2/5*b^2*(10*e^{(-4dx-4c)}/(d*(5*e^{(-2dx-2c)} + 10*e^{(-4dx-4c)} + 10*e^{(-6dx-6c)} + 5*e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 5*e^{(-8dx-8c)}/(d*(5*e^{(-2dx-2c)} + 10*e^{(-4dx-4c)} + 10*e^{(-6dx-6c)} + 5*e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 1/(d*(5*e^{(-2dx-2c)} + 10*e^{(-4dx-4c)} + 10*e^{(-6dx-6c)} + 5*e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)))$



$- 2*c) + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 2*a^2/(d*(e^{(-2*d*x - 2*c)} - 1)) - 4*a*b/(d*(e^{(d*x + c)} + e^{(-d*x - c)})^2)$

**mupad [B]** time = 1.26, size = 483, normalized size = 10.28

$$-\frac{\frac{2e^{8c+8dx}(b^2+2ab)}{5d} - \frac{8e^{2c+2dx}(b^2+ab)}{5d} - \frac{2(2ab-b^2)}{5d} + \frac{8e^{6c+6dx}(ab-b^2)}{5d} + \frac{12b^2e^{4c+4dx}}{5d}}{5e^{2c+2dx} + 10e^{4c+4dx} + 10e^{6c+6dx} + 5e^{8c+8dx} + e^{10c+10dx} + 1} - \frac{\frac{2b^2}{5d} + \frac{2e^{4c+4dx}(b^2+2ab)}{5d} + \frac{4e^{2c+2dx}}{5d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^3)^2/sinh(c + d*x)^2,x)`

[Out]  $-\left(\frac{2*\exp(8*c + 8*d*x)*(2*a*b + b^2)}{(5*d)} - \frac{8*\exp(2*c + 2*d*x)*(a*b + b^2)}{(5*d)} - \frac{2*(2*a*b - b^2)}{(5*d)} + \frac{8*\exp(6*c + 6*d*x)*(a*b - b^2)}{(5*d)} + \frac{12*b^2*\exp(4*c + 4*d*x)}{(5*d)}\right) / \left(\frac{5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1}{5}\right) - \left(\frac{2*b^2}{(5*d)} + \frac{2*\exp(4*c + 4*d*x)*(2*a*b + b^2)}{(5*d)} + \frac{4*\exp(2*c + 2*d*x)*(a*b - b^2)}{(5*d)}\right) / \left(\frac{3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1}{5}\right) - \left(\frac{2*(a*b - b^2)}{(5*d)} + \frac{2*\exp(2*c + 2*d*x)*(2*a*b + b^2)}{(5*d)}\right) / \left(\frac{2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1}{5}\right) - \left(\frac{2*\exp(6*c + 6*d*x)*(2*a*b + b^2)}{(5*d)} - \frac{2*(a*b + b^2)}{(5*d)} + \frac{6*\exp(4*c + 4*d*x)*(a*b - b^2)}{(5*d)} + \frac{6*b^2*\exp(2*c + 2*d*x)}{(5*d)}\right) / \left(\frac{4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1}{5}\right) - \frac{2*a^2}{d*(\exp(2*c + 2*d*x) - 1)} - \frac{2*(2*a*b + b^2)}{(5*d*(\exp(2*c + 2*d*x) + 1))}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**2*(a+b*tanh(d*x+c)**3)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)**2*csch(c + d*x)**2, x)`

### 3.63 $\int \operatorname{csch}^3(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=107

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} + \dots$$

[Out]  $a*b*\arctan(\sinh(d*x+c))/d+1/2*a^2*\arctanh(\cosh(d*x+c))/d-1/2*a^2*\coth(d*x+c)*\operatorname{csch}(d*x+c)/d-1/3*b^2*\operatorname{sech}(d*x+c)^3/d+1/5*b^2*\operatorname{sech}(d*x+c)^5/d+a*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.16, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3666, 3768, 3770, 2606, 14}

$$\frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{ab \tanh(c + dx) \operatorname{sech}(c + dx)}{d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]^3*(a + b*Tanh[c + d*x]^3)^2,x]`

[Out]  $(a*b*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/d + (a^2*\operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/(2*d) - (a^2*\operatorname{Coth}[c + d*x]*\operatorname{Csch}[c + d*x])/(2*d) - (b^2*\operatorname{Sech}[c + d*x]^3)/(3*d) + (b^2*\operatorname{Sech}[c + d*x]^5)/(5*d) + (a*b*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/d$

#### Rule 14

`Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

#### Rule 2606

`Int[((a_)*sec[(e_)+(f_)*(x_)])^(m_)*((b_)*tan[(e_)+(f_)*(x_)])^(n_), x_Symbol] := Dist[a/f, Subst[Int[(a*x)^(m-1)*(-1+x^2)^((n-1)/2), x], x, Sec[e+f*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])`

#### Rule 3666

`Int[((d_)*sin[(e_)+(f_)*(x_)])^(m_)*((a_)+(b_)*((c_)*tan[(e_)+(f_)*(x_)])^(p_))^(n_), x_Symbol] := Int[ExpandTrig[(d*sin[e+f*x])^m*(a+b*(c*tan[e+f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]`

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c + dx) (a + b \tanh^3(c + dx))^2 dx &= -\left( i \int (ia^2 \operatorname{csch}^3(c + dx) + 2iab \operatorname{sech}^3(c + dx) + ib^2 \operatorname{sech}^3(c + dx)) \right. \\
&= a^2 \int \operatorname{csch}^3(c + dx) dx + (2ab) \int \operatorname{sech}^3(c + dx) dx + b^2 \int \operatorname{sech}^3(c + dx) dx \\
&= -\frac{a^2 \operatorname{coth}(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{ab \operatorname{sech}(c + dx) \tanh(c + dx)}{d} - \frac{1}{2} \\
&= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \operatorname{coth}(c + dx)}{2d} \\
&= \frac{ab \tan^{-1}(\sinh(c + dx))}{d} + \frac{a^2 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^2 \operatorname{coth}(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 138, normalized size = 1.29

$$-\frac{a^2 \operatorname{csch}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a^2 \operatorname{sech}^2\left(\frac{1}{2}(c + dx)\right)}{8d} - \frac{a^2 \log\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{2d} + \frac{2ab \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{d} + \frac{ab \tanh\left(\frac{1}{2}(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (2\*a\*b\*ArcTan[Tanh[(c + d\*x)/2]])/d - (a^2\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a^2\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a^2\*Sech[(c + d\*x)/2]^2)/(8\*d) - (b^2\*Sech[c + d\*x]^3)/(3\*d) + (b^2\*Sech[c + d\*x]^5)/(5\*d) + (a\*b\*Sech[c + d\*x]\*Tanh[c + d\*x])/d

**fricas [B]** time = 1.01, size = 4642, normalized size = 43.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/30*(30*(a^2 - 2*a*b)*\cosh(d*x + c)^{13} + 390*(a^2 - 2*a*b)*\cosh(d*x + c)* \\ & \sinh(d*x + c)^{12} + 30*(a^2 - 2*a*b)*\sinh(d*x + c)^{13} + 20*(9*a^2 + 4*b^2)*\cosh(d*x + c)^{11} + 20*(117*(a^2 - 2*a*b)*\cosh(d*x + c)^2 + 9*a^2 + 4*b^2)*\sinh(d*x + c)^{11} + 220*(39*(a^2 - 2*a*b)*\cosh(d*x + c)^3 + (9*a^2 + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 6*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^9 + 2*(10725*(a^2 - 2*a*b)*\cosh(d*x + c)^4 + 550*(9*a^2 + 4*b^2)*\cosh(d*x + c)^2 + 225*a^2 + 90*a*b - 96*b^2)*\sinh(d*x + c)^9 + 6*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^5 + 550*(9*a^2 + 4*b^2)*\cosh(d*x + c)^3 + 9*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 8*(75*a^2 + 28*b^2)*\cosh(d*x + c)^7 + 8*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^6 + 825*(9*a^2 + 4*b^2)*\cosh(d*x + c)^4 + 27*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^2 + 75*a^2 + 28*b^2)*\sinh(d*x + c)^7 + 8*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^7 + 1155*(9*a^2 + 4*b^2)*\cosh(d*x + c)^5 + 63*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^3 + 7*(75*a^2 + 28*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 6*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^5 + 6*(6435*(a^2 - 2*a*b)*\cosh(d*x + c)^8 + 1540*(9*a^2 + 4*b^2)*\cosh(d*x + c)^6 + 126*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^4 + 28*(75*a^2 + 28*b^2)*\cosh(d*x + c)^2 + 75*a^2 - 30*a*b - 32*b^2)*\sinh(d*x + c)^5 + 2*(10725*(a^2 - 2*a*b)*\cosh(d*x + c)^9 + 3300*(9*a^2 + 4*b^2)*\cosh(d*x + c)^7 + 378*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^5 + 140*(75*a^2 + 28*b^2)*\cosh(d*x + c)^3 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 20*(9*a^2 + 4*b^2)*\cosh(d*x + c)^3 + 4*(2145*(a^2 - 2*a*b)*\cosh(d*x + c)^10 + 825*(9*a^2 + 4*b^2)*\cosh(d*x + c)^8 + 126*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^6 + 70*(75*a^2 + 28*b^2)*\cosh(d*x + c)^4 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^2 + 45*a^2 + 20*b^2)*\sinh(d*x + c)^3 + 4*(585*(a^2 - 2*a*b)*\cosh(d*x + c)^11 + 275*(9*a^2 + 4*b^2)*\cosh(d*x + c)^9 + 54*(75*a^2 + 30*a*b - 32*b^2)*\cosh(d*x + c)^7 + 42*(75*a^2 + 28*b^2)*\cosh(d*x + c)^5 + 15*(75*a^2 - 30*a*b - 32*b^2)*\cosh(d*x + c)^3 + 15*(9*a^2 + 4*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 60*(a*b*\cosh(d*x + c)^14 + 14*a*b*\cosh(d*x + c)*\sinh(d*x + c)^13 + a*b*\sinh(d*x + c)^14 + 3*a*b*\cosh(d*x + c)^12 + (91*a*b*\cosh(d*x + c)^2 + 3*a*b)*\sinh(d*x + c)^12 + a*b*\cosh(d*x + c)^10 + 4*(91*a*b*\cosh(d*x + c)^3 + 9*a*b*\cosh(d*x + c))*\sinh(d*x + c)^11 + (1001*a*b*\cosh(d*x + c)^4 + 198*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^10 - 5*a*b*\cosh(d*x + c)^8 + 2*(1001*a*b*\cosh(d*x + c)^5 + 330*a*b*\cosh(d*x + c)^3 + 5*a*b*\cosh(d*x + c))*\sinh(d*x + c)^9 + (3003*a*b*\cosh(d*x + c)^6 + 1485*a*b*\cosh(d*x + c)^4 + 45*a*b*\cosh(d*x + c)^2 - 5*a*b)*\sinh(d*x + c)^8 - 5*a*b*\cosh(d*x + c)^6 + 8*(429*a*b*\cosh(d*x + c)^7 + 297*a*b*\cosh(d*x + c)^5 + 15*a*b*\cosh(d*x + c)^3 - 5*a*b*\cosh(d*x + c))*\sinh(d*x + c)^7 + (3003*a*b*\cosh(d*x + c)^8 + 2772*a*b*\cosh(d*x + c)^6 + 210*a*b*\cosh(d*x + c)^4 - 140*a*b*\cosh(d*x + c)^2 - 5*a*b)*\sinh(d*x + c)^6 + a*b*\cosh(d*x + c)^4 + 2*(1001*a*b*\cosh(d*x + c)^9 + 1188*a*b*\cosh(d*x + c)^7 + 126*a*b*\cosh(d*x + c)^5 - 140*a*b*\cosh(d*x + c)^3 - 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + (1001$$

$$\begin{aligned}
& a*b*cosh(d*x + c)^{10} + 1485*a*b*cosh(d*x + c)^8 + 210*a*b*cosh(d*x + c)^6 \\
& - 350*a*b*cosh(d*x + c)^4 - 75*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^4 + \\
& 3*a*b*cosh(d*x + c)^2 + 4*(91*a*b*cosh(d*x + c)^{11} + 165*a*b*cosh(d*x + c)^9 \\
& + 30*a*b*cosh(d*x + c)^7 - 70*a*b*cosh(d*x + c)^5 - 25*a*b*cosh(d*x + c)^3 \\
& + a*b*cosh(d*x + c))*sinh(d*x + c)^3 + (91*a*b*cosh(d*x + c)^{12} + 198*a*b*cosh(d*x + c)^{10} \\
& + 45*a*b*cosh(d*x + c)^8 - 140*a*b*cosh(d*x + c)^6 - 75*a*b*cosh(d*x + c)^4 + 6*a*b*cosh(d*x + c)^2 \\
& + 3*a*b)*sinh(d*x + c)^2 + a*b + 2*(7*a*b*cosh(d*x + c)^{13} + 18*a*b*cosh(d*x + c)^{11} + 5*a*b*cosh(d*x + c)^9 \\
& - 20*a*b*cosh(d*x + c)^7 - 15*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^3 + 3*a*b*cosh(d*x + c))*sinh(d*x + c))*arctan(cosh(d*x + c) + sinh(d*x + c)) \\
& + 30*(a^2 + 2*a*b)*cosh(d*x + c) - 15*(a^2*cosh(d*x + c)^{14} + 14*a^2*cosh(d*x + c)*sinh(d*x + c)^{13} + a^2*sinh(d*x + c)^{14} + 3*a^2*cosh(d*x + c)^{12} \\
& + (91*a^2*cosh(d*x + c)^2 + 3*a^2)*sinh(d*x + c)^{12} + a^2*cosh(d*x + c)^{10} + 4*(91*a^2*cosh(d*x + c)^3 + 9*a^2*cosh(d*x + c))*sinh(d*x + c)^{11} + (100 \\
& 1*a^2*cosh(d*x + c)^4 + 198*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^{10} - 5*a^2*cosh(d*x + c)^8 + 2*(1001*a^2*cosh(d*x + c)^5 + 330*a^2*cosh(d*x + c)^3 \\
& + 5*a^2*cosh(d*x + c))*sinh(d*x + c)^9 + (3003*a^2*cosh(d*x + c)^6 + 1485*a^2*cosh(d*x + c)^4 + 45*a^2*cosh(d*x + c)^2 - 5*a^2)*sinh(d*x + c)^8 - 5*a^2*cosh(d*x + c)^6 \\
& + 8*(429*a^2*cosh(d*x + c)^7 + 297*a^2*cosh(d*x + c)^5 + 15*a^2*cosh(d*x + c)^3 - 5*a^2*cosh(d*x + c))*sinh(d*x + c)^7 + (3003*a^2*cosh(d*x + c)^8 + 2772*a^2*cosh(d*x + c)^6 \\
& + 210*a^2*cosh(d*x + c)^4 - 140*a^2*cosh(d*x + c)^2 - 5*a^2)*sinh(d*x + c)^6 + a^2*cosh(d*x + c)^4 + 2*(1001*a^2*cosh(d*x + c)^9 + 1188*a^2*cosh(d*x + c)^7 + 126*a^2*cosh(d*x + c)^5 \\
& - 140*a^2*cosh(d*x + c)^3 - 15*a^2*cosh(d*x + c))*sinh(d*x + c)^5 + (1001*a^2*cosh(d*x + c)^{10} + 1485*a^2*cosh(d*x + c)^8 + 210*a^2*cosh(d*x + c)^6 - 350*a^2*cosh(d*x + c)^4 \\
& - 75*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^4 + 3*a^2*cosh(d*x + c)^2 + 4*(91*a^2*cosh(d*x + c)^{11} + 165*a^2*cosh(d*x + c)^9 + 30*a^2*cosh(d*x + c)^7 - 70*a^2*cosh(d*x + c)^5 \\
& - 25*a^2*cosh(d*x + c)^3 + a^2*cosh(d*x + c))*sinh(d*x + c)^3 + (91*a^2*cosh(d*x + c)^{12} + 198*a^2*cosh(d*x + c)^{10} + 45*a^2*cosh(d*x + c)^8 - 140*a^2*cosh(d*x + c)^6 - 75*a^2*cosh(d*x + c)^4 \\
& + 6*a^2*cosh(d*x + c)^2 + 3*a^2)*sinh(d*x + c)^2 + a^2 + 2*(7*a^2*cosh(d*x + c)^{13} + 18*a^2*cosh(d*x + c)^{11} + 5*a^2*cosh(d*x + c)^9 - 20*a^2*cosh(d*x + c)^7 - 15*a^2*cosh(d*x + c)^5 \\
& + 2*a^2*cosh(d*x + c)^3 + 3*a^2*cosh(d*x + c))*sinh(d*x + c))*log(cosh(d*x + c) + sinh(d*x + c) + 1) + 15*(a^2*cosh(d*x + c)^{14} + 14*a^2*cosh(d*x + c)*sinh(d*x + c)^{13} + a^2*sinh(d*x + c)^{14} \\
& + 3*a^2*cosh(d*x + c)^{12} + (91*a^2*cosh(d*x + c)^2 + 3*a^2)*sinh(d*x + c)^{12} + a^2*cosh(d*x + c)^{10} + 4*(91*a^2*cosh(d*x + c)^3 + 9*a^2*cosh(d*x + c))*sinh(d*x + c)^{11} + (1001*a^2*cosh(d*x + c)^4 \\
& + 198*a^2*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^{10} - 5*a^2*cosh(d*x + c)^8 + 2*(1001*a^2*cosh(d*x + c)^5 + 330*a^2*cosh(d*x + c)^3 + 5*a^2*cosh(d*x + c))*sinh(d*x + c)^9 \\
& + (3003*a^2*cosh(d*x + c)^6 + 1485*a^2*cosh(d*x + c)^4 + 45*a^2*cosh(d*x + c)^2 - 5*a^2)*sinh(d*x + c)^8 - 5*a^2*cosh(d*x + c)^6 + 8*(429*a^2*cosh(d*x + c)^7 + 297*a^2*cosh(d*x + c)^5 \\
& + 15*a^2*cosh(d*x + c)^3 - 5*a^2*cosh(d*x + c))*sinh(d*x + c)^7 + (3003*a^2*cosh(d*x + c)^8 + 2772*a^2*cosh(d*x + c)^6 + 210*a^2*cosh(d*x + c)^4 - 140*a^2*cosh(d*x + c)^2 - 5*a^2)*sin
\end{aligned}$$

```

h(d*x + c)^6 + a^2*cosh(d*x + c)^4 + 2*(1001*a^2*cosh(d*x + c)^9 + 1188*a^2
*cosh(d*x + c)^7 + 126*a^2*cosh(d*x + c)^5 - 140*a^2*cosh(d*x + c)^3 - 15*a
^2*cosh(d*x + c))*sinh(d*x + c)^5 + (1001*a^2*cosh(d*x + c)^10 + 1485*a^2*c
osh(d*x + c)^8 + 210*a^2*cosh(d*x + c)^6 - 350*a^2*cosh(d*x + c)^4 - 75*a^2
*cosh(d*x + c)^2 + a^2)*sinh(d*x + c)^4 + 3*a^2*cosh(d*x + c)^2 + 4*(91*a^2
*cosh(d*x + c)^11 + 165*a^2*cosh(d*x + c)^9 + 30*a^2*cosh(d*x + c)^7 - 70*a
^2*cosh(d*x + c)^5 - 25*a^2*cosh(d*x + c)^3 + a^2*cosh(d*x + c))*sinh(d*x +
c)^3 + (91*a^2*cosh(d*x + c)^12 + 198*a^2*cosh(d*x + c)^10 + 45*a^2*cosh(d
*x + c)^8 - 140*a^2*cosh(d*x + c)^6 - 75*a^2*cosh(d*x + c)^4 + 6*a^2*cosh(d
*x + c)^2 + 3*a^2)*sinh(d*x + c)^2 + a^2 + 2*(7*a^2*cosh(d*x + c)^13 + 18*a
^2*cosh(d*x + c)^11 + 5*a^2*cosh(d*x + c)^9 - 20*a^2*cosh(d*x + c)^7 - 15*a
^2*cosh(d*x + c)^5 + 2*a^2*cosh(d*x + c)^3 + 3*a^2*cosh(d*x + c))*sinh(d*x
+ c))*log(cosh(d*x + c) + sinh(d*x + c) - 1) + 2*(195*(a^2 - 2*a*b)*cosh(d*
x + c)^12 + 110*(9*a^2 + 4*b^2)*cosh(d*x + c)^10 + 27*(75*a^2 + 30*a*b - 32
*b^2)*cosh(d*x + c)^8 + 28*(75*a^2 + 28*b^2)*cosh(d*x + c)^6 + 15*(75*a^2 -
30*a*b - 32*b^2)*cosh(d*x + c)^4 + 30*(9*a^2 + 4*b^2)*cosh(d*x + c)^2 + 15
*a^2 + 30*a*b)*sinh(d*x + c))/(d*cosh(d*x + c)^14 + 14*d*cosh(d*x + c)*sinh
(d*x + c)^13 + d*sinh(d*x + c)^14 + 3*d*cosh(d*x + c)^12 + (91*d*cosh(d*x +
c)^2 + 3*d)*sinh(d*x + c)^12 + 4*(91*d*cosh(d*x + c)^3 + 9*d*cosh(d*x + c)
)*sinh(d*x + c)^11 + d*cosh(d*x + c)^10 + (1001*d*cosh(d*x + c)^4 + 198*d*c
osh(d*x + c)^2 + d)*sinh(d*x + c)^10 + 2*(1001*d*cosh(d*x + c)^5 + 330*d*co
sh(d*x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^9 - 5*d*cosh(d*x + c)^8 +
(3003*d*cosh(d*x + c)^6 + 1485*d*cosh(d*x + c)^4 + 45*d*cosh(d*x + c)^2 - 5
*d)*sinh(d*x + c)^8 + 8*(429*d*cosh(d*x + c)^7 + 297*d*cosh(d*x + c)^5 + 15
*d*cosh(d*x + c)^3 - 5*d*cosh(d*x + c))*sinh(d*x + c)^7 - 5*d*cosh(d*x + c)
^6 + (3003*d*cosh(d*x + c)^8 + 2772*d*cosh(d*x + c)^6 + 210*d*cosh(d*x + c)
^4 - 140*d*cosh(d*x + c)^2 - 5*d)*sinh(d*x + c)^6 + 2*(1001*d*cosh(d*x + c)
^9 + 1188*d*cosh(d*x + c)^7 + 126*d*cosh(d*x + c)^5 - 140*d*cosh(d*x + c)^3
- 15*d*cosh(d*x + c))*sinh(d*x + c)^5 + d*cosh(d*x + c)^4 + (1001*d*cosh(d
*x + c)^10 + 1485*d*cosh(d*x + c)^8 + 210*d*cosh(d*x + c)^6 - 350*d*cosh(d*
x + c)^4 - 75*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 4*(91*d*cosh(d*x + c)
^11 + 165*d*cosh(d*x + c)^9 + 30*d*cosh(d*x + c)^7 - 70*d*cosh(d*x + c)^5
- 25*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^3 + 3*d*cosh(d*x +
c)^2 + (91*d*cosh(d*x + c)^12 + 198*d*cosh(d*x + c)^10 + 45*d*cosh(d*x + c)
^8 - 140*d*cosh(d*x + c)^6 - 75*d*cosh(d*x + c)^4 + 6*d*cosh(d*x + c)^2 + 3
*d)*sinh(d*x + c)^2 + 2*(7*d*cosh(d*x + c)^13 + 18*d*cosh(d*x + c)^11 + 5*d
*cosh(d*x + c)^9 - 20*d*cosh(d*x + c)^7 - 15*d*cosh(d*x + c)^5 + 2*d*cosh(d
*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c) + d)

```

**giac [A]** time = 0.31, size = 192, normalized size = 1.79

$$60 ab \arctan \left( e^{(dx+c)} \right) + 15 a^2 \log \left( e^{(dx+c)} + 1 \right) - 15 a^2 \log \left( \left| e^{(dx+c)} - 1 \right| \right) - \frac{30 \left( a^2 e^{(3 dx+3 c)} + a^2 e^{(dx+c)} \right)}{\left( e^{(2 dx+2 c)} - 1 \right)^2} + \frac{4 \left( 15 a b e^{(9 dx+9 c)} + 30 a \right)}{30 d}$$

30 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out]  $\frac{1}{30} \cdot (60 \cdot a \cdot b \cdot \arctan(e^{(d \cdot x + c)}) + 15 \cdot a^2 \cdot \log(e^{(d \cdot x + c)} + 1) - 15 \cdot a^2 \cdot \log(\text{abs}(e^{(d \cdot x + c)} - 1)) - 30 \cdot (a^2 \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} + a^2 \cdot e^{(d \cdot x + c)}) / (e^{(2 \cdot d \cdot x + 2 \cdot c)} - 1)^2 + 4 \cdot (15 \cdot a \cdot b \cdot e^{(9 \cdot d \cdot x + 9 \cdot c)} + 30 \cdot a \cdot b \cdot e^{(7 \cdot d \cdot x + 7 \cdot c)} - 20 \cdot b^2 \cdot e^{(7 \cdot d \cdot x + 7 \cdot c)} + 8 \cdot b^2 \cdot e^{(5 \cdot d \cdot x + 5 \cdot c)} - 30 \cdot a \cdot b \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} - 20 \cdot b^2 \cdot e^{(3 \cdot d \cdot x + 3 \cdot c)} - 15 \cdot a \cdot b \cdot e^{(d \cdot x + c)}) / (e^{(2 \cdot d \cdot x + 2 \cdot c)} + 1)^5) / d$

**maple [A]** time = 0.53, size = 108, normalized size = 1.01

$$-\frac{a^2 \coth(dx+c) \operatorname{csch}(dx+c)}{2d} + \frac{a^2 \operatorname{arctanh}(e^{dx+c})}{d} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + \frac{2ab \arctan(e^{dx+c})}{d} - \frac{b^2 (\operatorname{si}(\dots))}{3d \operatorname{co}(\dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out]  $-1/2 \cdot a^2 \cdot \coth(d \cdot x + c) \cdot \operatorname{csch}(d \cdot x + c) / d + 1/d \cdot a^2 \cdot \operatorname{arctanh}(\exp(d \cdot x + c)) + 1/d \cdot a \cdot b \cdot \operatorname{sech}(d \cdot x + c) \cdot \tanh(d \cdot x + c) + 2/d \cdot a \cdot b \cdot \arctan(\exp(d \cdot x + c)) - 1/3/d \cdot b^2 \cdot \sinh(d \cdot x + c)^2 / \cosh(d \cdot x + c)^5 - 2/15/d \cdot b^2 / \cosh(d \cdot x + c)^5$

**maxima [B]** time = 0.41, size = 378, normalized size = 3.53

$$-2ab \left( \frac{\arctan(e^{(-dx-c)})}{d} - \frac{e^{(-dx-c)} - e^{(-3dx-3c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{1}{2} a^2 \left( \frac{\log(e^{(-dx-c)} + 1)}{d} - \frac{\log(e^{(-dx-c)} - 1)}{d} \right) + \frac{2}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out]  $-2 \cdot a \cdot b \cdot (\arctan(e^{(-d \cdot x - c)}) / d - (e^{(-d \cdot x - c)} - e^{(-3 \cdot d \cdot x - 3 \cdot c)}) / (d \cdot (2 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} + e^{(-4 \cdot d \cdot x - 4 \cdot c)} + 1))) + 1/2 \cdot a^2 \cdot (\log(e^{(-d \cdot x - c)} + 1) / d - \log(e^{(-d \cdot x - c)} - 1) / d + 2 \cdot (e^{(-d \cdot x - c)} + e^{(-3 \cdot d \cdot x - 3 \cdot c)}) / (d \cdot (2 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} - e^{(-4 \cdot d \cdot x - 4 \cdot c)} - 1))) - 8/15 \cdot b^2 \cdot (5 \cdot e^{(-3 \cdot d \cdot x - 3 \cdot c)}) / (d \cdot (5 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} + 10 \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} + 10 \cdot e^{(-6 \cdot d \cdot x - 6 \cdot c)} + 5 \cdot e^{(-8 \cdot d \cdot x - 8 \cdot c)} + e^{(-10 \cdot d \cdot x - 10 \cdot c)} + 1)) - 2 \cdot e^{(-5 \cdot d \cdot x - 5 \cdot c)} / (d \cdot (5 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} + 10 \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} + 10 \cdot e^{(-6 \cdot d \cdot x - 6 \cdot c)} + 5 \cdot e^{(-8 \cdot d \cdot x - 8 \cdot c)} + e^{(-10 \cdot d \cdot x - 10 \cdot c)} + 1)) + 5 \cdot e^{(-7 \cdot d \cdot x - 7 \cdot c)} / (d \cdot (5 \cdot e^{(-2 \cdot d \cdot x - 2 \cdot c)} + 10 \cdot e^{(-4 \cdot d \cdot x - 4 \cdot c)} + 10 \cdot e^{(-6 \cdot d \cdot x - 6 \cdot c)} + 5 \cdot e^{(-8 \cdot d \cdot x - 8 \cdot c)} + e^{(-10 \cdot d \cdot x - 10 \cdot c)} + 1)))$

**mupad [B]** time = 2.90, size = 561, normalized size = 5.24

$$\frac{a^2 e^{c+dx}}{d - d e^{2c+2dx}} + \frac{136 b^2 e^{c+dx}}{15 (d + 3 d e^{2c+2dx} + 3 d e^{4c+4dx} + d e^{6c+6dx})} + \frac{32 b^2 e^{c+dx}}{5 (d + 5 d e^{2c+2dx} + 10 d e^{4c+4dx} + 10 d e^{6c+6dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^3)^2/sinh(c + d*x)^3,x)`

[Out]  $(a^2 \exp(c + dx)) / (d - d \exp(2c + 2dx)) + (136b^2 \exp(c + dx)) / (15(d + 3d \exp(2c + 2dx) + 3d \exp(4c + 4dx) + d \exp(6c + 6dx))) + (32b^2 \exp(c + dx)) / (5(d + 5d \exp(2c + 2dx) + 10d \exp(4c + 4dx) + 10d \exp(6c + 6dx) + 5d \exp(8c + 8dx) + d \exp(10c + 10dx))) - (a^2 \log(4a^6 \exp(dx) \exp(c) - 16a^4 b^2 - 4a^6 + 16a^4 b^2 \exp(dx) \exp(c))) / (2d) + (a^2 \log(4a^6 + 16a^4 b^2 + 4a^6 \exp(dx) \exp(c) + 16a^4 b^2 \exp(dx) \exp(c))) / (2d) - (2a^2 \exp(c + dx)) / (d - 2d \exp(2c + 2dx) + d \exp(4c + 4dx)) - (8b^2 \exp(c + dx)) / (3(d + 2d \exp(2c + 2dx) + d \exp(4c + 4dx))) - (64b^2 \exp(c + dx)) / (5(d + 4d \exp(2c + 2dx) + 6d \exp(4c + 4dx) + 4d \exp(6c + 6dx) + d \exp(8c + 8dx))) + (2ab \exp(c + dx)) / (d + d \exp(2c + 2dx)) - (4ab \exp(c + dx)) / (d + 2d \exp(2c + 2dx) + d \exp(4c + 4dx)) - (ab * (\log(32a^3 b^3 \exp(dx) \exp(c)) - a^3 b^3 32i - a^5 b^8 i + 8a^5 b \exp(dx) \exp(c)) * 1i - \log(a^5 b^8 i + a^3 b^3 32i + 32a^3 b^3 \exp(dx) \exp(c) + 8a^5 b \exp(dx) \exp(c)) * 1i) / d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**3*(a+b*tanh(d*x+c)**3)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)**2*csch(c + d*x)**3, x)`



### 3.64 $\int \operatorname{csch}^4(c + dx) \left( a + b \tanh^3(c + dx) \right)^2 dx$

**Optimal.** Leaf size=97

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} + \frac{a^2 \operatorname{coth}(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

[Out]  $a^2 \operatorname{coth}(d*x+c)/d - 1/3 a^2 \operatorname{coth}(d*x+c)^3/d + 2*a*b*\ln(\tanh(d*x+c))/d - a*b*\tanh(d*x+c)^2/d + 1/3*b^2*\tanh(d*x+c)^3/d - 1/5*b^2*\tanh(d*x+c)^5/d$

**Rubi [A]** time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 1802}

$$-\frac{a^2 \operatorname{coth}^3(c + dx)}{3d} + \frac{a^2 \operatorname{coth}(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out]  $(a^2*\operatorname{Coth}[c + d*x])/d - (a^2*\operatorname{Coth}[c + d*x]^3)/(3*d) + (2*a*b*\operatorname{Log}[\operatorname{Tanh}[c + d*x]])/d - (a*b*\operatorname{Tanh}[c + d*x]^2)/d + (b^2*\operatorname{Tanh}[c + d*x]^3)/(3*d) - (b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d)$

#### Rule 1802

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rule 3663

Int[sin[(e\_)+(f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_)+(f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rubi steps

$$\int \operatorname{csch}^4(c+dx) (a+b \tanh^3(c+dx))^2 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)^2}{x^4} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^2}{x^4} - \frac{a^2}{x^2} + \frac{2ab}{x} - 2abx + b^2x^2 - b^2x^4\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^2 \operatorname{coth}(c+dx)}{d} - \frac{a^2 \operatorname{coth}^3(c+dx)}{3d} + \frac{2ab \log(\tanh(c+dx))}{d} - \frac{ab \operatorname{tanh}(c+dx)}{d}$$

**Mathematica [A]** time = 0.22, size = 147, normalized size = 1.52

$$\frac{2a^2 \operatorname{coth}(c+dx)}{3d} - \frac{a^2 \operatorname{coth}(c+dx) \operatorname{csch}^2(c+dx)}{3d} + \frac{ab \operatorname{sech}^2(c+dx)}{d} + \frac{2ab \log(\sinh(c+dx))}{d} - \frac{2ab \log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] (2\*a^2\*Coth[c + d\*x])/(3\*d) - (a^2\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (2\*a\*b\*Log[Cosh[c + d\*x]])/d + (2\*a\*b\*Log[Sinh[c + d\*x]])/d + (a\*b\*Sech[c + d\*x]^2)/d + (2\*b^2\*Tanh[c + d\*x])/(15\*d) + (b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(15\*d) - (b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**fricas [B]** time = 0.62, size = 4125, normalized size = 42.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

[Out] 2/15\*(30\*a\*b\*cosh(d\*x + c)^14 + 420\*a\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^13 + 30\*a\*b\*sinh(d\*x + c)^14 - 30\*(a^2 + b^2)\*cosh(d\*x + c)^12 + 30\*(91\*a\*b\*cosh(d\*x + c)^2 - a^2 - b^2)\*sinh(d\*x + c)^12 + 120\*(91\*a\*b\*cosh(d\*x + c)^3 - 3\*(a^2 + b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^11 - 10\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c)^10 + 10\*(3003\*a\*b\*cosh(d\*x + c)^4 - 198\*(a^2 + b^2)\*cosh(d\*x + c)^2 - 14\*a^2 - 9\*a\*b + 10\*b^2)\*sinh(d\*x + c)^10 + 20\*(3003\*a\*b\*cosh(d\*x + c)^5 - 330\*(a^2 + b^2)\*cosh(d\*x + c)^3 - 5\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^9 - 10\*(25\*a^2 + 13\*b^2)\*cosh(d\*x + c)^8 + 10\*(9009\*a\*b\*cosh(d\*x + c)^6 - 1485\*(a^2 + b^2)\*cosh(d\*x + c)^4 - 45\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c)^2 - 25\*a^2 - 13\*b^2)\*sinh(d\*x + c)^8 + 80\*(1287\*a\*b\*cosh(d\*x + c)^7 - 297\*(a^2 + b^2)\*cosh(d\*x + c)^5 - 15\*(14\*a^2 + 9\*a\*b - 10\*b^2)\*cosh(d\*x + c)^3 - (25\*a^2 + 13\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^7

$$\begin{aligned}
& - 2*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^6 + 2*(45045*a*b*\cosh(d*x + \\
& c)^8 - 13860*(a^2 + b^2)*\cosh(d*x + c)^6 - 1050*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^4 - 140*(25*a^2 + 13*b^2)*\cosh(d*x + c)^2 - 100*a^2 + 45*a*b + \\
& 44*b^2)*\sinh(d*x + c)^6 + 4*(15015*a*b*\cosh(d*x + c)^9 - 5940*(a^2 + b^2)*\cosh(d*x + c)^7 - 630*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^5 - 140*(25*a^2 + 13*b^2)*\cosh(d*x + c)^3 - 3*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^5 - 2*(25*a^2 + 17*b^2)*\cosh(d*x + c)^4 + 2*(15015*a*b*\cosh(d*x + c)^10 - 7425*(a^2 + b^2)*\cosh(d*x + c)^8 - 1050*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^6 - 350*(25*a^2 + 13*b^2)*\cosh(d*x + c)^4 - 15*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^2 - 25*a^2 - 17*b^2)*\sinh(d*x + c)^4 + 8*(1365*a*b*\cosh(d*x + c)^11 - 825*(a^2 + b^2)*\cosh(d*x + c)^9 - 150*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^7 - 70*(25*a^2 + 13*b^2)*\cosh(d*x + c)^5 - 5*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^3 - (25*a^2 + 17*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(10*a^2 - 15*a*b + 2*b^2)*\cosh(d*x + c)^2 + 2*(1365*a*b*\cosh(d*x + c)^12 - 990*(a^2 + b^2)*\cosh(d*x + c)^10 - 225*(14*a^2 + 9*a*b - 10*b^2)*\cosh(d*x + c)^8 - 140*(25*a^2 + 13*b^2)*\cosh(d*x + c)^6 - 15*(100*a^2 - 45*a*b - 44*b^2)*\cosh(d*x + c)^4 - 6*(25*a^2 + 17*b^2)*\cosh(d*x + c)^2 + 10*a^2 - 15*a*b + 2*b^2)*\sinh(d*x + c)^2 + 10*a^2 + 2*b^2 - 15*(a*b*\cosh(d*x + c)^16 + 16*a*b*\cosh(d*x + c)*\sinh(d*x + c)^15 + a*b*\sinh(d*x + c)^16 + 2*a*b*\cosh(d*x + c)^14 + 2*(60*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^14 - 2*a*b*\cosh(d*x + c)^12 + 28*(20*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^13 + 2*(910*a*b*\cosh(d*x + c)^4 + 91*a*b*\cosh(d*x + c)^2 - a*b)*\sinh(d*x + c)^12 - 6*a*b*\cosh(d*x + c)^10 + 8*(546*a*b*\cosh(d*x + c)^5 + 91*a*b*\cosh(d*x + c)^3 - 3*a*b*\cosh(d*x + c))*\sinh(d*x + c)^11 + 2*(4004*a*b*\cosh(d*x + c)^6 + 1001*a*b*\cosh(d*x + c)^4 - 66*a*b*\cosh(d*x + c)^2 - 3*a*b)*\sinh(d*x + c)^10 + 4*(2860*a*b*\cosh(d*x + c)^7 + 1001*a*b*\cosh(d*x + c)^5 - 110*a*b*\cosh(d*x + c)^3 - 15*a*b*\cosh(d*x + c))*\sinh(d*x + c)^9 + 6*(2145*a*b*\cosh(d*x + c)^8 + 1001*a*b*\cosh(d*x + c)^6 - 165*a*b*\cosh(d*x + c)^4 - 45*a*b*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 6*a*b*\cosh(d*x + c)^6 + 16*(715*a*b*\cosh(d*x + c)^9 + 429*a*b*\cosh(d*x + c)^7 - 99*a*b*\cosh(d*x + c)^5 - 45*a*b*\cosh(d*x + c)^3)*\sinh(d*x + c)^7 + 2*(4004*a*b*\cosh(d*x + c)^10 + 3003*a*b*\cosh(d*x + c)^8 - 924*a*b*\cosh(d*x + c)^6 - 630*a*b*\cosh(d*x + c)^4 + 3*a*b)*\sinh(d*x + c)^6 + 2*a*b*\cosh(d*x + c)^4 + 4*(1092*a*b*\cosh(d*x + c)^11 + 1001*a*b*\cosh(d*x + c)^9 - 396*a*b*\cosh(d*x + c)^7 - 378*a*b*\cosh(d*x + c)^5 + 9*a*b*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(910*a*b*\cosh(d*x + c)^12 + 1001*a*b*\cosh(d*x + c)^10 - 495*a*b*\cosh(d*x + c)^8 - 630*a*b*\cosh(d*x + c)^6 + 45*a*b*\cosh(d*x + c)^2 + a*b)*\sinh(d*x + c)^4 - 2*a*b*\cosh(d*x + c)^2 + 8*(70*a*b*\cosh(d*x + c)^13 + 91*a*b*\cosh(d*x + c)^11 - 55*a*b*\cosh(d*x + c)^9 - 90*a*b*\cosh(d*x + c)^7 + 15*a*b*\cosh(d*x + c)^3 + a*b*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(60*a*b*\cosh(d*x + c)^14 + 91*a*b*\cosh(d*x + c)^12 - 66*a*b*\cosh(d*x + c)^10 - 135*a*b*\cosh(d*x + c)^8 + 45*a*b*\cosh(d*x + c)^4 + 6*a*b*\cosh(d*x + c)^2 - a*b)*\sinh(d*x + c)^2 - a*b + 4*(4*a*b*\cosh(d*x + c)^15 + 7*a*b*\cosh(d*x + c)^13 - 6*a*b*\cosh(d*x + c)^11 - 15*a*b*\cosh(d*x + c)^9 + 9*a*b*\cosh(d*x + c)^5 + 2*a*b*\cosh(d*x + c)^3 - a*b*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c)))
\end{aligned}$$

$$\begin{aligned}
& x + c))) + 15*(a*b*cosh(d*x + c)^{16} + 16*a*b*cosh(d*x + c)*sinh(d*x + c)^{15} \\
& + a*b*sinh(d*x + c)^{16} + 2*a*b*cosh(d*x + c)^{14} + 2*(60*a*b*cosh(d*x + c)^{12} + a*b)*sinh(d*x + c)^{14} - 2*a*b*cosh(d*x + c)^{12} + 28*(20*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^{13} + 2*(910*a*b*cosh(d*x + c)^4 + 91*a*b*cosh(d*x + c)^2 - a*b)*sinh(d*x + c)^{12} - 6*a*b*cosh(d*x + c)^{10} + 8*(546*a*b*cosh(d*x + c)^5 + 91*a*b*cosh(d*x + c)^3 - 3*a*b*cosh(d*x + c))*sinh(d*x + c)^{11} + 2*(4004*a*b*cosh(d*x + c)^6 + 1001*a*b*cosh(d*x + c)^4 - 66*a*b*cosh(d*x + c)^2 - 3*a*b)*sinh(d*x + c)^{10} + 4*(2860*a*b*cosh(d*x + c)^7 + 1001*a*b*cosh(d*x + c)^5 - 110*a*b*cosh(d*x + c)^3 - 15*a*b*cosh(d*x + c))*sinh(d*x + c)^9 + 6*(2145*a*b*cosh(d*x + c)^8 + 1001*a*b*cosh(d*x + c)^6 - 165*a*b*cosh(d*x + c)^4 - 45*a*b*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 6*a*b*cosh(d*x + c)^6 + 16*(715*a*b*cosh(d*x + c)^9 + 429*a*b*cosh(d*x + c)^7 - 99*a*b*cosh(d*x + c)^5 - 45*a*b*cosh(d*x + c)^3)*sinh(d*x + c)^7 + 2*(4004*a*b*cosh(d*x + c)^10 + 3003*a*b*cosh(d*x + c)^8 - 924*a*b*cosh(d*x + c)^6 - 630*a*b*cosh(d*x + c)^4 + 3*a*b)*sinh(d*x + c)^6 + 2*a*b*cosh(d*x + c)^4 + 4*(1092*a*b*cosh(d*x + c)^11 + 1001*a*b*cosh(d*x + c)^9 - 396*a*b*cosh(d*x + c)^7 - 378*a*b*cosh(d*x + c)^5 + 9*a*b*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(910*a*b*cosh(d*x + c)^12 + 1001*a*b*cosh(d*x + c)^10 - 495*a*b*cosh(d*x + c)^8 - 630*a*b*cosh(d*x + c)^6 + 45*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^4 - 2*a*b*cosh(d*x + c)^2 + 8*(70*a*b*cosh(d*x + c)^13 + 91*a*b*cosh(d*x + c)^11 - 55*a*b*cosh(d*x + c)^9 - 90*a*b*cosh(d*x + c)^7 + 15*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(60*a*b*cosh(d*x + c)^14 + 91*a*b*cosh(d*x + c)^12 - 66*a*b*cosh(d*x + c)^10 - 135*a*b*cosh(d*x + c)^8 + 45*a*b*cosh(d*x + c)^4 + 6*a*b*cosh(d*x + c)^2 - a*b)*sinh(d*x + c)^2 - a*b + 4*(4*a*b*cosh(d*x + c)^15 + 7*a*b*cosh(d*x + c)^13 - 6*a*b*cosh(d*x + c)^11 - 15*a*b*cosh(d*x + c)^9 + 9*a*b*cosh(d*x + c)^5 + 2*a*b*cosh(d*x + c)^3 - a*b*cosh(d*x + c))*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(105*a*b*cosh(d*x + c)^13 - 90*(a^2 + b^2)*cosh(d*x + c)^11 - 25*(14*a^2 + 9*a*b - 10*b^2)*cosh(d*x + c)^9 - 20*(25*a^2 + 13*b^2)*cosh(d*x + c)^7 - 3*(100*a^2 - 45*a*b - 44*b^2)*cosh(d*x + c)^5 - 2*(25*a^2 + 17*b^2)*cosh(d*x + c)^3 + (10*a^2 - 15*a*b + 2*b^2)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c)^16 + 16*d*cosh(d*x + c)*sinh(d*x + c)^15 + d*sinh(d*x + c)^16 + 2*d*cosh(d*x + c)^14 + 2*(60*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^14 + 28*(20*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^13 - 2*d*cosh(d*x + c)^12 + 2*(910*d*cosh(d*x + c)^4 + 91*d*cosh(d*x + c)^2 - d)*sinh(d*x + c)^12 + 8*(546*d*cosh(d*x + c)^5 + 91*d*cosh(d*x + c)^3 - 3*d*cosh(d*x + c))*sinh(d*x + c)^11 - 6*d*cosh(d*x + c)^10 + 2*(4004*d*cosh(d*x + c)^6 + 1001*d*cosh(d*x + c)^4 - 66*d*cosh(d*x + c)^2 - 3*d)*sinh(d*x + c)^10 + 4*(2860*d*cosh(d*x + c)^7 + 1001*d*cosh(d*x + c)^5 - 110*d*cosh(d*x + c)^3 - 15*d*cosh(d*x + c))*sinh(d*x + c)^9 + 6*(2145*d*cosh(d*x + c)^8 + 1001*d*cosh(d*x + c)^6 - 165*d*cosh(d*x + c)^4 - 45*d*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 16*(715*d*cosh(d*x + c)^9 + 429*d*cosh(d*x + c)^7 - 99*d*cosh(d*x + c)^5 - 45*d*cosh(d*x + c)^3)*sinh(d*x + c)^7 + 6*d*cosh(d*x + c)^6 + 2*(4004*d*cosh(d*x + c)^10 + 3003*d*cosh(d*x + c)^8 - 924*d*cosh(d*x + c)^6 - 630*d*cosh(d*x + c)^4 + 3*d)*sinh(d*x + c)^6 + 4*(1092*d*cosh(d
\end{aligned}$$

$$\begin{aligned} & *x + c)^{11} + 1001*d*\cosh(d*x + c)^9 - 396*d*\cosh(d*x + c)^7 - 378*d*\cosh(d*x + c)^5 + 9*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + 2*d*\cosh(d*x + c)^4 + 2*(910*d*\cosh(d*x + c)^{12} + 1001*d*\cosh(d*x + c)^{10} - 495*d*\cosh(d*x + c)^8 - 630*d*\cosh(d*x + c)^6 + 45*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 8*(70*d*\cosh(d*x + c)^{13} + 91*d*\cosh(d*x + c)^{11} - 55*d*\cosh(d*x + c)^9 - 90*d*\cosh(d*x + c)^7 + 15*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 2*d*\cosh(d*x + c)^2 + 2*(60*d*\cosh(d*x + c)^{14} + 91*d*\cosh(d*x + c)^{12} - 66*d*\cosh(d*x + c)^{10} - 135*d*\cosh(d*x + c)^8 + 45*d*\cosh(d*x + c)^4 + 6*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 4*(4*d*\cosh(d*x + c)^{15} + 7*d*\cosh(d*x + c)^{13} - 6*d*\cosh(d*x + c)^{11} - 15*d*\cosh(d*x + c)^9 + 9*d*\cosh(d*x + c)^5 + 2*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) - d) \end{aligned}$$

**giac [B]** time = 0.33, size = 249, normalized size = 2.57

$$60 ab \log(e^{(2dx+2c)} + 1) - 60 ab \log(|e^{(2dx+2c)} - 1|) + \frac{10(11abe^{(6dx+6c)} - 33abe^{(4dx+4c)} + 12a^2e^{(2dx+2c)} + 33abe^{(2dx+2c)} - 4a^2 - 1)}{(e^{(2dx+2c)} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/30*(60*a*b*\log(e^{(2*d*x + 2*c)} + 1) - 60*a*b*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))) + 10*(11*a*b*e^{(6*d*x + 6*c)} - 33*a*b*e^{(4*d*x + 4*c)} + 12*a^2*e^{(2*d*x + 2*c)} + 33*a*b*e^{(2*d*x + 2*c)} - 4*a^2 - 11*a*b)/(e^{(2*d*x + 2*c)} - 1)^3 - \\ & (137*a*b*e^{(10*d*x + 10*c)} + 805*a*b*e^{(8*d*x + 8*c)} + 1730*a*b*e^{(6*d*x + 6*c)} - 120*b^2*e^{(6*d*x + 6*c)} + 1730*a*b*e^{(4*d*x + 4*c)} + 40*b^2*e^{(4*d*x + 4*c)} + 805*a*b*e^{(2*d*x + 2*c)} - 40*b^2*e^{(2*d*x + 2*c)} + 137*a*b - 8*b^2)/(e^{(2*d*x + 2*c)} + 1)^5/d \end{aligned}$$

**maple [A]** time = 0.49, size = 146, normalized size = 1.51

$$\frac{2a^2 \coth(dx + c)}{3d} - \frac{a^2 \coth(dx + c) \operatorname{csch}(dx + c)^2}{3d} + \frac{ab}{d \cosh(dx + c)^2} + \frac{2ab \ln(\tanh(dx + c))}{d} - \frac{b^2 \sinh(dx + c)}{4d \cosh(dx + c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x)

[Out] 
$$\begin{aligned} & 2/3*a^2*\coth(d*x+c)/d - 1/3/d*a^2*\coth(d*x+c)*\operatorname{csch}(d*x+c)^2 + 1/d*a*b/\cosh(d*x+c)^2 + 2*a*b*\ln(\tanh(d*x+c))/d - 1/4/d*b^2*\sinh(d*x+c)/\cosh(d*x+c)^5 + 2/15*b^2*\tanh(d*x+c)/d + 1/20/d*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^4 + 1/15/d*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^2 \end{aligned}$$

**maxima [B]** time = 0.41, size = 468, normalized size = 4.82

$$2ab \left( \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} - \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right) + \frac{4}{15} b^2 \left( \frac{d(5}{d(5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^2,x, algorithm="maxima")

[Out]  $2*a*b*(\log(e^{-d*x - c}) + 1)/d + \log(e^{-d*x - c} - 1)/d - \log(e^{-2*d*x - 2*c} + 1)/d + 2*e^{-2*d*x - 2*c}/(d*(2*e^{-2*d*x - 2*c} + e^{-4*d*x - 4*c} + 1))) + 4/15*b^2*(5*e^{-2*d*x - 2*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1))) - 5*e^{-4*d*x - 4*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1))) + 15*e^{-6*d*x - 6*c}/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1))) + 1/(d*(5*e^{-2*d*x - 2*c} + 10*e^{-4*d*x - 4*c} + 10*e^{-6*d*x - 6*c} + 5*e^{-8*d*x - 8*c} + e^{-10*d*x - 10*c} + 1))) + 4/3*a^2*(3*e^{-2*d*x - 2*c}/(d*(3*e^{-2*d*x - 2*c} - 3*e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c} - 1))) - 1/(d*(3*e^{-2*d*x - 2*c} - 3*e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c} - 1)))$

mupad [B] time = 0.26, size = 344, normalized size = 3.55

$$\frac{40b^2}{3d(3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} - \frac{4a^2}{d(e^{4c+4dx} - 2e^{2c+2dx} + 1)} - \frac{8a^2}{3d(3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^3)^2/sinh(c + d\*x)^4,x)

[Out]  $(40*b^2)/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) - (4*a^2)/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - (8*a^2)/(3*d*(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1)) - (4*(a*b + b^2))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (16*b^2)/(d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) + (32*b^2)/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (4*atan((a*b*\exp(2*c)*\exp(2*d*x)*(-d^2)^(1/2))/(d*(a^2*b^2)^(1/2)))*(a^2*b^2)^(1/2))/(-d^2)^(1/2) + (4*a*b)/(d*(\exp(2*c + 2*d*x) + 1)))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^2 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*2\*csch(c + d\*x)\*\*4, x)

### 3.65 $\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^3 dx$

**Optimal.** Leaf size=275

$$\frac{b(3a^2 + 10b^2) \tanh^2(c + dx)}{2d} + \frac{3b(3a^2 + 5b^2) \log(\cosh(c + dx)) \sinh(c + dx) \cosh^3(c + dx)}{d} + \frac{b(3a^2 + b^2) \tanh^3(c + dx)}{4d}$$

[Out]  $3/8*a*(a^2+63*b^2)*x+3*b*(3*a^2+5*b^2)*\ln(\cosh(d*x+c))/d-18*a*b^2*\tanh(d*x+c)/d-1/2*b*(3*a^2+10*b^2)*\tanh(d*x+c)^2/d-3*a*b^2*\tanh(d*x+c)^3/d-3/2*b^3*\tanh(d*x+c)^4/d-3/5*a*b^2*\tanh(d*x+c)^5/d-1/2*b^3*\tanh(d*x+c)^6/d-1/8*b^3*\tanh(d*x+c)^8/d+1/4*\cosh(d*x+c)^3*\sinh(d*x+c)*(a*(a^2+3*b^2)+b*(3*a^2+b^2)*\tanh(d*x+c))/d-1/8*\cosh(d*x+c)*\sinh(d*x+c)*(a*(5*a^2+51*b^2)+2*b*(15*a^2+11*b^2)*\tanh(d*x+c))/d$

**Rubi [A]** time = 0.49, antiderivative size = 306, normalized size of antiderivative = 1.11, number of steps used = 8, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3(a + b)(a^2 + 23ab + 40b^2) \log(1 - \tanh(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $(-3*(a + b)*(a^2 + 23*a*b + 40*b^2)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(16*d) + (3*(a - b)*(a^2 - 23*a*b + 40*b^2)*\text{Log}[1 + \text{Tanh}[c + d*x]])/(16*d) - (3*a*(a^2 + 63*b^2)*\text{Tanh}[c + d*x])/(8*d) - (3*b*(3*a^2 + 5*b^2)*\text{Tanh}[c + d*x]^2)/(2*d) - (3*a*b^2*\text{Tanh}[c + d*x]^3)/d - (3*b^3*\text{Tanh}[c + d*x]^4)/(2*d) - (3*a*b^2*\text{Tanh}[c + d*x]^5)/(5*d) - (b^3*\text{Tanh}[c + d*x]^6)/(2*d) - (b^3*\text{Tanh}[c + d*x]^8)/(8*d) + (\text{Sinh}[c + d*x]^4*(b*(3*a^2 + b^2) + a*(a^2 + 3*b^2)*\text{Tanh}[c + d*x]))/(4*d) - (\text{Sinh}[c + d*x]^2*\text{Tanh}[c + d*x]*(a*(a^2 + 39*b^2) + 4*b*(6*a^2 + 5*b^2)*\text{Tanh}[c + d*x]))/(8*d)$

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[

-(a\*c)]

### Rule 1802

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 1804

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps



$$\begin{aligned}
\int \sinh^4(c + dx) (a + b \tanh^3(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^3)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} + \frac{\text{Subst}}{d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} - \frac{\sinh^2}{d} \\
&= \frac{\sinh^4(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{4d} - \frac{\sinh^2}{d} \\
&= -\frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3}{d} \\
&= -\frac{3a(a^2 + 63b^2) \tanh(c + dx)}{8d} - \frac{3b(3a^2 + 5b^2) \tanh^2(c + dx)}{2d} - \frac{3}{d} \\
&= -\frac{3(a + b)(a^2 + 23ab + 40b^2) \log(1 - \tanh(c + dx))}{16d} + \frac{3(a - b)(a^2 + 3b^2)}{32d}
\end{aligned}$$

**Mathematica [A]** time = 6.27, size = 294, normalized size = 1.07

$$\frac{3(3a^2b + 5b^3) \log(\cosh(c + dx))}{d} + \frac{3a(a^2 + 63b^2)(c + dx)}{8d} - \frac{a(a^2 + 12b^2) \sinh(2(c + dx))}{4d} + \frac{a(a^2 + 3b^2) \sinh(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (3\*a\*(a^2 + 63\*b^2)\*(c + d\*x))/(8\*d) - (b\*(15\*a^2 + 11\*b^2)\*Cosh[2\*(c + d\*x)])/ (8\*d) + (b\*(3\*a^2 + b^2)\*Cosh[4\*(c + d\*x)])/ (32\*d) + (3\*(3\*a^2\*b + 5\*b^3)\*Log[Cosh[c + d\*x]])/d + (b\*(3\*a^2 + 20\*b^2)\*Sech[c + d\*x]^2)/(2\*d) - (15\*b^3\*Sech[c + d\*x]^4)/(4\*d) + (b^3\*Sech[c + d\*x]^6)/d - (b^3\*Sech[c + d\*x]^8)/(8\*d) - (a\*(a^2 + 12\*b^2)\*Sinh[2\*(c + d\*x)])/ (4\*d) + (a\*(a^2 + 3\*b^2)\*Sinh[4\*(c + d\*x)])/ (32\*d) - (108\*a\*b^2\*Tanh[c + d\*x])/ (5\*d) + (21\*a\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/ (5\*d) - (3\*a\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/ (5\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] Timed out

**giac [B]** time = 1.63, size = 708, normalized size = 2.57

$$840 \left( a^3 - 24 a^2 b + 63 a b^2 - 40 b^3 \right) dx + 6720 \left( 3 a^2 b e^{(2c)} + 5 b^3 e^{(2c)} \right) e^{(-2c)} \log \left( e^{(2dx+2c)} + 1 \right) - 35 \left( 18 a^3 e^{(4dx+4c)} - \dots \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{2240} \left( 840 \left( a^3 - 24 a^2 b + 63 a b^2 - 40 b^3 \right) d x + 6720 \left( 3 a^2 b e^{(2c)} + 5 b^3 e^{(2c)} \right) e^{(-2c)} \log \left( e^{(2 d x + 2 c)} + 1 \right) - 35 \left( 18 a^3 e^{(4 d x + 4 c)} - 432 a^2 b e^{(4 d x + 4 c)} + 1134 a a b^2 e^{(4 d x + 4 c)} - 720 b^3 e^{(4 d x + 4 c)} - 8 a^3 e^{(2 d x + 2 c)} + 60 a^2 b e^{(2 d x + 2 c)} - 96 a a b^2 e^{(2 d x + 2 c)} + 44 b^3 e^{(2 d x + 2 c)} + a^3 - 3 a^2 b + 3 a a b^2 - b^3 \right) e^{(-4 d x - 4 c)} + 35 \left( a^3 e^{(4 d x + 48 c)} + 3 a^2 b e^{(4 d x + 48 c)} + 3 a a b^2 e^{(4 d x + 48 c)} + b^3 e^{(4 d x + 48 c)} - 8 a^3 e^{(2 d x + 46 c)} - 60 a^2 b e^{(2 d x + 46 c)} - 96 a a b^2 e^{(2 d x + 46 c)} - 44 b^3 e^{(2 d x + 46 c)} \right) e^{(-44 c)} - 8 \left( 6849 a^2 b e^{(16 d x + 16 c)} + 11415 b^3 e^{(16 d x + 16 c)} + 53112 a^2 b e^{(14 d x + 14 c)} - 16800 a a b^2 e^{(14 d x + 14 c)} + 80120 b^3 e^{(14 d x + 14 c)} + 181692 a^2 b e^{(12 d x + 12 c)} - 100800 a a b^2 e^{(12 d x + 12 c)} + 269220 b^3 e^{(12 d x + 12 c)} + 358344 a^2 b e^{(10 d x + 10 c)} - 272160 a a b^2 e^{(10 d x + 10 c)} + 520520 b^3 e^{(10 d x + 10 c)} + 445830 a^2 b e^{(8 d x + 8 c)} - 423360 a a b^2 e^{(8 d x + 8 c)} + 648970 b^3 e^{(8 d x + 8 c)} + 358344 a^2 b e^{(6 d x + 6 c)} - 405216 a a b^2 e^{(6 d x + 6 c)} + 520520 b^3 e^{(6 d x + 6 c)} + 181692 a^2 b e^{(4 d x + 4 c)} - 237888 a a b^2 e^{(4 d x + 4 c)} + 269220 b^3 e^{(4 d x + 4 c)} + 53112 a^2 b e^{(2 d x + 2 c)} - 79968 a a b^2 e^{(2 d x + 2 c)} + 80120 b^3 e^{(2 d x + 2 c)} + 6849 a^2 b - 12096 a a b^2 + 11415 b^3 \right) / \left( e^{(2 d x + 2 c)} + 1 \right)^8 / d$$

**maple [A]** time = 0.41, size = 385, normalized size = 1.40

$$\frac{a^3 \cosh(dx+c) \left( \sinh^3(dx+c) \right)}{4d} - \frac{3a^3 \cosh(dx+c) \sinh(dx+c)}{8d} + \frac{3a^3 x}{8} + \frac{3a^3 c}{8d} + \frac{3a^2 b \left( \sinh^6(dx+c) \right)}{4d \cosh(dx+c)^2} - \frac{9a^2 b \left( \sinh^6(dx+c) \right)}{4d \cosh(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out] 
$$\frac{1}{4} \frac{1}{d} a^3 \cosh(d x + c) \sinh(d x + c)^3 - \frac{3}{8} \frac{1}{d} a^3 \cosh(d x + c) \sinh(d x + c) / d + \frac{3}{8} a^3 x + \frac{3}{8} \frac{1}{d} a^3 c + \frac{3}{4} \frac{1}{d} a^2 b \sinh(d x + c)^6 / \cosh(d x + c)^2 - \frac{9}{4} \frac{1}{d} a^2 b \sinh(d x + c)^6 / \cosh(d x + c)^2$$

$$\begin{aligned} & *x+c)^4/\cosh(d*x+c)^2+9/d*a^2*b*\ln(\cosh(d*x+c))-9/2*a^2*b*\tanh(d*x+c)^2/d+3 \\ & /4/d*a*b^2*\sinh(d*x+c)^9/\cosh(d*x+c)^5-27/8/d*a*b^2*\sinh(d*x+c)^7/\cosh(d*x+ \\ & c)^5+189/8*a*b^2*x+189/8/d*a*b^2*c-189/8*a*b^2*\tanh(d*x+c)/d-63/8*a*b^2*\tan \\ & h(d*x+c)^3/d-189/40*a*b^2*\tanh(d*x+c)^5/d+1/4/d*b^3*\sinh(d*x+c)^12/\cosh(d*x \\ & +c)^8-3/2/d*b^3*\sinh(d*x+c)^10/\cosh(d*x+c)^8+15/d*b^3*\ln(\cosh(d*x+c))-15/2* \\ & b^3*\tanh(d*x+c)^2/d-15/4*b^3*\tanh(d*x+c)^4/d-5/2*b^3*\tanh(d*x+c)^6/d-15/8*b \\ & ^3*\tanh(d*x+c)^8/d \end{aligned}$$

**maxima [B]** time = 0.43, size = 647, normalized size = 2.35

$$\frac{1}{64} a^3 \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{3}{320} ab^2 \left( \frac{2520(dx+c)}{d} + \frac{5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] 1/64\*a^3\*(24\*x + e^(4\*d\*x + 4\*c)/d - 8\*e^(2\*d\*x + 2\*c)/d + 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 3/320\*a\*b^2\*(2520\*(d\*x + c)/d + 5\*(32\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (135\*e^(-2\*d\*x - 2\*c) + 5358\*e^(-4\*d\*x - 4\*c) + 18190\*e^(-6\*d\*x - 6\*c) + 28455\*e^(-8\*d\*x - 8\*c) + 19995\*e^(-10\*d\*x - 10\*c) + 6560\*e^(-12\*d\*x - 12\*c) - 5)/(d\*(e^(-4\*d\*x - 4\*c) + 5\*e^(-6\*d\*x - 6\*c) + 10\*e^(-8\*d\*x - 8\*c) + 10\*e^(-10\*d\*x - 10\*c) + 5\*e^(-12\*d\*x - 12\*c) + e^(-14\*d\*x - 14\*c)))) + 1/64\*b^3\*(960\*(d\*x + c)/d - (44\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d + 960\*log(e^(-2\*d\*x - 2\*c) + 1)/d - (36\*e^(-2\*d\*x - 2\*c) + 324\*e^(-4\*d\*x - 4\*c) - 1384\*e^(-6\*d\*x - 6\*c) - 9126\*e^(-8\*d\*x - 8\*c) - 24112\*e^(-10\*d\*x - 10\*c) - 31868\*e^(-12\*d\*x - 12\*c) - 25912\*e^(-14\*d\*x - 14\*c) - 11169\*e^(-16\*d\*x - 16\*c) - 2516\*e^(-18\*d\*x - 18\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + 8\*e^(-6\*d\*x - 6\*c) + 28\*e^(-8\*d\*x - 8\*c) + 56\*e^(-10\*d\*x - 10\*c) + 70\*e^(-12\*d\*x - 12\*c) + 56\*e^(-14\*d\*x - 14\*c) + 28\*e^(-16\*d\*x - 16\*c) + 8\*e^(-18\*d\*x - 18\*c) + e^(-20\*d\*x - 20\*c)))) + 3/64\*a^2\*b\*(192\*(d\*x + c)/d - (20\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d + 192\*log(e^(-2\*d\*x - 2\*c) + 1)/d - (18\*e^(-2\*d\*x - 2\*c) + 39\*e^(-4\*d\*x - 4\*c) - 108\*e^(-6\*d\*x - 6\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + 2\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c))))

**mupad [B]** time = 1.70, size = 682, normalized size = 2.48

$$x \left( \frac{3a^3}{8} - 9a^2b + \frac{189ab^2}{8} - 15b^3 \right) - \frac{4(71b^3 + 12ab^2)}{d(4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1)} - \frac{5(32e^{(-2dx-2c)} - e^{(-4dx-4c)})}{d(6e^{2c+2dx} + 15e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^3)^3,x)

[Out] x\*((189\*a\*b^2)/8 - 9\*a^2\*b + (3\*a^3)/8 - 15\*b^3) - (4\*(12\*a\*b^2 + 71\*b^3))/(d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c

$$\begin{aligned}
& + 8*d*x) + 1)) - (256*b^3)/(d*(6*\exp(2*c + 2*d*x) + 15*\exp(4*c + 4*d*x) + 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) + 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) + (\log(\exp(2*c)*\exp(2*d*x) + 1)*(9*a^2*b + 15*b^3))/d + (2*(30*a*b^2 + 3*a^2*b + 20*b^3))/(d*(\exp(2*c + 2*d*x) + 1)) + (32*(3*a*b^2 + 50*b^3))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) + (128*b^3)/(d*(7*\exp(2*c + 2*d*x) + 21*\exp(4*c + 4*d*x) + 35*\exp(6*c + 6*d*x) + 35*\exp(8*c + 8*d*x) + 21*\exp(10*c + 10*d*x) + 7*\exp(12*c + 12*d*x) + \exp(14*c + 14*d*x) + 1)) - (2*(30*a*b^2 + 3*a^2*b + 50*b^3))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (32*b^3)/(d*(8*\exp(2*c + 2*d*x) + 28*\exp(4*c + 4*d*x) + 56*\exp(6*c + 6*d*x) + 70*\exp(8*c + 8*d*x) + 56*\exp(10*c + 10*d*x) + 28*\exp(12*c + 12*d*x) + 8*\exp(14*c + 14*d*x) + \exp(16*c + 16*d*x) + 1)) + (\exp(4*c + 4*d*x)*(a + b)^3)/(64*d) - (\exp(-4*c - 4*d*x)*(a - b)^3)/(64*d) + (8*(9*a*b^2 + 23*b^3))/(d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) - (\exp(2*c + 2*d*x)*(a + b)^2*(2*a + 11*b))/(16*d) + (\exp(-2*c - 2*d*x)*(a - b)^2*(2*a - 11*b))/(16*d)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Timed out

### 3.66 $\int \sinh^3(c + dx) \left(a + b \tanh^3(c + dx)\right)^3 dx$

**Optimal.** Leaf size=351

$$\frac{a^3 \cosh^3(c + dx)}{3d} - \frac{a^3 \cosh(c + dx)}{d} + \frac{5a^2b \sinh^3(c + dx)}{2d} - \frac{15a^2b \sinh(c + dx)}{2d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d}$$

[Out]  $15/2*a^2*b*\arctan(\sinh(d*x+c))/d+1155/128*b^3*\arctan(\sinh(d*x+c))/d-a^3*\cosh(d*x+c)/d-12*a*b^2*\cosh(d*x+c)/d+1/3*a^3*\cosh(d*x+c)^3/d+a*b^2*\cosh(d*x+c)^3/d-18*a*b^2*\operatorname{sech}(d*x+c)/d+4*a*b^2*\operatorname{sech}(d*x+c)^3/d-3/5*a*b^2*\operatorname{sech}(d*x+c)^5/d-15/2*a^2*b*\sinh(d*x+c)/d-1155/128*b^3*\sinh(d*x+c)/d+5/2*a^2*b*\sinh(d*x+c)^3/d+385/128*b^3*\sinh(d*x+c)^3/d-3/2*a^2*b*\sinh(d*x+c)^3*\tanh(d*x+c)^2/d-231/128*b^3*\sinh(d*x+c)^3*\tanh(d*x+c)^2/d-33/64*b^3*\sinh(d*x+c)^3*\tanh(d*x+c)^4/d-11/48*b^3*\sinh(d*x+c)^3*\tanh(d*x+c)^6/d-1/8*b^3*\sinh(d*x+c)^3*\tanh(d*x+c)^8/d$

**Rubi [A]** time = 0.35, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3666, 2633, 2592, 288, 302, 203, 2590, 270}

$$\frac{5a^2b \sinh^3(c + dx)}{2d} - \frac{15a^2b \sinh(c + dx)}{2d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} + \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh^3(c + dx)}{3d} - \frac{a^3 \cosh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $(15*a^2*b*\text{ArcTan}[\text{Sinh}[c + d*x]])/(2*d) + (1155*b^3*\text{ArcTan}[\text{Sinh}[c + d*x]])/(128*d) - (a^3*\text{Cosh}[c + d*x])/d - (12*a*b^2*\text{Cosh}[c + d*x])/d + (a^3*\text{Cosh}[c + d*x]^3)/(3*d) + (a*b^2*\text{Cosh}[c + d*x]^3)/d - (18*a*b^2*\text{Sech}[c + d*x])/d + (4*a*b^2*\text{Sech}[c + d*x]^3)/d - (3*a*b^2*\text{Sech}[c + d*x]^5)/(5*d) - (15*a^2*b*\text{Sinh}[c + d*x])/d - (1155*b^3*\text{Sinh}[c + d*x])/(128*d) + (5*a^2*b*\text{Sinh}[c + d*x]^3)/(2*d) + (385*b^3*\text{Sinh}[c + d*x]^3)/(128*d) - (3*a^2*b*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^2)/(2*d) - (231*b^3*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^2)/(128*d) - (33*b^3*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^4)/(64*d) - (11*b^3*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^6)/(48*d) - (b^3*\text{Sinh}[c + d*x]^3*\text{Tanh}[c + d*x]^8)/(8*d)$

**Rule 203**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 270**

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

### Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^n*n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !ILtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 302

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[PolynomialDivide[x^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]
```

### Rule 2590

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]
```

### Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

### Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a + b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \sinh^3(c + dx) (a + b \tanh^3(c + dx))^3 dx &= i \int (-ia^3 \sinh^3(c + dx) - 3ia^2b \sinh^3(c + dx) \tanh^3(c + dx) - 3iab \sinh^3(c + dx) \tanh^3(c + dx) - 3ib^3 \sinh^3(c + dx) \tanh^9(c + dx)) dx \\
&= a^3 \int \sinh^3(c + dx) dx + (3a^2b) \int \sinh^3(c + dx) \tanh^3(c + dx) dx \\
&= -\frac{a^3 \operatorname{Subst}\left(\int (1 - x^2) dx, x, \cosh(c + dx)\right)}{d} + \frac{(3a^2b) \operatorname{Subst}\left(\int \frac{x^3}{(1+x^2)^3} dx, x, \cosh(c + dx)\right)}{d} \\
&= -\frac{a^3 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} - \frac{3a^2b \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
&= -\frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} + \frac{ab^2 \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
&= -\frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} + \frac{a^3 \cosh^3(c + dx)}{3d} + \frac{ab^2 \sinh^3(c + dx) \tanh^2(c + dx)}{2d} \\
&= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} \\
&= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} \\
&= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \cosh(c + dx)}{d} - \frac{12ab^2 \cosh(c + dx)}{d} \\
&= \frac{15a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{1155b^3 \tan^{-1}(\sinh(c + dx))}{128d} - \frac{a^3 \cosh(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 6.61, size = 291, normalized size = 0.83

$$-\frac{3\operatorname{sech}^2(c + dx) (64a^2b \sinh(c + dx) + 255b^3 \sinh(c + dx))}{128d} - \frac{3b(9a^2 + 7b^2) \sinh(c + dx)}{4d} + \frac{b(3a^2 + b^2) \sinh(3(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3, x]

[Out] (15\*b\*(64\*a^2 + 77\*b^2)\*ArcTan[Tanh[(c + d\*x)/2]])/(64\*d) - (3\*a\*(a^2 + 15\*b^2)\*Cosh[c + d\*x])/(4\*d) + (a\*(a^2 + 3\*b^2)\*Cosh[3\*(c + d\*x)])/(12\*d) - (1

$$8*a*b^2*Sech[c + d*x])/d + (4*a*b^2*Sech[c + d*x]^3)/d - (3*a*b^2*Sech[c + d*x]^5)/(5*d) - (3*b*(9*a^2 + 7*b^2)*Sinh[c + d*x])/(4*d) - (3*Sech[c + d*x]^2*(64*a^2*b*Sinh[c + d*x] + 255*b^3*Sinh[c + d*x]))/(128*d) + (b*(3*a^2 + b^2)*Sinh[3*(c + d*x)])/(12*d) + (515*b^3*Sech[c + d*x]^3*Tanh[c + d*x])/(192*d) - (41*b^3*Sech[c + d*x]^5*Tanh[c + d*x])/(48*d) + (b^3*Sech[c + d*x]^7*Tanh[c + d*x])/(8*d)$$

**fricas [B]** time = 0.60, size = 8462, normalized size = 24.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out]  $1/960*(40*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{22} + 880*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{21} + 40*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^{22} - 40*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{20} - 40*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3 - 231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{20} + 800*(77*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 - (a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{19} - 5*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{18} + 5*(58520*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 424*a^3 - 4440*a^2*b - 15960*a*b^2 - 5599*b^3 - 1520*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{18} + 30*(3512*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 - 1520*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^3 - 3*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{17} - 15*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^{16} + 15*(198968*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 - 12920*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^4 - 712*a^3 - 4840*a^2*b - 26584*a*b^2 - 5665*b^3 - 51*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{16} + 240*(28424*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 - 2584*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^5 - 17*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^3 - (712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{15} - 3*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^{14} + 3*(4263600*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 - 516800*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^6 - 5100*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^4 - 9040*a^3 - 36400*a^2*b - 344944*a*b^2 - 45265*b^3 - 600*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{14} + 2*(9948400*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 - 1550400*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^7 - 21420*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^5 - 4200*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^3 - 21*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{13} - 3*(14000*a^$



$$\begin{aligned}
& 3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^{12} + (25865840*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} - 5038800*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^8 - 92820*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^6 - 27300*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^4 - 42000*a^3 - 56400*a^2*b - 1628016*a*b^2 - 61215*b^3 - 273*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{12} + 4*(7054320*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} - 1679600*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^9 - 39780*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^7 - 16380*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^5 - 273*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^3 - 9*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{11} - 3*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^{10} + (25865840*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} - 7390240*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{10} - 218790*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^8 - 120120*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^6 - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^4 - 42000*a^3 + 56400*a^2*b - 1628016*a*b^2 + 61215*b^3 - 198*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 2*(9948400*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} - 3359200*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{11} - 121550*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^9 - 85800*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^7 - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^5 - 330*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^3 - 15*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 3*(9040*a^3 - 36400*a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^8 + 3*(4263600*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{14} - 1679600*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{12} - 72930*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{10} - 64350*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^8 - 3003*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^6 - 495*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^4 - 9040*a^3 + 36400*a^2*b - 344944*a*b^2 + 45265*b^3 - 45*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(284240*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{15} - 129200*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{13} - 6630*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{11} - 7150*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^9 - 429*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^7 - 99*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^5 - 15*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^3 - (9040*a^3 - 36400*a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 15*(712*a^3 - 4840*a^2*b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^6 + 3*(9948400*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{16} - 516800*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^
\end{aligned}$$

$$\begin{aligned}
& 3) * \cosh(dx + c)^{14} - 30940 * (424 * a^3 + 4440 * a^2 * b + 15960 * a * b^2 + 5599 * b^3) \\
& * \cosh(dx + c)^{12} - 40040 * (712 * a^3 + 4840 * a^2 * b + 26584 * a * b^2 + 5665 * b^3) * \\
& \cosh(dx + c)^{10} - 3003 * (9040 * a^3 + 36400 * a^2 * b + 344944 * a * b^2 + 45265 * b^3) * \\
& \cosh(dx + c)^8 - 924 * (14000 * a^3 + 18800 * a^2 * b + 542672 * a * b^2 + 20405 * b^3) * \\
& \cosh(dx + c)^6 - 210 * (14000 * a^3 - 18800 * a^2 * b + 542672 * a * b^2 - 20405 * b^3) * \\
& \cosh(dx + c)^4 - 3560 * a^3 + 24200 * a^2 * b - 132920 * a * b^2 + 28325 * b^3 - 28 * (9 \\
& 040 * a^3 - 36400 * a^2 * b + 344944 * a * b^2 - 45265 * b^3) * \cosh(dx + c)^2 * \sinh(dx \\
& + c)^6 + 6 * (175560 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(dx + c)^{17} - 1033 \\
& 60 * (a^3 + 57 * a^2 * b + 111 * a * b^2 + 55 * b^3) * \cosh(dx + c)^{15} - 7140 * (424 * a^3 + \\
& 4440 * a^2 * b + 15960 * a * b^2 + 5599 * b^3) * \cosh(dx + c)^{13} - 10920 * (712 * a^3 + 4 \\
& 840 * a^2 * b + 26584 * a * b^2 + 5665 * b^3) * \cosh(dx + c)^{11} - 1001 * (9040 * a^3 + 364 \\
& 00 * a^2 * b + 344944 * a * b^2 + 45265 * b^3) * \cosh(dx + c)^9 - 396 * (14000 * a^3 + 188 \\
& 00 * a^2 * b + 542672 * a * b^2 + 20405 * b^3) * \cosh(dx + c)^7 - 126 * (14000 * a^3 - 188 \\
& 00 * a^2 * b + 542672 * a * b^2 - 20405 * b^3) * \cosh(dx + c)^5 - 28 * (9040 * a^3 - 36400 \\
& * a^2 * b + 344944 * a * b^2 - 45265 * b^3) * \cosh(dx + c)^3 - 15 * (712 * a^3 - 4840 * a^2 \\
& * b + 26584 * a * b^2 - 5665 * b^3) * \cosh(dx + c) * \sinh(dx + c)^5 - 5 * (424 * a^3 - \\
& 4440 * a^2 * b + 15960 * a * b^2 - 5599 * b^3) * \cosh(dx + c)^4 + (292600 * (a^3 + 3 * a^2 \\
& * b + 3 * a * b^2 + b^3) * \cosh(dx + c)^{18} - 193800 * (a^3 + 57 * a^2 * b + 111 * a * b^2 + \\
& 55 * b^3) * \cosh(dx + c)^{16} - 15300 * (424 * a^3 + 4440 * a^2 * b + 15960 * a * b^2 + 559 \\
& 9 * b^3) * \cosh(dx + c)^{14} - 27300 * (712 * a^3 + 4840 * a^2 * b + 26584 * a * b^2 + 5665 * \\
& b^3) * \cosh(dx + c)^{12} - 3003 * (9040 * a^3 + 36400 * a^2 * b + 344944 * a * b^2 + 45265 \\
& * b^3) * \cosh(dx + c)^{10} - 1485 * (14000 * a^3 + 18800 * a^2 * b + 542672 * a * b^2 + 204 \\
& 05 * b^3) * \cosh(dx + c)^8 - 630 * (14000 * a^3 - 18800 * a^2 * b + 542672 * a * b^2 - 204 \\
& 05 * b^3) * \cosh(dx + c)^6 - 210 * (9040 * a^3 - 36400 * a^2 * b + 344944 * a * b^2 - 4526 \\
& 5 * b^3) * \cosh(dx + c)^4 - 2120 * a^3 + 22200 * a^2 * b - 79800 * a * b^2 + 27995 * b^3 - \\
& 225 * (712 * a^3 - 4840 * a^2 * b + 26584 * a * b^2 - 5665 * b^3) * \cosh(dx + c)^2 * \sinh( \\
& dx + c)^4 + 4 * (15400 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(dx + c)^{19} - 11 \\
& 400 * (a^3 + 57 * a^2 * b + 111 * a * b^2 + 55 * b^3) * \cosh(dx + c)^{17} - 1020 * (424 * a^3 \\
& + 4440 * a^2 * b + 15960 * a * b^2 + 5599 * b^3) * \cosh(dx + c)^{15} - 2100 * (712 * a^3 + 4 \\
& 840 * a^2 * b + 26584 * a * b^2 + 5665 * b^3) * \cosh(dx + c)^{13} - 273 * (9040 * a^3 + 3640 \\
& 0 * a^2 * b + 344944 * a * b^2 + 45265 * b^3) * \cosh(dx + c)^{11} - 165 * (14000 * a^3 + 188 \\
& 00 * a^2 * b + 542672 * a * b^2 + 20405 * b^3) * \cosh(dx + c)^9 - 90 * (14000 * a^3 - 1880 \\
& 0 * a^2 * b + 542672 * a * b^2 - 20405 * b^3) * \cosh(dx + c)^7 - 42 * (9040 * a^3 - 36400 * \\
& a^2 * b + 344944 * a * b^2 - 45265 * b^3) * \cosh(dx + c)^5 - 75 * (712 * a^3 - 4840 * a^2 * \\
& b + 26584 * a * b^2 - 5665 * b^3) * \cosh(dx + c)^3 - 5 * (424 * a^3 - 4440 * a^2 * b + 159 \\
& 60 * a * b^2 - 5599 * b^3) * \cosh(dx + c) * \sinh(dx + c)^3 + 40 * a^3 - 120 * a^2 * b + \\
& 120 * a * b^2 - 40 * b^3 - 40 * (a^3 - 57 * a^2 * b + 111 * a * b^2 - 55 * b^3) * \cosh(dx + c) \\
& ^2 + (9240 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(dx + c)^{20} - 7600 * (a^3 + 5 \\
& 7 * a^2 * b + 111 * a * b^2 + 55 * b^3) * \cosh(dx + c)^{18} - 765 * (424 * a^3 + 4440 * a^2 * b \\
& + 15960 * a * b^2 + 5599 * b^3) * \cosh(dx + c)^{16} - 1800 * (712 * a^3 + 4840 * a^2 * b + 2 \\
& 6584 * a * b^2 + 5665 * b^3) * \cosh(dx + c)^{14} - 273 * (9040 * a^3 + 36400 * a^2 * b + 344 \\
& 944 * a * b^2 + 45265 * b^3) * \cosh(dx + c)^{12} - 198 * (14000 * a^3 + 18800 * a^2 * b + 54 \\
& 2672 * a * b^2 + 20405 * b^3) * \cosh(dx + c)^{10} - 135 * (14000 * a^3 - 18800 * a^2 * b + 5 \\
& 42672 * a * b^2 - 20405 * b^3) * \cosh(dx + c)^8 - 84 * (9040 * a^3 - 36400 * a^2 * b + 344 \\
& 944 * a * b^2 - 45265 * b^3) * \cosh(dx + c)^6 - 225 * (712 * a^3 - 4840 * a^2 * b + 26584 *
\end{aligned}$$

$$\begin{aligned}
& a*b^2 - 5665*b^3)*\cosh(d*x + c)^4 - 40*a^3 + 2280*a^2*b - 4440*a*b^2 + 2200 \\
& *b^3 - 30*(424*a^3 - 4440*a^2*b + 15960*a*b^2 - 5599*b^3)*\cosh(d*x + c)^2)* \\
& \sinh(d*x + c)^2 + 225*((64*a^2*b + 77*b^3)*\cosh(d*x + c)^19 + 19*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^18 + (64*a^2*b + 77*b^3)*\sinh(d*x + c \\
& )^19 + 8*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^17 + (512*a^2*b + 616*b^3 + 171* \\
& (64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^17 + 17*(57*(64*a^2*b + \\
& 77*b^3)*\cosh(d*x + c)^3 + 8*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
& )^16 + 28*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^15 + 4*(969*(64*a^2*b + 77*b^3) \\
& *\cosh(d*x + c)^4 + 448*a^2*b + 539*b^3 + 272*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^2)*\sinh(d*x + c)^15 + 4*(2907*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 136 \\
& 0*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 105*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^14 + 56*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^13 + 28*(969*(6 \\
& 4*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 680*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 \\
& + 128*a^2*b + 154*b^3 + 105*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^13 + 52*(969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 952*(64*a^2*b + 77* \\
& b^3)*\cosh(d*x + c)^5 + 245*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 14*(64*a^2 \\
& *b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^12 + 70*(64*a^2*b + 77*b^3)*\cosh( \\
& d*x + c)^11 + 2*(37791*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 49504*(64*a^2* \\
& b + 77*b^3)*\cosh(d*x + c)^6 + 19110*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 2 \\
& 240*a^2*b + 2695*b^3 + 2184*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^11 + 22*(4199*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 7072*(64*a^2*b + 77 \\
& *b^3)*\cosh(d*x + c)^7 + 3822*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 728*(64* \\
& a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 35*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sin \\
& h(d*x + c)^10 + 56*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 2*(46189*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^10 + 97240*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 7 \\
& 0070*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 20020*(64*a^2*b + 77*b^3)*\cosh(d \\
& *x + c)^4 + 1792*a^2*b + 2156*b^3 + 1925*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^9 + 2*(37791*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^11 + 97240* \\
& (64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 90090*(64*a^2*b + 77*b^3)*\cosh(d*x + \\
& c)^7 + 36036*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 5775*(64*a^2*b + 77*b^3) \\
& *\cosh(d*x + c)^3 + 252*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + \\
& 28*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 4*(12597*(64*a^2*b + 77*b^3)*\cosh \\
& (d*x + c)^12 + 38896*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^10 + 45045*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^8 + 24024*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 57 \\
& 75*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 448*a^2*b + 539*b^3 + 504*(64*a^2* \\
& b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 28*(969*(64*a^2*b + 77*b^3)* \\
& \cosh(d*x + c)^13 + 3536*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^11 + 5005*(64*a^2 \\
& *b + 77*b^3)*\cosh(d*x + c)^9 + 3432*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 1 \\
& 155*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 168*(64*a^2*b + 77*b^3)*\cosh(d*x \\
& + c)^3 + 7*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 8*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^5 + 4*(2907*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^14 + \\
& 12376*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^12 + 21021*(64*a^2*b + 77*b^3)*\cos \\
& h(d*x + c)^10 + 18018*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 8085*(64*a^2*b \\
& + 77*b^3)*\cosh(d*x + c)^6 + 1764*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 128* \\
& a^2*b + 154*b^3 + 147*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5
\end{aligned}$$

$$\begin{aligned}
& + 4*(969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{15} + 4760*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{13} + 9555*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{11} + 10010*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 5775*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 1764*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 245*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 10*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + (969*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{16} + 5440*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{14} + 12740*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{12} + 16016*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{10} + 11550*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 4704*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 980*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 64*a^2*b + 77*b^3 + 80*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + (171*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{17} + 1088*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{15} + 2940*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{13} + 4368*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{11} + 3850*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^9 + 2016*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^7 + 588*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^5 + 80*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^3 + 3*(64*a^2*b + 77*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (19*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{18} + 136*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{16} + 420*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{14} + 728*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{12} + 770*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^{10} + 504*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^8 + 196*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^6 + 40*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^4 + 3*(64*a^2*b + 77*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 2*(440*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{21} - 400*(a^3 + 57*a^2*b + 111*a*b^2 + 55*b^3)*\cosh(d*x + c)^{19} - 45*(424*a^3 + 4440*a^2*b + 15960*a*b^2 + 5599*b^3)*\cosh(d*x + c)^{17} - 120*(712*a^3 + 4840*a^2*b + 26584*a*b^2 + 5665*b^3)*\cosh(d*x + c)^{15} - 21*(9040*a^3 + 36400*a^2*b + 344944*a*b^2 + 45265*b^3)*\cosh(d*x + c)^{13} - 18*(14000*a^3 + 18800*a^2*b + 542672*a*b^2 + 20405*b^3)*\cosh(d*x + c)^{11} - 15*(14000*a^3 - 18800*a^2*b + 542672*a*b^2 - 20405*b^3)*\cosh(d*x + c)^9 - 12*(9040*a^3 - 36400*a^2*b + 344944*a*b^2 - 45265*b^3)*\cosh(d*x + c)^7 - 45*(712*a^3 - 4840*a^2*b + 26584*a*b^2 - 5665*b^3)*\cosh(d*x + c)^5 - 10*(424*a^3 - 4440*a^2*b + 15960*a*b^2 - 5599*b^3)*\cosh(d*x + c)^3 - 40*(a^3 - 57*a^2*b + 111*a*b^2 - 55*b^3)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^{19} + 19*d*\cosh(d*x + c)*\sinh(d*x + c)^{18} + d*\sinh(d*x + c)^{19} + 8*d*\cosh(d*x + c)^{17} + (171*d*\cosh(d*x + c)^2 + 8*d)*\sinh(d*x + c)^{17} + 17*(57*d*\cosh(d*x + c)^3 + 8*d*\cosh(d*x + c))*\sinh(d*x + c)^{16} + 28*d*\cosh(d*x + c)^{15} + 4*(969*d*\cosh(d*x + c)^4 + 272*d*\cosh(d*x + c)^2 + 7*d)*\sinh(d*x + c)^{15} + 4*(2907*d*\cosh(d*x + c)^5 + 1360*d*\cosh(d*x + c)^3 + 105*d*\cosh(d*x + c))*\sinh(d*x + c)^{14} + 56*d*\cosh(d*x + c)^{13} + 28*(969*d*\cosh(d*x + c)^6 + 680*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c)^{13} + 52*(969*d*\cosh(d*x + c)^7 + 952*d*\cosh(d*x + c)^5 + 245*d*\cosh(d*x + c)^3 + 14*d*\cosh(d*x + c))*\sinh(d*x + c)^{12} + 70*d*\cosh(d*x + c)^{11} + 2*(37791*d*\cosh(d*x + c)^8 + 49504*d*\cosh(d*x + c)^6 + 19110*d*\cosh(d*x + c)^4 + 2184*d*\cosh(d*x + c)^2 + 35*d)*\sinh(d*x + c)^{11} + 22*(4199*d*\cosh(d*x + c)^9 + 7072*d*\cosh(d*x + c)^7 + 3822*d*\cosh(d*x + c)^5 + 728*d*\cosh(d*x + c)^3 + 35*d*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 56*d*\cosh(d*x + c)^9 + 2*(46189*d*\cosh(d*x
\end{aligned}$$

```

+ c)^10 + 97240*d*cosh(d*x + c)^8 + 70070*d*cosh(d*x + c)^6 + 20020*d*cosh(
d*x + c)^4 + 1925*d*cosh(d*x + c)^2 + 28*d)*sinh(d*x + c)^9 + 2*(37791*d*co
sh(d*x + c)^11 + 97240*d*cosh(d*x + c)^9 + 90090*d*cosh(d*x + c)^7 + 36036*
d*cosh(d*x + c)^5 + 5775*d*cosh(d*x + c)^3 + 252*d*cosh(d*x + c))*sinh(d*x
+ c)^8 + 28*d*cosh(d*x + c)^7 + 4*(12597*d*cosh(d*x + c)^12 + 38896*d*cosh(
d*x + c)^10 + 45045*d*cosh(d*x + c)^8 + 24024*d*cosh(d*x + c)^6 + 5775*d*co
sh(d*x + c)^4 + 504*d*cosh(d*x + c)^2 + 7*d)*sinh(d*x + c)^7 + 28*(969*d*co
sh(d*x + c)^13 + 3536*d*cosh(d*x + c)^11 + 5005*d*cosh(d*x + c)^9 + 3432*d*
cosh(d*x + c)^7 + 1155*d*cosh(d*x + c)^5 + 168*d*cosh(d*x + c)^3 + 7*d*cosh
(d*x + c))*sinh(d*x + c)^6 + 8*d*cosh(d*x + c)^5 + 4*(2907*d*cosh(d*x + c)^
14 + 12376*d*cosh(d*x + c)^12 + 21021*d*cosh(d*x + c)^10 + 18018*d*cosh(d*x
+ c)^8 + 8085*d*cosh(d*x + c)^6 + 1764*d*cosh(d*x + c)^4 + 147*d*cosh(d*x
+ c)^2 + 2*d)*sinh(d*x + c)^5 + 4*(969*d*cosh(d*x + c)^15 + 4760*d*cosh(d*x
+ c)^13 + 9555*d*cosh(d*x + c)^11 + 10010*d*cosh(d*x + c)^9 + 5775*d*cosh(
d*x + c)^7 + 1764*d*cosh(d*x + c)^5 + 245*d*cosh(d*x + c)^3 + 10*d*cosh(d*x
+ c))*sinh(d*x + c)^4 + d*cosh(d*x + c)^3 + (969*d*cosh(d*x + c)^16 + 5440
*d*cosh(d*x + c)^14 + 12740*d*cosh(d*x + c)^12 + 16016*d*cosh(d*x + c)^10 +
11550*d*cosh(d*x + c)^8 + 4704*d*cosh(d*x + c)^6 + 980*d*cosh(d*x + c)^4 +
80*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^3 + (171*d*cosh(d*x + c)^17 + 1088
*d*cosh(d*x + c)^15 + 2940*d*cosh(d*x + c)^13 + 4368*d*cosh(d*x + c)^11 + 3
850*d*cosh(d*x + c)^9 + 2016*d*cosh(d*x + c)^7 + 588*d*cosh(d*x + c)^5 + 80
*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^2 + (19*d*cosh(d*x +
c)^18 + 136*d*cosh(d*x + c)^16 + 420*d*cosh(d*x + c)^14 + 728*d*cosh(d*x +
c)^12 + 770*d*cosh(d*x + c)^10 + 504*d*cosh(d*x + c)^8 + 196*d*cosh(d*x + c
)^6 + 40*d*cosh(d*x + c)^4 + 3*d*cosh(d*x + c)^2)*sinh(d*x + c)

```

**giac** [A] time = 1.25, size = 601, normalized size = 1.71

$$225 (64 a^2 b e^c + 77 b^3 e^c) \arctan(e^{(dx+c)}) e^{-c} - 40 (9 a^3 e^{(2dx+2c)} - 81 a^2 b e^{(2dx+2c)} + 135 a b^2 e^{(2dx+2c)} - 63 b^3 e^{(2dx+2c)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

```

[Out] 1/960*(225*(64*a^2*b*e^c + 77*b^3*e^c)*arctan(e^(d*x + c))*e^(-c) - 40*(9*a
^3*e^(2*d*x + 2*c) - 81*a^2*b*e^(2*d*x + 2*c) + 135*a*b^2*e^(2*d*x + 2*c) -
63*b^3*e^(2*d*x + 2*c) - a^3 + 3*a^2*b - 3*a*b^2 + b^3)*e^(-3*d*x - 3*c) +
40*(a^3*e^(3*d*x + 66*c) + 3*a^2*b*e^(3*d*x + 66*c) + 3*a*b^2*e^(3*d*x + 6
6*c) + b^3*e^(3*d*x + 66*c) - 9*a^3*e^(d*x + 64*c) - 81*a^2*b*e^(d*x + 64*c
) - 135*a*b^2*e^(d*x + 64*c) - 63*b^3*e^(d*x + 64*c))*e^(-63*c) - (2880*a^2
*b*e^(15*d*x + 15*c) + 34560*a*b^2*e^(15*d*x + 15*c) + 11475*b^3*e^(15*d*x
+ 15*c) + 14400*a^2*b*e^(13*d*x + 13*c) + 211200*a*b^2*e^(13*d*x + 13*c) +
36775*b^3*e^(13*d*x + 13*c) + 25920*a^2*b*e^(11*d*x + 11*c) + 590592*a*b^2*
e^(11*d*x + 11*c) + 67715*b^3*e^(11*d*x + 11*c) + 14400*a^2*b*e^(9*d*x + 9*

```

c) + 957696\*a\*b^2\*e^(9\*d\*x + 9\*c) + 27055\*b^3\*e^(9\*d\*x + 9\*c) - 14400\*a^2\*b\*e^(7\*d\*x + 7\*c) + 957696\*a\*b^2\*e^(7\*d\*x + 7\*c) - 27055\*b^3\*e^(7\*d\*x + 7\*c) - 25920\*a^2\*b\*e^(5\*d\*x + 5\*c) + 590592\*a\*b^2\*e^(5\*d\*x + 5\*c) - 67715\*b^3\*e^(5\*d\*x + 5\*c) - 14400\*a^2\*b\*e^(3\*d\*x + 3\*c) + 211200\*a\*b^2\*e^(3\*d\*x + 3\*c) - 36775\*b^3\*e^(3\*d\*x + 3\*c) - 2880\*a^2\*b\*e^(d\*x + c) + 34560\*a\*b^2\*e^(d\*x + c) - 11475\*b^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^8/d

**maple [A]** time = 0.49, size = 506, normalized size = 1.44

$$\frac{2a^3 \cosh(dx+c)}{3d} + \frac{a^3 \cosh(dx+c) (\sinh^2(dx+c))}{3d} + \frac{a^2 b (\sinh^5(dx+c))}{d \cosh(dx+c)^2} - \frac{5a^2 b (\sinh^3(dx+c))}{d \cosh(dx+c)^2} - \frac{15a^2 b \sinh(dx+c)}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out] -2/3\*a^3\*cosh(d\*x+c)/d+1/3/d\*a^3\*cosh(d\*x+c)\*sinh(d\*x+c)^2+1/d\*a^2\*b\*sinh(d\*x+c)^5/cosh(d\*x+c)^2-5/d\*a^2\*b\*sinh(d\*x+c)^3/cosh(d\*x+c)^2-15/d\*a^2\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2+15/2/d\*a^2\*b\*sech(d\*x+c)\*tanh(d\*x+c)+15/d\*a^2\*b\*arctan(exp(d\*x+c))+1/d\*a\*b^2\*sinh(d\*x+c)^8/cosh(d\*x+c)^5-8/d\*a\*b^2\*sinh(d\*x+c)^6/cosh(d\*x+c)^5-48/d\*a\*b^2\*sinh(d\*x+c)^4/cosh(d\*x+c)^5-64/d\*a\*b^2\*sinh(d\*x+c)^2/cosh(d\*x+c)^5-128/5/d\*a\*b^2/cosh(d\*x+c)^5+1/3/d\*b^3\*sinh(d\*x+c)^11/cosh(d\*x+c)^8-11/3/d\*b^3\*sinh(d\*x+c)^9/cosh(d\*x+c)^8-33/d\*b^3\*sinh(d\*x+c)^7/cosh(d\*x+c)^8-77/d\*b^3\*sinh(d\*x+c)^5/cosh(d\*x+c)^8-77/d\*b^3\*sinh(d\*x+c)^3/cosh(d\*x+c)^8-33/d\*b^3\*sinh(d\*x+c)/cosh(d\*x+c)^8+33/8/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^7+77/16/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^5+385/64/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^3+1155/128/d\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)+1155/64/d\*b^3\*arctan(exp(d\*x+c))

**maxima [A]** time = 0.43, size = 604, normalized size = 1.72

$$\frac{1}{192} b^3 \left( \frac{8(63e^{-dx-c} - e^{-3dx-3c})}{d} - \frac{3465 \arctan(e^{-dx-c})}{d} - \frac{440e^{-2dx-2c} + 6103e^{-4dx-4c} + 21019e^{-6dx-6c}}{d(e^{-3dx-3c} + 8e^{-5dx-5c} + 28e^{-7dx-7c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] 1/192\*b^3\*(8\*(63\*e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/d - 3465\*arctan(e^(-d\*x - c))/d - (440\*e^(-2\*d\*x - 2\*c) + 6103\*e^(-4\*d\*x - 4\*c) + 21019\*e^(-6\*d\*x - 6\*c) + 41207\*e^(-8\*d\*x - 8\*c) + 40243\*e^(-10\*d\*x - 10\*c) + 22589\*e^(-12\*d\*x - 12\*c) + 505\*e^(-14\*d\*x - 14\*c) - 3331\*e^(-16\*d\*x - 16\*c) - 1791\*e^(-18\*d\*x - 18\*c) - 8)/(d\*(e^(-3\*d\*x - 3\*c) + 8\*e^(-5\*d\*x - 5\*c) + 28\*e^(-7\*d\*x - 7\*c) + 56\*e^(-9\*d\*x - 9\*c) + 70\*e^(-11\*d\*x - 11\*c) + 56\*e^(-13\*d\*x - 13\*c) + 28\*e^(-15\*d\*x - 15\*c) + 8\*e^(-17\*d\*x - 17\*c) + e^(-19\*d\*x - 19\*c)))) - 1/

$40*a*b^2*(5*(45*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d + (200*e^{(-2*d*x - 2*c)} + 2515*e^{(-4*d*x - 4*c)} + 6680*e^{(-6*d*x - 6*c)} + 9073*e^{(-8*d*x - 8*c)} + 5600*e^{(-10*d*x - 10*c)} + 1665*e^{(-12*d*x - 12*c)} - 5)/(d*(e^{(-3*d*x - 3*c)} + 5*e^{(-5*d*x - 5*c)} + 10*e^{(-7*d*x - 7*c)} + 10*e^{(-9*d*x - 9*c)} + 5*e^{(-11*d*x - 11*c)} + e^{(-13*d*x - 13*c)})) + 1/8*a^2*b*((27*e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/d - 120*\arctan(e^{(-d*x - c)})/d - (25*e^{(-2*d*x - 2*c)} + 77*e^{(-4*d*x - 4*c)} + 3*e^{(-6*d*x - 6*c)} - 1)/(d*(e^{(-3*d*x - 3*c)} + 2*e^{(-5*d*x - 5*c)} + e^{(-7*d*x - 7*c)}))) + 1/24*a^3*(e^{(3*d*x + 3*c)}/d - 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d + e^{(-3*d*x - 3*c)}/d)$

**mupad [B]** time = 1.60, size = 757, normalized size = 2.16

$$\frac{e^{3c+3dx} (a+b)^3}{24d} + \frac{e^{-3c-3dx} (a-b)^3}{24d} + \frac{15 \operatorname{atan}\left(\frac{e^{dx} e^c (77b^3 \sqrt{d^2} + 64a^2 b \sqrt{d^2})}{d \sqrt{4096a^4 b^2 + 9856a^2 b^4 + 5929b^6}}\right)}{64 \sqrt{d^2}} \sqrt{4096a^4 b^2 + 9856a^2 b^4 + 5929b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^3*(a + b*tanh(c + d*x)^3)^3,x)`

[Out]  $(\exp(3*c + 3*d*x)*(a + b)^3)/(24*d) + (\exp(-3*c - 3*d*x)*(a - b)^3)/(24*d) + (15*\operatorname{atan}((\exp(d*x)*\exp(c)*(77*b^3*(d^2)^{(1/2)} + 64*a^2*b*(d^2)^{(1/2)}))/(d*(5929*b^6 + 9856*a^2*b^4 + 4096*a^4*b^2)^{(1/2)}))*(5929*b^6 + 9856*a^2*b^4 + 4096*a^4*b^2)^{(1/2)})/(64*(d^2)^{(1/2)}) - (3*\exp(-c - d*x)*(a - b)^2*(a - 7*b))/(8*d) - (\exp(c + d*x)*(6144*a*b^2 + 11005*b^3))/(120*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) + (\exp(c + d*x)*(768*a*b^2 + 3365*b^3))/(20*d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) + (596*b^3*\exp(c + d*x))/(3*d*(6*\exp(2*c + 2*d*x) + 15*\exp(4*c + 4*d*x) + 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) + 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) - (3*\exp(c + d*x)*(a + b)^2*(a + 7*b))/(8*d) - (3*\exp(c + d*x)*(768*a*b^2 + 64*a^2*b + 255*b^3))/(64*d*(\exp(2*c + 2*d*x) + 1)) - (2*\exp(c + d*x)*(144*a*b^2 + 1625*b^3))/(15*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (112*b^3*\exp(c + d*x))/(d*(7*\exp(2*c + 2*d*x) + 21*\exp(4*c + 4*d*x) + 35*\exp(6*c + 6*d*x) + 35*\exp(8*c + 8*d*x) + 21*\exp(10*c + 10*d*x) + 7*\exp(12*c + 12*d*x) + \exp(14*c + 14*d*x) + 1)) + (\exp(c + d*x)*(3072*a*b^2 + 576*a^2*b + 4355*b^3))/(96*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) + (32*b^3*\exp(c + d*x))/(d*(8*\exp(2*c + 2*d*x) + 28*\exp(4*c + 4*d*x) + 56*\exp(6*c + 6*d*x) + 70*\exp(8*c + 8*d*x) + 56*\exp(10*c + 10*d*x) + 28*\exp(12*c + 12*d*x) + 8*\exp(14*c + 14*d*x) + \exp(16*c + 16*d*x) + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**3*(a+b*tanh(d*x+c)**3)**3,x)
```

```
[Out] Timed out
```



### 3.67 $\int \sinh^2(c + dx) \left(a + b \tanh^3(c + dx)\right)^3 dx$

**Optimal.** Leaf size=220

$$\frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} - \frac{b(6a^2 + 5b^2) \log(\cosh(c + dx))}{d} + \frac{\sinh(c + dx) \cosh(c + dx) (b(3a^2 + b^2) \tanh(c + dx) + a^2 + 3b^2)}{2d}$$

[Out]  $-1/2*a*(a^2+21*b^2)*x-b*(6*a^2+5*b^2)*\ln(\cosh(d*x+c))/d+9*a*b^2*\tanh(d*x+c)/d+1/2*b*(3*a^2+4*b^2)*\tanh(d*x+c)^2/d+2*a*b^2*\tanh(d*x+c)^3/d+3/4*b^3*\tanh(d*x+c)^4/d+3/5*a*b^2*\tanh(d*x+c)^5/d+1/3*b^3*\tanh(d*x+c)^6/d+1/8*b^3*\tanh(d*x+c)^8/d+1/2*\cosh(d*x+c)*\sinh(d*x+c)*(a*(a^2+3*b^2)+b*(3*a^2+b^2)*\tanh(d*x+c))/d$

**Rubi [A]** time = 0.31, antiderivative size = 241, normalized size of antiderivative = 1.10, number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3663, 1804, 1802, 633, 31}

$$\frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{\sinh^2(c + dx) (a(a^2 + 3b^2) \tanh(c + dx) + b(3a^2 + b^2) \tanh^2(c + dx) + a^2 + 3b^2)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Sinh[c + d*x]^2*(a + b*Tanh[c + d*x]^3)^3,x]`

[Out]  $((a + b)^2*(a + 10*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(4*d) - ((a - 10*b)*(a - b)^2*\text{Log}[1 + \text{Tanh}[c + d*x]])/(4*d) + (a*(a^2 + 21*b^2)*\text{Tanh}[c + d*x])/(2*d) + (b*(3*a^2 + 4*b^2)*\text{Tanh}[c + d*x]^2)/(2*d) + (2*a*b^2*\text{Tanh}[c + d*x]^3)/d + (3*b^3*\text{Tanh}[c + d*x]^4)/(4*d) + (3*a*b^2*\text{Tanh}[c + d*x]^5)/(5*d) + (b^3*\text{Tanh}[c + d*x]^6)/(3*d) + (b^3*\text{Tanh}[c + d*x]^8)/(8*d) + (\text{Sinh}[c + d*x]^2*(b*(3*a^2 + b^2) + a*(a^2 + 3*b^2)*\text{Tanh}[c + d*x]))/(2*d)$

#### Rule 31

`Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

#### Rule 633

`Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]`

#### Rule 1802

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[
ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x]
&& PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 1804

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq,
a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
1]}, Simp[((c*x)^m*(a + b*x^2)^(p + 1)*(a*g - b*f*x))/(2*a*b*(p + 1)), x]
+ Dist[c/(2*a*b*(p + 1)), Int[(c*x)^(m - 1)*(a + b*x^2)^(p + 1)*ExpandToSum
[2*a*b*(p + 1)*x*Q - a*g*m + b*f*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a,
b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && GtQ[m, 0]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \sinh^2(c + dx) (a + b \tanh^3(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^3)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\sinh^2(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}}{d} \\
&= \frac{\sinh^2(c + dx) (b(3a^2 + b^2) + a(a^2 + 3b^2) \tanh(c + dx))}{2d} + \frac{\text{Subst}}{d} \\
&= \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{2ab^2}{d} \\
&= \frac{a(a^2 + 21b^2) \tanh(c + dx)}{2d} + \frac{b(3a^2 + 4b^2) \tanh^2(c + dx)}{2d} + \frac{2ab^2}{d} \\
&= \frac{(a + b)^2(a + 10b) \log(1 - \tanh(c + dx))}{4d} - \frac{(a - 10b)(a - b)^2 \log(1 - \tanh(c + dx))}{4d}
\end{aligned}$$

**Mathematica [A]** time = 6.25, size = 244, normalized size = 1.11

$$\frac{(-6a^2b - 5b^3) \log(\cosh(c + dx))}{d} - \frac{a(a^2 + 21b^2)(c + dx)}{2d} + \frac{a(a^2 + 3b^2) \sinh(2(c + dx))}{4d} + \frac{b(3a^2 + b^2) \cosh(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] 
$$\begin{aligned}
& -1/2*(a*(a^2 + 21*b^2)*(c + d*x))/d + (b*(3*a^2 + b^2)*Cosh[2*(c + d*x)])/(4*d) \\
& + ((-6*a^2*b - 5*b^3)*Log[Cosh[c + d*x]])/d - (b*(3*a^2 + 10*b^2)*Sech[c + d*x]^2)/(2*d) \\
& + (5*b^3*Sech[c + d*x]^4)/(2*d) - (5*b^3*Sech[c + d*x]^6)/(6*d) + (b^3*Sech[c + d*x]^8)/(8*d) \\
& + (a*(a^2 + 3*b^2)*Sinh[2*(c + d*x)])/(4*d) + (58*a*b^2*Tanh[c + d*x])/(5*d) - (16*a*b^2*Sech[c + d*x]^2*Tanh[c + d*x])/(5*d) \\
& + (3*a*b^2*Sech[c + d*x]^4*Tanh[c + d*x])/(5*d)
\end{aligned}$$

**fricas [B]** time = 0.64, size = 9862, normalized size = 44.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

```
[Out] 1/120*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^20 + 300*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^19 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^20 + 60*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^18 + 30*(4*a^3 + 12*a^2*b + 12*a*b^2 + 4*b^3 - 2*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 95*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^18 + 180*(95*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + 6*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^17 + 15*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^16 + 15*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 612*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^16 + 240*(969*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^5 + 204*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + (27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^15 + 240*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^14 + 120*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^6 + 1530*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^4 + 6*a^3 - 12*a^2*b - 186*a*b^2 - 72*b^3 - 14*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 15*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^14 + 240*(4845*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^7 + 2142*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^5 + 35*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + 14*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^13 + 10*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^12 + 10*(188955*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^8 + 111384*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^6 + 2730*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^4 + 63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 2184*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^12 + 120*(20995*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^9 + 15912*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^7 + 546*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^5 + 728*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + (63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^11 - 40*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^10 + 20*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^9 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^8 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^7 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^6 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^5 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^4 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^3 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c)^2 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*cosh(d*x + c) + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c) + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^2 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^3 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^4 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^5 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^6 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^7 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^8 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^9 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^10 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^11 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^12 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^13 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^14 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^15 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^16 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^17 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^18 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^19 + 10*(138567*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*sinh(d*x + c)^20
```

$$\begin{aligned}
& 3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^{10} + 131274(2a^3 + 6a^2b + 6 \\
& ab^2 + 2b^3 - (a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^8 \\
& + 6006(27a^3 + 39a^2b - 207ab^2 - 131b^3 - 32(a^3 - 12a^2b + 21a \\
& b^2 - 10b^3)d^2x) \cosh(dx + c)^6 + 12012(3a^3 - 6a^2b - 93ab^2 - 3 \\
& 6b^3 - 7(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^4 - 468a \\
& ^2b - 4872ab^2 - 1324b^3 - 210(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x \\
& + 33(63a^3 - 639a^2b - 6195ab^2 - 2173b^3 - 336(a^3 - 12a^2b + 2 \\
& 1ab^2 - 10b^3)d^2x) \cosh(dx + c)^2) \sinh(dx + c)^{10} + 40(62985(a^3 + \\
& 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^{11} + 72930(2a^3 + 6a^2b + 6ab^2 \\
& ^2 + 2b^3 - (a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^9 + 42 \\
& 90(27a^3 + 39a^2b - 207ab^2 - 131b^3 - 32(a^3 - 12a^2b + 21ab^2 \\
& - 10b^3)d^2x) \cosh(dx + c)^7 + 12012(3a^3 - 6a^2b - 93ab^2 - 36b^3 \\
& - 7(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^5 + 55(63a^3 \\
& - 639a^2b - 6195ab^2 - 2173b^3 - 336(a^3 - 12a^2b + 21ab^2 - 10 \\
& b^3)d^2x) \cosh(dx + c)^3 - 10(234a^2b + 2436ab^2 + 662b^3 + 105(a^3 \\
& - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)) \sinh(dx + c)^9 - 2( \\
& 315a^3 + 3195a^2b + 46977ab^2 + 10865b^3 + 1680(a^3 - 12a^2b + 21 \\
& ab^2 - 10b^3)d^2x) \cosh(dx + c)^8 + 2(944775(a^3 + 3a^2b + 3ab^2 + \\
& b^3) \cosh(dx + c)^{12} + 1312740(2a^3 + 6a^2b + 6ab^2 + 2b^3 - (a^3 \\
& - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^{10} + 96525(27a^3 + 39 \\
& a^2b - 207ab^2 - 131b^3 - 32(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \\
& \cosh(dx + c)^8 + 360360(3a^3 - 6a^2b - 93ab^2 - 36b^3 - 7(a^3 - 12 \\
& a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^6 + 2475(63a^3 - 639a^2b \\
& - 6195ab^2 - 2173b^3 - 336(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \co \\
& sh(dx + c)^4 - 315a^3 - 3195a^2b - 46977ab^2 - 10865b^3 - 1680(a^3 \\
& - 12a^2b + 21ab^2 - 10b^3)d^2x - 900(234a^2b + 2436ab^2 + 662b^3 \\
& + 105(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^2) \sinh(dx \\
& + c)^8 + 16(72675(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^{13} + 11934 \\
& 0(2a^3 + 6a^2b + 6ab^2 + 2b^3 - (a^3 - 12a^2b + 21ab^2 - 10b^3) \\
& d^2x) \cosh(dx + c)^{11} + 10725(27a^3 + 39a^2b - 207ab^2 - 131b^3 - 3 \\
& 2(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^9 + 51480(3a^3 \\
& - 6a^2b - 93ab^2 - 36b^3 - 7(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \\
& \cosh(dx + c)^7 + 495(63a^3 - 639a^2b - 6195ab^2 - 2173b^3 - 336(a \\
& ^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^5 - 300(234a^2b + \\
& 2436ab^2 + 662b^3 + 105(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(d \\
& x + c)^3 - (315a^3 + 3195a^2b + 46977ab^2 + 10865b^3 + 1680(a^3 - 1 \\
& 2a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)) \sinh(dx + c)^7 - 48(15a \\
& ^3 + 30a^2b + 1159ab^2 + 180b^3 + 35(a^3 - 12a^2b + 21ab^2 - 10b \\
& ^3)d^2x) \cosh(dx + c)^6 + 8(72675(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& x + c)^{14} + 139230(2a^3 + 6a^2b + 6ab^2 + 2b^3 - (a^3 - 12a^2b + 2 \\
& 1ab^2 - 10b^3)d^2x) \cosh(dx + c)^{12} + 15015(27a^3 + 39a^2b - 207a \\
& b^2 - 131b^3 - 32(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^ \\
& 10 + 90090(3a^3 - 6a^2b - 93ab^2 - 36b^3 - 7(a^3 - 12a^2b + 21a \\
& b^2 - 10b^3)d^2x) \cosh(dx + c)^8 + 1155(63a^3 - 639a^2b - 6195ab^2 \\
& - 2173b^3 - 336(a^3 - 12a^2b + 21ab^2 - 10b^3)d^2x) \cosh(dx + c)^6
\end{aligned}$$

$$\begin{aligned}
& - 1050*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - \\
& 10*b^3)*d*x)*\cosh(d*x + c)^4 - 90*a^3 - 180*a^2*b - 6954*a*b^2 - 1080*b^3 \\
& - 210*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x - 7*(315*a^3 + 3195*a^2*b + \\
& 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\co \\
& sh(d*x + c)^2)*\sinh(d*x + c)^6 + 16*(14535*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\
& \cosh(d*x + c)^15 + 32130*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2 \\
& *b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^13 + 4095*(27*a^3 + 39*a^2*b - 2 \\
& 07*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x \\
& + c)^11 + 30030*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + \\
& 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^9 + 495*(63*a^3 - 639*a^2*b - 6195*a* \\
& b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c \\
& )^7 - 630*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^ \\
& 2 - 10*b^3)*d*x)*\cosh(d*x + c)^5 - 7*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + \\
& 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^3 \\
& - 18*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a* \\
& b^2 - 10*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 3*(135*a^3 - 195*a^2*b \\
& + 6389*a*b^2 + 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh \\
& (d*x + c)^4 + (72675*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^16 + 183 \\
& 600*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^ \\
& 3)*d*x)*\cosh(d*x + c)^14 + 27300*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - \\
& 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^12 + 240240*(3* \\
& a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)* \\
& d*x)*\cosh(d*x + c)^10 + 4950*(63*a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - \\
& 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^8 - 8400*(234*a \\
& ^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x) \\
& *\cosh(d*x + c)^6 - 140*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 16 \\
& 80*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^4 - 405*a^3 + 58 \\
& 5*a^2*b - 19167*a*b^2 - 1965*b^3 - 480*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3) \\
& *d*x - 720*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + \\
& 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(4275*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^17 + 12240*(2*a^3 + 6*a^2*b + 6*a*b^ \\
& 2 + 2*b^3 - (a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^15 + 21 \\
& 00*(27*a^3 + 39*a^2*b - 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 \\
& - 10*b^3)*d*x)*\cosh(d*x + c)^13 + 21840*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b \\
& ^3 - 7*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^11 + 550*(63 \\
& *a^3 - 639*a^2*b - 6195*a*b^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - \\
& 10*b^3)*d*x)*\cosh(d*x + c)^9 - 1200*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 10 \\
& 5*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^7 - 28*(315*a^3 + \\
& 3195*a^2*b + 46977*a*b^2 + 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 1 \\
& 0*b^3)*d*x)*\cosh(d*x + c)^5 - 240*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 \\
& + 35*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^3 - 3*(135*a^ \\
& 3 - 195*a^2*b + 6389*a*b^2 + 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10* \\
& b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 15*a^3 + 45*a^2*b - 45*a*b^2 + 1 \\
& 5*b^3 - 12*(10*a^3 - 30*a^2*b + 262*a*b^2 - 10*b^3 + 5*(a^3 - 12*a^2*b + 21 \\
& *a*b^2 - 10*b^3)*d*x)*\cosh(d*x + c)^2 + 2*(1425*(a^3 + 3*a^2*b + 3*a*b^2 +
\end{aligned}$$

$$\begin{aligned}
& b^3) \cosh(dx + c)^{18} + 4590(2a^3 + 6a^2b + 6ab^2 + 2b^3 - (a^3 - 12 \\
& a^2b + 21ab^2 - 10b^3)dx) \cosh(dx + c)^{16} + 900(27a^3 + 39a^2b \\
& - 207ab^2 - 131b^3 - 32(a^3 - 12a^2b + 21ab^2 - 10b^3)dx) \cosh(dx \\
& + c)^{14} + 10920(3a^3 - 6a^2b - 93ab^2 - 36b^3 - 7(a^3 - 12a^2b \\
& + 21ab^2 - 10b^3)dx) \cosh(dx + c)^{12} + 330(63a^3 - 639a^2b - 619 \\
& 5ab^2 - 2173b^3 - 336(a^3 - 12a^2b + 21ab^2 - 10b^3)dx) \cosh(dx \\
& + c)^{10} - 900(234a^2b + 2436ab^2 + 662b^3 + 105(a^3 - 12a^2b + 21 \\
& ab^2 - 10b^3)dx) \cosh(dx + c)^8 - 28(315a^3 + 3195a^2b + 46977ab \\
& b^2 + 10865b^3 + 1680(a^3 - 12a^2b + 21ab^2 - 10b^3)dx) \cosh(dx + \\
& c)^6 - 360(15a^3 + 30a^2b + 1159ab^2 + 180b^3 + 35(a^3 - 12a^2b \\
& + 21ab^2 - 10b^3)dx) \cosh(dx + c)^4 - 60a^3 + 180a^2b - 1572ab^2 \\
& + 60b^3 - 30(a^3 - 12a^2b + 21ab^2 - 10b^3)dx - 9(135a^3 - 195a \\
& a^2b + 6389ab^2 + 655b^3 + 160(a^3 - 12a^2b + 21ab^2 - 10b^3)dx \\
& ) \cosh(dx + c)^2 \sinh(dx + c)^2 - 120((6a^2b + 5b^3) \cosh(dx + c)^1 \\
& 8 + 18(6a^2b + 5b^3) \cosh(dx + c) \sinh(dx + c)^{17} + (6a^2b + 5b^3) \\
& ) \sinh(dx + c)^{18} + 8(6a^2b + 5b^3) \cosh(dx + c)^{16} + (48a^2b + 40b \\
& ^3 + 153(6a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{16} + 16(51(6a^ \\
& 2b + 5b^3) \cosh(dx + c)^3 + 8(6a^2b + 5b^3) \cosh(dx + c)) \sinh(dx \\
& + c)^{15} + 28(6a^2b + 5b^3) \cosh(dx + c)^{14} + 4(765(6a^2b + 5b^3) \\
& ) \cosh(dx + c)^4 + 42a^2b + 35b^3 + 240(6a^2b + 5b^3) \cosh(dx + c)^2 \\
& ) \sinh(dx + c)^{14} + 56(153(6a^2b + 5b^3) \cosh(dx + c)^5 + 80(6a^2 \\
& b + 5b^3) \cosh(dx + c)^3 + 7(6a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + \\
& c)^{13} + 56(6a^2b + 5b^3) \cosh(dx + c)^{12} + 28(663(6a^2b + 5b^3) \\
& ) \cosh(dx + c)^6 + 520(6a^2b + 5b^3) \cosh(dx + c)^4 + 12a^2b + 10b^3 \\
& + 91(6a^2b + 5b^3) \cosh(dx + c)^2) \sinh(dx + c)^{12} + 16(1989(6a^2 \\
& b + 5b^3) \cosh(dx + c)^7 + 2184(6a^2b + 5b^3) \cosh(dx + c)^5 + 637( \\
& 6a^2b + 5b^3) \cosh(dx + c)^3 + 42(6a^2b + 5b^3) \cosh(dx + c)) \sinh \\
& (dx + c)^{11} + 70(6a^2b + 5b^3) \cosh(dx + c)^{10} + 2(21879(6a^2b + \\
& 5b^3) \cosh(dx + c)^8 + 32032(6a^2b + 5b^3) \cosh(dx + c)^6 + 14014(6 \\
& a^2b + 5b^3) \cosh(dx + c)^4 + 210a^2b + 175b^3 + 1848(6a^2b + 5b \\
& ^3) \cosh(dx + c)^2) \sinh(dx + c)^{10} + 4(12155(6a^2b + 5b^3) \cosh(dx \\
& + c)^9 + 22880(6a^2b + 5b^3) \cosh(dx + c)^7 + 14014(6a^2b + 5b^3) \\
& ) \cosh(dx + c)^5 + 3080(6a^2b + 5b^3) \cosh(dx + c)^3 + 175(6a^2b + \\
& 5b^3) \cosh(dx + c)) \sinh(dx + c)^9 + 56(6a^2b + 5b^3) \cosh(dx + c)^ \\
& 8 + 2(21879(6a^2b + 5b^3) \cosh(dx + c)^{10} + 51480(6a^2b + 5b^3) \\
& ) \cosh(dx + c)^8 + 42042(6a^2b + 5b^3) \cosh(dx + c)^6 + 13860(6a^2b + \\
& 5b^3) \cosh(dx + c)^4 + 168a^2b + 140b^3 + 1575(6a^2b + 5b^3) \cosh \\
& (dx + c)^2) \sinh(dx + c)^8 + 16(1989(6a^2b + 5b^3) \cosh(dx + c)^{11} \\
& + 5720(6a^2b + 5b^3) \cosh(dx + c)^9 + 6006(6a^2b + 5b^3) \cosh(dx \\
& + c)^7 + 2772(6a^2b + 5b^3) \cosh(dx + c)^5 + 525(6a^2b + 5b^3) \cos \\
& h(dx + c)^3 + 28(6a^2b + 5b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 28(6 \\
& a^2b + 5b^3) \cosh(dx + c)^6 + 28(663(6a^2b + 5b^3) \cosh(dx + c)^{12} \\
& + 2288(6a^2b + 5b^3) \cosh(dx + c)^{10} + 3003(6a^2b + 5b^3) \cosh(dx \\
& + c)^8 + 1848(6a^2b + 5b^3) \cosh(dx + c)^6 + 525(6a^2b + 5b^3) \\
& ) \cosh(dx + c)^4 + 6a^2b + 5b^3 + 56(6a^2b + 5b^3) \cosh(dx + c)^2) \si
\end{aligned}$$

$$\begin{aligned}
& \text{nh}(d*x + c)^6 + 56*(153*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{13} + 624*(6*a^2*b + \\
& 5*b^3)*\text{cosh}(d*x + c)^{11} + 1001*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^9 + 792*(6* \\
& a^2*b + 5*b^3)*\text{cosh}(d*x + c)^7 + 315*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^5 + 56 \\
& *(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^3 + 3*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c))*\text{sin} \\
& \text{h}(d*x + c)^5 + 8*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^4 + 4*(765*(6*a^2*b + 5*b^ \\
& 3)*\text{cosh}(d*x + c)^{14} + 3640*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{12} + 7007*(6*a^2 \\
& *b + 5*b^3)*\text{cosh}(d*x + c)^{10} + 6930*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^8 + 367 \\
& 5*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^6 + 980*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^4 \\
& + 12*a^2*b + 10*b^3 + 105*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^2)*\text{sinh}(d*x + c) \\
& ^4 + 16*(51*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{15} + 280*(6*a^2*b + 5*b^3)*\text{cosh} \\
& (d*x + c)^{13} + 637*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{11} + 770*(6*a^2*b + 5*b^ \\
& 3)*\text{cosh}(d*x + c)^9 + 525*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^7 + 196*(6*a^2*b + \\
& 5*b^3)*\text{cosh}(d*x + c)^5 + 35*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^3 + 2*(6*a^2*b \\
& + 5*b^3)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^3 + (6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^ \\
& 2 + (153*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{16} + 960*(6*a^2*b + 5*b^3)*\text{cosh}(d* \\
& x + c)^{14} + 2548*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{12} + 3696*(6*a^2*b + 5*b^3 \\
& )*\text{cosh}(d*x + c)^{10} + 3150*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^8 + 1568*(6*a^2*b \\
& + 5*b^3)*\text{cosh}(d*x + c)^6 + 420*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^4 + 6*a^2*b \\
& + 5*b^3 + 48*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^2)*\text{sinh}(d*x + c)^2 + 2*(9*(6* \\
& a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{17} + 64*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{15} + 1 \\
& 96*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^{13} + 336*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c) \\
& ^{11} + 350*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^9 + 224*(6*a^2*b + 5*b^3)*\text{cosh}(d* \\
& x + c)^7 + 84*(6*a^2*b + 5*b^3)*\text{cosh}(d*x + c)^5 + 16*(6*a^2*b + 5*b^3)*\text{cosh} \\
& (d*x + c)^3 + (6*a^2*b + 5*b^3)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c))*\text{log}(2*\text{cosh}(d* \\
& x + c)/(\text{cosh}(d*x + c) - \text{sinh}(d*x + c))) + 4*(75*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\text{cosh}(d*x + c)^{19} + 270*(2*a^3 + 6*a^2*b + 6*a*b^2 + 2*b^3 - (a^3 - 12* \\
& a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^{17} + 60*(27*a^3 + 39*a^2*b - \\
& 207*a*b^2 - 131*b^3 - 32*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x \\
& + c)^{15} + 840*(3*a^3 - 6*a^2*b - 93*a*b^2 - 36*b^3 - 7*(a^3 - 12*a^2*b + 2 \\
& 1*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^{13} + 30*(63*a^3 - 639*a^2*b - 6195*a*b \\
& ^2 - 2173*b^3 - 336*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c) \\
& ^{11} - 100*(234*a^2*b + 2436*a*b^2 + 662*b^3 + 105*(a^3 - 12*a^2*b + 21*a*b^ \\
& 2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^9 - 4*(315*a^3 + 3195*a^2*b + 46977*a*b^2 + \\
& 10865*b^3 + 1680*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^7 \\
& - 72*(15*a^3 + 30*a^2*b + 1159*a*b^2 + 180*b^3 + 35*(a^3 - 12*a^2*b + 21*a* \\
& b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^5 - 3*(135*a^3 - 195*a^2*b + 6389*a*b^2 + \\
& 655*b^3 + 160*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x)*\text{cosh}(d*x + c)^3 - 6 \\
& *(10*a^3 - 30*a^2*b + 262*a*b^2 - 10*b^3 + 5*(a^3 - 12*a^2*b + 21*a*b^2 - 1 \\
& 0*b^3)*d*x)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c))/((d*\text{cosh}(d*x + c)^{18} + 18*d*\text{cosh}(d \\
& *x + c)*\text{sinh}(d*x + c)^{17} + d*\text{sinh}(d*x + c)^{18} + 8*d*\text{cosh}(d*x + c)^{16} + (153 \\
& *d*\text{cosh}(d*x + c)^2 + 8*d)*\text{sinh}(d*x + c)^{16} + 16*(51*d*\text{cosh}(d*x + c)^3 + 8*d \\
& *\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^{15} + 28*d*\text{cosh}(d*x + c)^{14} + 4*(765*d*\text{cosh}(d* \\
& x + c)^4 + 240*d*\text{cosh}(d*x + c)^2 + 7*d)*\text{sinh}(d*x + c)^{14} + 56*(153*d*\text{cosh}(d \\
& *x + c)^5 + 80*d*\text{cosh}(d*x + c)^3 + 7*d*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^{13} + 56 \\
& *d*\text{cosh}(d*x + c)^{12} + 28*(663*d*\text{cosh}(d*x + c)^6 + 520*d*\text{cosh}(d*x + c)^4 + 9
\end{aligned}$$



```

1*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^12 + 16*(1989*d*cosh(d*x + c)^7 +
2184*d*cosh(d*x + c)^5 + 637*d*cosh(d*x + c)^3 + 42*d*cosh(d*x + c))*sinh(d
*x + c)^11 + 70*d*cosh(d*x + c)^10 + 2*(21879*d*cosh(d*x + c)^8 + 32032*d*c
osh(d*x + c)^6 + 14014*d*cosh(d*x + c)^4 + 1848*d*cosh(d*x + c)^2 + 35*d)*s
inh(d*x + c)^10 + 4*(12155*d*cosh(d*x + c)^9 + 22880*d*cosh(d*x + c)^7 + 14
014*d*cosh(d*x + c)^5 + 3080*d*cosh(d*x + c)^3 + 175*d*cosh(d*x + c))*sinh(
d*x + c)^9 + 56*d*cosh(d*x + c)^8 + 2*(21879*d*cosh(d*x + c)^10 + 51480*d*c
osh(d*x + c)^8 + 42042*d*cosh(d*x + c)^6 + 13860*d*cosh(d*x + c)^4 + 1575*d
*cosh(d*x + c)^2 + 28*d)*sinh(d*x + c)^8 + 16*(1989*d*cosh(d*x + c)^11 + 57
20*d*cosh(d*x + c)^9 + 6006*d*cosh(d*x + c)^7 + 2772*d*cosh(d*x + c)^5 + 52
5*d*cosh(d*x + c)^3 + 28*d*cosh(d*x + c))*sinh(d*x + c)^7 + 28*d*cosh(d*x +
c)^6 + 28*(663*d*cosh(d*x + c)^12 + 2288*d*cosh(d*x + c)^10 + 3003*d*cosh(
d*x + c)^8 + 1848*d*cosh(d*x + c)^6 + 525*d*cosh(d*x + c)^4 + 56*d*cosh(d*x
+ c)^2 + d)*sinh(d*x + c)^6 + 56*(153*d*cosh(d*x + c)^13 + 624*d*cosh(d*x
+ c)^11 + 1001*d*cosh(d*x + c)^9 + 792*d*cosh(d*x + c)^7 + 315*d*cosh(d*x +
c)^5 + 56*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 8*d*cos
h(d*x + c)^4 + 4*(765*d*cosh(d*x + c)^14 + 3640*d*cosh(d*x + c)^12 + 7007*d
*cosh(d*x + c)^10 + 6930*d*cosh(d*x + c)^8 + 3675*d*cosh(d*x + c)^6 + 980*d
*cosh(d*x + c)^4 + 105*d*cosh(d*x + c)^2 + 2*d)*sinh(d*x + c)^4 + 16*(51*d*
cosh(d*x + c)^15 + 280*d*cosh(d*x + c)^13 + 637*d*cosh(d*x + c)^11 + 770*d*
cosh(d*x + c)^9 + 525*d*cosh(d*x + c)^7 + 196*d*cosh(d*x + c)^5 + 35*d*cosh
(d*x + c)^3 + 2*d*cosh(d*x + c))*sinh(d*x + c)^3 + d*cosh(d*x + c)^2 + (153
*d*cosh(d*x + c)^16 + 960*d*cosh(d*x + c)^14 + 2548*d*cosh(d*x + c)^12 + 36
96*d*cosh(d*x + c)^10 + 3150*d*cosh(d*x + c)^8 + 1568*d*cosh(d*x + c)^6 + 4
20*d*cosh(d*x + c)^4 + 48*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 2*(9*d*c
osh(d*x + c)^17 + 64*d*cosh(d*x + c)^15 + 196*d*cosh(d*x + c)^13 + 336*d*co
sh(d*x + c)^11 + 350*d*cosh(d*x + c)^9 + 224*d*cosh(d*x + c)^7 + 84*d*cosh(
d*x + c)^5 + 16*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)

```

**giac [B]** time = 1.28, size = 592, normalized size = 2.69

$$420(a^3 - 12a^2b + 21ab^2 - 10b^3)dx + 840(6a^2be^{2c} + 5b^3e^{2c})e^{-2c} \log(e^{2dx+2c} + 1) - 105(2a^3e^{2dx+2c})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

```

[Out] -1/840*(420*(a^3 - 12*a^2*b + 21*a*b^2 - 10*b^3)*d*x + 840*(6*a^2*b*e^(2*c)
+ 5*b^3*e^(2*c))*e^(-2*c)*log(e^(2*d*x + 2*c) + 1) - 105*(2*a^3*e^(2*d*x +
2*c) - 24*a^2*b*e^(2*d*x + 2*c) + 42*a*b^2*e^(2*d*x + 2*c) - 20*b^3*e^(2*d
*x + 2*c) - a^3 + 3*a^2*b - 3*a*b^2 + b^3))*e^(-2*d*x - 2*c) - 105*(a^3*e^(2
*d*x + 22*c) + 3*a^2*b*e^(2*d*x + 22*c) + 3*a*b^2*e^(2*d*x + 22*c) + b^3*e^
(2*d*x + 22*c))*e^(-20*c) - (13698*a^2*b*e^(16*d*x + 16*c) + 11415*b^3*e^(1
6*d*x + 16*c) + 104544*a^2*b*e^(14*d*x + 14*c) - 30240*a*b^2*e^(14*d*x + 14

```

\*c) + 74520\*b^3\*e^(14\*d\*x + 14\*c) + 353304\*a^2\*b\*e^(12\*d\*x + 12\*c) - 171360\*a\*b^2\*e^(12\*d\*x + 12\*c) + 252420\*b^3\*e^(12\*d\*x + 12\*c) + 691488\*a^2\*b\*e^(10\*d\*x + 10\*c) - 446880\*a\*b^2\*e^(10\*d\*x + 10\*c) + 476840\*b^3\*e^(10\*d\*x + 10\*c) + 858060\*a^2\*b\*e^(8\*d\*x + 8\*c) - 682080\*a\*b^2\*e^(8\*d\*x + 8\*c) + 601930\*b^3\*e^(8\*d\*x + 8\*c) + 691488\*a^2\*b\*e^(6\*d\*x + 6\*c) - 644448\*a\*b^2\*e^(6\*d\*x + 6\*c) + 476840\*b^3\*e^(6\*d\*x + 6\*c) + 353304\*a^2\*b\*e^(4\*d\*x + 4\*c) - 374304\*a\*b^2\*e^(4\*d\*x + 4\*c) + 252420\*b^3\*e^(4\*d\*x + 4\*c) + 104544\*a^2\*b\*e^(2\*d\*x + 2\*c) - 125664\*a\*b^2\*e^(2\*d\*x + 2\*c) + 74520\*b^3\*e^(2\*d\*x + 2\*c) + 13698\*a^2\*b - 19488\*a\*b^2 + 11415\*b^3)/(e^(2\*d\*x + 2\*c) + 1)^8/d

**maple** [A] time = 0.29, size = 289, normalized size = 1.31

$$\frac{a^3 \cosh(dx+c) \sinh(dx+c)}{2d} - \frac{a^3 x}{2} - \frac{a^3 c}{2d} + \frac{3a^2 b (\sinh^4(dx+c))}{2d \cosh^2(dx+c)} - \frac{6a^2 b \ln(\cosh(dx+c))}{d} + \frac{3a^2 b (\tanh^2(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out] 1/2\*a^3\*cosh(d\*x+c)\*sinh(d\*x+c)/d-1/2\*a^3\*x-1/2/d\*a^3\*c+3/2/d\*a^2\*b\*sinh(d\*x+c)^4/cosh(d\*x+c)^2-6/d\*a^2\*b\*ln(cosh(d\*x+c))+3\*a^2\*b\*tanh(d\*x+c)^2/d+3/2/d\*a\*b^2\*sinh(d\*x+c)^7/cosh(d\*x+c)^5-21/2\*a\*b^2\*x-21/2/d\*a\*b^2\*c+21/2\*a\*b^2\*tanh(d\*x+c)/d+7/2\*a\*b^2\*tanh(d\*x+c)^3/d+21/10\*a\*b^2\*tanh(d\*x+c)^5/d+1/2/d\*b^3\*sinh(d\*x+c)^10/cosh(d\*x+c)^8-5/d\*b^3\*ln(cosh(d\*x+c))+5/2\*b^3\*tanh(d\*x+c)^2/d+5/4\*b^3\*tanh(d\*x+c)^4/d+5/6\*b^3\*tanh(d\*x+c)^6/d+5/8\*b^3\*tanh(d\*x+c)^8/d

**maxima** [B] time = 0.43, size = 544, normalized size = 2.47

$$-\frac{1}{8} a^3 \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{40} ab^2 \left( \frac{420(dx+c)}{d} + \frac{15e^{(-2dx-2c)}}{d} - \frac{1003e^{(-2dx-2c)} + 3350e^{(-4dx-4c)} + 5590e^{(-6dx-6c)} + 3915e^{(-8dx-8c)} + 1455e^{(-10dx-10c)} + 15}{d(e^{(-2dx-2c)} + 5e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 10e^{(-8dx-8c)} + 5e^{(-10dx-10c)} + e^{(-12dx-12c)})} \right) - \frac{1}{24} b^3 \left( \frac{120(dx+c)}{d} - \frac{3e^{(-2dx-2c)}}{d} + 120 \log(e^{(-2dx-2c)} + 1) \right) - \frac{24e^{(-2dx-2c)} - 396e^{(-4dx-4c)} - 1752e^{(-6dx-6c)} - 4430e^{(-8dx-8c)} - 5464e^{(-10dx-10c)} - 4556e^{(-12dx-12c)} - 1896e^{(-14dx-14c)} - 477e^{(-16dx-16c)} + 3}{d(e^{(-2dx-2c)} + 1)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] -1/8\*a^3\*(4\*x - e^(2\*d\*x + 2\*c)/d + e^(-2\*d\*x - 2\*c)/d) - 1/40\*a\*b^2\*(420\*(d\*x + c)/d + 15\*e^(-2\*d\*x - 2\*c)/d - (1003\*e^(-2\*d\*x - 2\*c) + 3350\*e^(-4\*d\*x - 4\*c) + 5590\*e^(-6\*d\*x - 6\*c) + 3915\*e^(-8\*d\*x - 8\*c) + 1455\*e^(-10\*d\*x - 10\*c) + 15)/(d\*(e^(-2\*d\*x - 2\*c) + 5\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 10\*e^(-8\*d\*x - 8\*c) + 5\*e^(-10\*d\*x - 10\*c) + e^(-12\*d\*x - 12\*c)))) - 1/24\*b^3\*(120\*(d\*x + c)/d - 3\*e^(-2\*d\*x - 2\*c)/d + 120\*log(e^(-2\*d\*x - 2\*c) + 1)/d - (24\*e^(-2\*d\*x - 2\*c) - 396\*e^(-4\*d\*x - 4\*c) - 1752\*e^(-6\*d\*x - 6\*c) - 4430\*e^(-8\*d\*x - 8\*c) - 5464\*e^(-10\*d\*x - 10\*c) - 4556\*e^(-12\*d\*x - 12\*c) - 1896\*e^(-14\*d\*x - 14\*c) - 477\*e^(-16\*d\*x - 16\*c) + 3)/(d\*(e^(-2\*d\*x - 2\*c) + 1)^8)

$2*c) + 8*e^{(-4*d*x - 4*c)} + 28*e^{(-6*d*x - 6*c)} + 56*e^{(-8*d*x - 8*c)} + 70*  
e^{(-10*d*x - 10*c)} + 56*e^{(-12*d*x - 12*c)} + 28*e^{(-14*d*x - 14*c)} + 8*e^{(-  
16*d*x - 16*c)} + e^{(-18*d*x - 18*c)})) - 3/8*a^2*b*(16*(d*x + c)/d - e^{(-2*  
d*x - 2*c)/d + 16*log(e^{(-2*d*x - 2*c)} + 1)/d - (2*e^{(-2*d*x - 2*c)} - 15*e^{  
(-4*d*x - 4*c)} + 1)/(d*(e^{(-2*d*x - 2*c)} + 2*e^{(-4*d*x - 4*c)} + e^{(-6*d*x -  
6*c)})))$

**mupad [B]** time = 0.56, size = 617, normalized size = 2.80

$$\frac{8(29b^3 + 6ab^2)}{d(4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1)} + \frac{736b^3}{3d(6e^{2c+2dx} + 15e^{4c+4dx} + 20e^{6c+6dx} + 15e^{8c+8dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^3)^3,x)`

[Out]  $(8*(6*a*b^2 + 29*b^3))/(d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) + (736*b^3)/(3*d*(6*\exp(2*c + 2*d*x) + 15*\exp(4*c + 4*d*x) + 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) + 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) - (\log(\exp(2*c)*\exp(2*d*x) + 1)*(6*a^2*b + 5*b^3))/d - (2*(18*a*b^2 + 3*a^2*b + 10*b^3))/(d*(\exp(2*c + 2*d*x) + 1)) - (96*(a*b^2 + 15*b^3))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (128*b^3)/(d*(7*\exp(2*c + 2*d*x) + 21*\exp(4*c + 4*d*x) + 35*\exp(6*c + 6*d*x) + 35*\exp(8*c + 8*d*x) + 21*\exp(10*c + 10*d*x) + 7*\exp(12*c + 12*d*x) + \exp(14*c + 14*d*x) + 1)) - (x*(a - b)^2*(a - 10*b))/2 + (6*(8*a*b^2 + a^2*b + 10*b^3))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) + (32*b^3)/(d*(8*\exp(2*c + 2*d*x) + 28*\exp(4*c + 4*d*x) + 56*\exp(6*c + 6*d*x) + 70*\exp(8*c + 8*d*x) + 56*\exp(10*c + 10*d*x) + 28*\exp(12*c + 12*d*x) + 8*\exp(14*c + 14*d*x) + \exp(16*c + 16*d*x) + 1)) + (\exp(2*c + 2*d*x)*(a + b)^3)/(8*d) - (\exp(-2*c - 2*d*x)*(a - b)^3)/(8*d) - (16*(12*a*b^2 + 25*b^3))/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sinh(d*x+c)**2*(a+b*tanh(d*x+c)**3)**3,x)`

[Out] Timed out

### 3.68 $\int \sinh(c + dx) (a + b \tanh^3(c + dx))^3 dx$

**Optimal.** Leaf size=269

$$\frac{a^3 \cosh(c + dx)}{d} + \frac{9a^2 b \sinh(c + dx)}{2d} - \frac{9a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2 b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{3ab^2 \cosh(c + dx)}{d}$$

[Out]  $-9/2*a^2*b*\arctan(\sinh(d*x+c))/d-315/128*b^3*\arctan(\sinh(d*x+c))/d+a^3*\cosh(d*x+c)/d+3*a*b^2*\cosh(d*x+c)/d+9*a*b^2*\operatorname{sech}(d*x+c)/d-3*a*b^2*\operatorname{sech}(d*x+c)^3/d+3/5*a*b^2*\operatorname{sech}(d*x+c)^5/d+9/2*a^2*b*\sinh(d*x+c)/d+315/128*b^3*\sinh(d*x+c)/d-3/2*a^2*b*\sinh(d*x+c)*\tanh(d*x+c)^2/d-105/128*b^3*\sinh(d*x+c)*\tanh(d*x+c)^2/d-21/64*b^3*\sinh(d*x+c)*\tanh(d*x+c)^4/d-3/16*b^3*\sinh(d*x+c)*\tanh(d*x+c)^6/d-1/8*b^3*\sinh(d*x+c)*\tanh(d*x+c)^8/d$

**Rubi [A]** time = 0.25, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {3666, 2638, 2592, 288, 321, 203, 2590, 270}

$$\frac{9a^2 b \sinh(c + dx)}{2d} - \frac{9a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2 b \sinh(c + dx) \tanh^2(c + dx)}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $(-9*a^2*b*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) - (315*b^3*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) + (a^3*\operatorname{Cosh}[c + d*x])/d + (3*a*b^2*\operatorname{Cosh}[c + d*x])/d + (9*a*b^2*\operatorname{Sech}[c + d*x])/d - (3*a*b^2*\operatorname{Sech}[c + d*x]^3)/d + (3*a*b^2*\operatorname{Sech}[c + d*x]^5)/(5*d) + (9*a^2*b*\operatorname{Sinh}[c + d*x])/(2*d) + (315*b^3*\operatorname{Sinh}[c + d*x])/(128*d) - (3*a^2*b*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^2)/(2*d) - (105*b^3*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^2)/(128*d) - (21*b^3*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^4)/(64*d) - (3*b^3*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^6)/(16*d) - (b^3*\operatorname{Sinh}[c + d*x]*\operatorname{Tanh}[c + d*x]^8)/(8*d)$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2590

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol]
:= -Dist[f^(-1), Subst[Int[(1 - x^2)^((m + n - 1)/2)/x^n, x], x, Cos[e + f*
x]], x] /; FreeQ[{e, f}, x] && IntegersQ[m, n, (m + n - 1)/2]
```

Rule 2592

```
Int[((a_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_
Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[(
ff*x)^(m + n)/(a^2 - ff^2*x^2)^((n + 1)/2), x], x, (a*Sin[e + f*x])/ff], x]
] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n + 1)/2]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a
+ b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&
IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \sinh(c + dx) (a + b \tanh^3(c + dx))^3 dx &= - \left( i \int (ia^3 \sinh(c + dx) + 3ia^2b \sinh(c + dx) \tanh^3(c + dx) + 3iab^2 \sinh(c + dx) \tanh^3(c + dx) + 3ib^3 \sinh(c + dx) \tanh^3(c + dx)) dx \right. \\
&= a^3 \int \sinh(c + dx) dx + (3a^2b) \int \sinh(c + dx) \tanh^3(c + dx) dx + (3ab^2) \int \sinh(c + dx) \tanh^3(c + dx) dx + (3ib^3) \int \sinh(c + dx) \tanh^3(c + dx) dx \\
&= \frac{a^3 \cosh(c + dx)}{d} + \frac{(3a^2b) \text{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} - \frac{(3ab^2) \text{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} - \frac{(3ib^3) \text{Subst} \left( \int \frac{x^4}{(1+x^2)^2} dx, x, \sinh(c + dx) \right)}{d} \\
&= \frac{a^3 \cosh(c + dx)}{d} - \frac{3a^2b \sinh(c + dx) \tanh^2(c + dx)}{2d} - \frac{b^3 \sinh(c + dx) \tanh^2(c + dx)}{2d} - \frac{3ib^3 \sinh(c + dx) \tanh^2(c + dx)}{2d} \\
&= \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} + \frac{9ab^2 \text{sech}(c + dx)}{d} - \frac{3ab^2 \text{sech}(c + dx) \tanh^2(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} - \frac{3ab^2 \text{sech}(c + dx) \tanh^2(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} - \frac{3ab^2 \text{sech}(c + dx) \tanh^2(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a^3 \cosh(c + dx)}{d} + \frac{3ab^2 \cosh(c + dx)}{d} - \frac{3ab^2 \text{sech}(c + dx) \tanh^2(c + dx)}{d} \\
&= -\frac{9a^2b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{315b^3 \tan^{-1}(\sinh(c + dx))}{128d} + \frac{a^3 \cosh(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 6.33, size = 233, normalized size = 0.87

$$\frac{\text{sech}^2(c + dx) (192a^2b \sinh(c + dx) + 325b^3 \sinh(c + dx))}{128d} + \frac{b(3a^2 + b^2) \sinh(c + dx)}{d} + \frac{a(a^2 + 3b^2) \cosh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (-9\*b\*(64\*a^2 + 35\*b^2)\*ArcTan[Tanh[(c + d\*x)/2]])/(64\*d) + (a\*(a^2 + 3\*b^2)\*Cosh[c + d\*x])/d + (9\*a\*b^2\*Sech[c + d\*x])/d - (3\*a\*b^2\*Sech[c + d\*x]^3)/d + (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) + (b\*(3\*a^2 + b^2)\*Sinh[c + d\*x])/d + (Sech[c + d\*x]^2\*(192\*a^2\*b\*Sinh[c + d\*x] + 325\*b^3\*Sinh[c + d\*x]))/(128\*d) - (105\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(64\*d) + (11\*b^3\*Sech[c + d\*x]^5\*Tanh[c + d\*x])/(16\*d) - (b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x])/(8\*d)

**fricas [B]** time = 0.52, size = 6410, normalized size = 23.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out]  $\frac{1}{320} \cdot (160 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^{18} + 2880 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c) \cdot \sinh(dx + c)^{17} + 160 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \sinh(dx + c)^{18} + 45 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^{16} + 45 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3 + 544(a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^2) \cdot \sinh(dx + c)^{16} + 240 \cdot (544(a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^3 + 3 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^{15} + 15 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^{14} + 15 \cdot (32640 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^4 + 384a^3 + 960a^2b + 3328ab^2 + 475b^3 + 360 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^2) \cdot \sinh(dx + c)^{14} + 210 \cdot (6528 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^5 + 120 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^3 + (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^{13} + 3 \cdot (4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3) \cdot \cosh(dx + c)^{12} + 3 \cdot (990080 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^6 + 27300 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^4 + 4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3 + 455 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^2) \cdot \sinh(dx + c)^{12} + 12 \cdot (424320 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^7 + 16380 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^5 + 455 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^3 + 3 \cdot (4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3) \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^{11} + 3 \cdot (6720a^3 + 3840a^2b + 67904ab^2 + 1295b^3) \cdot \cosh(dx + c)^{10} + 3 \cdot (2333760 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^8 + 120120 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^6 + 5005 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^4 + 6720a^3 + 3840a^2b + 67904ab^2 + 1295b^3 + 66 \cdot (4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3) \cdot \cosh(dx + c)^2) \cdot \sinh(dx + c)^{10} + 10 \cdot (777920 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^9 + 51480 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^7 + 3003 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^5 + 66 \cdot (4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3) \cdot \cosh(dx + c)^3 + 3 \cdot (6720a^3 + 3840a^2b + 67904ab^2 + 1295b^3) \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^9 + 3 \cdot (6720a^3 - 3840a^2b + 67904ab^2 - 1295b^3) \cdot \cosh(dx + c)^8 + 3 \cdot (2333760 \cdot (a^3 + 3a^2b + 3ab^2 + b^3) \cdot \cosh(dx + c)^{10} + 193050 \cdot (32a^3 + 96a^2b + 224ab^2 + 61b^3) \cdot \cosh(dx + c)^8 + 15015 \cdot (384a^3 + 960a^2b + 3328ab^2 + 475b^3) \cdot \cosh(dx + c)^6 + 495 \cdot (4480a^3 + 7360a^2b + 43008ab^2 + 4515b^3) \cdot \cosh(dx + c)^4 + 6720a^3 - 3840a^2b + 67904ab^2 - 1295b^3 + 45 \cdot (6720a^3 + 3840a^2b + 67904ab^2 + 1295b^3) \cdot \cosh(dx + c)^2) \cdot \sinh(dx + c)^8$

$$\begin{aligned}
& d*x + c)^8 + 24*(212160*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} + \\
& 21450*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^9 + 2145*(384* \\
& a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^7 + 99*(4480*a^3 + 73 \\
& 60*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^5 + 15*(6720*a^3 + 3840*a^ \\
& 2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^3 + (6720*a^3 - 3840*a^2*b + 67 \\
& 904*a*b^2 - 1295*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 3*(4480*a^3 - 7360*a \\
& ^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^6 + 3*(990080*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} + 120120*(32*a^3 + 96*a^2*b + 224*a*b^2 + \\
& 61*b^3)*\cosh(d*x + c)^{10} + 15015*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^ \\
& 3)*\cosh(d*x + c)^8 + 924*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*c \\
& osh(d*x + c)^6 + 210*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh( \\
& d*x + c)^4 + 4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3 + 28*(6720*a^3 \\
& - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 6 \\
& *(228480*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 32760*(32*a^3 + \\
& 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{11} + 5005*(384*a^3 + 960*a^2* \\
& b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^9 + 396*(4480*a^3 + 7360*a^2*b + 43 \\
& 008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^7 + 126*(6720*a^3 + 3840*a^2*b + 67904* \\
& a*b^2 + 1295*b^3)*\cosh(d*x + c)^5 + 28*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 \\
& - 1295*b^3)*\cosh(d*x + c)^3 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 451 \\
& 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*(384*a^3 - 960*a^2*b + 3328*a*b^ \\
& 2 - 475*b^3)*\cosh(d*x + c)^4 + 15*(32640*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*co \\
& sh(d*x + c)^{14} + 5460*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c \\
& )^{12} + 1001*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^{10} + \\
& 99*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^8 + 42*( \\
& 6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^6 + 14*(6720* \\
& a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^4 + 384*a^3 - 960* \\
& a^2*b + 3328*a*b^2 - 475*b^3 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 451 \\
& 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 12*(10880*(a^3 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3)*\cosh(d*x + c)^{15} + 2100*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*c \\
& osh(d*x + c)^{13} + 455*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x \\
& + c)^{11} + 55*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c \\
& )^9 + 30*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^7 + \\
& 14*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^5 + 5*(4 \\
& 480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^3 + 5*(384*a^3 \\
& - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 160*a \\
& ^3 - 480*a^2*b + 480*a*b^2 - 160*b^3 + 45*(32*a^3 - 96*a^2*b + 224*a*b^2 - \\
& 61*b^3)*\cosh(d*x + c)^2 + 3*(8160*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^{16} + 1800*(32*a^3 + 96*a^2*b + 224*a*b^2 + 61*b^3)*\cosh(d*x + c)^{14} + \\
& 455*(384*a^3 + 960*a^2*b + 3328*a*b^2 + 475*b^3)*\cosh(d*x + c)^{12} + 66*(448 \\
& 0*a^3 + 7360*a^2*b + 43008*a*b^2 + 4515*b^3)*\cosh(d*x + c)^{10} + 45*(6720*a^ \\
& 3 + 3840*a^2*b + 67904*a*b^2 + 1295*b^3)*\cosh(d*x + c)^8 + 28*(6720*a^3 - 3 \\
& 840*a^2*b + 67904*a*b^2 - 1295*b^3)*\cosh(d*x + c)^6 + 15*(4480*a^3 - 7360*a \\
& ^2*b + 43008*a*b^2 - 4515*b^3)*\cosh(d*x + c)^4 + 480*a^3 - 1440*a^2*b + 336 \\
& 0*a*b^2 - 915*b^3 + 30*(384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(d* \\
& x + c)^2)*\sinh(d*x + c)^2 - 45*((64*a^2*b + 35*b^3)*\cosh(d*x + c)^{17} + 17*(
\end{aligned}$$





$$\begin{aligned}
& \cosh(dx + c)^3 + 3*(64*a^2*b + 35*b^3)*\cosh(dx + c))*\sinh(dx + c)^2 + (6 \\
& 4*a^2*b + 35*b^3)*\cosh(dx + c) + (17*(64*a^2*b + 35*b^3)*\cosh(dx + c)^16 \\
& + 120*(64*a^2*b + 35*b^3)*\cosh(dx + c)^14 + 364*(64*a^2*b + 35*b^3)*\cosh(d \\
& *x + c)^12 + 616*(64*a^2*b + 35*b^3)*\cosh(dx + c)^10 + 630*(64*a^2*b + 35* \\
& b^3)*\cosh(dx + c)^8 + 392*(64*a^2*b + 35*b^3)*\cosh(dx + c)^6 + 140*(64*a^ \\
& 2*b + 35*b^3)*\cosh(dx + c)^4 + 64*a^2*b + 35*b^3 + 24*(64*a^2*b + 35*b^3)* \\
& \cosh(dx + c)^2*\sinh(dx + c))*\arctan(\cosh(dx + c) + \sinh(dx + c)) + 6*( \\
& 480*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(dx + c)^17 + 120*(32*a^3 + 96*a^2 \\
& *b + 224*a*b^2 + 61*b^3)*\cosh(dx + c)^15 + 35*(384*a^3 + 960*a^2*b + 3328* \\
& a*b^2 + 475*b^3)*\cosh(dx + c)^13 + 6*(4480*a^3 + 7360*a^2*b + 43008*a*b^2 \\
& + 4515*b^3)*\cosh(dx + c)^11 + 5*(6720*a^3 + 3840*a^2*b + 67904*a*b^2 + 129 \\
& 5*b^3)*\cosh(dx + c)^9 + 4*(6720*a^3 - 3840*a^2*b + 67904*a*b^2 - 1295*b^3) \\
& *\cosh(dx + c)^7 + 3*(4480*a^3 - 7360*a^2*b + 43008*a*b^2 - 4515*b^3)*\cosh( \\
& dx + c)^5 + 10*(384*a^3 - 960*a^2*b + 3328*a*b^2 - 475*b^3)*\cosh(dx + c)^ \\
& 3 + 15*(32*a^3 - 96*a^2*b + 224*a*b^2 - 61*b^3)*\cosh(dx + c))*\sinh(dx + c \\
& ))/(d*\cosh(dx + c)^17 + 17*d*\cosh(dx + c)*\sinh(dx + c)^16 + d*\sinh(dx + \\
& c)^17 + 8*d*\cosh(dx + c)^15 + 8*(17*d*\cosh(dx + c)^2 + d)*\sinh(dx + c)^ \\
& 15 + 40*(17*d*\cosh(dx + c)^3 + 3*d*\cosh(dx + c))*\sinh(dx + c)^14 + 28*d* \\
& \cosh(dx + c)^13 + 28*(85*d*\cosh(dx + c)^4 + 30*d*\cosh(dx + c)^2 + d)*\sin \\
& h(dx + c)^13 + 364*(17*d*\cosh(dx + c)^5 + 10*d*\cosh(dx + c)^3 + d*\cosh(d \\
& *x + c))*\sinh(dx + c)^12 + 56*d*\cosh(dx + c)^11 + 56*(221*d*\cosh(dx + c) \\
& ^6 + 195*d*\cosh(dx + c)^4 + 39*d*\cosh(dx + c)^2 + d)*\sinh(dx + c)^11 + 8 \\
& 8*(221*d*\cosh(dx + c)^7 + 273*d*\cosh(dx + c)^5 + 91*d*\cosh(dx + c)^3 + 7 \\
& *d*\cosh(dx + c))*\sinh(dx + c)^10 + 70*d*\cosh(dx + c)^9 + 10*(2431*d*\cosh \\
& (dx + c)^8 + 4004*d*\cosh(dx + c)^6 + 2002*d*\cosh(dx + c)^4 + 308*d*\cosh( \\
& dx + c)^2 + 7*d)*\sinh(dx + c)^9 + 2*(12155*d*\cosh(dx + c)^9 + 25740*d*\co \\
& sh(dx + c)^7 + 18018*d*\cosh(dx + c)^5 + 4620*d*\cosh(dx + c)^3 + 315*d*\co \\
& sh(dx + c))*\sinh(dx + c)^8 + 56*d*\cosh(dx + c)^7 + 8*(2431*d*\cosh(dx + \\
& c)^10 + 6435*d*\cosh(dx + c)^8 + 6006*d*\cosh(dx + c)^6 + 2310*d*\cosh(dx + \\
& c)^4 + 315*d*\cosh(dx + c)^2 + 7*d)*\sinh(dx + c)^7 + 56*(221*d*\cosh(dx + \\
& c)^11 + 715*d*\cosh(dx + c)^9 + 858*d*\cosh(dx + c)^7 + 462*d*\cosh(dx + c \\
& )^5 + 105*d*\cosh(dx + c)^3 + 7*d*\cosh(dx + c))*\sinh(dx + c)^6 + 28*d*\cos \\
& h(dx + c)^5 + 28*(221*d*\cosh(dx + c)^12 + 858*d*\cosh(dx + c)^10 + 1287*d \\
& *\cosh(dx + c)^8 + 924*d*\cosh(dx + c)^6 + 315*d*\cosh(dx + c)^4 + 42*d*\cos \\
& h(dx + c)^2 + d)*\sinh(dx + c)^5 + 140*(17*d*\cosh(dx + c)^13 + 78*d*\cosh( \\
& dx + c)^11 + 143*d*\cosh(dx + c)^9 + 132*d*\cosh(dx + c)^7 + 63*d*\cosh(dx \\
& + c)^5 + 14*d*\cosh(dx + c)^3 + d*\cosh(dx + c))*\sinh(dx + c)^4 + 8*d*\cos \\
& h(dx + c)^3 + 8*(85*d*\cosh(dx + c)^14 + 455*d*\cosh(dx + c)^12 + 1001*d*c \\
& osh(dx + c)^10 + 1155*d*\cosh(dx + c)^8 + 735*d*\cosh(dx + c)^6 + 245*d*\co \\
& sh(dx + c)^4 + 35*d*\cosh(dx + c)^2 + d)*\sinh(dx + c)^3 + 8*(17*d*\cosh(d \\
& x + c)^15 + 105*d*\cosh(dx + c)^13 + 273*d*\cosh(dx + c)^11 + 385*d*\cosh(d \\
& x + c)^9 + 315*d*\cosh(dx + c)^7 + 147*d*\cosh(dx + c)^5 + 35*d*\cosh(dx + \\
& c)^3 + 3*d*\cosh(dx + c))*\sinh(dx + c)^2 + d*\cosh(dx + c) + (17*d*\cosh(d \\
& x + c)^16 + 120*d*\cosh(dx + c)^14 + 364*d*\cosh(dx + c)^12 + 616*d*\cosh(d \\
& x + c)^10 + 630*d*\cosh(dx + c)^8 + 392*d*\cosh(dx + c)^6 + 140*d*\cosh(dx
\end{aligned}$$

+ c)^4 + 24\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c))

**giac** [A] time = 0.68, size = 485, normalized size = 1.80

$$45 \left( 64 a^2 b e^c + 35 b^3 e^c \right) \arctan \left( e^{(dx+c)} \right) e^{(-c)} - 160 \left( a^3 - 3 a^2 b + 3 a b^2 - b^3 \right) e^{(-dx-c)} - 160 \left( a^3 e^{(dx+20c)} + 3 a^2 b e^{(d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] -1/320\*(45\*(64\*a^2\*b\*e^c + 35\*b^3\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) - 160\*(a^3 - 3\*a^2\*b + 3\*a\*b^2 - b^3)\*e^(-d\*x - c) - 160\*(a^3\*e^(d\*x + 20\*c) + 3\*a^2\*b\*e^(d\*x + 20\*c) + 3\*a\*b^2\*e^(d\*x + 20\*c) + b^3\*e^(d\*x + 20\*c))\*e^(-19\*c) - (960\*a^2\*b\*e^(15\*d\*x + 15\*c) + 5760\*a\*b^2\*e^(15\*d\*x + 15\*c) + 1625\*b^3\*e^(15\*d\*x + 15\*c) + 4800\*a^2\*b\*e^(13\*d\*x + 13\*c) + 32640\*a\*b^2\*e^(13\*d\*x + 13\*c) + 3925\*b^3\*e^(13\*d\*x + 13\*c) + 8640\*a^2\*b\*e^(11\*d\*x + 11\*c) + 88704\*a\*b^2\*e^(11\*d\*x + 11\*c) + 9065\*b^3\*e^(11\*d\*x + 11\*c) + 4800\*a^2\*b\*e^(9\*d\*x + 9\*c) + 143232\*a\*b^2\*e^(9\*d\*x + 9\*c) + 1645\*b^3\*e^(9\*d\*x + 9\*c) - 4800\*a^2\*b\*e^(7\*d\*x + 7\*c) + 143232\*a\*b^2\*e^(7\*d\*x + 7\*c) - 1645\*b^3\*e^(7\*d\*x + 7\*c) - 8640\*a^2\*b\*e^(5\*d\*x + 5\*c) + 88704\*a\*b^2\*e^(5\*d\*x + 5\*c) - 9065\*b^3\*e^(5\*d\*x + 5\*c) - 4800\*a^2\*b\*e^(3\*d\*x + 3\*c) + 32640\*a\*b^2\*e^(3\*d\*x + 3\*c) - 3925\*b^3\*e^(3\*d\*x + 3\*c) - 960\*a^2\*b\*e^(d\*x + c) + 5760\*a\*b^2\*e^(d\*x + c) - 1625\*b^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^8)/d

**maple** [A] time = 0.43, size = 410, normalized size = 1.52

$$\frac{a^3 \cosh(dx + c)}{d} + \frac{3a^2b (\sinh^3(dx + c))}{d \cosh(dx + c)^2} + \frac{9a^2b \sinh(dx + c)}{d \cosh(dx + c)^2} - \frac{9a^2b \operatorname{sech}(dx + c) \tanh(dx + c)}{2d} - \frac{9a^2b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out] a^3\*cosh(d\*x+c)/d+3/d\*a^2\*b\*sinh(d\*x+c)^3/cosh(d\*x+c)^2+9/d\*a^2\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2-9/2/d\*a^2\*b\*sech(d\*x+c)\*tanh(d\*x+c)-9/d\*a^2\*b\*arctan(exp(d\*x+c))+3/d\*a\*b^2\*sinh(d\*x+c)^6/cosh(d\*x+c)^5+18/d\*a\*b^2\*sinh(d\*x+c)^4/cosh(d\*x+c)^5+24/d\*a\*b^2\*sinh(d\*x+c)^2/cosh(d\*x+c)^5+48/5/d\*a\*b^2/cosh(d\*x+c)^5+1/d\*b^3\*sinh(d\*x+c)^9/cosh(d\*x+c)^8+9/d\*b^3\*sinh(d\*x+c)^7/cosh(d\*x+c)^8+21/d\*b^3\*sinh(d\*x+c)^5/cosh(d\*x+c)^8+21/d\*b^3\*sinh(d\*x+c)^3/cosh(d\*x+c)^8+9/d\*b^3\*sinh(d\*x+c)/cosh(d\*x+c)^8-9/8/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^7-21/16/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^5-105/64/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^3-315/128/d\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)-315/64/d\*b^3\*arctan(exp(d\*x+c))

**maxima** [A] time = 0.42, size = 484, normalized size = 1.80

$$\frac{1}{64} b^3 \left( \frac{315 \arctan(e^{(-dx-c)})}{d} - \frac{32 e^{(-dx-c)}}{d} + \frac{581 e^{(-2dx-2c)} + 1681 e^{(-4dx-4c)} + 3605 e^{(-6dx-6c)} + 2569 e^{(-8dx-8c)} + 1463 e^{(-10dx-10c)} - 917 e^{(-12dx-12c)} - 529 e^{(-14dx-14c)} - 293 e^{(-16dx-16c)} + 32}{d(e^{(-dx-c)} + 8 e^{(-3dx-3c)} + 28 e^{(-5dx-5c)} + 56 e^{(-7dx-7c)} + 70 e^{(-9dx-9c)} + 56 e^{(-11dx-11c)} + 28 e^{(-13dx-13c)} + 8 e^{(-15dx-15c)} + e^{(-17dx-17c)})} + \frac{3}{2} a^2 b (6 \arctan(e^{(-dx-c)})/d - e^{(-dx-c)}/d + (4 e^{(-2dx-2c)} - e^{(-4dx-4c)} + 1)/(d(e^{(-dx-c)} + 2 e^{(-3dx-3c)} + e^{(-5dx-5c)}))) + \frac{3}{10} a b^2 (5 e^{(-dx-c)}/d + (85 e^{(-2dx-2c)} + 210 e^{(-4dx-4c)} + 314 e^{(-6dx-6c)} + 185 e^{(-8dx-8c)} + 65 e^{(-10dx-10c)} + 5)/(d(e^{(-dx-c)} + 5 e^{(-3dx-3c)} + 10 e^{(-5dx-5c)} + 10 e^{(-7dx-7c)} + 5 e^{(-9dx-9c)} + e^{(-11dx-11c)}))) + a^3 \cosh(dx+c)/d \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out] 1/64\*b^3\*(315\*arctan(e^(-d\*x - c))/d - 32\*e^(-d\*x - c)/d + (581\*e^(-2\*d\*x - 2\*c) + 1681\*e^(-4\*d\*x - 4\*c) + 3605\*e^(-6\*d\*x - 6\*c) + 2569\*e^(-8\*d\*x - 8\*c) + 1463\*e^(-10\*d\*x - 10\*c) - 917\*e^(-12\*d\*x - 12\*c) - 529\*e^(-14\*d\*x - 14\*c) - 293\*e^(-16\*d\*x - 16\*c) + 32)/(d\*(e^(-d\*x - c) + 8\*e^(-3\*d\*x - 3\*c) + 28\*e^(-5\*d\*x - 5\*c) + 56\*e^(-7\*d\*x - 7\*c) + 70\*e^(-9\*d\*x - 9\*c) + 56\*e^(-11\*d\*x - 11\*c) + 28\*e^(-13\*d\*x - 13\*c) + 8\*e^(-15\*d\*x - 15\*c) + e^(-17\*d\*x - 17\*c)))) + 3/2\*a^2\*b\*(6\*arctan(e^(-d\*x - c))/d - e^(-d\*x - c)/d + (4\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) + 1)/(d\*(e^(-d\*x - c) + 2\*e^(-3\*d\*x - 3\*c) + e^(-5\*d\*x - 5\*c)))) + 3/10\*a\*b^2\*(5\*e^(-d\*x - c)/d + (85\*e^(-2\*d\*x - 2\*c) + 210\*e^(-4\*d\*x - 4\*c) + 314\*e^(-6\*d\*x - 6\*c) + 185\*e^(-8\*d\*x - 8\*c) + 65\*e^(-10\*d\*x - 10\*c) + 5)/(d\*(e^(-d\*x - c) + 5\*e^(-3\*d\*x - 3\*c) + 10\*e^(-5\*d\*x - 5\*c) + 10\*e^(-7\*d\*x - 7\*c) + 5\*e^(-9\*d\*x - 9\*c) + e^(-11\*d\*x - 11\*c)))) + a^3\*cosh(d\*x + c)/d

**mupad** [B] time = 1.49, size = 707, normalized size = 2.63

$$\frac{e^{c+dx} (a+b)^3}{2d} + \frac{e^{-c-dx} (a-b)^3}{2d} - \frac{9 \operatorname{atan} \left( \frac{e^{dx} e^c (35 b^3 \sqrt{d^2} + 64 a^2 b \sqrt{d^2})}{d \sqrt{4096 a^4 b^2 + 4480 a^2 b^4 + 1225 b^6}} \right)}{64 \sqrt{d^2}} + \frac{1}{40 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)\*(a + b\*tanh(c + d\*x)^3)^3,x)

[Out] (exp(c + d\*x)\*(a + b)^3)/(2\*d) + (exp(-c - d\*x)\*(a - b)^3)/(2\*d) - (9\*atan((exp(d\*x)\*exp(c)\*(35\*b^3\*(d^2)^(1/2) + 64\*a^2\*b\*(d^2)^(1/2)))/(d\*(1225\*b^6 + 4480\*a^2\*b^4 + 4096\*a^4\*b^2)^(1/2)))\*(1225\*b^6 + 4480\*a^2\*b^4 + 4096\*a^4\*b^2)^(1/2))/(64\*(d^2)^(1/2)) + (exp(c + d\*x)\*(1728\*a\*b^2 + 2455\*b^3))/(40\*d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1)) - (exp(c + d\*x)\*(768\*a\*b^2 + 2605\*b^3))/(20\*d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1)) - (188\*b^3\*exp(c + d\*x))/(d\*(6\*exp(2\*c + 2\*d\*x) + 15\*exp(4\*c + 4\*d\*x) + 20\*exp(6\*c + 6\*d\*x) + 15\*exp(8\*c + 8\*d\*x) + 6\*exp(10\*c + 10\*d\*x) + exp(12\*c + 12\*d\*x) + 1)) + (exp(c + d\*x)\*(1152\*a\*b^2 + 192\*a^2\*b + 325\*b^3))/(64\*d\*(exp(2\*c + 2\*d\*x) + 1)) + (2\*exp(c + d\*x)\*(48\*a\*b^2 + 475\*b^3))/(5\*d\*(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c

```
+ 4*d*x) + 10*exp(6*c + 6*d*x) + 5*exp(8*c + 8*d*x) + exp(10*c + 10*d*x) +
1)) + (112*b^3*exp(c + d*x))/(d*(7*exp(2*c + 2*d*x) + 21*exp(4*c + 4*d*x) +
35*exp(6*c + 6*d*x) + 35*exp(8*c + 8*d*x) + 21*exp(10*c + 10*d*x) + 7*exp(
12*c + 12*d*x) + exp(14*c + 14*d*x) + 1)) - (exp(c + d*x)*(768*a*b^2 + 192*
a^2*b + 745*b^3))/(32*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1)) - (32*
b^3*exp(c + d*x))/(d*(8*exp(2*c + 2*d*x) + 28*exp(4*c + 4*d*x) + 56*exp(6*c
+ 6*d*x) + 70*exp(8*c + 8*d*x) + 56*exp(10*c + 10*d*x) + 28*exp(12*c + 12*
d*x) + 8*exp(14*c + 14*d*x) + exp(16*c + 16*d*x) + 1))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^3 \sinh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*sinh(c + d\*x), x)

### 3.69 $\int \operatorname{csch}(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=219

$$-\frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} + \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2 b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{3ab^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2ab^2 \operatorname{sech}^7(c + dx)}{8d}$$

[Out]  $3/2*a^2*b*\arctan(\sinh(d*x+c))/d+35/128*b^3*\arctan(\sinh(d*x+c))/d-a^3*\arctan(\cosh(d*x+c))/d-3*a*b^2*\operatorname{sech}(d*x+c)/d+2*a*b^2*\operatorname{sech}(d*x+c)^3/d-3/5*a*b^2*\operatorname{sech}(d*x+c)^5/d-3/2*a^2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d-35/128*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d-35/192*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)^3/d-7/48*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)^5/d-1/8*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)^7/d$

**Rubi [A]** time = 0.26, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3666, 3770, 2611, 2606, 194}

$$\frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{3a^2 b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}^5(c + dx)}{5d} + \frac{2ab^2 \operatorname{sech}^7(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $(3*a^2*b*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) + (35*b^3*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(128*d) - (a^3*\operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])/d - (3*a*b^2*\operatorname{Sech}[c + d*x])/d + (2*a*b^2*\operatorname{Sech}[c + d*x]^3)/d - (3*a*b^2*\operatorname{Sech}[c + d*x]^5)/(5*d) - (3*a^2*b*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d) - (35*b^3*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(128*d) - (35*b^3*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x]^3)/(192*d) - (7*b^3*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x]^5)/(48*d) - (b^3*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x]^7)/(8*d)$

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 2606

Int[((a\_.)\*sec[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

#### Rule 2611

```
Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(b*(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*(m + n - 1)), x] - Dist[(b^2*(n - 1))/(m + n - 1), Int[(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] && NeQ[m + n - 1, 0] && IntegersQ[2*m, 2*n]
```

### Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a + b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
 \int \operatorname{csch}(c + dx) (a + b \tanh^3(c + dx))^3 dx &= i \int (-ia^3 \operatorname{csch}(c + dx) - 3ia^2 b \operatorname{sech}(c + dx) \tanh^2(c + dx) - 3iab^2 \operatorname{sech}(c + dx) \tanh(c + dx) - b^3 \operatorname{sech}(c + dx)) dx \\
 &= a^3 \int \operatorname{csch}(c + dx) dx + (3a^2 b) \int \operatorname{sech}(c + dx) \tanh^2(c + dx) dx + 3iab \int \operatorname{sech}(c + dx) \tanh(c + dx) dx - b^3 \int \operatorname{sech}(c + dx) dx \\
 &= -\frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3a^2 b \operatorname{sech}(c + dx) \tanh(c + dx)}{2d} - \frac{b^3 \operatorname{sech}(c + dx)}{d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3a^2 b \operatorname{sech}(c + dx) \tanh(c + dx)}{2d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}(c + dx) \tanh(c + dx)}{d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d} - \frac{3ab^2 \operatorname{sech}(c + dx) \tanh(c + dx)}{d} \\
 &= \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{35b^3 \tan^{-1}(\sinh(c + dx))}{128d} - \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 3.21, size = 154, normalized size = 0.70

---


$$-45b \operatorname{sech}(c + dx) \left( (64a^2 + 31b^2) \tanh(c + dx) + 128ab \right) + 30 \left( 64a^3 \log \left( \tanh \left( \frac{1}{2}(c + dx) \right) \right) \right) + b (192a^2 + 35b^2)$$

Antiderivative was successfully verified.

```
[In] Integrate[Csch[c + d*x]*(a + b*Tanh[c + d*x]^3),x]
```

```
[Out] (30*(b*(192*a^2 + 35*b^2)*ArcTan[Tanh[(c + d*x)/2]] + 64*a^3*Log[Tanh[(c + d*x)/2]]) + 240*b^3*Sech[c + d*x]^7*Tanh[c + d*x] - 8*b^2*Sech[c + d*x]^5*(144*a + 125*b*Tanh[c + d*x]) + 10*b^2*Sech[c + d*x]^3*(384*a + 163*b*Tanh[c + d*x]) - 45*b*Sech[c + d*x]*(128*a*b + (64*a^2 + 31*b^2)*Tanh[c + d*x]))/(1920*d)
```

```
fricas [B] time = 0.55, size = 7127, normalized size = 32.54
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)*(a+b*tanh(d*x+c)^3)^3,x, algorithm="fricas")
```

```
[Out] -1/960*(45*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^15 + 675*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)*sinh(d*x + c)^14 + 45*(64*a^2*b + 128*a*b^2 + 31*b^3)*sinh(d*x + c)^15 + 5*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^13 + 5*(2880*a^2*b + 4992*a*b^2 + 91*b^3 + 945*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^13 + 65*(315*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^3 + (2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c))*sinh(d*x + c)^12 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^11 + (61425*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^4 + 25920*a^2*b + 62592*a*b^2 + 8995*b^3 + 390*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^11 + 11*(12285*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^5 + 130*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^3 + (25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c))*sinh(d*x + c)^10 + (14400*a^2*b + 103296*a*b^2 - 5425*b^3)*cosh(d*x + c)^9 + (225225*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^6 + 3575*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^4 + 14400*a^2*b + 103296*a*b^2 - 5425*b^3 + 55*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^9 + 3*(96525*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^7 + 2145*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^5 + 55*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^3 + 3*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*cosh(d*x + c))*sinh(d*x + c)^8 - (14400*a^2*b - 103296*a*b^2 - 5425*b^3)*cosh(d*x + c)^7 + (289575*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^8 + 8580*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^6 + 330*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^4 - 14400*a^2*b + 103296*a*b^2 + 5425*b^3 + 36*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + (225225*(64*a^2*b + 128*a*b^2 + 31*b^3)*cosh(d*x + c)^9 + 8580*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*cosh(d*x + c)^7 + 462*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^5 + 84*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*cosh(d*x + c)^3 - 7*(14400*a^2*b - 103296*a*b^2 - 5425*b^3)*cosh(d*x + c))*sinh(d*x + c)
```



$$\begin{aligned}
&)^6 - (25920*a^2*b - 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^5 + (135135*(64* \\
&a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^10 + 6435*(2880*a^2*b + 4992*a*b^2 \\
&+ 91*b^3)*\cosh(d*x + c)^8 + 462*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\co \\
&\sinh(d*x + c)^6 + 126*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^4 \\
&- 25920*a^2*b + 62592*a*b^2 - 8995*b^3 - 21*(14400*a^2*b - 103296*a*b^2 - \\
&5425*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^5 + (61425*(64*a^2*b + 128*a*b^2 + \\
&31*b^3)*\cosh(d*x + c)^11 + 3575*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d* \\
&x + c)^9 + 330*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^7 + 126 \\
&*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^5 - 35*(14400*a^2*b \\
&- 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^3 - 5*(25920*a^2*b - 62592*a*b^2 + \\
&8995*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^4 - 5*(2880*a^2*b - 4992*a*b^2 + 91 \\
&*b^3)*\cosh(d*x + c)^3 + (20475*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c \\
&)^12 + 1430*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^10 + 165*(2592 \\
&0*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^8 + 84*(14400*a^2*b + 10329 \\
&6*a*b^2 - 5425*b^3)*\cosh(d*x + c)^6 - 35*(14400*a^2*b - 103296*a*b^2 - 5425 \\
&*b^3)*\cosh(d*x + c)^4 - 14400*a^2*b + 24960*a*b^2 - 455*b^3 - 10*(25920*a^2 \\
&*b - 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^3 + (4725*(64*a \\
&^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^13 + 390*(2880*a^2*b + 4992*a*b^2 \\
&+ 91*b^3)*\cosh(d*x + c)^11 + 55*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh \\
&(d*x + c)^9 + 36*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^7 - \\
&21*(14400*a^2*b - 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^5 - 10*(25920*a^2* \\
&b - 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^3 - 15*(2880*a^2*b - 4992*a*b^2 + \\
&91*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^2 - 15*((192*a^2*b + 35*b^3)*\cosh(d*x \\
&+ c)^16 + 16*(192*a^2*b + 35*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^15 + (192*a^ \\
&2*b + 35*b^3)*\sinh(d*x + c)^16 + 8*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^14 + \\
&8*(192*a^2*b + 35*b^3 + 15*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + \\
&c)^14 + 112*(5*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + (192*a^2*b + 35*b^3) \\
&)*\cosh(d*x + c))*\sinh(d*x + c)^13 + 28*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^12 \\
&+ 28*(65*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 26*(1 \\
&92*a^2*b + 35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^12 + 112*(39*(192*a^2*b + \\
&35*b^3)*\cosh(d*x + c)^5 + 26*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 3*(192 \\
&*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^11 + 56*(192*a^2*b + 35*b^3)* \\
&\cosh(d*x + c)^10 + 56*(143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 143*(192* \\
&a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 33*(192*a^2*b + 35*b \\
&^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 16*(715*(192*a^2*b + 35*b^3)*\cosh(d \\
&*x + c)^7 + 1001*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 385*(192*a^2*b + 35 \\
&*b^3)*\cosh(d*x + c)^3 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c \\
&)^9 + 70*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 2*(6435*(192*a^2*b + 35*b^3 \\
&)*\cosh(d*x + c)^8 + 12012*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 6930*(192* \\
&a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 6720*a^2*b + 1225*b^3 + 1260*(192*a^2*b + \\
&35*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(715*(192*a^2*b + 35*b^3)*\co \\
&\sinh(d*x + c)^9 + 1716*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 1386*(192*a^2*b \\
&+ 35*b^3)*\cosh(d*x + c)^5 + 420*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 35* \\
&(192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 56*(192*a^2*b + 35*b^ \\
&3)*\cosh(d*x + c)^6 + 56*(143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^10 + 429*(1
\end{aligned}$$

$$\begin{aligned}
& 92*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 462*(192*a^2*b + 35*b^3)*\cosh(d*x + c) \\
& ^6 + 210*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 35*(19 \\
& 2*a^2*b + 35*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^6 + 112*(39*(192*a^2*b + 3 \\
& 5*b^3)*\cosh(d*x + c)^11 + 143*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 198*(1 \\
& 92*a^2*b + 35*b^3)*\cosh(d*x + c)^7 + 126*(192*a^2*b + 35*b^3)*\cosh(d*x + c) \\
& ^5 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^3 + 3*(192*a^2*b + 35*b^3)*\cosh( \\
& d*x + c))*\sinh(d*x + c)^5 + 28*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 28*(6 \\
& 5*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^12 + 286*(192*a^2*b + 35*b^3)*\cosh(d*x \\
& + c)^10 + 495*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^8 + 420*(192*a^2*b + 35*b \\
& ^3)*\cosh(d*x + c)^6 + 175*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b \\
& + 35*b^3 + 30*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 + 112*( \\
& 5*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^13 + 26*(192*a^2*b + 35*b^3)*\cosh(d*x \\
& + c)^11 + 55*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 60*(192*a^2*b + 35*b^3) \\
& *\cosh(d*x + c)^7 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 10*(192*a^2*b \\
& + 35*b^3)*\cosh(d*x + c)^3 + (192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d*x + \\
& c)^3 + 192*a^2*b + 35*b^3 + 8*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^2 + 8*(15* \\
& (192*a^2*b + 35*b^3)*\cosh(d*x + c)^14 + 91*(192*a^2*b + 35*b^3)*\cosh(d*x + \\
& c)^12 + 231*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^10 + 315*(192*a^2*b + 35*b^3 \\
& )*\cosh(d*x + c)^8 + 245*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^6 + 105*(192*a^2 \\
& *b + 35*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 35*b^3 + 21*(192*a^2*b + 35*b^3) \\
& *\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 16*((192*a^2*b + 35*b^3)*\cosh(d*x + c)^ \\
& 15 + 7*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^13 + 21*(192*a^2*b + 35*b^3)*\cosh \\
& (d*x + c)^11 + 35*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^9 + 35*(192*a^2*b + 35 \\
& *b^3)*\cosh(d*x + c)^7 + 21*(192*a^2*b + 35*b^3)*\cosh(d*x + c)^5 + 7*(192*a^ \\
& 2*b + 35*b^3)*\cosh(d*x + c)^3 + (192*a^2*b + 35*b^3)*\cosh(d*x + c))*\sinh(d \\
& x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 45*(64*a^2*b - 128*a*b^2 + \\
& 31*b^3)*\cosh(d*x + c) + 960*(a^3*\cosh(d*x + c)^16 + 16*a^3*\cosh(d*x + c)*\si \\
& nh(d*x + c)^15 + a^3*\sinh(d*x + c)^16 + 8*a^3*\cosh(d*x + c)^14 + 28*a^3*\cos \\
& h(d*x + c)^12 + 8*(15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^14 + 112*(5* \\
& a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^13 + 56*a^3*\cosh(d*x \\
& + c)^10 + 28*(65*a^3*\cosh(d*x + c)^4 + 26*a^3*\cosh(d*x + c)^2 + a^3)*\sinh( \\
& d*x + c)^12 + 112*(39*a^3*\cosh(d*x + c)^5 + 26*a^3*\cosh(d*x + c)^3 + 3*a^3* \\
& \cosh(d*x + c))*\sinh(d*x + c)^11 + 70*a^3*\cosh(d*x + c)^8 + 56*(143*a^3*\cosh \\
& (d*x + c)^6 + 143*a^3*\cosh(d*x + c)^4 + 33*a^3*\cosh(d*x + c)^2 + a^3)*\sinh( \\
& d*x + c)^10 + 16*(715*a^3*\cosh(d*x + c)^7 + 1001*a^3*\cosh(d*x + c)^5 + 385* \\
& a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^9 + 56*a^3*\cosh(d \\
& *x + c)^6 + 2*(6435*a^3*\cosh(d*x + c)^8 + 12012*a^3*\cosh(d*x + c)^6 + 6930* \\
& a^3*\cosh(d*x + c)^4 + 1260*a^3*\cosh(d*x + c)^2 + 35*a^3)*\sinh(d*x + c)^8 + \\
& 16*(715*a^3*\cosh(d*x + c)^9 + 1716*a^3*\cosh(d*x + c)^7 + 1386*a^3*\cosh(d*x \\
& + c)^5 + 420*a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + \\
& 28*a^3*\cosh(d*x + c)^4 + 56*(143*a^3*\cosh(d*x + c)^10 + 429*a^3*\cosh(d*x + \\
& c)^8 + 462*a^3*\cosh(d*x + c)^6 + 210*a^3*\cosh(d*x + c)^4 + 35*a^3*\cosh(d*x \\
& + c)^2 + a^3)*\sinh(d*x + c)^6 + 112*(39*a^3*\cosh(d*x + c)^11 + 143*a^3*\cosh \\
& (d*x + c)^9 + 198*a^3*\cosh(d*x + c)^7 + 126*a^3*\cosh(d*x + c)^5 + 35*a^3*\co \\
& sh(d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*a^3*\cosh(d*x + c)^
\end{aligned}$$

$$\begin{aligned}
& 2 + 28*(65*a^3*\cosh(d*x + c)^{12} + 286*a^3*\cosh(d*x + c)^{10} + 495*a^3*\cosh(d*x + c)^8 + 420*a^3*\cosh(d*x + c)^6 + 175*a^3*\cosh(d*x + c)^4 + 30*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 + 112*(5*a^3*\cosh(d*x + c)^{13} + 26*a^3*\cosh(d*x + c)^{11} + 55*a^3*\cosh(d*x + c)^9 + 60*a^3*\cosh(d*x + c)^7 + 35*a^3*\cosh(d*x + c)^5 + 10*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^3 + a^3 + 8*(15*a^3*\cosh(d*x + c)^{14} + 91*a^3*\cosh(d*x + c)^{12} + 231*a^3*\cosh(d*x + c)^{10} + 315*a^3*\cosh(d*x + c)^8 + 245*a^3*\cosh(d*x + c)^6 + 105*a^3*\cosh(d*x + c)^4 + 21*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 + 16*(a^3*\cosh(d*x + c)^{15} + 7*a^3*\cosh(d*x + c)^{13} + 21*a^3*\cosh(d*x + c)^{11} + 35*a^3*\cosh(d*x + c)^9 + 35*a^3*\cosh(d*x + c)^7 + 21*a^3*\cosh(d*x + c)^5 + 7*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) + 1) - 960*(a^3*\cosh(d*x + c)^{16} + 16*a^3*\cosh(d*x + c)*\sinh(d*x + c)^{15} + a^3*\sinh(d*x + c)^{16} + 8*a^3*\cosh(d*x + c)^{14} + 28*a^3*\cosh(d*x + c)^{12} + 8*(15*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^{14} + 112*(5*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^{13} + 56*a^3*\cosh(d*x + c)^{10} + 28*(65*a^3*\cosh(d*x + c)^4 + 26*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^{12} + 112*(39*a^3*\cosh(d*x + c)^5 + 26*a^3*\cosh(d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^{11} + 70*a^3*\cosh(d*x + c)^8 + 56*(143*a^3*\cosh(d*x + c)^6 + 143*a^3*\cosh(d*x + c)^4 + 33*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^{10} + 16*(715*a^3*\cosh(d*x + c)^7 + 1001*a^3*\cosh(d*x + c)^5 + 385*a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^9 + 56*a^3*\cosh(d*x + c)^6 + 2*(6435*a^3*\cosh(d*x + c)^8 + 12012*a^3*\cosh(d*x + c)^6 + 6930*a^3*\cosh(d*x + c)^4 + 1260*a^3*\cosh(d*x + c)^2 + 35*a^3)*\sinh(d*x + c)^8 + 16*(715*a^3*\cosh(d*x + c)^9 + 1716*a^3*\cosh(d*x + c)^7 + 1386*a^3*\cosh(d*x + c)^5 + 420*a^3*\cosh(d*x + c)^3 + 35*a^3*\cosh(d*x + c))*\sinh(d*x + c)^7 + 28*a^3*\cosh(d*x + c)^4 + 56*(143*a^3*\cosh(d*x + c)^{10} + 429*a^3*\cosh(d*x + c)^8 + 462*a^3*\cosh(d*x + c)^6 + 210*a^3*\cosh(d*x + c)^4 + 35*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 112*(39*a^3*\cosh(d*x + c)^{11} + 143*a^3*\cosh(d*x + c)^9 + 198*a^3*\cosh(d*x + c)^7 + 126*a^3*\cosh(d*x + c)^5 + 35*a^3*\cosh(d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*a^3*\cosh(d*x + c)^2 + 28*(65*a^3*\cosh(d*x + c)^{12} + 286*a^3*\cosh(d*x + c)^{10} + 495*a^3*\cosh(d*x + c)^8 + 420*a^3*\cosh(d*x + c)^6 + 175*a^3*\cosh(d*x + c)^4 + 30*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^4 + 112*(5*a^3*\cosh(d*x + c)^{13} + 26*a^3*\cosh(d*x + c)^{11} + 55*a^3*\cosh(d*x + c)^9 + 60*a^3*\cosh(d*x + c)^7 + 35*a^3*\cosh(d*x + c)^5 + 10*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c)^3 + a^3 + 8*(15*a^3*\cosh(d*x + c)^{14} + 91*a^3*\cosh(d*x + c)^{12} + 231*a^3*\cosh(d*x + c)^{10} + 315*a^3*\cosh(d*x + c)^8 + 245*a^3*\cosh(d*x + c)^6 + 105*a^3*\cosh(d*x + c)^4 + 21*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 + 16*(a^3*\cosh(d*x + c)^{15} + 7*a^3*\cosh(d*x + c)^{13} + 21*a^3*\cosh(d*x + c)^{11} + 35*a^3*\cosh(d*x + c)^9 + 35*a^3*\cosh(d*x + c)^7 + 21*a^3*\cosh(d*x + c)^5 + 7*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \sinh(d*x + c) - 1) + (675*(64*a^2*b + 128*a*b^2 + 31*b^3)*\cosh(d*x + c)^{14} + 65*(2880*a^2*b + 4992*a*b^2 + 91*b^3)*\cosh(d*x + c)^{12} + 11*(25920*a^2*b + 62592*a*b^2 + 8995*b^3)*\cosh(d*x + c)^{10} + 9*(14400*a^2*b + 103296*a*b^2 - 5425*b^3)*\cosh(d*x + c)^8 - 7*(14400*a^2*b - 103296*a*b^2 - 5425*b^3)*\cosh(d
\end{aligned}$$

```

*x + c)^6 - 5*(25920*a^2*b - 62592*a*b^2 + 8995*b^3)*cosh(d*x + c)^4 - 2880
*a^2*b + 5760*a*b^2 - 1395*b^3 - 15*(2880*a^2*b - 4992*a*b^2 + 91*b^3)*cosh
(d*x + c)^2)*sinh(d*x + c))/(d*cosh(d*x + c)^16 + 16*d*cosh(d*x + c)*sinh(d
*x + c)^15 + d*sinh(d*x + c)^16 + 8*d*cosh(d*x + c)^14 + 8*(15*d*cosh(d*x +
c)^2 + d)*sinh(d*x + c)^14 + 112*(5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*s
inh(d*x + c)^13 + 28*d*cosh(d*x + c)^12 + 28*(65*d*cosh(d*x + c)^4 + 26*d*c
osh(d*x + c)^2 + d)*sinh(d*x + c)^12 + 112*(39*d*cosh(d*x + c)^5 + 26*d*cos
h(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^11 + 56*d*cosh(d*x + c)^10
+ 56*(143*d*cosh(d*x + c)^6 + 143*d*cosh(d*x + c)^4 + 33*d*cosh(d*x + c)^2
+ d)*sinh(d*x + c)^10 + 16*(715*d*cosh(d*x + c)^7 + 1001*d*cosh(d*x + c)^5
+ 385*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^9 + 70*d*cosh(d
*x + c)^8 + 2*(6435*d*cosh(d*x + c)^8 + 12012*d*cosh(d*x + c)^6 + 6930*d*cos
h(d*x + c)^4 + 1260*d*cosh(d*x + c)^2 + 35*d)*sinh(d*x + c)^8 + 16*(715*d*c
osh(d*x + c)^9 + 1716*d*cosh(d*x + c)^7 + 1386*d*cosh(d*x + c)^5 + 420*d*c
osh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^7 + 56*d*cosh(d*x + c)^6
+ 56*(143*d*cosh(d*x + c)^10 + 429*d*cosh(d*x + c)^8 + 462*d*cosh(d*x + c)
^6 + 210*d*cosh(d*x + c)^4 + 35*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 11
2*(39*d*cosh(d*x + c)^11 + 143*d*cosh(d*x + c)^9 + 198*d*cosh(d*x + c)^7 +
126*d*cosh(d*x + c)^5 + 35*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x
+ c)^5 + 28*d*cosh(d*x + c)^4 + 28*(65*d*cosh(d*x + c)^12 + 286*d*cosh(d*x
+ c)^10 + 495*d*cosh(d*x + c)^8 + 420*d*cosh(d*x + c)^6 + 175*d*cosh(d*x +
c)^4 + 30*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 112*(5*d*cosh(d*x + c)^1
3 + 26*d*cosh(d*x + c)^11 + 55*d*cosh(d*x + c)^9 + 60*d*cosh(d*x + c)^7 + 3
5*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)
^3 + 8*d*cosh(d*x + c)^2 + 8*(15*d*cosh(d*x + c)^14 + 91*d*cosh(d*x + c)^12
+ 231*d*cosh(d*x + c)^10 + 315*d*cosh(d*x + c)^8 + 245*d*cosh(d*x + c)^6 +
105*d*cosh(d*x + c)^4 + 21*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 16*(d*
cosh(d*x + c)^15 + 7*d*cosh(d*x + c)^13 + 21*d*cosh(d*x + c)^11 + 35*d*cosh
(d*x + c)^9 + 35*d*cosh(d*x + c)^7 + 21*d*cosh(d*x + c)^5 + 7*d*cosh(d*x +
c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d)

```

**giac [B]** time = 0.60, size = 422, normalized size = 1.93

$$960 a^3 \log(e^{(dx+c)} + 1) - 960 a^3 \log(|e^{(dx+c)} - 1|) - 15 (192 a^2 b e^c + 35 b^3 e^c) \arctan(e^{(dx+c)}) e^{(-c)} + \frac{2880 a^2 b e^{(15 dx+1)}}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] -1/960\*(960\*a^3\*log(e^(d\*x + c) + 1) - 960\*a^3\*log(abs(e^(d\*x + c) - 1)) - 15\*(192\*a^2\*b\*e^c + 35\*b^3\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) + (2880\*a^2\*b\*e^(15\*d\*x + 15\*c) + 5760\*a\*b^2\*e^(15\*d\*x + 15\*c) + 1395\*b^3\*e^(15\*d\*x + 15\*c) + 14400\*a^2\*b\*e^(13\*d\*x + 13\*c) + 24960\*a\*b^2\*e^(13\*d\*x + 13\*c) + 455\*b^3\*e^(13\*d\*x + 13\*c) + 25920\*a^2\*b\*e^(11\*d\*x + 11\*c) + 62592\*a\*b^2\*e^(11\*d\*x +

$11*c) + 8995*b^3*e^{(11*d*x + 11*c)} + 14400*a^2*b*e^{(9*d*x + 9*c)} + 103296*a*b^2*e^{(9*d*x + 9*c)} - 5425*b^3*e^{(9*d*x + 9*c)} - 14400*a^2*b*e^{(7*d*x + 7*c)} + 103296*a*b^2*e^{(7*d*x + 7*c)} + 5425*b^3*e^{(7*d*x + 7*c)} - 25920*a^2*b*e^{(5*d*x + 5*c)} + 62592*a*b^2*e^{(5*d*x + 5*c)} - 8995*b^3*e^{(5*d*x + 5*c)} - 14400*a^2*b*e^{(3*d*x + 3*c)} + 24960*a*b^2*e^{(3*d*x + 3*c)} - 455*b^3*e^{(3*d*x + 3*c)} - 2880*a^2*b*e^{(d*x + c)} + 5760*a*b^2*e^{(d*x + c)} - 1395*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^8/d$

**maple [A]** time = 0.52, size = 339, normalized size = 1.55

$$\frac{2a^3 \operatorname{arctanh}(e^{dx+c})}{d} - \frac{3a^2b \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{3a^2b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{3a^2b \operatorname{arctan}(e^{dx+c})}{d} - \frac{3ab^2 (\sinh^4(dx+c))}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x)

[Out]  $-2/d*a^3*\operatorname{arctanh}(\exp(d*x+c))-3/d*a^2*b*\sinh(d*x+c)/\cosh(d*x+c)^2+3/2/d*a^2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+3/d*a^2*b*\operatorname{arctan}(\exp(d*x+c))-3/d*a*b^2*\sinh(d*x+c)^4/\cosh(d*x+c)^5-4/d*a*b^2*\sinh(d*x+c)^2/\cosh(d*x+c)^5-8/5/d*a*b^2/\cosh(d*x+c)^5-1/d*b^3*\sinh(d*x+c)^7/\cosh(d*x+c)^8-7/3/d*b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^8-7/3/d*b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^8-1/d*b^3*\sinh(d*x+c)/\cosh(d*x+c)^8+1/8/d*b^3*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^7+7/48/d*b^3*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^5+35/192/d*b^3*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^3+35/128/d*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+35/64/d*b^3*\operatorname{arctan}(\exp(d*x+c))$

**maxima [B]** time = 0.43, size = 654, normalized size = 2.99

$$-\frac{1}{192}b^3\left(\frac{105 \operatorname{arctan}(e^{(-dx-c)})}{d} + \frac{279e^{(-dx-c)} + 91e^{(-3dx-3c)} + 1799e^{(-5dx-5c)} - 1085e^{(-7dx-7c)} + 1085e^{(-9dx-9c)}}{d(8e^{(-2dx-2c)} + 28e^{(-4dx-4c)} + 56e^{(-6dx-6c)} + 70e^{(-8dx-8c)} + 56e^{(-10dx-10c)})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="maxima")

[Out]  $-1/192*b^3*(105*\operatorname{arctan}(e^{(-d*x - c)})/d + (279*e^{(-d*x - c)} + 91*e^{(-3*d*x - 3*c)} + 1799*e^{(-5*d*x - 5*c)} - 1085*e^{(-7*d*x - 7*c)} + 1085*e^{(-9*d*x - 9*c)} - 1799*e^{(-11*d*x - 11*c)} - 91*e^{(-13*d*x - 13*c)} - 279*e^{(-15*d*x - 15*c)}))/d + (d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1))) - 3*a^2*b*(\operatorname{arctan}(e^{(-d*x - c)})/d + (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) - 2/5*a*b^2*(15*e^{(-d*x - c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1)) + 20*e^{(-3*d*x - 3*c)})/(d*(5*e^{(-2*d*x - 2*c)} + 10*e^{(-4*d*x - 4*c)} + 10*e^{(-6*d*x - 6*c)} + 5*e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))$

$$0 \cdot e^{(-6dx - 6c)} + 5 \cdot e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) + 58 \cdot e^{(-5dx - 5c)} / (d \cdot (5 \cdot e^{(-2dx - 2c)} + 10 \cdot e^{(-4dx - 4c)} + 10 \cdot e^{(-6dx - 6c)} + 5 \cdot e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) + 20 \cdot e^{(-7dx - 7c)} / (d \cdot (5 \cdot e^{(-2dx - 2c)} + 10 \cdot e^{(-4dx - 4c)} + 10 \cdot e^{(-6dx - 6c)} + 5 \cdot e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) + 15 \cdot e^{(-9dx - 9c)} / (d \cdot (5 \cdot e^{(-2dx - 2c)} + 10 \cdot e^{(-4dx - 4c)} + 10 \cdot e^{(-6dx - 6c)} + 5 \cdot e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1))) + a^3 \cdot \log(\tanh(1/2 \cdot dx + 1/2 \cdot c)) / d$$

**mupad [B]** time = 6.40, size = 671, normalized size = 3.06

$$\frac{a^3 \ln(e^{c+dx} - 1)}{d} - \frac{a^3 \ln(e^{c+dx} + 1)}{d} - \frac{e^{c+dx} (4445b^3 + 4224ab^2)}{120d (3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} + \frac{e^{c+dx} (1925b^3)}{20d (4e^{2c+2dx} + 6e^{4c+4dx} + e^{6c+6dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x))^3/sinh(c + d\*x), x)

[Out] (a^3\*log(exp(c + d\*x) - 1))/d - (a^3\*log(exp(c + d\*x) + 1))/d - (exp(c + d\*x)\*(4224\*a\*b^2 + 4445\*b^3))/(120\*d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1)) - (b\*log(exp(c + d\*x) - 1i)\*(192\*a^2 + 35\*b^2)\*1i)/(128\*d) + (b\*log(exp(c + d\*x) + 1i)\*(192\*a^2 + 35\*b^2)\*1i)/(128\*d) + (exp(c + d\*x)\*(768\*a\*b^2 + 1925\*b^3))/(20\*d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1)) + (532\*b^3\*exp(c + d\*x))/(3\*d\*(6\*exp(2\*c + 2\*d\*x) + 15\*exp(4\*c + 4\*d\*x) + 20\*exp(6\*c + 6\*d\*x) + 15\*exp(8\*c + 8\*d\*x) + 6\*exp(10\*c + 10\*d\*x) + exp(12\*c + 12\*d\*x) + 1)) - (3\*exp(c + d\*x)\*(128\*a\*b^2 + 64\*a^2\*b + 31\*b^3))/(64\*d\*(exp(2\*c + 2\*d\*x) + 1)) - (2\*exp(c + d\*x)\*(144\*a\*b^2 + 1225\*b^3))/(15\*d\*(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1)) - (112\*b^3\*exp(c + d\*x))/(d\*(7\*exp(2\*c + 2\*d\*x) + 21\*exp(4\*c + 4\*d\*x) + 35\*exp(6\*c + 6\*d\*x) + 35\*exp(8\*c + 8\*d\*x) + 21\*exp(10\*c + 10\*d\*x) + 7\*exp(12\*c + 12\*d\*x) + exp(14\*c + 14\*d\*x) + 1)) + (exp(c + d\*x)\*(1536\*a\*b^2 + 576\*a^2\*b + 931\*b^3))/(96\*d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1)) + (32\*b^3\*exp(c + d\*x))/(d\*(8\*exp(2\*c + 2\*d\*x) + 28\*exp(4\*c + 4\*d\*x) + 56\*exp(6\*c + 6\*d\*x) + 70\*exp(8\*c + 8\*d\*x) + 56\*exp(10\*c + 10\*d\*x) + 28\*exp(12\*c + 12\*d\*x) + 8\*exp(14\*c + 14\*d\*x) + exp(16\*c + 16\*d\*x) + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*csch(c + d\*x), x)

### 3.70 $\int \operatorname{csch}^2(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=71

$$-\frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{3a^2 b \tanh^2(c + dx)}{2d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^8(c + dx)}{8d}$$

[Out]  $-a^3 \operatorname{coth}(d*x+c)/d + 3/2*a^2*b*\tanh(d*x+c)^2/d + 3/5*a*b^2*\tanh(d*x+c)^5/d + 1/8*b^3*\tanh(d*x+c)^8/d$

**Rubi [A]** time = 0.06, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 270}

$$\frac{3a^2 b \tanh^2(c + dx)}{2d} - \frac{a^3 \operatorname{coth}(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^8(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $-((a^3*\operatorname{Coth}[c + d*x])/d) + (3*a^2*b*\operatorname{Tanh}[c + d*x]^2)/(2*d) + (3*a*b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d) + (b^3*\operatorname{Tanh}[c + d*x]^8)/(8*d)$

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 3663

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_.)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff^(m + 1))/f, Subst[Int[(x^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + ff^2\*x^2)^(m/2 + 1), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]

#### Rubi steps

$$\int \operatorname{csch}^2(c+dx) (a+b \tanh^3(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(a+bx^3)^3}{x^2} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^3}{x^2} + 3a^2bx + 3ab^2x^4 + b^3x^7\right) dx, x, \tanh(c+dx)\right)}{d}$$

$$= -\frac{a^3 \operatorname{coth}(c+dx)}{d} + \frac{3a^2b \tanh^2(c+dx)}{2d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3}{4d}$$

**Mathematica [A]** time = 0.77, size = 113, normalized size = 1.59

$$\frac{b(-4\operatorname{sech}^2(c+dx)(15a^2 + 12ab \tanh(c+dx) + 5b^2) + 24ab \tanh(c+dx) + 6b\operatorname{sech}^4(c+dx)(4a \tanh(c+dx) + 5b^2))}{40d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-40\*a^3\*Coth[c + d\*x] + b\*(-20\*b^2\*Sech[c + d\*x]^6 + 5\*b^2\*Sech[c + d\*x]^8 + 24\*a\*b\*Tanh[c + d\*x] + 6\*b\*Sech[c + d\*x]^4\*(5\*b + 4\*a\*Tanh[c + d\*x]) - 4\*Sech[c + d\*x]^2\*(15\*a^2 + 5\*b^2 + 12\*a\*b\*Tanh[c + d\*x]))) / (40\*d)

**fricas [B]** time = 0.40, size = 1192, normalized size = 16.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3, x, algorithm="fricas")

[Out] -2/5\*((10\*a^3 + 15\*a^2\*b + 12\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)^8 + 8\*(15\*a^2\*b + 18\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (10\*a^3 + 15\*a^2\*b + 12\*a\*b^2 + 5\*b^3)\*sinh(d\*x + c)^8 + 2\*(40\*a^3 + 30\*a^2\*b + 12\*a\*b^2 - 5\*b^3)\*cosh(d\*x + c)^6 + 2\*(40\*a^3 + 30\*a^2\*b + 12\*a\*b^2 - 5\*b^3 + 14\*(10\*a^3 + 15\*a^2\*b + 12\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 4\*(14\*(15\*a^2\*b + 18\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)^3 + 27\*(5\*a^2\*b + 2\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 20\*(14\*a^3 + 3\*a^2\*b + 2\*b^3)\*cosh(d\*x + c)^4 + 10\*(7\*(10\*a^3 + 15\*a^2\*b + 12\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)^4 + 28\*a^3 + 6\*a^2\*b + 4\*b^3 + 3\*(40\*a^3 + 30\*a^2\*b + 12\*a\*b^2 - 5\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 8\*(7\*(15\*a^2\*b + 18\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c)^5 + 45\*(5\*a^2\*b + 2\*a\*b^2)\*cosh(d\*x + c)^3 + 15\*(7\*a^2\*b + 2\*a\*b^2 + b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 350\*a^3 - 75\*a^2\*b - 12\*a\*b^2 + 35\*b^3 + 2\*(280\*a^3 - 30\*a



$$\begin{aligned} &^2*b - 12*a*b^2 - 35*b^3)*\cosh(d*x + c)^2 + 2*(14*(10*a^3 + 15*a^2*b + 12*a \\ &*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 15*(40*a^3 + 30*a^2*b + 12*a*b^2 - 5*b^3)*\c \\ &osh(d*x + c)^4 + 280*a^3 - 30*a^2*b - 12*a*b^2 - 35*b^3 + 60*(14*a^3 + 3*a^ \\ &2*b + 2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*(2*(15*a^2*b + 18*a*b^2 + \\ &5*b^3)*\cosh(d*x + c)^7 + 27*(5*a^2*b + 2*a*b^2)*\cosh(d*x + c)^5 + 30*(7*a^ \\ &2*b + 2*a*b^2 + b^3)*\cosh(d*x + c)^3 + 21*(5*a^2*b + 2*a*b^2)*\cosh(d*x + c) \\ &)*\sinh(d*x + c))/(d*\cosh(d*x + c)^10 + 10*d*\cosh(d*x + c)*\sinh(d*x + c)^9 + \\ &d*\sinh(d*x + c)^10 + 6*d*\cosh(d*x + c)^8 + 3*(15*d*\cosh(d*x + c)^2 + 2*d)* \\ &\sinh(d*x + c)^8 + 8*(15*d*\cosh(d*x + c)^3 + 8*d*\cosh(d*x + c))*\sinh(d*x + c \\ &)^7 + 13*d*\cosh(d*x + c)^6 + (210*d*\cosh(d*x + c)^4 + 168*d*\cosh(d*x + c)^2 \\ &+ 13*d)*\sinh(d*x + c)^6 + 2*(126*d*\cosh(d*x + c)^5 + 224*d*\cosh(d*x + c)^3 \\ &+ 81*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 8*d*\cosh(d*x + c)^4 + (210*d*\cosh( \\ &d*x + c)^6 + 420*d*\cosh(d*x + c)^4 + 195*d*\cosh(d*x + c)^2 + 8*d)*\sinh(d*x \\ &+ c)^4 + 4*(30*d*\cosh(d*x + c)^7 + 112*d*\cosh(d*x + c)^5 + 135*d*\cosh(d*x + \\ &c)^3 + 48*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 14*d*\cosh(d*x + c)^2 + (45*d* \\ &\cosh(d*x + c)^8 + 168*d*\cosh(d*x + c)^6 + 195*d*\cosh(d*x + c)^4 + 48*d*\cosh \\ &(d*x + c)^2 - 14*d)*\sinh(d*x + c)^2 + 2*(5*d*\cosh(d*x + c)^9 + 32*d*\cosh(d* \\ &x + c)^7 + 81*d*\cosh(d*x + c)^5 + 96*d*\cosh(d*x + c)^3 + 42*d*\cosh(d*x + c) \\ &)*\sinh(d*x + c) - 14*d) \end{aligned}$$

**giac [B]** time = 0.77, size = 311, normalized size = 4.38

$$2 \left( \frac{5a^3}{e^{(2dx+2c)} - 1} + \frac{15a^2be^{(14dx+14c)} + 15ab^2e^{(14dx+14c)} + 5b^3e^{(14dx+14c)} + 90a^2be^{(12dx+12c)} + 45ab^2e^{(12dx+12c)} + 225a^2be^{(10dx+10c)} + 75ab^2e^{(10dx+10c)}}{e^{(2dx+2c)} - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} &-2/5*(5*a^3/(e^{(2*d*x + 2*c)} - 1) + (15*a^2*b*e^{(14*d*x + 14*c)} + 15*a*b^2* \\ &e^{(14*d*x + 14*c)} + 5*b^3*e^{(14*d*x + 14*c)} + 90*a^2*b*e^{(12*d*x + 12*c)} + \\ &45*a*b^2*e^{(12*d*x + 12*c)} + 225*a^2*b*e^{(10*d*x + 10*c)} + 75*a*b^2*e^{(10*d \\ &*x + 10*c)} + 35*b^3*e^{(10*d*x + 10*c)} + 300*a^2*b*e^{(8*d*x + 8*c)} + 105*a*b \\ &^2*e^{(8*d*x + 8*c)} + 225*a^2*b*e^{(6*d*x + 6*c)} + 93*a*b^2*e^{(6*d*x + 6*c)} + \\ &35*b^3*e^{(6*d*x + 6*c)} + 90*a^2*b*e^{(4*d*x + 4*c)} + 39*a*b^2*e^{(4*d*x + 4* \\ &c)} + 15*a^2*b*e^{(2*d*x + 2*c)} + 9*a*b^2*e^{(2*d*x + 2*c)} + 5*b^3*e^{(2*d*x + \\ &2*c)} + 3*a*b^2)/(e^{(2*d*x + 2*c)} + 1)^8)/d \end{aligned}$$

**maple [B]** time = 0.50, size = 171, normalized size = 2.41

$$\frac{-a^3 \coth(dx+c) - \frac{3a^2b}{2 \cosh(dx+c)^2} + 3ab^2 \left( -\frac{\sinh^3(dx+c)}{2 \cosh(dx+c)^5} - \frac{3 \sinh(dx+c)}{8 \cosh(dx+c)^5} + \frac{3 \left( \frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5} + \frac{4 \operatorname{sech}(dx+c)^2}{15} \right) \tanh(dx+c)}{8} \right) + b^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^2*(a+b*tanh(d*x+c)^3)^3,x)`

[Out]  $\frac{1}{d}(-a^3 \coth(d*x+c) - 3/2 a^2 b / \cosh(d*x+c)^2 + 3 a b^2 (-1/2 \sinh(d*x+c)^3 / \cosh(d*x+c)^5 - 3/8 \sinh(d*x+c) / \cosh(d*x+c)^5 + 3/8 (8/15 + 1/5 \operatorname{sech}(d*x+c)^4 + 4/15 \operatorname{sech}(d*x+c)^2) \tanh(d*x+c) + b^3 (-1/2 \sinh(d*x+c)^6 / \cosh(d*x+c)^8 - 3/4 \sinh(d*x+c)^4 / \cosh(d*x+c)^8 - 1/2 \sinh(d*x+c)^2 / \cosh(d*x+c)^8 - 1/8 / \cosh(d*x+c)^8))$

**maxima** [B] time = 0.34, size = 679, normalized size = 9.56

$$-2b^3 \left( \frac{e^{(-2dx-2c)}}{d(8e^{(-2dx-2c)} + 28e^{(-4dx-4c)} + 56e^{(-6dx-6c)} + 70e^{(-8dx-8c)} + 56e^{(-10dx-10c)} + 28e^{(-12dx-12c)} + 8e^{(-14dx-14c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2*(a+b*tanh(d*x+c)^3)^3,x, algorithm="maxima")`

[Out]  $-2b^3 \frac{(e^{(-2dx-2c)} / (d(8e^{(-2dx-2c)} + 28e^{(-4dx-4c)} + 56e^{(-6dx-6c)} + 70e^{(-8dx-8c)} + 56e^{(-10dx-10c)} + 28e^{(-12dx-12c)} + 8e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1)) + 7e^{(-6dx-6c)} / (d(8e^{(-2dx-2c)} + 28e^{(-4dx-4c)} + 56e^{(-6dx-6c)} + 70e^{(-8dx-8c)} + 56e^{(-10dx-10c)} + 28e^{(-12dx-12c)} + 8e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1)) + 7e^{(-10dx-10c)} / (d(8e^{(-2dx-2c)} + 28e^{(-4dx-4c)} + 56e^{(-6dx-6c)} + 70e^{(-8dx-8c)} + 56e^{(-10dx-10c)} + 28e^{(-12dx-12c)} + 8e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1))) + 6/5 a b^2 (10e^{(-4dx-4c)} / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 5e^{(-8dx-8c)} / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 1 / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + 2a^3 / (d(e^{(-2dx-2c)} - 1)) - 6a^2 b / (d(e^{(dx+c)} + e^{(-dx-c)}))^2)$

**mupad** [B] time = 1.38, size = 1515, normalized size = 21.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^3/sinh(c + d*x)^2,x)`

[Out]  $((3ab^2 - 15a^2b + 7b^3)/(28d) - (\exp(2c + 2dx) * (3ab^2 + 3a^2b + b^3)) / (4d)) / (2\exp(2c + 2dx) + \exp(4c + 4dx) + 1) - ((9ab^2 + 1$

$$\begin{aligned}
& 5a^2b - 35b^3)/(140*d) + (\exp(6*c + 6*d*x)*(3*a*b^2 + 3*a^2*b + b^3))/(4 \\
& *d) + (3*\exp(2*c + 2*d*x)*(9*a^2*b - 3*a*b^2 + 7*b^3))/(28*d) - (3*\exp(4*c \\
& + 4*d*x)*(3*a*b^2 - 15*a^2*b + 7*b^3))/(28*d))/(4*\exp(2*c + 2*d*x) + 6*\exp( \\
& 4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1) - ((\exp(10*c + 10 \\
& *d*x)*(3*a*b^2 + 3*a^2*b + b^3))/(4*d) - (3*a*b^2 + 9*a^2*b + 7*b^3)/(28*d) \\
& + (5*\exp(6*c + 6*d*x)*(9*a^2*b - 3*a*b^2 + 7*b^3))/(14*d) - (5*\exp(8*c + 8 \\
& *d*x)*(3*a*b^2 - 15*a^2*b + 7*b^3))/(28*d) + (\exp(2*c + 2*d*x)*(9*a*b^2 - 1 \\
& 5*a^2*b + 35*b^3))/(28*d) + (\exp(4*c + 4*d*x)*(9*a*b^2 + 15*a^2*b - 35*b^3) \\
& ))/(14*d))/(6*\exp(2*c + 2*d*x) + 15*\exp(4*c + 4*d*x) + 20*\exp(6*c + 6*d*x) + \\
& 15*\exp(8*c + 8*d*x) + 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1) - ((9 \\
& *a^2*b - 3*a*b^2 + 7*b^3)/(28*d) + (\exp(4*c + 4*d*x)*(3*a*b^2 + 3*a^2*b + b \\
& ^3))/(4*d) - (\exp(2*c + 2*d*x)*(3*a*b^2 - 15*a^2*b + 7*b^3))/(14*d))/(3*\exp \\
& (2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1) - ((9*a*b^2 - 15 \\
& *a^2*b + 35*b^3)/(140*d) + (\exp(8*c + 8*d*x)*(3*a*b^2 + 3*a^2*b + b^3))/(4* \\
& d) + (3*\exp(4*c + 4*d*x)*(9*a^2*b - 3*a*b^2 + 7*b^3))/(14*d) - (\exp(6*c + 6 \\
& *d*x)*(3*a*b^2 - 15*a^2*b + 7*b^3))/(7*d) + (\exp(2*c + 2*d*x)*(9*a*b^2 + 15 \\
& *a^2*b - 35*b^3))/(35*d))/(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp \\
& (6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1) - ((\exp(12*c \\
& + 12*d*x)*(3*a*b^2 + 3*a^2*b + b^3))/(4*d) - (3*a*b^2 + 15*a^2*b - 7*b^3)/( \\
& 28*d) - (3*\exp(2*c + 2*d*x)*(3*a*b^2 + 9*a^2*b + 7*b^3))/(14*d) + (15*\exp(8 \\
& *c + 8*d*x)*(9*a^2*b - 3*a*b^2 + 7*b^3))/(28*d) - (3*\exp(10*c + 10*d*x)*(3* \\
& a*b^2 - 15*a^2*b + 7*b^3))/(14*d) + (3*\exp(4*c + 4*d*x)*(9*a*b^2 - 15*a^2*b \\
& + 35*b^3))/(28*d) + (\exp(6*c + 6*d*x)*(9*a*b^2 + 15*a^2*b - 35*b^3))/(7*d) \\
& ))/(7*\exp(2*c + 2*d*x) + 21*\exp(4*c + 4*d*x) + 35*\exp(6*c + 6*d*x) + 35*\exp( \\
& 8*c + 8*d*x) + 21*\exp(10*c + 10*d*x) + 7*\exp(12*c + 12*d*x) + \exp(14*c + 14 \\
& *d*x) + 1) + ((3*a^2*b - 3*a*b^2 + b^3)/(4*d) - (\exp(14*c + 14*d*x)*(3*a*b^ \\
& 2 + 3*a^2*b + b^3))/(4*d) + (3*\exp(4*c + 4*d*x)*(3*a*b^2 + 9*a^2*b + 7*b^3) \\
& ))/(4*d) + (\exp(2*c + 2*d*x)*(3*a*b^2 + 15*a^2*b - 7*b^3))/(4*d) - (3*\exp(10 \\
& *c + 10*d*x)*(9*a^2*b - 3*a*b^2 + 7*b^3))/(4*d) + (\exp(12*c + 12*d*x)*(3*a* \\
& b^2 - 15*a^2*b + 7*b^3))/(4*d) - (\exp(6*c + 6*d*x)*(9*a*b^2 - 15*a^2*b + 35 \\
& *b^3))/(4*d) - (\exp(8*c + 8*d*x)*(9*a*b^2 + 15*a^2*b - 35*b^3))/(4*d))/(8*\exp \\
& (2*c + 2*d*x) + 28*\exp(4*c + 4*d*x) + 56*\exp(6*c + 6*d*x) + 70*\exp(8*c + \\
& 8*d*x) + 56*\exp(10*c + 10*d*x) + 28*\exp(12*c + 12*d*x) + 8*\exp(14*c + 14*d* \\
& x) + \exp(16*c + 16*d*x) + 1) - (2*a^3)/(d*(\exp(2*c + 2*d*x) - 1)) - (3*a*b^ \\
& 2 + 3*a^2*b + b^3)/(4*d*(\exp(2*c + 2*d*x) + 1))
\end{aligned}$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*csch(c + d\*x)\*\*2, x)

### 3.71 $\int \operatorname{csch}^3(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=232

$$\frac{a^3 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^3 \coth(c + dx) \operatorname{csch}(c + dx)}{2d} + \frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{3a^2 b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $\frac{3}{2} a^2 b \arctan(\sinh(d*x+c))/d + \frac{5}{128} b^3 \arctan(\sinh(d*x+c))/d + \frac{1}{2} a^3 \operatorname{arc} \tanh(\cosh(d*x+c))/d - \frac{1}{2} a^3 \coth(d*x+c) \operatorname{csch}(d*x+c)/d - a b^2 \operatorname{sech}(d*x+c)^3/d + \frac{3}{5} a b^2 \operatorname{sech}(d*x+c)^5/d + \frac{3}{2} a^2 b \operatorname{sech}(d*x+c) \tanh(d*x+c)/d + \frac{5}{128} b^3 \operatorname{sech}(d*x+c) \tanh(d*x+c)/d - \frac{5}{64} b^3 \operatorname{sech}(d*x+c)^3 \tanh(d*x+c)/d - \frac{5}{48} b^3 \operatorname{sech}(d*x+c)^3 \tanh(d*x+c)^3/d - \frac{1}{8} b^3 \operatorname{sech}(d*x+c)^3 \tanh(d*x+c)^5/d$

**Rubi [A]** time = 0.32, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3666, 3768, 3770, 2606, 14, 2611}

$$\frac{3a^2 b \tan^{-1}(\sinh(c + dx))}{2d} + \frac{3a^2 b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c + dx))}{2d} - \frac{a^3 \coth(c + dx) \operatorname{csch}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out]  $\frac{(3a^2 b \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])}{(2*d)} + \frac{(5b^3 \operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])}{(128*d)} + \frac{(a^3 \operatorname{ArcTanh}[\operatorname{Cosh}[c + d*x]])}{(2*d)} - \frac{(a^3 \operatorname{Coth}[c + d*x] \operatorname{Csch}[c + d*x])}{(2*d)} - \frac{(a b^2 \operatorname{Sech}[c + d*x]^3)}{d} + \frac{(3a b^2 \operatorname{Sech}[c + d*x]^5)}{(5*d)} + \frac{(3a^2 b \operatorname{Sech}[c + d*x] \operatorname{Tanh}[c + d*x])}{(2*d)} + \frac{(5b^3 \operatorname{Sech}[c + d*x] \operatorname{Tanh}[c + d*x])}{(128*d)} - \frac{(5b^3 \operatorname{Sech}[c + d*x]^3 \operatorname{Tanh}[c + d*x])}{(64*d)} - \frac{(5b^3 \operatorname{Sech}[c + d*x]^3 \operatorname{Tanh}[c + d*x]^3)}{(48*d)} - \frac{(b^3 \operatorname{Sech}[c + d*x]^3 \operatorname{Tanh}[c + d*x]^5)}{(8*d)}$

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 2606

Int[((a\_)\*sec[(e\_)+(f\_)\*(x\_)])^(m\_)\*((b\_)\*tan[(e\_)+(f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[a/f, Subst[Int[(a\*x)^(m-1)\*(-1+x^2)^((n-1)/2), x], x, Sec[e+f\*x]], x] /; FreeQ[{a, e, f, m}, x] && IntegerQ[(n-1)/2] && !(IntegerQ[m/2] && LtQ[0, m, n+1])

Rule 2611

```
Int[((a_.)*sec[(e_.) + (f_.)*(x_)])^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(
n_), x_Symbol] := Simp[(b*(a*Sec[e + f*x])^m*(b*Tan[e + f*x])^(n - 1))/(f*(
m + n - 1)), x] - Dist[(b^2*(n - 1))/(m + n - 1), Int[(a*Sec[e + f*x])^m*(b
*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{a, b, e, f, m}, x] && GtQ[n, 1] &&
NeQ[m + n - 1, 0] && IntegerQ[2*m, 2*n]
```

Rule 3666

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_), x_Symbol] := Int[ExpandTrig[(d*sin[e + f*x])^m*(a
+ b*(c*tan[e + f*x])^n)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] &&
IGtQ[p, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \operatorname{csch}^3(c+dx) (a+b \tanh^3(c+dx))^3 dx &= -\left(i \int (ia^3 \operatorname{csch}^3(c+dx) + 3ia^2 b \operatorname{sech}^3(c+dx) + 3iab^2 \operatorname{sech}^3(c+dx) + 3b^3 \operatorname{sech}^3(c+dx)) dx\right) \\
&= a^3 \int \operatorname{csch}^3(c+dx) dx + (3a^2 b) \int \operatorname{sech}^3(c+dx) dx + (3ab^2) \int \operatorname{sech}^3(c+dx) dx + 3b^3 \int \operatorname{sech}^3(c+dx) dx \\
&= -\frac{a^3 \operatorname{coth}(c+dx) \operatorname{csch}(c+dx)}{2d} + \frac{3a^2 b \operatorname{sech}(c+dx) \tanh(c+dx)}{2d} - \frac{3ab^2 \operatorname{sech}^2(c+dx)}{2d} + \frac{3b^3 \operatorname{sech}^2(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx)}{2d} + \frac{3ab^2 \operatorname{sech}^2(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx)}{2d} + \frac{3ab^2 \operatorname{sech}^2(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx)}{2d} + \frac{3ab^2 \operatorname{sech}^2(c+dx)}{2d} \\
&= \frac{3a^2 b \tan^{-1}(\sinh(c+dx))}{2d} + \frac{5b^3 \tan^{-1}(\sinh(c+dx))}{128d} + \frac{a^3 \tanh^{-1}(\cosh(c+dx))}{2d} - \frac{a^3 \operatorname{coth}(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 6.37, size = 243, normalized size = 1.05

$$-\frac{a^3 \operatorname{csch}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a^3 \operatorname{sech}^2\left(\frac{1}{2}(c+dx)\right)}{8d} - \frac{a^3 \log\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)}{2d} + \frac{\operatorname{sech}^2(c+dx) (192a^2 b \sinh(c+dx) + 5b^3)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (b\*(192\*a^2 + 5\*b^2)\*ArcTan[Tanh[(c + d\*x)/2]])/(64\*d) - (a^3\*Csch[(c + d\*x)/2]^2)/(8\*d) - (a^3\*Log[Tanh[(c + d\*x)/2]])/(2\*d) - (a^3\*Sech[(c + d\*x)/2]^2)/(8\*d) - (a\*b^2\*Sech[c + d\*x]^3)/d + (3\*a\*b^2\*Sech[c + d\*x]^5)/(5\*d) + (Sech[c + d\*x]^2\*(192\*a^2\*b\*Sinh[c + d\*x] + 5\*b^3\*Sinh[c + d\*x]))/(128\*d) - (59\*b^3\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(192\*d) + (17\*b^3\*Sech[c + d\*x]^5\*Tanh[c + d\*x])/(48\*d) - (b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x])/(8\*d)

**fricas [B]** time = 0.61, size = 10985, normalized size = 47.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] -1/960\*(15\*(64\*a^3 - 192\*a^2\*b - 5\*b^3)\*cosh(d\*x + c)^19 + 285\*(64\*a^3 - 192\*a^2\*b - 5\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^18 + 15\*(64\*a^3 - 192\*a^2\*b -

$$\begin{aligned}
& 5*b^3)*\sinh(d*x + c)^{19} + 5*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)* \\
& \cosh(d*x + c)^{17} + 5*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3 + 513*(6 \\
& 4*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^{17} + 85*(171*(64* \\
& a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + c)^3 + (1728*a^3 - 1728*a^2*b + 1536*a* \\
& b^2 + 427*b^3))*\cosh(d*x + c))*\sinh(d*x + c)^{16} + 24*(1440*a^3 + 192*a*b^2 - \\
& 355*b^3))*\cosh(d*x + c)^{15} + 4*(14535*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x \\
& + c)^4 + 8640*a^3 + 1152*a*b^2 - 2130*b^3 + 170*(1728*a^3 - 1728*a^2*b + 1 \\
& 536*a*b^2 + 427*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^{15} + 20*(8721*(64*a^3 - \\
& 192*a^2*b - 5*b^3))*\cosh(d*x + c)^5 + 170*(1728*a^3 - 1728*a^2*b + 1536*a*b \\
& ^2 + 427*b^3))*\cosh(d*x + c)^3 + 18*(1440*a^3 + 192*a*b^2 - 355*b^3))*\cosh(d* \\
& x + c))*\sinh(d*x + c)^{14} + 16*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3 \\
& )*\cosh(d*x + c)^{13} + 4*(101745*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + c)^6 \\
& + 2975*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3))*\cosh(d*x + c)^4 + 20 \\
& 160*a^3 + 5760*a^2*b - 2688*a*b^2 + 4940*b^3 + 630*(1440*a^3 + 192*a*b^2 - \\
& 355*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^{13} + 52*(14535*(64*a^3 - 192*a^2*b \\
& - 5*b^3))*\cosh(d*x + c)^7 + 595*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^ \\
& 3))*\cosh(d*x + c)^5 + 210*(1440*a^3 + 192*a*b^2 - 355*b^3))*\cosh(d*x + c)^3 + \\
& 4*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3))*\cosh(d*x + c))*\sinh(d*x + \\
& c)^{12} + 2*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3))*\cosh(d*x + c)^1 \\
& 1 + 2*(566865*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + c)^8 + 30940*(1728*a^ \\
& 3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3))*\cosh(d*x + c)^6 + 16380*(1440*a^3 + \\
& 192*a*b^2 - 355*b^3))*\cosh(d*x + c)^4 + 60480*a^3 + 8640*a^2*b - 768*a*b^2 - \\
& 15475*b^3 + 624*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3))*\cosh(d*x + \\
& c)^2*\sinh(d*x + c)^{11} + 22*(62985*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + \\
& c)^9 + 4420*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3))*\cosh(d*x + c)^7 \\
& + 3276*(1440*a^3 + 192*a*b^2 - 355*b^3))*\cosh(d*x + c)^5 + 208*(5040*a^3 + 1 \\
& 440*a^2*b - 672*a*b^2 + 1235*b^3))*\cosh(d*x + c)^3 + (60480*a^3 + 8640*a^2*b \\
& - 768*a*b^2 - 15475*b^3))*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 2*(60480*a^3 - \\
& 8640*a^2*b - 768*a*b^2 + 15475*b^3))*\cosh(d*x + c)^9 + 2*(692835*(64*a^3 - 1 \\
& 92*a^2*b - 5*b^3))*\cosh(d*x + c)^{10} + 60775*(1728*a^3 - 1728*a^2*b + 1536*a* \\
& b^2 + 427*b^3))*\cosh(d*x + c)^8 + 60060*(1440*a^3 + 192*a*b^2 - 355*b^3))*\cos \\
& h(d*x + c)^6 + 5720*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3))*\cosh(d*x \\
& + c)^4 + 60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3 + 55*(60480*a^3 + \\
& 8640*a^2*b - 768*a*b^2 - 15475*b^3))*\cosh(d*x + c)^2*\sinh(d*x + c)^9 + 2*(5 \\
& 66865*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + c)^{11} + 60775*(1728*a^3 - 172 \\
& 8*a^2*b + 1536*a*b^2 + 427*b^3))*\cosh(d*x + c)^9 + 77220*(1440*a^3 + 192*a*b \\
& ^2 - 355*b^3))*\cosh(d*x + c)^7 + 10296*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + \\
& 1235*b^3))*\cosh(d*x + c)^5 + 165*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475 \\
& *b^3))*\cosh(d*x + c)^3 + 9*(60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3))* \\
& \cosh(d*x + c))*\sinh(d*x + c)^8 + 16*(5040*a^3 - 1440*a^2*b - 672*a*b^2 - 12 \\
& 35*b^3))*\cosh(d*x + c)^7 + 4*(188955*(64*a^3 - 192*a^2*b - 5*b^3))*\cosh(d*x + \\
& c)^{12} + 24310*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3))*\cosh(d*x + c) \\
& ^{10} + 38610*(1440*a^3 + 192*a*b^2 - 355*b^3))*\cosh(d*x + c)^8 + 6864*(5040*a \\
& ^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3))*\cosh(d*x + c)^6 + 165*(60480*a^3 + \\
& 8640*a^2*b - 768*a*b^2 - 15475*b^3))*\cosh(d*x + c)^4 + 20160*a^3 - 5760*a^2*
\end{aligned}$$

$$\begin{aligned}
& b - 2688*a*b^2 - 4940*b^3 + 18*(60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475* \\
& b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^7 + 4*(101745*(64*a^3 - 192*a^2*b - 5*b \\
& ^3)*\cosh(d*x + c)^13 + 15470*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3) \\
& *\cosh(d*x + c)^11 + 30030*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^9 \\
& + 6864*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^7 + 231 \\
& *(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^5 + 42*(604 \\
& 80*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^3 + 28*(5040*a^3 \\
& - 1440*a^2*b - 672*a*b^2 - 1235*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 24*( \\
& 1440*a^3 + 192*a*b^2 + 355*b^3)*\cosh(d*x + c)^5 + 4*(43605*(64*a^3 - 192*a^ \\
& 2*b - 5*b^3)*\cosh(d*x + c)^14 + 7735*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + \\
& 427*b^3)*\cosh(d*x + c)^12 + 18018*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x \\
& + c)^10 + 5148*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c \\
& )^8 + 231*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^6 \\
& + 63*(60480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^4 + 864 \\
& 0*a^3 + 1152*a*b^2 + 2130*b^3 + 84*(5040*a^3 - 1440*a^2*b - 672*a*b^2 - 123 \\
& 5*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^5 + 4*(14535*(64*a^3 - 192*a^2*b - 5* \\
& b^3)*\cosh(d*x + c)^15 + 2975*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3) \\
& *\cosh(d*x + c)^13 + 8190*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^11 \\
& + 2860*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^9 + 165 \\
& *(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^7 + 63*(604 \\
& 80*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^5 + 140*(5040*a^ \\
& 3 - 1440*a^2*b - 672*a*b^2 - 1235*b^3)*\cosh(d*x + c)^3 + 30*(1440*a^3 + 192 \\
& *a*b^2 + 355*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 5*(1728*a^3 + 1728*a^2*b \\
& + 1536*a*b^2 - 427*b^3)*\cosh(d*x + c)^3 + (14535*(64*a^3 - 192*a^2*b - 5*b \\
& ^3)*\cosh(d*x + c)^16 + 3400*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)* \\
& \cosh(d*x + c)^14 + 10920*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^12 \\
& + 4576*(5040*a^3 + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^10 + 33 \\
& 0*(60480*a^3 + 8640*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^8 + 168*(6 \\
& 0480*a^3 - 8640*a^2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^6 + 560*(5040* \\
& a^3 - 1440*a^2*b - 672*a*b^2 - 1235*b^3)*\cosh(d*x + c)^4 + 8640*a^3 + 8640* \\
& a^2*b + 7680*a*b^2 - 2135*b^3 + 240*(1440*a^3 + 192*a*b^2 + 355*b^3)*\cosh(d \\
& *x + c)^2*\sinh(d*x + c)^3 + (2565*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + \\
& c)^17 + 680*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^15 \\
& + 2520*(1440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^13 + 1248*(5040*a^3 \\
& + 1440*a^2*b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^11 + 110*(60480*a^3 + 86 \\
& 40*a^2*b - 768*a*b^2 - 15475*b^3)*\cosh(d*x + c)^9 + 72*(60480*a^3 - 8640*a^ \\
& 2*b - 768*a*b^2 + 15475*b^3)*\cosh(d*x + c)^7 + 336*(5040*a^3 - 1440*a^2*b - \\
& 672*a*b^2 - 1235*b^3)*\cosh(d*x + c)^5 + 240*(1440*a^3 + 192*a*b^2 + 355*b^ \\
& 3)*\cosh(d*x + c)^3 + 15*(1728*a^3 + 1728*a^2*b + 1536*a*b^2 - 427*b^3)*\cosh \\
& (d*x + c))*\sinh(d*x + c)^2 - 15*((192*a^2*b + 5*b^3)*\cosh(d*x + c)^20 + 20* \\
& (192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^19 + (192*a^2*b + 5*b^3)*\si \\
& nh(d*x + c)^20 + 6*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^18 + 2*(576*a^2*b + 15 \\
& *b^3 + 95*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^18 + 12*(95*(1 \\
& 92*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 9*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\si \\
& nh(d*x + c)^17 + 13*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^16 + (4845*(192*a^2*b
\end{aligned}$$



$$\begin{aligned}
& + 5*b^3)*\cosh(d*x + c)^4 + 2496*a^2*b + 65*b^3 + 918*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^{16} + 16*(969*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 306*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 13*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{15} + 8*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{14} + 8*(4845*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 2295*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 5*b^3 + 195*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{14} + 16*(4845*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 3213*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 455*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 7*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{13} - 14*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{12} + 2*(62985*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 55692*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 11830*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 - 1344*a^2*b - 35*b^3 + 364*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{12} + 8*(20995*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^9 + 23868*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 7098*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 + 364*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 - 21*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{11} - 28*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{10} + 4*(46189*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{10} + 65637*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 26026*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 2002*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 - 1344*a^2*b - 35*b^3 - 231*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 8*(20995*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{11} + 36465*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^9 + 18590*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^7 + 2002*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 - 385*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 - 35*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 14*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 2*(62985*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{12} + 131274*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{10} + 83655*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^8 + 12012*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 - 3465*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 - 1344*a^2*b - 35*b^3 - 630*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(4845*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{13} + 11934*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{11} + 9295*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^9 + 1716*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^7 - 693*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 - 210*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 - 7*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 8*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 + 8*(4845*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{14} + 13923*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{12} + 13013*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{10} + 3003*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^8 - 1617*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^6 - 735*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + 192*a^2*b + 5*b^3 - 49*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 16*(969*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{15} + 3213*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{13} + 3549*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{11} + 1001*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^9 - 693*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^7 - 441*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^5 - 49*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^3 + 3*(192*a^2*b + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 13*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^4 + (4845*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{16} + 18360*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{14} + 23660*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{12} + 8008*(192*a^2*b + 5*b^3)*\cosh(d*x + c)^{10} - 6930*(192*a^2*b + 5*b^3)
\end{aligned}$$

$$\begin{aligned}
& * \cosh(dx + c)^8 - 5880*(192*a^2*b + 5*b^3)*\cosh(dx + c)^6 - 980*(192*a^2*b \\
& + 5*b^3)*\cosh(dx + c)^4 + 2496*a^2*b + 65*b^3 + 120*(192*a^2*b + 5*b^3)* \\
& \cosh(dx + c)^2*\sinh(dx + c)^4 + 4*(285*(192*a^2*b + 5*b^3)*\cosh(dx + c) \\
& ^{17} + 1224*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{15} + 1820*(192*a^2*b + 5*b^3)* \\
& \cosh(dx + c)^{13} + 728*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{11} - 770*(192*a^2*b \\
& + 5*b^3)*\cosh(dx + c)^9 - 840*(192*a^2*b + 5*b^3)*\cosh(dx + c)^7 - 196* \\
& (192*a^2*b + 5*b^3)*\cosh(dx + c)^5 + 40*(192*a^2*b + 5*b^3)*\cosh(dx + c)^3 \\
& + 13*(192*a^2*b + 5*b^3)*\cosh(dx + c))*\sinh(dx + c)^3 + 192*a^2*b + 5*b^3 \\
& ^3 + 6*(192*a^2*b + 5*b^3)*\cosh(dx + c)^2 + 2*(95*(192*a^2*b + 5*b^3)*\cosh \\
& (dx + c)^{18} + 459*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{16} + 780*(192*a^2*b + \\
& 5*b^3)*\cosh(dx + c)^{14} + 364*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{12} - 462*(1 \\
& 92*a^2*b + 5*b^3)*\cosh(dx + c)^{10} - 630*(192*a^2*b + 5*b^3)*\cosh(dx + c)^8 \\
& - 196*(192*a^2*b + 5*b^3)*\cosh(dx + c)^6 + 60*(192*a^2*b + 5*b^3)*\cosh(dx \\
& + c)^4 + 576*a^2*b + 15*b^3 + 39*(192*a^2*b + 5*b^3)*\cosh(dx + c)^2)*\sinh \\
& (dx + c)^2 + 4*(5*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{19} + 27*(192*a^2*b + \\
& 5*b^3)*\cosh(dx + c)^{17} + 52*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{15} + 28*(19 \\
& 2*a^2*b + 5*b^3)*\cosh(dx + c)^{13} - 42*(192*a^2*b + 5*b^3)*\cosh(dx + c)^{11} \\
& - 70*(192*a^2*b + 5*b^3)*\cosh(dx + c)^9 - 28*(192*a^2*b + 5*b^3)*\cosh(dx \\
& + c)^7 + 12*(192*a^2*b + 5*b^3)*\cosh(dx + c)^5 + 13*(192*a^2*b + 5*b^3)*\c \\
& osh(dx + c)^3 + 3*(192*a^2*b + 5*b^3)*\cosh(dx + c))*\sinh(dx + c))*\arctan \\
& (\cosh(dx + c) + \sinh(dx + c)) + 15*(64*a^3 + 192*a^2*b + 5*b^3)*\cosh(dx \\
& + c) - 480*(a^3*\cosh(dx + c)^{20} + 20*a^3*\cosh(dx + c)*\sinh(dx + c)^{19} + \\
& a^3*\sinh(dx + c)^{20} + 6*a^3*\cosh(dx + c)^{18} + 13*a^3*\cosh(dx + c)^{16} + 2 \\
& *(95*a^3*\cosh(dx + c)^2 + 3*a^3)*\sinh(dx + c)^{18} + 12*(95*a^3*\cosh(dx + \\
& c)^3 + 9*a^3*\cosh(dx + c))*\sinh(dx + c)^{17} + 8*a^3*\cosh(dx + c)^{14} + (48 \\
& 45*a^3*\cosh(dx + c)^4 + 918*a^3*\cosh(dx + c)^2 + 13*a^3)*\sinh(dx + c)^{16} \\
& + 16*(969*a^3*\cosh(dx + c)^5 + 306*a^3*\cosh(dx + c)^3 + 13*a^3*\cosh(dx \\
& + c))*\sinh(dx + c)^{15} - 14*a^3*\cosh(dx + c)^{12} + 8*(4845*a^3*\cosh(dx + c) \\
& )^6 + 2295*a^3*\cosh(dx + c)^4 + 195*a^3*\cosh(dx + c)^2 + a^3)*\sinh(dx + \\
& c)^{14} + 16*(4845*a^3*\cosh(dx + c)^7 + 3213*a^3*\cosh(dx + c)^5 + 455*a^3*\c \\
& osh(dx + c)^3 + 7*a^3*\cosh(dx + c))*\sinh(dx + c)^{13} - 28*a^3*\cosh(dx + \\
& c)^{10} + 2*(62985*a^3*\cosh(dx + c)^8 + 55692*a^3*\cosh(dx + c)^6 + 11830*a^ \\
& 3*\cosh(dx + c)^4 + 364*a^3*\cosh(dx + c)^2 - 7*a^3)*\sinh(dx + c)^{12} + 8*( \\
& 20995*a^3*\cosh(dx + c)^9 + 23868*a^3*\cosh(dx + c)^7 + 7098*a^3*\cosh(dx + \\
& c)^5 + 364*a^3*\cosh(dx + c)^3 - 21*a^3*\cosh(dx + c))*\sinh(dx + c)^{11} - \\
& 14*a^3*\cosh(dx + c)^8 + 4*(46189*a^3*\cosh(dx + c)^{10} + 65637*a^3*\cosh(dx \\
& + c)^8 + 26026*a^3*\cosh(dx + c)^6 + 2002*a^3*\cosh(dx + c)^4 - 231*a^3*\c \\
& osh(dx + c)^2 - 7*a^3)*\sinh(dx + c)^{10} + 8*(20995*a^3*\cosh(dx + c)^{11} + 3 \\
& 6465*a^3*\cosh(dx + c)^9 + 18590*a^3*\cosh(dx + c)^7 + 2002*a^3*\cosh(dx + \\
& c)^5 - 385*a^3*\cosh(dx + c)^3 - 35*a^3*\cosh(dx + c))*\sinh(dx + c)^9 + 8* \\
& a^3*\cosh(dx + c)^6 + 2*(62985*a^3*\cosh(dx + c)^{12} + 131274*a^3*\cosh(dx + \\
& c)^{10} + 83655*a^3*\cosh(dx + c)^8 + 12012*a^3*\cosh(dx + c)^6 - 3465*a^3*\c \\
& osh(dx + c)^4 - 630*a^3*\cosh(dx + c)^2 - 7*a^3)*\sinh(dx + c)^8 + 16*(484 \\
& 5*a^3*\cosh(dx + c)^{13} + 11934*a^3*\cosh(dx + c)^{11} + 9295*a^3*\cosh(dx + c \\
& )^9 + 1716*a^3*\cosh(dx + c)^7 - 693*a^3*\cosh(dx + c)^5 - 210*a^3*\cosh(dx
\end{aligned}$$

$$\begin{aligned}
& + c)^3 - 7a^3 \cosh(dx + c) \sinh(dx + c)^7 + 13a^3 \cosh(dx + c)^4 + 8 \\
& * (4845a^3 \cosh(dx + c)^{14} + 13923a^3 \cosh(dx + c)^{12} + 13013a^3 \cosh(dx + c)^{10} + 3003a^3 \cosh(dx + c)^8 - 1617a^3 \cosh(dx + c)^6 - 735a^3 \cosh(dx + c)^4 - 49a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^6 + 16 * (969a^3 \cosh(dx + c)^{15} + 3213a^3 \cosh(dx + c)^{13} + 3549a^3 \cosh(dx + c)^{11} + 1001a^3 \cosh(dx + c)^9 - 693a^3 \cosh(dx + c)^7 - 441a^3 \cosh(dx + c)^5 - 49a^3 \cosh(dx + c)^3 + 3a^3 \cosh(dx + c)) \sinh(dx + c)^5 + 6a^3 \cosh(dx + c)^2 + (4845a^3 \cosh(dx + c)^{16} + 18360a^3 \cosh(dx + c)^{14} + 23660a^3 \cosh(dx + c)^{12} + 8008a^3 \cosh(dx + c)^{10} - 6930a^3 \cosh(dx + c)^8 - 5880a^3 \cosh(dx + c)^6 - 980a^3 \cosh(dx + c)^4 + 120a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx + c)^4 + 4 * (285a^3 \cosh(dx + c)^{17} + 1224a^3 \cosh(dx + c)^{15} + 1820a^3 \cosh(dx + c)^{13} + 728a^3 \cosh(dx + c)^{11} - 770a^3 \cosh(dx + c)^9 - 840a^3 \cosh(dx + c)^7 - 196a^3 \cosh(dx + c)^5 + 40a^3 \cosh(dx + c)^3 + 13a^3 \cosh(dx + c)) \sinh(dx + c)^3 + a^3 + 2 * (95a^3 \cosh(dx + c)^{18} + 459a^3 \cosh(dx + c)^{16} + 780a^3 \cosh(dx + c)^{14} + 364a^3 \cosh(dx + c)^{12} - 462a^3 \cosh(dx + c)^{10} - 630a^3 \cosh(dx + c)^8 - 196a^3 \cosh(dx + c)^6 + 60a^3 \cosh(dx + c)^4 + 39a^3 \cosh(dx + c)^2 + 3a^3) \sinh(dx + c)^2 + 4 * (5a^3 \cosh(dx + c)^{19} + 27a^3 \cosh(dx + c)^{17} + 52a^3 \cosh(dx + c)^{15} + 28a^3 \cosh(dx + c)^{13} - 42a^3 \cosh(dx + c)^{11} - 70a^3 \cosh(dx + c)^9 - 28a^3 \cosh(dx + c)^7 + 12a^3 \cosh(dx + c)^5 + 13a^3 \cosh(dx + c)^3 + 3a^3 \cosh(dx + c)) \sinh(dx + c) * \log(\cosh(dx + c) + \sinh(dx + c) + 1) + 480 * (a^3 \cosh(dx + c)^{20} + 20a^3 \cosh(dx + c) \sinh(dx + c)^{19} + a^3 \sinh(dx + c)^{20} + 6a^3 \cosh(dx + c)^{18} + 13a^3 \cosh(dx + c)^{16} + 2 * (95a^3 \cosh(dx + c)^2 + 3a^3) \sinh(dx + c)^{18} + 12 * (95a^3 \cosh(dx + c)^3 + 9a^3 \cosh(dx + c)) \sinh(dx + c)^{17} + 8a^3 \cosh(dx + c)^{14} + (4845a^3 \cosh(dx + c)^4 + 918a^3 \cosh(dx + c)^2 + 13a^3) \sinh(dx + c)^{16} + 16 * (969a^3 \cosh(dx + c)^5 + 306a^3 \cosh(dx + c)^3 + 13a^3 \cosh(dx + c)) \sinh(dx + c)^{15} - 14a^3 \cosh(dx + c)^{12} + 8 * (4845a^3 \cosh(dx + c)^6 + 2295a^3 \cosh(dx + c)^4 + 195a^3 \cosh(dx + c)^2 + a^3) \sinh(dx + c)^{14} + 16 * (4845a^3 \cosh(dx + c)^7 + 3213a^3 \cosh(dx + c)^5 + 455a^3 \cosh(dx + c)^3 + 7a^3 \cosh(dx + c)) \sinh(dx + c)^{13} - 28a^3 \cosh(dx + c)^{10} + 2 * (62985a^3 \cosh(dx + c)^8 + 55692a^3 \cosh(dx + c)^6 + 11830a^3 \cosh(dx + c)^4 + 364a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{12} + 8 * (20995a^3 \cosh(dx + c)^9 + 23868a^3 \cosh(dx + c)^7 + 7098a^3 \cosh(dx + c)^5 + 364a^3 \cosh(dx + c)^3 - 21a^3 \cosh(dx + c)) \sinh(dx + c)^{11} - 14a^3 \cosh(dx + c)^8 + 4 * (46189a^3 \cosh(dx + c)^{10} + 65637a^3 \cosh(dx + c)^8 + 26026a^3 \cosh(dx + c)^6 + 2002a^3 \cosh(dx + c)^4 - 231a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^{10} + 8 * (20995a^3 \cosh(dx + c)^{11} + 36465a^3 \cosh(dx + c)^9 + 18590a^3 \cosh(dx + c)^7 + 2002a^3 \cosh(dx + c)^5 - 385a^3 \cosh(dx + c)^3 - 35a^3 \cosh(dx + c)) \sinh(dx + c)^9 + 8a^3 \cosh(dx + c)^6 + 2 * (62985a^3 \cosh(dx + c)^{12} + 131274a^3 \cosh(dx + c)^{10} + 83655a^3 \cosh(dx + c)^8 + 12012a^3 \cosh(dx + c)^6 - 3465a^3 \cosh(dx + c)^4 - 630a^3 \cosh(dx + c)^2 - 7a^3) \sinh(dx + c)^8 + 16 * (4845a^3 \cosh(dx + c)^{13} + 11934a^3 \cosh(dx + c)^{11} + 9295a^3 \cosh(dx + c)^9 + 1716a^3 \cosh(dx + c)^7
\end{aligned}$$

$$\begin{aligned}
& - 693*a^3*\cosh(d*x + c)^5 - 210*a^3*\cosh(d*x + c)^3 - 7*a^3*\cosh(d*x + c) \\
& * \sinh(d*x + c)^7 + 13*a^3*\cosh(d*x + c)^4 + 8*(4845*a^3*\cosh(d*x + c)^{14} + \\
& 13923*a^3*\cosh(d*x + c)^{12} + 13013*a^3*\cosh(d*x + c)^{10} + 3003*a^3*\cosh(d*x \\
& + c)^8 - 1617*a^3*\cosh(d*x + c)^6 - 735*a^3*\cosh(d*x + c)^4 - 49*a^3*\cosh(d*x \\
& + c)^2 + a^3)*\sinh(d*x + c)^6 + 16*(969*a^3*\cosh(d*x + c)^{15} + 3213*a^3 \\
& *\cosh(d*x + c)^{13} + 3549*a^3*\cosh(d*x + c)^{11} + 1001*a^3*\cosh(d*x + c)^9 - \\
& 693*a^3*\cosh(d*x + c)^7 - 441*a^3*\cosh(d*x + c)^5 - 49*a^3*\cosh(d*x + c)^3 \\
& + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*a^3*\cosh(d*x + c)^2 + (4845*a^3* \\
& \cosh(d*x + c)^{16} + 18360*a^3*\cosh(d*x + c)^{14} + 23660*a^3*\cosh(d*x + c)^{12} \\
& + 8008*a^3*\cosh(d*x + c)^{10} - 6930*a^3*\cosh(d*x + c)^8 - 5880*a^3*\cosh(d*x \\
& + c)^6 - 980*a^3*\cosh(d*x + c)^4 + 120*a^3*\cosh(d*x + c)^2 + 13*a^3)*\sinh(d \\
& *x + c)^4 + 4*(285*a^3*\cosh(d*x + c)^{17} + 1224*a^3*\cosh(d*x + c)^{15} + 1820* \\
& a^3*\cosh(d*x + c)^{13} + 728*a^3*\cosh(d*x + c)^{11} - 770*a^3*\cosh(d*x + c)^9 - \\
& 840*a^3*\cosh(d*x + c)^7 - 196*a^3*\cosh(d*x + c)^5 + 40*a^3*\cosh(d*x + c)^3 \\
& + 13*a^3*\cosh(d*x + c))*\sinh(d*x + c)^3 + a^3 + 2*(95*a^3*\cosh(d*x + c)^{18} \\
& + 459*a^3*\cosh(d*x + c)^{16} + 780*a^3*\cosh(d*x + c)^{14} + 364*a^3*\cosh(d*x + \\
& c)^{12} - 462*a^3*\cosh(d*x + c)^{10} - 630*a^3*\cosh(d*x + c)^8 - 196*a^3*\cosh(d \\
& *x + c)^6 + 60*a^3*\cosh(d*x + c)^4 + 39*a^3*\cosh(d*x + c)^2 + 3*a^3)*\sinh(d \\
& *x + c)^2 + 4*(5*a^3*\cosh(d*x + c)^{19} + 27*a^3*\cosh(d*x + c)^{17} + 52*a^3*c \\
& \cosh(d*x + c)^{15} + 28*a^3*\cosh(d*x + c)^{13} - 42*a^3*\cosh(d*x + c)^{11} - 70*a^ \\
& 3*\cosh(d*x + c)^9 - 28*a^3*\cosh(d*x + c)^7 + 12*a^3*\cosh(d*x + c)^5 + 13*a^ \\
& 3*\cosh(d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c))*\log(\cosh(d*x + c) + \\
& \sinh(d*x + c) - 1) + (285*(64*a^3 - 192*a^2*b - 5*b^3)*\cosh(d*x + c)^{18} + \\
& 85*(1728*a^3 - 1728*a^2*b + 1536*a*b^2 + 427*b^3)*\cosh(d*x + c)^{16} + 360*(1 \\
& 440*a^3 + 192*a*b^2 - 355*b^3)*\cosh(d*x + c)^{14} + 208*(5040*a^3 + 1440*a^2*b \\
& b - 672*a*b^2 + 1235*b^3)*\cosh(d*x + c)^{12} + 22*(60480*a^3 + 8640*a^2*b - 7 \\
& 68*a*b^2 - 15475*b^3)*\cosh(d*x + c)^{10} + 18*(60480*a^3 - 8640*a^2*b - 768*a \\
& *b^2 + 15475*b^3)*\cosh(d*x + c)^8 + 112*(5040*a^3 - 1440*a^2*b - 672*a*b^2 \\
& - 1235*b^3)*\cosh(d*x + c)^6 + 120*(1440*a^3 + 192*a*b^2 + 355*b^3)*\cosh(d*x \\
& + c)^4 + 960*a^3 + 2880*a^2*b + 75*b^3 + 15*(1728*a^3 + 1728*a^2*b + 1536* \\
& a*b^2 - 427*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^{20} + 20*d \\
& *\cosh(d*x + c)*\sinh(d*x + c)^{19} + d*\sinh(d*x + c)^{20} + 6*d*\cosh(d*x + c)^{18} \\
& + 2*(95*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^{18} + 12*(95*d*\cosh(d*x + c) \\
& ^3 + 9*d*\cosh(d*x + c))*\sinh(d*x + c)^{17} + 13*d*\cosh(d*x + c)^{16} + (4845*d* \\
& \cosh(d*x + c)^4 + 918*d*\cosh(d*x + c)^2 + 13*d)*\sinh(d*x + c)^{16} + 16*(969* \\
& d*\cosh(d*x + c)^5 + 306*d*\cosh(d*x + c)^3 + 13*d*\cosh(d*x + c))*\sinh(d*x + \\
& c)^{15} + 8*d*\cosh(d*x + c)^{14} + 8*(4845*d*\cosh(d*x + c)^6 + 2295*d*\cosh(d*x \\
& + c)^4 + 195*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{14} + 16*(4845*d*\cosh(d*x \\
& + c)^7 + 3213*d*\cosh(d*x + c)^5 + 455*d*\cosh(d*x + c)^3 + 7*d*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^{13} - 14*d*\cosh(d*x + c)^{12} + 2*(62985*d*\cosh(d*x + c)^8 + 5 \\
& 5692*d*\cosh(d*x + c)^6 + 11830*d*\cosh(d*x + c)^4 + 364*d*\cosh(d*x + c)^2 - \\
& 7*d)*\sinh(d*x + c)^{12} + 8*(20995*d*\cosh(d*x + c)^9 + 23868*d*\cosh(d*x + c)^ \\
& 7 + 7098*d*\cosh(d*x + c)^5 + 364*d*\cosh(d*x + c)^3 - 21*d*\cosh(d*x + c))*\si \\
& nh(d*x + c)^{11} - 28*d*\cosh(d*x + c)^{10} + 4*(46189*d*\cosh(d*x + c)^{10} + 6563 \\
& 7*d*\cosh(d*x + c)^8 + 26026*d*\cosh(d*x + c)^6 + 2002*d*\cosh(d*x + c)^4 - 23
\end{aligned}$$

```

1*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^10 + 8*(20995*d*cosh(d*x + c)^11 +
36465*d*cosh(d*x + c)^9 + 18590*d*cosh(d*x + c)^7 + 2002*d*cosh(d*x + c)^5
- 385*d*cosh(d*x + c)^3 - 35*d*cosh(d*x + c))*sinh(d*x + c)^9 - 14*d*cosh(
d*x + c)^8 + 2*(62985*d*cosh(d*x + c)^12 + 131274*d*cosh(d*x + c)^10 + 8365
5*d*cosh(d*x + c)^8 + 12012*d*cosh(d*x + c)^6 - 3465*d*cosh(d*x + c)^4 - 63
0*d*cosh(d*x + c)^2 - 7*d)*sinh(d*x + c)^8 + 16*(4845*d*cosh(d*x + c)^13 +
11934*d*cosh(d*x + c)^11 + 9295*d*cosh(d*x + c)^9 + 1716*d*cosh(d*x + c)^7
- 693*d*cosh(d*x + c)^5 - 210*d*cosh(d*x + c)^3 - 7*d*cosh(d*x + c))*sinh(d
*x + c)^7 + 8*d*cosh(d*x + c)^6 + 8*(4845*d*cosh(d*x + c)^14 + 13923*d*cosh
(d*x + c)^12 + 13013*d*cosh(d*x + c)^10 + 3003*d*cosh(d*x + c)^8 - 1617*d*c
osh(d*x + c)^6 - 735*d*cosh(d*x + c)^4 - 49*d*cosh(d*x + c)^2 + d)*sinh(d*x
+ c)^6 + 16*(969*d*cosh(d*x + c)^15 + 3213*d*cosh(d*x + c)^13 + 3549*d*cos
h(d*x + c)^11 + 1001*d*cosh(d*x + c)^9 - 693*d*cosh(d*x + c)^7 - 441*d*cosh
(d*x + c)^5 - 49*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 1
3*d*cosh(d*x + c)^4 + (4845*d*cosh(d*x + c)^16 + 18360*d*cosh(d*x + c)^14 +
23660*d*cosh(d*x + c)^12 + 8008*d*cosh(d*x + c)^10 - 6930*d*cosh(d*x + c)^
8 - 5880*d*cosh(d*x + c)^6 - 980*d*cosh(d*x + c)^4 + 120*d*cosh(d*x + c)^2
+ 13*d)*sinh(d*x + c)^4 + 4*(285*d*cosh(d*x + c)^17 + 1224*d*cosh(d*x + c)^
15 + 1820*d*cosh(d*x + c)^13 + 728*d*cosh(d*x + c)^11 - 770*d*cosh(d*x + c)
^9 - 840*d*cosh(d*x + c)^7 - 196*d*cosh(d*x + c)^5 + 40*d*cosh(d*x + c)^3 +
13*d*cosh(d*x + c))*sinh(d*x + c)^3 + 6*d*cosh(d*x + c)^2 + 2*(95*d*cosh(d
*x + c)^18 + 459*d*cosh(d*x + c)^16 + 780*d*cosh(d*x + c)^14 + 364*d*cosh(d
*x + c)^12 - 462*d*cosh(d*x + c)^10 - 630*d*cosh(d*x + c)^8 - 196*d*cosh(d*
x + c)^6 + 60*d*cosh(d*x + c)^4 + 39*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)
^2 + 4*(5*d*cosh(d*x + c)^19 + 27*d*cosh(d*x + c)^17 + 52*d*cosh(d*x + c)^1
5 + 28*d*cosh(d*x + c)^13 - 42*d*cosh(d*x + c)^11 - 70*d*cosh(d*x + c)^9 -
28*d*cosh(d*x + c)^7 + 12*d*cosh(d*x + c)^5 + 13*d*cosh(d*x + c)^3 + 3*d*co
sh(d*x + c))*sinh(d*x + c) + d)

```

**giac [B]** time = 0.84, size = 434, normalized size = 1.87

$$480 a^3 \log(e^{(dx+c)} + 1) - 480 a^3 \log(|e^{(dx+c)} - 1|) + 15 (192 a^2 b e^c + 5 b^3 e^c) \arctan(e^{(dx+c)}) e^{(-c)} - \frac{960 (a^3 e^{(3dx+3c)} + e^{(2dx+2c)})}{(e^{(2dx+2c)} - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out] 1/960\*(480\*a^3\*log(e^(d\*x + c) + 1) - 480\*a^3\*log(abs(e^(d\*x + c) - 1)) + 15\*(192\*a^2\*b\*e^c + 5\*b^3\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) - 960\*(a^3\*e^(3\*d\*x + 3\*c) + a^3\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) - 1)^2 + (2880\*a^2\*b\*e^(15\*d\*x + 15\*c) + 75\*b^3\*e^(15\*d\*x + 15\*c) + 14400\*a^2\*b\*e^(13\*d\*x + 13\*c) - 7680\*a\*b^2\*e^(13\*d\*x + 13\*c) - 1985\*b^3\*e^(13\*d\*x + 13\*c) + 25920\*a^2\*b\*e^(11\*d\*x + 11\*c) - 19968\*a\*b^2\*e^(11\*d\*x + 11\*c) + 4475\*b^3\*e^(11\*d\*x + 11\*c) + 14

$$400a^2b^2e^{(9dx+9c)} - 21504a^2b^2e^{(9dx+9c)} - 8825b^3e^{(9dx+9c)} + 9c) - 14400a^2b^2e^{(7dx+7c)} - 21504a^2b^2e^{(7dx+7c)} + 8825b^3e^{(7dx+7c)} - 25920a^2b^2e^{(5dx+5c)} - 19968a^2b^2e^{(5dx+5c)} - 4475b^3e^{(5dx+5c)} - 14400a^2b^2e^{(3dx+3c)} - 7680a^2b^2e^{(3dx+3c)} + 1985b^3e^{(3dx+3c)} - 2880a^2b^2e^{(dx+c)} - 75b^3e^{(dx+c)} / (e^{(2dx+2c)} + 1)^8 / d$$

**maple [A]** time = 0.61, size = 286, normalized size = 1.23

$$-\frac{a^3 \coth(dx+c) \operatorname{csch}(dx+c)}{2d} + \frac{a^3 \operatorname{arctanh}(e^{dx+c})}{d} + \frac{3a^2b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{3a^2b \operatorname{arctan}(e^{dx+c})}{d} - \frac{ab^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(dx+c)^3\*(a+b\*tanh(dx+c)^3)^3,x)

[Out]  $-1/2*a^3*\coth(dx+c)*\operatorname{csch}(dx+c)/d+1/d*a^3*\operatorname{arctanh}(\exp(dx+c))+3/2/d*a^2*b*\operatorname{sech}(dx+c)*\tanh(dx+c)+3/d*a^2*b*\operatorname{arctan}(\exp(dx+c))-1/d*a*b^2*\sinh(dx+c)^2/\cosh(dx+c)^5-2/5/d*a*b^2/\cosh(dx+c)^5-1/3/d*b^3*\sinh(dx+c)^5/\cosh(dx+c)^8-1/3/d*b^3*\sinh(dx+c)^3/\cosh(dx+c)^8-1/7/d*b^3*\sinh(dx+c)/\cosh(dx+c)^8+1/56/d*b^3*\tanh(dx+c)*\operatorname{sech}(dx+c)^7+1/48/d*b^3*\tanh(dx+c)*\operatorname{sech}(dx+c)^5+5/192/d*b^3*\tanh(dx+c)*\operatorname{sech}(dx+c)^3+5/128/d*b^3*\operatorname{sech}(dx+c)*\tanh(dx+c)+5/64/d*b^3*\operatorname{arctan}(\exp(dx+c))$

**maxima [B]** time = 0.43, size = 586, normalized size = 2.53

$$-\frac{1}{192} b^3 \left( \frac{15 \operatorname{arctan}(e^{(-dx-c)})}{d} - \frac{15 e^{(-dx-c)} - 397 e^{(-3dx-3c)} + 895 e^{(-5dx-5c)} - 1765 e^{(-7dx-7c)} + 1765 e^{(-9dx-9c)} - 895 e^{(-11dx-11c)} + 397 e^{(-13dx-13c)} - 15 e^{(-15dx-15c)}}{d(8 e^{(-2dx-2c)} + 28 e^{(-4dx-4c)} + 56 e^{(-6dx-6c)} + 70 e^{(-8dx-8c)} + 56 e^{(-10dx-10c)} + 28 e^{(-12dx-12c)} + 8 e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1)} \right) - 3a^2b*(\operatorname{arctan}(e^{(-dx-c)})/d - (e^{(-dx-c)} - e^{(-3dx-3c)})/(d*(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1))) + 1/2*a^3*(\log(e^{(-dx-c)} + 1)/d - \log(e^{(-dx-c)} - 1)/d + 2*(e^{(-dx-c)} + e^{(-3dx-3c)})/(d*(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1))) - 8/5*a*b^2*(5e^{(-3dx-3c)})/(d*(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) - 2e^{(-5dx-5c)}/(d*(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(dx+c)^3\*(a+b\*tanh(dx+c)^3)^3,x, algorithm="maxima")

[Out]  $-1/192*b^3*(15*\operatorname{arctan}(e^{(-dx-c)})/d - (15*e^{(-dx-c)} - 397*e^{(-3dx-3c)} + 895*e^{(-5dx-5c)} - 1765*e^{(-7dx-7c)} + 1765*e^{(-9dx-9c)} - 895*e^{(-11dx-11c)} + 397*e^{(-13dx-13c)} - 15*e^{(-15dx-15c)})/(d*(8*e^{(-2dx-2c)} + 28*e^{(-4dx-4c)} + 56*e^{(-6dx-6c)} + 70*e^{(-8dx-8c)} + 56*e^{(-10dx-10c)} + 28*e^{(-12dx-12c)} + 8*e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1))) - 3a^2b*(\operatorname{arctan}(e^{(-dx-c)})/d - (e^{(-dx-c)} - e^{(-3dx-3c)})/(d*(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1))) + 1/2*a^3*(\log(e^{(-dx-c)} + 1)/d - \log(e^{(-dx-c)} - 1)/d + 2*(e^{(-dx-c)} + e^{(-3dx-3c)})/(d*(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1))) - 8/5*a*b^2*(5e^{(-3dx-3c)})/(d*(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) - 2e^{(-5dx-5c)}/(d*(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))$

$$\frac{e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1}{d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)}$$

**mupad [B]** time = 8.05, size = 731, normalized size = 3.15

$$\frac{a^3 \ln(e^{c+dx} + 1)}{2d} - \frac{a^3 \ln(e^{c+dx} - 1)}{2d} + \frac{e^{c+dx} (192a^2b + 5b^3)}{64d(e^{2c+2dx} + 1)} + \frac{e^{c+dx} (2245b^3 + 3264ab^2)}{120d(3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1)} - \frac{20}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x))^3/sinh(c + d\*x)^3,x)

[Out] (a^3\*log(exp(c + d\*x) + 1))/(2\*d) - (a^3\*log(exp(c + d\*x) - 1))/(2\*d) + (exp(c + d\*x)\*(192\*a^2\*b + 5\*b^3))/(64\*d\*(exp(2\*c + 2\*d\*x) + 1)) + (exp(c + d\*x)\*(3264\*a\*b^2 + 2245\*b^3))/(120\*d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1)) - (b\*log(exp(c + d\*x) - 1i)\*(192\*a^2 + 5\*b^2)\*1i)/(128\*d) + (b\*log(exp(c + d\*x) + 1i)\*(192\*a^2 + 5\*b^2)\*1i)/(128\*d) - (exp(c + d\*x)\*(768\*a\*b^2 + 1325\*b^3))/(20\*d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1)) - (500\*b^3\*exp(c + d\*x))/(3\*d\*(6\*exp(2\*c + 2\*d\*x) + 15\*exp(4\*c + 4\*d\*x) + 20\*exp(6\*c + 6\*d\*x) + 15\*exp(8\*c + 8\*d\*x) + 6\*exp(10\*c + 10\*d\*x) + exp(12\*c + 12\*d\*x) + 1)) + (2\*exp(c + d\*x)\*(144\*a\*b^2 + 1025\*b^3))/(15\*d\*(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1)) + (112\*b^3\*exp(c + d\*x))/(d\*(7\*exp(2\*c + 2\*d\*x) + 21\*exp(4\*c + 4\*d\*x) + 35\*exp(6\*c + 6\*d\*x) + 35\*exp(8\*c + 8\*d\*x) + 21\*exp(10\*c + 10\*d\*x) + 7\*exp(12\*c + 12\*d\*x) + exp(14\*c + 14\*d\*x) + 1)) - (exp(c + d\*x)\*(768\*a\*b^2 + 576\*a^2\*b + 251\*b^3))/(96\*d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1)) - (32\*b^3\*exp(c + d\*x))/(d\*(8\*exp(2\*c + 2\*d\*x) + 28\*exp(4\*c + 4\*d\*x) + 56\*exp(6\*c + 6\*d\*x) + 70\*exp(8\*c + 8\*d\*x) + 56\*exp(10\*c + 10\*d\*x) + 28\*exp(12\*c + 12\*d\*x) + 8\*exp(14\*c + 14\*d\*x) + exp(16\*c + 16\*d\*x) + 1)) - (a^3\*exp(c + d\*x))/(d\*(exp(2\*c + 2\*d\*x) - 1)) - (2\*a^3\*exp(c + d\*x))/(d\*(exp(4\*c + 4\*d\*x) - 2\*exp(2\*c + 2\*d\*x) + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*3)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*3)\*\*3\*csch(c + d\*x)\*\*3, x)

### 3.72 $\int \operatorname{csch}^4(c + dx) \left( a + b \tanh^3(c + dx) \right)^3 dx$

**Optimal.** Leaf size=138

$$-\frac{a^3 \operatorname{coth}^3(c + dx)}{3d} + \frac{a^3 \operatorname{coth}(c + dx)}{d} - \frac{3a^2 b \tanh^2(c + dx)}{2d} + \frac{3a^2 b \log(\tanh(c + dx))}{d} - \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{ab^2 \tanh^6(c + dx)}{6d}$$

[Out]  $a^3 \operatorname{coth}(d*x+c)/d - 1/3*a^3 \operatorname{coth}(d*x+c)^3/d + 3*a^2*b*\ln(\tanh(d*x+c))/d - 3/2*a^2*b*\tanh(d*x+c)^2/d + a*b^2*\tanh(d*x+c)^3/d - 3/5*a*b^2*\tanh(d*x+c)^5/d + 1/6*b^3*\tanh(d*x+c)^6/d - 1/8*b^3*\tanh(d*x+c)^8/d$

**Rubi [A]** time = 0.12, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3663, 1802}

$$-\frac{3a^2 b \tanh^2(c + dx)}{2d} + \frac{3a^2 b \log(\tanh(c + dx))}{d} - \frac{a^3 \operatorname{coth}^3(c + dx)}{3d} + \frac{a^3 \operatorname{coth}(c + dx)}{d} - \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{ab^2 \tanh^6(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In] `Int[Csch[c + d*x]^4*(a + b*Tanh[c + d*x]^3)^3, x]`

[Out]  $(a^3 \operatorname{Coth}[c + d*x])/d - (a^3 \operatorname{Coth}[c + d*x]^3)/(3*d) + (3*a^2*b*\operatorname{Log}[\operatorname{Tanh}[c + d*x]])/d - (3*a^2*b*\operatorname{Tanh}[c + d*x]^2)/(2*d) + (a*b^2*\operatorname{Tanh}[c + d*x]^3)/d - (3*a*b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d) + (b^3*\operatorname{Tanh}[c + d*x]^6)/(6*d) - (b^3*\operatorname{Tanh}[c + d*x]^8)/(8*d)$

#### Rule 1802

`Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

#### Rule 3663

`Int[sin[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]`

#### Rubi steps



$$\int \operatorname{csch}^4(c + dx) (a + b \tanh^3(c + dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)(a+bx^3)^3}{x^4} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int \left(\frac{a^3}{x^4} - \frac{a^3}{x^2} + \frac{3a^2b}{x} - 3a^2bx + 3ab^2x^2 - 3ab^2x^4 + b^3x^5 - b^3x\right) dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{a^3 \operatorname{coth}(c + dx)}{d} - \frac{a^3 \operatorname{coth}^3(c + dx)}{3d} + \frac{3a^2b \log(\tanh(c + dx))}{d} - \frac{3a^2b \operatorname{sech}^2(c + dx)}{2d} + \frac{3a^2b \log(\cosh(c + dx))}{d}$$

**Mathematica [A]** time = 0.20, size = 213, normalized size = 1.54

$$\frac{2a^3 \operatorname{coth}(c + dx)}{3d} - \frac{a^3 \operatorname{coth}(c + dx) \operatorname{csch}^2(c + dx)}{3d} + \frac{3a^2b \operatorname{sech}^2(c + dx)}{2d} + \frac{3a^2b \log(\sinh(c + dx))}{d} - \frac{3a^2b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^3)^3,x]

[Out] (2\*a^3\*Coth[c + d\*x])/(3\*d) - (a^3\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/(3\*d) - (3\*a^2\*b\*Log[Cosh[c + d\*x]])/d + (3\*a^2\*b\*Log[Sinh[c + d\*x]])/d + (3\*a^2\*b\*Sech[c + d\*x]^2)/(2\*d) - (b^3\*Sech[c + d\*x]^4)/(4\*d) + (b^3\*Sech[c + d\*x]^6)/(3\*d) - (b^3\*Sech[c + d\*x]^8)/(8\*d) + (2\*a\*b^2\*Tanh[c + d\*x])/(5\*d) + (a\*b^2\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(5\*d) - (3\*a\*b^2\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d)

**fricas [B]** time = 0.58, size = 9459, normalized size = 68.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="fricas")

[Out] 1/15\*(90\*a^2\*b\*cosh(d\*x + c)^20 + 1800\*a^2\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^19 + 90\*a^2\*b\*sinh(d\*x + c)^20 - 30\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^18 + 30\*(570\*a^2\*b\*cosh(d\*x + c)^2 - 2\*a^3 + 9\*a^2\*b - 6\*a\*b^2 - 2\*b^3)\*sinh(d\*x + c)^18 + 540\*(190\*a^2\*b\*cosh(d\*x + c)^3 - (2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^17 - 20\*(23\*a^3 - 3\*a\*b^2 - 13\*b^3)\*cosh(d\*x + c)^16 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^16 + 160\*(8721\*a^2\*b\*cosh(d\*x + c)^5 - 153\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^3 - 2\*(23\*a^3 - 3\*a\*b^2 - 13\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^15 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^14 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^14 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^13 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^13 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^12 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^12 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^11 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^11 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^10 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^10 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^9 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^9 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^8 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^8 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^7 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^7 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^6 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^5 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^4 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^3 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)^2 + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c) + 10\*(43605\*a^2\*b\*cosh(d\*x + c)^4 - 46\*a^3 + 6\*a\*b^2 + 26\*b^3 - 459\*(2\*a^3 - 9\*a^2\*b + 6\*a\*b^2 + 2\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c) - 20\*(76\*a^3 + 36\*a^2\*b - 24\*a\*b^2 + 31\*b^3)\*cosh(d\*x + c)

$$\begin{aligned}
& c)^{14} + 20*(174420*a^2*b*cosh(d*x + c)^6 - 4590*(2*a^3 - 9*a^2*b + 6*a*b^2 \\
& + 2*b^3)*cosh(d*x + c)^4 - 76*a^3 - 36*a^2*b + 24*a*b^2 - 31*b^3 - 120*(23 \\
& *a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^{14} + 40*(174420*a^2 \\
& *b*cosh(d*x + c)^7 - 6426*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c) \\
& ^5 - 280*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^3 - 7*(76*a^3 + 36*a^2*b \\
& - 24*a*b^2 + 31*b^3)*cosh(d*x + c))*sinh(d*x + c)^{13} - 4*(700*a^3 + 135*a^ \\
& 2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^{12} + 4*(2834325*a^2*b*cosh(d*x + c) \\
& ^8 - 139230*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^6 - 9100*(23* \\
& a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^4 - 700*a^3 - 135*a^2*b - 48*a*b^2 + \\
& 245*b^3 - 455*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^2)*sinh \\
& (d*x + c)^{12} + 16*(944775*a^2*b*cosh(d*x + c)^9 - 59670*(2*a^3 - 9*a^2*b + \\
& 6*a*b^2 + 2*b^3)*cosh(d*x + c)^7 - 5460*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d* \\
& x + c)^5 - 455*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^3 - 3* \\
& (700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c))*sinh(d*x + c)^{11} \\
& - 20*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^{10} + 4*(4157010 \\
& *a^2*b*cosh(d*x + c)^{10} - 328185*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d \\
& *x + c)^8 - 40040*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^6 - 5005*(76*a^ \\
& 3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^4 - 770*a^3 + 135*a^2*b - 9 \\
& 0*a*b^2 - 245*b^3 - 66*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x \\
& + c)^2)*sinh(d*x + c)^{10} + 40*(377910*a^2*b*cosh(d*x + c)^{11} - 36465*(2*a^3 \\
& - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^9 - 5720*(23*a^3 - 3*a*b^2 - 13 \\
& *b^3)*cosh(d*x + c)^7 - 1001*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d \\
& *x + c)^5 - 22*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^3 - \\
& 5*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c))*sinh(d*x + c)^9 \\
& - 4*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*cosh(d*x + c)^8 + 4*(2834325 \\
& *a^2*b*cosh(d*x + c)^{12} - 328185*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d \\
& *x + c)^{10} - 64350*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^8 - 15015*(76* \\
& a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^6 - 495*(700*a^3 + 135*a^ \\
& 2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^4 - 490*a^3 + 180*a^2*b + 54*a*b^2 \\
& + 155*b^3 - 225*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^2)*s \\
& inh(d*x + c)^8 + 32*(218025*a^2*b*cosh(d*x + c)^{13} - 29835*(2*a^3 - 9*a^2*b \\
& + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^{11} - 7150*(23*a^3 - 3*a*b^2 - 13*b^3)*cos \\
& h(d*x + c)^9 - 2145*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^7 \\
& - 99*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^5 - 75*(154* \\
& a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^3 - (490*a^3 - 180*a^2*b \\
& - 54*a*b^2 - 155*b^3)*cosh(d*x + c))*sinh(d*x + c)^7 - 20*(28*a^3 + 13*b^3) \\
& *cosh(d*x + c)^6 + 4*(872100*a^2*b*cosh(d*x + c)^{14} - 139230*(2*a^3 - 9*a^2 \\
& *b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^{12} - 40040*(23*a^3 - 3*a*b^2 - 13*b^3)* \\
& cosh(d*x + c)^{10} - 15015*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + \\
& c)^8 - 924*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*cosh(d*x + c)^6 - 10 \\
& 50*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x + c)^4 - 140*a^3 - 65* \\
& b^3 - 28*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*cosh(d*x + c)^2)*sinh(d \\
& *x + c)^6 + 8*(174420*a^2*b*cosh(d*x + c)^{15} - 32130*(2*a^3 - 9*a^2*b + 6*a \\
& *b^2 + 2*b^3)*cosh(d*x + c)^{13} - 10920*(23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x \\
& + c)^{11} - 5005*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*cosh(d*x + c)^9 - 3
\end{aligned}$$

$$\begin{aligned}
& 96*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^7 - 630*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^5 - 28*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^3 - 15*(28*a^3 + 13*b^3)*\cosh(d*x + c) \\
& )*\sinh(d*x + c)^5 + 2*(40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*\cosh(d*x + c)^4 + 2*(218025*a^2*b*\cosh(d*x + c)^16 - 45900*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^14 - 18200*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^12 - 10010*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^10 - 990*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^8 - 2100*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^6 - 140*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^4 + 40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3 - 150*(28*a^3 + 13*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(12825*a^2*b*\cosh(d*x + c)^17 - 3060*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^15 - 1400*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^13 - 910*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^11 - 110*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^9 - 300*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^7 - 28*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^5 - 50*(28*a^3 + 13*b^3)*\cosh(d*x + c)^3 + (40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 20*a^3 + 12*a*b^2 + 10*(10*a^3 - 9*a^2*b + 6*a*b^2)*\cosh(d*x + c)^2 + 2*(8550*a^2*b*\cosh(d*x + c)^18 - 2295*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*\cosh(d*x + c)^16 - 1200*(23*a^3 - 3*a*b^2 - 13*b^3)*\cosh(d*x + c)^14 - 910*(76*a^3 + 36*a^2*b - 24*a*b^2 + 31*b^3)*\cosh(d*x + c)^12 - 132*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b^3)*\cosh(d*x + c)^10 - 450*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*\cosh(d*x + c)^8 - 56*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*\cosh(d*x + c)^6 - 150*(28*a^3 + 13*b^3)*\cosh(d*x + c)^4 + 50*a^3 - 45*a^2*b + 30*a*b^2 + 6*(40*a^3 - 135*a^2*b - 48*a*b^2 + 30*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 45*(a^2*b*\cosh(d*x + c)^22 + 22*a^2*b*\cosh(d*x + c)*\sinh(d*x + c)^21 + a^2*b*\sinh(d*x + c)^22 + 5*a^2*b*\cosh(d*x + c)^20 + 7*a^2*b*\cosh(d*x + c)^18 + (231*a^2*b*\cosh(d*x + c)^2 + 5*a^2*b)*\sinh(d*x + c)^20 + 20*(77*a^2*b*\cosh(d*x + c)^3 + 5*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^19 - 5*a^2*b*\cosh(d*x + c)^16 + (7315*a^2*b*\cosh(d*x + c)^4 + 950*a^2*b*\cosh(d*x + c)^2 + 7*a^2*b)*\sinh(d*x + c)^18 + 6*(4389*a^2*b*\cosh(d*x + c)^5 + 950*a^2*b*\cosh(d*x + c)^3 + 21*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^17 - 22*a^2*b*\cosh(d*x + c)^14 + (74613*a^2*b*\cosh(d*x + c)^6 + 24225*a^2*b*\cosh(d*x + c)^4 + 1071*a^2*b*\cosh(d*x + c)^2 - 5*a^2*b)*\sinh(d*x + c)^16 + 16*(10659*a^2*b*\cosh(d*x + c)^7 + 4845*a^2*b*\cosh(d*x + c)^5 + 357*a^2*b*\cosh(d*x + c)^3 - 5*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^15 - 14*a^2*b*\cosh(d*x + c)^12 + 2*(159885*a^2*b*\cosh(d*x + c)^8 + 96900*a^2*b*\cosh(d*x + c)^6 + 10710*a^2*b*\cosh(d*x + c)^4 - 300*a^2*b*\cosh(d*x + c)^2 - 11*a^2*b)*\sinh(d*x + c)^14 + 4*(124355*a^2*b*\cosh(d*x + c)^9 + 96900*a^2*b*\cosh(d*x + c)^7 + 14994*a^2*b*\cosh(d*x + c)^5 - 700*a^2*b*\cosh(d*x + c)^3 - 77*a^2*b*\cosh(d*x + c))*\sinh(d*x + c)^13 + 14*a^2*b*\cosh(d*x + c)^10 + 2*(323323*a^2*b*\cosh(d*x + c)^10 + 314925*a^2*b*\cosh(d*x + c)^8 + 64974*a^2*b*\cosh(d*x + c)^6 - 4550*a^2*b*\cosh(d*x + c)^4 - 1001*a^2*b*\cosh(d*x + c)^2 - 7*a^2*b)*\sinh(d*x + c)^12 + 8*(88179*a^2*b*\cosh(d*x + c)^11 + 104975*a^2*b*\cosh(d*x + c)^9 + 27846*a^2*b*\cosh(d*x + c)^7 - 2730*
\end{aligned}$$

$$\begin{aligned}
& a^2 b \cosh(dx + c)^5 - 1001 a^2 b \cosh(dx + c)^3 - 21 a^2 b \cosh(dx + c) \\
& ) \sinh(dx + c)^{11} + 22 a^2 b \cosh(dx + c)^8 + 2 (323323 a^2 b \cosh(dx + c)^{12} + 461890 a^2 b \cosh(dx + c)^{10} + 153153 a^2 b \cosh(dx + c)^8 - 2002 \\
& 0 a^2 b \cosh(dx + c)^6 - 11011 a^2 b \cosh(dx + c)^4 - 462 a^2 b \cosh(dx + c)^2 + 7 a^2 b) \sinh(dx + c)^{10} + 4 (124355 a^2 b \cosh(dx + c)^{13} + 209 \\
& 950 a^2 b \cosh(dx + c)^{11} + 85085 a^2 b \cosh(dx + c)^9 - 14300 a^2 b \cosh(dx + c)^7 - 11011 a^2 b \cosh(dx + c)^5 - 770 a^2 b \cosh(dx + c)^3 + 35 a^2 b \cosh(dx + c)) \sinh(dx + c)^9 + 5 a^2 b \cosh(dx + c)^6 + 2 (159885 a^2 b \cosh(dx + c)^{14} + 314925 a^2 b \cosh(dx + c)^{12} + 153153 a^2 b \cosh(dx + c)^{10} - 32175 a^2 b \cosh(dx + c)^8 - 33033 a^2 b \cosh(dx + c)^6 - 3465 a^2 b \cosh(dx + c)^4 + 315 a^2 b \cosh(dx + c)^2 + 11 a^2 b) \sinh(dx + c)^8 + 16 (10659 a^2 b \cosh(dx + c)^{15} + 24225 a^2 b \cosh(dx + c)^{13} + 13923 a^2 b \cosh(dx + c)^{11} - 3575 a^2 b \cosh(dx + c)^9 - 4719 a^2 b \cosh(dx + c)^7 - 693 a^2 b \cosh(dx + c)^5 + 105 a^2 b \cosh(dx + c)^3 + 11 a^2 b \cosh(dx + c)) \sinh(dx + c)^7 - 7 a^2 b \cosh(dx + c)^4 + (74613 a^2 b \cosh(dx + c)^{16} + 193800 a^2 b \cosh(dx + c)^{14} + 129948 a^2 b \cosh(dx + c)^{12} - 40040 a^2 b \cosh(dx + c)^{10} - 66066 a^2 b \cosh(dx + c)^8 - 12936 a^2 b \cosh(dx + c)^6 + 2940 a^2 b \cosh(dx + c)^4 + 616 a^2 b \cosh(dx + c)^2 + 5 a^2 b) \sinh(dx + c)^6 + 2 (13167 a^2 b \cosh(dx + c)^{17} + 38760 a^2 b \cosh(dx + c)^{15} + 29988 a^2 b \cosh(dx + c)^{13} - 10920 a^2 b \cosh(dx + c)^{11} - 22022 a^2 b \cosh(dx + c)^9 - 5544 a^2 b \cosh(dx + c)^7 + 1764 a^2 b \cosh(dx + c)^5 + 616 a^2 b \cosh(dx + c)^3 + 15 a^2 b \cosh(dx + c)) \sinh(dx + c)^5 - 5 a^2 b \cosh(dx + c)^2 + (7315 a^2 b \cosh(dx + c)^{18} + 24225 a^2 b \cosh(dx + c)^{16} + 21420 a^2 b \cosh(dx + c)^{14} - 9100 a^2 b \cosh(dx + c)^{12} - 22022 a^2 b \cosh(dx + c)^{10} - 6930 a^2 b \cosh(dx + c)^8 + 2940 a^2 b \cosh(dx + c)^6 + 1540 a^2 b \cosh(dx + c)^4 + 75 a^2 b \cosh(dx + c)^2 - 7 a^2 b) \sinh(dx + c)^4 + 4 (385 a^2 b \cosh(dx + c)^{19} + 1425 a^2 b \cosh(dx + c)^{17} + 1428 a^2 b \cosh(dx + c)^{15} - 700 a^2 b \cosh(dx + c)^{13} - 2002 a^2 b \cosh(dx + c)^{11} - 770 a^2 b \cosh(dx + c)^9 + 420 a^2 b \cosh(dx + c)^7 + 308 a^2 b \cosh(dx + c)^5 + 25 a^2 b \cosh(dx + c)^3 - 7 a^2 b \cosh(dx + c)) \sinh(dx + c)^3 - a^2 b + (231 a^2 b \cosh(dx + c)^{20} + 950 a^2 b \cosh(dx + c)^{18} + 1071 a^2 b \cosh(dx + c)^{16} - 600 a^2 b \cosh(dx + c)^{14} - 2002 a^2 b \cosh(dx + c)^{12} - 924 a^2 b \cosh(dx + c)^{10} + 630 a^2 b \cosh(dx + c)^8 + 616 a^2 b \cosh(dx + c)^6 + 75 a^2 b \cosh(dx + c)^4 - 42 a^2 b \cosh(dx + c)^2 - 5 a^2 b) \sinh(dx + c)^2 + 2 (11 a^2 b \cosh(dx + c)^{21} + 50 a^2 b \cosh(dx + c)^{19} + 63 a^2 b \cosh(dx + c)^{17} - 40 a^2 b \cosh(dx + c)^{15} - 154 a^2 b \cosh(dx + c)^{13} - 84 a^2 b \cosh(dx + c)^{11} + 70 a^2 b \cosh(dx + c)^9 + 88 a^2 b \cosh(dx + c)^7 + 15 a^2 b \cosh(dx + c)^5 - 14 a^2 b \cosh(dx + c)^3 - 5 a^2 b \cosh(dx + c)) \sinh(dx + c) \log(2 \cosh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 45 (a^2 b \cosh(dx + c)^{22} + 22 a^2 b \cosh(dx + c) \sinh(dx + c)^{21} + a^2 b \sinh(dx + c)^{22} + 5 a^2 b \cosh(dx + c)^{20} + 7 a^2 b \cosh(dx + c)^{18} + (231 a^2 b \cosh(dx + c)^2 + 5 a^2 b) \sinh(dx + c)^{20} + 20 (77 a^2 b \cosh(dx + c)^3 + 5 a^2 b \cosh(dx + c)) \sinh(dx + c)^{19} - 5 a^2 b \cosh(dx + c)^{16} + (7315 a^2 b \cosh(dx + c)^4 + 950 a^2 b \cosh(dx + c)^2 + 7 a^2 b) \sinh(dx + c)
\end{aligned}$$

$$\begin{aligned}
& ^{18} + 6*(4389*a^2*b*cosh(d*x + c)^5 + 950*a^2*b*cosh(d*x + c)^3 + 21*a^2*b* \\
& cosh(d*x + c))*sinh(d*x + c)^{17} - 22*a^2*b*cosh(d*x + c)^{14} + (74613*a^2*b* \\
& cosh(d*x + c)^6 + 24225*a^2*b*cosh(d*x + c)^4 + 1071*a^2*b*cosh(d*x + c)^2 \\
& - 5*a^2*b)*sinh(d*x + c)^{16} + 16*(10659*a^2*b*cosh(d*x + c)^7 + 4845*a^2*b* \\
& cosh(d*x + c)^5 + 357*a^2*b*cosh(d*x + c)^3 - 5*a^2*b*cosh(d*x + c))*sinh(d \\
& *x + c)^{15} - 14*a^2*b*cosh(d*x + c)^{12} + 2*(159885*a^2*b*cosh(d*x + c)^8 + \\
& 96900*a^2*b*cosh(d*x + c)^6 + 10710*a^2*b*cosh(d*x + c)^4 - 300*a^2*b*cosh( \\
& d*x + c)^2 - 11*a^2*b)*sinh(d*x + c)^{14} + 4*(124355*a^2*b*cosh(d*x + c)^9 + \\
& 96900*a^2*b*cosh(d*x + c)^7 + 14994*a^2*b*cosh(d*x + c)^5 - 700*a^2*b*cosh \\
& (d*x + c)^3 - 77*a^2*b*cosh(d*x + c))*sinh(d*x + c)^{13} + 14*a^2*b*cosh(d*x \\
& + c)^{10} + 2*(323323*a^2*b*cosh(d*x + c)^{10} + 314925*a^2*b*cosh(d*x + c)^8 + \\
& 64974*a^2*b*cosh(d*x + c)^6 - 4550*a^2*b*cosh(d*x + c)^4 - 1001*a^2*b*cosh \\
& (d*x + c)^2 - 7*a^2*b)*sinh(d*x + c)^{12} + 8*(88179*a^2*b*cosh(d*x + c)^{11} + \\
& 104975*a^2*b*cosh(d*x + c)^9 + 27846*a^2*b*cosh(d*x + c)^7 - 2730*a^2*b*co \\
& sh(d*x + c)^5 - 1001*a^2*b*cosh(d*x + c)^3 - 21*a^2*b*cosh(d*x + c))*sinh(d \\
& *x + c)^{11} + 22*a^2*b*cosh(d*x + c)^8 + 2*(323323*a^2*b*cosh(d*x + c)^{12} + \\
& 461890*a^2*b*cosh(d*x + c)^{10} + 153153*a^2*b*cosh(d*x + c)^8 - 20020*a^2*b* \\
& cosh(d*x + c)^6 - 11011*a^2*b*cosh(d*x + c)^4 - 462*a^2*b*cosh(d*x + c)^2 + \\
& 7*a^2*b)*sinh(d*x + c)^{10} + 4*(124355*a^2*b*cosh(d*x + c)^{13} + 209950*a^2* \\
& b*cosh(d*x + c)^{11} + 85085*a^2*b*cosh(d*x + c)^9 - 14300*a^2*b*cosh(d*x + c \\
& )^7 - 11011*a^2*b*cosh(d*x + c)^5 - 770*a^2*b*cosh(d*x + c)^3 + 35*a^2*b*co \\
& sh(d*x + c))*sinh(d*x + c)^9 + 5*a^2*b*cosh(d*x + c)^6 + 2*(159885*a^2*b*co \\
& sh(d*x + c)^{14} + 314925*a^2*b*cosh(d*x + c)^{12} + 153153*a^2*b*cosh(d*x + c) \\
& ^{10} - 32175*a^2*b*cosh(d*x + c)^8 - 33033*a^2*b*cosh(d*x + c)^6 - 3465*a^2* \\
& b*cosh(d*x + c)^4 + 315*a^2*b*cosh(d*x + c)^2 + 11*a^2*b)*sinh(d*x + c)^8 + \\
& 16*(10659*a^2*b*cosh(d*x + c)^{15} + 24225*a^2*b*cosh(d*x + c)^{13} + 13923*a^ \\
& 2*b*cosh(d*x + c)^{11} - 3575*a^2*b*cosh(d*x + c)^9 - 4719*a^2*b*cosh(d*x + c \\
& )^7 - 693*a^2*b*cosh(d*x + c)^5 + 105*a^2*b*cosh(d*x + c)^3 + 11*a^2*b*cosh \\
& (d*x + c))*sinh(d*x + c)^7 - 7*a^2*b*cosh(d*x + c)^4 + (74613*a^2*b*cosh(d* \\
& x + c)^{16} + 193800*a^2*b*cosh(d*x + c)^{14} + 129948*a^2*b*cosh(d*x + c)^{12} - \\
& 40040*a^2*b*cosh(d*x + c)^{10} - 66066*a^2*b*cosh(d*x + c)^8 - 12936*a^2*b*c \\
& osh(d*x + c)^6 + 2940*a^2*b*cosh(d*x + c)^4 + 616*a^2*b*cosh(d*x + c)^2 + 5 \\
& *a^2*b)*sinh(d*x + c)^6 + 2*(13167*a^2*b*cosh(d*x + c)^{17} + 38760*a^2*b*cos \\
& h(d*x + c)^{15} + 29988*a^2*b*cosh(d*x + c)^{13} - 10920*a^2*b*cosh(d*x + c)^{11} \\
& - 22022*a^2*b*cosh(d*x + c)^9 - 5544*a^2*b*cosh(d*x + c)^7 + 1764*a^2*b*co \\
& sh(d*x + c)^5 + 616*a^2*b*cosh(d*x + c)^3 + 15*a^2*b*cosh(d*x + c))*sinh(d* \\
& x + c)^5 - 5*a^2*b*cosh(d*x + c)^2 + (7315*a^2*b*cosh(d*x + c)^{18} + 24225*a \\
& ^2*b*cosh(d*x + c)^{16} + 21420*a^2*b*cosh(d*x + c)^{14} - 9100*a^2*b*cosh(d*x \\
& + c)^{12} - 22022*a^2*b*cosh(d*x + c)^{10} - 6930*a^2*b*cosh(d*x + c)^8 + 2940* \\
& a^2*b*cosh(d*x + c)^6 + 1540*a^2*b*cosh(d*x + c)^4 + 75*a^2*b*cosh(d*x + c) \\
& ^2 - 7*a^2*b)*sinh(d*x + c)^4 + 4*(385*a^2*b*cosh(d*x + c)^{19} + 1425*a^2*b* \\
& cosh(d*x + c)^{17} + 1428*a^2*b*cosh(d*x + c)^{15} - 700*a^2*b*cosh(d*x + c)^{13} \\
& - 2002*a^2*b*cosh(d*x + c)^{11} - 770*a^2*b*cosh(d*x + c)^9 + 420*a^2*b*cosh \\
& (d*x + c)^7 + 308*a^2*b*cosh(d*x + c)^5 + 25*a^2*b*cosh(d*x + c)^3 - 7*a^2* \\
& b*cosh(d*x + c))*sinh(d*x + c)^3 - a^2*b + (231*a^2*b*cosh(d*x + c)^{20} + 95
\end{aligned}$$

$$\begin{aligned}
& 0*a^2*b*cosh(d*x + c)^{18} + 1071*a^2*b*cosh(d*x + c)^{16} - 600*a^2*b*cosh(d*x \\
& + c)^{14} - 2002*a^2*b*cosh(d*x + c)^{12} - 924*a^2*b*cosh(d*x + c)^{10} + 630*a \\
& ^2*b*cosh(d*x + c)^8 + 616*a^2*b*cosh(d*x + c)^6 + 75*a^2*b*cosh(d*x + c)^4 \\
& - 42*a^2*b*cosh(d*x + c)^2 - 5*a^2*b)*sinh(d*x + c)^2 + 2*(11*a^2*b*cosh(d \\
& *x + c)^{21} + 50*a^2*b*cosh(d*x + c)^{19} + 63*a^2*b*cosh(d*x + c)^{17} - 40*a^2 \\
& *b*cosh(d*x + c)^{15} - 154*a^2*b*cosh(d*x + c)^{13} - 84*a^2*b*cosh(d*x + c)^{1 \\
& 1 + 70*a^2*b*cosh(d*x + c)^9 + 88*a^2*b*cosh(d*x + c)^7 + 15*a^2*b*cosh(d*x \\
& + c)^5 - 14*a^2*b*cosh(d*x + c)^3 - 5*a^2*b*cosh(d*x + c))*sinh(d*x + c))* \\
& log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 4*(450*a^2*b*cosh(d* \\
& x + c)^{19} - 135*(2*a^3 - 9*a^2*b + 6*a*b^2 + 2*b^3)*cosh(d*x + c)^{17} - 80*( \\
& 23*a^3 - 3*a*b^2 - 13*b^3)*cosh(d*x + c)^{15} - 70*(76*a^3 + 36*a^2*b - 24*a* \\
& b^2 + 31*b^3)*cosh(d*x + c)^{13} - 12*(700*a^3 + 135*a^2*b + 48*a*b^2 - 245*b \\
& ^3)*cosh(d*x + c)^{11} - 50*(154*a^3 - 27*a^2*b + 18*a*b^2 + 49*b^3)*cosh(d*x \\
& + c)^9 - 8*(490*a^3 - 180*a^2*b - 54*a*b^2 - 155*b^3)*cosh(d*x + c)^7 - 30 \\
& *(28*a^3 + 13*b^3)*cosh(d*x + c)^5 + 2*(40*a^3 - 135*a^2*b - 48*a*b^2 + 30* \\
& b^3)*cosh(d*x + c)^3 + 5*(10*a^3 - 9*a^2*b + 6*a*b^2)*cosh(d*x + c))*sinh(d \\
& *x + c))/(d*cosh(d*x + c)^{22} + 22*d*cosh(d*x + c)*sinh(d*x + c)^{21} + d*sinh \\
& (d*x + c)^{22} + 5*d*cosh(d*x + c)^{20} + (231*d*cosh(d*x + c)^2 + 5*d)*sinh(d \\
& x + c)^{20} + 20*(77*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^{19} \\
& + 7*d*cosh(d*x + c)^{18} + (7315*d*cosh(d*x + c)^4 + 950*d*cosh(d*x + c)^2 + \\
& 7*d)*sinh(d*x + c)^{18} + 6*(4389*d*cosh(d*x + c)^5 + 950*d*cosh(d*x + c)^3 + \\
& 21*d*cosh(d*x + c))*sinh(d*x + c)^{17} - 5*d*cosh(d*x + c)^{16} + (74613*d*cos \\
& h(d*x + c)^6 + 24225*d*cosh(d*x + c)^4 + 1071*d*cosh(d*x + c)^2 - 5*d)*sinh \\
& (d*x + c)^{16} + 16*(10659*d*cosh(d*x + c)^7 + 4845*d*cosh(d*x + c)^5 + 357*d \\
& *cosh(d*x + c)^3 - 5*d*cosh(d*x + c))*sinh(d*x + c)^{15} - 22*d*cosh(d*x + c) \\
& ^{14} + 2*(159885*d*cosh(d*x + c)^8 + 96900*d*cosh(d*x + c)^6 + 10710*d*cosh( \\
& d*x + c)^4 - 300*d*cosh(d*x + c)^2 - 11*d)*sinh(d*x + c)^{14} + 4*(124355*d*c \\
& osh(d*x + c)^9 + 96900*d*cosh(d*x + c)^7 + 14994*d*cosh(d*x + c)^5 - 700*d* \\
& cosh(d*x + c)^3 - 77*d*cosh(d*x + c))*sinh(d*x + c)^{13} - 14*d*cosh(d*x + c) \\
& ^{12} + 2*(323323*d*cosh(d*x + c)^{10} + 314925*d*cosh(d*x + c)^8 + 64974*d*cos \\
& h(d*x + c)^6 - 4550*d*cosh(d*x + c)^4 - 1001*d*cosh(d*x + c)^2 - 7*d)*sinh( \\
& d*x + c)^{12} + 8*(88179*d*cosh(d*x + c)^{11} + 104975*d*cosh(d*x + c)^9 + 2784 \\
& 6*d*cosh(d*x + c)^7 - 2730*d*cosh(d*x + c)^5 - 1001*d*cosh(d*x + c)^3 - 21* \\
& d*cosh(d*x + c))*sinh(d*x + c)^{11} + 14*d*cosh(d*x + c)^{10} + 2*(323323*d*cos \\
& h(d*x + c)^{12} + 461890*d*cosh(d*x + c)^{10} + 153153*d*cosh(d*x + c)^8 - 2002 \\
& 0*d*cosh(d*x + c)^6 - 11011*d*cosh(d*x + c)^4 - 462*d*cosh(d*x + c)^2 + 7*d \\
& )*sinh(d*x + c)^{10} + 4*(124355*d*cosh(d*x + c)^{13} + 209950*d*cosh(d*x + c)^ \\
& 11 + 85085*d*cosh(d*x + c)^9 - 14300*d*cosh(d*x + c)^7 - 11011*d*cosh(d*x + \\
& c)^5 - 770*d*cosh(d*x + c)^3 + 35*d*cosh(d*x + c))*sinh(d*x + c)^9 + 22*d* \\
& cosh(d*x + c)^8 + 2*(159885*d*cosh(d*x + c)^{14} + 314925*d*cosh(d*x + c)^{12} \\
& + 153153*d*cosh(d*x + c)^{10} - 32175*d*cosh(d*x + c)^8 - 33033*d*cosh(d*x + \\
& c)^6 - 3465*d*cosh(d*x + c)^4 + 315*d*cosh(d*x + c)^2 + 11*d)*sinh(d*x + c) \\
& ^8 + 16*(10659*d*cosh(d*x + c)^{15} + 24225*d*cosh(d*x + c)^{13} + 13923*d*cosh \\
& (d*x + c)^{11} - 3575*d*cosh(d*x + c)^9 - 4719*d*cosh(d*x + c)^7 - 693*d*cosh \\
& (d*x + c)^5 + 105*d*cosh(d*x + c)^3 + 11*d*cosh(d*x + c))*sinh(d*x + c)^7 +
\end{aligned}$$

$5*d*\cosh(d*x + c)^6 + (74613*d*\cosh(d*x + c)^16 + 193800*d*\cosh(d*x + c)^14 + 129948*d*\cosh(d*x + c)^12 - 40040*d*\cosh(d*x + c)^10 - 66066*d*\cosh(d*x + c)^8 - 12936*d*\cosh(d*x + c)^6 + 2940*d*\cosh(d*x + c)^4 + 616*d*\cosh(d*x + c)^2 + 5*d)*\sinh(d*x + c)^6 + 2*(13167*d*\cosh(d*x + c)^17 + 38760*d*\cosh(d*x + c)^15 + 29988*d*\cosh(d*x + c)^13 - 10920*d*\cosh(d*x + c)^11 - 22022*d*\cosh(d*x + c)^9 - 5544*d*\cosh(d*x + c)^7 + 1764*d*\cosh(d*x + c)^5 + 616*d*\cosh(d*x + c)^3 + 15*d*\cosh(d*x + c))*\sinh(d*x + c)^5 - 7*d*\cosh(d*x + c)^4 + (7315*d*\cosh(d*x + c)^18 + 24225*d*\cosh(d*x + c)^16 + 21420*d*\cosh(d*x + c)^14 - 9100*d*\cosh(d*x + c)^12 - 22022*d*\cosh(d*x + c)^10 - 6930*d*\cosh(d*x + c)^8 + 2940*d*\cosh(d*x + c)^6 + 1540*d*\cosh(d*x + c)^4 + 75*d*\cosh(d*x + c)^2 - 7*d)*\sinh(d*x + c)^4 + 4*(385*d*\cosh(d*x + c)^19 + 1425*d*\cosh(d*x + c)^17 + 1428*d*\cosh(d*x + c)^15 - 700*d*\cosh(d*x + c)^13 - 2002*d*\cosh(d*x + c)^11 - 770*d*\cosh(d*x + c)^9 + 420*d*\cosh(d*x + c)^7 + 308*d*\cosh(d*x + c)^5 + 25*d*\cosh(d*x + c)^3 - 7*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 5*d*\cosh(d*x + c)^2 + (231*d*\cosh(d*x + c)^20 + 950*d*\cosh(d*x + c)^18 + 1071*d*\cosh(d*x + c)^16 - 600*d*\cosh(d*x + c)^14 - 2002*d*\cosh(d*x + c)^12 - 924*d*\cosh(d*x + c)^10 + 630*d*\cosh(d*x + c)^8 + 616*d*\cosh(d*x + c)^6 + 75*d*\cosh(d*x + c)^4 - 42*d*\cosh(d*x + c)^2 - 5*d)*\sinh(d*x + c)^2 + 2*(11*d*\cosh(d*x + c)^21 + 50*d*\cosh(d*x + c)^19 + 63*d*\cosh(d*x + c)^17 - 40*d*\cosh(d*x + c)^15 - 154*d*\cosh(d*x + c)^13 - 84*d*\cosh(d*x + c)^11 + 70*d*\cosh(d*x + c)^9 + 88*d*\cosh(d*x + c)^7 + 15*d*\cosh(d*x + c)^5 - 14*d*\cosh(d*x + c)^3 - 5*d*\cosh(d*x + c))*\sinh(d*x + c) - d$

**giac [B]** time = 0.82, size = 437, normalized size = 3.17

$$2520 a^2 b \log(e^{(2dx+2c)} + 1) - 2520 a^2 b \log(|e^{(2dx+2c)} - 1|) + \frac{140(33 a^2 b e^{(6dx+6c)} - 99 a^2 b e^{(4dx+4c)} + 24 a^3 e^{(2dx+2c)} + 99 a^2 b e^{(2dx+2c)} - 8 a^3 - 33 a^2 b)}{(e^{(2dx+2c)} - 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^3)^3,x, algorithm="giac")

[Out]  $-1/840*(2520*a^2*b*\log(e^{(2*d*x + 2*c)} + 1) - 2520*a^2*b*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))) + 140*(33*a^2*b*e^{(6*d*x + 6*c)} - 99*a^2*b*e^{(4*d*x + 4*c)} + 24*a^3*e^{(2*d*x + 2*c)} + 99*a^2*b*e^{(2*d*x + 2*c)} - 8*a^3 - 33*a^2*b)/(e^{(2*d*x + 2*c)} - 1)^3 - (6849*a^2*b*e^{(16*d*x + 16*c)} + 59832*a^2*b*e^{(14*d*x + 14*c)} + 222012*a^2*b*e^{(12*d*x + 12*c)} - 10080*a*b^2*e^{(12*d*x + 12*c)} - 3360*b^3*e^{(12*d*x + 12*c)} + 459144*a^2*b*e^{(10*d*x + 10*c)} - 26880*a*b^2*e^{(10*d*x + 10*c)} + 4480*b^3*e^{(10*d*x + 10*c)} + 580230*a^2*b*e^{(8*d*x + 8*c)} - 23520*a*b^2*e^{(8*d*x + 8*c)} - 11200*b^3*e^{(8*d*x + 8*c)} + 459144*a^2*b*e^{(6*d*x + 6*c)} - 10752*a*b^2*e^{(6*d*x + 6*c)} + 4480*b^3*e^{(6*d*x + 6*c)} + 222012*a^2*b*e^{(4*d*x + 4*c)} - 8736*a*b^2*e^{(4*d*x + 4*c)} - 3360*b^3*e^{(4*d*x + 4*c)} + 59832*a^2*b*e^{(2*d*x + 2*c)} - 5376*a*b^2*e^{(2*d*x + 2*c)} + 6849*a^2*b - 672*a*b^2)/(e^{(2*d*x + 2*c)} + 1)^8)/d$

**maple [A]** time = 0.56, size = 219, normalized size = 1.59

$$\frac{2a^3 \coth(dx+c)}{3d} - \frac{a^3 \coth(dx+c) \operatorname{csch}(dx+c)^2}{3d} + \frac{3a^2b}{2d \cosh(dx+c)^2} + \frac{3a^2b \ln(\tanh(dx+c))}{d} - \frac{3ab^2 \sinh(dx+c)}{4d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csch(d*x+c)^4*(a+b*tanh(d*x+c)^3)^3,x)`

[Out]  $\frac{2}{3}a^3\coth(dx+c)/d - \frac{1}{3}d^3a^3\coth(dx+c)*\operatorname{csch}(dx+c)^2 + \frac{3}{2}d^2a^2b/\cosh(dx+c)^2 + \frac{3}{4}d^2a^2b*\ln(\tanh(dx+c))/d - \frac{3}{4}d^2a^2b^2*\sinh(dx+c)/\cosh(dx+c)^5 + \frac{2}{5}d^2a^2b^2*\tanh(dx+c)/d + \frac{3}{20}d^2a^2b^2*\tanh(dx+c)*\operatorname{sech}(dx+c)^4 + \frac{1}{5}d^2a^2b^2*\tanh(dx+c)*\operatorname{sech}(dx+c)^2 - \frac{1}{4}d^2b^3*\sinh(dx+c)^4/\cosh(dx+c)^8 - \frac{1}{6}d^2b^3*\sinh(dx+c)^2/\cosh(dx+c)^8 - \frac{1}{24}d^2b^3/\cosh(dx+c)^8$

**maxima [B]** time = 0.43, size = 997, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^4*(a+b*tanh(d*x+c)^3)^3,x, algorithm="maxima")`

[Out]  $3a^2b*(\log(e^{-dx-c})+1)/d + \log(e^{-dx-c})/d - \log(e^{-2dx-2c})/d + 2e^{-2dx-2c}/(d*(2e^{-2dx-2c}+e^{-4dx-4c}+1)) + 4/5a^2b^2*(5e^{-2dx-2c})/(d*(5e^{-2dx-2c}+10e^{-4dx-4c}+10e^{-6dx-6c}+5e^{-8dx-8c}+e^{-10dx-10c}+1)) - 5e^{-4dx-4c}/(d*(5e^{-2dx-2c}+10e^{-4dx-4c}+10e^{-6dx-6c}+5e^{-8dx-8c}+e^{-10dx-10c}+1)) + 15e^{-6dx-6c}/(d*(5e^{-2dx-2c}+10e^{-4dx-4c}+10e^{-6dx-6c}+5e^{-8dx-8c}+e^{-10dx-10c}+1)) + 1/(d*(5e^{-2dx-2c}+10e^{-4dx-4c}+10e^{-6dx-6c}+5e^{-8dx-8c}+e^{-10dx-10c}+1)) + 4/3a^3*(3e^{-2dx-2c})/(d*(3e^{-2dx-2c}-3e^{-4dx-4c}+e^{-6dx-6c}-1)) - 1/(d*(3e^{-2dx-2c}-3e^{-4dx-4c}+e^{-6dx-6c}-1)) - 4/3b^3*(3e^{-4dx-4c})/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) - 4e^{-6dx-6c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) + 10e^{-8dx-8c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) - 4e^{-10dx-10c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) + 3e^{-12dx-12c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) - 4e^{-14dx-14c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1)) + 3e^{-16dx-16c}/(d*(8e^{-2dx-2c}+28e^{-4dx-4c}+56e^{-6dx-6c}+70e^{-8dx-8c}+56e^{-10dx-10c}+28e^{-12dx-12c}+8e^{-14dx-14c}+e^{-16dx-16c}+1))$



$$\frac{2dx - 12c}{d(8e^{-2dx - 2c} + 28e^{-4dx - 4c} + 56e^{-6dx - 6c} + 70e^{-8dx - 8c} + 56e^{-10dx - 10c} + 28e^{-12dx - 12c} + 8e^{-14dx - 14c} + e^{-16dx - 16c} + 1)}$$

**mupad [B]** time = 0.54, size = 646, normalized size = 4.68

$$\frac{96(10b^3 + ab^2)}{5d(5e^{2c+2dx} + 10e^{4c+4dx} + 10e^{6c+6dx} + 5e^{8c+8dx} + e^{10c+10dx} + 1)} - \frac{3d(6e^{2c+2dx} + 15e^{4c+4dx} + 20e^{6c+6dx} + 15e^{8c+8dx} + 6e^{10c+10dx} + e^{12c+12dx} + 1)}{3d(6e^{2c+2dx} + 15e^{4c+4dx} + 20e^{6c+6dx} + 15e^{8c+8dx} + 6e^{10c+10dx} + e^{12c+12dx} + 1)} - \frac{4(12ab^2 + 25b^3)}{d(4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1)} + \frac{128b^3}{d(7e^{2c+2dx} + 21e^{4c+4dx} + 35e^{6c+6dx} + 35e^{8c+8dx} + 21e^{10c+10dx} + 7e^{12c+12dx} + e^{14c+14dx} + 1)} - \frac{2(6ab^2 + 3a^2b + 2b^3)}{d(2e^{2c+2dx} + e^{4c+4dx} + 1)} - \frac{6\operatorname{atan}(a^2b\exp(2c)\exp(2dx)(-d^2)^{1/2})}{d(a^4b^2)^{1/2}}(a^4b^2)^{1/2}(-d^2)^{1/2} - \frac{32b^3}{d(8e^{2c+2dx} + 28e^{4c+4dx} + 56e^{6c+6dx} + 70e^{8c+8dx} + 56e^{10c+10dx} + 28e^{12c+12dx} + 8e^{14c+14dx} + e^{16c+16dx} + 1)} - \frac{4a^3}{d(\exp(4c+4dx) - 2\exp(2c+2dx) + 1)} - \frac{8a^3}{3d(3\exp(2c+2dx) - 3\exp(4c+4dx) + \exp(6c+6dx) - 1)} + \frac{8(15ab^2 + 11b^3)}{3d(3\exp(2c+2dx) + 3\exp(4c+4dx) + \exp(6c+6dx) + 1)} + \frac{6a^2b}{d(\exp(2c+2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^3/sinh(c + d*x)^4,x)`

[Out]  $(96*(a*b^2 + 10*b^3))/(5*d*(5*\exp(2*c + 2*d*x) + 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) + 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) + 1)) - (640*b^3)/(3*d*(6*\exp(2*c + 2*d*x) + 15*\exp(4*c + 4*d*x) + 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) + 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) - (4*(12*a*b^2 + 25*b^3))/(d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) + (128*b^3)/(d*(7*\exp(2*c + 2*d*x) + 21*\exp(4*c + 4*d*x) + 35*\exp(6*c + 6*d*x) + 35*\exp(8*c + 8*d*x) + 21*\exp(10*c + 10*d*x) + 7*\exp(12*c + 12*d*x) + \exp(14*c + 14*d*x) + 1)) - (2*(6*a*b^2 + 3*a^2*b + 2*b^3))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1)) - (6*\operatorname{atan}(a^2*b*\exp(2*c)*\exp(2*d*x)*(-d^2)^{1/2}))/d*(a^4*b^2)^{1/2}}(a^4*b^2)^{1/2}(-d^2)^{1/2} - (32*b^3)/(d*(8*\exp(2*c + 2*d*x) + 28*\exp(4*c + 4*d*x) + 56*\exp(6*c + 6*d*x) + 70*\exp(8*c + 8*d*x) + 56*\exp(10*c + 10*d*x) + 28*\exp(12*c + 12*d*x) + 8*\exp(14*c + 14*d*x) + \exp(16*c + 16*d*x) + 1)) - (4*a^3)/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - (8*a^3)/(3*d*(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1)) + (8*(15*a*b^2 + 11*b^3))/(3*d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) + (6*a^2*b)/(d*(\exp(2*c + 2*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^3(c + dx))^3 \operatorname{csch}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)**4*(a+b*tanh(d*x+c)**3)**3,x)`

[Out] `Integral((a + b*tanh(c + d*x)**3)**3*csch(c + d*x)**4, x)`

$$3.73 \quad \int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=491

$$\frac{a^2 b (a^2 + 2b^2) \log(a + b \tanh^3(c + dx))}{d (a^2 - b^2)^3} - \frac{a^{2/3} \sqrt[3]{b} (3a^{4/3} b^{2/3} + a^2 - b^2) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} \tanh(c+dx)}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} d (a^{2/3} b^{2/3} + a^{4/3} + b^{4/3})^3} + \frac{a^{2/3} \sqrt[3]{b} (a^4 +$$

[Out]  $-3/16*a*(a-5*b)*\ln(1-\tanh(d*x+c))/(a+b)^3/d+3/16*a*(a+5*b)*\ln(1+\tanh(d*x+c))/(a-b)^3/d-1/3*a^{(2/3)*b^{(1/3)}*(a^4+7*a^2*b^2+b^4+3*a^{(2/3)*b^{(4/3)}*(2*a^2+b^2))}*\ln(a^{(1/3)+b^{(1/3)}*\tanh(d*x+c)))/(a^2-b^2)^3/d+1/6*a^{(2/3)*b^{(1/3)}*(a^4+7*a^2*b^2+b^4+3*a^{(2/3)*b^{(4/3)}*(2*a^2+b^2))}*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)}*\tanh(d*x+c)+b^{(2/3)*\tanh(d*x+c)^2})/(a^2-b^2)^3/d-a^2*b*(a^2+2*b^2)*\ln(a+b*\tanh(d*x+c)^3)/(a^2-b^2)^3/d-1/3*a^{(2/3)*b^{(1/3)}*(a^2+3*a^{(4/3)*b^{(2/3)-b^2})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*\tanh(d*x+c)})/a^{(1/3)*3^{(1/2)}}/(a^{(4/3)+a^{(2/3)*b^{(2/3)+b^{(4/3)}^3/d*3^{(1/2)}+1/16/(a+b)/d/(1-\tanh(d*x+c))^2+1/16*(-5*a+b)/(a+b)^2/d/(1-\tanh(d*x+c))-1/16/(a-b)/d/(1+\tanh(d*x+c))^2+1/16*(5*a+b)/(a-b)^2/d/(1+\tanh(d*x+c))$

**Rubi [A]** time = 0.89, antiderivative size = 491, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3663, 6725, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^2 b (a^2 + 2b^2) \log(a + b \tanh^3(c + dx))}{d (a^2 - b^2)^3} + \frac{a^{2/3} \sqrt[3]{b} (7a^2 b^2 + 3a^{2/3} b^{4/3} (2a^2 + b^2) + a^4 + b^4) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c + dx))}{6d (a^2 - b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $-((a^{(2/3)*b^{(1/3)}*(a^2 + 3*a^{(4/3)*b^{(2/3)} - b^2)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*\text{Tanh}[c + d*x]})/(\text{Sqrt}[3]*a^{(1/3)})])]/(\text{Sqrt}[3]*(a^{(4/3)} + a^{(2/3)*b^{(2/3)} + b^{(4/3)})^3*d)) - (3*a*(a - 5*b)*\text{Log}[1 - \text{Tanh}[c + d*x]])/(16*(a + b)^3*d) + (3*a*(a + 5*b)*\text{Log}[1 + \text{Tanh}[c + d*x]])/(16*(a - b)^3*d) - (a^{(2/3)*b^{(1/3)}*(a^4 + 7*a^2*b^2 + b^4 + 3*a^{(2/3)*b^{(4/3)}*(2*a^2 + b^2))}*\text{Log}[a^{(1/3)} + b^{(1/3)*\text{Tanh}[c + d*x]})/(3*(a^2 - b^2)^3*d) + (a^{(2/3)*b^{(1/3)}*(a^4 + 7*a^2*b^2 + b^4 + 3*a^{(2/3)*b^{(4/3)}*(2*a^2 + b^2))}*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*\text{Tanh}[c + d*x]} + b^{(2/3)*\text{Tanh}[c + d*x]^2}])/(6*(a^2 - b^2)^3*d) - (a^2*b*(a^2 + 2*b^2)*\text{Log}[a + b*\text{Tanh}[c + d*x]^3])/((a^2 - b^2)^3*d) + 1/(16*(a + b)*d*(1 - \text{Tanh}[c + d*x])^2) - (5*a - b)/(16*(a + b)^2*d*(1 - \text{Tanh}[c + d*x])) - 1/(16*(a - b)*d*(1 + \text{Tanh}[c + d*x])^2) + (5*a + b)/(16*(a - b)^2*d*(1 + \text{Tanh}[c + d*x]))$

Rule 31

$\text{Int}[\frac{(a_ + (b_ \cdot x_))^{-1}}{x}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] \text{ /; FreeQ}[\{a, b\}, x]$

Rule 204

$\text{Int}[\frac{(a_ + (b_ \cdot x_)^2)^{-1}}{x}, x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2] \cdot x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 260

$\text{Int}[\frac{x^{(m_)} \cdot ((a_ + (b_ \cdot x_)^n))^{-1}}{x}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x^n, x]]/(b \cdot n), x] \text{ /; FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[\frac{(a_ + (b_ \cdot x_ + (c_ \cdot x_)^2)^{-1}}{x}, x\_Symbol] \rightarrow \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c])] \text{ /; FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[\frac{((d_ + (e_ \cdot x_)) \cdot ((a_ + (b_ \cdot x_ + (c_ \cdot x_)^2))^{-1}}{x}, x\_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 634

$\text{Int}[\frac{((d_ + (e_ \cdot x_)) \cdot ((a_ + (b_ \cdot x_ + (c_ \cdot x_)^2))^{-1}}{x}, x\_Symbol] \rightarrow \text{Dist}[(2 \cdot c \cdot d - b \cdot e)/(2 \cdot c), \text{Int}[1/(a + b \cdot x + c \cdot x^2), x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[(b + 2 \cdot c \cdot x)/(a + b \cdot x + c \cdot x^2), x], x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2 \cdot c \cdot d - b \cdot e, 0] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4 \cdot a \cdot c]$

Rule 1860

$\text{Int}[\frac{((A_ + (B_ \cdot x_)) \cdot ((a_ + (b_ \cdot x_)^3))^{-1}}{x}, x\_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r \cdot (B \cdot r - A \cdot s))/(3 \cdot a \cdot s), \text{Int}[1/(r + s \cdot x), x], x] + \text{Dist}[r/(3 \cdot a \cdot s), \text{Int}[(r \cdot (B \cdot r + 2 \cdot A \cdot s) + s \cdot (B \cdot r - A \cdot s) \cdot x)/(r^2 - r \cdot s \cdot x + s^2 \cdot x^2), x], x]] \text{ /; FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a \cdot B^3 - b \cdot A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^4(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)^3(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-\frac{1}{8(a+b)(-1+x)^3} + \frac{-5a+b}{16(a+b)^2(-1+x)^2} - \frac{3a(a-5b)}{16(a+b)^3(-1+x)} + \frac{1}{8(a-b)(1+x)^3} + \frac{-5a-b}{16(a-b)^2(1+x)}\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d} + \frac{3a(a+5b) \log(1+\tanh(c+dx))}{16(a-b)^3 d} + \frac{a^2 b (a^2 + 3a^{4/3} b^{2/3} - b^2)}{16(a+b)^3 d} \\
&= -\frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d} + \frac{3a(a+5b) \log(1+\tanh(c+dx))}{16(a-b)^3 d} + \frac{a^2 b (a^2 + 3a^{4/3} b^{2/3} - b^2)}{16(a+b)^3 d} \\
&= -\frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d} + \frac{3a(a+5b) \log(1+\tanh(c+dx))}{16(a-b)^3 d} - \frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^{4/3} b^{2/3} - b^2)}{16(a+b)^3 d} \\
&= -\frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d} + \frac{3a(a+5b) \log(1+\tanh(c+dx))}{16(a-b)^3 d} - \frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^{4/3} b^{2/3} - b^2)}{16(a+b)^3 d} \\
&= -\frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d} + \frac{3a(a+5b) \log(1+\tanh(c+dx))}{16(a-b)^3 d} - \frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^{4/3} b^{2/3} - b^2)}{16(a+b)^3 d} \\
&= -\frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^{4/3} b^{2/3} - b^2) \tan^{-1}\left(\frac{1 - \frac{2 \sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt{3} (a^{4/3} + a^{2/3} b^{2/3} + b^{4/3})^3 d} - \frac{3a(a-5b) \log(1-\tanh(c+dx))}{16(a+b)^3 d}
\end{aligned}$$

**Mathematica [C]** time = 4.83, size = 645, normalized size = 1.31

$$3(a(a-b)(12(a^2-6ab+5b^2)(c+dx) + (a+b)^2 \sinh(4(c+dx))) - 8a(a^3 + a^2b + 2ab^2 + 2b^3) \sinh(2(c+dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3),x]

[Out]  $(-32*a*b*\text{RootSum}[a - b + 3*a*#1 + 3*b*#1 + 3*a*#1^2 - 3*b*#1^2 + a*#1^3 + b*#1^3 \& , (-6*a^3*c - 12*a*b^2*c - 6*a^3*d*x - 12*a*b^2*d*x + 3*a^3*\text{Log}[E^{(2*(c + d*x)) - #1}] + 6*a*b^2*\text{Log}[E^{(2*(c + d*x)) - #1}] - 8*a^3*c*#1 + 4*a^2*b*c*#1 + 8*a*b^2*c*#1 - 4*b^3*c*#1 - 8*a^3*d*x*#1 + 4*a^2*b*d*x*#1 + 8*a*b^2*d*x*#1 - 4*b^3*d*x*#1 + 4*a^3*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1 - 2*a^2*b*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1 - 4*a*b^2*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1 + 2*b^3*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1 - 10*a^3*c*#1^2 + 20*a^2*b*c*#1^2 - 20*a*b^2*c*#1^2 + 4*b^3*c*#1^2 - 10*a^3*d*x*#1^2 + 20*a^2*b*d*x*#1^2 - 20*a*b^2*d*x*#1^2 + 4*b^3*d*x*#1^2 + 5*a^3*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1^2 - 10*a^2*b*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1^2 + 10*a*b^2*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1^2 - 2*b^3*\text{Log}[E^{(2*(c + d*x)) - #1}]*#1^2)/(a - b + 2*a*#1 + 2*b*#1 + a*#1^2 - b*#1^2) \& ] + 3*(4*b*(5*a^3 + 5*a^2*b + a*b^2 + b^3)*\text{Cosh}[2*(c + d*x)] - (a - b)*b*(a + b)^2*\text{Cosh}[4*(c + d*x)] - 8*a*(a^3 + a^2*b + 2*a*b^2 + 2*b^3)*\text{Sinh}[2*(c + d*x)] + a*(a - b)*(12*(a^2 - 6*a*b + 5*b^2)*(c + d*x) + (a + b)^2*\text{Sinh}[4*(c + d*x)])))/(96*(a - b)^2*(a + b)^3*d)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**giac** [A] time = 0.76, size = 362, normalized size = 0.74

$$\frac{24(a^2+5ab)dx}{a^3-3a^2b+3ab^2-b^3} - \frac{(18a^2e^{(4dx+4c)}+90abe^{(4dx+4c)}-8a^2e^{(2dx+2c)}+4abe^{(2dx+2c)}+4b^2e^{(2dx+2c)}+a^2-2ab+b^2)e^{(-4dx)}}{a^3e^{(4c)}-3a^2be^{(4c)}+3ab^2e^{(4c)}-b^3e^{(4c)}} - \frac{64(a^4b+2a^2b^3)\log(|ae^{(6d} |$$

64 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $1/64*(24*(a^2 + 5*a*b)*d*x/(a^3 - 3*a^2*b + 3*a*b^2 - b^3) - (18*a^2*e^{(4*d*x + 4*c)} + 90*a*b*e^{(4*d*x + 4*c)} - 8*a^2*e^{(2*d*x + 2*c)} + 4*a*b*e^{(2*d*x + 2*c)} + 4*b^2*e^{(2*d*x + 2*c)} + a^2 - 2*a*b + b^2)*e^{(-4*d*x)}/(a^3*e^{(4*c)} - 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} - b^3*e^{(4*c)}) - 64*(a^4*b + 2*a^2*b^3)*\log(\text{abs}(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3*a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} + a - b))/(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) + (a*e^{(4*d*x + 24*c)} + b*e^{(4*d*x + 24*c)} - 8*a*e^{(2*d*x + 22*c)} + 4*b*e^{(2*d*x + 22*c)})/(a^2*e^{(20*c)} + 2*a*b*e^{(20*c)} + b^2*e^{(20*c)}))/d$

**maple [C]** time = 0.51, size = 603, normalized size = 1.23

$$ab \left( \sum_{R=\text{RootOf}(a\_Z^6+3a\_Z^4+8b\_Z^3+3a\_Z^2+a)} \frac{(3a^2(a^2+2b^2)\_R^5+3ab(-2a^2-b^2)\_R^4+2(4a^4+13a^2b^2+b^4)\_R^3+12ab(a^2+2b^2)\_R^2+(a^4-8a^2b^2)\_R}{\_R^5a+2\_R^3a+4\_R^2b+\_Ra} \right) \frac{1}{3d(a-b)^3(a+b)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3), x)

[Out] 
$$-1/3/d*a*b/(a-b)^3/(a+b)^3*\text{sum}((3*a^2*(a^2+2*b^2)*\_R^5+3*a*b*(-2*a^2-b^2)*\_R^4+2*(4*a^4+13*a^2*b^2+b^4)*\_R^3+12*a*b*(a^2+2*b^2)*\_R^2+(a^4-8*a^2*b^2-2*b^4)*\_R+6*a^3*b+3*a*b^3)/(\_R^5*a+2*\_R^3*a+4*\_R^2*b+\_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-\_R), \_R=\text{RootOf}(\_Z^6*a+3*\_Z^4*a+8*\_Z^3*b+3*\_Z^2*a+a))+8/d/(32*a+32*b)/(tanh(1/2*d*x+1/2*c)-1)^4+32/d/(64*a+64*b)/(tanh(1/2*d*x+1/2*c)-1)^3-1/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*a+5/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)^2*b-3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*a+3/8/d/(a+b)^2/(tanh(1/2*d*x+1/2*c)-1)*b-3/8/d*a^2/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)+15/8/d*a/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-8/d/(32*a-32*b)/(tanh(1/2*d*x+1/2*c)+1)^4+32/d/(64*a-64*b)/(tanh(1/2*d*x+1/2*c)+1)^3+1/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*a+5/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)^2*b-3/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)*a-3/8/d/(a-b)^2/(tanh(1/2*d*x+1/2*c)+1)*b+3/8/d*a^2/(a-b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)+15/8/d*a/(a-b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*b$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-6a^4b \left( \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x \right) - \frac{dx+c}{(a^6-3a^4b^2+3a^2b^4-b^6)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] 
$$-6*a^4*b*(\text{integrate}(((a+b)*e^{(4*d*x+4*c)}+3*(a-b)*e^{(2*d*x+2*c)}+3*a+3*b)*e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)}+3*(a-b)*e^{(4*d*x+4*c)}+3*(a+b)*e^{(2*d*x+2*c)}+a-b), x)/((a^6-3*a^4*b^2+3*a^2*b^4-b^6)-(d*x+c)/((a^6-3*a^4*b^2+3*a^2*b^4-b^6)*d))-12*a^2*b^3*(\text{integrate}(((a+b)*e^{(4*d*x+4*c)}+3*(a-b)*e^{(2*d*x+2*c)}+3*a+3*b)*e^{(2*d*x+2*c)}/((a+b)*e^{(6*d*x+6*c)}+3*(a-b)*e^{(4*d*x+4*c)}+3*(a+b)*e^{(2*d*x+2*c)}+a-b), x)/((a^6-3*a^4*b^2+3*a^2*b^4-b^6)-(d*x+c)/((a^6-3*a^4*b^2+3*a^2*b^4-b^6)*d))+10*a^4*b*\text{integrate}(e^{(4*d*x+4*c)}/((a+b)*e^{(6*d*x+6*c)}+3*(a-b)*e^{(4*d*x+4*c)}+3*(a+b)*e^{(2*d*x+2*c)}+a-b), x)/((a^5+a^4*b-2*a^3*b^2-2*a^2*b^3+a*b^4$$

$$\begin{aligned}
& + b^5) - 20a^3b^2 \int \frac{e^{(4d*x + 4*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 20a^2b^3 \int \frac{e^{(4*d*x + 4*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) \\
& - 4a*b^4 \int \frac{e^{(4*d*x + 4*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 8a^4b \int \frac{e^{(2*d*x + 2*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) - 4a^3b^2 \int \frac{e^{(2*d*x + 2*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) \\
& - 8a^2b^3 \int \frac{e^{(2*d*x + 2*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) + 4a*b^4 \int \frac{e^{(2*d*x + 2*c)}}{((a + b)*e^{(6*d*x + 6*c)} + 3*(a - b)*e^{(4*d*x + 4*c)} + 3*(a + b)*e^{(2*d*x + 2*c)} + a - b), x} / (a^5 + a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + a*b^4 + b^5) \\
& - \frac{1}{64}(a^4 + 2a^3b - 2a^2b^2 - b^4 - 24(a^4d^4e^{(4*c)} - 7a^3b^2d^4e^{(4*c)} + 11a^2b^2d^4e^{(4*c)} - 5a^2b^3d^4e^{(4*c)})x^4e^{(4*d*x)} - (a^4e^{(8*c)} - 2a^2b^2e^{(8*c)} + b^4e^{(8*c)})e^{(8*d*x)} + 4(2a^4e^{(6*c)} - 3a^3b^2e^{(6*c)} - a^2b^2e^{(6*c)} + 3a^2b^3e^{(6*c)} - b^4e^{(6*c)})e^{(6*d*x)} \\
& - 4(2a^4e^{(2*c)} + 7a^3b^2e^{(2*c)} + 9a^2b^2e^{(2*c)} + 5a^2b^3e^{(2*c)} + b^4e^{(2*c)})e^{(2*d*x)})e^{(-4*d*x)} / (a^5d^4e^{(4*c)} + a^4b^4d^4e^{(4*c)} - 2a^3b^2d^4e^{(4*c)} - 2a^2b^3d^4e^{(4*c)} + a^2b^4d^4e^{(4*c)} + b^5d^4e^{(4*c)})
\end{aligned}$$

**mupad [B]** time = 4.36, size = 3313, normalized size = 6.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(c + d*x)^4/(a + b*\tanh(c + d*x)^3), x)$

[Out]  $\text{symsum}(\log(-\text{root}(81*a^4*b^2*d^3*z^3 - 81*a^2*b^4*d^3*z^3 + 27*b^6*d^3*z^3 - 27*a^6*d^3*z^3 - 162*a^2*b^3*d^2*z^2 - 81*a^4*b*d^2*z^2 - 27*a^2*b^2*d*z - a^2*b, z, k) * ((96*(a^2*b^10*d + 20*a^3*b^9*d - 89*a^4*b^8*d + 270*a^5*b^7*d - 417*a^6*b^6*d + 408*a^7*b^5*d - 190*a^8*b^4*d + 58*a^9*b^3*d - 7*a^10*b^2*d - a^2*b^10*d*\exp(2*\text{root}(81*a^4*b^2*d^3*z^3 - 81*a^2*b^4*d^3*z^3 + 27*b^6*d^3*z^3 - 27*a^6*d^3*z^3 - 162*a^2*b^3*d^2*z^2 - 81*a^4*b*d^2*z^2 - 27*a^2*b^2*d*z - a^2*b, z, k))*\exp(2*d*x) - 52*a^3*b^9*d*\exp(2*\text{root}(81*a^4*b^2*d^3*z^3 - 81*a^2*b^4*d^3*z^3 + 27*b^6*d^3*z^3 - 27*a^6*d^3*z^3 - 162*a^2*b^3*d^2*z^2 - 81*a^4*b*d^2*z^2 - 27*a^2*b^2*d*z - a^2*b, z, k))*\exp(2*d*x) + 59*a^4*b^8*d*\exp(2*\text{root}(81*a^4*b^2*d^3*z^3 - 81*a^2*b^4*d^3*z^3 + 27*b^6*d^3*z^3 - 27*a^6*d^3*z^3 - 162*a^2*b^3*d^2*z^2 - 81*a^4*b*d^2*z^2 - 27*a^2*b^2*d*z - a^2*b, z, k))*\exp(2*d*x) - 218*a^5*b^7*d*\exp(2*\text{root}(81*a^4*b^2*d^3$



$$\begin{aligned}
& z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k) \cdot \exp(2dx) + 241 \\
& a^6b^6d^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 220a^7b^5d^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) - 298a^8b^4d^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 50a^9b^3d^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) - a^{10}b^2d^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) \Big/ ((a + b)(a^2 - b^2)(ab^2 - a^2b - a^3 + b^3)(3ab^2 + 3a^2b + a^3 + b^3)(ab^4 + a^4b + a^5 + b^5 - 2a^2b^3 - 2a^3b^2)) - (288\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k})(a^7b^5d^2 - 8a^2b^6d^2 + 16a^3b^5d^2 - 41a^4b^4d^2 + 37a^5b^3d^2 - 5a^6b^2d^2 + 18a^2b^6d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 14a^3b^5d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 79a^4b^4d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 81a^5b^3d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) - a^6b^2d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + a^7b^2d^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) \Big/ ((a + b)^2(a - b)(ab^2 - a^2b - a^3 + b^3)(3ab^2 + 3a^2b + a^3 + b^3)) - (32(22a^4b^7 - 4a^3b^8 - 68a^5b^6 + 85a^6b^5 - 56a^7b^4 + 10a^8b^3 + 2a^9b^2 + 6a^3b^8 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) - 10a^4b^7 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) + 54a^5b^6 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx) - 101a^6b^5 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4b^2d^2z^2 - 27a^2b^2d^2z - a^2b, z, k}) \cdot \exp(2dx)
\end{aligned}$$

$$\begin{aligned}
& 3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4bd^2z^2 - 27a^2b^2d^2z - a^2b, z, k)) \exp(2dx) + 56a^7b^4 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4bd^2z^2 - 27a^2b^2d^2z - a^2b, z, k})) \exp(2dx) - 12a^8b^3 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4bd^2z^2 - 27a^2b^2d^2z - a^2b, z, k})) \exp(2dx) + 4a^9b^2 \exp(2\sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4bd^2z^2 - 27a^2b^2d^2z - a^2b, z, k})) \exp(2dx) \Big/ \Big( (a+b)(3a^2b^2 + 3a^2b + a^3 + b^3)(ab^4 + a^4b + a^5 + b^5 - 2a^2b^3 - 2a^3b^2) \Big) \Big) \sqrt{81a^4b^2d^3z^3 - 81a^2b^4d^3z^3 + 27b^6d^3z^3 - 27a^6d^3z^3 - 162a^2b^3d^2z^2 - 81a^4bd^2z^2 - 27a^2b^2d^2z - a^2b, z, k), k, 1, 3) + \exp(4c + 4dx) / (64d(a+b)) - \exp(-4c - 4dx) / (64d(a-b)) + (\exp(-2c - 2dx)(2a+b)) / (16d(a-b)^2) - (\exp(2c + 2dx)(2a-b)) / (16d(a+b)^2) + (3ax(a+5b)) / (8(a-b)^3)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(dx+c)\*\*4/(a+b\*tanh(dx+c)\*\*3), x)

[Out] Timed out

$$3.74 \quad \int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=33

$$i \text{Int} \left( -\frac{i \sinh^3(c+dx)}{a+b \tanh^3(c+dx)}, x \right)$$

[Out] I\*Unintegrable(-I\*sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3), x)

**Rubi** [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

[Out] I\*Defer[Int][((-I)\*Sinh[c + d\*x]^3)/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx = i \int -\frac{i \sinh^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Mathematica** [A] time = 0.53, size = 826, normalized size = 25.03

$$\cosh(3(c+dx))a^3 + 27b \sinh(c+dx)a^2 - b \sinh(3(c+dx))a^2 - 9(a^2 + 3b^2) \cosh(c+dx)a - b^2 \cosh(3(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-9\*a\*(a^2 + 3\*b^2)\*Cosh[c + d\*x] + a^3\*Cosh[3\*(c + d\*x)] - a\*b^2\*Cosh[3\*(c + d\*x)] - 2\*a\*b\*RootSum[a - b + 3\*a\*#1^2 + 3\*b\*#1^2 + 3\*a\*#1^4 - 3\*b\*#1^4 + a\*#1^6 + b\*#1^6 & , (3\*a^2\*c + 3\*a\*b\*c + 3\*b^2\*c + 3\*a^2\*d\*x + 3\*a\*b\*d\*x + 3\*b^2\*d\*x + 6\*a^2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] + 6\*a\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] + 6\*b^2\*Log[-Cosh

```

[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]**#1 - Sinh[(c + d*x)/2]
]**#1] + 2*a^2*c**#1^2 - 2*b^2*c**#1^2 + 2*a^2*d*x**#1^2 - 2*b^2*d*x**#1^2 + 4*a
^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]**#1 - Sinh
[(c + d*x)/2]**#1]**#1^2 - 4*b^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] +
Cosh[(c + d*x)/2]**#1 - Sinh[(c + d*x)/2]**#1]**#1^2 + 3*a^2*c**#1^4 - 3*a*b*c
**#1^4 + 3*b^2*c**#1^4 + 3*a^2*d*x**#1^4 - 3*a*b*d*x**#1^4 + 3*b^2*d*x**#1^4 + 6
*a^2*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]**#1 - Si
nh[(c + d*x)/2]**#1]**#1^4 - 6*a*b*Log[-Cosh[(c + d*x)/2] - Sinh[(c + d*x)/2]
+ Cosh[(c + d*x)/2]**#1 - Sinh[(c + d*x)/2]**#1]**#1^4 + 6*b^2*Log[-Cosh[(c +
d*x)/2] - Sinh[(c + d*x)/2] + Cosh[(c + d*x)/2]**#1 - Sinh[(c + d*x)/2]**#1]
**#1^4)/(a**#1 + b**#1 + 2*a**#1^3 - 2*b**#1^3 + a**#1^5 + b**#1^5) & ] + 27*a^2*b
*Sinh[c + d*x] + 9*b^3*Sinh[c + d*x] - a^2*b*Sinh[3*(c + d*x)] + b^3*Sinh[3
*(c + d*x)]/(12*(a - b)^2*(a + b)^2*d)

```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**giac** [A] time = 3.16, size = 344, normalized size = 10.42

$$\frac{(9ae^{2dx+2c}+9be^{2dx+2c}-a+b)e^{-3dx}}{a^2e^{3c}-2abe^{3c}+b^2e^{3c}} - \frac{a^2e^{3dx+30c}+2abe^{3dx+30c}+b^2e^{3dx+30c}-9a^2e^{dx+28c}+9b^2e^{dx+28c}}{a^3e^{27c}+3a^2be^{27c}+3ab^2e^{27c}+b^3e^{27c}} - \frac{6(a^3be^c+a^2b^2e^c+ab^3e^c)dx}{a-b}$$


---


$$24d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

```

[Out] -1/24*((9*a*e^(2*d*x + 2*c) + 9*b*e^(2*d*x + 2*c) - a + b)*e^(-3*d*x)/(a^2*
e^(3*c) - 2*a*b*e^(3*c) + b^2*e^(3*c)) - (a^2*e^(3*d*x + 30*c) + 2*a*b*e^(3
*d*x + 30*c) + b^2*e^(3*d*x + 30*c) - 9*a^2*e^(d*x + 28*c) + 9*b^2*e^(d*x +
28*c))/(a^3*e^(27*c) + 3*a^2*b*e^(27*c) + 3*a*b^2*e^(27*c) + b^3*e^(27*c))
)/d - (6*(a^3*b*e^c + a^2*b^2*e^c + a*b^3*e^c)*d*x/(a - b) - (a^3*b*e^c + a
^2*b^2*e^c + a*b^3*e^c)*log(abs(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a
*e^(4*d*x + 4*c) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x
+ 2*c) + a - b))/(a - b))/((a^4 - 2*a^2*b^2 + b^4)*d^2)

```

**maple [A]** time = 0.47, size = 346, normalized size = 10.48

$$\frac{ab \left( \sum_{R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{((2a^2+b^2)_R^4-6_R^3ab+2(4a^2+5b^2)_R^2-6ab_R+2a^2+b^2) \ln\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-_R\right)}{_R^5a+2_R^3a+4_R^2b+_Ra}}{3d(a+b)^2(a-b)^2} \right)}{3d(\tan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3), x)

[Out] 
$$-1/3/d*a*b/(a+b)^2/(a-b)^2*\text{sum}(((2*a^2+b^2)*_R^4-6*_R^3*a*b+2*(4*a^2+5*b^2)*_R^2-6*a*b*_R+2*a^2+b^2)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-_R), _R=\text{RootOf}(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))-16/3/d/(\tanh(1/2*d*x+1/2*c)-1)^3/(16*a+16*b)-8/d/(16*a+16*b)/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*a-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*b-8/d/(16*a-16*b)/(\tanh(1/2*d*x+1/2*c)+1)^2+16/3/d/(\tanh(1/2*d*x+1/2*c)+1)^3/(16*a-16*b)-1/2/d/(a-b)^2/(\tanh(1/2*d*x+1/2*c)+1)*a-1/d/(a-b)^2/(\tanh(1/2*d*x+1/2*c)+1)*b$$

**maxima [A]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{(a^3 + a^2b - ab^2 - b^3 + (a^3e^{6c} - a^2be^{6c} - ab^2e^{6c} + b^3e^{6c}))e^{6dx} - 9(a^3e^{4c} - 3a^2be^{4c} + 3ab^2e^{4c} - b^3e^{4c})}{24(a^4de^{3c} - 2a^2b^2de^{3c} + b^4de^{3c})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3), x, algorithm="maxima")

[Out] 
$$1/24*(a^3 + a^2b - a*b^2 - b^3 + (a^3*e^{(6*c)} - a^2*b*e^{(6*c)} - a*b^2*e^{(6*c)} + b^3*e^{(6*c)})*e^{(6*d*x)} - 9*(a^3*e^{(4*c)} - 3*a^2*b*e^{(4*c)} + 3*a*b^2*e^{(4*c)} - b^3*e^{(4*c)})*e^{(4*d*x)} - 9*(a^3*e^{(2*c)} + 3*a^2*b*e^{(2*c)} + 3*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})*e^{(2*d*x)})*e^{(-3*d*x)}/(a^4*d*e^{(3*c)} - 2*a^2*b^2*d*e^{(3*c)} + b^4*d*e^{(3*c)}) - 1/8*\text{integrate}(16*(3*(a^3*b*e^{(5*c)} - a^2*b^2*e^{(5*c)} + a*b^3*e^{(5*c)})*e^{(5*d*x)} + 2*(a^3*b*e^{(3*c)} - a*b^3*e^{(3*c)})*e^{(3*d*x)} + 3*(a^3*b*e^{(c)} + a^2*b^2*e^{(c)} + a*b^3*e^{(c)})*e^{(d*x)})/(a^5 - a^4*b - 2*a^3*b^2 + 2*a^2*b^3 + a*b^4 - b^5 + (a^5*e^{(6*c)} + a^4*b*e^{(6*c)} - 2*a^3*b^2*e^{(6*c)} - 2*a^2*b^3*e^{(6*c)} + a*b^4*e^{(6*c)} + b^5*e^{(6*c)})*e^{(6*d*x)} + 3*(a^5*e^{(4*c)} - a^4*b*e^{(4*c)} - 2*a^3*b^2*e^{(4*c)} + 2*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)} - b^5*e^{(4*c)})*e^{(4*d*x)} + 3*(a^5*e^{(2*c)} + a^4*b*e^{(2*c)} - 2*a^3*b^2*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} + a*b^4*e^{(2*c)} + b^5*e^{(2*c)})*e^{(2*d*x)}), x)$$

**mupad [F(-1)]** time = 0.00, size = -1, normalized size = -0.03

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sinh(c + d*x)^3/(a + b*tanh(c + d*x)^3),x)
```

```
[Out] \text{Hanged}
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)**3/(a+b*tanh(d*x+c)**3),x)
```

```
[Out] Timed out
```

$$3.75 \quad \int \frac{\sinh^2(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=384

$$\frac{b(2a^2 + b^2) \log(a + b \tanh^3(c + dx))}{3d(a^2 - b^2)^2} - \frac{a^{2/3} \sqrt[3]{b} (3a^{2/3} b^{4/3} + a^2 + 2b^2) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c + dx) + b^{2/3} \tanh^2(c + dx))}{6d(a^2 - b^2)^2}$$

[Out]  $\frac{1}{4} \frac{(a-2b) \ln(1-\tanh(dx+c))}{(a+b)^{2/d}} - \frac{1}{4} \frac{(a+2b) \ln(1+\tanh(dx+c))}{(a-b)^{2/d}} + \frac{1}{3} \frac{a^{2/3} b^{1/3} (a^2 + 3a^{2/3} b^{4/3} + 2b^2) \ln(a^{1/3} + b^{1/3} \tanh(dx+c))}{(a^2 - b^2)^{2/d}} - \frac{1}{6} \frac{a^{2/3} b^{1/3} (a^2 + 3a^{2/3} b^{4/3} + 2b^2) \ln(a^{2/3} - a^{1/3} b^{1/3} \tanh(dx+c) + b^{2/3} \tanh^2(dx+c))}{(a^2 - b^2)^{2/d}} + \frac{1}{3} \frac{b (2a^2 + b^2) \ln(a + b \tanh^3(dx+c))}{(a^2 - b^2)^{2/d}} + \frac{1}{3} \frac{a^{2/3} b^{1/3} (a^2 + 3a^{2/3} b^{4/3} + 2b^2) \operatorname{arctan}(1/3 (a^{1/3} - 2b^{1/3} \tanh(dx+c)) / (a^{1/3} + 3^{1/2}))}{(a^2 - b^2)^{2/d}} + \frac{1}{4} \frac{(a+b)}{d} \frac{1}{(1-\tanh(dx+c))^{1/4}} - \frac{1}{4} \frac{(a-b)}{d} \frac{1}{(1+\tanh(dx+c))^{1/4}}$

**Rubi [A]** time = 0.63, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3663, 6725, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^{2/3} \sqrt[3]{b} (3a^{2/3} b^{4/3} + a^2 + 2b^2) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c + dx) + b^{2/3} \tanh^2(c + dx))}{6d(a^2 - b^2)^2} + \frac{b(2a^2 + b^2) \log(a + b \tanh^3(c + dx))}{3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $\frac{a^{2/3} b^{1/3} (a^2 - 3a^{2/3} b^{4/3} + 2b^2) \operatorname{ArcTan}[(a^{1/3} - 2b^{1/3} \tanh(c + dx)) / (\sqrt[3]{3} a^{1/3})]}{(\sqrt[3]{3} (a^2 - b^2)^{2/d})} + \frac{((a - 2b) \operatorname{Log}[1 - \tanh(c + dx)]) / (4(a + b)^{2/d}) - ((a + 2b) \operatorname{Log}[1 + \tanh(c + dx)]) / (4(a - b)^{2/d})}{d} + \frac{a^{2/3} b^{1/3} (a^2 + 3a^{2/3} b^{4/3} + 2b^2) \operatorname{Log}[a^{1/3} + b^{1/3} \tanh(c + dx)]}{(3(a^2 - b^2)^{2/d})} - \frac{a^{2/3} b^{1/3} (a^2 + 3a^{2/3} b^{4/3} + 2b^2) \operatorname{Log}[a^{2/3} - a^{1/3} b^{1/3} \tanh(c + dx) + b^{2/3} \tanh^2(c + dx)]}{(6(a^2 - b^2)^{2/d})} + \frac{(b(2a^2 + b^2) \operatorname{Log}[a + b \tanh^3(c + dx)]) / (3(a^2 - b^2)^{2/d}) + 1 / (4(a + b) d (1 - \tanh(c + dx))) - 1 / (4(a - b) d (1 + \tanh(c + dx)))}{d}$

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))^-1, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

Rule 1860

Int[((A\_) + (B\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_)^3), x\_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r\*(B\*r - A\*s))/(3\*a\*s), Int[1/(r + s\*x), x], x] + Dist[r/(3\*a\*s), Int[(r\*(B\*r + 2\*A\*s) + s\*(B\*r - A\*s)\*x)/(r^2 - r\*s\*x + s^2\*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a\*B^3 - b\*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2\_)/((a\_) + (b\_.)\*(x\_)^3), x\_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B\*x)/(a + b\*x^3), x] + Dist[C, Int[x^2/(a + b\*x^3), x], x] /; EqQ[a\*B^3 - b\*A^3, 0] || !RationalQ[a



/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2]
```

### Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sinh^2(c + dx)}{a + b \tanh^3(c + dx)} dx &= \frac{\text{Subst} \left( \int \frac{x^2}{(1-x^2)^2(a+bx^3)} dx, x, \tanh(c + dx) \right)}{d} \\
&= \frac{\text{Subst} \left( \int \left( \frac{1}{4(a+b)(-1+x)^2} + \frac{a-2b}{4(a+b)^2(-1+x)} + \frac{1}{4(a-b)(1+x)^2} + \frac{-a-2b}{4(a-b)^2(1+x)} + \frac{b(3a^2b-a(a^2+2b^2)x+b^3)}{(a^2-b^2)^2(a+b)} \right) dx, x, \tanh(c + dx) \right)}{d} \\
&= \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d} - \frac{(a+2b) \log(1 + \tanh(c + dx))}{4(a-b)^2d} + \frac{1}{4(a+b)d(1 - \tanh(c + dx))} \\
&= \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d} - \frac{(a+2b) \log(1 + \tanh(c + dx))}{4(a-b)^2d} + \frac{1}{4(a+b)d(1 - \tanh(c + dx))} \\
&= \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d} - \frac{(a+2b) \log(1 + \tanh(c + dx))}{4(a-b)^2d} + \frac{b(2a^2 + b^2) \log(1 - \tanh(c + dx))}{3(a^2 - b^2)d} \\
&= \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d} - \frac{(a+2b) \log(1 + \tanh(c + dx))}{4(a-b)^2d} + \frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^2)}{3(a^2 - b^2)d} \\
&= \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d} - \frac{(a+2b) \log(1 + \tanh(c + dx))}{4(a-b)^2d} + \frac{a^{2/3} \sqrt[3]{b} (a^2 + 3a^2)}{3(a^2 - b^2)d} \\
&= \frac{a^{2/3} \sqrt[3]{b} (a^2 - 3a^{2/3}b^{4/3} + 2b^2) \tan^{-1} \left( \frac{1 - \frac{2 \sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{\sqrt{3} (a^2 - b^2)^2 d} + \frac{(a-2b) \log(1 - \tanh(c + dx))}{4(a+b)^2d}
\end{aligned}$$

**Mathematica [C]** time = 3.81, size = 423, normalized size = 1.10

$$4b \text{RootSum} \left[ \#1^3 a + \#1^3 b + 3\#1^2 a - 3\#1^2 b + 3\#1 a + 3\#1 b + a - b \&, \frac{-4\#1^2 a^2 \log(e^{2(c+dx)} - \#1) + 8\#1^2 a^2 c + 8\#1^2 a^2 dx + 4\#1^2 ab}{\sqrt{3} (a^2 - b^2)^2 d} \right]$$

Antiderivative was successfully verified.

[In] Integrate[Sinh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3),x]

[Out]  $-1/12*(6*(a^2 - 3*a*b + 2*b^2)*(c + d*x) + 3*b*(a + b)*\text{Cosh}[2*(c + d*x)] + 4*b*\text{RootSum}[a - b + 3*a*\#1 + 3*b*\#1 + 3*a*\#1^2 - 3*b*\#1^2 + a*\#1^3 + b*\#1^3 \& , (4*a^2*c + 2*b^2*c + 4*a^2*d*x + 2*b^2*d*x - 2*a^2*\text{Log}[E^(2*(c + d*x)) - \#1] - b^2*\text{Log}[E^(2*(c + d*x)) - \#1] + 4*a^2*c*\#1 - 4*b^2*c*\#1 + 4*a^2*d*x*\#1 - 4*b^2*d*x*\#1 - 2*a^2*\text{Log}[E^(2*(c + d*x)) - \#1]*\#1 + 2*b^2*\text{Log}[E^(2*(c + d*x)) - \#1]*\#1 + 8*a^2*c*\#1^2 - 8*a*b*c*\#1^2 + 2*b^2*c*\#1^2 + 8*a^2*d*x*\#1^2 - 8*a*b*d*x*\#1^2 + 2*b^2*d*x*\#1^2 - 4*a^2*\text{Log}[E^(2*(c + d*x)) - \#1]*\#1^2 + 4*a*b*\text{Log}[E^(2*(c + d*x)) - \#1]*\#1^2 - b^2*\text{Log}[E^(2*(c + d*x)) - \#1]*\#1^2)/(a - b + 2*a*\#1 + 2*b*\#1 + a*\#1^2 - b*\#1^2) \& ] - 3*a*(a + b)*\text{Sinh}[2*(c + d*x)]/((a - b)*(a + b)^2*d)$

**fricas** [C] time = 1.41, size = 10695, normalized size = 27.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out]  $-1/72*(36*(a^3 + 4*a^2*b + 5*a*b^2 + 2*b^3)*d*x*\text{cosh}(d*x + c)^2 - 9*(a^3 - a^2*b - a*b^2 + b^3)*\text{cosh}(d*x + c)^4 - 36*(a^3 - a^2*b - a*b^2 + b^3)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^3 - 9*(a^3 - a^2*b - a*b^2 + b^3)*\text{sinh}(d*x + c)^4 + 9*a^3 + 9*a^2*b - 9*a*b^2 - 9*b^3 - 4*((a^4 - 2*a^2*b^2 + b^4)*d*\text{cosh}(d*x + c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*\text{cosh}(d*x + c)*\text{sinh}(d*x + c) + (a^4 - 2*a^2*b^2 + b^4)*d*\text{sinh}(d*x + c)^2)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*\text{sqrt}(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^(1/3) - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^(1/3)*(I*\text{sqrt}(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d)*\text{log}(1/18*(a^5 + 2*a^4*b - 2*a^3*b^2 - 4*a^2*b^3 + a*b^4 + 2*b^5)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*\text{sqrt}(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^(1/3) - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^(1/3)*(I*\text{sqrt}(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))^2*d^2 + a^3 + 2*a^2*b + 2*a*b^2$





$$\begin{aligned}
& 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d) \\
& d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2* \\
& b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2 \\
& *a^2*b^2*d + b^4*d))^2*d^2 + 12*(2*a^6*b - 3*a^4*b^3 + b^7)*((b^2/(a^4*d^2 \\
& - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d \\
& )^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 \\
& + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - \\
& 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54 \\
& *(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)* \\
& b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1 \\
& /27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2 \\
& *a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/ \\
& 3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))*d/(( \\
& a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2*b^6 + b^8)*d^2))) - 2*(18*(2*a^2*b + b^ \\
& 3)*cosh(d*x + c)^2 + 36*(2*a^2*b + b^3)*cosh(d*x + c)*sinh(d*x + c) + 18*(2 \\
& *a^2*b + b^3)*sinh(d*x + c)^2 - ((a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)^2 \\
& + 2*(a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)*sinh(d*x + c) + (a^4 - 2*a^2*b^ \\
& 2 + b^4)*d*sinh(d*x + c)^2)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2* \\
& a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2* \\
& a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d \\
& + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b \\
& /((a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2 \\
& )^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + \\
& b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2 \\
& *a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*( \\
& a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b \\
& + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d)) + 3*sqrt(1/3)*((a^4 - 2*a^2*b^2 + b^4 \\
& )*d*cosh(d*x + c)^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d*cosh(d*x + c)*sinh(d*x + \\
& c) + (a^4 - 2*a^2*b^2 + b^4)*d*sinh(d*x + c)^2)*sqrt((288*a^4*b^2 + 720*a^2 \\
& *b^4 - 36*b^6 - (a^8 - 4*a^6*b^2 + 6*a^4*b^4 - 4*a^2*b^6 + b^8))*((b^2/(a^4* \\
& d^2 - 2*a^2*b^2*d^2 + b^4*d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b \\
& ^4*d)^2)*(-I*sqrt(3) + 1)/(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2* \\
& d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4 \\
& *d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + \\
& 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b \\
& ^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2*a^2*b^2*d + b^4*d)) \\
& + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^3 + 1/54*b/(a^4*d^3 \\
& - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/((a^2 - b^2)^4*d^3)) \\
& ^{(1/3)}*(I*sqrt(3) + 1) + 6*(2*a^2*b + b^3)/(a^4*d - 2*a^2*b^2*d + b^4*d))^2 \\
& *d^2 + 12*(2*a^6*b - 3*a^4*b^3 + b^7)*((b^2/(a^4*d^2 - 2*a^2*b^2*d^2 + b^4* \\
& d^2) - (2*a^2*b + b^3)^2/(a^4*d - 2*a^2*b^2*d + b^4*d)^2)*(-I*sqrt(3) + 1)/ \\
& (-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*b^2*d^2 + b^4*d^2)*(a^4*d - 2* \\
& a^2*b^2*d + b^4*d)) + 1/27*(2*a^2*b + b^3)^3/(a^4*d - 2*a^2*b^2*d + b^4*d)^ \\
& 3 + 1/54*b/(a^4*d^3 - 2*a^2*b^2*d^3 + b^4*d^3) + 1/54*(a^2 + 8*b^2)*a^2*b/( \\
& (a^2 - b^2)^4*d^3))^{(1/3)} - 9*(-1/18*(2*a^2*b + b^3)*b^2/((a^4*d^2 - 2*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^2 d^2 + b^4 d^2)(a^4 d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^2 b + b^3)^3/ \\
& (a^4 d - 2a^2 b^2 d + b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3 \\
& ) + 1/54*(a^2 + 8b^2)*a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)}*(I*\sqrt{3} + 1) + 6 \\
& *(2a^2 b + b^3)/(a^4 d - 2a^2 b^2 d + b^4 d))*d/((a^8 - 4a^6 b^2 + 6a^4 \\
& 4*b^4 - 4a^2 b^6 + b^8)*d^2))*\log(-1/36*(a^6 + 3a^5 b - 6a^3 b^3 - 3a^2 \\
& 2*b^4 + 3a*b^5 + 2b^6))*((b^2/(a^4 d^2 - 2a^2 b^2 d^2 + b^4 d^2) - (2a^2 \\
& *b + b^3)^2/(a^4 d - 2a^2 b^2 d + b^4 d)^2)*(-I*\sqrt{3} + 1)/(-1/18*(2a^2 \\
& *b + b^3)*b^2/((a^4 d^2 - 2a^2 b^2 d^2 + b^4 d^2)*(a^4 d - 2a^2 b^2 d + b \\
& ^4 d)) + 1/27*(2a^2 b + b^3)^3/(a^4 d - 2a^2 b^2 d + b^4 d)^3 + 1/54*b/(a \\
& ^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3) + 1/54*(a^2 + 8b^2)*a^2 b/((a^2 - b^2)^4 \\
& *d^3)^{(1/3)} - 9*(-1/18*(2a^2 b + b^3)*b^2/((a^4 d^2 - 2a^2 b^2 d^2 + b^4 \\
& *d^2)*(a^4 d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^2 b + b^3)^3/(a^4 d - 2a^2 \\
& 2*b^2 d + b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3) + 1/54*(a^2 \\
& + 8b^2)*a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)}*(I*\sqrt{3} + 1) + 6*(2a^2 b + b \\
& ^3)/(a^4 d - 2a^2 b^2 d + b^4 d))^2 d^2 + a^4 - 3a^3 b + 10a^2 b^2 - 15* \\
& a*b^3 - 2b^4 + 1/6*(a^5 + 4a^4 b + 16a^3 b^2 + 19a^2 b^3 + 10a*b^4 + 4 \\
& *b^5))*((b^2/(a^4 d^2 - 2a^2 b^2 d^2 + b^4 d^2) - (2a^2 b + b^3)^2/(a^4 d \\
& - 2a^2 b^2 d + b^4 d)^2)*(-I*\sqrt{3} + 1)/(-1/18*(2a^2 b + b^3)*b^2/((a^4 \\
& *d^2 - 2a^2 b^2 d^2 + b^4 d^2)*(a^4 d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^ \\
& 2*b + b^3)^3/(a^4 d - 2a^2 b^2 d + b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 \\
& d^3 + b^4 d^3) + 1/54*(a^2 + 8b^2)*a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)} - 9*(- \\
& 1/18*(2a^2 b + b^3)*b^2/((a^4 d^2 - 2a^2 b^2 d^2 + b^4 d^2)*(a^4 d - 2a^ \\
& 2*b^2 d + b^4 d)) + 1/27*(2a^2 b + b^3)^3/(a^4 d - 2a^2 b^2 d + b^4 d)^3 \\
& + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3) + 1/54*(a^2 + 8b^2)*a^2 b/((a \\
& ^2 - b^2)^4 d^3)^{(1/3)}*(I*\sqrt{3} + 1) + 6*(2a^2 b + b^3)/(a^4 d - 2a^2 * \\
& b^2 d + b^4 d))*d + (a^4 + a^3 b + 8a^2 b^2 + 8a*b^3)*\cosh(dx + c)^2 + 2 \\
& *(a^4 + a^3 b + 8a^2 b^2 + 8a*b^3)*\cosh(dx + c)*\sinh(dx + c) + (a^4 + a \\
& ^3 b + 8a^2 b^2 + 8a*b^3)*\sinh(dx + c)^2 - 1/12*\sqrt{1/3)*((a^6 + 3a^5 b \\
& b - 6a^3 b^3 - 3a^2 b^4 + 3a*b^5 + 2b^6))*((b^2/(a^4 d^2 - 2a^2 b^2 d^2 \\
& + b^4 d^2) - (2a^2 b + b^3)^2/(a^4 d - 2a^2 b^2 d + b^4 d)^2)*(-I*\sqrt{3} \\
& ) + 1)/(-1/18*(2a^2 b + b^3)*b^2/((a^4 d^2 - 2a^2 b^2 d^2 + b^4 d^2)*(a^4 \\
& *d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^2 b + b^3)^3/(a^4 d - 2a^2 b^2 d + \\
& b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3) + 1/54*(a^2 + 8b^2)* \\
& a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)} - 9*(-1/18*(2a^2 b + b^3)*b^2/((a^4 d^2 - \\
& 2a^2 b^2 d^2 + b^4 d^2)*(a^4 d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^2 b + \\
& b^3)^3/(a^4 d - 2a^2 b^2 d + b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + \\
& b^4 d^3) + 1/54*(a^2 + 8b^2)*a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)}*(I*\sqrt{3} + \\
& 1) + 6*(2a^2 b + b^3)/(a^4 d - 2a^2 b^2 d + b^4 d))*d^2 + 6*(a^5 - 2a^4 \\
& *b - 2a^3 b^2 + 4a^2 b^3 + a*b^4 - 2b^5)*d)*\sqrt{(288*a^4 b^2 + 720*a^2 * \\
& b^4 - 36*b^6 - (a^8 - 4a^6 b^2 + 6a^4 b^4 - 4a^2 b^6 + b^8))*((b^2/(a^4 d \\
& ^2 - 2a^2 b^2 d^2 + b^4 d^2) - (2a^2 b + b^3)^2/(a^4 d - 2a^2 b^2 d + b^ \\
& 4*d)^2)*(-I*\sqrt{3} + 1)/(-1/18*(2a^2 b + b^3)*b^2/((a^4 d^2 - 2a^2 b^2 d \\
& ^2 + b^4 d^2)*(a^4 d - 2a^2 b^2 d + b^4 d)) + 1/27*(2a^2 b + b^3)^3/(a^4 * \\
& d - 2a^2 b^2 d + b^4 d)^3 + 1/54*b/(a^4 d^3 - 2a^2 b^2 d^3 + b^4 d^3) + 1 \\
& /54*(a^2 + 8b^2)*a^2 b/((a^2 - b^2)^4 d^3)^{(1/3)} - 9*(-1/18*(2a^2 b + b^
\end{aligned}$$

$$3) * b^2 / ((a^4 * d^2 - 2 * a^2 * b^2 * d^2 + b^4 * d^2) * (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d))$$

$$+ 1/27 * (2 * a^2 * b + b^3)^3 / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)^3 + 1/54 * b / (a^4 * d^3 - 2 * a^2 * b^2 * d^3 + b^4 * d^3) + 1/54 * (a^2 + 8 * b^2) * a^2 * b / ((a^2 - b^2)^4 * d^3))^{1/3}$$

$$+ 6 * (2 * a^2 * b + b^3) / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)^2 * d^2 + 12 * (2 * a^6 * b - 3 * a^4 * b^3 + b^7) * ((b^2 / (a^4 * d^2 - 2 * a^2 * b^2 * d^2 + b^4 * d^2) - (2 * a^2 * b + b^3)^2 / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)^2) * (-I * \sqrt{3} + 1) / (-1/18 * (2 * a^2 * b + b^3) * b^2 / ((a^4 * d^2 - 2 * a^2 * b^2 * d^2 + b^4 * d^2) * (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)) + 1/27 * (2 * a^2 * b + b^3)^3 / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)^3 + 1/54 * b / (a^4 * d^3 - 2 * a^2 * b^2 * d^3 + b^4 * d^3) + 1/54 * (a^2 + 8 * b^2) * a^2 * b / ((a^2 - b^2)^4 * d^3))^{1/3} - 9 * (-1/18 * (2 * a^2 * b + b^3) * b^2 / ((a^4 * d^2 - 2 * a^2 * b^2 * d^2 + b^4 * d^2) * (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)) + 1/27 * (2 * a^2 * b + b^3)^3 / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d)^3 + 1/54 * b / (a^4 * d^3 - 2 * a^2 * b^2 * d^3 + b^4 * d^3) + 1/54 * (a^2 + 8 * b^2) * a^2 * b / ((a^2 - b^2)^4 * d^3))^{1/3} * (I * \sqrt{3} + 1) + 6 * (2 * a^2 * b + b^3) / (a^4 * d - 2 * a^2 * b^2 * d + b^4 * d) * d / ((a^8 - 4 * a^6 * b^2 + 6 * a^4 * b^4 - 4 * a^2 * b^6 + b^8) * d^2)) + 36 * (2 * (a^3 + 4 * a^2 * b + 5 * a * b^2 + 2 * b^3) * d * x * \cosh(d * x + c) - (a^3 - a^2 * b - a * b^2 + b^3) * \cosh(d * x + c)^3) * \sinh(d * x + c) / ((a^4 - 2 * a^2 * b^2 + b^4) * d * \cosh(d * x + c)^2 + 2 * (a^4 - 2 * a^2 * b^2 + b^4) * d * \cosh(d * x + c) * \sinh(d * x + c) + (a^4 - 2 * a^2 * b^2 + b^4) * d * \sinh(d * x + c)^2)$$

**giac [A]** time = 0.37, size = 223, normalized size = 0.58

$$\frac{\frac{12(a+2b)dx}{a^2-2ab+b^2} - \frac{3(2ae^{2dx+2c}+4be^{2dx+2c}-a+b)e^{-2dx}}{a^2e^{2c}-2abe^{2c}+b^2e^{2c}} - \frac{8(2a^2b+b^3)\log(|ae^{6dx+6c}+be^{6dx+6c}+3ae^{4dx+4c}-3be^{4dx+4c}+3ae^{2dx+2c}+3be^{2dx+2c}-a+b|)}{a^4-2a^2b^2+b^4}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 
$$-1/24 * (12 * (a + 2 * b) * d * x / (a^2 - 2 * a * b + b^2) - 3 * (2 * a * e^{(2 * d * x + 2 * c)} + 4 * b * e^{(2 * d * x + 2 * c)} - a + b) * e^{(-2 * d * x)} / (a^2 * e^{(2 * c)} - 2 * a * b * e^{(2 * c)} + b^2 * e^{(2 * c)}) - 8 * (2 * a^2 * b + b^3) * \log(\text{abs}(a * e^{(6 * d * x + 6 * c)} + b * e^{(6 * d * x + 6 * c)} + 3 * a * e^{(4 * d * x + 4 * c)} - 3 * b * e^{(4 * d * x + 4 * c)} + 3 * a * e^{(2 * d * x + 2 * c)} + 3 * b * e^{(2 * d * x + 2 * c)} + a - b)) / (a^4 - 2 * a^2 * b^2 + b^4) - 3 * e^{(2 * d * x + 10 * c)} / (a * e^{(8 * c)} + b * e^{(8 * c)})) / d$$

**maple [C]** time = 0.46, size = 356, normalized size = 0.93

$$b \left( \frac{\sum_{R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} (a(2a^2+b^2)_R^5-3_R^4a^2b+6a(a^2+b^2)_R^3+4b(2a^2+b^2)_R^2-3ab^2_R+3a^2b) \ln\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-R\right)}{-R^5a+2_R^3a+4_R^2b+Ra}}{3d(a-b)^2(a+b)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x)



```
[Out] 1/3/d*b/(a-b)^2/(a+b)^2*sum((a*(2*a^2+b^2)*_R^5-3*_R^4*a^2*b+6*a*(a^2+b^2)*_R^3+4*b*(2*a^2+b^2)*_R^2-3*a*b^2*_R+3*a^2*b)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*ln(tanh(1/2*d*x+1/2*c)-_R),_R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))+4/d/(8*a+8*b)/(tanh(1/2*d*x+1/2*c)-1)^2+8/d/(16*a+16*b)/(tanh(1/2*d*x+1/2*c)-1)+1/2/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*a-1/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)*b-4/d/(8*a-8*b)/(tanh(1/2*d*x+1/2*c)+1)^2+8/d/(16*a-16*b)/(tanh(1/2*d*x+1/2*c)+1)-1/2/d/(a-b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*a-1/d/(a-b)^2*ln(tanh(1/2*d*x+1/2*c)+1)*b
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$4 a^2 b \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^4 - 2 a^2 b^2 + b^4} - \frac{dx + c}{(a^4 - 2 a^2 b^2 + b^4)d} \right) + 2 b^3 \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^4 - 2 a^2 b^2 + b^4} - \frac{dx + c}{(a^4 - 2 a^2 b^2 + b^4)d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sinh(d*x+c)^2/(a+b*tanh(d*x+c)^3),x, algorithm="maxima")
```

```
[Out] 4*a^2*b*(integrate(((a + b)*e^(4*d*x + 4*c) + 3*(a - b)*e^(2*d*x + 2*c) + 3*a + 3*b)*e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^4 - 2*a^2*b^2 + b^4) - (d*x + c)/((a^4 - 2*a^2*b^2 + b^4)*d)) + 2*b^3*(integrate(((a + b)*e^(4*d*x + 4*c) + 3*(a - b)*e^(2*d*x + 2*c) + 3*a + 3*b)*e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^4 - 2*a^2*b^2 + b^4) - (d*x + c)/((a^4 - 2*a^2*b^2 + b^4)*d)) - 8*a^2*b*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^3) + 8*a*b^2*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^3) - 2*b^3*integrate(e^(4*d*x + 4*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^3) - 4*a^2*b*integrate(e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^3) + 4*b^3*integrate(e^(2*d*x + 2*c)/((a + b)*e^(6*d*x + 6*c) + 3*(a - b)*e^(4*d*x + 4*c) + 3*(a + b)*e^(2*d*x + 2*c) + a - b), x)/(a^3 + a^2*b - a*b^2 - b^3) - 1/8*(4*(a^2*d*e^(2*c) - 3*a*b*d*e^(2*c) + 2*b^2*d*e^(2*c))*x*e^(2*d*x) + a^2 + 2*a*b + b^2 - (a^2*e^(4*c) - b^2*e^(4*c)))*e^(4*d*x))/e^(-2*d*x)/(a^3*d*e^(2*c) + a^2*b*d*e^(2*c) - a*b^2*d*e^(2*c) - b^3*d*e^(2*c))
```

**mupad** [B] time = 2.81, size = 2100, normalized size = 5.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sinh(c + d*x)^2/(a + b*\tanh(c + d*x)^3), x)$

[Out]  $\text{symsum}(\log(\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k)) * ((2304*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k)) * (146*a^5*b^5*d^2 - 133*a^4*b^6*d^2 - 24*a^3*b^7*d^2 - 12*a^6*b^4*d^2 + 22*a^7*b^3*d^2 + a^8*b^2*d^2 + 32*a^3*b^7*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 577*a^4*b^6*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 548*a^5*b^5*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 70*a^6*b^4*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 68*a^7*b^3*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + a^8*b^2*d^2 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x))) / ((a + b)^8 * (a - b)^2 * (a^2 - 2*a*b + b^2)) + (1536*(24*a^3*b^8*d + 105*a^4*b^7*d - 156*a^5*b^6*d + 51*a^6*b^5*d - 30*a^7*b^4*d + 6*a^8*b^3*d - 32*a^3*b^8*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) - 509*a^4*b^7*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) - 350*a^5*b^6*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 64*a^6*b^5*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) - 50*a^7*b^4*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 13*a^8*b^3*d * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x))) / ((a + b)^3 * (a^2 - b^2) * (a - b) * (a^2 - 2*a*b + b^2) * (3*a*b^2 + 3*a^2*b + a^3 + b^3)^2)) + (256*(72*a^5*b^5 - 45*a^4*b^6 - 24*a^3*b^7 - 9*a^6*b^4 + 6*a^7*b^3 + 32*a^3*b^7 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 393*a^4*b^6 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 86*a^5*b^5 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 57*a^6*b^4 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x) + 8*a^7*b^3 * \exp(2*\text{root}(54*a^2*b^2*d^3*z^3 - 27*b^4*d^3*z^3 - 27*a^4*d^3*z^3 + 54*a^2*b*d^2*z^2 + 27*b^3*d^2*z^2 - 9*b^2*d*z + b, z, k))) * \exp(2*d*x))) / ((a + b)^2 * (a^2 -$

$$b^2)(a - b)(a^2 - 2ab + b^2)(2ab + a^2 + b^2)^2(3ab^2 + 3a^2b + a^3 + b^3))\sqrt[3]{54a^2b^2d^3z^3 - 27b^4d^3z^3 - 27a^4d^3z^3 + 54a^2b^2d^2z^2 + 27b^3d^2z^2 - 9b^2d^2z + b, z, k), k, 1, 3) - (x(a + 2b))/(2(a - b)^2) + \exp(2c + 2dx)/(8d(a + b)) - \exp(-2c - 2dx)/(8d(a - b))$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out

$$3.76 \quad \int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=31

$$-i \operatorname{Int} \left( \frac{i \sinh(c+dx)}{a+b \tanh^3(c+dx)}, x \right)$$

[Out]  $-I * \operatorname{Unintegrable}(I * \sinh(d*x+c) / (a+b*\tanh(d*x+c)^3), x)$

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In]  $\operatorname{Int}[\operatorname{Sinh}[c+d*x]/(a+b*\operatorname{Tanh}[c+d*x]^3), x]$

[Out]  $(-I)*\operatorname{Defer}[\operatorname{Int}][(I*\operatorname{Sinh}[c+d*x])/(a+b*\operatorname{Tanh}[c+d*x]^3), x]$

Rubi steps

$$\int \frac{\sinh(c+dx)}{a+b \tanh^3(c+dx)} dx = - \left( i \int \frac{i \sinh(c+dx)}{a+b \tanh^3(c+dx)} dx \right)$$

Mathematica [A] time = 0.27, size = 409, normalized size = 13.19

$$b \operatorname{RootSum} \left[ \#1^6 a + \#1^6 b + 3\#1^4 a - 3\#1^4 b + 3\#1^2 a + 3\#1^2 b + a - b \&, \frac{4\#1^4 a \log(-\#1 \sinh(\frac{1}{2}(c+dx)) + \#1 \cosh(\frac{1}{2}(c+dx)) - \sinh(\frac{1}{2}(c+dx)))}{\dots} \right]$$

Antiderivative was successfully verified.

[In]  $\operatorname{Integrate}[\operatorname{Sinh}[c+d*x]/(a+b*\operatorname{Tanh}[c+d*x]^3), x]$

[Out]  $(6*a*\operatorname{Cosh}[c+d*x] + b*\operatorname{RootSum}[a - b + 3*a*\#1^2 + 3*b*\#1^2 + 3*a*\#1^4 - 3*b*\#1^4 + a*\#1^6 + b*\#1^6 \&, (2*a*c + b*c + 2*a*d*x + b*d*x + 4*a*\operatorname{Log}[-\operatorname{Cosh}[(c+d*x)/2] - \operatorname{Sinh}[(c+d*x)/2] + \operatorname{Cosh}[(c+d*x)/2]*\#1 - \operatorname{Sinh}[(c+d*x)/2]*\#1] + 2*b*\operatorname{Log}[-\operatorname{Cosh}[(c+d*x)/2] - \operatorname{Sinh}[(c+d*x)/2] + \operatorname{Cosh}[(c+d*x)/2]*\#1 - \operatorname{Sinh}[(c+d*x)/2]*\#1] + 2*a*c*\#1^4 - b*c*\#1^4 + 2*a*d*x*\#1^4 - b*d*x*\#1^4 + 4*a*\operatorname{Log}[-\operatorname{Cosh}[(c+d*x)/2] - \operatorname{Sinh}[(c+d*x)/2] + \operatorname{Cosh}[(c+d*x)/2]*\#1$

- Sinh[(c + d\*x)/2]\*#1^4 - 2\*b\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1^4)/(a\*#1 + b\*#1 + 2\*a\*#1^3 - 2\*b\*#1^3 + a\*#1^5 + b\*#1^5) & ] - 6\*b\*Sinh[c + d\*x))/(6\*(a - b)\*(a + b)\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**giac** [A] time = 1.84, size = 189, normalized size = 6.10

$$\frac{\frac{e^{(dx+8c)}}{ae^{(7c)+be^{(7c)}}} + \frac{e^{(-dx)}}{ae^c-be^c}}{2d} + \frac{6(2abe^c+b^2e^c)dx}{a-b} - \frac{(2abe^c+b^2e^c)\log(|ae^{(6dx+6c)+be^{(6dx+6c)+3ae^{(4dx+4c)-3be^{(4dx+4c)+3ae^{(2dx+2c)+3be^{(2dx+2c)+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 1/2\*(e^(d\*x + 8\*c)/(a\*e^(7\*c) + b\*e^(7\*c)) + e^(-d\*x)/(a\*e^c - b\*e^c))/d + 1/3\*(6\*(2\*a\*b\*e^c + b^2\*e^c)\*d\*x/(a - b) - (2\*a\*b\*e^c + b^2\*e^c)\*log(abs(a\*e^(6\*d\*x + 6\*c) + b\*e^(6\*d\*x + 6\*c) + 3\*a\*e^(4\*d\*x + 4\*c) - 3\*b\*e^(4\*d\*x + 4\*c) + 3\*a\*e^(2\*d\*x + 2\*c) + 3\*b\*e^(2\*d\*x + 2\*c) + a - b))/(a - b))/((a^2 - b^2)\*d^2)

**maple** [A] time = 0.53, size = 164, normalized size = 5.29

$$b \left( \sum_{_R=\text{RootOf}(a\_Z^6+3a\_Z^4+8b\_Z^3+3a\_Z^2+a)} \frac{(_R^4a-2\_R^3b+6\_R^2a-2\_Rb+a)\ln\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)-_R\right)}{_R^5a+2\_R^3a+4\_R^2b+_Ra} \right) + \frac{4}{d(4a-4b)\left(\tanh\left(\frac{dx}{2}+\frac{c}{2}\right)+\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x)

[Out] 1/3/d\*b/(a-b)/(a+b)\*sum((\_R^4\*a-2\*\_R^3\*b+6\*\_R^2\*a-2\*\_R\*b+a)/(\_R^5\*a+2\*\_R^3\*a+4\*\_R^2\*b+\_R\*a)\*ln(tanh(1/2\*d\*x+1/2\*c)-\_R),\_R=RootOf(\_Z^6\*a+3\*\_Z^4\*a+8\*\_Z^3\*b+3\*\_Z^2\*a+a))+4/d/(4\*a-4\*b)/(tanh(1/2\*d\*x+1/2\*c)+1)-4/d/(4\*a+4\*b)/(tanh(1/2\*d\*x+1/2\*c)-1)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{((ae^{2c}) - be^{2c})e^{2dx} + a + b)e^{-dx}}{2(a^2de^c - b^2de^c)} + \frac{1}{2} \int \frac{4((2abe^{5c}) - (a^3e^{6c}) + a^2be^{6c} - ab^2e^{6c} - b^3e^{6c})e^{6dx} + 3(a^3 - a^2b - ab^2 + b^3)}{(a^3e^{6c}) + a^2be^{6c} - ab^2e^{6c} - b^3e^{6c})e^{6dx} + 3(a^3 - a^2b - ab^2 + b^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] 1/2\*((a\*e^(2\*c) - b\*e^(2\*c))\*e^(2\*d\*x) + a + b)\*e^(-d\*x)/(a^2\*d\*e^c - b^2\*d\*e^c) + 1/2\*integrate(4\*((2\*a\*b\*e^(5\*c) - b^2\*e^(5\*c))\*e^(5\*d\*x) + (2\*a\*b\*e^c + b^2\*e^c)\*e^(d\*x))/(a^3 - a^2\*b - a\*b^2 + b^3 + (a^3\*e^(6\*c) + a^2\*b\*e^(6\*c) - a\*b^2\*e^(6\*c) - b^3\*e^(6\*c))\*e^(6\*d\*x) + 3\*(a^3\*e^(4\*c) - a^2\*b\*e^(4\*c) - a\*b^2\*e^(4\*c) + b^3\*e^(4\*c))\*e^(4\*d\*x) + 3\*(a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c))\*e^(2\*d\*x)), x)

**mupad** [A] time = 87.99, size = 4474, normalized size = 144.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sinh(c + d\*x)/(a + b\*tanh(c + d\*x)^3),x)

[Out] exp(- c - d\*x)/(2\*(a\*d - b\*d)) + symsum(log((81920\*a^2\*b^5\*exp(d\*x)\*exp(root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k)) + 221184\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^3\*a^2\*b^8\*d^3 - 3538944\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^3\*a^2\*b^8\*d^3 - 3538944\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^3\*a^4\*b^6\*d^3 + 3538944\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^3\*a^5\*b^5\*d^3 - 2211840\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^3\*a^6\*b^4\*d^3 + 7962624\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^5\*a^3\*b^9\*d^5 + 15925248\*root(2187\*a^6\*b^2\*d^6\*z^6 - 2187\*a^4\*b^4\*d^6\*z^6 + 729\*a^2\*b^6\*d^6\*z^6 - 729\*a^8\*d^6\*z^6 - 1458\*a^4\*b^2\*d^4\*z^4 - 729\*a^2\*b^4\*d^4\*z^4 + 81\*a^2\*b^2\*d^2\*z^2 - b^2, z, k))^5\*a^

$$\begin{aligned}
& 4*b^8*d^5 - 7962624*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^5*b^7*d^5 - 31850496*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^6*b^6*d^5 - 7962624*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^7*b^5*d^5 + 15925248*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^8*b^4*d^5 + 7962624*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^9*b^3*d^5 + 98304*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)*a^2*b^6*d - 98304*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)*a^3*b^5*d + 24576*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)*a^4*b^4*d + 8192*a*b^6*\exp(d*x)*\exp(\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 368640*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^2*a^2*b^7*d^2*\exp(d*x)*\exp(\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) - 2285568*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^2*a^3*b^6*d^2*\exp(d*x)*\exp(\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) - 5013504*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^2*a^4*b^5*d^2*\exp(d*x)*\exp(\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) - 368640*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)^2*a^5*b^4*d^2*\exp(d*x)*\exp(\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 8626176*\text{root}(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)
\end{aligned}$$

```

*d^2*z^2 - b^2, z, k)^4*a^3*b^8*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6
- 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b
^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 40476
672*root(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6
- 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2
*d^2*z^2 - b^2, z, k)^4*a^4*b^7*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6
- 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b
^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 70336
512*root(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6
- 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2
*d^2*z^2 - b^2, z, k)^4*a^5*b^6*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6
- 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b
^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 54411
264*root(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6
- 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2
*d^2*z^2 - b^2, z, k)^4*a^6*b^5*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6
- 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b
^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 16588
800*root(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6
- 729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2
*d^2*z^2 - b^2, z, k)^4*a^7*b^4*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6
- 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b
^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)) + 66355
2*root(2187*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 -
729*a^8*d^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d
^2*z^2 - b^2, z, k)^4*a^8*b^3*d^4*exp(d*x)*exp(root(2187*a^6*b^2*d^6*z^6 -
2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d^6*z^6 - 1458*a^4*b^2
*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 - b^2, z, k)))/(10*a*b^
11 - 10*a^11*b - a^12 + b^12 + 44*a^2*b^10 + 110*a^3*b^9 + 165*a^4*b^8 + 13
2*a^5*b^7 - 132*a^7*b^5 - 165*a^8*b^4 - 110*a^9*b^3 - 44*a^10*b^2))*root(21
87*a^6*b^2*d^6*z^6 - 2187*a^4*b^4*d^6*z^6 + 729*a^2*b^6*d^6*z^6 - 729*a^8*d
^6*z^6 - 1458*a^4*b^2*d^4*z^4 - 729*a^2*b^4*d^4*z^4 + 81*a^2*b^2*d^2*z^2 -
b^2, z, k), k, 1, 6) + exp(c + d*x)/(2*(a*d + b*d))

```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sinh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Timed out



$$3.77 \quad \int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=31

$$i \operatorname{Int} \left( -\frac{\operatorname{icsch}(c+dx)}{a+b \tanh^3(c+dx)}, x \right)$$

[Out] I\*Unintegrable(-I\*csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

[Out] I\*Defer[Int][((-I)\*Csch[c + d\*x])/(a + b\*Tanh[c + d\*x]^3), x]

Rubi steps

$$\int \frac{\operatorname{csch}(c+dx)}{a+b \tanh^3(c+dx)} dx = i \int -\frac{\operatorname{icsch}(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Mathematica [A] time = 0.18, size = 319, normalized size = 10.29

$$6 \log \left( \tanh \left( \frac{1}{2}(c+dx) \right) \right) - b \operatorname{RootSum} \left[ \#1^6 a + \#1^6 b + 3\#1^4 a - 3\#1^4 b + 3\#1^2 a + 3\#1^2 b + a - b \&, \frac{2\#1^4 \log(-\#1 \sinh}{\dots} \right]$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (6\*Log[Tanh[(c + d\*x)/2]] - b\*RootSum[a - b + 3\*a\*#1^2 + 3\*b\*#1^2 + 3\*a\*#1^4 - 3\*b\*#1^4 + a\*#1^6 + b\*#1^6 &, (c + d\*x + 2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1] - 2\*c\*#1^2 - 2\*d\*x\*#1^2 - 4\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^2 + c\*#1^4 + d\*x\*#1^4 + 2\*Log[-Cosh[(c + d\*x)/2] - Sinh[(c + d\*x)/2] + Cosh[(c + d\*x)/2]\*#1 - Sinh[(c + d\*x)/2]\*#1]\*#1^4)/(a\*#1 + b\*#1 + 2\*a\*#1^3 - 2\*b\*#1^3 + a\*#1^5 + b\*#1^5) & ])/(6\*a\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**giac** [A] time = 1.40, size = 147, normalized size = 4.74

$$\frac{\frac{\log(e^{(dx+c)+1})}{a} - \frac{\log(|e^{(dx+c)}-1|)}{a} - \frac{6bdxc^c}{a-b} - \frac{be^c \log(|ae^{(6dx+6c)}+be^{(6dx+6c)}+3ae^{(4dx+4c)}-3be^{(4dx+4c)}+3ae^{(2dx+2c)}+3be^{(2dx+2c)}+a-b|)}{a-b}}{d} - \frac{3ad^2}{3ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $-(\log(e^{(d*x + c)} + 1)/a - \log(\text{abs}(e^{(d*x + c)} - 1))/a)/d - 1/3*(6*b*d*x*e^c/(a - b) - b*e^c*\log(\text{abs}(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3*a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} + a - b))/(a - b))/(a*d^2)$

**maple** [A] time = 0.62, size = 98, normalized size = 3.16

$$\frac{4b \left( \sum_{R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{-R^2 \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - R\right)}{-R^5 a + 2R^3 a + 4R^2 b + Ra}}{3da} \right) + \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-4/3/d/a*b*\text{sum}(_R^2/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-_R),_R=\text{RootOf}(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))+1/d/a*\ln(\tanh(1/2*d*x+1/2*c))$

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log\left(\left(e^{(dx+c)} + 1\right)e^{(-c)}\right)}{ad} + \frac{\log\left(\left(e^{(dx+c)} - 1\right)e^{(-c)}\right)}{ad} - 2 \int \frac{be^{(5dx+5c)} - 2be^{(3dx+3c)} + be^{(dx+c)}}{a^2 - ab + (a^2e^{(6c)} + abe^{(6c)})e^{(6dx)} + 3(a^2e^{(4c)} - abe^{(4c)})e^{(4dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

```
[Out] -log((e^(d*x + c) + 1)*e^(-c))/(a*d) + log((e^(d*x + c) - 1)*e^(-c))/(a*d)
- 2*integrate((b*e^(5*d*x + 5*c) - 2*b*e^(3*d*x + 3*c) + b*e^(d*x + c))/(a^
2 - a*b + (a^2*e^(6*c) + a*b*e^(6*c))*e^(6*d*x) + 3*(a^2*e^(4*c) - a*b*e^(4
*c))*e^(4*d*x) + 3*(a^2*e^(2*c) + a*b*e^(2*c))*e^(2*d*x)), x)
```

**mupad** [A] time = 16.50, size = 3679, normalized size = 118.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(sinh(c + d*x)*(a + b*tanh(c + d*x)^3)),x)
```

```
[Out] symsum(log(-(1409286144*b^6*exp(d*x)*exp(root(729*a^6*b^2*d^6*z^6 - 729*a^8
*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)) + 1342177
28*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^
2*b^2*d^2*z^2 - b^2, z, k)*b^7*d + 1879048192*root(729*a^6*b^2*d^6*z^6 - 72
9*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)*a*b^6
*d - 2818572288*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^
4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^3*a^2*b^7*d^3 - 40869298176*root(72
9*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*
z^2 - b^2, z, k)^3*a^3*b^6*d^3 + 28185722880*root(729*a^6*b^2*d^6*z^6 - 729
*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^3*a^4*
b^5*d^3 + 15502147584*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*
b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^3*a^5*b^4*d^3 + 18119393280*r
oot(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^
2*d^2*z^2 - b^2, z, k)^5*a^4*b^7*d^5 + 235552112640*root(729*a^6*b^2*d^6*z^
6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)
^5*a^5*b^6*d^5 + 14495514624*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 2
43*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^6*b^5*d^5 - 219244
658688*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 2
7*a^2*b^2*d^2*z^2 - b^2, z, k)^5*a^7*b^4*d^5 - 48922361856*root(729*a^6*b^2
*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2
, z, k)^5*a^8*b^3*d^5 - 32614907904*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*
z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^7*a^6*b^7*d^7 -
179381993472*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*
z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^7*a^7*b^6*d^7 - 16307453952*root(729*
a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^
2 - b^2, z, k)^7*a^8*b^5*d^7 + 179381993472*root(729*a^6*b^2*d^6*z^6 - 729*
a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^7*a^9*b
^4*d^7 + 48922361856*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b
^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)^7*a^10*b^3*d^7 - 1912602624*ro
ot(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2
*d^2*z^2 - b^2, z, k)*a^2*b^5*d - 100663296*root(729*a^6*b^2*d^6*z^6 - 729*
a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)*a^3*b^4
*d + 738197504*a*b^5*exp(d*x)*exp(root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^
```

$$\begin{aligned}
& 6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) + 268435456\text{root} \\
& (729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^2a^6b^7d^2\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729 \\
& a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) - 291 \\
& 58801408\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + \\
& 27a^2b^2d^2z^2 - b^2, z, k)^2a^2b^6d^2\exp(dx)\exp(\text{root}(729a^6b^2 \\
& d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2 \\
& 2, z, k)) - 29125246976\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4 \\
& b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^2a^3b^5d^2\exp(dx)\exp( \\
& \text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2 \\
& d^2z^2 - b^2, z, k)) - 2113929216\text{root}(729a^6b^2d^6z^6 - 729a^8d^6 \\
& z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^2a^4b^4d^2 \\
& \exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 \\
& z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) - 4831838208\text{root}(729a^6b^2d^6z^6 \\
& - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k) \\
& ^4a^3b^7d^4\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 24 \\
& 3a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) + 165490458624\text{root}(72 \\
& 9a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 \\
& z^2 - b^2, z, k)^4a^4b^6d^4\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^ \\
& a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) + 2838 \\
& 70494720\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + \\
& 27a^2b^2d^2z^2 - b^2, z, k)^4a^5b^5d^4\exp(dx)\exp(\text{root}(729a^6b^2 \\
& d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2 \\
& 2, z, k)) + 132573560832\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4 \\
& b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^4a^6b^4d^4\exp(dx)\exp \\
& (\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2 \\
& b^2d^2z^2 - b^2, z, k)) + 2717908992\text{root}(729a^6b^2d^6z^6 - 729a^8d^ \\
& ^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^4a^7b^3d^4 \\
& \exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4 \\
& z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) + 21743271936\text{root}(729a^6b^2d^6* \\
& z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, \\
& k)^6a^5b^7d^6\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - \\
& 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) - 154920812544\text{root}( \\
& 729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2 \\
& z^2 - b^2, z, k)^6a^6b^6d^6\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 72 \\
& 9a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)) - 27 \\
& 9944626176\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 \\
& + 27a^2b^2d^2z^2 - b^2, z, k)^6a^7b^5d^6\exp(dx)\exp(\text{root}(729a^6* \\
& b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - \\
& b^2, z, k)) - 105998450688\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243 \\
& a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^6a^8b^4d^6\exp(dx)*e \\
& xp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^4z^4 + 27a^ \\
& 2b^2d^2z^2 - b^2, z, k)) - 2717908992\text{root}(729a^6b^2d^6z^6 - 729a^8 \\
& d^6z^6 - 243a^4b^2d^4z^4 + 27a^2b^2d^2z^2 - b^2, z, k)^6a^9b^3* \\
& d^6\exp(dx)\exp(\text{root}(729a^6b^2d^6z^6 - 729a^8d^6z^6 - 243a^4b^2d^
\end{aligned}$$

```

^4*z^4 + 27*a^2*b^2*d^2*z^2 - b^2, z, k)))/(13*a*b^12 + 13*a^12*b + a^13 +
b^13 + 78*a^2*b^11 + 286*a^3*b^10 + 715*a^4*b^9 + 1287*a^5*b^8 + 1716*a^6*b
^7 + 1716*a^7*b^6 + 1287*a^8*b^5 + 715*a^9*b^4 + 286*a^10*b^3 + 78*a^11*b^2
))*root(729*a^6*b^2*d^6*z^6 - 729*a^8*d^6*z^6 - 243*a^4*b^2*d^4*z^4 + 27*a^
2*b^2*d^2*z^2 - b^2, z, k), k, 1, 6) + log(exp(d*x + 1/(a*d)) - 1)/(a*d) -
log(exp(d*x - 1/(a*d)) + 1)/(a*d)

```

**sympy [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*3),x)

[Out] Integral(csch(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*3), x)

$$3.78 \quad \int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx$$

**Optimal.** Leaf size=157

$$-\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} + \frac{\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx)\right)}{3a^{4/3}d} + \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2}{\sqrt{3}a^{4/3}}\right)}{\sqrt{3}a^{4/3}}$$

[Out]  $-\operatorname{coth}(d*x+c)/a/d+1/3*b^{(1/3)}*\ln(a^{(1/3)}+b^{(1/3)}*\tanh(d*x+c))/a^{(4/3)}/d-1/6*b^{(1/3)}*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*\tanh(d*x+c)+b^{(2/3)}*\tanh(d*x+c)^2)/a^{(4/3)}/d+1/3*b^{(1/3)}*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*\tanh(d*x+c))/a^{(1/3)}*3^{(1/2)})/a^{(4/3)}/d*3^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3663, 325, 292, 31, 634, 617, 204, 628}

$$-\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} + \frac{\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx)\right)}{3a^{4/3}d} + \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2}{\sqrt{3}a^{4/3}}\right)}{\sqrt{3}a^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out]  $(b^{(1/3)}*\operatorname{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*\operatorname{Tanh}[c + d*x])/(Sqrt[3]*a^{(1/3)})])/(Sqrt[3]*a^{(4/3)}*d) - \operatorname{Coth}[c + d*x]/(a*d) + (b^{(1/3)}*\operatorname{Log}[a^{(1/3)} + b^{(1/3)}*\operatorname{Tanh}[c + d*x]])/(3*a^{(4/3)}*d) - (b^{(1/3)}*\operatorname{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*\operatorname{Tanh}[c + d*x] + b^{(2/3)}*\operatorname{Tanh}[c + d*x]^2])/(6*a^{(4/3)}*d)$

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)<sup>(-1)</sup>, x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 292

Int[(x\_)/((a\_) + (b\_.)\*(x\_)^3), x\_Symbol] := -Dist[(3\*Rt[a, 3]\*Rt[b, 3])<sup>(-1)</sup>, Int[1/(Rt[a, 3] + Rt[b, 3]\*x), x], x] + Dist[1/(3\*Rt[a, 3]\*Rt[b, 3]), I

```
nt[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x
^2), x], x] /; FreeQ[{a, b}, x]
```

### Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*
x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1)
+ 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a,
b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p,
x]
```

### Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^2(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{x^2(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} - \frac{b \operatorname{Subst}\left(\int \frac{x}{a+bx^3} dx, x, \tanh(c+dx)\right)}{ad} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx, x, \tanh(c+dx)\right)}{3a^{4/3}d} - \frac{b^{2/3} \operatorname{Subst}\left(\int \frac{\sqrt[3]{a}}{a^{2/3} - \sqrt[3]{a}} dx, x, \tanh(c+dx)\right)}{6a^{4/3}d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \operatorname{Subst}\left(\int \frac{-\sqrt[3]{a} \sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2} dx, x, \tanh(c+dx)\right)}{6a^{4/3}d} \\
&= -\frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx))}{6a^{4/3}d} \\
&= \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3}d} - \frac{\operatorname{coth}(c+dx)}{ad} + \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} - \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx))}{6a^{4/3}d}
\end{aligned}$$

**Mathematica [C]** time = 0.15, size = 190, normalized size = 1.21

$$\frac{2b \operatorname{RootSum}\left[\#1^3 a + \#1^3 b + 3\#1^2 a - 3\#1^2 b + 3\#1 a + 3\#1 b + a - b \&, \frac{-\log(-\#1 \sinh(c+dx) + \#1 \cosh(c+dx) - \sinh(c+dx) - \cosh(c+dx))}{3ad}\right]}{3ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^3), x]

[Out] -1/3\*(3\*Coth[c + d\*x] + 2\*b\*RootSum[a - b + 3\*a\*#1 + 3\*b\*#1 + 3\*a\*#1^2 - 3\*b\*#1^2 + a\*#1^3 + b\*#1^3 &, (-c - d\*x - Log[-Cosh[c + d\*x] - Sinh[c + d\*x] + Cosh[c + d\*x]\*#1 - Sinh[c + d\*x]\*#1] + c\*#1 + d\*x\*#1 + Log[-Cosh[c + d\*x] - Sinh[c + d\*x] + Cosh[c + d\*x]\*#1 - Sinh[c + d\*x]\*#1]\*#1)/(a + b + 2\*a\*#1 - 2\*b\*#1 + a\*#1^2 + b\*#1^2) & ])/(a\*d)

**fricas [B]** time = 0.72, size = 640, normalized size = 4.08

$$2\left(\sqrt{3} \cosh(dx+c)^2 + 2\sqrt{3} \cosh(dx+c) \sinh(dx+c) + \sqrt{3} \sinh(dx+c)^2 - \sqrt{3}\right) \left(\frac{b}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3} b \cosh(dx+c)}{\sqrt{3} \sinh(dx+c) + a}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] 
$$-1/6*(2*(\sqrt{3}*\cosh(d*x + c)^2 + 2*\sqrt{3}*\cosh(d*x + c)*\sinh(d*x + c) + \sqrt{3}*\sinh(d*x + c)^2 - \sqrt{3})*(b/a)^{(1/3)}*\arctan(-1/3*(\sqrt{3})*b*\cosh(d*x + c)^2 + 2*\sqrt{3})*b*\cosh(d*x + c)*\sinh(d*x + c) + \sqrt{3})*b*\sinh(d*x + c)^2 - (\sqrt{3})*a*\cosh(d*x + c)^2 + 2*\sqrt{3})*a*\cosh(d*x + c)*\sinh(d*x + c) + \sqrt{3})*a*\sinh(d*x + c)^2 + \sqrt{3})*a*(b/a)^{(2/3)} - (\sqrt{3})*b*\cosh(d*x + c)^2 + 2*\sqrt{3})*b*\cosh(d*x + c)*\sinh(d*x + c) + \sqrt{3})*b*\sinh(d*x + c)^2 - \sqrt{3})*b*(b/a)^{(1/3)})/b + (\cosh(d*x + c)^2 + 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2 - 1)*(b/a)^{(1/3)}*\log((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) - 2*(a*\cosh(d*x + c)^2 + 2*a*\cosh(d*x + c)*\sinh(d*x + c) + a*\sinh(d*x + c)^2 - a)*(b/a)^{(2/3)} + 2*(a*\cosh(d*x + c)^2 + 2*a*\cosh(d*x + c)*\sinh(d*x + c) + a*\sinh(d*x + c)^2 + a)*(b/a)^{(1/3)} + a + b) - 2*(\cosh(d*x + c)^2 + 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2 - 1)*(b/a)^{(1/3)}*\log((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + 2*a*(b/a)^{(2/3)} - 2*a*(b/a)^{(1/3)} + a - b) + 12)/(a*d*\cosh(d*x + c)^2 + 2*a*d*\cosh(d*x + c)*\sinh(d*x + c) + a*d*\sinh(d*x + c)^2 - a*d)$$

giac [A] time = 0.25, size = 21, normalized size = 0.13

$$\frac{2}{ad(e^{2dx+2c} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out]  $-2/(a*d*(e^{2*d*x + 2*c} - 1))$

maple [C] time = 0.57, size = 121, normalized size = 0.77

$$-\frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da} + \frac{2b \left( \sum_{R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{(-R^3-R)\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - R\right)}{-R^5a+2_R^3a+4_R^2b+Ra}}{3da} \right)}{3da} - \frac{1}{2da \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^2/(a+b\*tanh(d\*x+c)^3),x)

[Out]  $-1/2/d/a*\tanh(1/2*d*x+1/2*c)+2/3/d/a*b*\text{sum}((\_R^3-\_R)/(\_R^5*a+2*\_R^3*a+4*\_R^2*b+\_R*a)*\ln(\tanh(1/2*d*x+1/2*c)-\_R), \_R=\text{RootOf}(\_Z^6*a+3*\_Z^4*a+8*\_Z^3*b+3*\_Z^2*a+a))-1/2/d/a/\tanh(1/2*d*x+1/2*c)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{2}{ade^{2dx+2c}-ad}^{-4} \int \frac{be^{(4dx+4c)} - be^{(2dx+2c)}}{a^2 - ab + (a^2e^{(6c)} + abe^{(6c)})e^{(6dx)} + 3(a^2e^{(4c)} - abe^{(4c)})e^{(4dx)} + 3(a^2e^{(2c)} + abe^{(2c)})e^{(2dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csch(d*x+c)^2/(a+b*tanh(d*x+c)^3), x, algorithm="maxima")`

[Out]  $-2/(a*d*e^{(2*d*x + 2*c)} - a*d) - 4*\text{integrate}((b*e^{(4*d*x + 4*c)} - b*e^{(2*d*x + 2*c)})/(a^2 - a*b + (a^2*e^{(6*c)} + a*b*e^{(6*c)})*e^{(6*d*x)} + 3*(a^2*e^{(4*c)} - a*b*e^{(4*c)})*e^{(4*d*x)} + 3*(a^2*e^{(2*c)} + a*b*e^{(2*c)})*e^{(2*d*x)}), x)$

**mupad** [B] time = 8.71, size = 669, normalized size = 4.26

$$\frac{b^{1/3} \ln\left(\frac{a^{1/3} - b^{1/3} + a^{1/3} e^{2c+2dx} + b^{1/3} e^{2c+2dx}}{3 a^{4/3} d}\right) - \frac{2}{a d (e^{2c+2dx} - 1)}}{b^{1/3} \ln\left(\frac{256 b^3 (19 a^2 b - 24 a b^2 + 6 a^3 - b^3 + 8 a^3 e^{2c+2dx} + b^3 e^{2c+2dx})}{a^4 (e^{2c+2dx} - 1)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sinh(c + d*x)^2*(a + b*tanh(c + d*x)^3)), x)`

[Out]  $(b^{(1/3)}*\log(a^{(1/3)} - b^{(1/3)} + a^{(1/3)}*\exp(2*c + 2*d*x) + b^{(1/3)}*\exp(2*c + 2*d*x)))/(3*a^{(4/3)}*d) - 2/(a*d*(\exp(2*c + 2*d*x) - 1)) + (b^{(1/3)}*\log((256*b^3*(19*a^2*b - 24*a*b^2 + 6*a^3 - b^3 + 8*a^3*\exp(2*c + 2*d*x) + b^3*\exp(2*c + 2*d*x) + 70*a*b^2*\exp(2*c + 2*d*x) + 113*a^2*b*\exp(2*c + 2*d*x)))/(a^4*(a + b)^6) + (b^{(1/3)}*((3^{(1/2)}*i)/2 - 1/2)*((1536*b^3*d*(8*a^2 - 8*b^2 + 15*a^2*\exp(2*c + 2*d*x) + 15*b^2*\exp(2*c + 2*d*x) + 66*a*b*\exp(2*c + 2*d*x)))/(a^2*(a + b)^6) + (768*b^{(7/3)}*d*((3^{(1/2)}*i)/2 - 1/2)*(24*a^2*b - 19*a*b^2 + a^3 - 6*b^3 + a^3*\exp(2*c + 2*d*x) + 8*b^3*\exp(2*c + 2*d*x) + 13*a*b^2*\exp(2*c + 2*d*x) + 70*a^2*b*\exp(2*c + 2*d*x)))/(a^{(7/3)}*(a + b)^6)))/(3*a^{(4/3)}*d))*((3^{(1/2)}*i)/2 - 1/2))/(3*a^{(4/3)}*d) - (b^{(1/3)}*\log((256*b^3*(19*a^2*b - 24*a*b^2 + 6*a^3 - b^3 + 8*a^3*\exp(2*c + 2*d*x) + b^3*\exp(2*c + 2*d*x) + 70*a*b^2*\exp(2*c + 2*d*x) + 113*a^2*b*\exp(2*c + 2*d*x)))/(a^4*(a + b)^6) - (b^{(1/3)}*((3^{(1/2)}*i)/2 + 1/2)*((1536*b^3*d*(8*a^2 - 8*b^2 + 15*a^2*\exp(2*c + 2*d*x) + 15*b^2*\exp(2*c + 2*d*x) + 66*a*b*\exp(2*c + 2*d*x)))/(a^2*(a + b)^6) - (768*b^{(7/3)}*d*((3^{(1/2)}*i)/2 + 1/2)*(24*a^2*b - 19$

```
*a*b^2 + a^3 - 6*b^3 + a^3*exp(2*c + 2*d*x) + 8*b^3*exp(2*c + 2*d*x) + 113*
a*b^2*exp(2*c + 2*d*x) + 70*a^2*b*exp(2*c + 2*d*x))/(a^(7/3)*(a + b)^6)))/
(3*a^(4/3)*d))*((3^(1/2)*1i)/2 + 1/2))/(3*a^(4/3)*d)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^2(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral(csch(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*3), x)

$$3.79 \quad \int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=33

$$-i \operatorname{Int} \left( \frac{\operatorname{icsch}^3(c+dx)}{a+b \tanh^3(c+dx)}, x \right)$$

[Out]  $-I * \operatorname{Unintegrable}(I * \operatorname{csch}(d * x + c)^3 / (a + b * \operatorname{tanh}(d * x + c)^3), x)$

**Rubi [A]** time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Verification is Not applicable to the result.

[In]  $\operatorname{Int}[\operatorname{Csch}[c + d * x]^3 / (a + b * \operatorname{Tanh}[c + d * x]^3), x]$

[Out]  $(-I) * \operatorname{Defer}[\operatorname{Int}][I * \operatorname{Csch}[c + d * x]^3 / (a + b * \operatorname{Tanh}[c + d * x]^3), x]$

Rubi steps

$$\int \frac{\operatorname{csch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx = - \left( i \int \frac{\operatorname{icsch}^3(c+dx)}{a+b \tanh^3(c+dx)} dx \right)$$

**Mathematica [A]** time = 0.39, size = 201, normalized size = 6.09

$$16b \operatorname{RootSum} \left[ \#1^6 a + \#1^6 b + 3\#1^4 a - 3\#1^4 b + 3\#1^2 a + 3\#1^2 b + a - b \&, \frac{2\#1 \log(-\#1 \sinh(\frac{1}{2}(c+dx)) + \#1 \cosh(\frac{1}{2}(c+dx))) - \operatorname{sinh}(\frac{1}{2}(c+dx))}{\#1^4 a + \#1^4 b + 2\#1^2 a -} \right]$$

24aa

Antiderivative was successfully verified.

[In]  $\operatorname{Integrate}[\operatorname{Csch}[c + d * x]^3 / (a + b * \operatorname{Tanh}[c + d * x]^3), x]$

[Out]  $-1/24 * (16 * b * \operatorname{RootSum}[a - b + 3 * a * \#1^2 + 3 * b * \#1^2 + 3 * a * \#1^4 - 3 * b * \#1^4 + a * \#1^6 + b * \#1^6 \&, (c * \#1 + d * x * \#1 + 2 * \operatorname{Log}[-\operatorname{Cosh}[(c + d * x) / 2] - \operatorname{Sinh}[(c + d * x) / 2] + \operatorname{Cosh}[(c + d * x) / 2] * \#1 - \operatorname{Sinh}[(c + d * x) / 2] * \#1) * \#1] / (a + b + 2 * a * \#1^2 - 2 * b * \#1^2 + a * \#1^4 + b * \#1^4) \& ] + 3 * (\operatorname{Csch}[(c + d * x) / 2]^2 + 4 * \operatorname{Log}[\operatorname{Tanh}[(c + d * x) / 2]] + \operatorname{Sech}[(c + d * x) / 2]^2)) / (a * d)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="fricas")

[Out] Timed out

**giac** [A] time = 0.79, size = 68, normalized size = 2.06

$$\frac{\frac{\log(e^{(dx+c)+1})}{a} - \frac{\log(|e^{(dx+c)}-1|)}{a} - \frac{2(e^{(3dx+3c)+e^{(dx+c)}})}{a(e^{(2dx+2c)}-1)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="giac")

[Out] 1/2\*(log(e^(d\*x + c) + 1)/a - log(abs(e^(d\*x + c) - 1))/a - 2\*(e^(3\*d\*x + 3\*c) + e^(d\*x + c))/(a\*(e^(2\*d\*x + 2\*c) - 1)^2))/d

**maple** [A] time = 0.60, size = 144, normalized size = 4.36

$$\frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} - \frac{b \left( \sum_{R=\text{RootOf}(aZ^6+3aZ^4+8bZ^3+3aZ^2+a)} \frac{(-R^4-2R^2+1)\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - R\right)}{-R^5a+2R^3a+4R^2b+Ra} \right)}{3da} - \frac{1}{8da \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)^2} - \ln$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x)

[Out] 1/8/d/a\*tanh(1/2\*d\*x+1/2\*c)^2-1/3/d/a\*b\*sum((R^4-2\*R^2+1)/(R^5\*a+2\*R^3\*a+4\*R^2\*b+R\*a)\*ln(tanh(1/2\*d\*x+1/2\*c)-R),R=RootOf(Z^6\*a+3\*Z^4\*a+8\*Z^3\*b+3\*Z^2\*a+a))-1/8/d/a/tanh(1/2\*d\*x+1/2\*c)^2-1/2/d/a\*ln(tanh(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$-8b \int \frac{e^{(3dx+3c)}}{a^2 - ab + (a^2e^{(6c)} + abe^{(6c)})e^{(6dx)} + 3(a^2e^{(4c)} - abe^{(4c)})e^{(4dx)} + 3(a^2e^{(2c)} + abe^{(2c)})e^{(2dx)}} dx - \frac{e^{(3a)}}{ade^{(4dx+4c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^3/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out]  $-8*b*\int (e^{(3*d*x + 3*c)}/(a^2 - a*b + (a^2*e^{(6*c)} + a*b*e^{(6*c)}))*e^{(6*d*x)} + 3*(a^2*e^{(4*c)} - a*b*e^{(4*c)})*e^{(4*d*x)} + 3*(a^2*e^{(2*c)} + a*b*e^{(2*c)})*e^{(2*d*x)}) dx - (e^{(3*d*x + 3*c)} + e^{(d*x + c)})/(a*d*e^{(4*d*x + 4*c)} - 2*a*d*e^{(2*d*x + 2*c)} + a*d) + 1/2*\log((e^{(d*x + c)} + 1)*e^{(-c)})/(a*d) - 1/2*\log((e^{(d*x + c)} - 1)*e^{(-c)})/(a*d)$

mupad [A] time = 26.92, size = 3643, normalized size = 110.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^3)),x)

[Out]  $\exp(c + d*x)/(a*d - a*d*\exp(2*c + 2*d*x)) - (2*\exp(c + d*x))/(a*d - 2*a*d*\exp(2*c + 2*d*x) + a*d*\exp(4*c + 4*d*x)) + \text{symsum}(\log((570425344*a^4*b^6*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 33554432*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k))*a*b^{10}*d - 553648128*a^2*b^8*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 167772160*a^3*b^7*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 16777216*b^{10}*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) + 192937984*a^5*b^5*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) + 2617245696*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^3*a^5*b^8*d^3 - 150994944*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^3*a^6*b^7*d^3 - 1384120320*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^3*a^7*b^6*d^3 + 2415919104*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^3*a^8*b^5*d^3 - 3498049536*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^3*a^9*b^4*d^3 + 5435817984*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^5*a^8*b^7*d^5 + 679477248*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^5*a^9*b^6*d^5 - 70665633792*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^5*a^{10}*b^5*d^5 + 52319748096*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^5*a^{11}*b^4*d^5 + 12230590464*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^5*a^{12}*b^3*d^5 + 32614907904*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^7*a^{11}*b^6*d^7 + 146767085568*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^7*a^{12}*b^5*d^7 - 130459631616*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^7*a^{13}*b^4*d^7 - 48922361856*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^7*a^{14}*b^3*d^7 + 67108864*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)*a^2*b^9*d - 427819008*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)*a^3*b^8*d - 822083584*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2$

$$\begin{aligned}
& *z^2 + a^2*b^2 - b^4, z, k)*a^4*b^7*d + 436207616*\text{root}(729*a^{10}*d^6*z^6 + 2 \\
& 7*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)*a^5*b^6*d + 754974720*\text{root}(729*a^{10} \\
& 0*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)*a^6*b^5*d + 25165824* \\
& \text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)*a^7*b^4*d \\
& - 25165824*a*b^9*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + \\
& a^2*b^2 - b^4, z, k)) + 234881024*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z \\
& ^2 + a^2*b^2 - b^4, z, k)^2*a^3*b^9*d^2*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 \\
& + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) + 2592079872*\text{root}(729*a^{10}*d^6 \\
& *z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^2*a^4*b^8*d^2*\exp(d*x)*\exp \\
& (\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 28605 \\
& 15328*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^2*a \\
& ^5*b^7*d^2*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^ \\
& 2 - b^4, z, k)) + 2919235584*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a \\
& ^2*b^2 - b^4, z, k)^2*a^6*b^6*d^2*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a \\
& ^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 2357198848*\text{root}(729*a^{10}*d^6*z^6 + \\
& 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^2*a^7*b^5*d^2*\exp(d*x)*\exp(\text{root}( \\
& 729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 528482304*r \\
& oot(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^2*a^8*b^4* \\
& d^2*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4 \\
& , z, k)) + 301989888*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - \\
& b^4, z, k)^4*a^6*b^8*d^4*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d \\
& ^2*z^2 + a^2*b^2 - b^4, z, k)) + 9965666304*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4* \\
& b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^4*a^7*b^7*d^4*\exp(d*x)*\exp(\text{root}(729*a^{10} \\
& *d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 33671872512*\text{root}(72 \\
& 9*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^4*a^8*b^6*d^4*ex \\
& p(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k \\
& )) - 6568280064*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, \\
& z, k)^4*a^9*b^5*d^4*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^ \\
& 2 + a^2*b^2 - b^4, z, k)) + 29293019136*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2* \\
& d^2*z^2 + a^2*b^2 - b^4, z, k)^4*a^{10}*b^4*d^4*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^ \\
& 6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) + 679477248*\text{root}(729*a^{10} \\
& 0*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^4*a^{11}*b^3*d^4*\exp(d* \\
& x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) + \\
& 72024588288*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, \\
& k)^6*a^{10}*b^6*d^6*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 \\
& + a^2*b^2 - b^4, z, k)) + 27179089920*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^ \\
& 2*z^2 + a^2*b^2 - b^4, z, k)^6*a^{11}*b^5*d^6*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6* \\
& z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - 96485769216*\text{root}(729*a^{10} \\
& 0*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)^6*a^{12}*b^4*d^6*\exp(d* \\
& x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k)) - \\
& 2717908992*\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, \\
& k)^6*a^{13}*b^3*d^6*\exp(d*x)*\exp(\text{root}(729*a^{10}*d^6*z^6 + 27*a^4*b^2*d^2*z^2 + \\
& a^2*b^2 - b^4, z, k)))/(12*a^{16}*b + a^{17} + a^5*b^{12} + 12*a^6*b^{11} + 66*a^7 \\
& *b^{10} + 220*a^8*b^9 + 495*a^9*b^8 + 792*a^{10}*b^7 + 924*a^{11}*b^6 + 792*a^{12} \\
& b^5 + 495*a^{13}*b^4 + 220*a^{14}*b^3 + 66*a^{15}*b^2))*\text{root}(729*a^{10}*d^6*z^6 + 2
\end{aligned}$$

```

7*a^4*b^2*d^2*z^2 + a^2*b^2 - b^4, z, k), k, 1, 6) - log(33554432*a*b^9 - 1
6777216*b^10 + 113246208*a^2*b^8 - 260046848*a^3*b^7 + 321126400*a^4*b^6 -
382205952*a^5*b^5 + 191102976*a^6*b^4 + 16777216*b^10*exp(-1/(2*a*d))*exp(d
*x) - 33554432*a*b^9*exp(-1/(2*a*d))*exp(d*x) - 113246208*a^2*b^8*exp(-1/(2
*a*d))*exp(d*x) + 260046848*a^3*b^7*exp(-1/(2*a*d))*exp(d*x) - 321126400*a^
4*b^6*exp(-1/(2*a*d))*exp(d*x) + 382205952*a^5*b^5*exp(-1/(2*a*d))*exp(d*x)
- 191102976*a^6*b^4*exp(-1/(2*a*d))*exp(d*x))/(2*a*d) + log(33554432*a*b^9
- 16777216*b^10 + 113246208*a^2*b^8 - 260046848*a^3*b^7 + 321126400*a^4*b^
6 - 382205952*a^5*b^5 + 191102976*a^6*b^4 - 16777216*b^10*exp(1/(2*a*d))*ex
p(d*x) + 33554432*a*b^9*exp(1/(2*a*d))*exp(d*x) + 113246208*a^2*b^8*exp(1/(
2*a*d))*exp(d*x) - 260046848*a^3*b^7*exp(1/(2*a*d))*exp(d*x) + 321126400*a^
4*b^6*exp(1/(2*a*d))*exp(d*x) - 382205952*a^5*b^5*exp(1/(2*a*d))*exp(d*x) +
191102976*a^6*b^4*exp(1/(2*a*d))*exp(d*x))/(2*a*d)

```

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^3(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral(csch(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*3), x)



$$3.80 \quad \int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx$$

Optimal. Leaf size=215

$$\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} - \frac{\sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx)\right)}{3a^{4/3}d} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}a^{4/3}}\right)}{\sqrt{3}a^{4/3}}$$

[Out]  $\operatorname{coth}(d*x+c)/a/d-1/3*\operatorname{coth}(d*x+c)^3/a/d-b*\ln(\tanh(d*x+c))/a^2/d-1/3*b^{(1/3)*1}$   
 $n(a^{(1/3)}+b^{(1/3)}*\tanh(d*x+c))/a^{(4/3)}/d+1/6*b^{(1/3)}*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}$   
 $*\tanh(d*x+c)+b^{(2/3)}*\tanh(d*x+c)^2)/a^{(4/3)}/d+1/3*b*\ln(a+b*\tanh(d*x+c)^$   
 $3)/a^2/d-1/3*b^{(1/3)}*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*\tanh(d*x+c))/a^{(1/3)}*3^{(1/2)})/a^{(4/3)}/d*3^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {3663, 1834, 1871, 12, 292, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} \tanh(c+dx) + b^{2/3} \tanh^2(c+dx)\right)}{6a^{4/3}d} + \frac{b \log(a+b \tanh^3(c+dx))}{3a^2d} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}}{\sqrt{3}a^{4/3}}\right)}{\sqrt{3}a^{4/3}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Csch}[c+d*x]^4/(a+b*\operatorname{Tanh}[c+d*x]^3), x]$

[Out]  $-((b^{(1/3)}*\operatorname{ArcTan}[(a^{(1/3)}-2*b^{(1/3)}*\operatorname{Tanh}[c+d*x])/(\operatorname{Sqrt}[3]*a^{(1/3)})])/(\operatorname{Sqrt}[3]*a^{(4/3)*d}) + \operatorname{Coth}[c+d*x]/(a*d) - \operatorname{Coth}[c+d*x]^3/(3*a*d) - (b*\operatorname{Log}[\operatorname{Tanh}[c+d*x]])/(a^2*d) - (b^{(1/3)}*\operatorname{Log}[a^{(1/3)}+b^{(1/3)}*\operatorname{Tanh}[c+d*x]])/(3*a^{(4/3)*d} + (b^{(1/3)}*\operatorname{Log}[a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*\operatorname{Tanh}[c+d*x]+b^{(2/3)}*\operatorname{Tanh}[c+d*x]^2))/(6*a^{(4/3)*d} + (b*\operatorname{Log}[a+b*\operatorname{Tanh}[c+d*x]^3))/(3*a^2*d)$

### Rule 12

$\operatorname{Int}[(a_*)(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

### Rule 31

$\operatorname{Int}[(a_*) + (b_*)(x_)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a+b*x, x]]/b, x] /; \operatorname{FreeQ}[\{a, b\}, x]$

### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 292

Int[(x\_)/((a\_) + (b\_.)\*(x\_)^3), x\_Symbol] := -Dist[(3\*Rt[a, 3]\*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]\*x), x], x] + Dist[1/(3\*Rt[a, 3]\*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]\*x)/(Rt[a, 3]^2 - Rt[a, 3]\*Rt[b, 3]\*x + Rt[b, 3]^2\*x^2), x], x] /; FreeQ[{a, b}, x]

### Rule 617

Int[((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1834

Int[((Pq\_)\*((c\_.)\*(x\_)^(m\_.)))/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Int[ExpandIntegrand[((c\*x)^m\*Pq)/(a + b\*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

### Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

### Rule 3663

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[(c*ff^(m + 1))/f, Subst[Int[(x^m*(a + b*(ff*x)^n)^p]/(c^2 + ff^2*x^2)^(m/
2 + 1), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x]
&& IntegerQ[m/2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{csch}^4(c+dx)}{a+b \tanh^3(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{x^4(a+bx^3)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{Subst}\left(\int \left(\frac{1}{ax^4} - \frac{1}{ax^2} - \frac{b}{a^2x} + \frac{bx(a+bx)}{a^2(a+bx^3)}\right) dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \operatorname{Subst}\left(\int \frac{x(a+bx)}{a+bx^3} dx, x, \tanh(c+dx)\right)}{a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \operatorname{Subst}\left(\int \frac{ax}{a+bx^3} dx, x, \tanh(c+dx)\right)}{a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \log(a+b \tanh^3(c+dx))}{3a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} + \frac{b \log(a+b \tanh^3(c+dx))}{3a^2d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} \\
&= \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} \tanh(c+dx))}{3a^{4/3}d} \\
&= -\frac{\sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} \tanh(c+dx)}{\sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3}d} + \frac{\operatorname{coth}(c+dx)}{ad} - \frac{\operatorname{coth}^3(c+dx)}{3ad} - \frac{b \log(\tanh(c+dx))}{a^2d}
\end{aligned}$$

**Mathematica [C]** time = 3.62, size = 322, normalized size = 1.50

$$b\operatorname{RootSum}\left[\#1^3a + \#1^3b + 3\#1^2a - 3\#1^2b + 3\#1a + 3\#1b + a - b\&, \frac{-\#1^2a \log(e^{2(c+dx)} - \#1) + 2\#1^2ac + 2\#1^2adx - \#1^2b \log(e^{2(c+dx)} - \#1)}{\sqrt{3} a^{4/3}d}\right]$$

Antiderivative was successfully verified.

[In] Integrate[Csch[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^3), x]

[Out] (-(a\*Coth[c + d\*x]\*(-2 + Csch[c + d\*x]^2)) + 3\*b\*(c + d\*x - Log[Sinh[c + d\*x]])) + b\*RootSum[a - b + 3\*a\*#1 + 3\*b\*#1 + 3\*a\*#1^2 - 3\*b\*#1^2 + a\*#1^3 + b

```

#1^3 & , (-2*a*c + 2*b*c - 2*a*d*x + 2*b*d*x + a*Log[E^(2*(c + d*x)) - #1]
- b*Log[E^(2*(c + d*x)) - #1] - 8*a*c*#1 - 4*b*c*#1 - 8*a*d*x*#1 - 4*b*d*x
*#1 + 4*a*Log[E^(2*(c + d*x)) - #1]*#1 + 2*b*Log[E^(2*(c + d*x)) - #1]*#1 +
2*a*c*#1^2 + 2*b*c*#1^2 + 2*a*d*x*#1^2 + 2*b*d*x*#1^2 - a*Log[E^(2*(c + d*
x)) - #1]*#1^2 - b*Log[E^(2*(c + d*x)) - #1]*#1^2)/(a - b + 2*a*#1 + 2*b*#1
+ a*#1^2 - b*#1^2) & ])/(3*a^2*d)

```

**fricas** [C] time = 1.87, size = 1954, normalized size = 9.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csch(d*x+c)^4/(a+b*tanh(d*x+c)^3),x, algorithm="fricas")
```

```
[Out] 1/12*(12*sqrt(1/3)*(a^2*d*e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*x + 4*c) + 3*a^2
*d*e^(2*d*x + 2*c) - a^2*d)*sqrt((((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3)
- b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^2
+ 4*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^
3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))*a^2*b*d + 4*b^2)/(a^4*d^2))*arctan(-1/8*
sqrt(1/3)*((a^6 + a^5*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a
^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*d^3*e^(2*d*x + 2*
c) - 4*(2*a^3*b + a^2*b^2 - a*b^3)*d*e^(2*d*x + 2*c) - 2*((a^5 - a^4*b - 2*
a^3*b^2)*d^2*e^(2*d*x + 2*c) + (a^5 + a^4*b)*d^2)*((1/2)^(1/3)*(I*sqrt(3) +
1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^
2*d)) - (((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b
- b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^3 - 2*(a^3 - 2*a^2*b)*((1/2
)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d
^3))^(1/3) - 2*b/(a^2*d))*d^2 - 4*(2*a*b - b^2)*d)*sqrt(a^4 + 4*a^3*b + 5*a
^2*b^2 + 2*a*b^3 - 1/2*((a^6 + a^5*b)*d^2*e^(2*d*x + 2*c) - (a^6 + a^5*b)*d
^2)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^
3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2 + ((a^5 - a^4*b - 2*a^3*b^2)*d*e^(2*d*
x + 2*c) + (a^5 + 3*a^4*b + 2*a^3*b^2)*d)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(
a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d)) +
(a^4 + 2*a^3*b + a^2*b^2)*e^(4*d*x + 4*c) + 2*(a^4 + a^3*b - a^2*b^2 - a*b^
3)*e^(2*d*x + 2*c))*sqrt((((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(
a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))^2*a^4*d^2 + 4*((1
/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6
*d^3))^(1/3) - 2*b/(a^2*d))*a^2*b*d + 4*b^2)/(a^4*d^2))/(a^2*b + a*b^2)) -
2*(a^2*d*e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*x + 4*c) + 3*a^2*d*e^(2*d*x + 2*c
) - a^2*d)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2
*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))*log(1/2*((1/2)^(1/3)*(I*sqrt(3) +
1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^
2*d))^2*a^4*d^2 - (a^3 - 2*a^2*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3)
- b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d))*d + a^2 -
3*a*b + 2*b^2 + (a^2 + a*b)*e^(2*d*x + 2*c)) - 48*a*e^(2*d*x + 2*c) + ((a^2

```

```

*d*e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*x + 4*c) + 3*a^2*d*e^(2*d*x + 2*c) - a^
2*d)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b
^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d)) + 6*b*e^(6*d*x + 6*c) - 18*b*e^(4*d*x +
4*c) + 18*b*e^(2*d*x + 2*c) - 6*b)*log(a^4 + 4*a^3*b + 5*a^2*b^2 + 2*a*b^3
- 1/2*((a^6 + a^5*b)*d^2*e^(2*d*x + 2*c) - (a^6 + a^5*b)*d^2)*((1/2)^(1/3)
*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1
/3) - 2*b/(a^2*d))^2 + ((a^5 - a^4*b - 2*a^3*b^2)*d*e^(2*d*x + 2*c) + (a^5
+ 3*a^4*b + 2*a^3*b^2)*d)*((1/2)^(1/3)*(I*sqrt(3) + 1)*(b/(a^4*d^3) - b^3/(
a^6*d^3) - (a^2*b - b^3)/(a^6*d^3))^(1/3) - 2*b/(a^2*d)) + (a^4 + 2*a^3*b +
a^2*b^2)*e^(4*d*x + 4*c) + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^(2*d*x + 2*
c)) - 12*(b*e^(6*d*x + 6*c) - 3*b*e^(4*d*x + 4*c) + 3*b*e^(2*d*x + 2*c) - b
)*log(e^(2*d*x + 2*c) - 1) + 16*a)/(a^2*d*e^(6*d*x + 6*c) - 3*a^2*d*e^(4*d*
x + 4*c) + 3*a^2*d*e^(2*d*x + 2*c) - a^2*d)

```

**giac** [A] time = 0.29, size = 180, normalized size = 0.84

$$\frac{2b \log\left(\left|ae^{(6dx+6c)} + be^{(6dx+6c)} + 3ae^{(4dx+4c)} - 3be^{(4dx+4c)} + 3ae^{(2dx+2c)} + 3be^{(2dx+2c)} + a - b\right|\right)}{a^2} - \frac{6b \log\left(\left|e^{(2dx+2c)} - 1\right|\right)}{a^2} + \frac{11be^{(6dx+6c)} - 33be^{(4dx+4c)}}{a^2} - \frac{6d}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3), x, algorithm="giac")

```

[Out] 1/6*(2*b*log(abs(a*e^(6*d*x + 6*c) + b*e^(6*d*x + 6*c) + 3*a*e^(4*d*x + 4*c)
) - 3*b*e^(4*d*x + 4*c) + 3*a*e^(2*d*x + 2*c) + 3*b*e^(2*d*x + 2*c) + a - b
))/a^2 - 6*b*log(abs(e^(2*d*x + 2*c) - 1))/a^2 + (11*b*e^(6*d*x + 6*c) - 33
*b*e^(4*d*x + 4*c) - 24*a*e^(2*d*x + 2*c) + 33*b*e^(2*d*x + 2*c) + 8*a - 11
*b)/(a^2*(e^(2*d*x + 2*c) - 1)^3)/d

```

**maple** [C] time = 0.60, size = 187, normalized size = 0.87

$$-\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{24da} + \frac{3 \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} + \frac{b \left( \sum_{R=\text{RootOf}(a_Z^6+3a_Z^4+8b_Z^3+3a_Z^2+a)} \frac{(-R^5 a+4_R^2 b+3_R a) \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - R\right)}{-R^5 a+2_R^3 a+4_R^2 b+_R a}}{3d a^2} \right)}{3d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3), x)

```

[Out] -1/24/d/a*tanh(1/2*d*x+1/2*c)^3+3/8/d/a*tanh(1/2*d*x+1/2*c)+1/3/d/a^2*b*sum
((_R^5*a+4*_R^2*b+3*_R*a)/(_R^5*a+2*_R^3*a+4*_R^2*b+_R*a)*ln(tanh(1/2*d*x+1
/2*c)-_R), _R=RootOf(_Z^6*a+3*_Z^4*a+8*_Z^3*b+3*_Z^2*a+a))-1/24/d/a/tanh(1/2
*d*x+1/2*c)^3+3/8/d/a/tanh(1/2*d*x+1/2*c)-1/d/a^2*b*ln(tanh(1/2*d*x+1/2*c))

```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$2ab \left( \frac{-(a-b) \int \frac{1}{(ae^{6c}+be^{6c})e^{6dx}+3(ae^{4c}-be^{4c})e^{4dx}+3(ae^{2c}+be^{2c})e^{2dx}+a-b} dx + x}{a^3 - a^2b} - \frac{dx + c}{(a^3 - a^2b)d} \right) - 2b^2 \left( \frac{-(a-b) \int}{(a^3 - a^2b)d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)^4/(a+b\*tanh(d\*x+c)^3),x, algorithm="maxima")

[Out] 2\*a\*b\*(integrate(((a + b)\*e^(4\*d\*x + 4\*c) + 3\*(a - b)\*e^(2\*d\*x + 2\*c) + 3\*a + 3\*b)\*e^(2\*d\*x + 2\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/(a^3 - a^2\*b) - (d\*x + c)/((a^3 - a^2\*b)\*d) - 2\*b^2\*(integrate(((a + b)\*e^(4\*d\*x + 4\*c) + 3\*(a - b)\*e^(2\*d\*x + 2\*c) + 3\*a + 3\*b)\*e^(2\*d\*x + 2\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/(a^3 - a^2\*b) - (d\*x + c)/((a^3 - a^2\*b)\*d) + 2\*b\*integrate(e^(4\*d\*x + 4\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/a + 2\*b^2\*integrate(e^(4\*d\*x + 4\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/a^2 - 8\*b\*integrate(e^(2\*d\*x + 2\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/a - 4\*b^2\*integrate(e^(2\*d\*x + 2\*c)/((a + b)\*e^(6\*d\*x + 6\*c) + 3\*(a - b)\*e^(4\*d\*x + 4\*c) + 3\*(a + b)\*e^(2\*d\*x + 2\*c) + a - b), x)/a^2 + 2/3\*(3\*b\*d\*x\*e^(6\*d\*x + 6\*c) - 9\*b\*d\*x\*e^(4\*d\*x + 4\*c) - 3\*b\*d\*x + 3\*(3\*b\*d\*x\*e^(2\*c) - 2\*a\*e^(2\*c))\*e^(2\*d\*x) + 2\*a)/(a^2\*d\*e^(6\*d\*x + 6\*c) - 3\*a^2\*d\*e^(4\*d\*x + 4\*c) + 3\*a^2\*d\*e^(2\*d\*x + 2\*c) - a^2\*d) - b\*log((e^(d\*x + c) + 1)\*e^(-c))/(a^2\*d) - b\*log((e^(d\*x + c) - 1)\*e^(-c))/(a^2\*d)

**mupad [B]** time = 3.22, size = 4563, normalized size = 21.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sinh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^3)),x)

[Out] 8/(3\*(a\*d - 3\*a\*d\*exp(2\*c + 2\*d\*x) + 3\*a\*d\*exp(4\*c + 4\*d\*x) - a\*d\*exp(6\*c + 6\*d\*x))) - 4/(a\*d - 2\*a\*d\*exp(2\*c + 2\*d\*x) + a\*d\*exp(4\*c + 4\*d\*x)) + symsum(log((1507328\*a\*b^9 + 1572864\*b^10 - 5242880\*a^2\*b^8 - 7479296\*a^3\*b^7 + 3948544\*a^4\*b^6 + 5963776\*a^5\*b^5 - 278528\*a^6\*b^4 + 8192\*a^7\*b^3 - 1572864\*b^10\*exp(2\*root(27\*a^6\*d^3\*z^3 - 27\*a^4\*b\*d^2\*z^2 + 9\*a^2\*b^2\*d\*z + a^2\*b - b^3, z, k))\*exp(2\*d\*x) - 1769472\*a\*b^9\*exp(2\*root(27\*a^6\*d^3\*z^3 - 27\*a^4\*b\*d^2\*z^2 + 9\*a^2\*b^2\*d\*z + a^2\*b - b^3, z, k))\*exp(2\*d\*x) + 42467328\*root(27\*a^6\*d^3\*z^3 - 27\*a^4\*b\*d^2\*z^2 + 9\*a^2\*b^2\*d\*z + a^2\*b - b^3, z, k)^2\*a^4\*b^8\*d^2 + 21626880\*root(27\*a^6\*d^3\*z^3 - 27\*a^4\*b\*d^2\*z^2 + 9\*a^2\*b^2\*d\*z

$$\begin{aligned}
& + a^2b - b^3, z, k)^2 a^5 b^7 d^2 - 70189056 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 \\
& * b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 a^6 b^6 d^2 + 18038784 \operatorname{ro} \\
& \operatorname{ot}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 \\
& * a^7 b^5 d^2 - 11993088 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 * \\
& d z + a^2 b - b^3, z, k)^2 a^8 b^4 d^2 + 147456 \operatorname{root}(27a^6 d^3 z^3 - 27a^ \\
& 4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 a^9 b^3 d^2 - 98304 \operatorname{root} \\
& (27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 a \\
& ^{10} b^2 d^2 - 42467328 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d \\
& * z + a^2 b - b^3, z, k)^3 a^6 b^7 d^3 - 12091392 \operatorname{root}(27a^6 d^3 z^3 - 27a \\
& ^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^3 a^7 b^6 d^3 + 22708224 * \\
& \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k) \\
& ^3 a^8 b^5 d^3 + 12386304 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^ \\
& 2 d z + a^2 b - b^3, z, k)^3 a^9 b^4 d^3 + 19759104 \operatorname{root}(27a^6 d^3 z^3 - 2 \\
& 7a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^3 a^{10} b^3 d^3 - 29491 \\
& 2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, \\
& k)^3 a^{11} b^2 d^3 - 14155776 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 \\
& * b^2 d z + a^2 b - b^3, z, k) a^2 b^9 d - 10387456 \operatorname{root}(27a^6 d^3 z^3 - 27 \\
& * a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k) a^3 b^8 d + 32407552 \operatorname{ro} \\
& \operatorname{ot}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k) a \\
& ^4 b^7 d + 16187392 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z \\
& + a^2 b - b^3, z, k) a^5 b^6 d - 29818880 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^ \\
& 2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k) a^6 b^5 d + 6135808 \operatorname{root}(27a^6 * \\
& d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k) a^7 b^4 d - \\
& 376832 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^ \\
& 3, z, k) a^8 b^3 d + 8192 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^ \\
& 2 d z + a^2 b - b^3, z, k) a^9 b^2 d - 3571712 a^2 b^8 \exp(2 \operatorname{root}(27a^6 d^ \\
& 3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) + \\
& 30990336 a^3 b^7 \exp(2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 * \\
& d z + a^2 b - b^3, z, k)) \exp(2 d x) + 43139072 a^4 b^6 \exp(2 \operatorname{root}(27a^6 d \\
& ^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) \\
& + 8519680 a^5 b^5 \exp(2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 * \\
& d z + a^2 b - b^3, z, k)) \exp(2 d x) - 245760 a^6 b^4 \exp(2 \operatorname{root}(27a^6 d^3 \\
& * z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) + \\
& 8192 a^7 b^3 \exp(2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + \\
& a^2 b - b^3, z, k)) \exp(2 d x) - 42467328 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d \\
& ^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 a^4 b^8 d^2 \exp(2 \operatorname{root}(27a^6 \\
& * d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) \\
& ) - 22413312 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b \\
& - b^3, z, k)^2 a^5 b^7 d^2 \exp(2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + \\
& 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) + 54853632 \operatorname{root}(27a^6 d^3 z \\
& ^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)^2 a^6 b^6 d^2 \exp \\
& (2 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z \\
& , k)) \exp(2 d x) + 67977216 \operatorname{root}(27a^6 d^3 z^3 - 27a^4 b d^2 z^2 + 9a^2 * \\
& b^2 d z + a^2 b - b^3, z, k)^2 a^7 b^5 d^2 \exp(2 \operatorname{root}(27a^6 d^3 z^3 - 27a \\
& ^4 b d^2 z^2 + 9a^2 b^2 d z + a^2 b - b^3, z, k)) \exp(2 d x) - 60014592 \operatorname{ro}
\end{aligned}$$



$$\begin{aligned}
& \text{ot}(27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k)^2 \\
& a^8b^4d^2 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 2211840 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^9b^3d^2 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) \\
& - 147456 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^{10}b^2d^2 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 42467328 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^6b^7d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 9732096 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^7b^6d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) - 85377024 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^8b^5d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 246398976 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^9b^4d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 12828672 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^{10}b^3d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 442368 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^{11}b^2d^3 \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 14155776 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^2b^9d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 11698176 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^3b^8d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 6111232 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^4b^7d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) - 165445632 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^5b^6d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) - 27688960 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^6b^5d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 10559488 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^7b^4d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) - 393216 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^8b^3d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) + 8192 \sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k} \\
& a^9b^2d \exp(2\sqrt{27a^6d^3z^3 - 27a^4b^2d^2z^2 + 9a^2b^2d^2z + a^2b - b^3, z, k}) \exp(2dx) / (24a^{14}b + 3a^{15} + 3a^7b^8 + 24a^8b^7 + 84a^9b^6 + 168a^{10}b^5 + 210a^{11}b^4 + 168a^{12}b^3 + 84a^{13}
\end{aligned}$$

```
*b^2))*root(27*a^6*d^3*z^3 - 27*a^4*b*d^2*z^2 + 9*a^2*b^2*d*z + a^2*b - b^3
, z, k), k, 1, 3) - (b*log(45613056*a*b^9 + 100663296*b^10 - 130547712*a^2*
b^8 - 18014208*a^3*b^7 + 2015232*a^4*b^6 + 270336*a^5*b^5 - 100663296*b^10*
exp(2*d*x)*exp(-(2*b)/(a^2*d)) + 130547712*a^2*b^8*exp(2*d*x)*exp(-(2*b)/(a
^2*d)) + 18014208*a^3*b^7*exp(2*d*x)*exp(-(2*b)/(a^2*d)) - 2015232*a^4*b^6*
exp(2*d*x)*exp(-(2*b)/(a^2*d)) - 270336*a^5*b^5*exp(2*d*x)*exp(-(2*b)/(a^2*
d)) - 45613056*a*b^9*exp(2*d*x)*exp(-(2*b)/(a^2*d))))/(a^2*d)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{csch}^4(c + dx)}{a + b \tanh^3(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csch(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*3), x)

[Out] Integral(csch(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*3), x)

### 3.81 $\int \cosh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=63

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} + \frac{(3a - b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a - b)$$

[Out] 1/8\*(3\*a-b)\*x+1/8\*(3\*a-b)\*cosh(d\*x+c)\*sinh(d\*x+c)/d+1/4\*(a+b)\*cosh(d\*x+c)^3\*sinh(d\*x+c)/d

**Rubi [A]** time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3675, 385, 199, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh^3(c + dx)}{4d} + \frac{(3a - b) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a - b)$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a - b)\*x)/8 + ((3\*a - b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d)

#### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

Rubi steps

$$\begin{aligned} \int \cosh^4(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{a+bx^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} + \frac{(3a - b) \text{Subst}\left(\int \frac{1}{(1-x^2)^2} dx, x\right)}{4d} \\ &= \frac{(3a - b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \\ &= \frac{1}{8}(3a - b)x + \frac{(3a - b) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{4d} \end{aligned}$$

**Mathematica** [A] time = 0.17, size = 44, normalized size = 0.70

$$\frac{(a + b) \sinh(4(c + dx)) + 12a(c + dx) + 8a \sinh(2(c + dx)) - 4bdx}{32d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cosh[c + d*x]^4*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (-4*b*d*x + 12*a*(c + d*x) + 8*a*Sinh[2*(c + d*x)] + (a + b)*Sinh[4*(c + d*x)])/(32*d)
```

**fricas** [A] time = 0.41, size = 63, normalized size = 1.00

$$\frac{(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (3a - b)dx + ((a + b) \cosh(dx + c)^3 + 4a \cosh(dx + c)) \sinh(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2), x, algorithm="fricas")
```

[Out]  $1/8*((a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (3*a - b)*d*x + ((a + b)*\cosh(d*x + c)^3 + 4*a*\cosh(d*x + c))*\sinh(d*x + c))/d$

**giac** [A] time = 0.18, size = 107, normalized size = 1.70

$$\frac{8(3a - b)dx - (18ae^{4dx+4c} - 6be^{4dx+4c} + 8ae^{2dx+2c} + a + b)e^{(-4dx-4c)} + (ae^{4dx+12c} + be^{4dx+12c} + 8ae^{2dx+12c} + a + b)e^{(-4dx-4c)}}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="giac")`

[Out]  $1/64*(8*(3*a - b)*d*x - (18*a*e^{(4*d*x + 4*c)} - 6*b*e^{(4*d*x + 4*c)} + 8*a*e^{(2*d*x + 2*c)} + a + b)*e^{(-4*d*x - 4*c)} + (a*e^{(4*d*x + 12*c)} + b*e^{(4*d*x + 12*c)} + 8*a*e^{(2*d*x + 10*c)})*e^{(-8*c)})/d$

**maple** [A] time = 0.32, size = 82, normalized size = 1.30

$$\frac{b\left(\frac{\sinh(dx+c)(\cosh^3(dx+c))}{4} - \frac{\cosh(dx+c)\sinh(dx+c)}{8} - \frac{dx}{8} - \frac{c}{8}\right) + a\left(\left(\frac{\cosh^3(dx+c)}{4} + \frac{3\cosh(dx+c)}{8}\right)\sinh(dx+c) + \frac{3dx}{8} + \frac{3c}{8}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x)`

[Out]  $1/d*(b*(1/4*\sinh(d*x+c)*\cosh(d*x+c)^3 - 1/8*\cosh(d*x+c)*\sinh(d*x+c) - 1/8*d*x - 1/8*c) + a*((1/4*\cosh(d*x+c)^3 + 3/8*\cosh(d*x+c))*\sinh(d*x+c) + 3/8*d*x + 3/8*c))$

**maxima** [A] time = 0.35, size = 104, normalized size = 1.65

$$\frac{1}{64}a\left(24x + \frac{e^{(4dx+4c)}}{d} + \frac{8e^{(2dx+2c)}}{d} - \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d}\right) - \frac{1}{64}b\left(\frac{8(dx+c)}{d} - \frac{e^{(4dx+4c)}}{d} + \frac{e^{(-4dx-4c)}}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^4*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $1/64*a*(24*x + e^{(4*d*x + 4*c)})/d + 8*e^{(2*d*x + 2*c)}/d - 8*e^{(-2*d*x - 2*c)}/d - e^{(-4*d*x - 4*c)}/d - 1/64*b*(8*(d*x + c)/d - e^{(4*d*x + 4*c)}/d + e^{(-4*d*x - 4*c)}/d)$

**mupad** [B] time = 0.21, size = 74, normalized size = 1.17

$$x\left(\frac{3a}{8} - \frac{b}{8}\right) - \frac{e^{-4c-4dx}(a+b)}{64d} + \frac{e^{4c+4dx}(a+b)}{64d} - \frac{ae^{-2c-2dx}}{8d} + \frac{ae^{2c+2dx}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cosh(c + d*x)^4*(a + b*tanh(c + d*x)^2),x)
```

```
[Out] x*((3*a)/8 - b/8) - (exp(- 4*c - 4*d*x)*(a + b))/(64*d) + (exp(4*c + 4*d*x)
*(a + b))/(64*d) - (a*exp(- 2*c - 2*d*x))/(8*d) + (a*exp(2*c + 2*d*x))/(8*d
)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \tanh^2(c + dx)) \cosh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)**4*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*cosh(c + d*x)**4, x)
```

### 3.82 $\int \cosh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=30

$$\frac{(a + b) \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d}$$

[Out] a\*sinh(d\*x+c)/d+1/3\*(a+b)\*sinh(d\*x+c)^3/d

**Rubi** [A] time = 0.04, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {3676}

$$\frac{(a + b) \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Sinh[c + d\*x])/d + ((a + b)\*Sinh[c + d\*x]^3)/(3\*d)

Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p, x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2)], x]^p/(1 - ff^2\*x^2)^(m + n\*p + 1)/2, x], x, Sin[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \cosh^3(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int (a + (a + b)x^2) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{a \sinh(c + dx)}{d} + \frac{(a + b) \sinh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.02, size = 44, normalized size = 1.47

$$\frac{a \sinh^3(c + dx)}{3d} + \frac{a \sinh(c + dx)}{d} + \frac{b \sinh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Sinh[c + d\*x])/d + (a\*Sinh[c + d\*x]^3)/(3\*d) + (b\*Sinh[c + d\*x]^3)/(3\*d)

**fricas** [A] time = 0.39, size = 45, normalized size = 1.50

$$\frac{(a + b) \sinh(dx + c)^3 + 3 \left( (a + b) \cosh(dx + c)^2 + 3a - b \right) \sinh(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/12\*((a + b)\*sinh(d\*x + c)^3 + 3\*((a + b)\*cosh(d\*x + c)^2 + 3\*a - b)\*sinh(d\*x + c))/d

**giac** [B] time = 0.16, size = 94, normalized size = 3.13

$$\frac{\left( 9ae^{(2dx+2c)} - 3be^{(2dx+2c)} + a + b \right) e^{(-3dx-3c)} - \left( ae^{(3dx+12c)} + be^{(3dx+12c)} + 9ae^{(dx+10c)} - 3be^{(dx+10c)} \right) e^{(-9c)}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -1/24\*((9\*a\*e^(2\*d\*x + 2\*c) - 3\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-3\*d\*x - 3\*c) - (a\*e^(3\*d\*x + 12\*c) + b\*e^(3\*d\*x + 12\*c) + 9\*a\*e^(d\*x + 10\*c) - 3\*b\*e^(d\*x + 10\*c))\*e^(-9\*c))/d

**maple** [A] time = 0.32, size = 37, normalized size = 1.23

$$\frac{\frac{b(\sinh^3(dx+c))}{3} + a \left( \frac{2}{3} + \frac{(\cosh^2(dx+c))}{3} \right) \sinh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(1/3\*b\*sinh(d\*x+c)^3+a\*(2/3+1/3\*cosh(d\*x+c)^2)\*sinh(d\*x+c))

**maxima** [B] time = 0.34, size = 83, normalized size = 2.77

$$\frac{b(e^{(dx+c)} - e^{(-dx-c)})^3}{24d} + \frac{1}{24} a \left( \frac{e^{(3dx+3c)}}{d} + \frac{9e^{(dx+c)}}{d} - \frac{9e^{(-dx-c)}}{d} - \frac{e^{(-3dx-3c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{1}{24}b(e^{(d*x + c)} - e^{(-d*x - c)})^3/d + \frac{1}{24}a(e^{(3*d*x + 3*c)}/d + 9e^{(d*x + c)}/d - 9e^{(-d*x - c)}/d - e^{(-3*d*x - 3*c)}/d)$

mupad [B] time = 0.21, size = 74, normalized size = 2.47

$$\frac{e^{3c+3dx} (a+b)}{24d} - \frac{e^{-3c-3dx} (a+b)}{24d} + \frac{e^{c+dx} (3a-b)}{8d} - \frac{e^{-c-dx} (3a-b)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2),x)

[Out]  $(\exp(3*c + 3*d*x)*(a + b))/(24*d) - (\exp(-3*c - 3*d*x)*(a + b))/(24*d) + (\exp(c + d*x)*(3*a - b))/(8*d) - (\exp(-c - d*x)*(3*a - b))/(8*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \cosh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*cosh(c + d\*x)\*\*3, x)

### 3.83 $\int \cosh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=33

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - b)$$

[Out] 1/2\*(a-b)\*x+1/2\*(a+b)\*cosh(d\*x+c)\*sinh(d\*x+c)/d

**Rubi [A]** time = 0.04, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3675, 385, 206}

$$\frac{(a + b) \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - b)$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a - b)\*x)/2 + ((a + b)\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps

$$\int \cosh^2(c + dx) (a + b \tanh^2(c + dx)) dx = \frac{\text{Subst}\left(\int \frac{a+bx^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{(a - b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{2d}$$

$$= \frac{1}{2}(a - b)x + \frac{(a + b) \cosh(c + dx) \sinh(c + dx)}{2d}$$

**Mathematica [A]** time = 0.06, size = 32, normalized size = 0.97

$$\frac{2(a - b)(c + dx) + (a + b) \sinh(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*(a - b)\*(c + d\*x) + (a + b)\*Sinh[2\*(c + d\*x)])/(4\*d)

**fricas [A]** time = 0.39, size = 30, normalized size = 0.91

$$\frac{(a - b)dx + (a + b) \cosh(dx + c) \sinh(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/2\*((a - b)\*d\*x + (a + b)\*cosh(d\*x + c)\*sinh(d\*x + c))/d

**giac [B]** time = 0.14, size = 81, normalized size = 2.45

$$\frac{4(a - b)dx - (2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)e^{(-2dx-2c)} + (ae^{(2dx+4c)} + be^{(2dx+4c)})e^{(-2c)}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 1/8\*(4\*(a - b)\*d\*x - (2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-2\*d\*x - 2\*c) + (a\*e^(2\*d\*x + 4\*c) + b\*e^(2\*d\*x + 4\*c))\*e^(-2\*c))/d

**maple [A]** time = 0.21, size = 54, normalized size = 1.64

$$\frac{a \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + b \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x)`

[Out] `1/d*(a*(1/2*cosh(d*x+c)*sinh(d*x+c)+1/2*d*x+1/2*c)+b*(1/2*cosh(d*x+c)*sinh(d*x+c)-1/2*d*x-1/2*c))`

**maxima [B]** time = 0.32, size = 69, normalized size = 2.09

$$\frac{1}{8} a \left( 4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^2*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] `1/8*a*(4*x + e^(2*d*x + 2*c)/d - e^(-2*d*x - 2*c)/d) - 1/8*b*(4*x - e^(2*d*x + 2*c)/d + e^(-2*d*x - 2*c)/d)`

**mupad [B]** time = 0.15, size = 27, normalized size = 0.82

$$x \left( \frac{a}{2} - \frac{b}{2} \right) + \frac{\sinh(2c + 2dx)(a + b)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^2*(a + b*tanh(c + d*x)^2),x)`

[Out] `x*(a/2 - b/2) + (sinh(2*c + 2*d*x)*(a + b))/(4*d)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \cosh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**2*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*cosh(c + d*x)**2, x)`

### 3.84 $\int \cosh(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=27

$$\frac{(a + b) \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

[Out]  $-b \cdot \arctan(\sinh(dx+c))/d + (a+b) \cdot \sinh(dx+c)/d$

**Rubi** [A] time = 0.03, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3676, 388, 203}

$$\frac{(a + b) \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x] * (a + b * \text{Tanh}[c + d*x]^2), x]$

[Out]  $-((b * \text{ArcTan}[\text{Sinh}[c + d*x]]))/d + ((a + b) * \text{Sinh}[c + d*x])/d$

#### Rule 203

$\text{Int}[(a_ + (b_.) * (x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTan}[(\text{Rt}[b, 2] * x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2] * \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

#### Rule 388

$\text{Int}[(a_ + (b_.) * (x_)^{n_})^{p_} * ((c_ + (d_.) * (x_)^{n_})], x\_Symbol] \rightarrow \text{Simp}[(d * x * (a + b * x^n)^{p+1}) / (b * (n * (p+1) + 1)), x] - \text{Dist}[(a * d - b * c * (n * (p+1) + 1)) / (b * (n * (p+1) + 1)), \text{Int}[(a + b * x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{NeQ}[n * (p+1) + 1, 0]$

#### Rule 3676

$\text{Int}[\sec[(e_.) + (f_.) * (x_)]^{m_} * ((a_ + (b_.) * \tan[(e_.) + (f_.) * (x_)]^{n_})^{p_}), x\_Symbol] \rightarrow \text{With}\{\text{ff} = \text{FreeFactors}[\text{Sin}[e + f * x], x]\}, \text{Dist}[\text{ff}/f, \text{Subst}[\text{Int}[\text{ExpandToSum}[b * (\text{ff} * x)^n + a * (1 - \text{ff}^2 * x^2)^{n/2}], x]^p / (1 - \text{ff}^2 * x^2)^{(m + n * p + 1)/2}, x], x, \text{Sin}[e + f * x]/\text{ff}], x] /; \text{FreeQ}\{a, b, e, f, x\} \ \&\& \ \text{IntegerQ}[(m - 1)/2] \ \&\& \ \text{IntegerQ}[n/2] \ \&\& \ \text{IntegerQ}[p]$

#### Rubi steps

$$\begin{aligned} \int \cosh(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\text{Subst}\left(\int \frac{a+(a+b)x^2}{1+x^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a + b) \sinh(c + dx)}{d} - \frac{b \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{b \tan^{-1}(\sinh(c + dx))}{d} + \frac{(a + b) \sinh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 47, normalized size = 1.74

$$\frac{a \sinh(c) \cosh(dx)}{d} + \frac{a \cosh(c) \sinh(dx)}{d} + \frac{b \sinh(c + dx)}{d} - \frac{b \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -((b\*ArcTan[Sinh[c + d\*x]])/d) + (a\*Cosh[d\*x]\*Sinh[c])/d + (a\*Cosh[c]\*Sinh[d\*x])/d + (b\*Sinh[c + d\*x])/d

**fricas [B]** time = 0.41, size = 102, normalized size = 3.78

$$\frac{(a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 - 4(b \cosh(dx + c) + b \sinh(dx + c))}{2(d \cosh(dx + c) + d \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 - 4\*(b\*cosh(d\*x + c) + b\*sinh(d\*x + c))\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - a - b)/(d\*cosh(d\*x + c) + d\*sinh(d\*x + c))

**giac [B]** time = 0.14, size = 56, normalized size = 2.07

$$-\frac{4b \arctan\left(e^{(dx+c)}\right) + (a + b)e^{(-dx-c)} - \left(ae^{(dx+4c)} + be^{(dx+4c)}\right)e^{(-3c)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $-1/2*(4*b*\arctan(e^{(d*x + c)}) + (a + b)*e^{(-d*x - c)} - (a*e^{(d*x + 4*c)} + b*e^{(d*x + 4*c)})*e^{(-3*c)})/d$

**maple** [A] time = 0.20, size = 37, normalized size = 1.37

$$\frac{a \sinh(dx + c)}{d} + \frac{b \sinh(dx + c)}{d} - \frac{2b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)*(a+b*tanh(d*x+c)^2), x)`

[Out] `a*sinh(d*x+c)/d+b*sinh(d*x+c)/d-2/d*b*arctan(exp(d*x+c))`

**maxima** [B] time = 0.44, size = 55, normalized size = 2.04

$$\frac{1}{2}b \left( \frac{4 \arctan(e^{(-dx-c)})}{d} + \frac{e^{(dx+c)}}{d} - \frac{e^{(-dx-c)}}{d} \right) + \frac{a \sinh(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out] `1/2*b*(4*arctan(e^{(-d*x - c)})/d + e^{(d*x + c)}/d - e^{(-d*x - c)}/d) + a*sinh(d*x + c)/d`

**mupad** [B] time = 0.14, size = 66, normalized size = 2.44

$$\frac{e^{c+dx} (a + b)}{2d} - \frac{2 \operatorname{atan}\left(\frac{b e^{dx} e^c \sqrt{d^2}}{d \sqrt{b^2}}\right) \sqrt{b^2}}{\sqrt{d^2}} - \frac{e^{-c-dx} (a + b)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)*(a + b*tanh(c + d*x)^2), x)`

[Out] `(exp(c + d*x)*(a + b))/(2*d) - (2*atan((b*exp(d*x)*exp(c)*(d^2)^(1/2))/(d*(b^2)^(1/2)))*(b^2)^(1/2))/(d^2)^(1/2) - (exp(-c - d*x)*(a + b))/(2*d)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \cosh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*cosh(c + d*x), x)`

### 3.85 $\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=40

$$\frac{(2a + b) \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out] 1/2\*(2\*a+b)\*arctan(sinh(d\*x+c))/d-1/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.03, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {3676, 385, 203}

$$\frac{(2a + b) \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((2\*a + b)\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

#### Rubi steps



$$\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx)) dx = \frac{\operatorname{Subst}\left(\int \frac{a+(a+b)x^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{b \operatorname{sech}(c + dx) \tanh(c + dx)}{2d} + \frac{(2a + b) \operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{2d}$$

$$= \frac{(2a + b) \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \operatorname{sech}(c + dx) \tanh(c + dx)}{2d}$$

**Mathematica [A]** time = 0.03, size = 48, normalized size = 1.20

$$\frac{a \tan^{-1}(\sinh(c + dx))}{d} + \frac{b \tan^{-1}(\sinh(c + dx))}{2d} - \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*ArcTan[Sinh[c + d\*x]])/d + (b\*ArcTan[Sinh[c + d\*x]])/(2\*d) - (b\*Sech[c + d\*x]\*Tanh[c + d\*x])/(2\*d)

**fricas [B]** time = 0.39, size = 323, normalized size = 8.08

$$\frac{b \cosh(dx + c)^3 + 3b \cosh(dx + c) \sinh(dx + c)^2 + b \sinh(dx + c)^3 - ((2a + b) \cosh(dx + c)^4 + 4(2a + b) \cosh(dx + c) \sinh(dx + c)^3 + (2a + b) \sinh(dx + c)^4 + 2*(2a + b) \cosh(dx + c)^2 + 2*(3*(2a + b) \cosh(dx + c) \sinh(dx + c)^2 + 2*a + b) \sinh(dx + c)^2 + 4*((2a + b) \cosh(dx + c)^3 + (2a + b) \cosh(dx + c)) \sinh(dx + c) + 2*a + b) \arctan(\cosh(dx + c) + \sinh(dx + c)) - b \cosh(dx + c) + (3*b \cosh(dx + c)^2 - b) \sinh(dx + c))}{d \cosh(dx + c)^4 + 4*d \cosh(dx + c) \sinh(dx + c)^3 + d \sinh(dx + c)^4 + 2*d \cosh(dx + c)^2 + 2*(3*d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 4*(d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -(b\*cosh(d\*x + c)^3 + 3\*b\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + b\*sinh(d\*x + c)^3 - ((2\*a + b)\*cosh(d\*x + c)^4 + 4\*(2\*a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a + b)\*sinh(d\*x + c)^4 + 2\*(2\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 2\*a + b)\*sinh(d\*x + c)^2 + 4\*((2\*a + b)\*cosh(d\*x + c)^3 + (2\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) + 2\*a + b)\*arctan(cosh(d\*x + c) + sinh(d\*x + c)) - b\*cosh(d\*x + c) + (3\*b\*cosh(d\*x + c)^2 - b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^4 + 4\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + d\*sinh(d\*x + c)^4 + 2\*d\*cosh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 4\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac [A]** time = 0.14, size = 63, normalized size = 1.58

$$\frac{(2ae^c + be^c) \arctan\left(e^{(dx+c)}\right) e^{(-c)} - \frac{be^{(3dx+3c)} - be^{(dx+c)}}{(e^{(2dx+2c)} + 1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] ((2\*a\*e^c + b\*e^c)\*arctan(e^(d\*x + c))\*e^(-c) - (b\*e^(3\*d\*x + 3\*c) - b\*e^(d\*x + c))/(e^(2\*d\*x + 2\*c) + 1)^2)/d

**maple [A]** time = 0.27, size = 65, normalized size = 1.62

$$\frac{2a \arctan(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{b \arctan(e^{dx+c})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x)

[Out] 2/d\*a\*arctan(exp(d\*x+c))-1/d\*b\*sinh(d\*x+c)/cosh(d\*x+c)^2+1/2\*b\*sech(d\*x+c)\*tanh(d\*x+c)/d+1/d\*b\*arctan(exp(d\*x+c))

**maxima [B]** time = 0.43, size = 80, normalized size = 2.00

$$-b \left( \frac{\arctan(e^{-dx-c})}{d} + \frac{e^{-dx-c} - e^{-3dx-3c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right) + \frac{a \arctan(\sinh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] -b\*(arctan(e^(-d\*x - c))/d + (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + a\*arctan(sinh(d\*x + c))/d

**mupad [B]** time = 0.13, size = 125, normalized size = 3.12

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (2a \sqrt{d^2} + b \sqrt{d^2})}{d \sqrt{4a^2 + 4ab + b^2}}\right) \sqrt{4a^2 + 4ab + b^2}}{\sqrt{d^2}} - \frac{b e^{c+dx}}{d (e^{2c+2dx} + 1)} + \frac{2b e^{c+dx}}{d (2e^{2c+2dx} + e^{4c+4dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/cosh(c + d\*x),x)

[Out] (atan((exp(d\*x)\*exp(c)\*(2\*a\*(d^2)^(1/2) + b\*(d^2)^(1/2)))/(d\*(4\*a\*b + 4\*a^2 + b^2)^(1/2)))\*(4\*a\*b + 4\*a^2 + b^2)^(1/2))/(d^2)^(1/2) - (b\*exp(c + d\*x))/(d\*(exp(2\*c + 2\*d\*x) + 1)) + (2\*b\*exp(c + d\*x))/(d\*(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)*(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*sech(c + d*x), x)
```

### 3.86 $\int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=28

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

[Out] a\*tanh(d\*x+c)/d+1/3\*b\*tanh(d\*x+c)^3/d

**Rubi [A]** time = 0.03, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {3675}

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2),x]

[Out] (a\*Tanh[c + d\*x])/d + (b\*Tanh[c + d\*x]^3)/(3\*d)

**Rule 3675**

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]))^(n_)]^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

**Rubi steps**

$$\begin{aligned} \int \operatorname{sech}^2(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\operatorname{Subst}\left(\int (a + bx^2) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 28, normalized size = 1.00

$$\frac{a \tanh(c + dx)}{d} + \frac{b \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d + (b\*Tanh[c + d\*x]^3)/(3\*d)

**fricas** [B] time = 0.38, size = 159, normalized size = 5.68

$$\frac{4 \left( (3a + 2b) \cosh(dx + c)^2 + 2b \cosh(dx + c) \sinh(dx + c) \right)}{3 \left( d \cosh(dx + c)^4 + 4d \cosh(dx + c) \sinh(dx + c)^3 + d \sinh(dx + c)^4 + 4d \cosh(dx + c)^2 + 2 \left( 3d \cosh(dx + c) \sinh(dx + c)^2 + 3d \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 
$$-4/3 * ((3*a + 2*b) * \cosh(d*x + c)^2 + 2*b * \cosh(d*x + c) * \sinh(d*x + c) + (3*a + 2*b) * \sinh(d*x + c)^2 + 3*a) / (d * \cosh(d*x + c)^4 + 4*d * \cosh(d*x + c) * \sinh(d*x + c)^3 + d * \sinh(d*x + c)^4 + 4*d * \cosh(d*x + c)^2 + 2 * (3*d * \cosh(d*x + c)^2 + 2*d) * \sinh(d*x + c)^2 + 4 * (d * \cosh(d*x + c)^3 + d * \cosh(d*x + c)) * \sinh(d*x + c) + 3*d)$$

**giac** [B] time = 0.16, size = 59, normalized size = 2.11

$$\frac{2 \left( 3ae^{(4dx+4c)} + 3be^{(4dx+4c)} + 6ae^{(2dx+2c)} + 3a + b \right)}{3d \left( e^{(2dx+2c)} + 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] 
$$-2/3 * (3*a * e^{(4*d*x + 4*c)} + 3*b * e^{(4*d*x + 4*c)} + 6*a * e^{(2*d*x + 2*c)} + 3*a + b) / (d * (e^{(2*d*x + 2*c)} + 1)^3)$$

**maple** [A] time = 0.37, size = 53, normalized size = 1.89

$$\frac{a \tanh(dx + c) + b \left( -\frac{\sinh(dx + c)}{2 \cosh(dx + c)^3} + \frac{\left( \frac{2}{3} + \frac{\operatorname{sech}(dx + c)^2}{3} \right) \tanh(dx + c)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 
$$1/d * (a * \tanh(d*x + c) + b * (-1/2 * \sinh(d*x + c) / \cosh(d*x + c)^3 + 1/2 * (2/3 + 1/3 * \operatorname{sech}(d*x + c)^2) * \tanh(d*x + c)))$$

**maxima** [A] time = 0.34, size = 34, normalized size = 1.21

$$\frac{b \tanh(dx + c)^3}{3d} + \frac{2a}{d(e^{(-2dx-2c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/3\*b\*tanh(d\*x + c)^3/d + 2\*a/(d\*(e^(-2\*d\*x - 2\*c) + 1))

**mupad** [B] time = 1.22, size = 59, normalized size = 2.11

$$\frac{2(3a + b + 6ae^{2c+2dx} + 3ae^{4c+4dx} + 3be^{4c+4dx})}{3d(e^{2c+2dx} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/cosh(c + d\*x)^2,x)

[Out] -(2\*(3\*a + b + 6\*a\*exp(2\*c + 2\*d\*x) + 3\*a\*exp(4\*c + 4\*d\*x) + 3\*b\*exp(4\*c + 4\*d\*x)))/(3\*d\*(exp(2\*c + 2\*d\*x) + 1)^3)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sech(c + d\*x)\*\*2, x)

### 3.87 $\int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=66

$$\frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d}$$

[Out] 1/8\*(4\*a+b)\*arctan(sinh(d\*x+c))/d+1/8\*(4\*a+b)\*sech(d\*x+c)\*tanh(d\*x+c)/d-1/4\*b\*sech(d\*x+c)^3\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.05, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3676, 385, 199, 203}

$$\frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((4\*a + b)\*ArcTan[Sinh[c + d\*x]])/(8\*d) + ((4\*a + b)\*Sech[c + d\*x]\*Tanh[c + d\*x])/(8\*d) - (b\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(4\*d)

#### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \operatorname{sech}^3(c + dx) (a + b \tanh^2(c + dx)) dx &= \frac{\operatorname{Subst}\left(\int \frac{a+(a+b)x^2}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{(4a + b) \operatorname{Subst}\left(\int \frac{1}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{4d} \\ &= \frac{(4a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{a \tan^{-1}(\sinh(c + dx))}{2d} \\ &= \frac{(4a + b) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(4a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) \tanh(c + dx)}{4d} \end{aligned}$$

Mathematica [A] time = 0.03, size = 93, normalized size = 1.41

$$\frac{a \tan^{-1}(\sinh(c + dx))}{2d} + \frac{a \tanh(c + dx) \operatorname{sech}(c + dx)}{2d} + \frac{b \tan^{-1}(\sinh(c + dx))}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d} + \frac{b \tanh(c + dx) \operatorname{sech}(c + dx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^3*(a + b*Tanh[c + d*x]^2), x]
```

```
[Out] (a*ArcTan[Sinh[c + d*x]])/(2*d) + (b*ArcTan[Sinh[c + d*x]])/(8*d) + (a*Sech[c + d*x]*Tanh[c + d*x])/(2*d) + (b*Sech[c + d*x]*Tanh[c + d*x])/(8*d) - (b*Sech[c + d*x]^3*Tanh[c + d*x])/(4*d)
```

fricas [B] time = 0.40, size = 1046, normalized size = 15.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2), x, algorithm="fricas")
```



```
[Out] 1/4*((4*a + b)*cosh(d*x + c)^7 + 7*(4*a + b)*cosh(d*x + c)*sinh(d*x + c)^6
+ (4*a + b)*sinh(d*x + c)^7 + (4*a - 7*b)*cosh(d*x + c)^5 + (21*(4*a + b)*c
osh(d*x + c)^2 + 4*a - 7*b)*sinh(d*x + c)^5 + 5*(7*(4*a + b)*cosh(d*x + c)^
3 + (4*a - 7*b)*cosh(d*x + c))*sinh(d*x + c)^4 - (4*a - 7*b)*cosh(d*x + c)^
3 + (35*(4*a + b)*cosh(d*x + c)^4 + 10*(4*a - 7*b)*cosh(d*x + c)^2 - 4*a +
7*b)*sinh(d*x + c)^3 + (21*(4*a + b)*cosh(d*x + c)^5 + 10*(4*a - 7*b)*cosh(
d*x + c)^3 - 3*(4*a - 7*b)*cosh(d*x + c))*sinh(d*x + c)^2 + ((4*a + b)*cosh
(d*x + c)^8 + 8*(4*a + b)*cosh(d*x + c)*sinh(d*x + c)^7 + (4*a + b)*sinh(d*
x + c)^8 + 4*(4*a + b)*cosh(d*x + c)^6 + 4*(7*(4*a + b)*cosh(d*x + c)^2 + 4
*a + b)*sinh(d*x + c)^6 + 8*(7*(4*a + b)*cosh(d*x + c)^3 + 3*(4*a + b)*cosh
(d*x + c))*sinh(d*x + c)^5 + 6*(4*a + b)*cosh(d*x + c)^4 + 2*(35*(4*a + b)*
cosh(d*x + c)^4 + 30*(4*a + b)*cosh(d*x + c)^2 + 12*a + 3*b)*sinh(d*x + c)^
4 + 8*(7*(4*a + b)*cosh(d*x + c)^5 + 10*(4*a + b)*cosh(d*x + c)^3 + 3*(4*a
+ b)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(4*a + b)*cosh(d*x + c)^2 + 4*(7*(4
*a + b)*cosh(d*x + c)^6 + 15*(4*a + b)*cosh(d*x + c)^4 + 9*(4*a + b)*cosh(d
*x + c)^2 + 4*a + b)*sinh(d*x + c)^2 + 8*((4*a + b)*cosh(d*x + c)^7 + 3*(4*
a + b)*cosh(d*x + c)^5 + 3*(4*a + b)*cosh(d*x + c)^3 + (4*a + b)*cosh(d*x +
c))*sinh(d*x + c) + 4*a + b)*arctan(cosh(d*x + c) + sinh(d*x + c)) - (4*a
+ b)*cosh(d*x + c) + (7*(4*a + b)*cosh(d*x + c)^6 + 5*(4*a - 7*b)*cosh(d*x
+ c)^4 - 3*(4*a - 7*b)*cosh(d*x + c)^2 - 4*a - b)*sinh(d*x + c))/(d*cosh(d*
x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x + c)^8 + 4*d*cosh
(d*x + c)^6 + 4*(7*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6 + 8*(7*d*cosh(d*x
+ c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*x + c)^4 + 2*(35*
d*cosh(d*x + c)^4 + 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x + c)^4 + 8*(7*d*co
sh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^3 +
4*d*cosh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 + 15*d*cosh(d*x + c)^4 + 9*d*
cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^7 + 3*d*cosh(d*x
+ c)^5 + 3*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d)
```

**giac [B]** time = 0.15, size = 132, normalized size = 2.00

$$\frac{(4ae^c + be^c) \arctan\left(e^{(dx+c)}\right) e^{(-c)} + \frac{4ae^{(7dx+7c)} + be^{(7dx+7c)} + 4ae^{(5dx+5c)} - 7be^{(5dx+5c)} - 4ae^{(3dx+3c)} + 7be^{(3dx+3c)} - 4ae^{(dx+c)} - be^{(dx+c)}}{(e^{2dx+2c} + 1)^4}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] 1/4*((4*a*e^c + b*e^c)*arctan(e^(d*x + c))*e^(-c) + (4*a*e^(7*d*x + 7*c) +
b*e^(7*d*x + 7*c) + 4*a*e^(5*d*x + 5*c) - 7*b*e^(5*d*x + 5*c) - 4*a*e^(3*d*
x + 3*c) + 7*b*e^(3*d*x + 3*c) - 4*a*e^(d*x + c) - b*e^(d*x + c))/(e^(2*d*x
+ 2*c) + 1)^4)/d
```

maple [A] time = 0.39, size = 103, normalized size = 1.56

$$\frac{a \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a \arctan(e^{dx+c})}{d} - \frac{b \sinh(dx+c)}{3d \cosh(dx+c)^4} + \frac{b \operatorname{sech}(dx+c)^3 \tanh(dx+c)}{12d} + \frac{b \operatorname{sech}(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2),x)`

[Out] `1/2/d*a*sech(d*x+c)*tanh(d*x+c)+1/d*a*arctan(exp(d*x+c))-1/3/d*b*sinh(d*x+c)/cosh(d*x+c)^4+1/12*b*sech(d*x+c)^3*tanh(d*x+c)/d+1/8*b*sech(d*x+c)*tanh(d*x+c)/d+1/4/d*b*arctan(exp(d*x+c))`

maxima [B] time = 0.44, size = 181, normalized size = 2.74

$$-\frac{1}{4}b \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - 7e^{-3dx-3c} + 7e^{-5dx-5c} - e^{-7dx-7c}}{d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)} \right) - a \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - e^{-3dx-3c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] `-1/4*b*(arctan(e^(-d*x - c))/d - (e^(-d*x - c) - 7*e^(-3*d*x - 3*c) + 7*e^(-5*d*x - 5*c) - e^(-7*d*x - 7*c))/(d*(4*e^(-2*d*x - 2*c) + 6*e^(-4*d*x - 4*c) + 4*e^(-6*d*x - 6*c) + e^(-8*d*x - 8*c) + 1))) - a*(arctan(e^(-d*x - c))/d - (e^(-d*x - c) - e^(-3*d*x - 3*c))/(d*(2*e^(-2*d*x - 2*c) + e^(-4*d*x - 4*c) + 1)))`

mupad [B] time = 1.25, size = 280, normalized size = 4.24

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (4a \sqrt{d^2+b} \sqrt{d^2})}{d \sqrt{16a^2+8ab+b^2}}\right) \sqrt{16a^2+8ab+b^2}}{4\sqrt{d^2}} - \frac{\frac{e^{5c+5dx}(a+b)}{d} + \frac{2e^{3c+3dx}(a-b)}{d} + \frac{e^{c+dx}(a+b)}{d}}{4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1} - \frac{e^{c+dx}}{2d(2e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^2)/cosh(c + d*x)^3,x)`

[Out] `(atan((exp(d*x)*exp(c)*(4*a*(d^2)^(1/2) + b*(d^2)^(1/2)))/(d*(8*a*b + 16*a^2 + b^2)^(1/2)))*(8*a*b + 16*a^2 + b^2)^(1/2))/(4*(d^2)^(1/2)) - ((exp(5*c + 5*d*x)*(a + b))/d + (2*exp(3*c + 3*d*x)*(a - b))/d + (exp(c + d*x)*(a + b))/d)/(4*exp(2*c + 2*d*x) + 6*exp(4*c + 4*d*x) + 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1) - (exp(c + d*x)*(2*a + 3*b))/(2*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1)) + (exp(c + d*x)*(4*a + b))/(4*d*(exp(2*c + 2*d*x) + 1))`

) + (2\*b\*exp(c + d\*x))/(d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*sech(c + d\*x)\*\*3, x)

### 3.88 $\int \operatorname{sech}^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=48

$$-\frac{(a-b)\tanh^3(c+dx)}{3d} + \frac{a\tanh(c+dx)}{d} - \frac{b\tanh^5(c+dx)}{5d}$$

[Out] a\*tanh(d\*x+c)/d-1/3\*(a-b)\*tanh(d\*x+c)^3/d-1/5\*b\*tanh(d\*x+c)^5/d

**Rubi [A]** time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3675, 373}

$$-\frac{(a-b)\tanh^3(c+dx)}{3d} + \frac{a\tanh(c+dx)}{d} - \frac{b\tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d - ((a - b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx)) dx &= \frac{\operatorname{Subst}\left(\int (1-x^2)(a+bx^2) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a-(a-b)x^2-bx^4) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a \tanh(c+dx)}{d} - \frac{(a-b) \tanh^3(c+dx)}{3d} - \frac{b \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 86, normalized size = 1.79

$$\frac{a \tanh^3(c+dx)}{3d} + \frac{a \tanh(c+dx)}{d} + \frac{2b \tanh(c+dx)}{15d} - \frac{b \tanh(c+dx) \operatorname{sech}^4(c+dx)}{5d} + \frac{b \tanh(c+dx) \operatorname{sech}^2(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Tanh[c + d\*x])/d + (2\*b\*Tanh[c + d\*x])/(15\*d) + (b\*Sech[c + d\*x]^2\*Tanh[c + d\*x])/(15\*d) - (b\*Sech[c + d\*x]^4\*Tanh[c + d\*x])/(5\*d) - (a\*Tanh[c + d\*x]^3)/(3\*d)

**fricas [B]** time = 0.39, size = 345, normalized size = 7.19

$$\frac{15(d \cosh(dx+c))^7 + 7d \cosh(dx+c) \sinh(dx+c)^6 + d \sinh(dx+c)^7 + 5d \cosh(dx+c)^5 + (21d \cosh(dx+c) \sinh(dx+c))^5}{15d(e^{2dx+2c} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -8/15\*(2\*(5\*a + 4\*b)\*cosh(d\*x + c)^3 + 6\*(5\*a + 4\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (5\*a + 7\*b)\*sinh(d\*x + c)^3 + 30\*a\*cosh(d\*x + c) + (3\*(5\*a + 7\*b)\*cosh(d\*x + c)^2 + 5\*a - 5\*b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + d\*sinh(d\*x + c)^7 + 5\*d\*cosh(d\*x + c)^5 + (21\*d\*cosh(d\*x + c)^2 + 5\*d)\*sinh(d\*x + c)^5 + 5\*(7\*d\*cosh(d\*x + c)^3 + 5\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 11\*d\*cosh(d\*x + c)^3 + (35\*d\*cosh(d\*x + c)^4 + 50\*d\*cosh(d\*x + c)^2 + 9\*d)\*sinh(d\*x + c)^3 + (21\*d\*cosh(d\*x + c)^5 + 50\*d\*cosh(d\*x + c)^3 + 33\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 15\*d\*cosh(d\*x + c) + (7\*d\*cosh(d\*x + c)^6 + 25\*d\*cosh(d\*x + c)^4 + 27\*d\*cosh(d\*x + c)^2 + 5\*d)\*sinh(d\*x + c))

**giac [B]** time = 0.16, size = 95, normalized size = 1.98

$$\frac{4(15ae^{(6dx+6c)} + 15be^{(6dx+6c)} + 35ae^{(4dx+4c)} - 5be^{(4dx+4c)} + 25ae^{(2dx+2c)} + 5be^{(2dx+2c)} + 5a + b)}{15d(e^{(2dx+2c)} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 
$$\frac{-4/15*(15*a*e^{(6*d*x + 6*c)} + 15*b*e^{(6*d*x + 6*c)} + 35*a*e^{(4*d*x + 4*c)} - 5*b*e^{(4*d*x + 4*c)} + 25*a*e^{(2*d*x + 2*c)} + 5*b*e^{(2*d*x + 2*c)} + 5*a + b)}{(d*(e^{(2*d*x + 2*c)} + 1)^5)}$$

**maple** [A] time = 0.36, size = 75, normalized size = 1.56

$$\frac{a\left(\frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3}\right)\tanh(dx+c) + b\left(-\frac{\sinh(dx+c)}{4\cosh(dx+c)^5} + \frac{\left(\frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5} + \frac{4\operatorname{sech}(dx+c)^2}{15}\right)\tanh(dx+c)}{4}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x)

[Out] 
$$\frac{1}{d}\left(a\left(\frac{2}{3} + \frac{1}{3}\operatorname{sech}(d*x+c)^2\right)\tanh(d*x+c) + b\left(-\frac{1}{4}\frac{\sinh(d*x+c)}{\cosh(d*x+c)^5} + \frac{1}{4}\left(\frac{8}{15} + \frac{1}{5}\operatorname{sech}(d*x+c)^4 + \frac{4}{15}\operatorname{sech}(d*x+c)^2\right)\tanh(d*x+c)\right)\right)$$

**maxima** [B] time = 0.35, size = 371, normalized size = 7.73

$$\frac{4}{15}b\left(\frac{5e^{(-2dx-2c)}}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} - \frac{1}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$\frac{4}{15}b\left(\frac{5e^{(-2*d*x - 2*c)}}{(d*(5e^{(-2*d*x - 2*c)} + 10e^{(-4*d*x - 4*c)} + 10e^{(-6*d*x - 6*c)} + 5e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))} - \frac{5e^{(-4*d*x - 4*c)}}{(d*(5e^{(-2*d*x - 2*c)} + 10e^{(-4*d*x - 4*c)} + 10e^{(-6*d*x - 6*c)} + 5e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))} + \frac{15e^{(-6*d*x - 6*c)}}{(d*(5e^{(-2*d*x - 2*c)} + 10e^{(-4*d*x - 4*c)} + 10e^{(-6*d*x - 6*c)} + 5e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))} + \frac{1}{(d*(5e^{(-2*d*x - 2*c)} + 10e^{(-4*d*x - 4*c)} + 10e^{(-6*d*x - 6*c)} + 5e^{(-8*d*x - 8*c)} + e^{(-10*d*x - 10*c)} + 1))} + \frac{4}{3}a\left(\frac{3e^{(-2*d*x - 2*c)}}{(d*(3e^{(-2*d*x - 2*c)} + 3e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))} + \frac{1}{(d*(3e^{(-2*d*x - 2*c)} + 3e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} + 1))}\right)\right)$$

**mupad** [B] time = 0.17, size = 304, normalized size = 6.33

$$\frac{\frac{8(a-b)}{15d} + \frac{4e^{2c+2dx}(a+b)}{5d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{\frac{8e^{2c+2dx}(a+b)}{5d} + \frac{8e^{6c+6dx}(a+b)}{5d} + \frac{16e^{4c+4dx}(a-b)}{5d}}{5e^{2c+2dx} + 10e^{4c+4dx} + 10e^{6c+6dx} + 5e^{8c+8dx} + e^{10c+10dx} + 1} - \frac{4e^{2c+2dx}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*tanh(c + d*x)^2)/cosh(c + d*x)^4,x)
```

```
[Out] - ((8*(a - b))/(15*d) + (4*exp(2*c + 2*d*x)*(a + b))/(5*d))/(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1) - ((8*exp(2*c + 2*d*x)*(a + b))/(5*d) + (8*exp(6*c + 6*d*x)*(a + b))/(5*d) + (16*exp(4*c + 4*d*x)*(a - b))/(5*d))/(5*exp(2*c + 2*d*x) + 10*exp(4*c + 4*d*x) + 10*exp(6*c + 6*d*x) + 5*exp(8*c + 8*d*x) + exp(10*c + 10*d*x) + 1) - ((2*(a + b))/(5*d) + (6*exp(4*c + 4*d*x)*(a + b))/(5*d) + (8*exp(2*c + 2*d*x)*(a - b))/(5*d))/(4*exp(2*c + 2*d*x) + 6*exp(4*c + 4*d*x) + 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1) - (2*(a + b))/(5*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \tanh^2(c + dx)) \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**4*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*sech(c + d*x)**4, x)
```

$$3.89 \quad \int \cosh^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=85

$$\frac{3(a^2 - b^2) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a^2 - 2ab + 3b^2) + \frac{(a + b) \sinh(c + dx) \cosh^3(c + dx) (a + b \tanh^2(c + dx))}{4d}$$

[Out]  $1/8*(3*a^2-2*a*b+3*b^2)*x+3/8*(a^2-b^2)*\cosh(d*x+c)*\sinh(d*x+c)/d+1/4*(a+b)*\cosh(d*x+c)^3*\sinh(d*x+c)*(a+b*\tanh(d*x+c)^2)/d$

**Rubi [A]** time = 0.09, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 413, 385, 206}

$$\frac{3(a^2 - b^2) \sinh(c + dx) \cosh(c + dx)}{8d} + \frac{1}{8}x(3a^2 - 2ab + 3b^2) + \frac{(a + b) \sinh(c + dx) \cosh^3(c + dx) (a + b \tanh^2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $((3*a^2 - 2*a*b + 3*b^2)*x)/8 + (3*(a^2 - b^2)*\text{Cosh}[c + d*x]*\text{Sinh}[c + d*x])/((8*d) + ((a + b)*\text{Cosh}[c + d*x]^3*\text{Sinh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)))/(4*d)$

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 413

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[((a\*d - c\*b)\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 1))/(a\*b\*n\*(p + 1)), x] - Dist[1/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 2)\*Simp[c\*(a\*d - c\*b\*(n\*(p + 1) + 1)) + d\*(a\*d\*(n\*(q - 1) + 1) - b\*c\*(n\*(p



+ q) + 1)) \* x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rubi steps

$$\begin{aligned} \int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx) (a + b \tanh^2(c + dx))}{4d} - \frac{\text{Subst}}{4d} \\ &= \frac{3(a^2 - b^2) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{8d} \\ &= \frac{1}{8} (3a^2 - 2ab + 3b^2) x + \frac{3(a^2 - b^2) \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b) \cosh^3(c + dx) \sinh(c + dx)}{8d} \end{aligned}$$

**Mathematica** [A] time = 0.33, size = 63, normalized size = 0.74

$$\frac{4(3a^2 - 2ab + 3b^2)(c + dx) + 8(a^2 - b^2) \sinh(2(c + dx)) + (a + b)^2 \sinh(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (4\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*(c + d\*x) + 8\*(a^2 - b^2)\*Sinh[2\*(c + d\*x)] + (a + b)^2\*Sinh[4\*(c + d\*x)])/(32\*d)

**fricas** [A] time = 0.41, size = 95, normalized size = 1.12

$$\frac{(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (3a^2 - 2ab + 3b^2)dx + ((a^2 + 2ab + b^2) \cosh(dx + c))^3 + 4(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^3}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{8}((a^2 + 2ab + b^2)\cosh(dx + c)\sinh(dx + c)^3 + (3a^2 - 2ab + 3b^2)d^2x + ((a^2 + 2ab + b^2)\cosh(dx + c)^3 + 4(a^2 - b^2)\cosh(dx + c))\sinh(dx + c))/d$

**giac** [B] time = 0.39, size = 189, normalized size = 2.22

$$\frac{8(3a^2 - 2ab + 3b^2)dx - (18a^2e^{4dx+4c} - 12abe^{4dx+4c} + 18b^2e^{4dx+4c} + 8a^2e^{2dx+2c} - 8b^2e^{2dx+2c} + a^2 + 2b^2)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{64}(8(3a^2 - 2ab + 3b^2)d^2x - (18a^2e^{4dx+4c} - 12ab^2e^{4dx+4c} + 18a^2e^{2dx+2c} - 8b^2e^{2dx+2c} + a^2 + 2ab + b^2)e^{-4dx-4c} + (a^2e^{4dx+12c} + 2ab^2e^{4dx+12c} + b^2e^{4dx+12c} + 8a^2e^{2dx+10c} - 8b^2e^{2dx+10c}))e^{-8c})/d$

**maple** [A] time = 0.38, size = 124, normalized size = 1.46

$$\frac{b^2 \left( \left( \frac{\sinh^3(dx+c)}{4} - \frac{3\sinh(dx+c)}{8} \right) \cosh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 2ab \left( \frac{\sinh(dx+c)\cosh^3(dx+c)}{4} - \frac{\cosh(dx+c)\sinh(dx+c)}{8} - \frac{dx}{8} - \frac{c}{8} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d}(b^2((1/4)\sinh(dx+c)^3 - 3/8\sinh(dx+c))\cosh(dx+c) + 3/8d^2x + 3/8c) + 2ab((1/4)\sinh(dx+c)\cosh(dx+c)^3 - 1/8\cosh(dx+c)\sinh(dx+c) - 1/8d^2x - 1/8c) + a^2((1/4)\cosh(dx+c)^3 + 3/8\cosh(dx+c))\sinh(dx+c) + 3/8d^2x + 3/8c)$

**maxima** [B] time = 0.36, size = 171, normalized size = 2.01

$$\frac{1}{64}a^2\left(24x + \frac{e^{4dx+4c}}{d} + \frac{8e^{2dx+2c}}{d} - \frac{8e^{-2dx-2c}}{d} - \frac{e^{-4dx-4c}}{d}\right) + \frac{1}{64}b^2\left(24x + \frac{e^{4dx+4c}}{d} - \frac{8e^{2dx+2c}}{d} + \frac{8e^{-2dx-2c}}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{64}a^2(24x + e^{4dx+4c})/d + 8e^{2dx+2c}/d - 8e^{-2dx-2c}/d - e^{-4dx-4c}/d + 1/64b^2(24x + e^{4dx+4c})/d - 8e^{2dx+2c}/d$

$x + 2*c)/d + 8*e^{(-2*d*x - 2*c)/d} - e^{(-4*d*x - 4*c)/d} - 1/32*a*b*(8*(d*x + c)/d - e^{(4*d*x + 4*c)/d} + e^{(-4*d*x - 4*c)/d})$

**mupad** [B] time = 0.27, size = 102, normalized size = 1.20

$$x \left( \frac{3a^2}{8} - \frac{ab}{4} + \frac{3b^2}{8} \right) - \frac{e^{-2c-2dx} (a^2 - b^2)}{8d} + \frac{e^{2c+2dx} (a^2 - b^2)}{8d} - \frac{e^{-4c-4dx} (a+b)^2}{64d} + \frac{e^{4c+4dx} (a+b)^2}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^4*(a + b*tanh(c + d*x)^2)^2,x)`

[Out] `x*((3*a^2)/8 - (a*b)/4 + (3*b^2)/8) - (exp(- 2*c - 2*d*x)*(a^2 - b^2))/(8*d) + (exp(2*c + 2*d*x)*(a^2 - b^2))/(8*d) - (exp(- 4*c - 4*d*x)*(a + b)^2)/(64*d) + (exp(4*c + 4*d*x)*(a + b)^2)/(64*d)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \cosh^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**4*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*cosh(c + d*x)**4, x)`

### 3.90 $\int \cosh^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=54

$$\frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d}$$

[Out]  $b^2 \arctan(\sinh(dx+c))/d + (a^2 - b^2) \sinh(dx+c)/d + 1/3 (a+b)^2 \sinh(dx+c)^3/d$

**Rubi [A]** time = 0.06, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3676, 390, 203}

$$\frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(b^2 \text{ArcTan}[\text{Sinh}[c + d*x]])/d + ((a^2 - b^2) \text{Sinh}[c + d*x])/d + ((a + b)^2 * \text{Sinh}[c + d*x]^3)/(3*d)$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{1+x^2} dx, x, \sinh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(a^2 - b^2 + (a + b)^2 x^2 + \frac{b^2}{1+x^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\
&= \frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{3d} \\
&= \frac{b^2 \tan^{-1}(\sinh(c + dx))}{d} + \frac{(a^2 - b^2) \sinh(c + dx)}{d} + \frac{(a + b)^2 \sinh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.46, size = 71, normalized size = 1.31

$$\frac{\sinh(c + dx) \left( (a + b)((a + b) \cosh(2(c + dx)) + 5a - 7b) + \frac{6b^2 \tanh^{-1}\left(\sqrt{-\sinh^2(c + dx)}\right)}{\sqrt{-\sinh^2(c + dx)}} \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (Sinh[c + d\*x]\*((a + b)\*(5\*a - 7\*b + (a + b)\*Cosh[2\*(c + d\*x)])) + (6\*b^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/Sqrt[-Sinh[c + d\*x]^2]))/(6\*d)

**fricas [B]** time = 0.42, size = 519, normalized size = 9.61

$$\frac{(a^2 + 2ab + b^2) \cosh(dx + c)^6 + 6(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^5 + (a^2 + 2ab + b^2) \sinh(dx + c)^6}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/24\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^6 + 6\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^6 + 3\*(3\*a^2 - 2\*a\*b - 5\*b^2)\*cosh(d\*x + c)^4 + 3\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 3\*a^2 - 2\*a\*b - 5\*b^2)\*sinh(d\*x + c)^4 + 4\*(5\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + 3\*(3\*a^2 - 2\*a\*b - 5\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - 3\*(3\*a^2

$$- 2*a*b - 5*b^2)*\cosh(d*x + c)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 6*(3*a^2 - 2*a*b - 5*b^2)*\cosh(d*x + c)^2 - 3*a^2 + 2*a*b + 5*b^2)*\sinh(d*x + c)^2 - a^2 - 2*a*b - b^2 + 48*(b^2*\cosh(d*x + c)^3 + 3*b^2*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*b^2*\cosh(d*x + c)*\sinh(d*x + c)^2 + b^2*\sinh(d*x + c)^3)*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) + 6*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 2*(3*a^2 - 2*a*b - 5*b^2)*\cosh(d*x + c)^3 - (3*a^2 - 2*a*b - 5*b^2)*\cosh(d*x + c))*\sinh(d*x + c)/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + d*\sinh(d*x + c)^3)$$

**giac [B]** time = 0.36, size = 164, normalized size = 3.04

$$\frac{48 b^2 \arctan(e^{(dx+c)}) - (9 a^2 e^{(2dx+2c)} - 6 a b e^{(2dx+2c)} - 15 b^2 e^{(2dx+2c)} + a^2 + 2 a b + b^2) e^{(-3dx-3c)} + (a^2 e^{(3dx+18c)} + \dots)}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/24\*(48\*b^2\*arctan(e^(d\*x + c)) - (9\*a^2\*e^(2\*d\*x + 2\*c) - 6\*a\*b\*e^(2\*d\*x + 2\*c) - 15\*b^2\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-3\*d\*x - 3\*c) + (a^2\*e^(3\*d\*x + 18\*c) + 2\*a\*b\*e^(3\*d\*x + 18\*c) + b^2\*e^(3\*d\*x + 18\*c) + 9\*a^2\*e^(d\*x + 16\*c) - 6\*a\*b\*e^(d\*x + 16\*c) - 15\*b^2\*e^(d\*x + 16\*c))\*e^(-15\*c))/d

**maple [A]** time = 0.27, size = 98, normalized size = 1.81

$$\frac{2a^2 \sinh(dx+c)}{3d} + \frac{a^2 \sinh(dx+c) (\cosh^2(dx+c))}{3d} + \frac{2ab (\sinh^3(dx+c))}{3d} + \frac{b^2 (\sinh^3(dx+c))}{3d} - \frac{b^2 \sinh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 2/3\*a^2\*sinh(d\*x+c)/d+1/3/d\*a^2\*sinh(d\*x+c)\*cosh(d\*x+c)^2+2/3\*a\*b\*sinh(d\*x+c)^3/d+1/3\*b^2\*sinh(d\*x+c)^3/d-b^2\*sinh(d\*x+c)/d+2/d\*b^2\*arctan(exp(d\*x+c))

**maxima [B]** time = 0.50, size = 161, normalized size = 2.98

$$\frac{ab(e^{(dx+c)} - e^{(-dx-c)})^3}{12d} - \frac{1}{24} b^2 \left( \frac{(15e^{(-2dx-2c)} - 1)e^{(3dx+3c)}}{d} - \frac{15e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{48 \arctan(e^{(-dx-c)})}{d} \right) + \frac{1}{24} a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/12\*a\*b\*(e^(d\*x + c) - e^(-d\*x - c))^3/d - 1/24\*b^2\*((15\*e^(-2\*d\*x - 2\*c) - 1)\*e^(3\*d\*x + 3\*c)/d - (15\*e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/d + 48\*arctan

$(e^{-(d*x - c)})/d) + 1/24*a^2*(e^{(3*d*x + 3*c)}/d + 9*e^{(d*x + c)}/d - 9*e^{(-d*x - c)}/d - e^{(-3*d*x - 3*c)}/d)$

**mupad [B]** time = 0.26, size = 130, normalized size = 2.41

$$\frac{e^{3c+3dx}(a+b)^2}{24d} - \frac{e^{-3c-3dx}(a+b)^2}{24d} - \frac{e^{c+dx}(-3a^2+2ab+5b^2)}{8d} + \frac{2 \operatorname{atan}\left(\frac{b^2 e^{dx} e^c \sqrt{d^2}}{d \sqrt{b^4}}\right) \sqrt{b^4}}{\sqrt{d^2}} + \frac{e^{-c-dx}(-3a^2+2ab+5b^2)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^3*(a + b*tanh(c + d*x)^2)^2,x)`

[Out]  $(\exp(3*c + 3*d*x)*(a + b)^2)/(24*d) - (\exp(-3*c - 3*d*x)*(a + b)^2)/(24*d) - (\exp(c + d*x)*(2*a*b - 3*a^2 + 5*b^2))/(8*d) + (2*\operatorname{atan}((b^2*\exp(d*x)*\exp(c)*(d^2)^{(1/2)))/(d*(b^4)^{(1/2)}))*(b^4)^{(1/2)})/(d^2)^{(1/2)} + (\exp(-c - d*x)*(2*a*b - 3*a^2 + 5*b^2))/(8*d)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \cosh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**3*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*cosh(c + d*x)**3, x)`

### 3.91 $\int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=51

$$\frac{(a + b)^2 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 3b)(a + b) + \frac{b^2 \tanh(c + dx)}{d}$$

[Out] 1/2\*(a-3\*b)\*(a+b)\*x+1/2\*(a+b)^2\*cosh(d\*x+c)\*sinh(d\*x+c)/d+b^2\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.08, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 206}

$$\frac{(a + b)^2 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2}x(a - 3b)(a + b) + \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a - 3\*b)\*(a + b)\*x)/2 + ((a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*d) + (b^2\*Tanh[c + d\*x])/d

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3675



```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(b^2 + \frac{a^2 - b^2 + 2b(a+b)x^2}{(1-x^2)^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b^2 \tanh(c + dx)}{d} + \frac{\text{Subst}\left(\int \frac{a^2 - b^2 + 2b(a+b)x^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2 \tanh(c + dx)}{d} + \frac{((a - 3b))}{d} \\ &= \frac{1}{2}(a - 3b)(a + b)x + \frac{(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2 \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.41, size = 54, normalized size = 1.06

$$\frac{(a - 3b)(a + b)(c + dx)}{2d} + \frac{(a + b)^2 \sinh(2(c + dx))}{4d} + \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a - 3\*b)\*(a + b)\*(c + d\*x))/(2\*d) + ((a + b)^2\*Sinh[2\*(c + d\*x)])/(4\*d) + (b^2\*Tanh[c + d\*x])/d

**fricas [B]** time = 0.43, size = 105, normalized size = 2.06

$$\frac{(a^2 + 2ab + b^2) \sinh(dx + c)^3 + 4((a^2 - 2ab - 3b^2)dx - 2b^2) \cosh(dx + c) + (3(a^2 + 2ab + b^2) \cosh(dx + c) + 3b^2) \sinh(dx + c)}{8d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{8} * ((a^2 + 2*a*b + b^2) * \sinh(d*x + c)^3 + 4 * ((a^2 - 2*a*b - 3*b^2) * d*x - 2 * b^2) * \cosh(d*x + c) + (3 * (a^2 + 2*a*b + b^2) * \cosh(d*x + c)^2 + a^2 + 2*a*b + 9*b^2) * \sinh(d*x + c)) / (d * \cosh(d*x + c))$

**giac** [B] time = 0.28, size = 170, normalized size = 3.33

$$\frac{4(a^2 - 2ab - 3b^2)dx + (a^2e^{2dx+8c} + 2abe^{2dx+8c} + b^2e^{2dx+8c})e^{-6c} - \frac{(a^2e^{4dx+4c} - 2abe^{4dx+4c} - 3b^2e^{4dx+4c} + 2a^2e^{2dx+2c})}{e^{2dx} + e^{4dx+2c}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{8} * (4 * (a^2 - 2*a*b - 3*b^2) * d*x + (a^2 * e^{(2*d*x + 8*c)} + 2*a*b * e^{(2*d*x + 8*c)} + b^2 * e^{(2*d*x + 8*c)}) * e^{-6*c} - (a^2 * e^{(4*d*x + 4*c)} - 2*a*b * e^{(4*d*x + 4*c)} - 3*b^2 * e^{(4*d*x + 4*c)} + 2*a^2 * e^{(2*d*x + 2*c)} + 14*b^2 * e^{(2*d*x + 2*c)} + a^2 + 2*a*b + b^2) * e^{-2*c}) / (e^{(2*d*x)} + e^{(4*d*x + 2*c)}) / d$

**maple** [B] time = 0.21, size = 96, normalized size = 1.88

$$\frac{a^2 \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2ab \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + b^2 \left( \frac{\sinh^3(dx+c)}{2 \cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3 \tanh(dx+c)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d} * (a^2 * (1/2 * \cosh(d*x+c) * \sinh(d*x+c) + 1/2 * d*x + 1/2 * c) + 2*a*b * (1/2 * \cosh(d*x+c) * \sinh(d*x+c) - 1/2 * d*x - 1/2 * c) + b^2 * (1/2 * \sinh(d*x+c)^3 / \cosh(d*x+c) - 3/2 * d*x - 3/2 * c + 3/2 * \tanh(d*x+c)))$

**maxima** [B] time = 0.34, size = 140, normalized size = 2.75

$$\frac{1}{8} a^2 \left( 4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{4} ab \left( 4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d} \right) - \frac{1}{8} b^2 \left( \frac{12(dx+c)}{d} + \frac{e^{(-2dx-2c)}}{d} - \frac{17e^{(-2dx-2c)}}{d(e^{(-2dx-2c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{8} * a^2 * (4*x + e^{(2*d*x + 2*c)} / d - e^{(-2*d*x - 2*c)} / d) - 1/4 * a*b * (4*x - e^{(2*d*x + 2*c)} / d + e^{(-2*d*x - 2*c)} / d) - 1/8 * b^2 * (12 * (d*x + c) / d + e^{(-2*d*x - 2*c)} / d - (17 * e^{(-2*d*x - 2*c)} + 1) / (d * (e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)})))$

**mupad [B]** time = 1.29, size = 77, normalized size = 1.51

$$\frac{e^{2c+2dx}(a+b)^2}{8d} - \frac{2b^2}{d(e^{2c+2dx}+1)} - \frac{e^{-2c-2dx}(a+b)^2}{8d} - x \left( -\frac{a^2}{2} + ab + \frac{3b^2}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2, x)`

[Out] `(exp(2*c + 2*d*x)*(a + b)^2)/(8*d) - (2*b^2)/(d*(exp(2*c + 2*d*x) + 1)) - (exp(- 2*c - 2*d*x)*(a + b)^2)/(8*d) - x*(a*b - a^2/2 + (3*b^2)/2)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \cosh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2, x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*cosh(c + d*x)**2, x)`

### 3.92 $\int \cosh(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=60

$$\frac{(a + b)^2 \sinh(c + dx)}{d} - \frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b^2 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $-1/2*b*(4*a+3*b)*\arctan(\sinh(d*x+c))/d+(a+b)^2*\sinh(d*x+c)/d+1/2*b^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.08, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3676, 390, 385, 203}

$$\frac{(a + b)^2 \sinh(c + dx)}{d} - \frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{b^2 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Cosh[c + d*x]*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $-(b*(4*a + 3*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) + ((a + b)^2*\operatorname{Sinh}[c + d*x])/d + (b^2*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

#### Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

#### Rule 385

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])`

#### Rule 390

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \cosh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left((a+b)^2 - \frac{b(2a+b)+2b(a+b)x^2}{(1+x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^2 \sinh(c + dx)}{d} - \frac{\text{Subst}\left(\int \frac{b(2a+b)+2b(a+b)x^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^2 \sinh(c + dx)}{d} + \frac{b^2 \text{sech}(c + dx) \tanh(c + dx)}{2d} - \frac{(b(4a + 3b) \tan^{-1}(\sinh(c + dx)))}{2d} \\ &= -\frac{b(4a + 3b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a+b)^2 \sinh(c + dx)}{d} + \frac{b^2 \text{sech}(c + dx) \tanh(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 54, normalized size = 0.90

$$\frac{2(a+b)^2 \sinh(c+dx) + b(b \tanh(c+dx) \text{sech}(c+dx) - (4a+3b) \tan^{-1}(\sinh(c+dx)))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*(a + b)^2\*Sinh[c + d\*x] + b\*(-((4\*a + 3\*b)\*ArcTan[Sinh[c + d\*x]]) + b\*Sech[c + d\*x]\*Tanh[c + d\*x]))/(2\*d)

**fricas [B]** time = 0.43, size = 774, normalized size = 12.90

$$\frac{(a^2 + 2ab + b^2) \cosh(dx + c)^6 + 6(a^2 + 2ab + b^2) \cosh(dx + c) \sinh(dx + c)^5 + (a^2 + 2ab + b^2) \sinh(dx + c)^4}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{2}((a^2 + 2ab + b^2)\cosh(dx + c)^6 + 6(a^2 + 2ab + b^2)\cosh(dx + c)\sinh(dx + c)^5 + (a^2 + 2ab + b^2)\sinh(dx + c)^6 + (a^2 + 2ab + 3b^2)\cosh(dx + c)^4 + (15(a^2 + 2ab + b^2)\cosh(dx + c)^2 + a^2 + 2ab + 3b^2)\sinh(dx + c)^4 + 4(5(a^2 + 2ab + b^2)\cosh(dx + c)^3 + (a^2 + 2ab + 3b^2)\cosh(dx + c))\sinh(dx + c)^3 - (a^2 + 2ab + 3b^2)\cosh(dx + c)^2 + (15(a^2 + 2ab + b^2)\cosh(dx + c)^4 + 6(a^2 + 2ab + 3b^2)\cosh(dx + c)^2 - a^2 - 2ab - 3b^2)\sinh(dx + c)^2 - a^2 - 2ab - b^2 - 2((4ab + 3b^2)\cosh(dx + c)^5 + 5(4ab + 3b^2)\cosh(dx + c)\sinh(dx + c)^4 + (4ab + 3b^2)\sinh(dx + c)^5 + 2(4ab + 3b^2)\cosh(dx + c)^3 + 2(5(4ab + 3b^2)\cosh(dx + c)^2 + 4ab + 3b^2)\sinh(dx + c)^3 + 2(5(4ab + 3b^2)\cosh(dx + c)^3 + 3(4ab + 3b^2)\cosh(dx + c))\sinh(dx + c)^2 + (4ab + 3b^2)\cosh(dx + c) + (5(4ab + 3b^2)\cosh(dx + c)^4 + 6(4ab + 3b^2)\cosh(dx + c)^2 + 4ab + 3b^2)\sinh(dx + c))\arctan(\cosh(dx + c) + \sinh(dx + c)) + 2(3(a^2 + 2ab + b^2)\cosh(dx + c)^5 + 2(a^2 + 2ab + 3b^2)\cosh(dx + c)^3 - (a^2 + 2ab + 3b^2)\cosh(dx + c))\sinh(dx + c))/(d\cosh(dx + c)^5 + 5d\cosh(dx + c)\sinh(dx + c)^4 + d\sinh(dx + c)^5 + 2d\cosh(dx + c)^3 + 2(5d\cosh(dx + c)^2 + d)\sinh(dx + c)^3 + 2(5d\cosh(dx + c)^3 + 3d\cosh(dx + c))\sinh(dx + c)^2 + d\cosh(dx + c) + (5d\cosh(dx + c)^4 + 6d\cosh(dx + c)^2 + d)\sinh(dx + c))$

**giac [B]** time = 0.25, size = 137, normalized size = 2.28

$$2(4abe^c + 3b^2e^c)\arctan(e^{(dx+c)})e^{-c} + (a^2 + 2ab + b^2)e^{(-dx-c)} - (a^2e^{(dx+8c)} + 2abe^{(dx+8c)} + b^2e^{(dx+8c)})e^{(-7c)}$$

---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-\frac{1}{2}(2(4ab e^c + 3b^2 e^c)\arctan(e^{(dx+c)})e^{-c} + (a^2 + 2ab + b^2)e^{(-dx-c)} - (a^2 e^{(dx+8c)} + 2ab e^{(dx+8c)} + b^2 e^{(dx+8c)})e^{(-7c)} - 2(b^2 e^{(3dx+3c)} - b^2 e^{(dx+c)}))/(e^{(2dx+2c)} + 1)^2/d$

**maple [B]** time = 0.31, size = 122, normalized size = 2.03

$$\frac{a^2 \sinh(dx+c)}{d} + \frac{2ab \sinh(dx+c)}{d} - \frac{4ab \arctan(e^{dx+c})}{d} + \frac{b^2 (\sinh^3(dx+c))}{d \cosh(dx+c)^2} + \frac{3b^2 \sinh(dx+c)}{d \cosh(dx+c)^2} - \frac{3b^2 \operatorname{sech}(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)*(a+b*tanh(d*x+c))^2,x)`

[Out]  $a^2 \sinh(d*x+c)/d + 2*a*b \sinh(d*x+c)/d - 4/d*a*b \arctan(\exp(d*x+c)) + 1/d*b^2 \sinh(d*x+c)^3 / \cosh(d*x+c)^2 + 3/d*b^2 \sinh(d*x+c) / \cosh(d*x+c)^2 - 3/2/d*b^2 \operatorname{sech}(d*x+c) \tanh(d*x+c) - 3/d*b^2 \arctan(\exp(d*x+c))$

**maxima** [B] time = 0.45, size = 152, normalized size = 2.53

$$\frac{1}{2} b^2 \left( \frac{6 \arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c}}{d} + \frac{4e^{-2dx-2c} - e^{-4dx-4c} + 1}{d(e^{-dx-c} + 2e^{-3dx-3c} + e^{-5dx-5c})} \right) + ab \left( \frac{4 \arctan(e^{-dx-c})}{d} + \frac{e^{(dx+c)}}{d} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c))^2,x, algorithm="maxima")`

[Out]  $1/2*b^2*(6*\arctan(e^{(-d*x - c)})/d - e^{(-d*x - c)}/d + (4*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} + 1)/(d*(e^{(-d*x - c)} + 2*e^{(-3*d*x - 3*c)} + e^{(-5*d*x - 5*c)}))) + a*b*(4*\arctan(e^{(-d*x - c)})/d + e^{(d*x + c)}/d - e^{(-d*x - c)}/d) + a^2*\sinh(d*x + c)/d$

**mupad** [B] time = 0.24, size = 182, normalized size = 3.03

$$\frac{e^{c+dx} (a+b)^2}{2d} - \frac{e^{-c-dx} (a+b)^2}{2d} - \frac{\operatorname{atan}\left(\frac{e^{dx} e^c (3b^2 \sqrt{d^2} + 4ab \sqrt{d^2})}{d \sqrt{16a^2 b^2 + 24ab^3 + 9b^4}}\right) \sqrt{16a^2 b^2 + 24ab^3 + 9b^4}}{\sqrt{d^2}} + \frac{b^2 e^{c+dx}}{d(e^{2c+2dx} + 1)} - \frac{\dots}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)*(a + b*tanh(c + d*x))^2,x)`

[Out]  $(\exp(c + d*x)*(a + b)^2)/(2*d) - (\exp(-c - d*x)*(a + b)^2)/(2*d) - (\operatorname{atan}((\exp(d*x)*\exp(c)*(3*b^2*(d^2)^{(1/2)} + 4*a*b*(d^2)^{(1/2)}))/(d*(24*a*b^3 + 9*b^4 + 16*a^2*b^2)^{(1/2)})) * (24*a*b^3 + 9*b^4 + 16*a^2*b^2)^{(1/2)}) / (d^2)^{(1/2)} + (b^2*\exp(c + d*x))/(d*(\exp(2*c + 2*d*x) + 1)) - (2*b^2*\exp(c + d*x))/(d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \cosh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*cosh(c + d*x), x)`

### 3.93 $\int \operatorname{sech}(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=91

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d} \left( (a + \dots) \right)$$

[Out]  $1/8*(8*a^2+8*a*b+3*b^2)*\arctan(\sinh(d*x+c))/d-3/8*b*(2*a+b)*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d-1/4*b*\operatorname{sech}(d*x+c)^3*(a+(a+b)*\sinh(d*x+c)^2)*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.09, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3676, 413, 385, 203}

$$\frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} - \frac{b \tanh(c + dx) \operatorname{sech}^3(c + dx)}{4d} \left( (a + \dots) \right)$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $((8*a^2 + 8*a*b + 3*b^2)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(8*d) - (3*b*(2*a + b)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(8*d) - (b*\operatorname{Sech}[c + d*x]^3*(a + (a + b)*\operatorname{Sinh}[c + d*x]^2)*\operatorname{Tanh}[c + d*x])/(4*d)$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 413

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[((a\*d - c\*b)\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 1))/(a\*b\*n\*(p + 1)), x] - Dist[1/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 2)\*Simp[c\*(a\*d - c\*b\*(n\*(p + 1) + 1)) + d\*(a\*d\*(n\*(q - 1) + 1) - b\*c\*(n\*(p + 1) + 1)), x], x]



+ q) + 1)) \* x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^p, x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rubi steps

$$\begin{aligned} \int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{b \operatorname{sech}^3(c + dx) (a + (a + b) \sinh^2(c + dx)) \tanh(c + dx)}{4d} + \operatorname{Subst} \\ &= -\frac{3b(2a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{b \operatorname{sech}^3(c + dx) (a + (a + b) \sinh^2(c + dx))}{8d} \\ &= \frac{(8a^2 + 8ab + 3b^2) \tan^{-1}(\sinh(c + dx))}{8d} - \frac{3b(2a + b) \operatorname{sech}(c + dx) \tanh(c + dx)}{8d} \end{aligned}$$

**Mathematica [C]** time = 7.28, size = 427, normalized size = 4.69

$$\operatorname{csch}^3(c + dx) \left( 128 \sinh^6(c + dx) (a^2 (5 \sinh^4(c + dx) + 12 \sinh^2(c + dx) + 7) + 2ab (5 \sinh^2(c + dx) + 6) \sinh^2(c + dx)) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] -1/6720\*(Csch[c + d\*x]^3\*(128\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 1, 9/2}], -Sinh[c + d\*x]^2)\*Sinh[c + d\*x]^6\*(a + a\*Sinh[c + d\*x]^2 + b\*Sinh[c + d\*x]^2)^2 + 128\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}], -Sinh[c + d\*x]^2)\*Sinh[c + d\*x]^6\*(5\*b^2\*Sinh[c + d\*x]^4 + 2\*a\*b\*Sinh[c + d\*x]^2\*(6 + 5\*Sinh[c + d\*x]^2) + a^2\*(7 + 12\*Sinh[c + d\*x]^2 + 5\*Sinh[c + d\*x]^4)) +

$$35*(b^2*\text{Sinh}[c + d*x]^4*(1947 + 485*\text{Sinh}[c + d*x]^2) + 2*a*b*\text{Sinh}[c + d*x]^2*(2625 + 2554*\text{Sinh}[c + d*x]^2 + 485*\text{Sinh}[c + d*x]^4) + a^2*(3375 + 5907*\text{Sinh}[c + d*x]^2 + 3161*\text{Sinh}[c + d*x]^4 + 485*\text{Sinh}[c + d*x]^6)) - (105*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*(b^2*\text{Sinh}[c + d*x]^4*(649 + 378*\text{Sinh}[c + d*x]^2 + 9*\text{Sinh}[c + d*x]^4) + 2*a*b*\text{Sinh}[c + d*x]^2*(875 + 1143*\text{Sinh}[c + d*x]^2 + 389*\text{Sinh}[c + d*x]^4 + 9*\text{Sinh}[c + d*x]^6) + a^2*(1125 + 2344*\text{Sinh}[c + d*x]^2 + 1674*\text{Sinh}[c + d*x]^4 + 400*\text{Sinh}[c + d*x]^6 + 9*\text{Sinh}[c + d*x]^8)))/\text{Sqrt}[-\text{Sinh}[c + d*x]^2]))/d$$

**fricas** [B] time = 0.42, size = 1373, normalized size = 15.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$-1/4*((8*a*b + 5*b^2)*\cosh(d*x + c)^7 + 7*(8*a*b + 5*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^6 + (8*a*b + 5*b^2)*\sinh(d*x + c)^7 + (8*a*b - 3*b^2)*\cosh(d*x + c)^5 + (21*(8*a*b + 5*b^2)*\cosh(d*x + c)^2 + 8*a*b - 3*b^2)*\sinh(d*x + c)^5 + 5*(7*(8*a*b + 5*b^2)*\cosh(d*x + c)^3 + (8*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 - (8*a*b - 3*b^2)*\cosh(d*x + c)^3 + (35*(8*a*b + 5*b^2)*\cosh(d*x + c)^4 + 10*(8*a*b - 3*b^2)*\cosh(d*x + c)^2 - 8*a*b + 3*b^2)*\sinh(d*x + c)^3 + (21*(8*a*b + 5*b^2)*\cosh(d*x + c)^5 + 10*(8*a*b - 3*b^2)*\cosh(d*x + c)^3 - 3*(8*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^8 + 8*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^8 + 4*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^6 + 4*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^6 + 8*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 2*(35*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 30*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 24*a^2 + 24*a*b + 9*b^2)*\sinh(d*x + c)^4 + 8*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^5 + 10*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 4*(7*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^6 + 15*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^4 + 9*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2)*\sinh(d*x + c)^2 + 8*a^2 + 8*a*b + 3*b^2 + 8*((8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^7 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^5 + 3*(8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c)^3 + (8*a^2 + 8*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - (8*a*b + 5*b^2)*\cosh(d*x + c) + (7*(8*a*b + 5*b^2)*\cosh(d*x + c)^6 + 5*(8*a*b - 3*b^2)*\cosh(d*x + c)^4 - 3*(8*a*b - 3*b^2)*\cosh(d*x + c)^2 - 8*a*b - 5*b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*$$

$$d \cosh(dx + c)^4 + 30d \cosh(dx + c)^2 + 3d \sinh(dx + c)^4 + 8(7d \cosh(dx + c)^5 + 10d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^3 + 4d \cosh(dx + c)^2 + 4(7d \cosh(dx + c)^6 + 15d \cosh(dx + c)^4 + 9d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 8(d \cosh(dx + c)^7 + 3d \cosh(dx + c)^5 + 3d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$$

**giac [A]** time = 0.20, size = 157, normalized size = 1.73

$$\frac{(8a^2e^c + 8abe^c + 3b^2e^c) \arctan(e^{dx+c}) e^{-c} - \frac{8abe^{7dx+7c} + 5b^2e^{7dx+7c} + 8abe^{5dx+5c} - 3b^2e^{5dx+5c} - 8abe^{3dx+3c} + 3b^2e^{3dx+3c}}{(e^{2dx+2c} + 1)^4}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{4} * ((8*a^2*e^c + 8*a*b*e^c + 3*b^2*e^c) * \arctan(e^{dx+c}) * e^{-c} - (8*a*b*e^{7*d*x+7*c} + 5*b^2*e^{7*d*x+7*c} + 8*a*b*e^{5*d*x+5*c} - 3*b^2*e^{5*d*x+5*c} - 8*a*b*e^{3*d*x+3*c} + 3*b^2*e^{3*d*x+3*c} - 8*a*b*e^{d*x+c} - 5*b^2*e^{d*x+c})) / (e^{2*d*x+2*c} + 1)^4 / d$

**maple [B]** time = 0.37, size = 173, normalized size = 1.90

$$\frac{2a^2 \arctan(e^{dx+c})}{d} - \frac{2ab \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{ab \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + \frac{2ab \arctan(e^{dx+c})}{d} - \frac{b^2 (\sinh^3(dx+c))}{d \cosh(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(dx+c)\*(a+b\*tanh(dx+c)^2)^2,x)

[Out]  $2/d*a^2*\arctan(\exp(dx+c))-2/d*a*b*\sinh(dx+c)/\cosh(dx+c)^2+1/d*a*b*\operatorname{sech}(dx+c)*\tanh(dx+c)+2/d*a*b*\arctan(\exp(dx+c))-1/d*b^2*\sinh(dx+c)^3/\cosh(dx+c)^4-1/d*b^2*\sinh(dx+c)/\cosh(dx+c)^4+1/4/d*b^2*\tanh(dx+c)*\operatorname{sech}(dx+c)^3+3/8/d*b^2*\operatorname{sech}(dx+c)*\tanh(dx+c)+3/4/d*b^2*\arctan(\exp(dx+c))$

**maxima [B]** time = 0.46, size = 199, normalized size = 2.19

$$-\frac{1}{4} b^2 \left( \frac{3 \arctan(e^{-dx-c})}{d} + \frac{5e^{-dx-c} - 3e^{-3dx-3c} + 3e^{-5dx-5c} - 5e^{-7dx-7c}}{d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)} \right) - 2ab \left( \frac{\arctan(e^{-dx-c})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="maxima")

[Out]  $-1/4*b^2*(3*\arctan(e^{-d*x-c})/d + (5*e^{-d*x-c} - 3*e^{-3*d*x-3*c} + 3*e^{-5*d*x-5*c} - 5*e^{-7*d*x-7*c})) / (d*(4*e^{-2*d*x-2*c} + 6*e^{-4*d*x-4*c} + 4*e^{-6*d*x-6*c} + e^{-8*d*x-8*c} + 1)) - 2*a*b*\arctan(e^{-d*x-c})/d$

$d*x - 4*c) + 4*e^{(-6*d*x - 6*c) + e^{(-8*d*x - 8*c) + 1))} - 2*a*b*(\arctan(e^{(-d*x - c)})/d + (e^{(-d*x - c)} - e^{(-3*d*x - 3*c)})/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c) + 1})) + a^2*\arctan(\sinh(d*x + c))/d$

**mupad [B]** time = 0.16, size = 303, normalized size = 3.33

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (8a^2 \sqrt{d^2} + 3b^2 \sqrt{d^2} + 8ab \sqrt{d^2})}{d \sqrt{64a^4 + 128a^3b + 112a^2b^2 + 48ab^3 + 9b^4}}\right) \sqrt{64a^4 + 128a^3b + 112a^2b^2 + 48ab^3 + 9b^4}}{4\sqrt{d^2}} - \frac{6b^2 e^{c+dx}}{d(3e^{2c+2dx} + 3e^{4c+4dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^2/cosh(c + d*x), x)`

[Out]  $(\operatorname{atan}((\exp(d*x)*\exp(c)*(8*a^2*(d^2)^{(1/2)} + 3*b^2*(d^2)^{(1/2)} + 8*a*b*(d^2)^{(1/2)}))/d*(48*a*b^3 + 128*a^3*b + 64*a^4 + 9*b^4 + 112*a^2*b^2)^{(1/2)}))*(48*a*b^3 + 128*a^3*b + 64*a^4 + 9*b^4 + 112*a^2*b^2)^{(1/2)}/(4*(d^2)^{(1/2)}) - (6*b^2*\exp(c + d*x))/(d*(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1)) + (4*b^2*\exp(c + d*x))/(d*(4*\exp(2*c + 2*d*x) + 6*\exp(4*c + 4*d*x) + 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (\exp(c + d*x)*(8*a*b + 5*b^2))/(4*d*(\exp(2*c + 2*d*x) + 1)) + (\exp(c + d*x)*(8*a*b + 9*b^2))/(2*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)*(a+b*tanh(d*x+c)**2)**2, x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*sech(c + d*x), x)`

### 3.94 $\int \operatorname{sech}^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

Optimal. Leaf size=49

$$\frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

[Out]  $a^2 \tanh(d*x+c)/d + 2/3*a*b*\tanh(d*x+c)^3/d + 1/5*b^2*\tanh(d*x+c)^5/d$

Rubi [A] time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 194}

$$\frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^3(c + dx)}{3d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] `Int[Sech[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $(a^2*\operatorname{Tanh}[c + d*x])/d + (2*a*b*\operatorname{Tanh}[c + d*x]^3)/(3*d) + (b^2*\operatorname{Tanh}[c + d*x]^5)/(5*d)$

#### Rule 194

`Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]`

#### Rule 3675

`Int[sec[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m-1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2-1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])`

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^2 dx &= \frac{\operatorname{Subst}\left(\int (a+bx^2)^2 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^2+2abx^2+b^2x^4) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a^2 \tanh(c+dx)}{d} + \frac{2ab \tanh^3(c+dx)}{3d} + \frac{b^2 \tanh^5(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 49, normalized size = 1.00

$$\frac{a^2 \tanh(c+dx)}{d} + \frac{2ab \tanh^3(c+dx)}{3d} + \frac{b^2 \tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Tanh[c + d\*x])/d + (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) + (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**fricas [B]** time = 0.40, size = 391, normalized size = 7.98

$$\frac{4\left((15a^2 + 20ab + 9b^2) \cosh(dx+c)^4 + 8(5ab + 3b^2) \cosh(dx+c) \sinh(dx+c)^3 + (15a^2 + 20ab + 9b^2) \sinh(dx+c)^4 + 20(3a^2 + 2ab) \cosh(dx+c)^2 + 2(3(15a^2 + 20ab + 9b^2) \cosh(dx+c)^2 + 30a^2 + 20ab) \sinh(dx+c)^2 + 45a^2 + 20ab + 15b^2 + 8((5ab + 3b^2) \cosh(dx+c)^3 + 5ab \cosh(dx+c)) \sinh(dx+c)\right)}{15(d \cosh(dx+c)^6 + 6d \cosh(dx+c) \sinh(dx+c)^5 + d \sinh(dx+c)^6 + 6d \cosh(dx+c)^4 + 3(5d \cosh(dx+c)^3 + 4d \cosh(dx+c)) \sinh(dx+c)^3 + 15d \cosh(dx+c)^2 + 3(5d \cosh(dx+c)^4 + 12d \cosh(dx+c)^2 + 5d) \sinh(dx+c)^2 + 2(3d \cosh(dx+c)^5 + 8d \cosh(dx+c)^3 + 5d \cosh(dx+c)) \sinh(dx+c) + 10d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -4/15\*((15\*a^2 + 20\*a\*b + 9\*b^2)\*cosh(d\*x + c)^4 + 8\*(5\*a\*b + 3\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (15\*a^2 + 20\*a\*b + 9\*b^2)\*sinh(d\*x + c)^4 + 20\*(3\*a^2 + 2\*a\*b)\*cosh(d\*x + c)^2 + 2\*(3\*(15\*a^2 + 20\*a\*b + 9\*b^2)\*cosh(d\*x + c)^2 + 30\*a^2 + 20\*a\*b)\*sinh(d\*x + c)^2 + 45\*a^2 + 20\*a\*b + 15\*b^2 + 8\*((5\*a\*b + 3\*b^2)\*cosh(d\*x + c)^3 + 5\*a\*b\*cosh(d\*x + c))\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^6 + 6\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + d\*sinh(d\*x + c)^6 + 6\*d\*cosh(d\*x + c)^4 + 3\*(5\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c)^4 + 4\*(5\*d\*cosh(d\*x + c)^3 + 4\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 15\*d\*cosh(d\*x + c)^2 + 3\*(5\*d\*cosh(d\*x + c)^4 + 12\*d\*cosh(d\*x + c)^2 + 5\*d)\*sinh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^5 + 8\*d\*cosh(d\*x + c)^3 + 5\*d\*cosh(d\*x + c))\*sinh(d\*x + c) + 10\*d)

**giac [B]** time = 0.23, size = 169, normalized size = 3.45

$$\frac{2(15a^2e^{(8dx+8c)} + 30abe^{(8dx+8c)} + 15b^2e^{(8dx+8c)} + 60a^2e^{(6dx+6c)} + 60abe^{(6dx+6c)} + 90a^2e^{(4dx+4c)} + 40abe^{(4dx+4c)} + 30b^2e^{(4dx+4c)} + 60a^2e^{(2dx+2c)} + 20ab^2e^{(2dx+2c)} + 15a^2 + 10ab + 3b^2)/(d(e^{(2dx+2c)} + 1)^5)}{15d(e^{(2dx+2c)} + 1)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-2/15*(15*a^2*e^{(8*d*x + 8*c)} + 30*a*b*e^{(8*d*x + 8*c)} + 15*b^2*e^{(8*d*x + 8*c)} + 60*a^2*e^{(6*d*x + 6*c)} + 60*a*b*e^{(6*d*x + 6*c)} + 90*a^2*e^{(4*d*x + 4*c)} + 40*a*b*e^{(4*d*x + 4*c)} + 30*b^2*e^{(4*d*x + 4*c)} + 60*a^2*e^{(2*d*x + 2*c)} + 20*a*b*e^{(2*d*x + 2*c)} + 15*a^2 + 10*a*b + 3*b^2)/(d*(e^{(2*d*x + 2*c)} + 1)^5)$

**maple [B]** time = 0.46, size = 126, normalized size = 2.57

$$\frac{a^2 \tanh(dx+c) + 2ab \left( -\frac{\sinh(dx+c)}{2 \cosh(dx+c)^3} + \frac{\left(\frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3}\right) \tanh(dx+c)}{2} \right) + b^2 \left( -\frac{\sinh^3(dx+c)}{2 \cosh(dx+c)^5} - \frac{3 \sinh(dx+c)}{8 \cosh(dx+c)^5} + \frac{3 \left(\frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5}\right)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(a^2*\tanh(d*x+c)+2*a*b*(-1/2*\sinh(d*x+c)/\cosh(d*x+c)^3+1/2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c))+b^2*(-1/2*\sinh(d*x+c)^3/\cosh(d*x+c)^5-3/8*\sinh(d*x+c)/\cosh(d*x+c)^5+3/8*(8/15+1/5*\operatorname{sech}(d*x+c)^4+4/15*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)))$

**maxima [A]** time = 0.33, size = 53, normalized size = 1.08

$$\frac{b^2 \tanh(dx+c)^5}{5d} + \frac{2ab \tanh(dx+c)^3}{3d} + \frac{2a^2}{d(e^{(-2dx-2c)} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $1/5*b^2*\tanh(d*x+c)^5/d + 2/3*a*b*\tanh(d*x+c)^3/d + 2*a^2/(d*(e^{(-2*d*x - 2*c)} + 1))$

**mupad [B]** time = 1.24, size = 482, normalized size = 9.84

$$\frac{\frac{2(a^2-b^2)}{5d} + \frac{2e^{2c+2dx}(a+b)^2}{5d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} - \frac{\frac{2(a^2-b^2)}{5d} + \frac{6e^{4c+4dx}(a^2-b^2)}{5d} + \frac{2e^{6c+6dx}(a+b)^2}{5d} + \frac{2e^{2c+2dx}(3a^2-2ab+3b^2)}{5d}}{4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1} - \frac{\frac{2(a+b)^2}{5d} + \frac{8e^{2c+2dx}}{5d}}{5e^{2c+2dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x)^2)^2/cosh(c + d*x)^2,x)`

[Out] 
$$- \left( \frac{2(a^2 - b^2)}{5d} + \frac{2\exp(2c + 2dx)(a + b)^2}{5d} \right) / (2\exp(2c + 2dx) + \exp(4c + 4dx) + 1) - \left( \frac{2(a^2 - b^2)}{5d} + \frac{6\exp(4c + 4dx)(a^2 - b^2)}{5d} + \frac{2\exp(6c + 6dx)(a + b)^2}{5d} + \frac{2\exp(2c + 2dx)(3a^2 - 2ab + 3b^2)}{5d} \right) / (4\exp(2c + 2dx) + 6\exp(4c + 4dx) + 4\exp(6c + 6dx) + \exp(8c + 8dx) + 1) - \left( \frac{2(a + b)^2}{5d} + \frac{8\exp(2c + 2dx)(a^2 - b^2)}{5d} + \frac{8\exp(6c + 6dx)(a^2 - b^2)}{5d} + \frac{2\exp(8c + 8dx)(a + b)^2}{5d} + \frac{4\exp(4c + 4dx)(3a^2 - 2ab + 3b^2)}{5d} \right) / (5\exp(2c + 2dx) + 10\exp(4c + 4dx) + 10\exp(6c + 6dx) + 5\exp(8c + 8dx) + \exp(10c + 10dx) + 1) - \left( \frac{2(3a^2 - 2ab + 3b^2)}{15d} + \frac{4\exp(2c + 2dx)(a^2 - b^2)}{5d} + \frac{2\exp(4c + 4dx)(a + b)^2}{5d} \right) / (3\exp(2c + 2dx) + 3\exp(4c + 4dx) + \exp(6c + 6dx) + 1) - \frac{2(a + b)^2}{5d(\exp(2c + 2dx) + 1)}$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*sech(c + d*x)**2, x)`



### 3.95 $\int \operatorname{sech}^3(c + dx) \left(a + b \tanh^2(c + dx)\right)^2 dx$

**Optimal.** Leaf size=125

$$\frac{(8a^2 + 4ab + b^2) \tan^{-1}(\sinh(c + dx))}{16d} + \frac{(8a^2 + 4ab + b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{16d} - \frac{b(8a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{24d}$$

[Out] 1/16\*(8\*a^2+4\*a\*b+b^2)\*arctan(sinh(d\*x+c))/d+1/16\*(8\*a^2+4\*a\*b+b^2)\*sech(d\*x+c)\*tanh(d\*x+c)/d-1/24\*b\*(8\*a+3\*b)\*sech(d\*x+c)^3\*tanh(d\*x+c)/d-1/6\*b\*sech(d\*x+c)^5\*(a+(a+b)\*sinh(d\*x+c)^2)\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.15, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 413, 385, 199, 203}

$$\frac{(8a^2 + 4ab + b^2) \tan^{-1}(\sinh(c + dx))}{16d} + \frac{(8a^2 + 4ab + b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{16d} - \frac{b(8a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((8\*a^2 + 4\*a\*b + b^2)\*ArcTan[Sinh[c + d\*x]])/(16\*d) + ((8\*a^2 + 4\*a\*b + b^2)\*Sech[c + d\*x]\*Tanh[c + d\*x])/(16\*d) - (b\*(8\*a + 3\*b)\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(24\*d) - (b\*Sech[c + d\*x]^5\*(a + (a + b)\*Sinh[c + d\*x]^2)\*Tanh[c + d\*x])/(6\*d)

#### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b

$*c*(n*(p + 1) + 1)/(a*b*n*(p + 1)), \text{Int}[(a + b*x^n)^{(p + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& (\text{LtQ}[p, -1] \mid\mid \text{ILtQ}[1/n + p, 0])$

### Rule 413

$\text{Int}[(a_.) + (b_.)*(x_.)^{(n_.)}]^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol]$   
 $:= \text{Simp}[(a*d - c*b)*x*(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q - 1)}/(a*b*n*(p + 1)), x] - \text{Dist}[1/(a*b*n*(p + 1)), \text{Int}[(a + b*x^n)^{(p + 1)}*(c + d*x^n)^{(q - 2)}*\text{Simp}[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[q, 1] \&\& \text{IntBinomialQ}[a, b, c, d, n, p, q, x]$

### Rule 3676

$\text{Int}[\sec[(e_.) + (f_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x\_Symbol] := \text{With}\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[ff/f, \text{Subst}[\text{Int}[\text{ExpandToSum}[b*(ff*x)^n + a*(1 - ff^2*x^2)^{(n/2)}, x]^p/(1 - ff^2*x^2)^{(m + n*p + 1)/2}, x], x, \text{Sin}[e + f*x]/ff], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{IntegerQ}[(m - 1)/2] \&\& \text{IntegerQ}[n/2] \&\& \text{IntegerQ}[p]$

### Rubi steps

$$\int \text{sech}^3(c + dx) (a + b \tanh^2(c + dx))^2 dx = \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^4} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{b \text{sech}^5(c + dx) (a + (a + b) \sinh^2(c + dx)) \tanh(c + dx)}{6d} + \frac{\text{Subst}}{16d}$$

$$= -\frac{b(8a + 3b) \text{sech}^3(c + dx) \tanh(c + dx)}{24d} - \frac{b \text{sech}^5(c + dx) (a + (a + b) \sinh^2(c + dx)) \tanh(c + dx)}{24d}$$

$$= \frac{(8a^2 + 4ab + b^2) \text{sech}(c + dx) \tanh(c + dx)}{16d} - \frac{b(8a + 3b) \text{sech}^3(c + dx) \tanh(c + dx)}{24d}$$

$$= \frac{(8a^2 + 4ab + b^2) \tan^{-1}(\sinh(c + dx))}{16d} + \frac{(8a^2 + 4ab + b^2) \text{sech}(c + dx) \tanh(c + dx)}{16d}$$

**Mathematica [C]** time = 8.76, size = 792, normalized size = 6.34

$$a^2 \sinh(c + dx) \left( -\frac{380(a+b)^2 \sinh^6(c+dx) {}_4F_3\left(\frac{3}{2}, 2, 2, 2; 1, 1, \frac{9}{2}; -\sinh^2(c+dx)\right)}{a^2} - \frac{128(a+b)^2 \sinh^6(c+dx) {}_5F_4\left(\frac{3}{2}, 2, 2, 2, 2; 1, 1, 1, \frac{9}{2}; -\sinh^2(c+dx)\right)}{a^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*Sinh[c + d\*x]\*((-23555\*(a + b))/a - (32970\*(a + b)^2)/a^2 - 14980\*Csch[c + d\*x]^2 - (91875\*(a + b)\*Csch[c + d\*x]^2)/a - 65625\*Csch[c + d\*x]^4 - (8855\*(a + b)^2\*Sinh[c + d\*x]^2)/a^2 - 620\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 160\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 16\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - (968\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (288\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (32\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (380\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2}, {1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (128\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (16\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 9/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 + (65625\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/(-Sinh[c + d\*x]^2)^(5/2) + (1680\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^4)/(-Sinh[c + d\*x]^2)^(5/2) - (36855\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/(-Sinh[c + d\*x]^2)^(3/2) - (91875\*(a + b)\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/(a\*(-Sinh[c + d\*x]^2)^(3/2)) + (54180\*(a + b)\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/(a\*Sqrt[-Sinh[c + d\*x]^2]) + (32970\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]/(a^2\*Sqrt[-Sinh[c + d\*x]^2]) + (525\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^4)/(a^2\*Sqrt[-Sinh[c + d\*x]^2]) - (1365\*(a + b)\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sqrt[-Sinh[c + d\*x]^2])/a - (19845\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sqrt[-Sinh[c + d\*x]^2])/a^2))/(2520\*d)

**fricas [B]** time = 0.47, size = 2824, normalized size = 22.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/24\*(3\*(8\*a^2 + 4\*a\*b + b^2)\*cosh(d\*x + c)^11 + 33\*(8\*a^2 + 4\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^10 + 3\*(8\*a^2 + 4\*a\*b + b^2)\*sinh(d\*x + c)^11 +

$$\begin{aligned}
& (72a^2 - 60ab - 47b^2) \cosh(dx + c)^9 + (165(8a^2 + 4ab + b^2) \cos \\
& h(dx + c)^2 + 72a^2 - 60ab - 47b^2) \sinh(dx + c)^9 + 9(55(8a^2 + 4 \\
& ab + b^2) \cosh(dx + c)^3 + (72a^2 - 60ab - 47b^2) \cosh(dx + c)) \sin \\
& h(dx + c)^8 + 6(8a^2 - 12ab + 13b^2) \cosh(dx + c)^7 + 6(165(8a^2 \\
& + 4ab + b^2) \cosh(dx + c)^4 + 6(72a^2 - 60ab - 47b^2) \cosh(dx + c) \\
& ^2 + 8a^2 - 12ab + 13b^2) \sinh(dx + c)^7 + 42(33(8a^2 + 4ab + b^2) \\
& ) \cosh(dx + c)^5 + 2(72a^2 - 60ab - 47b^2) \cosh(dx + c)^3 + (8a^2 - \\
& 12ab + 13b^2) \cosh(dx + c)) \sinh(dx + c)^6 - 6(8a^2 - 12ab + 13b \\
& ^2) \cosh(dx + c)^5 + 6(231(8a^2 + 4ab + b^2) \cosh(dx + c)^6 + 21(72 \\
& a^2 - 60ab - 47b^2) \cosh(dx + c)^4 + 21(8a^2 - 12ab + 13b^2) \cosh \\
& (dx + c)^2 - 8a^2 + 12ab - 13b^2) \sinh(dx + c)^5 + 6(165(8a^2 + 4 \\
& ab + b^2) \cosh(dx + c)^7 + 21(72a^2 - 60ab - 47b^2) \cosh(dx + c)^5 \\
& + 35(8a^2 - 12ab + 13b^2) \cosh(dx + c)^3 - 5(8a^2 - 12ab + 13b^2 \\
& ) \cosh(dx + c)) \sinh(dx + c)^4 - (72a^2 - 60ab - 47b^2) \cosh(dx + c) \\
& ^3 + (495(8a^2 + 4ab + b^2) \cosh(dx + c)^8 + 84(72a^2 - 60ab - 47 \\
& b^2) \cosh(dx + c)^6 + 210(8a^2 - 12ab + 13b^2) \cosh(dx + c)^4 - 60( \\
& 8a^2 - 12ab + 13b^2) \cosh(dx + c)^2 - 72a^2 + 60ab + 47b^2) \sinh(dx \\
& + c)^3 + 3(55(8a^2 + 4ab + b^2) \cosh(dx + c)^9 + 12(72a^2 - 60a \\
& b - 47b^2) \cosh(dx + c)^7 + 42(8a^2 - 12ab + 13b^2) \cosh(dx + c)^5 \\
& - 20(8a^2 - 12ab + 13b^2) \cosh(dx + c)^3 - (72a^2 - 60ab - 47b^2 \\
& ) \cosh(dx + c)) \sinh(dx + c)^2 + 3((8a^2 + 4ab + b^2) \cosh(dx + c)^1 \\
& 2 + 12(8a^2 + 4ab + b^2) \cosh(dx + c)) \sinh(dx + c)^11 + (8a^2 + 4a \\
& b + b^2) \sinh(dx + c)^12 + 6(8a^2 + 4ab + b^2) \cosh(dx + c)^10 + 6(1 \\
& 1(8a^2 + 4ab + b^2) \cosh(dx + c)^2 + 8a^2 + 4ab + b^2) \sinh(dx + c \\
& )^10 + 20(11(8a^2 + 4ab + b^2) \cosh(dx + c)^3 + 3(8a^2 + 4ab + b^ \\
& 2) \cosh(dx + c)) \sinh(dx + c)^9 + 15(8a^2 + 4ab + b^2) \cosh(dx + c)^ \\
& 8 + 15(33(8a^2 + 4ab + b^2) \cosh(dx + c)^4 + 18(8a^2 + 4ab + b^2) \\
& ) \cosh(dx + c)^2 + 8a^2 + 4ab + b^2) \sinh(dx + c)^8 + 24(33(8a^2 + 4 \\
& ab + b^2) \cosh(dx + c)^5 + 30(8a^2 + 4ab + b^2) \cosh(dx + c)^3 + 5 \\
& (8a^2 + 4ab + b^2) \cosh(dx + c)) \sinh(dx + c)^7 + 20(8a^2 + 4ab + \\
& b^2) \cosh(dx + c)^6 + 4(231(8a^2 + 4ab + b^2) \cosh(dx + c)^6 + 315( \\
& 8a^2 + 4ab + b^2) \cosh(dx + c)^4 + 105(8a^2 + 4ab + b^2) \cosh(dx + \\
& c)^2 + 40a^2 + 20ab + 5b^2) \sinh(dx + c)^6 + 24(33(8a^2 + 4ab + \\
& b^2) \cosh(dx + c)^7 + 63(8a^2 + 4ab + b^2) \cosh(dx + c)^5 + 35(8a^2 \\
& + 4ab + b^2) \cosh(dx + c)^3 + 5(8a^2 + 4ab + b^2) \cosh(dx + c)) \si \\
& nh(dx + c)^5 + 15(8a^2 + 4ab + b^2) \cosh(dx + c)^4 + 15(33(8a^2 + \\
& 4ab + b^2) \cosh(dx + c)^8 + 84(8a^2 + 4ab + b^2) \cosh(dx + c)^6 + 7 \\
& 0(8a^2 + 4ab + b^2) \cosh(dx + c)^4 + 20(8a^2 + 4ab + b^2) \cosh(dx \\
& + c)^2 + 8a^2 + 4ab + b^2) \sinh(dx + c)^4 + 20(11(8a^2 + 4ab + b^ \\
& 2) \cosh(dx + c)^9 + 36(8a^2 + 4ab + b^2) \cosh(dx + c)^7 + 42(8a^2 + \\
& 4ab + b^2) \cosh(dx + c)^5 + 20(8a^2 + 4ab + b^2) \cosh(dx + c)^3 + \\
& 3(8a^2 + 4ab + b^2) \cosh(dx + c)) \sinh(dx + c)^3 + 6(8a^2 + 4ab + \\
& b^2) \cosh(dx + c)^2 + 6(11(8a^2 + 4ab + b^2) \cosh(dx + c)^10 + 45( \\
& 8a^2 + 4ab + b^2) \cosh(dx + c)^8 + 70(8a^2 + 4ab + b^2) \cosh(dx + \\
& c)^6 + 50(8a^2 + 4ab + b^2) \cosh(dx + c)^4 + 15(8a^2 + 4ab + b^2) *
\end{aligned}$$

$$\frac{\cosh(dx + c)^2 + 8a^2 + 4ab + b^2 \sinh(dx + c)^2 + 8a^2 + 4ab + b^2 + 12((8a^2 + 4ab + b^2)\cosh(dx + c)^{11} + 5(8a^2 + 4ab + b^2)\cosh(dx + c)^9 + 10(8a^2 + 4ab + b^2)\cosh(dx + c)^7 + 10(8a^2 + 4ab + b^2)\cosh(dx + c)^5 + 5(8a^2 + 4ab + b^2)\cosh(dx + c)^3 + (8a^2 + 4ab + b^2)\cosh(dx + c))\sinh(dx + c) \arctan(\cosh(dx + c) + \sinh(dx + c)) - 3(8a^2 + 4ab + b^2)\cosh(dx + c) + 3(11(8a^2 + 4ab + b^2)\cosh(dx + c)^{10} + 3(72a^2 - 60ab - 47b^2)\cosh(dx + c)^8 + 14(8a^2 - 12ab + 13b^2)\cosh(dx + c)^6 - 10(8a^2 - 12ab + 13b^2)\cosh(dx + c)^4 - (72a^2 - 60ab - 47b^2)\cosh(dx + c)^2 - 8a^2 - 4ab - b^2)\sinh(dx + c)}{(d\cosh(dx + c)^{12} + 12d\cosh(dx + c)\sinh(dx + c)^{11} + d\sinh(dx + c)^{12} + 6d\cosh(dx + c)^{10} + 6(11d\cosh(dx + c)^2 + d)\sinh(dx + c)^{10} + 20(11d\cosh(dx + c)^3 + 3d\cosh(dx + c))\sinh(dx + c)^9 + 15d\cosh(dx + c)^8 + 15(33d\cosh(dx + c)^4 + 18d\cosh(dx + c)^2 + d)\sinh(dx + c)^8 + 24(33d\cosh(dx + c)^5 + 30d\cosh(dx + c)^3 + 5d\cosh(dx + c))\sinh(dx + c)^7 + 20d\cosh(dx + c)^6 + 4(231d\cosh(dx + c)^6 + 315d\cosh(dx + c)^4 + 105d\cosh(dx + c)^2 + 5d)\sinh(dx + c)^6 + 24(33d\cosh(dx + c)^7 + 63d\cosh(dx + c)^5 + 35d\cosh(dx + c)^3 + 5d\cosh(dx + c))\sinh(dx + c)^5 + 15d\cosh(dx + c)^4 + 15(33d\cosh(dx + c)^8 + 84d\cosh(dx + c)^6 + 70d\cosh(dx + c)^4 + 20d\cosh(dx + c)^2 + d)\sinh(dx + c)^4 + 20(11d\cosh(dx + c)^9 + 36d\cosh(dx + c)^7 + 42d\cosh(dx + c)^5 + 20d\cosh(dx + c)^3 + 3d\cosh(dx + c))\sinh(dx + c)^3 + 6d\cosh(dx + c)^2 + 6(11d\cosh(dx + c)^{10} + 45d\cosh(dx + c)^8 + 70d\cosh(dx + c)^6 + 50d\cosh(dx + c)^4 + 15d\cosh(dx + c)^2 + d)\sinh(dx + c)^2 + 12(d\cosh(dx + c)^{11} + 5d\cosh(dx + c)^9 + 10d\cosh(dx + c)^7 + 10d\cosh(dx + c)^5 + 5d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh(dx + c) + d}$$

**giac [B]** time = 0.22, size = 291, normalized size = 2.33

$$3(8a^2e^c + 4abe^c + b^2e^c) \arctan(e^{(dx+c)})e^{(-c)} + \frac{24a^2e^{(11dx+11c)} + 12abe^{(11dx+11c)} + 3b^2e^{(11dx+11c)} + 72a^2e^{(9dx+9c)} - 60abe^{(9dx+9c)} - \dots}{(d\cosh(dx + c)^{12} + 12d\cosh(dx + c)\sinh(dx + c)^{11} + d\sinh(dx + c)^{12} + 6d\cosh(dx + c)^{10} + 6(11d\cosh(dx + c)^2 + d)\sinh(dx + c)^{10} + 20(11d\cosh(dx + c)^3 + 3d\cosh(dx + c))\sinh(dx + c)^9 + 15d\cosh(dx + c)^8 + 15(33d\cosh(dx + c)^4 + 18d\cosh(dx + c)^2 + d)\sinh(dx + c)^8 + 24(33d\cosh(dx + c)^5 + 30d\cosh(dx + c)^3 + 5d\cosh(dx + c))\sinh(dx + c)^7 + 20d\cosh(dx + c)^6 + 4(231d\cosh(dx + c)^6 + 315d\cosh(dx + c)^4 + 105d\cosh(dx + c)^2 + 5d)\sinh(dx + c)^6 + 24(33d\cosh(dx + c)^7 + 63d\cosh(dx + c)^5 + 35d\cosh(dx + c)^3 + 5d\cosh(dx + c))\sinh(dx + c)^5 + 15d\cosh(dx + c)^4 + 15(33d\cosh(dx + c)^8 + 84d\cosh(dx + c)^6 + 70d\cosh(dx + c)^4 + 20d\cosh(dx + c)^2 + d)\sinh(dx + c)^4 + 20(11d\cosh(dx + c)^9 + 36d\cosh(dx + c)^7 + 42d\cosh(dx + c)^5 + 20d\cosh(dx + c)^3 + 3d\cosh(dx + c))\sinh(dx + c)^3 + 6d\cosh(dx + c)^2 + 6(11d\cosh(dx + c)^{10} + 45d\cosh(dx + c)^8 + 70d\cosh(dx + c)^6 + 50d\cosh(dx + c)^4 + 15d\cosh(dx + c)^2 + d)\sinh(dx + c)^2 + 12(d\cosh(dx + c)^{11} + 5d\cosh(dx + c)^9 + 10d\cosh(dx + c)^7 + 10d\cosh(dx + c)^5 + 5d\cosh(dx + c)^3 + d\cosh(dx + c))\sinh(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot (3(8a^2e^c + 4abbe^c + b^2e^c) \arctan(e^{(dx+c)})e^{(-c)} + (24a^2e^{(11dx+11c)} + 12a^2be^{(11dx+11c)} + 3b^2e^{(11dx+11c)} + 72a^2e^{(9dx+9c)} - 60abe^{(9dx+9c)} - 48a^2e^{(7dx+7c)} - 72a^2be^{(7dx+7c)} + 78b^2e^{(7dx+7c)} - 48a^2e^{(5dx+5c)} + 72a^2be^{(5dx+5c)} - 78b^2e^{(5dx+5c)} - 72a^2e^{(3dx+3c)} + 60a^2be^{(3dx+3c)} + 47b^2e^{(3dx+3c)} - 24a^2e^{(dx+c)} - 12a^2be^{(dx+c)} - 3b^2e^{(dx+c)}) / (e^{(2dx+2c)} + 1)^6) / d$

**maple [B]** time = 0.51, size = 236, normalized size = 1.89

$$\frac{a^2 \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a^2 \arctan(e^{dx+c})}{d} - \frac{2ab \sinh(dx+c)}{3d \cosh(dx+c)^4} + \frac{ab \tanh(dx+c) \operatorname{sech}(dx+c)^3}{6d} + \frac{ab \operatorname{sech}(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $\frac{1}{2} \frac{a^2 \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + \frac{1}{d} a^2 \arctan(\exp(dx+c)) - \frac{2}{3} \frac{a b \sinh(dx+c)}{d \cosh(dx+c)^4} + \frac{1}{6} \frac{a b \tanh(dx+c) \operatorname{sech}(dx+c)^3}{d} + \frac{1}{4} \frac{a b \operatorname{sech}(dx+c)}{d} + \frac{1}{2} \frac{a b \tanh(dx+c)}{d} + \frac{1}{2} \frac{a b \arctan(\exp(dx+c))}{d} - \frac{1}{3} \frac{b^2 \sinh(dx+c)^3}{d \cosh(dx+c)^6} - \frac{1}{5} \frac{b^2 \sinh(dx+c)}{d \cosh(dx+c)^6} + \frac{1}{30} \frac{b^2 \tanh(dx+c) \operatorname{sech}(dx+c)^5}{d} + \frac{1}{24} \frac{b^2 \tanh(dx+c) \operatorname{sech}(dx+c)^3}{d} + \frac{1}{16} \frac{b^2 \operatorname{sech}(dx+c) \tanh(dx+c)}{d} + \frac{1}{8} \frac{b^2 \arctan(\exp(dx+c))}{d}$

**maxima [B]** time = 0.43, size = 345, normalized size = 2.76

$$-\frac{1}{24} b^2 \left( \frac{3 \arctan(e^{-dx-c})}{d} - \frac{3e^{-dx-c} - 47e^{-3dx-3c} + 78e^{-5dx-5c} - 78e^{-7dx-7c} + 47e^{-9dx-9c} - 3e^{-11dx-11c}}{d(6e^{-2dx-2c} + 15e^{-4dx-4c} + 20e^{-6dx-6c} + 15e^{-8dx-8c} + 6e^{-10dx-10c} + e^{-12dx-12c})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3*(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $-\frac{1}{24} b^2 \left( \frac{3 \arctan(e^{-dx-c})}{d} - \frac{3e^{-dx-c} - 47e^{-3dx-3c} + 78e^{-5dx-5c} - 78e^{-7dx-7c} + 47e^{-9dx-9c} - 3e^{-11dx-11c}}{d(6e^{-2dx-2c} + 15e^{-4dx-4c} + 20e^{-6dx-6c} + 15e^{-8dx-8c} + 6e^{-10dx-10c} + e^{-12dx-12c} + 1)} \right) - \frac{1}{2} a b \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - 7e^{-3dx-3c} + 7e^{-5dx-5c} - e^{-7dx-7c}}{d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)} \right) - a^2 \left( \frac{\arctan(e^{-dx-c})}{d} - \frac{e^{-dx-c} - e^{-3dx-3c}}{d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)} \right)$

**mupad [B]** time = 0.18, size = 572, normalized size = 4.58

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (8a^2 \sqrt{d^2+b^2} \sqrt{d^2+4ab\sqrt{d^2}})}{d \sqrt{64a^4+64a^3b+32a^2b^2+8ab^3+b^4}}\right) \sqrt{64a^4+64a^3b+32a^2b^2+8ab^3+b^4}}{8\sqrt{d^2}} - \frac{\frac{2e^{c+dx}(a+b)^2}{3d} + \frac{8e^{3c+3dx}(a^2-b^2)}{3d} + \frac{8e^{5c+5dx}(a^2-b^2)^2}{3d}}{6e^{2c+2dx} + 15e^{4c+4dx} + 20e^{6c+6dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^2/cosh(c + d*x)^3,x)`

```
[Out] (atan((exp(d*x)*exp(c)*(8*a^2*(d^2)^(1/2) + b^2*(d^2)^(1/2) + 4*a*b*(d^2)^(1/2)))/(d*(8*a*b^3 + 64*a^3*b + 64*a^4 + b^4 + 32*a^2*b^2)^(1/2)))*(8*a*b^3 + 64*a^3*b + 64*a^4 + b^4 + 32*a^2*b^2)^(1/2))/(8*(d^2)^(1/2)) - ((2*exp(c + d*x)*(a + b)^2)/(3*d) + (8*exp(3*c + 3*d*x)*(a^2 - b^2))/(3*d) + (8*exp(7*c + 7*d*x)*(a^2 - b^2))/(3*d) + (2*exp(9*c + 9*d*x)*(a + b)^2)/(3*d) + (4*exp(5*c + 5*d*x)*(3*a^2 - 2*a*b + 3*b^2))/(3*d))/(6*exp(2*c + 2*d*x) + 15*exp(4*c + 4*d*x) + 20*exp(6*c + 6*d*x) + 15*exp(8*c + 8*d*x) + 6*exp(10*c + 10*d*x) + exp(12*c + 12*d*x) + 1) - (2*exp(c + d*x)*(4*a*b + 15*b^2))/(3*d*(4*exp(2*c + 2*d*x) + 6*exp(4*c + 4*d*x) + 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1)) + (16*b^2*exp(c + d*x))/(3*d*(5*exp(2*c + 2*d*x) + 10*exp(4*c + 4*d*x) + 10*exp(6*c + 6*d*x) + 5*exp(8*c + 8*d*x) + exp(10*c + 10*d*x) + 1)) + (exp(c + d*x)*(4*a*b + 8*a^2 + b^2))/(8*d*(exp(2*c + 2*d*x) + 1)) - (exp(c + d*x)*(44*a*b + 16*a^2 + 23*b^2))/(12*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1)) + (exp(c + d*x)*(20*a*b + 21*b^2))/(3*d*(3*exp(2*c + 2*d*x) + 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) + 1))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**3*(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*sech(c + d*x)**3, x)
```

### 3.96 $\int \operatorname{sech}^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=76

$$\frac{a^2 \tanh(c + dx)}{d} - \frac{b(2a - b) \tanh^5(c + dx)}{5d} - \frac{a(a - 2b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^7(c + dx)}{7d}$$

[Out]  $a^2 \tanh(d*x+c)/d - 1/3*a*(a-2*b)*\tanh(d*x+c)^3/d - 1/5*(2*a-b)*b*\tanh(d*x+c)^5/d - 1/7*b^2*\tanh(d*x+c)^7/d$

**Rubi [A]** time = 0.07, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 373}

$$\frac{a^2 \tanh(c + dx)}{d} - \frac{b(2a - b) \tanh^5(c + dx)}{5d} - \frac{a(a - 2b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $(a^2*\Tanh[c + d*x])/d - (a*(a - 2*b)*\Tanh[c + d*x]^3)/(3*d) - ((2*a - b)*b*\Tanh[c + d*x]^5)/(5*d) - (b^2*\Tanh[c + d*x]^7)/(7*d)$

#### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps



$$\int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^2 dx = \frac{\operatorname{Subst}\left(\int (1-x^2)(a+bx^2)^2 dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int (a^2 - a(a-2b)x^2 - (2a-b)bx^4 - b^2x^6) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^2 \tanh(c+dx)}{d} - \frac{a(a-2b) \tanh^3(c+dx)}{3d} - \frac{(2a-b)b \tanh^5(c+dx)}{5d}$$

**Mathematica [A]** time = 0.58, size = 83, normalized size = 1.09

$$\frac{\tanh(c+dx) \left( (35a^2 + 14ab + 3b^2) \operatorname{sech}^2(c+dx) + 70a^2 - 6b(7a+4b) \operatorname{sech}^4(c+dx) + 28ab + 15b^2 \operatorname{sech}^6(c+dx) \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((70\*a^2 + 28\*a\*b + 6\*b^2 + (35\*a^2 + 14\*a\*b + 3\*b^2)\*Sech[c + d\*x]^2 - 6\*b\*(7\*a + 4\*b)\*Sech[c + d\*x]^4 + 15\*b^2\*Sech[c + d\*x]^6)\*Tanh[c + d\*x])/(105\*d)

**fricas [B]** time = 0.40, size = 677, normalized size = 8.91

$$\frac{8 \left( 2 \left( 35 a^2 + 56 a b + 27 b^2 \right) \cosh^5(dx+c) + 10 \left( 35 a^2 + 56 a b + 27 b^2 \right) \cosh(dx+c) \sinh^4(dx+c) + \left( 35 a^2 + 98 a b + 51 b^2 \right) \sinh^5(dx+c) + 14 \left( 25 a^2 + 16 a b - 3 b^2 \right) \cosh^3(dx+c) + \left( 10 \left( 35 a^2 + 98 a b + 51 b^2 \right) \cosh^2(dx+c) + 105 a^2 + 126 a b - 63 b^2 \right) \sinh^3(dx+c) + 2 \left( 10 \left( 35 a^2 + 56 a b + 27 b^2 \right) \cosh^3(dx+c) + 21 \left( 25 a^2 + 16 a b - 3 b^2 \right) \cosh(dx+c) \sinh^2(dx+c) + 28 \left( 25 a^2 + 4 a b + 3 b^2 \right) \cosh(dx+c) + \left( 5 \left( 35 a^2 + 98 a b + 51 b^2 \right) \cosh^4(dx+c) + 63 \left( 5 a^2 + 6 a b - 3 b^2 \right) \cosh^2(dx+c) + 70 a^2 + 28 a b + 126 b^2 \right) \sinh^4(dx+c) \right)}{105 \left( d \cosh(dx+c) \right)^9 + 9 d \cosh(dx+c) \sinh^8(dx+c) + d \sinh^9(dx+c) + 7 d \cosh^7(dx+c) + \left( 36 d \cosh^5(dx+c) + 126 d \cosh^3(dx+c) + 7 d \right) \sinh^6(dx+c) + 22 d \cosh^5(dx+c) + \left( 126 d \cosh^4(dx+c) + 147 d \cosh^2(dx+c) + 20 d \right) \sinh^5(dx+c) + \left( 35 d^2 \cosh^4(dx+c) + 14 d^2 \cosh^2(dx+c) + 5 d^2 \right) \sinh^4(dx+c) + \left( 35 d^2 \cosh^3(dx+c) + 14 d^2 \cosh(dx+c) \right) \sinh^3(dx+c) + \left( 35 d^2 \cosh^2(dx+c) + 14 d^2 \right) \sinh^2(dx+c) + 35 d^2 \sinh(dx+c)}{105 d^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -8/105\*(2\*(35\*a^2 + 56\*a\*b + 27\*b^2)\*cosh(d\*x + c)^5 + 10\*(35\*a^2 + 56\*a\*b + 27\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + (35\*a^2 + 98\*a\*b + 51\*b^2)\*sinh(d\*x + c)^5 + 14\*(25\*a^2 + 16\*a\*b - 3\*b^2)\*cosh(d\*x + c)^3 + (10\*(35\*a^2 + 98\*a\*b + 51\*b^2)\*cosh(d\*x + c)^2 + 105\*a^2 + 126\*a\*b - 63\*b^2)\*sinh(d\*x + c)^3 + 2\*(10\*(35\*a^2 + 56\*a\*b + 27\*b^2)\*cosh(d\*x + c)^3 + 21\*(25\*a^2 + 16\*a\*b - 3\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 28\*(25\*a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c) + (5\*(35\*a^2 + 98\*a\*b + 51\*b^2)\*cosh(d\*x + c)^4 + 63\*(5\*a^2 + 6\*a\*b - 3\*b^2)\*cosh(d\*x + c)^2 + 70\*a^2 + 28\*a\*b + 126\*b^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^9 + 9\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^8 + d\*sinh(d\*x + c)^9 + 7\*d\*cosh(d\*x + c)^7 + (36\*d\*cosh(d\*x + c)^2 + 7\*d)\*sinh(d\*x + c)^7 + 7\*(12\*d\*cosh(d\*x + c)^3 + 7\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^6 + 22\*d\*cosh(d\*x + c)^5 + (126\*d\*cosh(d\*x + c)^4 + 147\*d\*cosh(d\*x + c)^2 + 20\*d)\*sinh(d\*x + c)^5 + (35\*d^2\*cosh^4(d\*x + c) + 14\*d^2\*cosh^2(d\*x + c) + 5\*d^2)\*sinh^4(d\*x + c) + (35\*d^2\*cosh^3(d\*x + c) + 14\*d^2\*cosh(d\*x + c))\*sinh^3(d\*x + c) + (35\*d^2\*cosh^2(d\*x + c) + 14\*d^2)\*sinh^2(d\*x + c) + 35\*d^2\*sinh(d\*x + c)

$(126*d*\cosh(d*x + c)^5 + 245*d*\cosh(d*x + c)^3 + 110*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 42*d*\cosh(d*x + c)^3 + (84*d*\cosh(d*x + c)^6 + 245*d*\cosh(d*x + c)^4 + 200*d*\cosh(d*x + c)^2 + 28*d)*\sinh(d*x + c)^3 + (36*d*\cosh(d*x + c)^7 + 147*d*\cosh(d*x + c)^5 + 220*d*\cosh(d*x + c)^3 + 126*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 56*d*\cosh(d*x + c) + (9*d*\cosh(d*x + c)^8 + 49*d*\cosh(d*x + c)^6 + 100*d*\cosh(d*x + c)^4 + 84*d*\cosh(d*x + c)^2 + 14*d)*\sinh(d*x + c)$

**giac** [B] time = 0.24, size = 238, normalized size = 3.13

$$4 \left( 105 a^2 e^{(10 dx + 10 c)} + 210 a b e^{(10 dx + 10 c)} + 105 b^2 e^{(10 dx + 10 c)} + 455 a^2 e^{(8 dx + 8 c)} + 350 a b e^{(8 dx + 8 c)} - 105 b^2 e^{(8 dx + 8 c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-4/105*(105*a^2*e^{(10*d*x + 10*c)} + 210*a*b*e^{(10*d*x + 10*c)} + 105*b^2*e^{(10*d*x + 10*c)} + 455*a^2*e^{(8*d*x + 8*c)} + 350*a*b*e^{(8*d*x + 8*c)} - 105*b^2*e^{(8*d*x + 8*c)} + 770*a^2*e^{(6*d*x + 6*c)} + 140*a*b*e^{(6*d*x + 6*c)} + 210*b^2*e^{(6*d*x + 6*c)} + 630*a^2*e^{(4*d*x + 4*c)} + 84*a*b*e^{(4*d*x + 4*c)} - 4*2*b^2*e^{(4*d*x + 4*c)} + 245*a^2*e^{(2*d*x + 2*c)} + 98*a*b*e^{(2*d*x + 2*c)} + 21*b^2*e^{(2*d*x + 2*c)} + 35*a^2 + 14*a*b + 3*b^2)/(d*(e^{(2*d*x + 2*c)} + 1)^7)$

**maple** [B] time = 0.47, size = 158, normalized size = 2.08

$$a^2 \left( \frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3} \right) \tanh(dx+c) + 2ab \left( -\frac{\sinh(dx+c)}{4 \cosh(dx+c)^5} + \frac{\left( \frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5} + \frac{4 \operatorname{sech}(dx+c)^2}{15} \right) \tanh(dx+c)}{4} \right) + b^2 \left( -\frac{\sinh^3(dx+c)}{4 \cosh(dx+c)^7} - \frac{1}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $1/d*(a^2*(2/3+1/3*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)+2*a*b*(-1/4*\sinh(d*x+c)/\cosh(d*x+c)^5+1/4*(8/15+1/5*\operatorname{sech}(d*x+c)^4+4/15*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c))+b^2*(-1/4*\sinh(d*x+c)^3/\cosh(d*x+c)^7-1/8*\sinh(d*x+c)/\cosh(d*x+c)^7+1/8*(16/35+1/7*\operatorname{sech}(d*x+c)^6+6/35*\operatorname{sech}(d*x+c)^4+8/35*\operatorname{sech}(d*x+c)^2)*\tanh(d*x+c)))$

**maxima** [B] time = 0.34, size = 928, normalized size = 12.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{4}{35}b^2(7e^{(-2dx-2c)} / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)) - 14e^{(-4dx-4c)} / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)) + 70e^{(-6dx-6c)} / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)) - 35e^{(-8dx-8c)} / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)) + 35e^{(-10dx-10c)} / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)) + 1 / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1))) + 8/15*a*b*(5e^{(-2dx-2c)} / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) - 5e^{(-4dx-4c)} / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 15e^{(-6dx-6c)} / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)) + 1 / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + 4/3*a^2*(3e^{(-2dx-2c)} / (d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)) + 1 / (d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)))$

**mupad [B]** time = 1.22, size = 732, normalized size = 9.63

$$\frac{\frac{4(3a^2-2ab+3b^2)}{35d} + \frac{32e^{2c+2dx}(a^2-b^2)}{35d} + \frac{4e^{4c+4dx}(a+b)^2}{7d}}{4e^{2c+2dx} + 6e^{4c+4dx} + 4e^{6c+6dx} + e^{8c+8dx} + 1} - \frac{\frac{32(a^2-b^2)}{105d} + \frac{8e^{2c+2dx}(a+b)^2}{21d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{\frac{32(a^2-b^2)}{105d} + \frac{64e^{4c+4dx}}{35d}}{5e^{2c+2dx} + 10e^{4c+4dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)/cosh(c + d\*x)^4,x)

[Out]  $-\left(\frac{4(3a^2 - 2ab + 3b^2)}{35d} + \frac{32\exp(2c + 2dx)(a^2 - b^2)}{35d} + \frac{4\exp(4c + 4dx)(a + b)^2}{7d}\right) / (4\exp(2c + 2dx) + 6\exp(4c + 4dx) + 4\exp(6c + 6dx) + \exp(8c + 8dx) + 1) - \left(\frac{32(a^2 - b^2)}{105d} + \frac{8\exp(2c + 2dx)(a + b)^2}{21d}\right) / (3\exp(2c + 2dx) + 3\exp(4c + 4dx) + \exp(6c + 6dx) + 1) - \left(\frac{32(a^2 - b^2)}{105d} + \frac{64\exp(4c + 4dx)(a^2 - b^2)}{35d} + \frac{16\exp(6c + 6dx)(a + b)^2}{21d}\right) / (5\exp(2c + 2dx) + 10\exp(4c + 4dx) + 10\exp(6c + 6dx) + 5\exp(8c + 8dx) + \exp($

```

10*c + 10*d*x) + 1) - ((32*exp(4*c + 4*d*x)*(a^2 - b^2))/(7*d) + (32*exp(8*
c + 8*d*x)*(a^2 - b^2))/(7*d) + (8*exp(2*c + 2*d*x)*(a + b)^2)/(7*d) + (8*e
xp(10*c + 10*d*x)*(a + b)^2)/(7*d) + (16*exp(6*c + 6*d*x)*(3*a^2 - 2*a*b +
3*b^2))/(7*d))/(7*exp(2*c + 2*d*x) + 21*exp(4*c + 4*d*x) + 35*exp(6*c + 6*d
*x) + 35*exp(8*c + 8*d*x) + 21*exp(10*c + 10*d*x) + 7*exp(12*c + 12*d*x) +
exp(14*c + 14*d*x) + 1) - ((4*(a + b)^2)/(21*d) + (32*exp(2*c + 2*d*x)*(a^2
- b^2))/(21*d) + (64*exp(6*c + 6*d*x)*(a^2 - b^2))/(21*d) + (20*exp(8*c +
8*d*x)*(a + b)^2)/(21*d) + (8*exp(4*c + 4*d*x)*(3*a^2 - 2*a*b + 3*b^2))/(7*
d))/(6*exp(2*c + 2*d*x) + 15*exp(4*c + 4*d*x) + 20*exp(6*c + 6*d*x) + 15*ex
p(8*c + 8*d*x) + 6*exp(10*c + 10*d*x) + exp(12*c + 12*d*x) + 1) - (4*(a + b
)^2)/(21*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1))

```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*sech(c + d\*x)\*\*4, x)

### 3.97 $\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=91

$$\frac{3}{8}x(a+b)(a^2 - 2ab + 5b^2) + \frac{(a+b)^3 \sinh(c+dx) \cosh^3(c+dx)}{4d} + \frac{3(a-3b)(a+b)^2 \sinh(c+dx) \cosh(c+dx)}{8d} - \frac{b^3 \tanh^3(c+dx)}{d}$$

[Out] 3/8\*(a+b)\*(a^2-2\*a\*b+5\*b^2)\*x+3/8\*(a-3\*b)\*(a+b)^2\*cosh(d\*x+c)\*sinh(d\*x+c)/d +1/4\*(a+b)^3\*cosh(d\*x+c)^3\*sinh(d\*x+c)/d-b^3\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.13, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3675, 390, 1157, 385, 206}

$$\frac{3}{8}x(a+b)(a^2 - 2ab + 5b^2) + \frac{(a+b)^3 \sinh(c+dx) \cosh^3(c+dx)}{4d} + \frac{3(a-3b)(a+b)^2 \sinh(c+dx) \cosh(c+dx)}{8d} - \frac{b^3 \tanh^3(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*(a + b)\*(a^2 - 2\*a\*b + 5\*b^2)\*x)/8 + (3\*(a - 3\*b)\*(a + b)^2\*Cosh[c + d\*x]\*Sinh[c + d\*x])/(8\*d) + ((a + b)^3\*Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*d) - (b^3\*Tanh[c + d\*x])/d

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p+1))/(a\*b\*n\*(p+1)), x] - Dist[(a\*d - b\*c\*(n\*(p+1) + 1))/(a\*b\*n\*(p+1)), Int[(a + b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int \cosh^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b^3 + \frac{a^3+b^3+3b(a^2-b^2)x^2+3b^2(a+b)x^4}{(1-x^2)^3}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{b^3 \tanh(c + dx)}{d} + \frac{\text{Subst}\left(\int \frac{a^3+b^3+3b(a^2-b^2)x^2+3b^2(a+b)x^4}{(1-x^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{(a + b)^3 \cosh^3(c + dx) \sinh(c + dx)}{4d} - \frac{b^3 \tanh(c + dx)}{d} - \frac{\text{Subst}\left(\int \frac{3(a-b)(a+b)^2 x^2 + (a+b)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{4d} \\
&= \frac{3(a - 3b)(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{8d} + \frac{(a + b)^3 \cosh^3(c + dx) \sinh(c + dx)}{4d} \\
&= \frac{3}{8}(a + b)(a^2 - 2ab + 5b^2)x + \frac{3(a - 3b)(a + b)^2 \cosh(c + dx) \sinh(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.70, size = 81, normalized size = 0.89

$$\frac{12(a^3 - a^2b + 3ab^2 + 5b^3)(c + dx) + 8(a - 2b)(a + b)^2 \sinh(2(c + dx)) + (a + b)^3 \sinh(4(c + dx)) - 32b^3 \tanh(c + dx)}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (12\*(a^3 - a^2\*b + 3\*a\*b^2 + 5\*b^3)\*(c + d\*x) + 8\*(a - 2\*b)\*(a + b)^2\*Sinh[2\*(c + d\*x)] + (a + b)^3\*Sinh[4\*(c + d\*x)] - 32\*b^3\*Tanh[c + d\*x])/(32\*d)

**fricas [B]** time = 0.42, size = 227, normalized size = 2.49

$$\frac{(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^5 + (9a^3 + 3a^2b - 21ab^2 - 15b^3 + 10(a^3 + 3a^2b + 3ab^2 + b^3)) \cosh(dx + c)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 1/64\*((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sinh(d\*x + c)^5 + (9\*a^3 + 3\*a^2\*b - 21\*a\*b^2 - 15\*b^3 + 10\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 8\*(8\*b^3 + 3\*(a^3 - a^2\*b + 3\*a\*b^2 + 5\*b^3)\*d\*x)\*cosh(d\*x + c) + (5\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*cosh(d\*x + c)^4 + 8\*a^3 - 24\*a\*b^2 - 80\*b^3 + 9\*(3\*a^3 + a^2\*b - 7\*a\*b^2 - 5\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/(d\*cosh(d\*x + c))

**giac [B]** time = 0.76, size = 285, normalized size = 3.13

$$\frac{24(a^3 - a^2b + 3ab^2 + 5b^3)dx + \frac{128b^3}{e^{2dx+2c}+1} - (18a^3e^{4dx+4c} - 18a^2be^{4dx+4c} + 54ab^2e^{4dx+4c} + 90b^3e^{4dx+4c})}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/64\*(24\*(a^3 - a^2\*b + 3\*a\*b^2 + 5\*b^3)\*d\*x + 128\*b^3/(e^(2\*d\*x + 2\*c) + 1) - (18\*a^3\*e^(4\*d\*x + 4\*c) - 18\*a^2\*b\*e^(4\*d\*x + 4\*c) + 54\*a\*b^2\*e^(4\*d\*x + 4\*c) + 90\*b^3\*e^(4\*d\*x + 4\*c) + 8\*a^3\*e^(2\*d\*x + 2\*c) - 24\*a\*b^2\*e^(2\*d\*x + 2\*c) - 16\*b^3\*e^(2\*d\*x + 2\*c) + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*e^(-4\*d\*x - 4\*c) + (a^3\*e^(4\*d\*x + 20\*c) + 3\*a^2\*b\*e^(4\*d\*x + 20\*c) + 3\*a\*b^2\*e^(4\*d\*x + 20\*c) + b^3\*e^(4\*d\*x + 20\*c) + 8\*a^3\*e^(2\*d\*x + 18\*c) - 24\*a\*b^2\*e^(2\*d\*x + 18\*c) - 16\*b^3\*e^(2\*d\*x + 18\*c))\*e^(-16\*c))/d

**maple [B]** time = 0.38, size = 184, normalized size = 2.02

$$a^3 \left( \left( \frac{\cosh^3(dx+c)}{4} + \frac{3 \cosh(dx+c)}{8} \right) \sinh(dx+c) + \frac{3dx}{8} + \frac{3c}{8} \right) + 3a^2b \left( \frac{\sinh(dx+c)\cosh^3(dx+c)}{4} - \frac{\cosh(dx+c)\sinh(dx+c)}{8} - \frac{dx}{8} - \frac{c}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*((1/4\*cosh(d\*x+c)^3+3/8\*cosh(d\*x+c))\*sinh(d\*x+c)+3/8\*d\*x+3/8\*c)+3\*a^2\*b\*(1/4\*sinh(d\*x+c)\*cosh(d\*x+c)^3-1/8\*cosh(d\*x+c)\*sinh(d\*x+c)-1/8\*d\*x-1/8\*c)+3\*a\*b^2\*((1/4\*sinh(d\*x+c)^3-3/8\*sinh(d\*x+c))\*cosh(d\*x+c)+3/8\*d\*x+3/8\*c)+b^3\*(1/4\*sinh(d\*x+c)^5/cosh(d\*x+c)-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)+15/8\*d\*x+15/8\*c-15/8\*tanh(d\*x+c)))

**maxima [B]** time = 0.33, size = 267, normalized size = 2.93

$$\frac{1}{64} a^3 \left( 24x + \frac{e^{(4dx+4c)}}{d} + \frac{8e^{(2dx+2c)}}{d} - \frac{8e^{(-2dx-2c)}}{d} - \frac{e^{(-4dx-4c)}}{d} \right) + \frac{3}{64} ab^2 \left( 24x + \frac{e^{(4dx+4c)}}{d} - \frac{8e^{(2dx+2c)}}{d} + \frac{8e^{(-2dx-2c)}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/64\*a^3\*(24\*x + e^(4\*d\*x + 4\*c)/d + 8\*e^(2\*d\*x + 2\*c)/d - 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 3/64\*a\*b^2\*(24\*x + e^(4\*d\*x + 4\*c)/d - 8\*e^(2\*d\*x + 2\*c)/d + 8\*e^(-2\*d\*x - 2\*c)/d - e^(-4\*d\*x - 4\*c)/d) + 1/64\*b^3\*(120\*(d\*x + c)/d + (16\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c))/d - (15\*e^(-2\*d\*x - 2\*c) + 144\*e^(-4\*d\*x - 4\*c) - 1)/(d\*(e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c)))) - 3/64\*a^2\*b\*(8\*(d\*x + c)/d - e^(4\*d\*x + 4\*c)/d + e^(-4\*d\*x - 4\*c)/d)

**mupad [B]** time = 1.41, size = 133, normalized size = 1.46

$$x \left( \frac{3a^3}{8} - \frac{3a^2b}{8} + \frac{9ab^2}{8} + \frac{15b^3}{8} \right) + \frac{2b^3}{d(e^{2c+2dx}+1)} - \frac{e^{-4c-4dx}(a+b)^3}{64d} + \frac{e^{4c+4dx}(a+b)^3}{64d} - \frac{e^{-2c-2dx}(a+b)^2(a-b)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] x\*((9\*a\*b^2)/8 - (3\*a^2\*b)/8 + (3\*a^3)/8 + (15\*b^3)/8) + (2\*b^3)/(d\*(exp(2\*c + 2\*d\*x) + 1)) - (exp(-4\*c - 4\*d\*x)\*(a + b)^3)/(64\*d) + (exp(4\*c + 4\*d\*x)\*(a + b)^3)/(64\*d) - (exp(-2\*c - 2\*d\*x)\*(a + b)^2\*(a - 2\*b))/(8\*d) + (exp(2\*c + 2\*d\*x)\*(a + b)^2\*(a - 2\*b))/(8\*d)



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.98 \quad \int \cosh^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=87

$$\frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} - \frac{b^3 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

[Out]  $1/2*b^2*(6*a+5*b)*\arctan(\sinh(d*x+c))/d+(a-2*b)*(a+b)^2*\sinh(d*x+c)/d+1/3*(a+b)^3*\sinh(d*x+c)^3/d-1/2*b^3*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.11, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 390, 385, 203}

$$\frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} - \frac{b^3 \tanh(c + dx) \operatorname{sech}(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Cosh[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^3,x]`

[Out]  $(b^2*(6*a + 5*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]])/(2*d) + ((a - 2*b)*(a + b)^2*\operatorname{Sinh}[c + d*x])/d + ((a + b)^3*\operatorname{Sinh}[c + d*x]^3)/(3*d) - (b^3*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x])/(2*d)$

### Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

### Rule 385

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])`

### Rule 390

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]`

Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

Rubi steps

$$\int \cosh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx = \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{\text{Subst}\left(\int \left((a - 2b)(a + b)^2 + (a + b)^3 x^2 + \frac{b^2(3a+2b)+3b^2(a+b)x^2}{(1+x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} + \frac{\text{Subst}\left(\int \frac{b^2(3a+2b)+3b^2(a+b)x^2}{(1+x^2)^2} dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d} + \frac{(a + b)^3 \sinh^3(c + dx)}{3d} - \frac{b^3 \text{sech}(c + dx)}{3d}$$

$$= \frac{b^2(6a + 5b) \tan^{-1}(\sinh(c + dx))}{2d} + \frac{(a - 2b)(a + b)^2 \sinh(c + dx)}{d}$$

**Mathematica** [C] time = 6.89, size = 494, normalized size = 5.68

$$\text{csch}^5(c + dx) \left( -256 \sinh^8(c + dx) (a \sinh^2(c + dx) + a + b \sinh^2(c + dx))^3 {}_5F_4\left(\frac{3}{2}, 2, 2, 2, 2; 1, 1, 1, \frac{11}{2}; -\sinh^2(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cosh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (Csch[c + d\*x]^5\*(-256\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^8\*(a + a\*Sinh[c + d\*x]^2 + b\*Sinh[c + d\*x]^2)^3 - (315\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*(b^3\*Sinh[c + d\*x]^6\*(2161 + 1875\*Sinh[c + d\*x]^2 + 243\*Sinh[c + d\*x]^4 + Sinh[c + d\*x]^6) + a^3\*Cosh[c + d\*x]^6\*(2401 + 1875\*Sinh[c + d\*x]^2 + 243\*Sinh[c + d\*x]^4 + Sinh[c + d\*x]^2)

$$\begin{aligned} &^6) + 3a^2b(\operatorname{Sinh}[c + dx] + \operatorname{Sinh}[c + dx]^3)^2(2401 + 1875\operatorname{Sinh}[c + dx] \\ &^2 + 243\operatorname{Sinh}[c + dx]^4 + \operatorname{Sinh}[c + dx]^6) + 3ab^2\operatorname{Sinh}[c + dx]^4(240 \\ &1 + 4180\operatorname{Sinh}[c + dx]^2 + 2118\operatorname{Sinh}[c + dx]^4 + 244\operatorname{Sinh}[c + dx]^6 + \operatorname{Sinh} \\ &[c + dx]^8))/\operatorname{Sqrt}[-\operatorname{Sinh}[c + dx]^2] + 21(b^3\operatorname{Sinh}[c + dx]^6(32415 + 1 \\ &7320\operatorname{Sinh}[c + dx]^2 + 753\operatorname{Sinh}[c + dx]^4) + 3ab^2\operatorname{Sinh}[c + dx]^4(3601 \\ &5 + 50695\operatorname{Sinh}[c + dx]^2 + 18073\operatorname{Sinh}[c + dx]^4 + 753\operatorname{Sinh}[c + dx]^6) + \\ &3a^2b\operatorname{Sinh}[c + dx]^2(36015 + 88150\operatorname{Sinh}[c + dx]^2 + 69728\operatorname{Sinh}[c + dx] \\ &^4 + 18826\operatorname{Sinh}[c + dx]^6 + 753\operatorname{Sinh}[c + dx]^8) + a^3(36015 + 124165\operatorname{Sinh} \\ &[c + dx]^2 + 157878\operatorname{Sinh}[c + dx]^4 + 89514\operatorname{Sinh}[c + dx]^6 + 19579\operatorname{Sinh} \\ &[c + dx]^8 + 753\operatorname{Sinh}[c + dx]^10)))/(30240*d) \end{aligned}$$

**fricas [B]** time = 0.45, size = 1840, normalized size = 21.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{24}((a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^{10} + 10(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)\sinh(dx + c)^9 + (a^3 + 3a^2b + 3ab^2 + b^3)\sinh(dx + c)^{10} + (11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^8 + (11a^3 - 3a^2b - 39ab^2 - 25b^3 + 45(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^2)\sinh(dx + c)^8 + 8(15(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^3 + (11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c))\sinh(dx + c)^7 + 2(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^6 + 2(105(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^4 + 5a^3 - 3a^2b - 21ab^2 - 25b^3 + 14(11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^2)\sinh(dx + c)^6 + 4(63(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^5 + 14(11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^3 + 3(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c))\sinh(dx + c)^5 - 2(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^4 + 2(105(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^6 + 35(11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^4 - 5a^3 + 3a^2b + 21ab^2 + 25b^3 + 15(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^2)\sinh(dx + c)^4 + 8(15(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^7 + 7(11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^5 + 5(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^3 - (5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c))\sinh(dx + c)^3 - a^3 - 3a^2b - 3ab^2 - b^3 - (11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^2 + (45(a^3 + 3a^2b + 3ab^2 + b^3)\cosh(dx + c)^8 + 28(11a^3 - 3a^2b - 39ab^2 - 25b^3)\cosh(dx + c)^6 + 30(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^4 - 11a^3 + 3a^2b + 39ab^2 + 25b^3 - 12(5a^3 - 3a^2b - 21ab^2 - 25b^3)\cosh(dx + c)^2)\sinh(dx + c)^2 + 24((6ab^2 + 5b^3)\cosh(dx + c)^7 + 7(6ab^2 + 5b^3)\cosh(dx + c)\sinh(dx + c)^6 + (6ab^2 + 5b^3)\sinh(dx + c)^7 + 2(6ab^2 + 5b^3)\cosh(dx + c)^5 + (12ab^2 + 10b^3 + 21(6ab^2 + 5b^3)\cosh(dx + c)^2)*s$

$$\begin{aligned} & \operatorname{inh}(dx+c)^5 + 5*(7*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^3 + 2*(6*a*b^2 + 5*b^3) \\ & * \operatorname{cosh}(dx+c))*\operatorname{sinh}(dx+c)^4 + (6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^3 + (35 \\ & *(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^4 + 6*a*b^2 + 5*b^3 + 20*(6*a*b^2 + 5*b^3) \\ & *\operatorname{cosh}(dx+c)^2)*\operatorname{sinh}(dx+c)^3 + (21*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^5 + \\ & 20*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^3 + 3*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c))* \\ & \operatorname{sinh}(dx+c)^2 + (7*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^6 + 10*(6*a*b^2 + 5*b^3) \\ & *\operatorname{cosh}(dx+c)^4 + 3*(6*a*b^2 + 5*b^3)*\operatorname{cosh}(dx+c)^2)*\operatorname{sinh}(dx+c))*\operatorname{ar} \\ & \operatorname{ctan}(\operatorname{cosh}(dx+c) + \operatorname{sinh}(dx+c)) + 2*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)* \\ & \operatorname{cosh}(dx+c)^9 + 4*(11*a^3 - 3*a^2*b - 39*a*b^2 - 25*b^3)*\operatorname{cosh}(dx+c)^7 \\ & + 6*(5*a^3 - 3*a^2*b - 21*a*b^2 - 25*b^3)*\operatorname{cosh}(dx+c)^5 - 4*(5*a^3 - 3*a^2*b \\ & - 21*a*b^2 - 25*b^3)*\operatorname{cosh}(dx+c)^3 - (11*a^3 - 3*a^2*b - 39*a*b^2 - 2 \\ & 5*b^3)*\operatorname{cosh}(dx+c))*\operatorname{sinh}(dx+c))/(d*\operatorname{cosh}(dx+c)^7 + 7*d*\operatorname{cosh}(dx+c) \\ & *\operatorname{sinh}(dx+c)^6 + d*\operatorname{sinh}(dx+c)^7 + 2*d*\operatorname{cosh}(dx+c)^5 + (21*d*\operatorname{cosh}(dx+c) \\ & + c)^2 + 2*d)*\operatorname{sinh}(dx+c)^5 + 5*(7*d*\operatorname{cosh}(dx+c)^3 + 2*d*\operatorname{cosh}(dx+c) \\ & )*\operatorname{sinh}(dx+c)^4 + d*\operatorname{cosh}(dx+c)^3 + (35*d*\operatorname{cosh}(dx+c)^4 + 20*d*\operatorname{cosh}(d \\ & *x+c)^2 + d)*\operatorname{sinh}(dx+c)^3 + (21*d*\operatorname{cosh}(dx+c)^5 + 20*d*\operatorname{cosh}(dx+c) \\ & ^3 + 3*d*\operatorname{cosh}(dx+c))*\operatorname{sinh}(dx+c)^2 + (7*d*\operatorname{cosh}(dx+c)^6 + 10*d*\operatorname{cosh}( \\ & dx+c)^4 + 3*d*\operatorname{cosh}(dx+c)^2)*\operatorname{sinh}(dx+c)) \end{aligned}$$

**giac [B]** time = 0.66, size = 279, normalized size = 3.21

$$24 \left( 6 a b^2 e^c + 5 b^3 e^c \right) \arctan \left( e^{(dx+c)} \right) e^{-c} - \left( 9 a^3 e^{(2dx+2c)} - 9 a^2 b e^{(2dx+2c)} - 45 a b^2 e^{(2dx+2c)} - 27 b^3 e^{(2dx+2c)} + a^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24}*(24*(6*a*b^2*e^c + 5*b^3*e^c)*\arctan(e^{(dx+c)})*e^{-c} - (9*a^3*e^{(2*d*x + 2*c)} - 9*a^2*b*e^{(2*d*x + 2*c)} - 45*a*b^2*e^{(2*d*x + 2*c)} - 27*b^3*e^{(2*d*x + 2*c)} + a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-3*d*x - 3*c)} + (a^3*e^{(3*d*x + 30*c)} + 3*a^2*b*e^{(3*d*x + 30*c)} + 3*a*b^2*e^{(3*d*x + 30*c)} + b^3*e^{(3*d*x + 30*c)} + 9*a^3*e^{(d*x + 28*c)} - 9*a^2*b*e^{(d*x + 28*c)} - 45*a*b^2*e^{(d*x + 28*c)} - 27*b^3*e^{(d*x + 28*c)})*e^{(-27*c)} - 24*(b^3*e^{(3*d*x + 3*c)} - b^3*e^{(d*x + c))})/(e^{(2*d*x + 2*c)} + 1)^2)/d$

**maple [B]** time = 0.38, size = 206, normalized size = 2.37

$$\frac{2a^3 \sinh(dx+c)}{3d} + \frac{a^3 \sinh(dx+c) \left( \cosh^2(dx+c) \right)}{3d} + \frac{a^2 b \left( \sinh^3(dx+c) \right)}{d} + \frac{a b^2 \left( \sinh^3(dx+c) \right)}{d} - \frac{3a b^2 \sinh(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x)

[Out]  $\frac{2}{3}a^3 \sinh(dx+c)/d + \frac{1}{3}d a^3 \sinh(dx+c) \cosh(dx+c)^2 + a^2 b \sinh(dx+c)^3/d + \frac{1}{d} a b^2 \sinh(dx+c)^3 - \frac{3}{d} a b^2 \sinh(dx+c) + \frac{6}{d} a b^2 \arctan(\exp(dx+c)) + \frac{1}{3}d b^3 \sinh(dx+c)^5/\cosh(dx+c)^2 - \frac{5}{3}d b^3 \sinh(dx+c)^3/\cosh(dx+c)^2 - \frac{5}{d} b^3 \sinh(dx+c)/\cosh(dx+c)^2 + \frac{5}{2}d b^3 \operatorname{sech}(dx+c) \tanh(dx+c) + \frac{5}{d} b^3 \arctan(\exp(dx+c))$

**maxima** [B] time = 0.43, size = 284, normalized size = 3.26

$$\frac{a^2 b (e^{(dx+c)} - e^{(-dx-c)})^3}{8d} - \frac{1}{8} a b^2 \left( \frac{(15 e^{(-2dx-2c)} - 1) e^{(3dx+3c)}}{d} - \frac{15 e^{(-dx-c)} - e^{(-3dx-3c)}}{d} + \frac{48 \arctan(e^{(-dx-c)})}{d} \right) + \frac{1}{24} b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{8} a^2 b (e^{(dx+c)} - e^{(-dx-c)})^3/d - \frac{1}{8} a b^2 ((15 e^{(-2dx-2c)} - 1) e^{(3dx+3c)}/d - (15 e^{(-dx-c)} - e^{(-3dx-3c)})/d + 48 \arctan(e^{(-dx-c)})/d) + \frac{1}{24} b^3 ((27 e^{(-dx-c)} - e^{(-3dx-3c)})/d - 12 \arctan(e^{(-dx-c)})/d - (25 e^{(-2dx-2c)} + 77 e^{(-4dx-4c)} + 3 e^{(-6dx-6c)} - 1)/(d(e^{(-3dx-3c)} + 2 e^{(-5dx-5c)} + e^{(-7dx-7c)}))) + \frac{1}{24} a^3 (e^{(3dx+3c)}/d + 9 e^{(dx+c)}/d - 9 e^{(-dx-c)}/d - e^{(-3dx-3c)}/d)$

**mupad** [B] time = 0.36, size = 232, normalized size = 2.67

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (5b^3 \sqrt{d^2} + 6ab^2 \sqrt{d^2})}{d \sqrt{36a^2 b^4 + 60ab^5 + 25b^6}}\right) \sqrt{36a^2 b^4 + 60ab^5 + 25b^6}}{\sqrt{d^2}} - \frac{e^{-3c-3dx} (a+b)^3}{24d} + \frac{e^{3c+3dx} (a+b)^3}{24d} + \frac{3e^{c+dx} (a+b)^2}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + dx)^3\*(a + b\*tanh(c + dx)^2)^3,x)

[Out]  $\frac{\operatorname{atan}((\exp(dx) \exp(c) (5b^3 (d^2)^{(1/2)} + 6ab^2 (d^2)^{(1/2)})) / (d(60a^2 b^5 + 25b^6 + 36a^2 b^4)^{(1/2)})) * (60a^2 b^5 + 25b^6 + 36a^2 b^4)^{(1/2)}}{(d^2)^{(1/2)} - (\exp(-3c - 3dx) (a+b)^3) / (24d) + (\exp(3c + 3dx) (a+b)^3) / (24d) + (3 \exp(c + dx) (a+b)^2 (a - 3b)) / (8d) - (b^3 \exp(c + dx)) / (d(\exp(2c + 2dx) + 1)) - (3 \exp(-c - dx) (a+b)^2 (a - 3b)) / (8d) + (2b^3 \exp(c + dx)) / (d(2 \exp(2c + 2dx) + \exp(4c + 4dx) + 1))}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \cosh^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)**3*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**3*cosh(c + d*x)**3, x)
```

$$3.99 \quad \int \cosh^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=78

$$\frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{(a + b)^3 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2} x^{(a-5b)(a+b)^2} + \frac{b^3 \tanh^3(c + dx)}{3d}$$

[Out]  $1/2*(a-5*b)*(a+b)^2*x+1/2*(a+b)^3*\cosh(d*x+c)*\sinh(d*x+c)/d+b^2*(3*a+2*b)*\tanh(d*x+c)/d+1/3*b^3*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.09, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 206}

$$\frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{(a + b)^3 \sinh(c + dx) \cosh(c + dx)}{2d} + \frac{1}{2} x^{(a-5b)(a+b)^2} + \frac{b^3 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $((a - 5*b)*(a + b)^2*x)/2 + ((a + b)^3*\cosh[c + d*x]*\sinh[c + d*x])/(2*d) + (b^2*(3*a + 2*b)*\tanh[c + d*x])/d + (b^3*\tanh[c + d*x]^3)/(3*d)$

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]



Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

Rubi steps

$$\begin{aligned} \int \cosh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(b^2(3a + 2b) + b^3x^2 + \frac{(a-2b)(a+b)^2 + 3b(a+b)^2x^2}{(1-x^2)^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{b^3 \tanh^3(c + dx)}{3d} + \frac{\text{Subst}\left(\int \frac{(a-2b)(a+b)^2}{(1-x^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{(a + b)^3 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2(3a + 2b) \tanh(c + dx)}{d} + \frac{1}{2}(a - 5b)(a + b)^2x + \frac{(a + b)^3 \cosh(c + dx) \sinh(c + dx)}{2d} + \frac{b^2(3a + 2b) \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.97, size = 69, normalized size = 0.88

$$\frac{4b^2 \tanh(c + dx) (9a - b \operatorname{sech}^2(c + dx) + 7b) + 6(a - 5b)(a + b)^2(c + dx) + 3(a + b)^3 \sinh(2(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (6\*(a - 5\*b)\*(a + b)^2\*(c + d\*x) + 3\*(a + b)^3\*Sinh[2\*(c + d\*x)] + 4\*b^2\*(9\*a + 7\*b - b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(12\*d)

**fricas [B]** time = 0.41, size = 369, normalized size = 4.73

$$\frac{3(a^3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^5 - 4(18ab^2 + 14b^3 - 3(a^3 - 3a^2b - 9ab^2 - 5b^3)dx) \cosh(dx + c)^3 - \dots}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{24}*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^5 - 4*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c)^3 - 12*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (9*a^3 + 27*a^2*b + 99*a*b^2 + 65*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 - 12*(18*a*b^2 + 14*b^3 - 3*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x)*\cosh(d*x + c) + 3*(5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 2*a^3 + 6*a^2*b + 30*a*b^2 + 10*b^3 + (9*a^3 + 27*a^2*b + 99*a*b^2 + 65*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + 3*d*\cosh(d*x + c))$

**giac** [B] time = 0.60, size = 267, normalized size = 3.42

$$12(a^3 - 3a^2b - 9ab^2 - 5b^3)dx - 3(2a^3e^{(2dx+2c)} - 6a^2be^{(2dx+2c)} - 18ab^2e^{(2dx+2c)} - 10b^3e^{(2dx+2c)} + a^3 + 3a^2b + 3ab^2 + b^3)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24}*(12*(a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)*d*x - 3*(2*a^3*e^{(2*d*x + 2*c)} - 6*a^2*b*e^{(2*d*x + 2*c)} - 18*a*b^2*e^{(2*d*x + 2*c)} - 10*b^3*e^{(2*d*x + 2*c)} + a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-2*d*x - 2*c)} + 3*(a^3*e^{(2*d*x + 12*c)} + 3*a^2*b*e^{(2*d*x + 12*c)} + 3*a*b^2*e^{(2*d*x + 12*c)} + b^3*e^{(2*d*x + 12*c)})*e^{(-10*c)} - 16*(9*a*b^2*e^{(4*d*x + 4*c)} + 9*b^3*e^{(4*d*x + 4*c)} + 18*a*b^2*e^{(2*d*x + 2*c)} + 12*b^3*e^{(2*d*x + 2*c)} + 9*a*b^2 + 7*b^3)/(e^{(2*d*x + 2*c)} + 1)^3)/d$

**maple** [B] time = 0.24, size = 148, normalized size = 1.90

$$a^3 \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 3a^2b \left( \frac{\cosh(dx+c) \sinh(dx+c)}{2} - \frac{dx}{2} - \frac{c}{2} \right) + 3ab^2 \left( \frac{\sinh^3(dx+c)}{2 \cosh(dx+c)} - \frac{3dx}{2} - \frac{3c}{2} + \frac{3 \tanh(dx+c)}{2} \right)$$


---

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{d}*(a^3*(1/2*\cosh(d*x+c)*\sinh(d*x+c)+1/2*d*x+1/2*c)+3*a^2*b*(1/2*\cosh(d*x+c)*\sinh(d*x+c)-1/2*d*x-1/2*c)+3*a*b^2*(1/2*\sinh(d*x+c)^3/\cosh(d*x+c)-3/2*d*x-3/2*c+3/2*\tanh(d*x+c))+b^3*(1/2*\sinh(d*x+c)^5/\cosh(d*x+c)^3-5/2*d*x-5/2*c+5/2*\tanh(d*x+c)+5/6*\tanh(d*x+c)^3))$

**maxima [B]** time = 0.41, size = 256, normalized size = 3.28

$$\frac{1}{8}a^3\left(4x + \frac{e^{(2dx+2c)}}{d} - \frac{e^{(-2dx-2c)}}{d}\right) - \frac{3}{8}a^2b\left(4x - \frac{e^{(2dx+2c)}}{d} + \frac{e^{(-2dx-2c)}}{d}\right) - \frac{1}{24}b^3\left(\frac{60(dx+c)}{d} + \frac{3e^{(-2dx-2c)}}{d} - \frac{121}{d}\left(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)} + 3\right)\right) - \frac{3}{8}ab^2\left(\frac{12(dx+c)}{d} + \frac{e^{(-2dx-2c)}}{d} - \frac{17e^{(-2dx-2c)} + 1}{d}\left(e^{(-2dx-2c)} + e^{(-4dx-4c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/8\*a^3\*(4\*x + e^(2\*d\*x + 2\*c)/d - e^(-2\*d\*x - 2\*c)/d) - 3/8\*a^2\*b\*(4\*x - e^(2\*d\*x + 2\*c)/d + e^(-2\*d\*x - 2\*c)/d) - 1/24\*b^3\*(60\*(d\*x + c)/d + 3\*e^(-2\*d\*x - 2\*c)/d - (121\*e^(-2\*d\*x - 2\*c) + 201\*e^(-4\*d\*x - 4\*c) + 147\*e^(-6\*d\*x - 6\*c) + 3)/(d\*(e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 3\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c)))) - 3/8\*a\*b^2\*(12\*(d\*x + c)/d + e^(-2\*d\*x - 2\*c)/d - (17\*e^(-2\*d\*x - 2\*c) + 1)/(d\*(e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c))))

**mupad [B]** time = 0.29, size = 243, normalized size = 3.12

$$\frac{e^{2c+2dx}(a+b)^3}{8d} - \frac{\frac{2(b^3+3ab^2)}{3d} + \frac{2e^{2c+2dx}(b^3+ab^2)}{d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} - \frac{2(b^3+ab^2)}{d(e^{2c+2dx} + 1)} - \frac{e^{-2c-2dx}(a+b)^3}{8d} - \frac{\frac{2(b^3+ab^2)}{d} + \frac{4e^{2c+2dx}(b^3+3ab^2)}{3d}}{3e^{2c+2dx} + 3e^{4c+4dx} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] (exp(2\*c + 2\*d\*x)\*(a + b)^3)/(8\*d) - ((2\*(3\*a\*b^2 + b^3))/(3\*d) + (2\*exp(2\*c + 2\*d\*x)\*(a\*b^2 + b^3))/d)/(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1) - (2\*(a\*b^2 + b^3))/(d\*(exp(2\*c + 2\*d\*x) + 1)) - (exp(-2\*c - 2\*d\*x)\*(a + b)^3)/(8\*d) - ((2\*(a\*b^2 + b^3))/d + (4\*exp(2\*c + 2\*d\*x)\*(3\*a\*b^2 + b^3))/(3\*d) + (2\*exp(4\*c + 4\*d\*x)\*(a\*b^2 + b^3))/d)/(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1) + (x\*(a + b)^2\*(a - 5\*b))/2

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \cosh^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*cosh(c + d\*x)\*\*2, x)

### 3.100 $\int \cosh(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=99

$$\frac{3b^2(4a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} + \frac{(a + b)^3 \sinh(c + dx)}{d} - \frac{3b(4(a + b)^2 + (2a + b)^2) \tan^{-1}(\sinh(c + dx))}{8d}$$

[Out]  $-3/8*b*(4*(a+b)^2+(2*a+b)^2)*\arctan(\sinh(d*x+c))/d+(a+b)^3*\sinh(d*x+c)/d+3/8*b^2*(4*a+3*b)*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/d-1/4*b^3*\operatorname{sech}(d*x+c)^3*\tanh(d*x+c)/d$

**Rubi [A]** time = 0.12, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 390, 1157, 385, 203}

$$\frac{3b^2(4a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx)}{8d} + \frac{(a + b)^3 \sinh(c + dx)}{d} - \frac{3b(4(a + b)^2 + (2a + b)^2) \tan^{-1}(\sinh(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x]*(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $(-3*b*(4*(a + b)^2 + (2*a + b)^2)*\text{ArcTan}[\text{Sinh}[c + d*x]])/(8*d) + ((a + b)^3*\text{Sinh}[c + d*x])/d + (3*b^2*(4*a + 3*b)*\text{Sech}[c + d*x]*\text{Tanh}[c + d*x])/(8*d) - (b^3*\text{Sech}[c + d*x]^3*\text{Tanh}[c + d*x])/(4*d)$

#### Rule 203

$\text{Int}[(a + (b \cdot x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTan}[(\text{Rt}[b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[b, 2]), x] /;$  FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

$\text{Int}[(a + (b \cdot x^n)^{p_1})^{p_2} * ((c + (d \cdot x^n)^{q_1}))^{q_2}, x\_Symbol] \rightarrow -\text{Simp}[(b * c - a * d) * x * (a + b * x^n)^{p_1 + 1} / (a * b * n * (p_1 + 1)), x] - \text{Dist}[(a * d - b * c * (n * (p_1 + 1) + 1)) / (a * b * n * (p_1 + 1)), \text{Int}[(a + b * x^n)^{p_1 + 1}, x], x] /;$  FreeQ[{a, b, c, d, n, p}, x] && NeQ[b \* c - a \* d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 390

$\text{Int}[(a + (b \cdot x^n)^{p_1})^{p_2} * ((c + (d \cdot x^n)^{q_1}))^{q_2}, x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[(a + b * x^n)^{p_1}, (c + d * x^n)^{-q_2}, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b \* c - a \* d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,

0] && GeQ[p, -q]

### Rule 1157

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

### Rule 3676

```
Int[sec[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*tan[(e_) + (f_)*(x_)]^(n_
))^p_, x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \cosh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left((a+b)^3 - \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^3 \sinh(c + dx)}{d} - \frac{\text{Subst}\left(\int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^3 \sinh(c + dx)}{d} - \frac{b^3 \text{sech}^3(c + dx) \tanh(c + dx)}{4d} + \frac{\text{Subst}\left(\int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a+b)^3 \sinh(c + dx)}{d} + \frac{3b^2(4a+3b)\text{sech}(c + dx) \tanh(c + dx)}{8d} - \frac{\text{Subst}\left(\int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(1+x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{3b(4(a+b)^2 + (2a+b)^2) \tan^{-1}(\sinh(c + dx))}{8d} + \frac{(a+b)^3 \sinh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.42, size = 89, normalized size = 0.90

$$\frac{-3b(8a^2 + 12ab + 5b^2) \tan^{-1}(\sinh(c + dx)) + 3b^2(4a + 3b) \tanh(c + dx) \operatorname{sech}(c + dx) + 8(a + b)^3 \sinh(c + dx) - 8d}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(-3*b*(8*a^2 + 12*a*b + 5*b^2)*\operatorname{ArcTan}[\operatorname{Sinh}[c + d*x]] + 8*(a + b)^3*\operatorname{Sinh}[c + d*x] + 3*b^2*(4*a + 3*b)*\operatorname{Sech}[c + d*x]*\operatorname{Tanh}[c + d*x] - 2*b^3*\operatorname{Sech}[c + d*x]^3*\operatorname{Tanh}[c + d*x])/(8*d)$

**fricas [B]** time = 0.45, size = 2411, normalized size = 24.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{4}*(2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 20*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^9 + 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^{10} + 3*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 3*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3 + 30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 24*(10*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + (4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + (420*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3 + 84*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 6*(84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 28*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + (4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 - (4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + (420*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 210*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 - 4*a^3 - 12*a^2*b - 24*a*b^2 - 5*b^3 + 15*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(60*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 42*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 5*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 - (4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 2*a^3 - 6*a^2*b - 6*a*b^2 - 2*b^3 - 3*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^2 + 3*(30*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 28*(2*a^3 + 6*a^2*b + 10*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 5*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 - 2*a^3 - 6*a^2*b - 10*a*b^2 - 5*b^3 - 2*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 3*((8*a^2*b + 12*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 9*(8*a^2*b + 12*a*b^2 + 5*b^3)*\cosh(d*x$

```

+ c)*sinh(d*x + c)^8 + (8*a^2*b + 12*a*b^2 + 5*b^3)*sinh(d*x + c)^9 + 4*(8*
a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^7 + 4*(8*a^2*b + 12*a*b^2 + 5*b^3 +
9*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + 28*(3*(8
*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + (8*a^2*b + 12*a*b^2 + 5*b^3)*c
osh(d*x + c))*sinh(d*x + c)^6 + 6*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c
)^5 + 6*(21*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^4 + 8*a^2*b + 12*a*b
^2 + 5*b^3 + 14*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)
^5 + 2*(63*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^5 + 70*(8*a^2*b + 12*
a*b^2 + 5*b^3)*cosh(d*x + c)^3 + 15*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x +
c))*sinh(d*x + c)^4 + 4*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + 4*(
21*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^6 + 35*(8*a^2*b + 12*a*b^2 +
5*b^3)*cosh(d*x + c)^4 + 8*a^2*b + 12*a*b^2 + 5*b^3 + 15*(8*a^2*b + 12*a*b^
2 + 5*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 12*(3*(8*a^2*b + 12*a*b^2 + 5
*b^3)*cosh(d*x + c)^7 + 7*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^5 + 5*
(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + (8*a^2*b + 12*a*b^2 + 5*b^3)
*cosh(d*x + c))*sinh(d*x + c)^2 + (8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c
) + (9*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^8 + 28*(8*a^2*b + 12*a*b^
2 + 5*b^3)*cosh(d*x + c)^6 + 30*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x + c)^
4 + 8*a^2*b + 12*a*b^2 + 5*b^3 + 12*(8*a^2*b + 12*a*b^2 + 5*b^3)*cosh(d*x +
c)^2)*sinh(d*x + c))*arctan(cosh(d*x + c) + sinh(d*x + c)) + 2*(10*(a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^9 + 12*(2*a^3 + 6*a^2*b + 10*a*b^2 +
5*b^3)*cosh(d*x + c)^7 + 3*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x
+ c)^5 - 2*(4*a^3 + 12*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^3 - 3*(2*a^3
+ 6*a^2*b + 10*a*b^2 + 5*b^3)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x +
c)^9 + 9*d*cosh(d*x + c)*sinh(d*x + c)^8 + d*sinh(d*x + c)^9 + 4*d*cosh(d*x
+ c)^7 + 4*(9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^7 + 28*(3*d*cosh(d*x +
c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^6 + 6*d*cosh(d*x + c)^5 + 6*(21*d*cos
h(d*x + c)^4 + 14*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^5 + 2*(63*d*cosh(d*x
+ c)^5 + 70*d*cosh(d*x + c)^3 + 15*d*cosh(d*x + c))*sinh(d*x + c)^4 + 4*d*
cosh(d*x + c)^3 + 4*(21*d*cosh(d*x + c)^6 + 35*d*cosh(d*x + c)^4 + 15*d*cos
h(d*x + c)^2 + d)*sinh(d*x + c)^3 + 12*(3*d*cosh(d*x + c)^7 + 7*d*cosh(d*x
+ c)^5 + 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c)^2 + d*cosh(d*
x + c) + (9*d*cosh(d*x + c)^8 + 28*d*cosh(d*x + c)^6 + 30*d*cosh(d*x + c)^4
+ 12*d*cosh(d*x + c)^2 + d)*sinh(d*x + c))

```

**giac [B]** time = 0.38, size = 257, normalized size = 2.60

$$3(8a^2be^c + 12ab^2e^c + 5b^3e^c) \arctan(e^{(dx+c)})e^{(-c)} + 2(a^3 + 3a^2b + 3ab^2 + b^3)e^{(-dx-c)} - 2(a^3e^{(dx+12c)} + 3a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -1/4\*(3\*(8\*a^2\*b\*e^c + 12\*a\*b^2\*e^c + 5\*b^3\*e^c)\*arctan(e^(d\*x + c))\*e^(-c)

$$+ 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-d*x - c)} - 2*(a^3*e^{(d*x + 12*c)} + 3*a^2*b*e^{(d*x + 12*c)} + 3*a*b^2*e^{(d*x + 12*c)} + b^3*e^{(d*x + 12*c)})*e^{(-11*c)} - (12*a*b^2*e^{(7*d*x + 7*c)} + 9*b^3*e^{(7*d*x + 7*c)} + 12*a*b^2*e^{(5*d*x + 5*c)} + b^3*e^{(5*d*x + 5*c)} - 12*a*b^2*e^{(3*d*x + 3*c)} - b^3*e^{(3*d*x + 3*c)} - 12*a*b^2*e^{(d*x + c)} - 9*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^4/d$$

**maple [B]** time = 0.40, size = 257, normalized size = 2.60

$$\frac{a^3 \sinh(dx+c)}{d} + \frac{3a^2b \sinh(dx+c)}{d} - \frac{6a^2b \arctan(e^{dx+c})}{d} + \frac{3ab^2 (\sinh^3(dx+c))}{d \cosh(dx+c)^2} + \frac{9ab^2 \sinh(dx+c)}{d \cosh(dx+c)^2} - \frac{9ab^2 \operatorname{sech}(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] a^3\*sinh(d\*x+c)/d+3/d\*a^2\*b\*sinh(d\*x+c)-6/d\*a^2\*b\*arctan(exp(d\*x+c))+3/d\*a\*b^2\*sinh(d\*x+c)^3/cosh(d\*x+c)^2+9/d\*a\*b^2\*sinh(d\*x+c)/cosh(d\*x+c)^2-9/2/d\*a\*b^2\*sech(d\*x+c)\*tanh(d\*x+c)-9/d\*a\*b^2\*arctan(exp(d\*x+c))+1/d\*b^3\*sinh(d\*x+c)^5/cosh(d\*x+c)^4+5/d\*b^3\*sinh(d\*x+c)^3/cosh(d\*x+c)^4+5/d\*b^3\*sinh(d\*x+c)/cosh(d\*x+c)^4-5/4/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^3-15/8/d\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)-15/4/d\*b^3\*arctan(exp(d\*x+c))

**maxima [B]** time = 0.70, size = 295, normalized size = 2.98

$$\frac{1}{4}b^3 \left( \frac{15 \arctan(e^{(-dx-c)})}{d} - \frac{2e^{(-dx-c)}}{d} + \frac{17e^{(-2dx-2c)} + 13e^{(-4dx-4c)} + 7e^{(-6dx-6c)} - 7e^{(-8dx-8c)} + 2}{d(e^{(-dx-c)} + 4e^{(-3dx-3c)} + 6e^{(-5dx-5c)} + 4e^{(-7dx-7c)} + e^{(-9dx-9c)})} \right) + \frac{3}{2}ab^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*b^3\*(15\*arctan(e^{(-d\*x - c)})/d - 2\*e^{(-d\*x - c)}/d + (17\*e^{(-2\*d\*x - 2\*c)} + 13\*e^{(-4\*d\*x - 4\*c)} + 7\*e^{(-6\*d\*x - 6\*c)} - 7\*e^{(-8\*d\*x - 8\*c)} + 2)/(d\*(e^{(-d\*x - c)} + 4\*e^{(-3\*d\*x - 3\*c)} + 6\*e^{(-5\*d\*x - 5\*c)} + 4\*e^{(-7\*d\*x - 7\*c)} + e^{(-9\*d\*x - 9\*c)}))) + 3/2\*a\*b^2\*(6\*arctan(e^{(-d\*x - c)})/d - e^{(-d\*x - c)}/d + (4\*e^{(-2\*d\*x - 2\*c)} - e^{(-4\*d\*x - 4\*c)} + 1)/(d\*(e^{(-d\*x - c)} + 2\*e^{(-3\*d\*x - 3\*c)} + e^{(-5\*d\*x - 5\*c)}))) + 3/2\*a^2\*b\*(4\*arctan(e^{(-d\*x - c)})/d + e^{(d\*x + c)}/d - e^{(-d\*x - c)}/d) + a^3\*sinh(d\*x + c)/d

**mupad [B]** time = 0.31, size = 355, normalized size = 3.59

$$\frac{e^{c+dx} (a+b)^3}{2d} - \frac{e^{-c-dx} (a+b)^3}{2d} - \frac{3 \operatorname{atan} \left( \frac{e^{dx} e^c (5b^3 \sqrt{d^2} + 12ab^2 \sqrt{d^2} + 8a^2b \sqrt{d^2})}{d \sqrt{64a^4b^2 + 192a^3b^3 + 224a^2b^4 + 120ab^5 + 25b^6}} \right)}{4\sqrt{d^2}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)*(a + b*tanh(c + d*x)^2)^3,x)`

[Out] 
$$\frac{\exp(c + dx)(a + b)^3}{2d} - \frac{\exp(-c - dx)(a + b)^3}{2d} - (3 \operatorname{atan}(\frac{\exp(dx)\exp(c)(5b^3(d^2)^{1/2} + 12ab^2(d^2)^{1/2} + 8a^2b(d^2)^{1/2})}{d(120ab^5 + 25b^6 + 224a^2b^4 + 192a^3b^3 + 64a^4b^2)^{1/2}})) \cdot (120ab^5 + 25b^6 + 224a^2b^4 + 192a^3b^3 + 64a^4b^2)^{1/2})}{4(d^2)^{1/2}} + \frac{3\exp(c + dx)(4ab^2 + 3b^3)}{4d(\exp(2c + 2dx) + 1)} + \frac{6b^3\exp(c + dx)}{d(3\exp(2c + 2dx) + 3\exp(4c + 4dx) + \exp(6c + 6dx) + 1)} - \frac{\exp(c + dx)(12ab^2 + 13b^3)}{2d(2\exp(2c + 2dx) + \exp(4c + 4dx) + 1)} - \frac{4b^3\exp(c + dx)}{d(4\exp(2c + 2dx) + 6\exp(4c + 4dx) + 4\exp(6c + 6dx) + \exp(8c + 8dx) + 1)}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \cosh(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)*(a+b*tanh(d*x+c)**2)**3,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**3*cosh(c + d*x), x)`

### 3.101 $\int \operatorname{sech}(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=149

$$\frac{(2a + b)(8a^2 + 8ab + 5b^2) \tan^{-1}(\sinh(c + dx))}{16d} - \frac{b(44a^2 + 44ab + 15b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{48d} - \frac{b \tanh(c + dx)}{d}$$

[Out] 1/16\*(2\*a+b)\*(8\*a^2+8\*a\*b+5\*b^2)\*arctan(sinh(d\*x+c))/d-1/48\*b\*(44\*a^2+44\*a\*b+15\*b^2)\*sech(d\*x+c)\*tanh(d\*x+c)/d-5/24\*b\*(2\*a+b)\*sech(d\*x+c)^3\*(a+(a+b)\*sinh(d\*x+c)^2)\*tanh(d\*x+c)/d-1/6\*b\*sech(d\*x+c)^5\*(a+(a+b)\*sinh(d\*x+c)^2)^2\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.15, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 413, 526, 385, 203}

$$\frac{(2a + b)(8a^2 + 8ab + 5b^2) \tan^{-1}(\sinh(c + dx))}{16d} - \frac{b(44a^2 + 44ab + 15b^2) \tanh(c + dx) \operatorname{sech}(c + dx)}{48d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((2\*a + b)\*(8\*a^2 + 8\*a\*b + 5\*b^2)\*ArcTan[Sinh[c + d\*x]])/(16\*d) - (b\*(44\*a^2 + 44\*a\*b + 15\*b^2)\*Sech[c + d\*x]\*Tanh[c + d\*x])/(48\*d) - (5\*b\*(2\*a + b)\*Sech[c + d\*x]^3\*(a + (a + b)\*Sinh[c + d\*x]^2)\*Tanh[c + d\*x])/(24\*d) - (b\*Sech[c + d\*x]^5\*(a + (a + b)\*Sinh[c + d\*x]^2)^2\*Tanh[c + d\*x])/(6\*d)

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

#### Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 526

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^q)/(a*b*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p
+ 1)*(c + d*x^n)^(q - 1)*Simp[c*(b*e*n*(p + 1) + b*e - a*f) + d*(b*e*n*(p +
1) + (b*e - a*f)*(n*q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}
, x] && LtQ[p, -1] && GtQ[q, 0]
```

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^(m + n*p + 1)/2], x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\int \operatorname{sech}(c + dx) (a + b \tanh^2(c + dx))^3 dx = \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^4} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{b \operatorname{sech}^5(c + dx) (a + (a + b) \sinh^2(c + dx))^2 \tanh(c + dx)}{6d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^2}{(1+x^2)^4} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{5b(2a + b) \operatorname{sech}^3(c + dx) (a + (a + b) \sinh^2(c + dx)) \tanh(c + dx)}{24d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)}{(1+x^2)^4} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{b(44a^2 + 44ab + 15b^2) \operatorname{sech}(c + dx) \tanh(c + dx)}{48d} - \frac{5b(2a + b) \operatorname{sech}(c + dx)}{48d}$$

$$= \frac{(2a + b)(8a^2 + 8ab + 5b^2) \tan^{-1}(\sinh(c + dx))}{16d} - \frac{b(44a^2 + 44ab + 15b^2) \operatorname{sech}(c + dx)}{48d}$$

**Mathematica** [C] time = 16.68, size = 1341, normalized size = 9.00

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sech[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^3\*Sinh[c + d\*x]\*((9514449\*(a + b))/a + (135323370\*(a + b)^2)/a^2 + (5800  
9455\*(a + b)^3)/a^3 + 4093425\*Csch[c + d\*x]^2 + (168951510\*(a + b)\*Csch[c +  
d\*x]^2)/a + (215549775\*(a + b)^2\*Csch[c + d\*x]^2)/a^2 + 70189350\*Csch[c +  
d\*x]^4 + (274542345\*(a + b)\*Csch[c + d\*x]^4)/a + 117228825\*Csch[c + d\*x]^6  
+ (7808535\*(a + b)^2\*Sinh[c + d\*x]^2)/a^2 + (36772890\*(a + b)^3\*Sinh[c + d\*  
x]^2)/a^3 - 75520\*HypergeometricPFQ[{3/2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Si  
nh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 13824\*HypergeometricPFQ[{3/2, 2, 2, 2, 2,  
2}, {1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^2 - 1024\*Hypergeome  
tricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*S  
inh[c + d\*x]^2 + (2160711\*(a + b)^3\*Sinh[c + d\*x]^4)/a^3 - (189696\*(a + b)\*  
HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sin  
h[c + d\*x]^4)/a - (38400\*(a + b)\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1  
, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^4)/a - (3072\*(a + b)\*Hype  
rgeometricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 1, 11/2}, -Sinh[c + d\*x  
]^2]\*Sinh[c + d\*x]^4)/a - (158976\*(a + b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2  
, 2}, {1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (35328\*(a +  
b)^2\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 11/2}, -Sinh[c +  
d\*x]^2]\*Sinh[c + d\*x]^6)/a^2 - (3072\*(a + b)^2\*HypergeometricPFQ[{3/2, 2,  
2, 2, 2, 2, 2}, {1, 1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^6)/a  
^2 - (44800\*(a + b)^3\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2}, {1, 1, 1, 11/2},  
-Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^8)/a^3 - (10752\*(a + b)^3\*HypergeometricPF  
Q[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]  
^8)/a^3 - (1024\*(a + b)^3\*HypergeometricPFQ[{3/2, 2, 2, 2, 2, 2, 2}, {1, 1,  
1, 1, 1, 11/2}, -Sinh[c + d\*x]^2]\*Sinh[c + d\*x]^8)/a^3 + (142065\*ArcTanh[S  
qrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^8)/(-Sinh[c + d\*x]^2)^(9/2) + (1172288  
25\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]])/(-Sinh[c + d\*x]^2)^(7/2) + (17069535\*Ar  
cTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^4)/(-Sinh[c + d\*x]^2)^(7/2) + (  
33756345\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^8)/(a^2\*(-  
Sinh[c + d\*x]^2)^(7/2)) + (56109375\*(a + b)^3\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2  
]]\*Sinh[c + d\*x]^8)/(a^3\*(-Sinh[c + d\*x]^2)^(7/2)) - (109265625\*ArcTanh[Sqr  
t[-Sinh[c + d\*x]^2]])/(-Sinh[c + d\*x]^2)^(5/2) - (274542345\*(a + b)\*ArcTanh  
[Sqrt[-Sinh[c + d\*x]^2]])/(a\*(-Sinh[c + d\*x]^2)^(5/2)) + (260465625\*(a + b)  
\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]])/(a\*(-Sinh[c + d\*x]^2)^(3/2)) + (215549775  
\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]])/(a^2\*(-Sinh[c + d\*x]^2)^(3/2))  
+ (174825\*(a + b)^2\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2]]\*Sinh[c + d\*x]^6)/(a^2\*(-  
Sinh[c + d\*x]^2)^(3/2)) + (9261945\*(a + b)^3\*ArcTanh[Sqrt[-Sinh[c + d\*x]^2  
]]\*Sinh[c + d\*x]^6)/(a^3\*(-Sinh[c + d\*x]^2)^(3/2)) + (48825\*(a + b)^3\*ArcTa

$$\begin{aligned} & \text{nh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sinh}[c + d*x]^8/(a^3*(-\text{Sinh}[c + d*x]^2)^{(3/2)}) \\ & - (41427855*(a + b)*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a*\text{Sqrt}[-\text{Sinh}[c + d*x]^2]) \\ & - (207173295*(a + b)^2*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a^2*\text{Sqrt}[-\text{Sinh}[c + d*x]^2]) \\ & - (58009455*(a + b)^3*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]])/(a^3*\text{Sqrt}[-\text{Sinh}[c + d*x]^2]) \\ & + (210735*(a + b)*\text{ArcTanh}[\text{Sqrt}[-\text{Sinh}[c + d*x]^2]]*\text{Sqrt}[-\text{Sinh}[c + d*x]^2])/a)/(725760*d) \end{aligned}$$

**fricas [B]** time = 0.45, size = 3465, normalized size = 23.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/24*(3*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^{11} + 33*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{10} + 3*(24*a^2*b + 30*a*b^2 + 11*b^3)*\sinh(d*x + c)^{11} + (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^9 \\ & + (216*a^2*b + 126*a*b^2 - 5*b^3 + 165*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^9 + 9*(55*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^3 + (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^8 + 18*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 18*(55*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^4 + 8*a^2*b + 2*a*b^2 + 5*b^3 + 2*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 42*(33*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^5 + 2*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^3 + 3*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^6 - 18*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 18*(77*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^6 + 7*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^4 - 8*a^2*b - 2*a*b^2 - 5*b^3 + 21*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 18*(55*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^7 + 7*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^5 + 35*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 - 5*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 - (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^3 + (495*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^8 + 84*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^6 + 630*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 - 216*a^2*b - 126*a*b^2 + 5*b^3 - 180*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 3*(55*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x + c)^9 + 12*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^7 + 126*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 - 60*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 - (216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 - 3*((16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^{12} + 12*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{11} + (16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\sinh(d*x + c)^{12} + 6*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^{10} + 6*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3 + 11*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 20*(11*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 3*(16*a^3 + 24 \end{aligned}$$

$$\begin{aligned}
& *a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*(16*a^3 + 24 \\
& *a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 15*(33*(16*a^3 + 24*a^2*b + 18 \\
& *a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3 + 18 \\
& *(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + \\
& 24*(33*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 30*(16*a^3 \\
& + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 5*(16*a^3 + 24*a^2*b + 18* \\
& a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*(16*a^3 + 24*a^2*b + 18* \\
& a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 4*(231*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b \\
& ^3)*\cosh(d*x + c)^6 + 315*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + \\
& c)^4 + 80*a^3 + 120*a^2*b + 90*a*b^2 + 25*b^3 + 105*(16*a^3 + 24*a^2*b + 1 \\
& 8*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 24*(33*(16*a^3 + 24*a^2 \\
& *b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 63*(16*a^3 + 24*a^2*b + 18*a*b^2 + \\
& 5*b^3)*\cosh(d*x + c)^5 + 35*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d \\
& x + c)^3 + 5*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x \\
& + c)^5 + 15*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 15*(3 \\
& 3*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^8 + 84*(16*a^3 + 24* \\
& a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 70*(16*a^3 + 24*a^2*b + 18*a*b^ \\
& 2 + 5*b^3)*\cosh(d*x + c)^4 + 16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3 + 20*(16* \\
& a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 20*(1 \\
& 1*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 36*(16*a^3 + 24* \\
& a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 42*(16*a^3 + 24*a^2*b + 18*a*b^ \\
& 2 + 5*b^3)*\cosh(d*x + c)^5 + 20*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh \\
& (d*x + c)^3 + 3*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 + 16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3 + 6*(16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^2 + 6*(11*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5 \\
& *b^3)*\cosh(d*x + c)^10 + 45*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^8 + 70*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 50*(1 \\
& 6*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3 + 15*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^2 + 12*((16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + \\
& c)^11 + 5*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^9 + 10*(16*a \\
& ^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 10*(16*a^3 + 24*a^2*b + \\
& 18*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 5*(16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^ \\
& 3)*\cosh(d*x + c)^3 + (16*a^3 + 24*a^2*b + 18*a*b^2 + 5*b^3)*\cosh(d*x + c))* \\
& \sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 3*(24*a^2*b + 30*a*b \\
& ^2 + 11*b^3)*\cosh(d*x + c) + 3*(11*(24*a^2*b + 30*a*b^2 + 11*b^3)*\cosh(d*x \\
& + c)^10 + 3*(216*a^2*b + 126*a*b^2 - 5*b^3)*\cosh(d*x + c)^8 + 42*(8*a^2*b + \\
& 2*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 - 30*(8*a^2*b + 2*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^4 - 24*a^2*b - 30*a*b^2 - 11*b^3 - (216*a^2*b + 126*a*b^2 - 5*b^3)*co \\
& sh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh \\
& (d*x + c)^11 + d*\sinh(d*x + c)^12 + 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x \\
& + c)^2 + d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c \\
& ))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 + 18*d \\
& *\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 + 30*d*cos \\
& h(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*d*\cosh(d*x + c)^6 +
\end{aligned}$$

$$4*(231*d*cosh(d*x + c)^6 + 315*d*cosh(d*x + c)^4 + 105*d*cosh(d*x + c)^2 + 5*d)*sinh(d*x + c)^6 + 24*(33*d*cosh(d*x + c)^7 + 63*d*cosh(d*x + c)^5 + 35*d*cosh(d*x + c)^3 + 5*d*cosh(d*x + c))*sinh(d*x + c)^5 + 15*d*cosh(d*x + c)^4 + 15*(33*d*cosh(d*x + c)^8 + 84*d*cosh(d*x + c)^6 + 70*d*cosh(d*x + c)^4 + 20*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^4 + 20*(11*d*cosh(d*x + c)^9 + 36*d*cosh(d*x + c)^7 + 42*d*cosh(d*x + c)^5 + 20*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^3 + 6*d*cosh(d*x + c)^2 + 6*(11*d*cosh(d*x + c)^10 + 45*d*cosh(d*x + c)^8 + 70*d*cosh(d*x + c)^6 + 50*d*cosh(d*x + c)^4 + 15*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 12*(d*cosh(d*x + c)^11 + 5*d*cosh(d*x + c)^9 + 10*d*cosh(d*x + c)^7 + 10*d*cosh(d*x + c)^5 + 5*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x + c) + d$$

**giac [B]** time = 0.31, size = 321, normalized size = 2.15

$$3\left(16a^3e^c + 24a^2be^c + 18ab^2e^c + 5b^3e^c\right) \arctan\left(e^{(dx+c)}\right) e^{(-c)} - \frac{72a^2be^{(11dx+11c)} + 90ab^2e^{(11dx+11c)} + 33b^3e^{(11dx+11c)} + 216a^2b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{24}*(3*(16*a^3*e^c + 24*a^2*b*e^c + 18*a*b^2*e^c + 5*b^3*e^c)*\arctan(e^{(d*x + c)})*e^{(-c)} - (72*a^2*b*e^{(11*d*x + 11*c)} + 90*a*b^2*e^{(11*d*x + 11*c)} + 33*b^3*e^{(11*d*x + 11*c)} + 216*a^2*b*e^{(9*d*x + 9*c)} + 126*a*b^2*e^{(9*d*x + 9*c)} - 5*b^3*e^{(9*d*x + 9*c)} + 144*a^2*b*e^{(7*d*x + 7*c)} + 36*a*b^2*e^{(7*d*x + 7*c)} + 90*b^3*e^{(7*d*x + 7*c)} - 144*a^2*b*e^{(5*d*x + 5*c)} - 36*a*b^2*e^{(5*d*x + 5*c)} - 90*b^3*e^{(5*d*x + 5*c)} - 216*a^2*b*e^{(3*d*x + 3*c)} - 126*a*b^2*e^{(3*d*x + 3*c)} + 5*b^3*e^{(3*d*x + 3*c)} - 72*a^2*b*e^{(d*x + c)} - 90*a*b^2*e^{(d*x + c)} - 33*b^3*e^{(d*x + c)})/(e^{(2*d*x + 2*c)} + 1)^6)/d$

**maple [B]** time = 0.42, size = 334, normalized size = 2.24

$$\frac{2a^3 \arctan\left(e^{dx+c}\right)}{d} - \frac{3a^2b \sinh(dx+c)}{d \cosh(dx+c)^2} + \frac{3a^2b \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{3a^2b \arctan\left(e^{dx+c}\right)}{d} - \frac{3ab^2 \left(\sinh^3(dx+c)\right)}{d \cosh(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $2/d*a^3*\arctan(\exp(d*x+c))-3/d*a^2*b*\sinh(d*x+c)/\cosh(d*x+c)^2+3/2/d*a^2*b*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+3/d*a^2*b*\arctan(\exp(d*x+c))-3/d*a*b^2*\sinh(d*x+c)^3/\cosh(d*x+c)^4-3/d*a*b^2*\sinh(d*x+c)/\cosh(d*x+c)^4+3/4/d*a*b^2*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^3+9/8/d*a*b^2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)+9/4/d*a*b^2*\arctan(\exp(d*x+c))-1/d*b^3*\sinh(d*x+c)^5/\cosh(d*x+c)^6-5/3/d*b^3*\sinh(d*x+c)^3/\cosh(d*x+c)^6-1/d*b^3*\sinh(d*x+c)/\cosh(d*x+c)^6+1/6/d*b^3*\tanh(d*x+c)*\operatorname{sech}(d*x+c)^5$

+5/24/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^3+5/16/d\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)+5/8/d\*b^3\*arctan(exp(d\*x+c))

**maxima [B]** time = 0.43, size = 362, normalized size = 2.43

$$-\frac{1}{24} b^3 \left( \frac{15 \arctan(e^{(-dx-c)})}{d} + \frac{33 e^{(-dx-c)} - 5 e^{(-3dx-3c)} + 90 e^{(-5dx-5c)} - 90 e^{(-7dx-7c)} + 5 e^{(-9dx-9c)} - 33 e^{(-11dx-11c)}}{d(6 e^{(-2dx-2c)} + 15 e^{(-4dx-4c)} + 20 e^{(-6dx-6c)} + 15 e^{(-8dx-8c)} + 6 e^{(-10dx-10c)} + e^{(-12dx-12c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] -1/24\*b^3\*(15\*arctan(e^(-d\*x - c))/d + (33\*e^(-d\*x - c) - 5\*e^(-3\*d\*x - 3\*c) + 90\*e^(-5\*d\*x - 5\*c) - 90\*e^(-7\*d\*x - 7\*c) + 5\*e^(-9\*d\*x - 9\*c) - 33\*e^(-11\*d\*x - 11\*c))/(d\*(6\*e^(-2\*d\*x - 2\*c) + 15\*e^(-4\*d\*x - 4\*c) + 20\*e^(-6\*d\*x - 6\*c) + 15\*e^(-8\*d\*x - 8\*c) + 6\*e^(-10\*d\*x - 10\*c) + e^(-12\*d\*x - 12\*c) + 1))) - 3/4\*a\*b^2\*(3\*arctan(e^(-d\*x - c))/d + (5\*e^(-d\*x - c) - 3\*e^(-3\*d\*x - 3\*c) + 3\*e^(-5\*d\*x - 5\*c) - 5\*e^(-7\*d\*x - 7\*c))/(d\*(4\*e^(-2\*d\*x - 2\*c) + 6\*e^(-4\*d\*x - 4\*c) + 4\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c) + 1))) - 3\*a^2\*b\*(arctan(e^(-d\*x - c))/d + (e^(-d\*x - c) - e^(-3\*d\*x - 3\*c))/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1))) + a^3\*arctan(sinh(d\*x + c))/d

**mupad [B]** time = 1.39, size = 535, normalized size = 3.59

$$\operatorname{atan} \left( \frac{e^{dx} e^c (16 a^3 \sqrt{d^2} + 5 b^3 \sqrt{d^2} + 18 a b^2 \sqrt{d^2} + 24 a^2 b \sqrt{d^2})}{d \sqrt{256 a^6 + 768 a^5 b + 1152 a^4 b^2 + 1024 a^3 b^3 + 564 a^2 b^4 + 180 a b^5 + 25 b^6}} \right) \frac{\sqrt{256 a^6 + 768 a^5 b + 1152 a^4 b^2 + 1024 a^3 b^3 + 564 a^2 b^4 + 180 a b^5 + 25 b^6}}{8 \sqrt{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^3/cosh(c + d\*x),x)

[Out] (atan((exp(d\*x)\*exp(c)\*(16\*a^3\*(d^2)^(1/2) + 5\*b^3\*(d^2)^(1/2) + 18\*a\*b^2\*(d^2)^(1/2) + 24\*a^2\*b\*(d^2)^(1/2)))/(d\*(180\*a\*b^5 + 768\*a^5\*b + 256\*a^6 + 25\*b^6 + 564\*a^2\*b^4 + 1024\*a^3\*b^3 + 1152\*a^4\*b^2)^(1/2)))\*(180\*a\*b^5 + 768\*a^5\*b + 256\*a^6 + 25\*b^6 + 564\*a^2\*b^4 + 1024\*a^3\*b^3 + 1152\*a^4\*b^2)^(1/2))/(8\*(d^2)^(1/2)) - (exp(c + d\*x)\*(54\*a\*b^2 + 55\*b^3))/(3\*d\*(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1)) - (80\*b^3\*exp(c + d\*x))/(3\*d\*(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1)) + (6\*exp(c + d\*x)\*(2\*a\*b^2 + 5\*b^3))/(d\*(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1)) + (32\*b^3\*exp(c + d\*x))/(3\*d\*(6\*exp(2\*c + 2\*d\*x) + 15\*exp(4\*c + 4\*d\*x) + 20\*exp(6\*c + 6\*d\*x) + 15\*exp(8\*c + 8\*d\*x) + 6\*exp(10\*c + 10\*d\*x) + exp(12\*c + 12\*d\*x) + 1)) - (exp(c + d\*x)\*(30\*a\*b^2 + 24\*a^2\*b + 1



$1*b^3)/(8*d*(\exp(2*c + 2*d*x) + 1)) + (\exp(c + d*x)*(162*a*b^2 + 72*a^2*b + 85*b^3))/(12*d*(2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sech(c + d\*x), x)

### 3.102 $\int \operatorname{sech}^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=67

$$\frac{a^3 \tanh(c + dx)}{d} + \frac{a^2 b \tanh^3(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^7(c + dx)}{7d}$$

[Out]  $a^3 \tanh(d*x+c)/d + a^2*b*\tanh(d*x+c)^3/d + 3/5*a*b^2*\tanh(d*x+c)^5/d + 1/7*b^3*\tanh(d*x+c)^7/d$

**Rubi [A]** time = 0.06, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 194}

$$\frac{a^2 b \tanh^3(c + dx)}{d} + \frac{a^3 \tanh(c + dx)}{d} + \frac{3ab^2 \tanh^5(c + dx)}{5d} + \frac{b^3 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(a^3*\tanh[c + d*x])/d + (a^2*b*\tanh[c + d*x]^3)/d + (3*a*b^2*\tanh[c + d*x]^5)/(5*d) + (b^3*\tanh[c + d*x]^7)/(7*d)$

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps

$$\begin{aligned} \int \operatorname{sech}^2(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int (a+bx^2)^3 dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int (a^3+3a^2bx^2+3ab^2x^4+b^3x^6) dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{a^3 \tanh(c+dx)}{d} + \frac{a^2b \tanh^3(c+dx)}{d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3 \tanh^7(c+dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 67, normalized size = 1.00

$$\frac{a^3 \tanh(c+dx)}{d} + \frac{a^2b \tanh^3(c+dx)}{d} + \frac{3ab^2 \tanh^5(c+dx)}{5d} + \frac{b^3 \tanh^7(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a^3\*Tanh[c + d\*x])/d + (a^2\*b\*Tanh[c + d\*x]^3)/d + (3\*a\*b^2\*Tanh[c + d\*x]^5)/(5\*d) + (b^3\*Tanh[c + d\*x]^7)/(7\*d)

**fricas [B]** time = 0.40, size = 786, normalized size = 11.73

$$\frac{4 \left( (35a^3 + 70a^2b + 63ab^2 + 20b^3) \cosh(dx+c)^6 + 6(35a^2b + 42ab^2 + 15b^3) \cosh(dx+c) \sinh(dx+c)^5 + \dots \right)}{35(d \cosh(dx+c) \sinh(dx+c))^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -4/35\*((35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^6 + 6\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*sinh(d\*x + c)^6 + 14\*(15\*a^3 + 20\*a^2\*b + 9\*a\*b^2)\*cosh(d\*x + c)^4 + (210\*a^3 + 280\*a^2\*b + 126\*a\*b^2 + 15\*(35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 4\*(5\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)^3 + 28\*(5\*a^2\*b + 3\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 350\*a^3 + 280\*a^2\*b + 210\*a\*b^2 + 7\*(75\*a^3 + 70\*a^2\*b + 39\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^2 + (15\*(35\*a^3 + 70\*a^2\*b + 63\*a\*b^2 + 20\*b^3)\*cosh(d\*x + c)^4 + 525\*a^3 + 490\*a^2\*b + 273\*a\*b^2 + 140\*b^3 + 84\*(15\*a^3 + 20\*a^2\*b + 9\*a\*b^2)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 2\*(3\*(35\*a^2\*b + 42\*a\*b^2 + 15\*b^3)\*cosh(d\*x + c)^5 + 56\*(5\*a^2\*b + 3\*a\*b^2)\*cosh(d\*x + c)^3 + 7\*(25\*a^2\*b + 6\*a\*b^2 + 5\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^8 + 8\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + d\*sinh(d\*x + c)^8 + 8\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^7)

+ c)^6 + 4\*(7\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c)^6 + 4\*(14\*d\*cosh(d\*x + c)^3 + 9\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 28\*d\*cosh(d\*x + c)^4 + 2\*(35\*d\*cosh(d\*x + c)^4 + 60\*d\*cosh(d\*x + c)^2 + 14\*d)\*sinh(d\*x + c)^4 + 8\*(7\*d\*cosh(d\*x + c)^5 + 15\*d\*cosh(d\*x + c)^3 + 7\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 56\*d\*cosh(d\*x + c)^2 + 4\*(7\*d\*cosh(d\*x + c)^6 + 30\*d\*cosh(d\*x + c)^4 + 42\*d\*cosh(d\*x + c)^2 + 14\*d)\*sinh(d\*x + c)^2 + 4\*(2\*d\*cosh(d\*x + c)^7 + 9\*d\*cosh(d\*x + c)^5 + 14\*d\*cosh(d\*x + c)^3 + 7\*d\*cosh(d\*x + c))\*sinh(d\*x + c) + 35\*d)

**giac [B]** time = 0.39, size = 347, normalized size = 5.18

$$2 \left( 35 a^3 e^{(12 dx + 12 c)} + 105 a^2 b e^{(12 dx + 12 c)} + 105 a b^2 e^{(12 dx + 12 c)} + 35 b^3 e^{(12 dx + 12 c)} + 210 a^3 e^{(10 dx + 10 c)} + 420 a^2 b e^{(10 dx + 10 c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] -2/35\*(35\*a^3\*e^(12\*d\*x + 12\*c) + 105\*a^2\*b\*e^(12\*d\*x + 12\*c) + 105\*a\*b^2\*e^(12\*d\*x + 12\*c) + 35\*b^3\*e^(12\*d\*x + 12\*c) + 210\*a^3\*e^(10\*d\*x + 10\*c) + 420\*a^2\*b\*e^(10\*d\*x + 10\*c) + 210\*a\*b^2\*e^(10\*d\*x + 10\*c) + 525\*a^3\*e^(8\*d\*x + 8\*c) + 665\*a^2\*b\*e^(8\*d\*x + 8\*c) + 315\*a\*b^2\*e^(8\*d\*x + 8\*c) + 175\*b^3\*e^(8\*d\*x + 8\*c) + 700\*a^3\*e^(6\*d\*x + 6\*c) + 560\*a^2\*b\*e^(6\*d\*x + 6\*c) + 420\*a\*b^2\*e^(6\*d\*x + 6\*c) + 525\*a^3\*e^(4\*d\*x + 4\*c) + 315\*a^2\*b\*e^(4\*d\*x + 4\*c) + 231\*a\*b^2\*e^(4\*d\*x + 4\*c) + 105\*b^3\*e^(4\*d\*x + 4\*c) + 210\*a^3\*e^(2\*d\*x + 2\*c) + 140\*a^2\*b\*e^(2\*d\*x + 2\*c) + 42\*a\*b^2\*e^(2\*d\*x + 2\*c) + 35\*a^3 + 35\*a^2\*b + 21\*a\*b^2 + 5\*b^3)/(d\*(e^(2\*d\*x + 2\*c) + 1)^7)

**maple [B]** time = 0.55, size = 227, normalized size = 3.39

$$a^3 \tanh(dx + c) + 3a^2b \left( -\frac{\sinh(dx+c)}{2 \cosh(dx+c)^3} + \frac{\left(\frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3}\right) \tanh(dx+c)}{2} \right) + 3a b^2 \left( -\frac{\sinh^3(dx+c)}{2 \cosh(dx+c)^5} - \frac{3 \sinh(dx+c)}{8 \cosh(dx+c)^5} + \frac{3 \left(\frac{8}{15} + \frac{\operatorname{sech}(dx+c)}{5}\right)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*tanh(d\*x+c)+3\*a^2\*b\*(-1/2\*sinh(d\*x+c)/cosh(d\*x+c)^3+1/2\*(2/3+1/3\*sech(d\*x+c)^2)\*tanh(d\*x+c))+3\*a\*b^2\*(-1/2\*sinh(d\*x+c)^3/cosh(d\*x+c)^5-3/8\*sinh(d\*x+c)/cosh(d\*x+c)^5+3/8\*(8/15+1/5\*sech(d\*x+c)^4+4/15\*sech(d\*x+c)^2)\*tanh(d\*x+c))+b^3\*(-1/2\*sinh(d\*x+c)^5/cosh(d\*x+c)^7-5/8\*sinh(d\*x+c)^3/cosh(d\*x+c)^7-5/16\*sinh(d\*x+c)/cosh(d\*x+c)^7+5/16\*(16/35+1/7\*sech(d\*x+c)^6+6/35\*sech(d\*x+c)^4+8/35\*sech(d\*x+c)^2)\*tanh(d\*x+c)))

**maxima [A]** time = 0.33, size = 71, normalized size = 1.06

$$\frac{b^3 \tanh(dx + c)^7}{7d} + \frac{3ab^2 \tanh(dx + c)^5}{5d} + \frac{a^2b \tanh(dx + c)^3}{d} + \frac{2a^3}{d(e^{-2dx-2c} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/7\*b^3\*tanh(d\*x + c)^7/d + 3/5\*a\*b^2\*tanh(d\*x + c)^5/d + a^2\*b\*tanh(d\*x + c)^3/d + 2\*a^3/(d\*(e^(-2\*d\*x - 2\*c) + 1))

**mupad [B]** time = 1.33, size = 1050, normalized size = 15.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^3/cosh(c + d\*x)^2,x)

[Out] - ((2\*(3\*a\*b^2 - 3\*a^2\*b + 5\*a^3 - 5\*b^3))/(35\*d) + (2\*exp(6\*c + 6\*d\*x)\*(a + b)^3)/(7\*d) - (6\*exp(2\*c + 2\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(35\*d) + (6\*exp(4\*c + 4\*d\*x)\*(a + b)^2\*(a - b))/(7\*d))/(4\*exp(2\*c + 2\*d\*x) + 6\*exp(4\*c + 4\*d\*x) + 4\*exp(6\*c + 6\*d\*x) + exp(8\*c + 8\*d\*x) + 1) - ((2\*(a + b)^3)/(7\*d) + (2\*exp(12\*c + 12\*d\*x)\*(a + b)^3)/(7\*d) - (6\*exp(4\*c + 4\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(7\*d) - (6\*exp(8\*c + 8\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(7\*d) + (8\*exp(6\*c + 6\*d\*x)\*(3\*a\*b^2 - 3\*a^2\*b + 5\*a^3 - 5\*b^3))/(7\*d) + (12\*exp(2\*c + 2\*d\*x)\*(a + b)^2\*(a - b))/(7\*d) + (12\*exp(10\*c + 10\*d\*x)\*(a + b)^2\*(a - b))/(7\*d))/(7\*exp(2\*c + 2\*d\*x) + 21\*exp(4\*c + 4\*d\*x) + 35\*exp(6\*c + 6\*d\*x) + 35\*exp(8\*c + 8\*d\*x) + 21\*exp(10\*c + 10\*d\*x) + 7\*exp(12\*c + 12\*d\*x) + exp(14\*c + 14\*d\*x) + 1) - ((2\*exp(4\*c + 4\*d\*x)\*(a + b)^3)/(7\*d) - (2\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(35\*d) + (4\*exp(2\*c + 2\*d\*x)\*(a + b)^2\*(a - b))/(7\*d))/(3\*exp(2\*c + 2\*d\*x) + 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) + 1) - ((2\*(a + b)^2\*(a - b))/(7\*d) + (2\*exp(2\*c + 2\*d\*x)\*(a + b)^3)/(7\*d))/(2\*exp(2\*c + 2\*d\*x) + exp(4\*c + 4\*d\*x) + 1) - ((2\*exp(8\*c + 8\*d\*x)\*(a + b)^3)/(7\*d) - (2\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(35\*d) - (12\*exp(4\*c + 4\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(35\*d) + (8\*exp(2\*c + 2\*d\*x)\*(3\*a\*b^2 - 3\*a^2\*b + 5\*a^3 - 5\*b^3))/(35\*d) + (8\*exp(6\*c + 6\*d\*x)\*(a + b)^2\*(a - b))/(7\*d))/(5\*exp(2\*c + 2\*d\*x) + 10\*exp(4\*c + 4\*d\*x) + 10\*exp(6\*c + 6\*d\*x) + 5\*exp(8\*c + 8\*d\*x) + exp(10\*c + 10\*d\*x) + 1) - ((2\*(a + b)^2\*(a - b))/(7\*d) + (2\*exp(10\*c + 10\*d\*x)\*(a + b)^3)/(7\*d) - (2\*exp(2\*c + 2\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(7\*d) - (4\*exp(6\*c + 6\*d\*x)\*(a\*b^2 + a^2\*b - 5\*a^3 - 5\*b^3))/(7\*d) + (4\*exp(4\*c + 4\*d\*x)\*(3\*a\*b^2 - 3\*a^2\*b + 5\*a^3 - 5\*b^3))/(7\*d) + (10\*exp(8\*c + 8\*d\*x)\*(a + b)^2\*(a - b))/(7\*d))/(6\*exp(2\*c + 2\*d\*x) + 15\*exp(4\*c + 4\*d\*x) + 20\*exp(6\*c + 6\*d\*x) + 15\*exp(8\*c + 8\*d\*x) +

```
6*exp(10*c + 10*d*x) + exp(12*c + 12*d*x) + 1) - (2*(a + b)^3)/(7*d*(exp(2
*c + 2*d*x) + 1))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**2*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**3*sech(c + d*x)**2, x)
```

### 3.103 $\int \operatorname{sech}^3(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=198

$$\frac{b(72a^2 + 52ab + 15b^2) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{192d} + \frac{(64a^3 + 48a^2b + 24ab^2 + 5b^3) \tan^{-1}(\sinh(c + dx))}{128d} + \frac{(64a^3 + 48a^2b + 24ab^2 + 5b^3) \operatorname{sech}^3(c + dx)}{128d}$$

[Out] 1/128\*(64\*a^3+48\*a^2\*b+24\*a\*b^2+5\*b^3)\*arctan(sinh(d\*x+c))/d+1/128\*(64\*a^3+48\*a^2\*b+24\*a\*b^2+5\*b^3)\*sech(d\*x+c)\*tanh(d\*x+c)/d-1/192\*b\*(72\*a^2+52\*a\*b+15\*b^2)\*sech(d\*x+c)^3\*tanh(d\*x+c)/d-1/48\*b\*(12\*a+5\*b)\*sech(d\*x+c)^5\*(a+(a+b)\*sinh(d\*x+c)^2)\*tanh(d\*x+c)/d-1/8\*b\*sech(d\*x+c)^7\*(a+(a+b)\*sinh(d\*x+c)^2)^2\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.24, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 413, 526, 385, 199, 203}

$$\frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \tan^{-1}(\sinh(c + dx))}{128d} - \frac{b(72a^2 + 52ab + 15b^2) \tanh(c + dx) \operatorname{sech}^3(c + dx)}{192d} + \frac{(48a^2b + 64a^3 + 24ab^2 + 5b^3) \operatorname{sech}^3(c + dx)}{128d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*ArcTan[Sinh[c + d\*x]])/(128\*d) + ((64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*Sech[c + d\*x]\*Tanh[c + d\*x])/(128\*d) - (b\*(72\*a^2 + 52\*a\*b + 15\*b^2)\*Sech[c + d\*x]^3\*Tanh[c + d\*x])/(192\*d) - (b\*(12\*a + 5\*b)\*Sech[c + d\*x]^5\*(a + (a + b)\*Sinh[c + d\*x]^2)\*Tanh[c + d\*x])/(48\*d) - (b\*Sech[c + d\*x]^7\*(a + (a + b)\*Sinh[c + d\*x]^2)^2\*Tanh[c + d\*x])/(8\*d)

#### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 413

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[
((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p + 1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 2)*Simp[
c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p + q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

Rule 526

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*b*n*(p + 1)), x] + Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1)*Simp[
c*(b*e*n*(p + 1) + b*e - a*f) + d*(b*e*n*(p + 1) + (b*e - a*f)*(n*q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && GtQ[q, 0]
```

Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2)], x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

Rubi steps



$$\begin{aligned}
\int \operatorname{sech}^3(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b \operatorname{sech}^7(c+dx) (a+(a+b) \sinh^2(c+dx))^2 \tanh(c+dx)}{8d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b(12a+5b) \operatorname{sech}^5(c+dx) (a+(a+b) \sinh^2(c+dx)) \tanh(c+dx)}{48d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{b(72a^2+52ab+15b^2) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{192d} - \frac{b(12a+5b) \operatorname{sech}(c+dx) \tanh(c+dx)}{128d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{(64a^3+48a^2b+24ab^2+5b^3) \operatorname{sech}(c+dx) \tanh(c+dx)}{128d} - \frac{b(72a^2+52ab+15b^2) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{192d} + \frac{\operatorname{Subst}\left(\int \frac{(a+(a+b)x^2)^3}{(1+x^2)^5} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{(64a^3+48a^2b+24ab^2+5b^3) \tan^{-1}(\sinh(c+dx))}{128d} + \frac{(64a^3+48a^2b+24ab^2+5b^3) \operatorname{sech}^3(c+dx) \tanh(c+dx)}{192d} - \frac{b(12a+5b) \operatorname{sech}(c+dx) \tanh(c+dx)}{128d}
\end{aligned}$$

**Mathematica [A]** time = 11.84, size = 158, normalized size = 0.80

$$-2b(144a^2+168ab+59b^2) \tanh(c+dx) \operatorname{sech}^3(c+dx) + 6(64a^3+48a^2b+24ab^2+5b^3) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (6\*(64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*ArcTan[Tanh[(c + d\*x)/2]] + 3\*(64\*a^3 + 48\*a^2\*b + 24\*a\*b^2 + 5\*b^3)\*Sech[c + d\*x]\*Tanh[c + d\*x] - 2\*b\*(144\*a^2 + 168\*a\*b + 59\*b^2)\*Sech[c + d\*x]^3\*Tanh[c + d\*x] + 8\*b^2\*(24\*a + 17\*b)\*Sech[c + d\*x]^5\*Tanh[c + d\*x] - 48\*b^3\*Sech[c + d\*x]^7\*Tanh[c + d\*x])/(384\*d)

**fricas [B]** time = 1.18, size = 6114, normalized size = 30.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] 1/192*(3*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^15 + 45*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)*sinh(d*x + c)^14 + 3*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*sinh(d*x + c)^15 + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^13 + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3 + 315*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^13 + 13*(105*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^3 + (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c))*sinh(d*x + c)^12 + (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^11 + (4095*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^4 + 1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3 + 78*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^11 + 11*(819*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^5 + 26*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^3 + (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c))*sinh(d*x + c)^10 + (960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^9 + (15015*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^6 + 715*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^4 + 960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3 + 55*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^9 + 3*(6435*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^7 + 429*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^5 + 55*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^3 + 3*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c))*sinh(d*x + c)^8 - (960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^7 + (19305*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^8 + 1716*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^6 + 330*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^4 - 960*a^3 + 1584*a^2*b - 744*a*b^2 + 1765*b^3 + 36*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + (15015*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^9 + 1716*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^7 + 462*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^5 + 84*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^3 - 7*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c))*sinh(d*x + c)^6 - (1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^5 + (9009*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^10 + 1287*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^8 + 462*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^6 + 126*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^4 - 1728*a^3 + 2160*a^2*b + 312*a*b^2 - 895*b^3 - 21*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + (4095*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^11 + 715*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^9 + 330*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c)^7 + 126*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^5 - 35*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*cosh(d*x + c)^3 - 5*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*cosh(d*x + c))*sinh(d*x + c)^4 - (960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*cosh(d*x + c)^3 + (1365*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*cosh(d*x + c)^12 + 286*(960*a^3 - 432*a^2*b - 984*a
```

$$\begin{aligned}
& *b^2 - 397*b^3)*\cosh(d*x + c)^{10} + 165*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + \\
& 895*b^3)*\cosh(d*x + c)^8 + 84*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3) \\
& )*\cosh(d*x + c)^6 - 35*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3)*\cosh(d \\
& *x + c)^4 - 960*a^3 + 432*a^2*b + 984*a*b^2 + 397*b^3 - 10*(1728*a^3 - 2160 \\
& *a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + (315*(64*a \\
& ^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{13} + 78*(960*a^3 - 432*a^2* \\
& b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c)^{11} + 55*(1728*a^3 - 2160*a^2*b - 312 \\
& *a*b^2 + 895*b^3)*\cosh(d*x + c)^9 + 36*(960*a^3 - 1584*a^2*b + 744*a*b^2 - \\
& 1765*b^3)*\cosh(d*x + c)^7 - 21*(960*a^3 - 1584*a^2*b + 744*a*b^2 - 1765*b^3) \\
& )*\cosh(d*x + c)^5 - 10*(1728*a^3 - 2160*a^2*b - 312*a*b^2 + 895*b^3)*\cosh(d \\
& *x + c)^3 - 3*(960*a^3 - 432*a^2*b - 984*a*b^2 - 397*b^3)*\cosh(d*x + c))*\si \\
& nh(d*x + c)^2 + 3*((64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{16} \\
& + 16*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^{15} \\
& + (64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\sinh(d*x + c)^{16} + 8*(64*a^3 + 48* \\
& a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{14} + 8*(64*a^3 + 48*a^2*b + 24*a*b^ \\
& 2 + 5*b^3 + 15*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^{14} + 112*(5*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^ \\
& 3 + (64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{13} \\
& + 28*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{12} + 28*(65*(64*a \\
& ^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 64*a^3 + 48*a^2*b + 24* \\
& a*b^2 + 5*b^3 + 26*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)* \\
& \sinh(d*x + c)^{12} + 112*(39*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^5 + 26*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 3*(64* \\
& a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^{11} + 56*(64 \\
& *a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{10} + 56*(143*(64*a^3 + 48 \\
& *a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 143*(64*a^3 + 48*a^2*b + 24*a* \\
& b^2 + 5*b^3)*\cosh(d*x + c)^4 + 64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3 + 33*(6 \\
& 4*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^{10} + 16 \\
& *(715*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^7 + 1001*(64*a^3 \\
& + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + 385*(64*a^3 + 48*a^2*b + \\
& 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 35*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^ \\
& 3)*\cosh(d*x + c))*\sinh(d*x + c)^9 + 70*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^ \\
& 3)*\cosh(d*x + c)^8 + 2*(6435*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d* \\
& x + c)^8 + 12012*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 6 \\
& 930*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 2240*a^3 + 168 \\
& 0*a^2*b + 840*a*b^2 + 175*b^3 + 1260*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 16*(715*(64*a^3 + 48*a^2*b + 24*a*b^2 + \\
& 5*b^3)*\cosh(d*x + c)^9 + 1716*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh( \\
& d*x + c)^7 + 1386*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^5 + \\
& 420*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^3 + 35*(64*a^3 + 4 \\
& 8*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 56*(64*a^3 + 4 \\
& 8*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^6 + 56*(143*(64*a^3 + 48*a^2*b + \\
& 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^{10} + 429*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5* \\
& b^3)*\cosh(d*x + c)^8 + 462*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x \\
& + c)^6 + 210*(64*a^3 + 48*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^4 + 64*a^
\end{aligned}$$

$$\begin{aligned}
& 3 + 48a^2b + 24ab^2 + 5b^3 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^2 * \sinh(dx + c)^6 + 112(39(64a^3 + 48a^2b + 24ab^2 + \\
& 5b^3) * \cosh(dx + c)^{11} + 143(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^9 \\
& + 198(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^7 + 126(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^5 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^3 + 3(64a^3 + 48a^2b + 24ab^2 \\
& + 5b^3) * \cosh(dx + c)) * \sinh(dx + c)^5 + 28(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^4 \\
& + 28(65(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{12} + 286(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^{10} + 495(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^8 + 420(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^6 + 175(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^4 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 \\
& + 30(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 112(5(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^{13} + 26(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{11} + 55(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^9 + 60(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^7 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^5 + 10(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^3 + (64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)) * \sinh(dx + c)^3 + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 8(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^2 \\
& + 8(15(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{14} + 91(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{12} \\
& + 231(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{10} + 315(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^8 \\
& + 245(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^6 + 105(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^4 \\
& + 64a^3 + 48a^2b + 24ab^2 + 5b^3 + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 16((64a^3 + 48a^2b \\
& + 24ab^2 + 5b^3) * \cosh(dx + c)^{15} + 7(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{13} + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^{11} + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^9 + 35(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^7 + 21(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^5 + 7(64a^3 + 48a^2b + 24ab^2 + 5b^3) \\
& * \cosh(dx + c)^3 + (64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)) * \sinh(dx + c)) * \arctan(\cosh(dx + c) + \sinh(dx + c)) - 3(64a^3 + 48a^2b \\
& + 24ab^2 + 5b^3) * \cosh(dx + c) + (45(64a^3 + 48a^2b + 24ab^2 + 5b^3) * \cosh(dx + c)^{14} + 13(960a^3 - 432a^2b - 984ab^2 - 397b^3) * \cosh(dx + c)^{12} \\
& + 11(1728a^3 - 2160a^2b - 312ab^2 + 895b^3) * \cosh(dx + c)^{10} + 9(960a^3 - 1584a^2b + 744ab^2 - 1765b^3) * \cosh(dx + c)^8 \\
& - 7(960a^3 - 1584a^2b + 744ab^2 - 1765b^3) * \cosh(dx + c)^6 - 5(1728a^3 - 2160a^2b - 312ab^2 + 895b^3) * \cosh(dx + c)^4 - 192a^3 - 144a^2b \\
& - 72ab^2 - 15b^3 - 3(960a^3 - 432a^2b - 984ab^2 - 397b^3) * \cosh(dx + c)^2) * \sinh(dx + c)) / (d * \cosh(dx + c)^{16} + 16d * \cosh(dx + c) * \sinh(dx + c)^{15} \\
& + d * \sinh(dx + c)^{16} + 8d * \cosh(dx + c)^{14} + 8(15d * \cosh(dx + c)^2 + d) * \sinh(dx + c)^{14} + 112(5d * \cosh(dx + c)^3 + d * \cosh(dx + c)) * \sinh(dx + c)^{13} \\
& + 28d * \cosh(dx + c)^{12} + 28(65d * \cosh(dx + c)^4 + 26d *
\end{aligned}$$

$$\begin{aligned} & \cosh(dx + c)^2 + d) \sinh(dx + c)^{12} + 112*(39*d*\cosh(dx + c)^5 + 26*d*\cosh(dx + c)^3 + 3*d*\cosh(dx + c)) \sinh(dx + c)^{11} + 56*d*\cosh(dx + c)^{10} \\ & + 56*(143*d*\cosh(dx + c)^6 + 143*d*\cosh(dx + c)^4 + 33*d*\cosh(dx + c)^2 + d) \sinh(dx + c)^{10} + 16*(715*d*\cosh(dx + c)^7 + 1001*d*\cosh(dx + c)^5 \\ & + 385*d*\cosh(dx + c)^3 + 35*d*\cosh(dx + c)) \sinh(dx + c)^9 + 70*d*\cosh(dx + c)^8 + 2*(6435*d*\cosh(dx + c)^8 + 12012*d*\cosh(dx + c)^6 + 6930*d*\cosh(dx + c)^4 + 1260*d*\cosh(dx + c)^2 + 35*d) \sinh(dx + c)^8 + 16*(715*d*\cosh(dx + c)^9 + 1716*d*\cosh(dx + c)^7 + 1386*d*\cosh(dx + c)^5 + 420*d*\cosh(dx + c)^3 + 35*d*\cosh(dx + c)) \sinh(dx + c)^7 + 56*d*\cosh(dx + c)^6 + 56*(143*d*\cosh(dx + c)^{10} + 429*d*\cosh(dx + c)^8 + 462*d*\cosh(dx + c)^6 + 210*d*\cosh(dx + c)^4 + 35*d*\cosh(dx + c)^2 + d) \sinh(dx + c)^6 + 112*(39*d*\cosh(dx + c)^{11} + 143*d*\cosh(dx + c)^9 + 198*d*\cosh(dx + c)^7 + 126*d*\cosh(dx + c)^5 + 35*d*\cosh(dx + c)^3 + 3*d*\cosh(dx + c)) \sinh(dx + c)^5 + 28*d*\cosh(dx + c)^4 + 28*(65*d*\cosh(dx + c)^{12} + 286*d*\cosh(dx + c)^{10} + 495*d*\cosh(dx + c)^8 + 420*d*\cosh(dx + c)^6 + 175*d*\cosh(dx + c)^4 + 30*d*\cosh(dx + c)^2 + d) \sinh(dx + c)^4 + 112*(5*d*\cosh(dx + c)^{13} + 26*d*\cosh(dx + c)^{11} + 55*d*\cosh(dx + c)^9 + 60*d*\cosh(dx + c)^7 + 35*d*\cosh(dx + c)^5 + 10*d*\cosh(dx + c)^3 + d*\cosh(dx + c)) \sinh(dx + c)^3 + 8*d*\cosh(dx + c)^2 + 8*(15*d*\cosh(dx + c)^{14} + 91*d*\cosh(dx + c)^{12} + 231*d*\cosh(dx + c)^{10} + 315*d*\cosh(dx + c)^8 + 245*d*\cosh(dx + c)^6 + 105*d*\cosh(dx + c)^4 + 21*d*\cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 16*(d*\cosh(dx + c)^{15} + 7*d*\cosh(dx + c)^{13} + 21*d*\cosh(dx + c)^{11} + 35*d*\cosh(dx + c)^9 + 35*d*\cosh(dx + c)^7 + 21*d*\cosh(dx + c)^5 + 7*d*\cosh(dx + c)^3 + d*\cosh(dx + c)) \sinh(dx + c) + d \end{aligned}$$

**giac** [B] time = 0.41, size = 517, normalized size = 2.61

$$3(64a^3e^c + 48a^2be^c + 24ab^2e^c + 5b^3e^c) \arctan(e^{(dx+c)}) e^{(-c)} + \frac{192a^3e^{(15dx+15c)} + 144a^2be^{(15dx+15c)} + 72ab^2e^{(15dx+15c)} + 15b^3e^{(15dx+15c)}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{192}*(3*(64*a^3*e^c + 48*a^2*b*e^c + 24*a*b^2*e^c + 5*b^3*e^c)*\arctan(e^{(dx+c)})*e^{(-c)} + (192*a^3*e^{(15*d*x + 15*c)} + 144*a^2*b*e^{(15*d*x + 15*c)} + 72*a*b^2*e^{(15*d*x + 15*c)} + 15*b^3*e^{(15*d*x + 15*c)} + 960*a^3*e^{(13*d*x + 13*c)} - 432*a^2*b*e^{(13*d*x + 13*c)} - 984*a*b^2*e^{(13*d*x + 13*c)} - 397*b^3*e^{(13*d*x + 13*c)} + 1728*a^3*e^{(11*d*x + 11*c)} - 2160*a^2*b*e^{(11*d*x + 11*c)} - 312*a*b^2*e^{(11*d*x + 11*c)} + 895*b^3*e^{(11*d*x + 11*c)} + 960*a^3*e^{(9*d*x + 9*c)} - 1584*a^2*b*e^{(9*d*x + 9*c)} + 744*a*b^2*e^{(9*d*x + 9*c)} - 1765*b^3*e^{(9*d*x + 9*c)} - 960*a^3*e^{(7*d*x + 7*c)} + 1584*a^2*b*e^{(7*d*x + 7*c)} - 744*a*b^2*e^{(7*d*x + 7*c)} + 1765*b^3*e^{(7*d*x + 7*c)} - 1728*a^3*e^{(5*d*x + 5*c)} + 2160*a^2*b*e^{(5*d*x + 5*c)} + 312*a*b^2*e^{(5*d*x + 5*c)} - 895*b^3*e^{(5*d*x + 5*c)} - 960*a^3*e^{(3*d*x + 3*c)} + 432*a^2*b*e^{(3*d*x + 3*c)} +$

$$\frac{984*a*b^2*e^{(3*d*x + 3*c)} + 397*b^3*e^{(3*d*x + 3*c)} - 192*a^3*e^{(d*x + c)} - 144*a^2*b*e^{(d*x + c)} - 72*a*b^2*e^{(d*x + c)} - 15*b^3*e^{(d*x + c)}}{(e^{(2*d*x + 2*c)} + 1)^8}/d$$

**maple [B]** time = 0.59, size = 421, normalized size = 2.13

$$\frac{a^3 \operatorname{sech}(dx+c) \tanh(dx+c)}{2d} + \frac{a^3 \arctan(e^{dx+c})}{d} - \frac{a^2 b \sinh(dx+c)}{d \cosh(dx+c)^4} + \frac{a^2 b \tanh(dx+c) \operatorname{sech}(dx+c)^3}{4d} + \frac{3a^2 b \operatorname{sech}(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/2/d\*a^3\*sech(d\*x+c)\*tanh(d\*x+c)+1/d\*a^3\*arctan(exp(d\*x+c))-1/d\*a^2\*b\*sinh(d\*x+c)/cosh(d\*x+c)^4+1/4/d\*a^2\*b\*tanh(d\*x+c)\*sech(d\*x+c)^3+3/8/d\*a^2\*b\*sech(d\*x+c)\*tanh(d\*x+c)+3/4/d\*a^2\*b\*arctan(exp(d\*x+c))-1/d\*a\*b^2\*sinh(d\*x+c)^3/cosh(d\*x+c)^6-3/5/d\*a\*b^2\*sinh(d\*x+c)/cosh(d\*x+c)^6+1/10/d\*a\*b^2\*tanh(d\*x+c)\*sech(d\*x+c)^5+1/8/d\*a\*b^2\*tanh(d\*x+c)\*sech(d\*x+c)^3+3/16/d\*a\*b^2\*sech(d\*x+c)\*tanh(d\*x+c)+3/8/d\*a\*b^2\*arctan(exp(d\*x+c))-1/3/d\*b^3\*sinh(d\*x+c)^5/cosh(d\*x+c)^8-1/3/d\*b^3\*sinh(d\*x+c)^3/cosh(d\*x+c)^8-1/7/d\*b^3\*sinh(d\*x+c)/cosh(d\*x+c)^8+1/56/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^7+1/48/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^5+5/192/d\*b^3\*tanh(d\*x+c)\*sech(d\*x+c)^3+5/128/d\*b^3\*sech(d\*x+c)\*tanh(d\*x+c)+5/64/d\*b^3\*arctan(exp(d\*x+c))

**maxima [B]** time = 0.69, size = 553, normalized size = 2.79

$$-\frac{1}{192} b^3 \left( \frac{15 \arctan(e^{(-dx-c)})}{d} - \frac{15 e^{(-dx-c)} - 397 e^{(-3dx-3c)} + 895 e^{(-5dx-5c)} - 1765 e^{(-7dx-7c)} + 1765 e^{(-9dx-9c)} - 895 e^{(-11dx-11c)} + 397 e^{(-13dx-13c)} - 15 e^{(-15dx-15c)}}{d(8 e^{(-2dx-2c)} + 28 e^{(-4dx-4c)} + 56 e^{(-6dx-6c)} + 70 e^{(-8dx-8c)} + 56 e^{(-10dx-10c)} + 28 e^{(-12dx-12c)} + 8 e^{(-14dx-14c)} + e^{(-16dx-16c)} + 1)} \right) - \frac{1}{8} a^2 b^2 (3 \arctan(e^{(-dx-c)})/d - (3 e^{(-dx-c)} - 47 e^{(-3dx-3c)} + 78 e^{(-5dx-5c)} - 78 e^{(-7dx-7c)} + 47 e^{(-9dx-9c)} - 3 e^{(-11dx-11c)})/(d(6 e^{(-2dx-2c)} + 15 e^{(-4dx-4c)} + 20 e^{(-6dx-6c)} + 15 e^{(-8dx-8c)} + 6 e^{(-10dx-10c)} + e^{(-12dx-12c)} + 1))) - \frac{3}{4} a^2 b ( \arctan(e^{(-dx-c)})/d - (e^{(-dx-c)} - 7 e^{(-3dx-3c)} + 7 e^{(-5dx-5c)} - e^{(-7dx-7c)})/(d(4 e^{(-2dx-2c)} + 6 e^{(-4dx-4c)} + 4 e^{(-6dx-6c)} + 2 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] -1/192\*b^3\*(15\*arctan(e^{(-d\*x - c)})/d - (15\*e^{(-d\*x - c)} - 397\*e^{(-3\*d\*x - 3\*c)} + 895\*e^{(-5\*d\*x - 5\*c)} - 1765\*e^{(-7\*d\*x - 7\*c)} + 1765\*e^{(-9\*d\*x - 9\*c)} - 895\*e^{(-11\*d\*x - 11\*c)} + 397\*e^{(-13\*d\*x - 13\*c)} - 15\*e^{(-15\*d\*x - 15\*c)})/(d\*(8\*e^{(-2\*d\*x - 2\*c)} + 28\*e^{(-4\*d\*x - 4\*c)} + 56\*e^{(-6\*d\*x - 6\*c)} + 70\*e^{(-8\*d\*x - 8\*c)} + 56\*e^{(-10\*d\*x - 10\*c)} + 28\*e^{(-12\*d\*x - 12\*c)} + 8\*e^{(-14\*d\*x - 14\*c)} + e^{(-16\*d\*x - 16\*c)} + 1))) - 1/8\*a^2\*b^2\*(3\*arctan(e^{(-d\*x - c)})/d - (3\*e^{(-d\*x - c)} - 47\*e^{(-3\*d\*x - 3\*c)} + 78\*e^{(-5\*d\*x - 5\*c)} - 78\*e^{(-7\*d\*x - 7\*c)} + 47\*e^{(-9\*d\*x - 9\*c)} - 3\*e^{(-11\*d\*x - 11\*c)})/(d\*(6\*e^{(-2\*d\*x - 2\*c)} + 15\*e^{(-4\*d\*x - 4\*c)} + 20\*e^{(-6\*d\*x - 6\*c)} + 15\*e^{(-8\*d\*x - 8\*c)} + 6\*e^{(-10\*d\*x - 10\*c)} + e^{(-12\*d\*x - 12\*c)} + 1))) - 3/4\*a^2\*b\*(arctan(e^{(-d\*x - c)})/d - (e^{(-d\*x - c)} - 7\*e^{(-3\*d\*x - 3\*c)} + 7\*e^{(-5\*d\*x - 5\*c)} - e^{(-7\*d\*x - 7\*c)})/(d\*(4\*e^{(-2\*d\*x - 2\*c)} + 6\*e^{(-4\*d\*x - 4\*c)} + 4\*e^{(-6\*d\*x - 6\*c)} + 2\*e^{(-8\*d\*x - 8\*c)} + e^{(-10\*d\*x - 10\*c)} + 1)))

$$+ e^{(-8dx - 8c + 1)}) - a^3(\arctan(e^{(-dx - c)})/d - (e^{(-dx - c)} - e^{(-3dx - 3c)})/(d(2e^{(-2dx - 2c)} + e^{(-4dx - 4c)} + 1)))$$

**mupad [B]** time = 1.36, size = 951, normalized size = 4.80

$$\frac{\operatorname{atan}\left(\frac{e^{dx} e^c (64a^3 \sqrt{d^2} + 5b^3 \sqrt{d^2} + 24a^2 b \sqrt{d^2} + 48a^2 b \sqrt{d^2})}{d \sqrt{4096a^6 + 6144a^5 b + 5376a^4 b^2 + 2944a^3 b^3 + 1056a^2 b^4 + 240a b^5 + 25b^6}}\right) \sqrt{4096a^6 + 6144a^5 b + 5376a^4 b^2 + 2944a^3 b^3}}{64 \sqrt{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((a + b \tanh(c + dx))^2)^3 / \cosh(c + dx)^3, x$

[Out]  $(\operatorname{atan}((\exp(dx) \exp(c) (64a^3 (d^2)^{1/2} + 5b^3 (d^2)^{1/2} + 24a^2 b^2 (d^2)^{1/2} + 48a^2 b^2 (d^2)^{1/2}) / (d(240a^5 b + 6144a^5 b + 4096a^6 + 25b^6 + 1056a^2 b^4 + 2944a^3 b^3 + 5376a^4 b^2)^{1/2})) * (240a^5 b + 6144a^5 b + 4096a^6 + 25b^6 + 1056a^2 b^4 + 2944a^3 b^3 + 5376a^4 b^2)^{1/2}) / (64(d^2)^{1/2}) - ((\exp(c + dx) (a + b)^3) / (2d) + (\exp(13c + 13dx) (a + b)^3) / (2d) - (3 \exp(5c + 5dx) (a^2 b + a^2 b - 5a^3 - 5b^3)) / (2d) - (3 \exp(9c + 9dx) (a^2 b + a^2 b - 5a^3 - 5b^3)) / (2d) + (2 \exp(7c + 7dx) (3a^2 b - 3a^2 b + 5a^3 - 5b^3)) / d + (3 \exp(3c + 3dx) (a + b)^2 (a - b)) / d + (3 \exp(11c + 11dx) (a + b)^2 (a - b)) / d) / (8 \exp(2c + 2dx) + 28 \exp(4c + 4dx) + 56 \exp(6c + 6dx) + 70 \exp(8c + 8dx) + 56 \exp(10c + 10dx) + 28 \exp(12c + 12dx) + 8 \exp(14c + 14dx) + \exp(16c + 16dx) + 1) + (2 \exp(c + dx) (48a^2 b^2 + 85b^3)) / (3d(5 \exp(2c + 2dx) + 10 \exp(4c + 4dx) + 10 \exp(6c + 6dx) + 5 \exp(8c + 8dx) + \exp(10c + 10dx) + 1)) + (16b^3 \exp(c + dx)) / (d(7 \exp(2c + 2dx) + 21 \exp(4c + 4dx) + 35 \exp(6c + 6dx) + 35 \exp(8c + 8dx) + 21 \exp(10c + 10dx) + 7 \exp(12c + 12dx) + \exp(14c + 14dx) + 1)) + (\exp(c + dx) (24a^2 b^2 + 48a^2 b + 64a^3 + 5b^3)) / (64d(\exp(2c + 2dx) + 1)) - (4 \exp(c + dx) (6a^2 b^2 + 35b^3)) / (3d(6 \exp(2c + 2dx) + 15 \exp(4c + 4dx) + 20 \exp(6c + 6dx) + 15 \exp(8c + 8dx) + 6 \exp(10c + 10dx) + \exp(12c + 12dx) + 1)) - (\exp(c + dx) (600a^2 b^2 + 576a^2 b + 144a^3 + 203b^3)) / (96d(2 \exp(2c + 2dx) + \exp(4c + 4dx) + 1)) + (\exp(c + dx) (600a^2 b^2 + 288a^2 b + 305b^3)) / (24d(3 \exp(2c + 2dx) + 3 \exp(4c + 4dx) + \exp(6c + 6dx) + 1)) - (\exp(c + dx) (168a^2 b^2 + 24a^2 b + 145b^3)) / (4d(4 \exp(2c + 2dx) + 6 \exp(4c + 4dx) + 4 \exp(6c + 6dx) + \exp(8c + 8dx) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**3*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**3*sech(c + d*x)**3, x)
```



### 3.104 $\int \operatorname{sech}^4(c + dx) \left(a + b \tanh^2(c + dx)\right)^3 dx$

**Optimal.** Leaf size=102

$$\frac{a^3 \tanh(c + dx)}{d} - \frac{a^2(a - 3b) \tanh^3(c + dx)}{3d} - \frac{b^2(3a - b) \tanh^7(c + dx)}{7d} - \frac{3ab(a - b) \tanh^5(c + dx)}{5d} - \frac{b^3 \tanh^9(c + dx)}{9d}$$

[Out]  $a^3 \tanh(d*x+c)/d - 1/3*a^2*(a-3*b)*\tanh(d*x+c)^3/d - 3/5*a*(a-b)*b*\tanh(d*x+c)^5/d - 1/7*(3*a-b)*b^2*\tanh(d*x+c)^7/d - 1/9*b^3*\tanh(d*x+c)^9/d$

**Rubi [A]** time = 0.09, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 373}

$$\frac{a^2(a - 3b) \tanh^3(c + dx)}{3d} + \frac{a^3 \tanh(c + dx)}{d} - \frac{b^2(3a - b) \tanh^7(c + dx)}{7d} - \frac{3ab(a - b) \tanh^5(c + dx)}{5d} - \frac{b^3 \tanh^9(c + dx)}{9d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(a^3*\tanh[c + d*x])/d - (a^2*(a - 3*b)*\tanh[c + d*x]^3)/(3*d) - (3*a*(a - b)*b*\tanh[c + d*x]^5)/(5*d) - ((3*a - b)*b^2*\tanh[c + d*x]^7)/(7*d) - (b^3*\tanh[c + d*x]^9)/(9*d)$

#### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_.)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps

$$\int \operatorname{sech}^4(c+dx) (a+b \tanh^2(c+dx))^3 dx = \frac{\operatorname{Subst}\left(\int (1-x^2)(a+bx^2)^3 dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\operatorname{Subst}\left(\int (a^3 - a^2(a-3b)x^2 - 3a(a-b)bx^4 - (3a-b)b^2x^6 - b^3x^8) dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{a^3 \tanh(c+dx)}{d} - \frac{a^2(a-3b) \tanh^3(c+dx)}{3d} - \frac{3a(a-b)b \tanh^5(c+dx)}{5d}$$

**Mathematica [B]** time = 0.91, size = 218, normalized size = 2.14

$$\tanh(c+dx) \operatorname{sech}^8(c+dx) (1050a^3 \cosh(6(c+dx)) + 105a^3 \cosh(8(c+dx)) + 5775a^3 + 630a^2b \cosh(6(c+dx)))$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((5775\*a^3 - 1071\*a^2\*b + 621\*a\*b^2 - 725\*b^3 + 10\*(903\*a^3 - 63\*a^2\*b - 27\*a\*b^2 + 107\*b^3)\*Cosh[2\*(c + d\*x)] + 8\*(525\*a^3 + 126\*a^2\*b - 81\*a\*b^2 - 50\*b^3)\*Cosh[4\*(c + d\*x)] + 1050\*a^3\*Cosh[6\*(c + d\*x)] + 630\*a^2\*b\*Cosh[6\*(c + d\*x)] + 270\*a\*b^2\*Cosh[6\*(c + d\*x)] + 50\*b^3\*Cosh[6\*(c + d\*x)] + 105\*a^3\*Cosh[8\*(c + d\*x)] + 63\*a^2\*b\*Cosh[8\*(c + d\*x)] + 27\*a\*b^2\*Cosh[8\*(c + d\*x)] + 5\*b^3\*Cosh[8\*(c + d\*x)])\*Sech[c + d\*x]^8\*Tanh[c + d\*x]/(20160\*d)

**fricas [B]** time = 0.40, size = 1185, normalized size = 11.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -8/315\*(2\*(105\*a^3 + 252\*a^2\*b + 243\*a\*b^2 + 80\*b^3)\*cosh(d\*x + c)^7 + 14\*(105\*a^3 + 252\*a^2\*b + 243\*a\*b^2 + 80\*b^3)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 + (105\*a^3 + 441\*a^2\*b + 459\*a\*b^2 + 155\*b^3)\*sinh(d\*x + c)^7 + 6\*(245\*a^3 + 336\*a^2\*b + 99\*a\*b^2 - 40\*b^3)\*cosh(d\*x + c)^5 + 3\*(175\*a^3 + 483\*a^2\*b + 117\*a\*b^2 - 95\*b^3 + 7\*(105\*a^3 + 441\*a^2\*b + 459\*a\*b^2 + 155\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^5 + 10\*(7\*(105\*a^3 + 252\*a^2\*b + 243\*a\*b^2 + 80\*b^3)\*cosh(d\*x + c)^3 + 3\*(245\*a^3 + 336\*a^2\*b + 99\*a\*b^2 - 40\*b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^4 + 18\*(245\*a^3 + 168\*a^2\*b + 27\*a\*b^2 + 40\*b^3)\*cosh(d\*x + c)^3 + (35\*(105\*a^3 + 441\*a^2\*b + 459\*a\*b^2 + 155\*b^3)\*cosh(d\*x + c)^4 + 945\*a^3 + 1701\*a^2\*b + 459\*a\*b^2 + 855\*b^3 + 30\*(175\*a^3 + 483\*a^2\*b + 117\*a\*b^2 - 95\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 6\*(7\*(105\*a^3 + 252\*a^2\*b

$$\begin{aligned}
& + 243*a*b^2 + 80*b^3)*\cosh(d*x + c)^5 + 10*(245*a^3 + 336*a^2*b + 99*a*b^2 \\
& - 40*b^3)*\cosh(d*x + c)^3 + 9*(245*a^3 + 168*a^2*b + 27*a*b^2 + 40*b^3)*\cos \\
& h(d*x + c))*\sinh(d*x + c)^2 + 210*(35*a^3 + 12*a^2*b + 9*a*b^2)*\cosh(d*x + \\
& c) + (7*(105*a^3 + 441*a^2*b + 459*a*b^2 + 155*b^3)*\cosh(d*x + c)^6 + 15*(1 \\
& 75*a^3 + 483*a^2*b + 117*a*b^2 - 95*b^3)*\cosh(d*x + c)^4 + 525*a^3 + 693*a^ \\
& 2*b + 567*a*b^2 - 945*b^3 + 27*(105*a^3 + 189*a^2*b + 51*a*b^2 + 95*b^3)*\co \\
& sh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^11 + 11*d*\cosh(d*x + c)*\sinh \\
& (d*x + c)^10 + d*\sinh(d*x + c)^11 + 9*d*\cosh(d*x + c)^9 + (55*d*\cosh(d*x + \\
& c)^2 + 9*d)*\sinh(d*x + c)^9 + 3*(55*d*\cosh(d*x + c)^3 + 27*d*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^8 + 37*d*\cosh(d*x + c)^7 + (330*d*\cosh(d*x + c)^4 + 324*d*\co \\
& sh(d*x + c)^2 + 35*d)*\sinh(d*x + c)^7 + 7*(66*d*\cosh(d*x + c)^5 + 108*d*\cos \\
& h(d*x + c)^3 + 37*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 93*d*\cosh(d*x + c)^5 + \\
& 3*(154*d*\cosh(d*x + c)^6 + 378*d*\cosh(d*x + c)^4 + 245*d*\cosh(d*x + c)^2 + \\
& 25*d)*\sinh(d*x + c)^5 + (330*d*\cosh(d*x + c)^7 + 1134*d*\cosh(d*x + c)^5 + \\
& 1295*d*\cosh(d*x + c)^3 + 465*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 162*d*\cosh( \\
& d*x + c)^3 + (165*d*\cosh(d*x + c)^8 + 756*d*\cosh(d*x + c)^6 + 1225*d*\cosh(d \\
& *x + c)^4 + 750*d*\cosh(d*x + c)^2 + 90*d)*\sinh(d*x + c)^3 + (55*d*\cosh(d*x \\
& + c)^9 + 324*d*\cosh(d*x + c)^7 + 777*d*\cosh(d*x + c)^5 + 930*d*\cosh(d*x + c \\
& )^3 + 486*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 210*d*\cosh(d*x + c) + (11*d*\co \\
& sh(d*x + c)^10 + 81*d*\cosh(d*x + c)^8 + 245*d*\cosh(d*x + c)^6 + 375*d*\cosh( \\
& d*x + c)^4 + 270*d*\cosh(d*x + c)^2 + 42*d)*\sinh(d*x + c))
\end{aligned}$$

**giac [B]** time = 0.41, size = 447, normalized size = 4.38

$$\frac{4(315 a^3 e^{(14 dx+14 c)} + 945 a^2 b e^{(14 dx+14 c)} + 945 a b^2 e^{(14 dx+14 c)} + 315 b^3 e^{(14 dx+14 c)} + 1995 a^3 e^{(12 dx+12 c)} + 3465 a^2 b e^{(12 dx+12 c)} + 945 a b^2 e^{(12 dx+12 c)} - 525 b^3 e^{(12 dx+12 c)} + 5355 a^3 e^{(10 dx+10 c)} + 4725 a^2 b e^{(10 dx+10 c)} + 945 a b^2 e^{(10 dx+10 c)} + 1575 b^3 e^{(10 dx+10 c)} + 7875 a^3 e^{(8 dx+8 c)} + 3213 a^2 b e^{(8 dx+8 c)} + 2457 a b^2 e^{(8 dx+8 c)} - 945 b^3 e^{(8 dx+8 c)} + 6825 a^3 e^{(6 dx+6 c)} + 1827 a^2 b e^{(6 dx+6 c)} + 1323 a b^2 e^{(6 dx+6 c)} + 945 b^3 e^{(6 dx+6 c)} + 3465 a^3 e^{(4 dx+4 c)} + 1323 a^2 b e^{(4 dx+4 c)} + 27 a b^2 e^{(4 dx+4 c)} - 135 b^3 e^{(4 dx+4 c)} + 945 a^3 e^{(2 dx+2 c)} + 567 a^2 b e^{(2 dx+2 c)} + 243 a b^2 e^{(2 dx+2 c)} + 45 b^3 e^{(2 dx+2 c)} + 105 a^3 + 63 a^2 b + 27 a b^2 + 5 b^3)/(d*(e^{(2 dx+2 c)} + 1)^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-4/315*(315*a^3*e^{(14*d*x + 14*c)} + 945*a^2*b*e^{(14*d*x + 14*c)} + 945*a*b^2*e^{(14*d*x + 14*c)} + 315*b^3*e^{(14*d*x + 14*c)} + 1995*a^3*e^{(12*d*x + 12*c)} + 3465*a^2*b*e^{(12*d*x + 12*c)} + 945*a*b^2*e^{(12*d*x + 12*c)} - 525*b^3*e^{(12*d*x + 12*c)} + 5355*a^3*e^{(10*d*x + 10*c)} + 4725*a^2*b*e^{(10*d*x + 10*c)} + 945*a*b^2*e^{(10*d*x + 10*c)} + 1575*b^3*e^{(10*d*x + 10*c)} + 7875*a^3*e^{(8*d*x + 8*c)} + 3213*a^2*b*e^{(8*d*x + 8*c)} + 2457*a*b^2*e^{(8*d*x + 8*c)} - 945*b^3*e^{(8*d*x + 8*c)} + 6825*a^3*e^{(6*d*x + 6*c)} + 1827*a^2*b*e^{(6*d*x + 6*c)} + 1323*a*b^2*e^{(6*d*x + 6*c)} + 945*b^3*e^{(6*d*x + 6*c)} + 3465*a^3*e^{(4*d*x + 4*c)} + 1323*a^2*b*e^{(4*d*x + 4*c)} + 27*a*b^2*e^{(4*d*x + 4*c)} - 135*b^3*e^{(4*d*x + 4*c)} + 945*a^3*e^{(2*d*x + 2*c)} + 567*a^2*b*e^{(2*d*x + 2*c)} + 243*a*b^2*e^{(2*d*x + 2*c)} + 45*b^3*e^{(2*d*x + 2*c)} + 105*a^3 + 63*a^2*b + 27*a*b^2 + 5*b^3)/(d*(e^{(2*d*x + 2*c)} + 1)^9)$

**maple [B]** time = 0.56, size = 269, normalized size = 2.64

$$a^3 \left( \frac{2}{3} + \frac{\operatorname{sech}(dx+c)^2}{3} \right) \tanh(dx+c) + 3a^2b \left( -\frac{\sinh(dx+c)}{4 \cosh(dx+c)^5} + \frac{\left( \frac{8}{15} + \frac{\operatorname{sech}(dx+c)^4}{5} + \frac{4\operatorname{sech}(dx+c)^2}{15} \right) \tanh(dx+c)}{4} \right) + 3ab^2 \left( -\frac{\sinh^3(dx+c)}{4 \cosh(dx+c)^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x)`

[Out] `1/d*(a^3*(2/3+1/3*sech(d*x+c)^2)*tanh(d*x+c)+3*a^2*b*(-1/4*sinh(d*x+c)/cosh(d*x+c)^5+1/4*(8/15+1/5*sech(d*x+c)^4+4/15*sech(d*x+c)^2)*tanh(d*x+c))+3*a*b^2*(-1/4*sinh(d*x+c)^3/cosh(d*x+c)^7-1/8*sinh(d*x+c)/cosh(d*x+c)^7+1/8*(16/35+1/7*sech(d*x+c)^6+6/35*sech(d*x+c)^4+8/35*sech(d*x+c)^2)*tanh(d*x+c))+b^3*(-1/4*sinh(d*x+c)^5/cosh(d*x+c)^9-5/24*sinh(d*x+c)^3/cosh(d*x+c)^9-5/64*sinh(d*x+c)/cosh(d*x+c)^9+5/64*(128/315+1/9*sech(d*x+c)^8+8/63*sech(d*x+c)^6+16/105*sech(d*x+c)^4+64/315*sech(d*x+c)^2)*tanh(d*x+c))`

**maxima [B]** time = 0.35, size = 1847, normalized size = 18.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^4*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] `4/63*b^3*(9*e^(-2*d*x - 2*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1)) - 27*e^(-4*d*x - 4*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1)) + 189*e^(-6*d*x - 6*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1)) - 189*e^(-8*d*x - 8*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1)) + 315*e^(-10*d*x - 10*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1)) - 105*e^(-12*d*x - 12*c)/(d*(9*e^(-2*d*x - 2*c) + 36*e^(-4*d*x - 4*c) + 84*e^(-6*d*x - 6*c) + 126*e^(-8*d*x - 8*c) + 126*e^(-10*d*x - 10*c) + 84*e^(-12*d*x - 12*c) + 36*e^(-14*d*x - 14*c) + 9*e^(-16*d*x - 16*c) + e^(-18*d*x - 18*c) + 1))`

$$\begin{aligned}
& + 63e^{(-14dx - 14c)} / (d(9e^{(-2dx - 2c)} + 36e^{(-4dx - 4c)} + 84e^{(-6dx - 6c)} + 126e^{(-8dx - 8c)} + 126e^{(-10dx - 10c)} + 84e^{(-12dx - 12c)} + 36e^{(-14dx - 14c)} + 9e^{(-16dx - 16c)} + e^{(-18dx - 18c)} + 1)) + 1 / (d(9e^{(-2dx - 2c)} + 36e^{(-4dx - 4c)} + 84e^{(-6dx - 6c)} + 126e^{(-8dx - 8c)} + 126e^{(-10dx - 10c)} + 84e^{(-12dx - 12c)} + 36e^{(-14dx - 14c)} + 9e^{(-16dx - 16c)} + e^{(-18dx - 18c)} + 1))) \\
& + 12/35ab^2(7e^{(-2dx - 2c)} / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1)) - 14e^{(-4dx - 4c)} / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1)) + 70e^{(-6dx - 6c)} / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1)) - 35e^{(-8dx - 8c)} / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1)) + 35e^{(-10dx - 10c)} / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1)) + 1 / (d(7e^{(-2dx - 2c)} + 21e^{(-4dx - 4c)} + 35e^{(-6dx - 6c)} + 35e^{(-8dx - 8c)} + 21e^{(-10dx - 10c)} + 7e^{(-12dx - 12c)} + e^{(-14dx - 14c)} + 1))) + 4/5a^2b*(5e^{(-2dx - 2c)} / (d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) - 5e^{(-4dx - 4c)} / (d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) + 15e^{(-6dx - 6c)} / (d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1)) + 1 / (d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1))) + 4/3a^3(3e^{(-2dx - 2c)} / (d(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} + 1)) + 1 / (d(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} + 1)))
\end{aligned}$$

**mupad [B]** time = 1.33, size = 1424, normalized size = 13.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a + b \tanh(c + dx))^2)^3 / \cosh(c + dx)^4, x$

[Out]  $\begin{aligned}
& - ((4(a + b)^2(a - b)) / (21d) + (2 \exp(2c + 2dx) * (a + b)^3) / (9d)) / (3 \exp(2c + 2dx) + 3 \exp(4c + 4dx) + \exp(6c + 6dx) + 1) - ((5 \exp(8c + 8dx) * (a + b)^3) / (9d) - (a^2b^2 + a^2b - 5a^3 - 5b^3) / (21d) - (10 \exp(4c + 4dx) * (a^2b^2 + a^2b - 5a^3 - 5b^3)) / (21d) + (16 \exp(2c + 2dx) * (3a^2b^2 - 3a^2b + 5a^3 - 5b^3)) / (63d) + (40 \exp(6c + 6dx) * (a + b)^2(a - b)) / (21d)) / (6 \exp(2c + 2dx) + 15 \exp(4c + 4dx) + 20 \exp(6
\end{aligned}$

```

*c + 6*d*x) + 15*exp(8*c + 8*d*x) + 6*exp(10*c + 10*d*x) + exp(12*c + 12*d*
x) + 1) - ((4*(a + b)^2*(a - b))/(21*d) + (2*exp(10*c + 10*d*x)*(a + b)^3)/
(3*d) - (2*exp(2*c + 2*d*x)*(a*b^2 + a^2*b - 5*a^3 - 5*b^3))/(7*d) - (20*ex
p(6*c + 6*d*x)*(a*b^2 + a^2*b - 5*a^3 - 5*b^3))/(21*d) + (16*exp(4*c + 4*d*
x)*(3*a*b^2 - 3*a^2*b + 5*a^3 - 5*b^3))/(21*d) + (20*exp(8*c + 8*d*x)*(a +
b)^2*(a - b))/(7*d))/(7*exp(2*c + 2*d*x) + 21*exp(4*c + 4*d*x) + 35*exp(6*c
+ 6*d*x) + 35*exp(8*c + 8*d*x) + 21*exp(10*c + 10*d*x) + 7*exp(12*c + 12*d
*x) + exp(14*c + 14*d*x) + 1) - ((16*(3*a*b^2 - 3*a^2*b + 5*a^3 - 5*b^3))/(
315*d) + (4*exp(6*c + 6*d*x)*(a + b)^3)/(9*d) - (4*exp(2*c + 2*d*x)*(a*b^2
+ a^2*b - 5*a^3 - 5*b^3))/(21*d) + (8*exp(4*c + 4*d*x)*(a + b)^2*(a - b))/(
7*d))/(5*exp(2*c + 2*d*x) + 10*exp(4*c + 4*d*x) + 10*exp(6*c + 6*d*x) + 5*
exp(8*c + 8*d*x) + exp(10*c + 10*d*x) + 1) - ((8*exp(2*c + 2*d*x)*(a + b)^3)
/(9*d) + (8*exp(14*c + 14*d*x)*(a + b)^3)/(9*d) - (8*exp(6*c + 6*d*x)*(a*b^
2 + a^2*b - 5*a^3 - 5*b^3))/(3*d) - (8*exp(10*c + 10*d*x)*(a*b^2 + a^2*b -
5*a^3 - 5*b^3))/(3*d) + (32*exp(8*c + 8*d*x)*(3*a*b^2 - 3*a^2*b + 5*a^3 - 5
*b^3))/(9*d) + (16*exp(4*c + 4*d*x)*(a + b)^2*(a - b))/(3*d) + (16*exp(12*c
+ 12*d*x)*(a + b)^2*(a - b))/(3*d))/(9*exp(2*c + 2*d*x) + 36*exp(4*c + 4*d
*x) + 84*exp(6*c + 6*d*x) + 126*exp(8*c + 8*d*x) + 126*exp(10*c + 10*d*x) +
84*exp(12*c + 12*d*x) + 36*exp(14*c + 14*d*x) + 9*exp(16*c + 16*d*x) + exp
(18*c + 18*d*x) + 1) - ((a + b)^3/(9*d) + (7*exp(12*c + 12*d*x)*(a + b)^3)/
(9*d) - (exp(4*c + 4*d*x)*(a*b^2 + a^2*b - 5*a^3 - 5*b^3))/d - (5*exp(8*c +
8*d*x)*(a*b^2 + a^2*b - 5*a^3 - 5*b^3))/(3*d) + (16*exp(6*c + 6*d*x)*(3*a*
b^2 - 3*a^2*b + 5*a^3 - 5*b^3))/(9*d) + (4*exp(2*c + 2*d*x)*(a + b)^2*(a -
b))/(3*d) + (4*exp(10*c + 10*d*x)*(a + b)^2*(a - b))/d)/(8*exp(2*c + 2*d*x)
+ 28*exp(4*c + 4*d*x) + 56*exp(6*c + 6*d*x) + 70*exp(8*c + 8*d*x) + 56*exp
(10*c + 10*d*x) + 28*exp(12*c + 12*d*x) + 8*exp(14*c + 14*d*x) + exp(16*c +
16*d*x) + 1) - ((exp(4*c + 4*d*x)*(a + b)^3)/(3*d) - (a*b^2 + a^2*b - 5*a^
3 - 5*b^3)/(21*d) + (4*exp(2*c + 2*d*x)*(a + b)^2*(a - b))/(7*d))/(4*exp(2*
c + 2*d*x) + 6*exp(4*c + 4*d*x) + 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1
) - (a + b)^3/(9*d*(2*exp(2*c + 2*d*x) + exp(4*c + 4*d*x) + 1))

```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \operatorname{sech}^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*sech(c + d\*x)\*\*4, x)

$$3.105 \quad \int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=120

$$\frac{x(3a^2 + 10ab + 15b^2)}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} + \frac{(3a+7b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

[Out] 1/8\*(3\*a^2+10\*a\*b+15\*b^2)\*x/(a+b)^3+1/8\*(3\*a+7\*b)\*cosh(d\*x+c)\*sinh(d\*x+c)/(a+b)^2/d+1/4\*cosh(d\*x+c)^3\*sinh(d\*x+c)/(a+b)/d+b^(5/2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/(a+b)^3/d/a^(1/2)

**Rubi [A]** time = 0.17, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{x(3a^2 + 10ab + 15b^2)}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^3} + \frac{\sinh(c+dx) \cosh^3(c+dx)}{4d(a+b)} + \frac{(3a+7b) \sinh(c+dx) \cosh(c+dx)}{8d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a^2 + 10\*a\*b + 15\*b^2)\*x)/(8\*(a + b)^3) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^3\*d) + ((3\*a + 7\*b)\*Cosh[c + d\*x]\*Sin h[c + d\*x])/(8\*(a + b)^2\*d) + (Cosh[c + d\*x]^3\*Sinh[c + d\*x])/(4\*(a + b)\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])

#### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*n\*(p + 1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[b\*c + n\*(p + 1)\*(b\*c - a\*d) + d\*b\*(n\*(p + q + 2) + 1)\*x^n, x]]

```
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```

### Rubi steps



$$\begin{aligned}
\int \frac{\cosh^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^3(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{\text{Subst}\left(\int \frac{3a+4b+3bx^2}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{\text{Subst}\left(\int \frac{3a^2-}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d} + \frac{\cosh^3(c+dx) \sinh(c+dx)}{4(a+b)d} + \frac{b^3 \text{Subst}\left(\int \frac{3a^2-}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{(3a^2+10ab+15b^2)x}{8(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^3d} + \frac{(3a+7b) \cosh(c+dx) \sinh(c+dx)}{8(a+b)^2d}
\end{aligned}$$

**Mathematica [A]** time = 0.30, size = 115, normalized size = 0.96

$$\frac{(3a^2+10ab+15b^2)(c+dx)}{8d(a+b)^3} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}d(a+b)^3} + \frac{(a+2b) \sinh(2(c+dx))}{4d(a+b)^2} + \frac{\sinh(4(c+dx))}{32d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((3\*a^2 + 10\*a\*b + 15\*b^2)\*(c + d\*x))/(8\*(a + b)^3\*d) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^3\*d) + ((a + 2\*b)\*Sinh[2\*(c + d\*x)])/(4\*(a + b)^2\*d) + Sinh[4\*(c + d\*x)]/(32\*(a + b)\*d)

**fricas [B]** time = 0.48, size = 2180, normalized size = 18.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/64\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^8 + 8\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*d\*x\*cosh(d\*x + c)^4 + 8\*(a^2 + 3\*a\*b + 2\*b^2)\*cosh(d\*x + c)^

$$\begin{aligned}
& 6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 + 6*a*b + 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 6*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x + 60*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c) + 20*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^3)*\sinh(d*x + c)^3 - 8*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 12*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c)^2 + 30*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^4 - 2*a^2 - 6*a*b - 4*b^2)*\sinh(d*x + c)^2 + 32*(b^2*\cosh(d*x + c)^4 + 4*b^2*\cosh(d*x + c)^3*\sinh(d*x + c) + 6*b^2*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*b^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + b^2*\sinh(d*x + c)^4)*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) - a^2 - 2*a*b - b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c)^3 + 6*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^5 - 2*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^3*\sinh(d*x + c) + 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*\sinh(d*x + c)^4), 1/64*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 + 8*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c)^4 + 8*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 + 6*a*b + 4*b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 6*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x + 60*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 4*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c) + 20*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^3)*\sinh(d*x + c)^3 - 8*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 12*(3*a^2 + 10*a*b + 15*b^2)*d*x*\cosh(d*x + c)^2 + 30*(a^2 + 3*a*b + 2*b^2)*\cosh(d*x + c)^4 - 2*a^2 - 6*a*b - 4*b^2)*\sinh(d*x + c)^2 + 64*(b^2*\cosh(d*x + c)^4 + 4*b^2*\cosh(d*x + c)^3*\sinh(d*x + c) + 6*b^2*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*b^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + b^2*\sinh(d*x + c)^4)*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b) - a^2 - 2*a*b - b^2 + 8*((a^2 + 2*a*b
\end{aligned}$$

+ b^2)\*cosh(d\*x + c)^7 + 4\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*d\*x\*cosh(d\*x + c)^3 + 6\*(a^2 + 3\*a\*b + 2\*b^2)\*cosh(d\*x + c)^5 - 2\*(a^2 + 3\*a\*b + 2\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*cosh(d\*x + c)^4 + 4\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*cosh(d\*x + c)^3\*sinh(d\*x + c) + 6\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*cosh(d\*x + c)^2\*sinh(d\*x + c)^2 + 4\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*sinh(d\*x + c)^4]

**giac [B]** time = 1.07, size = 326, normalized size = 2.72

$$\frac{64b^3 \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^3+3a^2b+3ab^2+b^3)\sqrt{ab}} + \frac{8(3a^2+10ab+15b^2)dx}{a^3+3a^2b+3ab^2+b^3} - \frac{(18a^2e^{(4dx+4c)}+60abe^{(4dx+4c)}+90b^2e^{(4dx+4c)}+8a^2e^{(2dx+2c)}+24abe^{(2dx+2c)})}{a^3e^{(4c)}+3a^2be^{(4c)}+3ab^2e^{(4c)}+b^3e^{(4c)}}$$

64d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/64\*(64\*b^3\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*sqrt(a\*b)) + 8\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*d\*x/(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3) - (18\*a^2\*e^(4\*d\*x + 4\*c) + 60\*a\*b\*e^(4\*d\*x + 4\*c) + 90\*b^2\*e^(4\*d\*x + 4\*c) + 8\*a^2\*e^(2\*d\*x + 2\*c) + 24\*a\*b\*e^(2\*d\*x + 2\*c) + 16\*b^2\*e^(2\*d\*x + 2\*c) + a^2 + 2\*a\*b + b^2)\*e^(-4\*d\*x)/(a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c)) + (a\*e^(4\*d\*x + 20\*c) + b\*e^(4\*d\*x + 20\*c) + 8\*a\*e^(2\*d\*x + 18\*c) + 16\*b\*e^(2\*d\*x + 18\*c))/(a^2\*e^(16\*c) + 2\*a\*b\*e^(16\*c) + b^2\*e^(16\*c)))/d

**maple [B]** time = 0.46, size = 857, normalized size = 7.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x)

[Out] 1/2/d/(2\*b+2\*a)/(tanh(1/2\*d\*x+1/2\*c)-1)^4+2/d/(4\*a+4\*b)/(tanh(1/2\*d\*x+1/2\*c)-1)^3+7/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^2\*a+11/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)^2\*b+5/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)\*a+9/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)-1)\*b-3/8/d\*a^2/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)-1)-5/4/d\*a/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)-1)\*b-15/8/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)-1)\*b^2-1/2/d/(2\*b+2\*a)/(tanh(1/2\*d\*x+1/2\*c)+1)^4+2/d/(4\*a+4\*b)/(tanh(1/2\*d\*x+1/2\*c)+1)^3+5/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)\*a+9/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)\*b-7/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^2\*a-11/8/d/(a+b)^2/(tanh(1/2\*d\*x+1/2\*c)+1)^2\*b+3/8/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)+1)\*a^2+5/4/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)+1)\*a\*b+15/8/d/(a+b)^3\*ln(tanh(1/2\*d\*x+1/2\*c)+1)\*b^2-1/d\*b^3/(a+b)^3\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(

$$\frac{1}{2} \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} - a - 2b\right) a^{1/2}}\right) + \frac{1}{d} \frac{b^3}{(a+b)^3} \frac{\operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} - a - 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} - a - 2b\right) a^{1/2}} - \frac{1}{d} \frac{b^4}{(a+b)^3} \frac{\operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} - a - 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} - a - 2b\right) a^{1/2}} - \frac{1}{d} \frac{b^3}{(a+b)^3} \frac{\operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}} - \frac{1}{d} \frac{b^4}{(a+b)^3} \frac{\operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}} - \frac{1}{d} \frac{b^3}{(a+b)^3} \frac{\operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}} - \frac{1}{d} \frac{b^4}{(a+b)^3} \frac{\operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}}\right)}{\left(2(b(a+b))^{1/2} + a + 2b\right) a^{1/2}}$$

**maxima [B]** time = 0.51, size = 514, normalized size = 4.28

$$-\frac{(ab - b^2)(dx + c)}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{(8be^{(-2dx-2c)} + a + b)e^{(4dx+4c)}}{64(a^2 + 2ab + b^2)d} + \frac{b \log((a + b)e^{(4dx+4c)} + 2(a - b)e^{(2dx+2c)} + a + b)}{4(a^2 + 2ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $-\frac{1}{2}(ab - b^2)(dx + c)/((a^3 + 3a^2b + 3ab^2 + b^3)d) + \frac{1}{64}(8b^3e^{(-2dx - 2c)} + a + b)e^{(4dx + 4c)}/((a^2 + 2ab + b^2)d) + \frac{1}{4}b \log((a + b)e^{(4dx + 4c)} + 2(a - b)e^{(2dx + 2c)} + a + b)/((a^2 + 2ab + b^2)d) - \frac{1}{4}b \log(2(a - b)e^{(-2dx - 2c)} + (a + b)e^{(-4dx - 4c)} + a + b)/((a^2 + 2ab + b^2)d) - \frac{1}{4}(ab - b^2) \operatorname{arctan}\left(\frac{1}{2} \frac{(a + b)e^{(2dx + 2c)} + a - b}{\sqrt{ab}}\right)/((a^2 + 2ab + b^2)\sqrt{ab}d) - \frac{1}{8}(a^2b - 6a^2b^2 + b^3) \operatorname{arctan}\left(\frac{1}{2} \frac{(a + b)e^{(-2dx - 2c)} + a - b}{\sqrt{ab}}\right)/((a^3 + 3a^2b + 3ab^2 + b^3)\sqrt{ab}d) + \frac{1}{4}(ab - b^2) \operatorname{arctan}\left(\frac{1}{2} \frac{(a + b)e^{(-2dx - 2c)} + a - b}{\sqrt{ab}}\right)/((a^2 + 2ab + b^2)\sqrt{ab}d) - \frac{3}{8}b \operatorname{arctan}\left(\frac{1}{2} \frac{(a + b)e^{(-2dx - 2c)} + a - b}{\sqrt{ab}}\right)/(\sqrt{ab}(a + b)d) - \frac{1}{64}(8b^3e^{(-2dx - 2c)} + (a + b)e^{(-4dx - 4c)})/((a^2 + 2ab + b^2)d) + \frac{3}{8}(dx + c)/((a + b)d) + \frac{1}{8}e^{(2dx + 2c)}/((a + b)d) - \frac{1}{8}e^{(-2dx - 2c)}/((a + b)d)$

**mupad [B]** time = 1.93, size = 967, normalized size = 8.06

$$\frac{x(3a^2 + 10ab + 15b^2)}{8(a+b)^3} - \frac{e^{-4c-4dx}}{64d(a+b)} + \frac{e^{4c+4dx}}{64d(a+b)} + \frac{\operatorname{atan}\left(\left(e^{2c}e^{2dx}\left(\frac{4b^3}{d(a+b)^5\sqrt{b^5}(a^3+3a^2b+3ab^2+b^3)} + \frac{1}{b^3(a+b)^2\sqrt{ad}}\right)\right)}{1}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2), x)

```
[Out] (x*(10*a*b + 3*a^2 + 15*b^2))/(8*(a + b)^3) - exp(- 4*c - 4*d*x)/(64*d*(a +
b)) + exp(4*c + 4*d*x)/(64*d*(a + b)) + (atan((exp(2*c)*exp(2*d*x))*((4*b^3
)/(d*(a + b)^5*(b^5)^(1/2)*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + ((a - b)*(a^4
*d*(b^5)^(1/2) - b^4*d*(b^5)^(1/2) - 2*a*b^3*d*(b^5)^(1/2) + 2*a^3*b*d*(b^5
)^(1/2))))/(b^3*(a + b)^2*(a*d^2*(a + b)^6)^(1/2)*(3*a*b^2 + 3*a^2*b + a^3 +
b^3)*(a^7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b^4*d^2 +
20*a^4*b^3*d^2 + 15*a^5*b^2*d^2)^(1/2))) + ((a - b)*(a^4*d*(b^5)^(1/2) + b
^4*d*(b^5)^(1/2) + 4*a*b^3*d*(b^5)^(1/2) + 4*a^3*b*d*(b^5)^(1/2) + 6*a^2*b^
2*d*(b^5)^(1/2)))/(b^3*(a + b)^2*(a*d^2*(a + b)^6)^(1/2)*(3*a*b^2 + 3*a^2*b
+ a^3 + b^3)*(a^7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b
^4*d^2 + 20*a^4*b^3*d^2 + 15*a^5*b^2*d^2)^(1/2)))*((a^4*(a^7*d^2 + a*b^6*d
^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b^4*d^2 + 20*a^4*b^3*d^2 + 15*a^5
*b^2*d^2)^(1/2))/2 + (b^4*(a^7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2
+ 15*a^3*b^4*d^2 + 20*a^4*b^3*d^2 + 15*a^5*b^2*d^2)^(1/2))/2 + 2*a*b^3*(a^
7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b^4*d^2 + 20*a^4*b
^3*d^2 + 15*a^5*b^2*d^2)^(1/2) + 2*a^3*b*(a^7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2
+ 6*a^2*b^5*d^2 + 15*a^3*b^4*d^2 + 20*a^4*b^3*d^2 + 15*a^5*b^2*d^2)^(1/2)
+ 3*a^2*b^2*(a^7*d^2 + a*b^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b^4
*d^2 + 20*a^4*b^3*d^2 + 15*a^5*b^2*d^2)^(1/2)))*(b^5)^(1/2))/(a^7*d^2 + a*b
^6*d^2 + 6*a^6*b*d^2 + 6*a^2*b^5*d^2 + 15*a^3*b^4*d^2 + 20*a^4*b^3*d^2 + 15
*a^5*b^2*d^2)^(1/2) - (exp(- 2*c - 2*d*x)*(a + 2*b))/(8*d*(a + b)^2) + (exp
(2*c + 2*d*x)*(a + 2*b))/(8*d*(a + b)^2)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cosh^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)**4/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(cosh(c + d*x)**4/(a + b*tanh(c + d*x)**2), x)
```

$$3.106 \quad \int \frac{\cosh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=80

$$\frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^{5/2}} + \frac{\sinh^3(c+dx)}{3d(a+b)} + \frac{(a+2b) \sinh(c+dx)}{d(a+b)^2}$$

[Out] (a+2\*b)\*sinh(d\*x+c)/(a+b)^2/d+1/3\*sinh(d\*x+c)^3/(a+b)/d+b^2\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/(a+b)^(5/2)/d/a^(1/2)

**Rubi [A]** time = 0.11, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3676, 390, 205}

$$\frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^{5/2}} + \frac{\sinh^3(c+dx)}{3d(a+b)} + \frac{(a+2b) \sinh(c+dx)}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b^2\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(5/2)\*d) + ((a + 2\*b)\*Sinh[c + d\*x])/((a + b)^2\*d) + Sinh[c + d\*x]^3/(3\*(a + b)\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f},

x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^2}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{a+2b}{(a+b)^2} + \frac{x^2}{a+b} + \frac{b^2}{(a+b)^2(a+(a+b)x^2)}\right) dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{(a + 2b) \sinh(c + dx)}{(a + b)^2 d} + \frac{\sinh^3(c + dx)}{3(a + b)d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{(a + b)^2 d} \\
 &= \frac{b^2 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} (a + b)^{5/2} d} + \frac{(a + 2b) \sinh(c + dx)}{(a + b)^2 d} + \frac{\sinh^3(c + dx)}{3(a + b)d}
 \end{aligned}$$

**Mathematica [A]** time = 0.43, size = 79, normalized size = 0.99

$$\frac{-\frac{12b^2 \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}(a+b)^{5/2}} + \frac{3(3a+7b) \sinh(c+dx)}{(a+b)^2} + \frac{\sinh(3(c+dx))}{a+b}}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((-12\*b^2\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]])/(Sqrt[a]\*(a + b)^(5/2)) + (3\*(3\*a + 7\*b)\*Sinh[c + d\*x])/(a + b)^2 + Sinh[3\*(c + d\*x)]/(a + b))/(12\*d)

**fricas [B]** time = 0.49, size = 1850, normalized size = 23.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/24\*((a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^6 + 6\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + (a^3 + 2\*a^2\*b + a\*b^2)\*sinh(d\*x + c)^6 + 3\*(3\*a^3 + 10\*a^2\*b + 7\*a\*b^2)\*cosh(d\*x + c)^4 + 3\*(3\*a^3 + 10\*a^2\*b + 7\*a\*b

$$\begin{aligned}
&^2 + 5*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 + 4*(5*(a^3 \\
&+ 2*a^2*b + a*b^2)*\cosh(d*x + c)^3 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d \\
&*x + c))*\sinh(d*x + c)^3 - a^3 - 2*a^2*b - a*b^2 - 3*(3*a^3 + 10*a^2*b + 7* \\
&a*b^2)*\cosh(d*x + c)^2 + 3*(5*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^4 - 3*a \\
&^3 - 10*a^2*b - 7*a*b^2 + 6*(3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + c)^2)*s \\
&inh(d*x + c)^2 - 12*(b^2*\cosh(d*x + c)^3 + 3*b^2*\cosh(d*x + c)^2*\sinh(d*x + \\
&c) + 3*b^2*\cosh(d*x + c)*\sinh(d*x + c)^2 + b^2*\sinh(d*x + c)^3)*\sqrt{-a^2 \\
&- a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) \\
&^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*c \\
&osh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3 \\
&*a + b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*(\cosh(d*x + c)^3 + 3*\cosh(d*x + c) \\
&*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) \\
&- \cosh(d*x + c))*\sqrt{-a^2 - a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a \\
&+ b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*c \\
&osh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*( \\
&(a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + \\
&6*((a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^5 + 2*(3*a^3 + 10*a^2*b + 7*a*b^2) \\
&*\cosh(d*x + c)^3 - (3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c \\
&))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + 3*(a^4 + 3*a^3*b + \\
&3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*(a^4 + 3*a^3*b + \\
&3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^ \\
&2*b^2 + a*b^3)*d*\sinh(d*x + c)^3), 1/24*((a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + \\
&c)^6 + 6*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^3 + 2* \\
&a^2*b + a*b^2)*\sinh(d*x + c)^6 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + \\
&c)^4 + 3*(3*a^3 + 10*a^2*b + 7*a*b^2 + 5*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + \\
&c)^2)*\sinh(d*x + c)^4 + 4*(5*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^3 + 3*( \\
&3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - a^3 - 2*a^2*b \\
&- a*b^2 - 3*(3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + c)^2 + 3*(5*(a^3 + 2*a^ \\
&2*b + a*b^2)*\cosh(d*x + c)^4 - 3*a^3 - 10*a^2*b - 7*a*b^2 + 6*(3*a^3 + 10*a \\
&^2*b + 7*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 24*(b^2*\cosh(d*x + c)^3 \\
&+ 3*b^2*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*b^2*\cosh(d*x + c)*\sinh(d*x + c)^2 \\
&+ b^2*\sinh(d*x + c)^3)*\sqrt{a^2 + a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 \\
&+ 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (3*a \\
&- b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + 3*a - b)*\sinh(d*x + c))/ \\
&\sqrt{a^2 + a*b})) + 24*(b^2*\cosh(d*x + c)^3 + 3*b^2*\cosh(d*x + c)^2*\sinh(d*x \\
&+ c) + 3*b^2*\cosh(d*x + c)*\sinh(d*x + c)^2 + b^2*\sinh(d*x + c)^3)*\sqrt{a^2 \\
&+ a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a) + 6*( \\
&(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^5 + 2*(3*a^3 + 10*a^2*b + 7*a*b^2)*c \\
&osh(d*x + c)^3 - (3*a^3 + 10*a^2*b + 7*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/ \\
&((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + 3*(a^4 + 3*a^3*b + \\
&3*a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^2*\sinh(d*x + c) + 3*(a^4 + 3*a^3*b + 3* \\
&a^2*b^2 + a*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b \\
&^2 + a*b^3)*d*\sinh(d*x + c)^3)]
\end{aligned}$$



**giac [B]** time = 0.49, size = 829, normalized size = 10.36

$$24 \left( ab^2 + \sqrt{-ab} b^2 \right) \sqrt{a^2 - b^2 + 2 \sqrt{-ab} (a+b)} \left| ae^{(2c)} + be^{(2c)} \right| \arctan \left( \frac{e^{(dx)}}{\sqrt{\frac{a^3 e^{(2c)} + a^2 b e^{(2c)} - ab^2 e^{(2c)} - b^3 e^{(2c)} + \sqrt{\left( a^3 e^{(2c)} + a^2 b e^{(2c)} - ab^2 e^{(2c)} - b^3 e^{(2c)} \right)^2 - \left( a^3 e^{(4c)} + 3 a^2 b e^{(4c)} - 3 a b^2 e^{(4c)} + b^3 e^{(4c)} \right)}}}{a^3 e^{(4c)} + 3 a^2 b e^{(4c)} + 3 a b^2 e^{(4c)} + b^3 e^{(4c)}}} \right)$$


---


$$a^6 + 3 a^5 b + 2 a^4 b^2 - 2 a^3 b^3 - 3 a^2 b^4 - a b^5 + 2 \left( a^5 + 4 a^4 b + 6 a^3 b^2 + 4 a^2 b^3 + a b^4 \right) \sqrt{-ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/24\*(24\*(a\*b^2 + sqrt(-a\*b)\*b^2)\*sqrt(a^2 - b^2 + 2\*sqrt(-a\*b)\*(a + b))\*abs(a\*e^(2\*c) + b\*e^(2\*c))\*arctan(e^(d\*x)/sqrt((a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c) + sqrt((a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c))^2 - (a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c))\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)))/(a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c)))\*e^(-2\*c)/(a^6 + 3\*a^5\*b + 2\*a^4\*b^2 - 2\*a^3\*b^3 - 3\*a^2\*b^4 - a\*b^5 + 2\*(a^5 + 4\*a^4\*b + 6\*a^3\*b^2 + 4\*a^2\*b^3 + a\*b^4)\*sqrt(-a\*b)) + 24\*(a^2\*b^2 - 3\*a\*b^3 - (3\*a\*b^2 - b^3)\*sqrt(-a\*b))\*abs(a\*e^(2\*c) + b\*e^(2\*c))\*arctan(e^(d\*x)/sqrt((a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c) - sqrt((a^3\*e^(2\*c) + a^2\*b\*e^(2\*c) - a\*b^2\*e^(2\*c) - b^3\*e^(2\*c))^2 - (a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c))\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)))/(a^3\*e^(4\*c) + 3\*a^2\*b\*e^(4\*c) + 3\*a\*b^2\*e^(4\*c) + b^3\*e^(4\*c)))\*e^(-2\*c)/((a^5 + 2\*a^4\*b - 2\*a^2\*b^3 - a\*b^4 - 2\*(a^4 + 3\*a^3\*b + 3\*a^2\*b^2 + a\*b^3)\*sqrt(-a\*b))\*sqrt(a^2 - b^2 - 2\*sqrt(-a\*b)\*(a + b))) - (9\*a\*e^(2\*d\*x + 2\*c) + 21\*b\*e^(2\*d\*x + 2\*c) + a + b)\*e^(-3\*d\*x)/(a^2\*e^(3\*c) + 2\*a\*b\*e^(3\*c) + b^2\*e^(3\*c)) + (a^2\*e^(3\*d\*x + 24\*c) + 2\*a\*b\*e^(3\*d\*x + 24\*c) + b^2\*e^(3\*d\*x + 24\*c) + 9\*a^2\*e^(d\*x + 22\*c) + 30\*a\*b\*e^(d\*x + 22\*c) + 21\*b^2\*e^(d\*x + 22\*c))/(a^3\*e^(21\*c) + 3\*a^2\*b\*e^(21\*c) + 3\*a\*b^2\*e^(21\*c) + b^3\*e^(21\*c)))/d

**maple [B]** time = 0.44, size = 468, normalized size = 5.85

$$\frac{2}{3d \left( \tanh \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right)^3 (2b + 2a)} - \frac{1}{d(2b + 2a) \left( \tanh \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right)^2} - \frac{a}{d(a + b)^2 \left( \tanh \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right)} - \frac{1}{d(a + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x)

[Out] 
$$-2/3/d/(\tanh(1/2*d*x+1/2*c)-1)^3/(2*b+2*a)-1/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)-1)^2-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*a-2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)*b-2/3/d/(\tanh(1/2*d*x+1/2*c)+1)^3/(2*b+2*a)+1/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)+1)^2-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*a-2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)*b-1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctan(h(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^3/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/d*b^2/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d*b^3/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{((ae^{6c} + be^{6c})e^{6dx} + 3(3ae^{4c} + 7be^{4c})e^{4dx} - 3(3ae^{2c} + 7be^{2c})e^{2dx} - a - b)e^{-3dx}}{24(a^2de^{3c} + 2abde^{3c} + b^2de^{3c})} + \frac{1}{8} \int \frac{1}{a^3 + 3a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] 
$$\frac{1}{24} * ((a * e^{6c} + b * e^{6c}) * e^{6dx} + 3 * (3 * a * e^{4c} + 7 * b * e^{4c}) * e^{4dx} - 3 * (3 * a * e^{2c} + 7 * b * e^{2c}) * e^{2dx} - a - b) * e^{-3dx} / (a^2 * d * e^{3c} + 2 * a * b * d * e^{3c} + b^2 * d * e^{3c}) + \frac{1}{8} * \int (16 * (b^2 * e^{3dx} + 3c) + b^2 * e^{dx} + c) / (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + (a^3 * e^{4c} + 3 * a^2 * b * e^{4c} + 3 * a * b^2 * e^{4c} + b^3 * e^{4c}) * e^{4dx} + 2 * (a^3 * e^{2c} + a^2 * b * e^{2c} - a * b^2 * e^{2c} - b^3 * e^{2c}) * e^{2dx}), x$$

**mupad** [B] time = 2.88, size = 2194, normalized size = 27.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^3/(a + b*tanh(c + d*x)^2),x)`

[Out] 
$$\exp(3c + 3dx) / (24d(a + b)) - \exp(-3c - 3dx) / (24d(a + b)) + ((b^4)^{1/2} * (2 * \operatorname{atan}(\frac{\exp(dx) * \exp(c) * ((4 * (10 * a^2 * d * (b^4)^{5/2} + 12 * a^6 * d * (b^4)^{3/2} + 2 * a * b^9 * d * (b^4)^{1/2} + 10 * a^3 * b^3 * d * (b^4)^{3/2} + 2 * a^2 * b^8 * d * (b^4)^{1/2} + 20 * a^3 * b^7 * d * (b^4)^{1/2} + 40 * a^4 * b^6 * d * (b^4)^{1/2} + 30 * a^5 * b^5 * d * (b^4)^{1/2} + 2 * a^7 * b^3 * d * (b^4)^{1/2}))}{(a * b^5 * (a + b)^5 * (a * d^2 * (a + b)^5)^{1/2} * (4 * a * b^3 + 4 * a^3 * b + a^4 + b^4 + 6 * a^2 * b^2) * (5 * a * b^4 + 5 * a^4 * b + a^5 + b^5 + 10 * a^2 * b^3 + 10 * a^3 * b^2) * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2}) - (2 * (b^9 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2})) / (a * b^5 * (a + b)^5 * (a * d^2 * (a + b)^5)^{1/2} * (4 * a * b^3 + 4 * a^3 * b + a^4 + b^4 + 6 * a^2 * b^2) * (5 * a * b^4 + 5 * a^4 * b + a^5 + b^5 + 10 * a^2 * b^3 + 10 * a^3 * b^2) * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2}) - (2 * (b^9 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2} + 4 * a * b^8 * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2})) / (a * b^5 * (a + b)^5 * (a * d^2 * (a + b)^5)^{1/2} * (4 * a * b^3 + 4 * a^3 * b + a^4 + b^4 + 6 * a^2 * b^2) * (5 * a * b^4 + 5 * a^4 * b + a^5 + b^5 + 10 * a^2 * b^3 + 10 * a^3 * b^2) * (a^6 * d^2 + a * b^5 * d^2 + 5 * a^5 * b * d^2 + 5 * a^2 * b^4 * d^2 + 10 * a^3 * b^3 * d^2 + 10 * a^4 * b^2 * d^2)^{1/2})$$

$$\begin{aligned}
& b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)} + 6 a^2 b^7 (a^6 d^2 + a b^5 d^2 + 5 a^5 b \\
& d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)} + 4 a^3 b^6 ( \\
& a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 \\
& b^2 d^2)^{(1/2)} + a^4 b^5 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^ \\
& 2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / (a^2 b^3 d (a + b)^7 (b^4)^{(1/ \\
& 2)} * (4 a b^3 + 4 a^3 b + a^4 + b^4 + 6 a^2 b^2) * (5 a b^4 + 5 a^4 b + a^5 + b \\
& ^5 + 10 a^2 b^3 + 10 a^3 b^2) * (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^ \\
& 4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) + (2 * \exp(3 c) * \exp(3 d x) * ( \\
& b^9 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 1 \\
& 0 a^4 b^2 d^2)^{(1/2)} + 4 a b^8 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^ \\
& ^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)} + 6 a^2 b^7 (a^6 d^2 + a b^ \\
& ^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2 \\
& ) + 4 a^3 b^6 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b \\
& ^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)} + a^4 b^5 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 \\
& + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / (a^2 b^3 d (a + \\
& b)^7 (b^4)^{(1/2)} * (4 a b^3 + 4 a^3 b + a^4 + b^4 + 6 a^2 b^2) * (5 a b^4 + 5 \\
& a^4 b + a^5 + b^5 + 10 a^2 b^3 + 10 a^3 b^2) * (a^6 d^2 + a b^5 d^2 + 5 a^5 b \\
& d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) * ((a^{11} (a^6 \\
& d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^ \\
& 2 d^2)^{(1/2)}) / 4 + (a b^{10} (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^ \\
& 2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 4 + (5 a^{10} b (a^6 d^2 + a b^5 \\
& d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) \\
& / 2 + (5 a^2 b^9 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 \\
& b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 2 + (45 a^3 b^8 (a^6 d^2 + a b^5 d^2 + 5 \\
& a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 4 + 30 \\
& a^4 b^7 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 \\
& + 10 a^4 b^2 d^2)^{(1/2)} + (105 a^5 b^6 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 \\
& + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 2 + 63 a^6 b^5 (a \\
& ^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 \\
& b^2 d^2)^{(1/2)} + (105 a^7 b^4 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^ \\
& 4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 2 + 30 a^8 b^3 (a^6 d^2 + a \\
& b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{( \\
& 1/2)} + (45 a^9 b^2 (a^6 d^2 + a b^5 d^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 \\
& a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) / 4)) + 2 * \operatorname{atan}((b^2 * \exp(d x) * \exp(c) * (a d \\
& ^2 * (a + b)^5)^{(1/2)}) / (2 a d * (a + b)^2 * (b^4)^{(1/2)})) / (2 * (a^6 d^2 + a b^5 d \\
& ^2 + 5 a^5 b d^2 + 5 a^2 b^4 d^2 + 10 a^3 b^3 d^2 + 10 a^4 b^2 d^2)^{(1/2)}) \\
& - (\exp(-c - d x) * (3 a + 7 b)) / (8 d * (a + b)^2) + (\exp(c + d x) * (3 a + 7 b)) \\
& / (8 d * (a + b)^2)
\end{aligned}$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cosh^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)**3/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(cosh(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)
```

$$3.107 \quad \int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=77

$$\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} + \frac{x(a+3b)}{2(a+b)^2}$$

[Out] 1/2\*(a+3\*b)\*x/(a+b)^2+1/2\*cosh(d\*x+c)\*sinh(d\*x+c)/(a+b)/d+b^(3/2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/(a+b)^2/d/a^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3675, 414, 522, 206, 205}

$$\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^2} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)} + \frac{x(a+3b)}{2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + 3\*b)\*x)/(2\*(a + b)^2) + (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^2\*d) + (Cosh[c + d\*x]\*Sinh[c + d\*x])/(2\*(a + b)\*d)

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 414

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p+1)\*(c + d\*x^n)^(q+1))/(a\*n\*(p+1)\*(b\*c - a\*d)), x] + Dist[1/(a\*n\*(p+1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p+1)\*(c + d\*x^n)^q\*Simp[b\*c + n\*(p+1)\*(b\*c - a\*d) + d\*b\*(n\*(p+q+2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b\*c - a\*d, 0] && LtQ[p, -1] && !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,

d, n, p, q, x]

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 3675

```
Int[sec[(e_) + (f_)*(x_)^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)^(p_)])^(n_)]^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m-1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2-1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegerQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} + \frac{\text{Subst}\left(\int \frac{a+2b+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\ &= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} + \frac{b^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{(a+b)^2d} + \frac{(a+3b) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\ &= \frac{(a+3b)x}{2(a+b)^2} + \frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}(a+b)^2d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d} \end{aligned}$$

**Mathematica** [A] time = 0.16, size = 77, normalized size = 1.00

$$\frac{4b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + 2\sqrt{a}(a+3b)(c+dx) + \sqrt{a}(a+b) \sinh(2(c+dx))}{4\sqrt{a}d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (2\*sqrt[a]\*(a + 3\*b)\*(c + d\*x) + 4\*b^(3/2)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]] + sqrt[a]\*(a + b)\*Sinh[2\*(c + d\*x)])/(4\*sqrt[a]\*(a + b)^2\*d)

**fricas** [B] time = 0.45, size = 948, normalized size = 12.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/8\*(4\*(a + 3\*b)\*d\*x\*cosh(d\*x + c)^2 + (a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(2\*(a + 3\*b)\*d\*x + 3\*(a + b)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 4\*(b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2)\*sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) + 4\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 + a^2 - a\*b)\*sqrt(-b/a))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) + 4\*(2\*(a + 3\*b)\*d\*x\*cosh(d\*x + c) + (a + b)\*cosh(d\*x + c)^3)\*sinh(d\*x + c) - a - b)/((a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + 2\*a\*b + b^2)\*d\*sinh(d\*x + c)^2), 1/8\*(4\*(a + 3\*b)\*d\*x\*cosh(d\*x + c)^2 + (a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(2\*(a + 3\*b)\*d\*x + 3\*(a + b)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*(b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2)\*sqrt(b/a)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(b/a)/b) + 4\*(2\*(a + 3\*b)\*d\*x\*cosh(d\*x + c) + (a + b)\*cosh(d\*x + c)^3)\*sinh(d\*x + c) - a - b)/((a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + 2\*a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + 2\*a\*b + b^2)\*d\*sinh(d\*x + c)^2)]

**giac** [B] time = 0.56, size = 172, normalized size = 2.23

$$\frac{\frac{4(a+3b)dx}{a^2+2ab+b^2} + \frac{8b^2 \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^2+2ab+b^2)\sqrt{ab}} - \frac{(2ae^{(2dx+2c)+6be^{(2dx+2c)+a+b}})e^{-2dx}}{a^2e^{(2c)}+2abe^{(2c)}+b^2e^{(2c)}} + \frac{e^{(2dx+8c)}}{ae^{(6c)}+be^{(6c)}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{8} \frac{(4(a+3b)d^2x^2/(a^2+2ab+b^2) + 8b^2 \arctan(1/2(ae^{2dx} + 2c) + be^{2dx+2c}) + a - b)/\sqrt{ab}}{(a^2+2ab+b^2)\sqrt{ab}} - (2ae^{2dx+2c} + 6be^{2dx+2c} + a + b)e^{-2dx}/(a^2e^{2c} + 2ab^2e^{2c} + b^2e^{2c}) + e^{2dx+8c}/(ae^{6c} + be^{6c})/d$

**maple** [B] time = 0.43, size = 608, normalized size = 7.90

$$\frac{1}{d(2b+2a)\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{2}{d(4a+4b)\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)a}{2d(a+b)^2} - \frac{3\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{2d(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out]  $\frac{1}{d} \frac{1}{(2b+2a)\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^2} + \frac{2}{d} \frac{1}{(4a+4b)\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)} - \frac{1}{2} \frac{1}{d} \frac{1}{(a+b)^2} \ln\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right) \frac{a-3}{d} \frac{1}{(a+b)^2} \ln\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right) \frac{b-1}{d} \frac{1}{(2b+2a)\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)^2} + \frac{2}{d} \frac{1}{(4a+4b)\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)} + \frac{1}{2} \frac{1}{d} \frac{1}{(a+b)^2} \ln\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right) \frac{a+3}{d} \frac{1}{(a+b)^2} \ln\left(\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right) \frac{b-1}{d} \frac{1}{a^2b^2} \frac{1}{(a+b)^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}}\right) + \frac{1}{d} \frac{1}{b^2} \frac{1}{(a+b)^2} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}}\right) - \frac{1}{d} \frac{1}{b^3} \frac{1}{(a+b)^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}}\right) - \frac{1}{d} \frac{1}{a^2b^2} \frac{1}{(a+b)^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \arctanh\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}}\right) - \frac{1}{d} \frac{1}{b^2} \frac{1}{(a+b)^2} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}}\right) - \frac{1}{d} \frac{1}{b^3} \frac{1}{(a+b)^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \arctan\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}}\right)$

**maxima** [B] time = 0.62, size = 316, normalized size = 4.10

$$\frac{b \log\left((a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b\right)}{4(a^2+2ab+b^2)d} - \frac{b \log\left(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b\right)}{4(a^2+2ab+b^2)d} - \frac{(ab - 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{1}{4} \frac{1}{b} \log\left((a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b\right) / ((a^2+2ab+b^2)d) - \frac{1}{4} \frac{1}{b} \log\left(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b\right) / ((a^2+2ab+b^2)d)$



$$\begin{aligned} & d*x - 4*c) + a + b)/((a^2 + 2*a*b + b^2)*d) - 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{2*d*x + 2*c} + a - b)/\sqrt{a*b}))/((a^2 + 2*a*b + b^2)*\sqrt{a*b}*d) \\ & ) + 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{-2*d*x - 2*c} + a - b)/\sqrt{a*b}))/((a^2 + 2*a*b + b^2)*\sqrt{a*b}*d) - 1/2*b*\arctan(1/2*((a + b)*e^{-2*d*x - 2*c} + a - b)/\sqrt{a*b}))/(\sqrt{a*b}*(a + b)*d) + 1/2*(d*x + c)/((a + b)*d) \\ & + 1/8*e^{2*d*x + 2*c}/((a + b)*d) - 1/8*e^{-2*d*x - 2*c}/((a + b)*d) \end{aligned}$$

**mupad [B]** time = 1.93, size = 880, normalized size = 11.43

$$\frac{e^{2c+2dx}}{8d(a+b)} - \frac{e^{-2c-2dx}}{8d(a+b)} + \frac{x(a+3b)}{2(a+b)^2} + \frac{\operatorname{atan}\left(\left(e^{2c}e^{2dx}\right)\left(\frac{2\left(2b^3\sqrt{a^5d^2+4a^4bd^2+6a^3b^2d^2+4a^2b^3d^2+ab^4d^2+2ab^2\sqrt{a^5d^2+4a^4bd^2+6a^3b^2d^2+4a^2b^3d^2+ab^4d^2}\right)}{d(a+b)^5\sqrt{b^3(a^3+3a^2b+3ab^2+b^3)}\sqrt{a^5d^2+4a^4bd^2+6a^3b^2d^2+4a^2b^3d^2+ab^4d^2}\right)}\right)}{2(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)^2/(a + b*tanh(c + d*x)^2), x)`

[Out] 
$$\begin{aligned} & \exp(2*c + 2*d*x)/(8*d*(a + b)) - \exp(-2*c - 2*d*x)/(8*d*(a + b)) + (x*(a + 3*b))/(2*(a + b)^2) + (\operatorname{atan}((\exp(2*c)*\exp(2*d*x)*((2*(2*b^3*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)} + 2*a*b^2*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)}))/d*(a + b)^5*(b^3)^{(1/2)}*(3*a*b^2 + 3*a^2*b + a^3 + b^3)*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)} - ((a - b)*(2*a*d*(b^3)^{(3/2)} + b*d*(b^3)^{(3/2)} - a^4*d*(b^3)^{(1/2)} - 2*a^3*b*d*(b^3)^{(1/2)}))/b^2*(a + b)^3*(a*d^2*(a + b)^4)^{(1/2)}*(3*a*b^2 + 3*a^2*b + a^3 + b^3)*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)})) + ((a - b)*(4*a*d*(b^3)^{(3/2)} + b*d*(b^3)^{(3/2)} + a^4*d*(b^3)^{(1/2)} + 4*a^3*b*d*(b^3)^{(1/2)} + 6*a^2*b^2*d*(b^3)^{(1/2)}))/b^2*(a + b)^3*(a*d^2*(a + b)^4)^{(1/2)}*(3*a*b^2 + 3*a^2*b + a^3 + b^3)*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)}))/2 + (b^4*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)}))/2 + 3*a^2*b^2*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)} + 2*a*b^3*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)} + 2*a^3*b*(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)}))*(b^3)^{(1/2)})/(a^5*d^2 + a*b^4*d^2 + 4*a^4*b*d^2 + 4*a^2*b^3*d^2 + 6*a^3*b^2*d^2)^{(1/2)} \end{aligned}$$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cosh^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)**2/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(cosh(c + d*x)**2/(a + b*tanh(c + d*x)**2), x)
```

$$3.108 \quad \int \frac{\cosh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=53

$$\frac{\sinh(c+dx)}{d(a+b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^{3/2}}$$

[Out]  $\sinh(d*x+c)/(a+b)/d+b*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)/a^{(1/2)})/(a+b)^{(3/2)/d/a^{(1/2)}}$

**Rubi [A]** time = 0.07, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3676, 388, 205}

$$\frac{\sinh(c+dx)}{d(a+b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cosh}[c + d*x]/(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $(b*\text{ArcTan}[(\text{Sqrt}[a + b]*\text{Sinh}[c + d*x])/(\text{Sqrt}[a])]/(\text{Sqrt}[a]*(a + b)^{(3/2)*d}) + \text{Sinh}[c + d*x]/((a + b)*d)$

#### Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

#### Rule 388

$\text{Int}[(a_ + (b_)*(x_)^{n_})^{p_}*((c_ + (d_)*(x_)^{n_}))^{p_}, x\_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x^n)^{(p+1)}/(b*(n*(p+1)+1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), \text{Int}[(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n*(p+1)+1, 0]$

#### Rule 3676

$\text{Int}[\sec[(e_ + (f_)*(x_))]^{m_}*((a_ + (b_)*\tan[(e_ + (f_)*(x_))]^{n_})^{p_}), x\_Symbol] \rightarrow \text{With}\{\text{ff} = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[\text{ff}/\text{Sqrt}[\text{Subst}[\text{Int}[\text{ExpandToSum}[b*(\text{ff}*x)^n + a*(1 - \text{ff}^2*x^2)^{(n/2)}], x]^p/(1 - \text{ff}^2*x^2)^{(m+n*p+1)/2}], x], x, \text{Sin}[e + f*x]/\text{ff}], x] /; \text{FreeQ}\{a, b, e, f\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2] \ \&\& \ \text{IntegerQ}[n/2] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{\cosh(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{1+x^2}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{d} \\
&= \frac{\sinh(c + dx)}{(a + b)d} + \frac{b \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{(a + b)d} \\
&= \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} (a + b)^{3/2} d} + \frac{\sinh(c + dx)}{(a + b)d}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 53, normalized size = 1.00

$$\frac{\sinh(c + dx)}{d(a + b)} + \frac{b \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a + b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)^(3/2)\*d) + Sinh[c + d\*x]/((a + b)\*d)

**fricas [B]** time = 0.45, size = 766, normalized size = 14.45

$$\left[ \frac{(a^2 + ab) \cosh(dx + c)^2 + 2(a^2 + ab) \cosh(dx + c) \sinh(dx + c) + (a^2 + ab) \sinh(dx + c)^2 - \sqrt{-a^2 - ab} (b \cosh(dx + c) + \sinh(dx + c))}{(a + b)^2 d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/2\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 - sqrt(-a^2 - a\*b)\*(b\*cosh(d\*x + c) + b\*sinh(d\*x + c))\*log(((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 - 2\*(3\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 3\*a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 - (3\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*(cosh(d\*x + c)^3 + 3\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + sinh(d\*x + c)^3 + (3\*cosh(d\*x + c)^2 - 1)\*sinh(d\*x + c)))]

$$+ c) - \cosh(dx + c))\sqrt{-a^2 - ab} + a + b)/((a + b)\cosh(dx + c)^4 + 4(a + b)\cosh(dx + c)\sinh(dx + c)^3 + (a + b)\sinh(dx + c)^4 + 2(a - b)\cosh(dx + c)^2 + 2(3(a + b)\cosh(dx + c)^2 + a - b)\sinh(dx + c)^2 + 4((a + b)\cosh(dx + c)^3 + (a - b)\cosh(dx + c))\sinh(dx + c) + a + b)) - a^2 - ab)/((a^3 + 2a^2b + ab^2)d\cosh(dx + c) + (a^3 + 2a^2b + ab^2)d\sinh(dx + c)), 1/2((a^2 + ab)\cosh(dx + c)^2 + 2(a^2 + ab)\cosh(dx + c)\sinh(dx + c) + (a^2 + ab)\sinh(dx + c)^2 + 2\sqrt{a^2 + ab})(b\cosh(dx + c) + b\sinh(dx + c))\arctan(1/2((a + b)\cosh(dx + c)^3 + 3(a + b)\cosh(dx + c)\sinh(dx + c)^2 + (a + b)\sinh(dx + c)^3 + (3a - b)\cosh(dx + c) + (3(a + b)\cosh(dx + c)^2 + 3a - b)\sinh(dx + c))/\sqrt{a^2 + ab}) + 2\sqrt{a^2 + ab})(b\cosh(dx + c) + b\sinh(dx + c))\arctan(1/2\sqrt{a^2 + ab})(\cosh(dx + c) + \sinh(dx + c))/a - a^2 - ab)/((a^3 + 2a^2b + ab^2)d\cosh(dx + c) + (a^3 + 2a^2b + ab^2)d\sinh(dx + c))]$$

**giac [B]** time = 0.27, size = 1117, normalized size = 21.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out] 
$$-1/2*(2*(2*(2*a^2*b^2 - (a^2*b - a*b^2)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b))*(a*e^{(2*c)} + b*e^{(2*c)})^2*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4 + 2*(a^3*b + 2*a^2*b^2 + a*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b))*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\text{abs}(-a*e^{(2*c)} - b*e^{(2*c)})*e^{(2*c)} - (2*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 2*a*b^5 - (a^4*b - 2*a^2*b^3 + b^5)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b))*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})}) - \sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})^2 - (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})*e^{(-4*c)}/((a^8 + 5*a^7*b + 9*a^6*b^2 + 5*a^5*b^3 - 5*a^4*b^4 - 9*a^3*b^5 - 5*a^2*b^6 - a*b^7 + 2*(a^7 + 6*a^6*b + 15*a^5*b^2 + 20*a^4*b^3 + 15*a^3*b^4 + 6*a^2*b^5 + a*b^6)*\sqrt{-a*b})*\text{abs}(-a*e^{(2*c)} - b*e^{(2*c)})) + 2*(2*(4*a^3*b^2 - 4*a^2*b^3 + (a^3*b - 6*a^2*b^2 + a*b^3)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}}*(a + b))*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})^2*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (a^5*b - 4*a^4*b^2 - 10*a^3*b^3 - 4*a^2*b^4 + a*b^5 - 4*(a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*\sqrt{-a*b}))*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\text{abs}(-a*e^{(2*c)} - b*e^{(2*c)})*e^{(2*c)} - (4*a^5*b^2 - 8*a^3*b^4 + 4*a*b^6 + (a^5*b - 5*a^4*b^2 - 6*a^3*b^3 + 6*a^2*b^4 + 5*a*b^5 - b^6)*\sqrt{-a*b})*\text{abs}(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})}) + \sqrt{(a^2*e^{(2*c)} - b^2*e^{(2*c)})^2 - (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})})*e^{(-4*c)}/((a^7 + 4*a^6*b + 5*a^5*b^2 - 5*a^3*b^4 - 4*a^2*b^5 - a*b^6 - 2*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}}*(a + b))*ab$$

$s(-a \cdot e^{(2 \cdot c)} - b \cdot e^{(2 \cdot c)}) - e^{(d \cdot x + 6 \cdot c)} / (a \cdot e^{(5 \cdot c)} + b \cdot e^{(5 \cdot c)}) + e^{(-d \cdot x)} / (a \cdot e^c + b \cdot e^c) / d$

**maple [B]** time = 0.38, size = 315, normalized size = 5.94

$$\frac{2}{d(2b+2a)\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{b \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d(a+b)\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{b^2 \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d(a+b)\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)/(a+b*tanh(d*x+c)^2), x)`

[Out]  $-2/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)+1) - 1/d*b/(a+b)/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)} * \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}) + 1/d*b^2/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)} * \operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}) + 1/d*b/(a+b)/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)}) + 1/d*b^2/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)} * \operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)}) - 2/d/(2*b+2*a)/(\tanh(1/2*d*x+1/2*c)-1)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{(e^{(2dx+2c)} - 1)e^{(-dx)}}{2(ade^c + bde^c)} + \frac{1}{2} \int \frac{4(b e^{(3dx+3c)} + b e^{(dx+c)})}{a^2 + 2ab + b^2 + (a^2 e^{(4c)} + 2ab e^{(4c)} + b^2 e^{(4c)})e^{(4dx)} + 2(a^2 e^{(2c)} - b^2 e^{(2c)})e^{(2dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out]  $1/2*(e^{(2*d*x + 2*c)} - 1)*e^{(-d*x)} / (a*d*e^c + b*d*e^c) + 1/2*integrate(4*(b*e^{(3*d*x + 3*c)} + b*e^{(d*x + c)}) / (a^2 + 2*a*b + b^2 + (a^2*e^{(4*c)} + 2*a*b*e^{(4*c)} + b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^2*e^{(2*c)} - b^2*e^{(2*c)})*e^{(2*d*x)}), x)$

**mupad [B]** time = 1.68, size = 154, normalized size = 2.91

$$\frac{e^{c+dx}}{2d(a+b)} - \frac{e^{-c-dx}}{2d(a+b)} - \frac{b \ln(\sqrt{-a} \sqrt{a+b} + 2a e^{c+dx} - \sqrt{-a} e^{2c+2dx} \sqrt{a+b})}{2\sqrt{-a} d(a+b)^{3/2}} + \frac{b \ln(2a e^{c+dx} - \sqrt{-a} \sqrt{a+b})}{2\sqrt{-a} d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(c + d*x)/(a + b*tanh(c + d*x)^2), x)`

```
[Out] exp(c + d*x)/(2*d*(a + b)) - exp(- c - d*x)/(2*d*(a + b)) - (b*log((-a)^(1/2)*(a + b)^(1/2) + 2*a*exp(c + d*x) - (-a)^(1/2)*exp(2*c + 2*d*x)*(a + b)^(1/2)))/(2*(-a)^(1/2)*d*(a + b)^(3/2)) + (b*log(2*a*exp(c + d*x) - (-a)^(1/2)*(a + b)^(1/2) + (-a)^(1/2)*exp(2*c + 2*d*x)*(a + b)^(1/2)))/(2*(-a)^(1/2)*d*(a + b)^(3/2))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cosh(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral(cosh(c + d*x)/(a + b*tanh(c + d*x)**2), x)
```

$$3.109 \quad \int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=36

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d \sqrt{a+b}}$$

[Out] arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/d/a^(1/2)/(a+b)^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3676, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[a + b]\*d)

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.))^p, x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

Rubi steps



$$\int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c+dx)\right)}{d}$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{a+bd}}$$

**Mathematica [A]** time = 0.05, size = 36, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[a + b]\*d)

**fricas [B]** time = 0.42, size = 511, normalized size = 14.19

$$\left[ \frac{\sqrt{-a^2 - ab} \log\left(\frac{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 - 2(3a+b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 - 3(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [-1/2\*sqrt(-a^2 - a\*b)\*log(((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 - 2\*(3\*a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 3\*a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 - (3\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*(cosh(d\*x + c)^3 + 3\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + sinh(d\*x + c)^3 + (3\*cosh(d\*x + c)^2 - 1)\*sinh(d\*x + c) - cosh(d\*x + c))\*sqrt(-a^2 - a\*b) + a + b)/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b))/((a^2 + a\*b)\*d), (sqrt(a^2 + a\*b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^3 + (3\*a - b)\*cosh(d\*x + c) + (3\*(a + b)\*cosh(d\*x + c)^2 + 3\*a - b)\*sinh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^3 + (3\*a + b)\*cosh(d\*x + c)^2 - 2\*(3\*(a + b)\*cosh(d\*x + c)^2 - 3\*a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 - (3\*a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*(cosh(d\*x + c)^3 + 3\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + sinh(d\*x + c)^3 + (3\*cosh(d\*x + c)^2 - 1)\*sinh(d\*x + c) - cosh(d\*x + c))\*sqrt(-a^2 - a\*b) + a + b)/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)))]

$x + c)/\sqrt{a^2 + a*b}) + \sqrt{a^2 + a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a))/((a^2 + a*b)*d]$

**giac [B]** time = 0.18, size = 480, normalized size = 13.33

$$\frac{(a^3 - 10a^2b + 5ab^2 + (5a^2 - 10ab + b^2)\sqrt{-ab})\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)}|ae^{(2c)} + be^{(2c)}|\arctan\left(\frac{e^{(dx)}}{\frac{ae^{(2c)} - be^{(2c)} + \sqrt{(ae^{(2c)} - be^{(2c)})^2 - (ae^{(4c)} + be^{(4c)})(a+b)}}{ae^{(4c)} + be^{(4c)}}}\right)}{a^6 - 13a^5b - 14a^4b^2 + 14a^3b^3 + 13a^2b^4 - ab^5 + 2(3a^5 - 4a^4b - 14a^3b^2 - 4a^2b^3 + 3ab^4)\sqrt{-ab}} e^{(-2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $((a^3 - 10a^2b + 5ab^2 + (5a^2 - 10ab + b^2)\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)})*\arctan(e^{(d*x)}/\sqrt{(a*e^{(2*c)} - b*e^{(2*c)} + \sqrt{(a*e^{(2*c)} - b*e^{(2*c)})^2 - (a*e^{(4*c)} + b*e^{(4*c)})*(a + b))})/(a*e^{(4*c)} + b*e^{(4*c)})))*e^{(-2*c)}/(a^6 - 13a^5*b - 14a^4*b^2 + 14a^3*b^3 + 13a^2*b^4 - a*b^5 + 2*(3a^5 - 4a^4*b - 14a^3*b^2 - 4a^2*b^3 + 3a*b^4)*\sqrt{-a*b})) + (a^3 - 10a^2*b + 5a*b^2 - (5a^2 - 10a*b + b^2)*\sqrt{-a*b})*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)})*\arctan(e^{(d*x)}/\sqrt{(a*e^{(2*c)} - b*e^{(2*c)} - \sqrt{(a*e^{(2*c)} - b*e^{(2*c)})^2 - (a*e^{(4*c)} + b*e^{(4*c)})*(a + b))})/(a*e^{(4*c)} + b*e^{(4*c)})))*e^{(-2*c)}/(a^6 - 13a^5*b - 14a^4*b^2 + 14a^3*b^3 + 13a^2*b^4 - a*b^5 - 2*(3a^5 - 4a^4*b - 14a^3*b^2 - 4a^2*b^3 + 3a*b^4)*\sqrt{-a*b}))/d$

**maple [B]** time = 0.32, size = 235, normalized size = 6.53

$$-\frac{\arctanh\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{\arctanh\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)b}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{\arctan\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}}\right)}{d\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}} + \frac{\arctan\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}}\right)}{d\sqrt{b(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x)

[Out]  $-1/d/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x + 1/2*c))/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)} + 1/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}*\arctanh(a*\tanh(1/2*d*x + 1/2*c))/((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)} + b + 1/d/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x + 1/2*c))/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)} + 1/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)} + a + 2*b)*a)^{(1/2)}$

$/2)+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)})*b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}(dx+c)}{b \tanh(dx+c)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] integrate(sech(d\*x + c)/(b\*tanh(d\*x + c)^2 + a), x)

**mupad** [B] time = 0.34, size = 147, normalized size = 4.08

$$\frac{\operatorname{atan}\left(\frac{4a^2d^2e^{dx}e^c - e^{dx}e^c\sqrt{a^2d^2+bad^2}\sqrt{ad^2(a+b)} + e^{3c}e^{3dx}\sqrt{a^2d^2+bad^2}\sqrt{ad^2(a+b)}}{2ad\sqrt{ad^2(a+b)}}\right) + \operatorname{atan}\left(\frac{e^{dx}e^c\sqrt{ad^2(a+b)}}{2ad}\right)}{\sqrt{a^2d^2+bad^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)\*(a + b\*tanh(c + d\*x)^2)),x)

[Out] (atan((4\*a^2\*d^2\*exp(d\*x)\*exp(c) - exp(d\*x)\*exp(c)\*(a^2\*d^2 + a\*b\*d^2)^(1/2))\* (a\*d^2\*(a + b))^(1/2) + exp(3\*c)\*exp(3\*d\*x)\*(a^2\*d^2 + a\*b\*d^2)^(1/2)\*(a\*d^2\*(a + b))^(1/2))/(2\*a\*d\*(a\*d^2\*(a + b))^(1/2))) + atan((exp(d\*x)\*exp(c)\*(a\*d^2\*(a + b))^(1/2))/(2\*a\*d)))/(a^2\*d^2 + a\*b\*d^2)^(1/2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(sech(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.110 \quad \int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=32

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b} d}$$

[Out]  $\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/d/a^{(1/2)}/b^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {3675, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b} d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sech}[c + d*x]^2/(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]]/(\text{Sqrt}[a]*\text{Sqrt}[b]*d)$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$   $\text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 3675

$\text{Int}[\text{sec}[(e_ + (f_)*(x_)]^{(m_)}*((a_ + (b_)*((c_)*\tan[(e_ + (f_)*(x_)]^{(n_)}))^{(p_)}), x\_Symbol] \rightarrow \text{With}\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[\text{ff}/(c^{(m-1)}*f), \text{Subst}[\text{Int}[(c^2 + \text{ff}^2*x^2)^{(m/2-1)}*(a + b*(\text{ff}*x)^n)^p, x], x, (c*\text{Tan}[e + f*x])/\text{ff}], x] /;$   $\text{FreeQ}\{a, b, c, e, f, n, p, x\} \ \&\& \ \text{IntegerQ}[m/2] \ \&\& \ (\text{IntegersQ}[n, p] \ || \ \text{IGtQ}[m, 0] \ || \ \text{IGtQ}[p, 0] \ || \ \text{EqQ}[n^2, 4] \ || \ \text{EqQ}[n^2, 16])$

Rubi steps

$$\int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{d}$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b} d}$$

**Mathematica [A]** time = 0.06, size = 32, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b} d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(Sqrt[a]\*Sqrt[b]\*d)

**fricas [B]** time = 0.46, size = 455, normalized size = 14.22

$$\left[ \frac{\sqrt{-ab} \log\left(\frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^2 + a^2 - b^2) \sinh(dx+c)^2 + a^2 - 6ab + b^2 + 4((a^2+2ab+b^2) \cosh(dx+c)^3 + (a^2-b^2) \cosh(dx+c)) \sinh(dx+c) - 4((a+b) \cosh(dx+c)^2 + 2(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2 + a - b) \sqrt{-ab})}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 + 2(a-b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 + a - b) \sinh(dx+c)^2 + 4((a+b) \cosh(dx+c)^3 + (a-b) \cosh(dx+c)) \sinh(dx+c) + a + b)}\right)}{(a*b*d)}, \sqrt{a*b} \operatorname{arctan}\left(\frac{1}{2} \frac{(a+b) \cosh(dx+c)^2 + 2(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2 + a - b}{\sqrt{a*b}}\right) / (a*b*d) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [-1/2\*sqrt(-a\*b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(-a\*b))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b))/(a\*b\*d), sqrt(a\*b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a\*b)/(a\*b))/(a\*b\*d)]

**giac** [A] time = 0.33, size = 44, normalized size = 1.38

$$\frac{\arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{\sqrt{ab}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*d)

**maple** [B] time = 0.36, size = 363, normalized size = 11.34

$$\frac{a \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{\operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} - \frac{\operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)b}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/d\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+1/d/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/d/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*b-1/d\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*b

**maxima** [A] time = 0.52, size = 36, normalized size = 1.12

$$\frac{\arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{\sqrt{ab}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] -arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*d)

mupad [B] time = 1.46, size = 81, normalized size = 2.53

$$\frac{\operatorname{atan}\left(\frac{a\sqrt{abd^2} - b\sqrt{abd^2} + ae^{2c}e^{2dx}\sqrt{abd^2} + be^{2c}e^{2dx}\sqrt{abd^2}}{2abd}\right)}{\sqrt{abd^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cosh(c + d*x)^2*(a + b*tanh(c + d*x)^2)), x)`

[Out] `atan((a*(a*b*d^2)^(1/2) - b*(a*b*d^2)^(1/2) + a*exp(2*c)*exp(2*d*x)*(a*b*d^2)^(1/2) + b*exp(2*c)*exp(2*d*x)*(a*b*d^2)^(1/2))/(2*a*b*d))/(a*b*d^2)^(1/2)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**2/(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral(sech(c + d*x)**2/(a + b*tanh(c + d*x)**2), x)`

$$3.111 \quad \int \frac{\operatorname{sech}^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=55

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} bd} - \frac{\tan^{-1}(\sinh(c+dx))}{bd}$$

[Out]  $-\arctan(\sinh(d*x+c))/b/d+\arctan(\sinh(d*x+c)*(a+b)^{(1/2)/a^{(1/2)}}*(a+b)^{(1/2)}/b/d/a^{(1/2)})$

**Rubi [A]** time = 0.07, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 391, 203, 205}

$$\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} bd} - \frac{\tan^{-1}(\sinh(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sech}[c + d*x]^3/(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $-(\text{ArcTan}[\text{Sinh}[c + d*x]]/(b*d)) + (\text{Sqrt}[a + b]*\text{ArcTan}[(\text{Sqrt}[a + b]*\text{Sinh}[c + d*x])/(\text{Sqrt}[a])]) / (\text{Sqrt}[a]*b*d)$

### Rule 203

$\text{Int}[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

### Rule 205

$\text{Int}[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

### Rule 391

$\text{Int}[1/(((a_) + (b_)*(x_)^{(n_)})*((c_) + (d_)*(x_)^{(n_)})), x\_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

### Rule 3676



```
Int[sec[(e_.) + (f_.)*(x_.)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\int \frac{\operatorname{sech}^3(c + dx)}{a + b \tanh^2(c + dx)} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{d}$$

$$= -\frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{bd} + \frac{(a + b) \operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{bd}$$

$$= -\frac{\tan^{-1}(\sinh(c + dx))}{bd} + \frac{\sqrt{a + b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} bd}$$

**Mathematica [A]** time = 0.21, size = 55, normalized size = 1.00

$$-\frac{\frac{\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}} + 2 \tan^{-1}\left(\tanh\left(\frac{1}{2}(c + dx)\right)\right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -(((Sqrt[a + b]\*ArcTan[(Sqrt[a]\*Csch[c + d\*x])/Sqrt[a + b]])/Sqrt[a] + 2\*ArcTan[Tanh[(c + d\*x)/2]])/(b\*d))

**fricas [B]** time = 0.45, size = 540, normalized size = 9.82

$$\left[ \frac{\sqrt{-\frac{a+b}{a}} \log\left(\frac{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4 - 2(3(a+b) \cosh(dx+c)^2 + 2(3(a+b) \cosh(dx+c)^2 - 3(a-b) \sinh(dx+c)^2)) \sinh(dx+c)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)^3 + (a+b) \sinh(dx+c)^4}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

```
[Out] [1/2*(sqrt(-(a + b)/a)*log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) + 4*(a*cosh(d*x + c)^3 + 3*a*cosh(d*x + c)*sinh(d*x + c)^2 + a*sinh(d*x + c)^3 - a*cosh(d*x + c) + (3*a*cosh(d*x + c)^2 - a)*sinh(d*x + c))*sqrt(-(a + b)/a) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - 4*arctan(cosh(d*x + c) + sinh(d*x + c)))/(b*d), (sqrt((a + b)/a)*arctan(1/2*sqrt((a + b)/a)*(cosh(d*x + c) + sinh(d*x + c))) + sqrt((a + b)/a)*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*x + c) + (3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))*sqrt((a + b)/a)/(a + b)) - 2*arctan(cosh(d*x + c) + sinh(d*x + c)))/(b*d)]
```

**giac [B]** time = 0.40, size = 563, normalized size = 10.24

$$\left(2\sqrt{a^2-b^2+2\sqrt{-ab}(a+b)}ab^2|ae^{(2c)}+be^{(2c)}|+\sqrt{a^2-b^2+2\sqrt{-ab}(a+b)}\sqrt{-ab}(a+b)|ae^{(2c)}+be^{(2c)}||b|-(ab^2-b^3)\sqrt{a^2-b^2+2\sqrt{-ab}(a+b)}|ae^{(2c)}+be^{(2c)}|\right)\text{arc}$$

---


$$(a^3b+3a^2b^2+3ab^3+b^4)\sqrt{-ab}|b|$$


---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2),x, algorithm="giac")
```

```
[Out] ((2*sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*a*b^2*abs(a*e^(2*c) + b*e^(2*c)) + sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*sqrt(-a*b)*(a + b)*abs(a*e^(2*c) + b*e^(2*c))*abs(b) - (a*b^2 - b^3)*sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a*b*e^(2*c) - b^2*e^(2*c) + sqrt((a*b*e^(2*c) - b^2*e^(2*c))^2 - (a*b*e^(4*c) + b^2*e^(4*c))*(a*b + b^2)))/(a*b*e^(4*c) + b^2*e^(4*c))))*e^(-2*c)/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sqrt(-a*b)*abs(b)) - (2*sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*a*b^2*abs(a*e^(2*c) + b*e^(2*c)) - sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*sqrt(-a*b)*(a + b)*abs(a*e^(2*c) + b*e^(2*c))*abs(b) - (a*b^2 - b^3)*sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a*b*e^(2*c) - b^2*e^(2*c) - sqrt((a*b*e^(2*c) - b^2*e^(2*c))^2 - (a*b*e^(4*c) + b^2*e^(4*c))*(a*b + b^2)))/(a*b*e^(4*c) + b^2*e^(4*c))))*e^(-2*c)/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sqrt(-a*b)*abs(b)) - 2*arctan(e^(d*x + c))/b)/d
```

**maple [B]** time = 0.34, size = 494, normalized size = 8.98

$$\frac{a \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{db\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{a \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{a \operatorname{arctan}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}}\right)}{db\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}} + \frac{a \operatorname{arctan}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} + a + 2b)a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2), x)`

[Out] 
$$\begin{aligned} & -1/d*a/b/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/ \\ & ((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}- \\ & (1/2)-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b \\ & )*a)^{(1/2)})+1/d*a/b/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan(a*tanh(1/2*d \\ & *x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*a/(b*(a+b))^{(1/2)}/((2*(b \\ & *(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+ \\ & (1/2)+a+2*b)*a)^{(1/2)})-1/d/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh \\ & (1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d/(b*(a+b))^{(1/2)}/(( \\ & 2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b) \\ & ))^{(1/2)}-a-2*b)*a)^{(1/2)})*b+1/d/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan( \\ & a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d/(b*(a+b))^{(1 \\ & /2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b \\ & *(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b-2/d/b*arctan(tanh(1/2*d*x+1/2*c)) \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-\frac{2 \arctan\left(e^{(dx+c)}\right)}{bd} + 8 \int \frac{(ae^{3c} + be^{3c})e^{3dx} + (ae^c + be^c)e^{dx}}{4(ab + b^2 + (abe^{4c} + b^2e^{4c})e^{4dx} + 2(abe^{2c} - b^2e^{2c})e^{2dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^3/(a+b*tanh(d*x+c)^2), x, algorithm="maxima")`

[Out] 
$$-2*\arctan(e^{(d*x + c)})/(b*d) + 8*\integrate(1/4*((a*e^{(3*c)} + b*e^{(3*c)})*e^{(3*d*x)} + (a*e^c + b*e^c)*e^{(d*x)})/(a*b + b^2 + (a*b*e^{(4*c)} + b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a*b*e^{(2*c)} - b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**mupad [B]** time = 1.70, size = 449, normalized size = 8.16

$$\frac{\sqrt{a+b} \left( 2 \operatorname{atan}\left(\frac{e^{dx} e^c \sqrt{a+b} \sqrt{a b^2 d^2}}{2 a b d}\right) - 2 \operatorname{atan}\left(\frac{e^{dx} e^c \left( \frac{64 (2 a b^2 d \sqrt{a+b} - 6 a^2 b d \sqrt{a+b})}{a^3 b^3 d^2 (a+b)^2 (a^2+2 a b+b^2)} + \frac{32 (3 a^2 \sqrt{a b^2 d^2} - b^2 \sqrt{a b^2 d^2} + 2 a b \sqrt{a b^2 d^2})}{a^3 b^2 d (a+b)^{3/2} (a^2+2 a b+b^2) \sqrt{a b^2 d^2}} \right)}{32 e^c}\right)}{2 \sqrt{a b^2 d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cosh(c + d*x)^3*(a + b*tanh(c + d*x)^2)), x)`

[Out] 
$$\begin{aligned} & ((a + b)^{1/2} * (2 * \operatorname{atan}(\frac{\exp(d*x) * \exp(c) * (a + b)^{1/2} * (a*b^2*d^2)^{1/2}}{2 * a*b*d})) - 2 * \operatorname{atan}(\frac{\exp(d*x) * \exp(c) * ((64 * (2 * a*b^2*d * (a + b)^{1/2}) - 6 * a^2 * b * d * (a + b)^{1/2}))}{(a^3 * b^3 * d^2 * (a + b)^2 * (2 * a*b + a^2 + b^2)) + (32 * (3 * a^2 * (a*b^2*d^2)^{1/2} - b^2 * (a*b^2*d^2)^{1/2} + 2 * a*b * (a*b^2*d^2)^{1/2}))}{(a^3 * b^2 * d * (a + b)^{3/2} * (2 * a*b + a^2 + b^2) * (a*b^2*d^2)^{1/2})}) - (32 * \exp(3*c) * \exp(3*d*x) * (3 * a^2 * (a*b^2*d^2)^{1/2} - b^2 * (a*b^2*d^2)^{1/2} + 2 * a*b * (a*b^2*d^2)^{1/2}))}{(a^3 * b^2 * d * (a + b)^{3/2} * (2 * a*b + a^2 + b^2) * (a*b^2*d^2)^{1/2}})) * (a^4 * b * (a + b) * (a*b^2*d^2)^{1/2} + a^2 * b^3 * (a + b) * (a*b^2*d^2)^{1/2} + 2 * a^3 * b^2 * (a + b) * (a*b^2*d^2)^{1/2})) / (192 * a - 64 * b)) / (2 * (a*b^2*d^2)^{1/2}) - (2 * \operatorname{atan}(\frac{\exp(d*x) * \exp(c) * (9 * a^2 * (b^2*d^2)^{1/2} + b^2 * (b^2*d^2)^{1/2} - 6 * a*b * (b^2*d^2)^{1/2})}{(b^3*d - 6 * a*b^2*d + 9 * a^2*b*d)})} / (b^2*d^2)^{1/2} \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**3/(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral(sech(c + d*x)**3/(a + b*tanh(c + d*x)**2), x)`

$$3.112 \quad \int \frac{\operatorname{sech}^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=50

$$\frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd}$$

[Out] (a+b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/b^(3/2)/d/a^(1/2)-tanh(d\*x+c)/b/d

**Rubi [A]** time = 0.07, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3675, 388, 205}

$$\frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)\*d) - Tanh[c + d\*x]/(b\*d)

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 388

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p+1))/(b\*(n\*(p+1)+1)), x] - Dist[(a\*d - b\*c\*(n\*(p+1)+1))/(b\*(n\*(p+1)+1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p+1)+1, 0]

#### Rule 3675

Int[sec[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4])

|| EqQ[n^2, 16])

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{a+bx^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{\tanh(c+dx)}{bd} + \frac{(a+b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{bd} \\ &= \frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 50, normalized size = 1.00

$$\frac{(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} d} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)\*d) - Tanh[c + d\*x]/(b\*d)

**fricas [B]** time = 0.44, size = 649, normalized size = 12.98

$$\left[ \frac{((a+b) \cosh(dx+c)^2 + 2(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2 + a+b) \sqrt{-ab} \log\left(\frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^2 + a^2 - b^2) \sinh(dx+c)^2 + a^2 - 6ab + b^2}{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(3(a^2+2ab+b^2) \cosh(dx+c)^2 + a^2 - b^2) \sinh(dx+c)^2 + a^2 - 6ab + b^2}\right)}{(a+b) \cosh(dx+c)^2 + 2(a+b) \cosh(dx+c) \sinh(dx+c) + (a+b) \sinh(dx+c)^2 + a+b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [-1/2\*(((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a + b)\*sqrt(-a\*b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2)

+ 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(-a\*b))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) - 4\*a\*b)/(a\*b^2\*d\*cosh(d\*x + c)^2 + 2\*a\*b^2\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*b^2\*d\*sinh(d\*x + c)^2 + a\*b^2\*d), (((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a + b)\*sqrt(a\*b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a\*b)/(a\*b)) + 2\*a\*b)/(a\*b^2\*d\*cosh(d\*x + c)^2 + 2\*a\*b^2\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*b^2\*d\*sinh(d\*x + c)^2 + a\*b^2\*d)]

**giac** [A] time = 0.34, size = 84, normalized size = 1.68

$$\frac{\frac{(ae^{2c}+be^{2c}) \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}b} + \frac{2}{b(e^{2dx+2c}+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] ((a\*e^(2\*c) + b\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*b) + 2/(b\*(e^(2\*d\*x + 2\*c) + 1)))/d

**maple** [B] time = 0.30, size = 648, normalized size = 12.96

$$\frac{a^2 \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{db\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} + \frac{a \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{db\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}} - \frac{2a \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}\right)}{d\sqrt{b(a+b)}\sqrt{(2\sqrt{b(a+b)} - a - 2b)a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/d\*a^2/b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+1/d\*a/b/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-2/d\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/d\*a^2/b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/d\*a/b/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)

$$\begin{aligned}
 & *b) * a)^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} - 2/d * a / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} + 1/d / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} - 1/d / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)}) * b - 1/d / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} - 1/d / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)}) * b - 2/d / b * \tanh(1/2 * d * x + 1/2 * c) / (\tanh(1/2 * d * x + 1/2 * c)^2 + 1)
 \end{aligned}$$

**maxima** [A] time = 0.45, size = 63, normalized size = 1.26

$$\frac{(a + b) \arctan\left(\frac{(a+b)e^{-2dx-2c} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}bd} - \frac{2}{(be^{-2dx-2c} + b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $-(a + b) * \arctan(1/2 * ((a + b) * e^{-2 * d * x - 2 * c} + a - b) / \sqrt{a * b}) / (\sqrt{a * b} * b * d) - 2 / ((b * e^{-2 * d * x - 2 * c} + b) * d)$

**mupad** [B] time = 1.61, size = 176, normalized size = 3.52

$$\frac{2}{bd(e^{2c+2dx} + 1)} + \frac{\ln\left(-\frac{4e^{2c+2dx}}{b} - \frac{2(ad+bd+a de^{2c+2dx}-b de^{2c+2dx})}{\sqrt{-a} b^{3/2} d}\right) (a + b)}{2\sqrt{-a} b^{3/2} d} - \frac{\ln\left(\frac{2(ad+bd+a de^{2c+2dx}-b de^{2c+2dx})}{\sqrt{-a} b^{3/2} d} - \frac{4e^{2c+2dx}}{b}\right) (a + b)}{2\sqrt{-a} b^{3/2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)),x)

[Out]  $2/(b*d*(\exp(2*c + 2*d*x) + 1)) + (\log(- (4*\exp(2*c + 2*d*x))/b - (2*(a*d + b*d + a*d*\exp(2*c + 2*d*x) - b*d*\exp(2*c + 2*d*x))))/((-a)^{(1/2)}*b^{(3/2)}*d)) * (a + b))/((2*(-a)^{(1/2)}*b^{(3/2)}*d) - (\log((2*(a*d + b*d + a*d*\exp(2*c + 2*d*x) - b*d*\exp(2*c + 2*d*x))))/((-a)^{(1/2)}*b^{(3/2)}*d) - (4*\exp(2*c + 2*d*x))/b)* (a + b))/((2*(-a)^{(1/2)}*b^{(3/2)}*d)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^4(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(sech(d*x+c)**4/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(sech(c + d*x)**4/(a + b*tanh(c + d*x)**2), x)
```

$$3.113 \quad \int \frac{\operatorname{sech}^5(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=86

$$\frac{(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^2 d} - \frac{(2a+3b) \tan^{-1}(\sinh(c+dx))}{2b^2 d} - \frac{\tanh(c+dx) \operatorname{sech}(c+dx)}{2bd}$$

[Out]  $-1/2*(2*a+3*b)*\arctan(\sinh(d*x+c))/b^2/d+(a+b)^{(3/2)*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)/a^{(1/2)})/b^2/d/a^{(1/2)}-1/2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/b/d$

**Rubi [A]** time = 0.12, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 414, 522, 203, 205}

$$\frac{(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^2 d} - \frac{(2a+3b) \tan^{-1}(\sinh(c+dx))}{2b^2 d} - \frac{\tanh(c+dx) \operatorname{sech}(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] `Int[Sech[c + d*x]^5/(a + b*Tanh[c + d*x]^2), x]`

[Out]  $-\left(\frac{(2a+3b)\operatorname{ArcTan}[\operatorname{Sinh}[c+d*x]]}{2b^2d} + \frac{(a+b)^{3/2}\operatorname{ArcTan}\left[\frac{\sqrt{a+b}\operatorname{Sinh}[c+d*x]}{\sqrt{a}}\right]}{\sqrt{a}b^2d} - \frac{\operatorname{Sech}[c+d*x]\operatorname{Tanh}[c+d*x]}{2bd}\right)$

### Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

### Rule 414

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[1/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q*Simp[b*c + n*(p+1)*(b*c - a*d) + d*b*(n*(p+q+2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]`

&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3676

Int[sec[(e\_) + (f\_)\*(x\_)^(m\_)]\*((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)^(n\_)])^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2)], x]^p/(1 - ff^2\*x^2)^(m + n\*p + 1)/2], x, Sin[e + f\*x]/ff, x] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^5(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)^2(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{d} \\ &= -\frac{\operatorname{sech}(c + dx) \tanh(c + dx)}{2bd} + \frac{\operatorname{Subst}\left(\int \frac{a+2b+(-a-b)x^2}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{2bd} \\ &= -\frac{\operatorname{sech}(c + dx) \tanh(c + dx)}{2bd} + \frac{(a+b)^2 \operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{b^2d} - \frac{2a}{b^2d} \\ &= -\frac{(2a+3b) \tan^{-1}(\sinh(c + dx))}{2b^2d} + \frac{(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^2d} - \frac{\operatorname{sech}(c + dx)}{2b^2d} \end{aligned}$$

**Mathematica [A]** time = 0.60, size = 79, normalized size = 0.92

$$\frac{2(2a+3b) \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + \frac{2(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{\sqrt{a}} + b \tanh(c+dx) \operatorname{sech}(c+dx)}{2b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2),x]

[Out] 
$$-1/2*((2*(a + b)^{(3/2)}*ArcTan[(Sqrt[a]*Csch[c + d*x])/Sqrt[a + b]])/Sqrt[a] + 2*(2*a + 3*b)*ArcTan[Tanh[(c + d*x)/2]] + b*Sech[c + d*x]*Tanh[c + d*x]) / (b^2*d)$$

**fricas** [B] time = 0.47, size = 1584, normalized size = 18.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*(2*b*cosh(d*x + c)^3 + 6*b*cosh(d*x + c)*sinh(d*x + c)^2 + 2*b*sinh(d*x + c)^3 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt(-(a + b)/a)*log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) + 4*(a*cosh(d*x + c)^3 + 3*a*cosh(d*x + c)*sinh(d*x + c)^2 + a*sinh(d*x + c)^3 - a*cosh(d*x + c) + (3*a*cosh(d*x + c)^2 - a)*sinh(d*x + c)))*sqrt(-(a + b)/a) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 2*((2*a + 3*b)*cosh(d*x + c)^4 + 4*(2*a + 3*b)*cosh(d*x + c)*sinh(d*x + c)^3 + (2*a + 3*b)*sinh(d*x + c)^4 + 2*(2*a + 3*b)*cosh(d*x + c)^2 + 2*(3*(2*a + 3*b)*cosh(d*x + c)^2 + 2*a + 3*b)*sinh(d*x + c)^2 + 4*((2*a + 3*b)*cosh(d*x + c)^3 + (2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 2*a + 3*b)*arctan(cosh(d*x + c) + sinh(d*x + c)) - 2*b*cosh(d*x + c) + 2*(3*b*cosh(d*x + c)^2 - b)*sinh(d*x + c))/(b^2*d*cosh(d*x + c)^4 + 4*b^2*d*cosh(d*x + c)*sinh(d*x + c)^3 + b^2*d*sinh(d*x + c)^4 + 2*b^2*d*cosh(d*x + c)^2 + b^2*d + 2*(3*b^2*d*cosh(d*x + c)^2 + b^2*d)*sinh(d*x + c)^2 + 4*(b^2*d*cosh(d*x + c)^3 + b^2*d*cosh(d*x + c))*sinh(d*x + c)), -(b*cosh(d*x + c)^3 + 3*b*cosh(d*x + c)*sinh(d*x + c)^2 + b*sinh(d*x + c)^3 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt((a + b)/a)*arctan(1/2*sqrt((a + b)/a)*(cosh(d*x + c) + sinh(d*x + c))) - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a + b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a + b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*sqrt((a + b)/a)*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*$$

```

cosh(d*x + c)*sinh(d*x + c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*
x + c) + (3*(a + b)*cosh(d*x + c)^2 + 3*a - b)*sinh(d*x + c))*sqrt((a + b)/
a)/(a + b)) + ((2*a + 3*b)*cosh(d*x + c)^4 + 4*(2*a + 3*b)*cosh(d*x + c)*si
nh(d*x + c)^3 + (2*a + 3*b)*sinh(d*x + c)^4 + 2*(2*a + 3*b)*cosh(d*x + c)^2
+ 2*(3*(2*a + 3*b)*cosh(d*x + c)^2 + 2*a + 3*b)*sinh(d*x + c)^2 + 4*((2*a
+ 3*b)*cosh(d*x + c)^3 + (2*a + 3*b)*cosh(d*x + c))*sinh(d*x + c) + 2*a + 3
*b)*arctan(cosh(d*x + c) + sinh(d*x + c)) - b*cosh(d*x + c) + (3*b*cosh(d*x
+ c)^2 - b)*sinh(d*x + c))/(b^2*d*cosh(d*x + c)^4 + 4*b^2*d*cosh(d*x + c)*
sinh(d*x + c)^3 + b^2*d*sinh(d*x + c)^4 + 2*b^2*d*cosh(d*x + c)^2 + b^2*d +
2*(3*b^2*d*cosh(d*x + c)^2 + b^2*d)*sinh(d*x + c)^2 + 4*(b^2*d*cosh(d*x +
c)^3 + b^2*d*cosh(d*x + c))*sinh(d*x + c))]

```

**giac** [B] time = 0.40, size = 428, normalized size = 4.98

$$\frac{\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)}(a + \sqrt{-ab})|ae^{(2c)} + be^{(2c)}| \arctan\left(\frac{e^{(dx)}}{\sqrt{\frac{ab^2e^{(2c)} - b^3e^{(2c)} + \sqrt{(ab^2e^{(2c)} - b^3e^{(2c)})^2 - (ab^2e^{(4c)} + b^3e^{(4c)})(ab^2 + b^3)}}}{ab^2e^{(4c)} + b^3e^{(4c)}}}\right)}{e^{(-2c)}} + \frac{\sqrt{a^2 - b^2 - 2\sqrt{-ab}ab^2}}{a^2b^2 - ab^3 + 2\sqrt{-ab}ab^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

```

[Out] (sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*(a + sqrt(-a*b))*abs(a*e^(2*c) + b*
e^(2*c))*arctan(e^(d*x)/sqrt((a*b^2*e^(2*c) - b^3*e^(2*c) + sqrt((a*b^2*e^(
2*c) - b^3*e^(2*c))^2 - (a*b^2*e^(4*c) + b^3*e^(4*c))*(a*b^2 + b^3))))/(a*b^
2*e^(4*c) + b^3*e^(4*c)))e^(-2*c)/(a^2*b^2 - a*b^3 + 2*sqrt(-a*b)*a*b^2)
+ sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*(a - sqrt(-a*b))*abs(a*e^(2*c) + b
*e^(2*c))*arctan(e^(d*x)/sqrt((a*b^2*e^(2*c) - b^3*e^(2*c) - sqrt((a*b^2*e^(
2*c) - b^3*e^(2*c))^2 - (a*b^2*e^(4*c) + b^3*e^(4*c))*(a*b^2 + b^3))))/(a*b
^2*e^(4*c) + b^3*e^(4*c)))e^(-2*c)/(a^2*b^2 - a*b^3 - 2*sqrt(-a*b)*a*b^2)
- (2*a*e^c + 3*b*e^c)*arctan(e^(d*x + c))*e^(-c)/b^2 - (e^(3*d*x + 3*c) -
e^(d*x + c))/(b*(e^(2*d*x + 2*c) + 1)^2))/d

```

**maple** [B] time = 0.33, size = 836, normalized size = 9.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x)

```

[Out] -1/d*a^2/b^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2
*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-2/d*a/b/((2*(b*(a+b))^(1/2)-a-2*b)

```

$$\begin{aligned} & *a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} \\ & ) - 1/d / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 \\ & * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} + 1/d * a^2/b / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} - a - 2 * \\ & b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} - a - 2 * \\ & b) * a)^{(1/2)} + 2/d * a / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctan} \\ & \operatorname{anh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} + 1/d / (b * (a + b) \\ & )^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * \operatorname{arctanh}(a * \tanh(1/2 * d * x + 1/2 * c)) / ( \\ & (2 * (b * (a + b))^{(1/2)} - a - 2 * b) * a)^{(1/2)} * b + 1/d * a^2/b^2 / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b \\ & ) * a)^{(1/2)} * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} \\ & ) + 2/d * a/b / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / \\ & ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} + 1/d / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} \\ & ) * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} + 1/d * a^2 \\ & /b / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \operatorname{arctan}(a * \tanh(1/2 * d * \\ & x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} + 2/d * a / (b * (a + b))^{(1/2)} / ((2 * (b * \\ & (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + (1/ \\ & 2) + a + 2 * b) * a)^{(1/2)} + 1/d / (b * (a + b))^{(1/2)} / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} \\ & ) * \operatorname{arctan}(a * \tanh(1/2 * d * x + 1/2 * c)) / ((2 * (b * (a + b))^{(1/2)} + a + 2 * b) * a)^{(1/2)} * b + 1/d/b / \\ & (\tanh(1/2 * d * x + 1/2 * c)^2 + 1)^2 * \tanh(1/2 * d * x + 1/2 * c)^3 - 1/d/b / (\tanh(1/2 * d * x + 1/2 * c \\ & )^2 + 1)^2 * \tanh(1/2 * d * x + 1/2 * c) - 3/d/b * \operatorname{arctan}(\tanh(1/2 * d * x + 1/2 * c)) - 2/d/b^2 * \operatorname{arct} \\ & \operatorname{an}(\tanh(1/2 * d * x + 1/2 * c)) * a \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^{(3dx+3c)} - e^{(dx+c)}}{bde^{(4dx+4c)} + 2bde^{(2dx+2c)} + bd} - \frac{(2ae^c + 3be^c) \operatorname{arctan}(e^{(dx+c)}) e^{(-c)}}{b^2d} + 32 \int \frac{(a^2e^{(3c)} + 2abe^{(3c)} + b^2e^{(3c)})e^{(3dx)}}{16(ab^2 + b^3 + (ab^2e^{(4c)} + b^3e^{(4c)})e^{(4dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $-(e^{(3dx+3c)} - e^{(dx+c)}) / (b * d * e^{(4dx+4c)} + 2 * b * d * e^{(2dx+2c)} + b * d) - (2 * a * e^c + 3 * b * e^c) * \operatorname{arctan}(e^{(dx+c)}) * e^{(-c)} / (b^2 * d) + 32 * \int \operatorname{egrate}(1/16 * ((a^2 * e^{(3c)} + 2 * a * b * e^{(3c)} + b^2 * e^{(3c)}) * e^{(3dx)} + (a^2 * e^c + 2 * a * b * e^c + b^2 * e^c) * e^{(dx)}) / (a * b^2 + b^3 + (a * b^2 * e^{(4c)} + b^3 * e^{(4c)}) * e^{(4dx)} + 2 * (a * b^2 * e^{(2c)} - b^3 * e^{(2c)}) * e^{(2dx)}), x)$

**mupad** [B] time = 2.10, size = 1012, normalized size = 11.77

$$\left( 2 \operatorname{atan} \left( \frac{\left( e^{dx} e^c \left( \frac{64 \left( 12 a^2 b^4 d \sqrt{a^3 + 3 a^2 b + 3 a b^2 + b^3} - 2 a b^5 d \sqrt{a^3 + 3 a^2 b + 3 a b^2 + b^3} + 18 a^3 b^3 d \sqrt{a^3 + 3 a^2 b + 3 a b^2 + b^3} + 6 a^4 b^2 d \sqrt{a^3 + 3 a^2 b + 3 a b^2 + b^3} \right)}{a^3 b^9 d^2 (a+b)^2 (a^2 + 2 a b + b^2)} \right) - 32 \left( 3 a^5 \sqrt{a b} \right)}{\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cosh(c + d*x)^5*(a + b*tanh(c + d*x)^2)),x)`

[Out] 
$$\left( \frac{2 \operatorname{atan}\left(\frac{\exp(dx) \exp(c) \left(64(12a^2b^4d(3ab^2 + 3a^2b + a^3 + b^3)^{1/2} - 2ab^5d(3ab^2 + 3a^2b + a^3 + b^3)^{1/2} + 18a^3b^3d(3ab^2 + 3a^2b + a^3 + b^3)^{1/2} + 6a^4b^2d(3ab^2 + 3a^2b + a^3 + b^3)^{1/2}\right)}{a^3b^9d^2(a+b)^2(2ab + a^2 + b^2)} - (32(3a^5(a b^4d^2)^{1/2} - b^5(a b^4d^2)^{1/2} + 4ab^4(a b^4d^2)^{1/2} + 15a^4b(a b^4d^2)^{1/2} + 20a^2b^3(a b^4d^2)^{1/2} + 27a^3b^2(a b^4d^2)^{1/2})}{a^3b^7d((a+b)^3)^{1/2}(2ab + a^2 + b^2)(a b^4d^2)^{1/2}}\right) + (32 \exp(3c) \exp(3dx) (3a^5(a b^4d^2)^{1/2} - b^5(a b^4d^2)^{1/2} + 4ab^4(a b^4d^2)^{1/2} + 15a^4b(a b^4d^2)^{1/2} + 20a^2b^3(a b^4d^2)^{1/2} + 27a^3b^2(a b^4d^2)^{1/2})}{a^3b^7d((a+b)^3)^{1/2}(2ab + a^2 + b^2)(a b^4d^2)^{1/2}} + 2a^3b^6(a b^4d^2)^{1/2} + a^4b^5(a b^4d^2)^{1/2})}{384ab^2 + 576a^2b + 192a^3 - 64b^3} + 2 \operatorname{atan}\left(\frac{\exp(dx) \exp(c) (a+b)^2(a b^4d^2)^{1/2}}{2ab^2d((a+b)^3)^{1/2}}\right) \frac{(3ab^2 + 3a^2b + a^3 + b^3)^{1/2}}{(2(a b^4d^2)^{1/2})} - \operatorname{atan}\left(\frac{\exp(dx) \exp(c) (18a^7(b^4d^2)^{1/2} + 3b^7(b^4d^2)^{1/2} + 30a^2b^5(b^4d^2)^{1/2} + 342a^3b^4(b^4d^2)^{1/2} + 555a^4b^3(b^4d^2)^{1/2} + 396a^5b^2(b^4d^2)^{1/2} - 34ab^6(b^4d^2)^{1/2} + 135a^6b(b^4d^2)^{1/2})}{b^8d(12ab + 4a^2 + 9b^2)^{1/2} - 12ab^7d(12ab + 4a^2 + 9b^2)^{1/2} + 18a^2b^6d(12ab + 4a^2 + 9b^2)^{1/2} + 102a^3b^5d(12ab + 4a^2 + 9b^2)^{1/2} + 117a^4b^4d(12ab + 4a^2 + 9b^2)^{1/2} + 54a^5b^3d(12ab + 4a^2 + 9b^2)^{1/2} + 9a^6b^2d(12ab + 4a^2 + 9b^2)^{1/2}}\right) \frac{(12ab + 4a^2 + 9b^2)^{1/2}}{(b^4d^2)^{1/2}} - \frac{\exp(c + dx)}{b d (\exp(2c + 2dx) + 1)} + \frac{2 \exp(c + dx)}{b d (2 \exp(2c + 2dx) + \exp(4c + 4dx) + 1)} \right)$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^5(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**5/(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral(sech(c + d*x)**5/(a + b*tanh(c + d*x)**2), x)`

$$3.114 \quad \int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=75

$$\frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{5/2} d} - \frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{\tanh^3(c+dx)}{3bd}$$

[Out]  $(a+b)^2 \arctan(b^{1/2} \tanh(dx+c)/a^{1/2})/b^{5/2}/d/a^{1/2} - (a+2b) \tanh(dx+c)/b^2/d + 1/3 \tanh(dx+c)^3/b/d$

**Rubi [A]** time = 0.09, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3675, 390, 205}

$$-\frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{5/2} d} + \frac{\tanh^3(c+dx)}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $((a+b)^2 \operatorname{ArcTan}[\operatorname{Sqrt}[b] \operatorname{Tanh}[c+d*x]]/\operatorname{Sqrt}[a])/(\operatorname{Sqrt}[a] b^{5/2} d) - (a+2b) \operatorname{Tanh}[c+d*x]/(b^2 d) + \operatorname{Tanh}[c+d*x]^3/(3*b*d)$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]))^(n\_)]^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4])



|| EqQ[n<sup>2</sup>, 16])

### Rubi steps

$$\begin{aligned}
 \int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{a+bx^2} dx, x, \tanh(c+dx)\right)}{d} \\
 &= \frac{\operatorname{Subst}\left(\int \left(-\frac{a+2b}{b^2} + \frac{x^2}{b} + \frac{a^2+2ab+b^2}{b^2(a+bx^2)}\right) dx, x, \tanh(c+dx)\right)}{d} \\
 &= -\frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{\tanh^3(c+dx)}{3bd} + \frac{(a+b)^2 \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{b^2 d} \\
 &= \frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{5/2} d} - \frac{(a+2b) \tanh(c+dx)}{b^2 d} + \frac{\tanh^3(c+dx)}{3bd}
 \end{aligned}$$

**Mathematica [A]** time = 0.40, size = 71, normalized size = 0.95

$$\frac{(a+b)^2 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{5/2} d} - \frac{\tanh(c+dx) (3a + b \operatorname{sech}^2(c+dx) + 5b)}{3b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)^2\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(5/2)\*d) - ((3\*a + 5\*b + b\*Sech[c + d\*x]^2)\*Tanh[c + d\*x])/(3\*b^2\*d)

**fricas [B]** time = 0.48, size = 2032, normalized size = 27.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/6\*(12\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)^4 + 48\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 12\*(a^2\*b + a\*b^2)\*sinh(d\*x + c)^4 + 12\*a^2\*b + 20\*a\*b^2 + 24\*(a^2\*b + 2\*a\*b^2)\*cosh(d\*x + c)^2 + 24\*(a^2\*b + 2\*a\*b^2 + 3\*(a^2\*b + a\*b^2))\*cosh(d\*x + c)^2\*sinh(d\*x + c)^2 - 3\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(a^2\*b + a\*b^2)\*sinh(d\*x + c)^2)]

$$\begin{aligned}
& c)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b \\
& + b^2)*\sinh(d*x + c)^6 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 3*(5*(a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 4*(5* \\
& (a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))* \\
& \sinh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 3*(5*(a^2 + 2*a*b \\
& + b^2)*\cosh(d*x + c)^4 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a \\
& *b + b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 6*((a^2 + 2*a*b + b^2)*\cosh \\
& (d*x + c)^5 + 2*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*c \\
& osh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + \\
& c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b \\
& + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b \\
& + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4 \\
& *((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x \\
& + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) \\
& + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4 \\
& *(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b \\
& )*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + \\
& 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b) \\
& ) + 48*((a^2*b + a*b^2)*\cosh(d*x + c)^3 + (a^2*b + 2*a*b^2)*\cosh(d*x + c))* \\
& \sinh(d*x + c))/ (a*b^3*d*\cosh(d*x + c)^6 + 6*a*b^3*d*\cosh(d*x + c)*\sinh(d*x \\
& + c)^5 + a*b^3*d*\sinh(d*x + c)^6 + 3*a*b^3*d*\cosh(d*x + c)^4 + 3*a*b^3*d*c \\
& osh(d*x + c)^2 + a*b^3*d + 3*(5*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d)*\sinh(d*x \\
& + c)^4 + 4*(5*a*b^3*d*\cosh(d*x + c)^3 + 3*a*b^3*d*\cosh(d*x + c))*\sinh(d*x \\
& + c)^3 + 3*(5*a*b^3*d*\cosh(d*x + c)^4 + 6*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d) \\
& *\sinh(d*x + c)^2 + 6*(a*b^3*d*\cosh(d*x + c)^5 + 2*a*b^3*d*\cosh(d*x + c)^3 + \\
& a*b^3*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/3*(6*(a^2*b + a*b^2)*\cosh(d*x + c \\
& )^4 + 24*(a^2*b + a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + 6*(a^2*b + a*b^2)* \\
& \sinh(d*x + c)^4 + 6*a^2*b + 10*a*b^2 + 12*(a^2*b + 2*a*b^2)*\cosh(d*x + c)^2 \\
& + 12*(a^2*b + 2*a*b^2 + 3*(a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 \\
& + 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)*\sinh(d*x + c)^5 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^6 + 3*(a^2 + 2*a*b \\
& + b^2)*\cosh(d*x + c)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + \\
& 2*a*b + b^2)*\sinh(d*x + c)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3 \\
& *(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2) \\
& *\cosh(d*x + c)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 6*(a^2 + 2*a* \\
& b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b \\
& + b^2 + 6*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 2*(a^2 + 2*a*b + b^2)*cos \\
& h(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}* \\
& \arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) \\
& + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b)) + 24*((a^2*b + a*b^2)* \\
& \cosh(d*x + c)^3 + (a^2*b + 2*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/ (a*b^3*d* \\
& \cosh(d*x + c)^6 + 6*a*b^3*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + a*b^3*d*\sinh(d* \\
& x + c)^6 + 3*a*b^3*d*\cosh(d*x + c)^4 + 3*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d \\
& + 3*(5*a*b^3*d*\cosh(d*x + c)^2 + a*b^3*d)*\sinh(d*x + c)^4 + 4*(5*a*b^3*d*c \\
& osh(d*x + c)^3 + 3*a*b^3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(5*a*b^3*d*cos
\end{aligned}$$

$h(dx + c)^4 + 6ab^3d \cosh(dx + c)^2 + ab^3d \sinh(dx + c)^2 + 6(a^3b^3d \cosh(dx + c)^5 + 2a^3b^3d \cosh(dx + c)^3 + a^3b^3d \cosh(dx + c)) \sinh(dx + c)]$

**giac [B]** time = 0.36, size = 153, normalized size = 2.04

$$\frac{3(a^2e^{2c} + 2abe^{2c} + b^2e^{2c}) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right) e^{-2c}}{\sqrt{ab}b^2} + \frac{2(3ae^{4dx+4c} + 3be^{4dx+4c} + 6ae^{2dx+2c} + 12be^{2dx+2c} + 3a + 5b)}{b^2(e^{2dx+2c} + 1)^3}$$


---


$$3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^6/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{3} * (3 * (a^2 * e^{2 * c} + 2 * a * b * e^{2 * c} + b^2 * e^{2 * c})) * \arctan(1/2 * (a * e^{2 * d * x} + 2 * c) + b * e^{2 * d * x} + 2 * c) + a - b) / \sqrt{a * b} * e^{-2 * c} / (\sqrt{a * b} * b^2) + 2 * (3 * a * e^{4 * d * x} + 4 * c) + 3 * b * e^{4 * d * x} + 4 * c) + 6 * a * e^{2 * d * x} + 2 * c) + 12 * b * e^{2 * d * x} + 2 * c) + 3 * a + 5 * b) / (b^2 * (e^{2 * d * x} + 2 * c) + 1)^3) / d$

**maple [B]** time = 0.35, size = 1077, normalized size = 14.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(dx+c)^6/(a+b\*tanh(dx+c)^2),x)

[Out]  $-1/d/b^2 * a^3 / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) - 3/d * a^2 / b / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) - 3/d * a / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) + 1/d * a^2 / b^2 / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) + 2/d * a / b / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) + 1/d / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) - 1/d / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2} * \arctanh(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} - a - 2 * b) * a)^{1/2}) * b - 1/d / b^2 * a^3 / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2}) - 3/d * a^2 / b / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2}) - 3/d * a / (b * (a + b))^{1/2} / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2}) - 1/d * a^2 / b^2 / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2}) - 2/d * a / b / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * d * x + 1/2 * c) / ((2 * (b * (a + b))^{1/2} + a + 2 * b) * a)^{1/2})$

$\left. \right)^{(1/2)+a+2*b)*a)^{(1/2)}-1/d/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}))-1/d/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}))*b-2/d/b^2/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)^5*a-4/d/b/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)^5-4/d/b^2/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)^3*a-16/3/d/b/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)^3-2/d/b^2/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)*a-4/d/b/(\tanh(1/2*d*x+1/2*c)^{2+1})^3*\tanh(1/2*d*x+1/2*c)$

**maxima [B]** time = 0.46, size = 140, normalized size = 1.87

$$\frac{2\left(6(a+2b)e^{(-2dx-2c)}+3(a+b)e^{(-4dx-4c)}+3a+5b\right)\left(a^2+2ab+b^2\right)\arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{3\left(3b^2e^{(-2dx-2c)}+3b^2e^{(-4dx-4c)}+b^2e^{(-6dx-6c)}+b^2\right)d}\sqrt{ab}b^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $-2/3*(6*(a+2*b)*e^{(-2*d*x-2*c)}+3*(a+b)*e^{(-4*d*x-4*c)}+3*a+5*b)/((3*b^2*e^{(-2*d*x-2*c)}+3*b^2*e^{(-4*d*x-4*c)}+b^2*e^{(-6*d*x-6*c)}+b^2)*d)-(a^2+2*a*b+b^2)*\arctan(1/2*((a+b)*e^{(-2*d*x-2*c)}+a-b)/\sqrt{a*b})/(\sqrt{a*b}*b^2*d)$

**mupad [B]** time = 1.65, size = 252, normalized size = 3.36

$$\frac{4}{bd\left(2e^{2c+2dx}+e^{4c+4dx}+1\right)}-\frac{8}{3bd\left(3e^{2c+2dx}+3e^{4c+4dx}+e^{6c+6dx}+1\right)}+\frac{2(a+b)}{b^2d\left(e^{2c+2dx}+1\right)}+\frac{\ln\left(-\frac{4e^{2c+2dx}(a+b)}{b^2}\right)}{b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c+d\*x)^6\*(a+b\*tanh(c+d\*x)^2)),x)

[Out]  $4/(b*d*(2*\exp(2*c+2*d*x)+\exp(4*c+4*d*x)+1))-8/(3*b*d*(3*\exp(2*c+2*d*x)+3*\exp(4*c+4*d*x)+\exp(6*c+6*d*x)+1))+(2*(a+b))/(b^2*d*(\exp(2*c+2*d*x)+1))+(\log(-(4*\exp(2*c+2*d*x)*(a+b))/b^2-(2*(a+b)*(a+b+a*\exp(2*c+2*d*x))-b*\exp(2*c+2*d*x)))/((-a)^{(1/2)}*b^{(5/2)}))*((a+b)^2)/((2*(-a)^{(1/2)}*b^{(5/2)}*d)-(\log((2*(a+b)*(a+b+a*\exp(2*c+2*d*x))-b*\exp(2*c+2*d*x)))/((-a)^{(1/2)}*b^{(5/2)})-(4*\exp(2*c+2*d*x)*(a+b))/b^2)*(a+b)^2)/((2*(-a)^{(1/2)}*b^{(5/2)}*d))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^6(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**6/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(sech(c + d*x)**6/(a + b*tanh(c + d*x)**2), x)
```

$$3.115 \quad \int \frac{\cosh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=128

$$\frac{b^2(6a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{2ad(a+b)^3((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh^3(c+dx)}{3d(a+b)^2} + \frac{(a+3b) \sinh(c+dx)}{d(a+b)^3}$$

[Out] 1/2\*b^2\*(6\*a+b)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(3/2)/(a+b)^(7/2)/d+(a+3\*b)\*sinh(d\*x+c)/(a+b)^3/d+1/3\*sinh(d\*x+c)^3/(a+b)^2/d+1/2\*b^3\*sinh(d\*x+c)/a/(a+b)^3/d/(a+(a+b)\*sinh(d\*x+c)^2)

**Rubi [A]** time = 0.18, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 390, 385, 205}

$$\frac{b^2(6a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{2ad(a+b)^3((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh^3(c+dx)}{3d(a+b)^2} + \frac{(a+3b) \sinh(c+dx)}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (b^2\*(6\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^(7/2)\*d) + ((a + 3\*b)\*Sinh[c + d\*x])/((a + b)^3\*d) + Sinh[c + d\*x]^3/(3\*(a + b)^2\*d) + (b^3\*Sinh[c + d\*x])/(2\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)])^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^3}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{a+3b}{(a+b)^3} + \frac{x^2}{(a+b)^2} + \frac{b^2(3a+b)+3b^2(a+b)x^2}{(a+b)^3(a+(a+b)x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{\text{Subst}\left(\int \frac{b^2(3a+b)+3b^2(a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{(a + b)^3 d} \\ &= \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{b^3 \sinh(c + dx)}{2a(a + b)^3 d (a + (a + b) \sinh^2(c + dx))} \\ &= \frac{b^2(6a + b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a + b)^{7/2}d} + \frac{(a + 3b) \sinh(c + dx)}{(a + b)^3 d} + \frac{\sinh^3(c + dx)}{3(a + b)^2 d} + \frac{\sinh(c + dx)}{2a(a + b)^2} \end{aligned}$$

**Mathematica [A]** time = 1.19, size = 111, normalized size = 0.87

$$\frac{-\frac{6b^2(6a+b) \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{a^{3/2}(a+b)^{7/2}} + \frac{3 \sinh(c+dx) \left(\frac{4b^3}{a((a+b) \cosh(2(c+dx))+a-b)} + 3a+11b\right)}{(a+b)^3} + \frac{\sinh(3(c+dx))}{(a+b)^2}}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $((-6*b^2*(6*a + b)*\text{ArcTan}[\frac{\sqrt{a}*\text{Csch}[c + d*x]}{\sqrt{a + b}}])/(a^{3/2}*(a + b)^{7/2})) + (3*(3*a + 11*b + (4*b^3)/(a*(a - b + (a + b)*\text{Cosh}[2*(c + d*x)]))))*\text{Sinh}[c + d*x]/(a + b)^3 + \text{Sinh}[3*(c + d*x)]/(a + b)^2)/(12*d)$

**fricas** [B] time = 0.56, size = 6934, normalized size = 54.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $[1/24*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^{10} + 10*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^9 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(d*x + c)^{10} + (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^8 + (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3 + 45*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^3 + (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^6 + 2*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4 + 105*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^4 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(63*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^5 + 14*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^3 + 3*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2*b^3 - 2*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^4 + 2*(105*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^6 - 5*a^5 - 9*a^4*b + 45*a^3*b^2 + 37*a^2*b^3 - 12*a*b^4 + 35*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^4 + 15*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^7 + 7*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^5 + 5*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^3 - (5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 - (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^2 + (45*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^8 + 28*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^6 - 11*a^5 - 53*a^4*b - 73*a^3*b^2 - 31*a^2*b^3 + 30*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^4 - 12*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 6*((6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^7 + 7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)*\sinh(d*x + c)^6 + (6*a^2*b^2 + 7*a*b^3 + b^4)*\sinh(d*x + c)^7 + 2*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^5 + (12*a^2*b^2 - 10*a*b^3 - 2*b^4 + 21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x$



$$\begin{aligned}
& + c)^5 + 5*(7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^3 + 2*(6*a^2*b^2 - \\
& 5*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (6*a^2*b^2 + 7*a*b^3 + b^4 \\
& )*\cosh(d*x + c)^3 + (35*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^4 + 6*a^2 \\
& *b^2 + 7*a*b^3 + b^4 + 20*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^3 + (21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^5 + 20*(6*a^2*b \\
& ^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^3 + 3*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d* \\
& x + c))*\sinh(d*x + c)^2 + (7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^6 + \\
& 10*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^4 + 3*(6*a^2*b^2 + 7*a*b^3 + b \\
& ^4)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x \\
& + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 \\
& - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sin \\
& h(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d \\
& *x + c) - 4*(\cosh(d*x + c)^3 + 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + \\
& c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - \\
& a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + \\
& c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)* \\
& \cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a \\
& - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 2*(5*(a^5 + 3*a^4*b + 3*a^3*b \\
& ^2 + a^2*b^3)*\cosh(d*x + c)^9 + 4*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2* \\
& b^3)*\cosh(d*x + c)^7 + 6*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a* \\
& b^4)*\cosh(d*x + c)^5 - 4*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a* \\
& b^4)*\cosh(d*x + c)^3 - (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d \\
& *x + c))*\sinh(d*x + c))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b \\
& ^4 + a^2*b^5)*d*\cosh(d*x + c)^7 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^ \\
& 3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + (a^7 + 5*a^6*b + \\
& 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\sinh(d*x + c)^7 + 2*(a^7 \\
& + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^5 \\
& + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cos \\
& h(d*x + c)^2 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b \\
& ^5)*d)*\sinh(d*x + c)^5 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b \\
& ^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 5*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4 \\
& *b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 2*(a^7 + 3*a^6*b + 2*a^5*b^ \\
& 2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35 \\
& *(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x \\
& + c)^4 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)* \\
& d*\cosh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + \\
& a^2*b^5)*d)*\sinh(d*x + c)^3 + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 \\
& + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^5 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - \\
& 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^7 + 5*a^6*b + 10* \\
& a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^ \\
& 2 + (7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*co \\
& sh(d*x + c)^6 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2 \\
& *b^5)*d*\cosh(d*x + c)^4 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^ \\
& 3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2)*\sinh(d*x + c)), 1/24*((a^5 + 3*a^4*b + \\
& 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^10 + 10*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2
\end{aligned}$$

$$\begin{aligned}
& *b^3) * \cosh(dx + c) * \sinh(dx + c)^9 + (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \\
& * \sinh(dx + c)^{10} + (11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx \\
& + c)^8 + (11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3 + 45(a^5 + 3a^4b + \\
& 3a^3b^2 + a^2b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^8 + 8(15(a^5 + 3a^4 \\
& *b + 3a^3b^2 + a^2b^3) * \cosh(dx + c)^3 + (11a^5 + 53a^4b + 73a^3b^2 \\
& + 31a^2b^3) * \cosh(dx + c)) * \sinh(dx + c)^7 + 2(5a^5 + 9a^4b - 45a^3 \\
& *b^2 - 37a^2b^3 + 12a*b^4) * \cosh(dx + c)^6 + 2(5a^5 + 9a^4b - 45a^3 \\
& *b^2 - 37a^2b^3 + 12a*b^4 + 105(a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh \\
& (dx + c)^4 + 14(11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx + \\
& c)^2) * \sinh(dx + c)^6 + 4(63(a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh(dx \\
& + c)^5 + 14(11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx + c)^3 \\
& + 3(5a^5 + 9a^4b - 45a^3b^2 - 37a^2b^3 + 12a*b^4) * \cosh(dx + c)) \\
& * \sinh(dx + c)^5 - a^5 - 3a^4b - 3a^3b^2 - a^2b^3 - 2(5a^5 + 9a^4b \\
& - 45a^3b^2 - 37a^2b^3 + 12a*b^4) * \cosh(dx + c)^4 + 2(105(a^5 + 3a^4 \\
& *b + 3a^3b^2 + a^2b^3) * \cosh(dx + c)^6 - 5a^5 - 9a^4b + 45a^3b^2 + \\
& 37a^2b^3 - 12a*b^4 + 35(11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh \\
& (dx + c)^4 + 15(5a^5 + 9a^4b - 45a^3b^2 - 37a^2b^3 + 12a*b^4) * \\
& \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8(15(a^5 + 3a^4b + 3a^3b^2 + a^2b \\
& ^3) * \cosh(dx + c)^7 + 7(11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx \\
& + c)^5 + 5(5a^5 + 9a^4b - 45a^3b^2 - 37a^2b^3 + 12a*b^4) * \cosh(dx \\
& + c)^3 - (5a^5 + 9a^4b - 45a^3b^2 - 37a^2b^3 + 12a*b^4) * \cosh(dx \\
& + c)) * \sinh(dx + c)^3 - (11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh \\
& (dx + c)^2 + (45(a^5 + 3a^4b + 3a^3b^2 + a^2b^3) * \cosh(dx + c)^8 + \\
& 28(11a^5 + 53a^4b + 73a^3b^2 + 31a^2b^3) * \cosh(dx + c)^6 - 11a^5 - \\
& 53a^4b - 73a^3b^2 - 31a^2b^3 + 30(5a^5 + 9a^4b - 45a^3b^2 - 37 \\
& *a^2b^3 + 12a*b^4) * \cosh(dx + c)^4 - 12(5a^5 + 9a^4b - 45a^3b^2 - 3 \\
& 7a^2b^3 + 12a*b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 12((6a^2b^2 + 7 \\
& *a*b^3 + b^4) * \cosh(dx + c)^7 + 7(6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c) \\
& * \sinh(dx + c)^6 + (6a^2b^2 + 7a*b^3 + b^4) * \sinh(dx + c)^7 + 2(6a^2b \\
& ^2 - 5a*b^3 - b^4) * \cosh(dx + c)^5 + (12a^2b^2 - 10a*b^3 - 2b^4 + 21( \\
& 6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 5(7(6a^2b \\
& ^2 + 7a*b^3 + b^4) * \cosh(dx + c)^3 + 2(6a^2b^2 - 5a*b^3 - b^4) * \cosh(dx \\
& + c)) * \sinh(dx + c)^4 + (6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^3 + (35 \\
& * (6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^4 + 6a^2b^2 + 7a*b^3 + b^4 + \\
& 20(6a^2b^2 - 5a*b^3 - b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + (21(6a^2 \\
& *b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^5 + 20(6a^2b^2 - 5a*b^3 - b^4) * \cosh \\
& (dx + c)^3 + 3(6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)) * \sinh(dx + c)^2 \\
& + (7(6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^6 + 10(6a^2b^2 - 5a*b^3 \\
& - b^4) * \cosh(dx + c)^4 + 3(6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^2) * \sinh \\
& (dx + c)) * \sqrt{a^2 + a*b} * \arctan(1/2((a + b) * \cosh(dx + c)^3 + 3(a + b) \\
& ) * \cosh(dx + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (3a - b) * \cosh(dx \\
& + c) + (3(a + b) * \cosh(dx + c)^2 + 3a - b) * \sinh(dx + c)) / \sqrt{a^2 + \\
& a*b}) + 12(((6a^2b^2 + 7a*b^3 + b^4) * \cosh(dx + c)^7 + 7(6a^2b^2 + 7 \\
& *a*b^3 + b^4) * \cosh(dx + c) * \sinh(dx + c)^6 + (6a^2b^2 + 7a*b^3 + b^4) * \sinh \\
& (dx + c)^7 + 2(6a^2b^2 - 5a*b^3 - b^4) * \cosh(dx + c)^5 + (12a^2b^2
\end{aligned}$$

$$\begin{aligned}
& - 10*a*b^3 - 2*b^4 + 21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^2*\sinh(d*x + c)^5 + 5*(7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^3 + 2*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 + (6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^3 + (35*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^4 + 6*a^2*b^2 + 7*a*b^3 + b^4 + 20*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + (21*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^5 + 20*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^3 + 3*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^6 + 10*(6*a^2*b^2 - 5*a*b^3 - b^4)*\cosh(d*x + c)^4 + 3*(6*a^2*b^2 + 7*a*b^3 + b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c))*\sqrt{a^2 + a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a) + 2*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^9 + 4*(11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c)^7 + 6*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^5 - 4*(5*a^5 + 9*a^4*b - 45*a^3*b^2 - 37*a^2*b^3 + 12*a*b^4)*\cosh(d*x + c)^3 - (11*a^5 + 53*a^4*b + 73*a^3*b^2 + 31*a^2*b^3)*\cosh(d*x + c))*\sinh(d*x + c))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^7 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\sinh(d*x + c)^7 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^5 + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d)*\sinh(d*x + c)^5 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 5*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 2*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + (35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^4 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d)*\sinh(d*x + c)^3 + (21*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^5 + 20*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^6 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^4 + 3*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2)*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.94, size = 2074, normalized size = 16.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/24*((9*a*e^{(2*d*x + 2*c)} + 33*b*e^{(2*d*x + 2*c)} + a + b)*e^{(-3*d*x)}/(a^3 * e^{(3*c)} + 3*a^2*b*e^{(3*c)} + 3*a*b^2*e^{(3*c)} + b^3*e^{(3*c)}) + 12*(2*(12*a^2 * b^3 + 2*a*b^4 + (6*a^2*b^2 - 5*a*b^3 - b^4)*\sqrt{-a*b})*(a^4*e^{(2*c)} + 3*a^3*b*e^{(2*c)} + 3*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (6*a^7*b^2 + 19*a^6*b^3 + 15*a^5*b^4 - 10*a^4*b^5 - 20*a^3*b^6 - 9*a^2*b^7 - a*b^8 - 2*(6*a^6*b^2 + 25*a^5*b^3 + 40*a^4*b^4 + 30*a^3*b^5 + 10*a^2*b^6 + a*b^7)*\sqrt{-a*b})*abs(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c)} - (12*a^{10}*b^3 + 62*a^9*b^4 + 118*a^8*b^5 + 78*a^7*b^6 - 50*a^6*b^7 - 118*a^5*b^8 - 78*a^4*b^9 - 22*a^3*b^{10} - 2*a^2*b^{11} + (6*a^{10}*b^2 + 25*a^9*b^3 + 28*a^8*b^4 - 20*a^7*b^5 - 64*a^6*b^6 - 34*a^5*b^7 + 20*a^4*b^8 + 28*a^3*b^9 + 10*a^2*b^{10} + a*b^{11})*\sqrt{-a*b})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)})*\arctan(e^{(d*x)}/\sqrt{(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)} + \sqrt{(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)})^2 - (a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})})/(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)))/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})))*e^{(-4*c)}/((a^{11} + 9*a^{10}*b + 36*a^9*b^2 + 84*a^8*b^3 + 126*a^7*b^4 + 126*a^6*b^5 + 84*a^5*b^6 + 36*a^4*b^7 + 9*a^3*b^8 + a^2*b^9)*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)})*abs(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})) + 12*(2*(12*a^2*b^3 + 2*a*b^4 - (6*a^2*b^2 - 5*a*b^3 - b^4)*\sqrt{-a*b})*(a^4*e^{(2*c)} + 3*a^3*b*e^{(2*c)} + 3*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (6*a^7*b^2 + 19*a^6*b^3 + 15*a^5*b^4 - 10*a^4*b^5 - 20*a^3*b^6 - 9*a^2*b^7 - a*b^8 + 2*(6*a^6*b^2 + 25*a^5*b^3 + 40*a^4*b^4 + 30*a^3*b^5 + 10*a^2*b^6 + a*b^7)*\sqrt{-a*b})*abs(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c)} - (12*a^{10}*b^3 + 62*a^9*b^4 + 118*a^8*b^5 + 78*a^7*b^6 - 50*a^6*b^7 - 118*a^5*b^8 - 78*a^4*b^9 - 22*a^3*b^{10} - 2*a^2*b^{11} - (6*a^{10}*b^2 + 25*a^9*b^3 + 28*a^8*b^4 - 20*a^7*b^5 - 64*a^6*b^6 - 34*a^5*b^7 + 20*a^4*b^8 + 28*a^3*b^9 + 10*a^2*b^{10} + a*b^{11})*\sqrt{-a*b})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)})*\arctan(e^{(d*x)}/\sqrt{(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)} - \sqrt{(a^5*e^{(2*c)} + 2*a^4*b*e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)})^2 - (a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})})/(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)))/(a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)})))*e^{(-4*c)}/((a^{11} + 9*a^{10}*b + 36*a^9*b^2 + 84*a^8*b^3 + 126*a^7*b^4 + 126*a^6*b^5 + 84*a^5*b^6 + 36*a^4*b^7 + 9*a^3*b^8 + a^2*b^9)*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)})*abs(-a^4*e^{(2*c)} - 3*a^3*b*e^{(2*c)} - 3*a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})) - (a^4*e^{(3*d*x + 36*c)} + 4*a^3*b*e^{(3*d*x + 36*c)} + 6*a^2*b^2*e^{(3*d*x + 36*c)} + 4*a*b^3*e^{(3*d*x + 36*c)} + b^4*e^{(3*d*x + 36*c)} + 9*a^4*e^{(d*x + 34*c)} + 60*a^3*b*e^{(d*x + 34*c)} + 126*a^2*b^2*e^{(d*x + 34*c)} + 108*a*b^3*e^{(d*x + 34*c)} + 33*b^4*e^{(d*x + 34*c)}))/(a^6*e^{(33*c)} + 6*a^5*b*e^{(33*c)} + 15*a^4*b^2*e^{(33*c)} + 20*a^3*b^3*e^{(33*c)} + 15*a^2*b^4*e^{(33*c)} + 6*a*b^5*e^{(33*c)} + b^6*e^{(33*c)}) - 24*(b^3*e^{(3*d*x + 3*c)} - b^3*e^{(d*x + c)}))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b$$

$\int (a^3 e^{4dx+4c} + b^3 e^{4dx+4c} + 2a^2 e^{2dx+2c} - 2b^2 e^{2dx+2c} + a + b) dx / d$

**maple [B]** time = 0.52, size = 875, normalized size = 6.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/3/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^3 - 1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2 - 1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)*a - 3/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)*b - 1/3/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^3 + 1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2 - 1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)*a - 3/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)*b - 1/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a + 2*\tanh(1/2*d*x+1/2*c)^2*a + 4*\tanh(1/2*d*x+1/2*c)^2*b + a)/a*\tanh(1/2*d*x+1/2*c)^3 + 1/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a + 2*\tanh(1/2*d*x+1/2*c)^2*a + 4*\tanh(1/2*d*x+1/2*c)^2*b + a)/a*\tanh(1/2*d*x+1/2*c) - 3/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) + 3/d*b^3/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) + 3/d*b^2/(a+b)^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) + 3/d*b^3/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) - 1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) + 1/2/d*b^4/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)) + 1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) + 1/2/d*b^4/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3 + 2a^2b + ab^2 - (a^3e^{10c} + 2a^2be^{10c} + ab^2e^{10c})e^{10dx} - (11a^3e^{8c} + 42a^2be^{8c} + 31ab^2e^{8c})e^{8dx} - 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx}}{24((a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cosh(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$-1/24*(a^3 + 2a^2b + ab^2 - (a^3e^{10c} + 2a^2be^{10c} + ab^2e^{10c})e^{10dx} - (11a^3e^{8c} + 42a^2be^{8c} + 31a^2b^2e^{8c})e^{8dx} - 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} - 2*(5a^3e^{6c} + 4a^2b^2e^{6c} - 49a^2b^2e^{6c} + 12b^3e^{6c}))e^{10dx} - (11a^3e^{8c} + 42a^2be^{8c} + 31a^2b^2e^{8c})e^{8dx} - 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx} + 2(a^5de^{7c} + 4a^4bde^{7c} + 6a^3b^2de^{7c} + 4a^2b^3de^{7c} + ab^4de^{7c})e^{7dx}$$

$$\begin{aligned}
& e^{(6*c)} * e^{(6*d*x)} + 2*(5*a^3*e^{(4*c)} + 4*a^2*b*e^{(4*c)} - 49*a*b^2*e^{(4*c)} \\
& + 12*b^3*e^{(4*c)}) * e^{(4*d*x)} + (11*a^3*e^{(2*c)} + 42*a^2*b*e^{(2*c)} + 31*a*b^2 \\
& * e^{(2*c)}) * e^{(2*d*x)} / ((a^5*d*e^{(7*c)} + 4*a^4*b*d*e^{(7*c)} + 6*a^3*b^2*d*e^{(7* \\
& *c)} + 4*a^2*b^3*d*e^{(7*c)} + a*b^4*d*e^{(7*c)}) * e^{(7*d*x)} + 2*(a^5*d*e^{(5*c)} + \\
& 2*a^4*b*d*e^{(5*c)} - 2*a^2*b^3*d*e^{(5*c)} - a*b^4*d*e^{(5*c)}) * e^{(5*d*x)} + (a^ \\
& 5*d*e^{(3*c)} + 4*a^4*b*d*e^{(3*c)} + 6*a^3*b^2*d*e^{(3*c)} + 4*a^2*b^3*d*e^{(3*c)} \\
& + a*b^4*d*e^{(3*c)}) * e^{(3*d*x)}) + 1/8 * \text{integrate}(8*((6*a*b^2*e^{(3*c)} + b^3*e^{ \\
& (3*c)}) * e^{(3*d*x)} + (6*a*b^2*e^c + b^3*e^c) * e^{(d*x)}) / (a^5 + 4*a^4*b + 6*a^3* \\
& b^2 + 4*a^2*b^3 + a*b^4 + (a^5*e^{(4*c)} + 4*a^4*b*e^{(4*c)} + 6*a^3*b^2*e^{(4*c)} \\
& ) + 4*a^2*b^3*e^{(4*c)} + a*b^4*e^{(4*c)}) * e^{(4*d*x)} + 2*(a^5*e^{(2*c)} + 2*a^4*b \\
& * e^{(2*c)} - 2*a^2*b^3*e^{(2*c)} - a*b^4*e^{(2*c)}) * e^{(2*d*x)}), x)
\end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cosh(c + dx)^3}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

[Out] int(cosh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Timed out

$$3.116 \quad \int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=140

$$\frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^3} - \frac{b(a-b) \tanh(c+dx)}{2ad(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{x(a+5b)}{2(a+b)}$$

[Out] 1/2\*(a+5\*b)\*x/(a+b)^3+1/2\*b^(3/2)\*(5\*a+b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(3/2)/(a+b)^3/d+1/2\*cosh(d\*x+c)\*sinh(d\*x+c)/(a+b)/d/(a+b\*tanh(d\*x+c)^2)-1/2\*(a-b)\*b\*tanh(d\*x+c)/a/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.19, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^3} - \frac{b(a-b) \tanh(c+dx)}{2ad(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\sinh(c+dx) \cosh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{x(a+5b)}{2(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + 5\*b)\*x)/(2\*(a + b)^3) + (b^(3/2)\*(5\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^3\*d) + (Cosh[c + d\*x]\* Sinh[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)) - ((a - b)\*b\*Tanh[c + d\*x])/(2\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c -

```
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3675

```
Int[sec[(e_) + (f_)*(x_)]^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```

### Rubi steps



$$\begin{aligned}
\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{a+2b+3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{(a-b)b \tanh(c+dx)}{2a(a+b)^2d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))} - \frac{(a-b)b \tanh(c+dx)}{2a(a+b)^2d(a+b \tanh^2(c+dx))} + \frac{(b^2(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right))}{2(a+b)d(a+b \tanh^2(c+dx))} \\
&= \frac{(a+5b)x}{2(a+b)^3} + \frac{b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a+b)^3d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.84, size = 110, normalized size = 0.79

$$\frac{2b^{3/2}(5a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{2b^2(a+b) \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)} + \frac{2(a+5b)(c+dx) + (a+b) \sinh(2(c+dx))}{4d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*(a + 5\*b)\*(c + d\*x) + (2\*b^(3/2)\*(5\*a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(3/2) + (a + b)\*Sinh[2\*(c + d\*x)] + (2\*b^2\*(a + b)\*Sinh[2\*(c + d\*x)])/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(4\*(a + b)^3\*d)

**fricas [B]** time = 0.53, size = 4324, normalized size = 30.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/8\*((a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)^8 + 8\*(a^3 + 2\*a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^3 + 2\*a^2\*b + a\*b^2)\*sinh(d\*x + c)^8 + 2\*

$$\begin{aligned}
& (a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^6 + 2*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x + 14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^3 + 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^4 - 4*a*b^2 + 4*b^3 + 4*(a^3 + 4*a^2*b - 5*a*b^2)*d*x + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^5 + 5*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^3 - 4*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - a^3 - 2*a^2*b - a*b^2 - 2*(a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^2 + 2*(14*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^6 + 15*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^4 - a^3 - 3*a*b^2 - 4*b^3 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x - 24*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*((5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^6 + 6*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (5*a^2*b + 6*a*b^2 + b^3)*\sinh(d*x + c)^6 + 2*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^4 + (10*a^2*b - 8*a*b^2 - 2*b^3 + 15*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + 2*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^2 + (15*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^4 + 5*a^2*b + 6*a*b^2 + b^3 + 12*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(3*(5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c)^5 + 4*(5*a^2*b - 4*a*b^2 - b^3)*\cosh(d*x + c)^3 + (5*a^2*b + 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*(2*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^7 + 3*(a^3 - a*b^2 + 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c)^5 - 8*(a*b^2 - b^3 - (a^3 + 4*a^2*b - 5*a*b^2)*d*x)*\cosh(d*x + c)^3 - (a^3 + 3*a*b^2 + 4*b^3 - 2*(a^3 + 6*a^2*b + 5*a*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^6 + 6*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\sinh(d*x + c)^6 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^4 + (15*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^2 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d)*\sinh(d*x + c)^4 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 4*a^4*b + 6*a^3*b^2 +
\end{aligned}$$

$$\begin{aligned}
& 4a^2b^3 + ab^4) * d * \cosh(dx + c)^3 + 2(a^5 + 2a^4b - 2a^2b^3 - ab^4) * d * \cosh(dx + c) * \sinh(dx + c)^3 + (15(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c)^4 + 12(a^5 + 2a^4b - 2a^2b^3 - ab^4) * d * \cosh(dx + c)^2 + (a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d) * \sinh(dx + c)^2 + 2(3(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c)^5 + 4(a^5 + 2a^4b - 2a^2b^3 - ab^4) * d * \cosh(dx + c)^3 + (a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c) * \sinh(dx + c)), 1 \\
& / 8((a^3 + 2a^2b + ab^2) * \cosh(dx + c)^8 + 8(a^3 + 2a^2b + ab^2) * \cosh(dx + c) * \sinh(dx + c)^7 + (a^3 + 2a^2b + ab^2) * \sinh(dx + c)^8 + 2(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^6 + 2(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx + 14(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 4(14(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^3 + 3(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c) * \sinh(dx + c)^5 - 8(ab^2 - b^3 - (a^3 + 4a^2b - 5ab^2) * dx) * \cosh(dx + c)^4 + 2 * (35(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^4 - 4ab^2 + 4b^3 + 4(a^3 + 4a^2b - 5ab^2) * dx + 15(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8(7(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^5 + 5(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^3 - 4(ab^2 - b^3 - (a^3 + 4a^2b - 5ab^2) * dx) * \cosh(dx + c) * \sinh(dx + c)^3 - a^3 - 2a^2b - ab^2 - 2(a^3 + 3ab^2 + 4b^3 - 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^2 + 2(14(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^6 + 15(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^4 - a^3 - 3ab^2 - 4b^3 + 2(a^3 + 6a^2b + 5ab^2) * dx - 24(ab^2 - b^3 - (a^3 + 4a^2b - 5ab^2) * dx) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 4((5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^6 + 6(5a^2b + 6ab^2 + b^3) * \cosh(dx + c) * \sinh(dx + c)^5 + (5a^2b + 6ab^2 + b^3) * \sinh(dx + c)^6 + 2(5a^2b - 4ab^2 - b^3) * \cosh(dx + c)^4 + (10a^2b - 8ab^2 - 2b^3 + 15(5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 4(5(5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^3 + 2(5a^2b - 4ab^2 - b^3) * \cosh(dx + c)) * \sinh(dx + c)^3 + (5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^2 + (15(5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^4 + 5a^2b + 6ab^2 + b^3 + 12(5a^2b - 4ab^2 - b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 2(3(5a^2b + 6ab^2 + b^3) * \cosh(dx + c)^5 + 4(5a^2b - 4ab^2 - b^3) * \cosh(dx + c)^3 + (5a^2b + 6ab^2 + b^3) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{b/a} * \arctan(1/2((a + b) * \cosh(dx + c)^2 + 2(a + b) * \cosh(dx + c) * \sinh(dx + c) + (a + b) * \sinh(dx + c)^2 + a - b) * \sqrt{b/a}/b) + 4(2(a^3 + 2a^2b + ab^2) * \cosh(dx + c)^7 + 3(a^3 - ab^2 + 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)^5 - 8(ab^2 - b^3 - (a^3 + 4a^2b - 5ab^2) * dx) * \cosh(dx + c)^3 - (a^3 + 3ab^2 + 4b^3 - 2(a^3 + 6a^2b + 5ab^2) * dx) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c)^6 + 6(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c) * \sinh(dx + c)^5 + (a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \sinh(dx + c)^6 + 2(a^5 + 2a^4b - 2a^2b^3 - ab^4) * d * \cosh(dx + c)^4 + (15(a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + ab^4) * d * \cosh(dx + c)^2 + 2(a^5 + 2a^4b - 2a^2b^3 - ab^4) * d) * \sinh(dx + c)^4 + (a^5 + 4a^4b + 6a^3b^2 + 4a^2
\end{aligned}$$

$*b^3 + a*b^4)*d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^3 + 2*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^4 + 12*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^2 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d)*\sinh(d*x + c)^2 + 2*(3*(a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c)^5 + 4*(a^5 + 2*a^4*b - 2*a^2*b^3 - a*b^4)*d*\cosh(d*x + c)^3 + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2*b^3 + a*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c))]$

**giac [B]** time = 1.10, size = 449, normalized size = 3.21

$$\frac{12(a+5b)dx}{a^3+3a^2b+3ab^2+b^3} + \frac{12(5ab^2e^{2c}+b^3e^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{(a^4+3a^3b+3a^2b^2+ab^3)\sqrt{ab}} + \frac{3e^{2dx+12c}}{a^2e^{10c}+2abe^{10c}+b^2e^{10c}} - \frac{2a^3e^{6dx+6c}+12a^2be^{6dx}}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{24}*(12*(a + 5*b)*d*x/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 12*(5*a*b^2*e^{(2*c)} + b^3*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)}/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sqrt{a*b})) + 3*e^{(2*d*x + 12*c)}/(a^2*e^{(10*c)} + 2*a*b*e^{(10*c)} + b^2*e^{(10*c)}) - (2*a^3*e^{(6*d*x + 6*c)} + 12*a^2*b*e^{(6*d*x + 6*c)} + 10*a*b^2*e^{(6*d*x + 6*c)} + 7*a^3*e^{(4*d*x + 4*c)} + 22*a^2*b*e^{(4*d*x + 4*c)} + 7*a*b^2*e^{(4*d*x + 4*c)} - 24*b^3*e^{(4*d*x + 4*c)} + 8*a^3*e^{(2*d*x + 2*c)} + 12*a^2*b*e^{(2*d*x + 2*c)} + 28*a*b^2*e^{(2*d*x + 2*c)} + 24*b^3*e^{(2*d*x + 2*c)} + 3*a^3 + 6*a^2*b + 3*a*b^2)/(a^4*e^{(2*c)} + 3*a^3*b*e^{(2*c)} + 3*a^2*b^2*e^{(2*c)} + a*b^3*e^{(2*c)})*(a*e^{(2*d*x)} + b*e^{(2*d*x)} + a*e^{(6*d*x + 4*c)} + b*e^{(6*d*x + 4*c)} + 2*a*e^{(4*d*x + 2*c)} - 2*b*e^{(4*d*x + 2*c)}))/d$

**maple [B]** time = 0.47, size = 1146, normalized size = 8.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{2}/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)-1/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*a-5/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)+1/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+5/2/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)*b+1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3+1/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)$

$$\begin{aligned} & /2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4 \\ & *a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2* \\ & c)+1/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tan \\ & h(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^{-5/2}/d*b^2/(a+b)^3*a/(b*(a+b)) \\ & ^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/(( \\ & 2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+5/2/d*b^2/(a+b)^3/((2*(b*(a+b))^{(1/2)}-a- \\ & 2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{( \\ & 1/2)})-3/d*b^3/(a+b)^3/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*a \\ & \operatorname{rctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-5/2/d*b^2 \\ & /((a+b)^3*a/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tan \\ & h(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-5/2/d*b^2/(a+b)^3/((2 \\ & *(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)) \\ & ^{(1/2)}+a+2*b)*a)^{(1/2)})-3/d*b^3/(a+b)^3/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)} \\ & +a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a \\ & ^{(1/2)})+1/2/d*b^3/(a+b)^3/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\t \\ & \operatorname{anh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/2/d*b^4/(a+b)^3/a \\ & /((b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x \\ & +1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/2/d*b^3/(a+b)^3/a/((2*(b*(a+ \\ & b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a \\ & +2*b)*a)^{(1/2)})-1/2/d*b^4/(a+b)^3/a/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a \\ & +2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1 \\ & /2)}) \end{aligned}$$

**maxima [B]** time = 0.70, size = 840, normalized size = 6.00

$$\frac{b \log \left( (a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b \right)}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} - \frac{b \log \left( 2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b \right)}{2(a^3 + 3a^2b + 3ab^2 + b^3)d} - \frac{(3a^2}{$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{2}b \log((a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b) / ((a^3 + 3a^2b + 3ab^2 + b^3)d) - \frac{1}{2}b \log(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b) / ((a^3 + 3a^2b + 3ab^2 + b^3)d) - \frac{1}{8} * (3a^2b - 6a^2b^2 - b^3) \operatorname{arctan}(1/2 * ((a+b)e^{2dx+2c} + a-b) / \sqrt{a*b}) / ((a^4 + 3a^3b + 3a^2b^2 + a^2b^3) \sqrt{a*b} * d) + \frac{1}{8} * (3a^2b - 6a^2b^2 - b^3) \operatorname{arctan}(1/2 * ((a+b)e^{-2dx-2c} + a-b) / \sqrt{a*b}) / ((a^4 + 3a^3b + 3a^2b^2 + a^2b^3) \sqrt{a*b} * d) - \frac{1}{4} * (3a^2b + b^2) \operatorname{arctan}(1/2 * ((a+b)e^{-2dx-2c} + a-b) / \sqrt{a*b}) / ((a^3 + 2a^2b + a^2b^2) \sqrt{a*b} * d) + \frac{1}{4} * (a^2b - b^3 + (a^2b - 6a^2b^2 + b^3)e^{2dx+2c}) / ((a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + a^2b^4 + (a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + a^2b^4)e^{4dx+4c} + 2(a^5 + 2a^4b - 2a^2b^3 - a^2b^4)e^{2dx+2c}) * d) - \frac{1}{4} * (a^2b - b^3 + (a^2b - 6a^2b^2 + b^3)e^{-2dx-2c}) / ((a^5 + 4a^4b + 6a^3b^2 + 4a^2b^3 + a^2b^4 + 2(a^5 + 2a^4b$

$$\begin{aligned}
& - 2*a^2*b^3 - a*b^4)*e^{(-2*d*x - 2*c)} + (a^5 + 4*a^4*b + 6*a^3*b^2 + 4*a^2 \\
& *b^3 + a*b^4)*e^{(-4*d*x - 4*c))*d) + 1/2*(a*b + b^2 + (a*b - b^2)*e^{(-2*d*x \\
& - 2*c)})/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a \\
& *b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4* \\
& c))*d) + 1/2*(d*x + c)/((a^2 + 2*a*b + b^2)*d) + 1/8*e^{(2*d*x + 2*c)}/((a^2 \\
& + 2*a*b + b^2)*d) - 1/8*e^{(-2*d*x - 2*c)}/((a^2 + 2*a*b + b^2)*d)
\end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cosh(c + dx)^2}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out] int(cosh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

$$3.117 \quad \int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=101

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{5/2}} + \frac{b^2 \sinh(c+dx)}{2ad(a+b)^2((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh(c+dx)}{d(a+b)^2}$$

[Out]  $1/2*b*(4*a+b)*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)}/a^{(1/2)})/a^{(3/2)}/(a+b)^{(5/2)}/d + \sinh(d*x+c)/(a+b)^2/d + 1/2*b^2*\sinh(d*x+c)/a/(a+b)^2/d/(a+(a+b)*\sinh(d*x+c)^2)$

**Rubi [A]** time = 0.14, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3676, 390, 385, 205}

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{5/2}} + \frac{b^2 \sinh(c+dx)}{2ad(a+b)^2((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh(c+dx)}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(b*(4*a + b)*\text{ArcTan}[(\text{Sqrt}[a + b]*\text{Sinh}[c + d*x])/\text{Sqrt}[a]])/(2*a^{(3/2)}*(a + b)^{(5/2)*d} + \text{Sinh}[c + d*x]/((a + b)^2*d) + (b^2*\text{Sinh}[c + d*x])/(2*a*(a + b)^2*d*(a + (a + b)*\text{Sinh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_.))^p, x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*x^2)^((m + n\*p + 1)/2), x], x, Sin[e + f\*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{(a+b)^2} + \frac{b(2a+b)+2b(a+b)x^2}{(a+b)^2(a+(a+b)x^2)^2}\right) dx, x, \sinh(c + dx)\right)}{d} \\
 &= \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{\text{Subst}\left(\int \frac{b(2a+b)+2b(a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{(a + b)^2 d} \\
 &= \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{b^2 \sinh(c + dx)}{2a(a + b)^2 d (a + (a + b) \sinh^2(c + dx))} + \frac{(b(4a + b)) \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{2a(a + b)^2 d} \\
 &= \frac{b(4a + b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a+b)^{5/2}d} + \frac{\sinh(c + dx)}{(a + b)^2 d} + \frac{b^2 \sinh(c + dx)}{2a(a + b)^2 d (a + (a + b) \sinh^2(c + dx))}
 \end{aligned}$$

**Mathematica** [A] time = 0.76, size = 84, normalized size = 0.83

$$\frac{b(4a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}(a+b)^{5/2}} + \frac{\sinh(c+dx) \left(\frac{b^2}{a((a+b) \sinh^2(c+dx)+a)} + 2\right)}{(a+b)^2}$$

$2d$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]



```
[Out] ((b*(4*a + b)*ArcTan[(Sqrt[a + b]*Sinh[c + d*x])/Sqrt[a]])/(a^(3/2)*(a + b)^(5/2)) + (Sinh[c + d*x]*(2 + b^2/(a*(a + (a + b)*Sinh[c + d*x]^2))))/(a + b)^2)/(2*d)
```

**fricas** [B] time = 0.54, size = 3502, normalized size = 34.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/4*(2*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^6 + 12*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + 2*(a^4 + 2*a^3*b + a^2*b^2)*sinh(d*x + c)^6 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^4 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3 + 15*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 2*a^4 - 4*a^3*b - 2*a^2*b^2 + 8*(5*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^3 + (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c)^3 - 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^2 + 2*(15*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^4 - a^4 + 2*a^3*b + a^2*b^2 - 2*a*b^3 + 6*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^5 + 5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^4 + (4*a^2*b + 5*a*b^2 + b^3)*sinh(d*x + c)^5 + 2*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c)^3 + 2*(4*a^2*b - 3*a*b^2 - b^3 + 5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 2*(5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^3 + 3*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c))*sinh(d*x + c)^2 + (4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c) + (5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*a^2*b + 5*a*b^2 + b^3 + 6*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c)^2)*sinh(d*x + c))*sqrt(-a^2 - a*b)*log(((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 - 2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*x + c) - 4*(cosh(d*x + c)^3 + 3*cosh(d*x + c)*sinh(d*x + c)^2 + sinh(d*x + c)^3 + (3*cosh(d*x + c)^2 - 1)*sinh(d*x + c) - cosh(d*x + c))*sqrt(-a^2 - a*b) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 4*(3*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^5 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^3 - (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c))/((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^5 + 5*(a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^4 + (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*sinh(d*x + c)^5 + 2*(a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c)^3 + 2*(5*(a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^2 + (a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*d)*sinh(d*x + c)^3 + (a^6 + 4*a^5*b + 6*a
```

$$\begin{aligned}
& ^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c) + 2*(5*(a^6 + 4*a^5*b + 6*a^4 \\
& *b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^3 + 3*(a^6 + 2*a^5*b - 2*a^3*b^ \\
& 3 - a^2*b^4)*d*cosh(d*x + c))*sinh(d*x + c)^2 + (5*(a^6 + 4*a^5*b + 6*a^4*b \\
& ^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^4 + 6*(a^6 + 2*a^5*b - 2*a^3*b^3 \\
& - a^2*b^4)*d*cosh(d*x + c)^2 + (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2 \\
& *b^4)*d)*sinh(d*x + c)), 1/2*((a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^6 + 6 \\
& *(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)*sinh(d*x + c)^5 + (a^4 + 2*a^3*b + \\
& a^2*b^2)*sinh(d*x + c)^6 + (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + \\
& c)^4 + (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3 + 15*(a^4 + 2*a^3*b + a^2*b^2)*co \\
& sh(d*x + c)^2)*sinh(d*x + c)^4 - a^4 - 2*a^3*b - a^2*b^2 + 4*(5*(a^4 + 2*a^ \\
& 3*b + a^2*b^2)*cosh(d*x + c)^3 + (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d \\
& *x + c))*sinh(d*x + c)^3 - (a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c \\
& )^2 + (15*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c)^4 - a^4 + 2*a^3*b + a^2*b \\
& ^2 - 2*a*b^3 + 6*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^2)*sinh( \\
& d*x + c)^2 + ((4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^5 + 5*(4*a^2*b + 5*a* \\
& b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^4 + (4*a^2*b + 5*a*b^2 + b^3)*sinh(d \\
& *x + c)^5 + 2*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c)^3 + 2*(4*a^2*b - 3*a* \\
& b^2 - b^3 + 5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + \\
& 2*(5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^3 + 3*(4*a^2*b - 3*a*b^2 - b^3 \\
& )*cosh(d*x + c))*sinh(d*x + c)^2 + (4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c) \\
& + (5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*a^2*b + 5*a*b^2 + b^3 + \\
& 6*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c)^2)*sinh(d*x + c))*sqrt(a^2 + a*b) \\
& *arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + c \\
& )^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*x + c) + (3*(a + b)*cosh(d \\
& *x + c)^2 + 3*a - b)*sinh(d*x + c))/sqrt(a^2 + a*b)) + ((4*a^2*b + 5*a*b^2 \\
& + b^3)*cosh(d*x + c)^5 + 5*(4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x \\
& + c)^4 + (4*a^2*b + 5*a*b^2 + b^3)*sinh(d*x + c)^5 + 2*(4*a^2*b - 3*a*b^2 \\
& - b^3)*cosh(d*x + c)^3 + 2*(4*a^2*b - 3*a*b^2 - b^3 + 5*(4*a^2*b + 5*a*b^2 \\
& + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 2*(5*(4*a^2*b + 5*a*b^2 + b^3)*co \\
& sh(d*x + c)^3 + 3*(4*a^2*b - 3*a*b^2 - b^3)*cosh(d*x + c))*sinh(d*x + c)^2 \\
& + (4*a^2*b + 5*a*b^2 + b^3)*cosh(d*x + c) + (5*(4*a^2*b + 5*a*b^2 + b^3)*co \\
& sh(d*x + c)^4 + 4*a^2*b + 5*a*b^2 + b^3 + 6*(4*a^2*b - 3*a*b^2 - b^3)*cosh( \\
& d*x + c)^2)*sinh(d*x + c))*sqrt(a^2 + a*b)*arctan(1/2*sqrt(a^2 + a*b)*(cosh \\
& (d*x + c) + sinh(d*x + c))/a) + 2*(3*(a^4 + 2*a^3*b + a^2*b^2)*cosh(d*x + c \\
& )^5 + 2*(a^4 - 2*a^3*b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c)^3 - (a^4 - 2*a^3* \\
& b - a^2*b^2 + 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c))/((a^6 + 4*a^5*b + 6*a^ \\
& 4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^5 + 5*(a^6 + 4*a^5*b + 6*a^4*b \\
& ^2 + 4*a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^4 + (a^6 + 4*a^5*b \\
& + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*sinh(d*x + c)^5 + 2*(a^6 + 2*a^5*b - 2 \\
& *a^3*b^3 - a^2*b^4)*d*cosh(d*x + c)^3 + 2*(5*(a^6 + 4*a^5*b + 6*a^4*b^2 + 4 \\
& *a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^2 + (a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^ \\
& 4)*d)*sinh(d*x + c)^3 + (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d \\
& *cosh(d*x + c) + 2*(5*(a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*c \\
& osh(d*x + c)^3 + 3*(a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c))*s \\
& inh(d*x + c)^2 + (5*(a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d*cos
\end{aligned}$$

$h(dx + c)^4 + 6*(a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*d*cosh(dx + c)^2 + (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*d)*sinh(dx + c)]$

**giac** [B] time = 0.45, size = 1838, normalized size = 18.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(dx+c)/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} * ((2 * (8 * a^2 * b^2 + 2 * a * b^3 - (4 * a^2 * b - 3 * a * b^2 - b^3) * \sqrt{-a * b})) * (a^3 * e^{2 * c} + 2 * a^2 * b * e^{2 * c} + a * b^2 * e^{2 * c}))^2 * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{2 * c} + b * e^{2 * c}) + (4 * a^6 * b + 9 * a^5 * b^2 + 2 * a^4 * b^3 - 8 * a^3 * b^4 - 6 * a^2 * b^5 - a * b^6 + 2 * (4 * a^5 * b + 13 * a^4 * b^2 + 15 * a^3 * b^3 + 7 * a^2 * b^4 + a * b^5) * \sqrt{-a * b}) * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a^3 * e^{2 * c} + 2 * a^2 * b * e^{2 * c} + a * b^2 * e^{2 * c})) * \text{abs}(a * e^{2 * c} + b * e^{2 * c}) * e^{2 * c} - (8 * a^8 * b^2 + 26 * a^7 * b^3 + 22 * a^6 * b^4 - 12 * a^5 * b^5 - 28 * a^4 * b^6 - 14 * a^3 * b^7 - 2 * a^2 * b^8 - (4 * a^8 * b + 9 * a^7 * b^2 - 2 * a^6 * b^3 - 17 * a^5 * b^4 - 8 * a^4 * b^5 + 7 * a^3 * b^6 + 6 * a^2 * b^7 + a * b^8) * \sqrt{-a * b}) * \sqrt{a^2 - b^2} + 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a * e^{2 * c} + b * e^{2 * c}) * e^{4 * c}) * \arctan(e^{d * x} / \sqrt{(a^4 * e^{2 * c} + a^3 * b * e^{2 * c} - a^2 * b^2 * e^{2 * c} - a * b^3 * e^{2 * c} + \sqrt{(a^4 * e^{2 * c} + a^3 * b * e^{2 * c} - a^2 * b^2 * e^{2 * c} - a * b^3 * e^{2 * c})}^2 - (a^4 * e^{4 * c} + 3 * a^3 * b * e^{4 * c} + 3 * a^2 * b^2 * e^{4 * c} + a * b^3 * e^{4 * c})) * (a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + a * b^3))} / \sqrt{(a^4 * e^{4 * c} + 3 * a^3 * b * e^{4 * c} + 3 * a^2 * b^2 * e^{4 * c} + a * b^3 * e^{4 * c}))} * e^{-4 * c} / ((a^{11} + 7 * a^{10} * b + 20 * a^9 * b^2 + 28 * a^8 * b^3 + 14 * a^7 * b^4 - 14 * a^6 * b^5 - 28 * a^5 * b^6 - 20 * a^4 * b^7 - 7 * a^3 * b^8 - a^2 * b^9 + 2 * (a^{10} + 8 * a^9 * b + 28 * a^8 * b^2 + 56 * a^7 * b^3 + 70 * a^6 * b^4 + 56 * a^5 * b^5 + 28 * a^4 * b^6 + 8 * a^3 * b^7 + a^2 * b^8) * \sqrt{-a * b})) * \text{abs}(a^3 * e^{2 * c} + 2 * a^2 * b * e^{2 * c} + a * b^2 * e^{2 * c})) + (2 * (16 * a^3 * b^2 - 12 * a^2 * b^3 - 4 * a * b^4 + (4 * a^3 * b - 23 * a^2 * b^2 - 2 * a * b^3 + b^4) * \sqrt{-a * b})) * (a^3 * e^{2 * c} + 2 * a^2 * b * e^{2 * c} + a * b^2 * e^{2 * c}))^2 * \text{abs}(a * e^{2 * c} + b * e^{2 * c}) + (4 * a^7 * b - 11 * a^6 * b^2 - 59 * a^5 * b^3 - 70 * a^4 * b^4 - 2 * 6 * a^3 * b^5 + a^2 * b^6 + a * b^7 - 4 * (4 * a^6 * b + 9 * a^5 * b^2 + 2 * a^4 * b^3 - 8 * a^3 * b^4 - 6 * a^2 * b^5 - a * b^6) * \sqrt{-a * b})) * \text{abs}(a^3 * e^{2 * c} + 2 * a^2 * b * e^{2 * c} + a * b^2 * e^{2 * c})) * \text{abs}(a * e^{2 * c} + b * e^{2 * c}) * e^{2 * c} - (16 * a^9 * b^2 + 36 * a^8 * b^3 - 8 * a^7 * b^4 - 68 * a^6 * b^5 - 32 * a^5 * b^6 + 28 * a^4 * b^7 + 24 * a^3 * b^8 + 4 * a^2 * b^9 + (4 * a^9 * b - 11 * a^8 * b^2 - 63 * a^7 * b^3 - 59 * a^6 * b^4 + 33 * a^5 * b^5 + 71 * a^4 * b^6 + 27 * a^3 * b^7 - a^2 * b^8 - a * b^9) * \sqrt{-a * b})) * \text{abs}(a * e^{2 * c} + b * e^{2 * c})) * e^{4 * c}) * \arctan(e^{d * x} / \sqrt{(a^4 * e^{2 * c} + a^3 * b * e^{2 * c} - a^2 * b^2 * e^{2 * c} - a * b^3 * e^{2 * c} - \sqrt{(a^4 * e^{2 * c} + a^3 * b * e^{2 * c} - a^2 * b^2 * e^{2 * c} - a * b^3 * e^{2 * c})}^2 - (a^4 * e^{4 * c} + 3 * a^3 * b * e^{4 * c} + 3 * a^2 * b^2 * e^{4 * c} + a * b^3 * e^{4 * c})) * (a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + a * b^3))} / \sqrt{(a^4 * e^{4 * c} + 3 * a^3 * b * e^{4 * c} + 3 * a^2 * b^2 * e^{4 * c} + a * b^3 * e^{4 * c}))} * e^{-4 * c} / ((a^{10} + 6 * a^9 * b + 14 * a^8 * b^2 + 14 * a^7 * b^3 - 14 * a^5 * b^5 - 14 * a^4 * b^6 - 6 * a^3 * b^7 - a^2 * b^8 - 2 * (a^9 + 7 * a^8 * b + 21 * a^7 * b^2 + 35 * a^6 * b^3 + 35 * a^5 * b^4 + 21 * a^4 * b^5 + 7 * a^3 * b^6 + a^2 * b^7) * \sqrt{-a * b})) * \sqrt{a^2 - b^2} - 2 * \sqrt{-a * b} * (a + b)) * \text{abs}(a^3 * e^{2 * c})$

$$\frac{+ 2*a^2*b*e^{(2*c)} + a*b^2*e^{(2*c))) + e^{(d*x + 10*c)/(a^2*e^{(9*c)} + 2*a*b*e^{(9*c)} + b^2*e^{(9*c)}) - (a^2*e^{(4*d*x + 4*c)} + a*b*e^{(4*d*x + 4*c)} - 2*b^2*e^{(4*d*x + 4*c)} + 2*a^2*e^{(2*d*x + 2*c)} - 2*a*b*e^{(2*d*x + 2*c)} + 2*b^2*e^{(2*d*x + 2*c)} + a^2 + a*b)/((a^3*e^c + 2*a^2*b*e^c + a*b^2*e^c)*(a*e^{(5*d*x + 4*c)} + b*e^{(5*d*x + 4*c)} + 2*a*e^{(3*d*x + 2*c)} - 2*b*e^{(3*d*x + 2*c)} + a*e^{(d*x)} + b*e^{(d*x)})))/d$$

**maple [B]** time = 0.42, size = 729, normalized size = 7.22

$$\frac{\frac{1}{d(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} - \frac{1}{d(a+b)^2 \left( \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)}}{b^2 \left( \tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right) + \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right) a + 2 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right) a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$\begin{aligned} & -1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)-1)-1/d/(a+b)^2/(\tanh(1/2*d*x+1/2*c)+1)-1/ \\ & d*b^2/(a+b)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2 \\ & *d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d*b^2/(a+b)^2/(\tanh(1/2*d*x+1/ \\ & 2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2* \\ & d*x+1/2*c)-2/d*b/(a+b)^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh \\ & (1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+2/d*b^2/(a+b)^2/(b*(a+ \\ & b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c) \\ & /((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+2/d*b/(a+b)^2/((2*(b*(a+b))^(1/2)+a+2 \\ & *b)*a)^(1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/ \\ & 2))+2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arc} \\ & \tan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d*b^2/(a \\ & +b)^2/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/ \\ & (2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2 \\ & *(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b) \\ & ))^(1/2)-a-2*b)*a)^(1/2))+1/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^( \\ & 1/2)*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2 \\ & /d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\operatorname{arctan} \\ & (a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)) \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^2 + ab - (a^2 e^{(6c)} + ab e^{(6c)}) e^{(6dx)} - (a^2 e^{(4c)} - 3 ab e^{(4c)} + 2 b^2 e^{(4c)}) e^{(4dx)} + (a^2 e^{(2c)} - 3 ab e^{(2c)} + b^2 e^{(2c)}) e^{(2dx)}}{2 \left( (a^4 d e^{(5c)} + 3 a^3 b d e^{(5c)} + 3 a^2 b^2 d e^{(5c)} + ab^3 d e^{(5c)}) e^{(5dx)} + 2 (a^4 d e^{(3c)} + a^3 b d e^{(3c)} - a^2 b^2 d e^{(3c)} - ab^3 d e^{(3c)}) e^{(3dx)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

```
[Out] -1/2*(a^2 + a*b - (a^2*e^(6*c) + a*b*e^(6*c))*e^(6*d*x) - (a^2*e^(4*c) - 3*
a*b*e^(4*c) + 2*b^2*e^(4*c))*e^(4*d*x) + (a^2*e^(2*c) - 3*a*b*e^(2*c) + 2*b
^2*e^(2*c))*e^(2*d*x))/((a^4*d*e^(5*c) + 3*a^3*b*d*e^(5*c) + 3*a^2*b^2*d*e^
(5*c) + a*b^3*d*e^(5*c))*e^(5*d*x) + 2*(a^4*d*e^(3*c) + a^3*b*d*e^(3*c) - a
^2*b^2*d*e^(3*c) - a*b^3*d*e^(3*c))*e^(3*d*x) + (a^4*d*e^c + 3*a^3*b*d*e^c
+ 3*a^2*b^2*d*e^c + a*b^3*d*e^c)*e^(d*x)) + 1/2*integrate(2*((4*a*b*e^(3*c)
+ b^2*e^(3*c))*e^(3*d*x) + (4*a*b*e^c + b^2*e^c)*e^(d*x))/(a^4 + 3*a^3*b +
3*a^2*b^2 + a*b^3 + (a^4*e^(4*c) + 3*a^3*b*e^(4*c) + 3*a^2*b^2*e^(4*c) + a
*b^3*e^(4*c))*e^(4*d*x) + 2*(a^4*e^(2*c) + a^3*b*e^(2*c) - a^2*b^2*e^(2*c)
- a*b^3*e^(2*c))*e^(2*d*x)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cosh(c + dx)}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cosh(c + d*x)/(a + b*tanh(c + d*x)^2)^2, x)
```

```
[Out] int(cosh(c + d*x)/(a + b*tanh(c + d*x)^2)^2, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)**2)**2, x)
```

```
[Out] Timed out
```

$$3.118 \quad \int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=83

$$\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{2ad(a+b)((a+b) \sinh^2(c+dx) + a)}$$

[Out] 1/2\*(2\*a+b)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(3/2)/(a+b)^(3/2)/d+1/2\*b\*sinh(d\*x+c)/a/(a+b)/d/(a+(a+b)\*sinh(d\*x+c)^2)

**Rubi [A]** time = 0.07, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3676, 385, 205}

$$\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{2ad(a+b)((a+b) \sinh^2(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((2\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*(a + b)^(3/2)\*d) + (b\*Sinh[c + d\*x])/(2\*a\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 385**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

**Rule 3676**

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*

$x^2)^{((m + n*p + 1)/2), x], x, \text{Sin}[e + f*x]/ff], x]] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{IntegerQ}[(m - 1)/2] \&\& \text{IntegerQ}[n/2] \&\& \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{sech}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1+x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{b \sinh(c + dx)}{2a(a + b)d (a + (a + b) \sinh^2(c + dx))} + \frac{(2a + b) \text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{2a(a + b)d} \\ &= \frac{(2a + b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a + b)^{3/2}d} + \frac{b \sinh(c + dx)}{2a(a + b)d (a + (a + b) \sinh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 78, normalized size = 0.94

$$\frac{\frac{(2a+b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2} \sqrt{a+b}} + \frac{b \sinh(c+dx)}{a((a+b) \sinh^2(c+dx)+a)}}{2d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (((2\*a + b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*Sqrt[a + b]) + (b\*Sinh[c + d\*x]/(a\*(a + (a + b)\*Sinh[c + d\*x]^2))))/(2\*(a + b)\*d)

**fricas [B]** time = 0.46, size = 2041, normalized size = 24.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/4\*(4\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)^3 + 12\*(a^2\*b + a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 4\*(a^2\*b + a\*b^2)\*sinh(d\*x + c)^3 - ((2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a^2 + 3\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a^2 + 3\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a^2 - a\*b - b^2)\*cosh(d\*x + c

$$\begin{aligned}
&)^2 + 2*(3*(2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 - a*b - b^2)*\sinh(d*x + c)^2 + 2*a^2 + 3*a*b + b^2 + 4*((2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^3 \\
&+ (2*a^2 - a*b - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b) \\
&*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh \\
&(d*x + c))*\sinh(d*x + c) - 4*(\cosh(d*x + c)^3 + 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c)) \\
&*\sqrt{-a^2 - a*b} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 \\
&+ 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) - 4*(a^2*b + a \\
&*b^2)*\cosh(d*x + c) - 4*(a^2*b + a*b^2 - 3*(a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^4 + \\
&4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\sinh(d*x + c)^4 + 2*(a^5 + a^4*b - a \\
&^3*b^2 - a^2*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d)*\sinh(d*x + c) \\
&)^2 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*\cosh(d*x + c) \\
&)*\sinh(d*x + c)), 1/2*(2*(a^2*b + a*b^2)*\cosh(d*x + c)^3 + 6*(a^2*b + a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^2 + 2*(a^2*b + a*b^2)*\sinh(d*x + c)^3 \\
&+ ((2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^4 + 4*(2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (2*a^2 + 3*a*b + b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - \\
&a*b - b^2)*\cosh(d*x + c)^2 + 2*(3*(2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 - a*b - b^2)*\sinh(d*x + c)^2 + 2*a^2 + 3*a*b + b^2 + 4*((2*a^2 + 3*a*b \\
&+ b^2)*\cosh(d*x + c)^3 + (2*a^2 - a*b - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a^2 + a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c) \\
&*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + 3*a - b)*\sinh(d*x + c))/\sqrt{a^2 + a*b})) + ((2 \\
&*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^4 + 4*(2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (2*a^2 + 3*a*b + b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - a*b - \\
&b^2)*\cosh(d*x + c)^2 + 2*(3*(2*a^2 + 3*a*b + b^2)*\cosh(d*x + c)^2 + 2*a^2 - a*b - b^2)*\sinh(d*x + c)^2 + 2*a^2 + 3*a*b + b^2 + 4*((2*a^2 + 3*a*b + b^2) \\
&*\cosh(d*x + c)^3 + (2*a^2 - a*b - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a^2 + a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a) - \\
&2*(a^2*b + a*b^2)*\cosh(d*x + c) - 2*(a^2*b + a*b^2 - 3*(a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\sinh(d*x + c)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d)*\sinh(d*x + c)^2 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$



**giac [B]** time = 0.32, size = 1309, normalized size = 15.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/2*((2*(4*a^2*b + 2*a*b^2 - (2*a^2 - a*b - b^2)*\sqrt{-a*b})*(a^2*e^{(2*c)} + a*b*e^{(2*c)})^2*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (2*a^5 + 3*a^4*b - a^3*b^2 - 3*a^2*b^3 - a*b^4 + 2*(2*a^4 + 5*a^3*b + 4*a^2*b^2 + a*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(-a^2*e^{(2*c)} - a*b*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c)} - (4*a^6*b + 6*a^5*b^2 - 2*a^4*b^3 - 6*a^3*b^4 - 2*a^2*b^5 - (2*a^6 + a^5*b - 4*a^4*b^2 - 2*a^3*b^3 + 2*a^2*b^4 + a*b^5)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^3*e^{(2*c)} - a*b^2*e^{(2*c)} - \sqrt{(a^3*e^{(2*c)} - a*b^2*e^{(2*c)})^2 - (a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})*(a^3 + 2*a^2*b + a*b^2)})))/(a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})))*e^{(-4*c)}/((a^9 + 5*a^8*b + 9*a^7*b^2 + 5*a^6*b^3 - 5*a^5*b^4 - 9*a^4*b^5 - 5*a^3*b^6 - a^2*b^7 + 2*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*\sqrt{-a*b})*abs(-a^2*e^{(2*c)} - a*b*e^{(2*c)})) + (2*(8*a^3*b - 4*a^2*b^2 - 4*a*b^3 + (2*a^3 - 11*a^2*b - 4*a*b^2 + b^3)*\sqrt{-a*b})*(a^2*e^{(2*c)} + a*b*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (2*a^6 - 7*a^5*b - 24*a^4*b^2 - 18*a^3*b^3 - 2*a^2*b^4 + a*b^5 - 4*(2*a^5 + 3*a^4*b - a^3*b^2 - 3*a^2*b^3 - a*b^4)*\sqrt{-a*b})*abs(-a^2*e^{(2*c)} - a*b*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c)} - (8*a^7*b + 4*a^6*b^2 - 16*a^5*b^3 - 8*a^4*b^4 + 8*a^3*b^5 + 4*a^2*b^6 + (2*a^7 - 9*a^6*b - 17*a^5*b^2 + 6*a^4*b^3 + 16*a^3*b^4 + 3*a^2*b^5 - a*b^6)*\sqrt{-a*b})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^3*e^{(2*c)} - a*b^2*e^{(2*c)} + \sqrt{(a^3*e^{(2*c)} - a*b^2*e^{(2*c)})^2 - (a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})*(a^3 + 2*a^2*b + a*b^2)})))/(a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})))*e^{(-4*c)}/((a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6 - 2*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\sqrt{-a*b})*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*abs(-a^2*e^{(2*c)} - a*b*e^{(2*c)})) - 2*(b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/((a^2 + a*b)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)))/d$$

**maple [B]** time = 0.39, size = 666, normalized size = 8.02

$$\frac{b \left( \tanh^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a \right) a (a + b)} + \frac{d \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \right)}{d \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}*b/a/(a+b)*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}*b/a/(a+b)*\tanh(1/2*d*x+1/2*c)-1/d/(a+b)/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)})+1/d/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)})+1/d/(a+b)/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)})+1/d/(a+b)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)})*b-1/2/d/(a+b)*b/a/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)})+1/2/d/(a+b)/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)-a-2*b})^a)^{(1/2)})*b^2+1/2/d/(a+b)*b/a/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)})+1/2/d/(a+b)/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^{(1/2)+a+2*b})^a)^{(1/2)})*b^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{be^{3dx+3c} - be^{dx+c}}{a^3d + 2a^2bd + ab^2d + (a^3de^{4c} + 2a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^3de^{2c} - ab^2de^{2c})e^{2dx}} + 2 \int \frac{1}{2(a^3 + 2a^2b \tanh(dx+c) + ab^2 \tanh^2(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$(b*e^{(3*d*x + 3*c)} - b*e^{(d*x + c)})/(a^3*d + 2*a^2*b*d + a*b^2*d + (a^3*d*e^{(4*c)} + 2*a^2*b*d*e^{(4*c)} + a*b^2*d*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*d*e^{(2*c)} - a*b^2*d*e^{(2*c)})*e^{(2*d*x)}) + 2*\integrate(1/2*((2*a*e^{(3*c)} + b*e^{(3*c)})*e^{(3*d*x)} + (2*a*e^c + b*e^c)*e^{(d*x)})/(a^3 + 2*a^2*b + a*b^2 + (a^3*e^{(4*c)} + 2*a^2*b*e^{(4*c)} + a*b^2*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*e^{(2*c)} - a*b^2*e^{(2*c)})*e^{(2*d*x)}), x)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx) (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cosh(c + d*x)*(a + b*tanh(c + d*x)^2)^2),x)`

[Out] `int(1/(cosh(c + d*x)*(a + b*tanh(c + d*x)^2)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.119 \quad \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=66

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{b}d} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

[Out] 1/2\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(3/2)/d/b^(1/2)+1/2\*tanh(d\*x+c)/a/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.07, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3675, 199, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{b}d} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[b]\*d) + Tanh[c + d\*x]/(2\*a\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 3675

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m - 1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p

, x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{2ad} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{b}d} + \frac{\tanh(c+dx)}{2ad(a+b \tanh^2(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 63, normalized size = 0.95

$$\frac{\frac{\sqrt{a} \tanh(c+dx)}{a+b \tanh^2(c+dx)} + \frac{\tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}}}{2a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/Sqrt[b] + (Sqrt[a]\*Tanh[c + d\*x])/(a + b\*Tanh[c + d\*x]^2))/(2\*a^(3/2)\*d)

**fricas [B]** time = 0.43, size = 1515, normalized size = 22.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [-1/4\*(4\*a^2\*b + 4\*a\*b^2 + 4\*(a^2\*b - a\*b^2)\*cosh(d\*x + c)^2 + 8\*(a^2\*b - a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + 4\*(a^2\*b - a\*b^2)\*sinh(d\*x + c)^2 + ((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x

```

+ c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x +
c)^2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 -
b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh
(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 +
2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 +
2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b
^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*si
nh(d*x + c) - 4*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x
+ c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(-a*b))/((a + b)*cosh(d*x + c)
^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*
(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x +
c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) +
a + b)))/((a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(a^4*b + 2*a^
3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 2*a^3*b^2 + a^2
*b^3)*d*sinh(d*x + c)^4 + 2*(a^4*b - a^2*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4
*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^4*b - a^2*b^3)*d)*sinh(d*x
+ c)^2 + (a^4*b + 2*a^3*b^2 + a^2*b^3)*d + 4*((a^4*b + 2*a^3*b^2 + a^2*b^3
)*d*cosh(d*x + c)^3 + (a^4*b - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), -1
/2*(2*a^2*b + 2*a*b^2 + 2*(a^2*b - a*b^2)*cosh(d*x + c)^2 + 4*(a^2*b - a*b^
2)*cosh(d*x + c)*sinh(d*x + c) + 2*(a^2*b - a*b^2)*sinh(d*x + c)^2 - ((a^2
+ 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d
*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x +
c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^
2 + a^2 + 2*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2
)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x + c)
^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a -
b)*sqrt(a*b)/(a*b)))/((a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(
a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 2*a
^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^4*b - a^2*b^3)*d*cosh(d*x + c)^2
+ 2*(3*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^4*b - a^2*b^3)
*d)*sinh(d*x + c)^2 + (a^4*b + 2*a^3*b^2 + a^2*b^3)*d + 4*((a^4*b + 2*a^3*b
^2 + a^2*b^3)*d*cosh(d*x + c)^3 + (a^4*b - a^2*b^3)*d*cosh(d*x + c))*sinh(d
*x + c)))]

```

**giac [B]** time = 0.56, size = 138, normalized size = 2.09

$$\frac{\arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)}{\sqrt{ab}a} - \frac{2\left(ae^{(2dx+2c)}-be^{(2dx+2c)}+a+b\right)}{(a^2+ab)\left(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*a) - 2\*(a\*e^(2\*d\*x + 2\*c) - b\*e^(2\*d\*x + 2\*c) + a + b)/((a^2 + a

$*b)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b))/d$

**maple [B]** time = 0.40, size = 498, normalized size = 7.55

$$\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{d\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right)a} + \frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{d\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sech(d*x+c)^2/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)-1/2/d/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2))+1/2/d/a/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2))-1/2/d/(b*(a+b))^{(1/2)/a/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)))/((2*(b*(a+b))^{(1/2)-a-2*b})*a)^{(1/2))*b-1/2/d/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)))/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2))-1/2/d/a/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)))/((2*(b*(a+b))^{(1/2)+a+2*b})*a)^{(1/2))*b$

**maxima [B]** time = 0.52, size = 125, normalized size = 1.89

$$\frac{(a-b)e^{(-2dx-2c)} + a + b}{(a^3 + 2a^2b + ab^2 + 2(a^3 - ab^2)e^{(-2dx-2c)} + (a^3 + 2a^2b + ab^2)e^{(-4dx-4c)})d} - \frac{\arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{2\sqrt{ab}ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)^2/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $((a-b)*e^{(-2*d*x - 2*c)} + a + b)/((a^3 + 2*a^2*b + a*b^2 + 2*(a^3 - a*b^2)*e^{(-2*d*x - 2*c)} + (a^3 + 2*a^2*b + a*b^2)*e^{(-4*d*x - 4*c)})*d) - 1/2*\arctan(1/2*((a+b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a*d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\cosh(c+dx)^2 (b \tanh(c+dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cosh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2), x)`

[Out] `int(1/(cosh(c + d*x)^2*(a + b*tanh(c + d*x)^2)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sech(d*x+c)**2/(a+b*tanh(d*x+c)**2)**2, x)`

[Out] `Integral(sech(c + d*x)**2/(a + b*tanh(c + d*x)**2)**2, x)`



$$3.120 \quad \int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=72

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{2ad((a+b)\sinh^2(c+dx)+a)}$$

[Out] 1/2\*sinh(d\*x+c)/a/d/(a+(a+b)\*sinh(d\*x+c)^2)+1/2\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(3/2)/d/(a+b)^(1/2)

**Rubi [A]** time = 0.08, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3676, 199, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{2ad((a+b)\sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/(2\*a^(3/2)\*Sqrt[a + b]\*d) + Sinh[c + d\*x]/(2\*a\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 199

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 3676

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Sin[e + f\*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b\*(ff\*x)^n + a\*(1 - ff^2\*x^2)^(n/2), x]^p/(1 - ff^2\*

$x^2)^{((m + n*p + 1)/2), x], x, \text{Sin}[e + f*x]/ff], x]] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{IntegerQ}[(m - 1)/2] \&\& \text{IntegerQ}[n/2] \&\& \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{sech}^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\sinh(c + dx)}{2ad(a + (a + b) \sinh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{2ad} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}\sqrt{a+b}d} + \frac{\sinh(c + dx)}{2ad(a + (a + b) \sinh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.14, size = 69, normalized size = 0.96

$$\frac{\frac{\sqrt{a} \sinh(c+dx)}{(a+b) \sinh^2(c+dx)+a} + \frac{\tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a+b}}}{2a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]]/Sqrt[a + b] + (Sqrt[a]\*Sinh[c + d\*x])/(a + (a + b)\*Sinh[c + d\*x]^2))/(2\*a^(3/2)\*d)

**fricas [B]** time = 0.44, size = 1555, normalized size = 21.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/4\*(4\*(a^2 + a\*b)\*cosh(d\*x + c)^3 + 12\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 4\*(a^2 + a\*b)\*sinh(d\*x + c)^3 - ((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)\*sqrt

$$\begin{aligned}
& (-a^2 - a*b) * \log\left(\frac{((a + b) * \cosh(d*x + c))^4 + 4*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a + b) * \sinh(d*x + c)^4 - 2*(3*a + b) * \cosh(d*x + c)^2 + 2*(3*(a + b) * \cosh(d*x + c)^2 - 3*a - b) * \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c))^3 - (3*a + b) * \cosh(d*x + c) * \sinh(d*x + c) - 4*(\cosh(d*x + c))^3 + 3*\cosh(d*x + c) * \sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - 1) * \sinh(d*x + c) - \cosh(d*x + c)}{(a + b) * \cosh(d*x + c)^4 + 4*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a + b) * \sinh(d*x + c)^4 + 2*(a - b) * \cosh(d*x + c)^2 + 2*(3*(a + b) * \cosh(d*x + c)^2 + a - b) * \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c))^3 + (a - b) * \cosh(d*x + c) * \sinh(d*x + c) + a + b}\right) \\
& - 4*(a^2 + a*b) * \cosh(d*x + c) + 4*(3*(a^2 + a*b) * \cosh(d*x + c)^2 - a^2 - a*b) * \sinh(d*x + c) / ((a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c)^4 + 4*(a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a^4 + 2*a^3*b + a^2*b^2) * d * \sinh(d*x + c)^4 + 2*(a^4 - a^2*b^2) * d * \cosh(d*x + c)^2 + 2*(3*(a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c)^2 + (a^4 - a^2*b^2) * d) * \sinh(d*x + c)^2 + (a^4 + 2*a^3*b + a^2*b^2) * d + 4*((a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c))^3 + (a^4 - a^2*b^2) * d * \cosh(d*x + c) * \sinh(d*x + c)), \\
& 1/2*(2*(a^2 + a*b) * \cosh(d*x + c)^3 + 6*(a^2 + a*b) * \cosh(d*x + c) * \sinh(d*x + c)^2 + 2*(a^2 + a*b) * \sinh(d*x + c)^3 + ((a + b) * \cosh(d*x + c))^4 + 4*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a + b) * \sinh(d*x + c)^4 + 2*(a - b) * \cosh(d*x + c)^2 + 2*(3*(a + b) * \cosh(d*x + c)^2 + a - b) * \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c))^3 + (a - b) * \cosh(d*x + c) * \sinh(d*x + c) + a + b) * \sqrt{a^2 + a*b} * \arctan(1/2*((a + b) * \cosh(d*x + c))^3 + 3*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^2 + (a + b) * \sinh(d*x + c)^3 + (3*a - b) * \cosh(d*x + c) + (3*(a + b) * \cosh(d*x + c))^2 + 3*a - b) * \sinh(d*x + c)) / \sqrt{a^2 + a*b}) + ((a + b) * \cosh(d*x + c))^4 + 4*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a + b) * \sinh(d*x + c)^4 + 2*(a - b) * \cosh(d*x + c)^2 + 2*(3*(a + b) * \cosh(d*x + c)^2 + a - b) * \sinh(d*x + c)^2 + 4*((a + b) * \cosh(d*x + c))^3 + (a - b) * \cosh(d*x + c) * \sinh(d*x + c) + a + b) * \sqrt{a^2 + a*b} * \arctan(1/2*\sqrt{a^2 + a*b} * (\cosh(d*x + c) + \sinh(d*x + c)) / a) - 2*(a^2 + a*b) * \cosh(d*x + c) + 2*(3*(a^2 + a*b) * \cosh(d*x + c)^2 - a^2 - a*b) * \sinh(d*x + c) / ((a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c)^4 + 4*(a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c) * \sinh(d*x + c)^3 + (a^4 + 2*a^3*b + a^2*b^2) * d * \sinh(d*x + c)^4 + 2*(a^4 - a^2*b^2) * d * \cosh(d*x + c)^2 + 2*(3*(a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c)^2 + (a^4 - a^2*b^2) * d) * \sinh(d*x + c)^2 + (a^4 + 2*a^3*b + a^2*b^2) * d + 4*((a^4 + 2*a^3*b + a^2*b^2) * d * \cosh(d*x + c))^3 + (a^4 - a^2*b^2) * d * \cosh(d*x + c) * \sinh(d*x + c))].
\end{aligned}$$

**giac [B]** time = 0.60, size = 978, normalized size = 13.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-1/2*((2*(4*a^2*b - 4*a*b^2 + (a^2 - 6*a*b + b^2)*\sqrt{-a*b})*\sqrt{a^2 - b^2} - 2*\sqrt{-a*b}*(a + b))*a^2*\operatorname{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (a^4 - 5*a^3*b -$

```

5*a^2*b^2 + a*b^3 - 4*(a^3 - a*b^2)*sqrt(-a*b))*sqrt(a^2 - b^2 - 2*sqrt(-a
*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*abs(a) - (4*a^4*b - 8*a^3*b^2 + 4*a
^2*b^3 + (a^4 - 7*a^3*b + 7*a^2*b^2 - a*b^3)*sqrt(-a*b))*sqrt(a^2 - b^2 - 2
*sqrt(-a*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a^2*e
^(2*c) - a*b*e^(2*c) + sqrt((a^2*e^(2*c) - a*b*e^(2*c))^2 - (a^2*e^(4*c) +
a*b*e^(4*c))*(a^2 + a*b)))/(a^2*e^(4*c) + a*b*e^(4*c))))*e^(-2*c)/((a^8 - 2
*a^7*b - 17*a^6*b^2 - 28*a^5*b^3 - 17*a^4*b^4 - 2*a^3*b^5 + a^2*b^6 - 4*(a^
7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*sqrt(-a*b))*abs(
a)) + (2*(4*a^2*b - 4*a*b^2 - (a^2 - 6*a*b + b^2)*sqrt(-a*b))*sqrt(a^2 - b^
2 + 2*sqrt(-a*b)*(a + b))*a^2*abs(a*e^(2*c) + b*e^(2*c)) - (a^4 - 5*a^3*b -
5*a^2*b^2 + a*b^3 + 4*(a^3 - a*b^2)*sqrt(-a*b))*sqrt(a^2 - b^2 + 2*sqrt(-a
*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*abs(a) - (4*a^4*b - 8*a^3*b^2 + 4*a
^2*b^3 - (a^4 - 7*a^3*b + 7*a^2*b^2 - a*b^3)*sqrt(-a*b))*sqrt(a^2 - b^2 + 2
*sqrt(-a*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a^2*e
^(2*c) - a*b*e^(2*c) - sqrt((a^2*e^(2*c) - a*b*e^(2*c))^2 - (a^2*e^(4*c) +
a*b*e^(4*c))*(a^2 + a*b)))/(a^2*e^(4*c) + a*b*e^(4*c))))*e^(-2*c)/((a^8 - 2
*a^7*b - 17*a^6*b^2 - 28*a^5*b^3 - 17*a^4*b^4 - 2*a^3*b^5 + a^2*b^6 + 4*(a^
7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*sqrt(-a*b))*abs(
a)) - 2*(e^(3*d*x + 3*c) - e^(d*x + c))/((a*e^(4*d*x + 4*c) + b*e^(4*d*x +
4*c) + 2*a*e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b)*a))/d

```

**maple [B]** time = 0.39, size = 375, normalized size = 5.21

$$\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{d\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right)a} + \frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{d\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

```

[Out] -1/d/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*
c)^2*b+a)/a*tanh(1/2*d*x+1/2*c)^3+1/d/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d
*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)/a*tanh(1/2*d*x+1/2*c)-1/2/d/a/((
2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b
))^(1/2)-a-2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)-a-2*b
)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2
))*b+1/2/d/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*
c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b
))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a
+2*b)*a)^(1/2))*b

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ae^{3c} + be^{3c})e^{3dx} - (ae^c + be^c)e^{dx}}{a^3d + 2a^2bd + ab^2d + (a^3de^{4c} + 2a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^3de^{2c} - ab^2de^{2c})e^{2dx}} + 8 \int \frac{1}{8(a^2 + ab + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] ((a\*e^(3\*c) + b\*e^(3\*c))\*e^(3\*d\*x) - (a\*e^c + b\*e^c)\*e^(d\*x))/(a^3\*d + 2\*a^2\*b\*d + a\*b^2\*d + (a^3\*d\*e^(4\*c) + 2\*a^2\*b\*d\*e^(4\*c) + a\*b^2\*d\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^3\*d\*e^(2\*c) - a\*b^2\*d\*e^(2\*c))\*e^(2\*d\*x)) + 8\*integrate(1/8\*(e^(3\*d\*x + 3\*c) + e^(d\*x + c))/(a^2 + a\*b + (a^2\*e^(4\*c) + a\*b\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*e^(2\*c) - a\*b\*e^(2\*c))\*e^(2\*d\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^3 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^2), x)

[Out] int(1/(cosh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.121 \quad \int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=77

$$\frac{(a+b) \tanh(c+dx)}{2abd(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d}$$

[Out]  $-1/2*(a-b)*\arctan(b^{(1/2)*\tanh(d*x+c)/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}/d+1/2*(a+b)*\tanh(d*x+c)/a/b/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.08, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3675, 385, 205}

$$\frac{(a+b) \tanh(c+dx)}{2abd(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-((a-b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(2*a^{(3/2)}*b^{(3/2)}*d) + ((a+b)*\text{Tanh}[c+d*x])/(2*a*b*d*(a+b*\text{Tanh}[c+d*x]^2))$

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 385

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p+1)/(a\*b\*n\*(p+1)), x] - Dist[(a\*d - b\*c\*(n\*(p+1) + 1))/(a\*b\*n\*(p+1)), Int[(a + b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 3675

Int[sec[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)]))^(n\_)]^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2 - 1)\*(a + b\*(ff\*x)^n)^p

, x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rubi steps

$$\int \frac{\operatorname{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx = \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b) \tanh(c + dx)}{2abd(a + b \tanh^2(c + dx))} - \frac{(a - b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{2abd}$$

$$= -\frac{(a - b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{3/2}d} + \frac{(a + b) \tanh(c + dx)}{2abd(a + b \tanh^2(c + dx))}$$

**Mathematica** [A] time = 0.33, size = 83, normalized size = 1.08

$$\frac{(b - a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) + \frac{\sqrt{a} \sqrt{b} (a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b}}{2a^{3/2}b^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] ((-a + b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]] + (Sqrt[a]\*Sqrt[b]\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))/(2\*a^(3/2)\*b^(3/2)\*d)

**fricas** [B] time = 0.44, size = 1443, normalized size = 18.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2, x, algorithm="fricas")

[Out] [-1/4\*(4\*a^2\*b + 4\*a\*b^2 + 4\*(a^2\*b - a\*b^2)\*cosh(d\*x + c)^2 + 8\*(a^2\*b - a\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + 4\*(a^2\*b - a\*b^2)\*sinh(d\*x + c)^2 - ((a^2 - b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 - b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (

```

a^2 - b^2)*sinh(d*x + c)^4 + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(
a^2 - b^2)*cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2
+ 4*((a^2 - b^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh
(d*x + c))*sqrt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2
*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x +
c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x +
c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a + b)
*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x
+ c)^2 + a - b)*sqrt(-a*b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x
+ c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2
+ 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d
*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)))/((a^3*b^2 + a^2
*b^3)*d*cosh(d*x + c)^4 + 4*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x +
c)^3 + (a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^3*b^2 - a^2*b^3)*d*cosh
(d*x + c)^2 + 2*(3*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^3*b^2 - a^2*b
^3)*d)*sinh(d*x + c)^2 + (a^3*b^2 + a^2*b^3)*d + 4*((a^3*b^2 + a^2*b^3)*d*c
osh(d*x + c)^3 + (a^3*b^2 - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), -1/2*
(2*a^2*b + 2*a*b^2 + 2*(a^2*b - a*b^2)*cosh(d*x + c)^2 + 4*(a^2*b - a*b^2)*
cosh(d*x + c)*sinh(d*x + c) + 2*(a^2*b - a*b^2)*sinh(d*x + c)^2 + ((a^2 - b
^2)*cosh(d*x + c)^4 + 4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 -
b^2)*sinh(d*x + c)^4 + 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 -
b^2)*cosh(d*x + c)^2 + a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2 + 4*(
(a^2 - b^2)*cosh(d*x + c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x +
c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)
)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(a*b)/(a*b)))/((a^3*
b^2 + a^2*b^3)*d*cosh(d*x + c)^4 + 4*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*si
nh(d*x + c)^3 + (a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^3*b^2 - a^2*b^
3)*d*cosh(d*x + c)^2 + 2*(3*(a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^3*b^
2 - a^2*b^3)*d)*sinh(d*x + c)^2 + (a^3*b^2 + a^2*b^3)*d + 4*((a^3*b^2 + a^2
*b^3)*d*cosh(d*x + c)^3 + (a^3*b^2 - a^2*b^3)*d*cosh(d*x + c))*sinh(d*x + c
)))]

```

**giac [B]** time = 0.55, size = 156, normalized size = 2.03

$$\frac{(ae^{2c}-be^{2c}) \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}ab} + \frac{2(ae^{2dx+2c}-be^{2dx+2c}+a+b)}{(ae^{4dx+4c}+be^{4dx+4c}+2ae^{2dx+2c}-2be^{2dx+2c}+a+b)ab}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2\*((a\*e^(2\*c) - b\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*a\*b) + 2\*(a\*e^(2\*d\*x + 2\*c) -



$$b * e^{(2 * d * x + 2 * c)} + a + b) / ((a * e^{(4 * d * x + 4 * c)} + b * e^{(4 * d * x + 4 * c)} + 2 * a * e^{(2 * d * x + 2 * c)} - 2 * b * e^{(2 * d * x + 2 * c)} + a + b) * a * b) / d$$

**maple [B]** time = 0.37, size = 746, normalized size = 9.69

$$\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{d \left( \left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a + 2 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a + 4 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a \right) b} + \frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{d \left( \left( \tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a + 2 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a + 4 \left( \tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a \right) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/b\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/a\*tanh(1/2\*d\*x+1/2\*c)^3+1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/b\*tanh(1/2\*d\*x+1/2\*c)+1/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)/a\*tanh(1/2\*d\*x+1/2\*c)+1/2/d/b\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/2/d/b/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+1/2/d/b\*a/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+1/2/d/b/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+1/2/d/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))\*b-1/2/d/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-1/2/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c))/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*b

**maxima [A]** time = 0.54, size = 127, normalized size = 1.65

$$\frac{(a-b)e^{(-2dx-2c)} + a + b}{(a^2b + ab^2 + 2(a^2b - ab^2)e^{(-2dx-2c)} + (a^2b + ab^2)e^{(-4dx-4c)})d} + \frac{(a-b) \arctan\left(\frac{(a+b)e^{(-2dx-2c)} + a - b}{2\sqrt{ab}}\right)}{2\sqrt{ab}abd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] ((a-b)\*e^{(-2\*d\*x-2\*c)} + a + b) / ((a^2\*b + a\*b^2 + 2\*(a^2\*b - a\*b^2)\*e^{(-2\*d\*x-2\*c)} + (a^2\*b + a\*b^2)\*e^{(-4\*d\*x-4\*c)}) \* d) + 1/2\*(a-b)\*arctan(1/(2\*((a+b)\*e^{(-2\*d\*x-2\*c)} + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*a\*b\*d)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^4 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^2), x)

[Out] int(1/(cosh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Integral(sech(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.122 \quad \int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=102

$$-\frac{(2a-b)\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a+b) \sinh(c+dx)}{2abd((a+b) \sinh^2(c+dx) + a)} + \frac{\tan^{-1}(\sinh(c+dx))}{b^2d}$$

[Out] arctan(sinh(d\*x+c))/b^2/d+1/2\*(a+b)\*sinh(d\*x+c)/a/b/d/(a+(a+b)\*sinh(d\*x+c)^2)-1/2\*(2\*a-b)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))\*(a+b)^(1/2)/a^(3/2)/b^2/d

**Rubi [A]** time = 0.13, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3676, 414, 522, 203, 205}

$$-\frac{(2a-b)\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a+b) \sinh(c+dx)}{2abd((a+b) \sinh^2(c+dx) + a)} + \frac{\tan^{-1}(\sinh(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ArcTan[Sinh[c + d\*x]]/(b^2\*d) - ((2\*a - b)\*Sqrt[a + b]\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(2\*a^(3/2)\*b^2\*d) + ((a + b)\*Sinh[c + d\*x])/(2\*a\*b\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*n\*(p + 1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p + 1)\*(c +

```
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\int \frac{\operatorname{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx = \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{(a + b) \sinh(c + dx)}{2abd (a + (a + b) \sinh^2(c + dx))} - \frac{\operatorname{Subst}\left(\int \frac{a-b+(-a-b)x^2}{(1+x^2)(a+(a+b)x^2)} dx, x, \sinh(c + dx)\right)}{2abd}$$

$$= \frac{(a + b) \sinh(c + dx)}{2abd (a + (a + b) \sinh^2(c + dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c + dx)\right)}{b^2d} - \frac{((2a - b) \operatorname{arctan}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right))}{b^2d}$$

$$= \frac{\tan^{-1}(\sinh(c + dx))}{b^2d} - \frac{(2a - b)\sqrt{a + b} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^2d} + \frac{(a + b) \sinh(c + dx)}{2abd (a + (a + b) \sinh^2(c + dx))}$$

**Mathematica [A]** time = 0.56, size = 203, normalized size = 1.99

$$\frac{(a - b) \left( 4a^{3/2} \sqrt{a + b} \tan^{-1} \left( \tanh \left( \frac{1}{2}(c + dx) \right) \right) + (2a^2 + ab - b^2) \tan^{-1} \left( \frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}} \right) \right) + (a + b) \cosh(2(c + dx))}{2a^{3/2}b^2d\sqrt{a + b}((a + b) \cosh(2(c + dx)) + a)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^5/(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] ((a - b)*((2*a^2 + a*b - b^2)*ArcTan[(Sqrt[a]*Csch[c + d*x])/Sqrt[a + b]] +
  4*a^(3/2)*Sqrt[a + b]*ArcTan[Tanh[(c + d*x)/2]]) + (a + b)*((2*a^2 + a*b -
  b^2)*ArcTan[(Sqrt[a]*Csch[c + d*x])/Sqrt[a + b]] + 4*a^(3/2)*Sqrt[a + b]*A
rcTan[Tanh[(c + d*x)/2]])*Cosh[2*(c + d*x)] + 2*Sqrt[a]*b*(a + b)^(3/2)*Sin
h[c + d*x])/(2*a^(3/2)*b^2*Sqrt[a + b]*d*(a - b + (a + b)*Cosh[2*(c + d*x)]
))
```

**fricas** [B] time = 0.52, size = 2140, normalized size = 20.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^5/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(a*b + b^2)*cosh(d*x + c)^3 + 12*(a*b + b^2)*cosh(d*x + c)*sinh(d*x
+ c)^2 + 4*(a*b + b^2)*sinh(d*x + c)^3 - ((2*a^2 + a*b - b^2)*cosh(d*x + c
)^4 + 4*(2*a^2 + a*b - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (2*a^2 + a*b -
b^2)*sinh(d*x + c)^4 + 2*(2*a^2 - 3*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(2*a^
2 + a*b - b^2)*cosh(d*x + c)^2 + 2*a^2 - 3*a*b + b^2)*sinh(d*x + c)^2 + 2*a
^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*cosh(d*x + c)^3 + (2*a^2 - 3*a*b +
b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-(a + b)/a)*log(((a + b)*cosh(d*x +
c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 -
2*(3*a + b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 - 3*a - b)*sinh
(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 - (3*a + b)*cosh(d*x + c))*sinh(d*
x + c) + 4*(a*cosh(d*x + c)^3 + 3*a*cosh(d*x + c)*sinh(d*x + c)^2 + a*sinh(
d*x + c)^3 - a*cosh(d*x + c) + (3*a*cosh(d*x + c)^2 - a)*sinh(d*x + c))*sqr
t(-(a + b)/a) + a + b)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*s
inh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3
*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c
)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 8*((a^2 + a*b)*cosh(
d*x + c)^4 + 4*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + a*b)*sinh
(d*x + c)^4 + 2*(a^2 - a*b)*cosh(d*x + c)^2 + 2*(3*(a^2 + a*b)*cosh(d*x + c
)^2 + a^2 - a*b)*sinh(d*x + c)^2 + a^2 + a*b + 4*((a^2 + a*b)*cosh(d*x + c
)^3 + (a^2 - a*b)*cosh(d*x + c))*sinh(d*x + c))*arctan(cosh(d*x + c) + sinh(
d*x + c)) - 4*(a*b + b^2)*cosh(d*x + c) + 4*(3*(a*b + b^2)*cosh(d*x + c)^2
- a*b - b^2)*sinh(d*x + c))/((a^2*b^2 + a*b^3)*d*cosh(d*x + c)^4 + 4*(a^2*b
^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2*b^2 + a*b^3)*d*sinh(d*x
+ c)^4 + 2*(a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^2*b^2 + a*b^3)*d*c
osh(d*x + c)^2 + (a^2*b^2 - a*b^3)*d)*sinh(d*x + c)^2 + (a^2*b^2 + a*b^3)*d
+ 4*((a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 + (a^2*b^2 - a*b^3)*d*cosh(d*x +
c))*sinh(d*x + c)), 1/2*(2*(a*b + b^2)*cosh(d*x + c)^3 + 6*(a*b + b^2)*cosh
```

$$\begin{aligned}
& (d*x + c)*\sinh(d*x + c)^2 + 2*(a*b + b^2)*\sinh(d*x + c)^3 - ((2*a^2 + a*b - \\
& b^2)*\cosh(d*x + c)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 \\
& + (2*a^2 + a*b - b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - 3*a*b + b^2)*\cosh(d*x + \\
& c)^2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(d*x + c)^2 + 2*a^2 - 3*a*b + b^2)*\sin \\
& h(d*x + c)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(d*x + c)^3 + \\
& (2*a^2 - 3*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{(a + b)/a}*\arctan \\
& (1/2*\sqrt{(a + b)/a}*(\cosh(d*x + c) + \sinh(d*x + c))) - ((2*a^2 + a*b - b^2 \\
& )*\cosh(d*x + c)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + ( \\
& 2*a^2 + a*b - b^2)*\sinh(d*x + c)^4 + 2*(2*a^2 - 3*a*b + b^2)*\cosh(d*x + c)^2 \\
& + 2*(3*(2*a^2 + a*b - b^2)*\cosh(d*x + c)^2 + 2*a^2 - 3*a*b + b^2)*\sinh(d* \\
& x + c)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(d*x + c)^3 + (2* \\
& a^2 - 3*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{(a + b)/a}*\arctan(1/2 \\
& *((a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + \\
& b)*\sinh(d*x + c)^3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + \\
& 3*a - b)*\sinh(d*x + c))*\sqrt{(a + b)/a}/(a + b)) + 4*((a^2 + a*b)*\cosh(d*x \\
& + c)^4 + 4*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + a*b)*\sinh(d* \\
& x + c)^4 + 2*(a^2 - a*b)*\cosh(d*x + c)^2 + 2*(3*(a^2 + a*b)*\cosh(d*x + c)^2 \\
& + a^2 - a*b)*\sinh(d*x + c)^2 + a^2 + a*b + 4*((a^2 + a*b)*\cosh(d*x + c)^3 \\
& + (a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \sinh(d*x \\
& + c)) - 2*(a*b + b^2)*\cosh(d*x + c) + 2*(3*(a*b + b^2)*\cosh(d*x + c)^2 - a \\
& *b - b^2)*\sinh(d*x + c))/((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^4 + 4*(a^2*b^2 \\
& + a*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2*b^2 + a*b^3)*d*\sinh(d*x + c \\
& )^4 + 2*(a^2*b^2 - a*b^3)*d*\cosh(d*x + c)^2 + 2*(3*(a^2*b^2 + a*b^3)*d*\cosh \\
& (d*x + c)^2 + (a^2*b^2 - a*b^3)*d)*\sinh(d*x + c)^2 + (a^2*b^2 + a*b^3)*d + \\
& 4*((a^2*b^2 + a*b^3)*d*\cosh(d*x + c)^3 + (a^2*b^2 - a*b^3)*d*\cosh(d*x + c)) \\
& *\sinh(d*x + c))]
\end{aligned}$$

**giac** [B] time = 0.67, size = 1035, normalized size = 10.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $1/2*((2*(4*a^2*b - 2*a*b^2 - (2*a^2 - 3*a*b + b^2)*\sqrt{-a*b}))*\sqrt{a^2 - b^2} + 2*\sqrt{-a*b}*(a + b))*a^2*\operatorname{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (2*a^4 - a^3*b - 2*a^2*b^2 + a*b^3 + 2*(2*a^3 + a^2*b - a*b^2)*\sqrt{-a*b})*\sqrt{a^2 - b^2} + 2*\sqrt{-a*b}*(a + b))*\operatorname{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\operatorname{abs}(a) - (4*a^4*b - 6*a^3*b^2 + 2*a^2*b^3 - (2*a^4 - 5*a^3*b + 4*a^2*b^2 - a*b^3)*\sqrt{-a*b})*\sqrt{a^2 - b^2} + 2*\sqrt{-a*b}*(a + b))*\operatorname{abs}(a*e^{(2*c)} + b*e^{(2*c)})*\arctan(e^{(d*x)}/\sqrt{(a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)} - \sqrt{(a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})^2 - (a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)})*(a^2*b^2 + a*b^3)})}/(a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)})))*e^{(-2*c)}/((a^6*b^2 + 2*a^5*b^3 - 2*a^3*b^5 - a^2*b^6 + 2*(a^5*b^2 + 3*a^4*b^3 + 3*a^3*b^4 + a^2*b^5)*\sqrt{-a*b}))*\operatorname{abs}(a)) + (2*(8*a^3*b - 12*a^2*b^2 + 4*a*b^3 + (2*a^3 - 13*a^2*b + 8*a*b^2 - b^3)*\sqrt{-a*b})*\sinh(d*x + c)$

$$\begin{aligned}
& -a*b)) * a^2 * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) - (2*a^5 - 11*a^4*b - 5*a^3*b^2 + 7*a^2*b^3 - a*b^4 - 4*(2*a^4 - a^3*b - 2*a^2*b^2 + a*b^3) * \text{sqrt}(-a*b)) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * \text{abs}(a) - (8*a^5*b - 20*a^4*b^2 + 16*a^3*b^3 - 4*a^2*b^4 + (2*a^5 - 15*a^4*b + 21*a^3*b^2 - 9*a^2*b^3 + a*b^4) * \text{sqrt}(-a*b)) * \text{abs}(a * e^{(2*c)} + b * e^{(2*c)}) * \arctan(e^{(d*x)} / \text{sqrt}((a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)} + \text{sqrt}((a^2*b^2*e^{(2*c)} - a*b^3*e^{(2*c)})^2 - (a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}) * (a^2*b^2 + a*b^3)) / (a^2*b^2*e^{(4*c)} + a*b^3*e^{(4*c)}))) * e^{(-2*c)} / ((a^5*b^2 + a^4*b^3 - a^3*b^4 - a^2*b^5 - 2*(a^4*b^2 + 2*a^3*b^3 + a^2*b^4) * \text{sqrt}(-a*b)) * \text{sqrt}(a^2 - b^2 - 2*\text{sqrt}(-a*b)*(a + b)) * \text{abs}(a)) + 4*\arctan(e^{(d*x + c)}) / b^2 + 2*(a * e^{(3*d*x + 3*c)} + b * e^{(3*d*x + 3*c)} - a * e^{(d*x + c)} - b * e^{(d*x + c)}) / ((a * e^{(4*d*x + 4*c)} + b * e^{(4*d*x + 4*c)} + 2*a * e^{(2*d*x + 2*c)} - 2*b * e^{(2*d*x + 2*c)} + a + b) * a * b)) / d
\end{aligned}$$

**maple [B]** time = 0.36, size = 1007, normalized size = 9.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^5/(a+b*\tanh(d*x+c)^2)^2, x)$

[Out] 
$$\begin{aligned}
& -1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)^3-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)+1/d/b^2*a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d/b*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d/b^2*a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/d/b*a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/b/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/2/d/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/2/d/(b*(a+b))^(1/2)/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))
\end{aligned}$$

$(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b+2/d/b^2*\arctan(\tanh(1/2*d*x+1/2*c))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ae^{3c} + be^{3c})e^{3dx} - (ae^c + be^c)e^{dx}}{a^2bd + ab^2d + (a^2bde^{4c} + ab^2de^{4c})e^{4dx} + 2(a^2bde^{2c} - ab^2de^{2c})e^{2dx}} + \frac{2 \arctan(e^{dx+c})}{b^2d} - 32 \int \frac{(2a}{32(a^2b^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] ((a\*e^(3\*c) + b\*e^(3\*c))\*e^(3\*d\*x) - (a\*e^c + b\*e^c)\*e^(d\*x))/(a^2\*b\*d + a\*b^2\*d + (a^2\*b\*d\*e^(4\*c) + a\*b^2\*d\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*b\*d\*e^(2\*c) - a\*b^2\*d\*e^(2\*c))\*e^(2\*d\*x)) + 2\*arctan(e^(d\*x + c))/(b^2\*d) - 32\*integrate(1/32\*((2\*a^2\*e^(3\*c) + a\*b\*e^(3\*c) - b^2\*e^(3\*c))\*e^(3\*d\*x) + (2\*a^2\*e^c + a\*b\*e^c - b^2\*e^c)\*e^(d\*x))/(a^2\*b^2 + a\*b^3 + (a^2\*b^2\*e^(4\*c) + a\*b^3\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*b^2\*e^(2\*c) - a\*b^3\*e^(2\*c))\*e^(2\*d\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^5 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^5\*(a + b\*tanh(c + d\*x)^2)^2), x)

[Out] int(1/(cosh(c + d\*x)^5\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*5/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)



$$3.123 \quad \int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=97

$$-\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{5/2}d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))} + \frac{\tanh(c+dx)}{b^2d}$$

[Out]  $-1/2*(3*a-b)*(a+b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(3/2)}/b^{(5/2)}/d+\tanh(d*x+c)/b^2/d+1/2*(a+b)^2*\tanh(d*x+c)/a/b^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.13, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 390, 385, 205}

$$-\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^{5/2}d} + \frac{(a+b)^2 \tanh(c+dx)}{2ab^2d(a+b \tanh^2(c+dx))} + \frac{\tanh(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $-((3*a - b)*(a + b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])/(2*a^{(3/2)}*b^{(5/2)}*d) + \text{Tanh}[c + d*x]/(b^2*d) + ((a + b)^2*\text{Tanh}[c + d*x])/(2*a*b^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a

, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^6(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{1}{b^2} - \frac{a^2 - b^2 + 2b(a+b)x^2}{b^2(a+bx^2)^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\tanh(c + dx)}{b^2 d} - \frac{\operatorname{Subst}\left(\int \frac{a^2 - b^2 + 2b(a+b)x^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{b^2 d} \\ &= \frac{\tanh(c + dx)}{b^2 d} + \frac{(a + b)^2 \tanh(c + dx)}{2ab^2 d (a + b \tanh^2(c + dx))} - \frac{((3a - b)(a + b)) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx\right)}{2ab^2 d} \\ &= -\frac{(3a - b)(a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c + dx)}{\sqrt{a}}\right)}{2a^{3/2} b^{5/2} d} + \frac{\tanh(c + dx)}{b^2 d} + \frac{(a + b)^2 \tanh(c + dx)}{2ab^2 d (a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.65, size = 102, normalized size = 1.05

$$\frac{-\frac{(3a-b)(a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{\sqrt{b}(a+b)^2 \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)} + 2\sqrt{b} \tanh(c + dx)}{2b^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2), x]

```
[Out] (-(((3*a - b)*(a + b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/a^(3/2)) + (
Sqrt[b]*(a + b)^2*Sinh[2*(c + d*x)]/(a*(a - b + (a + b)*Cosh[2*(c + d*x)])
) + 2*Sqrt[b]*Tanh[c + d*x])/(2*b^(5/2)*d)
```

**fricas [B]** time = 0.50, size = 2869, normalized size = 29.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^6/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [-1/4*(4*(3*a^3*b + 2*a^2*b^2 - a*b^3)*cosh(d*x + c)^4 + 16*(3*a^3*b + 2*a^
2*b^2 - a*b^3)*cosh(d*x + c)*sinh(d*x + c)^3 + 4*(3*a^3*b + 2*a^2*b^2 - a*b
^3)*sinh(d*x + c)^4 + 12*a^3*b + 16*a^2*b^2 + 4*a*b^3 + 8*(3*a^3*b - a^2*b^
2)*cosh(d*x + c)^2 + 8*(3*a^3*b - a^2*b^2 + 3*(3*a^3*b + 2*a^2*b^2 - a*b^3)
*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((3*a^3 + 5*a^2*b + a*b^2 - b^3)*cosh(d
*x + c)^6 + 6*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*cosh(d*x + c)*sinh(d*x + c)^5
+ (3*a^3 + 5*a^2*b + a*b^2 - b^3)*sinh(d*x + c)^6 + (9*a^3 + 3*a^2*b - 5*a
*b^2 + b^3)*cosh(d*x + c)^4 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3 + 15*(3*a^3
+ 5*a^2*b + a*b^2 - b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 4*(5*(3*a^3 + 5
*a^2*b + a*b^2 - b^3)*cosh(d*x + c)^3 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*c
osh(d*x + c))*sinh(d*x + c)^3 + 3*a^3 + 5*a^2*b + a*b^2 - b^3 + (9*a^3 + 3*
a^2*b - 5*a*b^2 + b^3)*cosh(d*x + c)^2 + (15*(3*a^3 + 5*a^2*b + a*b^2 - b^3)
)*cosh(d*x + c)^4 + 9*a^3 + 3*a^2*b - 5*a*b^2 + b^3 + 6*(9*a^3 + 3*a^2*b -
5*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 2*(3*(3*a^3 + 5*a^2*b + a
*b^2 - b^3)*cosh(d*x + c)^5 + 2*(9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*cosh(d*x
+ c)^3 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*cosh(d*x + c))*sinh(d*x + c))*sq
rt(-a*b)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*c
osh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2
- b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 -
b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a + b)*cosh(d*x + c
)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a -
b)*sqrt(-a*b))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x
+ c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)
)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (
a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) + 16*((3*a^3*b + 2*a^2*b^2 -
a*b^3)*cosh(d*x + c)^3 + (3*a^3*b - a^2*b^2)*cosh(d*x + c))*sinh(d*x + c))/
((a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^6 + 6*(a^3*b^3 + a^2*b^4)*d*cosh(d*x +
c)*sinh(d*x + c)^5 + (a^3*b^3 + a^2*b^4)*d*sinh(d*x + c)^6 + (3*a^3*b^3 -
a^2*b^4)*d*cosh(d*x + c)^4 + (15*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^2 + (3
*a^3*b^3 - a^2*b^4)*d)*sinh(d*x + c)^4 + (3*a^3*b^3 - a^2*b^4)*d*cosh(d*x +
c)^2 + 4*(5*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4)*
d*cosh(d*x + c))*sinh(d*x + c)^3 + (15*(a^3*b^3 + a^2*b^4)*d*cosh(d*x + c)^
4 + 6*(3*a^3*b^3 - a^2*b^4)*d*cosh(d*x + c)^2 + (3*a^3*b^3 - a^2*b^4)*d)*si
```

$$\begin{aligned} & \text{nh}(d*x + c)^2 + (a^3*b^3 + a^2*b^4)*d + 2*(3*(a^3*b^3 + a^2*b^4)*d*\cosh(d*x \\ & + c)^5 + 2*(3*a^3*b^3 - a^2*b^4)*d*\cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4) \\ & *d*\cosh(d*x + c))*\sinh(d*x + c)), -1/2*(2*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cos \\ & h(d*x + c)^4 + 8*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^ \\ & 3 + 2*(3*a^3*b + 2*a^2*b^2 - a*b^3)*\sinh(d*x + c)^4 + 6*a^3*b + 8*a^2*b^2 + \\ & 2*a*b^3 + 4*(3*a^3*b - a^2*b^2)*\cosh(d*x + c)^2 + 4*(3*a^3*b - a^2*b^2 + 3 \\ & *(3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((3*a^3 + \\ & 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^6 + 6*(3*a^3 + 5*a^2*b + a*b^2 - b^3) \\ & *\cosh(d*x + c)*\sinh(d*x + c)^5 + (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\sinh(d*x + \\ & c)^6 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*\cosh(d*x + c)^4 + (9*a^3 + 3*a^2* \\ & b - 5*a*b^2 + b^3 + 15*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^2)*\sin \\ & h(d*x + c)^4 + 4*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^3 + (9*a^ \\ & 3 + 3*a^2*b - 5*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*a^3 + 5*a^2 \\ & *b + a*b^2 - b^3 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*\cosh(d*x + c)^2 + (15* \\ & (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^4 + 9*a^3 + 3*a^2*b - 5*a*b^2 \\ & + b^3 + 6*(9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\ & ^2 + 2*(3*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(d*x + c)^5 + 2*(9*a^3 + 3*a^ \\ & 2*b - 5*a*b^2 + b^3)*\cosh(d*x + c)^3 + (9*a^3 + 3*a^2*b - 5*a*b^2 + b^3)*\co \\ & sh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + \\ & 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\s \\ & qrt(a*b)/(a*b)) + 8*((3*a^3*b + 2*a^2*b^2 - a*b^3)*\cosh(d*x + c)^3 + (3*a^3 \\ & *b - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3*b^3 + a^2*b^4)*d*\cosh(d*x \\ & + c)^6 + 6*(a^3*b^3 + a^2*b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^3*b^3 \\ & + a^2*b^4)*d*\sinh(d*x + c)^6 + (3*a^3*b^3 - a^2*b^4)*d*\cosh(d*x + c)^4 + (1 \\ & 5*(a^3*b^3 + a^2*b^4)*d*\cosh(d*x + c)^2 + (3*a^3*b^3 - a^2*b^4)*d)*\sinh(d*x \\ & + c)^4 + (3*a^3*b^3 - a^2*b^4)*d*\cosh(d*x + c)^2 + 4*(5*(a^3*b^3 + a^2*b^4) \\ & )*d*\cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^ \\ & 3 + (15*(a^3*b^3 + a^2*b^4)*d*\cosh(d*x + c)^4 + 6*(3*a^3*b^3 - a^2*b^4)*d*\c \\ & osh(d*x + c)^2 + (3*a^3*b^3 - a^2*b^4)*d)*\sinh(d*x + c)^2 + (a^3*b^3 + a^2* \\ & b^4)*d + 2*(3*(a^3*b^3 + a^2*b^4)*d*\cosh(d*x + c)^5 + 2*(3*a^3*b^3 - a^2*b^ \\ & 4)*d*\cosh(d*x + c)^3 + (3*a^3*b^3 - a^2*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c) \\ & )] \end{aligned}$$

**giac [B]** time = 0.60, size = 248, normalized size = 2.56

$$\frac{(3a^2e^{(2c)} + 2abe^{(2c)} - b^2e^{(2c)}) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right) e^{(-2c)}}{\sqrt{ab}ab^2} + \frac{2(3a^2e^{(4dx+4c)} + 2abe^{(4dx+4c)} - b^2e^{(4dx+4c)} + 6a^2e^{(2dx+2c)} - 2abe^{(2dx+2c)} + b^2e^{(2dx+2c)})}{(ae^{(6dx+6c)} + be^{(6dx+6c)} + 3ae^{(4dx+4c)} - be^{(4dx+4c)} + 3ae^{(2dx+2c)} - be^{(2dx+2c)})}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-1/2*((3*a^2*e^{(2*c)} + 2*a*b*e^{(2*c)} - b^2*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x} + 2*c) + b*e^{(2*d*x} + 2*c) + a - b)/\sqrt{a*b}))*e^{(-2*c)}/(\sqrt{a*b}*a*b^2) +$

$$\frac{2*(3*a^2*e^{(4*d*x + 4*c)} + 2*a*b*e^{(4*d*x + 4*c)} - b^2*e^{(4*d*x + 4*c)} + 6*a^2*e^{(2*d*x + 2*c)} - 2*a*b*e^{(2*d*x + 2*c)} + 3*a^2 + 4*a*b + b^2)/((a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + 3*a*e^{(4*d*x + 4*c)} - b*e^{(4*d*x + 4*c)} + 3*a*e^{(2*d*x + 2*c)} - b*e^{(2*d*x + 2*c)} + a + b)*a*b^2)}{d}$$

**maple [B]** time = 0.36, size = 1283, normalized size = 13.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d} \frac{1}{b^2} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{a} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+2/d} (\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{b} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+1/d} (\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{a} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+1/d} b^2} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{a} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+1/d} b^2} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{b} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+1/d} (\tanh(1/2*d*x+1/2*c)^{4*a+2} \tanh(1/2*d*x+1/2*c)^{2*a+4} \tanh(1/2*d*x+1/2*c)^{2*b+a})} \frac{1}{a} \frac{1}{\tanh(1/2*d*x+1/2*c)^{3+2/d} b^2} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} - \frac{3}{2} \frac{1}{d} \frac{1}{b^2} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{5}{2} \frac{1}{d} \frac{1}{b} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{3}{2} \frac{1}{d} \frac{1}{b^2} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{3}{2} \frac{1}{d} \frac{1}{b^2} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{5}{2} \frac{1}{d} \frac{1}{b} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{d} \frac{1}{b} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctanh(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} - \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} + \frac{1}{2} \frac{1}{d} \frac{1}{(b*(a+b))^{(1/2)}} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} \frac{1}{\arctan(a*\tanh(1/2*d*x+1/2*c))} \frac{1}{((2*(b*(a+b))^{(1/2)} - a - 2*b)*a)^{(1/2)}} * b + \frac{2}{d} \frac{1}{b^2} \frac{1}{\tanh(1/2*d*x+1/2*c)} \frac{1}{(\tanh(1/2*d*x+1/2*c)^{2+1})}$

**maxima** [B] time = 0.60, size = 209, normalized size = 2.15

$$\frac{3a^2 + 4ab + b^2 + 2(3a^2 - ab)e^{(-2dx-2c)} + (3a^2 + 2ab - b^2)e^{(-4dx-4c)}}{(a^2b^2 + ab^3 + (3a^2b^2 - ab^3)e^{(-2dx-2c)} + (3a^2b^2 - ab^3)e^{(-4dx-4c)} + (a^2b^2 + ab^3)e^{(-6dx-6c)})d} + \frac{(3a^2 + 2ab - b^2)a}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] (3\*a^2 + 4\*a\*b + b^2 + 2\*(3\*a^2 - a\*b)\*e^(-2\*d\*x - 2\*c) + (3\*a^2 + 2\*a\*b - b^2)\*e^(-4\*d\*x - 4\*c))/((a^2\*b^2 + a\*b^3 + (3\*a^2\*b^2 - a\*b^3)\*e^(-2\*d\*x - 2\*c) + (3\*a^2\*b^2 - a\*b^3)\*e^(-4\*d\*x - 4\*c) + (a^2\*b^2 + a\*b^3)\*e^(-6\*d\*x - 6\*c))\*d) + 1/2\*(3\*a^2 + 2\*a\*b - b^2)\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/sqrt(a\*b)\*a\*b^2\*d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^6 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^6\*(a + b\*tanh(c + d\*x)^2)^2), x)

[Out] int(1/(cosh(c + d\*x)^6\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{sech}^6(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*6/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(sech(c + d\*x)\*\*6/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.124 \quad \int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=155

$$\frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d} + \frac{(2a+b)(a+b) \sinh(c+dx)}{2ab^2d((a+b) \sinh^2(c+dx)+a)}$$

[Out]  $1/2*(4*a+5*b)*\arctan(\sinh(d*x+c))/b^3/d-1/2*(4*a-b)*(a+b)^{(3/2)}*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^3/d+1/2*(a+b)*(2*a+b)*\sinh(d*x+c)/a/b^2/d/(a+(a+b)*\sinh(d*x+c)^2)-1/2*\operatorname{sech}(d*x+c)*\tanh(d*x+c)/b/d/(a+(a+b)*\sinh(d*x+c)^2)$

**Rubi [A]** time = 0.25, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 414, 527, 522, 203, 205}

$$\frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(2a+b)(a+b) \sinh(c+dx)}{2ab^2d((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $((4*a+5*b)*\operatorname{ArcTan}[\operatorname{Sinh}[c+d*x]])/(2*b^3*d) - ((4*a-b)*(a+b)^{(3/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[a+b]*\operatorname{Sinh}[c+d*x])/ \operatorname{Sqrt}[a]])/(2*a^{(3/2)}*b^3*d) + ((a+b)*(2*a+b)*\operatorname{Sinh}[c+d*x])/(2*a*b^2*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2)) - (\operatorname{Sech}[c+d*x]*\operatorname{Tanh}[c+d*x])/(2*b*d*(a+(a+b)*\operatorname{Sinh}[c+d*x]^2))$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3676

```

Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

```

### Rubi steps



$$\begin{aligned}
\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)^2(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{d} \\
&= -\frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{a+2b-3(a+b)x^2}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{2bd} \\
&= \frac{(a+b)(2a+b) \sinh(c+dx)}{2ab^2d(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c+dx)\right)}{(4a-b)} \\
&= \frac{(a+b)(2a+b) \sinh(c+dx)}{2ab^2d(a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{sech}(c+dx) \tanh(c+dx)}{2bd(a+(a+b) \sinh^2(c+dx))} - \frac{((4a-b) \arctan(\sinh(c+dx)))}{(4a-b)} \\
&= \frac{(4a+5b) \tan^{-1}(\sinh(c+dx))}{2b^3d} - \frac{(4a-b)(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}b^3d} + \frac{(a-b)}{2ab}
\end{aligned}$$

**Mathematica [A]** time = 1.41, size = 265, normalized size = 1.71

$$\frac{(a-b) \left( 2a^{3/2}(4a+5b)\sqrt{a+b} \tan^{-1}\left(\tanh\left(\frac{1}{2}(c+dx)\right)\right) + a^{3/2}b\sqrt{a+b} \tanh(c+dx)\operatorname{sech}(c+dx) + (4a-b)(a+b) \right)}{2ab^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (2\*sqrt[a]\*b\*(a + b)^(5/2)\*sinh[c + d\*x] + (a - b)\*((4\*a - b)\*(a + b)^2\*ArcTan[(sqrt[a]\*Csch[c + d\*x])/sqrt[a + b]] + 2\*a^(3/2)\*sqrt[a + b]\*(4\*a + 5\*b)\*ArcTan[Tanh[(c + d\*x)/2]] + a^(3/2)\*b\*sqrt[a + b]\*Sech[c + d\*x]\*Tanh[c + d\*x]) + (a + b)\*Cosh[2\*(c + d\*x)]\*((4\*a - b)\*(a + b)^2\*ArcTan[(sqrt[a]\*Csch[c + d\*x])/sqrt[a + b]] + 2\*a^(3/2)\*sqrt[a + b]\*(4\*a + 5\*b)\*ArcTan[Tanh[(c + d\*x)/2]] + a^(3/2)\*b\*sqrt[a + b]\*Sech[c + d\*x]\*Tanh[c + d\*x]))/(2\*a^(3/2)\*b^3\*sqrt[a + b]\*d\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))

**fricas [B]** time = 0.57, size = 6396, normalized size = 41.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(4*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 28*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 4*(2*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^7 + 4*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^5 + 4*(2*a^2*b - a*b^2 + b^3) \\ & + 21*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2*\sinh(d*x + c)^5 + 20*(7*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 4*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^3 + 4*(35 \\ & *(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 - 2*a^2*b + a*b^2 - b^3 + 10*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(21*(2*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 10*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c)^3 - \\ & 3*(2*a^2*b - a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^8 + 8*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - a*b^2 + 7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^4 + 12*a^3 + 5*a^2*b - 6*a*b^2 + b^3 + 30*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^5 + 10*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^3 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*a^3 + 7*a^2*b + 2*a*b^2 - b^3 + 4*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^4 + 4*a^3 + 3*a^2*b - a*b^2 + 3*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3)*\cosh(d*x + c)^7 + 3*(4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c)^5 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3)*\cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - a*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-(a + b)/a}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) + 4*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)*\sinh(d*x + c)^2 + a*\sinh(d*x + c)^3 - a*\cosh(d*x + c) + (3*a*\cosh(d*x + c)^2 - a)*\sinh(d*x + c))*\sqrt{-(a + b)/a} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 4*((4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^8 + 8*(4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 9*a^2*b + 5*a*b^2)*\sinh(d*x + c)^8 + 4*(4*a^3 + 5*a^2*b)*\cosh(d*x + c)^6 + 4*(4*a^3 + 5*a^2*b + 7*(4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c)^3 + 3*(4*a^3 + 5*a^2*b)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + 11*a^2*b - 5*a*b^2)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 9*a^2*b + 5*a*b^2)*\cosh(d*x + c) \end{aligned}$$

$$\begin{aligned}
&^4 + 12a^3 + 11a^2b - 5ab^2 + 30(4a^3 + 5a^2b)\cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(4a^3 + 9a^2b + 5ab^2)\cosh(dx + c)^5 + 10(4a^3 + 5a^2b)\cosh(dx + c)^3 + (12a^3 + 11a^2b - 5ab^2)\cosh(dx + c)) \\
& * \sinh(dx + c)^3 + 4a^3 + 9a^2b + 5ab^2 + 4(4a^3 + 5a^2b)\cosh(dx + c)^2 + 4(7(4a^3 + 9a^2b + 5ab^2)\cosh(dx + c)^6 + 15(4a^3 + 5a^2b)\cosh(dx + c)^4 + 4a^3 + 5a^2b + 3(12a^3 + 11a^2b - 5ab^2) \\
& * \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((4a^3 + 9a^2b + 5ab^2)\cosh(dx + c)^7 + 3(4a^3 + 5a^2b)\cosh(dx + c)^5 + (12a^3 + 11a^2b - 5ab^2) \\
& ) \cosh(dx + c)^3 + (4a^3 + 5a^2b)\cosh(dx + c)) \sinh(dx + c)) \arctan(\cosh(dx + c) + \sinh(dx + c)) - 4(2a^2b + 3ab^2 + b^3)\cosh(dx + c) \\
& + 4(7(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^6 + 5(2a^2b - ab^2 + b^3)\cosh(dx + c)^4 - 2a^2b - 3ab^2 - b^3 - 3(2a^2b - ab^2 + b^3)\cosh(dx + c)^2) \sinh(dx + c)) / (4a^2b^3d\cosh(dx + c)^6 + (a^2b^3 + ab^4) \\
& * d\cosh(dx + c)^8 + 8(a^2b^3 + ab^4)d\cosh(dx + c)\sinh(dx + c)^7 + (a^2b^3 + ab^4)d\sinh(dx + c)^8 + 4a^2b^3d\cosh(dx + c)^2 + 4(a^2b^3d + 7(a^2b^3 + ab^4)d\cosh(dx + c)^2) \sinh(dx + c)^6 + 2(3a^2b^3 - ab^4) \\
& * d\cosh(dx + c)^4 + 8(3a^2b^3d\cosh(dx + c) + 7(a^2b^3 + ab^4)d\cosh(dx + c)^3) \sinh(dx + c)^5 + 2(30a^2b^3d\cosh(dx + c)^2 + 35(a^2b^3 + ab^4)d\cosh(dx + c)^4 + (3a^2b^3 - ab^4)d) \sinh(dx + c)^4 + 8(10a^2b^3d\cosh(dx + c)^3 + 7(a^2b^3 + ab^4)d\cosh(dx + c)^5 + (3a^2b^3 - ab^4)d\cosh(dx + c)) \sinh(dx + c)^3 + 4(15a^2b^3d\cosh(dx + c)^4 + 7(a^2b^3 + ab^4)d\cosh(dx + c)^6 + a^2b^3d + 3(3a^2b^3 - ab^4)d\cosh(dx + c)^2) \sinh(dx + c)^2 + (a^2b^3 + ab^4)d + 8(3a^2b^3d\cosh(dx + c)^5 + (a^2b^3 + ab^4)d\cosh(dx + c)^7 + a^2b^3d\cosh(dx + c) + (3a^2b^3 - ab^4)d\cosh(dx + c)^3) \sinh(dx + c)), 1/2(2(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^7 + 14(2a^2b + 3ab^2 + b^3)\cosh(dx + c)\sinh(dx + c)^6 + 2(2a^2b + 3ab^2 + b^3)\sinh(dx + c)^7 + 2(2a^2b - ab^2 + b^3)\cosh(dx + c)^5 + 2(2a^2b - ab^2 + b^3 + 21(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^2) \sinh(dx + c)^5 + 10(7(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^3 + (2a^2b - ab^2 + b^3)\cosh(dx + c)) \sinh(dx + c)^4 - 2(2a^2b - ab^2 + b^3)\cosh(dx + c)^3 + 2(35(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^4 - 2a^2b + ab^2 - b^3 + 10(2a^2b - ab^2 + b^3)\cosh(dx + c)^2) \sinh(dx + c)^3 + 2(21(2a^2b + 3ab^2 + b^3)\cosh(dx + c)^5 + 10(2a^2b - ab^2 + b^3)\cosh(dx + c)^3 - 3(2a^2b - ab^2 + b^3)\cosh(dx + c)) \sinh(dx + c)^2 - ((4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)^8 + 8(4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)\sinh(dx + c)^7 + (4a^3 + 7a^2b + 2ab^2 - b^3)\sinh(dx + c)^8 + 4(4a^3 + 3a^2b - ab^2)\cosh(dx + c)^6 + 4(4a^3 + 3a^2b - ab^2 + 7(4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)^3 + 3(4a^3 + 3a^2b - ab^2)\cosh(dx + c)) \sinh(dx + c)^5 + 2(12a^3 + 5a^2b - 6ab^2 + b^3)\cosh(dx + c)^4 + 2(35(4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)^4 + 12a^3 + 5a^2b - 6ab^2 + b^3 + 30(4a^3 + 3a^2b - ab^2)\cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(4a^3 + 7a^2b + 2ab^2 - b^3)\cosh(dx + c)^5 + 10(4a^3 + 3a^2b - ab^2)\cosh(dx + c)^3 + (1
\end{aligned}$$

$$\begin{aligned}
& 2*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 4*a^3 + 7 \\
& *a^2*b + 2*a*b^2 - b^3 + 4*(4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^2 + 4*(7 \\
& *(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - \\
& a*b^2) * \cosh(d*x + c)^4 + 4*a^3 + 3*a^2*b - a*b^2 + 3*(12*a^3 + 5*a^2*b - 6* \\
& a*b^2 + b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 8*((4*a^3 + 7*a^2*b + 2*a*b \\
& ^2 - b^3) * \cosh(d*x + c)^7 + 3*(4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^5 + ( \\
& 12*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - a*b^ \\
& 2) * \cosh(d*x + c)) * \sinh(d*x + c)) * \sqrt{(a + b)/a} * \arctan(1/2 * \sqrt{(a + b)/a} \\
& * (\cosh(d*x + c) + \sinh(d*x + c))) - ((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh \\
& (d*x + c)^8 + 8*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh(d*x + c) * \sinh(d*x + \\
& c)^7 + (4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2 \\
& *b - a*b^2) * \cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - a*b^2 + 7*(4*a^3 + 7*a^2 \\
& *b + 2*a*b^2 - b^3) * \cosh(d*x + c)^2) * \sinh(d*x + c)^6 + 8*(7*(4*a^3 + 7*a^2* \\
& b + 2*a*b^2 - b^3) * \cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + \\
& c)) * \sinh(d*x + c)^5 + 2*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \cosh(d*x + c)^4 \\
& + 2*(35*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh(d*x + c)^4 + 12*a^3 + 5*a^2 \\
& *b - 6*a*b^2 + b^3 + 30*(4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^2) * \sinh(d*x \\
& + c)^4 + 8*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh(d*x + c)^5 + 10*(4*a^ \\
& 3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^3 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \c \\
& osh(d*x + c)) * \sinh(d*x + c)^3 + 4*a^3 + 7*a^2*b + 2*a*b^2 - b^3 + 4*(4*a^3 \\
& + 3*a^2*b - a*b^2) * \cosh(d*x + c)^2 + 4*(7*(4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) \\
& * \cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^4 + 4*a^3 + 3 \\
& *a^2*b - a*b^2 + 3*(12*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \cosh(d*x + c)^2) * \sinh \\
& (d*x + c)^2 + 8*((4*a^3 + 7*a^2*b + 2*a*b^2 - b^3) * \cosh(d*x + c)^7 + 3*(4*a \\
& ^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)^5 + (12*a^3 + 5*a^2*b - 6*a*b^2 + b^3) * \\
& \cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - a*b^2) * \cosh(d*x + c)) * \sinh(d*x + c)) * \s \\
& \sqrt{(a + b)/a} * \arctan(1/2 * ((a + b) * \cosh(d*x + c)^3 + 3*(a + b) * \cosh(d*x + c \\
& ) * \sinh(d*x + c)^2 + (a + b) * \sinh(d*x + c)^3 + (3*a - b) * \cosh(d*x + c) + (3* \\
& (a + b) * \cosh(d*x + c)^2 + 3*a - b) * \sinh(d*x + c)) * \sqrt{(a + b)/a} / (a + b)) \\
& + 2*((4*a^3 + 9*a^2*b + 5*a*b^2) * \cosh(d*x + c)^8 + 8*(4*a^3 + 9*a^2*b + 5*a \\
& *b^2) * \cosh(d*x + c) * \sinh(d*x + c)^7 + (4*a^3 + 9*a^2*b + 5*a*b^2) * \sinh(d*x \\
& + c)^8 + 4*(4*a^3 + 5*a^2*b) * \cosh(d*x + c)^6 + 4*(4*a^3 + 5*a^2*b + 7*(4*a^ \\
& 3 + 9*a^2*b + 5*a*b^2) * \cosh(d*x + c)^2) * \sinh(d*x + c)^6 + 8*(7*(4*a^3 + 9*a \\
& ^2*b + 5*a*b^2) * \cosh(d*x + c)^3 + 3*(4*a^3 + 5*a^2*b) * \cosh(d*x + c)) * \sinh(d \\
& *x + c)^5 + 2*(12*a^3 + 11*a^2*b - 5*a*b^2) * \cosh(d*x + c)^4 + 2*(35*(4*a^3 \\
& + 9*a^2*b + 5*a*b^2) * \cosh(d*x + c)^4 + 12*a^3 + 11*a^2*b - 5*a*b^2 + 30*(4* \\
& a^3 + 5*a^2*b) * \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 8*(7*(4*a^3 + 9*a^2*b + 5 \\
& *a*b^2) * \cosh(d*x + c)^5 + 10*(4*a^3 + 5*a^2*b) * \cosh(d*x + c)^3 + (12*a^3 + \\
& 11*a^2*b - 5*a*b^2) * \cosh(d*x + c)) * \sinh(d*x + c)^3 + 4*a^3 + 9*a^2*b + 5*a* \\
& b^2 + 4*(4*a^3 + 5*a^2*b) * \cosh(d*x + c)^2 + 4*(7*(4*a^3 + 9*a^2*b + 5*a*b^2 \\
& ) * \cosh(d*x + c)^6 + 15*(4*a^3 + 5*a^2*b) * \cosh(d*x + c)^4 + 4*a^3 + 5*a^2*b \\
& + 3*(12*a^3 + 11*a^2*b - 5*a*b^2) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 8*((4* \\
& a^3 + 9*a^2*b + 5*a*b^2) * \cosh(d*x + c)^7 + 3*(4*a^3 + 5*a^2*b) * \cosh(d*x + c \\
& )^5 + (12*a^3 + 11*a^2*b - 5*a*b^2) * \cosh(d*x + c)^3 + (4*a^3 + 5*a^2*b) * \cos \\
& h(d*x + c)) * \sinh(d*x + c)) * \arctan(\cosh(d*x + c) + \sinh(d*x + c)) - 2*(2*a^2
\end{aligned}$$

```
*b + 3*a*b^2 + b^3)*cosh(d*x + c) + 2*(7*(2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x
+ c)^6 + 5*(2*a^2*b - a*b^2 + b^3)*cosh(d*x + c)^4 - 2*a^2*b - 3*a*b^2 - b
^3 - 3*(2*a^2*b - a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c))/(4*a^2*b^3*d
*cosh(d*x + c)^6 + (a^2*b^3 + a*b^4)*d*cosh(d*x + c)^8 + 8*(a^2*b^3 + a*b^4
)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2*b^3 + a*b^4)*d*sinh(d*x + c)^8 + 4
*a^2*b^3*d*cosh(d*x + c)^2 + 4*(a^2*b^3*d + 7*(a^2*b^3 + a*b^4)*d*cosh(d*x
+ c)^2)*sinh(d*x + c)^6 + 2*(3*a^2*b^3 - a*b^4)*d*cosh(d*x + c)^4 + 8*(3*a^
2*b^3*d*cosh(d*x + c) + 7*(a^2*b^3 + a*b^4)*d*cosh(d*x + c)^3)*sinh(d*x + c
)^5 + 2*(30*a^2*b^3*d*cosh(d*x + c)^2 + 35*(a^2*b^3 + a*b^4)*d*cosh(d*x + c
)^4 + (3*a^2*b^3 - a*b^4)*d)*sinh(d*x + c)^4 + 8*(10*a^2*b^3*d*cosh(d*x + c
)^3 + 7*(a^2*b^3 + a*b^4)*d*cosh(d*x + c)^5 + (3*a^2*b^3 - a*b^4)*d*cosh(d*x
+ c))*sinh(d*x + c)^3 + 4*(15*a^2*b^3*d*cosh(d*x + c)^4 + 7*(a^2*b^3 + a*
b^4)*d*cosh(d*x + c)^6 + a^2*b^3*d + 3*(3*a^2*b^3 - a*b^4)*d*cosh(d*x + c)^
2)*sinh(d*x + c)^2 + (a^2*b^3 + a*b^4)*d + 8*(3*a^2*b^3*d*cosh(d*x + c)^5 +
(a^2*b^3 + a*b^4)*d*cosh(d*x + c)^7 + a^2*b^3*d*cosh(d*x + c) + (3*a^2*b^3
- a*b^4)*d*cosh(d*x + c)^3)*sinh(d*x + c)]]
```

**giac [B]** time = 0.69, size = 870, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)^7/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] 1/2*(2*(4*a*e^c + 5*b*e^c)*arctan(e^(d*x + c))*e^(-c)/b^3 - (2*sqrt(a^2 - b
^2 - 2*sqrt(-a*b)*(a + b))*(4*a - b)*a^2*b^2*abs(a*e^(2*c) + b*e^(2*c)) + (
4*a^2 + 3*a*b - b^2)*sqrt(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*sqrt(-a*b)*abs(
a*e^(2*c) + b*e^(2*c))*abs(a)*abs(b) - (4*a^3*b^2 - 5*a^2*b^3 + a*b^4)*sqrt
(a^2 - b^2 - 2*sqrt(-a*b)*(a + b))*abs(a*e^(2*c) + b*e^(2*c))*arctan(e^(d*
x)/sqrt((a^2*b^3*e^(2*c) - a*b^4*e^(2*c) + sqrt((a^2*b^3*e^(2*c) - a*b^4*e^
(2*c))^2 - (a^2*b^3*e^(4*c) + a*b^4*e^(4*c))*(a^2*b^3 + a*b^4)))/(a^2*b^3*e
^(4*c) + a*b^4*e^(4*c))))*e^(-2*c)/((a^3*b^3 + 2*a^2*b^4 + a*b^5)*sqrt(-a*b
)*abs(a)*abs(b)) + (2*sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*(4*a - b)*a^2*
b^2*abs(a*e^(2*c) + b*e^(2*c)) - (4*a^2 + 3*a*b - b^2)*sqrt(a^2 - b^2 + 2*s
qrt(-a*b)*(a + b))*sqrt(-a*b)*abs(a*e^(2*c) + b*e^(2*c))*abs(a)*abs(b) - (4
*a^3*b^2 - 5*a^2*b^3 + a*b^4)*sqrt(a^2 - b^2 + 2*sqrt(-a*b)*(a + b))*abs(a*
e^(2*c) + b*e^(2*c))*arctan(e^(d*x)/sqrt((a^2*b^3*e^(2*c) - a*b^4*e^(2*c)
- sqrt((a^2*b^3*e^(2*c) - a*b^4*e^(2*c))^2 - (a^2*b^3*e^(4*c) + a*b^4*e^(4*
c))*(a^2*b^3 + a*b^4)))/(a^2*b^3*e^(4*c) + a*b^4*e^(4*c))))*e^(-2*c)/((a^3*
b^3 + 2*a^2*b^4 + a*b^5)*sqrt(-a*b)*abs(a)*abs(b)) + 2*(a^2*e^(3*d*x + 3*c)
+ 2*a*b*e^(3*d*x + 3*c) + b^2*e^(3*d*x + 3*c) - a^2*e^(d*x + c) - 2*a*b*e^
(d*x + c) - b^2*e^(d*x + c))/((a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) + 2*a*
e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b)*a*b^2) + 2*(e^(3*d*x + 3*c)
- e^(d*x + c))/(b^2*(e^(2*d*x + 2*c) + 1)^2))/d
```

maple [B] time = 0.40, size = 1477, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^7/(a+b*\tanh(d*x+c))^2,x)$

[Out] 
$$\begin{aligned} & -7/2/d/b*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-7/2/d/b*a/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/d/b^2/(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)^3+1/d/b^2/(\tanh(1/2*d*x+1/2*c)^2+1)^2*\tanh(1/2*d*x+1/2*c)+4/d/b^3*\text{arctan}(\tanh(1/2*d*x+1/2*c))*a+1/2/d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})*b-1/d/b^2/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*a*\tanh(1/2*d*x+1/2*c)^3-2/d/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)^3+7/2/d/b^2*a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-2/d/b^2*a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-2/d/b^2*a^2/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+2/d/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/b*\tanh(1/2*d*x+1/2*c)+1/d/b/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/d/b/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-1/d/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)^3+1/d/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)/a*\tanh(1/2*d*x+1/2*c)-1/d/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/2/d/a/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})-1/d/(b*(a+b))^{1/2}/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+1/2/d/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+5/d/b^2*\text{arctan}(\tanh(1/2*d*x+1/2*c))+1/2/d/(b*(a+b))^{1/2}/a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})*b-7/2/d/b^2*a/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})-2/d/b^3*a^2/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}*\text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2})+2/d/b^3*a^2/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}*\text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2})+1/d/b^2/(\tanh(1/2*d*x+1/2*c)^4+a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*a*\tanh(1/2*d*x+1/2*c) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(2a^2e^{7c} + 3abe^{7c} + b^2e^{7c})e^{7dx} + (2a^2e^{5c} - abe^{5c} + b^2e^{5c})e^{5dx} - (2a^2e^{3c} - abe^{3c} + b^2e^{3c})e^{3dx} - 4a^2b^2de^{6dx+6c} + 4a^2b^2de^{2dx+2c} + a^2b^2d + ab^3d + (a^2b^2de^{8c} + ab^3de^{8c})e^{8dx} + 2(3a^2b^2de^{4c} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] ((2\*a^2\*e^(7\*c) + 3\*a\*b\*e^(7\*c) + b^2\*e^(7\*c))\*e^(7\*d\*x) + (2\*a^2\*e^(5\*c) - a\*b\*e^(5\*c) + b^2\*e^(5\*c))\*e^(5\*d\*x) - (2\*a^2\*e^(3\*c) - a\*b\*e^(3\*c) + b^2\*e^(3\*c))\*e^(3\*d\*x) - (2\*a^2\*e^c + 3\*a\*b\*e^c + b^2\*e^c)\*e^(d\*x))/(4\*a^2\*b^2\*d\*e^(6\*d\*x + 6\*c) + 4\*a^2\*b^2\*d\*e^(2\*d\*x + 2\*c) + a^2\*b^2\*d + a\*b^3\*d + (a^2\*b^2\*d\*e^(8\*c) + a\*b^3\*d\*e^(8\*c))\*e^(8\*d\*x) + 2\*(3\*a^2\*b^2\*d\*e^(4\*c) - a\*b^3\*d\*e^(4\*c))\*e^(4\*d\*x)) + (4\*a\*e^c + 5\*b\*e^c)\*arctan(e^(d\*x + c))\*e^(-c)/(b^3\*d) - 128\*integrate(1/128\*((4\*a^3\*e^(3\*c) + 7\*a^2\*b\*e^(3\*c) + 2\*a\*b^2\*e^(3\*c) - b^3\*e^(3\*c))\*e^(3\*d\*x) + (4\*a^3\*e^c + 7\*a^2\*b\*e^c + 2\*a\*b^2\*e^c - b^3\*e^c)\*e^(d\*x))/(a^2\*b^3 + a\*b^4 + (a^2\*b^3\*e^(4\*c) + a\*b^4\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^2\*b^3\*e^(2\*c) - a\*b^4\*e^(2\*c))\*e^(2\*d\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^7 (b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^7\*(a + b\*tanh(c + d\*x)^2)^2),x)

[Out] int(1/(cosh(c + d\*x)^7\*(a + b\*tanh(c + d\*x)^2)^2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*7/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

$$3.125 \quad \int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=198

$$\frac{b(a-3b)(4a+b) \tanh(c+dx)}{8a^2d(a+b)^3(a+b \tanh^2(c+dx))} + \frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^4} - \frac{b(2a-b) \tanh(c+dx)}{4ad(a+b)^2(a+b \tanh^2(c+dx))}$$

[Out] 1/2\*(a+7\*b)\*x/(a+b)^4+1/8\*b^(3/2)\*(35\*a^2+14\*a\*b+3\*b^2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(5/2)/(a+b)^4/d+1/2\*cosh(d\*x+c)\*sinh(d\*x+c)/(a+b)/d/(a+b\*tanh(d\*x+c)^2)^2-1/4\*(2\*a-b)\*b\*tanh(d\*x+c)/a/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)^2-1/8\*(a-3\*b)\*b\*(4\*a+b)\*tanh(d\*x+c)/a^2/(a+b)^3/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.31, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3675, 414, 527, 522, 206, 205}

$$\frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^4} - \frac{b(a-3b)(4a+b) \tanh(c+dx)}{8a^2d(a+b)^3(a+b \tanh^2(c+dx))} - \frac{b(2a-b) \tanh(c+dx)}{4ad(a+b)^2(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((a + 7\*b)\*x)/(2\*(a + b)^4) + (b^(3/2)\*(35\*a^2 + 14\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^4\*d) + (Cosh[c + d\*x]\*Sin[c + d\*x])/(2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((2\*a - b)\*b\*Tanh[c + d\*x])/(4\*a\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2)^2) - ((a - 3\*b)\*b\*(4\*a + b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 414



```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3675

```

Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])

```

### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)^2(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{a+2b+5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a-3b-5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{(a-3b)}{8a^2(a+b)d} \\
&= \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2} - \frac{(2a-b)b \tanh(c+dx)}{4a(a+b)^2d(a+b \tanh^2(c+dx))^2} - \frac{(a-3b)}{8a^2(a+b)d} \\
&= \frac{(a+7b)x}{2(a+b)^4} + \frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^4d} + \frac{\cosh(c+dx) \sinh(c+dx)}{2(a+b)d(a+b \tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.42, size = 164, normalized size = 0.83

$$\frac{b^2(a+b)(13a+3b) \sinh(2(c+dx))}{a^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{b^{3/2}(35a^2+14ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + \frac{4b^3(a+b) \sinh(2(c+dx))}{a((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{4(a+7b)(c+dx) + 2(a-3b)}{8d(a+b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (4\*(a + 7\*b)\*(c + d\*x) + (b^(3/2)\*(35\*a^2 + 14\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2) + 2\*(a + b)\*Sinh[2\*(c + d\*x)] + (4\*b^3\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (b^2\*(a + b)\*(13\*a + 3\*b)\*Sinh[2\*(c + d\*x)]/(a^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (a - 3\*b)/(8\*a^2\*(a + b))))/(8\*(a + b)^4\*d)

**fricas [B]** time = 0.71, size = 13887, normalized size = 70.14

result too large to display



$$\begin{aligned}
& *b^3) * \cosh(dx + c)^9 + 120*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4 \\
& *b + 15*a^3*b^2 + 7*a^2*b^3)*dx) * \cosh(dx + c)^7 + 14*(5*a^5 - a^4*b - 27* \\
& a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^ \\
& 2*b^3)*dx) * \cosh(dx + c)^5 - 10*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^ \\
& 5 - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*dx) * \cosh(dx + c)^3 - ( \\
& 5*a^5 - a^4*b + 77*a^3*b^2 + 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a \\
& ^4*b - a^3*b^2 - 7*a^2*b^3)*dx) * \cosh(dx + c)) * \sinh(dx + c)^3 - 4*(2*a^5 \\
& + 2*a^4*b + 11*a^3*b^2 + 27*a^2*b^3 + 19*a*b^4 + 3*b^5 - 2*(a^5 + 9*a^4*b + \\
& 15*a^3*b^2 + 7*a^2*b^3)*dx) * \cosh(dx + c)^2 + 4*(33*(a^5 + 3*a^4*b + 3*a^ \\
& 3*b^2 + a^2*b^3) * \cosh(dx + c)^10 + 90*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + ( \\
& a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*dx) * \cosh(dx + c)^8 + 14*(5*a^5 - \\
& a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3 \\
& *b^2 - 7*a^2*b^3)*dx) * \cosh(dx + c)^6 - 2*a^5 - 2*a^4*b - 11*a^3*b^2 - 27* \\
& a^2*b^3 - 19*a*b^4 - 3*b^5 - 15*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 \\
& - 4*(3*a^5 + 19*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*dx) * \cosh(dx + c)^4 + 2* \\
& (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*dx - 3*(5*a^5 - a^4*b + 77*a^3*b^ \\
& 2 + 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^ \\
& 3)*dx) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + ((35*a^4*b + 84*a^3*b^2 + 66*a^2 \\
& *b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^10 + 10*(35*a^4*b + 84*a^3*b^2 + 66* \\
& a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c) * \sinh(dx + c)^9 + (35*a^4*b + 84* \\
& a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \sinh(dx + c)^10 + 4*(35*a^4*b + 1 \\
& 4*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)^8 + (140*a^4*b + 5 \\
& 6*a^3*b^2 - 128*a^2*b^3 - 56*a*b^4 - 12*b^5 + 45*(35*a^4*b + 84*a^3*b^2 + 6 \\
& 6*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^8 + 8*(15*(35* \\
& a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^3 + 4*(35 \\
& *a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)) * \sinh(dx \\
& x + c)^7 + 2*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5) * \cosh( \\
& dx + c)^6 + 2*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5 + 10 \\
& 5*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^4 + \\
& 56*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)^2 \\
& ) * \sinh(dx + c)^6 + 4*(63*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + \\
& 3*b^5) * \cosh(dx + c)^5 + 56*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 \\
& - 3*b^5) * \cosh(dx + c)^3 + 3*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^ \\
& 4 + 9*b^5) * \cosh(dx + c)) * \sinh(dx + c)^5 + 4*(35*a^4*b + 14*a^3*b^2 - 32*a \\
& ^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)^4 + 2*(105*(35*a^4*b + 84*a^3*b^2 \\
& + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^6 + 70*a^4*b + 28*a^3*b^2 - \\
& 64*a^2*b^3 - 28*a*b^4 - 6*b^5 + 140*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 1 \\
& 4*a*b^4 - 3*b^5) * \cosh(dx + c)^4 + 15*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 \\
& + 36*a*b^4 + 9*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8*(15*(35*a^4*b + 84 \\
& *a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^7 + 28*(35*a^4*b + \\
& 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)^5 + 5*(105*a^4*b \\
& - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5) * \cosh(dx + c)^3 + 2*(35*a^4*b \\
& + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) * \cosh(dx + c)) * \sinh(dx + c) \\
& ^3 + (35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx + c)^ \\
& 2 + (45*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5) * \cosh(dx +
\end{aligned}$$

$$\begin{aligned}
& c)^8 + 112*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x \\
& + c)^6 + 35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5 + 30*(105*a \\
& ^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^5)*\cosh(d*x + c)^4 + 24*(35 \\
& *a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5)*\cosh(d*x + c)^2)*\sinh( \\
& d*x + c)^2 + 2*(5*(35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^5)*c \\
& osh(d*x + c)^9 + 16*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b^5) \\
& *\cosh(d*x + c)^7 + 6*(105*a^4*b - 28*a^3*b^2 + 86*a^2*b^3 + 36*a*b^4 + 9*b^ \\
& 5)*\cosh(d*x + c)^5 + 8*(35*a^4*b + 14*a^3*b^2 - 32*a^2*b^3 - 14*a*b^4 - 3*b \\
& ^5)*\cosh(d*x + c)^3 + (35*a^4*b + 84*a^3*b^2 + 66*a^2*b^3 + 20*a*b^4 + 3*b^ \\
& 5)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d \\
& *x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2* \\
& a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2* \\
& a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 \\
& + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh \\
& (d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\si \\
& nh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a})/((a + b) \\
& *\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d \\
& *x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - \\
& b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\si \\
& nh(d*x + c) + a + b)) + 8*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x \\
& + c)^11 + 10*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^ \\
& 2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^9 + 2*(5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2 \\
& *b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cos \\
& h(d*x + c)^7 - 3*(39*a^3*b^2 - 17*a^2*b^3 + 33*a*b^4 + 9*b^5 - 4*(3*a^5 + 1 \\
& 9*a^4*b - 11*a^3*b^2 + 21*a^2*b^3)*d*x)*\cosh(d*x + c)^5 - (5*a^5 - a^4*b + \\
& 77*a^3*b^2 + 31*a^2*b^3 - 70*a*b^4 - 18*b^5 - 16*(a^5 + 7*a^4*b - a^3*b^2 - \\
& 7*a^2*b^3)*d*x)*\cosh(d*x + c)^3 - (2*a^5 + 2*a^4*b + 11*a^3*b^2 + 27*a^2*b \\
& ^3 + 19*a*b^4 + 3*b^5 - 2*(a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cos \\
& h(d*x + c))*\sinh(d*x + c))/((a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a \\
& ^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^10 + 10*(a^8 + 6*a^7*b + 15*a \\
& ^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)*\sin \\
& h(d*x + c)^9 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^ \\
& 3*b^5 + a^2*b^6)*d*\sinh(d*x + c)^10 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4* \\
& b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^8 + (45*(a^8 + 6*a^7*b + 15*a^6* \\
& b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^2 + 4* \\
& (a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d)*\sinh(d*x + \\
& c)^8 + 2*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3 \\
& *b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^6 + 8*(15*(a^8 + 6*a^7*b + 15*a^6*b^2 + 2 \\
& 0*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^3 + 4*(a^8 + \\
& 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c))*\sin \\
& h(d*x + c)^7 + 2*(105*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 \\
& + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^4 + 56*(a^8 + 4*a^7*b + 5*a^6*b^2 - \\
& 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^2 + (3*a^8 + 10*a^7*b + 1 \\
& 3*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d)*\sinh(d*x + \\
& c)^6 + 4*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*c
\end{aligned}$$

$$\begin{aligned}
& \text{osh}(d*x + c)^4 + 4*(63*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^5 + 56*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^3 + 3*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^6 + 140*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^4 + 15*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^2 + 2*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d)*\sinh(d*x + c)^4 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^2 + 8*(15*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c))^7 + 28*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^5 + 5*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^3 + 2*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^8 + 112*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^6 + 30*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^4 + 24*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^2 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d)*\sinh(d*x + c)^2 + 2*(5*(a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c)^9 + 16*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^7 + 6*(3*a^8 + 10*a^7*b + 13*a^6*b^2 + 12*a^5*b^3 + 13*a^4*b^4 + 10*a^3*b^5 + 3*a^2*b^6)*d*\cosh(d*x + c)^5 + 8*(a^8 + 4*a^7*b + 5*a^6*b^2 - 5*a^4*b^4 - 4*a^3*b^5 - a^2*b^6)*d*\cosh(d*x + c)^3 + (a^8 + 6*a^7*b + 15*a^6*b^2 + 20*a^5*b^3 + 15*a^4*b^4 + 6*a^3*b^5 + a^2*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^12 + 12*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(d*x + c)^12 + 4*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^10 + 2*(2*a^5 + 2*a^4*b - 2*a^3*b^2 - 2*a^2*b^3 + 2*(a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x + 33*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20*(11*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^3 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x)*\cosh(d*x + c)^8 + (5*a^5 - a^4*b - 27*a^3*b^2 + 7*a^2*b^3 + 34*a*b^4 + 6*b^5 + 495*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^4 + 16*(a^5 + 7*a^4*b - a^3*b^2 - 7*a^2*b^3)*d*x + 180*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(d*x + c)^5 + 60*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + (a^5 + 9*a^4*b + 15*a^3*b^2 + 7*a^2*b^3)*d*x)*\cosh(d*x + c)^
\end{aligned}$$



$$\begin{aligned}
& ^5) \sinh(dx + c)^{10} + 4(35a^4b + 14a^3b^2 - 32a^2b^3 - 14ab^4 - 3 \\
& b^5) \cosh(dx + c)^8 + (140a^4b + 56a^3b^2 - 128a^2b^3 - 56ab^4 - \\
& 12b^5 + 45(35a^4b + 84a^3b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh(dx \\
& x + c)^2) \sinh(dx + c)^8 + 8(15(35a^4b + 84a^3b^2 + 66a^2b^3 + 20 \\
& ab^4 + 3b^5) \cosh(dx + c)^3 + 4(35a^4b + 14a^3b^2 - 32a^2b^3 - 14 \\
& ab^4 - 3b^5) \cosh(dx + c)) \sinh(dx + c)^7 + 2(105a^4b - 28a^3b^2 \\
& + 86a^2b^3 + 36ab^4 + 9b^5) \cosh(dx + c)^6 + 2(105a^4b - 28a^3b^2 \\
& 2 + 86a^2b^3 + 36ab^4 + 9b^5 + 105(35a^4b + 84a^3b^2 + 66a^2b^3 \\
& + 20ab^4 + 3b^5) \cosh(dx + c)^4 + 56(35a^4b + 14a^3b^2 - 32a^2b \\
& ^3 - 14ab^4 - 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^6 + 4(63(35a^4b + \\
& 84a^3b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh(dx + c)^5 + 56(35a^4b \\
& + 14a^3b^2 - 32a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + c)^3 + 3(105a^4 \\
& b - 28a^3b^2 + 86a^2b^3 + 36ab^4 + 9b^5) \cosh(dx + c)) \sinh(dx + \\
& c)^5 + 4(35a^4b + 14a^3b^2 - 32a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + \\
& c)^4 + 2(105(35a^4b + 84a^3b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh \\
& (dx + c)^6 + 70a^4b + 28a^3b^2 - 64a^2b^3 - 28ab^4 - 6b^5 + 140( \\
& 35a^4b + 14a^3b^2 - 32a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + c)^4 + 15 \\
& (105a^4b - 28a^3b^2 + 86a^2b^3 + 36ab^4 + 9b^5) \cosh(dx + c)^2) * \\
& \sinh(dx + c)^4 + 8(15(35a^4b + 84a^3b^2 + 66a^2b^3 + 20ab^4 + 3 \\
& b^5) \cosh(dx + c)^7 + 28(35a^4b + 14a^3b^2 - 32a^2b^3 - 14ab^4 - \\
& 3b^5) \cosh(dx + c)^5 + 5(105a^4b - 28a^3b^2 + 86a^2b^3 + 36ab^4 \\
& + 9b^5) \cosh(dx + c)^3 + 2(35a^4b + 14a^3b^2 - 32a^2b^3 - 14ab^4 \\
& - 3b^5) \cosh(dx + c)) \sinh(dx + c)^3 + (35a^4b + 84a^3b^2 + 66a^2 \\
& b^3 + 20ab^4 + 3b^5) \cosh(dx + c)^2 + (45(35a^4b + 84a^3b^2 + 66a \\
& ^2b^3 + 20ab^4 + 3b^5) \cosh(dx + c)^8 + 112(35a^4b + 14a^3b^2 - 3 \\
& 2a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + c)^6 + 35a^4b + 84a^3b^2 + 66 \\
& a^2b^3 + 20ab^4 + 3b^5 + 30(105a^4b - 28a^3b^2 + 86a^2b^3 + 36a \\
& b^4 + 9b^5) \cosh(dx + c)^4 + 24(35a^4b + 14a^3b^2 - 32a^2b^3 - 14 \\
& ab^4 - 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^2 + 2(5(35a^4b + 84a^3 \\
& b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh(dx + c)^9 + 16(35a^4b + 14a^ \\
& 3b^2 - 32a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + c)^7 + 6(105a^4b - 28 \\
& a^3b^2 + 86a^2b^3 + 36ab^4 + 9b^5) \cosh(dx + c)^5 + 8(35a^4b + 14 \\
& a^3b^2 - 32a^2b^3 - 14ab^4 - 3b^5) \cosh(dx + c)^3 + (35a^4b + 84 \\
& a^3b^2 + 66a^2b^3 + 20ab^4 + 3b^5) \cosh(dx + c)) \sinh(dx + c)) \sqrt{ \\
& (b/a) \arctan(1/2((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx \\
& x + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{b/a}/b) + 4(3(a^5 + 3a^4 \\
& b + 3a^3b^2 + a^2b^3) \cosh(dx + c)^{11} + 10(a^5 + a^4b - a^3b^2 - a^2 \\
& b^3 + (a^5 + 9a^4b + 15a^3b^2 + 7a^2b^3) dx) \cosh(dx + c)^9 + 2(5 \\
& a^5 - a^4b - 27a^3b^2 + 7a^2b^3 + 34ab^4 + 6b^5 + 16(a^5 + 7a^4 \\
& b - a^3b^2 - 7a^2b^3) dx) \cosh(dx + c)^7 - 3(39a^3b^2 - 17a^2b^3 \\
& + 33ab^4 + 9b^5 - 4(3a^5 + 19a^4b - 11a^3b^2 + 21a^2b^3) dx) \co \\
& sh(dx + c)^5 - (5a^5 - a^4b + 77a^3b^2 + 31a^2b^3 - 70ab^4 - 18b^ \\
& 5 - 16(a^5 + 7a^4b - a^3b^2 - 7a^2b^3) dx) \cosh(dx + c)^3 - (2a^5 \\
& + 2a^4b + 11a^3b^2 + 27a^2b^3 + 19ab^4 + 3b^5 - 2(a^5 + 9a^4b + \\
& 15a^3b^2 + 7a^2b^3) dx) \cosh(dx + c)) \sinh(dx + c)) / ((a^8 + 6a^7b
\end{aligned}$$



$$\begin{aligned}
& + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^{10} + 10(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c) * \sinh(dx + c)^9 + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \sinh(dx + c)^{10} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^8 + (45(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^2 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d) * \sinh(dx + c)^8 + 2(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)^6 + 8(15(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^3 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^7 + 2(105(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^4 + 56(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^2 + (3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d) * \sinh(dx + c)^6 + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^4 + 4(63(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^5 + 56(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^3 + 3(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2(105(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^6 + 140(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^4 + 15(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)^2 + 2(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d) * \sinh(dx + c)^4 + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^2 + 8(15(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^7 + 28(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^5 + 5(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)^3 + 2(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)) * \sinh(dx + c)^3 + (45(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)^8 + 112(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^6 + 30(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)^4 + 24(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^2 + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d) * \sinh(dx + c)^2 + 2(5(a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c))^9 + 16(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^7 + 6(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) * d * \cosh(dx + c)^5 + 8(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) * d * \cosh(dx + c)^3 + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) * d * \cosh(dx + c)) * s
\end{aligned}$$

$\text{inh}(d*x + c)]]$

**giac [B]** time = 1.91, size = 595, normalized size = 3.01

$$\frac{4(a+7b)dx}{a^4+4a^3b+6a^2b^2+4ab^3+b^4} + \frac{(35a^2b^2e^{(2c)}+14ab^3e^{(2c)}+3b^4e^{(2c)})\arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)e^{(-2c)}}{(a^6+4a^5b+6a^4b^2+4a^3b^3+a^2b^4)\sqrt{ab}} - \frac{(2ae^{(2dx+2c)}+14be^{(2dx+2c)}+a+b)}{a^4e^{(2c)}+4a^3be^{(2c)}+6a^2b^2e^{(2c)}+4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8}*(4*(a + 7*b)*d*x/(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) + (35*a^2*b^2*e^{(2*c)} + 14*a*b^3*e^{(2*c)} + 3*b^4*e^{(2*c)})*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})*e^{(-2*c)})/((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*\sqrt{a*b}) - (2*a*e^{(2*d*x + 2*c)} + 14*b*e^{(2*d*x + 2*c)} + a + b)*e^{(-2*d*x)}/(a^4*e^{(2*c)} + 4*a^3*b*e^{(2*c)} + 6*a^2*b^2*e^{(2*c)} + 4*a*b^3*e^{(2*c)} + b^4*e^{(2*c)}) + e^{(2*d*x + 16*c)}/(a^3*e^{(14*c)} + 3*a^2*b*e^{(14*c)} + 3*a*b^2*e^{(14*c)} + b^3*e^{(14*c)}) - 2*(13*a^3*b^2*e^{(6*d*x + 6*c)} - a^2*b^3*e^{(6*d*x + 6*c)} - 17*a*b^4*e^{(6*d*x + 6*c)} - 3*b^5*e^{(6*d*x + 6*c)} + 39*a^3*b^2*e^{(4*d*x + 4*c)} - 17*a^2*b^3*e^{(4*d*x + 4*c)} + 33*a*b^4*e^{(4*d*x + 4*c)} + 9*b^5*e^{(4*d*x + 4*c)} + 39*a^3*b^2*e^{(2*d*x + 2*c)} + 13*a^2*b^3*e^{(2*d*x + 2*c)} - 35*a*b^4*e^{(2*d*x + 2*c)} - 9*b^5*e^{(2*d*x + 2*c)} + 13*a^3*b^2 + 29*a^2*b^3 + 19*a*b^4 + 3*b^5)/((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$

**maple [B]** time = 0.51, size = 2132, normalized size = 10.77

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $-35/8/d*b^2/(a+b)^4*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*a*\text{rctanh}(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-35/8/d*b^2/(a+b)^4*a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-17/8/d*b^4/(a+b)^4/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-3/8/d*b^5/(a+b)^4/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})-3/8/d*b^5/(a+b)^4/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\arctanh(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-17/8/d*b^4/(a+b)^4/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\text{tanh}(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})$

$$\begin{aligned}
& 2*b)*a)^{(1/2)}+1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)^2+1/2/d/(a+b)^3/(\tanh( \\
& 1/2*d*x+1/2*c)-1)-1/2/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)^2+1/2/d/(a+b)^3/(\tanh( \\
& 1/2*d*x+1/2*c)+1)-7/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)-1)*b-49/8/d*b^3/( \\
& a+b)^4/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1 \\
& /2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-49/8/d*b^3/(a+b)^4/(b*(a \\
& +b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c) \\
& /((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+5/4/d*b^4/(a+b)^4/(\tanh(1/2*d*x+1/2*c) \\
& )^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d \\
& *x+1/2*c)^7+5/4/d*b^4/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c) \\
& )^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)-1/2/d/(a+b)^4*\ln \\
& (\tanh(1/2*d*x+1/2*c)-1)*a+1/2/d/(a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*a+7/2/d/( \\
& a+b)^4*\ln(\tanh(1/2*d*x+1/2*c)+1)*b-7/4/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{(1/2)}+ \\
& a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^ \\
& (1/2))+13/4/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2* \\
& a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*\tanh(1/2*d*x+1/2*c)^7+39/4/d*b^2/(a+b)^4 \\
& /(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2 \\
& *b+a)^2*a*\tanh(1/2*d*x+1/2*c)^5+39/4/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a \\
& +2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*\tanh(1/2*d*x+1/ \\
& 2*c)^3+3/8/d*b^4/(a+b)^4/a^2/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a* \\
& \tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-3/8/d*b^4/(a+b)^4/ \\
& a^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b \\
& *(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+71/4/d*b^4/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+ \\
& 2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2 \\
& *c)^3+3/d*b^5/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4* \\
& \tanh(1/2*d*x+1/2*c)^2*b+a)^2/a^2*\tanh(1/2*d*x+1/2*c)^3+71/4/d*b^4/(a+b)^4/( \\
& \tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b \\
& +a)^2/a*\tanh(1/2*d*x+1/2*c)^5+13/4/d*b^2/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2 \\
& *\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*a*\tanh(1/2*d*x+1/2* \\
& c)+7/4/d*b^3/(a+b)^4/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1 \\
& /2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+3/d*b^5/(a+b)^4/(\tanh(1/ \\
& 2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a \\
& ^2*\tanh(1/2*d*x+1/2*c)^5+35/8/d*b^2/(a+b)^4/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{( \\
& 1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-35/ \\
& 8/d*b^2/(a+b)^4/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1 \\
& /2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+9/2/d*b^3/(a+b)^4/(\tanh(1/2*d*x+ \\
& 1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/ \\
& 2*d*x+1/2*c)^7+49/2/d*b^3/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1 \\
& /2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+49/2/d*b^3/( \\
& a+b)^4/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/ \\
& 2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+9/2/d*b^3/(a+b)^4/(\tanh(1/2*d*x+1/2*c)^ \\
& 4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1 \\
& /2*c)
\end{aligned}$$

**maxima [B]** time = 1.05, size = 1806, normalized size = 9.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^3,x, algorithm="maxima")

[Out] 
$$\frac{3}{4} b \log((a+b)e^{4dx+4c} + 2(a-b)e^{2dx+2c} + a+b) / ((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)d) - \frac{3}{4} b \log(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b) / ((a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)d) - \frac{3}{32} (5a^3b - 15a^2b^2 - 5ab^3 - b^4) \arctan\left(\frac{1}{2} \frac{(a+b)e^{2dx+2c} + a-b}{\sqrt{ab}}\right) / ((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) \sqrt{ab} d) + \frac{3}{32} (5a^3b - 15a^2b^2 - 5ab^3 - b^4) \arctan\left(\frac{1}{2} \frac{(a+b)e^{-2dx-2c} + a-b}{\sqrt{ab}}\right) / ((a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4) \sqrt{ab} d) - \frac{1}{16} (15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{1}{2} \frac{(a+b)e^{-2dx-2c} + a-b}{\sqrt{ab}}\right) / ((a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \sqrt{ab} d) + \frac{1}{16} (9a^4b + 4a^3b^2 - 22a^2b^3 - 20ab^4 - 3b^5 + 3(3a^4b - 22a^3b^2 - 20a^2b^3 + 6ab^4 + b^5)e^{6dx+6c} + (27a^4b - 156a^3b^2 + 110a^2b^3 - 36ab^4 - 9b^5)e^{4dx+4c} + (27a^4b - 86a^3b^2 - 84a^2b^3 + 38ab^4 + 9b^5)e^{2dx+2c}) / ((a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) e^{8dx+8c} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) e^{6dx+6c} + 2(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) e^{4dx+4c} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) e^{2dx+2c}) d) - \frac{1}{16} (9a^4b + 4a^3b^2 - 22a^2b^3 - 20ab^4 - 3b^5 + (27a^4b - 86a^3b^2 - 84a^2b^3 + 38ab^4 + 9b^5)e^{-2dx-2c} + (27a^4b - 156a^3b^2 + 110a^2b^3 - 36ab^4 - 9b^5)e^{-4dx-4c} + 3(3a^4b - 22a^3b^2 - 20a^2b^3 + 6ab^4 + b^5)e^{-6dx-6c}) / ((a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) e^{-2dx-2c} + 2(3a^8 + 10a^7b + 13a^6b^2 + 12a^5b^3 + 13a^4b^4 + 10a^3b^5 + 3a^2b^6) e^{-4dx-4c} + 4(a^8 + 4a^7b + 5a^6b^2 - 5a^4b^4 - 4a^3b^5 - a^2b^6) e^{-6dx-6c} + (a^8 + 6a^7b + 15a^6b^2 + 20a^5b^3 + 15a^4b^4 + 6a^3b^5 + a^2b^6) e^{-8dx-8c}) d) + \frac{1}{8} (9a^3b + 21a^2b^2 + 15ab^3 + 3b^4 + (27a^3b + 13a^2b^2 - 23ab^3 - 9b^4)e^{-2dx-2c} + 3(9a^3b - 3a^2b^2 + 7ab^3 + 3b^4)e^{-4dx-4c} + (9a^3b - a^2b^2 - 13ab^3 - 3b^4)e^{-6dx-6c}) / ((a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) e^{-2dx-2c} + 2(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5) e^{-4dx-4c} + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5) e^{-6dx-6c} + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5) e^{-8dx-8c}) d) + \frac{1}{2} (dx+c) / ((a^3 + 3a^2b + 3ab^2 + b^3) d) + \frac{1}{8} e^{2dx+2c} / ((a^3 + 3a^2b + 3ab^2 + b^3) d) - \frac{1}{8} e^{-2dx-2c} / ((a^3 + 3a^2b + 3ab^2 + b^3) d)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cosh(c + dx)^2}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(cosh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.126 \quad \int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=154

$$\frac{3b^2(4a+b) \sinh(c+dx)}{8a^2d(a+b)^3((a+b) \sinh^2(c+dx)+a)} + \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{4ad(a+b)^3((a+b) \sinh^2(c+dx)+a)}$$

[Out] 3/8\*b\*(8\*a^2+4\*a\*b+b^2)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(5/2)/(a+b)^(7/2)/d+sinh(d\*x+c)/(a+b)^3/d+1/4\*b^3\*sinh(d\*x+c)/a/(a+b)^3/d/(a+(a+b)\*sinh(d\*x+c)^2)^2+3/8\*b^2\*(4\*a+b)\*sinh(d\*x+c)/a^2/(a+b)^3/d/(a+(a+b)\*sinh(d\*x+c)^2)

**Rubi [A]** time = 0.22, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3676, 390, 1157, 385, 205}

$$\frac{3b^2(4a+b) \sinh(c+dx)}{8a^2d(a+b)^3((a+b) \sinh^2(c+dx)+a)} + \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{7/2}} + \frac{b^3 \sinh(c+dx)}{4ad(a+b)^3((a+b) \sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (3\*b\*(8\*a^2 + 4\*a\*b + b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(7/2)\*d) + Sinh[c + d\*x]/((a + b)^3\*d) + (b^3\*Sinh[c + d\*x])/(4\*a\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*b^2\*(4\*a + b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)^3\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 390

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a
, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q,
0] && GeQ[p, -q]
```

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cosh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{(1+x^2)^3}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{(a+b)^3} + \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(a+b)^3(a+(a+b)x^2)^3}\right) dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{\text{Subst}\left(\int \frac{b(3a^2+3ab+b^2)+3b(a+b)(2a+b)x^2+3b(a+b)^2x^4}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{(a+b)^3d} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a+(a+b) \sinh^2(c+dx)\right)^2} - \frac{\text{Subst}\left(\int \frac{-3b(2a+b)^2-12a}{(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{4a} \\
&= \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a+(a+b) \sinh^2(c+dx)\right)^2} + \frac{3b^2(4a+b) \sinh(c+dx)}{8a^2(a+b)^3d \left(a+(a+b) \sinh^2(c+dx)\right)^2} \\
&= \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a+b)^{7/2}d} + \frac{\sinh(c+dx)}{(a+b)^3d} + \frac{b^3 \sinh(c+dx)}{4a(a+b)^3d \left(a+(a+b) \sinh^2(c+dx)\right)^2}
\end{aligned}$$

**Mathematica [A]** time = 2.14, size = 136, normalized size = 0.88

$$\frac{\sinh(c+dx) \left( \frac{3b^3}{a^2((a+b) \sinh^2(c+dx)+a)} + \frac{2b^2(6(a+b) \sinh^2(c+dx)+6a+b)}{a((a+b) \sinh^2(c+dx)+a)^2} + 8 \right)}{(a+b)^3} + \frac{3b(8a^2+4ab+b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)^{7/2}}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cosh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((3\*b\*(8\*a^2 + 4\*a\*b + b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)^(7/2)) + (Sinh[c + d\*x]\*(8 + (3\*b^3)/(a^2\*(a + (a + b)\*Sinh[c + d\*x]^2)) + (2\*b^2\*(6\*a + b + 6\*(a + b)\*Sinh[c + d\*x]^2))/(a\*(a + (a + b)\*Sinh[c + d\*x]^2)^2)))/(a + b)^3)/(8\*d)

**fricas [B]** time = 0.65, size = 11392, normalized size = 73.97

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^{10} + 80*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^9 + 8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\sinh(d*x + c)^{10} + 4*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^8 + 4*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5 + 90*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 32*(30*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^3 + (6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 4*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^6 + 4*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5 + 420*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^4 + 28*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 - 8*a^6 - 24*a^5*b - 24*a^4*b^2 - 8*a^3*b^3 + 8*(252*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^5 + 28*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^3 + 3*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 4*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^4 + 4*(420*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^6 - 4*a^6 + 4*a^5*b - 24*a^4*b^2 - 7*a^3*b^3 + 34*a^2*b^4 + 9*a*b^5 + 70*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^4 + 15*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*(60*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^7 + 14*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^5 + 5*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^3 - (4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^2 + 4*(90*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c)^8 + 28*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c)^6 - 6*a^6 - 2*a^5*b + 2*a^4*b^2 - 17*a^3*b^3 - 18*a^2*b^4 - 3*a*b^5 + 15*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^4 - 6*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 3*((8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^9 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)*\sinh(d*x + c)^8 + (8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\sinh(d*x + c)^9 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^7 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^2)*\sinh(d*x + c)^7 + 28*(3*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^3 + (8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + \end{aligned}$$

$$\begin{aligned}
& 10*a*b^4 + 3*b^5)*\cosh(d*x + c)^5 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + \\
& 10*a*b^4 + 3*b^5 + 63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5)* \\
& \cosh(d*x + c)^4 + 42*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh \\
& (d*x + c)^2)*\sinh(d*x + c)^5 + 2*(63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6 \\
& *a*b^4 + b^5)*\cosh(d*x + c)^5 + 70*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b \\
& ^4 - b^5)*\cosh(d*x + c)^3 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 \\
& + 3*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b \\
& ^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^3 + 4*(21*(8*a^4*b + 20*a^3*b^2 + 17*a^2* \\
& b^3 + 6*a*b^4 + b^5)*\cosh(d*x + c)^6 + 8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4* \\
& a*b^4 - b^5 + 35*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x \\
& + c)^4 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^3 + 4*(9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^ \\
& 4 + b^5)*\cosh(d*x + c)^7 + 21*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - \\
& b^5)*\cosh(d*x + c)^5 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3* \\
& b^5)*\cosh(d*x + c)^3 + 3*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)* \\
& \cosh(d*x + c))*\sinh(d*x + c)^2 + (8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b \\
& ^4 + b^5)*\cosh(d*x + c) + (9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + \\
& b^5)*\cosh(d*x + c)^8 + 28*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5 \\
& )*\cosh(d*x + c)^6 + 8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5 + 10* \\
& (24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5)*\cosh(d*x + c)^4 + 12 \\
& *(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5)*\cosh(d*x + c)^2)*\sinh(d* \\
& x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x \\
& + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^ \\
& 2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\co \\
& sh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*(\cosh(d*x + c)^3 \\
& + 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh(d*x + c)^2 - \\
& 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - a*b} + a + b)/((a + b)*\cosh( \\
& d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c \\
& )^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sin \\
& h(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x \\
& + c) + a + b)) + 8*(10*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\cosh(d*x + c) \\
& ^9 + 4*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5)*\co \\
& sh(d*x + c)^7 + 3*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - \\
& 9*a*b^5)*\cosh(d*x + c)^5 - 2*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34 \\
& *a^2*b^4 - 9*a*b^5)*\cosh(d*x + c)^3 - (6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3 \\
& *b^3 + 18*a^2*b^4 + 3*a*b^5)*\cosh(d*x + c))*\sinh(d*x + c))/((a^9 + 6*a^8*b \\
& + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + \\
& c)^9 + 9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 \\
& + a^3*b^6)*d*\cosh(d*x + c)*\sinh(d*x + c)^8 + (a^9 + 6*a^8*b + 15*a^7*b^2 + \\
& 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\sinh(d*x + c)^9 + 4*(a^9 + \\
& 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^7 + \\
& 4*(9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a \\
& ^3*b^6)*d*\cosh(d*x + c)^2 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4* \\
& b^5 - a^3*b^6)*d)*\sinh(d*x + c)^7 + 2*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a \\
& ^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^5 + 28*(3*(a^
\end{aligned}$$

$$\begin{aligned}
& 9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d \\
& * \cosh(dx + c)^3 + (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c) * \sinh(dx + c)^6 + 2 * (63 * (a^9 + 6a^8b + 15a^7b^2 \\
& + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^4 + 42 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^ \\
& 2 + (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + \\
& 3a^3b^6) * d) * \sinh(dx + c)^5 + 4 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - \\
& 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^3 + 2 * (63 * (a^9 + 6a^8b + 15a^7b^2 \\
& + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^5 + 70 * (a \\
& ^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c) \\
& ^3 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^ \\
& 5 + 3a^3b^6) * d * \cosh(dx + c) * \sinh(dx + c)^4 + 4 * (21 * (a^9 + 6a^8b + 15 \\
& a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c)^6 \\
& + 35 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh( \\
& dx + c)^4 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6b^3 + 13a^5b^4 + 1 \\
& 0a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^2 + (a^9 + 4a^8b + 5a^7b^2 - 5a \\
& ^5b^4 - 4a^4b^5 - a^3b^6) * d) * \sinh(dx + c)^3 + (a^9 + 6a^8b + 15a^7 \\
& b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) * d * \cosh(dx + c) + 4 * (9 \\
& * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^ \\
& 6) * d * \cosh(dx + c)^7 + 21 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^ \\
& 5 - a^3b^6) * d * \cosh(dx + c)^5 + 5 * (3a^9 + 10a^8b + 13a^7b^2 + 12a^6 \\
& b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^3 + 3 * (a^9 + 4a \\
& ^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c) * \sinh(d \\
& * x + c)^2 + (9 * (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^ \\
& 4b^5 + a^3b^6) * d * \cosh(dx + c)^8 + 28 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5 \\
& b^4 - 4a^4b^5 - a^3b^6) * d * \cosh(dx + c)^6 + 10 * (3a^9 + 10a^8b + 13a^ \\
& 7b^2 + 12a^6b^3 + 13a^5b^4 + 10a^4b^5 + 3a^3b^6) * d * \cosh(dx + c)^4 \\
& + 12 * (a^9 + 4a^8b + 5a^7b^2 - 5a^5b^4 - 4a^4b^5 - a^3b^6) * d * \cosh( \\
& dx + c)^2 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b \\
& ^5 + a^3b^6) * d) * \sinh(dx + c)), 1/8 * (4 * (a^6 + 3a^5b + 3a^4b^2 + a^3b \\
& ^3) * \cosh(dx + c)^10 + 40 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + \\
& c) * \sinh(dx + c)^9 + 4 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \sinh(dx + c)^ \\
& 10 + 2 * (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a * b^5) * \co \\
& sh(dx + c)^8 + 2 * (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + \\
& 3a * b^5 + 90 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^2) * \sinh(dx \\
& x + c)^8 + 16 * (30 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^3 + ( \\
& 6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a * b^5) * \cosh(dx + \\
& c)) * \sinh(dx + c)^7 + 2 * (4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2 \\
& * b^4 - 9a * b^5) * \cosh(dx + c)^6 + 2 * (4a^6 - 4a^5b + 24a^4b^2 + 7a^3b \\
& ^3 - 34a^2b^4 - 9a * b^5 + 420 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh( \\
& dx + c)^4 + 28 * (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3 \\
& a * b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^6 - 4a^6 - 12a^5b - 12a^4b^2 - 4 \\
& * a^3b^3 + 4 * (252 * (a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \cosh(dx + c)^5 + 2 \\
& 8 * (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3a * b^5) * \cosh(dx \\
& x + c)^3 + 3 * (4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9a * b
\end{aligned}$$

$$\begin{aligned}
&^5) * \cosh(dx + c)) * \sinh(dx + c)^5 - 2*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)^4 + 2*(420*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) * \cosh(dx + c)^6 - 4*a^6 + 4*a^5*b - 24*a^4*b^2 - 7*a^3*b^3 + 34*a^2*b^4 + 9*a*b^5 + 70*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5) * \cosh(dx + c)^4 + 15*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8*(60*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) * \cosh(dx + c)^7 + 14*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5) * \cosh(dx + c)^5 + 5*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)^3 - (4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)) * \sinh(dx + c)^3 - 2*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5) * \cosh(dx + c)^2 + 2*(90*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) * \cosh(dx + c)^8 + 28*(6*a^6 + 2*a^5*b - 2*a^4*b^2 + 17*a^3*b^3 + 18*a^2*b^4 + 3*a*b^5) * \cosh(dx + c)^6 - 6*a^6 - 2*a^5*b + 2*a^4*b^2 - 17*a^3*b^3 - 18*a^2*b^4 - 3*a*b^5 + 15*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)^4 - 6*(4*a^6 - 4*a^5*b + 24*a^4*b^2 + 7*a^3*b^3 - 34*a^2*b^4 - 9*a*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 3*((8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^9 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c) * \sinh(dx + c)^8 + (8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \sinh(dx + c)^9 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^7 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5 + 9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^7 + 28*(3*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^3 + (8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)) * \sinh(dx + c)^6 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5) * \cosh(dx + c)^5 + 2*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5 + 63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^4 + 42*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 2*(63*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^5 + 70*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^3 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5) * \cosh(dx + c)) * \sinh(dx + c)^4 + 4*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^3 + 4*(21*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^6 + 8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5 + 35*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^4 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + 4*(9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^7 + 21*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^5 + 5*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4 + 3*b^5) * \cosh(dx + c)^3 + 3*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)) * \sinh(dx + c)^2 + (8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c) + (9*(8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5) * \cosh(dx + c)^8 + 28*(8*a^4*b + 4*a^3*b^2 - 7*a^2*b^3 - 4*a*b^4 - b^5) * \cosh(dx + c)^6 + 8*a^4*b + 20*a^3*b^2 + 17*a^2*b^3 + 6*a*b^4 + b^5 + 10*(24*a^4*b - 4*a^3*b^2 + 19*a^2*b^3 + 10*a*b^4
\end{aligned}$$

$$\begin{aligned}
& 4 + 3b^5) \cosh(dx + c)^4 + 12(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 \\
& - b^5) \cosh(dx + c)^2 \sinh(dx + c) \sqrt{a^2 + ab} \arctan(1/2((a + b) \cosh(dx + c)^3 + 3(a + b) \cosh(dx + c) \sinh(dx + c)^2 + (a + b) \sinh(dx + c)^3 + (3a - b) \cosh(dx + c) + (3(a + b) \cosh(dx + c)^2 + 3a - b) \sinh(dx + c)) / \sqrt{a^2 + ab})) + 3((8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^9 + 9(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c) \sinh(dx + c)^8 + (8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \sinh(dx + c)^9 + 4(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^7 + 4(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5 + 9(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^7 + 28(3(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^3 + (8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^6 + 2(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^5 + 2(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5 + 63(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^5 + 2(63(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^5 + 70(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^3 + 5(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)) \sinh(dx + c)^4 + 4(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^3 + 4(21(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^6 + 8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5 + 35(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^4 + 5(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^3 + 4(9(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^7 + 21(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^5 + 5(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^3 + 3(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)) \sinh(dx + c)^2 + (8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c) + (9(8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5) \cosh(dx + c)^8 + 28(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^6 + 8a^4b + 20a^3b^2 + 17a^2b^3 + 6ab^4 + b^5 + 10(24a^4b - 4a^3b^2 + 19a^2b^3 + 10ab^4 + 3b^5) \cosh(dx + c)^4 + 12(8a^4b + 4a^3b^2 - 7a^2b^3 - 4ab^4 - b^5) \cosh(dx + c)^2) \sinh(dx + c) \sqrt{a^2 + ab} \arctan(1/2 \sqrt{a^2 + ab} (\cosh(dx + c) + \sinh(dx + c))) / a + 4(10(a^6 + 3a^5b + 3a^4b^2 + a^3b^3) \cosh(dx + c)^9 + 4(6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3ab^5) \cosh(dx + c)^7 + 3(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx + c)^5 - 2(4a^6 - 4a^5b + 24a^4b^2 + 7a^3b^3 - 34a^2b^4 - 9ab^5) \cosh(dx + c)^3 - (6a^6 + 2a^5b - 2a^4b^2 + 17a^3b^3 + 18a^2b^4 + 3ab^5) \cosh(dx + c)) \sinh(dx + c)) / ((a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) d \cosh(dx + c)^9 + 9(a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) d \cosh(dx + c) \sinh(dx + c)^8 + (a^9 + 6a^8b + 15a^7b^2 + 20a^6b^3 + 15a^5b^4 + 6a^4b^5 + a^3b^6) d \sinh(dx + c)^9 + 4(a^9 + 4a^8b
\end{aligned}$$

$$\begin{aligned}
& + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^7 + 4*(9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)* \\
& d*\cosh(d*x + c)^2 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d)*\sinh(d*x + c)^7 + 2*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + \\
& 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^5 + 28*(3*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^3 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 2*(63*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^4 + 42*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^2 + (3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d)*\sinh(d*x + c)^5 + 4*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^3 + 2*(63*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^5 + 70*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^3 + 5*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 4*(21*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^6 + 35*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^4 + 5*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^2 + (a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d)*\sinh(d*x + c)^3 + (a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c) + 4*(9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^7 + 21*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^5 + 5*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^3 + 3*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + (9*(a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d*\cosh(d*x + c)^8 + 28*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^6 + 10*(3*a^9 + 10*a^8*b + 13*a^7*b^2 + 12*a^6*b^3 + 13*a^5*b^4 + 10*a^4*b^5 + 3*a^3*b^6)*d*\cosh(d*x + c)^4 + 12*(a^9 + 4*a^8*b + 5*a^7*b^2 - 5*a^5*b^4 - 4*a^4*b^5 - a^3*b^6)*d*\cosh(d*x + c)^2 + (a^9 + 6*a^8*b + 15*a^7*b^2 + 20*a^6*b^3 + 15*a^5*b^4 + 6*a^4*b^5 + a^3*b^6)*d)*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.68, size = 2145, normalized size = 13.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/8*(3*(2*(a^5*e^{(2*c)} + 3*a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + a^2*b^3*e^{(2*c)})^2*(16*a^3*b^2 + 8*a^2*b^3 + 2*a*b^4 + (8*a^3*b - 4*a^2*b^2 - 3*a*b^3$

$$\begin{aligned}
& - b^4) \sqrt{-a*b}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (8*a^9*b + 28*a^8*b^2 + 29*a^7*b^3 - 5*a^6*b^4 - 30*a^5*b^5 - 22*a^4*b^6 - 7*a^3*b^7 - a^2*b^8 - 2*(8*a^8*b + 36*a^7*b^2 + 65*a^6*b^3 + 60*a^5*b^4 + 30*a^4*b^5 + 8*a^3*b^6 + a^2*b^7) \sqrt{-a*b}) * \text{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) * e^{(2*c)} - (16*a^13*b^2 + 88*a^12*b^3 + 186*a^11*b^4 + 162*a^10*b^5 - 22*a^9*b^6 - 174*a^8*b^7 - 162*a^7*b^8 - 74*a^6*b^9 - 18*a^5*b^10 - 2*a^4*b^11 + (8*a^13*b + 36*a^12*b^2 + 49*a^11*b^3 - 12*a^10*b^4 - 92*a^9*b^5 - 76*a^8*b^6 + 6*a^7*b^7 + 44*a^6*b^8 + 28*a^5*b^9 + 8*a^4*b^10 + a^3*b^11) \sqrt{-a*b}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) * e^{(4*c)} * \arctan(e^{(d*x)} / \sqrt{(a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)} + \sqrt{(a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)})^2 - (a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)}) * (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)})) / (a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})) * e^{(-4*c)} / ((a^13 + 9*a^12*b + 36*a^11*b^2 + 84*a^10*b^3 + 126*a^9*b^4 + 126*a^8*b^5 + 84*a^7*b^6 + 36*a^6*b^7 + 9*a^5*b^8 + a^4*b^9) \sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)} * \text{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)})) + 3*(2*(a^5*e^{(2*c)} + 3*a^4*b*e^{(2*c)} + 3*a^3*b^2*e^{(2*c)} + a^2*b^3*e^{(2*c)})^2 * (16*a^3*b^2 + 8*a^2*b^3 + 2*a*b^4 - (8*a^3*b - 4*a^2*b^2 - 3*a*b^3 - b^4) \sqrt{-a*b}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) - (8*a^9*b + 28*a^8*b^2 + 29*a^7*b^3 - 5*a^6*b^4 - 30*a^5*b^5 - 22*a^4*b^6 - 7*a^3*b^7 - a^2*b^8 + 2*(8*a^8*b + 36*a^7*b^2 + 65*a^6*b^3 + 60*a^5*b^4 + 30*a^4*b^5 + 8*a^3*b^6 + a^2*b^7) \sqrt{-a*b}) * \text{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) * e^{(2*c)} - (16*a^13*b^2 + 88*a^12*b^3 + 186*a^11*b^4 + 162*a^10*b^5 - 22*a^9*b^6 - 174*a^8*b^7 - 162*a^7*b^8 - 74*a^6*b^9 - 18*a^5*b^10 - 2*a^4*b^11 - (8*a^13*b + 36*a^12*b^2 + 49*a^11*b^3 - 12*a^10*b^4 - 92*a^9*b^5 - 76*a^8*b^6 + 6*a^7*b^7 + 44*a^6*b^8 + 28*a^5*b^9 + 8*a^4*b^10 + a^3*b^11) \sqrt{-a*b}) * \text{abs}(a*e^{(2*c)} + b*e^{(2*c)}) * e^{(4*c)} * \arctan(e^{(d*x)} / \sqrt{(a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)} - \sqrt{(a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)})^2 - (a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)}) * (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)})) / (a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})) * e^{(-4*c)} / ((a^13 + 9*a^12*b + 36*a^11*b^2 + 84*a^10*b^3 + 126*a^9*b^4 + 126*a^8*b^5 + 84*a^7*b^6 + 36*a^6*b^7 + 9*a^5*b^8 + a^4*b^9) \sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)} * \text{abs}(-a^5*e^{(2*c)} - 3*a^4*b*e^{(2*c)} - 3*a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)})) - 4*e^{(d*x + 14*c)} / (a^3*e^{(13*c)} + 3*a^2*b*e^{(13*c)} + 3*a*b^2*e^{(13*c)} + b^3*e^{(13*c)}) + 4*e^{(-d*x)} / (a^3*e^c + 3*a^2*b*e^c + 3*a*b^2*e^c + b^3*e^c) - 2*(12*a^2*b^2*e^{(7*d*x + 7*c)} + 15*a*b^3*e^{(7*d*x + 7*c)} + 3*b^4*e^{(7*d*x + 7*c)} + 12*a^2*b^2*e^{(5*d*x + 5*c)} - 25*a*b^3*e^{(5*d*x + 5*c)} - 9*b^4*e^{(5*d*x + 5*c)} - 12*a^2*b^2*e^{(3*d*x + 3*c)} + 25*a*b^3*e^{(3*d*x + 3*c)} + 9*b^4*e^{(3*d*x + 3*c)} - 12*a^2*b^2*e^{(d*x + c)} - 15*a*b^3*e^{(d*x + c)} - 3*b^4*e^{(d*x + c)}) / ((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3) * (a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2
\end{aligned}$$

$*b*e^{(2*d*x + 2*c) + a + b)^2})/d$

**maple [B]** time = 0.49, size = 1570, normalized size = 10.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cosh(d*x+c)/(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$-1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)-1)-1/d/(a+b)^3/(\tanh(1/2*d*x+1/2*c)+1)-3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7-5/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^7-3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-45/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^5-3/d*b^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a^2*\tanh(1/2*d*x+1/2*c)^5+3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+45/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^3+3/d*b^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a^2*\tanh(1/2*d*x+1/2*c)^3+3/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)+5/4/d*b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)-3/d*b/(a+b)^3/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2))-3/2/d*b^2/(a+b)^3/a/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2))+3/d*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^3/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2))+3/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)-a-2*b)*a)^(1/2))+3/d*b/(a+b)^3/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b^2/(a+b)^3/a/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2))+3/8/d*b^3/(a+b)^3/a^2/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2))+3/d*b^2/(a+b)^3/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b^3/(a+b)^3/a/(b*(a+b))^(1/2)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b)))^(1/2)+a+2*b)*a)^(1/2))$$



)^(1/2))+3/8/d\*b^4/(a+b)^3/a^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cosh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/4*(2*a^4 + 4*a^3*b + 2*a^2*b^2 - 2*(a^4*e^{(10*c)} + 2*a^3*b*e^{(10*c)} + a^2*b^2*e^{(10*c)})*e^{(10*d*x)} - (6*a^4*e^{(8*c)} - 4*a^3*b*e^{(8*c)} + 2*a^2*b^2*e^{(8*c)} + 15*a*b^3*e^{(8*c)} + 3*b^4*e^{(8*c)})*e^{(8*d*x)} - (4*a^4*e^{(6*c)} - 8*a^3*b*e^{(6*c)} + 32*a^2*b^2*e^{(6*c)} - 25*a*b^3*e^{(6*c)} - 9*b^4*e^{(6*c)})*e^{(6*d*x)} + (4*a^4*e^{(4*c)} - 8*a^3*b*e^{(4*c)} + 32*a^2*b^2*e^{(4*c)} - 25*a*b^3*e^{(4*c)} - 9*b^4*e^{(4*c)})*e^{(4*d*x)} + (6*a^4*e^{(2*c)} - 4*a^3*b*e^{(2*c)} + 2*a^2*b^2*e^{(2*c)} + 15*a*b^3*e^{(2*c)} + 3*b^4*e^{(2*c)})*e^{(2*d*x)})/(a^7*d*e^{(9*c)} + 5*a^6*b*d*e^{(9*c)} + 10*a^5*b^2*d*e^{(9*c)} + 10*a^4*b^3*d*e^{(9*c)} + 5*a^3*b^4*d*e^{(9*c)} + a^2*b^5*d*e^{(9*c)})*e^{(9*d*x)} + 4*(a^7*d*e^{(7*c)} + 3*a^6*b*d*e^{(7*c)} + 2*a^5*b^2*d*e^{(7*c)} - 2*a^4*b^3*d*e^{(7*c)} - 3*a^3*b^4*d*e^{(7*c)} - a^2*b^5*d*e^{(7*c)})*e^{(7*d*x)} + 2*(3*a^7*d*e^{(5*c)} + 7*a^6*b*d*e^{(5*c)} + 6*a^5*b^2*d*e^{(5*c)} + 6*a^4*b^3*d*e^{(5*c)} + 7*a^3*b^4*d*e^{(5*c)} + 3*a^2*b^5*d*e^{(5*c)})*e^{(5*d*x)} + 4*(a^7*d*e^{(3*c)} + 3*a^6*b*d*e^{(3*c)} + 2*a^5*b^2*d*e^{(3*c)} - 2*a^4*b^3*d*e^{(3*c)} - 3*a^3*b^4*d*e^{(3*c)} - a^2*b^5*d*e^{(3*c)})*e^{(3*d*x)} + (a^7*d*e^c + 5*a^6*b*d*e^c + 10*a^5*b^2*d*e^c + 10*a^4*b^3*d*e^c + 5*a^3*b^4*d*e^c + a^2*b^5*d*e^c)*e^{(d*x)}) + 1/2*integrate(3/2*((8*a^2*b*e^{(3*c)} + 4*a*b^2*e^{(3*c)} + b^3*e^{(3*c)})*e^{(3*d*x)} + (8*a^2*b*e^c + 4*a*b^2*e^c + b^3*e^c)*e^{(d*x)})/(a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4 + (a^6*e^{(4*c)} + 4*a^5*b*e^{(4*c)} + 6*a^4*b^2*e^{(4*c)} + 4*a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})*e^{(4*d*x)} + 2*(a^6*e^{(2*c)} + 2*a^5*b*e^{(2*c)} - 2*a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)})*e^{(2*d*x)}), x)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cosh(c + dx)}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cosh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(cosh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cosh(d*x+c)/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

$$3.127 \quad \int \frac{\operatorname{sech}(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=144

$$\frac{3b(2a+b) \sinh(c+dx)}{8a^2d(a+b)^2((a+b) \sinh^2(c+dx)+a)} + \frac{(8a^2+8ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{5/2}} + \frac{b \sinh(c+dx) \cosh^2(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)}$$

[Out] 1/8\*(8\*a^2+8\*a\*b+3\*b^2)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(5/2)/(a+b)^(5/2)/d+1/4\*b\*cosh(d\*x+c)^2\*sinh(d\*x+c)/a/(a+b)/d/(a+(a+b)\*sinh(d\*x+c)^2)^2+3/8\*b\*(2\*a+b)\*sinh(d\*x+c)/a^2/(a+b)^2/d/(a+(a+b)\*sinh(d\*x+c)^2)

**Rubi [A]** time = 0.14, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3676, 413, 385, 205}

$$\frac{(8a^2+8ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{5/2}} + \frac{3b(2a+b) \sinh(c+dx)}{8a^2d(a+b)^2((a+b) \sinh^2(c+dx)+a)} + \frac{b \sinh(c+dx) \cosh^2(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((8\*a^2 + 8\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(5/2)\*d) + (b\*Cosh[c + d\*x]^2\*Sinh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + (3\*b\*(2\*a + b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 385**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

**Rule 413**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\int \frac{\operatorname{sech}(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{(1+x^2)^2}{(a+(a+b)x^2)^3} dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{b \cosh^2(c + dx) \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2} + \frac{\operatorname{Subst}\left(\int \frac{4a+3b+(4a+b)x^2}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{4a(a + b)d}$$

$$= \frac{b \cosh^2(c + dx) \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2} + \frac{3b(2a + b) \sinh(c + dx)}{8a^2(a + b)^2d \left(a + (a + b) \sinh^2(c + dx)\right)}$$

$$= \frac{(8a^2 + 8ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a + b)^{5/2}d} + \frac{b \cosh^2(c + dx) \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)}$$

**Mathematica** [A] time = 1.18, size = 134, normalized size = 0.93

$$\frac{2\sqrt{a} b \sinh(c+dx) \left( (8a^2+11ab+3b^2) \cosh(2(c+dx))+8a^2-ab-3b^2 \right)}{(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} - \frac{(8a^2+8ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}}{8a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] 
$$\frac{-\left(\left(8a^2 + 8ab + 3b^2\right) \operatorname{ArcTan}\left[\frac{\sqrt{a} \operatorname{Csch}[c + dx]}{\sqrt{a + b}}\right]\right) / (a + b)^{5/2} + \left(2\sqrt{a} b \left(8a^2 - ab - 3b^2 + (8a^2 + 11ab + 3b^2) \operatorname{Cosh}[2(c + dx)]\right) \operatorname{Sinh}[c + dx]\right) / \left((a + b)^2 (a - b + (a + b) \operatorname{Cosh}[2(c + dx)])^2\right)}{(8a)^{5/2} d}$$

**fricas** [B] time = 0.56, size = 7909, normalized size = 54.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(4*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)^7 + 28 \\ & *(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)*\sinh(dx + c)^6 \\ & + 4*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\sinh(dx + c)^7 + 4*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c)^5 \\ & + 4*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4 + 21*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)^2)*\sinh(dx + c)^5 \\ & + 20*(7*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)^3 + (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c))*\sinh(dx + c)^4 \\ & - 4*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c)^3 - 4*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) \\ & - 35*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)^4 - 10*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c)^2)*\sinh(dx + c)^3 \\ & + 4*(21*(8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4)*\cosh(dx + c)^5 + 10*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c)^3 \\ & - 3*(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4)*\cosh(dx + c))*\sinh(dx + c)^2 - ((8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c)^8 \\ & + 8*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c)*\sinh(dx + c)^7 + (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\sinh(dx + c)^8 \\ & + 4*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4)*\cosh(dx + c)^6 + 4*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \\ & + 7*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^6 + 8*(7*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \\ & * \cosh(dx + c)^3 + 3*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4)*\cosh(dx + c))*\sinh(dx + c)^5 + 2*(24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) \\ & * \cosh(dx + c)^4 + 2*(35*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c)^4 + 24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) \\ & * \cosh(dx + c)^4 + 24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4 + 30*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^4 \\ & + 8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4 + 8*(7*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c)^5 \\ & + 10*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4)*\cosh(dx + c)^3 + (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4)*\cosh(dx + c))*\sinh(dx + c)^3 \\ & + 4*(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4)*\cosh(dx + c)^2 + 4*(7*(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4)*\cosh(dx + c) \end{aligned}$$



$$\begin{aligned}
& + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^7 + 3(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d * \cosh(dx + c)^5 + (3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) * d * \cosh(dx + c)^3 \\
& + (a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) * d * \cosh(dx + c)) * \sinh(dx + c), \frac{1}{8} * (2 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c)^7 + 14 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c) * \sinh(dx + c)^6 + 2 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \sinh(dx + c)^7 + 2 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)^5 + 2 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4 + 21 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 10 * (7 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c)^3 + (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)) * \sinh(dx + c)^4 - 2 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)^3 - 2 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4 - 35 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c)^4 - 10 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + 2 * (21 * (8a^4b + 19a^3b^2 + 14a^2b^3 + 3ab^4) * \cosh(dx + c)^5 + 10 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)^3 - 3 * (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) * \cosh(dx + c)) * \sinh(dx + c)^2 + ((8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^8 + 8 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c) * \sinh(dx + c)^7 + (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \sinh(dx + c)^8 + 4 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^6 + 4 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4 + 7 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 8 * (7 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^3 + 3 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)) * \sinh(dx + c)^5 + 2 * (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) * \cosh(dx + c)^4 + 2 * (35 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^4 + 24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4 + 30 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^4 + 8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4 + 8 * (7 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^5 + 10 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^3 + (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) * \cosh(dx + c)) * \sinh(dx + c)^3 + 4 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^2 + 4 * (7 * (8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^6 + 15 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^4 + 8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4 + 3 * (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 8 * ((8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) * \cosh(dx + c)^7 + 3 * (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)^5 + (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) * \cosh(dx + c)^3 + (8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{a^2 + ab} * \arctan(1/2 * ((a + b) * \cosh(dx + c)^3 + 3 * (a + b) * \cosh(dx + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (3a - b) * \cosh(dx + c) + (3 * (a + b) * \cosh(dx + c)^2 + 3a - b) * \sinh(dx + c))) / \sqrt{a^2 + ab}) + ((8a^4
\end{aligned}$$

$$\begin{aligned} & + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + c)^8 + 8(8a^4 + 24 \\ & a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + c) \sinh(dx + c)^7 + (8 \\ & a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \sinh(dx + c)^8 + 4(8a^4 \\ & + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^6 + 4(8a^4 + 8a^3 \\ & b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^2 \sinh(dx + c)^6 + 8(7(8a^4 + 24a^3b + 27 \\ & a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + c)^3 + 3(8a^4 + 8a^3b - 5a^2b \\ & ^2 - 8ab^3 - 3b^4) \cosh(dx + c) \sinh(dx + c)^5 + 2(24a^4 + 8a^3b \\ & + 17a^2b^2 + 18ab^3 + 9b^4) \cosh(dx + c)^4 + 2(35(8a^4 + 24a^3b \\ & + 27a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + c)^4 + 24a^4 + 8a^3b + 17a^2 \\ & b^2 + 18ab^3 + 9b^4 + 30(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \\ & \cosh(dx + c)^2) \sinh(dx + c)^4 + 8a^4 + 24a^3b + 27a^2b^2 + 14ab \\ & b^3 + 3b^4 + 8(7(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \cosh \\ & (dx + c)^5 + 10(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + \\ & c)^3 + (24a^4 + 8a^3b + 17a^2b^2 + 18ab^3 + 9b^4) \cosh(dx + c)) \sinh \\ & (dx + c)^3 + 4(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx \\ & + c)^2 + 4(7(8a^4 + 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + \\ & c)^6 + 15(8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^4 \\ & + 8a^4 + 8a^3b - 5a^2b^2 - 8ab^3 - 3b^4 + 3(24a^4 + 8a^3b + 17a^2 \\ & b^2 + 18ab^3 + 9b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((8a^4 + \\ & 24a^3b + 27a^2b^2 + 14ab^3 + 3b^4) \cosh(dx + c)^7 + 3(8a^4 + 8a^3 \\ & b - 5a^2b^2 - 8ab^3 - 3b^4) \cosh(dx + c)^5 + (24a^4 + 8a^3b + 17 \\ & a^2b^2 + 18ab^3 + 9b^4) \cosh(dx + c)^3 + (8a^4 + 8a^3b - 5a^2b^2 \\ & - 8ab^3 - 3b^4) \cosh(dx + c) \sinh(dx + c)) \sqrt{a^2 + ab} \arctan(1/ \\ & 2\sqrt{a^2 + ab}(\cosh(dx + c) + \sinh(dx + c))/a) - 2(8a^4b + 19a^3 \\ & b^2 + 14a^2b^3 + 3ab^4) \cosh(dx + c) + 2(7(8a^4b + 19a^3b^2 + 14 \\ & a^2b^3 + 3ab^4) \cosh(dx + c)^6 - 8a^4b - 19a^3b^2 - 14a^2b^3 - 3 \\ & ab^4 + 5(8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) \cosh(dx + c)^4 - 3 \\ & (8a^4b - 5a^3b^2 - 22a^2b^3 - 9ab^4) \cosh(dx + c)^2) \sinh(dx + c \\ & )) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh \\ & (dx + c)^8 + 8(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b \\ & ^5) d \cosh(dx + c) \sinh(dx + c)^7 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5 \\ & b^3 + 5a^4b^4 + a^3b^5) d \sinh(dx + c)^8 + 4(a^8 + 3a^7b + 2a^6b^2 \\ & - 2a^5b^3 - 3a^4b^4 - a^3b^5) d \cosh(dx + c)^6 + 4(7(a^8 + 5a^7b \\ & + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^2 + (a^8 \\ & + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) d) \sinh(dx + c)^6 \\ & + 2(3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) d \co \\ & sh(dx + c)^4 + 8(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + \\ & a^3b^5) d \cosh(dx + c)^3 + 3(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a \\ & ^4b^4 - a^3b^5) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^8 + 5a^7b \\ & + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^4 + 30(a^8 \\ & + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) d \cosh(dx + c)^2 \\ & + (3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) d) \sinh \\ & (dx + c)^4 + 4(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b \\ & ^5) d \cosh(dx + c)^2 + 8(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5 \end{aligned}$$



$$\begin{aligned}
& a^4 b^4 + a^3 b^5) * d * \cosh(dx + c)^5 + 10 * (a^8 + 3 a^7 b + 2 a^6 b^2 - 2 a^5 b^3 - 3 a^4 b^4 - a^3 b^5) * d * \cosh(dx + c)^3 + (3 a^8 + 7 a^7 b + 6 a^6 b^2 + 6 a^5 b^3 + 7 a^4 b^4 + 3 a^3 b^5) * d * \cosh(dx + c) * \sinh(dx + c)^3 + \\
& 4 * (7 * (a^8 + 5 a^7 b + 10 a^6 b^2 + 10 a^5 b^3 + 5 a^4 b^4 + a^3 b^5) * d * \cosh(dx + c)^6 + 15 * (a^8 + 3 a^7 b + 2 a^6 b^2 - 2 a^5 b^3 - 3 a^4 b^4 - a^3 b^5) * d * \cosh(dx + c)^4 + 3 * (3 a^8 + 7 a^7 b + 6 a^6 b^2 + 6 a^5 b^3 + 7 a^4 b^4 + 3 a^3 b^5) * d * \cosh(dx + c)^2 + (a^8 + 3 a^7 b + 2 a^6 b^2 - 2 a^5 b^3 - 3 a^4 b^4 - a^3 b^5) * d) * \sinh(dx + c)^2 + (a^8 + 5 a^7 b + 10 a^6 b^2 + 10 a^5 b^3 + 5 a^4 b^4 + a^3 b^5) * d + 8 * ((a^8 + 5 a^7 b + 10 a^6 b^2 + 10 a^5 b^3 + 5 a^4 b^4 + a^3 b^5) * d * \cosh(dx + c)^7 + 3 * (a^8 + 3 a^7 b + 2 a^6 b^2 - 2 a^5 b^3 - 3 a^4 b^4 - a^3 b^5) * d * \cosh(dx + c)^5 + (3 a^8 + 7 a^7 b + 6 a^6 b^2 + 6 a^5 b^3 + 7 a^4 b^4 + 3 a^3 b^5) * d * \cosh(dx + c)^3 + (a^8 + 3 a^7 b + 2 a^6 b^2 - 2 a^5 b^3 - 3 a^4 b^4 - a^3 b^5) * d * \cosh(dx + c)) * \sinh(dx + c)
\end{aligned}$$

**giac [B]** time = 0.45, size = 1137, normalized size = 7.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)/(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8} * ((8 a^5 - 72 a^4 b - 37 a^3 b^2 + 10 a^2 b^3 + 15 a b^4 + (40 a^4 - 40 a^3 b - 57 a^2 b^2 - 22 a b^3 + 3 b^4) * \sqrt{-a b}) * \sqrt{a^2 - b^2 + 2 * \sqrt{-a b}} * (a + b) * \operatorname{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \arctan(e^{(d * x)} / \sqrt{(a^5 * e^{(2 * c)} + a^4 * b * e^{(2 * c)} - a^3 * b^2 * e^{(2 * c)} - a^2 * b^3 * e^{(2 * c)})^2 - (a^5 * e^{(4 * c)} + 3 a^4 * b * e^{(4 * c)} + 3 a^3 * b^2 * e^{(4 * c)} + a^2 * b^3 * e^{(4 * c)})}) * (a^5 + 3 a^4 * b + 3 a^3 * b^2 + a^2 * b^3)) / (a^5 * e^{(4 * c)} + 3 a^4 * b * e^{(4 * c)} + 3 a^3 * b^2 * e^{(4 * c)} + a^2 * b^3 * e^{(4 * c)})) * e^{(-2 * c)} / (a^{10} - 11 a^9 b - 39 a^8 b^2 - 27 a^7 b^3 + 27 a^6 b^4 + 39 a^5 b^5 + 11 a^4 b^6 - a^3 b^7 + 2 * (3 a^9 + 2 a^8 b - 19 a^7 b^2 - 36 a^6 b^3 - 19 a^5 b^4 + 2 a^4 b^5 + 3 a^3 b^6) * \sqrt{-a b}) + (8 a^5 - 72 a^4 b - 37 a^3 b^2 + 10 a^2 b^3 + 15 a b^4 - (40 a^4 - 40 a^3 b - 57 a^2 b^2 - 22 a b^3 + 3 b^4) * \sqrt{-a b}) * \sqrt{a^2 - b^2 - 2 * \sqrt{-a b}} * (a + b) * \operatorname{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \arctan(e^{(d * x)} / \sqrt{(a^5 * e^{(2 * c)} + a^4 * b * e^{(2 * c)} - a^3 * b^2 * e^{(2 * c)} - a^2 * b^3 * e^{(2 * c)})^2 - (a^5 * e^{(4 * c)} + 3 a^4 * b * e^{(4 * c)} + 3 a^3 * b^2 * e^{(4 * c)} + a^2 * b^3 * e^{(4 * c)})}) * (a^5 + 3 a^4 * b + 3 a^3 * b^2 + a^2 * b^3)) / (a^5 * e^{(4 * c)} + 3 a^4 * b * e^{(4 * c)} + 3 a^3 * b^2 * e^{(4 * c)} + a^2 * b^3 * e^{(4 * c)})) * e^{(-2 * c)} / (a^{10} - 11 a^9 b - 39 a^8 b^2 - 27 a^7 b^3 + 27 a^6 b^4 + 39 a^5 b^5 + 11 a^4 b^6 - a^3 b^7 - 2 * (3 a^9 + 2 a^8 b - 19 a^7 b^2 - 36 a^6 b^3 - 19 a^5 b^4 + 2 a^4 b^5 + 3 a^3 b^6) * \sqrt{-a b}) + 2 * (8 a^2 * b * e^{(7 * d * x + 7 * c)} + 11 a * b^2 * e^{(7 * d * x + 7 * c)} + 3 * b^3 * e^{(7 * d * x + 7 * c)} + 8 a^2 * b * e^{(5 * d * x + 5 * c)} - 13 a * b^2 * e^{(5 * d * x + 5 * c)} - 9 * b^3 * e^{(5 * d * x + 5 * c)} - 8 a^2 * b * e^{(3 * d * x + 3 * c)} + 13 a * b^2 * e^{(3 * d * x + 3 * c)} + 9 * b^3 * e^{(3 * d * x + 3 * c)} - 8 a^2 * b * e^{(d * x + c)} - 11$

$$\frac{a^4 b^2 e^{dx+c} - 3b^3 e^{dx+c}}{(a^4 + 2a^3 b + a^2 b^2)(a^4 e^{4dx+4c} + b e^{4dx+4c} + 2a e^{2dx+2c} - 2b e^{2dx+2c} + a + b)^2} / d$$

**maple [B]** time = 0.45, size = 1676, normalized size = 11.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(dx+c)/(a+b\*tanh(dx+c))^2)^3,x

[Out] 
$$\begin{aligned} & -2/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^7-5/4/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b^2/a/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^7-2/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^5-29/4/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2/a*b^2/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^5-3/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2/a^2*b^3/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^5+2/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^3+29/4/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2/a*b^2/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^3+3/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2/a^2*b^3/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)^3+2/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)+5/4/d/(\tanh(1/2*dx+1/2*c)^4*a+2*\tanh(1/2*dx+1/2*c)^2*a+4*\tanh(1/2*dx+1/2*c)^2*b+a)^2*b^2/a/(a^2+2*a*b+b^2)*\tanh(1/2*dx+1/2*c)-1/d/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-1/d/a/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b-3/8/d/a^2/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b^2+1/d/(a^2+2*a*b+b^2)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b+1/d/a/(a^2+2*a*b+b^2)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b^2+3/8/d/a^2/(a^2+2*a*b+b^2)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*b^3+1/d/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+1/d/a/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b+3/8/d/a^2/(a^2+2*a*b+b^2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*dx+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))*b^2+1/d/(a^2+2*a*b+b^2)/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a$$

$$+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b+1/d/a/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b^2+3/8/d/a^2/(a^2+2*a*b+b^2)/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})*b^3$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$(8a^2be^{7c} + 11ab^2e^{7c} + 3b^3e^{7c})$$

$$4(a^6d + 4a^5bd + 6a^4b^2d + 4a^3b^3d + a^2b^4d + (a^6de^{8c} + 4a^5bde^{8c} + 6a^4b^2de^{8c} + 4a^3b^3de^{8c} + a^2b^4de^{8c}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $1/4*((8*a^2*b*e^{(7*c)} + 11*a*b^2*e^{(7*c)} + 3*b^3*e^{(7*c)})*e^{(7*d*x)} + (8*a^2*b*e^{(5*c)} - 13*a*b^2*e^{(5*c)} - 9*b^3*e^{(5*c)})*e^{(5*d*x)} - (8*a^2*b*e^{(3*c)} - 13*a*b^2*e^{(3*c)} - 9*b^3*e^{(3*c)})*e^{(3*d*x)} - (8*a^2*b*e^c + 11*a*b^2*e^c + 3*b^3*e^c)*e^{(d*x)})/(a^6*d + 4*a^5*b*d + 6*a^4*b^2*d + 4*a^3*b^3*d + a^2*b^4*d + (a^6*d*e^{(8*c)} + 4*a^5*b*d*e^{(8*c)} + 6*a^4*b^2*d*e^{(8*c)} + 4*a^3*b^3*d*e^{(8*c)} + a^2*b^4*d*e^{(8*c)})*e^{(8*d*x)} + 4*(a^6*d*e^{(6*c)} + 2*a^5*b*d*e^{(6*c)} - 2*a^3*b^3*d*e^{(6*c)} - a^2*b^4*d*e^{(6*c)})*e^{(6*d*x)} + 2*(3*a^6*d*e^{(4*c)} + 4*a^5*b*d*e^{(4*c)} + 2*a^4*b^2*d*e^{(4*c)} + 4*a^3*b^3*d*e^{(4*c)} + 3*a^2*b^4*d*e^{(4*c)})*e^{(4*d*x)} + 4*(a^6*d*e^{(2*c)} + 2*a^5*b*d*e^{(2*c)} - 2*a^3*b^3*d*e^{(2*c)} - a^2*b^4*d*e^{(2*c)})*e^{(2*d*x)}) + 2*integrate(1/8*((8*a^2*b*e^{(3*c)} + 8*a*b*e^{(3*c)} + 3*b^2*e^{(3*c)})*e^{(3*d*x)} + (8*a^2*b*e^c + 8*a*b*e^c + 3*b^2*e^c)*e^{(d*x)})/(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 + (a^5*e^{(4*c)} + 3*a^4*b*e^{(4*c)} + 3*a^3*b^2*e^{(4*c)} + a^2*b^3*e^{(4*c)})*e^{(4*d*x)} + 2*(a^5*e^{(2*c)} + a^4*b*e^{(2*c)} - a^3*b^2*e^{(2*c)} - a^2*b^3*e^{(2*c)})*e^{(2*d*x)}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx) (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)\*(a + b\*tanh(c + d\*x)^2)^3),x)

[Out] int(1/(cosh(c + d\*x)\*(a + b\*tanh(c + d\*x)^2)^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

$$3.128 \quad \int \frac{\operatorname{sech}^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=96

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{b}d} + \frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

[Out]  $3/8*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(5/2)}/d/b^{(1/2)}+1/4*\tanh(d*x+c)/a/d/(a+b*\tanh(d*x+c)^2)^2+3/8*\tanh(d*x+c)/a^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.08, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3675, 199, 205}

$$\frac{3 \tanh(c+dx)}{8a^2d(a+b \tanh^2(c+dx))} + \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{b}d} + \frac{\tanh(c+dx)}{4ad(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(3*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/(\text{Sqrt}[a])])/(8*a^{(5/2)}*\text{Sqrt}[b]*d) + \text{Tanh}[c + d*x]/(4*a*d*(a + b*\text{Tanh}[c + d*x]^2)^2) + (3*\text{Tanh}[c + d*x])/(8*a^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 3675**

Int[sec[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dis

```
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\tanh(c + dx)}{4ad (a + b \tanh^2(c + dx))^2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4ad} \\ &= \frac{\tanh(c + dx)}{4ad (a + b \tanh^2(c + dx))^2} + \frac{3 \tanh(c + dx)}{8a^2d (a + b \tanh^2(c + dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{8a^2d} \\ &= \frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{b}d} + \frac{\tanh(c + dx)}{4ad (a + b \tanh^2(c + dx))^2} + \frac{3 \tanh(c + dx)}{8a^2d (a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.83, size = 77, normalized size = 0.80

$$\frac{\frac{3 \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}\sqrt{b}} + \frac{\tanh(c+dx)(5a+3b \tanh^2(c+dx))}{a^2(a+b \tanh^2(c+dx))^2}}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^2/(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] ((3*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(a^(5/2)*Sqrt[b]) + (Tanh[c + d*x]*(5*a + 3*b*Tanh[c + d*x]^2))/(a^2*(a + b*Tanh[c + d*x]^2)))/(8*d)
```

**fricas [B]** time = 0.54, size = 5840, normalized size = 60.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/16*(4*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^6 + 24*(5 \\ & *a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 4*( \\ & 5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\sinh(d*x + c)^6 + 20*a^4*b + 52*a^ \\ & 3*b^2 + 44*a^2*b^3 + 12*a*b^4 + 4*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4 \\ & )*\cosh(d*x + c)^4 + 4*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4 + 15*(5*a^4 \\ & *b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 16*( \\ & 5*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^3 + (15*a^4*b - a \\ & ^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(15*a^4*b \\ & + 13*a^3*b^2 - 11*a^2*b^3 - 9*a*b^4)*\cosh(d*x + c)^2 + 4*(15*a^4*b + 13*a^3 \\ & *b^2 - 11*a^2*b^3 - 9*a*b^4 + 15*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)* \\ & \cosh(d*x + c)^4 + 6*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c \\ & )^2)*\sinh(d*x + c)^2 + 3*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\ & d*x + c)^8 + 8*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)*\si \\ & nh(d*x + c)^7 + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\sinh(d*x + c)^8 \\ & + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2 \\ & *a*b^3 - b^4 + 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^ \\ & 2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh( \\ & d*x + c)^3 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c) \\ & ^5 + 2*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 2* \\ & (35*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 + 4 \\ & *a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*c \\ & osh(d*x + c)^2)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 \\ & + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^5 + 10*(a \\ & ^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^ \\ & 2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2* \\ & a*b^3 - b^4)*\cosh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + \\ & b^4)*\cosh(d*x + c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^4 + \\ & a^4 + 2*a^3*b - 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\ & 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + \\ & 4*a*b^3 + b^4)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x \\ & + c)^5 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + \\ & (a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a*b}*l \\ & og(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + \\ & c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*co \\ & sh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh( \\ & d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + ( \\ & a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a \\ & + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{- \\ & a*b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + \\ & (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x \\ & + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*cos \\ & h(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - \\ & 3*a*b^4)*\cosh(d*x + c)^5 + 2*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*co \end{aligned}$$

$$\begin{aligned}
& \text{sh}(d*x + c)^3 + (15*a^4*b + 13*a^3*b^2 - 11*a^2*b^3 - 9*a*b^4)*\text{cosh}(d*x + c) \\
& )*\text{sinh}(d*x + c))/((a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d* \\
& \text{cosh}(d*x + c)^8 + 8*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d* \\
& *\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^7 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
& + a^3*b^5)*d*\text{sinh}(d*x + c)^8 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5) \\
& *d*\text{cosh}(d*x + c)^6 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3* \\
& b^5)*d*\text{cosh}(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\text{sinh}( \\
& d*x + c)^6 + 2*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d* \\
& \text{cosh}(d*x + c)^4 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5) \\
& )*d*\text{cosh}(d*x + c)^3 + 3*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\text{cosh}(d* \\
& x + c))*\text{sinh}(d*x + c)^5 + 2*(35*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
& + a^3*b^5)*d*\text{cosh}(d*x + c)^4 + 30*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5) \\
& *d*\text{cosh}(d*x + c)^2 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b \\
& ^5)*d)*\text{sinh}(d*x + c)^4 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\text{cosh} \\
& (d*x + c)^2 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d* \\
& \text{cosh}(d*x + c)^5 + 10*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\text{cosh}(d*x + \\
& c)^3 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\text{cosh}(d* \\
& x + c))*\text{sinh}(d*x + c)^3 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + \\
& a^3*b^5)*d*\text{cosh}(d*x + c)^6 + 15*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)* \\
& d*\text{cosh}(d*x + c)^4 + 3*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3* \\
& b^5)*d*\text{cosh}(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\text{sinh}( \\
& d*x + c)^2 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d + 8*(( \\
& a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d*\text{cosh}(d*x + c)^7 + 3* \\
& (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\text{cosh}(d*x + c)^5 + (3*a^7*b + 4* \\
& a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\text{cosh}(d*x + c)^3 + (a^7*b + 2 \\
& *a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)), -1/8*(2*(5 \\
& *a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\text{cosh}(d*x + c)^6 + 12*(5*a^4*b - a^3 \\
& *b^2 - 9*a^2*b^3 - 3*a*b^4)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^5 + 2*(5*a^4*b - a^ \\
& 3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\text{sinh}(d*x + c)^6 + 10*a^4*b + 26*a^3*b^2 + 22*a \\
& ^2*b^3 + 6*a*b^4 + 2*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\text{cosh}(d*x + \\
& c)^4 + 2*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4 + 15*(5*a^4*b - a^3*b^2 \\
& - 9*a^2*b^3 - 3*a*b^4)*\text{cosh}(d*x + c)^2)*\text{sinh}(d*x + c)^4 + 8*(5*(5*a^4*b - a \\
& ^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\text{cosh}(d*x + c)^3 + (15*a^4*b - a^3*b^2 + 9*a^2 \\
& *b^3 + 9*a*b^4)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^3 + 2*(15*a^4*b + 13*a^3*b^2 - \\
& 11*a^2*b^3 - 9*a*b^4)*\text{cosh}(d*x + c)^2 + 2*(15*a^4*b + 13*a^3*b^2 - 11*a^2* \\
& b^3 - 9*a*b^4 + 15*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 - 3*a*b^4)*\text{cosh}(d*x + c)^ \\
& 4 + 6*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*\text{cosh}(d*x + c)^2)*\text{sinh}(d*x \\
& + c)^2 - 3*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\text{cosh}(d*x + c)^8 + 8 \\
& *(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\text{cosh}(d*x + c)*\text{sinh}(d*x + c)^7 \\
& + (a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\text{sinh}(d*x + c)^8 + 4*(a^4 + 2* \\
& a^3*b - 2*a*b^3 - b^4)*\text{cosh}(d*x + c)^6 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4 + \\
& 7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\text{cosh}(d*x + c)^2)*\text{sinh}(d*x + \\
& c)^6 + 8*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\text{cosh}(d*x + c)^3 + 3 \\
& *(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\text{cosh}(d*x + c))*\text{sinh}(d*x + c)^5 + 2*(3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\text{cosh}(d*x + c)^4 + 2*(35*(a^4 + 4*a
\end{aligned}$$



$$\begin{aligned}
&^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2 \\
&*b^2 + 4*a*b^3 + 3*b^4 + 30*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^2 \\
&)*\sinh(d*x + c)^4 + a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4 + 8*(7*(a^4 + \\
&4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x + c)^5 + 10*(a^4 + 2*a^3*b - \\
&2*a*b^3 - b^4)*\cosh(d*x + c)^3 + (3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\
&3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*c \\
&osh(d*x + c)^2 + 4*(7*(a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*\cosh(d*x \\
&+ c)^6 + 15*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^4 + a^4 + 2*a^3*b \\
&- 2*a*b^3 - b^4 + 3*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d \\
&*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4) \\
&)*\cosh(d*x + c)^7 + 3*(a^4 + 2*a^3*b - 2*a*b^3 - b^4)*\cosh(d*x + c)^5 + (3*a \\
&^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + (a^4 + 2*a^3*b \\
&b - 2*a*b^3 - b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + \\
&b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh( \\
&d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b)) + 4*(3*(5*a^4*b - a^3*b^2 - 9*a^2*b^3 \\
&- 3*a*b^4)*\cosh(d*x + c)^5 + 2*(15*a^4*b - a^3*b^2 + 9*a^2*b^3 + 9*a*b^4)*c \\
&osh(d*x + c)^3 + (15*a^4*b + 13*a^3*b^2 - 11*a^2*b^3 - 9*a*b^4)*\cosh(d*x + \\
&c))*\sinh(d*x + c))/((a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d \\
&)*\cosh(d*x + c)^8 + 8*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)* \\
&d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^ \\
&4 + a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5 \\
&)*d*\cosh(d*x + c)^6 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3 \\
&*b^5)*d*\cosh(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\sinh \\
&(d*x + c)^6 + 2*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d \\
&)*\cosh(d*x + c)^4 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^ \\
&5)*d*\cosh(d*x + c)^3 + 3*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d \\
&*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
&+ a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5 \\
&)*d*\cosh(d*x + c)^2 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b \\
&b^5)*d)*\sinh(d*x + c)^4 + 4*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*cos \\
&h(d*x + c)^2 + 8*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d \\
&)*\cosh(d*x + c)^5 + 10*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x \\
&+ c)^3 + (3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d \\
&*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 \\
&+ a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5) \\
&)*d*\cosh(d*x + c)^4 + 3*(3*a^7*b + 4*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3 \\
&*b^5)*d*\cosh(d*x + c)^2 + (a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d)*\sinh \\
&(d*x + c)^2 + (a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d + 8*( \\
&(a^7*b + 4*a^6*b^2 + 6*a^5*b^3 + 4*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 3 \\
&*(a^7*b + 2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^7*b + 4 \\
&*a^6*b^2 + 2*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^7*b + \\
&2*a^6*b^2 - 2*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.75, size = 320, normalized size = 3.33

$$\frac{3 \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{\sqrt{ab}a^2} - \frac{2(5a^3e^{6dx+6c} - a^2be^{6dx+6c} - 9ab^2e^{6dx+6c} - 3b^3e^{6dx+6c} + 15a^3e^{4dx+4c} - a^2be^{4dx+4c} + 9ab^2e^{4dx+4c} + 9b^3e^{4dx+4c})}{(a^4 + 2a^3b + a^2b^2)(ae^{4dx+4c} + be^{4dx+4c})} \cdot \frac{1}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c))^3,x, algorithm="giac")

[Out] 1/8\*(3\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*a^2) - 2\*(5\*a^3\*e^(6\*d\*x + 6\*c) - a^2\*b\*e^(6\*d\*x + 6\*c) - 9\*a\*b^2\*e^(6\*d\*x + 6\*c) - 3\*b^3\*e^(6\*d\*x + 6\*c) + 15\*a^3\*e^(4\*d\*x + 4\*c) - a^2\*b\*e^(4\*d\*x + 4\*c) + 9\*a\*b^2\*e^(4\*d\*x + 4\*c) + 9\*b^3\*e^(4\*d\*x + 4\*c) + 15\*a^3\*e^(2\*d\*x + 2\*c) + 13\*a^2\*b\*e^(2\*d\*x + 2\*c) - 11\*a\*b^2\*e^(2\*d\*x + 2\*c) - 9\*b^3\*e^(2\*d\*x + 2\*c) + 5\*a^3 + 13\*a^2\*b + 11\*a\*b^2 + 3\*b^3)/((a^4 + 2\*a^3\*b + a^2\*b^2)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2))/d

**maple [B]** time = 0.48, size = 764, normalized size = 7.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c))^3,x)

[Out] 5/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^7+15/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^5+3/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^5+15/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)^3+3/d/a^2\*b/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2\*tanh(1/2\*d\*x+1/2\*c)^3+5/4/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/a\*tanh(1/2\*d\*x+1/2\*c)-3/8/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+3/8/d/a^2/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/8/d/a^2\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/8/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-3/8/d/a^2/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))

**maxima** [B] time = 0.63, size = 366, normalized size = 3.81

$$\frac{5a^3 + 13a^2b + 11ab^2 + 3b^3 + (15a^3 + 13a^2b - 11ab^2 - 9b^3)e^{(-2dx-2c)}}{4(a^6 + 4a^5b + 6a^4b^2 + 4a^3b^3 + a^2b^4 + 4(a^6 + 2a^5b - 2a^3b^3 - a^2b^4)e^{(-2dx-2c)} + 2(3a^6 + 4a^5b + 2a^4b^2 + 4a^3b^3 + a^2b^4)e^{(-4dx-4c)} + 2(3a^6 + 4a^5b + 2a^4b^2 + 4a^3b^3 + a^2b^4)e^{(-6dx-6c)}) + \frac{3}{8} \arctan\left(\frac{1}{2} \frac{(a+b)e^{(-2dx-2c)} + a-b}{\sqrt{ab}}\right) / (\sqrt{ab}) a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*(5\*a^3 + 13\*a^2\*b + 11\*a\*b^2 + 3\*b^3 + (15\*a^3 + 13\*a^2\*b - 11\*a\*b^2 - 9\*b^3)\*e^(-2\*d\*x - 2\*c) + (15\*a^3 - a^2\*b + 9\*a\*b^2 + 9\*b^3)\*e^(-4\*d\*x - 4\*c) + (5\*a^3 - a^2\*b - 9\*a\*b^2 - 3\*b^3)\*e^(-6\*d\*x - 6\*c))/((a^6 + 4\*a^5\*b + 6\*a^4\*b^2 + 4\*a^3\*b^3 + a^2\*b^4 + 4\*(a^6 + 2\*a^5\*b - 2\*a^3\*b^3 - a^2\*b^4)\*e^(-2\*d\*x - 2\*c) + 2\*(3\*a^6 + 4\*a^5\*b + 2\*a^4\*b^2 + 4\*a^3\*b^3 + 3\*a^2\*b^4)\*e^(-4\*d\*x - 4\*c) + 4\*(a^6 + 2\*a^5\*b - 2\*a^3\*b^3 - a^2\*b^4)\*e^(-6\*d\*x - 6\*c) + (a^6 + 4\*a^5\*b + 6\*a^4\*b^2 + 4\*a^3\*b^3 + a^2\*b^4)\*e^(-8\*d\*x - 8\*c))\*d) - 3/8\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/sqrt(a\*b)\*a^2\*d)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^2 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3), x)

[Out] int(1/(cosh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.129 \quad \int \frac{\operatorname{sech}^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=129

$$\frac{(4a+3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{3/2}} + \frac{(4a+3b) \sinh(c+dx)}{8a^2d(a+b)((a+b) \sinh^2(c+dx)+a)} + \frac{b \sinh(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)}$$

[Out] 1/8\*(4\*a+3\*b)\*arctan(sinh(d\*x+c)\*(a+b)^(1/2)/a^(1/2))/a^(5/2)/(a+b)^(3/2)/d + 1/4\*b\*sinh(d\*x+c)/a/(a+b)/d/(a+(a+b)\*sinh(d\*x+c)^2)+1/8\*(4\*a+3\*b)\*sinh(d\*x+c)/a^2/(a+b)/d/(a+(a+b)\*sinh(d\*x+c)^2)

**Rubi [A]** time = 0.12, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3676, 385, 199, 205}

$$\frac{(4a+3b) \sinh(c+dx)}{8a^2d(a+b)((a+b) \sinh^2(c+dx)+a)} + \frac{(4a+3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^{3/2}} + \frac{b \sinh(c+dx)}{4ad(a+b)((a+b) \sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((4\*a + 3\*b)\*ArcTan[(Sqrt[a + b]\*Sinh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^(3/2)\*d) + (b\*Sinh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2)^2) + ((4\*a + 3\*b)\*Sinh[c + d\*x])/(8\*a^2\*(a + b)\*d\*(a + (a + b)\*Sinh[c + d\*x]^2))

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 385**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 3676

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] := With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^(m + n*p + 1)/2], x], x, Sin[e + f*x]/ff], x] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\int \frac{\operatorname{sech}^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{1+x^2}{(a+(a+b)x^2)^3} dx, x, \sinh(c + dx)\right)}{d}$$

$$= \frac{b \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2} + \left(\frac{3}{a} + \frac{1}{a+b}\right) \operatorname{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)$$

$$= \frac{b \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2} + \frac{(4a + 3b) \sinh(c + dx)}{8a^2(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2}$$

$$= \frac{(4a + 3b) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a + b)^{3/2}d} + \frac{b \sinh(c + dx)}{4a(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2} + \frac{3b \sinh(c + dx)}{8a^2(a + b)d \left(a + (a + b) \sinh^2(c + dx)\right)^2}$$

**Mathematica [A]** time = 0.72, size = 123, normalized size = 0.95

$$\frac{(4a + 3b) \left( \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{5/2} \sqrt{a+b}} + \frac{3(a+b) \sinh^3(c+dx) + 5a \sinh(c+dx)}{a^2((a+b) \sinh^2(c+dx) + a)^2} \right) - \frac{8 \sinh(c+dx)}{((a+b) \sinh^2(c+dx) + a)^2}}{24d(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] 
$$\frac{(-8\operatorname{Sinh}[c + d*x])}{(a + (a + b)\operatorname{Sinh}[c + d*x]^2)^2} + \frac{(4*a + 3*b)*((3*\operatorname{ArcTan}[\frac{\operatorname{Sqrt}[a + b]*\operatorname{Sinh}[c + d*x]}{\operatorname{Sqrt}[a]}])/\operatorname{Sqrt}[a])}{(a^{5/2}*\operatorname{Sqrt}[a + b])} + \frac{(5*a*\operatorname{Sinh}[c + d*x] + 3*(a + b)*\operatorname{Sinh}[c + d*x]^3)}{(a^2*(a + (a + b)\operatorname{Sinh}[c + d*x]^2)^2)}$$
  

$$\frac{1}{(24*(a + b)*d)}$$

**fricas** [B] time = 0.57, size = 6614, normalized size = 51.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\frac{1}{16}*(4*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^7 + 28*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 4*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\sinh(d*x + c)^7 + 4*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^5 + 4*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3 + 21*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 20*(7*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^3 + (4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 4*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^3 + 4*(35*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^4 - 4*a^4 - 3*a^3*b + 10*a^2*b^2 + 9*a*b^3 + 10*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(21*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^5 + 10*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^3 - 3*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^8 + 8*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 + 7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^4 + 12*a^3 + a^2*b + 6*a*b^2 + 9*b^3 + 30*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^5 + 10*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^3 + (12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^4 + 4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 + 3*(12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^7 + 3*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^5 + (12*a^3$$

$$\begin{aligned}
& + a^2b + 6ab^2 + 9b^3) \cosh(dx + c)^3 + (4a^3 + 3a^2b - 4ab^2 - \\
& 3b^3) \cosh(dx + c) \sinh(dx + c) \sqrt{-a^2 - ab} \log((a + b) \cosh(dx \\
& + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 \\
& - 2(3a + b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 - 3a - b) \sinh(dx + c)^2 \\
& + 4((a + b) \cosh(dx + c)^3 - (3a + b) \cosh(dx + c)) \sinh(dx + c) - 4(\cosh(dx + c)^3 \\
& + 3 \cosh(dx + c) \sinh(dx + c)^2 + \sinh(dx + c)^3 + (3 \cosh(dx + c)^2 - 1) \sinh(dx + c) \\
& - \cosh(dx + c)) \sqrt{-a^2 - ab} + a + b) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx \\
& + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \\
& * \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a \\
& - b) \cosh(dx + c)) \sinh(dx + c) + a + b) - 4(4a^4 + 11a^3b + 10a^2b^2 \\
& * b^2 + 3ab^3) \cosh(dx + c) + 4(7(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^6 \\
& + 5(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^4 - 4a^4 - 11a^3b - 10a^2b^2 \\
& - 3ab^3 - 3(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^2) \sinh(dx + c) / ((a^7 + 4a^6b \\
& + 6a^5b^2 + 4a^4b^3 + a^3b^4) d * \cosh(dx + c)^8 + 8(a^7 + 4a^6b + 6a^5b^2 \\
& + 4a^4b^3 + a^3b^4) d * \cosh(dx + c) \sinh(dx + c)^7 + (a^7 + 4a^6b + 6a^5b^2 \\
& + 4a^4b^3 + a^3b^4) d * \sinh(dx + c)^8 + 4(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) \\
& * d * \cosh(dx + c)^6 + 4(7(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) \\
& * d * \cosh(dx + c)^2 + (a^7 + 2a^6b - 2a^4b^3 - a^3b^4) * d) \sinh(dx + c)^6 \\
& + 2(3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) * d * \cosh(dx + c)^4 + 8(7(a^7 + 4a^6b \\
& + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d * \cosh(dx + c)^3 + 3(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) \\
& * d * \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) \\
& * d * \cosh(dx + c)^4 + 30(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)^2 \\
& + (3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) * d) \sinh(dx + c)^4 + 4(a^7 + 2a^6b \\
& - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)^2 + 8(7(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 \\
& + a^3b^4) * d * \cosh(dx + c)^5 + 10(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)^3 \\
& + (3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) * d * \cosh(dx + c)) \sinh(dx + c)^3 \\
& + 4(7(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d * \cosh(dx + c)^6 + 15(a^7 + 2a^6b \\
& - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)^4 + 3(3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 \\
& + 3a^3b^4) * d * \cosh(dx + c)^2 + (a^7 + 2a^6b - 2a^4b^3 - a^3b^4) * d) \sinh(dx + c)^2 \\
& + (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * d + 8((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 \\
& + a^3b^4) * d * \cosh(dx + c)^7 + 3(a^7 + 2a^6b - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)^5 \\
& + (3a^7 + 4a^6b + 2a^5b^2 + 4a^4b^3 + 3a^3b^4) * d * \cosh(dx + c)^3 + (a^7 + 2a^6b \\
& - 2a^4b^3 - a^3b^4) * d * \cosh(dx + c)) \sinh(dx + c)), 1/8 \\
& * (2(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^7 + 14(4a^4 + 11a^3b + 10a^2b^2 \\
& + 3ab^3) \cosh(dx + c) \sinh(dx + c)^6 + 2(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \sinh(dx + c)^7 \\
& + 2(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)^5 + 2(4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \\
& + 21(4a^4 + 11a^3b + 10a^2b^2 + 3ab^3) \cosh(dx + c)^2) \sinh(dx + c)^5 + 10(7(4a^4 + 11a^3b \\
& + 10a^2b^2 + 3ab^3) \cosh(dx + c)^3 + (4a^4 + 3a^3b - 10a^2b^2 - 9ab^3) \cosh(dx + c)) \sinh(dx + c)^4
\end{aligned}$$

$$\begin{aligned}
& - 2*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^3 + 2*(35*(4*a^4 \\
& + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^4 - 4*a^4 - 3*a^3*b + 10 \\
& *a^2*b^2 + 9*a*b^3 + 10*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + \\
& c)^2)*\sinh(d*x + c)^3 + 2*(21*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\co \\
& sh(d*x + c)^5 + 10*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^3 \\
& - 3*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^ \\
& 2 + ((4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^8 + 8*(4*a^3 + 11* \\
& a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (4*a^3 + 11*a^2*b \\
& + 10*a*b^2 + 3*b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 \\
& )*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 + 7*(4*a^3 + 11*a^ \\
& 2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(4*a^3 + 11 \\
& *a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^3 + 3*(4*a^3 + 3*a^2*b - 4*a*b^2 - \\
& 3*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + a^2*b + 6*a*b^2 + 9*b^ \\
& 3)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + \\
& c)^4 + 12*a^3 + a^2*b + 6*a*b^2 + 9*b^3 + 30*(4*a^3 + 3*a^2*b - 4*a*b^2 - \\
& 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 \\
& + 3*b^3)*\cosh(d*x + c)^5 + 10*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x \\
& + c)^3 + (12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& + 4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b \\
& ^3)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + \\
& c)^6 + 15*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^4 + 4*a^3 + 3* \\
& a^2*b - 4*a*b^2 - 3*b^3 + 3*(12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c \\
& )^2)*\sinh(d*x + c)^2 + 8*((4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + \\
& c)^7 + 3*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^5 + (12*a^3 + a^ \\
& 2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 \\
& )*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a^2 + a*b}*\arctan(1/2*((a + b)*\cosh(d* \\
& x + c)^3 + 3*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^ \\
& 3 + (3*a - b)*\cosh(d*x + c) + (3*(a + b)*\cosh(d*x + c)^2 + 3*a - b)*\sinh(d* \\
& x + c))/\sqrt{a^2 + a*b})) + ((4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x \\
& + c)^8 + 8*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)*\sinh(d*x + c \\
& )^7 + (4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\sinh(d*x + c)^8 + 4*(4*a^3 + 3* \\
& a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^6 + 4*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3 \\
& *b^3 + 7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^6 + 8*(7*(4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^3 + 3*(4*a^ \\
& 3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(12*a^3 + \\
& a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c)^4 + 2*(35*(4*a^3 + 11*a^2*b + 10*a* \\
& b^2 + 3*b^3)*\cosh(d*x + c)^4 + 12*a^3 + a^2*b + 6*a*b^2 + 9*b^3 + 30*(4*a^3 \\
& + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(4*a^ \\
& 3 + 11*a^2*b + 10*a*b^2 + 3*b^3)*\cosh(d*x + c)^5 + 10*(4*a^3 + 3*a^2*b - 4* \\
& a*b^2 - 3*b^3)*\cosh(d*x + c)^3 + (12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d \\
& x + c))*\sinh(d*x + c)^3 + 4*a^3 + 11*a^2*b + 10*a*b^2 + 3*b^3 + 4*(4*a^3 + \\
& 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^2 + 4*(7*(4*a^3 + 11*a^2*b + 10*a* \\
& b^2 + 3*b^3)*\cosh(d*x + c)^6 + 15*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh( \\
& d*x + c)^4 + 4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3 + 3*(12*a^3 + a^2*b + 6*a*b^ \\
& 2 + 9*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((4*a^3 + 11*a^2*b + 10*a*b
\end{aligned}$$



$$\begin{aligned}
&^2 + 3*b^3)*\cosh(d*x + c)^7 + 3*(4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c)^5 + (12*a^3 + a^2*b + 6*a*b^2 + 9*b^3)*\cosh(d*x + c)^3 + (4*a^3 + 3*a^2*b - 4*a*b^2 - 3*b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a^2 + a*b}*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a) - 2*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c) + 2*(7*(4*a^4 + 11*a^3*b + 10*a^2*b^2 + 3*a*b^3)*\cosh(d*x + c)^6 + 5*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^4 - 4*a^4 - 11*a^3*b - 10*a^2*b^2 - 3*a*b^3 - 3*(4*a^4 + 3*a^3*b - 10*a^2*b^2 - 9*a*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^8 + 8*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\sinh(d*x + c)^8 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^6 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*\sinh(d*x + c)^6 + 2*(3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^4 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^3 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^4 + 30*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^2 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d)*\sinh(d*x + c)^4 + 4*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^2 + 8*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^5 + 10*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^3 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^6 + 15*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^4 + 3*(3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^2 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d)*\sinh(d*x + c)^2 + (a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d + 8*((a^7 + 4*a^6*b + 6*a^5*b^2 + 4*a^4*b^3 + a^3*b^4)*d*\cosh(d*x + c)^7 + 3*(a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c)^5 + (3*a^7 + 4*a^6*b + 2*a^5*b^2 + 4*a^4*b^3 + 3*a^3*b^4)*d*\cosh(d*x + c)^3 + (a^7 + 2*a^6*b - 2*a^4*b^3 - a^3*b^4)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**giac [B]** time = 0.99, size = 1495, normalized size = 11.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/8*((2*(a^3*e^{(2*c)} + a^2*b*e^{(2*c)})^2*(8*a^2*b + 6*a*b^2 - (4*a^2 - a*b - 3*b^2)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (4*a^6 + 7*a^5*b - a^4*b^2 - 7*a^3*b^3 - 3*a^2*b^4 + 2*(4*a^5 + 11*a^4*b + 10*a^3*b^2 + 3*a^2*b^3)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(-a^3*e^{(2*c)} - a^2*b*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*$

$$\begin{aligned}
& e^{(2*c)} - (8*a^8*b + 14*a^7*b^2 - 2*a^6*b^3 - 14*a^5*b^4 - 6*a^4*b^5 - (4*a^8 + 3*a^7*b - 8*a^6*b^2 - 6*a^5*b^3 + 4*a^4*b^4 + 3*a^3*b^5)*\sqrt{-a*b})*\sqrt{a^2 - b^2 + 2*\sqrt{-a*b}*(a + b)}*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}* \\
& \arctan(e^{(d*x)}/\sqrt{(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)} - \sqrt{(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)})^2 - (a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)})*(a^4 + 2*a^3*b + a^2*b^2)})))/(a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)})*)*e^{(-4*c)}/((a^{11} + 5*a^{10}*b + 9*a^9*b^2 + 5*a^8*b^3 - 5*a^7*b^4 - 9*a^6*b^5 - 5*a^5*b^6 - a^4*b^7 + 2*(a^{10} + 6*a^9*b + 15*a^8*b^2 + 20*a^7*b^3 + 15*a^6*b^4 + 6*a^5*b^5 + a^4*b^6)*\sqrt{-a*b})*abs(-a^3*e^{(2*c)} - a^2*b*e^{(2*c)})) + \\
& (2*(16*a^3*b - 4*a^2*b^2 - 12*a*b^3 + (4*a^3 - 21*a^2*b - 14*a*b^2 + 3*b^3)*\sqrt{-a*b})*abs(a^3*e^{(2*c)} + a^2*b*e^{(2*c)})^2*abs(a*e^{(2*c)} + b*e^{(2*c)}) - (4*a^7 - 13*a^6*b - 52*a^5*b^2 - 46*a^4*b^3 - 8*a^3*b^4 + 3*a^2*b^5 - 4*(4*a^6 + 7*a^5*b - a^4*b^2 - 7*a^3*b^3 - 3*a^2*b^4)*\sqrt{-a*b})*abs(-a^3*e^{(2*c)} - a^2*b*e^{(2*c)})*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(2*c)} - (16*a^9*b + 12*a^8*b^2 - 32*a^7*b^3 - 24*a^6*b^4 + 16*a^5*b^5 + 12*a^4*b^6 + (4*a^9 - 17*a^8*b - 39*a^7*b^2 + 6*a^6*b^3 + 38*a^5*b^4 + 11*a^4*b^5 - 3*a^3*b^6)*\sqrt{-a*b}))*abs(a*e^{(2*c)} + b*e^{(2*c)})*e^{(4*c)}*\arctan(e^{(d*x)}/\sqrt{(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)} + \sqrt{(a^4*e^{(2*c)} - a^2*b^2*e^{(2*c)})^2 - (a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)})*(a^4 + 2*a^3*b + a^2*b^2)})))/(a^4*e^{(4*c)} + 2*a^3*b*e^{(4*c)} + a^2*b^2*e^{(4*c)})*)*e^{(-4*c)}/((a^{10} + 4*a^9*b + 5*a^8*b^2 - 5*a^6*b^4 - 4*a^5*b^5 - a^4*b^6 - 2*(a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*\sqrt{-a*b}))*\sqrt{a^2 - b^2 - 2*\sqrt{-a*b}*(a + b)}*abs(-a^3*e^{(2*c)} - a^2*b*e^{(2*c)})) - 2*(4*a^2*e^{(7*d*x + 7*c)} + 7*a*b*e^{(7*d*x + 7*c)} + 3*b^2*e^{(7*d*x + 7*c)} + 4*a^2*e^{(5*d*x + 5*c)} - a*b*e^{(5*d*x + 5*c)} - 9*b^2*e^{(5*d*x + 5*c)} - 4*a^2*e^{(3*d*x + 3*c)} + a*b*e^{(3*d*x + 3*c)} + 9*b^2*e^{(3*d*x + 3*c)} - 4*a^2*e^{(d*x + c)} - 7*a*b*e^{(d*x + c)} - 3*b^2*e^{(d*x + c)})/((a^3 + a^2*b)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d
\end{aligned}$$

**maple [B]** time = 0.49, size = 1226, normalized size = 9.50

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{sech}(d*x+c)^3/(a+b*\tanh(d*x+c)^2)^3,x)$

[Out]  $-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\tanh(1/2*d*x+1/2*c)^7-5/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a/(a+b)*\tanh(1/2*d*x+1/2*c)^7*b-1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/(a+b)*\tanh(1/2*d*x+1/2*c)^5-13/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a/(a+b)*\tanh(1/2*d*x+1/2*c)^5*b-3/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a^2/(a+b)*\tanh(1/2*d*x+1/2*c)^5*b^2+1/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)$

$$\begin{aligned} & \frac{1}{2(a+b)} \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + \frac{13}{4d} \frac{1}{\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4} a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a^2 / (a+b) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + \frac{3}{d} \frac{1}{\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4} a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a^2 / (a+b) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + \frac{1}{d} \frac{1}{\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4} a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a^2 / (a+b) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + \frac{5}{4d} \frac{1}{\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4} a + 2 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a + 4 \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a^2 / (a+b) \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & + \frac{1}{2d} \frac{1}{a} \frac{1}{(a+b)} \frac{1}{\tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)} b - \frac{1}{2d} \frac{1}{a} \frac{1}{(a+b)} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}}\right) \\ & + \frac{1}{2d} \frac{1}{a} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}}\right) \\ & + \frac{1}{2d} \frac{1}{a} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}} \operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}}\right) \\ & + \frac{1}{2d} \frac{1}{a} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}} \operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}}\right) \\ & + \frac{3}{8d} \frac{1}{a^2} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}}\right) \\ & + \frac{3}{8d} \frac{1}{a^2} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}} \operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} - a - 2b\right) a^{1/2}}\right) \\ & + \frac{3}{8d} \frac{1}{a^2} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}} \operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}}\right) \\ & + \frac{3}{8d} \frac{1}{a^2} \frac{1}{(a+b)} \frac{1}{\left(b(a+b)\right)^{1/2}} \frac{1}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}} \operatorname{arctan}\left(\frac{a \tanh\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\left(2(b(a+b))\right)^{1/2} + a + 2b\right) a^{1/2}}\right) \\ & + b^2 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(4a^2e^{7c} + 7abe^{7c} + 3b^2e^{7c})e^{7dx} + (4a^2e^{5c} - 4(a^5d + 3a^4bd + 3a^3b^2d + a^2b^3d + (a^5de^{8c} + 3a^4bde^{8c} + 3a^3b^2de^{8c} + a^2b^3de^{8c}))e^{8dx} + 4(a^5de^{6c} + a^4bde^{6c} + 3a^3b^2de^{6c} + a^2b^3de^{6c}))e^{6dx} + 4(a^5de^{4c} + a^4bde^{4c} + 3a^3b^2de^{4c} + a^2b^3de^{4c}))e^{4dx} + 4(a^5de^{2c} + a^4bde^{2c} + 3a^3b^2de^{2c} + a^2b^3de^{2c}))e^{2dx} + 4(a^5de^{0c} + a^4bde^{0c} + 3a^3b^2de^{0c} + a^2b^3de^{0c}))e^{0dx}}{(4a^2e^{7c} + 7abe^{7c} + 3b^2e^{7c})e^{7dx} + (4a^2e^{5c} - 4(a^5d + 3a^4bd + 3a^3b^2d + a^2b^3d + (a^5de^{8c} + 3a^4bde^{8c} + 3a^3b^2de^{8c} + a^2b^3de^{8c}))e^{8dx} + 4(a^5de^{6c} + a^4bde^{6c} + 3a^3b^2de^{6c} + a^2b^3de^{6c}))e^{6dx} + 4(a^5de^{4c} + a^4bde^{4c} + 3a^3b^2de^{4c} + a^2b^3de^{4c}))e^{4dx} + 4(a^5de^{2c} + a^4bde^{2c} + 3a^3b^2de^{2c} + a^2b^3de^{2c}))e^{2dx} + 4(a^5de^{0c} + a^4bde^{0c} + 3a^3b^2de^{0c} + a^2b^3de^{0c}))e^{0dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4} \left( (4a^2e^{7c} + 7a^2be^{7c} + 3b^2e^{7c})e^{7dx} + (4a^2e^{5c} - 9a^2be^{5c} - 9b^2e^{5c})e^{5dx} - (4a^2e^{3c} - a^2be^{3c} - 9b^2e^{3c})e^{3dx} - (4a^2e^c + 7a^2be^c + 3b^2e^c)e^{dx} \right) / (a^5d + 3a^4bd + 3a^3b^2d + a^2b^3d + (a^5de^{8c} + 3a^4bde^{8c} + 3a^3b^2de^{8c} + a^2b^3de^{8c}))e^{8dx} + 4 \left( (a^5de^{6c} + a^4bde^{6c} - a^3b^2de^{6c} - a^2b^3de^{6c})e^{6dx} + 2 \left( (3a^5de^{4c} + a^4bde^{4c} + a^3b^2de^{4c} + 3a^2b^3de^{4c})e^{4dx} + 4 \left( (a^5de^{2c} + a^4bde^{2c} - a^3b^2de^{2c} - a^2b^3de^{2c})e^{2dx} \right) + 8 \operatorname{integrate}\left(\frac{1}{32} \left( (4a^2e^{3c} + 3b^2e^{3c})e^{3dx} + (4a^2e^c + 3b^2e^c)e^{dx} \right) / (a^4 + 2a^3b + a^2b^2 + (a^4e^{4c} + 2a^3be^{4c} + a^2b^2e^{4c}))e^{4dx} + 2 \left( a^4e^{2c} - a^2b^2e^{2c} \right) e^{2dx} \right), x \right)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^3 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^3), x)

[Out] int(1/(cosh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*3, x)

[Out] Timed out

$$3.130 \quad \int \frac{\operatorname{sech}^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=115

$$-\frac{(a-3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} - \frac{(a-3b) \tanh(c+dx)}{8a^2bd(a+b \tanh^2(c+dx))} + \frac{(a+b) \tanh(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

[Out]  $-1/8*(a-3*b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(5/2)}/b^{(3/2)}/d+1/4*(a+b)*\tanh(d*x+c)/a/b/d/(a+b*\tanh(d*x+c)^2)^2-1/8*(a-3*b)*\tanh(d*x+c)/a^2/b/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.10, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 385, 199, 205}

$$-\frac{(a-3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} - \frac{(a-3b) \tanh(c+dx)}{8a^2bd(a+b \tanh^2(c+dx))} + \frac{(a+b) \tanh(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-((a-3*b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/(\text{Sqrt}[a])])/(8*a^{(5/2)}*b^{(3/2)}*d) + ((a+b)*\text{Tanh}[c+d*x])/(4*a*b*d*(a+b*\text{Tanh}[c+d*x]^2)^2) - ((a-3*b)*\text{Tanh}[c+d*x])/(8*a^2*b*d*(a+b*\text{Tanh}[c+d*x]^2))$

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 385**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```

### Rubi steps

$$\int \frac{\operatorname{sech}^4(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{1-x^2}{(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \operatorname{Subst}\left(\int \frac{1}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4abd}$$

$$= \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \tanh(c + dx)}{8a^2bd (a + b \tanh^2(c + dx))} - \frac{(a - 3b) \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{8a^2bd (a + b \tanh^2(c + dx))}$$

$$= -\frac{(a - 3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}d} + \frac{(a + b) \tanh(c + dx)}{4abd (a + b \tanh^2(c + dx))^2} - \frac{(a - 3b) \tanh(c + dx)}{8a^2bd (a + b \tanh^2(c + dx))}$$

**Mathematica [A]** time = 1.05, size = 115, normalized size = 1.00

$$\frac{\sqrt{a} \sinh(2(c+dx))((a^2+4ab+3b^2) \cosh(2(c+dx))+a^2+6ab-3b^2)}{b((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{(3b-a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}}}{8a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (((-a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(3/2) + (Sqrt[a]\*(a^2 + 6\*a\*b - 3\*b^2 + (a^2 + 4\*a\*b + 3\*b^2)\*Cosh[2\*(c + d\*x)])\*Sinh[2\*(c + d\*x)])/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2))/(8\*a^(5/2)\*d)

**fricas** [B] time = 0.53, size = 5659, normalized size = 49.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] [-1/16\*(4\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*cosh(d\*x + c)^6 + 24\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + 4\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*sinh(d\*x + c)^6 + 4\*a^4\*b + 20\*a^3\*b^2 + 28\*a^2\*b^3 + 12\*a\*b^4 + 4\*(3\*a^4\*b + 7\*a^3\*b^2 - 3\*a^2\*b^3 + 9\*a\*b^4)\*cosh(d\*x + c)^4 + 4\*(3\*a^4\*b + 7\*a^3\*b^2 - 3\*a^2\*b^3 + 9\*a\*b^4 + 15\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 16\*(5\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*cosh(d\*x + c)^3 + (3\*a^4\*b + 7\*a^3\*b^2 - 3\*a^2\*b^3 + 9\*a\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(3\*a^4\*b + 13\*a^3\*b^2 + a^2\*b^3 - 9\*a\*b^4)\*cosh(d\*x + c)^2 + 4\*(3\*a^4\*b + 13\*a^3\*b^2 + a^2\*b^3 - 9\*a\*b^4 + 15\*(a^4\*b - a^3\*b^2 - 5\*a^2\*b^3 - 3\*a\*b^4)\*cosh(d\*x + c)^4 + 6\*(3\*a^4\*b + 7\*a^3\*b^2 - 3\*a^2\*b^3 + 9\*a\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 - ((a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^8 + 8\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*sinh(d\*x + c)^8 + 4\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^6 + 4\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4 + 7\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 8\*(7\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^3 + 3\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*a^4 - 8\*a^3\*b - 2\*a^2\*b^2 - 9\*b^4)\*cosh(d\*x + c)^4 + 2\*(35\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^4 + 3\*a^4 - 8\*a^3\*b - 2\*a^2\*b^2 - 9\*b^4 + 30\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4 + 8\*(7\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^5 + 10\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^3 + (3\*a^4 - 8\*a^3\*b - 2\*a^2\*b^2 - 9\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^2 + 4\*(7\*(a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^6 + 15\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^4 + a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4 + 3\*(3\*a^4 - 8\*a^3\*b - 2\*a^2\*b^2 - 9\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*((a^4 - 6\*a^2\*b^2 - 8\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^7 + 3\*(a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^5 + (3\*a^4 - 8\*a^3\*b - 2\*a^2\*b^2 - 9\*b^4)\*cosh(d\*x + c)^3 + (a^4 - 2\*a^3\*b - 4\*a^2\*b^2 + 2\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(-a\*b)\*log(((a^2

$$\begin{aligned}
& + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{-a*b})/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^5 + 2*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^3 + (3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c))/((a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 8*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^6 + 4*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^4 + 8*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + 3*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^5 + 10*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d)*\sinh(d*x + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d + 8*((a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)), -1/8*(2*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^6 + 12*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 2*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\sinh(d*x + c)^6 + 2*a^4*b + 10*a^3*b^2 + 14*a^2*b^3 + 6*a*b^4 + 2*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^4 + 2*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4 + 15*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(5*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^3 + (3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4)*\cosh(d*x + c)^2 + 2*(3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4 + 15*(a^4*b - a^3*b^2 - 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^4 + 6*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c)^2)*\sinh(
\end{aligned}$$



$$\begin{aligned}
& d*x + c)^2 + ((a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^8 + 8*(a^4 \\
& - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4 - 6*a^2 \\
& *b^2 - 8*a*b^3 - 3*b^4)*\sinh(d*x + c)^8 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2* \\
& a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3 \\
& *b^4 + 7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c) \\
& ^6 + 8*(7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + 3*(a^4 - 2* \\
& a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3* \\
& a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(a^4 - 6*a^2*b^2 \\
& - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4 + \\
& 30*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x \\
& + c)^4 + a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4 + 8*(7*(a^4 - 6*a^2*b^2 - 8*a*b \\
& ^3 - 3*b^4)*\cosh(d*x + c)^5 + 10*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b \\
& ^4)*\cosh(d*x + c)^3 + (3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c))* \\
& \sinh(d*x + c)^3 + 4*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x \\
& + c)^2 + 4*(7*(a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 15*(a^4 \\
& - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + a^4 - 2*a^3*b - \\
& 4*a^2*b^2 + 2*a*b^3 + 3*b^4 + 3*(3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh \\
& (d*x + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 - 6*a^2*b^2 - 8*a*b^3 - 3*b^4)*\cosh \\
& (d*x + c)^7 + 3*(a^4 - 2*a^3*b - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^ \\
& 5 + (3*a^4 - 8*a^3*b - 2*a^2*b^2 - 9*b^4)*\cosh(d*x + c)^3 + (a^4 - 2*a^3*b \\
& - 4*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arct \\
& \text{an}(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + ( \\
& a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{a*b}/(a*b)) + 4*(3*(a^4*b - a^3*b^2 - \\
& 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^5 + 2*(3*a^4*b + 7*a^3*b^2 - 3*a^2*b^3 + \\
& 9*a*b^4)*\cosh(d*x + c)^3 + (3*a^4*b + 13*a^3*b^2 + a^2*b^3 - 9*a*b^4)*\cosh \\
& (d*x + c))*\sinh(d*x + c))/((a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*co \\
& sh(d*x + c)^8 + 8*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + \\
& c)*\sinh(d*x + c)^7 + (a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\sinh(d*x \\
& + c)^8 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^6 + 4*( \\
& 7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^6*b^2 \\
& + a^5*b^3 - a^4*b^4 - a^3*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^6*b^2 + a^5*b^3 \\
& + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^4 + 8*(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^ \\
& 4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + 3*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b \\
& ^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b \\
& ^4 + a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5 \\
& )*d*\cosh(d*x + c)^2 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d \\
& *x + c)^4 + 4*(a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8 \\
& *(7*(a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^5 + 10*(a^6 \\
& *b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^6*b^2 + a^5*b^ \\
& 3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^6*b^2 + \\
& 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^6*b^2 + a^5*b^3 \\
& - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^6*b^2 + a^5*b^3 + a^4*b^4 \\
& + 3*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d) \\
& *\sinh(d*x + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d + 8*((a^6* \\
& b^2 + 3*a^5*b^3 + 3*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^6*b^2 + a^5
\end{aligned}$$

$*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^6*b^2 + a^5*b^3 + a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^6*b^2 + a^5*b^3 - a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)]$

**giac [B]** time = 0.73, size = 332, normalized size = 2.89

$$\frac{(a^{2c}-3be^{2c})\arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)e^{-2c}}{\sqrt{ab}a^2b} + \frac{2(a^3e^{6dx+6c}-a^2be^{6dx+6c}-5ab^2e^{6dx+6c}-3b^3e^{6dx+6c}+3a^3e^{4dx+4c}+7a^2be^{4dx+4c}+7a^2be^{4dx+4c})}{(a^3b+a^2b^2)(ae^{4dx+4c})} \cdot 8d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/8*((a*e^{2c} - 3*b*e^{2c})*\arctan(1/2*(a*e^{2d*x + 2*c} + b*e^{2d*x + 2*c}) + a - b)/\sqrt{a*b})*e^{-2c}/(\sqrt{a*b}*a^2*b) + 2*(a^3*e^{6d*x + 6*c} - a^2*b*e^{6d*x + 6*c} - 5*a*b^2*e^{6d*x + 6*c} - 3*b^3*e^{6d*x + 6*c} + 3*a^3*e^{4d*x + 4*c} + 7*a^2*b*e^{4d*x + 4*c} - 3*a*b^2*e^{4d*x + 4*c} + 9*b^3*e^{4d*x + 4*c} + 3*a^3*e^{2d*x + 2*c} + 13*a^2*b*e^{2d*x + 2*c} + a*b^2*e^{2d*x + 2*c} - 9*b^3*e^{2d*x + 2*c} + a^3 + 5*a^2*b + 7*a*b^2 + 3*b^3)/((a^3*b + a^2*b^2)*(a*e^{4d*x + 4*c} + b*e^{4d*x + 4*c} + 2*a*e^{2d*x + 2*c} - 2*b*e^{2d*x + 2*c} + a + b)^2))/d$

**maple [B]** time = 0.40, size = 1270, normalized size = 11.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $1/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)^7+5/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^7+3/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)^5+11/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^5+3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5+3/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)^3+11/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^3+3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+1/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/b*\tanh(1/2*d*x+1/2*c)+5/4/d/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)+1/8$

$$\frac{1}{d} \frac{b}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} - a - 2b)a}\right) - \frac{1}{8} \frac{d}{a} \frac{b}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} - a - 2b)a}\right) - \frac{1}{4} \frac{d}{(b(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} - a - 2b)a}\right) + \frac{1}{8} \frac{d}{b} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} + a + 2b)a}\right) + \frac{1}{8} \frac{d}{a} \frac{b}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} + a + 2b)a}\right) - \frac{1}{4} \frac{d}{(b(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} + a + 2b)a}\right) + \frac{3}{8} \frac{d}{a^2} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} - a - 2b)a}\right) - \frac{3}{8} \frac{d}{a^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} - a - 2b)a}\right) - \frac{3}{8} \frac{d}{a^2} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} + a + 2b)a}\right) - \frac{3}{8} \frac{d}{a^2} \frac{1}{(b(a+b))^{1/2}} \frac{1}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2 dx + 1/2 c)}{(2(b(a+b))^{1/2} + a + 2b)a}\right)$$

**maxima [B]** time = 0.70, size = 360, normalized size = 3.13

$$\frac{a^3 + 5a^2b + 7ab^2 + 3b^3 + (3a^3 + 13a^2b + ab^2 - 9b^3)e^{(-2dx-2c)} + (3a^3 + 7a^2b - 4(a^5b + 3a^4b^2 + 3a^3b^3 + a^2b^4 + 4(a^5b + a^4b^2 - a^3b^3 - a^2b^4)e^{(-2dx-2c)} + 2(3a^5b + a^4b^2 + a^3b^3 + 3a^2b^4)e^{(-4dx-4c)}))}{4(a^5b + 3a^4b^2 + 3a^3b^3 + a^2b^4 + 4(a^5b + a^4b^2 - a^3b^3 - a^2b^4)e^{(-2dx-2c)} + 2(3a^5b + a^4b^2 + a^3b^3 + 3a^2b^4)e^{(-4dx-4c)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4} (a^3 + 5a^2b + 7ab^2 + 3b^3 + (3a^3 + 13a^2b + ab^2 - 9b^3)e^{(-2dx-2c)} + (3a^3 + 7a^2b - 3ab^2 + 9b^3)e^{(-4dx-4c)} + (a^3 - a^2b - 5ab^2 - 3b^3)e^{(-6dx-6c)}) / ((a^5b + 3a^4b^2 + 3a^3b^3 + a^2b^4 + 4(a^5b + a^4b^2 - a^3b^3 - a^2b^4)e^{(-2dx-2c)} + 2(3a^5b + a^4b^2 + a^3b^3 + 3a^2b^4)e^{(-4dx-4c)} + 4(a^5b + a^4b^2 - a^3b^3 - a^2b^4)e^{(-6dx-6c)} + (a^5b + 3a^4b^2 + 3a^3b^3 + a^2b^4)e^{(-8dx-8c)}) * d) + \frac{1}{8} (a - 3b) \operatorname{arctan}\left(\frac{1}{2} \frac{(a+b)e^{(-2dx-2c)} + a - b}{\sqrt{a*b}}\right) / (\sqrt{a*b} * a^2 * b * d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c+dx)^4 (b \tanh(c+dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^3),x)

```
[Out] int(1/(cosh(c + d*x)^4*(a + b*tanh(c + d*x)^2)^3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**4/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

$$3.131 \quad \int \frac{\operatorname{sech}^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=104

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d\sqrt{a+b}} + \frac{3 \sinh(c+dx)}{8a^2d((a+b) \sinh^2(c+dx) + a)} + \frac{\sinh(c+dx)}{4ad((a+b) \sinh^2(c+dx) + a)^2}$$

[Out]  $1/4*\sinh(d*x+c)/a/d/(a+(a+b)*\sinh(d*x+c)^2)^2+3/8*\sinh(d*x+c)/a^2/d/(a+(a+b)*\sinh(d*x+c)^2)+3/8*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)}/a^{(1/2)})/a^{(5/2)}/d/(a+b)^{(1/2)}$

**Rubi** [A] time = 0.09, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3676, 199, 205}

$$\frac{3 \sinh(c+dx)}{8a^2d((a+b) \sinh^2(c+dx) + a)} + \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d\sqrt{a+b}} + \frac{\sinh(c+dx)}{4ad((a+b) \sinh^2(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(3*\text{ArcTan}[(\text{Sqrt}[a+b]*\text{Sinh}[c+d*x])/(\text{Sqrt}[a])])/(8*a^{(5/2)}*\text{Sqrt}[a+b]*d) + \text{Sinh}[c+d*x]/(4*a*d*(a+(a+b)*\text{Sinh}[c+d*x]^2)^2) + (3*\text{Sinh}[c+d*x])/(8*a^2*d*(a+(a+b)*\text{Sinh}[c+d*x]^2))$

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 3676**

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_.) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f, Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f}, x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned} \int \frac{\operatorname{sech}^5(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^3} dx, x, \sinh(c + dx)\right)}{d} \\ &= \frac{\sinh(c + dx)}{4ad (a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{(a+(a+b)x^2)^2} dx, x, \sinh(c + dx)\right)}{4ad} \\ &= \frac{\sinh(c + dx)}{4ad (a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \sinh(c + dx)}{8a^2d (a + (a + b) \sinh^2(c + dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{a+(a+b)x^2} dx, x, \sinh(c + dx)\right)}{8a^2d} \\ &= \frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}\sqrt{a+b}d} + \frac{\sinh(c + dx)}{4ad (a + (a + b) \sinh^2(c + dx))^2} + \frac{3 \sinh(c + dx)}{8a^2d (a + (a + b) \sinh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 88, normalized size = 0.85

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}\sqrt{a+b}} + \frac{3(a+b) \sinh^3(c+dx) + 5a \sinh(c+dx)}{a((a+b) \sinh^2(c+dx) + a)^2}$$

$8ad$

Antiderivative was successfully verified.

```
[In] Integrate[Sech[c + d*x]^5/(a + b*Tanh[c + d*x]^2)^3, x]
```

```
[Out] ((3*ArcTan[(Sqrt[a + b]*Sinh[c + d*x])/Sqrt[a]])/(a^(3/2)*Sqrt[a + b]) + (5*a*Sinh[c + d*x] + 3*(a + b)*Sinh[c + d*x]^3)/(a*(a + (a + b)*Sinh[c + d*x]^2)^2))/(8*a*d)
```

**fricas [B]** time = 0.52, size = 5077, normalized size = 48.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(12*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^7 + 84*(a^3 + 2*a^2*b + a*b \\ & ^2)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 12*(a^3 + 2*a^2*b + a*b^2)*\sinh(d*x + c \\ & )^7 + 4*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x + c)^5 + 4*(11*a^3 + 2*a^2*b \\ & - 9*a*b^2 + 63*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 2 \\ & 0*(21*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^3 + (11*a^3 + 2*a^2*b - 9*a*b^2 \\ & )*\cosh(d*x + c))*\sinh(d*x + c)^4 - 4*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x \\ & + c)^3 + 4*(105*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^4 - 11*a^3 - 2*a^2*b \\ & + 9*a*b^2 + 10*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\ & 3 + 4*(63*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^5 + 10*(11*a^3 + 2*a^2*b - \\ & 9*a*b^2)*\cosh(d*x + c)^3 - 3*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x + c))*\si \\ & nh(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b \\ & ^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 + 4 \\ & *(a^2 - b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a \\ & ^2 - b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a \\ & ^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d \\ & *x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 30*(a^2 - b^2)*\cosh \\ & (d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + \\ & b^2)*\cosh(d*x + c)^5 + 10*(a^2 - b^2)*\cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3* \\ & b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^2 - b^2)*\cosh(d*x + c)^2 + 4*(7* \\ & (a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 15*(a^2 - b^2)*\cosh(d*x + c)^4 + 3*(3 \\ & *a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 + \\ & 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 3*(a^2 - b^2)*\cosh(d \\ & *x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x \\ & + c))*\sinh(d*x + c))*\sqrt{-a^2 - a*b}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + \\ & b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\c \\ & osh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + \\ & 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) - 4*(\co \\ & sh(d*x + c)^3 + 3*\cosh(d*x + c)*\sinh(d*x + c)^2 + \sinh(d*x + c)^3 + (3*\cosh \\ & (d*x + c)^2 - 1)*\sinh(d*x + c) - \cosh(d*x + c))*\sqrt{-a^2 - a*b} + a + b)/ \\ & ((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b) \\ & *\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 \\ & + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + \\ & c))*\sinh(d*x + c) + a + b)) - 12*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c) + 4 \\ & *(21*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c)^6 + 5*(11*a^3 + 2*a^2*b - 9*a*b^ \\ & 2)*\cosh(d*x + c)^4 - 3*a^3 - 6*a^2*b - 3*a*b^2 - 3*(11*a^3 + 2*a^2*b - 9*a* \\ & b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c))/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3) \\ & *d*\cosh(d*x + c)^8 + 8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c \\ & )*\sinh(d*x + c)^7 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\sinh(d*x + c)^8 \\ & + 4*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cosh(d*x + c)^6 + 4*(7*(a^6 + 3*a^ \\ & 5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^2 + (a^6 + a^5*b - a^4*b^2 - a^3 \\ & *b^3)*d)*\sinh(d*x + c)^6 + 2*(3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3)*d*\cosh(d \end{aligned}$$

$$\begin{aligned}
& *x + c)^4 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^3 + \\
& 3*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3 \\
& 5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^4 + 30*(a^6 + a^5*b \\
& - a^4*b^2 - a^3*b^3)*d*cosh(d*x + c)^2 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3* \\
& b^3)*d)*sinh(d*x + c)^4 + 4*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*cosh(d*x + \\
& c)^2 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^5 + 10*(a \\
& ^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*cosh(d*x + c)^3 + (3*a^6 + a^5*b + a^4*b^ \\
& 2 + 3*a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*(a^6 + 3*a^5*b + 3*a \\
& ^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^6 + 15*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)* \\
& d*cosh(d*x + c)^4 + 3*(3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3)*d*cosh(d*x + c) \\
& ^2 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d)*sinh(d*x + c)^2 + (a^6 + 3*a^5*b \\
& + 3*a^4*b^2 + a^3*b^3)*d + 8*((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh( \\
& d*x + c)^7 + 3*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*cosh(d*x + c)^5 + (3*a^6 \\
& + a^5*b + a^4*b^2 + 3*a^3*b^3)*d*cosh(d*x + c)^3 + (a^6 + a^5*b - a^4*b^2 \\
& - a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), 1/8*(6*(a^3 + 2*a^2*b + a*b^2)* \\
& cosh(d*x + c)^7 + 42*(a^3 + 2*a^2*b + a*b^2)*cosh(d*x + c)*sinh(d*x + c)^6 \\
& + 6*(a^3 + 2*a^2*b + a*b^2)*sinh(d*x + c)^7 + 2*(11*a^3 + 2*a^2*b - 9*a*b^2 \\
& )*cosh(d*x + c)^5 + 2*(11*a^3 + 2*a^2*b - 9*a*b^2 + 63*(a^3 + 2*a^2*b + a*b \\
& ^2)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 10*(21*(a^3 + 2*a^2*b + a*b^2)*cosh( \\
& d*x + c)^3 + (11*a^3 + 2*a^2*b - 9*a*b^2)*cosh(d*x + c))*sinh(d*x + c)^4 - \\
& 2*(11*a^3 + 2*a^2*b - 9*a*b^2)*cosh(d*x + c)^3 + 2*(105*(a^3 + 2*a^2*b + a \\
& b^2)*cosh(d*x + c)^4 - 11*a^3 - 2*a^2*b + 9*a*b^2 + 10*(11*a^3 + 2*a^2*b - \\
& 9*a*b^2)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 2*(63*(a^3 + 2*a^2*b + a*b^2)* \\
& osh(d*x + c)^5 + 10*(11*a^3 + 2*a^2*b - 9*a*b^2)*cosh(d*x + c)^3 - 3*(11*a^ \\
& 3 + 2*a^2*b - 9*a*b^2)*cosh(d*x + c))*sinh(d*x + c)^2 + 3*((a^2 + 2*a*b + b \\
& ^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + \\
& (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7 \\
& *(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a \\
& ^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + \\
& c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^ \\
& 2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2 \\
& )*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^ \\
& 2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 \\
& + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 \\
& + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c) \\
& ^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2 \\
& )*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2) \\
& *cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a^2 + a*b \\
& )*arctan(1/2*((a + b)*cosh(d*x + c)^3 + 3*(a + b)*cosh(d*x + c)*sinh(d*x + \\
& c)^2 + (a + b)*sinh(d*x + c)^3 + (3*a - b)*cosh(d*x + c) + (3*(a + b)*cosh( \\
& d*x + c)^2 + 3*a - b)*sinh(d*x + c))/sqrt(a^2 + a*b)) + 3*((a^2 + 2*a*b + b \\
& ^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + \\
& (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7 \\
& *(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a \\
& ^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x +
\end{aligned}$$



$$\begin{aligned}
& c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2) \\
& )*\cosh(d*x + c)^4 + 30*(a^2 - b^2)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2 \\
& )*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 10*(a^2 - b^2) \\
& )*\cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 \\
& + 4*(a^2 - b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 \\
& + 15*(a^2 - b^2)*\cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c) \\
& ^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2) \\
& )*\cosh(d*x + c)^7 + 3*(a^2 - b^2)*\cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2) \\
& )*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a^2 + a*b} \\
& )*\arctan(1/2*\sqrt{a^2 + a*b}*(\cosh(d*x + c) + \sinh(d*x + c))/a) - 6*(a^3 + \\
& 2*a^2*b + a*b^2)*\cosh(d*x + c) + 2*(21*(a^3 + 2*a^2*b + a*b^2)*\cosh(d*x + c) \\
& )^6 + 5*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x + c)^4 - 3*a^3 - 6*a^2*b - 3* \\
& a*b^2 - 3*(11*a^3 + 2*a^2*b - 9*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c))/((a^6 \\
& + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^8 + 8*(a^6 + 3*a^5*b + 3* \\
& a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^6 + 3*a^5*b + 3*a^4 \\
& *b^2 + a^3*b^3)*d*\sinh(d*x + c)^8 + 4*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d* \\
& \cosh(d*x + c)^6 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c) \\
& )^2 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d)*\sinh(d*x + c)^6 + 2*(3*a^6 + a^5 \\
& *b + a^4*b^2 + 3*a^3*b^3)*d*\cosh(d*x + c)^4 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b \\
& ^2 + a^3*b^3)*d*\cosh(d*x + c)^3 + 3*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cos \\
& h(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d \\
& )*\cosh(d*x + c)^4 + 30*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cosh(d*x + c)^2 + \\
& (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3)*d)*\sinh(d*x + c)^4 + 4*(a^6 + a^5*b \\
& - a^4*b^2 - a^3*b^3)*d*\cosh(d*x + c)^2 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + \\
& a^3*b^3)*d*\cosh(d*x + c)^5 + 10*(a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cosh(d* \\
& x + c)^3 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x \\
& + c)^3 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^6 + 15* \\
& (a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cosh(d*x + c)^4 + 3*(3*a^6 + a^5*b + a^4 \\
& *b^2 + 3*a^3*b^3)*d*\cosh(d*x + c)^2 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d) \\
& )*\sinh(d*x + c)^2 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d + 8*((a^6 + 3*a^5 \\
& *b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^7 + 3*(a^6 + a^5*b - a^4*b^2 - a \\
& ^3*b^3)*d*\cosh(d*x + c)^5 + (3*a^6 + a^5*b + a^4*b^2 + 3*a^3*b^3)*d*\cosh(d* \\
& x + c)^3 + (a^6 + a^5*b - a^4*b^2 - a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c) \\
& )]
\end{aligned}$$

**giac [B]** time = 0.82, size = 690, normalized size = 6.63

$$\frac{3(a^3 - 10a^2b + 5ab^2 + (5a^2 - 10ab + b^2)\sqrt{-ab})\sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)}|ae^{(2c)} + be^{(2c)}|\arctan\left(\frac{e^{(dx)}}{\sqrt{\frac{a^3e^{(2c)} - a^2be^{(2c)} + \sqrt{(a^3e^{(2c)} - a^2be^{(2c)})^2 - (a^3e^{(4c)} + a^2be^{(4c)})}}{a^3e^{(4c)} + a^2be^{(4c)}}}}\right)}{a^8 - 13a^7b - 14a^6b^2 + 14a^5b^3 + 13a^4b^4 - a^3b^5 + 2(3a^7 - 4a^6b - 14a^5b^2 - 4a^4b^3 + 3a^3b^4)\sqrt{-ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8} \cdot (3(a^3 - 10a^2b + 5ab^2 + (5a^2 - 10ab + b^2)\sqrt{-ab})) \cdot \sqrt{a^2 - b^2 + 2\sqrt{-ab}(a+b)} \cdot \text{abs}(a e^{2c} + b e^{2c}) \cdot \arctan\left(\frac{e^{dx}}{\sqrt{(a^3 e^{4c} - a^2 b e^{4c}) \cdot (a^3 + a^2 b)}}\right) \cdot \sqrt{(a^3 e^{4c} - a^2 b e^{4c})^2 - (a^3 e^{4c} + a^2 b e^{4c})} \cdot e^{-2c} / (a^8 - 13a^7 b - 14a^6 b^2 + 14a^5 b^3 + 13a^4 b^4 - a^3 b^5 + 2(3a^7 - 4a^6 b - 14a^5 b^2 - 4a^4 b^3 + 3a^3 b^4) \sqrt{-ab}) + 3(a^3 - 10a^2 b + 5ab^2 - (5a^2 - 10ab + b^2)\sqrt{-ab}) \cdot \sqrt{a^2 - b^2 - 2\sqrt{-ab}(a+b)} \cdot \text{abs}(a e^{2c} + b e^{2c}) \cdot \arctan\left(\frac{e^{dx}}{\sqrt{(a^3 e^{4c} - a^2 b e^{4c}) \cdot (a^3 + a^2 b)}}\right) \cdot \sqrt{(a^3 e^{4c} - a^2 b e^{4c})^2 - (a^3 e^{4c} + a^2 b e^{4c})} \cdot e^{-2c} / (a^8 - 13a^7 b - 14a^6 b^2 + 14a^5 b^3 + 13a^4 b^4 - a^3 b^5 - 2(3a^7 - 4a^6 b - 14a^5 b^2 - 4a^4 b^3 + 3a^3 b^4) \sqrt{-ab}) + 2(3a e^{7dx+7c} + 3b e^{7dx+7c} + 11a e^{5dx+5c} - 9b e^{5dx+5c} - 11a e^{3dx+3c} + 9b e^{3dx+3c} - 3a e^{dx+c} - 3b e^{dx+c}) / ((a e^{4dx+4c} + b e^{4dx+4c} + 2a e^{2dx+2c} - 2b e^{2dx+2c} + a + b)^2 a^2) / d$

**maple [B]** time = 0.40, size = 634, normalized size = 6.10

$$\frac{5 \left( \tanh^7 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{4d \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a \right)^2} + \frac{3 \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a}{4d \left( \left( \tanh^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 2 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a + 4 \left( \tanh^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $-\frac{5}{4} \frac{d}{(\tanh(1/2 dx + 1/2 c))^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a} + \frac{3}{4} \frac{d}{(\tanh(1/2 dx + 1/2 c))^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a} + \frac{3}{d} \frac{a^2 b}{(\tanh(1/2 dx + 1/2 c))^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a} + \frac{3}{4} \frac{d}{(\tanh(1/2 dx + 1/2 c))^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a} + \frac{3}{d} \frac{a^2 b}{(\tanh(1/2 dx + 1/2 c))^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a} + \frac{3}{8} \frac{d}{a^2} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \cdot \text{arctanh}(a \tanh(1/2 dx + 1/2 c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{3}{8} \frac{d}{a^2} \frac{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} \cdot \text{arctanh}(a \tanh(1/2 dx + 1/2 c))}{((2(b(a+b))^{1/2} - a - 2b)a)^{1/2}} + \frac{3}{8} \frac{d}{a^2} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \cdot \text{arctan}(a \tanh(1/2 dx + 1/2 c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}} + \frac{3}{8} \frac{d}{a^2} \frac{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \cdot \text{arctan}(a \tanh(1/2 dx + 1/2 c))}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{3 \left( a e^{(7c)} + b e^{(7c)} \right) e^{(7dx)} + \left( 11 a e^{(5c)} - 9 b e^{(5c)} \right) e^{(5dx)} - \left( 11 a e^{(3c)} - 9 b e^{(3c)} \right) e^{(3dx)} - 3 \left( a e^{(c)} + b e^{(c)} \right) e^{(dx)} - \left( 11 a e^{(3c)} - 9 b e^{(3c)} \right) e^{(3dx)} - 3 \left( a e^{(c)} + b e^{(c)} \right) e^{(dx)} - \left( 11 a e^{(5c)} - 9 b e^{(5c)} \right) e^{(5dx)} + 3 \left( a e^{(7c)} + b e^{(7c)} \right) e^{(7dx)}}{4 \left( a^4 d + 2 a^3 b d + a^2 b^2 d + \left( a^4 d e^{(8c)} + 2 a^3 b d e^{(8c)} + a^2 b^2 d e^{(8c)} \right) e^{(8dx)} + 4 \left( a^4 d e^{(6c)} - a^2 b^2 d e^{(6c)} \right) e^{(6dx)} + 2 \left( 3 a^4 d e^{(4c)} - 2 a^3 b d e^{(4c)} + 3 a^2 b^2 d e^{(4c)} \right) e^{(4dx)} + 4 \left( a^4 d e^{(2c)} - a^2 b^2 d e^{(2c)} \right) e^{(2dx)} + 32 \int \frac{e^{(3dx + 3c)} + e^{(dx + c)}}{a^3 + a^2 b + (a^3 e^{(4c)} + a^2 b e^{(4c)}) e^{(4dx)} + 2(a^3 e^{(2c)} - a^2 b e^{(2c)}) e^{(2dx)}} dx \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/4\*(3\*(a\*e^(7\*c) + b\*e^(7\*c))\*e^(7\*d\*x) + (11\*a\*e^(5\*c) - 9\*b\*e^(5\*c))\*e^(5\*d\*x) - (11\*a\*e^(3\*c) - 9\*b\*e^(3\*c))\*e^(3\*d\*x) - 3\*(a\*e^c + b\*e^c)\*e^(d\*x))/((a^4\*d + 2\*a^3\*b\*d + a^2\*b^2\*d + (a^4\*d\*e^(8\*c) + 2\*a^3\*b\*d\*e^(8\*c) + a^2\*b^2\*d\*e^(8\*c))\*e^(8\*d\*x) + 4\*(a^4\*d\*e^(6\*c) - a^2\*b^2\*d\*e^(6\*c))\*e^(6\*d\*x) + 2\*(3\*a^4\*d\*e^(4\*c) - 2\*a^3\*b\*d\*e^(4\*c) + 3\*a^2\*b^2\*d\*e^(4\*c))\*e^(4\*d\*x) + 4\*(a^4\*d\*e^(2\*c) - a^2\*b^2\*d\*e^(2\*c))\*e^(2\*d\*x)) + 32\*integrate(3/128\*(e^(3\*d\*x + 3\*c) + e^(d\*x + c))/(a^3 + a^2\*b + (a^3\*e^(4\*c) + a^2\*b\*e^(4\*c))\*e^(4\*d\*x) + 2\*(a^3\*e^(2\*c) - a^2\*b\*e^(2\*c))\*e^(2\*d\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^5 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^5\*(a + b\*tanh(c + d\*x)^2)^3),x)

[Out] int(1/(cosh(c + d\*x)^5\*(a + b\*tanh(c + d\*x)^2)^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.132 \quad \int \frac{\operatorname{sech}^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=131

$$\frac{3\left(\frac{1}{a^2} - \frac{1}{b^2}\right) \tanh(c+dx)}{8d(a+b \tanh^2(c+dx))} + \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a+b) \tanh(c+dx) \operatorname{sech}^2(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

[Out]  $1/8*(3*a^2-2*a*b+3*b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(5/2)}/b^{(5/2)}/d+1/4*(a+b)*\operatorname{sech}(d*x+c)^2*\tanh(d*x+c)/a/b/d/(a+b*\tanh(d*x+c)^2)^2+3/8*(1/a^2-1/b^2)*\tanh(d*x+c)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.12, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3675, 413, 385, 205}

$$\frac{3\left(\frac{1}{a^2} - \frac{1}{b^2}\right) \tanh(c+dx)}{8d(a+b \tanh^2(c+dx))} + \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a+b) \tanh(c+dx) \operatorname{sech}^2(c+dx)}{4abd(a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $((3*a^2 - 2*a*b + 3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[c + d*x])/(\operatorname{Sqrt}[a])])/(8*a^{(5/2)}*b^{(5/2)}*d) + ((a + b)*\operatorname{Sech}[c + d*x]^2*\operatorname{Tanh}[c + d*x])/(4*a*b*d*(a + b*\operatorname{Tanh}[c + d*x]^2)^2) + (3*(a^{(-2)} - b^{(-2)})*\operatorname{Tanh}[c + d*x])/(8*d*(a + b*\operatorname{Tanh}[c + d*x]^2))$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 385**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

**Rule 413**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[((a*d - c*b)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*b*n*(p +
1)), x] - Dist[1/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^(q -
2)*Simp[c*(a*d - c*b*(n*(p + 1) + 1)) + d*(a*d*(n*(q - 1) + 1) - b*c*(n*(p
+ q) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d,
0] && LtQ[p, -1] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]
```

### Rule 3675

```
Int[sec[(e_.) + (f_.)*(x_)]^(m_)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_
)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dis
t[ff/(c^(m - 1)*f), Subst[Int[(c^2 + ff^2*x^2)^(m/2 - 1)*(a + b*(ff*x)^n)^p
, x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && In
tegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4]
|| EqQ[n^2, 16])
```

### Rubi steps

$$\int \frac{\operatorname{sech}^6(c + dx)}{(a + b \tanh^2(c + dx))^3} dx = \frac{\operatorname{Subst}\left(\int \frac{(1-x^2)^2}{(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d}$$

$$= \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} + \frac{\operatorname{Subst}\left(\int \frac{-a+3b+(3a-b)x^2}{(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4abd}$$

$$= \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} - \frac{3(a^2 - b^2) \tanh(c + dx)}{8a^2b^2d(a + b \tanh^2(c + dx))} + \frac{(3a^2 - 2ab)}{8a^2b^2d}$$

$$= \frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^{5/2}d} + \frac{(a + b)\operatorname{sech}^2(c + dx) \tanh(c + dx)}{4abd(a + b \tanh^2(c + dx))^2} - \frac{3(a^2 - 2ab)}{8a^2b^2d}$$

**Mathematica [A]** time = 1.00, size = 128, normalized size = 0.98

$$\frac{(3a^2 - 2ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right) - \frac{\sqrt{a} \sqrt{b} (a+b) \sinh(2(c+dx))(3(a^2-b^2) \cosh(2(c+dx))+3a^2-10ab+3b^2)}{((a+b) \cosh(2(c+dx))+a-b)^2}}{8a^{5/2}b^{5/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $((3a^2 - 2ab + 3b^2) \operatorname{ArcTan}[\frac{\sqrt{b} \operatorname{Tanh}[c + dx]}{\sqrt{a}}] - (\sqrt{a} \sqrt{b} (a + b) (3a^2 - 10ab + 3b^2 + 3(a^2 - b^2) \cosh[2(c + dx)]) \sinh[2(c + dx)]) / (a - b + (a + b) \cosh[2(c + dx)])^2) / (8a^{5/2} b^{5/2} d)$

**fricas** [B] time = 0.55, size = 5233, normalized size = 39.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $[1/16*(4*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \cosh(dx + c)^6 + 24*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \cosh(dx + c) \sinh(dx + c)^5 + 4*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \sinh(dx + c)^6 + 12a^4b + 12a^3b^2 - 12a^2b^3 - 12ab^4 + 12*(3a^4b - 5a^3b^2 + 5a^2b^3 - 3ab^4) \cosh(dx + c)^4 + 12*(3a^4b - 5a^3b^2 + 5a^2b^3 - 3ab^4 + 5*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + 16*(5*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \cosh(dx + c)^3 + 3*(3a^4b - 5a^3b^2 + 5a^2b^3 - 3ab^4) \cosh(dx + c)) \sinh(dx + c)^3 + 4*(9a^4b - 13a^3b^2 - 13a^2b^3 + 9ab^4) \cosh(dx + c)^2 + 4*(9a^4b - 13a^3b^2 - 13a^2b^3 + 9ab^4 + 15*(3a^4b + a^3b^2 + a^2b^3 + 3ab^4) \cosh(dx + c)^4 + 18*(3a^4b - 5a^3b^2 + 5a^2b^3 - 3ab^4) \cosh(dx + c)^2) \sinh(dx + c)^2 - ((3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^8 + 8*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c) \sinh(dx + c)^7 + (3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \sinh(dx + c)^8 + 4*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^6 + 4*(3a^4 - 2a^3b + 2ab^3 - 3b^4 + 7*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8*(7*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^3 + 3*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2*(9a^4 - 12a^3b + 22a^2b^2 - 12ab^3 + 9b^4) \cosh(dx + c)^4 + 2*(35*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^4 + 9a^4 - 12a^3b + 22a^2b^2 - 12ab^3 + 9b^4 + 30*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^4 + 3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4 + 8*(7*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^5 + 10*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^3 + (9a^4 - 12a^3b + 22a^2b^2 - 12ab^3 + 9b^4) \cosh(dx + c)) \sinh(dx + c)^3 + 4*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^2 + 4*(7*(3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^6 + 15*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^4 + 3a^4 - 2a^3b + 2ab^3 - 3b^4 + 3*(9a^4 - 12a^3b + 22a^2b^2 - 12ab^3 + 9b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8*((3a^4 + 4a^3b + 2a^2b^2 + 4ab^3 + 3b^4) \cosh(dx + c)^7 + 3*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^5 + 3*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^3 + 3*(3a^4 - 2a^3b + 2ab^3 - 3b^4) \cosh(dx + c)^1) \sinh(dx + c)^1]$

$$\begin{aligned}
& (d*x + c)^5 + (9*a^4 - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + \\
& c)^3 + (3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*s \\
& \text{qrt}(-a*b)*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)* \\
& \cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^ \\
& 2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - \\
& b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x \\
& + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a + b)*\cosh(d*x + \\
& c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a \\
& - b)*\text{sqrt}(-a*b)))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d* \\
& x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + \\
& b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + \\
& (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(3*a^4*b + a^3*b^2 + \\
& a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^5 + 6*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3 \\
& *a*b^4)*\cosh(d*x + c)^3 + (9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4)*\cos \\
& h(d*x + c))*\sinh(d*x + c))/((a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c) \\
& ^8 + 8*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a \\
& ^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^5*b^3 - a^3*b^5)*d*c \\
& \text{osh}(d*x + c)^6 + 4*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + ( \\
& a^5*b^3 - a^3*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^ \\
& 5)*d*\cosh(d*x + c)^4 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c) \\
& ^3 + 3*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5*b^ \\
& 3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^5*b^3 - a^3*b^5)*d*\cosh( \\
& d*x + c)^2 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^ \\
& 5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d \\
& *\cosh(d*x + c)^5 + 10*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^5*b^3 - \\
& 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5*b^3 + 2 \\
& *a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + \\
& c)^4 + 3*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^5*b^3 \\
& - a^3*b^5)*d)*\sinh(d*x + c)^2 + (a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d + 8*((a^5 \\
& *b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^5*b^3 - a^3*b^5)*d*\cos \\
& h(d*x + c)^5 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^5 \\
& *b^3 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*(2*(3*a^4*b + a^3*b^2 \\
& + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^6 + 12*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3* \\
& a*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 2*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a \\
& *b^4)*\sinh(d*x + c)^6 + 6*a^4*b + 6*a^3*b^2 - 6*a^2*b^3 - 6*a*b^4 + 6*(3*a^ \\
& 4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^4 + 6*(3*a^4*b - 5*a^3 \\
& *b^2 + 5*a^2*b^3 - 3*a*b^4 + 5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh \\
& (d*x + c)^2)*\sinh(d*x + c)^4 + 8*(5*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4) \\
& *\cosh(d*x + c)^3 + 3*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^3 + 2*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4)*\cosh \\
& (d*x + c)^2 + 2*(9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4 + 15*(3*a^4*b \\
& + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\cosh(d*x + c)^4 + 18*(3*a^4*b - 5*a^3*b^2 + \\
& 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((3*a^4 + 4*a^3*b + \\
& 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(3*a^4 + 4*a^3*b + 2*a^2* \\
& b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (3*a^4 + 4*a^3*b + 2
\end{aligned}$$

$$\begin{aligned}
& *a^2*b^2 + 4*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 \\
& - 3*b^4)*\cosh(d*x + c)^6 + 4*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 7*(3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + \\
& 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*( \\
& 3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(9*a^4 \\
& - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(3*a^4 \\
& + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 9*a^4 - 12*a^3 \\
& *b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4 + 30*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + \\
& 3*b^4 + 8*(7*(3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c) \\
& ^5 + 10*(3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (9*a^4 - 12*a \\
& ^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(3 \\
& *a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(3*a^4 + 4*a^3*b + \\
& 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(3*a^4 - 2*a^3*b + 2*a*b \\
& ^3 - 3*b^4)*\cosh(d*x + c)^4 + 3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4 + 3*(9*a^4 \\
& - 12*a^3*b + 22*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 2 + 8*((3*a^4 + 4*a^3*b + 2*a^2*b^2 + 4*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3* \\
& (3*a^4 - 2*a^3*b + 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (9*a^4 - 12*a^3*b + 2 \\
& 2*a^2*b^2 - 12*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (3*a^4 - 2*a^3*b + 2*a*b^3 \\
& - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{a*b}*\arctan(1/2*((a + b)*\cosh(d \\
& *x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 \\
& + a - b)*\sqrt{a*b}/(a*b)) + 4*(3*(3*a^4*b + a^3*b^2 + a^2*b^3 + 3*a*b^4)*\c \\
& osh(d*x + c)^5 + 6*(3*a^4*b - 5*a^3*b^2 + 5*a^2*b^3 - 3*a*b^4)*\cosh(d*x + c \\
& )^3 + (9*a^4*b - 13*a^3*b^2 - 13*a^2*b^3 + 9*a*b^4)*\cosh(d*x + c))*\sinh(d*x \\
& + c))/((a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 8*(a^5*b^3 + 2* \\
& a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^5*b^3 + 2*a^4*b^4 + \\
& a^3*b^5)*d*\sinh(d*x + c)^8 + 4*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^6 + 4*( \\
& 7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^2 + (a^5*b^3 - a^3*b^5)*d \\
& )*\sinh(d*x + c)^6 + 2*(3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^4 \\
& + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^3 + 3*(a^5*b^3 - a^ \\
& 3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5*b^3 + 2*a^4*b^4 + a^3* \\
& b^5)*d*\cosh(d*x + c)^4 + 30*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^2 + (3*a^5* \\
& b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^5*b^3 - a^3*b^5)*d*c \\
& osh(d*x + c)^2 + 8*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^5 + 1 \\
& 0*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^3 + (3*a^5*b^3 - 2*a^4*b^4 + 3*a^3*b^ \\
& 5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5*b^3 + 2*a^4*b^4 + a^3*b^5)* \\
& d*\cosh(d*x + c)^6 + 15*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^5*b^3 \\
& - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^2 + (a^5*b^3 - a^3*b^5)*d)*\sinh(d \\
& *x + c)^2 + (a^5*b^3 + 2*a^4*b^4 + a^3*b^5)*d + 8*((a^5*b^3 + 2*a^4*b^4 + a \\
& ^3*b^5)*d*\cosh(d*x + c)^7 + 3*(a^5*b^3 - a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^ \\
& 5*b^3 - 2*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^5*b^3 - a^3*b^5)*d*co \\
& sh(d*x + c))*\sinh(d*x + c)]
\end{aligned}$$



**giac [B]** time = 0.75, size = 338, normalized size = 2.58

$$\frac{(3a^2e^{(2c)} - 2abe^{(2c)} + 3b^2e^{(2c)}) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right) e^{(-2c)}}{\sqrt{ab}a^2b^2} + \frac{2(3a^3e^{(6dx+6c)} + a^2be^{(6dx+6c)} + ab^2e^{(6dx+6c)} + 3b^3e^{(6dx+6c)} + 9a^3e^{(4dx+4c)})}{\sqrt{ab}a^2b^2}$$

8d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/8\*((3\*a^2\*e^(2\*c) - 2\*a\*b\*e^(2\*c) + 3\*b^2\*e^(2\*c))\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))\*e^(-2\*c)/(sqrt(a\*b)\*a^2\*b^2) + 2\*(3\*a^3\*e^(6\*d\*x + 6\*c) + a^2\*b\*e^(6\*d\*x + 6\*c) + a\*b^2\*e^(6\*d\*x + 6\*c) + 3\*b^3\*e^(6\*d\*x + 6\*c) + 9\*a^3\*e^(4\*d\*x + 4\*c) - 15\*a^2\*b\*e^(4\*d\*x + 4\*c) + 15\*a\*b^2\*e^(4\*d\*x + 4\*c) - 9\*b^3\*e^(4\*d\*x + 4\*c) + 9\*a^3\*e^(2\*d\*x + 2\*c) - 13\*a^2\*b\*e^(2\*d\*x + 2\*c) - 13\*a\*b^2\*e^(2\*d\*x + 2\*c) + 9\*b^3\*e^(2\*d\*x + 2\*c) + 3\*a^3 + 3\*a^2\*b - 3\*a\*b^2 - 3\*b^3)/((a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)^2\*a^2\*b^2)/d

**maple [B]** time = 0.42, size = 1776, normalized size = 13.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] -1/8/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-1/8/d/(b\*(a+b))^(1/2)/a/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-3/8/d\*a/b^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/8/d\*a/b^2/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))+1/2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^7-7/2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^5-7/2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)^3+1/2/d/(tanh(1/2\*d\*x+1/2\*c)^4\*a+2\*tanh(1/2\*d\*x+1/2\*c)^2\*a+4\*tanh(1/2\*d\*x+1/2\*c)^2\*b+a)^2/b\*tanh(1/2\*d\*x+1/2\*c)-3/8/d/a^2\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2)\*arctan(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)+a+2\*b)\*a)^(1/2))-3/8/d/a^2\*b/(b\*(a+b))^(1/2)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))+3/8/d/b^2/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2)\*arctanh(a\*tanh(1/2\*d\*x+1/2\*c)/((2\*(b\*(a+b))^(1/2)-a-2\*b)\*a)^(1/2))-3/8/d/b^2/((2\*(

$$\begin{aligned}
& b*(a+b)^{(1/2)+a+2*b)*a)^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a)^{(1/2)}+5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^{7+7/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^{5+7/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^{3+5/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)+3/8/d/a^2/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}))-3/8/d/a^2/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}))-9/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a/b^2*\tanh(1/2*d*x+1/2*c)^{3+3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^{5+3/d/a^2*b/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a*\tanh(1/2*d*x+1/2*c)^{3-3/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a/b^2*\tanh(1/2*d*x+1/2*c)-3/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a/b^2*\tanh(1/2*d*x+1/2*c)^{7-9/4/d/(\tanh(1/2*d*x+1/2*c)^{4*a+2*\tanh(1/2*d*x+1/2*c)^{2*a+4*\tanh(1/2*d*x+1/2*c)^{2*b+a}}/a/b^2*\tanh(1/2*d*x+1/2*c)^{5-1/8/d/b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}))-1/4/d/a/b/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}*\arctanh(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)-a-2*b)*a})^{(1/2)}))-1/8/d/b/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}))+1/4/d/a/b/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a})^{(1/2)}))
\end{aligned}$$

**maxima** [B] time = 0.68, size = 332, normalized size = 2.53

$$\frac{3a^3 + 3a^2b - 3ab^2 - 3b^3 + (9a^3 - 13a^2b - 13ab^2 + 9b^3)e^{(-2dx-2c)} + 3(3a^3 - 5a^2b + 5ab^2 - 3b^3)e^{(-4dx-4c)}}{4(a^4b^2 + 2a^3b^3 + a^2b^4 + 4(a^4b^2 - a^2b^4)e^{(-2dx-2c)} + 2(3a^4b^2 - 2a^3b^3 + 3a^2b^4)e^{(-4dx-4c)} + 4(a^4b^2 - a^2b^4)e^{(-6dx-6c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $-1/4*(3*a^3 + 3*a^2*b - 3*a*b^2 - 3*b^3 + (9*a^3 - 13*a^2*b - 13*a*b^2 + 9*b^3)*e^{(-2*d*x - 2*c)} + 3*(3*a^3 - 5*a^2*b + 5*a*b^2 - 3*b^3)*e^{(-4*d*x - 4*c)} + (3*a^3 + a^2*b + a*b^2 + 3*b^3)*e^{(-6*d*x - 6*c)})/((a^4*b^2 + 2*a^3*b^3 + a^2*b^4 + 4*(a^4*b^2 - a^2*b^4)*e^{(-2*d*x - 2*c)} + 2*(3*a^4*b^2 - 2*a^3*b^3 + 3*a^2*b^4)*e^{(-4*d*x - 4*c)} + 4*(a^4*b^2 - a^2*b^4)*e^{(-6*d*x - 6*c)}) + (a^4*b^2 + 2*a^3*b^3 + a^2*b^4)*e^{(-8*d*x - 8*c)})*d - 1/8*(3*a^2 - 2*a*b + 3*b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b})*a^2*b^2*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c + dx)^6 (b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c + d\*x)^6\*(a + b\*tanh(c + d\*x)^2)^3), x)

[Out] int(1/(cosh(c + d\*x)^6\*(a + b\*tanh(c + d\*x)^2)^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)\*\*6/(a+b\*tanh(d\*x+c)\*\*2)\*\*3, x)

[Out] Timed out

$$3.133 \quad \int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=156

$$\frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d((a+b) \sinh^2(c+dx)+a)} + \frac{\sqrt{a+b} (8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{(a+b) \sinh(c+dx)}{4abd((a+b) \sinh^2(c+dx)+a)}$$

[Out]  $-\arctan(\sinh(d*x+c))/b^3/d+1/4*(a+b)*\sinh(d*x+c)/a/b/d/(a+(a+b)*\sinh(d*x+c)^2)^{-1}/8*(4*a-3*b)*(a+b)*\sinh(d*x+c)/a^2/b^2/d/(a+(a+b)*\sinh(d*x+c)^2)+1/8*(8*a^2-4*a*b+3*b^2)*\arctan(\sinh(d*x+c)*(a+b)^{(1/2)}/a^{(1/2)})*(a+b)^{(1/2)}/a^{(5/2)}/b^3/d$

Rubi [A] time = 0.23, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3676, 414, 527, 522, 203, 205}

$$\frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d((a+b) \sinh^2(c+dx)+a)} + \frac{\sqrt{a+b} (8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{(a+b) \sinh(c+dx)}{4abd((a+b) \sinh^2(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $-(\text{ArcTan}[\text{Sinh}[c + d*x]]/(b^3*d)) + (\text{Sqrt}[a + b]*(8*a^2 - 4*a*b + 3*b^2)*\text{ArcTan}[(\text{Sqrt}[a + b]*\text{Sinh}[c + d*x])/(\text{Sqrt}[a])])/(8*a^{(5/2)}*b^3*d) + ((a + b)*\text{Sinh}[c + d*x])/(4*a*b*d*(a + (a + b)*\text{Sinh}[c + d*x]^2)^2) - ((4*a - 3*b)*(a + b)*\text{Sinh}[c + d*x])/(8*a^2*b^2*d*(a + (a + b)*\text{Sinh}[c + d*x]^2))$

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3676

```

Int[sec[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^(n_
))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Sin[e + f*x], x]}, Dist[ff/f,
Subst[Int[ExpandToSum[b*(ff*x)^n + a*(1 - ff^2*x^2)^(n/2), x]^p/(1 - ff^2*
x^2)^((m + n*p + 1)/2), x], x, Sin[e + f*x]/ff], x]] /; FreeQ[{a, b, e, f},
x] && IntegerQ[(m - 1)/2] && IntegerQ[n/2] && IntegerQ[p]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{sech}^7(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\operatorname{Subst}\left(\int \frac{1}{(1+x^2)(a+(a+b)x^2)^3} dx, x, \sinh(c+dx)\right)}{d} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd (a+(a+b) \sinh^2(c+dx))^2} - \frac{\operatorname{Subst}\left(\int \frac{a-3b-3(a+b)x^2}{(1+x^2)(a+(a+b)x^2)^2} dx, x, \sinh(c+dx)\right)}{4abd} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd (a+(a+b) \sinh^2(c+dx))^2} - \frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d (a+(a+b) \sinh^2(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c+dx)\right)}{4abd} \\
&= \frac{(a+b) \sinh(c+dx)}{4abd (a+(a+b) \sinh^2(c+dx))^2} - \frac{(4a-3b)(a+b) \sinh(c+dx)}{8a^2b^2d (a+(a+b) \sinh^2(c+dx))} - \frac{\operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sinh(c+dx)\right)}{4abd} \\
&= -\frac{\tan^{-1}(\sinh(c+dx))}{b^3d} + \frac{\sqrt{a+b} (8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a+b} \sinh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}b^3d} + \frac{1}{4abd}
\end{aligned}$$

**Mathematica [C]** time = 3.38, size = 317, normalized size = 2.03

$$\frac{8b(4a^2+ab-3b^2) \sinh(c+dx)}{a^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{i\sqrt{a+b} (8a^2-4ab+3b^2) \log((a+b) \cosh(2(c+dx))+a-b)}{a^{5/2}} + \frac{2\sqrt{a+b} (8a^2-4ab+3b^2) \tan^{-1}\left(\frac{\sqrt{a} \operatorname{csch}(c+dx)}{\sqrt{a+b}}\right)}{a^{5/2}} - \frac{i(8a^3+4ab^2)}{4abd}$$

Antiderivative was successfully verified.

[In] Integrate[Sech[c + d\*x]^7/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] 
$$-\frac{1}{32} \left( \frac{2\sqrt{a+b} (8a^2-4ab+3b^2) \operatorname{ArcTan}\left[\frac{\sqrt{a} \operatorname{Csch}[c+dx]}{\sqrt{a+b}}\right]}{a^{5/2}} + \frac{2(8a^3+4a^2b-ab^2+3b^3) \operatorname{ArcTan}\left[\frac{\sqrt{a} \operatorname{Csch}[c+dx]}{\sqrt{a+b}}\right]}{a^{5/2} \sqrt{a+b}} + 64 \operatorname{ArcTan}\left[\operatorname{Tanh}\left[\frac{c+dx}{2}\right]\right] + \frac{(i\sqrt{a+b} (8a^2-4ab+3b^2) \operatorname{Log}[a-b+(a+b) \operatorname{Cosh}[2(c+dx)])])}{a^{5/2}} - \frac{(i(8a^3+4a^2b-ab^2+3b^3) \operatorname{Log}[a-b+(a+b) \operatorname{Cosh}[2(c+dx)])])}{a^{5/2} \sqrt{a+b}} - \frac{(32b^2(a+b) \operatorname{Sinh}[c+dx])}{(a(a-b+(a+b) \operatorname{Cosh}[2(c+dx)]))^2} + \frac{(8b(4a^2+ab-3b^2) \operatorname{Sinh}[c+dx])}{(a^2(a-b+(a+b) \operatorname{Cosh}[2(c+dx)]))} \right) / (b^3d)$$

**fricas [B]** time = 0.60, size = 8070, normalized size = 51.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/16*(4*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^7 + 28*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^6 + 4*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\sinh(d*x + c)^7 + 4*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^5 + 4*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4 + 21*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 20*(7*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 4*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + 4*(35*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 - 4*a^3*b + 19*a^2*b^2 + 14*a*b^3 - 9*b^4 + 10*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 4*(21*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + 10*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 - 3*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 + 7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4 + 30*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4 + 8*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 10*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 + 3*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 + (8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-(a + b)/a}*\log(((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(3*a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - 3*a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (3*a + b)*\cosh(d*x + c))*\sinh(d*x + c) + 4*(a*\cosh(d*x + c)^3 + 3*a*\cosh(d*x + c)*\sinh(d*x + c) \end{aligned}$$

$$\begin{aligned}
&^2 + a*\sinh(d*x + c)^3 - a*\cosh(d*x + c) + (3*a*\cosh(d*x + c)^2 - a)*\sinh(d \\
& *x + c))*\sqrt{-(a + b)/a} + a + b)/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cos \\
& h(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + \\
& c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)* \\
& \cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 32*((a^4 \\
& + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d* \\
& x + c)*\sinh(d*x + c)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(d*x + c)^8 + 4*(a^4 \\
& - a^2*b^2)*\cosh(d*x + c)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2 \\
& )*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d* \\
& x + c)^3 + 3*(a^4 - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(3*a^4 - 2* \\
& a^3*b + 3*a^2*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d \\
& *x + c)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^2)*\cosh(d*x + c)^ \\
& 2)*\sinh(d*x + c)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a^2*b^ \\
& 2)*\cosh(d*x + c)^5 + 10*(a^4 - a^2*b^2)*\cosh(d*x + c)^3 + (3*a^4 - 2*a^3*b \\
& + 3*a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a^4 - a^2*b^2)*\cosh(d*x + \\
& c)^2 + 4*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^6 + 15*(a^4 - a^2*b^2)* \\
& \cosh(d*x + c)^4 + a^4 - a^2*b^2 + 3*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(d*x \\
& + c)^2)*\sinh(d*x + c)^2 + 8*((a^4 + 2*a^3*b + a^2*b^2)*\cosh(d*x + c)^7 + 3* \\
& (a^4 - a^2*b^2)*\cosh(d*x + c)^5 + (3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(d*x + \\
& c)^3 + (a^4 - a^2*b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\arctan(\cosh(d*x + c) + \\
& \sinh(d*x + c)) - 4*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c) + \\
& 4*(7*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 5*(4*a^3*b \\
& - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 - 4*a^3*b - 5*a^2*b^2 + 2* \\
& a*b^3 + 3*b^4 - 3*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^2 \\
& )*\sinh(d*x + c))/((a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^8 + 8*(a^ \\
& 4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^4*b^3 + 2 \\
& *a^3*b^4 + a^2*b^5)*d*\sinh(d*x + c)^8 + 4*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + \\
& c)^6 + 4*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2 + (a^4*b^3 - \\
& a^2*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh( \\
& d*x + c)^4 + 8*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^3 + 3*(a^ \\
& 4*b^3 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^4*b^3 + 2*a^3* \\
& b^4 + a^2*b^5)*d*\cosh(d*x + c)^4 + 30*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^2 \\
& + (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^4*b^3 - a^ \\
& 2*b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x \\
& + c)^5 + 10*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^3 + (3*a^4*b^3 - 2*a^3*b^4 \\
& + 3*a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^4*b^3 + 2*a^3*b^4 + \\
& a^2*b^5)*d*\cosh(d*x + c)^6 + 15*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^4 + 3* \\
& (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^2 + (a^4*b^3 - a^2*b^5) \\
& *d)*\sinh(d*x + c)^2 + (a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d + 8*((a^4*b^3 + 2*a \\
& ^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^7 + 3*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c) \\
& ^5 + (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^3 + (a^4*b^3 - a^2 \\
& *b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)), -1/8*(2*(4*a^3*b + 5*a^2*b^2 - 2*a*b \\
& ^3 - 3*b^4)*\cosh(d*x + c)^7 + 14*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\co \\
& sh(d*x + c)*\sinh(d*x + c)^6 + 2*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\sin \\
& h(d*x + c)^7 + 2*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^5
\end{aligned}$$



$$\begin{aligned}
& + 2*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9*b^4 + 21*(4*a^3*b + 5*a^2*b^2 - 2* \\
& a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^5 + 10*(7*(4*a^3*b + 5*a^2*b^2 \\
& - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + 9 \\
& *b^4)*\cosh(d*x + c))*\sinh(d*x + c)^4 - 2*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + \\
& 9*b^4)*\cosh(d*x + c)^3 + 2*(35*(4*a^3*b + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cos \\
& h(d*x + c)^4 - 4*a^3*b + 19*a^2*b^2 + 14*a*b^3 - 9*b^4 + 10*(4*a^3*b - 19*a \\
& ^2*b^2 - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 2*(21*(4*a^3*b \\
& + 5*a^2*b^2 - 2*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + 10*(4*a^3*b - 19*a^2*b^2 \\
& - 14*a*b^3 + 9*b^4)*\cosh(d*x + c)^3 - 3*(4*a^3*b - 19*a^2*b^2 - 14*a*b^3 + \\
& 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^2 - ((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2 \\
& *a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 \\
& + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2 \\
& *a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 \\
& - 3*b^4)*\cosh(d*x + c)^6 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 \\
& + 7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh \\
& (d*x + c)^6 + 8*(7*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d* \\
& x + c)^3 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)) \\
& *\sinh(d*x + c)^5 + 2*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\co \\
& sh(d*x + c)^4 + 2*(35*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh \\
& (d*x + c)^4 + 24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4 + 30*(8*a^4 \\
& - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 \\
& + 8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4 + 8*(7*(8*a^4 + 12*a^3*b + \\
& 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 10*(8*a^4 - 4*a^3*b - 5*a^2 \\
& *b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - \\
& 18*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(8*a^4 - 4*a^3*b - 5* \\
& a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(8*a^4 + 12*a^3*b + 3*a^2 \\
& *b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + \\
& 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - \\
& 3*b^4 + 3*(24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c \\
& )^2)*\sinh(d*x + c)^2 + 8*((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)* \\
& \cosh(d*x + c)^7 + 3*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d* \\
& x + c)^5 + (24*a^4 - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c \\
& )^3 + (8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d \\
& *x + c))*\sqrt{(a + b)/a}*\arctan(1/2*\sqrt{(a + b)/a}*(\cosh(d*x + c) + \sinh(d \\
& *x + c))) - ((8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c) \\
& ^8 + 8*(8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh( \\
& d*x + c)^7 + (8*a^4 + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\sinh(d*x + c) \\
& ^8 + 4*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4* \\
& (8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*b^3 - 3*b^4 + 7*(8*a^4 + 12*a^3*b + 3*a^2 \\
& *b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(8*a^4 + 1 \\
& 2*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(8*a^4 - 4*a^3*b \\
& - 5*a^2*b^2 + 4*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(24*a^4 \\
& - 28*a^3*b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(8*a^4 \\
& + 12*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 24*a^4 - 28*a^3 \\
& *b + 41*a^2*b^2 - 18*a*b^3 + 9*b^4 + 30*(8*a^4 - 4*a^3*b - 5*a^2*b^2 + 4*a*
\end{aligned}$$

$$\begin{aligned}
& b^3 - 3b^4) * \cosh(dx + c)^2 * \sinh(dx + c)^4 + 8a^4 + 12a^3b + 3a^2b^2 \\
& + 2ab^3 + 3b^4 + 8*(7*(8a^4 + 12a^3b + 3a^2b^2 + 2ab^3 + 3b^4) \\
& * \cosh(dx + c)^5 + 10*(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) * \cosh(dx + c)^3 \\
& + (24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) * \cosh(dx + c)) * \sinh(dx + c)^3 \\
& + 4*(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) * \cosh(dx + c)^2 + 4*(7*(8a^4 + 12a^3b \\
& + 3a^2b^2 + 2ab^3 + 3b^4) * \cosh(dx + c)^6 + 15*(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \\
& * \cosh(dx + c)^4 + 8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4 + 3*(24a^4 - 28a^3b \\
& + 41a^2b^2 - 18ab^3 + 9b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 8*((8a^4 + 12a^3b \\
& + 3a^2b^2 + 2ab^3 + 3b^4) * \cosh(dx + c)^7 + 3*(8a^4 - 4a^3b - 5a^2b^2 + 4ab^3 - 3b^4) \\
& * \cosh(dx + c)^5 + (24a^4 - 28a^3b + 41a^2b^2 - 18ab^3 + 9b^4) * \cosh(dx + c)^3 + (8a^4 - 4a^3b - 5a^2b^2 \\
& + 4ab^3 - 3b^4) * \cosh(dx + c)) * \sinh(dx + c)) * \sqrt{(a + b)/a} * \arctan(1/2*((a + b) * \cosh(dx + c)^3 \\
& + 3(a + b) * \cosh(dx + c) * \sinh(dx + c)^2 + (a + b) * \sinh(dx + c)^3 + (3a - b) * \cosh(dx + c) \\
& + (3(a + b) * \cosh(dx + c)^2 + 3a - b) * \sinh(dx + c)) * \sqrt{(a + b)/a} / (a + b)) + 16*((a^4 + 2a^3b \\
& + a^2b^2) * \cosh(dx + c)^8 + 8*(a^4 + 2a^3b + a^2b^2) * \cosh(dx + c) * \sinh(dx + c)^7 \\
& + (a^4 + 2a^3b + a^2b^2) * \sinh(dx + c)^8 + 4*(a^4 - a^2b^2) * \cosh(dx + c)^6 + 4*(a^4 - a^2b^2 \\
& + 7*(a^4 + 2a^3b + a^2b^2) * \cosh(dx + c)^2) * \sinh(dx + c)^6 + 8*(7*(a^4 + 2a^3b + a^2b^2) * \cosh(dx + c)^3 \\
& + 3*(a^4 - a^2b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 + 2*(3a^4 - 2a^3b + 3a^2b^2) * \cosh(dx + c)^4 \\
& + 2*(35*(a^4 + 2a^3b + a^2b^2) * \cosh(dx + c)^4 + 3a^4 - 2a^3b + 3a^2b^2 + 30*(a^4 - a^2b^2) * \cosh(dx + c)^2) * \sinh(dx + c)^4 \\
& + a^4 + 2a^3b + a^2b^2 + 8*(7*(a^4 + 2a^3b + a^2b^2) * \cosh(dx + c)^5 + 10*(a^4 - a^2b^2) * \cosh(dx + c)^3 \\
& + (3a^4 - 2a^3b + 3a^2b^2) * \cosh(dx + c)) * \sinh(dx + c)^3 + 4*(a^4 - a^2b^2) * \cosh(dx + c)^2 + 4*(7*(a^4 + 2a^3b \\
& + a^2b^2) * \cosh(dx + c)^6 + 15*(a^4 - a^2b^2) * \cosh(dx + c)^4 + a^4 - a^2b^2 + 3*(3a^4 - 2a^3b + 3a^2b^2) * \cosh(dx + c)^2) * \sinh(dx + c)^2 \\
& + 8*((a^4 + 2a^3b + a^2b^2) * \cosh(dx + c)^7 + 3*(a^4 - a^2b^2) * \cosh(dx + c)^5 + (3a^4 - 2a^3b + 3a^2b^2) * \cosh(dx + c)^3 + (a^4 - a^2b^2) * \cosh(dx + c)) * \sinh(dx + c)) * \arctan(\cosh(dx + c) + \sinh(dx + c)) - 2*(4a^3b + 5a^2b^2 - 2ab^3 - 3b^4) * \cosh(dx + c) + 2*(7*(4a^3b + 5a^2b^2 - 2ab^3 - 3b^4) * \cosh(dx + c)^6 + 5*(4a^3b - 19a^2b^2 - 14ab^3 + 9b^4) * \cosh(dx + c)^4 - 4a^3b - 5a^2b^2 + 2ab^3 + 3b^4 - 3*(4a^3b - 19a^2b^2 - 14ab^3 + 9b^4) * \cosh(dx + c)^2) * \sinh(dx + c)) / ((a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c)^8 + 8*(a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c) * \sinh(dx + c)^7 + (a^4b^3 + 2a^3b^4 + a^2b^5) * d * \sinh(dx + c)^8 + 4*(a^4b^3 - a^2b^5) * d * \cosh(dx + c)^6 + 4*(7*(a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c)^2 + (a^4b^3 - a^2b^5) * d) * \sinh(dx + c)^6 + 2*(3a^4b^3 - 2a^3b^4 + 3a^2b^5) * d * \cosh(dx + c)^4 + 8*(7*(a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c)^3 + 3*(a^4b^3 - a^2b^5) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2*(35*(a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c)^4 + 30*(a^4b^3 - a^2b^5) * d * \cosh(dx + c)^2 + (3a^4b^3 - 2a^3b^4 + 3a^2b^5) * d) * \sinh(dx + c)^4 + 4*(a^4b^3 - a^2b^5) * d * \cosh(dx + c)^2 + 8*(7*(a^4b^3 + 2a^3b^4 + a^2b^5) * d * \cosh(dx + c)^5 +
\end{aligned}$$

$$10*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^3 + (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^6 + 15*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^2 + (a^4*b^3 - a^2*b^5)*d*\sinh(d*x + c)^2 + (a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d + 8*((a^4*b^3 + 2*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^7 + 3*(a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c)^5 + (3*a^4*b^3 - 2*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^3 + (a^4*b^3 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))]$$

**giac [B]** time = 0.93, size = 1040, normalized size = 6.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8} * ((2 * (8 * a^3 - 4 * a^2 * b + 3 * a * b^2) * \sqrt{a^2 - b^2 + 2 * \sqrt{-a * b} * (a + b)}) * b^2 * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) + (8 * a^3 + 4 * a^2 * b - a * b^2 + 3 * b^3) * \sqrt{a^2 - b^2 + 2 * \sqrt{-a * b} * (a + b)}) * \sqrt{-a * b} * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \text{abs}(b - (8 * a^3 * b^2 - 12 * a^2 * b^3 + 7 * a * b^4 - 3 * b^5) * \sqrt{a^2 - b^2 + 2 * \sqrt{-a * b} * (a + b)}) * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)})) * \arctan(e^{(d * x)} / \sqrt{(a^3 * b^3 * e^{(2 * c)} - a^2 * b^4 * e^{(2 * c)} + \sqrt{(a^3 * b^3 * e^{(2 * c)} - a^2 * b^4 * e^{(2 * c)})^2 - (a^3 * b^3 * e^{(4 * c)} + a^2 * b^4 * e^{(4 * c)}) * (a^3 * b^3 + a^2 * b^4)})}) / (a^3 * b^3 * e^{(4 * c)} + a^2 * b^4 * e^{(4 * c)}))) * e^{(-2 * c)} / ((a^5 * b^3 + 3 * a^4 * b^4 + 3 * a^3 * b^5 + a^2 * b^6) * \sqrt{-a * b} * \text{abs}(b)) - (2 * (8 * a^3 - 4 * a^2 * b + 3 * a * b^2) * \sqrt{a^2 - b^2 - 2 * \sqrt{-a * b} * (a + b)}) * b^2 * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) - (8 * a^3 + 4 * a^2 * b - a * b^2 + 3 * b^3) * \sqrt{a^2 - b^2 - 2 * \sqrt{-a * b} * (a + b)}) * \sqrt{-a * b} * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)}) * \text{abs}(b) - (8 * a^3 * b^2 - 12 * a^2 * b^3 + 7 * a * b^4 - 3 * b^5) * \sqrt{a^2 - b^2 - 2 * \sqrt{-a * b} * (a + b)}) * \text{abs}(a * e^{(2 * c)} + b * e^{(2 * c)})) * \arctan(e^{(d * x)} / \sqrt{(a^3 * b^3 * e^{(2 * c)} - a^2 * b^4 * e^{(2 * c)} - \sqrt{(a^3 * b^3 * e^{(2 * c)} - a^2 * b^4 * e^{(2 * c)})^2 - (a^3 * b^3 * e^{(4 * c)} + a^2 * b^4 * e^{(4 * c)}) * (a^3 * b^3 + a^2 * b^4)})}) / (a^3 * b^3 * e^{(4 * c)} + a^2 * b^4 * e^{(4 * c)}))) * e^{(-2 * c)} / ((a^5 * b^3 + 3 * a^4 * b^4 + 3 * a^3 * b^5 + a^2 * b^6) * \sqrt{-a * b} * \text{abs}(b)) - 16 * \arctan(e^{(d * x + c)}) / b^3 - 2 * (4 * a^3 * e^{(7 * d * x + 7 * c)} + 5 * a^2 * b * e^{(7 * d * x + 7 * c)} - 2 * a * b^2 * e^{(7 * d * x + 7 * c)} - 3 * b^3 * e^{(7 * d * x + 7 * c)} + 4 * a^3 * e^{(5 * d * x + 5 * c)} - 19 * a^2 * b * e^{(5 * d * x + 5 * c)} - 14 * a * b^2 * e^{(5 * d * x + 5 * c)} + 9 * b^3 * e^{(5 * d * x + 5 * c)} - 4 * a^3 * e^{(3 * d * x + 3 * c)} + 19 * a^2 * b * e^{(3 * d * x + 3 * c)} + 14 * a * b^2 * e^{(3 * d * x + 3 * c)} - 9 * b^3 * e^{(3 * d * x + 3 * c)} - 4 * a^3 * e^{(d * x + c)} - 5 * a^2 * b * e^{(d * x + c)} + 2 * a * b^2 * e^{(d * x + c)} + 3 * b^3 * e^{(d * x + c)}) / ((a * e^{(4 * d * x + 4 * c)} + b * e^{(4 * d * x + 4 * c)} + 2 * a * e^{(2 * d * x + 2 * c)} - 2 * b * e^{(2 * d * x + 2 * c)} + a + b)^2 * a^2 * b^2)) / d$

**maple [B]** time = 0.40, size = 1907, normalized size = 12.22

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{d} \frac{1}{b^3} \frac{a}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \arctan\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) - \frac{1}{8} \frac{d}{(b*(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) - \frac{1}{8} \frac{d}{(b*(a+b))^{1/2}} \frac{1}{a} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) + \frac{1}{d} \frac{a}{b^2} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) + \frac{1}{d} \frac{a}{b^2} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) - \frac{1}{4} \frac{d}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{b * \tanh(1/2*d*x+1/2*c)^7 + 23/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{b * \tanh(1/2*d*x+1/2*c)^5 - 23/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{b * \tanh(1/2*d*x+1/2*c)^3 + 1/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{b * \tanh(1/2*d*x+1/2*c) - 2/d} \frac{1}{b^3} \arctan(\tanh(1/2*d*x+1/2*c)) - \frac{1}{d} \frac{1}{b^3} \frac{a}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) + \frac{3}{8} \frac{d}{a^2} \frac{b}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) + \frac{3}{8} \frac{d}{a^2} \frac{b}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) + \frac{1}{2} \frac{d}{b^2} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) - \frac{5}{4} \frac{d}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a * \tanh(1/2*d*x+1/2*c)^7 + 7/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a * \tanh(1/2*d*x+1/2*c)^5 - 7/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a * \tanh(1/2*d*x+1/2*c)^3 + 5/4 * d / (\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a * \tanh(1/2*d*x+1/2*c) - 3/8} \frac{d}{a^2} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) + \frac{3}{8} \frac{d}{a^2} \frac{1}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}} \operatorname{arctan}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}+a+2*b)*a)^{1/2}}\right) - \frac{1}{d} \frac{1}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a} \frac{1}{b^2} \frac{1}{\tanh(1/2*d*x+1/2*c)^3 - 3/d} \frac{1}{a^2} \frac{b}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{\tanh(1/2*d*x+1/2*c)^5 + 3/d} \frac{1}{a^2} \frac{b}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{\tanh(1/2*d*x+1/2*c)^3 - 1/d} \frac{1}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a} \frac{1}{b^2} \frac{1}{\tanh(1/2*d*x+1/2*c)^7 + 1/d} \frac{1}{(\tanh(1/2*d*x+1/2*c)^4 * a + 2 * \tanh(1/2*d*x+1/2*c)^2 * a + 4 * \tanh(1/2*d*x+1/2*c)^2 * b + a)^2} \frac{1}{a} \frac{1}{b^2} \frac{1}{\tanh(1/2*d*x+1/2*c)^5 + 1/2} \frac{d}{b} \frac{1}{(b*(a+b))^{1/2}} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}} \operatorname{arctanh}\left(\frac{a \tanh(1/2*d*x+1/2*c)}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}\right) + \frac{1}{8} \frac{d}{a} \frac{1}{b} \frac{1}{((2*(b*(a+b))^{1/2}-a-2*b)*a)^{1/2}}$

$$\frac{(1/2) \operatorname{arctanh}(a \tanh(1/2 dx + 1/2 c)) / ((2(b(a+b))^{1/2} - a - 2b)a)^{1/2} + 1/2/d/b/(b(a+b))^{1/2} / ((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(1/2 dx + 1/2 c)) / ((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} - 1/8/d/a/b/((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \operatorname{arctan}(a \tanh(1/2 dx + 1/2 c)) / ((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}}{4(a^3 e^{7c} + 5a^2 b e^{7c} - 2ab^2 e^{7c} - 3b^3 e^{7c})e^{7dx} + (4a^3 e^{5c} - 19a^2 b e^{5c} - 14ab^2 e^{5c} + 9b^3 e^{5c})e^{5dx} - (4a^4 b^2 d + 2a^3 b^3 d + a^2 b^4 d + (a^4 b^2 d e^{8c} + 2a^3 b^3 d e^{8c} + a^2 b^4 d e^{8c})e^{8dx} + 4(a^4 b^2 d e^{6c} - a^2 b^4 d e^{6c})e^{6dx}}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(4a^3 e^{7c} + 5a^2 b e^{7c} - 2ab^2 e^{7c} - 3b^3 e^{7c})e^{7dx} + (4a^3 e^{5c} - 19a^2 b e^{5c} - 14ab^2 e^{5c} + 9b^3 e^{5c})e^{5dx} - (4a^4 b^2 d + 2a^3 b^3 d + a^2 b^4 d + (a^4 b^2 d e^{8c} + 2a^3 b^3 d e^{8c} + a^2 b^4 d e^{8c})e^{8dx} + 4(a^4 b^2 d e^{6c} - a^2 b^4 d e^{6c})e^{6dx}}{4(a^4 b^2 d + 2a^3 b^3 d + a^2 b^4 d + (a^4 b^2 d e^{8c} + 2a^3 b^3 d e^{8c} + a^2 b^4 d e^{8c})e^{8dx} + 4(a^4 b^2 d e^{6c} - a^2 b^4 d e^{6c})e^{6dx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sech(d\*x+c)^7/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/4*((4*a^3*e^{(7*c)} + 5*a^2*b*e^{(7*c)} - 2*a*b^2*e^{(7*c)} - 3*b^3*e^{(7*c)})*e^{(7*d*x)} \\ & + (4*a^3*e^{(5*c)} - 19*a^2*b*e^{(5*c)} - 14*a*b^2*e^{(5*c)} + 9*b^3*e^{(5*c)})*e^{(5*d*x)} - (4*a^3*e^{(3*c)} - 19*a^2*b*e^{(3*c)} - 14*a*b^2*e^{(3*c)} + 9*b^3*e^{(3*c)})*e^{(3*d*x)} \\ & - (4*a^3*e^c + 5*a^2*b*e^c - 2*a*b^2*e^c - 3*b^3*e^c)*e^{(d*x)})/(a^4*b^2*d + 2*a^3*b^3*d + a^2*b^4*d + (a^4*b^2*d*e^{(8*c)} + 2*a^3*b^3*d*e^{(8*c)} \\ & + a^2*b^4*d*e^{(8*c)})*e^{(8*d*x)} + 4*(a^4*b^2*d*e^{(6*c)} - a^2*b^4*d*e^{(6*c)})*e^{(6*d*x)} + 2*(3*a^4*b^2*d*e^{(4*c)} - 2*a^3*b^3*d*e^{(4*c)} + 3*a^2*b^4*d*e^{(4*c)})*e^{(4*d*x)} \\ & + 4*(a^4*b^2*d*e^{(2*c)} - a^2*b^4*d*e^{(2*c)})*e^{(2*d*x)}) - 2*\operatorname{arctan}(e^{(d*x+c)})/(b^3*d) + 128*\operatorname{integrate}(1/512*((8*a^3*e^{(3*c)} + 4*a^2*b*e^{(3*c)} - a*b^2*e^{(3*c)} + 3*b^3*e^{(3*c)})*e^{(3*d*x)} \\ & + (8*a^3*e^c + 4*a^2*b*e^c - a*b^2*e^c + 3*b^3*e^c)*e^{(d*x)})/(a^3*b^3 + a^2*b^4 + (a^3*b^3*e^{(4*c)} + a^2*b^4*e^{(4*c)})*e^{(4*d*x)} + 2*(a^3*b^3*e^{(2*c)} - a^2*b^4*e^{(2*c)})*e^{(2*d*x)}), x) \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cosh(c+dx)^7 (b \tanh(c+dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cosh(c+d\*x)^7\*(a+b\*tanh(c+d\*x)^2)^3),x)

[Out] int(1/(cosh(c+d\*x)^7\*(a+b\*tanh(c+d\*x)^2)^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sech(d*x+c)**7/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

### 3.134 $\int \tanh^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=54

$$-\frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^5(c+dx)}{5d}$$

[Out] (a+b)\*x-(a+b)\*tanh(d\*x+c)/d-1/3\*(a+b)\*tanh(d\*x+c)^3/d-1/5\*b\*tanh(d\*x+c)^5/d

Rubi [A] time = 0.05, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 8}

$$-\frac{(a+b)\tanh^3(c+dx)}{3d} - \frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^5(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - ((a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \tanh^4(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^5(c + dx)}{5d} + (a + b) \int \tanh^4(c + dx) dx \\
&= -\frac{(a + b) \tanh^3(c + dx)}{3d} - \frac{b \tanh^5(c + dx)}{5d} + (a + b) \int \tanh^2(c + dx) dx \\
&= -\frac{(a + b) \tanh(c + dx)}{d} - \frac{(a + b) \tanh^3(c + dx)}{3d} - \frac{b \tanh^5(c + dx)}{5d} + \\
&= (a + b)x - \frac{(a + b) \tanh(c + dx)}{d} - \frac{(a + b) \tanh^3(c + dx)}{3d} - \frac{b \tanh^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 97, normalized size = 1.80

$$\frac{a \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a \tanh^3(c + dx)}{3d} - \frac{a \tanh(c + dx)}{d} + \frac{b \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b \tanh^5(c + dx)}{5d} - \frac{b \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*ArcTanh[Tanh[c + d\*x]])/d + (b\*ArcTanh[Tanh[c + d\*x]])/d - (a\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x])/d - (a\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^3)/(3\*d) - (b\*Tanh[c + d\*x]^5)/(5\*d)

**fricas [B]** time = 0.41, size = 339, normalized size = 6.28

$$\frac{(15(a + b)dx + 20a + 23b) \cosh(dx + c)^5 + 5(15(a + b)dx + 20a + 23b) \cosh(dx + c) \sinh(dx + c)^4 - (20a + 23b) \sinh(dx + c)^5}{d \cosh(dx + c)^5 + 5d \cosh(dx + c) \sinh(dx + c)^4 + 5d \cosh(dx + c)^3 + 5(2d \cosh(dx + c)^3 + 3d \cosh(dx + c)) \sinh(dx + c)^2 + 10(15(a + b)dx + 20a + 23b) \cosh(dx + c) - 5((20a + 23b) \cosh(dx + c)^3 + 3(15(a + b)dx + 20a + 23b) \cosh(dx + c)) \sinh(dx + c)^2 + 10(15(a + b)dx + 20a + 23b) \cosh(dx + c) - 5((20a + 23b) \cosh(dx + c)^4 + 3(8a + 5b) \cosh(dx + c)^2 + 4a + 10b) \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/15\*((15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^5 + 5\*(15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 - (20\*a + 23\*b)\*sinh(d\*x + c)^5 + 5\*(15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^3 - 5\*(2\*(20\*a + 23\*b)\*cosh(d\*x + c)^2 + 8\*a + 5\*b)\*sinh(d\*x + c)^3 + 5\*(2\*(15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c)^3 + 3\*(15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*(15\*(a + b)\*d\*x + 20\*a + 23\*b)\*cosh(d\*x + c) - 5\*((20\*a + 23\*b)\*cosh(d\*x + c)^4 + 3\*(8\*a + 5\*b)\*cosh(d\*x + c)^2 + 4\*a + 10\*b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^4 + 5\*d\*cosh(d\*x + c)^3 + 5\*(2\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*d\*cosh(d\*x + c))



**giac [B]** time = 0.21, size = 134, normalized size = 2.48

$$15(dx+c)(a+b) + \frac{2(30ae^{8dx+8c} + 45be^{8dx+8c} + 90ae^{6dx+6c} + 90be^{6dx+6c} + 110ae^{4dx+4c} + 140be^{4dx+4c} + 70ae^{2dx+2c} + 70be^{2dx+2c})}{(e^{2dx+2c}+1)^5}$$


---


$$15d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/15\*(15\*(d\*x + c)\*(a + b) + 2\*(30\*a\*e^(8\*d\*x + 8\*c) + 45\*b\*e^(8\*d\*x + 8\*c) + 90\*a\*e^(6\*d\*x + 6\*c) + 90\*b\*e^(6\*d\*x + 6\*c) + 110\*a\*e^(4\*d\*x + 4\*c) + 140\*b\*e^(4\*d\*x + 4\*c) + 70\*a\*e^(2\*d\*x + 2\*c) + 70\*b\*e^(2\*d\*x + 2\*c) + 20\*a + 23\*b)/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple [B]** time = 0.02, size = 128, normalized size = 2.37

$$\frac{b \left( \tanh^5(dx+c) \right)}{5d} - \frac{a \left( \tanh^3(dx+c) \right)}{3d} - \frac{b \left( \tanh^3(dx+c) \right)}{3d} - \frac{a \tanh(dx+c)}{d} - \frac{b \tanh(dx+c)}{d} - \frac{\ln(\tanh(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/5\*b\*tanh(d\*x+c)^5/d-1/3/d\*a\*tanh(d\*x+c)^3-1/3\*b\*tanh(d\*x+c)^3/d-a\*tanh(d\*x+c)/d-b\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a-1/2/d\*ln(tanh(d\*x+c)-1)\*b+1/2/d\*ln(1+tanh(d\*x+c))\*a+1/2/d\*ln(1+tanh(d\*x+c))\*b

**maxima [B]** time = 0.33, size = 199, normalized size = 3.69

$$\frac{1}{15} b \left( 15x + \frac{15c}{d} - \frac{2(70e^{-2dx-2c} + 140e^{-4dx-4c} + 90e^{-6dx-6c} + 45e^{-8dx-8c} + 23)}{d(5e^{-2dx-2c} + 10e^{-4dx-4c} + 10e^{-6dx-6c} + 5e^{-8dx-8c} + e^{-10dx-10c} + 1)} \right) + \frac{1}{3} a \left( 3x + \frac{3c}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/15\*b\*(15\*x + 15\*c/d - 2\*(70\*e^(-2\*d\*x - 2\*c) + 140\*e^(-4\*d\*x - 4\*c) + 90\*e^(-6\*d\*x - 6\*c) + 45\*e^(-8\*d\*x - 8\*c) + 23)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + 1/3\*a\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1)))

**mupad [B]** time = 1.22, size = 50, normalized size = 0.93

$$x(a+b) - \frac{\tanh(c+dx)^3(a+b)}{3d} - \frac{b \tanh(c+dx)^5}{5d} - \frac{\tanh(c+dx)(a+b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(c + d*x)^4*(a + b*tanh(c + d*x)^2), x)`

[Out] `x*(a + b) - (tanh(c + d*x)^3*(a + b))/(3*d) - (b*tanh(c + d*x)^5)/(5*d) - (tanh(c + d*x)*(a + b))/d`

**sympy** [A] time = 0.55, size = 82, normalized size = 1.52

$$\begin{cases} ax - \frac{a \tanh^3(c+dx)}{3d} - \frac{a \tanh(c+dx)}{d} + bx - \frac{b \tanh^5(c+dx)}{5d} - \frac{b \tanh^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^4(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)**4*(a+b*tanh(d*x+c)**2), x)`

[Out] `Piecewise((a*x - a*tanh(c + d*x)**3/(3*d) - a*tanh(c + d*x)/d + b*x - b*tanh(c + d*x)**5/(5*d) - b*tanh(c + d*x)**3/(3*d) - b*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)*tanh(c)**4, True))`

### 3.135 $\int \tanh^3(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=49

$$-\frac{(a+b)\tanh^2(c+dx)}{2d} + \frac{(a+b)\log(\cosh(c+dx))}{d} - \frac{b\tanh^4(c+dx)}{4d}$$

[Out] (a+b)\*ln(cosh(d\*x+c))/d-1/2\*(a+b)\*tanh(d\*x+c)^2/d-1/4\*b\*tanh(d\*x+c)^4/d

**Rubi [A]** time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 3475}

$$-\frac{(a+b)\tanh^2(c+dx)}{2d} + \frac{(a+b)\log(\cosh(c+dx))}{d} - \frac{b\tanh^4(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - ((a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (b\*Tanh[c + d\*x]^4)/(4\*d)

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \tanh^3(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^4(c + dx)}{4d} + (a + b) \int \tanh^3(c + dx) dx \\
&= -\frac{(a + b) \tanh^2(c + dx)}{2d} - \frac{b \tanh^4(c + dx)}{4d} + (a + b) \int \tanh(c + dx) dx \\
&= \frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{(a + b) \tanh^2(c + dx)}{2d} - \frac{b \tanh^4(c + dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.25, size = 43, normalized size = 0.88

$$-\frac{2(a + b) \tanh^2(c + dx) - 4(a + b) \log(\cosh(c + dx)) + b \tanh^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/4\*(-4\*(a + b)\*Log[Cosh[c + d\*x]] + 2\*(a + b)\*Tanh[c + d\*x]^2 + b\*Tanh[c + d\*x]^4)/d

**fricas [B]** time = 0.44, size = 1205, normalized size = 24.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -((a + b)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a + b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a + b)\*d\*x\*sinh(d\*x + c)^8 + 2\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c)^6 + 2\*(14\*(a + b)\*d\*x\*cosh(d\*x + c)^2 + 2\*(a + b)\*d\*x - a - 2\*b)\*sinh(d\*x + c)^6 + 4\*(14\*(a + b)\*d\*x\*cosh(d\*x + c)^3 + 3\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*(a + b)\*d\*x - 2\*a - 2\*b)\*cosh(d\*x + c)^4 + 2\*(35\*(a + b)\*d\*x\*cosh(d\*x + c)^4 + 3\*(a + b)\*d\*x + 15\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c)^2 - 2\*a - 2\*b)\*sinh(d\*x + c)^4 + 8\*(7\*(a + b)\*d\*x\*cosh(d\*x + c)^5 + 5\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c)^3 + (3\*(a + b)\*d\*x - 2\*a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + (a + b)\*d\*x + 2\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c)^2 + 2\*(14\*(a + b)\*d\*x\*cosh(d\*x + c)^6 + 15\*(2\*(a + b)\*d\*x - a - 2\*b)\*cosh(d\*x + c)^4 + 2\*(a + b)\*d\*x + 6\*(3\*(a + b)\*d\*x - 2\*a - 2\*b)\*cosh(d\*x + c)^2 - a - 2\*b)\*sinh(d\*x + c)^2 - ((a + b)\*cosh(d\*x + c)^8 + 8\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a + b)\*sinh(d\*x + c)^8 + 4\*(a + b)\*cosh(d\*x + c)^6 + 4\*(7\*(a + b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c)^6 + 8\*(7\*(a + b)\*cosh(d\*x + c)^3 + 3\*(a + b)\*cosh(d\*x + c))\*sinh(d\*x

$+ c)^5 + 6*(a + b)*\cosh(d*x + c)^4 + 2*(35*(a + b)*\cosh(d*x + c)^4 + 30*(a + b)*\cosh(d*x + c)^2 + 3*a + 3*b)*\sinh(d*x + c)^4 + 8*(7*(a + b)*\cosh(d*x + c)^5 + 10*(a + b)*\cosh(d*x + c)^3 + 3*(a + b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(a + b)*\cosh(d*x + c)^2 + 4*(7*(a + b)*\cosh(d*x + c)^6 + 15*(a + b)*\cosh(d*x + c)^4 + 9*(a + b)*\cosh(d*x + c)^2 + a + b)*\sinh(d*x + c)^2 + 8*((a + b)*\cosh(d*x + c)^7 + 3*(a + b)*\cosh(d*x + c)^5 + 3*(a + b)*\cosh(d*x + c)^3 + (a + b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*(2*(a + b)*d*x*\cosh(d*x + c)^7 + 3*(2*(a + b)*d*x - a - 2*b)*\cosh(d*x + c)^5 + 2*(3*(a + b)*d*x - 2*a - 2*b)*\cosh(d*x + c)^3 + (2*(a + b)*d*x - a - 2*b)*\cosh(d*x + c))*\sinh(d*x + c))/((d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 + 15*d*\cosh(d*x + c)^4 + 9*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 + 3*d*\cosh(d*x + c)^5 + 3*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)$

**giac [B]** time = 0.18, size = 92, normalized size = 1.88

$$\frac{(dx + c)(a + b) - (a + b) \log(e^{2dx+2c} + 1) - \frac{2((a+2b)e^{6dx+6c} + 2(a+b)e^{4dx+4c} + (a+2b)e^{2dx+2c})}{(e^{2dx+2c} + 1)^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-\frac{((d*x + c)*(a + b) - (a + b)*\log(e^{(2*d*x + 2*c)} + 1) - 2*((a + 2*b)*e^{(6*d*x + 6*c)} + 2*(a + b)*e^{(4*d*x + 4*c)} + (a + 2*b)*e^{(2*d*x + 2*c)}))/(e^{(2*d*x + 2*c)} + 1)^4}{d}$

**maple [B]** time = 0.01, size = 104, normalized size = 2.12

$$\frac{b \left( \tanh^4(dx + c) \right)}{4d} - \frac{a \left( \tanh^2(dx + c) \right)}{2d} - \frac{b \left( \tanh^2(dx + c) \right)}{2d} - \frac{\ln(\tanh(dx + c) - 1) a}{2d} - \frac{\ln(\tanh(dx + c) - 1) b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x)

[Out]  $-1/4*b*\tanh(d*x+c)^4/d - 1/2/d*a*\tanh(d*x+c)^2 - 1/2*b*\tanh(d*x+c)^2/d - 1/2/d*\ln(\tanh(d*x+c)-1)*a - 1/2/d*\ln(\tanh(d*x+c)-1)*b - 1/2/d*\ln(1+\tanh(d*x+c))*a - 1/2/d*\ln(1+\tanh(d*x+c))*b$

**maxima [B]** time = 0.41, size = 168, normalized size = 3.43

$$b \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{4(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) + a \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] b\*(x + c/d + log(e^(-2\*d\*x - 2\*c) + 1)/d + 4\*(e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c))/(d\*(4\*e^(-2\*d\*x - 2\*c) + 6\*e^(-4\*d\*x - 4\*c) + 4\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c) + 1))) + a\*(x + c/d + log(e^(-2\*d\*x - 2\*c) + 1)/d + 2\*e^(-2\*d\*x - 2\*c)/(d\*(2\*e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + 1)))

**mupad [B]** time = 0.12, size = 53, normalized size = 1.08

$$x(a+b) - \frac{\tanh(c+dx)^2(a+b)}{2d} - \frac{b \tanh(c+dx)^4}{4d} - \frac{\ln(\tanh(c+dx)+1)(a+b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2),x)

[Out] x\*(a + b) - (tanh(c + d\*x)^2\*(a + b))/(2\*d) - (b\*tanh(c + d\*x)^4)/(4\*d) - (log(tanh(c + d\*x) + 1)\*(a + b))/d

**sympy [A]** time = 0.42, size = 88, normalized size = 1.80

$$\begin{cases} ax - \frac{a \log(\tanh(c+dx)+1)}{d} - \frac{a \tanh^2(c+dx)}{2d} + bx - \frac{b \log(\tanh(c+dx)+1)}{d} - \frac{b \tanh^4(c+dx)}{4d} - \frac{b \tanh^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^3(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((a\*x - a\*log(tanh(c + d\*x) + 1)/d - a\*tanh(c + d\*x)\*\*2/(2\*d) + b\*x - b\*log(tanh(c + d\*x) + 1)/d - b\*tanh(c + d\*x)\*\*4/(4\*d) - b\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*tanh(c)\*\*3, True))

### 3.136 $\int \tanh^2(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=36

$$-\frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^3(c+dx)}{3d}$$

[Out] (a+b)\*x-(a+b)\*tanh(d\*x+c)/d-1/3\*b\*tanh(d\*x+c)^3/d

**Rubi [A]** time = 0.04, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3631, 3473, 8}

$$-\frac{(a+b)\tanh(c+dx)}{d} + x(a+b) - \frac{b\tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x]^3)/(3\*d)

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \tanh^2(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^3(c + dx)}{3d} - (-a - b) \int \tanh^2(c + dx) dx \\
&= -\frac{(a + b) \tanh(c + dx)}{d} - \frac{b \tanh^3(c + dx)}{3d} - (-a - b) \int 1 dx \\
&= (a + b)x - \frac{(a + b) \tanh(c + dx)}{d} - \frac{b \tanh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 65, normalized size = 1.81

$$\frac{a \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a \tanh(c + dx)}{d} + \frac{b \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b \tanh^3(c + dx)}{3d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*ArcTanh[Tanh[c + d\*x]])/d + (b\*ArcTanh[Tanh[c + d\*x]])/d - (a\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x])/d - (b\*Tanh[c + d\*x]^3)/(3\*d)

**fricas [B]** time = 0.41, size = 160, normalized size = 4.44

$$\frac{(3(a + b)dx + 3a + 4b) \cosh(dx + c)^3 + 3(3(a + b)dx + 3a + 4b) \cosh(dx + c) \sinh(dx + c)^2 - (3a + 4b) \sinh(dx + c)}{3(d \cosh(dx + c)^3 + 3d \cosh(dx + c) \sinh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] 1/3\*((3\*(a + b)\*d\*x + 3\*a + 4\*b)\*cosh(d\*x + c)^3 + 3\*(3\*(a + b)\*d\*x + 3\*a + 4\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 - (3\*a + 4\*b)\*sinh(d\*x + c)^3 + 3\*(3\*(a + b)\*d\*x + 3\*a + 4\*b)\*cosh(d\*x + c) - 3\*((3\*a + 4\*b)\*cosh(d\*x + c)^2 + a)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))

**giac [B]** time = 0.17, size = 86, normalized size = 2.39

$$\frac{3(dx + c)(a + b) + \frac{2(3ae^{4dx+4c} + 6be^{4dx+4c} + 6ae^{2dx+2c} + 6be^{2dx+2c} + 3a+4b)}{(e^{2dx+2c}+1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{3} \frac{(3(dx+c)(a+b) + 2(3ae^{4dx+4c} + 6be^{4dx+4c} + 6ae^{2dx+2c} + 6be^{2dx+2c} + 3a + 4b))/(e^{2dx+2c} + 1)^3}{d}$

**maple [B]** time = 0.02, size = 100, normalized size = 2.78

$$\frac{b \tanh^3(dx+c)}{3d} - \frac{a \tanh(dx+c)}{d} - \frac{b \tanh(dx+c)}{d} - \frac{\ln(\tanh(dx+c)-1)a}{2d} - \frac{\ln(\tanh(dx+c)-1)b}{2d} + \frac{\ln(1 - \tanh(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x)

[Out]  $-1/3*b*tanh(d*x+c)^3/d - a*tanh(d*x+c)/d - b*tanh(d*x+c)/d - 1/2/d*\ln(\tanh(d*x+c)-1)*a - 1/2/d*\ln(\tanh(d*x+c)-1)*b + 1/2/d*\ln(1+\tanh(d*x+c))*a + 1/2/d*\ln(1+\tanh(d*x+c))*b$

**maxima [B]** time = 0.33, size = 105, normalized size = 2.92

$$\frac{1}{3} b \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + a \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{1}{3} b * (3x + 3c/d - 4 * (3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2) / (d * (3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1))) + a * (x + c/d - 2 / (d * (e^{(-2dx-2c)} + 1)))$

**mupad [B]** time = 1.17, size = 34, normalized size = 0.94

$$x(a+b) - \frac{b \tanh(c+dx)^3}{3d} - \frac{\tanh(c+dx)(a+b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c+d\*x)^2\*(a+b\*tanh(c+d\*x)^2),x)

[Out]  $x*(a+b) - (b*tanh(c+d*x)^3)/(3*d) - (tanh(c+d*x)*(a+b))/d$

**sympy [A]** time = 0.29, size = 54, normalized size = 1.50

$$\begin{cases} ax - \frac{a \tanh(c+dx)}{d} + bx - \frac{b \tanh^3(c+dx)}{3d} - \frac{b \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**2*(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Piecewise((a*x - a*tanh(c + d*x)/d + b*x - b*tanh(c + d*x)**3/(3*d) - b*tan  
h(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)*tanh(c)**2, True))
```

### 3.137 $\int \tanh(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=31

$$\frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d}$$

[Out] (a+b)\*ln(cosh(d\*x+c))/d-1/2\*b\*tanh(d\*x+c)^2/d

**Rubi [A]** time = 0.03, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3631, 3475}

$$\frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((a + b)\*Log[Cosh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3631

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> Simp[(C\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[A - C, Int[(a + b\*Tan[e + f\*x])^m, x], x] /; FreeQ[{a, b, e, f, A, C, m}, x] && NeQ[A\*b^2 + a^2\*C, 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \tanh(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{b \tanh^2(c + dx)}{2d} - (-a - b) \int \tanh(c + dx) dx \\ &= \frac{(a + b) \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 41, normalized size = 1.32

$$\frac{a \log(\cosh(c + dx))}{d} - \frac{b \tanh^2(c + dx)}{2d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a\*Log[Cosh[c + d\*x]])/d + (b\*Log[Cosh[c + d\*x]])/d - (b\*Tanh[c + d\*x]^2)/(2\*d)

**fricas** [B] time = 0.44, size = 399, normalized size = 12.87

$$(a + b)dx \cosh(dx + c)^4 + 4(a + b)dx \cosh(dx + c) \sinh(dx + c)^3 + (a + b)dx \sinh(dx + c)^4 + (a + b)dx + 2(($$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -((a + b)\*d\*x\*cosh(d\*x + c)^4 + 4\*(a + b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*d\*x\*sinh(d\*x + c)^4 + (a + b)\*d\*x + 2\*((a + b)\*d\*x - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*d\*x\*cosh(d\*x + c)^2 + (a + b)\*d\*x - b)\*sinh(d\*x + c)^2 - ((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a + b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a + b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a + b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)\*log(2\*cosh(d\*x + c)/(cosh(d\*x + c) - sinh(d\*x + c))) + 4\*((a + b)\*d\*x\*cosh(d\*x + c)^3 + ((a + b)\*d\*x - b)\*cosh(d\*x + c))\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^4 + 4\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + d\*sinh(d\*x + c)^4 + 2\*d\*cosh(d\*x + c)^2 + 2\*(3\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 4\*(d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac** [A] time = 0.16, size = 57, normalized size = 1.84

$$\frac{(dx + c)(a + b) - (a + b) \log(e^{2dx+2c} + 1) - \frac{2be^{2dx+2c}}{(e^{2dx+2c}+1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -((d\*x + c)\*(a + b) - (a + b)\*log(e^(2\*d\*x + 2\*c) + 1) - 2\*b\*e^(2\*d\*x + 2\*c))/(e^(2\*d\*x + 2\*c) + 1)^2)/d

**maple** [B] time = 0.02, size = 76, normalized size = 2.45

$$\frac{b(\tanh^2(dx + c))}{2d} - \frac{\ln(\tanh(dx + c) - 1)a}{2d} - \frac{\ln(\tanh(dx + c) - 1)b}{2d} - \frac{\ln(1 + \tanh(dx + c))a}{2d} - \frac{\ln(1 + \tanh(dx + c))b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)*(a+b*tanh(d*x+c)^2),x)`

[Out]  $-1/2*b*tanh(d*x+c)^2/d-1/2/d*\ln(tanh(d*x+c)-1)*a-1/2/d*\ln(tanh(d*x+c)-1)*b-1/2/d*\ln(1+tanh(d*x+c))*a-1/2/d*\ln(1+tanh(d*x+c))*b$

**maxima** [B] time = 0.41, size = 76, normalized size = 2.45

$$b\left(x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1)}\right) + \frac{a \log(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out]  $b*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + a*\log(\cosh(d*x + c))/d$

**mupad** [B] time = 1.17, size = 37, normalized size = 1.19

$$x(a+b) - \frac{b \tanh(c+dx)^2}{2d} - \frac{\ln(\tanh(c+dx)+1)(a+b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(c+d*x)*(a+b*tanh(c+d*x)^2),x)`

[Out]  $x*(a+b) - (b*tanh(c+d*x)^2)/(2*d) - (\log(tanh(c+d*x)+1)*(a+b))/d$

**sympy** [A] time = 0.21, size = 60, normalized size = 1.94

$$\begin{cases} ax - \frac{a \log(\tanh(c+dx)+1)}{d} + bx - \frac{b \log(\tanh(c+dx)+1)}{d} - \frac{b \tanh^2(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c)) \tanh(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)*(a+b*tanh(d*x+c)**2),x)`

[Out] `Piecewise((a*x - a*log(tanh(c + d*x) + 1)/d + b*x - b*log(tanh(c + d*x) + 1)/d - b*tanh(c + d*x)**2/(2*d), Ne(d, 0)), (x*(a + b*tanh(c)**2)*tanh(c), True))`

### 3.138 $\int (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=19

$$ax - \frac{b \tanh(c + dx)}{d} + bx$$

[Out] a\*x+b\*x-b\*tanh(d\*x+c)/d

Rubi [A] time = 0.01, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3473, 8}

$$ax - \frac{b \tanh(c + dx)}{d} + bx$$

Antiderivative was successfully verified.

[In] Int[a + b\*Tanh[c + d\*x]^2, x]

[Out] a\*x + b\*x - (b\*Tanh[c + d\*x])/d

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx)) dx &= ax + b \int \tanh^2(c + dx) dx \\ &= ax - \frac{b \tanh(c + dx)}{d} + b \int 1 dx \\ &= ax + bx - \frac{b \tanh(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.01, size = 28, normalized size = 1.47

$$ax + \frac{b \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*Tanh[c + d\*x]^2,x]

[Out] a\*x + (b\*ArcTanh[Tanh[c + d\*x]])/d - (b\*Tanh[c + d\*x])/d

**fricas** [A] time = 0.40, size = 37, normalized size = 1.95

$$\frac{((a + b)dx + b) \cosh(dx + c) - b \sinh(dx + c)}{d \cosh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="fricas")

[Out] (((a + b)\*d\*x + b)\*cosh(d\*x + c) - b\*sinh(d\*x + c))/(d\*cosh(d\*x + c))

**giac** [A] time = 0.13, size = 29, normalized size = 1.53

$$ax + \frac{\left(dx + c + \frac{2}{e^{2dx+2c}+1}\right)b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="giac")

[Out] a\*x + (d\*x + c + 2/(e^(2\*d\*x + 2\*c) + 1))\*b/d

**maple** [B] time = 0.02, size = 47, normalized size = 2.47

$$ax - \frac{b \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1) b}{2d} + \frac{\ln(1 + \tanh(dx + c)) b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*tanh(d\*x+c)^2,x)

[Out] a\*x-b\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*b+1/2/d\*ln(1+tanh(d\*x+c))\*b

**maxima** [A] time = 0.30, size = 31, normalized size = 1.63

$$b \left( x + \frac{c}{d} - \frac{2}{d(e^{-2dx-2c} + 1)} \right) + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*tanh(d\*x+c)^2,x, algorithm="maxima")

[Out]  $b*(x + c/d - 2/(d*(e^{(-2*d*x - 2*c)} + 1))) + a*x$

**mupad** [B] time = 0.07, size = 18, normalized size = 0.95

$$x(a + b) - \frac{b \tanh(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a + b*tanh(c + d*x)^2, x)`

[Out]  $x*(a + b) - (b*\tanh(c + d*x))/d$

**sympy** [A] time = 0.16, size = 20, normalized size = 1.05

$$ax + b \begin{cases} x - \frac{\tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x \tanh^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*tanh(d*x+c)**2, x)`

[Out]  $a*x + b*\text{Piecewise}((x - \tanh(c + d*x))/d, \text{Ne}(d, 0)), (x*\tanh(c)**2, \text{True}))$



### 3.139 $\int \coth(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=25

$$\frac{a \log(\sinh(c + dx))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

[Out] b\*ln(cosh(d\*x+c))/d+a\*ln(sinh(d\*x+c))/d

**Rubi** [A] time = 0.04, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {3625, 3475}

$$\frac{a \log(\sinh(c + dx))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*Log[Cosh[c + d\*x]])/d + (a\*Log[Sinh[c + d\*x]])/d

Rule 3475

Int[tan[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3625

Int[((A\_) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2)/tan[(e\_.) + (f\_.)\*(x\_.)], x\_Symbol] :> Dist[A, Int[1/Tan[e + f\*x], x], x] + Dist[C, Int[Tan[e + f\*x], x], x] /; FreeQ[{e, f, A, C}, x] && NeQ[A, C]

Rubi steps

$$\begin{aligned} \int \coth(c + dx) (a + b \tanh^2(c + dx)) dx &= a \int \coth(c + dx) dx + b \int \tanh(c + dx) dx \\ &= \frac{b \log(\cosh(c + dx))}{d} + \frac{a \log(\sinh(c + dx))}{d} \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 33, normalized size = 1.32

$$\frac{a(\log(\tanh(c + dx)) + \log(\cosh(c + dx)))}{d} + \frac{b \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (b\*Log[Cosh[c + d\*x]])/d + (a\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/d

**fricas** [B] time = 0.42, size = 70, normalized size = 2.80

$$\frac{(a + b)dx - b \log\left(\frac{2 \cosh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right) - a \log\left(\frac{2 \sinh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -((a + b)\*d\*x - b\*log(2\*cosh(d\*x + c)/(cosh(d\*x + c) - sinh(d\*x + c))) - a\*log(2\*sinh(d\*x + c)/(cosh(d\*x + c) - sinh(d\*x + c))))/d

**giac** [A] time = 0.16, size = 46, normalized size = 1.84

$$\frac{(dx + c)(a + b) - b \log\left(e^{(2dx+2c)} + 1\right) - a \log\left(\left|e^{(2dx+2c)} - 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] -((d\*x + c)\*(a + b) - b\*log(e^(2\*d\*x + 2\*c) + 1) - a\*log(abs(e^(2\*d\*x + 2\*c) - 1)))/d

**maple** [A] time = 0.27, size = 26, normalized size = 1.04

$$\frac{b \ln(\cosh(dx + c))}{d} + \frac{a \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2), x)

[Out] b\*ln(cosh(d\*x+c))/d+a\*ln(sinh(d\*x+c))/d

**maxima** [A] time = 0.31, size = 35, normalized size = 1.40

$$\frac{b \log\left(e^{(dx+c)} + e^{(-dx-c)}\right)}{d} + \frac{a \log(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] b\*log(e^(d\*x + c) + e^(-d\*x - c))/d + a\*log(sinh(d\*x + c))/d

**mupad [B]** time = 1.31, size = 228, normalized size = 9.12

$$\frac{a \ln(8ab - 4a^2 - 4b^2 + 4a^2 e^{4c} e^{4dx} + 4b^2 e^{4c} e^{4dx} - 8ab e^{4c} e^{4dx})}{2d} - bx - \frac{\operatorname{atan}\left(\frac{a e^{2c} e^{2dx} \sqrt{-d^2}}{d \sqrt{a^2 - 2ab + b^2}} - \frac{b e^{2c} e^{2dx} \sqrt{-d^2}}{d \sqrt{a^2 - 2ab + b^2}}\right)}{\sqrt{-d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)\*(a + b\*tanh(c + d\*x)^2),x)

[Out] (a\*log(8\*a\*b - 4\*a^2 - 4\*b^2 + 4\*a^2\*exp(4\*c)\*exp(4\*d\*x) + 4\*b^2\*exp(4\*c)\*exp(4\*d\*x) - 8\*a\*b\*exp(4\*c)\*exp(4\*d\*x))/(2\*d) - b\*x - (atan((a\*exp(2\*c)\*exp(2\*d\*x)\*(-d^2)^(1/2))/(d\*(a^2 - 2\*a\*b + b^2)^(1/2)) - (b\*exp(2\*c)\*exp(2\*d\*x)\*(-d^2)^(1/2))/(d\*(a^2 - 2\*a\*b + b^2)^(1/2)))\*(a^2 - 2\*a\*b + b^2)^(1/2))/(-d^2)^(1/2) - a\*x + (b\*log(8\*a\*b - 4\*a^2 - 4\*b^2 + 4\*a^2\*exp(4\*c)\*exp(4\*d\*x) + 4\*b^2\*exp(4\*c)\*exp(4\*d\*x) - 8\*a\*b\*exp(4\*c)\*exp(4\*d\*x))/(2\*d)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \coth(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*coth(c + d\*x), x)

### 3.140 $\int \coth^2(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=18

$$x(a + b) - \frac{a \coth(c + dx)}{d}$$

[Out] (a+b)\*x-a\*coth(d\*x+c)/d

**Rubi [A]** time = 0.03, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {3629, 8}

$$x(a + b) - \frac{a \coth(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - (a\*Coth[c + d\*x])/d

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 3629**

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := Simp[((A\*b^2 + a^2\*C)\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*(A - C) - (A\*b - b\*C)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \coth^2(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth(c + dx)}{d} - \int (-a - b) dx \\ &= (a + b)x - \frac{a \coth(c + dx)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.03, size = 32, normalized size = 1.78

$$bx - \frac{a \coth(c + dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] b\*x - (a\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d

**fricas** [B] time = 0.40, size = 38, normalized size = 2.11

$$\frac{a \cosh(dx + c) - ((a + b)dx + a) \sinh(dx + c)}{d \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -(a\*cosh(d\*x + c) - ((a + b)\*d\*x + a)\*sinh(d\*x + c))/(d\*sinh(d\*x + c))

**giac** [A] time = 0.17, size = 30, normalized size = 1.67

$$\frac{(dx + c)(a + b) - \frac{2a}{e^{(2dx+2c)} - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out] ((d\*x + c)\*(a + b) - 2\*a/(e^(2\*d\*x + 2\*c) - 1))/d

**maple** [A] time = 0.21, size = 28, normalized size = 1.56

$$\frac{a(dx + c - \coth(dx + c)) + (dx + c)b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x)

[Out] 1/d\*(a\*(d\*x+c-coth(d\*x+c))+(d\*x+c)\*b)

**maxima** [A] time = 0.32, size = 31, normalized size = 1.72

$$a \left( x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $a \cdot (x + c/d + 2/(d \cdot (e^{-2dx} - 2c) - 1))) + b \cdot x$

**mupad [B]** time = 1.27, size = 25, normalized size = 1.39

$$x(a+b) - \frac{2a}{d(e^{2c+2dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^2*(a + b*tanh(c + d*x)^2), x)`

[Out]  $x \cdot (a + b) - (2 \cdot a) / (d \cdot (\exp(2 \cdot c + 2 \cdot d \cdot x) - 1))$

**sympy [B]** time = 7.56, size = 49, normalized size = 2.72

$$a \left( \begin{cases} \infty x & \text{for } c = \log(-e^{-dx}) \vee c = \log(e^{-dx}) \\ x \coth^2(c) & \text{for } d = 0 \\ x - \frac{1}{d \tanh(c+dx)} & \text{otherwise} \end{cases} \right) + b \left( \begin{cases} x & \text{for } |x| < 1 \\ G_{2,2}^{1,1} \left( \begin{matrix} 1 & 2 \\ 1 & 0 \end{matrix} \middle| x \right) + G_{2,2}^{0,2} \left( \begin{matrix} 2, 1 \\ 1, 0 \end{matrix} \middle| x \right) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**2*(a+b*tanh(d*x+c)**2), x)`

[Out]  $a \cdot \text{Piecewise}(\text{zoo} \cdot x, \text{Eq}(c, \log(\exp(-d \cdot x))) \mid \text{Eq}(c, \log(-\exp(-d \cdot x))))), (x \cdot \cot h(c) \cdot \cot h(c) \cdot \cot h(c), \text{Eq}(d, 0)), (x - 1/(d \cdot \tanh(c + d \cdot x)), \text{True})) + b \cdot \text{Piecewise}((x, \text{Abs}(x) < 1), (\text{meijerg}(((1, ), (2, )), ((1, ), (0, )), x) + \text{meijerg}(((2, 1), ()), ((1, ), (1, 0))), x), \text{True}))$

### 3.141 $\int \coth^3(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=31

$$\frac{(a + b) \log(\sinh(c + dx))}{d} - \frac{a \coth^2(c + dx)}{2d}$$

[Out]  $-1/2*a*\coth(d*x+c)^2/d+(a+b)*\ln(\sinh(d*x+c))/d$

**Rubi [A]** time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3629, 12, 3475}

$$\frac{(a + b) \log(\sinh(c + dx))}{d} - \frac{a \coth^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[c + d*x]^3*(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $-(a*\text{Coth}[c + d*x]^2)/(2*d) + ((a + b)*\text{Log}[\text{Sinh}[c + d*x]])/d$

#### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

#### Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3629

$\text{Int}[(a_.) + (b_.)*\tan[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (C_.)*\tan[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow \text{Simp}[(A*b^2 + a^2*C)*(a + b*\text{Tan}[e + f*x])^{(m + 1)}/(b*f*(m + 1)*(a^2 + b^2)), x] + \text{Dist}[1/(a^2 + b^2), \text{Int}[(a + b*\text{Tan}[e + f*x])^{(m + 1)*\text{Simp}[a*(A - C) - (A*b - b*C)*\text{Tan}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, C\}, x] \&\& \text{NeQ}[A*b^2 + a^2*C, 0] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 + b^2, 0]$

#### Rubi steps

$$\begin{aligned}
\int \coth^3(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth^2(c + dx)}{2d} + \int (a + b) \coth(c + dx) dx \\
&= -\frac{a \coth^2(c + dx)}{2d} + (a + b) \int \coth(c + dx) dx \\
&= -\frac{a \coth^2(c + dx)}{2d} + \frac{(a + b) \log(\sinh(c + dx))}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 39, normalized size = 1.26

$$\frac{2(a + b)(\log(\tanh(c + dx)) + \log(\cosh(c + dx))) - a \coth^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $(-(a*\text{Coth}[c + d*x]^2) + 2*(a + b)*(Log[\text{Cosh}[c + d*x]] + Log[\text{Tanh}[c + d*x]]))/ (2*d)$

**fricas [B]** time = 0.43, size = 407, normalized size = 13.13

$$(a + b)dx \cosh(dx + c)^4 + 4(a + b)dx \cosh(dx + c) \sinh(dx + c)^3 + (a + b)dx \sinh(dx + c)^4 + (a + b)dx - 2(($$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out]  $-\left( (a + b)*d*x*\cosh(d*x + c)^4 + 4*(a + b)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*d*x*\sinh(d*x + c)^4 + (a + b)*d*x - 2*((a + b)*d*x - a)*\cosh(d*x + c)^2 + 2*(3*(a + b)*d*x*\cosh(d*x + c)^2 - (a + b)*d*x + a)*\sinh(d*x + c)^2 - ((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 - 2*(a + b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 - a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 - (a + b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b \right) \log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*((a + b)*d*x*\cosh(d*x + c)^3 - ((a + b)*d*x - a)*\cosh(d*x + c))*\sinh(d*x + c) / (d*\cosh(d*x + c)^4 + 4*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*\sinh(d*x + c)^4 - 2*d*\cosh(d*x + c)^2 + 2*(3*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 4*(d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d)$



**giac** [A] time = 0.20, size = 58, normalized size = 1.87

$$\frac{(dx + c)(a + b) - (a + b) \log(|e^{(2dx+2c)} - 1|) + \frac{2ae^{(2dx+2c)}}{(e^{(2dx+2c)} - 1)^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -((d\*x + c)\*(a + b) - (a + b)\*log(abs(e^(2\*d\*x + 2\*c) - 1)) + 2\*a\*e^(2\*d\*x + 2\*c)/(e^(2\*d\*x + 2\*c) - 1)^2)/d

**maple** [A] time = 0.27, size = 40, normalized size = 1.29

$$\frac{a \ln(\sinh(dx + c))}{d} - \frac{a (\coth^2(dx + c))}{2d} + \frac{b \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x)

[Out] a\*ln(sinh(d\*x+c))/d-1/2\*a\*coth(d\*x+c)^2/d+1/d\*b\*ln(sinh(d\*x+c))

**maxima** [B] time = 0.32, size = 106, normalized size = 3.42

$$a \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)} \right) + \frac{b \log(e^{(dx+c)} - e^{(-dx-c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] a\*(x + c/d + log(e^(-d\*x - c) + 1)/d + log(e^(-d\*x - c) - 1)/d + 2\*e^(-2\*d\*x - 2\*c)/(d\*(2\*e^(-2\*d\*x - 2\*c) - e^(-4\*d\*x - 4\*c) - 1))) + b\*log(e^(d\*x + c) - e^(-d\*x - c))/d

**mupad** [B] time = 1.26, size = 76, normalized size = 2.45

$$\frac{\ln(e^{2c} e^{2dx} - 1) (a + b)}{d} - \frac{2a}{d (e^{2c+2dx} - 1)} - \frac{2a}{d (e^{4c+4dx} - 2e^{2c+2dx} + 1)} - x (a + b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2),x)

```
[Out] (log(exp(2*c)*exp(2*d*x) - 1)*(a + b))/d - (2*a)/(d*(exp(2*c + 2*d*x) - 1))
- (2*a)/(d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x) + 1)) - x*(a + b)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \tanh^2(c + dx)) \coth^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**3*(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*coth(c + d*x)**3, x)
```

### 3.142 $\int \coth^4(c + dx) (a + b \tanh^2(c + dx)) dx$

Optimal. Leaf size=36

$$-\frac{(a+b)\coth(c+dx)}{d} + x(a+b) - \frac{a\coth^3(c+dx)}{3d}$$

[Out] (a+b)\*x-(a+b)\*coth(d\*x+c)/d-1/3\*a\*coth(d\*x+c)^3/d

**Rubi [A]** time = 0.04, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3629, 12, 3473, 8}

$$-\frac{(a+b)\coth(c+dx)}{d} + x(a+b) - \frac{a\coth^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] (a + b)\*x - ((a + b)\*Coth[c + d\*x])/d - (a\*Coth[c + d\*x]^3)/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3473

Int[((b\_.)\*tan[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3629

Int[((a\_.) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[((A\*b^2 + a^2\*C)\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*(A - C) - (A\*b - b\*C)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a^2 + b^2, 0]

Rubi steps

$$\begin{aligned}
\int \coth^4(c+dx) (a+b \tanh^2(c+dx)) dx &= -\frac{a \coth^3(c+dx)}{3d} + \int (a+b) \coth^2(c+dx) dx \\
&= -\frac{a \coth^3(c+dx)}{3d} + (a+b) \int \coth^2(c+dx) dx \\
&= -\frac{(a+b) \coth(c+dx)}{d} - \frac{a \coth^3(c+dx)}{3d} + (a+b) \int 1 dx \\
&= (a+b)x - \frac{(a+b) \coth(c+dx)}{d} - \frac{a \coth^3(c+dx)}{3d}
\end{aligned}$$

**Mathematica** [C] time = 0.04, size = 61, normalized size = 1.69

$$\frac{a \coth^3(c+dx) {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \tanh^2(c+dx)\right)}{3d} - \frac{b \coth(c+dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c+dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/3\*(a\*Coth[c + d\*x]^3\*Hypergeometric2F1[-3/2, 1, -1/2, Tanh[c + d\*x]^2])/d - (b\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d

**fricas** [B] time = 0.43, size = 156, normalized size = 4.33

$$\frac{(4a + 3b) \cosh(dx + c)^3 + 3(4a + 3b) \cosh(dx + c) \sinh(dx + c)^2 - (3(a + b)dx + 4a + 3b) \sinh(dx + c)^3}{3(d \sinh(dx + c))^3 + 3(d \cosh(dx + c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -1/3\*((4\*a + 3\*b)\*cosh(d\*x + c)^3 + 3\*(4\*a + 3\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 - (3\*(a + b)\*d\*x + 4\*a + 3\*b)\*sinh(d\*x + c)^3 - 3\*b\*cosh(d\*x + c) + 3\*(3\*(a + b)\*d\*x - (3\*(a + b)\*d\*x + 4\*a + 3\*b)\*cosh(d\*x + c)^2 + 4\*a + 3\*b)\*sinh(d\*x + c))/(d\*sinh(d\*x + c)^3 + 3\*(d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c))

**giac** [B] time = 0.19, size = 86, normalized size = 2.39

$$\frac{3(dx + c)(a + b) - \frac{2(6ae^{4dx+4c} + 3be^{4dx+4c} - 6ae^{2dx+2c} - 6be^{2dx+2c} + 4a + 3b)}{(e^{2dx+2c} - 1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{3}*(3*(d*x + c)*(a + b) - 2*(6*a*e^{(4*d*x + 4*c)} + 3*b*e^{(4*d*x + 4*c)} - 6*a*e^{(2*d*x + 2*c)} - 6*b*e^{(2*d*x + 2*c)} + 4*a + 3*b)/(e^{(2*d*x + 2*c)} - 1)^3)/d$

**maple [A]** time = 0.24, size = 46, normalized size = 1.28

$$\frac{a \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + b(dx + c - \coth(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x)

[Out]  $1/d*(a*(d*x+c-\coth(d*x+c)-1/3*\coth(d*x+c)^3)+b*(d*x+c-\coth(d*x+c)))$

**maxima [B]** time = 0.33, size = 105, normalized size = 2.92

$$\frac{1}{3} a \left( 3x + \frac{3c}{d} - \frac{4 \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2 \right)}{d \left( 3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1 \right)} \right) + b \left( x + \frac{c}{d} + \frac{2}{d \left( e^{(-2dx-2c)} - 1 \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $1/3*a*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1)))$

**mupad [B]** time = 1.17, size = 162, normalized size = 4.50

$$\frac{\frac{2b}{3d} - \frac{2e^{2c+2dx}(2a+b)}{3d}}{e^{4c+4dx} - 2e^{2c+2dx} + 1} - \frac{\frac{2(2a+b)}{3d} - \frac{4be^{2c+2dx}}{3d} + \frac{2e^{4c+4dx}(2a+b)}{3d}}{3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1} + x(a+b) - \frac{2(2a+b)}{3d(e^{2c+2dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2),x)

[Out]  $((2*b)/(3*d) - (2*\exp(2*c + 2*d*x)*(2*a + b))/(3*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) - ((2*(2*a + b))/(3*d) - (4*b*\exp(2*c + 2*d*x))/(3*d) + (2*\exp(4*c + 4*d*x)*(2*a + b))/(3*d))/(3*\exp(2*c + 2*d*x) - 3*\exp(4*c +$

```
4*d*x) + exp(6*c + 6*d*x) - 1) + x*(a + b) - (2*(2*a + b))/(3*d*(exp(2*c +
2*d*x) - 1))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \tanh^2(c + dx)) \coth^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**4*(a+b*tanh(d*x+c)**2), x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)*coth(c + d*x)**4, x)
```

### 3.143 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx)) dx$

**Optimal.** Leaf size=49

$$-\frac{(a+b)\coth^2(c+dx)}{2d} + \frac{(a+b)\log(\sinh(c+dx))}{d} - \frac{a\coth^4(c+dx)}{4d}$$

[Out]  $-1/2*(a+b)*\coth(d*x+c)^2/d-1/4*a*\coth(d*x+c)^4/d+(a+b)*\ln(\sinh(d*x+c))/d$

**Rubi [A]** time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3629, 12, 3473, 3475}

$$-\frac{(a+b)\coth^2(c+dx)}{2d} + \frac{(a+b)\log(\sinh(c+dx))}{d} - \frac{a\coth^4(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-((a + b)*\text{Coth}[c + d*x]^2)/(2*d) - (a*\text{Coth}[c + d*x]^4)/(4*d) + ((a + b)*\text{Log}[\text{Sinh}[c + d*x]])/d$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3473

Int[((b\_)\*tan[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(b\*Tan[c + d\*x])^(n - 1))/(d\*(n - 1)), x] - Dist[b^2, Int[(b\*Tan[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1]

#### Rule 3475

Int[tan[(c\_.) + (d\_)\*(x\_)], x\_Symbol] := -Simp[Log[RemoveContent[Cos[c + d\*x], x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3629

Int[((a\_.) + (b\_)\*tan[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((A\_.) + (C\_)\*tan[(e\_.) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[((A\*b^2 + a^2\*C)\*(a + b\*Tan[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 + b^2)), x] + Dist[1/(a^2 + b^2), Int[(a + b\*Tan[e + f\*x])^(m + 1)\*Simp[a\*(A - C) - (A\*b - b\*C)\*Tan[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[A\*b^2 + a^2\*C, 0] && LtQ[m, -1] && NeQ[a

$\sqrt{2 + b^2}, 0]$

### Rubi steps

$$\begin{aligned}
 \int \coth^5(c + dx) (a + b \tanh^2(c + dx)) dx &= -\frac{a \coth^4(c + dx)}{4d} + \int (a + b) \coth^3(c + dx) dx \\
 &= -\frac{a \coth^4(c + dx)}{4d} + (a + b) \int \coth^3(c + dx) dx \\
 &= -\frac{(a + b) \coth^2(c + dx)}{2d} - \frac{a \coth^4(c + dx)}{4d} + (a + b) \int \coth(c + dx) dx \\
 &= -\frac{(a + b) \coth^2(c + dx)}{2d} - \frac{a \coth^4(c + dx)}{4d} + \frac{(a + b) \log(\sinh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.34, size = 51, normalized size = 1.04

$$\frac{2(a + b) \coth^2(c + dx) - 4(a + b)(\log(\tanh(c + dx)) + \log(\cosh(c + dx))) + a \coth^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/4\*(2\*(a + b)\*Coth[c + d\*x]^2 + a\*Coth[c + d\*x]^4 - 4\*(a + b)\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/d

**fricas [B]** time = 0.43, size = 1216, normalized size = 24.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -((a + b)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a + b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a + b)\*d\*x\*sinh(d\*x + c)^8 - 2\*(2\*(a + b)\*d\*x - 2\*a - b)\*cosh(d\*x + c)^6 + 2\*(14\*(a + b)\*d\*x\*cosh(d\*x + c)^2 - 2\*(a + b)\*d\*x + 2\*a + b)\*sinh(d\*x + c)^6 + 4\*(14\*(a + b)\*d\*x\*cosh(d\*x + c)^3 - 3\*(2\*(a + b)\*d\*x - 2\*a - b)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + 2\*(3\*(a + b)\*d\*x - 2\*a - 2\*b)\*cosh(d\*x + c)^4 + 2\*(35\*(a + b)\*d\*x\*cosh(d\*x + c)^4 + 3\*(a + b)\*d\*x - 15\*(2\*(a + b)\*d\*x - 2\*a - b)\*cosh(d\*x + c)^2 - 2\*a - 2\*b)\*sinh(d\*x + c)^4 + 8\*(7\*(a + b)\*d\*x\*cosh(d\*x + c)^5 - 5\*(2\*(a + b)\*d\*x - 2\*a - b)\*cosh(d\*x + c)^3 + (3\*(a + b)\*d\*x - 2\*a - 2\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + (a + b)\*d\*x - 2\*(2\*(a + b)\*



$$\begin{aligned}
& d*x - 2*a - b) * \cosh(d*x + c)^2 + 2*(14*(a + b)*d*x * \cosh(d*x + c)^6 - 15*(2* \\
& (a + b)*d*x - 2*a - b) * \cosh(d*x + c)^4 - 2*(a + b)*d*x + 6*(3*(a + b)*d*x - \\
& 2*a - 2*b) * \cosh(d*x + c)^2 + 2*a + b) * \sinh(d*x + c)^2 - ((a + b) * \cosh(d*x \\
& + c)^8 + 8*(a + b) * \cosh(d*x + c) * \sinh(d*x + c)^7 + (a + b) * \sinh(d*x + c)^8 \\
& - 4*(a + b) * \cosh(d*x + c)^6 + 4*(7*(a + b) * \cosh(d*x + c)^2 - a - b) * \sinh(d* \\
& x + c)^6 + 8*(7*(a + b) * \cosh(d*x + c)^3 - 3*(a + b) * \cosh(d*x + c)) * \sinh(d*x \\
& + c)^5 + 6*(a + b) * \cosh(d*x + c)^4 + 2*(35*(a + b) * \cosh(d*x + c)^4 - 30*(a \\
& + b) * \cosh(d*x + c)^2 + 3*a + 3*b) * \sinh(d*x + c)^4 + 8*(7*(a + b) * \cosh(d*x \\
& + c)^5 - 10*(a + b) * \cosh(d*x + c)^3 + 3*(a + b) * \cosh(d*x + c)) * \sinh(d*x + c \\
& )^3 - 4*(a + b) * \cosh(d*x + c)^2 + 4*(7*(a + b) * \cosh(d*x + c)^6 - 15*(a + b) \\
& * \cosh(d*x + c)^4 + 9*(a + b) * \cosh(d*x + c)^2 - a - b) * \sinh(d*x + c)^2 + 8*( \\
& (a + b) * \cosh(d*x + c)^7 - 3*(a + b) * \cosh(d*x + c)^5 + 3*(a + b) * \cosh(d*x + \\
& c)^3 - (a + b) * \cosh(d*x + c)) * \sinh(d*x + c) + a + b) * \log(2 * \sinh(d*x + c) / (c \\
& \cosh(d*x + c) - \sinh(d*x + c))) + 4*(2*(a + b) * d*x * \cosh(d*x + c)^7 - 3*(2*(a \\
& + b) * d*x - 2*a - b) * \cosh(d*x + c)^5 + 2*(3*(a + b) * d*x - 2*a - 2*b) * \cosh(d \\
& *x + c)^3 - (2*(a + b) * d*x - 2*a - b) * \cosh(d*x + c)) * \sinh(d*x + c)) / (d * \cosh \\
& (d*x + c)^8 + 8*d * \cosh(d*x + c) * \sinh(d*x + c)^7 + d * \sinh(d*x + c)^8 - 4*d * c \\
& \cosh(d*x + c)^6 + 4*(7*d * \cosh(d*x + c)^2 - d) * \sinh(d*x + c)^6 + 8*(7*d * \cosh( \\
& d*x + c)^3 - 3*d * \cosh(d*x + c)) * \sinh(d*x + c)^5 + 6*d * \cosh(d*x + c)^4 + 2*( \\
& 35*d * \cosh(d*x + c)^4 - 30*d * \cosh(d*x + c)^2 + 3*d) * \sinh(d*x + c)^4 + 8*(7*d \\
& * \cosh(d*x + c)^5 - 10*d * \cosh(d*x + c)^3 + 3*d * \cosh(d*x + c)) * \sinh(d*x + c)^ \\
& 3 - 4*d * \cosh(d*x + c)^2 + 4*(7*d * \cosh(d*x + c)^6 - 15*d * \cosh(d*x + c)^4 + 9 \\
& * d * \cosh(d*x + c)^2 - d) * \sinh(d*x + c)^2 + 8*(d * \cosh(d*x + c)^7 - 3*d * \cosh(d \\
& *x + c)^5 + 3*d * \cosh(d*x + c)^3 - d * \cosh(d*x + c)) * \sinh(d*x + c) + d)
\end{aligned}$$

**giac [B]** time = 0.24, size = 93, normalized size = 1.90

$$\frac{(dx + c)(a + b) - (a + b) \log \left( \left| e^{(2dx+2c)} - 1 \right| \right) + \frac{2 \left( (2a+b)e^{(6dx+6c)} - 2(a+b)e^{(4dx+4c)} + (2a+b)e^{(2dx+2c)} \right)}{(e^{(2dx+2c)} - 1)^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -((d\*x + c)\*(a + b) - (a + b)\*log(abs(e^(2\*d\*x + 2\*c) - 1)) + 2\*((2\*a + b)\*e^(6\*d\*x + 6\*c) - 2\*(a + b)\*e^(4\*d\*x + 4\*c) + (2\*a + b)\*e^(2\*d\*x + 2\*c)))/(e^(2\*d\*x + 2\*c) - 1)^4/d

**maple [A]** time = 0.25, size = 68, normalized size = 1.39

$$\frac{a \ln(\sinh(dx + c))}{d} - \frac{a \left( \coth^2(dx + c) \right)}{2d} - \frac{a \left( \coth^4(dx + c) \right)}{4d} + \frac{b \ln(\sinh(dx + c))}{d} - \frac{b \left( \coth^2(dx + c) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2),x)`

[Out] `a*ln(sinh(d*x+c))/d-1/2*a*coth(d*x+c)^2/d-1/4*a*coth(d*x+c)^4/d+1/d*b*ln(sinh(d*x+c))-1/2/d*b*coth(d*x+c)^2`

**maxima** [B] time = 0.34, size = 206, normalized size = 4.20

$$a \left( x + \frac{c}{d} + \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{4(e^{(-2dx-2c)} - e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} - 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1)} \right) + b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^5*(a+b*tanh(d*x+c)^2),x, algorithm="maxima")`

[Out] `a*(x + c/d + log(e^(-d*x - c) + 1)/d + log(e^(-d*x - c) - 1)/d + 4*(e^(-2*d*x - 2*c) - e^(-4*d*x - 4*c) + e^(-6*d*x - 6*c))/(d*(4*e^(-2*d*x - 2*c) - 6*e^(-4*d*x - 4*c) + 4*e^(-6*d*x - 6*c) - e^(-8*d*x - 8*c) - 1))) + b*(x + c/d + log(e^(-d*x - c) + 1)/d + log(e^(-d*x - c) - 1)/d + 2*e^(-2*d*x - 2*c)/(d*(2*e^(-2*d*x - 2*c) - e^(-4*d*x - 4*c) - 1)))`

**mupad** [B] time = 1.25, size = 177, normalized size = 3.61

$$\frac{\ln(e^{2c} e^{2dx} - 1) (a + b)}{d} - \frac{2(2a + b)}{d(e^{2c+2dx} - 1)} - x(a + b) - \frac{2(4a + b)}{d(e^{4c+4dx} - 2e^{2c+2dx} + 1)} - \frac{8a}{d(3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^5*(a + b*tanh(c + d*x)^2),x)`

[Out] `(log(exp(2*c)*exp(2*d*x) - 1)*(a + b))/d - (2*(2*a + b))/(d*(exp(2*c + 2*d*x) - 1)) - x*(a + b) - (2*(4*a + b))/(d*(exp(4*c + 4*d*x) - 2*exp(2*c + 2*d*x) + 1)) - (8*a)/(d*(3*exp(2*c + 2*d*x) - 3*exp(4*c + 4*d*x) + exp(6*c + 6*d*x) - 1)) - (4*a)/(d*(6*exp(4*c + 4*d*x) - 4*exp(2*c + 2*d*x) - 4*exp(6*c + 6*d*x) + exp(8*c + 8*d*x) + 1))`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx)) \coth^5(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**5*(a+b*tanh(d*x+c)**2),x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)*coth(c + d*x)**5, x)`

### 3.144 $\int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=83

$$\frac{b(2a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^2 \tanh^3(c + dx)}{3d} - \frac{(a + b)^2 \tanh(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh^7(c + dx)}{7d}$$

[Out] (a+b)^2\*x-(a+b)^2\*tanh(d\*x+c)/d-1/3\*(a+b)^2\*tanh(d\*x+c)^3/d-1/5\*b\*(2\*a+b)\*tanh(d\*x+c)^5/d-1/7\*b^2\*tanh(d\*x+c)^7/d

**Rubi [A]** time = 0.08, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 206}

$$\frac{b(2a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^2 \tanh^3(c + dx)}{3d} - \frac{(a + b)^2 \tanh(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - ((a + b)^2\*Tanh[c + d\*x])/d - ((a + b)^2\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(2\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 461

Int[((e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_))\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \tanh^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^4(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(- (a + b)^2 - (a + b)^2 x^2 - b(2a + b)x^4 - b^2 x^6 + \frac{a^2 + 2ab + b^2}{1-x^2}\right) dx\right)}{d} \\
&= -\frac{(a + b)^2 \tanh(c + dx)}{d} - \frac{(a + b)^2 \tanh^3(c + dx)}{3d} - \frac{b(2a + b) \tanh^5(c + dx)}{5d} \\
&= (a + b)^2 x - \frac{(a + b)^2 \tanh(c + dx)}{d} - \frac{(a + b)^2 \tanh^3(c + dx)}{3d} - \frac{b(2a + b) \tanh^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [B]** time = 0.08, size = 190, normalized size = 2.29

$$\frac{a^2 \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a^2 \tanh^3(c + dx)}{3d} - \frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^{-1}(\tanh(c + dx))}{d} - \frac{2ab \tanh^5(c + dx)}{5d} - \frac{2ab \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*ArcTanh[Tanh[c + d\*x]])/d + (2\*a\*b\*ArcTanh[Tanh[c + d\*x]])/d + (b^2\*ArcTanh[Tanh[c + d\*x]])/d - (a^2\*Tanh[c + d\*x])/d - (2\*a\*b\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d - (a^2\*Tanh[c + d\*x]^3)/(3\*d) - (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (2\*a\*b\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*Tanh[c + d\*x]^7)/(7\*d)

**fricas [B]** time = 0.42, size = 796, normalized size = 9.59

$$\frac{(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \cosh(dx + c)^7 + 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \sinh(dx + c)^6 - 2(70a^2 + 161ab + 88b^2) \sinh(dx + c)^7 + 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \cosh(dx + c)^5 - 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \sinh(dx + c)^5 + 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \cosh(dx + c)^3 - 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \sinh(dx + c)^3 + 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \cosh(dx + c) - 7(105(a^2 + 2ab + b^2)dx + 140a^2 + 322ab + 176b^2) \sinh(dx + c)}{105}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/105\*((105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*cosh(d\*x + c)^7 + 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^6 - 2\*(70\*a^2 + 161\*a\*b + 88\*b^2)\*sinh(d\*x + c)^7 + 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*cosh(d\*x + c)^5 - 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*sinh(d\*x + c)^5 + 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*cosh(d\*x + c)^3 - 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*sinh(d\*x + c)^3 + 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*cosh(d\*x + c) - 7\*(105\*(a^2 + 2\*a\*b + b^2)\*d\*x + 140\*a^2 + 322\*a\*b + 176\*b^2)\*sinh(d\*x + c)

$c)^5 - 14*(3*(70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^2 + 40*a^2 + 71*a*b + 28*b^2)*\sinh(d*x + c)^5 + 35*((105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 + (105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 21*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 - 14*(5*(70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^4 + 10*(40*a^2 + 71*a*b + 28*b^2)*\cosh(d*x + c)^2 + 60*a^2 + 123*a*b + 84*b^2)*\sinh(d*x + c)^3 + 7*(3*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^5 + 10*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c)^3 + 9*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 35*(105*(a^2 + 2*a*b + b^2)*d*x + 140*a^2 + 322*a*b + 176*b^2)*\cosh(d*x + c) - 14*((70*a^2 + 161*a*b + 88*b^2)*\cosh(d*x + c)^6 + 5*(40*a^2 + 71*a*b + 28*b^2)*\cosh(d*x + c)^4 + 9*(20*a^2 + 41*a*b + 28*b^2)*\cosh(d*x + c)^2 + 30*a^2 + 75*a*b)*\sinh(d*x + c))/(d*\cosh(d*x + c)^7 + 7*d*\cosh(d*x + c)*\sinh(d*x + c)^6 + 7*d*\cosh(d*x + c)^5 + 35*(d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^4 + 21*d*\cosh(d*x + c)^3 + 7*(3*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x + c)^3 + 9*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 35*d*\cosh(d*x + c))$

**giac [B]** time = 0.32, size = 300, normalized size = 3.61

$$105(a^2 + 2ab + b^2)(dx + c) + \frac{4(105a^2e^{(12dx+12c)} + 315abe^{(12dx+12c)} + 210b^2e^{(12dx+12c)} + 525a^2e^{(10dx+10c)} + 1260abe^{(10dx+10c)} + 630b^2e^{(10dx+10c)})}{(e^{(2dx+2c)} + 1)^7} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/105\*(105\*(a^2 + 2\*a\*b + b^2)\*(d\*x + c) + 4\*(105\*a^2\*e^(12\*d\*x + 12\*c) + 315\*a\*b\*e^(12\*d\*x + 12\*c) + 210\*b^2\*e^(12\*d\*x + 12\*c) + 525\*a^2\*e^(10\*d\*x + 10\*c) + 1260\*a\*b\*e^(10\*d\*x + 10\*c) + 630\*b^2\*e^(10\*d\*x + 10\*c) + 1120\*a^2\*e^(8\*d\*x + 8\*c) + 2555\*a\*b\*e^(8\*d\*x + 8\*c) + 1540\*b^2\*e^(8\*d\*x + 8\*c) + 1330\*a^2\*e^(6\*d\*x + 6\*c) + 3080\*a\*b\*e^(6\*d\*x + 6\*c) + 1540\*b^2\*e^(6\*d\*x + 6\*c) + 945\*a^2\*e^(4\*d\*x + 4\*c) + 2121\*a\*b\*e^(4\*d\*x + 4\*c) + 1218\*b^2\*e^(4\*d\*x + 4\*c) + 385\*a^2\*e^(2\*d\*x + 2\*c) + 812\*a\*b\*e^(2\*d\*x + 2\*c) + 406\*b^2\*e^(2\*d\*x + 2\*c) + 70\*a^2 + 161\*a\*b + 88\*b^2)/(e^(2\*d\*x + 2\*c) + 1)^7)/d

**maple [B]** time = 0.02, size = 236, normalized size = 2.84

$$\frac{a^2 \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1) a^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d} - \frac{\ln(\tanh(dx + c) - 1) b^2}{2d} - \frac{b^2 (\tanh^3(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $-a^2 \tanh(dx+c)/d - 1/2/d * \ln(\tanh(dx+c)-1) * a^2 - 1/d * \ln(\tanh(dx+c)-1) * a * b - 1/2/d * \ln(\tanh(dx+c)-1) * b^2 - 1/3 * b^2 * \tanh(dx+c)^3/d - 1/3/d * a^2 * \tanh(dx+c)^3 - 1/5 * b^2 * \tanh(dx+c)^5/d - 1/7 * b^2 * \tanh(dx+c)^7/d + 1/2/d * \ln(1+\tanh(dx+c)) * a^2 + 1/d * \ln(1+\tanh(dx+c)) * a * b + 1/2/d * \ln(1+\tanh(dx+c)) * b^2 - 2/3 * a * b * \tanh(dx+c)^3/d - 2/5/d * \tanh(dx+c)^5 * a * b - 2 * a * b * \tanh(dx+c)/d - b^2 * \tanh(dx+c)/d$

**maxima** [B] time = 0.34, size = 369, normalized size = 4.45

$$\frac{1}{105} b^2 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44)}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^4\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{105} b^2 (105x + 105c/d - 8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44) / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1))) + \frac{2}{15} a * b (15x + 15c/d - 2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23) / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + \frac{1}{3} a^2 (3x + 3c/d - 4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2) / (d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)))$

**mupad** [B] time = 0.18, size = 91, normalized size = 1.10

$$x(a^2 + 2ab + b^2) - \frac{\tanh(c+dx)(a+b)^2}{d} - \frac{\tanh(c+dx)^5(b^2 + 2ab)}{5d} - \frac{b^2 \tanh(c+dx)^7}{7d} - \frac{\tanh(c+dx)^3(a^2 + 2ab + b^2)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + dx)^4\*(a + b\*tanh(c + dx)^2)^2,x)

[Out]  $x(2ab + a^2 + b^2) - (\tanh(c+dx)(a+b)^2)/d - (\tanh(c+dx)^5(2ab + b^2))/(5d) - (b^2 \tanh(c+dx)^7)/(7d) - (\tanh(c+dx)^3(2ab + a^2 + b^2))/(3d)$

**sympy** [A] time = 1.11, size = 165, normalized size = 1.99

$$\left\{ \begin{array}{l} a^2 x - \frac{a^2 \tanh^3(c+dx)}{3d} - \frac{a^2 \tanh(c+dx)}{d} + 2abx - \frac{2ab \tanh^5(c+dx)}{5d} - \frac{2ab \tanh^3(c+dx)}{3d} - \frac{2ab \tanh(c+dx)}{d} + b^2 x - \frac{b^2 \tanh^7(c+dx)}{7d} - \frac{b^2 \tanh^3(c+dx)}{3d} \\ x(a + b \tanh^2(c))^2 \tanh^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**4*(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Piecewise((a**2*x - a**2*tanh(c + d*x)**3/(3*d) - a**2*tanh(c + d*x)/d + 2*  
a*b*x - 2*a*b*tanh(c + d*x)**5/(5*d) - 2*a*b*tanh(c + d*x)**3/(3*d) - 2*a*b  
*tanh(c + d*x)/d + b**2*x - b**2*tanh(c + d*x)**7/(7*d) - b**2*tanh(c + d*x  
)**5/(5*d) - b**2*tanh(c + d*x)**3/(3*d) - b**2*tanh(c + d*x)/d, Ne(d, 0)),  
(x*(a + b*tanh(c)**2)**2*tanh(c)**4, True))
```

### 3.145 $\int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=76

$$\frac{b(2a + b) \tanh^4(c + dx)}{4d} - \frac{(a + b)^2 \tanh^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^6(c + dx)}{6d}$$

[Out] (a+b)^2\*ln(cosh(d\*x+c))/d-1/2\*(a+b)^2\*tanh(d\*x+c)^2/d-1/4\*b\*(2\*a+b)\*tanh(d\*x+c)^4/d-1/6\*b^2\*tanh(d\*x+c)^6/d

**Rubi [A]** time = 0.11, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 77}

$$\frac{b(2a + b) \tanh^4(c + dx)}{4d} - \frac{(a + b)^2 \tanh^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^6(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + b)^2\*Log[Cosh[c + d\*x]])/d - ((a + b)^2\*Tanh[c + d\*x]^2)/(2\*d) - (b\*(2\*a + b)\*Tanh[c + d\*x]^4)/(4\*d) - (b^2\*Tanh[c + d\*x]^6)/(6\*d)

#### Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

#### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
```



$f^2 x^2), x], x, (c \cdot \tan[e + f \cdot x])/ff], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \mid \mid \text{EqQ}[n, 2] \mid \mid \text{EqQ}[n, 4] \mid \mid (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned} \int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^3(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x(a+bx)^2}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^2 - \frac{(a+b)^2}{-1+x} - b(2a+b)x - b^2x^2\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^2 \log(\cosh(c + dx))}{d} - \frac{(a+b)^2 \tanh^2(c + dx)}{2d} - \frac{b(2a+b) \tanh^4(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.43, size = 66, normalized size = 0.87

$$\frac{3b(2a + b) \tanh^4(c + dx) + 6(a + b)^2 \tanh^2(c + dx) - 12(a + b)^2 \log(\cosh(c + dx)) + 2b^2 \tanh^6(c + dx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/12\*(-12\*(a + b)^2\*Log[Cosh[c + d\*x]] + 6\*(a + b)^2\*Tanh[c + d\*x]^2 + 3\*b\*(2\*a + b)\*Tanh[c + d\*x]^4 + 2\*b^2\*Tanh[c + d\*x]^6)/d

**fricas [B]** time = 0.48, size = 3441, normalized size = 45.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/3\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^12 + 36\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + 3\*(a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^12 + 6\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x - a^2 - 4\*a\*b - 3\*b^2)\*cosh(d\*x + c)^10 + 6\*(33\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 + 3\*(a^2 + 2\*a\*b + b^2)\*d\*x - a^2 - 4\*a\*b - 3\*b^2)\*sinh(d\*x + c)^10 + 60\*(11\*(a^2 + 2\*a\*b + b^2)\*d\*x\*c

$$\begin{aligned}
& \text{osh}(d*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*\text{cosh}(d*x \\
& + c))*\sinh(d*x + c)^9 + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 1 \\
& 2*b^2)*\text{cosh}(d*x + c)^8 + 3*(495*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^4 + 1 \\
& 5*(a^2 + 2*a*b + b^2)*d*x + 90*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3 \\
& *b^2)*\text{cosh}(d*x + c)^2 - 8*a^2 - 24*a*b - 12*b^2)*\sinh(d*x + c)^8 + 24*(99*( \\
& a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^5 + 30*(3*(a^2 + 2*a*b + b^2)*d*x - a^ \\
& 2 - 4*a*b - 3*b^2)*\text{cosh}(d*x + c)^3 + (15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - \\
& 24*a*b - 12*b^2)*\text{cosh}(d*x + c))*\sinh(d*x + c)^7 + 4*(15*(a^2 + 2*a*b + b^2) \\
& *d*x - 9*a^2 - 24*a*b - 17*b^2)*\text{cosh}(d*x + c)^6 + 4*(693*(a^2 + 2*a*b + b^2) \\
& )*d*x*\text{cosh}(d*x + c)^6 + 315*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^ \\
& 2)*\text{cosh}(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*d*x + 21*(15*(a^2 + 2*a*b + b^2) \\
& )*d*x - 8*a^2 - 24*a*b - 12*b^2)*\text{cosh}(d*x + c)^2 - 9*a^2 - 24*a*b - 17*b^2) \\
& *\sinh(d*x + c)^6 + 24*(99*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^7 + 63*(3*( \\
& a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*\text{cosh}(d*x + c)^5 + 7*(15*(a^2 \\
& + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2)*\text{cosh}(d*x + c)^3 + (15*(a^2 + \\
& 2*a*b + b^2)*d*x - 9*a^2 - 24*a*b - 17*b^2)*\text{cosh}(d*x + c))*\sinh(d*x + c)^5 \\
& + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2)*\text{cosh}(d*x + c)^4 \\
& + 3*(495*(a^2 + 2*a*b + b^2)*d*x*\text{cosh}(d*x + c)^8 + 420*(3*(a^2 + 2*a*b + b^ \\
& 2)*d*x - a^2 - 4*a*b - 3*b^2)*\text{cosh}(d*x + c)^6 + 70*(15*(a^2 + 2*a*b + b^2)* \\
& d*x - 8*a^2 - 24*a*b - 12*b^2)*\text{cosh}(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*d*x \\
& + 20*(15*(a^2 + 2*a*b + b^2)*d*x - 9*a^2 - 24*a*b - 17*b^2)*\text{cosh}(d*x + c)^ \\
& 2 - 8*a^2 - 24*a*b - 12*b^2)*\sinh(d*x + c)^4 + 4*(165*(a^2 + 2*a*b + b^2)*d \\
& *x*\text{cosh}(d*x + c)^9 + 180*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)* \\
& \text{cosh}(d*x + c)^7 + 42*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2) \\
& *\text{cosh}(d*x + c)^5 + 20*(15*(a^2 + 2*a*b + b^2)*d*x - 9*a^2 - 24*a*b - 17*b^2) \\
& )*\text{cosh}(d*x + c)^3 + 3*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2) \\
& )*\text{cosh}(d*x + c))*\sinh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*d*x + 6*(3*(a^2 + \\
& 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*\text{cosh}(d*x + c)^2 + 6*(33*(a^2 + 2*a* \\
& b + b^2)*d*x*\text{cosh}(d*x + c)^10 + 45*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b \\
& - 3*b^2)*\text{cosh}(d*x + c)^8 + 14*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b \\
& - 12*b^2)*\text{cosh}(d*x + c)^6 + 10*(15*(a^2 + 2*a*b + b^2)*d*x - 9*a^2 - 24*a* \\
& b - 17*b^2)*\text{cosh}(d*x + c)^4 + 3*(a^2 + 2*a*b + b^2)*d*x + 3*(15*(a^2 + 2*a* \\
& b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2)*\text{cosh}(d*x + c)^2 - a^2 - 4*a*b - 3*b \\
& ^2)*\sinh(d*x + c)^2 - 3*((a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^12 + 12*(a^2 + 2 \\
& *a*b + b^2)*\text{cosh}(d*x + c))*\sinh(d*x + c)^11 + (a^2 + 2*a*b + b^2)*\sinh(d*x + \\
& c)^12 + 6*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^10 + 6*(11*(a^2 + 2*a*b + b^2) \\
& *\text{cosh}(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^10 + 20*(11*(a^2 + 2*a* \\
& b + b^2)*\text{cosh}(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c))*\sinh(d*x + \\
& c)^9 + 15*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^8 + 15*(33*(a^2 + 2*a*b + b^2)* \\
& \text{cosh}(d*x + c)^4 + 18*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^2 + a^2 + 2*a*b + b^ \\
& 2)*\sinh(d*x + c)^8 + 24*(33*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^5 + 30*(a^2 + \\
& 2*a*b + b^2)*\text{cosh}(d*x + c)^3 + 5*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c))*\sinh(d \\
& *x + c)^7 + 20*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^6 + 4*(231*(a^2 + 2*a*b + \\
& b^2)*\text{cosh}(d*x + c)^6 + 315*(a^2 + 2*a*b + b^2)*\text{cosh}(d*x + c)^4 + 105*(a^2 + \\
& 2*a*b + b^2)*\text{cosh}(d*x + c)^2 + 5*a^2 + 10*a*b + 5*b^2)*\sinh(d*x + c)^6 + 2
\end{aligned}$$

$4*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 63*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 84*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 20*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 36*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 42*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 6*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 + 45*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 50*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 12*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^11 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^11 + 5*(3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*\cosh(d*x + c)^9 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2)*\cosh(d*x + c)^7 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 9*a^2 - 24*a*b - 17*b^2)*\cosh(d*x + c)^5 + (15*(a^2 + 2*a*b + b^2)*d*x - 8*a^2 - 24*a*b - 12*b^2)*\cosh(d*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - a^2 - 4*a*b - 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 + 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 + 18*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 + 30*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 20*d*\cosh(d*x + c)^6 + 4*(231*d*\cosh(d*x + c)^6 + 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 + 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 + 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 + 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 + 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 + 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 + 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^10 + 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 + 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 + 5*d*\cosh(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 + 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)$

**giac [B]** time = 0.29, size = 191, normalized size = 2.51

$$3(a^2 + 2ab + b^2)(dx + c) - 3(a^2 + 2ab + b^2)\log(e^{(2dx+2c)} + 1) - \frac{2(3(a^2+4ab+3b^2)e^{(10dx+10c)}+6(2a^2+6ab+3b^2)e^{(8dx+10c)}+3a^2+6ab+3b^2)e^{(6dx+6c)}+3a^2+6ab+3b^2)e^{(4dx+4c)}+3a^2+6ab+3b^2)e^{(2dx+2c)}+1)}{(d^2\cosh^2(dx+c)+d)\sinh(dx+c)^{12}+12d\cosh(dx+c)\sinh(dx+c)^{11}+d\sinh^2(dx+c)^{12}+6d\cosh(dx+c)\sinh(dx+c)^{10}+6(11d\cosh(dx+c)^2+d)\sinh(dx+c)^{10}+20(11d\cosh(dx+c)^3+3d\cosh(dx+c))\sinh(dx+c)^9+15d\cosh(dx+c)^8+15(33d\cosh(dx+c)^4+18d\cosh(dx+c)^2+d)\sinh(dx+c)^8+24(33d\cosh(dx+c)^5+30d\cosh(dx+c)^3+5d\cosh(dx+c))\sinh(dx+c)^7+20d\cosh(dx+c)^6+4(231d\cosh(dx+c)^6+315d\cosh(dx+c)^4+105d\cosh(dx+c)^2+5d)\sinh(dx+c)^6+24(33d\cosh(dx+c)^7+63d\cosh(dx+c)^5+35d\cosh(dx+c)^3+5d\cosh(dx+c))\sinh(dx+c)^5+15d\cosh(dx+c)^4+15(33d\cosh(dx+c)^8+84d\cosh(dx+c)^6+70d\cosh(dx+c)^4+20d\cosh(dx+c)^2+d)\sinh(dx+c)^4+20(11d\cosh(dx+c)^9+36d\cosh(dx+c)^7+42d\cosh(dx+c)^5+20d\cosh(dx+c)^3+3d\cosh(dx+c))\sinh(dx+c)^3+6d\cosh(dx+c)^2+6(11d\cosh(dx+c)^10+45d\cosh(dx+c)^8+70d\cosh(dx+c)^6+50d\cosh(dx+c)^4+15d\cosh(dx+c)^2+d)\sinh(dx+c)^2+12(d\cosh(dx+c)^11+5d\cosh(dx+c)^9+10d\cosh(dx+c)^7+10d\cosh(dx+c)^5+5d\cosh(dx+c)^3+d\cosh(dx+c))\sinh(dx+c)+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/3*(3*(a^2 + 2*a*b + b^2)*(d*x + c) - 3*(a^2 + 2*a*b + b^2)*\log(e^{(2*d*x + 2*c)} + 1) - 2*(3*(a^2 + 4*a*b + 3*b^2)*e^{(10*d*x + 10*c)} + 6*(2*a^2 + 6*a*b + 3*b^2)*e^{(8*d*x + 8*c)} + 2*(9*a^2 + 24*a*b + 17*b^2)*e^{(6*d*x + 6*c)} + 6*(2*a^2 + 6*a*b + 3*b^2)*e^{(4*d*x + 4*c)} + 3*(a^2 + 4*a*b + 3*b^2)*e^{(2*d*x + 2*c)})/(e^{(2*d*x + 2*c)} + 1)^6)/d$$

**maple [B]** time = 0.02, size = 196, normalized size = 2.58

$$\frac{\ln(\tanh(dx+c)-1)a^2}{2d} - \frac{\ln(\tanh(dx+c)-1)ab}{d} - \frac{\ln(\tanh(dx+c)-1)b^2}{2d} - \frac{\ln(1+\tanh(dx+c))a^2}{2d} - \frac{\ln(1+\tanh(dx+c))ab}{d} - \frac{\ln(1+\tanh(dx+c))b^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$-1/2/d*\ln(\tanh(d*x+c)-1)*a^2-1/d*\ln(\tanh(d*x+c)-1)*a*b-1/2/d*\ln(\tanh(d*x+c)-1)*b^2-1/2/d*\ln(1+\tanh(d*x+c))*a^2-1/d*\ln(1+\tanh(d*x+c))*a*b-1/2/d*\ln(1+\tanh(d*x+c))*b^2-1/2*b^2*\tanh(d*x+c)^2/d-1/2/d*a^2*\tanh(d*x+c)^2-1/4/d*\tanh(d*x+c)^4*b^2-1/6*b^2*\tanh(d*x+c)^6/d-1/2/d*\tanh(d*x+c)^4*a*b-a*b*\tanh(d*x+c)^2/d$$

**maxima [B]** time = 0.43, size = 333, normalized size = 4.38

$$\frac{1}{3}b^2\left(3x + \frac{3c}{d} + \frac{3\log(e^{(-2dx-2c)} + 1)}{d} + \frac{2(9e^{(-2dx-2c)} + 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} + 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} + 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} + 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$1/3*b^2*(3*x + 3*c/d + 3*\log(e^{(-2*d*x - 2*c)} + 1)/d + 2*(9*e^{(-2*d*x - 2*c)} + 18*e^{(-4*d*x - 4*c)} + 34*e^{(-6*d*x - 6*c)} + 18*e^{(-8*d*x - 8*c)} + 9*e^{(-10*d*x - 10*c)})/(d*(6*e^{(-2*d*x - 2*c)} + 15*e^{(-4*d*x - 4*c)} + 20*e^{(-6*d*x - 6*c)} + 15*e^{(-8*d*x - 8*c)} + 6*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)} + 1))) + 2*a*b*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 4*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})/(d*(4*e^{(-2*d*x - 2*c)} + 6*e^{(-4*d*x - 4*c)} + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1))) + a^2*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1)))$$

**mupad [B]** time = 1.31, size = 100, normalized size = 1.32

$$x(a^2 + 2ab + b^2) - \frac{\tanh(c + dx)^4(b^2 + 2ab)}{4d} - \frac{\ln(\tanh(c + dx) + 1)(a^2 + 2ab + b^2)}{d} - \frac{b^2 \tanh(c + dx)^6}{6d} - \frac{\tanh(c + dx)^4}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(c + d*x)^3*(a + b*tanh(c + d*x)^2)^2,x)`

[Out]  $x*(2*a*b + a^2 + b^2) - (\tanh(c + d*x)^4*(2*a*b + b^2))/(4*d) - (\log(\tanh(c + d*x) + 1)*(2*a*b + a^2 + b^2))/d - (b^2*\tanh(c + d*x)^6)/(6*d) - (\tanh(c + d*x)^2*(2*a*b + a^2 + b^2))/(2*d)$

**sympy** [A] time = 0.89, size = 170, normalized size = 2.24

$$\left\{ \begin{array}{l} a^2x - \frac{a^2 \log(\tanh(c+dx)+1)}{d} - \frac{a^2 \tanh^2(c+dx)}{2d} + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^4(c+dx)}{2d} - \frac{ab \tanh^2(c+dx)}{d} + b^2x - \frac{b^2 \log(\tanh(c+dx)+1)}{d} \\ x(a + b \tanh^2(c))^2 \tanh^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)**3*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Piecewise((a**2*x - a**2*log(tanh(c + d*x) + 1)/d - a**2*tanh(c + d*x)**2/(2*d) + 2*a*b*x - 2*a*b*log(tanh(c + d*x) + 1)/d - a*b*tanh(c + d*x)**4/(2*d) - a*b*tanh(c + d*x)**2/d + b**2*x - b**2*log(tanh(c + d*x) + 1)/d - b**2*tanh(c + d*x)**6/(6*d) - b**2*tanh(c + d*x)**4/(4*d) - b**2*tanh(c + d*x)**2/(2*d), Ne(d, 0)), (x*(a + b*tanh(c)**2)**2*tanh(c)**3, True))`

### 3.146 $\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=63

$$\frac{b(2a + b) \tanh^3(c + dx)}{3d} - \frac{(a + b)^2 \tanh(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh^5(c + dx)}{5d}$$

[Out] (a+b)^2\*x-(a+b)^2\*tanh(d\*x+c)/d-1/3\*b\*(2\*a+b)\*tanh(d\*x+c)^3/d-1/5\*b^2\*tanh(d\*x+c)^5/d

**Rubi [A]** time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 206}

$$\frac{b(2a + b) \tanh^3(c + dx)}{3d} - \frac{(a + b)^2 \tanh(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - ((a + b)^2\*Tanh[c + d\*x])/d - (b\*(2\*a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 461

Int[(((e\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.))/((c\_) + (d\_.)\*(x\_)^(n\_.)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.))\*((a\_) + (b\_.))\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(- (a + b)^2 - b(2a + b)x^2 - b^2x^4 + \frac{a^2+2ab+b^2}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{(a + b)^2 \tanh(c + dx)}{d} - \frac{b(2a + b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} \\
&= (a + b)^2 x - \frac{(a + b)^2 \tanh(c + dx)}{d} - \frac{b(2a + b) \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [B]** time = 0.05, size = 137, normalized size = 2.17

$$\frac{a^2 \tanh^{-1}(\tanh(c + dx))}{d} - \frac{a^2 \tanh(c + dx)}{d} + \frac{2ab \tanh^{-1}(\tanh(c + dx))}{d} - \frac{2ab \tanh^3(c + dx)}{3d} - \frac{2ab \tanh(c + dx)}{d} + \frac{b^2 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a^2\*ArcTanh[Tanh[c + d\*x]])/d + (2\*a\*b\*ArcTanh[Tanh[c + d\*x]])/d + (b^2\*ArcTanh[Tanh[c + d\*x]])/d - (a^2\*Tanh[c + d\*x])/d - (2\*a\*b\*Tanh[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d - (2\*a\*b\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

**fricas [B]** time = 0.43, size = 483, normalized size = 7.67

$$\frac{(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)^5 + 5(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)^3 - 5(15(a^2 + 2ab + b^2)dx + 15a^2 + 40ab + 23b^2) \cosh(dx + c)^2 + 9a^2 + 16ab + 5b^2) \sinh(dx + c)^4}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/15\*((15\*(a^2 + 2\*a\*b + b^2)\*d\*x + 15\*a^2 + 40\*a\*b + 23\*b^2)\*cosh(d\*x + c)^5 + 5\*(15\*(a^2 + 2\*a\*b + b^2)\*d\*x + 15\*a^2 + 40\*a\*b + 23\*b^2)\*cosh(d\*x + c)^3 - 5\*(15\*(a^2 + 2\*a\*b + b^2)\*d\*x + 15\*a^2 + 40\*a\*b + 23\*b^2)\*cosh(d\*x + c)^2 + 9\*a^2 + 16\*a\*b + 5\*b^2)\*sinh(d\*x + c)^4

$$c)^3 + 5*(2*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^3 + 3*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(15*(a^2 + 2*a*b + b^2)*d*x + 15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c) - 5*((15*a^2 + 40*a*b + 23*b^2)*\cosh(d*x + c)^4 + 3*(9*a^2 + 16*a*b + 5*b^2)*\cosh(d*x + c)^2 + 6*a^2 + 8*a*b + 10*b^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c))$$

**giac** [B] time = 0.26, size = 218, normalized size = 3.46

$$15(a^2 + 2ab + b^2)(dx + c) + \frac{2(15a^2e^{(8dx+8c)} + 60abe^{(8dx+8c)} + 45b^2e^{(8dx+8c)} + 60a^2e^{(6dx+6c)} + 180abe^{(6dx+6c)} + 90b^2e^{(6dx+6c)} + 90a^2e^{(4dx+4c)} + 140abe^{(4dx+4c)} + 140a^2e^{(2dx+2c)} + 70b^2e^{(2dx+2c)} + 15a^2 + 40ab + 23b^2)}{e^{(2dx+2c)} + 1} \frac{1}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out] 1/15\*(15\*(a^2 + 2\*a\*b + b^2)\*(d\*x + c) + 2\*(15\*a^2\*e^(8\*d\*x + 8\*c) + 60\*a\*b\*e^(8\*d\*x + 8\*c) + 45\*b^2\*e^(8\*d\*x + 8\*c) + 60\*a^2\*e^(6\*d\*x + 6\*c) + 180\*a\*b\*e^(6\*d\*x + 6\*c) + 90\*b^2\*e^(6\*d\*x + 6\*c) + 90\*a^2\*e^(4\*d\*x + 4\*c) + 220\*a\*b\*e^(4\*d\*x + 4\*c) + 140\*b^2\*e^(4\*d\*x + 4\*c) + 60\*a^2\*e^(2\*d\*x + 2\*c) + 140\*a\*b\*e^(2\*d\*x + 2\*c) + 70\*b^2\*e^(2\*d\*x + 2\*c) + 15\*a^2 + 40\*a\*b + 23\*b^2)/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple** [B] time = 0.02, size = 189, normalized size = 3.00

$$\frac{a^2 \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1) a^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d} - \frac{\ln(\tanh(dx + c) - 1) b^2}{2d} - \frac{b^2 (\tanh^3(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c))^2,x)

[Out] -a^2\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^2-1/d\*ln(tanh(d\*x+c)-1)\*a\*b-1/2/d\*ln(tanh(d\*x+c)-1)\*b^2-1/3\*b^2\*tanh(d\*x+c)^3/d-1/5\*b^2\*tanh(d\*x+c)^5/d+1/2/d\*ln(1+tanh(d\*x+c))\*a^2+1/d\*ln(1+tanh(d\*x+c))\*a\*b+1/2/d\*ln(1+tanh(d\*x+c))\*b^2-2/3\*a\*b\*tanh(d\*x+c)^3/d-2\*a\*b\*tanh(d\*x+c)/d-b^2\*tanh(d\*x+c)/d

**maxima** [B] time = 0.34, size = 231, normalized size = 3.67

$$\frac{1}{15} b^2 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + \frac{2}{3} ab \left( 3x + \frac{3c}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c))^2,x, algorithm="maxima")

[Out]  $\frac{1}{15}b^2(15x + 15c/d - 2(70e^{(-2dx - 2c)} + 140e^{(-4dx - 4c)} + 90e^{(-6dx - 6c)} + 45e^{(-8dx - 8c)} + 23)/(d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1))) + 2/3ab(3x + 3c/d - 4(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + 2)/(d(3e^{(-2dx - 2c)} + 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} + 1))) + a^2(x + c/d - 2/(d(e^{(-2dx - 2c)} + 1)))$

**mupad [B]** time = 1.30, size = 67, normalized size = 1.06

$$x(a^2 + 2ab + b^2) - \frac{\tanh(c + dx)(a + b)^2}{d} - \frac{\tanh(c + dx)^3(b^2 + 2ab)}{3d} - \frac{b^2 \tanh(c + dx)^5}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^2\*(a + b\*tanh(c + d\*x))^2,x)

[Out]  $x(2ab + a^2 + b^2) - (\tanh(c + dx)(a + b)^2)/d - (\tanh(c + dx)^3(2ab + b^2))/(3d) - (b^2 \tanh(c + dx)^5)/(5d)$

**sympy [A]** time = 0.64, size = 117, normalized size = 1.86

$$\left\{ \begin{array}{l} a^2x - \frac{a^2 \tanh(c+dx)}{d} + 2abx - \frac{2ab \tanh^3(c+dx)}{3d} - \frac{2ab \tanh(c+dx)}{d} + b^2x - \frac{b^2 \tanh^5(c+dx)}{5d} - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^2 \tanh^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*2\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x - a\*\*2\*tanh(c + d\*x)/d + 2\*a\*b\*x - 2\*a\*b\*tanh(c + d\*x)\*\*3/(3\*d) - 2\*a\*b\*tanh(c + d\*x)/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2\*tanh(c)\*\*2, True))

$$3.147 \quad \int \tanh(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=57

$$-\frac{b(a+b)\tanh^2(c+dx)}{2d} - \frac{(a+b\tanh^2(c+dx))^2}{4d} + \frac{(a+b)^2\log(\cosh(c+dx))}{d}$$

[Out] (a+b)^2\*ln(cosh(d\*x+c))/d-1/2\*b\*(a+b)\*tanh(d\*x+c)^2/d-1/4\*(a+b\*tanh(d\*x+c)^2)^2/d

**Rubi [A]** time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 43}

$$-\frac{b(a+b)\tanh^2(c+dx)}{2d} - \frac{(a+b\tanh^2(c+dx))^2}{4d} + \frac{(a+b)^2\log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] ((a + b)^2\*Log[Cosh[c + d\*x]])/d - (b\*(a + b)\*Tanh[c + d\*x]^2)/(2\*d) - (a + b\*Tanh[c + d\*x]^2)^2/(4\*d)

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

### Rubi steps

$$\begin{aligned}
 \int \tanh(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{x(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-b(a+b) + \frac{(a+b)^2}{1-x} - b(a+bx)\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{(a+b)^2 \log(\cosh(c + dx))}{d} - \frac{b(a+b) \tanh^2(c + dx)}{2d} - \frac{(a+b \tanh^2(c + dx))^2}{4d}
 \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 50, normalized size = 0.88

$$\frac{2b(2a + b) \tanh^2(c + dx) - 4(a + b)^2 \log(\cosh(c + dx)) + b^2 \tanh^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/4\*(-4\*(a + b)^2\*Log[Cosh[c + d\*x]] + 2\*b\*(2\*a + b)\*Tanh[c + d\*x]^2 + b^2\*Tanh[c + d\*x]^4)/d

**fricas [B]** time = 0.43, size = 1638, normalized size = 28.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -((a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^8 + 4\*((a^2 + 2\*a\*b + b^2)\*d\*x - a\*b - b^2)\*cosh(d\*x + c)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 + (a^2 + 2\*a\*b + b^2)\*d\*x - a\*b - b^2)\*sinh(d\*x + c)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^3 + 3\*((a^2 + 2\*a\*b + b^2)\*d\*x - a\*b - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*d

```

*x - 4*a*b - 2*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*
x + c)^4 + 3*(a^2 + 2*a*b + b^2)*d*x + 30*((a^2 + 2*a*b + b^2)*d*x - a*b -
b^2)*cosh(d*x + c)^2 - 4*a*b - 2*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b +
b^2)*d*x*cosh(d*x + c)^5 + 10*((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d
*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh(d*x + c))*sinh
(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x + 4*((a^2 + 2*a*b + b^2)*d*x - a*b -
b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*((
a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c)^4 + (a^2 + 2*a*b + b^2)*d
*x + 3*(3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh(d*x + c)^2 - a*b -
b^2)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*
b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^
8 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d
*x + c)^2 + a^2 + 2*a*b + b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*c
osh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 6*(
a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c
)^4 + 30*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 3*a^2 + 6*a*b + 3*b^2)*sinh(
d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 + 2*a*b + b
^2)*cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c)^3
+ 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x
+ c)^6 + 15*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 9*(a^2 + 2*a*b + b^2)*co
sh(d*x + c)^2 + a^2 + 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*
((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^
5 + 3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*cosh(d*x +
c))*sinh(d*x + c))*log(2*cosh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 8
*((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*((a^2 + 2*a*b + b^2)*d*x - a*
b - b^2)*cosh(d*x + c)^5 + (3*(a^2 + 2*a*b + b^2)*d*x - 4*a*b - 2*b^2)*cosh
(d*x + c)^3 + ((a^2 + 2*a*b + b^2)*d*x - a*b - b^2)*cosh(d*x + c))*sinh(d*x
+ c))/(d*cosh(d*x + c)^8 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*sinh(d*x
+ c)^8 + 4*d*cosh(d*x + c)^6 + 4*(7*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^6
+ 8*(7*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*sinh(d*x + c)^5 + 6*d*cosh(d*
x + c)^4 + 2*(35*d*cosh(d*x + c)^4 + 30*d*cosh(d*x + c)^2 + 3*d)*sinh(d*x +
c)^4 + 8*(7*d*cosh(d*x + c)^5 + 10*d*cosh(d*x + c)^3 + 3*d*cosh(d*x + c))*
sinh(d*x + c)^3 + 4*d*cosh(d*x + c)^2 + 4*(7*d*cosh(d*x + c)^6 + 15*d*cosh(
d*x + c)^4 + 9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^2 + 8*(d*cosh(d*x + c)^
7 + 3*d*cosh(d*x + c)^5 + 3*d*cosh(d*x + c)^3 + d*cosh(d*x + c))*sinh(d*x +
c) + d)

```

**giac [B]** time = 0.22, size = 116, normalized size = 2.04

$$\frac{(a^2 + 2ab + b^2)(dx + c) - (a^2 + 2ab + b^2) \log(e^{(2dx+2c)} + 1) - \frac{4((ab+b^2)e^{(6dx+6c)} + (2ab+b^2)e^{(4dx+4c)} + (ab+b^2)e^{(2dx+2c)})}{(e^{(2dx+2c)} + 1)^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out]  $-\frac{(a^2 + 2ab + b^2)(dx + c) - (a^2 + 2ab + b^2)\log(e^{2dx+2c} + 1) - 4((ab + b^2)e^{6dx+6c} + (2ab + b^2)e^{4dx+4c} + (ab + b^2)e^{2dx+2c})}{(e^{2dx+2c} + 1)^4} / d$

**maple [B]** time = 0.02, size = 149, normalized size = 2.61

$$\frac{(\tanh^4(dx+c))b^2}{4d} - \frac{ab(\tanh^2(dx+c))}{d} - \frac{b^2(\tanh^2(dx+c))}{2d} - \frac{\ln(\tanh(dx+c)-1)a^2}{2d} - \frac{\ln(\tanh(dx+c)-1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x)

[Out]  $-\frac{1}{4} \frac{b^2 \tanh^4(dx+c) - 2ab \tanh^2(dx+c) + a^2}{d} - \frac{1}{2} \frac{b^2 \tanh^2(dx+c)}{d} - \frac{1}{2} \frac{ab \ln(\tanh(dx+c)-1)}{d} - \frac{1}{2} \frac{ab \ln(\tanh(dx+c)+1)}{d} - \frac{1}{2} \frac{a^2 \ln(\tanh(dx+c)-1)}{d} - \frac{1}{2} \frac{a^2 \ln(\tanh(dx+c)+1)}{d}$

**maxima [B]** time = 0.42, size = 186, normalized size = 3.26

$$b^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{4(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1)} \right) + 2ab \left( x + \frac{c}{d} + \frac{\log(e^{(-2dx-2c)} + 1)}{d} + \frac{\log(e^{(-2dx-2c)} - 1)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c))^2,x, algorithm="maxima")

[Out]  $b^2 \left( x + \frac{c}{d} + \frac{\log(e^{-2dx-2c} + 1)}{d} + \frac{4(e^{-2dx-2c} + e^{-4dx-4c} + e^{-6dx-6c})}{d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)} \right) + 2ab \left( x + \frac{c}{d} + \frac{\log(e^{-2dx-2c} + 1)}{d} + \frac{\log(e^{-2dx-2c} - 1)}{d} \right) + a^2 \frac{\log(\cosh(dx+c))}{d}$

**mupad [B]** time = 1.21, size = 76, normalized size = 1.33

$$x(a^2 + 2ab + b^2) - \frac{\tanh(c+dx)^2(b^2 + 2ab)}{2d} - \frac{\ln(\tanh(c+dx)+1)(a^2 + 2ab + b^2)}{d} - \frac{b^2 \tanh(c+dx)^4}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c+d\*x)\*(a+b\*tanh(c+d\*x))^2,x)

[Out]  $x(2ab + a^2 + b^2) - (\tanh(c+dx)^2(2ab + b^2))/(2d) - (\log(\tanh(c+dx)+1)(2ab + a^2 + b^2))/d - (b^2 \tanh(c+dx)^4)/(4d)$

sympy [A] time = 0.47, size = 122, normalized size = 2.14

$$\left\{ \begin{array}{l} a^2x - \frac{a^2 \log(\tanh(c+dx)+1)}{d} + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^2(c+dx)}{d} + b^2x - \frac{b^2 \log(\tanh(c+dx)+1)}{d} - \frac{b^2 \tanh^4(c+dx)}{4d} \\ x(a + b \tanh^2(c))^2 \tanh(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Piecewise((a\*\*2\*x - a\*\*2\*log(tanh(c + d\*x) + 1)/d + 2\*a\*b\*x - 2\*a\*b\*log(tanh(c + d\*x) + 1)/d - a\*b\*tanh(c + d\*x)\*\*2/d + b\*\*2\*x - b\*\*2\*log(tanh(c + d\*x) + 1)/d - b\*\*2\*tanh(c + d\*x)\*\*4/(4\*d) - b\*\*2\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*2\*tanh(c), True))

### 3.148 $\int (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=43

$$-\frac{b(2a+b)\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2 \tanh^3(c+dx)}{3d}$$

[Out]  $(a+b)^2 x - b(2a+b)\tanh(d*x+c)/d - 1/3*b^2*\tanh(d*x+c)^3/d$

**Rubi [A]** time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$-\frac{b(2a+b)\tanh(c+dx)}{d} + x(a+b)^2 - \frac{b^2 \tanh^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $(a + b)^2 x - (b(2a + b)\tanh[c + d*x])/d - (b^2 \tanh^3[c + d*x])/(3d)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

#### Rubi steps

$$\begin{aligned}
\int (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(2a + b) - b^2x^2 + \frac{(a+b)^2}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{b(2a + b) \tanh(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} + \frac{(a + b)^2 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= (a + b)^2 x - \frac{b(2a + b) \tanh(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.75, size = 65, normalized size = 1.51

$$\frac{\tanh(c + dx) \left( \frac{3(a+b)^2 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(6a + b(\tanh^2(c + dx) + 3)) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] (Tanh[c + d\*x]\*((3\*(a + b)^2\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2] - b\*(6\*a + b\*(3 + Tanh[c + d\*x]^2))))/(3\*d)

**fricas [B]** time = 0.40, size = 201, normalized size = 4.67

$$\frac{(3(a^2 + 2ab + b^2)dx + 6ab + 4b^2) \cosh(dx + c)^3 + 3(3(a^2 + 2ab + b^2)dx + 6ab + 4b^2) \cosh(dx + c) \sinh(dx + c)}{3(d \cosh(dx + c))^3 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] 1/3\*((3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 6\*a\*b + 4\*b^2)\*cosh(d\*x + c)^3 + 3\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 6\*a\*b + 4\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 - 2\*(3\*a\*b + 2\*b^2)\*sinh(d\*x + c)^3 + 3\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 6\*a\*b + 4\*b^2)\*cosh(d\*x + c) - 6\*((3\*a\*b + 2\*b^2)\*cosh(d\*x + c)^2 + a\*b)\*sinh(d\*x + c))/(d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^2 + 3\*d\*cosh(d\*x + c))



**giac [B]** time = 0.14, size = 103, normalized size = 2.40

$$\frac{3(a^2 + 2ab + b^2)(dx + c) + \frac{4(3abe^{4dx+4c} + 3b^2e^{4dx+4c} + 6abe^{2dx+2c} + 3b^2e^{2dx+2c} + 3ab + 2b^2)}{(e^{2dx+2c} + 1)^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/3\*(3\*(a^2 + 2\*a\*b + b^2)\*(d\*x + c) + 4\*(3\*a\*b\*e^(4\*d\*x + 4\*c) + 3\*b^2\*e^(4\*d\*x + 4\*c) + 6\*a\*b\*e^(2\*d\*x + 2\*c) + 3\*b^2\*e^(2\*d\*x + 2\*c) + 3\*a\*b + 2\*b^2)/(e^(2\*d\*x + 2\*c) + 1)^3)/d

**maple [B]** time = 0.02, size = 144, normalized size = 3.35

$$\frac{b^2 \left( \tanh^3(dx + c) \right)}{3d} - \frac{2ab \tanh(dx + c)}{d} - \frac{b^2 \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1) a^2}{2d} - \frac{\ln(\tanh(dx + c) - 1) ab}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -1/3\*b^2\*tanh(d\*x+c)^3/d-2\*a\*b\*tanh(d\*x+c)/d-b^2\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^2-1/d\*ln(tanh(d\*x+c)-1)\*a\*b-1/2/d\*ln(tanh(d\*x+c)-1)\*b^2+1/2/d\*ln(1+tanh(d\*x+c))\*a^2+1/d\*ln(1+tanh(d\*x+c))\*a\*b+1/2/d\*ln(1+tanh(d\*x+c))\*b^2

**maxima [B]** time = 0.33, size = 114, normalized size = 2.65

$$\frac{1}{3} b^2 \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + 2ab \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right) + a^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 1/3\*b^2\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1))) + 2\*a\*b\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a^2\*x

**mupad [B]** time = 1.24, size = 47, normalized size = 1.09

$$x(a^2 + 2ab + b^2) - \frac{b^2 \tanh(c + dx)^3}{3d} - \frac{b \tanh(c + dx)(2a + b)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*tanh(c + d*x)^2)^2,x)
```

```
[Out] x*(2*a*b + a^2 + b^2) - (b^2*tanh(c + d*x)^3)/(3*d) - (b*tanh(c + d*x)*(2*a + b))/d
```

**sympy [A]** time = 0.32, size = 68, normalized size = 1.58

$$\begin{cases} a^2x + 2abx - \frac{2ab \tanh(c+dx)}{d} + b^2x - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^2(c))^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Piecewise((a**2*x + 2*a*b*x - 2*a*b*tanh(c + d*x)/d + b**2*x - b**2*tanh(c + d*x)**3/(3*d) - b**2*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)**2, True))
```

### 3.149 $\int \coth(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=49

$$\frac{a^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d}$$

[Out]  $(a+b)^2 \ln(\cosh(dx+c))/d + a^2 \ln(\tanh(dx+c))/d - 1/2 * b^2 * \tanh(dx+c)^2/d$

**Rubi [A]** time = 0.08, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$\frac{a^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[Coth[c + d*x]*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $((a + b)^2 * \text{Log}[\text{Cosh}[c + d*x]])/d + (a^2 * \text{Log}[\text{Tanh}[c + d*x]])/d - (b^2 * \text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 72

`Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]`

#### Rule 446

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

#### Rule 3670

`Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

Rubi steps

$$\begin{aligned}
\int \coth(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x} dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{\text{Subst}\left(\int \left(-b^2 - \frac{(a+b)^2}{-1+x} + \frac{a^2}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{(a + b)^2 \log(\cosh(c + dx))}{d} + \frac{a^2 \log(\tanh(c + dx))}{d} - \frac{b^2 \tanh^2(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 48, normalized size = 0.98

$$\frac{2\left(a^2 \log(\tanh(c + dx)) + (a + b)^2 \log(\cosh(c + dx))\right) - b^2 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*((a + b)^2\*Log[Cosh[c + d\*x]] + a^2\*Log[Tanh[c + d\*x]]) - b^2\*Tanh[c + d\*x]^2)/(2\*d)

**fricas [B]** time = 0.42, size = 668, normalized size = 13.63

$$\frac{(a^2 + 2ab + b^2)dx \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2)dx \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2)dx \sinh(dx + c)^4}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -((a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^4 + (a^2 + 2\*a\*b + b^2)\*d\*x + 2\*((a^2 + 2\*a\*b + b^2)\*d\*x - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 + (a^2 + 2\*a\*b + b^2)\*d\*x - b^2)\*sinh(d\*x + c)^2 - ((2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^2)

$$c)^2 + 2*a*b + b^2 + 4*((2*a*b + b^2)*\cosh(d*x + c)^3 + (2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) - (a^2*\cosh(d*x + c)^4 + 4*a^2*\cosh(d*x + c)*\sinh(d*x + c)^3 + a^2*\sinh(d*x + c)^4 + 2*a^2*\cosh(d*x + c)^2 + 2*(3*a^2*\cosh(d*x + c)^2 + a^2)*\sinh(d*x + c)^2 + a^2 + 4*(a^2*\cosh(d*x + c)^3 + a^2*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^3 + ((a^2 + 2*a*b + b^2)*d*x - b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^4 + 4*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + d*\sinh(d*x + c)^4 + 2*d*\cosh(d*x + c)^2 + 2*(3*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^2 + 4*(d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c) + d)$$

**giac [B]** time = 0.21, size = 141, normalized size = 2.88

$$\frac{a^2 \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2\right) + (2ab + b^2) \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2\right) - \frac{2ab\left(e^{(2dx+2c)} + e^{(-2dx-2c)}\right) + b^2\left(e^{(2dx+2c)} + e^{(-2dx-2c)}\right)}{e^{(2dx+2c)} + e^{(-2dx-2c)}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(a^2\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2) + (2\*a\*b + b^2)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2) - (2\*a\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))) + 4\*a\*b - 2\*b^2)/(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2))/d

**maple [A]** time = 0.26, size = 60, normalized size = 1.22

$$\frac{a^2 \ln(\sinh(dx + c))}{d} + \frac{2ab \ln(\cosh(dx + c))}{d} + \frac{b^2 \ln(\cosh(dx + c))}{d} - \frac{b^2 (\tanh^2(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*a^2\*ln(sinh(d\*x+c))+2\*a\*b\*ln(cosh(d\*x+c))/d+1/d\*b^2\*ln(cosh(d\*x+c))-1/2\*b^2\*tanh(d\*x+c)^2/d

**maxima [B]** time = 0.42, size = 104, normalized size = 2.12

$$b^2 \left( x + \frac{c}{d} + \frac{\log\left(e^{(-2dx-2c)} + 1\right)}{d} + \frac{2e^{(-2dx-2c)}}{d\left(2e^{(-2dx-2c)} + e^{(-4dx-4c)} + 1\right)} \right) + \frac{2ab \log\left(e^{(dx+c)} + e^{(-dx-c)}\right)}{d} + \frac{a^2 \log(\sinh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $b^2(x + c/d + \log(e^{-2dx - 2c} + 1))/d + 2e^{-2dx - 2c}/(d(2e^{-2dx - 2c} + e^{-4dx - 4c} + 1)) + 2ab \log(e^{dx + c} + e^{-dx - c})/d + a^2 \log(\sinh(dx + c))/d$

**mupad [B]** time = 1.32, size = 210, normalized size = 4.29

$$\frac{2b^2}{d(e^{2c+2dx} + 1)} - x(a+b)^2 - \frac{2b^2}{d(2e^{2c+2dx} + e^{4c+4dx} + 1)} + \frac{\ln(e^{4c+4dx} - 1)(d(b^2 + 2ab) + a^2d)}{2d^2} + \frac{\operatorname{atan}\left(\frac{e^{2c}e^{2dx}}{d}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)*(a + b*tanh(c + d*x))^2, x)`

[Out]  $(2b^2)/(d(\exp(2c + 2dx) + 1)) - x(a + b)^2 - (2b^2)/(d(2\exp(2c + 2dx) + \exp(4c + 4dx) + 1)) + (\log(\exp(4c + 4dx) - 1)(d(2ab + b^2) + a^2d))/(2d^2) + (\operatorname{atan}(\exp(2c)\exp(2dx)(b^2(-d^2)^{1/2} - a^2(-d^2)^{1/2} + 2ab(-d^2)^{1/2}))/d(4ab^3 - 4a^3b + a^4 + b^4 + 2a^2b^2)^{1/2}))/(-d^2)^{1/2} + (4ab^3 - 4a^3b + a^4 + b^4 + 2a^2b^2)^{1/2}/(-d^2)^{1/2}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)*(a+b*tanh(d*x+c)**2)**2, x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*coth(c + d*x), x)`

$$3.150 \quad \int \coth^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

Optimal. Leaf size=36

$$-\frac{a^2 \coth(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh(c + dx)}{d}$$

[Out] (a+b)^2\*x-a^2\*coth(d\*x+c)/d-b^2\*tanh(d\*x+c)/d

Rubi [A] time = 0.07, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$-\frac{a^2 \coth(c + dx)}{d} + x(a + b)^2 - \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - (a^2\*Coth[c + d\*x])/d - (b^2\*Tanh[c + d\*x])/d

Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 461

Int[(((e\_)\*(x\_))^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_))\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^2(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst} \left( \int \frac{(a+bx^2)^2}{x^2(1-x^2)} dx, x, \tanh(c + dx) \right)}{d} \\
&= \frac{\text{Subst} \left( \int \left( -b^2 + \frac{a^2}{x^2} - \frac{(a+b)^2}{-1+x^2} \right) dx, x, \tanh(c + dx) \right)}{d} \\
&= -\frac{a^2 \coth(c + dx)}{d} - \frac{b^2 \tanh(c + dx)}{d} - \frac{(a + b)^2 \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x \right)}{d} \\
&= (a + b)^2 x - \frac{a^2 \coth(c + dx)}{d} - \frac{b^2 \tanh(c + dx)}{d}
\end{aligned}$$

**Mathematica [C]** time = 0.11, size = 64, normalized size = 1.78

$$-\frac{a^2 \coth(c + dx) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx) \right)}{d} + 2abx + \frac{b^2 \tanh^{-1}(\tanh(c + dx))}{d} - \frac{b^2 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] 2\*a\*b\*x + (b^2\*ArcTanh[Tanh[c + d\*x]])/d - (a^2\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d - (b^2\*Tanh[c + d\*x])/d

**fricas [B]** time = 0.39, size = 97, normalized size = 2.69

$$\frac{(a^2 + b^2) \cosh(dx + c)^2 - 2((a^2 + 2ab + b^2)dx + a^2 + b^2) \cosh(dx + c) \sinh(dx + c) + (a^2 + b^2) \sinh(dx + c)}{2d \cosh(dx + c) \sinh(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/2\*((a^2 + b^2)\*cosh(d\*x + c)^2 - 2\*((a^2 + 2\*a\*b + b^2)\*d\*x + a^2 + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + b^2)\*sinh(d\*x + c)^2 + a^2 - b^2)/(d\*cosh(d\*x + c)\*sinh(d\*x + c))

**giac [A]** time = 0.25, size = 71, normalized size = 1.97

$$\frac{(a^2 + 2ab + b^2)(dx + c) - \frac{2(a^2 e^{(2dx+2c)} - b^2 e^{(2dx+2c)} + a^2 + b^2)}{e^{(4dx+4c)} - 1}}{d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] ((a^2 + 2\*a\*b + b^2)\*(d\*x + c) - 2\*(a^2\*e^(2\*d\*x + 2\*c) - b^2\*e^(2\*d\*x + 2\*c) + a^2 + b^2)/(e^(4\*d\*x + 4\*c) - 1))/d

**maple** [A] time = 0.21, size = 49, normalized size = 1.36

$$\frac{a^2 (dx + c - \coth(dx + c)) + 2ab (dx + c) + b^2 (dx + c - \tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(d\*x+c-coth(d\*x+c))+2\*a\*b\*(d\*x+c)+b^2\*(d\*x+c-tanh(d\*x+c)))

**maxima** [A] time = 0.35, size = 64, normalized size = 1.78

$$b^2 \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right) + a^2 \left( x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + 2abx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] b^2\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a^2\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1))) + 2\*a\*b\*x

**mupad** [B] time = 1.24, size = 59, normalized size = 1.64

$$x(a+b)^2 - \frac{2(a^2+b^2)}{d} + \frac{2e^{2c+2dx}(a^2-b^2)}{d e^{4c+4dx} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^2,x)

[Out] x\*(a + b)^2 - ((2\*(a^2 + b^2))/d + (2\*exp(2\*c + 2\*d\*x)\*(a^2 - b^2))/d)/(exp(4\*c + 4\*d\*x) - 1)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**2*(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*coth(c + d*x)**2, x)
```

$$3.151 \quad \int \coth^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=52

$$-\frac{a^2 \coth^2(c + dx)}{2d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

[Out]  $-1/2*a^2*\coth(d*x+c)^2/d+(a+b)^2*\ln(\cosh(d*x+c))/d+a*(a+2*b)*\ln(\tanh(d*x+c))/d$

**Rubi [A]** time = 0.09, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$-\frac{a^2 \coth^2(c + dx)}{2d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] `Int[Coth[c + d*x]^3*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $-(a^2*\text{Coth}[c + d*x]^2)/(2*d) + ((a + b)^2*\text{Log}[\text{Cosh}[c + d*x]])/d + (a*(a + 2*b)*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 88

`Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))`

#### Rule 446

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

#### Rule 3670

`Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration`

a1Q[n]))

Rubi steps

$$\begin{aligned}
\int \coth^3(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{x^3(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^2} + \frac{a(a+2b)}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= -\frac{a^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d} + \frac{a(a + 2b) \log(\tanh(c + dx))}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 50, normalized size = 0.96

$$\frac{-a^2 \coth^2(c + dx) + 2a(a + 2b) \log(\tanh(c + dx)) + 2(a + b)^2 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-(a^2 \text{Coth}[c + d*x]^2) + 2*(a + b)^2 \text{Log}[\text{Cosh}[c + d*x]] + 2*a*(a + 2*b) \text{Log}[\text{Tanh}[c + d*x]]/(2*d)$ **fricas [B]** time = 0.43, size = 677, normalized size = 13.02

$$\frac{(a^2 + 2ab + b^2)dx \cosh(dx + c)^4 + 4(a^2 + 2ab + b^2)dx \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2ab + b^2)dx \sinh(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x*\sinh(d*x + c)^2 + (a^2 + 2*a*b + b^2)*d*x - 2*((a^2 + 2*a*b + b^2)*d*x - a^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 - (a^2 + 2*a*b + b^2)*d*x + a^2)*\sinh(d*x + c)$

$$\begin{aligned} & \sinh(dx + c)^2 - (b^2 \cosh(dx + c)^4 + 4b^2 \cosh(dx + c) \sinh(dx + c)^3 \\ & + b^2 \sinh(dx + c)^4 - 2b^2 \cosh(dx + c)^2 + 2(3b^2 \cosh(dx + c)^2 \\ & - b^2) \sinh(dx + c)^2 + b^2 + 4(b^2 \cosh(dx + c)^3 - b^2 \cosh(dx + c)) \\ & * \sinh(dx + c) * \log(2 \cosh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) - ((a^2 \\ & + 2ab) \cosh(dx + c)^4 + 4(a^2 + 2ab) \cosh(dx + c) \sinh(dx + c)^3 + \\ & (a^2 + 2ab) \sinh(dx + c)^4 - 2(a^2 + 2ab) \cosh(dx + c)^2 + 2(3(a^2 \\ & + 2ab) \cosh(dx + c)^2 - a^2 - 2ab) \sinh(dx + c)^2 + a^2 + 2ab + 4 \\ & * ((a^2 + 2ab) \cosh(dx + c)^3 - (a^2 + 2ab) \cosh(dx + c)) * \sinh(dx + c \\ & )) * \log(2 \sinh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 4((a^2 + 2ab + \\ & b^2) dx \cosh(dx + c)^3 - ((a^2 + 2ab + b^2) dx - a^2) \cosh(dx + c)) * \\ & \sinh(dx + c) / (d \cosh(dx + c)^4 + 4d \cosh(dx + c) \sinh(dx + c)^3 + d \sinh(dx + c)^4 \\ & - 2d \cosh(dx + c)^2 + 2(3d \cosh(dx + c)^2 - d) \sinh(dx + c)^2 + 4(d \cosh(dx + c)^3 \\ & - d \cosh(dx + c)) * \sinh(dx + c) + d) \end{aligned}$$

**giac [B]** time = 0.27, size = 141, normalized size = 2.71

$$\frac{b^2 \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2) + (a^2 + 2ab) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2) - \frac{a^2(e^{(2dx+2c)} + e^{(-2dx-2c)}) + 2ab(e^{(2dx+2c)} + e^{(-2dx-2c)})}{e^{(2dx+2c)} + e^{(-2dx-2c)}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out] 1/2\*(b^2\*log(e^(2\*dx + 2\*c) + e^(-2\*dx - 2\*c) + 2) + (a^2 + 2\*a\*b)\*log(e^(2\*dx + 2\*c) + e^(-2\*dx - 2\*c) - 2) - (a^2\*(e^(2\*dx + 2\*c) + e^(-2\*dx - 2\*c)) + 2\*a\*b\*(e^(2\*dx + 2\*c) + e^(-2\*dx - 2\*c)) + 2\*a^2 - 4\*a\*b)/(e^(2\*dx + 2\*c) + e^(-2\*dx - 2\*c) - 2))/d

**maple [A]** time = 0.27, size = 60, normalized size = 1.15

$$\frac{a^2 \ln(\sinh(dx + c))}{d} - \frac{a^2 (\coth^2(dx + c))}{2d} + \frac{2ab \ln(\sinh(dx + c))}{d} + \frac{b^2 \ln(\cosh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(dx+c)^3\*(a+b\*tanh(dx+c)^2)^2,x)

[Out] 1/d\*a^2\*ln(sinh(dx+c))-1/2\*a^2\*coth(dx+c)^2/d+2/d\*a\*b\*ln(sinh(dx+c))+1/d\*b^2\*ln(cosh(dx+c))

**maxima [B]** time = 0.33, size = 134, normalized size = 2.58

$$a^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{2e^{(-2dx-2c)}}{d(2e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)} \right) + \frac{b^2 \log(e^{(dx+c)} + e^{(-dx-c)})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $a^2*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{-2*d*x - 2*c}/(d*(2*e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) + b^2*\log(e^{(d*x + c) + e^{-d*x - c}}/d + 2*a*b*\log(e^{(d*x + c) - e^{-d*x - c}})/d$

mupad [B] time = 1.41, size = 211, normalized size = 4.06

$$\frac{\ln(e^{4c+4dx} - 1) \left( d(a^2 + 2ba) + b^2 d \right)}{2d^2} - \frac{2a^2}{d(e^{2c+2dx} - 1)} - \frac{2a^2}{d(e^{4c+4dx} - 2e^{2c+2dx} + 1)} - x(a+b)^2 - \frac{\operatorname{atan}\left(\frac{e^{2c}e^{2dx}}{d\sqrt{\dots}}\right)}{d\sqrt{\dots}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $(\log(\exp(4*c + 4*d*x) - 1)*(d*(2*a*b + a^2) + b^2*d))/(2*d^2) - (2*a^2)/(d*(\exp(2*c + 2*d*x) - 1)) - (2*a^2)/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - x*(a + b)^2 - (\operatorname{atan}((\exp(2*c)*\exp(2*d*x)*(a^2*(-d^2)^{(1/2)} - b^2*(-d^2)^{(1/2)} + 2*a*b*(-d^2)^{(1/2)})))/(d*(4*a^3*b - 4*a*b^3 + a^4 + b^4 + 2*a^2*b^2)^{(1/2)}))*(4*a^3*b - 4*a*b^3 + a^4 + b^4 + 2*a^2*b^2)^{(1/2)})/(-d^2)^{(1/2)}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*coth(c + d\*x)\*\*3, x)

$$3.152 \quad \int \coth^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$$

Optimal. Leaf size=43

$$-\frac{a^2 \coth^3(c + dx)}{3d} - \frac{a(a + 2b) \coth(c + dx)}{d} + x(a + b)^2$$

[Out] (a+b)^2\*x-a\*(a+2\*b)\*coth(d\*x+c)/d-1/3\*a^2\*coth(d\*x+c)^3/d

**Rubi [A]** time = 0.07, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$-\frac{a^2 \coth^3(c + dx)}{3d} - \frac{a(a + 2b) \coth(c + dx)}{d} + x(a + b)^2$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - (a\*(a + 2\*b)\*Coth[c + d\*x])/d - (a^2\*Coth[c + d\*x]^3)/(3\*d)

Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 461

Int[(((e\_)\*(x\_))^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_))\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^4(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x^4(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{a^2}{x^4} + \frac{a(a+2b)}{x^2} - \frac{(a+b)^2}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{a(a+2b) \coth(c + dx)}{d} - \frac{a^2 \coth^3(c + dx)}{3d} - \frac{(a+b)^2 \text{Subst}\left(\int \frac{1}{-1+x^2}\right)}{d} \\
&= (a+b)^2 x - \frac{a(a+2b) \coth(c + dx)}{d} - \frac{a^2 \coth^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.62, size = 65, normalized size = 1.51

$$\frac{\coth(c + dx) \left( a (a \coth^2(c + dx) + 3a + 6b) - 3(a + b)^2 \tanh^{-1} \left( \sqrt{\tanh^2(c + dx)} \right) \sqrt{\tanh^2(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/3\*(Coth[c + d\*x]\*(a\*(3\*a + 6\*b + a\*Coth[c + d\*x]^2) - 3\*(a + b)^2\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]]\*Sqrt[Tanh[c + d\*x]^2]))/d

**fricas [B]** time = 0.40, size = 197, normalized size = 4.58

$$\frac{2(2a^2 + 3ab) \cosh(dx + c)^3 + 6(2a^2 + 3ab) \cosh(dx + c) \sinh(dx + c)^2 - (3(a^2 + 2ab + b^2)dx + 4a^2 + 6ab)}{3(d \sinh(dx + c) - \cosh(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/3\*(2\*(2\*a^2 + 3\*a\*b)\*cosh(d\*x + c)^3 + 6\*(2\*a^2 + 3\*a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c)^2 - (3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 4\*a^2 + 6\*a\*b)\*sinh(d\*x + c)^3 - 6\*a\*b\*cosh(d\*x + c) + 3\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x - (3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 4\*a^2 + 6\*a\*b)\*cosh(d\*x + c)^2 + 4\*a^2 + 6\*a\*b)\*sinh(d\*x + c))/(d\*sinh(d\*x + c)^3 + 3\*(d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c))

**giac [B]** time = 0.28, size = 103, normalized size = 2.40

$$\frac{3(a^2 + 2ab + b^2)(dx + c) - \frac{4(3a^2e^{4dx+4c} + 3abe^{4dx+4c} - 3a^2e^{2dx+2c} - 6abe^{2dx+2c} + 2a^2 + 3ab)}{(e^{2dx+2c} - 1)^3}}{3d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{3}*(3*(a^2 + 2*a*b + b^2)*(d*x + c) - 4*(3*a^2*e^{(4*d*x + 4*c)} + 3*a*b*e^{(4*d*x + 4*c)} - 3*a^2*e^{(2*d*x + 2*c)} - 6*a*b*e^{(2*d*x + 2*c)} + 2*a^2 + 3*a*b)/(e^{(2*d*x + 2*c)} - 1)^3)/d$

**maple [A]** time = 0.23, size = 59, normalized size = 1.37

$$\frac{a^2 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + 2ab(dx + c - \coth(dx + c)) + b^2(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $\frac{1}{d}*(a^2*(d*x+c-\coth(d*x+c))-1/3*\coth(d*x+c)^3)+2*a*b*(d*x+c-\coth(d*x+c))+b^2*(d*x+c)$

**maxima [B]** time = 0.33, size = 114, normalized size = 2.65

$$\frac{1}{3} a^2 \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + 2ab \left( x + \frac{c}{d} + \frac{2}{d(e^{(-2dx-2c)} - 1)} \right) + b^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{3}*a^2*(3*x + 3*c/d - 4*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} - 2)/(d*(3*e^{(-2*d*x - 2*c)} - 3*e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - 1))) + 2*a*b*(x + c/d + 2/(d*(e^{(-2*d*x - 2*c)} - 1))) + b^2*x$

**mupad [B]** time = 0.17, size = 175, normalized size = 4.07

$$x(a+b)^2 - \frac{\frac{4e^{2c+2dx}(a^2+ba)}{3d} - \frac{4ab}{3d}}{e^{4c+4dx} - 2e^{2c+2dx} + 1} - \frac{\frac{4(a^2+ba)}{3d} + \frac{4e^{4c+4dx}(a^2+ba)}{3d} - \frac{8abe^{2c+2dx}}{3d}}{3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1} - \frac{4(a^2+ba)}{3d(e^{2c+2dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $x*(a + b)^2 - ((4*\exp(2*c + 2*d*x)*(a*b + a^2))/(3*d) - (4*a*b)/(3*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) - ((4*(a*b + a^2))/(3*d) + (4*\exp(4*c + 4*d*x)*(a*b + a^2))/(3*d) - (8*a*b*\exp(2*c + 2*d*x))/(3*d))/(3*\exp(2*c$

+ 2\*d\*x) - 3\*exp(4\*c + 4\*d\*x) + exp(6\*c + 6\*d\*x) - 1) - (4\*(a\*b + a^2))/(3\*d\*(exp(2\*c + 2\*d\*x) - 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*2\*coth(c + d\*x)\*\*4, x)

### 3.153 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=72

$$\frac{a^2 \coth^4(c + dx)}{4d} - \frac{a(a + 2b) \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

[Out]  $-1/2*a*(a+2*b)*\coth(d*x+c)^2/d-1/4*a^2*\coth(d*x+c)^4/d+(a+b)^2*\ln(\cosh(d*x+c))/d+(a+b)^2*\ln(\tanh(d*x+c))/d$

**Rubi [A]** time = 0.10, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{a^2 \coth^4(c + dx)}{4d} - \frac{a(a + 2b) \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-(a*(a + 2*b)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*\text{Coth}[c + d*x]^4)/(4*d) + ((a + b)^2*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^2*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 88

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

### Rubi steps

$$\begin{aligned}
 \int \coth^5(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{x^5(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^3} + \frac{a(a+2b)}{x^2} + \frac{(a+b)^2}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= -\frac{a(a+2b) \coth^2(c + dx)}{2d} - \frac{a^2 \coth^4(c + dx)}{4d} + \frac{(a+b)^2 \log(\cosh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.43, size = 58, normalized size = 0.81

$$\frac{a^2 \coth^4(c + dx) + 2a(a + 2b) \coth^2(c + dx) - 4(a + b)^2 (\log(\tanh(c + dx)) + \log(\cosh(c + dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/4\*(2\*a\*(a + 2\*b)\*Coth[c + d\*x]^2 + a^2\*Coth[c + d\*x]^4 - 4\*(a + b)^2\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/d

**fricas [B]** time = 0.46, size = 1649, normalized size = 22.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -((a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^8 - 4\*((a^2 + 2\*a\*b + b^2)\*d\*x - a^2 - a\*b)\*cosh(d\*x + c)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 - (a^2 + 2\*a\*b + b^2)\*d\*x + a^2 + a\*b)\*sinh(d\*x + c)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^3 - 3\*((a^2 + 2\*a\*b + b^2)\*d\*x - a^2 - a\*b)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x - 2\*a^2 - 4\*a\*b)\*cosh(d\*x + c)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d

$x + c)^4 + 3*(a^2 + 2*a*b + b^2)*d*x - 30*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^2 - 2*a^2 - 4*a*b)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^5 - 10*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^3 + (3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c))*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*d*x - 4*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^6 - 15*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^4 - (a^2 + 2*a*b + b^2)*d*x + 3*(3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c)^2 + a^2 + a*b)*\sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 - 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 30*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*((a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^7 - 3*((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c)^5 + (3*(a^2 + 2*a*b + b^2)*d*x - 2*a^2 - 4*a*b)*\cosh(d*x + c)^3 - ((a^2 + 2*a*b + b^2)*d*x - a^2 - a*b)*\cosh(d*x + c))*\sinh(d*x + c))/ (d*\cosh(d*x + c)^8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 - 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 - 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*\cosh(d*x + c)^5 - 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 - 15*d*\cosh(d*x + c)^4 + 9*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 - 3*d*\cosh(d*x + c)^5 + 3*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d)$

**giac** [A] time = 0.34, size = 118, normalized size = 1.64

$$\frac{(a^2 + 2ab + b^2)(dx + c) - (a^2 + 2ab + b^2) \log\left(|e^{(2dx+2c)} - 1|\right) + \frac{4\left((a^2+ab)e^{(6dx+6c)} - (a^2+2ab)e^{(4dx+4c)} + (a^2+ab)e^{(2dx+2c)}\right)}{\left(e^{(2dx+2c)} - 1\right)^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $-\left((a^2 + 2ab + b^2)(dx + c) - (a^2 + 2ab + b^2)\log(\operatorname{abs}(e^{(2dx + 2c)} - 1))\right) + 4\left((a^2 + ab)e^{(6dx + 6c)} - (a^2 + 2ab)e^{(4dx + 4c)} + (a^2 + ab)e^{(2dx + 2c)}\right)/(e^{(2dx + 2c)} - 1)^4/d$

**maple [A]** time = 0.29, size = 91, normalized size = 1.26

$$\frac{a^2 \ln(\sinh(dx + c))}{d} - \frac{a^2 (\coth^2(dx + c))}{2d} - \frac{a^2 (\coth^4(dx + c))}{4d} - \frac{ab (\coth^2(dx + c))}{d} + \frac{2ab \ln(\sinh(dx + c))}{d} + \frac{b^2 \ln(\sinh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(\coth(dx+c)^5*(a+b*\tanh(dx+c)^2)^2,x)$

[Out]  $1/d*a^2*\ln(\sinh(dx+c))-1/2*a^2*\coth(dx+c)^2/d-1/4*a^2*\coth(dx+c)^4/d-1/d*a*b*\coth(dx+c)^2+2/d*a*b*\ln(\sinh(dx+c))+1/d*b^2*\ln(\sinh(dx+c))$

**maxima [B]** time = 0.34, size = 236, normalized size = 3.28

$$a^2 \left( x + \frac{c}{d} + \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{4(e^{(-2dx-2c)} - e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} - 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1)} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(\coth(dx+c)^5*(a+b*\tanh(dx+c)^2)^2,x, \operatorname{algorithm}="maxima")$

[Out]  $a^2*(x + c/d + \log(e^{(-dx - c)} + 1)/d + \log(e^{(-dx - c)} - 1)/d + 4*(e^{(-2dx - 2c)} - e^{(-4dx - 4c)} + e^{(-6dx - 6c)})/(d*(4e^{(-2dx - 2c)} - 6e^{(-4dx - 4c)} + 4e^{(-6dx - 6c)} - e^{(-8dx - 8c)} - 1))) + 2*a*b*(x + c/d + \log(e^{(-dx - c)} + 1)/d + \log(e^{(-dx - c)} - 1)/d + 2*e^{(-2dx - 2c)})/(d*(2e^{(-2dx - 2c)} - e^{(-4dx - 4c)} - 1))) + b^2*\log(e^{(dx + c)} - e^{(-dx - c)})/d$

**mupad [B]** time = 1.27, size = 197, normalized size = 2.74

$$\frac{\ln(e^{2c} e^{2dx} - 1) (a^2 + 2ab + b^2)}{d} - x(a + b)^2 - \frac{4(2a^2 + ba)}{d(e^{4c+4dx} - 2e^{2c+2dx} + 1)} - \frac{8a^2}{d(3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(\coth(c + dx)^5*(a + b*\tanh(c + dx)^2)^2,x)$

[Out]  $(\log(\exp(2c)*\exp(2dx) - 1)*(2ab + a^2 + b^2))/d - x*(a + b)^2 - (4*(ab + 2a^2))/(d*(\exp(4c + 4dx) - 2*\exp(2c + 2dx) + 1)) - (8*a^2)/(d*(3*\exp(2c + 2dx) - 3*\exp(4c + 4dx) + \exp(6c + 6dx) - 1)) - (4*a^2)/(d*(6*\exp(4c + 4dx) - 4*\exp(2c + 2dx) - 4*\exp(6c + 6dx) + \exp(8c + 8dx) + 1)) - (4*(ab + a^2))/(d*(\exp(2c + 2dx) - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^5(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**5*(a+b*tanh(d*x+c)**2)**2, x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**2*coth(c + d*x)**5, x)
```

### 3.154 $\int \coth^6(c + dx) (a + b \tanh^2(c + dx))^2 dx$

**Optimal.** Leaf size=63

$$\frac{a^2 \coth^5(c + dx)}{5d} - \frac{a(a + 2b) \coth^3(c + dx)}{3d} - \frac{(a + b)^2 \coth(c + dx)}{d} + x(a + b)^2$$

[Out] (a+b)^2\*x-(a+b)^2\*coth(d\*x+c)/d-1/3\*a\*(a+2\*b)\*coth(d\*x+c)^3/d-1/5\*a^2\*coth(d\*x+c)^5/d

**Rubi [A]** time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$\frac{a^2 \coth^5(c + dx)}{5d} - \frac{a(a + 2b) \coth^3(c + dx)}{3d} - \frac{(a + b)^2 \coth(c + dx)}{d} + x(a + b)^2$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^6\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (a + b)^2\*x - ((a + b)^2\*Coth[c + d\*x])/d - (a\*(a + 2\*b)\*Coth[c + d\*x]^3)/(3\*d) - (a^2\*Coth[c + d\*x]^5)/(5\*d)

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 461

Int[(((e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_))/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))



Rubi steps

$$\begin{aligned}
\int \coth^6(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x^6(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{a^2}{x^6} + \frac{a(a+2b)}{x^4} + \frac{(a+b)^2}{x^2} - \frac{(a+b)^2}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{(a+b)^2 \coth(c + dx)}{d} - \frac{a(a+2b) \coth^3(c + dx)}{3d} - \frac{a^2 \coth^5(c + dx)}{5d} \\
&= (a+b)^2 x - \frac{(a+b)^2 \coth(c + dx)}{d} - \frac{a(a+2b) \coth^3(c + dx)}{3d} - \frac{a^2 \coth^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 98, normalized size = 1.56

$$\frac{a^2 \coth^5(c + dx) {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; \tanh^2(c + dx)\right)}{5d} - \frac{2ab \coth^3(c + dx) {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \tanh^2(c + dx)\right)}{3d} - \frac{b^2 \coth(c + dx) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \tanh^2(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^6\*(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] -1/5\*(a^2\*Coth[c + d\*x]^5\*Hypergeometric2F1[-5/2, 1, -3/2, Tanh[c + d\*x]^2])/d - (2\*a\*b\*Coth[c + d\*x]^3\*Hypergeometric2F1[-3/2, 1, -1/2, Tanh[c + d\*x]^2])/(3\*d) - (b^2\*Coth[c + d\*x]\*Hypergeometric2F1[-1/2, 1, 1/2, Tanh[c + d\*x]^2])/d

**fricas [B]** time = 0.41, size = 473, normalized size = 7.51

$$\frac{(23a^2 + 40ab + 15b^2) \cosh(dx + c)^5 + 5(23a^2 + 40ab + 15b^2) \cosh(dx + c) \sinh(dx + c)^4 - (15(a^2 + 2ab + b^2) \cosh(dx + c)^3 + 5(15(a^2 + 2ab + b^2)dx - 2(15(a^2 + 2ab + b^2)dx + 23a^2 + 40ab + 15b^2) \cosh(dx + c)^2 + 23a^2 + 40ab + 15b^2) \sinh(dx + c)^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^2, x, algorithm="fricas")

[Out] -1/15\*((23\*a^2 + 40\*a\*b + 15\*b^2)\*cosh(d\*x + c)^5 + 5\*(23\*a^2 + 40\*a\*b + 15\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 - (15\*(a^2 + 2\*a\*b + b^2)\*d\*x + 23\*a^2 + 40\*a\*b + 15\*b^2)\*sinh(d\*x + c)^5 - 5\*(5\*a^2 + 16\*a\*b + 9\*b^2)\*cosh(d\*x + c)^3 + 5\*(15\*(a^2 + 2\*a\*b + b^2)\*d\*x - 2\*(15\*(a^2 + 2\*a\*b + b^2)\*d\*x + 23\*a^2 + 40\*a\*b + 15\*b^2)\*cosh(d\*x + c)^2 + 23\*a^2 + 40\*a\*b + 15\*b^2)\*sinh(d\*x + c)^2)/d

$$+ c)^3 + 5*(2*(23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^3 - 3*(5*a^2 + 16*a*b + 9*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(5*a^2 + 4*a*b + 3*b^2)*\cosh(d*x + c) - 5*((15*(a^2 + 2*a*b + b^2)*d*x + 23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^4 + 30*(a^2 + 2*a*b + b^2)*d*x - 3*(15*(a^2 + 2*a*b + b^2)*d*x + 23*a^2 + 40*a*b + 15*b^2)*\cosh(d*x + c)^2 + 46*a^2 + 80*a*b + 30*b^2)*\sinh(d*x + c))/(d*\sinh(d*x + c)^5 + 5*(2*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^3 + 5*(d*\cosh(d*x + c)^4 - 3*d*\cosh(d*x + c)^2 + 2*d)*\sinh(d*x + c))$$

**giac [B]** time = 0.36, size = 218, normalized size = 3.46

$$15(a^2 + 2ab + b^2)(dx + c) - \frac{2(45a^2e^{(8dx+8c)} + 60abe^{(8dx+8c)} + 15b^2e^{(8dx+8c)} - 90a^2e^{(6dx+6c)} - 180abe^{(6dx+6c)} - 60b^2e^{(6dx+6c)} + 140a^2e^{(4dx+4c)} - 220abe^{(4dx+4c)} - 90b^2e^{(4dx+4c)} - 70a^2e^{(2dx+2c)} - 140ab^2e^{(2dx+2c)} - 60b^2e^{(2dx+2c)} + 23a^2 + 40ab + 15b^2)}{e^{(2dx+2c)} - 1)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/15\*(15\*(a^2 + 2\*a\*b + b^2)\*(d\*x + c) - 2\*(45\*a^2\*e^(8\*d\*x + 8\*c) + 60\*a\*b\*e^(8\*d\*x + 8\*c) + 15\*b^2\*e^(8\*d\*x + 8\*c) - 90\*a^2\*e^(6\*d\*x + 6\*c) - 180\*a\*b\*e^(6\*d\*x + 6\*c) - 60\*b^2\*e^(6\*d\*x + 6\*c) + 140\*a^2\*e^(4\*d\*x + 4\*c) + 220\*a\*b\*e^(4\*d\*x + 4\*c) + 90\*b^2\*e^(4\*d\*x + 4\*c) - 70\*a^2\*e^(2\*d\*x + 2\*c) - 140\*a\*b\*e^(2\*d\*x + 2\*c) - 60\*b^2\*e^(2\*d\*x + 2\*c) + 23\*a^2 + 40\*a\*b + 15\*b^2)/(e^(2\*d\*x + 2\*c) - 1)^5)/d

**maple [A]** time = 0.24, size = 87, normalized size = 1.38

$$a^2 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} - \frac{(\coth^5(dx+c))}{5} \right) + 2ab \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + b^2 (dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 1/d\*(a^2\*(d\*x+c-coth(d\*x+c)-1/3\*coth(d\*x+c)^3-1/5\*coth(d\*x+c)^5)+2\*a\*b\*(d\*x+c-coth(d\*x+c)-1/3\*coth(d\*x+c)^3)+b^2\*(d\*x+c-coth(d\*x+c)))

**maxima [B]** time = 0.35, size = 231, normalized size = 3.67

$$\frac{1}{15} a^2 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23)}{d(5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1)} \right) + \frac{2}{3} ab \left( 3x + \frac{3c}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{15}a^2(15x + 15c/d - 2(70e^{(-2dx - 2c)} - 140e^{(-4dx - 4c)} + 90e^{(-6dx - 6c)} - 45e^{(-8dx - 8c)} - 23)/(d(5e^{(-2dx - 2c)} - 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} - 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} - 1))) + \frac{2}{3}ab(3x + 3c/d - 4(3e^{(-2dx - 2c)} - 3e^{(-4dx - 4c)} - 2)/(d(3e^{(-2dx - 2c)} - 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} - 1))) + b^2(x + c/d + 2/(d(e^{(-2dx - 2c)} - 1)))$

**mupad [B]** time = 0.20, size = 529, normalized size = 8.40

$$\frac{\frac{2(b^2+2ab)}{5d} - \frac{2e^{2c+2dx}(3a^2+4ab+b^2)}{5d}}{e^{4c+4dx} - 2e^{2c+2dx} + 1} + \frac{\frac{2(b^2+2ab)}{5d} + \frac{6e^{4c+4dx}(b^2+2ab)}{5d} - \frac{2e^{6c+6dx}(3a^2+4ab+b^2)}{5d} - \frac{2e^{2c+2dx}(5a^2+4ab+3b^2)}{5d}}{6e^{4c+4dx} - 4e^{2c+2dx} - 4e^{6c+6dx} + e^{8c+8dx} + 1} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^6*(a + b*tanh(c + d*x)^2)^2,x)`

[Out]  $((2*(2*a*b + b^2))/(5*d) - (2*\exp(2*c + 2*d*x)*(4*a*b + 3*a^2 + b^2))/(5*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) + ((2*(2*a*b + b^2))/(5*d) + (6*\exp(4*c + 4*d*x)*(2*a*b + b^2))/(5*d) - (2*\exp(6*c + 6*d*x)*(4*a*b + 3*a^2 + b^2))/(5*d) - (2*\exp(2*c + 2*d*x)*(4*a*b + 5*a^2 + 3*b^2))/(5*d))/(\exp(4*c + 4*d*x) - 4*\exp(2*c + 2*d*x) - 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1) + x*(a + b)^2 - ((2*(4*a*b + 3*a^2 + b^2))/(5*d) - (8*\exp(2*c + 2*d*x)*(2*a*b + b^2))/(5*d) - (8*\exp(6*c + 6*d*x)*(2*a*b + b^2))/(5*d) + (2*\exp(8*c + 8*d*x)*(4*a*b + 3*a^2 + b^2))/(5*d) + (4*\exp(4*c + 4*d*x)*(4*a*b + 5*a^2 + 3*b^2))/(5*d))/(\exp(2*c + 2*d*x) - 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) - 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) - 1) - ((2*(4*a*b + 5*a^2 + 3*b^2))/(15*d) - (4*\exp(2*c + 2*d*x)*(2*a*b + b^2))/(5*d) + (2*\exp(4*c + 4*d*x)*(4*a*b + 3*a^2 + b^2))/(5*d))/(\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1) - (2*(4*a*b + 3*a^2 + b^2))/(5*d*(\exp(2*c + 2*d*x) - 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^6(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**6*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*coth(c + d*x)**6, x)`

### 3.155 $\int \coth^7(c + dx) \left( a + b \tanh^2(c + dx) \right)^2 dx$

**Optimal.** Leaf size=92

$$\frac{a^2 \coth^6(c + dx)}{6d} - \frac{a(a + 2b) \coth^4(c + dx)}{4d} - \frac{(a + b)^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\coth(c + dx))}{d}$$

[Out]  $-1/2*(a+b)^2*\coth(d*x+c)^2/d-1/4*a*(a+2*b)*\coth(d*x+c)^4/d-1/6*a^2*\coth(d*x+c)^6/d+(a+b)^2*\ln(\cosh(d*x+c))/d+(a+b)^2*\ln(\tanh(d*x+c))/d$

**Rubi [A]** time = 0.11, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{a^2 \coth^6(c + dx)}{6d} - \frac{a(a + 2b) \coth^4(c + dx)}{4d} - \frac{(a + b)^2 \coth^2(c + dx)}{2d} + \frac{(a + b)^2 \log(\tanh(c + dx))}{d} + \frac{(a + b)^2 \log(\coth(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] `Int[Coth[c + d*x]^7*(a + b*Tanh[c + d*x]^2)^2,x]`

[Out]  $-((a + b)^2*\text{Coth}[c + d*x]^2)/(2*d) - (a*(a + 2*b)*\text{Coth}[c + d*x]^4)/(4*d) - (a^2*\text{Coth}[c + d*x]^6)/(6*d) + ((a + b)^2*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^2*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 88

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))`

#### Rule 446

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

#### Rule 3670

`Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n`

, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \coth^7(c + dx) (a + b \tanh^2(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^2}{x^7(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{(1-x)x^4} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^2}{-1+x} + \frac{a^2}{x^4} + \frac{a(a+2b)}{x^3} + \frac{(a+b)^2}{x^2} + \frac{(a+b)^2}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{(a+b)^2 \coth^2(c + dx)}{2d} - \frac{a(a+2b) \coth^4(c + dx)}{4d} - \frac{a^2 \coth^6(c + dx)}{6d} \end{aligned}$$

**Mathematica [A]** time = 0.52, size = 74, normalized size = 0.80

$$\frac{2a^2 \coth^6(c + dx) + 3a(a + 2b) \coth^4(c + dx) + 6(a + b)^2 \coth^2(c + dx) - 12(a + b)^2(\log(\tanh(c + dx)) + \log(\coth(c + dx)))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^7\*(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/12\*(6\*(a + b)^2\*Coth[c + d\*x]^2 + 3\*a\*(a + 2\*b)\*Coth[c + d\*x]^4 + 2\*a^2\*Coth[c + d\*x]^6 - 12\*(a + b)^2\*(Log[Cosh[c + d\*x]] + Log[Tanh[c + d\*x]]))/d

**fricas [B]** time = 0.47, size = 3454, normalized size = 37.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/3\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^12 + 36\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + 3\*(a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^12 - 6\*(3\*(a^2 + 2\*a\*b + b^2)\*d\*x - 3\*a^2 - 4\*a\*b - b^2)\*cosh(d\*x + c)^10 + 6\*(33\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 - 3\*(a^2 + 2\*a\*b + b^2)\*d\*x + 3\*a^2 + 4\*a\*b + b^2)\*sinh(d\*x + c)^10 + 60\*(11\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^3 - (3\*(a^2 + 2\*a\*b + b^2)\*d\*x - 3\*a^2 - 4\*a\*b - b^2)\*cosh(d\*x

$$\begin{aligned}
& + c)) * \sinh(dx + c)^9 + 3 * (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * b - \\
& 8 * b^2) * \cosh(dx + c)^8 + 3 * (495 * (a^2 + 2 * a * b + b^2) * dx * \cosh(dx + c)^4 + 1 \\
& 5 * (a^2 + 2 * a * b + b^2) * dx - 90 * (3 * (a^2 + 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a * b - \\
& b^2) * \cosh(dx + c)^2 - 12 * a^2 - 24 * a * b - 8 * b^2) * \sinh(dx + c)^8 + 24 * (99 * ( \\
& a^2 + 2 * a * b + b^2) * dx * \cosh(dx + c)^5 - 30 * (3 * (a^2 + 2 * a * b + b^2) * dx - 3 * \\
& a^2 - 4 * a * b - b^2) * \cosh(dx + c)^3 + (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - \\
& 24 * a * b - 8 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^7 - 4 * (15 * (a^2 + 2 * a * b + b^2) \\
& * dx - 17 * a^2 - 24 * a * b - 9 * b^2) * \cosh(dx + c)^6 + 4 * (693 * (a^2 + 2 * a * b + b^2) \\
& ) * dx * \cosh(dx + c)^6 - 315 * (3 * (a^2 + 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a * b - b^2) \\
& * \cosh(dx + c)^4 - 15 * (a^2 + 2 * a * b + b^2) * dx + 21 * (15 * (a^2 + 2 * a * b + b^2) \\
& ) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) * \cosh(dx + c)^2 + 17 * a^2 + 24 * a * b + 9 * b^2) \\
& * \sinh(dx + c)^6 + 24 * (99 * (a^2 + 2 * a * b + b^2) * dx * \cosh(dx + c)^7 - 63 * (3 * ( \\
& a^2 + 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a * b - b^2) * \cosh(dx + c)^5 + 7 * (15 * (a^2 \\
& + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) * \cosh(dx + c)^3 - (15 * (a^2 + \\
& 2 * a * b + b^2) * dx - 17 * a^2 - 24 * a * b - 9 * b^2) * \cosh(dx + c)) * \sinh(dx + c)^5 \\
& + 3 * (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) * \cosh(dx + c)^4 \\
& + 3 * (495 * (a^2 + 2 * a * b + b^2) * dx * \cosh(dx + c)^8 - 420 * (3 * (a^2 + 2 * a * b + b^2) \\
& ) * dx - 3 * a^2 - 4 * a * b - b^2) * \cosh(dx + c)^6 + 70 * (15 * (a^2 + 2 * a * b + b^2) * \\
& dx - 12 * a^2 - 24 * a * b - 8 * b^2) * \cosh(dx + c)^4 + 15 * (a^2 + 2 * a * b + b^2) * dx \\
& - 20 * (15 * (a^2 + 2 * a * b + b^2) * dx - 17 * a^2 - 24 * a * b - 9 * b^2) * \cosh(dx + c)^ \\
& 2 - 12 * a^2 - 24 * a * b - 8 * b^2) * \sinh(dx + c)^4 + 4 * (165 * (a^2 + 2 * a * b + b^2) * dx \\
& * \cosh(dx + c)^9 - 180 * (3 * (a^2 + 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a * b - b^2) * \\
& \cosh(dx + c)^7 + 42 * (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) \\
& * \cosh(dx + c)^5 - 20 * (15 * (a^2 + 2 * a * b + b^2) * dx - 17 * a^2 - 24 * a * b - 9 * b^2) \\
& ) * \cosh(dx + c)^3 + 3 * (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) \\
& ) * \cosh(dx + c)) * \sinh(dx + c)^3 + 3 * (a^2 + 2 * a * b + b^2) * dx - 6 * (3 * (a^2 + \\
& 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a * b - b^2) * \cosh(dx + c)^2 + 6 * (33 * (a^2 + 2 * a * \\
& b + b^2) * dx * \cosh(dx + c)^10 - 45 * (3 * (a^2 + 2 * a * b + b^2) * dx - 3 * a^2 - 4 * a \\
& * b - b^2) * \cosh(dx + c)^8 + 14 * (15 * (a^2 + 2 * a * b + b^2) * dx - 12 * a^2 - 24 * a * \\
& b - 8 * b^2) * \cosh(dx + c)^6 - 10 * (15 * (a^2 + 2 * a * b + b^2) * dx - 17 * a^2 - 24 * a \\
& * b - 9 * b^2) * \cosh(dx + c)^4 - 3 * (a^2 + 2 * a * b + b^2) * dx + 3 * (15 * (a^2 + 2 * a * \\
& b + b^2) * dx - 12 * a^2 - 24 * a * b - 8 * b^2) * \cosh(dx + c)^2 + 3 * a^2 + 4 * a * b + b \\
& ^2) * \sinh(dx + c)^2 - 3 * ((a^2 + 2 * a * b + b^2) * \cosh(dx + c))^12 + 12 * (a^2 + 2 \\
& * a * b + b^2) * \cosh(dx + c) * \sinh(dx + c)^11 + (a^2 + 2 * a * b + b^2) * \sinh(dx + \\
& c)^12 - 6 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^10 + 6 * (11 * (a^2 + 2 * a * b + b^2) \\
& * \cosh(dx + c)^2 - a^2 - 2 * a * b - b^2) * \sinh(dx + c)^10 + 20 * (11 * (a^2 + 2 * a * \\
& b + b^2) * \cosh(dx + c)^3 - 3 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)) * \sinh(dx + \\
& c)^9 + 15 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^8 + 15 * (33 * (a^2 + 2 * a * b + b^2) * \\
& \cosh(dx + c)^4 - 18 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^2 + a^2 + 2 * a * b + b^2) \\
& * \sinh(dx + c)^8 + 24 * (33 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^5 - 30 * (a^2 + \\
& 2 * a * b + b^2) * \cosh(dx + c)^3 + 5 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)) * \sinh(dx \\
& + c)^7 - 20 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^6 + 4 * (231 * (a^2 + 2 * a * b + \\
& b^2) * \cosh(dx + c)^6 - 315 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^4 + 105 * (a^2 + \\
& 2 * a * b + b^2) * \cosh(dx + c)^2 - 5 * a^2 - 10 * a * b - 5 * b^2) * \sinh(dx + c)^6 + 2 \\
& 4 * (33 * (a^2 + 2 * a * b + b^2) * \cosh(dx + c)^7 - 63 * (a^2 + 2 * a * b + b^2) * \cosh(dx
\end{aligned}$$

$+ c)^5 + 35*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^5 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(33*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 - 84*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 - 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 20*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 - 36*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 + 42*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 - 20*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 6*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + 6*(11*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^10 - 45*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^8 + 70*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 - 50*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 15*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 - a^2 - 2*a*b - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 12*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^11 - 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^9 + 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^7 - 10*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 5*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 - (a^2 + 2*a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)*\log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 12*(3*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^11 - 5*(3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\cosh(d*x + c)^9 + 2*(15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\cosh(d*x + c)^7 - 2*(15*(a^2 + 2*a*b + b^2)*d*x - 17*a^2 - 24*a*b - 9*b^2)*\cosh(d*x + c)^5 + (15*(a^2 + 2*a*b + b^2)*d*x - 12*a^2 - 24*a*b - 8*b^2)*\cosh(d*x + c)^3 - (3*(a^2 + 2*a*b + b^2)*d*x - 3*a^2 - 4*a*b - b^2)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^12 + 12*d*\cosh(d*x + c)*\sinh(d*x + c)^11 + d*\sinh(d*x + c)^12 - 6*d*\cosh(d*x + c)^10 + 6*(11*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^10 + 20*(11*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 15*d*\cosh(d*x + c)^8 + 15*(33*d*\cosh(d*x + c)^4 - 18*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^8 + 24*(33*d*\cosh(d*x + c)^5 - 30*d*\cosh(d*x + c)^3 + 5*d*\cosh(d*x + c))*\sinh(d*x + c)^7 - 20*d*\cosh(d*x + c)^6 + 4*(231*d*\cosh(d*x + c)^6 - 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 - 5*d)*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 - 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 - 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 - 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 - 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 - 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 - 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^10 - 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 - 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 - 5*d*\cosh(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 - 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d)$

**giac [B]** time = 0.43, size = 192, normalized size = 2.09

$$3(a^2 + 2ab + b^2)(dx + c) - 3(a^2 + 2ab + b^2)\log\left(\left|e^{(2dx+2c)} - 1\right|\right) + \frac{2\left(3\left(3a^2+4ab+b^2\right)e^{(10dx+10c)} - 6\left(3a^2+6ab+2b^2\right)e^{(8d}\right.}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/3*(3*(a^2 + 2*a*b + b^2)*(d*x + c) - 3*(a^2 + 2*a*b + b^2)*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))) + 2*(3*(3*a^2 + 4*a*b + b^2)*e^{(10*d*x + 10*c)} - 6*(3*a^2 + 6*a*b + 2*b^2)*e^{(8*d*x + 8*c)} + 2*(17*a^2 + 24*a*b + 9*b^2)*e^{(6*d*x + 6*c)} - 6*(3*a^2 + 6*a*b + 2*b^2)*e^{(4*d*x + 4*c)} + 3*(3*a^2 + 4*a*b + b^2)*e^{(2*d*x + 2*c)})/(e^{(2*d*x + 2*c)} - 1)^6/d$$

**maple [A]** time = 0.26, size = 138, normalized size = 1.50

$$\frac{a^2 \ln(\sinh(dx+c))}{d} - \frac{a^2 (\coth^2(dx+c))}{2d} - \frac{a^2 (\coth^4(dx+c))}{4d} - \frac{a^2 (\coth^6(dx+c))}{6d} + \frac{2ab \ln(\sinh(dx+c))}{d} - \frac{ab (c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$1/d*a^2*\ln(\sinh(d*x+c))-1/2*a^2*\coth(d*x+c)^2/d-1/4*a^2*\coth(d*x+c)^4/d-1/6*a^2*\coth(d*x+c)^6/d+2/d*a*b*\ln(\sinh(d*x+c))-1/d*a*b*\coth(d*x+c)^2-1/2/d*a*b*\coth(d*x+c)^4+1/d*b^2*\ln(\sinh(d*x+c))-1/2/d*b^2*\coth(d*x+c)^2$$

**maxima [B]** time = 0.35, size = 390, normalized size = 4.24

$$\frac{1}{3} a^2 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{-dx-c} + 1)}{d} + \frac{3 \log(e^{-dx-c} - 1)}{d} + \frac{2(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + e^{(-12dx-12c)} - 1)} \right) + 2*a*b*(x + c/d + \log(e^{-dx-c} + 1)/d + \log(e^{-dx-c} - 1)/d + 4*(e^{(-2dx-2c)} - e^{(-4dx-4c)} + e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1))/d + 2*e^{(-2dx-2c)}/(d*(2*e^{(-2dx-2c)} - e^{(-4dx-4c)} - 1)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$1/3*a^2*(3*x + 3*c/d + 3*\log(e^{(-d*x - c)} + 1)/d + 3*\log(e^{(-d*x - c)} - 1)/d + 2*(9*e^{(-2*d*x - 2*c)} - 18*e^{(-4*d*x - 4*c)} + 34*e^{(-6*d*x - 6*c)} - 18*e^{(-8*d*x - 8*c)} + 9*e^{(-10*d*x - 10*c)})/(d*(6*e^{(-2*d*x - 2*c)} - 15*e^{(-4*d*x - 4*c)} + 20*e^{(-6*d*x - 6*c)} - 15*e^{(-8*d*x - 8*c)} + 6*e^{(-10*d*x - 10*c)} - e^{(-12*d*x - 12*c)} - 1))) + 2*a*b*(x + c/d + \log(e^{(-d*x - c)} + 1)/d + \log(e^{(-d*x - c)} - 1)/d + 4*(e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)} - e^{(-8*d*x - 8*c)} - 1))/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1)))$$

**mupad [B]** time = 0.27, size = 362, normalized size = 3.93

$$\frac{\ln(e^{2c} e^{2dx} - 1) (a^2 + 2ab + b^2)}{d} - \frac{2(3a^2 + 4ab + b^2)}{d(e^{2c+2dx} - 1)} - \frac{32a^2}{3d(15e^{4c+4dx} - 6e^{2c+2dx} - 20e^{6c+6dx} + 15e^{8c+8dx})}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^7*(a + b*tanh(c + d*x)^2)^2,x)`

[Out]  $(\log(\exp(2*c)*\exp(2*d*x) - 1)*(2*a*b + a^2 + b^2))/d - (2*(4*a*b + 3*a^2 + b^2))/(d*(\exp(2*c + 2*d*x) - 1)) - (32*a^2)/(3*d*(15*\exp(4*c + 4*d*x) - 6*\exp(2*c + 2*d*x) - 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) - 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) - x*(a + b)^2 - (2*(8*a*b + 9*a^2 + b^2))/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - (8*(6*a*b + 13*a^2))/(3*d*(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1)) - (4*(2*a*b + 11*a^2))/(d*(6*\exp(4*c + 4*d*x) - 4*\exp(2*c + 2*d*x) - 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (32*a^2)/(d*(5*\exp(2*c + 2*d*x) - 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) - 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^2 \coth^7(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**7*(a+b*tanh(d*x+c)**2)**2,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**2*coth(c + d*x)**7, x)`

$$3.156 \quad \int \tanh^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=114

$$\frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(3a + b) \tanh^7(c + dx)}{7d} - \frac{(a + b)^3 \tanh^3(c + dx)}{3d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a$$

[Out] (a+b)^3\*x - (a+b)^3\*tanh(d\*x+c)/d - 1/3\*(a+b)^3\*tanh(d\*x+c)^3/d - 1/5\*b\*(3\*a^2+3\*a\*b+b^2)\*tanh(d\*x+c)^5/d - 1/7\*b^2\*(3\*a+b)\*tanh(d\*x+c)^7/d - 1/9\*b^3\*tanh(d\*x+c)^9/d

**Rubi [A]** time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 206}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(3a + b) \tanh^7(c + dx)}{7d} - \frac{(a + b)^3 \tanh^3(c + dx)}{3d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - ((a + b)^3\*Tanh[c + d\*x]^3)/(3\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^5)/(5\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^7)/(7\*d) - (b^3\*Tanh[c + d\*x]^9)/(9\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 461

Int[(((e\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_))/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n



$$\begin{aligned}
& + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)*\sinh(d*x \\
& + c)^8 - (420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*\sinh(d*x + c)^9 + 9 \\
& *(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*\cosh(d*x + c)^7 - 9*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3 \\
& + 4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3)*\cosh(d*x + c)^2)*\sinh(d \\
& *x + c)^7 + 21*(4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + 3*(420*a^3 + 1449*a^2*b + \\
& 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + \\
& c))*\sinh(d*x + c)^6 + 36*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 9*(14*(420*a^3 + 14 \\
& 49*a^2*b + 1584*a*b^2 + 563*b^3)*\cosh(d*x + c)^4 + 700*a^3 + 2016*a^2*b + 2 \\
& 136*a*b^2 + 852*b^3 + 21*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3)*\cosh(d \\
& *x + c)^2)*\sinh(d*x + c)^5 + 9*(14*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563 \\
& *b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 + 35*(420*a \\
& ^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3 \\
& )*d*x)*\cosh(d*x + c)^3 + 20*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + \\
& 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^4 + 8 \\
& 4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 3*(28*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + \\
& 563*b^3)*\cosh(d*x + c)^6 + 105*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3) \\
& *\cosh(d*x + c)^4 + 2660*a^3 + 8232*a^2*b + 8232*a*b^2 + 1764*b^3 + 120*(175 \\
& *a^3 + 504*a^2*b + 534*a*b^2 + 213*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + \\
& 9*(4*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3* \\
& a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 + 21*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + \\
& 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 + 40*(4 \\
& 20*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x)*\cosh(d*x + c)^3 + 28*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^ \\
& 3 + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^2 \\
& + 126*(420*a^3 + 1449*a^2*b + 1584*a*b^2 + 563*b^3 + 315*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c) - 9*((420*a^3 + 1449*a^2*b + 1584*a*b^2 + \\
& 563*b^3)*\cosh(d*x + c)^8 + 7*(280*a^3 + 819*a^2*b + 744*a*b^2 + 213*b^3)*c \\
& osh(d*x + c)^6 + 20*(175*a^3 + 504*a^2*b + 534*a*b^2 + 213*b^3)*\cosh(d*x + \\
& c)^4 + 420*a^3 + 1386*a^2*b + 1176*a*b^2 + 882*b^3 + 28*(95*a^3 + 294*a^2*b \\
& + 294*a*b^2 + 63*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^9 + \\
& 9*d*\cosh(d*x + c)*\sinh(d*x + c)^8 + 9*d*\cosh(d*x + c)^7 + 21*(4*d*\cosh(d*x \\
& + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^6 + 36*d*\cosh(d*x + c)^5 + 9*(14 \\
& *d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 + 20*d*\cosh(d*x + c))*\sinh(d*x + \\
& c)^4 + 84*d*\cosh(d*x + c)^3 + 9*(4*d*\cosh(d*x + c)^7 + 21*d*\cosh(d*x + c)^5 \\
& + 40*d*\cosh(d*x + c)^3 + 28*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 126*d*\cosh( \\
& d*x + c))
\end{aligned}$$

**giac [B]** time = 0.54, size = 534, normalized size = 4.68

$$315(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) + \frac{2(630a^3e^{(16dx+16c)} + 2835a^2be^{(16dx+16c)} + 3780ab^2e^{(16dx+16c)} + 1575b^3e^{(16dx+16c)} + 4410a^3e^{(16dx+16c)})}{(e^{(2dx+2c)} + 1)^9} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/315\*(315\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c) + 2\*(630\*a^3\*e^(16\*d\*x + 16\*c) + 2835\*a^2\*b\*e^(16\*d\*x + 16\*c) + 3780\*a\*b^2\*e^(16\*d\*x + 16\*c) + 1575\*b^3\*e^(16\*d\*x + 16\*c) + 4410\*a^3\*e^(14\*d\*x + 14\*c) + 17010\*a^2\*b\*e^(14\*d\*x + 14\*c) + 18900\*a\*b^2\*e^(14\*d\*x + 14\*c) + 6300\*b^3\*e^(14\*d\*x + 14\*c) + 13650\*a^3\*e^(12\*d\*x + 12\*c) + 48510\*a^2\*b\*e^(12\*d\*x + 12\*c) + 54180\*a\*b^2\*e^(12\*d\*x + 12\*c) + 21000\*b^3\*e^(12\*d\*x + 12\*c) + 24570\*a^3\*e^(10\*d\*x + 10\*c) + 85050\*a^2\*b\*e^(10\*d\*x + 10\*c) + 94500\*a\*b^2\*e^(10\*d\*x + 10\*c) + 31500\*b^3\*e^(10\*d\*x + 10\*c) + 28350\*a^3\*e^(8\*d\*x + 8\*c) + 97524\*a^2\*b\*e^(8\*d\*x + 8\*c) + 105084\*a\*b^2\*e^(8\*d\*x + 8\*c) + 39438\*b^3\*e^(8\*d\*x + 8\*c) + 21630\*a^3\*e^(6\*d\*x + 6\*c) + 73206\*a^2\*b\*e^(6\*d\*x + 6\*c) + 78876\*a\*b^2\*e^(6\*d\*x + 6\*c) + 26292\*b^3\*e^(6\*d\*x + 6\*c) + 10710\*a^3\*e^(4\*d\*x + 4\*c) + 35154\*a^2\*b\*e^(4\*d\*x + 4\*c) + 38124\*a\*b^2\*e^(4\*d\*x + 4\*c) + 13968\*b^3\*e^(4\*d\*x + 4\*c) + 3150\*a^3\*e^(2\*d\*x + 2\*c) + 10206\*a^2\*b\*e^(2\*d\*x + 2\*c) + 10476\*a\*b^2\*e^(2\*d\*x + 2\*c) + 3492\*b^3\*e^(2\*d\*x + 2\*c) + 420\*a^3 + 1449\*a^2\*b + 1584\*a\*b^2 + 563\*b^3)/(e^(2\*d\*x + 2\*c) + 1)^9/d

**maple [B]** time = 0.02, size = 365, normalized size = 3.20

$$\frac{\ln(1 + \tanh(dx + c))a^3}{2d} + \frac{3\ln(1 + \tanh(dx + c))a^2b}{2d} + \frac{3\ln(1 + \tanh(dx + c))ab^2}{2d} + \frac{\ln(1 + \tanh(dx + c))b^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/2/d\*ln(1+tanh(d\*x+c))\*a^3+3/2/d\*ln(1+tanh(d\*x+c))\*a^2\*b+3/2/d\*ln(1+tanh(d\*x+c))\*a\*b^2+1/2/d\*ln(1+tanh(d\*x+c))\*b^3-1/3/d\*a^3\*tanh(d\*x+c)^3-b^3\*tanh(d\*x+c)/d-1/9\*b^3\*tanh(d\*x+c)^9/d-a^3\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^3-3/2/d\*ln(tanh(d\*x+c)-1)\*a^2\*b-3/2/d\*ln(tanh(d\*x+c)-1)\*a\*b^2-1/2/d\*ln(tanh(d\*x+c)-1)\*b^3-1/7\*b^3\*tanh(d\*x+c)^7/d-1/5\*b^3\*tanh(d\*x+c)^5/d-1/3\*b^3\*tanh(d\*x+c)^3/d-3/5/d\*tanh(d\*x+c)^5\*a^2\*b-3/5\*a\*b^2\*tanh(d\*x+c)^5/d-a^2\*b\*tanh(d\*x+c)^3/d-a\*b^2\*tanh(d\*x+c)^3/d-3/7/d\*tanh(d\*x+c)^7\*a\*b^2-3\*a^2\*b\*tanh(d\*x+c)/d-3\*a\*b^2\*tanh(d\*x+c)/d

**maxima [B]** time = 0.37, size = 583, normalized size = 5.11

$$\frac{1}{315} b^3 \left( 315x + \frac{315c}{d} - \frac{2 \left( 3492 e^{(-2dx-2c)} + 13968 e^{(-4dx-4c)} + 26292 e^{(-6dx-6c)} + 39438 e^{(-8dx-8c)} + 31500 e^{(-10dx-10c)} + \dots \right)}{d \left( 9 e^{(-2dx-2c)} + 36 e^{(-4dx-4c)} + 84 e^{(-6dx-6c)} + 126 e^{(-8dx-8c)} + 126 e^{(-10dx-10c)} + \dots \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{315} b^3 (315x + 315c/d - 2(3492e^{(-2dx-2c)} + 13968e^{(-4dx-4c)} + 26292e^{(-6dx-6c)} + 39438e^{(-8dx-8c)} + 31500e^{(-10dx-10c)} + 21000e^{(-12dx-12c)} + 6300e^{(-14dx-14c)} + 1575e^{(-16dx-16c)} + 563)/(d(9e^{(-2dx-2c)} + 36e^{(-4dx-4c)} + 84e^{(-6dx-6c)} + 126e^{(-8dx-8c)} + 126e^{(-10dx-10c)} + 84e^{(-12dx-12c)} + 36e^{(-14dx-14c)} + 9e^{(-16dx-16c)} + e^{(-18dx-18c)} + 1))) + 1/35 a b^2 (105x + 105c/d - 8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44)/(d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1))) + 1/5 a^2 b (15x + 15c/d - 2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)/(d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + 1/3 a^3 (3x + 3c/d - 4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)/(d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)))$

**mupad [B]** time = 0.26, size = 138, normalized size = 1.21

$$x \left( a^3 + 3a^2b + 3ab^2 + b^3 \right) - \frac{\tanh(c+dx)(a+b)^3}{d} - \frac{\tanh(c+dx)^5(3a^2b + 3ab^2 + b^3)}{5d} - \frac{\tanh(c+dx)^7(b^3 + \dots)}{7d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^4\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $x(3a^2b + 3a^2b + a^3 + b^3) - (\tanh(c + d*x)(a + b)^3)/d - (\tanh(c + d*x)^5(3a^2b + 3a^2b + b^3))/(5d) - (\tanh(c + d*x)^7(3a^2b + b^3))/(7d) - (b^3 \tanh(c + d*x)^9)/(9d) - (\tanh(c + d*x)^3(3a^2b + 3a^2b + a^3 + b^3))/(3d)$

**sympy [A]** time = 2.09, size = 260, normalized size = 2.28

$$\left\{ \begin{array}{l} a^3x - \frac{a^3 \tanh^3(c+dx)}{3d} - \frac{a^3 \tanh(c+dx)}{d} + 3a^2bx - \frac{3a^2b \tanh^5(c+dx)}{5d} - \frac{a^2b \tanh^3(c+dx)}{d} - \frac{3a^2b \tanh(c+dx)}{d} + 3ab^2x - \frac{3ab^2 \tanh^7(c+dx)}{7d} \\ x(a + b \tanh^2(c))^3 \tanh^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - a\*\*3\*tanh(c + d\*x)/d + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*tanh(c + d\*x)\*\*5/(5\*d) - a\*\*2\*b\*tanh(c + d\*x)\*\*3/d - 3\*a\*\*2\*b\*tanh(c + d\*x)/d + 3\*a\*b\*\*2\*x - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*7/(7\*d) - 3\*a\*b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - a\*b\*\*2\*tanh(c + d\*x)\*\*3/d - 3\*a\*b\*\*2\*tanh(c + d\*x)/d + b\*\*3\*x - b\*\*3\*tanh(c + d\*x)\*\*9/(9\*d) - b\*\*3\*tanh(c + d\*x)\*\*7/(7\*d) - b\*\*3\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*3\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3\*tanh(c)\*\*4, True))

$$3.157 \quad \int \tanh^3(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=107

$$\frac{b(3a^2 + 3ab + b^2) \tanh^4(c + dx)}{4d} - \frac{b^2(3a + b) \tanh^6(c + dx)}{6d} - \frac{(a + b)^3 \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

[Out] (a+b)^3\*ln(cosh(d\*x+c))/d-1/2\*(a+b)^3\*tanh(d\*x+c)^2/d-1/4\*b\*(3\*a^2+3\*a\*b+b^2)\*tanh(d\*x+c)^4/d-1/6\*b^2\*(3\*a+b)\*tanh(d\*x+c)^6/d-1/8\*b^3\*tanh(d\*x+c)^8/d

**Rubi [A]** time = 0.15, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 77}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^4(c + dx)}{4d} - \frac{b^2(3a + b) \tanh^6(c + dx)}{6d} - \frac{(a + b)^3 \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d - ((a + b)^3\*Tanh[c + d\*x]^2)/(2\*d) - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^4)/(4\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^6)/(6\*d) - (b^3\*Tanh[c + d\*x]^8)/(8\*d)

### Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x],



x}}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f  
f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n  
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration  
alQ[n]))

### Rubi steps

$$\begin{aligned} \int \tanh^3(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^3(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x(a+bx)^3}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(- (a+b)^3 - \frac{(a+b)^3}{-1+x} - b(3a^2 + 3ab + b^2)x - b^2(3a+b)x^2\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^3 \log(\cosh(c + dx))}{d} - \frac{(a+b)^3 \tanh^2(c + dx)}{2d} - \frac{b(3a^2 + 3ab + b^2)}{2d} \tanh^4(c + dx) \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 98, normalized size = 0.92

$$\frac{-\frac{1}{2}b(3a^2 + 3ab + b^2) \tanh^4(c + dx) - \frac{1}{3}b^2(3a + b) \tanh^6(c + dx) - (a + b)^3 \tanh^2(c + dx) + 2(a + b)^3 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (2\*(a + b)^3\*Log[Cosh[c + d\*x]] - (a + b)^3\*Tanh[c + d\*x]^2 - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^4)/2 - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^6)/3 - (b^3\*Tanh[c + d\*x]^8)/4)/(2\*d)

**fricas [B]** time = 0.56, size = 7502, normalized size = 70.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/3\*(3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^16 + 48\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^15 + 3\*(a^3 + 3\*a^2\*b

$$\begin{aligned}
& b + 3ab^2 + b^3)dx \sinh(dx + c)^{16} - 6(a^3 + 6a^2b + 9ab^2 + 4b^3 \\
& - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^{14} + 6(60(a^3 + \\
& 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^2 - a^3 - 6a^2b - 9ab^2 - 4b^3 \\
& + 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \sinh(dx + c)^{14} + 84(20(a^3 \\
& + 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^3 - (a^3 + 6a^2b + 9ab^2 \\
& + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)) \sinh(dx + \\
& c)^{13} - 12(3a^3 + 15a^2b + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b + 3ab^2 \\
& + b^3)dx) \cosh(dx + c)^{12} + 6(910(a^3 + 3a^2b + 3ab^2 + b^3)dx \\
& \cosh(dx + c)^4 - 6a^3 - 30a^2b - 36ab^2 - 12b^3 + 14(a^3 + 3a^2b \\
& + 3ab^2 + b^3)dx - 91(a^3 + 6a^2b + 9ab^2 + 4b^3 - 4(a^3 + 3a^2 \\
& + 3ab^2 + b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^{12} + 24(546(a^3 \\
& + 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^5 - 91(a^3 + 6a^2b + 9ab^2 \\
& + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^3 - 6(3a^3 \\
& + 15a^2b + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)) \sinh(dx + c)^{11} - 2(45a^3 + 198a^2b + 237ab^2 + 100b^3 \\
& - 84(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^{10} + 2(12012(a^3 \\
& + 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^6 - 3003(a^3 + 6a^2b + 9ab^2 \\
& + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^4 - 45a^3 - 198a^2b - 237ab^2 - 100b^3 + 84(a^3 + 3a^2b + 3ab^2 + b^3) \\
& dx - 396(3a^3 + 15a^2b + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^{10} + 4(8580(a^3 + 3a^2b + \\
& 3ab^2 + b^3)dx \cosh(dx + c)^7 - 3003(a^3 + 6a^2b + 9ab^2 + 4b^3 \\
& - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^5 - 660(3a^3 + 15a^2b \\
& + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^3 - 5(45a^3 + 198a^2b + 237ab^2 + 100b^3 - 84(a^3 + 3a^2b + \\
& 3ab^2 + b^3)dx) \cosh(dx + c)) \sinh(dx + c)^9 - 2(60a^3 + 252a^2b \\
& + 312ab^2 + 104b^3 - 105(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^8 + 2(19305(a^3 + 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^8 - 9009 \\
& (a^3 + 6a^2b + 9ab^2 + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^6 - 2970(3a^3 + 15a^2b + 18ab^2 + 6b^3 - 7(a^3 + 3a^2b \\
& + 3ab^2 + b^3)dx) \cosh(dx + c)^4 - 60a^3 - 252a^2b - 312ab^2 \\
& - 104b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3)dx - 45(45a^3 + 198a^2b \\
& + 237ab^2 + 100b^3 - 84(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^8 + 16(2145(a^3 + 3a^2b + 3ab^2 + b^3)dx \cosh \\
& (dx + c)^9 - 1287(a^3 + 6a^2b + 9ab^2 + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^7 - 594(3a^3 + 15a^2b + 18ab^2 + 6b^3 \\
& - 7(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^5 - 15(45a^3 + 198a^2b \\
& + 237ab^2 + 100b^3 - 84(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^3 - (60a^3 + 252a^2b + 312ab^2 + 104b^3 - 105(a^3 + 3a^2b \\
& + 3ab^2 + b^3)dx) \cosh(dx + c)) \sinh(dx + c)^7 - 2(45a^3 + 198a^2b \\
& + 237ab^2 + 100b^3 - 84(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^6 + 2(12012(a^3 + 3a^2b + 3ab^2 + b^3)dx \cosh(dx + c)^{10} \\
& - 9009(a^3 + 6a^2b + 9ab^2 + 4b^3 - 4(a^3 + 3a^2b + 3ab^2 + b^3) \\
& dx) \cosh(dx + c)^8 - 5544(3a^3 + 15a^2b + 18ab^2 + 6b^3 - 7(a^3 \\
& + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c)^6 - 210(45a^3 + 198a^2b +
\end{aligned}$$

$$\begin{aligned}
& 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c) \\
& )^4 - 45*a^3 - 198*a^2*b - 237*a*b^2 - 100*b^3 + 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x \\
& - 28*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 4*(3276*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x \\
& *cosh(d*x + c)^11 - 3003*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^9 - 2376*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *d*x)*cosh(d*x + c)^7 - 126*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *d*x)*cosh(d*x + c)^5 - 28*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^3 - 3*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c))*\sinh(d*x + c)^5 - 12*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^4 + 2*(2730*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^12 - 3003*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^10 - 2970*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^8 - 210*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^6 - 70*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^4 - 18*a^3 - 90*a^2*b - 108*a*b^2 - 36*b^3 + 42*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 15*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100 \\
& *b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(210*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^13 - 273*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^11 - 330*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^9 - 30*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^7 - 14*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^5 - 5*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^3 - 6*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 6*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^2 + 2*(180*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^14 - 273*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^12 - 396*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^10 - 45*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^8 - 28*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^6 - 15*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^4 - 3*a^3 - 18*a^2*b - 27*a*b^2 - 12*b^3 + 12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 36*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x) \\
& *cosh(d*x + c)^2)*\sinh(d*x + c)^2 - 3*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^16 + 16*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*\sinh(d*x + c)^15 + (a^
\end{aligned}$$

$$\begin{aligned}
& 3 + 3a^2b + 3ab^2 + b^3) \sinh(dx + c)^{16} + 8(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^{14} + 8(a^3 + 3a^2b + 3ab^2 + b^3 + 15(a^3 + 3a^2 \\
& 2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^{14} + 112(5(a^3 + 3a^2 \\
& 2b + 3ab^2 + b^3) \cosh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) \cosh \\
& (dx + c)) \sinh(dx + c)^{13} + 28(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + \\
& c)^{12} + 28(65(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a \\
& ^2b + 3ab^2 + b^3 + 26(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) * \\
& \sinh(dx + c)^{12} + 112(39(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 \\
& + 26(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3 \\
& ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^{11} + 56(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^{10} + 56(143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& + c)^6 + 143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2 \\
& *b + 3ab^2 + b^3 + 33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) * \si \\
& nh(dx + c)^{10} + 16(715(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + \\
& 1001(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 385(a^3 + 3a^2b + \\
& 3ab^2 + b^3) \cosh(dx + c)^3 + 35(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(d \\
& *x + c)) \sinh(dx + c)^9 + 70(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) \\
& ^8 + 2(6435(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 12012(a^3 + \\
& 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 6930(a^3 + 3a^2b + 3ab^2 + \\
& b^3) \cosh(dx + c)^4 + 35a^3 + 105a^2b + 105ab^2 + 35b^3 + 1260(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^8 + 16(715(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 + 1716(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^7 + 1386(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c \\
& )^5 + 420(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 35(a^3 + 3a^2 \\
& *b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^7 + 56(a^3 + 3a^2b + 3 \\
& ab^2 + b^3) \cosh(dx + c)^6 + 56(143(a^3 + 3a^2b + 3ab^2 + b^3) \cosh \\
& (dx + c)^{10} + 429(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 462(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 210(a^3 + 3a^2b + 3ab^ \\
& 2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b^3 + 35(a^3 + 3a^2* \\
& b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 112(39(a^3 + 3a^2* \\
& b + 3ab^2 + b^3) \cosh(dx + c)^{11} + 143(a^3 + 3a^2b + 3ab^2 + b^3) *c \\
& osh(dx + c)^9 + 198(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 126* \\
& (a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 35(a^3 + 3a^2b + 3ab* \\
& ^2 + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) \\
& ) \sinh(dx + c)^5 + 28(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 28 \\
& *(65(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^{12} + 286(a^3 + 3a^2*b \\
& + 3ab^2 + b^3) \cosh(dx + c)^{10} + 495(a^3 + 3a^2b + 3ab^2 + b^3) *cos \\
& h(dx + c)^8 + 420(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 175*(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b \\
& ^3 + 30(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + \\
& 112(5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^{13} + 26(a^3 + 3a^2*b \\
& + 3ab^2 + b^3) \cosh(dx + c)^{11} + 55(a^3 + 3a^2b + 3ab^2 + b^3) *cos \\
& h(dx + c)^9 + 60(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 35*(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 10(a^3 + 3a^2b + 3ab^2 + \\
& b^3) \cosh(dx + c)^3 + (a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh
\end{aligned}$$

$$\begin{aligned}
& (d*x + c)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 8*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*\cosh(d*x + c)^2 + 8*(15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{14} + 91*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{12} + 231*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{10} + 315*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^8 + 245*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^6 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 \\
& + 16*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{15} + 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{13} + 21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^{11} + 35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^9 + 35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 21*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^5 + 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*(12*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^{15} - 21*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{13} - 36*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^{11} - 5*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^9 - 4*(60*a^3 + 252*a^2*b + 312*a*b^2 + 104*b^3 - 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 3*(45*a^3 + 198*a^2*b + 237*a*b^2 + 100*b^3 - 84*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 12*(3*a^3 + 15*a^2*b + 18*a*b^2 + 6*b^3 - 7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 3*(a^3 + 6*a^2*b + 9*a*b^2 + 4*b^3 - 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((d*\cosh(d*x + c)^{16} + 16*d*\cosh(d*x + c)*\sinh(d*x + c)^{15} + d*\sinh(d*x + c)^{16} + 8*d*\cosh(d*x + c)^{14} + 8*(15*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{14} + 112*(5*d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c)^{13} + 28*d*\cosh(d*x + c)^{12} + 28*(65*d*\cosh(d*x + c)^4 + 26*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{11} + 112*(39*d*\cosh(d*x + c)^5 + 26*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^{10} + 56*d*\cosh(d*x + c)^{10} + 56*(143*d*\cosh(d*x + c)^6 + 143*d*\cosh(d*x + c)^4 + 33*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^{10} + 16*(715*d*\cosh(d*x + c)^7 + 1001*d*\cosh(d*x + c)^5 + 385*d*\cosh(d*x + c)^3 + 35*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + 70*d*\cosh(d*x + c)^8 + 2*(6435*d*\cosh(d*x + c)^8 + 12012*d*\cosh(d*x + c)^6 + 6930*d*\cosh(d*x + c)^4 + 1260*d*\cosh(d*x + c)^2 + 35*d)*\sinh(d*x + c)^8 + 16*(715*d*\cosh(d*x + c)^9 + 1716*d*\cosh(d*x + c)^7 + 1386*d*\cosh(d*x + c)^5 + 420*d*\cosh(d*x + c)^3 + 35*d*\cosh(d*x + c))*\sinh(d*x + c)^7 + 56*d*\cosh(d*x + c)^6 + 56*(143*d*\cosh(d*x + c)^{10} + 429*d*\cosh(d*x + c)^8 + 462*d*\cosh(d*x + c)^6 + 210*d*\cosh(d*x + c)^4 + 35*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 112*(39*d*\cosh(d*x + c)^{11} + 143*d*\cosh(d*x + c)^9 + 198*d*\cosh(d*x + c)^7 + 126*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 28*d*\cosh(d*x + c)^4 + 28*(65*d*\cosh(d*x + c)^{12} + 286*d*\cosh(d*x + c)^{10} + 495*d*\cosh(d*x + c)^8 + 420*d*\cosh(d*x + c)^6 + 175*d*\cosh(d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 112*(5*d*\cosh(d*x + c)^{13} + 26*d*\cosh(d*x + c)^{11} + 55*d*\cosh(d*x + c)^9 + 60*d*\cosh(d*x + c)^7 + 35*d*\cosh(d*x + c)^5 + 10*d*\cosh(d*x
\end{aligned}$$

$$+ c)^3 + d \cosh(dx + c) \sinh(dx + c)^3 + 8d \cosh(dx + c)^2 + 8(15d \cosh(dx + c)^{14} + 91d \cosh(dx + c)^{12} + 231d \cosh(dx + c)^{10} + 315d \cosh(dx + c)^8 + 245d \cosh(dx + c)^6 + 105d \cosh(dx + c)^4 + 21d \cosh(dx + c)^2 + d) \sinh(dx + c)^2 + 16(d \cosh(dx + c)^{15} + 7d \cosh(dx + c)^{13} + 21d \cosh(dx + c)^{11} + 35d \cosh(dx + c)^9 + 35d \cosh(dx + c)^7 + 21d \cosh(dx + c)^5 + 7d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c) + d$$

**giac** [B] time = 0.47, size = 309, normalized size = 2.89

$$3(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - 3(a^3 + 3a^2b + 3ab^2 + b^3) \log(e^{(2dx+2c)} + 1) - \frac{2(3(a^3+6a^2b+9ab^2+4b^3)e^{(14dx+14c)} + 18(a^3+5a^2b+6ab^2+2b^3)e^{(12dx+12c)} + (45a^3+198a^2b+237ab^2+100b^3)e^{(10dx+10c)} + 4(15a^3+63a^2b+78ab^2+26b^3)e^{(8dx+8c)} + (45a^3+198a^2b+237ab^2+100b^3)e^{(6dx+6c)} + 18(a^3+5a^2b+6ab^2+2b^3)e^{(4dx+4c)} + 3(a^3+6a^2b+9ab^2+4b^3)e^{(2dx+2c)}))}{(e^{(2dx+2c)} + 1)^8} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $-1/3*(3*(a^3 + 3a^2b + 3ab^2 + b^3)*(dx + c) - 3*(a^3 + 3a^2b + 3ab^2 + b^3)*\log(e^{(2dx+2c)} + 1) - 2*(3*(a^3 + 6a^2b + 9ab^2 + 4b^3)*e^{(14dx+14c)} + 18*(a^3 + 5a^2b + 6ab^2 + 2b^3)*e^{(12dx+12c)} + (45a^3 + 198a^2b + 237ab^2 + 100b^3)*e^{(10dx+10c)} + 4*(15a^3 + 63a^2b + 78ab^2 + 26b^3)*e^{(8dx+8c)} + (45a^3 + 198a^2b + 237ab^2 + 100b^3)*e^{(6dx+6c)} + 18*(a^3 + 5a^2b + 6ab^2 + 2b^3)*e^{(4dx+4c)} + 3*(a^3 + 6a^2b + 9ab^2 + 4b^3)*e^{(2dx+2c)})/(e^{(2dx+2c)} + 1)^8)/d$

**maple** [B] time = 0.02, size = 307, normalized size = 2.87

$$\frac{\ln(1 + \tanh(dx + c)) a^3}{2d} - \frac{3 \ln(1 + \tanh(dx + c)) a^2 b}{2d} - \frac{3 \ln(1 + \tanh(dx + c)) a b^2}{2d} - \frac{\ln(1 + \tanh(dx + c)) b^3}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(dx+c)^3\*(a+b\*tanh(dx+c)^2)^3,x)

[Out]  $-1/2/d*\ln(1+\tanh(dx+c))*a^3-3/2/d*\ln(1+\tanh(dx+c))*a^2*b-3/2/d*\ln(1+\tanh(dx+c))*a*b^2-1/2/d*\ln(1+\tanh(dx+c))*b^3-1/2/d*a^3*\tanh(dx+c)^2-1/8*b^3*\tanh(dx+c)^8/d-1/2/d*\ln(\tanh(dx+c)-1)*a^3-3/2/d*\ln(\tanh(dx+c)-1)*a^2*b-3/2/d*\ln(\tanh(dx+c)-1)*a*b^2-1/2/d*\ln(\tanh(dx+c)-1)*b^3-1/6*b^3*\tanh(dx+c)^6/d-1/4*b^3*\tanh(dx+c)^4/d-1/2*b^3*\tanh(dx+c)^2/d-3/4/d*\tanh(dx+c)^4*a^2*b-3/4/d*\tanh(dx+c)^4*a*b^2-3/2*a^2*b*\tanh(dx+c)^2/d-3/2/d*\tanh(dx+c)^2*a*b^2-1/2/d*\tanh(dx+c)^6*a*b^2$

**maxima** [B] time = 0.45, size = 540, normalized size = 5.05

$$ab^2 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{(-2dx-2c)} + 1)}{d} + \frac{2(9e^{(-2dx-2c)} + 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} + 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)} + 6e^{(-12dx-12c)} + 3e^{(-14dx-14c)} + 1)}{d(6e^{(-2dx-2c)} + 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} + 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)} + 3e^{(-12dx-12c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $a*b^2*(3*x + 3*c/d + 3*\log(e^{(-2*d*x - 2*c)} + 1)/d + 2*(9*e^{(-2*d*x - 2*c)} + 18*e^{(-4*d*x - 4*c)} + 34*e^{(-6*d*x - 6*c)} + 18*e^{(-8*d*x - 8*c)} + 9*e^{(-10*d*x - 10*c)})/(d*(6*e^{(-2*d*x - 2*c)} + 15*e^{(-4*d*x - 4*c)} + 20*e^{(-6*d*x - 6*c)} + 15*e^{(-8*d*x - 8*c)} + 6*e^{(-10*d*x - 10*c)} + e^{(-12*d*x - 12*c)} + 1))) + 1/3*b^3*(3*x + 3*c/d + 3*\log(e^{(-2*d*x - 2*c)} + 1)/d + 8*(3*e^{(-2*d*x - 2*c)} + 9*e^{(-4*d*x - 4*c)} + 25*e^{(-6*d*x - 6*c)} + 26*e^{(-8*d*x - 8*c)} + 25*e^{(-10*d*x - 10*c)} + 9*e^{(-12*d*x - 12*c)} + 3*e^{(-14*d*x - 14*c)})/(d*(8*e^{(-2*d*x - 2*c)} + 28*e^{(-4*d*x - 4*c)} + 56*e^{(-6*d*x - 6*c)} + 70*e^{(-8*d*x - 8*c)} + 56*e^{(-10*d*x - 10*c)} + 28*e^{(-12*d*x - 12*c)} + 8*e^{(-14*d*x - 14*c)} + e^{(-16*d*x - 16*c)} + 1))) + 3*a^2*b*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 4*(e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + e^{(-6*d*x - 6*c)})/(d*(4*e^{(-2*d*x - 2*c)} + 6*e^{(-4*d*x - 4*c)} + 4*e^{(-6*d*x - 6*c)} + e^{(-8*d*x - 8*c)} + 1))) + a^3*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1)))$

**mupad [B]** time = 1.24, size = 155, normalized size = 1.45

$$x \left( a^3 + 3 a^2 b + 3 a b^2 + b^3 \right) - \frac{\tanh(c + dx)^4 \left( 3 a^2 b + 3 a b^2 + b^3 \right)}{4 d} - \frac{\ln(\tanh(c + dx) + 1) \left( a^3 + 3 a^2 b + 3 a b^2 + b^3 \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^3\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $x*(3*a*b^2 + 3*a^2*b + a^3 + b^3) - (\tanh(c + d*x)^4*(3*a*b^2 + 3*a^2*b + b^3))/(4*d) - (\log(\tanh(c + d*x) + 1)*(3*a*b^2 + 3*a^2*b + a^3 + b^3))/d - (\tanh(c + d*x)^6*(3*a*b^2 + b^3))/(6*d) - (b^3*\tanh(c + d*x)^8)/(8*d) - (\tanh(c + d*x)^2*(3*a*b^2 + 3*a^2*b + a^3 + b^3))/(2*d)$

**sympy [A]** time = 1.68, size = 279, normalized size = 2.61

$$\left\{ \begin{array}{l} a^3 x - \frac{a^3 \log(\tanh(c+dx)+1)}{d} - \frac{a^3 \tanh^2(c+dx)}{2d} + 3a^2 b x - \frac{3a^2 b \log(\tanh(c+dx)+1)}{d} - \frac{3a^2 b \tanh^4(c+dx)}{4d} - \frac{3a^2 b \tanh^2(c+dx)}{2d} + 3ab^2 \\ x \left( a + b \tanh^2(c) \right)^3 \tanh^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*log(tanh(c + d\*x) + 1)/d - a\*\*3\*tanh(c + d\*x)\*\*2/(2\*d) + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*log(tanh(c + d\*x) + 1)/d - 3\*a\*\*2\*b\*tanh(c + d

```

*x)**4/(4*d) - 3*a**2*b*tanh(c + d*x)**2/(2*d) + 3*a*b**2*x - 3*a*b**2*log(
tanh(c + d*x) + 1)/d - a*b**2*tanh(c + d*x)**6/(2*d) - 3*a*b**2*tanh(c + d*
x)**4/(4*d) - 3*a*b**2*tanh(c + d*x)**2/(2*d) + b**3*x - b**3*log(tanh(c +
d*x) + 1)/d - b**3*tanh(c + d*x)**8/(8*d) - b**3*tanh(c + d*x)**6/(6*d) - b
**3*tanh(c + d*x)**4/(4*d) - b**3*tanh(c + d*x)**2/(2*d), Ne(d, 0)), (x*(a
+ b*tanh(c)**2)**3*tanh(c)**3, True))

```



$$3.158 \quad \int \tanh^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=94

$$\frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^2(3a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^7(c + dx)}{7d}$$

[Out] (a+b)^3\*x-(a+b)^3\*tanh(d\*x+c)/d-1/3\*b\*(3\*a^2+3\*a\*b+b^2)\*tanh(d\*x+c)^3/d-1/5\*b^2\*(3\*a+b)\*tanh(d\*x+c)^5/d-1/7\*b^3\*tanh(d\*x+c)^7/d

**Rubi [A]** time = 0.09, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 206}

$$\frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^2(3a + b) \tanh^5(c + dx)}{5d} - \frac{(a + b)^3 \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^7(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - ((a + b)^3\*Tanh[c + d\*x])/d - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^5)/(5\*d) - (b^3\*Tanh[c + d\*x]^7)/(7\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 461

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

Rubi steps

$$\begin{aligned}
\int \tanh^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x^2(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(- (a + b)^3 - b(3a^2 + 3ab + b^2)x^2 - b^2(3a + b)x^4 - b^3x^6\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{(a + b)^3 \tanh(c + dx)}{d} - \frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b^2(3a + b) \tanh^5(c + dx)}{5d} \\
&= (a + b)^3 x - \frac{(a + b)^3 \tanh(c + dx)}{d} - \frac{b(3a^2 + 3ab + b^2) \tanh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 1.72, size = 108, normalized size = 1.15

$$\frac{\tanh(c + dx) \left( -35b(3a^2 + 3ab + b^2) \tanh^2(c + dx) - 21b^2(3a + b) \tanh^4(c + dx) + \frac{105(a+b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} \right)}{105d}$$

Antiderivative was successfully verified.

`[In] Integrate[Tanh[c + d*x]^2*(a + b*Tanh[c + d*x]^2)^3,x]`

```
[Out] (Tanh[c + d*x]*(-105*(a + b)^3 - 35*b*(3*a^2 + 3*a*b + b^2)*Tanh[c + d*x]^2 - 21*b^2*(3*a + b)*Tanh[c + d*x]^4 - 15*b^3*Tanh[c + d*x]^6 + (105*(a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]])/Sqrt[Tanh[c + d*x]^2]))/(105*d)
```

**fricas [B]** time = 0.43, size = 1036, normalized size = 11.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(tanh(d*x+c)^2*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

```
[Out] 1/105*((105*a^3 + 420*a^2*b + 483*a*b^2 + 176*b^3 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^7 + 7*(105*a^3 + 420*a^2*b + 483*a*b^2 + 176*b^3 + 105*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)*sinh(d*x + c)
```

$$\begin{aligned} &)^6 - (105a^3 + 420a^2b + 483ab^2 + 176b^3) \sinh(dx + c)^7 + 7(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) \\ & * dx) \cosh(dx + c)^5 - 7(75a^3 + 240a^2b + 213ab^2 + 56b^3 + 3(105a^3 + 420a^2b + 483ab^2 + 176b^3) \cosh(dx + c)^2) \sinh(dx + c)^5 + \\ & 35((105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c)^3 + (105a^3 + 420a^2b + 483ab^2 + 176b^3 \\ & + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c)) \sinh(dx + c)^4 \\ & + 21(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c)^3 - 7(5(105a^3 + 420a^2b + 483ab^2 + 1 \\ & 76b^3) \cosh(dx + c)^4 + 135a^3 + 360a^2b + 369ab^2 + 168b^3 + 10(75a^3 + 240a^2b + 213ab^2 + 56b^3) \cosh(dx + c)^2) \sinh(dx + c)^3 + \\ & 7(3(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c)^5 + 10(105a^3 + 420a^2b + 483ab^2 + 176 \\ & * b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c)^3 + 9(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx \\ & * x) \cosh(dx + c)) \sinh(dx + c)^2 + 35(105a^3 + 420a^2b + 483ab^2 + 176b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) dx) \cosh(dx + c) - 7((105a^3 + 420a^2b + 483ab^2 + 176b^3) \cosh(dx + c)^6 + 5(75a^3 + 240a^2b + 213ab^2 + 56b^3) \cosh(dx + c)^4 + 75a^3 + 180a^2b + 225ab^2 + 9(45a^3 + 120a^2b + 123ab^2 + 56b^3) \cosh(dx + c)^2) \sinh(dx + c)) / (d \cosh(dx + c)^7 + 7d \cosh(dx + c) \sinh(dx + c)^6 + 7d \cosh(dx + c)^5 + 35(d \cosh(dx + c)^3 + d \cosh(dx + c)) \sinh(dx + c)^4 + 21d \cosh(dx + c)^3 + 7(3d \cosh(dx + c)^5 + 10d \cosh(dx + c)^3 + 9d \cosh(dx + c)) \sinh(dx + c)^2 + 35d \cosh(dx + c)) \end{aligned}$$

**giac [B]** time = 0.39, size = 418, normalized size = 4.45

$$105 \left( a^3 + 3a^2b + 3ab^2 + b^3 \right) (dx + c) + \frac{2(105a^3e^{(12dx+12c)} + 630a^2be^{(12dx+12c)} + 945ab^2e^{(12dx+12c)} + 420b^3e^{(12dx+12c)} + 630a^3e^{(10dx+10c)} + 3150a^2be^{(10dx+10c)} + 3780ab^2e^{(10dx+10c)} + 1260b^3e^{(10dx+10c)} + 1575a^3e^{(8dx+8c)} + 6720a^2be^{(8dx+8c)} + 7665ab^2e^{(8dx+8c)} + 3080b^3e^{(8dx+8c)} + 2100a^3e^{(6dx+6c)} + 7980a^2be^{(6dx+6c)} + 9240ab^2e^{(6dx+6c)} + 3080b^3e^{(6dx+6c)} + 1575a^3e^{(4dx+4c)} + 5670a^2be^{(4dx+4c)} + 6363ab^2e^{(4dx+4c)} + 2436b^3e^{(4dx+4c)} + 630a^3e^{(2dx+2c)} + 2310a^2be^{(2dx+2c)} + 2436ab^2e^{(2dx+2c)} + 812b^3e^{(2dx+2c)} + 105a^3 + 420a^2b + 483ab^2 + 176b^3) / (e^{(2dx+2c)} + 1)^7 / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^2\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out] 1/105\*(105\*(a^3 + 3a^2b + 3ab^2 + b^3)\*(dx + c) + 2\*(105a^3e^(12\*dx + 12\*c) + 630a^2\*b\*e^(12\*dx + 12\*c) + 945\*a\*b^2\*e^(12\*dx + 12\*c) + 420\*b^3\*e^(12\*dx + 12\*c) + 630\*a^3\*e^(10\*dx + 10\*c) + 3150\*a^2\*b\*e^(10\*dx + 10\*c) + 3780\*a\*b^2\*e^(10\*dx + 10\*c) + 1260\*b^3\*e^(10\*dx + 10\*c) + 1575\*a^3\*e^(8\*dx + 8\*c) + 6720\*a^2\*b\*e^(8\*dx + 8\*c) + 7665\*a\*b^2\*e^(8\*dx + 8\*c) + 3080\*b^3\*e^(8\*dx + 8\*c) + 2100\*a^3\*e^(6\*dx + 6\*c) + 7980\*a^2\*b\*e^(6\*dx + 6\*c) + 9240\*a\*b^2\*e^(6\*dx + 6\*c) + 3080\*b^3\*e^(6\*dx + 6\*c) + 1575\*a^3\*e^(4\*dx + 4\*c) + 5670\*a^2\*b\*e^(4\*dx + 4\*c) + 6363\*a\*b^2\*e^(4\*dx + 4\*c) + 2436\*b^3\*e^(4\*dx + 4\*c) + 630\*a^3\*e^(2\*dx + 2\*c) + 2310\*a^2\*b\*e^(2\*dx + 2\*c) + 2436\*a\*b^2\*e^(2\*dx + 2\*c) + 812\*b^3\*e^(2\*dx + 2\*c) + 105\*a^3 + 420\*a^2\*b + 483\*a\*b^2 + 176\*b^3)/(e^(2\*dx + 2\*c) + 1)^7/d

**maple [B]** time = 0.02, size = 299, normalized size = 3.18

$$\frac{\ln(1 + \tanh(dx + c)) a^3}{2d} + \frac{3 \ln(1 + \tanh(dx + c)) a^2 b}{2d} + \frac{3 \ln(1 + \tanh(dx + c)) a b^2}{2d} + \frac{\ln(1 + \tanh(dx + c)) b^3}{2d} - \frac{b^3}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/2/d\*ln(1+tanh(d\*x+c))\*a^3+3/2/d\*ln(1+tanh(d\*x+c))\*a^2\*b+3/2/d\*ln(1+tanh(d\*x+c))\*a\*b^2+1/2/d\*ln(1+tanh(d\*x+c))\*b^3-b^3\*tanh(d\*x+c)/d-a^3\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^3-3/2/d\*ln(tanh(d\*x+c)-1)\*a^2\*b-3/2/d\*ln(tanh(d\*x+c)-1)\*a\*b^2-1/2/d\*ln(tanh(d\*x+c)-1)\*b^3-1/7\*b^3\*tanh(d\*x+c)^7/d-1/5\*b^3\*tanh(d\*x+c)^5/d-1/3\*b^3\*tanh(d\*x+c)^3/d-3/5\*a\*b^2\*tanh(d\*x+c)^5/d-a^2\*b\*tanh(d\*x+c)^3/d-a\*b^2\*tanh(d\*x+c)^3/d-3\*a^2\*b\*tanh(d\*x+c)/d-3\*a\*b^2\*tanh(d\*x+c)/d

**maxima [B]** time = 0.35, size = 400, normalized size = 4.26

$$\frac{1}{105} b^3 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44)}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/105\*b^3\*(105\*x + 105\*c/d - 8\*(203\*e^(-2\*d\*x - 2\*c) + 609\*e^(-4\*d\*x - 4\*c) + 770\*e^(-6\*d\*x - 6\*c) + 770\*e^(-8\*d\*x - 8\*c) + 315\*e^(-10\*d\*x - 10\*c) + 105\*e^(-12\*d\*x - 12\*c) + 44)/(d\*(7\*e^(-2\*d\*x - 2\*c) + 21\*e^(-4\*d\*x - 4\*c) + 35\*e^(-6\*d\*x - 6\*c) + 35\*e^(-8\*d\*x - 8\*c) + 21\*e^(-10\*d\*x - 10\*c) + 7\*e^(-12\*d\*x - 12\*c) + e^(-14\*d\*x - 14\*c) + 1))) + 1/5\*a\*b^2\*(15\*x + 15\*c/d - 2\*(70\*e^(-2\*d\*x - 2\*c) + 140\*e^(-4\*d\*x - 4\*c) + 90\*e^(-6\*d\*x - 6\*c) + 45\*e^(-8\*d\*x - 8\*c) + 23)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + a^2\*b\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1))) + a^3\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1)))

**mupad [B]** time = 1.22, size = 106, normalized size = 1.13

$$x \left( a^3 + 3a^2b + 3ab^2 + b^3 \right) - \frac{\tanh(c + dx) (a + b)^3}{d} - \frac{\tanh(c + dx)^3 (3a^2b + 3ab^2 + b^3)}{3d} - \frac{\tanh(c + dx)^5 (b^3 + 3ab^2 + 3a^2b + a^3)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^2\*(a + b\*tanh(c + d\*x)^2)^3,x)

```
[Out] x*(3*a*b^2 + 3*a^2*b + a^3 + b^3) - (tanh(c + d*x)*(a + b)^3)/d - (tanh(c +
d*x)^3*(3*a*b^2 + 3*a^2*b + b^3))/(3*d) - (tanh(c + d*x)^5*(3*a*b^2 + b^3)
)/(5*d) - (b^3*tanh(c + d*x)^7)/(7*d)
```

**sympy** [A] time = 1.20, size = 192, normalized size = 2.04

$$\left\{ \begin{array}{l} a^3x - \frac{a^3 \tanh(c+dx)}{d} + 3a^2bx - \frac{a^2b \tanh^3(c+dx)}{d} - \frac{3a^2b \tanh(c+dx)}{d} + 3ab^2x - \frac{3ab^2 \tanh^5(c+dx)}{5d} - \frac{ab^2 \tanh^3(c+dx)}{d} - \frac{3ab^2 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^3 \tanh^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**2*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Piecewise((a**3*x - a**3*tanh(c + d*x)/d + 3*a**2*b*x - a**2*b*tanh(c + d*x)
)**3/d - 3*a**2*b*tanh(c + d*x)/d + 3*a*b**2*x - 3*a*b**2*tanh(c + d*x)**5/
(5*d) - a*b**2*tanh(c + d*x)**3/d - 3*a*b**2*tanh(c + d*x)/d + b**3*x - b**
3*tanh(c + d*x)**7/(7*d) - b**3*tanh(c + d*x)**5/(5*d) - b**3*tanh(c + d*x)
**3/(3*d) - b**3*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)**3*tanh(
c)**2, True))
```

$$3.159 \quad \int \tanh(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=83

$$\frac{b(a+b)^2 \tanh^2(c+dx)}{2d} - \frac{(a+b)(a+b \tanh^2(c+dx))^2}{4d} - \frac{(a+b \tanh^2(c+dx))^3}{6d} + \frac{(a+b)^3 \log(\cosh(c+dx))}{d}$$

[Out] (a+b)^3\*ln(cosh(d\*x+c))/d-1/2\*b\*(a+b)^2\*tanh(d\*x+c)^2/d-1/4\*(a+b)\*(a+b\*tanh(d\*x+c)^2)^2/d-1/6\*(a+b\*tanh(d\*x+c)^2)^3/d

**Rubi [A]** time = 0.10, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 43}

$$\frac{b(a+b)^2 \tanh^2(c+dx)}{2d} - \frac{(a+b)(a+b \tanh^2(c+dx))^2}{4d} - \frac{(a+b \tanh^2(c+dx))^3}{6d} + \frac{(a+b)^3 \log(\cosh(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((a + b)^3\*Log[Cosh[c + d\*x]])/d - (b\*(a + b)^2\*Tanh[c + d\*x]^2)/(2\*d) - ((a + b)\*(a + b\*Tanh[c + d\*x]^2)^2)/(4\*d) - (a + b\*Tanh[c + d\*x]^2)^3/(6\*d)

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

Rubi steps

$$\begin{aligned} \int \tanh(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{x(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{1-x} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-b(a+b)^2 + \frac{(a+b)^3}{1-x} - b(a+b)(a+bx) - b(a+bx)^2\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{(a+b)^3 \log(\cosh(c + dx))}{d} - \frac{b(a+b)^2 \tanh^2(c + dx)}{2d} - \frac{(a+b)(a+bx)^3}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 76, normalized size = 0.92

$$\frac{b(a+b)^2 \tanh^2(c + dx) + \frac{1}{2}(a+b)(a+b \tanh^2(c + dx))^2 + \frac{1}{3}(a+b \tanh^2(c + dx))^3 - 2(a+b)^3 \log(\cosh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -1/2\*(-2\*(a + b)^3\*Log[Cosh[c + d\*x]] + b\*(a + b)^2\*Tanh[c + d\*x]^2 + ((a + b)\*(a + b\*Tanh[c + d\*x]^2)^2)/2 + (a + b\*Tanh[c + d\*x]^2)^3/3)/d

**fricas [B]** time = 0.49, size = 4298, normalized size = 51.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/3\*(3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^12 + 36\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^12 - 18\*(a^2\*b + 2\*a\*b^2 + b^3 - (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^10 + 18\*(11\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^2 - a^2\*b - 2\*a\*b^2 - b^3 + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*sinh(d\*x + c)^10 + 60\*(11\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 +

$$\begin{aligned}
& b^3) * d * x * \cosh(d * x + c)^3 - 3 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c) * \sinh(d * x + c)^9 - 9 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^8 + 9 * (165 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^4 - 8 * a^2 * b - 12 * a * b^2 - 4 * b^3 + 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x - 90 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^8 + 72 * (33 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^5 - 30 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^3 - (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^7 - 4 * (27 * a^2 * b + 36 * a * b^2 + 17 * b^3 - 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^6 + 4 * (693 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^6 - 945 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^4 - 27 * a^2 * b - 36 * a * b^2 - 17 * b^3 + 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x - 63 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^6 + 24 * (99 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^7 - 189 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^5 - 21 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^3 - (27 * a^2 * b + 36 * a * b^2 + 17 * b^3 - 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^5 - 9 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^4 + 3 * (495 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^8 - 1260 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^6 - 210 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^4 - 24 * a^2 * b - 36 * a * b^2 - 12 * b^3 + 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x - 20 * (27 * a^2 * b + 36 * a * b^2 + 17 * b^3 - 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^4 + 4 * (165 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^9 - 540 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^7 - 126 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^5 - 20 * (27 * a^2 * b + 36 * a * b^2 + 17 * b^3 - 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^3 - 9 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^3 + 3 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x - 18 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^2 + 6 * (33 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x * \cosh(d * x + c)^10 - 135 * (a^2 * b + 2 * a * b^2 + b^3 - (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^8 - 42 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^6 - 10 * (27 * a^2 * b + 36 * a * b^2 + 17 * b^3 - 15 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^4 - 3 * a^2 * b - 6 * a * b^2 - 3 * b^3 + 3 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x - 9 * (8 * a^2 * b + 12 * a * b^2 + 4 * b^3 - 5 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^2 - 3 * ((a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(d * x + c)^12 + 12 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(d * x + c) * \sinh(d * x + c)^11 + (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \sinh(d * x + c)^12 + 6 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(d * x + c)^10 + 6 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 11 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(d * x + c)^2) * \sinh(d * x + c)^10 + 20 * (11 * (a^3 + 3 * a^2 * b + 3 * a * b^2
\end{aligned}$$



$$\begin{aligned}
& + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c) * \\
& \sinh(dx + c)^9 + 15(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 15( \\
& 33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 \\
& 2 + b^3 + 18(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c) \\
& ^8 + 24(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 30(a^3 + 3a \\
& ^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 5(a^3 + 3a^2b + 3ab^2 + b^3) * \\
& \cosh(dx + c)) \sinh(dx + c)^7 + 20(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& + c)^6 + 4(231(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 315(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 5a^3 + 15a^2b + 15ab^2 + \\
& 5b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c) \\
& ^6 + 24(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 63(a^3 + 3a \\
& ^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 35(a^3 + 3a^2b + 3ab^2 + b^3) * \\
& \cosh(dx + c)^3 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx \\
& + c)^5 + 15(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 15(33(a^3 \\
& + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 84(a^3 + 3a^2b + 3ab^2 + \\
& b^3) \cosh(dx + c)^6 + 70(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + \\
& a^3 + 3a^2b + 3ab^2 + b^3 + 20(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& x + c)^2) \sinh(dx + c)^4 + 20(11(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& + c)^9 + 36(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 42(a^3 + 3 \\
& a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 20(a^3 + 3a^2b + 3ab^2 + b^3) \\
& * \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx \\
& x + c)^3 + a^3 + 3a^2b + 3ab^2 + b^3 + 6(a^3 + 3a^2b + 3ab^2 + b^3 \\
& ) \cosh(dx + c)^2 + 6(11(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^10 \\
& + 45(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 70(a^3 + 3a^2b + \\
& 3ab^2 + b^3) \cosh(dx + c)^6 + 50(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx \\
& x + c)^4 + a^3 + 3a^2b + 3ab^2 + b^3 + 15(a^3 + 3a^2b + 3ab^2 + b \\
& 3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 12((a^3 + 3a^2b + 3ab^2 + b^3) * \\
& \cosh(dx + c)^11 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 + 10(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 10(a^3 + 3a^2b + 3ab^2 \\
& + b^3) \cosh(dx + c)^5 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 \\
& + (a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)) * \log(2 * \cosh \\
& (dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 12(3(a^3 + 3a^2b + 3ab^2 \\
& + b^3) * dx * \cosh(dx + c)^11 - 15(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + \\
& 3ab^2 + b^3) * dx) * \cosh(dx + c)^9 - 6(8a^2b + 12ab^2 + 4b^3 - 5(a \\
& ^3 + 3a^2b + 3ab^2 + b^3) * dx) * \cosh(dx + c)^7 - 2(27a^2b + 36ab^2 \\
& + 17b^3 - 15(a^3 + 3a^2b + 3ab^2 + b^3) * dx) * \cosh(dx + c)^5 - 3(8 \\
& a^2b + 12ab^2 + 4b^3 - 5(a^3 + 3a^2b + 3ab^2 + b^3) * dx) * \cosh(dx \\
& + c)^3 - 3(a^2b + 2ab^2 + b^3 - (a^3 + 3a^2b + 3ab^2 + b^3) * dx) * \co \\
& sh(dx + c) * \sinh(dx + c)) / (d * \cosh(dx + c)^12 + 12d * \cosh(dx + c) * \sinh(d \\
& * x + c)^11 + d * \sinh(dx + c)^12 + 6d * \cosh(dx + c)^10 + 6(11d * \cosh(dx + \\
& c)^2 + d) * \sinh(dx + c)^10 + 20(11d * \cosh(dx + c)^3 + 3d * \cosh(dx + c)) \\
& * \sinh(dx + c)^9 + 15d * \cosh(dx + c)^8 + 15(33d * \cosh(dx + c)^4 + 18d * \c \\
& osh(dx + c)^2 + d) * \sinh(dx + c)^8 + 24(33d * \cosh(dx + c)^5 + 30d * \cosh( \\
& dx + c)^3 + 5d * \cosh(dx + c)) * \sinh(dx + c)^7 + 20d * \cosh(dx + c)^6 + 4 \\
& (231d * \cosh(dx + c)^6 + 315d * \cosh(dx + c)^4 + 105d * \cosh(dx + c)^2 + 5
\end{aligned}$$

$d \cdot \sinh(dx + c)^6 + 24 \cdot (33 \cdot d \cdot \cosh(dx + c)^7 + 63 \cdot d \cdot \cosh(dx + c)^5 + 35 \cdot d \cdot \cosh(dx + c)^3 + 5 \cdot d \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^5 + 15 \cdot d \cdot \cosh(dx + c)^4 + 15 \cdot (33 \cdot d \cdot \cosh(dx + c)^8 + 84 \cdot d \cdot \cosh(dx + c)^6 + 70 \cdot d \cdot \cosh(dx + c)^4 + 20 \cdot d \cdot \cosh(dx + c)^2 + d) \cdot \sinh(dx + c)^4 + 20 \cdot (11 \cdot d \cdot \cosh(dx + c)^9 + 36 \cdot d \cdot \cosh(dx + c)^7 + 42 \cdot d \cdot \cosh(dx + c)^5 + 20 \cdot d \cdot \cosh(dx + c)^3 + 3 \cdot d \cdot \cosh(dx + c)) \cdot \sinh(dx + c)^3 + 6 \cdot d \cdot \cosh(dx + c)^2 + 6 \cdot (11 \cdot d \cdot \cosh(dx + c)^{10} + 45 \cdot d \cdot \cosh(dx + c)^8 + 70 \cdot d \cdot \cosh(dx + c)^6 + 50 \cdot d \cdot \cosh(dx + c)^4 + 15 \cdot d \cdot \cosh(dx + c)^2 + d) \cdot \sinh(dx + c)^2 + 12 \cdot (d \cdot \cosh(dx + c)^{11} + 5 \cdot d \cdot \cosh(dx + c)^9 + 10 \cdot d \cdot \cosh(dx + c)^7 + 10 \cdot d \cdot \cosh(dx + c)^5 + 5 \cdot d \cdot \cosh(dx + c)^3 + d \cdot \cosh(dx + c)) \cdot \sinh(dx + c) + d$

**giac [B]** time = 0.35, size = 216, normalized size = 2.60

$$3(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - 3(a^3 + 3a^2b + 3ab^2 + b^3) \log(e^{(2dx+2c)} + 1) - \frac{2(9(a^2b+2ab^2+b^3)e^{(10dx+10c)} + 18a^2b^2 + 18ab^3 + 9b^4)e^{(10dx+10c)} + 18a^2b^2 + 18ab^3 + 9b^4)}{3d}$$

3d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)\*(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $-1/3 \cdot (3 \cdot (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot (dx + c) - 3 \cdot (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot \log(e^{(2 \cdot dx + 2 \cdot c)} + 1) - 2 \cdot (9 \cdot (a^2 \cdot b + 2 \cdot a \cdot b^2 + b^3) \cdot e^{(10 \cdot dx + 10 \cdot c)} + 18 \cdot (2 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot e^{(8 \cdot dx + 8 \cdot c)} + 2 \cdot (27 \cdot a^2 \cdot b + 36 \cdot a \cdot b^2 + 17 \cdot b^3) \cdot e^{(6 \cdot dx + 6 \cdot c)} + 18 \cdot (2 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot e^{(4 \cdot dx + 4 \cdot c)} + 9 \cdot (a^2 \cdot b + 2 \cdot a \cdot b^2 + b^3) \cdot e^{(2 \cdot dx + 2 \cdot c)})) / (e^{(2 \cdot dx + 2 \cdot c)} + 1)^6) / d$

**maple [B]** time = 0.02, size = 241, normalized size = 2.90

$$\frac{\ln(1 + \tanh(dx + c)) a^3}{2d} - \frac{3 \ln(1 + \tanh(dx + c)) a^2 b}{2d} - \frac{3 \ln(1 + \tanh(dx + c)) a b^2}{2d} - \frac{\ln(1 + \tanh(dx + c)) b^3}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(dx+c)\*(a+b\*tanh(dx+c)^2)^3,x)

[Out]  $-1/2/d \cdot \ln(1 + \tanh(dx + c)) \cdot a^3 - 3/2/d \cdot \ln(1 + \tanh(dx + c)) \cdot a^2 \cdot b - 3/2/d \cdot \ln(1 + \tanh(dx + c)) \cdot a \cdot b^2 - 1/2/d \cdot \ln(1 + \tanh(dx + c)) \cdot b^3 - 1/2/d \cdot \ln(\tanh(dx + c) - 1) \cdot a^3 - 3/2/d \cdot \ln(\tanh(dx + c) - 1) \cdot a^2 \cdot b - 3/2/d \cdot \ln(\tanh(dx + c) - 1) \cdot a \cdot b^2 - 1/2/d \cdot \ln(\tanh(dx + c) - 1) \cdot b^3 - 1/6 \cdot b^3 \cdot \tanh(dx + c)^6/d - 1/4 \cdot b^3 \cdot \tanh(dx + c)^4/d - 1/2 \cdot b^3 \cdot \tanh(dx + c)^2/d - 3/4/d \cdot \tanh(dx + c)^4 \cdot a \cdot b^2 - 3/2 \cdot a^2 \cdot b \cdot \tanh(dx + c)^2/d - 3/2/d \cdot \tanh(dx + c)^2 \cdot a \cdot b^2$

**maxima [B]** time = 0.44, size = 351, normalized size = 4.23

$$\frac{1}{3} b^3 \left( 3x + \frac{3c}{d} + \frac{3 \log(e^{(-2dx-2c)} + 1)}{d} + \frac{2(9e^{(-2dx-2c)} + 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} + 18e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} + 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} + 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{3}b^3(3x + 3c/d + 3\log(e^{-2dx-2c} + 1))/d + 2(9e^{-2dx-2c} + 18e^{-4dx-4c} + 34e^{-6dx-6c} + 18e^{-8dx-8c} + 9e^{-10dx-10c})/(d(6e^{-2dx-2c} + 15e^{-4dx-4c} + 20e^{-6dx-6c} + 15e^{-8dx-8c} + 6e^{-10dx-10c} + e^{-12dx-12c} + 1)) + 3ab^2(x + c/d + \log(e^{-2dx-2c} + 1))/d + 4(e^{-2dx-2c} + e^{-4dx-4c} + e^{-6dx-6c})/(d(4e^{-2dx-2c} + 6e^{-4dx-4c} + 4e^{-6dx-6c} + e^{-8dx-8c} + 1)) + 3a^2b(x + c/d + \log(e^{-2dx-2c} + 1))/d + 2e^{-2dx-2c}/(d(2e^{-2dx-2c} + e^{-4dx-4c} + 1)) + a^3\log(\cosh(dx + c))/d$

**mupad [B]** time = 1.25, size = 123, normalized size = 1.48

$$x(a^3 + 3a^2b + 3ab^2 + b^3) - \frac{\tanh(c + dx)^2(3a^2b + 3ab^2 + b^3)}{2d} - \frac{\ln(\tanh(c + dx) + 1)(a^3 + 3a^2b + 3ab^2 + b^3)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $x(3a^2b^2 + 3a^2b + a^3 + b^3) - (\tanh(c + dx))^2(3a^2b^2 + 3a^2b + b^3)/(2d) - (\log(\tanh(c + dx) + 1)(3a^2b^2 + 3a^2b + a^3 + b^3))/d - (\tanh(c + dx))^4(3a^2b^2 + b^3)/(4d) - (b^3\tanh(c + dx)^6)/(6d)$

**sympy [A]** time = 0.97, size = 211, normalized size = 2.54

$$\left\{ \begin{array}{l} a^3x - \frac{a^3 \log(\tanh(c+dx)+1)}{d} + 3a^2bx - \frac{3a^2b \log(\tanh(c+dx)+1)}{d} - \frac{3a^2b \tanh^2(c+dx)}{2d} + 3ab^2x - \frac{3ab^2 \log(\tanh(c+dx)+1)}{d} - \frac{3ab^2 \tanh^2(c+dx)}{2d} \\ x(a + b \tanh^2(c))^3 \tanh(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x - a\*\*3\*log(tanh(c + d\*x) + 1)/d + 3a\*\*2\*b\*x - 3a\*\*2\*b\*log(tanh(c + d\*x) + 1)/d - 3a\*\*2\*b\*tanh(c + d\*x)\*\*2/(2\*d) + 3a\*b\*\*2\*x - 3a\*b\*\*2\*log(tanh(c + d\*x) + 1)/d - 3a\*b\*\*2\*tanh(c + d\*x)\*\*4/(4\*d) - 3a\*b\*\*2\*tanh(c + d\*x)\*\*2/(2\*d) + b\*\*3\*x - b\*\*3\*log(tanh(c + d\*x) + 1)/d - b\*\*3\*tanh(c + d\*x)\*\*6/(6\*d) - b\*\*3\*tanh(c + d\*x)\*\*4/(4\*d) - b\*\*3\*tanh(c + d\*x)\*\*2/(2\*d), Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3\*tanh(c), True))

$$3.160 \quad \int (a + b \tanh^2(c + dx))^3 dx$$

**Optimal.** Leaf size=74

$$-\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \tanh^5(c + dx)}{5d}$$

[Out] (a+b)^3\*x-b\*(3\*a^2+3\*a\*b+b^2)\*tanh(d\*x+c)/d-1/3\*b^2\*(3\*a+b)\*tanh(d\*x+c)^3/d-1/5\*b^3\*tanh(d\*x+c)^5/d

**Rubi [A]** time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$-\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \tanh^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - (b\*(3\*a^2 + 3\*a\*b + b^2)\*Tanh[c + d\*x])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x]^5)/(5\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b(3a^2 + 3ab + b^2) - b^2(3a + b)x^2 - b^3x^4 + \frac{(a+b)^3}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} - \frac{b^3 \tanh^5(c + dx)}{5d} \\
&= (a + b)^3 x - \frac{b(3a^2 + 3ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(3a + b) \tanh^3(c + dx)}{3d} - \frac{b^3 \tanh^5(c + dx)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.61, size = 95, normalized size = 1.28

$$\frac{\tanh(c + dx) \left( \frac{15(a+b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(45a^2 + 15ab(\tanh^2(c + dx) + 3) + b^2(3 \tanh^4(c + dx) + 5 \tanh^2(c + dx))) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (Tanh[c + d\*x]\*((15\*(a + b)^3\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]]))/Sqrt[Tanh[c + d\*x]^2] - b\*(45\*a^2 + 15\*a\*b\*(3 + Tanh[c + d\*x]^2) + b^2\*(15 + 5\*Tanh[c + d\*x]^2 + 3\*Tanh[c + d\*x]^4)))/(15\*d)

**fricas [B]** time = 0.41, size = 567, normalized size = 7.66

$$\frac{(45 a^2 b + 60 a b^2 + 23 b^3 + 15 (a^3 + 3 a^2 b + 3 a b^2 + b^3) dx) \cosh(dx + c)^5 + 5 (45 a^2 b + 60 a b^2 + 23 b^3 + 15 (a^3 + 3 a^2 b + 3 a b^2 + b^3) dx) \sinh(dx + c)^5}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 1/15\*((45\*a^2\*b + 60\*a\*b^2 + 23\*b^3 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^5 + 5\*(45\*a^2\*b + 60\*a\*b^2 + 23\*b^3 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^4 - (45\*a^2\*b + 60\*a\*b^2 + 23\*b^3)\*sinh(d\*x + c)^5 + 5\*(45\*a^2\*b + 60\*a\*b^2 + 23\*b^3 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*sinh(d\*x + c)^4)

$$*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 5*(27*a^2*b + 24*a*b^2 + 5*b^3 + 2*(45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^3 + 5*(2*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + 3*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*(45*a^2*b + 60*a*b^2 + 23*b^3 + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c) - 5*((45*a^2*b + 60*a*b^2 + 23*b^3)*\cosh(d*x + c)^4 + 18*a^2*b + 12*a*b^2 + 10*b^3 + 3*(27*a^2*b + 24*a*b^2 + 5*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c))/(d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)*\sinh(d*x + c)^4 + 5*d*\cosh(d*x + c)^3 + 5*(2*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^2 + 10*d*\cosh(d*x + c))$$

**giac [B]** time = 0.18, size = 241, normalized size = 3.26

$$15 \left( a^3 + 3 a^2 b + 3 a b^2 + b^3 \right) (d x + c) + \frac{2 \left( 45 a^2 b e^{(8 d x + 8 c)} + 90 a b^2 e^{(8 d x + 8 c)} + 45 b^3 e^{(8 d x + 8 c)} + 180 a^2 b e^{(6 d x + 6 c)} + 270 a b^2 e^{(6 d x + 6 c)} + 90 b^3 e^{(6 d x + 6 c)} \right)}{15 d}$$

15 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/15\*(15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c) + 2\*(45\*a^2\*b\*e^(8\*d\*x + 8\*c) + 90\*a\*b^2\*e^(8\*d\*x + 8\*c) + 45\*b^3\*e^(8\*d\*x + 8\*c) + 180\*a^2\*b\*e^(6\*d\*x + 6\*c) + 270\*a\*b^2\*e^(6\*d\*x + 6\*c) + 90\*b^3\*e^(6\*d\*x + 6\*c) + 270\*a^2\*b\*e^(4\*d\*x + 4\*c) + 330\*a\*b^2\*e^(4\*d\*x + 4\*c) + 140\*b^3\*e^(4\*d\*x + 4\*c) + 180\*a^2\*b\*e^(2\*d\*x + 2\*c) + 210\*a\*b^2\*e^(2\*d\*x + 2\*c) + 70\*b^3\*e^(2\*d\*x + 2\*c) + 45\*a^2\*b + 60\*a\*b^2 + 23\*b^3)/(e^(2\*d\*x + 2\*c) + 1)^5)/d

**maple [B]** time = 0.02, size = 235, normalized size = 3.18

$$\frac{\ln(1 + \tanh(dx + c)) a^3}{2d} + \frac{3 \ln(1 + \tanh(dx + c)) a^2 b}{2d} + \frac{3 \ln(1 + \tanh(dx + c)) a b^2}{2d} + \frac{\ln(1 + \tanh(dx + c)) b^3}{2d} - \frac{b^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/2/d\*ln(1+tanh(d\*x+c))\*a^3+3/2/d\*ln(1+tanh(d\*x+c))\*a^2\*b+3/2/d\*ln(1+tanh(d\*x+c))\*a\*b^2+1/2/d\*ln(1+tanh(d\*x+c))\*b^3-b^3\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^3-3/2/d\*ln(tanh(d\*x+c)-1)\*a^2\*b-3/2/d\*ln(tanh(d\*x+c)-1)\*a\*b^2-1/2/d\*ln(tanh(d\*x+c)-1)\*b^3-1/5\*b^3\*tanh(d\*x+c)^5/d-1/3\*b^3\*tanh(d\*x+c)^3/d-a\*b^2\*tanh(d\*x+c)^3/d-3\*a^2\*b\*tanh(d\*x+c)/d-3\*a\*b^2\*tanh(d\*x+c)/d

**maxima [B]** time = 0.35, size = 239, normalized size = 3.23

$$\frac{1}{15} b^3 \left( 15 x + \frac{15 c}{d} - \frac{2 \left( 70 e^{(-2 d x - 2 c)} + 140 e^{(-4 d x - 4 c)} + 90 e^{(-6 d x - 6 c)} + 45 e^{(-8 d x - 8 c)} + 23 \right)}{d \left( 5 e^{(-2 d x - 2 c)} + 10 e^{(-4 d x - 4 c)} + 10 e^{(-6 d x - 6 c)} + 5 e^{(-8 d x - 8 c)} + e^{(-10 d x - 10 c)} + 1 \right)} \right) + a b^2 \left( 3 x + \frac{3 c}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{15}b^3(15x + 15c/d - 2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)/(d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + a*b^2(3x + 3c/d - 4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)/(d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1))) + 3a^2b(x + c/d - 2/(d(e^{(-2dx-2c)} + 1))) + a^3x$

**mupad [B]** time = 1.28, size = 86, normalized size = 1.16

$$x \left( a^3 + 3a^2b + 3ab^2 + b^3 \right) - \frac{\tanh(c+dx)^3 (b^3 + 3ab^2)}{3d} - \frac{b^3 \tanh(c+dx)^5}{5d} - \frac{b \tanh(c+dx) (3a^2 + 3ab + b^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $x(3a^2b + 3a^2b + a^3 + b^3) - (\tanh(c + dx)^3(3a^2b + b^3))/(3d) - (b^3 \tanh(c + dx)^5)/(5d) - (b \tanh(c + dx)(3a^2 + b^2))/d$

**sympy [A]** time = 0.68, size = 126, normalized size = 1.70

$$\left\{ \begin{array}{l} a^3x + 3a^2bx - \frac{3a^2b \tanh(c+dx)}{d} + 3ab^2x - \frac{ab^2 \tanh^3(c+dx)}{d} - \frac{3ab^2 \tanh(c+dx)}{d} + b^3x - \frac{b^3 \tanh^5(c+dx)}{5d} - \frac{b^3 \tanh^3(c+dx)}{3d} - \frac{b^3 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((a\*\*3\*x + 3\*a\*\*2\*b\*x - 3\*a\*\*2\*b\*tanh(c + d\*x)/d + 3\*a\*b\*\*2\*x - a\*b\*\*2\*tanh(c + d\*x)\*\*3/d - 3\*a\*b\*\*2\*tanh(c + d\*x)/d + b\*\*3\*x - b\*\*3\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*3\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*3, True))

### 3.161 $\int \coth(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$

**Optimal.** Leaf size=72

$$\frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^4(c + dx)}{4d}$$

[Out]  $(a+b)^3 \ln(\cosh(dx+c))/d + a^3 \ln(\tanh(dx+c))/d - 1/2 * b^2 * (3*a+b) * \tanh(dx+c)^2 / d - 1/4 * b^3 * \tanh(dx+c)^4 / d$

**Rubi [A]** time = 0.10, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$\frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^4(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $((a + b)^3 * \text{Log}[\text{Cosh}[c + d*x]])/d + (a^3 * \text{Log}[\text{Tanh}[c + d*x]])/d - (b^2 * (3*a + b) * \text{Tanh}[c + d*x]^2)/(2*d) - (b^3 * \text{Tanh}[c + d*x]^4)/(4*d)$

#### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))



Rubi steps

$$\begin{aligned}
\int \coth(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x} dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{\text{Subst}\left(\int \left(-b^2(3a + b) - \frac{(a+b)^3}{-1+x} + \frac{a^3}{x} - b^3x\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{(a + b)^3 \log(\cosh(c + dx))}{d} + \frac{a^3 \log(\tanh(c + dx))}{d} - \frac{b^2(3a + b) \tanh^4(c + dx)}{2d}
\end{aligned}$$

**Mathematica** [A] time = 0.55, size = 67, normalized size = 0.93

$$\frac{2a^3 \log(\tanh(c + dx)) - b^2(3a + b) \tanh^2(c + dx) + 2(a + b)^3 \log(\cosh(c + dx)) - \frac{1}{2}b^3 \tanh^4(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (2\*(a + b)^3\*Log[Cosh[c + d\*x]] + 2\*a^3\*Log[Tanh[c + d\*x]] - b^2\*(3\*a + b)\*Tanh[c + d\*x]^2 - (b^3\*Tanh[c + d\*x]^4)/2)/(2\*d)

**fricas** [B] time = 0.47, size = 2381, normalized size = 33.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^8 - 2\*(3\*a\*b^2 + 2\*b^3 - 2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^6 + 2\*(14\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^2 - 3\*a\*b^2 - 2\*b^3 + 2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*sinh(d\*x + c)^6 + 4\*(14\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^3 - 3\*(3\*a\*b^2 + 2\*b^3 - 2\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^5 - 2\*(6\*a\*b^2 + 2\*b^3 - 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^4 + 2\*(35\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x

$$\begin{aligned}
& + c)^4 - 6*a*b^2 - 2*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 15*(3*a* \\
& b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2*\sinh( \\
& d*x + c)^4 + 8*(7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^5 - 5*( \\
& 3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - \\
& (6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 2*(3*a*b^2 + 2*b^3 - \\
& 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2 + 2*(14*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^6 - 15*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 - 3*a*b^2 - 2*b^3 + 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x - 6*(6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((3*a^2*b + 3*a*b^2 + b^3) \\
& *\cosh(d*x + c)^8 + 8*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^ \\
& 7 + (3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^8 + 4*(3*a^2*b + 3*a*b^2 + b^3) \\
& *\cosh(d*x + c)^6 + 4*(3*a^2*b + 3*a*b^2 + b^3 + 7*(3*a^2*b + 3*a*b^2 + b^3) \\
& *\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x \\
& + c)^3 + 3*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*(3 \\
& *a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 2*(35*(3*a^2*b + 3*a*b^2 + b^3)*\c \\
& osh(d*x + c)^4 + 9*a^2*b + 9*a*b^2 + 3*b^3 + 30*(3*a^2*b + 3*a*b^2 + b^3)*\c \\
& osh(d*x + c)^2)*\sinh(d*x + c)^4 + 8*(7*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + \\
& c)^5 + 10*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + 3*(3*a^2*b + 3*a*b^2 \\
& + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*a^2*b + 3*a*b^2 + b^3 + 4*(3*a^2 \\
& *b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2 + 4*(7*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d \\
& *x + c)^6 + 15*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3 + 9*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8* \\
& ((3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^7 + 3*(3*a^2*b + 3*a*b^2 + b^3)*\c \\
& osh(d*x + c)^5 + 3*(3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (3*a^2*b + 3* \\
& a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*\cosh(d*x + c)/(\cosh(d*x + \\
& c) - \sinh(d*x + c))) - (a^3*\cosh(d*x + c)^8 + 8*a^3*\cosh(d*x + c)*\sinh(d*x \\
& + c)^7 + a^3*\sinh(d*x + c)^8 + 4*a^3*\cosh(d*x + c)^6 + 6*a^3*\cosh(d*x + c)^ \\
& 4 + 4*(7*a^3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^6 + 8*(7*a^3*\cosh(d*x + c \\
& )^3 + 3*a^3*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*a^3*\cosh(d*x + c)^2 + 2*(35* \\
& a^3*\cosh(d*x + c)^4 + 30*a^3*\cosh(d*x + c)^2 + 3*a^3)*\sinh(d*x + c)^4 + 8*( \\
& 7*a^3*\cosh(d*x + c)^5 + 10*a^3*\cosh(d*x + c)^3 + 3*a^3*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 + a^3 + 4*(7*a^3*\cosh(d*x + c)^6 + 15*a^3*\cosh(d*x + c)^4 + 9*a^ \\
& 3*\cosh(d*x + c)^2 + a^3)*\sinh(d*x + c)^2 + 8*(a^3*\cosh(d*x + c)^7 + 3*a^3*\c \\
& osh(d*x + c)^5 + 3*a^3*\cosh(d*x + c)^3 + a^3*\cosh(d*x + c))*\sinh(d*x + c))* \\
& \log(2*\sinh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 4*(2*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^7 - 3*(3*a*b^2 + 2*b^3 - 2*(a^3 + 3*a^2* \\
& b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 2*(6*a*b^2 + 2*b^3 - 3*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - (3*a*b^2 + 2*b^3 - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)^ \\
& 8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 + 4*d*\cosh(d*x + \\
& c)^6 + 4*(7*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 \\
& + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh( \\
& d*x + c)^4 + 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*\cosh(d*x
\end{aligned}$$

+ c)^5 + 10\*d\*cosh(d\*x + c)^3 + 3\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*d\*cosh(d\*x + c)^2 + 4\*(7\*d\*cosh(d\*x + c)^6 + 15\*d\*cosh(d\*x + c)^4 + 9\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 8\*(d\*cosh(d\*x + c)^7 + 3\*d\*cosh(d\*x + c)^5 + 3\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac [B]** time = 0.33, size = 267, normalized size = 3.71

$$2a^3 \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2\right) + 2\left(3a^2b + 3ab^2 + b^3\right) \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2\right) - \frac{9a^2b\left(e^{(2dx+2c)} + e^{(-2dx-2c)}\right)}{e^{(2dx+2c)} + e^{(-2dx-2c)} + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/4\*(2\*a^3\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) - 2) + 2\*(3\*a^2\*b + 3\*a\*b^2 + b^3)\*log(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2) - (9\*a^2\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 9\*a\*b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 3\*b^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c))^2 + 36\*a^2\*b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 12\*a\*b^2\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) - 4\*b^3\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 36\*a^2\*b - 12\*a\*b^2 - 4\*b^3)/(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c) + 2)/d

**maple [A]** time = 0.29, size = 111, normalized size = 1.54

$$\frac{a^3 \ln(\sinh(dx+c))}{d} + \frac{3a^2b \ln(\cosh(dx+c))}{d} + \frac{3ab^2 \ln(\cosh(dx+c))}{d} - \frac{3(\tanh^2(dx+c))ab^2}{2d} + \frac{b^3 \ln(\cosh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*a^3\*ln(sinh(d\*x+c))+3/d\*a^2\*b\*ln(cosh(d\*x+c))+3/d\*a\*b^2\*ln(cosh(d\*x+c))-3/2/d\*tanh(d\*x+c)^2\*a\*b^2+1/d\*b^3\*ln(cosh(d\*x+c))-1/2\*b^3\*tanh(d\*x+c)^2/d-1/4\*b^3\*tanh(d\*x+c)^4/d

**maxima [B]** time = 0.44, size = 214, normalized size = 2.97

$$b^3 \left( x + \frac{c}{d} + \frac{\log\left(e^{(-2dx-2c)} + 1\right)}{d} + \frac{4\left(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)}\right)}{d\left(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1\right)} \right) + 3ab^2 \left( x + \frac{c}{d} + \frac{\log\left(e^{(-2dx-2c)} + 1\right)}{d} + \frac{4\left(e^{(-2dx-2c)} + e^{(-4dx-4c)} + e^{(-6dx-6c)}\right)}{d\left(4e^{(-2dx-2c)} + 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} + e^{(-8dx-8c)} + 1\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] b^3\*(x + c/d + log(e^(-2\*d\*x - 2\*c) + 1)/d + 4\*(e^(-2\*d\*x - 2\*c) + e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c))/(d\*(4\*e^(-2\*d\*x - 2\*c) + 6\*e^(-4\*d\*x - 4\*c) + 4\*e^(-6\*d\*x - 6\*c) + e^(-8\*d\*x - 8\*c) + 1))

$4e^{(-6dx - 6c)} + e^{(-8dx - 8c)} + 1)) + 3ab^2(x + c/d + \log(e^{(-2dx - 2c)} + 1)/d + 2e^{(-2dx - 2c)}/(d(2e^{(-2dx - 2c)} + e^{(-4dx - 4c)} + 1))) + 3a^2b \log(e^{(dx + c)} + e^{(-dx - c)})/d + a^3 \log(\sinh(dx + c))/d$

**mupad [B]** time = 0.40, size = 380, normalized size = 5.28

$$\frac{\ln(e^{4c+4dx} - 1) (a^3 d + d (3a^2 b + 3ab^2 + b^3))}{2d^2} - x(a+b)^3 + \frac{2(2b^3 + 3ab^2)}{d(e^{2c+2dx} + 1)} + \frac{8b^3}{d(3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + dx)\*(a + b\*tanh(c + dx)^2)^3, x)

[Out]  $(\log(\exp(4c + 4dx) - 1) * (a^3 d + d(3ab^2 + 3a^2 b + b^3))) / (2d^2) - x(a + b)^3 + (2(3ab^2 + 2b^3)) / (d(\exp(2c + 2dx) + 1)) + (8b^3) / (d(3\exp(2c + 2dx) + 3\exp(4c + 4dx) + \exp(6c + 6dx) + 1)) + (\operatorname{atan}((\exp(2c) * \exp(2dx) * (b^3(-d^2)^{1/2} - a^3(-d^2)^{1/2} + 3ab^2(-d^2)^{1/2} + 3a^2 b(-d^2)^{1/2}))) / (d(6a^4 b^5 - 6a^5 b + a^6 + b^6 + 15a^2 b^4 + 16a^3 b^3 + 3a^4 b^2)^{1/2})) * (6a^4 b^5 - 6a^5 b + a^6 + b^6 + 15a^2 b^4 + 16a^3 b^3 + 3a^4 b^2)^{1/2}) / (-d^2)^{1/2} - (2(3ab^2 + 4b^3)) / (d(2\exp(2c + 2dx) + \exp(4c + 4dx) + 1)) - (4b^3) / (d(4\exp(2c + 2dx) + 6\exp(4c + 4dx) + 4\exp(6c + 6dx) + \exp(8c + 8dx) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)\*(a+b\*tanh(dx+c)\*\*2)\*\*3, x)

[Out] Integral((a + b\*tanh(c + dx)\*\*2)\*\*3\*coth(c + dx), x)

$$3.162 \quad \int \coth^2(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=59

$$-\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^3(c + dx)}{3d}$$

[Out] (a+b)^3\*x-a^3\*coth(d\*x+c)/d-b^2\*(3\*a+b)\*tanh(d\*x+c)/d-1/3\*b^3\*tanh(d\*x+c)^3/d

**Rubi [A]** time = 0.08, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$-\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - (a^3\*Coth[c + d\*x])/d - (b^2\*(3\*a + b)\*Tanh[c + d\*x])/d - (b^3\*Tanh[c + d\*x]^3)/(3\*d)

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 461

Int[((e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_))\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^2(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^2(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b^2(3a + b) + \frac{a^3}{x^2} - b^3x^2 - \frac{(a+b)^3}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^3(c + dx)}{3d} - \frac{(a+b)^3}{3d} \\
&= (a + b)^3 x - \frac{a^3 \coth(c + dx)}{d} - \frac{b^2(3a + b) \tanh(c + dx)}{d} - \frac{b^3 \tanh^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 2.31, size = 81, normalized size = 1.37

$$\frac{\tanh(c + dx) \left( -3a^3 \coth^2(c + dx) - b^2 (9a + b \tanh^2(c + dx) + 3b) + 3(a + b)^3 \sqrt{\coth^2(c + dx)} \tanh^{-1} \left( \sqrt{\coth^2(c + dx)} \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (Tanh[c + d\*x]\*(-3\*a^3\*Coth[c + d\*x]^2 + 3\*(a + b)^3\*ArcTanh[Sqrt[Coth[c + d\*x]^2]])\*Sqrt[Coth[c + d\*x]^2] - b^2\*(9\*a + 3\*b + b\*Tanh[c + d\*x]^2))/(3\*d)

**fricas [B]** time = 0.43, size = 341, normalized size = 5.78

$$\frac{(3a^3 + 9ab^2 + 4b^3) \cosh(dx + c)^4 - 4(3a^3 + 9ab^2 + 4b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c) \sinh(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/12\*((3\*a^3 + 9\*a\*b^2 + 4\*b^3)\*cosh(d\*x + c)^4 - 4\*(3\*a^3 + 9\*a\*b^2 + 4\*b^3 + 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (3\*a^3 + 9\*a\*b^2 + 4\*b^3)\*sinh(d\*x + c)^4 + 9\*a^3 - 9\*a\*b^2 + 4\*(3\*a^3 - b^3)\*cosh(d\*x + c)^2 + 2\*(6\*a^3 - 2\*b^3 + 3\*(3\*a^3 + 9\*a\*b^2 + 4\*b^3)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 - 4\*((3\*a^3 + 9\*a\*b^2 + 4\*b^3 + 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)dx) \* cosh(dx + c) \* sinh(dx + c))

$$+ 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + (3*a^3 + 9*a*b^2 + 4*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (d*\cosh(d*x + c)^3 + d*\cosh(d*x + c))*\sinh(d*x + c))$$

**giac [B]** time = 0.41, size = 135, normalized size = 2.29

$$\frac{3(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - \frac{6a^3}{e^{(2dx+2c)-1}} + \frac{2(9ab^2e^{(4dx+4c)} + 6b^3e^{(4dx+4c)} + 18ab^2e^{(2dx+2c)} + 6b^3e^{(2dx+2c)} + 9ab^2 + 4b^3)}{(e^{(2dx+2c)+1})^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/3\*(3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c) - 6\*a^3/(e^(2\*d\*x + 2\*c) - 1) + 2\*(9\*a\*b^2\*e^(4\*d\*x + 4\*c) + 6\*b^3\*e^(4\*d\*x + 4\*c) + 18\*a\*b^2\*e^(2\*d\*x + 2\*c) + 6\*b^3\*e^(2\*d\*x + 2\*c) + 9\*a\*b^2 + 4\*b^3)/(e^(2\*d\*x + 2\*c) + 1)^3)/d

**maple [A]** time = 0.25, size = 80, normalized size = 1.36

$$\frac{a^3(dx + c - \coth(dx + c)) + 3a^2b(dx + c) + 3ab^2(dx + c - \tanh(dx + c)) + b^3\left(dx + c - \tanh(dx + c) - \frac{\tanh^3(dx + c)}{3}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*(d\*x+c-coth(d\*x+c))+3\*a^2\*b\*(d\*x+c)+3\*a\*b^2\*(d\*x+c-tanh(d\*x+c))+b^3\*(d\*x+c-tanh(d\*x+c)-1/3\*tanh(d\*x+c)^3))

**maxima [B]** time = 0.34, size = 147, normalized size = 2.49

$$\frac{1}{3}b^3\left(3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)}\right) + 3ab^2\left(x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)}\right) + a^3\left(x + \frac{c}{d} + \frac{1}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/3\*b^3\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1))) + 3\*a\*b^2\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a^3\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1))) + 3\*a^2\*b\*x

**mupad [B]** time = 1.31, size = 218, normalized size = 3.69

$$x(a+b)^3 + \frac{\frac{2ab^2}{d} + \frac{2e^{2c+2dx}(2b^3+3ab^2)}{3d}}{2e^{2c+2dx} + e^{4c+4dx} + 1} + \frac{\frac{2(2b^3+3ab^2)}{3d} + \frac{2e^{4c+4dx}(2b^3+3ab^2)}{3d} + \frac{4ab^2e^{2c+2dx}}{d}}{3e^{2c+2dx} + 3e^{4c+4dx} + e^{6c+6dx} + 1} - \frac{2a^3}{d(e^{2c+2dx} - 1)} + \frac{2(2b^3+3ab^2)}{3d(e^{2c+2dx} - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^2*(a + b*tanh(c + d*x)^2)^3,x)`

[Out]  $x*(a + b)^3 + ((2*a*b^2)/d + (2*\exp(2*c + 2*d*x)*(3*a*b^2 + 2*b^3))/(3*d))/ (2*\exp(2*c + 2*d*x) + \exp(4*c + 4*d*x) + 1) + ((2*(3*a*b^2 + 2*b^3))/(3*d) + (2*\exp(4*c + 4*d*x)*(3*a*b^2 + 2*b^3))/(3*d) + (4*a*b^2*\exp(2*c + 2*d*x))/d)/(3*\exp(2*c + 2*d*x) + 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) + 1) - (2*a^3)/(d*(\exp(2*c + 2*d*x) - 1)) + (2*(3*a*b^2 + 2*b^3))/(3*d*(\exp(2*c + 2*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**2*(a+b*tanh(d*x+c)**2)**3,x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**3*coth(c + d*x)**2, x)`



### 3.163 $\int \coth^3(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=72

$$-\frac{a^3 \coth^2(c + dx)}{2d} + \frac{a^2(a + 3b) \log(\tanh(c + dx))}{d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^2(c + dx)}{2d}$$

[Out]  $-1/2*a^3*\coth(d*x+c)^2/d+(a+b)^3*\ln(\cosh(d*x+c))/d+a^2*(a+3*b)*\ln(\tanh(d*x+c))/d-1/2*b^3*\tanh(d*x+c)^2/d$

**Rubi [A]** time = 0.11, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{a^2(a + 3b) \log(\tanh(c + dx))}{d} - \frac{a^3 \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} - \frac{b^3 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-(a^3*\text{Coth}[c + d*x]^2)/(2*d) + ((a + b)^3*\text{Log}[\text{Cosh}[c + d*x]])/d + (a^2*(a + 3*b)*\text{Log}[\text{Tanh}[c + d*x]])/d - (b^3*\text{Tanh}[c + d*x]^2)/(2*d)$

#### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

### Rubi steps

$$\begin{aligned}
 \int \coth^3(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^3(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-b^3 - \frac{(a+b)^3}{-1+x} + \frac{a^3}{x^2} + \frac{a^2(a+3b)}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= -\frac{a^3 \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d} + \frac{a^2(a + 3b) \log(\tanh(c + dx))}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.46, size = 63, normalized size = 0.88

$$\frac{a^3 \coth^2(c + dx) - 2a^2(a + 3b) \log(\tanh(c + dx)) - 2(a + b)^3 \log(\cosh(c + dx)) + b^3 \tanh^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -1/2\*(a^3\*Coth[c + d\*x]^2 - 2\*(a + b)^3\*Log[Cosh[c + d\*x]] - 2\*a^2\*(a + 3\*b)\*Log[Tanh[c + d\*x]] + b^3\*Tanh[c + d\*x]^2)/d

**fricas [B]** time = 0.45, size = 1686, normalized size = 23.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^8 + 8\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^8 + 2\*(a^3 - b^3)\*cosh(d\*x + c)^6 + 2\*(14\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^2 + a^3 - b^3)\*sinh(d\*x + c)^6 + 4\*(14\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^3 + 3\*(a^3 - b^3)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(2\*a^3 + 2\*b^3 - (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^4 + 2\*(35\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*c

```

osh(d*x + c)^4 + 2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 15*(
a^3 - b^3)*cosh(d*x + c)^2*sinh(d*x + c)^4 + 8*(7*(a^3 + 3*a^2*b + 3*a*b^2
+ b^3)*d*x*cosh(d*x + c)^5 + 5*(a^3 - b^3)*cosh(d*x + c)^3 + (2*a^3 + 2*b^
3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + (
a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 2*(a^3 - b^3)*cosh(d*x + c)^2 + 2*(14*
(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh(d*x + c)^6 + 15*(a^3 - b^3)*cosh(d
*x + c)^4 + a^3 - b^3 + 6*(2*a^3 + 2*b^3 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*
d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((3*a*b^2 + b^3)*cosh(d*x + c)^8 +
56*(3*a*b^2 + b^3)*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*(3*a*b^2 + b^3)*cos
h(d*x + c)^2*sinh(d*x + c)^6 + 8*(3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c
)^7 + (3*a*b^2 + b^3)*sinh(d*x + c)^8 - 2*(3*a*b^2 + b^3)*cosh(d*x + c)^4 +
2*(35*(3*a*b^2 + b^3)*cosh(d*x + c)^4 - 3*a*b^2 - b^3)*sinh(d*x + c)^4 + 8
*(7*(3*a*b^2 + b^3)*cosh(d*x + c)^5 - (3*a*b^2 + b^3)*cosh(d*x + c))*sinh(d
*x + c)^3 + 3*a*b^2 + b^3 + 4*(7*(3*a*b^2 + b^3)*cosh(d*x + c)^6 - 3*(3*a*b
^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((3*a*b^2 + b^3)*cosh(d*x +
c)^7 - (3*a*b^2 + b^3)*cosh(d*x + c)^3)*sinh(d*x + c))*log(2*cosh(d*x + c)/
(cosh(d*x + c) - sinh(d*x + c))) - ((a^3 + 3*a^2*b)*cosh(d*x + c)^8 + 56*(a
^3 + 3*a^2*b)*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*(a^3 + 3*a^2*b)*cosh(d*x
+ c)^2*sinh(d*x + c)^6 + 8*(a^3 + 3*a^2*b)*cosh(d*x + c)*sinh(d*x + c)^7 +
(a^3 + 3*a^2*b)*sinh(d*x + c)^8 - 2*(a^3 + 3*a^2*b)*cosh(d*x + c)^4 + 2*(3
5*(a^3 + 3*a^2*b)*cosh(d*x + c)^4 - a^3 - 3*a^2*b)*sinh(d*x + c)^4 + 8*(7*(
a^3 + 3*a^2*b)*cosh(d*x + c)^5 - (a^3 + 3*a^2*b)*cosh(d*x + c))*sinh(d*x +
c)^3 + a^3 + 3*a^2*b + 4*(7*(a^3 + 3*a^2*b)*cosh(d*x + c)^6 - 3*(a^3 + 3*a^
2*b)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((a^3 + 3*a^2*b)*cosh(d*x + c)^7
- (a^3 + 3*a^2*b)*cosh(d*x + c)^3)*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh
(d*x + c) - sinh(d*x + c))) + 4*(2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*cosh
(d*x + c)^7 + 3*(a^3 - b^3)*cosh(d*x + c)^5 + 2*(2*a^3 + 2*b^3 - (a^3 + 3*a
^2*b + 3*a*b^2 + b^3)*d*x)*cosh(d*x + c)^3 + (a^3 - b^3)*cosh(d*x + c))*sin
h(d*x + c))/(d*cosh(d*x + c)^8 + 56*d*cosh(d*x + c)^3*sinh(d*x + c)^5 + 28*
d*cosh(d*x + c)^2*sinh(d*x + c)^6 + 8*d*cosh(d*x + c)*sinh(d*x + c)^7 + d*s
inh(d*x + c)^8 - 2*d*cosh(d*x + c)^4 + 2*(35*d*cosh(d*x + c)^4 - d)*sinh(d*
x + c)^4 + 8*(7*d*cosh(d*x + c)^5 - d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7
*d*cosh(d*x + c)^6 - 3*d*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*(d*cosh(d*x +
c)^7 - d*cosh(d*x + c)^3)*sinh(d*x + c) + d)

```

**giac [B]** time = 0.44, size = 274, normalized size = 3.81

$$2(3ab^2 + b^3) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2) + 2(a^3 + 3a^2b) \log(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2) - \frac{a^3(e^{(2dx+2c)} + e^{(-2dx-2c)})}{e^{(2dx+2c)} + e^{(-2dx-2c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{4}*(2*(3*a*b^2 + b^3)*\log(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} + 2) + 2*(a^3 + 3*a^2*b)*\log(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} - 2) - (a^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 3*a^2*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 3*a*b^2*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + b^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 8*a^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 8*b^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + 12*a^3 - 12*a^2*b - 12*a*b^2 + 12*b^3)/((e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 - 4))/d$

**maple [A]** time = 0.28, size = 94, normalized size = 1.31

$$\frac{a^3 \ln(\sinh(dx+c))}{d} - \frac{a^3 (\coth^2(dx+c))}{2d} + \frac{3a^2b \ln(\sinh(dx+c))}{d} + \frac{3ab^2 \ln(\cosh(dx+c))}{d} + \frac{b^3 \ln(\cosh(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x)`

[Out]  $\frac{1}{d*a^3*\ln(\sinh(d*x+c))} - \frac{1}{2*a^3*\coth(d*x+c)^2/d} + \frac{3}{d*a^2*b*\ln(\sinh(d*x+c))} + \frac{3}{d*a*b^2*\ln(\cosh(d*x+c))} + \frac{1}{d*b^3*\ln(\cosh(d*x+c))} - \frac{1}{2*b^3*\tanh(d*x+c)^2/d}$

**maxima [B]** time = 0.44, size = 203, normalized size = 2.82

$$a^3 \left( x + \frac{c}{d} + \frac{\log(e^{-dx-c} + 1)}{d} + \frac{\log(e^{-dx-c} - 1)}{d} + \frac{2e^{-2dx-2c}}{d(2e^{-2dx-2c} - e^{-4dx-4c} - 1)} \right) + b^3 \left( x + \frac{c}{d} + \frac{\log(e^{-2dx-2c})}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^3*(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out]  $a^3*(x + c/d + \log(e^{-d*x - c}) + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} - e^{(-4*d*x - 4*c)} - 1)) + b^3*(x + c/d + \log(e^{(-2*d*x - 2*c)} + 1)/d + 2*e^{(-2*d*x - 2*c)}/(d*(2*e^{(-2*d*x - 2*c)} + e^{(-4*d*x - 4*c)} + 1))) + 3*a*b^2*\log(e^{(d*x + c)} + e^{(-d*x - c)})/d + 3*a^2*b*\log(e^{(d*x + c)} - e^{(-d*x - c)})/d$

**mupad [B]** time = 2.48, size = 327, normalized size = 4.54

$$\frac{\ln(e^{4c+4dx} - 1)}{2d^2} \left( da^3 + 3da^2b + 3dab^2 + db^3 \right) - \frac{\frac{4(a^3+b^3)}{d} + \frac{2e^{2c+2dx}(a^3-b^3)}{d}}{e^{4c+4dx} - 1} - \frac{\frac{4(a^3+b^3)}{d} + \frac{4e^{2c+2dx}(a^3-b^3)}{d}}{e^{8c+8dx} - 2e^{4c+4dx} + 1} - \operatorname{atan}\left(\frac{e^{2c+2dx}(a^3-b^3)}{e^{4c+4dx} - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^3*(a + b*tanh(c + d*x)^2)^3,x)`

```
[Out] (log(exp(4*c + 4*d*x) - 1)*(a^3*d + b^3*d + 3*a*b^2*d + 3*a^2*b*d))/(2*d^2)
- ((4*(a^3 + b^3))/d + (2*exp(2*c + 2*d*x)*(a^3 - b^3))/d)/(exp(4*c + 4*d*
x) - 1) - ((4*(a^3 + b^3))/d + (4*exp(2*c + 2*d*x)*(a^3 - b^3))/d)/(exp(8*c
+ 8*d*x) - 2*exp(4*c + 4*d*x) + 1) - (atan((exp(2*c)*exp(2*d*x)*(a^3*(-d^2
)^^(1/2) - b^3*(-d^2)^^(1/2) - 3*a*b^2*(-d^2)^^(1/2) + 3*a^2*b*(-d^2)^^(1/2)))/
(d*(6*a*b^5 + 6*a^5*b + a^6 + b^6 + 3*a^2*b^4 - 20*a^3*b^3 + 3*a^4*b^2)^(1/
2)))*(6*a*b^5 + 6*a^5*b + a^6 + b^6 + 3*a^2*b^4 - 20*a^3*b^3 + 3*a^4*b^2)^(
1/2))/(-d^2)^(1/2) - x*(a + b)^3
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**3*(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral((a + b*tanh(c + d*x)**2)**3*coth(c + d*x)**3, x)
```

$$3.164 \quad \int \coth^4(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=59

$$\frac{a^3 \coth^3(c + dx)}{3d} - \frac{a^2(a + 3b) \coth(c + dx)}{d} + x(a + b)^3 - \frac{b^3 \tanh(c + dx)}{d}$$

[Out] (a+b)^3\*x-a^2\*(a+3\*b)\*coth(d\*x+c)/d-1/3\*a^3\*coth(d\*x+c)^3/d-b^3\*tanh(d\*x+c)/d

**Rubi [A]** time = 0.08, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$-\frac{a^2(a + 3b) \coth(c + dx)}{d} - \frac{a^3 \coth^3(c + dx)}{3d} + x(a + b)^3 - \frac{b^3 \tanh(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (a + b)^3\*x - (a^2\*(a + 3\*b)\*Coth[c + d\*x])/d - (a^3\*Coth[c + d\*x]^3)/(3\*d) - (b^3\*Tanh[c + d\*x])/d

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 461

Int[(((e\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.))/((c\_) + (d\_.)\*(x\_)^(n\_.)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \coth^4(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^4(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(-b^3 + \frac{a^3}{x^4} + \frac{a^2(a+3b)}{x^2} - \frac{(a+b)^3}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{a^2(a+3b) \coth(c + dx)}{d} - \frac{a^3 \coth^3(c + dx)}{3d} - \frac{b^3 \tanh(c + dx)}{d} \\
&= (a + b)^3 x - \frac{a^2(a+3b) \coth(c + dx)}{d} - \frac{a^3 \coth^3(c + dx)}{3d} - \frac{b^3 \tanh(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 1.28, size = 82, normalized size = 1.39

$$\frac{\tanh(c + dx) \left( -a^3 \coth^4(c + dx) - 3a^2(a + 3b) \coth^2(c + dx) + 3(a + b)^3 \sqrt{\coth^2(c + dx)} \tanh^{-1} \left( \sqrt{\coth^2(c + dx)} \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] ((-3\*b^3 - 3\*a^2\*(a + 3\*b)\*Coth[c + d\*x]^2 - a^3\*Coth[c + d\*x]^4 + 3\*(a + b)^3\*ArcTanh[Sqrt[Coth[c + d\*x]^2]]\*Sqrt[Coth[c + d\*x]^2])\*Tanh[c + d\*x])/(3\*d)

**fricas [B]** time = 0.44, size = 341, normalized size = 5.78

$$\frac{(4a^3 + 9a^2b + 3b^3) \cosh(dx + c)^4 - 4(a^3 + 9a^2b + 3b^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3)dx) \cosh(dx + c) \sinh(dx + c)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/12\*((4\*a^3 + 9\*a^2\*b + 3\*b^3)\*cosh(d\*x + c)^4 - 4\*(4\*a^3 + 9\*a^2\*b + 3\*b^3 + 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (4\*a^3 + 9\*a^2\*b + 3\*b^3)\*sinh(d\*x + c)^4 - 9\*a^2\*b + 9\*b^3 + 4\*(a^3 - 3\*b^3)\*cosh(d\*x + c)^2 + 2\*(2\*a^3 - 6\*b^3 + 3\*(4\*a^3 + 9\*a^2\*b + 3\*b^3))\*cosh(d\*x + c)^2\*sinh(d\*x + c)^2 - 4\*((4\*a^3 + 9\*a^2\*b + 3\*b^3 + 3\*(a^3 + 3\*a^2\*b

$$+ 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - (4*a^3 + 9*a^2*b + 3*b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c))$$

**giac [B]** time = 0.52, size = 135, normalized size = 2.29

$$\frac{3(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) + \frac{6b^3}{e^{(2dx+2c)+1}} - \frac{2(6a^3e^{(4dx+4c)} + 9a^2be^{(4dx+4c)} - 6a^3e^{(2dx+2c)} - 18a^2be^{(2dx+2c)} + 4a^3 + 9a^2b)}{(e^{(2dx+2c)-1})^3}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/3\*(3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c) + 6\*b^3/(e^(2\*d\*x + 2\*c) + 1) - 2\*(6\*a^3\*e^(4\*d\*x + 4\*c) + 9\*a^2\*b\*e^(4\*d\*x + 4\*c) - 6\*a^3\*e^(2\*d\*x + 2\*c) - 18\*a^2\*b\*e^(2\*d\*x + 2\*c) + 4\*a^3 + 9\*a^2\*b)/(e^(2\*d\*x + 2\*c) - 1)^3)/d

**maple [A]** time = 0.25, size = 80, normalized size = 1.36

$$\frac{a^3 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx + c))}{3} \right) + 3a^2b(dx + c - \coth(dx + c)) + 3ab^2(dx + c) + b^3(dx + c - \tanh(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*(d\*x+c-coth(d\*x+c)-1/3\*coth(d\*x+c)^3)+3\*a^2\*b\*(d\*x+c-coth(d\*x+c))+3\*a\*b^2\*(d\*x+c)+b^3\*(d\*x+c-tanh(d\*x+c)))

**maxima [B]** time = 0.34, size = 147, normalized size = 2.49

$$\frac{1}{3}a^3 \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} - 2)}{d(3e^{(-2dx-2c)} - 3e^{(-4dx-4c)} + e^{(-6dx-6c)} - 1)} \right) + b^3 \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right) + 3a^2b \left( x + \frac{c}{d} + \frac{1}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 1/3\*a^3\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) - 2)/(d\*(3\*e^(-2\*d\*x - 2\*c) - 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) - 1))) + b^3\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + 3\*a^2\*b\*(x + c/d + 2/(d\*(e^(-2\*d\*x - 2\*c) - 1))) + 3\*a\*b^2\*x



**mupad [B]** time = 1.29, size = 219, normalized size = 3.71

$$x(a+b)^3 + \frac{\frac{2a^2b}{d} - \frac{2e^{2c+2dx}(2a^3+3ba^2)}{3d}}{e^{4c+4dx} - 2e^{2c+2dx} + 1} - \frac{\frac{2(2a^3+3ba^2)}{3d}}{3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx} - 1} + \frac{\frac{2e^{4c+4dx}(2a^3+3ba^2)}{3d} - \frac{4a^2be^{2c+2dx}}{d}}{d(e^{2c+2dx} + 1)} + \frac{2b^3}{3d(e^{2c+2dx} + 1)} - \frac{2(2a^3+3ba^2)}{3d(e^{2c+2dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^4*(a + b*tanh(c + d*x)^2)^3, x)`

[Out]  $x*(a + b)^3 + ((2*a^2*b)/d - (2*\exp(2*c + 2*d*x)*(3*a^2*b + 2*a^3))/(3*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) - ((2*(3*a^2*b + 2*a^3))/(3*d) + (2*\exp(4*c + 4*d*x)*(3*a^2*b + 2*a^3))/(3*d) - (4*a^2*b*\exp(2*c + 2*d*x))/d)/(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1) + (2*b^3)/(d*(\exp(2*c + 2*d*x) + 1)) - (2*(3*a^2*b + 2*a^3))/(3*d*(\exp(2*c + 2*d*x) - 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**4*(a+b*tanh(d*x+c)**2)**3, x)`

[Out] `Integral((a + b*tanh(c + d*x)**2)**3*coth(c + d*x)**4, x)`

### 3.165 $\int \coth^5(c + dx) (a + b \tanh^2(c + dx))^3 dx$

**Optimal.** Leaf size=83

$$-\frac{a^3 \coth^4(c + dx)}{4d} + \frac{a(a^2 + 3ab + 3b^2) \log(\tanh(c + dx))}{d} - \frac{a^2(a + 3b) \coth^2(c + dx)}{2d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

[Out]  $-1/2*a^2*(a+3*b)*\coth(d*x+c)^2/d-1/4*a^3*\coth(d*x+c)^4/d+(a+b)^3*\ln(\cosh(d*x+c))/d+a*(a^2+3*a*b+3*b^2)*\ln(\tanh(d*x+c))/d$

**Rubi [A]** time = 0.12, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{a(a^2 + 3ab + 3b^2) \log(\tanh(c + dx))}{d} - \frac{a^2(a + 3b) \coth^2(c + dx)}{2d} - \frac{a^3 \coth^4(c + dx)}{4d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-(a^2*(a + 3*b)*\text{Coth}[c + d*x]^2)/(2*d) - (a^3*\text{Coth}[c + d*x]^4)/(4*d) + ((a + b)^3*\text{Log}[\text{Cosh}[c + d*x]])/d + (a*(a^2 + 3*a*b + 3*b^2)*\text{Log}[\text{Tanh}[c + d*x]])/d$

#### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n

, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \coth^5(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^5(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^3}{-1+x} + \frac{a^3}{x^3} + \frac{a^2(a+3b)}{x^2} + \frac{a(a^2+3ab+3b^2)}{x}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{a^2(a+3b) \coth^2(c + dx)}{2d} - \frac{a^3 \coth^4(c + dx)}{4d} + \frac{(a+b)^3 \log(\cosh(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.58, size = 67, normalized size = 0.81

$$\frac{-\frac{1}{2}a^3 \coth^4(c + dx) - a^2(a + 3b) \coth^2(c + dx) + 2(a + b)^3 \log(\sinh(c + dx)) - 2b^3 \log(\tanh(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^5\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(-(a^2(a + 3b) \text{Coth}[c + d*x]^2) - (a^3 \text{Coth}[c + d*x]^4)/2 + 2(a + b)^3 \text{Log}[\text{Sinh}[c + d*x]] - 2b^3 \text{Log}[\text{Tanh}[c + d*x]])/(2*d)$

**fricas [B]** time = 0.46, size = 2393, normalized size = 28.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out]  $-(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^8 + 8(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^3 + 3a^2b + 3ab^2 + b^3)d*x*\sinh(d*x + c)^8 + 2(2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*\cosh(d*x + c)^6 + 2(14(a^3 + 3a^2b + 3ab^2 + b^3)d*x*\cosh(d*x + c)^2 + 2a^3 + 3a^2b - 2(a^3 + 3a^2b + 3ab^2 + b^3)d*x)*$

$$\begin{aligned}
& \sinh(dx + c)^6 + 4*(14*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx*cosh(dx + c)^3 \\
& + 3*(2*a^3 + 3*a^2*b - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c \\
& ))*\sinh(dx + c)^5 - 2*(2*a^3 + 6*a^2*b - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3) \\
& *dx)*cosh(dx + c)^4 + 2*(35*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx*cosh(dx \\
& + c)^4 - 2*a^3 - 6*a^2*b + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx + 15*(2*a^ \\
& 3 + 3*a^2*b - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^2)*\sinh( \\
& dx + c)^4 + 8*(7*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx*cosh(dx + c)^5 + 5*( \\
& 2*a^3 + 3*a^2*b - 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^3 - \\
& (2*a^3 + 6*a^2*b - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c))*\si \\
& nh(dx + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx + 2*(2*a^3 + 3*a^2*b - \\
& 2*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^2 + 2*(14*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*dx*cosh(dx + c)^6 + 15*(2*a^3 + 3*a^2*b - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^4 + 2*a^3 + 3*a^2*b - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*dx - 6*(2*a^3 + 6*a^2*b - 3*(a^3 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3)*dx)*cosh(dx + c)^2)*\sinh(dx + c)^2 - (b^3*cosh(dx + c)^8 + 8*b \\
& ^3*cosh(dx + c)*\sinh(dx + c)^7 + b^3*\sinh(dx + c)^8 - 4*b^3*cosh(dx + c \\
& )^6 + 6*b^3*cosh(dx + c)^4 + 4*(7*b^3*cosh(dx + c)^2 - b^3)*\sinh(dx + c) \\
& ^6 + 8*(7*b^3*cosh(dx + c)^3 - 3*b^3*cosh(dx + c))*\sinh(dx + c)^5 - 4*b^ \\
& 3*cosh(dx + c)^2 + 2*(35*b^3*cosh(dx + c)^4 - 30*b^3*cosh(dx + c)^2 + 3* \\
& b^3)*\sinh(dx + c)^4 + 8*(7*b^3*cosh(dx + c)^5 - 10*b^3*cosh(dx + c)^3 + \\
& 3*b^3*cosh(dx + c))*\sinh(dx + c)^3 + b^3 + 4*(7*b^3*cosh(dx + c)^6 - 15* \\
& b^3*cosh(dx + c)^4 + 9*b^3*cosh(dx + c)^2 - b^3)*\sinh(dx + c)^2 + 8*(b^3 \\
& *cosh(dx + c)^7 - 3*b^3*cosh(dx + c)^5 + 3*b^3*cosh(dx + c)^3 - b^3*cosh \\
& (dx + c))*\sinh(dx + c))*\log(2*cosh(dx + c)/(cosh(dx + c) - sinh(dx + c \\
& ))) - ((a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^8 + 8*(a^3 + 3*a^2*b + 3*a*b \\
& ^2)*cosh(dx + c)*\sinh(dx + c)^7 + (a^3 + 3*a^2*b + 3*a*b^2)*\sinh(dx + c) \\
& ^8 - 4*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^6 - 4*(a^3 + 3*a^2*b + 3*a*b \\
& ^2 - 7*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^2)*\sinh(dx + c)^6 + 8*(7*(a \\
& ^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^3 - 3*(a^3 + 3*a^2*b + 3*a*b^2)*cosh( \\
& dx + c))*\sinh(dx + c)^5 + 6*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^4 + 2 \\
& *(35*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^4 + 3*a^3 + 9*a^2*b + 9*a*b^2 \\
& - 30*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^2)*\sinh(dx + c)^4 + 8*(7*(a^3 \\
& + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^5 - 10*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(d \\
& *x + c)^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c))*\sinh(dx + c)^3 + a^ \\
& 3 + 3*a^2*b + 3*a*b^2 - 4*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^2 + 4*(7* \\
& (a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^6 - 15*(a^3 + 3*a^2*b + 3*a*b^2)*co \\
& sh(dx + c)^4 - a^3 - 3*a^2*b - 3*a*b^2 + 9*(a^3 + 3*a^2*b + 3*a*b^2)*cosh( \\
& dx + c)^2)*\sinh(dx + c)^2 + 8*((a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^7 \\
& - 3*(a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c)^5 + 3*(a^3 + 3*a^2*b + 3*a*b^2) \\
& *cosh(dx + c)^3 - (a^3 + 3*a^2*b + 3*a*b^2)*cosh(dx + c))*\sinh(dx + c))* \\
& \log(2*\sinh(dx + c)/(cosh(dx + c) - sinh(dx + c))) + 4*(2*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*dx*cosh(dx + c)^7 + 3*(2*a^3 + 3*a^2*b - 2*(a^3 + 3*a^2* \\
& b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^5 - 2*(2*a^3 + 6*a^2*b - 3*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c)^3 + (2*a^3 + 3*a^2*b - 2*(a^3 + 3* \\
& a^2*b + 3*a*b^2 + b^3)*dx)*cosh(dx + c))*\sinh(dx + c))/(d*cosh(dx + c)^
\end{aligned}$$

$$8 + 8*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + d*\sinh(d*x + c)^8 - 4*d*\cosh(d*x + c)^6 + 4*(7*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^6 + 8*(7*d*\cosh(d*x + c)^3 - 3*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 6*d*\cosh(d*x + c)^4 + 2*(35*d*\cosh(d*x + c)^4 - 30*d*\cosh(d*x + c)^2 + 3*d)*\sinh(d*x + c)^4 + 8*(7*d*\cosh(d*x + c)^5 - 10*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 4*d*\cosh(d*x + c)^2 + 4*(7*d*\cosh(d*x + c)^6 - 15*d*\cosh(d*x + c)^4 + 9*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 8*(d*\cosh(d*x + c)^7 - 3*d*\cosh(d*x + c)^5 + 3*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d$$

**giac [B]** time = 0.58, size = 267, normalized size = 3.22

$$2b^3 \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} + 2\right) + 2\left(a^3 + 3a^2b + 3ab^2\right) \log\left(e^{(2dx+2c)} + e^{(-2dx-2c)} - 2\right) - \frac{3a^3\left(e^{(2dx+2c)} + e^{(-2dx-2c)}\right)}{e^{(2dx+2c)} + e^{(-2dx-2c)} - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{4}*(2*b^3*\log(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} + 2) + 2*(a^3 + 3*a^2*b + 3*a*b^2)*\log(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} - 2) - (3*a^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 9*a^2*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 9*a*b^2*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 4*a^3*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 12*a^2*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 36*a*b^2*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 4*a^3 - 12*a^2*b + 36*a*b^2)/(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} - 2)^2)/d$

**maple [A]** time = 0.27, size = 111, normalized size = 1.34

$$\frac{a^3 \ln(\sinh(dx+c))}{d} - \frac{a^3 (\coth^2(dx+c))}{2d} - \frac{a^3 (\coth^4(dx+c))}{4d} + \frac{3a^2b \ln(\sinh(dx+c))}{d} - \frac{3a^2b (\coth^2(dx+c))}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $\frac{1}{d}*a^3*\ln(\sinh(d*x+c)) - \frac{1}{2}*a^3*\coth(d*x+c)^2/d - \frac{1}{4}*a^3*\coth(d*x+c)^4/d + \frac{3}{d}*a^2*b*\ln(\sinh(d*x+c)) - \frac{3}{2}*a^2*b*\coth(d*x+c)^2/d + \frac{3}{d}*a*b^2*\ln(\sinh(d*x+c)) + \frac{1}{d}*b^3*\ln(\cosh(d*x+c))$

**maxima [B]** time = 0.35, size = 264, normalized size = 3.18

$$a^3 \left( x + \frac{c}{d} + \frac{\log(e^{(-dx-c)} + 1)}{d} + \frac{\log(e^{(-dx-c)} - 1)}{d} + \frac{4(e^{(-2dx-2c)} - e^{(-4dx-4c)} + e^{(-6dx-6c)})}{d(4e^{(-2dx-2c)} - 6e^{(-4dx-4c)} + 4e^{(-6dx-6c)} - e^{(-8dx-8c)} - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^5\*(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="maxima")

[Out]  $a^3(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 4*(e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c}))/((d*(4*e^{-2*d*x - 2*c} - 6*e^{-4*d*x - 4*c} + 4*e^{-6*d*x - 6*c} - e^{-8*d*x - 8*c} - 1))) + 3*a^2*b*(x + c/d + \log(e^{-d*x - c} + 1)/d + \log(e^{-d*x - c} - 1)/d + 2*e^{-2*d*x - 2*c}))/((d*(2*e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1))) + b^3*\log(e^{(d*x + c)} + e^{-d*x - c}))/d + 3*a*b^2*\log(e^{(d*x + c)} - e^{-d*x - c}))/d$

**mupad [B]** time = 0.40, size = 381, normalized size = 4.59

$$\frac{\ln(e^{4c+4dx} - 1) (b^3 d + d (a^3 + 3a^2 b + 3a b^2))}{2d^2} - x(a+b)^3 - \frac{2(2a^3 + 3ba^2)}{d(e^{2c+2dx} - 1)} - \frac{8a^3}{d(3e^{2c+2dx} - 3e^{4c+4dx} + e^{6c+6dx})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^5\*(a + b\*tanh(c + d\*x))^2)^3,x

[Out]  $(\log(\exp(4*c + 4*d*x) - 1)*(b^3*d + d*(3*a*b^2 + 3*a^2*b + a^3)))/(2*d^2) - x*(a + b)^3 - (2*(3*a^2*b + 2*a^3))/((d*(\exp(2*c + 2*d*x) - 1)) - (8*a^3)/(d*(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1))) - (\operatorname{atan}((\exp(2*c)*\exp(2*d*x)*(a^3*(-d^2)^{(1/2)} - b^3*(-d^2)^{(1/2)} + 3*a*b^2*(-d^2)^{(1/2)} + 3*a^2*b*(-d^2)^{(1/2)})))/(d*(6*a^5*b - 6*a*b^5 + a^6 + b^6 + 3*a^2*b^4 + 16*a^3*b^3 + 15*a^4*b^2)^{(1/2)}))*(6*a^5*b - 6*a*b^5 + a^6 + b^6 + 3*a^2*b^4 + 16*a^3*b^3 + 15*a^4*b^2)^{(1/2)})/((-d^2)^{(1/2)} - (2*(3*a^2*b + 4*a^3)))/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - (4*a^3)/(d*(6*\exp(4*c + 4*d*x) - 4*\exp(2*c + 2*d*x) - 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth^5(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*5\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*coth(c + d\*x)\*\*5, x)

$$3.166 \quad \int \coth^6(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=74

$$-\frac{a^3 \coth^5(c + dx)}{5d} - \frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d} + x(a + b)^3$$

[Out]  $(a+b)^3 x - a(a^2 + 3ab + 3b^2) \coth(dx+c)/d - 1/3 a^2(a+3b) \coth(dx+c)^3/d - 1/5 a^3 \coth(dx+c)^5/d$

**Rubi [A]** time = 0.09, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 461, 207}

$$-\frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d} - \frac{a^3 \coth^5(c + dx)}{5d} + x(a + b)^3$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^6\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $(a + b)^3 x - (a(a^2 + 3ab + 3b^2) \coth[c + d*x])/d - (a^2(a + 3b) \coth[c + d*x]^3)/(3*d) - (a^3 \coth[c + d*x]^5)/(5*d)$

#### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 461

Int[(((e\_)\*(x\_))^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Int[ExpandIntegrand[((e\*x)^m\*(a + b\*x^n)^p)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && (IntegerQ[m] || IGtQ[2\*(m + 1), 0] || !RationalQ[m])

#### Rule 3670

Int[(((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_))\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

Rubi steps

$$\begin{aligned}
\int \coth^6(c + dx) (a + b \tanh^2(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^6(1-x^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \left(\frac{a^3}{x^6} + \frac{a^2(a+3b)}{x^4} + \frac{a(a^2+3ab+3b^2)}{x^2} - \frac{(a+b)^3}{-1+x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\
&= -\frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d} - \frac{a^3}{3d} \\
&= (a + b)^3 x - \frac{a(a^2 + 3ab + 3b^2) \coth(c + dx)}{d} - \frac{a^2(a + 3b) \coth^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 1.78, size = 100, normalized size = 1.35

$$\frac{(a + b)^3 \tanh^{-1}\left(\sqrt{\tanh^2(c + dx)}\right) \tanh(c + dx)}{d\sqrt{\tanh^2(c + dx)}} - \frac{a \coth(c + dx) (15(a^2 + 3ab + 3b^2) + 3a^2 \coth^4(c + dx) + 5a^3 \coth^2(c + dx))}{15d}$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[c + d*x]^6*(a + b*Tanh[c + d*x]^2)^3,x]`

```
[Out] -1/15*(a*Coth[c + d*x]*(15*(a^2 + 3*a*b + 3*b^2) + 5*a*(a + 3*b)*Coth[c + d*x]^2 + 3*a^2*Coth[c + d*x]^4))/d + ((a + b)^3*ArcTanh[Sqrt[Tanh[c + d*x]^2]]*Tanh[c + d*x])/(d*Sqrt[Tanh[c + d*x]^2])
```

**fricas [B]** time = 0.44, size = 557, normalized size = 7.53

$$\frac{(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c)^5 + 5(23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^4 - (23a^3 + 60a^2b + 45ab^2) \cosh(dx + c) \sinh(dx + c)^3}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(coth(d*x+c)^6*(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

```
[Out] -1/15*((23*a^3 + 60*a^2*b + 45*a*b^2)*cosh(d*x + c)^5 + 5*(23*a^3 + 60*a^2*b + 45*a*b^2)*cosh(d*x + c)*sinh(d*x + c)^4 - (23*a^3 + 60*a^2*b + 45*a*b^2)*cosh(d*x + c)*sinh(d*x + c)^3)
```



+ 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*sinh(d\*x + c)^5 - 5\*(5\*a^3 + 24\*a^2\*b + 27\*a\*b^2)\*cosh(d\*x + c)^3 + 5\*(23\*a^3 + 60\*a^2\*b + 45\*a\*b^2 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x - 2\*(23\*a^3 + 60\*a^2\*b + 45\*a\*b^2 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^3 + 5\*(2\*(23\*a^3 + 60\*a^2\*b + 45\*a\*b^2)\*cosh(d\*x + c)^3 - 3\*(5\*a^3 + 24\*a^2\*b + 27\*a\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c)^2 + 10\*(5\*a^3 + 6\*a^2\*b + 9\*a\*b^2)\*cosh(d\*x + c) - 5\*((23\*a^3 + 60\*a^2\*b + 45\*a\*b^2 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^4 + 46\*a^3 + 120\*a^2\*b + 90\*a\*b^2 + 30\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x - 3\*(23\*a^3 + 60\*a^2\*b + 45\*a\*b^2 + 15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c))/(d\*sinh(d\*x + c)^5 + 5\*(2\*d\*cosh(d\*x + c)^2 - d)\*sinh(d\*x + c)^3 + 5\*(d\*cosh(d\*x + c)^4 - 3\*d\*cosh(d\*x + c)^2 + 2\*d)\*sinh(d\*x + c))

**giac [B]** time = 0.56, size = 241, normalized size = 3.26

$$15 \left( a^3 + 3a^2b + 3ab^2 + b^3 \right) (dx + c) - \frac{2 \left( 45a^3e^{(8dx+8c)} + 90a^2be^{(8dx+8c)} + 45ab^2e^{(8dx+8c)} - 90a^3e^{(6dx+6c)} - 270a^2be^{(6dx+6c)} - 180ab^2e^{(6dx+6c)} \right)}{15d}$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 1/15\*(15\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*(d\*x + c) - 2\*(45\*a^3\*e^(8\*d\*x + 8\*c) + 90\*a^2\*b\*e^(8\*d\*x + 8\*c) + 45\*a\*b^2\*e^(8\*d\*x + 8\*c) - 90\*a^3\*e^(6\*d\*x + 6\*c) - 270\*a^2\*b\*e^(6\*d\*x + 6\*c) - 180\*a\*b^2\*e^(6\*d\*x + 6\*c) + 140\*a^3\*e^(4\*d\*x + 4\*c) + 330\*a^2\*b\*e^(4\*d\*x + 4\*c) + 270\*a\*b^2\*e^(4\*d\*x + 4\*c) - 70\*a^3\*e^(2\*d\*x + 2\*c) - 210\*a^2\*b\*e^(2\*d\*x + 2\*c) - 180\*a\*b^2\*e^(2\*d\*x + 2\*c) + 23\*a^3 + 60\*a^2\*b + 45\*a\*b^2)/(e^(2\*d\*x + 2\*c) - 1)^5)/d

**maple [A]** time = 0.28, size = 100, normalized size = 1.35

$$a^3 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} - \frac{(\coth^5(dx+c))}{5} \right) + 3a^2b \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + 3ab^2 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + 3a^2b^2 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + 3ab^3 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} \right) + 3a^3 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} - \frac{(\coth^5(dx+c))}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 1/d\*(a^3\*(d\*x+c-coth(d\*x+c)-1/3\*coth(d\*x+c)^3-1/5\*coth(d\*x+c)^5)+3\*a^2\*b\*(d\*x+c-coth(d\*x+c)-1/3\*coth(d\*x+c)^3)+3\*a\*b^2\*(d\*x+c-coth(d\*x+c))+b^3\*(d\*x+c))

**maxima [B]** time = 0.35, size = 239, normalized size = 3.23

$$\frac{1}{15} a^3 \left( 15x + \frac{15c}{d} - \frac{2 \left( 70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23 \right)}{d \left( 5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1 \right)} \right) + a^2b \left( 3x + \frac{3c}{d} - \frac{2 \left( 70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23 \right)}{d \left( 5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1 \right)} \right) + ab^2 \left( 3x + \frac{3c}{d} - \frac{2 \left( 70e^{(-2dx-2c)} - 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} - 45e^{(-8dx-8c)} - 23 \right)}{d \left( 5e^{(-2dx-2c)} - 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} - 5e^{(-8dx-8c)} + e^{(-10dx-10c)} - 1 \right)} \right) + a^3 \left( dx + c - \coth(dx + c) - \frac{(\coth^3(dx+c))}{3} - \frac{(\coth^5(dx+c))}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^6\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{15}a^3(15x + 15c/d - 2(70e^{(-2dx - 2c)} - 140e^{(-4dx - 4c)} + 90e^{(-6dx - 6c)} - 45e^{(-8dx - 8c)} - 23)/(d(5e^{(-2dx - 2c)} - 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} - 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} - 1))) + a^2b(3x + 3c/d - 4(3e^{(-2dx - 2c)} - 3e^{(-4dx - 4c)} - 2)/(d(3e^{(-2dx - 2c)} - 3e^{(-4dx - 4c)} + e^{(-6dx - 6c)} - 1))) + 3ab^2(x + c/d + 2/(d(e^{(-2dx - 2c)} - 1))) + b^3x$

mupad [B] time = 1.30, size = 568, normalized size = 7.68

$$x(a+b)^3 - \frac{\frac{6(a^3+2a^2b+ab^2)}{5d} + \frac{6e^{8c+8dx}(a^3+2a^2b+ab^2)}{5d} - \frac{24e^{2c+2dx}(a^2b+ab^2)}{5d} - \frac{24e^{6c+6dx}(a^2b+ab^2)}{5d} + \frac{4e^{4c+4dx}(5a^3+6a^2b+9ab^2)}{5d}}{5e^{2c+2dx} - 10e^{4c+4dx} + 10e^{6c+6dx} - 5e^{8c+8dx} + e^{10c+10dx} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^6\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $x*(a+b)^3 - ((6*(a*b^2 + 2*a^2*b + a^3))/(5*d) + (6*\exp(8*c + 8*d*x)*(a*b^2 + 2*a^2*b + a^3))/(5*d) - (24*\exp(2*c + 2*d*x)*(a*b^2 + a^2*b))/(5*d) - (24*\exp(6*c + 6*d*x)*(a*b^2 + a^2*b))/(5*d) + (4*\exp(4*c + 4*d*x)*(9*a*b^2 + 6*a^2*b + 5*a^3))/(5*d))/(5*\exp(2*c + 2*d*x) - 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) - 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) - 1) - ((2*(9*a*b^2 + 6*a^2*b + 5*a^3))/(15*d) + (6*\exp(4*c + 4*d*x)*(a*b^2 + 2*a^2*b + a^3))/(5*d) - (12*\exp(2*c + 2*d*x)*(a*b^2 + a^2*b))/(5*d))/(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1) + ((6*(a*b^2 + a^2*b))/(5*d) - (6*\exp(6*c + 6*d*x)*(a*b^2 + 2*a^2*b + a^3))/(5*d) + (18*\exp(4*c + 4*d*x)*(a*b^2 + a^2*b))/(5*d) - (2*\exp(2*c + 2*d*x)*(9*a*b^2 + 6*a^2*b + 5*a^3))/(5*d))/(6*\exp(4*c + 4*d*x) - 4*\exp(2*c + 2*d*x) - 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1) + ((6*(a*b^2 + a^2*b))/(5*d) - (6*\exp(2*c + 2*d*x)*(a*b^2 + 2*a^2*b + a^3))/(5*d))/(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1) - (6*(a*b^2 + 2*a^2*b + a^3))/(5*d*(\exp(2*c + 2*d*x) - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(c + dx))^3 \coth^6(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*6\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*3\*coth(c + d\*x)\*\*6, x)

$$3.167 \quad \int \coth^7(c + dx) \left( a + b \tanh^2(c + dx) \right)^3 dx$$

**Optimal.** Leaf size=103

$$\frac{a^3 \coth^6(c + dx)}{6d} - \frac{a(a^2 + 3ab + 3b^2) \coth^2(c + dx)}{2d} - \frac{a^2(a + 3b) \coth^4(c + dx)}{4d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

[Out]  $-1/2*a*(a^2+3*a*b+3*b^2)*\coth(d*x+c)^2/d-1/4*a^2*(a+3*b)*\coth(d*x+c)^4/d-1/6*a^3*\coth(d*x+c)^6/d+(a+b)^3*\ln(\cosh(d*x+c))/d+(a+b)^3*\ln(\tanh(d*x+c))/d$

**Rubi [A]** time = 0.13, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$-\frac{a(a^2 + 3ab + 3b^2) \coth^2(c + dx)}{2d} - \frac{a^2(a + 3b) \coth^4(c + dx)}{4d} - \frac{a^3 \coth^6(c + dx)}{6d} + \frac{(a + b)^3 \log(\tanh(c + dx))}{d} + \frac{(a + b)^3 \log(\cosh(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^7\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-(a*(a^2 + 3*a*b + 3*b^2)*\text{Coth}[c + d*x]^2)/(2*d) - (a^2*(a + 3*b)*\text{Coth}[c + d*x]^4)/(4*d) - (a^3*\text{Coth}[c + d*x]^6)/(6*d) + ((a + b)^3*\text{Log}[\text{Cosh}[c + d*x]])/d + ((a + b)^3*\text{Log}[\text{Tanh}[c + d*x]])/d$

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n

, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \coth^7(c+dx) (a+b \tanh^2(c+dx))^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^3}{x^7(1-x^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{(1-x)x^4} dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{(a+b)^3}{-1+x} + \frac{a^3}{x^4} + \frac{a^2(a+3b)}{x^3} + \frac{a(a^2+3ab+3b^2)}{x^2} + \frac{(a+b)^3}{x}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= -\frac{a(a^2+3ab+3b^2) \coth^2(c+dx)}{2d} - \frac{a^2(a+3b) \coth^4(c+dx)}{4d} - \frac{a^3}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 76, normalized size = 0.74

$$\frac{a(a+b)^2 \coth^2(c+dx) + \frac{1}{2}(a+b)(a \coth^2(c+dx) + b)^2 + \frac{1}{3}(a \coth^2(c+dx) + b)^3 - 2(a+b)^3 \log(\sinh(c+dx))}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^7\*(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -1/2\*(a\*(a + b)^2\*Coth[c + d\*x]^2 + ((a + b)\*(b + a\*Coth[c + d\*x]^2)^2)/2 + (b + a\*Coth[c + d\*x]^2)^3/3 - 2\*(a + b)^3\*Log[Sinh[c + d\*x]])/d

**fricas [B]** time = 0.49, size = 4305, normalized size = 41.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/3\*(3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^12 + 36\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^11 + 3\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^12 + 18\*(a^3 + 2\*a^2\*b + a\*b^2 - (a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x)\*cosh(d\*x + c)^10 + 18\*(11\*(a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^2 + a^3 + 2\*a^2\*b + a\*b^2 - (a^3 + 3\*a^2\*b

$$\begin{aligned}
& + 3*a*b^2 + b^3)*d*x)*\sinh(d*x + c)^{10} + 60*(11*(a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3)*d*x*\cosh(d*x + c)^3 + 3*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^9 - 9*(4*a^3 + 12*a^2*b + 8*a \\
& *b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^8 + 9*(165*(a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^4 - 4*a^3 - 12*a^2*b - 8*a*b^ \\
& 2 + 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 90*(a^3 + 2*a^2*b + a*b^2 - (a^ \\
& 3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 72*(33 \\
& *(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^5 + 30*(a^3 + 2*a^2*b + \\
& a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 - (4*a^3 + 12* \\
& a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sin \\
& h(d*x + c)^7 + 4*(17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b^ \\
& 2 + b^3)*d*x)*\cosh(d*x + c)^6 + 4*(693*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x* \\
& \cosh(d*x + c)^6 + 945*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3)*d*x)*\cosh(d*x + c)^4 + 17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b \\
& + 3*a*b^2 + b^3)*d*x - 63*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 24*(99*(a^3 + 3*a^2 \\
& *b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^7 + 189*(a^3 + 2*a^2*b + a*b^2 - (a^3 \\
& + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^5 - 21*(4*a^3 + 12*a^2*b + 8 \\
& *a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^3 + (17*a^3 + \\
& 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c \\
& ))*\sinh(d*x + c)^5 - 9*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*\cosh(d*x + c)^4 + 3*(495*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d \\
& *x*\cosh(d*x + c)^8 + 1260*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*\cosh(d*x + c)^6 - 210*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3 \\
& *a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 - 12*a^3 - 36*a^2*b - 24*a*b^2 \\
& + 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x + 20*(17*a^3 + 36*a^2*b + 27*a*b^ \\
& 2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^ \\
& 4 + 4*(165*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x*\cosh(d*x + c)^9 + 540*(a^3 + \\
& 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^7 - 1 \\
& 26*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cos \\
& h(d*x + c)^5 + 20*(17*a^3 + 36*a^2*b + 27*a*b^2 - 15*(a^3 + 3*a^2*b + 3*a*b \\
& ^2 + b^3)*d*x)*\cosh(d*x + c)^3 - 9*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3 \\
& *a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 3*(a^3 + 3*a^ \\
& 2*b + 3*a*b^2 + b^3)*d*x + 18*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a \\
& *b^2 + b^3)*d*x)*\cosh(d*x + c)^2 + 6*(33*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d* \\
& x*\cosh(d*x + c)^10 + 135*(a^3 + 2*a^2*b + a*b^2 - (a^3 + 3*a^2*b + 3*a*b^2 \\
& + b^3)*d*x)*\cosh(d*x + c)^8 - 42*(4*a^3 + 12*a^2*b + 8*a*b^2 - 5*(a^3 + 3*a \\
& ^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^6 + 10*(17*a^3 + 36*a^2*b + 27*a*b \\
& ^2 - 15*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^4 + 3*a^3 + 6*a^ \\
& 2*b + 3*a*b^2 - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x - 9*(4*a^3 + 12*a^2*b \\
& + 8*a*b^2 - 5*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*x)*\cosh(d*x + c)^2)*\sinh(d \\
& *x + c)^2 - 3*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^12 + 12*(a^3 + \\
& 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c))*\sinh(d*x + c)^11 + (a^3 + 3*a^2*b + \\
& 3*a*b^2 + b^3)*\sinh(d*x + c)^12 - 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d \\
& *x + c)^10 - 6*(a^3 + 3*a^2*b + 3*a*b^2 + b^3 - 11*(a^3 + 3*a^2*b + 3*a*b^2
\end{aligned}$$

$$\begin{aligned}
& + b^3) \cosh(dx + c)^2 \sinh(dx + c)^{10} + 20(11(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 - 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^9 + 15(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 15(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b^3 - 18(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^8 + 24(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 - 30(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^7 - 20(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 4(231(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 - 315(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 - 5a^3 - 15a^2b - 15ab^2 - 5b^3 + 105(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^6 + 24(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 - 63(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 35(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 - 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^5 + 15(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + 15(33(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 - 84(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 + 70(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 + a^3 + 3a^2b + 3ab^2 + b^3 - 20(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^4 + 20(11(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 - 36(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 + 42(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 - 20(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 + 3(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)^3 + a^3 + 3a^2b + 3ab^2 + b^3 - 6(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2 + 6(11(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^10 - 45(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^8 + 70(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^6 - 50(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^4 - a^3 - 3a^2b - 3ab^2 - b^3 + 15(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^2) \sinh(dx + c)^2 + 12((a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^11 - 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^9 + 10(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^7 - 10(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^5 + 5(a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)^3 - (a^3 + 3a^2b + 3ab^2 + b^3) \cosh(dx + c)) \sinh(dx + c)) \log(2 \sinh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 12(3(a^3 + 3a^2b + 3ab^2 + b^3) d x \cosh(dx + c)^11 + 15(a^3 + 2a^2b + ab^2 - (a^3 + 3a^2b + 3ab^2 + b^3) d x) \cosh(dx + c)^9 - 6(4a^3 + 12a^2b + 8ab^2 - 5(a^3 + 3a^2b + 3ab^2 + b^3) d x) \cosh(dx + c)^7 + 2(17a^3 + 36a^2b + 27ab^2 - 15(a^3 + 3a^2b + 3ab^2 + b^3) d x) \cosh(dx + c)^5 - 3(4a^3 + 12a^2b + 8ab^2 - 5(a^3 + 3a^2b + 3ab^2 + b^3) d x) \cosh(dx + c)^3 + 3(a^3 + 2a^2b + ab^2 - (a^3 + 3a^2b + 3ab^2 + b^3) d x) \cosh(dx + c)) \sinh(dx + c)) / (d \cosh(dx + c)^12 + 12d \cosh(dx + c) \sinh(dx + c)^11 + d \sinh(dx + c)^12 - 6d \cosh(dx + c)^10 + 6(11d \cosh(dx + c)^2 - d) \sinh(dx + c)^10 + 20(11d \cosh(dx + c)^3 - 3d \cosh(dx + c)) \sinh(dx + c)^9 + 15d \cosh(dx + c)^8 + 15(33d \cosh(dx + c)^4 - 18d \cosh(dx + c)^2 + d) \sinh(dx + c)^8 + 24(33d \cosh(dx + c)^5 - 30d \cosh(dx + c)^3 + 5d \cosh(dx + c)) \sinh(dx + c)^7 - 20d \cosh(dx + c)^6 + 4
\end{aligned}$$

$(231*d*\cosh(d*x + c)^6 - 315*d*\cosh(d*x + c)^4 + 105*d*\cosh(d*x + c)^2 - 5*d*\sinh(d*x + c)^6 + 24*(33*d*\cosh(d*x + c)^7 - 63*d*\cosh(d*x + c)^5 + 35*d*\cosh(d*x + c)^3 - 5*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 15*d*\cosh(d*x + c)^4 + 15*(33*d*\cosh(d*x + c)^8 - 84*d*\cosh(d*x + c)^6 + 70*d*\cosh(d*x + c)^4 - 20*d*\cosh(d*x + c)^2 + d)*\sinh(d*x + c)^4 + 20*(11*d*\cosh(d*x + c)^9 - 36*d*\cosh(d*x + c)^7 + 42*d*\cosh(d*x + c)^5 - 20*d*\cosh(d*x + c)^3 + 3*d*\cosh(d*x + c))*\sinh(d*x + c)^3 - 6*d*\cosh(d*x + c)^2 + 6*(11*d*\cosh(d*x + c)^10 - 45*d*\cosh(d*x + c)^8 + 70*d*\cosh(d*x + c)^6 - 50*d*\cosh(d*x + c)^4 + 15*d*\cosh(d*x + c)^2 - d)*\sinh(d*x + c)^2 + 12*(d*\cosh(d*x + c)^11 - 5*d*\cosh(d*x + c)^9 + 10*d*\cosh(d*x + c)^7 - 10*d*\cosh(d*x + c)^5 + 5*d*\cosh(d*x + c)^3 - d*\cosh(d*x + c))*\sinh(d*x + c) + d$

**giac [B]** time = 0.78, size = 217, normalized size = 2.11

$$3(a^3 + 3a^2b + 3ab^2 + b^3)(dx + c) - 3(a^3 + 3a^2b + 3ab^2 + b^3) \log(|e^{(2dx+2c)} - 1|) + \frac{2(9(a^3+2a^2b+ab^2)e^{(10dx+10c)}}{3d}$$

3d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $-1/3*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*(d*x + c) - 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))) + 2*(9*(a^3 + 2*a^2*b + a*b^2)*e^{(10*d*x + 10*c)} - 18*(a^3 + 3*a^2*b + 2*a*b^2)*e^{(8*d*x + 8*c)} + 2*(17*a^3 + 36*a^2*b + 27*a*b^2)*e^{(6*d*x + 6*c)} - 18*(a^3 + 3*a^2*b + 2*a*b^2)*e^{(4*d*x + 4*c)} + 9*(a^3 + 2*a^2*b + a*b^2)*e^{(2*d*x + 2*c)})/(e^{(2*d*x + 2*c)} - 1)^6)/d$

**maple [A]** time = 0.27, size = 161, normalized size = 1.56

$$\frac{a^3 \ln(\sinh(dx + c))}{d} - \frac{a^3 (\coth^2(dx + c))}{2d} - \frac{a^3 (\coth^4(dx + c))}{4d} - \frac{a^3 (\coth^6(dx + c))}{6d} + \frac{3a^2b \ln(\sinh(dx + c))}{d} - \frac{3a^2b \coth^2(dx + c)}{2d} - \frac{3a^2b \coth^4(dx + c)}{4d} - \frac{3a^2b \coth^6(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $1/d*a^3*\ln(\sinh(d*x+c))-1/2*a^3*\coth(d*x+c)^2/d-1/4*a^3*\coth(d*x+c)^4/d-1/6*a^3*\coth(d*x+c)^6/d+3/d*a^2*b*\ln(\sinh(d*x+c))-3/2/d*a^2*b*\coth(d*x+c)^2-3/4/d*a^2*b*\coth(d*x+c)^4+3/d*a*b^2*\ln(\sinh(d*x+c))-3/2/d*a*b^2*\coth(d*x+c)^2+1/d*b^3*\ln(\sinh(d*x+c))$

**maxima [B]** time = 0.35, size = 420, normalized size = 4.08

$$\frac{1}{3}a^3\left(3x + \frac{3c}{d} + \frac{3 \log(e^{-dx-c} + 1)}{d} + \frac{3 \log(e^{-dx-c} - 1)}{d} + \frac{2(9e^{(-2dx-2c)} - 18e^{(-4dx-4c)} + 34e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + 9e^{(-10dx-10c)})}{d(6e^{(-2dx-2c)} - 15e^{(-4dx-4c)} + 20e^{(-6dx-6c)} - 15e^{(-8dx-8c)} + 6e^{(-10dx-10c)})}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^7\*(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{3}a^3(3x + 3c/d + 3\log(e^{-d*x - c}) + 1)/d + 3\log(e^{-d*x - c} - 1)/d + 2(9e^{-2*d*x - 2*c} - 18e^{-4*d*x - 4*c} + 34e^{-6*d*x - 6*c} - 18e^{-8*d*x - 8*c} + 9e^{-10*d*x - 10*c})/(d(6e^{-2*d*x - 2*c} - 15e^{-4*d*x - 4*c} + 20e^{-6*d*x - 6*c} - 15e^{-8*d*x - 8*c} + 6e^{-10*d*x - 10*c} - e^{-12*d*x - 12*c} - 1)) + 3a^2b(x + c/d + \log(e^{-d*x - c}) + 1)/d + \log(e^{-d*x - c} - 1)/d + 4(e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} + e^{-6*d*x - 6*c})/(d(4e^{-2*d*x - 2*c} - 6e^{-4*d*x - 4*c} + 4e^{-6*d*x - 6*c} - e^{-8*d*x - 8*c} - 1)) + 3a*b^2(x + c/d + \log(e^{-d*x - c}) + 1)/d + \log(e^{-d*x - c} - 1)/d + 2e^{-2*d*x - 2*c}/(d(2e^{-2*d*x - 2*c} - e^{-4*d*x - 4*c} - 1)) + b^3\log(e^{d*x + c} - e^{-d*x - c})/d$

**mupad [B]** time = 0.32, size = 380, normalized size = 3.69

$$\frac{\ln(e^{2c} e^{2dx} - 1) (a^3 + 3a^2b + 3ab^2 + b^3)}{d} - \frac{4(11a^3 + 3ba^2)}{d(6e^{4c+4dx} - 4e^{2c+2dx} - 4e^{6c+6dx} + e^{8c+8dx} + 1)} - \frac{1}{3d(15e^{4c+4dx} - 4e^{2c+2dx} - 4e^{6c+6dx} + e^{8c+8dx} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^7\*(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $(\log(\exp(2*c)*\exp(2*d*x) - 1)*(3*a*b^2 + 3*a^2*b + a^3 + b^3))/d - (4*(3*a^2*b + 11*a^3))/(d*(6*\exp(4*c + 4*d*x) - 4*\exp(2*c + 2*d*x) - 4*\exp(6*c + 6*d*x) + \exp(8*c + 8*d*x) + 1)) - (32*a^3)/(3*d*(15*\exp(4*c + 4*d*x) - 6*\exp(2*c + 2*d*x) - 20*\exp(6*c + 6*d*x) + 15*\exp(8*c + 8*d*x) - 6*\exp(10*c + 10*d*x) + \exp(12*c + 12*d*x) + 1)) - (6*(a*b^2 + 4*a^2*b + 3*a^3))/(d*(\exp(4*c + 4*d*x) - 2*\exp(2*c + 2*d*x) + 1)) - (6*(a*b^2 + 2*a^2*b + a^3))/(d*(\exp(2*c + 2*d*x) - 1)) - (8*(9*a^2*b + 13*a^3))/(3*d*(3*\exp(2*c + 2*d*x) - 3*\exp(4*c + 4*d*x) + \exp(6*c + 6*d*x) - 1)) - (32*a^3)/(d*(5*\exp(2*c + 2*d*x) - 10*\exp(4*c + 4*d*x) + 10*\exp(6*c + 6*d*x) - 5*\exp(8*c + 8*d*x) + \exp(10*c + 10*d*x) - 1)) - x*(a + b)^3$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*7\*(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out



### 3.168 $\int (a + b \tanh^2(c + dx))^4 dx$

**Optimal.** Leaf size=110

$$\frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^3(4a + b) \tanh^5(c + dx)}{5d} + x(a + b)$$

[Out]  $(a+b)^4*x - b*(2*a+b)*(2*a^2+2*a*b+b^2)*\tanh(d*x+c)/d - 1/3*b^2*(6*a^2+4*a*b+b^2)*\tanh(d*x+c)^3/d - 1/5*b^3*(4*a+b)*\tanh(d*x+c)^5/d - 1/7*b^4*\tanh(d*x+c)^7/d$

**Rubi [A]** time = 0.07, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$\frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^3(4a + b) \tanh^5(c + dx)}{5d} + x(a + b)$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^4, x]

[Out]  $(a + b)^4*x - (b*(2*a + b)*(2*a^2 + 2*a*b + b^2)*\text{Tanh}[c + d*x])/d - (b^2*(6*a^2 + 4*a*b + b^2)*\text{Tanh}[c + d*x]^3)/(3*d) - (b^3*(4*a + b)*\text{Tanh}[c + d*x]^5)/(5*d) - (b^4*\text{Tanh}[c + d*x]^7)/(7*d)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E

qQ[n^2, 16])

### Rubi steps

$$\begin{aligned}
 \int (a + b \tanh^2(c + dx))^4 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^4}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \left(-b(2a + b)(2a^2 + 2ab + b^2) - b^2(6a^2 + 4ab + b^2)x^2 - b^3(4a + b)x^4 - \right. \right. \\
 &\quad \left. \left. \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d} \right. \right. \\
 &= (a + b)^4 x - \frac{b(2a + b)(2a^2 + 2ab + b^2) \tanh(c + dx)}{d} - \frac{b^2(6a^2 + 4ab + b^2) \tanh^3(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 1.79, size = 128, normalized size = 1.16

$$\frac{\tanh(c + dx) \left( \frac{105(a+b)^4 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(35b(6a^2 + 4ab + b^2) \tanh^2(c + dx) + 105(4a^3 + 6a^2b + 4ab^2 + b^3)) \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^4, x]

[Out] (Tanh[c + d\*x]\*((105\*(a + b)^4\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]]))/Sqrt[Tanh[c + d\*x]^2] - b\*(105\*(4\*a^3 + 6\*a^2\*b + 4\*a\*b^2 + b^3) + 35\*b\*(6\*a^2 + 4\*a\*b + b^2)\*Tanh[c + d\*x]^2 + 21\*b^2\*(4\*a + b)\*Tanh[c + d\*x]^4 + 15\*b^3\*Tanh[c + d\*x]^6)))/(105\*d)

**fricas [B]** time = 0.43, size = 1176, normalized size = 10.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^4, x, algorithm="fricas")

[Out] 1/105\*((420\*a^3\*b + 840\*a^2\*b^2 + 644\*a\*b^3 + 176\*b^4 + 105\*(a^4 + 4\*a^3\*b + 6\*a^2\*b^2 + 4\*a\*b^3 + b^4)\*d\*x)\*cosh(d\*x + c)^7 + 7\*(420\*a^3\*b + 840\*a^2\*b

$$\begin{aligned}
& b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) \\
& *dx) * \cosh(dx + c) * \sinh(dx + c)^6 - 4(105a^3b + 210a^2b^2 + 161ab^3 + 44b^4) * \sinh(dx + c)^7 + 7(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)^5 \\
& - 28(75a^3b + 120a^2b^2 + 71ab^3 + 14b^4 + 3(105a^3b + 210a^2b^2 + 161ab^3 + 44b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^5 + 35((420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)^3 + (420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)) * \sinh(dx + c)^4 + 21(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)^3 - 28(5(105a^3b + 210a^2b^2 + 161ab^3 + 44b^4) * \cosh(dx + c)^4 + 135a^3b + 180a^2b^2 + 123ab^3 + 42b^4 + 10(75a^3b + 120a^2b^2 + 71ab^3 + 14b^4) * \cosh(dx + c)^2) * \sinh(dx + c)^3 + 7(3(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)^5 + 10(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)^3 + 9(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c)) * \sinh(dx + c)^2 + 35(420a^3b + 840a^2b^2 + 644ab^3 + 176b^4 + 105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) * dx) * \cosh(dx + c) - 28((105a^3b + 210a^2b^2 + 161ab^3 + 44b^4) * \cosh(dx + c)^6 + 5(75a^3b + 120a^2b^2 + 71ab^3 + 14b^4) * \cosh(dx + c)^4 + 75a^3b + 90a^2b^2 + 75ab^3 + 9(45a^3b + 60a^2b^2 + 41ab^3 + 14b^4) * \cosh(dx + c)^2) * \sinh(dx + c)) / (d * \cosh(dx + c)^7 + 7 * d * \cosh(dx + c) * \sinh(dx + c)^6 + 7 * d * \cosh(dx + c)^5 + 35 * (d * \cosh(dx + c)^3 + d * \cosh(dx + c)) * \sinh(dx + c)^4 + 21 * d * \cosh(dx + c)^3 + 7 * (3 * d * \cosh(dx + c)^5 + 10 * d * \cosh(dx + c)^3 + 9 * d * \cosh(dx + c)) * \sinh(dx + c)^2 + 35 * d * \cosh(dx + c))
\end{aligned}$$

**giac [B]** time = 0.22, size = 447, normalized size = 4.06

$$105(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)(dx + c) + \frac{8(105a^3be^{(12dx+12c)} + 315a^2b^2e^{(12dx+12c)} + 315ab^3e^{(12dx+12c)} + 105b^4e^{(12dx+12c)})}{d^7 + 7d^6 \cosh(dx + c) + 7d^5 \sinh(dx + c) + 35d^4 \cosh(dx + c) + 35d^3 \sinh(dx + c) + 21d^2 \cosh(dx + c) + 7d \cosh(dx + c)^2 + 35d \cosh(dx + c) \sinh(dx + c) + 35d \cosh(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(dx+c))^2)^4,x, algorithm="giac")

[Out] 1/105\*(105\*(a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4)\*(dx + c) + 8\*(105a^3b\*e^(12\*dx + 12\*c) + 315a^2b^2\*e^(12\*dx + 12\*c) + 315a\*b^3\*e^(12\*dx + 12\*c) + 105b^4\*e^(12\*dx + 12\*c) + 630a^3b\*e^(10\*dx + 10\*c) + 1575a^2b^2\*e^(10\*dx + 10\*c) + 1260a\*b^3\*e^(10\*dx + 10\*c) + 315b^4\*e^(10\*dx + 10\*c) + 1575a^3b\*e^(8\*dx + 8\*c) + 3360a^2b^2\*e^(8\*dx + 8\*c) + 255a\*b^3\*e^(8\*dx + 8\*c) + 770b^4\*e^(8\*dx + 8\*c) + 2100a^3b\*e^(6\*dx + 6

\*c) + 3990\*a^2\*b^2\*e^(6\*d\*x + 6\*c) + 3080\*a\*b^3\*e^(6\*d\*x + 6\*c) + 770\*b^4\*e^(6\*d\*x + 6\*c) + 1575\*a^3\*b\*e^(4\*d\*x + 4\*c) + 2835\*a^2\*b^2\*e^(4\*d\*x + 4\*c) + 2121\*a\*b^3\*e^(4\*d\*x + 4\*c) + 609\*b^4\*e^(4\*d\*x + 4\*c) + 630\*a^3\*b\*e^(2\*d\*x + 2\*c) + 1155\*a^2\*b^2\*e^(2\*d\*x + 2\*c) + 812\*a\*b^3\*e^(2\*d\*x + 2\*c) + 203\*b^4\*e^(2\*d\*x + 2\*c) + 105\*a^3\*b + 210\*a^2\*b^2 + 161\*a\*b^3 + 44\*b^4)/(e^(2\*d\*x + 2\*c) + 1)^7)/d

**maple [B]** time = 0.02, size = 344, normalized size = 3.13

$$\frac{\ln(1 + \tanh(dx + c)) a^4}{2d} + \frac{2 \ln(1 + \tanh(dx + c)) a^3 b}{d} + \frac{3 \ln(1 + \tanh(dx + c)) a^2 b^2}{d} + \frac{2 \ln(1 + \tanh(dx + c)) a b^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^2)^4,x)

[Out] 1/2/d\*ln(1+tanh(d\*x+c))\*a^4+2/d\*ln(1+tanh(d\*x+c))\*a^3\*b+3/d\*ln(1+tanh(d\*x+c))\*a^2\*b^2+2/d\*ln(1+tanh(d\*x+c))\*a\*b^3+1/2/d\*ln(1+tanh(d\*x+c))\*b^4-1/2/d\*ln(tanh(d\*x+c)-1)\*a^4-2/d\*ln(tanh(d\*x+c)-1)\*a^3\*b-3/d\*ln(tanh(d\*x+c)-1)\*a^2\*b^2-2/d\*ln(tanh(d\*x+c)-1)\*a\*b^3-1/2/d\*ln(tanh(d\*x+c)-1)\*b^4-1/5/d\*tanh(d\*x+c)^5\*b^4-1/d\*b^4\*tanh(d\*x+c)-1/3/d\*tanh(d\*x+c)^3\*b^4-1/7\*b^4\*tanh(d\*x+c)^7/d-2/d\*tanh(d\*x+c)^3\*a^2\*b^2-4/3/d\*tanh(d\*x+c)^3\*a\*b^3-4/5/d\*tanh(d\*x+c)^5\*a\*b^3-4/d\*a\*b^3\*tanh(d\*x+c)-4/d\*a^3\*b\*tanh(d\*x+c)-6/d\*a^2\*b^2\*tanh(d\*x+c)

**maxima [B]** time = 0.35, size = 410, normalized size = 3.73

$$\frac{1}{105} b^4 \left( 105x + \frac{105c}{d} - \frac{8 \left( 203 e^{(-2dx-2c)} + 609 e^{(-4dx-4c)} + 770 e^{(-6dx-6c)} + 770 e^{(-8dx-8c)} + 315 e^{(-10dx-10c)} + 105 e^{(-12dx-12c)} + 44 \right)}{d \left( 7 e^{(-2dx-2c)} + 21 e^{(-4dx-4c)} + 35 e^{(-6dx-6c)} + 35 e^{(-8dx-8c)} + 21 e^{(-10dx-10c)} + 7 e^{(-12dx-12c)} + 1 \right)} + \frac{4 \left( 15x + 15c/d - 2 \left( 70 e^{(-2dx-2c)} + 140 e^{(-4dx-4c)} + 90 e^{(-6dx-6c)} + 45 e^{(-8dx-8c)} + 23 \right) \right)}{d \left( 5 e^{(-2dx-2c)} + 10 e^{(-4dx-4c)} + 10 e^{(-6dx-6c)} + 5 e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1 \right)} + \frac{2 a^2 b^2 (3x + 3c/d - 4 (3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + 2))}{d \left( 3 e^{(-2dx-2c)} + 3 e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1 \right)} + \frac{4 a^3 b (x + c/d - 2)}{d \left( e^{(-2dx-2c)} + 1 \right)} + a^4 x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^4,x, algorithm="maxima")

[Out] 1/105\*b^4\*(105\*x + 105\*c/d - 8\*(203\*e^(-2\*d\*x - 2\*c) + 609\*e^(-4\*d\*x - 4\*c) + 770\*e^(-6\*d\*x - 6\*c) + 770\*e^(-8\*d\*x - 8\*c) + 315\*e^(-10\*d\*x - 10\*c) + 105\*e^(-12\*d\*x - 12\*c) + 44)/(d\*(7\*e^(-2\*d\*x - 2\*c) + 21\*e^(-4\*d\*x - 4\*c) + 35\*e^(-6\*d\*x - 6\*c) + 35\*e^(-8\*d\*x - 8\*c) + 21\*e^(-10\*d\*x - 10\*c) + 7\*e^(-12\*d\*x - 12\*c) + e^(-14\*d\*x - 14\*c) + 1))) + 4/15\*a\*b^3\*(15\*x + 15\*c/d - 2\*(70\*e^(-2\*d\*x - 2\*c) + 140\*e^(-4\*d\*x - 4\*c) + 90\*e^(-6\*d\*x - 6\*c) + 45\*e^(-8\*d\*x - 8\*c) + 23)/(d\*(5\*e^(-2\*d\*x - 2\*c) + 10\*e^(-4\*d\*x - 4\*c) + 10\*e^(-6\*d\*x - 6\*c) + 5\*e^(-8\*d\*x - 8\*c) + e^(-10\*d\*x - 10\*c) + 1))) + 2\*a^2\*b^2\*(3\*x + 3\*c/d - 4\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + 2))/(d\*(3\*e^(-2\*d\*x - 2\*c) + 3\*e^(-4\*d\*x - 4\*c) + e^(-6\*d\*x - 6\*c) + 1))) + 4\*a^3\*b\*(x + c/d - 2/(d\*(e^(-2\*d\*x - 2\*c) + 1))) + a^4\*x

**mupad [B]** time = 0.20, size = 133, normalized size = 1.21

$$x \left( a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4 \right) - \frac{\tanh(c+dx)^3 (6a^2b^2 + 4ab^3 + b^4)}{3d} - \frac{\tanh(c+dx)^5 (b^4 + 4ab^3)}{5d} - \frac{b^4 \tanh(c+dx)^7}{7d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x)^2)^4, x)

[Out] x\*(4\*a\*b^3 + 4\*a^3\*b + a^4 + b^4 + 6\*a^2\*b^2) - (tanh(c + d\*x)^3\*(4\*a\*b^3 + b^4 + 6\*a^2\*b^2))/(3\*d) - (tanh(c + d\*x)^5\*(4\*a\*b^3 + b^4))/(5\*d) - (b^4\*tanh(c + d\*x)^7)/(7\*d) - (b\*tanh(c + d\*x)\*(4\*a\*b^2 + 6\*a^2\*b + 4\*a^3 + b^3))/d

**sympy [A]** time = 1.28, size = 209, normalized size = 1.90

$$\left\{ \begin{array}{l} a^4x + 4a^3bx - \frac{4a^3b \tanh(c+dx)}{d} + 6a^2b^2x - \frac{2a^2b^2 \tanh^3(c+dx)}{d} - \frac{6a^2b^2 \tanh(c+dx)}{d} + 4ab^3x - \frac{4ab^3 \tanh^5(c+dx)}{5d} - \frac{4ab^3 \tanh^3(c+dx)}{3d} \\ x(a + b \tanh^2(c))^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*2)\*\*4, x)

[Out] Piecewise((a\*\*4\*x + 4\*a\*\*3\*b\*x - 4\*a\*\*3\*b\*tanh(c + d\*x)/d + 6\*a\*\*2\*b\*\*2\*x - 2\*a\*\*2\*b\*\*2\*tanh(c + d\*x)\*\*3/d - 6\*a\*\*2\*b\*\*2\*tanh(c + d\*x)/d + 4\*a\*b\*\*3\*x - 4\*a\*b\*\*3\*tanh(c + d\*x)\*\*5/(5\*d) - 4\*a\*b\*\*3\*tanh(c + d\*x)\*\*3/(3\*d) - 4\*a\*b\*\*3\*tanh(c + d\*x)/d + b\*\*4\*x - b\*\*4\*tanh(c + d\*x)\*\*7/(7\*d) - b\*\*4\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*4\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*4\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*2)\*\*4, True))

$$3.169 \quad \int (a + b \tanh^2(c + dx))^5 dx$$

**Optimal.** Leaf size=160

$$\frac{b^3(10a^2 + 5ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3)}{d}$$

[Out] (a+b)^5\*x-b\*(5\*a^4+10\*a^3\*b+10\*a^2\*b^2+5\*a\*b^3+b^4)\*tanh(d\*x+c)/d-1/3\*b^2\*(10\*a^3+10\*a^2\*b+5\*a\*b^2+b^3)\*tanh(d\*x+c)^3/d-1/5\*b^3\*(10\*a^2+5\*a\*b+b^2)\*tanh(d\*x+c)^5/d-1/7\*b^4\*(5\*a+b)\*tanh(d\*x+c)^7/d-1/9\*b^5\*tanh(d\*x+c)^9/d

**Rubi [A]** time = 0.09, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3661, 390, 206}

$$\frac{b^3(10a^2 + 5ab + b^2) \tanh^5(c + dx)}{5d} - \frac{b^2(10a^2b + 10a^3 + 5ab^2 + b^3) \tanh^3(c + dx)}{3d} - \frac{b(10a^2b^2 + 10a^3b + 5a^4 + 5ab^3)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^5, x]

[Out] (a + b)^5\*x - (b\*(5\*a^4 + 10\*a^3\*b + 10\*a^2\*b^2 + 5\*a\*b^3 + b^4)\*Tanh[c + d\*x])/d - (b^2\*(10\*a^3 + 10\*a^2\*b + 5\*a\*b^2 + b^3)\*Tanh[c + d\*x]^3)/(3\*d) - (b^3\*(10\*a^2 + 5\*a\*b + b^2)\*Tanh[c + d\*x]^5)/(5\*d) - (b^4\*(5\*a + b)\*Tanh[c + d\*x]^7)/(7\*d) - (b^5\*Tanh[c + d\*x]^9)/(9\*d)

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 390

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[PolynomialDivide[(a + b\*x^n)^p, (c + d\*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a,

b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

### Rubi steps

$$\begin{aligned} \int (a + b \tanh^2(c + dx))^5 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^2)^5}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) - b^2(10a^3 + 10a^2b + 5ab^2 + 5a^2b^2 + 5ab^3 + b^4)\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \tanh(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + 5a^2b^2 + 5ab^3 + b^4) \tanh^2(c + dx)}{3d} \\ &= (a + b)^5 x - \frac{b(5a^4 + 10a^3b + 10a^2b^2 + 5ab^3 + b^4) \tanh(c + dx)}{d} - \frac{b^2(10a^3 + 10a^2b + 5ab^2 + 5a^2b^2 + 5ab^3 + b^4) \tanh^2(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 2.34, size = 170, normalized size = 1.06

$$\tanh(c + dx) \left( \frac{315(a+b)^5 \tanh^{-1}\left(\sqrt{\tanh^2(c+dx)}\right)}{\sqrt{\tanh^2(c+dx)}} - b(63b^2(10a^2 + 5ab + b^2) \tanh^4(c + dx) + 105b(10a^3 + 10a^2b + 5ab^2 + 5a^2b^2 + 5ab^3 + b^4) \tanh^2(c + dx) + 45b^3(5a + b) \tanh^6(c + dx) + 35b^4 \tanh^8(c + dx)) \right) / (315d)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^5, x]

[Out] (Tanh[c + d\*x]\*((315\*(a + b)^5\*ArcTanh[Sqrt[Tanh[c + d\*x]^2]])/Sqrt[Tanh[c + d\*x]^2] - b\*(315\*(5\*a^4 + 10\*a^3\*b + 10\*a^2\*b^2 + 5\*a\*b^3 + b^4) + 105\*b\*(10\*a^3 + 10\*a^2\*b + 5\*a\*b^2 + b^3)\*Tanh[c + d\*x]^2 + 63\*b^2\*(10\*a^2 + 5\*a\*b + b^2)\*Tanh[c + d\*x]^4 + 45\*b^3\*(5\*a + b)\*Tanh[c + d\*x]^6 + 35\*b^4\*Tanh[c + d\*x]^8)))/(315\*d)

**fricas [B]** time = 0.44, size = 2133, normalized size = 13.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^2)^5,x, algorithm="fricas")

```
[Out] 1/315*((1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 3
15*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x
+ c)^9 + 9*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5
+ 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(
d*x + c)*sinh(d*x + c)^8 - (1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640
*a*b^4 + 563*b^5)*sinh(d*x + c)^9 + 9*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2
*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3
+ 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^7 - 9*(1225*a^4*b + 2800*a^3*b^2 + 2730
*a^2*b^3 + 1240*a*b^4 + 213*b^5 + 4*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b
^3 + 2640*a*b^4 + 563*b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^7 + 21*(4*(1575*a
^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^
4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^3 + 3*(15
75*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 +
5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c))*sinh
(d*x + c)^6 + 36*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 5
63*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)
*cosh(d*x + c)^5 - 9*(3500*a^4*b + 7000*a^3*b^2 + 6720*a^2*b^3 + 3560*a*b^4
+ 852*b^5 + 14*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 56
3*b^5)*cosh(d*x + c)^4 + 21*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 + 124
0*a*b^4 + 213*b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^5 + 9*(14*(1575*a^4*b + 4
200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10
*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^5 + 35*(1575*a^4*
b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b
+ 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^3 + 20*(1575
*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*
a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c))*sinh(d
*x + c)^4 + 84*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563
*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*c
osh(d*x + c)^3 - 3*(28*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b
^4 + 563*b^5)*cosh(d*x + c)^6 + 14700*a^4*b + 26600*a^3*b^2 + 27440*a^2*b^3
+ 13720*a*b^4 + 1764*b^5 + 105*(1225*a^4*b + 2800*a^3*b^2 + 2730*a^2*b^3 +
1240*a*b^4 + 213*b^5)*cosh(d*x + c)^4 + 120*(875*a^4*b + 1750*a^3*b^2 + 16
80*a^2*b^3 + 890*a*b^4 + 213*b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^3 + 9*(4*(
1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*(a^5
+ 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c)^7 +
21*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 + 315*
(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*x + c
)^5 + 40*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*b^5 +
315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*cosh(d*
x + c)^3 + 28*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^3 + 2640*a*b^4 + 563*
b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*x)*co
sh(d*x + c))*sinh(d*x + c)^2 + 126*(1575*a^4*b + 4200*a^3*b^2 + 4830*a^2*b^
3 + 2640*a*b^4 + 563*b^5 + 315*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5
*a*b^4 + b^5)*d*x)*cosh(d*x + c) - 9*((1575*a^4*b + 4200*a^3*b^2 + 4830*a^2
*b^3 + 2640*a*b^4 + 563*b^5)*cosh(d*x + c)^8 + 7*(1225*a^4*b + 2800*a^3*b^2
```



$$\frac{+ 2730a^2b^3 + 1240a^2b^3 + 1960a^2b^3 + 882b^5 + 20(875a^4b + 1750a^3b^2 + 1680a^2b^3 + 890a^2b^3 + 213b^5) \cosh(dx + c)^6 + 2450a^4b + 4200a^3b^2 + 4620a^2b^3 + 1960a^2b^3 + 882b^5 + 20(875a^4b + 1750a^3b^2 + 1680a^2b^3 + 890a^2b^3 + 213b^5) \cosh(dx + c)^4 + 28(525a^4b + 950a^3b^2 + 980a^2b^3 + 490a^2b^3 + 63b^5) \cosh(dx + c)^2 \sinh(dx + c)}{(d \cosh(dx + c))^9 + 9d \cosh(dx + c) \sinh(dx + c)^8 + 9d \cosh(dx + c)^7 + 21(4d \cosh(dx + c))^3 + 3d \cosh(dx + c) \sinh(dx + c)^6 + 36d \cosh(dx + c)^5 + 9(14d \cosh(dx + c))^5 + 35d \cosh(dx + c)^3 + 20d \cosh(dx + c) \sinh(dx + c)^4 + 84d \cosh(dx + c)^3 + 9(4d \cosh(dx + c))^7 + 21d \cosh(dx + c)^5 + 40d \cosh(dx + c)^3 + 28d \cosh(dx + c) \sinh(dx + c)^2 + 126d \cosh(dx + c)}$$

**giac [B]** time = 0.31, size = 721, normalized size = 4.51

$$315(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5)(dx + c) + \frac{2(1575a^4be^{(16dx+16c)} + 6300a^3b^2e^{(16dx+16c)} + 9450a^2b^3e^{(16dx+16c)} + \dots)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(dx+c))^2)^5,x, algorithm="giac")

[Out] 1/315\*(315\*(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a^2b^3 + b^5)\*(dx + c) + 2\*(1575a^4b\*e^(16\*d\*x + 16\*c) + 6300a^3b^2\*e^(16\*d\*x + 16\*c) + 9450a^2b^3\*e^(16\*d\*x + 16\*c) + 6300a^2b^3\*e^(16\*d\*x + 16\*c) + 1575b^5\*e^(16\*d\*x + 16\*c) + 12600a^4b\*e^(14\*d\*x + 14\*c) + 44100a^3b^2\*e^(14\*d\*x + 14\*c) + 56700a^2b^3\*e^(14\*d\*x + 14\*c) + 31500a^2b^3\*e^(14\*d\*x + 14\*c) + 6300b^5\*e^(14\*d\*x + 14\*c) + 44100a^4b\*e^(12\*d\*x + 12\*c) + 136500a^3b^2\*e^(12\*d\*x + 12\*c) + 161700a^2b^3\*e^(12\*d\*x + 12\*c) + 90300a^2b^3\*e^(12\*d\*x + 12\*c) + 21000b^5\*e^(12\*d\*x + 12\*c) + 88200a^4b\*e^(10\*d\*x + 10\*c) + 245700a^3b^2\*e^(10\*d\*x + 10\*c) + 283500a^2b^3\*e^(10\*d\*x + 10\*c) + 157500a^2b^3\*e^(10\*d\*x + 10\*c) + 31500b^5\*e^(10\*d\*x + 10\*c) + 110250a^4b\*e^(8\*d\*x + 8\*c) + 283500a^3b^2\*e^(8\*d\*x + 8\*c) + 325080a^2b^3\*e^(8\*d\*x + 8\*c) + 175140a^2b^3\*e^(8\*d\*x + 8\*c) + 39438b^5\*e^(8\*d\*x + 8\*c) + 88200a^4b\*e^(6\*d\*x + 6\*c) + 216300a^3b^2\*e^(6\*d\*x + 6\*c) + 244020a^2b^3\*e^(6\*d\*x + 6\*c) + 131460a^2b^3\*e^(6\*d\*x + 6\*c) + 26292b^5\*e^(6\*d\*x + 6\*c) + 44100a^4b\*e^(4\*d\*x + 4\*c) + 107100a^3b^2\*e^(4\*d\*x + 4\*c) + 117180a^2b^3\*e^(4\*d\*x + 4\*c) + 63540a^2b^3\*e^(4\*d\*x + 4\*c) + 13968b^5\*e^(4\*d\*x + 4\*c) + 12600a^4b\*e^(2\*d\*x + 2\*c) + 31500a^3b^2\*e^(2\*d\*x + 2\*c) + 34020a^2b^3\*e^(2\*d\*x + 2\*c) + 17460a^2b^3\*e^(2\*d\*x + 2\*c) + 3492b^5\*e^(2\*d\*x + 2\*c) + 1575a^4b + 4200a^3b^2 + 4830a^2b^3 + 2640a^2b^3 + 563b^5)/(e^(2\*d\*x + 2\*c) + 1)^9)/d

**maple [B]** time = 0.02, size = 472, normalized size = 2.95

$$\frac{5 \ln(1 + \tanh(dx + c)) a^3 b^2}{d} + \frac{5 \ln(1 + \tanh(dx + c)) a^2 b^3}{d} + \frac{5 \ln(1 + \tanh(dx + c)) a b^4}{2d} - \frac{5 \ln(\tanh(dx + c) - 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(d*x+c)^2)^5,x)`

[Out] 
$$-2/d*\tanh(d*x+c)^5*a^2*b^3+5/d*\ln(1+\tanh(d*x+c))*a^3*b^2+5/d*\ln(1+\tanh(d*x+c))*a^2*b^3+5/2/d*\ln(1+\tanh(d*x+c))*a*b^4-5/2/d*\ln(\tanh(d*x+c)-1)*a^4*b-5/7/d*\tanh(d*x+c)^7*a*b^4-10/d*a^2*b^3*\tanh(d*x+c)-5/d*a*b^4*\tanh(d*x+c)-10/d*a^3*b^2*\tanh(d*x+c)+5/2/d*\ln(1+\tanh(d*x+c))*a^4*b-5/d*a^4*b*\tanh(d*x+c)-5/d*\ln(\tanh(d*x+c)-1)*a^3*b^2-5/d*\ln(\tanh(d*x+c)-1)*a^2*b^3-5/2/d*\ln(\tanh(d*x+c)-1)*a*b^4-5/3/d*\tanh(d*x+c)^3*a*b^4-10/3/d*\tanh(d*x+c)^3*a^2*b^3-10/3/d*\tanh(d*x+c)^3*a^3*b^2-1/d*\tanh(d*x+c)^5*a*b^4-1/9*b^5*\tanh(d*x+c)^9/d+1/2/d*\ln(1+\tanh(d*x+c))*a^5+1/2/d*\ln(1+\tanh(d*x+c))*b^5-1/2/d*\ln(\tanh(d*x+c)-1)*a^5-1/d*b^5*\tanh(d*x+c)-1/5/d*\tanh(d*x+c)^5*b^5-1/3/d*\tanh(d*x+c)^3*b^5-1/7/d*\tanh(d*x+c)^7*b^5-1/2/d*\ln(\tanh(d*x+c)-1)*b^5$$

**maxima** [B] time = 0.36, size = 624, normalized size = 3.90

$$\frac{1}{315} b^5 \left( 315x + \frac{315c}{d} - \frac{2(3492e^{(-2dx-2c)} + 13968e^{(-4dx-4c)} + 26292e^{(-6dx-6c)} + 39438e^{(-8dx-8c)} + 31500e^{(-10dx-10c)} + 21000e^{(-12dx-12c)} + 6300e^{(-14dx-14c)} + 1575e^{(-16dx-16c)} + 563)}{d(9e^{(-2dx-2c)} + 36e^{(-4dx-4c)} + 84e^{(-6dx-6c)} + 126e^{(-8dx-8c)} + 126e^{(-10dx-10c)} + 84e^{(-12dx-12c)} + 36e^{(-14dx-14c)} + 9e^{(-16dx-16c)} + e^{(-18dx-18c)} + 1)} \right) + \frac{1}{21} a^4 b^4 \left( 105x + \frac{105c}{d} - \frac{8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44)}{d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1)} \right) + \frac{2}{3} a^2 b^3 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + \frac{10}{3} a^3 b^2 \left( 3x + \frac{3c}{d} - \frac{4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2)}{d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1)} \right) + 5a^4 b^2 \left( x + \frac{c}{d} - \frac{2}{d(e^{(-2dx-2c)} + 1)} \right) + a^5 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(d*x+c)^2)^5,x, algorithm="maxima")`

[Out] 
$$\frac{1}{315} b^5 (315x + 315c/d - 2(3492e^{(-2dx-2c)} + 13968e^{(-4dx-4c)} + 26292e^{(-6dx-6c)} + 39438e^{(-8dx-8c)} + 31500e^{(-10dx-10c)} + 21000e^{(-12dx-12c)} + 6300e^{(-14dx-14c)} + 1575e^{(-16dx-16c)} + 563) / (d(9e^{(-2dx-2c)} + 36e^{(-4dx-4c)} + 84e^{(-6dx-6c)} + 126e^{(-8dx-8c)} + 126e^{(-10dx-10c)} + 84e^{(-12dx-12c)} + 36e^{(-14dx-14c)} + 9e^{(-16dx-16c)} + e^{(-18dx-18c)} + 1))) + \frac{1}{21} a^4 b^4 (105x + 105c/d - 8(203e^{(-2dx-2c)} + 609e^{(-4dx-4c)} + 770e^{(-6dx-6c)} + 770e^{(-8dx-8c)} + 315e^{(-10dx-10c)} + 105e^{(-12dx-12c)} + 44) / (d(7e^{(-2dx-2c)} + 21e^{(-4dx-4c)} + 35e^{(-6dx-6c)} + 35e^{(-8dx-8c)} + 21e^{(-10dx-10c)} + 7e^{(-12dx-12c)} + e^{(-14dx-14c)} + 1))) + \frac{2}{3} a^2 b^3 (15x + 15c/d - 2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23) / (d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1))) + \frac{10}{3} a^3 b^2 (3x + 3c/d - 4(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + 2) / (d(3e^{(-2dx-2c)} + 3e^{(-4dx-4c)} + e^{(-6dx-6c)} + 1))) + 5a^4 b^2 (x + c/d - 2/(d(e^{(-2dx-2c)} + 1))) + a^5 x$$

**mupad** [B] time = 1.32, size = 188, normalized size = 1.18

$$x \left( a^5 + 5a^4 b + 10a^3 b^2 + 10a^2 b^3 + 5ab^4 + b^5 \right) - \frac{\tanh(c+dx)^3 \left( 10a^3 b^2 + 10a^2 b^3 + 5ab^4 + b^5 \right)}{3d} - \frac{\tanh(c+dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*tanh(c + d*x))^2)^5,x`

[Out]  $x*(5*a*b^4 + 5*a^4*b + a^5 + b^5 + 10*a^2*b^3 + 10*a^3*b^2) - (\tanh(c + d*x))^3*(5*a*b^4 + b^5 + 10*a^2*b^3 + 10*a^3*b^2)/(3*d) - (\tanh(c + d*x))^5*(5*a*b^4 + b^5 + 10*a^2*b^3)/(5*d) - (\tanh(c + d*x))^7*(5*a*b^4 + b^5)/(7*d) - (b^5*\tanh(c + d*x)^9)/(9*d) - (b*\tanh(c + d*x)*(5*a*b^3 + 10*a^3*b + 5*a^4 + b^4 + 10*a^2*b^2))/d$

**sympy** [A] time = 2.32, size = 308, normalized size = 1.92

$$\left\{ \begin{array}{l} a^5x + 5a^4bx - \frac{5a^4b \tanh(c+dx)}{d} + 10a^3b^2x - \frac{10a^3b^2 \tanh^3(c+dx)}{3d} - \frac{10a^3b^2 \tanh(c+dx)}{d} + 10a^2b^3x - \frac{2a^2b^3 \tanh^5(c+dx)}{d} - \frac{10a^2b^3 \tanh(c+dx)}{d} \\ x(a + b \tanh^2(c))^5 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(d*x+c)**2)**5,x)`

[Out] `Piecewise((a**5*x + 5*a**4*b*x - 5*a**4*b*tanh(c + d*x)/d + 10*a**3*b**2*x - 10*a**3*b**2*tanh(c + d*x)**3/(3*d) - 10*a**3*b**2*tanh(c + d*x)/d + 10*a**2*b**3*x - 2*a**2*b**3*tanh(c + d*x)**5/d - 10*a**2*b**3*tanh(c + d*x)**3/(3*d) - 10*a**2*b**3*tanh(c + d*x)/d + 5*a*b**4*x - 5*a*b**4*tanh(c + d*x)**7/(7*d) - a*b**4*tanh(c + d*x)**5/d - 5*a*b**4*tanh(c + d*x)**3/(3*d) - 5*a*b**4*tanh(c + d*x)/d + b**5*x - b**5*tanh(c + d*x)**9/(9*d) - b**5*tanh(c + d*x)**7/(7*d) - b**5*tanh(c + d*x)**5/(5*d) - b**5*tanh(c + d*x)**3/(3*d) - b**5*tanh(c + d*x)/d, Ne(d, 0)), (x*(a + b*tanh(c)**2)**5, True))`

$$3.170 \quad \int \frac{\tanh^5(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=66

$$\frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2 d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\tanh^2(c + dx)}{2bd}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)/d+1/2*a^2*\ln(a+b*\tanh(d*x+c)^2)/b^2/(a+b)/d-1/2*\tanh(d*x+c)^2/b/d$

**Rubi [A]** time = 0.11, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 72}

$$\frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2 d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\tanh^2(c + dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + (a^2\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b^2\*(a + b)\*d) - Tanh[c + d\*x]^2/(2\*b\*d)

### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^5(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-\frac{1}{b} - \frac{1}{(a+b)(-1+x)} + \frac{a^2}{b(a+b)(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
 &= \frac{\log(\cosh(c + dx))}{(a + b)d} + \frac{a^2 \log(a + b \tanh^2(c + dx))}{2b^2(a + b)d} - \frac{\tanh^2(c + dx)}{2bd}
 \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 60, normalized size = 0.91

$$-\frac{\frac{a^2 \log(a+b \tanh^2(c+dx))}{b^2(a+b)} - \frac{2 \log(\cosh(c+dx))}{a+b} + \frac{\tanh^2(c+dx)}{b}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/2\*((-2\*Log[Cosh[c + d\*x]])/(a + b) - (a^2\*Log[a + b\*Tanh[c + d\*x]^2])/(b^2\*(a + b)) + Tanh[c + d\*x]^2/b)/d

**fricas [B]** time = 0.52, size = 742, normalized size = 11.24

$$\frac{2b^2 dx \cosh(dx + c)^4 + 8b^2 dx \cosh(dx + c) \sinh(dx + c)^3 + 2b^2 dx \sinh(dx + c)^4 + 2b^2 dx + 4(b^2 dx - ab - b^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -1/2\*(2\*b^2\*d\*x\*cosh(d\*x + c)^4 + 8\*b^2\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*b^2\*d\*x\*sinh(d\*x + c)^4 + 2\*b^2\*d\*x + 4\*(b^2\*d\*x - a\*b - b^2)\*cosh(d\*x + c)^2 + 4\*(3\*b^2\*d\*x\*cosh(d\*x + c)^2 + b^2\*d\*x - a\*b - b^2)\*sinh(d\*x + c)^2)

$$\begin{aligned}
& - (a^2 \cosh(dx + c)^4 + 4a^2 \cosh(dx + c) \sinh(dx + c)^3 + a^2 \sinh(dx + c)^4 + 2a^2 \cosh(dx + c)^2 + 2(3a^2 \cosh(dx + c)^2 + a^2) \sinh(dx + c)^2 + a^2 + 4(a^2 \cosh(dx + c)^3 + a^2 \cosh(dx + c)) \sinh(dx + c)) \\
& \log(2((a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a - b) / (\cosh(dx + c)^2 - 2 \cosh(dx + c) \sinh(dx + c) + \sinh(dx + c)^2)) + 2((a^2 - b^2) \cosh(dx + c)^4 + 4(a^2 - b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 - b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 - b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - b^2 + 4((a^2 - b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c)) \log(2 \cosh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 8(b^2 dx \cosh(dx + c)^3 + (b^2 dx - a * b - b^2) \cosh(dx + c) \sinh(dx + c)) / ((a * b^2 + b^3) d \cosh(dx + c)^4 + 4(a * b^2 + b^3) d \cosh(dx + c) \sinh(dx + c)^3 + (a * b^2 + b^3) d \sinh(dx + c)^4 + 2(a * b^2 + b^3) d \cosh(dx + c)^2 + 2(3(a * b^2 + b^3) d \cosh(dx + c)^2 + (a * b^2 + b^3) d) \sinh(dx + c)^2 + (a * b^2 + b^3) d + 4((a * b^2 + b^3) d \cosh(dx + c)^3 + (a * b^2 + b^3) d \cosh(dx + c)) \sinh(dx + c))
\end{aligned}$$

**giac [B]** time = 0.26, size = 132, normalized size = 2.00

$$\frac{a^2 \log(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)}{ab^2 + b^3} - \frac{2(dx+c)}{a+b} - \frac{2(a-b) \log(e^{(2dx+2c)} + 1)}{b^2} + \frac{4e^{(2dx+2c)}}{b(e^{(2dx+2c)} + 1)^2}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^5/(a+b\*tanh(dx+c)^2), x, algorithm="giac")

[Out]  $1/2 * (a^2 \log(a * e^{(4 * dx + 4 * c)} + b * e^{(4 * dx + 4 * c)} + 2 * a * e^{(2 * dx + 2 * c)} - 2 * b * e^{(2 * dx + 2 * c)} + a + b) / (a * b^2 + b^3) - 2 * (dx + c) / (a + b) - 2 * (a - b) * \log(e^{(2 * dx + 2 * c)} + 1) / b^2 + 4 * e^{(2 * dx + 2 * c)} / (b * (e^{(2 * dx + 2 * c)} + 1)^2)) / d$

**maple [A]** time = 0.09, size = 93, normalized size = 1.41

$$\frac{\tanh^2(dx + c)}{2bd} - \frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)} - \frac{\ln(1 + \tanh(dx + c))}{d(2b + 2a)} + \frac{a^2 \ln(a + b(\tanh^2(dx + c)))}{2b^2(a + b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(dx+c)^5/(a+b\*tanh(dx+c)^2), x)

[Out]  $-1/2 * \tanh(dx+c)^2 / b / d - 1/d / (2*b+2*a) * \ln(\tanh(dx+c)-1) - 1/d / (2*b+2*a) * \ln(1 + \tanh(dx+c)) + 1/2 * a^2 * \ln(a+b * \tanh(dx+c)^2) / b^2 / (a+b) / d$

**maxima [B]** time = 0.43, size = 133, normalized size = 2.02

$$\frac{a^2 \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a + b)}{2(ab^2 + b^3)d} + \frac{dx + c}{(a + b)d} + \frac{2e^{(-2dx-2c)}}{(2be^{(-2dx-2c)} + be^{(-4dx-4c)} + b)d} - \frac{(a-b) \log(\dots)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $\frac{1}{2}a^2 \log(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b) / ((a^2b^2 + b^3)d) + (dx+c)/((a+b)d) + 2e^{-2dx-2c} / ((2be^{-2dx-2c} + b)e^{-4dx-4c} + b)d - (a-b) \log(e^{-2dx-2c} + 1) / (b^2d)$

**mupad [B]** time = 0.27, size = 72, normalized size = 1.09

$$\frac{b^2 \left( \ln(\tanh(c+dx) + 1) - dx + \frac{\tanh(c+dx)^2}{2} \right) - \frac{a^2 \ln(b \tanh(c+dx)^2 + a)}{2} + \frac{ab \tanh(c+dx)^2}{2}}{b^2 d (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c+d\*x)^5/(a+b\*tanh(c+d\*x)^2),x)

[Out]  $-(b^2(\log(\tanh(c+dx) + 1) - dx + \tanh(c+dx)^2/2) - (a^2 \log(a + b \tanh(c+dx)^2)))/2 + (a*b \tanh(c+dx)^2)/2 / (b^2 d (a+b))$

**sympy [A]** time = 13.46, size = 425, normalized size = 6.44

$$\left\{ \begin{array}{l} \infty x \tanh^3(c) \\ x \frac{\log(\tanh(c+dx)+1)}{d} - \frac{\tanh^4(c+dx)}{4d} - \frac{\tanh^2(c+dx)}{2d} \\ \frac{4dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} - \frac{4dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{4 \log(\tanh(c+dx)+1) \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{4 \log(\tanh(c+dx)+1)}{2bd \tanh^2(c+dx) - 2bd} - \frac{\tanh^4(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \dots \\ \frac{x \tanh^5(c)}{a+b \tanh^2(c)} \\ \frac{a^2 \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ab^2d+2b^3d} + \frac{a^2 \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ab^2d+2b^3d} - \frac{ab \tanh^2(c+dx)}{2ab^2d+2b^3d} + \frac{2b^2 dx}{2ab^2d+2b^3d} - \frac{2b^2 \log(\tanh(c+dx)+1)}{2ab^2d+2b^3d} - \frac{b^2 \tanh^2(c+dx)}{2ab^2d+2b^3d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((zoo\*x\*tanh(c)\*\*3, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - log(tanh(c+d\*x) + 1)/d - tanh(c+d\*x)\*\*4/(4\*d) - tanh(c+d\*x)\*\*2/(2\*d))/a, Eq(b, 0)), (4\*d\*x\*tanh(c+d\*x)\*\*2/(2\*b\*d\*tanh(c+d\*x)\*\*2 - 2\*b\*d) - 4\*d\*x/(2\*b\*d\*tanh(c+d\*x)\*\*2 - 2\*b\*d) - 4\*log(tanh(c+d\*x) + 1)\*tanh(c+d\*x)\*\*2/(2\*b\*d\*tanh(c+d\*x)\*\*2 - 2\*b\*d) + 4\*log(tanh(c+d\*x) + 1)/(2\*b\*d\*tanh(c+d\*x)\*\*2 - 2\*b\*d), Eq(d, 0)), (0, True))

```

d*x)**2 - 2*b*d) - tanh(c + d*x)**4/(2*b*d*tanh(c + d*x)**2 - 2*b*d) + 2/(
2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (x*tanh(c)**5/(a + b*tanh(c)**
2), Eq(d, 0)), (a**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*a*b**2*d
+ 2*b**3*d) + a**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*a*b**2*d + 2
*b**3*d) - a*b*tanh(c + d*x)**2/(2*a*b**2*d + 2*b**3*d) + 2*b**2*d*x/(2*a*b
**2*d + 2*b**3*d) - 2*b**2*log(tanh(c + d*x) + 1)/(2*a*b**2*d + 2*b**3*d) -
b**2*tanh(c + d*x)**2/(2*a*b**2*d + 2*b**3*d), True))

```



$$3.171 \quad \int \frac{\tanh^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=59

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\tanh(c+dx)}{bd}$$

[Out] x/(a+b)+a^(3/2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/b^(3/2)/(a+b)/d-tanh(d\*x+c)/b/d

**Rubi [A]** time = 0.11, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 479, 522, 206, 205}

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\tanh(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) + (a^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(b^(3/2)\*(a + b)\*d) - Tanh[c + d\*x]/(b\*d)

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 479

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*d\*(m + n\*(p + q) + 1)), x] - Dist[e^(2\*n)/(b\*d\*(m + n\*(p + q) + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m + n\*(q - 1) + 1) + b\*c\*(m + n\*(p - 1) + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IG

tQ[n, 0] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^4(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\tanh(c + dx)}{bd} + \frac{\text{Subst}\left(\int \frac{a+(-a+b)x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{bd} \\ &= -\frac{\tanh(c + dx)}{bd} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)d} + \frac{a^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{b(a + b)d} \\ &= \frac{x}{a + b} + \frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}(a + b)d} - \frac{\tanh(c + dx)}{bd} \end{aligned}$$

**Mathematica** [A] time = 0.20, size = 66, normalized size = 1.12

$$\frac{a^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}d(a + b)} + \frac{c + dx}{d(a + b)} - \frac{\tanh(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (c + d\*x)/((a + b)\*d) + (a^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(b^(3/2)\*(a + b)\*d) - Tanh[c + d\*x]/(b\*d)

**fricas** [B] time = 0.46, size = 777, normalized size = 13.17

$$\frac{2 b d x \cosh (d x + c)^2 + 4 b d x \cosh (d x + c) \sinh (d x + c) + 2 b d x \sinh (d x + c)^2 + 2 b d x + (a \cosh (d x + c))^2 + 2}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/2\*(2\*b\*d\*x\*cosh(d\*x + c)^2 + 4\*b\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + 2\*b\*d\*x\*sinh(d\*x + c)^2 + 2\*b\*d\*x + (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*sqrt(-a/b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) + 4\*((a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a\*b + b^2)\*sinh(d\*x + c)^2 + a\*b - b^2)\*sqrt(-a/b)))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) + 4\*a + 4\*b)/((a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a\*b + b^2)\*d\*sinh(d\*x + c)^2 + (a\*b + b^2)\*d), (b\*d\*x\*cosh(d\*x + c)^2 + 2\*b\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*d\*x\*sinh(d\*x + c)^2 + b\*d\*x + (a\*cosh(d\*x + c)^2 + 2\*a\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*sinh(d\*x + c)^2 + a)\*sqrt(a/b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a/b)/a) + 2\*a + 2\*b)/((a\*b + b^2)\*d\*cosh(d\*x + c)^2 + 2\*(a\*b + b^2)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a\*b + b^2)\*d\*sinh(d\*x + c)^2 + (a\*b + b^2)\*d)]

**giac** [A] time = 0.23, size = 87, normalized size = 1.47

$$\frac{a^2 \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{(ab+b^2)\sqrt{ab}} + \frac{dx+c}{a+b} + \frac{2}{b(e^{2dx+2c}+1)}$$

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] (a^2\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/((a\*b + b^2)\*sqrt(a\*b)) + (d\*x + c)/(a + b) + 2/(b\*(e^(2\*d\*x + 2\*c) + 1)))/d

maple [A] time = 0.10, size = 95, normalized size = 1.61

$$-\frac{\tanh(dx+c)}{bd} - \frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)} + \frac{\ln(1+\tanh(dx+c))}{d(2b+2a)} + \frac{a^2 \arctan\left(\frac{\tanh(dx+c)b}{\sqrt{ab}}\right)}{db(a+b)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x)

[Out] -tanh(d\*x+c)/b/d-1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)+1/d/(2\*b+2\*a)\*ln(1+tanh(d\*x+c))+1/d/b/(a+b)\*a^2/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))

maxima [B] time = 0.60, size = 509, normalized size = 8.63

$$-\frac{(a-b)\log\left((a+b)e^{(4dx+4c)} + 2(a-b)e^{(2dx+2c)} + a+b\right)}{8(ab+b^2)d} + \frac{(a-b)\log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{8(ab+b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] -1/8\*(a - b)\*log((a + b)\*e^(4\*d\*x + 4\*c) + 2\*(a - b)\*e^(2\*d\*x + 2\*c) + a + b)/((a\*b + b^2)\*d) + 1/8\*(a - b)\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/((a\*b + b^2)\*d) + 1/16\*(a^2 - 6\*a\*b + b^2)\*arctan(1/2\*((a + b)\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a\*b + b^2)\*sqrt(a\*b)\*d) + 1/4\*(a - b)\*arctan(1/2\*((a + b)\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*b\*d) - 1/16\*(a^2 - 6\*a\*b + b^2)\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/((a\*b + b^2)\*sqrt(a\*b)\*d) - 3/8\*(a + b)\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*b\*d) - 1/4\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*b\*d) - 1/4\*log((a + b)\*e^(4\*d\*x + 4\*c) + 2\*(a - b)\*e^(2\*d\*x + 2\*c) + a + b)/(b\*d) + 1/4\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/(b\*d) + 3/4\*log(e^(2\*d\*x + 2\*c) + 1)/(b\*d) - 3/4\*log(e^(-2\*d\*x - 2\*c) + 1)/(b\*d) + 5/8/((b\*e^(2\*d\*x + 2\*c) + b)\*d) - 11/8/((b\*e^(-2\*d\*x - 2\*c) + b)\*d)

mupad [B] time = 1.23, size = 56, normalized size = 0.95

$$\frac{x}{a+b} - \frac{\tanh(c+dx)}{bd} + \frac{a^2 \operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right)}{bd \sqrt{ab} (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(c + d*x)^4/(a + b*tanh(c + d*x)^2), x)`

[Out]  $x/(a + b) - \tanh(c + d*x)/(b*d) + (a^2*\operatorname{atan}((b*\tanh(c + d*x))/(a*b)^{(1/2)}))/ (b*d*(a*b)^{(1/2)*(a + b)})$

**sympy** [A] time = 11.28, size = 495, normalized size = 8.39

$$\left\{ \begin{array}{l} \infty x \tanh^2(c) \\ x - \frac{\tanh^3(c+dx) - \tanh(c+dx)}{3d} - \frac{\tanh(c+dx)}{d} \\ \frac{\phantom{x - \frac{\tanh^3(c+dx) - \tanh(c+dx)}{3d} - \frac{\tanh(c+dx)}{d}}}{a} \\ x - \frac{\tanh(c+dx)}{d} \\ \frac{\phantom{x - \frac{\tanh(c+dx)}{d}}}{b} \\ \frac{3dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} - \frac{3dx}{2bd \tanh^2(c+dx) - 2bd} - \frac{2 \tanh^3(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{3 \tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} \\ \frac{x \tanh^4(c)}{a+b \tanh^2(c)} \\ - \frac{2ia^{\frac{3}{2}}b\sqrt{\frac{1}{b}} \tanh(c+dx)}{2ia^{\frac{3}{2}}b^2d\sqrt{\frac{1}{b}} + 2i\sqrt{a}b^3d\sqrt{\frac{1}{b}}} + \frac{2i\sqrt{a}b^2dx\sqrt{\frac{1}{b}}}{2ia^{\frac{3}{2}}b^2d\sqrt{\frac{1}{b}} + 2i\sqrt{a}b^3d\sqrt{\frac{1}{b}}} - \frac{2i\sqrt{a}b^2\sqrt{\frac{1}{b}} \tanh(c+dx)}{2ia^{\frac{3}{2}}b^2d\sqrt{\frac{1}{b}} + 2i\sqrt{a}b^3d\sqrt{\frac{1}{b}}} + \frac{a^2 \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^{\frac{3}{2}}b^2d\sqrt{\frac{1}{b}} + 2i\sqrt{a}b^3d\sqrt{\frac{1}{b}}} - \frac{a^2 \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^{\frac{3}{2}}b^2d\sqrt{\frac{1}{b}} + 2i\sqrt{a}b^3d\sqrt{\frac{1}{b}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)**4/(a+b*tanh(d*x+c)**2), x)`

[Out] `Piecewise((zoo*x*tanh(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - tanh(c + d*x)**3/(3*d) - tanh(c + d*x)/d)/a, Eq(b, 0)), ((x - tanh(c + d*x)/d)/b, Eq(a, 0)), (3*d*x*tanh(c + d*x)**2/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - 3*d*x/(2*b*d*tanh(c + d*x)**2 - 2*b*d) - 2*tanh(c + d*x)**3/(2*b*d*tanh(c + d*x)**2 - 2*b*d) + 3*tanh(c + d*x)/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (x*tanh(c)**4/(a + b*tanh(c)**2), Eq(d, 0)), (-2*I*a**(3/2)*b*sqrt(1/b)*tanh(c + d*x)/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)) + 2*I*sqrt(a)*b**2*d*x*sqrt(1/b)/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)) - 2*I*sqrt(a)*b**2*sqrt(1/b)*tanh(c + d*x)/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)) + a**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)) - a**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2)*b**2*d*sqrt(1/b) + 2*I*sqrt(a)*b**3*d*sqrt(1/b)), True))`

$$3.172 \quad \int \frac{\tanh^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=46

$$\frac{\log(\cosh(c+dx))}{d(a+b)} - \frac{a \log(a+b \tanh^2(c+dx))}{2bd(a+b)}$$

[Out] ln(cosh(d\*x+c))/(a+b)/d-1/2\*a\*ln(a+b\*tanh(d\*x+c)^2)/b/(a+b)/d

**Rubi [A]** time = 0.10, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 72}

$$\frac{\log(\cosh(c+dx))}{d(a+b)} - \frac{a \log(a+b \tanh^2(c+dx))}{2bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) - (a\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*b\*(a + b)\*d)

### Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] := Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.),
  x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
  *(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
  b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
  (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
  x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
  f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
  , p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
  alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^3(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} - \frac{a}{(a+b)(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\
&= \frac{\log(\cosh(c + dx))}{(a + b)d} - \frac{a \log(a + b \tanh^2(c + dx))}{2b(a + b)d}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 42, normalized size = 0.91

$$\frac{2b \log(\cosh(c + dx)) - a \log(a + b \tanh^2(c + dx))}{2abd + 2b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*b\*Log[Cosh[c + d\*x]] - a\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a\*b\*d + 2\*b^2\*d)

**fricas [B]** time = 0.46, size = 118, normalized size = 2.57

$$\frac{2bdx + a \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right) - 2(a+b) \log\left(\frac{2\cosh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right)}{2(ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -1/2\*(2\*b\*d\*x + a\*log(2\*((a + b)\*cosh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^2 + a - b)/(cosh(d\*x + c)^2 - 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2)) - 2\*(a + b)\*log(2\*cosh(d\*x + c)/(cosh(d\*x + c) - sinh(d\*x + c))))/((a\*b + b^2)\*d)

**giac [B]** time = 0.23, size = 96, normalized size = 2.09

$$\frac{a \log(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)}{ab + b^2} + \frac{2(dx+c)}{a+b} - \frac{2 \log(e^{(2dx+2c)} + 1)}{b}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-1/2*(a*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a*b + b^2) + 2*(d*x + c)/(a + b) - 2*\log(e^{(2*d*x + 2*c)} + 1)/b)/d$

**maple** [A] time = 0.11, size = 75, normalized size = 1.63

$$-\frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)} - \frac{\ln(1+\tanh(dx+c))}{d(2b+2a)} - \frac{a \ln(a+b(\tanh^2(dx+c)))}{2b(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x)

[Out]  $-1/d/(2*b+2*a)*\ln(\tanh(d*x+c)-1)-1/d/(2*b+2*a)*\ln(1+\tanh(d*x+c))-1/2*a*\ln(a+b*\tanh(d*x+c)^2)/b/(a+b)/d$

**maxima** [A] time = 0.41, size = 82, normalized size = 1.78

$$-\frac{a \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b)}{2(ab+b^2)d} + \frac{dx+c}{(a+b)d} + \frac{\log(e^{(-2dx-2c)} + 1)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $-1/2*a*\log(2*(a-b)*e^{(-2*d*x-2*c)} + (a+b)*e^{(-4*d*x-4*c)} + a+b)/((a*b+b^2)*d) + (d*x+c)/((a+b)*d) + \log(e^{(-2*d*x-2*c)} + 1)/(b*d)$

**mupad** [B] time = 1.24, size = 46, normalized size = 1.00

$$-\frac{\frac{a \ln(b \tanh(c+dx)^2+a)}{2} + b (\ln(\tanh(c+dx)+1) - dx)}{bd(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c+d\*x)^3/(a+b\*tanh(c+d\*x)^2),x)

[Out]  $-((a*\log(a+b*\tanh(c+d*x)^2))/2 + b*(\log(\tanh(c+d*x)+1) - d*x))/(b*d*(a+b))$



sympy [A] time = 9.65, size = 316, normalized size = 6.87

$$\left\{ \begin{array}{l} \infty x \tanh(c) \\ \frac{2dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx)-2bd} - \frac{2dx}{2bd \tanh^2(c+dx)-2bd} - \frac{2 \log(\tanh(c+dx)+1) \tanh^2(c+dx)}{2bd \tanh^2(c+dx)-2bd} + \frac{2 \log(\tanh(c+dx)+1)}{2bd \tanh^2(c+dx)-2bd} + \frac{1}{2bd \tanh^2(c+dx)-2bd} \\ x - \frac{\log(\tanh(c+dx)+1) - \frac{\tanh^2(c+dx)}{2d}}{d} \\ \frac{x \tanh^3(c)}{a+b \tanh^2(c)} \\ - \frac{a \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2abd+2b^2d} - \frac{a \log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2abd+2b^2d} + \frac{2bdx}{2abd+2b^2d} - \frac{2b \log(\tanh(c+dx)+1)}{2abd+2b^2d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2), x)

[Out] Piecewise((zoo\*x\*tanh(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (2\*d\*x\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) - 2\*d\*x/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) - 2\*log(tanh(c + d\*x) + 1)\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + 2\*log(tanh(c + d\*x) + 1)/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) + 1/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d), Eq(a, -b)), ((x - log(tanh(c + d\*x) + 1)/d - tanh(c + d\*x)\*\*2/(2\*d))/a, Eq(b, 0)), (x\*tanh(c)\*\*3/(a + b\*tanh(c)\*\*2), Eq(d, 0)), (-a\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*a\*b\*d + 2\*b\*\*2\*d) - a\*log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(2\*a\*b\*d + 2\*b\*\*2\*d) + 2\*b\*d\*x/(2\*a\*b\*d + 2\*b\*\*2\*d) - 2\*b\*log(tanh(c + d\*x) + 1)/(2\*a\*b\*d + 2\*b\*\*2\*d), True))

$$3.173 \quad \int \frac{\tanh^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=46

$$\frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b} d(a+b)}$$

[Out]  $x/(a+b) - \arctan(b^{(1/2)} * \tanh(d*x+c) / a^{(1/2)}) * a^{(1/2)} / (a+b) / d / b^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {3670, 481, 206, 205}

$$\frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b} d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $x/(a+b) - (\text{Sqrt}[a] * \text{ArcTan}[(\text{Sqrt}[b] * \text{Tanh}[c + d*x]) / \text{Sqrt}[a]]) / (\text{Sqrt}[b] * (a + b) * d)$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 481

Int[((e\_.)\*(x\_)^(m\_.))/(((a\_) + (b\_.)\*(x\_)^(n\_.))\*((c\_) + (d\_.)\*(x\_)^(n\_.))), x\_Symbol] :> -Dist[(a\*e^n)/(b\*c - a\*d), Int[(e\*x)^(m-n)/(a + b\*x^n), x], x] + Dist[(c\*e^n)/(b\*c - a\*d), Int[(e\*x)^(m-n)/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LeQ[n, m, 2\*n - 1]

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^2(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a+b)d} - \frac{a \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{(a+b)d} \\ &= \frac{x}{a+b} - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 47, normalized size = 1.02

$$\frac{\tanh^{-1}(\tanh(c + dx)) - \frac{\sqrt{a} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{b}}}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (-(Sqrt[a]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[b]) + ArcTanh[Tanh[c + d\*x]]/((a + b)\*d)

**fricas [B]** time = 0.49, size = 486, normalized size = 10.57

$$\left[ 2 dx + \sqrt{-\frac{a}{b}} \log\left(\frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(a^2-b^2) \cosh(dx+c) \sinh(dx+c)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/2\*(2\*d\*x + sqrt(-a/b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a\*b + b^2)\*sinh(d\*x + c)^2 + a\*b - b^2)\*sqrt(-a/b)))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)))/((a + b)\*d), (d\*x - sqrt(a/b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a/b)/a))/((a + b)\*d)]

**giac** [A] time = 0.18, size = 65, normalized size = 1.41

$$-\frac{a \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right) - \frac{dx+c}{a+b}}{d\sqrt{ab}(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] -(a\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*(a + b)) - (d\*x + c)/(a + b))/d

**maple** [A] time = 0.07, size = 77, normalized size = 1.67

$$-\frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)} + \frac{\ln(1+\tanh(dx+c))}{d(2b+2a)} - \frac{a \arctan\left(\frac{\tanh(dx+c)b}{\sqrt{ab}}\right)}{d(a+b)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)+1/d/(2\*b+2\*a)\*ln(1+tanh(d\*x+c))-1/d/(a+b)\*a/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))

**maxima** [B] time = 0.45, size = 215, normalized size = 4.67

$$-\frac{(a-b) \arctan\left(\frac{(a+b)e^{(2dx+2c)+a-b}}{2\sqrt{ab}}\right)}{4\sqrt{ab}(a+b)d} + \frac{\arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{2\sqrt{ab}d} + \frac{(a-b) \arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{4\sqrt{ab}(a+b)d} + \frac{\log((a+b)e^{4c})}{4\sqrt{ab}(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$-1/4*(a - b)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*(a + b)*d) + 1/2*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*d) + 1/4*(a - b)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*(a + b)*d) + 1/4*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a + b)*d) - 1/4*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a + b)*d)$$

**mupad** [B] time = 0.11, size = 38, normalized size = 0.83

$$\frac{x}{a+b} - \frac{a \operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right)}{d \sqrt{ab} (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2),x)

[Out]  $x/(a + b) - (a*\operatorname{atan}((b*\tanh(c + d*x))/(a*b)^{(1/2)}))/(d*(a*b)^{(1/2)}*(a + b))$

**sympy** [A] time = 8.97, size = 294, normalized size = 6.39

$$\left\{ \begin{array}{ll} \infty x & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{x}{b} & \text{for } a = 0 \\ \frac{dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx)-2bd} - \frac{dx}{2bd \tanh^2(c+dx)-2bd} + \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx)-2bd} & \text{for } a = -b \\ \frac{x \tanh^2(c)}{a+b \tanh^2(c)} & \text{for } d = 0 \\ \frac{x - \frac{\tanh(c+dx)}{d}}{a} & \text{for } b = 0 \\ \frac{2i\sqrt{a}bd\sqrt{\frac{1}{b}}}{2ia^2bd\sqrt{\frac{1}{b}}+2i\sqrt{a}b^2d\sqrt{\frac{1}{b}}} - \frac{a \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}}+\tanh(c+dx)\right)}{2ia^2bd\sqrt{\frac{1}{b}}+2i\sqrt{a}b^2d\sqrt{\frac{1}{b}}} + \frac{a \log\left(i\sqrt{a}\sqrt{\frac{1}{b}}+\tanh(c+dx)\right)}{2ia^2bd\sqrt{\frac{1}{b}}+2i\sqrt{a}b^2d\sqrt{\frac{1}{b}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Piecewise((zoo\*x, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x/b, Eq(a, 0)), (d\*x\*tanh(c + d\*x)\*\*2/(2\*b\*d\*tanh(c + d\*x)\*\*2 - 2\*b\*d) - d\*x/(2\*b\*d\*tanh(c + d\*x))\*

```

*2 - 2*b*d) + tanh(c + d*x)/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (
x*tanh(c)**2/(a + b*tanh(c)**2), Eq(d, 0)), ((x - tanh(c + d*x)/d)/a, Eq(b,
0)), (2*I*sqrt(a)*b*d*x*sqrt(1/b)/(2*I*a**(3/2)*b*d*sqrt(1/b) + 2*I*sqrt(a)
)*b**2*d*sqrt(1/b)) - a*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(
3/2)*b*d*sqrt(1/b) + 2*I*sqrt(a)*b**2*d*sqrt(1/b)) + a*log(I*sqrt(a)*sqrt(1
/b) + tanh(c + d*x))/(2*I*a**(3/2)*b*d*sqrt(1/b) + 2*I*sqrt(a)*b**2*d*sqrt(
1/b)), True))

```

$$3.174 \quad \int \frac{\tanh(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=42

$$\frac{\log(a + b \tanh^2(c + dx))}{2d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)/d+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)/d$

**Rubi [A]** time = 0.06, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {3670, 444, 36, 31}

$$\frac{\log(a + b \tanh^2(c + dx))}{2d(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[c + d*x]/(a + b*\text{Tanh}[c + d*x]^2), x]$

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)*d) + \text{Log}[a + b*\text{Tanh}[c + d*x]^2]/(2*(a + b)*d)$

#### Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; FreeQ}\{a, b\}, x]$

#### Rule 36

$\text{Int}[1/(((a_ ) + (b_)*(x_))*((c_ ) + (d_)*(x_))), x\_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] \text{ /; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 444

$\text{Int}[(x_)^{(m_)}*((a_ ) + (b_)*(x_)^{(n_))}^{(p_)}*((c_ ) + (d_)*(x_)^{(n_))}^{(q_)}], x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[m - n + 1, 0]$

#### Rule 3670

$\text{Int}[(d_)*\tan(e_ ) + (f_)*(x_)]^{(m_)}*((a_ ) + (b_)*((c_)*\tan(e_ ) + (f_)*(x_))^{(n_))}^{(p_)}, x\_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\text{Tan}[e + f*x],$

x]], Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\tanh(c + dx)}{a + b \tanh^2(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-x} dx, x, \tanh^2(c + dx)\right)}{2(a+b)d} + \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, \tanh^2(c + dx)\right)}{2(a+b)d} \\ &= \frac{\log(\cosh(c + dx))}{(a+b)d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 35, normalized size = 0.83

$$\frac{\log(a + b \tanh^2(c + dx)) + 2 \log(\cosh(c + dx))}{2ad + 2bd}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] (2\*Log[Cosh[c + d\*x]] + Log[a + b\*Tanh[c + d\*x]^2])/(2\*a\*d + 2\*b\*d)

**fricas [B]** time = 0.41, size = 82, normalized size = 1.95

$$\frac{2 dx - \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right)}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -1/2\*(2\*d\*x - log(2\*((a + b)\*cosh(d\*x + c)^2 + (a + b)\*sinh(d\*x + c)^2 + a - b)/(cosh(d\*x + c)^2 - 2\*cosh(d\*x + c)\*sinh(d\*x + c) + sinh(d\*x + c)^2)))/((a + b)\*d)



**giac** [A] time = 0.17, size = 61, normalized size = 1.45

$$\frac{\log\left(\left|a\left(e^{2dx+2c} + e^{-2dx-2c}\right) + b\left(e^{2dx+2c} + e^{-2dx-2c}\right) + 2a - 2b\right|\right)}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] 1/2\*log(abs(a\*(e^(2\*d\*x + 2\*c)) + e^(-2\*d\*x - 2\*c)) + b\*(e^(2\*d\*x + 2\*c) + e^(-2\*d\*x - 2\*c)) + 2\*a - 2\*b)/((a + b)\*d)

**maple** [A] time = 0.09, size = 71, normalized size = 1.69

$$-\frac{\ln(\tanh(dx+c)-1)}{d(2b+2a)} - \frac{\ln(1+\tanh(dx+c))}{d(2b+2a)} + \frac{\ln(a+b(\tanh^2(dx+c)))}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)-1/d/(2\*b+2\*a)\*ln(1+tanh(d\*x+c))+1/2\*ln(a+b\*tanh(d\*x+c)^2)/(a+b)/d

**maxima** [A] time = 0.33, size = 58, normalized size = 1.38

$$\frac{dx+c}{(a+b)d} + \frac{\log\left(2(a-b)e^{-2dx-2c} + (a+b)e^{-4dx-4c} + a+b\right)}{2(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] (d\*x + c)/((a + b)\*d) + 1/2\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/((a + b)\*d)

**mupad** [B] time = 1.17, size = 43, normalized size = 1.02

$$\frac{x}{a+b} - \frac{\ln(\tanh(c+dx)+1) - \frac{\ln(b\tanh(c+dx)^2+a)}{2}}{d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)/(a + b\*tanh(c + d\*x)^2),x)

[Out]  $x/(a + b) - (\log(\tanh(c + d*x) + 1) - \log(a + b*\tanh(c + d*x)^2)/2)/(d*(a + b))$

**sympy** [A] time = 8.83, size = 156, normalized size = 3.71

$$\left\{ \begin{array}{ll} \frac{\infty x}{\tanh(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{1}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{x \tanh(c)}{a + b \tanh^2(c)} & \text{for } d = 0 \\ x - \frac{\log(\tanh(c+dx)+1)}{d} & \text{for } b = 0 \\ \frac{2dx}{2ad+2bd} + \frac{\log\left(-i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ad+2bd} + \frac{\log\left(i\sqrt{a}\sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ad+2bd} - \frac{2\log(\tanh(c+dx)+1)}{2ad+2bd} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)**2), x)`

[Out] `Piecewise((zoo*x/tanh(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (1/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (x*tanh(c)/(a + b*tanh(c)**2), Eq(d, 0)), ((x - log(tanh(c + d*x) + 1)/d)/a, Eq(b, 0)), (2*d*x/(2*a*d + 2*b*d) + log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*a*d + 2*b*d) + log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*a*d + 2*b*d) - 2*log(tanh(c + d*x) + 1)/(2*a*d + 2*b*d), True))`

$$3.175 \quad \int \frac{1}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=45

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)} + \frac{x}{a+b}$$

[Out] x/(a+b)+arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/(a+b)/d/a^(1/2)

Rubi [A] time = 0.07, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {3660, 3675, 205}

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} d(a+b)} + \frac{x}{a+b}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-1), x]

[Out] x/(a + b) + (Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*(a + b)\*d)

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 3660

Int[((a\_) + (b\_)\*tan[(e\_) + (f\_)\*(x\_)]^2)^(-1), x\_Symbol] := Simp[x/(a - b), x] - Dist[b/(a - b), Int[Sec[e + f\*x]^2/(a + b\*Tan[e + f\*x]^2), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a, b]

Rule 3675

Int[sec[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)]))^n, x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[ff/(c^(m-1)\*f), Subst[Int[(c^2 + ff^2\*x^2)^(m/2-1)\*(a + b\*(ff\*x)^n)^p, x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && IntegerQ[m/2] && (IntegersQ[n, p] || IGtQ[m, 0] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int \frac{1}{a + b \tanh^2(c + dx)} dx &= \frac{x}{a + b} + \frac{b \int \frac{\operatorname{sech}^2(c+dx)}{a+b \tanh^2(c+dx)} dx}{a + b} \\
&= \frac{x}{a + b} + \frac{b \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c + dx)\right)}{(a + b)d} \\
&= \frac{x}{a + b} + \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} (a + b)d}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 65, normalized size = 1.44

$$\frac{\frac{2\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a}} - \log(1 - \tanh(c + dx)) + \log(\tanh(c + dx) + 1)}{2ad + 2bd}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-1), x]

[Out] ((2\*Sqrt[b]\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/Sqrt[a] - Log[1 - Tanh[c + d\*x]] + Log[1 + Tanh[c + d\*x]])/(2\*a\*d + 2\*b\*d)

**fricas [B]** time = 0.46, size = 484, normalized size = 10.76

$$\left[ 2 dx + \sqrt{-\frac{b}{a}} \log\left(\frac{(a^2+2ab+b^2) \cosh(dx+c)^4 + 4(a^2+2ab+b^2) \cosh(dx+c) \sinh(dx+c)^3 + (a^2+2ab+b^2) \sinh(dx+c)^4 + 2(a^2-b^2) \cosh(dx+c)^2 + 2(a^2-b^2) \cosh(dx+c) \sinh(dx+c)}{(a+b) \cosh(dx+c)^4 + 4(a+b) \cosh(dx+c) \sinh(dx+c)}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/2\*(2\*d\*x + sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) + 4\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 + a^2 - a\*b)\*sqrt(-b/a)))/((a + b)\*cosh(d\*x + c)^4 +

$4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b$

$)/((a + b)*d), (d*x + \sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(d*x + c)^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - b)*\sqrt{b/a}/b))/((a + b)*d)]$

**giac [A]** time = 0.15, size = 63, normalized size = 1.40

$$\frac{b \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right) + \frac{dx+c}{a+b}}{\sqrt{ab}(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out] (b\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/(sqrt(a\*b)\*(a + b)) + (d\*x + c)/(a + b))/d

**maple [B]** time = 0.14, size = 76, normalized size = 1.69

$$-\frac{\ln(\tanh(dx + c) - 1)}{d(2b + 2a)} + \frac{\ln(1 + \tanh(dx + c))}{d(2b + 2a)} + \frac{b \arctan\left(\frac{\tanh(dx+c)b}{\sqrt{ab}}\right)}{d(a + b)\sqrt{ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c)^2),x)

[Out] -1/d/(2\*b+2\*a)\*ln(tanh(d\*x+c)-1)+1/d/(2\*b+2\*a)\*ln(1+tanh(d\*x+c))+1/d\*b/(a+b)/(a\*b)^(1/2)\*arctan(tanh(d\*x+c)\*b/(a\*b)^(1/2))

**maxima [A]** time = 0.42, size = 57, normalized size = 1.27

$$-\frac{b \arctan\left(\frac{(a+b)e^{(-2dx-2c)} + a - b}{2\sqrt{ab}}\right) + \frac{dx+c}{(a+b)d}}{\sqrt{ab}(a+b)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] -b\*arctan(1/2\*((a + b)\*e^(-2\*d\*x - 2\*c) + a - b)/sqrt(a\*b))/(sqrt(a\*b)\*(a + b)\*d) + (d\*x + c)/((a + b)\*d)

**mupad [B]** time = 0.09, size = 37, normalized size = 0.82

$$\frac{x}{a+b} + \frac{b \operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right)}{d \sqrt{ab} (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*tanh(c + d*x)^2), x)`

[Out] `x/(a + b) + (b*atan((b*tanh(c + d*x))/(a*b)^(1/2)))/(d*(a*b)^(1/2)*(a + b))`

**sympy [A]** time = 8.96, size = 280, normalized size = 6.22

$$\left\{ \begin{array}{ll} \frac{\infty x}{\tanh^2(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{x}{a} & \text{for } b = 0 \\ \frac{x - \frac{1}{d \tanh(c+dx)}}{b} & \text{for } a = 0 \\ \frac{dx \tanh^2(c+dx)}{2bd \tanh^2(c+dx) - 2bd} + \frac{dx}{2bd \tanh^2(c+dx) - 2bd} + \frac{\tanh(c+dx)}{2bd \tanh^2(c+dx) - 2bd} & \text{for } a = -b \\ \frac{x}{a+b \tanh^2(c)} & \text{for } d = 0 \\ \frac{2i\sqrt{a} dx \sqrt{\frac{1}{b}}}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{a} bd \sqrt{\frac{1}{b}}} + \frac{\log\left(-i\sqrt{a} \sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{a} bd \sqrt{\frac{1}{b}}} - \frac{\log\left(i\sqrt{a} \sqrt{\frac{1}{b}} + \tanh(c+dx)\right)}{2ia^2 d \sqrt{\frac{1}{b}} + 2i\sqrt{a} bd \sqrt{\frac{1}{b}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*tanh(d*x+c)**2), x)`

[Out] `Piecewise((zoo*x/tanh(c)**2, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x/a, Eq(b, 0)), ((x - 1/(d*tanh(c + d*x)))/b, Eq(a, 0)), (-d*x*tanh(c + d*x)**2/(2*b*d*tanh(c + d*x)**2 - 2*b*d) + d*x/(2*b*d*tanh(c + d*x)**2 - 2*b*d) + tanh(c + d*x)/(2*b*d*tanh(c + d*x)**2 - 2*b*d), Eq(a, -b)), (x/(a + b*tanh(c)**2), Eq(d, 0)), (2*I*sqrt(a)*d*x*sqrt(1/b)/(2*I*a**(3/2)*d*sqrt(1/b) + 2*I*sqrt(a)*b*d*sqrt(1/b)) + log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2)*d*sqrt(1/b) + 2*I*sqrt(a)*b*d*sqrt(1/b)) - log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))/(2*I*a**(3/2)*d*sqrt(1/b) + 2*I*sqrt(a)*b*d*sqrt(1/b)), True))`

$$3.176 \quad \int \frac{\coth(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=60

$$-\frac{b \log(a + b \tanh^2(c + dx))}{2ad(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} + \frac{\log(\tanh(c + dx))}{ad}$$

[Out] ln(cosh(d\*x+c))/(a+b)/d+ln(tanh(d\*x+c))/a/d-1/2\*b\*ln(a+b\*tanh(d\*x+c)^2)/a/(a+b)/d

**Rubi** [A] time = 0.10, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$-\frac{b \log(a + b \tanh^2(c + dx))}{2ad(a + b)} + \frac{\log(\cosh(c + dx))}{d(a + b)} + \frac{\log(\tanh(c + dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] Log[Cosh[c + d\*x]]/((a + b)\*d) + Log[Tanh[c + d\*x]]/(a\*d) - (b\*Log[a + b\*Tanh[c + d\*x]^2])/(2\*a\*(a + b)\*d)

### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration

a1Q[n]))

Rubi steps

$$\begin{aligned}
\int \frac{\coth(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)} dx, x, \tanh^2(c+dx)\right)}{2d} \\
&= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} + \frac{1}{ax} - \frac{b^2}{a(a+b)(a+bx)}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\
&= \frac{\log(\cosh(c+dx))}{(a+b)d} + \frac{\log(\tanh(c+dx))}{ad} - \frac{b \log(a+b \tanh^2(c+dx))}{2a(a+b)d}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 54, normalized size = 0.90

$$\frac{-b \log(a+b \tanh^2(c+dx)) + 2(a+b) \log(\tanh(c+dx)) + 2a \log(\cosh(c+dx))}{2ad(a+b)}$$

Antiderivative was successfully verified.

`[In] Integrate[Coth[c + d*x]/(a + b*Tanh[c + d*x]^2), x]``[Out] (2*a*Log[Cosh[c + d*x]] + 2*(a + b)*Log[Tanh[c + d*x]] - b*Log[a + b*Tanh[c + d*x]^2])/(2*a*(a + b)*d)`**fricas [B]** time = 0.45, size = 118, normalized size = 1.97

$$\frac{2adx + b \log\left(\frac{2((a+b)\cosh(dx+c)^2 + (a+b)\sinh(dx+c)^2 + a-b)}{\cosh(dx+c)^2 - 2\cosh(dx+c)\sinh(dx+c) + \sinh(dx+c)^2}\right) - 2(a+b) \log\left(\frac{2\sinh(dx+c)}{\cosh(dx+c) - \sinh(dx+c)}\right)}{2(a^2 + ab)d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(coth(d*x+c)/(a+b*tanh(d*x+c)^2), x, algorithm="fricas")``[Out] -1/2*(2*a*d*x + b*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) - 2*(a + b)*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))))/((a^2 + a*b)*d)`



**giac [A]** time = 0.18, size = 97, normalized size = 1.62

$$\frac{b \log(ae^{4dx+4c}) + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b}{a^2 + ab} + \frac{2(dx+c)}{a+b} - \frac{2 \log(|e^{2dx+2c} - 1|)}{a}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="giac")

[Out]  $-1/2*(b*\log(a*e^{4*d*x + 4*c}) + b*e^{4*d*x + 4*c} + 2*a*e^{2*d*x + 2*c} - 2*b*e^{2*d*x + 2*c} + a + b)/(a^2 + a*b) + 2*(d*x + c)/(a + b) - 2*\log(\text{abs}(e^{2*d*x + 2*c} - 1))/a)/d$

**maple [B]** time = 0.40, size = 121, normalized size = 2.02

$$\frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d(a+b)} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)} - \frac{b \ln\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a}{2da(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x)

[Out]  $-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)-1) - 1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)+1) - 1/2/d*b/a/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) + 1/d/a*\ln(\tanh(1/2*d*x+1/2*c))$

**maxima [A]** time = 0.33, size = 101, normalized size = 1.68

$$\frac{b \log(2(a-b)e^{-2dx-2c}) + (a+b)e^{-4dx-4c} + a + b}{2(a^2 + ab)d} + \frac{dx+c}{(a+b)d} + \frac{\log(e^{-dx-c} + 1)}{ad} + \frac{\log(e^{-dx-c} - 1)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="maxima")

[Out]  $-1/2*b*\log(2*(a - b)*e^{-2*d*x - 2*c}) + (a + b)*e^{-4*d*x - 4*c} + a + b)/((a^2 + a*b)*d) + (d*x + c)/((a + b)*d) + \log(e^{-d*x - c} + 1)/(a*d) + \log(e^{-d*x - c} - 1)/(a*d)$

**mupad [B]** time = 1.47, size = 194, normalized size = 3.23

$$\frac{\ln(12a^2b^2 + 4a^2b + 9b^3 - 9b^3e^{2c}e^{2dx} - 12a^2b^2e^{2c}e^{2dx} - 4a^2be^{2c}e^{2dx})}{ad} - \frac{b \ln(5ab + 2a^2 + 3b^2 + 4a^2e^{2c})}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(c + d*x)/(a + b*tanh(c + d*x)^2),x)
```

```
[Out] log(12*a*b^2 + 4*a^2*b + 9*b^3 - 9*b^3*exp(2*c)*exp(2*d*x) - 12*a*b^2*exp(2*c)*exp(2*d*x) - 4*a^2*b*exp(2*c)*exp(2*d*x))/(a*d) - (b*log(5*a*b + 2*a^2 + 3*b^2 + 4*a^2*exp(2*c)*exp(2*d*x) + 2*a^2*exp(4*c)*exp(4*d*x) - 6*b^2*exp(2*c)*exp(2*d*x) + 3*b^2*exp(4*c)*exp(4*d*x) + 2*a*b*exp(2*c)*exp(2*d*x) + 5*a*b*exp(4*c)*exp(4*d*x)))/(2*a^2*d + 2*a*b*d) - x/(a + b)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)/(a+b*tanh(d*x+c)**2),x)
```

```
[Out] Integral(coth(c + d*x)/(a + b*tanh(c + d*x)**2), x)
```

$$3.177 \quad \int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Optimal. Leaf size=60

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\coth(c+dx)}{ad}$$

[Out]  $x/(a+b) - b^{(3/2)} * \arctan(b^{(1/2)} * \tanh(d*x+c) / a^{(1/2)}) / a^{(3/2)} / (a+b) / d - \coth(d*x+c) / a/d$

**Rubi [A]** time = 0.11, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 480, 522, 206, 205}

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{x}{a+b} - \frac{\coth(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $x/(a+b) - (b^{(3/2)} * \text{ArcTan}[(\text{Sqrt}[b] * \text{Tanh}[c + d*x]) / \text{Sqrt}[a]]) / (a^{(3/2)} * (a + b) * d) - \text{Coth}[c + d*x] / (a*d)$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 480

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[((e\*x)^(m+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(a\*c\*e\*(m+1)), x] - Dist[1/(a\*c\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a+b\*x^n)^p\*(c+d\*x^n)^q\*Simp[(b\*c+a\*d)\*(m+n+1)+n\*(b\*c\*p+a\*d\*q)+b\*d\*(m+n\*(p+q+2)+1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c-a\*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b

, c, d, e, m, n, p, q, x]

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\coth^2(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\ &= -\frac{\coth(c+dx)}{ad} + \frac{\text{Subst}\left(\int \frac{a-b+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{ad} \\ &= -\frac{\coth(c+dx)}{ad} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} - \frac{b^2 \text{Subst}\left(\int \frac{1}{a+bx^2} dx, x, \tanh(c+dx)\right)}{a(a+b)d} \\ &= \frac{x}{a+b} - \frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}(a+b)d} - \frac{\coth(c+dx)}{ad} \end{aligned}$$

**Mathematica** [A] time = 0.19, size = 67, normalized size = 1.12

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}d(a+b)} + \frac{c+dx}{d(a+b)} - \frac{\coth(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2),x]

[Out] (c + d\*x)/((a + b)\*d) - (b^(3/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*(a + b)\*d) - Coth[c + d\*x]/(a\*d)

**fricas** [B] time = 0.45, size = 784, normalized size = 13.07

$$\frac{2 \operatorname{ad}x \cosh(dx + c)^2 + 4 \operatorname{ad}x \cosh(dx + c) \sinh(dx + c) + 2 \operatorname{ad}x \sinh(dx + c)^2 - 2 \operatorname{ad}x + (b \cosh(dx + c)^2 + 2$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="fricas")

[Out] [1/2\*(2\*a\*d\*x\*cosh(d\*x + c)^2 + 4\*a\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + 2\*a\*d\*x\*sinh(d\*x + c)^2 - 2\*a\*d\*x + (b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2 - b)\*sqrt(-b/a)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*sinh(d\*x + c)^2 + a^2 - a\*b)\*sqrt(-b/a))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b) - 4\*a - 4\*b)/((a^2 + a\*b)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*d\*sinh(d\*x + c)^2 - (a^2 + a\*b)\*d), (a\*d\*x\*cosh(d\*x + c)^2 + 2\*a\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c) + a\*d\*x\*sinh(d\*x + c)^2 - a\*d\*x - (b\*cosh(d\*x + c)^2 + 2\*b\*cosh(d\*x + c)\*sinh(d\*x + c) + b\*sinh(d\*x + c)^2 - b)\*sqrt(b/a)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(b/a)/b) - 2\*a - 2\*b)/((a^2 + a\*b)\*d\*cosh(d\*x + c)^2 + 2\*(a^2 + a\*b)\*d\*cosh(d\*x + c)\*sinh(d\*x + c) + (a^2 + a\*b)\*d\*sinh(d\*x + c)^2 - (a^2 + a\*b)\*d)]

**giac** [A] time = 0.21, size = 89, normalized size = 1.48

$$\frac{b^2 \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(a^2 + ab)\sqrt{ab}} - \frac{dx+c}{a+b} + \frac{2}{a(e^{(2dx+2c)} - 1)}$$


---


$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="giac")

[Out]  $-(b^2 \arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})) / ((a^2 + a*b)*\sqrt{a*b}) - (d*x + c)/(a + b) + 2/(a*(e^{(2*d*x + 2*c)} - 1))) / d$

**maple [B]** time = 0.40, size = 494, normalized size = 8.23

$$\frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d(a+b)} + \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)} - \frac{1}{2da \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)} + \frac{b^2 \operatorname{arctanh}\left(\frac{at}{\sqrt{(2\sqrt{a^2 + ab})}}\right)}{d(a+b)\sqrt{b(a+b)}\sqrt{(2\sqrt{a^2 + ab})}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x)

[Out]  $-1/2/d/a*\tanh(1/2*d*x+1/2*c)-1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)-1)+1/d/(a+b)*\ln(\tanh(1/2*d*x+1/2*c)+1)-1/2/d/a/\tanh(1/2*d*x+1/2*c)+1/d*b^2/(a+b)/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})-1/d*b^2/(a+b)/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*b^3/(a+b)/(b*(a+b))^{(1/2)/a/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}*\operatorname{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)})+1/d*b^2/(a+b)/(b*(a+b))^{(1/2)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*b^2/(a+b)/a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})+1/d*b^3/(a+b)/(b*(a+b))^{(1/2)/a/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}*\operatorname{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)})$

**maxima [B]** time = 0.47, size = 329, normalized size = 5.48

$$\frac{b \log\left((a+b)e^{(4dx+4c)} + 2(a-b)e^{(2dx+2c)} + a+b\right)}{4(a^2+ab)d} + \frac{b \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{4(a^2+ab)d} + \frac{(ab - b^2) \operatorname{arctan}\left(\frac{1}{2} \frac{e^{(2dx+2c)} + a - b}{\sqrt{a*b}}\right)}{\sqrt{(a^2+ab)*d}} - \frac{1}{4} \frac{(a*b - b^2) \operatorname{arctan}\left(\frac{1}{2} \frac{e^{(-2dx-2c)} + a - b}{\sqrt{a*b}}\right)}{\sqrt{(a^2+ab)*d}} + \frac{1}{2} \frac{b \operatorname{arctan}\left(\frac{1}{2} \frac{e^{(-2dx-2c)} + a - b}{\sqrt{a*b}}\right)}{\sqrt{(a^2+ab)*d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out]  $-1/4*b*\log((a+b)*e^{(4*d*x + 4*c)} + 2*(a-b)*e^{(2*d*x + 2*c)} + a + b)/((a^2 + a*b)*d) + 1/4*b*\log(2*(a-b)*e^{(-2*d*x - 2*c)} + (a+b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2 + a*b)*d) + 1/4*(a*b - b^2)*\operatorname{arctan}(1/2*((a+b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^2 + a*b)*\sqrt{a*b}*d) - 1/4*(a*b - b^2)*\operatorname{arctan}(1/2*((a+b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^2 + a*b)*\sqrt{a*b}*d) + 1/2*b*\operatorname{arctan}(1/2*((a+b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{(a^2 + a*b)*d})$

$(a*b)*a*d) + 1/2*\log(e^{(2*d*x + 2*c)} - 1)/(a*d) - 1/2*\log(e^{(-2*d*x - 2*c)} - 1)/(a*d) - 1/2/((a*e^{(2*d*x + 2*c)} - a)*d) + 3/2/((a*e^{(-2*d*x - 2*c)} - a)*d)$

**mupad [B]** time = 1.62, size = 402, normalized size = 6.70

$$\frac{x}{a+b} \frac{\operatorname{atan}\left(\left(e^{2c} e^{2dx} \left(\frac{4b^2}{ad(a+b)^3(a^2+ba)\sqrt{b^3}} + \frac{(a^3 d \sqrt{b^3} - a b^2 d \sqrt{b^3})(a-b)}{b^2(a+b)^2(a^2+ba)\sqrt{a^5 d^2 + 2a^4 b d^2 + a^3 b^2 d^2}}\sqrt{a^3 d^2(a+b)^2}\right)\right) + \frac{(a-b)(a^3 d \sqrt{b^3})}{b^2(a+b)^2(a^2+ba)\sqrt{a^5 d^2 + 2a^4 b d^2 + a^3 b^2 d^2}}}{\sqrt{a^5 d^2 + 2a^4 b d^2 + a^3 b^2 d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^2/(a + b*tanh(c + d*x)^2), x)`

[Out]  $x/(a+b) - (\operatorname{atan}(\exp(2c)*\exp(2d*x)*((4*b^2)/(a*d*(a+b)^3*(a*b+a^2)*(b^3)^{(1/2)})) + ((a^3*d*(b^3)^{(1/2)} - a*b^2*d*(b^3)^{(1/2)})*(a-b))/(b^2*(a+b)^2*(a*b+a^2)*(a^5*d^2 + 2*a^4*b*d^2 + a^3*b^2*d^2)^{(1/2)}*(a^3*d^2*(a+b)^2)^{(1/2)})) + ((a-b)*(a^3*d*(b^3)^{(1/2)} + a*b^2*d*(b^3)^{(1/2)} + 2*a^2*b*d*(b^3)^{(1/2)}))/(b^2*(a+b)^2*(a*b+a^2)*(a^5*d^2 + 2*a^4*b*d^2 + a^3*b^2*d^2)^{(1/2)}*(a^3*d^2*(a+b)^2)^{(1/2)})))/2 + (a*b^2*(a^5*d^2 + 2*a^4*b*d^2 + a^3*b^2*d^2)^{(1/2)})/(2 + a^2*b*(a^5*d^2 + 2*a^4*b*d^2 + a^3*b^2*d^2)^{(1/2)})*(b^3)^{(1/2)})/(a^5*d^2 + 2*a^4*b*d^2 + a^3*b^2*d^2)^{(1/2)} - 2/(a*d*(\exp(2c + 2*d*x) - 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**2/(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral(coth(c + d*x)**2/(a + b*tanh(c + d*x)**2), x)`

$$3.178 \quad \int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{b^2 \log(a + b \tanh^2(c + dx))}{2a^2 d(a + b)} + \frac{(a - b) \log(\tanh(c + dx))}{a^2 d} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\coth^2(c + dx)}{2ad}$$

[Out]  $-1/2*\coth(d*x+c)^2/a/d+\ln(\cosh(d*x+c))/(a+b)/d+(a-b)*\ln(\tanh(d*x+c))/a^2/d+1/2*b^2*\ln(a+b*\tanh(d*x+c)^2)/a^2/(a+b)/d$

**Rubi [A]** time = 0.14, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 72}

$$\frac{b^2 \log(a + b \tanh^2(c + dx))}{2a^2 d(a + b)} + \frac{(a - b) \log(\tanh(c + dx))}{a^2 d} + \frac{\log(\cosh(c + dx))}{d(a + b)} - \frac{\coth^2(c + dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $-\text{Coth}[c + d*x]^2/(2*a*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)*d) + ((a - b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^2*d) + (b^2*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^2*(a + b)*d)$

### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration



a1Q[n]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\coth^3(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)} dx, x, \tanh^2(c+dx)\right)}{2d} \\
 &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)(-1+x)} + \frac{1}{ax^2} + \frac{a-b}{a^2x} + \frac{b^3}{a^2(a+b)(a+bx)}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\
 &= -\frac{\coth^2(c+dx)}{2ad} + \frac{\log(\cosh(c+dx))}{(a+b)d} + \frac{(a-b)\log(\tanh(c+dx))}{a^2d} + \frac{b^2 \log(a+bx)}{2a^2(a+b)}
 \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 60, normalized size = 0.71

$$-\frac{\frac{b^2 \log(a \coth^2(c+dx)+b)}{a^2(a+b)} - \frac{2 \log(\sinh(c+dx))}{a+b} + \frac{\coth^2(c+dx)}{a}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/2\*(Coth[c + d\*x]^2/a - (b^2\*Log[b + a\*Coth[c + d\*x]^2])/(a^2\*(a + b)) - (2\*Log[Sinh[c + d\*x]])/(a + b))/d

**fricas [B]** time = 0.52, size = 747, normalized size = 8.79

$$\frac{2 a^2 dx \cosh(dx + c)^4 + 8 a^2 dx \cosh(dx + c) \sinh(dx + c)^3 + 2 a^2 dx \sinh(dx + c)^4 + 2 a^2 dx - 4(a^2 dx - a^2 - a b) \cosh(dx + c)^2 + 4(3 a^2 dx \cosh(dx + c)^2 - a^2 dx + a^2 + a b) \sinh(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] -1/2\*(2\*a^2\*d\*x\*cosh(d\*x + c)^4 + 8\*a^2\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*a^2\*d\*x\*sinh(d\*x + c)^4 + 2\*a^2\*d\*x - 4\*(a^2\*d\*x - a^2 - a\*b)\*cosh(d\*x + c)^2 + 4\*(3\*a^2\*d\*x\*cosh(d\*x + c)^2 - a^2\*d\*x + a^2 + a\*b)\*sinh(d\*x + c)^2)

$$\begin{aligned}
& - (b^2 \cosh(dx + c)^4 + 4b^2 \cosh(dx + c) \sinh(dx + c)^3 + b^2 \sinh(dx + c)^4 - 2b^2 \cosh(dx + c)^2 + 2(3b^2 \cosh(dx + c)^2 - b^2) \sinh(dx + c)^2 + b^2 + 4(b^2 \cosh(dx + c)^3 - b^2 \cosh(dx + c)) \sinh(dx + c)) \\
& \log(2((a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a - b) / (\cosh(dx + c)^2 - 2 \cosh(dx + c) \sinh(dx + c) + \sinh(dx + c)^2)) - 2((a^2 - b^2) \cosh(dx + c)^4 + 4(a^2 - b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 - b^2) \sinh(dx + c)^4 - 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 - b^2) \cosh(dx + c)^2 - a^2 + b^2) \sinh(dx + c)^2 + a^2 - b^2 + 4((a^2 - b^2) \cosh(dx + c)^3 - (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c)) \log(2 \sinh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 8(a^2 dx \cosh(dx + c)^3 - (a^2 dx - a^2 - a^2 b) \cosh(dx + c) \sinh(dx + c)) / ((a^3 + a^2 b) d \cosh(dx + c)^4 + 4(a^3 + a^2 b) d \cosh(dx + c) \sinh(dx + c)^3 + (a^3 + a^2 b) d \sinh(dx + c)^4 - 2(a^3 + a^2 b) d \cosh(dx + c)^2 + 2(3(a^3 + a^2 b) d \cosh(dx + c)^2 - (a^3 + a^2 b) d) \sinh(dx + c)^2 + (a^3 + a^2 b) d + 4((a^3 + a^2 b) d \cosh(dx + c)^3 - (a^3 + a^2 b) d \cosh(dx + c)) \sinh(dx + c))
\end{aligned}$$

**giac [A]** time = 0.25, size = 133, normalized size = 1.56

$$\frac{b^2 \log(ae^{4dx+4c} + be^{4dx+4c}) + 2ae^{2dx+2c} - 2be^{2dx+2c} + a + b}{a^3 + a^2 b} - \frac{2(dx+c)}{a+b} + \frac{2(a-b) \log(|e^{2dx+2c} - 1|)}{a^2} - \frac{4e^{2dx+2c}}{a(e^{2dx+2c} - 1)^2}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^3/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{2} * (b^2 * \log(a * e^{(4 * dx + 4 * c)} + b * e^{(4 * dx + 4 * c)} + 2 * a * e^{(2 * dx + 2 * c)} - 2 * b * e^{(2 * dx + 2 * c)} + a + b) / (a^3 + a^2 * b) - 2 * (dx + c) / (a + b) + 2 * (a - b) * \log(\text{abs}(e^{(2 * dx + 2 * c)} - 1)) / a^2 - 4 * e^{(2 * dx + 2 * c)} / (a * (e^{(2 * dx + 2 * c)} - 1)^2)) / d$

**maple [B]** time = 0.42, size = 180, normalized size = 2.12

$$\frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d(a+b)} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)} + \frac{b^2 \ln\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) a + 2 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{2d a^2 (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(dx+c)^3/(a+b\*tanh(dx+c)^2),x)

[Out]  $-1/8/d/a * \tanh(1/2 * dx + 1/2 * c)^2 - 1/d/(a+b) * \ln(\tanh(1/2 * dx + 1/2 * c) - 1) - 1/d/(a+b) * \ln(\tanh(1/2 * dx + 1/2 * c) + 1) + 1/2/d * b^2/a^2/(a+b) * \ln(\tanh(1/2 * dx + 1/2 * c)^4 * a + 2 * \tanh(1/2 * dx + 1/2 * c)^2 * a + 4 * \tanh(1/2 * dx + 1/2 * c)^2 * b + a) - 1/8/d/a * \tanh(1/2 * dx + 1/2 * c)^2 + 1/d/a * \ln(\tanh(1/2 * dx + 1/2 * c)) - 1/d/a^2 * b * \ln(\tanh(1/2 * dx + 1/2 * c))$

**maxima** [A] time = 0.33, size = 159, normalized size = 1.87

$$\frac{b^2 \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(a^3+a^2b)d} + \frac{dx+c}{(a+b)d} + \frac{2e^{(-2dx-2c)}}{(2ae^{(-2dx-2c)} - ae^{(-4dx-4c)} - a)d} + \frac{(a-b)\log\left(\frac{e^{(-dx-c)} + 1}{e^{(-dx-c)} - 1}\right)}{(a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 1/2\*b^2\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/((a^3 + a^2\*b)\*d) + (d\*x + c)/((a + b)\*d) + 2\*e^(-2\*d\*x - 2\*c)/((2\*a\*e^(-2\*d\*x - 2\*c) - a\*e^(-4\*d\*x - 4\*c) - a)\*d) + (a - b)\*log(e^(-d\*x - c) + 1)/(a^2\*d) + (a - b)\*log(e^(-d\*x - c) - 1)/(a^2\*d)

**mupad** [B] time = 1.54, size = 313, normalized size = 3.68

$$\frac{b^2 \ln\left(3ab^2 - 2a^2b - 2a^3 + 3b^3 - 4a^3e^{2c}e^{2dx} - 2a^3e^{4c}e^{4dx} - 6b^3e^{2c}e^{2dx} + 3b^3e^{4c}e^{4dx} + 6ab^2e^{2c}e^{2dx}\right)}{2da^3 + 2bda^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2),x)

[Out] (b^2\*log(3\*a\*b^2 - 2\*a^2\*b - 2\*a^3 + 3\*b^3 - 4\*a^3\*exp(2\*c)\*exp(2\*d\*x) - 2\*a^3\*exp(4\*c)\*exp(4\*d\*x) - 6\*b^3\*exp(2\*c)\*exp(2\*d\*x) + 3\*b^3\*exp(4\*c)\*exp(4\*d\*x) + 6\*a\*b^2\*exp(2\*c)\*exp(2\*d\*x) + 4\*a^2\*b\*exp(2\*c)\*exp(2\*d\*x) + 3\*a\*b^2\*exp(4\*c)\*exp(4\*d\*x) - 2\*a^2\*b\*exp(4\*c)\*exp(4\*d\*x))/(2\*a^3\*d + 2\*a^2\*b\*d) - x/(a + b) - 2/(a\*d\*(exp(4\*c + 4\*d\*x) - 2\*exp(2\*c + 2\*d\*x) + 1)) + (log(4\*a^4\*b + 9\*b^5 - 12\*a^2\*b^3 - 9\*b^5\*exp(2\*c)\*exp(2\*d\*x) - 4\*a^4\*b\*exp(2\*c)\*exp(2\*d\*x) + 12\*a^2\*b^3\*exp(2\*c)\*exp(2\*d\*x))\*(a - b))/(a^2\*d) - (2\*(a\*b + a^2))/(a^2\*d\*(exp(2\*c + 2\*d\*x) - 1)\*(a + b))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(c + dx)}{a + b \tanh^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2),x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2), x)

$$3.179 \quad \int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

**Optimal.** Leaf size=82

$$\frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d(a+b)} - \frac{(a-b) \coth(c+dx)}{a^2d} + \frac{x}{a+b} - \frac{\coth^3(c+dx)}{3ad}$$

[Out] x/(a+b)+b^(5/2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(5/2)/(a+b)/d-(a-b)\*coth(d\*x+c)/a^2/d-1/3\*coth(d\*x+c)^3/a/d

**Rubi [A]** time = 0.18, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 480, 583, 522, 206, 205}

$$\frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}d(a+b)} - \frac{(a-b) \coth(c+dx)}{a^2d} + \frac{x}{a+b} - \frac{\coth^3(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] x/(a + b) + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)\*d) - ((a - b)\*Coth[c + d\*x])/(a^2\*d) - Coth[c + d\*x]^3/(3\*a\*d)

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 480**

Int[((e\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[((e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*e^(m + 1)), x] - Dist[1/(a\*c\*e^(m + 1)), Int[(e\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[(b\*c + a\*d)\*(m + n + 1) + n\*(b\*c\*p + a\*d\*q) + b\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b

, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 583

Int[((g\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(e\*(g\*x)^(m+1)\*(a + b\*x^n)^(p+1)\*(c + d\*x^n)^(q+1))/(a\*c\*g\*(m+1)), x] + Dist[1/(a\*c\*g^n\*(m+1)), Int[(g\*x)^(m+n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m+1) - e\*(b\*c + a\*d)\*(m+n+1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m+n\*(p+q+2) + 1)\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_))\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\coth^3(c+dx)}{3ad} + \frac{\text{Subst}\left(\int \frac{3(a-b)+3bx^2}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{3ad} \\
&= -\frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad} - \frac{\text{Subst}\left(\int \frac{-3(a^2-ab+b^2)-3(a-b)bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{3a^2d} \\
&= -\frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} + \frac{b^3 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{(a+b)d} \\
&= \frac{x}{a+b} + \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)d} - \frac{(a-b)\coth(c+dx)}{a^2d} - \frac{\coth^3(c+dx)}{3ad}
\end{aligned}$$

**Mathematica [A]** time = 0.71, size = 91, normalized size = 1.11

$$\frac{6 \left( \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + c+dx \right)}{a+b} - \frac{\coth(c+dx) \text{csch}^2(c+dx) ((4a-3b) \cosh(2(c+dx)) - 2a+3b)}{a^2}}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2), x]

[Out] ((6\*(c + d\*x + (b^(5/2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2)))/(a + b) - ((-2\*a + 3\*b + (4\*a - 3\*b)\*Cosh[2\*(c + d\*x)])\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/a^2)/(6\*d)

**fricas [B]** time = 0.46, size = 2368, normalized size = 28.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")

[Out] [1/6\*(6\*a^2\*d\*x\*cosh(d\*x + c)^6 + 36\*a^2\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + 6\*a^2\*d\*x\*sinh(d\*x + c)^6 - 6\*(3\*a^2\*d\*x + 4\*a^2 + 2\*a\*b - 2\*b^2)\*cosh(d\*

$$\begin{aligned}
& x + c)^4 + 6*(15*a^2*d*x*cosh(d*x + c)^2 - 3*a^2*d*x - 4*a^2 - 2*a*b + 2*b^2)*sinh(d*x + c)^4 - 6*a^2*d*x + 24*(5*a^2*d*x*cosh(d*x + c)^3 - (3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 6*(3*a^2*d*x + 4*a^2 - 4*b^2)*cosh(d*x + c)^2 + 6*(15*a^2*d*x*cosh(d*x + c)^4 + 3*a^2*d*x - 6*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^2 + 4*a^2 - 4*b^2)*sinh(d*x + c)^2 + 3*(b^2*cosh(d*x + c)^6 + 6*b^2*cosh(d*x + c)*sinh(d*x + c)^5 + b^2*sinh(d*x + c)^6 - 3*b^2*cosh(d*x + c)^4 + 3*(5*b^2*cosh(d*x + c)^2 - b^2)*sinh(d*x + c)^4 + 3*b^2*cosh(d*x + c)^2 + 4*(5*b^2*cosh(d*x + c)^3 - 3*b^2*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(5*b^2*cosh(d*x + c)^4 - 6*b^2*cosh(d*x + c)^2 + b^2)*sinh(d*x + c)^2 - b^2 + 6*(b^2*cosh(d*x + c)^5 - 2*b^2*cosh(d*x + c)^3 + b^2*cosh(d*x + c))*sinh(d*x + c))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - 16*a^2 - 4*a*b + 12*b^2 + 12*(3*a^2*d*x*cosh(d*x + c)^5 - 2*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^3 + (3*a^2*d*x + 4*a^2 - 4*b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^3 + a^2*b)*d*cosh(d*x + c)^6 + 6*(a^3 + a^2*b)*d*cosh(d*x + c)*sinh(d*x + c)^5 + (a^3 + a^2*b)*d*sinh(d*x + c)^6 - 3*(a^3 + a^2*b)*d*cosh(d*x + c)^4 + 3*(5*(a^3 + a^2*b)*d*cosh(d*x + c)^2 - (a^3 + a^2*b)*d)*sinh(d*x + c)^4 + 3*(a^3 + a^2*b)*d*cosh(d*x + c)^2 + 4*(5*(a^3 + a^2*b)*d*cosh(d*x + c)^3 - 3*(a^3 + a^2*b)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(5*(a^3 + a^2*b)*d*cosh(d*x + c)^4 - 6*(a^3 + a^2*b)*d*cosh(d*x + c)^2 + (a^3 + a^2*b)*d)*sinh(d*x + c)^2 - (a^3 + a^2*b)*d + 6*((a^3 + a^2*b)*d*cosh(d*x + c)^5 - 2*(a^3 + a^2*b)*d*cosh(d*x + c)^3 + (a^3 + a^2*b)*d*cosh(d*x + c))*sinh(d*x + c)), 1/3*(3*a^2*d*x*cosh(d*x + c)^6 + 18*a^2*d*x*cosh(d*x + c)*sinh(d*x + c)^5 + 3*a^2*d*x*sinh(d*x + c)^6 - 3*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^4 + 3*(15*a^2*d*x*cosh(d*x + c)^2 - 3*a^2*d*x - 4*a^2 - 2*a*b + 2*b^2)*sinh(d*x + c)^4 - 3*a^2*d*x + 12*(5*a^2*d*x*cosh(d*x + c)^3 - (3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(3*a^2*d*x + 4*a^2 - 4*b^2)*cosh(d*x + c)^2 + 3*(15*a^2*d*x*cosh(d*x + c)^4 + 3*a^2*d*x - 6*(3*a^2*d*x + 4*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^2 + 4*a^2 - 4*b^2)*sinh(d*x + c)^2 + 3*(b^2*cosh(d*x + c)^6 + 6*b^2*cosh(d*x + c)*sinh(d*x + c)^5 + b^2*sinh(d*x + c)^6 - 3*b^2*cosh(d*x + c)^4 + 3*(5*b^2*cosh(d*x + c)^2 - b^2)*sinh(d*x + c)^4 + 3*b^2*cosh(d*x + c)^2 + 4*(5*b^2*cosh(d*x + c)^3 - 3*b^2*cosh(d*x + c))*sinh(d*x + c)^3 + 3*(5*b^2*cosh(d*x + c)^4 - 6*b^2*cosh(d*x + c)^2 + b^2)*sinh(d*x + c)^2 - b^2 + 6*(b^2*cosh(d*x + c)^5 - 2*b^2*cosh(d*x + c)^3 + b^2*cosh(d*x + c))*sinh(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x +
\end{aligned}$$

$$\begin{aligned} & c)^2 + a - b) \sqrt{b/a}/b - 8a^2 - 2ab + 6b^2 + 6(3a^2 dx \cosh(dx \\ & + c)^5 - 2(3a^2 dx + 4a^2 + 2ab - 2b^2) \cosh(dx + c)^3 + (3a^2 dx \\ & x + 4a^2 - 4b^2) \cosh(dx + c) \sinh(dx + c)) / ((a^3 + a^2 b) d \cosh(dx \\ & + c)^6 + 6(a^3 + a^2 b) d \cosh(dx + c) \sinh(dx + c)^5 + (a^3 + a^2 b) d \\ & \sinh(dx + c)^6 - 3(a^3 + a^2 b) d \cosh(dx + c)^4 + 3(5(a^3 + a^2 b) d \\ & \cosh(dx + c)^2 - (a^3 + a^2 b) d) \sinh(dx + c)^4 + 3(a^3 + a^2 b) d \cosh \\ & (dx + c)^2 + 4(5(a^3 + a^2 b) d \cosh(dx + c)^3 - 3(a^3 + a^2 b) d \cosh \\ & (dx + c) \sinh(dx + c)^3 + 3(5(a^3 + a^2 b) d \cosh(dx + c)^4 - 6(a^3 \\ & + a^2 b) d \cosh(dx + c)^2 + (a^3 + a^2 b) d) \sinh(dx + c)^2 - (a^3 + a^2 b \\ & b) d + 6((a^3 + a^2 b) d \cosh(dx + c)^5 - 2(a^3 + a^2 b) d \cosh(dx + c) \\ & ^3 + (a^3 + a^2 b) d \cosh(dx + c) \sinh(dx + c))] \end{aligned}$$

**giac [B]** time = 0.25, size = 147, normalized size = 1.79

$$\frac{3b^3 \arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right) + \frac{3(dx+c)}{a+b} - \frac{2(6ae^{(4dx+4c)} - 3be^{(4dx+4c)} - 6ae^{(2dx+2c)} + 6be^{(2dx+2c)} + 4a - 3b)}{a^2(e^{(2dx+2c)} - 1)^3}}{(a^3 + a^2 b) \sqrt{ab}}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^4/(a+b\*tanh(dx+c)^2),x, algorithm="giac")

[Out]  $\frac{1}{3} \cdot (3b^3 \arctan(1/2 \cdot (a \cdot e^{(2dx+2c)} + b \cdot e^{(2dx+2c)} + a - b) / \sqrt{a \cdot b})) / ((a^3 + a^2 b) \sqrt{a \cdot b}) + 3 \cdot (dx + c) / (a + b) - 2 \cdot (6 \cdot a \cdot e^{(4dx+4c)} - 3 \cdot b \cdot e^{(4dx+4c)} - 6 \cdot a \cdot e^{(2dx+2c)} + 6 \cdot b \cdot e^{(2dx+2c)} + 4 \cdot a - 3 \cdot b) / (a^2 \cdot (e^{(2dx+2c)} - 1)^3) / d$

**maple [B]** time = 0.48, size = 580, normalized size = 7.07

$$\frac{\tanh^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{24da} - \frac{5 \tanh\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da} + \frac{\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) b}{2d a^2} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d(a+b)} + \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)} - \frac{b}{d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(dx+c)^4/(a+b\*tanh(dx+c)^2),x)

[Out]  $-1/24/d/a \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c)^3 - 5/8/d/a \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c) + 1/2/d/a^2 \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c) \cdot b - 1/d/(a+b) \cdot \ln(\tanh(1/2 \cdot dx + 1/2 \cdot c) - 1) + 1/d/(a+b) \cdot \ln(\tanh(1/2 \cdot dx + 1/2 \cdot c) + 1) - 1/d \cdot b^3/(a+b) / (b \cdot (a+b))^{(1/2)} / a / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)} \cdot \arctanh(a \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c) / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)}) + 1/d \cdot b^3/(a+b) / a^2 / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)} \cdot \arctanh(a \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c) / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)}) - 1/d \cdot b^4/(a+b) / a^2 / (b \cdot (a+b))^{(1/2)} / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)} \cdot \arctanh(a \cdot \tanh(1/2 \cdot dx + 1/2 \cdot c) / ((2 \cdot (b \cdot (a+b))^{(1/2)} - a - 2 \cdot b) \cdot a)^{(1/2)})$



$$b*(a+b)^{(1/2)-a-2*b)*a^{(1/2)}-1/d*b^3/(a+b)/(b*(a+b))^{(1/2)}/a/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}))-1/d*b^3/(a+b)/a^2/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}))-1/d*b^4/(a+b)/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}*\arctan(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)+a+2*b)*a^{(1/2)}))-1/24/d/a/\tanh(1/2*d*x+1/2*c)^3-5/8/d/a/\tanh(1/2*d*x+1/2*c)+1/2/d*b/a^2/\tanh(1/2*d*x+1/2*c)$$

**maxima [B]** time = 0.61, size = 1038, normalized size = 12.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/8*(a*b - b^2)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^3 + a^2*b)*d) + 1/8*(a*b - b^2)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^3 + a^2*b)*d) + 1/16*(a^2*b - 6*a*b^2 + b^3)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^3 + a^2*b)*\sqrt{a*b}*d) - 1/16*(a^2*b - 6*a*b^2 + b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^3 + a^2*b)*\sqrt{a*b}*d) - 1/24*(3*(12*a - b)*e^{(4*d*x + 4*c)} - 6*(9*a - b)*e^{(2*d*x + 2*c)} + 22*a - 3*b)/((a^2*e^{(6*d*x + 6*c)} - 3*a^2*e^{(4*d*x + 4*c)} + 3*a^2*e^{(2*d*x + 2*c)} - a^2)*d) - 1/6*(3*(4*a - b)*e^{(4*d*x + 4*c)} - 6*(2*a - b)*e^{(2*d*x + 2*c)} + 4*a - 3*b)/((a^2*e^{(6*d*x + 6*c)} - 3*a^2*e^{(4*d*x + 4*c)} + 3*a^2*e^{(2*d*x + 2*c)} - a^2)*d) - 1/24*(6*(9*a - b)*e^{(-2*d*x - 2*c)} - 3*(12*a - b)*e^{(-4*d*x - 4*c)} - 2*2*a + 3*b)/((3*a^2*e^{(-2*d*x - 2*c)} - 3*a^2*e^{(-4*d*x - 4*c)} + a^2*e^{(-6*d*x - 6*c)} - a^2)*d) - 1/6*(6*(2*a - b)*e^{(-2*d*x - 2*c)} - 3*(4*a - b)*e^{(-4*d*x - 4*c)} - 4*a + 3*b)/((3*a^2*e^{(-2*d*x - 2*c)} - 3*a^2*e^{(-4*d*x - 4*c)} + a^2*e^{(-6*d*x - 6*c)} - a^2)*d) + 1/4*(6*(a + b)*e^{(-2*d*x - 2*c)} - 3*b*e^{(-4*d*x - 4*c)} - 2*a - 3*b)/((3*a^2*e^{(-2*d*x - 2*c)} - 3*a^2*e^{(-4*d*x - 4*c)} + a^2*e^{(-6*d*x - 6*c)} - a^2)*d) + 1/4*b*log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/(a^2*d) - 1/4*b*log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/(a^2*d) + 1/4*(2*a - b)*log(e^{(2*d*x + 2*c)} - 1)/(a^2*d) - 1/2*b*log(e^{(2*d*x + 2*c)} - 1)/(a^2*d) - 1/4*(2*a - b)*log(e^{(-2*d*x - 2*c)} - 1)/(a^2*d) + 1/2*b*log(e^{(-2*d*x - 2*c)} - 1)/(a^2*d) - 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a^2*d) - 3/8*(a*b + b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a^2*d) + 1/4*(a*b - b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a^2*d) \end{aligned}$$

**mupad [B]** time = 1.61, size = 519, normalized size = 6.33

$$\frac{x}{a+b} + \frac{\operatorname{atan}\left(\left(e^{2c} e^{2dx} \left(\frac{4b^3}{a^2 d (a+b)^3 (a^3+b a^2) \sqrt{b^5}} + \frac{(a^4 d \sqrt{b^5} - a^2 b^2 d \sqrt{b^5})(a-b)}{b^3 (a+b)^2 (a^3+b a^2) \sqrt{a^7 d^2 + 2a^6 b d^2 + a^5 b^2 d^2}}\right)\right) + \frac{(a-b)(a^4 d)}{b^3 (a+b)^2 (a^3+b a^2)}}{\sqrt{a^7}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(c + d*x)^4/(a + b*tanh(c + d*x)^2), x)`

[Out]  $x/(a+b) + (\operatorname{atan}((\exp(2*c)*\exp(2*d*x))*((4*b^3)/(a^2*d*(a+b)^3*(a^2*b+a^3)*(b^5)^{(1/2)})) + ((a^4*d*(b^5)^{(1/2)} - a^2*b^2*d*(b^5)^{(1/2)})*(a-b))/(b^3*(a+b)^2*(a^2*b+a^3)*(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)}*(a^5*d^2*(a+b)^2)^{(1/2)})) + ((a-b)*(a^4*d*(b^5)^{(1/2)} + 2*a^3*b*d*(b^5)^{(1/2)} + a^2*b^2*d*(b^5)^{(1/2)}))/(b^3*(a+b)^2*(a^2*b+a^3)*(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)}*(a^5*d^2*(a+b)^2)^{(1/2)})))*((a^4*(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)})/2 + a^3*b*(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)})/(a^2*b^2*(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)})*(b^5)^{(1/2)})/(a^7*d^2+2*a^6*b*d^2+a^5*b^2*d^2)^{(1/2)} - 8/(3*a*d*(3*\exp(2*c+2*d*x) - 3*\exp(4*c+4*d*x) + \exp(6*c+6*d*x) - 1)) - (4*(a*b+a^2))/(a^2*d*(a+b)*(exp(4*c+4*d*x) - 2*\exp(2*c+2*d*x) + 1)) - (2*(a*b+2*a^2-b^2))/(a^2*d*(exp(2*c+2*d*x) - 1)*(a+b))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^4(c+dx)}{a+b \tanh^2(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)**4/(a+b*tanh(d*x+c)**2), x)`

[Out] `Integral(coth(c + d*x)**4/(a + b*tanh(c + d*x)**2), x)`

$$3.180 \quad \int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=83

$$-\frac{a^2}{2b^2d(a+b)(a+b \tanh^2(c+dx))} - \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{2b^2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^{2/d}-1/2*a*(a+2*b)*\ln(a+b*\tanh(d*x+c)^2)/b^2/(a+b)^{2/d}-1/2*a^2/b^2/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.15, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$-\frac{a^2}{2b^2d(a+b)(a+b \tanh^2(c+dx))} - \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{2b^2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)^{2*d}) - (a*(a + 2*b)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/((2*b^2*(a + b)^{2*d}) - a^2/(2*b^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f

$f^2 x^2), x], x, (c \cdot \text{Tan}[e + f \cdot x])/ff], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^5(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{a^2}{b(a+b)(a+bx)^2} - \frac{a(a+2b)}{b(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} - \frac{a(a + 2b) \log(a + b \tanh^2(c + dx))}{2b^2(a + b)^2 d} - \frac{a^2}{2b^2(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.56, size = 69, normalized size = 0.83

$$\frac{\frac{a^2(a+b)}{b^2(a+b \tanh^2(c+dx))} + \frac{a(a+2b) \log(a+b \tanh^2(c+dx))}{b^2} - 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/2\*(-2\*Log[Cosh[c + d\*x]] + (a\*(a + 2\*b)\*Log[a + b\*Tanh[c + d\*x]^2])/b^2 + (a^2\*(a + b))/(b^2\*(a + b\*Tanh[c + d\*x]^2)))/((a + b)^2\*d)

**fricas [B]** time = 0.55, size = 1141, normalized size = 13.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] -1/2\*(2\*(a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)^4 + 8\*(a\*b^2 + b^3)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*(a\*b^2 + b^3)\*d\*x\*sinh(d\*x + c)^4 + 2\*(a\*b^2 + b^3)\*

$d*x + 4*(a^2*b + (a*b^2 - b^3)*d*x)*\cosh(d*x + c)^2 + 4*(3*(a*b^2 + b^3)*d*x*\cosh(d*x + c)^2 + a^2*b + (a*b^2 - b^3)*d*x)*\sinh(d*x + c)^2 + ((a^3 + 3*a^2*b + 2*a*b^2)*\cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 2*a*b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 2*a*b^2)*\sinh(d*x + c)^4 + a^3 + 3*a^2*b + 2*a*b^2 + 2*(a^3 + a^2*b - 2*a*b^2)*\cosh(d*x + c)^2 + 2*(a^3 + a^2*b - 2*a*b^2 + 3*(a^3 + 3*a^2*b + 2*a*b^2)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*((a^3 + 3*a^2*b + 2*a*b^2)*\cosh(d*x + c)^3 + (a^3 + a^2*b - 2*a*b^2)*\cosh(d*x + c))*\sinh(d*x + c)*\log(2*((a + b)*\cosh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^2 + a - b)/(\cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(d*x + c))*\sinh(d*x + c)*\log(2*\cosh(d*x + c)/(\cosh(d*x + c) - \sinh(d*x + c))) + 8*((a*b^2 + b^3)*d*x*\cosh(d*x + c)^3 + (a^2*b + (a*b^2 - b^3)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*\cosh(d*x + c)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*\sinh(d*x + c)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*d*\cosh(d*x + c)^2 + 2*(3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*\cosh(d*x + c)^2 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*d)*\sinh(d*x + c)^2 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*d*\cosh(d*x + c)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))$

**giac [B]** time = 0.45, size = 194, normalized size = 2.34

$$\frac{(a^2+2ab)\log(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}{a^2b^2+2ab^3+b^4} + \frac{2(dx+c)}{a^2+2ab+b^2} + \frac{4a^2e^{(2dx+2c)}}{(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^5/(a+b\*tanh(dx+c)^2)^2,x, algorithm="giac")

[Out]  $-1/2*((a^2 + 2*a*b)*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^2*b^2 + 2*a*b^3 + b^4) + 2*(d*x + c)/(a^2 + 2*a*b + b^2) + 4*a^2*e^{(2*d*x + 2*c)}/((a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)*(a + b)^{2*b} - 2*\log(e^{(2*d*x + 2*c)} + 1)/b^2)/d$

**maple [A]** time = 0.10, size = 156, normalized size = 1.88

$$\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} - \frac{a^2 \ln(a+b(\tanh^2(dx+c)))}{2d(a+b)^2 b^2} - \frac{a \ln(a+b(\tanh^2(dx+c)))}{d(a+b)^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2)^2,x)`

[Out] 
$$-1/2/d/(a+b)^2*\ln(\tanh(d*x+c)-1)-1/2/d/(a+b)^2*\ln(1+\tanh(d*x+c))-1/2/d*a^2/(a+b)^2/b^2*\ln(a+b*\tanh(d*x+c)^2)-1/d*a/(a+b)^2/b*\ln(a+b*\tanh(d*x+c)^2)-1/2/d*a^3/(a+b)^2/b^2/(a+b*\tanh(d*x+c)^2)-1/2/d*a^2/(a+b)^2/b/(a+b*\tanh(d*x+c)^2)$$

**maxima** [B] time = 0.44, size = 217, normalized size = 2.61

$$\frac{2a^2e^{(-2dx-2c)}}{(a^3b + 3a^2b^2 + 3ab^3 + b^4 + 2(a^3b + a^2b^2 - ab^3 - b^4)e^{(-2dx-2c)} + (a^3b + 3a^2b^2 + 3ab^3 + b^4)e^{(-4dx-4c)})d} \frac{(a^2 + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^5/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out] 
$$-2*a^2*e^{(-2*d*x - 2*c)/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*e^{(-2*d*x - 2*c)} + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*e^{(-4*d*x - 4*c)})*d} - 1/2*(a^2 + 2*a*b)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2*b^2 + 2*a*b^3 + b^4)*d) + (d*x + c)/((a^2 + 2*a*b + b^2)*d) + \log(e^{(-2*d*x - 2*c)} + 1)/(b^2*d)$$

**mupad** [B] time = 1.61, size = 170, normalized size = 2.05

$$\frac{a^2}{2(d a^2 b^2 + d a b^3 \tanh(c + d x)^2 + d a b^3 + d b^4 \tanh(c + d x)^2)} - \frac{\ln(\tanh(c + d x)^2 - 1)}{2(d a^2 + 2 d a b + d b^2)} - \frac{a^2 \ln(b \tanh(c + d x)^2)}{2(d a^2 b^2 + 2 d a b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(c + d*x)^5/(a + b*tanh(c + d*x)^2)^2,x)`

[Out] 
$$-a^2/(2*(a^2*b^2*d + b^4*d*tanh(c + d*x)^2 + a*b^3*d + a*b^3*d*tanh(c + d*x)^2)) - \log(\tanh(c + d*x)^2 - 1)/(2*(a^2*d + b^2*d + 2*a*b*d)) - (a^2*\log(a + b*tanh(c + d*x)^2))/(2*(b^4*d + a^2*b^2*d + 2*a*b^3*d)) - (a*b*\log(a + b*tanh(c + d*x)^2))/(b^4*d + a^2*b^2*d + 2*a*b^3*d)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)**5/(a+b*tanh(d*x+c)**2)**2,x)`

[Out] Timed out

$$3.181 \quad \int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=89

$$-\frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}d(a+b)^2} + \frac{a \tanh(c+dx)}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out]  $x/(a+b)^2 - 1/2*(a+3*b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*a^{(1/2)}/b^{(3/2)}/(a+b)^2/d + 1/2*a*\tanh(d*x+c)/b/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.12, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 470, 522, 206, 205}

$$-\frac{\sqrt{a}(a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}d(a+b)^2} + \frac{a \tanh(c+dx)}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $x/(a+b)^2 - (\text{Sqrt}[a]*(a+3*b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(2*b^{(3/2)}*(a+b)^2*d) + (a*\text{Tanh}[c+d*x])/(2*b*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2))$

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 470

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> -Simp[(a\*e^(2\*n-1)\*(e\*x)^(m-2\*n+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(b\*n\*(b\*c-a\*d)\*(p+1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c-a\*d)\*(p+1)), Int[(e\*x)^(m-2\*n)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1), x]]

$n)^q \text{Simp}[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m - n + 1, n] \&\& \text{IntBinomialQ}[a, b, c, d, e, m, n, p, q, x]$

### Rule 522

$\text{Int}[(e_) + (f_)*(x_)^(n_)]/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x\_Symbol] :> \text{Dist}[(b*e - a*f)/(b*c - a*d), \text{Int}[1/(a + b*x^n), x], x] - \text{Dist}[(d*e - c*f)/(b*c - a*d), \text{Int}[1/(c + d*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 3670

$\text{Int}[(d_)*\tan[e_] + (f_)*(x_)]^(m_)*((a_) + (b_))*((c_)*\tan[e_] + (f_)*(x_)]^(n_)]^(p_), x\_Symbol] :> \text{With}\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^m*(a + b*(ff*x)^n)^p/(c^2 + f*f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{a \tanh(c + dx)}{2b(a + b)d (a + b \tanh^2(c + dx))} - \frac{\text{Subst}\left(\int \frac{a+(-a-2b)x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2b(a + b)d} \\ &= \frac{a \tanh(c + dx)}{2b(a + b)d (a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2 d} - \frac{a(a + 3b)}{(a + b)^2 d} \\ &= \frac{x}{(a + b)^2} - \frac{\sqrt{a} (a + 3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2b^{3/2}(a + b)^2 d} + \frac{a \tanh(c + dx)}{2b(a + b)d (a + b \tanh^2(c + dx))} \end{aligned}$$



**Mathematica [A]** time = 0.60, size = 90, normalized size = 1.01

$$\frac{-\frac{\sqrt{a}(a+3b)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{b^{3/2}} + \frac{a(a+b)\sinh(2(c+dx))}{b((a+b)\cosh(2(c+dx))+a-b)} + 2(c+dx)}{2d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*(c + d\*x) - (Sqrt[a]\*(a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(3/2) + (a\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(2\*(a + b)^2\*d)

**fricas [B]** time = 0.48, size = 1950, normalized size = 21.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/4\*(4\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^4 + 16\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 4\*(a\*b + b^2)\*d\*x\*sinh(d\*x + c)^4 + 4\*(a\*b + b^2)\*d\*x + 4\*(2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*cosh(d\*x + c)^2 + 4\*(6\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 + 2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*sinh(d\*x + c)^2 + ((a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 4\*a\*b + 3\*b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 + 2\*a\*b - 3\*b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^2 + a^2 + 2\*a\*b - 3\*b^2)\*sinh(d\*x + c)^2 + a^2 + 4\*a\*b + 3\*b^2 + 4\*((a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^3 + (a^2 + 2\*a\*b - 3\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(-a/b)\*log(((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 2\*a\*b + b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + a^2 - b^2)\*sinh(d\*x + c)^2 + a^2 - 6\*a\*b + b^2 + 4\*((a^2 + 2\*a\*b + b^2)\*cosh(d\*x + c)^3 + (a^2 - b^2)\*cosh(d\*x + c))\*sinh(d\*x + c) - 4\*((a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(a\*b + b^2)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a\*b + b^2)\*sinh(d\*x + c)^2 + a\*b - b^2)\*sqrt(-a/b))/((a + b)\*cosh(d\*x + c)^4 + 4\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a + b)\*sinh(d\*x + c)^4 + 2\*(a - b)\*cosh(d\*x + c)^2 + 2\*(3\*(a + b)\*cosh(d\*x + c)^2 + a - b)\*sinh(d\*x + c)^2 + 4\*((a + b)\*cosh(d\*x + c)^3 + (a - b)\*cosh(d\*x + c))\*sinh(d\*x + c) + a + b)) - 4\*a^2 - 4\*a\*b + 8\*(2\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^3 + (2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*cosh(d\*x + c)\*sinh(d\*x + c))/((a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)^4 + 4\*(a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*sinh(d\*x + c)^4 + 2\*(a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d\*cosh(d\*x + c)^2 + 2\*(3\*(a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3

+ b^4)\*d\*cosh(d\*x + c)^2 + (a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d)\*sinh(d\*x + c)^2 + (a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d + 4\*((a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)^3 + (a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d\*cosh(d\*x + c))\*sinh(d\*x + c)), 1/2\*(2\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^4 + 8\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + 2\*(a\*b + b^2)\*d\*x\*sinh(d\*x + c)^4 + 2\*(a\*b + b^2)\*d\*x + 2\*(2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*cosh(d\*x + c)^2 + 2\*(6\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^2 + 2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*sinh(d\*x + c)^2 - ((a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 + 4\*a\*b + 3\*b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 + 2\*a\*b - 3\*b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^2 + a^2 + 2\*a\*b - 3\*b^2)\*sinh(d\*x + c)^2 + a^2 + 4\*a\*b + 3\*b^2 + 4\*((a^2 + 4\*a\*b + 3\*b^2)\*cosh(d\*x + c)^3 + (a^2 + 2\*a\*b - 3\*b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(a/b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a/b)/a) - 2\*a^2 - 2\*a\*b + 4\*(2\*(a\*b + b^2)\*d\*x\*cosh(d\*x + c)^3 + (2\*(a\*b - b^2)\*d\*x - a^2 + a\*b)\*cosh(d\*x + c))\*sinh(d\*x + c))/((a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)^4 + 4\*(a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*sinh(d\*x + c)^4 + 2\*(a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d\*cosh(d\*x + c)^2 + 2\*(3\*(a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)^2 + (a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d)\*sinh(d\*x + c)^2 + (a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d + 4\*((a^3\*b + 3\*a^2\*b^2 + 3\*a\*b^3 + b^4)\*d\*cosh(d\*x + c)^3 + (a^3\*b + a^2\*b^2 - a\*b^3 - b^4)\*d\*cosh(d\*x + c))\*sinh(d\*x + c))]

**giac [B]** time = 0.34, size = 195, normalized size = 2.19

$$\frac{(a^2+3ab) \arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)+a-b}}{2\sqrt{ab}}\right) - \frac{2(dx+c)}{a^2+2ab+b^2} + \frac{2(a^2e^{(2dx+2c)}-abe^{(2dx+2c)+a^2+ab})}{(a^2b+2ab^2+b^3)(ae^{(4dx+4c)}+be^{(4dx+4c)+2ae^{(2dx+2c)}-2be^{(2dx+2c)+a+b})}}{(a^2b+2ab^2+b^3)\sqrt{ab}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2\*((a^2 + 3\*a\*b)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/((a^2\*b + 2\*a\*b^2 + b^3)\*sqrt(a\*b)) - 2\*(d\*x + c)/(a^2 + 2\*a\*b + b^2) + 2\*(a^2\*e^(2\*d\*x + 2\*c) - a\*b\*e^(2\*d\*x + 2\*c) + a^2 + a\*b)/((a^2\*b + 2\*a\*b^2 + b^3)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b))/d

**maple [B]** time = 0.10, size = 172, normalized size = 1.93

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} + \frac{a^2 \tanh(dx+c)}{2d(a+b)^2 b(a+b(\tanh^2(dx+c)))} + \frac{a \tanh(dx+c)}{2d(a+b)^2 (a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(dx+c)^4/(a+b*\tanh(dx+c))^2,x)$

[Out]  $-1/2/d/(a+b)^2*\ln(\tanh(dx+c)-1)+1/2/d/(a+b)^2*\ln(1+\tanh(dx+c))+1/2/d*a^2/(a+b)^2/b*\tanh(dx+c)/(a+b*\tanh(dx+c))^2+1/2/d*a/(a+b)^2*\tanh(dx+c)/(a+b*\tanh(dx+c))^2-1/2/d*a^2/(a+b)^2/b/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})-3/2/d*a/(a+b)^2/(a*b)^{(1/2)}*\arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})$

**maxima** [B] time = 0.79, size = 1010, normalized size = 11.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\tanh(dx+c)^4/(a+b*\tanh(dx+c))^2,x, \text{algorithm}="maxima")$

[Out]  $-1/32*(a^3 + 9*a^2*b - 9*a*b^2 - b^3)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^3*b + 2*a^2*b^2 + a*b^3)*\sqrt{a*b}*d) + 1/32*(a^3 + 9*a^2*b - 9*a*b^2 - b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^3*b + 2*a^2*b^2 + a*b^3)*\sqrt{a*b}*d) - 1/16*(a^3 - 5*a^2*b - 5*a*b^2 + b^3 + (a^3 - 15*a^2*b + 15*a*b^2 - b^3)*e^{(2*d*x + 2*c)})/((a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4 + (a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*e^{(4*d*x + 4*c)} + 2*(a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*e^{(2*d*x + 2*c)})*d) + 1/16*(a^3 - 5*a^2*b - 5*a*b^2 + b^3 + (a^3 - 15*a^2*b + 15*a*b^2 - b^3)*e^{(-2*d*x - 2*c)})/((a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4 + 2*(a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*e^{(-2*d*x - 2*c)} + (a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*e^{(-4*d*x - 4*c)})*d) - 1/4*(a^2 - b^2 + (a^2 - 6*a*b + b^2)*e^{(2*d*x + 2*c)})/((a^3*b + 2*a^2*b^2 + a*b^3 + (a^3*b + 2*a^2*b^2 + a*b^3)*e^{(4*d*x + 4*c)} + 2*(a^3*b - a*b^3)*e^{(2*d*x + 2*c)})*d) + 1/4*(a^2 - b^2 + (a^2 - 6*a*b + b^2)*e^{(-2*d*x - 2*c)})/((a^3*b + 2*a^2*b^2 + a*b^3 + 2*(a^3*b - a*b^3)*e^{(-2*d*x - 2*c)} + (a^3*b + 2*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)})*d) + 3/8*((a - b)*e^{(-2*d*x - 2*c)} + a + b)/((a^2*b + a*b^2 + 2*(a^2*b - a*b^2)*e^{(-2*d*x - 2*c)} + (a^2*b + a*b^2)*e^{(-4*d*x - 4*c)})*d) + 1/4*log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^2 + 2*a*b + b^2)*d) - 1/4*log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2 + 2*a*b + b^2)*d) - 1/8*(a + b)*arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a*b*d) + 1/8*(a + b)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a*b*d) + 3/16*(a - b)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a*b*d)$

**mupad** [B] time = 1.69, size = 1655, normalized size = 18.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(c + d*x)^4/(a + b*tanh(c + d*x)^2)^2,x)
```

```
[Out] log(tanh(c + d*x) + 1)/(2*a^2*d + 2*b^2*d + 4*a*b*d) - log(tanh(c + d*x) -
1)/(2*d*(a + b)^2) - (atan((((a + 3*b)*(-a*b^3)^(1/2))*((tanh(c + d*x))*(6*a^
3*b + a^4 + 4*b^4 + 9*a^2*b^2)))/(2*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)) + (
(a + 3*b)*(-a*b^3)^(1/2))*((2*a*b^6*d^2 + 8*a^2*b^5*d^2 + 12*a^3*b^4*d^2 + 8
*a^4*b^3*d^2 + 2*a^5*b^2*d^2)/(b^4*d^3 + 3*a*b^3*d^3 + a^3*b*d^3 + 3*a^2*b^
2*d^3) - (tanh(c + d*x)*(a + 3*b)*(-a*b^3)^(1/2))*(16*b^8*d^2 + 48*a*b^7*d^2
+ 32*a^2*b^6*d^2 - 32*a^3*b^5*d^2 - 48*a^4*b^4*d^2 - 16*a^5*b^3*d^2)))/(8*(
b^5*d + a^2*b^3*d + 2*a*b^4*d)*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)))/(4*(b
^5*d + a^2*b^3*d + 2*a*b^4*d))*1i)/(4*(b^5*d + a^2*b^3*d + 2*a*b^4*d)) + (
(a + 3*b)*(-a*b^3)^(1/2))*((tanh(c + d*x))*(6*a^3*b + a^4 + 4*b^4 + 9*a^2*b^2
)))/(2*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)) - ((a + 3*b)*(-a*b^3)^(1/2))*((2*
a*b^6*d^2 + 8*a^2*b^5*d^2 + 12*a^3*b^4*d^2 + 8*a^4*b^3*d^2 + 2*a^5*b^2*d^2)
/(b^4*d^3 + 3*a*b^3*d^3 + a^3*b*d^3 + 3*a^2*b^2*d^3) + (tanh(c + d*x)*(a +
3*b)*(-a*b^3)^(1/2))*(16*b^8*d^2 + 48*a*b^7*d^2 + 32*a^2*b^6*d^2 - 32*a^3*b^
5*d^2 - 48*a^4*b^4*d^2 - 16*a^5*b^3*d^2))/(8*(b^5*d + a^2*b^3*d + 2*a*b^4*d
)*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)))/(4*(b^5*d + a^2*b^3*d + 2*a*b^4*d
))*1i)/(4*(b^5*d + a^2*b^3*d + 2*a*b^4*d)))/((3*a*b^2 + (5*a^2*b)/2 + a^3/2
)/(b^4*d^3 + 3*a*b^3*d^3 + a^3*b*d^3 + 3*a^2*b^2*d^3) - ((a + 3*b)*(-a*b^3)
^(1/2))*((tanh(c + d*x))*(6*a^3*b + a^4 + 4*b^4 + 9*a^2*b^2)))/(2*(b^3*d^2 + 2
*a*b^2*d^2 + a^2*b*d^2)) + ((a + 3*b)*(-a*b^3)^(1/2))*((2*a*b^6*d^2 + 8*a^2*
b^5*d^2 + 12*a^3*b^4*d^2 + 8*a^4*b^3*d^2 + 2*a^5*b^2*d^2)/(b^4*d^3 + 3*a*b^
3*d^3 + a^3*b*d^3 + 3*a^2*b^2*d^3) - (tanh(c + d*x)*(a + 3*b)*(-a*b^3)^(1/2)
)*(16*b^8*d^2 + 48*a*b^7*d^2 + 32*a^2*b^6*d^2 - 32*a^3*b^5*d^2 - 48*a^4*b^4
*d^2 - 16*a^5*b^3*d^2))/(8*(b^5*d + a^2*b^3*d + 2*a*b^4*d)*(b^3*d^2 + 2*a*b
^2*d^2 + a^2*b*d^2)))/(4*(b^5*d + a^2*b^3*d + 2*a*b^4*d)))/(4*(b^5*d + a^
2*b^3*d + 2*a*b^4*d)) + ((a + 3*b)*(-a*b^3)^(1/2))*((tanh(c + d*x))*(6*a^3*b
+ a^4 + 4*b^4 + 9*a^2*b^2)))/(2*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)) - ((a +
3*b)*(-a*b^3)^(1/2))*((2*a*b^6*d^2 + 8*a^2*b^5*d^2 + 12*a^3*b^4*d^2 + 8*a^4
*b^3*d^2 + 2*a^5*b^2*d^2)/(b^4*d^3 + 3*a*b^3*d^3 + a^3*b*d^3 + 3*a^2*b^2*d^
3) + (tanh(c + d*x)*(a + 3*b)*(-a*b^3)^(1/2))*(16*b^8*d^2 + 48*a*b^7*d^2 + 3
2*a^2*b^6*d^2 - 32*a^3*b^5*d^2 - 48*a^4*b^4*d^2 - 16*a^5*b^3*d^2))/(8*(b^5*
d + a^2*b^3*d + 2*a*b^4*d)*(b^3*d^2 + 2*a*b^2*d^2 + a^2*b*d^2)))/(4*(b^5*d
+ a^2*b^3*d + 2*a*b^4*d)))/(4*(b^5*d + a^2*b^3*d + 2*a*b^4*d)))*(a + 3*b
)*(-a*b^3)^(1/2)*1i)/(2*(b^5*d + a^2*b^3*d + 2*a*b^4*d)) + (a*tanh(c + d*x)
)/(2*b*(a + b)*(a*d + b*d*tanh(c + d*x)^2))
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**4/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Timed out
```

$$3.182 \quad \int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=72

$$\frac{a}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^2/d+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)^2/d+1/2*a/b/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.12, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 77}

$$\frac{a}{2bd(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)^2*d) + \text{Log}[a + b*\text{Tanh}[c + d*x]^2]/(2*(a + b)^2*d) + a/(2*b*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

#### Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

#### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x],

x]], Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} - \frac{a}{(a+b)(a+bx)^2} + \frac{b}{(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^2 d} + \frac{a}{2b(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.53, size = 57, normalized size = 0.79

$$\frac{\frac{a(a+b)}{b(a+b \tanh^2(c+dx))} + \log(a + b \tanh^2(c + dx)) + 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (2\*Log[Cosh[c + d\*x]] + Log[a + b\*Tanh[c + d\*x]^2] + (a\*(a + b))/(b\*(a + b\*Tanh[c + d\*x]^2)))/(2\*(a + b)^2\*d)

**fricas [B]** time = 0.47, size = 629, normalized size = 8.74

$$\frac{2(a + b)dx \cosh(dx + c)^4 + 8(a + b)dx \cosh(dx + c) \sinh(dx + c)^3 + 2(a + b)dx \sinh(dx + c)^4 + 2(a + b)dx + \dots}{2((a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c)^4 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out]  $-1/2*(2*(a + b)*d*x*cosh(d*x + c)^4 + 8*(a + b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a + b)*d*x*sinh(d*x + c)^4 + 2*(a + b)*d*x + 4*((a - b)*d*x - a)*cosh(d*x + c)^2 + 4*(3*(a + b)*d*x*cosh(d*x + c)^2 + (a - b)*d*x - a)*sinh(d*x + c)^2 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 8*((a + b)*d*x*cosh(d*x + c)^3 + ((a - b)*d*x - a)*cosh(d*x + c))*sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*sinh(d*x + c)^4 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^2 + (a^3 + a^2*b - a*b^2 - b^3)*d)*sinh(d*x + c)^2 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*d*cosh(d*x + c))*sinh(d*x + c))$

**giac [B]** time = 0.32, size = 149, normalized size = 2.07

$$\frac{\log\left(\frac{a(e^{2dx+2c})+e^{(-2dx-2c)}+b(e^{2dx+2c})+e^{(-2dx-2c)}+2a-2b}{a^2+2ab+b^2}\right)}{2d} - \frac{e^{(2dx+2c)}+e^{(-2dx-2c)}-2}{(a(e^{2dx+2c})+e^{(-2dx-2c)})+b(e^{2dx+2c})+e^{(-2dx-2c)}+2a-2b)(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out]  $1/2*(\log(\text{abs}(a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})) + 2*a - 2*b))/(a^2 + 2*a*b + b^2) - (e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)} - 2)/((a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})) + 2*a - 2*b)*(a + b))/d$

**maple [A]** time = 0.10, size = 118, normalized size = 1.64

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} + \frac{\ln(a+b(\tanh^2(dx+c)))}{2(a+b)^2d} + \frac{a^2}{2d(a+b)^2b(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $-1/2/d/(a+b)^2*\ln(\tanh(d*x+c)-1)-1/2/d/(a+b)^2*\ln(1+\tanh(d*x+c))+1/2*\ln(a+b*tanh(d*x+c)^2)/(a+b)^2/d+1/2/d*a^2/(a+b)^2/b/(a+b*tanh(d*x+c)^2)+1/2/d/(a+b)^2*a/(a+b*tanh(d*x+c)^2)$

**maxima** [B] time = 0.34, size = 170, normalized size = 2.36

$$\frac{2ae^{(-2dx-2c)}}{(a^3 + 3a^2b + 3ab^2 + b^3 + 2(a^3 + a^2b - ab^2 - b^3)e^{(-2dx-2c)} + (a^3 + 3a^2b + 3ab^2 + b^3)e^{(-4dx-4c)})d} + \frac{dx + c}{(a^2 + 2ab + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $2*a*e^{(-2*d*x - 2*c)} / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*e^{(-2*d*x - 2*c)} + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-4*d*x - 4*c)})*d) + (d*x + c) / ((a^2 + 2*a*b + b^2)*d) + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b) / ((a^2 + 2*a*b + b^2)*d)$

**mupad** [B] time = 0.43, size = 210, normalized size = 2.92

$$\frac{-a^2 + ab \left( -1 + \operatorname{atan} \left( \frac{a \tanh(c+dx)^2 + b \tanh(c+dx)}{2a - a \tanh(c+dx)^2 + b \tanh(c+dx)} \right) \right) + b^2 \tanh(c+dx)^2 \operatorname{atan} \left( \frac{a \tanh(c+dx)^2 + b \tanh(c+dx)}{2a - a \tanh(c+dx)^2 + b \tanh(c+dx)} \right)}{2da^3b + 2da^2b^2 \tanh(c+dx)^2 + 4da^2b^2 + 4dab^3 \tanh(c+dx)^2 + 2dab^3 + 2db^4 \tanh(c+dx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $-(a*b*(\operatorname{atan}((a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2)))/((2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*2i - 1) - a^2 + b^2*\tanh(c + d*x)^2*\operatorname{atan}((a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2)/((2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*2i) / (4*a^2*b^2*d + 2*b^4*d*\tanh(c + d*x)^2 + 2*a*b^3*d + 2*a^3*b*d + 2*a^2*b^2*d*\tanh(c + d*x)^2 + 4*a*b^3*d*\tanh(c + d*x)^2)$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out



$$3.183 \quad \int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=85

$$-\frac{\tanh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b} d(a+b)^2} + \frac{x}{(a+b)^2}$$

[Out]  $x/(a+b)^2 - 1/2*(a-b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/(a+b)^2/d/a^{(1/2)}/b^{(1/2)} - 1/2*\tanh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.11, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3670, 471, 522, 206, 205}

$$-\frac{\tanh(c+dx)}{2d(a+b)(a+b \tanh^2(c+dx))} - \frac{(a-b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b} d(a+b)^2} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $x/(a+b)^2 - ((a-b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]*(a+b)^2*d) - \text{Tanh}[c+d*x]/(2*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(n\*(b\*c-a\*d)\*(p+1)), x] - Dist[e^n/(n\*(b\*c-a\*d)\*(p+1)), Int[(e\*x)^(m-n)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^q\*Simp[c\*(m-n+1)+d\*(m+n\*(p+q+1)+1]\*x^n, x], x] /; FreeQ[{a, b, c, d, e,

q}], x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 522

Int[((e\_) + (f\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1+x^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2(a + b)d} \\ &= -\frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2d} - \frac{(a - b)}{2(a + b)d} \\ &= \frac{x}{(a + b)^2} - \frac{(a - b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2\sqrt{a} \sqrt{b} (a + b)^2d} - \frac{\tanh(c + dx)}{2(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.47, size = 86, normalized size = 1.01

$$\frac{\frac{(b-a) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} \sqrt{b}} - \frac{(a+b) \sinh(2(c+dx))}{(a+b) \cosh(2(c+dx))+a-b} + 2(c + dx)}{2d(a + b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^2/(a + b*Tanh[c + d*x]^2)^2,x]
```

```
[Out] (2*(c + d*x) + ((-a + b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(Sqrt[a]*
Sqrt[b]) - ((a + b)*Sinh[2*(c + d*x)])/(a - b + (a + b)*Cosh[2*(c + d*x)])
/(2*(a + b)^2*d)
```

```
fricas [B] time = 0.46, size = 2025, normalized size = 23.82
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)^2/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^4 + 16*(a^2*b + a*b^2)*d*x*cosh(d
*x + c)*sinh(d*x + c)^3 + 4*(a^2*b + a*b^2)*d*x*sinh(d*x + c)^4 + 4*a^2*b +
4*a*b^2 + 4*(a^2*b + a*b^2)*d*x + 4*(a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x
)*cosh(d*x + c)^2 + 4*(6*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^2 + a^2*b - a*b^
2 + 2*(a^2*b - a*b^2)*d*x)*sinh(d*x + c)^2 + ((a^2 - b^2)*cosh(d*x + c)^4 +
4*(a^2 - b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 - b^2)*sinh(d*x + c)^4
+ 2*(a^2 - 2*a*b + b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 - b^2)*cosh(d*x + c)^2
+ a^2 - 2*a*b + b^2)*sinh(d*x + c)^2 + a^2 - b^2 + 4*((a^2 - b^2)*cosh(d*x
+ c)^3 + (a^2 - 2*a*b + b^2)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-a*b)*log((
(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*s
inh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d
*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x
+ c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2
- b^2)*cosh(d*x + c))*sinh(d*x + c) - 4*((a + b)*cosh(d*x + c)^2 + 2*(a + b
)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(-a*b)
)/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a +
b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c
)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*
x + c))*sinh(d*x + c) + a + b)) + 8*(2*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^3
+ (a^2*b - a*b^2 + 2*(a^2*b - a*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c))/((a
^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)^4 + 4*(a^4*b + 3*a^3*
b^2 + 3*a^2*b^3 + a*b^4)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4*b + 3*a^3*b
^2 + 3*a^2*b^3 + a*b^4)*d*sinh(d*x + c)^4 + 2*(a^4*b + a^3*b^2 - a^2*b^3 -
a*b^4)*d*cosh(d*x + c)^2 + 2*(3*(a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d*c
osh(d*x + c)^2 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d)*sinh(d*x + c)^2 + (
a^4*b + 3*a^3*b^2 + 3*a^2*b^3 + a*b^4)*d + 4*((a^4*b + 3*a^3*b^2 + 3*a^2*b^
3 + a*b^4)*d*cosh(d*x + c)^3 + (a^4*b + a^3*b^2 - a^2*b^3 - a*b^4)*d*cosh(d
*x + c))*sinh(d*x + c)), 1/2*(2*(a^2*b + a*b^2)*d*x*cosh(d*x + c)^4 + 8*(a^
2*b + a*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^2*b + a*b^2)*d*x*sinh
(d*x + c)^4 + 2*a^2*b + 2*a*b^2 + 2*(a^2*b + a*b^2)*d*x + 2*(a^2*b - a*b^2
```

+ 2\*(a^2\*b - a\*b^2)\*d\*x)\*cosh(d\*x + c)^2 + 2\*(6\*(a^2\*b + a\*b^2)\*d\*x\*cosh(d\*x + c)^2 + a^2\*b - a\*b^2 + 2\*(a^2\*b - a\*b^2)\*d\*x)\*sinh(d\*x + c)^2 - ((a^2 - b^2)\*cosh(d\*x + c)^4 + 4\*(a^2 - b^2)\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^2 - b^2)\*sinh(d\*x + c)^4 + 2\*(a^2 - 2\*a\*b + b^2)\*cosh(d\*x + c)^2 + 2\*(3\*(a^2 - b^2)\*cosh(d\*x + c)^2 + a^2 - 2\*a\*b + b^2)\*sinh(d\*x + c)^2 + a^2 - b^2 + 4\*((a^2 - b^2)\*cosh(d\*x + c)^3 + (a^2 - 2\*a\*b + b^2)\*cosh(d\*x + c))\*sinh(d\*x + c))\*sqrt(a\*b)\*arctan(1/2\*((a + b)\*cosh(d\*x + c)^2 + 2\*(a + b)\*cosh(d\*x + c)\*sinh(d\*x + c) + (a + b)\*sinh(d\*x + c)^2 + a - b)\*sqrt(a\*b)/(a\*b)) + 4\*(2\*(a^2\*b + a\*b^2)\*d\*x\*cosh(d\*x + c)^3 + (a^2\*b - a\*b^2 + 2\*(a^2\*b - a\*b^2)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c))/((a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d\*cosh(d\*x + c)^4 + 4\*(a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d\*cosh(d\*x + c)\*sinh(d\*x + c)^3 + (a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d\*sinh(d\*x + c)^4 + 2\*(a^4\*b + a^3\*b^2 - a^2\*b^3 - a\*b^4)\*d\*cosh(d\*x + c)^2 + 2\*(3\*(a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d\*cosh(d\*x + c)^2 + (a^4\*b + a^3\*b^2 - a^2\*b^3 - a\*b^4)\*d)\*sinh(d\*x + c)^2 + (a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d + 4\*((a^4\*b + 3\*a^3\*b^2 + 3\*a^2\*b^3 + a\*b^4)\*d\*cosh(d\*x + c)^3 + (a^4\*b + a^3\*b^2 - a^2\*b^3 - a\*b^4)\*d\*cosh(d\*x + c))\*sinh(d\*x + c))]

**giac [B]** time = 0.31, size = 177, normalized size = 2.08

$$\frac{(a-b) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a-b}{2\sqrt{ab}}\right)}{(a^2+2ab+b^2)\sqrt{ab}} - \frac{2(dx+c)}{a^2+2ab+b^2} - \frac{2(ae^{2dx+2c} - be^{2dx+2c} + a+b)}{(a^2+2ab+b^2)(ae^{4dx+4c} + be^{4dx+4c} + 2ae^{2dx+2c} - 2be^{2dx+2c} + a+b)}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] -1/2\*((a - b)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b)))/((a^2 + 2\*a\*b + b^2)\*sqrt(a\*b)) - 2\*(d\*x + c)/(a^2 + 2\*a\*b + b^2) - 2\*(a\*e^(2\*d\*x + 2\*c) - b\*e^(2\*d\*x + 2\*c) + a + b)/((a^2 + 2\*a\*b + b^2)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b))/d

**maple [B]** time = 0.10, size = 162, normalized size = 1.91

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} - \frac{a \tanh(dx+c)}{2d(a+b)^2(a+b(\tanh^2(dx+c)))} - \frac{b \tanh(dx+c)}{2(a+b)^2 d(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] -1/2/d/(a+b)^2\*ln(tanh(d\*x+c)-1)+1/2/d/(a+b)^2\*ln(1+tanh(d\*x+c))-1/2/d\*a/(a+b)^2\*tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)-1/2\*b\*tanh(d\*x+c)/(a+b)^2/d/(a+b\*tanh

$(d*x+c)^2 - 1/2/d*a/(a+b)^2/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)}) + 1/2/d/(a+b)^2/(a*b)^{(1/2)}*\arctan(\tanh(d*x+c)*b/(a*b)^{(1/2)})*b$

**maxima [B]** time = 0.61, size = 614, normalized size = 7.22

$$\frac{(a^2 - 4ab - b^2) \arctan\left(\frac{(a+b)e^{(2dx+2c)+a-b}}{2\sqrt{ab}}\right)}{8(a^3 + 2a^2b + ab^2)\sqrt{ab}d} + \frac{(a^2 - 4ab - b^2) \arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{8(a^3 + 2a^2b + ab^2)\sqrt{ab}d} + \frac{1}{4(a^4 + 3a^3b + 3a^2b^2 + 3ab^3 + b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $-1/8*(a^2 - 4*a*b - b^2)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^3 + 2*a^2*b + a*b^2)*\sqrt{a*b}*d) + 1/8*(a^2 - 4*a*b - b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^3 + 2*a^2*b + a*b^2)*\sqrt{a*b}*d) + 1/4*(a^2 - b^2 + (a^2 - 6*a*b + b^2)*e^{(2*d*x + 2*c)})/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(4*d*x + 4*c)} + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(2*d*x + 2*c)})*d) - 1/4*(a^2 - b^2 + (a^2 - 6*a*b + b^2)*e^{(-2*d*x - 2*c)})/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)})*d) - 1/2*((a - b)*e^{(-2*d*x - 2*c)} + a + b)/((a^3 + 2*a^2*b + a*b^2 + 2*(a^3 - a*b^2)*e^{(-2*d*x - 2*c)} + (a^3 + 2*a^2*b + a*b^2)*e^{(-4*d*x - 4*c)})*d) + 1/4*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^2 + 2*a*b + b^2)*d) - 1/4*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2 + 2*a*b + b^2)*d) + 1/4*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a*d)$

**mupad [B]** time = 0.66, size = 106, normalized size = 1.25

$$\frac{\frac{ax}{(a+b)^2} - \frac{\tanh(c+dx)}{2ad+2bd} + \frac{bx \tanh(c+dx)^2}{(a+b)^2}}{b \tanh(c+dx)^2 + a} - \frac{\operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right) (a-b)}{\sqrt{ab} (2da^2 + 4dab + 2db^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $((a*x)/(a + b)^2 - \tanh(c + d*x)/(2*a*d + 2*b*d) + (b*x*tanh(c + d*x)^2)/(a + b)^2)/(a + b*tanh(c + d*x)^2) - (\operatorname{atan}((b*tanh(c + d*x))/(a*b)^{(1/2)})*(a - b))/((a*b)^{(1/2)}*(2*a^2*d + 2*b^2*d + 4*a*b*d))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**2/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Timed out
```

$$3.184 \quad \int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

Optimal. Leaf size=68

$$-\frac{1}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^{2/d+1/2} \ln(a+b*\tanh(d*x+c)^2)/(a+b)^{2/d-1/2}/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

Rubi [A] time = 0.09, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 44}

$$-\frac{1}{2d(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^2} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)^2*d) + \text{Log}[a + b*\text{Tanh}[c + d*x]^2]/(2*(a + b)^2*d) - 1/(2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

#### Rule 44

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

#### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f

$f^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \|\ \text{EqQ}[n, 2] \|\ \text{EqQ}[n, 4] \|\ (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned} \int \frac{\tanh(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{b}{(a+b)(a+bx)^2} + \frac{b}{(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^2 d} - \frac{1}{2(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.47, size = 55, normalized size = 0.81

$$\frac{\frac{a+b}{a+b \tanh^2(c+dx)} - \log(a + b \tanh^2(c + dx)) - 2 \log(\cosh(c + dx))}{2d(a + b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2), x]

[Out] -1/2\*(-2\*Log[Cosh[c + d\*x]] - Log[a + b\*Tanh[c + d\*x]^2] + (a + b)/(a + b\*Tanh[c + d\*x]^2))/((a + b)^2\*d)

**fricas [B]** time = 0.44, size = 623, normalized size = 9.16

$$\frac{2(a + b)dx \cosh(dx + c)^4 + 8(a + b)dx \cosh(dx + c) \sinh(dx + c)^3 + 2(a + b)dx \sinh(dx + c)^4 + 2(a + b)dx}{2((a^3 + 3a^2b + 3ab^2 + b^3)d \cosh(dx + c)^4 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2), x, algorithm="fricas")



```
[Out] -1/2*(2*(a + b)*d*x*cosh(d*x + c)^4 + 8*(a + b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a + b)*d*x*sinh(d*x + c)^4 + 2*(a + b)*d*x + 4*((a - b)*d*x + b)*cosh(d*x + c)^2 + 4*(3*(a + b)*d*x*cosh(d*x + c)^2 + (a - b)*d*x + b)*sinh(d*x + c)^2 - ((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 8*((a + b)*d*x*cosh(d*x + c)^3 + ((a - b)*d*x + b)*cosh(d*x + c))*sinh(d*x + c))/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*sinh(d*x + c)^4 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^2 + (a^3 + a^2*b - a*b^2 - b^3)*d)*sinh(d*x + c)^2 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d*cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*d*cosh(d*x + c))*sinh(d*x + c))
```

**giac [B]** time = 0.27, size = 149, normalized size = 2.19

$$\frac{\log\left(\frac{a(e^{2dx+2c})+e^{(-2dx-2c)}+b(e^{2dx+2c})+e^{(-2dx-2c)}+2a-2b}{a^2+2ab+b^2}\right)}{2d} - \frac{e^{(2dx+2c)}+e^{(-2dx-2c)}+2}{(a(e^{2dx+2c})+e^{(-2dx-2c)})+b(e^{2dx+2c})+e^{(-2dx-2c)}+2a-2b)(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] 1/2*(log(abs(a*(e^(2*d*x + 2*c)) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b))/(a^2 + 2*a*b + b^2) - (e^(2*d*x + 2*c) + e^(-2*d*x - 2*c) + 2)/((a*(e^(2*d*x + 2*c)) + e^(-2*d*x - 2*c)) + b*(e^(2*d*x + 2*c) + e^(-2*d*x - 2*c)) + 2*a - 2*b)*(a + b))/d
```

**maple [A]** time = 0.12, size = 113, normalized size = 1.66

$$\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} + \frac{\ln(a+b(\tanh^2(dx+c)))}{2(a+b)^2d} - \frac{a}{2d(a+b)^2(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x)
```

```
[Out] -1/2/d/(a+b)^2*ln(tanh(d*x+c)-1)-1/2/d/(a+b)^2*ln(1+tanh(d*x+c))+1/2*ln(a+b*tanh(d*x+c)^2)/(a+b)^2/d-1/2/d/(a+b)^2*a/(a+b*tanh(d*x+c)^2)-1/2/d*b/(a+b)^2/(a+b*tanh(d*x+c)^2)
```

**maxima [B]** time = 0.34, size = 170, normalized size = 2.50

$$\frac{2be^{(-2dx-2c)}}{(a^3 + 3a^2b + 3ab^2 + b^3 + 2(a^3 + a^2b - ab^2 - b^3)e^{(-2dx-2c)} + (a^3 + 3a^2b + 3ab^2 + b^3)e^{(-4dx-4c)})d} + \frac{dx + c}{(a^2 + 2ab + b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $-2*b*e^{(-2*d*x - 2*c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*e^{(-2*d*x - 2*c)} + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*e^{(-4*d*x - 4*c)})*d} + (d*x + c)/((a^2 + 2*a*b + b^2)*d) + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^2 + 2*a*b + b^2)*d)$

**mupad [B]** time = 1.47, size = 129, normalized size = 1.90

$$\frac{\frac{ax}{a^2+2ab+b^2} + \frac{bx \tanh(c+dx)^2}{a^2+2ab+b^2} + \frac{b \tanh(c+dx)^2}{2ad(a+b)}}{b \tanh(c+dx)^2 + a} + \frac{\ln(b \tanh(c+dx)^2 + a)}{2d(a^2 + 2ab + b^2)} - \frac{\ln(\tanh(c+dx) + 1)}{d(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out]  $((a*x)/(2*a*b + a^2 + b^2) + (b*x*tanh(c + d*x)^2)/(2*a*b + a^2 + b^2) + (b*tanh(c + d*x)^2)/(2*a*d*(a + b)))/(a + b*tanh(c + d*x)^2) + \log(a + b*tanh(c + d*x)^2)/(2*d*(2*a*b + a^2 + b^2)) - \log(\tanh(c + d*x) + 1)/(d*(a + b)^2)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Timed out

$$3.185 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=89

$$\frac{\sqrt{b}(3a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^2} + \frac{b \tanh(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out]  $x/(a+b)^2 + 1/2*(3*a+b)*\arctan(b^{(1/2)*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(3/2)}/(a+b)^2/d + 1/2*b*\tanh(d*x+c)/a/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.09, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {3661, 414, 522, 206, 205}

$$\frac{\sqrt{b}(3a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}d(a+b)^2} + \frac{b \tanh(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-2), x]

[Out]  $x/(a+b)^2 + (\text{Sqrt}[b]*(3*a+b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(2*a^{(3/2)}*(a+b)^2*d) + (b*\text{Tanh}[c+d*x])/(2*a*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> -Simp[(b\*x\*(a + b\*x^n)^(p+1)\*(c + d\*x^n)^(q+1))/(a\*n\*(p+1)\*(b\*c - a\*d)), x] + Dist[1/(a\*n\*(p+1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p+1)\*(c + d\*x^n)^q\*Simp[b\*c + n\*(p+1)\*(b\*c - a\*d) + d\*b\*(n\*(p+q+2) + 1)\*x^n, x]]

```
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))], x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} - \frac{\text{Subst}\left(\int \frac{b-2(a+b)+bx^2}{(1-x^2)(a+bx^2)} dx, x, \tanh(c + dx)\right)}{2a(a + b)d} \\ &= \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c + dx)\right)}{(a + b)^2 d} + \frac{b(3a + b)}{2a(a + b)d (a + b \tanh^2(c + dx))} \\ &= \frac{x}{(a + b)^2} + \frac{\sqrt{b}(3a + b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{3/2}(a + b)^2 d} + \frac{b \tanh(c + dx)}{2a(a + b)d (a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.58, size = 97, normalized size = 1.09

$$\frac{\frac{\sqrt{b}(3a+b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b(a+b) \tanh(c+dx)}{a(a+b \tanh^2(c+dx))} - \log(1 - \tanh(c + dx)) + \log(\tanh(c + dx) + 1)}{2d(a + b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Tanh[c + d*x]^2)^(-2),x]
```

```
[Out] ((Sqrt[b]*(3*a + b)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/a^(3/2) - Log[1 - Tanh[c + d*x]] + Log[1 + Tanh[c + d*x]] + (b*(a + b)*Tanh[c + d*x])/(a*(a + b*Tanh[c + d*x]^2)))/(2*(a + b)^2*d)
```

**fricas** [B] time = 0.47, size = 1942, normalized size = 21.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(d*x+c)^2)^2,x, algorithm="fricas")
```

```
[Out] [1/4*(4*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 16*(a^2 + a*b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 4*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 4*(a^2 + a*b)*d*x + 4*(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 4*(6*(a^2 + a*b)*d*x*cosh(d*x + c)^2 + 2*(a^2 - a*b)*d*x - a*b + b^2)*sinh(d*x + c)^2 + ((3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 + 2*(3*a^2 - 2*a*b - b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b - b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh(d*x + c)*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c) + 4*((a^2 + a*b)*cosh(d*x + c)^2 + 2*(a^2 + a*b)*cosh(d*x + c)*sinh(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)*cosh(d*x + c)^4 + 4*(a + b)*cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d*x + c)^4 + 2*(a - b)*cosh(d*x + c)^2 + 2*(3*(a + b)*cosh(d*x + c)^2 + a - b)*sinh(d*x + c)^2 + 4*((a + b)*cosh(d*x + c)^3 + (a - b)*cosh(d*x + c))*sinh(d*x + c) + a + b)) - 4*a*b - 4*b^2 + 8*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 + (2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)*sinh(d*x + c)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*sinh(d*x + c)^4 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^2 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)*sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c))*sinh(d*x + c)), 1/2*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^4 + 8*(a^2 + a*b)*d*x*cosh(d*x + c)*sinh(d*x + c)^3 + 2*(a^2 + a*b)*d*x*sinh(d*x + c)^4 + 2*(a^2 + a*b)*d*x + 2*(2*(a^2 - a*b)*d*x - a*b + b^2)*cosh(d*x + c)^2 + 2*(6*(a
```

$$\begin{aligned} &^2 + a*b)*d*x*cosh(d*x + c)^2 + 2*(a^2 - a*b)*d*x - a*b + b^2)*sinh(d*x + c) \\ &)^2 + ((3*a^2 + 4*a*b + b^2)*cosh(d*x + c)^4 + 4*(3*a^2 + 4*a*b + b^2)*cosh \\ &(d*x + c)*sinh(d*x + c)^3 + (3*a^2 + 4*a*b + b^2)*sinh(d*x + c)^4 + 2*(3*a^ \\ &2 - 2*a*b - b^2)*cosh(d*x + c)^2 + 2*(3*(3*a^2 + 4*a*b + b^2)*cosh(d*x + c) \\ &^2 + 3*a^2 - 2*a*b - b^2)*sinh(d*x + c)^2 + 3*a^2 + 4*a*b + b^2 + 4*((3*a^2 \\ &+ 4*a*b + b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b - b^2)*cosh(d*x + c))*sinh \\ &(d*x + c))*sqrt(b/a)*arctan(1/2*((a + b)*cosh(d*x + c)^2 + 2*(a + b)*cosh(d \\ &*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2 + a - b)*sqrt(b/a)/b) - 2*a \\ &*b - 2*b^2 + 4*(2*(a^2 + a*b)*d*x*cosh(d*x + c)^3 + (2*(a^2 - a*b)*d*x - a* \\ &b + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3) \\ &*d*cosh(d*x + c)^4 + 4*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)* \\ &sinh(d*x + c)^3 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d*sinh(d*x + c)^4 + 2 \\ &*(a^4 + a^3*b - a^2*b^2 - a*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^4 + 3*a^3*b + \\ &3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^2 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d)* \\ &sinh(d*x + c)^2 + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*d + 4*((a^4 + 3*a^3*b \\ &+ 3*a^2*b^2 + a*b^3)*d*cosh(d*x + c)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*d* \\ &cosh(d*x + c))*sinh(d*x + c))] \end{aligned}$$

**giac [B]** time = 0.18, size = 195, normalized size = 2.19

$$\frac{(3ab+b^2) \arctan\left(\frac{ae^{2dx+2c}+be^{2dx+2c}+a-b}{2\sqrt{ab}}\right)}{(a^3+2a^2b+ab^2)\sqrt{ab}} + \frac{2(dx+c)}{a^2+2ab+b^2} - \frac{2(ab e^{2dx+2c} - b^2 e^{2dx+2c} + ab + b^2)}{(a^3+2a^2b+ab^2)(ae^{4dx+4c}+be^{4dx+4c}+2ae^{2dx+2c}-2be^{2dx+2c}+a+b)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^2,x, algorithm="giac")

[Out]  $\frac{1}{2} * ((3*a*b + b^2) * \arctan(1/2 * (a * e^{(2*d*x + 2*c)} + b * e^{(2*d*x + 2*c)} + a - b) / \sqrt{a*b})) / ((a^3 + 2*a^2*b + a*b^2) * \sqrt{a*b}) + 2 * (d*x + c) / (a^2 + 2*a*b + b^2) - 2 * (a*b * e^{(2*d*x + 2*c)} - b^2 * e^{(2*d*x + 2*c)} + a*b + b^2) / ((a^3 + 2*a^2*b + a*b^2) * (a * e^{(4*d*x + 4*c)} + b * e^{(4*d*x + 4*c)} + 2*a * e^{(2*d*x + 2*c)} - 2*b * e^{(2*d*x + 2*c)} + a + b)) / d$

**maple [B]** time = 0.15, size = 172, normalized size = 1.93

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^2} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^2} + \frac{b \tanh(dx+c)}{2(a+b)^2 d (a+b(\tanh^2(dx+c)))} + \frac{b^2 \tanh(dx+c)}{2d(a+b)^2 a(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c))^2,x)

[Out]  $-1/2/d/(a+b)^2*\ln(\tanh(d*x+c)-1)+1/2/d/(a+b)^2*\ln(1+\tanh(d*x+c))+1/2*b*tanh(d*x+c)/(a+b)^2/d/(a+b*tanh(d*x+c)^2)+1/2/d*b^2/(a+b)^2/a*tanh(d*x+c)/(a+b$

$\tanh(dx+c)^2 + 3/2/d/(a+b)^2/(a*b)^{1/2} * \arctan(\tanh(dx+c)*b/(a*b)^{1/2}) * b + 1/2/d*b^2/(a+b)^2/a/(a*b)^{1/2} * \arctan(\tanh(dx+c)*b/(a*b)^{1/2})$

**maxima** [B] time = 0.46, size = 206, normalized size = 2.31

$$\frac{(3ab + b^2) \arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{2(a^3 + 2a^2b + ab^2)\sqrt{ab}d} + \frac{ab + b^2 + (ab - b^2)e^{(-2dx-2c)}}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 + 2(a^4 + a^3b - a^2b^2 - ab^3)e^{(-2dx-2c)} + (a^4 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^2,x, algorithm="maxima")

[Out]  $-1/2*(3*a*b + b^2)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b}) / ((a^3 + 2*a^2*b + a*b^2)*\sqrt{a*b}*d) + (a*b + b^2 + (a*b - b^2)*e^{(-2*d*x - 2*c)}) / ((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)}*d) + (d*x + c) / ((a^2 + 2*a*b + b^2)*d)$

**mupad** [B] time = 1.54, size = 110, normalized size = 1.24

$$\frac{\frac{ax}{(a+b)^2} + \frac{bx \tanh(c+dx)^2}{(a+b)^2} + \frac{b \tanh(c+dx)}{2ad(a+b)}}{b \tanh(c+dx)^2 + a} + \frac{\operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right) (b^2 + 3ab)}{\sqrt{ab} (2a^3d + ab(4ad + 2bd))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*tanh(c + d\*x))^2,x)

[Out]  $((a*x)/(a + b)^2 + (b*x*tanh(c + d*x)^2)/(a + b)^2 + (b*tanh(c + d*x))/(2*a*d*(a + b)))/(a + b*tanh(c + d*x)^2) + (\operatorname{atan}((b*tanh(c + d*x))/(a*b)^{1/2})) * (3*a*b + b^2))/((a*b)^{1/2}*(2*a^3*d + a*b*(4*a*d + 2*b*d)))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral((a + b\*tanh(c + d\*x)\*\*2)\*\*(-2), x)

$$3.186 \quad \int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=95

$$-\frac{b(2a+b) \log(a+b \tanh^2(c+dx))}{2a^2d(a+b)^2} + \frac{\log(\tanh(c+dx))}{a^2d} + \frac{b}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^2/d + \ln(\tanh(d*x+c))/a^2/d - 1/2*b*(2*a+b)*\ln(a+b*\tanh(d*x+c)^2)/a^2/(a+b)^2/d + 1/2*b/a/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.15, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$-\frac{b(2a+b) \log(a+b \tanh^2(c+dx))}{2a^2d(a+b)^2} + \frac{\log(\tanh(c+dx))}{a^2d} + \frac{b}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{\log(\cosh(c+dx))}{d(a+b)^2}$$

Antiderivative was successfully verified.

[In] `Int[Coth[c + d*x]/(a + b*Tanh[c + d*x]^2)^2, x]`

[Out] `Log[Cosh[c + d*x]]/((a + b)^2*d) + Log[Tanh[c + d*x]]/(a^2*d) - (b*(2*a + b)*Log[a + b*Tanh[c + d*x]^2])/(2*a^2*(a + b)^2*d) + b/(2*a*(a + b)*d*(a + b*Tanh[c + d*x]^2))`

### Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
  x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
  /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.),
  x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
```



$f^2 x^2$ ),  $x$ ],  $x$ ,  $(c \cdot \text{Tan}[e + f \cdot x]) / \text{ff}$ ],  $x$ ] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{1}{a^2x} - \frac{b^2}{a(a+b)(a+bx)^2} - \frac{b^2(2a+b)}{a^2(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^2 d} + \frac{\log(\tanh(c + dx))}{a^2 d} - \frac{b(2a + b) \log(a + b \tanh^2(c + dx))}{2a^2(a + b)^2 d} + \dots \end{aligned}$$

**Mathematica [A]** time = 2.16, size = 83, normalized size = 0.87

$$\frac{\frac{b \left( \frac{a(a+b)}{a+b \tanh^2(c+dx)} - (2a+b) \log(a+b \tanh^2(c+dx)) \right)}{(a+b)^2} + 2 \log(\tanh(c+dx))}{a^2} + \frac{2 \log(\cosh(c+dx))}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] ((2\*Log[Cosh[c + d\*x]])/(a + b)^2 + (2\*Log[Tanh[c + d\*x]] + (b\*(-((2\*a + b)\*Log[a + b\*Tanh[c + d\*x]^2]) + (a\*(a + b))/(a + b\*Tanh[c + d\*x]^2)))/(a + b)^2)/a^2)/(2\*d)

**fricas [B]** time = 0.56, size = 1148, normalized size = 12.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2, x, algorithm="fricas")

```
[Out] -1/2*(2*(a^3 + a^2*b)*d*x*cosh(d*x + c)^4 + 8*(a^3 + a^2*b)*d*x*cosh(d*x +
c)*sinh(d*x + c)^3 + 2*(a^3 + a^2*b)*d*x*sinh(d*x + c)^4 + 2*(a^3 + a^2*b)*
d*x - 4*(a*b^2 - (a^3 - a^2*b)*d*x)*cosh(d*x + c)^2 + 4*(3*(a^3 + a^2*b)*d*
x*cosh(d*x + c)^2 - a*b^2 + (a^3 - a^2*b)*d*x)*sinh(d*x + c)^2 + ((2*a^2*b
+ 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*(2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c
)*sinh(d*x + c)^3 + (2*a^2*b + 3*a*b^2 + b^3)*sinh(d*x + c)^4 + 2*a^2*b + 3
*a*b^2 + b^3 + 2*(2*a^2*b - a*b^2 - b^3)*cosh(d*x + c)^2 + 2*(2*a^2*b - a*b
^2 - b^3 + 3*(2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4
*((2*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (2*a^2*b - a*b^2 - b^3)*cosh(
d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x
+ c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x
+ c)^2)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^4 + 4*(a^3 + 3
*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)*sinh(d*x + c)^3 + (a^3 + 3*a^2*b + 3*
a*b^2 + b^3)*sinh(d*x + c)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2
*b - a*b^2 - b^3)*cosh(d*x + c)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 4*((a^3 + 3*a^
2*b + 3*a*b^2 + b^3)*cosh(d*x + c)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(d*x
+ c))*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c)))
+ 8*((a^3 + a^2*b)*d*x*cosh(d*x + c)^3 - (a*b^2 - (a^3 - a^2*b)*d*x)*cosh(d
*x + c))*sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x +
c)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)*sinh(d*x +
c)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*sinh(d*x + c)^4 + 2*(a^5 + a
^4*b - a^3*b^2 - a^2*b^3)*d*cosh(d*x + c)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b
^2 + a^2*b^3)*d*cosh(d*x + c)^2 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*d)*sinh
(d*x + c)^2 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 4*((a^5 + 3*a^4*b +
3*a^3*b^2 + a^2*b^3)*d*cosh(d*x + c)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)
*d*cosh(d*x + c))*sinh(d*x + c))
```

**giac [B]** time = 0.31, size = 195, normalized size = 2.05

$$\frac{(2ab+b^2)\log\left(\frac{ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b}{a^4+2a^3b+a^2b^2}\right)+\frac{2(dx+c)}{a^2+2ab+b^2}-\frac{4b^2e^{(2dx+2c)}}{(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)/(a+b*tanh(d*x+c)^2)^2,x, algorithm="giac")
```

```
[Out] -1/2*((2*a*b + b^2)*log(a*e^(4*d*x + 4*c) + b*e^(4*d*x + 4*c) + 2*a*e^(2*d*
x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b)/(a^4 + 2*a^3*b + a^2*b^2) + 2*(d*x
+ c)/(a^2 + 2*a*b + b^2) - 4*b^2*e^(2*d*x + 2*c)/((a*e^(4*d*x + 4*c) + b*e^
(4*d*x + 4*c) + 2*a*e^(2*d*x + 2*c) - 2*b*e^(2*d*x + 2*c) + a + b)*(a + b)^
2*a) - 2*log(abs(e^(2*d*x + 2*c) - 1))/a^2)/d
```

**maple [B]** time = 0.46, size = 325, normalized size = 3.42

$$\frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d(a+b)^2} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)^2} - \frac{2b^2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d(a+b)^2 a\left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 2\left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a + 4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out]  $-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1)-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)-2/d*b^2/(a+b)^2/a*tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)-2/d*b^3/(a+b)^2/a^2*tanh(1/2*d*x+1/2*c)^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)-1/d*b/(a+b)^2/a*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)-1/2/d*b^2/(a+b)^2/a^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)+1/d/a^2*\ln(\tanh(1/2*d*x+1/2*c))$

**maxima [B]** time = 0.33, size = 235, normalized size = 2.47

$$\frac{2b^2e^{(-2dx-2c)}}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 + 2(a^4 + a^3b - a^2b^2 - ab^3)e^{(-2dx-2c)} + (a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)})d} - \frac{(2ab^2e^{(-2dx-2c)})}{(a^4 + 3a^3b + 3a^2b^2 + ab^3 + 2(a^4 + a^3b - a^2b^2 - ab^3)e^{(-2dx-2c)} + (a^4 + 3a^3b + 3a^2b^2 + ab^3)e^{(-4dx-4c)})d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out]  $2*b^2*e^{(-2*d*x - 2*c)} / ((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3 + 2*(a^4 + a^3*b - a^2*b^2 - a*b^3)*e^{(-2*d*x - 2*c)} + (a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*e^{(-4*d*x - 4*c)}) * d - 1/2*(2*a*b + b^2)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b) / ((a^4 + 2*a^3*b + a^2*b^2)*d) + (d*x + c) / ((a^2 + 2*a*b + b^2)*d) + \log(e^{(-d*x - c)} + 1) / (a^2*d) + \log(e^{(-d*x - c)} - 1) / (a^2*d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out] int(coth(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*2,x)

[Out] Integral(coth(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.187 \quad \int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=119

$$\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d(a+b)^2} - \frac{(2a+3b) \coth(c+dx)}{2a^2d(a+b)} + \frac{b \coth(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

[Out]  $x/(a+b)^2 - 1/2*b^{(3/2)}*(5*a+3*b)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(5/2)}$   
 $/((a+b)^2/d - 1/2*(2*a+3*b)*\coth(d*x+c)/a^2/(a+b)/d + 1/2*b*\coth(d*x+c)/a/(a+b)/$   
 $d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.19, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.261, Rules used = {3670, 472, 583, 522, 206, 205}

$$\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}d(a+b)^2} - \frac{(2a+3b) \coth(c+dx)}{2a^2d(a+b)} + \frac{b \coth(c+dx)}{2ad(a+b)(a+b \tanh^2(c+dx))} + \frac{x}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out]  $x/(a+b)^2 - (b^{(3/2)}*(5*a+3*b)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/(\text{Sqrt}[a])])$   
 $/((2*a^{(5/2)}*(a+b)^2*d) - ((2*a+3*b)*\text{Coth}[c+d*x])/(2*a^2*(a+b)*d) +$   
 $(b*\text{Coth}[c+d*x])/(2*a*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 472

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1)\*(c+d\*x^n)^(q+1))/(a\*e\*n\*(b\*c-a\*d)\*(p+1)), x] + Dist[1/(a\*n\*(b\*c-a\*d)\*(p+1)

```

)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c
- a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a,
b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && I
ntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n
n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 583

```

Int[((g_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a +
b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(
m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) -
e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2)
+ 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0
] && LtQ[m, -1]

```

### Rule 3670

```

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-2a-3b+3bx^2}{x^2(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{2a^2-2ab}{(1-x^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{b \coth(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= \frac{x}{(a+b)^2} - \frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{5/2}(a+b)^2d} - \frac{(2a+3b) \coth(c+dx)}{2a^2(a+b)d} + \frac{1}{2a(a+b)d}
\end{aligned}$$

**Mathematica [A]** time = 1.86, size = 111, normalized size = 0.93

$$-\frac{b^{3/2}(5a+3b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}(a+b)^2} + \frac{b^2 \sinh(2(c+dx))}{a^2(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{2 \coth(c+dx)}{a^2} - \frac{2(c+dx)}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] -1/2\*((-2\*(c + d\*x))/(a + b)^2 + (b^(3/2)\*(5\*a + 3\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(5/2)\*(a + b)^2) + (2\*Coth[c + d\*x])/a^2 + (b^2\*Sinh[2\*(c + d\*x)]/(a^2\*(a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/d

**fricas [B]** time = 0.50, size = 3725, normalized size = 31.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/4\*(4\*(a^3 + a^2\*b)\*d\*x\*cosh(d\*x + c)^6 + 24\*(a^3 + a^2\*b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^5 + 4\*(a^3 + a^2\*b)\*d\*x\*sinh(d\*x + c)^6 - 4\*(2\*a^3 + 6\*a^2\*b)\*d\*x\*cosh(d\*x + c)^4 + 4\*(a^3 + a^2\*b)\*d\*x\*sinh(d\*x + c)^4 - 4\*(a^3 + a^2\*b)\*d\*x\*cosh(d\*x + c)^2 + 4\*(a^3 + a^2\*b)\*d\*x\*sinh(d\*x + c)^2 - 4\*(a^3 + a^2\*b)\*d\*x)/d

$$\begin{aligned}
& 2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^4 + 4*(15*(a^3 + a^2*b)*d*x*\cosh(d*x + c)^2 - 2*a^3 - 6*a^2*b - 5*a*b^2 - 3*b^3 + (a^3 - 3*a^2*b)*d*x)*\sinh(d*x + c)^4 + 16*(5*(a^3 + a^2*b)*d*x*\cosh(d*x + c)^3 - (2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 8*a^3 - 24*a^2*b - 28*a*b^2 - 12*b^3 - 4*(a^3 + a^2*b)*d*x - 4*(4*a^3 + 4*a^2*b - 4*a*b^2 - 6*b^3 + (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^2 + 4*(15*(a^3 + a^2*b)*d*x*\cosh(d*x + c)^4 - 4*a^3 - 4*a^2*b + 4*a*b^2 + 6*b^3 - (a^3 - 3*a^2*b)*d*x - 6*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^6 + 6*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)*\sinh(d*x + c)^5 + (5*a^2*b + 8*a*b^2 + 3*b^3)*\sinh(d*x + c)^6 + (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^4 + (5*a^2*b - 12*a*b^2 - 9*b^3 + 15*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 4*(5*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^3 + (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 5*a^2*b - 8*a*b^2 - 3*b^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^2 + (15*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^4 - 5*a^2*b + 12*a*b^2 + 9*b^3 + 6*(5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 2*(3*(5*a^2*b + 8*a*b^2 + 3*b^3)*\cosh(d*x + c)^5 + 2*(5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c)^3 - (5*a^2*b - 12*a*b^2 - 9*b^3)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*\sinh(d*x + c) + (a^2 + a*b)*\sinh(d*x + c)^2 + a^2 - a*b)*\sqrt{-b/a}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(3*(a^3 + a^2*b)*d*x*\cosh(d*x + c)^5 - 2*(2*a^3 + 6*a^2*b + 5*a*b^2 + 3*b^3 - (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c)^3 - (4*a^3 + 4*a^2*b - 4*a*b^2 - 6*b^3 + (a^3 - 3*a^2*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)*\sinh(d*x + c)^5 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\sinh(d*x + c)^6 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^4 + (15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^2 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d)*\sinh(d*x + c)^4 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^2 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^4 + 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d)*\sinh(d*x + c)^2 - (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*d*\cosh(d*x + c)^5 + 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/2*(2*(a
\end{aligned}$$



$$\begin{aligned}
&^3 + a^2b) * d * x * \cosh(dx + c)^6 + 12 * (a^3 + a^2b) * d * x * \cosh(dx + c) * \sinh(dx \\
& * x + c)^5 + 2 * (a^3 + a^2b) * d * x * \sinh(dx + c)^6 - 2 * (2 * a^3 + 6 * a^2b + 5 * a * \\
& b^2 + 3 * b^3 - (a^3 - 3 * a^2b) * d * x) * \cosh(dx + c)^4 + 2 * (15 * (a^3 + a^2b) * d * \\
& x * \cosh(dx + c)^2 - 2 * a^3 - 6 * a^2b - 5 * a * b^2 - 3 * b^3 + (a^3 - 3 * a^2b) * d * x \\
& ) * \sinh(dx + c)^4 + 8 * (5 * (a^3 + a^2b) * d * x * \cosh(dx + c)^3 - (2 * a^3 + 6 * a^2 \\
& * b + 5 * a * b^2 + 3 * b^3 - (a^3 - 3 * a^2b) * d * x) * \cosh(dx + c)) * \sinh(dx + c)^3 \\
& - 4 * a^3 - 12 * a^2b - 14 * a * b^2 - 6 * b^3 - 2 * (a^3 + a^2b) * d * x - 2 * (4 * a^3 + 4 * \\
& a^2b - 4 * a * b^2 - 6 * b^3 + (a^3 - 3 * a^2b) * d * x) * \cosh(dx + c)^2 + 2 * (15 * (a^3 \\
& + a^2b) * d * x * \cosh(dx + c)^4 - 4 * a^3 - 4 * a^2b + 4 * a * b^2 + 6 * b^3 - (a^3 - \\
& 3 * a^2b) * d * x - 6 * (2 * a^3 + 6 * a^2b + 5 * a * b^2 + 3 * b^3 - (a^3 - 3 * a^2b) * d * x) * \\
& \cosh(dx + c)^2) * \sinh(dx + c)^2 - ((5 * a^2b + 8 * a * b^2 + 3 * b^3) * \cosh(dx + \\
& c)^6 + 6 * (5 * a^2b + 8 * a * b^2 + 3 * b^3) * \cosh(dx + c) * \sinh(dx + c)^5 + (5 * a^2 \\
& * b + 8 * a * b^2 + 3 * b^3) * \sinh(dx + c)^6 + (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \cosh(dx \\
& * x + c)^4 + (5 * a^2b - 12 * a * b^2 - 9 * b^3 + 15 * (5 * a^2b + 8 * a * b^2 + 3 * b^3) * \co \\
& sh(dx + c)^2) * \sinh(dx + c)^4 + 4 * (5 * (5 * a^2b + 8 * a * b^2 + 3 * b^3) * \cosh(dx \\
& + c)^3 + (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \cosh(dx + c)) * \sinh(dx + c)^3 - 5 * a^ \\
& 2 * b - 8 * a * b^2 - 3 * b^3 - (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \cosh(dx + c)^2 + (15 * \\
& (5 * a^2b + 8 * a * b^2 + 3 * b^3) * \cosh(dx + c)^4 - 5 * a^2b + 12 * a * b^2 + 9 * b^3 + \\
& 6 * (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \cosh(dx + c)^2) * \sinh(dx + c)^2 + 2 * (3 * (5 * a \\
& ^2 * b + 8 * a * b^2 + 3 * b^3) * \cosh(dx + c)^5 + 2 * (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \co \\
& sh(dx + c)^3 - (5 * a^2b - 12 * a * b^2 - 9 * b^3) * \cosh(dx + c)) * \sinh(dx + c)) * \\
& \sqrt{b/a} * \arctan(1/2 * ((a + b) * \cosh(dx + c)^2 + 2 * (a + b) * \cosh(dx + c) * \sin \\
& h(dx + c) + (a + b) * \sinh(dx + c)^2 + a - b) * \sqrt{b/a}) / b) + 4 * (3 * (a^3 + a^ \\
& 2 * b) * d * x * \cosh(dx + c)^5 - 2 * (2 * a^3 + 6 * a^2b + 5 * a * b^2 + 3 * b^3 - (a^3 - 3 * \\
& a^2b) * d * x) * \cosh(dx + c)^3 - (4 * a^3 + 4 * a^2b - 4 * a * b^2 - 6 * b^3 + (a^3 - 3 \\
& * a^2b) * d * x) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^ \\
& 2 * b^3) * d * \cosh(dx + c)^6 + 6 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \cosh(dx \\
& * x + c) * \sinh(dx + c)^5 + (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \sinh(dx \\
& + c)^6 + (a^5 - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) * d * \cosh(dx + c)^4 + (15 * (a^5 \\
& + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \cosh(dx + c)^2 + (a^5 - a^4 * b - 5 * a^3 * \\
& b^2 - 3 * a^2 * b^3) * d) * \sinh(dx + c)^4 - (a^5 - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) \\
& * d * \cosh(dx + c)^2 + 4 * (5 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \cosh(dx \\
& + c)^3 + (a^5 - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) * d * \cosh(dx + c)) * \sinh(dx + \\
& c)^3 + (15 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \cosh(dx + c)^4 + 6 * (a^5 \\
& - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) * d * \cosh(dx + c)^2 - (a^5 - a^4 * b - 5 * a^3 * \\
& b^2 - 3 * a^2 * b^3) * d) * \sinh(dx + c)^2 - (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) \\
& * d + 2 * (3 * (a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3) * d * \cosh(dx + c)^5 + 2 * (a^5 \\
& - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) * d * \cosh(dx + c)^3 - (a^5 - a^4 * b - 5 * a^3 * b \\
& ^2 - 3 * a^2 * b^3) * d * \cosh(dx + c)) * \sinh(dx + c))]
\end{aligned}$$

**giac [B]** time = 0.36, size = 336, normalized size = 2.82

$$\frac{(5ab^2 + 3b^3) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{(a^4 + 2a^3b + a^2b^2)\sqrt{ab}} - \frac{2(dx+c)}{a^2 + 2ab + b^2} + \frac{2(2a^3e^{4dx+4c} + 6a^2be^{4dx+4c} + 5ab^2e^{4dx+4c} + 3b^3e^{4dx+4c} + 4a^3e^{2dx+2c} + 6a^2be^{2dx+2c} + 5ab^2e^{2dx+2c} + 3b^3e^{2dx+2c} + a^4 + 2a^3b + a^2b^2)(ae^{6dx+6c} + be^{6dx+6c} + ae^{4dx+4c})}{(a^4 + 2a^3b + a^2b^2)(ae^{6dx+6c} + be^{6dx+6c} + ae^{4dx+4c})}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 
$$-1/2*((5*a*b^2 + 3*b^3)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^4 + 2*a^3*b + a^2*b^2)*\sqrt{a*b}) - 2*(d*x + c)/(a^2 + 2*a*b + b^2) + 2*(2*a^3*e^{(4*d*x + 4*c)} + 6*a^2*b*e^{(4*d*x + 4*c)} + 5*a*b^2*e^{(4*d*x + 4*c)} + 3*b^3*e^{(4*d*x + 4*c)} + 4*a^3*e^{(2*d*x + 2*c)} + 4*a^2*b*e^{(2*d*x + 2*c)} - 4*a*b^2*e^{(2*d*x + 2*c)} - 6*b^3*e^{(2*d*x + 2*c)} + 2*a^3 + 6*a^2*b + 7*a*b^2 + 3*b^3)/((a^4 + 2*a^3*b + a^2*b^2)*(a*e^{(6*d*x + 6*c)} + b*e^{(6*d*x + 6*c)} + a*e^{(4*d*x + 4*c)} - 3*b*e^{(4*d*x + 4*c)} - a*e^{(2*d*x + 2*c)} + 3*b*e^{(2*d*x + 2*c)} - a - b))/d$$

maple [B] time = 0.42, size = 1061, normalized size = 8.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x)

[Out] 
$$-1/2/d/a^2*\tanh(1/2*d*x+1/2*c)-1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)-1)+1/d/(a+b)^2*\ln(\tanh(1/2*d*x+1/2*c)+1)-1/d*b^2/(a+b)^2/a/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3-1/d*b^3/(a+b)^2/a^2/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)^3-1/d*b^2/(a+b)^2/a/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)*\tanh(1/2*d*x+1/2*c)+5/2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+4/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+5/2/d*b^2/(a+b)^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+5/2/d*b^2/(a+b)^2/a/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+4/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-3/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))*\arctanh(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+3/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+3/2/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*\arctan(a*\tanh(1/2*d*x+1/2*c))/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/2/d/a^2/\tanh(1/2*d*x+1/2*c)$$

**maxima** [B] time = 0.64, size = 976, normalized size = 8.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/4*(2*a*b + b^2)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} \\ & + a + b)/((a^4 + 2*a^3*b + a^2*b^2)*d) + 1/4*(2*a*b + b^2)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} \\ & + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^4 + 2*a^3*b + a^2*b^2)*d) + 1/8*(3*a^2*b - 4*a*b^2 - 3*b^3)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} \\ & + a - b)/\sqrt{a*b})/((a^4 + 2*a^3*b + a^2*b^2)*\sqrt{a*b}*d) - 1/8*(3*a^2*b - 4*a*b^2 - 3*b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} \\ & + a - b)/\sqrt{a*b})/((a^4 + 2*a^3*b + a^2*b^2)*\sqrt{a*b}*d) + 1/4*(2*a^3 + 5*a^2*b + 6*a*b^2 \\ & + 3*b^3 + (2*a^3 + 7*a^2*b + 3*b^3)*e^{(4*d*x + 4*c)} + 2*(2*a^3 + 2*a^2*b + a*b^2 - 3*b^3)*e^{(2*d*x + 2*c)})/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 - (a^5 \\ & + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*e^{(6*d*x + 6*c)} - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*e^{(4*d*x + 4*c)} \\ & + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*e^{(2*d*x + 2*c)})*d) - 1/4*(2*a^3 + 5*a^2*b + 6*a*b^2 + 3*b^3 + 2*(2*a^3 + 2*a^2*b \\ & + a*b^2 - 3*b^3)*e^{(-2*d*x - 2*c)} + (2*a^3 + 7*a^2*b + 3*b^3)*e^{(-4*d*x - 4*c)})/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*e^{(-2*d*x - 2*c)} \\ & - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*e^{(-4*d*x - 4*c)} - (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*e^{(-6*d*x - 6*c)})*d) - 1/2*(2*a^2 + 5*a*b + 3*b^2 + 2*(2*a^2 - 3*b^2)*e^{(-2*d*x - 2*c)} \\ & + (2*a^2 + 3*a*b + 3*b^2)*e^{(-4*d*x - 4*c)})/((a^4 + 2*a^3*b + a^2*b^2 + (a^4 - 2*a^3*b - 3*a^2*b^2)*e^{(-2*d*x - 2*c)} - (a^4 - 2*a^3*b - 3*a^2*b^2)*e^{(-4*d*x - 4*c)} \\ & - (a^4 + 2*a^3*b + a^2*b^2)*e^{(-6*d*x - 6*c)})*d) + 3/4*b*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/(\sqrt{a*b}*a^2*d) + 1/2*\log(e^{(2*d*x + 2*c)} - 1)/(a^2*d) - 1/2*\log(e^{(-2*d*x - 2*c)} - 1)/(a^2*d) \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)^2}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2,x)

[Out] int(coth(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**2/(a+b*tanh(d*x+c)**2)**2,x)
```

```
[Out] Integral(coth(c + d*x)**2/(a + b*tanh(c + d*x)**2)**2, x)
```

$$3.188 \quad \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=124

$$\frac{b^2(3a+2b) \log(a+b \tanh^2(c+dx))}{2a^3d(a+b)^2} + \frac{(a-2b) \log(\tanh(c+dx))}{a^3d} - \frac{b^2}{2a^2d(a+b)(a+b \tanh^2(c+dx))} - \frac{\coth^2(c+dx)}{2a^2d}$$

[Out]  $-1/2*\coth(d*x+c)^2/a^2/d+\ln(\cosh(d*x+c))/(a+b)^2/d+(a-2*b)*\ln(\tanh(d*x+c))/a^3/d+1/2*b^2*(3*a+2*b)*\ln(a+b*\tanh(d*x+c)^2)/a^3/(a+b)^2/d-1/2*b^2/a^2/(a+b)/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.19, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{b^2}{2a^2d(a+b)(a+b \tanh^2(c+dx))} + \frac{b^2(3a+2b) \log(a+b \tanh^2(c+dx))}{2a^3d(a+b)^2} + \frac{(a-2b) \log(\tanh(c+dx))}{a^3d} - \frac{\coth^2(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^2*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^2*d) + ((a - 2*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^3*d) + (b^2*(3*a + 2*b)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^3*(a + b)^2*d) - b^2/(2*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 88

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x],

x]], Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned} \int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)^2} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^2(-1+x)} + \frac{1}{a^2x^2} + \frac{a-2b}{a^3x} + \frac{b^3}{a^2(a+b)(a+bx)^2} + \frac{b^3(3a+2b)}{a^3(a+b)^2(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= -\frac{\coth^2(c + dx)}{2a^2d} + \frac{\log(\cosh(c + dx))}{(a + b)^2d} + \frac{(a - 2b) \log(\tanh(c + dx))}{a^3d} + \frac{b^2(3a + 2b)}{a^3d} \end{aligned}$$

**Mathematica [A]** time = 0.92, size = 93, normalized size = 0.75

$$\frac{\frac{b^3}{a^3(a+b)(a \coth^2(c+dx)+b)} + \frac{b^2(3a+2b) \log(a \coth^2(c+dx)+b)}{a^3(a+b)^2} - \frac{\coth^2(c+dx)}{a^2} + \frac{2 \log(\sinh(c+dx))}{(a+b)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] (-(Coth[c + d\*x]^2/a^2) + b^3/(a^3\*(a + b)\*(b + a\*Coth[c + d\*x]^2)) + (b^2\*(3\*a + 2\*b)\*Log[b + a\*Coth[c + d\*x]^2]))/(a^3\*(a + b)^2) + (2\*Log[Sinh[c + d\*x]])/(a + b)^2/(2\*d)

**fricas [B]** time = 0.67, size = 3468, normalized size = 27.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

```
[Out] -1/2*(2*(a^4 + a^3*b)*d*x*cosh(d*x + c)^8 + 16*(a^4 + a^3*b)*d*x*cosh(d*x +
c)*sinh(d*x + c)^7 + 2*(a^4 + a^3*b)*d*x*sinh(d*x + c)^8 - 4*(2*a^3*b*d*x
- a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c)^6 - 4*(2*a^3*b*d*x - 1
4*(a^4 + a^3*b)*d*x*cosh(d*x + c)^2 - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*
sinh(d*x + c)^6 + 8*(14*(a^4 + a^3*b)*d*x*cosh(d*x + c)^3 - 3*(2*a^3*b*d*x
- a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*(
2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*cosh(d*x + c)^
4 + 4*(35*(a^4 + a^3*b)*d*x*cosh(d*x + c)^4 + 2*a^4 + 2*a^3*b - 2*a^2*b^2 -
4*a*b^3 - (a^4 - 3*a^3*b)*d*x - 15*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^
2 - 2*a*b^3)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 16*(7*(a^4 + a^3*b)*d*x*cos
h(d*x + c)^5 - 5*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d
*x + c)^3 + (2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*c
osh(d*x + c))*sinh(d*x + c)^3 + 2*(a^4 + a^3*b)*d*x - 4*(2*a^3*b*d*x - a^4
- 3*a^3*b - 3*a^2*b^2 - 2*a*b^3)*cosh(d*x + c)^2 + 4*(14*(a^4 + a^3*b)*d*x*
cosh(d*x + c)^6 - 2*a^3*b*d*x - 15*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^2*b^2
- 2*a*b^3)*cosh(d*x + c)^4 + a^4 + 3*a^3*b + 3*a^2*b^2 + 2*a*b^3 + 6*(2*a^
4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3 - (a^4 - 3*a^3*b)*d*x)*cosh(d*x + c)^2)*s
inh(d*x + c)^2 - ((3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^8 + 8*(3*a^2*
b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^2*b^2 + 5*a*b^3
+ 2*b^4)*sinh(d*x + c)^8 - 4*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^6 - 4*(3*a*b^
3 + 2*b^4 - 7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^
6 + 8*(7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^3 - 3*(3*a*b^3 + 2*b^4
)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*(3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d*x
+ c)^4 + 2*(35*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^4 - 3*a^2*b^2 +
7*a*b^3 + 6*b^4 - 30*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 +
3*a^2*b^2 + 5*a*b^3 + 2*b^4 + 8*(7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x +
c)^5 - 10*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^3 - (3*a^2*b^2 - 7*a*b^3 - 6*b^4
)*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^2 + 4*
(7*(3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^6 - 15*(3*a*b^3 + 2*b^4)*cos
h(d*x + c)^4 - 3*a*b^3 - 2*b^4 - 3*(3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d*x +
c)^2)*sinh(d*x + c)^2 + 8*((3*a^2*b^2 + 5*a*b^3 + 2*b^4)*cosh(d*x + c)^7 -
3*(3*a*b^3 + 2*b^4)*cosh(d*x + c)^5 - (3*a^2*b^2 - 7*a*b^3 - 6*b^4)*cosh(d
*x + c)^3 - (3*a*b^3 + 2*b^4)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*
cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cos
h(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) - 2*((a^4 + a^3*b - 3*a^2*b^2
- 5*a*b^3 - 2*b^4)*cosh(d*x + c)^8 + 8*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 -
2*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3
- 2*b^4)*sinh(d*x + c)^8 - 4*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(d*x + c)^6 - 4*
(a^3*b - 3*a*b^3 - 2*b^4 - 7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*co
sh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 -
2*b^4)*cosh(d*x + c)^3 - 3*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(d*x + c))*sinh(d*
x + c)^5 - 2*(a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 6*b^4)*cosh(d*x + c)^4
+ 2*(35*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*cosh(d*x + c)^4 - a^4 +
3*a^3*b + 3*a^2*b^2 - 7*a*b^3 - 6*b^4 - 30*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(
d*x + c)^2)*sinh(d*x + c)^4 + a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4 + 8
```

```

*(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*cosh(d*x + c)^5 - 10*(a^3*b
- 3*a*b^3 - 2*b^4)*cosh(d*x + c)^3 - (a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3
+ 6*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 - 4*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(
d*x + c)^2 + 4*(7*(a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*cosh(d*x + c)
^6 - 15*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(d*x + c)^4 - a^3*b + 3*a*b^3 + 2*b^4
- 3*(a^4 - 3*a^3*b - 3*a^2*b^2 + 7*a*b^3 + 6*b^4)*cosh(d*x + c)^2)*sinh(d*
x + c)^2 + 8*((a^4 + a^3*b - 3*a^2*b^2 - 5*a*b^3 - 2*b^4)*cosh(d*x + c)^7 -
3*(a^3*b - 3*a*b^3 - 2*b^4)*cosh(d*x + c)^5 - (a^4 - 3*a^3*b - 3*a^2*b^2 +
7*a*b^3 + 6*b^4)*cosh(d*x + c)^3 - (a^3*b - 3*a*b^3 - 2*b^4)*cosh(d*x + c)
)*sinh(d*x + c))*log(2*sinh(d*x + c)/(cosh(d*x + c) - sinh(d*x + c))) + 8*(
2*(a^4 + a^3*b)*d*x*cosh(d*x + c)^7 - 3*(2*a^3*b*d*x - a^4 - 3*a^3*b - 3*a^
2*b^2 - 2*a*b^3)*cosh(d*x + c)^5 + 2*(2*a^4 + 2*a^3*b - 2*a^2*b^2 - 4*a*b^3
- (a^4 - 3*a^3*b)*d*x)*cosh(d*x + c)^3 - (2*a^3*b*d*x - a^4 - 3*a^3*b - 3*
a^2*b^2 - 2*a*b^3)*cosh(d*x + c))*sinh(d*x + c))/((a^6 + 3*a^5*b + 3*a^4*b^
2 + a^3*b^3)*d*cosh(d*x + c)^8 + 8*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*
cosh(d*x + c)*sinh(d*x + c)^7 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*sin
h(d*x + c)^8 - 4*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^6 + 4*(7*(a^
6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^2 - (a^5*b + 2*a^4*b^2 +
a^3*b^3)*d)*sinh(d*x + c)^6 - 2*(a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3)*d*co
sh(d*x + c)^4 + 8*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^
3 - 3*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3
5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^4 - 30*(a^5*b + 2*a
^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^2 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3)
*d)*sinh(d*x + c)^4 - 4*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^2 + 8
*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^5 - 10*(a^5*b + 2
*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^3 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^
3)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(7*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3
*b^3)*d*cosh(d*x + c)^6 - 15*(a^5*b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^
4 - 3*(a^6 - a^5*b - 5*a^4*b^2 - 3*a^3*b^3)*d*cosh(d*x + c)^2 - (a^5*b + 2*
a^4*b^2 + a^3*b^3)*d)*sinh(d*x + c)^2 + (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^
3)*d + 8*((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^7 - 3*(a^5*
b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c)^5 - (a^6 - a^5*b - 5*a^4*b^2 - 3*a
^3*b^3)*d*cosh(d*x + c)^3 - (a^5*b + 2*a^4*b^2 + a^3*b^3)*d*cosh(d*x + c))*
sinh(d*x + c))

```

**giac [B]** time = 0.38, size = 323, normalized size = 2.60

$$\frac{(3ab^2+2b^3)\log(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}{a^5+2a^4b+a^3b^2} - \frac{2(dx+c)}{a^2+2ab+b^2} + \frac{2(a-2b)\log(|e^{(2dx+2c)}-1|)}{a^3} - \frac{4\left(\frac{(a^4+3a^3b+3a^2b^2+2ab^3)e}{a+b}\right)}{(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")



[Out]  $\frac{1}{2} * ((3 * a * b^2 + 2 * b^3) * \log(a * e^{(4 * d * x + 4 * c)} + b * e^{(4 * d * x + 4 * c)} + 2 * a * e^{(2 * d * x + 2 * c)} - 2 * b * e^{(2 * d * x + 2 * c)} + a + b) / (a^5 + 2 * a^4 * b + a^3 * b^2) - 2 * (d * x + c) / (a^2 + 2 * a * b + b^2) + 2 * (a - 2 * b) * \log(\text{abs}(e^{(2 * d * x + 2 * c)} - 1)) / a^3 - 4 * ((a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + 2 * a * b^3) * e^{(6 * d * x + 6 * c)} / (a + b) + 2 * (a^4 + a^3 * b - a^2 * b^2 - 2 * a * b^3) * e^{(4 * d * x + 4 * c)} / (a + b) + (a^4 + 3 * a^3 * b + 3 * a^2 * b^2 + 2 * a * b^3) * e^{(2 * d * x + 2 * c)} / (a + b)) / ((a * e^{(4 * d * x + 4 * c)} + b * e^{(4 * d * x + 4 * c)} + 2 * a * e^{(2 * d * x + 2 * c)} - 2 * b * e^{(2 * d * x + 2 * c)} + a + b) * (a + b) * a^3 * (e^{(2 * d * x + 2 * c)} - 1)^2) / d$

**maple [B]** time = 0.48, size = 383, normalized size = 3.09

$$\frac{\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right) \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{8d a^2} - \frac{\ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \ln\left(\tanh\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d(a+b)^2} + \frac{2b^3 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d(a+b)^2 a^2 \left(\left(\tanh^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 2 \left(\tanh^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x)`

[Out]  $-1/8/d * \tanh(1/2 * d * x + 1/2 * c)^2 / a^2 - 1/d / (a+b)^2 * \ln(\tanh(1/2 * d * x + 1/2 * c) - 1) - 1/d / (a+b)^2 * \ln(\tanh(1/2 * d * x + 1/2 * c) + 1) + 2/d * b^3 / (a+b)^2 / a^2 * \tanh(1/2 * d * x + 1/2 * c)^2 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a) + 2/d * b^4 / a^3 / (a+b)^2 * \tanh(1/2 * d * x + 1/2 * c)^2 / (\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a) + 3/2/d * b^2 / (a+b)^2 / a^2 * \ln(\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a) + 1/d * b^3 / a^3 / (a+b)^2 * \ln(\tanh(1/2 * d * x + 1/2 * c)^4 * a + 2 * \tanh(1/2 * d * x + 1/2 * c)^2 * a + 4 * \tanh(1/2 * d * x + 1/2 * c)^2 * b + a) - 1/8/d / a^2 / \tanh(1/2 * d * x + 1/2 * c)^2 + 1/d / a^2 * \ln(\tanh(1/2 * d * x + 1/2 * c)) - 2/d / a^3 * \ln(\tanh(1/2 * d * x + 1/2 * c)) * b$

**maxima [B]** time = 0.35, size = 402, normalized size = 3.24

$$\frac{(3ab^2 + 2b^3) \log\left(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b\right)}{2(a^5 + 2a^4b + a^3b^2)d} + \frac{dx+c}{(a^2 + 2ab + b^2)d} - \frac{1}{(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^3/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{2} * (3 * a * b^2 + 2 * b^3) * \log(2 * (a - b) * e^{(-2 * d * x - 2 * c)} + (a + b) * e^{(-4 * d * x - 4 * c)} + a + b) / ((a^5 + 2 * a^4 * b + a^3 * b^2) * d) + (d * x + c) / ((a^2 + 2 * a * b + b^2) * d) - 2 * ((a^3 + 3 * a^2 * b + 3 * a * b^2 + 2 * b^3) * e^{(-2 * d * x - 2 * c)} + 2 * (a^3 + a^2 * b - a * b^2 - 2 * b^3) * e^{(-4 * d * x - 4 * c)} + (a^3 + 3 * a^2 * b + 3 * a * b^2 + 2 * b^3) * e^{(-6 * d * x - 6 * c)}) / ((a^5 + 3 * a^4 * b + 3 * a^3 * b^2 + a^2 * b^3 - 4 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3)) * e^{(-2 * d * x - 2 * c)} - 2 * (a^5 - a^4 * b - 5 * a^3 * b^2 - 3 * a^2 * b^3) * e^{(-4 * d * x - 4 * c)} - 4 * (a^4 * b + 2 * a^3 * b^2 + a^2 * b^3) * e^{(-6 * d * x - 6 * c)} + (a^5 + 3$

$*a^4*b + 3*a^3*b^2 + a^2*b^3)*e^{(-8*d*x - 8*c))*d) + (a - 2*b)*\log(e^{(-d*x - c) + 1})/(a^3*d) + (a - 2*b)*\log(e^{(-d*x - c) - 1})/(a^3*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)^3}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

[Out] int(coth(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.189 \quad \int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx$$

**Optimal.** Leaf size=159

$$\frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d(a+b)^2} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2d(a+b)} - \frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3d(a+b)} + \frac{b \coth^3(c+dx)}{2ad(a+b)(a+b)}$$

[Out] x/(a+b)^2+1/2\*b^(5/2)\*(7\*a+5\*b)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(7/2)  
/(2\*a^(7/2)\*(a+b)^2\*d) - ((2\*a^2-2\*a\*b-5\*b^2)\*coth(d\*x+c)/a^3/(a+b)/d-1/6\*(2\*a+5\*b)\*co  
th(d\*x+c)^3/a^2/(a+b)/d+1/2\*b\*coth(d\*x+c)^3/a/(a+b)/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.28, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 472, 583, 522, 206, 205}

$$-\frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3d(a+b)} + \frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}d(a+b)^2} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2d(a+b)} + \frac{b \coth^3(c+dx)}{2ad(a+b)(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2,x]

[Out] x/(a + b)^2 + (b^(5/2)\*(7\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(2\*a^(7/2)\*(a + b)^2\*d) - ((2\*a^2 - 2\*a\*b - 5\*b^2)\*Coth[c + d\*x])/(2\*a^3\*(a + b)\*d) - ((2\*a + 5\*b)\*Coth[c + d\*x]^3)/(6\*a^2\*(a + b)\*d) + (b\*Coth[c + d\*x]^3)/(2\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 472

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n



$$\begin{aligned}
\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{-2a-5b+5bx^2}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{3(2a^2-2ab-5b^2)}{x^4(1-x^2)(a+bx^2)} dx, x, \tanh(c+dx)\right)}{2a(a+b)d} \\
&= -\frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} \\
&= -\frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d} - \frac{(2a+5b) \coth^3(c+dx)}{6a^2(a+b)d} + \frac{b \coth^3(c+dx)}{2a(a+b)d(a+b \tanh^2(c+dx))} \\
&= \frac{x}{(a+b)^2} + \frac{b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{2a^{7/2}(a+b)^2d} - \frac{(2a^2-2ab-5b^2) \coth(c+dx)}{2a^3(a+b)d}
\end{aligned}$$

**Mathematica [A]** time = 1.56, size = 139, normalized size = 0.87

$$\frac{3b^{5/2}(7a+5b) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}(a+b)^2} + \frac{3b^3 \sinh(2(c+dx))}{a^3(a+b)((a+b) \cosh(2(c+dx))+a-b)} + \frac{4(3b-2a) \coth(c+dx)}{a^3} - \frac{2 \coth(c+dx) \text{csch}^2(c+dx)}{a^2} + \frac{6(c+dx)}{(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^2, x]

[Out] ((6\*(c + d\*x))/(a + b)^2 + (3\*b^(5/2)\*(7\*a + 5\*b)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(7/2)\*(a + b)^2) + (4\*(-2\*a + 3\*b)\*Coth[c + d\*x])/a^3 - (2\*Coth[c + d\*x]\*Csch[c + d\*x]^2)/a^2 + (3\*b^3\*Sinh[2\*(c + d\*x)]/(a^3\*(a + b)\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(6\*d)

**fricas [B]** time = 0.59, size = 8482, normalized size = 53.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="fricas")

[Out] [1/12\*(12\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^10 + 120\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + 12\*(a^4 + a^3\*b)\*d\*x\*sinh(d\*x + c)^10 - 12\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^8 + 12\*(4\*5\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^2 - 4\*a^4 - 8\*a^3\*b + 7\*a\*b^3 + 5\*b^4 - (a^4 + 5\*a^3\*b)\*d\*x)\*sinh(d\*x + c)^8 + 96\*(15\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^3 - (4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 24\*(2\*a^4 - 2\*a^3\*b - 2\*a^2\*b^2 + 9\*a\*b^3 + 10\*b^4 + (a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^6 + 24\*(105\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^4 - 2\*a^4 + 2\*a^3\*b + 2\*a^2\*b^2 - 9\*a\*b^3 - 10\*b^4 - (a^4 - 5\*a^3\*b)\*d\*x - 14\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 48\*(63\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^5 - 14\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^3 - 3\*(2\*a^4 - 2\*a^3\*b - 2\*a^2\*b^2 + 9\*a\*b^3 + 10\*b^4 + (a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 8\*(2\*a^4 - 30\*a^3\*b - 30\*a^2\*b^2 + 38\*a\*b^3 + 4\*5\*b^4 + 3\*(a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^4 + 8\*(315\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^6 - 105\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^4 + 2\*a^4 - 30\*a^3\*b - 30\*a^2\*b^2 + 38\*a\*b^3 + 45\*b^4 + 3\*(a^4 - 5\*a^3\*b)\*d\*x - 45\*(2\*a^4 - 2\*a^3\*b - 2\*a^2\*b^2 + 9\*a\*b^3 + 10\*b^4 + (a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 - 32\*a^4 - 48\*a^3\*b + 48\*a^2\*b^2 + 124\*a\*b^3 + 60\*b^4 + 32\*(45\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^7 - 21\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^5 - 15\*(2\*a^4 - 2\*a^3\*b - 2\*a^2\*b^2 + 9\*a\*b^3 + 10\*b^4 + (a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^3 + (2\*a^4 - 30\*a^3\*b - 30\*a^2\*b^2 + 38\*a\*b^3 + 45\*b^4 + 3\*(a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 - 12\*(a^4 + a^3\*b)\*d\*x - 4\*(4\*a^4 - 20\*a^3\*b - 4\*a^2\*b^2 + 74\*a\*b^3 + 60\*b^4 - 3\*(a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^2 + 4\*(135\*(a^4 + a^3\*b)\*d\*x\*cosh(d\*x + c)^8 - 84\*(4\*a^4 + 8\*a^3\*b - 7\*a\*b^3 - 5\*b^4 + (a^4 + 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^6 - 9\*0\*(2\*a^4 - 2\*a^3\*b - 2\*a^2\*b^2 + 9\*a\*b^3 + 10\*b^4 + (a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^4 - 4\*a^4 + 20\*a^3\*b + 4\*a^2\*b^2 - 74\*a\*b^3 - 60\*b^4 + 3\*(a^4 + 5\*a^3\*b)\*d\*x + 12\*(2\*a^4 - 30\*a^3\*b - 30\*a^2\*b^2 + 38\*a\*b^3 + 45\*b^4 + 3\*(a^4 - 5\*a^3\*b)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 3\*((7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)^10 + 10\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^9 + (7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*sinh(d\*x + c)^10 - (7\*a^2\*b^2 + 40\*a\*b^3 + 25\*b^4)\*cosh(d\*x + c)^8 - (7\*a^2\*b^2 + 40\*a\*b^3 + 25\*b^4 - 45\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^8 + 8\*(15\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)^3 - (7\*a^2\*b^2 + 40\*a\*b^3 + 25\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^7 - 2\*(7\*a^2\*b^2 - 30\*a\*b^3 - 25\*b^4)\*cosh(d\*x + c)^6 + 2\*(105\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)^4 - 7\*a^2\*b^2 + 30\*a\*b^3 + 25\*b^4 - 14\*(7\*a^2\*b^2 + 40\*a\*b^3 + 25\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 4\*(63\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh(d\*x + c)^5 - 14\*(7\*a^2\*b^2 + 40\*a\*b^3 + 25\*b^4)\*cosh(d\*x + c)^3 - 3\*(7\*a^2\*b^2 - 30\*a\*b^3 - 25\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(7\*a^2\*b^2 - 30\*a\*b^3 - 25\*b^4)\*cosh(d\*x + c)^4 + 2\*(105\*(7\*a^2\*b^2 + 12\*a\*b^3 + 5\*b^4)\*cosh

$$\begin{aligned}
& (d*x + c)^6 - 35*(7*a^2*b^2 + 40*a*b^3 + 25*b^4)*\cosh(d*x + c)^4 + 7*a^2*b^2 \\
& - 30*a*b^3 - 25*b^4 - 15*(7*a^2*b^2 - 30*a*b^3 - 25*b^4)*\cosh(d*x + c)^2) \\
& *sinh(d*x + c)^4 - 7*a^2*b^2 - 12*a*b^3 - 5*b^4 + 8*(15*(7*a^2*b^2 + 12*a*b \\
& ^3 + 5*b^4)*\cosh(d*x + c)^7 - 7*(7*a^2*b^2 + 40*a*b^3 + 25*b^4)*\cosh(d*x + \\
& c)^5 - 5*(7*a^2*b^2 - 30*a*b^3 - 25*b^4)*\cosh(d*x + c)^3 + (7*a^2*b^2 - 30* \\
& a*b^3 - 25*b^4)*\cosh(d*x + c))*sinh(d*x + c)^3 + (7*a^2*b^2 + 40*a*b^3 + 25 \\
& *b^4)*\cosh(d*x + c)^2 + (45*(7*a^2*b^2 + 12*a*b^3 + 5*b^4)*\cosh(d*x + c)^8 \\
& - 28*(7*a^2*b^2 + 40*a*b^3 + 25*b^4)*\cosh(d*x + c)^6 - 30*(7*a^2*b^2 - 30*a \\
& *b^3 - 25*b^4)*\cosh(d*x + c)^4 + 7*a^2*b^2 + 40*a*b^3 + 25*b^4 + 12*(7*a^2* \\
& b^2 - 30*a*b^3 - 25*b^4)*\cosh(d*x + c)^2)*sinh(d*x + c)^2 + 2*(5*(7*a^2*b^2 \\
& + 12*a*b^3 + 5*b^4)*\cosh(d*x + c)^9 - 4*(7*a^2*b^2 + 40*a*b^3 + 25*b^4)*co \\
& sh(d*x + c)^7 - 6*(7*a^2*b^2 - 30*a*b^3 - 25*b^4)*\cosh(d*x + c)^5 + 4*(7*a^ \\
& 2*b^2 - 30*a*b^3 - 25*b^4)*\cosh(d*x + c)^3 + (7*a^2*b^2 + 40*a*b^3 + 25*b^4 \\
& )*\cosh(d*x + c))*sinh(d*x + c))*sqrt(-b/a)*log(((a^2 + 2*a*b + b^2)*\cosh(d* \\
& x + c)^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*sinh(d*x + c)^3 + (a^2 + 2*a \\
& *b + b^2)*sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a \\
& *b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 \\
& + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*sinh( \\
& d*x + c) + 4*((a^2 + a*b)*\cosh(d*x + c)^2 + 2*(a^2 + a*b)*\cosh(d*x + c)*sin \\
& h(d*x + c) + (a^2 + a*b)*sinh(d*x + c)^2 + a^2 - a*b)*sqrt(-b/a))/((a + b)* \\
& cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*sinh(d*x + c)^3 + (a + b)*sinh(d* \\
& x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b \\
& )*sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*sin \\
& h(d*x + c) + a + b)) + 8*(15*(a^4 + a^3*b)*d*x*\cosh(d*x + c)^9 - 12*(4*a^4 \\
& + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d*x)*\cosh(d*x + c)^7 - 18*(2* \\
& a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*\cosh(d* \\
& x + c)^5 + 4*(2*a^4 - 30*a^3*b - 30*a^2*b^2 + 38*a*b^3 + 45*b^4 + 3*(a^4 - \\
& 5*a^3*b)*d*x)*\cosh(d*x + c)^3 - (4*a^4 - 20*a^3*b - 4*a^2*b^2 + 74*a*b^3 + \\
& 60*b^4 - 3*(a^4 + 5*a^3*b)*d*x)*\cosh(d*x + c))*sinh(d*x + c))/((a^6 + 3*a^5 \\
& *b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^10 + 10*(a^6 + 3*a^5*b + 3*a^4*b^ \\
& 2 + a^3*b^3)*d*\cosh(d*x + c)*sinh(d*x + c)^9 + (a^6 + 3*a^5*b + 3*a^4*b^2 + \\
& a^3*b^3)*d*sinh(d*x + c)^10 - (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*c \\
& osh(d*x + c)^8 + (45*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^ \\
& 2 - (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d)*sinh(d*x + c)^8 - 2*(a^6 - \\
& 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^6 + 8*(15*(a^6 + 3*a^5*b + \\
& 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^3 - (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a \\
& ^3*b^3)*d*\cosh(d*x + c))*sinh(d*x + c)^7 + 2*(105*(a^6 + 3*a^5*b + 3*a^4*b^ \\
& 2 + a^3*b^3)*d*\cosh(d*x + c)^4 - 14*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3 \\
& )*d*\cosh(d*x + c)^2 - (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d)*sinh(d*x + \\
& c)^6 + 2*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^4 + 4*(63 \\
& *(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^5 - 14*(a^6 + 7*a^5* \\
& b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^3 - 3*(a^6 - 3*a^5*b - 9*a^4*b^ \\
& 2 - 5*a^3*b^3)*d*\cosh(d*x + c))*sinh(d*x + c)^5 + 2*(105*(a^6 + 3*a^5*b + 3 \\
& *a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^6 - 35*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5* \\
& a^3*b^3)*d*\cosh(d*x + c)^4 - 15*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*c
\end{aligned}$$

$$\begin{aligned}
& \text{osh}(d*x + c)^2 + (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\sinh(d*x + c)^4 \\
& + (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^2 + 8*(15*(a^6 \\
& + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^7 - 7*(a^6 + 7*a^5*b + 11* \\
& a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^5 - 5*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a \\
& ^3*b^3)*d*\cosh(d*x + c)^3 + (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh( \\
& d*x + c))*\sinh(d*x + c)^3 + (45*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cos \\
& h(d*x + c)^8 - 28*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^ \\
& 6 - 30*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^4 + 12*(a^6 \\
& - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^2 + (a^6 + 7*a^5*b + 11* \\
& a^4*b^2 + 5*a^3*b^3)*d*\sinh(d*x + c)^2 - (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3* \\
& b^3)*d + 2*(5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^9 - 4*( \\
& a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^7 - 6*(a^6 - 3*a^5* \\
& b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^5 + 4*(a^6 - 3*a^5*b - 9*a^4*b^2 \\
& - 5*a^3*b^3)*d*\cosh(d*x + c)^3 + (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)* \\
& d*\cosh(d*x + c))*\sinh(d*x + c)), 1/6*(6*(a^4 + a^3*b)*d*x*\cosh(d*x + c)^10 \\
& + 60*(a^4 + a^3*b)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^9 + 6*(a^4 + a^3*b)*d*x* \\
& \sinh(d*x + c)^10 - 6*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)*d \\
& *x)*\cosh(d*x + c)^8 + 6*(45*(a^4 + a^3*b)*d*x*\cosh(d*x + c)^2 - 4*a^4 - 8*a \\
& ^3*b + 7*a*b^3 + 5*b^4 - (a^4 + 5*a^3*b)*d*x)*\sinh(d*x + c)^8 + 48*(15*(a^4 \\
& + a^3*b)*d*x*\cosh(d*x + c)^3 - (4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + \\
& 5*a^3*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 12*(2*a^4 - 2*a^3*b - 2*a^2 \\
& *b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^6 + 12*(105*(a \\
& ^4 + a^3*b)*d*x*\cosh(d*x + c)^4 - 2*a^4 + 2*a^3*b + 2*a^2*b^2 - 9*a*b^3 - 1 \\
& 0*b^4 - (a^4 - 5*a^3*b)*d*x - 14*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 \\
& + 5*a^3*b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 24*(63*(a^4 + a^3*b)*d*x \\
& *\cosh(d*x + c)^5 - 14*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)* \\
& d*x)*\cosh(d*x + c)^3 - 3*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + \\
& (a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*(2*a^4 - 30*a^3*b - \\
& 30*a^2*b^2 + 38*a*b^3 + 45*b^4 + 3*(a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^4 + \\
& 4*(315*(a^4 + a^3*b)*d*x*\cosh(d*x + c)^6 - 105*(4*a^4 + 8*a^3*b - 7*a*b^3 - \\
& 5*b^4 + (a^4 + 5*a^3*b)*d*x)*\cosh(d*x + c)^4 + 2*a^4 - 30*a^3*b - 30*a^2*b \\
& ^2 + 38*a*b^3 + 45*b^4 + 3*(a^4 - 5*a^3*b)*d*x - 45*(2*a^4 - 2*a^3*b - 2*a^ \\
& 2*b^2 + 9*a*b^3 + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + \\
& c)^4 - 16*a^4 - 24*a^3*b + 24*a^2*b^2 + 62*a*b^3 + 30*b^4 + 16*(45*(a^4 + \\
& a^3*b)*d*x*\cosh(d*x + c)^7 - 21*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + \\
& 5*a^3*b)*d*x)*\cosh(d*x + c)^5 - 15*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 \\
& + 10*b^4 + (a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^3 + (2*a^4 - 30*a^3*b - 30*a^ \\
& 2*b^2 + 38*a*b^3 + 45*b^4 + 3*(a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c))*\sinh(d*x \\
& + c)^3 - 6*(a^4 + a^3*b)*d*x - 2*(4*a^4 - 20*a^3*b - 4*a^2*b^2 + 74*a*b^3 + \\
& 60*b^4 - 3*(a^4 + 5*a^3*b)*d*x)*\cosh(d*x + c)^2 + 2*(135*(a^4 + a^3*b)*d*x \\
& *\cosh(d*x + c)^8 - 84*(4*a^4 + 8*a^3*b - 7*a*b^3 - 5*b^4 + (a^4 + 5*a^3*b)* \\
& d*x)*\cosh(d*x + c)^6 - 90*(2*a^4 - 2*a^3*b - 2*a^2*b^2 + 9*a*b^3 + 10*b^4 + \\
& (a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^4 - 4*a^4 + 20*a^3*b + 4*a^2*b^2 - 74*a \\
& *b^3 - 60*b^4 + 3*(a^4 + 5*a^3*b)*d*x + 12*(2*a^4 - 30*a^3*b - 30*a^2*b^2 + \\
& 38*a*b^3 + 45*b^4 + 3*(a^4 - 5*a^3*b)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^
\end{aligned}$$



$$\begin{aligned}
& 2 + 3*((7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^{10} + 10*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)*\sinh(dx + c)^9 + (7a^2b^2 + 12ab^3 + 5b^4)*\sinh(dx + c)^{10} - (7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^8 - (7a^2b^2 + 40ab^3 + 25b^4 - 45*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^8 + 8*(15*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^3 - (7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c))*\sinh(dx + c)^7 - 2*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^6 + 2*(105*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^4 - 7a^2b^2 + 30ab^3 + 25b^4 - 14*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^6 + 4*(63*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^5 - 14*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^3 - 3*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c))*\sinh(dx + c)^5 + 2*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^4 + 2*(105*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^6 - 35*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^4 + 7a^2b^2 - 30ab^3 - 25b^4 - 15*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^4 - 7a^2b^2 - 12ab^3 - 5b^4 + 8*(15*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^7 - 7*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^5 - 5*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^3 + (7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c))*\sinh(dx + c)^3 + (7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^2 + (45*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^8 - 28*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^6 - 30*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^4 + 7a^2b^2 + 40ab^3 + 25b^4 + 12*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^2)*\sinh(dx + c)^2 + 2*(5*(7a^2b^2 + 12ab^3 + 5b^4)*\cosh(dx + c)^9 - 4*(7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c)^7 - 6*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^5 + 4*(7a^2b^2 - 30ab^3 - 25b^4)*\cosh(dx + c)^3 + (7a^2b^2 + 40ab^3 + 25b^4)*\cosh(dx + c))*\sinh(dx + c))*\sqrt{b/a}*\arctan(1/2*((a + b)*\cosh(dx + c)^2 + 2*(a + b)*\cosh(dx + c)*\sinh(dx + c) + (a + b)*\sinh(dx + c)^2 + a - b)*\sqrt{b/a}/b) + 4*(15*(a^4 + a^3b)*d*x*\cosh(dx + c)^9 - 12*(4a^4 + 8a^3b - 7a^2b^2 - 5b^4 + (a^4 + 5a^3b)*d*x)*\cosh(dx + c)^7 - 18*(2a^4 - 2a^3b - 2a^2b^2 + 9a^2b^2 + 10b^4 + (a^4 - 5a^3b)*d*x)*\cosh(dx + c)^5 + 4*(2a^4 - 30a^3b - 30a^2b^2 + 38a^2b^2 + 45b^4 + 3*(a^4 - 5a^3b)*d*x)*\cosh(dx + c)^3 - (4a^4 - 20a^3b - 4a^2b^2 + 74a^2b^2 + 60b^4 - 3*(a^4 + 5a^3b)*d*x)*\cosh(dx + c))*\sinh(dx + c))/((a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\cosh(dx + c)^{10} + 10*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\sinh(dx + c)^{10} - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)*d*\cosh(dx + c)^8 + (45*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\cosh(dx + c)^2 - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)*d)*\sinh(dx + c)^8 - 2*(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)*d*\cosh(dx + c)^6 + 8*(15*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\cosh(dx + c)^3 - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)*d*\cosh(dx + c))*\sinh(dx + c)^7 + 2*(105*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\cosh(dx + c)^4 - 14*(a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)*d*\cosh(dx + c)^2 - (a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)*d)*\sinh(dx + c)^6 + 2*(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)*d*\cosh(dx + c)^4 + 4*(63*(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)*d*\cosh(dx + c)^5
\end{aligned}$$

$$\begin{aligned}
& -14*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^3 - 3*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(105 \\
& *(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^6 - 35*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^4 - 15*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3) \\
& *d*\cosh(d*x + c)^2 + (a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3) \\
& *d)*\sinh(d*x + c)^4 + (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^2 + 8*(15*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^7 - 7*( \\
& a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^5 - 5*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^3 + (a^6 - 3*a^5*b - 9*a^4*b^2 - \\
& 5*a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + (45*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^8 - 28*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3) \\
& *d*\cosh(d*x + c)^6 - 30*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^4 + 12*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^2 + ( \\
& a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d)*\sinh(d*x + c)^2 - (a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d + 2*(5*(a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d*\cosh(d*x + c)^9 - 4*(a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c)^7 - 6*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^5 + 4*(a^6 - 3*a^5*b - 9*a^4*b^2 - 5*a^3*b^3)*d*\cosh(d*x + c)^3 + (a^6 + 7*a^5*b + 11*a^4*b^2 + 5*a^3*b^3)*d*\cosh(d*x + c))*\sinh(d*x + c))]
\end{aligned}$$

**giac** [A] time = 0.44, size = 281, normalized size = 1.77

$$\frac{3(7ab^3+5b^4)\arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^5+2a^4b+a^3b^2)\sqrt{ab}} + \frac{6(dx+c)}{a^2+2ab+b^2} - \frac{6(ab^3e^{(2dx+2c)}-b^4e^{(2dx+2c)+ab^3+b^4})}{(a^5+2a^4b+a^3b^2)(ae^{(4dx+4c)+be^{(4dx+4c)+2ae^{(2dx+2c)}-2be^{(2dx+2c)+a+b}})} - \frac{8}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x, algorithm="giac")

[Out] 1/6\*(3\*(7\*a\*b^3 + 5\*b^4)\*arctan(1/2\*(a\*e^(2\*d\*x + 2\*c) + b\*e^(2\*d\*x + 2\*c) + a - b)/sqrt(a\*b))/((a^5 + 2\*a^4\*b + a^3\*b^2)\*sqrt(a\*b)) + 6\*(d\*x + c)/(a^2 + 2\*a\*b + b^2) - 6\*(a\*b^3\*e^(2\*d\*x + 2\*c) - b^4\*e^(2\*d\*x + 2\*c) + a\*b^3 + b^4)/((a^5 + 2\*a^4\*b + a^3\*b^2)\*(a\*e^(4\*d\*x + 4\*c) + b\*e^(4\*d\*x + 4\*c) + 2\*a\*e^(2\*d\*x + 2\*c) - 2\*b\*e^(2\*d\*x + 2\*c) + a + b)) - 8\*(3\*a\*e^(4\*d\*x + 4\*c) - 3\*b\*e^(4\*d\*x + 4\*c) - 3\*a\*e^(2\*d\*x + 2\*c) + 6\*b\*e^(2\*d\*x + 2\*c) + 2\*a - 3\*b)/(a^3\*(e^(2\*d\*x + 2\*c) - 1)^3))/d

**maple** [B] time = 0.47, size = 1137, normalized size = 7.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^2,x)

```
[Out] -1/24/d/a^2*tanh(1/2*d*x+1/2*c)^3-5/8/d/a^2*tanh(1/2*d*x+1/2*c)+1/d/a^3*tan
h(1/2*d*x+1/2*c)*b-1/d/(a+b)^2*ln(tanh(1/2*d*x+1/2*c)-1)+1/d/(a+b)^2*ln(tan
h(1/2*d*x+1/2*c)+1)+1/d*b^3/(a+b)^2/a^2/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2
*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)*tanh(1/2*d*x+1/2*c)^3+1/d*b^4/
(a+b)^2/a^3/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d
*x+1/2*c)^2*b+a)*tanh(1/2*d*x+1/2*c)^3+1/d*b^3/(a+b)^2/a^2/(tanh(1/2*d*x+1/
2*c)^4*a+2*tanh(1/2*d*x+1/2*c)^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)*tanh(1/2*d*
x+1/2*c)+1/d*b^4/(a+b)^2/a^3/(tanh(1/2*d*x+1/2*c)^4*a+2*tanh(1/2*d*x+1/2*c)
^2*a+4*tanh(1/2*d*x+1/2*c)^2*b+a)*tanh(1/2*d*x+1/2*c)-7/2/d*b^3/(a+b)^2/a/(
b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1
/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))+7/2/d*b^3/(a+b)^2/a^2/((2*(b*(a+
b))^(1/2)-a-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)
-a-2*b)*a)^(1/2))-6/d*b^4/(a+b)^2/a^2/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a
-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(
1/2))-7/2/d*b^3/(a+b)^2/a/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1
/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-7/2/d
*b^3/(a+b)^2/a^2/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+
1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-6/d*b^4/(a+b)^2/a^2/(b*(a+b))^(
1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/((2*(
b*(a+b))^(1/2)+a+2*b)*a)^(1/2))+5/2/d*b^4/(a+b)^2/a^3/((2*(b*(a+b))^(1/2)-a
-2*b)*a)^(1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(
1/2))-5/2/d*b^5/(a+b)^2/a^3/(b*(a+b))^(1/2)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(
1/2)*arctanh(a*tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^(1/2)-a-2*b)*a)^(1/2))-5/
2/d*b^4/(a+b)^2/a^3/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d
*x+1/2*c)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-5/2/d*b^5/(a+b)^2/a^3/(b*(a+
b))^(1/2)/((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2)*arctan(a*tanh(1/2*d*x+1/2*c)/
((2*(b*(a+b))^(1/2)+a+2*b)*a)^(1/2))-1/24/d/a^2/tanh(1/2*d*x+1/2*c)^3-5/8/d
/a^2/tanh(1/2*d*x+1/2*c)+1/d/a^3/tanh(1/2*d*x+1/2*c)*b
```

**maxima [B]** time = 1.08, size = 2345, normalized size = 14.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)^4/(a+b*tanh(d*x+c)^2)^2,x, algorithm="maxima")
```

```
[Out] -1/4*(a^2*b - a*b^2 - b^3)*log((a + b)*e^(4*d*x + 4*c) + 2*(a - b)*e^(2*d*x
+ 2*c) + a + b)/((a^5 + 2*a^4*b + a^3*b^2)*d) + 1/4*(a^2*b - a*b^2 - b^3)*
log(2*(a - b)*e^(-2*d*x - 2*c) + (a + b)*e^(-4*d*x - 4*c) + a + b)/((a^5 +
2*a^4*b + a^3*b^2)*d) + 1/32*(3*a^3*b - 29*a^2*b^2 - 11*a*b^3 + 5*b^4)*arct
an(1/2*((a + b)*e^(2*d*x + 2*c) + a - b)/sqrt(a*b))/((a^5 + 2*a^4*b + a^3*b
^2)*sqrt(a*b)*d) - 1/32*(3*a^3*b - 29*a^2*b^2 - 11*a*b^3 + 5*b^4)*arctan(1/
2*((a + b)*e^(-2*d*x - 2*c) + a - b)/sqrt(a*b))/((a^5 + 2*a^4*b + a^3*b^2)*
sqrt(a*b)*d) + 1/48*(44*a^4 + 117*a^3*b + 111*a^2*b^2 + 23*a*b^3 - 15*b^4 +
3*(24*a^4 + 69*a^3*b + 45*a^2*b^2 + 27*a*b^3 - 5*b^4)*e^(8*d*x + 8*c) + 6*
```

$$\begin{aligned}
& (6a^4 - 31a^3b - 50a^2b^2 - 51ab^3 + 10b^4)e^{(6dx + 6c)} - 2(50a^4 - 78a^3b - 225a^2b^2 - 196ab^3 + 45b^4)e^{(4dx + 4c)} - 2(10a^4 + 115a^3b + 182a^2b^2 + 95ab^3 - 30b^4)e^{(2dx + 2c)} \\
& \left( (a^6 + 3a^5b + 3a^4b^2 + a^3b^3 - (a^6 + 3a^5b + 3a^4b^2 + a^3b^3))e^{(10dx + 10c)} + (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)e^{(8dx + 8c)} + 2(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)e^{(6dx + 6c)} - 2(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)e^{(4dx + 4c)} - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)e^{(2dx + 2c)} \right) * d \\
& - \frac{1}{48}(44a^4 + 117a^3b + 111a^2b^2 + 23ab^3 - 15b^4 - 2(10a^4 + 115a^3b + 182a^2b^2 + 95ab^3 - 30b^4))e^{(-2dx - 2c)} - 2(50a^4 - 78a^3b - 225a^2b^2 - 196ab^3 + 45b^4)e^{(-4dx - 4c)} + 6(6a^4 - 31a^3b - 50a^2b^2 - 51ab^3 + 10b^4)e^{(-6dx - 6c)} + 3(24a^4 + 69a^3b + 45a^2b^2 + 27ab^3 - 5b^4)e^{(-8dx - 8c)} \\
& \left( (a^6 + 3a^5b + 3a^4b^2 + a^3b^3 - (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3))e^{(-2dx - 2c)} - 2(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)e^{(-4dx - 4c)} + 2(a^6 - 3a^5b - 9a^4b^2 - 5a^3b^3)e^{(-6dx - 6c)} + (a^6 + 7a^5b + 11a^4b^2 + 5a^3b^3)e^{(-8dx - 8c)} - (a^6 + 3a^5b + 3a^4b^2 + a^3b^3)e^{(-10dx - 10c)} \right) * d \\
& + \frac{1}{12}(8a^3 + 7a^2b - 16ab^2 - 15b^3 + 3(8a^3 + 11a^2b + 6ab^2 - 5b^3))e^{(8dx + 8c)} + 6(4a^3 - 7a^2b - 13ab^2 + 10b^3)e^{(6dx + 6c)} - 2(8a^3 - 44a^2b - 43ab^2 + 45b^3)e^{(4dx + 4c)} - 2(4a^3 + 27a^2b + 5ab^2 - 30b^3)e^{(2dx + 2c)} \\
& \left( (a^5 + 2a^4b + a^3b^2 - (a^5 + 2a^4b + a^3b^2))e^{(10dx + 10c)} + (a^5 + 6a^4b + 5a^3b^2)e^{(8dx + 8c)} + 2(a^5 - 4a^4b - 5a^3b^2)e^{(6dx + 6c)} - 2(a^5 - 4a^4b - 5a^3b^2)e^{(4dx + 4c)} - (a^5 + 6a^4b + 5a^3b^2)e^{(2dx + 2c)} \right) * d \\
& - \frac{1}{12}(8a^3 + 7a^2b - 16ab^2 - 15b^3 - 2(4a^3 + 27a^2b + 5ab^2 - 30b^3))e^{(-2dx - 2c)} - 2(8a^3 - 44a^2b - 43ab^2 + 45b^3)e^{(-4dx - 4c)} + 6(4a^3 - 7a^2b - 13ab^2 + 10b^3)e^{(-6dx - 6c)} + 3(8a^3 + 11a^2b + 6ab^2 - 5b^3)e^{(-8dx - 8c)} \\
& \left( (a^5 + 2a^4b + a^3b^2 - (a^5 + 6a^4b + 5a^3b^2))e^{(-2dx - 2c)} - 2(a^5 - 4a^4b - 5a^3b^2)e^{(-4dx - 4c)} + 2(a^5 - 4a^4b - 5a^3b^2)e^{(-6dx - 6c)} + (a^5 + 6a^4b + 5a^3b^2)e^{(-8dx - 8c)} - (a^5 + 2a^4b + a^3b^2)e^{(-10dx - 10c)} \right) * d \\
& + \frac{1}{8}(4a^2 + 19ab + 15b^2 - 2(2a^2 + 13ab + 30b^2))e^{(-2dx - 2c)} - 2(10a^2 - 2ab - 45b^2)e^{(-4dx - 4c)} - 6(2a^2 + ab + 10b^2)e^{(-6dx - 6c)} + 3(3ab + 5b^2)e^{(-8dx - 8c)} \\
& \left( (a^4 + a^3b - (a^4 + 5a^3b))e^{(-2dx - 2c)} - 2(a^4 - 5a^3b)e^{(-4dx - 4c)} + 2(a^4 - 5a^3b)e^{(-6dx - 6c)} + (a^4 + 5a^3b)e^{(-8dx - 8c)} - (a^4 + a^3b)e^{(-10dx - 10c)} \right) * d \\
& + \frac{1}{2}b \log((a + b)e^{(4dx + 4c)} + 2(a - b)e^{(2dx + 2c)} + a + b) / (a^3d) - \frac{1}{2}b \log(2(a - b)e^{(-2dx - 2c)} + (a + b)e^{(-4dx - 4c)} + a + b) / (a^3d) + \frac{1}{2}(a - b) \log(e^{(2dx + 2c)} - 1) / (a^3d) - b \log(e^{(2dx + 2c)} - 1) / (a^3d) \\
& - \frac{1}{2}(a - b) \log(e^{(-2dx - 2c)} - 1) / (a^3d) + b \log(e^{(-2dx - 2c)} - 1) / (a^3d) - \frac{1}{8}(3ab - 5b^2) \arctan(1/2((a + b)e^{(2dx + 2c)} + a - b) / \sqrt{ab}) / (\sqrt{ab}a^3d) - \frac{3}{16}(3ab + 5b^2) \arctan(1/2((a + b)e^{(-2dx - 2c)} + a - b) / \sqrt{ab}) / (\sqrt{ab}a^3d) + \frac{1}{8}(3ab - 5b^2) \arctan(1/2((a + b)e^{(-2dx - 2c)} + a - b) / \sqrt{ab}) / (\sqrt{ab}a^3d)
\end{aligned}$$

3\*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)^4}{(b \tanh(c + dx)^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^2, x)

[Out] int(coth(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^4(c + dx)}{(a + b \tanh^2(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*2, x)

[Out] Integral(coth(c + d\*x)\*\*4/(a + b\*tanh(c + d\*x)\*\*2)\*\*2, x)

$$3.190 \quad \int \frac{\tanh^6(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=144

$$-\frac{\sqrt{a} (3a^2 + 10ab + 15b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8b^{5/2}d(a+b)^3} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh^3(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))}$$

[Out]  $x/(a+b)^3 - 1/8*(3*a^2+10*a*b+15*b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*a^{(1/2)}/b^{(5/2)}/(a+b)^3/d+1/4*a*\tanh(d*x+c)^3/b/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2+1/8*a*(3*a+7*b)*\tanh(d*x+c)/b^2/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.21, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 470, 578, 522, 206, 205}

$$-\frac{\sqrt{a} (3a^2 + 10ab + 15b^2) \tan^{-1} \left( \frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}} \right)}{8b^{5/2}d(a+b)^3} + \frac{a(3a+7b) \tanh(c+dx)}{8b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{a \tanh^3(c+dx)}{4bd(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $x/(a+b)^3 - (\text{Sqrt}[a]*(3*a^2 + 10*a*b + 15*b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/\text{Sqrt}[a]])/(8*b^{(5/2)}*(a+b)^3*d) + (a*\text{Tanh}[c + d*x]^3)/(4*b*(a+b)*d*(a+b*\text{Tanh}[c + d*x]^2)^2) + (a*(3*a+7*b)*\text{Tanh}[c + d*x])/(8*b^2*(a+b)^2*d*(a+b*\text{Tanh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 470

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^

$(p + 1)(c + dx^n)^{q+1} / (b^n(b^2c - a^2d)(p + 1))$ ,  $x$ ] + Dist[ $e^{2n} / (b^n(b^2c - a^2d)(p + 1))$ , Int[ $(ex)^{m-2n}(a + bx^n)^{p+1}(c + dx^n)^q$  Simp[ $a^2c(m - 2n + 1) + (a^2d(m - n + nq + 1) + b^2c^n(p + 1))x^n$ ,  $x$ ],  $x$ ] /; FreeQ[{ $a, b, c, d, e, q$ },  $x$ ] && NeQ[ $b^2c - a^2d, 0$ ] && IGtQ[ $n, 0$ ] && LtQ[ $p, -1$ ] && GtQ[ $m - n + 1, n$ ] && IntBinomialQ[ $a, b, c, d, e, m, n, p, q, x$ ]

### Rule 522

Int[ $((e_) + (f_)(x_)^{n_}) / (((a_) + (b_)(x_)^{n_}) * ((c_) + (d_)(x_)^{n_}))$ ,  $x$  Symbol] :> Dist[ $(b^2e - a^2f) / (b^2c - a^2d)$ , Int[ $1 / (a + bx^n)$ ,  $x$ ],  $x$ ] - Dist[ $(d^2e - c^2f) / (b^2c - a^2d)$ , Int[ $1 / (c + dx^n)$ ,  $x$ ],  $x$ ] /; FreeQ[{ $a, b, c, d, e, f, n$ },  $x$ ]

### Rule 578

Int[ $((g_)(x_))^{m_} * ((a_) + (b_)(x_)^{n_})^{p_} * ((c_) + (d_)(x_)^{n_})^{q_} * ((e_) + (f_)(x_)^{n_})$ ,  $x$  Symbol] :> Simp[ $(g^{n-1}(b^2e - a^2f)(gx)^{m-n+1}(a + bx^n)^{p+1}(c + dx^n)^{q+1}) / (b^n(b^2c - a^2d)(p + 1))$ ,  $x$ ] - Dist[ $g^n / (b^n(b^2c - a^2d)(p + 1))$ , Int[ $(gx)^{m-n}(a + bx^n)^{p+1}(c + dx^n)^q$  Simp[ $c^2(b^2e - a^2f)(m - n + 1) + (d^2(b^2e - a^2f)(m + nq + 1) - b^n(c^2f - d^2e)(p + 1))x^n$ ,  $x$ ],  $x$ ],  $x$ ] /; FreeQ[{ $a, b, c, d, e, f, g, q$ },  $x$ ] && IGtQ[ $n, 0$ ] && LtQ[ $p, -1$ ] && GtQ[ $m - n + 1, 0$ ]

### Rule 3670

Int[ $((d_)*tan[(e_) + (f_)(x_)])^{m_} * ((a_) + (b_)*((c_)*tan[(e_) + (f_)(x_)])^{n_})^{p_}$ ,  $x$  Symbol] :> With[{ $ff = \text{FreeFactors}[\text{Tan}[e + fx], x]$ }, Dist[ $(c^2ff) / f$ , Subst[Int[ $((d^2ff*x) / c)^m * (a + b(ff*x)^n)^p / (c^2 + f^2*x^2)$ ,  $x$ ],  $x$ ,  $(c*\text{Tan}[e + fx]) / ff$ ,  $x$ ]] /; FreeQ[{ $a, b, c, d, e, f, m, n, p$ },  $x$ ] && (IGtQ[ $p, 0$ ] || EqQ[ $n, 2$ ] || EqQ[ $n, 4$ ] || (IntegerQ[ $p$ ] && RationalQ[ $n$ ]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^6(c+dx)}{(a+b\tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^6}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{x^2(3a+(-3a-4b)x^2)}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} + \frac{a(3a+7b)\tanh(c+dx)}{8b^2(a+b)^2d(a+b\tanh^2(c+dx))} - \frac{\text{Subst}}{4b(a+b)d} \\
&= \frac{a \tanh^3(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2} + \frac{a(3a+7b)\tanh(c+dx)}{8b^2(a+b)^2d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}}{4b(a+b)d} \\
&= \frac{x}{(a+b)^3} - \frac{\sqrt{a}(3a^2+10ab+15b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{8b^{5/2}(a+b)^3d} + \frac{a \tanh^3(c+dx)}{4b(a+b)d(a+b\tanh^2(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.29, size = 144, normalized size = 1.00

$$\frac{\frac{\sqrt{a}(3a^2+10ab+15b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{b^{5/2}} - \frac{4a^2(a+b)\sinh(2(c+dx))}{b((a+b)\cosh(2(c+dx))+a-b)^2} + \frac{3a(a+b)(a+3b)\sinh(2(c+dx))}{b^2((a+b)\cosh(2(c+dx))+a-b)} + 8(c+dx)}{8d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^6/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (8\*(c + d\*x) - (Sqrt[a]\*(3\*a^2 + 10\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/b^(5/2) - (4\*a^2\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]^2) + (3\*a\*(a + b)\*(a + 3\*b)\*Sinh[2\*(c + d\*x)]/(b^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))))/(8\*(a + b)^3\*d)

**fricas [B]** time = 0.58, size = 7528, normalized size = 52.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")



```
[Out] [1/16*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x + c)^8 + 128*(a^2*b^2 + 2*
a*b^3 + b^4)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 16*(a^2*b^2 + 2*a*b^3 + b^
4)*d*x*sinh(d*x + c)^8 - 4*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*
b^2 - b^4)*d*x)*cosh(d*x + c)^6 + 4*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh
(d*x + c)^2 - 3*a^4 - 13*a^3*b - a^2*b^2 + 9*a*b^3 + 16*(a^2*b^2 - b^4)*d*x
)*sinh(d*x + c)^6 + 8*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x + c)^3 -
3*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*cosh(d*x
+ c))*sinh(d*x + c)^5 - 4*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a
^2*b^2 - 2*a*b^3 + 3*b^4)*d*x)*cosh(d*x + c)^4 + 4*(280*(a^2*b^2 + 2*a*b^3
+ b^4)*d*x*cosh(d*x + c)^4 - 9*a^4 - 21*a^3*b + 9*a^2*b^2 - 27*a*b^3 + 8*(3
*a^2*b^2 - 2*a*b^3 + 3*b^4)*d*x - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3
- 16*(a^2*b^2 - b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 - 12*a^4 - 60*a^
3*b - 84*a^2*b^2 - 36*a*b^3 + 16*(56*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x
+ c)^5 - 5*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)
*cosh(d*x + c)^3 - (9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2
- 2*a*b^3 + 3*b^4)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 16*(a^2*b^2 + 2*a*
b^3 + b^4)*d*x - 4*(9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - 16*(a^2*b^2
- b^4)*d*x)*cosh(d*x + c)^2 + 4*(112*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*cosh(d*x
+ c)^6 - 15*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x
)*cosh(d*x + c)^4 - 9*a^4 - 23*a^3*b + 13*a^2*b^2 + 27*a*b^3 + 16*(a^2*b^2
- b^4)*d*x - 6*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*
a*b^3 + 3*b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + ((3*a^4 + 16*a^3*b +
38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^8 + 8*(3*a^4 + 16*a^3*b + 38
*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^4 + 16*a
^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*sinh(d*x + c)^8 + 4*(3*a^4 + 10*a^3*
b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^6 + 4*(3*a^4 + 10*a^3*b +
12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b
^3 + 15*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(3*a^4 + 16*a^3*b + 38
*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^3 + 3*(3*a^4 + 10*a^3*b + 12*a^
2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(9*a^4 + 24*a
^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c)^4 + 2*(35*(3*a^4 + 16*a^3*b + 38*
a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^4 + 9*a^4 + 24*a^3*b + 34*a^2*b^
2 + 45*b^4 + 30*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*
x + c)^2)*sinh(d*x + c)^4 + 3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b
^4 + 8*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)
^5 + 10*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^3
+ (9*a^4 + 24*a^3*b + 34*a^2*b^2 + 45*b^4)*cosh(d*x + c))*sinh(d*x + c)^3
+ 4*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^2 + 4
*(7*(3*a^4 + 16*a^3*b + 38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^6 + 1
5*(3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^4 + 3*a
^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 - 15*b^4 + 3*(9*a^4 + 24*a^3*b + 34*a
^2*b^2 + 45*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((3*a^4 + 16*a^3*b +
38*a^2*b^2 + 40*a*b^3 + 15*b^4)*cosh(d*x + c)^7 + 3*(3*a^4 + 10*a^3*b + 12*
a^2*b^2 - 10*a*b^3 - 15*b^4)*cosh(d*x + c)^5 + (9*a^4 + 24*a^3*b + 34*a^2*b
^2 + 45*b^4)*cosh(d*x + c)^3 + (3*a^4 + 10*a^3*b + 12*a^2*b^2 - 10*a*b^3 -
```

$$\begin{aligned}
& 15*b^4)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{-a/b)*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c))^4 + 4*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a^2 + 2*a*b + b^2)*\sinh(d*x + c)^4 + 2*(a^2 - b^2)*\cosh(d*x + c)^2 + 2*(3*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 - 6*a*b + b^2 + 4*((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) - 4*((a*b + b^2)*\cosh(d*x + c)^2 + 2*(a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c) + (a*b + b^2)*\sinh(d*x + c)^2 + a*b - b^2)*\sqrt{-a/b}))/((a + b)*\cosh(d*x + c)^4 + 4*(a + b)*\cosh(d*x + c)*\sinh(d*x + c)^3 + (a + b)*\sinh(d*x + c)^4 + 2*(a - b)*\cosh(d*x + c)^2 + 2*(3*(a + b)*\cosh(d*x + c)^2 + a - b)*\sinh(d*x + c)^2 + 4*((a + b)*\cosh(d*x + c)^3 + (a - b)*\cosh(d*x + c))*\sinh(d*x + c) + a + b)) + 8*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(d*x + c)^7 - 3*(3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(d*x + c)^5 - 2*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*d*x)*\cosh(d*x + c)^3 - (9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^8 + 8*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\sinh(d*x + c)^8 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^6 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d)*\sinh(d*x + c)^6 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c)^4 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^4 + 30*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^2 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d)*\sinh(d*x + c)^4 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^2 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^5 + 10*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^3 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^6 + 15*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^4 + 3*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d)*\sinh(d*x + c)^2 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d + 8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c)^3 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c))*\sinh(d*x + c)), 1/8*(8*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(d*x + c)^8 + 64*(a^2*b^2 + 2*a*
\end{aligned}$$

$$\begin{aligned}
& b^3 + b^4) * d * x * \cosh(d * x + c) * \sinh(d * x + c)^7 + 8 * (a^2 * b^2 + 2 * a * b^3 + b^4) * \\
& d * x * \sinh(d * x + c)^8 - 2 * (3 * a^4 + 13 * a^3 * b + a^2 * b^2 - 9 * a * b^3 - 16 * (a^2 * b^2 \\
& - b^4) * d * x) * \cosh(d * x + c)^6 + 2 * (112 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x * \cosh(d * \\
& x + c)^2 - 3 * a^4 - 13 * a^3 * b - a^2 * b^2 + 9 * a * b^3 + 16 * (a^2 * b^2 - b^4) * d * x) * \sinh(d * x + c)^6 + 4 * (112 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x * \cosh(d * x + c)^3 - 3 * ( \\
& 3 * a^4 + 13 * a^3 * b + a^2 * b^2 - 9 * a * b^3 - 16 * (a^2 * b^2 - b^4) * d * x) * \cosh(d * x + c \\
& )) * \sinh(d * x + c)^5 - 2 * (9 * a^4 + 21 * a^3 * b - 9 * a^2 * b^2 + 27 * a * b^3 - 8 * (3 * a^2 * b^2 \\
& b^2 - 2 * a * b^3 + 3 * b^4) * d * x) * \cosh(d * x + c)^4 + 2 * (280 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x * \cosh(d * x + c)^4 - 9 * a^4 - 21 * a^3 * b + 9 * a^2 * b^2 - 27 * a * b^3 + 8 * (3 * a^2 * b^2 - 2 * a * b^3 + 3 * b^4) * d * x - 15 * (3 * a^4 + 13 * a^3 * b + a^2 * b^2 - 9 * a * b^3 - 16 * (a^2 * b^2 - b^4) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^4 - 6 * a^4 - 30 * a^3 * b - 42 * a^2 * b^2 - 18 * a * b^3 + 8 * (56 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x * \cosh(d * x + c)^5 - 5 * (3 * a^4 + 13 * a^3 * b + a^2 * b^2 - 9 * a * b^3 - 16 * (a^2 * b^2 - b^4) * d * x) * \cosh(d * x + c)^3 - (9 * a^4 + 21 * a^3 * b - 9 * a^2 * b^2 + 27 * a * b^3 - 8 * (3 * a^2 * b^2 - 2 * a * b^3 + 3 * b^4) * d * x) * \cosh(d * x + c)) * \sinh(d * x + c)^3 + 8 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x - 2 * (9 * a^4 + 23 * a^3 * b - 13 * a^2 * b^2 - 27 * a * b^3 - 16 * (a^2 * b^2 - b^4) * d * x) * \cosh(d * x + c)^2 + 2 * (112 * (a^2 * b^2 + 2 * a * b^3 + b^4) * d * x * \cosh(d * x + c)^6 - 15 * (3 * a^4 + 13 * a^3 * b + a^2 * b^2 - 9 * a * b^3 - 16 * (a^2 * b^2 - b^4) * d * x) * \cosh(d * x + c)^4 - 9 * a^4 - 23 * a^3 * b + 13 * a^2 * b^2 + 27 * a * b^3 + 16 * (a^2 * b^2 - b^4) * d * x - 6 * (9 * a^4 + 21 * a^3 * b - 9 * a^2 * b^2 + 27 * a * b^3 - 8 * (3 * a^2 * b^2 - 2 * a * b^3 + 3 * b^4) * d * x) * \cosh(d * x + c)^2) * \sinh(d * x + c)^2 - ((3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^8 + 8 * (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c) * \sinh(d * x + c)^7 + (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \sinh(d * x + c)^8 + 4 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^6 + 4 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x + c)^6 + 8 * (7 * (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^3 + 3 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)^5 + 2 * (9 * a^4 + 24 * a^3 * b + 34 * a^2 * b^2 + 45 * b^4) * \cosh(d * x + c)^4 + 2 * (35 * (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^4 + 9 * a^4 + 24 * a^3 * b + 34 * a^2 * b^2 + 45 * b^4 + 30 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x + c)^4 + 3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4 + 8 * (7 * (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^5 + 10 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^3 + (9 * a^4 + 24 * a^3 * b + 34 * a^2 * b^2 + 45 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)^3 + 4 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^2 + 4 * (7 * (3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^6 + 15 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^4 + 3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4 + 3 * (9 * a^4 + 24 * a^3 * b + 34 * a^2 * b^2 + 45 * b^4) * \cosh(d * x + c)^2) * \sinh(d * x + c)^2 + 8 * ((3 * a^4 + 16 * a^3 * b + 38 * a^2 * b^2 + 40 * a * b^3 + 15 * b^4) * \cosh(d * x + c)^7 + 3 * (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)^5 + (9 * a^4 + 24 * a^3 * b + 34 * a^2 * b^2 + 45 * b^4) * \cosh(d * x + c)^3 + (3 * a^4 + 10 * a^3 * b + 12 * a^2 * b^2 - 10 * a * b^3 - 15 * b^4) * \cosh(d * x + c)) * \sinh(d * x + c)) * \sqrt{a/b} * \arctan(1/2 * ((a + b) * \cosh(d * x + c)
\end{aligned}$$

$$\begin{aligned} &^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a - \\ &b*\sqrt{a/b}/a + 4*(16*(a^2*b^2 + 2*a*b^3 + b^4)*d*x*\cosh(d*x + c)^7 - 3*( \\ &3*a^4 + 13*a^3*b + a^2*b^2 - 9*a*b^3 - 16*(a^2*b^2 - b^4)*d*x)*\cosh(d*x + c \\ &)^5 - 2*(9*a^4 + 21*a^3*b - 9*a^2*b^2 + 27*a*b^3 - 8*(3*a^2*b^2 - 2*a*b^3 + \\ &3*b^4)*d*x)*\cosh(d*x + c)^3 - (9*a^4 + 23*a^3*b - 13*a^2*b^2 - 27*a*b^3 - \\ &16*(a^2*b^2 - b^4)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5*b^2 + 5*a^4*b^3 \\ &+ 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^8 + 8*(a^5*b^2 \\ &+ 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)*\sinh \\ &(d*x + c)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^ \\ &7)*d*\sinh(d*x + c)^8 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a \\ &*b^6 - b^7)*d*\cosh(d*x + c)^6 + 4*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10 \\ &*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3* \\ &b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d)*\sinh(d*x + c)^6 + 2*(3*a^5*b^2 + 7*a^4*b \\ &b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c)^4 + 8*(7*(a^ \\ &5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c \\ &)^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cos \\ &h(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10* \\ &a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^4 + 30*(a^5*b^2 + 3*a^4*b^3 + 2*a^ \\ &3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^2 + (3*a^5*b^2 + 7*a^4*b \\ &^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d)*\sinh(d*x + c)^4 + 4*(a^5*b \\ &^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^2 + \\ &8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cos \\ &h(d*x + c)^5 + 10*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - \\ &b^7)*d*\cosh(d*x + c)^3 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7 \\ &*a*b^6 + 3*b^7)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5*b^2 + 5*a^4*b^ \\ &3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*d*\cosh(d*x + c)^6 + 15*(a^5*b^ \\ &2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c)^4 + \\ &3*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh( \\ &d*x + c)^2 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)* \\ &d)*\sinh(d*x + c)^2 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b \\ &^6 + b^7)*d + 8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + \\ &b^7)*d*\cosh(d*x + c)^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - \\ &3*a*b^6 - b^7)*d*\cosh(d*x + c)^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a \\ &^2*b^5 + 7*a*b^6 + 3*b^7)*d*\cosh(d*x + c)^3 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3* \\ &b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*d*\cosh(d*x + c))*\sinh(d*x + c))] \end{aligned}$$

**giac [B]** time = 0.60, size = 408, normalized size = 2.83

$$\frac{(3a^3 + 10a^2b + 15ab^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(a^3b^2 + 3a^2b^3 + 3ab^4 + b^5)\sqrt{ab}} - \frac{8(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} + \frac{2(3a^4e^{(6dx+6c)} + 13a^3be^{(6dx+6c)} + a^2b^2e^{(6dx+6c)} - 9ab^3e^{(6dx+6c)})}{a^3 + 3a^2b + 3ab^2 + b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^6/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*((3*a^3 + 10*a^2*b + 15*a*b^2)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sqrt{a*b}) - 8*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 2*(3*a^4*e^{(6*d*x + 6*c)} + 13*a^3*b*e^{(6*d*x + 6*c)} + a^2*b^2*e^{(6*d*x + 6*c)} - 9*a*b^3*e^{(6*d*x + 6*c)} + 9*a^4*e^{(4*d*x + 4*c)} + 21*a^3*b*e^{(4*d*x + 4*c)} - 9*a^2*b^2*e^{(4*d*x + 4*c)} + 27*a*b^3*e^{(4*d*x + 4*c)} + 9*a^4*e^{(2*d*x + 2*c)} + 23*a^3*b*e^{(2*d*x + 2*c)} - 13*a^2*b^2*e^{(2*d*x + 2*c)} - 27*a*b^3*e^{(2*d*x + 2*c)} + 3*a^4 + 15*a^3*b + 21*a^2*b^2 + 9*a*b^3)/((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$$

**maple [B]** time = 0.10, size = 352, normalized size = 2.44

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} + \frac{5a^3(\tanh^3(dx+c))}{8d(a+b)^3(a+b(\tanh^2(dx+c)))^2} + \frac{7a^2(\tanh^3(dx+c))}{4d(a+b)^3(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(d*x+c)^6/(a+b*tanh(d*x+c)^2)^3,x)`

[Out] 
$$-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)+1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))+5/8/d*a^3/(a+b)^3/(a+b*tanh(d*x+c)^2)^2/b*tanh(d*x+c)^3+7/4/d*a^2/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*tanh(d*x+c)^3+9/8/d*a/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*b*tanh(d*x+c)^3+3/8/d*a^4/(a+b)^3/(a+b*tanh(d*x+c)^2)^2/b^2*tanh(d*x+c)+5/4/d*a^3/(a+b)^3/(a+b*tanh(d*x+c)^2)^2/b*tanh(d*x+c)+7/8/d*a^2/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*tanh(d*x+c)-3/8/d*a^3/(a+b)^3/b^2/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))-5/4/d*a^2/(a+b)^3/b/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))-15/8/d*a/(a+b)^3/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))$$

**maxima [B]** time = 1.89, size = 3354, normalized size = 23.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(d*x+c)^6/(a+b*tanh(d*x+c)^2)^3,x, algorithm="maxima")`

[Out] 
$$-1/512*(3*a^5 + 25*a^4*b + 150*a^3*b^2 - 150*a^2*b^3 - 25*a*b^4 - 3*b^5)*\arctan(1/2*((a+b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^5*b^2 + 3*a^4*b^3 + 3*a^3*b^4 + a^2*b^5)*\sqrt{a*b}*d) + 1/512*(3*a^5 + 25*a^4*b + 150*a^3*b^2 - 150*a^2*b^3 - 25*a*b^4 - 3*b^5)*\arctan(1/2*((a+b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b}))/((a^5*b^2 + 3*a^4*b^3 + 3*a^3*b^4 + a^2*b^5)*\sqrt{a*b}*d) - 1/256*(3*a^6 + 30*a^5*b - 99*a^4*b^2 - 252*a^3*b^3 - 99*a^2*b^4 + 30*a*b^5 + 3*b^6 + (3*a^6 + 28*a^5*b - 465*a^4*b^2 + 465*a^2*b^4 - 28*a*b^5 - 3*b^6)*e^{(6*d*x + 6*c)} + (9*a^6 + 66*a^5*b - 905*a^4*b^2 + 1148*a^3*b^3 - 905*$$

$$\begin{aligned}
& a^2b^4 + 66ab^5 + 9b^6)e^{(4dx + 4c)} + (9a^6 + 68a^5b - 659a^4b^2 + 659a^2b^4 - 68ab^5 - 9b^6)e^{(2dx + 2c)} / ((a^7b^2 + 5a^6b^3 + 10a^5b^4 + 10a^4b^5 + 5a^3b^6 + a^2b^7 + (a^7b^2 + 5a^6b^3 + 10a^5b^4 + 10a^4b^5 + 5a^3b^6 + a^2b^7))e^{(8dx + 8c)} + 4(a^7b^2 + 3a^6b^3 + 2a^5b^4 - 2a^4b^5 - 3a^3b^6 - a^2b^7)e^{(6dx + 6c)} + 2(3a^7b^2 + 7a^6b^3 + 6a^5b^4 + 6a^4b^5 + 7a^3b^6 + 3a^2b^7))e^{(4dx + 4c)} + 4(a^7b^2 + 3a^6b^3 + 2a^5b^4 - 2a^4b^5 - 3a^3b^6 - a^2b^7)e^{(2dx + 2c)})d + 1/256(3a^6 + 30a^5b - 99a^4b^2 - 252a^3b^3 - 99a^2b^4 + 30ab^5 + 3b^6 + (9a^6 + 68a^5b - 659a^4b^2 + 659a^2b^4 - 68ab^5 - 9b^6))e^{(-2dx - 2c)} + (9a^6 + 66a^5b - 905a^4b^2 + 1148a^3b^3 - 905a^2b^4 + 66ab^5 + 9b^6)e^{(-4dx - 4c)} + (3a^6 + 28a^5b - 465a^4b^2 + 465a^2b^4 - 28ab^5 - 3b^6)e^{(-6dx - 6c)} / ((a^7b^2 + 5a^6b^3 + 10a^5b^4 + 10a^4b^5 + 5a^3b^6 + a^2b^7 + 4(a^7b^2 + 3a^6b^3 + 2a^5b^4 - 2a^4b^5 - 3a^3b^6 - a^2b^7))e^{(-2dx - 2c)} + 2(3a^7b^2 + 7a^6b^3 + 6a^5b^4 + 6a^4b^5 + 7a^3b^6 + 3a^2b^7))e^{(-4dx - 4c)} + 4(a^7b^2 + 3a^6b^3 + 2a^5b^4 - 2a^4b^5 - 3a^3b^6 - a^2b^7)e^{(-6dx - 6c)} + (a^7b^2 + 5a^6b^3 + 10a^5b^4 + 10a^4b^5 + 5a^3b^6 + a^2b^7))e^{(-8dx - 8c)})d - 3/128(3a^5 + 17a^4b + 14a^3b^2 - 14a^2b^3 - 17ab^4 - 3b^5 + (3a^5 + 15a^4b - 98a^3b^2 - 98a^2b^3 + 15ab^4 + 3b^5))e^{(6dx + 6c)} + (9a^5 + 27a^4b - 110a^3b^2 + 110a^2b^3 - 27ab^4 - 9b^5)e^{(4dx + 4c)} + (9a^5 + 29a^4b - 86a^3b^2 - 86a^2b^3 + 29ab^4 + 9b^5))e^{(2dx + 2c)} / ((a^6b^2 + 4a^5b^3 + 6a^4b^4 + 4a^3b^5 + a^2b^6 + (a^6b^2 + 4a^5b^3 + 6a^4b^4 + 4a^3b^5 + a^2b^6))e^{(8dx + 8c)} + 4(a^6b^2 + 2a^5b^3 - 2a^3b^5 - a^2b^6))e^{(6dx + 6c)} + 2(3a^6b^2 + 4a^5b^3 + 2a^4b^4 + 4a^3b^5 + 3a^2b^6))e^{(4dx + 4c)} + 4(a^6b^2 + 2a^5b^3 - 2a^3b^5 - a^2b^6))e^{(2dx + 2c)})d + 3/128(3a^5 + 17a^4b + 14a^3b^2 - 14a^2b^3 - 17ab^4 - 3b^5 + (9a^5 + 29a^4b - 86a^3b^2 - 86a^2b^3 + 29ab^4 + 9b^5))e^{(-2dx - 2c)} + (9a^5 + 27a^4b - 110a^3b^2 + 110a^2b^3 - 27ab^4 - 9b^5))e^{(-4dx - 4c)} + (3a^5 + 15a^4b - 98a^3b^2 - 98a^2b^3 + 15ab^4 + 3b^5))e^{(-6dx - 6c)} / ((a^6b^2 + 4a^5b^3 + 6a^4b^4 + 4a^3b^5 + a^2b^6 + 4(a^6b^2 + 2a^5b^3 - 2a^3b^5 - a^2b^6))e^{(-2dx - 2c)} + 2(3a^6b^2 + 4a^5b^3 + 2a^4b^4 + 4a^3b^5 + 3a^2b^6))e^{(-4dx - 4c)} + 4(a^6b^2 + 2a^5b^3 - 2a^3b^5 - a^2b^6))e^{(-6dx - 6c)} + (a^6b^2 + 4a^5b^3 + 6a^4b^4 + 4a^3b^5 + a^2b^6))e^{(-8dx - 8c)})d - 15/256(3a^4 + 8a^3b + 10a^2b^2 + 8ab^3 + 3b^4 + 3(a^4 + 2a^3b - 2ab^3 - b^4))e^{(6dx + 6c)} + (9a^4 + 46a^2b^2 + 9b^4))e^{(4dx + 4c)} + (9a^4 + 2a^3b - 2ab^3 - 9b^4))e^{(2dx + 2c)} / ((a^5b^2 + 3a^4b^3 + 3a^3b^4 + a^2b^5 + (a^5b^2 + 3a^4b^3 + 3a^3b^4 + a^2b^5))e^{(8dx + 8c)} + 4(a^5b^2 + a^4b^3 - a^3b^4 - a^2b^5))e^{(6dx + 6c)} + 2(3a^5b^2 + a^4b^3 + a^3b^4 + 3a^2b^5))e^{(4dx + 4c)} + 4(a^5b^2 + a^4b^3 - a^3b^4 - a^2b^5))e^{(2dx + 2c)})d + 15/256(3a^4 + 8a^3b + 10a^2b^2 + 8ab^3 + 3b^4 + (9a^4 + 2a^3b - 2ab^3 - 9b^4))e^{(-2dx - 2c)} + (9a^4 + 46a^2b^2 + 9b^4))e^{(-4dx - 4c)} + 3(a^4 + 2a^3b - 2ab^3 -
\end{aligned}$$

$$\begin{aligned}
& b^4) * e^{(-6*d*x - 6*c)} / ((a^5*b^2 + 3*a^4*b^3 + 3*a^3*b^4 + a^2*b^5 + 4*(a^5*b^2 + a^4*b^3 - a^3*b^4 - a^2*b^5) * e^{(-2*d*x - 2*c)} + 2*(3*a^5*b^2 + a^4*b^3 + a^3*b^4 + 3*a^2*b^5) * e^{(-4*d*x - 4*c)} + 4*(a^5*b^2 + a^4*b^3 - a^3*b^4 - a^2*b^5) * e^{(-6*d*x - 6*c)} + (a^5*b^2 + 3*a^4*b^3 + 3*a^3*b^4 + a^2*b^5) * e^{(-8*d*x - 8*c)}) * d) + 5/64*(3*a^3 + 3*a^2*b - 3*a*b^2 - 3*b^3 + (9*a^3 - 13*a^2*b - 13*a*b^2 + 9*b^3) * e^{(-2*d*x - 2*c)} + 3*(3*a^3 - 5*a^2*b + 5*a*b^2 - 3*b^3) * e^{(-4*d*x - 4*c)} + (3*a^3 + a^2*b + a*b^2 + 3*b^3) * e^{(-6*d*x - 6*c)}) / ((a^4*b^2 + 2*a^3*b^3 + a^2*b^4 + 4*(a^4*b^2 - a^2*b^4) * e^{(-2*d*x - 2*c)} + 2*(3*a^4*b^2 - 2*a^3*b^3 + 3*a^2*b^4) * e^{(-4*d*x - 4*c)} + 4*(a^4*b^2 - a^2*b^4) * e^{(-6*d*x - 6*c)} + (a^4*b^2 + 2*a^3*b^3 + a^2*b^4) * e^{(-8*d*x - 8*c)}) * d) + 1/4*log((a + b) * e^{(4*d*x + 4*c)} + 2*(a - b) * e^{(2*d*x + 2*c)} + a + b) / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * d) - 1/4*log(2*(a - b) * e^{(-2*d*x - 2*c)} + (a + b) * e^{(-4*d*x - 4*c)} + a + b) / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * d) - 9/256*(a^2 + 2*a*b + b^2) * arctan(1/2*((a + b) * e^{(2*d*x + 2*c)} + a - b) / sqrt(a*b)) / (sqrt(a*b) * a^2*b^2*d) - 45/512*(a^2 - b^2) * arctan(1/2*((a + b) * e^{(2*d*x + 2*c)} + a - b) / sqrt(a*b)) / (sqrt(a*b) * a^2*b^2*d) + 5/128*(3*a^2 - 2*a*b + 3*b^2) * arctan(1/2*((a + b) * e^{(-2*d*x - 2*c)} + a - b) / sqrt(a*b)) / (sqrt(a*b) * a^2*b^2*d) + 9/256*(a^2 + 2*a*b + b^2) * arctan(1/2*((a + b) * e^{(-2*d*x - 2*c)} + a - b) / sqrt(a*b)) / (sqrt(a*b) * a^2*b^2*d) + 45/512*(a^2 - b^2) * arctan(1/2*((a + b) * e^{(-2*d*x - 2*c)} + a - b) / sqrt(a*b)) / (sqrt(a*b) * a^2*b^2*d)
\end{aligned}$$

**mupad [B]** time = 0.92, size = 2669, normalized size = 18.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^6/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] log(tanh(c + d\*x) + 1)/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) + ((tanh(c + d\*x)^3\*(9\*a\*b + 5\*a^2))/(8\*b\*(2\*a\*b + a^2 + b^2)) + (a\*tanh(c + d\*x)\*(7\*a\*b + 3\*a^2))/(8\*b^2\*(2\*a\*b + a^2 + b^2)))/(a^2\*d + b^2\*d\*tanh(c + d\*x)^4 + 2\*a\*b\*d\*tanh(c + d\*x)^2) - log(tanh(c + d\*x) - 1)/(2\*d\*(a + b)^3) - (atan(((a\*b^5)^(1/2))\*((tanh(c + d\*x)\*(60\*a^5\*b + 9\*a^6 + 64\*b^6 + 225\*a^2\*b^4 + 300\*a^3\*b^3 + 190\*a^4\*b^2))/(32\*(b^7\*d^2 + 4\*a\*b^6\*d^2 + 6\*a^2\*b^5\*d^2 + 4\*a^3\*b^4\*d^2 + a^4\*b^3\*d^2)) + (((224\*a\*b^10\*d^2 + 1440\*a^2\*b^9\*d^2 + 3936\*a^3\*b^8\*d^2 + 5920\*a^4\*b^7\*d^2 + 5280\*a^5\*b^6\*d^2 + 2784\*a^6\*b^5\*d^2 + 800\*a^7\*b^4\*d^2 + 96\*a^8\*b^3\*d^2)/(64\*(b^9\*d^3 + 6\*a\*b^8\*d^3 + 15\*a^2\*b^7\*d^3 + 20\*a^3\*b^6\*d^3 + 15\*a^4\*b^5\*d^3 + 6\*a^5\*b^4\*d^3 + a^6\*b^3\*d^3)) - (tanh(c + d\*x)\*(-a\*b^5)^(1/2)\*(10\*a\*b + 3\*a^2 + 15\*b^2)\*(256\*b^12\*d^2 + 1280\*a\*b^11\*d^2 + 2304\*a^2\*b^10\*d^2 + 1280\*a^3\*b^9\*d^2 - 1280\*a^4\*b^8\*d^2 - 2304\*a^5\*b^7\*d^2 - 1280\*a^6\*b^6\*d^2 - 256\*a^7\*b^5\*d^2))/(512\*(b^8\*d + 3\*a^2\*b^6\*d + a^3\*b^5\*d + 3\*a\*b^7\*d)\*(b^7\*d^2 + 4\*a\*b^6\*d^2 + 6\*a^2\*b^5\*d^2 + 4\*a^3\*b^4\*d^2 + a^4\*b^3\*d^2)))\*(-a\*b^5)^(1/2)\*(10\*a\*b + 3\*a^2 + 15\*b^2))/(16\*(b^8\*d + 3\*a^2\*b^6\*d + a^3\*b^5\*d + 3\*a\*b^7\*d)))\*(10\*a\*b + 3\*a^2 + 15\*b^2)\*1i)/(16\*(b^8\*d + 3\*a^2\*b^6\*d + a^3\*b^5\*d + 3\*a\*b^7\*d)) + ((-a\*b^5)^(1/2))\*((tanh(c +

$$\begin{aligned}
& d*x)*(60*a^5*b + 9*a^6 + 64*b^6 + 225*a^2*b^4 + 300*a^3*b^3 + 190*a^4*b^2)) \\
& /((32*(b^7*d^2 + 4*a*b^6*d^2 + 6*a^2*b^5*d^2 + 4*a^3*b^4*d^2 + a^4*b^3*d^2)) \\
& - (((224*a*b^10*d^2 + 1440*a^2*b^9*d^2 + 3936*a^3*b^8*d^2 + 5920*a^4*b^7*d^2 \\
& + 5280*a^5*b^6*d^2 + 2784*a^6*b^5*d^2 + 800*a^7*b^4*d^2 + 96*a^8*b^3*d^2) \\
& )/(64*(b^9*d^3 + 6*a*b^8*d^3 + 15*a^2*b^7*d^3 + 20*a^3*b^6*d^3 + 15*a^4*b^5 \\
& *d^3 + 6*a^5*b^4*d^3 + a^6*b^3*d^3)) + (\tanh(c + d*x)*(-a*b^5)^{(1/2)}*(10*a* \\
& b + 3*a^2 + 15*b^2)*(256*b^12*d^2 + 1280*a*b^11*d^2 + 2304*a^2*b^10*d^2 + 1 \\
& 280*a^3*b^9*d^2 - 1280*a^4*b^8*d^2 - 2304*a^5*b^7*d^2 - 1280*a^6*b^6*d^2 - \\
& 256*a^7*b^5*d^2))/(512*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d)*(b^7*d \\
& ^2 + 4*a*b^6*d^2 + 6*a^2*b^5*d^2 + 4*a^3*b^4*d^2 + a^4*b^3*d^2)))*(-a*b^5)^{(1/2)} \\
& *(10*a*b + 3*a^2 + 15*b^2))/(16*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a \\
& *b^7*d)))*(10*a*b + 3*a^2 + 15*b^2)*1i)/(16*(b^8*d + 3*a^2*b^6*d + a^3*b^5* \\
& d + 3*a*b^7*d)))/((120*a*b^4 + 51*a^4*b + 9*a^5 + 185*a^2*b^3 + 139*a^3*b^2 \\
& )/(32*(b^9*d^3 + 6*a*b^8*d^3 + 15*a^2*b^7*d^3 + 20*a^3*b^6*d^3 + 15*a^4*b^5 \\
& *d^3 + 6*a^5*b^4*d^3 + a^6*b^3*d^3)) - ((-a*b^5)^{(1/2)}*(\tanh(c + d*x)*(60* \\
& a^5*b + 9*a^6 + 64*b^6 + 225*a^2*b^4 + 300*a^3*b^3 + 190*a^4*b^2))/(32*(b^7 \\
& *d^2 + 4*a*b^6*d^2 + 6*a^2*b^5*d^2 + 4*a^3*b^4*d^2 + a^4*b^3*d^2)) + (((224 \\
& *a*b^10*d^2 + 1440*a^2*b^9*d^2 + 3936*a^3*b^8*d^2 + 5920*a^4*b^7*d^2 + 5280 \\
& *a^5*b^6*d^2 + 2784*a^6*b^5*d^2 + 800*a^7*b^4*d^2 + 96*a^8*b^3*d^2)/(64*(b^ \\
& 9*d^3 + 6*a*b^8*d^3 + 15*a^2*b^7*d^3 + 20*a^3*b^6*d^3 + 15*a^4*b^5*d^3 + 6* \\
& a^5*b^4*d^3 + a^6*b^3*d^3)) - (\tanh(c + d*x)*(-a*b^5)^{(1/2)}*(10*a*b + 3*a^2 \\
& + 15*b^2)*(256*b^12*d^2 + 1280*a*b^11*d^2 + 2304*a^2*b^10*d^2 + 1280*a^3*b \\
& ^9*d^2 - 1280*a^4*b^8*d^2 - 2304*a^5*b^7*d^2 - 1280*a^6*b^6*d^2 - 256*a^7*b \\
& ^5*d^2))/(512*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d)*(b^7*d^2 + 4*a* \\
& b^6*d^2 + 6*a^2*b^5*d^2 + 4*a^3*b^4*d^2 + a^4*b^3*d^2)))*(-a*b^5)^{(1/2)}*(10 \\
& *a*b + 3*a^2 + 15*b^2))/(16*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d)) \\
& *(10*a*b + 3*a^2 + 15*b^2))/(16*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7* \\
& d)) + ((-a*b^5)^{(1/2)}*(\tanh(c + d*x)*(60*a^5*b + 9*a^6 + 64*b^6 + 225*a^2* \\
& b^4 + 300*a^3*b^3 + 190*a^4*b^2))/(32*(b^7*d^2 + 4*a*b^6*d^2 + 6*a^2*b^5*d^ \\
& 2 + 4*a^3*b^4*d^2 + a^4*b^3*d^2)) - (((224*a*b^10*d^2 + 1440*a^2*b^9*d^2 + \\
& 3936*a^3*b^8*d^2 + 5920*a^4*b^7*d^2 + 5280*a^5*b^6*d^2 + 2784*a^6*b^5*d^2 + \\
& 800*a^7*b^4*d^2 + 96*a^8*b^3*d^2)/(64*(b^9*d^3 + 6*a*b^8*d^3 + 15*a^2*b^7* \\
& d^3 + 20*a^3*b^6*d^3 + 15*a^4*b^5*d^3 + 6*a^5*b^4*d^3 + a^6*b^3*d^3)) + (\t \\
& anh(c + d*x)*(-a*b^5)^{(1/2)}*(10*a*b + 3*a^2 + 15*b^2)*(256*b^12*d^2 + 1280*a \\
& *b^11*d^2 + 2304*a^2*b^10*d^2 + 1280*a^3*b^9*d^2 - 1280*a^4*b^8*d^2 - 2304* \\
& a^5*b^7*d^2 - 1280*a^6*b^6*d^2 - 256*a^7*b^5*d^2))/(512*(b^8*d + 3*a^2*b^6* \\
& d + a^3*b^5*d + 3*a*b^7*d)*(b^7*d^2 + 4*a*b^6*d^2 + 6*a^2*b^5*d^2 + 4*a^3*b \\
& ^4*d^2 + a^4*b^3*d^2)))*(-a*b^5)^{(1/2)}*(10*a*b + 3*a^2 + 15*b^2))/(16*(b^8* \\
& d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d)))*(10*a*b + 3*a^2 + 15*b^2))/(16*( \\
& b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d)))*(-a*b^5)^{(1/2)}*(10*a*b + 3* \\
& a^2 + 15*b^2)*1i)/(8*(b^8*d + 3*a^2*b^6*d + a^3*b^5*d + 3*a*b^7*d))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**6/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

$$3.191 \quad \int \frac{\tanh^5(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=109

$$-\frac{a^2}{4b^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{a(a+2b)}{2b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)}$$

[Out] ln(cosh(d\*x+c))/(a+b)^3/d+1/2\*ln(a+b\*tanh(d\*x+c)^2)/(a+b)^3/d-1/4\*a^2/b^2/(a+b)/d/(a+b\*tanh(d\*x+c)^2)^2+1/2\*a\*(a+2\*b)/b^2/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.17, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$-\frac{a^2}{4b^2d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{a(a+2b)}{2b^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] Log[Cosh[c + d\*x]]/((a + b)^3\*d) + Log[a + b\*Tanh[c + d\*x]^2]/(2\*(a + b)^3\*d) - a^2/(4\*b^2\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (a\*(a + 2\*b))/(2\*b^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^5(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^5}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{a^2}{b(a+b)(a+bx)^3} - \frac{a(a+2b)}{b(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} - \frac{a^2}{4b^2(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 1.10, size = 91, normalized size = 0.83

$$\frac{\frac{a^2(a+b)^2}{b^2(a+b \tanh^2(c+dx))^2} - \frac{2a(a+2b)(a+b)}{b^2(a+b \tanh^2(c+dx))} - 2 \log(a + b \tanh^2(c + dx)) - 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^5/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] -1/4\*(-4\*Log[Cosh[c + d\*x]] - 2\*Log[a + b\*Tanh[c + d\*x]^2] + (a^2\*(a + b)^2)/(b^2\*(a + b\*Tanh[c + d\*x]^2)^2) - (2\*a\*(a + b)\*(a + 2\*b))/(b^2\*(a + b\*Tanh[c + d\*x]^2)))/((a + b)^3\*d)

**fricas [B]** time = 0.48, size = 2584, normalized size = 23.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 16*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 8*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + (a^2 - b^2)*d*x - a^2 - a*b)*sinh(d*x + c)^6 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + (3*a^2 - 2*a*b + 3*b^2)*d*x + 30*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^2 - 2*a^2 + 4*a*b)*sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^5 + 10*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^3 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^2 + 2*a*b + b^2)*d*x + 8*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^2 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^4 + (a^2 - b^2)*d*x + 3*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^2 - a^2 - a*b)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 16*((a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c)^5 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 4*a*b)*cosh(d*x + c)^3 + ((a^2 - b^2)*d*x - a^2 - a*b)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*sinh(d*x + c)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10$$

$$\begin{aligned} & *a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 \\ & - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + (3*a^5 + 7*a^4*b + 6*a^3* \\ & b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^5 + 3*a^4*b + \\ & 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^5 + 5*a^ \\ & 4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^5 + 10*(a^5 \\ & + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^3 + (3*a \\ & ^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c))*\si \\ & nh(d*x + c)^3 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b \\ & ^5)*d*\cosh(d*x + c)^6 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 \\ & - b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7* \\ & a*b^4 + 3*b^5)*d*\cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - \\ & 3*a*b^4 - b^5)*d)*\sinh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b \\ & ^3 + 5*a*b^4 + b^5)*d + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b \\ & ^4 + b^5)*d*\cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3* \\ & a*b^4 - b^5)*d*\cosh(d*x + c)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + \\ & 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^ \\ & 3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)) \end{aligned}$$

**giac [B]** time = 0.51, size = 245, normalized size = 2.25

$$\frac{2 \log\left(\left|a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+b\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+2a-2b}{a^3+3a^2b+3ab^2+b^3} - \frac{3a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)^2+3b\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)^2-4a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+b\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)}{\left(a^2+2ab+b^2\right)\left(a\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)+b\left(e^{2dx+2c}\right)+e^{(-2dx-2c)}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^5/(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{4}*(2*\log(\text{abs}(a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})) + 2*a - 2*b))/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - (3*a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 3*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 - 4*a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 12*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) - 4*a + 12*b)/((a^2 + 2*a*b + b^2)*(a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})) + 2*a - 2*b)^2)/d$

**maple [B]** time = 0.11, size = 234, normalized size = 2.15

$$\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} - \frac{a^4}{4d(a+b)^3 b^2 \left(a+b(\tanh^2(dx+c))\right)^2} - \frac{a^3}{2d(a+b)^3 b \left(a+b(\tanh^2(dx+c))\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(dx+c)^5/(a+b\*tanh(dx+c)^2)^3,x)

[Out]  $-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)-1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))-1/4/d/(a+b)^3*a^4/b^2/(a+b*\tanh(d*x+c)^2)^2-1/2/d/(a+b)^3*a^3/b/(a+b*\tanh(d*x+c)^2)^2-1/4/d/(a+b)^3*a^2/(a+b*\tanh(d*x+c)^2)^2+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)^3/d+1/2/d/(a+b)^3*a^3/b^2/(a+b*\tanh(d*x+c)^2)+3/2/d/(a+b)^3*a^2/b/(a+b*\tanh(d*x+c)^2)+1/d/(a+b)^3*a/(a+b*\tanh(d*x+c)^2)$

**maxima** [B] time = 0.36, size = 376, normalized size = 3.45

$$\frac{dx + c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{1}{(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^5/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $(d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 4*((a^2 + a*b)*e^{(-2*d*x - 2*c)} + (a^2 - 2*a*b)*e^{(-4*d*x - 4*c)} + (a^2 + a*b)*e^{(-6*d*x - 6*c)})/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5))*e^{(-2*d*x - 2*c)} + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5))*e^{(-4*d*x - 4*c)} + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5))*e^{(-6*d*x - 6*c)} + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5))*e^{(-8*d*x - 8*c))*d) + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d)$

**mupad** [B] time = 0.83, size = 416, normalized size = 3.82

$$\frac{a^4 + a^3 b (2 \tanh(c + dx)^2 + 4) - a b^3 (-4 \tanh(c + dx)^2 + \tanh(c + dx)^2) \operatorname{atan}\left(\frac{a \tanh(c + dx)^2 + b \tanh(c + dx)^2}{2a - a \tanh(c + dx)^2 + b \tanh(c + dx)^2}\right)}{4 d a^5 b^2 + 8 d a^4 b^3 \tanh(c + dx)^2 + 12 d a^4 b^3 + 4 d a^3 b^4 \tanh(c + dx)^4 + 24 d a^3 b^4 \tanh(c + dx)^2 + 12 d a^3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^5/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $(a^4 + a^3*b*(2*\tanh(c + d*x)^2 + 4) - a*b^3*(\tanh(c + d*x)^2*\operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i)/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2)))*8i - 4*\tanh(c + d*x)^2) + a^2*b^2*(6*\tanh(c + d*x)^2 - \operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i)/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2)))*4i + 3) - b^4*\tanh(c + d*x)^4*\operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i)/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*4i)/(4*a^2*b^5*d + 12*a^3*b^4*d + 12*a^4*b^3*d + 4*a^5*b^2*d + 4*b^7*d*\tanh(c + d*x)^4 + 24*a^2*b^5*d*\tanh(c + d*x)^2 + 24*a^3*b^4*d*\tanh(c + d*x)^2 + 8*a^4*b^3*d*\tanh(c + d*x)^2 + 12*a^2*b^5*d*\tanh(c + d*x)^4 + 4*a^3*b^4*d*\tanh(c + d*x)^4 + 8*a*b^6*d*\tanh(c + d*x)^2 + 12*a*b^6*d*\tanh(c + d*x)^4)$

sympy [A] time = 157.94, size = 3937, normalized size = 36.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*5/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((zoo\*x/tanh(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - log(tanh(c + d\*x) + 1)/d - tanh(c + d\*x)\*\*4/(4\*d) - tanh(c + d\*x)\*\*2/(2\*d))/a\*\*3, Eq(b, 0)), (3\*tanh(c + d\*x)\*\*4/(6\*b\*\*3\*d\*tanh(c + d\*x)\*\*6 - 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*4 + 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 - 6\*b\*\*3\*d) - 3\*tanh(c + d\*x)\*\*2/(6\*b\*\*3\*d\*tanh(c + d\*x)\*\*6 - 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*4 + 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 - 6\*b\*\*3\*d) + 1/(6\*b\*\*3\*d\*tanh(c + d\*x)\*\*6 - 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*4 + 18\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 - 6\*b\*\*3\*d), Eq(a, -b)), (x\*tanh(c)\*\*5/(a + b\*tanh(c)\*\*2)\*\*3, Eq(d, 0)), (a\*\*4/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*3\*b\*\*4\*d + 12\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*2 + 4\*a\*\*2\*b\*\*5\*d + 12\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*4 + 8\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*2 + 4\*b\*\*7\*d\*tanh(c + d\*x)\*\*4) + 2\*a\*\*3\*b\*tanh(c + d\*x)\*\*2/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*3\*b\*\*4\*d + 12\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*2 + 4\*a\*\*2\*b\*\*5\*d + 12\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*4 + 8\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*2 + 4\*b\*\*7\*d\*tanh(c + d\*x)\*\*4) + 4\*a\*\*3\*b/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*3\*b\*\*4\*d + 12\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*2 + 4\*a\*\*2\*b\*\*5\*d + 12\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*4 + 8\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*2 + 4\*b\*\*7\*d\*tanh(c + d\*x)\*\*4) + 2\*a\*\*2\*b\*\*2\*log(-I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*3\*b\*\*4\*d + 12\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*2 + 4\*a\*\*2\*b\*\*5\*d + 12\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*4 + 8\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*2 + 4\*b\*\*7\*d\*tanh(c + d\*x)\*\*4) + 2\*a\*\*2\*b\*\*2\*log(I\*sqrt(a)\*sqrt(1/b) + tanh(c + d\*x))/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*3\*b\*\*4\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*3\*b\*\*4\*d + 12\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*4 + 24\*a\*\*2\*b\*\*5\*d\*tanh(c + d\*x)\*\*2 + 4\*a\*\*2\*b\*\*5\*d + 12\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*4 + 8\*a\*b\*\*6\*d\*tanh(c + d\*x)\*\*2 + 4\*b\*\*7\*d\*tanh(c + d\*x)\*\*4) - 4\*a\*\*2\*b\*\*2\*log(tanh(c + d\*x) + 1)/(4\*a\*\*5\*b\*\*2\*d + 8\*a\*\*4\*b\*\*3\*d\*tanh(c + d\*x)\*\*2 + 12\*a\*\*4\*b\*\*3\*d + 4\*a\*

$$\begin{aligned}
& *3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a**3*b**4 \\
& *d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)**2 + 4* \\
& a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x)**2 + \\
& 4*b**7*d*tanh(c + d*x)**4) + 6*a**2*b**2*tanh(c + d*x)**2/(4*a**5*b**2*d + \\
& 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b**3*d + 4*a**3*b**4*d*tanh(c + d* \\
& x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a**3*b**4*d + 12*a**2*b**5*d*t \\
& anh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)**2 + 4*a**2*b**5*d + 12*a*b* \\
& **6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x)**2 + 4*b**7*d*tanh(c + d*x \\
& )**4) + 3*a**2*b**2/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a* \\
& **4*b**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)** \\
& 2 + 12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh( \\
& c + d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tan \\
& h(c + d*x)**2 + 4*b**7*d*tanh(c + d*x)**4) + 8*a*b**3*d*x*tanh(c + d*x)**2/ \\
& (4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b**3*d + 4*a**3*b \\
& **4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a**3*b**4*d + \\
& 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)**2 + 4*a**2 \\
& *b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x)**2 + 4*b* \\
& **7*d*tanh(c + d*x)**4) + 4*a*b**3*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x)) \\
& *tanh(c + d*x)**2/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4 \\
& *b**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 \\
& + 12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c \\
& + d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh( \\
& c + d*x)**2 + 4*b**7*d*tanh(c + d*x)**4) + 4*a*b**3*log(I*sqrt(a)*sqrt(1/b) \\
& + tanh(c + d*x))*tanh(c + d*x)**2/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + \\
& d*x)**2 + 12*a**4*b**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*t \\
& anh(c + d*x)**2 + 12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a* \\
& **2*b**5*d*tanh(c + d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + \\
& 8*a*b**6*d*tanh(c + d*x)**2 + 4*b**7*d*tanh(c + d*x)**4) - 8*a*b**3*log(ta \\
& nh(c + d*x) + 1)*tanh(c + d*x)**2/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d \\
& *x)**2 + 12*a**4*b**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*t \\
& anh(c + d*x)**2 + 12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a* \\
& **2*b**5*d*tanh(c + d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + \\
& 8*a*b**6*d*tanh(c + d*x)**2 + 4*b**7*d*tanh(c + d*x)**4) + 4*a*b**3*tanh(c \\
& + d*x)**2/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b**3*d \\
& + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a** \\
& 3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)** \\
& 2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x) \\
& **2 + 4*b**7*d*tanh(c + d*x)**4) + 4*b**4*d*x*tanh(c + d*x)**4/(4*a**5*b**2 \\
& *d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b**3*d + 4*a**3*b**4*d*tanh(c \\
& + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a**3*b**4*d + 12*a**2*b** \\
& 5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)**2 + 4*a**2*b**5*d + 12 \\
& *a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x)**2 + 4*b**7*d*tanh(c \\
& + d*x)**4) + 2*b**4*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x) \\
& **4/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b**3*d + 4*a* \\
& **3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 + 12*a**3*b**4
\end{aligned}$$



```

*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c + d*x)**2 + 4*
a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c + d*x)**2 +
4*b**7*d*tanh(c + d*x)**4) + 2*b**4*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x)
)*tanh(c + d*x)**4/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**
4*b**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2
+ 12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c
+ d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh
(c + d*x)**2 + 4*b**7*d*tanh(c + d*x)**4) - 4*b**4*log(tanh(c + d*x) + 1)*t
anh(c + d*x)**4/(4*a**5*b**2*d + 8*a**4*b**3*d*tanh(c + d*x)**2 + 12*a**4*b
**3*d + 4*a**3*b**4*d*tanh(c + d*x)**4 + 24*a**3*b**4*d*tanh(c + d*x)**2 +
12*a**3*b**4*d + 12*a**2*b**5*d*tanh(c + d*x)**4 + 24*a**2*b**5*d*tanh(c +
d*x)**2 + 4*a**2*b**5*d + 12*a*b**6*d*tanh(c + d*x)**4 + 8*a*b**6*d*tanh(c
+ d*x)**2 + 4*b**7*d*tanh(c + d*x)**4), True))

```

$$3.192 \quad \int \frac{\tanh^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=137

$$\frac{(a^2 + 6ab - 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a} b^{3/2} d(a+b)^3} - \frac{(a+5b) \tanh(c+dx)}{8bd(a+b)^2 (a+b \tanh^2(c+dx))} + \frac{a \tanh(c+dx)}{4bd(a+b) (a+b \tanh^2(c+dx))^2} + \dots$$

[Out]  $x/(a+b)^3 - 1/8*(a^2+6*a*b-3*b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/b^{(3/2)}$   
 $/ (a+b)^3/d/a^{(1/2)} + 1/4*a*\tanh(d*x+c)/b/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2 - 1/8*(a$   
 $+5*b)*\tanh(d*x+c)/b/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.20, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 470, 527, 522, 206, 205}

$$\frac{(a^2 + 6ab - 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a} b^{3/2} d(a+b)^3} - \frac{(a+5b) \tanh(c+dx)}{8bd(a+b)^2 (a+b \tanh^2(c+dx))} + \frac{a \tanh(c+dx)}{4bd(a+b) (a+b \tanh^2(c+dx))^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $x/(a+b)^3 - ((a^2 + 6*a*b - 3*b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/ \text{Sqrt}[a]])/(8*\text{Sqrt}[a]*b^{(3/2)}*(a+b)^3*d) + (a*\text{Tanh}[c + d*x])/(4*b*(a+b)*d*(a+b*\text{Tanh}[c + d*x]^2)^2) - ((a+5*b)*\text{Tanh}[c + d*x])/(8*b*(a+b)^2*d*(a+b*\text{Tanh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 470

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^...

$(p + 1)(c + dx^n)^{q+1} / (b^n(b^2c - a^2d)(p + 1), x] + \text{Dist}[e^{(2n)} / (b^n(b^2c - a^2d)(p + 1)), \text{Int}[(e^x)^{m-2n}(a + bx^n)^{p+1}(c + dx^n)^q \text{Simp}[a^2c(m-2n+1) + (a^2d(m-n+nq+1) + b^2c^n(p+1))x^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, q\}, x] \&\& \text{NeQ}[b^2c - a^2d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m - n + 1, n] \&\& \text{IntBinomialQ}[a, b, c, d, e, m, n, p, q, x]$

### Rule 522

$\text{Int}[(e_ + (f_)(x_)^{n_}) / ((a_ + (b_)(x_)^{n_})((c_ + (d_)(x_)^{n_}))), x\_Symbol] \rightarrow \text{Dist}[(b^2e - a^2f) / (b^2c - a^2d), \text{Int}[1 / (a + bx^n), x], x] - \text{Dist}[(d^2e - c^2f) / (b^2c - a^2d), \text{Int}[1 / (c + dx^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x]$

### Rule 527

$\text{Int}[(a_ + (b_)(x_)^{n_})^{p_}((c_ + (d_)(x_)^{n_})^{q_})(e_ + (f_)(x_)^{n_}), x\_Symbol] \rightarrow -\text{Simp}[(b^2e - a^2f)x(a + bx^n)^{p+1}(c + dx^n)^{q+1} / (a^n(b^2c - a^2d)(p + 1)), x] + \text{Dist}[1 / (a^n(b^2c - a^2d)(p + 1)), \text{Int}[(a + bx^n)^{p+1}(c + dx^n)^q \text{Simp}[c(b^2e - a^2f) + e^n(b^2c - a^2d)(p + 1) + d(b^2e - a^2f)(n(p + q + 2) + 1)x^n, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, q\}, x] \&\& \text{LtQ}[p, -1]$

### Rule 3670

$\text{Int}[(d_)\tan[e_ + (f_)(x_)]^{m_}((a_ + (b_)((c_)\tan[e_ + (f_)(x_)]^{n_})^{p_}), x\_Symbol] \rightarrow \text{With}\{ff = \text{FreeFactors}[\text{Tan}[e + fx], x]\}, \text{Dist}[(c^2ff) / f, \text{Subst}[\text{Int}[(d^2ffx) / c^m(a + b(ffx)^n)^p] / (c^2 + f^2x^2), x], x, (c^2\tan[e + fx]) / ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 2] \parallel \text{EqQ}[n, 4] \parallel (\text{IntegerQ}[p] \&\& \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(c+dx)}{(a+b\tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^4}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d (a+b\tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{a+(-a-4b)x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d (a+b\tanh^2(c+dx))^2} - \frac{(a+5b) \tanh(c+dx)}{8b(a+b)^2d (a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{a \tanh(c+dx)}{4b(a+b)d (a+b\tanh^2(c+dx))^2} - \frac{(a+5b) \tanh(c+dx)}{8b(a+b)^2d (a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4b(a+b)d} \\
&= \frac{x}{(a+b)^3} - \frac{(a^2+6ab-3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8\sqrt{a} b^{3/2} (a+b)^3 d} + \frac{a \tanh(c+dx)}{4b(a+b)d (a+b\tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 1.15, size = 135, normalized size = 0.99

$$\frac{(a^2+6ab-3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2}} + \frac{(a-5b)(a+b) \sinh(2(c+dx))}{b((a+b) \cosh(2(c+dx))+a-b)} + \frac{4a(a+b) \sinh(2(c+dx))}{((a+b) \cosh(2(c+dx))+a-b)^2} + 8(c+dx)$$

$8d(a+b)^3$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (8\*(c + d\*x) - ((a^2 + 6\*a\*b - 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(Sqrt[a]\*b^(3/2)) + (4\*a\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2 + ((a - 5\*b)\*(a + b)\*Sinh[2\*(c + d\*x)]/(b\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^3\*d)

**fricas [B]** time = 0.58, size = 7757, normalized size = 56.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] [1/16*(16*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^8 + 128*(a^3*b^2
+ 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 16*(a^3*b^2 + 2*a^
2*b^3 + a*b^4)*d*x*sinh(d*x + c)^8 - 4*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a
*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^6 - 4*(a^4*b - 9*a^3*b^2 - 5
*a^2*b^3 + 5*a*b^4 - 112*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^2
- 16*(a^3*b^2 - a*b^4)*d*x)*sinh(d*x + c)^6 + 8*(112*(a^3*b^2 + 2*a^2*b^3 +
a*b^4)*d*x*cosh(d*x + c)^3 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 -
16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 - 4*a^4*b + 12*a^3
*b^2 + 36*a^2*b^3 + 20*a*b^4 - 4*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*
b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c)^4 + 4*(280*(a^
3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^4 - 3*a^4*b + 17*a^3*b^2 - 13*
a^2*b^3 + 15*a*b^4 + 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x - 15*(a^4*b -
9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^2
)*sinh(d*x + c)^4 + 16*(56*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^
5 - 5*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*
cosh(d*x + c)^3 - (3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 - 8*(3*a^3*
b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 16*(a^3*b^
2 + 2*a^2*b^3 + a*b^4)*d*x - 4*(3*a^4*b - 11*a^3*b^2 + a^2*b^3 + 15*a*b^4 -
16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^2 + 4*(112*(a^3*b^2 + 2*a^2*b^3 +
a*b^4)*d*x*cosh(d*x + c)^6 - 3*a^4*b + 11*a^3*b^2 - a^2*b^3 - 15*a*b^4 - 15
*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(
d*x + c)^4 + 16*(a^3*b^2 - a*b^4)*d*x - 6*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^
3 - 15*a*b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c)^2)*si
nh(d*x + c)^2 + ((a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^8 + 8*(
a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^4 +
8*a^3*b + 10*a^2*b^2 - 3*b^4)*sinh(d*x + c)^8 + 4*(a^4 + 6*a^3*b - 4*a^2*b^
2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^6 + 4*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b
^3 + 3*b^4 + 7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^2)*sinh(d
*x + c)^6 + 8*(7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^3 + 3*(
a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c))*sinh(d*x + c)^5
+ 2*(3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^4 + 2
*(35*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^4 + 3*a^4 + 16*a^3*
b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4 + 30*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3
+ 3*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + a^4 + 8*a^3*b + 10*a^2*b^2 - 3
*b^4 + 8*(7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^5 + 10*(a^4
+ 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^3 + (3*a^4 + 16*a^3*
b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^4
+ 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^2 + 4*(7*(a^4 + 8*a^
3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^6 + 15*(a^4 + 6*a^3*b - 4*a^2*b^2 -
6*a*b^3 + 3*b^4)*cosh(d*x + c)^4 + a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3
*b^4 + 3*(3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^2
)*sinh(d*x + c)^2 + 8*((a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^7
+ 3*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^5 + (3*a^4
+ 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^3 + (a^4 + 6*a^3
*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-a*b)*
```

$$\log\left(\frac{\begin{aligned} &((a^2 + 2ab + b^2)\cosh(dx + c)^4 + 4(a^2 + 2ab + b^2)\cosh(dx + c) \\ &\sinh(dx + c)^3 + (a^2 + 2ab + b^2)\sinh(dx + c)^4 + 2(a^2 - b^2)c \\ &\cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2)\cosh(dx + c)^2 + a^2 - b^2)\sinh \\ &(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2)\cosh(dx + c)^3 + \\ &(a^2 - b^2)\cosh(dx + c))\sinh(dx + c) - 4((a + b)\cosh(dx + c)^2 + 2(a \\ &+ b)\cosh(dx + c)\sinh(dx + c) + (a + b)\sinh(dx + c)^2 + a - b)\sqrt{ \\ &-ab})}{(a + b)\cosh(dx + c)^4 + 4(a + b)\cosh(dx + c)\sinh(dx + c)^3 + \\ &(a + b)\sinh(dx + c)^4 + 2(a - b)\cosh(dx + c)^2 + 2(3(a + b)\cosh(dx \\ &+ c)^2 + a - b)\sinh(dx + c)^2 + 4((a + b)\cosh(dx + c)^3 + (a - b)c \\ &\cosh(dx + c))\sinh(dx + c) + a + b)} + 8(16(a^3b^2 + 2a^2b^3 + ab^4)* \\ &d*x*\cosh(dx + c)^7 - 3(a^4b - 9a^3b^2 - 5a^2b^3 + 5ab^4 - 16(a^3b^2 \\ &- ab^4)*d*x)*\cosh(dx + c)^5 - 2(3a^4b - 17a^3b^2 + 13a^2b^3 - \\ &15ab^4 - 8(3a^3b^2 - 2a^2b^3 + 3ab^4)*d*x)*\cosh(dx + c)^3 - (3a^4b \\ &- 11a^3b^2 + a^2b^3 + 15ab^4 - 16(a^3b^2 - ab^4)*d*x)*\cosh(dx \\ &+ c))\sinh(dx + c)}{(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^8 + 8(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10 \\ &a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)\sinh(dx + c)^7 + (a^6b^2 + \\ &5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\sinh(dx + c)^8 \\ &+ 4(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^6 + 4(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^2 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d)*\sinh(dx + c)^6 + 2(3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7)*d*\cosh(dx + c)^4 + 8(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^3 + 3(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c))\sinh(dx + c)^5 + 2(35(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^4 + 30(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^2 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7)*d)*\sinh(dx + c)^4 + 4(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^2 + 8(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^5 + 10(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^3 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7)*d*\cosh(dx + c))\sinh(dx + c)^3 + 4(7(a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^6 + 15(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^4 + 3(3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7)*d*\cosh(dx + c)^2 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d)*\sinh(dx + c)^2 + (a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d + 8((a^6b^2 + 5a^5b^3 + 10a^4b^4 + 10a^3b^5 + 5a^2b^6 + ab^7)*d*\cosh(dx + c)^7 + 3(a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c)^5 + (3a^6b^2 + 7a^5b^3 + 6a^4b^4 + 6a^3b^5 + 7a^2b^6 + 3ab^7)*d*\cosh(dx + c)^3 + (a^6b^2 + 3a^5b^3 + 2a^4b^4 - 2a^3b^5 - 3a^2b^6 - ab^7)*d*\cosh(dx + c))\sinh(dx + c)}, 1/8(8(a^3b^2 +$$

$$\begin{aligned}
& 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^8 + 64*(a^3*b^2 + 2*a^2*b^3 + a*b^4)* \\
& d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 8*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*sin \\
& h(d*x + c)^8 - 2*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a \\
& *b^4)*d*x)*cosh(d*x + c)^6 - 2*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 1 \\
& 12*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^2 - 16*(a^3*b^2 - a*b^4) \\
& *d*x)*sinh(d*x + c)^6 + 4*(112*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + \\
& c)^3 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d \\
& *x)*cosh(d*x + c))*sinh(d*x + c)^5 - 2*a^4*b + 6*a^3*b^2 + 18*a^2*b^3 + 10* \\
& a*b^4 - 2*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 - 8*(3*a^3*b^2 - 2* \\
& a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c)^4 + 2*(280*(a^3*b^2 + 2*a^2*b^3 + a*b \\
& ^4)*d*x*cosh(d*x + c)^4 - 3*a^4*b + 17*a^3*b^2 - 13*a^2*b^3 + 15*a*b^4 + 8* \\
& (3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x - 15*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + \\
& 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*( \\
& 56*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^5 - 5*(a^4*b - 9*a^3*b^2 \\
& - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^3 - (3*a^4 \\
& *b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 - 8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^ \\
& 4)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 8*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d* \\
& x - 2*(3*a^4*b - 11*a^3*b^2 + a^2*b^3 + 15*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x \\
& )*cosh(d*x + c)^2 + 2*(112*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d*x + c)^ \\
& 6 - 3*a^4*b + 11*a^3*b^2 - a^2*b^3 - 15*a*b^4 - 15*(a^4*b - 9*a^3*b^2 - 5*a \\
& ^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c)^4 + 16*(a^3*b^2 \\
& - a*b^4)*d*x - 6*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 - 8*(3*a^3*b \\
& ^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 - ((a^4 + 8 \\
& *a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^8 + 8*(a^4 + 8*a^3*b + 10*a^2*b^ \\
& 2 - 3*b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^4 + 8*a^3*b + 10*a^2*b^2 - 3* \\
& b^4)*sinh(d*x + c)^8 + 4*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh \\
& (d*x + c)^6 + 4*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4 + 7*(a^4 + 8*a \\
& ^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(a^4 + 8 \\
& *a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^3 + 3*(a^4 + 6*a^3*b - 4*a^2*b^2 \\
& - 6*a*b^3 + 3*b^4)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^4 + 16*a^3*b - \\
& 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^4 + 2*(35*(a^4 + 8*a^3*b + 10* \\
& a^2*b^2 - 3*b^4)*cosh(d*x + c)^4 + 3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 \\
& - 9*b^4 + 30*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^2 \\
& )*sinh(d*x + c)^4 + a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4 + 8*(7*(a^4 + 8*a^3* \\
& b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^5 + 10*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6 \\
& *a*b^3 + 3*b^4)*cosh(d*x + c)^3 + (3*a^4 + 16*a^3*b - 18*a^2*b^2 + 24*a*b^3 \\
& - 9*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6 \\
& *a*b^3 + 3*b^4)*cosh(d*x + c)^2 + 4*(7*(a^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4) \\
& *cosh(d*x + c)^6 + 15*(a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d* \\
& x + c)^4 + a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 + 3*b^4 + 3*(3*a^4 + 16*a^3* \\
& b - 18*a^2*b^2 + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((a \\
& ^4 + 8*a^3*b + 10*a^2*b^2 - 3*b^4)*cosh(d*x + c)^7 + 3*(a^4 + 6*a^3*b - 4*a \\
& ^2*b^2 - 6*a*b^3 + 3*b^4)*cosh(d*x + c)^5 + (3*a^4 + 16*a^3*b - 18*a^2*b^2 \\
& + 24*a*b^3 - 9*b^4)*cosh(d*x + c)^3 + (a^4 + 6*a^3*b - 4*a^2*b^2 - 6*a*b^3 \\
& + 3*b^4)*cosh(d*x + c))*sinh(d*x + c))*sqrt(a*b)*arctan(1/2*((a + b)*cosh(d
\end{aligned}$$

```

*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2
+ a - b)*sqrt(a*b)/(a*b)) + 4*(16*(a^3*b^2 + 2*a^2*b^3 + a*b^4)*d*x*cosh(d
*x + c)^7 - 3*(a^4*b - 9*a^3*b^2 - 5*a^2*b^3 + 5*a*b^4 - 16*(a^3*b^2 - a*b^
4)*d*x)*cosh(d*x + c)^5 - 2*(3*a^4*b - 17*a^3*b^2 + 13*a^2*b^3 - 15*a*b^4 -
8*(3*a^3*b^2 - 2*a^2*b^3 + 3*a*b^4)*d*x)*cosh(d*x + c)^3 - (3*a^4*b - 11*a
^3*b^2 + a^2*b^3 + 15*a*b^4 - 16*(a^3*b^2 - a*b^4)*d*x)*cosh(d*x + c))*sinh
(d*x + c))/((a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*
b^7)*d*cosh(d*x + c)^8 + 8*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 +
5*a^2*b^6 + a*b^7)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^6*b^2 + 5*a^5*b^3
+ 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7)*d*sinh(d*x + c)^8 + 4*(a^6*b
^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d*cosh(d*x + c)
^6 + 4*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^
7)*d*cosh(d*x + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^
2*b^6 - a*b^7)*d)*sinh(d*x + c)^6 + 2*(3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6
*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7)*d*cosh(d*x + c)^4 + 8*(7*(a^6*b^2 + 5*a^5*b
^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7)*d*cosh(d*x + c)^3 + 3*(a^
6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d*cosh(d*x +
c))*sinh(d*x + c)^5 + 2*(35*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5
+ 5*a^2*b^6 + a*b^7)*d*cosh(d*x + c)^4 + 30*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b
^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d*cosh(d*x + c)^2 + (3*a^6*b^2 + 7*a^5*
b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7)*d)*sinh(d*x + c)^4 + 4*(
a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d*cosh(d*x
+ c)^2 + 8*(7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 +
a*b^7)*d*cosh(d*x + c)^5 + 10*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5
- 3*a^2*b^6 - a*b^7)*d*cosh(d*x + c)^3 + (3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^
4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b^7)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(
7*(a^6*b^2 + 5*a^5*b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7)*d*cos
h(d*x + c)^6 + 15*(a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6
- a*b^7)*d*cosh(d*x + c)^4 + 3*(3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b
^5 + 7*a^2*b^6 + 3*a*b^7)*d*cosh(d*x + c)^2 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*
b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d)*sinh(d*x + c)^2 + (a^6*b^2 + 5*a^5*
b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7)*d + 8*((a^6*b^2 + 5*a^5*
b^3 + 10*a^4*b^4 + 10*a^3*b^5 + 5*a^2*b^6 + a*b^7)*d*cosh(d*x + c)^7 + 3*(a
^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^2*b^6 - a*b^7)*d*cosh(d*x
+ c)^5 + (3*a^6*b^2 + 7*a^5*b^3 + 6*a^4*b^4 + 6*a^3*b^5 + 7*a^2*b^6 + 3*a*b
^7)*d*cosh(d*x + c)^3 + (a^6*b^2 + 3*a^5*b^3 + 2*a^4*b^4 - 2*a^3*b^5 - 3*a^
2*b^6 - a*b^7)*d*cosh(d*x + c))*sinh(d*x + c))]

```

**giac [B]** time = 0.49, size = 384, normalized size = 2.80

$$\frac{(a^2+6ab-3b^2)\arctan\left(\frac{ae^{(2dx+2c)}+be^{(2dx+2c)}+a-b}{2\sqrt{ab}}\right)}{(a^3b+3a^2b^2+3ab^3+b^4)\sqrt{ab}} - \frac{8(dx+c)}{a^3+3a^2b+3ab^2+b^3} + \frac{2(a^3e^{(6dx+6c)}-9a^2be^{(6dx+6c)}-5ab^2e^{(6dx+6c)}+5b^3e^{(6dx+6c)}+3a^3e^{(4d}}$$

$(a^3b+$

$8d$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*((a^2 + 6*a*b - 3*b^2)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\sqrt{a*b}) - 8*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 2*(a^3*e^{(6*d*x + 6*c)} - 9*a^2*b*e^{(6*d*x + 6*c)} - 5*a*b^2*e^{(6*d*x + 6*c)} + 5*b^3*e^{(6*d*x + 6*c)} + 3*a^3*e^{(4*d*x + 4*c)} - 17*a^2*b*e^{(4*d*x + 4*c)} + 13*a*b^2*e^{(4*d*x + 4*c)} - 15*b^3*e^{(4*d*x + 4*c)} + 3*a^3*e^{(2*d*x + 2*c)} - 11*a^2*b*e^{(2*d*x + 2*c)} + a*b^2*e^{(2*d*x + 2*c)} + 15*b^3*e^{(2*d*x + 2*c)} + a^3 - 3*a^2*b - 9*a*b^2 - 5*b^3)/((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$$

**maple [B]** time = 0.12, size = 340, normalized size = 2.48

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} - \frac{a^2(\tanh^3(dx+c))}{8d(a+b)^3(a+b(\tanh^2(dx+c)))^2} - \frac{3ab(\tanh^3(dx+c))}{4d(a+b)^3(a+b(\tanh^2(dx+c)))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out] 
$$-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)+1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))-1/8/d*a^2/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*tanh(d*x+c)^3-3/4/d*a/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*b*tanh(d*x+c)^3-5/8/d/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*tanh(d*x+c)^3*b^2+1/8/d*a^3/(a+b)^3/(a+b*tanh(d*x+c)^2)^2/b*tanh(d*x+c)-1/4/d*a^2/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*tanh(d*x+c)-3/8/d/(a+b)^3/(a+b*tanh(d*x+c)^2)^2*a*b*tanh(d*x+c)-1/8/d*a^2/(a+b)^3/b/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))-3/4/d*a/(a+b)^3/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))+3/8/d/(a+b)^3*b/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))$$

**maxima [B]** time = 1.35, size = 2432, normalized size = 17.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^4/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] 
$$-1/128*(a^4 + 24*a^3*b - 54*a^2*b^2 - 16*a*b^3 - 3*b^4)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^5*b + 3*a^4*b^2 + 3*a^3*b^3 + a^2*b^4)*\sqrt{a*b}*d) + 1/128*(a^4 + 24*a^3*b - 54*a^2*b^2 - 16*a*b^3 - 3*b^4)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b}))/((a^5*b + 3*a^4*b^2 + 3*a^3*b^3 + a^2*b^4)*\sqrt{a*b}*d) - 1/64*(a^5 - 33*a^4*b - 54*a^3*b^2 - 2*a^2*b^3 + 21*a*b^4 + 3*b^5 + (a^5 - 71*a^4*b + 98*a^3*b^2 + 154*a^2*b^3 - 19*a*b^4 - 3*b^5)*e^{(6*d*x + 6*c)} + (3*a^5 - 171*a^4*b + 310*a^3*b^2 - 254*a^2*b^3 + 39*a*b^4 + 9*b^5)*e^{(4*d*x + 4*c)} + (3*a^5 - 133*a^4*b + 86*a^3$$

$$\begin{aligned}
& *b^2 + 190*a^2*b^3 - 41*a*b^4 - 9*b^5)*e^{(2*d*x + 2*c)} / ((a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6 + (a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*e^{(8*d*x + 8*c)} + 4*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*e^{(6*d*x + 6*c)} + 2*(3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3 + 6*a^4*b^4 + 7*a^3*b^5 + 3*a^2*b^6)*e^{(4*d*x + 4*c)} + 4*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*e^{(2*d*x + 2*c)})*d) + 1/64*(a^5 - 33*a^4*b - 54*a^3*b^2 - 2*a^2*b^3 + 21*a*b^4 + 3*b^5 + (3*a^5 - 133*a^4*b + 86*a^3*b^2 + 190*a^2*b^3 - 41*a*b^4 - 9*b^5)*e^{(-2*d*x - 2*c)} + (3*a^5 - 171*a^4*b + 310*a^3*b^2 - 254*a^2*b^3 + 39*a*b^4 + 9*b^5)*e^{(-4*d*x - 4*c)} + (a^5 - 71*a^4*b + 98*a^3*b^2 + 154*a^2*b^3 - 19*a*b^4 - 3*b^5)*e^{(-6*d*x - 6*c)}) / ((a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6 + 4*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*e^{(-2*d*x - 2*c)} + 2*(3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3 + 6*a^4*b^4 + 7*a^3*b^5 + 3*a^2*b^6)*e^{(-4*d*x - 4*c)} + 4*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*e^{(-6*d*x - 6*c)} + (a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*e^{(-8*d*x - 8*c)})*d) - 1/16*(a^4 - 4*a^3*b - 14*a^2*b^2 - 12*a*b^3 - 3*b^4 + (a^4 - 26*a^3*b - 20*a^2*b^2 + 10*a*b^3 + 3*b^4)*e^{(6*d*x + 6*c)} + (3*a^4 - 52*a^3*b + 6*a^2*b^2 - 12*a*b^3 - 9*b^4)*e^{(4*d*x + 4*c)} + (3*a^4 - 30*a^3*b - 28*a^2*b^2 + 14*a*b^3 + 9*b^4)*e^{(2*d*x + 2*c)}) / ((a^6*b + 4*a^5*b^2 + 6*a^4*b^3 + 4*a^3*b^4 + a^2*b^5) * e^{(8*d*x + 8*c)} + 4*(a^6*b + 2*a^5*b^2 - 2*a^3*b^4 - a^2*b^5) * e^{(6*d*x + 6*c)} + 2*(3*a^6*b + 4*a^5*b^2 + 2*a^4*b^3 + 4*a^3*b^4 + 3*a^2*b^5) * e^{(4*d*x + 4*c)} + 4*(a^6*b + 2*a^5*b^2 - 2*a^3*b^4 - a^2*b^5) * e^{(2*d*x + 2*c)})*d) + 1/16*(a^4 - 4*a^3*b - 14*a^2*b^2 - 12*a*b^3 - 3*b^4 + (3*a^4 - 30*a^3*b - 28*a^2*b^2 + 14*a*b^3 + 9*b^4)*e^{(-2*d*x - 2*c)} + (3*a^4 - 52*a^3*b + 6*a^2*b^2 - 12*a*b^3 - 9*b^4)*e^{(-4*d*x - 4*c)} + (a^4 - 26*a^3*b - 20*a^2*b^2 + 10*a*b^3 + 3*b^4)*e^{(-6*d*x - 6*c)}) / ((a^6*b + 4*a^5*b^2 + 6*a^4*b^3 + 4*a^3*b^4 + a^2*b^5 + 4*(a^6*b + 2*a^5*b^2 - 2*a^3*b^4 - a^2*b^5) * e^{(-2*d*x - 2*c)} + 2*(3*a^6*b + 4*a^5*b^2 + 2*a^4*b^3 + 4*a^3*b^4 + 3*a^2*b^5) * e^{(-4*d*x - 4*c)} + 4*(a^6*b + 2*a^5*b^2 - 2*a^3*b^4 - a^2*b^5) * e^{(-6*d*x - 6*c)} + (a^6*b + 4*a^5*b^2 + 6*a^4*b^3 + 4*a^3*b^4 + a^2*b^5) * e^{(-8*d*x - 8*c)})*d) + 3/32*(a^3 + 5*a^2*b + 7*a*b^2 + 3*b^3 + (3*a^3 + 13*a^2*b + a*b^2 - 9*b^3)*e^{(-2*d*x - 2*c)} + (3*a^3 + 7*a^2*b - 3*a*b^2 + 9*b^3)*e^{(-4*d*x - 4*c)} + (a^3 - a^2*b - 5*a*b^2 - 3*b^3)*e^{(-6*d*x - 6*c)}) / ((a^5*b + 3*a^4*b^2 + 3*a^3*b^3 + a^2*b^4 + 4*(a^5*b + a^4*b^2 - a^3*b^3 - a^2*b^4) * e^{(-2*d*x - 2*c)} + 2*(3*a^5*b + a^4*b^2 + a^3*b^3 + 3*a^2*b^4) * e^{(-4*d*x - 4*c)} + 4*(a^5*b + a^4*b^2 - a^3*b^3 - a^2*b^4) * e^{(-6*d*x - 6*c)} + (a^5*b + 3*a^4*b^2 + 3*a^3*b^3 + a^2*b^4) * e^{(-8*d*x - 8*c)})*d) + 1/4*log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b) / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/4*log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b) / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/32*(a + 3*b)*arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/sqrt(a*b)) / (sqrt(a*b)*a^2*b*d) + 1/32*(a + 3*b)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b)) / (sqrt(a*b)*a^2*b*d) + 3/64*(a - 3*b)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b))
\end{aligned}$$

$/(sqrt(a*b)*a^2*b*d)$

**mupad [B]** time = 1.86, size = 2574, normalized size = 18.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\tanh(c + d*x)^4/(a + b*\tanh(c + d*x)^2)^3, x)$

[Out]  $\log(\tanh(c + d*x) + 1)/(2*a^3*d + 2*b^3*d + 6*a*b^2*d + 6*a^2*b*d) - ((\tanh(c + d*x)^3*(a + 5*b))/(8*(2*a*b + a^2 + b^2)) - (a*\tanh(c + d*x)*(a - 3*b))/(8*b*(2*a*b + a^2 + b^2)))/(a^2*d + b^2*d*\tanh(c + d*x)^4 + 2*a*b*d*\tanh(c + d*x)^2) - \log(\tanh(c + d*x) - 1)/(2*d*(a + b)^3) - (\text{atan}(\frac{(\tanh(c + d*x)*(12*a^3*b - 36*a*b^3 + a^4 + 73*b^4 + 30*a^2*b^2))}{(32*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2))} + \frac{((96*b^9*d^2 + 544*a*b^8*d^2 + 1248*a^2*b^7*d^2 + 1440*a^3*b^6*d^2 + 800*a^4*b^5*d^2 + 96*a^5*b^4*d^2 - 96*a^6*b^3*d^2 - 32*a^7*b^2*d^2)}{(64*(b^7*d^3 + 6*a*b^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a^5*b^2*d^3))})}{(512*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d))*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2))/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)*1i)/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)) + ((\tanh(c + d*x)*(12*a^3*b - 36*a*b^3 + a^4 + 73*b^4 + 30*a^2*b^2))/(32*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)) - \frac{((96*b^9*d^2 + 544*a*b^8*d^2 + 1248*a^2*b^7*d^2 + 1440*a^3*b^6*d^2 + 800*a^4*b^5*d^2 + 96*a^5*b^4*d^2 - 96*a^6*b^3*d^2 - 32*a^7*b^2*d^2)}{(64*(b^7*d^3 + 6*a*b^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a^5*b^2*d^3))})}{(512*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2))/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)*1i)/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))/((27*a*b^2 + 11*a^2*b + a^3 - 15*b^3)/(32*(b^7*d^3 + 6*a*b^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a^5*b^2*d^3)) + ((\tanh(c + d*x)*(12*a^3*b - 36*a*b^3 + a^4 + 73*b^4 + 30*a^2*b^2))/(32*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)) + \frac{((96*b^9*d^2 + 544*a*b^8*d^2 + 1248*a^2*b^7*d^2 + 1440*a^3*b^6*d^2 + 800*a^4*b^5*d^2 + 96*a^5*b^4*d^2 - 96*a^6*b^3*d^2 - 32*a^7*b^2*d^2)}{(64*(b^7*d^3 + 6*a*b^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a^5*b^2*d^3))})}{(64*(b^7*d^3 + 6*a*b^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a^5*b^2*d^3))}) - (\tanh(c + d*x)*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)*(256*b^10*d$

$$\begin{aligned} &^2 + 1280*a*b^9*d^2 + 2304*a^2*b^8*d^2 + 1280*a^3*b^7*d^2 - 1280*a^4*b^6*d^2 \\ &- 2304*a^5*b^5*d^2 - 1280*a^6*b^4*d^2 - 256*a^7*b^3*d^2)/(512*(3*a^2*b^5 \\ &*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 \\ &+ 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2))/(1 \\ &6*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))*(-a*b^3)^{(1/2)}*(6*a*b \\ &+ a^2 - 3*b^2))/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)) - ( \\ &((\tanh(c + d*x)*(12*a^3*b - 36*a*b^3 + a^4 + 73*b^4 + 30*a^2*b^2))/(32*(b^5 \\ &*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)) - (((96*b^ \\ &9*d^2 + 544*a*b^8*d^2 + 1248*a^2*b^7*d^2 + 1440*a^3*b^6*d^2 + 800*a^4*b^5*d \\ &^2 + 96*a^5*b^4*d^2 - 96*a^6*b^3*d^2 - 32*a^7*b^2*d^2)/(64*(b^7*d^3 + 6*a*b \\ &^6*d^3 + a^6*b*d^3 + 15*a^2*b^5*d^3 + 20*a^3*b^4*d^3 + 15*a^4*b^3*d^3 + 6*a \\ &^5*b^2*d^3)) + (\tanh(c + d*x)*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)*(256*b^1 \\ &0*d^2 + 1280*a*b^9*d^2 + 2304*a^2*b^8*d^2 + 1280*a^3*b^7*d^2 - 1280*a^4*b^6 \\ &*d^2 - 2304*a^5*b^5*d^2 - 1280*a^6*b^4*d^2 - 256*a^7*b^3*d^2))/(512*(3*a^2* \\ &b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)*(b^5*d^2 + 4*a*b^4*d^2 + a^4*b*d^2 \\ &^2 + 6*a^2*b^3*d^2 + 4*a^3*b^2*d^2)))*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)) \\ &/ (16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)))*(-a*b^3)^{(1/2)}*(6* \\ &a*b + a^2 - 3*b^2))/(16*(3*a^2*b^5*d + 3*a^3*b^4*d + a^4*b^3*d + a*b^6*d)) \\ &)*(-a*b^3)^{(1/2)}*(6*a*b + a^2 - 3*b^2)*1i)/(8*(3*a^2*b^5*d + 3*a^3*b^4*d + \\ &a^4*b^3*d + a*b^6*d)) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)\*\*4/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.193 \quad \int \frac{\tanh^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=98

$$\frac{a}{4bd(a+b)(a+b \tanh^2(c+dx))^2} - \frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^{3/d+1/2}*\ln(a+b*\tanh(d*x+c)^2)/(a+b)^{3/d+1/4}*a/b/(a+b)/d/(a+b*\tanh(d*x+c)^2)^{-1/2}/(a+b)^{2/d}/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.14, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 77}

$$\frac{a}{4bd(a+b)(a+b \tanh^2(c+dx))^2} - \frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Tanh}[c + d*x]^3/(a + b*\text{Tanh}[c + d*x]^2)^3, x]$

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)^3*d) + \text{Log}[a + b*\text{Tanh}[c + d*x]^2]/(2*(a + b)^3*d) + a/(4*b*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) - 1/(2*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 77

$\text{Int}[(a_. + (b_.)*(x_.))*((c_. + (d_.)*(x_.))^{(n_.)*((e_. + (f_.)*(x_.))^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& ((\text{ILtQ}[n, 0] \&\& \text{ILtQ}[p, 0]) \|\ \text{EqQ}[p, 1] \|\ (\text{IGtQ}[p, 0] \&\& (!\text{IntegerQ}[n] \|\ \text{LeQ}[9*p + 5*(n + 2), 0] \|\ \text{GeQ}[n + p + 1, 0] \|\ (\text{GeQ}[n + p + 2, 0] \&\& \text{RationalQ}[a, b, c, d, e, f])))$

### Rule 446

$\text{Int}[(x_)^{(m_.)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)*((c_) + (d_.)*(x_)^{(n_.)})^{(q_.)}, x\_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_.)])^(n_.))^(p_.), x_Symbol] :> With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\tanh^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^3}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{x}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} - \frac{a}{(a+b)(a+bx)^3} + \frac{b}{(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} + \frac{a}{4b(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.50, size = 80, normalized size = 0.82

$$\frac{\frac{a(a+b)^2}{b(a+b \tanh^2(c+dx))^2} - \frac{2(a+b)}{a+b \tanh^2(c+dx)} + 2 \log(a + b \tanh^2(c + dx)) + 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[c + d*x]^3/(a + b*Tanh[c + d*x]^2)^3,x]
```

```
[Out] (4*Log[Cosh[c + d*x]] + 2*Log[a + b*Tanh[c + d*x]^2] + (a*(a + b)^2)/(b*(a
+ b*Tanh[c + d*x]^2)^2) - (2*(a + b))/(a + b*Tanh[c + d*x]^2))/(4*(a + b)^3
*d)
```

**fricas [B]** time = 0.48, size = 2611, normalized size = 26.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 16*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^2 + 2*a*b + b^2)*d*x*sinh(d*x + c)^8 + 4*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^6 + 4*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + 2*(a^2 - b^2)*d*x - a^2 + b^2)*sinh(d*x + c)^6 + 8*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^3 + 3*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + (3*a^2 - 2*a*b + 3*b^2)*d*x + 15*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^2 - 2*a^2 + 2*a*b - 2*b^2)*sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^5 + 5*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^3 + ((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^2 + 2*a*b + b^2)*d*x + 4*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^2 + 4*(14*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 15*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^4 + 2*(a^2 - b^2)*d*x + 6*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^2 - a^2 + b^2)*sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2)*cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*cosh(d*x + c)*sinh(d*x + c)^7 + (a^2 + 2*a*b + b^2)*sinh(d*x + c)^8 + 4*(a^2 - b^2)*cosh(d*x + c)^6 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^3 + 3*(a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^4 + 30*(a^2 - b^2)*cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*sinh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^5 + 10*(a^2 - b^2)*cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(a^2 - b^2)*cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*cosh(d*x + c)^6 + 15*(a^2 - b^2)*cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^2 + a^2 - b^2)*sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*cosh(d*x + c)^7 + 3*(a^2 - b^2)*cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*cosh(d*x + c)^3 + (a^2 - b^2)*cosh(d*x + c))*sinh(d*x + c))*log(2*((a + b)*cosh(d*x + c)^2 + (a + b)*sinh(d*x + c)^2 + a - b)/(cosh(d*x + c)^2 - 2*cosh(d*x + c)*sinh(d*x + c) + sinh(d*x + c)^2)) + 8*(2*(a^2 + 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 3*(2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c)^5 + 2*((3*a^2 - 2*a*b + 3*b^2)*d*x - 2*a^2 + 2*a*b - 2*b^2)*cosh(d*x + c)^3 + (2*(a^2 - b^2)*d*x - a^2 + b^2)*cosh(d*x + c))*sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*sinh(d*x + c)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*x + c)^6 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*sinh(d*x + c)^6 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*cosh(d*x + c)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*cosh(d*$$

$$\begin{aligned} & x + c)) \sinh(dx + c)^5 + 2(35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + \\ & 5ab^4 + b^5) d \cosh(dx + c)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - \\ & 3ab^4 - b^5) d \cosh(dx + c)^2 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + \\ & 7ab^4 + 3b^5) d) \sinh(dx + c)^4 + 4(a^5 + 3a^4b + 2a^3b^2 - \\ & 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^2 + 8(7(a^5 + 5a^4b + 10a^3b^2 + \\ & 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^5 + 10(a^5 + 3a^4b + \\ & 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^3 + (3a^5 + 7a^4b + \\ & 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)) \sinh(dx + c)^3 + \\ & 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^6 + \\ & 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^4 + \\ & 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)^2 + \\ & (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d) \sinh(dx + c)^2 + \\ & (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d + 8((a^5 + 5a^4b + \\ & 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) d \cosh(dx + c)^7 + 3(a^5 + 3a^4b + \\ & 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)^5 + (3a^5 + 7a^4b + \\ & 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) d \cosh(dx + c)^3 + (a^5 + 3a^4b + \\ & 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) d \cosh(dx + c)) \sinh(dx + c) \end{aligned}$$

**giac [B]** time = 0.48, size = 245, normalized size = 2.50

$$\frac{2 \log\left(\left|a(e^{2dx+2c})+e^{(-2dx-2c)}+b(e^{2dx+2c})+e^{(-2dx-2c)}+2a-2b\right|\right)}{a^3+3a^2b+3ab^2+b^3} - \frac{3a(e^{2dx+2c})+e^{(-2dx-2c)}+3b(e^{2dx+2c})+e^{(-2dx-2c)}+4a(e^{2dx+2c})+e^{(-2dx-2c)}}{(a^2+2ab+b^2)(a(e^{2dx+2c})+e^{(-2dx-2c)})+b(e^{2dx+2c})+e^{(-2dx-2c)}}$$


---


$$4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{4} \cdot \frac{(2 \log(\operatorname{abs}(a(e^{2dx+2c}) + e^{(-2dx-2c)}) + b(e^{2dx+2c}) + e^{(-2dx-2c)}) + 2a - 2b)) / (a^3 + 3a^2b + 3ab^2 + b^3) - (3a(e^{2dx+2c}) + e^{(-2dx-2c)})^2 + 3b(e^{2dx+2c}) + e^{(-2dx-2c)})^2 + 4a(e^{2dx+2c}) + e^{(-2dx-2c)} - 4a - 4b) / ((a^2 + 2ab + b^2)(a(e^{2dx+2c}) + e^{(-2dx-2c)}) + b(e^{2dx+2c}) + e^{(-2dx-2c)}) + b(e^{2dx+2c}) + e^{(-2dx-2c)}) + 2a - 2b)^2}{d}$

**maple [B]** time = 0.10, size = 196, normalized size = 2.00

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} + \frac{a^3}{4d(a+b)^3 b (a+b(\tanh^2(dx+c)))^2} + \frac{a^2}{2d(a+b)^3 (a+b(\tanh^2(dx+c)))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(dx+c)^3/(a+b\*tanh(dx+c)^2)^3,x)



[Out]  $-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)-1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))+1/4/d/(a+b)^3*a^3/b/(a+b*\tanh(d*x+c)^2)^2+1/2/d/(a+b)^3*a^2/(a+b*\tanh(d*x+c)^2)^2+1/4/d/(a+b)^3*a*b/(a+b*\tanh(d*x+c)^2)^2+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)^3/d-1/2/d/(a+b)^3*a/(a+b*\tanh(d*x+c)^2)-1/2/d/(a+b)^3/(a+b*\tanh(d*x+c)^2)*b$

**maxima** [B] time = 0.37, size = 384, normalized size = 3.92

$$\frac{dx + c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{2((a^2 - b^2)*e^{(-2*d*x - 2*c)} + 2*(a^2 - a*b + b^2)*e^{(-4*d*x - 4*c)} + (a^2 - b^2)*e^{(-6*d*x - 6*c)})}{(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 + b^5)*e^{(-2*d*x - 2*c)} + 2*(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7a*b^4 + 3b^5)*e^{(-4*d*x - 4*c)} + 4*(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a*b^4 - b^5)*e^{(-6*d*x - 6*c)} + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a*b^4 + b^5)*e^{(-8*d*x - 8*c)})*d} + \frac{1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)}{(a^3 + 3a^2b + 3a*b^2 + b^3)*d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $(d*x + c)/((a^3 + 3a^2b + 3a*b^2 + b^3)*d) + 2*((a^2 - b^2)*e^{(-2*d*x - 2*c)} + 2*(a^2 - a*b + b^2)*e^{(-4*d*x - 4*c)} + (a^2 - b^2)*e^{(-6*d*x - 6*c)})/((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a*b^4 + b^5 + 4*(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a*b^4 - b^5)*e^{(-2*d*x - 2*c)} + 2*(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7a*b^4 + 3b^5)*e^{(-4*d*x - 4*c)} + 4*(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3a*b^4 - b^5)*e^{(-6*d*x - 6*c)} + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5a*b^4 + b^5)*e^{(-8*d*x - 8*c)})*d + 1/2*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^3 + 3a^2b + 3a*b^2 + b^3)*d)$

**mupad** [B] time = 1.81, size = 397, normalized size = 4.05

$$\frac{-a^3 + b^3 \left( 2 \tanh(c + dx)^2 + \tanh(c + dx)^4 \operatorname{atan} \left( \frac{a \tanh(c + dx)^2 + b \tanh(c + dx)^2}{2a - a \tanh(c + dx)^2 + b \tanh(c + dx)^2} \right) \right) + a b^2}{4 d a^5 b + 8 d a^4 b^2 \tanh(c + dx)^2 + 12 d a^4 b^2 + 4 d a^3 b^3 \tanh(c + dx)^4 + 24 d a^3 b^3 \tanh(c + dx)^2 + 12 d a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out]  $-(b^3*(\tanh(c + d*x)^4*\operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i))/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*4i + 2*\tanh(c + d*x)^2 - a^3 + a*b^2*(\tanh(c + d*x)^2*\operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i))/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*8i + 2*\tanh(c + d*x)^2 + 1) + a^2*b*\operatorname{atan}((a*\tanh(c + d*x)^2*1i + b*\tanh(c + d*x)^2*1i))/(2*a - a*\tanh(c + d*x)^2 + b*\tanh(c + d*x)^2))*4i)/(4*a^2*b^4*d + 12*a^3*b^3*d + 12*a^4*b^2*d + 4*b^6*d*\tanh(c + d*x)^4 + 4*a^5*b*d + 24*a^2*b^4*d*\tanh(c + d*x)^2 + 24*a^3*b^3*d*\tanh(c + d*x)^2 + 8*a^4*b^2*d*\tanh(c + d*x)^2 + 12*a^2*b^4*d*\tanh(c + d*x)^4 + 4*a^3*b^3*d*\tanh(c + d*x)^4 + 8*a*b^5*d*\tanh(c + d*x)^2 + 12*a*b^5*d*\tanh(c + d*x)^4)$

**sympy** [A] time = 157.41, size = 3434, normalized size = 35.04

result too large to display



```

+ d*x)**4 + 24*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4
*d*tanh(c + d*x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*
a*b**5*d*tanh(c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c +
d*x)**4) - 8*a*b**2*log(tanh(c + d*x) + 1)*tanh(c + d*x)**2/(4*a**5*b*d +
8*a**4*b**2*d*tanh(c + d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*
x)**4 + 24*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*t
anh(c + d*x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b*
**5*d*tanh(c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x
)**4) - 2*a*b**2*tanh(c + d*x)**2/(4*a**5*b*d + 8*a**4*b**2*d*tanh(c + d*x)
**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*x)**4 + 24*a**3*b**3*d*tanh
(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*tanh(c + d*x)**4 + 24*a**2*b
**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b**5*d*tanh(c + d*x)**4 + 8*a
*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x)**4) - a*b**2/(4*a**5*b*d
+ 8*a**4*b**2*d*tanh(c + d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c +
d*x)**4 + 24*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d
*tanh(c + d*x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*
b**5*d*tanh(c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d
*x)**4) + 4*b**3*d*x*tanh(c + d*x)**4/(4*a**5*b*d + 8*a**4*b**2*d*tanh(c +
d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*x)**4 + 24*a**3*b**3*d*
tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*tanh(c + d*x)**4 + 24*a*
**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b**5*d*tanh(c + d*x)**4 +
8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x)**4) + 2*b**3*log(-I*s
qrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**4/(4*a**5*b*d + 8*a**4*b**
2*d*tanh(c + d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*x)**4 + 24
*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*tanh(c + d*
x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b**5*d*tanh(
c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x)**4) + 2*
b**3*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c + d*x)**4/(4*a**5*b*d
+ 8*a**4*b**2*d*tanh(c + d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c +
d*x)**4 + 24*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d
*tanh(c + d*x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*
b**5*d*tanh(c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d
*x)**4) - 4*b**3*log(tanh(c + d*x) + 1)*tanh(c + d*x)**4/(4*a**5*b*d + 8*a*
**4*b**2*d*tanh(c + d*x)**2 + 12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*x)**
4 + 24*a**3*b**3*d*tanh(c + d*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*tanh(
c + d*x)**4 + 24*a**2*b**4*d*tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b**5*d
*tanh(c + d*x)**4 + 8*a*b**5*d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x)**4
) - 2*b**3*tanh(c + d*x)**2/(4*a**5*b*d + 8*a**4*b**2*d*tanh(c + d*x)**2 +
12*a**4*b**2*d + 4*a**3*b**3*d*tanh(c + d*x)**4 + 24*a**3*b**3*d*tanh(c + d
*x)**2 + 12*a**3*b**3*d + 12*a**2*b**4*d*tanh(c + d*x)**4 + 24*a**2*b**4*d*
tanh(c + d*x)**2 + 4*a**2*b**4*d + 12*a*b**5*d*tanh(c + d*x)**4 + 8*a*b**5*
d*tanh(c + d*x)**2 + 4*b**6*d*tanh(c + d*x)**4), True))

```

$$3.194 \quad \int \frac{\tanh^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=137

$$\frac{(3a^2 - 6ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}\sqrt{b}d(a+b)^3} - \frac{(3a-b) \tanh(c+dx)}{8ad(a+b)^2(a+b \tanh^2(c+dx))} - \frac{\tanh(c+dx)}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{1}{a}$$

[Out]  $x/(a+b)^3 - 1/8*(3*a^2 - 6*a*b - b^2)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})/a^{(3/2)}$   
 $/ (a+b)^3/d/b^{(1/2)} - 1/4*\tanh(d*x+c)/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2 - 1/8*(3*a - b)$   
 $*\tanh(d*x+c)/a/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.16, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3670, 471, 527, 522, 206, 205}

$$\frac{(3a^2 - 6ab - b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}\sqrt{b}d(a+b)^3} - \frac{(3a-b) \tanh(c+dx)}{8ad(a+b)^2(a+b \tanh^2(c+dx))} - \frac{\tanh(c+dx)}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{1}{a}$$

Antiderivative was successfully verified.

[In] Int[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $x/(a+b)^3 - ((3*a^2 - 6*a*b - b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c + d*x])/(\text{Sqrt}[a])])/(8*a^{(3/2)}*\text{Sqrt}[b]*(a+b)^3*d) - \text{Tanh}[c + d*x]/(4*(a+b)*d*(a+b*\text{Tanh}[c + d*x]^2)^2) - ((3*a - b)*\text{Tanh}[c + d*x])/(8*a*(a+b)^2*d*(a+b*\text{Tanh}[c + d*x]^2))$

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n-1)\*(e\*x)^(m-n+1)\*(a+b\*x^n)^(p+1))

```

*(c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))], x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3670

```

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(c+dx)}{(a+b\tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{1+3x^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(3a-b)\tanh(c+dx)}{8a(a+b)^2d(a+b\tanh^2(c+dx))} - \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= -\frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))^2} - \frac{(3a-b)\tanh(c+dx)}{8a(a+b)^2d(a+b\tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \tanh(c+dx)\right)}{4(a+b)d} \\
&= \frac{x}{(a+b)^3} - \frac{(3a^2-6ab-b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{8a^{3/2}\sqrt{b}(a+b)^3d} - \frac{\tanh(c+dx)}{4(a+b)d(a+b\tanh^2(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 1.17, size = 137, normalized size = 1.00

$$\frac{(-3a^2+6ab+b^2)\tan^{-1}\left(\frac{\sqrt{b}\tanh(c+dx)}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}} - \frac{(5a-b)(a+b)\sinh(2(c+dx))}{a((a+b)\cosh(2(c+dx))+a-b)} - \frac{4b(a+b)\sinh(2(c+dx))}{((a+b)\cosh(2(c+dx))+a-b)^2} + 8(c+dx)$$

$$8d(a+b)^3$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] (8\*(c + d\*x) + ((-3\*a^2 + 6\*a\*b + b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(a^(3/2)\*Sqrt[b]) - (4\*b\*(a + b)\*Sinh[2\*(c + d\*x)]/(a - b + (a + b)\*Cosh[2\*(c + d\*x)])^2 - ((5\*a - b)\*(a + b)\*Sinh[2\*(c + d\*x)]/(a\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/(8\*(a + b)^3\*d)

**fricas [B]** time = 0.58, size = 7791, normalized size = 56.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

```
[Out] [1/16*(16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*cosh(d*x + c)^8 + 128*(a^4*b +
2*a^3*b^2 + a^2*b^3)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 16*(a^4*b + 2*a^3*
b^2 + a^2*b^3)*d*x*sinh(d*x + c)^8 + 4*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a
*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*cosh(d*x + c)^6 + 4*(5*a^4*b - 5*a^3*b^2 -
9*a^2*b^3 + a*b^4 + 112*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*cosh(d*x + c)^2
+ 16*(a^4*b - a^2*b^3)*d*x)*sinh(d*x + c)^6 + 8*(112*(a^4*b + 2*a^3*b^2 + a
^2*b^3)*d*x*cosh(d*x + c)^3 + 3*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 +
16*(a^4*b - a^2*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 + 20*a^4*b + 36*a^
3*b^2 + 12*a^2*b^3 - 4*a*b^4 + 4*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*
b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*cosh(d*x + c)^4 + 4*(280*(a^
4*b + 2*a^3*b^2 + a^2*b^3)*d*x*cosh(d*x + c)^4 + 15*a^4*b - 13*a^3*b^2 + 17
*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x + 15*(5*a^4*b
- 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*cosh(d*x + c)^2
)*sinh(d*x + c)^4 + 16*(56*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*cosh(d*x + c)^
5 + 5*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*
cosh(d*x + c)^3 + (15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 + 8*(3*a^4*
b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 16*(a^4*b
+ 2*a^3*b^2 + a^2*b^3)*d*x + 4*(15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 +
16*(a^4*b - a^2*b^3)*d*x)*cosh(d*x + c)^2 + 4*(112*(a^4*b + 2*a^3*b^2 + a^
2*b^3)*d*x*cosh(d*x + c)^6 + 15*a^4*b + a^3*b^2 - 11*a^2*b^3 + 3*a*b^4 + 15
*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*cosh(
d*x + c)^4 + 16*(a^4*b - a^2*b^3)*d*x + 6*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b
^3 - 3*a*b^4 + 8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*cosh(d*x + c)^2)*si
nh(d*x + c)^2 + ((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^8 + 8*(
3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^4
- 10*a^2*b^2 - 8*a*b^3 - b^4)*sinh(d*x + c)^8 + 4*(3*a^4 - 6*a^3*b - 4*a^2*
b^2 + 6*a*b^3 + b^4)*cosh(d*x + c)^6 + 4*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a
*b^3 + b^4 + 7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^2)*sinh(d
*x + c)^6 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^3 + 3*(
3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*cosh(d*x + c))*sinh(d*x + c)^5
+ 2*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*cosh(d*x + c)^4 + 2
*(35*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^4 + 9*a^4 - 24*a^3*
b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4 + 30*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b
^3 + b^4)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 3*a^4 - 10*a^2*b^2 - 8*a*b^3 -
b^4 + 8*(7*(3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^5 + 10*(3*a^
4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*cosh(d*x + c)^3 + (9*a^4 - 24*a^3*
b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(3*a^
4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*cosh(d*x + c)^2 + 4*(7*(3*a^4 - 10
*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^6 + 15*(3*a^4 - 6*a^3*b - 4*a^2*b^2
+ 6*a*b^3 + b^4)*cosh(d*x + c)^4 + 3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 +
b^4 + 3*(9*a^4 - 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*cosh(d*x + c)^2
)*sinh(d*x + c)^2 + 8*((3*a^4 - 10*a^2*b^2 - 8*a*b^3 - b^4)*cosh(d*x + c)^7
+ 3*(3*a^4 - 6*a^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*cosh(d*x + c)^5 + (9*a^4
- 24*a^3*b + 18*a^2*b^2 - 16*a*b^3 - 3*b^4)*cosh(d*x + c)^3 + (3*a^4 - 6*a
^3*b - 4*a^2*b^2 + 6*a*b^3 + b^4)*cosh(d*x + c))*sinh(d*x + c))*sqrt(-a*b)*
```

$$\log\left(\frac{\begin{aligned} &((a^2 + 2ab + b^2)\cosh(dx + c)^4 + 4(a^2 + 2ab + b^2)\cosh(dx + c) \\ &\sinh(dx + c)^3 + (a^2 + 2ab + b^2)\sinh(dx + c)^4 + 2(a^2 - b^2)c \\ &\cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2)\cosh(dx + c)^2 + a^2 - b^2)\sinh \\ &(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2)\cosh(dx + c)^3 + \\ &(a^2 - b^2)\cosh(dx + c))\sinh(dx + c) - 4((a + b)\cosh(dx + c)^2 + 2(a \\ &+ b)\cosh(dx + c)\sinh(dx + c) + (a + b)\sinh(dx + c)^2 + a - b)\sqrt{ \\ &-ab})}{(a + b)\cosh(dx + c)^4 + 4(a + b)\cosh(dx + c)\sinh(dx + c)^3 + \\ &(a + b)\sinh(dx + c)^4 + 2(a - b)\cosh(dx + c)^2 + 2(3(a + b)\cosh(dx \\ &+ c)^2 + a - b)\sinh(dx + c)^2 + 4((a + b)\cosh(dx + c)^3 + (a - b)c \\ &\cosh(dx + c))\sinh(dx + c) + a + b)} + 8(16(a^4b + 2a^3b^2 + a^2b^3)* \\ &d*x*\cosh(dx + c)^7 + 3(5a^4b - 5a^3b^2 - 9a^2b^3 + ab^4 + 16(a^4* \\ &b - a^2b^3)*d*x)*\cosh(dx + c)^5 + 2(15a^4b - 13a^3b^2 + 17a^2b^3 - \\ &3ab^4 + 8(3a^4b - 2a^3b^2 + 3a^2b^3)*d*x)*\cosh(dx + c)^3 + (15a \\ &^4b + a^3b^2 - 11a^2b^3 + 3ab^4 + 16(a^4b - a^2b^3)*d*x)*\cosh(dx \\ &+ c))\sinh(dx + c)}{(a^7b + 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 \\ &+ a^2b^6)*d*\cosh(dx + c)^8 + 8(a^7b + 5a^6b^2 + 10a^5b^3 + 10a \\ &^4b^4 + 5a^3b^5 + a^2b^6)*d*\cosh(dx + c)\sinh(dx + c)^7 + (a^7b + 5* \\ &a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 + a^2b^6)*d*\sinh(dx + c)^8 \\ &+ 4(a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)*d*\cos \\ &h(dx + c)^6 + 4(7(a^7b + 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 \\ &+ a^2b^6)*d*\cosh(dx + c)^2 + (a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 \\ &- 3a^3b^5 - a^2b^6)*d)*\sinh(dx + c)^6 + 2(3a^7b + 7a^6b^2 + 6a^5 \\ &*b^3 + 6a^4b^4 + 7a^3b^5 + 3a^2b^6)*d*\cosh(dx + c)^4 + 8(7(a^7b + \\ &5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 + a^2b^6)*d*\cosh(dx + c) \\ &^3 + 3(a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)*d* \\ &\cosh(dx + c))\sinh(dx + c)^5 + 2(35(a^7b + 5a^6b^2 + 10a^5b^3 + 10 \\ &a^4b^4 + 5a^3b^5 + a^2b^6)*d*\cosh(dx + c)^4 + 30(a^7b + 3a^6b^2 + \\ &2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)*d*\cosh(dx + c)^2 + (3a^7b \\ &+ 7a^6b^2 + 6a^5b^3 + 6a^4b^4 + 7a^3b^5 + 3a^2b^6)*d)*\sinh(dx + \\ &c)^4 + 4(a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)* \\ &d*\cosh(dx + c)^2 + 8(7(a^7b + 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a \\ &^3b^5 + a^2b^6)*d*\cosh(dx + c)^5 + 10(a^7b + 3a^6b^2 + 2a^5b^3 - 2 \\ &a^4b^4 - 3a^3b^5 - a^2b^6)*d*\cosh(dx + c)^3 + (3a^7b + 7a^6b^2 + \\ &6a^5b^3 + 6a^4b^4 + 7a^3b^5 + 3a^2b^6)*d*\cosh(dx + c))\sinh(dx + \\ &c)^3 + 4(7(a^7b + 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 + a^2 \\ &b^6)*d*\cosh(dx + c)^6 + 15(a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 - 3 \\ &a^3b^5 - a^2b^6)*d*\cosh(dx + c)^4 + 3(3a^7b + 7a^6b^2 + 6a^5b^3 + \\ &6a^4b^4 + 7a^3b^5 + 3a^2b^6)*d*\cosh(dx + c)^2 + (a^7b + 3a^6b^2 \\ &+ 2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)*d)*\sinh(dx + c)^2 + (a^7b \\ &+ 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 + a^2b^6)*d + 8((a^7b \\ &+ 5a^6b^2 + 10a^5b^3 + 10a^4b^4 + 5a^3b^5 + a^2b^6)*d*\cosh(dx + c \\ &)^7 + 3(a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 - 3a^3b^5 - a^2b^6)*d \\ &*\cosh(dx + c)^5 + (3a^7b + 7a^6b^2 + 6a^5b^3 + 6a^4b^4 + 7a^3b^5 \\ &+ 3a^2b^6)*d*\cosh(dx + c)^3 + (a^7b + 3a^6b^2 + 2a^5b^3 - 2a^4b^4 \\ &- 3a^3b^5 - a^2b^6)*d*\cosh(dx + c))\sinh(dx + c)}, 1/8(8(a^4b + 2 \end{aligned}$$



$$\begin{aligned}
& a^3b^2 + a^2b^3)dx \cosh(dx + c)^8 + 64(a^4b + 2a^3b^2 + a^2b^3) \\
& dx \cosh(dx + c) \sinh(dx + c)^7 + 8(a^4b + 2a^3b^2 + a^2b^3)dx \sin \\
& h(dx + c)^8 + 2(5a^4b - 5a^3b^2 - 9a^2b^3 + ab^4 + 16(a^4b - a^2 \\
& *b^3)dx) \cosh(dx + c)^6 + 2(5a^4b - 5a^3b^2 - 9a^2b^3 + ab^4 + 1 \\
& 12(a^4b + 2a^3b^2 + a^2b^3)dx \cosh(dx + c)^2 + 16(a^4b - a^2b^3) \\
& *dx) \sinh(dx + c)^6 + 4(112(a^4b + 2a^3b^2 + a^2b^3)dx \cosh(dx + \\
& c)^3 + 3(5a^4b - 5a^3b^2 - 9a^2b^3 + ab^4 + 16(a^4b - a^2b^3)dx \\
& *x) \cosh(dx + c)) \sinh(dx + c)^5 + 10a^4b + 18a^3b^2 + 6a^2b^3 - 2 \\
& ab^4 + 2(15a^4b - 13a^3b^2 + 17a^2b^3 - 3ab^4 + 8(3a^4b - 2a^ \\
& 3b^2 + 3a^2b^3)dx) \cosh(dx + c)^4 + 2(280(a^4b + 2a^3b^2 + a^2b \\
& ^3)dx \cosh(dx + c)^4 + 15a^4b - 13a^3b^2 + 17a^2b^3 - 3ab^4 + 8 \\
& (3a^4b - 2a^3b^2 + 3a^2b^3)dx + 15(5a^4b - 5a^3b^2 - 9a^2b^3 \\
& + ab^4 + 16(a^4b - a^2b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8( \\
& 56(a^4b + 2a^3b^2 + a^2b^3)dx \cosh(dx + c)^5 + 5(5a^4b - 5a^3b \\
& ^2 - 9a^2b^3 + ab^4 + 16(a^4b - a^2b^3)dx) \cosh(dx + c)^3 + (15a^ \\
& 4b - 13a^3b^2 + 17a^2b^3 - 3ab^4 + 8(3a^4b - 2a^3b^2 + 3a^2b^ \\
& 3)dx) \cosh(dx + c)) \sinh(dx + c)^3 + 8(a^4b + 2a^3b^2 + a^2b^3)dx \\
& x + 2(15a^4b + a^3b^2 - 11a^2b^3 + 3ab^4 + 16(a^4b - a^2b^3)dx \\
& ) \cosh(dx + c)^2 + 2(112(a^4b + 2a^3b^2 + a^2b^3)dx \cosh(dx + c)^ \\
& 6 + 15a^4b + a^3b^2 - 11a^2b^3 + 3ab^4 + 15(5a^4b - 5a^3b^2 - 9 \\
& *a^2b^3 + ab^4 + 16(a^4b - a^2b^3)dx) \cosh(dx + c)^4 + 16(a^4b - \\
& a^2b^3)dx + 6(15a^4b - 13a^3b^2 + 17a^2b^3 - 3ab^4 + 8(3a^4b \\
& - 2a^3b^2 + 3a^2b^3)dx) \cosh(dx + c)^2) \sinh(dx + c)^2 - ((3a^4 - \\
& 10a^2b^2 - 8ab^3 - b^4) \cosh(dx + c)^8 + 8(3a^4 - 10a^2b^2 - 8a \\
& b^3 - b^4) \cosh(dx + c) \sinh(dx + c)^7 + (3a^4 - 10a^2b^2 - 8a \\
& b^3 - b^4) \sinh(dx + c)^8 + 4(3a^4 - 6a^3b - 4a^2b^2 + 6ab^3 + b^4) \cosh \\
& (dx + c)^6 + 4(3a^4 - 6a^3b - 4a^2b^2 + 6ab^3 + b^4 + 7(3a^4 - 1 \\
& 0a^2b^2 - 8ab^3 - b^4) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(3a^4 - \\
& 10a^2b^2 - 8ab^3 - b^4) \cosh(dx + c)^3 + 3(3a^4 - 6a^3b - 4a^2b \\
& ^2 + 6ab^3 + b^4) \cosh(dx + c)) \sinh(dx + c)^5 + 2(9a^4 - 24a^3b + \\
& 18a^2b^2 - 16ab^3 - 3b^4) \cosh(dx + c)^4 + 2(35(3a^4 - 10a^2b^2 \\
& - 8ab^3 - b^4) \cosh(dx + c)^4 + 9a^4 - 24a^3b + 18a^2b^2 - 16ab^3 \\
& - 3b^4 + 30(3a^4 - 6a^3b - 4a^2b^2 + 6ab^3 + b^4) \cosh(dx + c)^2 \\
& ) \sinh(dx + c)^4 + 3a^4 - 10a^2b^2 - 8ab^3 - b^4 + 8(7(3a^4 - 10a \\
& ^2b^2 - 8ab^3 - b^4) \cosh(dx + c)^5 + 10(3a^4 - 6a^3b - 4a^2b^2 + \\
& 6ab^3 + b^4) \cosh(dx + c)^3 + (9a^4 - 24a^3b + 18a^2b^2 - 16ab^3 \\
& - 3b^4) \cosh(dx + c)) \sinh(dx + c)^3 + 4(3a^4 - 6a^3b - 4a^2b^2 + \\
& 6ab^3 + b^4) \cosh(dx + c)^2 + 4(7(3a^4 - 10a^2b^2 - 8ab^3 - b^4) \\
& * \cosh(dx + c)^6 + 15(3a^4 - 6a^3b - 4a^2b^2 + 6ab^3 + b^4) \cosh(dx \\
& x + c)^4 + 3a^4 - 6a^3b - 4a^2b^2 + 6ab^3 + b^4 + 3(9a^4 - 24a^3b \\
& + 18a^2b^2 - 16ab^3 - 3b^4) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((3 \\
& *a^4 - 10a^2b^2 - 8ab^3 - b^4) \cosh(dx + c)^7 + 3(3a^4 - 6a^3b - 4 \\
& *a^2b^2 + 6ab^3 + b^4) \cosh(dx + c)^5 + (9a^4 - 24a^3b + 18a^2b^2 \\
& - 16ab^3 - 3b^4) \cosh(dx + c)^3 + (3a^4 - 6a^3b - 4a^2b^2 + 6ab^ \\
& ^3 + b^4) \cosh(dx + c)) \sinh(dx + c)) \sqrt{ab} \arctan(1/2*((a + b) \cosh(d
\end{aligned}$$

```

*x + c)^2 + 2*(a + b)*cosh(d*x + c)*sinh(d*x + c) + (a + b)*sinh(d*x + c)^2
+ a - b)*sqrt(a*b)/(a*b)) + 4*(16*(a^4*b + 2*a^3*b^2 + a^2*b^3)*d*x*cosh(d
*x + c)^7 + 3*(5*a^4*b - 5*a^3*b^2 - 9*a^2*b^3 + a*b^4 + 16*(a^4*b - a^2*b^
3)*d*x)*cosh(d*x + c)^5 + 2*(15*a^4*b - 13*a^3*b^2 + 17*a^2*b^3 - 3*a*b^4 +
8*(3*a^4*b - 2*a^3*b^2 + 3*a^2*b^3)*d*x)*cosh(d*x + c)^3 + (15*a^4*b + a^3
*b^2 - 11*a^2*b^3 + 3*a*b^4 + 16*(a^4*b - a^2*b^3)*d*x)*cosh(d*x + c))*sinh
(d*x + c))/((a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*
b^6)*d*cosh(d*x + c)^8 + 8*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5
*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)*sinh(d*x + c)^7 + (a^7*b + 5*a^6*b^2 +
10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d*sinh(d*x + c)^8 + 4*(a^7*b
+ 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)
^6 + 4*(7*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^
6)*d*cosh(d*x + c)^2 + (a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b
^5 - a^2*b^6)*d)*sinh(d*x + c)^6 + 2*(3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3 + 6*a
^4*b^4 + 7*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^4 + 8*(7*(a^7*b + 5*a^6*b^2
+ 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^3 + 3*(a^
7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d*cosh(d*x +
c))*sinh(d*x + c)^5 + 2*(35*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 +
5*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^4 + 30*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3
- 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^2 + (3*a^7*b + 7*a^6*b^
2 + 6*a^5*b^3 + 6*a^4*b^4 + 7*a^3*b^5 + 3*a^2*b^6)*d)*sinh(d*x + c)^4 + 4*(
a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d*cosh(d*x
+ c)^2 + 8*(7*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a
^2*b^6)*d*cosh(d*x + c)^5 + 10*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 -
3*a^3*b^5 - a^2*b^6)*d*cosh(d*x + c)^3 + (3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3
+ 6*a^4*b^4 + 7*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(
7*(a^7*b + 5*a^6*b^2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d*cos
h(d*x + c)^6 + 15*(a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 -
a^2*b^6)*d*cosh(d*x + c)^4 + 3*(3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3 + 6*a^4*b^4
+ 7*a^3*b^5 + 3*a^2*b^6)*d*cosh(d*x + c)^2 + (a^7*b + 3*a^6*b^2 + 2*a^5*b^
3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d)*sinh(d*x + c)^2 + (a^7*b + 5*a^6*b^
2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d + 8*((a^7*b + 5*a^6*b^
2 + 10*a^5*b^3 + 10*a^4*b^4 + 5*a^3*b^5 + a^2*b^6)*d*cosh(d*x + c)^7 + 3*(a
^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*b^5 - a^2*b^6)*d*cosh(d*x
+ c)^5 + (3*a^7*b + 7*a^6*b^2 + 6*a^5*b^3 + 6*a^4*b^4 + 7*a^3*b^5 + 3*a^2*b
^6)*d*cosh(d*x + c)^3 + (a^7*b + 3*a^6*b^2 + 2*a^5*b^3 - 2*a^4*b^4 - 3*a^3*
b^5 - a^2*b^6)*d*cosh(d*x + c))*sinh(d*x + c))]

```

**giac [B]** time = 0.44, size = 388, normalized size = 2.83

$$\frac{(3a^2 - 6ab - b^2) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(a^4 + 3a^3b + 3a^2b^2 + ab^3)\sqrt{ab}} - \frac{8(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{2(5a^3e^{(6dx+6c)} - 5a^2be^{(6dx+6c)} - 9ab^2e^{(6dx+6c)} + b^3e^{(6dx+6c)} + 15a^3e^{(4dx+4c)} - 15a^2be^{(4dx+4c)} - 9ab^2e^{(4dx+4c)} + b^3e^{(4dx+4c)})}{(a^4 + 3a^3b + 3a^2b^2 + ab^3)\sqrt{ab}}$$

8d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="giac")

[Out] 
$$-1/8*((3*a^2 - 6*a*b - b^2)*\arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sqrt{a*b}) - 8*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - 2*(5*a^3*e^{(6*d*x + 6*c)} - 5*a^2*b*e^{(6*d*x + 6*c)} - 9*a*b^2*e^{(6*d*x + 6*c)} + b^3*e^{(6*d*x + 6*c)} + 15*a^3*e^{(4*d*x + 4*c)} - 13*a^2*b*e^{(4*d*x + 4*c)} + 17*a*b^2*e^{(4*d*x + 4*c)} - 3*b^3*e^{(4*d*x + 4*c)} + 15*a^3*e^{(2*d*x + 2*c)} + a^2*b*e^{(2*d*x + 2*c)} - 11*a*b^2*e^{(2*d*x + 2*c)} + 3*b^3*e^{(2*d*x + 2*c)} + 5*a^3 + 9*a^2*b + 3*a*b^2 - b^3)/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2))/d$$

**maple [B]** time = 0.11, size = 340, normalized size = 2.48

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} - \frac{3ab(\tanh^3(dx+c))}{8d(a+b)^3(a+b(\tanh^2(dx+c)))^2} - \frac{(\tanh^3(dx+c))}{4d(a+b)^3(a+b(\tanh^2(dx+c)))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^2)^3,x

[Out] 
$$-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)+1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))-3/8/d*a/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*b*tanh(d*x+c)^3-1/4/d/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*tanh(d*x+c)^3*b^2+1/8/d/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*b^3/a*tanh(d*x+c)^3-5/8/d*a^2/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*tanh(d*x+c)-3/4/d/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*a*b*tanh(d*x+c)-1/8/d/(a+b)^3/(a+b*tanh(d*x+c))^2)^2*tanh(d*x+c)*b^2-3/8/d*a/(a+b)^3/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))+3/4/d/(a+b)^3*b/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))+1/8/d/(a+b)^3/a/(a*b)^(1/2)*\arctan(\tanh(d*x+c)*b/(a*b)^(1/2))*b^2$$

**maxima [B]** time = 0.90, size = 1472, normalized size = 10.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)^2/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="maxima")

[Out] 
$$-1/32*(3*a^3 - 21*a^2*b - 11*a*b^2 - 3*b^3)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b}))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sqrt{a*b}*d) + 1/32*(3*a^3 - 21*a^2*b - 11*a*b^2 - 3*b^3)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b}))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sqrt{a*b}*d) + 1/16*(5*a^4 - 18*a^2*b^2 - 16*a*b^3 - 3*b^4 + (5*a^4 - 46*a^3*b - 40*a^2*b^2 + 14*a*b^3 + 3*b^4)*e^{(6*d*x + 6*c)} + (15*a^4 - 104*a^3*b + 58*a^2*b^2 - 24*a*b^3 - 9*b^4)*e^{(4*d*x + 4*c)} + (15*a^4 - 58*a^3*b - 56*a^2*b^2 + 26*a*b^3 + 9*b^4)*e^{(2*d*x + 2*c)}))/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4$$

$$\begin{aligned}
& *b^3 + 5*a^3*b^4 + a^2*b^5 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(8*d*x + 8*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(6*d*x + 6*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(4*d*x + 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(2*d*x + 2*c)})*d - 1/16*(5*a^4 - 18*a^2*b^2 - 16*a*b^3 - 3*b^4 + (15*a^4 - 58*a^3*b - 56*a^2*b^2 + 26*a*b^3 + 9*b^4)*e^{(-2*d*x - 2*c)} + (15*a^4 - 104*a^3*b + 58*a^2*b^2 - 24*a*b^3 - 9*b^4)*e^{(-4*d*x - 4*c)} + (5*a^4 - 46*a^3*b - 40*a^2*b^2 + 14*a*b^3 + 3*b^4)*e^{(-6*d*x - 6*c)})/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-2*d*x - 2*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(-4*d*x - 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-6*d*x - 6*c)} + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(-8*d*x - 8*c)})*d - 1/8*(5*a^3 + 13*a^2*b + 11*a*b^2 + 3*b^3 + (15*a^3 + 13*a^2*b - 11*a*b^2 - 9*b^3)*e^{(-2*d*x - 2*c)} + (15*a^3 - a^2*b + 9*a*b^2 + 9*b^3)*e^{(-4*d*x - 4*c)} + (5*a^3 - a^2*b - 9*a*b^2 - 3*b^3)*e^{(-6*d*x - 6*c)})/((a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4 + 4*(a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*e^{(-2*d*x - 2*c)} + 2*(3*a^6 + 4*a^5*b + 2*a^4*b^2 + 4*a^3*b^3 + 3*a^2*b^4)*e^{(-4*d*x - 4*c)} + 4*(a^6 + 2*a^5*b - 2*a^3*b^3 - a^2*b^4)*e^{(-6*d*x - 6*c)} + (a^6 + 4*a^5*b + 6*a^4*b^2 + 4*a^3*b^3 + a^2*b^4)*e^{(-8*d*x - 8*c)})*d) + 1/4*log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 1/4*log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 3/16*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b))/sqrt(a*b)*a^2*d)
\end{aligned}$$

**mupad [B]** time = 3.47, size = 255, normalized size = 1.86

$$\frac{\frac{a^2 x}{(a+b)(a^2+2ab+b^2)} - \frac{\tanh(c+dx)(5a+b)}{8d(a^2+2ab+b^2)} + \frac{b^2 x \tanh(c+dx)^4}{a^3+3a^2b+3ab^2+b^3} + \frac{2abx \tanh(c+dx)^2}{a^3+3a^2b+3ab^2+b^3} - \frac{\tanh(c+dx)^3(3ab-b^2)}{8ad(a^2+2ab+b^2)}}{a^2 + 2ab \tanh(c+dx)^2 + b^2 \tanh(c+dx)^4} + \frac{\operatorname{atan}\left(\frac{b \tanh(c+dx)}{\sqrt{ab}}\right)}{\sqrt{ab} (8a^4d + ab)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] ((a^2\*x)/((a + b)\*(2\*a\*b + a^2 + b^2)) - (tanh(c + d\*x)\*(5\*a + b))/(8\*d\*(2\*a\*b + a^2 + b^2))) + (b^2\*x\*tanh(c + d\*x)^4)/(3\*a\*b^2 + 3\*a^2\*b + a^3 + b^3) + (2\*a\*b\*x\*tanh(c + d\*x)^2)/(3\*a\*b^2 + 3\*a^2\*b + a^3 + b^3) - (tanh(c + d\*x)^3\*(3\*a\*b - b^2))/(8\*a\*d\*(2\*a\*b + a^2 + b^2)))/(a^2 + b^2\*tanh(c + d\*x)^4 + 2\*a\*b\*tanh(c + d\*x)^2) + (atan((b\*tanh(c + d\*x))/(a\*b)^(1/2))\*(6\*a\*b - 3\*a^2 + b^2))/((a\*b)^(1/2)\*(8\*a^4\*d + a\*b\*(24\*a^2\*d + 8\*b^2\*d + 24\*a\*b\*d)))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(d*x+c)**2/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Timed out
```

$$3.195 \quad \int \frac{\tanh(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=94

$$\frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{1}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^3/d+1/2*\ln(a+b*\tanh(d*x+c)^2)/(a+b)^3/d-1/4/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2-1/2/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.10, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 444, 44}

$$\frac{1}{2d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{1}{4d(a+b)(a+b \tanh^2(c+dx))^2} + \frac{\log(a+b \tanh^2(c+dx))}{2d(a+b)^3} + \frac{\log(\cosh(c+dx))}{d(a+b)^3}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[c + d*x]/(a + b*Tanh[c + d*x]^2)^3, x]`

[Out] `Log[Cosh[c + d*x]]/((a + b)^3*d) + Log[a + b*Tanh[c + d*x]^2]/(2*(a + b)^3*d) - 1/(4*(a + b)*d*(a + b*Tanh[c + d*x]^2)^2) - 1/(2*(a + b)^2*d*(a + b*Tanh[c + d*x]^2))`

#### Rule 44

`Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

#### Rule 444

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]`

#### Rule 3670

`Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],`

`x}}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p)/(c^2 + f  
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n  
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration  
alQ[n]))`

### Rubi steps

$$\begin{aligned} \int \frac{\tanh(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{x}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{b}{(a+b)(a+bx)^3} + \frac{b}{(a+b)^2(a+bx)^2} + \frac{b}{(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(a + b \tanh^2(c + dx))}{2(a + b)^3 d} - \frac{1}{4(a + b)d(a + b \tanh^2(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.59, size = 77, normalized size = 0.82

$$\frac{-\frac{(a+b)^2}{(a+b \tanh^2(c+dx))^2} - \frac{2(a+b)}{a+b \tanh^2(c+dx)} + 2 \log(a + b \tanh^2(c + dx)) + 4 \log(\cosh(c + dx))}{4d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] (4\*Log[Cosh[c + d\*x]] + 2\*Log[a + b\*Tanh[c + d\*x]^2] - (a + b)^2/(a + b\*Tanh[c + d\*x]^2)^2 - (2\*(a + b))/(a + b\*Tanh[c + d\*x]^2))/(4\*(a + b)^3\*d)

**fricas [B]** time = 0.47, size = 2554, normalized size = 27.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] -1/2\*(2\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)^8 + 16\*(a^2 + 2\*a\*b + b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + 2\*(a^2 + 2\*a\*b + b^2)\*d\*x\*sinh(d\*x + c)^8

$$\begin{aligned}
& + 8*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c)^6 + 8*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^2 + (a^2 - b^2)*d*x + a*b + b^2)*\sinh(d*x + c)^6 + 16* \\
& (7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^3 + 3*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 4*((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - \\
& 2*b^2)*\cosh(d*x + c)^4 + 4*(35*(a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^4 + ( \\
& 3*a^2 - 2*a*b + 3*b^2)*d*x + 30*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c) \\
& ^2 + 4*a*b - 2*b^2)*\sinh(d*x + c)^4 + 16*(7*(a^2 + 2*a*b + b^2)*d*x*\cosh(d* \\
& x + c)^5 + 10*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c)^3 + ((3*a^2 - 2*a \\
& *b + 3*b^2)*d*x + 4*a*b - 2*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(a^2 + \\
& 2*a*b + b^2)*d*x + 8*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c)^2 + 8*(7*( \\
& a^2 + 2*a*b + b^2)*d*x*\cosh(d*x + c)^6 + 15*((a^2 - b^2)*d*x + a*b + b^2)*c \\
& osh(d*x + c)^4 + (a^2 - b^2)*d*x + 3*((3*a^2 - 2*a*b + 3*b^2)*d*x + 4*a*b - \\
& 2*b^2)*\cosh(d*x + c)^2 + a*b + b^2)*\sinh(d*x + c)^2 - ((a^2 + 2*a*b + b^2) \\
& *\cosh(d*x + c)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a \\
& ^2 + 2*a*b + b^2)*\sinh(d*x + c)^8 + 4*(a^2 - b^2)*\cosh(d*x + c)^6 + 4*(7*(a \\
& ^2 + 2*a*b + b^2)*\cosh(d*x + c)^2 + a^2 - b^2)*\sinh(d*x + c)^6 + 8*(7*(a^2 \\
& + 2*a*b + b^2)*\cosh(d*x + c)^3 + 3*(a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c) \\
& ^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^4 + 2*(35*(a^2 + 2*a*b + b^2)* \\
& cosh(d*x + c)^4 + 30*(a^2 - b^2)*\cosh(d*x + c)^2 + 3*a^2 - 2*a*b + 3*b^2)*s \\
& inh(d*x + c)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^5 + 10*(a^2 - b^2)* \\
& cosh(d*x + c)^3 + (3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c))*\sinh(d*x + c)^3 + \\
& 4*(a^2 - b^2)*\cosh(d*x + c)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(d*x + c)^6 + \\
& 15*(a^2 - b^2)*\cosh(d*x + c)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*\cosh(d*x + c)^2 \\
& + a^2 - b^2)*\sinh(d*x + c)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*c \\
& osh(d*x + c)^7 + 3*(a^2 - b^2)*\cosh(d*x + c)^5 + (3*a^2 - 2*a*b + 3*b^2)*c \\
& osh(d*x + c)^3 + (a^2 - b^2)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*((a + b)*co \\
& sh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^2 + a - b)/(\cosh(d*x + c)^2 - 2*\cosh( \\
& d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)) + 16*((a^2 + 2*a*b + b^2)*d*x*co \\
& sh(d*x + c)^7 + 3*((a^2 - b^2)*d*x + a*b + b^2)*\cosh(d*x + c)^5 + ((3*a^2 - \\
& 2*a*b + 3*b^2)*d*x + 4*a*b - 2*b^2)*\cosh(d*x + c)^3 + ((a^2 - b^2)*d*x + a \\
& *b + b^2)*\cosh(d*x + c))*\sinh(d*x + c))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a \\
& ^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + \\
& 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)*\sinh(d*x + c)^7 + (a^5 + 5*a^4 \\
& *b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\sinh(d*x + c)^8 + 4*(a^5 + \\
& 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^6 + 4*(7*( \\
& a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^2 \\
& + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\sinh(d*x + c)^ \\
& 6 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d* \\
& x + c)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d \\
& *\cosh(d*x + c)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 \\
& )*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10 \\
& *a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^4 + 30*(a^5 + 3*a^4*b + 2*a^3*b^2 \\
& - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + (3*a^5 + 7*a^4*b + 6*a^3* \\
& b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^5 + 3*a^4*b + \\
& 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^2 + 8*(7*(a^5 + 5*a^
\end{aligned}$$



$4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^3 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^6 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^2 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d)*\sinh(d*x + c)^2 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*d*\cosh(d*x + c)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*d*\cosh(d*x + c)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))$

**giac [B]** time = 0.39, size = 245, normalized size = 2.61

$$\frac{2 \log\left(\left|a\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)+b\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)+2a-2b\right|\right)}{a^3+3a^2b+3ab^2+b^3} - \frac{3a\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)^2+3b\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)^2+12a\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)}{(a^2+2ab+b^2)\left(a\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)+b\left(e^{(2dx+2c)}+e^{(-2dx-2c)}\right)+2a-2b\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{4}*(2*\log(\text{abs}(a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})) + 2*a - 2*b))/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - (3*a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 3*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)})^2 + 12*a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + 4*b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + 12*a - 4*b)/((a^2 + 2*a*b + b^2)*(a*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + b*(e^{(2*d*x + 2*c)} + e^{(-2*d*x - 2*c)}) + 2*a - 2*b)^2)/d$

**maple [B]** time = 0.12, size = 193, normalized size = 2.05

$$\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} - \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} - \frac{a^2}{4d(a+b)^3(a+b(\tanh^2(dx+c)))^2} - \frac{ab}{2d(a+b)^3(a+b(\tanh^2(dx+c)))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $-1/2/d/(a+b)^3*\ln(\tanh(d*x+c)-1)-1/2/d/(a+b)^3*\ln(1+\tanh(d*x+c))-1/4/d/(a+b)^3*a^2/(a+b*tanh(d*x+c)^2)^2-1/2/d/(a+b)^3*a*b/(a+b*tanh(d*x+c)^2)^2-1/4/d*b^2/(a+b)^3/(a+b*tanh(d*x+c)^2)^2+1/2*\ln(a+b*tanh(d*x+c)^2)/(a+b)^3/d-1/2/d/(a+b)^3*a/(a+b*tanh(d*x+c)^2)-1/2/d/(a+b)^3/(a+b*tanh(d*x+c)^2)*b$

**maxima [B]** time = 0.37, size = 378, normalized size = 4.02

$$\frac{dx + c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} \frac{1}{(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out] (d\*x + c)/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d) - 4\*((a\*b + b^2)\*e^(-2\*d\*x - 2\*c) + (2\*a\*b - b^2)\*e^(-4\*d\*x - 4\*c) + (a\*b + b^2)\*e^(-6\*d\*x - 6\*c))/((a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5 + 4\*(a^5 + 3\*a^4\*b + 2\*a^3\*b^2 - 2\*a^2\*b^3 - 3\*a\*b^4 - b^5)\*e^(-2\*d\*x - 2\*c) + 2\*(3\*a^5 + 7\*a^4\*b + 6\*a^3\*b^2 + 6\*a^2\*b^3 + 7\*a\*b^4 + 3\*b^5)\*e^(-4\*d\*x - 4\*c) + 4\*(a^5 + 3\*a^4\*b + 2\*a^3\*b^2 - 2\*a^2\*b^3 - 3\*a\*b^4 - b^5)\*e^(-6\*d\*x - 6\*c) + (a^5 + 5\*a^4\*b + 10\*a^3\*b^2 + 10\*a^2\*b^3 + 5\*a\*b^4 + b^5)\*e^(-8\*d\*x - 8\*c))\*d) + 1/2\*log(2\*(a - b)\*e^(-2\*d\*x - 2\*c) + (a + b)\*e^(-4\*d\*x - 4\*c) + a + b)/((a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3)\*d)

**mupad [B]** time = 2.25, size = 235, normalized size = 2.50

$$\frac{\ln(b \tanh(c + dx)^2 + a)}{2da^3 + 6da^2b + 6dab^2 + 2db^3} - \frac{\ln(1 - \tanh(c + dx))}{2da^3 + 6da^2b + 6dab^2 + 2db^3} - \frac{\ln(\tanh(c + dx) + 1)}{2da^3 + 6da^2b + 6dab^2 + 2db^3} + \frac{\tanh(c + dx)}{a^2 + 2a + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] log(a + b\*tanh(c + d\*x)^2)/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) - log(1 - tanh(c + d\*x))/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) - log(tanh(c + d\*x) + 1)/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) + ((tanh(c + d\*x))^4\*((3\*a\*b^2)/4 + b^3/4))/(a^2\*d\*(2\*a\*b + a^2 + b^2)) + (tanh(c + d\*x))^2\*(a\*b + b^2/2)/(a\*d\*(2\*a\*b + a^2 + b^2))/(a^2 + b^2\*tanh(c + d\*x)^4 + 2\*a\*b\*tanh(c + d\*x)^2)

**sympy [A]** time = 157.27, size = 3442, normalized size = 36.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Piecewise((zoo\*x/tanh(c)\*\*5, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), ((x - log(tanh(c + d\*x) + 1)/d)/a\*\*3, Eq(b, 0)), (1/(6\*b\*\*3\*d\*tanh(c + d\*x)\*\*6 - 18\*b\*\*3

$$\begin{aligned}
& *d*\tanh(c + d*x)**4 + 18*b**3*d*\tanh(c + d*x)**2 - 6*b**3*d), \text{Eq}(a, -b)), ( \\
& x*\tanh(c)/(a + b*\tanh(c)**2)**3, \text{Eq}(d, 0)), (4*a**2*d*x/(4*a**5*d + 8*a**4* \\
& b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)**4 + 24*a* \\
& *3*b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh(c + d*x)* \\
& *4 + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh(c + \\
& d*x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)**4) + 2*a** \\
& 2*\log(-I*\sqrt{a}*\sqrt{1/b} + \tanh(c + d*x))/(4*a**5*d + 8*a**4*b*d*\tanh(c + \\
& d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)**4 + 24*a**3*b**2*d*\tanh \\
& (c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh(c + d*x)**4 + 24*a**2 \\
& *b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh(c + d*x)**4 + 8 \\
& *a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)**4) + 2*a**2*\log(I*\sqrt{ \\
& (a)*\sqrt{1/b} + \tanh(c + d*x))/(4*a**5*d + 8*a**4*b*d*\tanh(c + d*x)**2 + 12 \\
& *a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)**4 + 24*a**3*b**2*d*\tanh(c + d*x)** \\
& 2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh(c + d*x)**4 + 24*a**2*b**3*d*\tanh( \\
& c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh(c + d*x)**4 + 8*a*b**4*d*\tanh \\
& (c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)**4) - 4*a**2*\log(\tanh(c + d*x) + 1)/ \\
& (4*a**5*d + 8*a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh( \\
& c + d*x)**4 + 24*a**3*b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b* \\
& *3*d*\tanh(c + d*x)**4 + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 1 \\
& 2*a*b**4*d*\tanh(c + d*x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c \\
& + d*x)**4) - 3*a**2/(4*a**5*d + 8*a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d \\
& + 4*a**3*b**2*d*\tanh(c + d*x)**4 + 24*a**3*b**2*d*\tanh(c + d*x)**2 + 12*a** \\
& 3*b**2*d + 12*a**2*b**3*d*\tanh(c + d*x)**4 + 24*a**2*b**3*d*\tanh(c + d*x)** \\
& 2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh(c + d*x)**4 + 8*a*b**4*d*\tanh(c + d*x) \\
& **2 + 4*b**5*d*\tanh(c + d*x)**4) + 8*a*b*d*x*\tanh(c + d*x)**2/(4*a**5*d + 8 \\
& *a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)**4 + \\
& 24*a**3*b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh(c + \\
& d*x)**4 + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh \\
& (c + d*x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)**4) + \\
& 4*a*b*\log(-I*\sqrt{a}*\sqrt{1/b} + \tanh(c + d*x))*\tanh(c + d*x)**2/(4*a**5*d \\
& + 8*a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)* \\
& *4 + 24*a**3*b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh \\
& (c + d*x)**4 + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4* \\
& d*\tanh(c + d*x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)** \\
& 4) + 4*a*b*\log(I*\sqrt{a}*\sqrt{1/b} + \tanh(c + d*x))*\tanh(c + d*x)**2/(4*a** \\
& 5*d + 8*a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d* \\
& x)**4 + 24*a**3*b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh \\
& (c + d*x)**4 + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b** \\
& *4*d*\tanh(c + d*x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x) \\
& )**4) - 8*a*b*\log(\tanh(c + d*x) + 1)*\tanh(c + d*x)**2/(4*a**5*d + 8*a**4*b* \\
& d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*\tanh(c + d*x)**4 + 24*a**3 \\
& *b**2*d*\tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*\tanh(c + d*x)**4 \\
& + 24*a**2*b**3*d*\tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*\tanh(c + d \\
& *x)**4 + 8*a*b**4*d*\tanh(c + d*x)**2 + 4*b**5*d*\tanh(c + d*x)**4) - 2*a*b*t \\
& \text{anh}(c + d*x)**2/(4*a**5*d + 8*a**4*b*d*\tanh(c + d*x)**2 + 12*a**4*b*d + 4*a
\end{aligned}$$

```

**3*b**2*d*tanh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**
2*d + 12*a**2*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4
*a**2*b**3*d + 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 +
4*b**5*d*tanh(c + d*x)**4) - 4*a*b/(4*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2
+ 12*a**4*b*d + 4*a**3*b**2*d*tanh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d
*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*
tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*
d*tanh(c + d*x)**2 + 4*b**5*d*tanh(c + d*x)**4) + 4*b**2*d*x*tanh(c + d*x)*
**4/(4*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*ta
nh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2
*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4*a**2*b**3*d
+ 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 + 4*b**5*d*tan
h(c + d*x)**4) + 2*b**2*log(-I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(c +
d*x)**4/(4*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2
*d*tanh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**2*d + 12
*a**2*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4*a**2*b*
**3*d + 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 + 4*b**5*
d*tanh(c + d*x)**4) + 2*b**2*log(I*sqrt(a)*sqrt(1/b) + tanh(c + d*x))*tanh(
c + d*x)**4/(4*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*
b**2*d*tanh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**2*d
+ 12*a**2*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4*a**
2*b**3*d + 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 + 4*b
**5*d*tanh(c + d*x)**4) - 4*b**2*log(tanh(c + d*x) + 1)*tanh(c + d*x)**4/(4
*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*tanh(c
+ d*x)**4 + 24*a**3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3
*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*
a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 + 4*b**5*d*tanh(c +
d*x)**4) - 2*b**2*tanh(c + d*x)**2/(4*a**5*d + 8*a**4*b*d*tanh(c + d*x)**2
+ 12*a**4*b*d + 4*a**3*b**2*d*tanh(c + d*x)**4 + 24*a**3*b**2*d*tanh(c + d
*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*tanh(c + d*x)**4 + 24*a**2*b**3*d*
tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*tanh(c + d*x)**4 + 8*a*b**4*
d*tanh(c + d*x)**2 + 4*b**5*d*tanh(c + d*x)**4) - b**2/(4*a**5*d + 8*a**4*b
*d*tanh(c + d*x)**2 + 12*a**4*b*d + 4*a**3*b**2*d*tanh(c + d*x)**4 + 24*a**
3*b**2*d*tanh(c + d*x)**2 + 12*a**3*b**2*d + 12*a**2*b**3*d*tanh(c + d*x)**
4 + 24*a**2*b**3*d*tanh(c + d*x)**2 + 4*a**2*b**3*d + 12*a*b**4*d*tanh(c +
d*x)**4 + 8*a*b**4*d*tanh(c + d*x)**2 + 4*b**5*d*tanh(c + d*x)**4), True))

```

$$3.196 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=142

$$\frac{b(7a+3b) \tanh(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{\sqrt{b} (15a^2+10ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^3} + \frac{b \tanh(c+dx)}{4ad(a+b)(a+b \tanh^2(c+dx))}$$

[Out] x/(a+b)^3+1/8\*(15\*a^2+10\*a\*b+3\*b^2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))\*b^(1/2)/a^(5/2)/(a+b)^3/d+1/4\*b\*tanh(d\*x+c)/a/(a+b)/d/(a+b\*tanh(d\*x+c)^2)^2+1/8\*b\*(7\*a+3\*b)\*tanh(d\*x+c)/a^2/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.16, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3661, 414, 527, 522, 206, 205}

$$\frac{\sqrt{b} (15a^2+10ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}d(a+b)^3} + \frac{b(7a+3b) \tanh(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{b \tanh(c+dx)}{4ad(a+b)(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-3), x]

[Out] x/(a + b)^3 + (Sqrt[b]\*(15\*a^2 + 10\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(5/2)\*(a + b)^3\*d) + (b\*Tanh[c + d\*x])/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(7\*a + 3\*b)\*Tanh[c + d\*x])/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 414

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p+1)\*(c + d\*x^n)^(q+1))/(a\*n\*(p+1)\*(b\*c -

```
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

### Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3661

```
Int[((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} - \frac{\text{Subst}\left(\int \frac{b-4(a+b)+3bx^2}{(1-x^2)(a+bx^2)^2} dx, x, \tanh(c + dx)\right)}{4a(a + b)d} \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} + \frac{b(7a + 3b) \tanh(c + dx)}{8a^2(a + b)^2d (a + b \tanh^2(c + dx))} + \dots \\
&= \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2} + \frac{b(7a + 3b) \tanh(c + dx)}{8a^2(a + b)^2d (a + b \tanh^2(c + dx))} + \dots \\
&= \frac{x}{(a + b)^3} + \frac{\sqrt{b} (15a^2 + 10ab + 3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{5/2}(a + b)^3d} + \frac{b \tanh(c + dx)}{4a(a + b)d (a + b \tanh^2(c + dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 147, normalized size = 1.04

$$\frac{\frac{b(7a+3b)(a+b) \tanh(c+dx)}{a^2(a+b \tanh^2(c+dx))} + \frac{\sqrt{b} (15a^2+10ab+3b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{5/2}} + \frac{2b(a+b)^2 \tanh(c+dx)}{a(a+b \tanh^2(c+dx))^2} - 4 \log(1 - \tanh(c + dx)) + 4 \log(1 + \tanh(c + dx))}{8d(a + b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-3), x]

[Out] ((Sqrt[b]\*(15\*a^2 + 10\*a\*b + 3\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/a^(5/2) - 4\*Log[1 - Tanh[c + d\*x]] + 4\*Log[1 + Tanh[c + d\*x]] + (2\*b\*(a + b)^2\*Tanh[c + d\*x])/(a\*(a + b\*Tanh[c + d\*x]^2) + (b\*(a + b)\*(7\*a + 3\*b)\*Tanh[c + d\*x])/(a^2\*(a + b\*Tanh[c + d\*x]^2)))/(8\*(a + b)^3\*d)

**fricas [B]** time = 0.56, size = 7496, normalized size = 52.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^3,x, algorithm="fricas")

[Out] [1/16\*(16\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^8 + 128\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + 16\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*sinh(d\*x + c)^8 - 4\*(9\*a^3\*b - a^2\*b^2 - 13\*a\*b^3 - 3\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^6 + 4\*(112\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^2 - 9\*a^3\*b + a^2\*b^2 + 13\*a\*b^3 + 3\*b^4 + 16\*(a^4 - a^2\*b^2)\*d\*x)\*sinh(d\*x + c)^6 + 8\*(112\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^3 - 3\*(9\*a^3\*b - a^2\*b^2 - 13\*a\*b^3 - 3\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 - 4\*(27\*a^3\*b - 9\*a^2\*b^2 + 21\*a\*b^3 + 9\*b^4 - 8\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^4 + 4\*(280\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^4 - 27\*a^3\*b + 9\*a^2\*b^2 - 21\*a\*b^3 - 9\*b^4 + 8\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*d\*x - 15\*(9\*a^3\*b - a^2\*b^2 - 13\*a\*b^3 - 3\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 - 36\*a^3\*b - 84\*a^2\*b^2 - 60\*a\*b^3 - 12\*b^4 + 16\*(56\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^5 - 5\*(9\*a^3\*b - a^2\*b^2 - 13\*a\*b^3 - 3\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^3 - (27\*a^3\*b - 9\*a^2\*b^2 + 21\*a\*b^3 + 9\*b^4 - 8\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*d\*x)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 16\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x - 4\*(27\*a^3\*b + 13\*a^2\*b^2 - 23\*a\*b^3 - 9\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^2 + 4\*(112\*(a^4 + 2\*a^3\*b + a^2\*b^2)\*d\*x\*cosh(d\*x + c)^6 - 15\*(9\*a^3\*b - a^2\*b^2 - 13\*a\*b^3 - 3\*b^4 - 16\*(a^4 - a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^4 - 27\*a^3\*b - 13\*a^2\*b^2 + 23\*a\*b^3 + 9\*b^4 + 16\*(a^4 - a^2\*b^2)\*d\*x - 6\*(27\*a^3\*b - 9\*a^2\*b^2 + 21\*a\*b^3 + 9\*b^4 - 8\*(3\*a^4 - 2\*a^3\*b + 3\*a^2\*b^2)\*d\*x)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + ((15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^8 + 8\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)\*sinh(d\*x + c)^7 + (15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*sinh(d\*x + c)^8 + 4\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^6 + 4\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4 + 7\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^6 + 8\*(7\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^3 + 3\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 2\*(45\*a^4 + 34\*a^2\*b^2 + 24\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c)^4 + 2\*(35\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^4 + 45\*a^4 + 34\*a^2\*b^2 + 24\*a\*b^3 + 9\*b^4 + 30\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^4 + 15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4 + 8\*(7\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^5 + 10\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^3 + (45\*a^4 + 34\*a^2\*b^2 + 24\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 4\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^2 + 4\*(7\*(15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^6 + 15\*(15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4)\*cosh(d\*x + c)^4 + 15\*a^4 + 10\*a^3\*b - 12\*a^2\*b^2 - 10\*a\*b^3 - 3\*b^4 + 3\*(45\*a^4 + 34\*a^2\*b^2 + 24\*a\*b^3 + 9\*b^4)\*cosh(d\*x + c)^2)\*sinh(d\*x + c)^2 + 8\*((15\*a^4 + 40\*a^3\*b + 38\*a^2\*b^2 + 16\*a\*b^3 + 3\*b^4)\*cosh(d\*x + c)^7 + 3\*(15\*a^4 + 10\*a^3\*b - 12



$$\begin{aligned}
& a^2 b^2 - 10 a^3 b^3 - 3 b^4) \cosh(dx + c)^5 + (45 a^4 + 34 a^2 b^2 + 24 a^3 b^3 + 9 b^4) \cosh(dx + c)^3 + (15 a^4 + 10 a^3 b - 12 a^2 b^2 - 10 a^3 b^3 - 3 b^4) \cosh(dx + c) \sinh(dx + c) \sqrt{-b/a} \log((a^2 + 2 a b + b^2) \cosh(dx + c)^4 + 4(a^2 + 2 a b + b^2) \cosh(dx + c) \sinh(dx + c)^3 + (a^2 + 2 a b + b^2) \sinh(dx + c)^4 + 2(a^2 - b^2) \cosh(dx + c)^2 + 2(3(a^2 + 2 a b + b^2) \cosh(dx + c)^2 + a^2 - b^2) \sinh(dx + c)^2 + a^2 - 6 a b + b^2 + 4((a^2 + 2 a b + b^2) \cosh(dx + c)^3 + (a^2 - b^2) \cosh(dx + c)) \sinh(dx + c) + 4((a^2 + a b) \cosh(dx + c)^2 + 2(a^2 + a b) \cosh(dx + c) \sinh(dx + c) + (a^2 + a b) \sinh(dx + c)^2 + a^2 - a b) \sqrt{-b/a}) / ((a + b) \cosh(dx + c)^4 + 4(a + b) \cosh(dx + c) \sinh(dx + c)^3 + (a + b) \sinh(dx + c)^4 + 2(a - b) \cosh(dx + c)^2 + 2(3(a + b) \cosh(dx + c)^2 + a - b) \sinh(dx + c)^2 + 4((a + b) \cosh(dx + c)^3 + (a - b) \cosh(dx + c)) \sinh(dx + c) + a + b) + 8(16(a^4 + 2 a^3 b + a^2 b^2) d x \cosh(dx + c)^7 - 3(9 a^3 b - a^2 b^2 - 13 a^2 b^3 - 3 b^4 - 16(a^4 - a^2 b^2) d x) \cosh(dx + c)^5 - 2(27 a^3 b - 9 a^2 b^2 + 21 a^2 b^3 + 9 b^4 - 8(3 a^4 - 2 a^3 b + 3 a^2 b^2) d x) \cosh(dx + c)^3 - (27 a^3 b + 13 a^2 b^2 - 23 a^2 b^3 - 9 b^4 - 16(a^4 - a^2 b^2) d x) \cosh(dx + c) \sinh(dx + c)) / (a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^8 + 8(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c) \sinh(dx + c)^7 + (a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \sinh(dx + c)^8 + 4(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^6 + 4(7(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^2 + (a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d) \sinh(dx + c)^6 + 2(3 a^7 + 7 a^6 b + 6 a^5 b^2 + 6 a^4 b^3 + 7 a^3 b^4 + 3 a^2 b^5) d \cosh(dx + c)^4 + 8(7(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^3 + 3(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(35(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^4 + 30(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^2 + (3 a^7 + 7 a^6 b + 6 a^5 b^2 + 6 a^4 b^3 + 7 a^3 b^4 + 3 a^2 b^5) d) \sinh(dx + c)^4 + 4(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^2 + 8(7(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^5 + 10(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^3 + (3 a^7 + 7 a^6 b + 6 a^5 b^2 + 6 a^4 b^3 + 7 a^3 b^4 + 3 a^2 b^5) d \cosh(dx + c)) \sinh(dx + c)^3 + 4(7(a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^6 + 15(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^4 + 3(3 a^7 + 7 a^6 b + 6 a^5 b^2 + 6 a^4 b^3 + 7 a^3 b^4 + 3 a^2 b^5) d \cosh(dx + c)^2 + (a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d) \sinh(dx + c)^2 + (a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d + 8((a^7 + 5 a^6 b + 10 a^5 b^2 + 10 a^4 b^3 + 5 a^3 b^4 + a^2 b^5) d \cosh(dx + c)^7 + 3(a^7 + 3 a^6 b + 2 a^5 b^2 - 2 a^4 b^3 - 3 a^3 b^4 - a^2 b^5) d \cosh(dx + c)^5 + (3 a^7 + 7 a^6 b + 6 a^5 b^2 + 6 a^4 b^3 + 7 a^3 b^4 + 3 a^2 b^5) d \cosh(dx + c)^3 + (a^7 + 3 a^6 b + 2
\end{aligned}$$

$$\begin{aligned}
& *a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)) \\
& , 1/8*(8*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^8 + 64*(a^4 + 2*a^3*b \\
& + a^2*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^7 + 8*(a^4 + 2*a^3*b + a^2*b^2)* \\
& d*x*\sinh(d*x + c)^8 - 2*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a \\
& ^2*b^2)*d*x)*\cosh(d*x + c)^6 + 2*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d* \\
& x + c)^2 - 9*a^3*b + a^2*b^2 + 13*a*b^3 + 3*b^4 + 16*(a^4 - a^2*b^2)*d*x)*s \\
& inh(d*x + c)^6 + 4*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^3 - 3*( \\
& 9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c \\
& ))*\sinh(d*x + c)^5 - 2*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 \\
& - 2*a^3*b + 3*a^2*b^2)*d*x)*\cosh(d*x + c)^4 + 2*(280*(a^4 + 2*a^3*b + a^2*b \\
& ^2)*d*x*\cosh(d*x + c)^4 - 27*a^3*b + 9*a^2*b^2 - 21*a*b^3 - 9*b^4 + 8*(3*a^ \\
& 4 - 2*a^3*b + 3*a^2*b^2)*d*x - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 1 \\
& 6*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 - 18*a^3*b - 42*a^2 \\
& *b^2 - 30*a*b^3 - 6*b^4 + 8*(56*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c) \\
& ^5 - 5*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh \\
& (d*x + c)^3 - (27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b \\
& + 3*a^2*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 8*(a^4 + 2*a^3*b + a^2* \\
& b^2)*d*x - 2*(27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 - 16*(a^4 - a^2*b^2) \\
& *d*x)*\cosh(d*x + c)^2 + 2*(112*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^ \\
& 6 - 15*(9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh \\
& (d*x + c)^4 - 27*a^3*b - 13*a^2*b^2 + 23*a*b^3 + 9*b^4 + 16*(a^4 - a^2*b^2) \\
& *d*x - 6*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3* \\
& a^2*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + ((15*a^4 + 40*a^3*b + 38*a \\
& ^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^8 + 8*(15*a^4 + 40*a^3*b + 38*a^2* \\
& b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)*\sinh(d*x + c)^7 + (15*a^4 + 40*a^3*b \\
& + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\sinh(d*x + c)^8 + 4*(15*a^4 + 10*a^3*b - 1 \\
& 2*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^6 + 4*(15*a^4 + 10*a^3*b - 12*a \\
& ^2*b^2 - 10*a*b^3 - 3*b^4 + 7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + \\
& 3*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(7*(15*a^4 + 40*a^3*b + 38*a^2* \\
& b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^3 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b^2 \\
& - 10*a*b^3 - 3*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^5 + 2*(45*a^4 + 34*a^2*b^ \\
& 2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c)^4 + 2*(35*(15*a^4 + 40*a^3*b + 38*a^2*b \\
& ^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^4 + 45*a^4 + 34*a^2*b^2 + 24*a*b^3 + 9 \\
& *b^4 + 30*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c) \\
& ^2)*\sinh(d*x + c)^4 + 15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4 + 8 \\
& *(7*(15*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^5 + 1 \\
& 0*(15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^3 + (45 \\
& *a^4 + 34*a^2*b^2 + 24*a*b^3 + 9*b^4)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(1 \\
& 5*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^2 + 4*(7*(1 \\
& 5*a^4 + 40*a^3*b + 38*a^2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^6 + 15*(15* \\
& a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^4 + 15*a^4 + \\
& 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4 + 3*(45*a^4 + 34*a^2*b^2 + 24*a*b^ \\
& 3 + 9*b^4)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 + 8*((15*a^4 + 40*a^3*b + 38*a^ \\
& 2*b^2 + 16*a*b^3 + 3*b^4)*\cosh(d*x + c)^7 + 3*(15*a^4 + 10*a^3*b - 12*a^2*b \\
& ^2 - 10*a*b^3 - 3*b^4)*\cosh(d*x + c)^5 + (45*a^4 + 34*a^2*b^2 + 24*a*b^3 +
\end{aligned}$$

$9*b^4)*\cosh(d*x + c)^3 + (15*a^4 + 10*a^3*b - 12*a^2*b^2 - 10*a*b^3 - 3*b^4)$   
 $)*\cosh(d*x + c))*\sinh(d*x + c))*\sqrt{b/a)*\arctan(1/2*((a + b)*\cosh(d*x + c)$   
 $^2 + 2*(a + b)*\cosh(d*x + c)*\sinh(d*x + c) + (a + b)*\sinh(d*x + c)^2 + a -$   
 $b)*\sqrt{b/a}/b) + 4*(16*(a^4 + 2*a^3*b + a^2*b^2)*d*x*\cosh(d*x + c)^7 - 3*($   
 $9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4 - 16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c$   
 $)^5 - 2*(27*a^3*b - 9*a^2*b^2 + 21*a*b^3 + 9*b^4 - 8*(3*a^4 - 2*a^3*b + 3*a$   
 $^2*b^2)*d*x)*\cosh(d*x + c)^3 - (27*a^3*b + 13*a^2*b^2 - 23*a*b^3 - 9*b^4 -$   
 $16*(a^4 - a^2*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/((a^7 + 5*a^6*b + 10*$   
 $a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^8 + 8*(a^7 + 5*$   
 $a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)*\sinh$   
 $(d*x + c)^7 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^$   
 $5)*d*\sinh(d*x + c)^8 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4$   
 $- a^2*b^5)*d*\cosh(d*x + c)^6 + 4*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b$   
 $^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^2 + (a^7 + 3*a^6*b + 2*a^5*b^2 -$   
 $2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d)*\sinh(d*x + c)^6 + 2*(3*a^7 + 7*a^6*b +$   
 $6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^4 + 8*(7*(a^$   
 $7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c$   
 $)^3 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cos$   
 $h(d*x + c))*\sinh(d*x + c)^5 + 2*(35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^$   
 $3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^4 + 30*(a^7 + 3*a^6*b + 2*a^5*b^2$   
 $- 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^2 + (3*a^7 + 7*a^6*b + 6$   
 $*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^7 +$   
 $3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^2 +$   
 $8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cos$   
 $h(d*x + c)^5 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*$   
 $b^5)*d*\cosh(d*x + c)^3 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b$   
 $^4 + 3*a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^7 + 5*a^6*b + 10$   
 $*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*d*\cosh(d*x + c)^6 + 15*(a^7 +$   
 $3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c)^4 +$   
 $3*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*d*\cosh($   
 $d*x + c)^2 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*$   
 $d)*\sinh(d*x + c)^2 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 +$   
 $a^2*b^5)*d + 8*((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2$   
 $*b^5)*d*\cosh(d*x + c)^7 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*$   
 $b^4 - a^2*b^5)*d*\cosh(d*x + c)^5 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3$   
 $+ 7*a^3*b^4 + 3*a^2*b^5)*d*\cosh(d*x + c)^3 + (a^7 + 3*a^6*b + 2*a^5*b^2 -$   
 $2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)]$

**giac [B]** time = 0.21, size = 409, normalized size = 2.88

$$\frac{(15a^2b+10ab^2+3b^3)\arctan\left(\frac{ae^{(2dx+2c)+be^{(2dx+2c)+a-b}}}{2\sqrt{ab}}\right)}{(a^5+3a^4b+3a^3b^2+a^2b^3)\sqrt{ab}} + \frac{8(dx+c)}{a^3+3a^2b+3ab^2+b^3} - \frac{2(9a^3be^{(6dx+6c)}-a^2b^2e^{(6dx+6c)}-13ab^3e^{(6dx+6c)}-3b^4e^{(6dx+6c)})}{a^3+3a^2b+3ab^2+b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{8} \left( \frac{(15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{1}{2} \frac{ae^{(2dx+2c)} + b}{\sqrt{ab}}\right) + b e^{(2dx+2c)} + a - b}{\sqrt{ab}} \right) / \left( (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \sqrt{ab} \right) + \frac{8(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{2(9a^3b e^{(6dx+6c)} - a^2b^2 e^{(6dx+6c)} - 13ab^3 e^{(6dx+6c)} - 3b^4 e^{(6dx+6c)} + 27a^3b e^{(4dx+4c)} - 9a^2b^2 e^{(4dx+4c)} + 21ab^3 e^{(4dx+4c)} + 9b^4 e^{(4dx+4c)} + 27a^3b e^{(2dx+2c)} + 13a^2b^2 e^{(2dx+2c)} - 23ab^3 e^{(2dx+2c)} - 9b^4 e^{(2dx+2c)} + 9a^3b + 21a^2b^2 + 15ab^3 + 3b^4)}{(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)} \left( a e^{(4dx+4c)} + b e^{(4dx+4c)} + 2a e^{(2dx+2c)} - 2b e^{(2dx+2c)} + a + b \right)^2 \right) / d$

**maple** [B] time = 0.15, size = 352, normalized size = 2.48

$$-\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^3} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^3} + \frac{7(\tanh^3(dx+c))b^2}{8d(a+b)^3(a+b(\tanh^2(dx+c)))^2} + \frac{5b^3(\tanh^3(dx+c))}{4d(a+b)^3(a+b(\tanh^2(dx+c)))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c))^2)^3,x)

[Out]  $-\frac{1}{2} \frac{d}{(a+b)^3} \ln(\tanh(dx+c)-1) + \frac{1}{2} \frac{d}{(a+b)^3} \ln(1+\tanh(dx+c)) + \frac{7}{8} \frac{d}{(a+b)^3} \frac{b^2}{(a+b(\tanh^2(dx+c)))^2} + \frac{5}{4} \frac{d}{(a+b)^3} \frac{b^3}{a+b(\tanh^2(dx+c))} + \frac{3}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{2}{a^2} \frac{b^3}{\tanh(dx+c)^3} + \frac{3}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{2}{a^2} \frac{b^3}{\tanh(dx+c)^3} + \frac{9}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{2}{a^2} \frac{b^3}{\tanh(dx+c)^3} + \frac{9}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{7}{4} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{5}{8} \frac{d}{(a+b)^3} \frac{b^3}{(a+b(\tanh^2(dx+c)))^2} + \frac{2}{a^2} \frac{b^3}{\tanh(dx+c)^3} + \frac{15}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{15}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{5}{4} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{5}{4} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{3}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2} + \frac{3}{8} \frac{d}{(a+b)^3} \frac{b^4}{(a+b(\tanh^2(dx+c)))^2}$

**maxima** [B] time = 0.57, size = 507, normalized size = 3.57

$$\frac{(15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{(a+b)e^{(-2dx-2c)} + a - b}{2\sqrt{ab}}\right)}{8(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)\sqrt{abd}} + \frac{1}{4(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5 + 4(a^7 + \dots))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="maxima")

[Out]  $-\frac{1}{8} \left( \frac{(15a^2b + 10ab^2 + 3b^3) \arctan\left(\frac{1}{2} \frac{(a+b)e^{(-2dx-2c)} + a - b}{\sqrt{ab}}\right) + b e^{(-2dx-2c)} + a - b}{\sqrt{ab}} \right) / \left( (a^5 + 3a^4b + 3a^3b^2 + a^2b^3) \sqrt{ab} \right) + \frac{1}{4} \left( \frac{9a^3b + 21a^2b^2 + 15ab^3 + 3b^4 + (27a^3b + 13a^2b^2 - 23ab^3 - 9b^4) e^{(-2dx-2c)} + 3(9a^3b - 3a^2b^2 + 7ab^3 + 3b^4) e^{(-2dx-2c)}}{(a^5 + 3a^4b + 3a^3b^2 + a^2b^3)} \right) / d$

$$-4*d*x - 4*c) + (9*a^3*b - a^2*b^2 - 13*a*b^3 - 3*b^4)*e^{(-6*d*x - 6*c)} / ((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-2*d*x - 2*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(-4*d*x - 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-6*d*x - 6*c)} + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(-8*d*x - 8*c)}) * d) + (d*x + c) / ((a^3 + 3*a^2*b + 3*a*b^2 + b^3) * d)$$

**mupad [B]** time = 0.90, size = 260, normalized size = 1.83

$$\frac{\ln(\tanh(c + dx) + 1)}{2da^3 + 6da^2b + 6dab^2 + 2db^3} - \frac{\ln(1 - \tanh(c + dx))}{2da^3 + 6da^2b + 6dab^2 + 2db^3} + \frac{\tanh(c+dx)^3 \left( \frac{3b^3}{8} + \frac{7ab^2}{8} \right)}{a^2d(a^2+2ab+b^2)} + \frac{\tanh(c+dx)(5b^2+9)}{8ad(a^2+2ab+b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] log(tanh(c + d\*x) + 1)/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) - log(1 - tanh(c + d\*x))/(2\*a^3\*d + 2\*b^3\*d + 6\*a\*b^2\*d + 6\*a^2\*b\*d) + ((tanh(c + d\*x)^3\*((7\*a\*b^2)/8 + (3\*b^3)/8))/(a^2\*d\*(2\*a\*b + a^2 + b^2)) + (tanh(c + d\*x)\*(9\*a\*b + 5\*b^2))/(8\*a\*d\*(2\*a\*b + a^2 + b^2)))/(a^2 + b^2\*tanh(c + d\*x)^4 + 2\*a\*b\*tanh(c + d\*x)^2) + (atan((b\*tanh(c + d\*x))/(a\*b)^(1/2))\*(10\*a\*b^2 + 15\*a^2\*b + 3\*b^3))/((a\*b)^(1/2)\*(8\*a^5\*d + a\*b\*(24\*a^3\*d + a\*b\*(24\*a\*d + 8\*b\*d))))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Timed out

$$3.197 \quad \int \frac{\coth(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

**Optimal.** Leaf size=138

$$\frac{\log(\tanh(c+dx))}{a^3 d} + \frac{b(2a+b)}{2a^2 d(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{b(3a^2+3ab+b^2) \log(a+b \tanh^2(c+dx))}{2a^3 d(a+b)^3} + \frac{1}{4ad(a+b)}$$

[Out]  $\ln(\cosh(d*x+c))/(a+b)^{3/d} + \ln(\tanh(d*x+c))/a^{3/d} - 1/2*b*(3*a^2+3*a*b+b^2)*\ln(a+b*\tanh(d*x+c)^2)/a^{3/d} + 1/4*b/a/(a+b)/d/(a+b*\tanh(d*x+c)^2)^{2+1/2*d} + b*(2*a+b)/a^2/(a+b)^{2/d}/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.20, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3670, 446, 72}

$$-\frac{b(3a^2+3ab+b^2) \log(a+b \tanh^2(c+dx))}{2a^3 d(a+b)^3} + \frac{b(2a+b)}{2a^2 d(a+b)^2 (a+b \tanh^2(c+dx))} + \frac{\log(\tanh(c+dx))}{a^3 d} + \frac{1}{4ad(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $\text{Log}[\text{Cosh}[c + d*x]]/((a + b)^{3*d}) + \text{Log}[\text{Tanh}[c + d*x]]/(a^{3*d}) - (b*(3*a^2 + 3*a*b + b^2)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/((2*a^3*(a + b)^{3*d} + b/(4*a*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) + (b*(2*a + b))/(2*a^2*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 72

Int[((e\_.) + (f\_.)\*(x\_))^(p\_.)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Int[ExpandIntegrand[(e + f\*x)^p/((a + b\*x)\*(c + d\*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\coth(c + dx)}{(a + b \tanh^2(c + dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x(a+bx)^3} dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{1}{a^3x} - \frac{b^2}{a(a+b)(a+bx)^3} - \frac{b^2(2a+b)}{a^2(a+b)^2(a+bx)^2} - \frac{b^2(3a^2+3ab+b^2)}{a^3(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c + dx)\right)}{2d} \\ &= \frac{\log(\cosh(c + dx))}{(a + b)^3 d} + \frac{\log(\tanh(c + dx))}{a^3 d} - \frac{b(3a^2 + 3ab + b^2) \log(a + b \tanh^2(c + dx))}{2a^3(a + b)^3 d} \end{aligned}$$

**Mathematica [A]** time = 1.76, size = 117, normalized size = 0.85

$$\frac{\frac{b \left( \frac{a(a+b)(2b(2a+b) \tanh^2(c+dx)+a(5a+3b))}{(a+b \tanh^2(c+dx))^2} - 2(3a^2+3ab+b^2) \log(a+b \tanh^2(c+dx)) \right)}{(a+b)^3} + 4 \log(\tanh(c+dx))}{a^3} + \frac{4 \log(\cosh(c+dx))}{(a+b)^3}$$

$4d$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] ((4\*Log[Cosh[c + d\*x]])/(a + b)^3 + (4\*Log[Tanh[c + d\*x]] + (b\*(-2\*(3\*a^2 + 3\*a\*b + b^2)\*Log[a + b\*Tanh[c + d\*x]^2] + (a\*(a + b)\*(a\*(5\*a + 3\*b) + 2\*b\*(2\*a + b)\*Tanh[c + d\*x]^2))/(a + b\*Tanh[c + d\*x]^2^2)))/(a + b)^3)/a^3)/(4\*d)

**fricas [B]** time = 0.87, size = 4800, normalized size = 34.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^8 + 16*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^7 + 2*(a^5 + 2*a^4*b + a^3*b^2)*d*x*sinh(d*x + c)^8 - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c)^6 - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^2 - 2*(a^5 - a^3*b^2)*d*x)*sinh(d*x + c)^6 + 8*(14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^3 - 3*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 - 4*(6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*cosh(d*x + c)^4 + 4*(35*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^4 - 6*a^3*b^2 + 2*a^2*b^3 + 2*a*b^4 + (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x - 15*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 16*(7*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^5 - 5*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c)^3 - (6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^3 + 2*(a^5 + 2*a^4*b + a^3*b^2)*d*x - 4*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c)^2 + 4*(14*(a^5 + 2*a^4*b + a^3*b^2)*d*x*cosh(d*x + c)^6 - 3*a^3*b^2 - 4*a^2*b^3 - a*b^4 - 15*(3*a^3*b^2 + 4*a^2*b^3 + a*b^4 - 2*(a^5 - a^3*b^2)*d*x)*cosh(d*x + c)^4 + 2*(a^5 - a^3*b^2)*d*x - 6*(6*a^3*b^2 - 2*a^2*b^3 - 2*a*b^4 - (3*a^5 - 2*a^4*b + 3*a^3*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + ((3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^8 + 8*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)*sinh(d*x + c)^7 + (3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*sinh(d*x + c)^8 + 4*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c)^6 + 4*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 7*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 8*(7*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^3 + 3*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c))*sinh(d*x + c)^5 + 3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 2*(9*a^4*b + 3*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(d*x + c)^4 + 2*(9*a^4*b + 3*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 + 35*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^4 + 30*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(7*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^5 + 10*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c)^3 + (9*a^4*b + 3*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(d*x + c))*sinh(d*x + c)^3 + 4*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c)^2 + 4*(7*(3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^6 + 3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 15*(3*a^4*b + 3*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(d*x + c)^4 + 3*(9*a^4*b + 3*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(d*x + c)^2)*sinh(d*x + c)^2 + 8*((3*a^4*b + 9*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(d*x + c)^7 + 3*(3*a^4*b + 3*a^3*b^2$$



$$\begin{aligned}
& - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^5 + (9a^4b + 3a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(dx + c)^3 + (3a^4b + 3a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c) \sinh(dx + c) \log(2((a + b) \cosh(dx + c)^2 + (a + b) \sinh(dx + c)^2 + a - b) / (\cosh(dx + c)^2 - 2 \cosh(dx + c) \sinh(dx + c) + \sinh(dx + c)^2)) - 2((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^8 + 8(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c) \sinh(dx + c)^7 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \sinh(dx + c)^8 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^6 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5 + 7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^2) \sinh(dx + c)^6 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^3 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c) \sinh(dx + c)^5 + a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(dx + c)^4 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5 + 35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^2) \sinh(dx + c)^4 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^5 + 10(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^3 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(dx + c) \sinh(dx + c)^3 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^2 + 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^6 + a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5 + 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^4 + 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(dx + c)^2) \sinh(dx + c)^2 + 8((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(dx + c)^7 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c)^5 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(dx + c)^3 + (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(dx + c) \sinh(dx + c)) \log(2 \sinh(dx + c) / (\cosh(dx + c) - \sinh(dx + c))) + 8(2(a^5 + 2a^4b + a^3b^2) dx \cosh(dx + c)^7 - 3(3a^3b^2 + 4a^2b^3 + ab^4 - 2(a^5 - a^3b^2) dx) \cosh(dx + c)^5 - 2(6a^3b^2 - 2a^2b^3 - 2ab^4 - (3a^5 - 2a^4b + 3a^3b^2) dx) \cosh(dx + c)^3 - (3a^3b^2 + 4a^2b^3 + ab^4 - 2(a^5 - a^3b^2) dx) \cosh(dx + c) \sinh(dx + c)) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^8 + 8(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c) \sinh(dx + c)^7 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \sinh(dx + c)^8 + 4(a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) d \cosh(dx + c)^6 + 4(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^2 + (a^8 + 3a^7b + 2a^6b^2 - 2a^5b^3 - 3a^4b^4 - a^3b^5) d) \sinh(dx + c)^6 + 2(3a^8 + 7a^7b + 6a^6b^2 + 6a^5b^3 + 7a^4b^4 + 3a^3b^5) d \cosh(dx + c)^4 + 8(7(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^3 +
\end{aligned}$$

$$\begin{aligned}
& 3*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x \\
& + c))*\sinh(d*x + c)^5 + 2*(35*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5 \\
& *a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^4 + 30*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a \\
& ^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + (3*a^8 + 7*a^7*b + 6*a^6* \\
& b^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d)*\sinh(d*x + c)^4 + 4*(a^8 + 3*a^ \\
& 7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^2 + 8*(7 \\
& *(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x \\
& + c)^5 + 10*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)* \\
& d*\cosh(d*x + c)^3 + (3*a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + \\
& 3*a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 4*(7*(a^8 + 5*a^7*b + 10*a^6* \\
& b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^6 + 15*(a^8 + 3*a^7 \\
& *b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c)^4 + 3*(3* \\
& a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7*a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + \\
& c)^2 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - a^3*b^5)*d)*\si \\
& nh(d*x + c)^2 + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3* \\
& b^5)*d + 8*((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5) \\
& *d*\cosh(d*x + c)^7 + 3*(a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5*b^3 - 3*a^4*b^4 - \\
& a^3*b^5)*d*\cosh(d*x + c)^5 + (3*a^8 + 7*a^7*b + 6*a^6*b^2 + 6*a^5*b^3 + 7* \\
& a^4*b^4 + 3*a^3*b^5)*d*\cosh(d*x + c)^3 + (a^8 + 3*a^7*b + 2*a^6*b^2 - 2*a^5 \\
& *b^3 - 3*a^4*b^4 - a^3*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))
\end{aligned}$$

**giac [B]** time = 0.49, size = 295, normalized size = 2.14

$$\frac{(3a^2b+3ab^2+b^3)\log(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}{a^6+3a^5b+3a^4b^2+a^3b^3} + \frac{2(dx+c)}{a^3+3a^2b+3ab^2+b^3} - \frac{2\log(|e^{(2dx+2c)}-1|)}{a^3} - \frac{4\left((3a^2b^2+ab^3)e^{(4dx+4c)}\right)}{(ae^{(4dx+4c)})}$$


---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c))^2)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/2*((3*a^2*b + 3*a*b^2 + b^3)*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + \\
& 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^6 + 3*a^5*b + 3*a^4* \\
& b^2 + a^3*b^3) + 2*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - 2*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))/a^3 - 4*((3*a^2*b^2 + a*b^3)*e^{(6*d*x + 6*c)} + (3*a^2*b \\
& ^2 + a*b^3)*e^{(2*d*x + 2*c)} + 2*(3*a^3*b^2 - a^2*b^3 - a*b^4)*e^{(4*d*x + 4* \\
& c)/(a + b)))/((a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - \\
& 2*b*e^{(2*d*x + 2*c)} + a + b)^2*(a + b)^2*a^3))/d
\end{aligned}$$

**maple [B]** time = 0.50, size = 952, normalized size = 6.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x)

[Out]  $-1/d/(a+b)^3 \ln(\tanh(1/2*d*x+1/2*c)-1) - 1/d/(a+b)^3 \ln(\tanh(1/2*d*x+1/2*c)+1) - 6/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6 - 10/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6 - 4/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6 - 12/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4 - 40/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4 - 40/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4 - 12/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4 - 6/d*b^2/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2 - 10/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2 - 4/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2 - 3/2/d*b/(a+b)^3/a*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) - 3/2/d*b^2/(a+b)^3/a^2*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) - 1/2/d*b^3/(a+b)^3/a^3*\ln(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a) + 1/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))$

**maxima [B]** time = 0.40, size = 498, normalized size = 3.61

$$\frac{(3a^2b + 3ab^2 + b^3) \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a + b)}{2(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)d} + \frac{dx + c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} + \frac{1}{(a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5 + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)e^{(-2dx-2c)} + 2(3a^7 + 7a^6b + 6a^5b^2 + 6a^4b^3 + 7a^3b^4 + 3a^2b^5)e^{(-4dx-4c)} + 4(a^7 + 3a^6b + 2a^5b^2 - 2a^4b^3 - 3a^3b^4 - a^2b^5)e^{(-6dx-6c)} + (a^7 + 5a^6b + 10a^5b^2 + 10a^4b^3 + 5a^3b^4 + a^2b^5)e^{(-8dx-8c)})d} + \log(e^{-dx-c} + 1)/(a^3d) + \log(e^{-dx-c} - 1)/(a^3d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="maxima")

[Out]  $-1/2*(3*a^2*b + 3*a*b^2 + b^3)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) + 2*((3*a^2*b^2 + 4*a*b^3 + b^4)*e^{(-2*d*x - 2*c)} + 2*(3*a^2*b^2 - a*b^3 - b^4)*e^{(-4*d*x - 4*c)} + (3*a^2*b^2 + 4*a*b^3 + b^4)*e^{(-6*d*x - 6*c)})/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-2*d*x - 2*c)} + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*e^{(-4*d*x - 4*c)} + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*e^{(-6*d*x - 6*c)} + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*e^{(-8*d*x - 8*c)})*d) + \log(e^{-d*x - c} + 1)/(a^3*d) + \log(e^{-d*x - c} - 1)/(a^3*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{coth}(c + dx)}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3, x)

[Out] int(coth(c + d\*x)/(a + b\*tanh(c + d\*x)^2)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{coth}(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)/(a+b\*tanh(d\*x+c)\*\*2)\*\*3, x)

[Out] Integral(coth(c + d\*x)/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

$$3.198 \quad \int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=178

$$\frac{b(9a+5b) \coth(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} - \frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d(a+b)^3} - \frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3d(a+b)^2}$$

[Out]  $x/(a+b)^3 - 1/8*b^{3/2}*(35*a^2+42*a*b+15*b^2)*\arctan(b^{1/2}*\tanh(d*x+c)/a^{1/2})/a^{7/2}/(a+b)^3/d - 1/8*(8*a^2+27*a*b+15*b^2)*\coth(d*x+c)/a^3/(a+b)^2/d + 1/4*b*\coth(d*x+c)/a/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2 + 1/8*b*(9*a+5*b)*\coth(d*x+c)/a^2/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.29, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3670, 472, 579, 583, 522, 206, 205}

$$\frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3d(a+b)^2} - \frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}d(a+b)^3} + \frac{b(9a+5b) \coth(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $x/(a+b)^3 - (b^{3/2}*(35*a^2+42*a*b+15*b^2)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(8*a^{7/2}*(a+b)^3*d) - ((8*a^2+27*a*b+15*b^2)*\text{Coth}[c+d*x])/(8*a^3*(a+b)^2*d) + (b*\text{Coth}[c+d*x])/(4*a*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2)^2) + (b*(9*a+5*b)*\text{Coth}[c+d*x])/(8*a^2*(a+b)^2*d*(a+b*\text{Tanh}[c+d*x]^2))$

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 472

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntegerBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 579

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*g*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(g*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]
```

### Rule 583

```
Int[((g_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

### Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-4a-5b+5bx^2}{x^2(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4a(a+b)d} \\
&= \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(9a+5b) \coth(c+dx)}{8a^2(a+b)^2d (a+b \tanh^2(c+dx))} + \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)} dx, x, \tanh(c+dx)\right)}{8a^2} \\
&= -\frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3(a+b)^2d} + \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)} dx, x, \tanh(c+dx)\right)}{8a^2} \\
&= -\frac{(8a^2+27ab+15b^2) \coth(c+dx)}{8a^3(a+b)^2d} + \frac{b \coth(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}\left(\int \frac{1}{x^2(1-x^2)} dx, x, \tanh(c+dx)\right)}{8a^2} \\
&= \frac{x}{(a+b)^3} - \frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{7/2}(a+b)^3d} - \frac{(8a^2+27ab+15b^2)}{8a^3(a+b)^2}
\end{aligned}$$

**Mathematica [A]** time = 6.31, size = 166, normalized size = 0.93

$$\frac{\frac{b^2(13a+7b) \sinh(2(c+dx))}{a^3(a+b)^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{8 \coth(c+dx)}{a^3} + \frac{4b^3 \sinh(2(c+dx))}{a^2(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} + \frac{b^{3/2}(35a^2+42ab+15b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}(a+b)^3}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^2/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] -1/8\*((-8\*(c + d\*x))/(a + b)^3 + (b^(3/2)\*(35\*a^2 + 42\*a\*b + 15\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]]/(a^(7/2)\*(a + b)^3) + (8\*Coth[c + d\*x])/a^3 + (4\*b^3\*Sinh[2\*(c + d\*x)]/(a^2\*(a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)]))^2) + (b^2\*(13\*a + 7\*b)\*Sinh[2\*(c + d\*x)]/(a^3\*(a + b)^2\*(a - b + (a + b)\*Cosh[2\*(c + d\*x)])))/d

fricas [B] time = 0.68, size = 11865, normalized size = 66.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^2/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(16*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^{10} + 160*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^9 + 16*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\sinh(d*x + c)^{10} - 4*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^8 - 4*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 180*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^2 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\sinh(d*x + c)^8 + 32*(60*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^3 - (8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 8*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^6 + 8*(420*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^4 - 16*a^5 - 48*a^4*b - 19*a^3*b^2 + 28*a^2*b^3 + 69*a*b^4 + 30*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 16*(252*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^5 - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^3 - 3*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 32*a^5 - 160*a^4*b - 372*a^3*b^2 - 452*a^2*b^3 - 268*a*b^4 - 60*b^5 - 8*(24*a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^4 + 8*(420*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^6 - 24*a^5 - 56*a^4*b - 48*a^3*b^2 - 33*a^2*b^3 - 86*a*b^4 - 45*b^5 - 35*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^4 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x - 15*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + 32*(60*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^7 - 7*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^5 - 5*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^3 - (24*a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 - 16*(a^5 + 2*a^4*b + a^3*b^2)*d*x - 8*(16*a^5 + 48*a^4*b + 45*a^3*b^2 - 36*a^2*b^3 - 79*a*b^4 - 30*b^5 + 2*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2 + 8*(90*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^8 - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh($$



$$\begin{aligned}
& d*x + c)^6 - 16*a^5 - 48*a^4*b - 45*a^3*b^2 + 36*a^2*b^3 + 79*a*b^4 + 30*b^5 \\
& - 15*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4 \\
& *(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^4 - 2*(3*a^5 - 2*a^4*b - 5* \\
& a^3*b^2)*d*x - 6*(24*a^5 + 56*a^4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + \\
& 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2*\sinh(d*x + c)^ \\
& 2 + ((35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + \\
& c)^10 + 10*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh( \\
& d*x + c)*\sinh(d*x + c)^9 + (35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 \\
& + 15*b^5)*\sinh(d*x + c)^10 + (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a \\
& *b^4 - 75*b^5)*\cosh(d*x + c)^8 + (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 24 \\
& 0*a*b^4 - 75*b^5 + 45*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15 \\
& *b^5)*\cosh(d*x + c)^2*\sinh(d*x + c)^8 + 8*(15*(35*a^4*b + 112*a^3*b^2 + 13 \\
& 4*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^3 + (105*a^4*b + 56*a^3*b^2 - \\
& 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^7 + 2*(35*a^ \\
& 4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^6 + 2*(3 \\
& 5*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5 + 105*(35*a^4*b + 1 \\
& 12*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^4 + 14*(105*a^4 \\
& *b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^2*\sinh(d \\
& *x + c)^6 + 4*(63*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5 \\
& )*\cosh(d*x + c)^5 + 14*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - \\
& 75*b^5)*\cosh(d*x + c)^3 + 3*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^ \\
& 4 + 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 35*a^4*b - 112*a^3*b^2 - 134*a \\
& ^2*b^3 - 72*a*b^4 - 15*b^5 - 2*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a \\
& *b^4 + 75*b^5)*\cosh(d*x + c)^4 + 2*(105*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b \\
& ^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^6 - 35*a^4*b + 28*a^3*b^2 - 106*a^2*b \\
& ^3 - 180*a*b^4 - 75*b^5 + 35*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a* \\
& b^4 - 75*b^5)*\cosh(d*x + c)^4 + 15*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 1 \\
& 80*a*b^4 + 75*b^5)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 + 8*(15*(35*a^4*b + 112 \\
& *a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^7 + 7*(105*a^4*b \\
& + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^5 + 5*(35*a^ \\
& 4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^3 - (35* \\
& a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c))*\sinh( \\
& d*x + c)^3 - (105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\co \\
& sh(d*x + c)^2 + (45*(35*a^4*b + 112*a^3*b^2 + 134*a^2*b^3 + 72*a*b^4 + 15*b \\
& ^5)*\cosh(d*x + c)^8 + 28*(105*a^4*b + 56*a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 \\
& - 75*b^5)*\cosh(d*x + c)^6 - 105*a^4*b - 56*a^3*b^2 + 214*a^2*b^3 + 240*a*b^ \\
& 4 + 75*b^5 + 30*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)* \\
& \cosh(d*x + c)^4 - 12*(35*a^4*b - 28*a^3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75* \\
& b^5)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 2*(5*(35*a^4*b + 112*a^3*b^2 + 134* \\
& a^2*b^3 + 72*a*b^4 + 15*b^5)*\cosh(d*x + c)^9 + 4*(105*a^4*b + 56*a^3*b^2 - \\
& 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c)^7 + 6*(35*a^4*b - 28*a^3*b^ \\
& 2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^5 - 4*(35*a^4*b - 28*a^ \\
& 3*b^2 + 106*a^2*b^3 + 180*a*b^4 + 75*b^5)*\cosh(d*x + c)^3 - (105*a^4*b + 56 \\
& *a^3*b^2 - 214*a^2*b^3 - 240*a*b^4 - 75*b^5)*\cosh(d*x + c))*\sinh(d*x + c))* \\
& \sqrt{-b/a}*\log(((a^2 + 2*a*b + b^2)*\cosh(d*x + c)^4 + 4*(a^2 + 2*a*b + b^2)
\end{aligned}$$

$$\begin{aligned}
& * \cosh(dx + c) * \sinh(dx + c)^3 + (a^2 + 2ab + b^2) * \sinh(dx + c)^4 + 2(a^2 - b^2) * \cosh(dx + c)^2 + 2(3(a^2 + 2ab + b^2) * \cosh(dx + c)^2 + a^2 - b^2) * \sinh(dx + c)^2 + a^2 - 6ab + b^2 + 4((a^2 + 2ab + b^2) * \cosh(dx + c)^3 + (a^2 - b^2) * \cosh(dx + c)) * \sinh(dx + c) - 4((a^2 + ab) * \cosh(dx + c)^2 + 2(a^2 + ab) * \cosh(dx + c) * \sinh(dx + c) + (a^2 + ab) * \sinh(dx + c)^2 + a^2 - ab) * \sqrt{-b/a}) / ((a + b) * \cosh(dx + c)^4 + 4(a + b) * \cosh(dx + c) * \sinh(dx + c)^3 + (a + b) * \sinh(dx + c)^4 + 2(a - b) * \cosh(dx + c)^2 + 2(3(a + b) * \cosh(dx + c)^2 + a - b) * \sinh(dx + c)^2 + 4((a + b) * \cosh(dx + c)^3 + (a - b) * \cosh(dx + c)) * \sinh(dx + c) + a + b)) + 16(10(a^5 + 2a^4b + a^3b^2) * dx * \cosh(dx + c)^9 - 2(8a^5 + 40a^4b + 67a^3b^2 + 77a^2b^3 + 57ab^4 + 15b^5 - 4(3a^5 - 2a^4b - 5a^3b^2) * dx) * \cosh(dx + c)^7 - 3(16a^5 + 48a^4b + 19a^3b^2 - 28a^2b^3 - 69ab^4 - 30b^5 - 4(a^5 - 2a^4b + 5a^3b^2) * dx) * \cosh(dx + c)^5 - 2(24a^5 + 56a^4b + 48a^3b^2 + 33a^2b^3 + 86ab^4 + 45b^5 + 4(a^5 - 2a^4b + 5a^3b^2) * dx) * \cosh(dx + c)^3 - (16a^5 + 48a^4b + 45a^3b^2 - 36a^2b^3 - 79ab^4 - 30b^5 + 2(3a^5 - 2a^4b - 5a^3b^2) * dx) * \cosh(dx + c)) * \sinh(dx + c)) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^10 + 10(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c) * \sinh(dx + c)^9 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \sinh(dx + c)^10 + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^8 + (45(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^2 + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d) * \sinh(dx + c)^8 + 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^6 + 8(15(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^3 + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)) * \sinh(dx + c)^7 + 2(105(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^4 + 14(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^2 + (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d) * \sinh(dx + c)^6 - 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^4 + 4(63(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^5 + 14(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^3 + 3(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)) * \sinh(dx + c)^5 + 2(105(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^6 + 35(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^4 + 15(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^2 - (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d) * \sinh(dx + c)^4 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^2 + 8(15(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^7 + 7(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^5 + 5(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)
\end{aligned}$$

$$\begin{aligned}
&)^3 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cos \\
&h(d*x + c))*\sinh(d*x + c)^3 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 \\
&+ 5*a^4*b^4 + a^3*b^5)*d*\cosh(d*x + c)^8 + 28*(3*a^8 + 7*a^7*b - 2*a^6*b^2 \\
&- 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^6 + 30*(a^8 + a^7*b \\
&+ 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^4 - 12*( \\
&a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + \\
&c)^2 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5) \\
&*d)*\sinh(d*x + c)^2 - (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 \\
&+ a^3*b^5)*d + 2*(5*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + \\
&a^3*b^5)*d*\cosh(d*x + c)^9 + 4*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - \\
&17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)^7 + 6*(a^8 + a^7*b + 2*a^6*b^2 + 10 \\
&*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^5 - 4*(a^8 + a^7*b + 2*a \\
&^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*d*\cosh(d*x + c)^3 - (3*a^8 + \\
&7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*d*\cosh(d*x + c)) \\
&*\sinh(d*x + c)), 1/8*(8*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^10 + 80 \\
&*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)*\sinh(d*x + c)^9 + 8*(a^5 + 2*a \\
&^4*b + a^3*b^2)*d*x*\sinh(d*x + c)^10 - 2*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 7 \\
&7*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d \\
&*x + c)^8 - 2*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b \\
&^5 - 180*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^2 - 4*(3*a^5 - 2*a^4*b \\
&- 5*a^3*b^2)*d*x)*\sinh(d*x + c)^8 + 16*(60*(a^5 + 2*a^4*b + a^3*b^2)*d*x*c \\
&osh(d*x + c)^3 - (8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 1 \\
&5*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^7 \\
&- 4*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*( \\
&a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^6 + 4*(420*(a^5 + 2*a^4*b + a \\
&^3*b^2)*d*x*\cosh(d*x + c)^4 - 16*a^5 - 48*a^4*b - 19*a^3*b^2 + 28*a^2*b^3 + \\
&69*a*b^4 + 30*b^5 + 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x - 14*(8*a^5 + 40*a^4 \\
&*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a \\
&^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 8*(252*(a^5 + 2*a^4*b + a^3 \\
&*b^2)*d*x*\cosh(d*x + c)^5 - 14*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 \\
&+ 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^3 \\
&- 3*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30*b^5 - 4*(a \\
&^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c)^5 - 16*a^5 - 80 \\
&*a^4*b - 186*a^3*b^2 - 226*a^2*b^3 - 134*a*b^4 - 30*b^5 - 4*(24*a^5 + 56*a^ \\
&4*b + 48*a^3*b^2 + 33*a^2*b^3 + 86*a*b^4 + 45*b^5 + 4*(a^5 - 2*a^4*b + 5*a^ \\
&3*b^2)*d*x)*\cosh(d*x + c)^4 + 4*(420*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x \\
&+ c)^6 - 24*a^5 - 56*a^4*b - 48*a^3*b^2 - 33*a^2*b^3 - 86*a*b^4 - 45*b^5 - \\
&35*(8*a^5 + 40*a^4*b + 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3* \\
&a^5 - 2*a^4*b - 5*a^3*b^2)*d*x)*\cosh(d*x + c)^4 - 4*(a^5 - 2*a^4*b + 5*a^3* \\
&b^2)*d*x - 15*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 - 69*a*b^4 - 30* \\
&b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^4 + \\
&16*(60*(a^5 + 2*a^4*b + a^3*b^2)*d*x*\cosh(d*x + c)^7 - 7*(8*a^5 + 40*a^4*b \\
&+ 67*a^3*b^2 + 77*a^2*b^3 + 57*a*b^4 + 15*b^5 - 4*(3*a^5 - 2*a^4*b - 5*a^3 \\
&b^2)*d*x)*\cosh(d*x + c)^5 - 5*(16*a^5 + 48*a^4*b + 19*a^3*b^2 - 28*a^2*b^3 \\
&- 69*a*b^4 - 30*b^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*d*x)*\cosh(d*x + c)^3 -
\end{aligned}$$

$$\begin{aligned}
& (24a^5 + 56a^4b + 48a^3b^2 + 33a^2b^3 + 86ab^4 + 45b^5 + 4(a^5 \\
& - 2a^4b + 5a^3b^2)d*x) * \cosh(d*x + c) * \sinh(d*x + c)^3 - 8(a^5 + 2a^4 \\
& *b + a^3b^2)d*x - 4(16a^5 + 48a^4b + 45a^3b^2 - 36a^2b^3 - 79ab^4 \\
& ^4 - 30b^5 + 2(3a^5 - 2a^4b - 5a^3b^2)d*x) * \cosh(d*x + c)^2 + 4(90 \\
& (a^5 + 2a^4b + a^3b^2)d*x * \cosh(d*x + c)^8 - 14(8a^5 + 40a^4b + 67a \\
& ^3b^2 + 77a^2b^3 + 57ab^4 + 15b^5 - 4(3a^5 - 2a^4b - 5a^3b^2)d \\
& *x) * \cosh(d*x + c)^6 - 16a^5 - 48a^4b - 45a^3b^2 + 36a^2b^3 + 79ab^4 \\
& + 30b^5 - 15(16a^5 + 48a^4b + 19a^3b^2 - 28a^2b^3 - 69ab^4 - 3 \\
& 0b^5 - 4(a^5 - 2a^4b + 5a^3b^2)d*x) * \cosh(d*x + c)^4 - 2(3a^5 - 2a \\
& ^4b - 5a^3b^2)d*x - 6(24a^5 + 56a^4b + 48a^3b^2 + 33a^2b^3 + 86 \\
& *ab^4 + 45b^5 + 4(a^5 - 2a^4b + 5a^3b^2)d*x) * \cosh(d*x + c)^2) * \sinh( \\
& d*x + c)^2 - ((35a^4b + 112a^3b^2 + 134a^2b^3 + 72ab^4 + 15b^5) * \co \\
& sh(d*x + c)^10 + 10(35a^4b + 112a^3b^2 + 134a^2b^3 + 72ab^4 + 15b \\
& ^5) * \cosh(d*x + c) * \sinh(d*x + c)^9 + (35a^4b + 112a^3b^2 + 134a^2b^3 + \\
& 72ab^4 + 15b^5) * \sinh(d*x + c)^10 + (105a^4b + 56a^3b^2 - 214a^2b^ \\
& 3 - 240ab^4 - 75b^5) * \cosh(d*x + c)^8 + (105a^4b + 56a^3b^2 - 214a^2 \\
& *b^3 - 240ab^4 - 75b^5 + 45(35a^4b + 112a^3b^2 + 134a^2b^3 + 72a \\
& *b^4 + 15b^5) * \cosh(d*x + c)^2) * \sinh(d*x + c)^8 + 8(15(35a^4b + 112a^3 \\
& *b^2 + 134a^2b^3 + 72ab^4 + 15b^5) * \cosh(d*x + c)^3 + (105a^4b + 56a \\
& ^3b^2 - 214a^2b^3 - 240ab^4 - 75b^5) * \cosh(d*x + c)) * \sinh(d*x + c)^7 + \\
& 2(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5) * \cosh(d*x + c) \\
& ^6 + 2(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5 + 105(35 \\
& a^4b + 112a^3b^2 + 134a^2b^3 + 72ab^4 + 15b^5) * \cosh(d*x + c)^4 + 14 \\
& *(105a^4b + 56a^3b^2 - 214a^2b^3 - 240ab^4 - 75b^5) * \cosh(d*x + c)^ \\
& 2) * \sinh(d*x + c)^6 + 4(63(35a^4b + 112a^3b^2 + 134a^2b^3 + 72ab^4 \\
& + 15b^5) * \cosh(d*x + c)^5 + 14(105a^4b + 56a^3b^2 - 214a^2b^3 - 240 \\
& *ab^4 - 75b^5) * \cosh(d*x + c)^3 + 3(35a^4b - 28a^3b^2 + 106a^2b^3 + \\
& 180ab^4 + 75b^5) * \cosh(d*x + c)) * \sinh(d*x + c)^5 - 35a^4b - 112a^3b^ \\
& 2 - 134a^2b^3 - 72ab^4 - 15b^5 - 2(35a^4b - 28a^3b^2 + 106a^2b^ \\
& 3 + 180ab^4 + 75b^5) * \cosh(d*x + c)^4 + 2(105(35a^4b + 112a^3b^2 + \\
& 134a^2b^3 + 72ab^4 + 15b^5) * \cosh(d*x + c)^6 - 35a^4b + 28a^3b^2 - \\
& 106a^2b^3 - 180ab^4 - 75b^5 + 35(105a^4b + 56a^3b^2 - 214a^2b^3 \\
& - 240ab^4 - 75b^5) * \cosh(d*x + c)^4 + 15(35a^4b - 28a^3b^2 + 106a^ \\
& 2b^3 + 180ab^4 + 75b^5) * \cosh(d*x + c)^2) * \sinh(d*x + c)^4 + 8(15(35a^ \\
& 4b + 112a^3b^2 + 134a^2b^3 + 72ab^4 + 15b^5) * \cosh(d*x + c)^7 + 7(1 \\
& 05a^4b + 56a^3b^2 - 214a^2b^3 - 240ab^4 - 75b^5) * \cosh(d*x + c)^5 + \\
& 5(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5) * \cosh(d*x + c) \\
& ^3 - (35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5) * \cosh(d*x + \\
& c)) * \sinh(d*x + c)^3 - (105a^4b + 56a^3b^2 - 214a^2b^3 - 240ab^4 - 7 \\
& 5b^5) * \cosh(d*x + c)^2 + (45(35a^4b + 112a^3b^2 + 134a^2b^3 + 72ab^ \\
& ^4 + 15b^5) * \cosh(d*x + c)^8 + 28(105a^4b + 56a^3b^2 - 214a^2b^3 - 2 \\
& 40ab^4 - 75b^5) * \cosh(d*x + c)^6 - 105a^4b - 56a^3b^2 + 214a^2b^3 + \\
& 240ab^4 + 75b^5 + 30(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + \\
& 75b^5) * \cosh(d*x + c)^4 - 12(35a^4b - 28a^3b^2 + 106a^2b^3 + 180a \\
& *b^4 + 75b^5) * \cosh(d*x + c)^2) * \sinh(d*x + c)^2 + 2(5(35a^4b + 112a^3b
\end{aligned}$$

$$\begin{aligned}
&^2 + 134a^2b^3 + 72ab^4 + 15b^5) \cosh(dx + c)^9 + 4(105a^4b + 56a^3b^2 - 214a^2b^3 - 240ab^4 - 75b^5) \cosh(dx + c)^7 + 6(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5) \cosh(dx + c)^5 - 4(35a^4b - 28a^3b^2 + 106a^2b^3 + 180ab^4 + 75b^5) \cosh(dx + c)^3 - (105a^4b + 56a^3b^2 - 214a^2b^3 - 240ab^4 - 75b^5) \cosh(dx + c) \sinh(dx + c) \sqrt{b/a} \arctan(1/2((a + b) \cosh(dx + c)^2 + 2(a + b) \cosh(dx + c) \sinh(dx + c) + (a + b) \sinh(dx + c)^2 + a - b) \sqrt{b/a}/b) + 8(10(a^5 + 2a^4b + a^3b^2) dx \cosh(dx + c)^9 - 2(8a^5 + 40a^4b + 67a^3b^2 + 77a^2b^3 + 57ab^4 + 15b^5 - 4(3a^5 - 2a^4b - 5a^3b^2) dx) \cosh(dx + c)^7 - 3(16a^5 + 48a^4b + 19a^3b^2 - 28a^2b^3 - 69ab^4 - 30b^5 - 4(a^5 - 2a^4b + 5a^3b^2) dx) \cosh(dx + c)^5 - 2(24a^5 + 56a^4b + 48a^3b^2 + 33a^2b^3 + 86ab^4 + 45b^5 + 4(a^5 - 2a^4b + 5a^3b^2) dx) \cosh(dx + c)^3 - (16a^5 + 48a^4b + 45a^3b^2 - 36a^2b^3 - 79ab^4 - 30b^5 + 2(3a^5 - 2a^4b - 5a^3b^2) dx) \cosh(dx + c) \sinh(dx + c)) / ((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^{10} + 10(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c) \sinh(dx + c)^9 + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \sinh(dx + c)^{10} + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^8 + (45(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^2 + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d) \sinh(dx + c)^8 + 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c)^6 + 8(15(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^3 + (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)) \sinh(dx + c)^7 + 2(105(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^4 + 14(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^2 + (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d) \sinh(dx + c)^6 - 2(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c)^4 + 4(63(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^5 + 14(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^3 + 3(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c)) \sinh(dx + c)^5 + 2(105(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^6 + 35(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^4 + 15(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c)^2 - (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d) \sinh(dx + c)^4 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^2 + 8(15(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) d \cosh(dx + c)^7 + 7(3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) d \cosh(dx + c)^5 + 5(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c)^3 - (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) d \cosh(dx + c) \sinh(dx + c)^3 + (45(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3
\end{aligned}$$

$$\begin{aligned} &^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^8 + 28 * (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^6 + 30 * (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^4 - 12 * (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^2 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \sinh(dx + c)^2 - (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d + 2 * (5 * (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5) * d * \cosh(dx + c)^9 + 4 * (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)^7 + 6 * (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^5 - 4 * (a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5) * d * \cosh(dx + c)^3 - (3a^8 + 7a^7b - 2a^6b^2 - 18a^5b^3 - 17a^4b^4 - 5a^3b^5) * d * \cosh(dx + c)) * \sinh(dx + c)) \end{aligned}$$

**giac [B]** time = 0.55, size = 437, normalized size = 2.46

$$\frac{(35a^2b^2 + 42ab^3 + 15b^4) \arctan\left(\frac{ae^{2dx+2c} + be^{2dx+2c} + a - b}{2\sqrt{ab}}\right)}{(a^6 + 3a^5b + 3a^4b^2 + a^3b^3)\sqrt{ab}} - \frac{8(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{2(13a^3b^2e^{6dx+6c} + 3a^2b^3e^{6dx+6c} - 17ab^4e^{6dx+6c} - 7b^5e^{6dx+6c})}{a^3 + 3a^2b + 3ab^2 + b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^2/(a+b\*tanh(dx+c))^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} &-1/8 * ((35a^2b^2 + 42a^3b^3 + 15b^4) * \arctan(1/2 * (a * e^{2 * dx + 2 * c}) + b * e^{2 * dx + 2 * c}) / \sqrt{a * b}) / ((a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * \sqrt{a * b}) - 8 * (dx + c) / (a^3 + 3a^2b + 3a * b^2 + b^3) - 2 * (13a^3b^2 * e^{6 * dx + 6 * c} + 3a^2b^3 * e^{6 * dx + 6 * c} - 17a * b^4 * e^{6 * dx + 6 * c} - 7 * b^5 * e^{6 * dx + 6 * c} + 39a^3b^2 * e^{4 * dx + 4 * c} - 5a^2b^3 * e^{4 * dx + 4 * c} + 25a * b^4 * e^{4 * dx + 4 * c} + 21b^5 * e^{4 * dx + 4 * c} + 39a^3b^2 * e^{2 * dx + 2 * c} + 25a^2b^3 * e^{2 * dx + 2 * c} - 35a * b^4 * e^{2 * dx + 2 * c} - 21b^5 * e^{2 * dx + 2 * c} + 13a^3b^2 + 33a^2b^3 + 27a * b^4 + 7b^5) / ((a^6 + 3a^5b + 3a^4b^2 + a^3b^3) * (a * e^{4 * dx + 4 * c} + b * e^{4 * dx + 4 * c} + 2a * e^{2 * dx + 2 * c} - 2b * e^{2 * dx + 2 * c} + a + b)^2) + 16 / (a^3 * (e^{2 * dx + 2 * c} - 1)) / d \end{aligned}$$

**maple [B]** time = 0.48, size = 2045, normalized size = 11.49

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(dx+c)^2/(a+b\*tanh(dx+c))^3,x)

[Out] 
$$\begin{aligned} &-1/d/(a+b)^3 * \ln(\tanh(1/2 * dx + 1/2 * c) - 1) + 1/d/(a+b)^3 * \ln(\tanh(1/2 * dx + 1/2 * c) + 1) + 15/8/d * b^5/(a+b)^3/a^3/(b * (a+b))^{1/2} / ((2 * (b * (a+b))^{1/2} + a + 2 * b) * a)^{1/2} * \arctan(a * \tanh(1/2 * dx + 1/2 * c) / ((2 * (b * (a+b))^{1/2} + a + 2 * b) * a)^{1/2}) - 1/2/d/a \end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{\tanh(1/2dx+1/2c)} - 1/2/d/a^3/\tanh(1/2dx+1/2c) + 15/8/d*b^5/(a+b)^3/a^3 \\
& / (b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx \\
& + 1/2c)) / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} + 77/8/d*b^3/(a+b)^3/a/(b*(a+b)) \\
& ^{1/2} / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx+1/2c)) / (( \\
& 2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} + 57/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{1/2} / ( \\
& (2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+ \\
& b))^{1/2} - a - 2*b)*a)^{1/2} + 77/8/d*b^3/(a+b)^3/a/(b*(a+b))^{1/2} / ((2*(b*(a+b) \\
& ))^{1/2} + a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} + a \\
& + 2*b)*a)^{1/2} + 57/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} + \\
& a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} + a + 2*b)*a)^{ \\
& (1/2)} - 13/4/d*b^2/(a+b)^3/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * \\
& a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^7 - 55/2/d*b^3/(a+b)^3/( \\
& \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b \\
& + a )^2 / a * \tanh(1/2dx+1/2c) )^5 + 35/8/d*b^2/(a+b)^3/(b*(a+b))^{1/2} / ((2*(b*(a+ \\
& b))^{1/2} + a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} + \\
& a + 2*b)*a)^{1/2} - 99/4/d*b^4/(a+b)^3/a^2/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2 \\
& *dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^5 - 55/2/d \\
& *b^3/(a+b)^3/a/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/ \\
& 2*dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^3 - 99/4/d*b^4/(a+b)^3/a^2/( \tanh(1/ \\
& 2*dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \t \\
& \operatorname{anh}(1/2dx+1/2c) )^3 - 11/2/d*b^3/(a+b)^3/a/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1 \\
& /2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) ) - 35/8/d \\
& *b^2/(a+b)^3/a/((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx+1 \\
& /2c)) / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} + 35/8/d*b^2/(a+b)^3/a/((2*(b*(a+b) \\
& ))^{1/2} + a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} + a \\
& + 2*b)*a)^{1/2} - 7/d*b^5/(a+b)^3/a^3/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx \\
& + 1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^5 + 15/8/d*b^4 \\
& / (a+b)^3/a^3/((2*(b*(a+b))^{1/2} + a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/2 \\
& c)) / ((2*(b*(a+b))^{1/2} + a + 2*b)*a)^{1/2} - 11/2/d*b^3/(a+b)^3/a/( \tanh(1/2dx+ \\
& 1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/ \\
& 2*dx+1/2c) )^7 - 9/4/d*b^4/(a+b)^3/a^2/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2d \\
& x+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^7 - 7/d*b^5/( \\
& a+b)^3/a^3/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2d \\
& x+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^3 - 21/4/d*b^3/(a+b)^3/a^2/((2*(b*(a+b) \\
& ))^{1/2} - a - 2*b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} - a \\
& - 2*b)*a)^{1/2} - 15/8/d*b^4/(a+b)^3/a^3/((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} * \\
& \operatorname{arctanh}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/2} + 21/4/d*b \\
& ^3/(a+b)^3/a^2/((2*(b*(a+b))^{1/2} + a + 2*b)*a)^{1/2} * \operatorname{arctan}(a*\tanh(1/2dx+1/ \\
& 2c)) / ((2*(b*(a+b))^{1/2} + a + 2*b)*a)^{1/2} - 9/4/d*b^4/(a+b)^3/a^2/( \tanh(1/2d \\
& *x+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh \\
& (1/2dx+1/2c) ) + 35/8/d*b^2/(a+b)^3/(b*(a+b))^{1/2} / ((2*(b*(a+b))^{1/2} - a - 2* \\
& b)*a)^{1/2} * \operatorname{arctanh}(a*\tanh(1/2dx+1/2c)) / ((2*(b*(a+b))^{1/2} - a - 2*b)*a)^{1/ \\
& 2)} - 39/4/d*b^2/(a+b)^3/( \tanh(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4 \\
& * \tanh(1/2dx+1/2c) )^2 * b + a )^2 * \tanh(1/2dx+1/2c) )^5 - 39/4/d*b^2/(a+b)^3/( \tan \\
& h(1/2dx+1/2c) )^4 * a + 2*\tanh(1/2dx+1/2c) )^2 * a + 4*\tanh(1/2dx+1/2c) )^2 * b + a )
\end{aligned}$$

$\int \frac{\tanh^2(1/2 dx + 1/2 c) - 13/4 d b^2 / (a+b)^3 / (\tanh(1/2 dx + 1/2 c)^4 a + 2 \tanh(1/2 dx + 1/2 c)^2 a + 4 \tanh(1/2 dx + 1/2 c)^2 b + a)^2 \tanh(1/2 dx + 1/2 c)}{dx}$

**maxima** [B] time = 0.94, size = 1944, normalized size = 10.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^2/(a+b\*tanh(dx+c))^2)^3,x, algorithm="maxima")

[Out] 
$$-1/4*(3*a^2*b + 3*a*b^2 + b^3)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d) + 1/4*(3*a^2*b + 3*a*b^2 + b^3)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*d) + 1/32*(15*a^3*b - 25*a^2*b^2 - 39*a*b^3 - 15*b^4)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\sqrt{a*b}*d) - 1/32*(15*a^3*b - 25*a^2*b^2 - 39*a*b^3 - 15*b^4)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^6 + 3*a^5*b + 3*a^4*b^2 + a^3*b^3)*\sqrt{a*b}*d) + 1/16*(8*a^5 + 31*a^4*b + 72*a^3*b^2 + 98*a^2*b^3 + 64*a*b^4 + 15*b^5 + (8*a^5 + 49*a^4*b + 18*a^3*b^2 + 38*a*b^4 + 15*b^5)*e^{(8*d*x + 8*c)} + 2*(16*a^5 + 57*a^4*b - 9*a^3*b^2 + 37*a^2*b^3 - 39*a*b^4 - 30*b^5)*e^{(6*d*x + 6*c)} + 2*(24*a^5 + 56*a^4*b + 83*a^3*b^2 - 37*a^2*b^3 + 53*a*b^4 + 45*b^5)*e^{(4*d*x + 4*c)} + 2*(16*a^5 + 39*a^4*b + 73*a^3*b^2 + 15*a^2*b^3 - 65*a*b^4 - 30*b^5)*e^{(2*d*x + 2*c)})/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5 - (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*e^{(10*d*x + 10*c)} - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*e^{(8*d*x + 8*c)} - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*e^{(6*d*x + 6*c)} + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*e^{(4*d*x + 4*c)} + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*e^{(2*d*x + 2*c)}))*d) - 1/16*(8*a^5 + 31*a^4*b + 72*a^3*b^2 + 98*a^2*b^3 + 64*a*b^4 + 15*b^5 + 2*(16*a^5 + 39*a^4*b + 73*a^3*b^2 + 15*a^2*b^3 - 65*a*b^4 - 30*b^5)*e^{(-2*d*x - 2*c)} + 2*(24*a^5 + 56*a^4*b + 83*a^3*b^2 - 37*a^2*b^3 + 53*a*b^4 + 45*b^5)*e^{(-4*d*x - 4*c)} + 2*(16*a^5 + 57*a^4*b - 9*a^3*b^2 + 37*a^2*b^3 - 39*a*b^4 - 30*b^5)*e^{(-6*d*x - 6*c)} + (8*a^5 + 49*a^4*b + 18*a^3*b^2 + 38*a*b^4 + 15*b^5)*e^{(-8*d*x - 8*c)})/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*e^{(-2*d*x - 2*c)} + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*e^{(-4*d*x - 4*c)} - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*e^{(-6*d*x - 6*c)} - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*e^{(-8*d*x - 8*c)} - (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*e^{(-10*d*x - 10*c)}))*d) - 1/8*(8*a^4 + 41*a^3*b + 73*a^2*b^2 + 55*a*b^3 + 15*b^4 + 2*(16*a^4 + 41*a^3*b - 55*a*b^3 - 30*b^4)*e^{(-2*d*x - 2*c)} + 2*(24*a^4 + 32*a^3*b + 5*a^2*b^2 + 50*a*b^3 + 45*b^4)*e^{(-4*d*x - 4*c)} + 2*(16*a^4 + 23*a^3*b - 45*a*b^3 - 30*b^4)*e^{(-6*d*x - 6*c)} + (8*a^4 + 41*a^3*b + 73*a^2*b^2 + 55*a*b^3 + 15*b^4)*e^{(-8*d*x - 8*c)})/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*e^{(-10*d*x - 10*c)})$$



$$\begin{aligned} & e^{(-6dx - 6c)} + (8a^4 + 23a^3b + 45a^2b^2 + 45ab^3 + 15b^4)e^{(-8dx - 8c)} \\ & \left/ \left( (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4 + (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4)e^{(-2dx - 2c)} + 2(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4)e^{(-4dx - 4c)} - 2(a^7 + 2a^5b^2 + 8a^4b^3 + 5a^3b^4)e^{(-6dx - 6c)} - (3a^7 + 4a^6b - 6a^5b^2 - 12a^4b^3 - 5a^3b^4)e^{(-8dx - 8c)} - (a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4)e^{(-10dx - 10c)}) \right) \right. \\ & \left. + 15/16b \arctan(1/2((a+b)e^{(-2dx - 2c)} + a - b)/\sqrt{ab}) / (\sqrt{ab}a^3d) + 1/2 \log(e^{(2dx + 2c)} - 1)/(a^3d) - 1/2 \log(e^{(-2dx - 2c)} - 1)/(a^3d) \right) \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)^2}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(coth(c + d\*x)^2/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*2/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)\*\*2/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

$$3.199 \quad \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=171

$$\frac{(a-3b) \log(\tanh(c+dx))}{a^4 d} - \frac{b^2(3a+2b)}{2a^3 d(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{\coth^2(c+dx)}{2a^3 d} - \frac{b^2}{4a^2 d(a+b) (a+b \tanh^2(c+dx))}$$

[Out]  $-1/2*\coth(d*x+c)^2/a^3/d+\ln(\cosh(d*x+c))/(a+b)^3/d+(a-3*b)*\ln(\tanh(d*x+c))/a^4/d+1/2*b^2*(6*a^2+8*a*b+3*b^2)*\ln(a+b*\tanh(d*x+c)^2)/a^4/(a+b)^3/d-1/4*b^2/a^2/(a+b)/d/(a+b*\tanh(d*x+c)^2)^2-1/2*b^2*(3*a+2*b)/a^3/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.26, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3670, 446, 88}

$$\frac{b^2(3a+2b)}{2a^3 d(a+b)^2 (a+b \tanh^2(c+dx))} - \frac{b^2}{4a^2 d(a+b) (a+b \tanh^2(c+dx))^2} + \frac{b^2 (6a^2 + 8ab + 3b^2) \log(a+b \tanh^2(c+dx))}{2a^4 d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out]  $-\text{Coth}[c + d*x]^2/(2*a^3*d) + \text{Log}[\text{Cosh}[c + d*x]]/((a + b)^3*d) + ((a - 3*b)*\text{Log}[\text{Tanh}[c + d*x]])/(a^4*d) + (b^2*(6*a^2 + 8*a*b + 3*b^2)*\text{Log}[a + b*\text{Tanh}[c + d*x]^2])/(2*a^4*(a + b)^3*d) - b^2/(4*a^2*(a + b)*d*(a + b*\text{Tanh}[c + d*x]^2)^2) - (b^2*(3*a + 2*b))/(2*a^3*(a + b)^2*d*(a + b*\text{Tanh}[c + d*x]^2))$

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((a\_.) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{\coth^3(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^3(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{(1-x)x^2(a+bx)^3} dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= \frac{\text{Subst}\left(\int \left(-\frac{1}{(a+b)^3(-1+x)} + \frac{1}{a^3x^2} + \frac{a-3b}{a^4x} + \frac{b^3}{a^2(a+b)(a+bx)^3} + \frac{b^3(3a+2b)}{a^3(a+b)^2(a+bx)^2} + \frac{b^3(6a^2+8ab+3b^2)}{a^4(a+b)^3(a+bx)}\right) dx, x, \tanh^2(c+dx)\right)}{2d} \\ &= -\frac{\coth^2(c+dx)}{2a^3d} + \frac{\log(\cosh(c+dx))}{(a+b)^3d} + \frac{(a-3b)\log(\tanh(c+dx))}{a^4d} + \frac{b^2(6a^2+8ab+3b^2)\log(a\coth^2(c+dx)+b)}{a^4(a+b)^3} - \frac{2\log(\sinh(c+dx))}{(a+b)^3} \end{aligned}$$

**Mathematica [A]** time = 1.91, size = 138, normalized size = 0.81

$$\frac{\frac{b^4}{2a^4(a+b)(a\coth^2(c+dx)+b)^2} - \frac{b^3(4a+3b)}{a^4(a+b)^2(a\coth^2(c+dx)+b)} + \frac{\coth^2(c+dx)}{a^3} - \frac{b^2(6a^2+8ab+3b^2)\log(a\coth^2(c+dx)+b)}{a^4(a+b)^3} - \frac{2\log(\sinh(c+dx))}{(a+b)^3}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^3/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out] -1/2\*(Coth[c + d\*x]^2/a^3 + b^4/(2\*a^4\*(a + b)\*(b + a\*Coth[c + d\*x]^2)^2) - (b^3\*(4\*a + 3\*b))/(a^4\*(a + b)^2\*(b + a\*Coth[c + d\*x]^2)) - (b^2\*(6\*a^2 + 8\*a\*b + 3\*b^2)\*Log[b + a\*Coth[c + d\*x]^2])/(a^4\*(a + b)^3) - (2\*Log[Sinh[c + d\*x]])/(a + b)^3)/d

**fricas [B]** time = 1.29, size = 10720, normalized size = 62.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(2*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^{12} + 24*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)*sinh(d*x + c)^{11} + 2*(a^6 + 2*a^5*b + a^4*b^2)*d*x*sinh(d*x + c)^{12} + 4*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^{10} + 4*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + 33*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^2 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*sinh(d*x + c)^{10} + 40*(11*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^3 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^9 + 2*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c)^8 + 2*(495*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^4 + 8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x + 90*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^8 + 16*(99*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^5 + 30*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^3 + (8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^7 + 8*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 2*a^3*b^3 + 15*a^2*b^4 + 9*a*b^5 - (a^6 - 2*a^5*b + 5*a^4*b^2)*d*x)*cosh(d*x + c)^6 + 8*(231*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^6 + 3*a^6 + 7*a^5*b + 6*a^4*b^2 + 2*a^3*b^3 + 15*a^2*b^4 + 9*a*b^5 + 105*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^4 - (a^6 - 2*a^5*b + 5*a^4*b^2)*d*x + 7*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^6 + 16*(99*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^7 + 63*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^5 + 7*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c)^3 + 3*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 2*a^3*b^3 + 15*a^2*b^4 + 9*a*b^5 - (a^6 - 2*a^5*b + 5*a^4*b^2)*d*x)*cosh(d*x + c))*sinh(d*x + c)^5 + 2*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c)^4 + 2*(495*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^8 + 420*(a^6 + 5*a^5*b + 10*a^4*b^2 + 14*a^3*b^3 + 11*a^2*b^4 + 3*a*b^5 + (a^6 - 2*a^5*b - 3*a^4*b^2)*d*x)*cosh(d*x + c)^6 + 8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 + 70*(8*a^6 + 24*a^5*b + 16*a^4*b^2 - 16*a^3*b^3 - 52*a^2*b^4 - 24*a*b^5 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x)*cosh(d*x + c)^4 - (a^6 + 2*a^5*b - 15*a^4*b^2)*d*x + 60*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 2*a^3*b^3 + 15*a^2*b^4 + 9*a*b^5 - (a^6 - 2*a^5*b + 5*a^4*b^2)*d*x)*cosh(d*x + c)^2)*sinh(d*x + c)^4 + 8*(55*(a^6 + 2*a^5*b + a^4*b^2)*d*x*cosh(d*x + c)^9 + 60*$$

$$\begin{aligned}
& (a^6 + 5a^5b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + 3ab^5 + (a^6 - 2a^5b - 3a^4b^2)d*x)*\cosh(d*x + c)^7 + 14*(8a^6 + 24a^5b + 16a^4b^2 - 16a^3b^3 - 52a^2b^4 - 24ab^5 - (a^6 + 2a^5b - 15a^4b^2)d*x)*\cosh(d*x + c)^5 + 20*(3a^6 + 7a^5b + 6a^4b^2 + 2a^3b^3 + 15a^2b^4 + 9ab^5 - (a^6 - 2a^5b + 5a^4b^2)d*x)*\cosh(d*x + c)^3 + (8a^6 + 24a^5b + 16a^4b^2 - 16a^3b^3 - 52a^2b^4 - 24ab^5 - (a^6 + 2a^5b - 15a^4b^2)d*x)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(a^6 + 2a^5b + a^4b^2)*d*x + 4*(a^6 + 5a^5b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + 3ab^5 + (a^6 - 2a^5b - 3a^4b^2)d*x)*\cosh(d*x + c)^2 + 4*(33*(a^6 + 2a^5b + a^4b^2)d*x*\cosh(d*x + c)^10 + 45*(a^6 + 5a^5b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + 3ab^5 + (a^6 - 2a^5b - 3a^4b^2)d*x)*\cosh(d*x + c)^8 + 14*(8a^6 + 24a^5b + 16a^4b^2 - 16a^3b^3 - 52a^2b^4 - 24ab^5 - (a^6 + 2a^5b - 15a^4b^2)d*x)*\cosh(d*x + c)^6 + a^6 + 5a^5b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + 3ab^5 + 30*(3a^6 + 7a^5b + 6a^4b^2 + 2a^3b^3 + 15a^2b^4 + 9ab^5 - (a^6 - 2a^5b + 5a^4b^2)d*x)*\cosh(d*x + c)^4 + (a^6 - 2a^5b - 3a^4b^2)d*x + 3*(8a^6 + 24a^5b + 16a^4b^2 - 16a^3b^3 - 52a^2b^4 - 24ab^5 - (a^6 + 2a^5b - 15a^4b^2)d*x)*\cosh(d*x + c)^2)*\sinh(d*x + c)^2 - ((6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^12 + 12*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\sinh(d*x + c)^12 + 2*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c)^10 + 2*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6 + 33*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20*(11*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^3 + (6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c))*\sinh(d*x + c)^9 - (6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6)*\cosh(d*x + c)^8 - (6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6 - 495*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^4 - 90*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^5 + 30*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c)^3 - (6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6)*\cosh(d*x + c))*\sinh(d*x + c)^7 - 4*(6a^4b^2 - 4a^3b^3 + 17a^2b^4 + 34ab^5 + 15b^6)*\cosh(d*x + c)^6 + 4*(231*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^6 - 6a^4b^2 + 4a^3b^3 - 17a^2b^4 - 34ab^5 - 15b^6 + 105*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c)^4 - 7*(6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^6 + 6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6 + 8*(99*(6a^4b^2 + 20a^3b^3 + 25a^2b^4 + 14ab^5 + 3b^6)*\cosh(d*x + c)^7 + 63*(6a^4b^2 - 4a^3b^3 - 31a^2b^4 - 30ab^5 - 9b^6)*\cosh(d*x + c)^5 - 7*(6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6)*\cosh(d*x + c)^3 - 3*(6a^4b^2 - 4a^3b^3 + 17a^2b^4 + 34ab^5 + 15b^6)*\cosh(d*x + c))*\sinh(d*x + c)^5 - (6a^4b^2 + 20a^3b^3 - 71a^2b^4 - 114ab^5 - 45b^6)*\cosh(d*x + c)^4 + (
\end{aligned}$$

$$\begin{aligned}
& 495*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^8 \\
& + 420*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^6 \\
& - 6*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6 - 70*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^4 \\
& - 60*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^2*\sinh(d*x + c)^4 \\
& + 4*(55*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^9 + 60*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^7 \\
& - 14*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^5 - 20*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^3 \\
& - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^2 \\
& + 2*(33*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^10 + 45*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^8 \\
& - 14*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^6 + 6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6 - 30*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^4 \\
& - 3*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^2*\sinh(d*x + c)^2 + 4*(3*(6*a^4*b^2 + 20*a^3*b^3 + 25*a^2*b^4 + 14*a*b^5 + 3*b^6)*\cosh(d*x + c)^11 + 5*(6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c)^9 - 2*(6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^7 - 6*(6*a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6)*\cosh(d*x + c)^5 - (6*a^4*b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6)*\cosh(d*x + c)^3 + (6*a^4*b^2 - 4*a^3*b^3 - 31*a^2*b^4 - 30*a*b^5 - 9*b^6)*\cosh(d*x + c))*\sinh(d*x + c))*\log(2*((a + b)*\cosh(d*x + c)^2 + (a + b)*\sinh(d*x + c)^2 + a - b)/(\cosh(d*x + c)^2 - 2*\cosh(d*x + c)*\sinh(d*x + c) + \sinh(d*x + c)^2)) - 2*((a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)^12 + 12*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)*\sinh(d*x + c)^11 + (a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\sinh(d*x + c)^12 + 2*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6)*\cosh(d*x + c)^10 + 2*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6 + 33*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^10 + 20*(11*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)^3 + (a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6)*\cosh(d*x + c))*\sinh(d*x + c)^9 - (a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6)*\cosh(d*x + c)^8 - (a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6 - 495*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)^4 - 90*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6)*\cosh(d*x + c)^2)*\sinh(d*x + c)^8 + 8*(99*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6)*\cosh(d*x + c)^5 + 30*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6)*\cosh(d*x + c)^3 - (a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6)
\end{aligned}$$

$$\begin{aligned}
& 6) * \cosh(d*x + c) * \sinh(d*x + c)^7 - 4*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 \\
& - 17*a^2*b^4 - 34*a*b^5 - 15*b^6) * \cosh(d*x + c)^6 + 4*(231*(a^6 + 2*a^5*b - \\
& 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6) * \cosh(d*x + c)^6 - \\
& a^6 + 2*a^5*b + a^4*b^2 - 4*a^3*b^3 + 17*a^2*b^4 + 34*a*b^5 + 15*b^6 + 105* \\
& (a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cos \\
& h(d*x + c)^4 - 7*(a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 11 \\
& 4*a*b^5 + 45*b^6) * \cosh(d*x + c)^2 * \sinh(d*x + c)^6 + a^6 + 2*a^5*b - 5*a^4* \\
& b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6 + 8*(99*(a^6 + 2*a^5*b - 5 \\
& *a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6) * \cosh(d*x + c)^7 + 63 \\
& *(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \co \\
& sh(d*x + c)^5 - 7*(a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 1 \\
& 14*a*b^5 + 45*b^6) * \cosh(d*x + c)^3 - 3*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 \\
& - 17*a^2*b^4 - 34*a*b^5 - 15*b^6) * \cosh(d*x + c) * \sinh(d*x + c)^5 - (a^6 + \\
& 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6) * \cosh(d \\
& *x + c)^4 + (495*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14* \\
& a*b^5 - 3*b^6) * \cosh(d*x + c)^8 + 420*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 \\
& + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cosh(d*x + c)^6 - a^6 - 2*a^5*b + 21*a^4* \\
& b^2 + 20*a^3*b^3 - 71*a^2*b^4 - 114*a*b^5 - 45*b^6 - 70*(a^6 + 2*a^5*b - 21 \\
& *a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6) * \cosh(d*x + c)^4 - \\
& 60*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 - 17*a^2*b^4 - 34*a*b^5 - 15*b^6) * \c \\
& osh(d*x + c)^2 * \sinh(d*x + c)^4 + 4*(55*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3 \\
& *b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6) * \cosh(d*x + c)^9 + 60*(a^6 - 2*a^5*b - \\
& 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cosh(d*x + c)^7 - 1 \\
& 4*(a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^ \\
& 6) * \cosh(d*x + c)^5 - 20*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 - 17*a^2*b^4 - \\
& 34*a*b^5 - 15*b^6) * \cosh(d*x + c)^3 - (a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3* \\
& b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6) * \cosh(d*x + c) * \sinh(d*x + c)^3 + 2*( \\
& a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cosh \\
& (d*x + c)^2 + 2*(33*(a^6 + 2*a^5*b - 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - \\
& 14*a*b^5 - 3*b^6) * \cosh(d*x + c)^10 + 45*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3* \\
& b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cosh(d*x + c)^8 - 14*(a^6 + 2*a^5*b - \\
& 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6) * \cosh(d*x + c)^6 \\
& + a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6 - 3 \\
& 0*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b^3 - 17*a^2*b^4 - 34*a*b^5 - 15*b^6) * \co \\
& sh(d*x + c)^4 - 3*(a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 1 \\
& 14*a*b^5 + 45*b^6) * \cosh(d*x + c)^2 * \sinh(d*x + c)^2 + 4*(3*(a^6 + 2*a^5*b - \\
& 5*a^4*b^2 - 20*a^3*b^3 - 25*a^2*b^4 - 14*a*b^5 - 3*b^6) * \cosh(d*x + c)^11 + \\
& 5*(a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \\
& \cosh(d*x + c)^9 - 2*(a^6 + 2*a^5*b - 21*a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + \\
& 114*a*b^5 + 45*b^6) * \cosh(d*x + c)^7 - 6*(a^6 - 2*a^5*b - a^4*b^2 + 4*a^3*b \\
& ^3 - 17*a^2*b^4 - 34*a*b^5 - 15*b^6) * \cosh(d*x + c)^5 - (a^6 + 2*a^5*b - 21* \\
& a^4*b^2 - 20*a^3*b^3 + 71*a^2*b^4 + 114*a*b^5 + 45*b^6) * \cosh(d*x + c)^3 + ( \\
& a^6 - 2*a^5*b - 9*a^4*b^2 + 4*a^3*b^3 + 31*a^2*b^4 + 30*a*b^5 + 9*b^6) * \cosh \\
& (d*x + c) * \sinh(d*x + c) * \log(2*\sinh(d*x + c) / (\cosh(d*x + c) - \sinh(d*x + c \\
& ))) + 8*(3*(a^6 + 2*a^5*b + a^4*b^2) * d*x * \cosh(d*x + c)^11 + 5*(a^6 + 5*a^5*
\end{aligned}$$

$$\begin{aligned}
& b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + 3a^*b^5 + (a^6 - 2a^5b - 3a^4 \\
& *b^2)*d*x)*\cosh(d*x + c)^9 + 2*(8a^6 + 24a^5b + 16a^4b^2 - 16a^3b^3 \\
& - 52a^2b^4 - 24a^*b^5 - (a^6 + 2a^5b - 15a^4b^2)*d*x)*\cosh(d*x + c)^7 \\
& + 6*(3a^6 + 7a^5b + 6a^4b^2 + 2a^3b^3 + 15a^2b^4 + 9a^*b^5 - (a^6 \\
& - 2a^5b + 5a^4b^2)*d*x)*\cosh(d*x + c)^5 + (8a^6 + 24a^5b + 16a^4b^2 \\
& ^2 - 16a^3b^3 - 52a^2b^4 - 24a^*b^5 - (a^6 + 2a^5b - 15a^4b^2)*d*x) \\
& *\cosh(d*x + c)^3 + (a^6 + 5a^5b + 10a^4b^2 + 14a^3b^3 + 11a^2b^4 + \\
& 3a^*b^5 + (a^6 - 2a^5b - 3a^4b^2)*d*x)*\cosh(d*x + c))*\sinh(d*x + c))/(( \\
& a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)*d*\cosh(d*x + \\
& c)^12 + 12*(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5) \\
& *d*\cosh(d*x + c))*\sinh(d*x + c)^11 + (a^9 + 5a^8b + 10a^7b^2 + 10a^6b^ \\
& 3 + 5a^5b^4 + a^4b^5)*d*\sinh(d*x + c)^12 + 2*(a^9 + a^8b - 6a^7b^2 - \\
& 14a^6b^3 - 11a^5b^4 - 3a^4b^5)*d*\cosh(d*x + c)^10 + 2*(33*(a^9 + 5a^ \\
& 8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)*d*\cosh(d*x + c)^2 + (a \\
& ^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)*d)*\sinh(d*x + \\
& c)^10 - (a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5) \\
& *d*\cosh(d*x + c)^8 + 20*(11*(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^ \\
& 5b^4 + a^4b^5)*d*\cosh(d*x + c)^3 + (a^9 + a^8b - 6a^7b^2 - 14a^6b^3 \\
& - 11a^5b^4 - 3a^4b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^9 + (495*(a^9 + 5a \\
& ^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)*d*\cosh(d*x + c)^4 + \\
& 90*(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)*d*\cosh(d \\
& *x + c)^2 - (a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^ \\
& ^5)*d)*\sinh(d*x + c)^8 - 4*(a^9 + a^8b + 2a^7b^2 + 10a^6b^3 + 13a^5b \\
& ^4 + 5a^4b^5)*d*\cosh(d*x + c)^6 + 8*(99*(a^9 + 5a^8b + 10a^7b^2 + 10a \\
& ^6b^3 + 5a^5b^4 + a^4b^5)*d*\cosh(d*x + c)^5 + 30*(a^9 + a^8b - 6a^7b^ \\
& b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)*d*\cosh(d*x + c)^3 - (a^9 + 5a^8 \\
& *b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)*d*\cosh(d*x + c))*\sin \\
& h(d*x + c)^7 + 4*(231*(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 \\
& + a^4b^5)*d*\cosh(d*x + c)^6 + 105*(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - \\
& 11a^5b^4 - 3a^4b^5)*d*\cosh(d*x + c)^4 - 7*(a^9 + 5a^8b - 6a^7b^2 - \\
& 38a^6b^3 - 43a^5b^4 - 15a^4b^5)*d*\cosh(d*x + c)^2 - (a^9 + a^8b + 2a \\
& ^7b^2 + 10a^6b^3 + 13a^5b^4 + 5a^4b^5)*d)*\sinh(d*x + c)^6 - (a^9 + \\
& 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)*d*\cosh(d*x + c) \\
& ^4 + 8*(99*(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)* \\
& d*\cosh(d*x + c)^7 + 63*(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - \\
& 3a^4b^5)*d*\cosh(d*x + c)^5 - 7*(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - \\
& 43a^5b^4 - 15a^4b^5)*d*\cosh(d*x + c)^3 - 3*(a^9 + a^8b + 2a^7b^2 + \\
& 10a^6b^3 + 13a^5b^4 + 5a^4b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^5 + (49 \\
& 5*(a^9 + 5a^8b + 10a^7b^2 + 10a^6b^3 + 5a^5b^4 + a^4b^5)*d*\cosh(d* \\
& x + c)^8 + 420*(a^9 + a^8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^ \\
& ^5)*d*\cosh(d*x + c)^6 - 70*(a^9 + 5a^8b - 6a^7b^2 - 38a^6b^3 - 43a^5 \\
& *b^4 - 15a^4b^5)*d*\cosh(d*x + c)^4 - 60*(a^9 + a^8b + 2a^7b^2 + 10a^6 \\
& *b^3 + 13a^5b^4 + 5a^4b^5)*d*\cosh(d*x + c)^2 - (a^9 + 5a^8b - 6a^7b^ \\
& ^2 - 38a^6b^3 - 43a^5b^4 - 15a^4b^5)*d)*\sinh(d*x + c)^4 + 2*(a^9 + a^ \\
& 8b - 6a^7b^2 - 14a^6b^3 - 11a^5b^4 - 3a^4b^5)*d*\cosh(d*x + c)^2 +
\end{aligned}$$



$$4*(55*(a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*d*\cos h(d*x + c)^9 + 60*(a^9 + a^8*b - 6*a^7*b^2 - 14*a^6*b^3 - 11*a^5*b^4 - 3*a^4*b^5)*d*\cosh(d*x + c)^7 - 14*(a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c)^5 - 20*(a^9 + a^8*b + 2*a^7*b^2 + 10*a^6*b^3 + 13*a^5*b^4 + 5*a^4*b^5)*d*\cosh(d*x + c)^3 - (a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c)^3 + 2*(33*(a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*d*\cosh(d*x + c)^10 + 45*(a^9 + a^8*b - 6*a^7*b^2 - 14*a^6*b^3 - 11*a^5*b^4 - 3*a^4*b^5)*d*\cosh(d*x + c)^8 - 14*(a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c)^6 - 30*(a^9 + a^8*b + 2*a^7*b^2 + 10*a^6*b^3 + 13*a^5*b^4 + 5*a^4*b^5)*d*\cosh(d*x + c)^4 - 3*(a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c)^2 + (a^9 + a^8*b - 6*a^7*b^2 - 14*a^6*b^3 - 11*a^5*b^4 - 3*a^4*b^5)*d*\sinh(d*x + c)^2 + (a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*d + 4*(3*(a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*d*\cosh(d*x + c)^11 + 5*(a^9 + a^8*b - 6*a^7*b^2 - 14*a^6*b^3 - 11*a^5*b^4 - 3*a^4*b^5)*d*\cosh(d*x + c)^9 - 2*(a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c)^7 - 6*(a^9 + a^8*b + 2*a^7*b^2 + 10*a^6*b^3 + 13*a^5*b^4 + 5*a^4*b^5)*d*\cosh(d*x + c)^5 - (a^9 + 5*a^8*b - 6*a^7*b^2 - 38*a^6*b^3 - 43*a^5*b^4 - 15*a^4*b^5)*d*\cosh(d*x + c)^3 + (a^9 + a^8*b - 6*a^7*b^2 - 14*a^6*b^3 - 11*a^5*b^4 - 3*a^4*b^5)*d*\cosh(d*x + c))*\sinh(d*x + c))$$

**giac [B]** time = 1.06, size = 474, normalized size = 2.77

$$\frac{(6a^2b^2+8ab^3+3b^4)\log(ae^{(4dx+4c)}+be^{(4dx+4c)}+2ae^{(2dx+2c)}-2be^{(2dx+2c)}+a+b)}{a^7+3a^6b+3a^5b^2+a^4b^3} - \frac{2(dx+c)}{a^3+3a^2b+3ab^2+b^3} + \frac{2(a-3b)\log(|e^{(2dx+2c)}-1|)}{a^4} - \frac{4((a^5+...))}{...}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)^3/(a+b\*tanh(d\*x+c)^2)^3,x, algorithm="giac")

[Out] 
$$\frac{1}{2}*((6*a^2*b^2 + 8*a*b^3 + 3*b^4)*\log(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)/(a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3) - 2*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) + 2*(a - 3*b)*\log(\text{abs}(e^{(2*d*x + 2*c)} - 1))/a^4 - 4*((a^5 + 5*a^4*b + 10*a^3*b^2 + 14*a^2*b^3 + 11*a*b^4 + 3*b^5)*e^{(10*d*x + 10*c)} + 2*(2*a^5 + 6*a^4*b + 4*a^3*b^2 - 4*a^2*b^3 - 13*a*b^4 - 6*b^5)*e^{(8*d*x + 8*c)} + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 2*a^2*b^3 + 15*a*b^4 + 9*b^5)*e^{(6*d*x + 6*c)} + 2*(2*a^5 + 6*a^4*b + 4*a^3*b^2 - 4*a^2*b^3 - 13*a*b^4 - 6*b^5)*e^{(4*d*x + 4*c)} + (a^5 + 5*a^4*b + 10*a^3*b^2 + 14*a^2*b^3 + 11*a*b^4 + 3*b^5)*e^{(2*d*x + 2*c)})/((a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2*(a + b)^3*a^3*(e^{(2*d*x + 2*c)} - 1)^2))/d$$

maple [B] time = 0.50, size = 1020, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\coth(dx+c)^3/(a+b*\tanh(dx+c))^2)^3,x$

[Out] 
$$-1/8/d*\tanh(1/2*d*x+1/2*c)^2/a^3-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)-1)-1/d/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c)+1)+8/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+14/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+6/d*b^5/a^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^6+16/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+56/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+60/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+20/d*b^6/a^4/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^4+8/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+14/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+6/d*b^5/a^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^2+3/d*b^2/(a+b)^3/a^2*\ln(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+4/d*b^3/(a+b)^3/a^3*\ln(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)+3/2/d*b^4/a^4/(a+b)^3*\ln(\tanh(1/2*d*x+1/2*c))^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)-1/8/d/a^3/\tanh(1/2*d*x+1/2*c)^2+1/d/a^3*\ln(\tanh(1/2*d*x+1/2*c))-3/d/a^4*\ln(\tanh(1/2*d*x+1/2*c))*b$$

maxima [B] time = 0.42, size = 770, normalized size = 4.50

$$\frac{(6a^2b^2 + 8ab^3 + 3b^4) \log(2(a-b)e^{(-2dx-2c)} + (a+b)e^{(-4dx-4c)} + a+b)}{2(a^7 + 3a^6b + 3a^5b^2 + a^4b^3)d} + \frac{dx+c}{(a^3 + 3a^2b + 3ab^2 + b^3)d} - \frac{1}{(a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\coth(dx+c)^3/(a+b*\tanh(dx+c))^2)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] 
$$1/2*(6*a^2*b^2 + 8*a*b^3 + 3*b^4)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*d) + (d*x + c)/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*d) - 2*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + a^5)/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*d))$$

$$\begin{aligned}
& 14a^2b^3 + 11ab^4 + 3b^5)e^{(-2dx - 2c)} + 2(2a^5 + 6a^4b + 4a^3b^2 - 4a^2b^3 - 13ab^4 - 6b^5)e^{(-4dx - 4c)} + 2(3a^5 + 7a^4b + 6a^3b^2 + 2a^2b^3 + 15ab^4 + 9b^5)e^{(-6dx - 6c)} + 2(2a^5 + 6a^4b + 4a^3b^2 - 4a^2b^3 - 13ab^4 - 6b^5)e^{(-8dx - 8c)} + (a^5 + 5a^4b + 10a^3b^2 + 14a^2b^3 + 11ab^4 + 3b^5)e^{(-10dx - 10c)} \\
& ))/((a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5 + 2(a^8 + a^7b - 6a^6b^2 - 14a^5b^3 - 11a^4b^4 - 3a^3b^5)e^{(-2dx - 2c)} - (a^8 + 5a^7b - 6a^6b^2 - 38a^5b^3 - 43a^4b^4 - 15a^3b^5)e^{(-4dx - 4c)} - 4(a^8 + a^7b + 2a^6b^2 + 10a^5b^3 + 13a^4b^4 + 5a^3b^5)e^{(-6dx - 6c)} - (a^8 + 5a^7b - 6a^6b^2 - 38a^5b^3 - 43a^4b^4 - 15a^3b^5)e^{(-8dx - 8c)} + 2(a^8 + a^7b - 6a^6b^2 - 14a^5b^3 - 11a^4b^4 - 3a^3b^5)e^{(-10dx - 10c)} + (a^8 + 5a^7b + 10a^6b^2 + 10a^5b^3 + 5a^4b^4 + a^3b^5)e^{(-12dx - 12c)}))d + (a - 3b) \log(e^{(-dx - c)} + 1)/(a^4d) + (a - 3b) \log(e^{(-dx - c)} - 1)/(a^4d)
\end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(c + dx)^3}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(coth(c + d\*x)^3/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(d\*x+c)\*\*3/(a+b\*tanh(d\*x+c)\*\*2)\*\*3,x)

[Out] Integral(coth(c + d\*x)\*\*3/(a + b\*tanh(c + d\*x)\*\*2)\*\*3, x)

$$3.200 \quad \int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx$$

Optimal. Leaf size=228

$$\frac{b(11a+7b) \coth^3(c+dx)}{8a^2d(a+b)^2(a+b \tanh^2(c+dx))} + \frac{b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d(a+b)^3} - \frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3d(a+b)^2}$$

[Out] x/(a+b)^3+1/8\*b^(5/2)\*(63\*a^2+90\*a\*b+35\*b^2)\*arctan(b^(1/2)\*tanh(d\*x+c)/a^(1/2))/a^(9/2)/(a+b)^3/d-1/8\*(8\*a^3-8\*a^2\*b-55\*a\*b^2-35\*b^3)\*coth(d\*x+c)/a^4/(a+b)^2/d-1/24\*(8\*a^2+55\*a\*b+35\*b^2)\*coth(d\*x+c)^3/a^3/(a+b)^2/d+1/4\*b\*cot h(d\*x+c)^3/a/(a+b)/d/(a+b\*tanh(d\*x+c)^2)^2+1/8\*b\*(11\*a+7\*b)\*coth(d\*x+c)^3/a^2/(a+b)^2/d/(a+b\*tanh(d\*x+c)^2)

**Rubi [A]** time = 0.37, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3670, 472, 579, 583, 522, 206, 205}

$$\frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3d(a+b)^2} - \frac{(-8a^2b+8a^3-55ab^2-35b^3) \coth(c+dx)}{8a^4d(a+b)^2} + \frac{b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}d(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3,x]

[Out] x/(a + b)^3 + (b^(5/2)\*(63\*a^2 + 90\*a\*b + 35\*b^2)\*ArcTan[(Sqrt[b]\*Tanh[c + d\*x])/Sqrt[a]])/(8\*a^(9/2)\*(a + b)^3\*d) - ((8\*a^3 - 8\*a^2\*b - 55\*a\*b^2 - 35\*b^3)\*Coth[c + d\*x])/(8\*a^4\*(a + b)^2\*d) - ((8\*a^2 + 55\*a\*b + 35\*b^2)\*Coth[c + d\*x]^3)/(24\*a^3\*(a + b)^2\*d) + (b\*Coth[c + d\*x]^3)/(4\*a\*(a + b)\*d\*(a + b\*Tanh[c + d\*x]^2)^2) + (b\*(11\*a + 7\*b)\*Coth[c + d\*x]^3)/(8\*a^2\*(a + b)^2\*d\*(a + b\*Tanh[c + d\*x]^2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 472

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*e\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*b\*(m + 1) + n\*(b\*c - a\*d)\*(p + 1) + d\*b\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntegerQ[n] && IntegerQ[m]

Rule 522

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_))\*((c\_) + (d\_.)\*(x\_)^(n\_))], x\_Symbol] := Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[1/(a + b\*x^n), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[1/(c + d\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 579

Int[((g\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*e - a\*f)\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*g\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(g\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f)\*(m + 1) + e\*n\*(b\*c - a\*d)\*(p + 1) + d\*(b\*e - a\*f)\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 583

Int[((g\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*g\*(m + 1)), x] + Dist[1/(a\*c\*g^n\*(m + 1)), Int[(g\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m + 1) - e\*(b\*c + a\*d)\*(m + n + 1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
\int \frac{\coth^4(c+dx)}{(a+b \tanh^2(c+dx))^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x^4(1-x^2)(a+bx^2)^3} dx, x, \tanh(c+dx)\right)}{d} \\
&= \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} - \frac{\text{Subst}\left(\int \frac{-4a-7b+7bx^2}{x^4(1-x^2)(a+bx^2)^2} dx, x, \tanh(c+dx)\right)}{4a(a+b)d} \\
&= \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{b(11a+7b) \coth^3(c+dx)}{8a^2(a+b)^2d (a+b \tanh^2(c+dx))} + \frac{\text{Subst}}{8a^2(a+b)^2d} \\
&= -\frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} + \frac{b \coth^3(c+dx)}{4a(a+b)d (a+b \tanh^2(c+dx))^2} + \frac{\text{Subst}}{8a^2(a+b)^2d} \\
&= -\frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d} - \frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} \\
&= -\frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d} - \frac{(8a^2+55ab+35b^2) \coth^3(c+dx)}{24a^3(a+b)^2d} \\
&= \frac{x}{(a+b)^3} + \frac{b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}(a+b)^3d} - \frac{(8a^3-8a^2b-55ab^2-35b^3) \coth(c+dx)}{8a^4(a+b)^2d}
\end{aligned}$$

**Mathematica [A]** time = 3.87, size = 194, normalized size = 0.85

$$\frac{\frac{3b^3(17a+11b) \sinh(2(c+dx))}{a^4(a+b)^2((a+b) \cosh(2(c+dx))+a-b)} + \frac{8(9b-4a) \coth(c+dx)}{a^4} + \frac{12b^4 \sinh(2(c+dx))}{a^3(a+b)^2((a+b) \cosh(2(c+dx))+a-b)^2} - \frac{8 \coth(c+dx) \text{csch}^2(c+dx)}{a^3} + \frac{3b^{5/2}(63a^2+90ab+35b^2) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{8a^{9/2}(a+b)^3d}}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[c + d\*x]^4/(a + b\*Tanh[c + d\*x]^2)^3, x]

[Out]  $((24*(c + d*x))/(a + b)^3 + (3*b^{(5/2)}*(63*a^2 + 90*a*b + 35*b^2)*ArcTan[(Sqrt[b]*Tanh[c + d*x])/Sqrt[a]])/(a^{(9/2)}*(a + b)^3) + (8*(-4*a + 9*b)*Coth[c + d*x])/a^4 - (8*Coth[c + d*x]*Csch[c + d*x]^2)/a^3 + (12*b^4*Sinh[2*(c + d*x)])/(a^3*(a + b)^2*(a - b + (a + b)*Cosh[2*(c + d*x)])^2) + (3*b^3*(17*a + 11*b)*Sinh[2*(c + d*x)])/(a^4*(a + b)^2*(a - b + (a + b)*Cosh[2*(c + d*x)])))/(24*d)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4/(a+b*tanh(d*x+c)^2)^3,x, algorithm="fricas")`

[Out] Timed out

**giac** [B] time = 1.02, size = 493, normalized size = 2.16

$$\frac{3(63a^2b^3 + 90ab^4 + 35b^5) \arctan\left(\frac{ae^{(2dx+2c)} + be^{(2dx+2c)} + a - b}{2\sqrt{ab}}\right)}{(a^7 + 3a^6b + 3a^5b^2 + a^4b^3)\sqrt{ab}} + \frac{24(dx+c)}{a^3 + 3a^2b + 3ab^2 + b^3} - \frac{6(17a^3b^3e^{(6dx+6c)} + 7a^2b^4e^{(6dx+6c)} - 21ab^5e^{(6dx+6c)} - 11b^6e^{(6dx+6c)} + 51a^3b^3e^{(4dx+4c)} - a^2b^4e^{(4dx+4c)} + 29ab^5e^{(4dx+4c)} + 33b^6e^{(4dx+4c)} + 51a^3b^3e^{(2dx+2c)} + 37a^2b^4e^{(2dx+2c)} - 47ab^5e^{(2dx+2c)} - 33b^6e^{(2dx+2c)} + 17a^3b^3 + 45a^2b^4 + 39ab^5 + 11b^6)}{(a^7 + 3a^6b + 3a^5b^2 + a^4b^3)(ae^{(4dx+4c)} + be^{(4dx+4c)} + 2ae^{(2dx+2c)} - 2be^{(2dx+2c)} + a + b)^2} - \frac{16(6ae^{(4dx+4c)} - 9be^{(4dx+4c)} - 6ae^{(2dx+2c)} + 18be^{(2dx+2c)} + 4a - 9b)}{a^4(e^{(2dx+2c)} - 1)^3} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(d*x+c)^4/(a+b*tanh(d*x+c)^2)^3,x, algorithm="giac")`

[Out]  $1/24*(3*(63*a^2*b^3 + 90*a*b^4 + 35*b^5)*arctan(1/2*(a*e^{(2*d*x + 2*c)} + b*e^{(2*d*x + 2*c)} + a - b)/sqrt(a*b)))/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*sqrt(a*b)) + 24*(d*x + c)/(a^3 + 3*a^2*b + 3*a*b^2 + b^3) - 6*(17*a^3*b^3*e^{(6*d*x + 6*c)} + 7*a^2*b^4*e^{(6*d*x + 6*c)} - 21*a*b^5*e^{(6*d*x + 6*c)} - 11*b^6*e^{(6*d*x + 6*c)} + 51*a^3*b^3*e^{(4*d*x + 4*c)} - a^2*b^4*e^{(4*d*x + 4*c)} + 29*a*b^5*e^{(4*d*x + 4*c)} + 33*b^6*e^{(4*d*x + 4*c)} + 51*a^3*b^3*e^{(2*d*x + 2*c)} + 37*a^2*b^4*e^{(2*d*x + 2*c)} - 47*a*b^5*e^{(2*d*x + 2*c)} - 33*b^6*e^{(2*d*x + 2*c)} + 17*a^3*b^3 + 45*a^2*b^4 + 39*a*b^5 + 11*b^6)/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*(a*e^{(4*d*x + 4*c)} + b*e^{(4*d*x + 4*c)} + 2*a*e^{(2*d*x + 2*c)} - 2*b*e^{(2*d*x + 2*c)} + a + b)^2) - 16*(6*a*e^{(4*d*x + 4*c)} - 9*b*e^{(4*d*x + 4*c)} - 6*a*e^{(2*d*x + 2*c)} + 18*b*e^{(2*d*x + 2*c)} + 4*a - 9*b)/(a^4*(e^{(2*d*x + 2*c)} - 1)^3)/d$

**maple** [B] time = 0.50, size = 2139, normalized size = 9.38

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\text{coth}(d*x+c)^4/(a+b*\tanh(d*x+c))^2)^3,x$

[Out] 
$$\begin{aligned} & -35/8/d*b^6/(a+b)^3/a^4/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)} \\ & * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}) - 35/8/d* \\ & b^6/(a+b)^3/a^4/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} * \text{arctan}( \\ & a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) - 1/d/(a+b)^3*\ln(\text{tanh}( \\ & 1/2*d*x+1/2*c)-1)+1/d/(a+b)^3*\ln(\text{tanh}(1/2*d*x+1/2*c)+1) - 125/8/d*b^5/(a+ \\ & b)^3/a^3/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} * \text{arctan}(a*\tanh( \\ & 1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) - 5/8/d/a^3*\tanh(1/2*d*x+ \\ & 1/2*c) - 5/8/d/a^3/\tanh(1/2*d*x+1/2*c) - 125/8/d*b^5/(a+b)^3/a^3/(b*(a+b))^{(1/2)} \\ & )/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)} * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}- \\ & a-2*b)*a)^{(1/2)}) - 63/8/d*b^3/(a+b)^3/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}- \\ & a-2*b)*a)^{(1/2)} * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2* \\ & b)*a)^{(1/2)}) - 153/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}- \\ & a-2*b)*a)^{(1/2)} * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2* \\ & b)*a)^{(1/2)}) - 63/8/d*b^3/(a+b)^3/a/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b \\ & )*a)^{(1/2)} * \text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} \\ & ) - 153/8/d*b^4/(a+b)^3/a^2/(b*(a+b))^{(1/2)}/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} \\ & ) * \text{arctan}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) + 51/4/d \\ & *b^3/(a+b)^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2* \\ & d*x+1/2*c)^2*b+a)^2/a*\tanh(1/2*d*x+1/2*c)^5+75/2/d*b^4/(a+b)^3/a^2/(\tanh(1/ \\ & 2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*t \\ & \text{anh}(1/2*d*x+1/2*c)^5+51/4/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1 \\ & /2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+75/2 \\ & /d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh \\ & (1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+17/4/d*b^3/(a+b)^3/a/(\tanh( \\ & 1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2 \\ & * \tanh(1/2*d*x+1/2*c)+3/2/d/a^4*\tanh(1/2*d*x+1/2*c)*b+3/2/d/a^4/\tanh(1/2*d*x \\ & +1/2*c)*b+143/4/d*b^5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1 \\ & /2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^5-45/4/d*b^4/( \\ & a+b)^3/a^3/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} * \text{arctan}(a*\tanh(1/2*d*x+1/2*c) \\ & )/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) + 17/4/d*b^3/(a+b)^3/a/(\tanh(1/2*d*x+1/ \\ & 2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2* \\ & d*x+1/2*c)^7+15/2/d*b^4/(a+b)^3/a^2/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x \\ & +1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^7+143/4/d*b^ \\ & 5/(a+b)^3/a^3/(\tanh(1/2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2 \\ & *d*x+1/2*c)^2*b+a)^2*\tanh(1/2*d*x+1/2*c)^3+63/8/d*b^3/(a+b)^3/a^2/((2*(b*(a \\ & +b))^{(1/2)}-a-2*b)*a)^{(1/2)} * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)} \\ & )-a-2*b)*a)^{(1/2)}) + 45/4/d*b^4/(a+b)^3/a^3/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)} \\ & ) * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}) - 63/8/ \\ & d*b^3/(a+b)^3/a^2/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)} * \text{arctan}(a*\tanh(1/2*d*x \\ & +1/2*c)/((2*(b*(a+b))^{(1/2)}+a+2*b)*a)^{(1/2)}) + 15/2/d*b^4/(a+b)^3/a^2/(\tanh(1 \\ & /2*d*x+1/2*c)^4*a+2*\tanh(1/2*d*x+1/2*c)^2*a+4*\tanh(1/2*d*x+1/2*c)^2*b+a)^2* \\ & \tanh(1/2*d*x+1/2*c)+35/8/d*b^5/(a+b)^3/a^4/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1 \\ & /2)} * \text{arctanh}(a*\tanh(1/2*d*x+1/2*c)/((2*(b*(a+b))^{(1/2)}-a-2*b)*a)^{(1/2)}) + 13/4 \end{aligned}$$



$$\frac{1}{d^5(a+b)^3 a^3} \frac{(\tanh(\frac{1}{2}dx + \frac{1}{2}c))^{4a+2} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2b+a} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{7-35/8} d^5(a+b)^3 a^4}{((2(b(a+b))^{1/2} + a + 2b)a)^{1/2} \arctan(a \tanh(\frac{1}{2}dx + \frac{1}{2}c) / ((2(b(a+b))^{1/2} + a + 2b)a)^{1/2}) + 11/d^6(a+b)^3 a^4} \frac{(\tanh(\frac{1}{2}dx + \frac{1}{2}c))^{4a+2} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2b+a} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^5 + 13/4 d^5(a+b)^3 a^3}{(\tanh(\frac{1}{2}dx + \frac{1}{2}c))^{4a+2} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2a+4} \tanh(\frac{1}{2}dx + \frac{1}{2}c)^{2b+a} \tanh(\frac{1}{2}dx + \frac{1}{2}c) - 1/24 d/a^3 \tanh(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1/24 d/a^3 \tanh(\frac{1}{2}dx + \frac{1}{2}c)^3}$$

**maxima [B]** time = 2.67, size = 4285, normalized size = 18.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(dx+c)^4/(a+b\*tanh(dx+c)^2)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/8*(3*a^3*b - 3*a^2*b^2 - 7*a*b^3 - 3*b^4)*\log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*d) \\ & + 1/8*(3*a^3*b - 3*a^2*b^2 - 7*a*b^3 - 3*b^4)*\log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*d) \\ & + 1/128*(15*a^4*b - 200*a^3*b^2 - 186*a^2*b^3 + 35*b^5)*\arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/\sqrt{a*b})/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*\sqrt{a*b}*d) \\ & - 1/128*(15*a^4*b - 200*a^3*b^2 - 186*a^2*b^3 + 35*b^5)*\arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/\sqrt{a*b})/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*\sqrt{a*b}*d) \\ & + 1/192*(176*a^6 + 781*a^5*b + 1571*a^4*b^2 + 1538*a^3*b^3 + 502*a^2*b^4 - 175*a*b^5 - 105*b^6 + 3*(96*a^6 + 465*a^5*b + 665*a^4*b^2 + 706*a^3*b^3 + 506*a^2*b^4 + 61*a*b^5 - 35*b^6))*e^{(12*d*x + 12*c)} \\ & + 6*(120*a^6 + 192*a^5*b - 315*a^4*b^2 - 728*a^3*b^3 - 1070*a^2*b^4 - 240*a*b^5 + 105*b^6)*e^{(10*d*x + 10*c)} \\ & + (176*a^6 - 281*a^5*b + 3509*a^4*b^2 + 3950*a^3*b^3 + 12226*a^2*b^4 + 3755*a*b^5 - 1575*b^6)*e^{(8*d*x + 8*c)} \\ & - 4*(184*a^6 + 48*a^5*b + 473*a^4*b^2 + 970*a^3*b^3 + 3684*a^2*b^4 + 1070*a*b^5 - 525*b^6)*e^{(6*d*x + 6*c)} \\ & - (384*a^6 + 1127*a^5*b - 861*a^4*b^2 - 7146*a^3*b^3 - 11386*a^2*b^4 - 1965*a*b^5 + 1575*b^6)*e^{(4*d*x + 4*c)} \\ & + 2*(136*a^6 - 96*a^5*b - 1309*a^4*b^2 - 2996*a^3*b^3 - 2238*a^2*b^4 - 4*a*b^5 + 315*b^6)*e^{(2*d*x + 2*c)}/((a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + a^4*b^5)*e^{(14*d*x + 14*c)} - (a^9 - 3*a^8*b - 22*a^7*b^2 - 38*a^6*b^3 - 27*a^5*b^4 - 7*a^4*b^5)*e^{(12*d*x + 12*c)} + (3*a^9 + 7*a^8*b - 18*a^7*b^2 - 66*a^6*b^3 - 65*a^5*b^4 - 21*a^4*b^5)*e^{(10*d*x + 10*c)} + (3*a^9 - a^8*b + 14*a^7*b^2 + 78*a^6*b^3 + 95*a^5*b^4 + 35*a^4*b^5)*e^{(8*d*x + 8*c)} - (3*a^9 - a^8*b + 14*a^7*b^2 + 78*a^6*b^3 + 95*a^5*b^4 + 35*a^4*b^5)*e^{(6*d*x + 6*c)} - (3*a^9 + 7*a^8*b - 18*a^7*b^2 - 66*a^6*b^3 - 65*a^5*b^4 - 21*a^4*b^5)*e^{(4*d*x + 4*c)} + (a^9 - 3*a^8*b - 22*a^7*b^2 - 38*a^6*b^3 - 27*a^5*b^4 - 7*a^4*b^5)*e^{(2*d*x + 2*c)}) \end{aligned}$$

$$\begin{aligned}
& ^4*b^5)*e^{(2*d*x + 2*c)}*d) - 1/192*(176*a^6 + 781*a^5*b + 1571*a^4*b^2 + 1 \\
& 538*a^3*b^3 + 502*a^2*b^4 - 175*a*b^5 - 105*b^6 + 2*(136*a^6 - 96*a^5*b - 1 \\
& 309*a^4*b^2 - 2996*a^3*b^3 - 2238*a^2*b^4 - 4*a*b^5 + 315*b^6)*e^{(-2*d*x - \\
& 2*c) - (384*a^6 + 1127*a^5*b - 861*a^4*b^2 - 7146*a^3*b^3 - 11386*a^2*b^4 - \\
& 1965*a*b^5 + 1575*b^6)*e^{(-4*d*x - 4*c) - 4*(184*a^6 + 48*a^5*b + 473*a^4* \\
& b^2 + 970*a^3*b^3 + 3684*a^2*b^4 + 1070*a*b^5 - 525*b^6)*e^{(-6*d*x - 6*c) + \\
& (176*a^6 - 281*a^5*b + 3509*a^4*b^2 + 3950*a^3*b^3 + 12226*a^2*b^4 + 3755* \\
& a*b^5 - 1575*b^6)*e^{(-8*d*x - 8*c) + 6*(120*a^6 + 192*a^5*b - 315*a^4*b^2 - \\
& 728*a^3*b^3 - 1070*a^2*b^4 - 240*a*b^5 + 105*b^6)*e^{(-10*d*x - 10*c) + 3*( \\
& 96*a^6 + 465*a^5*b + 665*a^4*b^2 + 706*a^3*b^3 + 506*a^2*b^4 + 61*a*b^5 - 3 \\
& 5*b^6)*e^{(-12*d*x - 12*c)))/((a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^ \\
& 5*b^4 + a^4*b^5 + (a^9 - 3*a^8*b - 22*a^7*b^2 - 38*a^6*b^3 - 27*a^5*b^4 - 7 \\
& *a^4*b^5)*e^{(-2*d*x - 2*c) - (3*a^9 + 7*a^8*b - 18*a^7*b^2 - 66*a^6*b^3 - 6 \\
& 5*a^5*b^4 - 21*a^4*b^5)*e^{(-4*d*x - 4*c) - (3*a^9 - a^8*b + 14*a^7*b^2 + 78 \\
& *a^6*b^3 + 95*a^5*b^4 + 35*a^4*b^5)*e^{(-6*d*x - 6*c) + (3*a^9 - a^8*b + 14* \\
& a^7*b^2 + 78*a^6*b^3 + 95*a^5*b^4 + 35*a^4*b^5)*e^{(-8*d*x - 8*c) + (3*a^9 + \\
& 7*a^8*b - 18*a^7*b^2 - 66*a^6*b^3 - 65*a^5*b^4 - 21*a^4*b^5)*e^{(-10*d*x - \\
& 10*c) - (a^9 - 3*a^8*b - 22*a^7*b^2 - 38*a^6*b^3 - 27*a^5*b^4 - 7*a^4*b^5)* \\
& e^{(-12*d*x - 12*c) - (a^9 + 5*a^8*b + 10*a^7*b^2 + 10*a^6*b^3 + 5*a^5*b^4 + \\
& a^4*b^5)*e^{(-14*d*x - 14*c)})*d) + 1/48*(32*a^5 + 83*a^4*b - 60*a^3*b^2 - 3 \\
& 46*a^2*b^3 - 340*a*b^4 - 105*b^5 + 3*(32*a^5 + 95*a^4*b + 154*a^3*b^2 + 84* \\
& a^2*b^3 - 42*a*b^4 - 35*b^5)*e^{(12*d*x + 12*c) + 6*(48*a^5 + 40*a^4*b - 117 \\
& *a^3*b^2 - 201*a^2*b^3 + 45*a*b^4 + 105*b^5)*e^{(10*d*x + 10*c) + (224*a^5 + \\
& 281*a^4*b + 384*a^3*b^2 + 2318*a^2*b^3 - 160*a*b^4 - 1575*b^5)*e^{(8*d*x + \\
& 8*c) - 4*(16*a^5 - 136*a^4*b - 9*a^3*b^2 + 697*a^2*b^3 - 115*a*b^4 - 525*b^ \\
& 5)*e^{(6*d*x + 6*c) - (96*a^5 + 137*a^4*b - 1262*a^3*b^2 - 1840*a^2*b^3 + 12 \\
& 30*a*b^4 + 1575*b^5)*e^{(4*d*x + 4*c) + 2*(16*a^5 - 136*a^4*b - 435*a^3*b^2 \\
& - 35*a^2*b^3 + 563*a*b^4 + 315*b^5)*e^{(2*d*x + 2*c)))/((a^8 + 4*a^7*b + 6*a^ \\
& 6*b^2 + 4*a^5*b^3 + a^4*b^4 - (a^8 + 4*a^7*b + 6*a^6*b^2 + 4*a^5*b^3 + a^4* \\
& b^4)*e^{(14*d*x + 14*c) - (a^8 - 4*a^7*b - 18*a^6*b^2 - 20*a^5*b^3 - 7*a^4*b \\
& ^4)*e^{(12*d*x + 12*c) + (3*a^8 + 4*a^7*b - 22*a^6*b^2 - 44*a^5*b^3 - 21*a^4 \\
& *b^4)*e^{(10*d*x + 10*c) + (3*a^8 - 4*a^7*b + 18*a^6*b^2 + 60*a^5*b^3 + 35*a \\
& ^4*b^4)*e^{(8*d*x + 8*c) - (3*a^8 - 4*a^7*b + 18*a^6*b^2 + 60*a^5*b^3 + 35*a \\
& ^4*b^4)*e^{(6*d*x + 6*c) - (3*a^8 + 4*a^7*b - 22*a^6*b^2 - 44*a^5*b^3 - 21*a \\
& ^4*b^4)*e^{(4*d*x + 4*c) + (a^8 - 4*a^7*b - 18*a^6*b^2 - 20*a^5*b^3 - 7*a^4* \\
& b^4)*e^{(2*d*x + 2*c)})*d) - 1/48*(32*a^5 + 83*a^4*b - 60*a^3*b^2 - 346*a^2*b \\
& ^3 - 340*a*b^4 - 105*b^5 + 2*(16*a^5 - 136*a^4*b - 435*a^3*b^2 - 35*a^2*b^3 \\
& + 563*a*b^4 + 315*b^5)*e^{(-2*d*x - 2*c) - (96*a^5 + 137*a^4*b - 1262*a^3*b \\
& ^2 - 1840*a^2*b^3 + 1230*a*b^4 + 1575*b^5)*e^{(-4*d*x - 4*c) - 4*(16*a^5 - 1 \\
& 36*a^4*b - 9*a^3*b^2 + 697*a^2*b^3 - 115*a*b^4 - 525*b^5)*e^{(-6*d*x - 6*c) \\
& + (224*a^5 + 281*a^4*b + 384*a^3*b^2 + 2318*a^2*b^3 - 160*a*b^4 - 1575*b^5) \\
& *e^{(-8*d*x - 8*c) + 6*(48*a^5 + 40*a^4*b - 117*a^3*b^2 - 201*a^2*b^3 + 45*a \\
& *b^4 + 105*b^5)*e^{(-10*d*x - 10*c) + 3*(32*a^5 + 95*a^4*b + 154*a^3*b^2 + 8 \\
& 4*a^2*b^3 - 42*a*b^4 - 35*b^5)*e^{(-12*d*x - 12*c)))/((a^8 + 4*a^7*b + 6*a^6* \\
& b^2 + 4*a^5*b^3 + a^4*b^4 + (a^8 - 4*a^7*b - 18*a^6*b^2 - 20*a^5*b^3 - 7*a^
\end{aligned}$$

$4*b^4)*e^{(-2*d*x - 2*c)} - (3*a^8 + 4*a^7*b - 22*a^6*b^2 - 44*a^5*b^3 - 21*a^4*b^4)*e^{(-4*d*x - 4*c)} - (3*a^8 - 4*a^7*b + 18*a^6*b^2 + 60*a^5*b^3 + 35*a^4*b^4)*e^{(-6*d*x - 6*c)} + (3*a^8 - 4*a^7*b + 18*a^6*b^2 + 60*a^5*b^3 + 35*a^4*b^4)*e^{(-8*d*x - 8*c)} + (3*a^8 + 4*a^7*b - 22*a^6*b^2 - 44*a^5*b^3 - 21*a^4*b^4)*e^{(-10*d*x - 10*c)} - (a^8 - 4*a^7*b - 18*a^6*b^2 - 20*a^5*b^3 - 7*a^4*b^4)*e^{(-12*d*x - 12*c)} - (a^8 + 4*a^7*b + 6*a^6*b^2 + 4*a^5*b^3 + a^4*b^4)*e^{(-14*d*x - 14*c)})*d) + 1/32*(16*a^4 + 147*a^3*b + 351*a^2*b^2 + 325*a*b^3 + 105*b^4 + 2*(8*a^4 + 32*a^3*b - 251*a^2*b^2 - 590*a*b^3 - 315*b^4))*e^{(-2*d*x - 2*c)} - (96*a^4 + 313*a^3*b + 19*a^2*b^2 - 1725*a*b^3 - 1575*b^4)*e^{(-4*d*x - 4*c)} - 4*(56*a^4 + 80*a^3*b - 65*a^2*b^2 + 400*a*b^3 + 525*b^4)*e^{(-6*d*x - 6*c)} - (176*a^4 + 135*a^3*b + 15*a^2*b^2 - 1375*a*b^3 - 1575*b^4)*e^{(-8*d*x - 8*c)} - 6*(8*a^4 + 45*a^2*b^2 + 150*a*b^3 + 105*b^4)*e^{(-10*d*x - 10*c)} + 15*(3*a^3*b + 13*a^2*b^2 + 17*a*b^3 + 7*b^4)*e^{(-12*d*x - 12*c)}))/((a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3 + (a^7 - 5*a^6*b - 13*a^5*b^2 - 7*a^4*b^3)*e^{(-2*d*x - 2*c)} - (3*a^7 + a^6*b - 23*a^5*b^2 - 21*a^4*b^3)*e^{(-4*d*x - 4*c)} - (3*a^7 - 7*a^6*b + 25*a^5*b^2 + 35*a^4*b^3)*e^{(-6*d*x - 6*c)} + (3*a^7 - 7*a^6*b + 25*a^5*b^2 + 35*a^4*b^3)*e^{(-8*d*x - 8*c)} + (3*a^7 + a^6*b - 23*a^5*b^2 - 21*a^4*b^3)*e^{(-10*d*x - 10*c)} - (a^7 - 5*a^6*b - 13*a^5*b^2 - 7*a^4*b^3)*e^{(-12*d*x - 12*c)} - (a^7 + 3*a^6*b + 3*a^5*b^2 + a^4*b^3)*e^{(-14*d*x - 14*c)})*d) + 3/4*b*log((a + b)*e^{(4*d*x + 4*c)} + 2*(a - b)*e^{(2*d*x + 2*c)} + a + b)/(a^4*d) - 3/4*b*log(2*(a - b)*e^{(-2*d*x - 2*c)} + (a + b)*e^{(-4*d*x - 4*c)} + a + b)/(a^4*d) + 1/4*(2*a - 3*b)*log(e^{(2*d*x + 2*c)} - 1)/(a^4*d) - 3/2*b*log(e^{(2*d*x + 2*c)} - 1)/(a^4*d) - 1/4*(2*a - 3*b)*log(e^{(-2*d*x - 2*c)} - 1)/(a^4*d) + 3/2*b*log(e^{(-2*d*x - 2*c)} - 1)/(a^4*d) - 5/32*(3*a*b - 7*b^2)*arctan(1/2*((a + b)*e^{(2*d*x + 2*c)} + a - b)/sqrt(a*b))/sqrt(a*b)*a^4*d) - 15/64*(3*a*b + 7*b^2)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b))/sqrt(a*b)*a^4*d) + 5/32*(3*a*b - 7*b^2)*arctan(1/2*((a + b)*e^{(-2*d*x - 2*c)} + a - b)/sqrt(a*b))/sqrt(a*b)*a^4*d)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\coth(c + dx)^4}{(b \tanh(c + dx)^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^3,x)

[Out] int(coth(c + d\*x)^4/(a + b\*tanh(c + d\*x)^2)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^4(c + dx)}{(a + b \tanh^2(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(d*x+c)**4/(a+b*tanh(d*x+c)**2)**3,x)
```

```
[Out] Integral(coth(c + d*x)**4/(a + b*tanh(c + d*x)**2)**3, x)
```

$$3.201 \quad \int \frac{1}{(a+b \tanh^2(c+dx))^4} dx$$

**Optimal.** Leaf size=201

$$\frac{b(11a+5b) \tanh(c+dx)}{24a^2d(a+b)^2 (a+b \tanh^2(c+dx))^2} + \frac{b(19a^2+16ab+5b^2) \tanh(c+dx)}{16a^3d(a+b)^3 (a+b \tanh^2(c+dx))} + \frac{\sqrt{b} (35a^3+35a^2b+21ab^2+5b^3)}{16a^{7/2}d(a+b)^4}$$

[Out]  $x/(a+b)^4 + 1/16*(35*a^3+35*a^2*b+21*a*b^2+5*b^3)*\arctan(b^{(1/2)}*\tanh(d*x+c)/a^{(1/2)})*b^{(1/2)}/a^{(7/2)}/(a+b)^4/d + 1/6*b*\tanh(d*x+c)/a/(a+b)/d/(a+b*\tanh(d*x+c)^2)^3 + 1/24*b*(11*a+5*b)*\tanh(d*x+c)/a^2/(a+b)^2/d/(a+b*\tanh(d*x+c)^2)^2 + 1/16*b*(19*a^2+16*a*b+5*b^2)*\tanh(d*x+c)/a^3/(a+b)^3/d/(a+b*\tanh(d*x+c)^2)$

**Rubi [A]** time = 0.28, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {3661, 414, 527, 522, 206, 205}

$$\frac{b(19a^2+16ab+5b^2) \tanh(c+dx)}{16a^3d(a+b)^3 (a+b \tanh^2(c+dx))} + \frac{\sqrt{b} (35a^2b+35a^3+21ab^2+5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{16a^{7/2}d(a+b)^4} + \frac{b(11a+5b)}{24a^2d(a+b)^2 (a+b \tanh^2(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^2)^(-4), x]

[Out]  $x/(a+b)^4 + (\text{Sqrt}[b]*(35*a^3+35*a^2*b+21*a*b^2+5*b^3)*\text{ArcTan}[(\text{Sqrt}[b]*\text{Tanh}[c+d*x])/\text{Sqrt}[a]])/(16*a^{(7/2)}*(a+b)^4*d) + (b*\text{Tanh}[c+d*x])/(6*a*(a+b)*d*(a+b*\text{Tanh}[c+d*x]^2)^3) + (b*(11*a+5*b)*\text{Tanh}[c+d*x])/(24*a^2*(a+b)^2*d*(a+b*\text{Tanh}[c+d*x]^2)^2) + (b*(19*a^2+16*a*b+5*b^2)*\text{Tanh}[c+d*x])/(16*a^3*(a+b)^3*d*(a+b*\text{Tanh}[c+d*x]^2))$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 414**

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

### Rule 522

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]

```

### Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

### Rule 3661

```

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(c + dx))^4} dx &= \frac{\text{Subst}\left(\int \frac{1}{(1-x^2)(a+bx^2)^4} dx, x, \tanh(c + dx)\right)}{d} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} - \frac{\text{Subst}\left(\int \frac{b-6(a+b)+5bx^2}{(1-x^2)(a+bx^2)^3} dx, x, \tanh(c + dx)\right)}{6a(a + b)d} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \dots \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \frac{b}{16a^2} \\
&= \frac{b \tanh(c + dx)}{6a(a + b)d (a + b \tanh^2(c + dx))^3} + \frac{b(11a + 5b) \tanh(c + dx)}{24a^2(a + b)^2d (a + b \tanh^2(c + dx))^2} + \frac{b}{16a^2} \\
&= \frac{x}{(a + b)^4} + \frac{\sqrt{b} (35a^3 + 35a^2b + 21ab^2 + 5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{16a^{7/2}(a + b)^4d} + \frac{b}{6a(a + b)d}
\end{aligned}$$

**Mathematica [A]** time = 0.68, size = 203, normalized size = 1.01

$$\frac{\frac{2b(11a+5b)(a+b)^2 \tanh(c+dx)}{a^2(a+b \tanh^2(c+dx))^2} + \frac{3b(19a^2+16ab+5b^2)(a+b) \tanh(c+dx)}{a^3(a+b \tanh^2(c+dx))} + \frac{3\sqrt{b}(35a^3+35a^2b+21ab^2+5b^3) \tan^{-1}\left(\frac{\sqrt{b} \tanh(c+dx)}{\sqrt{a}}\right)}{a^{7/2}} + \frac{8b(a+b)^3 \tanh(c+dx)}{a(a+b \tanh^2(c+dx))^4}}{48d(a + b)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^2)^(-4), x]

[Out] ((3\*sqrt[b]\*(35\*a^3 + 35\*a^2\*b + 21\*a\*b^2 + 5\*b^3)\*ArcTan[(sqrt[b]\*Tanh[c + d\*x])/sqrt[a]])/a^(7/2) - 24\*Log[1 - Tanh[c + d\*x]] + 24\*Log[1 + Tanh[c + d\*x]] + (8\*b\*(a + b)^3\*Tanh[c + d\*x])/(a\*(a + b\*Tanh[c + d\*x]^2)^3) + (2\*b\*(a + b)^2\*(11\*a + 5\*b)\*Tanh[c + d\*x])/(a^2\*(a + b\*Tanh[c + d\*x]^2)^2) + (3\*b\*(a + b)\*(19\*a^2 + 16\*a\*b + 5\*b^2)\*Tanh[c + d\*x])/(a^3\*(a + b\*Tanh[c + d\*x]^2))) / (48\*(a + b)^4\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^4,x, algorithm="fricas")

[Out] Timed out

**giac** [B] time = 0.53, size = 1356, normalized size = 6.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)^2)^4,x, algorithm="giac")

[Out] 
$$\frac{1}{48} \cdot (3 \cdot (35a^3b + 35a^2b^2 + 21a^2b^3 + 5b^4) \cdot \arctan\left(\frac{1}{2} \cdot \frac{a e^{2dx} + 2c + b e^{2dx} + a - b}{\sqrt{ab}}\right) / ((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) \sqrt{ab}) + 48(d x + c) / (a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4) - 2(87a^{11}b e^{10dx + 10c} + 591a^{10}b^2 e^{10dx + 10c} + 1533a^9b^3 e^{10dx + 10c} + 1413a^8b^4 e^{10dx + 10c} - 1674a^7b^5 e^{10dx + 10c} - 6426a^6b^6 e^{10dx + 10c} - 8694a^5b^7 e^{10dx + 10c} - 6822a^4b^8 e^{10dx + 10c} - 3357a^3b^9 e^{10dx + 10c} - 1029a^2b^{10} e^{10dx + 10c} - 183ab^{11} e^{10dx + 10c} - 15b^{12} e^{10dx + 10c} + 435a^{11}b e^{8dx + 8c} + 2661a^{10}b^2 e^{8dx + 8c} + 6657a^9b^3 e^{8dx + 8c} + 8871a^8b^4 e^{8dx + 8c} + 7950a^7b^5 e^{8dx + 8c} + 8610a^6b^6 e^{8dx + 8c} + 12306a^5b^7 e^{8dx + 8c} + 13182a^4b^8 e^{8dx + 8c} + 8751a^3b^9 e^{8dx + 8c} + 3465a^2b^{10} e^{8dx + 8c} + 765ab^{11} e^{8dx + 8c} + 75b^{12} e^{8dx + 8c} + 870a^{11}b e^{6dx + 6c} + 5278a^{10}b^2 e^{6dx + 6c} + 13722a^9b^3 e^{6dx + 6c} + 19602a^8b^4 e^{6dx + 6c} + 14908a^7b^5 e^{6dx + 6c} + 300a^6b^6 e^{6dx + 6c} - 14412a^5b^7 e^{6dx + 6c} - 19228a^4b^8 e^{6dx + 6c} - 13698a^3b^9 e^{6dx + 6c} - 5802a^2b^{10} e^{6dx + 6c} - 1390ab^{11} e^{6dx + 6c} - 150b^{12} e^{6dx + 6c} + 870a^{11}b e^{4dx + 4c} + 5778a^{10}b^2 e^{4dx + 4c} + 16362a^9b^3 e^{4dx + 4c} + 26190a^8b^4 e^{4dx + 4c} + 27996a^7b^5 e^{4dx + 4c} + 25620a^6b^6 e^{4dx + 4c} + 24948a^5b^7 e^{4dx + 4c} + 22332a^4b^8 e^{4dx + 4c} + 14430a^3b^9 e^{4dx + 4c} + 5946a^2b^{10} e^{4dx + 4c} + 1410ab^{11} e^{4dx + 4c} + 150b^{12} e^{4dx + 4c} + 435a^{11}b e^{2dx + 2c} + 3411a^{10}b^2 e^{2dx + 2c} + 11433a^9b^3 e^{2dx + 2c} + 20793a^8b^4 e^{2dx + 2c} + 20526a^7b^5 e^{2dx + 2c} + 6510a^6b^6 e^{2dx + 2c} - 9534a^5b^7 e^{2dx + 2c} - 14622a^4b^8 e^{2dx + 2c} - 9777a^3b^9 e^{2dx + 2c} - 3729a^2b^{10} e^{2dx + 2c} - 795ab^{11} e^{2dx + 2c} - 75b^{12} e^{2dx + 2c})$$



$$(2dx + 2c) - 549755813673a^{11}b + 841a^{10}b^2 + 3669a^9b^3 + 9531a^8b^4 + 16374a^7b^5 + 19530a^6b^6 + 16506a^5b^7 + 9894a^4b^8 + 4131a^3b^9 + 1149a^2b^{10} + 193ab^{11} + 15b^{12}) / ((a^{13} + 10a^{12}b + 45a^{11}b^2 + 120a^{10}b^3 + 210a^9b^4 + 252a^8b^5 + 210a^7b^6 + 120a^6b^7 + 45a^5b^8 + 10a^4b^9 + a^3b^{10}) * (a * e^{(4dx + 4c)} + b * e^{(4dx + 4c)} + 2 * a * e^{(2dx + 2c)} - 2 * b * e^{(2dx + 2c)} + a + b)^3) / d$$

**maple [B]** time = 0.16, size = 608, normalized size = 3.02

$$\frac{\ln(\tanh(dx+c)-1)}{2d(a+b)^4} + \frac{\ln(1+\tanh(dx+c))}{2d(a+b)^4} + \frac{19b^3(\tanh^5(dx+c))}{16d(a+b)^4(a+b(\tanh^2(dx+c)))^3} + \frac{35b^4(\tanh^5(dx+c))}{16d(a+b)^4(a+b(\tanh^2(dx+c)))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(d\*x+c))^2)^4,x

[Out] 
$$-1/2/d/(a+b)^4 * \ln(\tanh(dx+c)-1) + 1/2/d/(a+b)^4 * \ln(1+\tanh(dx+c)) + 19/16/d/(a+b)^4 * b^3/(a+b*tanh(dx+c))^2)^3 * \tanh(dx+c)^5 + 35/16/d/(a+b)^4 * b^4/(a+b*tanh(dx+c))^2)^3 / a * \tanh(dx+c)^5 + 21/16/d/(a+b)^4 * b^5/(a+b*tanh(dx+c))^2)^3 / a^2 * \tanh(dx+c)^5 + 5/16/d/(a+b)^4 * b^6/(a+b*tanh(dx+c))^2)^3 / a^3 * \tanh(dx+c)^5 + 17/6/d/(a+b)^4 * b^2/(a+b*tanh(dx+c))^2)^3 * a * \tanh(dx+c)^3 + 11/2/d/(a+b)^4 * b^3/(a+b*tanh(dx+c))^2)^3 * \tanh(dx+c)^3 + 7/2/d/(a+b)^4 * b^4/(a+b*tanh(dx+c))^2)^3 / a * \tanh(dx+c)^3 + 5/6/d/(a+b)^4 * b^5/(a+b*tanh(dx+c))^2)^3 / a^2 * \tanh(dx+c)^3 + 29/16/d/(a+b)^4 * b/(a+b*tanh(dx+c))^2)^3 * a^2 * \tanh(dx+c) + 61/16/d/(a+b)^4 * b^2/(a+b*tanh(dx+c))^2)^3 * a * \tanh(dx+c) + 43/16/d/(a+b)^4 * b^3/(a+b*tanh(dx+c))^2)^3 * \tanh(dx+c) + 11/16/d/(a+b)^4 * b^4/(a+b*tanh(dx+c))^2)^3 / a * \tanh(dx+c) + 35/16/d/(a+b)^4 * b/(a*b)^{(1/2)} * \arctan(\tanh(dx+c)*b/(a*b)^{(1/2)}) + 35/16/d/(a+b)^4 * b^2/a/(a*b)^{(1/2)} * \arctan(\tanh(dx+c)*b/(a*b)^{(1/2)}) + 21/16/d/(a+b)^4 * b^3/a^2/(a*b)^{(1/2)} * \arctan(\tanh(dx+c)*b/(a*b)^{(1/2)}) + 5/16/d/(a+b)^4 * b^4/a^3/(a*b)^{(1/2)} * \arctan(\tanh(dx+c)*b/(a*b)^{(1/2)})$$

**maxima [B]** time = 0.74, size = 925, normalized size = 4.60

$$\frac{(35a^3b + 35a^2b^2 + 21ab^3 + 5b^4) \arctan\left(\frac{(a+b)e^{(-2dx-2c)+a-b}}{2\sqrt{ab}}\right)}{16(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4)\sqrt{abd}} + \frac{24(a^{10} + 7a^9b + 21a^8b^2 + 35a^7b^3 + 35a^6b^4 + \dots)}{16(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4)\sqrt{abd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c))^2)^4,x, algorithm="maxima")

[Out] 
$$-1/16 * (35a^3b + 35a^2b^2 + 21ab^3 + 5b^4) * \arctan(1/2 * ((a+b) * e^{(-2dx-2c)+a-b}) / \sqrt{a*b}) / ((a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4) * \sqrt{a*b} * d) + 1/24 * (87a^5b + 319a^4b^2 + 450a^3b^3 + 306a^2b^4 + 103ab^5 + 15b^6 + 3 * (145a^5b + 267a^4b^2 + 34a^3b^3 - 178a^4b^2 + \dots)) / (16(a^7 + 4a^6b + 6a^5b^2 + 4a^4b^3 + a^3b^4)\sqrt{abd})$$

$$\begin{aligned}
& 2*b^4 - 115*a*b^5 - 25*b^6)*e^{(-2*d*x - 2*c)} + 6*(145*a^5*b + 93*a^4*b^2 - \\
& 6*a^3*b^3 + 106*a^2*b^4 + 85*a*b^5 + 25*b^6)*e^{(-4*d*x - 4*c)} + 2*(435*a^5* \\
& b + 29*a^4*b^2 + 162*a^3*b^3 - 306*a^2*b^4 - 245*a*b^5 - 75*b^6)*e^{(-6*d*x \\
& - 6*c)} + 3*(145*a^5*b + 17*a^4*b^2 - 58*a^3*b^3 + 150*a^2*b^4 + 105*a*b^5 + \\
& 25*b^6)*e^{(-8*d*x - 8*c)} + 3*(29*a^5*b + 23*a^4*b^2 - 62*a^3*b^3 - 82*a^2* \\
& b^4 - 31*a*b^5 - 5*b^6)*e^{(-10*d*x - 10*c)})/((a^{10} + 7*a^9*b + 21*a^8*b^2 + \\
& 35*a^7*b^3 + 35*a^6*b^4 + 21*a^5*b^5 + 7*a^4*b^6 + a^3*b^7 + 6*(a^{10} + 5*a \\
& ^9*b + 9*a^8*b^2 + 5*a^7*b^3 - 5*a^6*b^4 - 9*a^5*b^5 - 5*a^4*b^6 - a^3*b^7) \\
& *e^{(-2*d*x - 2*c)} + 3*(5*a^{10} + 19*a^9*b + 25*a^8*b^2 + 15*a^7*b^3 + 15*a^6 \\
& *b^4 + 25*a^5*b^5 + 19*a^4*b^6 + 5*a^3*b^7)*e^{(-4*d*x - 4*c)} + 4*(5*a^{10} + \\
& 17*a^9*b + 21*a^8*b^2 + 9*a^7*b^3 - 9*a^6*b^4 - 21*a^5*b^5 - 17*a^4*b^6 - 5 \\
& *a^3*b^7)*e^{(-6*d*x - 6*c)} + 3*(5*a^{10} + 19*a^9*b + 25*a^8*b^2 + 15*a^7*b^3 \\
& + 15*a^6*b^4 + 25*a^5*b^5 + 19*a^4*b^6 + 5*a^3*b^7)*e^{(-8*d*x - 8*c)} + 6*( \\
& a^{10} + 5*a^9*b + 9*a^8*b^2 + 5*a^7*b^3 - 5*a^6*b^4 - 9*a^5*b^5 - 5*a^4*b^6 \\
& - a^3*b^7)*e^{(-10*d*x - 10*c)} + (a^{10} + 7*a^9*b + 21*a^8*b^2 + 35*a^7*b^3 + \\
& 35*a^6*b^4 + 21*a^5*b^5 + 7*a^4*b^6 + a^3*b^7)*e^{(-12*d*x - 12*c)})*d) + (d \\
& *x + c)/((a^4 + 4*a^3*b + 6*a^2*b^2 + 4*a*b^3 + b^4)*d)
\end{aligned}$$

**mupad [B]** time = 1.38, size = 3685, normalized size = 18.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*tanh(c + d*x)^2)^4,x)`

[Out] `log(tanh(c + d*x) + 1)/(2*a^4*d + 2*b^4*d + 12*a^2*b^2*d + 8*a*b^3*d + 8*a^3*b*d) + ((tanh(c + d*x)^3*(16*a*b^3 + 5*b^4 + 17*a^2*b^2))/(6*a^2*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + (tanh(c + d*x)*(32*a*b^2 + 29*a^2*b + 11*b^3))/(16*a*(3*a*b^2 + 3*a^2*b + a^3 + b^3)) + (b^2*tanh(c + d*x)^5*(16*a*b^2 + 19*a^2*b + 5*b^3))/(16*a^2*(a*b^3 + 3*a^3*b + a^4 + 3*a^2*b^2)))/(a^3*d + b^3*d*tanh(c + d*x)^6 + 3*a^2*b*d*tanh(c + d*x)^2 + 3*a*b^2*d*tanh(c + d*x)^4) - log(tanh(c + d*x) - 1)/(2*d*(a + b)^4) - (atan((((-a^7*b)^(1/2))*((tanh(c + d*x)*(210*a*b^8 + 25*b^9 + 791*a^2*b^7 + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3)))/(128*(a^12*d^2 + 6*a^11*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^10*b^2*d^2)) + (((5*a^3*b^13*d^2)/4 + 14*a^4*b^12*d^2 + (287*a^5*b^11*d^2)/4 + 224*a^6*b^10*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 + (1631*a^9*b^7*d^2)/2 + 668*a^10*b^6*d^2 + (1561*a^11*b^5*d^2)/4 + 154*a^12*b^4*d^2 + (147*a^13*b^3*d^2)/4 + 4*a^14*b^2*d^2)/(a^15*d^3 + 9*a^14*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^10*b^5*d^3 + 126*a^11*b^4*d^3 + 84*a^12*b^3*d^3 + 36*a^13*b^2*d^3) - (tanh(c + d*x)*(-a^7*b)^(1/2))*(21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)*(1024*a^6*b^11*d^2 + 7168*a^7*b^10*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 + 14336*a^10*b^7*d^2 - 14336*a^11*b^6*d^2 - 28672*a^12*b^5*d^2 - 20480*a^13*b^4*d^2 - 7168*a^14*b^3*d^2 - 1024*a^15*b^2*d^2))/(4096*(a^11*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^10*b*d)`

$$\begin{aligned}
& * (a^{12}d^2 + 6a^{11}bd^2 + a^6b^6d^2 + 6a^7b^5d^2 + 15a^8b^4d^2 + 20a^9b^3d^2 + 15a^{10}b^2d^2)) * (-a^7b)^{(1/2)} * (21ab^2 + 35a^2b + 35a^3 + 5b^3) / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) * (21ab^2 + 35a^2b + 35a^3 + 5b^3) * i / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) + ((-a^7b)^{(1/2)} * ((\tanh(c + dx) * (210ab^8 + 25b^9 + 791a^2b^7 + 1820a^3b^6 + 2695a^4b^5 + 2450a^5b^4 + 1481a^6b^3)) / (128(a^{12}d^2 + 6a^{11}bd^2 + a^6b^6d^2 + 6a^7b^5d^2 + 15a^8b^4d^2 + 20a^9b^3d^2 + 15a^{10}b^2d^2)) - (((5a^3b^{13}d^2)/4 + 14a^4b^{12}d^2 + (287a^5b^{11}d^2)/4 + 224a^6b^{10}d^2 + (953a^7b^9d^2)/2 + 728a^8b^8d^2 + (1631a^9b^7d^2)/2 + 668a^{10}b^6d^2 + (1561a^{11}b^5d^2)/4 + 154a^{12}b^4d^2 + (147a^{13}b^3d^2)/4 + 4a^{14}b^2d^2) / (a^{15}d^3 + 9a^{14}bd^3 + a^6b^9d^3 + 9a^7b^8d^3 + 36a^8b^7d^3 + 84a^9b^6d^3 + 126a^{10}b^5d^3 + 126a^{11}b^4d^3 + 84a^{12}b^3d^3 + 36a^{13}b^2d^3) + (\tanh(c + dx) * (-a^7b)^{(1/2)} * (21ab^2 + 35a^2b + 35a^3 + 5b^3) * (1024a^6b^{11}d^2 + 7168a^7b^{10}d^2 + 20480a^8b^9d^2 + 28672a^9b^8d^2 + 14336a^{10}b^7d^2 - 14336a^{11}b^6d^2 - 28672a^{12}b^5d^2 - 20480a^{13}b^4d^2 - 7168a^{14}b^3d^2 - 1024a^{15}b^2d^2)) / (4096(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) * (a^{12}d^2 + 6a^{11}bd^2 + a^6b^6d^2 + 6a^7b^5d^2 + 15a^8b^4d^2 + 20a^9b^3d^2 + 15a^{10}b^2d^2)) * (-a^7b)^{(1/2)} * (21ab^2 + 35a^2b + 35a^3 + 5b^3) / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) * (21ab^2 + 35a^2b + 35a^3 + 5b^3) * i / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) / (((185ab^7)/128 + (25b^8)/128 + (303a^2b^6)/64 + (567a^3b^5)/64 + (1225a^4b^4)/128 + (665a^5b^3)/128) / (a^{15}d^3 + 9a^{14}bd^3 + a^6b^9d^3 + 9a^7b^8d^3 + 36a^8b^7d^3 + 84a^9b^6d^3 + 126a^{10}b^5d^3 + 126a^{11}b^4d^3 + 84a^{12}b^3d^3 + 36a^{13}b^2d^3) + ((-a^7b)^{(1/2)} * ((\tanh(c + dx) * (210ab^8 + 25b^9 + 791a^2b^7 + 1820a^3b^6 + 2695a^4b^5 + 2450a^5b^4 + 1481a^6b^3)) / (128(a^{12}d^2 + 6a^{11}bd^2 + a^6b^6d^2 + 6a^7b^5d^2 + 15a^8b^4d^2 + 20a^9b^3d^2 + 15a^{10}b^2d^2)) + (((5a^3b^{13}d^2)/4 + 14a^4b^{12}d^2 + (287a^5b^{11}d^2)/4 + 224a^6b^{10}d^2 + (953a^7b^9d^2)/2 + 728a^8b^8d^2 + (1631a^9b^7d^2)/2 + 668a^{10}b^6d^2 + (1561a^{11}b^5d^2)/4 + 154a^{12}b^4d^2 + (147a^{13}b^3d^2)/4 + 4a^{14}b^2d^2) / (a^{15}d^3 + 9a^{14}bd^3 + a^6b^9d^3 + 9a^7b^8d^3 + 36a^8b^7d^3 + 84a^9b^6d^3 + 126a^{10}b^5d^3 + 126a^{11}b^4d^3 + 84a^{12}b^3d^3 + 36a^{13}b^2d^3) - (\tanh(c + dx) * (-a^7b)^{(1/2)} * (21ab^2 + 35a^2b + 35a^3 + 5b^3) * (1024a^6b^{11}d^2 + 7168a^7b^{10}d^2 + 20480a^8b^9d^2 + 28672a^9b^8d^2 + 14336a^{10}b^7d^2 - 14336a^{11}b^6d^2 - 28672a^{12}b^5d^2 - 20480a^{13}b^4d^2 - 7168a^{14}b^3d^2 - 1024a^{15}b^2d^2)) / (4096(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) * (a^{12}d^2 + 6a^{11}bd^2 + a^6b^6d^2 + 6a^7b^5d^2 + 15a^8b^4d^2 + 20a^9b^3d^2 + 15a^{10}b^2d^2)) * (-a^7b)^{(1/2)} * (21ab^2 + 35a^2b + 35a^3 + 5b^3) / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) * (21ab^2 + 35a^2b + 35a^3 + 5b^3) / (32(a^{11}d + a^7b^4d + 4a^8b^3d + 6a^9b^2d + 4a^{10}bd)) - ((-a^7b)^{(1/2)} * ((\tanh(c + dx) * (210ab^8 + 25b^9 + 791a^2b^7
\end{aligned}$$

$$\begin{aligned} & 7 + 1820*a^3*b^6 + 2695*a^4*b^5 + 2450*a^5*b^4 + 1481*a^6*b^3) / (128*(a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2)) - (((5*a^3*b^{13}*d^2)/4 + 14*a^4*b^{12}*d^2 + (28*7*a^5*b^{11}*d^2)/4 + 224*a^6*b^{10}*d^2 + (953*a^7*b^9*d^2)/2 + 728*a^8*b^8*d^2 + (1631*a^9*b^7*d^2)/2 + 668*a^{10}*b^6*d^2 + (1561*a^{11}*b^5*d^2)/4 + 154*a^{12}*b^4*d^2 + (147*a^{13}*b^3*d^2)/4 + 4*a^{14}*b^2*d^2) / (a^{15}*d^3 + 9*a^{14}*b*d^3 + a^6*b^9*d^3 + 9*a^7*b^8*d^3 + 36*a^8*b^7*d^3 + 84*a^9*b^6*d^3 + 126*a^{10}*b^5*d^3 + 126*a^{11}*b^4*d^3 + 84*a^{12}*b^3*d^3 + 36*a^{13}*b^2*d^3) + (\tanh(c + d*x)*(-a^7*b)^{(1/2)}*(21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)*(1024*a^6*b^{11}*d^2 + 7168*a^7*b^{10}*d^2 + 20480*a^8*b^9*d^2 + 28672*a^9*b^8*d^2 + 14336*a^{10}*b^7*d^2 - 14336*a^{11}*b^6*d^2 - 28672*a^{12}*b^5*d^2 - 20480*a^{13}*b^4*d^2 - 7168*a^{14}*b^3*d^2 - 1024*a^{15}*b^2*d^2)) / (4096*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) * (a^{12}*d^2 + 6*a^{11}*b*d^2 + a^6*b^6*d^2 + 6*a^7*b^5*d^2 + 15*a^8*b^4*d^2 + 20*a^9*b^3*d^2 + 15*a^{10}*b^2*d^2)) * (-a^7*b)^{(1/2)} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)) / (32*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) * (-a^7*b)^{(1/2)} * (21*a*b^2 + 35*a^2*b + 35*a^3 + 5*b^3)*1i) / (16*(a^{11}*d + a^7*b^4*d + 4*a^8*b^3*d + 6*a^9*b^2*d + 4*a^{10}*b*d)) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(d\*x+c)\*\*2)\*\*4,x)

[Out] Timed out

$$3.202 \quad \int \sqrt{1 - \tanh^2(x)} dx$$

Optimal. Leaf size=3

$$\sin^{-1}(\tanh(x))$$

[Out] arcsin(tanh(x))

**Rubi [A]** time = 0.02, antiderivative size = 3, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {3657, 4122, 216}

$$\sin^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Tanh[x]^2], x]

[Out] ArcSin[Tanh[x]]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^p, x\_Symbol] := Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

#### Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^2)^p, x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1), x], x, Tan[e + f\*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]

#### Rubi steps

$$\begin{aligned} \int \sqrt{1 - \tanh^2(x)} \, dx &= \int \sqrt{\operatorname{sech}^2(x)} \, dx \\ &= \operatorname{Subst} \left( \int \frac{1}{\sqrt{1-x^2}} \, dx, x, \tanh(x) \right) \\ &= \sin^{-1}(\tanh(x)) \end{aligned}$$

**Mathematica** [B] time = 0.01, size = 19, normalized size = 6.33

$$2 \cosh(x) \sqrt{\operatorname{sech}^2(x)} \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Tanh[x]^2], x]

[Out] 2\*ArcTan[Tanh[x/2]]\*Cosh[x]\*Sqrt[Sech[x]^2]

**fricas** [B] time = 0.74, size = 8, normalized size = 2.67

$$2 \arctan(\cosh(x) + \sinh(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] 2\*arctan(cosh(x) + sinh(x))

**giac** [A] time = 0.13, size = 5, normalized size = 1.67

$$2 \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] 2\*arctan(e^x)

**maple** [A] time = 0.08, size = 4, normalized size = 1.33

$$\arcsin(\tanh(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-tanh(x)^2)^(1/2), x)

[Out] arcsin(tanh(x))

**maxima** [A] time = 0.47, size = 5, normalized size = 1.67

$$2 \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] 2\*arctan(e^x)

**mupad** [B] time = 0.04, size = 3, normalized size = 1.00

$$\operatorname{asin}(\tanh(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - tanh(x)^2)^(1/2),x)

[Out] asin(tanh(x))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{1 - \tanh^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(1 - tanh(x)\*\*2), x)

$$3.203 \quad \int \sqrt{-1 + \tanh^2(x)} dx$$

Optimal. Leaf size=16

$$-\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right)$$

[Out] -arctanh(tanh(x)/(-sech(x)^2)^(1/2))

**Rubi [A]** time = 0.02, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {3657, 4122, 217, 206}

$$-\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 + Tanh[x]^2], x]

[Out] -ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] := Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1),



$x], x, \text{Tan}[e + f*x]/ff], x]] /; \text{FreeQ}[\{b, e, f, p\}, x] \&\amp; \text{!IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int \sqrt{-1 + \tanh^2(x)} dx &= \int \sqrt{-\text{sech}^2(x)} dx \\ &= -\text{Subst} \left( \int \frac{1}{\sqrt{-1 + x^2}} dx, x, \tanh(x) \right) \\ &= -\text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \frac{\tanh(x)}{\sqrt{-\text{sech}^2(x)}} \right) \\ &= -\tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\text{sech}^2(x)}} \right) \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 21, normalized size = 1.31

$$2 \cosh(x) \sqrt{-\text{sech}^2(x)} \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-1 + Tanh[x]^2], x]

[Out] 2\*ArcTan[Tanh[x/2]]\*Cosh[x]\*Sqrt[-Sech[x]^2]

**fricas [A]** time = 2.08, size = 1, normalized size = 0.06

0

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] 0

**giac [A]** time = 0.13, size = 1, normalized size = 0.06

0

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] 0

**maple** [A] time = 0.11, size = 15, normalized size = 0.94

$$-\ln\left(\tanh(x) + \sqrt{-1 + \tanh^2(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+tanh(x)^2)^(1/2),x)

[Out] -ln(tanh(x)+(-1+tanh(x)^2)^(1/2))

**maxima** [C] time = 0.49, size = 5, normalized size = 0.31

$$2i \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] 2\*I\*arctan(e^x)

**mupad** [B] time = 0.25, size = 14, normalized size = 0.88

$$-\ln\left(\tanh(x) + \sqrt{\tanh^2(x) - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((tanh(x)^2 - 1)^(1/2),x)

[Out] -log(tanh(x) + (tanh(x)^2 - 1)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\tanh^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(tanh(x)\*\*2 - 1), x)

$$3.204 \quad \int (1 - \tanh^2(x))^{3/2} dx$$

Optimal. Leaf size=22

$$\frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \tanh(x) \sqrt{\operatorname{sech}^2(x)}$$

[Out] 1/2\*arcsin(tanh(x))+1/2\*(sech(x)^2)^(1/2)\*tanh(x)

Rubi [A] time = 0.02, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3657, 4122, 195, 216}

$$\frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \tanh(x) \sqrt{\operatorname{sech}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(1 - Tanh[x]^2)^(3/2), x]

[Out] ArcSin[Tanh[x]]/2 + (Sqrt[Sech[x]^2]\*Tanh[x])/2

Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 3657

Int[(u\_.)\*((a\_) + (b\_.)\*tan[(e\_.) + (f\_.)\*(x\_)^2])^(p\_), x\_Symbol] := Int[ActivateTrig[u\*(a\*sec[e + f\*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]

Rule 4122

Int[((b\_.)\*sec[(e\_.) + (f\_.)\*(x\_)^2])^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(b\*ff)/f, Subst[Int[(b + b\*ff^2\*x^2)^(p - 1),

$x]$ ,  $x$ ,  $\text{Tan}[e + f*x]/ff]$ ,  $x]$  /;  $\text{FreeQ}[\{b, e, f, p\}, x]$  &&  $! \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int (1 - \tanh^2(x))^{3/2} dx &= \int \text{sech}^2(x)^{3/2} dx \\ &= \text{Subst} \left( \int \sqrt{1 - x^2} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \sqrt{\text{sech}^2(x)} \tanh(x) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1 - x^2}} dx, x, \tanh(x) \right) \\ &= \frac{1}{2} \sin^{-1}(\tanh(x)) + \frac{1}{2} \sqrt{\text{sech}^2(x)} \tanh(x) \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 29, normalized size = 1.32

$$\frac{\text{sech}(x) \left( 2 \tan^{-1} \left( \tanh \left( \frac{x}{2} \right) \right) + \tanh(x) \text{sech}(x) \right)}{2 \sqrt{\text{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Tanh[x]^2)^(3/2), x]

[Out] (Sech[x]\*(2\*ArcTan[Tanh[x/2]] + Sech[x]\*Tanh[x]))/(2\*Sqrt[Sech[x]^2])

**fricas [B]** time = 0.45, size = 140, normalized size = 6.36

$$\frac{\cosh(x)^3 + 3 \cosh(x) \sinh(x)^2 + \sinh(x)^3 + (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x))}{\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] (cosh(x)^3 + 3\*cosh(x)\*sinh(x)^2 + sinh(x)^3 + (cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + 2\*(3\*cosh(x)^2 + 1)\*sinh(x)^2 + 2\*cosh(x)^2 + 4\*(cosh(x)^3 + cosh(x))\*sinh(x) + 1)\*arctan(cosh(x) + sinh(x)) + (3\*cosh(x)^2 - 1)\*sinh(x) - cosh(x))/(cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + 2\*(3\*cosh(x)^2 + 1)\*sinh(x)^2 + 2\*cosh(x)^2 + 4\*(cosh(x)^3 + cosh(x))\*sinh(x) + 1)

**giac [B]** time = 0.12, size = 45, normalized size = 2.05

$$\frac{1}{4} \pi - \frac{e^{(-x)} - e^x}{(e^{(-x)} - e^x)^2 + 4} + \frac{1}{2} \arctan \left( \frac{1}{2} (e^{(2x)} - 1) e^{(-x)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{4}\pi - \frac{e^{-x} - e^x}{(e^{-x} - e^x)^2 + 4} + \frac{1}{2}\arctan\left(\frac{1}{2}(e^{2x} - 1)e^{-x}\right)$

**maple** [A] time = 0.07, size = 21, normalized size = 0.95

$$\frac{\tanh(x)\sqrt{1 - (\tanh^2(x))}}{2} + \frac{\arcsin(\tanh(x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-tanh(x)^2)^(3/2),x)

[Out]  $\frac{1}{2}\tanh(x)*(1-\tanh(x)^2)^{(1/2)} + \frac{1}{2}\arcsin(\tanh(x))$

**maxima** [A] time = 0.48, size = 28, normalized size = 1.27

$$\frac{e^{(3x)} - e^x}{e^{(4x)} + 2e^{(2x)} + 1} + \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out]  $\frac{e^{(3x)} - e^x}{e^{(4x)} + 2e^{(2x)} + 1} + \arctan(e^x)$

**mupad** [B] time = 0.10, size = 20, normalized size = 0.91

$$\frac{\operatorname{asin}(\tanh(x))}{2} + \frac{\tanh(x)\sqrt{1 - \tanh(x)^2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - tanh(x)^2)^(3/2),x)

[Out]  $\frac{\operatorname{asin}(\tanh(x))}{2} + \frac{\tanh(x)*(1 - \tanh(x)^2)^{(1/2)}}{2}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (1 - \tanh^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((1 - tanh(x)\*\*2)\*\*(3/2), x)

$$3.205 \quad \int \left(-1 + \tanh^2(x)\right)^{3/2} dx$$

Optimal. Leaf size=35

$$\frac{1}{2} \tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{-\operatorname{sech}^2(x)}$$

[Out] 1/2\*arctanh(tanh(x)/(-sech(x)^2)^(1/2))-1/2\*(-sech(x)^2)^(1/2)\*tanh(x)

**Rubi [A]** time = 0.02, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {3657, 4122, 195, 217, 206}

$$\frac{1}{2} \tanh^{-1} \left( \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{-\operatorname{sech}^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Tanh[x]/Sqrt[-Sech[x]^2]]/2 - (Sqrt[-Sech[x]^2]\*Tanh[x])/2

Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 3657

```
Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)]^2)^p], x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]
```

### Rule 4122

```
Int[((b_.)*sec[(e_.) + (f_.)*(x_)]^2)^p], x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(b*ff)/f, Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]
```

### Rubi steps

$$\begin{aligned}
 \int (-1 + \tanh^2(x))^{3/2} dx &= \int (-\operatorname{sech}^2(x))^{3/2} dx \\
 &= -\operatorname{Subst}\left(\int \sqrt{-1 + x^2} dx, x, \tanh(x)\right) \\
 &= -\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x) + \frac{1}{2}\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1 + x^2}} dx, x, \tanh(x)\right) \\
 &= -\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x) + \frac{1}{2}\operatorname{Subst}\left(\int \frac{1}{1 - x^2} dx, x, \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right) \\
 &= \frac{1}{2}\tanh^{-1}\left(\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}\right) - \frac{1}{2}\sqrt{-\operatorname{sech}^2(x)} \tanh(x)
 \end{aligned}$$

**Mathematica** [A] time = 0.02, size = 28, normalized size = 0.80

$$-\frac{1}{2}\sqrt{-\operatorname{sech}^2(x)}\left(\tanh(x) + 2\cosh(x)\tan^{-1}\left(\tanh\left(\frac{x}{2}\right)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(-1 + Tanh[x]^2)^(3/2), x]
```

```
[Out] -1/2*(Sqrt[-Sech[x]^2]*(2*ArcTan[Tanh[x/2]]*Cosh[x] + Tanh[x]))
```

**fricas** [A] time = 0.61, size = 1, normalized size = 0.03

0

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 0

**giac** [A] time = 0.12, size = 41, normalized size = 1.17

$$\frac{\sqrt{-e^{(2x)}} + \frac{1}{\sqrt{-e^{(2x)}}}}{\left(\sqrt{-e^{(2x)}} + \frac{1}{\sqrt{-e^{(2x)}}}\right)^2 - 4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] (sqrt(-e^(2\*x)) + 1/sqrt(-e^(2\*x)))/((sqrt(-e^(2\*x)) + 1/sqrt(-e^(2\*x)))^2 - 4)

**maple** [A] time = 0.12, size = 28, normalized size = 0.80

$$-\frac{\tanh(x)\sqrt{-1 + \tanh^2(x)}}{2} + \frac{\ln\left(\tanh(x) + \sqrt{-1 + \tanh^2(x)}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+tanh(x)^2)^(3/2),x)

[Out] -1/2\*tanh(x)\*(-1+tanh(x)^2)^(1/2)+1/2\*ln(tanh(x)+(-1+tanh(x)^2)^(1/2))

**maxima** [C] time = 0.46, size = 32, normalized size = 0.91

$$\frac{-ie^{(3x)} + ie^x}{e^{(4x)} + 2e^{(2x)} + 1} - i \arctan(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] (-I\*e^(3\*x) + I\*e^x)/(e^(4\*x) + 2\*e^(2\*x) + 1) - I\*arctan(e^x)

**mupad** [B] time = 1.17, size = 27, normalized size = 0.77

$$\frac{\ln\left(\tanh(x) + \sqrt{\tanh(x)^2 - 1}\right)}{2} - \frac{\tanh(x)\sqrt{\tanh(x)^2 - 1}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((tanh(x)^2 - 1)^(3/2),x)
```

```
[Out] log(tanh(x) + (tanh(x)^2 - 1)^(1/2))/2 - (tanh(x)*(tanh(x)^2 - 1)^(1/2))/2
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (\tanh^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+tanh(x)**2)**(3/2),x)
```

```
[Out] Integral((tanh(x)**2 - 1)**(3/2), x)
```

$$3.206 \quad \int \frac{1}{\sqrt{1-\tanh^2(x)}} dx$$

Optimal. Leaf size=11

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

[Out]  $\tanh(x)/(\operatorname{sech}(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {3657, 4122, 191}

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] `Int[1/Sqrt[1 - Tanh[x]^2], x]`

[Out] `Tanh[x]/Sqrt[Sech[x]^2]`

Rule 191

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]`

Rule 3657

`Int[(u_.)*((a_) + (b_.)*tan[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

Rule 4122

`Int[((b_.)*sec[(e_.) + (f_.)*(x_)^2])^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(b*ff)/f, Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{1 - \tanh^2(x)}} dx &= \int \frac{1}{\sqrt{\operatorname{sech}^2(x)}} dx \\
 &= \operatorname{Subst} \left( \int \frac{1}{(1 - x^2)^{3/2}} dx, x, \tanh(x) \right) \\
 &= \frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}
 \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 11, normalized size = 1.00

$$\frac{\tanh(x)}{\sqrt{\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[1 - Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[Sech[x]^2]

**fricas** [A] time = 0.55, size = 2, normalized size = 0.18

$$\sinh(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] sinh(x)

**giac** [A] time = 0.14, size = 11, normalized size = 1.00

$$-\frac{1}{2} e^{(-x)} + \frac{1}{2} e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] -1/2\*e^(-x) + 1/2\*e^x

maple [A] time = 0.05, size = 14, normalized size = 1.27

$$\frac{\tanh(x)}{\sqrt{1 - (\tanh^2(x))}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1-tanh(x)^2)^(1/2),x)

[Out] 1/(1-tanh(x)^2)^(1/2)\*tanh(x)

maxima [A] time = 0.42, size = 11, normalized size = 1.00

$$-\frac{1}{2}e^{(-x)} + \frac{1}{2}e^x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] -1/2\*e^(-x) + 1/2\*e^x

mupad [B] time = 0.14, size = 2, normalized size = 0.18

$$\sinh(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1 - tanh(x)^2)^(1/2),x)

[Out] sinh(x)

sympy [A] time = 0.41, size = 12, normalized size = 1.09

$$\frac{\tanh(x)}{\sqrt{1 - \tanh^2(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-tanh(x)\*\*2)\*\*(1/2),x)

[Out] tanh(x)/sqrt(1 - tanh(x)\*\*2)

$$3.207 \quad \int \frac{1}{\sqrt{-1+\tanh^2(x)}} dx$$

Optimal. Leaf size=13

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

[Out]  $\tanh(x)/(-\operatorname{sech}(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {3657, 4122, 191}

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] `Int[1/Sqrt[-1 + Tanh[x]^2], x]`

[Out] `Tanh[x]/Sqrt[-Sech[x]^2]`

Rule 191

`Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]`

Rule 3657

`Int[(u_)*((a_) + (b_)*tan[(e_) + (f_)*(x_)]^2)^(p_), x_Symbol] := Int[ActivateTrig[u*(a*sec[e + f*x]^2)^p], x] /; FreeQ[{a, b, e, f, p}, x] && EqQ[a, b]`

Rule 4122

`Int[((b_)*sec[(e_) + (f_)*(x_)]^2)^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(b*ff)/f, Subst[Int[(b + b*ff^2*x^2)^(p - 1), x], x, Tan[e + f*x]/ff], x]] /; FreeQ[{b, e, f, p}, x] && !IntegerQ[p]`

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{-1 + \tanh^2(x)}} dx &= \int \frac{1}{\sqrt{-\operatorname{sech}^2(x)}} dx \\
 &= -\operatorname{Subst} \left( \int \frac{1}{(-1 + x^2)^{3/2}} dx, x, \tanh(x) \right) \\
 &= \frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 13, normalized size = 1.00

$$\frac{\tanh(x)}{\sqrt{-\operatorname{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-1 + Tanh[x]^2], x]

[Out] Tanh[x]/Sqrt[-Sech[x]^2]

**fricas [A]** time = 0.46, size = 1, normalized size = 0.08

0

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] 0

**giac [A]** time = 0.13, size = 21, normalized size = 1.62

$$-\frac{1}{2} \sqrt{-e^{(2x)}} - \frac{1}{2 \sqrt{-e^{(2x)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1+tanh(x)^2)^(1/2), x, algorithm="giac")

[Out] -1/2\*sqrt(-e^(2\*x)) - 1/2/sqrt(-e^(2\*x))

**maple** [A] time = 0.09, size = 12, normalized size = 0.92

$$\frac{\tanh(x)}{\sqrt{-1 + \tanh^2(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-1+tanh(x)^2)^(1/2),x)`

[Out] `tanh(x)/(-1+tanh(x)^2)^(1/2)`

**maxima** [B] time = 0.42, size = 25, normalized size = 1.92

$$-\frac{e^{(-2x)}}{2\sqrt{-e^{(-2x)}}} + \frac{1}{2\sqrt{-e^{(-2x)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `-1/2*e^(-2*x)/sqrt(-e^(-2*x)) + 1/2/sqrt(-e^(-2*x))`

**mupad** [B] time = 0.09, size = 14, normalized size = 1.08

$$\frac{\sinh(2x) \sqrt{-\frac{1}{\cosh(x)^2}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(tanh(x)^2 - 1)^(1/2),x)`

[Out] `-(sinh(2*x)*(-1/cosh(x)^2)^(1/2))/2`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\tanh^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1+tanh(x)**2)**(1/2),x)`

[Out] `Integral(1/sqrt(tanh(x)**2 - 1), x)`

### 3.208 $\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx$

**Optimal.** Leaf size=87

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a - b)(a + b \tanh^2(x))^{3/2}}{3b^2} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))\*(a+b)^(1/2)-(a+b\*tanh(x)^2)^(1/2)+1/3\*(a-b)\*(a+b\*tanh(x)^2)^(3/2)/b^2-1/5\*(a+b\*tanh(x)^2)^(5/2)/b^2

**Rubi [A]** time = 0.16, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 88, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a - b)(a + b \tanh^2(x))^{3/2}}{3b^2} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] + ((a - b)\*(a + b\*Tanh[x]^2)^(3/2))/(3\*b^2) - (a + b\*Tanh[x]^2)^(5/2)/(5\*b^2)

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```



Rule 88

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \tanh^5(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^5 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2 \sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{(a - b) \sqrt{a + bx}}{b} + \frac{\sqrt{a + bx}}{1 - x} - \frac{(a + bx)^{3/2}}{b} \right) dx, x, \tanh^2(x) \right) \\
&= \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x \right) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{1}{2} (a + b \tanh^2(x)) \\
&= -\sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b^2} + \frac{(a + b \tanh^2(x))^{3/2}}{2\sqrt{a + b}} \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)} + \frac{(a - b) (a + b \tanh^2(x))^{3/2}}{3b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.52, size = 85, normalized size = 0.98

$$\frac{\sqrt{a + b \tanh^2(x)} (2a^2 - b(a + 5b) \tanh^2(x) - 5ab - 3b^2 \tanh^4(x) - 15b^2)}{15b^2} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] + (Sqrt[a + b\*Tanh[x]^2]\*(2\*a^2 - 5\*a\*b - 15\*b^2 - b\*(a + 5\*b)\*Tanh[x]^2 - 3\*b^2\*Tanh[x]^4))/(15\*b^2)

**fricas [B]** time = 0.87, size = 4529, normalized size = 52.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^5,x, algorithm="fricas")

[Out]  $\frac{1}{60} \cdot (15 \cdot (b^2 \cosh(x)^{10} + 10 \cdot b^2 \cosh(x) \sinh(x)^9 + b^2 \sinh(x)^{10} + 5 \cdot b^2 \cosh(x)^8 + 5 \cdot (9 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^8 + 10 \cdot b^2 \cosh(x)^6 + 40 \cdot (3 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)^7 + 10 \cdot (21 \cdot b^2 \cosh(x)^4 + 14 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^6 + 10 \cdot b^2 \cosh(x)^4 + 4 \cdot (63 \cdot b^2 \cosh(x)^5 + 70 \cdot b^2 \cosh(x)^3 + 15 \cdot b^2 \cosh(x)) \sinh(x)^5 + 10 \cdot (21 \cdot b^2 \cosh(x)^6 + 35 \cdot b^2 \cosh(x)^4 + 15 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^4 + 5 \cdot b^2 \cosh(x)^2 + 40 \cdot (3 \cdot b^2 \cosh(x)^7 + 7 \cdot b^2 \cosh(x)^5 + 5 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)^3 + 5 \cdot (9 \cdot b^2 \cosh(x)^8 + 28 \cdot b^2 \cosh(x)^6 + 30 \cdot b^2 \cosh(x)^4 + 12 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^2 + b^2 + 10 \cdot (b^2 \cosh(x)^9 + 4 \cdot b^2 \cosh(x)^7 + 6 \cdot b^2 \cosh(x)^5 + 4 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \cdot \log\left(\frac{(a^3 + a^2 \cdot b) \cosh(x)^8 + 8 \cdot (a^3 + a^2 \cdot b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 \cdot b) \sinh(x)^8 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)^6 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b + 14 \cdot (a^3 + a^2 \cdot b) \cosh(x)^2) \sinh(x)^6 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cosh(x)^3 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)) \sinh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cosh(x)^4 + (70 \cdot (a^3 + a^2 \cdot b) \cosh(x))^4 + 6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3 + 30 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)^2 \sinh(x)^4 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cosh(x)^5 + 10 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)^3 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + 2 \cdot (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cosh(x)^2 + 2 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cosh(x)^6 + 15 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)^4 + 2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3 + 3 \cdot (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} \cdot (a^2 \cosh(x)^6 + 6 \cdot a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3 \cdot a^2 \cosh(x)^4 + 3 \cdot (5 \cdot a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4 \cdot (5 \cdot a^2 \cosh(x)^3 + 3 \cdot a^2 \cosh(x)) \sinh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cosh(x)^2 + (15 \cdot a^2 \cosh(x)^4 + 18 \cdot a^2 \cosh(x)^2 + 3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (3 \cdot a^2 \cosh(x)^5 + 6 \cdot a^2 \cosh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \cdot \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}} + 4 \cdot (2 \cdot (a^3 + a^2 \cdot b) \cosh(x)^7 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cosh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cosh(x)^3 + (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cdot \cosh(x)^5 \sinh(x) + 15 \cdot \cosh(x)^4 \sinh(x)^2 + 20 \cdot \cosh(x)^3 \sinh(x)^3 + 15 \cdot \cosh(x)^2 \sinh(x)^4 + 6 \cdot \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 15 \cdot (b^2 \cosh(x)^{10} + 10 \cdot b^2 \cosh(x) \sinh(x)^9 + b^2 \sinh(x)^{10} + 5 \cdot b^2 \cosh(x)^8 + 5 \cdot (9 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^8 + 10 \cdot b^2 \cosh(x)^6 + 40 \cdot (3 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)^7 + 10 \cdot (21 \cdot b^2 \cosh(x)^4 + 14 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^6 + 10 \cdot b^2 \cosh(x)^4 + 4 \cdot (63 \cdot b^2 \cosh(x)^5 + 70 \cdot b^2 \cosh(x)^3 + 15 \cdot b^2 \cosh(x)) \sinh(x)^5 + 10 \cdot (21 \cdot b^2 \cosh(x)^6 + 35 \cdot b^2 \cosh(x)^4 + 15 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^4 + 5 \cdot b^2 \cosh(x)^2 + 40 \cdot (3 \cdot b^2 \cosh(x)^7 + 7 \cdot b^2 \cosh(x)^5 + 5 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)^3 + 5 \cdot (9 \cdot b^2 \cosh(x)^8 + 28 \cdot b^2 \cosh(x)^6 + 30 \cdot b^2 \cosh(x)^4 + 12 \cdot b^2 \cosh(x)^2 + b^2) \sinh(x)^2 + b^2 + 10 \cdot (b^2 \cosh(x)^9 + 4 \cdot b^2 \cosh(x)^7 + 6 \cdot b^2 \cosh(x)^5 + 4 \cdot b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \cdot \log\left(\frac{-((a+b) \cosh(x)^4 + 4 \cdot (a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2 \cdot b \cosh(x)^2 + 2 \cdot (3 \cdot (a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \sinh(x) + \sinh(x)^2 - 1)) \sqrt{a+b} \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}}}{(a+b) \cosh(x)^4 + 4 \cdot (a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2 \cdot b \cosh(x)^2 + 2 \cdot (3 \cdot (a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \sinh(x) + \sinh(x)^2 - 1)) \sqrt{a+b} \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}}}\right)$

$$\begin{aligned}
& 2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sin \\
& h(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*\sqrt{2}*((2* \\
& a^2 - 6*a*b - 23*b^2)*\cosh(x)^8 + 8*(2*a^2 - 6*a*b - 23*b^2)*\cosh(x)*\sinh(x) \\
& )^7 + (2*a^2 - 6*a*b - 23*b^2)*\sinh(x)^8 + 4*(2*a^2 - 5*a*b - 12*b^2)*\cosh( \\
& x)^6 + 4*(7*(2*a^2 - 6*a*b - 23*b^2)*\cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*\si \\
& nh(x)^6 + 8*(7*(2*a^2 - 6*a*b - 23*b^2)*\cosh(x)^3 + 3*(2*a^2 - 5*a*b - 12*b \\
& ^2)*\cosh(x))*\sinh(x)^5 + 2*(6*a^2 - 14*a*b - 49*b^2)*\cosh(x)^4 + 2*(35*(2*a \\
& ^2 - 6*a*b - 23*b^2)*\cosh(x)^4 + 30*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^2 + 6* \\
& a^2 - 14*a*b - 49*b^2)*\sinh(x)^4 + 8*(7*(2*a^2 - 6*a*b - 23*b^2)*\cosh(x)^5 \\
& + 10*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^3 + (6*a^2 - 14*a*b - 49*b^2)*\cosh(x) \\
& )*\sinh(x)^3 + 4*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^2 + 4*(7*(2*a^2 - 6*a*b - \\
& 23*b^2)*\cosh(x)^6 + 15*(2*a^2 - 5*a*b - 12*b^2)*\cosh(x)^4 + 3*(6*a^2 - 14*a \\
& *b - 49*b^2)*\cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*\sinh(x)^2 + 2*a^2 - 6*a*b \\
& - 23*b^2 + 8*((2*a^2 - 6*a*b - 23*b^2)*\cosh(x)^7 + 3*(2*a^2 - 5*a*b - 12*b^ \\
& 2)*\cosh(x)^5 + (6*a^2 - 14*a*b - 49*b^2)*\cosh(x)^3 + (2*a^2 - 5*a*b - 12*b^ \\
& 2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/ \\
& (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(b^2*\cosh(x)^10 + 10*b^2*\cosh( \\
& x)*\sinh(x)^9 + b^2*\sinh(x)^10 + 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cosh(x)^2 + b^2) \\
& *\sinh(x)^8 + 10*b^2*\cosh(x)^6 + 40*(3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^ \\
& 7 + 10*(21*b^2*\cosh(x)^4 + 14*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 10*b^2*\cosh( \\
& x)^4 + 4*(63*b^2*\cosh(x)^5 + 70*b^2*\cosh(x)^3 + 15*b^2*\cosh(x))*\sinh(x)^5 + \\
& 10*(21*b^2*\cosh(x)^6 + 35*b^2*\cosh(x)^4 + 15*b^2*\cosh(x)^2 + b^2)*\sinh(x)^ \\
& 4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2*\cosh(x)^7 + 7*b^2*\cosh(x)^5 + 5*b^2*\cosh(x) \\
& ^3 + b^2*\cosh(x))*\sinh(x)^3 + 5*(9*b^2*\cosh(x)^8 + 28*b^2*\cosh(x)^6 + 30*b^ \\
& 2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 10*(b^2*\cosh(x)^9 + \\
& 4*b^2*\cosh(x)^7 + 6*b^2*\cosh(x)^5 + 4*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x) \\
& ), -1/30*(15*(b^2*\cosh(x)^10 + 10*b^2*\cosh(x)*\sinh(x)^9 + b^2*\sinh(x)^10 + \\
& 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cosh(x)^2 + b^2)*\sinh(x)^8 + 10*b^2*\cosh(x)^6 + \\
& 40*(3*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^7 + 10*(21*b^2*\cosh(x)^4 + 14*b^ \\
& 2*\cosh(x)^2 + b^2)*\sinh(x)^6 + 10*b^2*\cosh(x)^4 + 4*(63*b^2*\cosh(x)^5 + 70* \\
& b^2*\cosh(x)^3 + 15*b^2*\cosh(x))*\sinh(x)^5 + 10*(21*b^2*\cosh(x)^6 + 35*b^2*c \\
& osh(x)^4 + 15*b^2*\cosh(x)^2 + b^2)*\sinh(x)^4 + 5*b^2*\cosh(x)^2 + 40*(3*b^2* \\
& cosh(x)^7 + 7*b^2*\cosh(x)^5 + 5*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x)^3 + 5* \\
& (9*b^2*\cosh(x)^8 + 28*b^2*\cosh(x)^6 + 30*b^2*\cosh(x)^4 + 12*b^2*\cosh(x)^2 + \\
& b^2)*\sinh(x)^2 + b^2 + 10*(b^2*\cosh(x)^9 + 4*b^2*\cosh(x)^7 + 6*b^2*\cosh(x) \\
& ^5 + 4*b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a \\
& *\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{(( \\
& (a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh( \\
& x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + \\
& (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cos \\
& h(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b) \\
& )*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + 15*(b^2*\cosh(x)^10 + \\
& 10*b^2*\cosh(x)*\sinh(x)^9 + b^2*\sinh(x)^10 + 5*b^2*\cosh(x)^8 + 5*(9*b^2*\cos \\
& h(x)^2 + b^2)*\sinh(x)^8 + 10*b^2*\cosh(x)^6 + 40*(3*b^2*\cosh(x)^3 + b^2*\cosh \\
& (x))*\sinh(x)^7 + 10*(21*b^2*\cosh(x)^4 + 14*b^2*\cosh(x)^2 + b^2)*\sinh(x)^6 +
\end{aligned}$$

$$\begin{aligned}
& 10*b^2*cosh(x)^4 + 4*(63*b^2*cosh(x)^5 + 70*b^2*cosh(x)^3 + 15*b^2*cosh(x) \\
& )*sinh(x)^5 + 10*(21*b^2*cosh(x)^6 + 35*b^2*cosh(x)^4 + 15*b^2*cosh(x)^2 + \\
& b^2)*sinh(x)^4 + 5*b^2*cosh(x)^2 + 40*(3*b^2*cosh(x)^7 + 7*b^2*cosh(x)^5 + \\
& 5*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x)^3 + 5*(9*b^2*cosh(x)^8 + 28*b^2*cosh \\
& (x)^6 + 30*b^2*cosh(x)^4 + 12*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 + 10*(b^ \\
& 2*cosh(x)^9 + 4*b^2*cosh(x)^7 + 6*b^2*cosh(x)^5 + 4*b^2*cosh(x)^3 + b^2*cos \\
& h(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + \\
& sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + \\
& a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((a + b)*cosh(x)^4 + 4* \\
& (a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3* \\
& (a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh( \\
& x))*sinh(x) + a + b)) - 2*sqrt(2)*((2*a^2 - 6*a*b - 23*b^2)*cosh(x)^8 + 8*( \\
& 2*a^2 - 6*a*b - 23*b^2)*cosh(x)*sinh(x)^7 + (2*a^2 - 6*a*b - 23*b^2)*sinh(x) \\
& )^8 + 4*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^6 + 4*(7*(2*a^2 - 6*a*b - 23*b^2)* \\
& cosh(x)^2 + 2*a^2 - 5*a*b - 12*b^2)*sinh(x)^6 + 8*(7*(2*a^2 - 6*a*b - 23*b^ \\
& 2)*cosh(x)^3 + 3*(2*a^2 - 5*a*b - 12*b^2)*cosh(x))*sinh(x)^5 + 2*(6*a^2 - 1 \\
& 4*a*b - 49*b^2)*cosh(x)^4 + 2*(35*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^4 + 30*( \\
& 2*a^2 - 5*a*b - 12*b^2)*cosh(x)^2 + 6*a^2 - 14*a*b - 49*b^2)*sinh(x)^4 + 8* \\
& (7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^5 + 10*(2*a^2 - 5*a*b - 12*b^2)*cosh(x) \\
& )^3 + (6*a^2 - 14*a*b - 49*b^2)*cosh(x))*sinh(x)^3 + 4*(2*a^2 - 5*a*b - 12*b \\
& ^2)*cosh(x)^2 + 4*(7*(2*a^2 - 6*a*b - 23*b^2)*cosh(x)^6 + 15*(2*a^2 - 5*a*b \\
& - 12*b^2)*cosh(x)^4 + 3*(6*a^2 - 14*a*b - 49*b^2)*cosh(x)^2 + 2*a^2 - 5*a* \\
& b - 12*b^2)*sinh(x)^2 + 2*a^2 - 6*a*b - 23*b^2 + 8*((2*a^2 - 6*a*b - 23*b^2 \\
& )*cosh(x)^7 + 3*(2*a^2 - 5*a*b - 12*b^2)*cosh(x)^5 + (6*a^2 - 14*a*b - 49*b \\
& ^2)*cosh(x)^3 + (2*a^2 - 5*a*b - 12*b^2)*cosh(x))*sinh(x))*sqrt(((a + b)*co \\
& sh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh( \\
& x)^2)))/(b^2*cosh(x)^10 + 10*b^2*cosh(x)*sinh(x)^9 + b^2*sinh(x)^10 + 5*b^2 \\
& *cosh(x)^8 + 5*(9*b^2*cosh(x)^2 + b^2)*sinh(x)^8 + 10*b^2*cosh(x)^6 + 40*(3 \\
& *b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x)^7 + 10*(21*b^2*cosh(x)^4 + 14*b^2*cos \\
& h(x)^2 + b^2)*sinh(x)^6 + 10*b^2*cosh(x)^4 + 4*(63*b^2*cosh(x)^5 + 70*b^2*c \\
& osh(x)^3 + 15*b^2*cosh(x))*sinh(x)^5 + 10*(21*b^2*cosh(x)^6 + 35*b^2*cosh(x) \\
& )^4 + 15*b^2*cosh(x)^2 + b^2)*sinh(x)^4 + 5*b^2*cosh(x)^2 + 40*(3*b^2*cosh( \\
& x)^7 + 7*b^2*cosh(x)^5 + 5*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x)^3 + 5*(9*b^ \\
& 2*cosh(x)^8 + 28*b^2*cosh(x)^6 + 30*b^2*cosh(x)^4 + 12*b^2*cosh(x)^2 + b^2) \\
& *sinh(x)^2 + b^2 + 10*(b^2*cosh(x)^9 + 4*b^2*cosh(x)^7 + 6*b^2*cosh(x)^5 + \\
& 4*b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x))]
\end{aligned}$$

**giac [B]** time = 2.95, size = 980, normalized size = 11.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^5,x, algorithm="giac")

[Out] -1/2\*sqrt(a + b)\*log(abs(-(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x))

```

+ 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + 1/
2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2
*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) - 1/2*sqrt(a + b)*log(abs
(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2
*x) + a + b) - sqrt(a + b))) - 4/15*(15*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*
x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^9*(2*a + 3*b) + 15*(sq
rt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x)
+ a + b))^8*(10*a + 9*b)*sqrt(a + b) + 20*(18*a^2 + 23*a*b + b^2)*(sqrt(a +
b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a +
b))^7 + 20*(30*a^2 - 7*a*b - 65*b^2)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^6*sqrt(a + b) + 2*(330*a^
3 - 705*a^2*b - 1480*a*b^2 + 19*b^3)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^5 + 10*(18*a^3 - 279*a^2*
b + 68*a*b^2 + 349*b^3)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) +
2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^4*sqrt(a + b) - 20*(30*a^4 + 81*a^3*b
- 149*a^2*b^2 - 245*a*b^3 + 19*b^4)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) +
b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^3 - 20*(42*a^4 - 33*a^3*b
- 139*a^2*b^2 + 69*a*b^3 + 325*b^4)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) +
b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^2*sqrt(a + b) - 5*(90*a^5
- 121*a^4*b - 184*a^3*b^2 + 658*a^2*b^3 + 166*a*b^4 - 1233*b^5)*(sqrt(a + b
)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b
) - (90*a^5 - 215*a^4*b + 240*a^3*b^2 + 638*a^2*b^3 - 2034*a*b^4 + 1713*b^5
)*sqrt(a + b))/((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(
2*x) - 2*b*e^(2*x) + a + b))^2 + 2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) +
b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*sqrt(a + b) + a - 3*b)^5

```

**maple [B]** time = 0.13, size = 288, normalized size = 3.31

$$\frac{(\tanh^2(x)) \left( a + b \left( \tanh^2(x) \right) \right)^{\frac{3}{2}}}{5b} + \frac{2a \left( a + b \left( \tanh^2(x) \right) \right)^{\frac{3}{2}}}{15b^2} - \frac{\left( a + b \left( \tanh^2(x) \right) \right)^{\frac{3}{2}}}{3b} - \frac{\sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^5,x)

```

[Out] -1/5*tanh(x)^2*(a+b*tanh(x)^2)^(3/2)/b+2/15*a/b^2*(a+b*tanh(x)^2)^(3/2)-1/3
*(a+b*tanh(x)^2)^(3/2)/b-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)-1/
2*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b
)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x
)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))-1/2*((1+tanh(x))^2*b-2*(1
+tanh(x))*b+a+b)^(1/2)+1/2*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x)
)^2*b-2*(1+tanh(x))*b+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x)
)*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^5,x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*tanh(x)^5, x)

**mupad** [B] time = 9.60, size = 119, normalized size = 1.37

$$\frac{(b \tanh(x)^2 + a)^{5/2}}{5b^2} - 2 \operatorname{atan} \left( \frac{2 \sqrt{b \tanh(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}} - \sqrt{b \tanh(x)^2 + a} \left( (a + b) \left( \frac{a + b}{b^2} - \frac{2}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5\*(a + b\*tanh(x)^2)^(1/2),x)

[Out] - (a + b\*tanh(x)^2)^(5/2)/(5\*b^2) - 2\*atan((2\*(a + b\*tanh(x)^2)^(1/2)\*(- a/4 - b/4)^(1/2))/(a + b))\*(- a/4 - b/4)^(1/2) - (a + b\*tanh(x)^2)^(1/2)\*((a + b)\*((a + b)/b^2 - (2\*a)/b^2) + a^2/b^2) - ((a + b)/(3\*b^2) - (2\*a)/(3\*b^2))\* (a + b\*tanh(x)^2)^(3/2)

**sympy** [A] time = 6.39, size = 97, normalized size = 1.11

$$\frac{2 \left( \frac{b^3 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^3(a+b) \operatorname{atan} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}} \right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{5}{2}}}{10} + \frac{(a+b \tanh^2(x))^{\frac{3}{2}} \left( -\frac{ab}{2} + \frac{b^2}{2} \right)}{3} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(1/2)\*tanh(x)\*\*5,x)

[Out] -2\*(b\*\*3\*sqrt(a + b\*tanh(x)\*\*2)/2 + b\*\*3\*(a + b)\*atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(2\*sqrt(-a - b)) + b\*(a + b\*tanh(x)\*\*2)\*\*(5/2)/10 + (a + b\*tanh(x)\*\*2)\*\*(3/2)\*(-a\*b/2 + b\*\*2/2)/3)/b\*\*3

$$3.209 \quad \int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=121

$$\frac{(a^2 - 4ab - 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8b^{3/2}} - \frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} + \sqrt{a + b} \tanh^{-1}\left(\frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}}\right)$$

[Out] 1/8\*(a^2-4\*a\*b-8\*b^2)\*arctanh(b^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/b^(3/2)+arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))\*(a+b)^(1/2)-1/8\*(a+4\*b)\*(a+b\*tanh(x)^2)^(1/2)\*tanh(x)/b-1/4\*(a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3

**Rubi [A]** time = 0.20, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 478, 582, 523, 217, 206, 377}

$$\frac{(a^2 - 4ab - 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8b^{3/2}} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} + \sqrt{a + b}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((a^2 - 4\*a\*b - 8\*b^2)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]])/(8\*b^(3/2)) + Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((a + 4\*b)\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/(8\*b) - (Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2])/4

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 377



```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 478

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^ (q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)
*(c + d*x^n)^q)/(b*(m + n*(p + q) + 1)), x] - Dist[e^n/(b*(m + n*(p + q) +
1)), Int[(e*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[a*c*(m - n +
1) + (a*d*(m - n + 1) - n*q*(b*c - a*d))*x^n, x], x] /; FreeQ[{a, b, c,
d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 0] && GtQ[m - n
+ 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

### Rule 582

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_))^ (q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*g^(n - 1)*(g*x)^(m
- n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*d*(m + n*(p + q + 1)
+ 1)), x] - Dist[g^n/(b*d*(m + n*(p + q + 1) + 1)), Int[(g*x)^(m - n)*(a +
b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m - n + 1) + (a*f*d*(m + n*q + 1) + b*(f
*c*(m + n*p + 1) - e*d*(m + n*(p + q + 1) + 1))*x^n, x], x] /; FreeQ[{
a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && GtQ[m, n - 1]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \tanh^4(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^4 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{4} \text{Subst} \left( \int \frac{x^2 (3a + (a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + \frac{\text{Subst} \left( \int \frac{x^2 (3a + (a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{4} \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{x^2 (3a + (a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{(a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)}}{8b} - \frac{1}{4} \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{x^2 (3a + (a + 4b)x^2)}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= \frac{(a^2 - 4ab - 8b^2) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{8b^{3/2}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)
\end{aligned}$$

**Mathematica** [C] time = 6.22, size = 580, normalized size = 4.79

$$\sqrt{\frac{a \cosh(2x) + a + b \cosh(2x) - b}{\cosh(2x) + 1}} \left( \frac{\text{sech}(x)(-a \sinh(x) - 6b \sinh(x))}{8b} + \frac{1}{4} \tanh(x) \text{sech}^2(x) \right) + \frac{b(a^2 - 4b^2) \sinh^4(x) \text{csch}(x)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] (-((b\*(a^2 - 4\*b^2)\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])/(1 + Cosh[2\*x])])\*Sqrt[-((a\*Coth[x]^2)/b)]\*Sqrt[-((a\*(1 + Cosh[2\*x])\*Csch[x]^2)/b)]\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*Csch[2\*x]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1]\*Sinh[x]^4)/(a\*(a - b + (a +

$$b) \cdot \text{Cosh}[2*x])) - ((4*I)*b*(4*a*b + 4*b^2)*\text{Sqrt}[1 + \text{Cosh}[2*x]]*\text{Sqrt}[(a - b + (a + b)*\text{Cosh}[2*x])/(1 + \text{Cosh}[2*x])] * (((-1/4*I)*\text{Sqrt}[-((a*\text{Coth}[x]^2)/b)]*\text{Sqrt}[-((a*(1 + \text{Cosh}[2*x])*\text{Csch}[x]^2)/b)]*\text{Sqrt}[(a - b + (a + b)*\text{Cosh}[2*x])*\text{Csch}[x]^2)/b]*\text{Csch}[2*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a - b + (a + b)*\text{Cosh}[2*x])*\text{Csch}[x]^2)/b]/\text{Sqrt}[2]], 1]*\text{Sinh}[x]^4)/(a*\text{Sqrt}[1 + \text{Cosh}[2*x]]*\text{Sqrt}[a - b + (a + b)*\text{Cosh}[2*x]]) + ((I/2)*\text{Sqrt}[-((a*\text{Coth}[x]^2)/b)]*\text{Sqrt}[-((a*(1 + \text{Cosh}[2*x])*\text{Csch}[x]^2)/b)]*\text{Sqrt}[(a - b + (a + b)*\text{Cosh}[2*x])*\text{Csch}[x]^2)/b]*\text{Csch}[2*x]*\text{EllipticPi}[b/(a + b), \text{ArcSin}[\text{Sqrt}[(a - b + (a + b)*\text{Cosh}[2*x])*\text{Csch}[x]^2)/b]/\text{Sqrt}[2]], 1]*\text{Sinh}[x]^4)/((a + b)*\text{Sqrt}[1 + \text{Cosh}[2*x]]*\text{Sqrt}[a - b + (a + b)*\text{Cosh}[2*x]]))/\text{Sqrt}[a - b + (a + b)*\text{Cosh}[2*x]]/(4*b) + \text{Sqrt}[(a - b + a*\text{Cosh}[2*x] + b*\text{Cosh}[2*x])/(1 + \text{Cosh}[2*x])]*((\text{Sech}[x]*(-a*\text{Sinh}[x]) - 6*b*\text{Sinh}[x]))/(8*b) + (\text{Sech}[x]^2*\text{Tanh}[x])/4)$$

**fricas [B]** time = 0.95, size = 9360, normalized size = 77.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^4,x, algorithm="fricas")

[Out] [1/16\*(4\*(b^2\*cosh(x)^8 + 8\*b^2\*cosh(x)\*sinh(x)^7 + b^2\*sinh(x)^8 + 4\*b^2\*cosh(x)^6 + 4\*(7\*b^2\*cosh(x)^2 + b^2)\*sinh(x)^6 + 6\*b^2\*cosh(x)^4 + 8\*(7\*b^2\*cosh(x)^3 + 3\*b^2\*cosh(x))\*sinh(x)^5 + 2\*(35\*b^2\*cosh(x)^4 + 30\*b^2\*cosh(x)^2 + 3\*b^2)\*sinh(x)^4 + 4\*b^2\*cosh(x)^2 + 8\*(7\*b^2\*cosh(x)^5 + 10\*b^2\*cosh(x)^3 + 3\*b^2\*cosh(x))\*sinh(x)^3 + 4\*(7\*b^2\*cosh(x)^6 + 15\*b^2\*cosh(x)^4 + 9\*b^2\*cosh(x)^2 + b^2)\*sinh(x)^2 + b^2 + 8\*(b^2\*cosh(x)^7 + 3\*b^2\*cosh(x)^5 + 3\*b^2\*cosh(x)^3 + b^2\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(co

$$\begin{aligned}
& \text{sh}(x)^6 + 6*\text{cosh}(x)^5*\text{sinh}(x) + 15*\text{cosh}(x)^4*\text{sinh}(x)^2 + 20*\text{cosh}(x)^3*\text{sinh}(x)^3 \\
& + 15*\text{cosh}(x)^2*\text{sinh}(x)^4 + 6*\text{cosh}(x)*\text{sinh}(x)^5 + \text{sinh}(x)^6) - ((a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^8 \\
& + 8*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)*\text{sinh}(x)^7 + (a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^8 \\
& + 4*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^6 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 \\
& + a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^6 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^3 \\
& + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))*\text{sinh}(x)^5 + 6*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^4 \\
& + 2*(35*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^4 + 30*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 \\
& + 3*a^2 - 12*a*b - 24*b^2)*\text{sinh}(x)^4 + 8*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^5 \\
& + 10*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))*\text{sinh}(x)^3 \\
& + 4*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 + 4*(7*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^6 \\
& + 15*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))^4 + 9*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^2 \\
& + a^2 - 4*a*b - 8*b^2)*\text{sinh}(x)^2 + a^2 - 4*a*b - 8*b^2 + 8*((a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^7 \\
& + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^5 + 3*(a^2 - 4*a*b - 8*b^2)*\text{cosh}(x)^3 \\
& + (a^2 - 4*a*b - 8*b^2)*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}(b)*\log(-((a + 2*b)*\text{cosh}(x)^4 \\
& + 4*(a + 2*b)*\text{cosh}(x))*\text{sinh}(x)^3 + (a + 2*b)*\text{sinh}(x)^4 + 2*(a - 2*b)*\text{cosh}(x)^2 \\
& + 2*(3*(a + 2*b)*\text{cosh}(x)^2 + a - 2*b)*\text{sinh}(x)^2 - 2*\text{sqrt}(2)*(\text{cosh}(x)^2 \\
& + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2 - 1)*\text{sqrt}(b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 \\
& + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) \\
& + \text{sinh}(x)^2)) + 4*((a + 2*b)*\text{cosh}(x)^3 + (a - 2*b)*\text{cosh}(x))*\text{sinh}(x) \\
& + a + 2*b)/(\text{cosh}(x)^4 + 4*\text{cosh}(x)*\text{sinh}(x)^3 + \text{sinh}(x)^4 + 2*(3*\text{cosh}(x)^2 \\
& + 1)*\text{sinh}(x)^2 + 2*\text{cosh}(x)^2 + 4*(\text{cosh}(x)^3 + \text{cosh}(x))*\text{sinh}(x) + 1) \\
& + 4*(b^2*\text{cosh}(x)^8 + 8*b^2*\text{cosh}(x)*\text{sinh}(x)^7 + b^2*\text{sinh}(x)^8 \\
& + 4*b^2*\text{cosh}(x)^6 + 4*(7*b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^6 + 6*b^2*\text{cosh}(x)^4 \\
& + 8*(7*b^2*\text{cosh}(x)^3 + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^5 + 2*(35*b^2*\text{cosh}(x)^4 \\
& + 30*b^2*\text{cosh}(x)^2 + 3*b^2)*\text{sinh}(x)^4 + 4*b^2*\text{cosh}(x)^2 + 8*(7*b^2*\text{cosh}(x)^5 \\
& + 10*b^2*\text{cosh}(x)^3 + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^3 + 4*(7*b^2*\text{cosh}(x)^6 \\
& + 15*b^2*\text{cosh}(x)^4 + 9*b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^2 + b^2 + 8*(b^2*\text{cosh}(x)^7 \\
& + 3*b^2*\text{cosh}(x)^5 + 3*b^2*\text{cosh}(x)^3 + b^2*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}(a + b)*\log(((a + b)*\text{cosh}(x)^4 \\
& + 4*(a + b)*\text{cosh}(x)*\text{sinh}(x)^3 + (a + b)*\text{sinh}(x)^4 + 2*a*\text{cosh}(x)^2 \\
& + 2*(3*(a + b)*\text{cosh}(x)^2 + a)*\text{sinh}(x)^2 + \text{sqrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) \\
& + \text{sinh}(x)^2 + 1)*\text{sqrt}(a + b)*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 \\
& + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) + 4*((a + b)*\text{cosh}(x)^3 \\
& + a*\text{cosh}(x))*\text{sinh}(x) + a + b)/(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2) \\
& - 2*\text{sqrt}(2)*((a*b + 6*b^2)*\text{cosh}(x)^6 + 6*(a*b + 6*b^2)*\text{cosh}(x)*\text{sinh}(x)^5 \\
& + (a*b + 6*b^2)*\text{sinh}(x)^6 + (a*b - 2*b^2)*\text{cosh}(x)^4 + (15*(a*b + 6*b^2)*\text{cosh}(x)^2 \\
& + a*b - 2*b^2)*\text{sinh}(x)^4 + 4*(5*(a*b + 6*b^2)*\text{cosh}(x)^3 + (a*b - 2*b^2)*\text{cosh}(x))*\text{sinh}(x)^3 \\
& - (a*b - 2*b^2)*\text{cosh}(x)^2 + (15*(a*b + 6*b^2)*\text{cosh}(x)^4 + 6*(a*b - 2*b^2)*\text{cosh}(x)^2 \\
& - a*b + 2*b^2)*\text{sinh}(x)^2 - a*b - 6*b^2 + 2*(3*(a*b + 6*b^2)*\text{cosh}(x)^5 \\
& + 2*(a*b - 2*b^2)*\text{cosh}(x)^3 - (a*b - 2*b^2)*\text{cosh}(x))*\text{sinh}(x))*\text{sqrt}(((a + b)*\text{cosh}(x)^2 \\
& + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) \\
& )/(b^2*\text{cosh}(x)^8 + 8*b^2*\text{cosh}(x)*\text{sinh}(x)^7 + b^2*\text{sinh}(x)^8 + 4*b^2*\text{cosh}(x)^6 \\
& + 4*(7*b^2*\text{cosh}(x)^2 + b^2)*\text{sinh}(x)^6 + 6*b^2*\text{cosh}(x)^4 + 8*(7*b^2*\text{cosh}(x)^3 \\
& + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^5 + 2*(35*b^2*\text{cosh}(x)^4 + 30*b^2*\text{cosh}(x)^2 \\
& + 3*b^2)*\text{sinh}(x)^4 + 4*b^2*\text{cosh}(x)^2 + 8*(7*b^2*\text{cosh}(x)^5 + 10*b^2*\text{cosh}(x)^3 \\
& + 3*b^2*\text{cosh}(x))*\text{sinh}(x)^3 +
\end{aligned}$$

$$\begin{aligned}
& 4*(7*b^2*cosh(x)^6 + 15*b^2*cosh(x)^4 + 9*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + \\
& b^2 + 8*(b^2*cosh(x)^7 + 3*b^2*cosh(x)^5 + 3*b^2*cosh(x)^3 + b^2*cosh(x))*s \\
& inh(x), -1/8*((a^2 - 4*a*b - 8*b^2)*cosh(x)^8 + 8*(a^2 - 4*a*b - 8*b^2)*c \\
& osh(x)*sinh(x)^7 + (a^2 - 4*a*b - 8*b^2)*sinh(x)^8 + 4*(a^2 - 4*a*b - 8*b^2) \\
& )*cosh(x)^6 + 4*(7*(a^2 - 4*a*b - 8*b^2)*cosh(x)^2 + a^2 - 4*a*b - 8*b^2)*s \\
& inh(x)^6 + 8*(7*(a^2 - 4*a*b - 8*b^2)*cosh(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*c \\
& osh(x))*sinh(x)^5 + 6*(a^2 - 4*a*b - 8*b^2)*cosh(x)^4 + 2*(35*(a^2 - 4*a*b \\
& - 8*b^2)*cosh(x)^4 + 30*(a^2 - 4*a*b - 8*b^2)*cosh(x)^2 + 3*a^2 - 12*a*b - \\
& 24*b^2)*sinh(x)^4 + 8*(7*(a^2 - 4*a*b - 8*b^2)*cosh(x)^5 + 10*(a^2 - 4*a*b \\
& - 8*b^2)*cosh(x)^3 + 3*(a^2 - 4*a*b - 8*b^2)*cosh(x))*sinh(x)^3 + 4*(a^2 - \\
& 4*a*b - 8*b^2)*cosh(x)^2 + 4*(7*(a^2 - 4*a*b - 8*b^2)*cosh(x)^6 + 15*(a^2 - \\
& 4*a*b - 8*b^2)*cosh(x)^4 + 9*(a^2 - 4*a*b - 8*b^2)*cosh(x)^2 + a^2 - 4*a*b \\
& - 8*b^2)*sinh(x)^2 + a^2 - 4*a*b - 8*b^2 + 8*((a^2 - 4*a*b - 8*b^2)*cosh(x) \\
& )^7 + 3*(a^2 - 4*a*b - 8*b^2)*cosh(x)^5 + 3*(a^2 - 4*a*b - 8*b^2)*cosh(x)^3 \\
& + (a^2 - 4*a*b - 8*b^2)*cosh(x))*sinh(x))*sqrt(-b)*arctan(sqrt(2)*(cosh(x) \\
& ^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + \\
& (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((a \\
& + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - \\
& b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh( \\
& x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - 2*(b^2*cosh(x)^8 + 8*b^2*cosh(x) \\
& )*sinh(x)^7 + b^2*sinh(x)^8 + 4*b^2*cosh(x)^6 + 4*(7*b^2*cosh(x)^2 + b^2)*s \\
& inh(x)^6 + 6*b^2*cosh(x)^4 + 8*(7*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^5 \\
& + 2*(35*b^2*cosh(x)^4 + 30*b^2*cosh(x)^2 + 3*b^2)*sinh(x)^4 + 4*b^2*cosh(x) \\
& ^2 + 8*(7*b^2*cosh(x)^5 + 10*b^2*cosh(x)^3 + 3*b^2*cosh(x))*sinh(x)^3 + 4*( \\
& 7*b^2*cosh(x)^6 + 15*b^2*cosh(x)^4 + 9*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 \\
& + 8*(b^2*cosh(x)^7 + 3*b^2*cosh(x)^5 + 3*b^2*cosh(x)^3 + b^2*cosh(x))*sinh \\
& (x))*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*si \\
& nh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 \\
& + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh( \\
& x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^ \\
& 3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 \\
& - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - \\
& 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*si \\
& nh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x) \\
& ^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3 \\
& *a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + s \\
& qrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cos \\
& h(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*c \\
& osh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 - 1 \\
& 8*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3 \\
& *b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))* \\
& sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 \\
& - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^ \\
& 2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3 \\
& *a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cos
\end{aligned}$$



$$\begin{aligned}
& )^2 + b^2) * \sinh(x)^2 + b^2 + 8*(b^2 * \cosh(x)^7 + 3*b^2 * \cosh(x)^5 + 3*b^2 * \cosh(x)^3 + b^2 * \cosh(x) * \sinh(x)) * \sqrt{-a - b} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a - b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 + a - b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 + (a - b) * \cosh(x) * \sinh(x) + a + b))) + ((a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^8 + 8 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x) * \sinh(x)^7 + (a^2 - 4 * a * b - 8 * b^2) * \sinh(x)^8 + 4 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^6 + 4 * (7 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^2 + a^2 - 4 * a * b - 8 * b^2) * \sinh(x)^6 + 8 * (7 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^3 + 3 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)) * \sinh(x)^5 + 6 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^4 + 2 * (35 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^4 + 30 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^2 + 3 * a^2 - 12 * a * b - 24 * b^2) * \sinh(x)^4 + 8 * (7 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^5 + 10 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^3 + 3 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)) * \sinh(x)^3 + 4 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^2 + 4 * (7 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^6 + 15 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^4 + 9 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^2 + a^2 - 4 * a * b - 8 * b^2) * \sinh(x)^2 + a^2 - 4 * a * b - 8 * b^2 + 8 * ((a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^7 + 3 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^5 + 3 * (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)^3 + (a^2 - 4 * a * b - 8 * b^2) * \cosh(x)) * \sinh(x)) * \sqrt{b} * \log(-((a + 2 * b) * \cosh(x)^4 + 4 * (a + 2 * b) * \cosh(x) * \sinh(x)^3 + (a + 2 * b) * \sinh(x)^4 + 2 * (a - 2 * b) * \cosh(x)^2 + 2 * (3 * (a + 2 * b) * \cosh(x)^2 + a - 2 * b) * \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) + 4 * ((a + 2 * b) * \cosh(x)^3 + (a - 2 * b) * \cosh(x) * \sinh(x) + a + 2 * b) / (\cosh(x)^4 + 4 * \cosh(x) * \sinh(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 + 1) * \sinh(x)^2 + 2 * \cosh(x)^2 + 4 * (\cosh(x)^3 + \cosh(x)) * \sinh(x) + 1)) + 2 * \sqrt{2} * ((a * b + 6 * b^2) * \cosh(x)^6 + 6 * (a * b + 6 * b^2) * \cosh(x) * \sinh(x)^5 + (a * b + 6 * b^2) * \sinh(x)^6 + (a * b - 2 * b^2) * \cosh(x)^4 + (15 * (a * b + 6 * b^2) * \cosh(x)^2 + a * b - 2 * b^2) * \sinh(x)^4 + 4 * (5 * (a * b + 6 * b^2) * \cosh(x)^3 + (a * b - 2 * b^2) * \cosh(x)) * \sinh(x)^3 - (a * b - 2 * b^2) * \cosh(x)^2 + (15 * (a * b + 6 * b^2) * \cosh(x)^4 + 6 * (a * b - 2 * b^2) * \cosh(x)^2 - a * b + 2 * b^2) * \sinh(x)^2 - a * b - 6 * b^2 + 2 * (3 * (a * b + 6 * b^2) * \cosh(x)^5 + 2 * (a * b - 2 * b^2) * \cosh(x)^3 - (a * b - 2 * b^2) * \cosh(x)) * \sinh(x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / (b^2 * \cosh(x)^8 + 8 * b^2 * \cosh(x) * \sinh(x)^7 + b^2 * \sinh(x)^8 + 4 * b^2 * \cosh(x)^6 + 4 * (7 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^6 + 6 * b^2 * \cosh(x)^4 + 8 * (7 * b^2 * \cosh(x)^3 + 3 * b^2 * \cosh(x)) * \sinh(x)^5 + 2 * (35 * b^2 * \cosh(x)^4 + 30 * b^2 * \cosh(x)^2 + 3 * b^2) * \sinh(x)^4 + 4 * b^2 * \cosh(x)^2 + 8 * (7 * b^2 * \cosh(x)^5 + 10 * b^2 * \cosh(x)^3 + 3 * b^2 * \cosh(x)) * \sinh(x)^3 + 4 * (7 * b^2 * \cosh(x)^6 + 15 * b^2 * \cosh(x)^4 + 9 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^2 + b^2 + 8 * (b^2 * \cosh(x)^7 + 3 * b^2 * \cosh(x)^5 + 3 * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)), -1/8 * (4 * (b^2 * \cosh(x)^8 + 8 * b^2 * \cosh(x) * \sinh(x)^7 + b^2 * \sinh(x)^8 + 4 * b^2 * \cosh(x)^6 + 4 * (7 * b^2 * \cosh(x)^2 + b^2) * \sinh(x)^6 + 6 * b^2 * \cosh(x)^4 + 8 * (7 * b^2 * \cosh(x)^3 + 3 * b^2 * \cosh(x)) * \sinh(x)^5 + 2 * (35 * b^2 * \cosh(x)^4 + 30 * b^2 * \cosh(x)^2 + 3 * b^2) * \sinh(x)^4 + 4 * b^2 * \cosh(x)^2 + 8 * (7 * b^2 * \cosh(x)^5 + 10 * b^2 * \cosh(x)^3 + 3 * b^2 * \cosh(x)) * \sinh(x)^3 + 4 * (7 * b^2 * \cosh(x)^6 + 15 * b^2 * \cosh(x)^4 + 9 * b^2 * \cosh(x)^2
\end{aligned}$$

$$\begin{aligned}
& + b^2) \sinh(x)^2 + b^2 + 8(b^2 \cosh(x)^7 + 3b^2 \cosh(x)^5 + 3b^2 \cosh(x) \\
& )^3 + b^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2} (b \cosh(x)^2 + 2b * \\
& \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 \\
& + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / \\
& ((a*b + b^2) \cosh(x)^4 + 4(a*b + b^2) \cosh(x) \sinh(x)^3 + (a*b + b^2) \sinh \\
& (x)^4 + (a^2 - a*b - 2*b^2) \cosh(x)^2 + (6(a*b + b^2) \cosh(x)^2 + a^2 - a* \\
& b - 2*b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 2(2(a*b + b^2) \cosh(x)^3 + (a^2 \\
& - a*b - 2*b^2) \cosh(x)) \sinh(x))) + 4(b^2 \cosh(x)^8 + 8b^2 \cosh(x) \sinh \\
& (x)^7 + b^2 \sinh(x)^8 + 4b^2 \cosh(x)^6 + 4(7b^2 \cosh(x)^2 + b^2) \sinh(x) \\
& ^6 + 6b^2 \cosh(x)^4 + 8(7b^2 \cosh(x)^3 + 3b^2 \cosh(x)) \sinh(x)^5 + 2(3 \\
& 5b^2 \cosh(x)^4 + 30b^2 \cosh(x)^2 + 3b^2) \sinh(x)^4 + 4b^2 \cosh(x)^2 + 8 \\
& (7b^2 \cosh(x)^5 + 10b^2 \cosh(x)^3 + 3b^2 \cosh(x)) \sinh(x)^3 + 4(7b^2 * \\
& \cosh(x)^6 + 15b^2 \cosh(x)^4 + 9b^2 \cosh(x)^2 + b^2) \sinh(x)^2 + b^2 + 8( \\
& b^2 \cosh(x)^7 + 3b^2 \cosh(x)^5 + 3b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x) * s \\
& \sqrt{-a-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) * \\
& \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 \\
& - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) * \\
& \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 \\
& + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a \\
& + b)) + ((a^2 - 4a*b - 8b^2) \cosh(x)^8 + 8(a^2 - 4a*b - 8b^2) \cosh(x) * \\
& \sinh(x)^7 + (a^2 - 4a*b - 8b^2) \sinh(x)^8 + 4(a^2 - 4a*b - 8b^2) \cosh(x) \\
& ^6 + 4(7(a^2 - 4a*b - 8b^2) \cosh(x)^2 + a^2 - 4a*b - 8b^2) \sinh(x)^6 \\
& + 8(7(a^2 - 4a*b - 8b^2) \cosh(x)^3 + 3(a^2 - 4a*b - 8b^2) \cosh(x)) \\
& * \sinh(x)^5 + 6(a^2 - 4a*b - 8b^2) \cosh(x)^4 + 2(35(a^2 - 4a*b - 8b^2) \\
& ) \cosh(x)^4 + 30(a^2 - 4a*b - 8b^2) \cosh(x)^2 + 3a^2 - 12a*b - 24b^2) \\
& * \sinh(x)^4 + 8(7(a^2 - 4a*b - 8b^2) \cosh(x)^5 + 10(a^2 - 4a*b - 8b^2) \\
& ) \cosh(x)^3 + 3(a^2 - 4a*b - 8b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - 4a*b - \\
& 8b^2) \cosh(x)^2 + 4(7(a^2 - 4a*b - 8b^2) \cosh(x)^6 + 15(a^2 - 4a*b \\
& - 8b^2) \cosh(x)^4 + 9(a^2 - 4a*b - 8b^2) \cosh(x)^2 + a^2 - 4a*b - 8b^2) \\
& * \sinh(x)^2 + a^2 - 4a*b - 8b^2 + 8((a^2 - 4a*b - 8b^2) \cosh(x)^7 + 3 \\
& (a^2 - 4a*b - 8b^2) \cosh(x)^5 + 3(a^2 - 4a*b - 8b^2) \cosh(x)^3 + (a^2 \\
& - 4a*b - 8b^2) \cosh(x)) \sinh(x) \sqrt{-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 * \\
& \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \\
& * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) * c \\
& \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh \\
& (x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + \\
& (a-b) \cosh(x)) \sinh(x) + a + b)) + \sqrt{2} ((a*b + 6b^2) \cosh(x)^6 + 6( \\
& a*b + 6b^2) \cosh(x) \sinh(x)^5 + (a*b + 6b^2) \sinh(x)^6 + (a*b - 2b^2) * c \\
& \cosh(x)^4 + (15(a*b + 6b^2) \cosh(x)^2 + a*b - 2b^2) \sinh(x)^4 + 4(5(a*b \\
& + 6b^2) \cosh(x)^3 + (a*b - 2b^2) \cosh(x)) \sinh(x)^3 - (a*b - 2b^2) \cosh(x) \\
& ^2 + (15(a*b + 6b^2) \cosh(x)^4 + 6(a*b - 2b^2) \cosh(x)^2 - a*b + 2b^2) \\
& * \sinh(x)^2 - a*b - 6b^2 + 2(3(a*b + 6b^2) \cosh(x)^5 + 2(a*b - 2b^2) \\
& * \cosh(x)^3 - (a*b - 2b^2) \cosh(x)) \sinh(x) \sqrt{((a+b) \cosh(x)^2 + (a \\
& + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / (b^2 * c \\
& \cosh(x)^8 + 8b^2 \cosh(x) \sinh(x)^7 + b^2 \sinh(x)^8 + 4b^2 \cosh(x)^6 + 4(7
\end{aligned}$$



```
*b^2*cosh(x)^2 + b^2)*sinh(x)^6 + 6*b^2*cosh(x)^4 + 8*(7*b^2*cosh(x)^3 + 3*
b^2*cosh(x))*sinh(x)^5 + 2*(35*b^2*cosh(x)^4 + 30*b^2*cosh(x)^2 + 3*b^2)*si
nh(x)^4 + 4*b^2*cosh(x)^2 + 8*(7*b^2*cosh(x)^5 + 10*b^2*cosh(x)^3 + 3*b^2*c
osh(x))*sinh(x)^3 + 4*(7*b^2*cosh(x)^6 + 15*b^2*cosh(x)^4 + 9*b^2*cosh(x)^2
+ b^2)*sinh(x)^2 + b^2 + 8*(b^2*cosh(x)^7 + 3*b^2*cosh(x)^5 + 3*b^2*cosh(x)
)^3 + b^2*cosh(x))*sinh(x))]
```

**giac [B]** time = 3.04, size = 938, normalized size = 7.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^4,x, algorithm="giac")

```
[Out] -1/2*sqrt(a + b)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x)
+ 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) - 1/
2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2
*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) + 1/2*sqrt(a + b)*log(abs
(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2
*x) + a + b) - sqrt(a + b))) + 1/4*(a^2 - 4*a*b - 8*b^2)*arctan(-1/2*(sqrt(
a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a
+ b) + sqrt(a + b))/sqrt(-b))/sqrt(-b)*b - 1/2*((a^2 + 12*a*b + 16*b^2)*
(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*
x) + a + b))^7 + (7*a^2 + 52*a*b + 16*b^2)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^
(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^6*sqrt(a + b) + (21
*a^3 + 109*a^2*b + 28*a*b^2 - 48*b^3)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^5 + (35*a^3 + 115*a^2*b
- 156*a*b^2 - 176*b^3)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) +
2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^4*sqrt(a + b) + (35*a^4 + 130*a^3*b - 3
17*a^2*b^2 - 156*a*b^3 + 304*b^4)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b
*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^3 + (21*a^4 + 94*a^3*b - 379
*a^2*b^2 + 476*a*b^3 + 48*b^4)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^
(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^2*sqrt(a + b) + (7*a^5 + 53*a^4
*b - 135*a^3*b^2 + 271*a^2*b^3 - 140*a*b^4 - 272*b^5)*(sqrt(a + b)*e^(2*x)
- sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b)) + (a^5 +
11*a^4*b - 17*a^3*b^2 + 65*a^2*b^3 - 116*a*b^4 + 112*b^5)*sqrt(a + b))/(((
sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x
) + a + b))^2 + 2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e
^(2*x) - 2*b*e^(2*x) + a + b))*sqrt(a + b) + a - 3*b)^4*b)
```

**maple [B]** time = 0.10, size = 337, normalized size = 2.79

$$-\frac{\tanh(x) \left( a + b \left( \tanh^2(x) \right) \right)^{\frac{3}{2}}}{4b} + \frac{a \tanh(x) \sqrt{a + b \left( \tanh^2(x) \right)}}{8b} + \frac{a^2 \ln \left( \sqrt{b} \tanh(x) + \sqrt{a + b \left( \tanh^2(x) \right)} \right)}{8b^{\frac{3}{2}}} - \frac{\sqrt{a + b \left( \tanh^2(x) \right)}}{8b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*tanh(x)^2)^(1/2)*tanh(x)^4,x)`

[Out] 
$$-1/4*\tanh(x)*(a+b*\tanh(x)^2)^(3/2)/b+1/8*a/b*\tanh(x)*(a+b*\tanh(x)^2)^(1/2)+1/8*a^2/b^(3/2)*\ln(b^(1/2)*\tanh(x)+(a+b*\tanh(x)^2)^(1/2))-1/2*(a+b*\tanh(x)^2)^(1/2)*\tanh(x)-1/2*a/b^(1/2)*\ln(b^(1/2)*\tanh(x)+(a+b*\tanh(x)^2)^(1/2))-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2)-1/2*b^(1/2)*\ln(((\tanh(x)-1)*b+b)/b^(1/2)+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2))+1/2*(a+b)^(1/2)*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^(1/2))*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2))/(\tanh(x)-1))+1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2)-1/2*b^(1/2)*\ln(((1+\tanh(x))*b-b)/b^(1/2)+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2))-1/2*(a+b)^(1/2)*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^(1/2))*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2))/(1+\tanh(x)))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^4,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^4, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x)^4 \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^4*(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(tanh(x)^4*(a + b*tanh(x)^2)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \tanh^4(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)**2)**(1/2)*tanh(x)**4,x)`

[Out] `Integral(sqrt(a + b*tanh(x)**2)*tanh(x)**4, x)`

### 3.210 $\int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx$

Optimal. Leaf size=63

$$-\frac{(a + b \tanh^2(x))^{3/2}}{3b} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))\*(a+b)^(1/2)-(a+b\*tanh(x)^2)^(1/2)-1/3\*(a+b\*tanh(x)^2)^(3/2)/b

Rubi [A] time = 0.12, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 80, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{3/2}}{3b} - \sqrt{a + b \tanh^2(x)} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/(3\*b)

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \tanh^3(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^3 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x \sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{1}{2}(a + b) \text{Subst} \left( \int \frac{1}{(1 - x)\sqrt{a + bx}} dx, x, \sqrt{a + bx} \right) \\
&= -\sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + bx} \right)}{b} \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)} - \frac{(a + b \tanh^2(x))^{3/2}}{3b}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 60, normalized size = 0.95

$$\sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \tanh^2(x)} (a + b \tanh^2(x) + 3b)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(a + 3\*b + b\*Tanh[x]^2))/(3\*b)

**fricas [B]** time = 0.58, size = 2329, normalized size = 36.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3,x, algorithm="fricas")

[Out] [1/12\*(3\*(b\*cosh(x)^6 + 6\*b\*cosh(x)\*sinh(x)^5 + b\*sinh(x)^6 + 3\*b\*cosh(x)^4 + 3\*(5\*b\*cosh(x)^2 + b)\*sinh(x)^4 + 4\*(5\*b\*cosh(x)^3 + 3\*b\*cosh(x))\*sinh(x

$$\begin{aligned}
& )^3 + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*( \\
& b*cosh(x)^5 + 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b)*sqrt(a + b)*log(((a^3 \\
& + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sin \\
& h(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)* \\
& cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*co \\
& sh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a \\
& ^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x) \\
& )^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x) \\
& ^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*co \\
& sh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + \\
& 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a \\
& ^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 \\
& + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 \\
& + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2 \\
& *a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh \\
& (x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*c \\
& osh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh \\
& (x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a \\
& ^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*si \\
& nh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh( \\
& x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) \\
& + 3*(b*cosh(x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 + 3*b*cosh(x)^4 + 3 \\
& *(5*b*cosh(x)^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 + 3*b*cosh(x))*sinh(x)^3 \\
& + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*(b*co \\
& sh(x)^5 + 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b)*sqrt(a + b)*log(-((a + b) \\
& *cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*b*cosh(x)^ \\
& 2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)* \\
& sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh \\
& (x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*co \\
& sh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh \\
& (x)^2)) - 4*sqrt(2)*((a + 4*b)*cosh(x)^4 + 4*(a + 4*b)*cosh(x)*sinh(x)^3 + \\
& (a + 4*b)*sinh(x)^4 + 2*(a + 2*b)*cosh(x)^2 + 2*(3*(a + 4*b)*cosh(x)^2 + a \\
& + 2*b)*sinh(x)^2 + 4*((a + 4*b)*cosh(x)^3 + (a + 2*b)*cosh(x))*sinh(x) + a \\
& + 4*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2* \\
& cosh(x)*sinh(x) + sinh(x)^2)))/(b*cosh(x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sin \\
& h(x)^6 + 3*b*cosh(x)^4 + 3*(5*b*cosh(x)^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 \\
& + 3*b*cosh(x))*sinh(x)^3 + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^ \\
& 2 + b)*sinh(x)^2 + 6*(b*cosh(x)^5 + 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b) \\
& , -1/6*(3*(b*cosh(x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 + 3*b*cosh(x)^ \\
& 4 + 3*(5*b*cosh(x)^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 + 3*b*cosh(x))*sinh \\
& (x)^3 + 3*b*cosh(x)^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6* \\
& (b*cosh(x)^5 + 2*b*cosh(x)^3 + b*cosh(x))*sinh(x) + b)*sqrt(-a - b)*arctan( \\
& sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - \\
& b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cos
\end{aligned}$$

```

h(x)*sinh(x) + sinh(x)^2))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*s
inh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2
+ a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*
(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))) + 3*(b*cosh(
x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 + 3*b*cosh(x)^4 + 3*(5*b*cosh(x)
^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 + 3*b*cosh(x))*sinh(x)^3 + 3*b*cosh(x)
^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*(b*cosh(x)^5 + 2*b
*cosh(x)^3 + b*cosh(x))*sinh(x) + b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2
+ (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(
(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a
- b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cos
h(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + 4*b)*cosh(x)^
4 + 4*(a + 4*b)*cosh(x)*sinh(x)^3 + (a + 4*b)*sinh(x)^4 + 2*(a + 2*b)*cosh(
x)^2 + 2*(3*(a + 4*b)*cosh(x)^2 + a + 2*b)*sinh(x)^2 + 4*((a + 4*b)*cosh(x)
^3 + (a + 2*b)*cosh(x))*sinh(x) + a + 4*b)*sqrt(((a + b)*cosh(x)^2 + (a + b
)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(b*cosh(
x)^6 + 6*b*cosh(x)*sinh(x)^5 + b*sinh(x)^6 + 3*b*cosh(x)^4 + 3*(5*b*cosh(x)
^2 + b)*sinh(x)^4 + 4*(5*b*cosh(x)^3 + 3*b*cosh(x))*sinh(x)^3 + 3*b*cosh(x)
^2 + 3*(5*b*cosh(x)^4 + 6*b*cosh(x)^2 + b)*sinh(x)^2 + 6*(b*cosh(x)^5 + 2*b
*cosh(x)^3 + b*cosh(x))*sinh(x) + b)]

```

**giac [B]** time = 2.18, size = 630, normalized size = 10.00

$$-\frac{1}{2} \sqrt{a+b} \log \left( \left| -\left( \sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b} \right) (a+b) - \sqrt{a+b} (a-b) \right| \right) + \frac{1}{2} \sqrt{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3,x, algorithm="giac")

```

[Out] -1/2*sqrt(a + b)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x)
+ 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + 1/
2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2
*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) - 1/2*sqrt(a + b)*log(abs
(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2
*x) + a + b) - sqrt(a + b))) - 4/3*(3*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
+ b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^5*(a + 2*b) + 3*(sqrt(a
+ b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a +
b))^4*(3*a + 2*b)*sqrt(a + b) + 2*(3*a^2 - 3*a*b - 10*b^2)*(sqrt(a + b)*e^
(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^3
- 6*(a^2 + 3*a*b + 6*b^2)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x)
+ 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^2*sqrt(a + b) - 3*(3*a^3 + 4*a^2*b -

```

$$\frac{9ab^2 - 26b^3(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - (3a^3 - 17ab^2 + 34b^3)\sqrt{a+b}}{((\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b))^2 + 2(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})\sqrt{a+b} + a - 3b)^3}$$

**maple [B]** time = 0.09, size = 253, normalized size = 4.02

$$\frac{(a + b(\tanh^2(x)))^{\frac{3}{2}} \sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b}}{3b} \frac{\sqrt{b} \ln\left(\frac{(\tanh(x) - 1)b + b}{\sqrt{b}} + \sqrt{(\tanh(x) - 1)^2 b}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3,x)

[Out]  $-\frac{1}{3}(a+b\tanh(x)^2)^{3/2}/b - \frac{1}{2}((\tanh(x)-1)^{2b+2}(\tanh(x)-1)b+a+b)^{1/2} - \frac{1}{2}b^{1/2}\ln\left(\frac{(\tanh(x)-1)b+b}{b^{1/2}} + ((\tanh(x)-1)^{2b+2}(\tanh(x)-1)b+a+b)^{1/2}\right) + \frac{1}{2}(a+b)^{1/2}\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2(a+b)^{1/2}((\tanh(x)-1)^{2b+2}(\tanh(x)-1)b+a+b)^{1/2}}{(\tanh(x)-1)} - \frac{1}{2}((1+\tanh(x))^{2b-2}(1+\tanh(x))b+a+b)^{1/2} + \frac{1}{2}b^{1/2}\ln\left(\frac{(1+\tanh(x))b-b}{b^{1/2}} + ((1+\tanh(x))^{2b-2}(1+\tanh(x))b+a+b)^{1/2}\right) + \frac{1}{2}(a+b)^{1/2}\ln\left(\frac{2a+2b-2(1+\tanh(x))b+2(a+b)^{1/2}((1+\tanh(x))^{2b-2}(1+\tanh(x))b+a+b)^{1/2}}{(1+\tanh(x))}\right)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3,x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*tanh(x)^3, x)

**mupad [B]** time = 3.47, size = 66, normalized size = 1.05

$$-\sqrt{b \tanh(x)^2 + a} - \frac{(b \tanh(x)^2 + a)^{3/2}}{3b} - 2 \operatorname{atan}\left(\frac{2\sqrt{b \tanh(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b}\right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^3\*(a + b\*tanh(x)^2)^(1/2),x)



[Out]  $-(a + b \tanh(x)^2)^{1/2} - (a + b \tanh(x)^2)^{3/2}/(3b) - 2 \operatorname{atan}\left(\frac{2(a + b \tanh(x)^2)^{1/2}(-a/4 - b/4)^{1/2}}{(a + b)(-a/4 - b/4)^{1/2}}\right)$

sympy [A] time = 4.28, size = 71, normalized size = 1.13

$$2 \frac{\left( \frac{b^2 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^2(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{3/2}}{6} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)**2)**(1/2)*tanh(x)**3,x)`

[Out]  $-2*(b**2*\sqrt{a + b*\tanh(x)**2})/2 + b**2*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2})/\sqrt{-a - b})/(2*\sqrt{-a - b}) + b*(a + b*\tanh(x)**2)**(3/2)/6)/b**2$

$$3.211 \quad \int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=85

$$-\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{(a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{2\sqrt{b}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)$$

[Out]  $-1/2*(a+2*b)*\operatorname{arctanh}(b^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/b^{(1/2)}+\operatorname{arctanh}((a+b)^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2))}*(a+b)^{(1/2)}-1/2*(a+b*\tanh(x)^2)^{(1/2)}*\tanh(x)$

**Rubi [A]** time = 0.12, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 478, 523, 217, 206, 377}

$$-\frac{(a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{2\sqrt{b}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]^2*Sqrt[a + b*Tanh[x]^2], x]`

[Out]  $-\left(\frac{(a + 2b) \operatorname{ArcTanh}\left[\frac{\sqrt{b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right]}{2\sqrt{b}} + \sqrt{a + b} \operatorname{ArcTanh}\left[\frac{\sqrt{a + b} \operatorname{Tanh}[x]}{\sqrt{a + b \operatorname{Tanh}[x]^2}}\right] - \frac{\operatorname{Tanh}[x] \sqrt{a + b \operatorname{Tanh}[x]^2}}{2}\right)$

### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

### Rule 217

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

### Rule 377

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b`

, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 478

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)/(b\*(m + n\*(p + q) + 1)), x] - Dist[e^n/(b\*(m + n\*(p + q) + 1)), Int[(e\*x)^(m - n)\*(a + b\*x^n)^p\*(c + d\*x^n)^(q - 1)\*Simp[a\*c\*(m - n + 1) + (a\*d\*(m - n + 1) - n\*q\*(b\*c - a\*d))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && GtQ[q, 0] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 523

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_.)\*(x\_)^(n\_)]), x\_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \tanh^2(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x^2 \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} \text{Subst} \left( \int \frac{a + (a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} (-a - 2b) \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&= -\frac{(a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{2\sqrt{b}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [C]** time = 3.44, size = 193, normalized size = 2.27

$$\frac{\tanh(x) \left( -(\text{sech}^2(x)((a + b) \cosh(2x) + a - b)) + \sqrt{2} a \sqrt{\frac{\text{csch}^2(x)((a + b) \cosh(2x) + a - b)}{b}} F \left( \sin^{-1} \left( \frac{\sqrt{\frac{(a - b + (a + b) \cosh(2x)) \text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \right)}{2\sqrt{2} \sqrt{\text{sech}^2(x)((a + b) \cosh(2x) + a - b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] ((Sqrt[2]\*a\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - 2\*Sqrt[2]\*a\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - (a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2\*Tanh[x])/(2\*Sqrt[2]\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**fricas [B]** time = 0.68, size = 4825, normalized size = 56.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^2,x, algorithm="fricas")

[Out]  $\frac{1}{4} \cdot ((b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{a+b} \log(-((a b^2 + b^3) \cosh(x)^8 + 8(a b^2 + b^3) \cosh(x) \sinh(x)^7 + (a b^2 + b^3) \sinh(x)^8 - 2(a b^2 + 2b^3) \cosh(x)^6 - 2(a b^2 + 2b^3 - 14(a b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4(14(a b^2 + b^3) \cosh(x)^3 - 3(a b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)^4 + (70(a b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a b^2 + 6b^3 - 30(a b^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(a b^2 + b^3) \cosh(x)^5 - 10(a b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(a^3 - 3a b^2 - 2b^3) \cosh(x)^2 + 2(14(a b^2 + b^3) \cosh(x)^6 - 15(a b^2 + 2b^3) \cosh(x)^4 + a^3 - 3a b^2 - 2b^3 + 3(a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2a b - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2a b + 3b^2) \sinh(x)^2 - a^2 - 2a b - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2a b - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4(2(a b^2 + b^3) \cosh(x)^7 - 3(a b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2 b + 4a b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a b^2 - 2b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + ((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a+2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a+2b) \sinh(x)^2 + 4((a+2b) \cosh(x)^3 + (a+2b) \cosh(x)) \sinh(x) + a+2b) \sqrt{b} \log(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a-2b) \sinh(x)^2 - 2\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a+2b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) + (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a+b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 2\sqrt{2} (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)$

$$\begin{aligned}
&^2 + 4*(b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b), 1/4*(2*((a + 2*b)*\cosh(x)^4 \\
&+ 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 + (a + 2*b)*\sinh(x)^4 + 2*(a + 2*b)*\cosh(x) \\
&^2 + 2*(3*(a + 2*b)*\cosh(x)^2 + a + 2*b)*\sinh(x)^2 + 4*((a + 2*b)*\cosh(x)^3 \\
&+ (a + 2*b)*\cosh(x))*\sinh(x) + a + 2*b)*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 \\
&+ 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a \\
&+ b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + \\
&b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b) \\
&*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x) \\
&^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + (b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x) \\
&)^3 + b*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b* \\
&\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x) \\
&^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 \\
&+ 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x) \\
&)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 \\
&+ (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + \\
&a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + \\
&4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b \\
&+ 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2* \\
&(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b \\
&^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + \\
&6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x) \\
&)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 \\
&+ 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\co \\
&sh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh( \\
&x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2* \\
&a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b) \\
&)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a \\
&*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^ \\
&2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 \\
&+ 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + \\
&15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + (b*\cosh(x)^4 + \\
&4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b) \\
&)*\sinh(x)^2 + 4*(b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b)*\sqrt{a + b}*\log(((a \\
&+ b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh \\
&(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh \\
&(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)* \\
&\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b) \\
&)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
&\sinh(x)^2)) - 2*\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - \\
&b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh \\
&(x)*\sinh(x) + \sinh(x)^2)))/(b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x) \\
&^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 + b*c \\
&osh(x))*\sinh(x) + b), -1/4*(2*(b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh \\
&(x)^4 + 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 + b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 + \\
&b*\cosh(x))*\sinh(x) + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh
\end{aligned}$$

$$\begin{aligned}
& (x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a * b + b^2) \cosh(x)^4 + 4 * (a * b + b^2) \cosh(x) \sinh(x)^3 + (a * b + b^2) \sinh(x)^4 + (a^2 - a * b - 2 * b^2) \cosh(x)^2 + (6 * (a * b + b^2) \cosh(x)^2 + a^2 - a * b - 2 * b^2) \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * (a * b + b^2) \cosh(x)^3 + (a^2 - a * b - 2 * b^2) \cosh(x)) \sinh(x))} + 2 * (b \cosh(x)^4 + 4 * b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 * b \cosh(x)^2 + 2 * (3 * b \cosh(x)^2 + b) \sinh(x)^2 + 4 * (b \cosh(x))^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a + b) \cosh(x)^4 + 4 * (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2 * (a - b) \cosh(x)^2 + 2 * (3 * (a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4 * ((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) - ((a + 2 * b) \cosh(x)^4 + 4 * (a + 2 * b) \cosh(x) \sinh(x)^3 + (a + 2 * b) \sinh(x)^4 + 2 * (a + 2 * b) \cosh(x)^2 + 2 * (3 * (a + 2 * b) \cosh(x)^2 + a + 2 * b) \sinh(x)^2 + 4 * ((a + 2 * b) \cosh(x)^3 + (a + 2 * b) \cosh(x)) \sinh(x) + a + 2 * b) \sqrt{b} \log(-((a + 2 * b) \cosh(x)^4 + 4 * (a + 2 * b) \cosh(x) \sinh(x)^3 + (a + 2 * b) \sinh(x)^4 + 2 * (a - 2 * b) \cosh(x)^2 + 2 * (3 * (a + 2 * b) \cosh(x)^2 + a - 2 * b) \sinh(x)^2 - 2 * \sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4 * ((a + 2 * b) \cosh(x)^3 + (a - 2 * b) \cosh(x)) \sinh(x) + a + 2 * b) / (\cosh(x)^4 + 4 * \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2 * (3 * \cosh(x)^2 + 1) \sinh(x)^2 + 2 * \cosh(x)^2 + 4 * (\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)) + 2 * \sqrt{2} * (b \cosh(x)^2 + 2 * b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (b \cosh(x)^4 + 4 * b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 * b \cosh(x)^2 + 2 * (3 * b \cosh(x)^2 + b) \sinh(x)^2 + 4 * (b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b), -1/2 * ((b \cosh(x)^4 + 4 * b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 * b \cosh(x)^2 + 2 * (3 * b \cosh(x)^2 + b) \sinh(x)^2 + 4 * (b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a - b} \arctan(\sqrt{2} * (b \cosh(x)^2 + 2 * b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a * b + b^2) \cosh(x)^4 + 4 * (a * b + b^2) \cosh(x) \sinh(x)^3 + (a * b + b^2) \sinh(x)^4 + (a^2 - a * b - 2 * b^2) \cosh(x)^2 + (6 * (a * b + b^2) \cosh(x)^2 + a^2 - a * b - 2 * b^2) \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * (a * b + b^2) \cosh(x)^3 + (a^2 - a * b - 2 * b^2) \cosh(x)) \sinh(x))) + (b \cosh(x)^4 + 4 * b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2 * b \cosh(x)^2 + 2 * (3 * b \cosh(x)^2 + b) \sinh(x)^2 + 4 * (b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a + b) \cosh(x)^4 + 4 * (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2 * (a - b) \cosh(x)^2 + 2 * (3 * (a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4 * ((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) - ((a + 2 * b) \cosh(x)^4 + 4 * (a + 2 * b) \cosh(x) \sinh(x)^3 + (a + 2 * b) \sinh(x)^4 + 2 * (a + 2 * b) \cosh(x)^2 + 2 * (3 * (a + 2 * b) \cosh(x)^2 + a + 2 * b) \sinh(x)^2 + 4 * ((a + 2 * b) \cosh(x)^3 + (a + 2 * b) \cosh(x)) \sinh(x) + a + 2 * b) \sqrt{-b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cos
\end{aligned}$$

$$\frac{h(x) \sinh(x) + \sinh(x)^2 - 1}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2} \sqrt{-b} \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{(a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)}} + \frac{\sqrt{2} (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}}}{(b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 + 2b \cosh(x)^2 + 2(3b \cosh(x)^2 + b) \sinh(x)^2 + 4(b \cosh(x)^3 + b \cosh(x)) \sinh(x) + b)}$$

**giac** [B] time = 1.74, size = 554, normalized size = 6.52

$$\frac{(a + 2b) \arctan\left(-\frac{\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b + \sqrt{a+b}}}{2 \sqrt{-b}}\right)}{\sqrt{-b}} - \frac{1}{2} \sqrt{a+b} \log\left(\left|-\left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b + \sqrt{a+b}\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x)^2,x, algorithm="giac")

[Out] 
$$-(a + 2b) \arctan\left(\frac{-1/2(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b) + \sqrt{a+b}}{\sqrt{-b}}\right) / \sqrt{-b} - 1/2 \sqrt{a+b} \log\left(\frac{\left|-\left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)\right|}{\left|-\left(\sqrt{a+b} e^{(2x)} + \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)\right|}\right) + 1/2 \sqrt{a+b} \log\left(\frac{\left|-\left(\sqrt{a+b} e^{(2x)} + \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)\right|}{\left|-\left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)\right|}\right) - 2 \left(\left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)^3 (a + 2b) + \left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)^2 (3a - 2b) \sqrt{a+b} + (3a^2 - 3ab - 2b^2) \left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right) + (a^2 - ab + 2b^2) \sqrt{a+b}\right) / \left(\left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right)^2 + 2 \left(\sqrt{a+b} e^{(2x)} - \sqrt{a e^{(4x)} + b e^{(4x)} + 2 a e^{(2x)} - 2 b e^{(2x)} + a + b\right) \sqrt{a+b} + a - 3b\right)^2$$

**maple** [B] time = 0.09, size = 276, normalized size = 3.25

$$\frac{\sqrt{a+b} \tanh^2(x)}{2} - \frac{a \ln\left(\sqrt{b} \tanh(x) + \sqrt{a+b} \tanh^2(x)\right)}{2\sqrt{b}} - \frac{\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + b}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x)`

[Out] 
$$-1/2*(a+b*tanh(x)^2)^(1/2)*tanh(x)-1/2*a/b^(1/2)*ln(b^(1/2)*tanh(x)+(a+b*tanh(x)^2)^(1/2))-1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)-1/2*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))+1/2*(a+b)^(1/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2))*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))+1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)-1/2*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2))*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x)^2,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x)^2, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x)^2 \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^2*(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(tanh(x)^2*(a + b*tanh(x)^2)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \tanh^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)**2)**(1/2)*tanh(x)**2,x)`

[Out] `Integral(sqrt(a + b*tanh(x)**2)*tanh(x)**2, x)`

$$3.212 \quad \int \tanh(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=44

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \tanh^2(x)}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))\*(a+b)^(1/2)-(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.08, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 50, 63, 208}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*Sqrt[a + b\*Tanh[x]^2],x]

[Out] Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b\*Tanh[x]^2]

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
 \int \tanh(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{x \sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
 &= -\sqrt{a + b \tanh^2(x)} + \frac{1}{2}(a + b) \text{Subst} \left( \int \frac{1}{(1 - x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
 &= -\sqrt{a + b \tanh^2(x)} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
 &= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)}
 \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 44, normalized size = 1.00

$$\sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]*Sqrt[a + b*Tanh[x]^2],x]
```

```
[Out] Sqrt[a + b]*ArcTanh[Sqrt[a + b*Tanh[x]^2]/Sqrt[a + b]] - Sqrt[a + b*Tanh[x]^2]
```

```
fricas [B] time = 0.51, size = 1543, normalized size = 35.07
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2)*tanh(x),x, algorithm="fricas")
```

```
[Out] [1/4*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*log(-(a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 4*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1), -1/2*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2
```

```

+ a + b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2))/((a^2 + a*b)*cosh(x)^4 + 4*(a^
2 + a*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*co
sh(x)^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2
*a*b + b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh
(x))) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*arctan
(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(
((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh
(x) + sinh(x)^2))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b
)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)
^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)]

```

**giac [B]** time = 0.99, size = 349, normalized size = 7.93

$$-\frac{1}{2}\sqrt{a+b}\log\left(\left|-\left(\sqrt{a+b}e^{2x}-\sqrt{ae^{4x}+be^{4x}+2ae^{2x}-2be^{2x}+a+b}\right)(a+b)-\sqrt{a+b}(a-b)\right|\right)+\frac{1}{2}\sqrt{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2)\*tanh(x),x, algorithm="giac")

```

[Out] -1/2*sqrt(a + b)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x)
+ 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) + 1/
2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2
*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) - 1/2*sqrt(a + b)*log(abs
(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2
*x) + a + b) - sqrt(a + b))) - 4*((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b
*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*b - sqrt(a + b)*b)/((sqrt(a
+ b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a +
b))^2 + 2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x)
- 2*b*e^(2*x) + a + b))*sqrt(a + b) + a - 3*b)

```

**maple [B]** time = 0.10, size = 238, normalized size = 5.41

$$\frac{\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}}{2} \sqrt{b} \ln\left(\frac{(\tanh(x)-1)b + b}{\sqrt{b}} + \sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2)\*tanh(x),x)

[Out]  $-1/2*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}-1/2*b^{(1/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)))/(\tanh(x)-1))-1/2*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}+1/2*b^{(1/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)})+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)))/(1+\tanh(x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)^2)^(1/2)*tanh(x),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*tanh(x), x)`

**mupad** [B] time = 1.69, size = 51, normalized size = 1.16

$$-\sqrt{b \tanh(x)^2 + a} - 2 \operatorname{atan} \left( \frac{2 \sqrt{b \tanh(x)^2 + a} \sqrt{-\frac{a}{4} - \frac{b}{4}}}{a + b} \right) \sqrt{-\frac{a}{4} - \frac{b}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)*(a + b*tanh(x)^2)^(1/2),x)`

[Out]  $-(a + b*\tanh(x)^2)^{(1/2)} - 2*\operatorname{atan}(((2*(a + b*\tanh(x)^2)^{(1/2)}*(-a/4 - b/4))^{(1/2)})/(a + b))*(-a/4 - b/4)^{(1/2)}$

**sympy** [A] time = 2.26, size = 51, normalized size = 1.16

$$\frac{2 \left( \frac{b \sqrt{a+b \tanh^2(x)}}{2} + \frac{b(a+b) \operatorname{atan} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}} \right)}{2 \sqrt{-a-b}} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*tanh(x)**2)**(1/2)*tanh(x),x)`

[Out]  $-2*(b*\sqrt{a + b*\tanh(x)**2})/2 + b*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2})/\sqrt{(-a - b)/(2*\sqrt{-a - b})}/b$

### 3.213 $\int \sqrt{a + b \tanh^2(x)} dx$

Optimal. Leaf size=60

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)$$

[Out]  $-\operatorname{arctanh}(b^{(1/2)} \tanh(x) / (a+b \tanh(x)^2)^{(1/2)}) * b^{(1/2)} + \operatorname{arctanh}((a+b)^{(1/2)} * \tanh(x) / (a+b \tanh(x)^2)^{(1/2)}) * (a+b)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3661, 402, 217, 206, 377}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Tanh[x]^2], x]

[Out]  $-(\operatorname{Sqrt}[b] * \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] * \operatorname{Tanh}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Tanh}[x]^2]]) + \operatorname{Sqrt}[a + b] * \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b] * \operatorname{Tanh}[x]) / \operatorname{Sqrt}[a + b * \operatorname{Tanh}[x]^2]]$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^p, x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned} \int \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{1 - x^2} dx, x, \tanh(x) \right) \\ &= - \left( (-a - b) \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \right) - b \text{Subst} \left( \int \frac{1}{\sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\ &= - \left( (-a - b) \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) - b \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \tanh(x) \right) \\ &= -\sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \end{aligned}$$

**Mathematica [B]** time = 0.24, size = 137, normalized size = 2.28

$$\frac{1}{2} \left( -2\sqrt{b} \log \left( \sqrt{b} \sqrt{a + b \tanh^2(x)} + b \tanh(x) \right) - \sqrt{a + b} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a - b \tanh(x) \right) + \sqrt{a + b} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} - a + b \tanh(x) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Tanh[x]^2], x]
```

```
[Out] (-(Sqrt[a + b]*Log[1 - Tanh[x]]) + Sqrt[a + b]*Log[1 + Tanh[x]] - 2*Sqrt[b]*Log[b*Tanh[x] + Sqrt[b]*Sqrt[a + b*Tanh[x]^2]] - Sqrt[a + b]*Log[a - b*Tanh[x] + Sqrt[a + b]*Sqrt[a + b*Tanh[x]^2]] + Sqrt[a + b]*Log[a + b*Tanh[x] + Sqrt[a + b]*Sqrt[a + b*Tanh[x]^2]])/2
```



**fricas** [B] time = 0.57, size = 3443, normalized size = 57.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*\sqrt{a+b}*\log(-((a*b^2+b^3)*\cosh(x)^8+8*(a*b^2+b^3)*\cosh(x)*\sinh(x)^7+(a*b^2+b^3)*\sinh(x)^8-2*(a*b^2+2*b^3)*\cosh(x)^6-2*(a*b^2+2*b^3-14*(a*b^2+b^3)*\cosh(x)^2)*\sinh(x)^6+4*(14*(a*b^2+b^3)*\cosh(x)^3-3*(a*b^2+2*b^3)*\cosh(x))*\sinh(x)^5+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^4+(70*(a*b^2+b^3)*\cosh(x)^4+a^3-a^2*b+4*a*b^2+6*b^3-30*(a*b^2+2*b^3)*\cosh(x)^2)*\sinh(x)^4+4*(14*(a*b^2+b^3)*\cosh(x)^5-10*(a*b^2+2*b^3)*\cosh(x)^3+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x))*\sinh(x)^3+a^3+3*a^2*b+3*a*b^2+b^3+2*(a^3-3*a*b^2-2*b^3)*\cosh(x)^2+2*(14*(a*b^2+b^3)*\cosh(x)^6-15*(a*b^2+2*b^3)*\cosh(x)^4+a^3-3*a*b^2-2*b^3+3*(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^2)*\sinh(x)^2+\sqrt{2}*(b^2*\cosh(x)^6+6*b^2*\cosh(x)*\sinh(x)^5+b^2*\sinh(x)^6-3*b^2*\cosh(x)^4+3*(5*b^2*\cosh(x)^2-b^2)*\sinh(x)^4+4*(5*b^2*\cosh(x)^3-3*b^2*\cosh(x))*\sinh(x)^3-(a^2-2*a*b-3*b^2)*\cosh(x)^2+(15*b^2*\cosh(x)^4-18*b^2*\cosh(x)^2-a^2+2*a*b+3*b^2)*\sinh(x)^2-a^2-2*a*b-b^2+2*(3*b^2*\cosh(x)^5-6*b^2*\cosh(x)^3-(a^2-2*a*b-3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*(2*(a*b^2+b^3)*\cosh(x)^7-3*(a*b^2+2*b^3)*\cosh(x)^5+(a^3-a^2*b+4*a*b^2+6*b^3)*\cosh(x)^3+(a^3-3*a*b^2-2*b^3)*\cosh(x))*\sinh(x)/(\cosh(x)^6+6*\cosh(x)^5*\sinh(x)+15*\cosh(x)^4*\sinh(x)^2+20*\cosh(x)^3*\sinh(x)^3+15*\cosh(x)^2*\sinh(x)^4+6*\cosh(x)*\sinh(x)^5+\sinh(x)^6)+1/2*\sqrt{b}*\log(-((a+2*b)*\cosh(x)^4+4*(a+2*b)*\cosh(x)*\sinh(x)^3+(a+2*b)*\sinh(x)^4+2*(a-2*b)*\cosh(x)^2+2*(3*(a+2*b)*\cosh(x)^2+a-2*b)*\sinh(x)^2-2*\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2-1)*\sqrt{b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*((a+2*b)*\cosh(x)^3+(a-2*b)*\cosh(x))*\sinh(x)+a+2*b)/(\cosh(x)^4+4*\cosh(x)*\sinh(x)^3+\sinh(x)^4+2*(3*\cosh(x)^2+1)*\sinh(x)^2+2*\cosh(x)^2+4*(\cosh(x)^3+\cosh(x))*\sinh(x)+1))+1/4*\sqrt{a+b}*\log(((a+b)*\cosh(x)^4+4*(a+b)*\cosh(x)*\sinh(x)^3+(a+b)*\sinh(x)^4+2*a*\cosh(x)^2+2*(3*(a+b)*\cosh(x)^2+a)*\sinh(x)^2+\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2+1)*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)}+4*((a+b)*\cosh(x)^3+a*\cosh(x))*\sinh(x)+a+b)/(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2)),\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2+2*\cosh(x)*\sinh(x)+\sinh(x)^2-1)*\sqrt{-b}*\sqrt{((a+b)*\cosh(x)^2+(a+b)*\sinh(x)^2+a-b)/(\cosh(x)^2-2*\cosh(x)*\sinh(x)+\sinh(x)^2)})/((a+b)*\cosh(x)^4+4*(a+b)*\cosh(x)*\sinh(x)^3+(a+b)*\sinh(x)^4+2*(a-b)*\cosh(x)^2+2*(3*(a+b)*\cosh(x)^2+a-b))*s \end{aligned}$$

$$\begin{aligned}
& \operatorname{inh}(x)^2 + 4*((a + b)*\operatorname{cosh}(x)^3 + (a - b)*\operatorname{cosh}(x))*\operatorname{sinh}(x) + a + b) + 1/4* \\
& \operatorname{sqrt}(a + b)*\log(-((a*b^2 + b^3)*\operatorname{cosh}(x)^8 + 8*(a*b^2 + b^3)*\operatorname{cosh}(x)*\operatorname{sinh}(x) \\
& ^7 + (a*b^2 + b^3)*\operatorname{sinh}(x)^8 - 2*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^6 - 2*(a*b^2 + 2*b \\
& ^3 - 14*(a*b^2 + b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^6 + 4*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^3 \\
& - 3*(a*b^2 + 2*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{co} \\
& \operatorname{sh}(x)^4 + (70*(a*b^2 + b^3)*\operatorname{cosh}(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30* \\
& (a*b^2 + 2*b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^4 + 4*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^5 - 10*( \\
& a*b^2 + 2*b^3)*\operatorname{cosh}(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x) \\
& ^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\operatorname{cosh}(x)^2 + \\
& 2*(14*(a*b^2 + b^3)*\operatorname{cosh}(x)^6 - 15*(a*b^2 + 2*b^3)*\operatorname{cosh}(x)^4 + a^3 - 3*a*b^ \\
& 2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + \operatorname{sqrt}(2) \\
& )*(b^2*\operatorname{cosh}(x)^6 + 6*b^2*\operatorname{cosh}(x)*\operatorname{sinh}(x)^5 + b^2*\operatorname{sinh}(x)^6 - 3*b^2*\operatorname{cosh}(x)^ \\
& 4 + 3*(5*b^2*\operatorname{cosh}(x)^2 - b^2)*\operatorname{sinh}(x)^4 + 4*(5*b^2*\operatorname{cosh}(x)^3 - 3*b^2*\operatorname{cosh}(x) \\
& ))*\operatorname{sinh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\operatorname{cosh}(x)^2 + (15*b^2*\operatorname{cosh}(x)^4 - 18*b^2 \\
& *\operatorname{cosh}(x)^2 - a^2 + 2*a*b + 3*b^2)*\operatorname{sinh}(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2* \\
& \operatorname{cosh}(x)^5 - 6*b^2*\operatorname{cosh}(x)^3 - (a^2 - 2*a*b - 3*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\operatorname{sqrt}( \\
& a + b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2* \\
& \operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)) + 4*(2*(a*b^2 + b^3)*\operatorname{cosh}(x)^7 - 3*(a*b^2 + 2 \\
& *b^3)*\operatorname{cosh}(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\operatorname{cosh}(x)^3 + (a^3 - 3*a*b^ \\
& 2 - 2*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x))/(\operatorname{cosh}(x)^6 + 6*\operatorname{cosh}(x)^5*\operatorname{sinh}(x) + 15*\operatorname{cosh}(x)^ \\
& 4*\operatorname{sinh}(x)^2 + 20*\operatorname{cosh}(x)^3*\operatorname{sinh}(x)^3 + 15*\operatorname{cosh}(x)^2*\operatorname{sinh}(x)^4 + 6*\operatorname{cosh}(x)* \\
& \operatorname{sinh}(x)^5 + \operatorname{sinh}(x)^6)) + 1/4*\operatorname{sqrt}(a + b)*\log(((a + b)*\operatorname{cosh}(x)^4 + 4*(a + b) \\
& *\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a + b)*\operatorname{sinh}(x)^4 + 2*a*\operatorname{cosh}(x)^2 + 2*(3*(a + b)*\operatorname{cosh} \\
& (x)^2 + a)*\operatorname{sinh}(x)^2 + \operatorname{sqrt}(2)*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2 + \\
& 1)*\operatorname{sqrt}(a + b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x) \\
& )^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)) + 4*((a + b)*\operatorname{cosh}(x)^3 + a*\operatorname{cosh}(x))* \\
& \operatorname{sinh}(x) + a + b)/(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)), -1/2*\operatorname{sqrt}(-a \\
& - b)*\operatorname{arctan}(\operatorname{sqrt}(2)*(b*\operatorname{cosh}(x)^2 + 2*b*\operatorname{cosh}(x)*\operatorname{sinh}(x) + b*\operatorname{sinh}(x)^2 - a - \\
& b)*\operatorname{sqrt}(-a - b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh} \\
& (x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)))/((a*b + b^2)*\operatorname{cosh}(x)^4 + 4*(a*b + b^ \\
& 2)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a*b + b^2)*\operatorname{sinh}(x)^4 + (a^2 - a*b - 2*b^2)*\operatorname{cosh}(x)^ \\
& 2 + (6*(a*b + b^2)*\operatorname{cosh}(x)^2 + a^2 - a*b - 2*b^2)*\operatorname{sinh}(x)^2 + a^2 + 2*a*b + \\
& b^2 + 2*(2*(a*b + b^2)*\operatorname{cosh}(x)^3 + (a^2 - a*b - 2*b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x))) \\
& - 1/2*\operatorname{sqrt}(-a - b)*\operatorname{arctan}(\operatorname{sqrt}(2)*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^ \\
& 2 + 1)*\operatorname{sqrt}(-a - b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/( \\
& \operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)))/((a + b)*\operatorname{cosh}(x)^4 + 4*(a + b)* \\
& \operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a + b)*\operatorname{sinh}(x)^4 + 2*(a - b)*\operatorname{cosh}(x)^2 + 2*(3*(a + b)* \\
& \operatorname{cosh}(x)^2 + a - b)*\operatorname{sinh}(x)^2 + 4*((a + b)*\operatorname{cosh}(x)^3 + (a - b)*\operatorname{cosh}(x))*\operatorname{sinh} \\
& (x) + a + b)) + 1/2*\operatorname{sqrt}(b)*\log(-((a + 2*b)*\operatorname{cosh}(x)^4 + 4*(a + 2*b)*\operatorname{cosh}(x)* \\
& \operatorname{sinh}(x)^3 + (a + 2*b)*\operatorname{sinh}(x)^4 + 2*(a - 2*b)*\operatorname{cosh}(x)^2 + 2*(3*(a + 2*b)* \\
& \operatorname{cosh}(x)^2 + a - 2*b)*\operatorname{sinh}(x)^2 - 2*\operatorname{sqrt}(2)*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \\
& \operatorname{sinh}(x)^2 - 1)*\operatorname{sqrt}(b)*\operatorname{sqrt}(((a + b)*\operatorname{cosh}(x)^2 + (a + b)*\operatorname{sinh}(x)^2 + a - b)/ \\
& (\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)) + 4*((a + 2*b)*\operatorname{cosh}(x)^3 + (a \\
& - 2*b)*\operatorname{cosh}(x))*\operatorname{sinh}(x) + a + 2*b)/(\operatorname{cosh}(x)^4 + 4*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + \operatorname{sinh} \\
& (x)^4 + 2*(3*\operatorname{cosh}(x)^2 + 1)*\operatorname{sinh}(x)^2 + 2*\operatorname{cosh}(x)^2 + 4*(\operatorname{cosh}(x)^3 + \operatorname{cosh}(x)
\end{aligned}$$

)\*sinh(x) + 1)), -1/2\*sqrt(-a - b)\*arctan(sqrt(2)\*(b\*cosh(x)^2 + 2\*b\*cosh(x) )\*sinh(x) + b\*sinh(x)^2 - a - b)\*sqrt(-a - b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2))/((a\*b + b^2)\*cosh(x)^4 + 4\*(a\*b + b^2)\*cosh(x)\*sinh(x)^3 + (a\*b + b^2)\*sinh(x)^4 + (a^2 - a\*b - 2\*b^2)\*cosh(x)^2 + (6\*(a\*b + b^2)\*cosh(x)^2 + a^2 - a\*b - 2\* b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(2\*(a\*b + b^2)\*cosh(x)^3 + (a^2 - a\* b - 2\*b^2)\*cosh(x))\*sinh(x)) - 1/2\*sqrt(-a - b)\*arctan(sqrt(2)\*(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1)\*sqrt(-a - b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2))/((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a - b)\*sinh(x)^2 + 4\*((a + b)\*cosh(x)^3 + (a - b)\*cosh(x))\*sinh(x) + a + b)) + sqrt(-b)\*arctan(sqrt(2)\*(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 - 1)\*sqrt(-b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2))/((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a - b)\*sinh(x)^2 + 4\*((a + b)\*cosh(x)^3 + (a - b)\*cosh(x))\*sinh(x) + a + b))]

**giac [B]** time = 0.69, size = 253, normalized size = 4.22

$$\frac{2b \arctan\left(-\frac{\sqrt{a+b}e^{(2x)} - \sqrt{ae^{(4x)} + be^{(4x)} + 2ae^{(2x)} - 2be^{(2x)} + a + b} + \sqrt{a+b}}{2\sqrt{-b}}\right)}{\sqrt{-b}} - \frac{1}{2}\sqrt{a+b} \log\left(\left|-\left(\sqrt{a+b}e^{(2x)} - \sqrt{ae^{(4x)} + be^{(4x)}}\right)\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -2\*b\*arctan(-1/2\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) + sqrt(a + b))/sqrt(-b))/sqrt(-b) - 1/2\*sqrt(a + b)\*log(abs(-(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*(a + b) - sqrt(a + b)\*(a - b))) - 1/2\*sqrt(a + b)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) + sqrt(a + b))) + 1/2\*sqrt(a + b)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) - sqrt(a + b)))

**maple [B]** time = 0.11, size = 238, normalized size = 3.97

$$\frac{\sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b}}{2} \sqrt{b} \ln\left(\frac{(\tanh(x) - 1)b + b}{\sqrt{b}} + \sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(1/2),x)

```
[Out] -1/2*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)-1/2*b^(1/2)*ln(((tanh(x)-1)*b+b)/b^(1/2)+((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))+1/2*(a+b)^(1/2))*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))+1/2*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)-1/2*b^(1/2)*ln(((1+tanh(x))*b-b)/b^(1/2)+((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))-1/2*(a+b)^(1/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*tanh(x)^2 + a), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*tanh(x)^2)^(1/2),x)
```

```
[Out] int((a + b*tanh(x)^2)^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2), x)
```

### 3.214 $\int \coth(x) \sqrt{a + b \tanh^2(x)} dx$

Optimal. Leaf size=56

$$\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)$$

[Out]  $-\operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}}{a^{1/2}}\right) a^{1/2} + \operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}}{(a+b)^{1/2}}\right) (a+b)^{1/2}$

**Rubi [A]** time = 0.11, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 446, 83, 63, 208}

$$\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)$$

Antiderivative was successfully verified.

[In] Int[Coth[x]\*Sqrt[a + b\*Tanh[x]^2], x]

[Out]  $-(\operatorname{Sqrt}[a] \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2] / \operatorname{Sqrt}[a]]) + \operatorname{Sqrt}[a + b] \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2] / \operatorname{Sqrt}[a + b]]$

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 83

Int[((e\_.) + (f\_.)\*(x\_))^(p\_)/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Dist[(b\*e - a\*f)/(b\*c - a\*d), Int[(e + f\*x)^(p - 1)/(a + b\*x), x], x] - Dist[(d\*e - c\*f)/(b\*c - a\*d), Int[(e + f\*x)^(p - 1)/(c + d\*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && LtQ[0, p, 1]

#### Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

### Rule 446

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

### Rule 3670

`Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

### Rubi steps

$$\begin{aligned}
 \int \coth(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x(1-x^2)} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1-x)x} dx, x, \tanh^2(x) \right) \\
 &= \frac{1}{2} a \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
 &= \frac{a \text{Subst} \left( \int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \frac{(a + b) \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
 &= -\sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 56, normalized size = 1.00

$$\sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \sqrt{a} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[x]*Sqrt[a + b*Tanh[x]^2],x]
```

```
[Out] -(Sqrt[a]*ArcTanh[Sqrt[a + b*Tanh[x]^2]/Sqrt[a]]) + Sqrt[a + b]*ArcTanh[Sqrt[a + b*Tanh[x]^2]/Sqrt[a + b]]
```

```
fricas [B] time = 0.60, size = 3467, normalized size = 61.91
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)*(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 1/2*sqrt(a)*log(-((2*a + b)*cosh(x)^4 + 4*(2*a + b)*cosh(x)*sinh(x)^3 + (2*a + b)*sinh(x)^4 + 2*(2*a - b)*cosh(x)^2 + 2*(3*(2*a + b)*cosh(x)^2 + 2*a - b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1))*sqrt(a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((2*a + b)*cosh(x)^3 + (2*a - b)*cosh(x))*sinh(x) + 2*a + b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)) + 1/4*sqrt(a + b)*log(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)
```

$$\begin{aligned}
& /(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)), \sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 1/4*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + 1/4*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)), -1/2*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) - 1/2*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 1/2*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*
\end{aligned}$$



$\sinh(x)^3 + (2a + b)\sinh(x)^4 + 2(2a - b)\cosh(x)^2 + 2(3(2a + b)\cosh(x)^2 + 2a - b)\sinh(x)^2 - 2\sqrt{2}(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 + 1)\sqrt{a}\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} + 4((2a + b)\cosh(x)^3 + (2a - b)\cosh(x))\sinh(x) + 2a + b)/(\cosh(x)^4 + 4\cosh(x)\sinh(x)^3 + \sinh(x)^4 + 2(3\cosh(x)^2 - 1)\sinh(x)^2 - 2\cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x))\sinh(x) + 1)$ ,  $\sqrt{-a}\arctan(\sqrt{2}(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 + 1)\sqrt{-a}\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)})/((a + b)\cosh(x)^4 + 4(a + b)\cosh(x)\sinh(x)^3 + (a + b)\sinh(x)^4 + 2(a - b)\cosh(x)^2 + 2(3(a + b)\cosh(x)^2 + a - b)\sinh(x)^2 + 4((a + b)\cosh(x)^3 + (a - b)\cosh(x))\sinh(x) + a + b) - 1/2\sqrt{-a - b}\arctan(\sqrt{2}(a\cosh(x)^2 + 2a\cosh(x)\sinh(x) + a\sinh(x)^2 + a + b)\sqrt{-a - b}\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)\cosh(x)^4 + 4(a^2 + a*b)\cosh(x)\sinh(x)^3 + (a^2 + a*b)\sinh(x)^4 + (2a^2 + a*b - b^2)\cosh(x)^2 + (6(a^2 + a*b)\cosh(x)^2 + 2a^2 + a*b - b^2)\sinh(x)^2 + a^2 + 2a*b + b^2 + 2(2(a^2 + a*b)\cosh(x)^3 + (2a^2 + a*b - b^2)\cosh(x))\sinh(x)) - 1/2\sqrt{-a - b}\arctan(\sqrt{2}(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 - 1)\sqrt{-a - b}\sqrt{((a + b)\cosh(x)^2 + (a + b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)})/((a + b)\cosh(x)^4 + 4(a + b)\cosh(x)\sinh(x)^3 + (a + b)\sinh(x)^4 + 2(a - b)\cosh(x)^2 + 2(3(a + b)\cosh(x)^2 + a - b)\sinh(x)^2 + 4((a + b)\cosh(x)^3 + (a - b)\cosh(x))\sinh(x) + a + b))]$

**giac [B]** time = 0.76, size = 255, normalized size = 4.55

$$\frac{2a \arctan\left(-\frac{\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b} - \sqrt{a+b}}{2\sqrt{-a}}\right)}{\sqrt{-a}} - \frac{1}{2}\sqrt{a+b} \log\left(\left|-\left(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out]  $2a\arctan(-1/2(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})/\sqrt{-a})/\sqrt{-a} - 1/2\sqrt{a+b}\log(\text{abs}(-(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}))) + 1/2\sqrt{a+b}\log(\text{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}))) - 1/2\sqrt{a+b}\log(\text{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}))) - 1/2\sqrt{a+b}\log(\text{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}))) - \sqrt{a+b}$

**maple [F]** time = 0.38, size = 0, normalized size = 0.00

$$\int \coth(x)\sqrt{a + b(\tanh^2(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)*(a+b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)*(a+b*tanh(x)^2)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)*(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*coth(x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \coth(x) \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)*(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)*(a + b*tanh(x)^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)*(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(a + b*tanh(x)**2)*coth(x), x)`

$$3.215 \quad \int \coth^2(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=48

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \coth(x) \sqrt{a+b \tanh^2(x)}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))\*(a+b)^(1/2)-coth(x)\*(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 475, 12, 377, 206}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \coth(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - Coth[x]\*Sqrt[a + b\*Tanh[x]^2]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 475

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
 \int \coth^2(x) \sqrt{a + b \tanh^2(x)} \, dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^2(1 - x^2)} \, dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + \text{Subst} \left( \int \frac{a + b}{(1 - x^2) \sqrt{a + bx^2}} \, dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} \, dx, x, \tanh(x) \right) \\
 &= -\coth(x) \sqrt{a + b \tanh^2(x)} + (a + b) \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} \, dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
 &= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \coth(x) \sqrt{a + b \tanh^2(x)}
 \end{aligned}$$

**Mathematica [C]** time = 0.13, size = 42, normalized size = 0.88

$$-\coth(x) \sqrt{a + b \tanh^2(x)} {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{(a + b) \tanh^2(x)}{b \tanh^2(x) + a} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[x]^2*Sqrt[a + b*Tanh[x]^2],x]
```

```
[Out] -(Coth[x]*Hypergeometric2F1[-1/2, 1, 1/2, ((a + b)*Tanh[x]^2)/(a + b*Tanh[x]^2)]*Sqrt[a + b*Tanh[x]^2])
```

**fricas [B]** time = 0.51, size = 1539, normalized size = 32.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2*(a+b*tanh(x)^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/4*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x))^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 - 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6) + (cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3 + a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 4*sqrt(2)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1), -1/2*((cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*
```

$b + b^2) \cosh(x) \sinh(x)^3 + (a*b + b^2) \sinh(x)^4 + (a^2 - a*b - 2*b^2) \cosh(x)^2 + (6*(a*b + b^2) \cosh(x)^2 + a^2 - a*b - 2*b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2) \cosh(x)^3 + (a^2 - a*b - 2*b^2) \cosh(x)) \sinh(x)) + (\cosh(x)^2 + 2*\cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2*\cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2*\cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2*(a - b) \cosh(x)^2 + 2*(3*(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4*((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) + 2*\sqrt{2} * \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2*\cosh(x) \sinh(x) + \sinh(x)^2)}) / (\cosh(x)^2 + 2*\cosh(x) \sinh(x) + \sinh(x)^2 - 1)}$

**giac** [B] time = 1.07, size = 348, normalized size = 7.25

$$-\frac{1}{2} \sqrt{a+b} \log \left( \left| -\left( \sqrt{a+b} e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} \right) (a+b) - \sqrt{a+b} (a-b) \right| \right) - \frac{1}{2} \sqrt{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out]  $-1/2*\sqrt{a + b}*\log(\text{abs}(-(\sqrt{a + b})e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))*(a + b) - \sqrt{a + b}*(a - b))) - 1/2*\sqrt{a + b}*\log(\text{abs}(-\sqrt{a + b})e^{(2*x)} + \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b} + \sqrt{a + b}))) + 1/2*\sqrt{a + b}*\log(\text{abs}(-\sqrt{a + b})e^{(2*x)} + \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b} - \sqrt{a + b}))) + 4*((\sqrt{a + b})e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))*a + \sqrt{a + b}*a) / ((\sqrt{a + b})e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b})^2 - 2*(\sqrt{a + b})e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))*\sqrt{a + b} - 3*a + b)$

**maple** [F] time = 0.34, size = 0, normalized size = 0.00

$$\int (\coth^2(x)) \sqrt{a + b (\tanh^2(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^2\*(a+b\*tanh(x)^2)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^2 + a)*coth(x)^2, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \coth(x)^2 \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^2*(a + b*tanh(x)^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \coth^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)**2*(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(a + b*tanh(x)**2)*coth(x)**2, x)`

$$3.216 \quad \int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx$$

**Optimal.** Leaf size=83

$$-\frac{(2a+b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{2} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

[Out]  $-1/2*(2*a+b)*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)/a^{(1/2)})/a^{(1/2)}+\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)/(a+b)^{(1/2)})*(a+b)^{(1/2)}-1/2*\coth(x)^2*(a+b*\tanh(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.16, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 99, 156, 63, 208}

$$-\frac{(2a+b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{2} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^3*Sqrt[a + b*Tanh[x]^2], x]`

[Out]  $-\left(\frac{(2a+b)\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right]}{2\sqrt{a}} + \sqrt{a+b}\operatorname{ArcTanh}\left[\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right] - \frac{\coth^2(x)\sqrt{a+b \tanh^2(x)}}{2}\right)$

### Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

### Rule 99

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m + n + p + 2)*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1]`



] && GtQ[n, 0] && (IntegersQ[2\*m, 2\*n, 2\*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

### Rule 156

Int[(((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :=> Dist[(b\*g - a\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(a + b\*x), x], x] - Dist[(d\*g - c\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(c + d\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :=> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \coth^3(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^3(1-x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1-x)x^2} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2} \text{Subst} \left( \int \frac{\frac{1}{2}(2a+b) + \frac{bx}{2}}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{2}(a+b) \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)} + \frac{(a+b) \text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
&= -\frac{(2a+b) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a+b}} \right) - \frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.22, size = 83, normalized size = 1.00

$$-\frac{(2a+b) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{2\sqrt{a}} + \sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a+b}} \right) - \frac{1}{2} \coth^2(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] -1/2\*((2\*a + b)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]])/Sqrt[a] + Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2])/2

**fricas [B]** time = 0.79, size = 4891, normalized size = 58.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3\*(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

```
[Out] [1/4*((a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3 + a*sinh(x)^4 - 2*a*cosh(x)^2 +
2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh(x)^3 - a*cosh(x))*sinh(x) + a)*
sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^
7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*
b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 +
3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cos
h(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(
2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2
*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^
3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2
*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2
*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)
*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4
+ 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x)
)*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*c
osh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*c
osh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a
+ b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*c
osh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^3 + a^
2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 3*a^2
*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4
*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*si
nh(x)^5 + sinh(x)^6)) + ((2*a + b)*cosh(x)^4 + 4*(2*a + b)*cosh(x)*sinh(x)^
3 + (2*a + b)*sinh(x)^4 - 2*(2*a + b)*cosh(x)^2 + 2*(3*(2*a + b)*cosh(x)^2
- 2*a - b)*sinh(x)^2 + 4*((2*a + b)*cosh(x)^3 - (2*a + b)*cosh(x))*sinh(x)
+ 2*a + b)*sqrt(a)*log(-((2*a + b)*cosh(x)^4 + 4*(2*a + b)*cosh(x)*sinh(x)^
3 + (2*a + b)*sinh(x)^4 + 2*(2*a - b)*cosh(x)^2 + 2*(3*(2*a + b)*cosh(x)^2
+ 2*a - b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2
+ 1)*sqrt(a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)
^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((2*a + b)*cosh(x)^3 + (2*a - b)*c
osh(x))*sinh(x) + 2*a + b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2
*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x)
) + 1)) + (a*cosh(x)^4 + 4*a*cosh(x)*sinh(x)^3 + a*sinh(x)^4 - 2*a*cosh(x)^
2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)^2 + 4*(a*cosh(x)^3 - a*cosh(x))*sinh(x) +
a)*sqrt(a + b)*log(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a
+ b)*sinh(x)^4 - 2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sq
rt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a
+ b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
+ sinh(x)^2)) + 4*((a + b)*cosh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)
^2 + 2*cosh(x)*sinh(x) + sinh(x)^2)) - 2*sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)
*sinh(x) + a*sinh(x)^2 + a)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a
- b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a*cosh(x)^4 + 4*a*cosh
(x)*sinh(x)^3 + a*sinh(x)^4 - 2*a*cosh(x)^2 + 2*(3*a*cosh(x)^2 - a)*sinh(x)
^2 + 4*(a*cosh(x)^3 - a*cosh(x))*sinh(x) + a), 1/4*(2*((2*a + b)*cosh(x)^4
+ 4*(2*a + b)*cosh(x)*sinh(x)^3 + (2*a + b)*sinh(x)^4 - 2*(2*a + b)*cosh(x)
```

$$\begin{aligned}
&^2 + 2*(3*(2*a + b)*\cosh(x)^2 - 2*a - b)*\sinh(x)^2 + 4*((2*a + b)*\cosh(x)^3 \\
&- (2*a + b)*\cosh(x))*\sinh(x) + 2*a + b)*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 \\
&+ 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a \\
&+ b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + \\
&b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b) \\
&*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x) \\
&^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + (a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x) \\
&)^3 + a*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a* \\
&\cosh(x)^3 - a*\cosh(x))*\sinh(x) + a)*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^ \\
&8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 \\
&+ a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x) \\
&^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + \\
&(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + \\
&6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4 \\
&*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^ \\
&2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*( \\
&2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^ \\
&3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + \\
&b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x) \\
&^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 \\
&+ 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cos \\
&h(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x) \\
&)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2 \\
&*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b) \\
&*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^ \\
&3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b \\
&^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 \\
&+ 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 1 \\
&5*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + (a*\cosh(x)^4 + \\
&4*a*\cosh(x)*\sinh(x)^3 + a*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a) \\
&*\sinh(x)^2 + 4*(a*\cosh(x)^3 - a*\cosh(x))*\sinh(x) + a)*\sqrt{a + b}*\log(-(a \\
&+ b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh \\
&(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh \\
&(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)* \\
&\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a + b) \\
&)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
&\sinh(x)^2)) - 2*\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + \\
&a)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh \\
&(x)*\sinh(x) + \sinh(x)^2)))/(a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + a*\sinh(x) \\
&^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x)^3 - a*c \\
&osh(x))*\sinh(x) + a), -1/4*(2*(a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + a*\sinh \\
&(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x)^3 - \\
&a*\cosh(x))*\sinh(x) + a)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh \\
&(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + ( \\
&a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}))/(a^
\end{aligned}$$

$$\begin{aligned}
& 2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 \\
& + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b \\
& - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 \\
& + a*b - b^2)*\cosh(x))*\sinh(x)) + 2*(a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + \\
& a*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x) \\
& )^3 - a*\cosh(x))*\sinh(x) + a)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\co \\
& sh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b) \\
& *\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\co \\
& sh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 \\
& + (a - b)*\cosh(x))*\sinh(x) + a + b)) - ((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\c \\
& osh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 - 2*(2*a + b)*\cosh(x)^2 + 2*(3*(2*a \\
& + b)*\cosh(x)^2 - 2*a - b)*\sinh(x)^2 + 4*((2*a + b)*\cosh(x)^3 - (2*a + b)*\co \\
& sh(x))*\sinh(x) + 2*a + b)*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\c \\
& osh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a \\
& + b)*\cosh(x)^2 + 2*a - b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh \\
& (x) + \sinh(x)^2 + 1)*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
& a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((2*a + b)*\cosh(x)^ \\
& 3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 \\
& + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \\
& \cosh(x))*\sinh(x) + 1)) + 2*\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*s \\
& inh(x)^2 + a)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x) \\
& ^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/(a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 \\
& + a*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh \\
& (x)^3 - a*\cosh(x))*\sinh(x) + a), 1/2*(((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\co \\
& sh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 - 2*(2*a + b)*\cosh(x)^2 + 2*(3*(2*a + \\
& b)*\cosh(x)^2 - 2*a - b)*\sinh(x)^2 + 4*((2*a + b)*\cosh(x)^3 - (2*a + b)*\cos \\
& h(x))*\sinh(x) + 2*a + b)*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sin \\
& h(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 \\
& + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + \\
& 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*( \\
& 3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cos \\
& h(x))*\sinh(x) + a + b)) - (a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + a*\sinh(x)^ \\
& 4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x)^3 - a*\co \\
& sh(x))*\sinh(x) + a)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)* \\
& sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + \\
& a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + \\
& (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^ \\
& 2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a* \\
& b - b^2)*\cosh(x))*\sinh(x)) - (a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + a*\sinh \\
& (x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x)^3 - \\
& a*\cosh(x))*\sinh(x) + a)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)* \\
& sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sin \\
& h(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(
\end{aligned}$$

$$x^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b) - \sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(a*\cosh(x)^4 + 4*a*\cosh(x)*\sinh(x)^3 + a*\sinh(x)^4 - 2*a*\cosh(x)^2 + 2*(3*a*\cosh(x)^2 - a)*\sinh(x)^2 + 4*(a*\cosh(x)^3 - a*\cosh(x))*\sinh(x) + a]$$

**giac [B]** time = 1.76, size = 557, normalized size = 6.71

$$\frac{(2a + b) \arctan\left(-\frac{\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b} - \sqrt{a+b}}{2\sqrt{-a}}\right)}{\sqrt{-a}} - \frac{1}{2}\sqrt{a+b} \log\left(\left|-\left(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] (2\*a + b)\*arctan(-1/2\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) - sqrt(a + b))/sqrt(-a))/sqrt(-a) - 1/2\*sqrt(a + b)\*log(abs(-(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*(a + b) - sqrt(a + b)\*(a - b))) + 1/2\*sqrt(a + b)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) + sqrt(a + b))) - 1/2\*sqrt(a + b)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) - sqrt(a + b))) + 2\*((sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^3\*(2\*a + b) + (sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^2\*(2\*a - 3\*b)\*sqrt(a + b) - (2\*a^2 + 3\*a\*b - 3\*b^2)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b)) - (2\*a^2 - a\*b + b^2)\*sqrt(a + b))/((sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^2 - 2\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*sqrt(a + b) - 3\*a + b)^2

**maple [F]** time = 0.35, size = 0, normalized size = 0.00

$$\int (\coth^3(x)) \sqrt{a + b (\tanh^2(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3\*(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^3\*(a+b\*tanh(x)^2)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*coth(x)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^3 \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3\*(a + b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^3\*(a + b\*tanh(x)^2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \coth^3(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*3\*(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*tanh(x)\*\*2)\*coth(x)\*\*3, x)

$$3.217 \quad \int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=78

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \frac{1}{3} \coth^3(x) \sqrt{a+b \tanh^2(x)} - \frac{(3a+b) \coth(x) \sqrt{a+b \tanh^2(x)}}{3a}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))\*(a+b)^(1/2)-1/3\*(3\*a+b)\*coth(x)\*(a+b\*tanh(x)^2)^(1/2)/a-1/3\*coth(x)^3\*(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.15, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 475, 583, 12, 377, 206}

$$\sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) - \frac{1}{3} \coth^3(x) \sqrt{a+b \tanh^2(x)} - \frac{(3a+b) \coth(x) \sqrt{a+b \tanh^2(x)}}{3a}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] Sqrt[a + b]\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((3\*a + b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a) - (Coth[x]^3\*Sqrt[a + b\*Tanh[x]^2])/3

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]



Rule 475

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 1)*Simp[c*b*(m + 1) + n*(b*c*(p + 1) + a*d*q) + d*(b*(m + 1) + b*n*(p + q + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[0, q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 583

```
Int[((g_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g^n*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \coth^4(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^4(1-x^2)} dx, x, \tanh(x) \right) \\
&= -\frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{3} \text{Subst} \left( \int \frac{3a + b + 2bx^2}{x^2(1-x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - \frac{\text{Subst} \left( \int \frac{1}{x^2(1-x^2)} dx, x, \tanh(x) \right)}{\sqrt{a + b \tanh^2(x)}} \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - (-a - b) \text{Subst} \left( \int \frac{1}{x^2(1-x^2)} dx, x, \tanh(x) \right) \\
&= -\frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)} - (-a - b) \text{Subst} \left( \int \frac{1}{x^2(1-x^2)} dx, x, \tanh(x) \right) \\
&= \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{(3a + b) \coth(x) \sqrt{a + b \tanh^2(x)}}{3a} - \frac{1}{3} \coth^3(x) \sqrt{a + b \tanh^2(x)}
\end{aligned}$$

**Mathematica [C]** time = 6.22, size = 161, normalized size = 2.06

$$\frac{\cosh^4(x) \coth^3(x) \left( \frac{b \tanh^2(x)}{a} + 1 \right) \left( -\frac{4(a+b)(a \tanh(x) + b \tanh^3(x))^2 {}_2F_1\left(2, 2; \frac{3}{2}; -\frac{(a+b) \sinh^2(x)}{a}\right)}{a^2} - \frac{\text{sech}^4(x) (a - 2b \tanh^2(x)) \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right)}{\sqrt{\frac{b \sinh^2(x)}{a}}} \right)}{3 \sqrt{a + b \tanh^2(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Coth[x]^4\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] (Cosh[x]^4\*Coth[x]^3\*(1 + (b\*Tanh[x]^2)/a)\*(-((Sech[x]^4\*(ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]])\*Sqrt[-((a + b)\*Sinh[x]^2)/a]] + Sqrt[Cosh[x]^2 + (b\*Sinh[x]^2)/a])\*(a - 2\*b\*Tanh[x]^2))/Sqrt[Cosh[x]^2 + (b\*Sinh[x]^2)/a]) - (4\*(a + b)\*Hypergeometric2F1[2, 2, 3/2, -((a + b)\*Sinh[x]^2)/a]\*(a\*Tanh[x] + b\*Tanh[x]^3)^2/a^2))/(3\*Sqrt[a + b\*Tanh[x]^2])

**fricas [B]** time = 0.60, size = 2355, normalized size = 30.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^4\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/12*(3*(a*\cosh(x)^6 + 6*a*\cosh(x)*\sinh(x)^5 + a*\sinh(x)^6 - 3*a*\cosh(x)^4 \\ & + 3*(5*a*\cosh(x)^2 - a)*\sinh(x)^4 + 4*(5*a*\cosh(x)^3 - 3*a*\cosh(x))*\sinh(x) \\ & )^3 + 3*a*\cosh(x)^2 + 3*(5*a*\cosh(x)^4 - 6*a*\cosh(x)^2 + a)*\sinh(x)^2 + 6*( \\ & a*\cosh(x)^5 - 2*a*\cosh(x)^3 + a*\cosh(x))*\sinh(x) - a)*\sqrt{a + b}*\log(-((a* \\ & b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 \\ & - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3) \\ & )*\cosh(x)^2*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x) \\ & )*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 \\ & + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x) \\ & )^2*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x) \\ & )^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + \\ & 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x) \\ & )^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - \\ & a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6* \\ & b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 \\ & - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - \\ & 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2* \\ & a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x) \\ & )^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)* \\ & \cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} \\ & + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \\ & )*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) \\ & ) + 3*(a*\cosh(x)^6 + 6*a*\cosh(x)*\sinh(x)^5 + a*\sinh(x)^6 - 3*a*\cosh(x)^4 + 3*(5*a*\cosh(x)^2 - a)*\sinh(x)^4 + 4*(5*a*\cosh(x)^3 - 3*a*\cosh(x))*\sinh(x)^3 + 3*a*\cosh(x)^2 + 3*(5*a*\cosh(x)^4 - 6*a*\cosh(x)^2 + a)*\sinh(x)^2 + 6*(a*\cosh(x)^5 - 2*a*\cosh(x)^3 + a*\cosh(x))*\sinh(x) - a)*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*((4*a + b)*\cosh(x)^4 + 4*(4*a + b)*\cosh(x)*\sinh(x)^3 + (4*a + b)*\sinh(x)^4 - 2*(2*a + b)*\cosh(x)^2 + 2*(3*(4*a + b)*\cosh(x)^2 - 2*a - b)*\sinh(x)^2 + 4*((4*a + b)*\cosh(x)^3 - (2*a + b)*\cosh(x))*\sinh(x) + 4*(a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a*\cosh(x)^6 + 6*a*\cosh(x)*\sinh(x)^5 + a*\sinh(x)^6 - 3*a*\cosh(x)^4 + 3*(5*a*\cosh(x)^2 - a)*\sinh(x)^4 + 4*(5*a*\cosh(x)^3 - 3*a*\cosh(x))*\sinh(x)^3 + 3*a*\cosh(x)^2 + 3*(5*a*\cosh(x)^4 - 6*a*\cosh(x)^2 + a)*\sinh(x)^2 + 6*(a*\cosh(x)^5 - 2*a*\cosh(x)^3 + a*\cosh(x))*\sinh(x) - a) \end{aligned}$$

```
, -1/6*(3*(a*cosh(x)^6 + 6*a*cosh(x)*sinh(x)^5 + a*sinh(x)^6 - 3*a*cosh(x)^4 + 3*(5*a*cosh(x)^2 - a)*sinh(x)^4 + 4*(5*a*cosh(x)^3 - 3*a*cosh(x))*sinh(x)^3 + 3*a*cosh(x)^2 + 3*(5*a*cosh(x)^4 - 6*a*cosh(x)^2 + a)*sinh(x)^2 + 6*(a*cosh(x)^5 - 2*a*cosh(x)^3 + a*cosh(x))*sinh(x) - a)*sqrt(-a - b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) + 3*(a*cosh(x)^6 + 6*a*cosh(x)*sinh(x)^5 + a*sinh(x)^6 - 3*a*cosh(x)^4 + 3*(5*a*cosh(x)^2 - a)*sinh(x)^4 + 4*(5*a*cosh(x)^3 - 3*a*cosh(x))*sinh(x)^3 + 3*a*cosh(x)^2 + 3*(5*a*cosh(x)^4 - 6*a*cosh(x)^2 + a)*sinh(x)^2 + 6*(a*cosh(x)^5 - 2*a*cosh(x)^3 + a*cosh(x))*sinh(x) - a)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)*((4*a + b)*cosh(x)^4 + 4*(4*a + b)*cosh(x)*sinh(x)^3 + (4*a + b)*sinh(x)^4 - 2*(2*a + b)*cosh(x)^2 + 2*(3*(4*a + b)*cosh(x)^2 - 2*a - b)*sinh(x)^2 + 4*((4*a + b)*cosh(x)^3 - (2*a + b)*cosh(x))*sinh(x) + 4*a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*cosh(x)^6 + 6*a*cosh(x)*sinh(x)^5 + a*sinh(x)^6 - 3*a*cosh(x)^4 + 3*(5*a*cosh(x)^2 - a)*sinh(x)^4 + 4*(5*a*cosh(x)^3 - 3*a*cosh(x))*sinh(x)^3 + 3*a*cosh(x)^2 + 3*(5*a*cosh(x)^4 - 6*a*cosh(x)^2 + a)*sinh(x)^2 + 6*(a*cosh(x)^5 - 2*a*cosh(x)^3 + a*cosh(x))*sinh(x) - a)]
```

**giac [B]** time = 2.22, size = 629, normalized size = 8.06

$$-\frac{1}{2} \sqrt{a+b} \log \left( \left| -\left( \sqrt{a+b} e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} \right) (a+b) - \sqrt{a+b} (a-b) \right| \right) - \frac{1}{2} \sqrt{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^4*(a+b*tanh(x)^2)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*sqrt(a + b)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b))) - 1/2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) + 1/2*sqrt(a + b)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b) - sqrt(a + b))) + 4/3*(3*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x)
```

$$\begin{aligned}
& + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b) )^5 (2 a + b) - 3 (\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} )^4 (2 a + 3 b) \sqrt{a + b} - 2 (10 a^2 + 3 a b - 3 b^2) (\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} )^3 \\
& + 6 (6 a^2 + 3 a b + b^2) (\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} )^2 \sqrt{a + b} + 3 (26 a^3 + 9 a^2 b - 4 a b^2 - 3 b^3) (\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} ) + (34 a^3 - 17 a^2 b + 3 b^3) \sqrt{a + b} / \\
& ((\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} )^2 - 2 (\sqrt{a + b}) e^{2x} - \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} ) \sqrt{a + b} - 3 a + b)^3
\end{aligned}$$

**maple** [F] time = 0.35, size = 0, normalized size = 0.00

$$\int (\coth^4(x) \sqrt{a + b (\tanh^2(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^4\*(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^4\*(a+b\*tanh(x)^2)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^4\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*coth(x)^4, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^4 \sqrt{b \tanh(x)^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^4\*(a + b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^4\*(a + b\*tanh(x)^2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \coth^4(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)**4*(a+b*tanh(x)**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*tanh(x)**2)*coth(x)**4, x)
```

$$3.218 \quad \int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx$$

Optimal. Leaf size=121

$$\frac{(8a^2 + 4ab - b^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{8a^{3/2}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{4} \coth^4(x) \sqrt{a+b \tanh^2(x)} - \frac{1}{4} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

[Out]  $-1/8*(8*a^2+4*a*b-b^2)*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/(a+b)^{(1/2)})*(a+b)^{(1/2)}-1/8*(4*a+b)*\coth(x)^2*(a+b*\tanh(x)^2)^{(1/2)}/a-1/4*\coth(x)^4*(a+b*\tanh(x)^2)^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 446, 99, 151, 156, 63, 208}

$$\frac{(8a^2 + 4ab - b^2) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{8a^{3/2}} + \sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - \frac{1}{4} \coth^4(x) \sqrt{a+b \tanh^2(x)} - \frac{1}{4} \coth^2(x) \sqrt{a+b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^5*Sqrt[a + b*Tanh[x]^2], x]`

[Out]  $-((8*a^2 + 4*a*b - b^2)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]])/(8*a^{(3/2)}) + \operatorname{Sqrt}[a + b]*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]] - ((4*a + b)*\operatorname{Coth}[x]^2*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2])/(8*a) - (\operatorname{Coth}[x]^4*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2])/4$

### Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

### Rule 99

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^(p + 1))/((m + 1)*(b*e - a*f)), x] - Dist[1/((m + 1)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^(n - 1)*(e + f*x)^p*Simp[d*e*n + c*f*(m + p + 2) + d*f*(m`

+ n + p + 2)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && LtQ[m, -1] && GtQ[n, 0] && (IntegersQ[2\*m, 2\*n, 2\*p] || IntegersQ[m, n + p] || IntegersQ[p, m + n])

### Rule 151

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[((b\*g - a\*h)\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[(a\*d\*f\*g - b\*(d\*e + c\*f)\*g + b\*c\*e\*h]\*(m + 1) - (b\*g - a\*h)\*(d\*e\*(n + 1) + c\*f\*(p + 1)) - d\*f\*(b\*g - a\*h)\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegerQ[m]

### Rule 156

Int[(((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[(b\*g - a\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(a + b\*x), x], x] - Dist[(d\*g - c\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(c + d\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps



$$\begin{aligned}
\int \coth^5(x) \sqrt{a + b \tanh^2(x)} dx &= \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{x^5 (1 - x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx}}{(1 - x)x^3} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} + \frac{1}{4} \text{Subst} \left( \int \frac{\frac{1}{2}(4a + b) + \frac{3bx}{2}}{(1 - x)x^2 \sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{(4a + b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} - \frac{\text{Subst} \left( \int \frac{1}{(1 - x)x^2 \sqrt{a + bx}} dx, x, \tanh^2(x) \right)}{4} \\
&= -\frac{(4a + b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{2} (-a - b) \coth^2(x) \sqrt{a + b \tanh^2(x)} \\
&= -\frac{(4a + b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{8a} - \frac{1}{4} \coth^4(x) \sqrt{a + b \tanh^2(x)} + \frac{(a + b) \coth^2(x) \sqrt{a + b \tanh^2(x)}}{2} \\
&= -\frac{(8a^2 + 4ab - b^2) \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right)}{8a^{3/2}} + \sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.63, size = 111, normalized size = 0.92

$$\frac{(-8a^2 - 4ab + b^2) \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a} \left( 8a\sqrt{a + b} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \coth^2(x) \sqrt{a + b \tanh^2(x)} \right)}{8a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^5\*Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((-8\*a^2 - 4\*a\*b + b^2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]] + Sqrt[a]\*(8\*a\*Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - Coth[x]^2\*(4\*a + b + 2\*a\*Coth[x]^2)\*Sqrt[a + b\*Tanh[x]^2]))/(8\*a^(3/2))

**fricas [B]** time = 0.96, size = 9642, normalized size = 79.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^5\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/16*(4*(a^2*\cosh(x)^8 + 8*a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x)^8 - 4*a^2*c \\ & \cosh(x)^6 + 4*(7*a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6*a^2*\cosh(x)^4 + 8*(7*a^2 \\ & *\cosh(x)^3 - 3*a^2*\cosh(x))*\sinh(x)^5 + 2*(35*a^2*\cosh(x)^4 - 30*a^2*\cosh(x) \\ & )^2 + 3*a^2)*\sinh(x)^4 - 4*a^2*\cosh(x)^2 + 8*(7*a^2*\cosh(x)^5 - 10*a^2*\cosh \\ & (x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + 4*(7*a^2*\cosh(x)^6 - 15*a^2*\cosh(x)^4 + \\ & 9*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - 3*a^2*\cosh(x)^5 \\ & + 3*a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{a+b}*\log(((a^3 + a^2*b)*c \\ & \cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2* \\ & (2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)* \\ & \sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh \\ & (x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x) \\ & )^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x) \\ & )^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 \\ & + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^ \\ & 3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 1 \\ & 5*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - \\ & a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)* \\ & \sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sin \\ & h(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b \\ & ^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2) \\ & *\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3* \\ & a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a+b}*\sqrt{((a+b)*\cosh(x)^2 + \\ & (a+b)*\sinh(x)^2 + a-b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4 \\ & *(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b \\ & b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cos \\ & h(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x) \\ & )^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) - ((8*a^2 \\ & + 4*a*b - b^2)*\cosh(x)^8 + 8*(8*a^2 + 4*a*b - b^2)*\cosh(x)*\sinh(x)^7 + (8*a \\ & ^2 + 4*a*b - b^2)*\sinh(x)^8 - 4*(8*a^2 + 4*a*b - b^2)*\cosh(x)^6 + 4*(7*(8*a \\ & ^2 + 4*a*b - b^2)*\cosh(x)^2 - 8*a^2 - 4*a*b + b^2)*\sinh(x)^6 + 8*(7*(8*a^2 \\ & + 4*a*b - b^2)*\cosh(x)^3 - 3*(8*a^2 + 4*a*b - b^2)*\cosh(x))*\sinh(x)^5 + 6*( \\ & 8*a^2 + 4*a*b - b^2)*\cosh(x)^4 + 2*(35*(8*a^2 + 4*a*b - b^2)*\cosh(x)^4 - 30 \\ & *(8*a^2 + 4*a*b - b^2)*\cosh(x)^2 + 24*a^2 + 12*a*b - 3*b^2)*\sinh(x)^4 + 8*( \\ & 7*(8*a^2 + 4*a*b - b^2)*\cosh(x)^5 - 10*(8*a^2 + 4*a*b - b^2)*\cosh(x)^3 + 3* \\ & (8*a^2 + 4*a*b - b^2)*\cosh(x))*\sinh(x)^3 - 4*(8*a^2 + 4*a*b - b^2)*\cosh(x)^ \\ & 2 + 4*(7*(8*a^2 + 4*a*b - b^2)*\cosh(x)^6 - 15*(8*a^2 + 4*a*b - b^2)*\cosh(x) \\ & )^4 + 9*(8*a^2 + 4*a*b - b^2)*\cosh(x)^2 - 8*a^2 - 4*a*b + b^2)*\sinh(x)^2 + 8 \\ & *a^2 + 4*a*b - b^2 + 8*((8*a^2 + 4*a*b - b^2)*\cosh(x)^7 - 3*(8*a^2 + 4*a*b \\ & - b^2)*\cosh(x)^5 + 3*(8*a^2 + 4*a*b - b^2)*\cosh(x)^3 - (8*a^2 + 4*a*b - b^2) \\ & )*\cosh(x))*\sinh(x))*\sqrt{a}*\log(-((2*a+b)*\cosh(x)^4 + 4*(2*a+b)*\cosh(x) \\ & *\sinh(x)^3 + (2*a+b)*\sinh(x)^4 + 2*(2*a-b)*\cosh(x)^2 + 2*(3*(2*a+b)*c \end{aligned}$$

$$\begin{aligned}
& \text{osh}(x)^2 + 2*a - b) * \sinh(x)^2 + 2 * \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \\
& \sinh(x)^2 + 1) * \sqrt{a} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) /} \\
& / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * ((2*a + b) * \cosh(x)^3 + (2 \\
& * a - b) * \cosh(x)) * \sinh(x) + 2*a + b) / (\cosh(x)^4 + 4 * \cosh(x) * \sinh(x)^3 + \sinh \\
& (x)^4 + 2 * (3 * \cosh(x)^2 - 1) * \sinh(x)^2 - 2 * \cosh(x)^2 + 4 * (\cosh(x)^3 - \cosh(x) \\
& )) * \sinh(x) + 1)) + 4 * (a^2 * \cosh(x)^8 + 8 * a^2 * \cosh(x) * \sinh(x)^7 + a^2 * \sinh(x) \\
& ^8 - 4 * a^2 * \cosh(x)^6 + 4 * (7 * a^2 * \cosh(x)^2 - a^2) * \sinh(x)^6 + 6 * a^2 * \cosh(x)^ \\
& 4 + 8 * (7 * a^2 * \cosh(x)^3 - 3 * a^2 * \cosh(x)) * \sinh(x)^5 + 2 * (35 * a^2 * \cosh(x)^4 - 3 \\
& 0 * a^2 * \cosh(x)^2 + 3 * a^2) * \sinh(x)^4 - 4 * a^2 * \cosh(x)^2 + 8 * (7 * a^2 * \cosh(x)^5 - \\
& 10 * a^2 * \cosh(x)^3 + 3 * a^2 * \cosh(x)) * \sinh(x)^3 + 4 * (7 * a^2 * \cosh(x)^6 - 15 * a^2 * \\
& \cosh(x)^4 + 9 * a^2 * \cosh(x)^2 - a^2) * \sinh(x)^2 + a^2 + 8 * (a^2 * \cosh(x)^7 - 3 * a \\
& ^2 * \cosh(x)^5 + 3 * a^2 * \cosh(x)^3 - a^2 * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(-((a \\
& + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2 * b * \cos \\
& h(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 - b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cos \\
& h(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) \\
& * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * ((a + \\
& b) * \cosh(x)^3 - b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \\
& \sinh(x)^2)) - 2 * \sqrt{2} * ((6 * a^2 + a * b) * \cosh(x)^6 + 6 * (6 * a^2 + a * b) * \cosh(x) \\
& * \sinh(x)^5 + (6 * a^2 + a * b) * \sinh(x)^6 + (2 * a^2 - a * b) * \cosh(x)^4 + (15 * (6 * a^2 \\
& + a * b) * \cosh(x)^2 + 2 * a^2 - a * b) * \sinh(x)^4 + 4 * (5 * (6 * a^2 + a * b) * \cosh(x)^3 + \\
& (2 * a^2 - a * b) * \cosh(x)) * \sinh(x)^3 + (2 * a^2 - a * b) * \cosh(x)^2 + (15 * (6 * a^2 + \\
& a * b) * \cosh(x)^4 + 6 * (2 * a^2 - a * b) * \cosh(x)^2 + 2 * a^2 - a * b) * \sinh(x)^2 + 6 * a^2 \\
& + a * b + 2 * (3 * (6 * a^2 + a * b) * \cosh(x)^5 + 2 * (2 * a^2 - a * b) * \cosh(x)^3 + (2 * a^2 \\
& - a * b) * \cosh(x)) * \sinh(x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a^2 * \cosh(x)^8 + 8 * a^2 * \cos \\
& h(x) * \sinh(x)^7 + a^2 * \sinh(x)^8 - 4 * a^2 * \cosh(x)^6 + 4 * (7 * a^2 * \cosh(x)^2 - a^2 \\
& ) * \sinh(x)^6 + 6 * a^2 * \cosh(x)^4 + 8 * (7 * a^2 * \cosh(x)^3 - 3 * a^2 * \cosh(x)) * \sinh(x) \\
& ^5 + 2 * (35 * a^2 * \cosh(x)^4 - 30 * a^2 * \cosh(x)^2 + 3 * a^2) * \sinh(x)^4 - 4 * a^2 * \cosh \\
& (x)^2 + 8 * (7 * a^2 * \cosh(x)^5 - 10 * a^2 * \cosh(x)^3 + 3 * a^2 * \cosh(x)) * \sinh(x)^3 + \\
& 4 * (7 * a^2 * \cosh(x)^6 - 15 * a^2 * \cosh(x)^4 + 9 * a^2 * \cosh(x)^2 - a^2) * \sinh(x)^2 + \\
& a^2 + 8 * (a^2 * \cosh(x)^7 - 3 * a^2 * \cosh(x)^5 + 3 * a^2 * \cosh(x)^3 - a^2 * \cosh(x)) * \sinh(x) \\
& ), 1/8 * (((8 * a^2 + 4 * a * b - b^2) * \cosh(x)^8 + 8 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x) * \sinh(x)^7 + \\
& (8 * a^2 + 4 * a * b - b^2) * \sinh(x)^8 - 4 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^6 + 4 * (7 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^2 - \\
& 8 * a^2 - 4 * a * b + b^2) * \sinh(x)^6 + 8 * (7 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^3 - 3 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)) * \sinh(x)^5 + \\
& 6 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^4 + 2 * (35 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^4 - 30 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^2 + \\
& 24 * a^2 + 12 * a * b - 3 * b^2) * \sinh(x)^4 + 8 * (7 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^5 - 10 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^3 + \\
& 3 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)) * \sinh(x)^3 - 4 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^2 + 4 * (7 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^6 - \\
& 15 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^4 + 9 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^2 - 8 * a^2 - 4 * a * b + b^2) * \sinh(x)^2 + \\
& 8 * a^2 + 4 * a * b - b^2 + 8 * ((8 * a^2 + 4 * a * b - b^2) * \cosh(x)^7 - 3 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^5 + 3 * (8 * a^2 + 4 * a * b - b^2) * \cosh(x)^3 - \\
& (8 * a^2 + 4 * a * b - b^2) * \cosh(x)) * \sinh(x)) * \sqrt{-a} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a} * \sqrt{((a + b) * \cosh(x)^2 + (
\end{aligned}$$

$$\begin{aligned}
& a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) + 2(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{a + b} \log(((a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 b) \sinh(x)^8 + 2(2a^3 + a^2 b) \cosh(x)^6 + 2(2a^3 + a^2 b + 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 + 3(2a^3 + a^2 b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - a b^2 + b^3 + 30(2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 + 10(2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2 b) \cosh(x)^6 + 15(2a^3 + a^2 b) \cosh(x)^4 + 2a^3 + 3a^2 b - b^3 + 3(6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)) \sinh(x)) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + 2(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{a + b} \log(-((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + 4((a + b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - \sqrt{2} ((6a^2 + a b) \cosh(x)^6 + 6(6a^2 + a b) \cosh(x) \sinh(x)^5 + (6a^2 + a b) \sinh(x)^6 + (2a^2 - a b) \cosh(x)^4 + (15(6a^2 + a b) \cosh(x)^2 + 2a^2 - a b) \sinh(x)^4 + 4(5(6a^2 + a b) \cosh
\end{aligned}$$

$$\begin{aligned}
& (x)^3 + (2a^2 - a*b)*\cosh(x))*\sinh(x)^3 + (2a^2 - a*b)*\cosh(x)^2 + (15*(6 \\
& *a^2 + a*b)*\cosh(x)^4 + 6*(2a^2 - a*b)*\cosh(x)^2 + 2a^2 - a*b)*\sinh(x)^2 \\
& + 6a^2 + a*b + 2*(3*(6a^2 + a*b)*\cosh(x)^5 + 2*(2a^2 - a*b)*\cosh(x)^3 + \\
& (2a^2 - a*b)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 \\
& + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^2*\cosh(x)^8 + 8* \\
& a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x)^8 - 4a^2*\cosh(x)^6 + 4*(7a^2*\cosh(x)^ \\
& 2 - a^2)*\sinh(x)^6 + 6a^2*\cosh(x)^4 + 8*(7a^2*\cosh(x)^3 - 3a^2*\cosh(x))* \\
& \sinh(x)^5 + 2*(35a^2*\cosh(x)^4 - 30a^2*\cosh(x)^2 + 3a^2)*\sinh(x)^4 - 4a \\
& ^2*\cosh(x)^2 + 8*(7a^2*\cosh(x)^5 - 10a^2*\cosh(x)^3 + 3a^2*\cosh(x))*\sinh( \\
& x)^3 + 4*(7a^2*\cosh(x)^6 - 15a^2*\cosh(x)^4 + 9a^2*\cosh(x)^2 - a^2)*\sinh( \\
& x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - 3a^2*\cosh(x)^5 + 3a^2*\cosh(x)^3 - a^2*\cos \\
& h(x))*\sinh(x)), -1/16*(8*(a^2*\cosh(x)^8 + 8a^2*\cosh(x)*\sinh(x)^7 + a^2*\sin \\
& h(x)^8 - 4a^2*\cosh(x)^6 + 4*(7a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6a^2*\cosh \\
& (x)^4 + 8*(7a^2*\cosh(x)^3 - 3a^2*\cosh(x))*\sinh(x)^5 + 2*(35a^2*\cosh(x)^4 \\
& - 30a^2*\cosh(x)^2 + 3a^2)*\sinh(x)^4 - 4a^2*\cosh(x)^2 + 8*(7a^2*\cosh(x) \\
& ^5 - 10a^2*\cosh(x)^3 + 3a^2*\cosh(x))*\sinh(x)^3 + 4*(7a^2*\cosh(x)^6 - 15* \\
& a^2*\cosh(x)^4 + 9a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - \\
& 3a^2*\cosh(x)^5 + 3a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arcc \\
& \tan(\sqrt{2}*(a*\cosh(x)^2 + 2a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{ \\
& -a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2 \\
& *\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh( \\
& x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2a^2 + a*b - b^2)*\cosh(x)^2 + (6*( \\
& a^2 + a*b)*\cosh(x)^2 + 2a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2a*b + b^2 + 2 \\
& *(2*(a^2 + a*b)*\cosh(x)^3 + (2a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) + 8*(a^2 \\
& *\cosh(x)^8 + 8a^2*\cosh(x)*\sinh(x)^7 + a^2*\sinh(x)^8 - 4a^2*\cosh(x)^6 + 4* \\
& (7a^2*\cosh(x)^2 - a^2)*\sinh(x)^6 + 6a^2*\cosh(x)^4 + 8*(7a^2*\cosh(x)^3 - \\
& 3a^2*\cosh(x))*\sinh(x)^5 + 2*(35a^2*\cosh(x)^4 - 30a^2*\cosh(x)^2 + 3a^2)* \\
& \sinh(x)^4 - 4a^2*\cosh(x)^2 + 8*(7a^2*\cosh(x)^5 - 10a^2*\cosh(x)^3 + 3a^2 \\
& *\cosh(x))*\sinh(x)^3 + 4*(7a^2*\cosh(x)^6 - 15a^2*\cosh(x)^4 + 9a^2*\cosh(x) \\
& ^2 - a^2)*\sinh(x)^2 + a^2 + 8*(a^2*\cosh(x)^7 - 3a^2*\cosh(x)^5 + 3a^2*\cosh \\
& (x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\co \\
& sh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b) \\
& *\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\co \\
& sh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 \\
& + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((8a^2 + 4a*b - b^2)*\cosh(x)^8 + 8 \\
& *(8a^2 + 4a*b - b^2)*\cosh(x)*\sinh(x)^7 + (8a^2 + 4a*b - b^2)*\sinh(x)^8 \\
& - 4*(8a^2 + 4a*b - b^2)*\cosh(x)^6 + 4*(7*(8a^2 + 4a*b - b^2)*\cosh(x)^2 \\
& - 8a^2 - 4a*b + b^2)*\sinh(x)^6 + 8*(7*(8a^2 + 4a*b - b^2)*\cosh(x)^3 - 3 \\
& *(8a^2 + 4a*b - b^2)*\cosh(x))*\sinh(x)^5 + 6*(8a^2 + 4a*b - b^2)*\cosh(x) \\
& ^4 + 2*(35*(8a^2 + 4a*b - b^2)*\cosh(x)^4 - 30*(8a^2 + 4a*b - b^2)*\cosh( \\
& x)^2 + 24a^2 + 12a*b - 3b^2)*\sinh(x)^4 + 8*(7*(8a^2 + 4a*b - b^2)*\cosh \\
& (x)^5 - 10*(8a^2 + 4a*b - b^2)*\cosh(x)^3 + 3*(8a^2 + 4a*b - b^2)*\cosh(x) \\
& ))*\sinh(x)^3 - 4*(8a^2 + 4a*b - b^2)*\cosh(x)^2 + 4*(7*(8a^2 + 4a*b - b^ \\
& 2)*\cosh(x)^6 - 15*(8a^2 + 4a*b - b^2)*\cosh(x)^4 + 9*(8a^2 + 4a*b - b^2)
\end{aligned}$$

$$\begin{aligned}
& * \cosh(x)^2 - 8a^2 - 4ab + b^2) \sinh(x)^2 + 8a^2 + 4ab - b^2 + 8((8a^2 + 4ab - b^2) \cosh(x)^7 - 3(8a^2 + 4ab - b^2) \cosh(x)^5 + 3(8a^2 + 4ab - b^2) \cosh(x)^3 - (8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a} \log(-((2a + b) \cosh(x)^4 + 4(2a + b) \cosh(x) \sinh(x)^3 + (2a + b) \sinh(x)^4 + 2(2a - b) \cosh(x)^2 + 2(3(2a + b) \cosh(x)^2 + 2a - b) \sinh(x)^2 + 2\sqrt{2}(\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 + 1)) \sqrt{a} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((2a + b) \cosh(x)^3 + (2a - b) \cosh(x)) \sinh(x) + 2(a + b) / (\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3\cosh(x)^2 - 1) \sinh(x)^2 - 2\cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + 2\sqrt{2} * ((6a^2 + ab) \cosh(x)^6 + 6(6a^2 + ab) \cosh(x) \sinh(x)^5 + (6a^2 + ab) \sinh(x)^6 + (2a^2 - ab) \cosh(x)^4 + (15(6a^2 + ab) \cosh(x)^2 + 2a^2 - ab) \sinh(x)^4 + 4(5(6a^2 + ab) \cosh(x)^3 + (2a^2 - ab) \cosh(x)) \sinh(x)^3 + (2a^2 - ab) \cosh(x)^2 + (15(6a^2 + ab) \cosh(x)^4 + 6(2a^2 - ab) \cosh(x)^2 + 2a^2 - ab) \sinh(x)^2 + 6a^2 + ab + 2(3(6a^2 + ab) \cosh(x)^5 + 2(2a^2 - ab) \cosh(x)^3 + (2a^2 - ab) \cosh(x)) \sinh(x)) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2))} / (a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)), 1/8 * (((8a^2 + 4ab - b^2) \cosh(x)^8 + 8(8a^2 + 4ab - b^2) \cosh(x) \sinh(x)^7 + (8a^2 + 4ab - b^2) \sinh(x)^8 - 4(8a^2 + 4ab - b^2) \cosh(x)^6 + 4(7(8a^2 + 4ab - b^2) \cosh(x)^2 - 8a^2 - 4ab + b^2) \sinh(x)^6 + 8(7(8a^2 + 4ab - b^2) \cosh(x)^3 - 3(8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)^5 + 6(8a^2 + 4ab - b^2) \cosh(x)^4 + 2(35(8a^2 + 4ab - b^2) \cosh(x)^4 - 30(8a^2 + 4ab - b^2) \cosh(x)^2 + 24a^2 + 12ab - 3b^2) \sinh(x)^4 + 8(7(8a^2 + 4ab - b^2) \cosh(x)^5 - 10(8a^2 + 4ab - b^2) \cosh(x)^3 + 3(8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)^3 - 4(8a^2 + 4ab - b^2) \cosh(x)^2 + 4(7(8a^2 + 4ab - b^2) \cosh(x)^6 - 15(8a^2 + 4ab - b^2) \cosh(x)^4 + 9(8a^2 + 4ab - b^2) \cosh(x)^2 - 8a^2 - 4ab + b^2) \sinh(x)^2 + 8a^2 + 4ab - b^2 + 8((8a^2 + 4ab - b^2) \cosh(x)^7 - 3(8a^2 + 4ab - b^2) \cosh(x)^5 + 3(8a^2 + 4ab - b^2) \cosh(x)^3 - (8a^2 + 4ab - b^2) \cosh(x)) \sinh(x)) \sqrt{-a} \arctan(\sqrt{2}(\cosh(x)^2 + 2\cosh(x) \sinh(x) + \sinh(x)^2 + 1)) \sqrt{-a} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2\cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) - 4(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 -
\end{aligned}$$

$$\begin{aligned}
& 10a^2 \cosh(x)^3 + 3a^2 \cosh(x) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 \\
& + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 \\
& + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) \\
& + a \sinh(x)^2 + a + b) \sqrt{-a-b}) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)) / ((a^2 + a*b) \cosh(x)^4 + 4(a^2 + a*b) \cosh(x) \sinh(x)^3 + (a^2 + a*b) \sinh(x)^4 \\
& + (2a^2 + a*b - b^2) \cosh(x)^2 + (6(a^2 + a*b) \cosh(x)^2 + 2a^2 + a*b - b^2) \sinh(x)^2 + a^2 + 2a*b + b^2 + 2(2(a^2 + a*b) \cosh(x)^3 \\
& + (2a^2 + a*b - b^2) \cosh(x)) \sinh(x)) - 4(a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 \\
& + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 \\
& + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 \\
& + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \\
& \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b}) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 \\
& + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b) - \sqrt{2}(((6a^2 + a*b) \cosh(x)^6 + 6(6a^2 + a*b) \cosh(x) \sinh(x)^5 + (6a^2 + a*b) \sinh(x)^6 \\
& + (2a^2 - a*b) \cosh(x)^4 + (15(6a^2 + a*b) \cosh(x)^2 + 2a^2 - a*b) \sinh(x)^4 + 4(5(6a^2 + a*b) \cosh(x)^3 + (2a^2 - a*b) \cosh(x)) \sinh(x)^3 \\
& + (2a^2 - a*b) \cosh(x)^2 + (15(6a^2 + a*b) \cosh(x)^4 + 6(2a^2 - a*b) \cosh(x)^2 + 2a^2 - a*b) \sinh(x)^2 + 6a^2 + a*b + 2(3(6a^2 + a*b) \cosh(x)^5 \\
& + 2(2a^2 - a*b) \cosh(x)^3 + (2a^2 - a*b) \cosh(x)) \sinh(x)) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2)) / (a^2 \cosh(x)^8 + 8a^2 \cosh(x) \sinh(x)^7 + a^2 \sinh(x)^8 - 4a^2 \cosh(x)^6 + 4(7a^2 \cosh(x)^2 - a^2) \sinh(x)^6 + 6a^2 \cosh(x)^4 \\
& + 8(7a^2 \cosh(x)^3 - 3a^2 \cosh(x)) \sinh(x)^5 + 2(35a^2 \cosh(x)^4 - 30a^2 \cosh(x)^2 + 3a^2) \sinh(x)^4 - 4a^2 \cosh(x)^2 + 8(7a^2 \cosh(x)^5 - 10a^2 \cosh(x)^3 \\
& + 3a^2 \cosh(x)) \sinh(x)^3 + 4(7a^2 \cosh(x)^6 - 15a^2 \cosh(x)^4 + 9a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 8(a^2 \cosh(x)^7 - 3a^2 \cosh(x)^5 + 3a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)} \\
\end{aligned}$$

**giac [B]** time = 3.12, size = 947, normalized size = 7.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^5\*(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/2\*sqrt(a + b)\*log(abs(-(sqrt(a + b))\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*(a + b) - sqrt(a + b)\*(a - b))) + 1/

$$2\sqrt{a+b}\log(\operatorname{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - 1/2\sqrt{a+b}\log(\operatorname{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - \sqrt{a+b})) + 1/4(8a^2 + 4ab - b^2)\arctan(-1/2(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b} - \sqrt{a+b}})/\sqrt{-a})/(\sqrt{-a}a) + 1/2((16a^2 + 12ab + b^2)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^7 - (16a^2 + 52ab + 7b^2)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^6\sqrt{a+b} - (48a^3 - 28a^2b - 109ab^2 - 21b^3)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^5 + (176a^3 + 156a^2b - 115ab^2 - 35b^3)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^4\sqrt{a+b} + (304a^4 - 156a^3b - 317a^2b^2 + 130ab^3 + 35b^4)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^3 - (48a^4 + 476a^3b - 379a^2b^2 + 94ab^3 + 21b^4)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^2\sqrt{a+b} - (272a^5 + 140a^4b - 271a^3b^2 + 135a^2b^3 - 53ab^4 - 7b^5)(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - (112a^5 - 116a^4b + 65a^3b^2 - 17a^2b^3 + 11ab^4 + b^5)\sqrt{(a+b)))/(((\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^2 - 2(\sqrt{(a+b)e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})\sqrt{a+b} - 3(a+b)^4a)$$

**maple** [F] time = 0.36, size = 0, normalized size = 0.00

$$\int (\coth^5(x)) \sqrt{a + b(\tanh^2(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^5\*(a+b\*tanh(x)^2)^(1/2), x)

[Out] int(coth(x)^5\*(a+b\*tanh(x)^2)^(1/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^2 + a} \coth(x)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^5\*(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*tanh(x)^2 + a)\*coth(x)^5, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^5 \sqrt{b \tanh(x)^2 + a} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^5*(a + b*tanh(x)^2)^(1/2), x)`

[Out] `int(coth(x)^5*(a + b*tanh(x)^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^2(x)} \coth^5(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)**5*(a+b*tanh(x)**2)**(1/2), x)`

[Out] `Integral(sqrt(a + b*tanh(x)**2)*coth(x)**5, x)`

$$3.219 \quad \int \tanh^3(x) \left(a + b \tanh^2(x)\right)^{3/2} dx$$

**Optimal.** Leaf size=82

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - (a+b)\sqrt{a + b \tanh^2(x)} + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out] (a+b)^(3/2)\*arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))-(a+b)\*(a+b\*tanh(x)^2)^(1/2)-1/3\*(a+b\*tanh(x)^2)^(3/2)-1/5\*(a+b\*tanh(x)^2)^(5/2)/b

**Rubi [A]** time = 0.15, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 80, 50, 63, 208}

$$-\frac{(a + b \tanh^2(x))^{5/2}}{5b} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - (a+b)\sqrt{a + b \tanh^2(x)} + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3\*(a + b\*Tanh[x]^2)^(3/2),x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Sqrt[a + b\*Tanh[x]^2] - (a + b\*Tanh[x]^2)^(3/2)/3 - (a + b\*Tanh[x]^2)^(5/2)/(5\*b)

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \tanh^3(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x^3 (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} - \frac{(a + b \tanh^2(x))^{5/2}}{5b}
\end{aligned}$$

**Mathematica [A]** time = 0.44, size = 86, normalized size = 1.05

$$(a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - \frac{\sqrt{a + b \tanh^2(x)} (3a^2 + b(6a + 5b) \tanh^2(x) + 20ab + 3b^2 \tanh^4(x) + 15b^2)}{15b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(3\*a^2 + 20\*a\*b + 15\*b^2 + b\*(6\*a + 5\*b)\*Tanh[x]^2 + 3\*b^2\*Tanh[x]^4))/(15\*b)

**fricas [B]** time = 0.83, size = 4941, normalized size = 60.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{60} \cdot (15 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^{10} + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^9 + (a \cdot b + b^2) \cdot \sinh(x)^{10} + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^8 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^7 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 14 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^6 + 4 \cdot (63 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 70 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^5 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 35 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^4 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 7 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^3 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 28 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 30 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 12 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^2 + a \cdot b + b^2 + 10 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^9 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 6 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a + b} \cdot \log(((a^3 + a^2 \cdot b) \cdot \cosh(x)^8 + 8 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^7 + (a^3 + a^2 \cdot b) \cdot \sinh(x)^8 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^6 + 2 \cdot (2 \cdot a^3 + a^2 \cdot b + 14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^6 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^3 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^4 + (70 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^4 + 6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3 + 30 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^2) \cdot \sinh(x)^4 + 4 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^5 + 10 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^3 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)) \cdot \sinh(x)^3 + a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3 + 2 \cdot (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cdot \cosh(x)^2 + 2 \cdot (14 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^6 + 15 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^4 + 2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3 + 3 \cdot (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^2 + \sqrt{2} \cdot (a^2 \cdot \cosh(x)^6 + 6 \cdot a^2 \cdot \cosh(x) \cdot \sinh(x)^5 + a^2 \cdot \sinh(x)^6 + 3 \cdot a^2 \cdot \cosh(x)^4 + 3 \cdot (5 \cdot a^2 \cdot \cosh(x)^2 + a^2) \cdot \sinh(x)^4 + 4 \cdot (5 \cdot a^2 \cdot \cosh(x)^3 + 3 \cdot a^2 \cdot \cosh(x)) \cdot \sinh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \cosh(x)^2 + (15 \cdot a^2 \cdot \cosh(x)^4 + 18 \cdot a^2 \cdot \cosh(x)^2 + 3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (3 \cdot a^2 \cdot \cosh(x)^5 + 6 \cdot a^2 \cdot \cosh(x)^3 + (3 \cdot a^2 + 2 \cdot a \cdot b - b^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)} + 4 \cdot (2 \cdot (a^3 + a^2 \cdot b) \cdot \cosh(x)^7 + 3 \cdot (2 \cdot a^3 + a^2 \cdot b) \cdot \cosh(x)^5 + (6 \cdot a^3 + 4 \cdot a^2 \cdot b - a \cdot b^2 + b^3) \cdot \cosh(x)^3 + (2 \cdot a^3 + 3 \cdot a^2 \cdot b - b^3) \cdot \cosh(x)) \cdot \sinh(x)) / (\cosh(x)^6 + 6 \cdot \cosh(x)^5 \cdot \sinh(x) + 15 \cdot \cosh(x)^4 \cdot \sinh(x)^2 + 20 \cdot \cosh(x)^3 \cdot \sinh(x)^3 + 15 \cdot \cosh(x)^2 \cdot \sinh(x)^4 + 6 \cdot \cosh(x) \cdot \sinh(x)^5 + \sinh(x)^6)) + 15 \cdot ((a \cdot b + b^2) \cdot \cosh(x)^{10} + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^9 + (a \cdot b + b^2) \cdot \sinh(x)^{10} + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^8 + 5 \cdot (9 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^8 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^7 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 14 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^6 + 4 \cdot (63 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 70 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^5 + 10 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 10 \cdot (21 \cdot (a \cdot b + b^2) \cdot \cosh(x)^6 + 35 \cdot (a \cdot b + b^2) \cdot \cosh(x)^4 + 15 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a \cdot b + b^2) \cdot \sinh(x)^4 + 40 \cdot (3 \cdot (a \cdot b + b^2) \cdot \cosh(x)^7 + 7 \cdot (a \cdot b + b^2) \cdot \cosh(x)^5 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a \cdot b + b^2) \cdot \cosh(x)) \cdot \sinh(x)^3 + 5 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 +$

$$\begin{aligned}
& 5*(9*(a*b + b^2)*\cosh(x)^8 + 28*(a*b + b^2)*\cosh(x)^6 + 30*(a*b + b^2)*\cosh(x)^4 + 12*(a*b + b^2)*\cosh(x)^2 + a*b + b^2 + 10*(a*b + b^2)*\cosh(x)^9 + 4*(a*b + b^2)*\cosh(x)^7 + 6*(a*b + b^2)*\cosh(x)^5 + 4*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-(a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*((3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^8 + 8*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)*\sinh(x)^7 + (3*a^2 + 26*a*b + 23*b^2)*\sinh(x)^8 + 4*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^6 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2)*\sinh(x)^6 + 8*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^3 + 3*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x))*\sinh(x)^5 + 2*(9*a^2 + 54*a*b + 49*b^2)*\cosh(x)^4 + 2*(35*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^4 + 30*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^2 + 9*a^2 + 54*a*b + 49*b^2)*\sinh(x)^4 + 8*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^5 + 10*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^3 + (9*a^2 + 54*a*b + 49*b^2)*\cosh(x))*\sinh(x)^3 + 4*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^2 + 4*(7*(3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^6 + 15*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^4 + 3*(9*a^2 + 54*a*b + 49*b^2)*\cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2)*\sinh(x)^2 + 3*a^2 + 26*a*b + 23*b^2 + 8*((3*a^2 + 26*a*b + 23*b^2)*\cosh(x)^7 + 3*(3*a^2 + 20*a*b + 12*b^2)*\cosh(x)^5 + (9*a^2 + 54*a*b + 49*b^2)*\cosh(x)^3 + (3*a^2 + 20*a*b + 12*b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(b*\cosh(x)^10 + 10*b*\cosh(x)*\sinh(x)^9 + b*\sinh(x)^10 + 5*b*\cosh(x)^8 + 5*(9*b*\cosh(x)^2 + b)*\sinh(x)^8 + 40*(3*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x)^7 + 10*b*\cosh(x)^6 + 10*(21*b*\cosh(x)^4 + 14*b*\cosh(x)^2 + b)*\sinh(x)^6 + 4*(63*b*\cosh(x)^5 + 70*b*\cosh(x)^3 + 15*b*\cosh(x))*\sinh(x)^5 + 10*b*\cosh(x)^4 + 10*(21*b*\cosh(x)^6 + 35*b*\cosh(x)^4 + 15*b*\cosh(x)^2 + b)*\sinh(x)^4 + 40*(3*b*\cosh(x)^7 + 7*b*\cosh(x)^5 + 5*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x)^3 + 5*b*\cosh(x)^2 + 5*(9*b*\cosh(x)^8 + 28*b*\cosh(x)^6 + 30*b*\cosh(x)^4 + 12*b*\cosh(x)^2 + b)*\sinh(x)^2 + 10*(b*\cosh(x)^9 + 4*b*\cosh(x)^7 + 6*b*\cosh(x)^5 + 4*b*\cosh(x)^3 + b*\cosh(x))*\sinh(x) + b), -1/30*(15*((a*b + b^2)*\cosh(x)^10 + 10*(a*b + b^2)*\cosh(x)*\sinh(x)^9 + (a*b + b^2)*\sinh(x)^10 + 5*(a*b + b^2)*\cosh(x)^8 + 5*(9*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^8 + 40*(3*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x)^7 + 10*(a*b + b^2)*\cosh(x)^6 + 10*(21*(a*b + b^2)*\cosh(x)^4 + 14*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^6 + 4*(63*(a*b + b^2)*\cosh(x)^5 + 70*(a*b + b^2)*\cosh(x)^3 + 15*(a*b + b^2)*\cosh(x))*\sinh(x)^5 + 10*(a*b + b^2)*\cosh(x)^4 + 10*(21*(a*b + b^2)*\cosh(x)^6 + 35*(a*b + b^2)*\cosh(x)^4 + 15*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^4 + 40*(3*(a*b + b^2)*\cosh(x)^7 + 7*(a*b + b^2)*\cosh(x)^5 + 5*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x))*\sinh(x)^3 + 5*(a*b + b^2)*\cosh(x)^2 + 5*(9*(a*b + b^2)*\cosh(x)^8 + 28*(a*b + b^2)*\cosh(x)^6 + 30*(a*b + b^2)*\cosh(x)^4 + 12*(a*b + b^2)*\cosh(x)^2 + a*b + b^2)*\sinh(x)^2 + a*b + b^2 + 10*((a*b + b^2)*\cosh(x)^9 + 4*(a*b + b^2)*\cosh(x)^7 + 6*(a*
\end{aligned}$$

$$\begin{aligned}
& b + b^2) \cosh(x)^5 + 4(a*b + b^2) \cosh(x)^3 + (a*b + b^2) \cosh(x) \sinh(x) \\
& ) \sqrt{-a - b} \arctan(\sqrt{2} * (a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x) \\
& )^2 + a + b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a^2 + a*b) \cosh(x)^4 + 4 \\
& * (a^2 + a*b) \cosh(x) \sinh(x)^3 + (a^2 + a*b) \sinh(x)^4 + (2*a^2 + a*b - b^2 \\
& ) \cosh(x)^2 + (6*(a^2 + a*b) \cosh(x)^2 + 2*a^2 + a*b - b^2) \sinh(x)^2 + a^2 \\
& + 2*a*b + b^2 + 2*(2*(a^2 + a*b) \cosh(x)^3 + (2*a^2 + a*b - b^2) \cosh(x)) * \\
& \sinh(x)) + 15*((a*b + b^2) \cosh(x)^{10} + 10*(a*b + b^2) \cosh(x) \sinh(x)^9 + \\
& (a*b + b^2) \sinh(x)^{10} + 5*(a*b + b^2) \cosh(x)^8 + 5*(9*(a*b + b^2) \cosh(x) \\
& )^2 + a*b + b^2) \sinh(x)^8 + 40*(3*(a*b + b^2) \cosh(x)^3 + (a*b + b^2) \cosh \\
& (x)) \sinh(x)^7 + 10*(a*b + b^2) \cosh(x)^6 + 10*(21*(a*b + b^2) \cosh(x)^4 + \\
& 14*(a*b + b^2) \cosh(x)^2 + a*b + b^2) \sinh(x)^6 + 4*(63*(a*b + b^2) \cosh(x) \\
& ^5 + 70*(a*b + b^2) \cosh(x)^3 + 15*(a*b + b^2) \cosh(x)) \sinh(x)^5 + 10*(a*b \\
& + b^2) \cosh(x)^4 + 10*(21*(a*b + b^2) \cosh(x)^6 + 35*(a*b + b^2) \cosh(x)^4 \\
& + 15*(a*b + b^2) \cosh(x)^2 + a*b + b^2) \sinh(x)^4 + 40*(3*(a*b + b^2) \cosh \\
& (x)^7 + 7*(a*b + b^2) \cosh(x)^5 + 5*(a*b + b^2) \cosh(x)^3 + (a*b + b^2) \cos \\
& h(x)) \sinh(x)^3 + 5*(a*b + b^2) \cosh(x)^2 + 5*(9*(a*b + b^2) \cosh(x)^8 + 28 \\
& *(a*b + b^2) \cosh(x)^6 + 30*(a*b + b^2) \cosh(x)^4 + 12*(a*b + b^2) \cosh(x)^2 \\
& + a*b + b^2) \sinh(x)^2 + a*b + b^2 + 10*((a*b + b^2) \cosh(x)^9 + 4*(a*b + \\
& b^2) \cosh(x)^7 + 6*(a*b + b^2) \cosh(x)^5 + 4*(a*b + b^2) \cosh(x)^3 + (a*b \\
& + b^2) \cosh(x)) \sinh(x) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \\
& ) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \si \\
& nh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a + b) \cosh \\
& (x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2*(a - b) \cosh(x) \\
& ^2 + 2*(3*(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4*((a + b) \cosh(x)^3 + (a \\
& - b) \cosh(x)) \sinh(x) + a + b) + 2 \sqrt{2} * ((3*a^2 + 26*a*b + 23*b^2) \cosh \\
& (x)^8 + 8*(3*a^2 + 26*a*b + 23*b^2) \cosh(x) \sinh(x)^7 + (3*a^2 + 26*a*b + 2 \\
& 3*b^2) \sinh(x)^8 + 4*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^6 + 4*(7*(3*a^2 + 26 \\
& *a*b + 23*b^2) \cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2) \sinh(x)^6 + 8*(7*(3*a^2 \\
& + 26*a*b + 23*b^2) \cosh(x)^3 + 3*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)) \sinh(x) \\
& )^5 + 2*(9*a^2 + 54*a*b + 49*b^2) \cosh(x)^4 + 2*(35*(3*a^2 + 26*a*b + 23*b^ \\
& 2) \cosh(x)^4 + 30*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^2 + 9*a^2 + 54*a*b + 49 \\
& *b^2) \sinh(x)^4 + 8*(7*(3*a^2 + 26*a*b + 23*b^2) \cosh(x)^5 + 10*(3*a^2 + 20 \\
& *a*b + 12*b^2) \cosh(x)^3 + (9*a^2 + 54*a*b + 49*b^2) \cosh(x)) \sinh(x)^3 + 4 \\
& *(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^2 + 4*(7*(3*a^2 + 26*a*b + 23*b^2) \cosh \\
& (x)^6 + 15*(3*a^2 + 20*a*b + 12*b^2) \cosh(x)^4 + 3*(9*a^2 + 54*a*b + 49*b^2) \\
& ) \cosh(x)^2 + 3*a^2 + 20*a*b + 12*b^2) \sinh(x)^2 + 3*a^2 + 26*a*b + 23*b^2 + \\
& 8*((3*a^2 + 26*a*b + 23*b^2) \cosh(x)^7 + 3*(3*a^2 + 20*a*b + 12*b^2) \cosh \\
& (x)^5 + (9*a^2 + 54*a*b + 49*b^2) \cosh(x)^3 + (3*a^2 + 20*a*b + 12*b^2) \cosh \\
& (x)) \sinh(x) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x) \\
& ^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / (b \cosh(x)^{10} + 10*b \cosh(x) \sinh(x)^ \\
& 9 + b \sinh(x)^{10} + 5*b \cosh(x)^8 + 5*(9*b \cosh(x)^2 + b) \sinh(x)^8 + 40*(3* \\
& b \cosh(x)^3 + b \cosh(x)) \sinh(x)^7 + 10*b \cosh(x)^6 + 10*(21*b \cosh(x)^4 + \\
& 14*b \cosh(x)^2 + b) \sinh(x)^6 + 4*(63*b \cosh(x)^5 + 70*b \cosh(x)^3 + 15*b \c \\
& osh(x)) \sinh(x)^5 + 10*b \cosh(x)^4 + 10*(21*b \cosh(x)^6 + 35*b \cosh(x)^4 +
\end{aligned}$$

15\*b\*cosh(x)^2 + b)\*sinh(x)^4 + 40\*(3\*b\*cosh(x)^7 + 7\*b\*cosh(x)^5 + 5\*b\*cosh(x)^3 + b\*cosh(x))\*sinh(x)^3 + 5\*b\*cosh(x)^2 + 5\*(9\*b\*cosh(x)^8 + 28\*b\*cosh(x)^6 + 30\*b\*cosh(x)^4 + 12\*b\*cosh(x)^2 + b)\*sinh(x)^2 + 10\*(b\*cosh(x)^9 + 4\*b\*cosh(x)^7 + 6\*b\*cosh(x)^5 + 4\*b\*cosh(x)^3 + b\*cosh(x))\*sinh(x) + b)]

**giac** [B] time = 4.08, size = 1063, normalized size = 12.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{2}(a+b)^{3/2} \log(\text{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) + \sqrt{a+b})) - \frac{1}{2}(a+b)^{3/2} \log(\text{abs}(-\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - \sqrt{a+b})) - \frac{1}{2}(a^2 + 2ab + b^2) \log(\text{abs}(-(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})) * (a+b) - \sqrt{a+b}(a-b))) / \sqrt{a+b} - \frac{4}{15}(15(a^2 + 4ab + 3b^2) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^9 + 15(7a^2 + 20ab + 9b^2) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^8 \sqrt{a+b} + 20(15a^3 + 39a^2b + 21ab^2 + b^3) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^7 + 20(21a^3 + 21a^2b - 57ab^2 - 65b^3) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^6 \sqrt{a+b} + 2(105a^4 - 210a^3b - 1860a^2b^2 - 1590ab^3 + 19b^4) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^5 - 10(21a^4 + 126a^3b + 288a^2b^2 - 390ab^3 - 349b^4) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^4 \sqrt{a+b} - 20(21a^5 + 63a^4b - 18a^3b^2 - 378a^2b^3 - 235ab^4 + 19b^5) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^3 - 20(15a^5 + 21a^4b - 126a^3b^2 - 90a^2b^3 + 367ab^4 + 325b^5) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^2 \sqrt{a+b} - 5(21a^6 + 24a^5b - 243a^4b^2 + 280a^3b^3 + 815a^2b^4 - 944ab^5 - 1233b^6) * (\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) - (15a^6 - 165a^4b^2 + 920a^3b^3 - 1147a^2b^4 - 504ab^5 + 1713b^6) * \sqrt{a+b}) / ((\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b})^2 + 2(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}) * \sqrt{a+b} + a - 3b)^5$

**maple** [B] time = 0.08, size = 593, normalized size = 7.23

$$\frac{(a+b(\tanh^2(x)))^{\frac{5}{2}}}{5b} - \frac{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{\frac{3}{2}}}{6} - \frac{b\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b}}{4}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3*(a+b*tanh(x)^2)^(3/2),x)`

[Out] 
$$\begin{aligned} & -1/5*(a+b*\tanh(x)^2)^{(5/2)}/b-1/6*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(3/2)} \\ & -1/4*b*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*\tanh(x)-3/4*b^{(1/2)}*\ln \\ & ((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})*a+1/ \\ & 2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^{2*b+2} \\ & (\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))*a-1/2*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1) \\ & *b+a+b)^{(1/2)}*a-1/2*b^{(3/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^{2*b+2} \\ & *(\tanh(x)-1)*b+a+b)^{(1/2)}))+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a \\ & +b)^{(1/2)}*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))*b-1/2*( \\ & (\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*b-1/6*((1+\tanh(x))^{2*b-2}*(1+\tanh \\ & (x))*b+a+b)^{(3/2)}+1/4*b*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*\tanh(x) \\ & +3/4*b^{(1/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+ \\ & a+b)^{(1/2)})*a+1/2*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^{2* \\ & b-2}*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))*(a+b)^{(1/2)}*a-1/2*((1+\tanh(x))^{2 \\ & *b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*a+1/2*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/ \\ & 2)}*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))*(a+b)^{(1/2)}*b+ \\ & 1/2*b^{(3/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a \\ & +b)^{(1/2)}))-1/2*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*b \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3*(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*tanh(x)^2 + a)^(3/2)*tanh(x)^3, x)`

**mupad** [B] time = 10.99, size = 112, normalized size = 1.37

$$-\frac{(b \tanh(x)^2 + a)^{5/2}}{5b} - \left(\frac{a+b}{3b} - \frac{a}{3b}\right) (b \tanh(x)^2 + a)^{3/2} - (a+b) \left(\frac{a+b}{b} - \frac{a}{b}\right) \sqrt{b \tanh(x)^2 + a} - \operatorname{atan} \left( \frac{(a+b)^{3/2}}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3*(a + b*tanh(x)^2)^(3/2),x)`

[Out] 
$$\begin{aligned} & -(a + b*\tanh(x)^2)^{(5/2)}/(5*b) - ((a + b)/(3*b) - a/(3*b))*(a + b*\tanh(x)^ \\ & 2)^{(3/2)} - \operatorname{atan}(((a + b)^{(3/2)}*(a + b*\tanh(x)^2)^{(1/2)}*1i)/(2*a*b + a^2 + b \\ & ^2))*(a + b)^{(3/2)}*1i - (a + b)*((a + b)/b - a/b)*(a + b*\tanh(x)^2)^{(1/2)} \end{aligned}$$

sympy [B] time = 29.54, size = 175, normalized size = 2.13

$$\frac{2a \left( \frac{b^2 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^2(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b^2} - \frac{2 \left( \frac{b^3 \sqrt{a+b \tanh^2(x)}}{2} + \frac{b^3(a+b) \operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b \tanh^2(x))^{\frac{3}{2}}}{6} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*3\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out]  $-2*a*(b**2*\sqrt{a + b*\tanh(x)**2})/2 + b**2*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2}/\sqrt{-a - b})/(2*\sqrt{-a - b}) + b*(a + b*\tanh(x)**2)**(3/2)/6)/b**2 - 2*(b**3*\sqrt{a + b*\tanh(x)**2})/2 + b**3*(a + b)*\operatorname{atan}(\sqrt{a + b*\tanh(x)**2}/\sqrt{-a - b})/(2*\sqrt{-a - b}) + b*(a + b*\tanh(x)**2)**(5/2)/10 + (a + b*\tanh(x)**2)**(3/2)*(-a*b/2 + b**2/2)/3)/b**2$

### 3.220 $\int \tanh^2(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=123

$$\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8\sqrt{b}} - \frac{1}{8}(5a+4b) \tanh(x) \sqrt{a + b \tanh^2(x)} + (a+b)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}}\right)$$

[Out] (a+b)^(3/2)\*arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))-1/8\*(3\*a^2+12\*a\*b+8\*b^2)\*arctanh(b^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/b^(1/2)-1/8\*(5\*a+4\*b)\*(a+b\*tanh(x)^2)^(1/2)\*tanh(x)-1/4\*b\*(a+b\*tanh(x)^2)^(1/2)\*tanh(x)^3

**Rubi [A]** time = 0.24, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 477, 582, 523, 217, 206, 377}

$$\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{8\sqrt{b}} - \frac{1}{4}b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{8}(5a+4b) \tanh(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -((3\*a^2 + 12\*a\*b + 8\*b^2)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]])/(8\*Sqrt[b]) + (a + b)^(3/2)\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - ((5\*a + 4\*b)\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/8 - (b\*Tanh[x]^3\*Sqrt[a + b\*Tanh[x]^2])/4

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 477

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*e*(m + n*(p + q) + 1)), x] + Dist[1/(b*(m + n*(p + q) + 1)), Int[(e*x)^(m*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*((c*b - a*d)*(m + 1) + c*b*n*(p + q)) + (d*(c*b - a*d)*(m + 1) + d*n*(q - 1)*(b*c - a*d) + c*b*d*n*(p + q))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 582

```
Int[((g_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(f*g^(n - 1)*(g*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*d*(m + n*(p + q + 1) + 1)), x] - Dist[g^n/(b*d*(m + n*(p + q + 1) + 1)), Int[(g*x)^(m - n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m - n + 1) + (a*f*d*(m + n*q + 1) + b*(f*c*(m + n*p + 1) - e*d*(m + n*(p + q + 1) + 1)))*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && GtQ[m, n - 1]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \tanh^2(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x^2 (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} \text{Subst} \left( \int \frac{x^2 (-a(4a + 3b) - b(5a + 4b))}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} \text{Subst} \left( \int \frac{x^2 (-a(4a + 3b) - b(5a + 4b))}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) \\
&= -\frac{1}{8} (5a + 4b) \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{4} b \tanh^3(x) \sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) \\
&= -\frac{(3a^2 + 12ab + 8b^2) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{8\sqrt{b}} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)
\end{aligned}$$

**Mathematica [C]** time = 6.27, size = 584, normalized size = 4.75

$$\sqrt{\frac{a \cosh(2x) + a + b \cosh(2x) - b}{\cosh(2x) + 1}} \left( \frac{1}{8} \text{sech}(x) (-5a \sinh(x) - 6b \sinh(x)) + \frac{1}{4} b \tanh(x) \text{sech}^2(x) \right) + \frac{1}{4} \frac{b(a^2 - 4ab + 4b^2)}{\sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^2\*(a + b\*Tanh[x]^2)^(3/2), x]

```
[Out] (-(b*(a^2 - 4*a*b - 4*b^2)*Sqrt[(a - b + (a + b)*Cosh[2*x])/(1 + Cosh[2*x])]*Sqrt[-((a*Coth[x]^2)/b)]*Sqrt[-((a*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]*Csch[2*x]*EllipticF[ArcSin[Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/(a*(a - b + (a + b)*Cosh[2*x])) - ((4*I)*b*(4*a^2 + 8*a*b + 4*b^2)*Sqrt[1 + Cosh[2*x]]*Sqrt[(a - b + (a + b)*Cosh[2*x])/(1 + Cosh[2*x])]*(((1/4*I)*Sqrt[-((a*Coth[x]^2)/b)]*Sqrt[-((a*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]*Csch[2*x]*EllipticF[ArcSin[Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/(a*Sqrt[1 + Cosh[2*x]]*Sqrt[a - b + (a + b)*Cosh[2*x]]) + ((I/2)*Sqrt[-((a*Coth[x]^2)/b)]*Sqrt[-((a*(1 + Cosh[2*x])*Csch[x]^2)/b)]*Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]*Csch[2*x]*EllipticPi[b/(a + b), ArcSin[Sqrt[(a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]], 1]*Sinh[x]^4)/((a + b)*Sqrt[1 + Cosh[2*x]]*Sqrt[a - b + (a + b)*Cosh[2*x]])/Sqrt[a - b + (a + b)*Cosh[2*x]]/4 + Sqrt[(a - b + a*Cosh[2*x] + b*Cosh[2*x])/(1 + Cosh[2*x])]*((Sech[x]*(-5*a*Sinh[x] - 6*b*Sinh[x]))/8 + (b*Sech[x]^2*Tanh[x])/4)
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [B] time = 3.67, size = 949, normalized size = 7.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] -1/2*(a + b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) + 1/2*(a + b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b) - sqrt(a + b))) - 1/4*(3*a^2 + 12*a*b + 8*b^2)*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-b))/sqrt(-b) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*(a + b) - sqrt(a + b)*(a - b)))/sqrt(a + b) - 1/2*((5*a^2 + 20*a*b + 16*b^2)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^7 + (35*a^2 + 76*a*b + 16*b^2)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^6*sqrt(a + b) + (105*a^3 + 153*a^2*b - 28*a*b^2 - 48*b^3)*(sqrt(a + b)
```

```

b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b
))^5 + (175*a^3 - 25*a^2*b - 260*a*b^2 - 176*b^3)*(sqrt(a + b)*e^(2*x) - sq
rt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^4*sqrt(a + b
) + (175*a^4 - 110*a^3*b - 417*a^2*b^2 + 60*a*b^3 + 304*b^4)*(sqrt(a + b)*e
^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^3
+ (105*a^4 - 210*a^3*b - 55*a^2*b^2 + 484*a*b^3 + 48*b^4)*(sqrt(a + b)*e^(
2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^2*s
qrt(a + b) + (35*a^5 - 79*a^4*b + 53*a^3*b^2 + 195*a^2*b^3 - 308*a*b^4 - 27
2*b^5)*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*
b*e^(2*x) + a + b)) + (5*a^5 - 17*a^4*b + 51*a^3*b^2 - 19*a^2*b^3 - 44*a*b^
4 + 112*b^5)*sqrt(a + b))/((sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x
) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))^2 + 2*(sqrt(a + b)*e^(2*x) - sqrt(a
*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*sqrt(a + b) + a
- 3*b)^4

```

**maple [B]** time = 0.07, size = 633, normalized size = 5.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\tanh(x)^2 (a + b \tanh(x)^2))^{3/2} dx$

[Out] 
$$\begin{aligned}
& -1/4 \tanh(x) (a + b \tanh(x)^2)^{3/2} - 3/8 a \tanh(x) (a + b \tanh(x)^2)^{1/2} - 3/8 a^2/b^{1/2} \ln(b^{1/2} \tanh(x) + (a + b \tanh(x)^2)^{1/2}) - 1/6 ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{3/2} - 1/4 b ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2} \tanh(x) - 3/4 b^{1/2} \ln(((\tanh(x) - 1) * b + b) / b^{1/2} + ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2})) * a + 1/2 (a + b)^{1/2} \ln((2 * a + 2 * b + 2 * (\tanh(x) - 1) * b + 2 * (a + b)^{1/2} * ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2})) / (\tanh(x) - 1)) * a - 1/2 ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2} * a - 1/2 b^{3/2} \ln(((\tanh(x) - 1) * b + b) / b^{1/2} + ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2})) + 1/2 (a + b)^{1/2} \ln((2 * a + 2 * b + 2 * (\tanh(x) - 1) * b + 2 * (a + b)^{1/2} * ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2})) / (\tanh(x) - 1)) * b - 1/2 ((\tanh(x) - 1)^{2b+2} (\tanh(x) - 1) * b + a + b)^{1/2} * b + 1/6 ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{3/2} - 1/4 b ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2} \tanh(x) - 3/4 b^{1/2} \ln(((1 + \tanh(x)) * b - b) / b^{1/2} + ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2})) * a - 1/2 \ln((2 * a + 2 * b - 2 * (1 + \tanh(x)) * b + 2 * (a + b)^{1/2} * ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2})) / (1 + \tanh(x))) * (a + b)^{1/2} * a + 1/2 ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2} * a - 1/2 b^{3/2} \ln(((1 + \tanh(x)) * b - b) / b^{1/2} + ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2})) - 1/2 \ln((2 * a + 2 * b - 2 * (1 + \tanh(x)) * b + 2 * (a + b)^{1/2} * ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2})) / (1 + \tanh(x))) * (a + b)^{1/2} * b + 1/2 ((1 + \tanh(x))^{2b-2} (1 + \tanh(x)) * b + a + b)^{1/2} * b
\end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(3/2)\*tanh(x)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x)^2 (b \tanh(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2\*(a + b\*tanh(x)^2)^(3/2),x)

[Out] int(tanh(x)^2\*(a + b\*tanh(x)^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(x))^{\frac{3}{2}} \tanh^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*2\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(3/2)\*tanh(x)\*\*2, x)



### 3.221 $\int \tanh(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=63

$$-(a+b)\sqrt{a+b \tanh^2(x)} - \frac{1}{3}(a+b \tanh^2(x))^{3/2} + (a+b)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)$$

[Out]  $(a+b)^{(3/2)}*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/(a+b)^{(1/2)})-(a+b)*(a+b*\tanh(x)^2)^{(1/2)}-1/3*(a+b*\tanh(x)^2)^{(3/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 50, 63, 208}

$$(a+b)^{3/2} \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right) - (a+b)\sqrt{a+b \tanh^2(x)} - \frac{1}{3}(a+b \tanh^2(x))^{3/2}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out]  $(a+b)^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a+b]] - (a+b)*\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2] - (a+b*\operatorname{Tanh}[x]^2)^{(3/2)}/3$

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[  
((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/  
(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b,  
c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ  
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n  
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[  
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b +  
(d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ  
[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den  
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

### Rule 444

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]`

### Rule 3670

`Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))`

### Rubi steps

$$\begin{aligned}
 \int \tanh(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x (a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
 &= -\frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{1}{2} (a + b) \text{Subst} \left( \int \frac{\sqrt{a + bx}}{1 - x} dx, x, \tanh^2(x) \right) \\
 &= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{1}{2} (a + b)^2 \text{Subst} \left( \int \frac{1}{(1 - x)\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
 &= -(a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2} + \frac{(a + b)^2 \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{2} \\
 &= (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - (a + b) \sqrt{a + b \tanh^2(x)} - \frac{1}{3} (a + b \tanh^2(x))^{3/2}
 \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 59, normalized size = 0.94

$$(a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - \frac{1}{3} \sqrt{a+b \tanh^2(x)} (4a+b \tanh^2(x) + 3b)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (Sqrt[a + b\*Tanh[x]^2]\*(4\*a + 3\*b + b\*Tanh[x]^2))/3

**fricas [B]** time = 2.12, size = 2385, normalized size = 37.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^2)^(3/2), x, algorithm="fricas")

[Out] [1/12\*(3\*((a + b)\*cosh(x)^6 + 6\*(a + b)\*cosh(x)\*sinh(x)^5 + (a + b)\*sinh(x)^6 + 3\*(a + b)\*cosh(x)^4 + 3\*(5\*(a + b)\*cosh(x)^2 + a + b)\*sinh(x)^4 + 4\*(5\*(a + b)\*cosh(x)^3 + 3\*(a + b)\*cosh(x))\*sinh(x)^3 + 3\*(a + b)\*cosh(x)^2 + 3\*(5\*(a + b)\*cosh(x)^4 + 6\*(a + b)\*cosh(x)^2 + a + b)\*sinh(x)^2 + 6\*((a + b)\*cosh(x)^5 + 2\*(a + b)\*cosh(x)^3 + (a + b)\*cosh(x))\*sinh(x) + a + b)\*sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^4 + (70\*(a^3 + a^2\*b)\*cosh(x)^4 + 6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3 + 30\*(2\*a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^5 + 10\*(2\*a^3 + a^2\*b)\*cosh(x)^3 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x)^2 + 2\*(14\*(a^3 + a^2\*b)\*cosh(x)^6 + 15\*(2\*a^3 + a^2\*b)\*cosh(x)^4 + 2\*a^3 + 3\*a^2\*b - b^3 + 3\*(6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(a^2\*cosh(x)^6 + 6\*a^2\*cosh(x)\*sinh(x)^5 + a^2\*sinh(x)^6 + 3\*a^2\*cosh(x)^4 + 3\*(5\*a^2\*cosh(x)^2 + a^2)\*sinh(x)^4 + 4\*(5\*a^2\*cosh(x)^3 + 3\*a^2\*cosh(x))\*sinh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x)^2 + (15\*a^2\*cosh(x)^4 + 18\*a^2\*cosh(x))^2 + 3\*a^2 + 2\*a\*b - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(3\*a^2\*cosh(x)^5 + 6\*a^2\*cosh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a^3 + a^2\*b)\*cosh(x)^7 + 3\*(2\*a^3 + a^2\*b)\*cosh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^3 + (2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5

$$\begin{aligned}
& 5 + \sinh(x)^6)) + 3*((a + b)*\cosh(x)^6 + 6*(a + b)*\cosh(x)*\sinh(x)^5 + (a + \\
& b)*\sinh(x)^6 + 3*(a + b)*\cosh(x)^4 + 3*(5*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^4 \\
& + 4*(5*(a + b)*\cosh(x)^3 + 3*(a + b)*\cosh(x))*\sinh(x)^3 + 3*(a + b)*\cosh(x)^2 \\
& + 3*(5*(a + b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + \\
& 6*((a + b)*\cosh(x)^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a \\
& + b)*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a \\
& + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 \\
& + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 \\
& + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) \\
& + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 16*\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 \\
& + (a + b)*\sinh(x)^4 + (2*a + b)*\cosh(x)^2 + (6*(a + b)*\cosh(x)^2 + 2*a + b)*\sinh(x)^2 + 2*(2*(a + b)*\cosh(x)^3 \\
& + (2*a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2)))/(\cosh(x)^6 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6 + 3*(5*\cosh(x)^2 + 1)*\sinh(x)^4 + 3*\cosh(x)^4 \\
& + 4*(5*\cosh(x)^3 + 3*\cosh(x))*\sinh(x)^3 + 3*(5*\cosh(x)^4 + 6*\cosh(x)^2 + 1)*\sinh(x)^2 + 3*\cosh(x)^2 \\
& + 6*(\cosh(x)^5 + 2*\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/6*(3*((a + b)*\cosh(x)^6 + 6*(a + b)*\cosh(x)*\sinh(x)^5 \\
& + (a + b)*\sinh(x)^6 + 3*(a + b)*\cosh(x)^4 + 3*(5*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^4 + 4*(5*(a + b)*\cosh(x)^3 \\
& + 3*(a + b)*\cosh(x))*\sinh(x)^3 + 3*(a + b)*\cosh(x)^2 + 3*(5*(a + b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 \\
& + 6*((a + b)*\cosh(x)^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 \\
& + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 \\
& + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) + 3*((a + b)*\cosh(x)^6 \\
& + 6*(a + b)*\cosh(x)*\sinh(x)^5 + (a + b)*\sinh(x)^6 + 3*(a + b)*\cosh(x)^4 + 3*(5*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^4 \\
& + 4*(5*(a + b)*\cosh(x)^3 + 3*(a + b)*\cosh(x))*\sinh(x)^3 + 3*(a + b)*\cosh(x)^2 + 3*(5*(a + b)*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 \\
& + 6*((a + b)*\cosh(x)^5 + 2*(a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 \\
& + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 \\
& + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 8*\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 \\
& + (2*a + b)*\cosh(x)^2 + (6*(a + b)*\cosh(x)^2 + 2*a + b)*\sinh(x)^2 + 2*(2*(a + b)*\cosh(x)^3 + (2*a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{((a + b)*\cosh(x)^2 \\
& + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(\cosh(x)^6 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6 + 3*(5*\cosh(x)^2 + 1)*\sinh(x)^4 \\
& + 3*\cosh(x)^4 + 4*(5*\cosh(x)^3 + 3*\cosh(x))*\sinh(x)^3 + 3*(5*\cosh(x)^4 + 6*(a + b)*\cosh(x)^2 + 1)*\sinh(x)^2 + 3*\cosh(x)^2 + 6*(\cosh(x)^5 + 2*\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)
\end{aligned}$$

\*cosh(x)^2 + 1)\*sinh(x)^2 + 3\*cosh(x)^2 + 6\*(cosh(x)^5 + 2\*cosh(x)^3 + cosh(x))\*sinh(x) + 1)]

giac [B] time = 2.59, size = 662, normalized size = 10.51

$$\frac{1}{2}(a+b)^{\frac{3}{2}} \log\left(\left|-\sqrt{a+b}e^{(2x)} + \sqrt{ae^{(4x)} + be^{(4x)} + 2ae^{(2x)} - 2be^{(2x)} + a + b} + \sqrt{a+b}\right|\right) - \frac{1}{2}(a+b)^{\frac{3}{2}} \log\left(\left|-\sqrt{a+b}e^{(2x)} + \sqrt{ae^{(4x)} + be^{(4x)} + 2ae^{(2x)} - 2be^{(2x)} + a + b} + \sqrt{a+b}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] 1/2\*(a + b)^(3/2)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) + sqrt(a + b))) - 1/2\*(a + b)^(3/2)\*log(abs(-sqrt(a + b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) - sqrt(a + b))) - 1/2\*(a^2 + 2\*a\*b + b^2)\*log(abs(-(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*(a + b) - sqrt(a + b)\*(a - b)))/sqrt(a + b) - 8/3\*(3\*(a\*b + b^2)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^5 + 3\*(3\*a\*b + b^2)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^4\*sqrt(a + b) + 2\*(3\*a^2\*b - 6\*a\*b^2 - 5\*b^3)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^3 - 6\*(a^2\*b + 4\*a\*b^2 + 3\*b^3)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^2\*sqrt(a + b) - 3\*(3\*a^3\*b + a^2\*b^2 - 15\*a\*b^3 - 13\*b^4)\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b)) - (3\*a^3\*b - 9\*a^2\*b^2 + 5\*a\*b^3 + 17\*b^4)\*sqrt(a + b))/((sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))^2 + 2\*(sqrt(a + b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*sqrt(a + b) + a - 3\*b)^3

maple [B] time = 0.06, size = 578, normalized size = 9.17

$$\frac{\left((\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b\right)^{\frac{3}{2}}}{6} b \sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b} \tanh(x) \frac{3\sqrt{b}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a+b\*tanh(x)^2)^(3/2),x)

[Out] -1/6\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(3/2)-1/4\*b\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)\*tanh(x)-3/4\*b^(1/2)\*ln(((tanh(x)-1)\*b+b)/b^(1/2))+((

$$\begin{aligned} & \tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*a+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2* \\ & (\tanh(x)-1)*b+2*(a+b)^{(1/2))*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})/(t \\ & \tanh(x)-1))^{a-1/2}*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)}*a+1/2*(a+b)^{(1 \\ & /2)*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2))*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1 \\ & )*b+a+b)^{(1/2)})/(\tanh(x)-1))^{b-1/2}*b^{(3/2)}*\ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((t \\ & \tanh(x)-1)^{2*b+2}*(\tanh(x)-1)*b+a+b)^{(1/2)})-1/2*((\tanh(x)-1)^{2*b+2}*(\tanh(x)-1 \\ & )*b+a+b)^{(1/2)}*b-1/6*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(3/2)}+1/4*b*((1+ \\ & \tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*\tanh(x)+3/4*b^{(1/2)}*\ln(((1+\tanh(x)) \\ & )*b-b)/b^{(1/2)}+((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)})*a+1/2*\ln((2*a+2* \\ & b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2))*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)} \\ & )/(1+\tanh(x)))^{(a+b)^{(1/2)}*a-1/2*((1+\tanh(x))^{2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)} \\ & )*a+1/2*b^{(3/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^{2*b-2}*(1+\tanh(x)) \\ & )*b+a+b)^{(1/2)})+1/2*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2))*((1+\tanh(x))^{2 \\ & }*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))^{(a+b)^{(1/2)}*b-1/2*((1+\tanh(x))^{ \\ & 2*b-2}*(1+\tanh(x))*b+a+b)^{(1/2)}*b \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(3/2)\*tanh(x), x)

**mupad** [B] time = 3.71, size = 64, normalized size = 1.02

$$\operatorname{atanh}\left(\frac{(a+b)^{3/2}\sqrt{b\tanh(x)^2+a}}{a^2+2ab+b^2}\right)(a+b)^{3/2}-(a+b)\sqrt{b\tanh(x)^2+a}-\frac{(b\tanh(x)^2+a)^{3/2}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a + b\*tanh(x)^2)^(3/2),x)

[Out] atanh(((a + b)^(3/2)\*(a + b\*tanh(x)^2)^(1/2))/(2\*a\*b + a^2 + b^2))\*(a + b)^(3/2) - (a + b)\*(a + b\*tanh(x)^2)^(1/2) - (a + b\*tanh(x)^2)^(3/2)/3

**sympy** [B] time = 17.58, size = 128, normalized size = 2.03

$$\frac{2a\left(\frac{b\sqrt{a+b\tanh^2(x)}}{2} + \frac{b(a+b)\operatorname{atan}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}}\right)}{b} - \frac{2\left(\frac{b^2\sqrt{a+b\tanh^2(x)}}{2} + \frac{b^2(a+b)\operatorname{atan}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{-a-b}}\right)}{2\sqrt{-a-b}} + \frac{b(a+b\tanh^2(x))^{\frac{3}{2}}}{6}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)*(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] -2*a*(b*sqrt(a + b*tanh(x)**2)/2 + b*(a + b)*atan(sqrt(a + b*tanh(x)**2)/sqrt(-a - b))/(2*sqrt(-a - b)))/b - 2*(b**2*sqrt(a + b*tanh(x)**2)/2 + b**2*(a + b)*atan(sqrt(a + b*tanh(x)**2)/sqrt(-a - b))/(2*sqrt(-a - b)) + b*(a + b*tanh(x)**2)**(3/2)/6)/b
```

$$3.222 \quad \int (a + b \tanh^2(x))^{3/2} dx$$

**Optimal.** Leaf size=88

$$-\frac{1}{2}b \tanh(x) \sqrt{a + b \tanh^2(x)} + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \sqrt{b} (3a+2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)$$

[Out] (a+b)^(3/2)\*arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))-1/2\*(3\*a+2\*b)\*arctanh(b^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))\*b^(1/2)-1/2\*b\*(a+b\*tanh(x)^2)^(1/2)\*tanh(x)

**Rubi [A]** time = 0.09, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {3661, 416, 523, 217, 206, 377}

$$(a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} \sqrt{b} (3a+2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - \frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(Sqrt[b]\*(3\*a + 2\*b)\*ArcTanh[(Sqrt[b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]])/2 + (a + b)^(3/2)\*ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]] - (b\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/2

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]



Rule 416

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]
```

Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)]), x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]
```

Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

Rubi steps

$$\begin{aligned}
\int (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a(2a + b) - b(3a + 2b)x^2}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} b \tanh(x) \sqrt{a + b \tanh^2(x)} + (a + b)^2 \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&= -\frac{1}{2} \sqrt{b} (3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.37, size = 161, normalized size = 1.83

$$\frac{1}{2} \left( -b \tanh(x) \sqrt{a + b \tanh^2(x)} - (a + b)^{3/2} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a - b \tanh(x) \right) + (a + b)^{3/2} \log \left( \sqrt{a + b} \sqrt{a + b \tanh^2(x)} + a + b \tanh(x) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[x]^2)^(3/2), x]

[Out] (-((a + b)^(3/2)\*Log[1 - Tanh[x]]) + (a + b)^(3/2)\*Log[1 + Tanh[x]] - Sqrt[b]\*(3\*a + 2\*b)\*Log[b\*Tanh[x] + Sqrt[b]\*Sqrt[a + b\*Tanh[x]^2]] - (a + b)^(3/2)\*Log[a - b\*Tanh[x] + Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^2]] + (a + b)^(3/2)\*Log[a + b\*Tanh[x] + Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^2]] - b\*Tanh[x]\*Sqrt[a + b\*Tanh[x]^2])/2

**fricas [B]** time = 3.05, size = 4841, normalized size = 55.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a + b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a + b)\*sinh(x)^2 + 4\*((a + b)\*cosh(x)^3 + (a + b)\*cosh(x)\*sinh(x) + a + b)\*sqrt(a + b)\*log(-((a\*b^2

$$\begin{aligned}
& + b^3) \cosh(x)^8 + 8*(a*b^2 + b^3) \cosh(x) \sinh(x)^7 + (a*b^2 + b^3) \sinh(x) \\
& )^8 - 2*(a*b^2 + 2*b^3) \cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4*(14*(a*b^2 + b^3) \cosh(x)^3 - 3*(a*b^2 + 2*b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^4 + (70*(a*b^2 + b^3) \cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3) \cosh(x)^2) \sinh(x)^4 + 4*(14*(a*b^2 + b^3) \cosh(x)^5 - 10*(a*b^2 + 2*b^3) \cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3) \cosh(x)^2 + 2*(14*(a*b^2 + b^3) \cosh(x)^6 - 15*(a*b^2 + 2*b^3) \cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2}*(b^2 \cosh(x)^6 + 6*b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3*b^2 \cosh(x)^4 + 3*(5*b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4*(5*b^2 \cosh(x)^3 - 3*b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2*a*b - 3*b^2) \cosh(x)^2 + (15*b^2 \cosh(x)^4 - 18*b^2 \cosh(x)^2 - a^2 + 2*a*b + 3*b^2) \sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2 \cosh(x)^5 - 6*b^2 \cosh(x)^3 - (a^2 - 2*a*b - 3*b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3) \cosh(x)^7 - 3*(a*b^2 + 2*b^3) \cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) \cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + ((3*a + 2*b) \cosh(x)^4 + 4*(3*a + 2*b) \cosh(x) \sinh(x)^3 + (3*a + 2*b) \sinh(x)^4 + 2*(3*a + 2*b) \cosh(x)^2 + 2*(3*(3*a + 2*b) \cosh(x)^2 + 3*a + 2*b) \sinh(x)^2 + 4*((3*a + 2*b) \cosh(x)^3 + (3*a + 2*b) \cosh(x)) \sinh(x) + 3*a + 2*b) \sqrt{b} \log(-((a + 2*b) \cosh(x)^4 + 4*(a + 2*b) \cosh(x) \sinh(x)^3 + (a + 2*b) \sinh(x)^4 + 2*(a - 2*b) \cosh(x)^2 + 2*(3*(a + 2*b) \cosh(x)^2 + a - 2*b) \sinh(x)^2 - 2 \sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4*((a + 2*b) \cosh(x)^3 + (a - 2*b) \cosh(x)) \sinh(x) + a + 2*b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2*(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) + ((a + b) \cosh(x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2*(a + b) \cosh(x)^2 + 2*(3*(a + b) \cosh(x)^2 + a + b) \sinh(x)^2 + 4*((a + b) \cosh(x)^3 + (a + b) \cosh(x)) \sinh(x) + a + b) \sqrt{a+b} \log(((a + b) \cosh(x)^4 + 4*(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2*a \cosh(x)^2 + 2*(3*(a + b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4*((a + b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 2 \sqrt{2} * (b \cosh(x)^2 + 2*b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2*(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1), \\
& 1/4*(2*((3*a + 2*b) \cosh(x)^4 + 4*(3*a + 2*b) \cosh(x) \sinh(x)^3 + (3*a + 2*b) \sinh(x)^4 + 2*(3*a + 2*b) \cosh(x)^2 + 2*(3*(3*a + 2*b) \cosh(x)^2 + 3*a + 2*b) \sinh(x)^2 + 4*((3*a + 2*b) \cosh(x)^3 + (3*a + 2*b) \cosh(x)) \sinh(x)
\end{aligned}$$

$$\begin{aligned}
& + 3*a + 2*b)*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/4*(2*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a + b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a + b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a + b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*c
\end{aligned}$$

$$\begin{aligned}
& \text{osh}(x) \cdot \sinh(x) + \sinh(x)^2) / ((a \cdot b + b^2) \cdot \cosh(x)^4 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x) \\
& \cdot \sinh(x)^3 + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)^2 + (6 \cdot (a \cdot \\
& b + b^2) \cdot \cosh(x)^2 + a^2 - a \cdot b - 2 \cdot b^2) \cdot \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot ( \\
& 2 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)) \cdot \sinh(x)) + 2 \cdot ((a + \\
& b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \\
& \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 + a + b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^ \\
& 3 + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot \sqrt{-a - \\
& b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cos \\
& h(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^2 + 2 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x) + \\
& (a + b) \cdot \sinh(x)^2 + a + b)) - ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x) \\
& \cdot \sinh(x)^3 + (3 \cdot a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (3 \cdot a \\
& + 2 \cdot b) \cdot \cosh(x)^2 + 3 \cdot a + 2 \cdot b) \cdot \sinh(x)^2 + 4 \cdot ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^3 + (3 \cdot a + \\
& 2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x) + 3 \cdot a + 2 \cdot b) \cdot \sqrt{b} \cdot \log(-((a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot ( \\
& a + 2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (a - 2 \cdot b) \cdot \cosh(x)^2 + \\
& 2 \cdot (3 \cdot (a + 2 \cdot b) \cdot \cosh(x)^2 + a - 2 \cdot b) \cdot \sinh(x)^2 - 2 \cdot \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cos \\
& h(x) \cdot \sinh(x) + \sinh(x)^2 - 1) \cdot \sqrt{b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \si \\
& nh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)} + 4 \cdot ((a + 2 \cdot b) \\
& ) \cdot \cosh(x)^3 + (a - 2 \cdot b) \cdot \cosh(x)) \cdot \sinh(x) + a + 2 \cdot b) / (\cosh(x)^4 + 4 \cdot \cosh(x) \cdot \\
& \sinh(x)^3 + \sinh(x)^4 + 2 \cdot (3 \cdot \cosh(x)^2 + 1) \cdot \sinh(x)^2 + 2 \cdot \cosh(x)^2 + 4 \cdot (\cos \\
& h(x)^3 + \cosh(x)) \cdot \sinh(x) + 1)) + 2 \cdot \sqrt{2} \cdot (b \cdot \cosh(x)^2 + 2 \cdot b \cdot \cosh(x) \cdot \sin \\
& h(x) + b \cdot \sinh(x)^2 - b) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b \\
& ) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / (\cosh(x)^4 + 4 \cdot \cosh(x) \cdot \sinh \\
& (x)^3 + \sinh(x)^4 + 2 \cdot (3 \cdot \cosh(x)^2 + 1) \cdot \sinh(x)^2 + 2 \cdot \cosh(x)^2 + 4 \cdot (\cosh(x) \\
& )^3 + \cosh(x)) \cdot \sinh(x) + 1), -1/2 \cdot (((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \si \\
& nh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 \\
& + a + b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + \\
& b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot (b \cdot \cosh(x)^2 + 2 \cdot b \cdot \cosh(x) \cdot \sinh(x) + b \cdot \sinh \\
& (x)^2 - a - b) \cdot \sqrt{-a - b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a \cdot b + b^2) \cdot \cosh(x)^4 + \\
& 4 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^3 + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2 \cdot b \\
& ^2) \cdot \cosh(x)^2 + (6 \cdot (a \cdot b + b^2) \cdot \cosh(x)^2 + a^2 - a \cdot b - 2 \cdot b^2) \cdot \sinh(x)^2 + a \\
& ^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (2 \cdot (a \cdot b + b^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x) \\
& ) \cdot \sinh(x))) - ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^4 + 4 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (3 \\
& \cdot a + 2 \cdot b) \cdot \sinh(x)^4 + 2 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (3 \cdot a + 2 \cdot b) \cdot \cosh(x)^2 \\
& + 3 \cdot a + 2 \cdot b) \cdot \sinh(x)^2 + 4 \cdot ((3 \cdot a + 2 \cdot b) \cdot \cosh(x)^3 + (3 \cdot a + 2 \cdot b) \cdot \cosh(x)) \cdot \si \\
& nh(x) + 3 \cdot a + 2 \cdot b) \cdot \sqrt{-b} \cdot \arctan(\sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \\
& \sinh(x)^2 - 1) \cdot \sqrt{-b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - \\
& b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + \\
& b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2 \cdot (a - b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + \\
& b) \cdot \cosh(x)^2 + a - b) \cdot \sinh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a - b) \cdot \cosh(x)) \cdot \\
& \sinh(x) + a + b) + ((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + \\
& b) \cdot \sinh(x)^4 + 2 \cdot (a + b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 + a + b) \cdot \sinh( \\
& x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a + b) \cdot \cosh(x)) \cdot \sinh(x) + a + b) \cdot \sqrt{-a - b} \\
& ) \cdot \arctan(\sqrt{2} \cdot \sqrt{-a - b}) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + \\
& a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / ((a + b) \cdot \cosh(x)^2 + 2
\end{aligned}$$

$(a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b) + \sqrt{2} (b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)$

**giac [B]** time = 2.00, size = 584, normalized size = 6.64

$$-\frac{1}{2} (a + b)^{\frac{3}{2}} \log \left( \left| -\sqrt{a + b} e^{2x} + \sqrt{a e^{4x} + b e^{4x} + 2 a e^{2x} - 2 b e^{2x} + a + b} + \sqrt{a + b} \right| \right) + \frac{1}{2} (a + b)^{\frac{3}{2}} \log \left( \left| -\sqrt{a + b} \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out]  $-1/2*(a + b)^{(3/2)}*\log(\text{abs}(-\sqrt{a + b}*e^{(2*x)} + \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b) + \sqrt{a + b})) + 1/2*(a + b)^{(3/2)}*\log(\text{abs}(-\sqrt{a + b}*e^{(2*x)} + \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b) - \sqrt{a + b})) - (3*a*b + 2*b^2)*\arctan(-1/2*(\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b) + \sqrt{a + b})/\sqrt{-b})/\sqrt{-b} - 1/2*(a^2 + 2*a*b + b^2)*\log(\text{abs}(-(\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))*(a + b) - \sqrt{a + b}*(a - b)))/\sqrt{a + b} - 2*((a*b + 2*b^2)*( \sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))^3 + (3*a*b - 2*b^2)*(\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))^2*\sqrt{a + b} + (3*a^2*b - 3*a*b^2 - 2*b^3)*(\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b)) + (a^2*b - a*b^2 + 2*b^3)*\sqrt{a + b})/((\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))^2 + 2*(\sqrt{a + b}*e^{(2*x)} - \sqrt{a*e^{(4*x)} + b*e^{(4*x)} + 2*a*e^{(2*x)} - 2*b*e^{(2*x)} + a + b))*\sqrt{a + b} + a - 3*b)^2$

**maple [B]** time = 0.09, size = 578, normalized size = 6.57

$$\frac{((\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b)^{\frac{3}{2}}}{6} \frac{b \sqrt{(\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b} \tanh(x)}{4} \frac{3\sqrt{b}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(x)^2)^(3/2),x)

[Out]  $-1/6*((\tanh(x) - 1)^2 b + 2(\tanh(x) - 1)b + a + b)^{(3/2)} - 1/4*b*((\tanh(x) - 1)^2 b + 2*(\tanh(x) - 1)b + a + b)^{(1/2)}*\tanh(x) - 3/4*b^{(1/2)}*\ln(((\tanh(x) - 1)*b + b)/b^{(1/2)}) + (($

$$\begin{aligned} & \tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})*a+1/2*(a+b)^{(1/2)}*\ln((2*a+2*b+2* \\ & (\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/( \tanh(x)-1) \\ & )*a-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}*a-1/2*b^{(3/2)}* \\ & \ln(((\tanh(x)-1)*b+b)/b^{(1/2)}+((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)}))+1 \\ & /2*(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2 \\ & *( \tanh(x)-1)*b+a+b)^{(1/2)}))/(\tanh(x)-1)*b-1/2*((\tanh(x)-1)^2*b+2*(\tanh(x)-1) \\ & ) *b+a+b)^{(1/2)}*b+1/6*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(3/2)}-1/4*b*((1+ \\ & \tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)}*\tanh(x)-3/4*b^{(1/2)}*\ln(((1+\tanh(x)) \\ & ) *b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})*a-1/2*\ln((2*a+2* \\ & b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)} \\ & )/(1+\tanh(x)))*(a+b)^{(1/2)}*a+1/2*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)} \\ & ) *a-1/2*b^{(3/2)}*\ln(((1+\tanh(x))*b-b)/b^{(1/2)}+((1+\tanh(x))^2*b-2*(1+\tanh(x)) \\ & ) *b+a+b)^{(1/2)}))-1/2*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2 \\ & ) *b-2*(1+\tanh(x))*b+a+b)^{(1/2)}))/(1+\tanh(x)))*(a+b)^{(1/2)}*b+1/2*((1+\tanh(x))^2 \\ & ) *b-2*(1+\tanh(x))*b+a+b)^{(1/2)}*b \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \tanh(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(x)^2)^(3/2),x)

[Out] int((a + b\*tanh(x)^2)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(3/2), x)

### 3.223 $\int \coth(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=71

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) - b\sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

[Out]  $-a^{(3/2)}*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/a^{(1/2)})+(a+b)^{(3/2)}*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/(a+b)^{(1/2)})-b*(a+b*\tanh(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {3670, 446, 84, 156, 63, 208}

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b\sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]*(a + b*Tanh[x]^2)^(3/2), x]`

[Out]  $-(a^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]]) + (a + b)^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]] - b*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]$

#### Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

#### Rule 84

`Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Simp[(f*(e + f*x)^(p - 1))/(b*d*(p - 1)), x] + Dist[1/(b*d), Int[(b*d*e^2 - a*c*f^2 + f*(2*b*d*e - b*c*f - a*d*f)*x*(e + f*x)^(p - 2)]/((a + b*x)*(c + d*x)), x, x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 1]`

#### Rule 156

`Int[((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_))/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +`



$f*x)^p/(a + b*x), x], x] - \text{Dist}[(d*g - c*h)/(b*c - a*d), \text{Int}[(e + f*x)^p/(c + d*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x]$

### Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rule 446

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}*((c_ + (d_)*(x_)^{(n_)})^{(q_)}), x\_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 3670

$\text{Int}[(d_)*\tan[(e_ + (f_)*(x_))]^{(m_)}*((a_ + (b_)*((c_)*\tan[(e_ + (f_)*(x_))]^{(n_)}))^{(p_)}), x\_Symbol] := \text{With}\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*ff)/f, \text{Subst}[\text{Int}[(d*ff*x)/c]^m*(a + b*(ff*x)^n)^p/(c^2 + f*ff^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{EqQ}[n, 2] \ || \ \text{EqQ}[n, 4] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{RationalQ}[n]))$

### Rubi steps

$$\begin{aligned}
\int \coth(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{x(1-x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx)^{3/2}}{(1-x)x} dx, x, \tanh^2(x) \right) \\
&= -b\sqrt{a + b \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a^2 + (-2a - b)bx}{(1-x)x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -b\sqrt{a + b \tanh^2(x)} + \frac{1}{2} a^2 \text{Subst} \left( \int \frac{1}{x\sqrt{a + bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} (a + b)^2 \\
&= -b\sqrt{a + b \tanh^2(x)} + \frac{a^2 \text{Subst} \left( \int \frac{1}{\frac{-a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \frac{(a + b)^2}{2} \\
&= -a^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right) - b
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 71, normalized size = 1.00

$$a^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a}} \right) \right) - b\sqrt{a + b \tanh^2(x)} + (a + b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a + b \tanh^2(x)}}{\sqrt{a + b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(a^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]) + (a + b)^(3/2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - b\*Sqrt[a + b\*Tanh[x]^2]

**fricas [B]** time = 0.65, size = 4039, normalized size = 56.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(((a + b)\*cosh(x)^2 + 2\*(a + b)\*cosh(x)\*sinh(x) + (a + b)\*sinh(x)^2 + a + b)\*sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3



$$\begin{aligned}
& \operatorname{nh}(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \operatorname{cosh}(x)^4 + (70(a^3 + a^2b) \operatorname{cosh}(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 + 30(2a^3 + a^2b) \operatorname{cosh}(x)^2) \operatorname{sinh}(x)^4 \\
& + 4(14(a^3 + a^2b) \operatorname{cosh}(x)^5 + 10(2a^3 + a^2b) \operatorname{cosh}(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3) \operatorname{cosh}(x)) \operatorname{sinh}(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 \\
& + 2(2a^3 + 3a^2b - b^3) \operatorname{cosh}(x)^2 + 2(14(a^3 + a^2b) \operatorname{cosh}(x)^6 + 15(2a^3 + a^2b) \operatorname{cosh}(x)^4 + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - ab^2 + b^3) \operatorname{cosh}(x)^2) \operatorname{sinh}(x)^2 \\
& + \sqrt{2}(a^2 \operatorname{cosh}(x)^6 + 6a^2 \operatorname{cosh}(x) \operatorname{sinh}(x)^5 + a^2 \operatorname{sinh}(x)^6 + 3a^2 \operatorname{cosh}(x)^4 + 3(5a^2 \operatorname{cosh}(x)^2 + a^2) \operatorname{sinh}(x)^4 \\
& + 4(5a^2 \operatorname{cosh}(x)^3 + 3a^2 \operatorname{cosh}(x)) \operatorname{sinh}(x)^3 + (3a^2 + 2ab - b^2) \operatorname{cosh}(x)^2 + (15a^2 \operatorname{cosh}(x)^4 + 18a^2 \operatorname{cosh}(x)^2 + 3a^2 + 2ab - b^2) \operatorname{sinh}(x)^2 \\
& + a^2 + 2ab + b^2 + 2(3a^2 \operatorname{cosh}(x)^5 + 6a^2 \operatorname{cosh}(x)^3 + (3a^2 + 2ab - b^2) \operatorname{cosh}(x)) \operatorname{sinh}(x)) \sqrt{a+b} \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)} \\
& + 4(2(a^3 + a^2b) \operatorname{cosh}(x)^7 + 3(2a^3 + a^2b) \operatorname{cosh}(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \operatorname{cosh}(x)^3 + (2a^3 + 3a^2b - b^3) \operatorname{cosh}(x)) \operatorname{sinh}(x)) / (\operatorname{cosh}(x)^6 + 6 \operatorname{cosh}(x)^5 \operatorname{sinh}(x) + 15 \operatorname{cosh}(x)^4 \operatorname{sinh}(x)^2 + 20 \operatorname{cosh}(x)^3 \operatorname{sinh}(x)^3 \\
& + 15 \operatorname{cosh}(x)^2 \operatorname{sinh}(x)^4 + 6 \operatorname{cosh}(x) \operatorname{sinh}(x)^5 + \operatorname{sinh}(x)^6) + ((a+b) \operatorname{cosh}(x)^2 + 2(a+b) \operatorname{cosh}(x) \operatorname{sinh}(x) + (a+b) \operatorname{sinh}(x)^2 + a+b) \sqrt{(a+b) \log(-((a+b) \operatorname{cosh}(x)^4 + 4(a+b) \operatorname{cosh}(x) \operatorname{sinh}(x)^3 + (a+b) \operatorname{sinh}(x)^4 - 2b \operatorname{cosh}(x)^2 + 2(3(a+b) \operatorname{cosh}(x)^2 - b) \operatorname{sinh}(x)^2 + \sqrt{2}(\operatorname{cosh}(x)^2 + 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})) + 4((a+b) \operatorname{cosh}(x)^3 - b \operatorname{cosh}(x)) \operatorname{sinh}(x) + a+b) / (\operatorname{cosh}(x)^2 + 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)} - 4 \sqrt{2} b \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2))} / (\operatorname{cosh}(x)^2 + 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2 + 1), -1/2(((a+b) \operatorname{cosh}(x)^2 + 2(a+b) \operatorname{cosh}(x) \operatorname{sinh}(x) + (a+b) \operatorname{sinh}(x)^2 + a+b) \sqrt{-a-b} \arctan(\sqrt{2} (a \operatorname{cosh}(x)^2 + 2a \operatorname{cosh}(x) \operatorname{sinh}(x) + a \operatorname{sinh}(x)^2 + a+b) \sqrt{-a-b} \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})) / ((a^2 + ab) \operatorname{cosh}(x)^4 + 4(a^2 + ab) \operatorname{cosh}(x) \operatorname{sinh}(x)^3 + (a^2 + ab) \operatorname{sinh}(x)^4 + (2a^2 + ab - b^2) \operatorname{cosh}(x)^2 + (6(a^2 + ab) \operatorname{cosh}(x)^2 + 2a^2 + ab - b^2) \operatorname{sinh}(x)^2 + a^2 + 2ab + b^2 + 2(2(a^2 + ab) \operatorname{cosh}(x)^3 + (2a^2 + ab - b^2) \operatorname{cosh}(x)) \operatorname{sinh}(x))) + ((a+b) \operatorname{cosh}(x)^2 + 2(a+b) \operatorname{cosh}(x) \operatorname{sinh}(x) + (a+b) \operatorname{sinh}(x)^2 + a+b) \sqrt{-a-b} \arctan(\sqrt{2} (\operatorname{cosh}(x)^2 + 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})) / ((a+b) \operatorname{cosh}(x)^4 + 4(a+b) \operatorname{cosh}(x) \operatorname{sinh}(x)^3 + (a+b) \operatorname{sinh}(x)^4 + 2(a-b) \operatorname{cosh}(x)^2 + 2(3(a+b) \operatorname{cosh}(x)^2 + a - b) \operatorname{sinh}(x)^2 + 4((a+b) \operatorname{cosh}(x)^3 + (a-b) \operatorname{cosh}(x)) \operatorname{sinh}(x) + a+b) - (a \operatorname{cosh}(x)^2 + 2a \operatorname{cosh}(x) \operatorname{sinh}(x) + a \operatorname{sinh}(x)^2 + a) \sqrt{a} \log(-((2a+b) \operatorname{cosh}(x)^4 + 4(2a+b) \operatorname{cosh}(x) \operatorname{sinh}(x)^3 + (2a+b) \operatorname{sinh}(x)^4 + 2(2a-b) \operatorname{cosh}(x)^2 + 2(3(2a+b) \operatorname{cosh}(x)^2 + 2a - b) \operatorname{sinh}(x)^2 - 2 \sqrt{2} (\operatorname{cosh}(x)^2 + 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \operatorname{cosh}(x)^2 + (a+b) \operatorname{sinh}(x)^2 + a - b) / (\operatorname{cosh}(x)^2 - 2 \operatorname{cosh}(x) \operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})) + 4(((2a+b) \operatorname{cosh}(x)^3 + (2a-b) \operatorname{cosh}(x)) \operatorname{sinh}(x) + 2a+b) / (\operatorname{cosh}(x)^4 +
\end{aligned}$$

```

4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)
^2 + 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)) + 2*sqrt(2)*b*sqrt(((a + b)*cosh
(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1), 1/2*(2*(a*cosh(x)^2
+ 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a)*sqrt(-a)*arctan(sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(-a)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a +
b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)
*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)
^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - ((a + b)*cosh(x)^2 + 2*(a + b)*co
sh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(a*c
osh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a + b)*sqrt(-a - b)*sqrt(((a
+ b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
+ sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a*b)*cosh(x)*sinh(x)^3 + (
a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*cosh(
x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*
cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x)) - ((a + b)*cosh(x)^2 + 2
*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(-a - b)*arctan(s
qrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((
a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*
sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2
+ 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) - 2*sqrt(2)*b*
sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
*sinh(x) + sinh(x)^2)))/(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)]

```

**giac [B]** time = 2.78, size = 433, normalized size = 6.10

$$\frac{2a^2 \arctan\left(-\frac{\sqrt{a+be^{2x}}-\sqrt{ae^{4x}+be^{4x}}+2ae^{2x}-2be^{2x}+a+b-\sqrt{a+b}}{2\sqrt{-a}}\right)}{\sqrt{-a}} + \frac{1}{2}(a+b)^{\frac{3}{2}} \log\left(\left|-\sqrt{a+be^{2x}} + \sqrt{ae^{4x} + be^{4x}}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

```

[Out] 2*a^2*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e
^(2*x) - 2*b*e^(2*x) + a + b) - sqrt(a + b))/sqrt(-a))/sqrt(-a) + 1/2*(a +
b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^
(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) - 1/2*(a + b)^(3/2)*log(abs(-s
qrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x)
+ a + b) - sqrt(a + b))) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*e
^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*
(a + b) - sqrt(a + b)*(a - b)))/sqrt(a + b) - 4*((sqrt(a + b)*e^(2*x) - sqrt

```

$(a*e^{4*x} + b*e^{4*x} + 2*a*e^{2*x} - 2*b*e^{2*x} + a + b)*b^2 - \sqrt{a + b}*b^2)/((\sqrt{a + b}*e^{2*x} - \sqrt{a*e^{4*x} + b*e^{4*x} + 2*a*e^{2*x} - 2*b*e^{2*x} + a + b})^2 + 2*(\sqrt{a + b}*e^{2*x} - \sqrt{a*e^{4*x} + b*e^{4*x} + 2*a*e^{2*x} - 2*b*e^{2*x} + a + b})*\sqrt{a + b} + a - 3*b)$

maple [F] time = 0.31, size = 0, normalized size = 0.00

$$\int \coth(x) \left( a + b \left( \tanh^2(x) \right) \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x)

[Out] int(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(3/2)\*coth(x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x) \left( b \tanh(x)^2 + a \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)\*(a + b\*tanh(x)^2)^(3/2),x)

[Out] int(coth(x)\*(a + b\*tanh(x)^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left( a + b \tanh^2(x) \right)^{\frac{3}{2}} \coth(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((a + b\*tanh(x)\*\*2)\*\*(3/2)\*coth(x), x)

### 3.224 $\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx$

**Optimal.** Leaf size=77

$$b^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - a \coth(x) \sqrt{a + b \tanh^2(x)}$$

[Out]  $-b^{(3/2)} \operatorname{arctanh}(b^{(1/2)} \tanh(x) / (a + b \tanh(x)^2)^{(1/2)}) + (a+b)^{(3/2)} \operatorname{arctanh}((a+b)^{(1/2)} \tanh(x) / (a + b \tanh(x)^2)^{(1/2)}) - a \coth(x) (a + b \tanh(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 474, 523, 217, 206, 377}

$$b^{3/2} \left( -\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \right) + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) - a \coth(x) \sqrt{a + b \tanh^2(x)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Coth}[x]^2 (a + b \text{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $-(b^{(3/2)} \operatorname{ArcTanh}[(\text{Sqrt}[b] \text{Tanh}[x]) / \text{Sqrt}[a + b \text{Tanh}[x]^2]]) + (a + b)^{(3/2)} \operatorname{ArcTanh}[(\text{Sqrt}[a + b] \text{Tanh}[x]) / \text{Sqrt}[a + b \text{Tanh}[x]^2]] - a \operatorname{Coth}[x] \text{Sqrt}[a + b \text{Tanh}[x]^2]$

#### Rule 206

$\text{Int}[(a_ + (b_.) (x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 \operatorname{ArcTanh}[(\text{Rt}[-b, 2] x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \text{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

$\text{Int}[1 / \text{Sqrt}[(a_ + (b_.) (x_)^2)], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (1 - b x^2), x], x, x / \text{Sqrt}[a + b x^2]] /;$  FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 377

$\text{Int}[(a_ + (b_.) (x_)^{n_})^{p_} / ((c_ + (d_.) (x_)^{n_})], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (c - (b c - a d) x^n), x], x, x / (a + b x^n)^{(1/n)}] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b c - a d, 0] && EqQ[n p + 1, 0] && IntegerQ[n]

Rule 474

```
Int[((e_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(a*e*(m + 1)), x] - Dist[1/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(c*b - a*d)*(m + 1) + c*n*(b*c*(p + 1) + a*d*(q - 1)) + d*((c*b - a*d)*(m + 1) + c*b*n*(p + q))*x^n, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && GtQ[q, 1] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 523

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps



$$\begin{aligned}
\int \coth^2(x) (a + b \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{x^2(1-x^2)} dx, x, \tanh(x) \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} + \text{Subst} \left( \int \frac{a(a+2b) + b^2x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} - b^2 \text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right) + (a+b) \text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) \\
&= -a \coth(x) \sqrt{a + b \tanh^2(x)} - b^2 \text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) \\
&= -b^{3/2} \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) + (a+b)^{3/2} \tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)
\end{aligned}$$

**Mathematica [C]** time = 3.00, size = 197, normalized size = 2.56

$$a \tanh(x) \left( \text{csch}^2(x)((a+b) \cosh(2x) + a - b) - \sqrt{2}(a+2b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}} F \left( \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x) + a - b)}{b}}}{\sqrt{2}} \right) \right) \right)$$


---


$$\sqrt{2} \sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2\*(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -((a\*((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2 - Sqrt[2]\*(a + 2\*b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Tanh[x])/(Sqrt[2]\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2]))

**fricas [B]** time = 0.64, size = 3913, normalized size = 50.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{4} \left( (a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b \right) \sqrt{a+b} \log \left( - \left( (a^2 b^2 + b^3) \cosh(x)^8 + 8(a^2 b^2 + b^3) \cosh(x) \sinh(x)^7 + (a^2 b^2 + b^3) \sinh(x)^8 - 2(a^2 b^2 + 2b^3) \cosh(x)^6 - 2(a^2 b^2 + 2b^3) \cosh(x)^4 + (70(a^2 b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^2 \sinh(x)^6 + 4(14(a^2 b^2 + b^3) \cosh(x)^3 - 3(a^2 b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^4 + (70(a^2 b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^2 \sinh(x)^4 + 4(14(a^2 b^2 + b^3) \cosh(x)^5 - 10(a^2 b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a^2 b^2 + b^3 + 2(a^3 - 3a^2 b - 2b^3) \cosh(x)^2 + 2(14(a^2 b^2 + b^3) \cosh(x)^6 - 15(a^2 b^2 + 2b^3) \cosh(x)^4 + a^3 - 3a^2 b - 2b^3 + 3(a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4(2(a^2 b^2 + b^3) \cosh(x)^7 - 3(a^2 b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a^2 b - 2b^3) \cosh(x)) \sinh(x) / \left( \cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6 \right) + 2(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{b} \log \left( - \left( (a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a + 2b \right) / \left( \cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1 \right) + ((a+b) \cosh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 - a - b) \sqrt{a+b} \log \left( \left( (a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b \right) / \left( \cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right) - 4\sqrt{2} a \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)} \right) / \left( \cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1 \right), \frac{1}{4} (4(b \cosh(x)^2 + 2b \cosh(x) \sinh(x) + b \sinh(x)^2 - b) \sqrt{-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{\left( (a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b \right) / \left( \cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)}) / \left( (a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)$

$$\begin{aligned}
& x)^3 + (a - b) \cdot \cosh(x) \cdot \sinh(x) + a + b)) + ((a + b) \cdot \cosh(x)^2 + 2(a + b) \cdot \\
& \cosh(x) \cdot \sinh(x) + (a + b) \cdot \sinh(x)^2 - a - b) \cdot \sqrt{a + b} \cdot \log(-((a \cdot b^2 + b^3) \\
& ) \cdot \cosh(x)^8 + 8(a \cdot b^2 + b^3) \cdot \cosh(x) \cdot \sinh(x)^7 + (a \cdot b^2 + b^3) \cdot \sinh(x)^8 - \\
& 2(a \cdot b^2 + 2b^3) \cdot \cosh(x)^6 - 2(a \cdot b^2 + 2b^3 - 14(a \cdot b^2 + b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^6 \\
& + 4(14(a \cdot b^2 + b^3) \cdot \cosh(x)^3 - 3(a \cdot b^2 + 2b^3) \cdot \cosh(x)) \cdot \sinh(x)^5 + (a^3 - a^2 \cdot b + 4a \cdot b^2 + 6b^3) \cdot \cosh(x)^4 \\
& + (70(a \cdot b^2 + b^3) \cdot \cosh(x)^4 + a^3 - a^2 \cdot b + 4a \cdot b^2 + 6b^3 - 30(a \cdot b^2 + 2b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^4 \\
& + 4(14(a \cdot b^2 + b^3) \cdot \cosh(x)^5 - 10(a \cdot b^2 + 2b^3) \cdot \cosh(x)^3 + (a^3 - a^2 \cdot b + 4a \cdot b^2 + 6b^3) \cdot \cosh(x)) \cdot \sinh(x)^3 \\
& + a^3 + 3a^2 \cdot b + 3a \cdot b^2 + b^3 + 2(a^3 - 3a \cdot b^2 - 2b^3) \cdot \cosh(x)^2 + 2(14(a \cdot b^2 + b^3) \cdot \cosh(x)^6 \\
& - 15(a \cdot b^2 + 2b^3) \cdot \cosh(x)^4 + a^3 - 3a \cdot b^2 - 2b^3 + 3(a^3 - a^2 \cdot b + 4a \cdot b^2 + 6b^3) \cdot \cosh(x)^2) \cdot \sinh(x)^2 \\
& + \sqrt{2} \cdot (b^2 \cdot \cosh(x)^6 + 6b^2 \cdot \cosh(x) \cdot \sinh(x)^5 + b^2 \cdot \sinh(x)^6 - 3b^2 \cdot \cosh(x)^4 + 3(5b^2 \cdot \cosh(x)^2 - b^2) \cdot \sinh(x)^4 \\
& + 4(5b^2 \cdot \cosh(x)^3 - 3b^2 \cdot \cosh(x)) \cdot \sinh(x)^3 - (a^2 - 2a \cdot b - 3b^2) \cdot \cosh(x)^2 + (15b^2 \cdot \cosh(x)^4 - 18b^2 \cdot \cosh(x)^2 - a^2 + 2a \cdot b + 3b^2) \cdot \sinh(x)^2 \\
& - a^2 - 2a \cdot b - b^2 + 2(3b^2 \cdot \cosh(x)^5 - 6b^2 \cdot \cosh(x)^3 - (a^2 - 2a \cdot b - 3b^2) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} \\
& + 4(2(a \cdot b^2 + b^3) \cdot \cosh(x)^7 - 3(a \cdot b^2 + 2b^3) \cdot \cosh(x)^5 + (a^3 - a^2 \cdot b + 4a \cdot b^2 + 6b^3) \cdot \cosh(x)^3 + (a^3 - 3a \cdot b^2 - 2b^3) \cdot \cosh(x)) \cdot \sinh(x) / (\cosh(x)^6 + 6 \cdot \cosh(x)^5 \cdot \sinh(x) + 15 \cdot \cosh(x)^4 \cdot \sinh(x)^2 + 20 \cdot \cosh(x)^3 \cdot \sinh(x)^3 + 15 \cdot \cosh(x)^2 \cdot \sinh(x)^4 + 6 \cdot \cosh(x) \cdot \sinh(x)^5 + \sinh(x)^6)) + ((a + b) \cdot \cosh(x)^2 + 2(a + b) \cdot \cosh(x) \cdot \sinh(x) + (a + b) \cdot \sinh(x)^2 - a - b) \cdot \sqrt{a + b} \cdot \log(((a + b) \cdot \cosh(x)^4 + 4(a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + b) \cdot \sinh(x)^4 + 2a \cdot \cosh(x)^2 + 2(3(a + b) \cdot \cosh(x)^2 + a) \cdot \sinh(x)^2 + \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2 + 1) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)}) + 4((a + b) \cdot \cosh(x)^3 + a \cdot \cosh(x)) \cdot \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)) - 4 \cdot \sqrt{2} \cdot a \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2))} / (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2 - 1), -1/2 \cdot (((a + b) \cdot \cosh(x)^2 + 2(a + b) \cdot \cosh(x) \cdot \sinh(x) + (a + b) \cdot \sinh(x)^2 - a - b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot (b \cdot \cosh(x)^2 + 2b \cdot \cosh(x) \cdot \sinh(x) + b \cdot \sinh(x)^2 - a - b) \cdot \sqrt{-a - b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)}) / ((a \cdot b + b^2) \cdot \cosh(x)^4 + 4(a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^3 + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2b^2) \cdot \cosh(x)^2 + (6(a \cdot b + b^2) \cdot \cosh(x)^2 + a^2 - a \cdot b - 2b^2) \cdot \sinh(x)^2 + a^2 + 2a \cdot b + b^2 + 2(2(a \cdot b + b^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2b^2) \cdot \cosh(x)) \cdot \sinh(x))) + ((a + b) \cdot \cosh(x)^2 + 2(a + b) \cdot \cosh(x) \cdot \sinh(x) + (a + b) \cdot \sinh(x)^2 - a - b) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot \sqrt{-a - b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)}) / ((a + b) \cdot \cosh(x)^2 + 2(a + b) \cdot \cosh(x) \cdot \sinh(x) + (a + b) \cdot \sinh(x)^2 + a + b)) - (b \cdot \cosh(x)^2 + 2b \cdot \cosh(x) \cdot \sinh(x) + b \cdot \sinh(x)^2 - b) \cdot \sqrt{b} \cdot \log(-((a + 2b) \cdot \cosh(x)^4 + 4(a + 2b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a + 2b) \cdot \sinh(x)^4 + 2(a - 2b) \cdot \cosh(x)^2 + 2(3(a + 2b) \cdot \cosh(x)^2 + a - 2b) \cdot \sinh(x)^2 - 2 \cdot \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)})}
\end{aligned}$$

```

sinh(x) + sinh(x)^2 - 1)*sqrt(b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^
2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + 2*b)*cosh
(x)^3 + (a - 2*b)*cosh(x))*sinh(x) + a + 2*b)/(cosh(x)^4 + 4*cosh(x)*sinh(x)
)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2 + 4*(cosh(x)^
3 + cosh(x))*sinh(x) + 1)) + 2*sqrt(2)*a*sqrt(((a + b)*cosh(x)^2 + (a + b)*
sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1), -1/2*(((a + b)*cosh(x)^2 + 2*(a + b)
*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(-a - b)*arctan(sqrt(2)*
b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a - b)*sqrt(-a - b)*sqrt(
((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh
(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3
+ (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)^2 + (6*(a*b + b^2)*co
sh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^
2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x))) - 2*(b*cosh(x)^2 + 2*
b*cosh(x)*sinh(x) + b*sinh(x)^2 - b)*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2
*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)
)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(a + b)*
cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cos
h(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 +
(a - b)*cosh(x))*sinh(x) + a + b)) + ((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)
)*sinh(x) + (a + b)*sinh(x)^2 - a - b)*sqrt(-a - b)*arctan(sqrt(2)*sqrt(-a
- b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*co
sh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x)
+ (a + b)*sinh(x)^2 + a + b)) + 2*sqrt(2)*a*sqrt(((a + b)*cosh(x)^2 + (a +
b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/(cosh(x)
)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)]

```

**giac [B]** time = 2.79, size = 430, normalized size = 5.58

$$\frac{2b^2 \arctan\left(\frac{\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b} + \sqrt{a+b}}{2\sqrt{-b}}\right)}{\sqrt{-b}} - \frac{1}{2} (a+b)^{\frac{3}{2}} \log\left(\left| -\sqrt{a+b}e^{2x} + \sqrt{ae^{4x} + be^{4x}} \right.\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2\*(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

```

[Out] -2*b^2*arctan(-1/2*(sqrt(a + b)*e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*
e^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))/sqrt(-b))/sqrt(-b) - 1/2*(a +
b)^(3/2)*log(abs(-sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e
^(2*x) - 2*b*e^(2*x) + a + b) + sqrt(a + b))) + 1/2*(a + b)^(3/2)*log(abs(
sqrt(a + b)*e^(2*x) + sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x)
) + a + b) - sqrt(a + b))) - 1/2*(a^2 + 2*a*b + b^2)*log(abs(-(sqrt(a + b)*
e^(2*x) - sqrt(a*e^(4*x) + b*e^(4*x) + 2*a*e^(2*x) - 2*b*e^(2*x) + a + b))*

```

$(a + b - \sqrt{a + b} * (a - b)) / \sqrt{a + b} + 4 * ((\sqrt{a + b} * e^{2*x} - \sqrt{a * e^{4*x} + b * e^{4*x} + 2 * a * e^{2*x} - 2 * b * e^{2*x} + a + b}) * a^2 + \sqrt{a + b} * a^2) / ((\sqrt{a + b} * e^{2*x} - \sqrt{a * e^{4*x} + b * e^{4*x} + 2 * a * e^{2*x} - 2 * b * e^{2*x} + a + b})^2 - 2 * (\sqrt{a + b} * e^{2*x} - \sqrt{a * e^{4*x} + b * e^{4*x} + 2 * a * e^{2*x} - 2 * b * e^{2*x} + a + b}) * \sqrt{a + b} - 3 * a + b)$

**maple** [F] time = 0.30, size = 0, normalized size = 0.00

$$\int (\coth^2(x) (a + b (\tanh^2(x)))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x)`

[Out] `int(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^2 + a)^{\frac{3}{2}} \coth(x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2*(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*tanh(x)^2 + a)^(3/2)*coth(x)^2, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \coth(x)^2 (b \tanh(x)^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2*(a + b*tanh(x)^2)^(3/2),x)`

[Out] `int(coth(x)^2*(a + b*tanh(x)^2)^(3/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^2(x))^{\frac{3}{2}} \coth^2(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)**2*(a+b*tanh(x)**2)**(3/2),x)`

[Out] `Integral((a + b*tanh(x)**2)**(3/2)*coth(x)**2, x)`

$$3.225 \quad \int \sqrt{1 + \tanh^2(x)} dx$$

Optimal. Leaf size=31

$$\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \sinh^{-1}(\tanh(x))$$

[Out]  $-\operatorname{arcsinh}(\tanh(x)) + \operatorname{arctanh}(2^{(1/2)} * \tanh(x) / (1 + \tanh(x)^2)^{(1/2)}) * 2^{(1/2)}$

**Rubi [A]** time = 0.03, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {3661, 402, 215, 377, 206}

$$\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \sinh^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + Tanh[x]^2], x]

[Out] -ArcSinh[Tanh[x]] + Sqrt[2]\*ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 402

Int[((a\_) + (b\_.)\*(x\_)^2)^(p\_.)/((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] := Dist[b/d, Int[(a + b\*x^2)^(p - 1), x], x] - Dist[(b\*c - a\*d)/d, Int[(a + b\*x^2)^(p

$- 1)/(c + d*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{EqQ}[p, 1/2] \ || \ \text{EqQ}[\text{Denominator}[p], 4])$

### Rule 3661

$\text{Int}[\{(a_) + (b_.)*((c_.)*\tan[(e_.) + (f_.)*(x_)])^{(n_)}\}^{(p_)}, x\_Symbol] \ :>$   
 $\text{With}[\{\text{ff} = \text{FreeFactors}[\text{Tan}[e + f*x], x]\}, \text{Dist}[(c*\text{ff})/f, \text{Subst}[\text{Int}[(a + b*(\text{ff}*x)^n]^{(p)/(c^2 + \text{ff}^2*x^2)}, x], x, (c*\text{Tan}[e + f*x])/\text{ff}], x]] /; \text{FreeQ}[\{a, b, c, e, f, n, p\}, x] \ \&\& \ (\text{IntegersQ}[n, p] \ || \ \text{IGtQ}[p, 0] \ || \ \text{EqQ}[n^2, 4] \ || \ \text{EqQ}[n^2, 16])$

### Rubi steps

$$\begin{aligned} \int \sqrt{1 + \tanh^2(x)} \, dx &= \text{Subst} \left( \int \frac{\sqrt{1 + x^2}}{1 - x^2} \, dx, x, \tanh(x) \right) \\ &= 2 \text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{1 + x^2}} \, dx, x, \tanh(x) \right) - \text{Subst} \left( \int \frac{1}{\sqrt{1 + x^2}} \, dx, x, \tanh(x) \right) \\ &= -\sinh^{-1}(\tanh(x)) + 2 \text{Subst} \left( \int \frac{1}{1 - 2x^2} \, dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\ &= -\sinh^{-1}(\tanh(x)) + \sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 51, normalized size = 1.65

$$\frac{\cosh(x)\sqrt{\tanh^2(x) + 1} \left( \sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) - \tanh^{-1}\left(\frac{\sinh(x)}{\sqrt{\cosh(2x)}}\right) \right)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + Tanh[x]^2], x]

[Out] ((Sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]] - ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]]])\*Cosh[x]\*Sqrt[1 + Tanh[x]^2])/Sqrt[Cosh[2\*x]]

**fricas [B]** time = 0.46, size = 679, normalized size = 21.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4}\sqrt{2}\log(-2*(\cosh(x))^8 + 8*\cosh(x)*\sinh(x)^7 + \sinh(x)^8 + (28*\cosh(x))^2 - 3)*\sinh(x)^6 - 3*\cosh(x)^6 + 2*(28*\cosh(x)^3 - 9*\cosh(x))*\sinh(x)^5 + 5*(14*\cosh(x)^4 - 9*\cosh(x)^2 + 1)*\sinh(x)^4 + 5*\cosh(x)^4 + 4*(14*\cosh(x))^5 - 15*\cosh(x)^3 + 5*\cosh(x))*\sinh(x)^3 + (28*\cosh(x)^6 - 45*\cosh(x)^4 + 30*\cosh(x)^2 - 4)*\sinh(x)^2 - 4*\cosh(x)^2 + 2*(4*\cosh(x)^7 - 9*\cosh(x)^5 + 10*\cosh(x)^3 - 4*\cosh(x))*\sinh(x) + (\sqrt{2}*\cosh(x)^6 + 6*\sqrt{2}*\cosh(x)*\sinh(x)^5 + \sqrt{2}*\sinh(x)^6 + 3*(5*\sqrt{2}*\cosh(x)^2 - \sqrt{2})*\sinh(x)^4 - 3*\sqrt{2}*\cosh(x)^4 + 4*(5*\sqrt{2}*\cosh(x)^3 - 3*\sqrt{2}*\cosh(x))*\sinh(x)^3 + (15*\sqrt{2}*\cosh(x)^4 - 18*\sqrt{2}*\cosh(x)^2 + 4*\sqrt{2})*\sinh(x)^2 + 4*\sqrt{2}*\cosh(x)^2 + 2*(3*\sqrt{2}*\cosh(x)^5 - 6*\sqrt{2}*\cosh(x)^3 + 4*\sqrt{2}*\cosh(x))*\sinh(x) - 4*\sqrt{2})*\sqrt{((\cosh(x))^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4}/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + \frac{1}{4}\sqrt{2}\log(2*(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + (6*\cosh(x)^2 + 1)*\sinh(x)^2 + \cosh(x)^2 + 2*(2*\cosh(x)^3 + \cosh(x))*\sinh(x) + (\sqrt{2}*\cosh(x)^2 + 2*\sqrt{2}*\cosh(x)*\sinh(x) + \sqrt{2}*\sinh(x)^2 + \sqrt{2})*\sqrt{((\cosh(x))^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 1}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - \frac{1}{2}\log((\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 2*\sqrt{((\cosh(x))^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 1}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + \frac{1}{2}\log((\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 2*\sqrt{((\cosh(x))^2 + \sinh(x)^2)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 1}/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2))$

**giac** [B] time = 0.15, size = 104, normalized size = 3.35

$$-\frac{1}{2}\sqrt{2}\left(\sqrt{2}\log\left(\frac{\sqrt{2}-\sqrt{e^{4x}+1}+e^{2x}+1}{\sqrt{2}+\sqrt{e^{4x}+1}-e^{2x}-1}\right)+\log\left(\sqrt{e^{4x}+1}-e^{2x}+1\right)+\log\left(\sqrt{e^{4x}+1}-e^{2x}\right)-\log\left(-\sqrt{e^{4x}+1}-e^{2x}+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)^(1/2),x, algorithm="giac")

[Out]  $-\frac{1}{2}\sqrt{2}*(\sqrt{2}*\log((\sqrt{2}-\sqrt{e^{4*x}+1}+e^{2*x}+1)/(\sqrt{2}+\sqrt{e^{4*x}+1}-e^{2*x}-1))+\log(\sqrt{e^{4*x}+1}-e^{2*x}+1)+\log(\sqrt{e^{4*x}+1}-e^{2*x}))-\log(-\sqrt{e^{4*x}+1}-e^{2*x}+1))$

**maple** [B] time = 0.14, size = 97, normalized size = 3.13

$$-\frac{\sqrt{(\tanh(x)-1)^2+2\tanh(x)}}{2}-\operatorname{arcsinh}(\tanh(x))+\frac{\sqrt{2}\operatorname{arctanh}\left(\frac{(2\tanh(x)+2)\sqrt{2}}{4\sqrt{(\tanh(x)-1)^2+2\tanh(x)}}\right)}{2}+\frac{\sqrt{(1+\tanh(x))^2-2\tanh(x)}}{2}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+tanh(x)^2)^(1/2),x)`

[Out] 
$$-1/2*((\tanh(x)-1)^2+2*\tanh(x))^{1/2}-\operatorname{arcsinh}(\tanh(x))+1/2*2^{1/2}*\operatorname{arctanh}(1/4*(2*\tanh(x)+2)*2^{1/2}/((\tanh(x)-1)^2+2*\tanh(x))^{1/2})+1/2*((1+\tanh(x))^{2-2*\tanh(x)})^{1/2}-1/2*2^{1/2}*\operatorname{arctanh}(1/4*(2-2*\tanh(x))*2^{1/2}/((1+\tanh(x))^{2-2*\tanh(x)})^{1/2}))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\tanh(x)^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(tanh(x)^2 + 1), x)`

**mupad** [B] time = 0.23, size = 68, normalized size = 2.19

$$\frac{\sqrt{2} \left( \ln(\tanh(x) + 1) - \ln\left(\sqrt{2} \sqrt{\tanh(x)^2 + 1} - \tanh(x) + 1\right) \right)}{2} - \operatorname{asinh}(\tanh(x)) + \frac{\sqrt{2} \left( \ln\left(\tanh(x) + \sqrt{2} \sqrt{\tanh(x)^2 + 1}\right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((tanh(x)^2 + 1)^(1/2),x)`

[Out] 
$$(2^{1/2}*(\log(\tanh(x) + 1) - \log(2^{1/2}*(\tanh(x)^2 + 1)^{1/2} - \tanh(x) + 1)))/2 - \operatorname{asinh}(\tanh(x)) + (2^{1/2}*(\log(\tanh(x) + 2^{1/2}*(\tanh(x)^2 + 1)^{1/2} + 1) - \log(\tanh(x) - 1)))/2$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\tanh^2(x) + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+tanh(x)**2)**(1/2),x)`

[Out] `Integral(sqrt(tanh(x)**2 + 1), x)`

$$3.226 \quad \int \sqrt{-1 - \tanh^2(x)} dx$$

Optimal. Leaf size=45

$$\tan^{-1}\left(\frac{\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right) - \sqrt{2} \tan^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)$$

[Out] arctan(tanh(x)/(-1-tanh(x)^2)^(1/2))-arctan(2^(1/2)\*tanh(x)/(-1-tanh(x)^2)^(1/2))\*2^(1/2)

**Rubi [A]** time = 0.03, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {3661, 402, 217, 203, 377}

$$\tan^{-1}\left(\frac{\tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right) - \sqrt{2} \tan^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 - Tanh[x]^2], x]

[Out] ArcTan[Tanh[x]/Sqrt[-1 - Tanh[x]^2]] - Sqrt[2]\*ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_.))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^(p)/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned}
 \int \sqrt{-1 - \tanh^2(x)} \, dx &= \text{Subst} \left( \int \frac{\sqrt{-1 - x^2}}{1 - x^2} \, dx, x, \tanh(x) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} \, dx, x, \tanh(x) \right) \right) + \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} \, dx, x, \tanh(x) \right) \\
 &= - \left( 2 \text{Subst} \left( \int \frac{1}{1 + 2x^2} \, dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \right) + \text{Subst} \left( \int \frac{1}{1 + x^2} \, dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \\
 &= \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) - \sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 53, normalized size = 1.18

$$\frac{\cosh(x) \sqrt{-\tanh^2(x) - 1} \left( \sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) - \tanh^{-1} \left( \frac{\sinh(x)}{\sqrt{\cosh(2x)}} \right) \right)}{\sqrt{\cosh(2x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[-1 - Tanh[x]^2], x]
```

```
[Out] ((Sqrt[2]*ArcSinh[Sqrt[2]*Sinh[x]] - ArcTanh[Sinh[x]/Sqrt[Cosh[2*x]]])*Cosh
[x]*Sqrt[-1 - Tanh[x]^2])/Sqrt[Cosh[2*x]]
```

**fricas** [C] time = 0.43, size = 228, normalized size = 5.07

$$-\frac{1}{4}\sqrt{-2}\log\left(-\left(\sqrt{-2}\sqrt{-2e^{(4x)}-2}+2e^{(2x)}+2\right)e^{(-2x)}\right)+\frac{1}{4}\sqrt{-2}\log\left(\left(\sqrt{-2}\sqrt{-2e^{(4x)}-2}-2e^{(2x)}-2\right)e^{(-2x)}\right)+\frac{1}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] -1/4\*sqrt(-2)\*log(-(sqrt(-2)\*sqrt(-2\*e^(4\*x)-2)+2\*e^(2\*x)+2)\*e^(-2\*x)) + 1/4\*sqrt(-2)\*log((sqrt(-2)\*sqrt(-2\*e^(4\*x)-2)-2\*e^(2\*x)-2)\*e^(-2\*x)) + 1/4\*sqrt(-2)\*log(-2\*(sqrt(-2\*e^(4\*x)-2)\*(e^(2\*x)-2)+sqrt(-2)\*e^(4\*x)-sqrt(-2)\*e^(2\*x)+2\*sqrt(-2))\*e^(-4\*x)) - 1/4\*sqrt(-2)\*log(-2\*(sqrt(-2\*e^(4\*x)-2)\*(e^(2\*x)-2)-sqrt(-2)\*e^(4\*x)+sqrt(-2)\*e^(2\*x)-2\*sqrt(-2))\*e^(-4\*x)) - 1/2\*I\*log((4\*I\*sqrt(-2\*e^(4\*x)-2)-4\*e^(2\*x)+4)\*e^(-2\*x)) + 1/2\*I\*log((-4\*I\*sqrt(-2\*e^(4\*x)-2)-4\*e^(2\*x)+4)\*e^(-2\*x))

**giac** [C] time = 0.17, size = 104, normalized size = 2.31

$$-\frac{1}{2}i\sqrt{2}\left(\sqrt{2}\log\left(\frac{\sqrt{2}-\sqrt{e^{(4x)}+1}+e^{(2x)}+1}{\sqrt{2}+\sqrt{e^{(4x)}+1}-e^{(2x)}-1}\right)\right)+\log\left(\sqrt{e^{(4x)}+1}-e^{(2x)}+1\right)+\log\left(\sqrt{e^{(4x)}+1}-e^{(2x)}\right)-\log\left(-\sqrt{e^{(4x)}+1}-e^{(2x)}+1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/2\*I\*sqrt(2)\*(sqrt(2)\*log((sqrt(2)-sqrt(e^(4\*x)+1)+e^(2\*x)+1)/(sqrt(2)+sqrt(e^(4\*x)+1)-e^(2\*x)-1))+log(sqrt(e^(4\*x)+1)-e^(2\*x)+1)+log(sqrt(e^(4\*x)+1)-e^(2\*x))-log(-sqrt(e^(4\*x)+1)+e^(2\*x)+1))

**maple** [B] time = 0.12, size = 142, normalized size = 3.16

$$-\frac{\sqrt{-(\tanh(x)-1)^2-2\tanh(x)}}{2}+\frac{\arctan\left(\frac{\tanh(x)}{\sqrt{-(\tanh(x)-1)^2-2\tanh(x)}}\right)}{2}+\frac{\sqrt{2}\arctan\left(\frac{(-2-2\tanh(x))\sqrt{2}}{4\sqrt{-(\tanh(x)-1)^2-2\tanh(x)}}\right)}{2}+\frac{\sqrt{-(1+\tanh(x))^2-2\tanh(x)}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1-tanh(x)^2)^(1/2),x)

[Out] -1/2\*(-(tanh(x)-1)^2-2\*tanh(x))^(1/2)+1/2\*arctan(tanh(x)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))+1/2\*2^(1/2)\*arctan(1/4\*(-2-2\*tanh(x))\*2^(1/2)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))+1/2\*(-(1+tanh(x))^2+2\*tanh(x))^(1/2)+1/2\*arctan(tanh(x)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))-1/2\*2^(1/2)\*arctan(1/4\*(-2+2\*tanh(x))\*2^(1/2)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-\tanh(x)^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-tanh(x)^2 - 1), x)

**mupad** [B] time = 1.34, size = 43, normalized size = 0.96

$$-\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh(x)^2 - 1}}\right) - \ln\left(\tanh(x) - \sqrt{-\tanh(x)^2 - 1} \operatorname{li}\right) \operatorname{li}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((- tanh(x)^2 - 1)^(1/2),x)

[Out] - log(tanh(x) - (- tanh(x)^2 - 1)^(1/2)\*1i)\*1i - 2^(1/2)\*atan((2^(1/2)\*tanh(x))/(- tanh(x)^2 - 1)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-\tanh^2(x) - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(-tanh(x)\*\*2 - 1), x)

$$3.227 \quad \int \left(1 + \tanh^2(x)\right)^{3/2} dx$$

**Optimal.** Leaf size=50

$$-\frac{1}{2} \tanh(x) \sqrt{\tanh^2(x) + 1} + 2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \frac{5}{2} \sinh^{-1}(\tanh(x))$$

[Out]  $-5/2*\operatorname{arcsinh}(\tanh(x))+2*\operatorname{arctanh}(2^{(1/2)}*\tanh(x)/(1+\tanh(x)^2)^{(1/2}))*2^{(1/2)}-1/2*(1+\tanh(x)^2)^{(1/2)}*\tanh(x)$

**Rubi [A]** time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {3661, 416, 523, 215, 377, 206}

$$2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x) + 1}} \right) - \frac{1}{2} \tanh(x) \sqrt{\tanh^2(x) + 1} - \frac{5}{2} \sinh^{-1}(\tanh(x))$$

Antiderivative was successfully verified.

[In] Int[(1 + Tanh[x]^2)^(3/2), x]

[Out]  $(-5*\operatorname{ArcSinh}[\operatorname{Tanh}[x]])/2 + 2*\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Tanh}[x])/\operatorname{Sqrt}[1 + \operatorname{Tanh}[x]^2]] - (\operatorname{Tanh}[x]*\operatorname{Sqrt}[1 + \operatorname{Tanh}[x]^2])/2$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 416

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]

```

### Rule 523

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)], x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]

```

### Rule 3661

```

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])

```

### Rubi steps

$$\begin{aligned}
\int (1 + \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(1 + x^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-3 - 5x^2}{(1 - x^2) \sqrt{1 + x^2}} dx, x, \tanh(x) \right) \\
&= -\frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1 + x^2}} dx, x, \tanh(x) \right) + 4 \text{Subst} \left( \int \frac{1}{1 - x^2} dx, x, \tanh(x) \right) \\
&= -\frac{5}{2} \sinh^{-1}(\tanh(x)) - \frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)} + 4 \text{Subst} \left( \int \frac{1}{1 - 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\
&= -\frac{5}{2} \sinh^{-1}(\tanh(x)) + 2\sqrt{2} \tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) - \frac{1}{2} \tanh(x) \sqrt{1 + \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 74, normalized size = 1.48

$$\frac{(\tanh^2(x) + 1)^{3/2} \left( -4\sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) \cosh^3(x) + \sinh(x) \sqrt{\cosh(2x)} \cosh(x) + 5 \cosh^3(x) \tanh^{-1}\left(\frac{\sinh(x)}{\sqrt{\cosh(2x)}}\right) \right)}{2 \cosh^3(2x)}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Tanh[x]^2)^(3/2), x]

[Out] -1/2\*((-4\*sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]]\*Cosh[x]^3 + 5\*ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]])\*Cosh[x]^3 + Cosh[x]\*Sqrt[Cosh[2\*x]]\*Sinh[x])\*(1 + Tanh[x]^2)^(3/2))/Cosh[2\*x]^(3/2)

**fricas [B]** time = 0.43, size = 1027, normalized size = 20.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 1/4\*(2\*(sqrt(2)\*cosh(x)^4 + 4\*sqrt(2)\*cosh(x)\*sinh(x)^3 + sqrt(2)\*sinh(x)^4 + 2\*(3\*sqrt(2)\*cosh(x)^2 + sqrt(2))\*sinh(x)^2 + 2\*sqrt(2)\*cosh(x)^2 + 4\*(sqrt(2)\*cosh(x)^3 + sqrt(2)\*cosh(x))\*sinh(x) + sqrt(2))\*log(-2\*(cosh(x)^8 + 8\*cosh(x)\*sinh(x)^7 + sinh(x)^8 + (28\*cosh(x)^2 - 3)\*sinh(x)^6 - 3\*cosh(x)^6 + 2\*(28\*cosh(x)^3 - 9\*cosh(x))\*sinh(x)^5 + 5\*(14\*cosh(x)^4 - 9\*cosh(x)^2 + 1)\*sinh(x)^4 + 5\*cosh(x)^4 + 4\*(14\*cosh(x)^5 - 15\*cosh(x)^3 + 5\*cosh(x))\*sinh(x)^3 + (28\*cosh(x)^6 - 45\*cosh(x)^4 + 30\*cosh(x)^2 - 4)\*sinh(x)^2 - 4\*cosh(x)^2 + 2\*(4\*cosh(x)^7 - 9\*cosh(x)^5 + 10\*cosh(x)^3 - 4\*cosh(x))\*sinh(x) + (sqrt(2)\*cosh(x)^6 + 6\*sqrt(2)\*cosh(x)\*sinh(x)^5 + sqrt(2)\*sinh(x)^6 + 3\*(5\*sqrt(2)\*cosh(x)^2 - sqrt(2))\*sinh(x)^4 - 3\*sqrt(2)\*cosh(x)^4 + 4\*(5\*sqrt(2)\*cosh(x)^3 - 3\*sqrt(2)\*cosh(x))\*sinh(x)^3 + (15\*sqrt(2)\*cosh(x)^4 - 18\*sqrt(2)\*cosh(x)^2 + 4\*sqrt(2))\*sinh(x)^2 + 4\*sqrt(2)\*cosh(x)^2 + 2\*(3\*sqrt(2)\*cosh(x)^5 - 6\*sqrt(2)\*cosh(x)^3 + 4\*sqrt(2)\*cosh(x))\*sinh(x) - 4\*sqrt(2))\*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2) + 4)/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6) + 2\*(sqrt(2)\*cosh(x)^4 + 4\*sqrt(2)\*cosh(x)\*sinh(x)^3 + sqrt(2)\*sinh(x)^4 + 2\*(3\*sqrt(2)\*cosh(x)^2 + sqrt(2))\*sinh(x)^2 + 2\*sqrt(2)\*cosh(x)^2 + 4\*(sqrt(2)\*cosh(x)^3 + sqrt(2)\*cosh(x))\*sinh(x) + sqrt(2))\*log(2\*(cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + (6\*cosh(x)^2 + 1)\*sinh(x)^2 + cosh(x)^2 + 2\*(2\*cosh(x)^3 + cosh(x))\*sinh(x) + (sqrt(2)\*cosh(x)^2 + 2\*sqrt(2)\*cosh(x))\*sinh(x) + sqrt(2)\*sinh(x)^2 + sqrt(2))\*sqrt((cosh(x)^2 + sinh(x)^2)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2) + 1)/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2)) - 5\*(cosh(x)^4 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4 + 2\*(3\*cosh(x)^



$$2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \log\left(\frac{\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 2 \sqrt{(\cosh(x)^2 + \sinh(x)^2)}}{(\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) - 1} \frac{1}{\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right) + 5(\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \log\left(\frac{\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 2 \sqrt{(\cosh(x)^2 + \sinh(x)^2)}}{(\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) - 1} \frac{1}{\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right) - 4(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{\frac{(\cosh(x)^2 + \sinh(x)^2)}{(\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}} \frac{1}{\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1}$$

**giac [B]** time = 0.14, size = 202, normalized size = 4.04

$$-\frac{1}{4} \sqrt{2} \left( 5 \sqrt{2} \log \left( \frac{\sqrt{2} - \sqrt{e^{4x} + 1} + e^{2x} + 1}{\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} - 1} \right) - \frac{4 \left( 3 \left( \sqrt{e^{4x} + 1} - e^{2x} \right)^3 - \left( \sqrt{e^{4x} + 1} - e^{2x} \right)^2 - \sqrt{e^{4x} + 1} \right)}{\left( \left( \sqrt{e^{4x} + 1} - e^{2x} \right)^2 - 2 \sqrt{e^{4x} + 1} + 2 e^{2x} - 1 \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] 
$$-1/4 \sqrt{2} (5 \sqrt{2} \log((\sqrt{2} - \sqrt{e^{4x} + 1} + e^{2x} + 1)/(\sqrt{2} + \sqrt{e^{4x} + 1} - e^{2x} - 1)) - 4(3(\sqrt{e^{4x} + 1} - e^{2x})^3 - (\sqrt{e^{4x} + 1} - e^{2x})^2 - \sqrt{e^{4x} + 1})/((\sqrt{e^{4x} + 1} - e^{2x})^2 - 2\sqrt{e^{4x} + 1} + 2e^{2x} - 1)^2 + 4\log(\sqrt{e^{4x} + 1} - e^{2x} + 1) + 4\log(\sqrt{e^{4x} + 1} - e^{2x})) - 4\log(-\sqrt{e^{4x} + 1} + e^{2x} + 1))$$

**maple [B]** time = 0.10, size = 158, normalized size = 3.16

$$\frac{((\tanh(x) - 1)^2 + 2 \tanh(x))^{\frac{3}{2}}}{6} - \frac{\tanh(x) \sqrt{(\tanh(x) - 1)^2 + 2 \tanh(x)}}{4} - \frac{5 \operatorname{arcsinh}(\tanh(x))}{2} - \sqrt{(\tanh(x) - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+tanh(x)^2)^(3/2),x)

[Out] 
$$-1/6 * ((\tanh(x) - 1)^2 + 2 \tanh(x))^{\frac{3}{2}} - 1/4 * \tanh(x) * ((\tanh(x) - 1)^2 + 2 \tanh(x))^{\frac{1}{2}} - 5/2 * \operatorname{arcsinh}(\tanh(x)) - ((\tanh(x) - 1)^2 + 2 \tanh(x))^{\frac{1}{2}} + 2^{\frac{1}{2}} * \operatorname{arctanh}\left(\frac{1/4 * (2 * \tanh(x) + 2) * 2^{\frac{1}{2}}}{((\tanh(x) - 1)^2 + 2 \tanh(x))^{\frac{1}{2}}}\right) + 1/6 * ((1 + \tanh(x))^{\frac{1}{2}} - 2 * \tanh(x))^{\frac{3}{2}} - 1/4 * \tanh(x) * ((1 + \tanh(x))^{\frac{1}{2}} - 2 * \tanh(x))^{\frac{1}{2}} + ((1 + \tanh(x))^{\frac{1}{2}} - 2 * \tanh(x))^{\frac{3}{2}}$$

)<sup>2</sup>-2\*tanh(x))<sup>(1/2)</sup>-2<sup>(1/2)</sup>\*arctanh(1/4\*(2-2\*tanh(x))\*2<sup>(1/2)</sup>/((1+tanh(x))<sup>2</sup>-2\*tanh(x))<sup>(1/2)</sup>)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (\tanh(x)^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)^2)<sup>(3/2)</sup>,x, algorithm="maxima")

[Out] integrate((tanh(x)^2 + 1)<sup>(3/2)</sup>, x)

**mupad** [B] time = 0.29, size = 78, normalized size = 1.56

$$\sqrt{2} \left( \ln(\tanh(x) + 1) - \ln\left(\sqrt{2} \sqrt{\tanh(x)^2 + 1} - \tanh(x) + 1\right) \right) - \frac{5 \operatorname{asinh}(\tanh(x))}{2} - \frac{\tanh(x) \sqrt{\tanh(x)^2 + 1}}{2} + \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((tanh(x)^2 + 1)<sup>(3/2)</sup>,x)

[Out] 2<sup>(1/2)</sup>\*(log(tanh(x) + 1) - log(2<sup>(1/2)</sup>\*(tanh(x)^2 + 1)<sup>(1/2)</sup> - tanh(x) + 1)) - (5\*asinh(tanh(x)))/2 - (tanh(x)\*(tanh(x)^2 + 1)<sup>(1/2)</sup>)/2 + 2<sup>(1/2)</sup>\*(log(tanh(x) + 2<sup>(1/2)</sup>\*(tanh(x)^2 + 1)<sup>(1/2)</sup> + 1) - log(tanh(x) - 1))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (\tanh^2(x) + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral((tanh(x)\*\*2 + 1)\*\*(3/2), x)

$$3.228 \quad \int (-1 - \tanh^2(x))^{3/2} dx$$

**Optimal.** Leaf size=67

$$\frac{1}{2} \tanh(x) \sqrt{-\tanh^2(x) - 1} - \frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right)$$

[Out]  $-5/2*\arctan(\tanh(x)/(-1-\tanh(x)^2)^{(1/2)})+2*\arctan(2^{(1/2)}*\tanh(x)/(-1-\tanh(x)^2)^{(1/2)})*2^{(1/2)}+1/2*(-1-\tanh(x)^2)^{(1/2)}*\tanh(x)$

**Rubi [A]** time = 0.05, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {3661, 416, 523, 217, 203, 377}

$$\frac{1}{2} \tanh(x) \sqrt{-\tanh^2(x) - 1} - \frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x) - 1}} \right)$$

Antiderivative was successfully verified.

[In] Int[(-1 - Tanh[x]^2)^(3/2), x]

[Out]  $(-5*\text{ArcTan}[\text{Tanh}[x]/\text{Sqrt}[-1 - \text{Tanh}[x]^2]])/2 + 2*\text{Sqrt}[2]*\text{ArcTan}[(\text{Sqrt}[2]*\text{Tanh}[x])/\text{Sqrt}[-1 - \text{Tanh}[x]^2]] + (\text{Tanh}[x]*\text{Sqrt}[-1 - \text{Tanh}[x]^2])/2$

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 416

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]

```

### Rule 523

```

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x
_)^(n_)], x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e
- a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d
, e, f, n}, x]

```

### Rule 3661

```

Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n)^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])

```

### Rubi steps

$$\begin{aligned}
\int (-1 - \tanh^2(x))^{3/2} dx &= \text{Subst} \left( \int \frac{(-1 - x^2)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-3 - 5x^2}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) + 4 \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{1 + x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + 4 \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2}} dx, x, \tanh(x) \right) \\
&= -\frac{5}{2} \tan^{-1} \left( \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + 2\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) + \frac{1}{2} \tanh(x) \sqrt{-1 - \tanh^2(x)}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 76, normalized size = 1.13

$$\frac{(-\tanh^2(x) - 1)^{3/2} \left( -4\sqrt{2} \sinh^{-1}(\sqrt{2} \sinh(x)) \cosh^3(x) + \sinh(x) \sqrt{\cosh(2x)} \cosh(x) + 5 \cosh^3(x) \tanh^{-1} \left( \frac{1}{2 \cosh^2(2x)} \right) \right)}{2 \cosh^2(2x)}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 - Tanh[x]^2)^(3/2), x]

[Out] -1/2\*((-4\*Sqrt[2]\*ArcSinh[Sqrt[2]\*Sinh[x]]\*Cosh[x]^3 + 5\*ArcTanh[Sinh[x]/Sqrt[Cosh[2\*x]])\*Cosh[x]^3 + Cosh[x]\*Sqrt[Cosh[2\*x]]\*Sinh[x])\*(-1 - Tanh[x]^2)^(3/2))/Cosh[2\*x]^(3/2)

**fricas [C]** time = 0.41, size = 361, normalized size = 5.39

$$2\left(\sqrt{-2}e^{4x} + 2\sqrt{-2}e^{2x} + \sqrt{-2}\right)\log\left(2\left(\sqrt{-2}\sqrt{-2e^{4x}-2} + 2e^{2x} + 2\right)e^{(-2x)}\right) - 2\left(\sqrt{-2}e^{4x} + 2\sqrt{-2}e^{2x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 1/4\*(2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(2\*(sqrt(-2)\*sqrt(-2\*e^(4\*x) - 2) + 2\*e^(2\*x) + 2)\*e^(-2\*x)) - 2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(-2\*(sqrt(-2)\*sqrt(-2\*e^(4\*x) - 2) - 2\*e^(2\*x) - 2)\*e^(-2\*x)) + (5\*I\*e^(4\*x) + 10\*I\*e^(2\*x) + 5\*I)\*log((4\*I\*sqrt(-2\*e^(4\*x) - 2) - 4\*e^(2\*x) + 4)\*e^(-2\*x)) + (-5\*I\*e^(4\*x) - 10\*I\*e^(2\*x) - 5\*I)\*log((-4\*I\*sqrt(-2\*e^(4\*x) - 2) - 4\*e^(2\*x) + 4)\*e^(-2\*x)) - 2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(4\*(sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 2) + sqrt(-2)\*e^(4\*x) - sqrt(-2)\*e^(2\*x) + 2\*sqrt(-2))\*e^(-4\*x)) + 2\*(sqrt(-2)\*e^(4\*x) + 2\*sqrt(-2)\*e^(2\*x) + sqrt(-2))\*log(4\*(sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 2) - sqrt(-2)\*e^(4\*x) + sqrt(-2)\*e^(2\*x) - 2\*sqrt(-2))\*e^(-4\*x)) + 2\*sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 1))/(e^(4\*x) + 2\*e^(2\*x) + 1)

**giac [C]** time = 0.17, size = 204, normalized size = 3.04

$$-\frac{1}{4}\sqrt{2}\left(-5i\sqrt{2}\log\left(\frac{\sqrt{2}-\sqrt{e^{4x}+1}+e^{2x}+1}{\sqrt{2}+\sqrt{e^{4x}+1}-e^{2x}-1}\right)-\frac{4\left(-3i\left(\sqrt{e^{4x}+1}-e^{2x}\right)^3+i\left(\sqrt{e^{4x}+1}-e^{2x}\right)^2+i\sqrt{e^{4x}+1}\right)}{\left(\left(\sqrt{e^{4x}+1}-e^{2x}\right)^2-2\sqrt{e^{4x}+1}+2e^{2x}\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="giac")

```
[Out] -1/4*sqrt(2)*(-5*I*sqrt(2)*log((sqrt(2) - sqrt(e^(4*x) + 1) + e^(2*x) + 1)/
(sqrt(2) + sqrt(e^(4*x) + 1) - e^(2*x) - 1)) - 4*(-3*I*(sqrt(e^(4*x) + 1) -
e^(2*x))^3 + I*(sqrt(e^(4*x) + 1) - e^(2*x))^2 + I*sqrt(e^(4*x) + 1) - I*e
^(2*x) + I)/((sqrt(e^(4*x) + 1) - e^(2*x))^2 - 2*sqrt(e^(4*x) + 1) + 2*e^(2
*x) - 1)^2 - 4*I*log(sqrt(e^(4*x) + 1) - e^(2*x) + 1) - 4*I*log(sqrt(e^(4*x
) + 1) - e^(2*x)) + 4*I*log(-sqrt(e^(4*x) + 1) + e^(2*x) + 1))
```

**maple [B]** time = 0.11, size = 211, normalized size = 3.15

$$-\frac{(-(\tanh(x)-1)^2-2\tanh(x))^{\frac{3}{2}}}{6} + \frac{\tanh(x)\sqrt{-(\tanh(x)-1)^2-2\tanh(x)}}{4} - \frac{5\arctan\left(\frac{\tanh(x)}{\sqrt{-(\tanh(x)-1)^2-2\tanh(x)}}\right)}{4} + \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-1-tanh(x)^2)^(3/2),x)
```

```
[Out] -1/6*(-(tanh(x)-1)^2-2*tanh(x))^(3/2)+1/4*tanh(x)*(-(tanh(x)-1)^2-2*tanh(x)
)^(1/2)-5/4*arctan(tanh(x)/(-(tanh(x)-1)^2-2*tanh(x))^(1/2))+(-(tanh(x)-1)^
2-2*tanh(x))^(1/2)-2^(1/2)*arctan(1/4*(-2-2*tanh(x))*2^(1/2)/(-(tanh(x)-1)^
2-2*tanh(x))^(1/2))+1/6*(-(1+tanh(x))^2+2*tanh(x))^(3/2)+1/4*tanh(x)*(-(1+t
anh(x))^2+2*tanh(x))^(1/2)-5/4*arctan(tanh(x)/(-(1+tanh(x))^2+2*tanh(x))^(1
/2))-(-(1+tanh(x))^2+2*tanh(x))^(1/2)+2^(1/2)*arctan(1/4*(-2+2*tanh(x))*2^(
1/2)/(-(1+tanh(x))^2+2*tanh(x))^(1/2))
```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (-\tanh(x)^2 - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1-tanh(x)^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((-tanh(x)^2 - 1)^(3/2), x)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int (-\tanh(x)^2 - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-tanh(x)^2 - 1)^(3/2),x)
```

```
[Out] int((-tanh(x)^2 - 1)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-\tanh^2(x) - 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-tanh(x)\*\*2)\*\*(3/2), x)

[Out] Integral((-tanh(x)\*\*2 - 1)\*\*(3/2), x)

$$3.229 \quad \int \frac{\tanh^5(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=70

$$-\frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)+(a-b)\*(a+b\*tanh(x)^2)^(1/2)/b^2-1/3\*(a+b\*tanh(x)^2)^(3/2)/b^2

**Rubi [A]** time = 0.14, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 88, 63, 208}

$$-\frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] + ((a - b)\*Sqrt[a + b\*Tanh[x]^2])/b^2 - (a + b\*Tanh[x]^2)^(3/2)/(3\*b^2)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208



Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^5(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a-b}{b\sqrt{a+bx}} + \frac{1}{(1-x)\sqrt{a+bx}} - \frac{\sqrt{a+bx}}{b} \right) dx, x, \tanh^2(x) \right) \\
 &= \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} + \frac{(a-b)\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{(a+b \tanh^2(x))^{3/2}}{3b^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.54, size = 68, normalized size = 0.97

$$\frac{\operatorname{sech}^2(x)((a-2b)\cosh(2x)+a-b)\sqrt{a+b\tanh^2(x)}}{3b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b\tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] + ((a - b + (a - 2\*b)\*Cosh[2\*x])\*Sech[x]^2\*Sqrt[a + b\*Tanh[x]^2])/(3\*b^2)

**fricas [B]** time = 0.67, size = 2827, normalized size = 40.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] [1/12\*(3\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 + 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 + b^2)\*sinh(x)^4 + 3\*b^2\*cosh(x)^2 + 4\*(5\*b^2\*cosh(x)^3 + 3\*b^2\*cosh(x))\*sinh(x)^3 + 3\*(5\*b^2\*cosh(x)^4 + 6\*b^2\*cosh(x)^2 + b^2)\*sinh(x)^2 + b^2 + 6\*(b^2\*cosh(x)^5 + 2\*b^2\*cosh(x)^3 + b^2\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^4 + (70\*(a^3 + a^2\*b)\*cosh(x)^4 + 6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3 + 30\*(2\*a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^5 + 10\*(2\*a^3 + a^2\*b)\*cosh(x)^3 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x)^2 + 2\*(14\*(a^3 + a^2\*b)\*cosh(x)^6 + 15\*(2\*a^3 + a^2\*b)\*cosh(x)^4 + 2\*a^3 + 3\*a^2\*b - b^3 + 3\*(6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(a^2\*cosh(x)^6 + 6\*a^2\*cosh(x)\*sinh(x)^5 + a^2\*sinh(x)^6 + 3\*a^2\*cosh(x)^4 + 3\*(5\*a^2\*cosh(x)^2 + a^2)\*sinh(x)^4 + 4\*(5\*a^2\*cosh(x)^3 + 3\*a^2\*cosh(x))\*sinh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x)^2 + (15\*a^2\*cosh(x)^4 + 18\*a^2\*cosh(x)^2 + 3\*a^2 + 2\*a\*b - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(3\*a^2\*cosh(x)^5 + 6\*a^2\*cosh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a^3 + a^2\*b)\*cosh(x)^7 + 3\*(2\*a^3 + a^2\*b)\*cosh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^3 + (2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6

$$\begin{aligned}
& * \cosh(x) * \sinh(x)^5 + \sinh(x)^6) + 3*(b^2 * \cosh(x)^6 + 6*b^2 * \cosh(x) * \sinh(x)^5 \\
& + b^2 * \sinh(x)^6 + 3*b^2 * \cosh(x)^4 + 3*(5*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 \\
& + 3*b^2 * \cosh(x)^2 + 4*(5*b^2 * \cosh(x)^3 + 3*b^2 * \cosh(x)) * \sinh(x)^3 + 3*(5*b^2 \\
& * \cosh(x)^4 + 6*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^2 + b^2 + 6*(b^2 * \cosh(x)^5 + 2 \\
& * b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(-((a + b) * \cosh(x)^4 \\
& + 4*(a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 - 2*b * \cosh(x)^2 + 2*(3*(a \\
& + b) * \cosh(x)^2 - b) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)} + 4*((a + b) * \cosh(x)^3 - b * \cosh(x)) * \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 8 * \sqrt{2} * ((a^2 - a * b - 2 * b^2) * \cosh(x)^4 + 4*(a^2 - a * b - 2 * b^2) * \cosh(x) * \sinh(x)^3 + (a^2 - a * b - 2 * b^2) * \sinh(x)^4 + 2*(a^2 - b^2) * \cosh(x)^2 + 2*(3*(a^2 - a * b - 2 * b^2) * \cosh(x)^2 + a^2 - b^2) * \sinh(x)^2 + a^2 - a * b - 2 * b^2 + 4*((a^2 - a * b - 2 * b^2) * \cosh(x)^3 + (a^2 - b^2) * \cosh(x)) * \sinh(x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((a * b^2 + b^3) * \cosh(x)^6 + 6*(a * b^2 + b^3) * \cosh(x) * \sinh(x)^5 + (a * b^2 + b^3) * \sinh(x)^6 + 3*(a * b^2 + b^3) * \cosh(x)^4 + 3*(a * b^2 + b^3 + 5*(a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^4 + 4*(5*(a * b^2 + b^3) * \cosh(x)^3 + 3*(a * b^2 + b^3) * \cosh(x)) * \sinh(x)^3 + a * b^2 + b^3 + 3*(a * b^2 + b^3) * \cosh(x)^2 + 3*(5*(a * b^2 + b^3) * \cosh(x)^4 + a * b^2 + b^3 + 6*(a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 6*((a * b^2 + b^3) * \cosh(x)^5 + 2*(a * b^2 + b^3) * \cosh(x)^3 + (a * b^2 + b^3) * \cosh(x)) * \sinh(x)), -1/6*(3*(b^2 * \cosh(x)^6 + 6*b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 + 3*b^2 * \cosh(x)^4 + 3*(5*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 + 3*b^2 * \cosh(x)^2 + 4*(5*b^2 * \cosh(x)^3 + 3*b^2 * \cosh(x)) * \sinh(x)^3 + 3*(5*b^2 * \cosh(x)^4 + 6*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^2 + b^2 + 6*(b^2 * \cosh(x)^5 + 2*b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)) * \sqrt{-a - b} * \arctan(\sqrt{2} * (a * \cosh(x)^2 + 2 * a * \cosh(x) * \sinh(x) + a * \sinh(x)^2 + a + b)) * \sqrt{-a - b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a^2 + a * b) * \cosh(x)^4 + 4*(a^2 + a * b) * \cosh(x) * \sinh(x)^3 + (a^2 + a * b) * \sinh(x)^4 + (2 * a^2 + a * b - b^2) * \cosh(x)^2 + (6 * (a^2 + a * b) * \cosh(x)^2 + 2 * a^2 + a * b - b^2) * \sinh(x)^2 + a^2 + 2 * a * b + b^2 + 2 * (2 * (a^2 + a * b) * \cosh(x)^3 + (2 * a^2 + a * b - b^2) * \cosh(x)) * \sinh(x))) + 3*(b^2 * \cosh(x)^6 + 6*b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 + 3*b^2 * \cosh(x)^4 + 3*(5*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^4 + 3*b^2 * \cosh(x)^2 + 4*(5*b^2 * \cosh(x)^3 + 3*b^2 * \cosh(x)) * \sinh(x)^3 + 3*(5 * b^2 * \cosh(x)^4 + 6*b^2 * \cosh(x)^2 + b^2) * \sinh(x)^2 + b^2 + 6*(b^2 * \cosh(x)^5 + 2*b^2 * \cosh(x)^3 + b^2 * \cosh(x)) * \sinh(x)) * \sqrt{-a - b} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 - 1) * \sqrt{-a - b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}) / ((a + b) * \cosh(x)^4 + 4*(a + b) * \cosh(x) * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2*(a - b) * \cosh(x)^2 + 2*(3*(a + b) * \cosh(x)^2 + a - b) * \sinh(x)^2 + 4*((a + b) * \cosh(x)^3 + (a - b) * \cosh(x)) * \sinh(x) + a + b)) - 4 * \sqrt{2} * ((a^2 - a * b - 2 * b^2) * \cosh(x)^4 + 4*(a^2 - a * b - 2 * b^2) * \cosh(x) * \sinh(x)^3 + (a^2 - a * b - 2 * b^2) * \sinh(x)^4 + 2*(a^2 - b^2) * \cosh(x)^2 + 2*(3*(a^2 - a * b - 2 * b^2) * \cosh(x)^2 + a^2 - b^2) * \sinh(x)^2 + a^2 - a * b - 2 * b^2 + 4*((a^2 - a * b - 2 * b^2) * \cosh(x)^3 + (a^2 - b^2) * \cosh(x)) * \sinh(x)) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)}
\end{aligned}$$

$$\frac{\tanh(x)^2 + a - b}{(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} \left/ \left( (a^2b + b^3)\cosh(x)^6 + 6(a^2b + b^3)\cosh(x)\sinh(x)^5 + (a^2b + b^3)\sinh(x)^6 + 3(a^2b + b^3)\cosh(x)^4 + 3(a^2b + b^3 + 5(a^2b + b^3)\cosh(x)^2)\sinh(x)^4 + 4(5(a^2b + b^3)\cosh(x)^3 + 3(a^2b + b^3)\cosh(x))\sinh(x)^3 + a^2b + b^3 + 3(a^2b + b^3)\cosh(x)^2 + 3(5(a^2b + b^3)\cosh(x)^4 + a^2b + b^3 + 6(a^2b + b^3)\cosh(x)^2)\sinh(x)^2 + 6((a^2b + b^3)\cosh(x)^5 + 2(a^2b + b^3)\cosh(x)^3 + (a^2b + b^3)\cosh(x))\sinh(x) \right) \right.$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_  
ostep+1)]Evaluation time: 0.99Error: Bad Argument Type

**maple** [B] time = 0.11, size = 164, normalized size = 2.34

$$-\frac{(\tanh^2(x))\sqrt{a+b(\tanh^2(x))}}{3b} + \frac{2a\sqrt{a+b(\tanh^2(x))}}{3b^2} - \frac{\sqrt{a+b(\tanh^2(x))}}{b} + \frac{\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b}\sqrt{(\tanh(x)-1)}}{\tanh(x)-1}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5/(a+b\*tanh(x)^2)^(1/2),x)

[Out]  $-\frac{1}{3}\frac{\tanh(x)^2}{b}\frac{1}{(a+b\tanh(x)^2)^{1/2}} + \frac{2}{3}\frac{a}{b^2}\frac{1}{(a+b\tanh(x)^2)^{1/2}} - \frac{1}{b}\frac{1}{(a+b\tanh(x)^2)^{1/2}} + \frac{1}{2}\frac{1}{(a+b)^{1/2}}\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b}\sqrt{(\tanh(x)-1)}}{\tanh(x)-1}\right) + \frac{1}{2}\frac{1}{(a+b)^{1/2}}\ln\left(\frac{2a+2b-2(1+\tanh(x))b+2\sqrt{a+b}\sqrt{(1+\tanh(x))}}{1+\tanh(x)}\right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^5}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^5/sqrt(b\*tanh(x)^2 + a), x)

**mupad** [B] time = 2.17, size = 65, normalized size = 0.93

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{(b \tanh(x)^2 + a)^{3/2}}{3b^2} - \left(\frac{a+b}{b^2} - \frac{2a}{b^2}\right) \sqrt{b \tanh(x)^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5/(a + b\*tanh(x)^2)^(1/2), x)

[Out] atanh((a + b\*tanh(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2) - (a + b\*tanh(x)^2)^(3/2)/(3\*b^2) - ((a + b)/b^2 - (2\*a)/b^2)\*(a + b\*tanh(x)^2)^(1/2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^5(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*5/(a+b\*tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(tanh(x)\*\*5/sqrt(a + b\*tanh(x)\*\*2), x)

$$3.230 \quad \int \frac{\tanh^4(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=88

$$\frac{(a-2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2b^{3/2}} - \frac{\tanh(x) \sqrt{a+b \tanh^2(x)}}{2b} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}}$$

[Out]  $1/2*(a-2*b)*\operatorname{arctanh}(b^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/b^{(3/2)}+\operatorname{arctanh}((a+b)^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/(a+b)^{(1/2)}-1/2*(a+b*\tanh(x)^2)^{(1/2)}*\tanh(x)/b$

**Rubi [A]** time = 0.12, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 479, 523, 217, 206, 377}

$$\frac{(a-2b) \tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{2b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh(x) \sqrt{a+b \tanh^2(x)}}{2b}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4/Sqrt[a + b\*Tanh[x]^2], x]

[Out]  $((a-2*b)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[x])/\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2]])/(2*b^{(3/2)}) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[a+b]*\operatorname{Tanh}[x])/\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2]]/\operatorname{Sqrt}[a+b] - (\operatorname{Tanh}[x]*\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2])/(2*b)$

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b,

, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 479

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*d\*(m + n\*(p + q) + 1)), x] - Dist[e^(2\*n)/(b\*d\*(m + n\*(p + q) + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m + n\*(q - 1) + 1) + b\*c\*(m + n\*(p - 1) + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 523

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/(((a\_) + (b\_.)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_.)\*(x\_)^(n\_)]), x\_Symbol] := Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)\sqrt{a + b \tanh^2(x)}}{2b} + \frac{\text{Subst} \left( \int \frac{a+(-a+2b)x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{2b} \\
&= -\frac{\tanh(x)\sqrt{a + b \tanh^2(x)}}{2b} + \frac{(a-2b) \text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{2b} + \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)\sqrt{a + b \tanh^2(x)}}{2b} + \frac{(a-2b) \text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{2b} + \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \tanh(x) \right) \\
&= \frac{(a-2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{2b^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a+b}} - \frac{\tanh(x)\sqrt{a + b \tanh^2(x)}}{2b}
\end{aligned}$$

**Mathematica [C]** time = 4.90, size = 208, normalized size = 2.36

$$\frac{\tanh(x) \left( -((a+b)\text{sech}^2(x)((a+b)\cosh(2x)+a-b)) + \sqrt{2} a(a+b) \sqrt{\frac{\text{csch}^2(x)((a+b)\cosh(2x)+a-b)}{b}} F \left( \sin^{-1} \left( \sqrt{\frac{a-b+(a+b)\cosh(2x)}{a+b}} \right) \right) \right)}{2\sqrt{2} b(a+b) \sqrt{\text{sech}^2(x)((a+b)\cosh(2x)+a-b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((Sqrt[2]\*a\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - 2\*Sqrt[2]\*a\*b\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] - (a + b)\*(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2\*Tanh[x])/(2\*Sqrt[2]\*b\*(a + b)\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**fricas [B]** time = 0.77, size = 5494, normalized size = 62.43

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & \frac{1}{4} \cdot \left( (b^2 \cosh(x)^4 + 4b^2 \cosh(x) \sinh(x)^3 + b^2 \sinh(x)^4 + 2b^2 \cosh(x)^2 + 2(3b^2 \cosh(x)^2 + b^2) \sinh(x)^2 + b^2 + 4(b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \log\left(-((a b^2 + b^3) \cosh(x)^8 + 8(a b^2 + b^3) \cosh(x) \sinh(x)^7 + (a b^2 + b^3) \sinh(x)^8 - 2(a b^2 + 2b^3) \cosh(x)^6 - 2(a b^2 + 2b^3 - 14(a b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4(14(a b^2 + b^3) \cosh(x)^3 - 3(a b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^4 + (70(a b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a^2 b^2 + 6b^3 - 30(a b^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(a b^2 + b^3) \cosh(x)^5 - 10(a b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a^2 b^2 + b^3 + 2(a^3 - 3a^2 b - 2b^3) \cosh(x)^2 + 2(14(a b^2 + b^3) \cosh(x)^6 - 15(a b^2 + 2b^3) \cosh(x)^4 + a^3 - 3a^2 b - 2b^3 + 3(a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2a b - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2a b + 3b^2) \sinh(x)^2 - a^2 - 2a b - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2a b - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{\left(\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right)} + 4(2(a b^2 + b^3) \cosh(x)^7 - 3(a b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2 b + 4a^2 b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a^2 b - 2b^3) \cosh(x)) \sinh(x) \right) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) - ((a^2 - a b - 2b^2) \cosh(x)^4 + 4(a^2 - a b - 2b^2) \cosh(x) \sinh(x)^3 + (a^2 - a b - 2b^2) \sinh(x)^4 + 2(a^2 - a b - 2b^2) \cosh(x)^2 + 2(3(a^2 - a b - 2b^2) \cosh(x)^2 + a^2 - a b - 2b^2) \sinh(x)^2 + a^2 - a b - 2b^2 + 4((a^2 - a b - 2b^2) \cosh(x)^3 + (a^2 - a b - 2b^2) \cosh(x)) \sinh(x)) \sqrt{b} \log\left(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a-2b) \sinh(x)^2 - 2\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1)) \sqrt{b} \sqrt{\left(\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right)} + 4\left(\frac{(a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a+2b}{\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1}\right) + (b^2 \cosh(x)^4 + 4b^2 \cosh(x) \sinh(x)^3 + b^2 \sinh(x)^4 + 2b^2 \cosh(x)^2 + 2(3b^2 \cosh(x)^2 + b^2) \sinh(x)^2 + b^2 + 4(b^2 \cosh(x)^3 + b^2 \cosh(x)) \sinh(x)) \sqrt{a+b} \log\left(\frac{(a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1)) \sqrt{a+b} \sqrt{\left(\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right)} + 4\left(\frac{(a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a+b}{\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2}\right) \right) \right) \end{aligned}$$

$$\begin{aligned}
& \sinh(x)^2) - 2\sqrt{2}*((a*b + b^2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 - a*b - b^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 + b^3)*\cosh(x)^2 + 2*(a*b^2 + b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 + b^3)*\cosh(x))*\sinh(x)), -1/4*(2*((a^2 - a*b - 2*b^2)*\cosh(x)^4 + 4*(a^2 - a*b - 2*b^2)*\cosh(x)*\sinh(x)^3 + (a^2 - a*b - 2*b^2)*\sinh(x)^4 + 2*(a^2 - a*b - 2*b^2)*\cosh(x)^2 + 2*(3*(a^2 - a*b - 2*b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 - a*b - 2*b^2 + 4*((a^2 - a*b - 2*b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - (b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3)*\cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) - (b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 2*\sqrt{2}*((a*b + b^2)*\cosh(x)^2 + 2*(a*b \\
& + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2)*\sinh(x)^2 - a*b - b^2)*\sqrt{((a + b)* \\
& \cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sin \\
& h(x)^2)))/((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a \\
& *b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 + b^3)*\cosh(x)^2 + 2*(a*b^2 \\
& + b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + \\
& (a*b^2 + b^3)*\cosh(x))*\sinh(x)), -1/4*(2*(b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\si \\
& nh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh( \\
& x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(s \\
& \sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - \\
& b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh \\
& (x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\si \\
& nh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + \\
& b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*( \\
& a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + 2*(b^2*\cosh \\
& (x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x)^2 + 2*(3*b^ \\
& 2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cosh(x))*\sinh(x \\
& ))*\sqrt{-a - b}*\arctan(\sqrt{2}*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + \\
& b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b) \\
& *\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) + ((a^ \\
& 2 - a*b - 2*b^2)*\cosh(x)^4 + 4*(a^2 - a*b - 2*b^2)*\cosh(x)*\sinh(x)^3 + (a^2 \\
& - a*b - 2*b^2)*\sinh(x)^4 + 2*(a^2 - a*b - 2*b^2)*\cosh(x)^2 + 2*(3*(a^2 - a \\
& *b - 2*b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 - a*b - 2*b^2 + \\
& 4*((a^2 - a*b - 2*b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))*\sq \\
& rt(b)*\log(-((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 + (a + 2*b) \\
& *\sinh(x)^4 + 2*(a - 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 + a - 2*b)*\si \\
& nh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{b} \\
& *\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x) \\
& )*\sinh(x) + \sinh(x)^2)) + 4*((a + 2*b)*\cosh(x)^3 + (a - 2*b)*\cosh(x))*\sinh( \\
& x) + a + 2*b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 \\
& + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)) + 2*\s \\
& \sqrt{2}*((a*b + b^2)*\cosh(x)^2 + 2*(a*b + b^2)*\cosh(x)*\sinh(x) + (a*b + b^2) \\
& *\sinh(x)^2 - a*b - b^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b \\
& )/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b^2 + b^3)*\cosh(x)^4 + \\
& 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + \\
& 2*(a*b^2 + b^3)*\cosh(x)^2 + 2*(a*b^2 + b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\si \\
& nh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 + b^3)*\cosh(x))*\sinh(x)), -1/ \\
& 2*((b^2*\cosh(x)^4 + 4*b^2*\cosh(x)*\sinh(x)^3 + b^2*\sinh(x)^4 + 2*b^2*\cosh(x) \\
& ^2 + 2*(3*b^2*\cosh(x)^2 + b^2)*\sinh(x)^2 + b^2 + 4*(b^2*\cosh(x)^3 + b^2*\cos \\
& h(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh( \\
& x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\si \\
& nh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)* \\
& \cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 \\
& - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\si \\
& nh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b
\end{aligned}$$

```

^2)*cosh(x))*sinh(x))) + ((a^2 - a*b - 2*b^2)*cosh(x)^4 + 4*(a^2 - a*b - 2*
b^2)*cosh(x)*sinh(x)^3 + (a^2 - a*b - 2*b^2)*sinh(x)^4 + 2*(a^2 - a*b - 2*b
^2)*cosh(x)^2 + 2*(3*(a^2 - a*b - 2*b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sin
h(x)^2 + a^2 - a*b - 2*b^2 + 4*((a^2 - a*b - 2*b^2)*cosh(x)^3 + (a^2 - a*b
- 2*b^2)*cosh(x))*sinh(x))*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*s
inh(x) + sinh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^
2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4
+ 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2
*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*c
osh(x))*sinh(x) + a + b)) + (b^2*cosh(x)^4 + 4*b^2*cosh(x)*sinh(x)^3 + b^2*
sinh(x)^4 + 2*b^2*cosh(x)^2 + 2*(3*b^2*cosh(x)^2 + b^2)*sinh(x)^2 + b^2 + 4
*(b^2*cosh(x)^3 + b^2*cosh(x))*sinh(x))*sqrt(-a - b)*arctan(sqrt(2)*sqrt(-a
- b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*c
osh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x)
+ (a + b)*sinh(x)^2 + a + b)) + sqrt(2)*((a*b + b^2)*cosh(x)^2 + 2*(a*b +
b^2)*cosh(x)*sinh(x) + (a*b + b^2)*sinh(x)^2 - a*b - b^2)*sqrt(((a + b)*cos
h(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
^2)))/((a*b^2 + b^3)*cosh(x)^4 + 4*(a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (a*b^
2 + b^3)*sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 + b^3)*cosh(x)^2 + 2*(a*b^2 + b
^3 + 3*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a*b^2 + b^3)*cosh(x)^3 + (a
*b^2 + b^3)*cosh(x))*sinh(x))]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Evaluation time: 0.6Error: Bad Argument Type

**maple** [B] time = 0.13, size = 178, normalized size = 2.02

$$-\frac{\sqrt{a+b(\tanh^2(x))} \tanh(x)}{2b} + \frac{a \ln\left(\sqrt{b} \tanh(x) + \sqrt{a+b(\tanh^2(x))}\right)}{2b^{\frac{3}{2}}} - \frac{\ln\left(\sqrt{b} \tanh(x) + \sqrt{a+b(\tanh^2(x))}\right)}{\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^4/(a+b\*tanh(x)^2)^(1/2),x)

[Out]  $-1/2*(a+b*\tanh(x)^2)^{(1/2)}*\tanh(x)/b+1/2*a/b^{(3/2)}*\ln(b^{(1/2)}*\tanh(x)+(a+b*\tanh(x)^2)^{(1/2)})-\ln(b^{(1/2)}*\tanh(x)+(a+b*\tanh(x)^2)^{(1/2)})/b^{(1/2)}+1/2/(a+b)^{(1/2)}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{(1/2)}*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{(1/2)})/(\tanh(x)-1))-1/2/(a+b)^{(1/2)}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{(1/2)}*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{(1/2)})/(1+\tanh(x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^4}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^4/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^4/sqrt(b*tanh(x)^2 + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^4}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^4/(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(tanh(x)^4/(a + b*tanh(x)^2)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^4(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**4/(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(tanh(x)**4/sqrt(a + b*tanh(x)**2), x)`

$$3.231 \quad \int \frac{\tanh^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=47

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \tanh^2(x)}}{b}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)-(a+b\*tanh(x)^2)^(1/2)/b

**Rubi [A]** time = 0.11, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 80, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \tanh^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b\*Tanh[x]^2]/b

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

Rubi steps

$$\begin{aligned}
 \int \frac{\tanh^3(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^3}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= -\frac{\sqrt{a + b \tanh^2(x)}}{b} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= -\frac{\sqrt{a + b \tanh^2(x)}}{b} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{\sqrt{a + b \tanh^2(x)}}{b}
 \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 47, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{a+b \tanh^2(x)}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/Sqrt[a + b\*Tanh[x]^2],x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b] - Sqrt[a + b\*Tanh[x]^2]/b

**fricas [B]** time = 0.51, size = 1625, normalized size = 34.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] [1/4\*((b\*cosh(x)^2 + 2\*b\*cosh(x)\*sinh(x) + b\*sinh(x)^2 + b)\*sqrt(a + b)\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^4 + (70\*(a^3 + a^2\*b)\*cosh(x)^4 + 6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3 + 30\*(2\*a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^5 + 10\*(2\*a^3 + a^2\*b)\*cosh(x)^3 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x)^2 + 2\*(14\*(a^3 + a^2\*b)\*cosh(x)^6 + 15\*(2\*a^3 + a^2\*b)\*cosh(x)^4 + 2\*a^3 + 3\*a^2\*b - b^3 + 3\*(6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(a^2\*cosh(x)^6 + 6\*a^2\*cosh(x)\*sinh(x)^5 + a^2\*sinh(x)^6 + 3\*a^2\*cosh(x)^4 + 3\*(5\*a^2\*cosh(x)^2 + a^2)\*sinh(x)^4 + 4\*(5\*a^2\*cosh(x)^3 + 3\*a^2\*cosh(x))\*sinh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x)^2 + (15\*a^2\*cosh(x)^4 + 18\*a^2\*cosh(x)^2 + 3\*a^2 + 2\*a\*b - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(3\*a^2\*cosh(x)^5 + 6\*a^2\*cosh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a^3 + a^2\*b)\*cosh(x)^7 + 3\*(2\*a^3 + a^2\*b)\*cosh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^3 + (2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6) + (b\*cosh(x)^2 + 2\*b\*cosh(x)\*sinh(x) + b\*sinh(x)^2 + b)\*sqrt(a + b)\*log(-((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 - 2\*b\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 - b)\*sinh(x)^2 + sqrt(2)\*(cosh(x)^2



```

+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) +
4*((a + b)*cosh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*s
inh(x) + sinh(x)^2)) - 4*sqrt(2)*(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*
sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^
2)*cosh(x)^2 + 2*(a*b + b^2)*cosh(x)*sinh(x) + (a*b + b^2)*sinh(x)^2 + a*b
+ b^2), -1/2*((b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + b)*sqrt(-a
- b)*arctan(sqrt(2)*(a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 + a +
b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^4 + 4*(a^2 + a
*b)*cosh(x)*sinh(x)^3 + (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)
^2 + (6*(a^2 + a*b)*cosh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b
+ b^2 + 2*(2*(a^2 + a*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x)))
+ (b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 + b)*sqrt(-a - b)*arcta
n(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)*sqrt
(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sin
h(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a +
b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)
)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)) + 2*sqrt(2)
*(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 -
2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^2 + 2*(a*b + b^2)*cos
h(x)*sinh(x) + (a*b + b^2)*sinh(x)^2 + a*b + b^2)]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Error: Bad Argument Type

**maple** [B] time = 0.10, size = 129, normalized size = 2.74

$$\frac{\sqrt{a+b}(\tanh^2(x))}{b} + \frac{\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b}\sqrt{(\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b}}{\tanh(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2(1+\tanh(x))b+2\sqrt{a+b}}{1+\tanh(x)}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^3/(a+b\*tanh(x)^2)^(1/2),x)

[Out]  $-(a+b*\tanh(x)^2)^{1/2}/b+1/2/(a+b)^{1/2}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{1/2})*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^{1/2})/(\tanh(x)-1)+1/2/(a+b)^{1/2}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{1/2})*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^{1/2})/(1+\tanh(x))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^3}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^3/sqrt(b*tanh(x)^2 + a), x)`

**mupad** [B] time = 1.69, size = 39, normalized size = 0.83

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\sqrt{b \tanh(x)^2 + a}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3/(a + b*tanh(x)^2)^(1/2),x)`

[Out]  $\operatorname{atanh}((a + b*\tanh(x)^2)^{1/2}/(a + b)^{1/2})/(a + b)^{1/2} - (a + b*\tanh(x)^2)^{1/2}/b$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^3(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**3/(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(tanh(x)**3/sqrt(a + b*tanh(x)**2), x)`

$$3.232 \quad \int \frac{\tanh^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

Optimal. Leaf size=60

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{b}}$$

[Out]  $-\operatorname{arctanh}(b^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/b^{(1/2)}+\operatorname{arctanh}((a+b)^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 483, 217, 206, 377}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]^2/Sqrt[a + b*Tanh[x]^2], x]`

[Out]  $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[x])/(\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2])]/\operatorname{Sqrt}[b]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b]*\operatorname{Tanh}[x])/(\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2])]/\operatorname{Sqrt}[a + b]$

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rule 217

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

#### Rule 377

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]`

Rule 483

```
Int[(((e_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.)^(n_.))^(q_.))/((a_.) + (b_.)*(x_.)^(n_.)), x_Symbol] := Dist[e^n/b, Int[(e*x)^(m-n)*(c+d*x^n)^q, x], x] - Dist[(a*e^n)/b, Int[((e*x)^(m-n)*(c+d*x^n)^q)/(a+b*x^n), x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m, 2*n - 1] && IntBinomialQ[a, b, c, d, e, m, n, -1, q, x]
```

Rule 3670

```
Int[(((d_.)*tan[(e_.) + (f_.)*(x_.)])^(m_.)*((a_.) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_.)]))^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{\tanh^2(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\ &= -\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right) + \text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\ &= -\text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) + \text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right) \\ &= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{b}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a+b}} \end{aligned}$$

**Mathematica** [C] time = 0.51, size = 101, normalized size = 1.68

$$\frac{a \coth(x) \sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)} \Pi \left( \frac{b}{a+b}; \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x)) \text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \right)}{b(a+b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]^2/Sqrt[a + b*Tanh[x]^2], x]
```

```
[Out] -((a*Coth[x]*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)*Cosh[2*x])
*Csch[x]^2)/b]/Sqrt[2]], 1]*Sqrt[(a - b + (a + b)*Cosh[2*x])*Sech[x]^2])/(b
*(a + b)*Sqrt[((a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]))
```

```
fricas [B] time = 0.67, size = 3361, normalized size = 56.02
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(1/2), x, algorithm="fricas")
```

```
[Out] [1/4*(sqrt(a + b)*b*log(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)
*sinh(x)^7 + (a*b^2 + b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b
^2 + 2*b^3 - 14*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*co
sh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6
*b^3)*cosh(x)^4 + (70*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b
^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^
5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))
*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh
(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3
- 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2
+ sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*
cosh(x)^4 + 3*(5*b^2*cosh(x)^2 - b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^
2*cosh(x))*sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4
- 18*b^2*cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2
*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x
))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)
)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a
*b^2 + 2*b^3)*cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3
- 3*a*b^2 - 2*b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*
cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*c
osh(x)*sinh(x)^5 + sinh(x)^6)) + 2*(a + b)*sqrt(b)*log(-((a + 2*b)*cosh(x)^
4 + 4*(a + 2*b)*cosh(x)*sinh(x)^3 + (a + 2*b)*sinh(x)^4 + 2*(a - 2*b)*cosh(
x)^2 + 2*(3*(a + 2*b)*cosh(x)^2 + a - 2*b)*sinh(x)^2 - 2*sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(b)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((
a + 2*b)*cosh(x)^3 + (a - 2*b)*cosh(x))*sinh(x) + a + 2*b)/(cosh(x)^4 + 4*c
osh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*cosh(x)^2
+ 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1)) + sqrt(a + b)*b*log(((a + b)*cosh(x)
)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(
3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
```

$$\begin{aligned}
& + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) \\
& ) / (a*b + b^2), 1/4 * (4 * (a + b) \sqrt{-b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4 * (a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2 * (a-b) \cosh(x)^2 + 2 * (3 * (a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4 * ((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) + \sqrt{a+b} * b * \log(-((a*b^2 + b^3) \cosh(x)^8 + 8 * (a*b^2 + b^3) \cosh(x) \sinh(x)^7 + (a*b^2 + b^3) \sinh(x)^8 - 2 * (a*b^2 + 2 * b^3) \cosh(x)^6 - 2 * (a*b^2 + 2 * b^3 - 14 * (a*b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4 * (14 * (a*b^2 + b^3) \cosh(x)^3 - 3 * (a*b^2 + 2 * b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) \cosh(x)^4 + (70 * (a*b^2 + b^3) \cosh(x)^4 + a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3 - 30 * (a*b^2 + 2 * b^3) \cosh(x)^2) \sinh(x)^4 + 4 * (14 * (a*b^2 + b^3) \cosh(x)^5 - 10 * (a*b^2 + 2 * b^3) \cosh(x)^3 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (a^3 - 3 * a * b^2 - 2 * b^3) \cosh(x)^2 + 2 * (14 * (a*b^2 + b^3) \cosh(x)^6 - 15 * (a*b^2 + 2 * b^3) \cosh(x)^4 + a^3 - 3 * a * b^2 - 2 * b^3 + 3 * (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} * (b^2 \cosh(x)^6 + 6 * b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3 * b^2 \cosh(x)^4 + 3 * (5 * b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4 * (5 * b^2 \cosh(x)^3 - 3 * b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) \cosh(x)^2 + (15 * b^2 \cosh(x)^4 - 18 * b^2 \cosh(x)^2 - a^2 + 2 * a * b + 3 * b^2) \sinh(x)^2 - a^2 - 2 * a * b - b^2 + 2 * (3 * b^2 \cosh(x)^5 - 6 * b^2 \cosh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * (2 * (a*b^2 + b^3) \cosh(x)^7 - 3 * (a*b^2 + 2 * b^3) \cosh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) \cosh(x)^3 + (a^3 - 3 * a * b^2 - 2 * b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 \sinh(x) + 15 * \cosh(x)^4 \sinh(x)^2 + 20 * \cosh(x)^3 \sinh(x)^3 + 15 * \cosh(x)^2 \sinh(x)^4 + 6 * \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + \sqrt{a+b} * b * \log(((a+b) \cosh(x)^4 + 4 * (a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2 * a \cosh(x)^2 + 2 * (3 * (a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * ((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) \sinh(x) + \sinh(x)^2))) / (a*b + b^2), -1/2 * (\sqrt{-a-b} * b * \arctan(\sqrt{2} * (b \cosh(x)^2 + 2 * b \cosh(x) \sinh(x) + b \sinh(x)^2 - a - b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^2 + 2 * (a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a + b)) - (a+b) \sqrt{b} \log(-((a+2*b) \cosh(x)^4 + 4 * (a+2*b) \cosh(x) \sinh(x)^3 + (a+2*b) \sinh(x)^4 + 2 * (a-2
\end{aligned}$$

```

*b)*cosh(x)^2 + 2*(3*(a + 2*b)*cosh(x)^2 + a - 2*b)*sinh(x)^2 - 2*sqrt(2)*(
cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(b)*sqrt(((a + b)*cosh(x)
)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2
)) + 4*((a + 2*b)*cosh(x)^3 + (a - 2*b)*cosh(x))*sinh(x) + a + 2*b)/(cosh(x)
)^4 + 4*cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 + 1)*sinh(x)^2 + 2*c
osh(x)^2 + 4*(cosh(x)^3 + cosh(x))*sinh(x) + 1))/(a*b + b^2), -1/2*(sqrt(-
a - b)*b*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 -
a - b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(c
osh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b
+ b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh
(x)^2 + (6*(a*b + b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a
*b + b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x
))) - 2*(a + b)*sqrt(-b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + si
nh(x)^2 - 1)*sqrt(-b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/
(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4*(a + b)
*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)
*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sin
h(x) + a + b)) + sqrt(-a - b)*b*arctan(sqrt(2)*sqrt(-a - b)*sqrt(((a + b)*c
osh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh
(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2
+ a + b)))/(a*b + b^2)]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Error: Bad Argument Type

**maple** [B] time = 0.10, size = 137, normalized size = 2.28

$$\frac{\ln\left(\sqrt{b} \tanh(x) + \sqrt{a + b \left(\tanh^2(x)\right)}\right)}{\sqrt{b}} + \frac{\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b} \sqrt{(\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b}}{\tanh(x)-1}\right)}{2\sqrt{a+b}} - \ln\left(\frac{2a+2b}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b\*tanh(x)^2)^(1/2),x)

[Out]  $-\ln(b^{1/2} \tanh(x) + (a + b \tanh(x)^2)^{1/2}) / b^{1/2} + 1/2 / (a + b)^{1/2} * \ln((2*a + 2*b + 2*(\tanh(x) - 1)*b + 2*(a + b)^{1/2} * ((\tanh(x) - 1)^2 * b + 2*(\tanh(x) - 1)*b + a + b)^{1/2}) / (\tanh(x) - 1)) - 1/2 / (a + b)^{1/2} * \ln((2*a + 2*b - 2*(1 + \tanh(x))*b + 2*(a + b)^{1/2} * ((1 + \tanh(x))^2 * b - 2*(1 + \tanh(x))*b + a + b)^{1/2}) / (1 + \tanh(x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^2/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^2/sqrt(b*tanh(x)^2 + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\tanh(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^2/(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(tanh(x)^2/(a + b*tanh(x)^2)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**2/(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(tanh(x)**2/sqrt(a + b*tanh(x)**2), x)`



$$3.233 \quad \int \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=29

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3670, 444, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_.)]^(m_.))*((a_.) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_.)]^(n_.))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
&= \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 29, normalized size = 1.00

$$\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

**fricas [B]** time = 0.50, size = 1361, normalized size = 46.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4} \sqrt{a+b} \log\left(\frac{(a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 b) \sinh(x)^8 + 2(2a^3 + a^2 b) \cosh(x)^6 + 2(2a^3 + a^2 b + 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 + 3(2a^3 + a^2 b) \cosh(x) \sinh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - a b^2 + b^3 + 30(2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 + 10(2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2 b) \cosh(x)^6 + 15(2a^3 + a^2 b) \cosh(x)^4 + 2a^3 + 3a^2 b - b^3 + 3(6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x) / ((\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + \sqrt{a+b} \log(-((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / ((\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2))) / (a+b), -1/2 * (\sqrt{-a-b} \arctan(\sqrt{2} (a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^2 + a b) \cosh(x)^4 + 4(a^2 + a b) \cosh(x) \sinh(x)^3 + (a^2 + a b) \sinh(x)^4 + (2a^2 + a b - b^2) \cosh(x)^2 + (6(a^2 + a b) \cosh(x)^2 + 2a^2 + a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(2(a^2 + a b) \cosh(x)^3 + (2a^2 + a b - b^2) \cosh(x)) \sinh(x))) + \sqrt{-a-b} \arctan(\sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b))) / (a+b)]$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Error: Bad Argument Type

**maple [B]** time = 0.10, size = 114, normalized size = 3.93

$$\frac{\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b}\sqrt{(\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b}}{\tanh(x)-1}\right)}{2\sqrt{a+b}} + \frac{\ln\left(\frac{2a+2b-2(1+\tanh(x))b+2\sqrt{a+b}\sqrt{(1+\tanh(x))^2b-2(1+\tanh(x))b}}{1+\tanh(x)}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^2)^(1/2),x)

[Out] 1/2/(a+b)^(1/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+  
2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))+1/2/(a+b)^(1/2)\*ln((2\*a+2\*b-2\*(1+t  
anh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tan  
h(x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(tanh(x)/sqrt(b\*tanh(x)^2 + a), x)

**mupad [B]** time = 1.62, size = 23, normalized size = 0.79

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a}}{\sqrt{a+b}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^2)^(1/2),x)

[Out] atanh((a + b\*tanh(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(1/2)

sympy [A] time = 1.30, size = 31, normalized size = 1.07

$$-\frac{\operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] -atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/sqrt(-a - b)

$$3.234 \quad \int \frac{1}{\sqrt{a+b \tanh^2(x)}} dx$$

Optimal. Leaf size=31

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(1/2)

**Rubi [A]** time = 0.03, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {3661, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegerQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a + b}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 31, normalized size = 1.00

$$\frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b]

**fricas [B]** time = 0.48, size = 1287, normalized size = 41.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] [1/4\*(sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 -

$$\begin{aligned}
& 3ab^2 - 2b^3 + 3(a^3 - a^2b + 4ab^2 + 6b^3)\cosh(x)^2\sinh(x)^2 + \\
& \sqrt{2}(b^2\cosh(x)^6 + 6b^2\cosh(x)\sinh(x)^5 + b^2\sinh(x)^6 - 3b^2\cosh(x)^4 \\
& + 3(5b^2\cosh(x)^2 - b^2)\sinh(x)^4 + 4(5b^2\cosh(x)^3 - 3b^2\cosh(x))\sinh(x)^3 - \\
& (a^2 - 2ab - 3b^2)\cosh(x)^2 + (15b^2\cosh(x)^4 - 18b^2\cosh(x)^2 - a^2 + 2ab + 3b^2)\sinh(x)^2 - \\
& a^2 - 2ab - b^2 + 2(3b^2\cosh(x)^5 - 6b^2\cosh(x)^3 - (a^2 - 2ab - 3b^2)\cosh(x))\sinh(x)) \\
& \sqrt{a+b}\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} \\
& + 4(2(ab^2 + b^3)\cosh(x)^7 - 3(ab^2 + 2b^3)\cosh(x)^5 + (a^3 - a^2b + 4ab^2 + 6b^3)\cosh(x)^3 + \\
& (a^3 - 3ab^2 - 2b^3)\cosh(x))\sinh(x))/(\cosh(x)^6 + 6\cosh(x)^5\sinh(x) + 15\cosh(x)^4\sinh(x)^2 + \\
& 20\cosh(x)^3\sinh(x)^3 + 15\cosh(x)^2\sinh(x)^4 + 6\cosh(x)\sinh(x)^5 + \sinh(x)^6) \\
& + \sqrt{a+b}\log(((a+b)\cosh(x)^4 + 4(a+b)\cosh(x)\sinh(x)^3 + (a+b)\sinh(x)^4 + 2a\cosh(x)^2 + \\
& 2(3(a+b)\cosh(x)^2 + a)\sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2 + 1)) \\
& \sqrt{a+b}\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} \\
& + 4((a+b)\cosh(x)^3 + a\cosh(x))\sinh(x) + a + b)/(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2)))/(a+b), \\
& -1/2(\sqrt{-a-b}\arctan(\sqrt{2}(b\cosh(x)^2 + 2b\cosh(x)\sinh(x) + b\sinh(x)^2 - a - b)) \\
& \sqrt{-a-b}\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} \\
& )/((a+b)\cosh(x)^4 + 4(a+b)\cosh(x)\sinh(x)^3 + (a+b)\sinh(x)^4 + (a^2 - ab - 2b^2)\cosh(x)^2 + \\
& (6(ab + b^2)\cosh(x)^2 + a^2 - ab - 2b^2)\sinh(x)^2 + a^2 + 2ab + b^2 + 2(2(ab + b^2)\cosh(x)^3 + \\
& (a^2 - ab - 2b^2)\cosh(x))\sinh(x)) + \sqrt{-a-b}\arctan(\sqrt{2}\sqrt{-a-b}\sqrt{((a+b)\cosh(x)^2 + (a+b)\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)} \\
& )/((a+b)\cosh(x)^2 + 2(a+b)\cosh(x)\sinh(x) + (a+b)\sinh(x)^2 + a + b)))/(a+b)]
\end{aligned}$$

**giac [B]** time = 0.32, size = 188, normalized size = 6.06

$$\frac{\log\left(\left|-\left(\sqrt{a+b}e^{2x} - \sqrt{ae^{4x} + be^{4x} + 2ae^{2x} - 2be^{2x} + a + b}\right)(a+b) - \sqrt{a+b}(a-b)\right|\right)}{2\sqrt{a+b}} \log\left(\left|-\sqrt{a+b}e^{2x}\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/2\*log(abs(-(sqrt(a+b)\*e^(2\*x) - sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b))\*(a+b) - sqrt(a+b)\*(a-b)))/sqrt(a+b) - 1/2\*log(abs(-sqrt(a+b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) + sqrt(a+b)))/sqrt(a+b) + 1/2\*log(abs(-sqrt(a+b)\*e^(2\*x) + sqrt(a\*e^(4\*x) + b\*e^(4\*x) + 2\*a\*e^(2\*x) - 2\*b\*e^(2\*x) + a + b) - sqrt(a+b)))/sqrt(a+b)



**maple** [B] time = 0.11, size = 114, normalized size = 3.68

$$\frac{\ln\left(\frac{2a+2b+2(\tanh(x)-1)b+2\sqrt{a+b}\sqrt{(\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b}}{\tanh(x)-1}\right)}{2\sqrt{a+b}} - \frac{\ln\left(\frac{2a+2b-2(1+\tanh(x))b+2\sqrt{a+b}\sqrt{(1+\tanh(x))^2b-2(1+\tanh(x))}}{1+\tanh(x)}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(x)^2)^(1/2), x)

[Out] 1/2/(a+b)^(1/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))-1/2/(a+b)^(1/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(1/2), x, algorithm="maxima")

[Out] integrate(1/sqrt(b\*tanh(x)^2 + a), x)

**mupad** [B] time = 1.57, size = 25, normalized size = 0.81

$$\frac{\operatorname{atanh}\left(\frac{\tanh(x)\sqrt{a+b}}{\sqrt{b\tanh(x)^2+a}}\right)}{\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*tanh(x)^2)^(1/2), x)

[Out] atanh((tanh(x)\*(a + b)^(1/2))/(a + b\*tanh(x)^2)^(1/2))/(a + b)^(1/2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(1/sqrt(a + b\*tanh(x)\*\*2), x)

$$3.235 \quad \int \frac{\coth(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

**Optimal.** Leaf size=56

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

[Out]  $-\operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}}{a^{1/2}}\right)/a^{1/2} + \operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}}{(a+b)^{1/2}}\right)/(a+b)^{1/2}$

**Rubi [A]** time = 0.11, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 446, 86, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]/Sqrt[a + b*Tanh[x]^2],x]`

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]]/\operatorname{Sqrt}[a]) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]]/\operatorname{Sqrt}[a + b]$

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 86

```
Int[((e_.) + (f_.)*(x_))^(p_)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
x_Symbol] :> Dist[b/(b*c - a*d), Int[(e + f*x)^p/(a + b*x), x], x] - Dist[d
/(b*c - a*d), Int[(e + f*x)^p/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f,
p}, x] && !IntegerQ[p]
```

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)]^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)]^(n\_))^(p\_)), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f\*ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\coth(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{x\sqrt{a+bx}} dx, x, \tanh^2(x) \right) \\
 &= \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b} \\
 &= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{\sqrt{a}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 56, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/Sqrt[a + b\*Tanh[x]^2], x]

[Out] -(ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]]/Sqrt[a]) + ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/Sqrt[a + b]

**fricas [B]** time = 0.61, size = 3527, normalized size = 62.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] [1/4\*(sqrt(a + b)\*a\*log(((a^3 + a^2\*b)\*cosh(x)^8 + 8\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^7 + (a^3 + a^2\*b)\*sinh(x)^8 + 2\*(2\*a^3 + a^2\*b)\*cosh(x)^6 + 2\*(2\*a^3 + a^2\*b + 14\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^3 + 3\*(2\*a^3 + a^2\*b)\*cosh(x))\*sinh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^4 + (70\*(a^3 + a^2\*b)\*cosh(x)^4 + 6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3 + 30\*(2\*a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a^3 + a^2\*b)\*cosh(x)^5 + 10\*(2\*a^3 + a^2\*b)\*cosh(x)^3 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x)^2 + 2\*(14\*(a^3 + a^2\*b)\*cosh(x)^6 + 15\*(2\*a^3 + a^2\*b)\*cosh(x)^4 + 2\*a^3 + 3\*a^2\*b - b^3 + 3\*(6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(a^2\*cosh(x)^6 + 6\*a^2\*cosh(x)\*sinh(x)^5 + a^2\*sinh(x)^6 + 3\*a^2\*cosh(x)^4 + 3\*(5\*a^2\*cosh(x)^2 + a^2)\*sinh(x)^4 + 4\*(5\*a^2\*cosh(x)^3 + 3\*a^2\*cosh(x))\*sinh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x)^2 + (15\*a^2\*cosh(x)^4 + 18\*a^2\*cosh(x)^2 + 3\*a^2 + 2\*a\*b - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 2\*(3\*a^2\*cosh(x)^5 + 6\*a^2\*cosh(x)^3 + (3\*a^2 + 2\*a\*b - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a^3 + a^2\*b)\*cosh(x)^7 + 3\*(2\*a^3 + a^2\*b)\*cosh(x)^5 + (6\*a^3 + 4\*a^2\*b - a\*b^2 + b^3)\*cosh(x)^3 + (2\*a^3 + 3\*a^2\*b - b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + 2\*(a + b)\*sqrt(a)\*log(-((2\*a + b)\*cosh(x)^4 + 4\*(2\*a + b)\*cosh(x)\*sinh(x)^3 + (2\*a + b)\*sinh(x)^4 + 2\*(2\*a - b)\*cosh(x)^2 + 2\*(3\*(2\*a + b)\*cosh(x)^2 + 2\*a - b)\*sinh(x)^2 - 2\*sqrt(2)\*(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2 + 1))\*sqrt(a)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)))]

$$\begin{aligned}
& b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4 * ((2 \\
& * a + b) \cosh(x)^3 + (2 * a - b) \cosh(x)) \sinh(x) + 2 * a + b) / (\cosh(x)^4 + 4 * \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2 * (3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + \\
& 4 * (\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + \sqrt{a + b} * a * \log(-((a + b) \cosh(x) \\
& )^4 + 4 * (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2 * b \cosh(x)^2 + 2 * ( \\
& 3 * (a + b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) \\
& + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + \\
& a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * ((a + b) \cosh(x)^3 \\
& - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) \\
& )) / (a^2 + a * b), 1/4 * (4 * \sqrt{-a} * (a + b) * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \\
& ) \sinh(x) + \sinh(x)^2 + 1) * \sqrt{-a} * \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x) \\
& )^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a + b) \cosh(x) \\
& )^4 + 4 * (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2 * (a - b) \cosh(x)^2 \\
& + 2 * (3 * (a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4 * ((a + b) \cosh(x)^3 + (a - b) \\
& ) \cosh(x)) \sinh(x) + a + b)) + \sqrt{a + b} * a * \log(((a^3 + a^2 * b) \cosh(x)^8 + \\
& 8 * (a^3 + a^2 * b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 * b) \sinh(x)^8 + 2 * (2 * a^3 + a \\
& ^2 * b) \cosh(x)^6 + 2 * (2 * a^3 + a^2 * b + 14 * (a^3 + a^2 * b) \cosh(x)^2) \sinh(x)^6 \\
& + 4 * (14 * (a^3 + a^2 * b) \cosh(x)^3 + 3 * (2 * a^3 + a^2 * b) \cosh(x)) \sinh(x)^5 + (6 \\
& * a^3 + 4 * a^2 * b - a * b^2 + b^3) \cosh(x)^4 + (70 * (a^3 + a^2 * b) \cosh(x)^4 + 6 * a \\
& ^3 + 4 * a^2 * b - a * b^2 + b^3 + 30 * (2 * a^3 + a^2 * b) \cosh(x)^2) \sinh(x)^4 + 4 * (1 \\
& 4 * (a^3 + a^2 * b) \cosh(x)^5 + 10 * (2 * a^3 + a^2 * b) \cosh(x)^3 + (6 * a^3 + 4 * a^2 * b \\
& - a * b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (2 * a \\
& ^3 + 3 * a^2 * b - b^3) \cosh(x)^2 + 2 * (14 * (a^3 + a^2 * b) \cosh(x)^6 + 15 * (2 * a^3 + \\
& a^2 * b) \cosh(x)^4 + 2 * a^3 + 3 * a^2 * b - b^3 + 3 * (6 * a^3 + 4 * a^2 * b - a * b^2 + b^ \\
& 3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} * (a^2 * \cosh(x)^6 + 6 * a^2 * \cosh(x) \sinh(x)^5 \\
& + a^2 * \sinh(x)^6 + 3 * a^2 * \cosh(x)^4 + 3 * (5 * a^2 * \cosh(x)^2 + a^2) \sinh(x)^4 + 4 \\
& * (5 * a^2 * \cosh(x)^3 + 3 * a^2 * \cosh(x)) \sinh(x)^3 + (3 * a^2 + 2 * a * b - b^2) \cosh(x) \\
& )^2 + (15 * a^2 * \cosh(x)^4 + 18 * a^2 * \cosh(x)^2 + 3 * a^2 + 2 * a * b - b^2) \sinh(x)^2 \\
& + a^2 + 2 * a * b + b^2 + 2 * (3 * a^2 * \cosh(x)^5 + 6 * a^2 * \cosh(x)^3 + (3 * a^2 + 2 * a * \\
& b - b^2) \cosh(x)) \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x) \\
& )^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * (2 * (a^3 + \\
& a^2 * b) \cosh(x)^7 + 3 * (2 * a^3 + a^2 * b) \cosh(x)^5 + (6 * a^3 + 4 * a^2 * b - a * b^2 \\
& + b^3) \cosh(x)^3 + (2 * a^3 + 3 * a^2 * b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \\
& * \cosh(x)^5 \sinh(x) + 15 * \cosh(x)^4 \sinh(x)^2 + 20 * \cosh(x)^3 \sinh(x)^3 + 15 * \cosh(x) \\
& )^2 \sinh(x)^4 + 6 * \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + \sqrt{a + b} * a * \log( \\
& -((a + b) \cosh(x)^4 + 4 * (a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2 * b \\
& * \cosh(x)^2 + 2 * (3 * (a + b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 \\
& * \cosh(x) \sinh(x) + \sinh(x)^2 - 1) * \sqrt{a + b} * \sqrt{((a + b) \cosh(x)^2 + (a \\
& + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4 * (( \\
& a + b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) \\
& ) + \sinh(x)^2))) / (a^2 + a * b), -1/2 * (a * \sqrt{-a - b} * \arctan(\sqrt{2} * (a * \cosh(x) \\
& )^2 + 2 * a * \cosh(x) \sinh(x) + a * \sinh(x)^2 + a + b) * \sqrt{-a - b} * \sqrt{((a + b) \\
& ) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} / ((a^2 + a * b) \cosh(x)^4 + 4 * (a^2 + a * b) \cosh(x) \sinh(x)^3 + (a^2 \\
& + a * b) \sinh(x)^4 + (2 * a^2 + a * b - b^2) \cosh(x)^2 + (6 * (a^2 + a * b) \cosh(x)^2
\end{aligned}$$

$$\begin{aligned}
& + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x)*\sinh(x)) + a*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b) - (a + b)*\sqrt{a}*\log(-((2*a + b)*\cosh(x)^4 + 4*(2*a + b)*\cosh(x)*\sinh(x)^3 + (2*a + b)*\sinh(x)^4 + 2*(2*a - b)*\cosh(x)^2 + 2*(3*(2*a + b)*\cosh(x)^2 + 2*a - b)*\sinh(x)^2 - 2*\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)}) + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1))/(a^2 + a*b), 1/2*(2*\sqrt{-a}*(a + b)*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b) - a*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x))*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x)) - a*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b))/((a^2 + a*b)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep+1)]Error: Bad Argument Type

**maple** [F] time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)/(a+b\*tanh(x)^2)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(coth(x)/sqrt(b\*tanh(x)^2 + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\coth(x)}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a + b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)/(a + b\*tanh(x)^2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(coth(x)/sqrt(a + b\*tanh(x)\*\*2), x)

$$3.236 \quad \int \frac{\coth^2(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

Optimal. Leaf size=51

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\coth(x)\sqrt{a+b \tanh^2(x)}}{a}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(1/2)-coth(x)\*(a+b\*tanh(x)^2)^(1/2)/a

**Rubi [A]** time = 0.09, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 480, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{\sqrt{a+b}} - \frac{\coth(x)\sqrt{a+b \tanh^2(x)}}{a}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/Sqrt[a + b\*Tanh[x]^2],x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/Sqrt[a + b] - (Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/a

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]



Rule 480

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*e*(m + 1)), x] - Dist[1/(a*c*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[(b*c + a*d)*(m + n + 1) + n*(b*c*p + a*d*q) + b*d*(m + n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x^2 (1 - x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \frac{\text{Subst} \left( \int \frac{a}{(1-x^2) \sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a} \\
&= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \text{Subst} \left( \int \frac{1}{(1-x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= -\frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a} + \text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right) \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{\sqrt{a+b}} - \frac{\coth(x) \sqrt{a + b \tanh^2(x)}}{a}
\end{aligned}$$

**Mathematica [C]** time = 6.18, size = 123, normalized size = 2.41

$$\frac{\tanh(x) \left( \frac{(a+b)^2((a+b)\cosh(2x)+a-b)^2 {}_2F_1\left(2,2;\frac{5}{2};-\frac{(a+b)\sinh^2(x)}{a}\right)}{a^3} + 3\operatorname{csch}^2(x) \left( a \coth^2(x) + 2b \right) \sin^{-1} \left( \sqrt{-\frac{(a+b)\sinh^2(x)}{a}} \right) \sqrt{-\frac{(a+b)\sinh^2(x)}{a}} \right)}{3(a+b)\sqrt{a+b\tanh^2(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Coth[x]^2/Sqrt[a + b\*Tanh[x]^2],x]

[Out] (((a + b)^2\*(a - b + (a + b)\*Cosh[2\*x])^2\*Hypergeometric2F1[2, 2, 5/2, -((a + b)\*Sinh[x]^2)/a])/a^3 + 3\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]]\*(2\*b + a\*Coth[x]^2)\*Csch[x]^2\*Sqrt[-((a + b)\*(b + a\*Coth[x]^2)\*Sinh[x]^4)/a^2])\*Tanh[x])/(3\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**fricas [B]** time = 0.60, size = 1565, normalized size = 30.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(1/2),x, algorithm="fricas")

[Out] [1/4\*((a\*cosh(x)^2 + 2\*a\*cosh(x)\*sinh(x) + a\*sinh(x)^2 - a)\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh

```
(x)^6)) + (a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a)*sqrt(a + b)
*log(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 +
2*a*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) +
4*((a + b)*cosh(x)^3 + a*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*s
inh(x) + sinh(x)^2)) - 4*sqrt(2)*(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*
sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^2 + a*
b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a*b)*sinh(x)^2 - a^2
- a*b), -1/2*((a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a)*sqrt(-a
- b)*arctan(sqrt(2)*(b*cosh(x)^2 + 2*b*cosh(x)*sinh(x) + b*sinh(x)^2 - a -
b)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh
(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a*b + b^2)*cosh(x)^4 + 4*(a*b + b
^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + (a^2 - a*b - 2*b^2)*cosh(x)
^2 + (6*(a*b + b^2)*cosh(x)^2 + a^2 - a*b - 2*b^2)*sinh(x)^2 + a^2 + 2*a*b
+ b^2 + 2*(2*(a*b + b^2)*cosh(x)^3 + (a^2 - a*b - 2*b^2)*cosh(x))*sinh(x)))
+ (a*cosh(x)^2 + 2*a*cosh(x)*sinh(x) + a*sinh(x)^2 - a)*sqrt(-a - b)*arcta
n(sqrt(2)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)
/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^2 + 2*(a + b
)*cosh(x)*sinh(x) + (a + b)*sinh(x)^2 + a + b)) + 2*sqrt(2)*(a + b)*sqrt(((
a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x)
) + sinh(x)^2)))/((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (
a^2 + a*b)*sinh(x)^2 - a^2 - a*b)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Error: Bad Argument Type

**maple** [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{\sqrt{a + b(\tanh^2(x))}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a+b\*tanh(x)^2)^(1/2),x)

[Out] `int(coth(x)^2/(a+b*tanh(x)^2)^(1/2),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)^2/(a+b*tanh(x)^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(coth(x)^2/sqrt(b*tanh(x)^2 + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\coth(x)^2}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)^2/(a + b*tanh(x)^2)^(1/2),x)`

[Out] `int(coth(x)^2/(a + b*tanh(x)^2)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)**2/(a+b*tanh(x)**2)**(1/2),x)`

[Out] `Integral(coth(x)**2/sqrt(a + b*tanh(x)**2), x)`

$$3.237 \quad \int \frac{\coth^3(x)}{\sqrt{a+b \tanh^2(x)}} dx$$

Optimal. Leaf size=88

$$-\frac{(2a-b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a}$$

[Out]  $-1/2*(2*a-b)*\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+\operatorname{arctanh}((a+b*\tanh(x)^2)^{(1/2)}/(a+b)^{(1/2)})/(a+b)^{(1/2)}-1/2*\coth(x)^2*(a+b*\tanh(x)^2)^{(1/2)}/a$

**Rubi [A]** time = 0.17, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 103, 156, 63, 208}

$$-\frac{(2a-b) \tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a+b \tanh^2(x)}}{2a}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^3/Sqrt[a + b\*Tanh[x]^2], x]

[Out]  $-((2*a - b)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]]/\operatorname{Sqrt}[a + b] - (\operatorname{Coth}[x]^2*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^2])/(2*a)$

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 103

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*(m + 1) - b\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*(m + n + p + 3)\*x,

$x], x], x] /;$  FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

### Rule 156

Int[(((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[(b\*g - a\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(a + b\*x), x], x] - Dist[(d\*g - c\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(c + d\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^3(x)}{\sqrt{a + b \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{x^3 (1-x^2) \sqrt{a + bx^2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x^2 \sqrt{a + bx}} dx, x, \tanh^2(x) \right) \\
&= -\frac{\coth^2(x) \sqrt{a + b \tanh^2(x)}}{2a} - \frac{\text{Subst} \left( \int \frac{\frac{1}{2}(-2a+b) - \frac{bx}{2}}{(1-x)x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} \\
&= -\frac{\coth^2(x) \sqrt{a + b \tanh^2(x)}}{2a} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x) \sqrt{a + bx}} dx, x, \tanh^2(x) \right) + \frac{(2a-b)}{2a} \text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right) \\
&= -\frac{\coth^2(x) \sqrt{a + b \tanh^2(x)}}{2a} + \frac{\text{Subst} \left( \int \frac{1}{1 + \frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \tanh^2(x)} \right)}{b} + \frac{(2a-b)}{2a} \text{Subst} \left( \int \frac{1}{1-x} dx, x, \sqrt{a + b \tanh^2(x)} \right) \\
&= -\frac{(2a-b) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{2a^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{\sqrt{a+b}} - \frac{\coth^2(x) \sqrt{a + b \tanh^2(x)}}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.47, size = 107, normalized size = 1.22

$$\frac{(-2a^2 - ab + b^2) \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right) + \sqrt{a} \left( 2a \sqrt{a+b} \tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right) - (a+b) \coth^2(x) \sqrt{a + b \tanh^2(x)} \right)}{2a^{3/2}(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^3/Sqrt[a + b\*Tanh[x]^2], x]

[Out] ((-2\*a^2 - a\*b + b^2)\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a]] + Sqrt[a]\*(2\*a\*Sqrt[a + b]\*ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]] - (a + b)\*Coth[x]^2\*Sqrt[a + b\*Tanh[x]^2]))/(2\*a^(3/2)\*(a + b))

**fricas [B]** time = 0.99, size = 5711, normalized size = 64.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b\*tanh(x)^2)^(1/2), x, algorithm="fricas")

```
[Out] [1/4*((a^2*cosh(x)^4 + 4*a^2*cosh(x)*sinh(x)^3 + a^2*sinh(x)^4 - 2*a^2*cosh
(x)^2 + 2*(3*a^2*cosh(x)^2 - a^2)*sinh(x)^2 + a^2 + 4*(a^2*cosh(x)^3 - a^2*
cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a^2*b
)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(x)^6
+ 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^3 +
a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^2*b
- a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*b -
a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^2*b)
*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)
*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b -
b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cosh(x)
^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^2)*s
inh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(x)^6
+ 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cosh(x)
^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a^2*c
osh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b
+ b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)
))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b
)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cosh(x)
^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^
3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*sinh
(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)
)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) - ((2*a^2 + a*b - b^2)*cosh(x)^4 +
4*(2*a^2 + a*b - b^2)*cosh(x)*sinh(x)^3 + (2*a^2 + a*b - b^2)*sinh(x)^4 - 2
*(2*a^2 + a*b - b^2)*cosh(x)^2 + 2*(3*(2*a^2 + a*b - b^2)*cosh(x)^2 - 2*a^2
- a*b + b^2)*sinh(x)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*cosh(x)
)^3 - (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))*sqrt(a)*log(-((2*a + b)*cosh(x)
^4 + 4*(2*a + b)*cosh(x)*sinh(x)^3 + (2*a + b)*sinh(x)^4 + 2*(2*a - b)*cosh
(x)^2 + 2*(3*(2*a + b)*cosh(x)^2 + 2*a - b)*sinh(x)^2 + 2*sqrt(2)*(cosh(x)^
2 + 2*cosh(x)*sinh(x) + sinh(x)^2 + 1)*sqrt(a)*sqrt(((a + b)*cosh(x)^2 + (a
+ b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(
(2*a + b)*cosh(x)^3 + (2*a - b)*cosh(x))*sinh(x) + 2*a + b)/(cosh(x)^4 + 4*
cosh(x)*sinh(x)^3 + sinh(x)^4 + 2*(3*cosh(x)^2 - 1)*sinh(x)^2 - 2*cosh(x)^2
+ 4*(cosh(x)^3 - cosh(x))*sinh(x) + 1)) + (a^2*cosh(x)^4 + 4*a^2*cosh(x)*s
inh(x)^3 + a^2*sinh(x)^4 - 2*a^2*cosh(x)^2 + 2*(3*a^2*cosh(x)^2 - a^2)*sinh
(x)^2 + a^2 + 4*(a^2*cosh(x)^3 - a^2*cosh(x))*sinh(x))*sqrt(a + b)*log(-((a
+ b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 - 2*b*cos
h(x)^2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cos
h(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)
*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a +
b)*cosh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*sinh(x) +
sinh(x)^2)) - 2*sqrt(2)*((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sin
h(x) + (a^2 + a*b)*sinh(x)^2 + a^2 + a*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)
*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + a
^2*b)*cosh(x)^4 + 4*(a^3 + a^2*b)*cosh(x)*sinh(x)^3 + (a^3 + a^2*b)*sinh(x)
```



$$\begin{aligned}
&^4 + a^3 + a^2b - 2*(a^3 + a^2b)*\cosh(x)^2 - 2*(a^3 + a^2b - 3*(a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + a^2b)*\cosh(x)^3 - (a^3 + a^2b)*\cosh(x))*\sinh(x), \\
&1/4*(2*((2*a^2 + a*b - b^2)*\cosh(x)^4 + 4*(2*a^2 + a*b - b^2)*\cosh(x)*\sinh(x)^3 + (2*a^2 + a*b - b^2)*\sinh(x)^4 - 2*(2*a^2 + a*b - b^2)*\cosh(x)^2 + 2*(3*(2*a^2 + a*b - b^2)*\cosh(x)^2 - 2*a^2 - a*b + b^2)*\sinh(x)^2 + 2*a^2 + a*b - b^2 + 4*((2*a^2 + a*b - b^2)*\cosh(x)^3 - (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + (a^2*\cosh(x)^4 + 4*a^2*\cosh(x)*\sinh(x)^3 + a^2*\sinh(x)^4 - 2*a^2*\cosh(x)^2 + 2*(3*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 4*(a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a^3 + a^2b)*\cosh(x)^8 + 8*(a^3 + a^2b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2b)*\sinh(x)^8 + 2*(2*a^3 + a^2b)*\cosh(x)^6 + 2*(2*a^3 + a^2b + 14*(a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2b)*\cosh(x)^3 + 3*(2*a^3 + a^2b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2b)*\cosh(x)^4 + 6*a^3 + 4*a^2b - a*b^2 + b^3 + 30*(2*a^3 + a^2b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2b)*\cosh(x)^5 + 10*(2*a^3 + a^2b)*\cosh(x)^3 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2b)*\cosh(x)^6 + 15*(2*a^3 + a^2b)*\cosh(x)^4 + 2*a^3 + 3*a^2b - b^3 + 3*(6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*(2*(a^3 + a^2b)*\cosh(x)^7 + 3*(2*a^3 + a^2b)*\cosh(x)^5 + (6*a^3 + 4*a^2b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + (a^2*\cosh(x)^4 + 4*a^2*\cosh(x)*\sinh(x)^3 + a^2*\sinh(x)^4 - 2*a^2*\cosh(x)^2 + 2*(3*a^2*\cosh(x)^2 - a^2)*\sinh(x)^2 + a^2 + 4*(a^2*\cosh(x)^3 - a^2*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 2*\sqrt{2}*((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a*b)*\sinh(x)^2 + a^2 + a*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^3 + a^2b)*\cosh(x)^4 + 4*(a^3 + a^2b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2b)*\sinh(x)^4)
\end{aligned}$$

$$\begin{aligned}
& 3 + a^2b) \sinh(x)^4 + a^3 + a^2b - 2(a^3 + a^2b) \cosh(x)^2 - 2(a^3 + a^2b - 3(a^3 + a^2b) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + a^2b) \cosh(x)^3 - (a^3 + a^2b) \cosh(x)) \sinh(x), \\
& -1/4(2(a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{-a-b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a-b}) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 + ab) \cosh(x)^4 + 4(a^2 + ab) \cosh(x) \sinh(x)^3 + (a^2 + ab) \sinh(x)^4 + (2a^2 + ab - b^2) \cosh(x)^2 + (6(a^2 + ab) \cosh(x)^2 + 2a^2 + ab - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(2(a^2 + ab) \cosh(x)^3 + (2a^2 + ab - b^2) \cosh(x)) \sinh(x))) + 2(a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x)) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) + ((2a^2 + ab - b^2) \cosh(x)^4 + 4(2a^2 + ab - b^2) \cosh(x) \sinh(x)^3 + (2a^2 + ab - b^2) \sinh(x)^4 - 2(2a^2 + ab - b^2) \cosh(x)^2 + 2(3(2a^2 + ab - b^2) \cosh(x)^2 - 2a^2 - ab + b^2) \sinh(x)^2 + 2a^2 + ab - b^2 + 4((2a^2 + ab - b^2) \cosh(x)^3 - (2a^2 + ab - b^2) \cosh(x)) \sinh(x)) \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a+b) \cosh(x)^2 + 2a - b) \sinh(x)^2 + 2 \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((2a+b) \cosh(x)^3 + (2a-b) \cosh(x)) \sinh(x) + 2a + b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1)) + 2 \sqrt{2}((a^2 + ab) \cosh(x)^2 + 2(a^2 + ab) \cosh(x) \sinh(x) + (a^2 + ab) \sinh(x)^2 + a^2 + ab) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^3 + a^2b) \cosh(x)^4 + 4(a^3 + a^2b) \cosh(x) \sinh(x)^3 + (a^3 + a^2b) \sinh(x)^4 + a^3 + a^2b - 2(a^3 + a^2b) \cosh(x)^2 - 2(a^3 + a^2b - 3(a^3 + a^2b) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + a^2b) \cosh(x)^3 - (a^3 + a^2b) \cosh(x)) \sinh(x)), \\
& 1/2(((2a^2 + ab - b^2) \cosh(x)^4 + 4(2a^2 + ab - b^2) \cosh(x) \sinh(x)^3 + (2a^2 + ab - b^2) \sinh(x)^4 - 2(2a^2 + ab - b^2) \cosh(x)^2 + 2(3(2a^2 + ab - b^2) \cosh(x)^2 - 2a^2 - ab + b^2) \sinh(x)^2 + 2a^2 + ab - b^2 + 4((2a^2 + ab - b^2) \cosh(x)^3 - (2a^2 + ab - b^2) \cosh(x)) \sinh(x)) \sqrt{-a} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{-a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) - (a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4
\end{aligned}$$

$$4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 + a^2 b) \cosh(x)^4 + 4(a^2 + a^2 b) \cosh(x) \sinh(x)^3 + (a^2 + a^2 b) \sinh(x)^4 + (2a^2 + a^2 b - b^2) \cosh(x)^2 + (6(a^2 + a^2 b) \cosh(x)^2 + 2a^2 + a^2 b - b^2) \sinh(x)^2 + a^2 + 2a^2 b + b^2 + 2(2(a^2 + a^2 b) \cosh(x)^3 + (2a^2 + a^2 b - b^2) \cosh(x)) \sinh(x))) - (a^2 \cosh(x)^4 + 4a^2 \cosh(x) \sinh(x)^3 + a^2 \sinh(x)^4 - 2a^2 \cosh(x)^2 + 2(3a^2 \cosh(x)^2 - a^2) \sinh(x)^2 + a^2 + 4(a^2 \cosh(x)^3 - a^2 \cosh(x)) \sinh(x) \sqrt{-a-b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a + b)) - \sqrt{2}((a^2 + a^2 b) \cosh(x)^2 + 2(a^2 + a^2 b) \cosh(x) \sinh(x) + (a^2 + a^2 b) \sinh(x)^2 + a^2 + a^2 b) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^3 + a^2 b) \cosh(x)^4 + 4(a^3 + a^2 b) \cosh(x) \sinh(x)^3 + (a^3 + a^2 b) \sinh(x)^4 + a^3 + a^2 b - 2(a^3 + a^2 b) \cosh(x)^2 - 2(a^3 + a^2 b - 3(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + a^2 b) \cosh(x)^3 - (a^3 + a^2 b) \cosh(x)) \sinh(x))]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
 ostep+1)]Evaluation time: 0.68Error: Bad Argument Type

**maple** [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(x)}{\sqrt{a+b(\tanh^2(x))}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a+b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^3/(a+b\*tanh(x)^2)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)^3}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^3/(a+b\*tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(coth(x)^3/sqrt(b\*tanh(x)^2 + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(x)^3}{\sqrt{b \tanh(x)^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^3/(a + b\*tanh(x)^2)^(1/2),x)

[Out] int(coth(x)^3/(a + b\*tanh(x)^2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^3(x)}{\sqrt{a + b \tanh^2(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*3/(a+b\*tanh(x)\*\*2)\*\*(1/2),x)

[Out] Integral(coth(x)\*\*3/sqrt(a + b\*tanh(x)\*\*2), x)

$$3.238 \quad \int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=72

$$-\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)-a^2/b^2/(a+b)/(a+b\*tanh(x)^2)^(1/2)-(a+b\*tanh(x)^2)^(1/2)/b^2

**Rubi [A]** time = 0.16, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 87, 63, 208}

$$-\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^5/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - a^2/(b^2\*(a + b)\*Sqrt[a + b\*Tanh[x]^2]) - Sqrt[a + b\*Tanh[x]^2]/b^2

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 87

Int[((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)/((a\_.) + (b\_.)\*(x\_)), x\_Symbol] := Int[ExpandIntegrand[(e + f\*x)^FractionalPart[p], ((c + d\*x)^n\*(e + f\*x)^IntegerPart[p])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 0] && LtQ[p, -1] && FractionQ[p]

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a^2}{b(a+b)(a+bx)^{3/2}} - \frac{1}{b\sqrt{a+bx}} - \frac{1}{(a+b)(-1+x)\sqrt{a+bx}} \right) dx, x, \tanh^2(x) \right) \\
&= -\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{\text{Subst} \left( \int \frac{1}{(-1+x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2} - \frac{\text{Subst} \left( \int \frac{1}{-1-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{a^2}{b^2(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\sqrt{a+b \tanh^2(x)}}{b^2}
\end{aligned}$$

**Mathematica** [C] time = 0.11, size = 67, normalized size = 0.93

$$\frac{b^2 \left( -{}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right) \right) - (a+b)(2a+b \tanh^2(x)-b)}{b^2(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/(a + b\*Tanh[x]^2)^(3/2), x]

[Out]  $(-(b^2 \text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) - (a + b) * (2*a - b + b \text{Tanh}[x]^2)) / (b^2 * (a + b) * \text{Sqrt}[a + b \text{Tanh}[x]^2])$

**fricas** [B] time = 0.86, size = 3991, normalized size = 55.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

```
[Out] [1/4*(((a*b^2 + b^3)*cosh(x)^6 + 6*(a*b^2 + b^3)*cosh(x)*sinh(x)^5 + (a*b^2
+ b^3)*sinh(x)^6 + (3*a*b^2 - b^3)*cosh(x)^4 + (3*a*b^2 - b^3 + 15*(a*b^2
+ b^3)*cosh(x)^2)*sinh(x)^4 + 4*(5*(a*b^2 + b^3)*cosh(x)^3 + (3*a*b^2 - b^3
)*cosh(x))*sinh(x)^3 + a*b^2 + b^3 + (3*a*b^2 - b^3)*cosh(x)^2 + (15*(a*b^2
+ b^3)*cosh(x)^4 + 3*a*b^2 - b^3 + 6*(3*a*b^2 - b^3)*cosh(x)^2)*sinh(x)^2
+ 2*(3*(a*b^2 + b^3)*cosh(x)^5 + 2*(3*a*b^2 - b^3)*cosh(x)^3 + (3*a*b^2 - b
^3)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^2*b)*cosh(x)^8 + 8*(a^3 + a
^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^8 + 2*(2*a^3 + a^2*b)*cosh(
x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a^
3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x))*sinh(x)^5 + (6*a^3 + 4*a^
2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)*cosh(x)^4 + 6*a^3 + 4*a^2*
b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*sinh(x)^4 + 4*(14*(a^3 + a^
2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 +
b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*
b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)^6 + 15*(2*a^3 + a^2*b)*cos
h(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^
2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*cosh(x)*sinh(x)^5 + a^2*sinh(
x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^2)*sinh(x)^4 + 4*(5*a^2*cos
h(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*cosh(x)^2 + (15*a
^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*sinh(x)^2 + a^2 + 2*
a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*co
sh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a
- b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*(2*(a^3 + a^2*b)*cos
h(x)^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh
(x)^3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x))/(cosh(x)^6 + 6*cosh(x)^5*
sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*sinh(x)^3 + 15*cosh(x)^2*si
nh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + ((a*b^2 + b^3)*cosh(x)^6 + 6*
(a*b^2 + b^3)*cosh(x)*sinh(x)^5 + (a*b^2 + b^3)*sinh(x)^6 + (3*a*b^2 - b^3)
*cosh(x)^4 + (3*a*b^2 - b^3 + 15*(a*b^2 + b^3)*cosh(x)^2)*sinh(x)^4 + 4*(5*
(a*b^2 + b^3)*cosh(x)^3 + (3*a*b^2 - b^3)*cosh(x))*sinh(x)^3 + a*b^2 + b^3
+ (3*a*b^2 - b^3)*cosh(x)^2 + (15*(a*b^2 + b^3)*cosh(x)^4 + 3*a*b^2 - b^3 +
6*(3*a*b^2 - b^3)*cosh(x)^2)*sinh(x)^2 + 2*(3*(a*b^2 + b^3)*cosh(x)^5 + 2*
(3*a*b^2 - b^3)*cosh(x)^3 + (3*a*b^2 - b^3)*cosh(x))*sinh(x))*sqrt(a + b)*l
og(-((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 -
2*b*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 - b)*sinh(x)^2 + sqrt(2)*(cosh(x)^2
+ 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 +
(a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4
*((a + b)*cosh(x)^3 - b*cosh(x))*sinh(x) + a + b)/(cosh(x)^2 + 2*cosh(x)*si
nh(x) + sinh(x)^2)) - 4*sqrt(2)*((2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*cosh(x)^
4 + 4*(2*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sinh(x)^3 + (2*a^3 + 4*a^2*
b + 3*a*b^2 + b^3)*sinh(x)^4 + 2*a^3 + 4*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 +
2*a^2*b - a*b^2 - b^3)*cosh(x)^2 + 2*(2*a^3 + 2*a^2*b - a*b^2 - b^3 + 3*(2
*a^3 + 4*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((2*a^3 + 4*a^2*b
+ 3*a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 2*a^2*b - a*b^2 - b^3)*cosh(x))*sinh(
x))*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cos
```



$$\begin{aligned}
& h(x) \sinh(x) + \sinh(x)^2) / ((a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^6 + 6(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x) \sinh(x)^5 + (a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \sinh(x)^6 + a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5 \\
& + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)^4 + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5 + 15(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^2) \sinh(x)^4 + 4(5(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^3 + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)) \sinh(x)^3 + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)^2 + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5 + 15(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^4 + 6(3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)^2) \sinh(x)^2 + 2(3(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^5 + 2(3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)^3 + (3a^3 b^2 + 5a^2 b^3 + a b^4 - b^5) \cosh(x)) \sinh(x)), -1/2(((a b^2 + b^3) \cosh(x)^6 + 6(a b^2 + b^3) \cosh(x) \sinh(x)^5 + (a b^2 + b^3) \sinh(x)^6 + (3a b^2 - b^3) \cosh(x)^4 + (3a b^2 - b^3 + 15(a b^2 + b^3) \cosh(x)^2) \sinh(x)^4 + 4(5(a b^2 + b^3) \cosh(x)^3 + (3a b^2 - b^3) \cosh(x)) \sinh(x)^3 + a b^2 + b^3 + (3a b^2 - b^3) \cosh(x)^2 + (15(a b^2 + b^3) \cosh(x)^4 + 3a b^2 - b^3 + 6(3a b^2 - b^3) \cosh(x)^2) \sinh(x)^2 + 2(3(a b^2 + b^3) \cosh(x)^5 + 2(3a b^2 - b^3) \cosh(x)^3 + (3a b^2 - b^3) \cosh(x)) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2}(a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a - b}) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^2 + a b) \cosh(x)^4 + 4(a^2 + a b) \cosh(x) \sinh(x)^3 + (a^2 + a b) \sinh(x)^4 + (2a^2 + a b - b^2) \cosh(x)^2 + (6(a^2 + a b) \cosh(x)^2 + 2a^2 + a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(2(a^2 + a b) \cosh(x)^3 + (2a^2 + a b - b^2) \cosh(x)) \sinh(x))) + ((a b^2 + b^3) \cosh(x)^6 + 6(a b^2 + b^3) \cosh(x) \sinh(x)^5 + (a b^2 + b^3) \sinh(x)^6 + (3a b^2 - b^3) \cosh(x)^4 + (3a b^2 - b^3 + 15(a b^2 + b^3) \cosh(x)^2) \sinh(x)^4 + 4(5(a b^2 + b^3) \cosh(x)^3 + (3a b^2 - b^3) \cosh(x)) \sinh(x)^3 + a b^2 + b^3 + (3a b^2 - b^3) \cosh(x)^2 + (15(a b^2 + b^3) \cosh(x)^4 + 3a b^2 - b^3 + 6(3a b^2 - b^3) \cosh(x)^2) \sinh(x)^2 + 2(3(a b^2 + b^3) \cosh(x)^5 + 2(3a b^2 - b^3) \cosh(x)^3 + (3a b^2 - b^3) \cosh(x)) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a - b}) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b)) + 2 \sqrt{2}((2a^3 + 4a^2 b + 3a b^2 + b^3) \cosh(x)^4 + 4(2a^3 + 4a^2 b + 3a b^2 + b^3) \cosh(x) \sinh(x)^3 + (2a^3 + 4a^2 b + 3a b^2 + b^3) \sinh(x)^4 + 2a^3 + 4a^2 b + 3a b^2 + b^3 + 2(2a^3 + 2a^2 b - a b^2 - b^3) \cosh(x)^2 + 2(2a^3 + 2a^2 b - a b^2 - b^3 + 3(2a^3 + 4a^2 b + 3a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + 4((2a^3 + 4a^2 b + 3a b^2 + b^3) \cosh(x)^3 + (2a^3 + 2a^2 b - a b^2 - b^3) \cosh(x)) \sinh(x)) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / ((\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x)^6 + 6(a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \cosh(x) \sinh(x)^5 + (a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5) \sinh(x)^6 + a^3 b^2 + 3a^2 b^3 + 3a b^4 + b^5 +
\end{aligned}$$

```
(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*cosh(x)^4 + (3*a^3*b^2 + 5*a^2*b^3 +
a*b^4 - b^5 + 15*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)^2)*sinh(x)^4
+ 4*(5*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)^3 + (3*a^3*b^2 + 5*a^
2*b^3 + a*b^4 - b^5)*cosh(x))*sinh(x)^3 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 -
b^5)*cosh(x)^2 + (3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5 + 15*(a^3*b^2 + 3*a^2
*b^3 + 3*a*b^4 + b^5)*cosh(x)^4 + 6*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*c
osh(x)^2)*sinh(x)^2 + 2*(3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)^5
+ 2*(3*a^3*b^2 + 5*a^2*b^3 + a*b^4 - b^5)*cosh(x)^3 + (3*a^3*b^2 + 5*a^2*b^
3 + a*b^4 - b^5)*cosh(x))*sinh(x))]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Evaluation time: 1.35Error: Bad Argument Type

**maple** [B] time = 0.08, size = 322, normalized size = 4.47

$$\frac{\tanh^2(x)}{b\sqrt{a+b(\tanh^2(x))}} - \frac{2a}{b^2\sqrt{a+b(\tanh^2(x))}} + \frac{1}{b\sqrt{a+b(\tanh^2(x))}} - \frac{1}{2(a+b)\sqrt{(\tanh(x)-1)^2b+2(\tanh(x)-1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5/(a+b\*tanh(x)^2)^(3/2),x)

[Out]  $-\tanh(x)^2/b/(a+b*tanh(x)^2)^{(1/2)} - 2*a/b^2/(a+b*tanh(x)^2)^{(1/2)} + 1/b/(a+b*tanh(x)^2)^{(1/2)} - 1/2/(a+b)/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^{(1/2)} + b/(a+b)*(2*(tanh(x)-1)*b+2*b)/(4*b*(a+b)-4*b^2)/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^{(1/2)} + 1/2/(a+b)^{(3/2)}*\ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^{(1/2)}*(tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^{(1/2)})/(tanh(x)-1) - 1/2/(a+b)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^{(1/2)} - b/(a+b)*(2*(1+tanh(x))*b-2*b)/(4*b*(a+b)-4*b^2)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^{(1/2)} + 1/2/(a+b)^{(3/2)}*\ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^{(1/2)}*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^{(1/2)})/(1+tanh(x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^5}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^5/(b\*tanh(x)^2 + a)^(3/2), x)

mupad [B] time = 2.52, size = 70, normalized size = 0.97

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a} (2a + 2b)}{2(a+b)^{3/2}}\right)}{(a+b)^{3/2}} - \frac{\sqrt{b \tanh(x)^2 + a}}{b^2} - \frac{a^2}{b^2 (a+b) \sqrt{b \tanh(x)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5/(a + b\*tanh(x)^2)^(3/2),x)

[Out] atanh(((a + b\*tanh(x)^2)^(1/2)\*(2\*a + 2\*b))/(2\*(a + b)^(3/2)))/(a + b)^(3/2) - (a + b\*tanh(x)^2)^(1/2)/b^2 - a^2/(b^2\*(a + b)\*(a + b\*tanh(x)^2)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*5/(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral(tanh(x)\*\*5/(a + b\*tanh(x)\*\*2)\*\*(3/2), x)

$$3.239 \quad \int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=84

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}}$$

[Out]  $-\operatorname{arctanh}(b^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/b^{(3/2)}+\operatorname{arctanh}((a+b)^{(1/2)}*\tanh(x)/(a+b*\tanh(x)^2)^{(1/2)})/(a+b)^{(3/2)}+a*\tanh(x)/b/(a+b)/(a+b*\tanh(x)^2)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 470, 523, 217, 206, 377}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Tanh}[x]^4/(a+b*\operatorname{Tanh}[x]^2)^{(3/2)}, x]$

[Out]  $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[x])/(\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2])]/b^{(3/2)})+\operatorname{ArcTanh}[(\operatorname{Sqrt}[a+b]*\operatorname{Tanh}[x])/(\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2])]/(a+b)^{(3/2)}+(a*\operatorname{Tanh}[x])/b*(a+b)*\operatorname{Sqrt}[a+b*\operatorname{Tanh}[x]^2])]$

#### Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \parallel \operatorname{LtQ}[b, 0])$

#### Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*(x_+)^2)], x\_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1-b*x^2), x], x, x/\operatorname{Sqrt}[a+b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{!GtQ}[a, 0]$

#### Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 470

```
Int[((e_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 523

```
Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

### Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) + (f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f*f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{a+(-a-b)x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b(a+b)} \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a+b} \\
&= \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{a+b} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{3/2}} + \frac{a \tanh(x)}{b(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 2.45, size = 188, normalized size = 2.24

$$\frac{a \tanh(x) \left( \sqrt{2} (a+b) \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} F \left( \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x)) \text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \middle| 1 \right) + \sqrt{2} b \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \right)}{\sqrt{2} b (a+b)^2 \sqrt{\text{sech}^2(x)((a+b) \cosh(2x)+a-b)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -((a\*(-2\*a - 2\*b + Sqrt[2]\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*b\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b])\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Tanh[x])/(Sqrt[2]\*b\*(a + b)^2\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2]))

**fricas [B]** time = 0.83, size = 6973, normalized size = 83.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{4} \left( (a^2 b^2 + b^3) \cosh(x)^4 + 4(a^2 b^2 + b^3) \cosh(x) \sinh(x)^3 + (a^2 b^2 + b^3) \sinh(x)^4 + a^2 b^2 + b^3 + 2(a^2 b^2 - b^3) \cosh(x)^2 + 2(a^2 b^2 - b^3) \sinh(x)^2 + 4((a^2 b^2 + b^3) \cosh(x)^3 + (a^2 b^2 - b^3) \cosh(x) \sinh(x)) \sqrt{a+b} \log(-((a^2 b^2 + b^3) \cosh(x)^8 + 8(a^2 b^2 + b^3) \cosh(x) \sinh(x)^7 + (a^2 b^2 + b^3) \sinh(x)^8 - 2(a^2 b^2 + 2b^3) \cosh(x)^6 - 2(a^2 b^2 + 2b^3 - 14(a^2 b^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 4(14(a^2 b^2 + b^3) \cosh(x)^3 - 3(a^2 b^2 + 2b^3) \cosh(x)) \sinh(x)^5 + (a^3 - a^2 b + 4a^2 b + 6b^3) \cosh(x)^4 + (70(a^2 b^2 + b^3) \cosh(x)^4 + a^3 - a^2 b + 4a^2 b + 6b^3 - 30(a^2 b^2 + 2b^3) \cosh(x)^2) \sinh(x)^4 + 4(14(a^2 b^2 + b^3) \cosh(x)^5 - 10(a^2 b^2 + 2b^3) \cosh(x)^3 + (a^3 - a^2 b + 4a^2 b + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a^2 b + b^3 + 2(a^3 - 3a^2 b - 2b^3) \cosh(x)^2 + 2(14(a^2 b^2 + b^3) \cosh(x)^6 - 15(a^2 b^2 + 2b^3) \cosh(x)^4 + a^3 - 3a^2 b - 2b^3 + 3(a^3 - a^2 b + 4a^2 b + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (b^2 \cosh(x)^6 + 6b^2 \cosh(x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2ab + 3b^2) \sinh(x)^2 - a^2 - 2ab - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^3 - (a^2 - 2ab - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x))^2 + a - b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4(2(a^2 b^2 + b^3) \cosh(x)^7 - 3(a^2 b^2 + 2b^3) \cosh(x)^5 + (a^3 - a^2 b + 4a^2 b + 6b^3) \cosh(x)^3 + (a^3 - 3a^2 b - 2b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 2((a^3 + 3a^2 b + 3a^2 b + b^3) \cosh(x)^4 + 4(a^3 + 3a^2 b + 3a^2 b + b^3) \cosh(x) \sinh(x)^3 + (a^3 + 3a^2 b + 3a^2 b + b^3) \sinh(x)^4 + a^3 + 3a^2 b + 3a^2 b + b^3 + 2(a^3 + a^2 b - a^2 b - b^3) \cosh(x)^2 + 2(a^3 + a^2 b - a^2 b - b^3) \sinh(x)^2 + 4((a^3 + 3a^2 b + 3a^2 b + b^3) \cosh(x)^3 + (a^3 + a^2 b - a^2 b - b^3) \cosh(x)) \sinh(x) \sqrt{b} \log(-((a+2b) \cosh(x)^4 + 4(a+2b) \cosh(x) \sinh(x)^3 + (a+2b) \sinh(x)^4 + 2(a-2b) \cosh(x)^2 + 2(3(a+2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2 \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1)) \sqrt{b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x))^2 + a - b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4((a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a + 2b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) + ((a^2 b^2 + b^3) \cosh(x)^4 + 4(a^2 b^2 + b^3) \cosh(x) \sinh(x)^3 + (a^2 b^2 + b^3) \sinh(x)^4 + a^2 b^2 + b^3 + 2(a^2 b^2 - b^3) \cosh(x)^2 + 2(a^2 b^2 - b^3 + 3(a^2 b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + 4((a^2 b^2 + b^3) \cosh(x)^3 + (a^2 b^2 - b^3) \cosh(x)) \sinh(x)) \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2$$

$$\begin{aligned}
& 2 + a) * \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 + 1) * \\
& \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 \\
& - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * ((a + b) * \cosh(x)^3 + a * \cosh(x)) * \sinh \\
& (x) + a + b) / (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) - 4 * \sqrt{2} * (a^2 * \\
& b + a * b^2 - (a^2 * b + a * b^2) * \cosh(x)^2 - 2 * (a^2 * b + a * b^2) * \cosh(x) * \sinh(x) - \\
& (a^2 * b + a * b^2) * \sinh(x)^2) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a \\
& - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / (a^3 * b^2 + 3 * a^2 * b^3 + \\
& 3 * a * b^4 + b^5 + (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x)^4 + 4 * (a^3 * b^2 \\
& + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x) * \sinh(x)^3 + (a^3 * b^2 + 3 * a^2 * b^3 + 3 \\
& * a * b^4 + b^5) * \sinh(x)^4 + 2 * (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5) * \cosh(x)^2 + 2 \\
& * (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5 + 3 * (a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) \\
& * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 * b^2 + 3 * a^2 * b^3 + 3 * a * b^4 + b^5) * \cosh(x)^3 \\
& + (a^3 * b^2 + a^2 * b^3 - a * b^4 - b^5) * \cosh(x)) * \sinh(x)), 1/4 * (4 * ((a^3 + 3 * a^2 \\
& * b + 3 * a * b^2 + b^3) * \cosh(x)^4 + 4 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x) * \sinh(x)^3 \\
& + (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \sinh(x)^4 + a^3 + 3 * a^2 * b + 3 * a * \\
& b^2 + b^3 + 2 * (a^3 + a^2 * b - a * b^2 - b^3) * \cosh(x)^2 + 2 * (a^3 + a^2 * b - a * b^2 \\
& - b^3 + 3 * (a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a^3 \\
& + 3 * a^2 * b + 3 * a * b^2 + b^3) * \cosh(x)^3 + (a^3 + a^2 * b - a * b^2 - b^3) * \cosh(x)) \\
& * \sinh(x)) * \sqrt{-b} * \arctan(\sqrt{2} * (\cosh(x)^2 + 2 * \cosh(x) * \sinh(x) + \sinh(x)^2 \\
& - 1) * \sqrt{-b}) * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 \\
& - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2))} / ((a + b) * \cosh(x)^4 + 4 * (a + b) * \cosh(x) \\
& * \sinh(x)^3 + (a + b) * \sinh(x)^4 + 2 * (a - b) * \cosh(x)^2 + 2 * (3 * (a + b) * \cosh(x)^2 \\
& + a - b) * \sinh(x)^2 + 4 * ((a + b) * \cosh(x)^3 + (a - b) * \cosh(x)) * \sinh(x) + \\
& a + b)) + ((a * b^2 + b^3) * \cosh(x)^4 + 4 * (a * b^2 + b^3) * \cosh(x) * \sinh(x)^3 + ( \\
& a * b^2 + b^3) * \sinh(x)^4 + a * b^2 + b^3 + 2 * (a * b^2 - b^3) * \cosh(x)^2 + 2 * (a * b^2 \\
& - b^3 + 3 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^2 + 4 * ((a * b^2 + b^3) * \cosh(x)^3 \\
& + (a * b^2 - b^3) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \log(-((a * b^2 + b^3) * \cosh(x)^8 \\
& + 8 * (a * b^2 + b^3) * \cosh(x) * \sinh(x)^7 + (a * b^2 + b^3) * \sinh(x)^8 - 2 * (a * b^2 + \\
& 2 * b^3) * \cosh(x)^6 - 2 * (a * b^2 + 2 * b^3 - 14 * (a * b^2 + b^3) * \cosh(x)^2) * \sinh(x)^6 \\
& + 4 * (14 * (a * b^2 + b^3) * \cosh(x)^3 - 3 * (a * b^2 + 2 * b^3) * \cosh(x)) * \sinh(x)^5 + \\
& (a^3 - a^2 * b + 4 * a * b^2 + 6 * b^3) * \cosh(x)^4 + (70 * (a * b^2 + b^3) * \cosh(x)^4 + a^3 \\
& - a^2 * b + 4 * a * b^2 + 6 * b^3 - 30 * (a * b^2 + 2 * b^3) * \cosh(x)^2) * \sinh(x)^4 + 4 * \\
& (14 * (a * b^2 + b^3) * \cosh(x)^5 - 10 * (a * b^2 + 2 * b^3) * \cosh(x)^3 + (a^3 - a^2 * b + \\
& 4 * a * b^2 + 6 * b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3 * a^2 * b + 3 * a * b^2 + b^3 + 2 * (a^3 \\
& - 3 * a * b^2 - 2 * b^3) * \cosh(x)^2 + 2 * (14 * (a * b^2 + b^3) * \cosh(x)^6 - 15 * (a * b^2 \\
& + 2 * b^3) * \cosh(x)^4 + a^3 - 3 * a * b^2 - 2 * b^3 + 3 * (a^3 - a^2 * b + 4 * a * b^2 + 6 * \\
& b^3) * \cosh(x)^2) * \sinh(x)^2 + \sqrt{2} * (b^2 * \cosh(x)^6 + 6 * b^2 * \cosh(x) * \sinh(x)^5 \\
& + b^2 * \sinh(x)^6 - 3 * b^2 * \cosh(x)^4 + 3 * (5 * b^2 * \cosh(x)^2 - b^2) * \sinh(x)^4 + \\
& 4 * (5 * b^2 * \cosh(x)^3 - 3 * b^2 * \cosh(x)) * \sinh(x)^3 - (a^2 - 2 * a * b - 3 * b^2) * \cosh \\
& (x)^2 + (15 * b^2 * \cosh(x)^4 - 18 * b^2 * \cosh(x)^2 - a^2 + 2 * a * b + 3 * b^2) * \sinh(x) \\
& ^2 - a^2 - 2 * a * b - b^2 + 2 * (3 * b^2 * \cosh(x)^5 - 6 * b^2 * \cosh(x)^3 - (a^2 - 2 * a * \\
& b - 3 * b^2) * \cosh(x)) * \sinh(x)) * \sqrt{a + b} * \sqrt{((a + b) * \cosh(x)^2 + (a + b) * \\
& \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * (2 * (a * b \\
& ^2 + b^3) * \cosh(x)^7 - 3 * (a * b^2 + 2 * b^3) * \cosh(x)^5 + (a^3 - a^2 * b + 4 * a * b^2 \\
& + 6 * b^3) * \cosh(x)^3 + (a^3 - 3 * a * b^2 - 2 * b^3) * \cosh(x)) * \sinh(x)) / (\cosh(x)^6 +
\end{aligned}$$



$$\begin{aligned}
& 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15 \\
& * \cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6) + ((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a* \\
& b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x) \\
& * \sqrt{a + b} * \log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \\
& \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& ) + \sinh(x)^2)} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*(a^2*b + a*b^2 - (a^2*b \\
& + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - \\
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a \\
& *b^4 + b^5)*\cosh(x)*\sinh(x)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x)^2 + 2*(a^3*b^2 + a^2*b^3 \\
& - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 + (a^3*b^2 + a^2*b^3 \\
& - a*b^4 - b^5)*\cosh(x))*\sinh(x)), -1/2*((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a* \\
& b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - \\
& b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b) \\
& *\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2) \\
& *\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 \\
& + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b \\
& ^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + \\
& ((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3) \\
& )*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3* \\
& (a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - \\
& b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - ((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{b}*\log(-((a + 2*b)*\cosh(x)^4 + 4*(a + 2*b)*\cosh(x)*\sinh(x)^3 + (a + 2*b)*\sinh(x)^4 + 2*(a - 2*b)*\cosh(x)^2 + 2*(3*(a + 2*b)*\cosh(x)^2 + a - 2*b)*\sinh(x)^2 - 2*\sqrt{2}
\end{aligned}$$

$$\begin{aligned}
& )*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} \\
& ) + 4*((a + 2*b)*\cosh(x)^3 + (a - 2*b)*\cosh(x))*\sinh(x) + a + 2*b)/(\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)) + 2*\sqrt{2}*(a^2*b + a*b^2 - (a^2*b + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^4 + 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)*\sinh(x)^3 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x)^2 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*\cosh(x)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*\cosh(x))*\sinh(x)), -1/2*((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + ((a*b^2 + b^3)*\cosh(x)^4 + 4*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a*b^2 + b^3)*\sinh(x)^4 + a*b^2 + b^3 + 2*(a*b^2 - b^3)*\cosh(x)^2 + 2*(a*b^2 - b^3 + 3*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a*b^2 + b^3)*\cosh(x)^3 + (a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) - 2*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 2*\sqrt{2}*(a^2*b + a*b^2 - (a^2*b + a*b^2)*\cosh(x)^2 - 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) - (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^3*b^2 + 3
\end{aligned}$$

```
*a^2*b^3 + 3*a*b^4 + b^5 + (a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)^4
+ 4*(a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)*cosh(x)*sinh(x)^3 + (a^3*b^2 + 3*
a^2*b^3 + 3*a*b^4 + b^5)*sinh(x)^4 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*co
sh(x)^2 + 2*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5 + 3*(a^3*b^2 + 3*a^2*b^3 + 3*a
*b^4 + b^5)*cosh(x)^2)*sinh(x)^2 + 4*((a^3*b^2 + 3*a^2*b^3 + 3*a*b^4 + b^5)
*cosh(x)^3 + (a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*cosh(x))*sinh(x))]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^4/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(t_n
ostep+1)]Error: Bad Argument Type
```

**maple** [B] time = 0.10, size = 328, normalized size = 3.90

$$\frac{\tanh(x)}{b\sqrt{a+b(\tanh^2(x))}} - \frac{\ln\left(\sqrt{b}\tanh(x) + \sqrt{a+b(\tanh^2(x))}\right)}{b^{\frac{3}{2}}} - \frac{\tanh(x)}{a\sqrt{a+b(\tanh^2(x))}} - \frac{\tanh(x)}{2(a+b)\sqrt{(\tanh(x)-1)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^4/(a+b*tanh(x)^2)^(3/2),x)
```

```
[Out] tanh(x)/b/(a+b*tanh(x)^2)^(1/2)-1/b^(3/2)*ln(b^(1/2)*tanh(x)+(a+b*tanh(x)^2)
)^(1/2))-tanh(x)/a/(a+b*tanh(x)^2)^(1/2)-1/2/(a+b)/((tanh(x)-1)^2*b+2*(tanh
(x)-1)*b+a+b)^(1/2)+b/(a+b)*(2*(tanh(x)-1)*b+2*b)/(4*b*(a+b)-4*b^2)/((tanh(
x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)+1/2/(a+b)^(3/2)*ln((2*a+2*b+2*(tanh(x)
-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1
))+1/2/(a+b)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)+b/(a+b)*(2*(1+tanh
(x))*b-2*b)/(4*b*(a+b)-4*b^2)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)-1
/2/(a+b)^(3/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2
*(1+tanh(x))*b+a+b)^(1/2))/(1+tanh(x)))
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^4/(b\*tanh(x)^2 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^4/(a + b\*tanh(x)^2)^(3/2),x)

[Out] int(tanh(x)^4/(a + b\*tanh(x)^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*4/(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral(tanh(x)\*\*4/(a + b\*tanh(x)\*\*2)\*\*(3/2), x)

$$3.240 \quad \int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=52

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)+a/b/(a+b)/(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 78, 63, 208}

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int

```
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^3}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 52, normalized size = 1.00

$$\frac{a}{b(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/(a+ b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) + a/(b\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

**fricas [B]** time = 0.54, size = 2525, normalized size = 48.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(((a\*b + b^2)\*cosh(x)^4 + 4\*(a\*b + b^2)\*cosh(x)\*sinh(x)^3 + (a\*b + b^2)\*sinh(x)^4 + 2\*(a\*b - b^2)\*cosh(x)^2 + 2\*(3\*(a\*b + b^2)\*cosh(x)^2 + a\*b -

$$\begin{aligned}
& b^2) \sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*\cosh(x)^3 + (a*b - b^2)*\cosh(x) \\
& )*\sinh(x))*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x) \\
& )*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2 \\
& *a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)* \\
& \cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 \\
& + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + \\
& b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x) \\
& )^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x) \\
& ))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\co \\
& sh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2* \\
& a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^ \\
& 2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^ \\
& 2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3* \\
& a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^ \\
& 4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + \\
& 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh \\
& (x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh \\
& (x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3* \\
& (2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2* \\
& a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 1 \\
& 5*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6 \\
& *\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\c \\
& osh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + 2*(a*b - b^2)*\cosh(x)^2 + 2*(3*( \\
& a*b + b^2)*\cosh(x)^2 + a*b - b^2)*\sinh(x)^2 + a*b + b^2 + 4*((a*b + b^2)*\co \\
& sh(x)^3 + (a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(-((a + b)*\cosh(x)^4 \\
& + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*( \\
& a + b)*\cosh(x)^2 - b)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \\
& \sinh(x)^2 - 1))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*((a + b)*\cosh(x)^3 - \\
& b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + \\
& 4*\sqrt{2}*((a^2 + a*b)*\cosh(x)^2 + 2*(a^2 + a*b)*\cosh(x)*\sinh(x) + (a^2 + a \\
& *b)*\sinh(x)^2 + a^2 + a*b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a \\
& - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3* \\
& a*b^3 + b^4)*\cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)*\sinh \\
& (x)^3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\sinh(x)^4 + a^3*b + 3*a^2*b^2 + \\
& 3*a*b^3 + b^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*\cosh(x)^2 + 2*(a^3*b + a \\
& ^2*b^2 - a*b^3 - b^4 + 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)^2)*\sin \\
& h(x)^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*\cosh(x)^3 + (a^3*b + a^2*b^ \\
& 2 - a*b^3 - b^4)*\cosh(x))*\sinh(x)), -1/2*((a*b + b^2)*\cosh(x)^4 + 4*(a*b + \\
& b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + 2*(a*b - b^2)*\cosh(x)^2 + \\
& 2*(3*(a*b + b^2)*\cosh(x)^2 + a*b - b^2)*\sinh(x)^2 + a*b + b^2 + 4*((a*b + \\
& b^2)*\cosh(x)^3 + (a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}* \\
& (a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{ \\
& ((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sin \\
& h(x) + \sinh(x)^2)}/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3
\end{aligned}$$



```

+ (a^2 + a*b)*sinh(x)^4 + (2*a^2 + a*b - b^2)*cosh(x)^2 + (6*(a^2 + a*b)*c
osh(x)^2 + 2*a^2 + a*b - b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a
*b)*cosh(x)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x)) + ((a*b + b^2)*cosh(
x)^4 + 4*(a*b + b^2)*cosh(x)*sinh(x)^3 + (a*b + b^2)*sinh(x)^4 + 2*(a*b - b
^2)*cosh(x)^2 + 2*(3*(a*b + b^2)*cosh(x)^2 + a*b - b^2)*sinh(x)^2 + a*b + b
^2 + 4*((a*b + b^2)*cosh(x)^3 + (a*b - b^2)*cosh(x))*sinh(x))*sqrt(-a - b)*
arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x) + sinh(x)^2 - 1)*sqrt(-a - b)
*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)
)*sinh(x) + sinh(x)^2))/((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 +
(a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*s
inh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b) - 2*sq
rt(2)*((a^2 + a*b)*cosh(x)^2 + 2*(a^2 + a*b)*cosh(x)*sinh(x) + (a^2 + a*b)*
sinh(x)^2 + a^2 + a*b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)
/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3*b + 3*a^2*b^2 + 3*a*b^
3 + b^4)*cosh(x)^4 + 4*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)*sinh(x)^
3 + (a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*sinh(x)^4 + a^3*b + 3*a^2*b^2 + 3*a
*b^3 + b^4 + 2*(a^3*b + a^2*b^2 - a*b^3 - b^4)*cosh(x)^2 + 2*(a^3*b + a^2*b
^2 - a*b^3 - b^4 + 3*(a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^2)*sinh(x)
^2 + 4*((a^3*b + 3*a^2*b^2 + 3*a*b^3 + b^4)*cosh(x)^3 + (a^3*b + a^2*b^2 -
a*b^3 - b^4)*cosh(x))*sinh(x))]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
ld perhaps be purged.Error: Bad Argument Type

**maple** [B] time = 0.08, size = 287, normalized size = 5.52

$$\frac{1}{b\sqrt{a+b}\left(\tanh^2(x)\right)} - \frac{1}{2(a+b)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b}} + \frac{b(2(\tanh(x)-1))}{(a+b)(4b(a+b) - 4b^2)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3/(a+b*tanh(x)^2)^(3/2),x)`

[Out] 
$$\frac{1}{b} \frac{1}{(a+b \tanh(x)^2)^{1/2}} - \frac{1}{2} \frac{1}{(a+b)} \frac{((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^{b+a+b})^{1/2} + b/(a+b) * (2 * (\tanh(x)-1)^{b+2} b) / (4 * b * (a+b) - 4 * b^2) / ((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^{b+a+b})^{1/2} + 1/2 / (a+b)^{3/2} * \ln((2 * a + 2 * b + 2 * (\tanh(x)-1)^{b+2} (a+b)^{1/2}) * ((\tanh(x)-1)^{2b+2} (\tanh(x)-1)^{b+a+b})^{1/2})) / (\tanh(x)-1)) - 1/2 / (a+b) / ((1 + \tanh(x))^{2b-2} (1 + \tanh(x))^{b+a+b})^{1/2} - b / (a+b) * (2 * (1 + \tanh(x))^{b-2} b) / (4 * b * (a+b) - 4 * b^2) / ((1 + \tanh(x))^{2b-2} (1 + \tanh(x))^{b+a+b})^{1/2} + 1/2 / (a+b)^{3/2} * \ln((2 * a + 2 * b - 2 * (1 + \tanh(x))^{b+2} (a+b)^{1/2}) * ((1 + \tanh(x))^{2b-2} (1 + \tanh(x))^{b+a+b})^{1/2})) / (1 + \tanh(x))}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^3}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^3/(a+b*tanh(x)^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(tanh(x)^3/(b*tanh(x)^2 + a)^(3/2), x)`

**mupad** [B] time = 2.06, size = 45, normalized size = 0.87

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} + \frac{a}{(b^2 + a b) \sqrt{b \tanh(x)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^3/(a + b*tanh(x)^2)^(3/2),x)`

[Out] 
$$\operatorname{atanh}\left(\frac{(a + b \tanh(x)^2)^{1/2}}{(a + b)^{1/2}}\right) / (a + b)^{3/2} + a / ((a * b + b^2) * (a + b \tanh(x)^2)^{1/2})$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**3/(a+b*tanh(x)**2)**(3/2),x)`

[Out] `Integral(tanh(x)**3/(a + b*tanh(x)**2)**(3/2), x)`

$$3.241 \quad \int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=53

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\tanh(x)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(3/2)-tanh(x)/(a+b)/(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {3670, 471, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} - \frac{\tanh(x)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) - Tanh[x]/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 471

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(e^(n - 1)\*(e\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)

```

*(c + d*x^n)^(q + 1)/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

```

### Rule 3670

```

Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x^2}{(1 - x^2)(a + bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{a + b} \\
&= -\frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{a + b} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{(a + b)^{3/2}} - \frac{\tanh(x)}{(a + b)\sqrt{a + b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [B]** time = 1.83, size = 112, normalized size = 2.11

$$\frac{\tanh(x) \left( \tanh^{-1} \left( \frac{\sqrt{\frac{(a+b)\tanh^2(x)}{a}}}{\sqrt{\frac{b\tanh^2(x)}{a} + 1}} \right) \sqrt{\frac{(a+b)\tanh^2(x)}{a}} (a \coth^2(x) + b) - (a + b) \sqrt{\frac{b\tanh^2(x)}{a} + 1} \right)}{(a + b)^2 \sqrt{a + b \tanh^2(x)} \sqrt{\frac{b\tanh^2(x)}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Tanh[x]^2/(a + b*Tanh[x]^2)^(3/2), x]
```

```
[Out] (Tanh[x]*(ArcTanh[Sqrt[((a + b)*Tanh[x]^2)/a]/Sqrt[1 + (b*Tanh[x]^2)/a]]*(b
+ a*Coth[x]^2)*Sqrt[((a + b)*Tanh[x]^2)/a] - (a + b)*Sqrt[1 + (b*Tanh[x]^2
)/a]))/((a + b)^2*Sqrt[a + b*Tanh[x]^2]*Sqrt[1 + (b*Tanh[x]^2)/a])
```

**fricas** [B] time = 0.55, size = 2281, normalized size = 43.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^2/(a+b*tanh(x)^2)^(3/2), x, algorithm="fricas")
```

```
[Out] [1/4*(((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4
+ 2*(a - b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a +
b)*cosh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(-((a*b^2
+ b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 + b^3)*sinh(x
)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*cos
h(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 + 2*b^3)*cosh(
x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70*(a*b^2 + b^
3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*cosh(x)^2
)*sinh(x)^4 + 4*(14*(a*b^2 + b^3)*cosh(x)^5 - 10*(a*b^2 + 2*b^3)*cosh(x)^3
+ (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*
b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(14*(a*b^2 + b^3)*cosh(
x)^6 - 15*(a*b^2 + 2*b^3)*cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*
b + 4*a*b^2 + 6*b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(b^2*cosh(x)^6 + 6*b^2*
cosh(x)*sinh(x)^5 + b^2*sinh(x)^6 - 3*b^2*cosh(x)^4 + 3*(5*b^2*cosh(x)^2 -
b^2)*sinh(x)^4 + 4*(5*b^2*cosh(x)^3 - 3*b^2*cosh(x))*sinh(x)^3 - (a^2 - 2*a
*b - 3*b^2)*cosh(x)^2 + (15*b^2*cosh(x)^4 - 18*b^2*cosh(x)^2 - a^2 + 2*a*b
+ 3*b^2)*sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*cosh(x)^5 - 6*b^2*cosh(x)
^3 - (a^2 - 2*a*b - 3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh
(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)
^2)) + 4*(2*(a*b^2 + b^3)*cosh(x)^7 - 3*(a*b^2 + 2*b^3)*cosh(x)^5 + (a^3 -
a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*cosh(x))*sinh(
x))/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^
3*sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) +
((a + b)*cosh(x)^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a
- b)*cosh(x)^2 + 2*(3*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*co
sh(x)^3 + (a - b)*cosh(x))*sinh(x) + a + b)*sqrt(a + b)*log(((a + b)*cosh(x)
^4 + 4*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*a*cosh(x)^2 + 2*(
3*(a + b)*cosh(x)^2 + a)*sinh(x)^2 + sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 + 1)*sqrt(a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 +
a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)) + 4*((a + b)*cosh(x)^3
```

$$\begin{aligned}
& + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) \\
& - 4*\sqrt{2}*((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 - a - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x)), -1/2*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))})/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + ((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + (a + b)*\sinh(x)^2 - a - b)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))})/((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n

ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Error: Bad Argument Type

**maple [B]** time = 0.08, size = 289, normalized size = 5.45

$$\frac{\frac{\tanh(x)}{a\sqrt{a+b(\tanh^2(x))}} - \frac{1}{2(a+b)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}} + \frac{b(2(\tanh(x)-1)b + a + b)}{(a+b)(4b(a+b) - 4b^2)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a+b\*tanh(x)^2)^(3/2), x)

[Out]  $-\tanh(x)/a/(a+b\tanh(x)^2)^{1/2} - 1/2/(a+b)/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2} + b/(a+b)*(2*(\tanh(x)-1)^b + 2*b)/(4*b*(a+b) - 4*b^2)/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2} + 1/2/(a+b)^{3/2}*\ln((2*a+2*b+2*(\tanh(x)-1)^b + 2*(a+b)^{1/2})*((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^b + a+b)^{1/2})/(\tanh(x)-1)) + 1/2/(a+b)/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2} + b/(a+b)*(2*(1+\tanh(x))^b - 2*b)/(4*b*(a+b) - 4*b^2)/((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2} - 1/2/(a+b)^{3/2}*\ln((2*a+2*b-2*(1+\tanh(x))^b + 2*(a+b)^{1/2})*((1+\tanh(x))^{2b-2}(1+\tanh(x))^b + a+b)^{1/2})/(1+\tanh(x)))$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(3/2), x, algorithm="maxima")

[Out] integrate(tanh(x)^2/(b\*tanh(x)^2 + a)^(3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^2/(a + b\*tanh(x)^2)^(3/2), x)

```
[Out] int(tanh(x)^2/(a + b*tanh(x)^2)^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**2/(a+b*tanh(x)**2)**(3/2), x)
```

```
[Out] Integral(tanh(x)**2/(a + b*tanh(x)**2)**(3/2), x)
```



$$3.242 \quad \int \frac{\tanh(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=49

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(3/2)-1/(a+b)/(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 51, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(3/2) - 1/((a + b)\*Sqrt[a + b\*Tanh[x]^2])

### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} - \frac{1}{(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 41, normalized size = 0.84

$$-\frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b}\right)}{(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -(Hypergeometric2F1[-1/2, 1, 1/2, (a + b\*Tanh[x]^2)/(a + b)]/((a + b)\*Sqrt[a + b\*Tanh[x]^2]))

**fricas [B]** time = 0.67, size = 2277, normalized size = 46.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a - b)\*sinh(x)^2 + 4\*((a +

$$\begin{aligned}
& b) \cosh(x)^3 + (a - b) \cosh(x) \sinh(x) + a + b) \sqrt{a + b} \log(((a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 b) \sinh(x)^8 + 2(2a^3 + a^2 b) \cosh(x)^6 + 2(2a^3 + a^2 b + 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 + 3(2a^3 + a^2 b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - a b^2 + b^3 + 30(2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 + 10(2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2 b) \cosh(x))^6 + 15(2a^3 + a^2 b) \cosh(x)^4 + 2a^3 + 3a^2 b - b^3 + 3(6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)) \sinh(x)) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x)) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b) \sqrt{a + b} \log(-((a + b) \cosh(x))^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a + b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) - 4 \sqrt{2} ((a + b) \cosh(x)^2 + 2(a + b) \cosh(x) \sinh(x) + (a + b) \sinh(x)^2 + a + b) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^4 + 4(a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x) \sinh(x)^3 + (a^3 + 3a^2 b + 3a b^2 + b^3) \sinh(x)^4 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(a^3 + a^2 b - a b^2 - b^3) \cosh(x)^2 + 2(a^3 + a^2 b - a b^2 - b^3 + 3(a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^3 + (a^3 + a^2 b - a b^2 - b^3) \cosh(x)) \sinh(x)), -1/2(((a + b) \cosh(x))^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b) \sqrt{-a - b} \arctan(\sqrt{2} (a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 + a b) \cosh(x)^4 + 4(a^2 + a b) \cosh(x) \sinh(x)^3 + (a^2 + a b) \sinh(x)^4 + (2a^2 + a b - b^2) \cosh(x)^2 + (6(a^2 + a b) \cosh(x)^2 + 2a^2 + a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(2(a^2 + a b) \cosh(x)
\end{aligned}$$

```
)^3 + (2*a^2 + a*b - b^2)*cosh(x))*sinh(x))) + ((a + b)*cosh(x)^4 + 4*(a +
b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3*(a +
b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*s
inh(x) + a + b)*sqrt(-a - b)*arctan(sqrt(2)*(cosh(x)^2 + 2*cosh(x)*sinh(x)
+ sinh(x)^2 - 1)*sqrt(-a - b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 +
a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a + b)*cosh(x)^4 + 4
*(a + b)*cosh(x)*sinh(x)^3 + (a + b)*sinh(x)^4 + 2*(a - b)*cosh(x)^2 + 2*(3
*(a + b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh
(x))*sinh(x) + a + b)) + 2*sqrt(2)*((a + b)*cosh(x)^2 + 2*(a + b)*cosh(x)*s
inh(x) + (a + b)*sinh(x)^2 + a + b)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(
x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2)))/((a^3 + 3*a^2*b
+ 3*a*b^2 + b^3)*cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)*sin
h(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^
2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2
- b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 +
3*a^2*b + 3*a*b^2 + b^3)*cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*cosh(x))*s
inh(x))]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
ld perhaps be purged.Error: Bad Argument Type

**maple** [B] time = 0.08, size = 273, normalized size = 5.57

$$\frac{1}{2(a+b)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}} + \frac{b(2(\tanh(x)-1)b + 2b)}{(a+b)(4b(a+b) - 4b^2)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^2)^(3/2),x)

[Out] -1/2/(a+b)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+b/(a+b)\*(2\*(tanh(x)-  
1)\*b+2\*b)/(4\*b\*(a+b)-4\*b^2)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+1/2

$$\frac{\tanh(x)}{(b \tanh(x)^2 + a)^{3/2}} dx$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(tanh(x)/(b\*tanh(x)^2 + a)^(3/2), x)

**mupad** [B] time = 1.94, size = 41, normalized size = 0.84

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}} - \frac{1}{(a+b) \sqrt{b \tanh(x)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^2)^(3/2),x)

[Out] atanh((a + b\*tanh(x)^2)^(1/2)/(a + b)^(1/2))/(a + b)^(3/2) - 1/((a + b)\*(a + b\*tanh(x)^2)^(1/2))

**sympy** [A] time = 23.26, size = 51, normalized size = 1.04

$$-\frac{1}{(a+b) \sqrt{a+b \tanh^2(x)}} - \frac{\operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{\sqrt{-a-b} (a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] -1/((a + b)\*sqrt(a + b\*tanh(x)\*\*2)) - atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/sqrt(-a - b)\*(a + b)

$$3.243 \quad \int \frac{1}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=56

$$\frac{b \tanh(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(3/2)+b\*tanh(x)/a/(a+b)/(a+b\*tanh(x)^2)^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3661, 382, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b \tanh(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[x]^2)^(-3/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(3/2) + (b\*Tanh[x])/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^2])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 382

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c -

```
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :>
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(ff*x)^n)^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2)(a + bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
 &= \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1 - x^2)\sqrt{a + bx^2}} dx, x, \tanh(x) \right)}{a + b} \\
 &= \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1 - (a + b)x^2} dx, x, \frac{\tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{a + b} \\
 &= \frac{\tanh^{-1} \left( \frac{\sqrt{a + b} \tanh(x)}{\sqrt{a + b \tanh^2(x)}} \right)}{(a + b)^{3/2}} + \frac{b \tanh(x)}{a(a + b)\sqrt{a + b \tanh^2(x)}}
 \end{aligned}$$

**Mathematica [C]** time = 4.60, size = 223, normalized size = 3.98

$$\sinh^2(x) \left( \sqrt{2} a^2 (a + b) \tanh(x) {}_2F_1 \left( 2, 2; \frac{7}{2}; -\frac{(a + b) \sinh^2(x)}{a} \right) \left( -\frac{(a + b) \sinh^2(x) ((a + b) \cosh(2x) + a - b)}{a^2} \right)^{3/2} + \frac{15}{4} \operatorname{acsch}(x) \operatorname{sech}(x) \right)$$

$$15a^4 \left( -\frac{(a + b) \sinh(x)}{a} \right)$$

Warning: Unable to verify antiderivative.



[In] Integrate[(a + b\*Tanh[x]^2)^(-3/2),x]

[Out] 
$$-1/15*(\text{Sinh}[x]^2*((15*a*(3*a - 2*b + (3*a + 2*b)*\text{Cosh}[2*x]))*\text{Csch}[x]*\text{Sech}[x] * ((a - b)*\text{ArcSin}[\text{Sqrt}[-((a + b)*\text{Sinh}[x]^2)/a]] + (a + b)*\text{ArcSin}[\text{Sqrt}[-((a + b)*\text{Sinh}[x]^2)/a]])*\text{Cosh}[2*x] - 2*a*\text{Sqrt}[-((a + b)*(b + a*\text{Coth}[x]^2)*\text{Sinh}[x]^4)/a^2])))/4 + \text{Sqrt}[2]*a^2*(a + b)*\text{Hypergeometric2F1}[2, 2, 7/2, -((a + b)*\text{Sinh}[x]^2)/a]*(-((a + b)*(a - b + (a + b)*\text{Cosh}[2*x])*\text{Sinh}[x]^2)/a^2))^(3/2)*\text{Tanh}[x])/((a^4*(-((a + b)*\text{Sinh}[x]^2)/a))^(3/2)*\text{Sqrt}[\text{Cosh}[x]^2 + (b*\text{Sinh}[x]^2)/a]*\text{Sqrt}[a + b*\text{Tanh}[x]^2])$$

**fricas [B]** time = 0.72, size = 2509, normalized size = 44.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b) * \sinh(x)^4 + 2*(a^2 - a*b)*\cosh(x)^2 + 2*(3*(a^2 + a*b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^2 + a^2 + a*b + 4*((a^2 + a*b)*\cosh(x)^3 + (a^2 - a*b)*\cosh(x) )*\sinh(x))*\sqrt{a + b}*\log(-((a*b^2 + b^3)*\cosh(x)^8 + 8*(a*b^2 + b^3)*\cosh(x)*\sinh(x)^7 + (a*b^2 + b^3)*\sinh(x)^8 - 2*(a*b^2 + 2*b^3)*\cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a*b^2 + b^3) * \cosh(x)^3 - 3*(a*b^2 + 2*b^3)*\cosh(x))*\sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^4 + (70*(a*b^2 + b^3)*\cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a*b^2 + b^3)*\cosh(x)^5 - 10*(a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 - 3*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(14*(a*b^2 + b^3)*\cosh(x)^6 - 15*(a*b^2 + 2*b^3)*\cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3*(a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(b^2*\cosh(x)^6 + 6*b^2*\cosh(x)*\sinh(x)^5 + b^2*\sinh(x)^6 - 3*b^2*\cosh(x)^4 + 3*(5*b^2*\cosh(x)^2 - b^2)*\sinh(x)^4 + 4*(5*b^2*\cosh(x)^3 - 3*b^2*\cosh(x))*\sinh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x)^2 + (15*b^2*\cosh(x)^4 - 18*b^2*\cosh(x)^2 - a^2 + 2*a*b + 3*b^2)*\sinh(x)^2 - a^2 - 2*a*b - b^2 + 2*(3*b^2*\cosh(x)^5 - 6*b^2*\cosh(x)^3 - (a^2 - 2*a*b - 3*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4*(2*(a*b^2 + b^3)*\cosh(x)^7 - 3*(a*b^2 + 2*b^3)*\cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*\cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + 2*(a^2 - a*b)*\cosh(x)^2 + 2*(3*(a^2 + a*b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^2 + a^2 + a*b + 4*((a^2 + a*b)*\cosh(x)^3 + (a^2 - a*b)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*($$

$$\begin{aligned}
& a + b) \cdot \cosh(x)^2 + a) \cdot \sinh(x)^2 + \sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \\
& \sinh(x)^2 + 1) \cdot \sqrt{a + b} \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a \\
& - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)} + 4 \cdot ((a + b) \cdot \cosh(x)^3 + \\
& a \cdot \cosh(x)) \cdot \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2) + \\
& 4 \cdot \sqrt{2} \cdot ((a \cdot b + b^2) \cdot \cosh(x)^2 + 2 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x) + (a \cdot b + b \\
& ^2) \cdot \sinh(x)^2 - a \cdot b - b^2) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a \\
& - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)} / ((a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 \\
& + a \cdot b^3) \cdot \cosh(x)^4 + 4 \cdot (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x) \cdot \sinh \\
& (x)^3 + (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \sinh(x)^4 + a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a \\
& ^2 \cdot b^2 + a \cdot b^3 + 2 \cdot (a^4 + a^3 \cdot b - a^2 \cdot b^2 - a \cdot b^3) \cdot \cosh(x)^2 + 2 \cdot (a^4 + a^3 \cdot b \\
& \cdot b - a^2 \cdot b^2 - a \cdot b^3 + 3 \cdot (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x)^2) \cdot \sin \\
& h(x)^2 + 4 \cdot ((a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x)^3 + (a^4 + a^3 \cdot b - \\
& a^2 \cdot b^2 - a \cdot b^3) \cdot \cosh(x)) \cdot \sinh(x)), -1/2 \cdot (((a^2 + a \cdot b) \cdot \cosh(x)^4 + 4 \cdot (a^2 + \\
& a \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a^2 + a \cdot b) \cdot \sinh(x)^4 + 2 \cdot (a^2 - a \cdot b) \cdot \cosh(x)^2 + \\
& 2 \cdot (3 \cdot (a^2 + a \cdot b) \cdot \cosh(x)^2 + a^2 - a \cdot b) \cdot \sinh(x)^2 + a^2 + a \cdot b + 4 \cdot ((a^2 + \\
& a \cdot b) \cdot \cosh(x)^3 + (a^2 - a \cdot b) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{-a - b} \cdot \arctan(\sqrt{2} \cdot \\
& (b \cdot \cosh(x)^2 + 2 \cdot b \cdot \cosh(x) \cdot \sinh(x) + b \cdot \sinh(x)^2 - a - b) \cdot \sqrt{-a - b} \cdot \sqrt{ \\
& ((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sin \\
& h(x) + \sinh(x)^2)} / ((a \cdot b + b^2) \cdot \cosh(x)^4 + 4 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x)^3 \\
& + (a \cdot b + b^2) \cdot \sinh(x)^4 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)^2 + (6 \cdot (a \cdot b + b^2) \cdot c \\
& osh(x)^2 + a^2 - a \cdot b - 2 \cdot b^2) \cdot \sinh(x)^2 + a^2 + 2 \cdot a \cdot b + b^2 + 2 \cdot (2 \cdot (a \cdot b + b \\
& ^2) \cdot \cosh(x)^3 + (a^2 - a \cdot b - 2 \cdot b^2) \cdot \cosh(x)) \cdot \sinh(x))) + ((a^2 + a \cdot b) \cdot \cosh \\
& (x)^4 + 4 \cdot (a^2 + a \cdot b) \cdot \cosh(x) \cdot \sinh(x)^3 + (a^2 + a \cdot b) \cdot \sinh(x)^4 + 2 \cdot (a^2 - a \\
& \cdot b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a^2 + a \cdot b) \cdot \cosh(x)^2 + a^2 - a \cdot b) \cdot \sinh(x)^2 + a^2 + a \\
& \cdot b + 4 \cdot ((a^2 + a \cdot b) \cdot \cosh(x)^3 + (a^2 - a \cdot b) \cdot \cosh(x)) \cdot \sinh(x)) \cdot \sqrt{-a - b} \cdot \\
& \arctan(\sqrt{2} \cdot (\cosh(x)^2 + 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2 + 1) \cdot \sqrt{-a - b} \\
& \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cdot \cosh(x) \\
& ) \cdot \sinh(x) + \sinh(x)^2)} / ((a + b) \cdot \cosh(x)^4 + 4 \cdot (a + b) \cdot \cosh(x) \cdot \sinh(x)^3 + \\
& (a + b) \cdot \sinh(x)^4 + 2 \cdot (a - b) \cdot \cosh(x)^2 + 2 \cdot (3 \cdot (a + b) \cdot \cosh(x)^2 + a - b) \cdot s \\
& inh(x)^2 + 4 \cdot ((a + b) \cdot \cosh(x)^3 + (a - b) \cdot \cosh(x)) \cdot \sinh(x) + a + b)) - 2 \cdot \sqrt{ \\
& 2} \cdot ((a \cdot b + b^2) \cdot \cosh(x)^2 + 2 \cdot (a \cdot b + b^2) \cdot \cosh(x) \cdot \sinh(x) + (a \cdot b + b^2) \cdot \\
& \sinh(x)^2 - a \cdot b - b^2) \cdot \sqrt{((a + b) \cdot \cosh(x)^2 + (a + b) \cdot \sinh(x)^2 + a - b) \\
& / (\cosh(x)^2 - 2 \cdot \cosh(x) \cdot \sinh(x) + \sinh(x)^2)} / ((a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 \\
& + a \cdot b^3) \cdot \cosh(x)^4 + 4 \cdot (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x) \cdot \sinh(x)^ \\
& 3 + (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \sinh(x)^4 + a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b \\
& ^2 + a \cdot b^3 + 2 \cdot (a^4 + a^3 \cdot b - a^2 \cdot b^2 - a \cdot b^3) \cdot \cosh(x)^2 + 2 \cdot (a^4 + a^3 \cdot b - \\
& a^2 \cdot b^2 - a \cdot b^3 + 3 \cdot (a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x)^2) \cdot \sinh(x) \\
& ^2 + 4 \cdot ((a^4 + 3 \cdot a^3 \cdot b + 3 \cdot a^2 \cdot b^2 + a \cdot b^3) \cdot \cosh(x)^3 + (a^4 + a^3 \cdot b - a^2 \cdot b \\
& ^2 - a \cdot b^3) \cdot \cosh(x)) \cdot \sinh(x))]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
 ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
 ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
 erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
 ld perhaps be purged.Error: Bad Argument Type

**maple [B]** time = 0.09, size = 272, normalized size = 4.86

$$\frac{1}{2(a+b)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}} + \frac{b(2(\tanh(x)-1)b + 2b)}{(a+b)(4b(a+b) - 4b^2)\sqrt{(\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(x)^2)^(3/2),x)

[Out] 
$$-1/2/(a+b)/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b}^{1/2}+b/(a+b)*(2*(\tanh(x)-1)*b+2*b)/(4*b*(a+b)-4*b^2)/((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b}^{1/2}+1/2/(a+b)^{3/2}*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^{1/2})*((\tanh(x)-1)^{2*b+2*(\tanh(x)-1)*b+a+b}^{1/2}))/(\tanh(x)-1))+1/2/(a+b)/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b}^{1/2}+b/(a+b)*(2*(1+\tanh(x))*b-2*b)/(4*b*(a+b)-4*b^2)/((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b}^{1/2}-1/2/(a+b)^{3/2}*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^{1/2})*((1+\tanh(x))^{2*b-2*(1+\tanh(x))*b+a+b}^{1/2}))/((1+\tanh(x))))$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^2 + a)^(-3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*tanh(x)^2)^(3/2),x)
```

```
[Out] int(1/(a + b*tanh(x)^2)^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)**2)**(3/2),x)
```

```
[Out] Integral((a + b*tanh(x)**2)**(-3/2), x)
```

$$3.244 \quad \int \frac{\coth(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

**Optimal.** Leaf size=78

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

[Out]  $-\operatorname{arctanh}((a+b \tanh(x)^2)^{1/2}/a^{1/2})/a^{3/2} + \operatorname{arctanh}((a+b \tanh(x)^2)^{1/2}/(a+b)^{1/2})/(a+b)^{3/2} + b/a/(a+b)/(a+b \tanh(x)^2)^{1/2}$

**Rubi [A]** time = 0.15, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {3670, 446, 85, 156, 63, 208}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[x]/(a + b \operatorname{Tanh}[x]^2)^{3/2}, x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]]/a^{3/2}) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]]/(a + b)^{3/2} + b/(a*(a + b)*\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2])$

### Rule 63

$\operatorname{Int}[(a_. + (b_.)(x_))^{(m_)}*((c_.) + (d_.)(x_))^{(n_)}, x\_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 85

$\operatorname{Int}[(e_. + (f_.)(x_))^{(p_)}/((a_.) + (b_.)(x_))*((c_.) + (d_.)(x_)), x\_Symbol] \rightarrow \operatorname{Simp}[(f*(e + f*x)^{(p+1)})/((p+1)*(b*e - a*f)*(d*e - c*f)), x] + \operatorname{Dist}[1/((b*e - a*f)*(d*e - c*f)), \operatorname{Int}[(b*d*e - b*c*f - a*d*f - b*d*f*x)*(e + f*x)^{(p+1)})/((a + b*x)*(c + d*x)), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{LtQ}[p, -1]$

Rule 156

```
Int[(((e_.) + (f_.)*(x_))^(p_.)*((g_.) + (h_.)*(x_)))/(((a_.) + (b_.)*(x_))*
((c_.) + (d_.)*(x_))), x_Symbol] := Dist[(b*g - a*h)/(b*c - a*d), Int[(e +
f*x)^p/(a + b*x), x], x] - Dist[(d*g - c*h)/(b*c - a*d), Int[(e + f*x)^p/(c
+ d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p)/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x(a+bx)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-a-bx}{(1-x)x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{x\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{ab} + \frac{\text{Subst} \left( \int \frac{1}{1-x} dx, x, \sqrt{a+b \tanh^2(x)} \right)}{2(a+b)} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{a^{3/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{3/2}} + \frac{b}{a(a+b)\sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 70, normalized size = 0.90

$$\frac{(a+b) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)}{a} + 1 \right) - a {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{a(a+b)\sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b\*Tanh[x]^2)^(3/2), x]

[Out]  $(-a \text{Hypergeometric2F1}[-1/2, 1, 1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) + (a + b) \text{Hypergeometric2F1}[-1/2, 1, 1/2, 1 + (b \text{Tanh}[x]^2)/a]/(a(a + b) \text{Sqrt}[a + b \text{Tanh}[x]^2])$

**fricas [B]** time = 1.01, size = 6955, normalized size = 89.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{4} \left( (a^3 + a^2 b) \cosh(x)^4 + 4(a^3 + a^2 b) \cosh(x) \sinh(x)^3 + (a^3 + a^2 b) \sinh(x)^4 + a^3 + a^2 b + 2(a^3 - a^2 b) \cosh(x)^2 + 2(a^3 - a^2 b) b + 3(a^3 + a^2 b) \cosh(x)^2 \sinh(x)^2 + 4((a^3 + a^2 b) \cosh(x)^3 + (a^3 - a^2 b) \cosh(x) \sinh(x)) \sqrt{a+b} \log((a^3 + a^2 b) \cosh(x)^8 + 8(a^3 + a^2 b) \cosh(x) \sinh(x)^7 + (a^3 + a^2 b) \sinh(x)^8 + 2(2a^3 + a^2 b) \cosh(x)^6 + 2(2a^3 + a^2 b + 14(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2 b) \cosh(x)^3 + 3(2a^3 + a^2 b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2 b) \cosh(x)^4 + 6a^3 + 4a^2 b - a b^2 + b^3 + 30(2a^3 + a^2 b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2 b) \cosh(x)^5 + 10(2a^3 + a^2 b) \cosh(x)^3 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(2a^3 + 3a^2 b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2 b) \cosh(x)^6 + 15(2a^3 + a^2 b) \cosh(x)^4 + 2a^3 + 3a^2 b - b^3 + 3(6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2a b - b^2) \sinh(x)^2 + a^2 + 2a b + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2a b - b^2) \cosh(x)) \sinh(x) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x))^2 + a - b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4(2(a^3 + a^2 b) \cosh(x)^7 + 3(2a^3 + a^2 b) \cosh(x)^5 + (6a^3 + 4a^2 b - a b^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2 b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 2((a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^4 + 4(a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x) \sinh(x)^3 + (a^3 + 3a^2 b + 3a b^2 + b^3) \sinh(x)^4 + a^3 + 3a^2 b + 3a b^2 + b^3 + 2(a^3 + a^2 b - a b^2 - b^3) \cosh(x)^2 + 2(a^3 + a^2 b - a b^2 - b^3 + 3(a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + 3a^2 b + 3a b^2 + b^3) \cosh(x)^3 + (a^3 + a^2 b - a b^2 - b^3) \cosh(x)) \sinh(x) \sqrt{a} \log(-((2a+b) \cosh(x)^4 + 4(2a+b) \cosh(x) \sinh(x)^3 + (2a+b) \sinh(x)^4 + 2(2a-b) \cosh(x)^2 + 2(3(2a+b) \cosh(x)^2 + 2a-b) \sinh(x)^2 - 2 \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((2a+b) \cosh(x)^3 + (2a-b) \cosh(x)) \sinh(x) + 2a + b) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) + ((a^3 + a^2 b) \cosh(x)^4 + 4(a^3 + a^2 b) \cosh(x) \sinh(x)^3 + (a^3 + a^2 b) \sinh(x)^4 + a^3 + a^2 b + 2(a^3 - a^2 b) \cosh(x)^2 + 2(a^3 - a^2 b + 3(a^3 + a^2 b) \cosh(x)^2) \sinh(x)^2 + 4((a^3 + a^2 b) \cosh(x)^3 + (a^3 - a^2 b) \cosh(x)) \sinh(x) \sqrt{a+b} \log(-((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) \right)$$



$$\begin{aligned}
& - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*((a + b)*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) + 4*\sqrt{2}*(a^2*b + a*b^2 + (a^2*b + a*b^2)*\cosh(x)^2 + 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) + (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)*\sinh(x)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(x)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x)^2 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + 3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x))*\sinh(x)), 1/4*(4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh(x))*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + ((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2*b)*\sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*\cosh(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + a^2*b)*\cosh(x)^3 + (a^3 - a^2*b)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a^3 + a^2*b)*\cosh(x)^8 + 8*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^7 + (a^3 + a^2*b)*\sinh(x)^8 + 2*(2*a^3 + a^2*b)*\cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^6 + 4*(14*(a^3 + a^2*b)*\cosh(x)^3 + 3*(2*a^3 + a^2*b)*\cosh(x))*\sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^4 + (70*(a^3 + a^2*b)*\cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(14*(a^3 + a^2*b)*\cosh(x)^5 + 10*(2*a^3 + a^2*b)*\cosh(x)^3 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*\cosh(x)^2 + 2*(14*(a^3 + a^2*b)*\cosh(x)^6 + 15*(2*a^3 + a^2*b)*\cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + \sqrt{2}*(a^2*\cosh(x)^6 + 6*a^2*\cosh(x)*\sinh(x)^5 + a^2*\sinh(x)^6 + 3*a^2*\cosh(x)^4 + 3*(5*a^2*\cosh(x)^2 + a^2)*\sinh(x)^4 + 4*(5*a^2*\cosh(x)^3 + 3*a^2*\cosh(x))*\sinh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x)^2 + (15*a^2*\cosh(x)^4 + 18*a^2*\cosh(x)^2 + 3*a^2 + 2*a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*\cosh(x)^5 + 6*a^2*\cosh(x)^3 + (3*a^2 + 2*a*b - b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*(2*(a^3 + a^2*b)*\cosh(x)^7 + 3*(2*a^3 + a^2*b)*\cosh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*\cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*\cosh(x))*\sinh(x))/(\cosh(x)^6 + 6*\cosh(x)^5*\sinh(x) + 15*\cosh(x)^4*\sinh(x)^2 + 20*\cosh(x)^3*\sinh(x)^3 + 15*\cosh(x)^2*\sinh(x)^4 + 6*\cosh(x)*\sinh(x)^5 + \sinh(x)^6)) + ((a^3 + a^2*b)*co
\end{aligned}$$

$$\begin{aligned}
& \operatorname{sh}(x)^4 + 4*(a^3 + a^2*b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^3 + a^2*b)*\operatorname{sinh}(x)^4 + a^3 \\
& + a^2*b + 2*(a^3 - a^2*b)*\operatorname{cosh}(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 \\
& + 4*((a^3 + a^2*b)*\operatorname{cosh}(x)^3 + (a^3 - a^2*b)*\operatorname{cosh}(x))*\operatorname{sinh}(x)*\sqrt{a+b}*\log(-((a+b)*\operatorname{cosh}(x)^4 + 4*(a+b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a+b)*\operatorname{sinh}(x)^4 - 2*b*\operatorname{cosh}(x)^2 + 2*(3*(a+b)*\operatorname{cosh}(x)^2 - b)*\operatorname{sinh}(x)^2 + \sqrt{2}*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2 - 1)*\sqrt{a+b}*\sqrt{((a+b)*\operatorname{cosh}(x)^2 + (a+b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)}) + 4*((a+b)*\operatorname{cosh}(x)^3 - b*\operatorname{cosh}(x))*\operatorname{sinh}(x) + a + b)/(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)) + 4*\sqrt{2}*(a^2*b + a*b^2 + (a^2*b + a*b^2)*\operatorname{cosh}(x)^2 + 2*(a^2*b + a*b^2)*\operatorname{cosh}(x)*\operatorname{sinh}(x) + (a^2*b + a*b^2)*\operatorname{sinh}(x)^2)*\sqrt{((a+b)*\operatorname{cosh}(x)^2 + (a+b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2))}/(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\operatorname{cosh}(x)^4 + 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\operatorname{sinh}(x)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\operatorname{cosh}(x)^2 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3 + 3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\operatorname{cosh}(x)^3 + (a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x)), -1/2*((a^3 + a^2*b)*\operatorname{cosh}(x)^4 + 4*(a^3 + a^2*b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^3 + a^2*b)*\operatorname{sinh}(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*\operatorname{cosh}(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + 4*((a^3 + a^2*b)*\operatorname{cosh}(x)^3 + (a^3 - a^2*b)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\sqrt{-a-b}*\arctan(\sqrt{2}*(a*\operatorname{cosh}(x)^2 + 2*a*\operatorname{cosh}(x)*\operatorname{sinh}(x) + a*\operatorname{sinh}(x)^2 + a + b)*\sqrt{-a-b}*\sqrt{((a+b)*\operatorname{cosh}(x)^2 + (a+b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})/((a^2 + a*b)*\operatorname{cosh}(x)^4 + 4*(a^2 + a*b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^2 + a*b)*\operatorname{sinh}(x)^4 + (2*a^2 + a*b - b^2)*\operatorname{cosh}(x)^2 + (6*(a^2 + a*b)*\operatorname{cosh}(x)^2 + 2*a^2 + a*b - b^2)*\operatorname{sinh}(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\operatorname{cosh}(x)^3 + (2*a^2 + a*b - b^2)*\operatorname{cosh}(x))*\operatorname{sinh}(x))) + ((a^3 + a^2*b)*\operatorname{cosh}(x)^4 + 4*(a^3 + a^2*b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^3 + a^2*b)*\operatorname{sinh}(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*\operatorname{cosh}(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + 4*((a^3 + a^2*b)*\operatorname{cosh}(x)^3 + (a^3 - a^2*b)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\sqrt{-a-b}*\arctan(\sqrt{2}*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2 - 1)*\sqrt{-a-b}*\sqrt{((a+b)*\operatorname{cosh}(x)^2 + (a+b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)})/((a+b)*\operatorname{cosh}(x)^4 + 4*(a+b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a+b)*\operatorname{sinh}(x)^4 + 2*(a-b)*\operatorname{cosh}(x)^2 + 2*(3*(a+b)*\operatorname{cosh}(x)^2 + a - b)*\operatorname{sinh}(x)^2 + 4*((a+b)*\operatorname{cosh}(x)^3 + (a-b)*\operatorname{cosh}(x))*\operatorname{sinh}(x) + a + b)) - ((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\operatorname{cosh}(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\operatorname{sinh}(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\operatorname{cosh}(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\operatorname{cosh}(x)^2)*\operatorname{sinh}(x)^2 + 4*((a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\operatorname{cosh}(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\operatorname{cosh}(x))*\operatorname{sinh}(x))*\sqrt{a}*\log(-((2*a + b)*\operatorname{cosh}(x)^4 + 4*(2*a + b)*\operatorname{cosh}(x)*\operatorname{sinh}(x)^3 + (2*a + b)*\operatorname{sinh}(x)^4 + 2*(2*a - b)*\operatorname{cosh}(x)^2 + 2*(3*(2*a + b)*\operatorname{cosh}(x)^2 + 2*a - b)*\operatorname{sinh}(x)^2 - 2*\sqrt{2}*(\operatorname{cosh}(x)^2 + 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2 + 1)*\sqrt{a}*\sqrt{((a+b)*\operatorname{cosh}(x)^2 + (a+b)*\operatorname{sinh}(x)^2 + a - b)/(\operatorname{cosh}(x)^2 - 2*\operatorname{cosh}(x)*\operatorname{sinh}(x) + \operatorname{sinh}(x)^2)}))
\end{aligned}$$

$$\begin{aligned}
& )^2)) + 4*((2*a + b)*\cosh(x)^3 + (2*a - b)*\cosh(x))*\sinh(x) + 2*a + b)/(\cos \\
& h(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 - 1)*\sinh(x)^2 - \\
& 2*\cosh(x)^2 + 4*(\cosh(x)^3 - \cosh(x))*\sinh(x) + 1)) - 2*\sqrt{2}*(a^2*b + a* \\
& b^2 + (a^2*b + a*b^2)*\cosh(x)^2 + 2*(a^2*b + a*b^2)*\cosh(x)*\sinh(x) + (a^2* \\
& b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/ \\
& (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^5 + 3*a^4*b + 3*a^3*b^2 + \\
& a^2*b^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^4 + 4*(a^5 + 3*a^4* \\
& b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)*\sinh(x)^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a \\
& ^2*b^3)*\sinh(x)^4 + 2*(a^5 + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x)^2 + 2*(a^5 \\
& + a^4*b - a^3*b^2 - a^2*b^3 + 3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh( \\
& x)^2)*\sinh(x)^2 + 4*((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^3 + (a^5 \\
& + a^4*b - a^3*b^2 - a^2*b^3)*\cosh(x))*\sinh(x)), 1/2*(2*((a^3 + 3*a^2*b + 3 \\
& *a*b^2 + b^3)*\cosh(x)^4 + 4*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)*\sinh(x) \\
& ^3 + (a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 3*a*b^2 + \\
& b^3 + 2*(a^3 + a^2*b - a*b^2 - b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - a*b^2 - b^ \\
& 3 + 3*(a^3 + 3*a^2*b + 3*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^ \\
& 2*b + 3*a*b^2 + b^3)*\cosh(x)^3 + (a^3 + a^2*b - a*b^2 - b^3)*\cosh(x))*\sinh( \\
& x))*\sqrt{-a}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1) \\
& *\sqrt{-a})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - \\
& 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sin \\
& h(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + \\
& a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b \\
& )) - ((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + \\
& a^2*b)*\sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - a^2*b)*\cosh(x)^2 + 2*(a^3 - a^2*b \\
& + 3*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + a^2*b)*\cosh(x)^3 + (a^3 \\
& - a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a* \\
& \cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b)*\sqrt{-a - b})*\sqrt{((a + b)*\cosh(x)^2 \\
& + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/ \\
& ((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh \\
& (x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + \\
& a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2* \\
& a^2 + a*b - b^2)*\cosh(x))*\sinh(x))) - ((a^3 + a^2*b)*\cosh(x)^4 + 4*(a^3 + a \\
& ^2*b)*\cosh(x)*\sinh(x)^3 + (a^3 + a^2*b)*\sinh(x)^4 + a^3 + a^2*b + 2*(a^3 - \\
& a^2*b)*\cosh(x)^2 + 2*(a^3 - a^2*b + 3*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^2 + \\
& 4*((a^3 + a^2*b)*\cosh(x)^3 + (a^3 - a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*a \\
& rctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1)*\sqrt{-a - b})* \\
& \sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x) \\
& *\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + ( \\
& a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\si \\
& nh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)) + 2*\sqrt{ \\
& 2}*(a^2*b + a*b^2 + (a^2*b + a*b^2)*\cosh(x)^2 + 2*(a^2*b + a*b^2)*\cosh(x) \\
& *\sinh(x) + (a^2*b + a*b^2)*\sinh(x)^2)*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sin \\
& h(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/(a^5 + 3*a^4* \\
& b + 3*a^3*b^2 + a^2*b^3 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^4 + \\
& 4*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)*\sinh(x)^3 + (a^5 + 3*a^4*b
\end{aligned}$$

+ 3\*a^3\*b^2 + a^2\*b^3)\*sinh(x)^4 + 2\*(a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3)\*cos  
 h(x)^2 + 2\*(a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3 + 3\*(a^5 + 3\*a^4\*b + 3\*a^3\*b^2  
 + a^2\*b^3)\*cosh(x)^2)\*sinh(x)^2 + 4\*((a^5 + 3\*a^4\*b + 3\*a^3\*b^2 + a^2\*b^3)\*  
 cosh(x)^3 + (a^5 + a^4\*b - a^3\*b^2 - a^2\*b^3)\*cosh(x))\*sinh(x))]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_  
 ostep+1)]Error: Bad Argument Type

**maple** [F] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b(\tanh^2(x)))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b\*tanh(x)^2)^(3/2),x)

[Out] int(coth(x)/(a+b\*tanh(x)^2)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(coth(x)/(b\*tanh(x)^2 + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(x)}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)/(a + b*tanh(x)^2)^(3/2), x)
```

```
[Out] int(coth(x)/(a + b*tanh(x)^2)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)/(a+b*tanh(x)**2)**(3/2), x)
```

```
[Out] Integral(coth(x)/(a + b*tanh(x)**2)**(3/2), x)
```

$$3.245 \quad \int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{3/2}} dx$$

Optimal. Leaf size=85

$$-\frac{(a+2b)\coth(x)\sqrt{a+b\tanh^2(x)}}{a^2(a+b)} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b\coth(x)}{a(a+b)\sqrt{a+b\tanh^2(x)}}$$

[Out]  $\arctan\left(\frac{(a+b)^{1/2}\tanh(x)}{(a+b\tanh(x)^2)^{1/2}}\right)/(a+b)^{3/2} + b\coth(x)/a/(a+b)/(a+b\tanh(x)^2)^{1/2} - (a+2b)\coth(x)/(a+b\tanh(x)^2)^{1/2}/a^2/(a+b)$

**Rubi [A]** time = 0.16, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 472, 583, 12, 377, 206}

$$-\frac{(a+2b)\coth(x)\sqrt{a+b\tanh^2(x)}}{a^2(a+b)} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{3/2}} + \frac{b\coth(x)}{a(a+b)\sqrt{a+b\tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] `Int[Coth[x]^2/(a + b*Tanh[x]^2)^(3/2), x]`

[Out]  $\text{ArcTanh}\left[\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right]/(a+b)^{3/2} + (b\coth(x))/(a(a+b)\sqrt{a+b\tanh^2(x)}) - ((a+2b)\coth(x)\sqrt{a+b\tanh^2(x)})/(a^2(a+b))$

### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

### Rule 377

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b`

, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 472

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := -Simp[(b\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*e\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[1/(a\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^m\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*b\*(m + 1) + n\*(b\*c - a\*d)\*(p + 1) + d\*b\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntegerQ[n] && !BinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 583

Int[((g\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(e\*(g\*x)^(m + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*c\*g\*(m + 1)), x] + Dist[1/(a\*c\*g^n\*(m + 1)), Int[(g\*x)^(m + n)\*(a + b\*x^n)^p\*(c + d\*x^n)^q\*Simp[a\*f\*c\*(m + 1) - e\*(b\*c + a\*d)\*(m + n + 1) - e\*n\*(b\*c\*p + a\*d\*q) - b\*e\*d\*(m + n\*(p + q + 2) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{1}{x^2(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-a-2b+2bx^2}{x^2(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a(a+b)} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x)\sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{a^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a^2(a+b)} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x)\sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{a(a+b)} \\
&= \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x)\sqrt{a+b \tanh^2(x)}}{a^2(a+b)} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{a(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{3/2}} + \frac{b \coth(x)}{a(a+b)\sqrt{a+b \tanh^2(x)}} - \frac{(a+2b) \coth(x)\sqrt{a+b \tanh^2(x)}}{a^2(a+b)}
\end{aligned}$$

**Mathematica [C]** time = 7.99, size = 230, normalized size = 2.71

$$\frac{\sinh(2x)\text{sech}^2(x) \left( \sqrt{2} a^3 \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x)+a-b)}{b}} \Pi \left( \frac{b}{a+b}; \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x))\text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \right) \right) + (a+b)\text{csch}^2(x)}{2\sqrt{2} a^2(a+b)^2 \sqrt{\text{sech}^2(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]^2/(a + b\*Tanh[x]^2)^(3/2), x]

[Out] -1/2\*(((a + b)\*(a^2 - 2\*b^2 + (a^2 + 2\*a\*b + 2\*b^2)\*Cosh[2\*x])\*Csch[x]^2 - Sqrt[2]\*a^2\*(a + b)\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1] + Sqrt[2]\*a^3\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]\*EllipticPi[b/(a +



b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1])\*Sech[x]^2\*Sinh[2\*x]/(Sqrt[2]\*a^2\*(a + b)^2\*Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2])

**fricas [B]** time = 0.93, size = 3929, normalized size = 46.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(3/2),x, algorithm="fricas")

[Out] [1/4\*(((a^3 + a^2\*b)\*cosh(x)^6 + 6\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^5 + (a^3 + a^2\*b)\*sinh(x)^6 + (a^3 - 3\*a^2\*b)\*cosh(x)^4 + (a^3 - 3\*a^2\*b + 15\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(5\*(a^3 + a^2\*b)\*cosh(x)^3 + (a^3 - 3\*a^2\*b)\*cosh(x))\*sinh(x)^3 - a^3 - a^2\*b - (a^3 - 3\*a^2\*b)\*cosh(x)^2 + (15\*(a^3 + a^2\*b)\*cosh(x)^4 - a^3 + 3\*a^2\*b + 6\*(a^3 - 3\*a^2\*b)\*cosh(x)^2)\*sinh(x)^2 + 2\*(3\*(a^3 + a^2\*b)\*cosh(x)^5 + 2\*(a^3 - 3\*a^2\*b)\*cosh(x)^3 - (a^3 - 3\*a^2\*b)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + ((a^3 + a^2\*b)\*cosh(x)^6 + 6\*(a^3 + a^2\*b)\*cosh(x)\*sinh(x)^5 + (a^3 + a^2\*b)\*sinh(x)^6 + (a^3 - 3\*a^2\*b)\*cosh(x)^4 + (a^3 - 3\*a^2\*b + 15\*(a^3 + a^2\*b)\*cosh(x)^2)\*sinh(x)^4 + 4\*(5\*(a^3 + a^2\*b)\*cosh(x)^3 + (a^3 - 3\*a^2\*b)\*cosh(x))\*sinh(x)^3 - a^3 - a^2\*b - (a^3 - 3\*a^2\*b)\*cosh(x)^2 + (15\*(a^3 + a^2\*b)\*cosh(x)^4 - a^3 + 3\*a^2\*b + 6\*(a^3 - 3\*a^2\*b)\*cosh(x)^2)\*sinh(x)^2 + 2\*(3\*(a^3 + a^2\*b)\*cosh(x)^5 + 2\*(a^3 - 3\*a^2\*b)\*cosh(x)^3 - (a^3 - 3\*a^2\*b)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 +

$$\begin{aligned}
& 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 \\
& + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{(a + b)*\sqrt{((a + b)*\cosh(x)^2 + \\
& (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)} + 4 \\
& *((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2) - 4*\sqrt{2}*((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*\cosh(x)^4 \\
& + 4*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*\cosh(x)*\sinh(x)^3 + (a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*\sinh(x)^4 + a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3 + 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3)*\cosh(x)^2 + 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3 + 3*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*\cosh(x)^2)*\sinh(x)^2 + 4*((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*\cosh(x)^3 + (a^3 + a^2*b - 2*a*b^2 - 2*b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^6 + 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)*\sinh(x)^5 + (a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\sinh(x)^6 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2*b^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^4 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 + 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^3 + (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x))*\sinh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^4 - 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*\cosh(x)^5 + 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*\cosh(x))*\sinh(x)), -1/2*((a^3 + a^2*b)*\cosh(x)^6 + 6*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^5 + (a^3 + a^2*b)*\sinh(x)^6 + (a^3 - 3*a^2*b)*\cosh(x)^4 + (a^3 - 3*a^2*b + 15*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a^3 + a^2*b)*\cosh(x)^3 + (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x)^3 - a^3 - a^2*b - (a^3 - 3*a^2*b)*\cosh(x)^2 + (15*(a^3 + a^2*b)*\cosh(x)^4 - a^3 + 3*a^2*b + 6*(a^3 - 3*a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a^3 + a^2*b)*\cosh(x)^5 + 2*(a^3 - 3*a^2*b)*\cosh(x)^3 - (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + ((a^3 + a^2*b)*\cosh(x)^6 + 6*(a^3 + a^2*b)*\cosh(x)*\sinh(x)^5 + (a^3 + a^2*b)*\sinh(x)^6 + (a^3 - 3*a^2*b)*\cosh(x)^4 + (a^3 - 3*a^2*b + 15*(a^3 + a^2*b)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(a^3 + a^2*b)*\cosh(x)^3 + (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x)^3 - a^3 - a^2*b - (a^3 - 3*a^2*b)*\cosh(x)^2 + (15*(a^3 + a^2*b)*\cosh(x)^4 - a^3 + 3*a^2*b + 6*(a^3 - 3*a^2*b)*\cosh(x)^2)*\sinh(x)^2 + 2*(3*(a^3 + a^2*b)*\cosh(x)^5 + 2*(a^3 - 3*a^2*b)*\cosh(x)^3 - (a^3 - 3*a^2*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a +
\end{aligned}$$

```

b)*cosh(x)^2 + a - b)*sinh(x)^2 + 4*((a + b)*cosh(x)^3 + (a - b)*cosh(x))*
sinh(x) + a + b)) + 2*sqrt(2)*((a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*cosh(x)^4
+ 4*(a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3)*cosh(x)*sinh(x)^3 + (a^3 + 3*a^2*b +
4*a*b^2 + 2*b^3)*sinh(x)^4 + a^3 + 3*a^2*b + 4*a*b^2 + 2*b^3 + 2*(a^3 + a^2
*b - 2*a*b^2 - 2*b^3)*cosh(x)^2 + 2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3 + 3*(a^3
+ 3*a^2*b + 4*a*b^2 + 2*b^3)*cosh(x)^2)*sinh(x)^2 + 4*((a^3 + 3*a^2*b + 4*
a*b^2 + 2*b^3)*cosh(x)^3 + (a^3 + a^2*b - 2*a*b^2 - 2*b^3)*cosh(x))*sinh(x)
)*sqrt(((a + b)*cosh(x)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(
x)*sinh(x) + sinh(x)^2)))/((a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^6
+ 6*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)*sinh(x)^5 + (a^5 + 3*a^4*
b + 3*a^3*b^2 + a^2*b^3)*sinh(x)^6 - a^5 - 3*a^4*b - 3*a^3*b^2 - a^2*b^3 +
(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*cosh(x)^4 + (a^5 - a^4*b - 5*a^3*b^2
- 3*a^2*b^3 + 15*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^2)*sinh(x)^4
+ 4*(5*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^3 + (a^5 - a^4*b - 5*
a^3*b^2 - 3*a^2*b^3)*cosh(x))*sinh(x)^3 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*
b^3)*cosh(x)^2 - (a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3 - 15*(a^5 + 3*a^4*b +
3*a^3*b^2 + a^2*b^3)*cosh(x)^4 - 6*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*c
osh(x)^2)*sinh(x)^2 + 2*(3*(a^5 + 3*a^4*b + 3*a^3*b^2 + a^2*b^3)*cosh(x)^5
+ 2*(a^5 - a^4*b - 5*a^3*b^2 - 3*a^2*b^3)*cosh(x)^3 - (a^5 - a^4*b - 5*a^3*
b^2 - 3*a^2*b^3)*cosh(x))*sinh(x))]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(t_n
ostep+1)]Evaluation time: 1.12Error: Bad Argument Type
```

**maple** [F] time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{(a + b(\tanh^2(x)))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x)
```

```
[Out] int(coth(x)^2/(a+b*tanh(x)^2)^(3/2),x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{coth}(x)^2}{(b \tanh(x)^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(3/2),x, algorithm="maxima")

[Out] integrate(coth(x)^2/(b\*tanh(x)^2 + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{coth}(x)^2}{(b \tanh(x)^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a + b\*tanh(x)^2)^(3/2),x)

[Out] int(coth(x)^2/(a + b\*tanh(x)^2)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{coth}^2(x)}{(a + b \tanh^2(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*2/(a+b\*tanh(x)\*\*2)\*\*(3/2),x)

[Out] Integral(coth(x)\*\*2/(a + b\*tanh(x)\*\*2)\*\*(3/2), x)

$$3.246 \quad \int \frac{\tanh^6(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=118

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{5/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}}$$

[Out]  $-\operatorname{arctanh}(b^{1/2} \tanh(x) / (a+b \tanh(x)^2)^{1/2}) / b^{5/2} + \operatorname{arctanh}((a+b)^{1/2} \tanh(x) / (a+b \tanh(x)^2)^{1/2}) / (a+b)^{5/2} + a(a+2b) \tanh(x) / b^2 (a+b)^2 \sqrt{a+b \tanh(x)^2} + 1/3 a \tanh(x)^3 / b (a+b) / (a+b \tanh(x)^2)^{3/2}$

**Rubi [A]** time = 0.22, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 470, 578, 523, 217, 206, 377}

$$\frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{b^{5/2}} + \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Tanh}[x]^6 / (a + b \operatorname{Tanh}[x]^2)^{5/2}, x]$

[Out]  $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[b] \operatorname{Tanh}[x]) / \operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]] / b^{5/2}) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[a + b] \operatorname{Tanh}[x]) / \operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]] / (a + b)^{5/2} + (a \operatorname{Tanh}[x]^3) / (3b(a + b)(a + b \operatorname{Tanh}[x]^2)^{3/2}) + (a(a + 2b) \operatorname{Tanh}[x]) / (b^2(a + b)^2 \operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2])$

**Rule 206**

$\operatorname{Int}[(a + b(x)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2] * x) / \operatorname{Rt}[a, 2]]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 217**

$\operatorname{Int}[1 / \operatorname{Sqrt}[a + b(x)^2], x\_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b * x^2), x], x, x / \operatorname{Sqrt}[a + b * x^2]] /;$  FreeQ[{a, b}, x] && !GtQ[a, 0]

**Rule 377**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 470

Int[((e\_.)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_)), x\_Symbol] := -Simp[(a\*e^(2\*n - 1)\*(e\*x)^(m - 2\*n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] + Dist[e^(2\*n)/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(e\*x)^(m - 2\*n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[a\*c\*(m - 2\*n + 1) + (a\*d\*(m - n + n\*q + 1) + b\*c\*n\*(p + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 523

Int[((e\_) + (f\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_))\*Sqrt[(c\_) + (d\_.)\*(x\_)^(n\_)]), x\_Symbol] := Dist[f/b, Int[1/Sqrt[c + d\*x^n], x], x] + Dist[(b\*e - a\*f)/b, Int[1/((a + b\*x^n)\*Sqrt[c + d\*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 578

Int[((g\_.)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(g^(n - 1)\*(b\*e - a\*f)\*(g\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(b\*n\*(b\*c - a\*d)\*(p + 1)), x] - Dist[g^n/(b\*n\*(b\*c - a\*d)\*(p + 1)), Int[(g\*x)^(m - n)\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q\*Simp[c\*(b\*e - a\*f)\*(m - n + 1) + (d\*(b\*e - a\*f))\*(m + n\*q + 1) - b\*n\*(c\*f - d\*e)\*(p + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, q}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, 0]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^6(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^6}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{x^2(3a-3(a+b)x^2)}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3b(a+b)} \\
&= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{3a(a+2b)-3(a+b)x^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3b^2(a+b)} \\
&= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{b^2} \\
&= \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b) \tanh(x)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{1-bx^2} dx, x, \tanh(x) \right)}{b^2} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{b^{5/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{a \tanh^3(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} +
\end{aligned}$$

**Mathematica [C]** time = 2.03, size = 231, normalized size = 1.96

$$\frac{\sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)} \left( \frac{a(a+b) \sinh(2x)((3a^2+10ab+7b^2) \cosh(2x)+3a^2+2ab-7b^2)}{((a+b) \cosh(2x)+a-b)^2} - \frac{3\sqrt{2} a \coth(x) \left( (a^2+3ab+2b^2) F \left( \text{ArcSin} \left[ \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right] \right)}{b^2} \right)}{(a+b)^2} \right)}{3\sqrt{2} b^2 (a+b)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^6/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Sqrt[(a - b + (a + b)\*Cosh[2\*x])\*Sech[x]^2]\*((-3\*Sqrt[2]\*a\*Coth[x]\*((a^2 + 3\*a\*b + 2\*b^2)\*EllipticF[ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2] ]

2)/b]/Sqrt[2]], 1] + b^2\*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]/Sqrt[2]], 1]])/(b\*Sqrt[((a - b + (a + b)\*Cosh[2\*x])\*Csch[x]^2)/b]) + (a\*(a + b)\*(3\*a^2 + 2\*a\*b - 7\*b^2 + (3\*a^2 + 10\*a\*b + 7\*b^2)\*Cosh[2\*x])\*Sinh[2\*x])/(a - b + (a + b)\*Cosh[2\*x]^2))/(3\*Sqrt[2]\*b^2\*(a + b)^3)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^6/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^6/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep+1)]Evaluation time: 0.73Error: Bad Argument Type

**maple** [B] time = 0.10, size = 549, normalized size = 4.65

$$\frac{\tanh^3(x)}{3b(a+b(\tanh^2(x)))^{\frac{3}{2}}} + \frac{\tanh(x)}{b^2\sqrt{a+b(\tanh^2(x))}} - \frac{\ln\left(\sqrt{b}\tanh(x) + \sqrt{a+b(\tanh^2(x))}\right)}{b^{\frac{5}{2}}} + \frac{\tanh(x)}{3b(a+b(\tanh^2(x)))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^6/(a+b\*tanh(x)^2)^(5/2),x)

[Out] 1/3\*tanh(x)^3/b/(a+b\*tanh(x)^2)^(3/2)+1/b^2\*tanh(x)/(a+b\*tanh(x)^2)^(1/2)-1/b^(5/2)\*ln(b^(1/2)\*tanh(x)+(a+b\*tanh(x)^2)^(1/2))+1/3\*tanh(x)/b/(a+b\*tanh(x)^2)^(3/2)-1/3/a/b\*tanh(x)/(a+b\*tanh(x)^2)^(1/2)-1/3\*tanh(x)/a/(a+b\*tanh(x)^2)^(3/2)-2/3/a^2\*tanh(x)/(a+b\*tanh(x)^2)^(1/2)-1/6/(a+b)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(3/2)+1/6\*b/(a+b)/a/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(3/2)\*tanh(x)+1/3\*b/(a+b)/a^2/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)\*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+1/2/(a



$b)^2/a/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b}^{1/2})^{b\tanh(x)+1/2}/(a+b)^{5/2})$   
 $\cdot \ln((2a+2b+2(\tanh(x)-1)^{b+2}(a+b)^{1/2})^{(\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b}^{1/2})}/(\tanh(x)-1))+1/6/(a+b)/((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{3/2})+1/6*b/(a+b)/a/((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{3/2})^{tanh(x)+1/3}$   
 $*b/(a+b)/a^2/((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{1/2})^{tanh(x)+1/2}/(a+b)^2/((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{1/2})+1/2/(a+b)^2/a/((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{1/2})^{b\tanh(x)-1/2}/(a+b)^{5/2})$   
 $\cdot \ln((2a+2b-2(1+\tanh(x))^{b+2}(a+b)^{1/2})^{((1+\tanh(x))^{2b-2}(1+\tanh(x))^{b+a+b}^{1/2})}/(1+\tanh(x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^6}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^6/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^6/(b\*tanh(x)^2 + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^6}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^6/(a + b\*tanh(x)^2)^(5/2),x)

[Out] int(tanh(x)^6/(a + b\*tanh(x)^2)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^6(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*6/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] Integral(tanh(x)\*\*6/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

$$3.247 \quad \int \frac{\tanh^5(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

Optimal. Leaf size=84

$$-\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out]  $\operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}}{(a+b)^{1/2}}\right) / (a+b)^{5/2} + a(a+2b) / b^2 (a+b)^{3/2} - 1/3 a^2 / b^2 (a+b) / (a+b \tanh(x)^2)^{3/2}$

**Rubi [A]** time = 0.18, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {3670, 446, 87, 63, 208}

$$-\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]^5/(a + b*Tanh[x]^2)^(5/2), x]`

[Out] `ArcTanh[Sqrt[a + b*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - a^2/(3*b^2*(a + b)*(a + b*Tanh[x]^2)^(3/2)) + (a*(a + 2*b))/(b^2*(a + b)^2*Sqrt[a + b*Tanh[x]^2])`

### Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

### Rule 87

`Int[(((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_))/((a_.) + (b_.)*(x_)), x_Symbol] := Int[ExpandIntegrand[(e + f*x)^FractionalPart[p], ((c + d*x)^n*(e + f*x)^IntegerPart[p])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 0] && LtQ[p, -1] && FractionQ[p]`

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3670

```
Int[((d_)*tan[e_] + (f_)*(x_))^(m_)*((a_) + (b_)*((c_)*tan[e_] +
(f_)*(x_))^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^5}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x^2}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{a^2}{b(a+b)(a+bx)^{5/2}} - \frac{a(a+2b)}{b(a+b)^2(a+bx)^{3/2}} - \frac{1}{(a+b)^2(-1+x)\sqrt{a+bx}} \right) dx, x, \tanh^2(x) \right) \\
&= -\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{(-1+x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{1}{-1-\frac{a}{b}+\frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} - \frac{a^2}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{a(a+2b)}{b^2(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.12, size = 68, normalized size = 0.81

$$\frac{(a+b) \left( 2a + 3b \tanh^2(x) + b \right) - b^2 {}_2F_1 \left( -\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x) + a}{a+b} \right)}{3b^2(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^5/(a + b\*Tanh[x]^2)^(5/2), x]

[Out]  $(-b^2 \text{Hypergeometric2F1}[-3/2, 1, -1/2, (a + b \text{Tanh}[x]^2)/(a + b)]) + (a + b) * (2*a + b + 3*b*\text{Tanh}[x]^2) / (3*b^2*(a + b)*(a + b*\text{Tanh}[x]^2)^(3/2))$

**fricas [B]** time = 1.58, size = 7033, normalized size = 83.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(5/2), x, algorithm="fricas")

```
[Out] [1/12*(3*((a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)
*cosh(x)*sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*sinh(x)^8 + 4*(a^2*b^2 - b^4
)*cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^2)*sin
h(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^3 + 3*(a^2*b^2 - b^4)*cosh(
x))*sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*cosh(x)^4 + 2*(35*(a^2*b^2
+ 2*a*b^3 + b^4)*cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^
4)*cosh(x)^2)*sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3
+ b^4)*cosh(x)^5 + 10*(a^2*b^2 - b^4)*cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3
*b^4)*cosh(x))*sinh(x)^3 + 4*(a^2*b^2 - b^4)*cosh(x)^2 + 4*(7*(a^2*b^2 + 2*
a*b^3 + b^4)*cosh(x)^6 + 15*(a^2*b^2 - b^4)*cosh(x)^4 + a^2*b^2 - b^4 + 3*(
3*a^2*b^2 - 2*a*b^3 + 3*b^4)*cosh(x)^2)*sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 +
b^4)*cosh(x)^7 + 3*(a^2*b^2 - b^4)*cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^
4)*cosh(x)^3 + (a^2*b^2 - b^4)*cosh(x))*sinh(x))*sqrt(a + b)*log(((a^3 + a^
2*b)*cosh(x)^8 + 8*(a^3 + a^2*b)*cosh(x)*sinh(x)^7 + (a^3 + a^2*b)*sinh(x)^
8 + 2*(2*a^3 + a^2*b)*cosh(x)^6 + 2*(2*a^3 + a^2*b + 14*(a^3 + a^2*b)*cosh(
x)^2)*sinh(x)^6 + 4*(14*(a^3 + a^2*b)*cosh(x)^3 + 3*(2*a^3 + a^2*b)*cosh(x)
)*sinh(x)^5 + (6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x)^4 + (70*(a^3 + a^2*b)
*cosh(x)^4 + 6*a^3 + 4*a^2*b - a*b^2 + b^3 + 30*(2*a^3 + a^2*b)*cosh(x)^2)*
sinh(x)^4 + 4*(14*(a^3 + a^2*b)*cosh(x)^5 + 10*(2*a^3 + a^2*b)*cosh(x)^3 +
(6*a^3 + 4*a^2*b - a*b^2 + b^3)*cosh(x))*sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^
2 + b^3 + 2*(2*a^3 + 3*a^2*b - b^3)*cosh(x)^2 + 2*(14*(a^3 + a^2*b)*cosh(x)
^6 + 15*(2*a^3 + a^2*b)*cosh(x)^4 + 2*a^3 + 3*a^2*b - b^3 + 3*(6*a^3 + 4*a^
2*b - a*b^2 + b^3)*cosh(x)^2)*sinh(x)^2 + sqrt(2)*(a^2*cosh(x)^6 + 6*a^2*co
sh(x)*sinh(x)^5 + a^2*sinh(x)^6 + 3*a^2*cosh(x)^4 + 3*(5*a^2*cosh(x)^2 + a^
2)*sinh(x)^4 + 4*(5*a^2*cosh(x)^3 + 3*a^2*cosh(x))*sinh(x)^3 + (3*a^2 + 2*a
*b - b^2)*cosh(x)^2 + (15*a^2*cosh(x)^4 + 18*a^2*cosh(x)^2 + 3*a^2 + 2*a*b
- b^2)*sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(3*a^2*cosh(x)^5 + 6*a^2*cosh(x)^3
+ (3*a^2 + 2*a*b - b^2)*cosh(x))*sinh(x))*sqrt(a + b)*sqrt(((a + b)*cosh(x)
)^2 + (a + b)*sinh(x)^2 + a - b)/(cosh(x)^2 - 2*cosh(x)*sinh(x) + sinh(x)^2
)) + 4*(2*(a^3 + a^2*b)*cosh(x)^7 + 3*(2*a^3 + a^2*b)*cosh(x)^5 + (6*a^3 +
4*a^2*b - a*b^2 + b^3)*cosh(x)^3 + (2*a^3 + 3*a^2*b - b^3)*cosh(x))*sinh(x)
)/(cosh(x)^6 + 6*cosh(x)^5*sinh(x) + 15*cosh(x)^4*sinh(x)^2 + 20*cosh(x)^3*
sinh(x)^3 + 15*cosh(x)^2*sinh(x)^4 + 6*cosh(x)*sinh(x)^5 + sinh(x)^6)) + 3*
((a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)*
sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*sinh(x)^8 + 4*(a^2*b^2 - b^4)*cosh(x)
^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^2)*sinh(x)^6 +
8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*cosh(x)^3 + 3*(a^2*b^2 - b^4)*cosh(x))*sinh(
x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3
+ b^4)*cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*cosh(x)
)^2)*sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*c
osh(x)^5 + 10*(a^2*b^2 - b^4)*cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*cos
h(x))*sinh(x)^3 + 4*(a^2*b^2 - b^4)*cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b
^4)*cosh(x)^6 + 15*(a^2*b^2 - b^4)*cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2
- 2*a*b^3 + 3*b^4)*cosh(x)^2)*sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*cos
h(x)^7 + 3*(a^2*b^2 - b^4)*cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*cosh(x
```

$$\begin{aligned}
& )^3 + (a^2b^2 - b^4) \cosh(x) \sinh(x) \sqrt{a+b} \log(-((a+b) \cosh(x)^4 \\
& + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + \\
& 8 \sqrt{2}((a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^6 + 6(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x) \sinh(x)^5 + (a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \sinh(x)^6 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^4 + 3(a^4 + 3a^3b + a^2b^2 - ab^3 + 5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^2) \sinh(x)^4 + a^4 + 5a^3b + 7a^2b^2 + 3ab^3 + 4(5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^3 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)) \sinh(x)^3 + 3(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^2 + 3(5(a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^4 + a^4 + 3a^3b + a^2b^2 - ab^3 + 6(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^2) \sinh(x)^2 + 6((a^4 + 5a^3b + 7a^2b^2 + 3ab^3) \cosh(x)^5 + 2(a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)^3 + (a^4 + 3a^3b + a^2b^2 - ab^3) \cosh(x)) \sinh(x) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^8 + 8(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x) \sinh(x)^7 + (a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \sinh(x)^8 + a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^6 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^2) \sinh(x)^6 + 8(7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^3 + 3(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)) \sinh(x)^5 + 2(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^4 + 2(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^2) \sinh(x)^4 + 8(7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^5 + 10(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^3 + (3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)) \sinh(x)^3 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^2 + 4(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7 + 7(a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^6 + 15(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^4 + 3(3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^2) \sinh(x)^2 + 8((a^5b^2 + 5a^4b^3 + 10a^3b^4 + 10a^2b^5 + 5ab^6 + b^7) \cosh(x)^7 + 3(a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)^5 + (3a^5b^2 + 7a^4b^3 + 6a^3b^4 + 6a^2b^5 + 7ab^6 + 3b^7) \cosh(x)^3 + (a^5b^2 + 3a^4b^3 + 2a^3b^4 - 2a^2b^5 - 3ab^6 - b^7) \cosh(x)) \sinh(x)), -1/6(3((a^2b^2 + 2ab^3 + b^4) \cosh(x)^8 +
\end{aligned}$$

$$\begin{aligned}
& 8*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)*\sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*\sinh(x)^8 + 4*(a^2*b^2 - b^4)*\cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^2*b^2 - b^4)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sinh(x)^2 + a + b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a^2 + a*b)*\cosh(x)^4 + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x))*\sinh(x))} + 3*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^8 + 8*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)*\sinh(x)^7 + (a^2*b^2 + 2*a*b^3 + b^4)*\sinh(x)^8 + 4*(a^2*b^2 - b^4)*\cosh(x)^6 + 4*(a^2*b^2 - b^4 + 7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^2*b^2 - b^4)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^4 + 2*(35*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^4 + 3*a^2*b^2 - 2*a*b^3 + 3*b^4 + 30*(a^2*b^2 - b^4)*\cosh(x)^2)*\sinh(x)^4 + a^2*b^2 + 2*a*b^3 + b^4 + 8*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^5 + 10*(a^2*b^2 - b^4)*\cosh(x)^3 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x))*\sinh(x)^3 + 4*(a^2*b^2 - b^4)*\cosh(x)^2 + 4*(7*(a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^6 + 15*(a^2*b^2 - b^4)*\cosh(x)^4 + a^2*b^2 - b^4 + 3*(3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^2*b^2 + 2*a*b^3 + b^4)*\cosh(x)^7 + 3*(a^2*b^2 - b^4)*\cosh(x)^5 + (3*a^2*b^2 - 2*a*b^3 + 3*b^4)*\cosh(x)^3 + (a^2*b^2 - b^4)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 - 1))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)} - 4*\sqrt{2}*((a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^6 + 6*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)*\sinh(x)^5 + (a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\sinh(x)^6 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^4 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3 + 5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3 + 4*(5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x)^3 + 3*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^2 + 3*(5*(a^4 + 5*a^3*b + 7*a^2*b^2 + 3*a*b^3)*\cosh(x)^4 + a^4 + 3*a^3*b + a^2*b^2 - a*b^3 + 6*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((a^4 + 5*a^3*b + 7*a
\end{aligned}$$

$$\begin{aligned} & ^2*b^2 + 3*a*b^3)*\cosh(x)^5 + 2*(a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x)^3 \\ & + (a^4 + 3*a^3*b + a^2*b^2 - a*b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x) \\ & )^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2 \\ & )))/((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cosh(x) \\ & )^8 + 8*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cos \\ & h(x)*\sinh(x)^7 + (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + \\ & b^7)*\sinh(x)^8 + a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + \\ & b^7 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh \\ & (x)^6 + 4*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7 + 7* \\ & (a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cosh(x)^2)* \\ & \sinh(x)^6 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + \\ & b^7)*\cosh(x)^3 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 \\ & - b^7)*\cosh(x))*\sinh(x)^5 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^ \\ & 5 + 7*a*b^6 + 3*b^7)*\cosh(x)^4 + 2*(3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a \\ & ^2*b^5 + 7*a*b^6 + 3*b^7 + 35*(a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^ \\ & 5 + 5*a*b^6 + b^7)*\cosh(x)^4 + 30*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2* \\ & b^5 - 3*a*b^6 - b^7)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^5*b^2 + 5*a^4*b^3 + 10* \\ & a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cosh(x)^5 + 10*(a^5*b^2 + 3*a^4*b^3 + \\ & 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh(x)^3 + (3*a^5*b^2 + 7*a^4*b^3 \\ & + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*\cosh(x))*\sinh(x)^3 + 4*(a^5*b^2 \\ & + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh(x)^2 + 4*(a^5*b^2 \\ & + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7 + 7*(a^5*b^2 + 5*a^4*b \\ & ^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cosh(x)^6 + 15*(a^5*b^2 + 3*a \\ & ^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh(x)^4 + 3*(3*a^5*b^2 + \\ & 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*\cosh(x)^2)*\sinh(x)^2 + \\ & 8*((a^5*b^2 + 5*a^4*b^3 + 10*a^3*b^4 + 10*a^2*b^5 + 5*a*b^6 + b^7)*\cosh(x) \\ & )^7 + 3*(a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh(x) \\ & )^5 + (3*a^5*b^2 + 7*a^4*b^3 + 6*a^3*b^4 + 6*a^2*b^5 + 7*a*b^6 + 3*b^7)*\cos \\ & h(x)^3 + (a^5*b^2 + 3*a^4*b^3 + 2*a^3*b^4 - 2*a^2*b^5 - 3*a*b^6 - b^7)*\cosh \\ & (x))*\sinh(x))] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
 ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
 ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
 erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
 ld perhaps be purged.Evaluation time: 0.79Error: Bad Argument Type



**maple [B]** time = 0.10, size = 469, normalized size = 5.58

$$\frac{\tanh^2(x)}{b(a+b(\tanh^2(x)))^{\frac{3}{2}}} + \frac{2a}{3b^2(a+b(\tanh^2(x)))^{\frac{3}{2}}} + \frac{1}{3b(a+b(\tanh^2(x)))^{\frac{3}{2}}} - \frac{1}{6(a+b)((\tanh(x)-1)^2 b + 2(\tanh(x)-1)a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^5/(a+b\*tanh(x)^2)^(5/2), x)

[Out] tanh(x)^2/b/(a+b\*tanh(x)^2)^(3/2)+2/3\*a/b^2/(a+b\*tanh(x)^2)^(3/2)+1/3/b/(a+b\*tanh(x)^2)^(3/2)-1/6/(a+b)/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(3/2)+1/6\*b/(a+b)/a/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(3/2)\*tanh(x)+1/3\*b/(a+b)/a^2/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)\*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)+1/2/(a+b)^2/a/((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2)\*b\*tanh(x)+1/2/(a+b)^(5/2)\*ln((2\*a+2\*b+2\*(tanh(x)-1)\*b+2\*(a+b)^(1/2)\*((tanh(x)-1)^2\*b+2\*(tanh(x)-1)\*b+a+b)^(1/2))/(tanh(x)-1))-1/6/(a+b)/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(3/2)-1/6\*b/(a+b)/a/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(3/2)\*tanh(x)-1/3\*b/(a+b)/a^2/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)\*tanh(x)-1/2/(a+b)^2/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)-1/2/(a+b)^2/a/((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2)\*b\*tanh(x)+1/2/(a+b)^(5/2)\*ln((2\*a+2\*b-2\*(1+tanh(x))\*b+2\*(a+b)^(1/2)\*((1+tanh(x))^2\*b-2\*(1+tanh(x))\*b+a+b)^(1/2))/(1+tanh(x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^5}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^5/(a+b\*tanh(x)^2)^(5/2), x, algorithm="maxima")

[Out] integrate(tanh(x)^5/(b\*tanh(x)^2 + a)^(5/2), x)

**mupad [B]** time = 4.01, size = 92, normalized size = 1.10

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a} (2a^2 + 4ab + 2b^2)}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} - \frac{\frac{a^2}{3(a+b)} - \frac{(a^2 + 2ba)(b \tanh(x)^2 + a)}{(a+b)^2}}{b^2 (b \tanh(x)^2 + a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)^5/(a + b*tanh(x)^2)^(5/2),x)
```

```
[Out] atanh(((a + b*tanh(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/
(a + b)^(5/2) - (a^2/(3*(a + b)) - ((2*a*b + a^2)*(a + b*tanh(x)^2))/(a + b
)^2)/(b^2*(a + b*tanh(x)^2)^(3/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^5(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**5/(a+b*tanh(x)**2)**(5/2),x)
```

```
[Out] Integral(tanh(x)**5/(a + b*tanh(x)**2)**(5/2), x)
```

$$3.248 \quad \int \frac{\tanh^4(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

Optimal. Leaf size=90

$$-\frac{(a+4b)\tanh(x)}{3b(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{a\tanh(x)}{3b(a+b)(a+b\tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(5/2)-1/3\*(a+4\*b)\*tanh(x)/b/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)+1/3\*a\*tanh(x)/b/(a+b)/(a+b\*tanh(x)^2)^(3/2)

Rubi [A] time = 0.14, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 470, 527, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(a+4b)\tanh(x)}{3b(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{a\tanh(x)}{3b(a+b)(a+b\tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^4/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (a\*Tanh[x])/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((a + 4\*b)\*Tanh[x])/(3\*b\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 470

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(a*e^(2*n - 1)*(e*x)^(m - 2*n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(b*n*(b*c - a*d)*(p + 1)), x] + Dist[e^(2*n)/(b*n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - 2*n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[a*c*(m - 2*n + 1) + (a*d*(m - n + n*q + 1) + b*c*n*(p + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^4}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{a+(-a-3b)x^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3b(a+b)} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{3ab}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3ab(a+b)} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)} \\
&= \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{a \tanh(x)}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(a+4b) \tanh(x)}{3b(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [A]** time = 3.13, size = 132, normalized size = 1.47

$$\frac{\tanh^3(x) \left( 3 \tanh^{-1} \left( \frac{\sqrt{\frac{(a+b) \tanh^2(x)}{a}}}{\sqrt{\frac{b \tanh^2(x)}{a} + 1}} \right) \sqrt{\frac{(a+b) \tanh^2(x)}{a}} (a \coth^2(x) + b)^2 - (a+b) \sqrt{\frac{b \tanh^2(x)}{a} + 1} (3a \coth^2(x) + a + b) \right)}{3(a+b)^3 (a+b \tanh^2(x))^{3/2} \sqrt{\frac{b \tanh^2(x)}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^4/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Tanh[x]^3\*(3\*ArcTanh[Sqrt[((a + b)\*Tanh[x]^2)/a]/Sqrt[1 + (b\*Tanh[x]^2)/a]]\*(b + a\*Coth[x]^2)^2\*Sqrt[((a + b)\*Tanh[x]^2)/a] - (a + b)\*(a + 4\*b + 3\*a\*Coth[x]^2)\*Sqrt[1 + (b\*Tanh[x]^2)/a]))/(3\*(a + b)^3\*(a + b\*Tanh[x]^2)^(3/2)\*Sqrt[1 + (b\*Tanh[x]^2)/a])

**fricas [B]** time = 1.80, size = 5719, normalized size = 63.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] [1/12\*(3\*((a^2 + 2\*a\*b + b^2)\*cosh(x)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(x)\*sinh(x)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(x)^8 + 4\*(a^2 - b^2)\*cosh(x)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^3 + 3\*(a^2 - b^2)\*cosh(x))\*sinh(x)^5 + 2\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(x)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^4 + 30\*(a^2 - b^2)\*cosh(x)^2 + 3\*a^2 - 2\*a\*b + 3\*b^2)\*sinh(x)^4 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^5 + 10\*(a^2 - b^2)\*cosh(x)^3 + (3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(x))\*sinh(x)^3 + 4\*(a^2 - b^2)\*cosh(x)^2 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^6 + 15\*(a^2 - b^2)\*cosh(x)^4 + 3\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 8\*((a^2 + 2\*a\*b + b^2)\*cosh(x)^7 + 3\*(a^2 - b^2)\*cosh(x)^5 + (3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(x)^3 + (a^2 - b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*log(-((a\*b^2 + b^3)\*cosh(x)^8 + 8\*(a\*b^2 + b^3)\*cosh(x)\*sinh(x)^7 + (a\*b^2 + b^3)\*sinh(x)^8 - 2\*(a\*b^2 + 2\*b^3)\*cosh(x)^6 - 2\*(a\*b^2 + 2\*b^3 - 14\*(a\*b^2 + b^3)\*cosh(x)^2)\*sinh(x)^6 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^3 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x))\*sinh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^4 + (70\*(a\*b^2 + b^3)\*cosh(x)^4 + a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3 - 30\*(a\*b^2 + 2\*b^3)\*cosh(x)^2)\*sinh(x)^4 + 4\*(14\*(a\*b^2 + b^3)\*cosh(x)^5 - 10\*(a\*b^2 + 2\*b^3)\*cosh(x)^3 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x))\*sinh(x)^3 + a^3 + 3\*a^2\*b + 3\*a\*b^2 + b^3 + 2\*(a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x)^2 + 2\*(14\*(a\*b^2 + b^3)\*cosh(x)^6 - 15\*(a\*b^2 + 2\*b^3)\*cosh(x)^4 + a^3 - 3\*a\*b^2 - 2\*b^3 + 3\*(a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^2)\*sinh(x)^2 + sqrt(2)\*(b^2\*cosh(x)^6 + 6\*b^2\*cosh(x)\*sinh(x)^5 + b^2\*sinh(x)^6 - 3\*b^2\*cosh(x)^4 + 3\*(5\*b^2\*cosh(x)^2 - b^2)\*sinh(x)^4 + 4\*(5\*b^2\*cosh(x)^3 - 3\*b^2\*cosh(x))\*sinh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x)^2 + (15\*b^2\*cosh(x)^4 - 18\*b^2\*cosh(x)^2 - a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^2 - a^2 - 2\*a\*b - b^2 + 2\*(3\*b^2\*cosh(x)^5 - 6\*b^2\*cosh(x)^3 - (a^2 - 2\*a\*b - 3\*b^2)\*cosh(x))\*sinh(x))\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^2 + (a + b)\*sinh(x)^2 + a - b)/(cosh(x)^2 - 2\*cosh(x)\*sinh(x) + sinh(x)^2)) + 4\*(2\*(a\*b^2 + b^3)\*cosh(x)^7 - 3\*(a\*b^2 + 2\*b^3)\*cosh(x)^5 + (a^3 - a^2\*b + 4\*a\*b^2 + 6\*b^3)\*cosh(x)^3 + (a^3 - 3\*a\*b^2 - 2\*b^3)\*cosh(x))\*sinh(x))/(cosh(x)^6 + 6\*cosh(x)^5\*sinh(x) + 15\*cosh(x)^4\*sinh(x)^2 + 20\*cosh(x)^3\*sinh(x)^3 + 15\*cosh(x)^2\*sinh(x)^4 + 6\*cosh(x)\*sinh(x)^5 + sinh(x)^6)) + 3\*((a^2 + 2\*a\*b + b^2)\*cosh(x)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(x)\*sinh(x)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(x)^8 + 4\*(a^2 - b^2)\*cosh(x)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^3 + 3\*(a^2 - b^2)\*cosh(x))\*sinh(x)^5 + 2\*(3\*a^2 - 2\*a\*b + 3\*b^2)\*cosh(x)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^4 + 30\*(a^2 - b^2)\*cosh(x)^2 + 3\*a^2 - 2\*a\*b + 3\*b^2)\*sinh(x)^4 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*c

$$\begin{aligned}
& \text{osh}(x)^5 + 10*(a^2 - b^2)*\text{cosh}(x)^3 + (3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(x))*\text{sinh} \\
& (x)^3 + 4*(a^2 - b^2)*\text{cosh}(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\text{cosh}(x)^6 + 15*( \\
& a^2 - b^2)*\text{cosh}(x)^4 + 3*(3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(x)^2 + a^2 - b^2)*\text{sin} \\
& h(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\text{cosh}(x)^7 + 3*(a^2 - b^ \\
& 2)*\text{cosh}(x)^5 + (3*a^2 - 2*a*b + 3*b^2)*\text{cosh}(x)^3 + (a^2 - b^2)*\text{cosh}(x))*\text{sin} \\
& h(x))*\text{sqrt}(a + b)*\log(((a + b)*\text{cosh}(x)^4 + 4*(a + b)*\text{cosh}(x)*\text{sinh}(x)^3 + (a \\
& + b)*\text{sinh}(x)^4 + 2*a*\text{cosh}(x)^2 + 2*(3*(a + b)*\text{cosh}(x)^2 + a)*\text{sinh}(x)^2 + s \\
& \text{qrt}(2)*(\text{cosh}(x)^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2 + 1))*\text{sqrt}(a + b)*\text{sqrt}(((a \\
& + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x)^2 - 2*\text{cosh}(x)*\text{sinh}(x) \\
& + \text{sinh}(x)^2)) + 4*((a + b)*\text{cosh}(x)^3 + a*\text{cosh}(x))*\text{sinh}(x) + a + b)/(\text{cosh}(x) \\
& )^2 + 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)) - 16*\text{sqrt}(2)*((a^2 + 2*a*b + b^2)*\text{cos} \\
& h(x)^6 + 6*(a^2 + 2*a*b + b^2)*\text{cosh}(x)*\text{sinh}(x)^5 + (a^2 + 2*a*b + b^2)*\text{sinh} \\
& (x)^6 - 3*(a*b + b^2)*\text{cosh}(x)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\text{cosh}(x)^2 - a*b \\
& - b^2)*\text{sinh}(x)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\text{cosh}(x)^3 - 3*(a*b + b^2)*\text{cosh}( \\
& x))*\text{sinh}(x)^3 + 3*(a*b + b^2)*\text{cosh}(x)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\text{cosh}(x)^ \\
& 4 - 6*(a*b + b^2)*\text{cosh}(x)^2 + a*b + b^2)*\text{sinh}(x)^2 - a^2 - 2*a*b - b^2 + 6* \\
& ((a^2 + 2*a*b + b^2)*\text{cosh}(x)^5 - 2*(a*b + b^2)*\text{cosh}(x)^3 + (a*b + b^2)*\text{cosh} \\
& (x))*\text{sinh}(x))*\text{sqrt}(((a + b)*\text{cosh}(x)^2 + (a + b)*\text{sinh}(x)^2 + a - b)/(\text{cosh}(x) \\
& ^2 - 2*\text{cosh}(x)*\text{sinh}(x) + \text{sinh}(x)^2)))/((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2 \\
& *b^3 + 5*a*b^4 + b^5)*\text{cosh}(x)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^ \\
& 3 + 5*a*b^4 + b^5)*\text{cosh}(x)*\text{sinh}(x)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2 \\
& *b^3 + 5*a*b^4 + b^5)*\text{sinh}(x)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 \\
& - 3*a*b^4 - b^5)*\text{cosh}(x)^6 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a \\
& *b^4 - b^5 + 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\text{co} \\
& sh(x)^2)*\text{sinh}(x)^6 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^ \\
& 4 + b^5)*\text{cosh}(x)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b \\
& ^5)*\text{cosh}(x))*\text{sinh}(x)^5 + a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 \\
& + b^5 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\text{cosh}( \\
& x)^4 + 2*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 + 35*(a \\
& ^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\text{cosh}(x)^4 + 30*(a^5 \\
& + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x)^2)*\text{sinh}(x)^4 + \\
& 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\text{cosh}(x)^5 + \\
& 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x)^3 + (3*a \\
& ^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\text{cosh}(x))*\text{sinh}(x)^3 \\
& + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x)^2 + 4*( \\
& 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\text{cosh}(x)^6 + a^5 \\
& + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 15*(a^5 + 3*a^4*b + 2* \\
& a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3 \\
& *b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\text{cosh}(x)^2)*\text{sinh}(x)^2 + 8*((a^5 + 5*a^4*b \\
& + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\text{cosh}(x)^7 + 3*(a^5 + 3*a^4*b + \\
& 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x)^5 + (3*a^5 + 7*a^4*b + 6*a^ \\
& 3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*\text{cosh}(x)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 \\
& - 2*a^2*b^3 - 3*a*b^4 - b^5)*\text{cosh}(x))*\text{sinh}(x)), -1/6*(3*((a^2 + 2*a*b + b^ \\
& 2)*\text{cosh}(x)^8 + 8*(a^2 + 2*a*b + b^2)*\text{cosh}(x)*\text{sinh}(x)^7 + (a^2 + 2*a*b + b^2 \\
& )*\text{sinh}(x)^8 + 4*(a^2 - b^2)*\text{cosh}(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\text{cosh}(x)^2
\end{aligned}$$

$$\begin{aligned}
& + a^2 - b^2) \sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2) \\
& * \cosh(x)) \sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2* \\
& a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2)*\sinh \\
& (x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + ( \\
& 3*a^2 - 2*a*b + 3*b^2)*\cosh(x)) \sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7* \\
& (a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b \\
& + 3*b^2)*\cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + \\
& 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)* \\
& \cosh(x)^3 + (a^2 - b^2)*\cosh(x)) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2}*(b*\cosh \\
& (x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b) \sqrt{-a - b} \sqrt{((a \\
& + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) / (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) \\
& + \sinh(x)^2)}) / ((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a \\
& *b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x) \\
& )^2 + a^2 - a*b - 2*b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\c \\
& osh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x)) \sinh(x))) + 3*((a^2 + 2*a*b + b^2)* \\
& \cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh \\
& (x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a \\
& ^2 - b^2) \sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh \\
& (x)) \sinh(x)^5 + 2*(3*a^2 - 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b \\
& + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 - 2*a*b + 3*b^2) \sinh(x) \\
& ^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a \\
& ^2 - 2*a*b + 3*b^2)*\cosh(x)) \sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^ \\
& 2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 - 2*a*b + \\
& 3*b^2)*\cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a \\
& *b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 - 2*a*b + 3*b^2)*\cosh \\
& (x)^3 + (a^2 - b^2)*\cosh(x)) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2}*\sqrt{-a \\
& - b} \sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) / (\cosh(x)^2 - 2*\cosh \\
& (x)*\sinh(x) + \sinh(x)^2)}) / ((a + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) \\
& + (a + b)*\sinh(x)^2 + a + b)) + 8*\sqrt{2}*((a^2 + 2*a*b + b^2)*\cosh(x)^6 + \\
& 6*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^5 + (a^2 + 2*a*b + b^2)*\sinh(x)^6 - 3 \\
& *(a*b + b^2)*\cosh(x)^4 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^2 - a*b - b^2) \sinh \\
& (x)^4 + 4*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^3 - 3*(a*b + b^2)*\cosh(x)) \sinh(x) \\
& ^3 + 3*(a*b + b^2)*\cosh(x)^2 + 3*(5*(a^2 + 2*a*b + b^2)*\cosh(x)^4 - 6*(a*b \\
& + b^2)*\cosh(x)^2 + a*b + b^2) \sinh(x)^2 - a^2 - 2*a*b - b^2 + 6*((a^2 + 2 \\
& *a*b + b^2)*\cosh(x)^5 - 2*(a*b + b^2)*\cosh(x)^3 + (a*b + b^2)*\cosh(x)) \sinh \\
& (x)) \sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b) / (\cosh(x)^2 - 2*\cosh \\
& (x)*\sinh(x) + \sinh(x)^2)}) / ((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5* \\
& a*b^4 + b^5)*\cosh(x)^8 + 8*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b \\
& ^4 + b^5)*\cosh(x)*\sinh(x)^7 + (a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5* \\
& a*b^4 + b^5) \sinh(x)^8 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 \\
& - b^5)*\cosh(x)^6 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^ \\
& 5 + 7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*\cosh(x)^2) * \\
& \sinh(x)^6 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)* \\
& \cosh(x)^3 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*\cosh(x) \\
& ) \sinh(x)^5 + a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5 + 2
\end{aligned}$$



```

*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x)^4 + 2*
(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5 + 35*(a^5 + 5*a^
4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^4 + 30*(a^5 + 3*a^4*
b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^2)*sinh(x)^4 + 8*(7*(a^5
+ 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^5 + 10*(a^5 +
3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^3 + (3*a^5 + 7*a^
4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x))*sinh(x)^3 + 4*(a^5
+ 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^2 + 4*(7*(a^5 +
5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^6 + a^5 + 3*a^4*
b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 -
2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*
a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x)^2)*sinh(x)^2 + 8*((a^5 + 5*a^4*b + 10*a^
3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^
2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6
*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*
b^3 - 3*a*b^4 - b^5)*cosh(x))*sinh(x))]]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
ld perhaps be purged.Evaluation time: 0.54Error: Bad Argument Type

**maple** [B] time = 0.10, size = 491, normalized size = 5.46

$$\frac{\tanh(x)}{3b(a+b(\tanh^2(x)))^{\frac{3}{2}}} - \frac{\tanh(x)}{3ab\sqrt{a+b(\tanh^2(x))}} - \frac{\tanh(x)}{3a(a+b(\tanh^2(x)))^{\frac{3}{2}}} - \frac{2\tanh(x)}{3a^2\sqrt{a+b(\tanh^2(x))}} - \frac{\tanh(x)}{6(a+b)(\tanh^2(x))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^4/(a+b\*tanh(x)^2)^(5/2),x)

[Out] 1/3\*tanh(x)/b/(a+b\*tanh(x)^2)^(3/2)-1/3/a/b\*tanh(x)/(a+b\*tanh(x)^2)^(1/2)-1  
/3\*tanh(x)/a/(a+b\*tanh(x)^2)^(3/2)-2/3/a^2\*tanh(x)/(a+b\*tanh(x)^2)^(1/2)-1/

$$\frac{6/(a+b)/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{3/2}+1/6*b/(a+b)/a/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{3/2}*\tanh(x)+1/3*b/(a+b)/a^2/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{1/2}*\tanh(x)-1/2/(a+b)^2/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{1/2}+1/2/(a+b)^2/a/((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{1/2})*b*\tanh(x)+1/2/(a+b)^{5/2}*\ln((2*a+2*b+2*(\tanh(x)-1)^{b+2}*(a+b)^{1/2})*((\tanh(x)-1)^{2b+2}(\tanh(x)-1)^{b+a+b})^{1/2})/(\tanh(x)-1))+1/6/(a+b)/((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b-2*(1+\tanh(x))^b+a+b)^{3/2}+1/6*b/(a+b)/a/((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b+a+b)^{3/2}*\tanh(x)+1/3*b/(a+b)/a^2/((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b+a+b)^{1/2}*\tanh(x)+1/2/(a+b)^2/((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b+a+b)^{1/2}+1/2/(a+b)^2/a/((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b+a+b)^{1/2})*b*\tanh(x)-1/2/(a+b)^{5/2}*\ln((2*a+2*b-2*(1+\tanh(x))^b+2*(a+b)^{1/2})*((1+\tanh(x))^{2b-2}*(1+\tanh(x))^b+a+b)^{1/2})/(1+\tanh(x)))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^4/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(tanh(x)^4/(b\*tanh(x)^2 + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^4}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^4/(a + b\*tanh(x)^2)^(5/2),x)

[Out] int(tanh(x)^4/(a + b\*tanh(x)^2)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^4(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*\*4/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] Integral(tanh(x)\*\*4/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

$$3.249 \quad \int \frac{\tanh^3(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

Optimal. Leaf size=74

$$\frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)-1/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)+1/3\*a/b/(a+b)/(a+b\*tanh(x)^2)^(3/2)

**Rubi [A]** time = 0.14, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 446, 78, 51, 63, 208}

$$\frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^3/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) + a/(3\*b\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^3}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)^2} \\
&= \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{a}{3b(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 63, normalized size = 0.85

$$\frac{a(a+b) - 3b(a+b \tanh^2(x)) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{3b(a+b)^2 (a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]^3/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (a\*(a + b) - 3\*b\*Hypergeometric2F1[-1/2, 1, 1/2, (a + b\*Tanh[x]^2)/(a + b)]\*(a + b\*Tanh[x]^2))/(3\*b\*(a + b)^2\*(a + b\*Tanh[x]^2)^(3/2))

**fricas [B]** time = 1.43, size = 6621, normalized size = 89.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{12} \left( 3 \left( (a^2b + 2ab^2 + b^3) \cosh(x)^8 + 8(a^2b + 2ab^2 + b^3) \cosh(x) \sinh(x)^7 + (a^2b + 2ab^2 + b^3) \sinh(x)^8 + 4(a^2b - b^3) \cosh(x)^6 + 4(a^2b - b^3 + 7(a^2b + 2ab^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 8(7(a^2b + 2ab^2 + b^3) \cosh(x)^3 + 3(a^2b - b^3) \cosh(x)) \sinh(x)^5 + 2(3a^2b - 2ab^2 + 3b^3) \cosh(x)^4 + 2(35(a^2b + 2ab^2 + b^3) \cosh(x)^4 + 3a^2b - 2ab^2 + 3b^3 + 30(a^2b - b^3) \cosh(x)^2) \sinh(x)^4 + 8(7(a^2b + 2ab^2 + b^3) \cosh(x)^5 + 10(a^2b - b^3) \cosh(x)^3 + (3a^2b - 2ab^2 + 3b^3) \cosh(x)) \sinh(x)^3 + a^2b + 2ab^2 + b^3 + 4(a^2b - b^3) \cosh(x)^2 + 4(7(a^2b + 2ab^2 + b^3) \cosh(x)^6 + 15(a^2b - b^3) \cosh(x)^4 + a^2b - b^3 + 3(3a^2b - 2ab^2 + 3b^3) \cosh(x)^2) \sinh(x)^2 + 8((a^2b + 2ab^2 + b^3) \cosh(x)^7 + 3(a^2b - b^3) \cosh(x)^5 + (3a^2b - 2ab^2 + 3b^3) \cosh(x)^3 + (a^2b - b^3) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \log\left( \frac{(a^3 + a^2b) \cosh(x)^8 + 8(a^3 + a^2b) \cosh(x) \sinh(x)^7 + (a^3 + a^2b) \sinh(x)^8 + 2(2a^3 + a^2b) \cosh(x)^6 + 2(2a^3 + a^2b + 14(a^3 + a^2b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2b) \cosh(x)^3 + 3(2a^3 + a^2b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2b) \cosh(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 + 30(2a^3 + a^2b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2b) \cosh(x)^5 + 10(2a^3 + a^2b) \cosh(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 + 2(2a^3 + 3a^2b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2b) \cosh(x)^6 + 15(2a^3 + a^2b) \cosh(x)^4 + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x)^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}} + 4(2(a^3 + a^2b) \cosh(x)^7 + 3(2a^3 + a^2b) \cosh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 3((a^2b + 2ab^2 + b^3) \cosh(x)^8 + 8(a^2b + 2ab^2 + b^3) \cosh(x) \sinh(x)^7 + (a^2b + 2ab^2 + b^3) \sinh(x)^8 + 4(a^2b - b^3) \cosh(x)^6 + 4(a^2b - b^3 + 7(a^2b + 2ab^2 + b^3) \cosh(x)^2) \sinh(x)^6 + 8(7(a^2b + 2ab^2 + b^3) \cosh(x)^3 + 3(a^2b - b^3) \cosh(x)) \sinh(x)^5 + 2(3a^2b - 2ab^2 + 3b^3) \cosh(x)^4 + 2(35(a^2b + 2ab^2 + b^3) \cosh(x)^4 + 3a^2b - 2ab^2 + 3b^3 + 30(a^2b - b^3) \cosh(x)^2) \sinh(x)^4 + 8(7(a^2b + 2ab^2 + b^3) \cosh(x)^5 + 10(a^2b - b^3) \cosh(x)^3 + (3a^2b - 2ab^2 + 3b^3) \cosh(x)) \sinh(x)^3 + a^2b + 2ab^2 + b^3 + 4(a^2b - b^3) \cosh(x)^2 + 4(7(a^2b + 2ab^2 + b^3) \cosh(x)^6 + 15(a^2b - b^3) \cosh(x)^4 + a^2b - b^3 + 3(3a^2b - 2ab^2 + 3b^3) \cosh(x)^2) \sinh(x)^2 + 8((a^2b + 2ab^2 + b^3) \cosh(x)^7 + 3(a^2b -$$

$$\begin{aligned}
& b^3 \cosh(x)^5 + (3a^2b - 2ab^2 + 3b^3) \cosh(x)^3 + (a^2b - b^3) \cos \\
& h(x) \sinh(x) \sqrt{a+b} \log(-((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh \\
& (x)^3 + (a+b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sin \\
& h(x)^2 + \sqrt{2}(\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \\
& ) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \\
& ) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + \\
& b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) + 4 \sqrt{2} ((a^3 - a^2b - \\
& 5ab^2 - 3b^3) \cosh(x)^6 + 6(a^3 - a^2b - 5ab^2 - 3b^3) \cosh(x) \sin \\
& h(x)^5 + (a^3 - a^2b - 5ab^2 - 3b^3) \sinh(x)^6 + 3(a^3 - a^2b - ab^2 \\
& + b^3) \cosh(x)^4 + 3(a^3 - a^2b - ab^2 + b^3 + 5(a^3 - a^2b - 5ab^2 \\
& - 3b^3) \cosh(x)^2) \sinh(x)^4 + 4(5(a^3 - a^2b - 5ab^2 - 3b^3) \cosh(x) \\
& )^3 + 3(a^3 - a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 - a^2b - 5ab^2 - 3b^3 + 3(a^3 - a^2b - ab^2 + b^3) \cosh(x)^2 + 3(5(a^3 - a^2b - \\
& 5ab^2 - 3b^3) \cosh(x)^4 + a^3 - a^2b - ab^2 + b^3 + 6(a^3 - a^2b - \\
& ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + 6((a^3 - a^2b - 5ab^2 - 3b^3) \cos \\
& h(x)^5 + 2(a^3 - a^2b - ab^2 + b^3) \cosh(x)^3 + (a^3 - a^2b - ab^2 + b \\
& ^3) \cosh(x)) \sinh(x) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / \\
& (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^5b + 5a^4b^2 + 10a^3b \\
& ^3 + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^8 + 8(a^5b + 5a^4b^2 + 10a^3b \\
& ^3 + 10a^2b^4 + 5ab^5 + b^6) \cosh(x) \sinh(x)^7 + (a^5b + 5a^4b^2 + \\
& 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6) \sinh(x)^8 + 4(a^5b + 3a^4b^2 \\
& + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^6 + 4(a^5b + 3a^4b^2 + \\
& 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6 + 7(a^5b + 5a^4b^2 + 10a^3b^3 \\
& + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^2) \sinh(x)^6 + a^5b + 5a^4b^2 + 10 \\
& a^3b^3 + 10a^2b^4 + 5ab^5 + b^6 + 8(7(a^5b + 5a^4b^2 + 10a^3b^3 \\
& + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^3 + 3(a^5b + 3a^4b^2 + 2a^3b^3 \\
& - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)) \sinh(x)^5 + 2(3a^5b + 7a^4b^2 \\
& + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6) \cosh(x)^4 + 2(3a^5b + 7a^4b^2 \\
& ^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6 + 35(a^5b + 5a^4b^2 + 10a^3b^3 \\
& + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^4 + 30(a^5b + 3a^4b^2 + 2a^3b^3 \\
& - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^2) \sinh(x)^4 + 8(7(a^5b + 5 \\
& a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^5 + 10(a^5b + \\
& 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^3 + (3a^5b + \\
& 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6) \cosh(x)) \sinh(x)^3 + 4 \\
& (a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^2 + 4( \\
& 7(a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^6 \\
& + a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6 + 15(a^5b + 3 \\
& a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^4 + 3(3a^5b + \\
& 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6) \cosh(x)^2) \sinh(x)^2 + \\
& 8((a^5b + 5a^4b^2 + 10a^3b^3 + 10a^2b^4 + 5ab^5 + b^6) \cosh(x)^7 \\
& + 3(a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)^5 \\
& + (3a^5b + 7a^4b^2 + 6a^3b^3 + 6a^2b^4 + 7ab^5 + 3b^6) \cosh(x)^3 \\
& + (a^5b + 3a^4b^2 + 2a^3b^3 - 2a^2b^4 - 3ab^5 - b^6) \cosh(x)) \sin \\
& h(x)), -1/6(3((a^2b + 2ab^2 + b^3) \cosh(x)^8 + 8(a^2b + 2ab^2 + b^3) \\
& ) \cosh(x) \sinh(x)^7 + (a^2b + 2ab^2 + b^3) \sinh(x)^8 + 4(a^2b - b^3) *
\end{aligned}$$

$$\begin{aligned}
& \cosh(x)^6 + 4*(a^2*b - b^3 + 7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^6 \\
& + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^3 + 3*(a^2*b - b^3)*\cosh(x))*\sinh(x) \\
& )^5 + 2*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^4 + 2*(35*(a^2*b + 2*a*b^2 + b^ \\
& 3)*\cosh(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 + 30*(a^2*b - b^3)*\cosh(x)^2)*\sinh \\
& (x)^4 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3)*\cosh(x)^3 \\
& + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 + \\
& 4*(a^2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^6 + 15*(a \\
& ^2*b - b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x) \\
& ^2)*\sinh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - b^3)*\cosh \\
& (x)^5 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cosh(x))*\sinh \\
& (x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(a*\cosh(x)^2 + 2*a*\cosh(x)*\sinh(x) + a*\sin \\
& h(x)^2 + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
& a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a^2 + a*b)*\cosh(x)^4 \\
& + 4*(a^2 + a*b)*\cosh(x)*\sinh(x)^3 + (a^2 + a*b)*\sinh(x)^4 + (2*a^2 + a*b - \\
& b^2)*\cosh(x)^2 + (6*(a^2 + a*b)*\cosh(x)^2 + 2*a^2 + a*b - b^2)*\sinh(x)^2 + \\
& a^2 + 2*a*b + b^2 + 2*(2*(a^2 + a*b)*\cosh(x)^3 + (2*a^2 + a*b - b^2)*\cosh(x) \\
& ))*\sinh(x))) + 3*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^8 + 8*(a^2*b + 2*a*b^2 + \\
& b^3)*\cosh(x)*\sinh(x)^7 + (a^2*b + 2*a*b^2 + b^3)*\sinh(x)^8 + 4*(a^2*b - b^3 \\
& )*\cosh(x)^6 + 4*(a^2*b - b^3 + 7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^2)*\sinh(x) \\
& ^6 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^3 + 3*(a^2*b - b^3)*\cosh(x))*\sinh \\
& (x)^5 + 2*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^4 + 2*(35*(a^2*b + 2*a*b^2 + \\
& b^3)*\cosh(x)^4 + 3*a^2*b - 2*a*b^2 + 3*b^3 + 30*(a^2*b - b^3)*\cosh(x)^2)*\si \\
& nh(x)^4 + 8*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^5 + 10*(a^2*b - b^3)*\cosh(x) \\
& ^3 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x))*\sinh(x)^3 + a^2*b + 2*a*b^2 + b^3 \\
& + 4*(a^2*b - b^3)*\cosh(x)^2 + 4*(7*(a^2*b + 2*a*b^2 + b^3)*\cosh(x)^6 + 15* \\
& (a^2*b - b^3)*\cosh(x)^4 + a^2*b - b^3 + 3*(3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x) \\
& ^2)*\sinh(x)^2 + 8*((a^2*b + 2*a*b^2 + b^3)*\cosh(x)^7 + 3*(a^2*b - b^3)*\co \\
& sh(x)^5 + (3*a^2*b - 2*a*b^2 + 3*b^3)*\cosh(x)^3 + (a^2*b - b^3)*\cosh(x))*\si \\
& nh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x) \\
& ^2 - 1)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/ \\
& (\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a + b)*\cosh(x)^4 + 4*(a + b)* \\
& \cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)* \\
& \cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh \\
& (x) + a + b)) - 2*\sqrt{2}*((a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^6 + 6*(a \\
& ^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)*\sinh(x)^5 + (a^3 - a^2*b - 5*a*b^2 - \\
& 3*b^3)*\sinh(x)^6 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^4 + 3*(a^3 - a^2*b \\
& - a*b^2 + b^3 + 5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^2)*\sinh(x)^4 + 4 \\
& *(5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^3 + 3*(a^3 - a^2*b - a*b^2 + b^ \\
& 3)*\cosh(x))*\sinh(x)^3 + a^3 - a^2*b - 5*a*b^2 - 3*b^3 + 3*(a^3 - a^2*b - a* \\
& b^2 + b^3)*\cosh(x)^2 + 3*(5*(a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^4 + a^3 \\
& - a^2*b - a*b^2 + b^3 + 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 \\
& + 6*((a^3 - a^2*b - 5*a*b^2 - 3*b^3)*\cosh(x)^5 + 2*(a^3 - a^2*b - a*b^2 + \\
& b^3)*\cosh(x)^3 + (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b) \\
& )*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + s \\
& inh(x)^2)})))/((a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*
\end{aligned}$$



```

cosh(x)^8 + 8*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)
*cosh(x)*sinh(x)^7 + (a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5
+ b^6)*sinh(x)^8 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5
- b^6)*cosh(x)^6 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 -
b^6 + 7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh
(x)^2)*sinh(x)^6 + a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 +
b^6 + 8*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*co
sh(x)^3 + 3*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*cos
h(x))*sinh(x)^5 + 2*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 + 7*a*b^5
+ 3*b^6)*cosh(x)^4 + 2*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4 + 7*a*b
^5 + 3*b^6 + 35*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 + 5*a*b^5 + b^
6)*cosh(x)^4 + 30*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 - 3*a*b^5 - b^
6)*cosh(x)^2)*sinh(x)^4 + 8*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4
+ 5*a*b^5 + b^6)*cosh(x)^5 + 10*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4
- 3*a*b^5 - b^6)*cosh(x)^3 + (3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4
+ 7*a*b^5 + 3*b^6)*cosh(x))*sinh(x)^3 + 4*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 -
2*a^2*b^4 - 3*a*b^5 - b^6)*cosh(x)^2 + 4*(7*(a^5*b + 5*a^4*b^2 + 10*a^3*b^3
+ 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh(x)^6 + a^5*b + 3*a^4*b^2 + 2*a^3*b^3 -
2*a^2*b^4 - 3*a*b^5 - b^6 + 15*(a^5*b + 3*a^4*b^2 + 2*a^3*b^3 - 2*a^2*b^4 -
3*a*b^5 - b^6)*cosh(x)^4 + 3*(3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3 + 6*a^2*b^4
+ 7*a*b^5 + 3*b^6)*cosh(x)^2)*sinh(x)^2 + 8*((a^5*b + 5*a^4*b^2 + 10*a^3*b^
3 + 10*a^2*b^4 + 5*a*b^5 + b^6)*cosh(x)^7 + 3*(a^5*b + 3*a^4*b^2 + 2*a^3*b^
3 - 2*a^2*b^4 - 3*a*b^5 - b^6)*cosh(x)^5 + (3*a^5*b + 7*a^4*b^2 + 6*a^3*b^3
+ 6*a^2*b^4 + 7*a*b^5 + 3*b^6)*cosh(x)^3 + (a^5*b + 3*a^4*b^2 + 2*a^3*b^3
- 2*a^2*b^4 - 3*a*b^5 - b^6)*cosh(x))*sinh(x))]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)^3/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(t_n
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou
ld perhaps be purged.Evaluation time: 0.56Error: Bad Argument Type
```

maple [B] time = 0.08, size = 435, normalized size = 5.88

$$\frac{1}{3b(a+b(\tanh^2(x)))^{\frac{3}{2}}} - \frac{1}{6(a+b)((\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b)^{\frac{3}{2}}} + \frac{b \tanh(x)}{6(a+b)a((\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^3/(a+b\*tanh(x)^2)^(5/2), x)

[Out]  $\frac{1}{3} \frac{b}{(a+b \tanh(x)^2)^{3/2}} - \frac{1}{6} \frac{1}{(a+b)} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{3/2}} + \frac{1}{3} \frac{b \tanh(x)}{(a+b)a((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{3/2}} + \frac{1}{6} \frac{b}{(a+b)} \frac{1}{a} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{3/2}} \tanh(x) + \frac{1}{3} \frac{b}{(a+b)} \frac{1}{a^2} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}} \tanh(x) - \frac{1}{2} \frac{1}{(a+b)} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}} + \frac{1}{2} \frac{1}{(a+b)} \frac{1}{a} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}} + \frac{1}{2} \frac{1}{(a+b)} \frac{1}{a} \frac{1}{((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}} \ln((2a+2b+2(\tanh(x)-1)b+2(a+b)^{1/2}) * ((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a+b)^{1/2}) / ((\tanh(x)-1) - 1/6/(a+b) / ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{3/2} - 1/6*b/(a+b) / a / ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{3/2} * \tanh(x) - 1/3*b/(a+b) / a^2 / ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2} * \tanh(x) - 1/2/(a+b)^2 / ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2} - 1/2/(a+b)^2 / a / ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2} * b * \tanh(x) + 1/2/(a+b)^{5/2} * \ln((2a+2b-2(1+\tanh(x))b+2(a+b)^{1/2}) * ((1+\tanh(x))^2 b - 2(1+\tanh(x))b + a+b)^{1/2}) / (1+\tanh(x)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^3}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^3/(a+b\*tanh(x)^2)^(5/2), x, algorithm="maxima")

[Out] integrate(tanh(x)^3/(b\*tanh(x)^2 + a)^(5/2), x)

mupad [B] time = 3.82, size = 82, normalized size = 1.11

$$\frac{a \operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a} (2a^2 + 4ab + 2b^2)}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} + \frac{\frac{a}{3(a+b)} - \frac{b(b \tanh(x)^2 + a)}{(a+b)^2}}{b(b \tanh(x)^2 + a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)^3/(a + b\*tanh(x)^2)^(5/2), x)

```
[Out] atanh(((a + b*tanh(x)^2)^(1/2)*(4*a*b + 2*a^2 + 2*b^2))/(2*(a + b)^(5/2)))/
(a + b)^(5/2) + (a/(3*(a + b)) - (b*(a + b*tanh(x)^2))/(a + b)^2)/(b*(a + b
*tanh(x)^2)^(3/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^3(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)**3/(a+b*tanh(x)**2)**(5/2), x)
```

```
[Out] Integral(tanh(x)**3/(a + b*tanh(x)**2)**(5/2), x)
```

$$3.250 \quad \int \frac{\tanh^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

Optimal. Leaf size=88

$$-\frac{(2a-b)\tanh(x)}{3a(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh(x)}{3(a+b)(a+b\tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(5/2)-1/3\*(2\*a-b)\*tanh(x)/a/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)-1/3\*tanh(x)/(a+b)/(a+b\*tanh(x)^2)^(3/2)

**Rubi [A]** time = 0.13, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {3670, 471, 527, 12, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2\sqrt{a+b\tanh^2(x)}} - \frac{\tanh(x)}{3(a+b)(a+b\tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) - Tanh[x]/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - ((2\*a - b)\*Tanh[x])/(3\*a\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 471

```
Int[((e_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_
))^ (q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)
*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

### Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

### Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x^2}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1+2x^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3(a+b)} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int -\frac{3a}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3a(a+b)} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)} \\
&= -\frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} - \frac{\tanh(x)}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{(2a-b)\tanh(x)}{3a(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica** [C] time = 7.82, size = 259, normalized size = 2.94

$$\cosh^4(x) \coth(x) \left( -12(a+b)^3 \tanh^6(x) (a+b \tanh^2(x)) {}_2F_1 \left( 2, 2; \frac{9}{2}; -\frac{(a+b) \sinh^2(x)}{a} \right) \sqrt{-\frac{\sinh^2(x) \cosh^2(x) (a^2 + a(b \tanh^2(x) + a))}{a^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Tanh[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (Cosh[x]^4\*Coth[x]\*(-12\*(a + b)^3\*Hypergeometric2F1[2, 2, 9/2, -(((a + b)\*Sinh[x]^2)/a)]\*Tanh[x]^6\*(a + b\*Tanh[x]^2)\*Sqrt[-((Cosh[x]^2\*Sinh[x]^2\*(a^2 + b^2\*Tanh[x]^2 + a\*(b + b\*Tanh[x]^2)))/a^2)] - 35\*a\*Sech[x]^2\*(-5\*a - 2\*b\*Tanh[x]^2)\*(3\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]])\*(a + b\*Tanh[x]^2)^2 +

$$a*\text{Sech}[x]^2*(-4*b*\text{Tanh}[x]^2 + a*(-3 - \text{Tanh}[x]^2))*\text{Sqrt}[ -(((\text{Cosh}[x]^2*\text{Sinh}[x]^2*(a^2 + b^2*\text{Tanh}[x]^2 + a*(b + b*\text{Tanh}[x]^2)))/a^2)))]/(315*a^4*(a + b)^2*\text{Sqrt}[a + b*\text{Tanh}[x]^2]*\text{Sqrt}[ -(((a + b)*\text{Cosh}[x]^2*\text{Sinh}[x]^2*(a + b*\text{Tanh}[x]^2))/a^2)]*(1 + (b*\text{Tanh}[x]^2)/a))$$

**fricas** [B] time = 1.60, size = 6507, normalized size = 73.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{12} * (3 * ((a^3 + 2*a^2*b + a*b^2) * \cosh(x)^8 + 8 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x) * \sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2) * \sinh(x)^8 + 4 * (a^3 - a*b^2) * \cosh(x)^6 + 4 * (a^3 - a*b^2 + 7 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x)^2) * \sinh(x)^6 + 8 * (7 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x)^3 + 3 * (a^3 - a*b^2) * \cosh(x)) * \sinh(x)^5 + 2 * (3*a^3 - 2*a^2*b + 3*a*b^2) * \cosh(x)^4 + 2 * (35 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 + 30 * (a^3 - a*b^2) * \cosh(x)^2) * \sinh(x)^4 + 8 * (7 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x)^5 + 10 * (a^3 - a*b^2) * \cosh(x)^3 + (3*a^3 - 2*a^2*b + 3*a*b^2) * \cosh(x)) * \sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 + 4 * (a^3 - a*b^2) * \cosh(x)^2 + 4 * (7 * (a^3 + 2*a^2*b + a*b^2) * \cosh(x)^6 + 15 * (a^3 - a*b^2) * \cosh(x)^4 + a^3 - a*b^2 + 3 * (3*a^3 - 2*a^2*b + 3*a*b^2) * \cosh(x)^2) * \sinh(x)^2 + 8 * ((a^3 + 2*a^2*b + a*b^2) * \cosh(x)^7 + 3 * (a^3 - a*b^2) * \cosh(x)^5 + (3*a^3 - 2*a^2*b + 3*a*b^2) * \cosh(x)^3 + (a^3 - a*b^2) * \cosh(x)) * \sinh(x)) * \text{sqrt}(a + b) * \log(-((a*b^2 + b^3) * \cosh(x)^8 + 8 * (a*b^2 + b^3) * \cosh(x) * \sinh(x)^7 + (a*b^2 + b^3) * \sinh(x)^8 - 2 * (a*b^2 + 2*b^3) * \cosh(x)^6 - 2 * (a*b^2 + 2*b^3 - 14 * (a*b^2 + b^3) * \cosh(x)^2) * \sinh(x)^6 + 4 * (14 * (a*b^2 + b^3) * \cosh(x)^3 - 3 * (a*b^2 + 2*b^3) * \cosh(x)) * \sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh(x)^4 + (70 * (a*b^2 + b^3) * \cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30 * (a*b^2 + 2*b^3) * \cosh(x)^2) * \sinh(x)^4 + 4 * (14 * (a*b^2 + b^3) * \cosh(x)^5 - 10 * (a*b^2 + 2*b^3) * \cosh(x)^3 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh(x)) * \sinh(x)^3 + a^3 + 3*a^2*b + 3*a*b^2 + b^3 + 2 * (a^3 - 3*a*b^2 - 2*b^3) * \cosh(x)^2 + 2 * (14 * (a*b^2 + b^3) * \cosh(x)^6 - 15 * (a*b^2 + 2*b^3) * \cosh(x)^4 + a^3 - 3*a*b^2 - 2*b^3 + 3 * (a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh(x)^2) * \sinh(x)^2 + \text{sqrt}(2) * (b^2 * \cosh(x)^6 + 6*b^2 * \cosh(x) * \sinh(x)^5 + b^2 * \sinh(x)^6 - 3*b^2 * \cosh(x)^4 + 3 * (5*b^2 * \cosh(x)^2 - b^2) * \sinh(x)^4 + 4 * (5*b^2 * \cosh(x)^3 - 3*b^2 * \cosh(x)) * \sinh(x)^3 - (a^2 - 2*a*b - 3*b^2) * \cosh(x)^2 + (15*b^2 * \cosh(x)^4 - 18*b^2 * \cosh(x)^2 - a^2 + 2*a*b + 3*b^2) * \sinh(x)^2 - a^2 - 2*a*b - b^2 + 2 * (3*b^2 * \cosh(x)^5 - 6*b^2 * \cosh(x)^3 - (a^2 - 2*a*b - 3*b^2) * \cosh(x)) * \sinh(x)) * \text{sqrt}(a + b) * \text{sqrt}(((a + b) * \cosh(x)^2 + (a + b) * \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 * \cosh(x) * \sinh(x) + \sinh(x)^2)) + 4 * (2 * (a*b^2 + b^3) * \cosh(x)^7 - 3 * (a*b^2 + 2*b^3) * \cosh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3) * \cosh(x)^3 + (a^3 - 3*a*b^2 - 2*b^3) * \cosh(x)) * \sinh(x)) / (\cosh(x)^6 + 6 * \cosh(x)^5 * \sinh(x) + 15 * \cosh(x)^4 * \sinh(x)^2 + 20 * \cosh(x)^3 * \sinh(x)^3 + 15 * \cosh(x)^2 * \sinh(x)^4 + 6 * \cosh(x) * \sinh(x)^5 + \sinh(x)^6)) + 3 * ((a^3 + 2*a^2*b + a*b^2) * \cosh(x)^8 + 8 * (a^3 + 2*a$$

$$\begin{aligned}
& ^2b + a*b^2)*\cosh(x)*\sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(x)^8 + 4*(a^3 - a*b^2)*\cosh(x)^6 + 4*(a^3 - a*b^2 + 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^2) * \sinh(x)^6 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^3 + 3*(a^3 - a*b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 + 30*(a^3 - a*b^2)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^5 + 10*(a^3 - a*b^2)*\cosh(x)^3 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x))*\sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 + 4*(a^3 - a*b^2)*\cosh(x)^2 + 4*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x))^6 + 15*(a^3 - a*b^2)*\cosh(x)^4 + a^3 - a*b^2 + 3*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^7 + 3*(a^3 - a*b^2)*\cosh(x)^5 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^3 + (a^3 - a*b^2)*\cosh(x))*\sinh(x))*\sqrt{a + b}*\log(((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*a*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a)*\sinh(x)^2 + \sqrt{2}*(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2 + 1))*\sqrt{a + b})*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))} + 4*((a + b)*\cosh(x)^3 + a*\cosh(x))*\sinh(x) + a + b)/(\cosh(x)^2 + 2*\cosh(x)*\sinh(x) + \sinh(x)^2)) - 4*\sqrt{2}*((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^6 + 6*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)*\sinh(x)^5 + (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\sinh(x)^6 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^4 + 3*(a^3 - a^2*b - a*b^2 + b^3 + 5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^3 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x)^3 - 3*a^3 - 5*a^2*b - a*b^2 + b^3 - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2 + 3*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^4 - a^3 + a^2*b + a*b^2 - b^3 + 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^5 + 2*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^3 - (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^8 + 8*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)*\sinh(x)^7 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\sinh(x)^8 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^6 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 + 7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^2)*\sinh(x)^6 + a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5 + 8*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^3 + 3*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x))*\sinh(x)^5 + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x)^4 + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5 + 35*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^4 + 30*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^5 + 10*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^3 + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x))*\sinh(x)^3 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^2 + 4*
\end{aligned}$$



$$\begin{aligned}
& (7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^6 \\
& + a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 + 15*(a^6 + 3*a^5*b \\
& + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^4 + 3*(3*a^6 + 7*a^5*b \\
& + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x)^2)*\sinh(x)^2 + \\
& 8*((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^7 \\
& + 3*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^5 \\
& + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x)^3 \\
& + (a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x))*\sin \\
& h(x)), -1/6*(3*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^8 + 8*(a^3 + 2*a^2*b + a*b^2) \\
& *cosh(x)*\sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(x)^8 + 4*(a^3 - a*b^2)* \\
& cosh(x)^6 + 4*(a^3 - a*b^2 + 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^2)*\sinh(x)^6 \\
& + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^3 + 3*(a^3 - a*b^2)*\cosh(x))*\sinh(x) \\
& )^5 + 2*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2) \\
& *cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 + 30*(a^3 - a*b^2)*\cosh(x)^2)*\sinh \\
& (x)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^5 + 10*(a^3 - a*b^2)*\cosh(x)^3 \\
& + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x))*\sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 + \\
& 4*(a^3 - a*b^2)*\cosh(x)^2 + 4*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^6 + 15*(a^3 - a*b^2) \\
& *cosh(x)^4 + a^3 - a*b^2 + 3*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^2)*\sinh(x)^2 + \\
& 8*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^7 + 3*(a^3 - a*b^2)*\cosh(x)^5 + (3*a^3 - 2*a^2*b \\
& + 3*a*b^2)*\cosh(x)^3 + (a^3 - a*b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 \\
& + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + \\
& a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a*b + b^2)*\cosh(x)^4 \\
& + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2) \\
& *cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + \\
& a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x) \\
& ))*\sinh(x))) + 3*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^8 + 8*(a^3 + 2*a^2*b + a*b^2) \\
& *cosh(x)*\sinh(x)^7 + (a^3 + 2*a^2*b + a*b^2)*\sinh(x)^8 + 4*(a^3 - a*b^2) \\
& )*\cosh(x)^6 + 4*(a^3 - a*b^2 + 7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^2)*\sinh(x) \\
& ^6 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^3 + 3*(a^3 - a*b^2)*\cosh(x))*\sinh \\
& (x)^5 + 2*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^4 + 2*(35*(a^3 + 2*a^2*b + a*b^2) \\
& *cosh(x)^4 + 3*a^3 - 2*a^2*b + 3*a*b^2 + 30*(a^3 - a*b^2)*\cosh(x)^2)*\si \\
& nh(x)^4 + 8*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^5 + 10*(a^3 - a*b^2)*\cosh(x) \\
& ^3 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x))*\sinh(x)^3 + a^3 + 2*a^2*b + a*b^2 \\
& + 4*(a^3 - a*b^2)*\cosh(x)^2 + 4*(7*(a^3 + 2*a^2*b + a*b^2)*\cosh(x)^6 + 15* \\
& (a^3 - a*b^2)*\cosh(x)^4 + a^3 - a*b^2 + 3*(3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x) \\
& ^2)*\sinh(x)^2 + 8*((a^3 + 2*a^2*b + a*b^2)*\cosh(x)^7 + 3*(a^3 - a*b^2)*\co \\
& sh(x)^5 + (3*a^3 - 2*a^2*b + 3*a*b^2)*\cosh(x)^3 + (a^3 - a*b^2)*\cosh(x))*\si \\
& nh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + ( \\
& a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)})/((a \\
& + b)*\cosh(x)^2 + 2*(a + b)*\cosh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) + \\
& 2*\sqrt{2}*((3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^6 + 6*(3*a^3 + 5*a^2*b + \\
& a*b^2 - b^3)*\cosh(x)*\sinh(x)^5 + (3*a^3 + 5*a^2*b + a*b^2 - b^3)*\sinh(x)^6 \\
& + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^4 + 3*(a^3 - a^2*b - a*b^2 + b^3 + \\
& 5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^2)*\sinh(x)^4 + 4*(5*(3*a^3 + 5*a
\end{aligned}$$

$$\begin{aligned}
& ^2*b + a*b^2 - b^3)*\cosh(x)^3 + 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh \\
& (x)^3 - 3*a^3 - 5*a^2*b - a*b^2 + b^3 - 3*(a^3 - a^2*b - a*b^2 + b^3)*\cosh( \\
& x)^2 + 3*(5*(3*a^3 + 5*a^2*b + a*b^2 - b^3)*\cosh(x)^4 - a^3 + a^2*b + a*b^2 \\
& - b^3 + 6*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3 + 5 \\
& *a^2*b + a*b^2 - b^3)*\cosh(x)^5 + 2*(a^3 - a^2*b - a*b^2 + b^3)*\cosh(x)^3 - \\
& (a^3 - a^2*b - a*b^2 + b^3)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a \\
& + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^ \\
& 6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^8 + 8*(a \\
& ^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)*\sinh(x) \\
& ^7 + (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\sinh(x)^ \\
& 8 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^6 \\
& + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 + 7*(a^6 + \\
& 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^2)*\sinh(x)^6 \\
& + a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5 + 8*(7*(a^6 \\
& + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^3 + 3*(a^6 \\
& + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x))*\sinh(x)^5 \\
& + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5)*\cosh(x) \\
& ^4 + 2*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^5 + 35* \\
& (a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5)*\cosh(x)^4 + 3 \\
& 0*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)*\cosh(x)^2)*\si \\
& nh(x)^4 + 8*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^2*b^4 + a*b^5 \\
& )*\cosh(x)^5 + 10*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5 \\
& )*\cosh(x)^3 + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^ \\
& 5)*\cosh(x))*\sinh(x)^3 + 4*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^ \\
& 4 - a*b^5)*\cosh(x)^2 + 4*(7*(a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a^ \\
& 2*b^4 + a*b^5)*\cosh(x)^6 + a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^ \\
& 4 - a*b^5 + 15*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2*b^4 - a*b^5)* \\
& \cosh(x)^4 + 3*(3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2*b^4 + 3*a*b^ \\
& 5)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^6 + 5*a^5*b + 10*a^4*b^2 + 10*a^3*b^3 + 5*a \\
& ^2*b^4 + a*b^5)*\cosh(x)^7 + 3*(a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^ \\
& 2*b^4 - a*b^5)*\cosh(x)^5 + (3*a^6 + 7*a^5*b + 6*a^4*b^2 + 6*a^3*b^3 + 7*a^2 \\
& *b^4 + 3*a*b^5)*\cosh(x)^3 + (a^6 + 3*a^5*b + 2*a^4*b^2 - 2*a^3*b^3 - 3*a^2* \\
& b^4 - a*b^5)*\cosh(x))*\sinh(x))]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)^2/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha

ps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Evaluation time: 0.5Error: Bad Argument Type

**maple [B]** time = 0.09, size = 454, normalized size = 5.16

$$\frac{\tanh(x)}{3a(a+b(\tanh^2(x)))^{\frac{3}{2}}} - \frac{2\tanh(x)}{3a^2\sqrt{a+b(\tanh^2(x))}} - \frac{1}{6(a+b)((\tanh(x)-1)^2b+2(\tanh(x)-1)b+a+b)^{\frac{3}{2}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^2/(a+b*tanh(x)^2)^(5/2), x)`

[Out] 
$$-1/3*\tanh(x)/a/(a+b*\tanh(x)^2)^(3/2)-2/3/a^2*\tanh(x)/(a+b*\tanh(x)^2)^(1/2)-1/6/(a+b)/((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(3/2)+1/6*b/(a+b)/a/((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(3/2)*\tanh(x)+1/3*b/(a+b)/a^2/((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2)*\tanh(x)-1/2/(a+b)^2/((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2)+1/2/(a+b)^2/a/((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2)*b*\tanh(x)+1/2/(a+b)^(5/2)*\ln((2*a+2*b+2*(\tanh(x)-1)*b+2*(a+b)^(1/2))*((\tanh(x)-1)^2*b+2*(\tanh(x)-1)*b+a+b)^(1/2))/(\tanh(x)-1))+1/6/(a+b)/((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(3/2)+1/6*b/(a+b)/a/((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(3/2)*\tanh(x)+1/3*b/(a+b)/a^2/((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2)*\tanh(x)+1/2/(a+b)^2/((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2)+1/2/(a+b)^2/a/((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2)*b*\tanh(x)-1/2/(a+b)^(5/2)*\ln((2*a+2*b-2*(1+\tanh(x))*b+2*(a+b)^(1/2))*((1+\tanh(x))^2*b-2*(1+\tanh(x))*b+a+b)^(1/2))/(1+\tanh(x)))$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)^2/(a+b*tanh(x)^2)^(5/2), x, algorithm="maxima")`

[Out] `integrate(tanh(x)^2/(b*tanh(x)^2 + a)^(5/2), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)^2}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)^2/(a + b*tanh(x)^2)^(5/2), x)`

[Out] `int(tanh(x)^2/(a + b*tanh(x)^2)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh^2(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)**2/(a+b*tanh(x)**2)**(5/2), x)`

[Out] `Integral(tanh(x)**2/(a + b*tanh(x)**2)**(5/2), x)`

$$3.251 \quad \int \frac{\tanh(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=70

$$-\frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out] arctanh((a+b\*tanh(x)^2)^(1/2)/(a+b)^(1/2))/(a+b)^(5/2)-1/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)-1/3/(a+b)/(a+b\*tanh(x)^2)^(3/2)

**Rubi [A]** time = 0.10, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3670, 444, 51, 63, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[Sqrt[a + b\*Tanh[x]^2]/Sqrt[a + b]]/(a + b)^(5/2) - 1/(3\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) - 1/((a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff, x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2(a+b)^2} \\
&= -\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1+\frac{a}{b}-\frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{b(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} - \frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 43, normalized size = 0.61

$$-\frac{{}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b}\right)}{3(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] -1/3\*Hypergeometric2F1[-3/2, 1, -1/2, (a + b\*Tanh[x]^2)/(a + b)]/((a + b)\*(a + b\*Tanh[x]^2)^(3/2))

**fricas [B]** time = 1.40, size = 5779, normalized size = 82.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{12} \left( 3 \left( (a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 - 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 - 2ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 - 2ab + 3b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 - 2ab + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 - 2ab + 3b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \log\left(\frac{(a^3 + a^2b) \cosh(x)^8 + 8(a^3 + a^2b) \cosh(x) \sinh(x)^7 + (a^3 + a^2b) \sinh(x)^8 + 2(2a^3 + a^2b) \cosh(x)^6 + 2(2a^3 + a^2b + 14(a^3 + a^2b) \cosh(x)^2) \sinh(x)^6 + 4(14(a^3 + a^2b) \cosh(x)^3 + 3(2a^3 + a^2b) \cosh(x)) \sinh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^4 + (70(a^3 + a^2b) \cosh(x)^4 + 6a^3 + 4a^2b - ab^2 + b^3 + 30(2a^3 + a^2b) \cosh(x)^2) \sinh(x)^4 + 4(14(a^3 + a^2b) \cosh(x)^5 + 10(2a^3 + a^2b) \cosh(x)^3 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3ab^2 + b^3 + 2(2a^3 + 3a^2b - b^3) \cosh(x)^2 + 2(14(a^3 + a^2b) \cosh(x)^6 + 15(2a^3 + a^2b) \cosh(x)^4 + 2a^3 + 3a^2b - b^3 + 3(6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} (a^2 \cosh(x)^6 + 6a^2 \cosh(x) \sinh(x)^5 + a^2 \sinh(x)^6 + 3a^2 \cosh(x)^4 + 3(5a^2 \cosh(x)^2 + a^2) \sinh(x)^4 + 4(5a^2 \cosh(x)^3 + 3a^2 \cosh(x)) \sinh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)^2 + (15a^2 \cosh(x)^4 + 18a^2 \cosh(x))^2 + 3a^2 + 2ab - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(3a^2 \cosh(x)^5 + 6a^2 \cosh(x)^3 + (3a^2 + 2ab - b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \sqrt{\frac{(a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b}{\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2}} + 4(2(a^3 + a^2b) \cosh(x)^7 + 3(2a^3 + a^2b) \cosh(x)^5 + (6a^3 + 4a^2b - ab^2 + b^3) \cosh(x)^3 + (2a^3 + 3a^2b - b^3) \cosh(x)) \sinh(x) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6) + 3((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 - 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 - 2ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 - 2ab + 3b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 - 2ab + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 - 2ab + 3b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x) \right) \sqrt{a+b} \log\left(-\frac{(a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a$$



$$\begin{aligned}
& + b) \sinh(x)^4 - 2b \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 - b) \sinh(x)^2 + \sqrt{2} (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)} + 4((a+b) \cosh(x)^3 - b \cosh(x)) \sinh(x) + a + b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2) - 16 \sqrt{2} ((a^2 + 2ab + b^2) \cosh(x)^6 + 6(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^5 + (a^2 + 2ab + b^2) \sinh(x)^6 + 3(a^2 + ab) \cosh(x)^4 + 3(5(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 + ab) \sinh(x)^4 + 4(5(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 + ab) \cosh(x)) \sinh(x)^3 + 3(a^2 + ab) \cosh(x)^2 + 3(5(a^2 + 2ab + b^2) \cosh(x)^4 + 6(a^2 + ab) \cosh(x)^2 + a^2 + ab) \sinh(x)^2 + a^2 + 2ab + b^2 + 6((a^2 + 2ab + b^2) \cosh(x)^5 + 2(a^2 + ab) \cosh(x)^3 + (a^2 + ab) \cosh(x)) \sinh(x)) \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2))} / ((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^8 + 8(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x) \sinh(x)^7 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \sinh(x)^8 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^6 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2 \sinh(x)^6 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^4 + b^5) \cosh(x)^3 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)) \sinh(x)^5 + a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^4 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5 + 35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2) \sinh(x)^4 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^5 + 10(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^3 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)) \sinh(x)^3 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2 + 4(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^6 + a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5 + 15(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^4 + 3(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^2) \sinh(x)^2 + 8((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^7 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^5 + (3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^3 + (a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)) \sinh(x)), -1/6(3((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 - 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 - 2ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 - 2ab + 3b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 - 2ab
\end{aligned}$$

$$\begin{aligned}
& + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + \\
& 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 - 2ab + 3b^2) * \\
& \cosh(x)^3 + (a^2 - b^2) \cosh(x) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2} * (a \cosh(x)^2 + 2a \cosh(x) \sinh(x) + a \sinh(x)^2 + a + b) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^2 + ab) \cosh(x)^4 + 4(a^2 + ab) \cosh(x) \sinh(x)^3 + (a^2 + ab) \sinh(x)^4 + (2a^2 + ab - b^2) \cosh(x)^2 + (6(a^2 + ab) \cosh(x)^2 + 2a^2 + ab - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 2(2(a^2 + ab) \cosh(x)^3 + (2a^2 + ab - b^2) \cosh(x) \sinh(x))) + 3((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x) \sinh(x)) \sinh(x)^5 + 2(3a^2 - 2ab + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 - 2ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 - 2ab + 3b^2) \cosh(x) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 - 2ab + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 - 2ab + 3b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x) \sinh(x)) \sqrt{-a - b} \arctan(\sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 - 1) \sqrt{-a - b} \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x)^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x) \sinh(x) + a + b)) + 8\sqrt{2} * ((a^2 + 2ab + b^2) \cosh(x)^6 + 6(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^5 + (a^2 + 2ab + b^2) \sinh(x)^6 + 3(a^2 + ab) \cosh(x)^4 + 3(5(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 + ab) \sinh(x)^4 + 4(5(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 + ab) \cosh(x) \sinh(x)^3 + 3(a^2 + ab) \cosh(x)^2 + 3(5(a^2 + 2ab + b^2) \cosh(x)^4 + 6(a^2 + ab) \cosh(x)^2 + a^2 + ab) \sinh(x)^2 + a^2 + 2ab + b^2 + 6((a^2 + 2ab + b^2) \cosh(x)^5 + 2(a^2 + ab) \cosh(x)^3 + (a^2 + ab) \cosh(x) \sinh(x)) \sqrt{((a + b) \cosh(x)^2 + (a + b) \sinh(x)^2 + a - b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) / ((a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^8 + 8(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x) \sinh(x)^7 + (a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \sinh(x)^8 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^6 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^4 + 4(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2) \sinh(x)^6 + 8(7(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^3 + 3(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x) \sinh(x)^5 + a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^4 + 2(3a^5 + 7a^4b + 6a^3b^2 + 6a^2b^3 + 7ab^4 + 3b^5) \cosh(x)^2 + 35(a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5) \cosh(x)^4 + 30(a^5 + 3a^4b + 2a^3b^2 - 2a^2b^3 - 3ab^4 - b^5) \cosh(x)^2) \sinh(x)
\end{aligned}$$

```
x)^4 + 8*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^5 + 10*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^3 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x))*sinh(x)^3 + 4*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^2 + 4*(7*(a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^6 + a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5 + 15*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^4 + 3*(3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x)^2)*sinh(x)^2 + 8*((a^5 + 5*a^4*b + 10*a^3*b^2 + 10*a^2*b^3 + 5*a*b^4 + b^5)*cosh(x)^7 + 3*(a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x)^5 + (3*a^5 + 7*a^4*b + 6*a^3*b^2 + 6*a^2*b^3 + 7*a*b^4 + 3*b^5)*cosh(x)^3 + (a^5 + 3*a^4*b + 2*a^3*b^2 - 2*a^2*b^3 - 3*a*b^4 - b^5)*cosh(x))*sinh(x))]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(tanh(x)/(a+b*tanh(x)^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(t_n
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou
ld perhaps be purged.Evaluation time: 0.56Error: Bad Argument Type
```

**maple** [B] time = 0.08, size = 420, normalized size = 6.00

$$\frac{1}{6(a+b)\left((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b\right)^{\frac{3}{2}}} + \frac{b \tanh(x)}{6(a+b)a\left((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(tanh(x)/(a+b*tanh(x)^2)^(5/2),x)
```

```
[Out] -1/6/(a+b)/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)+1/6*b/(a+b)/a/((tanh
(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((tanh(x)-1)^
2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2*b+2*(tanh
(x)-1)*b+a+b)^(1/2)+1/2/(a+b)^2/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/
2)*b*tanh(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2))*((ta
nh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2))/(tanh(x)-1))-1/6/(a+b)/((1+tanh(x)
```

$$\int \frac{\tanh(x)}{(b \tanh(x)^2 + a)^{5/2}} dx$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(tanh(x)/(b\*tanh(x)^2 + a)^(5/2), x)

**mupad** [B] time = 3.56, size = 76, normalized size = 1.09

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{b \tanh(x)^2 + a} (2a^2 + 4ab + 2b^2)}{2(a+b)^{5/2}}\right)}{(a+b)^{5/2}} - \frac{\frac{1}{3(a+b)} + \frac{b \tanh(x)^2 + a}{(a+b)^2}}{(b \tanh(x)^2 + a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^2)^(5/2),x)

[Out] atanh(((a + b\*tanh(x)^2)^(1/2)\*(4\*a\*b + 2\*a^2 + 2\*b^2))/(2\*(a + b)^(5/2)))/  
(a + b)^(5/2) - (1/(3\*(a + b)) + (a + b\*tanh(x)^2)/(a + b)^2)/(a + b\*tanh(x)  
)^2)^(3/2)

**sympy** [A] time = 30.76, size = 73, normalized size = 1.04

$$-\frac{1}{3(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{1}{(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\operatorname{atan}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}(a+b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*2)\*\*(5/2),x)

[Out] -1/(3\*(a + b)\*(a + b\*tanh(x)\*\*2)\*\*(3/2)) - 1/((a + b)\*\*2\*sqrt(a + b\*tanh(x)  
\*\*2)) - atan(sqrt(a + b\*tanh(x)\*\*2)/sqrt(-a - b))/(sqrt(-a - b)\*(a + b)\*\*2)

$$3.252 \quad \int \frac{1}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=93

$$\frac{b(5a+2b)\tanh(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{b\tanh(x)}{3a(a+b)(a+b\tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(5/2)+1/3\*b\*(5\*a+2\*b)\*tanh(x)/a^2/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)+1/3\*b\*tanh(x)/a/(a+b)/(a+b\*tanh(x)^2)^(3/2)

**Rubi [A]** time = 0.09, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {3661, 414, 527, 12, 377, 206}

$$\frac{b(5a+2b)\tanh(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b\tanh(x)}{3a(a+b)(a+b\tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[x]^2)^(-5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Tanh[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(5\*a + 2\*b)\*Tanh[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2])

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2])), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 377**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

#### Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]
```

#### Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

#### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{b-3(a+b)+2bx^2}{(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3a(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{3a^2}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{3a^2(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x^2)\sqrt{a+bx^2}} dx, x, \tanh(x) \right)}{(a+b)} \\
&= \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{1-(a+b)x^2} dx, x, \tanh(x) \right)}{(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{b \tanh(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(5a+2b) \tanh(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica [C]** time = 7.71, size = 976, normalized size = 10.49

$$\cosh(x) \sinh(x) \left( \frac{840b^2(a+b)^2 \sin^{-1} \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right) \tanh^4(x) \sinh^4(x)}{a^4} + \frac{2100b(a+b)^2 \sin^{-1} \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right) \tanh^2(x) \sinh^4(x)}{a^3} + \frac{1575b^2 \sin^{-1} \left( \sqrt{-\frac{(a+b) \sinh^2(x)}{a}} \right) \sinh^4(x)}{a^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Tanh[x]^2)^(-5/2), x]

[Out] (Cosh[x]\*Sinh[x]\*(1575\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]]) + (3150\*(a + b)\*ArcSin[Sqrt[-((a + b)\*Sinh[x]^2)/a]])\*Sinh[x]^2/a + (1575\*(a + b)^2\*Ar

```

cSin[Sqrt[-((a + b)*Sinh[x]^2)/a]]*Sinh[x]^4/a^2 + (2100*b*ArcSin[Sqrt[-
((a + b)*Sinh[x]^2)/a]]*Tanh[x]^2)/a + (4200*b*(a + b)*ArcSin[Sqrt[-((a
+ b)*Sinh[x]^2)/a]]*Sinh[x]^2*Tanh[x]^2)/a^2 + (2100*b*(a + b)^2*ArcSin[Sq
rt[-((a + b)*Sinh[x]^2)/a]]*Sinh[x]^4*Tanh[x]^2)/a^3 + (840*b^2*ArcSin[Sq
rt[-((a + b)*Sinh[x]^2)/a]]*Tanh[x]^4)/a^2 + (1680*b^2*(a + b)*ArcSin[Sqr
t[-((a + b)*Sinh[x]^2)/a]]*Sinh[x]^2*Tanh[x]^4)/a^3 + (840*b^2*(a + b)^2*
ArcSin[Sqrt[-((a + b)*Sinh[x]^2)/a]]*Sinh[x]^4*Tanh[x]^4)/a^4 + 2100*(-((
(a + b)*Sinh[x]^2)/a)^(3/2)*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + 96*Hyp
ergeometric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]*(-((a + b)*Sinh[x]^2)/
a)^(7/2)*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + 24*HypergeometricPFQ[{2,
2, 2}, {1, 9/2}, -((a + b)*Sinh[x]^2)/a]*(-((a + b)*Sinh[x]^2)/a)^(7/2)
*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a] + (2800*b*(-((a + b)*Sinh[x]^2)/a)
^(3/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (168*b*Hypergeo
metric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]*(-((a + b)*Sinh[x]^2)/a)^(
7/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (48*b*Hypergeomet
ricPFQ[{2, 2, 2}, {1, 9/2}, -((a + b)*Sinh[x]^2)/a]*(-((a + b)*Sinh[x]^2
)/a)^(7/2)*Tanh[x]^2*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a])/a + (1120*b^2*
(-((a + b)*Sinh[x]^2)/a)^(3/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2
))/a])/a^2 + (72*b^2*Hypergeometric2F1[2, 2, 9/2, -((a + b)*Sinh[x]^2)/a]
*(-((a + b)*Sinh[x]^2)/a)^(7/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^
2))/a])/a^2 + (24*b^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, -((a + b)*Sin
h[x]^2)/a]*(-((a + b)*Sinh[x]^2)/a)^(7/2)*Tanh[x]^4*Sqrt[(Cosh[x]^2*(a +
b*Tanh[x]^2))/a])/a^2 - 1575*Sqrt[-((a + b)*Cosh[x]^2*Sinh[x]^2*(a + b*Ta
nh[x]^2))/a^2] - (2100*b*Tanh[x]^2*Sqrt[-((a + b)*Cosh[x]^2*Sinh[x]^2*(a
+ b*Tanh[x]^2))/a^2])/a - (840*b^2*Tanh[x]^4*Sqrt[-((a + b)*Cosh[x]^2*Sin
h[x]^2*(a + b*Tanh[x]^2))/a^2])/a^2)/(315*a^2*(-((a + b)*Sinh[x]^2)/a)^(
5/2)*Sqrt[a + b*Tanh[x]^2]*Sqrt[(Cosh[x]^2*(a + b*Tanh[x]^2))/a]*(1 + (b*T
anh[x]^2)/a))

```

**fricas [B]** time = 1.48, size = 6933, normalized size = 74.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)^2)^(5/2),x, algorithm="fricas")
```

```

[Out] [1/12*(3*((a^4 + 2*a^3*b + a^2*b^2)*cosh(x)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)
*cosh(x)*sinh(x)^7 + (a^4 + 2*a^3*b + a^2*b^2)*sinh(x)^8 + 4*(a^4 - a^2*b^2
)*cosh(x)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2)*cosh(x)^2)*sin
h(x)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*cosh(x)^3 + 3*(a^4 - a^2*b^2)*cosh(
x))*sinh(x)^5 + 2*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*cosh(x)^4 + 2*(35*(a^4 + 2*
a^3*b + a^2*b^2)*cosh(x)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^
2)*cosh(x)^2)*sinh(x)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a
^2*b^2)*cosh(x)^5 + 10*(a^4 - a^2*b^2)*cosh(x)^3 + (3*a^4 - 2*a^3*b + 3*a^2
*b^2)*cosh(x))*sinh(x)^3 + 4*(a^4 - a^2*b^2)*cosh(x)^2 + 4*(7*(a^4 + 2*a^3*

```



$$\begin{aligned}
& b + a^2b^2) \cosh(x)^6 + 15(a^4 - a^2b^2) \cosh(x)^4 + a^4 - a^2b^2 + 3( \\
& 3a^4 - 2a^3b + 3a^2b^2) \cosh(x)^2) \sinh(x)^2 + 8((a^4 + 2a^3b + a^2 \\
& *b^2) \cosh(x)^7 + 3(a^4 - a^2b^2) \cosh(x)^5 + (3a^4 - 2a^3b + 3a^2b^2 \\
& ) \cosh(x)^3 + (a^4 - a^2b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \log(-((a*b^2 + \\
& b^3) \cosh(x)^8 + 8(a*b^2 + b^3) \cosh(x) \sinh(x)^7 + (a*b^2 + b^3) \sinh(x) \\
& ^8 - 2(a*b^2 + 2*b^3) \cosh(x)^6 - 2(a*b^2 + 2*b^3 - 14(a*b^2 + b^3) \cosh \\
& (x)^2) \sinh(x)^6 + 4(14(a*b^2 + b^3) \cosh(x)^3 - 3(a*b^2 + 2*b^3) \cosh(x) \\
& )) \sinh(x)^5 + (a^3 - a^2b + 4a*b^2 + 6b^3) \cosh(x)^4 + (70(a*b^2 + b^3) \\
& ) \cosh(x)^4 + a^3 - a^2b + 4a*b^2 + 6b^3 - 30(a*b^2 + 2*b^3) \cosh(x)^2) \\
& * \sinh(x)^4 + 4(14(a*b^2 + b^3) \cosh(x)^5 - 10(a*b^2 + 2*b^3) \cosh(x)^3 + \\
& (a^3 - a^2b + 4a*b^2 + 6b^3) \cosh(x)) \sinh(x)^3 + a^3 + 3a^2b + 3a*b \\
& ^2 + b^3 + 2(a^3 - 3a*b^2 - 2*b^3) \cosh(x)^2 + 2(14(a*b^2 + b^3) \cosh(x) \\
& )^6 - 15(a*b^2 + 2*b^3) \cosh(x)^4 + a^3 - 3a*b^2 - 2*b^3 + 3(a^3 - a^2b \\
& + 4a*b^2 + 6b^3) \cosh(x)^2) \sinh(x)^2 + \sqrt{2} * (b^2 \cosh(x)^6 + 6b^2 * \cosh \\
& (x) \sinh(x)^5 + b^2 \sinh(x)^6 - 3b^2 \cosh(x)^4 + 3(5b^2 \cosh(x)^2 - b \\
& ^2) \sinh(x)^4 + 4(5b^2 \cosh(x)^3 - 3b^2 \cosh(x)) \sinh(x)^3 - (a^2 - 2a* \\
& b - 3b^2) \cosh(x)^2 + (15b^2 \cosh(x)^4 - 18b^2 \cosh(x)^2 - a^2 + 2a*b + \\
& 3b^2) \sinh(x)^2 - a^2 - 2a*b - b^2 + 2(3b^2 \cosh(x)^5 - 6b^2 \cosh(x)^ \\
& 3 - (a^2 - 2a*b - 3b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \sqrt{((a+b) \cosh(x) \\
& ^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^ \\
& 2))} + 4(2(a*b^2 + b^3) \cosh(x)^7 - 3(a*b^2 + 2*b^3) \cosh(x)^5 + (a^3 - a \\
& ^2b + 4a*b^2 + 6b^3) \cosh(x)^3 + (a^3 - 3a*b^2 - 2*b^3) \cosh(x)) \sinh(x) \\
& ) / (\cosh(x)^6 + 6 \cosh(x)^5 \sinh(x) + 15 \cosh(x)^4 \sinh(x)^2 + 20 \cosh(x)^3 \\
& * \sinh(x)^3 + 15 \cosh(x)^2 \sinh(x)^4 + 6 \cosh(x) \sinh(x)^5 + \sinh(x)^6)) + 3 \\
& * ((a^4 + 2a^3b + a^2b^2) \cosh(x)^8 + 8(a^4 + 2a^3b + a^2b^2) \cosh(x) \\
& * \sinh(x)^7 + (a^4 + 2a^3b + a^2b^2) \sinh(x)^8 + 4(a^4 - a^2b^2) \cosh(x) \\
& )^6 + 4(a^4 - a^2b^2 + 7(a^4 + 2a^3b + a^2b^2) \cosh(x)^2) \sinh(x)^6 + \\
& 8(7(a^4 + 2a^3b + a^2b^2) \cosh(x)^3 + 3(a^4 - a^2b^2) \cosh(x)) \sinh \\
& (x)^5 + 2(3a^4 - 2a^3b + 3a^2b^2) \cosh(x)^4 + 2(35(a^4 + 2a^3b + \\
& a^2b^2) \cosh(x)^4 + 3a^4 - 2a^3b + 3a^2b^2 + 30(a^4 - a^2b^2) \cosh(x) \\
& ^2) \sinh(x)^4 + a^4 + 2a^3b + a^2b^2 + 8(7(a^4 + 2a^3b + a^2b^2) \cosh(x) \\
& ^5 + 10(a^4 - a^2b^2) \cosh(x)^3 + (3a^4 - 2a^3b + 3a^2b^2) \cosh(x)) \sinh(x)^3 + 4(a^4 - a^2b^2) \cosh(x)^2 + 4(7(a^4 + 2a^3b + a^2b^2) \cosh(x)^6 + 15(a^4 - a^2b^2) \cosh(x)^4 + a^4 - a^2b^2 + 3(3a^4 - 2a^3b + 3a^2b^2) \cosh(x)^2) \sinh(x)^2 + 8((a^4 + 2a^3b + a^2b^2) \cosh(x)^7 + 3(a^4 - a^2b^2) \cosh(x)^5 + (3a^4 - 2a^3b + 3a^2b^2) \cosh(x)^3 + (a^4 - a^2b^2) \cosh(x)) \sinh(x)) \sqrt{a+b} \log(((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2a \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a) \sinh(x)^2 + \sqrt{2} * (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 + 1) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \sinh(x)^2 + a-b) / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)}) + 4((a+b) \cosh(x)^3 + a \cosh(x)) \sinh(x) + a+b) / (\cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2)) + 8 \sqrt{2} * ((3a^3b + 7a^2b^2 + 5a*b^3 + b^4) \cosh(x)^6 + 6(3a^3b + 7a^2b^2 + 5a*b^3 + b^4) \cosh(x) \sinh(x)^5 + (3a^3b + 7a^2b^2 + 5a*b^3 + b^4) \sinh(x)^6 + 3(a^3b - a^2b^2 - 3a*b^3 - b^4) \cosh(x)^4 + 3(a^3
\end{aligned}$$

$$\begin{aligned}
& *b - a^2*b^2 - 3*a*b^3 - b^4 + 5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^2*\sinh(x)^4 - 3*a^3*b - 7*a^2*b^2 - 5*a*b^3 - b^4 + 4*(5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^3 + 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x))*\sinh(x)^3 - 3*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2 + 3*(5*(3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^4 - a^3*b + a^2*b^2 + 3*a*b^3 + b^4 + 6*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^2)*\sinh(x)^2 + 6*((3*a^3*b + 7*a^2*b^2 + 5*a*b^3 + b^4)*\cosh(x)^5 + 2*(a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x)^3 - (a^3*b - a^2*b^2 - 3*a*b^3 - b^4)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^8 + 8*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)*\sinh(x)^7 + (a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\sinh(x)^8 + a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^6 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5))*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^3 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x))*\sinh(x)^5 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^4 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5 + 35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^4 + 30*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^5 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^3 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x))*\sinh(x)^3 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^2 + 4*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^6 + 15*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^4 + 3*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*\cosh(x)^7 + 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x)^5 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*\cosh(x)^3 + (a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*\cosh(x))*\sinh(x)), -1/6*(3*((a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^8 + 8*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)*\sinh(x)^7 + (a^4 + 2*a^3*b + a^2*b^2)*\sinh(x)^8 + 4*(a^4 - a^2*b^2)*\cosh(x)^6 + 4*(a^4 - a^2*b^2 + 7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^3 + 3*(a^4 - a^2*b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(x)^4 + 2*(35*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^4 + 3*a^4 - 2*a^3*b + 3*a^2*b^2 + 30*(a^4 - a^2*b^2)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 2*a^3*b + a^2*b^2 + 8*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^5 + 10*(a^4 - a^2*b^2)*\cosh(x)^3 + (3*a^4 - 2*a^3*b + 3*a^2*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^4 - a^2*b^2)*\cosh(x)^2 + 4*(7*(a^4 + 2*a^3*b + a^2*b^2)*\cosh(x)^6 + 15*(a^4 - a^2*b^2)*\cosh
\end{aligned}$$

$$\begin{aligned}
& (x)^4 + a^4 - a^2b^2 + 3*(3a^4 - 2a^3b + 3a^2b^2)*\cosh(x)^2*\sinh(x)^2 \\
& + 8*((a^4 + 2a^3b + a^2b^2)*\cosh(x)^7 + 3*(a^4 - a^2b^2)*\cosh(x)^5 + \\
& (3a^4 - 2a^3b + 3a^2b^2)*\cosh(x)^3 + (a^4 - a^2b^2)*\cosh(x))*\sinh(x)) \\
& *sqrt(-a - b)*arctan(sqrt(2)*(b*\cosh(x)^2 + 2b*\cosh(x)*\sinh(x) + b*\sinh(x) \\
& ^2 - a - b)*sqrt(-a - b)*sqrt(((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - \\
& b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a*b + b^2)*\cosh(x)^4 + 4* \\
& (a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2) \\
& *\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 \\
& + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*s \\
& \sinh(x))) + 3*((a^4 + 2a^3b + a^2b^2)*\cosh(x)^8 + 8*(a^4 + 2a^3b + a^2* \\
& b^2)*\cosh(x)*\sinh(x)^7 + (a^4 + 2a^3b + a^2b^2)*\sinh(x)^8 + 4*(a^4 - a^2 \\
& *b^2)*\cosh(x)^6 + 4*(a^4 - a^2b^2 + 7*(a^4 + 2a^3b + a^2b^2)*\cosh(x)^2) \\
& *\sinh(x)^6 + 8*(7*(a^4 + 2a^3b + a^2b^2)*\cosh(x)^3 + 3*(a^4 - a^2b^2)*c \\
& osh(x))*\sinh(x)^5 + 2*(3a^4 - 2a^3b + 3a^2b^2)*\cosh(x)^4 + 2*(35*(a^4 \\
& + 2a^3b + a^2b^2)*\cosh(x)^4 + 3a^4 - 2a^3b + 3a^2b^2 + 30*(a^4 - a^ \\
& 2*b^2)*\cosh(x)^2)*\sinh(x)^4 + a^4 + 2a^3b + a^2b^2 + 8*(7*(a^4 + 2a^3b \\
& + a^2b^2)*\cosh(x)^5 + 10*(a^4 - a^2b^2)*\cosh(x)^3 + (3a^4 - 2a^3b + 3 \\
& *a^2b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^4 - a^2b^2)*\cosh(x)^2 + 4*(7*(a^4 + 2 \\
& a^3b + a^2b^2)*\cosh(x)^6 + 15*(a^4 - a^2b^2)*\cosh(x)^4 + a^4 - a^2b^2 + \\
& 3*(3a^4 - 2a^3b + 3a^2b^2)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 2a^3b + \\
& a^2b^2)*\cosh(x)^7 + 3*(a^4 - a^2b^2)*\cosh(x)^5 + (3a^4 - 2a^3b + 3a^ \\
& 2*b^2)*\cosh(x)^3 + (a^4 - a^2b^2)*\cosh(x))*\sinh(x))*sqrt(-a - b)*arctan(sq \\
& rt(2)*sqrt(-a - b)*sqrt(((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(co \\
& sh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a + b)*\cosh(x)^2 + 2*(a + b)*co \\
& sh(x)*\sinh(x) + (a + b)*\sinh(x)^2 + a + b)) - 4*sqrt(2)*((3a^3b + 7a^2b \\
& ^2 + 5a*b^3 + b^4)*\cosh(x)^6 + 6*(3a^3b + 7a^2b^2 + 5a*b^3 + b^4)*cos \\
& h(x)*\sinh(x)^5 + (3a^3b + 7a^2b^2 + 5a*b^3 + b^4)*\sinh(x)^6 + 3*(a^3b \\
& - a^2b^2 - 3a*b^3 - b^4)*\cosh(x)^4 + 3*(a^3b - a^2b^2 - 3a*b^3 - b^4 \\
& + 5*(3a^3b + 7a^2b^2 + 5a*b^3 + b^4)*\cosh(x)^2)*\sinh(x)^4 - 3a^3b - \\
& 7a^2b^2 - 5a*b^3 - b^4 + 4*(5*(3a^3b + 7a^2b^2 + 5a*b^3 + b^4)*\cosh \\
& (x)^3 + 3*(a^3b - a^2b^2 - 3a*b^3 - b^4)*\cosh(x))*\sinh(x)^3 - 3*(a^3b - \\
& a^2b^2 - 3a*b^3 - b^4)*\cosh(x)^2 + 3*(5*(3a^3b + 7a^2b^2 + 5a*b^3 + \\
& b^4)*\cosh(x)^4 - a^3b + a^2b^2 + 3a*b^3 + b^4 + 6*(a^3b - a^2b^2 - 3* \\
& a*b^3 - b^4)*\cosh(x)^2)*\sinh(x)^2 + 6*((3a^3b + 7a^2b^2 + 5a*b^3 + b^4 \\
& )*\cosh(x)^5 + 2*(a^3b - a^2b^2 - 3a*b^3 - b^4)*\cosh(x)^3 - (a^3b - a^2* \\
& b^2 - 3a*b^3 - b^4)*\cosh(x))*\sinh(x))*sqrt(((a + b)*\cosh(x)^2 + (a + b)*si \\
& nh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2)))/((a^7 + 5a^ \\
& 6*b + 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5)*\cosh(x)^8 + 8*(a^7 + 5 \\
& *a^6*b + 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5)*\cosh(x)*\sinh(x)^7 + \\
& (a^7 + 5a^6*b + 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5)*\sinh(x)^8 \\
& + a^7 + 5a^6*b + 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5 + 4*(a^7 + \\
& 3a^6*b + 2a^5*b^2 - 2a^4*b^3 - 3a^3*b^4 - a^2*b^5)*\cosh(x)^6 + 4*(a^7 + \\
& 3a^6*b + 2a^5*b^2 - 2a^4*b^3 - 3a^3*b^4 - a^2*b^5 + 7*(a^7 + 5a^6*b + \\
& 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7 \\
& *(a^7 + 5a^6*b + 10a^5*b^2 + 10a^4*b^3 + 5a^3*b^4 + a^2*b^5)*\cosh(x)^3
\end{aligned}$$

```

+ 3*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*cosh(x))*
sinh(x)^5 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*
b^5)*cosh(x)^4 + 2*(3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3
*a^2*b^5 + 35*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^
5)*cosh(x)^4 + 30*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*
b^5)*cosh(x)^2)*sinh(x)^4 + 8*(7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a^4*b^3 +
5*a^3*b^4 + a^2*b^5)*cosh(x)^5 + 10*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3
- 3*a^3*b^4 - a^2*b^5)*cosh(x)^3 + (3*a^7 + 7*a^6*b + 6*a^5*b^2 + 6*a^4*b^
3 + 7*a^3*b^4 + 3*a^2*b^5)*cosh(x))*sinh(x)^3 + 4*(a^7 + 3*a^6*b + 2*a^5*b^
2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*cosh(x)^2 + 4*(a^7 + 3*a^6*b + 2*a^5*b
^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5 + 7*(a^7 + 5*a^6*b + 10*a^5*b^2 + 10*a
^4*b^3 + 5*a^3*b^4 + a^2*b^5)*cosh(x)^6 + 15*(a^7 + 3*a^6*b + 2*a^5*b^2 - 2
*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*cosh(x)^4 + 3*(3*a^7 + 7*a^6*b + 6*a^5*b^2
+ 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*cosh(x)^2)*sinh(x)^2 + 8*((a^7 + 5*a^6
*b + 10*a^5*b^2 + 10*a^4*b^3 + 5*a^3*b^4 + a^2*b^5)*cosh(x)^7 + 3*(a^7 + 3*
a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*cosh(x)^5 + (3*a^7 + 7
*a^6*b + 6*a^5*b^2 + 6*a^4*b^3 + 7*a^3*b^4 + 3*a^2*b^5)*cosh(x)^3 + (a^7 +
3*a^6*b + 2*a^5*b^2 - 2*a^4*b^3 - 3*a^3*b^4 - a^2*b^5)*cosh(x))*sinh(x))]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Warning, replacing 0 by `u`, a substitution variable should perha  
ps be purged.Warning, replacing 0 by `u`, a substitution variable should p  
erhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou  
ld perhaps be purged.Evaluation time: 0.55Error: Bad Argument Type

**maple** [B] time = 0.10, size = 420, normalized size = 4.52

$$\frac{1}{6(a+b)\left((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b\right)^{\frac{3}{2}}} + \frac{b \tanh(x)}{6(a+b)a\left((\tanh(x)-1)^2 b + 2(\tanh(x)-1)b + a + b\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*tanh(x)^2)^(5/2),x)

```
[Out] -1/6/(a+b)/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)+1/6*b/(a+b)/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*tanh(x)-1/2/(a+b)^2/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)+1/2/(a+b)^2/a/((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)*b*tanh(x)+1/2/(a+b)^(5/2)*ln((2*a+2*b+2*(tanh(x)-1)*b+2*(a+b)^(1/2)*((tanh(x)-1)^2*b+2*(tanh(x)-1)*b+a+b)^(1/2)))/(tanh(x)-1))+1/6/(a+b)/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)+1/6*b/(a+b)/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(3/2)*tanh(x)+1/3*b/(a+b)/a^2/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*tanh(x)+1/2/(a+b)^2/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)+1/2/(a+b)^2/a/((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)*b*tanh(x)-1/2/(a+b)^(5/2)*ln((2*a+2*b-2*(1+tanh(x))*b+2*(a+b)^(1/2)*((1+tanh(x))^2*b-2*(1+tanh(x))*b+a+b)^(1/2)))/(1+tanh(x)))
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((b*tanh(x)^2 + a)^(-5/2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*tanh(x)^2)^(5/2),x)
```

```
[Out] int(1/(a + b*tanh(x)^2)^(5/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*tanh(x)**2)**(5/2),x)
```

```
[Out] Integral((a + b*tanh(x)**2)**(-5/2), x)
```

$$3.253 \quad \int \frac{\coth(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

**Optimal.** Leaf size=108

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b(2a+b)}{a^2(a+b)^2\sqrt{a+b \tanh^2(x)}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

[Out]  $-\operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}/a^{1/2}}{(a+b)^{1/2}}\right)/a^{5/2} + \operatorname{arctanh}\left(\frac{(a+b \tanh(x)^2)^{1/2}/(a+b)^{1/2}}{(a+b)^{5/2} + b(2a+b)/a^2/(a+b)^2/(a+b \tanh(x)^2)^{1/2} + 1/3 * b/a/(a+b)/(a+b \tanh(x)^2)^{3/2}}\right)$

**Rubi [A]** time = 0.21, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 446, 85, 152, 156, 63, 208}

$$\frac{b(2a+b)}{a^2(a+b)^2\sqrt{a+b \tanh^2(x)}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}}\right)}{a^{5/2}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}}\right)}{(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Coth}[x]/(a + b \operatorname{Tanh}[x]^2)^{5/2}, x]$

[Out]  $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a]]/a^{5/2}) + \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2]/\operatorname{Sqrt}[a + b]]/(a + b)^{5/2} + b/(3a*(a + b)*(a + b \operatorname{Tanh}[x]^2)^{3/2}) + (b*(2a + b))/(a^2*(a + b)^2*\operatorname{Sqrt}[a + b \operatorname{Tanh}[x]^2])$

### Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 85

$\operatorname{Int}[(e_. + (f_.)*(x_.))^{(p_.)}/((a_. + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x\_Symbol] \rightarrow \operatorname{Simp}[(f*(e + f*x)^{(p+1)})/((p+1)*(b*e - a*f)*(d*e - c*f)), x] + \operatorname{Dist}[1/((b*e - a*f)*(d*e - c*f)), \operatorname{Int}[(b*d*e - b*c*f - a*d*f - b*d*f*x)*(e + f*x)^{(p+1)}/((a + b*x)*(c + d*x)), x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e$

, f}, x] && LtQ[p, -1]

### Rule 152

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)), x\_Symbol] := Simp[((b\*g - a\*h)\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[(a\*d\*f\*g - b\*(d\*e + c\*f)\*g + b\*c\*e\*h]\*(m + 1) - (b\*g - a\*h)\*(d\*e\*(n + 1) + c\*f\*(p + 1)) - d\*f\*(b\*g - a\*h)\*(m + n + p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n, 2\*p]

### Rule 156

Int[(((e\_.) + (f\_.)\*(x\_))^(p\_)\*((g\_.) + (h\_.)\*(x\_)))/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[(b\*g - a\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(a + b\*x), x], x] - Dist[(d\*g - c\*h)/(b\*c - a\*d), Int[(e + f\*x)^p/(c + d\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 3670

Int[((d\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_.), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p]/(c^2 + f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))

### Rubi steps

$$\begin{aligned}
\int \frac{\coth(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{x(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)x(a+bx)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-a-b+bx}{(1-x)x(a+bx)^{3/2}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{\text{Subst} \left( \int \frac{-\frac{1}{2}(a+b)^2 + \frac{1}{2}b(2a+b)}{(1-x)x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{a^2(a+b)} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{x \sqrt{a+bx}} dx, x, \tanh^2(x) \right)}{2a^2} \\
&= \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(2a+b)}{a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{1}{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \tanh^2(x) \right)}{a^2b} \\
&= -\frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a}} \right)}{a^{5/2}} + \frac{\tanh^{-1} \left( \frac{\sqrt{a+b \tanh^2(x)}}{\sqrt{a+b}} \right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b}{a^2b}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 73, normalized size = 0.68

$$\frac{(a+b) {}_2F_1 \left( -\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)}{a} + 1 \right) - a {}_2F_1 \left( -\frac{3}{2}, 1; -\frac{1}{2}; \frac{b \tanh^2(x)+a}{a+b} \right)}{3a(a+b)(a+b \tanh^2(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Coth[x]/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] (-(a\*Hypergeometric2F1[-3/2, 1, -1/2, (a + b\*Tanh[x]^2)/(a + b)]) + (a + b)\*Hypergeometric2F1[-3/2, 1, -1/2, 1 + (b\*Tanh[x]^2)/a])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2))



**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep+1)]Evaluation time: 0.74Error: Bad Argument Type

**maple** [F] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(a + b(\tanh^2(x)))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)/(a+b\*tanh(x)^2)^(5/2),x)

[Out] int(coth(x)/(a+b\*tanh(x)^2)^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(coth(x)/(b\*tanh(x)^2 + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{coth}(x)}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(coth(x)/(a + b*tanh(x)^2)^(5/2), x)`

[Out] `int(coth(x)/(a + b*tanh(x)^2)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{coth}(x)}{(a + b \tanh^2(x))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(coth(x)/(a+b*tanh(x)**2)**(5/2), x)`

[Out] `Integral(coth(x)/(a + b*tanh(x)**2)**(5/2), x)`

$$3.254 \quad \int \frac{\coth^2(x)}{(a+b \tanh^2(x))^{5/2}} dx$$

Optimal. Leaf size=131

$$\frac{(3a+2b)(a+4b)\coth(x)\sqrt{a+b\tanh^2(x)}}{3a^3(a+b)^2} + \frac{b(7a+4b)\coth(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)}$$

[Out] arctanh((a+b)^(1/2)\*tanh(x)/(a+b\*tanh(x)^2)^(1/2))/(a+b)^(5/2)+1/3\*b\*(7\*a+4\*b)\*coth(x)/a^2/(a+b)^2/(a+b\*tanh(x)^2)^(1/2)-1/3\*(3\*a+2\*b)\*(a+4\*b)\*coth(x)\*(a+b\*tanh(x)^2)^(1/2)/a^3/(a+b)^2+1/3\*b\*coth(x)/a/(a+b)/(a+b\*tanh(x)^2)^(3/2)

Rubi [A] time = 0.24, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$ , Rules used = {3670, 472, 579, 583, 12, 377, 206}

$$\frac{(3a+2b)(a+4b)\coth(x)\sqrt{a+b\tanh^2(x)}}{3a^3(a+b)^2} + \frac{b(7a+4b)\coth(x)}{3a^2(a+b)^2\sqrt{a+b\tanh^2(x)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a+b}\tanh(x)}{\sqrt{a+b\tanh^2(x)}}\right)}{(a+b)^{5/2}} + \frac{b}{3a(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Coth[x]^2/(a + b\*Tanh[x]^2)^(5/2), x]

[Out] ArcTanh[(Sqrt[a + b]\*Tanh[x])/Sqrt[a + b\*Tanh[x]^2]]/(a + b)^(5/2) + (b\*Coth[x])/(3\*a\*(a + b)\*(a + b\*Tanh[x]^2)^(3/2)) + (b\*(7\*a + 4\*b)\*Coth[x])/(3\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^2]) - ((3\*a + 2\*b)\*(a + 4\*b)\*Coth[x]\*Sqrt[a + b\*Tanh[x]^2])/(3\*a^3\*(a + b)^2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 472

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*e*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(e*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*b*(m + 1) + n*(b*c - a*d)*(p + 1) + d*b*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, m, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 579

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*g*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(g*x)^m*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f)*(m + 1) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, q}, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 583

```
Int[((g_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Simp[(e*(g*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*c*g*(m + 1)), x] + Dist[1/(a*c*g*(m + 1)), Int[(g*x)^(m + n)*(a + b*x^n)^p*(c + d*x^n)^q*Simp[a*f*c*(m + 1) - e*(b*c + a*d)*(m + n + 1) - e*n*(b*c*p + a*d*q) - b*e*d*(m + n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p, q}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && RationalQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{1}{x^2(1-x^2)(a+bx^2)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-3a-4b+4bx^2}{x^2(1-x^2)(a+bx^2)^{3/2}} dx, x, \tanh(x) \right)}{3a(a+b)} \\
&= \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} + \frac{\text{Subst} \left( \int \frac{(3a+2b)(a+4b)}{x^2(1-x^2)} dx, x, \tanh(x) \right)}{3a^3} \\
&= \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x)}{3a^3} \\
&= \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x)}{3a^3} \\
&= \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}} - \frac{(3a+2b)(a+4b) \coth(x)}{3a^3} \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{a+b} \tanh(x)}{\sqrt{a+b \tanh^2(x)}} \right)}{(a+b)^{5/2}} + \frac{b \coth(x)}{3a(a+b)(a+b \tanh^2(x))^{3/2}} + \frac{b(7a+4b) \coth(x)}{3a^2(a+b)^2 \sqrt{a+b \tanh^2(x)}}
\end{aligned}$$

**Mathematica** [C] time = 7.77, size = 246, normalized size = 1.88

$$\frac{\sqrt{\text{sech}^2(x)((a+b) \cosh(2x) + a - b)}}{b \sqrt{\frac{\text{csch}^2(x)((a+b) \cosh(2x) + a - b)}{b}}} \left( \frac{3\sqrt{2} a^3 \coth(x) \left( (a+b) F \left( \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x)) \text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \right) \right)}{1} - a \Pi \left( \frac{b}{a+b}; \sin^{-1} \left( \frac{\sqrt{\frac{(a-b+(a+b) \cosh(2x)) \text{csch}^2(x)}{b}}}{\sqrt{2}} \right) \right) \right)}{3\sqrt{2} a^3 (a+b)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Coth[x]^2/(a + b*Tanh[x]^2)^(5/2), x]
```

```
[Out] (Sqrt[(a - b + (a + b)*Cosh[2*x])*Sech[x]^2]*((3*Sqrt[2]*a^3*Coth[x]*((a +
b)*EllipticF[ArcSin[Sqrt[((a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/b]/Sqrt[2]
], 1] - a*EllipticPi[b/(a + b), ArcSin[Sqrt[((a - b + (a + b)*Cosh[2*x])*Cs
ch[x]^2)/b]/Sqrt[2]], 1)))/(b*Sqrt[((a - b + (a + b)*Cosh[2*x])*Csch[x]^2)/
b]) - ((a + b)*(3*(a + b)^2*(a - b + (a + b)*Cosh[2*x])^2*Coth[x] + 2*a*b^3
*Sinh[2*x] + b^2*(9*a + 5*b)*(a - b + (a + b)*Cosh[2*x])*Sinh[2*x]))/(a - b
+ (a + b)*Cosh[2*x]^2))/(3*Sqrt[2]*a^3*(a + b)^3)
```

**fricas [B]** time = 2.49, size = 10671, normalized size = 81.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(coth(x)^2/(a+b*tanh(x)^2)^(5/2), x, algorithm="fricas")
```

```
[Out] [1/12*(3*((a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^10 + 10*(a^5 + 2*a^4*b + a^3*b^
2)*cosh(x)*sinh(x)^9 + (a^5 + 2*a^4*b + a^3*b^2)*sinh(x)^10 + (3*a^5 - 2*a^
4*b - 5*a^3*b^2)*cosh(x)^8 + (3*a^5 - 2*a^4*b - 5*a^3*b^2 + 45*(a^5 + 2*a^4
*b + a^3*b^2)*cosh(x)^2)*sinh(x)^8 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x
)^3 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x))*sinh(x)^7 + 2*(a^5 - 2*a^4*b +
5*a^3*b^2)*cosh(x)^6 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^4*b +
a^3*b^2)*cosh(x)^4 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^2)*sinh(x)^6
+ 4*(63*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^5 + 14*(3*a^5 - 2*a^4*b - 5*a^3*
b^2)*cosh(x)^3 + 3*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x))*sinh(x)^5 - a^5 - 2
*a^4*b - a^3*b^2 - 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^4 + 2*(105*(a^5 +
2*a^4*b + a^3*b^2)*cosh(x)^6 - a^5 + 2*a^4*b - 5*a^3*b^2 + 35*(3*a^5 - 2*a^
4*b - 5*a^3*b^2)*cosh(x)^4 + 15*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^2)*sinh
(x)^4 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^7 + 7*(3*a^5 - 2*a^4*b - 5*
a^3*b^2)*cosh(x)^5 + 5*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^3 - (a^5 - 2*a^4
*b + 5*a^3*b^2)*cosh(x))*sinh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)^
2 + (45*(a^5 + 2*a^4*b + a^3*b^2)*cosh(x)^8 + 28*(3*a^5 - 2*a^4*b - 5*a^3*b
^2)*cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*(a^5 - 2*a^4*b + 5*a^3*b^2
)*cosh(x)^4 - 12*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^2)*sinh(x)^2 + 2*(5*(a
^5 + 2*a^4*b + a^3*b^2)*cosh(x)^9 + 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x)
^7 + 6*(a^5 - 2*a^4*b + 5*a^3*b^2)*cosh(x)^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2
)*cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*cosh(x))*sinh(x))*sqrt(a + b)*l
og(-((a*b^2 + b^3)*cosh(x)^8 + 8*(a*b^2 + b^3)*cosh(x)*sinh(x)^7 + (a*b^2 +
b^3)*sinh(x)^8 - 2*(a*b^2 + 2*b^3)*cosh(x)^6 - 2*(a*b^2 + 2*b^3 - 14*(a*b^
2 + b^3)*cosh(x)^2)*sinh(x)^6 + 4*(14*(a*b^2 + b^3)*cosh(x)^3 - 3*(a*b^2 +
2*b^3)*cosh(x))*sinh(x)^5 + (a^3 - a^2*b + 4*a*b^2 + 6*b^3)*cosh(x)^4 + (70
*(a*b^2 + b^3)*cosh(x)^4 + a^3 - a^2*b + 4*a*b^2 + 6*b^3 - 30*(a*b^2 + 2*b^
```



$$\begin{aligned}
& 3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^6 + 4*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5 + 7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^2)*\sinh(x)^6 + 8*(7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^3 + 3*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x))*\sinh(x)^5 + 3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5 + 6*(3*a^5 + 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^4 + 2*(9*a^5 + 21*a^4*b + 9*a^3*b^2 + 27*a^2*b^3 + 54*a*b^4 + 24*b^5 + 35*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^4 + 30*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^5 + 10*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^3 + 3*(3*a^5 + 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x))*\sinh(x)^3 + 4*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^2 + 4*(7*(3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^6 + 3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5 + 15*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^4 + 9*(3*a^5 + 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^2)*\sinh(x)^2 + 8*((3*a^5 + 15*a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^7 + 3*(3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^5 + 3*(3*a^5 + 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^3 + (3*a^5 + 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))}/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^10 + 10*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)*\sinh(x)^9 + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\sinh(x)^10 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^8 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5 + 45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^2)*\sinh(x)^8 - a^8 - 5*a^7*b - 10*a^6*b^2 - 10*a^5*b^3 - 5*a^4*b^4 - a^3*b^5 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^3 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x))*\sinh(x)^7 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^6 + 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5 + 105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^4 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^6 + 4*(63*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^5 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^3 + 3*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x))*\sinh(x)^5 - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^4 - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5 - 105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^6 - 35*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^4 - 15*
\end{aligned}$$



$$\begin{aligned}
& (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^2)* \\
& \sinh(x)^4 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^7 + 7*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 \\
& - 5*a^3*b^5)*\cosh(x)^5 + 5*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^3 - (a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x))*\sinh(x)^3 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^2 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 \\
& + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^8 - 3*a^8 - 7*a^7*b + 2*a^6*b^2 + 18*a^5*b^3 + 17*a^4*b^4 + 5*a^3*b^5 + 28*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^6 + 30*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^4 - 12*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^2 + 2*(5*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^9 + 4*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^7 + 6*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^5 - 4*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^3 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x))*\sinh(x)), -1/6*(3*((a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^10 + 10*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x))*\sinh(x)^9 + (a^5 + 2*a^4*b + a^3*b^2)*\sinh(x)^10 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^8 + (3*a^5 - 2*a^4*b - 5*a^3*b^2 + 45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^2)*\sinh(x)^8 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^3 + (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x)^7 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^6 + 2*(a^5 - 2*a^4*b + 5*a^3*b^2 + 105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^4 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^6 + 4*(63*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^5 + 14*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^3 + 3*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^5 - a^5 - 2*a^4*b - a^3*b^2 - 2*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^4 + 2*(105*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^6 - a^5 + 2*a^4*b - 5*a^3*b^2 + 35*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^4 + 15*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^4 + 8*(15*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^7 + 7*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^5 + 5*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^3 - (a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x))*\sinh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^2 + (45*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^8 + 28*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^6 - 3*a^5 + 2*a^4*b + 5*a^3*b^2 + 30*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^4 - 12*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^2)*\sinh(x)^2 + 2*(5*(a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^9 + 4*(3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x)^7 + 6*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^5 - 4*(a^5 - 2*a^4*b + 5*a^3*b^2)*\cosh(x)^3 - (3*a^5 - 2*a^4*b - 5*a^3*b^2)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*(b*\cosh(x)^2 + 2*b*\cosh(x)*\sinh(x) + b*\sinh(x)^2 - a - b))*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^2 + (a + b)*\sinh(x))^2 + a - b}/(\cosh(x)^2 - 2*\cosh(x)*\sinh(x) + \sinh(x)^2))/((a*b + b^2)*\cosh(x)^4 + 4*(a*b + b^2)*\cosh(x)*\sinh(x)^3 + (a*b + b^2)*\sinh(x)^4 + (a^2 - a*b - 2*b^2)*\cosh(x)^2 + (6*(a*b + b^2)*\cosh(x)^2 + a^2 - a*b - 2*b^2)*\sinh(x)^2 + a^2 + 2*a*b + b^2 + 2*(2*(a*b + b^2)*\cosh(x)^3 + (a^2 - a*b - 2*b^2)*\cosh(x))*\sinh(x))) + 3*((a^5 + 2*a^4*b + a^3*b^2)*\cosh(x)^10 + 10*(a^5 + 2*
\end{aligned}$$

$$\begin{aligned}
& a^4b + a^3b^2) \cosh(x) \sinh(x)^9 + (a^5 + 2a^4b + a^3b^2) \sinh(x)^{10} + \\
& (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^8 + (3a^5 - 2a^4b - 5a^3b^2 + 4 \\
& 5(a^5 + 2a^4b + a^3b^2) \cosh(x)^2) \sinh(x)^8 + 8(15(a^5 + 2a^4b + a \\
& ^3b^2) \cosh(x)^3 + (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)) \sinh(x)^7 + 2(a \\
& ^5 - 2a^4b + 5a^3b^2) \cosh(x)^6 + 2(a^5 - 2a^4b + 5a^3b^2 + 105(a \\
& ^5 + 2a^4b + a^3b^2) \cosh(x)^4 + 14(3a^5 - 2a^4b - 5a^3b^2) \cosh(x \\
& )^2) \sinh(x)^6 + 4(63(a^5 + 2a^4b + a^3b^2) \cosh(x)^5 + 14(3a^5 - 2 \\
& a^4b - 5a^3b^2) \cosh(x)^3 + 3(a^5 - 2a^4b + 5a^3b^2) \cosh(x)) \sinh( \\
& x)^5 - a^5 - 2a^4b - a^3b^2 - 2(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^4 + \\
& 2(105(a^5 + 2a^4b + a^3b^2) \cosh(x)^6 - a^5 + 2a^4b - 5a^3b^2 + 35 \\
& *(3a^5 - 2a^4b - 5a^3b^2) \cosh(x)^4 + 15(a^5 - 2a^4b + 5a^3b^2) \c \\
& osh(x)^2) \sinh(x)^4 + 8(15(a^5 + 2a^4b + a^3b^2) \cosh(x)^7 + 7(3a^5 \\
& - 2a^4b - 5a^3b^2) \cosh(x)^5 + 5(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^3 \\
& - (a^5 - 2a^4b + 5a^3b^2) \cosh(x)) \sinh(x)^3 - (3a^5 - 2a^4b - 5a^3 \\
& *b^2) \cosh(x)^2 + (45(a^5 + 2a^4b + a^3b^2) \cosh(x)^8 + 28(3a^5 - 2a \\
& ^4b - 5a^3b^2) \cosh(x)^6 - 3a^5 + 2a^4b + 5a^3b^2 + 30(a^5 - 2a^4 \\
& *b + 5a^3b^2) \cosh(x)^4 - 12(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^2) \sinh( \\
& x)^2 + 2(5(a^5 + 2a^4b + a^3b^2) \cosh(x)^9 + 4(3a^5 - 2a^4b - 5a^ \\
& ^3b^2) \cosh(x)^7 + 6(a^5 - 2a^4b + 5a^3b^2) \cosh(x)^5 - 4(a^5 - 2a^4 \\
& *b + 5a^3b^2) \cosh(x)^3 - (3a^5 - 2a^4b - 5a^3b^2) \cosh(x)) \sinh(x) \\
& ) \sqrt{-a-b} \arctan(\sqrt{2} \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^2 + (a+b) \\
& ) \sinh(x)^2 + a-b} / (\cosh(x)^2 - 2 \cosh(x) \sinh(x) + \sinh(x)^2)) / ((a+b) \c \\
& osh(x)^2 + 2(a+b) \cosh(x) \sinh(x) + (a+b) \sinh(x)^2 + a+b)) + 2 \sqrt{ \\
& (2) * ((3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x \\
& )^8 + 8(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cos \\
& h(x) \sinh(x)^7 + (3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8 \\
& *b^5) \sinh(x)^8 + 4(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - \\
& 8b^5) \cosh(x)^6 + 4(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - \\
& 8b^5 + 7(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) * \\
& \cosh(x)^2) \sinh(x)^6 + 8(7(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 3 \\
& 4ab^4 + 8b^5) \cosh(x)^3 + 3(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - \\
& 22ab^4 - 8b^5) \cosh(x)) \sinh(x)^5 + 3a^5 + 15a^4b + 39a^3b^2 + 53a \\
& ^2b^3 + 34ab^4 + 8b^5 + 6(3a^5 + 7a^4b + 3a^3b^2 + 9a^2b^3 + 18 \\
& *ab^4 + 8b^5) \cosh(x)^4 + 2(9a^5 + 21a^4b + 9a^3b^2 + 27a^2b^3 + \\
& 54ab^4 + 24b^5 + 35(3a^5 + 15a^4b + 39a^3b^2 + 53a^2b^3 + 34ab \\
& ^4 + 8b^5) \cosh(x)^4 + 30(3a^5 + 9a^4b + 6a^3b^2 - 14a^2b^3 - 22a \\
& *b^4 - 8b^5) \cosh(x)^2) \sinh(x)^4 + 8(7(3a^5 + 15a^4b + 39a^3b^2 + \\
& 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x)^5 + 10(3a^5 + 9a^4b + 6a^3b^2 \\
& - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^3 + 3(3a^5 + 7a^4b + 3a^3b^2 \\
& + 9a^2b^3 + 18ab^4 + 8b^5) \cosh(x)) \sinh(x)^3 + 4(3a^5 + 9a^4b + \\
& 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^2 + 4(7(3a^5 + 15a^4 \\
& *b + 39a^3b^2 + 53a^2b^3 + 34ab^4 + 8b^5) \cosh(x)^6 + 3a^5 + 9a^4 \\
& *b + 6a^3b^2 - 14a^2b^3 - 22ab^4 - 8b^5 + 15(3a^5 + 9a^4b + 6a^3 \\
& *b^2 - 14a^2b^3 - 22ab^4 - 8b^5) \cosh(x)^4 + 9(3a^5 + 7a^4b + 3a^ \\
& ^3b^2 + 9a^2b^3 + 18ab^4 + 8b^5) \cosh(x)^2) \sinh(x)^2 + 8((3a^5 + 15
\end{aligned}$$

$$\begin{aligned}
& *a^4*b + 39*a^3*b^2 + 53*a^2*b^3 + 34*a*b^4 + 8*b^5)*\cosh(x)^7 + 3*(3*a^5 + \\
& 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x)^5 + 3*(3*a^5 + \\
& 7*a^4*b + 3*a^3*b^2 + 9*a^2*b^3 + 18*a*b^4 + 8*b^5)*\cosh(x)^3 + (3*a^5 + \\
& 9*a^4*b + 6*a^3*b^2 - 14*a^2*b^3 - 22*a*b^4 - 8*b^5)*\cosh(x))*\sinh(x))*\sqrt{ \\
& ((a + b)*\cosh(x)^2 + (a + b)*\sinh(x)^2 + a - b)/(\cosh(x)^2 - 2*\cosh(x)*\sin \\
& h(x) + \sinh(x)^2)))/((a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + \\
& a^3*b^5)*\cosh(x)^{10} + 10*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4* \\
& b^4 + a^3*b^5)*\cosh(x)*\sinh(x)^9 + (a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 \\
& + 5*a^4*b^4 + a^3*b^5)*\sinh(x)^{10} + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5* \\
& b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^8 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18 \\
& *a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5 + 45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5 \\
& *b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^2)*\sinh(x)^8 - a^8 - 5*a^7*b - 10*a^6*b \\
& ^2 - 10*a^5*b^3 - 5*a^4*b^4 - a^3*b^5 + 8*(15*(a^8 + 5*a^7*b + 10*a^6*b^2 + \\
& 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^3 + (3*a^8 + 7*a^7*b - 2*a^6*b^2 \\
& - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x))*\sinh(x)^7 + 2*(a^8 + a^7*b \\
& + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^6 + 2*(a^8 + a^ \\
& 7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5 + 105*(a^8 + 5*a^7*b \\
& + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^4 + 14*(3*a^8 + 7* \\
& a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^2)*\sinh(x) \\
& ^6 + 4*(63*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)* \\
& \cosh(x)^5 + 14*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a \\
& ^3*b^5)*\cosh(x)^3 + 3*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + \\
& 5*a^3*b^5)*\cosh(x))*\sinh(x)^5 - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 1 \\
& 3*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^4 - 2*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 \\
& + 13*a^4*b^4 + 5*a^3*b^5 - 105*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5 \\
& *a^4*b^4 + a^3*b^5)*\cosh(x)^6 - 35*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^ \\
& 3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^4 - 15*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^ \\
& 5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^4 + 8*(15*(a^8 + 5*a^7*b \\
& + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^7 + 7*(3*a^8 + 7* \\
& a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^5 + 5*(a^8 \\
& + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^3 - (a^ \\
& 8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x))*\sinh( \\
& x)^3 - (3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)* \\
& \cosh(x)^2 + (45*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10*a^5*b^3 + 5*a^4*b^4 + a^3* \\
& b^5)*\cosh(x)^8 - 3*a^8 - 7*a^7*b + 2*a^6*b^2 + 18*a^5*b^3 + 17*a^4*b^4 + 5* \\
& a^3*b^5 + 28*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3 \\
& *b^5)*\cosh(x)^6 + 30*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5 \\
& *a^3*b^5)*\cosh(x)^4 - 12*(a^8 + a^7*b + 2*a^6*b^2 + 10*a^5*b^3 + 13*a^4*b^4 \\
& + 5*a^3*b^5)*\cosh(x)^2)*\sinh(x)^2 + 2*(5*(a^8 + 5*a^7*b + 10*a^6*b^2 + 10* \\
& a^5*b^3 + 5*a^4*b^4 + a^3*b^5)*\cosh(x)^9 + 4*(3*a^8 + 7*a^7*b - 2*a^6*b^2 - \\
& 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x)^7 + 6*(a^8 + a^7*b + 2*a^6*b^ \\
& 2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^5 - 4*(a^8 + a^7*b + 2*a^6 \\
& *b^2 + 10*a^5*b^3 + 13*a^4*b^4 + 5*a^3*b^5)*\cosh(x)^3 - (3*a^8 + 7*a^7*b - \\
& 2*a^6*b^2 - 18*a^5*b^3 - 17*a^4*b^4 - 5*a^3*b^5)*\cosh(x))*\sinh(x)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
ostep+1)]Evaluation time: 2.08Error: Bad Argument Type

**maple** [F] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{(a + b(\tanh^2(x)))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a+b\*tanh(x)^2)^(5/2),x)

[Out] int(coth(x)^2/(a+b\*tanh(x)^2)^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth(x)^2}{(b \tanh(x)^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)^2/(a+b\*tanh(x)^2)^(5/2),x, algorithm="maxima")

[Out] integrate(coth(x)^2/(b\*tanh(x)^2 + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\coth(x)^2}{(b \tanh(x)^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(coth(x)^2/(a + b\*tanh(x)^2)^(5/2),x)

[Out] int(coth(x)^2/(a + b\*tanh(x)^2)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\coth^2(x)}{(a + b \tanh^2(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(coth(x)\*\*2/(a+b\*tanh(x)\*\*2)\*\*(5/2), x)

[Out] Integral(coth(x)\*\*2/(a + b\*tanh(x)\*\*2)\*\*(5/2), x)

$$3.255 \quad \int \frac{1}{\sqrt{1+\tanh^2(x)}} dx$$

Optimal. Leaf size=25

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x)+1}}\right)}{\sqrt{2}}$$

[Out] 1/2\*arctanh(2^(1/2)\*tanh(x)/(1+tanh(x)^2)^(1/2))\*2^(1/2)

**Rubi [A]** time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {3661, 377, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{\tanh^2(x)+1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[1 + Tanh[x]^2], x]

[Out] ArcTanh[(Sqrt[2]\*Tanh[x])/Sqrt[1 + Tanh[x]^2]]/Sqrt[2]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

#### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegerQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{1 + \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{(1 - x^2) \sqrt{1 + x^2}} dx, x, \tanh(x) \right) \\
&= \text{Subst} \left( \int \frac{1}{1 - 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right) \\
&= \frac{\tanh^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{1 + \tanh^2(x)}} \right)}{\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 35, normalized size = 1.40

$$\frac{\sinh^{-1}(\sqrt{2} \sinh(x)) \sqrt{\cosh(2x)} \operatorname{sech}(x)}{\sqrt{2} \sqrt{\tanh^2(x) + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[1 + Tanh[x]^2], x]

[Out] (ArcSinh[Sqrt[2]\*Sinh[x]]\*Sqrt[Cosh[2\*x]]\*Sech[x])/(Sqrt[2]\*Sqrt[1 + Tanh[x]^2])

**fricas [B]** time = 0.45, size = 543, normalized size = 21.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] 1/8\*sqrt(2)\*log(-2\*(cosh(x)^8 + 8\*cosh(x)\*sinh(x)^7 + sinh(x)^8 + (28\*cosh(x)^2 - 3)\*sinh(x)^6 - 3\*cosh(x)^6 + 2\*(28\*cosh(x)^3 - 9\*cosh(x))\*sinh(x)^5 + 5\*(14\*cosh(x)^4 - 9\*cosh(x)^2 + 1)\*sinh(x)^4 + 5\*cosh(x)^4 + 4\*(14\*cosh(x)^5 - 15\*cosh(x)^3 + 5\*cosh(x))\*sinh(x)^3 + (28\*cosh(x)^6 - 45\*cosh(x)^4 + 30\*cosh(x)^2 - 4)\*sinh(x)^2 - 4\*cosh(x)^2 + 2\*(4\*cosh(x)^7 - 9\*cosh(x)^5 + 10\*cosh(x)^3 - 4\*cosh(x))\*sinh(x) + (sqrt(2)\*cosh(x)^6 + 6\*sqrt(2)\*cosh(x)\*sinh(x)^5 + sqrt(2)\*sinh(x)^6 + 3\*(5\*sqrt(2)\*cosh(x)^2 - sqrt(2))\*sinh(x)^4 - 3\*sqrt(2)\*cosh(x)^4 + 4\*(5\*sqrt(2)\*cosh(x)^3 - 3\*sqrt(2)\*cosh(x))\*sinh(x)^3 + (15\*sqrt(2)\*cosh(x)^4 - 18\*sqrt(2)\*cosh(x)^2 + 4\*sqrt(2))\*sinh(x)^2 +

$$4\sqrt{2}\cosh(x)^2 + 2(3\sqrt{2}\cosh(x)^5 - 6\sqrt{2}\cosh(x)^3 + 4\sqrt{2}\cosh(x))\sinh(x) - 4\sqrt{2}\sqrt{(\cosh(x)^2 + \sinh(x)^2)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)) + 4}/(\cosh(x)^6 + 6\cosh(x)^5\sinh(x) + 15\cosh(x)^4\sinh(x)^2 + 20\cosh(x)^3\sinh(x)^3 + 15\cosh(x)^2\sinh(x)^4 + 6\cosh(x)\sinh(x)^5 + \sinh(x)^6)) + 1/8\sqrt{2}\log(2(\cosh(x)^4 + 4\cosh(x)\sinh(x)^3 + \sinh(x)^4 + (6\cosh(x)^2 + 1)\sinh(x)^2 + \cosh(x)^2 + 2(2\cosh(x)^3 + \cosh(x))\sinh(x) + (\sqrt{2}\cosh(x)^2 + 2\sqrt{2}\cosh(x)\sinh(x) + \sqrt{2}\sinh(x)^2 + \sqrt{2})\sqrt{(\cosh(x)^2 + \sinh(x)^2)/(\cosh(x)^2 - 2\cosh(x)\sinh(x) + \sinh(x)^2)) + 1)/(\cosh(x)^2 + 2\cosh(x)\sinh(x) + \sinh(x)^2))$$

**giac [B]** time = 0.12, size = 58, normalized size = 2.32

$$-\frac{1}{4}\sqrt{2}\left(\log\left(\sqrt{e^{4x}+1}-e^{2x}+1\right)+\log\left(\sqrt{e^{4x}+1}-e^{2x}\right)-\log\left(-\sqrt{e^{4x}+1}+e^{2x}+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*(log(sqrt(e^(4\*x) + 1) - e^(2\*x) + 1) + log(sqrt(e^(4\*x) + 1) - e^(2\*x))) - log(-sqrt(e^(4\*x) + 1) + e^(2\*x) + 1))

**maple [B]** time = 0.13, size = 62, normalized size = 2.48

$$\frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2 \tanh(x)+2)\sqrt{2}}{4\sqrt{(\tanh(x)-1)^2+2 \tanh(x)}}\right)}{4} - \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{(2-2 \tanh(x))\sqrt{2}}{4\sqrt{(1+\tanh(x))^2-2 \tanh(x)}}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1+tanh(x)^2)^(1/2),x)

[Out] 1/4\*2^(1/2)\*arctanh(1/4\*(2\*tanh(x)+2)\*2^(1/2)/((tanh(x)-1)^2+2\*tanh(x))^(1/2))-1/4\*2^(1/2)\*arctanh(1/4\*(2-2\*tanh(x))\*2^(1/2)/((1+tanh(x))^2-2\*tanh(x))^(1/2))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\tanh(x)^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(tanh(x)^2 + 1), x)



**mupad [B]** time = 0.17, size = 63, normalized size = 2.52

$$\frac{\sqrt{2} \left( \ln(\tanh(x) + 1) - \ln\left(\sqrt{2} \sqrt{\tanh(x)^2 + 1} - \tanh(x) + 1\right)\right)}{4} + \frac{\sqrt{2} \left( \ln\left(\tanh(x) + \sqrt{2} \sqrt{\tanh(x)^2 + 1} + 1\right)\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(tanh(x)^2 + 1)^(1/2), x)

[Out] (2^(1/2)\*(log(tanh(x) + 1) - log(2^(1/2)\*(tanh(x)^2 + 1)^(1/2) - tanh(x) + 1)))/4 + (2^(1/2)\*(log(tanh(x) + 2^(1/2)\*(tanh(x)^2 + 1)^(1/2) + 1) - log(tanh(x) - 1)))/4

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\tanh^2(x) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)\*\*2)\*\*(1/2), x)

[Out] Integral(1/sqrt(tanh(x)\*\*2 + 1), x)

$$3.256 \quad \int \frac{1}{\sqrt{-1-\tanh^2(x)}} dx$$

Optimal. Leaf size=27

$$\frac{\tan^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)}{\sqrt{2}}$$

[Out] 1/2\*arctan(2^(1/2)\*tanh(x)/(-1-tanh(x)^2)^(1/2))\*2^(1/2)

**Rubi [A]** time = 0.02, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {3661, 377, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh^2(x)-1}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[-1 - Tanh[x]^2], x]

[Out] ArcTan[(Sqrt[2]\*Tanh[x])/Sqrt[-1 - Tanh[x]^2]]/Sqrt[2]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(ff\*x)^n]^p/(c^2 + ff^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x]] /; FreeQ[{a, b, c, e, f, n, p}, x] && (IntegerQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || EqQ[n^2, 16])

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{-1 - \tanh^2(x)}} dx &= \text{Subst} \left( \int \frac{1}{\sqrt{-1 - x^2} (1 - x^2)} dx, x, \tanh(x) \right) \\
&= \text{Subst} \left( \int \frac{1}{1 + 2x^2} dx, x, \frac{\tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right) \\
&= \frac{\tan^{-1} \left( \frac{\sqrt{2} \tanh(x)}{\sqrt{-1 - \tanh^2(x)}} \right)}{\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 37, normalized size = 1.37

$$\frac{\sinh^{-1}(\sqrt{2} \sinh(x)) \sqrt{\cosh(2x)} \operatorname{sech}(x)}{\sqrt{2} \sqrt{-\tanh^2(x) - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[-1 - Tanh[x]^2], x]

[Out] (ArcSinh[Sqrt[2]\*Sinh[x]]\*Sqrt[Cosh[2\*x]]\*Sech[x])/(Sqrt[2]\*Sqrt[-1 - Tanh[x]^2])

**fricas [C]** time = 0.41, size = 175, normalized size = 6.48

$$\frac{1}{8}i\sqrt{2} \log\left(\frac{1}{2}\left(i\sqrt{2}\sqrt{-2e^{4x}-2} + 2e^{2x} + 2\right)e^{(-2x)}\right) - \frac{1}{8}i\sqrt{2} \log\left(\frac{1}{2}\left(-i\sqrt{2}\sqrt{-2e^{4x}-2} + 2e^{2x} + 2\right)e^{(-2x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-tanh(x)^2)^(1/2), x, algorithm="fricas")

[Out] 1/8\*I\*sqrt(2)\*log(1/2\*(I\*sqrt(2)\*sqrt(-2\*e^(4\*x) - 2) + 2\*e^(2\*x) + 2)\*e^(-2\*x)) - 1/8\*I\*sqrt(2)\*log(1/2\*(-I\*sqrt(2)\*sqrt(-2\*e^(4\*x) - 2) + 2\*e^(2\*x) + 2)\*e^(-2\*x)) - 1/8\*I\*sqrt(2)\*log((sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 2) + I\*sqrt(2)\*e^(4\*x) - I\*sqrt(2)\*e^(2\*x) + 2\*I\*sqrt(2))\*e^(-4\*x)) + 1/8\*I\*sqrt(2)\*log((sqrt(-2\*e^(4\*x) - 2)\*(e^(2\*x) - 2) - I\*sqrt(2)\*e^(4\*x) + I\*sqrt(2)\*e^(2\*x) - 2\*I\*sqrt(2))\*e^(-4\*x))

**giac** [C] time = 0.14, size = 58, normalized size = 2.15

$$\frac{1}{4}i\sqrt{2}\left(\log\left(\sqrt{e^{4x}+1}-e^{2x}+1\right)+\log\left(\sqrt{e^{4x}+1}-e^{2x}\right)-\log\left(-\sqrt{e^{4x}+1}+e^{2x}+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-tanh(x)^2)^(1/2),x, algorithm="giac")

[Out] 1/4\*I\*sqrt(2)\*(log(sqrt(e^(4\*x) + 1) - e^(2\*x) + 1) + log(sqrt(e^(4\*x) + 1) - e^(2\*x)) - log(-sqrt(e^(4\*x) + 1) + e^(2\*x) + 1))

**maple** [B] time = 0.12, size = 66, normalized size = 2.44

$$-\frac{\sqrt{2} \arctan\left(\frac{(-2-2 \tanh(x))\sqrt{2}}{4\sqrt{-(\tanh(x)-1)^2-2 \tanh(x)}}\right)}{4} + \frac{\sqrt{2} \arctan\left(\frac{(-2+2 \tanh(x))\sqrt{2}}{4\sqrt{-(1+\tanh(x))^2+2 \tanh(x)}}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-1-tanh(x)^2)^(1/2),x)

[Out] -1/4\*2^(1/2)\*arctan(1/4\*(-2-2\*tanh(x))\*2^(1/2)/(-(tanh(x)-1)^2-2\*tanh(x))^(1/2))+1/4\*2^(1/2)\*arctan(1/4\*(-2+2\*tanh(x))\*2^(1/2)/(-(1+tanh(x))^2+2\*tanh(x))^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\tanh(x)^2 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-1-tanh(x)^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(-tanh(x)^2 - 1), x)

**mupad** [B] time = 1.20, size = 22, normalized size = 0.81

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} \tanh(x)}{\sqrt{-\tanh(x)^2-1}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-tanh(x)^2 - 1)^(1/2),x)

[Out]  $(2^{1/2} \cdot \operatorname{atan}((2^{1/2} \cdot \tanh(x)) / (-\tanh(x)^2 - 1)^{1/2})) / 2$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\tanh^2(x) - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-1-tanh(x)**2)**(1/2), x)`

[Out] `Integral(1/sqrt(-tanh(x)**2 - 1), x)`

$$3.257 \quad \int \left( a + b \tanh^3(c + dx) \right)^2 dx$$

**Optimal.** Leaf size=89

$$x(a^2 + b^2) - \frac{ab \tanh^2(c + dx)}{d} + \frac{2ab \log(\cosh(c + dx))}{d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh(c + dx)}{d}$$

[Out] (a^2+b^2)\*x+2\*a\*b\*ln(cosh(d\*x+c))/d-b^2\*tanh(d\*x+c)/d-a\*b\*tanh(d\*x+c)^2/d-1/3\*b^2\*tanh(d\*x+c)^3/d-1/5\*b^2\*tanh(d\*x+c)^5/d

**Rubi [A]** time = 0.07, antiderivative size = 112, normalized size of antiderivative = 1.26, number of steps used = 6, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3661, 1810, 633, 31}

$$-\frac{ab \tanh^2(c + dx)}{d} - \frac{(a + b)^2 \log(1 - \tanh(c + dx))}{2d} + \frac{(a - b)^2 \log(\tanh(c + dx) + 1)}{2d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \frac{b^2 \tanh^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] -((a + b)^2\*Log[1 - Tanh[c + d\*x]])/(2\*d) + ((a - b)^2\*Log[1 + Tanh[c + d\*x]])/(2\*d) - (b^2\*Tanh[c + d\*x])/d - (a\*b\*Tanh[c + d\*x]^2)/d - (b^2\*Tanh[c + d\*x]^3)/(3\*d) - (b^2\*Tanh[c + d\*x]^5)/(5\*d)

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

### Rule 1810

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[Pq\*(a + b\*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 3661

Int[((a\_) + (b\_.)\*((c\_.)\*tan[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := With[{ff = FreeFactors[Tan[e + f\*x], x]}, Dist[(c\*ff)/f, Subst[Int[(a + b\*(

$\text{ff*x})^n)^p/(c^2 + \text{ff}^2*x^2), x], x, (c*\text{Tan}[e + f*x])/ff], x]] /; \text{FreeQ}\{a, b, c, e, f, n, p\}, x] \&\& (\text{IntegersQ}[n, p] \|\ \text{IGtQ}[p, 0] \|\ \text{EqQ}[n^2, 4] \|\ \text{EqQ}[n^2, 16])$

### Rubi steps

$$\begin{aligned} \int (a + b \tanh^3(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^3)^2}{1-x^2} dx, x, \tanh(c + dx)\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(-b^2 - 2abx - b^2x^2 - b^2x^4 + \frac{a^2+b^2+2abx}{1-x^2}\right) dx, x, \tanh(c + dx)\right)}{d} \\ &= -\frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} + \\ &= -\frac{b^2 \tanh(c + dx)}{d} - \frac{ab \tanh^2(c + dx)}{d} - \frac{b^2 \tanh^3(c + dx)}{3d} - \frac{b^2 \tanh^5(c + dx)}{5d} - \\ &= -\frac{(a + b)^2 \log(1 - \tanh(c + dx))}{2d} + \frac{(a - b)^2 \log(1 + \tanh(c + dx))}{2d} - \frac{b^2 \tanh(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.76, size = 95, normalized size = 1.07

$$\frac{30ab \tanh^2(c + dx) + 15\left((a + b)^2 \log(1 - \tanh(c + dx)) - (a - b)^2 \log(\tanh(c + dx) + 1)\right) + 6b^2 \tanh^5(c + dx)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Tanh[c + d\*x]^3)^2,x]

[Out] -1/30\*(15\*((a + b)^2\*Log[1 - Tanh[c + d\*x]] - (a - b)^2\*Log[1 + Tanh[c + d\*x]]) + 30\*b^2\*Tanh[c + d\*x] + 30\*a\*b\*Tanh[c + d\*x]^2 + 10\*b^2\*Tanh[c + d\*x]^3 + 6\*b^2\*Tanh[c + d\*x]^5)/d

**fricas [B]** time = 0.43, size = 2074, normalized size = 23.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^3)^2,x, algorithm="fricas")

```
[Out] 1/15*(15*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x + c)^10 + 150*(a^2 - 2*a*b + b^2)
*d*x*cosh(d*x + c)*sinh(d*x + c)^9 + 15*(a^2 - 2*a*b + b^2)*d*x*sinh(d*x +
c)^10 + 15*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c)^8 + 15
*(45*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x + c)^2 + 5*(a^2 - 2*a*b + b^2)*d*x +
4*a*b + 6*b^2)*sinh(d*x + c)^8 + 120*(15*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x +
c)^3 + (5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c))*sinh(d*x
+ c)^7 + 30*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*cosh(d*x + c)^6 +
30*(105*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x + c)^4 + 5*(a^2 - 2*a*b + b^2)*d*x
+ 14*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c)^2 + 6*a*b +
6*b^2)*sinh(d*x + c)^6 + 60*(63*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x + c)^5 +
14*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c)^3 + 3*(5*(a^2
- 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*cosh(d*x + c))*sinh(d*x + c)^5 + 10*(15
*(a^2 - 2*a*b + b^2)*d*x + 18*a*b + 28*b^2)*cosh(d*x + c)^4 + 10*(315*(a^2
- 2*a*b + b^2)*d*x*cosh(d*x + c)^6 + 105*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b
+ 6*b^2)*cosh(d*x + c)^4 + 15*(a^2 - 2*a*b + b^2)*d*x + 45*(5*(a^2 - 2*a*b
+ b^2)*d*x + 6*a*b + 6*b^2)*cosh(d*x + c)^2 + 18*a*b + 28*b^2)*sinh(d*x +
c)^4 + 40*(45*(a^2 - 2*a*b + b^2)*d*x*cosh(d*x + c)^7 + 21*(5*(a^2 - 2*a*b
+ b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c)^5 + 15*(5*(a^2 - 2*a*b + b^2)*d*x
+ 6*a*b + 6*b^2)*cosh(d*x + c)^3 + (15*(a^2 - 2*a*b + b^2)*d*x + 18*a*b +
28*b^2)*cosh(d*x + c))*sinh(d*x + c)^3 + 15*(a^2 - 2*a*b + b^2)*d*x + 5*(15
*(a^2 - 2*a*b + b^2)*d*x + 12*a*b + 28*b^2)*cosh(d*x + c)^2 + 5*(135*(a^2 -
2*a*b + b^2)*d*x*cosh(d*x + c)^8 + 84*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b +
6*b^2)*cosh(d*x + c)^6 + 90*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*co
sh(d*x + c)^4 + 15*(a^2 - 2*a*b + b^2)*d*x + 12*(15*(a^2 - 2*a*b + b^2)*d*x
+ 18*a*b + 28*b^2)*cosh(d*x + c)^2 + 12*a*b + 28*b^2)*sinh(d*x + c)^2 + 46
*b^2 + 30*(a*b*cosh(d*x + c)^10 + 10*a*b*cosh(d*x + c)*sinh(d*x + c)^9 + a*
b*sinh(d*x + c)^10 + 5*a*b*cosh(d*x + c)^8 + 5*(9*a*b*cosh(d*x + c)^2 + a*b
)*sinh(d*x + c)^8 + 10*a*b*cosh(d*x + c)^6 + 40*(3*a*b*cosh(d*x + c)^3 + a*
b*cosh(d*x + c))*sinh(d*x + c)^7 + 10*(21*a*b*cosh(d*x + c)^4 + 14*a*b*cosh
(d*x + c)^2 + a*b)*sinh(d*x + c)^6 + 10*a*b*cosh(d*x + c)^4 + 4*(63*a*b*cos
h(d*x + c)^5 + 70*a*b*cosh(d*x + c)^3 + 15*a*b*cosh(d*x + c))*sinh(d*x + c)
^5 + 10*(21*a*b*cosh(d*x + c)^6 + 35*a*b*cosh(d*x + c)^4 + 15*a*b*cosh(d*x
+ c)^2 + a*b)*sinh(d*x + c)^4 + 5*a*b*cosh(d*x + c)^2 + 40*(3*a*b*cosh(d*x
+ c)^7 + 7*a*b*cosh(d*x + c)^5 + 5*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))
*sinh(d*x + c)^3 + 5*(9*a*b*cosh(d*x + c)^8 + 28*a*b*cosh(d*x + c)^6 + 30*a
*b*cosh(d*x + c)^4 + 12*a*b*cosh(d*x + c)^2 + a*b)*sinh(d*x + c)^2 + a*b +
10*(a*b*cosh(d*x + c)^9 + 4*a*b*cosh(d*x + c)^7 + 6*a*b*cosh(d*x + c)^5 + 4
*a*b*cosh(d*x + c)^3 + a*b*cosh(d*x + c))*sinh(d*x + c))*log(2*cosh(d*x + c
)/(cosh(d*x + c) - sinh(d*x + c))) + 10*(15*(a^2 - 2*a*b + b^2)*d*x*cosh(d*
x + c)^9 + 12*(5*(a^2 - 2*a*b + b^2)*d*x + 4*a*b + 6*b^2)*cosh(d*x + c)^7 +
18*(5*(a^2 - 2*a*b + b^2)*d*x + 6*a*b + 6*b^2)*cosh(d*x + c)^5 + 4*(15*(a^
2 - 2*a*b + b^2)*d*x + 18*a*b + 28*b^2)*cosh(d*x + c)^3 + (15*(a^2 - 2*a*b
+ b^2)*d*x + 12*a*b + 28*b^2)*cosh(d*x + c))*sinh(d*x + c))/(d*cosh(d*x + c
)^10 + 10*d*cosh(d*x + c)*sinh(d*x + c)^9 + d*sinh(d*x + c)^10 + 5*d*cosh(d
*x + c)^8 + 5*(9*d*cosh(d*x + c)^2 + d)*sinh(d*x + c)^8 + 40*(3*d*cosh(d*x
```



+ c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^7 + 10\*d\*cosh(d\*x + c)^6 + 10\*(21\*d\*cosh(d\*x + c)^4 + 14\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^6 + 4\*(63\*d\*cosh(d\*x + c)^5 + 70\*d\*cosh(d\*x + c)^3 + 15\*d\*cosh(d\*x + c))\*sinh(d\*x + c)^5 + 10\*d\*cosh(d\*x + c)^4 + 10\*(21\*d\*cosh(d\*x + c)^6 + 35\*d\*cosh(d\*x + c)^4 + 15\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^4 + 40\*(3\*d\*cosh(d\*x + c)^7 + 7\*d\*cosh(d\*x + c)^5 + 5\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c)^3 + 5\*d\*cosh(d\*x + c)^2 + 5\*(9\*d\*cosh(d\*x + c)^8 + 28\*d\*cosh(d\*x + c)^6 + 30\*d\*cosh(d\*x + c)^4 + 12\*d\*cosh(d\*x + c)^2 + d)\*sinh(d\*x + c)^2 + 10\*(d\*cosh(d\*x + c)^9 + 4\*d\*cosh(d\*x + c)^7 + 6\*d\*cosh(d\*x + c)^5 + 4\*d\*cosh(d\*x + c)^3 + d\*cosh(d\*x + c))\*sinh(d\*x + c) + d)

**giac** [A] time = 0.16, size = 142, normalized size = 1.60

$$\frac{30 ab \log(e^{(2dx+2c)} + 1) + 15(a^2 - 2ab + b^2)(dx + c) + \frac{2(23b^2 + 15(2ab + 3b^2))e^{(8dx+8c)} + 90(ab + b^2)e^{(6dx+6c)} + 10(9ab + 14b^2)e^{(4dx+4c)}}{(e^{(2dx+2c)} + 1)^5}}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)^3)^2,x, algorithm="giac")

[Out] 1/15\*(30\*a\*b\*log(e^(2\*d\*x + 2\*c) + 1) + 15\*(a^2 - 2\*a\*b + b^2)\*(d\*x + c) + 2\*(23\*b^2 + 15\*(2\*a\*b + 3\*b^2))\*e^(8\*d\*x + 8\*c) + 90\*(a\*b + b^2)\*e^(6\*d\*x + 6\*c) + 10\*(9\*a\*b + 14\*b^2)\*e^(4\*d\*x + 4\*c) + 10\*(3\*a\*b + 7\*b^2)\*e^(2\*d\*x + 2\*c))/(e^(2\*d\*x + 2\*c) + 1)^5/d

**maple** [A] time = 0.02, size = 163, normalized size = 1.83

$$\frac{b^2 \left( \tanh^5(dx + c) \right)}{5d} - \frac{b^2 \left( \tanh^3(dx + c) \right)}{3d} - \frac{ab \left( \tanh^2(dx + c) \right)}{d} - \frac{b^2 \tanh(dx + c)}{d} - \frac{\ln(\tanh(dx + c) - 1) a^2}{2d} - \frac{\ln(\tanh(dx + c) + 1) a^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*tanh(d\*x+c)^3)^2,x)

[Out] -1/5\*b^2\*tanh(d\*x+c)^5/d-1/3\*b^2\*tanh(d\*x+c)^3/d-a\*b\*tanh(d\*x+c)^2/d-b^2\*tanh(d\*x+c)/d-1/2/d\*ln(tanh(d\*x+c)-1)\*a^2-1/d\*ln(tanh(d\*x+c)-1)\*a\*b-1/2/d\*ln(tanh(d\*x+c)-1)\*b^2+1/2/d\*ln(1+tanh(d\*x+c))\*a^2-1/d\*ln(1+tanh(d\*x+c))\*a\*b+1/2/d\*ln(1+tanh(d\*x+c))\*b^2

**maxima** [B] time = 0.41, size = 194, normalized size = 2.18

$$\frac{1}{15} b^2 \left( 15x + \frac{15c}{d} - \frac{2(70e^{(-2dx-2c)} + 140e^{(-4dx-4c)} + 90e^{(-6dx-6c)} + 45e^{(-8dx-8c)} + 23)}{d(5e^{(-2dx-2c)} + 10e^{(-4dx-4c)} + 10e^{(-6dx-6c)} + 5e^{(-8dx-8c)} + e^{(-10dx-10c)} + 1)} \right) + 2ab \left( x + \frac{c}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c))^3)^2,x, algorithm="maxima")

[Out]  $\frac{1}{15}b^2(15x + 15c/d - 2(70e^{(-2dx - 2c)} + 140e^{(-4dx - 4c)} + 90e^{(-6dx - 6c)} + 45e^{(-8dx - 8c)} + 23)/(d(5e^{(-2dx - 2c)} + 10e^{(-4dx - 4c)} + 10e^{(-6dx - 6c)} + 5e^{(-8dx - 8c)} + e^{(-10dx - 10c)} + 1))) + 2ab(x + c/d + \log(e^{(-2dx - 2c)} + 1)/d + 2e^{(-2dx - 2c)})/(d(2e^{(-2dx - 2c)} + e^{(-4dx - 4c)} + 1))) + a^2x$

**mupad [B]** time = 1.16, size = 91, normalized size = 1.02

$$x(a^2 + 2ab + b^2) - \frac{b^2 \tanh(c + dx)}{d} - \frac{b^2 \tanh(c + dx)^3}{3d} - \frac{b^2 \tanh(c + dx)^5}{5d} - \frac{2ab \ln(\tanh(c + dx) + 1)}{d} - \frac{ab \tanh(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*tanh(c + d\*x))^3)^2,x)

[Out]  $x(2ab + a^2 + b^2) - (b^2 \tanh(c + dx))/d - (b^2 \tanh(c + dx)^3)/(3d) - (b^2 \tanh(c + dx)^5)/(5d) - (2ab \log(\tanh(c + dx) + 1))/d - (ab \tanh(c + dx)^2)/d$

**sympy [A]** time = 0.62, size = 100, normalized size = 1.12

$$\begin{cases} a^2x + 2abx - \frac{2ab \log(\tanh(c+dx)+1)}{d} - \frac{ab \tanh^2(c+dx)}{d} + b^2x - \frac{b^2 \tanh^5(c+dx)}{5d} - \frac{b^2 \tanh^3(c+dx)}{3d} - \frac{b^2 \tanh(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \tanh^3(c))^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*tanh(d\*x+c)\*\*3)\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*x - 2\*a\*b\*log(tanh(c + d\*x) + 1)/d - a\*b\*tanh(c + d\*x)\*\*2/d + b\*\*2\*x - b\*\*2\*tanh(c + d\*x)\*\*5/(5\*d) - b\*\*2\*tanh(c + d\*x)\*\*3/(3\*d) - b\*\*2\*tanh(c + d\*x)/d, Ne(d, 0)), (x\*(a + b\*tanh(c)\*\*3)\*\*2, True))

$$3.258 \quad \int \frac{1}{1+\tanh^3(x)} dx$$

Optimal. Leaf size=38

$$\frac{x}{2} - \frac{1}{6(\tanh(x) + 1)} - \frac{2 \tan^{-1}\left(\frac{1-2 \tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}}$$

[Out] 1/2\*x-2/9\*arctan(1/3\*(1-2\*tanh(x))\*3^(1/2))\*3^(1/2)-1/6/(1+tanh(x))

**Rubi [A]** time = 0.07, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {3661, 2074, 207, 618, 204}

$$\frac{x}{2} - \frac{1}{6(\tanh(x) + 1)} - \frac{2 \tan^{-1}\left(\frac{1-2 \tanh(x)}{\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Tanh[x]^3)^(-1), x]

[Out] x/2 - (2\*ArcTan[(1 - 2\*Tanh[x])/Sqrt[3]])/(3\*Sqrt[3]) - 1/(6\*(1 + Tanh[x]))

Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 2074

Int[(P\_)^(p\_)\*(Q\_)^(q\_.), x\_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p\*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&

PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

### Rule 3661

```
Int[((a_) + (b_.)*((c_.)*tan[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :=
With[{ff = FreeFactors[Tan[e + f*x], x]}, Dist[(c*ff)/f, Subst[Int[(a + b*(
ff*x)^n]^p/(c^2 + ff^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a,
b, c, e, f, n, p}, x] && (IntegersQ[n, p] || IGtQ[p, 0] || EqQ[n^2, 4] || E
qQ[n^2, 16])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{1 + \tanh^3(x)} dx &= \text{Subst} \left( \int \frac{1}{(1-x^2)(1+x^3)} dx, x, \tanh(x) \right) \\
&= \text{Subst} \left( \int \left( \frac{1}{6(1+x)^2} - \frac{1}{2(-1+x^2)} + \frac{1}{3(1-x+x^2)} \right) dx, x, \tanh(x) \right) \\
&= -\frac{1}{6(1+\tanh(x))} + \frac{1}{3} \text{Subst} \left( \int \frac{1}{1-x+x^2} dx, x, \tanh(x) \right) - \frac{1}{2} \text{Subst} \left( \int \frac{1}{-1+x^2} dx, x, \tanh(x) \right) \\
&= \frac{x}{2} - \frac{1}{6(1+\tanh(x))} - \frac{2}{3} \text{Subst} \left( \int \frac{1}{-3-x^2} dx, x, -1+2\tanh(x) \right) \\
&= \frac{x}{2} - \frac{2 \tan^{-1} \left( \frac{1-2\tanh(x)}{\sqrt{3}} \right)}{3\sqrt{3}} - \frac{1}{6(1+\tanh(x))}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 40, normalized size = 1.05

$$\frac{1}{2} \tanh^{-1}(\tanh(x)) - \frac{1}{6(\tanh(x)+1)} - \frac{2 \tan^{-1} \left( \frac{1-2\tanh(x)}{\sqrt{3}} \right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Tanh[x]^3)^(-1), x]

[Out] (-2\*ArcTan[(1 - 2\*Tanh[x])/Sqrt[3]])/(3\*Sqrt[3]) + ArcTanh[Tanh[x]]/2 - 1/(6\*(1 + Tanh[x]))

**fricas [B]** time = 0.53, size = 95, normalized size = 2.50

$$\frac{18x \cosh(x)^2 + 36x \cosh(x) \sinh(x) + 18x \sinh(x)^2 - 8 \left( \sqrt{3} \cosh(x)^2 + 2\sqrt{3} \cosh(x) \sinh(x) + \sqrt{3} \sinh(x)^2 \right)}{36 \left( \cosh(x)^2 + 2 \cosh(x) \sinh(x) + \sinh(x)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="fricas")

[Out] 1/36\*(18\*x\*cosh(x)^2 + 36\*x\*cosh(x)\*sinh(x) + 18\*x\*sinh(x)^2 - 8\*(sqrt(3)\*cosh(x)^2 + 2\*sqrt(3)\*cosh(x)\*sinh(x) + sqrt(3)\*sinh(x)^2)\*arctan(-1/3\*(sqrt(3)\*cosh(x) + sqrt(3)\*sinh(x))/(cosh(x) - sinh(x))) - 3)/(cosh(x)^2 + 2\*cosh(x)\*sinh(x) + sinh(x)^2)

**giac** [A] time = 0.11, size = 25, normalized size = 0.66

$$\frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} e^{2x}\right) + \frac{1}{2} x - \frac{1}{12} e^{-2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="giac")

[Out] 2/9\*sqrt(3)\*arctan(1/3\*sqrt(3)\*e^(2\*x)) + 1/2\*x - 1/12\*e^(-2\*x)

**maple** [A] time = 0.06, size = 41, normalized size = 1.08

$$-\frac{\ln(\tanh(x)-1)}{4} - \frac{1}{6(1+\tanh(x))} + \frac{\ln(1+\tanh(x))}{4} + \frac{2\sqrt{3} \arctan\left(\frac{(2\tanh(x)-1)\sqrt{3}}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1+tanh(x)^3),x)

[Out] -1/4\*ln(tanh(x)-1)-1/6/(1+tanh(x))+1/4\*ln(1+tanh(x))+2/9\*3^(1/2)\*arctan(1/3\*(2\*tanh(x)-1)\*3^(1/2))

**maxima** [B] time = 0.41, size = 73, normalized size = 1.92

$$\frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} + 3^{\frac{1}{4}} \sqrt{2}\right)\right) - \frac{2}{9} \sqrt{3} \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} \sqrt{2} \left(2 \sqrt{3} e^{-x} - 3^{\frac{1}{4}} \sqrt{2}\right)\right) + \frac{1}{2} x - \frac{1}{12} e^{-2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1+tanh(x)^3),x, algorithm="maxima")

[Out] 2/9\*sqrt(3)\*arctan(1/6\*3^(3/4)\*sqrt(2)\*(2\*sqrt(3)\*e^(-x) + 3^(1/4)\*sqrt(2))) - 2/9\*sqrt(3)\*arctan(1/6\*3^(3/4)\*sqrt(2)\*(2\*sqrt(3)\*e^(-x) - 3^(1/4)\*sqrt(2))) + 1/2\*x - 1/12\*e^(-2\*x)

**mupad** [B] time = 0.10, size = 38, normalized size = 1.00

$$\frac{\frac{x}{2} + \frac{\tanh(x)}{6} + \frac{x \tanh(x)}{2}}{\tanh(x) + 1} + \frac{2 \sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3} (2 \tanh(x) - 1)}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(tanh(x)^3 + 1), x)`

[Out]  $(x/2 + \tanh(x)/6 + (x \cdot \tanh(x))/2) / (\tanh(x) + 1) + (2 \cdot 3^{1/2} \cdot \operatorname{atan}((3^{1/2}) \cdot (2 \cdot \tanh(x) - 1)/3)) / 9$

**sympy** [B] time = 0.56, size = 102, normalized size = 2.68

$$\frac{9x \tanh(x)}{18 \tanh(x) + 18} + \frac{9x}{18 \tanh(x) + 18} + \frac{4\sqrt{3} \tanh(x) \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} + \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3} \tanh(x)}{3} - \frac{\sqrt{3}}{3}\right)}{18 \tanh(x) + 18} - \frac{3}{18 \tanh(x) + 18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1+tanh(x)**3), x)`

[Out]  $9x \cdot \tanh(x) / (18 \cdot \tanh(x) + 18) + 9x / (18 \cdot \tanh(x) + 18) + 4 \cdot \sqrt{3} \cdot \tanh(x) \cdot \operatorname{atan}(2 \cdot \sqrt{3} \cdot \tanh(x) / 3 - \sqrt{3} / 3) / (18 \cdot \tanh(x) + 18) + 4 \cdot \sqrt{3} \cdot \operatorname{atan}(2 \cdot \sqrt{3} \cdot \tanh(x) / 3 - \sqrt{3} / 3) / (18 \cdot \tanh(x) + 18) - 3 / (18 \cdot \tanh(x) + 18)$

$$3.259 \quad \int \tanh(x) \left( a + b \tanh^4(x) \right)^{3/2} dx$$

**Optimal.** Leaf size=124

$$-\frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} + \frac{1}{2} (a+b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a+b} \sqrt{a + b \tanh^4(x)}} \right)$$

[Out]  $1/2*(a+b)^{(3/2)}*\operatorname{arctanh}((a+b*\tanh(x)^2)/(a+b)^{(1/2)}/(a+b*\tanh(x)^4)^{(1/2)}) - 1/4*(3*a+2*b)*\operatorname{arctanh}(b^{(1/2)}*\tanh(x)^2/(a+b*\tanh(x)^4)^{(1/2)})*b^{(1/2)} - 1/4*(a+b*\tanh(x)^4)^{(1/2)}*(2*a+2*b+b*\tanh(x)^2) - 1/6*(a+b*\tanh(x)^4)^{(3/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {3670, 1248, 735, 815, 844, 217, 206, 725}

$$\frac{1}{2} (a+b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a+b} \sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{4} \sqrt{b} (3a+2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]\*(a + b\*Tanh[x]^4)^(3/2), x]

[Out]  $-(\operatorname{Sqrt}[b]*(3*a + 2*b)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Tanh}[x]^2)/\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^4]])/4 + ((a + b)^{(3/2)}*\operatorname{ArcTanh}[(a + b*\operatorname{Tanh}[x]^2)/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^4])])/2 - ((2*(a + b) + b*\operatorname{Tanh}[x]^2)*\operatorname{Sqrt}[a + b*\operatorname{Tanh}[x]^4])/4 - (a + b*\operatorname{Tanh}[x]^4)^{(3/2)}/6$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ

[{a, c, d, e}, x]

### Rule 735

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[  
 ((d + e\*x)^(m + 1)\*(a + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] + Dist[(2\*p)/(e\*(m  
 + 2\*p + 1)), Int[(d + e\*x)^m\*Simp[a\*e - c\*d\*x, x]\*(a + c\*x^2)^(p - 1), x],  
 x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && Ne  
 Q[m + 2\*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2\*p, 0] &&  
 IntQuadraticQ[a, 0, c, d, e, m, p, x]

### Rule 815

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
 \_), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*c\*d\*(2\*p  
 + 1) + g\*c\*e\*(m + 2\*p + 1)\*x)\*(a + c\*x^2)^p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p  
 + 2)), x] + Dist[(2\*p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)  
 ^m\*(a + c\*x^2)^(p - 1)\*Simp[f\*a\*c\*e^2\*(m + 2\*p + 2) + a\*c\*d\*e\*g\*m - (c^2\*f\*d  
 \*e\*(m + 2\*p + 2) - g\*(c^2\*d^2\*(2\*p + 1) + a\*c\*e^2\*(m + 2\*p + 1)))\*x, x], x]  
 /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[p,  
 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt  
 Q[m + 2\*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 844

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
 \_), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D  
 ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d,  
 e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1248

Int[(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (c\_)\*(x\_)^4)^(p\_), x\_Symbol]  
 :> Dist[1/2, Subst[Int[(d + e\*x)^q\*(a + c\*x^2)^p, x], x, x^2], x] /; FreeQ  
 [{a, c, d, e, p, q}, x]

### Rule 3670

Int[((d\_)\*tan[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*((c\_)\*tan[(e\_) +  
 (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Tan[e + f\*x],  
 x]}, Dist[(c\*ff)/f, Subst[Int[((d\*ff\*x)/c)^m\*(a + b\*(ff\*x)^n)^p)/(c^2 + f  
 f^2\*x^2), x], x, (c\*Tan[e + f\*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n  
 , p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration  
 alQ[n]))



Rubi steps

$$\begin{aligned}
\int \tanh(x) (a + b \tanh^4(x))^{3/2} dx &= \text{Subst} \left( \int \frac{x (a + bx^4)^{3/2}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{(a + bx^2)^{3/2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{2} \text{Subst} \left( \int \frac{(-a - bx) \sqrt{a + bx^2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{\text{Subst}}{2} \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} + \frac{1}{2} (a + b \tanh^4(x))^{3/2} \\
&= -\frac{1}{4} (2(a + b) + b \tanh^2(x)) \sqrt{a + b \tanh^4(x)} - \frac{1}{6} (a + b \tanh^4(x))^{3/2} - \frac{1}{2} (a + b \tanh^4(x))^{3/2} \\
&= -\frac{1}{4} \sqrt{b} (3a + 2b) \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} (a + b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right)
\end{aligned}$$

**Mathematica [A]** time = 4.81, size = 166, normalized size = 1.34

$$\frac{1}{12} \left( -\sqrt{a + b \tanh^4(x)} (8a + 2b \tanh^4(x) + 3b \tanh^2(x) + 6b) + 6(a + b)^{3/2} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*(a + b\*Tanh[x]^4)^(3/2), x]

[Out] (-6\*Sqrt[b]\*(a + b)\*ArcTanh[(Sqrt[b]\*Tanh[x]^2)/Sqrt[a + b\*Tanh[x]^4]] + 6\*(a + b)^(3/2)\*ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])] - Sqrt[a + b\*Tanh[x]^4]\*(8\*a + 6\*b + 3\*b\*Tanh[x]^2 + 2\*b\*Tanh[x]^4) - (3\*Sqrt[a]\*Sqrt[b]\*ArcSinh[(Sqrt[b]\*Tanh[x]^2)/Sqrt[a]]\*Sqrt[a + b\*Tanh[x]^4])/Sqrt[1 + (b\*Tanh[x]^4)/a])/12

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^4 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x, algorithm="giac")

[Out] integrate((b\*tanh(x)^4 + a)^(3/2)\*tanh(x), x)

**maple** [C] time = 0.24, size = 620, normalized size = 5.00

$$\frac{b(\tanh^4(x))\sqrt{a+b(\tanh^4(x))}}{6} - \frac{b(\tanh^2(x))\sqrt{a+b(\tanh^4(x))}}{4} - \frac{2\sqrt{a+b(\tanh^4(x))}a}{3} - \frac{b\sqrt{a+b(\tanh^4(x))}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x)

[Out] 
$$\begin{aligned} & -1/6*b*\tanh(x)^4*(a+b*\tanh(x)^4)^{(1/2)} - 1/4*b*\tanh(x)^2*(a+b*\tanh(x)^4)^{(1/2)} \\ & - 2/3*(a+b*\tanh(x)^4)^{(1/2)}*a - 1/2*b*(a+b*\tanh(x)^4)^{(1/2)} - 1/2*(5/3*a*b+b^2) \\ & / (I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}*(1+I/a^{(1/2)} \\ & *b^{(1/2)}*\tanh(x)^2)^{(1/2)} / (a+b*\tanh(x)^4)^{(1/2)}*EllipticF(\tanh(x)*(I/a^{(1/2)} \\ & *b^{(1/2)})^{(1/2)}, I) - 3/4*\ln(2*b^{(1/2)}*\tanh(x)^2+2*(a+b*\tanh(x)^4)^{(1/2)})*b \\ & ^{(1/2)}*a - 1/2*\ln(2*b^{(1/2)}*\tanh(x)^2+2*(a+b*\tanh(x)^4)^{(1/2)})*b^{(3/2)} - 1/2*I* \\ & (-7/5*a*b-b^2)*a^{(1/2)} / (I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\tanh \\ & (x)^2)^{(1/2)}*(1+I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)} / (a+b*\tanh(x)^4)^{(1/2)} / b^{( \\ & 1/2)}*(EllipticF(\tanh(x)*(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}, I) - EllipticE(\tanh(x)*(I/a \\ & ^{(1/2)}*b^{(1/2)})^{(1/2)}, I)) + 1/2*a^2/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2+2* \\ & a)/(a+b)^{(1/2)}) / (a+b*\tanh(x)^4)^{(1/2)} + a*b/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh \\ & (x)^2+2*a)/(a+b)^{(1/2)}) / (a+b*\tanh(x)^4)^{(1/2)} + 1/2*b^2/(a+b)^{(1/2)}*\operatorname{arctanh}(1 \\ & /2*(2*b*\tanh(x)^2+2*a)/(a+b)^{(1/2)}) / (a+b*\tanh(x)^4)^{(1/2)} - 1/2*(-5/3*a*b-b^2 \\ & ) / (I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(1-I/a^{(1/2)}*b^{(1/2)}*\tanh(x)^2)^{(1/2)}*(1+I/a^{(1} \end{aligned}$$

$$\frac{1}{2} * b^{(1/2)} * \tanh(x)^2)^{(1/2)} / (a + b * \tanh(x)^4)^{(1/2)} * \text{EllipticF}(\tanh(x) * (I/a^{(1/2)} * b^{(1/2)})^{(1/2)}, I) - 1/2 * I * (7/5 * a * b + b^2) * a^{(1/2)} / (I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * (1 - I/a^{(1/2)} * b^{(1/2)} * \tanh(x)^2)^{(1/2)} * (1 + I/a^{(1/2)} * b^{(1/2)} * \tanh(x)^2)^{(1/2)} / (a + b * \tanh(x)^4)^{(1/2)} / b^{(1/2)} * (\text{EllipticF}(\tanh(x) * (I/a^{(1/2)} * b^{(1/2)})^{(1/2)}, I) - \text{EllipticE}(\tanh(x) * (I/a^{(1/2)} * b^{(1/2)})^{(1/2)}, I))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \tanh(x)^4 + a)^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*tanh(x)^4 + a)^(3/2)\*tanh(x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x) (b \tanh(x)^4 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a + b\*tanh(x)^4)^(3/2), x)

[Out] int(tanh(x)\*(a + b\*tanh(x)^4)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \tanh^4(x))^{\frac{3}{2}} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)\*\*4)\*\*(3/2), x)

[Out] Integral((a + b\*tanh(x)\*\*4)\*\*(3/2)\*tanh(x), x)

$$3.260 \quad \int \tanh(x) \sqrt{a + b \tanh^4(x)} dx$$

**Optimal.** Leaf size=89

$$-\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right)$$

[Out]  $-1/2 * \operatorname{arctanh}(b^{(1/2)} * \tanh(x)^2 / (a + b * \tanh(x)^4)^{(1/2)}) * b^{(1/2)} + 1/2 * \operatorname{arctanh}((a + b * \tanh(x)^2) / (a + b)^{(1/2)} / (a + b * \tanh(x)^4)^{(1/2)}) * (a + b)^{(1/2)} - 1/2 * (a + b * \tanh(x)^4)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 1248, 735, 844, 217, 206, 725}

$$-\frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} \sqrt{a + b \tanh^4(x)}$$

Antiderivative was successfully verified.

[In] `Int[Tanh[x]*Sqrt[a + b*Tanh[x]^4], x]`

[Out]  $-(\operatorname{Sqrt}[b] * \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] * \operatorname{Tanh}[x]^2) / \operatorname{Sqrt}[a + b * \operatorname{Tanh}[x]^4]]) / 2 + (\operatorname{Sqrt}[a + b] * \operatorname{ArcTanh}[(a + b * \operatorname{Tanh}[x]^2) / (\operatorname{Sqrt}[a + b] * \operatorname{Sqrt}[a + b * \operatorname{Tanh}[x]^4])]) / 2 - \operatorname{Sqrt}[a + b * \operatorname{Tanh}[x]^4] / 2$

**Rule 206**

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

**Rule 217**

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

**Rule 725**

`Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[{a, c, d, e}, x]`

Rule 735

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \tanh(x) \sqrt{a + b \tanh^4(x)} dx &= \text{Subst} \left( \int \frac{x \sqrt{a + bx^4}}{1 - x^2} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{\sqrt{a + bx^2}}{1 - x} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} \text{Subst} \left( \int \frac{-a - bx}{(1 - x) \sqrt{a + bx^2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} (-a - b) \text{Subst} \left( \int \frac{1}{(1 - x) \sqrt{a + bx^2}} dx, x, \tanh^2(x) \right) - \\
&= -\frac{1}{2} \sqrt{a + b \tanh^4(x)} - \frac{1}{2} b \text{Subst} \left( \int \frac{1}{1 - bx^2} dx, x, \frac{\tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) - \frac{1}{2} (a + b) \\
&= -\frac{1}{2} \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \frac{1}{2} \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 86, normalized size = 0.97

$$\frac{1}{2} \left( -\sqrt{a + b \tanh^4(x)} - \sqrt{b} \tanh^{-1} \left( \frac{\sqrt{b} \tanh^2(x)}{\sqrt{a + b \tanh^4(x)}} \right) + \sqrt{a + b} \tanh^{-1} \left( \frac{a + b \tanh^2(x)}{\sqrt{a + b} \sqrt{a + b \tanh^4(x)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]\*Sqrt[a + b\*Tanh[x]^4],x]

[Out]  $(-\text{Sqrt}[b] \text{ArcTanh}[(\text{Sqrt}[b] \text{Tanh}[x]^2)/\text{Sqrt}[a + b \text{Tanh}[x]^4]]) + \text{Sqrt}[a + b] \text{ArcTanh}[(a + b \text{Tanh}[x]^2)/(\text{Sqrt}[a + b] \text{Sqrt}[a + b \text{Tanh}[x]^4])] - \text{Sqrt}[a + b \text{Tanh}[x]^4])/2$

**fricas [B]** time = 0.65, size = 5136, normalized size = 57.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(1/2),x, algorithm="fricas")

[Out]  $[1/4*((\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\text{sqrt}(b)*\log(-$

$$\begin{aligned}
& (a + 2b) \cosh(x)^8 + 8(a + 2b) \cosh(x) \sinh(x)^7 + (a + 2b) \sinh(x)^8 + \\
& 4(a - 2b) \cosh(x)^6 + 4(7(a + 2b) \cosh(x)^2 + a - 2b) \sinh(x)^6 + 8 \\
& (7(a + 2b) \cosh(x)^3 + 3(a - 2b) \cosh(x)) \sinh(x)^5 + 6(a + 2b) \cosh(x)^4 + \\
& 2(35(a + 2b) \cosh(x)^4 + 30(a - 2b) \cosh(x)^2 + 3a + 6b) \sinh(x)^4 + \\
& 8(7(a + 2b) \cosh(x)^5 + 10(a - 2b) \cosh(x)^3 + 3(a + 2b) \cosh(x)) \sinh(x)^3 + \\
& 4(a - 2b) \cosh(x)^2 + 4(7(a + 2b) \cosh(x)^6 + 15(a - 2b) \cosh(x)^4 + \\
& 9(a + 2b) \cosh(x)^2 + a - 2b) \sinh(x)^2 - 2\sqrt{2}(\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \\
& \sinh(x)^4 + 2(3\cosh(x)^2 - 1) \sinh(x)^2 - 2\cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \sqrt{b} \sqrt{((a + b) \\
& \cosh(x)^4 + (a + b) \sinh(x)^4 + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4\cosh(x)^3 \sinh(x) + 6 \\
& \cosh(x)^2 \sinh(x)^2 - 4\cosh(x) \sinh(x)^3 + \sinh(x)^4)} + 8((a + 2b) \cosh(x)^7 + \\
& 3(a - 2b) \cosh(x)^5 + 3(a + 2b) \cosh(x)^3 + (a - 2b) \cosh(x)) \sinh(x) + a + 2b) / (\cosh(x)^8 + 8\cosh(x) \sinh(x)^7 + \sinh(x)^8 + 4(7\cosh(x)^2 + 1) \sinh(x)^6 + \\
& 4\cosh(x)^6 + 8(7\cosh(x)^3 + 3\cosh(x)) \sinh(x)^5 + 2(35\cosh(x)^4 + 30\cosh(x)^2 + 3) \sinh(x)^4 + 6\cosh(x)^4 + 8(7\cosh(x)^5 + 10\cosh(x)^3 + 3\cosh(x)) \sinh(x)^3 + \\
& 4(7\cosh(x)^6 + 15\cosh(x)^4 + 9\cosh(x)^2 + 1) \sinh(x)^2 + 4\cosh(x)^2 + 8(\cosh(x)^7 + 3\cosh(x)^5 + 3\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) + (\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4 + \\
& 2(3\cosh(x)^2 + 1) \sinh(x)^2 + 2\cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{a + b} \log(((a^2 + 2a*b + b^2) \cosh(x)^8 + 8(a^2 + 2a*b + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2a*b + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + \\
& 4(7(a^2 + 2a*b + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2a*b + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 + 2a*b + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2a*b + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 + 2a*b + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2a*b + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 + 2a*b + 3b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2a*b + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 + 2a*b + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + \sqrt{2}((a + b) \cosh(x)^4 + 4(a + b) \cosh(x) \sinh(x))^3 + (a + b) \sinh(x)^4 + 2(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + a - b) \sinh(x)^2 + 4((a + b) \cosh(x)^3 + (a - b) \cosh(x)) \sinh(x) + a + b) \sqrt{a + b} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x)^4 + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 - 4\cosh(x) \sinh(x)^3 + \sinh(x)^4)} + a^2 + 2a*b + b^2 + 8((a^2 + 2a*b + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 + 2a*b + 3b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x) / (\cosh(x)^4 + 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4) - 2\sqrt{2} \sqrt{((a + b) \cosh(x)^4 + (a + b) \sinh(x))^4 + 4(a - b) \cosh(x)^2 + 2(3(a + b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 - 4\cosh(x) \sinh(x)^3 + \sinh(x)^4)} / (\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3\cosh(x)^2 + 1) \sinh(x)^2 + 2\cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1), -1/4(2(\cosh(x)^4 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3\cosh(x)^2 + 1) \sinh(x)^2 + 2\cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) *
\end{aligned}$$

$$\begin{aligned}
& \sqrt{-a-b} \arctan(\sqrt{2} * ((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a+b) \sqrt{-a-b} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a-2b) \sinh(x)^2 + 3a+3b) / ((\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)) / ((a^2 + 2ab + b^2) \cosh(x)^8 + 8(a^2 + 2ab + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2ab + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2ab + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 6(a^2 + 2ab + b^2) \cosh(x)^4 + 2(35(a^2 + 2ab + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 + 6ab + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2ab + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + 3(a^2 + 2ab + b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2ab + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 9(a^2 + 2ab + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + 3(a^2 + 2ab + b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x))) - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{b} \log(-((a+2b) \cosh(x)^8 + 8(a+2b) \cosh(x) \sinh(x)^7 + (a+2b) \sinh(x)^8 + 4(a-2b) \cosh(x)^6 + 4(7(a+2b) \cosh(x)^2 + a-2b) \sinh(x)^6 + 8(7(a+2b) \cosh(x)^3 + 3(a-2b) \cosh(x)) \sinh(x)^5 + 6(a+2b) \cosh(x)^4 + 2(35(a+2b) \cosh(x)^4 + 30(a-2b) \cosh(x)^2 + 3a+6b) \sinh(x)^4 + 8(7(a+2b) \cosh(x)^5 + 10(a-2b) \cosh(x)^3 + 3(a+2b) \cosh(x)) \sinh(x)^3 + 4(a-2b) \cosh(x)^2 + 4(7(a+2b) \cosh(x)^6 + 15(a-2b) \cosh(x)^4 + 9(a+2b) \cosh(x)^2 + a-2b) \sinh(x)^2 - 2\sqrt{2} * (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 - 1) \sinh(x)^2 - 2 \cosh(x)^2 + 4(\cosh(x)^3 - \cosh(x)) \sinh(x) + 1) \sqrt{b} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a-2b) \sinh(x)^2 + 3a+3b) / ((\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)) + 8((a+2b) \cosh(x)^7 + 3(a-2b) \cosh(x)^5 + 3(a+2b) \cosh(x)^3 + (a-2b) \cosh(x)) \sinh(x) + a+2b) / ((\cosh(x)^8 + 8 \cosh(x) \sinh(x)^7 + \sinh(x)^8 + 4(7 \cosh(x)^2 + 1) \sinh(x)^6 + 4 \cosh(x)^6 + 8(7 \cosh(x)^3 + 3 \cosh(x)) \sinh(x)^5 + 2(35 \cosh(x)^4 + 30 \cosh(x)^2 + 3) \sinh(x)^4 + 6 \cosh(x)^4 + 8(7 \cosh(x)^5 + 10 \cosh(x)^3 + 3 \cosh(x)) \sinh(x)^3 + 4(7 \cosh(x)^6 + 15 \cosh(x)^4 + 9 \cosh(x)^2 + 1) \sinh(x)^2 + 4 \cosh(x)^2 + 8(\cosh(x)^7 + 3 \cosh(x)^5 + 3 \cosh(x)^3 + \cosh(x)) \sinh(x) + 1)) + 2\sqrt{2} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a-2b) \sinh(x)^2 + 3a+3b) / ((\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)) / ((\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1), 1/4 * (2(\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{-b} \arctan(\sqrt{2} \sqrt{-b} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b)
\end{aligned}$$



$$\begin{aligned}
& * \cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4) / (b*\cosh(x)^4 + 4*b*\cosh(x)*\sinh(x)^3 + b*\sinh(x)^4 - 2*b*\cosh(x)^2 + 2*(3*b*\cosh(x)^2 - b)*\sinh(x)^2 + 4*(b*\cosh(x)^3 - b*\cosh(x))*\sinh(x) + b) + (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{a + b} * \log(((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 2*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 2*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 3*(3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^2 + \sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{a + b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2)*\cosh(x)^5 + (3*a^2 + 2*a*b + 3*b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x) / (\cosh(x)^4 + 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4)) - 2*\sqrt{2}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))} / (\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1), -1/2*((\cosh(x)^4 + 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4 + 2*(3*\cosh(x)^2 + 1)*\sinh(x)^2 + 2*\cosh(x)^2 + 4*(\cosh(x)^3 + \cosh(x))*\sinh(x) + 1)*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4*(a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh(x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + 3*a + 3*b) / (\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))} / ((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a*b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)*\cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15*(a^2 - b^2)*\cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(
\end{aligned}$$

$x)^2 + a^2 - b^2) \sinh(x)^2 + a^2 + 2ab + b^2 + 8((a^2 + 2ab + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + 3(a^2 + 2ab + b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x)) - (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1) \sqrt{-b} \arctan(\sqrt{2} \sqrt{-b} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)}) / (b \cosh(x)^4 + 4b \cosh(x) \sinh(x)^3 + b \sinh(x)^4 - 2b \cosh(x)^2 + 2(3b \cosh(x)^2 - b) \sinh(x)^2 + 4(b \cosh(x))^3 - b \cosh(x)) \sinh(x) + b)) + \sqrt{2} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a - 2b) \sinh(x)^2 + 3a + 3b) / (\cosh(x)^4 - 4 \cosh(x)^3 \sinh(x) + 6 \cosh(x)^2 \sinh(x)^2 - 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4)}) / (\cosh(x)^4 + 4 \cosh(x) \sinh(x)^3 + \sinh(x)^4 + 2(3 \cosh(x)^2 + 1) \sinh(x)^2 + 2 \cosh(x)^2 + 4(\cosh(x)^3 + \cosh(x)) \sinh(x) + 1)}$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^4 + a} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)\*(a+b\*tanh(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*tanh(x)^4 + a)\*tanh(x), x)

**maple** [A] time = 0.12, size = 116, normalized size = 1.30

$$\frac{\sqrt{a + b(\tanh^4(x))}}{2} - \frac{\sqrt{b} \ln\left(2\sqrt{b}(\tanh^2(x)) + 2\sqrt{a + b(\tanh^4(x))}\right)}{2} + \frac{a \operatorname{arctanh}\left(\frac{2b(\tanh^2(x)) + 2a}{2\sqrt{a+b}\sqrt{a+b(\tanh^4(x))}}\right)}{2\sqrt{a+b}} + \frac{b \operatorname{arctanh}\left(\frac{2b(\tanh^2(x)) + 2a}{2\sqrt{a+b}\sqrt{a+b(\tanh^4(x))}}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)\*(a+b\*tanh(x)^4)^(1/2),x)

[Out]  $-1/2*(a+b*\tanh(x)^4)^{(1/2)} - 1/2*b^{(1/2)}*\ln(2*b^{(1/2)}*\tanh(x)^2 + 2*(a+b*\tanh(x)^4)^{(1/2)}) + 1/2*a/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2 + 2*a)/(a+b)^{(1/2)}) / (a+b*\tanh(x)^4)^{(1/2)} + 1/2*b/(a+b)^{(1/2)}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2 + 2*a)/(a+b)^{(1/2)}) / (a+b*\tanh(x)^4)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \tanh(x)^4 + a} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)*(a+b*tanh(x)^4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*tanh(x)^4 + a)*tanh(x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \tanh(x) \sqrt{b \tanh(x)^4 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)*(a + b*tanh(x)^4)^(1/2),x)`

[Out] `int(tanh(x)*(a + b*tanh(x)^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \tanh^4(x)} \tanh(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)*(a+b*tanh(x)**4)**(1/2),x)`

[Out] `Integral(sqrt(a + b*tanh(x)**4)*tanh(x), x)`

$$3.261 \quad \int \frac{\tanh(x)}{\sqrt{a+b \tanh^4(x)}} dx$$

**Optimal.** Leaf size=40

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2\sqrt{a+b}}$$

[Out] 1/2\*arctanh((a+b\*tanh(x)^2)/(a+b)^(1/2)/(a+b\*tanh(x)^4)^(1/2))/(a+b)^(1/2)

**Rubi [A]** time = 0.08, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {3670, 1248, 725, 206}

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/Sqrt[a + b\*Tanh[x]^4], x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*Sqrt[a + b])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 1248

Int[(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Dist[1/2, Subst[Int[(d + e\*x)^q\*(a + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

#### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)]^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)]^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p)/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\tanh(x)}{\sqrt{a + b \tanh^4(x)}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)\sqrt{a+bx^4}} dx, x, \tanh(x) \right) \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right) \\
 &= - \left( \frac{1}{2} \text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \frac{-a-b \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right) \right) \\
 &= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2\sqrt{a+b}}
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 40, normalized size = 1.00

$$\frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/Sqrt[a + b\*Tanh[x]^4], x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*Sqrt[a + b])

**fricas [B]** time = 0.64, size = 1286, normalized size = 32.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(1/2),x, algorithm="fricas")

[Out] [1/4\*log(((a^2 + 2\*a\*b + b^2)\*cosh(x)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(x)\*sinh(x)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(x)^8 + 4\*(a^2 - b^2)\*cosh(x)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^3 + 3\*(a^2 - b^2)\*cosh(x))\*sinh(x)^5 + 2\*(3\*a^2 + 2\*a\*b + 3\*b^2)\*cosh(x)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^4 + 30\*(a^2 - b^2)\*cosh(x)^2 + 3\*a^2 + 2\*a\*b + 3\*b^2)\*sinh(x)^4 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^5 + 10\*(a^2 - b^2)\*cosh(x)^3 + (3\*a^2 + 2\*a\*b + 3\*b^2)\*cosh(x))\*sinh(x)^3 + 4\*(a^2 - b^2)\*cosh(x)^2 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^6 + 15\*(a^2 - b^2)\*cosh(x)^4 + 3\*(3\*a^2 + 2\*a\*b + 3\*b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^2 + sqrt(2)\*((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a - b)\*sinh(x)^2 + 4\*((a + b)\*cosh(x)^3 + (a - b)\*cosh(x))\*sinh(x) + a + b)\*sqrt(a + b)\*sqrt(((a + b)\*cosh(x)^4 + (a + b)\*sinh(x)^4 + 4\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + 2\*a - 2\*b)\*sinh(x)^2 + 3\*a + 3\*b)/(cosh(x)^4 - 4\*cosh(x)^3\*sinh(x) + 6\*cosh(x)^2\*sinh(x)^2 - 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4)) + a^2 + 2\*a\*b + b^2 + 8\*((a^2 + 2\*a\*b + b^2)\*cosh(x)^7 + 3\*(a^2 - b^2)\*cosh(x)^5 + (3\*a^2 + 2\*a\*b + 3\*b^2)\*cosh(x)^3 + (a^2 - b^2)\*cosh(x))\*sinh(x))/(cosh(x)^4 + 4\*cosh(x)^3\*sinh(x) + 6\*cosh(x)^2\*sinh(x)^2 + 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4))/sqrt(a + b), -1/2\*sqrt(-a - b)\*arctan(sqrt(2)\*((a + b)\*cosh(x)^4 + 4\*(a + b)\*cosh(x)\*sinh(x)^3 + (a + b)\*sinh(x)^4 + 2\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + a - b)\*sinh(x)^2 + 4\*((a + b)\*cosh(x)^3 + (a - b)\*cosh(x))\*sinh(x) + a + b)\*sqrt(-a - b)\*sqrt(((a + b)\*cosh(x)^4 + (a + b)\*sinh(x)^4 + 4\*(a - b)\*cosh(x)^2 + 2\*(3\*(a + b)\*cosh(x)^2 + 2\*a - 2\*b)\*sinh(x)^2 + 3\*a + 3\*b)/(cosh(x)^4 - 4\*cosh(x)^3\*sinh(x) + 6\*cosh(x)^2\*sinh(x)^2 - 4\*cosh(x)\*sinh(x)^3 + sinh(x)^4)))/((a^2 + 2\*a\*b + b^2)\*cosh(x)^8 + 8\*(a^2 + 2\*a\*b + b^2)\*cosh(x)\*sinh(x)^7 + (a^2 + 2\*a\*b + b^2)\*sinh(x)^8 + 4\*(a^2 - b^2)\*cosh(x)^6 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^6 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^3 + 3\*(a^2 - b^2)\*cosh(x))\*sinh(x)^5 + 6\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^4 + 2\*(35\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^4 + 30\*(a^2 - b^2)\*cosh(x)^2 + 3\*a^2 + 6\*a\*b + 3\*b^2)\*sinh(x)^4 + 8\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^5 + 10\*(a^2 - b^2)\*cosh(x)^3 + 3\*(a^2 + 2\*a\*b + b^2)\*cosh(x))\*sinh(x)^3 + 4\*(a^2 - b^2)\*cosh(x)^2 + 4\*(7\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^6 + 15\*(a^2 - b^2)\*cosh(x)^4 + 9\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^2 + a^2 - b^2)\*sinh(x)^2 + a^2 + 2\*a\*b + b^2 + 8\*((a^2 + 2\*a\*b + b^2)\*cosh(x)^7 + 3\*(a^2 - b^2)\*cosh(x)^5 + 3\*(a^2 + 2\*a\*b + b^2)\*cosh(x)^3 + (a^2 - b^2)\*cosh(x))\*sinh(x)))/(a + b)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(1/2),x, algorithm="giac")

[Out] integrate(tanh(x)/sqrt(b\*tanh(x)^4 + a), x)

**maple** [A] time = 0.13, size = 37, normalized size = 0.92

$$\frac{\operatorname{arctanh}\left(\frac{2b(\tanh^2(x))+2a}{2\sqrt{a+b}\sqrt{a+b(\tanh^4(x))}}\right)}{2\sqrt{a+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^4)^(1/2),x)

[Out] 1/2/(a+b)^(1/2)\*arctanh(1/2\*(2\*b\*tanh(x)^2+2\*a)/(a+b)^(1/2)/(a+b\*tanh(x)^4)^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(1/2),x, algorithm="maxima")

[Out] integrate(tanh(x)/sqrt(b\*tanh(x)^4 + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\tanh(x)}{\sqrt{b \tanh(x)^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^4)^(1/2),x)

[Out] int(tanh(x)/(a + b\*tanh(x)^4)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{\sqrt{a + b \tanh^4(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*4)\*\*(1/2),x)

[Out] Integral(tanh(x)/sqrt(a + b\*tanh(x)\*\*4), x)

$$3.262 \quad \int \frac{\tanh(x)}{(a+b \tanh^4(x))^{3/2}} dx$$

**Optimal.** Leaf size=74

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}$$

[Out]  $1/2*\operatorname{arctanh}((a+b*\tanh(x)^2)/(a+b)^{(1/2)/(a+b*\tanh(x)^4)^{(1/2))}/(a+b)^{(3/2)+1/2*(-a+b*\tanh(x)^2)/a/(a+b)/(a+b*\tanh(x)^4)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {3670, 1248, 741, 12, 725, 206}

$$\frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^4)^(3/2), x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(3/2)) - (a - b\*Tanh[x]^2)/(2\*a\*(a + b)\*Sqrt[a + b\*Tanh[x]^4])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ



[{a, c, d, e}, x]

### Rule 741

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp
[((d + e*x)^(m + 1)*(a*e + c*d*x)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2
+ a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[
c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^
2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] &&
LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

### Rule 3670

```
Int[((d_.)*tan[(e_.) + (f_.)*(x_)])^(m_.)*((a_) + (b_.)*((c_.)*tan[(e_.) +
(f_.)*(x_)])^(n_))^(p_.), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{3/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^4)^{3/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx^2)^{3/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{a}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right)}{2a(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+bx^2}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}} - \frac{\text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \frac{-a-b \tanh^2(x)}{\sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{2a(a+b)\sqrt{a+b \tanh^4(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.54, size = 73, normalized size = 0.99

$$\frac{1}{2} \left( \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{(a+b)^{3/2}} - \frac{a-b \tanh^2(x)}{a(a+b)\sqrt{a+b \tanh^4(x)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^4)^(3/2), x]

[Out] (ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(a + b)^(3/2) - (a - b\*Tanh[x]^2)/(a\*(a + b)\*Sqrt[a + b\*Tanh[x]^4]))/2

**fricas [B]** time = 0.81, size = 3914, normalized size = 52.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(3/2),x, algorithm="fricas")

[Out] 
$$\frac{1}{4} \left( (a^2 + a*b) \cosh(x)^8 + 8(a^2 + a*b) \cosh(x) \sinh(x)^7 + (a^2 + a*b) \sinh(x)^8 + 4(a^2 - a*b) \cosh(x)^6 + 4(7(a^2 + a*b) \cosh(x)^2 + a^2 - a*b) \sinh(x)^6 + 8(7(a^2 + a*b) \cosh(x)^3 + 3(a^2 - a*b) \cosh(x)) \sinh(x)^5 + 6(a^2 + a*b) \cosh(x)^4 + 2(35(a^2 + a*b) \cosh(x)^4 + 30(a^2 - a*b) \cosh(x)^2 + 3a^2 + 3a*b) \sinh(x)^4 + 8(7(a^2 + a*b) \cosh(x)^5 + 10(a^2 - a*b) \cosh(x)^3 + 3(a^2 + a*b) \cosh(x)) \sinh(x)^3 + 4(a^2 - a*b) \cosh(x)^2 + 4(7(a^2 + a*b) \cosh(x)^6 + 15(a^2 - a*b) \cosh(x)^4 + 9(a^2 + a*b) \cosh(x)^2 + a^2 - a*b) \sinh(x)^2 + a^2 + a*b + 8((a^2 + a*b) \cosh(x)^7 + 3(a^2 - a*b) \cosh(x)^5 + 3(a^2 + a*b) \cosh(x)^3 + (a^2 - a*b) \cosh(x)) \sinh(x) \sqrt{a+b} \log((a^2 + 2a*b + b^2) \cosh(x)^8 + 8(a^2 + 2a*b + b^2) \cosh(x) \sinh(x)^7 + (a^2 + 2a*b + b^2) \sinh(x)^8 + 4(a^2 - b^2) \cosh(x)^6 + 4(7(a^2 + 2a*b + b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^6 + 8(7(a^2 + 2a*b + b^2) \cosh(x)^3 + 3(a^2 - b^2) \cosh(x)) \sinh(x)^5 + 2(3a^2 + 2a*b + 3b^2) \cosh(x)^4 + 2(35(a^2 + 2a*b + b^2) \cosh(x)^4 + 30(a^2 - b^2) \cosh(x)^2 + 3a^2 + 2a*b + 3b^2) \sinh(x)^4 + 8(7(a^2 + 2a*b + b^2) \cosh(x)^5 + 10(a^2 - b^2) \cosh(x)^3 + (3a^2 + 2a*b + 3b^2) \cosh(x)) \sinh(x)^3 + 4(a^2 - b^2) \cosh(x)^2 + 4(7(a^2 + 2a*b + b^2) \cosh(x)^6 + 15(a^2 - b^2) \cosh(x)^4 + 3(3a^2 + 2a*b + 3b^2) \cosh(x)^2 + a^2 - b^2) \sinh(x)^2 + \sqrt{2}((a+b) \cosh(x)^4 + 4(a+b) \cosh(x) \sinh(x)^3 + (a+b) \sinh(x)^4 + 2(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + a-b) \sinh(x)^2 + 4((a+b) \cosh(x)^3 + (a-b) \cosh(x)) \sinh(x) + a+b) \sqrt{a+b} \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a-2b) \sinh(x)^2 + 3a+3b) / ((\cosh(x)^4 - 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 - 4\cosh(x) \sinh(x)^3 + \sinh(x)^4))} + a^2 + 2a*b + b^2 + 8((a^2 + 2a*b + b^2) \cosh(x)^7 + 3(a^2 - b^2) \cosh(x)^5 + (3a^2 + 2a*b + 3b^2) \cosh(x)^3 + (a^2 - b^2) \cosh(x)) \sinh(x) / ((\cosh(x)^4 + 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 + 4\cosh(x) \sinh(x)^3 + \sinh(x)^4)) - 2\sqrt{2}((a^2 - b^2) \cosh(x)^4 + 4(a^2 - b^2) \cosh(x) \sinh(x)^3 + (a^2 - b^2) \sinh(x)^4 + 2(a^2 + 2a*b + b^2) \cosh(x)^2 + 2(3(a^2 - b^2) \cosh(x)^2 + a^2 + 2a*b + b^2) \sinh(x)^2 + a^2 - b^2 + 4((a^2 - b^2) \cosh(x)^3 + (a^2 + 2a*b + b^2) \cosh(x)) \sinh(x)) \sqrt{((a+b) \cosh(x)^4 + (a+b) \sinh(x)^4 + 4(a-b) \cosh(x)^2 + 2(3(a+b) \cosh(x)^2 + 2a-2b) \sinh(x)^2 + 3a+3b) / ((\cosh(x)^4 - 4\cosh(x)^3 \sinh(x) + 6\cosh(x)^2 \sinh(x)^2 - 4\cosh(x) \sinh(x)^3 + \sinh(x)^4))} / ((a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x)^8 + 8(a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x) \sinh(x)^7 + (a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \sinh(x)^8 + 4(a^4 + a^3*b - a^2*b^2 - a*b^3) \cosh(x)^6 + 4(a^4 + a^3*b - a^2*b^2 - a*b^3 + 7(a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x)^2) \sinh(x)^6 + 8(7(a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x)^3 + 3(a^4 + a^3*b - a^2*b^2 - a*b^3) \cosh(x)) \sinh(x)^5 + 6(a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x)^4 + 2(35(a^4 + 3a^3*b + 3a^2*b^2 + a*b^3) \cosh(x)^4 + 3a^4 + 9a^3*b + 9a^2*b^2 + 3a*b^3 +$$

$$\begin{aligned}
& 30*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2*\sinh(x)^4 + a^4 + 3*a^3*b + 3 \\
& *a^2*b^2 + a*b^3 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^5 + 10* \\
& (a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + \\
& a*b^3)*\cosh(x))*\sinh(x)^3 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^2 + 4 \\
& *(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^6 + 15*(a^4 + a^3*b - a^2*b^2 \\
& ^2 - a*b^3)*\cosh(x)^4 + a^4 + a^3*b - a^2*b^2 - a*b^3 + 9*(a^4 + 3*a^3*b + \\
& 3*a^2*b^2 + a*b^3)*\cosh(x)^2)*\sinh(x)^2 + 8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a \\
& *b^3)*\cosh(x)^7 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh(x)^5 + 3*(a^4 + 3* \\
& a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*\cosh \\
& (x))*\sinh(x)), -1/2*(((a^2 + a*b)*\cosh(x)^8 + 8*(a^2 + a*b)*\cosh(x)*\sinh(x) \\
& ^7 + (a^2 + a*b)*\sinh(x)^8 + 4*(a^2 - a*b)*\cosh(x)^6 + 4*(7*(a^2 + a*b)*\cos \\
& h(x)^2 + a^2 - a*b)*\sinh(x)^6 + 8*(7*(a^2 + a*b)*\cosh(x)^3 + 3*(a^2 - a*b)* \\
& \cosh(x))*\sinh(x)^5 + 6*(a^2 + a*b)*\cosh(x)^4 + 2*(35*(a^2 + a*b)*\cosh(x)^4 \\
& + 30*(a^2 - a*b)*\cosh(x)^2 + 3*a^2 + 3*a*b)*\sinh(x)^4 + 8*(7*(a^2 + a*b)*\cos \\
& h(x)^5 + 10*(a^2 - a*b)*\cosh(x)^3 + 3*(a^2 + a*b)*\cosh(x))*\sinh(x)^3 + 4*( \\
& a^2 - a*b)*\cosh(x)^2 + 4*(7*(a^2 + a*b)*\cosh(x)^6 + 15*(a^2 - a*b)*\cosh(x)^4 \\
& + 9*(a^2 + a*b)*\cosh(x)^2 + a^2 - a*b)*\sinh(x)^2 + a^2 + a*b + 8*((a^2 + \\
& a*b)*\cosh(x)^7 + 3*(a^2 - a*b)*\cosh(x)^5 + 3*(a^2 + a*b)*\cosh(x)^3 + (a^2 - \\
& a*b)*\cosh(x))*\sinh(x))*\sqrt{-a - b}*\arctan(\sqrt{2}*((a + b)*\cosh(x)^4 + 4* \\
& (a + b)*\cosh(x)*\sinh(x)^3 + (a + b)*\sinh(x)^4 + 2*(a - b)*\cosh(x)^2 + 2*(3* \\
& (a + b)*\cosh(x)^2 + a - b)*\sinh(x)^2 + 4*((a + b)*\cosh(x)^3 + (a - b)*\cosh( \\
& x))*\sinh(x) + a + b)*\sqrt{-a - b}*\sqrt{((a + b)*\cosh(x)^4 + (a + b)*\sinh(x) \\
& ^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh(x)^2 + \\
& 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 - 4*\cos \\
& h(x)*\sinh(x)^3 + \sinh(x)^4))/((a^2 + 2*a*b + b^2)*\cosh(x)^8 + 8*(a^2 + 2*a* \\
& b + b^2)*\cosh(x)*\sinh(x)^7 + (a^2 + 2*a*b + b^2)*\sinh(x)^8 + 4*(a^2 - b^2)* \\
& \cosh(x)^6 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh(x)^6 + 8*( \\
& 7*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + 3*(a^2 - b^2)*\cosh(x))*\sinh(x)^5 + 6*(a^2 \\
& + 2*a*b + b^2)*\cosh(x)^4 + 2*(35*(a^2 + 2*a*b + b^2)*\cosh(x)^4 + 30*(a^2 - \\
& b^2)*\cosh(x)^2 + 3*a^2 + 6*a*b + 3*b^2)*\sinh(x)^4 + 8*(7*(a^2 + 2*a*b + b^ \\
& 2)*\cosh(x)^5 + 10*(a^2 - b^2)*\cosh(x)^3 + 3*(a^2 + 2*a*b + b^2)*\cosh(x))*\si \\
& nh(x)^3 + 4*(a^2 - b^2)*\cosh(x)^2 + 4*(7*(a^2 + 2*a*b + b^2)*\cosh(x)^6 + 15 \\
& *(a^2 - b^2)*\cosh(x)^4 + 9*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + a^2 - b^2)*\sinh( \\
& x)^2 + a^2 + 2*a*b + b^2 + 8*((a^2 + 2*a*b + b^2)*\cosh(x)^7 + 3*(a^2 - b^2) \\
& *\cosh(x)^5 + 3*(a^2 + 2*a*b + b^2)*\cosh(x)^3 + (a^2 - b^2)*\cosh(x))*\sinh(x) \\
& )) + \sqrt{2}*((a^2 - b^2)*\cosh(x)^4 + 4*(a^2 - b^2)*\cosh(x)*\sinh(x)^3 + (a^ \\
& 2 - b^2)*\sinh(x)^4 + 2*(a^2 + 2*a*b + b^2)*\cosh(x)^2 + 2*(3*(a^2 - b^2)*\cos \\
& h(x)^2 + a^2 + 2*a*b + b^2)*\sinh(x)^2 + a^2 - b^2 + 4*((a^2 - b^2)*\cosh(x)^ \\
& 3 + (a^2 + 2*a*b + b^2)*\cosh(x))*\sinh(x))*\sqrt{((a + b)*\cosh(x)^4 + (a + b) \\
& *\sinh(x)^4 + 4*(a - b)*\cosh(x)^2 + 2*(3*(a + b)*\cosh(x)^2 + 2*a - 2*b)*\sinh \\
& (x)^2 + 3*a + 3*b)/(\cosh(x)^4 - 4*\cosh(x)^3*\sinh(x) + 6*\cosh(x)^2*\sinh(x)^2 \\
& - 4*\cosh(x)*\sinh(x)^3 + \sinh(x)^4))/((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)* \\
& \cosh(x)^8 + 8*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\cosh(x)*\sinh(x)^7 + (a^4 \\
& + 3*a^3*b + 3*a^2*b^2 + a*b^3)*\sinh(x)^8 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3) \\
& )*\cosh(x)^6 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3 + 7*(a^4 + 3*a^3*b + 3*a^2*b
\end{aligned}$$

```

^2 + a*b^3)*cosh(x)^2)*sinh(x)^6 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)
*cosh(x)^3 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x))*sinh(x)^5 + 6*(a^4
+ 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^4 + 2*(35*(a^4 + 3*a^3*b + 3*a^2*b^2
+ a*b^3)*cosh(x)^4 + 3*a^4 + 9*a^3*b + 9*a^2*b^2 + 3*a*b^3 + 30*(a^4 + a^3
*b - a^2*b^2 - a*b^3)*cosh(x)^2)*sinh(x)^4 + a^4 + 3*a^3*b + 3*a^2*b^2 + a*
b^3 + 8*(7*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^5 + 10*(a^4 + a^3*b
- a^2*b^2 - a*b^3)*cosh(x)^3 + 3*(a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x
))*sinh(x)^3 + 4*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^2 + 4*(7*(a^4 + 3*
a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)^6 + 15*(a^4 + a^3*b - a^2*b^2 - a*b^3)*c
osh(x)^4 + a^4 + a^3*b - a^2*b^2 - a*b^3 + 9*(a^4 + 3*a^3*b + 3*a^2*b^2 + a
*b^3)*cosh(x)^2)*sinh(x)^2 + 8*((a^4 + 3*a^3*b + 3*a^2*b^2 + a*b^3)*cosh(x)
^7 + 3*(a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x)^5 + 3*(a^4 + 3*a^3*b + 3*a^2
*b^2 + a*b^3)*cosh(x)^3 + (a^4 + a^3*b - a^2*b^2 - a*b^3)*cosh(x))*sinh(x)
]

```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(3/2),x, algorithm="giac")

[Out] integrate(tanh(x)/(b\*tanh(x)^4 + a)^(3/2), x)

**maple** [C] time = 0.12, size = 431, normalized size = 5.82

$$\frac{b \left( \frac{\tanh^3(x)}{4a(a+b)} + \frac{\tanh^2(x)}{4a(a+b)} + \frac{\tanh(x)}{4a(a+b)} - \frac{1}{4(a+b)b} \right)}{\sqrt{\left( \tanh^4(x) + \frac{a}{b} \right) b}} - \frac{\operatorname{arctanh} \left( \frac{2b(\tanh^2(x)+2a)}{2\sqrt{a+b}\sqrt{a+b(\tanh^4(x))}} \right)}{2\sqrt{a+b}} - \frac{\sqrt{1-\frac{i\sqrt{b}(\tanh^2(x))}{\sqrt{a}}}}{\sqrt{1+\frac{i\sqrt{b}(\tanh^2(x))}{\sqrt{a}}}} \operatorname{EllipticPi} \left( \tanh(x) \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, \sqrt{a+b(\tanh^4(x))} \right)}{2(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a+b\*tanh(x)^4)^(3/2),x)

[Out] b\*(1/4/a/(a+b)\*tanh(x)^3+1/4/a/(a+b)\*tanh(x)^2+1/4/a/(a+b)\*tanh(x)-1/4/(a+b)/b)/((tanh(x)^4+a/b)\*b)^(1/2)-1/2/(a+b)\*(-1/2/(a+b)^(1/2)\*arctanh(1/2\*(2\*b\*tanh(x)^2+2\*a)/(a+b)^(1/2)/(a+b\*tanh(x)^4)^(1/2))-1/(I/a^(1/2)\*b^(1/2))^(1/2)\*(1-I/a^(1/2)\*b^(1/2)\*tanh(x)^2)^(1/2)\*(1+I/a^(1/2)\*b^(1/2)\*tanh(x)^2)^(1/2)/(a+b\*tanh(x)^4)^(1/2)\*EllipticPi(tanh(x)\*(I/a^(1/2)\*b^(1/2))^(1/2),-I\*

$a^{1/2}/b^{1/2}, (-I/a^{1/2}*b^{1/2})^{1/2}/(I/a^{1/2}*b^{1/2})^{1/2})) + b*(-1/4/a/(a+b)*\tanh(x)^3 + 1/4/a/(a+b)*\tanh(x)^2 - 1/4/a/(a+b)*\tanh(x) - 1/4/(a+b)/b) / ((\tanh(x)^4 + a/b)*b)^{1/2} - 1/2/(a+b)*(-1/2/(a+b))^{1/2}*\operatorname{arctanh}(1/2*(2*b*\tanh(x)^2 + 2*a)/(a+b))^{1/2}/(a+b*\tanh(x)^4)^{1/2} + 1/(I/a^{1/2}*b^{1/2})^{1/2}*(1 - I/a^{1/2}*b^{1/2}*\tanh(x)^2)^{1/2}*(1 + I/a^{1/2}*b^{1/2}*\tanh(x)^2)^{1/2}/(a+b*\tanh(x)^4)^{1/2}*\operatorname{EllipticPi}(\tanh(x)*(I/a^{1/2}*b^{1/2})^{1/2}, -I*a^{1/2}/b^{1/2}, (-I/a^{1/2}*b^{1/2})^{1/2}/(I/a^{1/2}*b^{1/2})^{1/2}))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(3/2), x, algorithm="maxima")

[Out] integrate(tanh(x)/(b\*tanh(x)^4 + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^4)^(3/2), x)

[Out] int(tanh(x)/(a + b\*tanh(x)^4)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*4)\*\*(3/2), x)

[Out] Integral(tanh(x)/(a + b\*tanh(x)\*\*4)\*\*(3/2), x)

$$3.263 \quad \int \frac{\tanh(x)}{(a+b \tanh^4(x))^{5/2}} dx$$

**Optimal.** Leaf size=118

$$-\frac{3a^2 - b(5a + 2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} - \frac{a - b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} + \frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{5/2}}$$

[Out]  $1/2*\operatorname{arctanh}((a+b*\tanh(x)^2)/(a+b)^{(1/2)/(a+b*\tanh(x)^4)^{(1/2)})/(a+b)^{(5/2)}+1/6*(-3*a^2+b*(5*a+2*b)*\tanh(x)^2)/a^2/(a+b)^2/(a+b*\tanh(x)^4)^{(1/2)}+1/6*(-a+b*\tanh(x)^2)/a/(a+b)/(a+b*\tanh(x)^4)^{(3/2)}$

**Rubi [A]** time = 0.20, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {3670, 1248, 741, 823, 12, 725, 206}

$$-\frac{3a^2 - b(5a + 2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\tanh^{-1}\left(\frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}}\right)}{2(a+b)^{5/2}} - \frac{a - b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Tanh[x]/(a + b\*Tanh[x]^4)^(5/2), x]

[Out] ArcTanh[(a + b\*Tanh[x]^2)/(Sqrt[a + b]\*Sqrt[a + b\*Tanh[x]^4])]/(2\*(a + b)^(5/2)) - (a - b\*Tanh[x]^2)/(6\*a\*(a + b)\*(a + b\*Tanh[x]^4)^(3/2)) - (3\*a^2 - b\*(5\*a + 2\*b)\*Tanh[x]^2)/(6\*a^2\*(a + b)^2\*Sqrt[a + b\*Tanh[x]^4])

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 725**

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 741

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp
[((d + e*x)^(m + 1)*(a*e + c*d*x)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2
+ a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[
c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^
2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] &&
LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

### Rule 3670

```
Int[((d_)*tan[(e_) + (f_)*(x_)])^(m_)*((a_) + (b_)*((c_)*tan[(e_) +
(f_)*(x_)])^(n_))^(p_), x_Symbol] := With[{ff = FreeFactors[Tan[e + f*x],
x]}, Dist[(c*ff)/f, Subst[Int[(((d*ff*x)/c)^m*(a + b*(ff*x)^n)^p]/(c^2 + f
f^2*x^2), x], x, (c*Tan[e + f*x])/ff], x]] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && (IGtQ[p, 0] || EqQ[n, 2] || EqQ[n, 4] || (IntegerQ[p] && Ration
alQ[n]))
```

### Rubi steps



$$\begin{aligned}
\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{5/2}} dx &= \text{Subst} \left( \int \frac{x}{(1-x^2)(a+bx^4)^{5/2}} dx, x, \tanh(x) \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{1}{(1-x)(a+bx^2)^{5/2}} dx, x, \tanh^2(x) \right) \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{\text{Subst} \left( \int \frac{-3a-2b+2bx}{(1-x)(a+bx^2)^{3/2}} dx, x, \tanh^2(x) \right)}{6a(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2 - b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{3a^2b}{(1-x)\sqrt{a+b}} dx, x, \tanh^2(x) \right)}{6a^2b} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2 - b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} + \frac{\text{Subst} \left( \int \frac{1}{(1-x)\sqrt{a+b}} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= -\frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2 - b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}} - \frac{\text{Subst} \left( \int \frac{1}{a+b-x^2} dx, x, \tanh^2(x) \right)}{2(a+b)} \\
&= \frac{\tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{2(a+b)^{5/2}} - \frac{a-b \tanh^2(x)}{6a(a+b)(a+b \tanh^4(x))^{3/2}} - \frac{3a^2 - b(5a+2b) \tanh^2(x)}{6a^2(a+b)^2 \sqrt{a+b \tanh^4(x)}}
\end{aligned}$$

**Mathematica [A]** time = 0.85, size = 113, normalized size = 0.96

$$\frac{1}{6} \left( \frac{-3a^2b \tanh^4(x) - a^2(4a+b) + b^2(5a+2b) \tanh^6(x) + 3ab(2a+b) \tanh^2(x)}{a^2(a+b)^2 (a+b \tanh^4(x))^{3/2}} + \frac{3 \tanh^{-1} \left( \frac{a+b \tanh^2(x)}{\sqrt{a+b} \sqrt{a+b \tanh^4(x)}} \right)}{(a+b)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Tanh[x]/(a + b\*Tanh[x]^4)^(5/2), x]

[Out]  $\left(\frac{3 \operatorname{ArcTanh}\left[\frac{a + b \operatorname{Tanh}[x]^2}{\sqrt{a + b} \sqrt{a + b \operatorname{Tanh}[x]^4}}\right]}{(a + b)^{5/2}} + \frac{-(a^2(4a + b) + 3ab(2a + b) \operatorname{Tanh}[x]^2 - 3a^2b \operatorname{Tanh}[x]^4 + b^2(5a + 2b) \operatorname{Tanh}[x]^6)}{(a^2(a + b)^2(a + b \operatorname{Tanh}[x]^4)^{3/2})}\right)/6$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^4)^(5/2),x, algorithm="fricas")`

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(tanh(x)/(a+b*tanh(x)^4)^(5/2),x, algorithm="giac")`

[Out] `integrate(tanh(x)/(b*tanh(x)^4 + a)^(5/2), x)`

**maple** [C] time = 0.14, size = 637, normalized size = 5.40

$$\frac{\left(-\frac{\tanh^3(x)}{6a(a+b)b} - \frac{\tanh^2(x)}{6a(a+b)b} - \frac{\tanh(x)}{6a(a+b)b} + \frac{1}{6(a+b)b^2}\right) \sqrt{a + b \left(\tanh^4(x)\right)} + \frac{b \left(\frac{(3a+b)(\tanh^3(x))}{8a^2(a+b)^2} + \frac{(5a+2b)(\tanh^2(x))}{12a^2(a+b)^2} + \frac{(11a+5b) \tanh(x)}{24a^2(a+b)^2}\right)}{2 \left(\tanh^4(x) + \frac{a}{b}\right)^2} + \frac{b}{\sqrt{\left(\tanh^4(x) + \frac{a}{b}\right) b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(tanh(x)/(a+b*tanh(x)^4)^(5/2),x)`

[Out]  $-1/2 * (-1/6/a/(a+b)/b * \tanh(x)^3 - 1/6/a/(a+b)/b * \tanh(x)^2 - 1/6/a/(a+b)/b * \tanh(x) + 1/6/(a+b)/b^2) * (a+b * \tanh(x)^4)^{1/2} / (\tanh(x)^4 + a/b)^2 + b * (1/8 * (3a+b)/a^2 / (a+b)^2 * \tanh(x)^3 + 1/12 * (5a+2b)/a^2 / (a+b)^2 * \tanh(x)^2 + 1/24/a^2 * (11a+5b) / (a+b)^2 * \tanh(x) - 1/4/(a+b)^2/b) / ((\tanh(x)^4 + a/b) * b)^{1/2} - 1/2 / (a+b)^2 * (-1/2 / (a+b)^{1/2} * \operatorname{arctanh}(1/2 * (2 * b * \tanh(x)^2 + 2 * a) / (a+b)^{1/2}) / (a+b * \tanh(x)^4)^{1/2}) - 1 / (I/a^{1/2} * b^{1/2})^{1/2} * (1 - I/a^{1/2} * b^{1/2} * \tanh(x)^2)^{1/2} * (1 + I/a^{1/2} * b^{1/2} * \tanh(x)^2)^{1/2} / (a+b * \tanh(x)^4)^{1/2} * \operatorname{EllipticPi}(\tanh(x) * \sqrt{a/b}, \sqrt{a/b})$

$(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}, -I*a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)*b^{(1/2)}})^{(1/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}) - 1/2*(1/6/a/(a+b)/b*tanh(x)^3 - 1/6/a/(a+b)/b*tanh(x)^2 + 1/6/a/(a+b)/b*tanh(x) + 1/6/(a+b)/b^2*(a+b*tanh(x)^4)^{(1/2)}/(tanh(x)^4 + a/b)^2 + b*(-1/8*(3*a+b)/a^2/(a+b)^2*tanh(x)^3 + 1/12*(5*a+2*b)/a^2/(a+b)^2*tanh(x)^2 - 1/24/a^2*(11*a+5*b)/(a+b)^2*tanh(x) - 1/4/(a+b)^2/b)/((tanh(x)^4 + a/b)*b)^{(1/2)} - 1/2/(a+b)^2*(-1/2/(a+b)^{(1/2)}*arctanh(1/2*(2*b*tanh(x)^2 + 2*a)/(a+b)^{(1/2)}/(a+b*tanh(x)^4)^{(1/2)})) + 1/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(1 - I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*tanh(x)^2)^{(1/2)}*(1 + I/a^{(1/2)*b^{(1/2)}}*tanh(x)^2)^{(1/2)}/(a+b*tanh(x)^4)^{(1/2)}*EllipticPi(tanh(x)*(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}, -I*a^{(1/2)}/b^{(1/2)}, (-I/a^{(1/2)*b^{(1/2)}})^{(1/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)^4)^(5/2), x, algorithm="maxima")

[Out] integrate(tanh(x)/(b\*tanh(x)^4 + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\tanh(x)}{(b \tanh(x)^4 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(tanh(x)/(a + b\*tanh(x)^4)^(5/2), x)

[Out] int(tanh(x)/(a + b\*tanh(x)^4)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\tanh(x)}{(a + b \tanh^4(x))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(tanh(x)/(a+b\*tanh(x)\*\*4)\*\*(5/2), x)

[Out] Integral(tanh(x)/(a + b\*tanh(x)\*\*4)\*\*(5/2), x)



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```
(* ::Text:: *)
```

```
(*The following summarizes the type number assigned an *)
```

```
(*expression based on the functions it involves*)
```

```
(*1 = rational function*)
```

```
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
```

```
(*4 = special function*)
```

```
(*5 = hyperpergeometric function*)
```

```
(*6 = appell function*)
```

```
(*7 = rootsum function*)
```

```
(*8 = integrate function*)
```

```
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
```

```
  If[AtomQ[expn],
```

```
    1,
```

```
  If[ListQ[expn],
```

```
    Max[Map[ExpnType,expn]],
```

```
  If[Head[expn]===Power,
```

```
    If[IntegerQ[expn[[2]],
```

```
      ExpnType[expn[[1]],
```

```
    If[Head[expn[[2]]===Rational,
```

```
      If[IntegerQ[expn[[1]] || Head[expn[[1]]===Rational,
```

```
        1,
```

```
        Max[ExpnType[expn[[1]],2]],
```

```
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
```

```
    If[Head[expn]===Plus || Head[expn]===Times,
```

```
      Max[ExpnType[First[expn],ExpnType[Rest[expn]]],
```

```
    If[ElementaryFunctionQ[Head[expn]],
```

```
      Max[3,ExpnType[expn[[1]]],
```

```
    If[SpecialFunctionQ[Head[expn]],
```

```
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
```

```
    If[HypergeometricFunctionQ[Head[expn]],
```

```
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
```

```
    If[AppellFunctionQ[Head[expn]],
```

```
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

## 4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
  ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

### 4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```