

# Computer algebra independent integration tests

7-Inverse-hyperbolic-functions/7.2-Inverse-hyperbolic-cosine/7.2.2-d-x-  
^m-a+b-arccosh-c-x-^n

Nasser M. Abbasi

July 28, 2021

Compiled on July 28, 2021 at 4:45am

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Listing of CAS systems tested . . . . .	3
1.2	Results . . . . .	3
1.3	Performance . . . . .	7
1.4	list of integrals that has no closed form antiderivative . . . . .	8
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	8
1.6	list of integrals solved by CAS but failed verification . . . . .	8
1.7	Timing . . . . .	9
1.8	Verification . . . . .	9
1.9	Important notes about some of the results . . . . .	9
1.9.1	Important note about Maxima results . . . . .	9
1.9.2	Important note about FriCAS and Giac/XCAS results . . . . .	10
1.9.3	Important note about finding leaf size of antiderivative . . . . .	10
1.9.4	Important note about Mupad results . . . . .	11
1.10	Design of the test system . . . . .	11
<b>2</b>	<b>detailed summary tables of results</b>	<b>13</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	13
2.1.1	Rubi . . . . .	13
2.1.2	Mathematica . . . . .	13
2.1.3	Maple . . . . .	13
2.1.4	Maxima . . . . .	14
2.1.5	FriCAS . . . . .	14
2.1.6	Sympy . . . . .	14
2.1.7	Giac . . . . .	14
2.1.8	Mupad . . . . .	15
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	16
2.3	Detailed conclusion table specific for Rubi results . . . . .	43
<b>3</b>	<b>Listing of integrals</b>	<b>49</b>
3.1	$\int x^4 \cosh^{-1}(ax) dx$ . . . . .	49
3.2	$\int x^3 \cosh^{-1}(ax) dx$ . . . . .	52
3.3	$\int x^2 \cosh^{-1}(ax) dx$ . . . . .	55
3.4	$\int x \cosh^{-1}(ax) dx$ . . . . .	58
3.5	$\int \cosh^{-1}(ax) dx$ . . . . .	61

3.6	$\int \frac{\cosh^{-1}(ax)}{x} dx$	63
3.7	$\int \frac{\cosh^{-1}(ax)}{x^2} dx$	66
3.8	$\int \frac{\cosh^{-1}(ax)}{x^3} dx$	69
3.9	$\int \frac{\cosh^{-1}(ax)}{x^4} dx$	71
3.10	$\int \frac{\cosh^{-1}(ax)}{x^5} dx$	74
3.11	$\int \frac{\cosh^{-1}(ax)}{x^6} dx$	77
3.12	$\int x^4 \cosh^{-1}(ax)^2 dx$	80
3.13	$\int x^3 \cosh^{-1}(ax)^2 dx$	83
3.14	$\int x^2 \cosh^{-1}(ax)^2 dx$	86
3.15	$\int x \cosh^{-1}(ax)^2 dx$	89
3.16	$\int \cosh^{-1}(ax)^2 dx$	92
3.17	$\int \frac{\cosh^{-1}(ax)^2}{x} dx$	95
3.18	$\int \frac{\cosh^{-1}(ax)^2}{x^2} dx$	98
3.19	$\int \frac{\cosh^{-1}(ax)^2}{x^3} dx$	101
3.20	$\int \frac{\cosh^{-1}(ax)^2}{x^4} dx$	104
3.21	$\int \frac{\cosh^{-1}(ax)^2}{x^5} dx$	107
3.22	$\int x^4 \cosh^{-1}(ax)^3 dx$	110
3.23	$\int x^3 \cosh^{-1}(ax)^3 dx$	114
3.24	$\int x^2 \cosh^{-1}(ax)^3 dx$	118
3.25	$\int x \cosh^{-1}(ax)^3 dx$	122
3.26	$\int \cosh^{-1}(ax)^3 dx$	125
3.27	$\int \frac{\cosh^{-1}(ax)^3}{x} dx$	128
3.28	$\int \frac{\cosh^{-1}(ax)^3}{x^2} dx$	131
3.29	$\int \frac{\cosh^{-1}(ax)^3}{x^3} dx$	134
3.30	$\int \frac{\cosh^{-1}(ax)^3}{x^4} dx$	137
3.31	$\int \frac{\cosh^{-1}(ax)^3}{x^5} dx$	141
3.32	$\int x^5 \cosh^{-1}(ax)^4 dx$	145
3.33	$\int x^4 \cosh^{-1}(ax)^4 dx$	149
3.34	$\int x^3 \cosh^{-1}(ax)^4 dx$	153
3.35	$\int x^2 \cosh^{-1}(ax)^4 dx$	156
3.36	$\int x \cosh^{-1}(ax)^4 dx$	160
3.37	$\int \cosh^{-1}(ax)^4 dx$	163
3.38	$\int \frac{\cosh^{-1}(ax)^4}{x} dx$	166
3.39	$\int \frac{\cosh^{-1}(ax)^4}{x^2} dx$	169
3.40	$\int \frac{\cosh^{-1}(ax)^4}{x^3} dx$	173
3.41	$\int \frac{\cosh^{-1}(ax)^4}{x^4} dx$	177
3.42	$\int \frac{x}{\cosh^{-1}(ax)} dx$	181
3.43	$\int \frac{x^5}{\cosh^{-1}(ax)} dx$	184
3.44	$\int \frac{x^4}{\cosh^{-1}(ax)} dx$	187
3.45	$\int \frac{x^3}{\cosh^{-1}(ax)} dx$	190

3.46	$\int \frac{x^2}{\cosh^{-1}(ax)} dx$	193
3.47	$\int \frac{x}{\cosh^{-1}(ax)} dx$	196
3.48	$\int \frac{1}{\cosh^{-1}(ax)} dx$	199
3.49	$\int \frac{1}{x \cosh^{-1}(ax)} dx$	201
3.50	$\int \frac{1}{x^2 \cosh^{-1}(ax)} dx$	203
3.51	$\int \frac{x^4}{\cosh^{-1}(ax)^2} dx$	205
3.52	$\int \frac{x^3}{\cosh^{-1}(ax)^2} dx$	208
3.53	$\int \frac{x^2}{\cosh^{-1}(ax)^2} dx$	211
3.54	$\int \frac{x}{\cosh^{-1}(ax)^2} dx$	214
3.55	$\int \frac{1}{\cosh^{-1}(ax)^2} dx$	217
3.56	$\int \frac{1}{x \cosh^{-1}(ax)^2} dx$	220
3.57	$\int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx$	222
3.58	$\int \frac{x^4}{\cosh^{-1}(ax)^3} dx$	224
3.59	$\int \frac{x^3}{\cosh^{-1}(ax)^3} dx$	228
3.60	$\int \frac{x^2}{\cosh^{-1}(ax)^3} dx$	232
3.61	$\int \frac{x}{\cosh^{-1}(ax)^3} dx$	236
3.62	$\int \frac{1}{\cosh^{-1}(ax)^3} dx$	240
3.63	$\int \frac{1}{x \cosh^{-1}(ax)^3} dx$	243
3.64	$\int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx$	245
3.65	$\int \frac{x^4}{\cosh^{-1}(ax)^4} dx$	247
3.66	$\int \frac{x^3}{\cosh^{-1}(ax)^4} dx$	251
3.67	$\int \frac{x^2}{\cosh^{-1}(ax)^4} dx$	255
3.68	$\int \frac{x}{\cosh^{-1}(ax)^4} dx$	259
3.69	$\int \frac{1}{\cosh^{-1}(ax)^4} dx$	263
3.70	$\int \frac{1}{x \cosh^{-1}(ax)^4} dx$	267
3.71	$\int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx$	270
3.72	$\int x^4 \sqrt{\cosh^{-1}(ax)} dx$	273
3.73	$\int x^3 \sqrt{\cosh^{-1}(ax)} dx$	276
3.74	$\int x^2 \sqrt{\cosh^{-1}(ax)} dx$	279
3.75	$\int x \sqrt{\cosh^{-1}(ax)} dx$	282
3.76	$\int \sqrt{\cosh^{-1}(ax)} dx$	285
3.77	$\int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx$	288
3.78	$\int x^4 \cosh^{-1}(ax)^{3/2} dx$	290
3.79	$\int x^3 \cosh^{-1}(ax)^{3/2} dx$	294
3.80	$\int x^2 \cosh^{-1}(ax)^{3/2} dx$	298
3.81	$\int x \cosh^{-1}(ax)^{3/2} dx$	302

3.82	$\int \cosh^{-1}(ax)^{3/2} dx$	306
3.83	$\int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx$	309
3.84	$\int x^4 \cosh^{-1}(ax)^{5/2} dx$	311
3.85	$\int x^3 \cosh^{-1}(ax)^{5/2} dx$	315
3.86	$\int x^2 \cosh^{-1}(ax)^{5/2} dx$	319
3.87	$\int x \cosh^{-1}(ax)^{5/2} dx$	323
3.88	$\int \cosh^{-1}(ax)^{5/2} dx$	327
3.89	$\int \frac{\cosh^{-1}(ax)^{5/2}}{x^4} dx$	330
3.90	$\int \frac{x^3}{\sqrt{\cosh^{-1}(ax)}} dx$	332
3.91	$\int \frac{x^2}{\sqrt{\cosh^{-1}(ax)}} dx$	335
3.92	$\int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx$	338
3.93	$\int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx$	341
3.94	$\int \frac{1}{x\sqrt{\cosh^{-1}(ax)}} dx$	344
3.95	$\int \frac{1}{x^2\sqrt{\cosh^{-1}(ax)}} dx$	347
3.96	$\int \frac{x^4}{\cosh^{-1}(ax)^{3/2}} dx$	349
3.97	$\int \frac{x^3}{\cosh^{-1}(ax)^{3/2}} dx$	351
3.98	$\int \frac{x^2}{\cosh^{-1}(ax)^{3/2}} dx$	354
3.99	$\int \frac{x}{\cosh^{-1}(ax)^{3/2}} dx$	357
3.100	$\int \frac{1}{\cosh^{-1}(ax)^{3/2}} dx$	360
3.101	$\int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx$	363
3.102	$\int \frac{x^4}{\cosh^{-1}(ax)^{5/2}} dx$	366
3.103	$\int \frac{x^3}{\cosh^{-1}(ax)^{5/2}} dx$	368
3.104	$\int \frac{x^2}{\cosh^{-1}(ax)^{5/2}} dx$	372
3.105	$\int \frac{x}{\cosh^{-1}(ax)^{5/2}} dx$	376
3.106	$\int \frac{1}{\cosh^{-1}(ax)^{5/2}} dx$	380
3.107	$\int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx$	384
3.108	$\int \frac{x^4}{\cosh^{-1}(ax)^{7/2}} dx$	387
3.109	$\int \frac{x^3}{\cosh^{-1}(ax)^{7/2}} dx$	389
3.110	$\int \frac{x^2}{\cosh^{-1}(ax)^{7/2}} dx$	393
3.111	$\int \frac{x}{\cosh^{-1}(ax)^{7/2}} dx$	397
3.112	$\int \frac{1}{\cosh^{-1}(ax)^{7/2}} dx$	401
3.113	$\int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx$	405
3.114	$\int x^m \cosh^{-1}(ax)^4 dx$	409
3.115	$\int x^m \cosh^{-1}(ax)^3 dx$	411
3.116	$\int x^m \cosh^{-1}(ax)^2 dx$	413
3.117	$\int x^m \cosh^{-1}(ax) dx$	415

3.118	$\int x^m \cosh^{-1}(ax) dx$	418
3.119	$\int \frac{x^m}{\cosh^{-1}(ax)} dx$	421
3.120	$\int \frac{x^m}{\cosh^{-1}(ax)^2} dx$	423
3.121	$\int \frac{x^m}{\cosh^{-1}(ax)^3} dx$	425
3.122	$\int x^m \cosh^{-1}(ax)^{3/2} dx$	428
3.123	$\int x^m \sqrt{\cosh^{-1}(ax)} dx$	430
3.124	$\int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx$	432
3.125	$\int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx$	434
3.126	$\int (dx)^m \cosh^{-1}(ax)^n dx$	436
3.127	$\int x^4 \cosh^{-1}(ax)^n dx$	438
3.128	$\int x^3 \cosh^{-1}(ax)^n dx$	441
3.129	$\int x^2 \cosh^{-1}(ax)^n dx$	444
3.130	$\int x \cosh^{-1}(ax)^n dx$	447
3.131	$\int \cosh^{-1}(ax)^n dx$	450
3.132	$\int \frac{\cosh^{-1}(ax)^n}{x} dx$	453
3.133	$\int x^3 (a + b \cosh^{-1}(cx)) dx$	455
3.134	$\int x^2 (a + b \cosh^{-1}(cx)) dx$	458
3.135	$\int x (a + b \cosh^{-1}(cx)) dx$	461
3.136	$\int (a + b \cosh^{-1}(cx)) dx$	464
3.137	$\int \frac{a+b \cosh^{-1}(cx)}{x} dx$	466
3.138	$\int \frac{a+b \cosh^{-1}(cx)}{x^2} dx$	469
3.139	$\int \frac{a+b \cosh^{-1}(cx)}{x^3} dx$	472
3.140	$\int \frac{a+b \cosh^{-1}(cx)}{x^4} dx$	474
3.141	$\int \frac{a+b \cosh^{-1}(cx)}{x^5} dx$	477
3.142	$\int x^2 \sqrt{a + b \cosh^{-1}(cx)} dx$	480
3.143	$\int x \sqrt{a + b \cosh^{-1}(cx)} dx$	484
3.144	$\int \sqrt{a + b \cosh^{-1}(cx)} dx$	487
3.145	$\int x^2 (a + b \cosh^{-1}(cx))^{3/2} dx$	490
3.146	$\int x (a + b \cosh^{-1}(cx))^{3/2} dx$	494
3.147	$\int (a + b \cosh^{-1}(cx))^{3/2} dx$	498
3.148	$\int x^2 (a + b \cosh^{-1}(cx))^{5/2} dx$	501
3.149	$\int x (a + b \cosh^{-1}(cx))^{5/2} dx$	506
3.150	$\int (a + b \cosh^{-1}(cx))^{5/2} dx$	510
3.151	$\int \frac{x^2}{\sqrt{a+b \cosh^{-1}(cx)}} dx$	514
3.152	$\int \frac{x}{\sqrt{a+b \cosh^{-1}(cx)}} dx$	517
3.153	$\int \frac{1}{\sqrt{a+b \cosh^{-1}(cx)}} dx$	520
3.154	$\int \frac{x^2}{(a+b \cosh^{-1}(cx))^{3/2}} dx$	523
3.155	$\int \frac{x}{(a+b \cosh^{-1}(cx))^{3/2}} dx$	526

3.156	$\int \frac{1}{(a+b \cosh^{-1}(cx))^{3/2}} dx$	529
3.157	$\int \frac{x^2}{(a+b \cosh^{-1}(cx))^{5/2}} dx$	532
3.158	$\int \frac{x}{(a+b \cosh^{-1}(cx))^{5/2}} dx$	536
3.159	$\int \frac{1}{(a+b \cosh^{-1}(cx))^{5/2}} dx$	540
3.160	$\int \frac{x^2}{(a+b \cosh^{-1}(cx))^{7/2}} dx$	544
3.161	$\int \frac{x}{(a+b \cosh^{-1}(cx))^{7/2}} dx$	548
3.162	$\int \frac{1}{(a+b \cosh^{-1}(cx))^{7/2}} dx$	552
3.163	$\int \sqrt{fx} (a + b \cosh^{-1}(cx))^2 dx$	556
3.164	$\int (dx)^m (a + b \cosh^{-1}(cx))^2 dx$	559
3.165	$\int (dx)^m (a + b \cosh^{-1}(cx)) dx$	562
3.166	$\int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx$	565
<b>4</b>	<b>Listing of Grading functions</b>	<b>567</b>
4.0.1	Mathematica and Rubi grading function	567
4.0.2	Maple grading function	569
4.0.3	Sympy grading function	572
4.0.4	SageMath grading function	574

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 166 ]. This is test number [ 189 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

### 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric $2F1$  functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 ( 166 )	% 0.00 ( 0 )
Mathematica	% 100.00 ( 166 )	% 0.00 ( 0 )
Maple	% 67.47 ( 112 )	% 32.53 ( 54 )
Maxima	% 34.34 ( 57 )	% 65.66 ( 109 )
Fricas	% 31.33 ( 52 )	% 68.67 ( 114 )
Sympy	% 31.93 ( 53 )	% 68.07 ( 113 )
Giac	% 23.49 ( 39 )	% 76.51 ( 127 )
Mupad	% 19.28 ( 32 )	% 80.72 ( 134 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.

Table 1.2: Description of grading applied to integration result


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.




System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	96.99	3.01	0.00	0.00
Maple	66.27	0.00	1.20	32.53
Maxima	34.34	0.00	0.00	65.66
Fricas	30.12	1.20	0.00	68.67
Sympy	31.93	0.00	0.00	68.07
Giac	22.89	0.60	0.00	76.51
Mupad	16.87	2.41	0.00	80.72

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input

within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	54	40.74 %	0.00 %	59.26 %
Maxima	109	100.00 %	0.00 %	0.00 %
Fricas	114	40.35 %	0.00 %	59.65 %
Sympy	113	99.12 %	0.88 %	0.00 %
Giac	127	63.78 %	2.36 %	33.86 %
Mupad	134	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


## 1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.36	106.27	0.83	92.00	1.00
Mathematica	0.74	108.98	0.85	83.50	0.91
Maple	0.15	64.48	0.75	58.50	0.83
Maxima	0.32	34.39	0.42	22.00	0.66
Fricas	0.61	62.96	0.73	60.50	0.81
Sympy	1.25	50.32	0.44	0.00	0.00
Giac	0.16	27.33	0.49	0.00	0.00
Mupad	0.04	3.59	0.05	-1.00	-0.07

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





## 1.4 list of integrals that has no closed form antiderivative

{49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 166}

## 1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {137}

Mathematica {2, 4, 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 51, 52, 53, 54, 55, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 137, 142, 144, 145, 146, 147, 148, 149, 150, 151, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
```

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"  
*The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.  
*The following fields present only in Rubi Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system





# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 149, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166 }

B grade: { 39, 41, 65, 148, 150 }

C grade: { }

F grade: { }

#### 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 31, 32, 33, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 75, 76, 77, 81, 82, 83, 87, 88, 89, 93, 94, 95, 96, 100, 101, 102, 106, 107, 108, 112, 113, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 166 }

B grade: { }

C grade: { 130, 131 }

F grade: { 28, 30, 39, 41, 72, 73, 74, 78, 79, 80, 84, 85, 86, 90, 91, 92, 97, 98, 99, 103, 104, 105, 109, 110, 111, 117, 118, 127, 128, 129, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 14, 16, 19, 21, 22, 24, 26, 33, 35, 37, 49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 133, 134, 135, 136, 138, 139, 140, 141, 166 }

B grade: { }

C grade: { }

F grade: { 6, 13, 15, 17, 18, 20, 23, 25, 27, 28, 29, 30, 31, 32, 34, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 137, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 56, 57, 63, 64, 70, 71, 115, 116, 119, 120, 121, 126, 132, 133, 134, 135, 136, 139, 140, 141, 166 }

B grade: { 7, 138 }

C grade: { }

F grade: { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 117, 118, 122, 123, 124, 125, 127, 128, 129, 130, 131, 137, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 133, 134, 135, 136, 166 }

B grade: { }

C grade: { }

F grade: { 6, 7, 8, 9, 10, 11, 17, 18, 19, 20, 21, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.1.7 Giac

A grade: { 4, 5, 7, 8, 9, 10, 11, 16, 21, 26, 37, 49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 124, 125, 132, 135, 136, 166 }

B grade: { 19 }

C grade: { }

F grade: { 1, 2, 3, 6, 12, 13, 14, 15, 17, 18, 20, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73,

74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 122, 123, 126, 127, 128, 129, 130, 131, 133, 134, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.1.8 Mupad

A grade: { 49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 166 }

B grade: { 4, 5, 135, 136 }

C grade: { }

F grade: { 1, 2, 3, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 133, 134, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	55	52	68	61	76	0	-1
normalized size	1	1.00	0.59	0.56	0.73	0.66	0.82	0.00	-0.01
time (sec)	N/A	0.037	0.035	0.017	0.655	0.648	2.115	0.000	0.000
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	71	99	77	59	68	0	-1
normalized size	1	1.00	0.92	1.29	1.00	0.77	0.88	0.00	-0.01
time (sec)	N/A	0.030	0.070	0.015	0.692	0.562	1.037	0.000	0.000
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	46	43	48	52	54	0	-1
normalized size	1	1.00	0.71	0.66	0.74	0.80	0.83	0.00	-0.02
time (sec)	N/A	0.023	0.025	0.010	0.316	0.592	0.497	0.000	0.000
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	61	77	56	48	44	70	39
normalized size	1	1.00	1.24	1.57	1.14	0.98	0.90	1.43	0.80
time (sec)	N/A	0.015	0.027	0.013	0.676	0.562	0.226	0.344	0.040
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	29	25	37	26	35	26
normalized size	1	1.00	1.00	0.97	0.83	1.23	0.87	1.17	0.87
time (sec)	N/A	0.006	0.018	0.002	0.621	0.526	0.149	0.205	0.318

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	42	66	0	0	0	0	-1
normalized size	1	1.00	0.98	1.53	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.059	0.037	0.076	0.000	0.627	0.000	0.000	0.000
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	57	51	22	65	0	36	-1
normalized size	1	1.00	1.78	1.59	0.69	2.03	0.00	1.12	-0.03
time (sec)	N/A	0.017	0.029	0.015	0.867	0.504	0.000	0.434	0.000
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	35	40	27	38	0	50	-1
normalized size	1	1.00	0.92	1.05	0.71	1.00	0.00	1.32	-0.03
time (sec)	N/A	0.013	0.008	0.012	0.873	0.531	0.000	0.419	0.000
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	78	73	43	90	0	62	-1
normalized size	1	1.00	1.20	1.12	0.66	1.38	0.00	0.95	-0.02
time (sec)	N/A	0.027	0.081	0.014	0.859	0.801	0.000	0.442	0.000
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	45	50	48	48	0	77	-1
normalized size	1	1.00	0.68	0.76	0.73	0.73	0.00	1.17	-0.02
time (sec)	N/A	0.024	0.024	0.011	0.524	0.535	0.000	0.366	0.000
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	104	95	63	101	0	85	-1
normalized size	1	1.00	1.12	1.02	0.68	1.09	0.00	0.91	-0.01
time (sec)	N/A	0.041	0.050	0.014	0.875	0.677	0.000	0.372	0.000

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	80	112	99	99	122	0	-1
normalized size	1	1.00	0.61	0.85	0.75	0.75	0.92	0.00	-0.01
time (sec)	N/A	0.490	0.123	0.049	0.685	0.581	3.419	0.000	0.000
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	77	92	0	92	99	0	-1
normalized size	1	1.00	0.73	0.87	0.00	0.87	0.93	0.00	-0.01
time (sec)	N/A	0.440	0.077	0.036	0.000	0.567	2.058	0.000	0.000
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	64	78	70	82	85	0	-1
normalized size	1	1.00	0.71	0.87	0.78	0.91	0.94	0.00	-0.01
time (sec)	N/A	0.311	0.104	0.037	0.690	0.624	0.974	0.000	0.000
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	58	58	0	73	60	0	-1
normalized size	1	1.00	0.91	0.91	0.00	1.14	0.94	0.00	-0.02
time (sec)	N/A	0.251	0.056	0.031	0.000	0.588	0.487	0.000	0.000
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	39	39	32	59	39	62	-1
normalized size	1	1.00	1.00	1.00	0.82	1.51	1.00	1.59	-0.03
time (sec)	N/A	0.127	0.021	0.043	0.602	0.583	0.210	0.326	0.000
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	63	98	0	0	0	0	-1
normalized size	1	1.00	1.02	1.58	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.093	0.033	0.056	0.000	0.604	0.000	0.000	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	92	137	0	0	0	0	-1
normalized size	1	1.00	1.53	2.28	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.209	0.268	0.163	0.000	0.741	0.000	0.000	0.000
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	73	39	65	0	98	-1
normalized size	1	1.00	1.00	1.52	0.81	1.35	0.00	2.04	-0.02
time (sec)	N/A	0.192	0.021	0.230	0.680	0.643	0.000	0.787	0.000
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	144	177	0	0	0	0	-1
normalized size	1	1.00	1.26	1.55	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.392	0.265	0.314	0.000	0.657	0.000	0.000	0.000
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	69	109	72	85	0	147	-1
normalized size	1	1.00	0.73	1.15	0.76	0.89	0.00	1.55	-0.01
time (sec)	N/A	0.365	0.090	0.291	0.618	0.615	0.000	0.493	0.000
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	130	190	165	151	206	0	-1
normalized size	1	1.00	0.56	0.82	0.71	0.65	0.89	0.00	-0.00
time (sec)	N/A	0.771	0.126	0.059	0.694	0.753	6.062	0.000	0.000
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	143	150	0	142	170	0	-1
normalized size	1	1.00	0.78	0.82	0.00	0.78	0.93	0.00	-0.01
time (sec)	N/A	0.666	0.151	0.043	0.000	0.750	3.959	0.000	0.000

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	103	128	116	124	138	0	-1
normalized size	1	1.00	0.66	0.83	0.75	0.80	0.89	0.00	-0.01
time (sec)	N/A	0.474	0.097	0.042	0.674	0.628	2.042	0.000	0.000
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	113	88	0	112	102	0	-1
normalized size	1	1.00	1.06	0.82	0.00	1.05	0.95	0.00	-0.01
time (sec)	N/A	0.381	0.090	0.035	0.000	0.479	0.983	0.000	0.000
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	68	61	57	90	63	98	-1
normalized size	1	1.00	1.00	0.90	0.84	1.32	0.93	1.44	-0.01
time (sec)	N/A	0.183	0.027	0.061	0.313	0.592	0.480	0.391	0.000
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	82	132	0	0	0	0	-1
normalized size	1	1.00	0.94	1.52	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.105	0.055	0.089	0.000	0.807	0.000	0.000	0.000
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	128	0	0	0	0	0	-1
normalized size	1	1.00	1.23	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.310	0.182	0.201	0.000	0.570	0.000	0.000	0.000
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	92	113	0	0	0	0	-1
normalized size	1	1.00	0.94	1.15	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.317	0.869	0.263	0.000	0.551	0.000	0.000	0.000



Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	201	0	0	0	0	0	-1
normalized size	1	1.00	1.10	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.577	0.578	0.398	0.000	0.583	0.000	0.000	0.000
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	174	174	220	180	0	0	0	0	-1
normalized size	1	1.00	1.26	1.03	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.578	0.673	0.354	0.000	0.679	0.000	0.000	0.000
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	306	306	175	256	0	208	275	0	-1
normalized size	1	1.00	0.57	0.84	0.00	0.68	0.90	0.00	-0.00
time (sec)	N/A	2.193	0.163	0.057	0.000	0.598	16.788	0.000	0.000
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	158	228	201	189	248	0	-1
normalized size	1	1.00	0.58	0.83	0.73	0.69	0.91	0.00	-0.00
time (sec)	N/A	1.628	0.138	0.050	0.701	0.579	9.975	0.000	0.000
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	143	180	0	176	197	0	-1
normalized size	1	1.00	0.67	0.84	0.00	0.82	0.92	0.00	-0.00
time (sec)	N/A	1.314	0.124	0.049	0.000	0.559	6.453	0.000	0.000
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	122	152	143	154	165	0	-1
normalized size	1	1.00	0.67	0.84	0.79	0.85	0.91	0.00	-0.01
time (sec)	N/A	0.881	0.123	0.043	0.546	0.497	3.569	0.000	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	104	104	0	138	110	0	-1
normalized size	1	1.00	0.87	0.87	0.00	1.15	0.92	0.00	-0.01
time (sec)	N/A	0.603	0.081	0.037	0.000	0.539	2.053	0.000	0.000
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	77	71	73	112	70	125	-1
normalized size	1	1.00	1.00	0.92	0.95	1.45	0.91	1.62	-0.01
time (sec)	N/A	0.298	0.031	0.061	0.316	0.579	0.948	0.440	0.000
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	103	165	0	0	0	0	-1
normalized size	1	1.00	1.00	1.60	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.120	0.035	0.085	0.000	0.671	0.000	0.000	0.000
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	478	0	0	0	0	0	-1
normalized size	1	1.00	3.19	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.335	0.701	0.193	0.000	0.502	0.000	0.000	0.000
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	112	149	0	0	0	0	-1
normalized size	1	1.00	0.97	1.30	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.358	1.159	0.245	0.000	0.598	0.000	0.000	0.000
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	595	0	0	0	0	0	-1
normalized size	1	1.00	2.22	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.802	3.406	0.401	0.000	0.742	0.000	0.000	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	40	40	0	0	0	0	-1
normalized size	1	1.00	0.73	0.73	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.096	0.101	0.108	0.000	0.604	0.000	0.000	0.000
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	33	33	0	0	0	0	-1
normalized size	1	1.00	0.77	0.77	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.084	0.088	0.104	0.000	0.496	0.000	0.000	0.000
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	31	31	0	0	0	0	-1
normalized size	1	1.00	0.76	0.76	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.080	0.081	0.031	0.000	0.539	0.000	0.000	0.000
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	24	24	0	0	0	0	-1
normalized size	1	1.00	0.83	0.83	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.066	0.068	0.031	0.000	0.649	0.000	0.000	0.000
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	20	22	0	0	0	0	-1
normalized size	1	1.00	0.74	0.81	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.064	0.059	0.031	0.000	0.560	0.000	0.000	0.000
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	0	0	0	0	-1
normalized size	1	1.00	1.00	0.93	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.037	0.025	0.028	0.000	0.480	0.000	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	9	9	9	10	0	0	0	0	-1
normalized size	1	1.00	1.00	1.11	0.00	0.00	0.00	0.00	-0.11
time (sec)	N/A	0.017	0.025	0.024	0.000	0.635	0.000	0.000	0.000
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	0.218	0.116	0.000	0.782	0.000	0.000	0.000
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	0.462	0.194	0.000	0.574	0.000	0.000	0.000
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	101	83	0	0	0	0	-1
normalized size	1	1.00	1.38	1.14	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.064	0.226	0.108	0.000	0.527	0.000	0.000	0.000
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	58	54	0	0	0	0	-1
normalized size	1	1.00	0.95	0.89	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.050	0.255	0.085	0.000	0.558	0.000	0.000	0.000
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	58	59	0	0	0	0	-1
normalized size	1	1.00	0.98	1.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.047	0.251	0.036	0.000	0.432	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	44	28	0	0	0	0	-1
normalized size	1	1.00	1.05	0.67	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.025	0.256	0.029	0.000	0.596	0.000	0.000	0.000
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	60	33	0	0	0	0	-1
normalized size	1	1.00	1.54	0.85	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.184	0.122	0.028	0.000	0.560	0.000	0.000	0.000
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.013	4.742	0.097	0.000	0.647	0.000	0.000	0.000
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	8.690	0.196	0.000	0.509	0.000	0.000	0.000
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	107	123	0	0	0	0	-1
normalized size	1	1.00	1.05	1.21	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.645	0.147	0.108	0.000	0.724	0.000	0.000	0.000
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	75	82	0	0	0	0	-1
normalized size	1	1.00	0.86	0.94	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.598	0.182	0.082	0.000	0.555	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	69	84	0	0	0	0	-1
normalized size	1	1.00	0.81	0.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.504	0.158	0.034	0.000	0.557	0.000	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	67	43	0	0	0	0	-1
normalized size	1	1.00	0.99	0.63	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.393	0.055	0.029	0.000	0.499	0.000	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	45	0	0	0	0	-1
normalized size	1	1.00	1.00	0.82	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.188	0.047	0.030	0.000	0.552	0.000	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	0.725	0.117	0.000	0.703	0.000	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.015	2.383	0.195	0.000	0.455	0.000	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	356	175	0	0	0	0	-1
normalized size	1	1.00	2.09	1.03	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.617	0.396	0.115	0.000	0.539	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	188	114	0	0	0	0	-1
normalized size	1	1.00	1.21	0.74	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.588	0.418	0.082	0.000	0.683	0.000	0.000	0.000
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	183	121	0	0	0	0	-1
normalized size	1	1.00	1.20	0.79	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.676	0.396	0.039	0.000	0.606	0.000	0.000	0.000
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	131	60	0	0	0	0	-1
normalized size	1	1.00	1.25	0.57	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.396	0.322	0.098	0.000	0.599	0.000	0.000	0.000
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	114	67	0	0	0	0	-1
normalized size	1	1.00	1.33	0.78	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.378	0.212	0.033	0.000	0.529	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	10.408	0.120	0.000	0.505	0.000	0.000	0.000
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.015	12.481	0.202	0.000	0.576	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	162	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.475	0.105	180.000	0.000	0.000	0.000	0.000	0.000
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	101	0	0	0	0	0	-1
normalized size	1	1.00	0.73	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.403	0.092	180.000	0.000	0.000	0.000	0.000	0.000
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	100	0	0	0	0	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.397	0.094	180.000	0.000	0.000	0.000	0.000	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	65	73	0	0	0	0	-1
normalized size	1	1.00	0.70	0.78	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.350	0.082	0.202	0.000	0.000	0.000	0.000	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	45	43	0	0	0	0	-1
normalized size	1	1.00	0.85	0.81	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.219	0.041	0.132	0.000	0.000	0.000	0.000	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.326	0.153	0.000	0.000	0.000	0.000	0.000



Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	152	0	0	0	0	0	-1
normalized size	1	1.00	0.44	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.115	0.123	180.000	0.000	0.000	0.000	0.000	0.000
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	101	0	0	0	0	0	-1
normalized size	1	1.00	0.48	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.874	0.092	180.000	0.000	0.000	0.000	0.000	0.000
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	100	0	0	0	0	0	-1
normalized size	1	1.00	0.53	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.640	0.093	180.000	0.000	0.000	0.000	0.000	0.000
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	84	105	0	0	0	0	-1
normalized size	1	1.00	0.66	0.83	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.438	0.131	0.297	0.000	0.000	0.000	0.000	0.000
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	45	68	0	0	0	0	-1
normalized size	1	1.00	0.52	0.79	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.220	0.032	0.203	0.000	0.000	0.000	0.000	0.000
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.327	0.145	0.000	0.000	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	162	0	0	0	0	0	-1
normalized size	1	1.00	0.41	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.822	0.103	180.000	0.000	0.000	0.000	0.000	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	101	0	0	0	0	0	-1
normalized size	1	1.00	0.39	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.375	0.094	180.000	0.000	0.000	0.000	0.000	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	100	0	0	0	0	0	-1
normalized size	1	1.00	0.45	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.055	0.090	180.000	0.000	0.000	0.000	0.000	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	92	139	0	0	0	0	-1
normalized size	1	1.00	0.59	0.89	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.709	0.186	0.273	0.000	0.000	0.000	0.000	0.000
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	45	81	0	0	0	0	-1
normalized size	1	1.00	0.45	0.82	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.395	0.040	0.211	0.000	0.000	0.000	0.000	0.000
Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.014	0.333	0.147	0.000	0.000	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	150	0	0	0	0	0	-1
normalized size	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.199	0.120	180.000	0.000	0.000	0.000	0.000	0.000
Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	101	0	0	0	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.096	180.000	0.000	0.000	0.000	0.000	0.000
Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	100	0	0	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.140	0.092	180.000	0.000	0.000	0.000	0.000	0.000
Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	49	37	0	0	0	0	-1
normalized size	1	1.00	0.78	0.59	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.077	0.043	0.120	0.000	0.000	0.000	0.000	0.000
Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	45	26	0	0	0	0	-1
normalized size	1	1.00	1.05	0.60	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.047	0.032	0.085	0.000	0.000	0.000	0.000	0.000
Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.014	0.259	0.146	0.000	0.000	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.014	0.669	0.339	0.000	0.000	0.000	0.000	0.000
Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	201	0	0	0	0	0	-1
normalized size	1	1.00	1.04	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.184	0.313	180.000	0.000	0.000	0.000	0.000	0.000
Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	124	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.128	0.169	180.000	0.000	0.000	0.000	0.000	0.000
Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	139	0	0	0	0	0	-1
normalized size	1	1.00	1.03	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.124	0.182	180.000	0.000	0.000	0.000	0.000	0.000
Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	63	83	0	0	0	0	-1
normalized size	1	1.00	0.71	0.93	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.066	0.110	0.266	0.000	0.000	0.000	0.000	0.000
Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	76	66	0	0	0	0	-1
normalized size	1	1.00	1.12	0.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.218	0.068	0.209	0.000	0.000	0.000	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.014	0.383	0.140	0.000	0.000	0.000	0.000	0.000
Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	278	0	0	0	0	0	-1
normalized size	1	1.00	1.22	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.864	1.665	180.000	0.000	0.000	0.000	0.000	0.000
Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	175	0	0	0	0	0	-1
normalized size	1	1.00	1.02	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.755	0.796	180.000	0.000	0.000	0.000	0.000	0.000
Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	194	0	0	0	0	0	-1
normalized size	1	1.00	1.17	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.627	0.735	180.000	0.000	0.000	0.000	0.000	0.000
Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	83	122	0	0	0	0	-1
normalized size	1	1.00	0.67	0.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.483	0.284	0.326	0.000	0.000	0.000	0.000	0.000
Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	121	84	0	0	0	0	-1
normalized size	1	1.00	1.36	0.94	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.234	0.169	0.204	0.000	0.000	0.000	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.015	0.397	0.142	0.000	0.000	0.000	0.000	0.000
Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	300	300	374	0	0	0	0	0	-1
normalized size	1	1.00	1.25	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.932	2.173	180.000	0.000	0.000	0.000	0.000	0.000
Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	291	0	0	0	0	0	-1
normalized size	1	1.00	1.19	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.757	0.590	180.000	0.000	0.000	0.000	0.000	0.000
Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	286	0	0	0	0	0	-1
normalized size	1	1.00	1.21	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.848	0.813	180.000	0.000	0.000	0.000	0.000	0.000
Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	91	153	0	0	0	0	-1
normalized size	1	1.00	0.58	0.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.495	0.319	0.238	0.000	0.000	0.000	0.000	0.000
Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	147	111	0	0	0	0	-1
normalized size	1	1.00	1.20	0.91	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.444	0.199	0.210	0.000	0.000	0.000	0.000	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.017	0.393	0.145	0.000	0.000	0.000	0.000	0.000
Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	59	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.277	1.886	1.004	0.000	0.572	0.000	0.000	0.000
Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	59	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.298	1.787	0.942	0.000	0.632	0.000	0.000	0.000
Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	167	143	0	0	0	0	0	-1
normalized size	1	1.08	0.93	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.238	0.377	1.142	0.000	0.739	0.000	0.000	0.000
Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	82	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.100	1.043	0.000	0.586	0.000	0.000	0.000
Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.023	1.324	0.720	0.000	0.407	0.000	0.000	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.023	1.337	0.873	0.000	0.465	0.000	0.000	0.000

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.020	1.359	0.721	0.000	0.657	0.000	0.000	0.000

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.019	1.998	0.141	0.000	0.000	0.000	0.000	0.000

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.016	2.267	0.109	0.000	0.000	0.000	0.000	0.000

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.016	2.121	0.115	0.000	0.000	0.000	0.000	0.000

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.016	2.037	0.114	0.000	0.000	0.000	0.000	0.000



Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.019	1.447	0.115	0.000	0.603	0.000	0.000	0.000
Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	144	0	0	0	0	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.247	0.210	180.000	0.000	1.177	0.000	0.000	0.000
Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	97	0	0	0	0	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.191	0.102	180.000	0.000	0.676	0.000	0.000	0.000
Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	95	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.182	0.121	180.000	0.000	0.685	0.000	0.000	0.000
Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	58	38	0	0	0	0	-1
normalized size	1	1.00	0.98	0.64	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.087	0.052	0.087	0.000	0.837	0.000	0.000	0.000
Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	43	40	0	0	0	0	-1
normalized size	1	1.00	0.88	0.82	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.049	0.026	0.052	0.000	0.582	0.000	0.000	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.017	0.353	0.109	0.000	0.564	0.000	0.000	0.000
Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	105	109	87	73	87	0	-1
normalized size	1	1.00	1.25	1.30	1.04	0.87	1.04	0.00	-0.01
time (sec)	N/A	0.039	0.041	0.016	0.390	0.550	0.981	0.000	0.000
Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	54	55	58	65	71	0	-1
normalized size	1	1.00	0.76	0.77	0.82	0.92	1.00	0.00	-0.01
time (sec)	N/A	0.030	0.046	0.004	0.420	0.644	0.537	0.000	0.000
Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	76	86	66	61	61	80	47
normalized size	1	1.00	1.38	1.56	1.20	1.11	1.11	1.45	0.85
time (sec)	N/A	0.020	0.038	0.004	0.626	0.921	0.265	0.625	0.411
Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	35	34	30	43	31	41	31
normalized size	1	1.00	1.00	0.97	0.86	1.23	0.89	1.17	0.89
time (sec)	N/A	0.014	0.022	0.002	0.536	0.674	0.140	0.431	0.452
Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	NO	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	48	75	0	0	0	0	-1
normalized size	1	1.00	0.87	1.36	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.077	0.043	0.070	0.000	0.488	0.000	0.000	0.000

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	65	59	30	74	0	0	-1
normalized size	1	1.00	1.76	1.59	0.81	2.00	0.00	0.00	-0.03
time (sec)	N/A	0.024	0.078	0.007	0.837	0.550	0.000	0.000	0.000
Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	48	52	36	48	0	0	-1
normalized size	1	1.00	1.12	1.21	0.84	1.12	0.00	0.00	-0.02
time (sec)	N/A	0.020	0.019	0.005	0.533	0.745	0.000	0.000	0.000
Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	101	82	52	100	0	0	-1
normalized size	1	1.00	1.42	1.15	0.73	1.41	0.00	0.00	-0.01
time (sec)	N/A	0.033	0.106	0.006	0.736	0.518	0.000	0.000	0.000
Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	50	62	57	60	0	0	-1
normalized size	1	1.00	0.69	0.86	0.79	0.83	0.00	0.00	-0.01
time (sec)	N/A	0.032	0.032	0.005	0.681	0.507	0.000	0.000	0.000
Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	214	0	0	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.788	0.508	180.000	0.000	0.000	0.000	0.000	0.000
Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	136	0	0	0	0	0	-1
normalized size	1	1.00	0.94	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.649	0.416	0.169	0.000	0.000	0.000	0.000	0.000

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	100	0	0	0	0	0	-1
normalized size	1	1.00	0.98	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.412	0.238	0.095	0.000	0.000	0.000	0.000	0.000
Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	540	0	0	0	0	0	-1
normalized size	1	1.00	1.85	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.251	2.390	180.000	0.000	0.000	0.000	0.000	0.000
Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	165	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.816	1.107	0.158	0.000	0.000	0.000	0.000	0.000
Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	269	0	0	0	0	0	-1
normalized size	1	1.00	1.92	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.428	0.708	0.099	0.000	0.000	0.000	0.000	0.000
Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F(-2)	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	924	0	0	0	0	0	-1
normalized size	1	1.00	2.74	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.090	11.124	180.000	0.000	0.000	0.000	0.000	0.000
Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	207	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.328	2.044	0.156	0.000	0.000	0.000	0.000	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	452	0	0	0	0	0	-1
normalized size	1	1.00	2.82	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.751	2.552	0.095	0.000	0.000	0.000	0.000	0.000
Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	195	0	0	0	0	0	-1
normalized size	1	1.00	1.01	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.360	0.371	180.000	0.000	0.000	0.000	0.000	0.000
Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	104	0	0	0	0	0	-1
normalized size	1	1.00	0.97	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.185	0.244	0.161	0.000	0.000	0.000	0.000	0.000
Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	100	0	0	0	0	0	-1
normalized size	1	1.00	1.14	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.105	0.105	0.096	0.000	0.000	0.000	0.000	0.000
Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	247	0	0	0	0	0	-1
normalized size	1	1.00	1.07	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.310	0.710	180.000	0.000	0.000	0.000	0.000	0.000
Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	135	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.155	1.289	0.138	0.000	0.000	0.000	0.000	0.000

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	132	0	0	0	0	0	-1
normalized size	1	1.00	1.10	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.410	0.263	0.095	0.000	0.000	0.000	0.000	0.000
Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	340	0	0	0	0	0	-1
normalized size	1	1.00	1.23	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.330	2.216	180.000	0.000	0.000	0.000	0.000	0.000
Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	157	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.893	1.652	0.135	0.000	0.000	0.000	0.000	0.000
Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	192	0	0	0	0	0	-1
normalized size	1	1.00	1.30	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.456	1.083	0.100	0.000	0.000	0.000	0.000	0.000
Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	361	361	394	0	0	0	0	0	-1
normalized size	1	1.00	1.09	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.627	2.593	180.000	0.000	0.000	0.000	0.000	0.000
Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	175	0	0	0	0	0	-1
normalized size	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.870	1.745	0.135	0.000	0.000	0.000	0.000	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	214	0	0	0	0	0	-1
normalized size	1	1.00	1.14	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.772	0.745	0.099	0.000	0.000	0.000	0.000	0.000

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	141	118	0	0	0	0	0	-1
normalized size	1	1.10	0.92	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.285	0.426	180.000	0.000	0.477	0.000	0.000	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	194	164	0	0	0	0	0	-1
normalized size	1	1.07	0.91	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.310	0.263	3.194	0.000	0.561	0.000	0.000	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	87	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.053	0.146	2.961	0.000	1.555	0.000	0.000	0.000

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	0.504	1.181	0.000	1.074	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [41] had the largest ratio of [1.000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	4	1.00	8	0.500
2	A	5	5	1.00	8	0.625
3	A	4	4	1.00	8	0.500
4	A	3	3	1.00	6	0.500
5	A	2	2	1.00	4	0.500
6	A	5	5	1.00	8	0.625
7	A	3	3	1.00	8	0.375
8	A	2	2	1.00	8	0.250
9	A	5	5	1.00	8	0.625
10	A	4	4	1.00	8	0.500
11	A	7	5	1.00	8	0.625
12	A	7	5	1.00	10	0.500
13	A	6	4	1.00	10	0.400
14	A	5	5	1.00	10	0.500
15	A	4	4	1.00	8	0.500
16	A	3	3	1.00	6	0.500
17	A	6	6	1.00	10	0.600
18	A	7	5	1.00	10	0.500
19	A	3	3	1.00	10	0.300
20	A	9	7	1.00	10	0.700
21	A	5	5	1.00	10	0.500
22	A	16	7	1.00	10	0.700
23	A	12	7	1.00	10	0.700
24	A	9	7	1.00	10	0.700
25	A	6	5	1.00	8	0.625
26	A	4	3	1.00	6	0.500
27	A	7	7	1.00	10	0.700
28	A	9	6	1.00	10	0.600
29	A	7	7	1.00	10	0.700
30	A	13	9	1.00	10	0.900
31	A	10	9	1.00	10	0.900
32	A	23	4	1.00	10	0.400
33	A	19	6	1.00	10	0.600
34	A	14	4	1.00	10	0.400
35	A	11	6	1.00	10	0.600

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
36	A	7	4	1.00	8	0.500
37	A	5	3	1.00	6	0.500
38	A	8	7	1.00	10	0.700
39	A	11	7	1.00	10	0.700
40	A	8	8	1.00	10	0.800
41	A	19	10	1.00	10	1.000
42	A	7	3	1.00	10	0.300
43	A	6	3	1.00	10	0.300
44	A	6	3	1.00	10	0.300
45	A	5	3	1.00	10	0.300
46	A	5	3	1.00	10	0.300
47	A	4	4	1.00	8	0.500
48	A	2	2	1.00	6	0.333
49	A	0	0	0.00	0	0.000
50	A	0	0	0.00	0	0.000
51	A	5	2	1.00	10	0.200
52	A	4	2	1.00	10	0.200
53	A	4	2	1.00	10	0.200
54	A	2	2	1.00	8	0.250
55	A	3	3	1.00	6	0.500
56	A	0	0	0.00	0	0.000
57	A	0	0	0.00	0	0.000
58	A	14	5	1.00	10	0.500
59	A	12	6	1.00	10	0.600
60	A	10	6	1.00	10	0.600
61	A	7	7	1.00	8	0.875
62	A	4	4	1.00	6	0.667
63	A	0	0	0.00	0	0.000
64	A	0	0	0.00	0	0.000
65	A	12	4	1.00	10	0.400
66	A	9	4	1.00	10	0.400
67	A	10	6	1.00	10	0.600
68	A	5	5	1.00	8	0.625
69	A	5	4	1.00	6	0.667
70	A	0	0	0.00	0	0.000
71	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
72	A	19	7	1.00	12	0.583
73	A	14	7	1.00	12	0.583
74	A	14	7	1.00	12	0.583
75	A	9	7	1.00	10	0.700
76	A	7	6	1.00	8	0.750
77	A	0	0	0.00	0	0.000
78	A	41	10	1.00	12	0.833
79	A	25	10	1.00	12	0.833
80	A	22	10	1.00	12	0.833
81	A	11	10	1.00	10	1.000
82	A	8	7	1.00	8	0.875
83	A	0	0	0.00	0	0.000
84	A	44	10	1.00	12	0.833
85	A	27	9	1.00	12	0.750
86	A	24	10	1.00	12	0.833
87	A	12	9	1.00	10	0.900
88	A	9	7	1.00	8	0.875
89	A	0	0	0.00	0	0.000
90	A	18	6	1.00	12	0.500
91	A	13	6	1.00	12	0.500
92	A	13	6	1.00	12	0.500
93	A	8	7	1.00	10	0.700
94	A	6	5	1.00	8	0.625
95	A	0	0	0.00	0	0.000
96	A	0	0	0.00	0	0.000
97	A	17	5	1.00	12	0.417
98	A	12	5	1.00	12	0.417
99	A	12	5	1.00	12	0.417
100	A	6	5	1.00	10	0.500
101	A	7	6	1.00	8	0.750
102	A	0	0	0.00	0	0.000
103	A	34	8	1.00	12	0.667
104	A	24	9	1.00	12	0.750
105	A	22	9	1.00	12	0.750
106	A	11	10	1.00	10	1.000
107	A	8	7	1.00	8	0.875

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
108	A	0	0	0.00	0	0.000
109	A	32	7	1.00	12	0.583
110	A	21	7	1.00	12	0.583
111	A	22	9	1.00	12	0.750
112	A	9	8	1.00	10	0.800
113	A	9	7	1.00	8	0.875
114	A	0	0	0.00	0	0.000
115	A	0	0	0.00	0	0.000
116	A	0	0	0.00	0	0.000
117	A	2	2	1.08	10	0.200
118	A	4	4	1.00	8	0.500
119	A	0	0	0.00	0	0.000
120	A	0	0	0.00	0	0.000
121	A	0	0	0.00	0	0.000
122	A	0	0	0.00	0	0.000
123	A	0	0	0.00	0	0.000
124	A	0	0	0.00	0	0.000
125	A	0	0	0.00	0	0.000
126	A	0	0	0.00	0	0.000
127	A	12	4	1.00	10	0.400
128	A	9	4	1.00	10	0.400
129	A	9	4	1.00	10	0.400
130	A	6	5	1.00	8	0.625
131	A	4	3	1.00	6	0.500
132	A	0	0	0.00	0	0.000
133	A	5	5	1.00	12	0.417
134	A	4	4	1.00	12	0.333
135	A	3	3	1.00	10	0.300
136	A	3	2	1.00	8	0.250
137	A	5	5	1.00	12	0.417
138	A	3	3	1.00	12	0.250
139	A	2	2	1.00	12	0.167
140	A	5	5	1.00	12	0.417
141	A	4	4	1.00	12	0.333
142	A	14	7	1.00	16	0.438
143	A	9	7	1.00	14	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
144	A	7	6	1.00	12	0.500
145	A	22	10	1.00	16	0.625
146	A	11	10	1.00	14	0.714
147	A	8	7	1.00	12	0.583
148	A	24	10	1.00	16	0.625
149	A	12	9	1.00	14	0.643
150	A	9	7	1.00	12	0.583
151	A	13	6	1.00	16	0.375
152	A	8	7	1.00	14	0.500
153	A	6	5	1.00	12	0.417
154	A	12	5	1.00	16	0.312
155	A	6	5	1.00	14	0.357
156	A	7	6	1.00	12	0.500
157	A	22	9	1.00	16	0.562
158	A	11	10	1.00	14	0.714
159	A	8	7	1.00	12	0.583
160	A	22	9	1.00	16	0.562
161	A	9	8	1.00	14	0.571
162	A	9	7	1.00	12	0.583
163	A	2	2	1.10	18	0.111
164	A	2	2	1.07	16	0.125
165	A	4	4	1.00	14	0.286
166	A	0	0	0.00	0	0.000

# Chapter 3

## Listing of integrals

### 3.1 $\int x^4 \cosh^{-1}(ax) dx$

Optimal. Leaf size=93

$$-\frac{8\sqrt{ax-1}\sqrt{ax+1}}{75a^5} - \frac{4x^2\sqrt{ax-1}\sqrt{ax+1}}{75a^3} + \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{25a}$$

[Out] 1/5\*x^5\*arccosh(a\*x)-8/75\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^5-4/75\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-1/25\*x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

Rubi [A] time = 0.04, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 100, 12, 74}

$$-\frac{4x^2\sqrt{ax-1}\sqrt{ax+1}}{75a^3} - \frac{8\sqrt{ax-1}\sqrt{ax+1}}{75a^5} - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcCosh[a\*x], x]

[Out] (-8\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(75\*a^5) - (4\*x^2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(75\*a^3) - (x^4\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(25\*a) + (x^5\*ArcCosh[a\*x])/5

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 100

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 1)), x] + Dist[1/(d\*f\*(m + n + p + 1)), Int[(a + b\*x)^(m - 2)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(m + n + p + 1) - b\*(b\*c\*e\*(m - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*m + n + p) - b\*(d\*e\*(m + n) + c\*f\*(m + p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p

```
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1
+ c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int x^4 \cosh^{-1}(ax) dx &= \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{1}{5}a \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{\int \frac{4x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{4 \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
&= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{4 \int \frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} \\
&= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{8 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} \\
&= -\frac{8\sqrt{-1+ax}\sqrt{1+ax}}{75a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 55, normalized size = 0.59

$$\frac{1}{5}x^5 \cosh^{-1}(ax) - \frac{\sqrt{ax-1}\sqrt{ax+1}(3a^4x^4 + 4a^2x^2 + 8)}{75a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^4*ArcCosh[a*x], x]
```

```
[Out] -1/75*(Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(8 + 4*a^2*x^2 + 3*a^4*x^4))/a^5 + (x^5
*ArcCosh[a*x])/5
```

**fricas [A]** time = 0.65, size = 61, normalized size = 0.66

$$\frac{15a^5x^5 \log\left(ax + \sqrt{a^2x^2 - 1}\right) - (3a^4x^4 + 4a^2x^2 + 8)\sqrt{a^2x^2 - 1}}{75a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arccosh(a*x), x, algorithm="fricas")
```

```
[Out] 1/75*(15*a^5*x^5*log(a*x + sqrt(a^2*x^2 - 1)) - (3*a^4*x^4 + 4*a^2*x^2 + 8)
*sqrt(a^2*x^2 - 1))/a^5
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
 i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.02, size = 52, normalized size = 0.56

$$\frac{\frac{a^5 x^5 \operatorname{arccosh}(ax)}{5} - \frac{\sqrt{ax-1} \sqrt{ax+1} (3x^4 a^4 + 4a^2 x^2 + 8)}{75}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x),x)

[Out] 1/a^5\*(1/5\*a^5\*x^5\*arccosh(a\*x)-1/75\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*(3\*a^4\*x^4  
 +4\*a^2\*x^2+8))

maxima [A] time = 0.65, size = 68, normalized size = 0.73

$$\frac{1}{5} x^5 \operatorname{arcosh}(ax) - \frac{1}{75} \left( \frac{3 \sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4 \sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8 \sqrt{a^2 x^2 - 1}}{a^6} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x),x, algorithm="maxima")

[Out] 1/5\*x^5\*arccosh(a\*x) - 1/75\*(3\*sqrt(a^2\*x^2 - 1)\*x^4/a^2 + 4\*sqrt(a^2\*x^2 -  
 1)\*x^2/a^4 + 8\*sqrt(a^2\*x^2 - 1)/a^6)\*a

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{acosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x),x)

[Out] int(x^4\*acosh(a\*x), x)

sympy [A] time = 2.12, size = 76, normalized size = 0.82

$$\begin{cases} \frac{x^5 \operatorname{acosh}(ax)}{5} - \frac{x^4 \sqrt{a^2 x^2 - 1}}{25a} - \frac{4x^2 \sqrt{a^2 x^2 - 1}}{75a^3} - \frac{8\sqrt{a^2 x^2 - 1}}{75a^5} & \text{for } a \neq 0 \\ \frac{i\pi x^5}{10} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x),x)

[Out] Piecewise((x\*\*5\*acosh(a\*x)/5 - x\*\*4\*sqrt(a\*\*2\*x\*\*2 - 1)/(25\*a) - 4\*x\*\*2\*sqrt  
 t(a\*\*2\*x\*\*2 - 1)/(75\*a\*\*3) - 8\*sqrt(a\*\*2\*x\*\*2 - 1)/(75\*a\*\*5), Ne(a, 0)), (I  
 \*pi\*x\*\*5/10, True))

## 3.2 $\int x^3 \cosh^{-1}(ax) dx$

Optimal. Leaf size=77

$$-\frac{3 \cosh^{-1}(ax)}{32a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{32a^3} + \frac{1}{4}x^4 \cosh^{-1}(ax) - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}}{16a}$$

[Out]  $-3/32*\operatorname{arccosh}(a*x)/a^4+1/4*x^4*\operatorname{arccosh}(a*x)-3/32*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/16*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.03, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5662, 100, 12, 90, 52}

$$-\frac{3x\sqrt{ax-1}\sqrt{ax+1}}{32a^3} - \frac{3 \cosh^{-1}(ax)}{32a^4} - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}}{16a} + \frac{1}{4}x^4 \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] `Int[x^3*ArcCosh[a*x], x]`

[Out]  $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(32*a^3) - (x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(16*a) - (3*\operatorname{ArcCosh}[a*x])/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x])/4$

### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

### Rule 52

`Int[1/(Sqrt[(a_)+(b_.)*(x_.)]*Sqrt[(c_)+(d_.)*(x_.)]), x_Symbol] := Simp[ArcCosh[(b*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a+c, 0] && EqQ[b-d, 0] && GtQ[a, 0]`

### Rule 90

`Int[((a_.)+(b_.)*(x_.))^2*((c_.)+(d_.)*(x_.))^(n_.)*((e_.)+(f_.)*(x_.))^(p_.), x_Symbol] := Simp[(b*(a+b*x)*(c+d*x)^(n+1)*(e+f*x)^(p+1))/(d*f*(n+p+3)), x] + Dist[1/(d*f*(n+p+3)), Int[(c+d*x)^n*(e+f*x)^p*Simp[a^2*d*f*(n+p+3)-b*(b*c*e+a*(d*e*(n+1)+c*f*(p+1)))+b*(a*d*f*(n+p+4)-b*(d*e*(n+2)+c*f*(p+2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n+p+3, 0]`

### Rule 100

`Int[((a_.)+(b_.)*(x_.))^(m_.)*((c_.)+(d_.)*(x_.))^(n_.)*((e_.)+(f_.)*(x_.))^(p_.), x_Symbol] := Simp[(b*(a+b*x)^(m-1)*(c+d*x)^(n+1)*(e+f*x)^(p+1))/(d*f*(m+n+p+1)), x] + Dist[1/(d*f*(m+n+p+1)), Int[(a+b*x)^(m-2)*(c+d*x)^n*(e+f*x)^p*Simp[a^2*d*f*(m+n+p+1)-b*(b*c*e*(m-1)+a*(d*e*(n+1)+c*f*(p+1)))+b*(a*d*f*(2*m+n+p)-b*(d*e*(m+n)+c*f*(m+p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m+n+p+1, 0] && IntegerQ[m]`

### Rule 5662

`Int[((a_.)+ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a+b*ArcCosh[c*x])^n)/(d*(m+1)), x] - Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCosh[c*x])^(n-1))/(Sqrt[-1+c*x]*Sqrt[1+c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&`



NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^3 \cosh^{-1}(ax) dx &= \frac{1}{4}x^4 \cosh^{-1}(ax) - \frac{1}{4}a \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \cosh^{-1}(ax) - \frac{\int \frac{3x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \cosh^{-1}(ax) - \frac{3 \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \cosh^{-1}(ax) - \frac{3 \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a^3} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} - \frac{3 \cosh^{-1}(ax)}{32a^4} + \frac{1}{4}x^4 \cosh^{-1}(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 71, normalized size = 0.92

$$-\frac{-8a^4x^4 \cosh^{-1}(ax) + ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+3) + 6 \tanh^{-1}\left(\sqrt{\frac{ax-1}{ax+1}}\right)}{32a^4}$$

Warning: Unable to verify antiderivative.

`[In] Integrate[x^3*ArcCosh[a*x], x]`

```
[Out] -1/32*(a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(3 + 2*a^2*x^2) - 8*a^4*x^4*ArcCosh[a*x] + 6*ArcTanh[Sqrt[(-1 + a*x)/(1 + a*x)]])/a^4
```

**fricas [A]** time = 0.56, size = 59, normalized size = 0.77

$$\frac{(8a^4x^4 - 3) \log(ax + \sqrt{a^2x^2 - 1}) - (2a^3x^3 + 3ax)\sqrt{a^2x^2 - 1}}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*arccosh(a*x), x, algorithm="fricas")`

```
[Out] 1/32*((8*a^4*x^4 - 3)*log(a*x + sqrt(a^2*x^2 - 1)) - (2*a^3*x^3 + 3*a*x)*sqrt(a^2*x^2 - 1))/a^4
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3*arccosh(a*x), x, algorithm="giac")`

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Value
```

**maple [A]** time = 0.02, size = 99, normalized size = 1.29

$$\frac{x^4 \operatorname{arccosh}(ax)}{4} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{16a} - \frac{3x \sqrt{ax-1} \sqrt{ax+1}}{32a^3} - \frac{3 \sqrt{ax-1} \sqrt{ax+1} \ln(ax + \sqrt{a^2x^2 - 1})}{32a^4 \sqrt{a^2x^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arccosh(a*x),x)`

[Out]  $\frac{1}{4}x^4\operatorname{arccosh}(ax) - \frac{1}{16}x^3(a^2x-1)^{1/2}(a^2x+1)^{1/2}/a - \frac{3}{32}x(a^2x-1)^{1/2}(a^2x+1)^{1/2}/a^3 - \frac{3}{32}x(a^2x-1)^{1/2}(a^2x+1)^{1/2}/(a^2x^2-1)^{1/2} \ln(a^2x+(a^2x^2-1)^{1/2})$

**maxima** [A] time = 0.69, size = 77, normalized size = 1.00

$$\frac{1}{4}x^4 \operatorname{arccosh}(ax) - \frac{1}{32} \left( \frac{2\sqrt{a^2x^2-1}x^3}{a^2} + \frac{3\sqrt{a^2x^2-1}x}{a^4} + \frac{3 \log(2a^2x + 2\sqrt{a^2x^2-1}a)}{a^5} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccosh(a*x),x, algorithm="maxima")`

[Out]  $\frac{1}{4}x^4\operatorname{arccosh}(ax) - \frac{1}{32}(2\sqrt{a^2x^2-1})x^3/a^2 + \frac{3\sqrt{a^2x^2-1}x}{a^4} + \frac{3\log(2a^2x + 2\sqrt{a^2x^2-1}a)}{a^5}a$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acosh(a*x),x)`

[Out] `int(x^3*acosh(a*x), x)`

**sympy** [A] time = 1.04, size = 68, normalized size = 0.88

$$\begin{cases} \frac{x^4 \operatorname{acosh}(ax)}{4} - \frac{x^3 \sqrt{a^2x^2-1}}{16a} - \frac{3x \sqrt{a^2x^2-1}}{32a^3} - \frac{3 \operatorname{acosh}(ax)}{32a^4} & \text{for } a \neq 0 \\ \frac{i\pi x^4}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acosh(a*x),x)`

[Out] `Piecewise((x**4*acosh(a*x)/4 - x**3*sqrt(a**2*x**2 - 1)/(16*a) - 3*x*sqrt(a**2*x**2 - 1)/(32*a**3) - 3*acosh(a*x)/(32*a**4), Ne(a, 0)), (I*pi*x**4/8, True))`

### 3.3 $\int x^2 \cosh^{-1}(ax) dx$

Optimal. Leaf size=65

$$-\frac{2\sqrt{ax-1}\sqrt{ax+1}}{9a^3} + \frac{1}{3}x^3 \cosh^{-1}(ax) - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{9a}$$

[Out]  $1/3*x^3*\operatorname{arccosh}(a*x)-2/9*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/9*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] time = 0.02, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 100, 12, 74}

$$-\frac{2\sqrt{ax-1}\sqrt{ax+1}}{9a^3} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcCosh[a\*x], x]

[Out]  $(-2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(9*a^3) - (x^2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(9*a) + (x^3*\operatorname{ArcCosh}[a*x])/3$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 100

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 1)), x] + Dist[1/(d\*f\*(m + n + p + 1)), Int[(a + b\*x)^(m - 2)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(m + n + p + 1) - b\*(b\*c\*e\*(m - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*m + n + p) - b\*(d\*e\*(m + n) + c\*f\*(m + p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int x^2 \cosh^{-1}(ax) dx &= \frac{1}{3}x^3 \cosh^{-1}(ax) - \frac{1}{3}a \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax) - \frac{\int \frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax) - \frac{2 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{9a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)
\end{aligned}$$

**Mathematica** [A] time = 0.03, size = 46, normalized size = 0.71

$$\frac{1}{3}x^3 \cosh^{-1}(ax) - \frac{\sqrt{ax-1}\sqrt{ax+1}(a^2x^2+2)}{9a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcCosh[a\*x],x]

[Out] -1/9\*(Sqrt[-1+a\*x]\*Sqrt[1+a\*x]\*(2+a^2\*x^2))/a^3+(x^3\*ArcCosh[a\*x])/3

**fricas** [A] time = 0.59, size = 52, normalized size = 0.80

$$\frac{3a^3x^3 \log(ax + \sqrt{a^2x^2 - 1}) - (a^2x^2 + 2)\sqrt{a^2x^2 - 1}}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x),x, algorithm="fricas")

[Out] 1/9\*(3\*a^3\*x^3\*log(a\*x + sqrt(a^2\*x^2 - 1)) - (a^2\*x^2 + 2)\*sqrt(a^2\*x^2 - 1))/a^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.01, size = 43, normalized size = 0.66

$$\frac{\frac{a^3x^3 \operatorname{arccosh}(ax)}{3} - \frac{\sqrt{ax-1}\sqrt{ax+1}(a^2x^2+2)}{9}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arccosh(a\*x),x)

[Out] 1/a^3\*(1/3\*a^3\*x^3\*arccosh(a\*x)-1/9\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*(a^2\*x^2+2))

**maxima** [A] time = 0.32, size = 48, normalized size = 0.74

$$\frac{1}{3} x^3 \operatorname{arcosh}(ax) - \frac{1}{9} a \left( \frac{\sqrt{a^2 x^2 - 1} x^2}{a^2} + \frac{2 \sqrt{a^2 x^2 - 1}}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x),x, algorithm="maxima")

[Out] 1/3\*x^3\*arccosh(a\*x) - 1/9\*a\*(sqrt(a^2\*x^2 - 1)\*x^2/a^2 + 2\*sqrt(a^2\*x^2 - 1)/a^4)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x^2 \operatorname{acosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*acosh(a\*x),x)

[Out] int(x^2\*acosh(a\*x), x)

**sympy** [A] time = 0.50, size = 54, normalized size = 0.83

$$\begin{cases} \frac{x^3 \operatorname{acosh}(ax)}{3} - \frac{x^2 \sqrt{a^2 x^2 - 1}}{9a} - \frac{2 \sqrt{a^2 x^2 - 1}}{9a^3} & \text{for } a \neq 0 \\ \frac{i\pi x^3}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*acosh(a\*x),x)

[Out] Piecewise((x\*\*3\*acosh(a\*x)/3 - x\*\*2\*sqrt(a\*\*2\*x\*\*2 - 1)/(9\*a) - 2\*sqrt(a\*\*2\*x\*\*2 - 1)/(9\*a\*\*3), Ne(a, 0)), (I\*pi\*x\*\*3/6, True))

### 3.4 $\int x \cosh^{-1}(ax) dx$

Optimal. Leaf size=49

$$-\frac{\cosh^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{4a}$$

[Out]  $-1/4*\operatorname{arccosh}(a*x)/a^2+1/2*x^2*\operatorname{arccosh}(a*x)-1/4*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.02, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 90, 52}

$$-\frac{\cosh^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{4a}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcCosh[a\*x], x]

[Out]  $-(x*\sqrt{-1+a*x}*\sqrt{1+a*x})/(4*a) - \operatorname{ArcCosh}[a*x]/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x])/2$

#### Rule 52

Int[1/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]), x\_Symbol] :> Simp[ArcCosh[(b\*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

#### Rule 90

Int[((a\_) + (b\_)\*(x\_))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] :> Simp[(b\*(a + b\*x)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 3)), x] + Dist[1/(d\*f\*(n + p + 3)), Int[(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(n + p + 3) - b\*(b\*c\*e + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(n + p + 4) - b\*(d\*e\*(n + 2) + c\*f\*(p + 2)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int x \cosh^{-1}(ax) dx &= \frac{1}{2}x^2 \cosh^{-1}(ax) - \frac{1}{2}a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{4a} + \frac{1}{2}x^2 \cosh^{-1}(ax) - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{4a} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{4a} - \frac{\cosh^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 61, normalized size = 1.24

$$\frac{-2a^2x^2 \cosh^{-1}(ax) + ax\sqrt{ax-1}\sqrt{ax+1} + 2 \tanh^{-1}\left(\sqrt{\frac{ax-1}{ax+1}}\right)}{4a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*ArcCosh[a\*x], x]

[Out] -1/4\*(a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x] - 2\*a^2\*x^2\*ArcCosh[a\*x] + 2\*ArcTanh[Sqrt[(-1 + a\*x)/(1 + a\*x)]])/a^2

**fricas [A]** time = 0.56, size = 48, normalized size = 0.98

$$\frac{\sqrt{a^2x^2-1}ax - (2a^2x^2-1)\log(ax + \sqrt{a^2x^2-1})}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x), x, algorithm="fricas")

[Out] -1/4\*(sqrt(a^2\*x^2 - 1)\*a\*x - (2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/a^2

**giac [A]** time = 0.34, size = 70, normalized size = 1.43

$$\frac{1}{2}x^2 \log(ax + \sqrt{a^2x^2 - 1}) - \frac{1}{4}a \left( \frac{\sqrt{a^2x^2 - 1}x}{a^2} - \frac{\log\left(\left| -x|a| + \sqrt{a^2x^2 - 1} \right|\right)}{a^2|a|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x), x, algorithm="giac")

[Out] 1/2\*x^2\*log(a\*x + sqrt(a^2\*x^2 - 1)) - 1/4\*a\*(sqrt(a^2\*x^2 - 1)\*x/a^2 - log(abs(-x\*abs(a) + sqrt(a^2\*x^2 - 1)))/(a^2\*abs(a)))

**maple [A]** time = 0.01, size = 77, normalized size = 1.57

$$\frac{x^2 \operatorname{arccosh}(ax)}{2} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{4a} - \frac{\sqrt{ax-1}\sqrt{ax+1} \ln(ax + \sqrt{a^2x^2-1})}{4a^2\sqrt{a^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x), x)

[Out] 1/2\*x^2\*arccosh(a\*x) - 1/4\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a - 1/4/a^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/(a^2\*x^2-1)^(1/2)\*ln(a\*x+(a^2\*x^2-1)^(1/2))

**maxima [A]** time = 0.68, size = 56, normalized size = 1.14

$$\frac{1}{2}x^2 \operatorname{arccosh}(ax) - \frac{1}{4}a \left( \frac{\sqrt{a^2x^2-1}x}{a^2} + \frac{\log(2a^2x + 2\sqrt{a^2x^2-1}a)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x), x, algorithm="maxima")

[Out] 1/2\*x^2\*arccosh(a\*x) - 1/4\*a\*(sqrt(a^2\*x^2 - 1)\*x/a^2 + log(2\*a^2\*x + 2\*sqrt(a^2\*x^2 - 1)\*a)/a^3)

**mupad [B]** time = 0.04, size = 39, normalized size = 0.80

$$x \operatorname{acosh}(ax) \left( \frac{x}{2} - \frac{1}{4a^2x} \right) - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*acosh(a*x),x)`

[Out] `x*acosh(a*x)*(x/2 - 1/(4*a^2*x)) - (x*(a*x - 1)^(1/2)*(a*x + 1)^(1/2))/(4*a)`

**sympy [A]** time = 0.23, size = 44, normalized size = 0.90

$$\begin{cases} \frac{x^2 \operatorname{acosh}(ax)}{2} - \frac{x\sqrt{a^2x^2-1}}{4a} - \frac{\operatorname{acosh}(ax)}{4a^2} & \text{for } a \neq 0 \\ \frac{i\pi x^2}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*acosh(a*x),x)`

[Out] `Piecewise((x**2*acosh(a*x)/2 - x*sqrt(a**2*x**2 - 1)/(4*a) - acosh(a*x)/(4*a**2), Ne(a, 0)), (I*pi*x**2/4, True))`



### 3.5 $\int \cosh^{-1}(ax) dx$

Optimal. Leaf size=30

$$x \cosh^{-1}(ax) - \frac{\sqrt{ax-1} \sqrt{ax+1}}{a}$$

[Out] x\*arccosh(a\*x)-(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

Rubi [A] time = 0.01, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5654, 74}

$$x \cosh^{-1}(ax) - \frac{\sqrt{ax-1} \sqrt{ax+1}}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x], x]

[Out] -((Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/a) + x\*ArcCosh[a\*x]

Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax) dx &= x \cosh^{-1}(ax) - a \int \frac{x}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\ &= -\frac{\sqrt{-1+ax} \sqrt{1+ax}}{a} + x \cosh^{-1}(ax) \end{aligned}$$

Mathematica [A] time = 0.02, size = 30, normalized size = 1.00

$$x \cosh^{-1}(ax) - \frac{\sqrt{ax-1} \sqrt{ax+1}}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x], x]

[Out] -((Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/a) + x\*ArcCosh[a\*x]

fricas [A] time = 0.53, size = 37, normalized size = 1.23

$$\frac{ax \log\left(ax + \sqrt{a^2x^2 - 1}\right) - \sqrt{a^2x^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x),x, algorithm="fricas")

[Out] (a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)) - sqrt(a^2\*x^2 - 1))/a

**giac** [A] time = 0.20, size = 35, normalized size = 1.17

$$x \log \left( ax + \sqrt{a^2 x^2 - 1} \right) - \frac{\sqrt{a^2 x^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x),x, algorithm="giac")

[Out] x\*log(a\*x + sqrt(a^2\*x^2 - 1)) - sqrt(a^2\*x^2 - 1)/a

**maple** [A] time = 0.00, size = 29, normalized size = 0.97

$$\frac{ax \operatorname{arccosh}(ax) - \sqrt{ax-1} \sqrt{ax+1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x),x)

[Out] 1/a\*(a\*x\*arccosh(a\*x)-(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))

**maxima** [A] time = 0.62, size = 25, normalized size = 0.83

$$\frac{ax \operatorname{arccosh}(ax) - \sqrt{a^2 x^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x),x, algorithm="maxima")

[Out] (a\*x\*arccosh(a\*x) - sqrt(a^2\*x^2 - 1))/a

**mupad** [B] time = 0.32, size = 26, normalized size = 0.87

$$x \operatorname{acosh}(ax) - \frac{\sqrt{ax-1} \sqrt{ax+1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x),x)

[Out] x\*acosh(a\*x) - ((a\*x - 1)^(1/2)\*(a\*x + 1)^(1/2))/a

**sympy** [A] time = 0.15, size = 26, normalized size = 0.87

$$\begin{cases} x \operatorname{acosh}(ax) - \frac{\sqrt{a^2 x^2 - 1}}{a} & \text{for } a \neq 0 \\ \frac{i\pi x}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x),x)

[Out] Piecewise((x\*acosh(a\*x) - sqrt(a\*\*2\*x\*\*2 - 1)/a, Ne(a, 0)), (I\*pi\*x/2, True))

### 3.6 $\int \frac{\cosh^{-1}(ax)}{x} dx$

**Optimal.** Leaf size=43

$$\frac{1}{2}\text{Li}_2\left(-e^{2\cosh^{-1}(ax)}\right) - \frac{1}{2}\cosh^{-1}(ax)^2 + \cosh^{-1}(ax)\log\left(e^{2\cosh^{-1}(ax)} + 1\right)$$

[Out]  $-1/2*\text{arccosh}(a*x)^2 + \text{arccosh}(a*x)*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) + 1/2*\text{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2)$

**Rubi [A]** time = 0.06, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5660, 3718, 2190, 2279, 2391}

$$\frac{1}{2}\text{PolyLog}\left(2, -e^{2\cosh^{-1}(ax)}\right) - \frac{1}{2}\cosh^{-1}(ax)^2 + \cosh^{-1}(ax)\log\left(e^{2\cosh^{-1}(ax)} + 1\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]/x, x]

[Out]  $-\text{ArcCosh}[a*x]^2/2 + \text{ArcCosh}[a*x]*\text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] + \text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}]/2$

#### Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 3718

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)], x\_Symbol] := -Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] + Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*(-I\*e) + f\*fz\*x))]/(1 + E^(2\*(-I\*e) + f\*fz\*x)), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

#### Rule 5660

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Coth[x], x], x, ArcCosh[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)}{x} dx &= \text{Subst} \left( \int x \tanh(x) dx, x, \cosh^{-1}(ax) \right) \\
&= -\frac{1}{2} \cosh^{-1}(ax)^2 + 2 \text{Subst} \left( \int \frac{e^{2x} x}{1 + e^{2x}} dx, x, \cosh^{-1}(ax) \right) \\
&= -\frac{1}{2} \cosh^{-1}(ax)^2 + \cosh^{-1}(ax) \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) - \text{Subst} \left( \int \log(1 + e^{2x}) dx, x, \cosh^{-1}(ax) \right) \\
&= -\frac{1}{2} \cosh^{-1}(ax)^2 + \cosh^{-1}(ax) \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) - \frac{1}{2} \text{Subst} \left( \int \frac{\log(1 + x)}{x} dx, x, e^{2 \cosh^{-1}(ax)} \right) \\
&= -\frac{1}{2} \cosh^{-1}(ax)^2 + \cosh^{-1}(ax) \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \frac{1}{2} \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right)
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 42, normalized size = 0.98

$$\frac{1}{2} \left( \cosh^{-1}(ax) \left( \cosh^{-1}(ax) + 2 \log \left( e^{-2 \cosh^{-1}(ax)} + 1 \right) \right) - \text{Li}_2 \left( -e^{-2 \cosh^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]/x,x]

[Out] (ArcCosh[a\*x]\*(ArcCosh[a\*x] + 2\*Log[1 + E^(-2\*ArcCosh[a\*x])]) - PolyLog[2, -E^(-2\*ArcCosh[a\*x])])/2

**fricas** [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)/x, x)

**maple** [A] time = 0.08, size = 66, normalized size = 1.53

$$-\frac{\text{arccosh}(ax)^2}{2} + \text{arccosh}(ax) \ln \left( 1 + \left( ax + \sqrt{ax-1} \sqrt{ax+1} \right)^2 \right) + \frac{\text{polylog} \left( 2, - \left( ax + \sqrt{ax-1} \sqrt{ax+1} \right)^2 \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)/x,x)

[Out] -1/2\*arccosh(a\*x)^2+arccosh(a\*x)\*ln(1+(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)+1/2\*polylog(2,-(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)/x,x)

[Out] int(acosh(a\*x)/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)/x,x)

[Out] Integral(acosh(a\*x)/x, x)

### 3.7 $\int \frac{\cosh^{-1}(ax)}{x^2} dx$

**Optimal.** Leaf size=32

$$a \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) - \frac{\cosh^{-1}(ax)}{x}$$

[Out]  $-\operatorname{arccosh}(a*x)/x+a*\arctan((a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})$

**Rubi [A]** time = 0.02, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {5662, 92, 205}

$$a \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) - \frac{\cosh^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{ArcCosh}[a*x]/x^2, x]$

[Out]  $-(\operatorname{ArcCosh}[a*x]/x) + a*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]]$

**Rule 92**

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_.) + (b_.)*(x_.)]*\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x\_Symbol] \rightarrow \operatorname{Dist}[b*f, \operatorname{Subst}[\operatorname{Int}[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, \operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \operatorname{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$

**Rule 205**

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{PosQ}[a/b]$

**Rule 5662**

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcCosh}[c*x])^n/(d*(m+1)), x] - \operatorname{Dist}[(b*c*n)/(d*(m+1)), \operatorname{Int}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcCosh}[c*x])^{(n-1)}]/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /; \operatorname{FreeQ}[\{a, b, c, d, m\}, x] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{NeQ}[m, -1]$

**Rubi steps**

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)}{x^2} dx &= -\frac{\cosh^{-1}(ax)}{x} + a \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{\cosh^{-1}(ax)}{x} + a^2 \operatorname{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\ &= -\frac{\cosh^{-1}(ax)}{x} + a \tan^{-1}\left(\sqrt{-1+ax}\sqrt{1+ax}\right) \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 57, normalized size = 1.78

$$\frac{a\sqrt{a^2x^2-1} \tan^{-1}\left(\sqrt{a^2x^2-1}\right)}{\sqrt{ax-1}\sqrt{ax+1}} - \frac{\cosh^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]/x^2,x]

[Out]  $-(\text{ArcCosh}[a*x]/x) + (a*\text{Sqrt}[-1 + a^2*x^2]*\text{ArcTan}[\text{Sqrt}[-1 + a^2*x^2]])/(\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])$

**fricas** [B] time = 0.50, size = 65, normalized size = 2.03

$$\frac{2ax \arctan\left(-ax + \sqrt{a^2x^2 - 1}\right) + (x - 1) \log\left(ax + \sqrt{a^2x^2 - 1}\right) + x \log\left(-ax + \sqrt{a^2x^2 - 1}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^2,x, algorithm="fricas")

[Out]  $(2*a*x*\arctan(-a*x + \text{sqrt}(a^2*x^2 - 1)) + (x - 1)*\log(a*x + \text{sqrt}(a^2*x^2 - 1)) + x*\log(-a*x + \text{sqrt}(a^2*x^2 - 1)))/x$

**giac** [A] time = 0.43, size = 36, normalized size = 1.12

$$a \arctan\left(\sqrt{a^2x^2 - 1}\right) - \frac{\log\left(ax + \sqrt{a^2x^2 - 1}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^2,x, algorithm="giac")

[Out]  $a*\arctan(\text{sqrt}(a^2*x^2 - 1)) - \log(a*x + \text{sqrt}(a^2*x^2 - 1))/x$

**maple** [A] time = 0.02, size = 51, normalized size = 1.59

$$\frac{\text{arccosh}(ax)}{x} - \frac{a\sqrt{ax-1}\sqrt{ax+1}\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{\sqrt{a^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)/x^2,x)

[Out]  $-\text{arccosh}(a*x)/x - a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/(a^2*x^2-1)^{(1/2)}*\arctan(1/(a^2*x^2-1)^{(1/2)})$

**maxima** [A] time = 0.87, size = 22, normalized size = 0.69

$$-a \arcsin\left(\frac{1}{a|x|}\right) - \frac{\text{arcosh}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^2,x, algorithm="maxima")

[Out]  $-a*\arcsin(1/(a*\text{abs}(x))) - \text{arccosh}(a*x)/x$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\text{acosh}(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)/x^2,x)

```
[Out] int(acosh(a*x)/x^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\operatorname{acosh}(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acosh(a*x)/x**2,x)
```

```
[Out] Integral(acosh(a*x)/x**2, x)
```



### 3.8 $\int \frac{\cosh^{-1}(ax)}{x^3} dx$

**Optimal.** Leaf size=38

$$\frac{a\sqrt{ax-1}\sqrt{ax+1}}{2x} - \frac{\cosh^{-1}(ax)}{2x^2}$$

[Out]  $-1/2*\operatorname{arccosh}(a*x)/x^2+1/2*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.01, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {5662, 95}

$$\frac{a\sqrt{ax-1}\sqrt{ax+1}}{2x} - \frac{\cosh^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]/x^3,x]

[Out]  $(a*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(2*x) - \operatorname{ArcCosh}[a*x]/(2*x^2)$

**Rule 95**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1), 0] && NeQ[m, -1]

**Rule 5662**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)}{x^3} dx &= -\frac{\cosh^{-1}(ax)}{2x^2} + \frac{1}{2}a \int \frac{1}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{2x} - \frac{\cosh^{-1}(ax)}{2x^2} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 35, normalized size = 0.92

$$\frac{ax\sqrt{ax-1}\sqrt{ax+1} - \cosh^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]/x^3,x]

[Out]  $(a*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x] - \operatorname{ArcCosh}[a*x])/(2*x^2)$

**fricas [A]** time = 0.53, size = 38, normalized size = 1.00

$$\frac{\sqrt{a^2x^2-1}ax - \log\left(ax + \sqrt{a^2x^2-1}\right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^3,x, algorithm="fricas")

[Out] 1/2\*(sqrt(a^2\*x^2 - 1)\*a\*x - log(a\*x + sqrt(a^2\*x^2 - 1)))/x^2

giac [A] time = 0.42, size = 50, normalized size = 1.32

$$\frac{a|a|}{(x|a| - \sqrt{a^2x^2 - 1})^2 + 1} - \frac{\log(ax + \sqrt{a^2x^2 - 1})}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^3,x, algorithm="giac")

[Out] a\*abs(a)/((x\*abs(a) - sqrt(a^2\*x^2 - 1))^2 + 1) - 1/2\*log(a\*x + sqrt(a^2\*x^2 - 1))/x^2

maple [A] time = 0.01, size = 40, normalized size = 1.05

$$a^2 \left( -\frac{\operatorname{arccosh}(ax)}{2a^2x^2} + \frac{\sqrt{ax-1}\sqrt{ax+1}}{2ax} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)/x^3,x)

[Out] a^2\*(-1/2\*arccosh(a\*x)/a^2/x^2+1/2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/x)

maxima [A] time = 0.87, size = 27, normalized size = 0.71

$$\frac{\sqrt{a^2x^2 - 1} a}{2x} - \frac{\operatorname{arcosh}(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^3,x, algorithm="maxima")

[Out] 1/2\*sqrt(a^2\*x^2 - 1)\*a/x - 1/2\*arccosh(a\*x)/x^2

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\operatorname{acosh}(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)/x^3,x)

[Out] int(acosh(a\*x)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)/x\*\*3,x)

[Out] Integral(acosh(a\*x)/x\*\*3, x)

### 3.9 $\int \frac{\cosh^{-1}(ax)}{x^4} dx$

**Optimal.** Leaf size=65

$$\frac{1}{6}a^3 \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) - \frac{\cosh^{-1}(ax)}{3x^3} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{6x^2}$$

[Out]  $-1/3*\operatorname{arccosh}(a*x)/x^3+1/6*a^3*\arctan((a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))+1/6*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^2$

**Rubi [A]** time = 0.03, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5662, 103, 12, 92, 205}

$$\frac{1}{6}a^3 \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{6x^2} - \frac{\cosh^{-1}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]/x^4,x]

[Out]  $(a*\sqrt{-1+a*x}*\sqrt{1+a*x})/(6*x^2) - \operatorname{ArcCosh}[a*x]/(3*x^3) + (a^3*\operatorname{ArcTan}[\sqrt{-1+a*x}*\sqrt{1+a*x}])/6$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 92

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]\*((e\_.) + (f\_.)\*(x\_.))), x\_Symbol] := Dist[b\*f, Subst[Int[1/(d\*(b\*e - a\*f)^2 + b\*f^2\*x^2), x], x, Sqrt[a + b\*x]\*Sqrt[c + d\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2\*b\*d\*e - f\*(b\*c + a\*d), 0]

#### Rule 103

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*(m + 1) - b\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)}{x^4} dx &= -\frac{\cosh^{-1}(ax)}{3x^3} + \frac{1}{3}a \int \frac{1}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\cosh^{-1}(ax)}{3x^3} + \frac{1}{6}a \int \frac{a^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\cosh^{-1}(ax)}{3x^3} + \frac{1}{6}a^3 \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\cosh^{-1}(ax)}{3x^3} + \frac{1}{6}a^4 \text{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\cosh^{-1}(ax)}{3x^3} + \frac{1}{6}a^3 \tan^{-1}\left(\sqrt{-1+ax}\sqrt{1+ax}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 78, normalized size = 1.20

$$\frac{ax(a^2x^2+a^2x^2\sqrt{a^2x^2-1}\tan^{-1}(\sqrt{a^2x^2-1})-1)}{\sqrt{ax-1}\sqrt{ax+1}} - 2\cosh^{-1}(ax)$$


---


$$6x^3$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]/x^4,x]

[Out] (-2\*ArcCosh[a\*x] + (a\*x\*(-1 + a^2\*x^2 + a^2\*x^2\*Sqrt[-1 + a^2\*x^2])\*ArcTan[Sqrt[-1 + a^2\*x^2]]))/(Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]))/(6\*x^3)

**fricas [A]** time = 0.80, size = 90, normalized size = 1.38

$$\frac{2a^3x^3 \arctan\left(-ax + \sqrt{a^2x^2 - 1}\right) + 2x^3 \log\left(-ax + \sqrt{a^2x^2 - 1}\right) + \sqrt{a^2x^2 - 1}ax + 2(x^3 - 1) \log\left(ax + \sqrt{a^2x^2 - 1}\right)}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^4,x, algorithm="fricas")

[Out] 1/6\*(2\*a^3\*x^3\*arctan(-a\*x + sqrt(a^2\*x^2 - 1)) + 2\*x^3\*log(-a\*x + sqrt(a^2\*x^2 - 1)) + sqrt(a^2\*x^2 - 1)\*a\*x + 2\*(x^3 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/x^3

**giac [A]** time = 0.44, size = 62, normalized size = 0.95

$$\frac{a^4 \arctan\left(\sqrt{a^2x^2 - 1}\right) + \frac{\sqrt{a^2x^2 - 1}a^2}{x^2}}{6a} - \frac{\log\left(ax + \sqrt{a^2x^2 - 1}\right)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^4,x, algorithm="giac")

[Out] 1/6\*(a^4\*arctan(sqrt(a^2\*x^2 - 1)) + sqrt(a^2\*x^2 - 1)\*a^2/x^2)/a - 1/3\*log(a\*x + sqrt(a^2\*x^2 - 1))/x^3

**maple [A]** time = 0.01, size = 73, normalized size = 1.12

$$-\frac{\operatorname{arccosh}(ax)}{3x^3} - \frac{a^3\sqrt{ax-1}\sqrt{ax+1}\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{6\sqrt{a^2x^2-1}} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)/x^4,x)

[Out]  $-1/3*\operatorname{arccosh}(a*x)/x^3-1/6*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/(a^2*x^2-1)^{(1/2)}$   
 $*\arctan(1/(a^2*x^2-1)^{(1/2)})+1/6*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^2$

**maxima** [A] time = 0.86, size = 43, normalized size = 0.66

$$-\frac{1}{6}\left(a^2 \arcsin\left(\frac{1}{a|x|}\right) - \frac{\sqrt{a^2x^2-1}}{x^2}\right)a - \frac{\operatorname{arcosh}(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^4,x, algorithm="maxima")

[Out]  $-1/6*(a^2*\arcsin(1/(a*\operatorname{abs}(x)))) - \operatorname{sqrt}(a^2*x^2 - 1)/x^2)*a - 1/3*\operatorname{arccosh}(a*x)$   
 $/x^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)/x^4,x)

[Out] int(acosh(a\*x)/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)/x\*\*4,x)

[Out] Integral(acosh(a\*x)/x\*\*4, x)

### 3.10 $\int \frac{\cosh^{-1}(ax)}{x^5} dx$

**Optimal.** Leaf size=66

$$\frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{6x} - \frac{\cosh^{-1}(ax)}{4x^4} + \frac{a \sqrt{ax-1} \sqrt{ax+1}}{12x^3}$$

[Out]  $-1/4*\operatorname{arccosh}(a*x)/x^4+1/12*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^3+1/6*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.02, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 103, 12, 95}

$$\frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{6x} + \frac{a \sqrt{ax-1} \sqrt{ax+1}}{12x^3} - \frac{\cosh^{-1}(ax)}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]/x^5,x]

[Out]  $(a*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(12*x^3) + (a^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(6*x) - \operatorname{ArcCosh}[a*x]/(4*x^4)$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 95

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1), 0] && NeQ[m, -1]

#### Rule 103

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*(m + 1) - b\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*((d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)}{x^5} dx &= -\frac{\cosh^{-1}(ax)}{4x^4} + \frac{1}{4}a \int \frac{1}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} - \frac{\cosh^{-1}(ax)}{4x^4} + \frac{1}{12}a \int \frac{2a^2}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} - \frac{\cosh^{-1}(ax)}{4x^4} + \frac{1}{6}a^3 \int \frac{1}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{6x} - \frac{\cosh^{-1}(ax)}{4x^4}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 45, normalized size = 0.68

$$\frac{ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+1)-3\cosh^{-1}(ax)}{12x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]/x^5,x]

[Out] (a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(1 + 2\*a^2\*x^2) - 3\*ArcCosh[a\*x])/(12\*x^4)

**fricas [A]** time = 0.54, size = 48, normalized size = 0.73

$$\frac{(2a^3x^3+ax)\sqrt{a^2x^2-1}-3\log(ax+\sqrt{a^2x^2-1})}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^5,x, algorithm="fricas")

[Out] 1/12\*((2\*a^3\*x^3 + a\*x)\*sqrt(a^2\*x^2 - 1) - 3\*log(a\*x + sqrt(a^2\*x^2 - 1)))/x^4

**giac [A]** time = 0.37, size = 77, normalized size = 1.17

$$\frac{\left(3\left(x|a|-\sqrt{a^2x^2-1}\right)^2+1\right)a^3|a|\log\left(ax+\sqrt{a^2x^2-1}\right)}{3\left(\left(x|a|-\sqrt{a^2x^2-1}\right)^2+1\right)^3}-\frac{\log\left(ax+\sqrt{a^2x^2-1}\right)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^5,x, algorithm="giac")

[Out] 1/3\*(3\*(x\*abs(a) - sqrt(a^2\*x^2 - 1))^2 + 1)\*a^3\*abs(a)/((x\*abs(a) - sqrt(a^2\*x^2 - 1))^2 + 1)^3 - 1/4\*log(a\*x + sqrt(a^2\*x^2 - 1))/x^4

**maple [A]** time = 0.01, size = 50, normalized size = 0.76

$$a^4\left(-\frac{\operatorname{arccosh}(ax)}{4a^4x^4}+\frac{\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+1)}{12a^3x^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)/x^5,x)

[Out]  $a^4 \cdot (-1/4 \cdot \operatorname{arccosh}(ax) / a^4 / x^4 + 1/12 \cdot (ax-1)^{1/2} \cdot (ax+1)^{1/2} \cdot (2a^2x^2+1) / a^3 / x^3)$

**maxima** [A] time = 0.52, size = 48, normalized size = 0.73

$$\frac{1}{12} \left( \frac{2 \sqrt{a^2 x^2 - 1} a^2}{x} + \frac{\sqrt{a^2 x^2 - 1}}{x^3} \right) a - \frac{\operatorname{arcosh}(ax)}{4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccosh(a*x)/x^5,x, algorithm="maxima")`

[Out]  $1/12 \cdot (2 \cdot \sqrt{a^2 x^2 - 1} \cdot a^2 / x + \sqrt{a^2 x^2 - 1} / x^3) \cdot a - 1/4 \cdot \operatorname{arccosh}(ax) / x^4$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acosh(a*x)/x^5,x)`

[Out] `int(acosh(a*x)/x^5, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acosh(a*x)/x**5,x)`

[Out] `Integral(acosh(a*x)/x**5, x)`



### 3.11 $\int \frac{\cosh^{-1}(ax)}{x^6} dx$

**Optimal.** Leaf size=93

$$\frac{3}{40}a^5 \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) + \frac{3a^3\sqrt{ax-1}\sqrt{ax+1}}{40x^2} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{20x^4}$$

[Out]  $-1/5*\operatorname{arccosh}(a*x)/x^5+3/40*a^5*\arctan((a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))+1/20*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^4+3/40*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^2$

**Rubi [A]** time = 0.04, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5662, 103, 12, 92, 205}

$$\frac{3a^3\sqrt{ax-1}\sqrt{ax+1}}{40x^2} + \frac{3}{40}a^5 \tan^{-1}\left(\sqrt{ax-1}\sqrt{ax+1}\right) + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{20x^4} - \frac{\cosh^{-1}(ax)}{5x^5}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]/x^6,x]

[Out]  $(a*\sqrt{-1+a*x}*\sqrt{1+a*x})/(20*x^4) + (3*a^3*\sqrt{-1+a*x}*\sqrt{1+a*x})/(40*x^2) - \operatorname{ArcCosh}[a*x]/(5*x^5) + (3*a^5*\operatorname{ArcTan}[\sqrt{-1+a*x}*\sqrt{1+a*x}])/40$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 92

Int[1/(Sqrt[(a\_)+(b\_)\*(x\_)]\*Sqrt[(c\_)+(d\_)\*(x\_)]\*((e\_)+(f\_)\*(x\_))), x\_Symbol] := Dist[b\*f, Subst[Int[1/(d\*(b\*e-a\*f)^2+b\*f^2\*x^2), x], x, Sqrt[a+b\*x]\*Sqrt[c+d\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2\*b\*d\*e-f\*(b\*c+a\*d), 0]

#### Rule 103

Int[((a\_)+(b\_)\*(x\_))^(m\_)\*((c\_)+(d\_)\*(x\_))^(n\_)\*((e\_)+(f\_)\*(x\_))^(p\_), x\_Symbol] := Simp[(b\*(a+b\*x)^(m+1)\*(c+d\*x)^(n+1)\*(e+f\*x)^(p+1))/((m+1)\*(b\*c-a\*d)\*(b\*e-a\*f)), x] + Dist[1/((m+1)\*(b\*c-a\*d)\*(b\*e-a\*f)), Int[(a+b\*x)^(m+1)\*(c+d\*x)^n\*(e+f\*x)^p\*Simp[a\*d\*f\*(m+1)-b\*(d\*e\*(m+n+2)+c\*f\*(m+p+2))-b\*d\*f\*(m+n+p+3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

#### Rule 205

Int[((a\_)+(b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 5662

Int[((a\_)+ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)}{x^6} dx &= -\frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{5}a \int \frac{1}{x^5\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{20}a \int \frac{3a^2}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{20}(3a^3) \int \frac{1}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{40}(3a^3) \int \frac{a^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{40}(3a^5) \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{1}{40}(3a^6) \text{Subst}\left(\int \frac{1}{a+ax^2} dx\right) \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\cosh^{-1}(ax)}{5x^5} + \frac{3}{40}a^5 \tan^{-1}\left(\sqrt{-1+ax}\sqrt{1+ax}\right)
\end{aligned}$$

**Mathematica** [A] time = 0.05, size = 104, normalized size = 1.12

$$\frac{-3a^5x^5 + a^3x^3 - 3a^5x^5\sqrt{a^2x^2-1} \tan^{-1}\left(\sqrt{a^2x^2-1}\right) + 2ax + 8\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{40x^5\sqrt{ax-1}\sqrt{ax+1}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]/x^6,x]

[Out] -1/40\*(2\*a\*x + a^3\*x^3 - 3\*a^5\*x^5 + 8\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] - 3\*a^5\*x^5\*Sqrt[-1 + a^2\*x^2]\*ArcTan[Sqrt[-1 + a^2\*x^2]])/(x^5\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])

**fricas** [A] time = 0.68, size = 101, normalized size = 1.09

$$\frac{6a^5x^5 \arctan\left(-ax + \sqrt{a^2x^2-1}\right) + 8x^5 \log\left(-ax + \sqrt{a^2x^2-1}\right) + 8(x^5-1) \log\left(ax + \sqrt{a^2x^2-1}\right) + (3a^3x^3 + 2a^5x^5)}{40x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^6,x, algorithm="fricas")

[Out] 1/40\*(6\*a^5\*x^5\*arctan(-a\*x + sqrt(a^2\*x^2 - 1)) + 8\*x^5\*log(-a\*x + sqrt(a^2\*x^2 - 1)) + 8\*(x^5 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)) + (3\*a^3\*x^3 + 2\*a^5\*x^5)\*sqrt(a^2\*x^2 - 1))/x^5

**giac** [A] time = 0.37, size = 85, normalized size = 0.91

$$\frac{3a^6 \arctan\left(\sqrt{a^2x^2-1}\right) + \frac{3(a^2x^2-1)^{\frac{3}{2}}a^6+5\sqrt{a^2x^2-1}a^6}{a^4x^4}}{40a} - \frac{\log\left(ax + \sqrt{a^2x^2-1}\right)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)/x^6,x, algorithm="giac")

[Out]  $\frac{1}{40} \cdot (3a^6 \arctan(\sqrt{a^2x^2 - 1}) + (3(a^2x^2 - 1)^{3/2} a^6 + 5\sqrt{a^2x^2 - 1} a^6) / (a^4x^4)) / a - \frac{1}{5} \log(ax + \sqrt{a^2x^2 - 1}) / x^5$

**maple** [A] time = 0.01, size = 95, normalized size = 1.02

$$\frac{\operatorname{arccosh}(ax)}{5x^5} - \frac{3a^5\sqrt{ax-1}\sqrt{ax+1}\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{40\sqrt{a^2x^2-1}} + \frac{3a^3\sqrt{ax-1}\sqrt{ax+1}}{40x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{20x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccosh(a*x)/x^6,x)`

[Out]  $-1/5 \operatorname{arccosh}(ax) / x^5 - 3/40 a^5 (ax-1)^{1/2} (ax+1)^{1/2} / (a^2x^2-1)^{1/2} \arctan(1/(a^2x^2-1)^{1/2}) + 3/40 a^3 (ax-1)^{1/2} (ax+1)^{1/2} / x^2 + 1/20 a (ax-1)^{1/2} (ax+1)^{1/2} / x^4$

**maxima** [A] time = 0.88, size = 63, normalized size = 0.68

$$-\frac{1}{40} \left( 3a^4 \arcsin\left(\frac{1}{a|x|}\right) - \frac{3\sqrt{a^2x^2-1}a^2}{x^2} - \frac{2\sqrt{a^2x^2-1}}{x^4} \right) a - \frac{\operatorname{arcosh}(ax)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccosh(a*x)/x^6,x, algorithm="maxima")`

[Out]  $-1/40 \cdot (3a^4 \arcsin(1/(a \cdot \operatorname{abs}(x)))) - 3 \cdot \sqrt{a^2x^2 - 1} \cdot a^2 / x^2 - 2 \cdot \sqrt{a^2x^2 - 1} / x^4) \cdot a - 1/5 \operatorname{arccosh}(ax) / x^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acosh(a*x)/x^6,x)`

[Out] `int(acosh(a*x)/x^6, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}(ax)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acosh(a*x)/x**6,x)`

[Out] `Integral(acosh(a*x)/x**6, x)`

### 3.12 $\int x^4 \cosh^{-1}(ax)^2 dx$

Optimal. Leaf size=132

$$-\frac{16\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{75a^5} + \frac{16x}{75a^4} - \frac{8x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{75a^3} + \frac{8x^3}{225a^2} + \frac{1}{5}x^5\cosh^{-1}(ax)^2 - \frac{2x^4\sqrt{ax-1}}{75a^5}$$

[Out] 16/75\*x/a^4+8/225\*x^3/a^2+2/125\*x^5+1/5\*x^5\*arccosh(a\*x)^2-16/75\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^5-8/75\*x^2\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-2/25\*x^4\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 0.49, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5759, 5718, 8, 30}

$$\frac{8x^3}{225a^2} - \frac{8x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{75a^3} + \frac{16x}{75a^4} - \frac{16\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{75a^5} + \frac{1}{5}x^5\cosh^{-1}(ax)^2 - \frac{2x^4\sqrt{ax-1}}{75a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcCosh[a\*x]^2,x]

[Out] (16\*x)/(75\*a^4) + (8\*x^3)/(225\*a^2) + (2\*x^5)/125 - (16\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x])/(75\*a^5) - (8\*x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x])/(75\*a^3) - (2\*x^4\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x])/(25\*a) + (x^5\*ArcCosh[a\*x]^2)/5

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c^n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d1\_.) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(q + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^(IntPart[p])\*(d1 + e1\*x)^(FracPart[p])\*(d2 + e2\*x)^(FracPart[p]))/(2\*c\*(p + 1)\*(1 + c\*x)^(FracPart[p])\*(-1 + c\*x)^(FracPart[p])), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rule 5759

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)/(sqrt[(d1\_.) + (e1\_.)\*(x\_)]\*sqrt[(d2\_.) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*sqrt[d1 + e1\*x]\*sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/

(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned} \int x^4 \cosh^{-1}(ax)^2 dx &= \frac{1}{5}x^5 \cosh^{-1}(ax)^2 - \frac{1}{5}(2a) \int \frac{x^5 \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^2 + \frac{2 \int x^4 dx}{25} - \frac{8 \int \frac{x^3 \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\ &= \frac{2x^5}{125} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{75a^3} - \frac{2x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^2 \\ &= \frac{8x^3}{225a^2} + \frac{2x^5}{125} - \frac{16\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{75a^5} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{75a^3} \\ &= \frac{16x}{75a^4} + \frac{8x^3}{225a^2} + \frac{2x^5}{125} - \frac{16\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{75a^5} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{75a^3} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 80, normalized size = 0.61

$$\frac{\frac{240x}{a^4} + \frac{40x^3}{a^2} - \frac{30\sqrt{ax-1}\sqrt{ax+1}(3a^4x^4+4a^2x^2+8)\cosh^{-1}(ax)}{a^5} + 225x^5 \cosh^{-1}(ax)^2 + 18x^5}{1125}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcCosh[a\*x]^2,x]

[Out] ((240\*x)/a^4 + (40\*x^3)/a^2 + 18\*x^5 - (30\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(8 + 4\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcCosh[a\*x])/a^5 + 225\*x^5\*ArcCosh[a\*x]^2)/1125

**fricas [A]** time = 0.58, size = 99, normalized size = 0.75

$$\frac{225 a^5 x^5 \log\left(ax + \sqrt{a^2 x^2 - 1}\right)^2 + 18 a^5 x^5 + 40 a^3 x^3 - 30\left(3 a^4 x^4 + 4 a^2 x^2 + 8\right) \sqrt{a^2 x^2 - 1} \log\left(ax + \sqrt{a^2 x^2 - 1}\right)}{1125 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^2,x, algorithm="fricas")

[Out] 1/1125\*(225\*a^5\*x^5\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 + 18\*a^5\*x^5 + 40\*a^3\*x^3 - 30\*(3\*a^4\*x^4 + 4\*a^2\*x^2 + 8)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)) + 240\*a\*x)/a^5

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.05, size = 112, normalized size = 0.85

$$\frac{\operatorname{arccosh}(ax)^2 a^5 x^5}{5} - \frac{16\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{75} - \frac{2\operatorname{arccosh}(ax)a^4 x^4 \sqrt{ax-1}\sqrt{ax+1}}{25} - \frac{8\operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}a^2 x^2}{75} + \frac{16ax}{75} + \frac{2x^5 a^5}{125}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^2,x)

[Out]  $\frac{1}{a^5} \left( \frac{1}{5} \operatorname{arccosh}(ax)^2 a^5 x^5 - \frac{16}{75} (ax-1)^{1/2} (ax+1)^{1/2} \operatorname{arccosh}(ax) a^4 x^4 + \frac{2}{25} \operatorname{arccosh}(ax) a^4 x^4 \sqrt{ax-1} \sqrt{ax+1} - \frac{8}{75} \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1} a^2 x^2 + \frac{16ax}{75} + \frac{2x^5 a^5}{125} \right)$

**maxima [A]** time = 0.68, size = 99, normalized size = 0.75

$$\frac{1}{5} x^5 \operatorname{arccosh}(ax)^2 - \frac{2}{75} \left( \frac{3\sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4\sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8\sqrt{a^2 x^2 - 1}}{a^6} \right) a \operatorname{arccosh}(ax) + \frac{2(9a^4 x^5 + 20a^2 x^3 + 120x)}{1125 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $\frac{1}{5} x^5 \operatorname{arccosh}(ax)^2 - \frac{2}{75} (3\sqrt{a^2 x^2 - 1} x^4 / a^2 + 4\sqrt{a^2 x^2 - 1} x^2 / a^4 + 8\sqrt{a^2 x^2 - 1} / a^6) a \operatorname{arccosh}(ax) + \frac{2(9a^4 x^5 + 20a^2 x^3 + 120x)}{1125 a^4}$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^2,x)

[Out] int(x^4\*acosh(a\*x)^2, x)

**sympy [A]** time = 3.42, size = 122, normalized size = 0.92

$$\begin{cases} \frac{x^5 \operatorname{acosh}^2(ax)}{5} + \frac{2x^5}{125} - \frac{2x^4 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{25a} + \frac{8x^3}{225a^2} - \frac{8x^2 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{75a^3} + \frac{16x}{75a^4} - \frac{16\sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{75a^5} & \text{for } a \neq 0 \\ -\frac{\pi^2 x^5}{20} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*2,x)

[Out]  $\text{Piecewise}((x**5*\operatorname{acosh}(a*x)**2/5 + 2*x**5/125 - 2*x**4*\sqrt{a**2*x**2 - 1}*\operatorname{acosh}(a*x)/(25*a) + 8*x**3/(225*a**2) - 8*x**2*\sqrt{a**2*x**2 - 1}*\operatorname{acosh}(a*x)/(75*a**3) + 16*x/(75*a**4) - 16*\sqrt{a**2*x**2 - 1}*\operatorname{acosh}(a*x)/(75*a**5), \text{Ne}(a, 0)), (-\pi**2*x**5/20, \text{True}))$

### 3.13 $\int x^3 \cosh^{-1}(ax)^2 dx$

**Optimal.** Leaf size=106

$$-\frac{3 \cosh^{-1}(ax)^2}{32a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{16a^3} + \frac{3x^2}{32a^2} + \frac{1}{4}x^4 \cosh^{-1}(ax)^2 - \frac{x^3\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{8a} + \frac{x^4}{32}$$

[Out] 3/32\*x^2/a^2+1/32\*x^4-3/32\*arccosh(a\*x)^2/a^4+1/4\*x^4\*arccosh(a\*x)^2-3/16\*x\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-1/8\*x^3\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 0.44, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5662, 5759, 5676, 30}

$$\frac{3x^2}{32a^2} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{16a^3} - \frac{3 \cosh^{-1}(ax)^2}{32a^4} + \frac{1}{4}x^4 \cosh^{-1}(ax)^2 - \frac{x^3\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{8a} + \frac{x^4}{32}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcCosh[a\*x]^2,x]

[Out] (3\*x^2)/(32\*a^2) + x^4/32 - (3\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/(16\*a^3) - (x^3\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/(8\*a) - (3\*ArcCosh[a\*x]^2)/(32\*a^4) + (x^4\*ArcCosh[a\*x]^2)/4

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c^n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)], x\_Symbol] := Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int[(((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_))\*((f\_)\*(x\_))^(m\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int x^3 \cosh^{-1}(ax)^2 dx &= \frac{1}{4}x^4 \cosh^{-1}(ax)^2 - \frac{1}{2}a \int \frac{x^4 \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{8a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^2 + \frac{\int x^3 dx}{8} - \frac{3 \int \frac{x^2 \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a} \\
&= \frac{x^4}{32} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{16a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{8a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^2 \\
&= \frac{3x^2}{32a^2} + \frac{x^4}{32} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{16a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{8a} - \frac{3 \cosh^{-1}(ax)^2}{32}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 77, normalized size = 0.73

$$\frac{(8a^4x^4 - 3)\cosh^{-1}(ax)^2 + a^2x^2(a^2x^2 + 3) - 2ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2 + 3)\cosh^{-1}(ax)}{32a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcCosh[a\*x]^2,x]

[Out] (a^2\*x^2\*(3 + a^2\*x^2) - 2\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(3 + 2\*a^2\*x^2) \*ArcCosh[a\*x] + (-3 + 8\*a^4\*x^4)\*ArcCosh[a\*x]^2)/(32\*a^4)

**fricas [A]** time = 0.57, size = 92, normalized size = 0.87

$$\frac{a^4x^4 + 3a^2x^2 + (8a^4x^4 - 3)\log(ax + \sqrt{a^2x^2 - 1})^2 - 2(2a^3x^3 + 3ax)\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^2,x, algorithm="fricas")

[Out] 1/32\*(a^4\*x^4 + 3\*a^2\*x^2 + (8\*a^4\*x^4 - 3)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 2\*(2\*a^3\*x^3 + 3\*a\*x)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/a^4

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.04, size = 92, normalized size = 0.87

$$\frac{\frac{a^4x^4\operatorname{arccosh}(ax)^2}{4} - \frac{\operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}a^3x^3}{8} - \frac{3\operatorname{arccosh}(ax)ax\sqrt{ax-1}\sqrt{ax+1}}{16} - \frac{3\operatorname{arccosh}(ax)^2}{32} + \frac{x^4a^4}{32} + \frac{3a^2x^2}{32}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^2,x)



[Out]  $1/a^4*(1/4*a^4*x^4*\operatorname{arccosh}(a*x)^2-1/8*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^3*x^3-3/16*\operatorname{arccosh}(a*x)*a*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-3/32*\operatorname{arccosh}(a*x)^2+1/32*x^4*a^4+3/32*a^2*x^2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4}x^4 \log\left(ax + \sqrt{ax+1}\sqrt{ax-1}\right)^2 - \int \frac{(a^3x^6 + \sqrt{ax+1}\sqrt{ax-1}a^2x^5 - ax^4) \log(ax + \sqrt{ax+1}\sqrt{ax-1})}{2(a^3x^3 + (a^2x^2 - 1)\sqrt{ax+1}\sqrt{ax-1} - ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccosh(a*x)^2,x, algorithm="maxima")`

[Out]  $1/4*x^4*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1})^2 - \operatorname{integrate}(1/2*(a^3*x^6 + \sqrt{a*x + 1}*\sqrt{a*x - 1}*a^2*x^5 - a*x^4)*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a^3*x^3 + (a^2*x^2 - 1)*\sqrt{a*x + 1}*\sqrt{a*x - 1} - a*x), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acosh(a*x)^2,x)`

[Out] `int(x^3*acosh(a*x)^2, x)`

**sympy** [A] time = 2.06, size = 99, normalized size = 0.93

$$\begin{cases} \frac{x^4 \operatorname{acosh}^2(ax)}{4} + \frac{x^4}{32} - \frac{x^3 \sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{8a} + \frac{3x^2}{32a^2} - \frac{3x \sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{16a^3} - \frac{3 \operatorname{acosh}^2(ax)}{32a^4} & \text{for } a \neq 0 \\ -\frac{\pi^2 x^4}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acosh(a*x)**2,x)`

[Out] `Piecewise((x**4*acosh(a*x)**2/4 + x**4/32 - x**3*sqrt(a**2*x**2 - 1)*acosh(a*x)/(8*a) + 3*x**2/(32*a**2) - 3*x*sqrt(a**2*x**2 - 1)*acosh(a*x)/(16*a**3) - 3*acosh(a*x)**2/(32*a**4), Ne(a, 0)), (-pi**2*x**4/16, True))`

### 3.14 $\int x^2 \cosh^{-1}(ax)^2 dx$

Optimal. Leaf size=90

$$-\frac{4\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{9a^3} + \frac{4x}{9a^2} + \frac{1}{3}x^3 \cosh^{-1}(ax)^2 - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{9a} + \frac{2x^3}{27}$$

[Out]  $4/9*x/a^2+2/27*x^3+1/3*x^3*\operatorname{arccosh}(a*x)^2-4/9*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-2/9*x^2*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.31, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5759, 5718, 8, 30}

$$\frac{4x}{9a^2} - \frac{4\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{9a^3} + \frac{1}{3}x^3 \cosh^{-1}(ax)^2 - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{9a} + \frac{2x^3}{27}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcCosh[a\*x]^2,x]

[Out]  $(4*x)/(9*a^2) + (2*x^3)/27 - (4*\sqrt{-1+a*x}*\sqrt{1+a*x}*\operatorname{ArcCosh}[a*x])/(9*a^3) - (2*x^2*\sqrt{-1+a*x}*\sqrt{1+a*x}*\operatorname{ArcCosh}[a*x])/(9*a) + (x^3*\operatorname{cCosh}[a*x]^2)/3$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c^n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*(x\_)\*((d1\_.) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p+1)), x] - Dist[(b\*n\*(-(d1\*d2))^(IntPart[p])\*(d1 + e1\*x)^(FracPart[p])\*(d2 + e2\*x)^(FracPart[p]))/(2\*c\*(p+1)\*(1+c\*x)^(FracPart[p])\*(-1+c\*x)^(FracPart[p])), Int[(-1+c^2\*x^2)^(p+1/2)\*(a + b\*ArcCosh[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)]/(Sqrt[(d1\_.) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m-1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m-1))/(c^2\*m), Int[((f\*x)^(m-2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1+c\*x]\*Sqrt[-1+c\*x]), Int[(f\*x)^(m-1)\*

$a + b \cdot \text{ArcCosh}[c \cdot x]^{(n-1)}, x, x) /;$  FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^2 \cosh^{-1}(ax)^2 dx &= \frac{1}{3}x^3 \cosh^{-1}(ax)^2 - \frac{1}{3}(2a) \int \frac{x^3 \cosh^{-1}(ax)}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\ &= -\frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^2 + \frac{2 \int x^2 dx}{9} - \frac{4 \int \frac{x \cosh^{-1}(ax)}{\sqrt{-1+ax} \sqrt{1+ax}} dx}{9a} \\ &= \frac{2x^3}{27} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{9a^3} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^2 \\ &= \frac{4x}{9a^2} + \frac{2x^3}{27} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{9a^3} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^2 \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 64, normalized size = 0.71

$$\frac{1}{27} \left( 2x \left( \frac{6}{a^2} + x^2 \right) - \frac{6\sqrt{ax-1} \sqrt{ax+1} (a^2x^2 + 2) \cosh^{-1}(ax)}{a^3} + 9x^3 \cosh^{-1}(ax)^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcCosh[a\*x]^2,x]

[Out] (2\*x\*(6/a^2 + x^2) - (6\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(2 + a^2\*x^2)\*ArcCosh[a\*x])/a^3 + 9\*x^3\*ArcCosh[a\*x]^2)/27

**fricas [A]** time = 0.62, size = 82, normalized size = 0.91

$$\frac{9a^3x^3 \log(ax + \sqrt{a^2x^2 - 1})^2 + 2a^3x^3 - 6(a^2x^2 + 2)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1}) + 12ax}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^2,x, algorithm="fricas")

[Out] 1/27\*(9\*a^3\*x^3\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 + 2\*a^3\*x^3 - 6\*(a^2\*x^2 + 2)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)) + 12\*a\*x)/a^3

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.04, size = 78, normalized size = 0.87

$$\frac{\frac{a^3x^3 \operatorname{arccosh}(ax)^2}{3} - \frac{4\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)}{9} - \frac{2 \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1} a^2x^2}{9} + \frac{4ax}{9} + \frac{2x^3a^3}{27}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccosh(a*x)^2,x)`

[Out]  $1/a^3*(1/3*a^3*x^3*arccosh(a*x)^2-4/9*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*arccosh(a*x)-2/9*arccosh(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^2*x^2+4/9*a*x+2/27*x^3*a^3)$

**maxima** [A] time = 0.69, size = 70, normalized size = 0.78

$$\frac{1}{3}x^3 \operatorname{arccosh}(ax)^2 - \frac{2}{9}a \left( \frac{\sqrt{a^2x^2-1}x^2}{a^2} + \frac{2\sqrt{a^2x^2-1}}{a^4} \right) \operatorname{arccosh}(ax) + \frac{2(a^2x^3+6x)}{27a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccosh(a*x)^2,x, algorithm="maxima")`

[Out]  $1/3*x^3*arccosh(a*x)^2 - 2/9*a*(sqrt(a^2*x^2 - 1)*x^2/a^2 + 2*sqrt(a^2*x^2 - 1)/a^4)*arccosh(a*x) + 2/27*(a^2*x^3 + 6*x)/a^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acosh(a*x)^2,x)`

[Out] `int(x^2*acosh(a*x)^2, x)`

**sympy** [A] time = 0.97, size = 85, normalized size = 0.94

$$\begin{cases} \frac{x^3 \operatorname{acosh}^2(ax)}{3} + \frac{2x^3}{27} - \frac{2x^2 \sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{9a} + \frac{4x}{9a^2} - \frac{4\sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{9a^3} & \text{for } a \neq 0 \\ -\frac{\pi^2 x^3}{12} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acosh(a*x)**2,x)`

[Out] `Piecewise((x**3*acosh(a*x)**2/3 + 2*x**3/27 - 2*x**2*sqrt(a**2*x**2 - 1)*acosh(a*x)/(9*a) + 4*x/(9*a**2) - 4*sqrt(a**2*x**2 - 1)*acosh(a*x)/(9*a**3), Ne(a, 0)), (-pi**2*x**3/12, True))`

### 3.15 $\int x \cosh^{-1}(ax)^2 dx$

Optimal. Leaf size=64

$$-\frac{\cosh^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{2a} + \frac{x^2}{4}$$

[Out]  $1/4*x^2-1/4*\operatorname{arccosh}(a*x)^2/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^2-1/2*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.25, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5759, 5676, 30}

$$-\frac{\cosh^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{2a} + \frac{x^2}{4}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcCosh[a\*x]^2,x]

[Out]  $x^2/4 - (x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(2*a) - \operatorname{ArcCosh}[a*x]^2/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^2)/2$

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c^n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)]\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] :> Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int((((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_))^(m\_))/(Sqrt[(d1\_) + (e1\_)\*(x\_)]\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int x \cosh^{-1}(ax)^2 dx &= \frac{1}{2}x^2 \cosh^{-1}(ax)^2 - a \int \frac{x^2 \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{2a} + \frac{1}{2}x^2 \cosh^{-1}(ax)^2 + \frac{\int x dx}{2} - \frac{\int \frac{\cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{2a} \\
&= \frac{x^2}{4} - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{2a} - \frac{\cosh^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^2
\end{aligned}$$

**Mathematica** [A] time = 0.06, size = 58, normalized size = 0.91

$$\frac{a^2x^2 + (2a^2x^2 - 1)\cosh^{-1}(ax)^2 - 2ax\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcCosh[a\*x]^2,x]

[Out] (a^2\*x^2 - 2\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] + (-1 + 2\*a^2\*x^2)\*ArcCosh[a\*x]^2)/(4\*a^2)

**fricas** [A] time = 0.59, size = 73, normalized size = 1.14

$$\frac{a^2x^2 - 2\sqrt{a^2x^2 - 1}ax \log(ax + \sqrt{a^2x^2 - 1}) + (2a^2x^2 - 1)\log(ax + \sqrt{a^2x^2 - 1})^2}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^2,x, algorithm="fricas")

[Out] 1/4\*(a^2\*x^2 - 2\*sqrt(a^2\*x^2 - 1)\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)) + (2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2)/a^2

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.03, size = 58, normalized size = 0.91

$$\frac{\frac{a^2x^2\operatorname{arccosh}(ax)^2}{2} - \frac{\operatorname{arccosh}(ax)ax\sqrt{ax-1}\sqrt{ax+1}}{2} - \frac{\operatorname{arccosh}(ax)^2}{4} + \frac{a^2x^2}{4}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^2,x)

[Out] 1/a^2\*(1/2\*a^2\*x^2\*arccosh(a\*x)^2-1/2\*arccosh(a\*x)\*a\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/4\*arccosh(a\*x)^2+1/4\*a^2\*x^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} x^2 \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^2 - \int \frac{\left( a^3 x^4 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^3 - ax^2 \right) \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)}{a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^2,x, algorithm="maxima")

[Out] 1/2\*x^2\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2 - integrate((a^3\*x^4 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x^3 - a\*x^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))/(a^3\*x^3 + (a^2\*x^2 - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \operatorname{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^2,x)

[Out] int(x\*acosh(a\*x)^2, x)

**sympy** [A] time = 0.49, size = 60, normalized size = 0.94

$$\begin{cases} \frac{x^2 \operatorname{acosh}^2(ax)}{2} + \frac{x^2}{4} - \frac{x \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{2a} - \frac{\operatorname{acosh}^2(ax)}{4a^2} & \text{for } a \neq 0 \\ -\frac{\pi^2 x^2}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*2,x)

[Out] Piecewise((x\*\*2\*acosh(a\*x)\*\*2/2 + x\*\*2/4 - x\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/(2\*a) - acosh(a\*x)\*\*2/(4\*a\*\*2), Ne(a, 0)), (-pi\*\*2\*x\*\*2/8, True))

### 3.16 $\int \cosh^{-1}(ax)^2 dx$

Optimal. Leaf size=39

$$x \cosh^{-1}(ax)^2 - \frac{2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 2x$$

[Out] 2\*x+x\*arccosh(a\*x)^2-2\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 0.13, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5654, 5718, 8}

$$x \cosh^{-1}(ax)^2 - \frac{2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 2x$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2,x]

[Out] 2\*x - (2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/a + x\*ArcCosh[a\*x]^2

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\*(x\_)\*((d1\_)+(e1\_.)\*(x\_))^(p\_.)\*((d2\_)+(e2\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p+1)), x] - Dist[(b\*n\*(-d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p]]/(2\*c\*(p+1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p+1/2)\*(a + b\*ArcCosh[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax)^2 dx &= x \cosh^{-1}(ax)^2 - (2a) \int \frac{x \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} + x \cosh^{-1}(ax)^2 + 2 \int 1 dx \\ &= 2x - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} + x \cosh^{-1}(ax)^2 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 39, normalized size = 1.00

$$x \cosh^{-1}(ax)^2 - \frac{2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 2x$$



Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^2,x]

[Out]  $2*x - (2*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x]*\text{ArcCosh}[a*x])/a + x*\text{ArcCosh}[a*x]^2$

**fricas** [A] time = 0.58, size = 59, normalized size = 1.51

$$\frac{ax \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2 + 2ax - 2\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2,x, algorithm="fricas")

[Out]  $(a*x*\log(a*x + \text{sqrt}(a^2*x^2 - 1))^2 + 2*a*x - 2*\text{sqrt}(a^2*x^2 - 1)*\log(a*x + \text{sqrt}(a^2*x^2 - 1)))/a$

**giac** [A] time = 0.33, size = 62, normalized size = 1.59

$$x \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2 + 2a \left( \frac{x}{a} - \frac{\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2,x, algorithm="giac")

[Out]  $x*\log(a*x + \text{sqrt}(a^2*x^2 - 1))^2 + 2*a*(x/a - \text{sqrt}(a^2*x^2 - 1)*\log(a*x + \text{sqrt}(a^2*x^2 - 1)))/a^2$

**maple** [A] time = 0.04, size = 39, normalized size = 1.00

$$\frac{ax \text{arccosh}(ax)^2 - 2\sqrt{ax - 1} \sqrt{ax + 1} \text{arccosh}(ax) + 2ax}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2,x)

[Out]  $1/a*(a*x*\text{arccosh}(a*x)^2 - 2*(a*x - 1)^{(1/2)}*(a*x + 1)^{(1/2)}*\text{arccosh}(a*x) + 2*a*x)$

**maxima** [A] time = 0.60, size = 32, normalized size = 0.82

$$x \text{arccosh}(ax)^2 + 2x - \frac{2\sqrt{a^2x^2 - 1} \text{arccosh}(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $x*\text{arccosh}(a*x)^2 + 2*x - 2*\text{sqrt}(a^2*x^2 - 1)*\text{arccosh}(a*x)/a$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \text{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2,x)

[Out] int(acosh(a\*x)^2, x)

sympy [A] time = 0.21, size = 39, normalized size = 1.00

$$\begin{cases} x \operatorname{acosh}^2(ax) + 2x - \frac{2\sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{a} & \text{for } a \neq 0 \\ -\frac{\pi^2x}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2,x)

[Out] Piecewise((x\*acosh(a\*x)\*\*2 + 2\*x - 2\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/a, Ne(a, 0)), (-pi\*\*2\*x/4, True))

$$3.17 \quad \int \frac{\cosh^{-1}(ax)^2}{x} dx$$

**Optimal.** Leaf size=62

$$\cosh^{-1}(ax)\text{Li}_2\left(-e^{2\cosh^{-1}(ax)}\right) - \frac{1}{2}\text{Li}_3\left(-e^{2\cosh^{-1}(ax)}\right) - \frac{1}{3}\cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log\left(e^{2\cosh^{-1}(ax)} + 1\right)$$

[Out]  $-1/3*\text{arccosh}(a*x)^3 + \text{arccosh}(a*x)^2*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) + \text{arccosh}(a*x)*\text{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) - 1/2*\text{polylog}(3, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2)$

**Rubi [A]** time = 0.09, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5660, 3718, 2190, 2531, 2282, 6589}

$$\cosh^{-1}(ax)\text{PolyLog}\left(2, -e^{2\cosh^{-1}(ax)}\right) - \frac{1}{2}\text{PolyLog}\left(3, -e^{2\cosh^{-1}(ax)}\right) - \frac{1}{3}\cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log\left(e^{2\cosh^{-1}(ax)} + 1\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2/x, x]

[Out]  $-\text{ArcCosh}[a*x]^3/3 + \text{ArcCosh}[a*x]^2*\text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] + \text{ArcCosh}[a*x]*\text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}] - \text{PolyLog}[3, -E^{(2*\text{ArcCosh}[a*x])}]/2$

#### Rule 2190

Int[(((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^((n\_)\*((c\_) + (d\_)\*(x\_))^(m\_)))/((a\_) + (b\_)\*((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^((n\_))), x\_Symbol] := Simp[(((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\* (F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 2531

Int[Log[1 + (e\_)\*((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_)))^((n\_)))\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[(((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 3718

Int[(((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)], x\_Symbol] := -Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] + Dist[2\*I, Int[(((c + d\*x)^m\*E^(2\*(-I\*e) + f\*fz\*x)))/(1 + E^(2\*(-I\*e) + f\*fz\*x)), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

#### Rule 5660

Int[(((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Coth[x], x], x, ArcCosh[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n,

0]

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^2}{x} dx &= \text{Subst} \left( \int x^2 \tanh(x) dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{3} \cosh^{-1}(ax)^3 + 2 \text{Subst} \left( \int \frac{e^{2x} x^2}{1 + e^{2x}} dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{3} \cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) - 2 \text{Subst} \left( \int x \log \left( 1 + e^{2x} \right) dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{3} \cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \cosh^{-1}(ax) \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \text{Subst} \left( \int x \log \left( 1 + e^{2x} \right) dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{3} \cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \cosh^{-1}(ax) \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \frac{1}{2} \text{Subst} \left( \int \frac{e^{2x}}{1 + e^{2x}} dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{3} \cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \cosh^{-1}(ax) \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \frac{1}{2} \text{Li}_3 \left( -e^{2 \cosh^{-1}(ax)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 63, normalized size = 1.02

$$-\cosh^{-1}(ax) \text{Li}_2 \left( -e^{-2 \cosh^{-1}(ax)} \right) - \frac{1}{2} \text{Li}_3 \left( -e^{-2 \cosh^{-1}(ax)} \right) + \frac{1}{3} \cosh^{-1}(ax)^3 + \cosh^{-1}(ax)^2 \log \left( e^{-2 \cosh^{-1}(ax)} + 1 \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCosh[a*x]^2/x, x]
```

```
[Out] ArcCosh[a*x]^3/3 + ArcCosh[a*x]^2*Log[1 + E^(-2*ArcCosh[a*x])] - ArcCosh[a*x]*PolyLog[2, -E^(-2*ArcCosh[a*x])] - PolyLog[3, -E^(-2*ArcCosh[a*x])]/2
```

**fricas [F]** time = 0.60, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)^2}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^2/x, x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^2/x, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^2/x, x, algorithm="giac")
```

```
[Out] integrate(arccosh(a*x)^2/x, x)
```

**maple** [A] time = 0.06, size = 98, normalized size = 1.58

$$-\frac{\operatorname{arccosh}(ax)^3}{3} + \operatorname{arccosh}(ax)^2 \ln\left(1 + \left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right) + \operatorname{arccosh}(ax) \operatorname{polylog}\left(2, -\left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2/x, x)

[Out] -1/3\*arccosh(a\*x)^3+arccosh(a\*x)^2\*ln(1+(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)+arccosh(a\*x)\*polylog(2,-(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)-1/2\*polylog(3,-(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x, x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^2/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2/x, x)

[Out] int(acosh(a\*x)^2/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2/x, x)

[Out] Integral(acosh(a\*x)\*\*2/x, x)

### 3.18 $\int \frac{\cosh^{-1}(ax)^2}{x^2} dx$

**Optimal.** Leaf size=60

$$-2ia\text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 2ia\text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) - \frac{\cosh^{-1}(ax)^2}{x} + 4a \cosh^{-1}(ax) \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right)$$

[Out]  $-\text{arccosh}(a*x)^2/x + 4*a*\text{arccosh}(a*x)*\text{arctan}(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}) - 2*I*a*\text{polylog}(2, -I*(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})) + 2*I*a*\text{polylog}(2, I*(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}))$

**Rubi [A]** time = 0.21, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5761, 4180, 2279, 2391}

$$-2ia\text{PolyLog}\left(2, -ie^{\cosh^{-1}(ax)}\right) + 2ia\text{PolyLog}\left(2, ie^{\cosh^{-1}(ax)}\right) - \frac{\cosh^{-1}(ax)^2}{x} + 4a \cosh^{-1}(ax) \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2/x^2, x]

[Out]  $-(\text{ArcCosh}[a*x]^2/x) + 4*a*\text{ArcCosh}[a*x]*\text{ArcTan}[E^{\text{ArcCosh}[a*x]}] - (2*I)*a*\text{PolyLog}[2, (-I)*E^{\text{ArcCosh}[a*x]}] + (2*I)*a*\text{PolyLog}[2, I*E^{\text{ArcCosh}[a*x]}]$

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 4180

Int[csc[(e\_.) + Pi\*(k\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)])/(f\*fz\*I), x] + (-Dist[(d\*m)/(f\*fz\*I), Int[(c + d\*x)^(m-1)\*Log[1 - E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)], x], x] + Dist[(d\*m)/(f\*fz\*I), Int[(c + d\*x)^(m-1)\*Log[1 + E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5761

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*(x\_)^(m\_)/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] :> Dist[1/(c^(m+1)\*Sqrt[-(d1\*d2)]), Subst[Int[(a + b\*x)^n\*Cosh[x]^m, x], x, ArcCosh[c\*x]]] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0]

&& IGtQ[n, 0] && GtQ[d1, 0] && LtQ[d2, 0] && IntegerQ[m]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh^{-1}(ax)^2}{x^2} dx &= -\frac{\cosh^{-1}(ax)^2}{x} + (2a) \int \frac{\cosh^{-1}(ax)}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{\cosh^{-1}(ax)^2}{x} + (2a) \text{Subst} \left( \int x \text{sech}(x) dx, x, \cosh^{-1}(ax) \right) \\
 &= -\frac{\cosh^{-1}(ax)^2}{x} + 4a \cosh^{-1}(ax) \tan^{-1} \left( e^{\cosh^{-1}(ax)} \right) - (2ia) \text{Subst} \left( \int \log(1 - ie^x) dx, x, \cosh^{-1}(ax) \right) \\
 &= -\frac{\cosh^{-1}(ax)^2}{x} + 4a \cosh^{-1}(ax) \tan^{-1} \left( e^{\cosh^{-1}(ax)} \right) - (2ia) \text{Subst} \left( \int \frac{\log(1 - ix)}{x} dx, x, e^{\cosh^{-1}(ax)} \right) \\
 &= -\frac{\cosh^{-1}(ax)^2}{x} + 4a \cosh^{-1}(ax) \tan^{-1} \left( e^{\cosh^{-1}(ax)} \right) - 2ia \text{Li}_2 \left( -ie^{\cosh^{-1}(ax)} \right) + 2ia \text{Li}_2 \left( ie^{\cosh^{-1}(ax)} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 92, normalized size = 1.53

$$-ia \left( 2\text{Li}_2 \left( -ie^{-\cosh^{-1}(ax)} \right) - 2\text{Li}_2 \left( ie^{-\cosh^{-1}(ax)} \right) \right) + \cosh^{-1}(ax) \left( -\frac{i \cosh^{-1}(ax)}{ax} + 2 \log \left( 1 - ie^{-\cosh^{-1}(ax)} \right) - 2 \log \left( 1 + ie^{-\cosh^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^2/x^2,x]

[Out] (-I)\*a\*(ArcCosh[a\*x]\*(((I)\*ArcCosh[a\*x])/(a\*x) + 2\*Log[1 - I/E^ArcCosh[a\*x]] - 2\*Log[1 + I/E^ArcCosh[a\*x]]) + 2\*PolyLog[2, (-I)/E^ArcCosh[a\*x]] - 2\*PolyLog[2, I/E^ArcCosh[a\*x]])

**fricas [F]** time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)^2}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^2,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^2/x^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^2/x^2, x)

**maple [A]** time = 0.16, size = 137, normalized size = 2.28

$$-\frac{\text{arccosh}(ax)^2}{x} - 2ia \text{arccosh}(ax) \ln \left( 1 + i \left( ax + \sqrt{ax-1} \sqrt{ax+1} \right) \right) + 2ia \text{arccosh}(ax) \ln \left( 1 - i \left( ax + \sqrt{ax-1} \sqrt{ax+1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2/x^2,x)

[Out]  $-\operatorname{arccosh}(ax)^2/x - 2Ia \operatorname{arccosh}(ax) \ln(1+I(a*x+(a*x-1)^{1/2})(a*x+1)^{1/2})) + 2Ia \operatorname{arccosh}(ax) \ln(1-I(a*x+(a*x-1)^{1/2})(a*x+1)^{1/2})) - 2Ia \operatorname{dilog}(1+I(a*x+(a*x-1)^{1/2})(a*x+1)^{1/2})) + 2Ia \operatorname{dilog}(1-I(a*x+(a*x-1)^{1/2})(a*x+1)^{1/2}))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1}\sqrt{ax-1})^2}{x} + \int \frac{2(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a) \log(ax + \sqrt{ax+1}\sqrt{ax-1})}{a^3x^4 - ax^2 + (a^2x^3 - x)\sqrt{ax+1}\sqrt{ax-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^2,x, algorithm="maxima")

[Out]  $-\log(ax + \sqrt{ax+1}\sqrt{ax-1})^2/x + \operatorname{integrate}(2*(a^3*x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2*x - a)*\log(ax + \sqrt{ax+1}\sqrt{ax-1})/(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*\sqrt{ax+1}\sqrt{ax-1}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2/x^2,x)

[Out] int(acosh(a\*x)^2/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2/x\*\*2,x)

[Out] Integral(acosh(a\*x)\*\*2/x\*\*2, x)



$$3.19 \quad \int \frac{\cosh^{-1}(ax)^2}{x^3} dx$$

Optimal. Leaf size=48

$$a^2(-\log(x)) - \frac{\cosh^{-1}(ax)^2}{2x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{x}$$

[Out]  $-1/2*\operatorname{arccosh}(a*x)^2/x^2 - a^2*\ln(x) + a*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] time = 0.19, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5662, 5724, 29}

$$a^2(-\log(x)) - \frac{\cosh^{-1}(ax)^2}{2x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2/x^3,x]

[Out]  $(a*\sqrt{-1+a*x}*\sqrt{1+a*x}*\operatorname{ArcCosh}[a*x])/x - \operatorname{ArcCosh}[a*x]^2/(2*x^2) - a^2*\operatorname{Log}[x]$

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5724

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d1\_) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_) + (e2\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(d1\*d2\*f\*(m+1)), x] + Dist[(b\*c\*n\*(-(d1\*d2))^(IntPart[p])\*(d1 + e1\*x)^(FracPart[p])\*(d2 + e2\*x)^(FracPart[q]))/(f\*(m+1)\*(1 + c\*x)^(FracPart[p])\*(-1 + c\*x)^(FracPart[q])), Int[(f\*x)^(m+1)\*(-1 + c^2\*x^2)^(p+1/2)\*(a + b\*ArcCosh[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1] && IntegerQ[p + 1/2]

Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^2}{x^3} dx &= -\frac{\cosh^{-1}(ax)^2}{2x^2} + a \int \frac{\cosh^{-1}(ax)}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{x} - \frac{\cosh^{-1}(ax)^2}{2x^2} - a^2 \int \frac{1}{x} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{x} - \frac{\cosh^{-1}(ax)^2}{2x^2} - a^2 \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 48, normalized size = 1.00

$$a^2(-\log(x)) - \frac{\cosh^{-1}(ax)^2}{2x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^2/x^3,x]

[Out] (a\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/x - ArcCosh[a\*x]^2/(2\*x^2) - a^2\*Log[x]

**fricas [A]** time = 0.64, size = 65, normalized size = 1.35

$$\frac{2a^2x^2\log(x) - 2\sqrt{a^2x^2-1}ax\log(ax + \sqrt{a^2x^2-1}) + \log(ax + \sqrt{a^2x^2-1})^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^3,x, algorithm="fricas")

[Out] -1/2\*(2\*a^2\*x^2\*log(x) - 2\*sqrt(a^2\*x^2 - 1)\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)) + log(a\*x + sqrt(a^2\*x^2 - 1))^2)/x^2

**giac [B]** time = 0.79, size = 98, normalized size = 2.04

$$\left( a \log\left(\left|-x|a| + \sqrt{a^2x^2 - 1}\right|\right) - a \log(|x|) + \frac{2|a|\log\left(ax + \sqrt{a^2x^2 - 1}\right)}{\left(x|a| - \sqrt{a^2x^2 - 1}\right)^2 + 1} \right) a - \frac{\log\left(ax + \sqrt{a^2x^2 - 1}\right)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^3,x, algorithm="giac")

[Out] (a\*log(abs(-x\*abs(a) + sqrt(a^2\*x^2 - 1))) - a\*log(abs(x)) + 2\*abs(a)\*log(a\*x + sqrt(a^2\*x^2 - 1))/(x\*abs(a) - sqrt(a^2\*x^2 - 1))^2 + 1)\*a - 1/2\*log(a\*x + sqrt(a^2\*x^2 - 1))^2/x^2

**maple [A]** time = 0.23, size = 73, normalized size = 1.52

$$a^2\operatorname{arccosh}(ax) + \frac{a\operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2} - a^2\ln\left(1 + \left(ax + \sqrt{ax-1}\sqrt{ax+1}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2/x^3,x)

[Out] a^2\*arccosh(a\*x)+a\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/x-1/2\*arccosh(a\*x)^2/x^2-a^2\*ln(1+(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))^2)

**maxima [A]** time = 0.68, size = 39, normalized size = 0.81

$$-a^2\log(x) + \frac{\sqrt{a^2x^2-1}a\operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^3,x, algorithm="maxima")

[Out] -a^2\*log(x) + sqrt(a^2\*x^2 - 1)\*a\*arccosh(a\*x)/x - 1/2\*arccosh(a\*x)^2/x^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acosh}(ax)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2/x^3, x)

[Out] int(acosh(a\*x)^2/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^2(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2/x\*\*3, x)

[Out] Integral(acosh(a\*x)\*\*2/x\*\*3, x)

### 3.20 $\int \frac{\cosh^{-1}(ax)^2}{x^4} dx$

**Optimal.** Leaf size=114

$$-\frac{1}{3}ia^3\text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right)+\frac{1}{3}ia^3\text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right)+\frac{2}{3}a^3\cosh^{-1}(ax)\tan^{-1}\left(e^{\cosh^{-1}(ax)}\right)+\frac{a^2}{3x}-\frac{\cosh^{-1}(ax)^2}{3x^3}+\frac{a\sqrt{ax-1}}{3x^2}$$

[Out]  $1/3*a^2/x-1/3*\text{arccosh}(a*x)^2/x^3+2/3*a^3*\text{arccosh}(a*x)*\text{arctan}(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))-1/3*I*a^3*\text{polylog}(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+1/3*I*a^3*\text{polylog}(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+1/3*a*\text{arccosh}(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^2$

**Rubi [A]** time = 0.39, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5748, 5761, 4180, 2279, 2391, 30}

$$-\frac{1}{3}ia^3\text{PolyLog}\left(2,-ie^{\cosh^{-1}(ax)}\right)+\frac{1}{3}ia^3\text{PolyLog}\left(2,ie^{\cosh^{-1}(ax)}\right)+\frac{a^2}{3x}+\frac{2}{3}a^3\cosh^{-1}(ax)\tan^{-1}\left(e^{\cosh^{-1}(ax)}\right)+\frac{a\sqrt{ax-1}}{3x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2/x^4,x]

[Out]  $a^2/(3*x) + (a*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x]*\text{ArcCosh}[a*x])/(3*x^2) - \text{ArcCosh}[a*x]^2/(3*x^3) + (2*a^3*\text{ArcCosh}[a*x]*\text{ArcTan}[E^{\text{ArcCosh}[a*x]}])/3 - (I/3)*a^3*\text{PolyLog}[2, (-I)*E^{\text{ArcCosh}[a*x]}] + (I/3)*a^3*\text{PolyLog}[2, I*E^{\text{ArcCosh}[a*x]}]$

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))]^(n\_), x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 4180

Int[csc[(e\_) + Pi\*(k\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)])/(f\*fz\*I), x] + (-Dist[(d\*m)/(f\*fz\*I), Int[(c + d\*x)^(m - 1)\*Log[1 - E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)], x], x] + Dist[(d\*m)/(f\*fz\*I), Int[(c + d\*x)^(m - 1)\*Log[1 + E^(-(I\*e) + f\*fz\*x)/E^(I\*k\*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5748

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(q_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(q + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d1 + e1*x)^p*(d2 + e2*x)^q*(a + b*ArcCosh[c*x])^n, x], x] + Dist[(b*c*n*(-(d1*d2))^(IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p])]/(f*(m + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(f*x)^(m + 1)*(-1 + c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m] && IntegerQ[p + 1/2]
```

Rule 5761

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)/(Sqrt[(d1_.) + (e1_.)*(x_.)]*Sqrt[(d2_.) + (e2_.)*(x_.)]), x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[-(d1*d2)]), Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IGtQ[n, 0] && GtQ[d1, 0] && LtQ[d2, 0] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^2}{x^4} dx &= -\frac{\cosh^{-1}(ax)^2}{3x^3} + \frac{1}{3}(2a) \int \frac{\cosh^{-1}(ax)}{x^3 \sqrt{-1+ax} \sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{3x^2} - \frac{\cosh^{-1}(ax)^2}{3x^3} - \frac{1}{3}a^2 \int \frac{1}{x^2} dx + \frac{1}{3}a^3 \int \frac{\cosh^{-1}(ax)}{x\sqrt{-1+ax} \sqrt{1+ax}} dx \\ &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{3x^2} - \frac{\cosh^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^3 \operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \cosh^{-1}(ax)\right) \\ &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{3x^2} - \frac{\cosh^{-1}(ax)^2}{3x^3} + \frac{2}{3}a^3 \cosh^{-1}(ax) \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) \\ &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{3x^2} - \frac{\cosh^{-1}(ax)^2}{3x^3} + \frac{2}{3}a^3 \cosh^{-1}(ax) \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) \\ &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)}{3x^2} - \frac{\cosh^{-1}(ax)^2}{3x^3} + \frac{2}{3}a^3 \cosh^{-1}(ax) \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 144, normalized size = 1.26

$$\frac{1}{3}a^3 \left( -\frac{\cosh^{-1}(ax)^2}{a^3x^3} + \frac{\sqrt{\frac{ax-1}{ax+1}}(ax+1)\cosh^{-1}(ax)}{a^2x^2} - i\operatorname{Li}_2\left(-ie^{-\cosh^{-1}(ax)}\right) + i\operatorname{Li}_2\left(ie^{-\cosh^{-1}(ax)}\right) + \frac{1}{ax} - i\cosh^{-1}(ax) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^2/x^4, x]

[Out] (a^3\*(1/(a\*x) + (Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x)\*ArcCosh[a\*x])/(a^2\*x^2) - ArcCosh[a\*x]^2/(a^3\*x^3) - I\*ArcCosh[a\*x]\*Log[1 - I/E^ArcCosh[a\*x]] + I\*ArcCosh[a\*x]\*Log[1 + I/E^ArcCosh[a\*x]] - I\*PolyLog[2, (-I)/E^ArcCosh[a\*x]] + I\*PolyLog[2, I/E^ArcCosh[a\*x]]))/3

**fricas [F]** time = 0.66, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\operatorname{arcosh}(ax)^2}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^4,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^2/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^2/x^4, x)

**maple** [A] time = 0.31, size = 177, normalized size = 1.55

$$\frac{a \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{3x^2} + \frac{a^2}{3x} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} - \frac{ia^3 \operatorname{arccosh}(ax) \ln\left(1 + i\left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)\right)}{3} + \frac{ia^3 \operatorname{arccosh}(ax) \ln\left(1 - i\left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2/x^4,x)

[Out] 1/3\*a\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/x^2+1/3\*a^2/x-1/3\*arccosh(a\*x)^2/x^3-1/3\*I\*a^3\*arccosh(a\*x)\*ln(1+I\*(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)))+1/3\*I\*a^3\*arccosh(a\*x)\*ln(1-I\*(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)))-1/3\*I\*a^3\*dilog(1+I\*(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)))+1/3\*I\*a^3\*dilog(1-I\*(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log\left(ax + \sqrt{ax+1} \sqrt{ax-1}\right)^2}{3x^3} + \int \frac{2\left(a^3x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2x - a\right) \log\left(ax + \sqrt{ax+1} \sqrt{ax-1}\right)}{3\left(a^3x^6 - ax^4 + \left(a^2x^5 - x^3\right) \sqrt{ax+1} \sqrt{ax-1}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^4,x, algorithm="maxima")

[Out] -1/3\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2/x^3 + integrate(2/3\*(a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))/(a^3\*x^6 - a\*x^4 + (a^2\*x^5 - x^3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2/x^4,x)

[Out] int(acosh(a\*x)^2/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2/x\*\*4,x)

[Out] Integral(acosh(a\*x)\*\*2/x\*\*4, x)

### 3.21 $\int \frac{\cosh^{-1}(ax)^2}{x^5} dx$

**Optimal.** Leaf size=95

$$-\frac{1}{3}a^4 \log(x) + \frac{a^3 \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)}{3x} + \frac{a^2}{12x^2} - \frac{\cosh^{-1}(ax)^2}{4x^4} + \frac{a \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)}{6x^3}$$

[Out]  $1/12*a^2/x^2-1/4*\operatorname{arccosh}(a*x)^2/x^4-1/3*a^4*\ln(x)+1/6*a*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^3+1/3*a^3*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.36, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5748, 5724, 29, 30}

$$\frac{a^2}{12x^2} - \frac{1}{3}a^4 \log(x) + \frac{a^3 \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)}{3x} + \frac{a \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)}{6x^3} - \frac{\cosh^{-1}(ax)^2}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^2/x^5, x]

[Out]  $a^2/(12*x^2) + (a*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\operatorname{ArcCosh}[a*x])/(6*x^3) + (a^3*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\operatorname{ArcCosh}[a*x])/(3*x) - \operatorname{ArcCosh}[a*x]^2/(4*x^4) - (a^4*\operatorname{Log}[x])/3$

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5724

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d1\_) + (e1\_)\*(x\_))^(p\_)\*((d2\_) + (e2\_)\*(x\_))^(q\_), x\_Symbol] := Simp[((f\*x)^(m+1)\*(d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(d1\*d2\*f\*(m+1)), x] + Dist[(b\*c\*n\*(-d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p]]/(f\*(m+1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(f\*x)^(m+1)\*(-1 + c^2\*x^2)^(p+1/2)\*(a + b\*ArcCosh[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1] && IntegerQ[p + 1/2]

#### Rule 5748

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d1\_) + (e1\_)\*(x\_))^(p\_)\*((d2\_) + (e2\_)\*(x\_))^(q\_), x\_Symbol] := Simp[((f\*x)^(m+1)\*(d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(d1\*d2\*f\*

$(m + 1)), x] + (\text{Dist}[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), \text{Int}[(f*x)^(m + 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] + \text{Dist}[(b*c*n*(-(d1*d2))^\text{IntPart}[p]*(d1 + e1*x)^\text{FracPart}[p]*(d2 + e2*x)^\text{FracPart}[p])/(f*(m + 1)*(1 + c*x)^\text{FracPart}[p]*(-1 + c*x)^\text{FracPart}[p]), \text{Int}[(f*x)^(m + 1)*(-1 + c^2*x^2)^(p + 1/2)*(a + b*\text{ArcCosh}[c*x])^(n - 1), x], x]) /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}, x] \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[p + 1/2]$

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^2}{x^5} dx &= -\frac{\cosh^{-1}(ax)^2}{4x^4} + \frac{1}{2}a \int \frac{\cosh^{-1}(ax)}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{6x^3} - \frac{\cosh^{-1}(ax)^2}{4x^4} - \frac{1}{6}a^2 \int \frac{1}{x^3} dx + \frac{1}{3}a^3 \int \frac{\cosh^{-1}(ax)}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a^2}{12x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{6x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{3x} - \frac{\cosh^{-1}(ax)^2}{4x^4} \\ &= \frac{a^2}{12x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{6x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{3x} - \frac{\cosh^{-1}(ax)^2}{4x^4} \end{aligned}$$

**Mathematica** [A] time = 0.09, size = 69, normalized size = 0.73

$$\frac{-4a^4x^4 \log(x) + a^2x^2 + 2ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+1)\cosh^{-1}(ax) - 3\cosh^{-1}(ax)^2}{12x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^2/x^5,x]

[Out]  $(a^2*x^2 + 2*a*x*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x]*(1 + 2*a^2*x^2)*\text{ArcCosh}[a*x] - 3*\text{ArcCosh}[a*x]^2 - 4*a^4*x^4*\text{Log}[x])/(12*x^4)$

**fricas** [A] time = 0.61, size = 85, normalized size = 0.89

$$\frac{4a^4x^4 \log(x) - a^2x^2 - 2(2a^3x^3 + ax)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1}) + 3 \log(ax + \sqrt{a^2x^2 - 1})^2}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^5,x, algorithm="fricas")

[Out]  $-1/12*(4*a^4*x^4*\log(x) - a^2*x^2 - 2*(2*a^3*x^3 + a*x)*\text{sqrt}(a^2*x^2 - 1)*\log(a*x + \text{sqrt}(a^2*x^2 - 1)) + 3*\log(a*x + \text{sqrt}(a^2*x^2 - 1))^2)/x^4$

**giac** [A] time = 0.49, size = 147, normalized size = 1.55

$$-\frac{1}{12} \left( 2a^3 \log(x^2) - 4a^3 \log(|-x|a| + \sqrt{a^2x^2 - 1}) \right) - \frac{8 \left( 3 \left( x|a| - \sqrt{a^2x^2 - 1} \right)^2 + 1 \right) a^2 |a| \log(ax + \sqrt{a^2x^2 - 1})}{\left( \left( x|a| - \sqrt{a^2x^2 - 1} \right)^2 + 1 \right)^3} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^5,x, algorithm="giac")

[Out]  $-1/12*(2*a^3*\log(x^2) - 4*a^3*\log(\text{abs}(-x*\text{abs}(a) + \text{sqrt}(a^2*x^2 - 1)))) - 8*(3*(x*\text{abs}(a) - \text{sqrt}(a^2*x^2 - 1))^2 + 1)*a^2*\text{abs}(a)*\log(a*x + \text{sqrt}(a^2*x^2 - 1))$



1))/((x\*abs(a) - sqrt(a^2\*x^2 - 1))^2 + 1)^3 - (2\*a^3\*x^2 + a)/x^2)\*a - 1/4\*log(a\*x + sqrt(a^2\*x^2 - 1))^2/x^4

**maple** [A] time = 0.29, size = 109, normalized size = 1.15

$$\frac{a^4 \operatorname{arccosh}(ax)}{3} + \frac{a^3 \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{3x} + \frac{a \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{6x^3} + \frac{a^2}{12x^2} - \frac{\operatorname{arccosh}(ax)^2}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^2/x^5, x)

[Out] 1/3\*a^4\*arccosh(a\*x)+1/3\*a^3\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/x+1/6\*a\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/x^3+1/12\*a^2/x^2-1/4\*arccosh(a\*x)^2/x^4-1/3\*a^4\*ln(1+(a\*x+(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)))^2)

**maxima** [A] time = 0.62, size = 72, normalized size = 0.76

$$-\frac{1}{12} \left( 4a^2 \log(x) - \frac{1}{x^2} \right) a^2 + \frac{1}{6} \left( \frac{2\sqrt{a^2x^2-1}a^2}{x} + \frac{\sqrt{a^2x^2-1}}{x^3} \right) a \operatorname{arccosh}(ax) - \frac{\operatorname{arccosh}(ax)^2}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^2/x^5, x, algorithm="maxima")

[Out] -1/12\*(4\*a^2\*log(x) - 1/x^2)\*a^2 + 1/6\*(2\*sqrt(a^2\*x^2 - 1)\*a^2/x + sqrt(a^2\*x^2 - 1)/x^3)\*a\*arccosh(a\*x) - 1/4\*arccosh(a\*x)^2/x^4

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^2/x^5, x)

[Out] int(acosh(a\*x)^2/x^5, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^2(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*2/x\*\*5, x)

[Out] Integral(acosh(a\*x)\*\*2/x\*\*5, x)

### 3.22 $\int x^4 \cosh^{-1}(ax)^3 dx$

**Optimal.** Leaf size=231

$$-\frac{4144\sqrt{ax-1}\sqrt{ax+1}}{5625a^5} - \frac{8\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{25a^5} + \frac{16x\cosh^{-1}(ax)}{25a^4} - \frac{272x^2\sqrt{ax-1}\sqrt{ax+1}}{5625a^3} - \frac{4x^2\sqrt{ax-1}}{25a^2}$$

[Out]  $16/25*x*\operatorname{arccosh}(a*x)/a^4+8/75*x^3*\operatorname{arccosh}(a*x)/a^2+6/125*x^5*\operatorname{arccosh}(a*x)+1/5*x^5*\operatorname{arccosh}(a*x)^3-4144/5625*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-272/5625*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-6/625*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-8/25*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-4/25*x^2*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/25*x^4*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.77, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5759, 5718, 5654, 74, 100, 12}

$$-\frac{272x^2\sqrt{ax-1}\sqrt{ax+1}}{5625a^3} + \frac{8x^3\cosh^{-1}(ax)}{75a^2} - \frac{4x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{25a^3} - \frac{4144\sqrt{ax-1}\sqrt{ax+1}}{5625a^5} + \frac{16x\cosh^{-1}(ax)}{25a^4}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcCosh[a\*x]^3,x]

[Out]  $(-4144*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(5625*a^5) - (272*x^2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(5625*a^3) - (6*x^4*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(625*a) + (16*x*\operatorname{ArcCosh}[a*x])/(25*a^4) + (8*x^3*\operatorname{ArcCosh}[a*x])/(75*a^2) + (6*x^5*\operatorname{ArcCosh}[a*x])/125 - (8*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(25*a^5) - (4*x^2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(25*a^3) - (3*x^4*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(25*a) + (x^5*\operatorname{ArcCosh}[a*x]^3)/5$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 100

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 1)), x] + Dist[1/(d\*f\*(m + n + p + 1)), Int[(a + b\*x)^(m - 2)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(m + n + p + 1) - b\*(b\*c\*e\*(m - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*m + n + p) - b\*(d\*e\*(m + n) + c\*f\*(m + p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d1\_.) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_.))^(q\_.), x\_Symbol] :> Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(q + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p]]/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x^4 \cosh^{-1}(ax)^3 dx &= \frac{1}{5}x^5 \cosh^{-1}(ax)^3 - \frac{1}{5}(3a) \int \frac{x^5 \cosh^{-1}(ax)^2}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\
 &= -\frac{3x^4 \sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)^2}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^3 + \frac{6}{25} \int x^4 \cosh^{-1}(ax) dx - \frac{1}{25} \int x^4 \cosh^{-1}(ax)^2 dx \\
 &= \frac{6}{125}x^5 \cosh^{-1}(ax) - \frac{4x^2 \sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)^2}{25a^3} - \frac{3x^4 \sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)^2}{25a} \\
 &= -\frac{6x^4 \sqrt{-1 + ax} \sqrt{1 + ax}}{625a} + \frac{8x^3 \cosh^{-1}(ax)}{75a^2} + \frac{6}{125}x^5 \cosh^{-1}(ax) - \frac{8\sqrt{-1 + ax} \sqrt{1 + ax}}{25a^5} \\
 &= -\frac{8x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{225a^3} - \frac{6x^4 \sqrt{-1 + ax} \sqrt{1 + ax}}{625a} + \frac{16x \cosh^{-1}(ax)}{25a^4} + \frac{8x^3 \cosh^{-1}(ax)}{75a^2} \\
 &= -\frac{16\sqrt{-1 + ax} \sqrt{1 + ax}}{25a^5} - \frac{272x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{5625a^3} - \frac{6x^4 \sqrt{-1 + ax} \sqrt{1 + ax}}{625a} + \frac{16x \cosh^{-1}(ax)}{25a^4} \\
 &= -\frac{32\sqrt{-1 + ax} \sqrt{1 + ax}}{45a^5} - \frac{272x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{5625a^3} - \frac{6x^4 \sqrt{-1 + ax} \sqrt{1 + ax}}{625a} + \frac{16x \cosh^{-1}(ax)}{25a^4} \\
 &= -\frac{4144\sqrt{-1 + ax} \sqrt{1 + ax}}{5625a^5} - \frac{272x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{5625a^3} - \frac{6x^4 \sqrt{-1 + ax} \sqrt{1 + ax}}{625a} + \frac{16x \cosh^{-1}(ax)}{25a^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 130, normalized size = 0.56

$$\frac{1125a^5x^5 \cosh^{-1}(ax)^3 - 2\sqrt{ax-1}\sqrt{ax+1} (27a^4x^4 + 136a^2x^2 + 2072) + 30ax (9a^4x^4 + 20a^2x^2 + 120) \cosh^{-1}(ax)}{5625a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcCosh[a\*x]^3,x]

[Out] (-2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(2072 + 136\*a^2\*x^2 + 27\*a^4\*x^4) + 30\*a\*x\*(120 + 20\*a^2\*x^2 + 9\*a^4\*x^4)\*ArcCosh[a\*x] - 225\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(8 + 4\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcCosh[a\*x]^2 + 1125\*a^5\*x^5\*ArcCosh[a\*x]^3)/(5625\*a^5)

**fricas [A]** time = 0.75, size = 151, normalized size = 0.65

$$\frac{1125 a^5 x^5 \log \left( a x + \sqrt{a^2 x^2 - 1} \right)^3 - 225 \left( 3 a^4 x^4 + 4 a^2 x^2 + 8 \right) \sqrt{a^2 x^2 - 1} \log \left( a x + \sqrt{a^2 x^2 - 1} \right)^2 + 30 \left( 9 a^5 x^5 + 20 a^3 x^3 + 120 a x \right) \log \left( a x + \sqrt{a^2 x^2 - 1} \right) - 2 \left( 27 a^4 x^4 + 136 a^2 x^2 + 2072 \right) \sqrt{a^2 x^2 - 1}}{5625 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^3,x, algorithm="fricas")

[Out] 1/5625\*(1125\*a^5\*x^5\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 - 225\*(3\*a^4\*x^4 + 4\*a^2\*x^2 + 8)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 + 30\*(9\*a^5\*x^5 + 20\*a^3\*x^3 + 120\*a\*x)\*log(a\*x + sqrt(a^2\*x^2 - 1)) - 2\*(27\*a^4\*x^4 + 136\*a^2\*x^2 + 2072)\*sqrt(a^2\*x^2 - 1))/a^5

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.06, size = 190, normalized size = 0.82

$$\frac{\frac{a^5 x^5 \operatorname{arccosh}(a x)^3}{5} - \frac{8 \operatorname{arccosh}(a x)^2 \sqrt{a x-1} \sqrt{a x+1}}{25} - \frac{3 \operatorname{arccosh}(a x)^2 a^4 x^4 \sqrt{a x-1} \sqrt{a x+1}}{25} - \frac{4 \operatorname{arccosh}(a x)^2 a^2 x^2 \sqrt{a x-1} \sqrt{a x+1}}{25} + \frac{16 a x \operatorname{arccosh}(a x)}{25}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^3,x)

[Out] 1/a^5\*(1/5\*a^5\*x^5\*arccosh(a\*x)^3-8/25\*arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-3/25\*arccosh(a\*x)^2\*a^4\*x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-4/25\*arccosh(a\*x)^2\*a^2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+16/25\*a\*x\*arccosh(a\*x)-4144/5625\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+6/125\*a^5\*x^5\*arccosh(a\*x)-6/625\*a^4\*x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-272/5625\*a^2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+8/75\*a^3\*x^3\*arccosh(a\*x))

**maxima [A]** time = 0.69, size = 165, normalized size = 0.71

$$\frac{1}{5} x^5 \operatorname{arccosh}(a x)^3 - \frac{1}{25} \left( \frac{3 \sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4 \sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8 \sqrt{a^2 x^2 - 1}}{a^6} \right) a \operatorname{arccosh}(a x)^2 - \frac{2}{5625} a \left( \frac{27 \sqrt{a^2 x^2 - 1} a^2}{a^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^3,x, algorithm="maxima")

[Out]  $\frac{1}{5}x^5\operatorname{arccosh}(ax)^3 - \frac{1}{25}(3\sqrt{a^2x^2-1})x^4/a^2 + 4\sqrt{a^2x^2-1}x^2/a^4 + 8\sqrt{a^2x^2-1}/a^6)a\operatorname{arccosh}(ax)^2 - \frac{2}{5625}a((27\sqrt{a^2x^2-1})a^2x^4 + 136\sqrt{a^2x^2-1})x^2 + 2072\sqrt{a^2x^2-1}/a^2)/a^4 - 15(9a^4x^5 + 20a^2x^3 + 120x)\operatorname{arccosh}(ax)/a^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^3,x)

[Out] int(x^4\*acosh(a\*x)^3, x)

**sympy** [A] time = 6.06, size = 206, normalized size = 0.89

$$\left\{ \begin{array}{l} \frac{x^5 \operatorname{acosh}^3(ax)}{5} + \frac{6x^5 \operatorname{acosh}(ax)}{125} - \frac{3x^4 \sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{25a} - \frac{6x^4 \sqrt{a^2x^2-1}}{625a} + \frac{8x^3 \operatorname{acosh}(ax)}{75a^2} - \frac{4x^2 \sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{25a^3} - \frac{272x^2 \sqrt{a^2x^2-1}}{5625a^3} \\ - \frac{i\pi^3 x^5}{40} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*3,x)

[Out] Piecewise((x\*\*5\*acosh(a\*x)\*\*3/5 + 6\*x\*\*5\*acosh(a\*x)/125 - 3\*x\*\*4\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*2/(25\*a) - 6\*x\*\*4\*sqrt(a\*\*2\*x\*\*2 - 1)/(625\*a) + 8\*x\*\*3\*acosh(a\*x)/(75\*a\*\*2) - 4\*x\*\*2\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*2/(25\*a\*\*3) - 272\*x\*\*2\*sqrt(a\*\*2\*x\*\*2 - 1)/(5625\*a\*\*3) + 16\*x\*acosh(a\*x)/(25\*a\*\*4) - 8\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*2/(25\*a\*\*5) - 4144\*sqrt(a\*\*2\*x\*\*2 - 1)/(5625\*a\*\*5), Ne(a, 0)), (-I\*pi\*\*3\*x\*\*5/40, True))

### 3.23 $\int x^3 \cosh^{-1}(ax)^3 dx$

**Optimal.** Leaf size=183

$$-\frac{3 \cosh^{-1}(ax)^3}{32a^4} - \frac{45 \cosh^{-1}(ax)}{256a^4} - \frac{45x\sqrt{ax-1}\sqrt{ax+1}}{256a^3} - \frac{9x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^2}{32a^3} + \frac{9x^2 \cosh^{-1}(ax)}{32a^2} + \frac{1}{4}x^4$$

[Out]  $-45/256*\operatorname{arccosh}(a*x)/a^4+9/32*x^2*\operatorname{arccosh}(a*x)/a^2+3/32*x^4*\operatorname{arccosh}(a*x)-3/32*\operatorname{arccosh}(a*x)^3/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^3-45/256*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/128*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-9/32*x*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/16*x^3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.67, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5759, 5676, 90, 52, 100, 12}

$$\frac{9x^2 \cosh^{-1}(ax)}{32a^2} - \frac{45x\sqrt{ax-1}\sqrt{ax+1}}{256a^3} - \frac{9x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^2}{32a^3} - \frac{3 \cosh^{-1}(ax)^3}{32a^4} - \frac{45 \cosh^{-1}(ax)}{256a^4} - \frac{3x^3\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcCosh[a\*x]^3,x]

[Out]  $(-45*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(256*a^3) - (3*x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(128*a) - (45*\operatorname{ArcCosh}[a*x])/(256*a^4) + (9*x^2*\operatorname{ArcCosh}[a*x])/(32*a^2) + (3*x^4*\operatorname{ArcCosh}[a*x])/32 - (9*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(32*a^3) - (3*x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(16*a) - (3*\operatorname{ArcCosh}[a*x]^3)/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x]^3)/4$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 52

Int[1/(Sqrt[(a\_)+(b\_)\*(x\_)]\*Sqrt[(c\_)+(d\_)\*(x\_)]), x\_Symbol] := Simp[ArcCosh[(b\*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a+c, 0] && EqQ[b-d, 0] && GtQ[a, 0]

#### Rule 90

Int[((a\_.)+(b\_.)\*(x\_))^(m\_.)\*((c\_.)+(d\_.)\*(x\_))^(n\_.)\*((e\_.)+(f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a+b\*x)\*(c+d\*x)^(n+1)\*(e+f\*x)^(p+1))/(d\*f\*(n+p+3)), x] + Dist[1/(d\*f\*(n+p+3)), Int[(c+d\*x)^n\*(e+f\*x)^p\*Simp[a^2\*d\*f\*(n+p+3)-b\*(b\*c\*e+a\*(d\*e\*(n+1)+c\*f\*(p+1)))+b\*(a\*d\*f\*(n+p+4)-b\*(d\*e\*(n+2)+c\*f\*(p+2)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n+p+3, 0]

#### Rule 100

Int[((a\_.)+(b\_.)\*(x\_))^(m\_.)\*((c\_.)+(d\_.)\*(x\_))^(n\_.)\*((e\_.)+(f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a+b\*x)^(m-1)\*(c+d\*x)^(n+1)\*(e+f\*x)^(p+1))/(d\*f\*(m+n+p+1)), x] + Dist[1/(d\*f\*(m+n+p+1)), Int[(a+b\*x)^(m-2)\*(c+d\*x)^n\*(e+f\*x)^p\*Simp[a^2\*d\*f\*(m+n+p+1)-b\*(b\*c\*e\*(m-1)+a\*(d\*e\*(n+1)+c\*f\*(p+1)))+b\*(a\*d\*f\*(2\*m+n+p)-b\*(d\*e\*(m+n)+c\*f\*(m+p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m+n+p+1, 0] && IntegerQ[m]

Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol]
  :> Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1
+ c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqr
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b
*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] &&
EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1
]
```

Rule 5759

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*(f*x)^(m
- 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x]
+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^3 \cosh^{-1}(ax)^3 dx &= \frac{1}{4}x^4 \cosh^{-1}(ax)^3 - \frac{1}{4}(3a) \int \frac{x^4 \cosh^{-1}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x^3\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{16a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^3 + \frac{3}{8} \int x^3 \cosh^{-1}(ax) dx - \dots \\
&= \frac{3}{32}x^4 \cosh^{-1}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{32a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{16a} \\
&= -\frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} + \frac{9x^2 \cosh^{-1}(ax)}{32a^2} + \frac{3}{32}x^4 \cosh^{-1}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} + \frac{9x^2 \cosh^{-1}(ax)}{32a^2} + \frac{3}{32}x^4 \cosh^{-1}(ax) \\
&= -\frac{45x\sqrt{-1+ax}\sqrt{1+ax}}{256a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} - \frac{9 \cosh^{-1}(ax)}{64a^4} + \frac{9x^2 \cosh^{-1}(ax)}{32a^2} + \dots \\
&= -\frac{45x\sqrt{-1+ax}\sqrt{1+ax}}{256a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} - \frac{45 \cosh^{-1}(ax)}{256a^4} + \frac{9x^2 \cosh^{-1}(ax)}{32a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 143, normalized size = 0.78

$$\frac{8(8a^4x^4 - 3) \cosh^{-1}(ax)^3 - 3ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2 + 15) - 24ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2 + 3) \cosh^{-1}(ax)}{256a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcCosh[a\*x]^3,x]

[Out]  $(-3*a*x*\sqrt{-1+a*x}*\sqrt{1+a*x}*(15+2*a^2*x^2)+24*a^2*x^2*(3+a^2*x^2)*\text{ArcCosh}[a*x]-24*a*x*\sqrt{-1+a*x}*\sqrt{1+a*x}*(3+2*a^2*x^2)*\text{ArcCosh}[a*x]^2+8*(-3+8*a^4*x^4)*\text{ArcCosh}[a*x]^3-45*\text{Log}[a*x+\sqrt{-1+a*x}]*\sqrt{1+a*x}]/(256*a^4)$

**fricas** [A] time = 0.75, size = 142, normalized size = 0.78

$$\frac{8(8a^4x^4-3)\log(ax+\sqrt{a^2x^2-1})^3-24(2a^3x^3+3ax)\sqrt{a^2x^2-1}\log(ax+\sqrt{a^2x^2-1})^2+3(8a^4x^4+24a^2x^2)}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^3,x, algorithm="fricas")

[Out]  $1/256*(8*(8*a^4*x^4-3)*\log(a*x+\sqrt{a^2*x^2-1})^3-24*(2*a^3*x^3+3*a*x)*\sqrt{a^2*x^2-1}*\log(a*x+\sqrt{a^2*x^2-1})^2+3*(8*a^4*x^4+24*a^2*x^2-15)*\log(a*x+\sqrt{a^2*x^2-1})-3*(2*a^3*x^3+15*a*x)*\sqrt{a^2*x^2-1})/a^4$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.04, size = 150, normalized size = 0.82

$$\frac{\frac{a^4x^4\text{arccosh}(ax)^3}{4}-\frac{3\text{arccosh}(ax)^2\sqrt{ax-1}\sqrt{ax+1}a^3x^3}{16}-\frac{9\text{arccosh}(ax)^2ax\sqrt{ax-1}\sqrt{ax+1}}{32}-\frac{3\text{arccosh}(ax)^3}{32}+\frac{3a^4x^4\text{arccosh}(ax)}{32}-\frac{3a^3x^3\sqrt{ax-1}}{12}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^3,x)

[Out]  $1/a^4*(1/4*a^4*x^4*\text{arccosh}(a*x)^3-3/16*\text{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^3*x^3-9/32*\text{arccosh}(a*x)^2*a*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-3/32*\text{arccosh}(a*x)^3+3/32*a^4*x^4*\text{arccosh}(a*x)-3/128*a^3*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-45/256*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x-45/256*\text{arccosh}(a*x)+9/32*a^2*x^2*\text{arccosh}(a*x))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4}x^4\log(ax+\sqrt{ax+1}\sqrt{ax-1})^3-\int\frac{3(a^3x^6+\sqrt{ax+1}\sqrt{ax-1}a^2x^5-ax^4)\log(ax+\sqrt{ax+1}\sqrt{ax-1})^2}{4(a^3x^3+(a^2x^2-1)\sqrt{ax+1}\sqrt{ax-1}-ax)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^3,x, algorithm="maxima")

[Out]  $1/4*x^4*\log(a*x+\sqrt{a*x+1}*\sqrt{a*x-1})^3-\text{integrate}(3/4*(a^3*x^6+\sqrt{a*x+1}*\sqrt{a*x-1})*a^2*x^5-a*x^4*\log(a*x+\sqrt{a*x+1}*\sqrt{a*x-1})^2/(a^3*x^3+(a^2*x^2-1)*\sqrt{a*x+1}*\sqrt{a*x-1}-a*x),x)$



**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acosh(a*x)^3,x)`

[Out] `int(x^3*acosh(a*x)^3, x)`

**sympy** [A] time = 3.96, size = 170, normalized size = 0.93

$$\left\{ \begin{array}{l} \frac{x^4 \operatorname{acosh}^3(ax)}{4} + \frac{3x^4 \operatorname{acosh}(ax)}{32} - \frac{3x^3 \sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{16a} - \frac{3x^3 \sqrt{a^2x^2-1}}{128a} + \frac{9x^2 \operatorname{acosh}(ax)}{32a^2} - \frac{9x \sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{32a^3} - \frac{45x \sqrt{a^2x^2-1}}{256a^3} \\ - \frac{i\pi^3 x^4}{32} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acosh(a*x)**3,x)`

[Out] `Piecewise((x**4*acosh(a*x)**3/4 + 3*x**4*acosh(a*x)/32 - 3*x**3*sqrt(a**2*x**2 - 1)*acosh(a*x)**2/(16*a) - 3*x**3*sqrt(a**2*x**2 - 1)/(128*a) + 9*x**2*acosh(a*x)/(32*a**2) - 9*x*sqrt(a**2*x**2 - 1)*acosh(a*x)**2/(32*a**3) - 45*x*sqrt(a**2*x**2 - 1)/(256*a**3) - 3*acosh(a*x)**3/(32*a**4) - 45*acosh(a*x)/(256*a**4), Ne(a, 0)), (-I*pi**3*x**4/32, True))`

### 3.24 $\int x^2 \cosh^{-1}(ax)^3 dx$

**Optimal.** Leaf size=155

$$-\frac{40\sqrt{ax-1}\sqrt{ax+1}}{27a^3} - \frac{2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{3a^3} + \frac{4x\cosh^{-1}(ax)}{3a^2} + \frac{1}{3}x^3\cosh^{-1}(ax)^3 + \frac{2}{9}x^3\cosh^{-1}(ax) - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{27a}$$

[Out]  $4/3*x*\operatorname{arccosh}(a*x)/a^2 + 2/9*x^3*\operatorname{arccosh}(a*x) + 1/3*x^3*\operatorname{arccosh}(a*x)^3 - 40/27*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3 - 2/27*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^2 - 2/3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3 - 1/3*x^2*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.47, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5759, 5718, 5654, 74, 100, 12}

$$-\frac{40\sqrt{ax-1}\sqrt{ax+1}}{27a^3} + \frac{4x\cosh^{-1}(ax)}{3a^2} - \frac{2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{3a^3} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{27a} + \frac{1}{3}x^3\cosh^{-1}(ax)^3 + \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{27a}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^3, x]$

[Out]  $(-40*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(27*a^3) - (2*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(27*a) + (4*x*\operatorname{ArcCosh}[a*x])/(3*a^2) + (2*x^3*\operatorname{ArcCosh}[a*x])/9 - (2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^2)/(3*a^3) - (x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^2)/(3*a) + (x^3*\operatorname{ArcCosh}[a*x]^3)/3$

#### Rule 12

$\operatorname{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 74

$\operatorname{Int}[(a_*) + (b_*)*(x_*)]*((c_*) + (d_*)*(x_*)^{(n_*)})*((e_*) + (f_*)*(x_*)^{(p_*)}), x\_Symbol] \rightarrow \operatorname{Simp}[(b*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)})/(d*f*(n + p + 2)), x] /;$  FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 100

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^{(m_*)}]*((c_*) + (d_*)*(x_*)^{(n_*)})*((e_*) + (f_*)*(x_*)^{(p_*)}), x\_Symbol] \rightarrow \operatorname{Simp}[(b*(a + b*x)^{(m - 1)}*(c + d*x)^{(n + 1)}*(e + f*x)^{(p + 1)})/(d*f*(m + n + p + 1)), x] + \operatorname{Dist}[1/(d*f*(m + n + p + 1)), \operatorname{Int}[(a + b*x)^{(m - 2)}*(c + d*x)^n*(e + f*x)^p*\operatorname{Simp}[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1)) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p))]*x, x], x] /;$  FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

#### Rule 5654

$\operatorname{Int}[(a_*) + \operatorname{ArcCosh}[(c_*)*(x_*)]*(b_*)^{(n_*)}), x\_Symbol] \rightarrow \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c^n, \operatorname{Int}[(x*(a + b*\operatorname{ArcCosh}[c*x])^{(n - 1)})/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /;$  FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5662

$\operatorname{Int}[(a_*) + \operatorname{ArcCosh}[(c_*)*(x_*)]*(b_*)^{(n_*)}]*((d_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m + 1)}*(a + b*\operatorname{ArcCosh}[c*x])^n/(d*(m + 1)), x] - \operatorname{Dist}[(b*c^n)/(d*(m + 1)), \operatorname{Int}[(d*x)^{(m + 1)}*(a + b*\operatorname{ArcCosh}[c*x])^{(n - 1)})/(\operatorname{Sqrt}[-1$

+ c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d1\_.) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_.))^(p\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(p + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p])/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

### Rule 5759

Int((((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned} \int x^2 \cosh^{-1}(ax)^3 dx &= \frac{1}{3}x^3 \cosh^{-1}(ax)^3 - a \int \frac{x^3 \cosh^{-1}(ax)^2}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\ &= -\frac{x^2 \sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^3 + \frac{2}{3} \int x^2 \cosh^{-1}(ax) dx - \frac{2}{3} \int x^2 \cosh^{-1}(ax) dx \\ &= \frac{2}{9}x^3 \cosh^{-1}(ax) - \frac{2\sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)^2}{3a^3} - \frac{x^2 \sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)}{3a} \\ &= -\frac{2x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{27a} + \frac{4x \cosh^{-1}(ax)}{3a^2} + \frac{2}{9}x^3 \cosh^{-1}(ax) - \frac{2\sqrt{-1 + ax} \sqrt{1 + ax} \cosh^{-1}(ax)}{3a^3} \\ &= -\frac{4\sqrt{-1 + ax} \sqrt{1 + ax}}{3a^3} - \frac{2x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{27a} + \frac{4x \cosh^{-1}(ax)}{3a^2} + \frac{2}{9}x^3 \cosh^{-1}(ax) - \\ &= -\frac{40\sqrt{-1 + ax} \sqrt{1 + ax}}{27a^3} - \frac{2x^2 \sqrt{-1 + ax} \sqrt{1 + ax}}{27a} + \frac{4x \cosh^{-1}(ax)}{3a^2} + \frac{2}{9}x^3 \cosh^{-1}(ax) - \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 103, normalized size = 0.66

$$\frac{9a^3 x^3 \cosh^{-1}(ax)^3 - 2\sqrt{ax - 1} \sqrt{ax + 1} (a^2 x^2 + 20) - 9\sqrt{ax - 1} \sqrt{ax + 1} (a^2 x^2 + 2) \cosh^{-1}(ax)^2 + 6ax (a^2 x^2 - 2) \cosh^{-1}(ax)}{27a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcCosh[a\*x]^3,x]

[Out] (-2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(20 + a^2\*x^2) + 6\*a\*x\*(6 + a^2\*x^2)\*ArcCosh[a\*x] - 9\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(2 + a^2\*x^2)\*ArcCosh[a\*x]^2 + 9\*a^3\*x^3\*ArcCosh[a\*x]^3)/(27\*a^3)

**fricas** [A] time = 0.63, size = 124, normalized size = 0.80

$$\frac{9a^3x^3 \log(ax + \sqrt{a^2x^2 - 1})^3 - 9(a^2x^2 + 2)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^2 + 6(a^3x^3 + 6ax) \log(ax + \sqrt{a^2x^2 - 1})}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^3,x, algorithm="fricas")

[Out] 1/27\*(9\*a^3\*x^3\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 - 9\*(a^2\*x^2 + 2)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 + 6\*(a^3\*x^3 + 6\*a\*x)\*log(a\*x + sqrt(a^2\*x^2 - 1)) - 2\*(a^2\*x^2 + 20)\*sqrt(a^2\*x^2 - 1))/a^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.04, size = 128, normalized size = 0.83

$$\frac{\frac{a^3x^3\operatorname{arccosh}(ax)^3}{3} - \frac{2\operatorname{arccosh}(ax)^2\sqrt{ax-1}\sqrt{ax+1}}{3} - \frac{\operatorname{arccosh}(ax)^2a^2x^2\sqrt{ax-1}\sqrt{ax+1}}{3} + \frac{4ax\operatorname{arccosh}(ax)}{3} - \frac{40\sqrt{ax-1}\sqrt{ax+1}}{27} + \frac{2a^3x^3\operatorname{arccosh}(ax)}{9}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arccosh(a\*x)^3,x)

[Out] 1/a^3\*(1/3\*a^3\*x^3\*arccosh(a\*x)^3-2/3\*arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/3\*arccosh(a\*x)^2\*a^2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+4/3\*a\*x\*arccosh(a\*x)-40/27\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+2/9\*a^3\*x^3\*arccosh(a\*x)-2/27\*a^2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))

**maxima** [A] time = 0.67, size = 116, normalized size = 0.75

$$\frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 - \frac{1}{3}a \left( \frac{\sqrt{a^2x^2 - 1}x^2}{a^2} + \frac{2\sqrt{a^2x^2 - 1}}{a^4} \right) \operatorname{arccosh}(ax)^2 - \frac{2}{27}a \left( \frac{\sqrt{a^2x^2 - 1}x^2 + \frac{20\sqrt{a^2x^2 - 1}}{a^2}}{a^2} - \frac{3(a^2x^3 + 6ax)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^3,x, algorithm="maxima")

[Out] 1/3\*x^3\*arccosh(a\*x)^3 - 1/3\*a\*(sqrt(a^2\*x^2 - 1)\*x^2/a^2 + 2\*sqrt(a^2\*x^2 - 1)/a^4)\*arccosh(a\*x)^2 - 2/27\*a\*((sqrt(a^2\*x^2 - 1)\*x^2 + 20\*sqrt(a^2\*x^2 - 1)/a^2)/a^2 - 3\*(a^2\*x^3 + 6\*x)\*arccosh(a\*x)/a^3)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*acosh(a\*x)^3,x)

[Out] `int(x^2*acosh(a*x)^3, x)`

**sympy [A]** time = 2.04, size = 138, normalized size = 0.89

$$\left\{ \begin{array}{l} \frac{x^3 \operatorname{acosh}^3(ax)}{3} + \frac{2x^3 \operatorname{acosh}(ax)}{9} - \frac{x^2 \sqrt{a^2 x^2 - 1} \operatorname{acosh}^2(ax)}{3a} - \frac{2x^2 \sqrt{a^2 x^2 - 1}}{27a} + \frac{4x \operatorname{acosh}(ax)}{3a^2} - \frac{2 \sqrt{a^2 x^2 - 1} \operatorname{acosh}^2(ax)}{3a^3} - \frac{40 \sqrt{a^2 x^2 - 1}}{27a^3} \\ - \frac{i\pi^3 x^3}{24} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acosh(a*x)**3,x)`

[Out] `Piecewise((x**3*acosh(a*x)**3/3 + 2*x**3*acosh(a*x)/9 - x**2*sqrt(a**2*x**2 - 1)*acosh(a*x)**2/(3*a) - 2*x**2*sqrt(a**2*x**2 - 1)/(27*a) + 4*x*acosh(a*x)/(3*a**2) - 2*sqrt(a**2*x**2 - 1)*acosh(a*x)**2/(3*a**3) - 40*sqrt(a**2*x**2 - 1)/(27*a**3), Ne(a, 0)), (-I*pi**3*x**3/24, True))`

### 3.25 $\int x \cosh^{-1}(ax)^3 dx$

**Optimal.** Leaf size=107

$$-\frac{\cosh^{-1}(ax)^3}{4a^2} - \frac{3 \cosh^{-1}(ax)}{8a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^3 + \frac{3}{4}x^2 \cosh^{-1}(ax) - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{8a} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{4a}$$

[Out]  $-3/8*\operatorname{arccosh}(a*x)/a^2+3/4*x^2*\operatorname{arccosh}(a*x)-1/4*\operatorname{arccosh}(a*x)^3/a^2+1/2*x^2*a$   
 $\operatorname{rccosh}(a*x)^3-3/8*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-3/4*x*\operatorname{arccosh}(a*x)^2*(a*x$   
 $-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.38, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.625, Rules used = {5662, 5759, 5676, 90, 52}

$$-\frac{\cosh^{-1}(ax)^3}{4a^2} - \frac{3 \cosh^{-1}(ax)}{8a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^3 + \frac{3}{4}x^2 \cosh^{-1}(ax) - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{8a} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{4a}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcCosh[a\*x]^3,x]

[Out]  $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(8*a) - (3*\operatorname{ArcCosh}[a*x])/(8*a^2) + (3*x$   
 $^2*\operatorname{ArcCosh}[a*x])/4 - (3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(4*a$   
 $) - \operatorname{ArcCosh}[a*x]^3/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^3)/2$

#### Rule 52

Int[1/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]), x\_Symbol] :> Simp[  
 ArcCosh[(b\*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b  
 - d, 0] && GtQ[a, 0]

#### Rule 90

Int[((a\_) + (b\_)\*(x\_))^(2\*((c\_) + (d\_)\*(x\_))^(n\_))\*((e\_) + (f\_)\*(x\_))^(  
 (p\_)), x\_Symbol] :> Simp[(b\*(a + b\*x)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/  
 (d\*f\*(n + p + 3)), x] + Dist[1/(d\*f\*(n + p + 3)), Int[(c + d\*x)^n\*(e + f\*x)  
 ^p\*Simp[a^2\*d\*f\*(n + p + 3) - b\*(b\*c\*e + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b  
 \*(a\*d\*f\*(n + p + 4) - b\*(d\*e\*(n + 2) + c\*f\*(p + 2)))\*x, x], x] /; FreeQ  
 [{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol]  
 :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c  
 \*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1  
 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&  
 NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)]\*Sq  
 rt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] :> Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b  
 \*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] &&  
 EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1  
 ]

#### Rule 5759

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)/(Sqrt[(d1  
 \_) + (e1\_)\*(x\_)]\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] :> Simp[(f\*(f\*x)^(m

```

- 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2^m), x]
+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]

```

### Rubi steps

$$\begin{aligned}
\int x \cosh^{-1}(ax)^3 dx &= \frac{1}{2}x^2 \cosh^{-1}(ax)^3 - \frac{1}{2}(3a) \int \frac{x^2 \cosh^{-1}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{4a} + \frac{1}{2}x^2 \cosh^{-1}(ax)^3 + \frac{3}{2} \int x \cosh^{-1}(ax) dx - \frac{3}{2} \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{3}{4}x^2 \cosh^{-1}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{4a} - \frac{\cosh^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^3 \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{8a} + \frac{3}{4}x^2 \cosh^{-1}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{4a} - \frac{\cosh^{-1}(ax)^3}{4a^2} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{8a} - \frac{3 \cosh^{-1}(ax)}{8a^2} + \frac{3}{4}x^2 \cosh^{-1}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{4a}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 113, normalized size = 1.06

$$\frac{(4a^2x^2 - 2) \cosh^{-1}(ax)^3 + 6a^2x^2 \cosh^{-1}(ax) - 3(ax\sqrt{ax-1}\sqrt{ax+1} + \log(ax + \sqrt{ax-1}\sqrt{ax+1})) - 6ax\sqrt{ax-1}\sqrt{ax+1}}{8a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcCosh[a\*x]^3,x]

[Out] (6\*a^2\*x^2\*ArcCosh[a\*x] - 6\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^2 + (-2 + 4\*a^2\*x^2)\*ArcCosh[a\*x]^3 - 3\*(a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x] + Log[a\*x + Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]]))/(8\*a^2)

**fricas [A]** time = 0.48, size = 112, normalized size = 1.05

$$\frac{6\sqrt{a^2x^2-1}ax \log\left(ax + \sqrt{a^2x^2-1}\right)^2 - 2(2a^2x^2-1) \log\left(ax + \sqrt{a^2x^2-1}\right)^3 + 3\sqrt{a^2x^2-1}ax - 3(2a^2x^2-1)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^3,x, algorithm="fricas")

[Out] -1/8\*(6\*sqrt(a^2\*x^2 - 1)\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 2\*(2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 3\*sqrt(a^2\*x^2 - 1)\*a\*x - 3\*(2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/a^2

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
 i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.04, size = 88, normalized size = 0.82

$$\frac{\frac{a^2 x^2 \operatorname{arccosh}(ax)^3}{2} - \frac{3 \operatorname{arccosh}(ax)^2 ax \sqrt{ax-1} \sqrt{ax+1}}{4} - \frac{\operatorname{arccosh}(ax)^3}{4} + \frac{3a^2 x^2 \operatorname{arccosh}(ax)}{4} - \frac{3 \sqrt{ax+1} \sqrt{ax-1} ax}{8} - \frac{3 \operatorname{arccosh}(ax)}{8}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^3,x)

[Out]  $\frac{1}{a^2} \left( \frac{1}{2} a^2 x^2 \operatorname{arccosh}(ax)^3 - \frac{3}{4} \operatorname{arccosh}(ax)^2 a x (ax-1)^{1/2} (ax+1)^{1/2} - \frac{1}{4} \operatorname{arccosh}(ax)^3 + \frac{3}{4} a^2 x^2 \operatorname{arccosh}(ax) - \frac{3}{8} (ax+1)^{1/2} (ax-1)^{1/2} a x - \frac{3}{8} \operatorname{arccosh}(ax) \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} x^2 \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^3 - \int \frac{3 \left( a^3 x^4 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^3 - ax^2 \right) \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^2}{2 \left( a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax \right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^3,x, algorithm="maxima")

[Out]  $\frac{1}{2} x^2 \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3 - \operatorname{integrate} \left( \frac{3}{2} (a^3 x^4 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^3 - ax^2) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^2}{2 (a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax)}, x \right)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^3,x)

[Out] int(x\*acosh(a\*x)^3, x)

**sympy** [A] time = 0.98, size = 102, normalized size = 0.95

$$\begin{cases} \frac{x^2 \operatorname{acosh}^3(ax)}{2} + \frac{3x^2 \operatorname{acosh}(ax)}{4} - \frac{3x \sqrt{a^2 x^2 - 1} \operatorname{acosh}^2(ax)}{4a} - \frac{3x \sqrt{a^2 x^2 - 1}}{8a} - \frac{\operatorname{acosh}^3(ax)}{4a^2} - \frac{3 \operatorname{acosh}(ax)}{8a^2} & \text{for } a \neq 0 \\ -\frac{i\pi^3 x^2}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*3,x)

[Out]  $\operatorname{Piecewise} \left( \left( \frac{x^2 \operatorname{acosh}(ax)^3}{2} + \frac{3x^2 \operatorname{acosh}(ax)}{4} - \frac{3x \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)^2}{4a} - \frac{3x \sqrt{a^2 x^2 - 1}}{8a} - \frac{\operatorname{acosh}(ax)^3}{4a^2} - \frac{3 \operatorname{acosh}(ax)}{8a^2} \right), \operatorname{Ne}(a, 0) \right), \left( -\frac{i\pi^3 x^2}{16}, \operatorname{True} \right)$



### 3.26 $\int \cosh^{-1}(ax)^3 dx$

**Optimal.** Leaf size=68

$$-\frac{6\sqrt{ax-1}\sqrt{ax+1}}{a} + x \cosh^{-1}(ax)^3 - \frac{3\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^2}{a} + 6x \cosh^{-1}(ax)$$

[Out]  $6*x*\operatorname{arccosh}(a*x)+x*\operatorname{arccosh}(a*x)^3-6*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.18, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5654, 5718, 74}

$$-\frac{6\sqrt{ax-1}\sqrt{ax+1}}{a} + x \cosh^{-1}(ax)^3 - \frac{3\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^2}{a} + 6x \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^3,x]

[Out]  $(-6*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/a + 6*x*\operatorname{ArcCosh}[a*x] - (3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/a + x*\operatorname{ArcCosh}[a*x]^3$

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d1\_) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_) + (e2\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(q + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^(n-1)\*IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p])/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax)^3 dx &= x \cosh^{-1}(ax)^3 - (3a) \int \frac{x \cosh^{-1}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{3\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{a} + x \cosh^{-1}(ax)^3 + 6 \int \cosh^{-1}(ax) dx \\ &= 6x \cosh^{-1}(ax) - \frac{3\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{a} + x \cosh^{-1}(ax)^3 - (6a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{6\sqrt{-1+ax}\sqrt{1+ax}}{a} + 6x \cosh^{-1}(ax) - \frac{3\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2}{a} + x \cosh^{-1}(ax)^3 \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 68, normalized size = 1.00

$$-\frac{6\sqrt{ax-1}\sqrt{ax+1}}{a} + x \cosh^{-1}(ax)^3 - \frac{3\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{a} + 6x \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^3,x]

[Out] (-6\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/a + 6\*x\*ArcCosh[a\*x] - (3\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^2)/a + x\*ArcCosh[a\*x]^3

**fricas** [A] time = 0.59, size = 90, normalized size = 1.32

$$\frac{ax \log\left(ax + \sqrt{a^2x^2 - 1}\right)^3 + 6ax \log\left(ax + \sqrt{a^2x^2 - 1}\right) - 3\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2 - 6\sqrt{a^2x^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3,x, algorithm="fricas")

[Out] (a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 6\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)) - 3\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 6\*sqrt(a^2\*x^2 - 1))/a

**giac** [A] time = 0.39, size = 98, normalized size = 1.44

$$x \log\left(ax + \sqrt{a^2x^2 - 1}\right)^3 - 3a \left( \frac{\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2}{a^2} - \frac{2 \left( x \log\left(ax + \sqrt{a^2x^2 - 1}\right) - \frac{\sqrt{a^2x^2 - 1}}{a} \right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3,x, algorithm="giac")

[Out] x\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 - 3\*a\*(sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2/a^2 - 2\*(x\*log(a\*x + sqrt(a^2\*x^2 - 1)) - sqrt(a^2\*x^2 - 1)/a)/a)

**maple** [A] time = 0.06, size = 61, normalized size = 0.90

$$\frac{ax \operatorname{arccosh}(ax)^3 - 3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 6ax \operatorname{arccosh}(ax) - 6\sqrt{ax-1} \sqrt{ax+1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^3,x)

[Out] 1/a\*(a\*x\*arccosh(a\*x)^3-3\*arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+6\*a\*x\*arccosh(a\*x)-6\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2))

**maxima** [A] time = 0.31, size = 57, normalized size = 0.84

$$x \operatorname{arccosh}(ax)^3 - \frac{3\sqrt{a^2x^2-1} \operatorname{arccosh}(ax)^2}{a} + \frac{6(ax \operatorname{arccosh}(ax) - \sqrt{a^2x^2-1})}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3,x, algorithm="maxima")

[Out] x\*arccosh(a\*x)^3 - 3\*sqrt(a^2\*x^2 - 1)\*arccosh(a\*x)^2/a + 6\*(a\*x\*arccosh(a\*x) - sqrt(a^2\*x^2 - 1))/a

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^3, x)

[Out] int(acosh(a\*x)^3, x)

**sympy** [A] time = 0.48, size = 63, normalized size = 0.93

$$\begin{cases} x \operatorname{acosh}^3(ax) + 6x \operatorname{acosh}(ax) - \frac{3\sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{a} - \frac{6\sqrt{a^2x^2-1}}{a} & \text{for } a \neq 0 \\ -\frac{i\pi^3x}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*3, x)

[Out] Piecewise((x\*acosh(a\*x)\*\*3 + 6\*x\*acosh(a\*x) - 3\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*2/a - 6\*sqrt(a\*\*2\*x\*\*2 - 1)/a, Ne(a, 0)), (-I\*pi\*\*3\*x/8, True))

$$3.27 \quad \int \frac{\cosh^{-1}(ax)^3}{x} dx$$

**Optimal.** Leaf size=87

$$\frac{3}{2} \cosh^{-1}(ax)^2 \text{Li}_2\left(-e^{2 \cosh^{-1}(ax)}\right) - \frac{3}{2} \cosh^{-1}(ax) \text{Li}_3\left(-e^{2 \cosh^{-1}(ax)}\right) + \frac{3}{4} \text{Li}_4\left(-e^{2 \cosh^{-1}(ax)}\right) - \frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)$$

[Out]  $-1/4*\text{arccosh}(a*x)^4 + \text{arccosh}(a*x)^3*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3/2*\text{arccosh}(a*x)^2*\text{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3/2*\text{arccosh}(a*x)*\text{polylog}(3, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3/4*\text{polylog}(4, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

**Rubi [A]** time = 0.11, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5660, 3718, 2190, 2531, 6609, 2282, 6589}

$$\frac{3}{2} \cosh^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{2 \cosh^{-1}(ax)}\right) - \frac{3}{2} \cosh^{-1}(ax) \text{PolyLog}\left(3, -e^{2 \cosh^{-1}(ax)}\right) + \frac{3}{4} \text{PolyLog}\left(4, -e^{2 \cosh^{-1}(ax)}\right) - \frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^3/x, x]

[Out]  $-\text{ArcCosh}[a*x]^4/4 + \text{ArcCosh}[a*x]^3*\text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] + (3*\text{ArcCosh}[a*x]^2*\text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}])/2 - (3*\text{ArcCosh}[a*x]*\text{PolyLog}[3, -E^{(2*\text{ArcCosh}[a*x])}])/2 + (3*\text{PolyLog}[4, -E^{(2*\text{ArcCosh}[a*x])}])/4$

#### Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2282

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 2531

Int[Log[1 + (e\_)\*((F\_)^(c\_)\*((a\_) + (b\_)\*(x\_)))^(n\_)]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] :> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/((b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

#### Rule 3718

Int[(((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)]), x\_Symbol] :> -Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] + Dist[2\*I, Int[(((c + d\*x)^m\*E^(2\*(-(I\*e) + f\*fz\*x)))/(1 + E^(2\*(-(I\*e) + f\*fz\*x))), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

#### Rule 5660

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_)/(x_), x_Symbol] := Subst[Int[
(a + b*x)^n/Coth[x], x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n,
0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^3}{x} dx &= \text{Subst} \left( \int x^3 \tanh(x) dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + 2 \text{Subst} \left( \int \frac{e^{2x} x^3}{1 + e^{2x}} dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)^3 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) - 3 \text{Subst} \left( \int x^2 \log(1 + e^{2x}) dx, x, \right. \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)^3 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \frac{3}{2} \cosh^{-1}(ax)^2 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)^3 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \frac{3}{2} \cosh^{-1}(ax)^2 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)^3 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \frac{3}{2} \cosh^{-1}(ax)^2 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{4} \cosh^{-1}(ax)^4 + \cosh^{-1}(ax)^3 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + \frac{3}{2} \cosh^{-1}(ax)^2 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 82, normalized size = 0.94

$$\frac{1}{4} \left( -6 \cosh^{-1}(ax)^2 \text{Li}_2 \left( -e^{-2 \cosh^{-1}(ax)} \right) - 6 \cosh^{-1}(ax) \text{Li}_3 \left( -e^{-2 \cosh^{-1}(ax)} \right) - 3 \text{Li}_4 \left( -e^{-2 \cosh^{-1}(ax)} \right) + \cosh^{-1}(ax)^4 \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCosh[a*x]^3/x,x]
```

```
[Out] (ArcCosh[a*x]^4 + 4*ArcCosh[a*x]^3*Log[1 + E^(-2*ArcCosh[a*x])]) - 6*ArcCosh
[a*x]^2*PolyLog[2, -E^(-2*ArcCosh[a*x])] - 6*ArcCosh[a*x]*PolyLog[3, -E^(-2
*ArcCosh[a*x])] - 3*PolyLog[4, -E^(-2*ArcCosh[a*x])])/4
```

**fricas [F]** time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)^3}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^3/x,x, algorithm="fricas")
```

[Out] integral(arccosh(a\*x)^3/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^3/x, x)

**maple** [A] time = 0.09, size = 132, normalized size = 1.52

$$-\frac{\operatorname{arccosh}(ax)^4}{4} + \operatorname{arccosh}(ax)^3 \ln\left(1 + \left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right) + \frac{3\operatorname{arccosh}(ax)^2 \operatorname{polylog}\left(2, -\left(ax + \sqrt{ax-1}\right)\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^3/x,x)

[Out]  $-1/4*\operatorname{arccosh}(a*x)^4 + \operatorname{arccosh}(a*x)^3*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3/2*\operatorname{arccosh}(a*x)^2*\operatorname{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3/2*\operatorname{arccosh}(a*x)*\operatorname{polylog}(3, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3/4*\operatorname{polylog}(4, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^3/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^3/x,x)

[Out] int(acosh(a\*x)^3/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*3/x,x)

[Out] Integral(acosh(a\*x)\*\*3/x, x)

### 3.28 $\int \frac{\cosh^{-1}(ax)^3}{x^2} dx$

**Optimal.** Leaf size=104

$$-6ia \cosh^{-1}(ax) \operatorname{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 6ia \cosh^{-1}(ax) \operatorname{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) + 6ia \operatorname{Li}_3\left(-ie^{\cosh^{-1}(ax)}\right) - 6ia \operatorname{Li}_3\left(ie^{\cosh^{-1}(ax)}\right)$$

```
[Out] -arccosh(a*x)^3/x+6*a*arccosh(a*x)^2*arctan(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))
-6*I*a*arccosh(a*x)*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+6*I*a*
arccosh(a*x)*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+6*I*a*polylog(3
,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-6*I*a*polylog(3,I*(a*x+(a*x-1)^(1/2)
*(a*x+1)^(1/2)))
```

**Rubi [A]** time = 0.31, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5662, 5761, 4180, 2531, 2282, 6589}

$$-6ia \cosh^{-1}(ax) \operatorname{PolyLog}\left(2, -ie^{\cosh^{-1}(ax)}\right) + 6ia \cosh^{-1}(ax) \operatorname{PolyLog}\left(2, ie^{\cosh^{-1}(ax)}\right) + 6ia \operatorname{PolyLog}\left(3, -ie^{\cosh^{-1}(ax)}\right) - 6ia \operatorname{PolyLog}\left(3, ie^{\cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCosh[a*x]^3/x^2,x]
```

```
[Out] -(ArcCosh[a*x]^3/x) + 6*a*ArcCosh[a*x]^2*ArcTan[E^ArcCosh[a*x]] - (6*I)*a*ArcCosh[a*x]*PolyLog[2, (-I)*E^ArcCosh[a*x]] + (6*I)*a*ArcCosh[a*x]*PolyLog[2, I*E^ArcCosh[a*x]] + (6*I)*a*PolyLog[3, (-I)*E^ArcCosh[a*x]] - (6*I)*a*PolyLog[3, I*E^ArcCosh[a*x]]
```

#### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

#### Rule 4180

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m-1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m-1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

#### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcCosh[c*x])^n)/(d*(m+1)), x] - Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCosh[c*x])^(n-1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
```

NeQ[m, -1]

### Rule 5761

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.)*(x_)^m_)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[-(d1*d2)]), Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IGtQ[n, 0] && GtQ[d1, 0] && LtQ[d2, 0] && IntegerQ[m]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^3}{x^2} dx &= -\frac{\cosh^{-1}(ax)^3}{x} + (3a) \int \frac{\cosh^{-1}(ax)^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{\cosh^{-1}(ax)^3}{x} + (3a) \text{Subst}\left(\int x^2 \text{sech}(x) dx, x, \cosh^{-1}(ax)\right) \\ &= -\frac{\cosh^{-1}(ax)^3}{x} + 6a \cosh^{-1}(ax)^2 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - (6ia) \text{Subst}\left(\int x \log(1 - ie^x) dx, x, \cosh^{-1}(ax)\right) \\ &= -\frac{\cosh^{-1}(ax)^3}{x} + 6a \cosh^{-1}(ax)^2 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 6ia \cosh^{-1}(ax) \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 6ia \\ &= -\frac{\cosh^{-1}(ax)^3}{x} + 6a \cosh^{-1}(ax)^2 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 6ia \cosh^{-1}(ax) \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 6ia \\ &= -\frac{\cosh^{-1}(ax)^3}{x} + 6a \cosh^{-1}(ax)^2 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 6ia \cosh^{-1}(ax) \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 6ia \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 128, normalized size = 1.23

$$-\frac{\cosh^{-1}(ax)^3}{x} + 3ia \left( -2 \cosh^{-1}(ax) \left( \text{Li}_2\left(-ie^{-\cosh^{-1}(ax)}\right) - \text{Li}_2\left(ie^{-\cosh^{-1}(ax)}\right) \right) - 2\text{Li}_3\left(-ie^{-\cosh^{-1}(ax)}\right) + 2\text{Li}_3\left(ie^{-\cosh^{-1}(ax)}\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCosh[a*x]^3/x^2,x]
```

```
[Out] -(ArcCosh[a*x]^3/x) + (3*I)*a*(-(ArcCosh[a*x]^2*(Log[1 - I/E^ArcCosh[a*x]] - Log[1 + I/E^ArcCosh[a*x]])) - 2*ArcCosh[a*x]*(PolyLog[2, (-I)/E^ArcCosh[a*x]] - PolyLog[2, I/E^ArcCosh[a*x]]) - 2*PolyLog[3, (-I)/E^ArcCosh[a*x]] + 2*PolyLog[3, I/E^ArcCosh[a*x]])
```

**fricas [F]** time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{arcosh}(ax)^3}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^3/x^2,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^3/x^2, x)
```



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^3/x^2, x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^3/x^2,x)

[Out] int(arccosh(a\*x)^3/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1}\sqrt{ax-1})^3}{x} + \int \frac{3(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})^2}{a^3x^4 - ax^2 + (a^2x^3 - x)\sqrt{ax+1}\sqrt{ax-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^2,x, algorithm="maxima")

[Out] -log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/x + integrate(3\*(a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2/(a^3\*x^4 - a\*x^2 + (a^2\*x^3 - x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^3/x^2,x)

[Out] int(acosh(a\*x)^3/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*3/x\*\*2,x)

[Out] Integral(acosh(a\*x)\*\*3/x\*\*2, x)

$$3.29 \quad \int \frac{\cosh^{-1}(ax)^3}{x^3} dx$$

**Optimal.** Leaf size=98

$$-\frac{3}{2}a^2 \text{Li}_2\left(-e^{2\cosh^{-1}(ax)}\right) + \frac{3}{2}a^2 \cosh^{-1}(ax)^2 - 3a^2 \cosh^{-1}(ax) \log\left(e^{2\cosh^{-1}(ax)} + 1\right) - \frac{\cosh^{-1}(ax)^3}{2x^2} + \frac{3a\sqrt{ax-1}\sqrt{ax+1}}{2x}$$

[Out]  $3/2*a^2*\text{arccosh}(a*x)^2-1/2*\text{arccosh}(a*x)^3/x^2-3*a^2*\text{arccosh}(a*x)*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}))^2)-3/2*a^2*\text{polylog}(2,-(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}))^2)+3/2*a*\text{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.32, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5724, 5660, 3718, 2190, 2279, 2391}

$$-\frac{3}{2}a^2 \text{PolyLog}\left(2, -e^{2\cosh^{-1}(ax)}\right) + \frac{3}{2}a^2 \cosh^{-1}(ax)^2 - 3a^2 \cosh^{-1}(ax) \log\left(e^{2\cosh^{-1}(ax)} + 1\right) - \frac{\cosh^{-1}(ax)^3}{2x^2} + \frac{3a\sqrt{ax-1}\sqrt{ax+1}}{2x}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^3/x^3, x]

[Out]  $(3*a^2*\text{ArcCosh}[a*x]^2)/2 + (3*a*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x]*\text{ArcCosh}[a*x]^2)/(2*x) - \text{ArcCosh}[a*x]^3/(2*x^2) - 3*a^2*\text{ArcCosh}[a*x]*\text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] - (3*a^2*\text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}])/2$

Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 3718

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)], x\_Symbol] := -Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] + Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*(-I\*e) + f\*fz\*x))/(1 + E^(2\*(-I\*e) + f\*fz\*x)), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5660

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Coth[x], x], x, ArcCosh[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  := Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1
+ c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

#### Rule 5724

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e
1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(q_.), x_Symbol] := Simp[((f*x)^(m +
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(q + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*
f*(m + 1)), x] + Dist[(b*c*n*(-(d1*d2))^(IntPart[p]*(d1 + e1*x)^FracPart[p]*
(d2 + e2*x)^FracPart[p]))/(f*(m + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPa
rt[p]), Int[(f*x)^(m + 1)*(-1 + c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1 - c*
d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[m, -
1] && IntegerQ[p + 1/2]
```

#### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh^{-1}(ax)^3}{x^3} dx &= -\frac{\cosh^{-1}(ax)^3}{2x^2} + \frac{1}{2}(3a) \int \frac{\cosh^{-1}(ax)^2}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - (3a^2) \int \frac{\cosh^{-1}(ax)}{x} dx \\
 &= \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - (3a^2) \text{Subst}\left(\int x \tanh(x) dx, x, \cosh^{-1}(ax)\right) \\
 &= \frac{3}{2}a^2 \cosh^{-1}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - (6a^2) \text{Subst}\left(\int \frac{1}{x} dx, x, \cosh^{-1}(ax)\right) \\
 &= \frac{3}{2}a^2 \cosh^{-1}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - 3a^2 \cosh^{-1}(ax) \log|\cosh^{-1}(ax)| \\
 &= \frac{3}{2}a^2 \cosh^{-1}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - 3a^2 \cosh^{-1}(ax) \log|\cosh^{-1}(ax)| \\
 &= \frac{3}{2}a^2 \cosh^{-1}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} - \frac{\cosh^{-1}(ax)^3}{2x^2} - 3a^2 \cosh^{-1}(ax) \log|\cosh^{-1}(ax)|
 \end{aligned}$$

**Mathematica [A]** time = 0.87, size = 92, normalized size = 0.94

$$\frac{1}{2} \left( 3a^2 \left( \text{Li}_2\left(-e^{-2\cosh^{-1}(ax)}\right) + \cosh^{-1}(ax) \left( \frac{\sqrt{\frac{ax-1}{ax+1}}(ax+1)\cosh^{-1}(ax)}{ax} - \cosh^{-1}(ax) - 2\log\left(e^{-2\cosh^{-1}(ax)} + 1\right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCosh[a*x]^3/x^3,x]
```

```
[Out] (- (ArcCosh[a*x]^3/x^2) + 3*a^2*(ArcCosh[a*x]*(-ArcCosh[a*x] + (Sqrt[(-1 + a
*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x])/(a*x) - 2*Log[1 + E^(-2*ArcCosh[a*x]
)])) + PolyLog[2, -E^(-2*ArcCosh[a*x])])/2
```

**fricas [F]** time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{arcosh}(ax)^3}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^3,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^3/x^3, x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.26, size = 113, normalized size = 1.15

$$\frac{3a^2 \operatorname{arccosh}(ax)^2}{2} - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - 3a^2 \operatorname{arccosh}(ax) \ln\left(1 + \left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right) - \frac{3a^2 \operatorname{polylog}\left(2, -\left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^3/x^3,x)

[Out]  $\frac{3}{2}a^2 \operatorname{arccosh}(a*x)^2 - \frac{1}{2} \operatorname{arccosh}(a*x)^3/x^2 - 3a^2 \operatorname{arccosh}(a*x) \ln(1 + (a*x + (a*x-1)^{(1/2)} * (a*x+1)^{(1/2)})^2) - 3/2 * a^2 * \operatorname{polylog}(2, -(a*x + (a*x-1)^{(1/2)} * (a*x+1)^{(1/2)})^2) + 3/2 * a * \operatorname{arccosh}(a*x)^2 * (a*x-1)^{(1/2)} * (a*x+1)^{(1/2)} / x$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1} \sqrt{ax-1})^3}{2x^2} + \int \frac{3(a^3x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^2}{2(a^3x^5 - ax^3 + (a^2x^4 - x^2)\sqrt{ax+1} \sqrt{ax-1})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^3,x, algorithm="maxima")

[Out]  $-1/2 * \log(ax + \sqrt{ax+1} * \sqrt{ax-1})^3 / x^2 + \operatorname{integrate}(3/2 * (a^3 * x^2 + \sqrt{ax+1} * \sqrt{ax-1} * a^2 * x - a) * \log(ax + \sqrt{ax+1} * \sqrt{ax-1})^2 / (a^3 * x^5 - a * x^3 + (a^2 * x^4 - x^2) * \sqrt{ax+1} * \sqrt{ax-1}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^3/x^3,x)

[Out] int(acosh(a\*x)^3/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*3/x\*\*3,x)

[Out] Integral(acosh(a\*x)\*\*3/x\*\*3, x)

### 3.30 $\int \frac{\cosh^{-1}(ax)^3}{x^4} dx$

**Optimal.** Leaf size=183

$$-ia^3 \cosh^{-1}(ax) \operatorname{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + ia^3 \cosh^{-1}(ax) \operatorname{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) + ia^3 \operatorname{Li}_3\left(-ie^{\cosh^{-1}(ax)}\right) - ia^3 \operatorname{Li}_3\left(ie^{\cosh^{-1}(ax)}\right) - a^3 \operatorname{Li}_3\left(-ie^{\cosh^{-1}(ax)}\right) + a^3 \operatorname{Li}_3\left(ie^{\cosh^{-1}(ax)}\right)$$

[Out]  $a^2 \operatorname{arccosh}(ax)/x - 1/3 \operatorname{arccosh}(ax)^3/x^3 + a^3 \operatorname{arccosh}(ax)^2 \operatorname{arctan}(ax + (ax-1)^{1/2}(ax+1)^{1/2}) - a^3 \operatorname{arctan}((ax-1)^{1/2}(ax+1)^{1/2}) - I a^3 \operatorname{arccosh}(ax) \operatorname{polylog}(2, -I(ax + (ax-1)^{1/2}(ax+1)^{1/2})) + I a^3 \operatorname{arccosh}(ax) \operatorname{polylog}(2, I(ax + (ax-1)^{1/2}(ax+1)^{1/2})) + I a^3 \operatorname{polylog}(3, -I(ax + (ax-1)^{1/2}(ax+1)^{1/2})) - I a^3 \operatorname{polylog}(3, I(ax + (ax-1)^{1/2}(ax+1)^{1/2})) + 1/2 a \operatorname{arccosh}(ax)^2 (ax-1)^{1/2}(ax+1)^{1/2}/x^2$

**Rubi [A]** time = 0.58, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$ , Rules used = {5662, 5748, 5761, 4180, 2531, 2282, 6589, 92, 205}

$$-ia^3 \cosh^{-1}(ax) \operatorname{PolyLog}\left(2, -ie^{\cosh^{-1}(ax)}\right) + ia^3 \cosh^{-1}(ax) \operatorname{PolyLog}\left(2, ie^{\cosh^{-1}(ax)}\right) + ia^3 \operatorname{PolyLog}\left(3, -ie^{\cosh^{-1}(ax)}\right) - ia^3 \operatorname{PolyLog}\left(3, ie^{\cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{ArcCosh}[ax]^3/x^4, x]$

[Out]  $(a^2 \operatorname{ArcCosh}[ax])/x + (a \sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{ArcCosh}[ax]^2)/(2x^2) - \operatorname{ArcCosh}[ax]^3/(3x^3) + a^3 \operatorname{ArcCosh}[ax]^2 \operatorname{ArcTan}[E^{\operatorname{ArcCosh}[ax]}] - a^3 \operatorname{ArcTan}[\sqrt{-1 + ax} \sqrt{1 + ax}] - I a^3 \operatorname{ArcCosh}[ax] \operatorname{PolyLog}[2, (-I)E^{\operatorname{ArcCosh}[ax]}] + I a^3 \operatorname{ArcCosh}[ax] \operatorname{PolyLog}[2, I E^{\operatorname{ArcCosh}[ax]}] + I a^3 \operatorname{PolyLog}[3, (-I)E^{\operatorname{ArcCosh}[ax]}] - I a^3 \operatorname{PolyLog}[3, I E^{\operatorname{ArcCosh}[ax]}]$

#### Rule 92

$\operatorname{Int}[1/(\sqrt{(a_.) + (b_.)(x_.)} \sqrt{(c_.) + (d_.)(x_.)} ((e_.) + (f_.)(x_.))), x\_Symbol] \rightarrow \operatorname{Dist}[b f, \operatorname{Subst}[\operatorname{Int}[1/(d(b e - a f)^2 + b f^2 x^2), x], x, \sqrt{a + b x} \sqrt{c + d x}], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{EqQ}[2 b d e - f(b c + a d), 0]$

#### Rule 205

$\operatorname{Int}[(a_.) + (b_.)(x_.)^2]^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] \operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{PosQ}[a/b]$

#### Rule 2282

$\operatorname{Int}[u_, x\_Symbol] \rightarrow \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \operatorname{FunctionOfExponentialQ}[u, x] \&\& \operatorname{!MatchQ}[u, (w_.)((a_.)(v_.)^{n_.})^{m_.}] /; \operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m n] \&\& \operatorname{!MatchQ}[u, E^{((c_.)((a_.) + (b_.)x))} (F_.)[v_.] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{InverseFunctionQ}[F[x]]]$

#### Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)((F_.)^{(c_.)((a_.) + (b_.)(x_.)))^{n_.}]]^{(f_.) + (g_.)(x_.)^{m_.}], x\_Symbol] \rightarrow -\operatorname{Simp}[(f + g x)^m \operatorname{PolyLog}[2, -(e(F^{c(a + b x)}))^{n}]]/(b c n \operatorname{Log}[F]), x] + \operatorname{Dist}[(g m)/(b c n \operatorname{Log}[F]), \operatorname{Int}[(f + g x)^{m-1} \operatorname{PolyLog}[2, -(e(F^{c(a + b x)}))^{n}]], x], x] /; \operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \operatorname{GtQ}[m, 0]$

#### Rule 4180

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 5748

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_))^(m_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[(b*c*n*(-(d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p])/(f*(m + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(f*x)^(m + 1)*(-1 + c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m] && IntegerQ[p + 1/2]
```

### Rule 5761

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^(m_))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[-(d1*d2)]), Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IGtQ[n, 0] && GtQ[d1, 0] && LtQ[d2, 0] && IntegerQ[m]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)^3}{x^4} dx &= -\frac{\cosh^{-1}(ax)^3}{3x^3} + a \int \frac{\cosh^{-1}(ax)^2}{x^3 \sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} - a^2 \int \frac{\cosh^{-1}(ax)}{x^2} dx + \frac{1}{2} a^3 \int \frac{\cosh^{-1}(ax)}{x \sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= \frac{a^2 \cosh^{-1}(ax)}{x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} + \frac{1}{2} a^3 \operatorname{Subst} \left( \int x^2 \sec^{-1} \left( \frac{x}{\sqrt{-1+ax} \sqrt{1+ax}} \right) dx, x, \frac{a\sqrt{-1+ax} \sqrt{1+ax}}{2} \right) \\
&= \frac{a^2 \cosh^{-1}(ax)}{x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} + a^3 \cosh^{-1}(ax)^2 \tan^{-1} \left( \frac{a\sqrt{-1+ax} \sqrt{1+ax}}{2} \right) \\
&= \frac{a^2 \cosh^{-1}(ax)}{x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} + a^3 \cosh^{-1}(ax)^2 \tan^{-1} \left( \frac{a\sqrt{-1+ax} \sqrt{1+ax}}{2} \right) \\
&= \frac{a^2 \cosh^{-1}(ax)}{x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} + a^3 \cosh^{-1}(ax)^2 \tan^{-1} \left( \frac{a\sqrt{-1+ax} \sqrt{1+ax}}{2} \right) \\
&= \frac{a^2 \cosh^{-1}(ax)}{x} + \frac{a\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2}{2x^2} - \frac{\cosh^{-1}(ax)^3}{3x^3} + a^3 \cosh^{-1}(ax)^2 \tan^{-1} \left( \frac{a\sqrt{-1+ax} \sqrt{1+ax}}{2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.58, size = 201, normalized size = 1.10

$$\frac{1}{6} \left( -3ia^3 \left( 2 \cosh^{-1}(ax) \operatorname{Li}_2 \left( -ie^{-\cosh^{-1}(ax)} \right) - 2 \cosh^{-1}(ax) \operatorname{Li}_2 \left( ie^{-\cosh^{-1}(ax)} \right) + 2 \operatorname{Li}_3 \left( -ie^{-\cosh^{-1}(ax)} \right) - 2 \operatorname{Li}_3 \left( ie^{-\cosh^{-1}(ax)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^3/x^4,x]

[Out]  $\left( (6a^2 \operatorname{ArcCosh}[a*x])/x + (3a \sqrt{(-1+a*x)/(1+a*x)}) * (1+a*x) \operatorname{ArcCosh}[a*x]^2/x^2 - (2 \operatorname{ArcCosh}[a*x]^3)/x^3 - (3I) a^3 ((-4I) \operatorname{ArcTan}[\operatorname{Tanh}[\operatorname{ArcCosh}[a*x]/2]] + \operatorname{ArcCosh}[a*x]^2 \operatorname{Log}[1 - I/E^{\operatorname{ArcCosh}[a*x]}] - \operatorname{ArcCosh}[a*x]^2 \operatorname{Log}[1 + I/E^{\operatorname{ArcCosh}[a*x]}] + 2 \operatorname{ArcCosh}[a*x] \operatorname{PolyLog}[2, (-I)/E^{\operatorname{ArcCosh}[a*x]}] - 2 \operatorname{ArcCosh}[a*x] \operatorname{PolyLog}[2, I/E^{\operatorname{ArcCosh}[a*x]}] + 2 \operatorname{PolyLog}[3, (-I)/E^{\operatorname{ArcCosh}[a*x]}] - 2 \operatorname{PolyLog}[3, I/E^{\operatorname{ArcCosh}[a*x]}]) \right) / 6$

**fricas [F]** time = 0.58, size = 0, normalized size = 0.00

$$\operatorname{integral} \left( \frac{\operatorname{arcosh}(ax)^3}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^4,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^3/x^4, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^3/x^4, x)

**maple** [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^3/x^4,x)

[Out] int(arccosh(a\*x)^3/x^4,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1}\sqrt{ax-1})^3}{3x^3} + \int \frac{(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})^2}{a^3x^6 - ax^4 + (a^2x^5 - x^3)\sqrt{ax+1}\sqrt{ax-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^4,x, algorithm="maxima")

[Out] -1/3\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/x^3 + integrate((a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2/(a^3\*x^6 - a\*x^4 + (a^2\*x^5 - x^3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^3/x^4,x)

[Out] int(acosh(a\*x)^3/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*3/x\*\*4,x)

[Out] Integral(acosh(a\*x)\*\*3/x\*\*4, x)



### 3.31 $\int \frac{\cosh^{-1}(ax)^3}{x^5} dx$

**Optimal.** Leaf size=174

$$-\frac{1}{2}a^4 \text{Li}_2\left(-e^{2 \cosh^{-1}(ax)}\right) + \frac{1}{2}a^4 \cosh^{-1}(ax)^2 - a^4 \cosh^{-1}(ax) \log\left(e^{2 \cosh^{-1}(ax)} + 1\right) - \frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{4x} + \frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{2x}$$

[Out]  $1/4*a^2*\text{arccosh}(a*x)/x^2+1/2*a^4*\text{arccosh}(a*x)^2-1/4*\text{arccosh}(a*x)^3/x^4-a^4*\text{arccosh}(a*x)*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2)-1/2*a^4*\text{polylog}(2,-(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2)-1/4*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x+1/4*a*\text{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^3+1/2*a^3*\text{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

**Rubi [A]** time = 0.58, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$ , Rules used = {5662, 5748, 5724, 5660, 3718, 2190, 2279, 2391, 95}

$$-\frac{1}{2}a^4 \text{PolyLog}\left(2, -e^{2 \cosh^{-1}(ax)}\right) + \frac{a^2 \cosh^{-1}(ax)}{4x^2} - \frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{4x} + \frac{1}{2}a^4 \cosh^{-1}(ax)^2 + \frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{2x}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^3/x^5, x]

[Out]  $-(a^3*\text{Sqrt}[-1+a*x]*\text{Sqrt}[1+a*x])/(4*x) + (a^2*\text{ArcCosh}[a*x])/(4*x^2) + (a^4*\text{ArcCosh}[a*x]^2)/2 + (a*\text{Sqrt}[-1+a*x]*\text{Sqrt}[1+a*x]*\text{ArcCosh}[a*x]^2)/(4*x^3) + (a^3*\text{Sqrt}[-1+a*x]*\text{Sqrt}[1+a*x]*\text{ArcCosh}[a*x]^2)/(2*x) - \text{ArcCosh}[a*x]^3/(4*x^4) - a^4*\text{ArcCosh}[a*x]*\text{Log}[1+E^{(2*\text{ArcCosh}[a*x])}] - (a^4*\text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}])/2$

#### Rule 95

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1), 0] && NeQ[m, -1]

#### Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 3718

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_
_Symbol] := -Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] + Dist[2*I, Int[((c
+ d*x)^m*E^(2*(-I*e) + f*fz*x)))/(1 + E^(2*(-I*e) + f*fz*x)), x], x] /;
FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

#### Rule 5660

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[
(a + b*x)^n/Coth[x], x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n,
0]
```

#### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1
+ c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

#### Rule 5724

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((f*x)^(m +
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*f
*(m + 1)), x] + Dist[(b*c*n*(-(d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*
(d2 + e2*x)^FracPart[p])/(f*(m + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPa
rt[p]), Int[(f*x)^(m + 1)*(-1 + c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1 - c*
d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[m, -
1] && IntegerQ[p + 1/2]
```

#### Rule 5748

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((f*x)^(m + 1
)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*f*
(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*
(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[(b*c*n*(-
d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p])/(f*(m +
1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(f*x)^(m + 1)*(-1 +
c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c,
d1, e1, d2, e2, f, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ
[n, 0] && LtQ[m, -1] && IntegerQ[m] && IntegerQ[p + 1/2]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)^3}{x^5} dx &= -\frac{\cosh^{-1}(ax)^3}{4x^4} + \frac{1}{4}(3a) \int \frac{\cosh^{-1}(ax)^2}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} - \frac{\cosh^{-1}(ax)^3}{4x^4} - \frac{1}{2}a^2 \int \frac{\cosh^{-1}(ax)}{x^3} dx + \frac{1}{2}a^3 \int \frac{\cosh^{-1}(ax)}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{2x} \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{1}{2}a^4\cosh^{-1}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{1}{2}a^4\cosh^{-1}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{1}{2}a^4\cosh^{-1}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3} \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\cosh^{-1}(ax)}{4x^2} + \frac{1}{2}a^4\cosh^{-1}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2}{4x^3}
\end{aligned}$$

**Mathematica [A]** time = 0.67, size = 220, normalized size = 1.26

$$\frac{-a^5x^5 + 2a^4x^4\sqrt{\frac{ax-1}{ax+1}}(ax+1)\text{Li}_2\left(-e^{-2\cosh^{-1}(ax)}\right) + a^3x^3 - a^2x^2\sqrt{\frac{ax-1}{ax+1}}(ax+1)\cosh^{-1}(ax)\left(4a^2x^2\log\left(e^{-2\cosh^{-1}(ax)}\right) + 4x^4\sqrt{ax-1}\right)}{4x^4\sqrt{ax-1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^3/x^5,x]

[Out] (a^3\*x^3 - a^5\*x^5 - a\*x\*(1 + a\*x)\*(1 - a\*x + 2\*a^2\*x^2 + 2\*a^3\*x^3\*(-1 + Sqrt[(-1 + a\*x)/(1 + a\*x)])))\*ArcCosh[a\*x]^2 - Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3 - a^2\*x^2\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x)\*ArcCosh[a\*x]\*(-1 + 4\*a^2\*x^2\*Log[1 + E^(-2\*ArcCosh[a\*x])]) + 2\*a^4\*x^4\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x)\*PolyLog[2, -E^(-2\*ArcCosh[a\*x])])/(4\*x^4\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])

**fricas [F]** time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{arcosh}(ax)^3}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^5,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^3/x^5, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^3/x^5,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.35, size = 180, normalized size = 1.03

$$\frac{a^3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{2x} + \frac{a^4 \operatorname{arccosh}(ax)^2}{2} - \frac{a^3 \sqrt{ax-1} \sqrt{ax+1}}{4x} + \frac{a^4}{4} + \frac{a \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{4x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccosh(a*x)^3/x^5,x)`

[Out]  $\frac{1}{2}a^3 \operatorname{arccosh}(ax)^2 (ax-1)^{1/2} (ax+1)^{1/2} / x + \frac{1}{2}a^4 \operatorname{arccosh}(ax)^2 - \frac{1}{4}a^3 (ax-1)^{1/2} (ax+1)^{1/2} / x + \frac{1}{4}a^4 + \frac{1}{4}a \operatorname{arccosh}(ax)^2 (ax-1)^{1/2} (ax+1)^{1/2} / x^3 + \frac{1}{4}a^2 \operatorname{arccosh}(ax) / x^2 - \frac{1}{4} \operatorname{arccosh}(ax)^3 / x^4 - a^4 \operatorname{arccosh}(ax) \ln(1 + (ax + (ax-1)^{1/2} (ax+1)^{1/2}))^2 - \frac{1}{2}a^4 \operatorname{polylog}(2, -(ax + (ax-1)^{1/2} (ax+1)^{1/2}))^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1} \sqrt{ax-1})^3}{4x^4} + \int \frac{3(a^3x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^2}{4(a^3x^7 - ax^5 + (a^2x^6 - x^4) \sqrt{ax+1} \sqrt{ax-1})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccosh(a*x)^3/x^5,x, algorithm="maxima")`

[Out]  $-\frac{1}{4} \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3 / x^4 + \operatorname{integrate}(3/4 * (a^3x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^2 / (a^3x^7 - ax^5 + (a^2x^6 - x^4) \sqrt{ax+1} \sqrt{ax-1}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acosh(a*x)^3/x^5,x)`

[Out] `int(acosh(a*x)^3/x^5, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^3(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acosh(a*x)**3/x**5,x)`

[Out] `Integral(acosh(a*x)**3/x**5, x)`

### 3.32 $\int x^5 \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=306

$$\frac{5 \cosh^{-1}(ax)^4}{96a^6} - \frac{245 \cosh^{-1}(ax)^2}{1152a^6} - \frac{5x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3}{24a^5} - \frac{245x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^2}{576a^5} + \frac{245}{1152}$$

[Out]  $245/1152*x^2/a^4+65/3456*x^4/a^2+1/324*x^6-245/1152*\operatorname{arccosh}(a*x)^2/a^6+5/16*x^2*\operatorname{arccosh}(a*x)^2/a^4+5/48*x^4*\operatorname{arccosh}(a*x)^2/a^2+1/18*x^6*\operatorname{arccosh}(a*x)^2-5/96*\operatorname{arccosh}(a*x)^4/a^6+1/6*x^6*\operatorname{arccosh}(a*x)^4-245/576*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-65/864*x^3*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/54*x^5*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-5/24*x*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-5/36*x^3*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/9*x^5*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5$

**Rubi [A]** time = 2.19, antiderivative size = 306, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5662, 5759, 5676, 30}

$$\frac{65x^4}{3456a^2} + \frac{245x^2}{1152a^4} + \frac{5x^4 \cosh^{-1}(ax)^2}{48a^2} - \frac{5x^3 \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)^3}{36a^3} - \frac{65x^3 \sqrt{ax-1} \sqrt{ax+1} \cosh^{-1}(ax)^2}{864a^3} + \frac{245}{1152}$$

Antiderivative was successfully verified.

[In] Int[x^5\*ArcCosh[a\*x]^4,x]

[Out]  $(245*x^2)/(1152*a^4) + (65*x^4)/(3456*a^2) + x^6/324 - (245*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(576*a^5) - (65*x^3*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(864*a^3) - (x^5*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(54*a) - (245*\operatorname{ArcCosh}[a*x]^2)/(1152*a^6) + (5*x^2*\operatorname{ArcCosh}[a*x]^2)/(16*a^4) + (5*x^4*\operatorname{ArcCosh}[a*x]^2)/(48*a^2) + (x^6*\operatorname{ArcCosh}[a*x]^2)/18 - (5*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^3)/(24*a^5) - (5*x^3*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^3)/(36*a^3) - (x^5*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^3)/(9*a) - (5*\operatorname{ArcCosh}[a*x]^4)/(96*a^6) + (x^6*\operatorname{ArcCosh}[a*x]^4)/6$

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)]\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] := Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int((((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_))^(m\_))/(Sqrt[(d1\_) + (e1\_)\*(x\_)]\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x]

```

+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]

```

### Rubi steps

$$\begin{aligned}
\int x^5 \cosh^{-1}(ax)^4 dx &= \frac{1}{6}x^6 \cosh^{-1}(ax)^4 - \frac{1}{3}(2a) \int \frac{x^6 \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{9a} + \frac{1}{6}x^6 \cosh^{-1}(ax)^4 + \frac{1}{3} \int x^5 \cosh^{-1}(ax)^2 dx - \frac{5 \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{3} \\
&= \frac{1}{18}x^6 \cosh^{-1}(ax)^2 - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{36a^3} - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{9a} \\
&= -\frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{54a} + \frac{5x^4 \cosh^{-1}(ax)^2}{48a^2} + \frac{1}{18}x^6 \cosh^{-1}(ax)^2 - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}}{18} \\
&= \frac{x^6}{324} - \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{864a^3} - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{54a} + \frac{5x^2 \cosh^{-1}(ax)}{16} \\
&= \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{576a^5} - \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{864a^3} \\
&= \frac{245x^2}{1152a^4} + \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{576a^5} - \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{864a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 175, normalized size = 0.57

$$\frac{108(16a^6x^6 - 5)\cosh^{-1}(ax)^4 + a^2x^2(32a^4x^4 + 195a^2x^2 + 2205) - 144ax\sqrt{ax-1}\sqrt{ax+1}(8a^4x^4 + 10a^2x^2 + 15)}{10368a^6}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5*ArcCosh[a*x]^4,x]
```

```
[Out] (a^2*x^2*(2205 + 195*a^2*x^2 + 32*a^4*x^4) - 6*a*x*Sqrt[-1 + a*x]*Sqrt[1 +
a*x]*(735 + 130*a^2*x^2 + 32*a^4*x^4)*ArcCosh[a*x] + 9*(-245 + 360*a^2*x^2
+ 120*a^4*x^4 + 64*a^6*x^6)*ArcCosh[a*x]^2 - 144*a*x*Sqrt[-1 + a*x]*Sqrt[1
+ a*x]*(15 + 10*a^2*x^2 + 8*a^4*x^4)*ArcCosh[a*x]^3 + 108*(-5 + 16*a^6*x^6)
*ArcCosh[a*x]^4)/(10368*a^6)
```

**fricas [A]** time = 0.60, size = 208, normalized size = 0.68

$$\frac{32a^6x^6 + 195a^4x^4 + 108(16a^6x^6 - 5)\log(ax + \sqrt{a^2x^2 - 1})^4 - 144(8a^5x^5 + 10a^3x^3 + 15ax)\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})}{10368a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*arccosh(a*x)^4,x, algorithm="fricas")
```

```
[Out] 1/10368*(32*a^6*x^6 + 195*a^4*x^4 + 108*(16*a^6*x^6 - 5)*log(a*x + sqrt(a^2
*x^2 - 1))^4 - 144*(8*a^5*x^5 + 10*a^3*x^3 + 15*a*x)*sqrt(a^2*x^2 - 1)*log(
a*x + sqrt(a^2*x^2 - 1))^3 + 2205*a^2*x^2 + 9*(64*a^6*x^6 + 120*a^4*x^4 + 3
```

$60*a^2*x^2 - 245)*\log(a*x + \sqrt{a^2*x^2 - 1})^2 - 6*(32*a^5*x^5 + 130*a^3*x^3 + 735*a*x)*\sqrt{a^2*x^2 - 1}*\log(a*x + \sqrt{a^2*x^2 - 1}))/a^6$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*arccosh(a\*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.06, size = 256, normalized size = 0.84

$$\frac{a^6 x^6 \operatorname{arccosh}(ax)^4}{6} - \frac{a^5 x^5 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} - \frac{5 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} a^3 x^3}{36} - \frac{5 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} ax}{24} - \frac{5 \operatorname{arccosh}(ax)^2}{96}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*arccosh(a\*x)^4,x)

[Out]  $1/a^6*(1/6*a^6*x^6*\operatorname{arccosh}(a*x)^4-1/9*a^5*x^5*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-5/36*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^3*x^3-5/24*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a*x-5/96*\operatorname{arccosh}(a*x)^4+1/18*\operatorname{arccosh}(a*x)^2*a^6*x^6-1/54*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^5*x^5-65/864*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a^3*x^3-245/576*\operatorname{arccosh}(a*x)*a*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-245/1152*\operatorname{arccosh}(a*x)^2+1/324*x^6*a^6+65/3456*x^4*a^4+245/1152*a^2*x^2+5/48*a^4*x^4*\operatorname{arccosh}(a*x)^2+5/16*a^2*x^2*\operatorname{arccosh}(a*x)^2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{6} x^6 \log(ax + \sqrt{ax+1} \sqrt{ax-1})^4 - \int \frac{2(a^3 x^8 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^7 - ax^6) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3}{3(a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*arccosh(a\*x)^4,x, algorithm="maxima")

[Out]  $1/6*x^6*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^4 - \operatorname{integrate}(2/3*(a^3*x^8 + \sqrt{a*x + 1})*\sqrt{a*x - 1}*a^2*x^7 - a*x^6)*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^3/(a^3*x^3 + (a^2*x^2 - 1)*\sqrt{a*x + 1}*\sqrt{a*x - 1} - a*x), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*acosh(a\*x)^4,x)

[Out] int(x^5\*acosh(a\*x)^4, x)

**sympy** [A] time = 16.79, size = 275, normalized size = 0.90

$$\left\{ \begin{array}{l} \frac{x^6 \operatorname{acosh}^4(ax)}{6} + \frac{x^6 \operatorname{acosh}^2(ax)}{18} + \frac{x^6}{324} - \frac{x^5 \sqrt{a^2 x^2 - 1} \operatorname{acosh}^3(ax)}{9a} - \frac{x^5 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{54a} + \frac{5x^4 \operatorname{acosh}^2(ax)}{48a^2} + \frac{65x^4}{3456a^2} - \frac{5x^3 \sqrt{a^2 x^2 - 1}}{36} \\ \frac{\pi^4 x^6}{96} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*acosh(a\*x)\*\*4,x)

[Out] Piecewise((x\*\*6\*acosh(a\*x)\*\*4/6 + x\*\*6\*acosh(a\*x)\*\*2/18 + x\*\*6/324 - x\*\*5\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*3/(9\*a) - x\*\*5\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/(54\*a) + 5\*x\*\*4\*acosh(a\*x)\*\*2/(48\*a\*\*2) + 65\*x\*\*4/(3456\*a\*\*2) - 5\*x\*\*3\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*3/(36\*a\*\*3) - 65\*x\*\*3\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/(864\*a\*\*3) + 5\*x\*\*2\*acosh(a\*x)\*\*2/(16\*a\*\*4) + 245\*x\*\*2/(1152\*a\*\*4) - 5\*x\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*3/(24\*a\*\*5) - 245\*x\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/(576\*a\*\*5) - 5\*acosh(a\*x)\*\*4/(96\*a\*\*6) - 245\*acosh(a\*x)\*\*2/(152\*a\*\*6), Ne(a, 0)), (pi\*\*4\*x\*\*6/96, True))



### 3.33 $\int x^4 \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=274

$$\frac{32\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{75a^5} - \frac{16576\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{5625a^5} + \frac{16576x}{5625a^4} + \frac{32x\cosh^{-1}(ax)^2}{25a^4} - \frac{16x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{5625a^3} + \frac{1088x^3}{16875a^2} + \frac{16x^3\cosh^{-1}(ax)^2}{75a^2} - \frac{16x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{75a^3} - \frac{1088x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{5625a^3} + \frac{16576x}{5625a^2}$$

[Out] 16576/5625\*x/a^4+1088/16875\*x^3/a^2+24/3125\*x^5+32/25\*x\*arccosh(a\*x)^2/a^4+16/75\*x^3\*arccosh(a\*x)^2/a^2+12/125\*x^5\*arccosh(a\*x)^2+1/5\*x^5\*arccosh(a\*x)^4-16576/5625\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^5-1088/5625\*x^2\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-24/625\*x^4\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a-32/75\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^5-16/75\*x^2\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-4/25\*x^4\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 1.63, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5662, 5759, 5718, 5654, 8, 30}

$$\frac{1088x^3}{16875a^2} + \frac{16x^3\cosh^{-1}(ax)^2}{75a^2} - \frac{16x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{75a^3} - \frac{1088x^2\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{5625a^3} + \frac{16576x}{5625a^2}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcCosh[a\*x]^4,x]

[Out] (16576\*x)/(5625\*a^4) + (1088\*x^3)/(16875\*a^2) + (24\*x^5)/3125 - (16576\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x])/(5625\*a^5) - (1088\*x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x])/(625\*a) + (32\*x\*ArcCosh[a\*x]^2)/(25\*a^4) + (16\*x^3\*ArcCosh[a\*x]^2)/(75\*a^2) + (12\*x^5\*ArcCosh[a\*x]^2)/125 - (32\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/(75\*a^5) - (16\*x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/(75\*a^3) - (4\*x^4\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/(25\*a) + (x^5\*ArcCosh[a\*x]^4)/5

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 30**

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

**Rule 5654**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

**Rule 5662**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^n\*((d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

**Rule 5718**

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((d1 + e1*x)^(p + 1)*(d2
+ e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*
(-(d1*d2))^(IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p]))/(2*c
*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^(
p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d
2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ
[p, -1] && IntegerQ[p + 1/2]
```

### Rule 5759

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*(f*x)^(m
- 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x]
+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
\int x^4 \cosh^{-1}(ax)^4 dx &= \frac{1}{5}x^5 \cosh^{-1}(ax)^4 - \frac{1}{5}(4a) \int \frac{x^5 \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{4x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{25a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^4 + \frac{12}{25} \int x^4 \cosh^{-1}(ax)^2 dx - \frac{16}{25} \int x^4 \cosh^{-1}(ax) dx \\
&= \frac{12}{125}x^5 \cosh^{-1}(ax)^2 - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{75a^3} - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{25a} \\
&= -\frac{24x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{625a} + \frac{16x^3 \cosh^{-1}(ax)^2}{75a^2} + \frac{12}{125}x^5 \cosh^{-1}(ax)^2 - \frac{32\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{625a} \\
&= \frac{24x^5}{3125} - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{5625a^3} - \frac{24x^4\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{625a} + \frac{32\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{625a} \\
&= \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{5625a^5} - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{5625a^3} \\
&= \frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{5625a^5} - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{5625a^3}
\end{aligned}$$

**Mathematica** [A] time = 0.14, size = 158, normalized size = 0.58

$$\frac{16875a^5x^5 \cosh^{-1}(ax)^4 + 8ax(81a^4x^4 + 680a^2x^2 + 31080) + 900ax(9a^4x^4 + 20a^2x^2 + 120) \cosh^{-1}(ax)^2 - 4500a^4x^4 \cosh^{-1}(ax)}{84375a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcCosh[a\*x]^4, x]

[Out] (8\*a\*x\*(31080 + 680\*a^2\*x^2 + 81\*a^4\*x^4) - 120\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x] \* (2072 + 136\*a^2\*x^2 + 27\*a^4\*x^4)\*ArcCosh[a\*x] + 900\*a\*x\*(120 + 20\*a^2\*x^2 + 9\*a^4\*x^4)\*ArcCosh[a\*x]^2 - 4500\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(8 + 4\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcCosh[a\*x]^3 + 16875\*a^5\*x^5\*ArcCosh[a\*x]^4)/(84375\*a^5)

**fricas** [A] time = 0.58, size = 189, normalized size = 0.69

$$\frac{16875 a^5 x^5 \log(ax + \sqrt{a^2 x^2 - 1})^4 + 648 a^5 x^5 + 5440 a^3 x^3 - 4500 (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^4,x, algorithm="fricas")

[Out] 1/84375\*(16875\*a^5\*x^5\*log(a\*x + sqrt(a^2\*x^2 - 1))^4 + 648\*a^5\*x^5 + 5440\*a^3\*x^3 - 4500\*(3\*a^4\*x^4 + 4\*a^2\*x^2 + 8)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 900\*(9\*a^5\*x^5 + 20\*a^3\*x^3 + 120\*a\*x)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 120\*(27\*a^4\*x^4 + 136\*a^2\*x^2 + 2072)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)) + 248640\*a\*x)/a^5

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.05, size = 228, normalized size = 0.83

$$\frac{a^5 x^5 \operatorname{arccosh}(ax)^4}{5} - \frac{32 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{75} - \frac{4a^4 x^4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{16 \operatorname{arccosh}(ax)^3 a^2 x^2 \sqrt{ax-1} \sqrt{ax+1}}{75} + \frac{32ax \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^4,x)

[Out] 1/a^5\*(1/5\*a^5\*x^5\*arccosh(a\*x)^4-32/75\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-4/25\*a^4\*x^4\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-16/75\*arccosh(a\*x)^3\*a^2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+32/25\*a\*x\*arccosh(a\*x)^2-16576/5625\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*arccosh(a\*x)+16576/5625\*a\*x+12/125\*arccosh(a\*x)^2\*a^5\*x^5-24/625\*arccosh(a\*x)\*a^4\*x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1088/5625\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*a^2\*x^2+24/3125\*x^5\*a^5+1088/16875\*x^3\*a^3+16/75\*a^3\*x^3\*arccosh(a\*x)^2)

**maxima** [A] time = 0.70, size = 201, normalized size = 0.73

$$\frac{1}{5} x^5 \operatorname{arccosh}(ax)^4 - \frac{4}{75} \left( \frac{3 \sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4 \sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8 \sqrt{a^2 x^2 - 1}}{a^6} \right) a \operatorname{arccosh}(ax)^3 - \frac{4}{84375} \left( 2a \left( \frac{15 (27 \sqrt{a^2 x^2 - 1} x^4 + 4 \sqrt{a^2 x^2 - 1} x^2 + 8 \sqrt{a^2 x^2 - 1})}{a^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^4,x, algorithm="maxima")

[Out] 1/5\*x^5\*arccosh(a\*x)^4 - 4/75\*(3\*sqrt(a^2\*x^2 - 1)\*x^4/a^2 + 4\*sqrt(a^2\*x^2 - 1)\*x^2/a^4 + 8\*sqrt(a^2\*x^2 - 1)/a^6)\*a\*arccosh(a\*x)^3 - 4/84375\*(2\*a\*(15\*(27\*sqrt(a^2\*x^2 - 1)\*a^2\*x^4 + 136\*sqrt(a^2\*x^2 - 1)\*x^2 + 2072\*sqrt(a^2\*x^2 - 1)/a^2)\*arccosh(a\*x)/a^5 - (81\*a^4\*x^5 + 680\*a^2\*x^3 + 31080\*x)/a^6 - 225\*(9\*a^4\*x^5 + 20\*a^2\*x^3 + 120\*x)\*arccosh(a\*x)^2/a^5)\*a

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acosh(a*x)^4,x)`

[Out] `int(x^4*acosh(a*x)^4, x)`

**sympy [A]** time = 9.98, size = 248, normalized size = 0.91

$$\left\{ \begin{array}{l} \frac{x^5 \operatorname{acosh}^4(ax)}{5} + \frac{12x^5 \operatorname{acosh}^2(ax)}{125} + \frac{24x^5}{3125} - \frac{4x^4 \sqrt{a^2x^2-1} \operatorname{acosh}^3(ax)}{25a} - \frac{24x^4 \sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{625a} + \frac{16x^3 \operatorname{acosh}^2(ax)}{75a^2} + \frac{1088x^3}{16875a^2} - \frac{16x^2 \sqrt{a^2x^2-1} \operatorname{acosh}^2(ax)}{16875a^2} \\ \frac{\pi^4 x^5}{80} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acosh(a*x)**4,x)`

[Out] `Piecewise((x**5*acosh(a*x)**4/5 + 12*x**5*acosh(a*x)**2/125 + 24*x**5/3125 - 4*x**4*sqrt(a**2*x**2 - 1)*acosh(a*x)**3/(25*a) - 24*x**4*sqrt(a**2*x**2 - 1)*acosh(a*x)/(625*a) + 16*x**3*acosh(a*x)**2/(75*a**2) + 1088*x**3/(16875*a**2) - 16*x**2*sqrt(a**2*x**2 - 1)*acosh(a*x)**3/(75*a**3) - 1088*x**2*sqrt(a**2*x**2 - 1)*acosh(a*x)/(5625*a**3) + 32*x*acosh(a*x)**2/(25*a**4) + 16576*x/(5625*a**4) - 32*sqrt(a**2*x**2 - 1)*acosh(a*x)**3/(75*a**5) - 16576*sqrt(a**2*x**2 - 1)*acosh(a*x)/(5625*a**5), Ne(a, 0)), (pi**4*x**5/80, True))`

### 3.34 $\int x^3 \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=214

$$\frac{3 \cosh^{-1}(ax)^4}{32a^4} - \frac{45 \cosh^{-1}(ax)^2}{128a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3}{8a^3} - \frac{45x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{64a^3} + \frac{45x^2}{128a^2}$$

[Out]  $45/128*x^2/a^2+3/128*x^4-45/128*\operatorname{arccosh}(a*x)^2/a^4+9/16*x^2*\operatorname{arccosh}(a*x)^2/a^2+3/16*x^4*\operatorname{arccosh}(a*x)^2-3/32*\operatorname{arccosh}(a*x)^4/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^4-45/64*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/32*x^3*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/8*x*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/4*x^3*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 1.31, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5662, 5759, 5676, 30}

$$\frac{45x^2}{128a^2} + \frac{9x^2 \cosh^{-1}(ax)^2}{16a^2} - \frac{3x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3}{8a^3} - \frac{45x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)}{64a^3} - \frac{3 \cosh^{-1}(ax)^4}{32a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcCosh[a\*x]^4,x]

[Out]  $(45*x^2)/(128*a^2) + (3*x^4)/128 - (45*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x])/(64*a^3) - (3*x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x])/(32*a) - (45*\operatorname{ArcCosh}[a*x]^2)/(128*a^4) + (9*x^2*\operatorname{ArcCosh}[a*x]^2)/(16*a^2) + (3*x^4*\operatorname{ArcCosh}[a*x]^2)/16 - (3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^3)/(8*a^3) - (x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^3)/(4*a) - (3*\operatorname{ArcCosh}[a*x]^4)/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x]^4)/4$

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c^n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] := Simp[(a+b\*ArcCosh[c\*x])^(n+1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n+1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_))^(m\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m-1)\*Sqrt[d1+e1\*x]\*Sqrt[d2+e2\*x]\*(a+b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m-1))/(c^2\*m), Int[((f\*x)^(m-2)\*(a+b\*ArcCosh[c\*x])^n)/(Sqrt[d1+e1\*x]\*Sqrt[d2+e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1+e1\*x]\*Sqrt[d2+e2\*x])/(c\*d1\*d2\*m\*Sqrt[1+c\*x]\*Sqrt[-1+c\*x]), Int[(f\*x)^(m-1)\*(a+b\*ArcCosh[c\*x])^(n-1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},

x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned}
 \int x^3 \cosh^{-1}(ax)^4 dx &= \frac{1}{4}x^4 \cosh^{-1}(ax)^4 - a \int \frac{x^4 \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{4a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^4 + \frac{3}{4} \int x^3 \cosh^{-1}(ax)^2 dx - \frac{3 \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{4} \\
 &= \frac{3}{16}x^4 \cosh^{-1}(ax)^2 - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{8a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{4a} \\
 &= -\frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{32a} + \frac{9x^2 \cosh^{-1}(ax)^2}{16a^2} + \frac{3}{16}x^4 \cosh^{-1}(ax)^2 - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{8a^3} \\
 &= \frac{3x^4}{128} - \frac{45x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{32a} + \frac{9x^2 \cosh^{-1}(ax)^2}{16a^2} \\
 &= \frac{45x^2}{128a^2} + \frac{3x^4}{128} - \frac{45x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{32a}
 \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 143, normalized size = 0.67

$$\frac{4(8a^4x^4 - 3)\cosh^{-1}(ax)^4 + 3a^2x^2(a^2x^2 + 15) - 16ax\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2 + 3)\cosh^{-1}(ax)^3 - 6ax\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^2}{128a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcCosh[a\*x]^4,x]

[Out] (3\*a^2\*x^2\*(15 + a^2\*x^2) - 6\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(15 + 2\*a^2\*x^2)\*ArcCosh[a\*x] + 3\*(-15 + 24\*a^2\*x^2 + 8\*a^4\*x^4)\*ArcCosh[a\*x]^2 - 16\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(3 + 2\*a^2\*x^2)\*ArcCosh[a\*x]^3 + 4\*(-3 + 8\*a^4\*x^4)\*ArcCosh[a\*x]^4)/(128\*a^4)

**fricas [A]** time = 0.56, size = 176, normalized size = 0.82

$$\frac{3a^4x^4 + 4(8a^4x^4 - 3)\log(ax + \sqrt{a^2x^2 - 1})^4 - 16(2a^3x^3 + 3ax)\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})^3 + 45a^2x^2 + 16ax\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})^2 - 16a^2x\log(ax + \sqrt{a^2x^2 - 1})}{128a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^4,x, algorithm="fricas")

[Out] 1/128\*(3\*a^4\*x^4 + 4\*(8\*a^4\*x^4 - 3)\*log(a\*x + sqrt(a^2\*x^2 - 1))^4 - 16\*(2\*a^3\*x^3 + 3\*a\*x)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 45\*a^2\*x^2 + 3\*(8\*a^4\*x^4 + 24\*a^2\*x^2 - 15)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 6\*(2\*a^3\*x^3 + 15\*a\*x)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/a^4

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
 i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.05, size = 180, normalized size = 0.84

$$\frac{\frac{a^4 x^4 \operatorname{arccosh}(ax)^4}{4} - \frac{\operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} a^3 x^3}{4} - \frac{3 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} ax}{8} - \frac{3 \operatorname{arccosh}(ax)^4}{32} + \frac{3 a^4 x^4 \operatorname{arccosh}(ax)^2}{16} - \frac{3 \operatorname{arccosh}(ax)^3}{16}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^4,x)

[Out]  $\frac{1}{a^4} \left( \frac{1}{4} a^4 x^4 \operatorname{arccosh}(ax)^4 - \frac{1}{4} a^3 x^3 \operatorname{arccosh}(ax)^3 (ax-1)^{1/2} (ax+1)^{1/2} - \frac{3}{8} a^3 x^3 \operatorname{arccosh}(ax)^3 (ax-1)^{1/2} (ax+1)^{1/2} a x - \frac{3}{32} a^3 x^3 \operatorname{arccosh}(ax)^4 + \frac{3}{16} a^4 x^4 \operatorname{arccosh}(ax)^2 - \frac{3}{32} a^3 x^3 \operatorname{arccosh}(ax)^2 - \frac{3}{32} a^3 x^3 \operatorname{arccosh}(ax) (ax-1)^{1/2} (ax+1)^{1/2} - \frac{45}{64} a^3 x^3 \operatorname{arccosh}(ax) a x (ax-1)^{1/2} (ax+1)^{1/2} - \frac{45}{128} a^3 x^3 \operatorname{arccosh}(ax)^2 + \frac{3}{128} a^4 x^4 a^2 + \frac{45}{128} a^2 x^2 + \frac{9}{16} a^2 x^2 \operatorname{arccosh}(ax)^2 \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} x^4 \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^4 - \int \frac{\left( a^3 x^6 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^5 - ax^4 \right) \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^3}{a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^4,x, algorithm="maxima")

[Out]  $\frac{1}{4} x^4 \log(ax + \sqrt{ax+1} \sqrt{ax-1})^4 - \int (a^3 x^6 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^5 - ax^4) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3 / (a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax) dx$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*acosh(a\*x)^4,x)

[Out] int(x^3\*acosh(a\*x)^4, x)

**sympy** [A] time = 6.45, size = 197, normalized size = 0.92

$$\left\{ \begin{array}{l} \frac{x^4 \operatorname{acosh}^4(ax)}{4} + \frac{3x^4 \operatorname{acosh}^2(ax)}{16} + \frac{3x^4}{128} - \frac{x^3 \sqrt{a^2 x^2 - 1} \operatorname{acosh}^3(ax)}{4a} - \frac{3x^3 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{32a} + \frac{9x^2 \operatorname{acosh}^2(ax)}{16a^2} + \frac{45x^2}{128a^2} - \frac{3x \sqrt{a^2 x^2 - 1}}{8} \\ \frac{\pi^4 x^4}{64} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*acosh(a\*x)\*\*4,x)

[Out]  $\operatorname{Piecewise} \left( \left( \frac{x^4 \operatorname{acosh}(ax)^4}{4} + \frac{3x^3 \operatorname{acosh}(ax)^2 \sqrt{a^2 x^2 - 1}}{16} + \frac{3x^4}{128} - \frac{x^3 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)^3}{4a} - \frac{3x^3 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{32a} + \frac{9x^2 \operatorname{acosh}(ax)^2}{16a^2} + \frac{45x^2}{128a^2} - \frac{3x \sqrt{a^2 x^2 - 1}}{8} - \frac{3x^4 \operatorname{acosh}(ax)^4}{64} \right), \operatorname{True} \right)$

### 3.35 $\int x^2 \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=182

$$\frac{8\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{9a^3} - \frac{160\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{27a^3} + \frac{160x}{27a^2} + \frac{8x\cosh^{-1}(ax)^2}{3a^2} + \frac{1}{3}x^3\cosh^{-1}(ax)^4 + \frac{4}{9}x^2\cosh^{-1}(ax)^3$$

[Out] 160/27\*x/a^2+8/81\*x^3+8/3\*x\*arccosh(a\*x)^2/a^2+4/9\*x^3\*arccosh(a\*x)^2+1/3\*x^3\*arccosh(a\*x)^4-160/27\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-8/27\*x^2\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a-8/9\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3-4/9\*x^2\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 0.88, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5662, 5759, 5718, 5654, 8, 30}

$$\frac{160x}{27a^2} - \frac{8\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{9a^3} + \frac{8x\cosh^{-1}(ax)^2}{3a^2} - \frac{160\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{27a^3} + \frac{1}{3}x^3\cosh^{-1}(ax)^4 - \frac{4x^2\cosh^{-1}(ax)^3}{9}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcCosh[a\*x]^4,x]

[Out] (160\*x)/(27\*a^2) + (8\*x^3)/81 - (160\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/(27\*a^3) - (8\*x^2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/(27\*a) + (8\*x\*ArcCosh[a\*x]^2)/(3\*a^2) + (4\*x^3\*ArcCosh[a\*x]^2)/9 - (8\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/(9\*a^3) - (4\*x^2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/(9\*a) + (x^3\*ArcCosh[a\*x]^4)/3

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5654

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5718

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d1\_) + (e1\_)\*(x\_))^(p\_) \* ((d2\_) + (e2\_)\*(x\_))^(q\_), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(q + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^(n-1)\*IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p])/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ



[p, -1] && IntegerQ[p + 1/2]

### Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned} \int x^2 \cosh^{-1}(ax)^4 dx &= \frac{1}{3}x^3 \cosh^{-1}(ax)^4 - \frac{1}{3}(4a) \int \frac{x^3 \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{9a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^4 + \frac{4}{3} \int x^2 \cosh^{-1}(ax)^2 dx - \frac{8}{9} \int x \cosh^{-1}(ax) dx \\ &= \frac{4}{9}x^3 \cosh^{-1}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{9a^3} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{9a} \\ &= -\frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{27a} + \frac{8x \cosh^{-1}(ax)^2}{3a^2} + \frac{4}{9}x^3 \cosh^{-1}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{9a} \\ &= \frac{8x^3}{81} - \frac{160\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{27a^3} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{27a} + \frac{8x \cosh^{-1}(ax)^2}{3a^2} \\ &= \frac{160x}{27a^2} + \frac{8x^3}{81} - \frac{160\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{27a^3} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{27a} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 122, normalized size = 0.67

$$\frac{27a^3x^3 \cosh^{-1}(ax)^4 + 8ax(a^2x^2 + 60) - 36\sqrt{ax-1}\sqrt{ax+1}(a^2x^2 + 2) \cosh^{-1}(ax)^3 + 36ax(a^2x^2 + 6) \cosh^{-1}(ax)^2}{81a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcCosh[a\*x]^4,x]

[Out] (8\*a\*x\*(60 + a^2\*x^2) - 24\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(20 + a^2\*x^2)\*ArcCosh[a\*x] + 36\*a\*x\*(6 + a^2\*x^2)\*ArcCosh[a\*x]^2 - 36\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(2 + a^2\*x^2)\*ArcCosh[a\*x]^3 + 27\*a^3\*x^3\*ArcCosh[a\*x]^4)/(81\*a^3)

**fricas [A]** time = 0.50, size = 154, normalized size = 0.85

$$\frac{27a^3x^3 \log(ax + \sqrt{a^2x^2 - 1})^4 + 8a^3x^3 - 36(a^2x^2 + 2)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^3 + 36(a^3x^3 + 6ax) \log(ax + \sqrt{a^2x^2 - 1})^2}{81a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^4,x, algorithm="fricas")

[Out] 1/81\*(27\*a^3\*x^3\*log(a\*x + sqrt(a^2\*x^2 - 1))^4 + 8\*a^3\*x^3 - 36\*(a^2\*x^2 + 2)\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 36\*(a^3\*x^3 + 6\*a\*x)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2)

`*log(a*x + sqrt(a^2*x^2 - 1))^2 - 24*(a^2*x^2 + 20)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 480*a*x)/a^3`

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccosh(a*x)^4,x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.04, size = 152, normalized size = 0.84

$$\frac{a^3 x^3 \operatorname{arccosh}(ax)^4}{3} - \frac{8 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} - \frac{4 \operatorname{arccosh}(ax)^3 a^2 x^2 \sqrt{ax-1} \sqrt{ax+1}}{9} + \frac{8 a x \operatorname{arccosh}(ax)^2}{3} - \frac{160 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)}{27} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccosh(a*x)^4,x)`

[Out]  $\frac{1}{a^3} * \left( \frac{1}{3} a^3 x^3 \operatorname{arccosh}(a x)^4 - \frac{8}{9} \operatorname{arccosh}(a x)^3 (a x - 1)^{1/2} (a x + 1)^{1/2} - \frac{4}{9} \operatorname{arccosh}(a x)^3 a^2 x^2 (a x - 1)^{1/2} (a x + 1)^{1/2} + \frac{8}{3} a x \operatorname{arccosh}(a x)^2 - \frac{160}{27} (a x - 1)^{1/2} (a x + 1)^{1/2} \operatorname{arccosh}(a x) + \frac{160}{27} a x + \frac{4}{9} a^3 x^3 \operatorname{arccosh}(a x)^2 - \frac{8}{27} \operatorname{arccosh}(a x) (a x - 1)^{1/2} (a x + 1)^{1/2} a^2 x^2 + \frac{8}{81} x^3 a^3 \right)$

**maxima** [A] time = 0.55, size = 143, normalized size = 0.79

$$\frac{1}{3} x^3 \operatorname{arccosh}(ax)^4 - \frac{4}{9} a \left( \frac{\sqrt{a^2 x^2 - 1} x^2}{a^2} + \frac{2 \sqrt{a^2 x^2 - 1}}{a^4} \right) \operatorname{arccosh}(ax)^3 - \frac{4}{81} \left( 2 a \left( \frac{3 \left( \sqrt{a^2 x^2 - 1} x^2 + \frac{20 \sqrt{a^2 x^2 - 1}}{a^2} \right) \operatorname{arccosh}(ax)^2}{a^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccosh(a*x)^4,x, algorithm="maxima")`

[Out]  $\frac{1}{3} x^3 \operatorname{arccosh}(a x)^4 - \frac{4}{9} a * (\sqrt{a^2 x^2 - 1} x^2 / a^2 + 2 * \sqrt{a^2 x^2 - 1} / a^4) * \operatorname{arccosh}(a x)^3 - \frac{4}{81} * (2 * a * (3 * (\sqrt{a^2 x^2 - 1} x^2 + 20 * \sqrt{a^2 x^2 - 1} / a^2) * \operatorname{arccosh}(a x) / a^3 - (a^2 x^3 + 60 x) / a^4) - 9 * (a^2 x^3 + 6 x) * \operatorname{arccosh}(a x)^2 / a^3) * a$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acosh(a*x)^4,x)`

[Out] `int(x^2*acosh(a*x)^4, x)`

**sympy** [A] time = 3.57, size = 165, normalized size = 0.91

$$\left\{ \begin{array}{l} \frac{x^3 \operatorname{acosh}^4(ax)}{3} + \frac{4x^3 \operatorname{acosh}^2(ax)}{9} + \frac{8x^3}{81} - \frac{4x^2 \sqrt{a^2 x^2 - 1} \operatorname{acosh}^3(ax)}{9a} - \frac{8x^2 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{27a} + \frac{8x \operatorname{acosh}^2(ax)}{3a^2} + \frac{160x}{27a^2} - \frac{8 \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{9a^3} \\ \frac{\pi^4 x^3}{48} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acosh(a*x)**4,x)
```

```
[Out] Piecewise((x**3*acosh(a*x)**4/3 + 4*x**3*acosh(a*x)**2/9 + 8*x**3/81 - 4*x*  
*2*sqrt(a**2*x**2 - 1)*acosh(a*x)**3/(9*a) - 8*x**2*sqrt(a**2*x**2 - 1)*aco  
sh(a*x)/(27*a) + 8*x*acosh(a*x)**2/(3*a**2) + 160*x/(27*a**2) - 8*sqrt(a**2  
*x**2 - 1)*acosh(a*x)**3/(9*a**3) - 160*sqrt(a**2*x**2 - 1)*acosh(a*x)/(27*  
a**3), Ne(a, 0)), (pi**4*x**3/48, True))
```

### 3.36 $\int x \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=120

$$-\frac{\cosh^{-1}(ax)^4}{4a^2} - \frac{3 \cosh^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^4 + \frac{3}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3}{a} - \frac{3x\sqrt{ax-1}}{a}$$

[Out]  $3/4*x^2-3/4*\operatorname{arccosh}(a*x)^2/a^2+3/2*x^2*\operatorname{arccosh}(a*x)^2-1/4*\operatorname{arccosh}(a*x)^4/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^4-3/2*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-x*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

**Rubi [A]** time = 0.60, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 5759, 5676, 30}

$$-\frac{\cosh^{-1}(ax)^4}{4a^2} - \frac{3 \cosh^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^4 + \frac{3}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3}{a} - \frac{3x\sqrt{ax-1}}{a}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcCosh[a\*x]^4,x]

[Out]  $(3*x^2)/4 - (3*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(2*a) - (3*\operatorname{ArcCosh}[a*x]^2)/(4*a^2) + (3*x^2*\operatorname{ArcCosh}[a*x]^2)/2 - (x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^3)/a - \operatorname{ArcCosh}[a*x]^4/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^4)/2$

#### Rule 30

Int[(x\_)^(m\_), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_)^(m\_)), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5676

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)], x\_Symbol] :> Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int[(((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_)^(m\_)))/(Sqrt[(d1\_) + (e1\_)\*(x\_)])\*Sqrt[(d2\_) + (e2\_)\*(x\_)], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int x \cosh^{-1}(ax)^4 dx &= \frac{1}{2}x^2 \cosh^{-1}(ax)^4 - (2a) \int \frac{x^2 \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{a} + \frac{1}{2}x^2 \cosh^{-1}(ax)^4 + 3 \int x \cosh^{-1}(ax)^2 dx - \int \frac{\cosh^{-1}(ax)}{\sqrt{-1+ax}} dx \\
&= \frac{3}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^3}{a} - \frac{\cosh^{-1}(ax)^4}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^4 \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{2a} + \frac{3}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{a} \\
&= \frac{3x^2}{4} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{2a} - \frac{3 \cosh^{-1}(ax)^2}{4a^2} + \frac{3}{2}x^2 \cosh^{-1}(ax)^2 - \frac{x\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)}{a}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 104, normalized size = 0.87

$$\frac{3a^2x^2 + (2a^2x^2 - 1) \cosh^{-1}(ax)^4 + (6a^2x^2 - 3) \cosh^{-1}(ax)^2 - 4ax\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^3 - 6ax\sqrt{ax-1}}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcCosh[a\*x]^4,x]

[Out] (3\*a^2\*x^2 - 6\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] + (-3 + 6\*a^2\*x^2)\*ArcCosh[a\*x]^2 - 4\*a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3 + (-1 + 2\*a^2\*x^2)\*ArcCosh[a\*x]^4)/(4\*a^2)

**fricas [A]** time = 0.54, size = 138, normalized size = 1.15

$$\frac{4\sqrt{a^2x^2-1}ax \log(ax + \sqrt{a^2x^2-1})^3 - (2a^2x^2-1) \log(ax + \sqrt{a^2x^2-1})^4 - 3a^2x^2 + 6\sqrt{a^2x^2-1}ax \log(ax + \sqrt{a^2x^2-1})}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^4,x, algorithm="fricas")

[Out] -1/4\*(4\*sqrt(a^2\*x^2 - 1)\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 - (2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^4 - 3\*a^2\*x^2 + 6\*sqrt(a^2\*x^2 - 1)\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)) - 3\*(2\*a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^2)/a^2

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.04, size = 104, normalized size = 0.87

$$\frac{\frac{a^2x^2 \operatorname{arccosh}(ax)^4}{2} - \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} ax - \frac{\operatorname{arccosh}(ax)^4}{4} + \frac{3a^2x^2 \operatorname{arccosh}(ax)^2}{2} - \frac{3 \operatorname{arccosh}(ax) ax \sqrt{ax-1} \sqrt{ax+1}}{2}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^4,x)

[Out] 1/a^2\*(1/2\*a^2\*x^2\*arccosh(a\*x)^4-arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*a\*x-1/4\*arccosh(a\*x)^4+3/2\*a^2\*x^2\*arccosh(a\*x)^2-3/2\*arccosh(a\*x)\*a\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-3/4\*arccosh(a\*x)^2+3/4\*a^2\*x^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} x^2 \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^4 - \int \frac{2 \left( a^3 x^4 + \sqrt{ax+1} \sqrt{ax-1} a^2 x^3 - ax^2 \right) \log \left( ax + \sqrt{ax+1} \sqrt{ax-1} \right)^3}{a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^4,x, algorithm="maxima")

[Out] 1/2\*x^2\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^4 - integrate(2\*(a^3\*x^4 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x^3 - a\*x^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/(a^3\*x^3 + (a^2\*x^2 - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^4,x)

[Out] int(x\*acosh(a\*x)^4, x)

**sympy** [A] time = 2.05, size = 110, normalized size = 0.92

$$\begin{cases} \frac{x^2 \operatorname{acosh}^4(ax)}{2} + \frac{3x^2 \operatorname{acosh}^2(ax)}{2} + \frac{3x^2}{4} - \frac{x \sqrt{a^2 x^2 - 1} \operatorname{acosh}^3(ax)}{a} - \frac{3x \sqrt{a^2 x^2 - 1} \operatorname{acosh}(ax)}{2a} - \frac{\operatorname{acosh}^4(ax)}{4a^2} - \frac{3 \operatorname{acosh}^2(ax)}{4a^2} & \text{for } a \neq 0 \\ \frac{\pi^4 x^2}{32} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*4,x)

[Out] Piecewise((x\*\*2\*acosh(a\*x)\*\*4/2 + 3\*x\*\*2\*acosh(a\*x)\*\*2/2 + 3\*x\*\*2/4 - x\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*3/a - 3\*x\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/(2\*a) - acosh(a\*x)\*\*4/(4\*a\*\*2) - 3\*acosh(a\*x)\*\*2/(4\*a\*\*2), Ne(a, 0)), (pi\*\*4\*x\*\*2/32, True))

### 3.37 $\int \cosh^{-1}(ax)^4 dx$

**Optimal.** Leaf size=77

$$x \cosh^{-1}(ax)^4 - \frac{4\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{a} + 12x \cosh^{-1}(ax)^2 - \frac{24\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 24x$$

[Out] 24\*x+12\*x\*arccosh(a\*x)^2+x\*arccosh(a\*x)^4-24\*arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a-4\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a

**Rubi [A]** time = 0.30, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5654, 5718, 8}

$$x \cosh^{-1}(ax)^4 - \frac{4\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{a} + 12x \cosh^{-1}(ax)^2 - \frac{24\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 24x$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^4, x]

[Out] 24\*x - (24\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/a + 12\*x\*ArcCosh[a\*x]^2 - (4\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/a + x\*ArcCosh[a\*x]^4

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x]))^(n-1)]/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\*(x\_)\*((d1\_.) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p+1)\*(d2 + e2\*x)^(q+1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p+1)), x] - Dist[(b\*n\*(-(d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p]]/(2\*c\*(p+1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p+1/2)\*(a + b\*ArcCosh[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax)^4 dx &= x \cosh^{-1}(ax)^4 - (4a) \int \frac{x \cosh^{-1}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{a} + x \cosh^{-1}(ax)^4 + 12 \int \cosh^{-1}(ax)^2 dx \\ &= 12x \cosh^{-1}(ax)^2 - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{a} + x \cosh^{-1}(ax)^4 - (24a) \int \frac{x \cosh^{-1}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{24\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} + 12x \cosh^{-1}(ax)^2 - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} \\ &= 24x - \frac{24\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} + 12x \cosh^{-1}(ax)^2 - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)}{a} \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 77, normalized size = 1.00

$$x \cosh^{-1}(ax)^4 - \frac{4\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)^3}{a} + 12x \cosh^{-1}(ax)^2 - \frac{24\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)}{a} + 24x$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^4,x]

[Out] 24\*x - (24\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x])/a + 12\*x\*ArcCosh[a\*x]^2 - (4\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x]^3)/a + x\*ArcCosh[a\*x]^4

**fricas** [A] time = 0.58, size = 112, normalized size = 1.45

$$\frac{ax \log\left(ax + \sqrt{a^2x^2 - 1}\right)^4 + 12ax \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2 - 4\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)^3 + 24ax - 24\sqrt{a^2x^2 - 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4,x, algorithm="fricas")

[Out] (a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1)))^4 + 12\*a\*x\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 - 4\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3 + 24\*a\*x - 24\*sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1)))/a

**giac** [A] time = 0.44, size = 125, normalized size = 1.62

$$x \log\left(ax + \sqrt{a^2x^2 - 1}\right)^4 - 4 \left( \frac{\sqrt{a^2x^2 - 1} \log\left(ax + \sqrt{a^2x^2 - 1}\right)^3}{a^2} - \frac{3 \left( x \log\left(ax + \sqrt{a^2x^2 - 1}\right)^2 + 2a \left( \frac{x}{a} - \frac{\sqrt{a^2x^2 - 1}}{a} \log\left(ax + \sqrt{a^2x^2 - 1}\right) \right) \right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4,x, algorithm="giac")

[Out] x\*log(a\*x + sqrt(a^2\*x^2 - 1))^4 - 4\*(sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))^3/a^2 - 3\*(x\*log(a\*x + sqrt(a^2\*x^2 - 1))^2 + 2\*a\*(x/a - sqrt(a^2\*x^2 - 1)\*log(a\*x + sqrt(a^2\*x^2 - 1))/a^2))/a)\*a

**maple** [A] time = 0.06, size = 71, normalized size = 0.92

$$\frac{ax \operatorname{arccosh}(ax)^4 - 4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} + 12ax \operatorname{arccosh}(ax)^2 - 24\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax) + 24x}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^4,x)

[Out] 1/a\*(a\*x\*arccosh(a\*x)^4 - 4\*arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2) + 12\*a\*x\*arccosh(a\*x)^2 - 24\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)\*arccosh(a\*x) + 24\*a\*x)

**maxima** [A] time = 0.32, size = 73, normalized size = 0.95

$$x \operatorname{arccosh}(ax)^4 - \frac{4\sqrt{a^2x^2-1}\operatorname{arccosh}(ax)^3}{a} + 12 \left( \frac{x \operatorname{arccosh}(ax)^2}{a} + \frac{2 \left( x - \frac{\sqrt{a^2x^2-1}\operatorname{arccosh}(ax)}{a} \right)}{a} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(arccosh(a\*x)^4,x, algorithm="maxima")

[Out]  $x \operatorname{arccosh}(ax)^4 - 4\sqrt{a^2x^2 - 1} \operatorname{arccosh}(ax)^3/a + 12(x \operatorname{arccosh}(ax))^2/a + 2(x - \sqrt{a^2x^2 - 1}) \operatorname{arccosh}(ax)/a/a) * a$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^4,x)

[Out] int(acosh(a\*x)^4, x)

**sympy** [A] time = 0.95, size = 70, normalized size = 0.91

$$\begin{cases} x \operatorname{acosh}^4(ax) + 12x \operatorname{acosh}^2(ax) + 24x - \frac{4\sqrt{a^2x^2-1} \operatorname{acosh}^3(ax)}{a} - \frac{24\sqrt{a^2x^2-1} \operatorname{acosh}(ax)}{a} & \text{for } a \neq 0 \\ \frac{\pi^4 x}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*4,x)

[Out] Piecewise((x\*acosh(a\*x)\*\*4 + 12\*x\*acosh(a\*x)\*\*2 + 24\*x - 4\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)\*\*3/a - 24\*sqrt(a\*\*2\*x\*\*2 - 1)\*acosh(a\*x)/a, Ne(a, 0)), (pi\*\*4\*x/16, True))

$$3.38 \quad \int \frac{\cosh^{-1}(ax)^4}{x} dx$$

**Optimal.** Leaf size=103

$$2 \cosh^{-1}(ax)^3 \text{Li}_2\left(-e^{2 \cosh^{-1}(ax)}\right) - 3 \cosh^{-1}(ax)^2 \text{Li}_3\left(-e^{2 \cosh^{-1}(ax)}\right) + 3 \cosh^{-1}(ax) \text{Li}_4\left(-e^{2 \cosh^{-1}(ax)}\right) - \frac{3}{2} \text{Li}_5\left(-e^{2 \cosh^{-1}(ax)}\right)$$

[Out]  $-1/5 \operatorname{arccosh}(ax)^5 + \operatorname{arccosh}(ax)^4 \ln(1 + (ax + (ax-1)^{1/2})(ax+1)^{1/2})^2 + 2 \operatorname{arccosh}(ax)^3 \operatorname{polylog}(2, -(ax + (ax-1)^{1/2})(ax+1)^{1/2})^2 - 3 \operatorname{arccosh}(ax)^2 \operatorname{polylog}(3, -(ax + (ax-1)^{1/2})(ax+1)^{1/2})^2 + 3 \operatorname{arccosh}(ax) \operatorname{polylog}(4, -(ax + (ax-1)^{1/2})(ax+1)^{1/2})^2 - 3/2 \operatorname{polylog}(5, -(ax + (ax-1)^{1/2})(ax+1)^{1/2})^2)$

**Rubi [A]** time = 0.12, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5660, 3718, 2190, 2531, 6609, 2282, 6589}

$$2 \cosh^{-1}(ax)^3 \operatorname{PolyLog}\left(2, -e^{2 \cosh^{-1}(ax)}\right) - 3 \cosh^{-1}(ax)^2 \operatorname{PolyLog}\left(3, -e^{2 \cosh^{-1}(ax)}\right) + 3 \cosh^{-1}(ax) \operatorname{PolyLog}\left(4, -e^{2 \cosh^{-1}(ax)}\right) - \frac{3}{2} \operatorname{PolyLog}\left(5, -e^{2 \cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^4/x, x]

[Out]  $-\operatorname{ArcCosh}[a*x]^5/5 + \operatorname{ArcCosh}[a*x]^4 \operatorname{Log}[1 + E^{(2 \operatorname{ArcCosh}[a*x])}] + 2 \operatorname{ArcCosh}[a*x]^3 \operatorname{PolyLog}[2, -E^{(2 \operatorname{ArcCosh}[a*x])}] - 3 \operatorname{ArcCosh}[a*x]^2 \operatorname{PolyLog}[3, -E^{(2 \operatorname{ArcCosh}[a*x])}] + 3 \operatorname{ArcCosh}[a*x] \operatorname{PolyLog}[4, -E^{(2 \operatorname{ArcCosh}[a*x])}] - (3 \operatorname{PolyLog}[5, -E^{(2 \operatorname{ArcCosh}[a*x])}])/2$

Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m-1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e\_)\*((F\_)^(c\_)\*((a\_) + (b\_)\*(x\_)))^(n\_)]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m-1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3718

Int[(((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + (Complex[0, fz\_])\*(f\_)\*(x\_)]), x\_Symbol] := -Simp[(I\*(c + d\*x)^(m+1))/(d\*(m+1)), x] + Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*(-(I\*e) + f\*fz\*x)))/(1 + E^(2\*(-(I\*e) + f\*fz\*x))), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5660

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_/(x_), x_Symbol] := Subst[Int[
(a + b*x)^n/Coth[x], x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n,
0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^4}{x} dx &= \text{Subst} \left( \int x^4 \tanh(x) dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + 2 \text{Subst} \left( \int \frac{e^{2x} x^4}{1 + e^{2x}} dx, x, \cosh^{-1}(ax) \right) \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) - 4 \text{Subst} \left( \int x^3 \log(1 + e^{2x}) dx, x, \right. \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + 2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + 2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + 2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + 2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \\ &= -\frac{1}{5} \cosh^{-1}(ax)^5 + \cosh^{-1}(ax)^4 \log \left( 1 + e^{2 \cosh^{-1}(ax)} \right) + 2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{2 \cosh^{-1}(ax)} \right) - \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 103, normalized size = 1.00

$$-2 \cosh^{-1}(ax)^3 \text{Li}_2 \left( -e^{-2 \cosh^{-1}(ax)} \right) - 3 \cosh^{-1}(ax)^2 \text{Li}_3 \left( -e^{-2 \cosh^{-1}(ax)} \right) - 3 \cosh^{-1}(ax) \text{Li}_4 \left( -e^{-2 \cosh^{-1}(ax)} \right) - \frac{3}{2} \text{Li}_5 \left( -e^{-2 \cosh^{-1}(ax)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^4/x, x]

[Out] ArcCosh[a\*x]^5/5 + ArcCosh[a\*x]^4\*Log[1 + E^(-2\*ArcCosh[a\*x])] - 2\*ArcCosh[a\*x]^3\*PolyLog[2, -E^(-2\*ArcCosh[a\*x])] - 3\*ArcCosh[a\*x]^2\*PolyLog[3, -E^(-2\*ArcCosh[a\*x])] - 3\*ArcCosh[a\*x]\*PolyLog[4, -E^(-2\*ArcCosh[a\*x])] - (3\*PolyLog[5, -E^(-2\*ArcCosh[a\*x])])/2

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)^4}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^4/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^4/x, x)

**maple** [A] time = 0.08, size = 165, normalized size = 1.60

$$-\frac{\operatorname{arccosh}(ax)^5}{5} + \operatorname{arccosh}(ax)^4 \ln\left(1 + \left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right) + 2\operatorname{arccosh}(ax)^3 \operatorname{polylog}\left(2, -\left(ax + \sqrt{ax-1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^4/x,x)

[Out]  $-1/5*\operatorname{arccosh}(a*x)^5 + \operatorname{arccosh}(a*x)^4*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 2*\operatorname{arccosh}(a*x)^3*\operatorname{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3*\operatorname{arccosh}(a*x)^2*\operatorname{polylog}(3, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3*\operatorname{arccosh}(a*x)*\operatorname{polylog}(4, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3/2*\operatorname{polylog}(5, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^4/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^4/x,x)

[Out] int(acosh(a\*x)^4/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^4(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*4/x,x)

[Out] Integral(acosh(a\*x)\*\*4/x, x)

$$3.39 \quad \int \frac{\cosh^{-1}(ax)^4}{x^2} dx$$

**Optimal.** Leaf size=150

$$-12ia \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 12ia \cosh^{-1}(ax)^2 \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) + 24ia \cosh^{-1}(ax) \text{Li}_3\left(-ie^{\cosh^{-1}(ax)}\right) - 24ia \cosh^{-1}(ax) \text{Li}_3\left(ie^{\cosh^{-1}(ax)}\right)$$

```
[Out] -arccosh(a*x)^4/x+8*a*arccosh(a*x)^3*arctan(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))
-12*I*a*arccosh(a*x)^2*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+12*
I*a*arccosh(a*x)^2*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+24*I*a*ar
ccosh(a*x)*polylog(3,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-24*I*a*arccosh(a
*x)*polylog(3,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-24*I*a*polylog(4,-I*(a*x
+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+24*I*a*polylog(4,I*(a*x+(a*x-1)^(1/2)*(a*x+1
)^(1/2)))
```

**Rubi [A]** time = 0.33, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5662, 5761, 4180, 2531, 6609, 2282, 6589}

$$-12ia \cosh^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{\cosh^{-1}(ax)}\right) + 12ia \cosh^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{\cosh^{-1}(ax)}\right) + 24ia \cosh^{-1}(ax) \text{PolyLog}\left(3, -ie^{\cosh^{-1}(ax)}\right) - 24ia \cosh^{-1}(ax) \text{PolyLog}\left(3, ie^{\cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCosh[a*x]^4/x^2,x]
```

```
[Out] -(ArcCosh[a*x]^4/x) + 8*a*ArcCosh[a*x]^3*ArcTan[E^ArcCosh[a*x]] - (12*I)*a*
ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcCosh[a*x]] + (12*I)*a*ArcCosh[a*x]^2*Po
lyLog[2, I*E^ArcCosh[a*x]] + (24*I)*a*ArcCosh[a*x]*PolyLog[3, (-I)*E^ArcCos
h[a*x]] - (24*I)*a*ArcCosh[a*x]*PolyLog[3, I*E^ArcCosh[a*x]] - (24*I)*a*Pol
yLog[4, (-I)*E^ArcCosh[a*x]] + (24*I)*a*PolyLog[4, I*E^ArcCosh[a*x]]
```

#### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

#### Rule 4180

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(
I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1
- E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c +
d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

#### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
```

$\cdot n)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcCosh}[c*x])^{(n - 1)}/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

### Rule 5761

$\text{Int}[(((a_.) + \text{ArcCosh}[c_.]*(x_.))*(b_.))^{(n_.)}*(x_.)^{(m_.)}/(\text{Sqrt}[d1_.] + (e1_.)*(x_.))*\text{Sqrt}[d2_. + (e2_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[1/(c^{(m + 1)}*\text{Sqrt}[-(d1*d2)]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m, x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2\}, x] \ \&\& \ \text{EqQ}[e1 - c*d1, 0] \ \&\& \ \text{EqQ}[e2 + c*d2, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[d1, 0] \ \&\& \ \text{LtQ}[d2, 0] \ \&\& \ \text{IntegerQ}[m]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \ \&\& \ \text{EqQ}[b*d, a*e]$

### Rule 6609

$\text{Int}[((e_.) + (f_.)*(x_.))^{(m_.)}*\text{PolyLog}[n_, (d_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(p_.)}}], x\_Symbol] \rightarrow \text{Simp}[(e + f*x)^m*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))})^p]/(b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m)/(b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^{(m - 1)}*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))})^p], x], x] /; \text{FreeQ}[\{F, a, b, c, d, e, f, n, p\}, x] \ \&\& \ \text{GtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\cosh^{-1}(ax)^4}{x^2} dx &= -\frac{\cosh^{-1}(ax)^4}{x} + (4a) \int \frac{\cosh^{-1}(ax)^3}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{\cosh^{-1}(ax)^4}{x} + (4a) \text{Subst}\left(\int x^3 \text{sech}(x) dx, x, \cosh^{-1}(ax)\right) \\ &= -\frac{\cosh^{-1}(ax)^4}{x} + 8a \cosh^{-1}(ax)^3 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - (12ia) \text{Subst}\left(\int x^2 \log(1 - ie^x) dx, x, \cosh^{-1}(ax)\right) \\ &= -\frac{\cosh^{-1}(ax)^4}{x} + 8a \cosh^{-1}(ax)^3 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 12ia \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 12\pi \cosh^{-1}(ax) \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) \\ &= -\frac{\cosh^{-1}(ax)^4}{x} + 8a \cosh^{-1}(ax)^3 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 12ia \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 12\pi \cosh^{-1}(ax) \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) \\ &= -\frac{\cosh^{-1}(ax)^4}{x} + 8a \cosh^{-1}(ax)^3 \tan^{-1}\left(e^{\cosh^{-1}(ax)}\right) - 12ia \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 12\pi \cosh^{-1}(ax) \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) \end{aligned}$$

**Mathematica [B]** time = 0.70, size = 478, normalized size = 3.19

$$a\left(-12i \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 12\pi \cosh^{-1}(ax) \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) - 24i \cosh^{-1}(ax) \text{Li}_3\left(-ie^{-\cosh^{-1}(ax)}\right) + 24\pi \cosh^{-1}(ax) \text{Li}_3\left(ie^{-\cosh^{-1}(ax)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^4/x^2,x]

[Out]  $a*(((-7*I)/16)*\text{Pi}^4 + (\text{Pi}^3*\text{ArcCosh}[a*x])/2 - ((3*I)/2)*\text{Pi}^2*\text{ArcCosh}[a*x]^2 - 2*\text{Pi}*\text{ArcCosh}[a*x]^3 + I*\text{ArcCosh}[a*x]^4 - \text{ArcCosh}[a*x]^4/(a*x) + (\text{Pi}^3*Lo$

$$\begin{aligned} &g[1 + I/E^{\text{ArcCosh}[a*x]})/2 - (3*I)*\text{Pi}^2*\text{ArcCosh}[a*x]*\text{Log}[1 + I/E^{\text{ArcCosh}[a*x]}] - 6*\text{Pi}*\text{ArcCosh}[a*x]^2*\text{Log}[1 + I/E^{\text{ArcCosh}[a*x]}] + (4*I)*\text{ArcCosh}[a*x]^3* \\ &\text{Log}[1 + I/E^{\text{ArcCosh}[a*x]}] + (3*I)*\text{Pi}^2*\text{ArcCosh}[a*x]*\text{Log}[1 - I/E^{\text{ArcCosh}[a*x]}] + 6*\text{Pi}*\text{ArcCosh}[a*x]^2*\text{Log}[1 - I/E^{\text{ArcCosh}[a*x]}] - (\text{Pi}^3*\text{Log}[1 + I/E^{\text{ArcCosh}[a*x]}]) \\ &)/2 - (4*I)*\text{ArcCosh}[a*x]^3*\text{Log}[1 + I/E^{\text{ArcCosh}[a*x]}] + (\text{Pi}^3*\text{Log}[\text{Tan}[(\text{Pi} + (2*I)*\text{ArcCosh}[a*x])/4]])/2 + (3*I)*(\text{Pi} - (2*I)*\text{ArcCosh}[a*x])^2*\text{PolyLog}[2, (-I)/E^{\text{ArcCosh}[a*x]}] - (12*I)*\text{ArcCosh}[a*x]^2*\text{PolyLog}[2, (-I)*E^{\text{ArcCosh}[a*x]}] + (3*I)*\text{Pi}^2*\text{PolyLog}[2, I/E^{\text{ArcCosh}[a*x]}] + 12*\text{Pi}*\text{ArcCosh}[a*x]*\text{PolyLog}[2, I/E^{\text{ArcCosh}[a*x]}] + 12*\text{Pi}*\text{PolyLog}[3, (-I)/E^{\text{ArcCosh}[a*x]}] - (24*I)*\text{ArcCosh}[a*x]*\text{PolyLog}[3, (-I)/E^{\text{ArcCosh}[a*x]}] + (24*I)*\text{ArcCosh}[a*x]*\text{PolyLog}[3, (-I)*E^{\text{ArcCosh}[a*x]}] - 12*\text{Pi}*\text{PolyLog}[3, I/E^{\text{ArcCosh}[a*x]}] - (24*I)*\text{PolyLog}[4, (-I)/E^{\text{ArcCosh}[a*x]}] - (24*I)*\text{PolyLog}[4, (-I)*E^{\text{ArcCosh}[a*x]}] \end{aligned}$$

**fricas** [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{arcosh}(ax)^4}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^2,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^4/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^4/x^2, x)

**maple** [F] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{\text{arccosh}(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^4/x^2,x)

[Out] int(arccosh(a\*x)^4/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1}\sqrt{ax-1})^4}{x} + \int \frac{4(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})^3}{a^3x^4 - ax^2 + (a^2x^3 - x)\sqrt{ax+1}\sqrt{ax-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^2,x, algorithm="maxima")

[Out] -log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^4/x + integrate(4\*(a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/(a^3\*x^4 - a\*x^2 + (a^2\*x^3 - x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{acosh}(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(acosh(a*x)^4/x^2, x)
```

```
[Out] int(acosh(a*x)^4/x^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\operatorname{acosh}^4(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acosh(a*x)**4/x**2, x)
```

```
[Out] Integral(acosh(a*x)**4/x**2, x)
```



### 3.40 $\int \frac{\cosh^{-1}(ax)^4}{x^3} dx$

**Optimal.** Leaf size=115

$$-6a^2 \cosh^{-1}(ax) \operatorname{Li}_2\left(-e^{2 \cosh^{-1}(ax)}\right) + 3a^2 \operatorname{Li}_3\left(-e^{2 \cosh^{-1}(ax)}\right) + 2a^2 \cosh^{-1}(ax)^3 - 6a^2 \cosh^{-1}(ax)^2 \log\left(e^{2 \cosh^{-1}(ax)}\right)$$

```
[Out] 2*a^2*arccosh(a*x)^3-1/2*arccosh(a*x)^4/x^2-6*a^2*arccosh(a*x)^2*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))^2)-6*a^2*arccosh(a*x)*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))^2)+3*a^2*polylog(3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))^2)+2*a*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x
```

**Rubi [A]** time = 0.36, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {5662, 5724, 5660, 3718, 2190, 2531, 2282, 6589}

$$-6a^2 \cosh^{-1}(ax) \operatorname{PolyLog}\left(2, -e^{2 \cosh^{-1}(ax)}\right) + 3a^2 \operatorname{PolyLog}\left(3, -e^{2 \cosh^{-1}(ax)}\right) + 2a^2 \cosh^{-1}(ax)^3 - 6a^2 \cosh^{-1}(ax)^2$$

Antiderivative was successfully verified.

```
[In] Int[ArcCosh[a*x]^4/x^3,x]
```

```
[Out] 2*a^2*ArcCosh[a*x]^3 + (2*a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/x - ArcCosh[a*x]^4/(2*x^2) - 6*a^2*ArcCosh[a*x]^2*Log[1 + E^(2*ArcCosh[a*x])] - 6*a^2*ArcCosh[a*x]*PolyLog[2, -E^(2*ArcCosh[a*x])] + 3*a^2*PolyLog[3, -E^(2*ArcCosh[a*x])]
```

#### Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

#### Rule 3718

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (Complex[0, fz_]*(f_)*(x_)]), x_Symbol] := -Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] + Dist[2*I, Int[(((c + d*x)^m*E^(2*(-I*e) + f*fz*x)))/(1 + E^(2*(-I*e) + f*fz*x)), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

#### Rule 5660

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Coth[x], x], x, ArcCosh[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*((d\_.)\*(x\_))^m\_, x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 5724

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*((f\_.)\*(x\_))^m\_\*((d1\_) + (e1\_)\*(x\_))^(p\_)\*((d2\_) + (e2\_)\*(x\_))^(q\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(q + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d1\*d2\*f\*(m + 1)), x] + Dist[(b\*c\*n\*(-d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[q]]/(f\*(m + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[q]), Int[(f\*x)^(m + 1)\*(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1] && IntegerQ[p + 1/2]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cosh^{-1}(ax)^4}{x^3} dx &= -\frac{\cosh^{-1}(ax)^4}{2x^2} + (2a) \int \frac{\cosh^{-1}(ax)^3}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - (6a^2) \int \frac{\cosh^{-1}(ax)^2}{x} dx \\
 &= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - (6a^2) \text{Subst}\left(\int x^2 \tanh(x) dx, x, \cosh^{-1}(ax)\right) \\
 &= 2a^2 \cosh^{-1}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - (12a^2) \text{Subst}\left(\int \frac{e^2}{1+e^2} dx, x, \cosh^{-1}(ax)\right) \\
 &= 2a^2 \cosh^{-1}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - 6a^2 \cosh^{-1}(ax)^2 \log\left(\frac{e^2}{1+e^2}\right) \\
 &= 2a^2 \cosh^{-1}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - 6a^2 \cosh^{-1}(ax)^2 \log\left(\frac{e^2}{1+e^2}\right) \\
 &= 2a^2 \cosh^{-1}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - 6a^2 \cosh^{-1}(ax)^2 \log\left(\frac{e^2}{1+e^2}\right) \\
 &= 2a^2 \cosh^{-1}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{x} - \frac{\cosh^{-1}(ax)^4}{2x^2} - 6a^2 \cosh^{-1}(ax)^2 \log\left(\frac{e^2}{1+e^2}\right)
 \end{aligned}$$

**Mathematica [A]** time = 1.16, size = 112, normalized size = 0.97

$$a^2 \left( 6 \cosh^{-1}(ax) \text{Li}_2\left(-e^{-2 \cosh^{-1}(ax)}\right) + 3 \text{Li}_3\left(-e^{-2 \cosh^{-1}(ax)}\right) + 2 \cosh^{-1}(ax)^2 \left( \frac{\sqrt{\frac{ax-1}{ax+1}} (ax+1) \cosh^{-1}(ax)}{ax} - \cosh^{-1}(ax) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^4/x^3,x]

[Out]  $-1/2 \operatorname{ArcCosh}[a*x]^4/x^2 + a^2(2 \operatorname{ArcCosh}[a*x]^2(-\operatorname{ArcCosh}[a*x] + (\operatorname{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x) \operatorname{ArcCosh}[a*x]))/(a*x) - 3 \operatorname{Log}[1 + E^{(-2 \operatorname{ArcCosh}[a*x])}] + 6 \operatorname{ArcCosh}[a*x] \operatorname{PolyLog}[2, -E^{(-2 \operatorname{ArcCosh}[a*x])}] + 3 \operatorname{PolyLog}[3, -E^{(-2 \operatorname{ArcCosh}[a*x])}])$

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\operatorname{arcosh}(ax)^4}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^3,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^4/x^3, x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.24, size = 149, normalized size = 1.30

$$2a^2 \operatorname{arccosh}(ax)^3 - \frac{\operatorname{arccosh}(ax)^4}{2x^2} - 6a^2 \operatorname{arccosh}(ax)^2 \ln\left(1 + \left(ax + \sqrt{ax-1} \sqrt{ax+1}\right)^2\right) - 6a^2 \operatorname{arccosh}(ax) \operatorname{poly}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^4/x^3,x)

[Out]  $2*a^2 \operatorname{arccosh}(a*x)^3 - 1/2 \operatorname{arccosh}(a*x)^4/x^2 - 6*a^2 \operatorname{arccosh}(a*x)^2 \ln(1 + (a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) - 6*a^2 \operatorname{arccosh}(a*x) \operatorname{polylog}(2, -(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) + 3*a^2 \operatorname{polylog}(3, -(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})^2) + 2*a \operatorname{arccosh}(a*x)^3 * (a*x-1)^{(1/2)} * (a*x+1)^{(1/2)} / x$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1} \sqrt{ax-1})^4}{2x^2} + \int \frac{2(a^3x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3}{a^3x^5 - ax^3 + (a^2x^4 - x^2) \sqrt{ax+1} \sqrt{ax-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^3,x, algorithm="maxima")

[Out]  $-1/2 \log(ax + \sqrt{ax+1} \sqrt{ax-1})^4/x^2 + \operatorname{integrate}(2*(a^3*x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2*x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})^3 / (a^3*x^5 - a*x^3 + (a^2*x^4 - x^2) \sqrt{ax+1} \sqrt{ax-1}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acosh}(ax)^4}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(acosh(a*x)^4/x^3, x)
```

```
[Out] int(acosh(a*x)^4/x^3, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\operatorname{acosh}^4(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acosh(a*x)**4/x**3, x)
```

```
[Out] Integral(acosh(a*x)**4/x**3, x)
```

### 3.41 $\int \frac{\cosh^{-1}(ax)^4}{x^4} dx$

**Optimal.** Leaf size=268

$$-2ia^3 \cosh^{-1}(ax)^2 \text{Li}_2\left(-ie^{\cosh^{-1}(ax)}\right) + 2ia^3 \cosh^{-1}(ax)^2 \text{Li}_2\left(ie^{\cosh^{-1}(ax)}\right) + 4ia^3 \cosh^{-1}(ax) \text{Li}_3\left(-ie^{\cosh^{-1}(ax)}\right) - 4ia^3 \cosh^{-1}(ax) \text{Li}_3\left(ie^{\cosh^{-1}(ax)}\right)$$

```
[Out] 2*a^2*arccosh(a*x)^2/x-1/3*arccosh(a*x)^4/x^3-8*a^3*arccosh(a*x)*arctan(a*x
+(a*x-1)^(1/2)*(a*x+1)^(1/2))+4/3*a^3*arccosh(a*x)^3*arctan(a*x+(a*x-1)^(1/2)
*(a*x+1)^(1/2))+4*I*a^3*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-2
*I*a^3*arccosh(a*x)^2*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a
^3*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2*I*a^3*arccosh(a*x)^2*po
lylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+4*I*a^3*arccosh(a*x)*polylog(3
,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a^3*arccosh(a*x)*polylog(3,I*(a
x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a^3*polylog(4,-I*(a*x+(a*x-1)^(1/2)*(a
x+1)^(1/2)))+4*I*a^3*polylog(4,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2/3*a*a
rccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^2
```

**Rubi [A]** time = 0.80, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {5662, 5748, 5761, 4180, 2531, 6609, 2282, 6589, 2279, 2391}

$$-2ia^3 \cosh^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{\cosh^{-1}(ax)}\right) + 2ia^3 \cosh^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{\cosh^{-1}(ax)}\right) + 4ia^3 \cosh^{-1}(ax) \text{PolyLog}\left(3, -ie^{\cosh^{-1}(ax)}\right) - 4ia^3 \cosh^{-1}(ax) \text{PolyLog}\left(3, ie^{\cosh^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCosh[a*x]^4/x^4,x]
```

```
[Out] (2*a^2*ArcCosh[a*x]^2)/x + (2*a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3
)/(3*x^2) - ArcCosh[a*x]^4/(3*x^3) - 8*a^3*ArcCosh[a*x]*ArcTan[E^ArcCosh[a*
x]] + (4*a^3*ArcCosh[a*x]^3*ArcTan[E^ArcCosh[a*x]])/3 + (4*I)*a^3*PolyLog[2
, (-I)*E^ArcCosh[a*x]] - (2*I)*a^3*ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcCosh
[a*x]] - (4*I)*a^3*PolyLog[2, I*E^ArcCosh[a*x]] + (2*I)*a^3*ArcCosh[a*x]^2*
PolyLog[2, I*E^ArcCosh[a*x]] + (4*I)*a^3*ArcCosh[a*x]*PolyLog[3, (-I)*E^Arc
Cosh[a*x]] - (4*I)*a^3*ArcCosh[a*x]*PolyLog[3, I*E^ArcCosh[a*x]] - (4*I)*a
^3*PolyLog[4, (-I)*E^ArcCosh[a*x]] + (4*I)*a^3*PolyLog[4, I*E^ArcCosh[a*x]]
```

#### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

#### Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_)+(b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

#### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

#### Rule 4180

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^m_., x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(
I*k*Pi))]/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1
- E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c +
d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

#### Rule 5662

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c
*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1
+ c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

#### Rule 5748

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)
*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(d1*d2*f*
(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*
(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[(b*c*n*(-
d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p]]/(f*(m +
1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(f*x)^(m + 1)*(-1 +
c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c,
d1, e1, d2, e2, f, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ
[n, 0] && LtQ[m, -1] && IntegerQ[m] && IntegerQ[p + 1/2]
```

#### Rule 5761

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.*(x_))^(m_)/(Sqrt[(d1_) + (e1
_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[-
(d1*d2)]), Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; Fre
eQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0]
&& IGtQ[n, 0] && GtQ[d1, 0] && LtQ[d2, 0] && IntegerQ[m]
```

#### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

#### Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\cosh^{-1}(ax)^4}{x^4} dx &= -\frac{\cosh^{-1}(ax)^4}{3x^3} + \frac{1}{3}(4a) \int \frac{\cosh^{-1}(ax)^3}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - (2a^2) \int \frac{\cosh^{-1}(ax)^2}{x^2} dx + \frac{1}{3}(2a^3) \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} + \frac{1}{3}(2a^3) \text{Subst} \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} + \frac{4}{3}a^3\cosh^{-1}(ax)^3 \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - 8a^3\cosh^{-1}(ax)t \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - 8a^3\cosh^{-1}(ax)t \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - 8a^3\cosh^{-1}(ax)t \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - 8a^3\cosh^{-1}(ax)t \\
&= \frac{2a^2\cosh^{-1}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3}{3x^2} - \frac{\cosh^{-1}(ax)^4}{3x^3} - 8a^3\cosh^{-1}(ax)t
\end{aligned}$$

**Mathematica [B]** time = 3.41, size = 595, normalized size = 2.22

$$a^3 \left( \frac{1}{2}i \left( -4\cosh^{-1}(ax)^2 - 4i\pi\cosh^{-1}(ax) + \pi^2 + 8 \right) \text{Li}_2 \left( -ie^{-\cosh^{-1}(ax)} \right) - \frac{1}{96}i \left( -\frac{32i\cosh^{-1}(ax)^4}{a^3x^3} + \frac{64i\sqrt{\frac{ax-1}{ax+1}}}{a^3x^3} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^4/x^4,x]

[Out]  $a^3 \left( \left( \frac{1}{2}i \left( -4\cosh^{-1}(ax)^2 - 4i\pi\cosh^{-1}(ax) + \pi^2 + 8 \right) \text{Li}_2 \left( -ie^{-\cosh^{-1}(ax)} \right) - \frac{1}{96}i \left( -\frac{32i\cosh^{-1}(ax)^4}{a^3x^3} + \frac{64i\sqrt{\frac{ax-1}{ax+1}}}{a^3x^3} \right) \right) \right)$

**fricas [F]** time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{arcosh}(ax)^4}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^4,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^4/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^4/x^4, x)

**maple** [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^4/x^4,x)

[Out] int(arccosh(a\*x)^4/x^4,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{\log(ax + \sqrt{ax+1}\sqrt{ax-1})^4}{3x^3} + \int \frac{4(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})^3}{3(a^3x^6 - ax^4 + (a^2x^5 - x^3)\sqrt{ax+1}\sqrt{ax-1})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^4/x^4,x, algorithm="maxima")

[Out] -1/3\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^4/x^3 + integrate(4/3\*(a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/(a^3\*x^6 - a\*x^4 + (a^2\*x^5 - x^3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{acosh}(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^4/x^4,x)

[Out] int(acosh(a\*x)^4/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^4(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*4/x\*\*4,x)

[Out] Integral(acosh(a\*x)\*\*4/x\*\*4, x)



$$3.42 \quad \int \frac{x^6}{\cosh^{-1}(ax)} dx$$

**Optimal.** Leaf size=55

$$\frac{5\text{Shi}(\cosh^{-1}(ax))}{64a^7} + \frac{9\text{Shi}(3\cosh^{-1}(ax))}{64a^7} + \frac{5\text{Shi}(5\cosh^{-1}(ax))}{64a^7} + \frac{\text{Shi}(7\cosh^{-1}(ax))}{64a^7}$$

[Out] 5/64\*Shi(arccosh(a\*x))/a^7+9/64\*Shi(3\*arccosh(a\*x))/a^7+5/64\*Shi(5\*arccosh(a\*x))/a^7+1/64\*Shi(7\*arccosh(a\*x))/a^7

**Rubi [A]** time = 0.10, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5670, 5448, 3298}

$$\frac{5\text{Shi}(\cosh^{-1}(ax))}{64a^7} + \frac{9\text{Shi}(3\cosh^{-1}(ax))}{64a^7} + \frac{5\text{Shi}(5\cosh^{-1}(ax))}{64a^7} + \frac{\text{Shi}(7\cosh^{-1}(ax))}{64a^7}$$

Antiderivative was successfully verified.

[In] Int[x^6/ArcCosh[a\*x],x]

[Out] (5\*SinhIntegral[ArcCosh[a\*x]])/(64\*a^7) + (9\*SinhIntegral[3\*ArcCosh[a\*x]])/(64\*a^7) + (5\*SinhIntegral[5\*ArcCosh[a\*x]])/(64\*a^7) + SinhIntegral[7\*ArcCosh[a\*x]]/(64\*a^7)

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x^6}{\cosh^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cosh^6(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^7} \\ &= \frac{\text{Subst}\left(\int \left(\frac{5 \sinh(x)}{64x} + \frac{9 \sinh(3x)}{64x} + \frac{5 \sinh(5x)}{64x} + \frac{\sinh(7x)}{64x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^7} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(7x)}{x} dx, x, \cosh^{-1}(ax)\right)}{64a^7} + \frac{5 \text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{64a^7} + \frac{5 \text{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \cosh^{-1}(ax)\right)}{64a^7} + \frac{5 \text{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \cosh^{-1}(ax)\right)}{64a^7} \\ &= \frac{5\text{Shi}(\cosh^{-1}(ax))}{64a^7} + \frac{9\text{Shi}(3\cosh^{-1}(ax))}{64a^7} + \frac{5\text{Shi}(5\cosh^{-1}(ax))}{64a^7} + \frac{\text{Shi}(7\cosh^{-1}(ax))}{64a^7} \end{aligned}$$

**Mathematica** [A] time = 0.10, size = 40, normalized size = 0.73

$$\frac{5\text{Shi}(\cosh^{-1}(ax)) + 9\text{Shi}(3\cosh^{-1}(ax)) + 5\text{Shi}(5\cosh^{-1}(ax)) + \text{Shi}(7\cosh^{-1}(ax))}{64a^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/ArcCosh[a\*x], x]

[Out] (5\*SinhIntegral[ArcCosh[a\*x]] + 9\*SinhIntegral[3\*ArcCosh[a\*x]] + 5\*SinhIntegral[5\*ArcCosh[a\*x]] + SinhIntegral[7\*ArcCosh[a\*x]])/(64\*a^7)

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^6}{\text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x^6/arccosh(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(x^6/arccosh(a\*x), x)

**maple** [A] time = 0.11, size = 40, normalized size = 0.73

$$\frac{\frac{5\text{Shi}(\text{arccosh}(ax))}{64} + \frac{9\text{Shi}(3\text{arccosh}(ax))}{64} + \frac{5\text{Shi}(5\text{arccosh}(ax))}{64} + \frac{\text{Shi}(7\text{arccosh}(ax))}{64}}{a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/arccosh(a\*x), x)

[Out] 1/a^7\*(5/64\*Shi(arccosh(a\*x))+9/64\*Shi(3\*arccosh(a\*x))+5/64\*Shi(5\*arccosh(a\*x))+1/64\*Shi(7\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccosh(a\*x), x, algorithm="maxima")

[Out] integrate(x^6/arccosh(a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^6}{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^6/acosh(a*x),x)
```

```
[Out] int(x^6/acosh(a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^6}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6/acosh(a*x),x)
```

```
[Out] Integral(x**6/acosh(a*x), x)
```

$$3.43 \quad \int \frac{x^5}{\cosh^{-1}(ax)} dx$$

**Optimal.** Leaf size=43

$$\frac{5\text{Shi}\left(2\cosh^{-1}(ax)\right)}{32a^6} + \frac{\text{Shi}\left(4\cosh^{-1}(ax)\right)}{8a^6} + \frac{\text{Shi}\left(6\cosh^{-1}(ax)\right)}{32a^6}$$

[Out] 5/32\*Shi(2\*arccosh(a\*x))/a^6+1/8\*Shi(4\*arccosh(a\*x))/a^6+1/32\*Shi(6\*arccosh(a\*x))/a^6

**Rubi [A]** time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5670, 5448, 3298}

$$\frac{5\text{Shi}\left(2\cosh^{-1}(ax)\right)}{32a^6} + \frac{\text{Shi}\left(4\cosh^{-1}(ax)\right)}{8a^6} + \frac{\text{Shi}\left(6\cosh^{-1}(ax)\right)}{32a^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/ArcCosh[a\*x], x]

[Out] (5\*SinhIntegral[2\*ArcCosh[a\*x]])/(32\*a^6) + SinhIntegral[4\*ArcCosh[a\*x]]/(8\*a^6) + SinhIntegral[6\*ArcCosh[a\*x]]/(32\*a^6)

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^(n)\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x^5}{\cosh^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cosh^5(x)\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^6} \\ &= \frac{\text{Subst}\left(\int \left(\frac{5\sinh(2x)}{32x} + \frac{\sinh(4x)}{8x} + \frac{\sinh(6x)}{32x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^6} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(6x)}{x} dx, x, \cosh^{-1}(ax)\right)}{32a^6} + \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{x} dx, x, \cosh^{-1}(ax)\right)}{8a^6} + \frac{5\text{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{32a^6} \\ &= \frac{5\text{Shi}\left(2\cosh^{-1}(ax)\right)}{32a^6} + \frac{\text{Shi}\left(4\cosh^{-1}(ax)\right)}{8a^6} + \frac{\text{Shi}\left(6\cosh^{-1}(ax)\right)}{32a^6} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 33, normalized size = 0.77

$$\frac{5\operatorname{Shi}\left(2\cosh^{-1}(ax)\right) + 4\operatorname{Shi}\left(4\cosh^{-1}(ax)\right) + \operatorname{Shi}\left(6\cosh^{-1}(ax)\right)}{32a^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/ArcCosh[a\*x], x]

[Out] (5\*SinhIntegral[2\*ArcCosh[a\*x]] + 4\*SinhIntegral[4\*ArcCosh[a\*x]] + SinhIntegral[6\*ArcCosh[a\*x]])/(32\*a^6)

**fricas [F]** time = 0.50, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{x^5}{\operatorname{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x^5/arccosh(a\*x), x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccosh(a\*x), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.10, size = 33, normalized size = 0.77

$$\frac{\frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{8} + \frac{\operatorname{Shi}(6\operatorname{arccosh}(ax))}{32} + \frac{5\operatorname{Shi}(2\operatorname{arccosh}(ax))}{32}}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/arccosh(a\*x), x)

[Out] 1/a^6\*(1/8\*Shi(4\*arccosh(a\*x))+1/32\*Shi(6\*arccosh(a\*x))+5/32\*Shi(2\*arccosh(a\*x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccosh(a\*x), x, algorithm="maxima")

[Out] integrate(x^5/arccosh(a\*x), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^5}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5/acosh(a*x),x)
```

```
[Out] int(x^5/acosh(a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^5}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5/acosh(a*x),x)
```

```
[Out] Integral(x**5/acosh(a*x), x)
```

$$3.44 \quad \int \frac{x^4}{\cosh^{-1}(ax)} dx$$

**Optimal.** Leaf size=41

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{8a^5} + \frac{3\operatorname{Shi}(3\cosh^{-1}(ax))}{16a^5} + \frac{\operatorname{Shi}(5\cosh^{-1}(ax))}{16a^5}$$

[Out] 1/8\*Shi(arccosh(a\*x))/a^5+3/16\*Shi(3\*arccosh(a\*x))/a^5+1/16\*Shi(5\*arccosh(a\*x))/a^5

**Rubi [A]** time = 0.08, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5670, 5448, 3298}

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{8a^5} + \frac{3\operatorname{Shi}(3\cosh^{-1}(ax))}{16a^5} + \frac{\operatorname{Shi}(5\cosh^{-1}(ax))}{16a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCosh[a\*x], x]

[Out] SinhIntegral[ArcCosh[a\*x]]/(8\*a^5) + (3\*SinhIntegral[3\*ArcCosh[a\*x]])/(16\*a^5) + SinhIntegral[5\*ArcCosh[a\*x]]/(16\*a^5)

**Rule 3298**

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

**Rule 5448**

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

**Rule 5670**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{x^4}{\cosh^{-1}(ax)} dx &= \frac{\operatorname{Subst}\left(\int \frac{\cosh^4(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{8x} + \frac{3\sinh(3x)}{16x} + \frac{\sinh(5x)}{16x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= \frac{\operatorname{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \cosh^{-1}(ax)\right)}{16a^5} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{8a^5} + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \cosh^{-1}(ax)\right)}{16a^5} \\ &= \frac{\operatorname{Shi}(\cosh^{-1}(ax))}{8a^5} + \frac{3\operatorname{Shi}(3\cosh^{-1}(ax))}{16a^5} + \frac{\operatorname{Shi}(5\cosh^{-1}(ax))}{16a^5} \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 31, normalized size = 0.76

$$\frac{2\text{Shi}(\cosh^{-1}(ax)) + 3\text{Shi}(3\cosh^{-1}(ax)) + \text{Shi}(5\cosh^{-1}(ax))}{16a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCosh[a\*x], x]

[Out] (2\*SinhIntegral[ArcCosh[a\*x]] + 3\*SinhIntegral[3\*ArcCosh[a\*x]] + SinhIntegral[5\*ArcCosh[a\*x]])/(16\*a^5)

**fricas** [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x^4/arccosh(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x), x)

**maple** [A] time = 0.03, size = 31, normalized size = 0.76

$$\frac{\frac{\text{Shi}(\text{arccosh}(ax))}{8} + \frac{3\text{Shi}(3\text{arccosh}(ax))}{16} + \frac{\text{Shi}(5\text{arccosh}(ax))}{16}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x), x)

[Out] 1/a^5\*(1/8\*Shi(arccosh(a\*x))+3/16\*Shi(3\*arccosh(a\*x))+1/16\*Shi(5\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x), x, algorithm="maxima")

[Out] integrate(x^4/arccosh(a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^4}{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int(x^4/acosh(a*x),x)
```

```
[Out] int(x^4/acosh(a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^4}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/acosh(a*x),x)
```

```
[Out] Integral(x**4/acosh(a*x), x)
```

$$3.45 \quad \int \frac{x^3}{\cosh^{-1}(ax)} dx$$

Optimal. Leaf size=29

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{4a^4} + \frac{\operatorname{Shi}\left(4 \cosh^{-1}(ax)\right)}{8a^4}$$

[Out] 1/4\*Shi(2\*arccosh(a\*x))/a^4+1/8\*Shi(4\*arccosh(a\*x))/a^4

**Rubi [A]** time = 0.07, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5670, 5448, 3298}

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{4a^4} + \frac{\operatorname{Shi}\left(4 \cosh^{-1}(ax)\right)}{8a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCosh[a\*x],x]

[Out] SinhIntegral[2\*ArcCosh[a\*x]]/(4\*a^4) + SinhIntegral[4\*ArcCosh[a\*x]]/(8\*a^4)

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cosh^{-1}(ax)} dx &= \frac{\operatorname{Subst}\left(\int \frac{\cosh^3(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{\sinh(2x)}{4x} + \frac{\sinh(4x)}{8x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= \frac{\operatorname{Subst}\left(\int \frac{\sinh(4x)}{x} dx, x, \cosh^{-1}(ax)\right)}{8a^4} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{4a^4} \\ &= \frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{4a^4} + \frac{\operatorname{Shi}\left(4 \cosh^{-1}(ax)\right)}{8a^4} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 24, normalized size = 0.83

$$\frac{2\text{Shi}\left(2\cosh^{-1}(ax)\right) + \text{Shi}\left(4\cosh^{-1}(ax)\right)}{8a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCosh[a\*x],x]

[Out] (2\*SinhIntegral[2\*ArcCosh[a\*x]] + SinhIntegral[4\*ArcCosh[a\*x]])/(8\*a^4)

**fricas [F]** time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\text{arcosh}(ax)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x),x, algorithm="fricas")

[Out] integral(x^3/arccosh(a\*x), x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.03, size = 24, normalized size = 0.83

$$\frac{\frac{\text{Shi}(4\text{arccosh}(ax))}{8} + \frac{\text{Shi}(2\text{arccosh}(ax))}{4}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x),x)

[Out] 1/a^4\*(1/8\*Shi(4\*arccosh(a\*x))+1/4\*Shi(2\*arccosh(a\*x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x),x, algorithm="maxima")

[Out] integrate(x^3/arccosh(a\*x), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{x^3}{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/acosh(a*x),x)
```

```
[Out] int(x^3/acosh(a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^3}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/acosh(a*x),x)
```

```
[Out] Integral(x**3/acosh(a*x), x)
```

$$3.46 \quad \int \frac{x^2}{\cosh^{-1}(ax)} dx$$

Optimal. Leaf size=27

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{4a^3} + \frac{\operatorname{Shi}(3 \cosh^{-1}(ax))}{4a^3}$$

[Out] 1/4\*Shi(arccosh(a\*x))/a^3+1/4\*Shi(3\*arccosh(a\*x))/a^3

**Rubi [A]** time = 0.06, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5670, 5448, 3298}

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{4a^3} + \frac{\operatorname{Shi}(3 \cosh^{-1}(ax))}{4a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x],x]

[Out] SinhIntegral[ArcCosh[a\*x]]/(4\*a^3) + SinhIntegral[3\*ArcCosh[a\*x]]/(4\*a^3)

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x^2}{\cosh^{-1}(ax)} dx &= \frac{\operatorname{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= \frac{\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4x} + \frac{\sinh(3x)}{4x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{4a^3} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \cosh^{-1}(ax)\right)}{4a^3} \\ &= \frac{\operatorname{Shi}(\cosh^{-1}(ax))}{4a^3} + \frac{\operatorname{Shi}(3 \cosh^{-1}(ax))}{4a^3} \end{aligned}$$

**Mathematica** [A] time = 0.06, size = 20, normalized size = 0.74

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax)) + \operatorname{Shi}(3 \cosh^{-1}(ax))}{4a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCosh[a\*x], x]

[Out] (SinhIntegral[ArcCosh[a\*x]] + SinhIntegral[3\*ArcCosh[a\*x]])/(4\*a^3)

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{x^2}{\operatorname{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x^2/arccosh(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x), x)

**maple** [A] time = 0.03, size = 22, normalized size = 0.81

$$\frac{\frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{4} + \frac{\operatorname{Shi}(3 \operatorname{arccosh}(ax))}{4}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x), x)

[Out] 1/a^3\*(1/4\*Shi(arccosh(a\*x))+1/4\*Shi(3\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x), x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x), x)

```
[Out] int(x^2/acosh(a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/acosh(a*x), x)
```

```
[Out] Integral(x**2/acosh(a*x), x)
```

$$3.47 \quad \int \frac{x}{\cosh^{-1}(ax)} dx$$

**Optimal.** Leaf size=14

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^2}$$

[Out] 1/2\*Shi(2\*arccosh(a\*x))/a^2

**Rubi [A]** time = 0.04, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5670, 5448, 12, 3298}

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x], x]

[Out] SinhIntegral[2\*ArcCosh[a\*x]]/(2\*a^2)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)} dx &= \frac{\operatorname{Subst}\left(\int \frac{\cosh(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= \frac{\operatorname{Subst}\left(\int \frac{\sinh(2x)}{2x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= \frac{\operatorname{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{2a^2} \\ &= \frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^2} \end{aligned}$$



**Mathematica** [A] time = 0.02, size = 14, normalized size = 1.00

$$\frac{\text{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCosh[a\*x],x]

[Out] SinhIntegral[2\*ArcCosh[a\*x]]/(2\*a^2)

**fricas** [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x),x, algorithm="fricas")

[Out] integral(x/arccosh(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x),x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x), x)

**maple** [A] time = 0.03, size = 13, normalized size = 0.93

$$\frac{\text{Shi}(2 \text{arccosh}(ax))}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x),x)

[Out] 1/2\*Shi(2\*arccosh(a\*x))/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x),x, algorithm="maxima")

[Out] integrate(x/arccosh(a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x),x)

[Out] int(x/acosh(a\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acosh(a\*x), x)

[Out] Integral(x/acosh(a\*x), x)

$$3.48 \quad \int \frac{1}{\cosh^{-1}(ax)} dx$$

Optimal. Leaf size=9

$$\frac{\text{Shi}(\cosh^{-1}(ax))}{a}$$

[Out] Shi(arccosh(a\*x))/a

**Rubi** [A] time = 0.02, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {5658, 3298}

$$\frac{\text{Shi}(\cosh^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^(-1), x]

[Out] SinhIntegral[ArcCosh[a\*x]]/a

Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(-n\_), x\_Symbol] :> -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{\cosh^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a} \\ &= \frac{\text{Shi}(\cosh^{-1}(ax))}{a} \end{aligned}$$

**Mathematica** [A] time = 0.02, size = 9, normalized size = 1.00

$$\frac{\text{Shi}(\cosh^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^(-1), x]

[Out] SinhIntegral[ArcCosh[a\*x]]/a

**fricas** [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x),x, algorithm="fricas")

[Out] integral(1/arccosh(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x),x, algorithm="giac")

[Out] integrate(1/arccosh(a\*x), x)

**maple** [A] time = 0.02, size = 10, normalized size = 1.11

$$\frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x),x)

[Out] Shi(arccosh(a\*x))/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x),x, algorithm="maxima")

[Out] integrate(1/arccosh(a\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.11

$$\int \frac{1}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acosh(a\*x),x)

[Out] int(1/acosh(a\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acosh(a\*x),x)

[Out] Integral(1/acosh(a\*x), x)

$$3.49 \quad \int \frac{1}{x \cosh^{-1}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)} dx = \int \frac{1}{x \cosh^{-1}(ax)} dx$$

Mathematica [A] time = 0.22, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(1/(x\*arccosh(a\*x)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)), x)

**maple** [A] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x), x)

[Out] int(1/x/arccosh(a\*x), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x), x, algorithm="maxima")

[Out] integrate(1/(x\*arccosh(a\*x)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)), x)

[Out] int(1/(x\*acosh(a\*x)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x), x)

[Out] Integral(1/(x\*acosh(a\*x)), x)

$$3.50 \quad \int \frac{1}{x^2 \cosh^{-1}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cosh^{-1}(ax)}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a\*x), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*ArcCosh[a\*x]), x]

[Out] Defer[Int][1/(x^2\*ArcCosh[a\*x]), x]

Rubi steps

$$\int \frac{1}{x^2 \cosh^{-1}(ax)} dx = \int \frac{1}{x^2 \cosh^{-1}(ax)} dx$$

Mathematica [A] time = 0.46, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*ArcCosh[a\*x]), x]

[Out] Integrate[1/(x^2\*ArcCosh[a\*x]), x]

fricas [A] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(1/(x^2\*arccosh(a\*x)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(1/(x^2\*arccosh(a\*x)), x)

**maple** [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/arccosh(a*x),x)`

[Out] `int(1/x^2/arccosh(a*x),x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arccosh(a*x),x, algorithm="maxima")`

[Out] `integrate(1/(x^2*arccosh(a*x)), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*acosh(a*x)),x)`

[Out] `int(1/(x^2*acosh(a*x)), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/acosh(a*x),x)`

[Out] `Integral(1/(x**2*acosh(a*x)), x)`



$$3.51 \quad \int \frac{x^4}{\cosh^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=73

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{8a^5} + \frac{9\text{Chi}(3\cosh^{-1}(ax))}{16a^5} + \frac{5\text{Chi}(5\cosh^{-1}(ax))}{16a^5} - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{a\cosh^{-1}(ax)}$$

[Out] 1/8\*Chi(arccosh(a\*x))/a^5+9/16\*Chi(3\*arccosh(a\*x))/a^5+5/16\*Chi(5\*arccosh(a\*x))/a^5-x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.06, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {5666, 3301}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{8a^5} + \frac{9\text{Chi}(3\cosh^{-1}(ax))}{16a^5} + \frac{5\text{Chi}(5\cosh^{-1}(ax))}{16a^5} - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{a\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCosh[a\*x]^2,x]

[Out] -((x^4\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(a\*ArcCosh[a\*x])) + CoshIntegral[ArcCosh[a\*x]]/(8\*a^5) + (9\*CoshIntegral[3\*ArcCosh[a\*x]])/(16\*a^5) + (5\*CoshIntegral[5\*ArcCosh[a\*x]])/(16\*a^5)

**Rule 3301**

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

**Rule 5666**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{x^4}{\cosh^{-1}(ax)^2} dx &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int\left(-\frac{\cosh(x)}{8x} - \frac{9\cosh(3x)}{16x} - \frac{5\cosh(5x)}{16x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int\frac{\cosh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{8a^5} + \frac{5\text{Subst}\left(\int\frac{\cosh(5x)}{x} dx, x, \cosh^{-1}(ax)\right)}{16a^5} \\ &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} + \frac{\text{Chi}(\cosh^{-1}(ax))}{8a^5} + \frac{9\text{Chi}(3\cosh^{-1}(ax))}{16a^5} + \frac{5\text{Chi}(5\cosh^{-1}(ax))}{16a^5} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 101, normalized size = 1.38

$$\frac{-16a^5x^5\sqrt{\frac{ax-1}{ax+1}} - 16a^4x^4\sqrt{\frac{ax-1}{ax+1}} + 2\cosh^{-1}(ax)\text{Chi}(\cosh^{-1}(ax)) + 9\cosh^{-1}(ax)\text{Chi}(3\cosh^{-1}(ax)) + 5\cosh^{-1}(ax)\text{Chi}(5\cosh^{-1}(ax))}{16a^5\cosh^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCosh[a\*x]^2,x]

[Out]  $(-16*a^4*x^4*\text{Sqrt}[(-1 + a*x)/(1 + a*x)] - 16*a^5*x^5*\text{Sqrt}[(-1 + a*x)/(1 + a*x)] + 2*\text{ArcCosh}[a*x]*\text{CoshIntegral}[\text{ArcCosh}[a*x]] + 9*\text{ArcCosh}[a*x]*\text{CoshIntegral}[3*\text{ArcCosh}[a*x]] + 5*\text{ArcCosh}[a*x]*\text{CoshIntegral}[5*\text{ArcCosh}[a*x]])/(16*a^5*\text{ArcCosh}[a*x])$

**fricas** [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^4/arccosh(a\*x)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\text{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^2,x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^2, x)

**maple** [A] time = 0.11, size = 83, normalized size = 1.14

$$\frac{\frac{\sqrt{ax-1}\sqrt{ax+1}}{8\text{arccosh}(ax)} + \frac{\chi(\text{arccosh}(ax))}{8} - \frac{3\sinh(3\text{arccosh}(ax))}{16\text{arccosh}(ax)} + \frac{9\chi(3\text{arccosh}(ax))}{16} - \frac{\sinh(5\text{arccosh}(ax))}{16\text{arccosh}(ax)} + \frac{5\chi(5\text{arccosh}(ax))}{16}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^2,x)

[Out]  $1/a^5*(-1/8/\text{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}+1/8*\text{Chi}(\text{arccosh}(a*x))-3/16/\text{arccosh}(a*x)*\sinh(3*\text{arccosh}(a*x))+9/16*\text{Chi}(3*\text{arccosh}(a*x))-1/16/\text{arccosh}(a*x)*\sinh(5*\text{arccosh}(a*x))+5/16*\text{Chi}(5*\text{arccosh}(a*x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{a^3x^7 - ax^5 + (a^2x^6 - x^4)\sqrt{ax+1}\sqrt{ax-1}}{(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})} + \int \frac{5a^5x^8 - 10a^3x^6 + 5ax^4 + (5a^3x^6 - 3ax^4)}{(a^5x^4 + (ax+1)(ax-1)a^3x^2 - 2a^3x^2 + 2(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $-(a^3*x^7 - a*x^5 + (a^2*x^6 - x^4)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))/((a^3*x^2 + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1)*a^2*x - a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))) + \text{integrate}((5*a^5*x^8 - 10*a^3*x^6 + 5*a*x^4 + (5*a^3*x^6 - 3*a*x^4)*(a*x + 1)*(a*x - 1) + (10*a^4*x^7 - 13*a^2*x^5 + 4*x^3)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 - a^2*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) + a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^2,x)

[Out] int(x^4/acosh(a\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*2,x)

[Out] Integral(x\*\*4/acosh(a\*x)\*\*2, x)

$$3.52 \quad \int \frac{x^3}{\cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=61

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Chi}\left(4 \cosh^{-1}(ax)\right)}{2a^4} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

[Out] 1/2\*Chi(2\*arccosh(a\*x))/a^4+1/2\*Chi(4\*arccosh(a\*x))/a^4-x^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

Rubi [A] time = 0.05, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {5666, 3301}

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Chi}\left(4 \cosh^{-1}(ax)\right)}{2a^4} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCosh[a\*x]^2,x]

[Out] -((x^3\*Sqrt[-1+a\*x]\*Sqrt[1+a\*x])/(a\*ArcCosh[a\*x])) + CoshIntegral[2\*ArcCosh[a\*x]]/(2\*a^4) + CoshIntegral[4\*ArcCosh[a\*x]]/(2\*a^4)

Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*Sqrt[-1+c\*x]\*Sqrt[1+c\*x]\*(a+b\*ArcCosh[c\*x])^(n+1))/(b\*c\*(n+1)), x] + Dist[1/(b\*c^(m+1)\*(n+1)), Subst[Int[ExpandTrigReduce[(a+b\*x)^(n+1)\*Cosh[x]^(m-1)\*(m-(m+1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cosh^{-1}(ax)^2} dx &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{a \cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(-\frac{\cosh(2x)}{2x} - \frac{\cosh(4x)}{2x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Subst}\left(\int \frac{\cosh(4x)}{x} dx, x, \cosh^{-1}(ax)\right)}{2a^4} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Chi}\left(4 \cosh^{-1}(ax)\right)}{2a^4} \end{aligned}$$

Mathematica [A] time = 0.25, size = 58, normalized size = 0.95

$$\frac{-\frac{2a^3 x^3 \sqrt{\frac{ax-1}{ax+1}} (ax+1)}{\cosh^{-1}(ax)} + \text{Chi}\left(2 \cosh^{-1}(ax)\right) + \text{Chi}\left(4 \cosh^{-1}(ax)\right)}{2a^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCosh[a\*x]^2,x]

[Out]  $((-2*a^3*x^3*\text{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/\text{ArcCosh}[a*x] + \text{CoshIntegral}[2*\text{ArcCosh}[a*x]] + \text{CoshIntegral}[4*\text{ArcCosh}[a*x]])/(2*a^4)$

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^3/arccosh(a\*x)^2, x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.08, size = 54, normalized size = 0.89

$$\frac{-\frac{\sinh(4 \operatorname{arccosh}(ax))}{8 \operatorname{arccosh}(ax)} + \frac{X(4 \operatorname{arccosh}(ax))}{2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \frac{X(2 \operatorname{arccosh}(ax))}{2}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^2,x)

[Out]  $1/a^4*(-1/8/\operatorname{arccosh}(a*x)*\sinh(4*\operatorname{arccosh}(a*x))+1/2*\operatorname{Chi}(4*\operatorname{arccosh}(a*x))-1/4/a$   
 $\operatorname{rccosh}(a*x)*\sinh(2*\operatorname{arccosh}(a*x))+1/2*\operatorname{Chi}(2*\operatorname{arccosh}(a*x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3x^6 - ax^4 + (a^2x^5 - x^3)\sqrt{ax+1}\sqrt{ax-1}}{(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})} + \int \frac{4a^5x^7 - 8a^3x^5 + 4ax^3 + 2(2a^3x^5 - ax^3)}{(a^5x^4 + (ax+1)(ax-1)a^3x^2 - 2a^3x^2 + 2a^3x^2 - 2a^3x^2 + 2a^3x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $-(a^3*x^6 - a*x^4 + (a^2*x^5 - x^3)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))/((a^3*x^2$   
 $+ \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1)*a^2*x - a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x -$   
 $1))) + \text{integrate}((4*a^5*x^7 - 8*a^3*x^5 + 4*a*x^3 + 2*(2*a^3*x^5 - a*x^3)*$   
 $(a*x + 1)*(a*x - 1) + (8*a^4*x^6 - 10*a^2*x^4 + 3*x^2)*\text{sqrt}(a*x + 1)*\text{sqrt}(a$   
 $*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 -$   
 $a^2*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) + a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x -$   
 $1))), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3}{\operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/acosh(a*x)^2,x)`

[Out] `int(x^3/acosh(a*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/acosh(a*x)**2,x)`

[Out] `Integral(x**3/acosh(a*x)**2, x)`

$$3.53 \quad \int \frac{x^2}{\cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=59

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{4a^3} + \frac{3\text{Chi}(3\cosh^{-1}(ax))}{4a^3} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{a\cosh^{-1}(ax)}$$

[Out] 1/4\*Chi(arccosh(a\*x))/a^3+3/4\*Chi(3\*arccosh(a\*x))/a^3-x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

Rubi [A] time = 0.05, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {5666, 3301}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{4a^3} + \frac{3\text{Chi}(3\cosh^{-1}(ax))}{4a^3} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{a\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x]^2,x]

[Out] -((x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(a\*ArcCosh[a\*x])) + CoshIntegral[ArcCosh[a\*x]]/(4\*a^3) + (3\*CoshIntegral[3\*ArcCosh[a\*x]])/(4\*a^3)

Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^ (n\_)\*(x\_)^(m\_.), x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\cosh^{-1}(ax)^2} dx &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int\left(-\frac{\cosh(x)}{4x} - \frac{3\cosh(3x)}{4x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int\frac{\cosh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{4a^3} + \frac{3\text{Subst}\left(\int\frac{\cosh(3x)}{x} dx, x, \cosh^{-1}(ax)\right)}{4a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\cosh^{-1}(ax)} + \frac{\text{Chi}(\cosh^{-1}(ax))}{4a^3} + \frac{3\text{Chi}(3\cosh^{-1}(ax))}{4a^3} \end{aligned}$$

Mathematica [A] time = 0.25, size = 58, normalized size = 0.98

$$\frac{-\frac{4a^2x^2\sqrt{\frac{ax-1}{ax+1}}(ax+1)}{\cosh^{-1}(ax)} + \text{Chi}(\cosh^{-1}(ax)) + 3\text{Chi}(3\cosh^{-1}(ax))}{4a^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCosh[a\*x]^2,x]

[Out]  $((-4*a^2*x^2*\text{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/\text{ArcCosh}[a*x] + \text{CoshIntegral}[\text{ArcCosh}[a*x]] + 3*\text{CoshIntegral}[3*\text{ArcCosh}[a*x]])/(4*a^3)$

**fricas** [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^2/arccosh(a\*x)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\text{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^2,x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^2, x)

**maple** [A] time = 0.04, size = 59, normalized size = 1.00

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{4\text{arccosh}(ax)} + \frac{X(\text{arccosh}(ax))}{4} - \frac{\sinh(3\text{arccosh}(ax))}{4\text{arccosh}(ax)} + \frac{3X(3\text{arccosh}(ax))}{4}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^2,x)

[Out]  $1/a^3*(-1/4/\text{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}+1/4*\text{Chi}(\text{arccosh}(a*x))-1/4/\text{arccosh}(a*x)*\sinh(3*\text{arccosh}(a*x))+3/4*\text{Chi}(3*\text{arccosh}(a*x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3x^5 - ax^3 + (a^2x^4 - x^2)\sqrt{ax+1}\sqrt{ax-1}}{(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})} + \int \frac{3a^5x^6 - 6a^3x^4 + (3a^3x^4 - ax^2)(ax+1)}{(a^5x^4 + (ax+1)(ax-1)a^3x^2 - 2a^3x^2 + 2(a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $-(a^3*x^5 - a*x^3 + (a^2*x^4 - x^2)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))/((a^3*x^2 + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1)*a^2*x - a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))) + \text{integrate}((3*a^5*x^6 - 6*a^3*x^4 + (3*a^3*x^4 - a*x^2)*(a*x + 1)*(a*x - 1) + 3*a*x^2 + (6*a^4*x^5 - 7*a^2*x^3 + 2*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 - a^2*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) + a)*\log(a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^2}{\text{acosh}(ax)^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/acosh(a*x)^2,x)
```

```
[Out] int(x^2/acosh(a*x)^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/acosh(a*x)**2,x)
```

```
[Out] Integral(x**2/acosh(a*x)**2, x)
```

$$3.54 \quad \int \frac{x}{\cosh^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=42

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{a^2} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

[Out] Chi(2\*arccosh(a\*x))/a^2-x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {5666, 3301}

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{a^2} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x]^2,x]

[Out] -((x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*ArcCosh[a\*x])) + CoshIntegral[2\*ArcCosh[a\*x]]/a^2

Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)^2} dx &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{a^2} \end{aligned}$$

**Mathematica [A]** time = 0.26, size = 44, normalized size = 1.05

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right) - \frac{ax\sqrt{\frac{ax-1}{ax+1}}(ax+1)}{\cosh^{-1}(ax)}}{a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/ArcCosh[a\*x]^2,x]

[Out]  $(-(a*x*\text{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/\text{ArcCosh}[a*x]) + \text{CoshIntegral}[2*\text{ArcCosh}[a*x]]/a^2$

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/arccosh(a*x)^2,x, algorithm="fricas")`

[Out] `integral(x/arccosh(a*x)^2, x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\text{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/arccosh(a*x)^2,x, algorithm="giac")`

[Out] `integrate(x/arccosh(a*x)^2, x)`

**maple** [A] time = 0.03, size = 28, normalized size = 0.67

$$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + X(2 \operatorname{arccosh}(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/arccosh(a*x)^2,x)`

[Out] `1/a^2*(-1/2/arccosh(a*x)*sinh(2*arccosh(a*x))+Chi(2*arccosh(a*x)))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3x^4 - ax^2 + (a^2x^3 - x)\sqrt{ax + 1}\sqrt{ax - 1}}{(a^3x^2 + \sqrt{ax + 1}\sqrt{ax - 1}a^2x - a)\log(ax + \sqrt{ax + 1}\sqrt{ax - 1})} + \int \frac{2a^5x^5 + 2(ax + 1)(ax - 1)a^3x^3}{(a^5x^4 + (ax + 1)(ax - 1)a^3x^2 - 2a^3x^2 + 2a^3x^2 + 2a^3x^2 - 2a^3x^2 + 2a^3x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/arccosh(a*x)^2,x, algorithm="maxima")`

[Out] `-(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) + integrate((2*a^5*x^5 + 2*(a*x + 1)*(a*x - 1)*a^3*x^3 - 4*a^3*x^3 + (4*a^4*x^4 - 4*a^2*x^2 + 1)*sqrt(a*x + 1)*sqrt(a*x - 1) + 2*a*x)/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 - a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/acosh(a*x)^2,x)`

[Out] `int(x/acosh(a*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/acosh(a*x)**2,x)
```

```
[Out] Integral(x/acosh(a*x)**2, x)
```

$$3.55 \quad \int \frac{1}{\cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=39

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{a} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

[Out] Chi(arccosh(a\*x))/a-(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.18, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5656, 5781, 3301}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{a} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a \cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^(-2), x]

[Out] -((Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*ArcCosh[a\*x])) + CoshIntegral[ArcCosh[a\*x]]/a

Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\*(x\_)^m\*((d1\_.) + (e1\_.)\*(x\_)^p)\*((d2\_.) + (e2\_.)\*(x\_)^p), x\_Symbol] :> Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{\cosh^{-1}(ax)^2} dx &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a \cosh^{-1}(ax)} + a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)} dx \\ &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cosh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a} \\ &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a \cosh^{-1}(ax)} + \frac{\text{Chi}(\cosh^{-1}(ax))}{a} \end{aligned}$$

**Mathematica** [A] time = 0.12, size = 60, normalized size = 1.54

$$\frac{\sqrt{\frac{ax-1}{ax+1}} \cosh^{-1}(ax) \operatorname{Chi}(\cosh^{-1}(ax)) - ax + 1}{a \sqrt{\frac{ax-1}{ax+1}} \cosh^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(-2), x]

[Out] (1 - a\*x + Sqrt[(-1 + a\*x)/(1 + a\*x)]\*ArcCosh[a\*x]\*CoshIntegral[ArcCosh[a\*x]])/(a\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*ArcCosh[a\*x])

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{1}{\operatorname{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^2,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^(-2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^2,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(-2), x)

**maple** [A] time = 0.03, size = 33, normalized size = 0.85

$$\frac{-\frac{\sqrt{ax-1} \sqrt{ax+1}}{\operatorname{arcosh}(ax)} + X(\operatorname{arccosh}(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^2,x)

[Out] 1/a\*(-1/arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+Chi(arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax+1} \sqrt{ax-1} - ax}{(a^3 x^2 + \sqrt{ax+1} \sqrt{ax-1} a^2 x - a) \log(ax + \sqrt{ax+1} \sqrt{ax-1})} + \int \frac{a^4 x^4 - 2 a^2 x^2 + (a^2 x^2 + 1)(ax + 1)}{(a^4 x^4 + (ax + 1)(ax - 1)a^2 x^2 - 2 a^2 x^2 + 2(a^2 x^2 + 1)(ax + 1))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^2,x, algorithm="maxima")

[Out] -(a^3\*x^3 + (a^2\*x^2 - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a\*x)/((a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))) + integrate((a^4\*x^4 - 2\*a^2\*x^2 + (a^2\*x^2 + 1)\*(a\*x + 1)\*(a\*x - 1) + (2\*a^3\*x^3 - a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + 1)/((a^4\*x^4 + (a\*x + 1)\*(a\*x - 1)\*a^2\*x^2 - 2\*a^2\*x^2 + 2\*(a^3\*x^3 - a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + 1)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acosh(a\*x)^2,x)

[Out] int(1/acosh(a\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acosh(a\*x)\*\*2,x)

[Out] Integral(acosh(a\*x)\*\*(-2), x)

$$3.56 \quad \int \frac{1}{x \cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^2), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^2), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^2} dx = \int \frac{1}{x \cosh^{-1}(ax)^2} dx$$

Mathematica [A] time = 4.74, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^2), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^2), x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \text{arccosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^2, x, algorithm="fricas")

[Out] integral(1/(x\*arccosh(a\*x)^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \text{arccosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^2, x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^2), x)



**maple** [A] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x)^2,x)

[Out] int(1/x/arccosh(a\*x)^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3x^3 + (a^2x^2 - 1)\sqrt{ax+1}\sqrt{ax-1} - ax}{(a^3x^3 + \sqrt{ax+1}\sqrt{ax-1}a^2x^2 - ax)\log(ax + \sqrt{ax+1}\sqrt{ax-1})} + \int \frac{2(ax+1)}{(a^5x^6 + (ax+1)(ax-1)a^3x^4 - 2a^3x^4 - \dots)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $-(a^3x^3 + (a^2x^2 - 1)\sqrt{ax+1}\sqrt{ax-1} - ax)/((a^3x^3 + \sqrt{ax+1}\sqrt{ax-1}a^2x^2 - ax)\log(ax + \sqrt{ax+1}\sqrt{ax-1})) + \int (2(a^5x^6 + (ax+1)(ax-1)a^3x^4 - 2a^3x^4 + a^3x^2 + 2(a^4x^5 - a^2x^3)\sqrt{ax+1}\sqrt{ax-1}))\log(ax + \sqrt{ax+1}\sqrt{ax-1}), x$

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)^2),x)

[Out] int(1/(x\*acosh(a\*x)^2),x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x)\*\*2,x)

[Out] Integral(1/(x\*acosh(a\*x)\*\*2),x)

$$3.57 \quad \int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cosh^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a\*x)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*ArcCosh[a\*x]^2), x]

[Out] Defer[Int][1/(x^2\*ArcCosh[a\*x]^2), x]

Rubi steps

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx = \int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx$$

Mathematica [A] time = 8.69, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*ArcCosh[a\*x]^2), x]

[Out] Integrate[1/(x^2\*ArcCosh[a\*x]^2), x]

fricas [A] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^2, x, algorithm="fricas")

[Out] integral(1/(x^2\*arccosh(a\*x)^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \text{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^2, x, algorithm="giac")

[Out] integrate(1/(x^2\*arccosh(a\*x)^2), x)

**maple** [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccosh(a\*x)^2,x)

[Out] int(1/x^2/arccosh(a\*x)^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax + 1} \sqrt{ax - 1} - ax}{(a^3 x^4 + \sqrt{ax + 1} \sqrt{ax - 1} a^2 x^3 - ax^2) \log(ax + \sqrt{ax + 1} \sqrt{ax - 1})} - \int \frac{a^5 x^5 - 2 a^3 x^3 + (a^3 x^3 - 3 ax)}{(a^5 x^7 + (ax + 1)(ax - 1) a^3 x^5 - 2 a^3 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^2,x, algorithm="maxima")

[Out]  $-(a^3 x^3 + (a^2 x^2 - 1) \sqrt{ax + 1} \sqrt{ax - 1} - ax) / ((a^3 x^4 + \sqrt{ax + 1} \sqrt{ax - 1} a^2 x^3 - ax^2) \log(ax + \sqrt{ax + 1} \sqrt{ax - 1})) - \int (a^5 x^5 - 2 a^3 x^3 + (a^3 x^3 - 3 ax) (ax + 1) (ax - 1) + (2 a^4 x^4 - 5 a^2 x^2 + 2) \sqrt{ax + 1} \sqrt{ax - 1} + ax) / (a^5 x^7 + (ax + 1) (ax - 1) a^3 x^5 - 2 a^3 x^5 + a x^3 + 2 (a^4 x^6 - a^2 x^4) \sqrt{ax + 1} \sqrt{ax - 1}) \log(ax + \sqrt{ax + 1} \sqrt{ax - 1}) dx$

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*acosh(a\*x)^2),x)

[Out] int(1/(x^2\*acosh(a\*x)^2),x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/acosh(a\*x)\*\*2,x)

[Out] Integral(1/(x\*\*2\*acosh(a\*x)\*\*2),x)

$$3.58 \quad \int \frac{x^4}{\cosh^{-1}(ax)^3} dx$$

**Optimal.** Leaf size=102

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{16a^5} + \frac{27\operatorname{Shi}(3\cosh^{-1}(ax))}{32a^5} + \frac{25\operatorname{Shi}(5\cosh^{-1}(ax))}{32a^5} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} - \frac{x^4 \sqrt{ax-1} \sqrt{ax}}{2a \cosh^{-1}(ax)}$$

[Out] 2\*x^3/a^2/arccosh(a\*x)-5/2\*x^5/arccosh(a\*x)+1/16\*Shi(arccosh(a\*x))/a^5+27/32\*Shi(3\*arccosh(a\*x))/a^5+25/32\*Shi(5\*arccosh(a\*x))/a^5-1/2\*x^4\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^2

**Rubi [A]** time = 0.64, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5668, 5775, 5670, 5448, 3298}

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{16a^5} + \frac{27\operatorname{Shi}(3\cosh^{-1}(ax))}{32a^5} + \frac{25\operatorname{Shi}(5\cosh^{-1}(ax))}{32a^5} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} - \frac{x^4 \sqrt{ax-1} \sqrt{ax}}{2a \cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCosh[a\*x]^3,x]

[Out] -(x^4\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(2\*a\*ArcCosh[a\*x]^2) + (2\*x^3)/(a^2\*ArcCosh[a\*x]) - (5\*x^5)/(2\*ArcCosh[a\*x]) + SinhIntegral[ArcCosh[a\*x]]/(16\*a^5) + (27\*SinhIntegral[3\*ArcCosh[a\*x]])/(32\*a^5) + (25\*SinhIntegral[5\*ArcCosh[a\*x]])/(32\*a^5)

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.))/(sqrt[(d1\_.) + (e1\_.)\*(x\_)]\*sqrt[(d2\_.) + (e2\_.)\*(x\_)]), x\_Symbol] :> Simp[((f\*x)^m\*(a

+ b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^4}{\cosh^{-1}(ax)^3} dx &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} - \frac{2 \int \frac{x^3}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2} dx}{a} + \frac{1}{2}(5a) \int \frac{x^5}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)} dx \\ &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} + \frac{25}{2} \int \frac{x^4}{\cosh^{-1}(ax)} dx - \frac{6 \int \frac{x^5}{\cosh^{-1}(ax)} dx}{a^5} \\ &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} - \frac{6 \text{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} - \frac{6 \text{Subst}\left(\int \left(\frac{\sinh(x)}{4x} + \frac{\sinh(3x)}{4x}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} + \frac{25 \text{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \cosh^{-1}(ax)\right)}{32a^5} \\ &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{2x^3}{a^2 \cosh^{-1}(ax)} - \frac{5x^5}{2 \cosh^{-1}(ax)} + \frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{16a^5} + \frac{27 \text{Shi}\left(3 \cosh^{-1}(ax)\right)}{32a^5} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 107, normalized size = 1.05

$$\frac{-80a^5 x^5 \cosh^{-1}(ax) - 16a^4 x^4 \sqrt{ax-1} \sqrt{ax+1} + 64a^3 x^3 \cosh^{-1}(ax) + 2 \cosh^{-1}(ax)^2 \text{Shi}\left(\cosh^{-1}(ax)\right) + 27 \cosh^{-1}(ax)^3 \text{Shi}\left(3 \cosh^{-1}(ax)\right)}{32a^5 \cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCosh[a\*x]^3,x]

[Out] (-16\*a^4\*x^4\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x] + 64\*a^3\*x^3\*ArcCosh[a\*x] - 80\*a^5\*x^5\*ArcCosh[a\*x] + 2\*ArcCosh[a\*x]^2\*SinhIntegral[ArcCosh[a\*x]] + 27\*ArcCosh[a\*x]^3\*SinhIntegral[3\*ArcCosh[a\*x]] + 25\*ArcCosh[a\*x]^2\*SinhIntegral[5\*ArcCosh[a\*x]])/(32\*a^5\*ArcCosh[a\*x]^2)

**fricas [F]** time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^3,x, algorithm="fricas")

[Out] integral(x^4/arccosh(a\*x)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^3,x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^3, x)

**maple [A]** time = 0.11, size = 123, normalized size = 1.21

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{16\operatorname{arccosh}(ax)^2} - \frac{ax}{16\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)^2} - \frac{9\cosh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)} + \frac{27\operatorname{Shi}(3\operatorname{arccosh}(ax))}{32} - \frac{\sinh(5\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)^2}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^3,x)

[Out] 1/a^5\*(-1/16/arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/16\*a\*x/arccosh(a\*x)+1/16\*Shi(arccosh(a\*x))-3/32/arccosh(a\*x)^2\*sinh(3\*arccosh(a\*x))-9/32/arccosh(a\*x)\*cosh(3\*arccosh(a\*x))+27/32\*Shi(3\*arccosh(a\*x))-1/32/arccosh(a\*x)^2\*sinh(5\*arccosh(a\*x))-5/32/arccosh(a\*x)\*cosh(5\*arccosh(a\*x))+25/32\*Shi(5\*arccosh(a\*x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$a^8x^{11} - 3a^6x^9 + 3a^4x^7 - a^2x^5 + (a^5x^8 - a^3x^6)(ax+1)^{\frac{3}{2}}(ax-1)^{\frac{3}{2}} + (3a^6x^9 - 5a^4x^7 + 2a^2x^5)(ax+1)(ax-1) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(a^8\*x^11 - 3\*a^6\*x^9 + 3\*a^4\*x^7 - a^2\*x^5 + (a^5\*x^8 - a^3\*x^6)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + (3\*a^6\*x^9 - 5\*a^4\*x^7 + 2\*a^2\*x^5)\*(a\*x + 1)\*(a\*x - 1) + (3\*a^7\*x^10 - 7\*a^5\*x^8 + 5\*a^3\*x^6 - a\*x^4)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (5\*a^8\*x^11 - 15\*a^6\*x^9 + 15\*a^4\*x^7 - 5\*a^2\*x^5 + (5\*a^5\*x^8 - 8\*a^3\*x^6 + 3\*a\*x^4)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + (15\*a^6\*x^9 - 31\*a^4\*x^7 + 20\*a^2\*x^5 - 4\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (15\*a^7\*x^10 - 38\*a^5\*x^8 + 32\*a^3\*x^6 - 9\*a\*x^4)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^8\*x^6 + (a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2)\*a^5\*x^3 - 3\*a^6\*x^4 + 3\*a^4\*x^2 + 3\*(a^6\*x^4 - a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 3\*(a^7\*x^5 - 2\*a^5\*x^3 + a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2) + integrate(1/2\*(25\*a^10\*x^12 - 100\*a^8\*x^10 + 150\*a^6\*x^8 - 100\*a^4\*x^6 + 25\*a^2\*x^4 + (25\*a^6\*x^8 - 24\*a^4\*x^6 + 3\*a^2\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (100\*a^7\*x^9 - 172\*a^5\*x^7 + 87\*a^3\*x^5 - 12\*a\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 3\*(50\*a^8\*x^10 - 124\*a^6\*x^8 + 105\*a^4\*x^6 - 35\*a^2\*x^4 + 4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + (100\*a^9\*x^11 - 324\*a^7\*x^9 + 381\*a^5\*x^7 - 193\*a^3\*x^5 + 36\*a\*x^3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))/(a^10\*x^8 + (a\*x + 1)^2\*(a\*x - 1)^2\*a^6\*x^4 - 4\*a^8\*x^6 + 6\*a^6\*x^4 - 4\*a^4\*x^2 + 4\*(a^7\*x^5 - a^5\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 6\*(a^8\*x^6 - 2\*a^6\*x^4 + a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 4\*(a^9\*x^7 - 3\*a^7\*x^5 + 3\*a^5\*x^3 - a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^3,x)

[Out] int(x^4/acosh(a\*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/acosh(a*x)**3,x)
```

```
[Out] Integral(x**4/acosh(a*x)**3, x)
```

$$3.59 \quad \int \frac{x^3}{\cosh^{-1}(ax)^3} dx$$

**Optimal.** Leaf size=87

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\operatorname{Shi}\left(4 \cosh^{-1}(ax)\right)}{a^4} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

[Out] 3/2\*x^2/a^2/arccosh(a\*x)-2\*x^4/arccosh(a\*x)+1/2\*Shi(2\*arccosh(a\*x))/a^4+Shi(4\*arccosh(a\*x))/a^4-1/2\*x^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^2

**Rubi [A]** time = 0.60, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5668, 5775, 5670, 5448, 3298, 12}

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\operatorname{Shi}\left(4 \cosh^{-1}(ax)\right)}{a^4} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCosh[a\*x]^3,x]

[Out] -(x^3\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(2\*a\*ArcCosh[a\*x]^2) + (3\*x^2)/(2\*a^2\*ArcCosh[a\*x]) - (2\*x^4)/ArcCosh[a\*x] + SinhIntegral[2\*ArcCosh[a\*x]]/(2\*a^4) + SinhIntegral[4\*ArcCosh[a\*x]]/a^4

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5775



```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n)*((f_.)*(x_))^m)/(Sqrt[(d1_
) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[((f*x)^m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1)
, x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cosh^{-1}(ax)^3} dx &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} - \frac{3 \int \frac{x^2}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2} dx}{2a} + (2a) \int \frac{x^4}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)} dx \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} + 8 \int \frac{x^3}{\cosh^{-1}(ax)} dx - \frac{3 \int \frac{x^4}{\cosh^{-1}(ax)} dx}{a} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} - \frac{3 \text{Subst}\left(\int \frac{\cosh(x) \sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} - \frac{3 \text{Subst}\left(\int \frac{\sinh(2x)}{2x} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{3x^2}{2a^2 \cosh^{-1}(ax)} - \frac{2x^4}{\cosh^{-1}(ax)} + \frac{\text{Shi}\left(2 \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Shi}\left(4 \cosh^{-1}(ax)\right)}{2a^4} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 75, normalized size = 0.86

$$\frac{-\frac{a^2 x^2 ((4a^2 x^2 - 3) \cosh^{-1}(ax) + ax \sqrt{ax-1} \sqrt{ax+1})}{\cosh^{-1}(ax)^2} + \text{Shi}\left(2 \cosh^{-1}(ax)\right) + 2 \text{Shi}\left(4 \cosh^{-1}(ax)\right)}{2a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCosh[a\*x]^3,x]

[Out] (-(a^2\*x^2\*(a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x] + (-3 + 4\*a^2\*x^2)\*ArcCosh[a\*x])/ArcCosh[a\*x]^2) + SinhIntegral[2\*ArcCosh[a\*x]] + 2\*SinhIntegral[4\*ArcCosh[a\*x]])/(2\*a^4)

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^3,x, algorithm="fricas")

[Out] integral(x^3/arccosh(a\*x)^3, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
 i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.08, size = 82, normalized size = 0.94

$$\frac{\frac{\sinh(2 \operatorname{arccosh}(ax))}{8 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2 \operatorname{arccosh}(ax))}{2} - \frac{\sinh(4 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)^2} - \frac{\cosh(4 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \operatorname{Shi}(4 \operatorname{arccosh}(ax))}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^3,x)

[Out] 1/a^4\*(-1/8\*sinh(2\*arccosh(a\*x))/arccosh(a\*x)^2-1/4/arccosh(a\*x)\*cosh(2\*arc  
 cosh(a\*x))+1/2\*Shi(2\*arccosh(a\*x))-1/16/arccosh(a\*x)^2\*sinh(4\*arccosh(a\*x))  
 -1/4/arccosh(a\*x)\*cosh(4\*arccosh(a\*x))+Shi(4\*arccosh(a\*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^8 x^{10} - 3 a^6 x^8 + 3 a^4 x^6 - a^2 x^4 + (a^5 x^7 - a^3 x^5)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} + (3 a^6 x^8 - 5 a^4 x^6 + 2 a^2 x^4)(ax + 1)(ax - 1) + \dots}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(a^8\*x^10 - 3\*a^6\*x^8 + 3\*a^4\*x^6 - a^2\*x^4 + (a^5\*x^7 - a^3\*x^5)\*(a\*x  
 + 1)^(3/2)\*(a\*x - 1)^(3/2) + (3\*a^6\*x^8 - 5\*a^4\*x^6 + 2\*a^2\*x^4)\*(a\*x + 1)  
 \*(a\*x - 1) + (3\*a^7\*x^9 - 7\*a^5\*x^7 + 5\*a^3\*x^5 - a\*x^3)\*sqrt(a\*x + 1)\*sqrt  
 (a\*x - 1) + (4\*a^8\*x^10 - 12\*a^6\*x^8 + 12\*a^4\*x^6 - 4\*a^2\*x^4 + 2\*(2\*a^5\*x^7  
 - 3\*a^3\*x^5 + a\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 3\*(4\*a^6\*x^8 - 8\*a  
 ^4\*x^6 + 5\*a^2\*x^4 - x^2)\*(a\*x + 1)\*(a\*x - 1) + (12\*a^7\*x^9 - 30\*a^5\*x^7 +  
 25\*a^3\*x^5 - 7\*a\*x^3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*  
 sqrt(a\*x - 1)))/((a^8\*x^6 + (a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2)\*a^5\*x^3 - 3\*a^6  
 \*x^4 + 3\*a^4\*x^2 + 3\*(a^6\*x^4 - a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 3\*(a^7\*x^5 -  
 2\*a^5\*x^3 + a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a^2)\*log(a\*x + sqrt(a\*x +  
 1)\*sqrt(a\*x - 1))^2) + integrate(1/2\*(16\*a^10\*x^11 - 64\*a^8\*x^9 + 96\*a^6\*x  
 ^7 - 64\*a^4\*x^5 + 4\*(4\*a^6\*x^7 - 3\*a^4\*x^5)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 16\*a^  
 2\*x^3 + (64\*a^7\*x^8 - 100\*a^5\*x^6 + 42\*a^3\*x^4 - 3\*a\*x^2)\*(a\*x + 1)^(3/2)\*(  
 a\*x - 1)^(3/2) + 6\*(16\*a^8\*x^9 - 38\*a^6\*x^7 + 30\*a^4\*x^5 - 9\*a^2\*x^3 + x)\*(  
 a\*x + 1)\*(a\*x - 1) + (64\*a^9\*x^10 - 204\*a^7\*x^8 + 234\*a^5\*x^6 - 115\*a^3\*x^4  
 + 21\*a\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))/((a^10\*x^8 + (a\*x + 1)^2\*(a\*x - 1)  
 )^2\*a^6\*x^4 - 4\*a^8\*x^6 + 6\*a^6\*x^4 - 4\*a^4\*x^2 + 4\*(a^7\*x^5 - a^5\*x^3)\*(a\*x  
 + 1)^(3/2)\*(a\*x - 1)^(3/2) + 6\*(a^8\*x^6 - 2\*a^6\*x^4 + a^4\*x^2)\*(a\*x + 1)\*  
 (a\*x - 1) + 4\*(a^9\*x^7 - 3\*a^7\*x^5 + 3\*a^5\*x^3 - a^3\*x)\*sqrt(a\*x + 1)\*sqrt(  
 a\*x - 1) + a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acosh(a\*x)^3,x)

[Out] int(x^3/acosh(a\*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*3,x)

[Out] Integral(x\*\*3/acosh(a\*x)\*\*3, x)

$$3.60 \quad \int \frac{x^2}{\cosh^{-1}(ax)^3} dx$$

**Optimal.** Leaf size=85

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{8a^3} + \frac{9\operatorname{Shi}(3\cosh^{-1}(ax))}{8a^3} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\cosh^{-1}(ax)^2}$$

[Out]  $x/a^2/\operatorname{arccosh}(a*x)-3/2*x^3/\operatorname{arccosh}(a*x)+1/8*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a^3+9/8*\operatorname{Shi}(3*\operatorname{arccosh}(a*x))/a^3-1/2*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

**Rubi [A]** time = 0.50, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5668, 5775, 5670, 5448, 3298, 5658}

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{8a^3} + \frac{9\operatorname{Shi}(3\cosh^{-1}(ax))}{8a^3} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x]^3,x]

[Out]  $-(x^2*\sqrt{-1+a*x}*\sqrt{1+a*x})/(2*a*\operatorname{ArcCosh}[a*x]^2) + x/(a^2*\operatorname{ArcCosh}[a*x]) - (3*x^3)/(2*\operatorname{ArcCosh}[a*x]) + \operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(8*a^3) + (9*\operatorname{inhIntegral}[3*\operatorname{ArcCosh}[a*x]])/(8*a^3)$

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.))\*((f\_.)\*(x\_.))^(m\_.)]/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[((f\*x)^(m\*(a + b\*ArcCosh[c\*x])^(n + 1)))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\cosh^{-1}(ax)^3} dx &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} - \frac{\int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2} dx}{a} + \frac{1}{2}(3a) \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)} dx \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} + \frac{9}{2} \int \frac{x^2}{\cosh^{-1}(ax)} dx - \frac{\int \frac{1}{\cosh^{-1}(ax)} dx}{a} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} - \frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{a^3} + \frac{9\text{Subst}\left(\int \frac{1}{\cosh^{-1}(ax)} dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} - \frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{a^3} + \frac{9\text{Subst}\left(\int \frac{1}{\cosh^{-1}(ax)} dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{x}{a^2\cosh^{-1}(ax)} - \frac{3x^3}{2\cosh^{-1}(ax)} + \frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{8a^3} + \frac{9\text{Shi}\left(3\cosh^{-1}(ax)\right)}{8a^3} \end{aligned}$$

**Mathematica [A]** time = 0.16, size = 69, normalized size = 0.81

$$\frac{-\frac{4ax((3a^2x^2-2)\cosh^{-1}(ax)+ax\sqrt{ax-1}\sqrt{ax+1})}{\cosh^{-1}(ax)^2} + \text{Shi}\left(\cosh^{-1}(ax)\right) + 9\text{Shi}\left(3\cosh^{-1}(ax)\right)}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCosh[a\*x]^3, x]

[Out] ((-4\*a\*x\*(a\*x\*Sqrt[-1 + a\*x])\*Sqrt[1 + a\*x] + (-2 + 3\*a^2\*x^2)\*ArcCosh[a\*x])/ArcCosh[a\*x]^2 + SinhIntegral[ArcCosh[a\*x]] + 9\*SinhIntegral[3\*ArcCosh[a\*x]])/(8\*a^3)

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^3, x, algorithm="fricas")

[Out] integral(x^2/arccosh(a\*x)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^3,x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^3, x)

**maple** [A] time = 0.03, size = 84, normalized size = 0.99

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{8\operatorname{arccosh}(ax)^2} - \frac{ax}{8\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8} - \frac{\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^3,x)

[Out] 1/a^3\*(-1/8/arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/8\*a\*x/arccosh(a\*x)+1/8\*Shi(arccosh(a\*x))-1/8/arccosh(a\*x)^2\*sinh(3\*arccosh(a\*x))-3/8/arccosh(a\*x)\*cosh(3\*arccosh(a\*x))+9/8\*Shi(3\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^8x^9 - 3a^6x^7 + 3a^4x^5 - a^2x^3 + (a^5x^6 - a^3x^4)(ax+1)^{\frac{3}{2}}(ax-1)^{\frac{3}{2}} + (3a^6x^7 - 5a^4x^5 + 2a^2x^3)(ax+1)(ax-1) + \dots}{2(a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(a^8\*x^9 - 3\*a^6\*x^7 + 3\*a^4\*x^5 - a^2\*x^3 + (a^5\*x^6 - a^3\*x^4)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + (3\*a^6\*x^7 - 5\*a^4\*x^5 + 2\*a^2\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (3\*a^7\*x^8 - 7\*a^5\*x^6 + 5\*a^3\*x^4 - a\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (3\*a^8\*x^9 - 9\*a^6\*x^7 + 9\*a^4\*x^5 - 3\*a^2\*x^3 + (3\*a^5\*x^6 - 4\*a^3\*x^4 + a\*x^2)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + (9\*a^6\*x^7 - 17\*a^4\*x^5 + 10\*a^2\*x^3 - 2\*x)\*(a\*x + 1)\*(a\*x - 1) + (9\*a^7\*x^8 - 22\*a^5\*x^6 + 18\*a^3\*x^4 - 5\*a\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^8\*x^6 + (a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2)\*a^5\*x^3 - 3\*a^6\*x^4 + 3\*a^4\*x^2 + 3\*(a^6\*x^4 - a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 3\*(a^7\*x^5 - 2\*a^5\*x^3 + a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2) + integrate(1/2\*(9\*a^10\*x^10 - 36\*a^8\*x^8 + 54\*a^6\*x^6 - 36\*a^4\*x^4 + (9\*a^6\*x^6 - 4\*a^4\*x^4 - a^2\*x^2)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (36\*a^7\*x^7 - 48\*a^5\*x^5 + 13\*a^3\*x^3 + 2\*a\*x)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 9\*a^2\*x^2 + (54\*a^8\*x^8 - 120\*a^6\*x^6 + 83\*a^4\*x^4 - 19\*a^2\*x^2 + 2)\*(a\*x + 1)\*(a\*x - 1) + (36\*a^9\*x^9 - 112\*a^7\*x^7 + 123\*a^5\*x^5 - 57\*a^3\*x^3 + 10\*a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))/((a^10\*x^8 + (a\*x + 1)^2\*(a\*x - 1)^2\*a^6\*x^4 - 4\*a^8\*x^6 + 6\*a^6\*x^4 - 4\*a^4\*x^2 + 4\*(a^7\*x^5 - a^5\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 6\*(a^8\*x^6 - 2\*a^6\*x^4 + a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 4\*(a^9\*x^7 - 3\*a^7\*x^5 + 3\*a^5\*x^3 - a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^3,x)

[Out] int(x^2/acosh(a\*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*3,x)

[Out] Integral(x\*\*2/acosh(a\*x)\*\*3, x)

### 3.61 $\int \frac{x}{\cosh^{-1}(ax)^3} dx$

**Optimal.** Leaf size=68

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{a^2} + \frac{1}{2a^2 \cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

[Out] 1/2/a^2/arccosh(a\*x)-x^2/arccosh(a\*x)+Shi(2\*arccosh(a\*x))/a^2-1/2\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^2

**Rubi [A]** time = 0.39, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {5668, 5775, 5670, 5448, 12, 3298, 5676}

$$\frac{\operatorname{Shi}\left(2 \cosh^{-1}(ax)\right)}{a^2} + \frac{1}{2a^2 \cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x]^3, x]

[Out] -(x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(2\*a\*ArcCosh[a\*x]^2) + 1/(2\*a^2\*ArcCosh[a\*x]) - x^2/ArcCosh[a\*x] + SinhIntegral[2\*ArcCosh[a\*x]]/a^2

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^(n)\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5676



```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(Sqrt[(d1_) + (e1_)*(x_)]*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]
```

### Rule 5775

```
Int[(((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_))/(Sqrt[(d1_) + (e1_)*(x_)]*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] := Simp[((f*x)^m*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)^3} dx &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2} dx}{2a} + a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{1}{2a^2\cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} + 2 \int \frac{x}{\cosh^{-1}(ax)} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{1}{2a^2\cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} + \frac{2 \operatorname{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{1}{2a^2\cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} + \frac{2 \operatorname{Subst}\left(\int \frac{\sinh(2x)}{2x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{1}{2a^2\cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\cosh^{-1}(ax)^2} + \frac{1}{2a^2\cosh^{-1}(ax)} - \frac{x^2}{\cosh^{-1}(ax)} + \frac{\operatorname{Shi}\left(2\cosh^{-1}(ax)\right)}{a^2} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 67, normalized size = 0.99

$$\frac{\operatorname{Shi}\left(2\cosh^{-1}(ax)\right)}{a^2} + \frac{1 - 2a^2x^2}{2a^2\cosh^{-1}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{2a\cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/ArcCosh[a*x]^3, x]
```

```
[Out] -1/2*(x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*ArcCosh[a*x]^2) + (1 - 2*a^2*x^2)/(2*a^2*ArcCosh[a*x]) + SinhIntegral[2*ArcCosh[a*x]]/a^2
```

**fricas [F]** time = 0.50, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{x}{\operatorname{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arccosh(a*x)^3, x, algorithm="fricas")
```

```
[Out] integral(x/arccosh(a*x)^3, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^3,x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x)^3, x)

**maple** [A] time = 0.03, size = 43, normalized size = 0.63

$$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + \operatorname{Shi}(2 \operatorname{arccosh}(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^3,x)

[Out] 1/a^2\*(-1/4\*sinh(2\*arccosh(a\*x))/arccosh(a\*x)^2-1/2/arccosh(a\*x)\*cosh(2\*arccosh(a\*x))+Shi(2\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^8 x^8 - 3 a^6 x^6 + 3 a^4 x^4 + (a^5 x^5 - a^3 x^3)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} - a^2 x^2 + (3 a^6 x^6 - 5 a^4 x^4 + 2 a^2 x^2)(ax + 1)(ax - 1) + 2(a^8 x^6 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(a^8\*x^8 - 3\*a^6\*x^6 + 3\*a^4\*x^4 + (a^5\*x^5 - a^3\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) - a^2\*x^2 + (3\*a^6\*x^6 - 5\*a^4\*x^4 + 2\*a^2\*x^2)\*(a\*x + 1)\*(a\*x - 1) + (3\*a^7\*x^7 - 7\*a^5\*x^5 + 5\*a^3\*x^3 - a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (2\*a^8\*x^8 - 6\*a^6\*x^6 + 6\*a^4\*x^4 + 2\*(a^5\*x^5 - a^3\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) - 2\*a^2\*x^2 + (6\*a^6\*x^6 - 10\*a^4\*x^4 + 5\*a^2\*x^2 - 1)\*(a\*x + 1)\*(a\*x - 1) + (6\*a^7\*x^7 - 14\*a^5\*x^5 + 11\*a^3\*x^3 - 3\*a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^8\*x^6 + (a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2)\*a^5\*x^3 - 3\*a^6\*x^4 + 3\*a^4\*x^2 + 3\*(a^6\*x^4 - a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 3\*(a^7\*x^5 - 2\*a^5\*x^3 + a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2 + integrate(1/2\*(4\*a^9\*x^9 + 4\*(a\*x + 1)^2\*(a\*x - 1)^2\*a^5\*x^5 - 16\*a^7\*x^7 + 24\*a^5\*x^5 - 16\*a^3\*x^3 + (16\*a^6\*x^6 - 16\*a^4\*x^4 + 3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 24\*(a^7\*x^7 - 2\*a^5\*x^5 + a^3\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (16\*a^8\*x^8 - 48\*a^6\*x^6 + 48\*a^4\*x^4 - 19\*a^2\*x^2 + 3)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + 4\*a\*x)/((a^9\*x^8 + (a\*x + 1)^2\*(a\*x - 1)^2\*a^5\*x^4 - 4\*a^7\*x^6 + 6\*a^5\*x^4 - 4\*a^3\*x^2 + 4\*(a^6\*x^5 - a^4\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 6\*(a^7\*x^6 - 2\*a^5\*x^4 + a^3\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 4\*(a^8\*x^7 - 3\*a^6\*x^5 + 3\*a^4\*x^3 - a^2\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x)^3,x)

```
[Out] int(x/acosh(a*x)^3, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x}{\operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/acosh(a*x)**3,x)
```

```
[Out] Integral(x/acosh(a*x)**3, x)
```

$$3.62 \quad \int \frac{1}{\cosh^{-1}(ax)^3} dx$$

Optimal. Leaf size=55

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{2a} - \frac{x}{2 \cosh^{-1}(ax)} - \frac{\sqrt{ax-1} \sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

[Out]  $-1/2*x/\operatorname{arccosh}(a*x)+1/2*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a-1/2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

**Rubi [A]** time = 0.19, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {5656, 5775, 5658, 3298}

$$\frac{\operatorname{Shi}(\cosh^{-1}(ax))}{2a} - \frac{x}{2 \cosh^{-1}(ax)} - \frac{\sqrt{ax-1} \sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^(-3), x]

[Out]  $-(\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(2*a*\operatorname{ArcCosh}[a*x]^2) - x/(2*\operatorname{ArcCosh}[a*x]) + \operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(2*a)$

#### Rule 3298

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[(I\*SinhIntegral[(c\*f\*fz)/d + f\*fz\*x])/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*e - c\*f\*fz\*I, 0]

#### Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] :> -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 5775

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*((f\_.)\*(x\_))^m/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cosh^{-1}(ax)^3} dx &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} + \frac{1}{2}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^2} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} - \frac{x}{2 \cosh^{-1}(ax)} + \frac{1}{2} \int \frac{1}{\cosh^{-1}(ax)} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} - \frac{x}{2 \cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{2a} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a \cosh^{-1}(ax)^2} - \frac{x}{2 \cosh^{-1}(ax)} + \frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 55, normalized size = 1.00

$$\frac{\text{Shi}\left(\cosh^{-1}(ax)\right)}{2a} - \frac{x}{2 \cosh^{-1}(ax)} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{2a \cosh^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^(-3), x]

[Out] -1/2\*(Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*ArcCosh[a\*x]^2) - x/(2\*ArcCosh[a\*x]) + SinhIntegral[ArcCosh[a\*x]]/(2\*a)

**fricas [F]** time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^3,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^(-3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^3,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(-3), x)

**maple [A]** time = 0.03, size = 45, normalized size = 0.82

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{2\text{arccosh}(ax)^2} - \frac{ax}{2\text{arccosh}(ax)} + \frac{\text{Shi}(\text{arccosh}(ax))}{2}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^3,x)

[Out] 1/a\*(-1/2/arccosh(a\*x)^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/2\*a\*x/arccosh(a\*x)+1/2\*Shi(arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^7 x^7 - 3 a^5 x^5 + 3 a^3 x^3 + (a^4 x^4 - a^2 x^2)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} + (3 a^5 x^5 - 5 a^3 x^3 + 2 ax)(ax + 1)(ax - 1) + (3 a^6 x^6 - 2 a^4 x^4 + a^2 x^2)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}}}{2 \left( a^7 x^6 + (ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/2*(a^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 + (a^4*x^4 - a^2*x^2)*(a*x + 1)^{(3/2)} \\ & *(a*x - 1)^{(3/2)} + (3*a^5*x^5 - 5*a^3*x^3 + 2*a*x)*(a*x + 1)*(a*x - 1) + (3 \\ & *a^6*x^6 - 7*a^4*x^4 + 5*a^2*x^2 - 1)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) - a*x + ( \\ & a^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 + (a^4*x^4 - 1)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} \\ & + 3*(a^5*x^5 - a^3*x^3)*(a*x + 1)*(a*x - 1) + (3*a^6*x^6 - 6*a^4*x^4 + \\ & 4*a^2*x^2 - 1)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) - a*x)*\log(a*x + \text{sqrt}(a*x + 1)* \\ & \text{sqrt}(a*x - 1)))/((a^7*x^6 + (a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)}*a^4*x^3 - 3*a^5 \\ & *x^4 + 3*a^3*x^2 + 3*(a^5*x^4 - a^3*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^6*x^5 - \\ & 2*a^4*x^3 + a^2*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) - a)*\log(a*x + \text{sqrt}(a*x + 1) \\ & )*\text{sqrt}(a*x - 1))^2) + \text{integrate}(1/2*(a^8*x^8 - 4*a^6*x^6 + 6*a^4*x^4 + (a^4 \\ & *x^4 + 3)*(a*x + 1)^2*(a*x - 1)^2 + (4*a^5*x^5 - 4*a^3*x^3 + 3*a*x)*(a*x + \\ & 1)^{(3/2)}*(a*x - 1)^{(3/2)} - 4*a^2*x^2 + 3*(2*a^6*x^6 - 4*a^4*x^4 + a^2*x^2 + \\ & 1)*(a*x + 1)*(a*x - 1) + (4*a^7*x^7 - 12*a^5*x^5 + 9*a^3*x^3 - a*x)*\text{sqrt}(a \\ & *x + 1)*\text{sqrt}(a*x - 1) + 1)/((a^8*x^8 + (a*x + 1)^2*(a*x - 1)^2*a^4*x^4 - 4* \\ & a^6*x^6 + 6*a^4*x^4 + 4*(a^5*x^5 - a^3*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} \\ & - 4*a^2*x^2 + 6*(a^6*x^6 - 2*a^4*x^4 + a^2*x^2)*(a*x + 1)*(a*x - 1) + 4*(a \\ & ^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 - a*x)*\text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1) + 1)*\log( \\ & a*x + \text{sqrt}(a*x + 1)*\text{sqrt}(a*x - 1))), x) \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\text{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acosh(a\*x)^3,x)

[Out] int(1/acosh(a\*x)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\text{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acosh(a\*x)\*\*3,x)

[Out] Integral(acosh(a\*x)\*\*(-3), x)

$$3.63 \quad \int \frac{1}{x \cosh^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^3, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^3), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^3), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^3} dx = \int \frac{1}{x \cosh^{-1}(ax)^3} dx$$

Mathematica [A] time = 0.72, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^3), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^3), x]

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^3, x, algorithm="fricas")

[Out] integral(1/(x\*arccosh(a\*x)^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^3, x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^3), x)

**maple [A]** time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x)^3,x)

[Out] int(1/x/arccosh(a\*x)^3,x)

**maxima [A]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^8 x^8 - 3 a^6 x^6 + 3 a^4 x^4 + (a^5 x^5 - a^3 x^3)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} - a^2 x^2 + (3 a^6 x^6 - 5 a^4 x^4 + 2 a^2 x^2)(ax + 1)(ax - 1) + 2(a^8 x^8 + (ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} a^5 x^5 - 3 a^6 x^6)}{2(a^8 x^8 + (ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} a^5 x^5 - 3 a^6 x^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/2*(a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - a^3*x^3)*(a*x + 1)^{(3/2)} \\ & *(a*x - 1)^{(3/2)} - a^2*x^2 + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)* \\ & (a*x - 1) + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*\sqrt{a*x + 1}*\sqrt{a*x \\ & - 1} + (2*(a^3*x^3 - a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (4*a^4*x^4 - \\ & 5*a^2*x^2 + 1)*(a*x + 1)*(a*x - 1) + (2*a^5*x^5 - 3*a^3*x^3 + a*x)*\sqrt{a*x \\ & + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a^8*x^8 + (a \\ & *x + 1)^{(3/2)}*(a*x - 1)^{(3/2)}*a^5*x^5 - 3*a^6*x^6 + 3*a^4*x^4 - a^2*x^2 + 3 \\ & *(a^6*x^6 - a^4*x^4)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^7 - 2*a^5*x^5 + a^3*x^3 \\ & )*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1}))^2 - \\ & \text{integrate}(1/2*(4*(a^4*x^4 - 2*a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (12*a^5*x^5 \\ & - 22*a^3*x^3 + 7*a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(6*a^6*x^6 - 10 \\ & *a^4*x^4 + 5*a^2*x^2 - 1)*(a*x + 1)*(a*x - 1) + (4*a^7*x^7 - 6*a^5*x^5 + 3* \\ & a^3*x^3 - a*x)*\sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a^{10}*x^{11} + (a*x + 1)^2*(a*x \\ & - 1)^2*a^6*x^7 - 4*a^8*x^9 + 6*a^6*x^7 - 4*a^4*x^5 + a^2*x^3 + 4*(a^7*x^8 - \\ & a^5*x^6)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 6*(a^8*x^9 - 2*a^6*x^7 + a^4*x^5) \\ & *(a*x + 1)*(a*x - 1) + 4*(a^9*x^{10} - 3*a^7*x^8 + 3*a^5*x^6 - a^3*x^4)*\sqrt{ \\ & t(a*x + 1)*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1})), x) \end{aligned}$$

**mupad [A]** time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)^3),x)

[Out] int(1/(x\*acosh(a\*x)^3), x)

**sympy [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x)\*\*3,x)

[Out] Integral(1/(x\*acosh(a\*x)\*\*3), x)



$$3.64 \quad \int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cosh^{-1}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a\*x)^3, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*ArcCosh[a\*x]^3), x]

[Out] Defer[Int][1/(x^2\*ArcCosh[a\*x]^3), x]

Rubi steps

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx = \int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx$$

Mathematica [A] time = 2.38, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*ArcCosh[a\*x]^3), x]

[Out] Integrate[1/(x^2\*ArcCosh[a\*x]^3), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^3, x, algorithm="fricas")

[Out] integral(1/(x^2\*arccosh(a\*x)^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^3, x, algorithm="giac")

[Out] integrate(1/(x^2\*arccosh(a\*x)^3), x)

**maple** [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccosh(a\*x)^3,x)

[Out] int(1/x^2/arccosh(a\*x)^3,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^8 x^8 - 3 a^6 x^6 + 3 a^4 x^4 + (a^5 x^5 - a^3 x^3)(ax + 1)^{\frac{3}{2}}(ax - 1)^{\frac{3}{2}} - a^2 x^2 + (3 a^6 x^6 - 5 a^4 x^4 + 2 a^2 x^2)(ax + 1)(ax - 1) + 2(a^8 x^9 + \dots)}{2(a^8 x^9 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/2*(a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - a^3*x^3)*(a*x + 1)^{(3/2)} \\ & *(a*x - 1)^{(3/2)} - a^2*x^2 + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)* \\ & (a*x - 1) + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*\sqrt{a*x + 1}*\sqrt{a*x \\ & - 1} - (a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - 4*a^3*x^3 + 3*a*x)* \\ & (a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} - a^2*x^2 + (3*a^6*x^6 - 11*a^4*x^4 + 10*a^2 \\ & *x^2 - 2)*(a*x + 1)*(a*x - 1) + (3*a^7*x^7 - 10*a^5*x^5 + 10*a^3*x^3 - 3*a*x \\ & )*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a \\ & ^8*x^9 + (a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)}*a^5*x^6 - 3*a^6*x^7 + 3*a^4*x^5 - \\ & a^2*x^3 + 3*(a^6*x^7 - a^4*x^5)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^8 - 2*a^5*x^6 \\ & + a^3*x^4)*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x \\ & - 1}))^2 + \int (1/2*(a^{10}*x^{10} - 4*a^8*x^8 + 6*a^6*x^6 - 4*a^4*x^4 + ( \\ & a^6*x^6 - 12*a^4*x^4 + 15*a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (4*a^7*x^7 - 4 \\ & 0*a^5*x^5 + 57*a^3*x^3 - 18*a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + a^2*x^2 \\ & + 3*(2*a^8*x^8 - 16*a^6*x^6 + 25*a^4*x^4 - 13*a^2*x^2 + 2)*(a*x + 1)*(a*x - \\ & 1) + (4*a^9*x^9 - 24*a^7*x^7 + 39*a^5*x^5 - 25*a^3*x^3 + 6*a*x)*\sqrt{a*x + \\ & 1}*\sqrt{a*x - 1}))/((a^{10}*x^{12} + (a*x + 1)^2*(a*x - 1)^2*a^6*x^8 - 4*a^8*x^{10} \\ & + 6*a^6*x^8 - 4*a^4*x^6 + a^2*x^4 + 4*(a^7*x^9 - a^5*x^7)*(a*x + 1)^{(3/2)} \\ & )*(a*x - 1)^{(3/2)} + 6*(a^8*x^{10} - 2*a^6*x^8 + a^4*x^6)*(a*x + 1)*(a*x - 1) \\ & + 4*(a^9*x^{11} - 3*a^7*x^9 + 3*a^5*x^7 - a^3*x^5)*\sqrt{a*x + 1}*\sqrt{a*x - 1} \\ & ))*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1})), x) \end{aligned}$$

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*acosh(a\*x)^3),x)

[Out] int(1/(x^2\*acosh(a\*x)^3), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/acosh(a\*x)\*\*3,x)

[Out] Integral(1/(x\*\*2\*acosh(a\*x)\*\*3), x)

$$3.65 \quad \int \frac{x^4}{\cosh^{-1}(ax)^4} dx$$

**Optimal.** Leaf size=170

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{48a^5} + \frac{27\text{Chi}(3\cosh^{-1}(ax))}{32a^5} + \frac{125\text{Chi}(5\cosh^{-1}(ax))}{96a^5} + \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{a^3\cosh^{-1}(ax)} + \frac{2x^3}{3a^2\cosh^{-1}(ax)^2}$$

[Out]  $2/3*x^3/a^2/\text{arccosh}(a*x)^2 - 5/6*x^5/\text{arccosh}(a*x)^2 + 1/48*\text{Chi}(\text{arccosh}(a*x))/a^5 + 27/32*\text{Chi}(3*\text{arccosh}(a*x))/a^5 + 125/96*\text{Chi}(5*\text{arccosh}(a*x))/a^5 - 1/3*x^4*(a*x - 1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\text{arccosh}(a*x)^3 + 2*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3/\text{arccosh}(a*x) - 25/6*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\text{arccosh}(a*x)$

**Rubi [A]** time = 0.62, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5668, 5775, 5666, 3301}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{48a^5} + \frac{27\text{Chi}(3\cosh^{-1}(ax))}{32a^5} + \frac{125\text{Chi}(5\cosh^{-1}(ax))}{96a^5} + \frac{2x^3}{3a^2\cosh^{-1}(ax)^2} + \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{a^3\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCosh[a\*x]^4, x]

[Out]  $-(x^4*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])/(3*a*\text{ArcCosh}[a*x]^3) + (2*x^3)/(3*a^2*\text{ArcCosh}[a*x]^2) - (5*x^5)/(6*\text{ArcCosh}[a*x]^2) + (2*x^2*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])/(a^3*\text{ArcCosh}[a*x]) - (25*x^4*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])/(6*a*\text{ArcCosh}[a*x]) + \text{CoshIntegral}[\text{ArcCosh}[a*x]]/(48*a^5) + (27*\text{CoshIntegral}[3*\text{ArcCosh}[a*x]])/(32*a^5) + (125*\text{CoshIntegral}[5*\text{ArcCosh}[a*x]])/(96*a^5)$

#### Rule 3301

Int[sin[(e.) + (Complex[0, fz\_])\*(f.)\*(x\_)]/((c.) + (d.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

#### Rule 5666

Int[((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rule 5668

Int[((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5775

Int[(((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_)\*((f.)\*(x\_))^(m\_))/(Sqrt[(d1\_) + (e1.)\*(x\_)]\*Sqrt[(d2\_) + (e2.)\*(x\_)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0]

&& EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4}{\cosh^{-1}(ax)^4} dx &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} - \frac{4 \int \frac{x^3}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^3} dx}{3a} + \frac{1}{3}(5a) \int \frac{x^5}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^2} dx \\
 &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{2x^3}{3a^2 \cosh^{-1}(ax)^2} - \frac{5x^5}{6 \cosh^{-1}(ax)^2} + \frac{25}{6} \int \frac{x^4}{\cosh^{-1}(ax)^2} dx - \frac{2}{3} \int \frac{x^5}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)} dx \\
 &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{2x^3}{3a^2 \cosh^{-1}(ax)^2} - \frac{5x^5}{6 \cosh^{-1}(ax)^2} + \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{25x}{6a^2 \cosh^{-1}(ax)} \\
 &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{2x^3}{3a^2 \cosh^{-1}(ax)^2} - \frac{5x^5}{6 \cosh^{-1}(ax)^2} + \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{25x}{6a^2 \cosh^{-1}(ax)} \\
 &= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{2x^3}{3a^2 \cosh^{-1}(ax)^2} - \frac{5x^5}{6 \cosh^{-1}(ax)^2} + \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{25x}{6a^2 \cosh^{-1}(ax)}
 \end{aligned}$$

**Mathematica** [B] time = 0.40, size = 356, normalized size = 2.09

$$\sqrt{ax-1} \left( -32a^6 x^6 \sqrt{\frac{ax-1}{ax+1}} - 400a^6 x^6 \sqrt{\frac{ax-1}{ax+1}} \cosh^{-1}(ax)^2 - 80a^5 x^5 \sqrt{ax-1} \sqrt{\frac{ax-1}{ax+1}} \sqrt{ax+1} \cosh^{-1}(ax) + 32a^4 x^4 \sqrt{ax-1} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCosh[a\*x]^4,x]

[Out] (Sqrt[-1 + a\*x]\*(32\*a^4\*x^4\*Sqrt[(-1 + a\*x)/(1 + a\*x)] - 32\*a^6\*x^6\*Sqrt[(-1 + a\*x)/(1 + a\*x)] + 64\*a^3\*x^3\*Sqrt[-1 + a\*x]\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] - 80\*a^5\*x^5\*Sqrt[-1 + a\*x]\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] - 192\*a^2\*x^2\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*ArcCosh[a\*x]^2 + 592\*a^4\*x^4\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*ArcCosh[a\*x]^2 - 400\*a^6\*x^6\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*ArcCosh[a\*x]^2 + 2\*(-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[ArcCosh[a\*x]] + 81\*(-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[3\*ArcCosh[a\*x]] - 125\*ArcCosh[a\*x]^3\*CoshIntegral[5\*ArcCosh[a\*x]] + 125\*a\*x\*ArcCosh[a\*x]^3\*CoshIntegral[5\*ArcCosh[a\*x]]))/(96\*a^5\*((-1 + a\*x)/(1 + a\*x))^(3/2)\*(1 + a\*x)^(3/2)\*ArcCosh[a\*x]^3)

**fricas** [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{x^4}{\text{arcosh}(ax)^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^4,x, algorithm="fricas")

[Out] integral(x^4/arccosh(a\*x)^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\text{arcosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^4,x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^4, x)

**maple [A]** time = 0.12, size = 175, normalized size = 1.03

$$\frac{\frac{\sqrt{ax-1}\sqrt{ax+1}}{24\operatorname{arccosh}(ax)^3} - \frac{ax}{48\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{48\operatorname{arccosh}(ax)} + \frac{\chi(\operatorname{arccosh}(ax))}{48} - \frac{\sinh(3\operatorname{arccosh}(ax))}{16\operatorname{arccosh}(ax)^3} - \frac{3\cosh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)^2} - \frac{9\sinh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^4,x)

[Out] 1/a^5\*(-1/24/arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/48\*a\*x/arccosh(a\*x)^2-1/48/arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+1/48\*Chi(arccosh(a\*x))-1/16/arccosh(a\*x)^3\*sinh(3\*arccosh(a\*x))-3/32/arccosh(a\*x)^2\*cosh(3\*arccosh(a\*x))-9/32/arccosh(a\*x)\*sinh(3\*arccosh(a\*x))+27/32\*Chi(3\*arccosh(a\*x))-1/48/arccosh(a\*x)^3\*sinh(5\*arccosh(a\*x))-5/96/arccosh(a\*x)^2\*cosh(5\*arccosh(a\*x))-25/96/arccosh(a\*x)\*sinh(5\*arccosh(a\*x))+125/96\*Chi(5\*arccosh(a\*x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^4,x, algorithm="maxima")

[Out] -1/6\*(2\*a^13\*x^15 - 10\*a^11\*x^13 + 20\*a^9\*x^11 - 20\*a^7\*x^9 + 10\*a^5\*x^7 - 2\*a^3\*x^5 + 2\*(a^8\*x^10 - a^6\*x^8)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + 2\*(5\*a^9\*x^11 - 9\*a^7\*x^9 + 4\*a^5\*x^7)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 4\*(5\*a^10\*x^12 - 13\*a^8\*x^10 + 11\*a^6\*x^8 - 3\*a^4\*x^6)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 4\*(5\*a^11\*x^13 - 17\*a^9\*x^11 + 21\*a^7\*x^9 - 11\*a^5\*x^7 + 2\*a^3\*x^5)\*(a\*x + 1)\*(a\*x - 1) + (25\*a^13\*x^15 - 125\*a^11\*x^13 + 250\*a^9\*x^11 - 250\*a^7\*x^9 + 125\*a^5\*x^7 - 25\*a^3\*x^5 + (25\*a^8\*x^10 - 49\*a^6\*x^8 + 27\*a^4\*x^6 - 3\*a^2\*x^4)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + (125\*a^9\*x^11 - 321\*a^7\*x^9 + 286\*a^5\*x^7 - 102\*a^3\*x^5 + 12\*a\*x^3)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (250\*a^10\*x^12 - 794\*a^8\*x^10 + 946\*a^6\*x^8 - 519\*a^4\*x^6 + 129\*a^2\*x^4 - 12\*x^2)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 2\*(125\*a^11\*x^13 - 473\*a^9\*x^11 + 696\*a^7\*x^9 - 497\*a^5\*x^7 + 173\*a^3\*x^5 - 24\*a\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (125\*a^12\*x^14 - 549\*a^10\*x^12 + 955\*a^8\*x^10 - 824\*a^6\*x^8 + 354\*a^4\*x^6 - 61\*a^2\*x^4)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2 + 2\*(5\*a^12\*x^14 - 21\*a^10\*x^12 + 34\*a^8\*x^10 - 26\*a^6\*x^8 + 9\*a^4\*x^6 - a^2\*x^4)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (5\*a^13\*x^15 - 25\*a^11\*x^13 + 50\*a^9\*x^11 - 50\*a^7\*x^9 + 25\*a^5\*x^7 - 5\*a^3\*x^5 + (5\*a^8\*x^10 - 8\*a^6\*x^8 + 3\*a^4\*x^6)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + (25\*a^9\*x^11 - 57\*a^7\*x^9 + 42\*a^5\*x^7 - 10\*a^3\*x^5)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (50\*a^10\*x^12 - 148\*a^8\*x^10 + 158\*a^6\*x^8 - 71\*a^4\*x^6 + 11\*a^2\*x^4)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 2\*(25\*a^11\*x^13 - 91\*a^9\*x^11 + 126\*a^7\*x^9 - 81\*a^5\*x^7 + 23\*a^3\*x^5 - 2\*a\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (25\*a^12\*x^14 - 108\*a^10\*x^12 + 183\*a^8\*x^10 - 151\*a^6\*x^8 + 60\*a^4\*x^6 - 9\*a^2\*x^4)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^13\*x^10 - 5\*a^11\*x^8 + (a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2))\*a^8\*x^5 + 10\*a^9\*x^6 - 10\*a^7\*x^4 + 5\*a^5\*x^2 + 5\*(a^9\*x^6 - a^7\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 10\*(a^10\*x^7 - 2\*a^8\*x^5 + a^6\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 10\*(a^11\*x^8 - 3\*a^9\*x^6 + 3\*a^7\*x^4 - a^5\*x^2)\*(a\*x + 1)\*(a\*x - 1) - a^3 + 5\*(a^12\*x^9 - 4\*a^10\*x^7 + 6\*a^8\*x^5 - 4\*a^6\*x^3 + a^4\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3) + integrate(1/6\*(125\*a^15\*x^16 - 750\*a^13\*x^14 + 1875\*a^11\*x^12 - 2500\*a^9\*x^10 + 1875\*a^7\*x^8 - 750\*a^5\*x^6 + (125\*a^9\*x^10 - 147\*a^7\*x^8 + 27\*a^5\*x^6

```

+ 3*a^3*x^4)*(a*x + 1)^3*(a*x - 1)^3 + 125*a^3*x^4 + (750*a^10*x^11 - 1485*
a^8*x^9 + 901*a^6*x^7 - 147*a^4*x^5 - 12*a^2*x^3)*(a*x + 1)^(5/2)*(a*x - 1)
^(5/2) + (1875*a^11*x^12 - 5220*a^9*x^10 + 5209*a^7*x^8 - 2185*a^5*x^6 + 32
1*a^3*x^4)*(a*x + 1)^2*(a*x - 1)^2 + (2500*a^12*x^13 - 8970*a^10*x^11 + 123
66*a^8*x^9 - 8143*a^6*x^7 + 2583*a^4*x^5 - 360*a^2*x^3 + 24*x)*(a*x + 1)^(3
/2)*(a*x - 1)^(3/2) + (1875*a^13*x^14 - 8235*a^11*x^12 + 14449*a^9*x^10 - 1
2834*a^7*x^8 + 6030*a^5*x^6 - 1429*a^3*x^4 + 144*a*x^2)*(a*x + 1)*(a*x - 1)
+ (750*a^14*x^15 - 3897*a^12*x^13 + 8293*a^10*x^11 - 9226*a^8*x^9 + 5655*a
^6*x^7 - 1819*a^4*x^5 + 244*a^2*x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^15*x^
12 - 6*a^13*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^9*x^6 + 15*a^11*x^8 - 20*a^9*x
^6 + 15*a^7*x^4 - 6*a^5*x^2 + 6*(a^10*x^7 - a^8*x^5)*(a*x + 1)^(5/2)*(a*x -
1)^(5/2) + 15*(a^11*x^8 - 2*a^9*x^6 + a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 2
0*(a^12*x^9 - 3*a^10*x^7 + 3*a^8*x^5 - a^6*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(
3/2) + 15*(a^13*x^10 - 4*a^11*x^8 + 6*a^9*x^6 - 4*a^7*x^4 + a^5*x^2)*(a*x +
1)*(a*x - 1) + a^3 + 6*(a^14*x^11 - 5*a^12*x^9 + 10*a^10*x^7 - 10*a^8*x^5
+ 5*a^6*x^3 - a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*s
qrt(a*x - 1))), x)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^4,x)

[Out] int(x^4/acosh(a\*x)^4, x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*4,x)

[Out] Integral(x\*\*4/acosh(a\*x)\*\*4, x)

$$3.66 \quad \int \frac{x^3}{\cosh^{-1}(ax)^4} dx$$

**Optimal.** Leaf size=155

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{3a^4} + \frac{4\text{Chi}\left(4 \cosh^{-1}(ax)\right)}{3a^4} + \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a^3 \cosh^{-1}(ax)} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} - \frac{8x^3\sqrt{ax-1}}{3a \cosh^{-1}(ax)}$$

[Out] 1/2\*x^2/a^2/arccosh(a\*x)^2-2/3\*x^4/arccosh(a\*x)^2+1/3\*Chi(2\*arccosh(a\*x))/a^4+4/3\*Chi(4\*arccosh(a\*x))/a^4-1/3\*x^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^3+x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3/arccosh(a\*x)-8/3\*x^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.59, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5668, 5775, 5666, 3301}

$$\frac{\text{Chi}\left(2 \cosh^{-1}(ax)\right)}{3a^4} + \frac{4\text{Chi}\left(4 \cosh^{-1}(ax)\right)}{3a^4} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} + \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a^3 \cosh^{-1}(ax)} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} - \frac{8x^3\sqrt{ax-1}}{3a \cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCosh[a\*x]^4, x]

[Out] -(x^3\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(3\*a\*ArcCosh[a\*x]^3) + x^2/(2\*a^2\*ArcCosh[a\*x]^2) - (2\*x^4)/(3\*ArcCosh[a\*x]^2) + (x\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(a^3\*ArcCosh[a\*x]) - (8\*x^3\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(3\*a\*ArcCosh[a\*x]) + CoshIntegral[2\*ArcCosh[a\*x]]/(3\*a^4) + (4\*CoshIntegral[4\*ArcCosh[a\*x]])/(3\*a^4)

#### Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

#### Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*((f\_.)\*(x\_))^m)/(sqrt[(d1\_) + (e1\_.)\*(x\_)]\*sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0]

&& EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cosh^{-1}(ax)^4} dx &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} - \frac{\int \frac{x^2}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^3} dx}{a} + \frac{1}{3}(4a) \int \frac{x^4}{\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^3} dx \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} + \frac{8}{3} \int \frac{x^3}{\cosh^{-1}(ax)^2} dx - \frac{\int \frac{x^4}{\cosh^{-1}(ax)^3} dx}{a} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} + \frac{x \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{8x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a^3 \cosh^{-1}(ax)^2} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} + \frac{x \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{8x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a^3 \cosh^{-1}(ax)^2} \\ &= -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a \cosh^{-1}(ax)^3} + \frac{x^2}{2a^2 \cosh^{-1}(ax)^2} - \frac{2x^4}{3 \cosh^{-1}(ax)^2} + \frac{x \sqrt{-1+ax} \sqrt{1+ax}}{a^3 \cosh^{-1}(ax)} - \frac{8x^3 \sqrt{-1+ax} \sqrt{1+ax}}{3a^3 \cosh^{-1}(ax)^2} \end{aligned}$$

**Mathematica [A]** time = 0.42, size = 188, normalized size = 1.21

$$\frac{\sqrt{ax-1} \left( ax \sqrt{\frac{ax-1}{ax+1}} \left( -2a^4 x^4 + 2a^2 x^2 - ax \sqrt{ax-1} \sqrt{ax+1} \left( 4a^2 x^2 - 3 \right) \cosh^{-1}(ax) - 2 \left( 8a^4 x^4 - 11a^2 x^2 + 3 \right) \cosh^{-1}(ax) \right) \right)}{6a^4 \left( \frac{ax-1}{ax+1} \right)^{3/2} (ax+1)^{3/2} \cosh^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCosh[a\*x]^4,x]

[Out] (Sqrt[-1 + a\*x]\*(a\*x\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(2\*a^2\*x^2 - 2\*a^4\*x^4 - a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(-3 + 4\*a^2\*x^2)\*ArcCosh[a\*x] - 2\*(3 - 11\*a^2\*x^2 + 8\*a^4\*x^4)\*ArcCosh[a\*x]^2) + 2\*(-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[2\*ArcCosh[a\*x]] + 8\*(-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[4\*ArcCosh[a\*x]]))/((6\*a^4\*((-1 + a\*x)/(1 + a\*x))^(3/2)\*(1 + a\*x)^(3/2)\*ArcCosh[a\*x]^3)

**fricas [F]** time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^4,x, algorithm="fricas")

[Out] integral(x^3/arccosh(a\*x)^4, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value





```
x^6 - 842*a^4*x^4 + 111*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^15*x^12 -
6*a^13*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^9*x^6 + 15*a^11*x^8 - 20*a^9*x^6 +
15*a^7*x^4 - 6*a^5*x^2 + 6*(a^10*x^7 - a^8*x^5)*(a*x + 1)^(5/2)*(a*x - 1)^(
5/2) + 15*(a^11*x^8 - 2*a^9*x^6 + a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a
^12*x^9 - 3*a^10*x^7 + 3*a^8*x^5 - a^6*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)
+ 15*(a^13*x^10 - 4*a^11*x^8 + 6*a^9*x^6 - 4*a^7*x^4 + a^5*x^2)*(a*x + 1)*
(a*x - 1) + a^3 + 6*(a^14*x^11 - 5*a^12*x^9 + 10*a^10*x^7 - 10*a^8*x^5 + 5*
a^6*x^3 - a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(
a*x - 1))), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acosh(a\*x)^4,x)

[Out] int(x^3/acosh(a\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*4,x)

[Out] Integral(x\*\*3/acosh(a\*x)\*\*4, x)

$$3.67 \quad \int \frac{x^2}{\cosh^{-1}(ax)^4} dx$$

**Optimal.** Leaf size=153

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{24a^3} + \frac{9\text{Chi}(3\cosh^{-1}(ax))}{8a^3} + \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a^3\cosh^{-1}(ax)} + \frac{x}{3a^2\cosh^{-1}(ax)^2} - \frac{x^3}{2\cosh^{-1}(ax)^2} - \frac{3x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\cosh^{-1}(ax)^3}$$

[Out] 1/3\*x/a^2/arccosh(a\*x)^2-1/2\*x^3/arccosh(a\*x)^2+1/24\*Chi(arccosh(a\*x))/a^3+9/8\*Chi(3\*arccosh(a\*x))/a^3-1/3\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^3+1/3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a^3/arccosh(a\*x)-3/2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.68, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5668, 5775, 5666, 3301, 5656, 5781}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{24a^3} + \frac{9\text{Chi}(3\cosh^{-1}(ax))}{8a^3} + \frac{x}{3a^2\cosh^{-1}(ax)^2} + \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a^3\cosh^{-1}(ax)} - \frac{x^3}{2\cosh^{-1}(ax)^2} - \frac{3x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\cosh^{-1}(ax)^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x]^4, x]

[Out] -(x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(3\*a\*ArcCosh[a\*x]^3) + x/(3\*a^2\*ArcCosh[a\*x]^2) - x^3/(2\*ArcCosh[a\*x]^2) + (sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(3\*a^3\*ArcCosh[a\*x]) - (3\*x^2\*sqrt[-1 + a\*x]\*sqrt[1 + a\*x])/(2\*a\*ArcCosh[a\*x]) + CoshIntegral[ArcCosh[a\*x]]/(24\*a^3) + (9\*CoshIntegral[3\*ArcCosh[a\*x]])/(8\*a^3)

#### Rule 3301

Int[sin[(e.) + (Complex[0, fz\_])\*(f.)\*(x\_)]/((c.) + (d.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

#### Rule 5656

Int[((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_), x\_Symbol] :> Simp[(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 5666

Int[((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rule 5668

Int[((a.) + ArcCosh[(c.)\*(x\_)]\*(b.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(sqrt[-1 + c\*x]\*sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 5775

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)]/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[((f\*x)^(m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_) + (e2\_.)\*(x\_.))^(q\_.), x\_Symbol] := Dist[(-(d1\*d2))^(p/c)^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\cosh^{-1}(ax)^4} dx &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{2\int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3} dx}{3a} + a\int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2} dx \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{x}{3a^2\cosh^{-1}(ax)^2} - \frac{x^3}{2\cosh^{-1}(ax)^2} + \frac{3}{2}\int \frac{x^2}{\cosh^{-1}(ax)^2} dx - \frac{\int \frac{x^3}{\cosh^{-1}(ax)} dx}{2a} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{x}{3a^2\cosh^{-1}(ax)^2} - \frac{x^3}{2\cosh^{-1}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\cosh^{-1}(ax)} - \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{x}{3a^2\cosh^{-1}(ax)^2} - \frac{x^3}{2\cosh^{-1}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\cosh^{-1}(ax)} - \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{x}{3a^2\cosh^{-1}(ax)^2} - \frac{x^3}{2\cosh^{-1}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\cosh^{-1}(ax)} - \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a} \end{aligned}$$

**Mathematica [A]** time = 0.40, size = 183, normalized size = 1.20

$$\frac{\sqrt{ax-1} \left( -4\sqrt{\frac{ax-1}{ax+1}} (2a^2x^2(a^2x^2-1) + ax\sqrt{ax-1}\sqrt{ax+1} (3a^2x^2-2) \cosh^{-1}(ax) + (9a^4x^4 - 11a^2x^2 + 2) \cosh^{-1}(ax) \right)}{24a^3 \left( \frac{ax-1}{ax+1} \right)^{3/2} (ax+1)^{3/2} \cosh^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCosh[a\*x]^4, x]

[Out] (Sqrt[-1 + a\*x]\*(-4\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(2\*a^2\*x^2\*(-1 + a^2\*x^2) + a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(-2 + 3\*a^2\*x^2)\*ArcCosh[a\*x] + (2 - 11\*a^2\*x^2 + 9\*a^4\*x^4)\*ArcCosh[a\*x]^2) + (-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[ArcCosh[a\*x]] + 27\*(-1 + a\*x)\*ArcCosh[a\*x]^3\*CoshIntegral[3\*ArcCosh[a\*x]])/(24\*a^3\*((-1 + a\*x)/(1 + a\*x))^(3/2)\*(1 + a\*x)^(3/2)\*ArcCosh[a\*x]^3)

**fricas [F]** time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^4,x, algorithm="fricas")

[Out] integral(x^2/arccosh(a\*x)^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^4,x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^4, x)

**maple** [A] time = 0.04, size = 121, normalized size = 0.79

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{12\operatorname{arccosh}(ax)^3} - \frac{ax}{24\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{24\operatorname{arccosh}(ax)} + \frac{X(\operatorname{arccosh}(ax))}{24} - \frac{\sinh(3\operatorname{arccosh}(ax))}{12\operatorname{arccosh}(ax)^3} - \frac{\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^4,x)

[Out] 1/a^3\*(-1/12/arccosh(a\*x)^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)-1/24\*a\*x/arccosh(a\*x)^2-1/24/arccosh(a\*x)\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)+1/24\*Chi(arccosh(a\*x))-1/12/arccosh(a\*x)^3\*sinh(3\*arccosh(a\*x))-1/8/arccosh(a\*x)^2\*cosh(3\*arccosh(a\*x))-3/8/arccosh(a\*x)\*sinh(3\*arccosh(a\*x))+9/8\*Chi(3\*arccosh(a\*x)))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^4,x, algorithm="maxima")

[Out] -1/6\*(2\*a^13\*x^13 - 10\*a^11\*x^11 + 20\*a^9\*x^9 - 20\*a^7\*x^7 + 10\*a^5\*x^5 + 2\*(a^8\*x^8 - a^6\*x^6)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) - 2\*a^3\*x^3 + 2\*(5\*a^9\*x^9 - 9\*a^7\*x^7 + 4\*a^5\*x^5)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 4\*(5\*a^10\*x^10 - 13\*a^8\*x^8 + 11\*a^6\*x^6 - 3\*a^4\*x^4)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 4\*(5\*a^11\*x^11 - 17\*a^9\*x^9 + 21\*a^7\*x^7 - 11\*a^5\*x^5 + 2\*a^3\*x^3)\*(a\*x + 1)\*(a\*x - 1) + (9\*a^13\*x^13 - 45\*a^11\*x^11 + 90\*a^9\*x^9 - 90\*a^7\*x^7 + 45\*a^5\*x^5 + (9\*a^8\*x^8 - 13\*a^6\*x^6 + 3\*a^4\*x^4 + a^2\*x^2)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) - 9\*a^3\*x^3 + (45\*a^9\*x^9 - 97\*a^7\*x^7 + 64\*a^5\*x^5 - 10\*a^3\*x^3 - 2\*a\*x)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (90\*a^10\*x^10 - 258\*a^8\*x^8 + 264\*a^6\*x^6 - 113\*a^4\*x^4 + 19\*a^2\*x^2 - 2)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 2\*(45\*a^11\*x^11 - 161\*a^9\*x^9 + 219\*a^7\*x^7 - 141\*a^5\*x^5 + 44\*a^3\*x^3 - 6\*a\*x)\*(a\*x + 1)\*(a\*x - 1) + (45\*a^12\*x^12 - 193\*a^10\*x^10 + 325\*a^8\*x^8 - 270\*a^6\*x^6 + 112\*a^4\*x^4 - 19\*a^2\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2 + 2\*(5\*a^12\*x^12 - 21\*a^10\*x^10 + 34\*a^8\*x^8 - 26\*a^6\*x^6 + 9\*a^4\*x^4 - a^2\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (3\*a^13\*x^13 - 15\*a^11\*x^11 + 30\*a^9\*x^9 - 30\*a^7\*x^7 + 15\*a^5\*x^5 + (3\*a^8\*x^8 - 4\*a^6\*x^6 + a^4\*x^4)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) - 3\*a^3\*x^3 + (15\*a^9\*x^9 - 31\*a^7\*x^7 + 20\*a^5\*x^5 - 4\*a^3\*x^3)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (30\*a^10\*x^10 - 84\*a^8\*x^8 + 84\*a^6\*x^6 - 35\*a^4\*x^4 + 5\*a^2\*x^2)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 2\*(15\*a^11\*x^11 - 53\*a^9\*x^9 + 71\*a^7\*x^7 - 44\*a^5\*x^5 + 12\*a^3\*x^3 - a\*x)\*(a\*x + 1)\*(a\*x - 1) + (15\*a^12\*x^12 - 64\*a^10\*x^10 + 107\*a^8\*x^8 - 87\*a^6\*x^6 + 34\*a^4\*x^4 - 5\*a^2\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^13\*x^10 - 5\*a^11\*x^8 + (a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2)\*a^8\*x^5 + 10\*a^9\*x^6 - 10\*a^7\*x^4 + 5\*a^5\*x^2 + 5\*(a^9\*x^6 - a^7\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 10\*(a^10\*x^7 - 2\*a^8\*x^5 + a^6\*x^3)\*(a

```

*x + 1)^(3/2)*(a*x - 1)^(3/2) + 10*(a^11*x^8 - 3*a^9*x^6 + 3*a^7*x^4 - a^5*
x^2)*(a*x + 1)*(a*x - 1) - a^3 + 5*(a^12*x^9 - 4*a^10*x^7 + 6*a^8*x^5 - 4*a
^6*x^3 + a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a
*x - 1))^3) + integrate(1/6*(27*a^14*x^14 - 162*a^12*x^12 + 405*a^10*x^10 -
540*a^8*x^8 + 405*a^6*x^6 - 162*a^4*x^4 + (27*a^8*x^8 - 13*a^6*x^6 - 3*a^4
*x^4 - 3*a^2*x^2)*(a*x + 1)^3*(a*x - 1)^3 + (162*a^9*x^9 - 227*a^7*x^7 + 63
*a^5*x^5 + 3*a^3*x^3 + 6*a*x)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + (405*a^10*x
^10 - 940*a^8*x^8 + 687*a^6*x^6 - 143*a^4*x^4 - 21*a^2*x^2 + 12)*(a*x + 1)^
2*(a*x - 1)^2 + (540*a^11*x^11 - 1750*a^9*x^9 + 2058*a^7*x^7 - 1017*a^5*x^5
+ 145*a^3*x^3 + 24*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 27*a^2*x^2 + (40
5*a^12*x^12 - 1685*a^10*x^10 + 2727*a^8*x^8 - 2118*a^6*x^6 + 782*a^4*x^4 -
123*a^2*x^2 + 12)*(a*x + 1)*(a*x - 1) + (162*a^13*x^13 - 823*a^11*x^11 + 16
95*a^9*x^9 - 1790*a^7*x^7 + 1015*a^5*x^5 - 297*a^3*x^3 + 38*a*x)*sqrt(a*x +
1)*sqrt(a*x - 1))/((a^14*x^12 - 6*a^12*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^8*
x^6 + 15*a^10*x^8 - 20*a^8*x^6 + 15*a^6*x^4 + 6*(a^9*x^7 - a^7*x^5)*(a*x +
1)^(5/2)*(a*x - 1)^(5/2) - 6*a^4*x^2 + 15*(a^10*x^8 - 2*a^8*x^6 + a^6*x^4)*
(a*x + 1)^2*(a*x - 1)^2 + 20*(a^11*x^9 - 3*a^9*x^7 + 3*a^7*x^5 - a^5*x^3)*(
a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 15*(a^12*x^10 - 4*a^10*x^8 + 6*a^8*x^6 - 4
*a^6*x^4 + a^4*x^2)*(a*x + 1)*(a*x - 1) + 6*(a^13*x^11 - 5*a^11*x^9 + 10*a^
9*x^7 - 10*a^7*x^5 + 5*a^5*x^3 - a^3*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a^2)*
log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)

```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^4,x)

[Out] int(x^2/acosh(a\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*4,x)

[Out] Integral(x\*\*2/acosh(a\*x)\*\*4, x)

$$3.68 \quad \int \frac{x}{\cosh^{-1}(ax)^4} dx$$

**Optimal.** Leaf size=105

$$\frac{2\text{Chi}(2 \cosh^{-1}(ax))}{3a^2} + \frac{1}{6a^2 \cosh^{-1}(ax)^2} - \frac{x^2}{3 \cosh^{-1}(ax)^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^3}$$

[Out] 1/6/a^2/arccosh(a\*x)^2-1/3\*x^2/arccosh(a\*x)^2+2/3\*Chi(2\*arccosh(a\*x))/a^2-1/3\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^3-2/3\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)

**Rubi [A]** time = 0.40, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5668, 5775, 5666, 3301, 5676}

$$\frac{2\text{Chi}(2 \cosh^{-1}(ax))}{3a^2} + \frac{1}{6a^2 \cosh^{-1}(ax)^2} - \frac{x^2}{3 \cosh^{-1}(ax)^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^3}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x]^4,x]

[Out] -(x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(3\*a\*ArcCosh[a\*x]^3) + 1/(6\*a^2\*ArcCosh[a\*x]^2) - x^2/(3\*ArcCosh[a\*x]^2) - (2\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(3\*a\*ArcCosh[a\*x]) + (2\*CoshIntegral[2\*ArcCosh[a\*x]])/(3\*a^2)

#### Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

#### Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5676

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] :> Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_))^ (m_.))/(Sqrt[(d1_
_ + (e1_.)*(x_)]*Sqrt[(d2_ + (e2_.)*(x_))], x_Symbol] :> Simp[((f*x)^m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1)
, x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)^4} dx &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3} dx}{3a} + \frac{1}{3}(2a) \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^2} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{1}{6a^2\cosh^{-1}(ax)^2} - \frac{x^2}{3\cosh^{-1}(ax)^2} + \frac{2}{3} \int \frac{x}{\cosh^{-1}(ax)^2} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{1}{6a^2\cosh^{-1}(ax)^2} - \frac{x^2}{3\cosh^{-1}(ax)^2} - \frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)} + \frac{2\text{Sub}}{\cosh^{-1}(ax)} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{1}{6a^2\cosh^{-1}(ax)^2} - \frac{x^2}{3\cosh^{-1}(ax)^2} - \frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)} + \frac{2\text{Chi}}{\cosh^{-1}(ax)} \end{aligned}$$

**Mathematica** [A] time = 0.32, size = 131, normalized size = 1.25

$$\frac{-2a^3x^3 + (4ax - 4a^3x^3)\cosh^{-1}(ax)^2 - \sqrt{ax-1}\sqrt{ax+1}(2a^2x^2-1)\cosh^{-1}(ax) + 2ax}{\cosh^{-1}(ax)^3} + 4\sqrt{\frac{ax-1}{ax+1}}(ax+1)\text{Chi}\left(2\cosh^{-1}(ax)\right)}{6a^2\sqrt{ax-1}\sqrt{ax+1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/ArcCosh[a\*x]^4, x]

[Out] ((2\*a\*x - 2\*a^3\*x^3 - Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*(-1 + 2\*a^2\*x^2)\*ArcCosh[a\*x] + (4\*a\*x - 4\*a^3\*x^3)\*ArcCosh[a\*x]^2)/ArcCosh[a\*x]^3 + 4\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x)\*CoshIntegral[2\*ArcCosh[a\*x]])/(6\*a^2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^4, x, algorithm="fricas")

[Out] integral(x/arccosh(a\*x)^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\text{arcosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^4, x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x)^4, x)



**maple [A]** time = 0.10, size = 60, normalized size = 0.57

$$\frac{\frac{\sinh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^3} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{3 \operatorname{arccosh}(ax)} + \frac{2X(2 \operatorname{arccosh}(ax))}{3}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^4,x)

[Out] 1/a^2\*(-1/6/arccosh(a\*x)^3\*sinh(2\*arccosh(a\*x))-1/6/arccosh(a\*x)^2\*cosh(2\*arccosh(a\*x))-1/3/arccosh(a\*x)\*sinh(2\*arccosh(a\*x))+2/3\*Chi(2\*arccosh(a\*x)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^4,x, algorithm="maxima")

[Out] -1/6\*(2\*a^12\*x^12 - 10\*a^10\*x^10 + 20\*a^8\*x^8 - 20\*a^6\*x^6 + 10\*a^4\*x^4 + 2\*(a^7\*x^7 - a^5\*x^5)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + 2\*(5\*a^8\*x^8 - 9\*a^6\*x^6 + 4\*a^4\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 4\*(5\*a^9\*x^9 - 13\*a^7\*x^7 + 11\*a^5\*x^5 - 3\*a^3\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) - 2\*a^2\*x^2 + 4\*(5\*a^10\*x^10 - 17\*a^8\*x^8 + 21\*a^6\*x^6 - 11\*a^4\*x^4 + 2\*a^2\*x^2)\*(a\*x + 1)\*(a\*x - 1) + (4\*a^12\*x^12 - 20\*a^10\*x^10 + 40\*a^8\*x^8 - 40\*a^6\*x^6 + 20\*a^4\*x^4 + 4\*(a^7\*x^7 - a^5\*x^5)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + (20\*a^8\*x^8 - 36\*a^6\*x^6 + 16\*a^4\*x^4 + 3\*a^2\*x^2 - 3)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (40\*a^9\*x^9 - 104\*a^7\*x^7 + 88\*a^5\*x^5 - 21\*a^3\*x^3 - 3\*a\*x)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) - 4\*a^2\*x^2 + (40\*a^10\*x^10 - 136\*a^8\*x^8 + 168\*a^6\*x^6 - 91\*a^4\*x^4 + 22\*a^2\*x^2 - 3)\*(a\*x + 1)\*(a\*x - 1) + (20\*a^11\*x^11 - 84\*a^9\*x^9 + 136\*a^7\*x^7 - 107\*a^5\*x^5 + 42\*a^3\*x^3 - 7\*a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2 + 2\*(5\*a^11\*x^11 - 21\*a^9\*x^9 + 34\*a^7\*x^7 - 26\*a^5\*x^5 + 9\*a^3\*x^3 - a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + (2\*a^12\*x^12 - 10\*a^10\*x^10 + 20\*a^8\*x^8 - 20\*a^6\*x^6 + 10\*a^4\*x^4 + 2\*(a^7\*x^7 - a^5\*x^5)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + (10\*a^8\*x^8 - 18\*a^6\*x^6 + 9\*a^4\*x^4 - a^2\*x^2)\*(a\*x + 1)^2\*(a\*x - 1)^2 + (20\*a^9\*x^9 - 52\*a^7\*x^7 + 47\*a^5\*x^5 - 17\*a^3\*x^3 + 2\*a\*x)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) - 2\*a^2\*x^2 + (20\*a^10\*x^10 - 68\*a^8\*x^8 + 87\*a^6\*x^6 - 51\*a^4\*x^4 + 13\*a^2\*x^2 - 1)\*(a\*x + 1)\*(a\*x - 1) + (10\*a^11\*x^11 - 42\*a^9\*x^9 + 69\*a^7\*x^7 - 55\*a^5\*x^5 + 21\*a^3\*x^3 - 3\*a\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1))\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1)))/((a^12\*x^12 - 5\*a^10\*x^8 + (a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2)\*a^7\*x^5 + 10\*a^8\*x^6 - 10\*a^6\*x^4 + 5\*a^4\*x^2 + 5\*(a^8\*x^6 - a^6\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 10\*(a^9\*x^7 - 2\*a^7\*x^5 + a^5\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 10\*(a^10\*x^8 - 3\*a^8\*x^6 + 3\*a^6\*x^4 - a^4\*x^2)\*(a\*x + 1)\*(a\*x - 1) + 5\*(a^11\*x^9 - 4\*a^9\*x^7 + 6\*a^7\*x^5 - 4\*a^5\*x^3 + a^3\*x)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) - a^2)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3) + integrate(1/6\*(8\*a^13\*x^13 - 48\*a^11\*x^11 + 8\*(a\*x + 1)^3\*(a\*x - 1)^3\*a^7\*x^7 + 120\*a^9\*x^9 - 160\*a^7\*x^7 + 120\*a^5\*x^5 + (48\*a^8\*x^8 - 48\*a^6\*x^6 + 4\*a^4\*x^4 - 12\*a^2\*x^2 + 15)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) - 48\*a^3\*x^3 + 8\*(15\*a^9\*x^9 - 30\*a^7\*x^7 + 17\*a^5\*x^5 - 5\*a^3\*x^3 + 3\*a\*x)\*(a\*x + 1)^2\*(a\*x - 1)^2 + 2\*(80\*a^10\*x^10 - 240\*a^8\*x^8 + 252\*a^6\*x^6 - 104\*a^4\*x^4 + 3\*a^2\*x^2 + 9)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 8\*(15\*a^11\*x^11 - 60\*a^9\*x^9 + 92\*a^7\*x^7 - 63\*a^5\*x^5 + 15\*a^3\*x^3 + a\*x)\*(a\*x + 1)\*(a\*x - 1) + (48\*a^12\*x^12 - 240\*a^10\*x^10 + 484\*a^8\*x^8 - 484\*a^6\*x^6 + 243\*a^4\*x^4 - 58\*a^2\*x^2 + 7)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + 8\*a\*x)/((a^13\*x^12 - 6\*a^11\*x^10 + (a\*x + 1)^3\*(a\*x - 1)^3\*a^7\*x^6 + 15\*a^9\*x^8 - 20\*a^7\*x^6 + 15\*a^5\*x^4 + 6\*(a^8\*x^7 - a^6\*x^5)\*(a\*x + 1)^(5/2)\*(a\*x - 1)^(5/2) + 15\*(a^9\*x^8 - 2\*a^7\*x^6 + a^5\*x^4)\*(a\*x + 1)^2\*(a\*x - 1)^2 - 6\*a^3\*x^2 + 20\*(a^10\*x^9 - 3\*a^8\*x^7 + 3\*a^6\*x^5 - a^4\*x^3)\*(a\*x + 1)^(3/2)\*(a\*x - 1)^(3/2) + 15\*(a^11\*x^10 - 4\*a^9\*x^8 + 6\*

$a^7x^6 - 4a^5x^4 + a^3x^2)(ax + 1)(ax - 1) + 6(a^{12}x^{11} - 5a^{10}x^9 + 10a^8x^7 - 10a^6x^5 + 5a^4x^3 - a^2x)\sqrt{ax + 1}\sqrt{ax - 1} + a)\log(ax + \sqrt{ax + 1}\sqrt{ax - 1}))$ , x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x)^4, x)

[Out] int(x/acosh(a\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acosh(a\*x)\*\*4, x)

[Out] Integral(x/acosh(a\*x)\*\*4, x)

$$3.69 \quad \int \frac{1}{\cosh^{-1}(ax)^4} dx$$

Optimal. Leaf size=86

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{6a} - \frac{x}{6 \cosh^{-1}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6a \cosh^{-1}(ax)} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^3}$$

[Out]  $-1/6*x/\text{arccosh}(a*x)^2 + 1/6*\text{Chi}(\text{arccosh}(a*x))/a - 1/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\text{arccosh}(a*x)^3 - 1/6*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\text{arccosh}(a*x)$

Rubi [A] time = 0.38, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {5656, 5775, 5781, 3301}

$$\frac{\text{Chi}(\cosh^{-1}(ax))}{6a} - \frac{x}{6 \cosh^{-1}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6a \cosh^{-1}(ax)} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^(-4), x]

[Out]  $-(\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])/(3*a*\text{ArcCosh}[a*x]^3) - x/(6*\text{ArcCosh}[a*x]^2) - (\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x])/(6*a*\text{ArcCosh}[a*x]) + \text{CoshIntegral}[\text{ArcCosh}[a*x]]/(6*a)$

Rule 3301

Int[sin[(e\_.) + (Complex[0, fz\_])\*(f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CoshIntegral[(c\*f\*fz)/d + f\*fz\*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d\*(e - Pi/2) - c\*f\*fz\*I, 0]

Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_, x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((f\_.)\*(x\_))^(m\_.)/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_) + (e2\_.)\*(x\_))^(p\_.), x\_Symbol] :> Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cosh^{-1}(ax)^4} dx &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} + \frac{1}{3}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^3} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{x}{6\cosh^{-1}(ax)^2} + \frac{1}{6} \int \frac{1}{\cosh^{-1}(ax)^2} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{x}{6\cosh^{-1}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\cosh^{-1}(ax)} + \frac{1}{6}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{x}{6\cosh^{-1}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\cosh^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cosh(x)}{x} dx, x, \cosh^{-1}(ax)\right)}{6a} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^3} - \frac{x}{6\cosh^{-1}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\cosh^{-1}(ax)} + \frac{\text{Chi}\left(\cosh^{-1}(ax)\right)}{6a}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 114, normalized size = 1.33

$$\frac{-2a^2x^2+(1-a^2x^2)\cosh^{-1}(ax)^2-ax\sqrt{ax-1}\sqrt{ax+1}\cosh^{-1}(ax)+2}{\cosh^{-1}(ax)^3} + \sqrt{\frac{ax-1}{ax+1}}(ax+1)\text{Chi}\left(\cosh^{-1}(ax)\right)$$


---


$$6a\sqrt{ax-1}\sqrt{ax+1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(-4), x]

[Out] ((2 - 2\*a^2\*x^2 - a\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x]\*ArcCosh[a\*x] + (1 - a^2\*x^2)\*ArcCosh[a\*x]^2)/ArcCosh[a\*x]^3 + Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x)\*CoshIntegral[ArcCosh[a\*x]])/(6\*a\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])

**fricas [F]** time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^4, x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^(-4), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\text{arcosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^4, x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(-4), x)

**maple [A]** time = 0.03, size = 67, normalized size = 0.78

$$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{3\text{arccosh}(ax)^3} - \frac{ax}{6\text{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6\text{arccosh}(ax)} + \frac{\text{X}(\text{arccosh}(ax))}{6}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^4, x)

[Out]  $1/a*(-1/3/\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-1/6*a*x/\operatorname{arccosh}(a*x)^2-1/6/\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}+1/6*\operatorname{Chi}(\operatorname{arccosh}(a*x)))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arccosh(a*x)^4,x, algorithm="maxima")`

[Out]  $-1/6*(2*a^{11}*x^{11} - 10*a^9*x^9 + 20*a^7*x^7 - 20*a^5*x^5 + 2*(a^6*x^6 - a^4*x^4)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 10*a^3*x^3 + 2*(5*a^7*x^7 - 9*a^5*x^5 + 4*a^3*x^3)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^8*x^8 - 13*a^6*x^6 + 11*a^4*x^4 - 3*a^2*x^2)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a^9*x^9 - 17*a^7*x^7 + 21*a^5*x^5 - 11*a^3*x^3 + 2*a*x)*(a*x + 1)*(a*x - 1) + (a^{11}*x^{11} - 5*a^9*x^9 + 10*a^7*x^7 - 10*a^5*x^5 + (a^6*x^6 - a^4*x^4 + 3*a^2*x^2 - 3)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 5*a^3*x^3 + (5*a^7*x^7 - 9*a^5*x^5 + 10*a^3*x^3 - 6*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^8*x^8 - 26*a^6*x^6 + 22*a^4*x^4 - 3*a^2*x^2 - 3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^9*x^9 - 17*a^7*x^7 + 18*a^5*x^5 - 5*a^3*x^3 - a*x)*(a*x + 1)*(a*x - 1) + (5*a^{10}*x^{10} - 21*a^8*x^8 + 31*a^6*x^6 - 20*a^4*x^4 + 6*a^2*x^2 - 1)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - a*x)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^2 + 2*(5*a^{10}*x^{10} - 21*a^8*x^8 + 34*a^6*x^6 - 26*a^4*x^4 + 9*a^2*x^2 - 1)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - 2*a*x + (a^{11}*x^{11} - 5*a^9*x^9 + 10*a^7*x^7 - 10*a^5*x^5 + (a^6*x^6 - a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 5*a^3*x^3 + (5*a^7*x^7 - 5*a^5*x^5 - 2*a^3*x^3 + 2*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^8*x^8 - 20*a^6*x^6 + 10*a^4*x^4 + a^2*x^2 - 1)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^9*x^9 - 15*a^7*x^7 + 16*a^5*x^5 - 7*a^3*x^3 + a*x)*(a*x + 1)*(a*x - 1) + (5*a^{10}*x^{10} - 20*a^8*x^8 + 31*a^6*x^6 - 23*a^4*x^4 + 8*a^2*x^2 - 1)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - a*x)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))) / ((a^{11}*x^{10} - 5*a^9*x^8 + (a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)}*a^6*x^5 + 10*a^7*x^6 - 10*a^5*x^4 + 5*(a^7*x^6 - a^5*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 5*a^3*x^2 + 10*(a^8*x^7 - 2*a^6*x^5 + a^4*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 10*(a^9*x^8 - 3*a^7*x^6 + 3*a^5*x^4 - a^3*x^2)*(a*x + 1)*(a*x - 1) + 5*(a^{10}*x^9 - 4*a^8*x^7 + 6*a^6*x^5 - 4*a^4*x^3 + a^2*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - a)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^3) + \operatorname{integrate}(1/6*(a^{12}*x^{12} - 6*a^{10}*x^{10} + 15*a^8*x^8 - 20*a^6*x^6 + 15*a^4*x^4 + (a^6*x^6 + a^4*x^4 - 9*a^2*x^2 + 15)*(a*x + 1)^3*(a*x - 1)^3 + (6*a^7*x^7 - a^5*x^5 - 31*a^3*x^3 + 33*a*x)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + (15*a^8*x^8 - 20*a^6*x^6 - 19*a^4*x^4 + 3*a^2*x^2 + 21)*(a*x + 1)^2*(a*x - 1)^2 + (20*a^9*x^9 - 50*a^7*x^7 + 54*a^5*x^5 - 59*a^3*x^3 + 35*a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} - 6*a^2*x^2 + (15*a^{10}*x^{10} - 55*a^8*x^8 + 101*a^6*x^6 - 90*a^4*x^4 + 22*a^2*x^2 + 7)*(a*x + 1)*(a*x - 1) + (6*a^{11}*x^{11} - 29*a^9*x^9 + 65*a^7*x^7 - 66*a^5*x^5 + 23*a^3*x^3 + a*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + 1) / ((a^{12}*x^{12} - 6*a^{10}*x^{10} + (a*x + 1)^3*(a*x - 1)^3*a^6*x^6 + 15*a^8*x^8 - 20*a^6*x^6 + 15*a^4*x^4 + 6*(a^7*x^7 - a^5*x^5)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 15*(a^8*x^8 - 2*a^6*x^6 + a^4*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a^9*x^9 - 3*a^7*x^7 + 3*a^5*x^5 - a^3*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} - 6*a^2*x^2 + 15*(a^{10}*x^{10} - 4*a^8*x^8 + 6*a^6*x^6 - 4*a^4*x^4 + a^2*x^2)*(a*x + 1)*(a*x - 1) + 6*(a^{11}*x^{11} - 5*a^9*x^9 + 10*a^7*x^7 - 10*a^5*x^5 + 5*a^3*x^3 - a*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + 1)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{acosh}(a*x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/acosh(a*x)^4,x)`

```
[Out] int(1/acosh(a*x)^4, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{\operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/acosh(a*x)**4,x)
```

```
[Out] Integral(acosh(a*x)**(-4), x)
```

$$3.70 \quad \int \frac{1}{x \cosh^{-1}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^4, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^4), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^4), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^4} dx = \int \frac{1}{x \cosh^{-1}(ax)^4} dx$$

Mathematica [A] time = 10.41, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^4), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^4), x]

fricas [A] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^4, x, algorithm="fricas")

[Out] integral(1/(x\*arccosh(a\*x)^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \text{arcosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^4, x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^4), x)

maple [A] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x)^4,x)

[Out] int(1/x/arccosh(a\*x)^4,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^4,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/6*(2*a^{13}*x^{13} - 10*a^{11}*x^{11} + 20*a^9*x^9 - 20*a^7*x^7 + 10*a^5*x^5 + 2 \\ & *(a^8*x^8 - a^6*x^6)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} - 2*a^3*x^3 + 2*(5*a^9 \\ & *x^9 - 9*a^7*x^7 + 4*a^5*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^{10}*x^{10} - 13 \\ & *a^8*x^8 + 11*a^6*x^6 - 3*a^4*x^4)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a \\ & ^{11}*x^{11} - 17*a^9*x^9 + 21*a^7*x^7 - 11*a^5*x^5 + 2*a^3*x^3)*(a*x + 1)*(a*x \\ & - 1) - (4*(a^6*x^6 - 3*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} \\ & ) + (16*a^7*x^7 - 46*a^5*x^5 + 37*a^3*x^3 - 7*a*x)*(a*x + 1)^2*(a*x - 1)^2 \\ & + (24*a^8*x^8 - 66*a^6*x^6 + 59*a^4*x^4 - 19*a^2*x^2 + 2)*(a*x + 1)^{(3/2)}*( \\ & a*x - 1)^{(3/2)} + (16*a^9*x^9 - 42*a^7*x^7 + 39*a^5*x^5 - 16*a^3*x^3 + 3*a*x \\ & )*(a*x + 1)*(a*x - 1) + (4*a^{10}*x^{10} - 10*a^8*x^8 + 9*a^6*x^6 - 4*a^4*x^4 + \\ & a^2*x^2)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1 \\ & ))^2 + 2*(5*a^{12}*x^{12} - 21*a^{10}*x^{10} + 34*a^8*x^8 - 26*a^6*x^6 + 9*a^4*x^4 \\ & - a^2*x^2)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + (2*(a^6*x^6 - a^4*x^4)*(a*x + 1)^{( \\ & 5/2)}*(a*x - 1)^{(5/2)} + (8*a^7*x^7 - 13*a^5*x^5 + 5*a^3*x^3)*(a*x + 1)^2*(a \\ & x - 1)^2 + (12*a^8*x^8 - 27*a^6*x^6 + 19*a^4*x^4 - 4*a^2*x^2)*(a*x + 1)^{(3/ \\ & 2)}*(a*x - 1)^{(3/2)} + (8*a^9*x^9 - 23*a^7*x^7 + 23*a^5*x^5 - 9*a^3*x^3 + a*x \\ & )*(a*x + 1)*(a*x - 1) + (2*a^{10}*x^{10} - 7*a^8*x^8 + 9*a^6*x^6 - 5*a^4*x^4 + \\ & a^2*x^2)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1 \\ & ))/((a^{13}*x^{13} - 5*a^{11}*x^{11} + (a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)}*a^8*x^8 + 10 \\ & *a^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 - a^3*x^3 + 5*(a^9*x^9 - a^7*x^7)*(a*x + \\ & 1)^2*(a*x - 1)^2 + 10*(a^{10}*x^{10} - 2*a^8*x^8 + a^6*x^6)*(a*x + 1)^{(3/2)}*(a \\ & x - 1)^{(3/2)} + 10*(a^{11}*x^{11} - 3*a^9*x^9 + 3*a^7*x^7 - a^5*x^5)*(a*x + 1)*( \\ & a*x - 1) + 5*(a^{12}*x^{12} - 4*a^{10}*x^{10} + 6*a^8*x^8 - 4*a^6*x^6 + a^4*x^4)*\operatorname{sq \\ & rt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^3 + \operatorname{inte \\ & grate}(1/6*(8*(a^7*x^7 - 6*a^5*x^5 + 6*a^3*x^3)*(a*x + 1)^3*(a*x - 1)^3 + (4 \\ & 0*a^8*x^8 - 204*a^6*x^6 + 228*a^4*x^4 - 57*a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - \\ & 1)^{(5/2)} + 2*(40*a^9*x^9 - 168*a^7*x^7 + 200*a^5*x^5 - 87*a^3*x^3 + 15*a*x) \\ & *(a*x + 1)^2*(a*x - 1)^2 + 2*(40*a^{10}*x^{10} - 132*a^8*x^8 + 156*a^6*x^6 - 91 \\ & *a^4*x^4 + 30*a^2*x^2 - 3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(20*a^{11}*x^{1 \\ & 1} - 48*a^9*x^9 + 48*a^7*x^7 - 35*a^5*x^5 + 18*a^3*x^3 - 3*a*x)*(a*x + 1)*(a \\ & *x - 1) + (8*a^{12}*x^{12} - 12*a^{10}*x^{10} + 4*a^8*x^8 - 5*a^6*x^6 + 6*a^4*x^4 - \\ & a^2*x^2)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))/((a^{15}*x^{16} - 6*a^{13}*x^{14} + (a*x + 1 \\ & )^3*(a*x - 1)^3*a^9*x^{10} + 15*a^{11}*x^{12} - 20*a^9*x^{10} + 15*a^7*x^8 - 6*a^5* \\ & x^6 + a^3*x^4 + 6*(a^{10}*x^{11} - a^8*x^9)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 1 \\ & 5*(a^{11}*x^{12} - 2*a^9*x^{10} + a^7*x^8)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a^{12}*x^{1 \\ & 3} - 3*a^{10}*x^{11} + 3*a^8*x^9 - a^6*x^7)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 15 \\ & *(a^{13}*x^{14} - 4*a^{11}*x^{12} + 6*a^9*x^{10} - 4*a^7*x^8 + a^5*x^6)*(a*x + 1)*(a \\ & *x - 1) + 6*(a^{14}*x^{15} - 5*a^{12}*x^{13} + 10*a^{10}*x^{11} - 10*a^8*x^9 + 5*a^6*x^7 \\ & - a^4*x^5)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - \\ & 1))), x) \end{aligned}$$



**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)^4), x)

[Out] int(1/(x\*acosh(a\*x)^4), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x)\*\*4, x)

[Out] Integral(1/(x\*acosh(a\*x)\*\*4), x)

$$3.71 \quad \int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cosh^{-1}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a\*x)^4, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*ArcCosh[a\*x]^4), x]

[Out] Defer[Int][1/(x^2\*ArcCosh[a\*x]^4), x]

Rubi steps

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx = \int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx$$

Mathematica [A] time = 12.48, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cosh^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*ArcCosh[a\*x]^4), x]

[Out] Integrate[1/(x^2\*ArcCosh[a\*x]^4), x]

fricas [A] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \text{arcosh}(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^4, x, algorithm="fricas")

[Out] integral(1/(x^2\*arccosh(a\*x)^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \text{arcosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^4, x, algorithm="giac")

[Out] integrate(1/(x^2\*arccosh(a\*x)^4), x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccosh(a\*x)^4,x)

[Out] int(1/x^2/arccosh(a\*x)^4,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^4,x, algorithm="maxima")

[Out] 
$$-1/6*(2*a^{13}*x^{13} - 10*a^{11}*x^{11} + 20*a^9*x^9 - 20*a^7*x^7 + 10*a^5*x^5 + 2*(a^8*x^8 - a^6*x^6)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} - 2*a^3*x^3 + 2*(5*a^9*x^9 - 9*a^7*x^7 + 4*a^5*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^{10}*x^{10} - 13*a^8*x^8 + 11*a^6*x^6 - 3*a^4*x^4)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a^{11}*x^{11} - 17*a^9*x^9 + 21*a^7*x^7 - 11*a^5*x^5 + 2*a^3*x^3)*(a*x + 1)*(a*x - 1) + (a^{13}*x^{13} - 5*a^{11}*x^{11} + 10*a^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 + (a^8*x^8 - 13*a^6*x^6 + 27*a^4*x^4 - 15*a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} - a^3*x^3 + (5*a^9*x^9 - 57*a^7*x^7 + 124*a^5*x^5 - 90*a^3*x^3 + 18*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^{10}*x^{10} - 98*a^8*x^8 + 220*a^6*x^6 - 189*a^4*x^4 + 63*a^2*x^2 - 6)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^{11}*x^{11} - 41*a^9*x^9 + 93*a^7*x^7 - 89*a^5*x^5 + 38*a^3*x^3 - 6*a*x)*(a*x + 1)*(a*x - 1) + (5*a^{12}*x^{12} - 33*a^{10}*x^{10} + 73*a^8*x^8 - 74*a^6*x^6 + 36*a^4*x^4 - 7*a^2*x^2)*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^2 + 2*(5*a^{12}*x^{12} - 21*a^{10}*x^{10} + 34*a^8*x^8 - 26*a^6*x^6 + 9*a^4*x^4 - a^2*x^2)*\sqrt{a*x + 1}*\sqrt{a*x - 1} - (a^{13}*x^{13} - 5*a^{11}*x^{11} + 10*a^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 + (a^8*x^8 - 4*a^6*x^6 + 3*a^4*x^4)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} - a^3*x^3 + (5*a^9*x^9 - 21*a^7*x^7 + 24*a^5*x^5 - 8*a^3*x^3)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^{10}*x^{10} - 44*a^8*x^8 + 64*a^6*x^6 - 37*a^4*x^4 + 7*a^2*x^2)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^{11}*x^{11} - 23*a^9*x^9 + 39*a^7*x^7 - 30*a^5*x^5 + 10*a^3*x^3 - a*x)*(a*x + 1)*(a*x - 1) + (5*a^{12}*x^{12} - 24*a^{10}*x^{10} + 45*a^8*x^8 - 41*a^6*x^6 + 18*a^4*x^4 - 3*a^2*x^2)*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1}))/((a^{13}*x^{14} - 5*a^{11}*x^{12} + (a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)}*a^8*x^9 + 10*a^9*x^{10} - 10*a^7*x^8 + 5*a^5*x^6 - a^3*x^4 + 5*(a^9*x^{10} - a^7*x^8)*(a*x + 1)^2*(a*x - 1)^2 + 10*(a^{10}*x^{11} - 2*a^8*x^9 + a^6*x^7)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 10*(a^{11}*x^{12} - 3*a^9*x^{10} + 3*a^7*x^8 - a^5*x^6)*(a*x + 1)*(a*x - 1) + 5*(a^{12}*x^{13} - 4*a^{10}*x^{11} + 6*a^8*x^9 - 4*a^6*x^7 + a^4*x^5)*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^3) - integrate(1/6*(a^{15}*x^{15} - 6*a^{13}*x^{13} + 15*a^{11}*x^{11} - 20*a^9*x^9 + 15*a^7*x^7 - 6*a^5*x^5 + (a^9*x^9 - 39*a^7*x^7 + 135*a^5*x^5 - 105*a^3*x^3)*(a*x + 1)^3*(a*x - 1)^3 + (6*a^{10}*x^{10} - 201*a^8*x^8 + 677*a^6*x^6 - 663*a^4*x^4 + 174*a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + a^3*x^3 + (15*a^{11}*x^{11} - 420*a^9*x^9 + 1373*a^7*x^7 - 1565*a^5*x^5 + 705*a^3*x^3 - 108*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (20*a^{12}*x^{12} - 450*a^{10}*x^{10} + 1422*a^8*x^8 - 1787*a^6*x^6 + 1059*a^4*x^4 - 288*a^2*x^2 + 24)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (15*a^{13}*x^{13} - 255*a^{11}*x^{11} + 773*a^9*x^9 - 1026*a^7*x^7 + 714*a^5*x^5 - 257*a^3*x^3 + 36*a*x)*(a*x + 1)*(a*x - 1) + (6*a^{14}*x^{14} - 69*a^{12}*x^{12} + 197*a^{10}*x^{10} - 266*a^8*x^8 + 201*a^6*x^6 - 83*a^4*x^4 + 14*a^2*x^2)*\sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a^{15}*x^{17} - 6*a^{13}*x^{15} + (a*x + 1)^3*(a*x - 1)^3*a^9*x^{11} + 15*a^{11}*x^{13} - 20*a^9*x^{11} + 15*a^7*x^9 - 6*a^5*x^7 + a^3*x^5 + 6*(a^{10}*x^{12} - a^8*x^{10})*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 15*(a^{11}*x^{13} - 2*a^9*x^{11} + a^7*x^9)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a^{12}*x^{14} - 3*a^{10}*x^{12}$$

$2 + 3*a^8*x^{10} - a^6*x^8)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 15*(a^{13}*x^{15} - 4*a^{11}*x^{13} + 6*a^9*x^{11} - 4*a^7*x^9 + a^5*x^7)*(a*x + 1)*(a*x - 1) + 6*(a^{14}*x^{16} - 5*a^{12}*x^{14} + 10*a^{10}*x^{12} - 10*a^8*x^{10} + 5*a^6*x^8 - a^4*x^6)*\sqrt{a*x + 1}*\sqrt{a*x - 1}*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1}))$ , x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{acosh}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*acosh(a\*x)^4), x)

[Out] int(1/(x^2\*acosh(a\*x)^4), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{acosh}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/acosh(a\*x)\*\*4, x)

[Out] Integral(1/(x\*\*2\*acosh(a\*x)\*\*4), x)

### 3.72 $\int x^4 \sqrt{\cosh^{-1}(ax)} dx$

**Optimal.** Leaf size=182

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5} \sqrt{\cosh^{-1}(ax)}\right)}{320a^5} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^5}$$

[Out]  $-1/1600 \operatorname{erf}(5^{1/2} \operatorname{arccosh}(ax)^{1/2}) 5^{1/2} \pi^{1/2} / a^5 - 1/1600 \operatorname{erfi}(5^{1/2} \operatorname{arccosh}(ax)^{1/2}) 5^{1/2} \pi^{1/2} / a^5 - 1/192 \operatorname{erf}(3^{1/2} \operatorname{arccosh}(ax)^{1/2}) 3^{1/2} \pi^{1/2} / a^5 - 1/192 \operatorname{erfi}(3^{1/2} \operatorname{arccosh}(ax)^{1/2}) 3^{1/2} \pi^{1/2} / a^5 - 1/32 \operatorname{erf}(\operatorname{arccosh}(ax)^{1/2}) \pi^{1/2} / a^5 - 1/32 \operatorname{erfi}(\operatorname{arccosh}(ax)^{1/2}) \pi^{1/2} / a^5 + 1/5 x^5 \operatorname{arccosh}(ax)^{1/2}$

**Rubi [A]** time = 0.48, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{Erf}\left(\sqrt{5} \sqrt{\cosh^{-1}(ax)}\right)}{320a^5} - \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^5}$$

Antiderivative was successfully verified.

[In]  $\int x^4 \sqrt{\operatorname{ArcCosh}[ax]}, x$

[Out]  $(x^5 \sqrt{\operatorname{ArcCosh}[ax]})/5 - (\sqrt{\pi} \operatorname{Erf}[\sqrt{\operatorname{ArcCosh}[ax]}])/(32a^5) - (\sqrt{\pi/3} \operatorname{Erf}[\sqrt{3} \sqrt{\operatorname{ArcCosh}[ax]}])/(64a^5) - (\sqrt{\pi/5} \operatorname{Erf}[\sqrt{5} \sqrt{\operatorname{ArcCosh}[ax]}])/(320a^5) - (\sqrt{\pi} \operatorname{Erfi}[\sqrt{\operatorname{ArcCosh}[ax]}])/(32a^5) - (\sqrt{\pi/3} \operatorname{Erfi}[\sqrt{3} \sqrt{\operatorname{ArcCosh}[ax]}])/(64a^5) - (\sqrt{\pi/5} \operatorname{Erfi}[\sqrt{5} \sqrt{\operatorname{ArcCosh}[ax]}])/(320a^5)$

#### Rule 2180

$\operatorname{Int}[(F_)^((g_.) * ((e_.) + (f_.) * (x_))) / \sqrt{(c_.) + (d_.) * (x_)}], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \sqrt{c + d*x}], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == \operatorname{True}$

#### Rule 2204

$\operatorname{Int}[(F_)^((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2), x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erfi}[(c + d*x) \operatorname{Rt}[b \operatorname{Log}[F], 2]]) / (2*d \operatorname{Rt}[b \operatorname{Log}[F], 2])], x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2), x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erf}[(c + d*x) \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]]) / (2*d \operatorname{Rt}[-(b \operatorname{Log}[F]), 2])], x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.) * (x_)) ^ (m_.) * \sin[(e_.) + \pi * (k_.) + (f_.) * (x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m / (E^{(I*k*\pi)} * E^{(I*(e + f*x)})], x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m * E^{(I*k*\pi)} * E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2*k]$

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(q_), x_Symbol] := Dist[(-d1*d2)^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])
```

### Rubi steps

$$\begin{aligned} \int x^4 \sqrt{\cosh^{-1}(ax)} dx &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{1}{10} a \int \frac{x^5}{\sqrt{-1 + ax} \sqrt{1 + ax} \sqrt{\cosh^{-1}(ax)}} dx \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh^5(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{10a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{5 \cosh(x)}{8\sqrt{x}} + \frac{5 \cosh(3x)}{16\sqrt{x}} + \frac{\cosh(5x)}{16\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{10a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh(5x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{160a^5} - \frac{\text{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{32a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{320a^5} - \frac{\text{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{320a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{160a^5} - \frac{\text{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{160a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5} \sqrt{\cosh^{-1}(ax)}\right)}{64a^5} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 162, normalized size = 0.89

$$\frac{3\sqrt{5} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -5 \cosh^{-1}(ax)\right) + 25\sqrt{3} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -3 \cosh^{-1}(ax)\right) + 150\sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -\cosh^{-1}(ax)\right)}{64a^5}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4\*Sqrt[ArcCosh[a\*x]], x]

[Out] (3\*Sqrt[5]\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -5\*ArcCosh[a\*x]] + 25\*Sqrt[3]\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -3\*ArcCosh[a\*x]] + 150\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -ArcCosh[a\*x]])/64a^5

$/2, -\text{ArcCosh}[a*x]] + 150*\text{Sqrt}[-\text{ArcCosh}[a*x]]*\text{Gamma}[3/2, \text{ArcCosh}[a*x]] + 25*\text{Sqrt}[3]*\text{Sqrt}[-\text{ArcCosh}[a*x]]*\text{Gamma}[3/2, 3*\text{ArcCosh}[a*x]] + 3*\text{Sqrt}[5]*\text{Sqrt}[-\text{ArcCosh}[a*x]]*\text{Gamma}[3/2, 5*\text{ArcCosh}[a*x]]/(2400*a^5*\text{Sqrt}[-\text{ArcCosh}[a*x]])$

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\text{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^4\*sqrt(arccosh(a\*x)), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\text{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^(1/2),x)

[Out] int(x^4\*arccosh(a\*x)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\text{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^4\*sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \sqrt{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^(1/2),x)

[Out] int(x^4\*acosh(a\*x)^(1/2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\text{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*4\*sqrt(acosh(a\*x)), x)

### 3.73 $\int x^3 \sqrt{\cosh^{-1}(ax)} dx$

**Optimal.** Leaf size=139

$$\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} - \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{32a^4}$$

[Out]  $-1/64*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-1/64*\operatorname{erfi}(2^{(1/2)})*\operatorname{arccosh}(a*x)^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-1/256*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-1/256*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-3/32*\operatorname{arccosh}(a*x)^{(1/2)}/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.40, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} - \frac{\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{32a^4}$$

Antiderivative was successfully verified.

[In] `Int[x^3*Sqrt[ArcCosh[a*x]], x]`

[Out]  $(-3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(32*a^4) + (x^4*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/4 - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(256*a^4) - (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(32*a^4) - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(256*a^4) - (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(32*a^4)$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma === True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3307

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]`

#### Rule 3312

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)]^n, x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f`



, m}, x] && IGtQ[n, 1] && ( !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^(m\_.), x\_Symbol] :> Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_)^(p\_.))\*((d2\_) + (e2\_.)\*(x\_)^(p\_.), x\_Symbol] :> Dist[(-d1\*d2)]^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

### Rubi steps

$$\begin{aligned} \int x^3 \sqrt{\cosh^{-1}(ax)} dx &= \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{1}{8} a \int \frac{x^4}{\sqrt{-1 + ax} \sqrt{1 + ax} \sqrt{\cosh^{-1}(ax)}} dx \\ &= \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh^4(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^4} \\ &= \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}} + \frac{\cosh(4x)}{8\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{8a^4} \\ &= -\frac{3\sqrt{\cosh^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh(4x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{64a^4} - \frac{\text{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{128a^4} \\ &= -\frac{3\sqrt{\cosh^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{64a^4} - \frac{\text{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{128a^4} \\ &= -\frac{3\sqrt{\cosh^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cosh^{-1}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{32a^4} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 101, normalized size = 0.73

$$\frac{\sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -4 \cosh^{-1}(ax)\right) + 4\sqrt{2} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -2 \cosh^{-1}(ax)\right) + \sqrt{-\cosh^{-1}(ax)} \left(4\sqrt{2} \Gamma\left(\frac{3}{2}, 2 \cosh^{-1}(ax)\right) + \Gamma\left(\frac{3}{2}, 4 \cosh^{-1}(ax)\right)\right)}{128a^4 \sqrt{-\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3\*Sqrt[ArcCosh[a\*x]], x]

[Out] (Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -4\*ArcCosh[a\*x]] + 4\*Sqrt[2]\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -2\*ArcCosh[a\*x]] + Sqrt[-ArcCosh[a\*x]]\*(4\*Sqrt[2]\*Gamma[3/2, 2\*ArcCosh[a\*x]] + Gamma[3/2, 4\*ArcCosh[a\*x]]))/(128\*a^4\*Sqrt[-ArcCosh[a\*x]])

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^(1/2),x)

[Out] int(x^3\*arccosh(a\*x)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^3\*sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*acosh(a\*x)^(1/2),x)

[Out] int(x^3\*acosh(a\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*3\*sqrt(acosh(a\*x)), x)

### 3.74 $\int x^2 \sqrt{\cosh^{-1}(ax)} dx$

**Optimal.** Leaf size=120

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{48a^3} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{48a^3}$$

[Out]  $-1/144*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\pi^{(1/2)}/a^3-1/144*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\pi^{(1/2)}/a^3-1/16*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\pi^{(1/2)}/a^3-1/16*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\pi^{(1/2)}/a^3+1/3*x^3*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.40, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{48a^3} - \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erfi}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{48a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]], x]$

[Out]  $(x^3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/3 - (\operatorname{Sqrt}[\pi]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^3) - (\operatorname{Sqrt}[\pi/3]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(48*a^3) - (\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^3) - (\operatorname{Sqrt}[\pi/3]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(48*a^3)$

#### Rule 2180

$\operatorname{Int}[(F\_)^{((g\_)*(e\_)+(f\_)*(x\_))}/\operatorname{Sqrt}[(c\_)+(d\_)*(x\_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e-(c*f)/d)+(f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c+dx]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\amp; !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)*((c\_)+(d\_)*(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[(c+dx)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)*((c\_)+(d\_)*(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erf}[(c+dx)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\amp; \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c\_)+(d\_)*(x\_)]^{(m\_)}*\sin[(e\_)+\pi*(k\_)+(f\_)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c+dx)^m/(E^{(I*k*\pi)}*E^{(I*(e+f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c+dx)^m*E^{(I*k*\pi)}*E^{(I*(e+f*x))}), x], x] /; \operatorname{FreeQ}\{c, d, e, f, m, x\} \&\amp; \operatorname{IntegerQ}[2*k]$

#### Rule 3312

$\operatorname{Int}[(c\_)+(d\_)*(x\_)]^{(m\_)}*\sin[(e\_)+(f\_)*(x_)]^{(n_)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c+dx)^m, \operatorname{Sin}[e+f*x]^n, x], x] /; \operatorname{FreeQ}\{c, d, e, f$

, m}, x] && IGtQ[n, 1] && ( !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n_*(x_)^(m_.), x_Symbol] :> Simp[
(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[
(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n_*(x_)^(m_.)*((d1_) + (e1_.)*(x
_))^(p_.)*((d2_) + (e2_.)*(x_))^(q_.), x_Symbol] :> Dist[(-d1*d2)^p/c^(m
+ 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x
]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && Eq
Q[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1
, 0] && LtQ[d2, 0])
```

Rubi steps

$$\int x^2 \sqrt{\cosh^{-1}(ax)} dx = \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{1}{6}a \int \frac{x^3}{\sqrt{-1 + ax} \sqrt{1 + ax} \sqrt{\cosh^{-1}(ax)}} dx$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh^3(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{6a^3}$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3 \cosh(x)}{4\sqrt{x}} + \frac{\cosh(3x)}{4\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{6a^3}$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{24a^3} - \frac{\text{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^3}$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{48a^3} - \frac{\text{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{48a^3}$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{24a^3} - \frac{\text{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{24a^3}$$

$$= \frac{1}{3}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{48a^3} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^3}$$

**Mathematica [A]** time = 0.09, size = 100, normalized size = 0.83

$$\frac{\sqrt{3} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -3 \cosh^{-1}(ax)\right) + 9 \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{3}{2}, -\cosh^{-1}(ax)\right) + \sqrt{-\cosh^{-1}(ax)} \left(9 \Gamma\left(\frac{3}{2}, \cosh^{-1}(ax)\right) + \sqrt{3} \Gamma\left(\frac{3}{2}, 3 \cosh^{-1}(ax)\right)\right)}{72a^3 \sqrt{-\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*Sqrt[ArcCosh[a\*x]], x]

[Out] (Sqrt[3]\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -3\*ArcCosh[a\*x]] + 9\*Sqrt[ArcCosh[a\*x]]\*Gamma[3/2, -ArcCosh[a\*x]] + Sqrt[-ArcCosh[a\*x]]\*(9\*Gamma[3/2, ArcCosh[a\*x]] + Sqrt[3]\*Gamma[3/2, 3\*ArcCosh[a\*x]]))/(72\*a^3\*Sqrt[-ArcCosh[a\*x]])

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>2</sup>\*arccosh(a\*x)<sup>(1/2)</sup>, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>2</sup>\*arccosh(a\*x)<sup>(1/2)</sup>, x, algorithm="giac")

[Out] integrate(x<sup>2</sup>\*sqrt(arccosh(a\*x)), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>2</sup>\*arccosh(a\*x)<sup>(1/2)</sup>, x)

[Out] int(x<sup>2</sup>\*arccosh(a\*x)<sup>(1/2)</sup>, x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>2</sup>\*arccosh(a\*x)<sup>(1/2)</sup>, x, algorithm="maxima")

[Out] integrate(x<sup>2</sup>\*sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>2</sup>\*acosh(a\*x)<sup>(1/2)</sup>, x)

[Out] int(x<sup>2</sup>\*acosh(a\*x)<sup>(1/2)</sup>, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*acosh(a\*x)\*\*(1/2), x)

[Out] Integral(x\*\*2\*sqrt(acosh(a\*x)), x)

### 3.75 $\int x \sqrt{\cosh^{-1}(ax)} dx$

**Optimal.** Leaf size=93

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{16a^2} - \frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2} x^2 \sqrt{\cosh^{-1}(ax)}$$

[Out]  $-1/32*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-1/32*\operatorname{erfi}(2^{(1/2)})*\operatorname{arccosh}(a*x)^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-1/4*\operatorname{arccosh}(a*x)^{(1/2)}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{16a^2} - \frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2} x^2 \sqrt{\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[ArcCosh[a*x]],x]`

[Out]  $-\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]/(4*a^2) + (x^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/2 - (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^2) - (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^2)$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3307

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]`

#### Rule 3312

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)^n], x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Simp[
(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[
(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d1_.) + (e1_.)*(x
_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(q_.), x_Symbol] :> Dist[(-d1*d2)^(p/c^(m
+ 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x
]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && Eq
Q[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1
, 0] && LtQ[d2, 0])
```

Rubi steps

$$\begin{aligned}
\int x\sqrt{\cosh^{-1}(ax)} dx &= \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{1}{4}a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\cosh^{-1}(ax)}} dx \\
&= \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh^2(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^2} \\
&= \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{4a^2} \\
&= -\frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^2} \\
&= -\frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^2} - \frac{\text{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^2} \\
&= -\frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{8a^2} - \frac{\text{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{8a^2} \\
&= -\frac{\sqrt{\cosh^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cosh^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{16a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 65, normalized size = 0.70

$$\frac{8\sqrt{\cosh^{-1}(ax)} \cosh(2\cosh^{-1}(ax)) - \sqrt{2\pi} \left( \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right) \right)}{32a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*Sqrt[ArcCosh[a\*x]], x]

[Out] (8\*Sqrt[ArcCosh[a\*x]]\*Cosh[2\*ArcCosh[a\*x]] - Sqrt[2\*Pi]\*(Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] + Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]))/(32\*a^2)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x\*sqrt(arccosh(a\*x)), x)

**maple** [A] time = 0.20, size = 73, normalized size = 0.78

$$\frac{\sqrt{2} \left( -8\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} x^2 a^2 + 4\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} + \pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) + \pi \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{32\sqrt{\pi} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^(1/2),x)

[Out]  $-1/32*2^{(1/2)}*(-8*2^{(1/2)}*arccosh(a*x)^{(1/2)}*Pi^{(1/2)}*x^2*a^2+4*2^{(1/2)}*arccosh(a*x)^{(1/2)}*Pi^{(1/2)}+Pi*erf(2^{(1/2)}*arccosh(a*x)^{(1/2)})+Pi*erfi(2^{(1/2)}*arccosh(a*x)^{(1/2)})/Pi^{(1/2)}/a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x\*sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x\sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^(1/2),x)

[Out] int(x\*acosh(a\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*sqrt(acosh(a\*x)), x)



### 3.76 $\int \sqrt{\cosh^{-1}(ax)} dx$

**Optimal.** Leaf size=53

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} + x\sqrt{\cosh^{-1}(ax)}$$

[Out]  $-1/4*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-1/4*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+x*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.22, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5654, 5781, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} - \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} + x\sqrt{\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[ArcCosh[a\*x]], x]

[Out]  $x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]] - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a) - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a)$

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_)^m)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.)^n, x\_Symbol] :> Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c^n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(q_.), x_Symbol] := Dist[(- (d1*d2))^p/c^(m+1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])
```

### Rubi steps

$$\begin{aligned} \int \sqrt{\cosh^{-1}(ax)} dx &= x\sqrt{\cosh^{-1}(ax)} - \frac{1}{2}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\cosh^{-1}(ax)}} dx \\ &= x\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a} \\ &= x\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a} - \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a} \\ &= x\sqrt{\cosh^{-1}(ax)} - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a} - \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a} \\ &= x\sqrt{\cosh^{-1}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 45, normalized size = 0.85

$$\frac{\frac{\sqrt{\cosh^{-1}(ax)}\Gamma\left(\frac{3}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{-\cosh^{-1}(ax)}} + \Gamma\left(\frac{3}{2}, \cosh^{-1}(ax)\right)}{2a}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[ArcCosh[a*x]], x]
```

```
[Out] ((Sqrt[ArcCosh[a*x]]*Gamma[3/2, -ArcCosh[a*x]])/Sqrt[-ArcCosh[a*x]] + Gamma[3/2, ArcCosh[a*x]])/(2*a)
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^(1/2), x, algorithm="giac")
```

[Out] integrate(sqrt(arccosh(a\*x)), x)

**maple** [A] time = 0.13, size = 43, normalized size = 0.81

$$\frac{4\sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} xa - \pi \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) - \pi \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4\sqrt{\pi} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(1/2), x)

[Out] 1/4\*(4\*arccosh(a\*x)^(1/2)\*Pi^(1/2)\*x\*a-Pi\*erf(arccosh(a\*x)^(1/2))-Pi\*erfi(arccosh(a\*x)^(1/2)))/Pi^(1/2)/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(1/2), x)

[Out] int(acosh(a\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(1/2), x)

[Out] Integral(sqrt(acosh(a\*x)), x)

$$3.77 \quad \int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx$$

**Optimal.** Leaf size=15

$$\text{Int} \left( \frac{\sqrt{\cosh^{-1}(ax)}}{x}, x \right)$$

[Out] Unintegrable(arccosh(a\*x)^(1/2)/x,x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int [Sqrt [ArcCosh [a\*x]]/x,x]

[Out] Defer [Int] [Sqrt [ArcCosh [a\*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx = \int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx$$

**Mathematica [A]** time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cosh^{-1}(ax)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate [Sqrt [ArcCosh [a\*x]]/x,x]

[Out] Integrate [Sqrt [ArcCosh [a\*x]]/x, x]

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\text{arccosh}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(arccosh(a\*x))/x, x)

**maple** [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(1/2)/x,x)

[Out] int(arccosh(a\*x)^(1/2)/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(arccosh(a\*x))/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\sqrt{\operatorname{acosh}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(1/2)/x,x)

[Out] int(acosh(a\*x)^(1/2)/x, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\operatorname{acosh}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(1/2)/x,x)

[Out] Integral(sqrt(acosh(a\*x))/x, x)

### 3.78 $\int x^4 \cosh^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=345

$$\frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^5} - \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{3200a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{200a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{3200a^5}$$

[Out]  $\frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} - \frac{3}{16000} \operatorname{erf}\left(5^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 5^{1/2} \operatorname{Pi}^{1/2} / a^5 + \frac{3}{16000} \operatorname{erfi}\left(5^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 5^{1/2} \operatorname{Pi}^{1/2} / a^5 - \frac{1}{384} \operatorname{erf}\left(3^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 3^{1/2} \operatorname{Pi}^{1/2} / a^5 + \frac{1}{384} \operatorname{erfi}\left(3^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 3^{1/2} \operatorname{Pi}^{1/2} / a^5 - \frac{3}{64} \operatorname{erf}\left(\operatorname{arccosh}(ax)^{1/2}\right) \operatorname{Pi}^{1/2} / a^5 + \frac{3}{64} \operatorname{erfi}\left(\operatorname{arccosh}(ax)^{1/2}\right) \operatorname{Pi}^{1/2} / a^5 - \frac{4}{25} (ax-1)^{1/2} (ax+1)^{1/2} \operatorname{arccosh}(ax)^{1/2} / a^5 - \frac{2}{25} x^2 (ax-1)^{1/2} (ax+1)^{1/2} \operatorname{arccosh}(ax)^{1/2} / a^3 - \frac{3}{50} x^4 (ax-1)^{1/2} (ax+1)^{1/2} \operatorname{arccosh}(ax)^{1/2} / a$

**Rubi [A]** time = 1.11, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 41, number of rules used = 10, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {5664, 5759, 5718, 5658, 3308, 2180, 2204, 2205, 5670, 5448}

$$\frac{3\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^5} - \frac{3\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{3200a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{200a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{Erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{3200a^5}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^4 \operatorname{ArcCosh}[ax]^{3/2}, x]$

[Out]  $(-4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{ArcCosh}[ax]})/(25a^5) - (2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{ArcCosh}[ax]})/(25a^3) - (3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{ArcCosh}[ax]})/(50a) + (x^5\operatorname{ArcCosh}[ax]^{3/2})/5 - (3\sqrt{\operatorname{Pi}}\operatorname{Erf}[\sqrt{\operatorname{ArcCosh}[ax]}])/(64a^5) - (\sqrt{\operatorname{Pi}/3}\operatorname{Erf}[\sqrt{3}\sqrt{\operatorname{ArcCosh}[ax]}])/(200a^5) - (3\sqrt{3\operatorname{Pi}}\operatorname{Erf}[\sqrt{3}\sqrt{\operatorname{ArcCosh}[ax]}])/(3200a^5) - (3\sqrt{\operatorname{Pi}/5}\operatorname{Erf}[\sqrt{5}\sqrt{\operatorname{ArcCosh}[ax]}])/(3200a^5) + (3\sqrt{\operatorname{Pi}}\operatorname{Erfi}[\sqrt{\operatorname{ArcCosh}[ax]}])/(64a^5) + (\sqrt{\operatorname{Pi}/3}\operatorname{Erfi}[\sqrt{3}\sqrt{\operatorname{ArcCosh}[ax]}])/(200a^5) + (3\sqrt{3\operatorname{Pi}}\operatorname{Erfi}[\sqrt{3}\sqrt{\operatorname{ArcCosh}[ax]}])/(3200a^5) + (3\sqrt{\operatorname{Pi}/5}\operatorname{Erfi}[\sqrt{5}\sqrt{\operatorname{ArcCosh}[ax]}])/(3200a^5)$

#### Rule 2180

$\operatorname{Int}[(F_)^{\left((g_.)\left((e_.) + (f_.)\left(x_.\right)\right)\right)}/\sqrt{(c_.) + (d_.)\left(x_.\right)}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{\left(g_.\left(e_ - (c_ f_)/d\right) + (f_ g_ x_^2)/d\right)}, x], x, \sqrt{c_ + d_ x}], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\amp; !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{\left((a_.) + (b_.)\left((c_.) + (d_.)\left(x_.\right)\right)^2\right)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\operatorname{Pi}} \operatorname{Erfi}[(c + dx) \operatorname{Rt}[b \operatorname{Log}[F], 2]])/(2d \operatorname{Rt}[b \operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{\left((a_.) + (b_.)\left((c_.) + (d_.)\left(x_.\right)\right)^2\right)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\operatorname{Pi}} \operatorname{Erf}[(c + dx) \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]])/(2d \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{NegQ}[b]$

#### Rule 3308

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] & IGtQ[p, 0]

#### Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] := -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d1\_.) + (e1\_.)\*(x\_))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(p + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p])/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

#### Rule 5759

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)/(Sqrt[(d1\_.) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int x^4 \cosh^{-1}(ax)^{3/2} dx &= \frac{1}{5}x^5 \cosh^{-1}(ax)^{3/2} - \frac{1}{10}(3a) \int \frac{x^5 \sqrt{\cosh^{-1}(ax)}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^{3/2} + \frac{3}{100} \int \frac{x^4}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cosh^{-1}(ax)^{3/2} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a} \\
&= -\frac{4\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{50a}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 152, normalized size = 0.44

$$\frac{9\sqrt{5} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -5 \cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \frac{125\sqrt{3} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -3 \cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \frac{2250 \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + 2250 \Gamma\left(\frac{5}{2}, \cosh^{-1}(ax)\right)$$


---


$$36000a^5$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4\*ArcCosh[a\*x]^(3/2),x]

[Out] ((9\*Sqrt[5]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -5\*ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + (125\*Sqrt[3]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -3\*ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + (2250\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + 2250\*Gamma[5/2, ArcCosh[a\*x]] + 125\*Sqrt[3]\*Gamma[5/2, 3\*ArcCosh[a\*x]] + 9\*Sqrt[5]\*Gamma[5/2, 5\*ArcCosh[a\*x]])/(36000\*a^5)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^4\*arccosh(a\*x)^(3/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^(3/2),x)

[Out] int(x^4\*arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^4\*arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^(3/2),x)

[Out] int(x^4\*acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*4\*acosh(a\*x)\*\*(3/2), x)

### 3.79 $\int x^3 \cosh^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=209

$$\frac{3\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{128a^4} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{128a^4}$$

[Out]  $-3/32*\operatorname{arccosh}(a*x)^{(3/2)}/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^{(3/2)}-3/256*\operatorname{erf}(2^{(1/2)}*a*\operatorname{rccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4+3/256*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-3/2048*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4+3/2048*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-9/64*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a^3-3/32*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

**Rubi [A]** time = 0.87, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 10, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {5664, 5759, 5676, 5670, 5448, 12, 3308, 2180, 2204, 2205}

$$\frac{3\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{128a^4} + \frac{3\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{128a^4}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^3*\operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

[Out]  $(-9*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(64*a^3) - (3*x^3*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(32*a) - (3*\operatorname{ArcCosh}[a*x]^{(3/2)})/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x]^{(3/2)})/4 - (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2048*a^4) - (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(128*a^4) + (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2048*a^4) + (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(128*a^4)$

#### Rule 12

$\operatorname{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_*)*((e_*) + (f_*)*(x_)))/\operatorname{Sqrt}[(c_*) + (d_*)*(x_)]}, x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x \ \&\& \ !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_*) + (b_*)*((c_*) + (d_*)*(x_))^{2})}, x\_Symbol] \rightarrow \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x \ \&\& \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_*) + (b_*)*((c_*) + (d_*)*(x_))^{2})}, x\_Symbol] \rightarrow \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x \ \&\& \ \operatorname{NegQ}[b]$

#### Rule 3308

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

#### Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sinh[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^(n)*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]
```

#### Rule 5759

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

#### Rubi steps

$$\begin{aligned}
\int x^3 \cosh^{-1}(ax)^{3/2} dx &= \frac{1}{4}x^4 \cosh^{-1}(ax)^{3/2} - \frac{1}{8}(3a) \int \frac{x^4 \sqrt{\cosh^{-1}(ax)}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^{3/2} + \frac{3}{64} \int \frac{x^3}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^{3/2} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a} \\
&= -\frac{9x \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{32a} - \frac{3 \cosh^{-1}(ax)}{32a}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 101, normalized size = 0.48

$$\frac{\sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -4 \cosh^{-1}(ax)\right) + 8\sqrt{2} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -2 \cosh^{-1}(ax)\right) + \sqrt{\cosh^{-1}(ax)} \left(8\sqrt{2} \Gamma\left(\frac{5}{2}, 2 \cosh^{-1}(ax)\right) + \Gamma\left(\frac{5}{2}, 4 \cosh^{-1}(ax)\right)\right)}{512a^4 \sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3\*ArcCosh[a\*x]^(3/2),x]

[Out] (Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -4\*ArcCosh[a\*x]] + 8\*Sqrt[2]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -2\*ArcCosh[a\*x]] + Sqrt[ArcCosh[a\*x]]\*(8\*Sqrt[2]\*Gamma[5/2, 2\*ArcCosh[a\*x]] + Gamma[5/2, 4\*ArcCosh[a\*x]]))/(512\*a^4\*Sqrt[ArcCosh[a\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^(3/2),x)

[Out] int(x^3\*arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^3\*arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \operatorname{acosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*acosh(a\*x)^(3/2),x)

[Out] int(x^3\*acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*3\*acosh(a\*x)\*\*(3/2), x)

### 3.80 $\int x^2 \cosh^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=189

$$\frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{96a^3} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{96a^3}$$

[Out]  $1/3*x^3*\operatorname{arccosh}(a*x)^{(3/2)}-1/288*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3+1/288*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3-3/32*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3+3/32*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3-1/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a^3-1/6*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

**Rubi [A]** time = 0.64, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {5664, 5759, 5718, 5658, 3308, 2180, 2204, 2205, 5670, 5448}

$$\frac{3\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{96a^3} + \frac{3\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{32a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{96a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

[Out]  $-(\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(3*a^3) - (x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(6*a) + (x^3*\operatorname{ArcCosh}[a*x]^{(3/2)})/3 - (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(32*a^3) - (\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(96*a^3) + (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(32*a^3) + (\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(96*a^3)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g, x\} \ \&\amp; \ !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d, x\} \ \&\amp; \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d, x\} \ \&\amp; \ \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m, x\}$

#### Rule 5448

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_)]^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}*\operatorname{Sinh}[(a_.) + (b_.)*(x_)]^{(n_.)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sinh}[a +$

$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

#### Rule 5658

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}, x\_Symbol] \text{ :> } -\text{Dist}[(b*c)^{-1}], \text{Subst}[\text{Int}[x^n*\text{Sinh}[a/b - x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x]$

#### Rule 5664

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \text{ :> } \text{Simp}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^n)/(m+1), x] - \text{Dist}[(b*c*n)/(m+1), \text{Int}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)})/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 5670

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \text{ :> } \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

#### Rule 5718

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x\_Symbol] \text{ :> } \text{Simp}[(d1 + e1*x)^{(p+1)}*(d2 + e2*x)^{(p+1)}*(a + b*\text{ArcCosh}[c*x])^n]/(2*e1*e2*(p+1)), x] - \text{Dist}[(b*n*(-d1*d2))^{(p)}*\text{IntPart}[p]*(d1 + e1*x)^{\text{FracPart}[p]}*(d2 + e2*x)^{\text{FracPart}[p]})/(2*c*(p+1)*(1 + c*x)^{\text{FracPart}[p]}*(-1 + c*x)^{\text{FracPart}[p]}), \text{Int}[(-1 + c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, p\}, x\} \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1] \&\& \text{IntegerQ}[p + 1/2]$

#### Rule 5759

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x\_Symbol] \text{ :> } \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]*(a + b*\text{ArcCosh}[c*x])^n)/(e1*e2*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcCosh}[c*x])^n]/(\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]), x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x])/(c*d1*d2*m*\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f\}, x\} \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rubi steps

$$\begin{aligned}
\int x^2 \cosh^{-1}(ax)^{3/2} dx &= \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} + \frac{1}{12} \int \frac{x^2}{\sqrt{\cosh^{-1}(ax)}} dx - \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 100, normalized size = 0.53

$$\frac{\sqrt{3} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -3 \cosh^{-1}(ax)\right) + 27 \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -\cosh^{-1}(ax)\right) + \sqrt{\cosh^{-1}(ax)} \left(27 \Gamma\left(\frac{5}{2}, \cosh^{-1}(ax)\right) + 27 \Gamma\left(\frac{5}{2}, 3 \cosh^{-1}(ax)\right)\right)}{216a^3 \sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*ArcCosh[a\*x]^(3/2),x]

[Out] (Sqrt[3]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -3\*ArcCosh[a\*x]] + 27\*Sqrt[-ArcCosh[a\*x]]\*Gamma[5/2, -ArcCosh[a\*x]] + Sqrt[ArcCosh[a\*x]]\*(27\*Gamma[5/2, ArcCosh[a\*x]] + Sqrt[3]\*Gamma[5/2, 3\*ArcCosh[a\*x]]))/(216\*a^3\*Sqrt[ArcCosh[a\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^2\*arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2\*arccosh(a\*x)^(3/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arccosh(a\*x)^(3/2),x)

[Out] int(x^2\*arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^2\*arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*acosh(a\*x)^(3/2),x)

[Out] int(x^2\*acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{acosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*2\*acosh(a\*x)\*\*(3/2), x)

### 3.81 $\int x \cosh^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=127

$$-\frac{3\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{64a^2} + \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{64a^2} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{4a^2}$$

[Out]  $-1/4*\operatorname{arccosh}(a*x)^{(3/2)}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{(3/2)}-3/128*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+3/128*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-3/8*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

**Rubi [A]** time = 0.44, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {5664, 5759, 5676, 5670, 5448, 12, 3308, 2180, 2204, 2205}

$$-\frac{3\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{64a^2} + \frac{3\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{64a^2} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{4a^2}$$

Antiderivative was successfully verified.

[In] `Int[x*ArcCosh[a*x]^(3/2), x]`

[Out]  $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(8*a) - \operatorname{ArcCosh}[a*x]^{(3/2)}/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^{(3/2)})/2 - (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(64*a^2) + (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(64*a^2)$

#### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

#### Rule 2180

`Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2)), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2)), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3308

`Int[((c_) + (d_)*(x_)^m)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[
(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqr
t[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b
*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] &&
EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1
]
```

Rule 5759

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*(f*x)^(m
- 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x]
+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x \cosh^{-1}(ax)^{3/2} dx &= \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{1}{4}(3a) \int \frac{x^2 \sqrt{\cosh^{-1}(ax)}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} + \frac{3}{16} \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx - \frac{3}{16} \int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{\sqrt{u}} du, u = \cosh^{-1}(ax)\right)}{16} \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{\sqrt{u}} du, u = \cosh^{-1}(ax)\right)}{16} \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{\sqrt{u}} du, u = \cosh^{-1}(ax)\right)}{16} \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{\sqrt{u}} du, u = \cosh^{-1}(ax)\right)}{16} \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{\sqrt{u}} du, u = \cosh^{-1}(ax)\right)}{16} \\
&= -\frac{3x\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{8a} - \frac{\cosh^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{3/2} - \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{\frac{\pi}{2}} \sqrt{\cosh^{-1}(ax)}\right)}{16}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 84, normalized size = 0.66

$$\frac{3\sqrt{2\pi} \left( \operatorname{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right) - \operatorname{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right) \right) + 32 \cosh\left(2 \cosh^{-1}(ax)\right) \cosh^{-1}(ax)^{3/2} - 24\sqrt{\cosh^{-1}(ax)}}{128a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*ArcCosh[a\*x]^(3/2), x]

[Out] (32\*ArcCosh[a\*x]^(3/2)\*Cosh[2\*ArcCosh[a\*x]] + 3\*Sqrt[2\*Pi]\*(-Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] + Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]) - 24\*Sqrt[ArcCosh[a\*x]]\*Sinh[2\*ArcCosh[a\*x]])/(128\*a^2)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x\*arccosh(a\*x)^(3/2), x)

**maple** [A] time = 0.30, size = 105, normalized size = 0.83

$$\frac{\sqrt{2} \left( 32 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} x^2 a^2 - 24 \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} xa - 16 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \right)}{128 \sqrt{\pi} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^(3/2),x)

[Out] 1/128\*2^(1/2)\*(32\*arccosh(a\*x)^(3/2)\*2^(1/2)\*Pi^(1/2)\*x^2\*a^2-24\*2^(1/2)\*arccosh(a\*x)^(1/2)\*Pi^(1/2)\*(a\*x+1)^(1/2)\*(a\*x-1)^(1/2)\*x\*a-16\*arccosh(a\*x)^(3/2)\*2^(1/2)\*Pi^(1/2)-3\*Pi\*erf(2^(1/2)\*arccosh(a\*x)^(1/2))+3\*Pi\*erfi(2^(1/2)\*arccosh(a\*x)^(1/2)))/Pi^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x\*arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^(3/2),x)

[Out] int(x\*acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*acosh(a\*x)\*\*(3/2), x)

### 3.82 $\int \cosh^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=86

$$-\frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a} + x \cosh^{-1}(ax)^{3/2} - \frac{3\sqrt{ax-1} \sqrt{ax+1} \sqrt{\cosh^{-1}(ax)}}{2a}$$

[Out]  $x \operatorname{arccosh}(ax)^{3/2} - 3/8 \operatorname{erf}(\operatorname{arccosh}(ax)^{1/2}) \pi^{1/2} / a + 3/8 \operatorname{erfi}(\operatorname{arccosh}(ax)^{1/2}) \pi^{1/2} / a - 3/2 (ax-1)^{1/2} (ax+1)^{1/2} \operatorname{arccosh}(ax)^{1/2} / a$

**Rubi [A]** time = 0.22, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {5654, 5718, 5658, 3308, 2180, 2204, 2205}

$$-\frac{3\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a} + \frac{3\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a} + x \cosh^{-1}(ax)^{3/2} - \frac{3\sqrt{ax-1} \sqrt{ax+1} \sqrt{\cosh^{-1}(ax)}}{2a}$$

Antiderivative was successfully verified.

[In] `Int[ArcCosh[a*x]^(3/2), x]`

[Out]  $(-3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{ArcCosh}[a*x]})/(2*a) + x\operatorname{ArcCosh}[a*x]^{3/2} - (3\sqrt{\pi}\operatorname{Erf}[\sqrt{\operatorname{ArcCosh}[a*x]}])/(8*a) + (3\sqrt{\pi}\operatorname{Erfi}[\sqrt{\operatorname{ArcCosh}[a*x]}])/(8*a)$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.)+(f_.)*(x_)))/Sqrt[(c_.)+(d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e-(c*f)/d)+(f*g*x^2)/d), x], x, Sqrt[c+d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.)+(b_.)*((c_.)+(d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c+d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.)+(b_.)*((c_.)+(d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c+d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3308

`Int[((c_.)+(d_.)*(x_)^m)*sin[(e_.)+(f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c+d*x)^m/E^(I*(e+f*x)), x], x] - Dist[I/2, Int[(c+d*x)^m*E^(I*(e+f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

#### Rule 5654

`Int[((a_.)+ArcCosh[(c_.)*(x_)])*(b_.)^n, x_Symbol] :> Simp[x*(a+b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[(x*(a+b*ArcCosh[c*x])^(n-1))/(Sqrt[-1+c*x]*Sqrt[1+c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]`

#### Rule 5658

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_], x_Symbol] := -Dist[(b*c)^(-1)
, Subst[Int[x^n*Sinh[a/b - x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a
, b, c, n}, x]
```

### Rule 5718

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_*(x_)*((d1_) + (e1_.)*(x_))^(p
_)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((d1 + e1*x)^(p + 1)*(d2
+ e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*
(-d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p]]/(2*c
*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^
(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d
2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ
[p, -1] && IntegerQ[p + 1/2]
```

### Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax)^{3/2} dx &= x \cosh^{-1}(ax)^{3/2} - \frac{1}{2}(3a) \int \frac{x \sqrt{\cosh^{-1}(ax)}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\ &= -\frac{3\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{2a} + x \cosh^{-1}(ax)^{3/2} + \frac{3}{4} \int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx \\ &= -\frac{3\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{2a} + x \cosh^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a} \\ &= -\frac{3\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{2a} + x \cosh^{-1}(ax)^{3/2} - \frac{3 \operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a} \\ &= -\frac{3\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{2a} + x \cosh^{-1}(ax)^{3/2} - \frac{3 \operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a} \\ &= -\frac{3\sqrt{-1+ax} \sqrt{1+ax} \sqrt{\cosh^{-1}(ax)}}{2a} + x \cosh^{-1}(ax)^{3/2} - \frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 45, normalized size = 0.52

$$\frac{\frac{\sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{5}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \Gamma\left(\frac{5}{2}, \cosh^{-1}(ax)\right)}{2a}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCosh[a*x]^(3/2), x]
```

```
[Out] ((Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + Gamma
[5/2, ArcCosh[a*x]])/(2*a)
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccosh(a*x)^(3/2), x, algorithm="fricas")
```

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(3/2), x)

**maple** [A] time = 0.20, size = 68, normalized size = 0.79

$$\frac{-8\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}xa + 12\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1} + 3\pi\operatorname{erf}(\sqrt{\operatorname{arccosh}(ax)}) - 3\pi\operatorname{erfi}(\sqrt{\operatorname{arccosh}(ax)})}{8\sqrt{\pi}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(3/2),x)

[Out]  $-1/8*(-8*\operatorname{arccosh}(a*x)^{(3/2)}*\pi^{(1/2)}*x*a+12*\operatorname{arccosh}(a*x)^{(1/2)}*\pi^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}+3*\pi*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})-3*\pi*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)}))/\pi^{(1/2)}/a$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acosh}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(3/2),x)

[Out] int(acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(3/2),x)

[Out] Integral(acosh(a\*x)\*\*(3/2), x)



$$3.83 \quad \int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\cosh^{-1}(ax)^{3/2}}{x}, x\right)$$

[Out] Unintegrable(arccosh(a\*x)^(3/2)/x, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCosh[a\*x]^(3/2)/x, x]

[Out] Defer[Int][ArcCosh[a\*x]^(3/2)/x, x]

Rubi steps

$$\int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx = \int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx$$

Mathematica [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{\cosh^{-1}(ax)^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCosh[a\*x]^(3/2)/x, x]

[Out] Integrate[ArcCosh[a\*x]^(3/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(3/2)/x, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(3/2)/x, x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(3/2)/x, x)

**maple** [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(3/2)/x,x)

[Out] int(arccosh(a\*x)^(3/2)/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(3/2)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(3/2)/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\operatorname{acosh}(ax)^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(3/2)/x,x)

[Out] int(acosh(a\*x)^(3/2)/x, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^{\frac{3}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(3/2)/x,x)

[Out] Integral(acosh(a\*x)\*\*(3/2)/x, x)

### 3.84 $\int x^4 \cosh^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=394

$$\frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{128a^5} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{1280a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{240a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{6400a^5}$$

[Out]  $1/5*x^5*\operatorname{arccosh}(a*x)^{(5/2)}-3/32000*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-3/32000*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-5/2304*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-5/2304*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-15/128*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5-15/128*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5-4/15*\operatorname{arccosh}(a*x)^{(3/2)}*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^5-2/15*x^2*\operatorname{arccosh}(a*x)^{(3/2)}*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/10*x^4*\operatorname{arccosh}(a*x)^{(3/2)}*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a+2/5*x*\operatorname{arccosh}(a*x)^{(1/2)}/a^4+1/15*x^3*\operatorname{arccosh}(a*x)^{(1/2)}/a^2+3/100*x^5*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 1.82, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 44, number of rules used = 10, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {5664, 5759, 5718, 5654, 5781, 3307, 2180, 2204, 2205, 3312}

$$\frac{15\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{128a^5} - \frac{\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{1280a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{240a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{Erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{6400a^5}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^4*\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out]  $(2*x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(5*a^4) + (x^3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(15*a^2) + (3*x^5*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/100 - (4*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^{(3/2)})/(15*a^5) - (2*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^{(3/2)})/(15*a^3) - (x^4*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^{(3/2)})/(10*a) + (x^5*\operatorname{ArcCosh}[a*x]^{(5/2)})/5 - (15*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(128*a^5) - (\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(240*a^5) - (\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(1280*a^5) - (3*\operatorname{Sqrt}[\operatorname{Pi}/5]*\operatorname{Erf}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(6400*a^5) - (15*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(128*a^5) - (\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(240*a^5) - (\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(1280*a^5) - (3*\operatorname{Sqrt}[\operatorname{Pi}/5]*\operatorname{Erfi}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(6400*a^5)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*(e_.) + (f_.)*(x_))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\& !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\& \operatorname{NegQ}[b]$

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 5654

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt
[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[
(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5718

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((d1 + e1*x)^(p + 1)*(d2
+ e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*
(-d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p]]/(2*c
*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^(
p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d
2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ
[p, -1] && IntegerQ[p + 1/2]
```

Rule 5759

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*(f*x)^(m
- 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x]
+ (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/
(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqr
t[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(
a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f},
x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] &&
IntegerQ[m]
```

Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x
_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Dist[(-d1*d2)^p/c^(m
+ 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x
]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && Eq
Q[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1
, 0] && LtQ[d2, 0])
```

Rubi steps

$$\begin{aligned}
\int x^4 \cosh^{-1}(ax)^{5/2} dx &= \frac{1}{5} x^5 \cosh^{-1}(ax)^{5/2} - \frac{1}{2} a \int \frac{x^5 \cosh^{-1}(ax)^{3/2}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{10a} + \frac{1}{5} x^5 \cosh^{-1}(ax)^{5/2} + \frac{3}{20} \int x^4 \sqrt{\cosh^{-1}(ax)} dx \\
&= \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^3} - \frac{x^4 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{10a} \\
&= \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^3} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5} \\
&= \frac{2x \sqrt{\cosh^{-1}(ax)}}{5a^4} + \frac{x^3 \sqrt{\cosh^{-1}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\cosh^{-1}(ax)} - \frac{4\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{15a^5}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 162, normalized size = 0.41

$$27\sqrt{5} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -5 \cosh^{-1}(ax)\right) + 625\sqrt{3} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -3 \cosh^{-1}(ax)\right) + 33750 \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -\cosh^{-1}(ax)\right) + 33750 \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, \cosh^{-1}(ax)\right) + 625\sqrt{3} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, 3 \cosh^{-1}(ax)\right) + 27\sqrt{5} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, 5 \cosh^{-1}(ax)\right) / (540000 a^5 \sqrt{-\cosh^{-1}(ax)})$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4\*ArcCosh[a\*x]^(5/2), x]

[Out] (27\*Sqrt[5]\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -5\*ArcCosh[a\*x]] + 625\*Sqrt[3]\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -3\*ArcCosh[a\*x]] + 33750\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -ArcCosh[a\*x]] + 33750\*Sqrt[-ArcCosh[a\*x]]\*Gamma[7/2, ArcCosh[a\*x]] + 625\*Sqrt[3]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[7/2, 3\*ArcCosh[a\*x]] + 27\*Sqrt[5]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[7/2, 5\*ArcCosh[a\*x]])/(540000\*a^5\*Sqrt[-ArcCosh[a\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vector & l) Error: Bad Argument Value

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^(5/2),x)

[Out] int(x^4\*arccosh(a\*x)^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^4\*arccosh(a\*x)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^(5/2),x)

[Out] int(x^4\*acosh(a\*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*(5/2),x)

[Out] Timed out

### 3.85 $\int x^3 \cosh^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=257

$$\frac{15\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{512a^4} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{512a^4}$$

```
[Out] -3/32*arccosh(a*x)^(5/2)/a^4+1/4*x^4*arccosh(a*x)^(5/2)-15/1024*erf(2^(1/2)
*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4-15/1024*erfi(2^(1/2)*arccosh(a*x)
^(1/2))*2^(1/2)*Pi^(1/2)/a^4-15/16384*erf(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^
4-15/16384*erfi(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4-15/64*x*arccosh(a*x)^(3/
2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-5/32*x^3*arccosh(a*x)^(3/2)*(a*x-1)^(1/2
)*(a*x+1)^(1/2)/a-225/2048*arccosh(a*x)^(1/2)/a^4+45/256*x^2*arccosh(a*x)^(
1/2)/a^2+15/256*x^4*arccosh(a*x)^(1/2)
```

**Rubi [A]** time = 1.38, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 9, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5664, 5759, 5676, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{15\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{512a^4} - \frac{15\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{512a^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*ArcCosh[a*x]^(5/2), x]
```

```
[Out] (-225*Sqrt[ArcCosh[a*x]])/(2048*a^4) + (45*x^2*Sqrt[ArcCosh[a*x]])/(256*a^2)
+ (15*x^4*Sqrt[ArcCosh[a*x]])/256 - (15*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Ar
cCosh[a*x]^(3/2))/(64*a^3) - (5*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*
x]^(3/2))/(32*a) - (3*ArcCosh[a*x]^(5/2))/(32*a^4) + (x^4*ArcCosh[a*x]^(5/2
))/4 - (15*Sqrt[Pi]*Erf[2*Sqrt[ArcCosh[a*x]]])/(16384*a^4) - (15*Sqrt[Pi/2]
*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(512*a^4) - (15*Sqrt[Pi]*Erfi[2*Sqrt[ArcC
osh[a*x]]])/(16384*a^4) - (15*Sqrt[Pi/2]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(
512*a^4)
```

#### Rule 2180

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

#### Rule 2204

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqr
t[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

#### Rule 2205

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqr
t[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

#### Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
```

f, m}, x] && IntegerQ[2\*k]

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)\*(b\_.)]^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 5676

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)\*(b\_.)]^(n\_.)/(Sqrt[(d1\_) + (e1\_.)\*(x\_)])\*Sqrt[(d2\_) + (e2\_.)\*(x\_)], x\_Symbol] := Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

### Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)\*(b\_.)]^(n\_.)\*((f\_.)\*(x\_)^(m\_)))/(Sqrt[(d1\_) + (e1\_.)\*(x\_)])\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)\*(b\_.)]^(n\_.)\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_)^(p\_.))\*((d2\_) + (e2\_.)\*(x\_)^(p\_.), x\_Symbol] := Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

### Rubi steps



$$\begin{aligned}
\int x^3 \cosh^{-1}(ax)^{5/2} dx &= \frac{1}{4}x^4 \cosh^{-1}(ax)^{5/2} - \frac{1}{8}(5a) \int \frac{x^4 \cosh^{-1}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{32a} + \frac{1}{4}x^4 \cosh^{-1}(ax)^{5/2} + \frac{15}{64} \int x^3 \sqrt{\cosh^{-1}(ax)} \\
&= \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= -\frac{45\sqrt{\cosh^{-1}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= -\frac{225\sqrt{\cosh^{-1}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= -\frac{225\sqrt{\cosh^{-1}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= -\frac{225\sqrt{\cosh^{-1}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a} \\
&= -\frac{225\sqrt{\cosh^{-1}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\cosh^{-1}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\cosh^{-1}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}}{32a}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 101, normalized size = 0.39

$$\frac{\sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -4 \cosh^{-1}(ax)\right) + 16\sqrt{2} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -2 \cosh^{-1}(ax)\right) + \sqrt{-\cosh^{-1}(ax)} \left(16\sqrt{2} \Gamma\left(\frac{7}{2}, 2 \cosh^{-1}(ax)\right) + \Gamma\left(\frac{7}{2}, 4 \cosh^{-1}(ax)\right)\right)}{2048a^4 \sqrt{-\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3\*ArcCosh[a\*x]^(5/2),x]

[Out] (Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -4\*ArcCosh[a\*x]] + 16\*Sqrt[2]\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -2\*ArcCosh[a\*x]] + Sqrt[-ArcCosh[a\*x]]\*(16\*Sqrt[2]\*Gamma[7/2, 2\*ArcCosh[a\*x]] + Gamma[7/2, 4\*ArcCosh[a\*x]]))/(2048\*a^4\*Sqrt[-ArcCosh[a\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>3</sup>\*arccosh(a\*x)<sup>(5/2)</sup>,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>3</sup>\*arccosh(a\*x)<sup>(5/2)</sup>,x)

[Out] int(x<sup>3</sup>\*arccosh(a\*x)<sup>(5/2)</sup>,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>3</sup>\*arccosh(a\*x)<sup>(5/2)</sup>,x, algorithm="maxima")

[Out] integrate(x<sup>3</sup>\*arccosh(a\*x)<sup>(5/2)</sup>, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \operatorname{acosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>3</sup>\*acosh(a\*x)<sup>(5/2)</sup>,x)

[Out] int(x<sup>3</sup>\*acosh(a\*x)<sup>(5/2)</sup>, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acosh}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*3\*acosh(a\*x)\*\*(5/2), x)

### 3.86 $\int x^2 \cosh^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=220

$$\frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{576a^3} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{576a^3}$$

[Out]  $\frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} - \frac{5}{1728} \operatorname{erf}\left(3^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 3^{1/2} \pi^{1/2} / a^3 - \frac{5}{1728} \operatorname{erfi}\left(3^{1/2} \operatorname{arccosh}(ax)^{1/2}\right) 3^{1/2} \pi^{1/2} / a^3 - \frac{15}{64} \operatorname{erf}\left(\operatorname{arccosh}(ax)^{1/2}\right) \pi^{1/2} / a^3 - \frac{15}{64} \operatorname{erfi}\left(\operatorname{arccosh}(ax)^{1/2}\right) \pi^{1/2} / a^3 - \frac{5}{9} \operatorname{arccosh}(ax)^{3/2} (ax-1)^{1/2} (ax+1)^{1/2} / a^3 - \frac{5}{18} x^2 \operatorname{arccosh}(ax)^{3/2} (ax-1)^{1/2} (ax+1)^{1/2} / a + \frac{5}{6} x \operatorname{arccosh}(ax)^{1/2} / a^2 + \frac{5}{36} x^3 \operatorname{arccosh}(ax)^{1/2}$

**Rubi [A]** time = 1.05, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$ , Rules used = {5664, 5759, 5718, 5654, 5781, 3307, 2180, 2204, 2205, 3312}

$$\frac{15\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{576a^3} - \frac{15\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{Erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{576a^3}$$

Antiderivative was successfully verified.

[In]  $\int x^2 \operatorname{ArcCosh}[a*x]^{5/2}, x$

[Out]  $\frac{5*x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]}{(6*a^2)} + \frac{5*x^3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]}{36} - \frac{5*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^{3/2}}{(9*a^3)} - \frac{5*x^2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^{3/2}}{(18*a)} + \frac{x^3*\operatorname{ArcCosh}[a*x]^{5/2}}{3} - \frac{(15*\operatorname{Sqrt}[\pi]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]}{(64*a^3)} - \frac{(5*\operatorname{Sqrt}[\pi/3]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]}{(576*a^3)} - \frac{(15*\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]}{(64*a^3)} - \frac{(5*\operatorname{Sqrt}[\pi/3]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]}{(576*a^3)}$

**Rule 2180**

$\operatorname{Int}[(F_)^\wedge((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^\wedge(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\amp; \operatorname{!}\$UseGamma == True$

**Rule 2204**

$\operatorname{Int}[(F_)^\wedge((a_.) + (b_.)*((c_.) + (d_.)*(x_))^\wedge 2), x\_Symbol] :> \operatorname{Simp}[(F^\wedge a * \operatorname{Sqrt}[\pi] * \operatorname{Erfi}[(c + d*x) * \operatorname{Rt}[b * \operatorname{Log}[F], 2]]) / (2*d * \operatorname{Rt}[b * \operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\amp; \operatorname{PosQ}[b]$

**Rule 2205**

$\operatorname{Int}[(F_)^\wedge((a_.) + (b_.)*((c_.) + (d_.)*(x_))^\wedge 2), x\_Symbol] :> \operatorname{Simp}[(F^\wedge a * \operatorname{Sqrt}[\pi] * \operatorname{Erf}[(c + d*x) * \operatorname{Rt}[-(b * \operatorname{Log}[F]), 2]]) / (2*d * \operatorname{Rt}[-(b * \operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\amp; \operatorname{NegQ}[b]$

**Rule 3307**

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^\wedge(m_.) * \sin[(e_.) + \pi*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^\wedge m / (E^{(I*k*\pi)} * E^{(I*(e + f*x)})], x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^\wedge m * E^{(I*k*\pi)} * E^{(I*(e + f*x))}, x], x] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\amp; \operatorname{IntegerQ}[2*k]$

Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5718

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)\*((d1\_) + (e1\_.)\*(x\_))^(p\_)\*((d2\_) + (e2\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[((d1 + e1\*x)^(p + 1)\*(d2 + e2\*x)^(p + 1)\*(a + b\*ArcCosh[c\*x])^n)/(2\*e1\*e2\*(p + 1)), x] - Dist[(b\*n\*(-(d1\*d2))^(IntPart[p]\*(d1 + e1\*x)^FracPart[p]\*(d2 + e2\*x)^FracPart[p])/(2\*c\*(p + 1)\*(1 + c\*x)^FracPart[p]\*(-1 + c\*x)^FracPart[p]), Int[(-1 + c^2\*x^2)^(p + 1/2)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]

Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*((f\_.)\*(x\_))^(m\_))/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_)\*((d1\_) + (e1\_.)\*(x\_))^(p\_)\*((d2\_) + (e2\_.)\*(x\_))^(p\_), x\_Symbol] := Dist[(-(d1\*d2))^(p/c)^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \cosh^{-1}(ax)^{5/2} dx &= \frac{1}{3}x^3 \cosh^{-1}(ax)^{5/2} - \frac{1}{6}(5a) \int \frac{x^3 \cosh^{-1}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \cosh^{-1}(ax)^{5/2} + \frac{5}{12} \int x^2 \sqrt{\cosh^{-1}(ax)} \\
&= \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a} \\
&= \frac{5x\sqrt{\cosh^{-1}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}}{18a}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 100, normalized size = 0.45

$$\frac{\sqrt{3} \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -3 \cosh^{-1}(ax)\right) + 81 \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -\cosh^{-1}(ax)\right) + \sqrt{-\cosh^{-1}(ax)} \left(81 \Gamma\left(\frac{7}{2}, \cosh^{-1}(ax)\right) + \sqrt{3} \Gamma\left(\frac{7}{2}, 3 \cosh^{-1}(ax)\right)\right)}{648a^3 \sqrt{-\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*ArcCosh[a\*x]^(5/2), x]

[Out] (Sqrt[3]\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -3\*ArcCosh[a\*x]] + 81\*Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -ArcCosh[a\*x]] + Sqrt[-ArcCosh[a\*x]]\*(81\*Gamma[7/2, ArcCosh[a\*x]] + Sqrt[3]\*Gamma[7/2, 3\*ArcCosh[a\*x]]))/(648\*a^3\*Sqrt[-ArcCosh[a\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
eur & l) Error: Bad Argument Value

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arccosh(a\*x)^(5/2),x)

[Out] int(x^2\*arccosh(a\*x)^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^2\*arccosh(a\*x)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \operatorname{acosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*acosh(a\*x)^(5/2),x)

[Out] int(x^2\*acosh(a\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{acosh}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*2\*acosh(a\*x)\*\*(5/2), x)

### 3.87 $\int x \cosh^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=157

$$\frac{15\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{256a^2} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{256a^2} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} - \frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)$$

[Out]  $-1/4*\operatorname{arccosh}(a*x)^{(5/2)}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{(5/2)}-15/512*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-15/512*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-5/8*x*\operatorname{arccosh}(a*x)^{(3/2)}*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-15/64*\operatorname{arccosh}(a*x)^{(1/2)}/a^2+15/32*x^2*\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.71, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$ , Rules used = {5664, 5759, 5676, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{15\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{256a^2} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{256a^2} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} - \frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax)$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x*\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out]  $(-15*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(64*a^2) + (15*x^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/32 - (5*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^{(3/2)})/(8*a) - \operatorname{ArcCosh}[a*x]^{(5/2)}/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^{(5/2)})/2 - (15*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(256*a^2) - (15*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(256*a^2)$

#### Rule 2180

$\operatorname{Int}[(F\_)^{((g\_)*(e\_)+(f\_)*(x\_))}/\operatorname{Sqrt}[(c\_)+(d\_)*(x\_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e-(c*f)/d)+(f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c+d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\& !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)*((c\_)+(d\_)*(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c+d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)*((c\_)+(d\_)*(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c+d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c\_)+(d\_)*(x\_)]^{(m\_)}*\sin[(e\_)+\operatorname{Pi}*(k\_)+(f\_)*(x\_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c+d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e+f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c+d*x)^m*E^{(I*k*Pi)}*E^{(I*(e+f*x))}), x], x] /; \operatorname{FreeQ}\{c, d, e, f, m, x\} \&\& \operatorname{IntegerQ}[2*k]$

#### Rule 3312

$\operatorname{Int}[(c\_)+(d\_)*(x\_)]^{(m\_)}*\sin[(e\_)+(f\_)*(x\_)]^{(n\_)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c+d*x)^m, \operatorname{Sin}[e+f*x]^n, x], x] /; \operatorname{FreeQ}\{c, d, e, f, n, x\}$

, m}, x] && IGtQ[n, 1] && ( !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^m\_., x\_Symbol] :> Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 5676

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5759

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_)\*((f\_.)\*(x\_)^m\_)/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^m\_\*((d1\_) + (e1\_.)\*(x\_)^p\_)\*((d2\_) + (e2\_.)\*(x\_)^p\_), x\_Symbol] :> Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

#### Rubi steps



$$\begin{aligned}
\int x \cosh^{-1}(ax)^{5/2} dx &= \frac{1}{2}x^2 \cosh^{-1}(ax)^{5/2} - \frac{1}{4}(5a) \int \frac{x^2 \cosh^{-1}(ax)^{3/2}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} + \frac{1}{2}x^2 \cosh^{-1}(ax)^{5/2} + \frac{15}{16} \int x \sqrt{\cosh^{-1}(ax)} dx \\
&= \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) \\
&= \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) \\
&= \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cosh^{-1}(ax) \\
&= -\frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} \\
&= -\frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} \\
&= -\frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2} \\
&= -\frac{15\sqrt{\cosh^{-1}(ax)}}{64a^2} + \frac{15}{32}x^2 \sqrt{\cosh^{-1}(ax)} - \frac{5x\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{8a} - \frac{\cosh^{-1}(ax)^{5/2}}{4a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 92, normalized size = 0.59

$$\frac{-15\sqrt{2\pi} \left( \operatorname{erf} \left( \sqrt{2} \sqrt{\cosh^{-1}(ax)} \right) + \operatorname{erfi} \left( \sqrt{2} \sqrt{\cosh^{-1}(ax)} \right) \right) + 8 \left( 16 \cosh^{-1}(ax)^2 + 15 \right) \cosh \left( 2 \cosh^{-1}(ax) \right)}{512a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*ArcCosh[a\*x]^(5/2), x]

[Out] (8\*Sqrt[ArcCosh[a\*x]]\*(15 + 16\*ArcCosh[a\*x]^2)\*Cosh[2\*ArcCosh[a\*x]] - 15\*Sqrt[2\*Pi]\*(Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] + Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]) - 160\*ArcCosh[a\*x]^(3/2)\*Sinh[2\*ArcCosh[a\*x]])/(512\*a^2)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
eur & l) Error: Bad Argument Value

**maple** [A] time = 0.27, size = 139, normalized size = 0.89

$$\sqrt{2} \left( 128 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} x^2 a^2 - 160 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} xa - 64 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^(5/2),x)

[Out]  $\frac{1}{512} 2^{1/2} (128 \operatorname{arccosh}(a x)^{5/2} 2^{1/2} \pi^{1/2} x^2 a^2 - 160 \operatorname{arccosh}(a x)^{3/2} 2^{1/2} \pi^{1/2} (a x + 1)^{1/2} (a x - 1)^{1/2} x a - 64 \operatorname{arccosh}(a x)^{5/2} 2^{1/2} \pi^{1/2} + 120 2^{1/2} \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} x^2 a^2 - 60 2^{1/2} \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} - 15 \pi \operatorname{erf}(2^{1/2} \operatorname{arccosh}(a x)^{1/2}) - 15 \pi \operatorname{erfi}(2^{1/2} \operatorname{arccosh}(a x)^{1/2})) / \pi^{1/2} / a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{arccosh}(a x)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x\*arccosh(a\*x)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acosh}(a x)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^(5/2),x)

[Out] int(x\*acosh(a\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{acosh}^{\frac{5}{2}}(a x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*acosh(a\*x)\*\*(5/2), x)

### 3.88 $\int \cosh^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=99

$$\frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a} + x \cosh^{-1}(ax)^{5/2} - \frac{5\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^{3/2}}{2a} + \dots$$

[Out]  $x \operatorname{arccosh}(ax)^{5/2} - 15/16 \operatorname{erf}(\operatorname{arccosh}(ax)^{1/2}) \operatorname{Pi}^{1/2}/a - 15/16 \operatorname{erfi}(\operatorname{arccosh}(ax)^{1/2}) \operatorname{Pi}^{1/2}/a - 5/2 \operatorname{arccosh}(ax)^{3/2} (ax-1)^{1/2} (ax+1)^{1/2}/a + 15/4 x \operatorname{arccosh}(ax)^{1/2}$

**Rubi [A]** time = 0.40, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {5654, 5718, 5781, 3307, 2180, 2204, 2205}

$$\frac{15\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a} - \frac{15\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a} + x \cosh^{-1}(ax)^{5/2} - \frac{5\sqrt{ax-1}\sqrt{ax+1} \cosh^{-1}(ax)^{3/2}}{2a} + \dots$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{5/2}, x]$

[Out]  $(15*x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/4 - (5*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x]^{3/2})/(2*a) + x*\operatorname{ArcCosh}[a*x]^{5/2} - (15*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a) - (15*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*(e_.) + (f_.)*(x_))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == \operatorname{True}$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_)^{(m_.)*\sin[(e_.) + \operatorname{Pi}*(k_.) + (f_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2*k]$

#### Rule 5654

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c^n, \operatorname{Int}[(x*(a + b*\operatorname{ArcCosh}[c*x])^{(n-1)})/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /;$   $\operatorname{FreeQ}\{a, b, c\}, x\} \&\& \operatorname{GtQ}[n, 0]$

#### Rule 5718

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[((d1 + e1*x)^(p + 1)*(d2
+ e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*
(-(d1*d2))^(IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p]))/(2*c
*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^(
p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d
2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ
[p, -1] && IntegerQ[p + 1/2]
```

### Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x
_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Dist[-(d1*d2)^(p/c^(m
+ 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x
]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && Eq
Q[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1
, 0] && LtQ[d2, 0])
```

### Rubi steps

$$\begin{aligned}
\int \cosh^{-1}(ax)^{5/2} dx &= x \cosh^{-1}(ax)^{5/2} - \frac{1}{2}(5a) \int \frac{x \cosh^{-1}(ax)^{3/2}}{\sqrt{-1+ax} \sqrt{1+ax}} dx \\
&= -\frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} + \frac{15}{4} \int \sqrt{\cosh^{-1}(ax)} dx \\
&= \frac{15}{4} x \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} - \frac{1}{8}(15a) \int \frac{1}{\sqrt{-1+ax}} dx \\
&= \frac{15}{4} x \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \frac{1}{\sqrt{-1+ax}} dx, ax, \frac{e^{-x}}{\sqrt{-1+ax}}\right)}{8} \\
&= \frac{15}{4} x \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{-1+ax}} dx, ax, \frac{e^{-x}}{\sqrt{-1+ax}}\right)}{8} \\
&= \frac{15}{4} x \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int e^{-x} dx, ax, \frac{e^{-x}}{\sqrt{-1+ax}}\right)}{8} \\
&= \frac{15}{4} x \sqrt{\cosh^{-1}(ax)} - \frac{5\sqrt{-1+ax} \sqrt{1+ax} \cosh^{-1}(ax)^{3/2}}{2a} + x \cosh^{-1}(ax)^{5/2} - \frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a}
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 45, normalized size = 0.45

$$\frac{\frac{\sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{7}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{-\cosh^{-1}(ax)}} + \Gamma\left(\frac{7}{2}, \cosh^{-1}(ax)\right)}{2a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(5/2), x]

[Out] ((Sqrt[ArcCosh[a\*x]]\*Gamma[7/2, -ArcCosh[a\*x]])/Sqrt[-ArcCosh[a\*x]] + Gamma[7/2, ArcCosh[a\*x]])/(2\*a)

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.21, size = 81, normalized size = 0.82

$$\frac{-16\operatorname{arccosh}(ax)^{\frac{5}{2}}\sqrt{\pi}xa + 40\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1} - 60\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}xa + 15\pi\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16\sqrt{\pi}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(5/2),x)

[Out]  $-1/16*(-16*\operatorname{arccosh}(a*x)^{(5/2)}*\operatorname{Pi}^{(1/2)}*x*a+40*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}-60*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*x*a+15*\operatorname{Pi}*\operatorname{erf}(\operatorname{arcosh}(a*x)^{(1/2)}))+15*\operatorname{Pi}*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{arcosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acosh}(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(5/2),x)

[Out] int(acosh(a\*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{acosh}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(5/2),x)

[Out] Integral(acosh(a\*x)\*\*(5/2), x)

$$3.89 \quad \int \frac{\cosh^{-1}(ax)^{5/2}}{x} dx$$

**Optimal.** Leaf size=15

$$\text{Int}\left(\frac{\cosh^{-1}(ax)^{5/2}}{x}, x\right)$$

[Out] Unintegrable(arccosh(a\*x)^(5/2)/x, x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cosh^{-1}(ax)^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCosh[a\*x]^(5/2)/x, x]

[Out] Defer[Int][ArcCosh[a\*x]^(5/2)/x, x]

Rubi steps

$$\int \frac{\cosh^{-1}(ax)^{5/2}}{x} dx = \int \frac{\cosh^{-1}(ax)^{5/2}}{x} dx$$

**Mathematica [A]** time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{\cosh^{-1}(ax)^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCosh[a\*x]^(5/2)/x, x]

[Out] Integrate[ArcCosh[a\*x]^(5/2)/x, x]

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2)/x, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^{5/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2)/x, x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(5/2)/x, x)

**maple** [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^(5/2)/x,x)

[Out] int(arccosh(a\*x)^(5/2)/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^(5/2)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(5/2)/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\operatorname{acosh}(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^(5/2)/x,x)

[Out] int(acosh(a\*x)^(5/2)/x, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^{\frac{5}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*(5/2)/x,x)

[Out] Integral(acosh(a\*x)\*\*(5/2)/x, x)

$$3.90 \quad \int \frac{x^4}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=163

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5} \sqrt{\cosh^{-1}(ax)}\right)}{32a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} +$$

[Out]  $-1/160*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\pi^{(1/2)}/a^5+1/160*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\pi^{(1/2)}/a^5-1/16*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\pi^{(1/2)}/a^5+1/16*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\pi^{(1/2)}/a^5-1/32*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\pi^{(1/2)}/a^5+1/32*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\pi^{(1/2)}/a^5$

**Rubi [A]** time = 0.20, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5670, 5448, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{Erf}\left(\sqrt{5} \sqrt{\cosh^{-1}(ax)}\right)}{32a^5} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} +$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^4/\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]], x]$

[Out]  $-(\operatorname{Sqrt}[\pi]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^5) - (\operatorname{Sqrt}[3*\pi]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(32*a^5) - (\operatorname{Sqrt}[\pi/5]*\operatorname{Erf}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(32*a^5) + (\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^5) + (\operatorname{Sqrt}[3*\pi]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(32*a^5) + (\operatorname{Sqrt}[\pi/5]*\operatorname{Erfi}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(32*a^5)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*(e_.) + (f_.)*(x_))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\amp; !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\amp; \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_)^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x\}$

#### Rule 5448

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_)]^{(p_.)*((c_.) + (d_.)*(x_))^{(m_.)}*\operatorname{Sinh}[(a_.) + (b_.)*(x_)]^{(n_.)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sinh}[a +$



$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

### Rule 5670

$\text{Int}[(a + \text{ArcCosh}[c*x])*(b*x)^n*(x)^m, x\_Symbol] \rightarrow \text{Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{x^4}{\sqrt{\cosh^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cosh^4(x)\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{8\sqrt{x}} + \frac{3\sinh(3x)}{16\sqrt{x}} + \frac{\sinh(5x)}{16\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(5x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^5} + \frac{3\text{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^5} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{32a^5} + \frac{\text{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{32a^5} - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^5} \\ &= -\frac{\text{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\text{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{16a^5} - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{16a^5} \\ &= -\frac{\sqrt{\pi} \text{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \text{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{5}} \text{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{32a^5} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 150, normalized size = 0.92

$$\frac{\sqrt{5}\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -5\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \frac{5\sqrt{3}\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -3\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \frac{10\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + 10\Gamma\left(\frac{1}{2}, \cosh^{-1}(ax)\right)$$


---


$$160a^5$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/Sqrt[ArcCosh[a\*x]], x]

[Out] ((Sqrt[5]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -5\*ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + (5\*Sqrt[3]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -3\*ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + (10\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + 10\*Gamma[1/2, ArcCosh[a\*x]] + 5\*Sqrt[3]\*Gamma[1/2, 3\*ArcCosh[a\*x]] + Sqrt[5]\*Gamma[1/2, 5\*ArcCosh[a\*x]])/(160\*a^5)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^4/sqrt(arccosh(a\*x)), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^(1/2),x)

[Out] int(x^4/arccosh(a\*x)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^4/sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^(1/2),x)

[Out] int(x^4/acosh(a\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*4/sqrt(acosh(a\*x)), x)

$$3.91 \quad \int \frac{x^3}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=109

$$\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{8a^4} + \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{8a^4}$$

[Out] -1/16\*erf(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^4+1/16\*erfi(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^4-1/32\*erf(2\*arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^4+1/32\*erfi(2\*arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^4

**Rubi [A]** time = 0.15, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5670, 5448, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{8a^4} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{8a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/Sqrt[ArcCosh[a\*x]], x]

[Out] -(Sqrt[Pi]\*Erf[2\*Sqrt[ArcCosh[a\*x]]])/(32\*a^4) - (Sqrt[Pi/2]\*Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/(8\*a^4) + (Sqrt[Pi]\*Erfi[2\*Sqrt[ArcCosh[a\*x]]])/(32\*a^4) + (Sqrt[Pi/2]\*Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/(8\*a^4)

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3308

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.))\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)^(p\_.)\*((c\_.) + (d\_.)\*(x\_)^(m\_.))\*Sinh[(a\_.) + (b\_.)\*(x\_)^(n\_.)], x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

## Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

## Rubi steps

$$\int \frac{x^3}{\sqrt{\cosh^{-1}(ax)}} dx = \frac{\text{Subst}\left(\int \frac{\cosh^3(x)\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^4}$$

$$= \frac{\text{Subst}\left(\int \left(\frac{\sinh(2x)}{4\sqrt{x}} + \frac{\sinh(4x)}{8\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^4}$$

$$= \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^4}$$

$$= -\frac{\text{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^4} + \frac{\text{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{16a^4} - \frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^4}$$

$$= -\frac{\text{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{8a^4} + \frac{\text{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{8a^4} - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{8a^4}$$

$$= -\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{8a^4} + \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{32a^4} + \dots$$

**Mathematica** [A] time = 0.10, size = 101, normalized size = 0.93

$$\frac{\sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -4 \cosh^{-1}(ax)\right) + 2\sqrt{2} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -2 \cosh^{-1}(ax)\right) + \sqrt{\cosh^{-1}(ax)} \left(2\sqrt{2} \Gamma\left(\frac{1}{2}, 2 \cosh^{-1}(ax)\right) + 2 \Gamma\left(\frac{1}{2}, 4 \cosh^{-1}(ax)\right)\right)}{32a^4 \sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/Sqrt[ArcCosh[a\*x]], x]

[Out] (Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -4\*ArcCosh[a\*x]] + 2\*Sqrt[2]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -2\*ArcCosh[a\*x]] + Sqrt[ArcCosh[a\*x]]\*(2\*Sqrt[2]\*Gamma[1/2, 2\*ArcCosh[a\*x]] + Gamma[1/2, 4\*ArcCosh[a\*x]]))/(32\*a^4\*Sqrt[ArcCosh[a\*x]])

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
 i,const vecteur & l) Error: Bad Argument Value

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^(1/2),x)

[Out] int(x^3/arccosh(a\*x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/sqrt(arccosh(a\*x)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acosh(a\*x)^(1/2),x)

[Out] int(x^3/acosh(a\*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*3/sqrt(acosh(a\*x)), x)

$$3.92 \quad \int \frac{x^2}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=105

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{8a^3}$$

[Out] -1/24\*erf(3^(1/2)\*arccosh(a\*x)^(1/2))\*3^(1/2)\*Pi^(1/2)/a^3+1/24\*erfi(3^(1/2)\*arccosh(a\*x)^(1/2))\*3^(1/2)\*Pi^(1/2)/a^3-1/8\*erf(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^3+1/8\*erfi(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^3

**Rubi [A]** time = 0.14, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5670, 5448, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{Erfi}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{8a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/Sqrt[ArcCosh[a\*x]], x]

[Out] -(Sqrt[Pi]\*Erf[Sqrt[ArcCosh[a\*x]]])/(8\*a^3) - (Sqrt[Pi/3]\*Erf[Sqrt[3]\*Sqrt[ArcCosh[a\*x]]])/(8\*a^3) + (Sqrt[Pi]\*Erfi[Sqrt[ArcCosh[a\*x]]])/(8\*a^3) + (Sqrt[Pi/3]\*Erfi[Sqrt[3]\*Sqrt[ArcCosh[a\*x]]])/(8\*a^3)

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma === True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3308

Int[((c\_.) + (d\_.)\*(x\_)^m)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)^p]\*((c\_.) + (d\_.)\*(x\_)^m)\*Sinh[(a\_.) + (b\_.)\*(x\_)^n], x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

## Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

## Rubi steps

$$\begin{aligned} \int \frac{x^2}{\sqrt{\cosh^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^3} + \frac{\text{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^3} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^3} - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^3} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^3} \\ &= -\frac{\text{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a^3} - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a^3} \\ &= -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^3} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 100, normalized size = 0.95

$$\frac{\sqrt{3} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -3 \cosh^{-1}(ax)\right) + 3 \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right) + \sqrt{\cosh^{-1}(ax)} \left(3 \Gamma\left(\frac{1}{2}, \cosh^{-1}(ax)\right) + \dots\right)}{24a^3 \sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2/Sqrt[ArcCosh[a*x]], x]
```

```
[Out] (Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*ArcCosh[a*x]] + 3*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*(3*Gamma[1/2, ArcCosh[a*x]] + Sqrt[3]*Gamma[1/2, 3*ArcCosh[a*x]]))/(24*a^3*Sqrt[ArcCosh[a*x]])
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arccosh(a*x)^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^2/sqrt(arccosh(a\*x)), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^(1/2),x)

[Out] int(x^2/arccosh(a\*x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/sqrt(arccosh(a\*x)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^(1/2),x)

[Out] int(x^2/acosh(a\*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*2/sqrt(acosh(a\*x)), x)



$$3.93 \quad \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=63

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2}$$

[Out]  $-1/8*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+1/8*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2$

**Rubi [A]** time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {5670, 5448, 12, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2}$$

Antiderivative was successfully verified.

[In] `Int[x/Sqrt[ArcCosh[a*x]], x]`

[Out]  $-(\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a^2) + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a^2)$

**Rule 12**

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

**Rule 2180**

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

**Rule 2204**

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

**Rule 2205**

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

**Rule 3308**

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

**Rule 5448**

`Int[Cosh[(a_.) + (b_.)*(x_)^(p_.)*((c_.) + (d_.)*(x_)^m)*Sinh[(a_.) + (b_.)*(x_)^(n_.)], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +`

$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

### Rule 5670

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*x_)]*(b_.)^n*(x_.)^m, x\_Symbol] :> \text{Dist}[1/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a^2} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^2} + \frac{\text{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^2} \\ &= -\frac{\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a^2} + \frac{\text{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a^2} \\ &= -\frac{\sqrt{\frac{\pi}{2}} \text{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2} + \frac{\sqrt{\frac{\pi}{2}} \text{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{4a^2} \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 49, normalized size = 0.78

$$\frac{\sqrt{\frac{\pi}{2}} \left( \text{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right) - \text{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right) \right)}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[ArcCosh[a\*x]], x]

[Out] (Sqrt[Pi/2]\*(-Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] + Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]))/(4\*a^2)

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\text{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(arccosh(a\*x)), x)

**maple** [A] time = 0.12, size = 37, normalized size = 0.59

$$\frac{\sqrt{\pi} \sqrt{2} \left( \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) - \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^(1/2),x)

[Out] -1/8\*Pi^(1/2)\*2^(1/2)\*(erf(2^(1/2)\*arccosh(a\*x)^(1/2))-erfi(2^(1/2)\*arccosh(a\*x)^(1/2)))/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(arccosh(a\*x)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x)^(1/2),x)

[Out] int(x/acosh(a\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acosh(a\*x)\*\*(1/2),x)

[Out] Integral(x/sqrt(acosh(a\*x)), x)

$$3.94 \quad \int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=43

$$\frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a}$$

[Out]  $-1/2*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+1/2*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a$

**Rubi [A]** time = 0.05, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5658, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a} - \frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[ArcCosh[a\*x]], x]

[Out]  $-(\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2*a) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2*a)$

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3308

Int[((c\_.) + (d\_.)\*(x\_)^m)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.)^n, x\_Symbol] :> -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a} \\
&= -\frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a} \\
&= -\frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a} + \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a} \\
&= -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 45, normalized size = 1.05

$$\frac{\frac{\sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right)}{\sqrt{\cosh^{-1}(ax)}} + \Gamma\left(\frac{1}{2}, \cosh^{-1}(ax)\right)}{2a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[ArcCosh[a\*x]], x]

[Out] ((Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + Gamma[1/2, ArcCosh[a\*x]])/(2\*a)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(1/2), x, algorithm="giac")

[Out] integrate(1/sqrt(arccosh(a\*x)), x)

**maple [A]** time = 0.08, size = 26, normalized size = 0.60

$$-\frac{\sqrt{\pi} \left( \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) - \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right) \right)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^(1/2), x)

[Out]  $-1/2 \cdot \pi^{1/2} \cdot (\operatorname{erf}(\operatorname{arccosh}(a \cdot x)^{1/2}) - \operatorname{erfi}(\operatorname{arccosh}(a \cdot x)^{1/2})) / a$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arccosh(a*x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(arccosh(a*x)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/acosh(a*x)^(1/2),x)`

[Out] `int(1/acosh(a*x)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acosh(a*x)**(1/2),x)`

[Out] `Integral(1/sqrt(acosh(a*x)), x)`

$$3.95 \quad \int \frac{1}{x \sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=15

$$\text{Int} \left( \frac{1}{x \sqrt{\cosh^{-1}(ax)}}, x \right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^(1/2), x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*Sqrt[ArcCosh[a\*x]]), x]

[Out] Defer[Int][1/(x\*Sqrt[ArcCosh[a\*x]]), x]

Rubi steps

$$\int \frac{1}{x \sqrt{\cosh^{-1}(ax)}} dx = \int \frac{1}{x \sqrt{\cosh^{-1}(ax)}} dx$$

**Mathematica [A]** time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*Sqrt[ArcCosh[a\*x]]), x]

[Out] Integrate[1/(x\*Sqrt[ArcCosh[a\*x]]), x]

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\text{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(1/2), x, algorithm="giac")

[Out] integrate(1/(x\*sqrt(arccosh(a\*x))), x)

**maple** [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x)^(1/2), x)

[Out] int(1/x/arccosh(a\*x)^(1/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\operatorname{arcosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(x\*sqrt(arccosh(a\*x))), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)^(1/2)), x)

[Out] int(1/(x\*acosh(a\*x)^(1/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x)\*\*(1/2), x)

[Out] Integral(1/(x\*sqrt(acosh(a\*x))), x)



$$3.96 \quad \int \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=15

$$\text{Int} \left( \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}}, x \right)$$

[Out] Unintegrable(1/x^2/arccosh(a\*x)^(1/2), x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*Sqrt[ArcCosh[a\*x]]), x]

[Out] Defer[Int][1/(x^2\*Sqrt[ArcCosh[a\*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}} dx$$

**Mathematica [A]** time = 0.67, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*Sqrt[ArcCosh[a\*x]]), x]

[Out] Integrate[1/(x^2\*Sqrt[ArcCosh[a\*x]]), x]

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\text{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^(1/2), x, algorithm="giac")

[Out] integrate(1/(x^2\*sqrt(arccosh(a\*x))), x)

**maple** [A] time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccosh(a\*x)^(1/2), x)

[Out] int(1/x^2/arccosh(a\*x)^(1/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccosh(a\*x)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(x^2\*sqrt(arccosh(a\*x))), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x^2 \sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*acosh(a\*x)^(1/2)), x)

[Out] int(1/(x^2\*acosh(a\*x)^(1/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/acosh(a\*x)\*\*(1/2), x)

[Out] Integral(1/(x\*\*2\*sqrt(acosh(a\*x))), x)

$$3.97 \quad \int \frac{x^4}{\cosh^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=193

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^5} + \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\sqrt{5\pi} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^5}$$

[Out]  $1/8*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5+1/8*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5+3/16*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+3/16*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+1/16*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+1/16*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-2*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.18, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^5} + \frac{3\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\sqrt{5\pi} \operatorname{Erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCosh[a\*x]^(3/2), x]

[Out]  $(-2*x^4*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(8*a^5) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(16*a^5) + (\operatorname{Sqrt}[5*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(16*a^5) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(8*a^5) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(16*a^5) + (\operatorname{Sqrt}[5*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(16*a^5)$

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

## Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

## Rubi steps

$$\int \frac{x^4}{\cosh^{-1}(ax)^{3/2}} dx = -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} - \frac{2 \operatorname{Subst}\left(\int \left(-\frac{\cosh(x)}{8\sqrt{x}} - \frac{9\cosh(3x)}{16\sqrt{x}} - \frac{5\cosh(5x)}{16\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5}$$

$$= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^5} + \frac{5 \operatorname{Subst}\left(\int \frac{\cosh(5x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^5}$$

$$= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^5} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{8a^5}$$

$$= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a^5} + \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{4a^5}$$

$$= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{8a^5} + \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5} + \frac{\sqrt{5} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{16a^5}$$

**Mathematica [A]** time = 0.31, size = 201, normalized size = 1.04

$$4\sqrt{\frac{ax-1}{ax+1}}(ax+1) + 6 \sinh(3 \cosh^{-1}(ax)) + 2 \sinh(5 \cosh^{-1}(ax)) - \sqrt{5} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -5 \cosh^{-1}(ax)\right) - 3 \sqrt{3} \sqrt{-\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -3 \cosh^{-1}(ax)\right) - \sqrt{\cosh^{-1}(ax)} \Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCosh[a\*x]^(3/2), x]

```
[Out] -1/16*(4*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) - Sqrt[5]*Sqrt[-ArcCosh[a*x]]
*Gamma[1/2, -5*ArcCosh[a*x]] - 3*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*
ArcCosh[a*x]] - 2*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]] + 2*Sqrt[Arc
Cosh[a*x]]*Gamma[1/2, ArcCosh[a*x]] + 3*Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[1
/2, 3*ArcCosh[a*x]] + Sqrt[5]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 5*ArcCosh[a*x]]
+ 6*Sinh[3*ArcCosh[a*x]] + 2*Sinh[5*ArcCosh[a*x]])/(a^5*Sqrt[ArcCosh[a*x]]
)
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(3/2), x, algorithm="fricas")

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^(3/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^(3/2),x)

[Out] int(x^4/arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^4/arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^(3/2),x)

[Out] int(x^4/acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*4/acosh(a\*x)\*\*(3/2), x)

$$3.98 \quad \int \frac{x^3}{\cosh^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=143

$$\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{2a^4} + \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{2a^4}$$

[Out] 1/4\*erf(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^4+1/4\*erfi(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^4+1/4\*erf(2\*arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^4+1/4\*erfi(2\*arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^4-2\*x^3\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^(1/2)

**Rubi [A]** time = 0.13, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{2a^4} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{2a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCosh[a\*x]^(3/2), x]

[Out] (-2\*x^3\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*Sqrt[ArcCosh[a\*x]]) + (Sqrt[Pi]\*Erf[2\*Sqrt[ArcCosh[a\*x]]])/(4\*a^4) + (Sqrt[Pi/2]\*Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/(2\*a^4) + (Sqrt[Pi]\*Erfi[2\*Sqrt[ArcCosh[a\*x]]])/(4\*a^4) + (Sqrt[Pi/2]\*Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/(2\*a^4)

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

#### Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cosh^{-1}(ax)^{3/2}} dx &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} - \frac{2\text{Subst}\left(\int\left(-\frac{\cosh(2x)}{2\sqrt{x}} - \frac{\cosh(4x)}{2\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\text{Subst}\left(\int\frac{\cosh(2x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^4} + \frac{\text{Subst}\left(\int\frac{\cosh(4x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\text{Subst}\left(\int\frac{e^{-4x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a^4} + \frac{\text{Subst}\left(\int\frac{e^{-2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a^4} \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\text{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a^4} + \frac{\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a^4} \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{2a^4} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 124, normalized size = 0.87

$$\frac{2\sinh\left(2\cosh^{-1}(ax)\right) + \sinh\left(4\cosh^{-1}(ax)\right) - \sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -4\cosh^{-1}(ax)\right) - \sqrt{2}\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -2\cosh^{-1}(ax)\right)}{4a^4\sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^3/ArcCosh[a*x]^(3/2), x]
```

```
[Out] -1/4*(-(Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -4*ArcCosh[a*x]]) - Sqrt[2]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -2*ArcCosh[a*x]] + Sqrt[2]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 2*ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*Gamma[1/2, 4*ArcCosh[a*x]] + 2*Sinh[2*ArcCosh[a*x]] + Sinh[4*ArcCosh[a*x]])/(a^4*Sqrt[ArcCosh[a*x]])
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arccosh(a*x)^(3/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Value

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^(3/2),x)

[Out] int(x^3/arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^3/arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{acosh}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acosh(a\*x)^(3/2),x)

[Out] int(x^3/acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*3/acosh(a\*x)\*\*(3/2), x)



$$3.99 \quad \int \frac{x^2}{\cosh^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=135

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{4a^3}$$

[Out] 1/4\*erf(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^3+1/4\*erfi(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a^3+1/4\*erf(3^(1/2)\*arccosh(a\*x)^(1/2))\*3^(1/2)\*Pi^(1/2)/a^3+1/4\*erfi(3^(1/2)\*arccosh(a\*x)^(1/2))\*3^(1/2)\*Pi^(1/2)/a^3-2\*x^2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi} \operatorname{Erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{4a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x]^(3/2), x]

[Out] (-2\*x^2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*Sqrt[ArcCosh[a\*x]]) + (Sqrt[Pi]\*Erf[Sqrt[ArcCosh[a\*x]]])/(4\*a^3) + (Sqrt[3\*Pi]\*Erf[Sqrt[3]\*Sqrt[ArcCosh[a\*x]]])/(4\*a^3) + (Sqrt[Pi]\*Erfi[Sqrt[ArcCosh[a\*x]]])/(4\*a^3) + (Sqrt[3\*Pi]\*Erfi[Sqrt[3]\*Sqrt[ArcCosh[a\*x]]])/(4\*a^3)

**Rule 2180**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

**Rule 2204**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

**Rule 2205**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

**Rule 3307**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

**Rule 5666**

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{\cosh^{-1}(ax)^{3/2}} dx &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} - \frac{2 \operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4\sqrt{x}} - \frac{3\cosh(3x)}{4\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a^3} + \frac{3 \operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{2a^3} \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^3} + \frac{\operatorname{Subst}\left(\int\frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{4a^3} \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a^3} + \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{2a^3} \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{4a^3} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 139, normalized size = 1.03

$$\frac{2\sqrt{\frac{ax-1}{ax+1}}(ax+1) + 2\sinh(3\cosh^{-1}(ax)) - \sqrt{3}\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -3\cosh^{-1}(ax)\right) - \sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right)}{4a^3\sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2/ArcCosh[a*x]^(3/2), x]
```

```
[Out] -1/4*(2*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) - Sqrt[3]*Sqrt[-ArcCosh[a*x]]*
Gamma[1/2, -3*ArcCosh[a*x]] - Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]]
+ Sqrt[ArcCosh[a*x]]*Gamma[1/2, ArcCosh[a*x]] + Sqrt[3]*Sqrt[ArcCosh[a*x]]
*Gamma[1/2, 3*ArcCosh[a*x]] + 2*Sinh[3*ArcCosh[a*x]])/(a^3*Sqrt[ArcCosh[a*x]
])
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arccosh(a*x)^(3/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^(3/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^(3/2),x)

[Out] int(x^2/arccosh(a\*x)^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acosh}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^(3/2),x)

[Out] int(x^2/acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*2/acosh(a\*x)\*\*(3/2), x)

$$3.100 \quad \int \frac{x}{\cosh^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=89

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{a^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\cosh^{-1}(ax)}}$$

[Out] 1/2\*erf(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^2+1/2\*erfi(2^(1/2)\*arccosh(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^2-2\*x\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^(1/2)

**Rubi [A]** time = 0.07, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} \operatorname{Erf}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{Erfi}\left(\sqrt{2} \sqrt{\cosh^{-1}(ax)}\right)}{a^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\cosh^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x]^(3/2), x]

[Out] (-2\*x\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*Sqrt[ArcCosh[a\*x]]) + (Sqrt[Pi/2]\*Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/a^2 + (Sqrt[Pi/2]\*Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]])/a^2

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_)^m)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

#### Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.)^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)

$\int (n + 1) \operatorname{Cosh}[x]^{m-1} (m - (m + 1) \operatorname{Cosh}[x]^2), x], x], x, \operatorname{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GeQ}[n, -2] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)^{3/2}} dx &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^2} + \frac{\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^2} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a^2} + \frac{2 \operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a^2} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{a^2} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 63, normalized size = 0.71

$$\frac{\sqrt{\frac{\pi}{2}} \left( \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right) \right) - \frac{\sinh(2\cosh^{-1}(ax))}{\sqrt{\cosh^{-1}(ax)}}}{a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/ArcCosh[a\*x]^(3/2), x]

[Out] (Sqrt[Pi/2]\*(Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] + Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]) - Sinh[2\*ArcCosh[a\*x]]/Sqrt[ArcCosh[a\*x]])/a^2

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(3/2), x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x)^(3/2), x)

**maple** [A] time = 0.27, size = 83, normalized size = 0.93

$$\frac{\sqrt{2} \left( -2\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} xa + \operatorname{arccosh}(ax) \pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{arccosh}(ax) \pi \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{2\sqrt{\pi} a^2 \operatorname{arccosh}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^(3/2), x)

[Out]  $\frac{1}{2} 2^{1/2} (-2 2^{1/2} \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} (a x+1)^{1/2} (a x-1)^{1/2} x a + \operatorname{arccosh}(a x) \pi \operatorname{erf}(2^{1/2} \operatorname{arccosh}(a x)^{1/2}) + \operatorname{arccosh}(a x) \pi \operatorname{erfi}(2^{1/2} \operatorname{arccosh}(a x)^{1/2})) / \pi^{1/2} / a^2 / \operatorname{arccosh}(a x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(3/2), x, algorithm="maxima")

[Out] integrate(x/arccosh(a\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acosh}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x)^(3/2), x)

[Out] int(x/acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acosh(a\*x)\*\*(3/2), x)

[Out] Integral(x/acosh(a\*x)\*\*(3/2), x)

$$3.101 \quad \int \frac{1}{\cosh^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=68

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\cosh^{-1}(ax)}}$$

[Out] erf(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a+erfi(arccosh(a\*x)^(1/2))\*Pi^(1/2)/a-2\*(a\*x-1)^(1/2)\*(a\*x+1)^(1/2)/a/arccosh(a\*x)^(1/2)

**Rubi [A]** time = 0.22, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5656, 5781, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\cosh^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^(-3/2), x]

[Out] (-2\*Sqrt[-1 + a\*x]\*Sqrt[1 + a\*x])/(a\*Sqrt[ArcCosh[a\*x]]) + (Sqrt[Pi]\*Erf[Sqrt[ArcCosh[a\*x]]])/a + (Sqrt[Pi]\*Erfi[Sqrt[ArcCosh[a\*x]]])/a

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

#### Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

## Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)^(m\_.)\*((d1\_.) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_.))^(p\_.), x\_Symbol] := Dist[(-d1\*d2)^p/c^(m+1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

## Rubi steps

$$\begin{aligned} \int \frac{1}{\cosh^{-1}(ax)^{3/2}} dx &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + (2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\cosh^{-1}(ax)}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a} + \frac{2 \operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\cosh^{-1}(ax)}} + \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{a} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 76, normalized size = 1.12

$$\frac{-2\sqrt{\frac{ax-1}{ax+1}}(ax+1) + \sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -\cosh^{-1}(ax)\right) - \sqrt{\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, \cosh^{-1}(ax)\right)}{a\sqrt{\cosh^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(-3/2), x]

[Out] (-2\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x) + Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -ArcCosh[a\*x]] - Sqrt[ArcCosh[a\*x]]\*Gamma[1/2, ArcCosh[a\*x]])/(a\*Sqrt[ArcCosh[a\*x]])

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(3/2), x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(-3/2), x)

**maple** [A] time = 0.21, size = 66, normalized size = 0.97

$$\frac{-2\sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} + \operatorname{arccosh}(ax) \pi \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{arccosh}(ax) \pi \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{\sqrt{\pi} a \operatorname{arccosh}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^(3/2), x)

[Out] (-2\*arccosh(a\*x)^(1/2)\*Pi^(1/2)\*(a\*x+1)^(1/2)\*(a\*x-1)^(1/2)+arccosh(a\*x)\*Pi\*erf(arccosh(a\*x)^(1/2))+arccosh(a\*x)\*Pi\*erfi(arccosh(a\*x)^(1/2)))/Pi^(1/2)/a/arccosh(a\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(3/2), x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(-3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{acosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acosh(a\*x)^(3/2), x)

[Out] int(1/acosh(a\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acosh(a\*x)\*\*(3/2), x)

[Out] Integral(acosh(a\*x)\*\*(-3/2), x)

$$3.102 \quad \int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^(3/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^(3/2)), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^(3/2)), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx = \int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx$$

Mathematica [A] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^(3/2)), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^(3/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(3/2), x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^(3/2)), x)

**maple** [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccosh(a\*x)^(3/2), x)

[Out] int(1/x/arccosh(a\*x)^(3/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(3/2), x, algorithm="maxima")

[Out] integrate(1/(x\*arccosh(a\*x)^(3/2)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{acosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*acosh(a\*x)^(3/2)), x)

[Out] int(1/(x\*acosh(a\*x)^(3/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acosh(a\*x)\*\*(3/2), x)

[Out] Integral(1/(x\*acosh(a\*x)\*\*(3/2)), x)

$$3.103 \quad \int \frac{x^4}{\cosh^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=228

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{12a^5} - \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{8a^5} - \frac{5\sqrt{5\pi} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{24a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{12a^5}$$

[Out]  $-1/12*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5+1/12*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5-3/8*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+3/8*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-5/24*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+5/24*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-2/3*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+16/3*x^3/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-20/3*x^5/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.86, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 34, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {5668, 5775, 5670, 5448, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{12a^5} - \frac{3\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{8a^5} - \frac{5\sqrt{5\pi} \operatorname{Erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{24a^5} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{12a^5}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^4/\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^4*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) + (16*x^3)/(3*a^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (20*x^5)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(12*a^5) - (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^5) - (5*\operatorname{Sqrt}[5*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(24*a^5) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(12*a^5) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^5) + (5*\operatorname{Sqrt}[5*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[5]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(24*a^5)$

**Rule 2180**

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == True$

**Rule 2204**

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

**Rule 2205**

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

**Rule 3308**

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{($

$I*(e + f*x)), x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

#### Rule 5448

$\text{Int}[\text{Cosh}[a_.] + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sinh}[a_.] + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sinh}[a + b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

#### Rule 5668

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(x^m*\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]*(a + b*\text{ArcCosh}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + (-\text{Dist}[(c*(m + 1))/(b*(n + 1)], \text{Int}[(x^{(m + 1)}*(a + b*\text{ArcCosh}[c*x])^{(n + 1)})/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] + \text{Dist}[m/(b*c*(n + 1)), \text{Int}[(x^{(m - 1)}*(a + b*\text{ArcCosh}[c*x])^{(n + 1)})/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{LtQ}[n, -2]$

#### Rule 5670

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[1/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

#### Rule 5775

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(f*x)^m*(a + b*\text{ArcCosh}[c*x])^{(n + 1)})/(b*c*\text{Sqrt}[-(d1*d2)]*(n + 1)), x] - \text{Dist}[(f*m)/(b*c*\text{Sqrt}[-(d1*d2)]*(n + 1)), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, m\}, x] \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{GtQ}[d1, 0] \&\& \text{LtQ}[d2, 0]$

#### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cosh^{-1}(ax)^{5/2}} dx &= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} - \frac{8\int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx}{3a} + \frac{1}{3}(10a) \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} + \frac{100}{3} \int \frac{x^4}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(x)}{4\sqrt{x}}\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} + \frac{25\text{Subst}\left(\int \frac{\sinh(5x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{12a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} - \frac{25\text{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{24a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} - \frac{25\text{Subst}\left(\int e^{-5x^2} dx, x, \cosh^{-1}(ax)\right)}{12a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{20x^5}{3\sqrt{\cosh^{-1}(ax)}} - \frac{\sqrt{\pi}\text{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{12a^5}
\end{aligned}$$

**Mathematica [A]** time = 1.66, size = 278, normalized size = 1.22

$$2\sqrt{\frac{ax-1}{ax+1}}(ax+1) + 2e^{-\cosh^{-1}(ax)}\cosh^{-1}(ax) + 2e^{\cosh^{-1}(ax)}\cosh^{-1}(ax) + \sinh\left(5\cosh^{-1}(ax)\right) + 2\left(-\cosh^{-1}(ax)\right)^3$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCosh[a\*x]^(5/2), x]

[Out] 
$$-1/24*(2*\text{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + (2*\text{ArcCosh}[a*x])/E^{\text{ArcCosh}[a*x]} + 2*E^{\text{ArcCosh}[a*x]}*\text{ArcCosh}[a*x] + 2*(-\text{ArcCosh}[a*x])^{(3/2)}*\text{Gamma}[1/2, -\text{ArcCosh}[a*x]] - 2*\text{ArcCosh}[a*x]^{(3/2)}*\text{Gamma}[1/2, \text{ArcCosh}[a*x]] + 5*\text{ArcCosh}[a*x]*(E^{(-5*\text{ArcCosh}[a*x])} + E^{(5*\text{ArcCosh}[a*x])} - \text{Sqrt}[5]*\text{Sqrt}[-\text{ArcCosh}[a*x]]*\text{Gamma}[1/2, -5*\text{ArcCosh}[a*x]] - \text{Sqrt}[5]*\text{Sqrt}[\text{ArcCosh}[a*x]]*\text{Gamma}[1/2, 5*\text{ArcCosh}[a*x]]) + 3*((3*\text{ArcCosh}[a*x])/E^{(3*\text{ArcCosh}[a*x])} + 3*E^{(3*\text{ArcCosh}[a*x])}*\text{ArcCosh}[a*x] + 3*\text{Sqrt}[3]*(-\text{ArcCosh}[a*x])^{(3/2)}*\text{Gamma}[1/2, -3*\text{ArcCosh}[a*x]] - 3*\text{Sqrt}[3]*\text{ArcCosh}[a*x]^{(3/2)}*\text{Gamma}[1/2, 3*\text{ArcCosh}[a*x]] + \text{Sinh}[3*\text{ArcCosh}[a*x]]) + \text{Sinh}[5*\text{ArcCosh}[a*x]])/(a^5*\text{ArcCosh}[a*x]^{(3/2)})$$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^(5/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^(5/2),x)

[Out] int(x^4/arccosh(a\*x)^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^4/arccosh(a\*x)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\operatorname{acosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^(5/2),x)

[Out] int(x^4/acosh(a\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*4/acosh(a\*x)\*\*(5/2), x)

$$3.104 \quad \int \frac{x^3}{\cosh^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=172

$$\frac{2\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} - \frac{\sqrt{2\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} + \frac{2\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} + \frac{\sqrt{2\pi} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^4}$$

[Out]  $-2/3*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4+2/3*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-1/3*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4+1/3*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-2/3*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+4*x^2/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-16/3*x^4/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.76, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 9, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5668, 5775, 5670, 5448, 3308, 2180, 2204, 2205, 12}

$$\frac{2\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} - \frac{\sqrt{2\pi} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} + \frac{2\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{3a^4} + \frac{\sqrt{2\pi} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^4}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^3/\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^3*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) + (4*x^2)/(a^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (16*x^4)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(3*a^4) - (\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(3*a^4) + (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(3*a^4) + (\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(3*a^4)$

#### Rule 12

$\operatorname{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match}Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_*)*((e_*) + (f_*)*(x_)))/\operatorname{Sqrt}[(c_*) + (d_*)*(x_)]}, x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}[\{F, c, d, e, f, g\}, x] \ \&\& \ !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_*) + (b_*)*((c_*) + (d_*)*(x_))^{(2)}), x\_Symbol] \rightarrow \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\& \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_*) + (b_*)*((c_*) + (d_*)*(x_))^{(2)}), x\_Symbol] \rightarrow \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\& \ \operatorname{NegQ}[b]$

#### Rule 3308



```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

#### Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sinh[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Simp[(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

#### Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[((f*x)^m*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cosh^{-1}(ax)^{5/2}} dx &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} - \frac{2\int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx}{a} + \frac{1}{3}(8a) \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} + \frac{64}{3} \int \frac{x^3}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\sinh(4x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} - \frac{4\text{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} - \frac{8\text{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\cosh^{-1}(ax)}} - \frac{16x^4}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{\pi}\text{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{3a^4}
\end{aligned}$$

**Mathematica [A]** time = 0.80, size = 175, normalized size = 1.02

$$-\sinh\left(4\cosh^{-1}(ax)\right) - 4\cosh^{-1}(ax)\left(e^{-4\cosh^{-1}(ax)} + e^{4\cosh^{-1}(ax)} - 2\sqrt{-\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, -4\cosh^{-1}(ax)\right) - 2\sqrt{\cosh^{-1}(ax)}\Gamma\left(\frac{1}{2}, 4\cosh^{-1}(ax)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCosh[a\*x]^(5/2), x]

[Out] (-4\*ArcCosh[a\*x]\*(E^(-4\*ArcCosh[a\*x])) + E^(4\*ArcCosh[a\*x]) - 2\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -4\*ArcCosh[a\*x]] - 2\*Sqrt[ArcCosh[a\*x]]\*Gamma[1/2, 4\*ArcCosh[a\*x]]) - 2\*(2\*ArcCosh[a\*x]\*(E^(-2\*ArcCosh[a\*x])) + E^(2\*ArcCosh[a\*x]) - Sqrt[2]\*Sqrt[-ArcCosh[a\*x]]\*Gamma[1/2, -2\*ArcCosh[a\*x]] - Sqrt[2]\*Sqrt[ArcCosh[a\*x]]\*Gamma[1/2, 2\*ArcCosh[a\*x]]) + Sinh[2\*ArcCosh[a\*x]]) - Sinh[4\*ArcCosh[a\*x]])/(12\*a^4\*ArcCosh[a\*x]^(3/2))

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^(5/2),x)

[Out] int(x^3/arccosh(a\*x)^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^3/arccosh(a\*x)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{acosh}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acosh(a\*x)^(5/2),x)

[Out] int(x^3/acosh(a\*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*3/acosh(a\*x)\*\*(5/2), x)

$$3.105 \quad \int \frac{x^2}{\cosh^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=166

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{6a^3} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{2a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{6a^3} + \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{2a^3}$$

[Out]  $-1/6*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3+1/6*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3-1/2*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3+1/2*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3-2/3*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+8/3*x/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-4*x^3/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.63, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5668, 5775, 5670, 5448, 3308, 2180, 2204, 2205, 5658}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{6a^3} - \frac{\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{2a^3} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{6a^3} + \frac{\sqrt{3\pi} \operatorname{Erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{2a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2/\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) + (8*x)/(3*a^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (4*x^3)/\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]] - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(6*a^3) - (\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2*a^3) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(6*a^3) + (\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2*a^3)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}[\{F, c, d, e, f, g\}, x] \ \&\amp; \ \! \$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\amp; \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\amp; \ \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*\operatorname{E}^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}[\{c, d, e, f, m\}, x]$

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5658

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_, x\_Symbol] := -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b - x/b], x], x, a + b\*ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((f\_.)\*(x\_))^(m\_.)/(Sqrt[(d1\_) + (e1\_.)\*(x\_)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_)]), x\_Symbol] := Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cosh^{-1}(ax)^{5/2}} dx &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} - \frac{4\int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx}{3a} + (2a) \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} + 12 \int \frac{x^2}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} - \frac{8 \text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} + \frac{4 \text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} + \frac{8 \text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} + \frac{4\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} + \frac{4\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{4x^3}{\sqrt{\cosh^{-1}(ax)}} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{6a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.74, size = 194, normalized size = 1.17

$$-\sqrt{\frac{ax-1}{ax+1}}(ax+1) - 3e^{-3\cosh^{-1}(ax)}\cosh^{-1}(ax) - e^{-\cosh^{-1}(ax)}\cosh^{-1}(ax) - e^{\cosh^{-1}(ax)}\cosh^{-1}(ax) - 3e^{3\cosh^{-1}(ax)}\cosh^{-1}(ax)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCosh[a\*x]^(5/2), x]

[Out]  $(-\sqrt{(-1+ax)/(1+ax)}(1+ax) - (3\operatorname{ArcCosh}[a*x])/E^{(3\operatorname{ArcCosh}[a*x])} - \operatorname{ArcCosh}[a*x]/E^{\operatorname{ArcCosh}[a*x]} - E^{\operatorname{ArcCosh}[a*x]}\operatorname{ArcCosh}[a*x] - 3E^{(3\operatorname{ArcCosh}[a*x])}\operatorname{ArcCosh}[a*x] - 3\sqrt{3}*(-\operatorname{ArcCosh}[a*x])^{(3/2)}\Gamma[1/2, -3\operatorname{ArcCosh}[a*x]] - (-\operatorname{ArcCosh}[a*x])^{(3/2)}\Gamma[1/2, -\operatorname{ArcCosh}[a*x]] + \operatorname{ArcCosh}[a*x]^{(3/2)}\Gamma[1/2, \operatorname{ArcCosh}[a*x]] + 3\sqrt{3}\operatorname{ArcCosh}[a*x]^{(3/2)}\Gamma[1/2, 3\operatorname{ArcCosh}[a*x]] - \operatorname{Sinh}[3\operatorname{ArcCosh}[a*x]])/(6a^3\operatorname{ArcCosh}[a*x]^{(3/2)})$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^(5/2), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^(5/2),x)

[Out] int(x^2/arccosh(a\*x)^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a\*x)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^(5/2),x)

[Out] int(x^2/acosh(a\*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*2/acosh(a\*x)\*\*(5/2), x)

$$3.106 \quad \int \frac{x}{\cosh^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=123

$$\frac{2\sqrt{2\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^2} + \frac{2\sqrt{2\pi} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^2} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2x\sqrt{ax-1}}{3a\cosh^{-1}(ax)}$$

[Out]  $-2/3*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+2/3*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-2/3*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+4/3/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-8/3*x^2/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.48, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {5668, 5775, 5670, 5448, 12, 3308, 2180, 2204, 2205, 5676}

$$\frac{2\sqrt{2\pi} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^2} + \frac{2\sqrt{2\pi} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^2} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2x\sqrt{ax-1}}{3a\cosh^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x/ArcCosh[a*x]^(5/2), x]`

[Out]  $(-2*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) + 4/(3*a^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (8*x^2)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a^2) + (2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a^2)$

#### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3308

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`



Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x]
)^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sq
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b
*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] &&
EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1
]
```

Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[((f*x)^m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1
), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cosh^{-1}(ax)^{5/2}} dx &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} - \frac{2\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx}{3a} + \frac{1}{3}(4a)\int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)} dx \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} + \frac{16}{3}\int \frac{x}{\sqrt{\cosh^{-1}(ax)}} dx \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} - \frac{4\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} - \frac{8\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\cosh^{-1}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\cosh^{-1}(ax)}} - \frac{8x^2}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{2\pi}\text{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{3a^2}
\end{aligned}$$

**Mathematica** [A] time = 0.28, size = 83, normalized size = 0.67

$$\frac{2\sqrt{2\pi}\left(\text{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right) - \text{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)\right) + \frac{4\cosh(2\cosh^{-1}(ax))}{\sqrt{\cosh^{-1}(ax)}} + \frac{\sinh(2\cosh^{-1}(ax))}{\cosh^{-1}(ax)^{3/2}}}{3a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/ArcCosh[a\*x]^(5/2), x]

[Out] -1/3\*((4\*Cosh[2\*ArcCosh[a\*x]])/Sqrt[ArcCosh[a\*x]] + 2\*Sqrt[2\*Pi]\*(Erf[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]] - Erfi[Sqrt[2]\*Sqrt[ArcCosh[a\*x]]]) + Sinh[2\*ArcCosh[a\*x]]/ArcCosh[a\*x]^(3/2))/a^2

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\text{arcosh}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(5/2), x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x)^(5/2), x)

**maple** [A] time = 0.33, size = 122, normalized size = 0.99

$$\frac{\sqrt{2} \left( 4 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} x^2 a^2 + \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} xa + 2 \operatorname{arccosh}(ax)^2 \pi \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) \right)}{3\sqrt{\pi} a^2 \operatorname{arccosh}(ax)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^(5/2), x)

[Out]  $-1/3 \cdot 2^{1/2} \cdot (4 \cdot \operatorname{arccosh}(a \cdot x)^{3/2} \cdot 2^{1/2} \cdot \pi^{1/2} \cdot x^2 \cdot a^2 + 2^{1/2} \cdot \operatorname{arccosh}(a \cdot x)^{1/2} \cdot \pi^{1/2} \cdot (a \cdot x + 1)^{1/2} \cdot (a \cdot x - 1)^{1/2} \cdot x \cdot a + 2 \cdot \operatorname{arccosh}(a \cdot x)^2 \cdot \pi \cdot \operatorname{erf}(2^{1/2} \cdot \operatorname{arccosh}(a \cdot x)^{1/2}) - 2 \cdot \operatorname{arccosh}(a \cdot x)^2 \cdot \pi \cdot \operatorname{erfi}(2^{1/2} \cdot \operatorname{arccosh}(a \cdot x)^{1/2}) - 2 \cdot \operatorname{arccosh}(a \cdot x)^{3/2} \cdot 2^{1/2} \cdot \pi^{1/2}) / \pi^{1/2} / a^2 / \operatorname{arccosh}(a \cdot x)^{5/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(5/2), x, algorithm="maxima")

[Out] integrate(x/arccosh(a\*x)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acosh}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acosh(a\*x)^(5/2), x)

[Out] int(x/acosh(a\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acosh(a\*x)\*\*(5/2), x)

[Out] Integral(x/acosh(a\*x)\*\*(5/2), x)

$$3.107 \quad \int \frac{1}{\cosh^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=89

$$-\frac{2\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} + \frac{2\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^{3/2}}$$

[Out]  $-2/3*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+2/3*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-2/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}-4/3*x/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {5656, 5775, 5658, 3308, 2180, 2204, 2205}

$$-\frac{2\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} + \frac{2\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{3a \cosh^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-5/2}, x]$

[Out]  $(-2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (4*x)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a) + (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a)$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*\operatorname{E}^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\}$

#### Rule 5656

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \operatorname{Simp}[(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]*(a + b*\operatorname{ArcCosh}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] - \operatorname{Dist}[c/(b*(n + 1)), \operatorname{Int}[(x*(a + b*\operatorname{ArcCosh}[c*x])^{(n + 1)})/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 +$

$c*x]), x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{LtQ}[n, -1]$

### Rule 5658

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*x_])*b_.)^{n_}, x\_Symbol] \rightarrow -\text{Dist}[(b*c)^{-1}, \text{Subst}[\text{Int}[x^n*\text{Sinh}[a/b - x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x]$

### Rule 5775

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*x_])*b_.)^{n_}*(f_.*x_)^{m_}/(\text{Sqrt}[(d1_.) + (e1_.*x_)]*\text{Sqrt}[(d2_.) + (e2_.*x_)]), x\_Symbol] \rightarrow \text{Simp}[(f*x)^m*(a + b*\text{ArcCosh}[c*x])^{n+1}/(b*c*\text{Sqrt}[-(d1*d2)]*(n+1)), x] - \text{Dist}[(f*m)/(b*c*\text{Sqrt}[-(d1*d2)]*(n+1)), \text{Int}[(f*x)^{m-1}*(a + b*\text{ArcCosh}[c*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, m\}, x\} \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{GtQ}[d1, 0] \&\& \text{LtQ}[d2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\cosh^{-1}(ax)^{5/2}} dx &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} + \frac{1}{3}(2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax} \cosh^{-1}(ax)^{3/2}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} + \frac{4}{3} \int \frac{1}{\sqrt{\cosh^{-1}(ax)}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} + \frac{4 \text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2 \text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a} + \frac{2 \text{Subst}\left(\int \frac{e^{-x^2}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{3a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} - \frac{4 \text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a} + \frac{4 \text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \sqrt{\cosh^{-1}(ax)}\right)}{3a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a \cosh^{-1}(ax)^{3/2}} - \frac{4x}{3\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{\pi} \text{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} + \frac{2\sqrt{\pi} \text{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{3a} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 121, normalized size = 1.36

$$\frac{2e^{-\cosh^{-1}(ax)} \left( \sqrt{\frac{ax-1}{ax+1}} (ax+1)e^{\cosh^{-1}(ax)} + e^{2\cosh^{-1}(ax)} \cosh^{-1}(ax) + \cosh^{-1}(ax) + e^{\cosh^{-1}(ax)} (-\cosh^{-1}(ax))^{3/2} \right)}{3a \cosh^{-1}(ax)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(-5/2), x]

[Out]  $(-2*(E^{\text{ArcCosh}[a*x]}*\text{Sqrt}[(-1+a*x)/(1+a*x)]*(1+a*x) + \text{ArcCosh}[a*x] + E^{(2*\text{ArcCosh}[a*x])*\text{ArcCosh}[a*x]} + E^{\text{ArcCosh}[a*x]}*(-\text{ArcCosh}[a*x])^{3/2}*\text{Gamma}[1/2, -\text{ArcCosh}[a*x]] - E^{\text{ArcCosh}[a*x]}*\text{ArcCosh}[a*x]^{3/2}*\text{Gamma}[1/2, \text{ArcCosh}[a*x]]))/(3*a*E^{\text{ArcCosh}[a*x]}*\text{ArcCosh}[a*x]^{3/2})$

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^(-5/2), x)

**maple** [A] time = 0.20, size = 84, normalized size = 0.94

$$\frac{2 \left( 2 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} xa + \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} + \operatorname{arccosh}(ax)^2 \pi \operatorname{erf}(\sqrt{\operatorname{arccosh}(ax)}) - \operatorname{arccosh}(ax) \right)}{3 \sqrt{\pi} a \operatorname{arccosh}(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccosh(a\*x)^(5/2),x)

[Out]  $-2/3*(2*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}*x*a+\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}+\operatorname{arccosh}(a*x)^2*\operatorname{Pi}*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})-\operatorname{arccosh}(a*x)^2*\operatorname{Pi}*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccosh(a\*x)^(5/2),x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^(-5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{acosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acosh(a\*x)^(5/2),x)

[Out] int(1/acosh(a\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acosh(a\*x)\*\*(5/2),x)

[Out] Integral(acosh(a\*x)\*\*(-5/2), x)

$$3.108 \quad \int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^{5/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^(5/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^(5/2)), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^(5/2)), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx = \int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx$$

Mathematica [A] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^(5/2)), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^(5/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(5/2), x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^(5/2)), x)

**maple** [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arccosh(a*x)^(5/2), x)`

[Out] `int(1/x/arccosh(a*x)^(5/2), x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arccosh(a*x)^(5/2), x, algorithm="maxima")`

[Out] `integrate(1/(x*arccosh(a*x)^(5/2)), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{acosh}(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*acosh(a*x)^(5/2)), x)`

[Out] `int(1/(x*acosh(a*x)^(5/2)), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/acosh(a*x)**(5/2), x)`

[Out] `Integral(1/(x*acosh(a*x)**(5/2)), x)`



$$3.109 \quad \int \frac{x^4}{\cosh^{-1}(ax)^{7/2}} dx$$

**Optimal.** Leaf size=300

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{30a^5} + \frac{9\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{20a^5} + \frac{5\sqrt{5\pi} \operatorname{erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{12a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{30a^5}$$

```
[Out] 16/15*x^3/a^2/arccosh(a*x)^(3/2)-4/3*x^5/arccosh(a*x)^(3/2)+1/30*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+1/30*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+9/20*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+9/20*erfi(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+5/12*erf(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5+5/12*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5-2/5*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(5/2)+32/5*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3/arccosh(a*x)^(1/2)-40/3*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

**Rubi [A]** time = 0.93, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{30a^5} + \frac{9\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{20a^5} + \frac{5\sqrt{5\pi} \operatorname{Erf}\left(\sqrt{5}\sqrt{\cosh^{-1}(ax)}\right)}{12a^5} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{30a^5}$$

Antiderivative was successfully verified.

```
[In] Int[x^4/ArcCosh[a*x]^(7/2), x]
```

```
[Out] (-2*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a*ArcCosh[a*x]^(5/2)) + (16*x^3)/(15*a^2*ArcCosh[a*x]^(3/2)) - (4*x^5)/(3*ArcCosh[a*x]^(3/2)) + (32*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a^3*Sqrt[ArcCosh[a*x]]) - (40*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*Sqrt[ArcCosh[a*x]]) + (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(30*a^5) + (9*Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(20*a^5) + (5*Sqrt[5*Pi]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(12*a^5) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(30*a^5) + (9*Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(20*a^5) + (5*Sqrt[5*Pi]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(12*a^5)
```

**Rule 2180**

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

**Rule 2204**

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]
```

**Rule 2205**

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]
```

**Rule 3307**

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

### Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x]
)^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[((f*x)^(m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1)
, x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cosh^{-1}(ax)^{7/2}} dx &= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{8\int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx}{5a} + (2a) \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{20}{3} \int \frac{x^4}{\cosh^{-1}(ax)^{3/2}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{16x^3}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^5}{3\cosh^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}}
\end{aligned}$$

**Mathematica [A]** time = 2.17, size = 374, normalized size = 1.25

$$-6\sqrt{\frac{ax-1}{ax+1}}(ax+1) + 4e^{-\cosh^{-1}(ax)}\cosh^{-1}(ax)^2 - 4e^{\cosh^{-1}(ax)}\cosh^{-1}(ax)^2 - 2e^{-\cosh^{-1}(ax)}\cosh^{-1}(ax) - 2e^{\cosh^{-1}(ax)}\cosh^{-1}(ax)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCosh[a\*x]^(7/2),x]

[Out]  $(-6\sqrt{(-1+ax)/(1+ax)}*(1+ax) - (2*\text{ArcCosh}[a*x])/E^{\text{ArcCosh}[a*x]} - 2E^{\text{ArcCosh}[a*x]}*\text{ArcCosh}[a*x] + (4*\text{ArcCosh}[a*x]^2)/E^{\text{ArcCosh}[a*x]} - 4E^{\text{ArcCosh}[a*x]}*\text{ArcCosh}[a*x]^2 + 4*(-\text{ArcCosh}[a*x])^{5/2}*\text{Gamma}[1/2, -\text{ArcCosh}[a*x]] - 4*\text{ArcCosh}[a*x]^{5/2}*\text{Gamma}[1/2, \text{ArcCosh}[a*x]] - 5*\text{ArcCosh}[a*x]*((1 - 10*\text{ArcCosh}[a*x])/E^{(5*\text{ArcCosh}[a*x])} + E^{(5*\text{ArcCosh}[a*x])}*(1 + 10*\text{ArcCosh}[a*x])) + 10*\text{Sqrt}[5]*(-\text{ArcCosh}[a*x])^{3/2}*\text{Gamma}[1/2, -5*\text{ArcCosh}[a*x]] + 10*\text{Sqrt}[5]*\text{ArcCosh}[a*x]^{3/2}*\text{Gamma}[1/2, 5*\text{ArcCosh}[a*x]]) - (9*(\text{ArcCosh}[a*x] + E^{(6*\text{ArcCosh}[a*x])})*\text{ArcCosh}[a*x] - 6*\text{ArcCosh}[a*x]^2 + 6E^{(6*\text{ArcCosh}[a*x])}*\text{ArcCosh}[a*x]^2 - 6*\text{Sqrt}[3]*E^{(3*\text{ArcCosh}[a*x])}*(-\text{ArcCosh}[a*x])^{5/2}*\text{Gamma}[1/2, -3*\text{ArcCosh}[a*x]] + 6*\text{Sqrt}[3]*E^{(3*\text{ArcCosh}[a*x])}*\text{ArcCosh}[a*x]^{5/2}*\text{Gamma}[1/2, 3*\text{ArcCosh}[a*x]] + E^{(3*\text{ArcCosh}[a*x])}*\text{Sinh}[3*\text{ArcCosh}[a*x]]))/E^{(3*\text{ArcCosh}[a*x])} - 3*\text{Sinh}[5*\text{ArcCosh}[a*x]])/(120*a^5*\text{ArcCosh}[a*x]^{5/2})$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(7/2),x, algorithm="giac")

[Out] integrate(x^4/arccosh(a\*x)^(7/2), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccosh(a\*x)^(7/2),x)

[Out] int(x^4/arccosh(a\*x)^(7/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccosh(a\*x)^(7/2),x, algorithm="maxima")

[Out] integrate(x^4/arccosh(a\*x)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\operatorname{acosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acosh(a\*x)^(7/2),x)

[Out] int(x^4/acosh(a\*x)^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acosh}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/acosh(a\*x)\*\*(7/2),x)

[Out] Integral(x\*\*4/acosh(a\*x)\*\*(7/2), x)

$$3.110 \quad \int \frac{x^3}{\cosh^{-1}(ax)^{7/2}} dx$$

**Optimal.** Leaf size=244

$$\frac{16\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^4}$$

```
[Out] 4/5*x^2/a^2/arccosh(a*x)^(3/2)-16/15*x^4/arccosh(a*x)^(3/2)+16/15*erf(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4+16/15*erfi(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4+4/15*erf(2^(1/2)*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4+4/15*erfi(2^(1/2)*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4-2/5*x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(5/2)+16/5*x*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3/arccosh(a*x)^(1/2)-128/15*x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

**Rubi [A]** time = 0.76, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205}

$$\frac{16\sqrt{\pi} \operatorname{Erf}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi} \operatorname{Erfi}\left(2\sqrt{\cosh^{-1}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3/ArcCosh[a*x]^(7/2), x]
```

```
[Out] (-2*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a*ArcCosh[a*x]^(5/2)) + (4*x^2)/(5*a^2*ArcCosh[a*x]^(3/2)) - (16*x^4)/(15*ArcCosh[a*x]^(3/2)) + (16*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a^3*Sqrt[ArcCosh[a*x]]) - (128*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(15*a*Sqrt[ArcCosh[a*x]]) + (16*Sqrt[Pi]*Erf[2*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (4*Sqrt[2*Pi]*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (16*Sqrt[Pi]*Erfi[2*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (4*Sqrt[2*Pi]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(15*a^4)
```

#### Rule 2180

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True
```

#### Rule 2204

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]
```

#### Rule 2205

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]
```

#### Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
```

f, m}, x] && IntegerQ[2\*k]

Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x]
)^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[((f*x)^m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1
), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{\cosh^{-1}(ax)^{7/2}} dx &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{6\int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(8a)\int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{3/2}} dx \\
 &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4x^2}{5a^2\cosh^{-1}(ax)^{3/2}} - \frac{16x^4}{15\cosh^{-1}(ax)^{3/2}} + \frac{64}{15}\int \frac{x^3}{\cosh^{-1}(ax)^{3/2}} dx \\
 &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4x^2}{5a^2\cosh^{-1}(ax)^{3/2}} - \frac{16x^4}{15\cosh^{-1}(ax)^{3/2}} + \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
 &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4x^2}{5a^2\cosh^{-1}(ax)^{3/2}} - \frac{16x^4}{15\cosh^{-1}(ax)^{3/2}} + \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
 &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4x^2}{5a^2\cosh^{-1}(ax)^{3/2}} - \frac{16x^4}{15\cosh^{-1}(ax)^{3/2}} + \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}} \\
 &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4x^2}{5a^2\cosh^{-1}(ax)^{3/2}} - \frac{16x^4}{15\cosh^{-1}(ax)^{3/2}} + \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\cosh^{-1}(ax)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.59, size = 291, normalized size = 1.19

$$e^{-4 \cosh^{-1}(ax)} \left( -3e^{8 \cosh^{-1}(ax)} - 64e^{8 \cosh^{-1}(ax)} \cosh^{-1}(ax)^2 + 64 \cosh^{-1}(ax)^2 - 8e^{8 \cosh^{-1}(ax)} \cosh^{-1}(ax) - 8 \cosh^{-1}(ax) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCosh[a\*x]^(7/2), x]

[Out] (3 - 3\*E^(8\*ArcCosh[a\*x]) - 8\*ArcCosh[a\*x] - 8\*E^(8\*ArcCosh[a\*x])\*ArcCosh[a\*x] + 64\*ArcCosh[a\*x]^2 - 64\*E^(8\*ArcCosh[a\*x])\*ArcCosh[a\*x]^2 + 128\*E^(4\*ArcCosh[a\*x])\*(-ArcCosh[a\*x])^(5/2)\*Gamma[1/2, -4\*ArcCosh[a\*x]] - 8\*E^(2\*ArcCosh[a\*x])\*(3\*a\*E^(2\*ArcCosh[a\*x])\*x\*Sqrt[(-1 + a\*x)/(1 + a\*x)]\*(1 + a\*x) + ArcCosh[a\*x] + E^(4\*ArcCosh[a\*x])\*ArcCosh[a\*x] - 4\*ArcCosh[a\*x]^2 + 4\*E^(4\*ArcCosh[a\*x])\*ArcCosh[a\*x]^2 - 4\*Sqrt[2]\*E^(2\*ArcCosh[a\*x])\*(-ArcCosh[a\*x])^(5/2)\*Gamma[1/2, -2\*ArcCosh[a\*x]] + 4\*Sqrt[2]\*E^(2\*ArcCosh[a\*x])\*ArcCosh[a\*x]^(5/2)\*Gamma[1/2, 2\*ArcCosh[a\*x]]) - 128\*E^(4\*ArcCosh[a\*x])\*ArcCosh[a\*x]^(5/2)\*Gamma[1/2, 4\*ArcCosh[a\*x]]/(120\*a^4\*E^(4\*ArcCosh[a\*x])\*ArcCosh[a\*x]^(5/2))

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(7/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [F(-2)]** time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccosh(a\*x)^(7/2), x)

[Out] int(x^3/arccosh(a\*x)^(7/2), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccosh(a\*x)^(7/2), x, algorithm="maxima")

[Out] integrate(x<sup>3</sup>/arccosh(a\*x)<sup>(7/2)</sup>, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{\operatorname{acosh}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>3</sup>/acosh(a\*x)<sup>(7/2)</sup>, x)

[Out] int(x<sup>3</sup>/acosh(a\*x)<sup>(7/2)</sup>, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/acosh(a\*x)\*\*(7/2), x)

[Out] Integral(x\*\*3/acosh(a\*x)\*\*(7/2), x)



$$3.111 \quad \int \frac{x^2}{\cosh^{-1}(ax)^{7/2}} dx$$

**Optimal.** Leaf size=237

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{5a^3} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{5a^3}$$

[Out]  $8/15*x/a^2/\operatorname{arccosh}(a*x)^{(3/2)} - 4/5*x^3/\operatorname{arccosh}(a*x)^{(3/2)} + 1/15*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3 + 1/15*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3 + 3/5*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3 + 3/5*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3 - 2/5*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(5/2)} + 16/15*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3/\operatorname{arccosh}(a*x)^{(1/2)} - 24/5*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.85, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205, 5656, 5781}

$$\frac{\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{Erf}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{5a^3} + \frac{\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{Erfi}\left(\sqrt{3}\sqrt{\cosh^{-1}(ax)}\right)}{5a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCosh[a\*x]^(7/2), x]

[Out]  $(-2*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(5*a*\operatorname{ArcCosh}[a*x]^{(5/2)}) + (8*x)/(15*a^2*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (4*x^3)/(5*\operatorname{ArcCosh}[a*x]^{(3/2)}) + (16*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(15*a^3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (24*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(5*a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a^3) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(5*a^3) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a^3) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(5*a^3)$

#### Rule 2180

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e,

f, m}, x] && IntegerQ[2\*k]

### Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

### Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

### Rule 5775

Int((((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.))/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_.))^ (p\_.)\*((d2\_) + (e2\_.)\*(x\_.))^ (p\_.), x\_Symbol] :> Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cosh^{-1}(ax)^{7/2}} dx &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4\int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(6a) \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{12}{5} \int \frac{x^2}{\cosh^{-1}(ax)^{3/2}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\cosh^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{8x}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{4x^3}{5\cosh^{-1}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\cosh^{-1}(ax)}}
\end{aligned}$$

**Mathematica [A]** time = 0.81, size = 286, normalized size = 1.21

$$e^{-3\cosh^{-1}(ax)} \left( -e^{2\cosh^{-1}(ax)} \left( 2e^{2\cosh^{-1}(ax)} \cosh^{-1}(ax)^2 - 2\cosh^{-1}(ax)^2 + 3\sqrt{\frac{ax-1}{ax+1}} (ax+1)e^{\cosh^{-1}(ax)} + e^{2\cosh^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCosh[a\*x]^(7/2), x]

[Out]  $(- (E^{(2 \operatorname{ArcCosh}[a x])}) (3 E^{\operatorname{ArcCosh}[a x]} \sqrt{(-1 + a x)/(1 + a x)}) (1 + a x) + \operatorname{ArcCosh}[a x] + E^{(2 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x] - 2 \operatorname{ArcCosh}[a x]^2 + 2 E^{(2 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x]^2 - 2 E^{\operatorname{ArcCosh}[a x]} (-\operatorname{ArcCosh}[a x])^{(5/2)} \Gamma[1/2, -\operatorname{ArcCosh}[a x]] + 2 E^{\operatorname{ArcCosh}[a x]} \operatorname{ArcCosh}[a x]^{(5/2)} \Gamma[1/2, \operatorname{ArcCosh}[a x]]) - 3 (\operatorname{ArcCosh}[a x] + E^{(6 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x] - 6 \operatorname{ArcCosh}[a x]^2 + 6 E^{(6 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x]^2 - 6 \sqrt{3} E^{(3 \operatorname{ArcCosh}[a x])} (-\operatorname{ArcCosh}[a x])^{(5/2)} \Gamma[1/2, -3 \operatorname{ArcCosh}[a x]] + 6 \sqrt{3} E^{(3 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x]^{(5/2)} \Gamma[1/2, 3 \operatorname{ArcCosh}[a x]] + E^{(3 \operatorname{ArcCosh}[a x])} \operatorname{Sinh}[3 \operatorname{ArcCosh}[a x]])) / (30 a^3 E^{(3 \operatorname{ArcCosh}[a x])} \operatorname{ArcCosh}[a x]^{(5/2)})$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(7/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a\*x)^(7/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccosh(a\*x)^(7/2),x)

[Out] int(x^2/arccosh(a\*x)^(7/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccosh(a\*x)^(7/2),x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a\*x)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{\operatorname{acosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acosh(a\*x)^(7/2),x)

[Out] int(x^2/acosh(a\*x)^(7/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acosh}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/acosh(a\*x)\*\*(7/2),x)

[Out] Integral(x\*\*2/acosh(a\*x)\*\*(7/2), x)

$$3.112 \quad \int \frac{x}{\cosh^{-1}(ax)^{7/2}} dx$$

**Optimal.** Leaf size=157

$$\frac{8\sqrt{2\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^2} + \frac{8\sqrt{2\pi} \operatorname{erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^2} + \frac{4}{15a^2 \cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15 \cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{a}}{15a\sqrt{\cosh^{-1}(ax)}}$$

[Out]  $4/15/a^2/\operatorname{arccosh}(a*x)^{(3/2)} - 8/15*x^2/\operatorname{arccosh}(a*x)^{(3/2)} + 8/15*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2 + 8/15*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2 - 2/5*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(5/2)} - 32/15*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.50, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205, 5676}

$$\frac{8\sqrt{2\pi} \operatorname{Erf}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^2} + \frac{8\sqrt{2\pi} \operatorname{Erfi}\left(\sqrt{2}\sqrt{\cosh^{-1}(ax)}\right)}{15a^2} + \frac{4}{15a^2 \cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15 \cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{a}}{15a\sqrt{\cosh^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCosh[a\*x]^(7/2), x]

[Out]  $(-2*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(5*a*\operatorname{ArcCosh}[a*x]^{(5/2)}) + 4/(15*a^2*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (8*x^2)/(15*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (32*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(15*a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) + (8*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a^2) + (8*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a^2)$

**Rule 2180**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

**Rule 2204**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

**Rule 2205**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_))^2), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

**Rule 3307**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

**Rule 5666**

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x]
)^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqr
t[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b
*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] &&
EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1
]
```

Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[((f*x)^m*(a
+ b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(
b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1)
, x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0]
&& EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{\cosh^{-1}(ax)^{7/2}} dx &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{2\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(4a)\int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15\cosh^{-1}(ax)^{3/2}} + \frac{16}{15}\int \frac{x}{\cosh^{-1}(ax)^{3/2}} dx \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15\cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15\cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15\cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{4}{15a^2\cosh^{-1}(ax)^{3/2}} - \frac{8x^2}{15\cosh^{-1}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 91, normalized size = 0.58

$$\frac{-8\sqrt{2\pi} \left( \operatorname{erf} \left( \sqrt{2} \sqrt{\cosh^{-1}(ax)} \right) + \operatorname{erfi} \left( \sqrt{2} \sqrt{\cosh^{-1}(ax)} \right) \right) + \frac{4 \cosh(2 \cosh^{-1}(ax))}{\cosh^{-1}(ax)^{3/2}} + \frac{(16 \cosh^{-1}(ax)^2 + 3) \sinh(2 \cosh^{-1}(ax))}{\cosh^{-1}(ax)^{5/2}}}{15a^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/ArcCosh[a\*x]^(7/2), x]

[Out]  $-1/15 * ((4 * \operatorname{Cosh}[2 * \operatorname{ArcCosh}[a * x]]) / \operatorname{ArcCosh}[a * x]^{(3/2)} - 8 * \operatorname{Sqrt}[2 * \operatorname{Pi}] * (\operatorname{Erf}[\operatorname{Sqrt}[2] * \operatorname{Sqrt}[\operatorname{ArcCosh}[a * x]]] + \operatorname{Erfi}[\operatorname{Sqrt}[2] * \operatorname{Sqrt}[\operatorname{ArcCosh}[a * x]]]) + ((3 + 16 * \operatorname{ArcCosh}[a * x]^2) * \operatorname{Sinh}[2 * \operatorname{ArcCosh}[a * x]]) / \operatorname{ArcCosh}[a * x]^{(5/2)}) / a^2$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(7/2), x, algorithm="giac")

[Out] integrate(x/arccosh(a\*x)^(7/2), x)

**maple [A]** time = 0.24, size = 153, normalized size = 0.97

$$\sqrt{2} \left( 16 \operatorname{arccosh}(ax)^{5/2} \sqrt{2} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} xa + 4 \operatorname{arccosh}(ax)^{3/2} \sqrt{2} \sqrt{\pi} x^2 a^2 + 3 \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccosh(a\*x)^(7/2), x)

[Out]  $-1/15 * 2^{(1/2)} * (16 * \operatorname{arccosh}(a * x)^{(5/2)} * 2^{(1/2)} * \operatorname{Pi}^{(1/2)} * (a * x + 1)^{(1/2)} * (a * x - 1)^{(1/2)} * x * a + 4 * \operatorname{arccosh}(a * x)^{(3/2)} * 2^{(1/2)} * \operatorname{Pi}^{(1/2)} * x^2 * a^2 + 3 * 2^{(1/2)} * \operatorname{arccosh}(a * x)^{(1/2)} * \operatorname{Pi}^{(1/2)} * (a * x + 1)^{(1/2)} * (a * x - 1)^{(1/2)} * x * a - 2 * \operatorname{arccosh}(a * x)^{(3/2)} * 2^{(1/2)} * \operatorname{Pi}^{(1/2)} - 8 * \operatorname{arccosh}(a * x)^3 * \operatorname{Pi} * \operatorname{erf}(2^{(1/2)} * \operatorname{arccosh}(a * x)^{(1/2)}) - 8 * \operatorname{arccosh}(a * x)^3 * \operatorname{Pi} * \operatorname{erfi}(2^{(1/2)} * \operatorname{arccosh}(a * x)^{(1/2)})) / \operatorname{Pi}^{(1/2)} / a^2 / \operatorname{arccosh}(a * x)^3$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccosh(a\*x)^(7/2), x, algorithm="maxima")

[Out] integrate(x/arccosh(a\*x)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acosh}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/acosh(a*x)^(7/2), x)`

[Out] `int(x/acosh(a*x)^(7/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/acosh(a*x)**(7/2), x)`

[Out] `Integral(x/acosh(a*x)**(7/2), x)`



$$3.113 \quad \int \frac{1}{\cosh^{-1}(ax)^{7/2}} dx$$

**Optimal.** Leaf size=122

$$\frac{4\sqrt{\pi} \operatorname{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a} + \frac{4\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a} - \frac{4x}{15 \cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{ax-1}\sqrt{ax+1}}{15a\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{5a \cosh^{-1}(ax)^{5/2}}$$

[Out]  $-4/15*x/\operatorname{arccosh}(a*x)^{(3/2)}+4/15*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+4/15*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-2/5*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(5/2)}-8/15*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

**Rubi [A]** time = 0.44, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {5656, 5775, 5781, 3307, 2180, 2204, 2205}

$$\frac{4\sqrt{\pi} \operatorname{Erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a} + \frac{4\sqrt{\pi} \operatorname{Erfi}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a} - \frac{4x}{15 \cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{ax-1}\sqrt{ax+1}}{15a\sqrt{\cosh^{-1}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{5a \cosh^{-1}(ax)^{5/2}}$$

Antiderivative was successfully verified.

[In] `Int[ArcCosh[a*x]^(-7/2), x]`

[Out]  $(-2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(5*a*\operatorname{ArcCosh}[a*x]^{(5/2)}) - (4*x)/(15*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (8*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(15*a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) + (4*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a) + (4*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(15*a)$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^2), x_Symbol] :> Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3307

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]`

#### Rule 5656

`Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] :> Simp[(Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c`

$\int \frac{1}{(b*(n + 1))} \int [(x*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}) / (\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{LtQ}[n, -1]$

### Rule 5775

$\text{Int}[\text{((a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.))^{(n_.)}*((f_.)*(x_))^{(m_.)} / (\text{Sqrt}[(d1_) + (e1_.)*(x_)]*\text{Sqrt}[(d2_) + (e2_.)*(x_)]), x\_Symbol] \rightarrow \text{Simp}[\text{((f*x)^m*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}) / (b*c*\text{Sqrt}[-(d1*d2)]*(n + 1)), x] - \text{Dist}[(f*m) / (b*c*\text{Sqrt}[-(d1*d2)]*(n + 1)), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, m\}, x \ \&\& \ \text{EqQ}[e1 - c*d1, 0] \ \&\& \ \text{EqQ}[e2 + c*d2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{GtQ}[d1, 0] \ \&\& \ \text{LtQ}[d2, 0]$

### Rule 5781

$\text{Int}[\text{((a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.))^{(n_.)}*(x_)^{(m_.)}*((d1_) + (e1_.)*(x_))^{(p_.)}*((d2_) + (e2_.)*(x_))^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[-(d1*d2)^p/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x]^{(2*p + 1)}, x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}, x \ \&\& \ \text{EqQ}[e1 - c*d1, 0] \ \&\& \ \text{EqQ}[e2 + c*d2, 0] \ \&\& \ \text{IntegerQ}[p + 1/2] \ \&\& \ \text{GtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{GtQ}[d1, 0] \ \&\& \ \text{LtQ}[d2, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\cosh^{-1}(ax)^{7/2}} dx &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} + \frac{1}{5}(2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\cosh^{-1}(ax)^{5/2}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} + \frac{4}{15} \int \frac{1}{\cosh^{-1}(ax)^{3/2}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} + \frac{1}{15}(8a) \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} + \frac{8 \text{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{15a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} + \frac{4 \text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \cosh^{-1}(ax)\right)}{15a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} + \frac{8 \text{Subst}\left(\int e^{-x^2} dx, x, \cosh^{-1}(ax)\right)}{15a} \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\cosh^{-1}(ax)^{5/2}} - \frac{4x}{15\cosh^{-1}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\cosh^{-1}(ax)}} + \frac{4\sqrt{\pi} \text{erf}\left(\sqrt{\cosh^{-1}(ax)}\right)}{15a} \end{aligned}$$

**Mathematica [A]** time = 0.20, size = 147, normalized size = 1.20

$$\frac{2e^{-\cosh^{-1}(ax)} \left( 2e^{2\cosh^{-1}(ax)} \cosh^{-1}(ax)^2 - 2\cosh^{-1}(ax)^2 + 3\sqrt{\frac{ax-1}{ax+1}} (ax+1)e^{\cosh^{-1}(ax)} + e^{2\cosh^{-1}(ax)} \cosh^{-1}(ax) + \dots \right)}{15a \cosh^{-1}(ax)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCosh[a\*x]^(-7/2), x]

```
[Out] (-2*(3*E^ArcCosh[a*x]*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + ArcCosh[a*x] +
E^(2*ArcCosh[a*x])*ArcCosh[a*x] - 2*ArcCosh[a*x]^2 + 2*E^(2*ArcCosh[a*x])*
ArcCosh[a*x]^2 - 2*E^ArcCosh[a*x]*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -ArcCosh
[a*x]] + 2*E^ArcCosh[a*x]*ArcCosh[a*x]^(5/2)*Gamma[1/2, ArcCosh[a*x]]))/(15
*a*E^ArcCosh[a*x]*ArcCosh[a*x]^(5/2))
```

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arccosh(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arccosh(a*x)^(7/2),x, algorithm="giac")
```

```
[Out] integrate(arccosh(a*x)^(-7/2), x)
```

**maple** [A] time = 0.21, size = 111, normalized size = 0.91

$$\frac{-\frac{8\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}\operatorname{arccosh}(ax)^{\frac{5}{2}}}{15} + \frac{4\operatorname{arccosh}(ax)^3\pi\operatorname{erf}(\sqrt{\operatorname{arccosh}(ax)})}{15} + \frac{4\operatorname{arccosh}(ax)^3\pi\operatorname{erfi}(\sqrt{\operatorname{arccosh}(ax)})}{15} - \frac{4\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}xa}{15}}{\sqrt{\pi}a\operatorname{arccosh}(ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/arccosh(a*x)^(7/2),x)
```

```
[Out] 2/15*(-4*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*arccosh(a*x)^(5/2)+2*arccosh(
a*x)^3*Pi*erf(arccosh(a*x)^(1/2))+2*arccosh(a*x)^3*Pi*erfi(arccosh(a*x)^(1/
2))-2*arccosh(a*x)^(3/2)*Pi^(1/2)*x*a-3*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)
^(1/2)*(a*x-1)^(1/2))/Pi^(1/2)/a/arccosh(a*x)^3
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arccosh(a*x)^(7/2),x, algorithm="maxima")
```

```
[Out] integrate(arccosh(a*x)^(-7/2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{acosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/acosh(a*x)^(7/2),x)
```

[Out] `int(1/acosh(a*x)^(7/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acosh}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acosh(a*x)**(7/2), x)`

[Out] `Integral(acosh(a*x)**(-7/2), x)`

$$3.114 \quad \int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cosh^{-1}(ax)^{7/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a\*x)^(7/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*ArcCosh[a\*x]^(7/2)), x]

[Out] Defer[Int][1/(x\*ArcCosh[a\*x]^(7/2)), x]

Rubi steps

$$\int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx = \int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx$$

Mathematica [A] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cosh^{-1}(ax)^{7/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*ArcCosh[a\*x]^(7/2)), x]

[Out] Integrate[1/(x\*ArcCosh[a\*x]^(7/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccosh(a\*x)^(7/2), x, algorithm="giac")

[Out] integrate(1/(x\*arccosh(a\*x)^(7/2)), x)

**maple** [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arccosh(a*x)^(7/2), x)`

[Out] `int(1/x/arccosh(a*x)^(7/2), x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arccosh(a*x)^(7/2), x, algorithm="maxima")`

[Out] `integrate(1/(x*arccosh(a*x)^(7/2)), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{acosh}(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*acosh(a*x)^(7/2)), x)`

[Out] `int(1/(x*acosh(a*x)^(7/2)), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acosh}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/acosh(a*x)**(7/2), x)`

[Out] `Integral(1/(x*acosh(a*x)**(7/2)), x)`

### 3.115 $\int x^m \cosh^{-1}(ax)^4 dx$

Optimal. Leaf size=59

$$\frac{x^{m+1} \cosh^{-1}(ax)^4}{m+1} - \frac{4a \operatorname{Int}\left(\frac{x^{m+1} \cosh^{-1}(ax)^3}{\sqrt{ax-1} \sqrt{ax+1}}, x\right)}{m+1}$$

[Out]  $x^{(1+m)} \operatorname{arccosh}(a*x)^4 / (1+m) - 4*a*\operatorname{Unintegrable}(x^{(1+m)} \operatorname{arccosh}(a*x)^3 / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}, x) / (1+m)$

**Rubi** [A] time = 0.28, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x^m \cosh^{-1}(ax)^4 dx$$

Verification is Not applicable to the result.

[In] `Int[x^m*ArcCosh[a*x]^4,x]`

[Out]  $(x^{(1+m)} \operatorname{ArcCosh}[a*x]^4) / (1+m) - (4*a*\operatorname{Defer}[\operatorname{Int}[(x^{(1+m)} \operatorname{ArcCosh}[a*x]^3) / (\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]), x]) / (1+m)$

Rubi steps

$$\int x^m \cosh^{-1}(ax)^4 dx = \frac{x^{1+m} \cosh^{-1}(ax)^4}{1+m} - \frac{(4a) \int \frac{x^{1+m} \cosh^{-1}(ax)^3}{\sqrt{-1+ax} \sqrt{1+ax}} dx}{1+m}$$

**Mathematica** [A] time = 1.89, size = 0, normalized size = 0.00

$$\int x^m \cosh^{-1}(ax)^4 dx$$

Verification is Not applicable to the result.

[In] `Integrate[x^m*ArcCosh[a*x]^4,x]`

[Out] `Integrate[x^m*ArcCosh[a*x]^4, x]`

**fricas** [A] time = 0.57, size = 0, normalized size = 0.00

$$\operatorname{integral}(x^m \operatorname{arcosh}(ax)^4, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^4,x, algorithm="fricas")`

[Out] `integral(x^m*arccosh(a*x)^4, x)`

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arcosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^4,x, algorithm="giac")`

[Out] `integrate(x^m*arccosh(a*x)^4, x)`

**maple** [A] time = 1.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arccosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*arccosh(a*x)^4,x)`

[Out] `int(x^m*arccosh(a*x)^4,x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{xx^m \log(ax + \sqrt{ax+1}\sqrt{ax-1})^4}{m+1} - \int \frac{4(\sqrt{ax+1}\sqrt{ax-1}a^2x^2x^m + (a^3x^3 - ax)x^m) \log(ax + \sqrt{ax+1}\sqrt{ax-1})}{a^3(m+1)x^3 - a(m+1)x + (a^2(m+1)x^2 - m - 1)\sqrt{ax+1}\sqrt{ax-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^4,x, algorithm="maxima")`

[Out] `x*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4/(m + 1) - integrate(4*(sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^2*x^m + (a^3*x^3 - a*x)*x^m)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(a^3*(m + 1)*x^3 - a*(m + 1)*x + (a^2*(m + 1)*x^2 - m - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.02

$$\int x^m \operatorname{acosh}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*acosh(a*x)^4,x)`

[Out] `int(x^m*acosh(a*x)^4, x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{acosh}^4(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*acosh(a*x)**4,x)`

[Out] `Integral(x**m*acosh(a*x)**4, x)`



### 3.116 $\int x^m \cosh^{-1}(ax)^3 dx$

Optimal. Leaf size=59

$$\frac{x^{m+1} \cosh^{-1}(ax)^3}{m+1} - \frac{3a \operatorname{Int}\left(\frac{x^{m+1} \cosh^{-1}(ax)^2}{\sqrt{ax-1} \sqrt{ax+1}}, x\right)}{m+1}$$

[Out]  $x^{(1+m)} \operatorname{arccosh}(a*x)^3 / (1+m) - 3*a*\operatorname{Unintegrable}(x^{(1+m)} \operatorname{arccosh}(a*x)^2 / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}, x) / (1+m)$

**Rubi** [A] time = 0.30, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x^m \cosh^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] `Int[x^m*ArcCosh[a*x]^3,x]`

[Out]  $(x^{(1+m)} \operatorname{ArcCosh}[a*x]^3) / (1+m) - (3*a*\operatorname{Defer}[\operatorname{Int}[(x^{(1+m)} \operatorname{ArcCosh}[a*x]^2) / (\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]), x]) / (1+m)$

Rubi steps

$$\int x^m \cosh^{-1}(ax)^3 dx = \frac{x^{1+m} \cosh^{-1}(ax)^3}{1+m} - \frac{(3a) \int \frac{x^{1+m} \cosh^{-1}(ax)^2}{\sqrt{-1+ax} \sqrt{1+ax}} dx}{1+m}$$

**Mathematica** [A] time = 1.79, size = 0, normalized size = 0.00

$$\int x^m \cosh^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] `Integrate[x^m*ArcCosh[a*x]^3,x]`

[Out] `Integrate[x^m*ArcCosh[a*x]^3, x]`

**fricas** [A] time = 0.63, size = 0, normalized size = 0.00

$$\operatorname{integral}(x^m \operatorname{arcosh}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^3,x, algorithm="fricas")`

[Out] `integral(x^m*arccosh(a*x)^3, x)`

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arcosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^3,x, algorithm="giac")`

[Out] `integrate(x^m*arccosh(a*x)^3, x)`

**maple** [A] time = 0.94, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arccosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arccosh(a\*x)^3,x)

[Out] int(x^m\*arccosh(a\*x)^3,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{xx^m \log(ax + \sqrt{ax+1}\sqrt{ax-1})^3}{m+1} - \int \frac{3(\sqrt{ax+1}\sqrt{ax-1}a^2x^2x^m + (a^3x^3 - ax)x^m) \log(ax + \sqrt{ax+1}\sqrt{ax-1})}{a^3(m+1)x^3 - a(m+1)x + (a^2(m+1)x^2 - m - 1)\sqrt{ax+1}\sqrt{ax-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x)^3,x, algorithm="maxima")

[Out] x\*x^m\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^3/(m + 1) - integrate(3\*(sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x^2\*x^m + (a^3\*x^3 - a\*x)\*x^m)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2/(a^3\*(m + 1)\*x^3 - a\*(m + 1)\*x + (a^2\*(m + 1)\*x^2 - m - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.02

$$\int x^m \operatorname{acosh}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*acosh(a\*x)^3,x)

[Out] int(x^m\*acosh(a\*x)^3, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{acosh}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*acosh(a\*x)\*\*3,x)

[Out] Integral(x\*\*m\*acosh(a\*x)\*\*3, x)

### 3.117 $\int x^m \cosh^{-1}(ax)^2 dx$

**Optimal.** Leaf size=154

$$\frac{2a^2x^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{m^3 + 6m^2 + 11m + 6} - \frac{2a\sqrt{1-ax}x^{m+2} \cosh^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{(m^2 + 3m + 2)\sqrt{ax-1}} + x^{m+3}$$

[Out]  $x^{(1+m)} \operatorname{arccosh}(a*x)^2 / (1+m) - 2*a^2*x^{(3+m)} \operatorname{HypergeometricPFQ}([1, 3/2+1/2*m, 3/2+1/2*m], [2+1/2*m, 5/2+1/2*m], a^2*x^2) / (m^3+6*m^2+11*m+6) - 2*a*x^{(2+m)} \operatorname{arccosh}(a*x) \operatorname{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], a^2*x^2) * (-a*x+1)^{(1/2)} / (m^2+3*m+2) / (a*x-1)^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 167, normalized size of antiderivative = 1.08, number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {5662, 5763}

$$\frac{2a^2x^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{m^3 + 6m^2 + 11m + 6} - \frac{2a\sqrt{1-a^2x^2}x^{m+2} \cosh^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{(m^2 + 3m + 2)\sqrt{ax-1}\sqrt{ax+1}} + x^{m+3}$$

Antiderivative was successfully verified.

[In] Int[x^m\*ArcCosh[a\*x]^2,x]

[Out]  $(x^{(1+m)} \operatorname{ArcCosh}[a*x]^2) / (1+m) - (2*a*x^{(2+m)} \operatorname{Sqrt}[1-a^2*x^2] \operatorname{ArcCosh}[a*x] \operatorname{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, a^2*x^2]) / ((2+3*m+m^2) \operatorname{Sqrt}[-1+a*x] \operatorname{Sqrt}[1+a*x]) - (2*a^2*x^{(3+m)} \operatorname{HypergeometricPFQ}[\{1, 3/2+m/2, 3/2+m/2\}, \{2+m/2, 5/2+m/2\}, a^2*x^2]) / (6+11*m+6*m^2+m^3)$

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5763

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[((f\*x)^(m+1)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcCosh[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(f\*(m+1)\*Sqrt[d1+e1\*x]\*Sqrt[d2+e2\*x]), x] + Simp[(b\*c\*(f\*x)^(m+2)\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(Sqrt[-(d1\*d2)]\*f^2\*(m+1)\*(m+2)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1-c\*d1, 0] && EqQ[e2+c\*d2, 0] && GtQ[d1, 0] && LtQ[d2, 0] && !IntegerQ[m]

#### Rubi steps

$$\begin{aligned} \int x^m \cosh^{-1}(ax)^2 dx &= \frac{x^{1+m} \cosh^{-1}(ax)^2}{1+m} - \frac{(2a) \int \frac{x^{1+m} \cosh^{-1}(ax)}{\sqrt{-1+ax} \sqrt{1+ax}} dx}{1+m} \\ &= \frac{x^{1+m} \cosh^{-1}(ax)^2}{1+m} - \frac{2ax^{2+m} \sqrt{1-a^2x^2} \cosh^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2x^2\right)}{(2+3m+m^2)\sqrt{-1+ax}\sqrt{1+ax}} - \frac{2a^2x^{3+m}}{1+m} \end{aligned}$$

**Mathematica** [A] time = 0.38, size = 143, normalized size = 0.93

$$\frac{x^{m+1} \left( \cosh^{-1}(ax)^2 - \frac{2ax \left( \frac{{}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{5}{2}; \frac{m}{2} + \frac{5}{2}, a^2x^2\right)}{m+3} + \frac{\sqrt{1-a^2x^2} \cosh^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}; m^2x^2\right)}{\sqrt{ax-1}\sqrt{ax+1}} \right)}{m+2} \right)}{m+1}$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*ArcCosh[a\*x]^2,x]

[Out] (x^(1+m)\*(ArcCosh[a\*x]^2 - (2\*a\*x\*((Sqrt[1 - a^2\*x^2]\*ArcCosh[a\*x]\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2\*x^2])/(Sqrt[-1+a\*x]\*Sqrt[1+a\*x]) + (a\*x\*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, a^2\*x^2])/(3+m)))/(2+m)))/(1+m)

**fricas** [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}(x^m \operatorname{arcosh}(ax)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^m\*arccosh(a\*x)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arcosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x)^2,x, algorithm="giac")

[Out] integrate(x^m\*arccosh(a\*x)^2, x)

**maple** [F] time = 1.14, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arccosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arccosh(a\*x)^2,x)

[Out] int(x^m\*arccosh(a\*x)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{xx^m \log(ax + \sqrt{ax+1}\sqrt{ax-1})^2}{m+1} - \int \frac{2(\sqrt{ax+1}\sqrt{ax-1}a^2x^2x^m + (a^3x^3 - ax)x^m) \log(ax + \sqrt{ax+1}\sqrt{ax-1})}{a^3(m+1)x^3 - a(m+1)x + (a^2(m+1)x^2 - m - 1)\sqrt{ax+1}\sqrt{ax-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x)^2,x, algorithm="maxima")

[Out] x\*x^m\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))^2/(m + 1) - integrate(2\*(sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x^2\*x^m + (a^3\*x^3 - a\*x)\*x^m)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))/(a^3\*(m + 1)\*x^3 - a\*(m + 1)\*x + (a^2\*(m + 1)\*x^2 - m - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \operatorname{acosh}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*acosh(a*x)^2,x)`

[Out] `int(x^m*acosh(a*x)^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{acosh}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*acosh(a*x)**2,x)`

[Out] `Integral(x**m*acosh(a*x)**2, x)`

### 3.118 $\int x^m \cosh^{-1}(ax) dx$

Optimal. Leaf size=91

$$\frac{x^{m+1} \cosh^{-1}(ax)}{m+1} - \frac{a\sqrt{1-a^2x^2} x^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{(m^2+3m+2)\sqrt{ax-1}\sqrt{ax+1}}$$

[Out]  $x^{(1+m)} \operatorname{arccosh}(a*x)/(1+m) - a*x^{(2+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, 1+1/2*m\right], [2+1/2*m], a^2*x^2\right) * (-a^2*x^2+1)^{(1/2)} / (m^2+3*m+2) / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5662, 126, 365, 364}

$$\frac{x^{m+1} \cosh^{-1}(ax)}{m+1} - \frac{a\sqrt{1-a^2x^2} x^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{(m^2+3m+2)\sqrt{ax-1}\sqrt{ax+1}}$$

Antiderivative was successfully verified.

[In] Int[x^m\*ArcCosh[a\*x], x]

[Out]  $(x^{(1+m)} \operatorname{ArcCosh}[a*x]) / (1+m) - (a*x^{(2+m)} \operatorname{Sqrt}[1-a^2*x^2] \operatorname{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, a^2*x^2]) / ((2+3*m+m^2) \operatorname{Sqrt}[-1+a*x] \operatorname{Sqrt}[1+a*x])$

#### Rule 126

Int[((f\_)\*(x\_))^(p\_)\*((a\_)+(b\_)\*(x\_))^(m\_)\*((c\_)+(d\_)\*(x\_))^(n\_), x\_Symbol] :> Dist[((a+b\*x)^FracPart[m]\*(c+d\*x)^FracPart[m])/(a\*c+b\*d\*x^2)^FracPart[m], Int[(a\*c+b\*d\*x^2)^m\*(f\*x)^p, x], x] /; FreeQ[{a, b, c, d, f, m, n, p}, x] && EqQ[b\*c+a\*d, 0] && EqQ[m-n, 0]

#### Rule 364

Int[((c\_)\*(x\_))^(m\_)\*((a\_)+(b\_)\*(x\_))^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/(c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 365

Int[((c\_)\*(x\_))^(m\_)\*((a\_)+(b\_)\*(x\_))^(n\_))^(p\_), x\_Symbol] :> Dist[(a^IntPart[p]\*(a+b\*x^n)^FracPart[p])/(1+(b\*x^n)/a)^FracPart[p], Int[(c\*x)^m\*(1+(b\*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

#### Rule 5662

Int[((a\_)+ArcCosh[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a+b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int x^m \cosh^{-1}(ax) dx &= \frac{x^{1+m} \cosh^{-1}(ax)}{1+m} - \frac{a \int \frac{x^{1+m}}{\sqrt{-1+ax} \sqrt{1+ax}} dx}{1+m} \\
&= \frac{x^{1+m} \cosh^{-1}(ax)}{1+m} - \frac{\left(a\sqrt{-1+a^2x^2}\right) \int \frac{x^{1+m}}{\sqrt{-1+a^2x^2}} dx}{(1+m)\sqrt{-1+ax} \sqrt{1+ax}} \\
&= \frac{x^{1+m} \cosh^{-1}(ax)}{1+m} - \frac{\left(a\sqrt{1-a^2x^2}\right) \int \frac{x^{1+m}}{\sqrt{1-a^2x^2}} dx}{(1+m)\sqrt{-1+ax} \sqrt{1+ax}} \\
&= \frac{x^{1+m} \cosh^{-1}(ax)}{1+m} - \frac{ax^{2+m} \sqrt{1-a^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2x^2\right)}{(2+3m+m^2) \sqrt{-1+ax} \sqrt{1+ax}}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 82, normalized size = 0.90

$$\frac{x^{m+1} \left( \cosh^{-1}(ax) - \frac{ax \sqrt{1-a^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{(m+2) \sqrt{ax-1} \sqrt{ax+1}} \right)}{m+1}$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*ArcCosh[a\*x], x]

[Out] (x^(1+m)\*(ArcCosh[a\*x] - (a\*x\*Sqrt[1 - a^2\*x^2]\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2\*x^2])/((2+m)\*Sqrt[-1+a\*x]\*Sqrt[1+a\*x]))/(1+m)

**fricas [F]** time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}(x^m \operatorname{arcosh}(ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x^m\*arccosh(a\*x), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arcosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x), x, algorithm="giac")

[Out] integrate(x^m\*arccosh(a\*x), x)

**maple [F]** time = 1.04, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arccosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arccosh(a\*x), x)

[Out] int(x^m\*arccosh(a\*x), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-a^2 \int \frac{x^2 x^m}{a^2(m+1)x^2 - m - 1} dx + a \int \frac{x x^m}{a^3(m+1)x^3 - a(m+1)x + (a^2(m+1)x^2 - m - 1)\sqrt{ax+1}\sqrt{ax-1}} dx + \frac{x x^m}{a^3(m+1)x^3 - a(m+1)x + (a^2(m+1)x^2 - m - 1)\sqrt{ax+1}\sqrt{ax-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x),x, algorithm="maxima")

[Out] -a^2\*integrate(x^2\*x^m/(a^2\*(m + 1)\*x^2 - m - 1), x) + a\*integrate(x\*x^m/(a^3\*(m + 1)\*x^3 - a\*(m + 1)\*x + (a^2\*(m + 1)\*x^2 - m - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)), x) + x\*x^m\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))/(m + 1)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \operatorname{acosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*acosh(a\*x),x)

[Out] int(x^m\*acosh(a\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{acosh}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*acosh(a\*x),x)

[Out] Integral(x\*\*m\*acosh(a\*x), x)



$$3.119 \quad \int \frac{x^m}{\cosh^{-1}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{x^m}{\cosh^{-1}(ax)}, x\right)$$

[Out] Unintegrable(x<sup>m</sup>/arccosh(a\*x), x)

**Rubi** [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{x^m}{\cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[x<sup>m</sup>/ArcCosh[a\*x], x]

[Out] Defer[Int][x<sup>m</sup>/ArcCosh[a\*x], x]

Rubi steps

$$\int \frac{x^m}{\cosh^{-1}(ax)} dx = \int \frac{x^m}{\cosh^{-1}(ax)} dx$$

**Mathematica** [A] time = 1.32, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x<sup>m</sup>/ArcCosh[a\*x], x]

[Out] Integrate[x<sup>m</sup>/ArcCosh[a\*x], x]

**fricas** [A] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^m}{\text{arcosh}(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>/arccosh(a\*x), x, algorithm="fricas")

[Out] integral(x<sup>m</sup>/arccosh(a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\text{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>/arccosh(a\*x), x, algorithm="giac")

[Out] integrate(x<sup>m</sup>/arccosh(a\*x), x)

**maple** [A] time = 0.72, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m/arccosh(a*x),x)`

[Out] `int(x^m/arccosh(a*x),x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arcosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m/arccosh(a*x),x, algorithm="maxima")`

[Out] `integrate(x^m/arccosh(a*x), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{x^m}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m/acosh(a*x),x)`

[Out] `int(x^m/acosh(a*x), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m/acosh(a*x),x)`

[Out] `Integral(x**m/acosh(a*x), x)`

$$3.120 \quad \int \frac{x^m}{\cosh^{-1}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{x^m}{\cosh^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a\*x)^2, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{x^m}{\cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/ArcCosh[a\*x]^2, x]

[Out] Defer[Int][x^m/ArcCosh[a\*x]^2, x]

Rubi steps

$$\int \frac{x^m}{\cosh^{-1}(ax)^2} dx = \int \frac{x^m}{\cosh^{-1}(ax)^2} dx$$

Mathematica [A] time = 1.34, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\cosh^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/ArcCosh[a\*x]^2, x]

[Out] Integrate[x^m/ArcCosh[a\*x]^2, x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^m}{\text{arcosh}(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^2, x, algorithm="fricas")

[Out] integral(x^m/arccosh(a\*x)^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\text{arcosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^2, x, algorithm="giac")

[Out] integrate(x^m/arccosh(a\*x)^2, x)

**maple** [A] time = 0.87, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/arccosh(a\*x)^2,x)

[Out] int(x^m/arccosh(a\*x)^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(a^2x^2 - 1)\sqrt{ax+1}\sqrt{ax-1}x^m + (a^3x^3 - ax)x^m}{(a^3x^2 + \sqrt{ax+1}\sqrt{ax-1}a^2x - a)\log(ax + \sqrt{ax+1}\sqrt{ax-1})} + \int \frac{(a^3(m+1)x^3 - a(m-1)x)(ax+1)(ax-1)x^m}{(a^5x^5 + (ax+1)(ax-1))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^2,x, algorithm="maxima")

[Out] -((a^2\*x^2 - 1)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*x^m + (a^3\*x^3 - a\*x)\*x^m)/((a^3\*x^2 + sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*a^2\*x - a)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))) + integrate(((a^3\*(m + 1)\*x^3 - a\*(m - 1)\*x)\*(a\*x + 1)\*(a\*x - 1)\*x^m + (2\*a^4\*(m + 1)\*x^4 - a^2\*(3\*m + 1)\*x^2 + m)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1)\*x^m + (a^5\*(m + 1)\*x^5 - 2\*a^3\*(m + 1)\*x^3 + a\*(m + 1)\*x)\*x^m)/((a^5\*x^5 + (a\*x + 1)\*(a\*x - 1)\*a^3\*x^3 - 2\*a^3\*x^3 + 2\*(a^4\*x^4 - a^2\*x^2)\*sqrt(a\*x + 1)\*sqrt(a\*x - 1) + a\*x)\*log(a\*x + sqrt(a\*x + 1)\*sqrt(a\*x - 1))), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{x^m}{\operatorname{acosh}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/acosh(a\*x)^2,x)

[Out] int(x^m/acosh(a\*x)^2, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{acosh}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/acosh(a\*x)\*\*2,x)

[Out] Integral(x\*\*m/acosh(a\*x)\*\*2, x)

$$3.121 \quad \int \frac{x^m}{\cosh^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{x^m}{\cosh^{-1}(ax)^3}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a\*x)^3, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{x^m}{\cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/ArcCosh[a\*x]^3, x]

[Out] Defer[Int][x^m/ArcCosh[a\*x]^3, x]

Rubi steps

$$\int \frac{x^m}{\cosh^{-1}(ax)^3} dx = \int \frac{x^m}{\cosh^{-1}(ax)^3} dx$$

Mathematica [A] time = 1.36, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\cosh^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/ArcCosh[a\*x]^3, x]

[Out] Integrate[x^m/ArcCosh[a\*x]^3, x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^m}{\text{arcosh}(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^3, x, algorithm="fricas")

[Out] integral(x^m/arccosh(a\*x)^3, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\text{arcosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^3, x, algorithm="giac")

[Out] integrate(x^m/arccosh(a\*x)^3, x)

**maple** [A] time = 0.72, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m/arccosh(a*x)^3,x)`

[Out] `int(x^m/arccosh(a*x)^3,x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m/arccosh(a*x)^3,x, algorithm="maxima")`

[Out] `-1/2*((a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)*x^m + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*(a*x - 1)*x^m + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + (a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 - a^2*x^2)*x^m + ((a^5*(m + 1)*x^5 - 2*a^3*m*x^3 + a*(m - 1)*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)*x^m + (3*a^6*(m + 1)*x^6 - a^4*(7*m + 3)*x^4 + 5*a^2*m*x^2 - m)*(a*x + 1)*(a*x - 1)*x^m + (3*a^7*(m + 1)*x^7 - 2*a^5*(4*m + 3)*x^5 + a^3*(7*m + 4)*x^3 - a*(2*m + 1)*x)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + (a^8*(m + 1)*x^8 - 3*a^6*(m + 1)*x^6 + 3*a^4*(m + 1)*x^4 - a^2*(m + 1)*x^2)*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^8*x^7 + (a*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^5*x^4 - 3*a^6*x^5 + 3*a^4*x^3 + 3*(a^6*x^5 - a^4*x^3)*(a*x + 1)*(a*x - 1) - a^2*x + 3*(a^7*x^6 - 2*a^5*x^4 + a^3*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2) + integrate(1/2*((m^2 + 2*m + 1)*a^6*x^6 - 2*(m^2 - m)*a^4*x^4 + (m^2 - 4*m + 3)*a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2*x^m + (4*(m^2 + 2*m + 1)*a^7*x^7 - 2*(5*m^2 + m + 2)*a^5*x^5 + (8*m^2 - 11*m + 3)*a^3*x^3 - (2*m^2 - 5*m)*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)*x^m + (6*(m^2 + 2*m + 1)*a^8*x^8 - 6*(3*m^2 + 3*m + 2)*a^6*x^6 + (19*m^2 + 2*m + 3)*a^4*x^4 - (8*m^2 - 5*m - 3)*a^2*x^2 + m^2 - m)*(a*x + 1)*(a*x - 1)*x^m + (4*(m^2 + 2*m + 1)*a^9*x^9 - 2*(7*m^2 + 11*m + 6)*a^7*x^7 + 3*(6*m^2 + 7*m + 3)*a^5*x^5 - (10*m^2 + 8*m + 1)*a^3*x^3 + (2*m^2 + m)*a*x)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + ((m^2 + 2*m + 1)*a^10*x^10 - 4*(m^2 + 2*m + 1)*a^8*x^8 + 6*(m^2 + 2*m + 1)*a^6*x^6 - 4*(m^2 + 2*m + 1)*a^4*x^4 + (m^2 + 2*m + 1)*a^2*x^2)*x^m)/((a^10*x^10 + (a*x + 1)^2*(a*x - 1)^2*a^6*x^6 - 4*a^8*x^8 + 6*a^6*x^6 - 4*a^4*x^4 + 4*(a^7*x^7 - a^5*x^5)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + a^2*x^2 + 6*(a^8*x^8 - 2*a^6*x^6 + a^4*x^4)*(a*x + 1)*(a*x - 1) + 4*(a^9*x^9 - 3*a^7*x^7 + 3*a^5*x^5 - a^3*x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{x^m}{\operatorname{acosh}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m/acosh(a*x)^3,x)`

[Out] `int(x^m/acosh(a*x)^3, x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{acosh}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m/acosh(a*x)**3,x)
```

```
[Out] Integral(x**m/acosh(a*x)**3, x)
```

### 3.122 $\int x^m \cosh^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=15

$$\text{Int}(x^m \cosh^{-1}(ax)^{3/2}, x)$$

[Out] Unintegrable(x<sup>m</sup>\*arccosh(a\*x)<sup>(3/2)</sup>, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x^m \cosh^{-1}(ax)^{3/2} dx$$

Verification is Not applicable to the result.

[In] Int[x<sup>m</sup>\*ArcCosh[a\*x]<sup>(3/2)</sup>, x]

[Out] Defer[Int][x<sup>m</sup>\*ArcCosh[a\*x]<sup>(3/2)</sup>, x]

Rubi steps

$$\int x^m \cosh^{-1}(ax)^{3/2} dx = \int x^m \cosh^{-1}(ax)^{3/2} dx$$

Mathematica [A] time = 2.00, size = 0, normalized size = 0.00

$$\int x^m \cosh^{-1}(ax)^{3/2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x<sup>m</sup>\*ArcCosh[a\*x]<sup>(3/2)</sup>, x]

[Out] Integrate[x<sup>m</sup>\*ArcCosh[a\*x]<sup>(3/2)</sup>, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arccosh(a\*x)<sup>(3/2)</sup>, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arccosh(a\*x)<sup>(3/2)</sup>, x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.14, size = 0, normalized size = 0.00

$$\int x^m \text{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(x^m\*arccosh(a\*x)^(3/2),x)

[Out] int(x^m\*arccosh(a\*x)^(3/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arccosh(a\*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^m\*arccosh(a\*x)^(3/2), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int x^m \operatorname{acosh}(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*acosh(a\*x)^(3/2),x)

[Out] int(x^m\*acosh(a\*x)^(3/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*acosh(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*m\*acosh(a\*x)\*\*(3/2), x)

$$3.123 \quad \int x^m \sqrt{\cosh^{-1}(ax)} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(x^m \sqrt{\cosh^{-1}(ax)}, x\right)$$

[Out] Unintegrable(x<sup>m</sup>\*arccosh(a\*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x^m \sqrt{\cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[x<sup>m</sup>\*Sqrt[ArcCosh[a\*x]], x]

[Out] Defer[Int][x<sup>m</sup>\*Sqrt[ArcCosh[a\*x]], x]

Rubi steps

$$\int x^m \sqrt{\cosh^{-1}(ax)} dx = \int x^m \sqrt{\cosh^{-1}(ax)} dx$$

Mathematica [A] time = 2.27, size = 0, normalized size = 0.00

$$\int x^m \sqrt{\cosh^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x<sup>m</sup>\*Sqrt[ArcCosh[a\*x]], x]

[Out] Integrate[x<sup>m</sup>\*Sqrt[ArcCosh[a\*x]], x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arccosh(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arccosh(a\*x)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.11, size = 0, normalized size = 0.00

$$\int x^m \sqrt{\text{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*arccosh(a*x)^(1/2),x)`

[Out] `int(x^m*arccosh(a*x)^(1/2),x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arccosh(a*x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^m*sqrt(arccosh(a*x)), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int x^m \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*acosh(a*x)^(1/2),x)`

[Out] `int(x^m*acosh(a*x)^(1/2), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sqrt{\operatorname{acosh}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*acosh(a*x)**(1/2),x)`

[Out] `Integral(x**m*sqrt(acosh(a*x)), x)`

$$3.124 \quad \int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Optimal.** Leaf size=15

$$\text{Int} \left( \frac{x^m}{\sqrt{\cosh^{-1}(ax)}}, x \right)$$

[Out] Unintegrable(x^m/arccosh(a\*x)^(1/2),x)

**Rubi [A]** time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/Sqrt[ArcCosh[a\*x]],x]

[Out] Defer[Int][x^m/Sqrt[ArcCosh[a\*x]], x]

Rubi steps

$$\int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx = \int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx$$

**Mathematica [A]** time = 2.12, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\sqrt{\cosh^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/Sqrt[ArcCosh[a\*x]],x]

[Out] Integrate[x^m/Sqrt[ArcCosh[a\*x]], x]

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\sqrt{\text{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(x<sup>m</sup>/sqrt(arccosh(a\*x)), x)

**maple** [A] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>m</sup>/arccosh(a\*x)^(1/2), x)

[Out] int(x<sup>m</sup>/arccosh(a\*x)^(1/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>/arccosh(a\*x)^(1/2), x, algorithm="maxima")

[Out] integrate(x<sup>m</sup>/sqrt(arccosh(a\*x)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x^m}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>m</sup>/acosh(a\*x)^(1/2), x)

[Out] int(x<sup>m</sup>/acosh(a\*x)^(1/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\sqrt{\operatorname{acosh}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/acosh(a\*x)\*\*(1/2), x)

[Out] Integral(x\*\*m/sqrt(acosh(a\*x)), x)

$$3.125 \quad \int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{x^m}{\cosh^{-1}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a\*x)^(3/2), x)

**Rubi** [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/ArcCosh[a\*x]^(3/2), x]

[Out] Defer[Int][x^m/ArcCosh[a\*x]^(3/2), x]

Rubi steps

$$\int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx = \int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx$$

**Mathematica** [A] time = 2.04, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\cosh^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/ArcCosh[a\*x]^(3/2), x]

[Out] Integrate[x^m/ArcCosh[a\*x]^(3/2), x]

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\text{arcosh}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^(3/2), x, algorithm="giac")

[Out] integrate(x^m/arccosh(a\*x)^(3/2), x)

**maple** [A] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/arccosh(a\*x)^(3/2), x)

[Out] int(x^m/arccosh(a\*x)^(3/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arccosh(a\*x)^(3/2), x, algorithm="maxima")

[Out] integrate(x^m/arccosh(a\*x)^(3/2), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x^m}{\operatorname{acosh}(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/acosh(a\*x)^(3/2), x)

[Out] int(x^m/acosh(a\*x)^(3/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^m}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/acosh(a\*x)\*\*(3/2), x)

[Out] Integral(x\*\*m/acosh(a\*x)\*\*(3/2), x)

### 3.126 $\int (dx)^m \cosh^{-1}(ax)^n dx$

Optimal. Leaf size=15

$$\text{Int}((dx)^m \cosh^{-1}(ax)^n, x)$$

[Out] Unintegrable((d\*x)^m\*arccosh(a\*x)^n,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (dx)^m \cosh^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Int[(d\*x)^m\*ArcCosh[a\*x]^n,x]

[Out] Defer[Int] [(d\*x)^m\*ArcCosh[a\*x]^n, x]

Rubi steps

$$\int (dx)^m \cosh^{-1}(ax)^n dx = \int (dx)^m \cosh^{-1}(ax)^n dx$$

Mathematica [A] time = 1.45, size = 0, normalized size = 0.00

$$\int (dx)^m \cosh^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(d\*x)^m\*ArcCosh[a\*x]^n,x]

[Out] Integrate[(d\*x)^m\*ArcCosh[a\*x]^n, x]

fricas [A] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{arcosh}(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral((d\*x)^m\*arccosh(a\*x)^n, x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*arccosh(a\*x)^n,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.12, size = 0, normalized size = 0.00

$$\int (dx)^m \text{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int((d\*x)^m\*arccosh(a\*x)^n,x)

[Out] int((d\*x)^m\*arccosh(a\*x)^n,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate((d\*x)^m\*arccosh(a\*x)^n, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \operatorname{acosh}(ax)^n (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^n\*(d\*x)^m,x)

[Out] int(acosh(a\*x)^n\*(d\*x)^m, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*acosh(a\*x)\*\*n,x)

[Out] Integral((d\*x)\*\*m\*acosh(a\*x)\*\*n, x)

### 3.127 $\int x^4 \cosh^{-1}(ax)^n dx$

**Optimal.** Leaf size=173

$$\frac{5^{-n-1} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -5 \cosh^{-1}(ax))}{32a^5} + \frac{3^{-n} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -3 \cosh^{-1}(ax))}{32a^5}$$

[Out] 1/32\*5^(-1-n)\*arccosh(a\*x)^n\*GAMMA(1+n,-5\*arccosh(a\*x))/a^5/((-arccosh(a\*x))^n)+1/32\*arccosh(a\*x)^n\*GAMMA(1+n,-3\*arccosh(a\*x))/(3^n)/a^5/((-arccosh(a\*x))^n)+1/16\*arccosh(a\*x)^n\*GAMMA(1+n,-arccosh(a\*x))/a^5/((-arccosh(a\*x))^n)+1/16\*GAMMA(1+n,arccosh(a\*x))/a^5+1/32\*GAMMA(1+n,3\*arccosh(a\*x))/(3^n)/a^5+1/32\*5^(-1-n)\*GAMMA(1+n,5\*arccosh(a\*x))/a^5

**Rubi [A]** time = 0.25, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5670, 5448, 3308, 2181}

$$\frac{5^{-n-1} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \text{Gamma}(n+1, -5 \cosh^{-1}(ax))}{32a^5} + \frac{3^{-n} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \text{Gamma}(n+1, -3 \cosh^{-1}(ax))}{32a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcCosh[a\*x]^n,x]

[Out] (5^(-1-n)\*ArcCosh[a\*x]^n\*Gamma[1+n,-5\*ArcCosh[a\*x]])/(32\*a^5\*(-ArcCosh[a\*x])^n) + (ArcCosh[a\*x]^n\*Gamma[1+n,-3\*ArcCosh[a\*x]])/(32\*3^n\*a^5\*(-ArcCosh[a\*x])^n) + (ArcCosh[a\*x]^n\*Gamma[1+n,-ArcCosh[a\*x]])/(16\*a^5\*(-ArcCosh[a\*x])^n) + Gamma[1+n,ArcCosh[a\*x]]/(16\*a^5) + Gamma[1+n,3\*ArcCosh[a\*x]]/(32\*3^n\*a^5) + (5^(-1-n)\*Gamma[1+n,5\*ArcCosh[a\*x]])/(32\*a^5)

#### Rule 2181

Int[(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_)))\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> -Simp[(F^(g\*(e - (c\*f)/d))\*(c + d\*x)^FracPart[m]\*Gamma[m + 1, -(f\*g\*Log[F])/d]\*(c + d\*x))/d\*(c + d\*x)^FracPart[m], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

#### Rule 3308

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_) + (b\_)\*(x\_)]^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*Sinh[(a\_) + (b\_)\*(x\_)]^(n\_), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)^m\_, x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int x^4 \cosh^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cosh^4(x) \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{8}x^n \sinh(x) + \frac{3}{16}x^n \sinh(3x) + \frac{1}{16}x^n \sinh(5x)\right) dx, x, \cosh^{-1}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(5x) dx, x, \cosh^{-1}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{8a^5} + \frac{\text{Subst}\left(\int x^n \sinh(3x) dx, x, \cosh^{-1}(ax)\right)}{16a^5} \\
&= -\frac{\text{Subst}\left(\int e^{-5x} x^n dx, x, \cosh^{-1}(ax)\right)}{32a^5} + \frac{\text{Subst}\left(\int e^{5x} x^n dx, x, \cosh^{-1}(ax)\right)}{32a^5} - \frac{\text{Subst}\left(\int e^{3x} x^n dx, x, \cosh^{-1}(ax)\right)}{32a^5} \\
&= \frac{5^{-1-n} \left(-\cosh^{-1}(ax)\right)^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -5 \cosh^{-1}(ax))}{32a^5} + \frac{3^{-n} \left(-\cosh^{-1}(ax)\right)^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -3 \cosh^{-1}(ax))}{32a^5}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 144, normalized size = 0.83

$$\frac{5^{-n} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -5 \cosh^{-1}(ax)) + 5 \cdot 3^{-n} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -3 \cosh^{-1}(ax))}{32a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcCosh[a\*x]^n,x]

[Out] ((ArcCosh[a\*x]^n\*Gamma[1+n,-5\*ArcCosh[a\*x]])/(5^n\*(-ArcCosh[a\*x])^n) + (5\*ArcCosh[a\*x]^n\*Gamma[1+n,-3\*ArcCosh[a\*x]])/(3^n\*(-ArcCosh[a\*x])^n) + (10\*ArcCosh[a\*x]^n\*Gamma[1+n,-ArcCosh[a\*x]])/(-ArcCosh[a\*x])^n + 10\*Gamma[1+n,ArcCosh[a\*x]] + (5\*Gamma[1+n,3\*ArcCosh[a\*x]])/3^n + Gamma[1+n,5\*ArcCosh[a\*x]]/5^n)/(160\*a^5)

**fricas [F]** time = 1.18, size = 0, normalized size = 0.00

$$\text{integral}\left(x^4 \operatorname{arcosh}(ax)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral(x^4\*arccosh(a\*x)^n, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^n,x, algorithm="giac")

[Out] integrate(x^4\*arccosh(a\*x)^n, x)

**maple [F(-2)]** time = 180.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arccosh(a\*x)^n,x)

[Out] int(x^4\*arccosh(a\*x)^n,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate(x^4\*arccosh(a\*x)^n, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{acosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*acosh(a\*x)^n,x)

[Out] int(x^4\*acosh(a\*x)^n, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*acosh(a\*x)\*\*n,x)

[Out] Integral(x\*\*4\*acosh(a\*x)\*\*n, x)

### 3.128 $\int x^3 \cosh^{-1}(ax)^n dx$

**Optimal.** Leaf size=117

$$\frac{2^{-2(n+3)} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -4 \cosh^{-1}(ax))}{a^4} + \frac{2^{-n-4} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1)}{a^4}$$

```
[Out] arccosh(a*x)^n*GAMMA(1+n,-4*arccosh(a*x))/(2^(6+2*n))/a^4/((-arccosh(a*x))^n)+2^(-4-n)*arccosh(a*x)^n*GAMMA(1+n,-2*arccosh(a*x))/a^4/((-arccosh(a*x))^n)+2^(-4-n)*GAMMA(1+n,2*arccosh(a*x))/a^4+GAMMA(1+n,4*arccosh(a*x))/(2^(6+2*n))/a^4
```

**Rubi [A]** time = 0.19, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5670, 5448, 3308, 2181}

$$\frac{2^{-2(n+3)} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -4 \cosh^{-1}(ax))}{a^4} + \frac{2^{-n-4} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1)}{a^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*ArcCosh[a*x]^n,x]
```

```
[Out] (ArcCosh[a*x]^n*Gamma[1+n,-4*ArcCosh[a*x]])/(2^(2*(3+n))*a^4*(-ArcCosh[a*x]^n)+(2^(-4-n)*ArcCosh[a*x]^n*Gamma[1+n,-2*ArcCosh[a*x]])/(a^4*(-ArcCosh[a*x]^n)+(2^(-4-n)*Gamma[1+n,2*ArcCosh[a*x]])/a^4+Gamma[1+n,4*ArcCosh[a*x]])/(2^(2*(3+n))*a^4)
```

#### Rule 2181

```
Int[(F_)^((g_)*((e_)+(f_)*(x_)))*((c_)+(d_)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e-(c*f)/d))*(c+d*x)^FracPart[m]*Gamma[m+1,(-(f*g*Log[F])/d)*(c+d*x)])/(d*(-(f*g*Log[F])/d)^(IntPart[m]+1)*(-(f*g*Log[F])*(c+d*x)/d))^FracPart[m]], x] /; FreeQ[{F,c,d,e,f,g,m},x] && !IntegerQ[m]
```

#### Rule 3308

```
Int[((c_)+(d_)*(x_))^(m_)*sin[(e_)+(f_)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c+d*x)^m/E^(I*(e+f*x)), x], x] - Dist[I/2, Int[(c+d*x)^m*E^(I*(e+f*x)), x], x] /; FreeQ[{c,d,e,f,m},x]
```

#### Rule 5448

```
Int[Cosh[(a_)+(b_)*(x_)]^(p_)*((c_)+(d_)*(x_))^(m_)*Sinh[(a_)+(b_)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c+d*x)^m, Sinh[a+b*x]^n*Cosh[a+b*x]^p, x], x] /; FreeQ[{a,b,c,d,m},x] && IGtQ[n,0] && IGtQ[p,0]
```

#### Rule 5670

```
Int[((a_)+ArcCosh[(c_)*(x_)]*(b_))^(n_)*(x_)^m_, x_Symbol]
:> Dist[1/c^(m+1), Subst[Int[(a+b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a,b,c,n},x] && IGtQ[m,0]
```

#### Rubi steps

$$\begin{aligned}
\int x^3 \cosh^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cosh^3(x) \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sinh(2x) + \frac{1}{8}x^n \sinh(4x)\right) dx, x, \cosh^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(4x) dx, x, \cosh^{-1}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int x^n \sinh(2x) dx, x, \cosh^{-1}(ax)\right)}{4a^4} \\
&= -\frac{\text{Subst}\left(\int e^{-4x}x^n dx, x, \cosh^{-1}(ax)\right)}{16a^4} + \frac{\text{Subst}\left(\int e^{4x}x^n dx, x, \cosh^{-1}(ax)\right)}{16a^4} - \frac{\text{Subst}\left(\int e^{-2x}x^n dx, x, \cosh^{-1}(ax)\right)}{8a^4} \\
&= \frac{4^{-3-n}(-\cosh^{-1}(ax))^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -4 \cosh^{-1}(ax))}{a^4} + \frac{2^{-4-n}(-\cosh^{-1}(ax))^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, 4 \cosh^{-1}(ax))}{a^4}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 97, normalized size = 0.83

$$\frac{4^{-n-3}(-\cosh^{-1}(ax))^{-n} \left( (-\cosh^{-1}(ax))^n (2^{n+2} \Gamma(n+1, 2 \cosh^{-1}(ax)) + \Gamma(n+1, 4 \cosh^{-1}(ax))) + \cosh^{-1}(ax)^n \Gamma(n+1, 2 \cosh^{-1}(ax)) \right)}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcCosh[a\*x]^n,x]

[Out] (4^(-3 - n)\*(ArcCosh[a\*x]^n\*Gamma[1 + n, -4\*ArcCosh[a\*x]] + 2^(2 + n)\*ArcCosh[a\*x]^n\*Gamma[1 + n, -2\*ArcCosh[a\*x]] + (-ArcCosh[a\*x])^n\*(2^(2 + n)\*Gamma[1 + n, 2\*ArcCosh[a\*x]] + Gamma[1 + n, 4\*ArcCosh[a\*x]])))/a^4\*(-ArcCosh[a\*x])^n)

**fricas [F]** time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}(x^3 \operatorname{arccosh}(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral(x^3\*arccosh(a\*x)^n, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^n,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [F(-2)]** time = 180.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arccosh(a\*x)^n,x)

[Out] int(x^3\*arccosh(a\*x)^n,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate(x^3\*arccosh(a\*x)^n, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*acosh(a\*x)^n,x)

[Out] int(x^3\*acosh(a\*x)^n, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*acosh(a\*x)\*\*n,x)

[Out] Integral(x\*\*3\*acosh(a\*x)\*\*n, x)

### 3.129 $\int x^2 \cosh^{-1}(ax)^n dx$

**Optimal.** Leaf size=113

$$\frac{3^{-n-1} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -3 \cosh^{-1}(ax))}{8a^3} + \frac{\cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -\cosh^{-1}(ax))}{8a^3}$$

[Out]  $1/8*3^{(-1-n)}*\operatorname{arccosh}(a*x)^n*\operatorname{GAMMA}(1+n, -3*\operatorname{arccosh}(a*x))/a^3/((- \operatorname{arccosh}(a*x))^n)+1/8*\operatorname{arccosh}(a*x)^n*\operatorname{GAMMA}(1+n, -\operatorname{arccosh}(a*x))/a^3/((- \operatorname{arccosh}(a*x))^n)+1/8*\operatorname{GAMMA}(1+n, \operatorname{arccosh}(a*x))/a^3+1/8*3^{(-1-n)}*\operatorname{GAMMA}(1+n, 3*\operatorname{arccosh}(a*x))/a^3$

**Rubi [A]** time = 0.18, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {5670, 5448, 3308, 2181}

$$\frac{3^{-n-1} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \operatorname{Gamma}(n+1, -3 \cosh^{-1}(ax))}{8a^3} + \frac{\cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \operatorname{Gamma}(n+1, -\cosh^{-1}(ax))}{8a^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^n, x]$

[Out]  $(3^{(-1-n)}*\operatorname{ArcCosh}[a*x]^n*\operatorname{Gamma}[1+n, -3*\operatorname{ArcCosh}[a*x]])/(8*a^3*(-\operatorname{ArcCosh}[a*x])^n) + (\operatorname{ArcCosh}[a*x]^n*\operatorname{Gamma}[1+n, -\operatorname{ArcCosh}[a*x]])/(8*a^3*(-\operatorname{ArcCosh}[a*x])^n) + \operatorname{Gamma}[1+n, \operatorname{ArcCosh}[a*x]]/(8*a^3) + (3^{(-1-n)}*\operatorname{Gamma}[1+n, 3*\operatorname{ArcCosh}[a*x]])/(8*a^3)$

#### Rule 2181

$\operatorname{Int}[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^{(m_)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(F_)^{(g_.)*(e_.) + (f_.)*(x_)}*(c_ + d*x)^{\operatorname{FracPart}[m]}*\operatorname{Gamma}[m+1, -(f*g*\operatorname{Log}[F])/d]*(c + d*x)]/(d*(-(f*g*\operatorname{Log}[F])/d))^{(\operatorname{IntPart}[m] + 1)*(-(f*g*\operatorname{Log}[F])*(c + d*x)/d)^{\operatorname{FracPart}[m]}}$ , x] /;  $\operatorname{FreeQ}\{F, c, d, e, f, g, m\}, x \&\& \operatorname{IntegerQ}[m]$

#### Rule 3308

$\operatorname{Int}[(c_ + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] \rightarrow \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{I*(e + f*x)}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*\operatorname{E}^{I*(e + f*x)}, x], x] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x]$

#### Rule 5448

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_)]^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}*\operatorname{Sinh}[(a_.) + (b_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sinh}[a + b*x]^n*\operatorname{Cosh}[a + b*x]^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, m\}, x \&\& \operatorname{IGtQ}[n, 0] \& \& \operatorname{IGtQ}[p, 0]$

#### Rule 5670

$\operatorname{Int}[(a_ + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_))^{(n_.)}*(x_)^{(m_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/c^{(m+1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Cosh}[x]^m*\operatorname{Sinh}[x], x], x, \operatorname{ArcCosh}[c*x]], x] /; \operatorname{FreeQ}\{a, b, c, n\}, x \&\& \operatorname{IGtQ}[m, 0]$

#### Rubi steps



$$\begin{aligned}
\int x^2 \cosh^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cosh^2(x) \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sinh(x) + \frac{1}{4}x^n \sinh(3x)\right) dx, x, \cosh^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{4a^3} + \frac{\text{Subst}\left(\int x^n \sinh(3x) dx, x, \cosh^{-1}(ax)\right)}{4a^3} \\
&= -\frac{\text{Subst}\left(\int e^{-3x} x^n dx, x, \cosh^{-1}(ax)\right)}{8a^3} - \frac{\text{Subst}\left(\int e^{-x} x^n dx, x, \cosh^{-1}(ax)\right)}{8a^3} + \frac{\text{Subst}\left(\int e^{3x} x^n dx, x, \cosh^{-1}(ax)\right)}{8a^3} \\
&= \frac{3^{-1-n} \left(-\cosh^{-1}(ax)\right)^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -3 \cosh^{-1}(ax))}{8a^3} + \frac{\left(-\cosh^{-1}(ax)\right)^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -\cosh^{-1}(ax))}{8a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 95, normalized size = 0.84

$$\frac{3^{-n-1} \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -3 \cosh^{-1}(ax)) + \cosh^{-1}(ax)^n \left(-\cosh^{-1}(ax)\right)^{-n} \Gamma(n+1, -\cosh^{-1}(ax))}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcCosh[a\*x]^n,x]

[Out] ((3^(-1-n)\*ArcCosh[a\*x]^n\*Gamma[1+n,-3\*ArcCosh[a\*x]])/(-ArcCosh[a\*x])^n + (ArcCosh[a\*x]^n\*Gamma[1+n,-ArcCosh[a\*x]])/(-ArcCosh[a\*x])^n + Gamma[1+n,ArcCosh[a\*x]] + 3^(-1-n)\*Gamma[1+n,3\*ArcCosh[a\*x]])/(8\*a^3)

**fricas [F]** time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(x^2 \operatorname{arcosh}(ax)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral(x^2\*arccosh(a\*x)^n, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^n,x, algorithm="giac")

[Out] integrate(x^2\*arccosh(a\*x)^n, x)

**maple [F(-2)]** time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arccosh(a\*x)^n,x)

[Out] int(x^2\*arccosh(a\*x)^n,x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate(x^2\*arccosh(a\*x)^n, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{arccosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*acosh(a\*x)^n,x)

[Out] int(x^2\*acosh(a\*x)^n, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*acosh(a\*x)\*\*n,x)

[Out] Integral(x\*\*2\*acosh(a\*x)\*\*n, x)

### 3.130 $\int x \cosh^{-1}(ax)^n dx$

**Optimal.** Leaf size=59

$$\frac{2^{-n-3} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -2 \cosh^{-1}(ax))}{a^2} + \frac{2^{-n-3} \Gamma(n+1, 2 \cosh^{-1}(ax))}{a^2}$$

[Out]  $2^{(-3-n)*\operatorname{arccosh}(a*x)^n*\operatorname{GAMMA}(1+n, -2*\operatorname{arccosh}(a*x))}/a^2/((- \operatorname{arccosh}(a*x))^n) + 2^{(-3-n)*\operatorname{GAMMA}(1+n, 2*\operatorname{arccosh}(a*x))}/a^2$

**Rubi [A]** time = 0.09, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5670, 5448, 12, 3308, 2181}

$$\frac{2^{-n-3} \cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \operatorname{Gamma}(n+1, -2 \cosh^{-1}(ax))}{a^2} + \frac{2^{-n-3} \operatorname{Gamma}(n+1, 2 \cosh^{-1}(ax))}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcCosh[a\*x]^n, x]

[Out]  $(2^{(-3-n)*\operatorname{ArcCosh}[a*x]^n*\operatorname{Gamma}[1+n, -2*\operatorname{ArcCosh}[a*x]])}/(a^2*(-\operatorname{ArcCosh}[a*x])^n) + (2^{(-3-n)*\operatorname{Gamma}[1+n, 2*\operatorname{ArcCosh}[a*x]])}/a^2$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2181

Int[(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_)))\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := -Simp[(F^(g\*(e - (c\*f)/d))\*(c + d\*x)^FracPart[m]\*Gamma[m + 1, (-((f\*g\*Log[F])/d))\*(c + d\*x])]/(d\*(-((f\*g\*Log[F])/d))^(IntPart[m] + 1)\*(-((f\*g\*Log[F])\*(c + d\*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

#### Rule 3308

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_) + (b\_)\*(x\_)]^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*Sinh[(a\_) + (b\_)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5670

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int x \cosh^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cosh(x) \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int \frac{1}{2}x^n \sinh(2x) dx, x, \cosh^{-1}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(2x) dx, x, \cosh^{-1}(ax)\right)}{2a^2} \\
&= -\frac{\text{Subst}\left(\int e^{-2x}x^n dx, x, \cosh^{-1}(ax)\right)}{4a^2} + \frac{\text{Subst}\left(\int e^{2x}x^n dx, x, \cosh^{-1}(ax)\right)}{4a^2} \\
&= \frac{2^{-3-n}(-\cosh^{-1}(ax))^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -2 \cosh^{-1}(ax))}{a^2} + \frac{2^{-3-n} \Gamma(1+n, 2 \cosh^{-1}(ax))}{a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 58, normalized size = 0.98

$$\frac{2^{-n-3}(-\cosh^{-1}(ax))^{-n} \left( (-\cosh^{-1}(ax))^n \Gamma(n+1, 2 \cosh^{-1}(ax)) + \cosh^{-1}(ax)^n \Gamma(n+1, -2 \cosh^{-1}(ax)) \right)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcCosh[a\*x]^n,x]

[Out] (2^(-3 - n)\*(ArcCosh[a\*x]^n\*Gamma[1 + n, -2\*ArcCosh[a\*x]] + (-ArcCosh[a\*x])^n\*Gamma[1 + n, 2\*ArcCosh[a\*x]]))/(a^2\*(-ArcCosh[a\*x])^n)

**fricas [F]** time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}(x \operatorname{arcosh}(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral(x\*arccosh(a\*x)^n, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^n,x, algorithm="giac")

[Out] integrate(x\*arccosh(a\*x)^n, x)

**maple [C]** time = 0.09, size = 38, normalized size = 0.64

$$\frac{\operatorname{arccosh}(ax)^{2+n} \operatorname{hypergeom}\left(\left[1 + \frac{n}{2}\right], \left[\frac{3}{2}, 2 + \frac{n}{2}\right], \operatorname{arccosh}(ax)^2\right)}{a^2(2+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arccosh(a\*x)^n,x)

[Out] 1/a^2/(2+n)\*arccosh(a\*x)^(2+n)\*hypergeom([1+1/2\*n], [3/2, 2+1/2\*n], arccosh(a\*x)^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate(x\*arccosh(a\*x)^n, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \operatorname{acosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*acosh(a\*x)^n,x)

[Out] int(x\*acosh(a\*x)^n, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*acosh(a\*x)\*\*n,x)

[Out] Integral(x\*acosh(a\*x)\*\*n, x)

### 3.131 $\int \cosh^{-1}(ax)^n dx$

**Optimal.** Leaf size=49

$$\frac{\cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -\cosh^{-1}(ax))}{2a} + \frac{\Gamma(n+1, \cosh^{-1}(ax))}{2a}$$

[Out] 1/2\*arccosh(a\*x)^n\*GAMMA(1+n,-arccosh(a\*x))/a/((-arccosh(a\*x))^n)+1/2\*GAMMA(1+n,arccosh(a\*x))/a

**Rubi [A]** time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5658, 3308, 2181}

$$\frac{\cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \text{Gamma}(n+1, -\cosh^{-1}(ax))}{2a} + \frac{\text{Gamma}(n+1, \cosh^{-1}(ax))}{2a}$$

Antiderivative was successfully verified.

[In] Int[ArcCosh[a\*x]^n,x]

[Out] (ArcCosh[a\*x]^n\*Gamma[1+n,-ArcCosh[a\*x]])/(2\*a\*(-ArcCosh[a\*x])^n) + Gamma[a[1+n,ArcCosh[a\*x]]/(2\*a)

#### Rule 2181

Int[(F\_)^((g\_)\*(e\_)+(f\_)\*(x\_))\*((c\_)+(d\_)\*(x\_))^(m\_), x\_Symbol] :> -Simp[(F^(g\*(e-(c\*f)/d))\*(c+d\*x)^FracPart[m]\*Gamma[m+1,(-(f\*g\*Log[F])/d))\*(c+d\*x)]/(d\*(-(f\*g\*Log[F])/d))^(IntPart[m]+1)\*(-(f\*g\*Log[F])\*(c+d\*x)/d)^FracPart[m]], x /; FreeQ[{F,c,d,e,f,g,m},x] && !IntegerQ[m]

#### Rule 3308

Int[((c\_)+(d\_)\*(x\_))^(m\_)\*sin[(e\_)+(f\_)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c+d\*x)^m/E^(I\*(e+f\*x)), x], x] - Dist[I/2, Int[(c+d\*x)^m\*E^(I\*(e+f\*x)), x], x] /; FreeQ[{c,d,e,f,m},x]

#### Rule 5658

Int[((a\_)+ArcCosh[(c\_)\*(x\_)])\*(b\_)^(n\_), x\_Symbol] :> -Dist[(b\*c)^(-1), Subst[Int[x^n\*Sinh[a/b-x/b], x], x, a+b\*ArcCosh[c\*x]], x] /; FreeQ[{a,b,c,n},x]

#### Rubi steps

$$\begin{aligned} \int \cosh^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \cosh^{-1}(ax)\right)}{a} \\ &= -\frac{\text{Subst}\left(\int e^{-x} x^n dx, x, \cosh^{-1}(ax)\right)}{2a} + \frac{\text{Subst}\left(\int e^x x^n dx, x, \cosh^{-1}(ax)\right)}{2a} \\ &= \frac{(-\cosh^{-1}(ax))^{-n} \cosh^{-1}(ax)^n \Gamma(1+n, -\cosh^{-1}(ax))}{2a} + \frac{\Gamma(1+n, \cosh^{-1}(ax))}{2a} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 43, normalized size = 0.88

$$\frac{\cosh^{-1}(ax)^n (-\cosh^{-1}(ax))^{-n} \Gamma(n+1, -\cosh^{-1}(ax)) + \Gamma(n+1, \cosh^{-1}(ax))}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCosh[a\*x]^n,x]

[Out] ((ArcCosh[a\*x]^n\*Gamma[1 + n, -ArcCosh[a\*x]])/(-ArcCosh[a\*x])^n + Gamma[1 + n, ArcCosh[a\*x]])/(2\*a)

**fricas** [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}(\text{arcosh}(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n,x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^n, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n,x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^n, x)

**maple** [C] time = 0.05, size = 40, normalized size = 0.82

$$\frac{\text{arccosh}(ax)^{2+n} \text{hypergeom}\left(\left[1 + \frac{n}{2}\right], \left[\frac{3}{2}, 2 + \frac{n}{2}\right], \frac{\text{arccosh}(ax)^2}{4}\right)}{a(2+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^n,x)

[Out] 1/a/(2+n)\*arccosh(a\*x)^(2+n)\*hypergeom([1+1/2\*n], [3/2, 2+1/2\*n], 1/4\*arccosh(a\*x)^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{arcosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^n, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \text{acosh}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^n,x)

[Out] int(acosh(a\*x)^n, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{acosh}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acosh(a*x)**n, x)
```

```
[Out] Integral(acosh(a*x)**n, x)
```



$$3.132 \quad \int \frac{\cosh^{-1}(ax)^n}{x} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{\cosh^{-1}(ax)^n}{x}, x\right)$$

[Out] Unintegrable(arccosh(a\*x)^n/x, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cosh^{-1}(ax)^n}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCosh[a\*x]^n/x, x]

[Out] Defer[Int][ArcCosh[a\*x]^n/x, x]

Rubi steps

$$\int \frac{\cosh^{-1}(ax)^n}{x} dx = \int \frac{\cosh^{-1}(ax)^n}{x} dx$$

Mathematica [A] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{\cosh^{-1}(ax)^n}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCosh[a\*x]^n/x, x]

[Out] Integrate[ArcCosh[a\*x]^n/x, x]

fricas [A] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{arcosh}(ax)^n}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n/x, x, algorithm="fricas")

[Out] integral(arccosh(a\*x)^n/x, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{arcosh}(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n/x, x, algorithm="giac")

[Out] integrate(arccosh(a\*x)^n/x, x)

**maple** [A] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccosh(a\*x)^n/x,x)

[Out] int(arccosh(a\*x)^n/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{arcosh}(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccosh(a\*x)^n/x,x, algorithm="maxima")

[Out] integrate(arccosh(a\*x)^n/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\operatorname{acosh}(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acosh(a\*x)^n/x,x)

[Out] int(acosh(a\*x)^n/x, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acosh}^n(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acosh(a\*x)\*\*n/x,x)

[Out] Integral(acosh(a\*x)\*\*n/x, x)

### 3.133 $\int x^3 (a + b \cosh^{-1}(cx)) dx$

**Optimal.** Leaf size=84

$$\frac{1}{4}x^4(a + b \cosh^{-1}(cx)) - \frac{3b \cosh^{-1}(cx)}{32c^4} - \frac{3bx\sqrt{cx-1}\sqrt{cx+1}}{32c^3} - \frac{bx^3\sqrt{cx-1}\sqrt{cx+1}}{16c}$$

[Out]  $-3/32*b*arccosh(c*x)/c^4+1/4*x^4*(a+b*arccosh(c*x))-3/32*b*x*(c*x-1)^{(1/2)*(c*x+1)^{(1/2)}/c^3-1/16*b*x^3*(c*x-1)^{(1/2)*(c*x+1)^{(1/2)}/c}$

**Rubi [A]** time = 0.04, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5662, 100, 12, 90, 52}

$$\frac{1}{4}x^4(a + b \cosh^{-1}(cx)) - \frac{3bx\sqrt{cx-1}\sqrt{cx+1}}{32c^3} - \frac{3b \cosh^{-1}(cx)}{32c^4} - \frac{bx^3\sqrt{cx-1}\sqrt{cx+1}}{16c}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(a + b\*ArcCosh[c\*x]), x]

[Out]  $(-3*b*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(32*c^3) - (b*x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(16*c) - (3*b*ArcCosh[c*x])/(32*c^4) + (x^4*(a + b*ArcCosh[c*x]))/4$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 52

Int[1/(Sqrt[(a\_) + (b\_.)\*(x\_)]\*Sqrt[(c\_) + (d\_.)\*(x\_)]), x\_Symbol] := Simp[ArcCosh[(b\*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

#### Rule 90

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 3)), x] + Dist[1/(d\*f\*(n + p + 3)), Int[(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(n + p + 3) - b\*(b\*c\*e + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(n + p + 4) - b\*(d\*e\*(n + 2) + c\*f\*(p + 2)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

#### Rule 100

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 1)), x] + Dist[1/(d\*f\*(m + n + p + 1)), Int[(a + b\*x)^(m - 2)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(m + n + p + 1) - b\*(b\*c\*e\*(m - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*m + n + p) - b\*(d\*e\*(m + n) + c\*f\*(m + p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1

+ c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&  
NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int x^3 (a + b \cosh^{-1}(cx)) dx &= \frac{1}{4}x^4 (a + b \cosh^{-1}(cx)) - \frac{1}{4}(bc) \int \frac{x^4}{\sqrt{-1+cx}\sqrt{1+cx}} dx \\
 &= -\frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} + \frac{1}{4}x^4 (a + b \cosh^{-1}(cx)) - \frac{b \int \frac{3x^2}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{16c} \\
 &= -\frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} + \frac{1}{4}x^4 (a + b \cosh^{-1}(cx)) - \frac{(3b) \int \frac{x^2}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{16c} \\
 &= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}}{32c^3} - \frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} + \frac{1}{4}x^4 (a + b \cosh^{-1}(cx)) - \frac{(3b)}{16c} \\
 &= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}}{32c^3} - \frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} - \frac{3b \cosh^{-1}(cx)}{32c^4} + \frac{1}{4}x^4 (a + b \cosh^{-1}(cx))
 \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 105, normalized size = 1.25

$$\frac{ax^4}{4} - \frac{3b \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{16c^4} - \frac{3bx\sqrt{cx-1}\sqrt{cx+1}}{32c^3} + \frac{1}{4}bx^4 \cosh^{-1}(cx) - \frac{bx^3\sqrt{cx-1}\sqrt{cx+1}}{16c}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(a + b\*ArcCosh[c\*x]), x]

[Out] (a\*x^4)/4 - (3\*b\*x\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(32\*c^3) - (b\*x^3\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(16\*c) + (b\*x^4\*ArcCosh[c\*x])/4 - (3\*b\*ArcTanh[Sqrt[-1 + c\*x]/Sqrt[1 + c\*x]])/(16\*c^4)

**fricas [A]** time = 0.55, size = 73, normalized size = 0.87

$$\frac{8ac^4x^4 + (8bc^4x^4 - 3b) \log(cx + \sqrt{c^2x^2 - 1}) - (2bc^3x^3 + 3bcx)\sqrt{c^2x^2 - 1}}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arccosh(c\*x)),x, algorithm="fricas")

[Out] 1/32\*(8\*a\*c^4\*x^4 + (8\*b\*c^4\*x^4 - 3\*b)\*log(c\*x + sqrt(c^2\*x^2 - 1)) - (2\*b\*c^3\*x^3 + 3\*b\*c\*x)\*sqrt(c^2\*x^2 - 1))/c^4

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arccosh(c\*x)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.02, size = 109, normalized size = 1.30

$$\frac{x^4 a}{4} + \frac{b x^4 \operatorname{arccosh}(cx)}{4} - \frac{b x^3 \sqrt{cx-1} \sqrt{cx+1}}{16c} - \frac{3bx\sqrt{cx-1} \sqrt{cx+1}}{32c^3} - \frac{3b\sqrt{cx-1} \sqrt{cx+1} \ln\left(cx + \sqrt{c^2x^2-1}\right)}{32c^4\sqrt{c^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arccosh(c*x)),x)`

[Out]  $\frac{1}{4}x^4a + \frac{1}{4}bx^4\operatorname{arccosh}(cx) - \frac{1}{16}bx^3(c^2x^2-1)^{1/2}(cx+1)^{1/2}/c - \frac{3}{32}bx^3(c^2x^2-1)^{1/2}(cx+1)^{1/2}/c^3 - \frac{3}{32}bx^3(c^2x^2-1)^{1/2}(cx+1)^{1/2}/c^4 + \frac{3}{32}bx^3(c^2x^2-1)^{1/2}(cx+1)^{1/2}/c^5 + \frac{3}{32}bx^3(c^2x^2-1)^{1/2}(cx+1)^{1/2}/c^5 \ln\left(cx + \sqrt{c^2x^2-1}\right)$

**maxima** [A] time = 0.39, size = 87, normalized size = 1.04

$$\frac{1}{4}ax^4 + \frac{1}{32} \left( 8x^4 \operatorname{arccosh}(cx) - \left( \frac{2\sqrt{c^2x^2-1}x^3}{c^2} + \frac{3\sqrt{c^2x^2-1}x}{c^4} + \frac{3 \log\left(2c^2x + 2\sqrt{c^2x^2-1}c\right)}{c^5} \right) c \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arccosh(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{4}ax^4 + \frac{1}{32}(8x^4\operatorname{arccosh}(cx) - (2\sqrt{c^2x^2-1}x^3/c^2 + 3\sqrt{c^2x^2-1}x/c^4 + 3\log(2c^2x + 2\sqrt{c^2x^2-1}c)/c^5)c)b$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (a + b \operatorname{acosh}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*acosh(c*x)),x)`

[Out] `int(x^3*(a + b*acosh(c*x)), x)`

**sympy** [A] time = 0.98, size = 87, normalized size = 1.04

$$\begin{cases} \frac{ax^4}{4} + \frac{bx^4 \operatorname{acosh}(cx)}{4} - \frac{bx^3 \sqrt{c^2x^2-1}}{16c} - \frac{3bx\sqrt{c^2x^2-1}}{32c^3} - \frac{3b \operatorname{acosh}(cx)}{32c^4} & \text{for } c \neq 0 \\ \frac{x^4 \left(a + \frac{ib}{2}\right)}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*acosh(c*x)),x)`

[Out] `Piecewise((a*x**4/4 + b*x**4*acosh(c*x)/4 - b*x**3*sqrt(c**2*x**2 - 1)/(16*c) - 3*b*x*sqrt(c**2*x**2 - 1)/(32*c**3) - 3*b*acosh(c*x)/(32*c**4), Ne(c, 0)), (x**4*(a + I*pi*b/2)/4, True))`

### 3.134 $\int x^2 (a + b \cosh^{-1}(cx)) dx$

**Optimal.** Leaf size=71

$$\frac{1}{3}x^3 (a + b \cosh^{-1}(cx)) - \frac{2b\sqrt{cx-1}\sqrt{cx+1}}{9c^3} - \frac{bx^2\sqrt{cx-1}\sqrt{cx+1}}{9c}$$

[Out] 1/3\*x^3\*(a+b\*arccosh(c\*x))-2/9\*b\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/c^3-1/9\*b\*x^2\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/c

**Rubi [A]** time = 0.03, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {5662, 100, 12, 74}

$$\frac{1}{3}x^3 (a + b \cosh^{-1}(cx)) - \frac{2b\sqrt{cx-1}\sqrt{cx+1}}{9c^3} - \frac{bx^2\sqrt{cx-1}\sqrt{cx+1}}{9c}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*ArcCosh[c\*x]),x]

[Out] (-2\*b\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(9\*c^3) - (b\*x^2\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(9\*c) + (x^3\*(a + b\*ArcCosh[c\*x]))/3

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 100

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m - 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(m + n + p + 1)), x] + Dist[1/(d\*f\*(m + n + p + 1)), Int[(a + b\*x)^(m - 2)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a^2\*d\*f\*(m + n + p + 1) - b\*(b\*c\*e\*(m - 1) + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(2\*m + n + p) - b\*(d\*e\*(m + n) + c\*f\*(m + p)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cosh^{-1}(cx)) dx &= \frac{1}{3}x^3 (a + b \cosh^{-1}(cx)) - \frac{1}{3}(bc) \int \frac{x^3}{\sqrt{-1+cx} \sqrt{1+cx}} dx \\
&= -\frac{bx^2 \sqrt{-1+cx} \sqrt{1+cx}}{9c} + \frac{1}{3}x^3 (a + b \cosh^{-1}(cx)) - \frac{b \int \frac{2x}{\sqrt{-1+cx} \sqrt{1+cx}} dx}{9c} \\
&= -\frac{bx^2 \sqrt{-1+cx} \sqrt{1+cx}}{9c} + \frac{1}{3}x^3 (a + b \cosh^{-1}(cx)) - \frac{(2b) \int \frac{x}{\sqrt{-1+cx} \sqrt{1+cx}} dx}{9c} \\
&= -\frac{2b \sqrt{-1+cx} \sqrt{1+cx}}{9c^3} - \frac{bx^2 \sqrt{-1+cx} \sqrt{1+cx}}{9c} + \frac{1}{3}x^3 (a + b \cosh^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 54, normalized size = 0.76

$$\frac{1}{9} \left( 3ax^3 - \frac{b\sqrt{cx-1}\sqrt{cx+1}(c^2x^2+2)}{c^3} + 3bx^3 \cosh^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*ArcCosh[c\*x]),x]

[Out] (3\*a\*x^3 - (b\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(2 + c^2\*x^2))/c^3 + 3\*b\*x^3\*ArcCosh[c\*x])/9

**fricas [A]** time = 0.64, size = 65, normalized size = 0.92

$$\frac{3bc^3x^3 \log\left(cx + \sqrt{c^2x^2 - 1}\right) + 3ac^3x^3 - (bc^2x^2 + 2b)\sqrt{c^2x^2 - 1}}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x)),x, algorithm="fricas")

[Out] 1/9\*(3\*b\*c^3\*x^3\*log(c\*x + sqrt(c^2\*x^2 - 1)) + 3\*a\*c^3\*x^3 - (b\*c^2\*x^2 + 2\*b)\*sqrt(c^2\*x^2 - 1))/c^3

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x)),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect eur & l) Error: Bad Argument Value

**maple [A]** time = 0.00, size = 55, normalized size = 0.77

$$\frac{\frac{c^3x^3a}{3} + b \left( \frac{c^3x^3 \operatorname{arccosh}(cx)}{3} - \frac{\sqrt{cx-1} \sqrt{cx+1} (c^2x^2+2)}{9} \right)}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arccosh(c\*x)),x)

[Out] 1/c^3\*(1/3\*c^3\*x^3\*a+b\*(1/3\*c^3\*x^3\*arccosh(c\*x)-1/9\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)\*(c^2\*x^2+2)))

**maxima** [A] time = 0.42, size = 58, normalized size = 0.82

$$\frac{1}{3}ax^3 + \frac{1}{9}\left(3x^3 \operatorname{arcosh}(cx) - c\left(\frac{\sqrt{c^2x^2-1}x^2}{c^2} + \frac{2\sqrt{c^2x^2-1}}{c^4}\right)\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x)),x, algorithm="maxima")

[Out] 1/3\*a\*x^3 + 1/9\*(3\*x^3\*arccosh(c\*x) - c\*(sqrt(c^2\*x^2 - 1)\*x^2/c^2 + 2\*sqrt(c^2\*x^2 - 1)/c^4))\*b

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \operatorname{acosh}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a + b\*acosh(c\*x)),x)

[Out] int(x^2\*(a + b\*acosh(c\*x)), x)

**sympy** [A] time = 0.54, size = 71, normalized size = 1.00

$$\begin{cases} \frac{ax^3}{3} + \frac{bx^3 \operatorname{acosh}(cx)}{3} - \frac{bx^2\sqrt{c^2x^2-1}}{9c} - \frac{2b\sqrt{c^2x^2-1}}{9c^3} & \text{for } c \neq 0 \\ \frac{x^3\left(a + \frac{ib}{2}\right)}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*acosh(c\*x)),x)

[Out] Piecewise((a\*x\*\*3/3 + b\*x\*\*3\*acosh(c\*x)/3 - b\*x\*\*2\*sqrt(c\*\*2\*x\*\*2 - 1)/(9\*c) - 2\*b\*sqrt(c\*\*2\*x\*\*2 - 1)/(9\*c\*\*3), Ne(c, 0)), (x\*\*3\*(a + I\*pi\*b/2)/3, True))



### 3.135 $\int x (a + b \cosh^{-1}(cx)) dx$

**Optimal.** Leaf size=55

$$\frac{1}{2}x^2 (a + b \cosh^{-1}(cx)) - \frac{b \cosh^{-1}(cx)}{4c^2} - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c}$$

[Out]  $-1/4*b*\operatorname{arccosh}(c*x)/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))-1/4*b*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c$

**Rubi [A]** time = 0.02, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {5662, 90, 52}

$$\frac{1}{2}x^2 (a + b \cosh^{-1}(cx)) - \frac{b \cosh^{-1}(cx)}{4c^2} - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c}$$

Antiderivative was successfully verified.

[In] Int[x\*(a + b\*ArcCosh[c\*x]),x]

[Out]  $-(b*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(4*c) - (b*\operatorname{ArcCosh}[c*x])/(4*c^2) + (x^2*(a + b*\operatorname{ArcCosh}[c*x]))/2$

#### Rule 52

Int[1/(Sqrt[(a\_) + (b\_)\*(x\_)]\*Sqrt[(c\_) + (d\_)\*(x\_)]), x\_Symbol] :> Simp[ArcCosh[(b\*x)/a]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

#### Rule 90

Int[((a\_) + (b\_)\*(x\_))<sup>2</sup>\*((c\_) + (d\_)\*(x\_))<sup>(n\_)</sup>\*((e\_) + (f\_)\*(x\_))<sup>(p\_)</sup>, x\_Symbol] :> Simp[(b\*(a + b\*x)\*(c + d\*x)<sup>(n + 1)</sup>\*(e + f\*x)<sup>(p + 1)</sup>]/(d\*f\*(n + p + 3)), x] + Dist[1/(d\*f\*(n + p + 3)), Int[(c + d\*x)<sup>n</sup>\*(e + f\*x)<sup>p</sup>\*Simp[a<sup>2</sup>\*d\*f\*(n + p + 3) - b\*(b\*c\*e + a\*(d\*e\*(n + 1) + c\*f\*(p + 1))) + b\*(a\*d\*f\*(n + p + 4) - b\*(d\*e\*(n + 2) + c\*f\*(p + 2)))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)]\*(b\_))<sup>(n\_)</sup>\*((d\_)\*(x\_))<sup>(m\_)</sup>, x\_Symbol] :> Simp[((d\*x)<sup>(m + 1)</sup>\*(a + b\*ArcCosh[c\*x])<sup>n</sup>]/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)<sup>(m + 1)</sup>\*(a + b\*ArcCosh[c\*x])<sup>(n - 1)</sup>]/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int x (a + b \cosh^{-1}(cx)) dx &= \frac{1}{2}x^2 (a + b \cosh^{-1}(cx)) - \frac{1}{2}(bc) \int \frac{x^2}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= -\frac{bx\sqrt{-1 + cx}\sqrt{1 + cx}}{4c} + \frac{1}{2}x^2 (a + b \cosh^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{4c} \\ &= -\frac{bx\sqrt{-1 + cx}\sqrt{1 + cx}}{4c} - \frac{b \cosh^{-1}(cx)}{4c^2} + \frac{1}{2}x^2 (a + b \cosh^{-1}(cx)) \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 76, normalized size = 1.38

$$\frac{ax^2}{2} - \frac{b \tanh^{-1}\left(\frac{\sqrt{cx-1}}{\sqrt{cx+1}}\right)}{2c^2} + \frac{1}{2}bx^2 \cosh^{-1}(cx) - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*ArcCosh[c\*x]), x]

[Out] (a\*x^2)/2 - (b\*x\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(4\*c) + (b\*x^2\*ArcCosh[c\*x])/2 - (b\*ArcTanh[Sqrt[-1 + c\*x]/Sqrt[1 + c\*x]])/(2\*c^2)

**fricas** [A] time = 0.92, size = 61, normalized size = 1.11

$$\frac{2ac^2x^2 - \sqrt{c^2x^2 - 1}bcx + (2bc^2x^2 - b)\log(cx + \sqrt{c^2x^2 - 1})}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x)), x, algorithm="fricas")

[Out] 1/4\*(2\*a\*c^2\*x^2 - sqrt(c^2\*x^2 - 1)\*b\*c\*x + (2\*b\*c^2\*x^2 - b)\*log(c\*x + sqrt(c^2\*x^2 - 1)))/c^2

**giac** [A] time = 0.63, size = 80, normalized size = 1.45

$$\frac{1}{2}ax^2 + \frac{1}{4}\left(2x^2\log(cx + \sqrt{c^2x^2 - 1}) - c\left(\frac{\sqrt{c^2x^2 - 1}x}{c^2} - \frac{\log(|-x|c + \sqrt{c^2x^2 - 1})}{c^2|c|}\right)\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x)), x, algorithm="giac")

[Out] 1/2\*a\*x^2 + 1/4\*(2\*x^2\*log(c\*x + sqrt(c^2\*x^2 - 1)) - c\*(sqrt(c^2\*x^2 - 1)\*x/c^2 - log(abs(-x\*abs(c) + sqrt(c^2\*x^2 - 1)))/(c^2\*abs(c))))\*b

**maple** [A] time = 0.00, size = 86, normalized size = 1.56

$$\frac{ax^2}{2} + \frac{bx^2\operatorname{arccosh}(cx)}{2} - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c} - \frac{b\sqrt{cx-1}\sqrt{cx+1}\ln(cx + \sqrt{c^2x^2-1})}{4c^2\sqrt{c^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arccosh(c\*x)), x)

[Out] 1/2\*a\*x^2+1/2\*b\*x^2\*arccosh(c\*x)-1/4\*b\*x\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/c-1/4/c^2\*b\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/(c^2\*x^2-1)^(1/2)\*ln(c\*x+(c^2\*x^2-1)^(1/2))

**maxima** [A] time = 0.63, size = 66, normalized size = 1.20

$$\frac{1}{2}ax^2 + \frac{1}{4}\left(2x^2\operatorname{arccosh}(cx) - c\left(\frac{\sqrt{c^2x^2-1}x}{c^2} + \frac{\log(2c^2x + 2\sqrt{c^2x^2-1}c)}{c^3}\right)\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x)), x, algorithm="maxima")

[Out]  $1/2*a*x^2 + 1/4*(2*x^2*\operatorname{arccosh}(c*x) - c*(\sqrt{c^2*x^2 - 1})*x/c^2 + \log(2*c^2*x + 2*\sqrt{c^2*x^2 - 1}*c)/c^3))*b$

**mupad** [B] time = 0.41, size = 47, normalized size = 0.85

$$\frac{ax^2}{2} + bx \operatorname{acosh}(cx) \left( \frac{x}{2} - \frac{1}{4c^2x} \right) - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*acosh(c*x)), x)`

[Out]  $(a*x^2)/2 + b*x*\operatorname{acosh}(c*x)*(x/2 - 1/(4*c^2*x)) - (b*x*(c*x - 1)^{(1/2)*(c*x + 1)^{(1/2)})/(4*c)$

**sympy** [A] time = 0.26, size = 61, normalized size = 1.11

$$\begin{cases} \frac{ax^2}{2} + \frac{bx^2 \operatorname{acosh}(cx)}{2} - \frac{bx\sqrt{c^2x^2-1}}{4c} - \frac{b \operatorname{acosh}(cx)}{4c^2} & \text{for } c \neq 0 \\ \frac{x^2 \left( a + \frac{i\pi b}{2} \right)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acosh(c*x)), x)`

[Out] `Piecewise((a*x**2/2 + b*x**2*acosh(c*x)/2 - b*x*sqrt(c**2*x**2 - 1)/(4*c) - b*acosh(c*x)/(4*c**2), Ne(c, 0)), (x**2*(a + I*pi*b/2)/2, True))`

### 3.136 $\int (a + b \cosh^{-1}(cx)) dx$

**Optimal.** Leaf size=35

$$ax - \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c} + bx \cosh^{-1}(cx)$$

[Out] a\*x+b\*x\*arccosh(c\*x)-b\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/c

**Rubi [A]** time = 0.01, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {5654, 74}

$$ax - \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c} + bx \cosh^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b\*ArcCosh[c\*x], x]

[Out] a\*x - (b\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/c + b\*x\*ArcCosh[c\*x]

#### Rule 74

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)), 0]

#### Rule 5654

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcCosh[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rubi steps

$$\begin{aligned} \int (a + b \cosh^{-1}(cx)) dx &= ax + b \int \cosh^{-1}(cx) dx \\ &= ax + bx \cosh^{-1}(cx) - (bc) \int \frac{x}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\ &= ax - \frac{b\sqrt{-1 + cx} \sqrt{1 + cx}}{c} + bx \cosh^{-1}(cx) \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 35, normalized size = 1.00

$$ax - \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c} + bx \cosh^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*ArcCosh[c\*x], x]

[Out] a\*x - (b\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/c + b\*x\*ArcCosh[c\*x]

**fricas [A]** time = 0.67, size = 43, normalized size = 1.23

$$\frac{bcx \log\left(cx + \sqrt{c^2x^2 - 1}\right) + acx - \sqrt{c^2x^2 - 1} b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arccosh(c\*x),x, algorithm="fricas")

[Out] (b\*c\*x\*log(c\*x + sqrt(c^2\*x^2 - 1)) + a\*c\*x - sqrt(c^2\*x^2 - 1)\*b)/c

**giac** [A] time = 0.43, size = 41, normalized size = 1.17

$$\left( x \log \left( cx + \sqrt{c^2 x^2 - 1} \right) - \frac{\sqrt{c^2 x^2 - 1}}{c} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arccosh(c\*x),x, algorithm="giac")

[Out] (x\*log(c\*x + sqrt(c^2\*x^2 - 1)) - sqrt(c^2\*x^2 - 1)/c)\*b + a\*x

**maple** [A] time = 0.00, size = 34, normalized size = 0.97

$$ax + \frac{b \left( cx \operatorname{arccosh}(cx) - \sqrt{cx-1} \sqrt{cx+1} \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*arccosh(c\*x),x)

[Out] a\*x+b/c\*(c\*x\*arccosh(c\*x)-(c\*x-1)^(1/2)\*(c\*x+1)^(1/2))

**maxima** [A] time = 0.54, size = 30, normalized size = 0.86

$$ax + \frac{\left( cx \operatorname{arccosh}(cx) - \sqrt{c^2 x^2 - 1} \right) b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arccosh(c\*x),x, algorithm="maxima")

[Out] a\*x + (c\*x\*arccosh(c\*x) - sqrt(c^2\*x^2 - 1))\*b/c

**mupad** [B] time = 0.45, size = 31, normalized size = 0.89

$$ax + bx \operatorname{acosh}(cx) - \frac{b \sqrt{cx-1} \sqrt{cx+1}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b\*acosh(c\*x),x)

[Out] a\*x + b\*x\*acosh(c\*x) - (b\*(c\*x - 1)^(1/2)\*(c\*x + 1)^(1/2))/c

**sympy** [A] time = 0.14, size = 31, normalized size = 0.89

$$ax + b \left\{ \begin{array}{ll} x \operatorname{acosh}(cx) - \frac{\sqrt{c^2 x^2 - 1}}{c} & \text{for } c \neq 0 \\ \frac{i\pi x}{2} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*acosh(c\*x),x)

[Out] a\*x + b\*Piecewise((x\*acosh(c\*x) - sqrt(c\*\*2\*x\*\*2 - 1)/c, Ne(c, 0)), (I\*pi\*x/2, True))

$$3.137 \quad \int \frac{a+b \cosh^{-1}(cx)}{x} dx$$

**Optimal.** Leaf size=55

$$\frac{(a+b \cosh^{-1}(cx))^2}{2b} + \log\left(e^{-2 \cosh^{-1}(cx)} + 1\right) (a+b \cosh^{-1}(cx)) - \frac{1}{2} b \operatorname{Li}_2\left(-e^{-2 \cosh^{-1}(cx)}\right)$$

[Out]  $1/2*(a+b*\operatorname{arccosh}(c*x))^2/b+(a+b*\operatorname{arccosh}(c*x))*\ln(1+1/(c*x+(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}))-1/2*b*\operatorname{polylog}(2,-1/(c*x+(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}))^2)$

**Rubi [A]** time = 0.08, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5660, 3718, 2190, 2279, 2391}

$$\frac{1}{2} b \operatorname{PolyLog}\left(2, -e^{2 \cosh^{-1}(cx)}\right) - \frac{(a+b \cosh^{-1}(cx))^2}{2b} + \log\left(e^{2 \cosh^{-1}(cx)} + 1\right) (a+b \cosh^{-1}(cx))$$

Warning: Unable to verify antiderivative.

[In] `Int[(a + b*ArcCosh[c*x])/x, x]`

[Out]  $-(a + b*\operatorname{ArcCosh}[c*x])^2/(2*b) + (a + b*\operatorname{ArcCosh}[c*x])*Log[1 + E^{(2*\operatorname{ArcCosh}[c*x])}] + (b*\operatorname{PolyLog}[2, -E^{(2*\operatorname{ArcCosh}[c*x])}])/2$

**Rule 2190**

`Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

**Rule 2279**

`Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

**Rule 2391**

`Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

**Rule 3718**

`Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x_Symbol] := -Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] + Dist[2*I, Int[((c + d*x)^m*E^(2*(-(I*e) + f*fz*x)))/(1 + E^(2*(-(I*e) + f*fz*x))), x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]`

**Rule 5660**

`Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n/Coth[x], x], x, ArcCosh[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]`

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cosh^{-1}(cx)}{x} dx &= \text{Subst} \left( \int (a + bx) \tanh(x) dx, x, \cosh^{-1}(cx) \right) \\
&= -\frac{(a + b \cosh^{-1}(cx))^2}{2b} + 2 \text{Subst} \left( \int \frac{e^{2x}(a + bx)}{1 + e^{2x}} dx, x, \cosh^{-1}(cx) \right) \\
&= -\frac{(a + b \cosh^{-1}(cx))^2}{2b} + (a + b \cosh^{-1}(cx)) \log \left( 1 + e^{2 \cosh^{-1}(cx)} \right) - b \text{Subst} \left( \int \log \left( 1 + e^{2x} \right) dx, x, \cosh^{-1}(cx) \right) \\
&= -\frac{(a + b \cosh^{-1}(cx))^2}{2b} + (a + b \cosh^{-1}(cx)) \log \left( 1 + e^{2 \cosh^{-1}(cx)} \right) - \frac{1}{2} b \text{Subst} \left( \int \frac{\log \left( 1 + e^{2x} \right)}{1 + e^{2x}} dx, x, \cosh^{-1}(cx) \right) \\
&= -\frac{(a + b \cosh^{-1}(cx))^2}{2b} + (a + b \cosh^{-1}(cx)) \log \left( 1 + e^{2 \cosh^{-1}(cx)} \right) + \frac{1}{2} b \text{Li}_2 \left( -e^{2 \cosh^{-1}(cx)} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 48, normalized size = 0.87

$$a \log(x) + \frac{1}{2} b \left( \cosh^{-1}(cx) \left( \cosh^{-1}(cx) + 2 \log \left( e^{-2 \cosh^{-1}(cx)} + 1 \right) \right) - \text{Li}_2 \left( -e^{-2 \cosh^{-1}(cx)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcCosh[c\*x])/x, x]

[Out] a\*Log[x] + (b\*(ArcCosh[c\*x]\*(ArcCosh[c\*x] + 2\*Log[1 + E^(-2\*ArcCosh[c\*x])]) - PolyLog[2, -E^(-2\*ArcCosh[c\*x])]))/2

**fricas [F]** time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b \operatorname{arccosh}(cx) + a}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x,x, algorithm="fricas")

[Out] integral((b\*arccosh(c\*x) + a)/x, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \operatorname{arccosh}(cx) + a}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x,x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)/x, x)

**maple [A]** time = 0.07, size = 75, normalized size = 1.36

$$a \ln(cx) - \frac{b \operatorname{arccosh}(cx)^2}{2} + b \operatorname{arccosh}(cx) \ln \left( 1 + \left( cx + \sqrt{cx-1} \sqrt{cx+1} \right)^2 \right) + \frac{b \operatorname{polylog} \left( 2, - \left( cx + \sqrt{cx-1} \sqrt{cx+1} \right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))/x,x)

[Out] a\*ln(c\*x) - 1/2\*b\*arccosh(c\*x)^2 + b\*arccosh(c\*x)\*ln(1+(c\*x+(c\*x-1)^(1/2))\*(c\*x+1)^(1/2))^2) + 1/2\*b\*polylog(2, -(c\*x+(c\*x-1)^(1/2))\*(c\*x+1)^(1/2))^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\log(cx + \sqrt{cx+1} \sqrt{cx-1})}{x} dx + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x,x, algorithm="maxima")

[Out] b\*integrate(log(c\*x + sqrt(c\*x + 1)\*sqrt(c\*x - 1))/x, x) + a\*log(x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{acosh}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))/x,x)

[Out] int((a + b\*acosh(c\*x))/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{acosh}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*acosh(c\*x))/x,x)

[Out] Integral((a + b\*acosh(c\*x))/x, x)



$$3.138 \quad \int \frac{a+b \cosh^{-1}(cx)}{x^2} dx$$

Optimal. Leaf size=37

$$bc \tan^{-1}\left(\sqrt{cx-1} \sqrt{cx+1}\right) - \frac{a+b \cosh^{-1}(cx)}{x}$$

[Out]  $(-a-b*\text{arccosh}(c*x))/x+b*c*\text{arctan}((c*x-1)^{(1/2)}*(c*x+1)^{(1/2}))$

Rubi [A] time = 0.02, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {5662, 92, 205}

$$bc \tan^{-1}\left(\sqrt{cx-1} \sqrt{cx+1}\right) - \frac{a+b \cosh^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcCosh}[c*x])/x^2, x]$

[Out]  $-((a + b*\text{ArcCosh}[c*x])/x) + b*c*\text{ArcTan}[\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]]$

Rule 92

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x\_Symbol] :> \text{Dist}[b*f, \text{Subst}[\text{Int}[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, \text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$

Rule 205

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 5662

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] :> \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c^n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}]/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a+b \cosh^{-1}(cx)}{x^2} dx &= -\frac{a+b \cosh^{-1}(cx)}{x} + (bc) \int \frac{1}{x\sqrt{-1+cx} \sqrt{1+cx}} dx \\ &= -\frac{a+b \cosh^{-1}(cx)}{x} + (bc^2) \text{Subst}\left(\int \frac{1}{c+cx^2} dx, x, \sqrt{-1+cx} \sqrt{1+cx}\right) \\ &= -\frac{a+b \cosh^{-1}(cx)}{x} + bc \tan^{-1}\left(\sqrt{-1+cx} \sqrt{1+cx}\right) \end{aligned}$$

Mathematica [A] time = 0.08, size = 65, normalized size = 1.76

$$-\frac{a}{x} + \frac{bc\sqrt{c^2x^2-1} \tan^{-1}\left(\sqrt{c^2x^2-1}\right)}{\sqrt{cx-1} \sqrt{cx+1}} - \frac{b \cosh^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcCosh[c\*x])/x^2,x]

[Out] -(a/x) - (b\*ArcCosh[c\*x])/x + (b\*c\*Sqrt[-1 + c^2\*x^2]\*ArcTan[Sqrt[-1 + c^2\*x^2]])/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])

**fricas** [B] time = 0.55, size = 74, normalized size = 2.00

$$\frac{2bcx \arctan\left(-cx + \sqrt{c^2x^2 - 1}\right) + bx \log\left(-cx + \sqrt{c^2x^2 - 1}\right) + (bx - b) \log\left(cx + \sqrt{c^2x^2 - 1}\right) - a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^2,x, algorithm="fricas")

[Out] (2\*b\*c\*x\*arctan(-c\*x + sqrt(c^2\*x^2 - 1)) + b\*x\*log(-c\*x + sqrt(c^2\*x^2 - 1)) + (b\*x - b)\*log(c\*x + sqrt(c^2\*x^2 - 1)) - a)/x

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \operatorname{arccosh}(cx) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^2,x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)/x^2, x)

**maple** [A] time = 0.01, size = 59, normalized size = 1.59

$$\frac{a}{x} - \frac{b \operatorname{arccosh}(cx)}{x} - \frac{cb\sqrt{cx-1} \sqrt{cx+1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))/x^2,x)

[Out] -a/x-b/x\*arccosh(c\*x)-c\*b\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/(c^2\*x^2-1)^(1/2)\*arctan(1/(c^2\*x^2-1)^(1/2))

**maxima** [A] time = 0.84, size = 30, normalized size = 0.81

$$-\left(c \arcsin\left(\frac{1}{c|x|}\right) + \frac{\operatorname{arccosh}(cx)}{x}\right)b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^2,x, algorithm="maxima")

[Out] -(c\*arcsin(1/(c\*abs(x)))) + arccosh(c\*x)/x)\*b - a/x

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))/x^2,x)

[Out] int((a + b\*acosh(c\*x))/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acosh(c*x))/x**2,x)
```

```
[Out] Integral((a + b*acosh(c*x))/x**2, x)
```

$$3.139 \quad \int \frac{a+b \cosh^{-1}(cx)}{x^3} dx$$

**Optimal.** Leaf size=43

$$\frac{bc\sqrt{cx-1}\sqrt{cx+1}}{2x} - \frac{a+b \cosh^{-1}(cx)}{2x^2}$$

[Out] 1/2\*(-a-b\*arccosh(c\*x))/x^2+1/2\*b\*c\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/x

**Rubi [A]** time = 0.02, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {5662, 95}

$$\frac{bc\sqrt{cx-1}\sqrt{cx+1}}{2x} - \frac{a+b \cosh^{-1}(cx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcCosh[c\*x])/x^3,x]

[Out] (b\*c\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(2\*x) - (a + b\*ArcCosh[c\*x])/(2\*x^2)

**Rule 95**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1), 0] && NeQ[m, -1]

**Rule 5662**

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{a+b \cosh^{-1}(cx)}{x^3} dx &= -\frac{a+b \cosh^{-1}(cx)}{2x^2} + \frac{1}{2}(bc) \int \frac{1}{x^2\sqrt{-1+cx}\sqrt{1+cx}} dx \\ &= \frac{bc\sqrt{-1+cx}\sqrt{1+cx}}{2x} - \frac{a+b \cosh^{-1}(cx)}{2x^2} \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 48, normalized size = 1.12

$$-\frac{a}{2x^2} - \frac{b \cosh^{-1}(cx)}{2x^2} + \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcCosh[c\*x])/x^3,x]

[Out] -1/2\*a/x^2 + (b\*c\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(2\*x) - (b\*ArcCosh[c\*x])/(2\*x^2)

**fricas** [A] time = 0.75, size = 48, normalized size = 1.12

$$\frac{\sqrt{c^2x^2 - 1}bcx + ax^2 - b \log\left(cx + \sqrt{c^2x^2 - 1}\right) - a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^3,x, algorithm="fricas")

[Out] 1/2\*(sqrt(c^2\*x^2 - 1)\*b\*c\*x + a\*x^2 - b\*log(c\*x + sqrt(c^2\*x^2 - 1)) - a)/x^2

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \operatorname{arccosh}(cx) + a}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^3,x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)/x^3, x)

**maple** [A] time = 0.00, size = 52, normalized size = 1.21

$$c^2 \left( -\frac{a}{2c^2x^2} + b \left( -\frac{\operatorname{arccosh}(cx)}{2c^2x^2} + \frac{\sqrt{cx-1}\sqrt{cx+1}}{2cx} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))/x^3,x)

[Out] c^2\*(-1/2\*a/c^2/x^2+b\*(-1/2/c^2/x^2\*arccosh(c\*x)+1/2\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/c/x))

**maxima** [A] time = 0.53, size = 36, normalized size = 0.84

$$\frac{1}{2}b \left( \frac{\sqrt{c^2x^2 - 1}c}{x} - \frac{\operatorname{arccosh}(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^3,x, algorithm="maxima")

[Out] 1/2\*b\*(sqrt(c^2\*x^2 - 1)\*c/x - arccosh(c\*x)/x^2) - 1/2\*a/x^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))/x^3,x)

[Out] int((a + b\*acosh(c\*x))/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*acosh(c\*x))/x\*\*3,x)

[Out] Integral((a + b\*acosh(c\*x))/x\*\*3, x)

$$3.140 \quad \int \frac{a+b \cosh^{-1}(cx)}{x^4} dx$$

**Optimal.** Leaf size=71

$$-\frac{a+b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6}bc^3 \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right) + \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{6x^2}$$

[Out]  $1/3*(-a-b*\operatorname{arccosh}(c*x))/x^3+1/6*b*c^3*\arctan((c*x-1)^{(1/2)}*(c*x+1)^{(1/2}))+1/6*b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x^2$

**Rubi [A]** time = 0.03, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5662, 103, 12, 92, 205}

$$-\frac{a+b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6}bc^3 \tan^{-1}\left(\sqrt{cx-1}\sqrt{cx+1}\right) + \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{6x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcCosh[c\*x])/x^4,x]

[Out]  $(b*c*\operatorname{Sqrt}[-1+c*x]*\operatorname{Sqrt}[1+c*x])/(6*x^2) - (a+b*\operatorname{ArcCosh}[c*x])/(3*x^3) + (b*c^3*\operatorname{ArcTan}[\operatorname{Sqrt}[-1+c*x]*\operatorname{Sqrt}[1+c*x]])/6$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 92

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_.)]\*Sqrt[(c\_.) + (d\_.)\*(x\_.)]\*((e\_.) + (f\_.)\*(x\_.))), x\_Symbol] := Dist[b\*f, Subst[Int[1/(d\*(b\*e - a\*f)^2 + b\*f^2\*x^2), x], x, Sqrt[a + b\*x]\*Sqrt[c + d\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2\*b\*d\*e - f\*(b\*c + a\*d), 0]

#### Rule 103

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.)\*((e\_.) + (f\_.)\*(x\_.))^(p\_.), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*(m + 1) - b\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cosh^{-1}(cx)}{x^4} dx &= -\frac{a + b \cosh^{-1}(cx)}{3x^3} + \frac{1}{3}(bc) \int \frac{1}{x^3 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6}(bc) \int \frac{c^2}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6}(bc^3) \int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6}(bc^4) \text{Subst} \left( \int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx} \right) \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + b \cosh^{-1}(cx)}{3x^3} + \frac{1}{6} bc^3 \tan^{-1} \left( \sqrt{-1 + cx} \sqrt{1 + cx} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 101, normalized size = 1.42

$$-\frac{a}{3x^3} + \frac{bc^3 \sqrt{c^2 x^2 - 1} \tan^{-1} \left( \sqrt{c^2 x^2 - 1} \right)}{6 \sqrt{cx - 1} \sqrt{cx + 1}} - \frac{b \cosh^{-1}(cx)}{3x^3} + \frac{bc \sqrt{cx - 1} \sqrt{cx + 1}}{6x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcCosh[c\*x])/x^4, x]

[Out] -1/3\*a/x^3 + (b\*c\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(6\*x^2) - (b\*ArcCosh[c\*x])/(3\*x^3) + (b\*c^3\*Sqrt[-1 + c^2\*x^2]\*ArcTan[Sqrt[-1 + c^2\*x^2]])/(6\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])

**fricas [A]** time = 0.52, size = 100, normalized size = 1.41

$$\frac{2bc^3x^3 \arctan(-cx + \sqrt{c^2x^2 - 1}) + 2bx^3 \log(-cx + \sqrt{c^2x^2 - 1}) + \sqrt{c^2x^2 - 1}bcx + 2(bx^3 - b) \log(cx + \sqrt{c^2x^2 - 1})}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^4, x, algorithm="fricas")

[Out] 1/6\*(2\*b\*c^3\*x^3\*arctan(-c\*x + sqrt(c^2\*x^2 - 1)) + 2\*b\*x^3\*log(-c\*x + sqrt(c^2\*x^2 - 1)) + sqrt(c^2\*x^2 - 1)\*b\*c\*x + 2\*(b\*x^3 - b)\*log(c\*x + sqrt(c^2\*x^2 - 1)) - 2\*a)/x^3

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \operatorname{arccosh}(cx) + a}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^4, x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)/x^4, x)

**maple [A]** time = 0.01, size = 82, normalized size = 1.15

$$-\frac{a}{3x^3} - \frac{b \operatorname{arccosh}(cx)}{3x^3} - \frac{c^3 b \sqrt{cx - 1} \sqrt{cx + 1} \arctan\left(\frac{1}{\sqrt{c^2 x^2 - 1}}\right)}{6 \sqrt{c^2 x^2 - 1}} + \frac{bc \sqrt{cx - 1} \sqrt{cx + 1}}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccosh(c*x))/x^4,x)`

[Out] 
$$-1/3*a/x^3-1/3*b/x^3*arccosh(c*x)-1/6*c^3*b*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/(c^2*x^2-1)^{(1/2)}*arctan(1/(c^2*x^2-1)^{(1/2)})+1/6*b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x^2$$

**maxima** [A] time = 0.74, size = 52, normalized size = 0.73

$$-\frac{1}{6} \left( \left( c^2 \arcsin \left( \frac{1}{c|x|} \right) - \frac{\sqrt{c^2 x^2 - 1}}{x^2} \right) c + \frac{2 \operatorname{arcosh}(cx)}{x^3} \right) b - \frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccosh(c*x))/x^4,x, algorithm="maxima")`

[Out] 
$$-1/6*((c^2*\arcsin(1/(c*\operatorname{abs}(x)))) - \operatorname{sqrt}(c^2*x^2 - 1)/x^2)*c + 2*arccosh(c*x)/x^3)*b - 1/3*a/x^3$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acosh(c*x))/x^4,x)`

[Out] `int((a + b*acosh(c*x))/x^4, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acosh(c*x))/x**4,x)`

[Out] `Integral((a + b*acosh(c*x))/x**4, x)`



$$3.141 \quad \int \frac{a+b \cosh^{-1}(cx)}{x^5} dx$$

**Optimal.** Leaf size=72

$$-\frac{a+b \cosh^{-1}(cx)}{4x^4} + \frac{bc^3 \sqrt{cx-1} \sqrt{cx+1}}{6x} + \frac{bc \sqrt{cx-1} \sqrt{cx+1}}{12x^3}$$

[Out] 1/4\*(-a-b\*arccosh(c\*x))/x^4+1/12\*b\*c\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/x^3+1/6\*b\*c^3\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/x

**Rubi [A]** time = 0.03, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {5662, 103, 12, 95}

$$-\frac{a+b \cosh^{-1}(cx)}{4x^4} + \frac{bc^3 \sqrt{cx-1} \sqrt{cx+1}}{6x} + \frac{bc \sqrt{cx-1} \sqrt{cx+1}}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcCosh[c\*x])/x^5,x]

[Out] (b\*c\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/((12\*x^3) + (b\*c^3\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(6\*x) - (a + b\*ArcCosh[c\*x])/(4\*x^4)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 95

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1), 0] && NeQ[m, -1]

#### Rule 103

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p\*Simp[a\*d\*f\*(m + 1) - b\*(d\*e\*(m + n + 2) + c\*f\*(m + p + 2)) - b\*d\*f\*(m + n + p + 3)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegerQ[m] && (IntegerQ[n] || IntegersQ[2\*n, 2\*p])

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*((d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{a + b \cosh^{-1}(cx)}{x^5} dx &= -\frac{a + b \cosh^{-1}(cx)}{4x^4} + \frac{1}{4}(bc) \int \frac{1}{x^4 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{12x^3} - \frac{a + b \cosh^{-1}(cx)}{4x^4} + \frac{1}{12}(bc) \int \frac{2c^2}{x^2 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{12x^3} - \frac{a + b \cosh^{-1}(cx)}{4x^4} + \frac{1}{6}(bc^3) \int \frac{1}{x^2 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{12x^3} + \frac{bc^3 \sqrt{-1 + cx} \sqrt{1 + cx}}{6x} - \frac{a + b \cosh^{-1}(cx)}{4x^4}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 50, normalized size = 0.69

$$\frac{-3a + bcx\sqrt{cx-1}\sqrt{cx+1}(2c^2x^2+1) - 3b \cosh^{-1}(cx)}{12x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcCosh[c\*x])/x^5, x]

[Out] (-3\*a + b\*c\*x\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(1 + 2\*c^2\*x^2) - 3\*b\*ArcCosh[c\*x])/(12\*x^4)

**fricas [A]** time = 0.51, size = 60, normalized size = 0.83

$$\frac{3ax^4 - 3b \log\left(cx + \sqrt{c^2x^2 - 1}\right) + (2bc^3x^3 + bcx)\sqrt{c^2x^2 - 1} - 3a}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^5,x, algorithm="fricas")

[Out] 1/12\*(3\*a\*x^4 - 3\*b\*log(c\*x + sqrt(c^2\*x^2 - 1)) + (2\*b\*c^3\*x^3 + b\*c\*x)\*sqrt(c^2\*x^2 - 1) - 3\*a)/x^4

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \operatorname{arccosh}(cx) + a}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^5,x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)/x^5, x)

**maple [A]** time = 0.00, size = 62, normalized size = 0.86

$$c^4 \left( -\frac{a}{4c^4x^4} + b \left( -\frac{\operatorname{arccosh}(cx)}{4c^4x^4} + \frac{\sqrt{cx-1}\sqrt{cx+1}(2c^2x^2+1)}{12c^3x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))/x^5,x)

[Out] c^4\*(-1/4\*a/c^4/x^4+b\*(-1/4/c^4/x^4\*arccosh(c\*x)+1/12\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)\*(2\*c^2\*x^2+1)/c^3/x^3))

**maxima** [A] time = 0.68, size = 57, normalized size = 0.79

$$\frac{1}{12} \left( \left( \frac{2\sqrt{c^2x^2-1}c^2}{x} + \frac{\sqrt{c^2x^2-1}}{x^3} \right) c - \frac{3 \operatorname{arcosh}(cx)}{x^4} \right) b - \frac{a}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))/x^5,x, algorithm="maxima")

[Out] 1/12\*((2\*sqrt(c^2\*x^2 - 1)\*c^2/x + sqrt(c^2\*x^2 - 1)/x^3)\*c - 3\*arccosh(c\*x)/x^4)\*b - 1/4\*a/x^4

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))/x^5,x)

[Out] int((a + b\*acosh(c\*x))/x^5, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{acosh}(cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*acosh(c\*x))/x\*\*5,x)

[Out] Integral((a + b\*acosh(c\*x))/x\*\*5, x)

### 3.142 $\int x^2 \sqrt{a + b \cosh^{-1}(cx)} dx$

**Optimal.** Leaf size=213

$$\frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{48c^3} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{48c^3}$$

[Out]  $-1/144*\exp(3*a/b)*\operatorname{erf}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3-1/144*\operatorname{erfi}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/\exp(3*a/b)-1/16*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3-1/16*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/\exp(a/b)+1/3*x^3*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 0.79, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{48c^3} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{-\frac{3a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{48c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]], x]$

[Out]  $(x^3*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/3 - (\operatorname{Sqrt}[b]*E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(16*c^3) - (\operatorname{Sqrt}[b]*E^{((3*a)/b)}*\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erf}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(48*c^3) - (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(16*c^3*E^{(a/b)}) - (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erfi}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(48*c^3*E^{((3*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\sin[(e_.) + \operatorname{Pi}*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2*k]$

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_.))^(m_)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

#### Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[
(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[
(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_)*((d1_.) + (e1_.)*(x
_)^(p_.))*((d2_.) + (e2_.)*(x_)^(p_.), x_Symbol] := Dist[(-d1*d2)^p/c^(m
+ 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x
]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && Eq
Q[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1
, 0] && LtQ[d2, 0])
```

#### Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + b \cosh^{-1}(cx)} dx &= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{1}{6} (bc) \int \frac{x^3}{\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}} dx \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh^3(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \left(\frac{3 \cosh(x)}{4\sqrt{a+bx}} + \frac{\cosh(3x)}{4\sqrt{a+bx}}\right) dx, x, \cosh^{-1}(cx)\right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{24c^3} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{24c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{48c^3} - \frac{b \operatorname{Subst}\left(\int \frac{e^3}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{48c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{\operatorname{Subst}\left(\int e^{\frac{3a}{b} - \frac{3x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{24c^3} - \frac{\operatorname{Subst}\left(\int e^{\frac{3a}{b} - \frac{3x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{24c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cosh^{-1}(cx)} - \frac{\sqrt{b} e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{b} e^{\frac{3a}{b}} \sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{48c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.51, size = 214, normalized size = 1.00

$$\frac{e^{-\frac{3a}{b}} \sqrt{a + b \cosh^{-1}(cx)} \left( 9e^{\frac{4a}{b}} \sqrt{-\frac{a+b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{3}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{3} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{3}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) \right)}{72c^3 \sqrt{-\frac{(a+b \cosh^{-1}(cx))}{b^2}}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2*Sqrt[a + b*ArcCosh[c*x]], x]
```

```
[Out] (Sqrt[a + b*ArcCosh[c*x]]*(9*E^((4*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, (-3*(a + b*ArcCosh[c*x])/b) + 9*E^((2*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, -((a + b*ArcCosh[c*x])/b)] + Sqrt[3]*E^((6*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, (3*(a + b*ArcCosh[c*x])/b)))/(72*c^3*E^((3*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])^2/b^2)])
```

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arccosh}(cx) + a} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*arccosh(c*x) + a)*x^2, x)
```

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*arccosh(c*x))^(1/2),x)
```

```
[Out] int(x^2*(a+b*arccosh(c*x))^(1/2),x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arccosh}(cx) + a} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*arccosh(c*x) + a)*x^2, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*acosh(c*x))^(1/2),x)
```

```
[Out] int(x^2*(a + b*acosh(c*x))^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*acosh(c*x))**(1/2),x)
```

```
[Out] Integral(x**2*sqrt(a + b*acosh(c*x)), x)
```

### 3.143 $\int x \sqrt{a + b \cosh^{-1}(cx)} dx$

**Optimal.** Leaf size=145

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^2} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^2} - \frac{\sqrt{a+b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a+b \cosh^{-1}(cx)}$$

[Out]  $-1/32 \exp(2a/b) \operatorname{erf}(2^{1/2} (a+b \operatorname{arccosh}(cx))^{1/2} / b^{1/2}) b^{1/2} 2^{1/2} \pi^{1/2} / c^2 - 1/32 \operatorname{erfi}(2^{1/2} (a+b \operatorname{arccosh}(cx))^{1/2} / b^{1/2}) b^{1/2} 2^{1/2} \pi^{1/2} / c^2 / \exp(2a/b) - 1/4 (a+b \operatorname{arccosh}(cx))^{1/2} / c^2 + 1/2 x^2 (a+b \operatorname{arccosh}(cx))^{1/2}$

**Rubi [A]** time = 0.65, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5664, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^2} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^2} - \frac{\sqrt{a+b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a+b \cosh^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[a + b*ArcCosh[c*x]], x]`

[Out]  $-\operatorname{Sqrt}[a + b \operatorname{ArcCosh}[c*x]] / (4*c^2) + (x^2 \operatorname{Sqrt}[a + b \operatorname{ArcCosh}[c*x]]) / 2 - (\operatorname{Sqrt}[b] * E^{(2*a)/b} * \operatorname{Sqrt}[\pi/2] * \operatorname{Erf}[(\operatorname{Sqrt}[2] * \operatorname{Sqrt}[a + b \operatorname{ArcCosh}[c*x]]) / \operatorname{Sqrt}[b]]) / (16*c^2) - (\operatorname{Sqrt}[b] * \operatorname{Sqrt}[\pi/2] * \operatorname{Erfi}[(\operatorname{Sqrt}[2] * \operatorname{Sqrt}[a + b \operatorname{ArcCosh}[c*x]]) / \operatorname{Sqrt}[b]]) / (16*c^2 * E^{(2*a)/b})$

#### Rule 2180

`Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)) / Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a * Sqrt[Pi] * Erfi[(c + d*x) * Rt[b*Log[F], 2]]) / (2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a * Sqrt[Pi] * Erf[(c + d*x) * Rt[-(b*Log[F]), 2]]) / (2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3307

`Int[((c_.) + (d_.)*(x_)^m) * sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m / (E^(I*k*Pi) * E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m * E^(I*k*Pi) * E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]`

#### Rule 3312

`Int[((c_.) + (d_.)*(x_)^m) * sin[(e_.) + (f_.)*(x_)]^n, x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f}`



, m}, x] && IGtQ[n, 1] && ( !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^m\_., x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^m\_.\*((d1\_.) + (e1\_.)\*(x\_)^p\_)\*((d2\_.) + (e2\_.)\*(x\_)^p\_., x\_Symbol] := Dist[(-d1\*d2)]^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

### Rubi steps

$$\begin{aligned} \int x\sqrt{a + b \cosh^{-1}(cx)} dx &= \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{1}{4}(bc) \int \frac{x^2}{\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}} dx \\ &= \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh^2(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c^2} \\ &= \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \left(\frac{1}{2\sqrt{a+bx}} + \frac{\cosh(2x)}{2\sqrt{a+bx}}\right) dx, x, \cosh^{-1}(cx)\right)}{4c^2} \\ &= -\frac{\sqrt{a + b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{8c^2} \\ &= -\frac{\sqrt{a + b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{16c^2} \\ &= -\frac{\sqrt{a + b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{\operatorname{Subst}\left(\int e^{\frac{2a}{b} - \frac{2x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{8c^2} \\ &= -\frac{\sqrt{a + b \cosh^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + b \cosh^{-1}(cx)} - \frac{\sqrt{b} e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c^2} \end{aligned}$$

**Mathematica [A]** time = 0.42, size = 136, normalized size = 0.94

$$\frac{-\sqrt{2\pi} \sqrt{b} \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) + \sqrt{2\pi} \sqrt{b} \left( \sinh\left(\frac{2a}{b}\right) - \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{32c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[a + b\*ArcCosh[c\*x]], x]

[Out] (8\*Sqrt[a + b\*ArcCosh[c\*x]]\*Cosh[2\*ArcCosh[c\*x]] + Sqrt[b]\*Sqrt[2\*Pi]\*Erfi[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(-Cosh[(2\*a)/b] + Sinh[(2\*a)/b]) - Sqrt[b]\*Sqrt[2\*Pi]\*Erf[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(2\*a)/b] + Sinh[(2\*a)/b]))/(32\*c^2)

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arccosh}(cx) + a} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*arccosh(c\*x) + a)\*x, x)

**maple** [F] time = 0.17, size = 0, normalized size = 0.00

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arccosh(c\*x))^(1/2),x)

[Out] int(x\*(a+b\*arccosh(c\*x))^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arccosh}(cx) + a} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*arccosh(c\*x) + a)\*x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*acosh(c\*x))^(1/2),x)

[Out] int(x\*(a + b\*acosh(c\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*acosh(c\*x))\*\*(1/2),x)

[Out] Integral(x\*sqrt(a + b\*acosh(c\*x)), x)

### 3.144 $\int \sqrt{a + b \cosh^{-1}(cx)} dx$

**Optimal.** Leaf size=102

$$\frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} + x \sqrt{a + b \cosh^{-1}(cx)}$$

[Out]  $-1/4 * \exp(a/b) * \operatorname{erf}((a+b * \operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)}) * b^{(1/2)} * \pi^{(1/2)}/c - 1/4 * \operatorname{erfi}((a+b * \operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)}) * b^{(1/2)} * \pi^{(1/2)}/c / \exp(a/b) + x * (a+b * \operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 0.41, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5654, 5781, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} + x \sqrt{a + b \cosh^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*ArcCosh[c*x]], x]`

[Out]  $x * \operatorname{Sqrt}[a + b * \operatorname{ArcCosh}[c*x]] - (\operatorname{Sqrt}[b] * E^{(a/b)} * \operatorname{Sqrt}[\pi] * \operatorname{Erf}[\operatorname{Sqrt}[a + b * \operatorname{ArcCosh}[c*x]] / \operatorname{Sqrt}[b]]) / (4*c) - (\operatorname{Sqrt}[b] * \operatorname{Sqrt}[\pi] * \operatorname{Erfi}[\operatorname{Sqrt}[a + b * \operatorname{ArcCosh}[c*x]] / \operatorname{Sqrt}[b]]) / (4*c * E^{(a/b)})$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a * Sqrt[Pi] * Erfi[(c + d*x) * Rt[b * Log[F], 2]]) / (2 * d * Rt[b * Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[(F^a * Sqrt[Pi] * Erf[(c + d*x) * Rt[-(b * Log[F]), 2]]) / (2 * d * Rt[-(b * Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3307

`Int[((c_.) + (d_.)*(x_)^m) * sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m / (E^(I*k*Pi) * E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m * E^(I*k*Pi) * E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]`

#### Rule 5654

`Int[((a_.) + ArcCosh[(c_.)*(x_)]) * (b_.)^n, x_Symbol] :> Simp[x * (a + b * ArcCosh[c*x])^n, x] - Dist[b * c^n, Int[(x * (a + b * ArcCosh[c*x])^(n-1)) / (Sqrt[-1 + c*x] * Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]`

## Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)^(m\_.)\*((d1\_.) + (e1\_.)\*(x\_.)^(p\_.))\*((d2\_.) + (e2\_.)\*(x\_.)^(p\_.), x\_Symbol] := Dist[(-d1\*d2)]^p/c^(m+1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

## Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cosh^{-1}(cx)} dx &= x\sqrt{a + b \cosh^{-1}(cx)} - \frac{1}{2}(bc) \int \frac{x}{\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}} dx \\ &= x\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{2c} \\ &= x\sqrt{a + b \cosh^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c} - \frac{b \operatorname{Subst}\left(\int \frac{e^x}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c} \\ &= x\sqrt{a + b \cosh^{-1}(cx)} - \frac{\operatorname{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2c} - \frac{\operatorname{Subst}\left(\int e^{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2c} \\ &= x\sqrt{a + b \cosh^{-1}(cx)} - \frac{\sqrt{b} e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{b} e^{-a/b} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4c} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 100, normalized size = 0.98

$$\frac{e^{-\frac{a}{b}} \sqrt{a + b \cosh^{-1}(cx)} \left( \frac{e^{\frac{2a}{b}} \Gamma\left(\frac{3}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right)}{\sqrt{\frac{a}{b} + \cosh^{-1}(cx)}} + \frac{\Gamma\left(\frac{3}{2}, -\frac{a + b \cosh^{-1}(cx)}{b}\right)}{\sqrt{-\frac{a + b \cosh^{-1}(cx)}{b}}}\right)}{2c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*ArcCosh[c\*x]], x]

[Out] (Sqrt[a + b\*ArcCosh[c\*x]]\*(E^((2\*a)/b)\*Gamma[3/2, a/b + ArcCosh[c\*x]])/Sqrt[a/b + ArcCosh[c\*x]] + Gamma[3/2, -((a + b\*ArcCosh[c\*x])/b)]/Sqrt[-((a + b\*ArcCosh[c\*x])/b)))/(2\*c\*E^(a/b))

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arccosh}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*arccosh(c\*x) + a), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))^(1/2),x)

[Out] int((a+b\*arccosh(c\*x))^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \operatorname{arcosh}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*arccosh(c\*x) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))^(1/2),x)

[Out] int((a + b\*acosh(c\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*acosh(c\*x))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*acosh(c\*x)), x)

### 3.145 $\int x^2 (a + b \cosh^{-1}(cx))^{3/2} dx$

**Optimal.** Leaf size=292

$$\frac{3\sqrt{\pi} b^{3/2} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{32c^3} - \frac{\sqrt{\frac{\pi}{3}} b^{3/2} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{96c^3} + \frac{3\sqrt{\pi} b^{3/2} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{32c^3} + \frac{\sqrt{\frac{\pi}{3}} b^{3/2}}{32c^3}$$

[Out]  $\frac{1}{3} x^3 (a + b \operatorname{arccosh}(cx))^{3/2} - \frac{1}{288} b^{3/2} \exp(3a/b) \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) (a + b \operatorname{arccosh}(cx))^{1/2} / b^{1/2} + \frac{1}{288} b^{3/2} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) (a + b \operatorname{arccosh}(cx))^{1/2} / b^{1/2} + \frac{1}{3} x^2 (a + b \operatorname{arccosh}(cx))^{3/2} \exp(a/b) - \frac{3}{32} b^{3/2} \exp(a/b) \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) (a + b \operatorname{arccosh}(cx))^{1/2} / b^{1/2} + \frac{3}{32} b^{3/2} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) (a + b \operatorname{arccosh}(cx))^{1/2} / b^{1/2} - \frac{1}{3} b (cx - 1)^{1/2} (cx + 1)^{1/2} (a + b \operatorname{arccosh}(cx))^{1/2} / c^3 - \frac{1}{6} b^2 x^2 (cx - 1)^{1/2} (cx + 1)^{1/2} (a + b \operatorname{arccosh}(cx))^{1/2} / c$

**Rubi [A]** time = 1.25, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5664, 5759, 5718, 5658, 3308, 2180, 2205, 2204, 5670, 5448}

$$\frac{3\sqrt{\pi} b^{3/2} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{32c^3} - \frac{\sqrt{\frac{\pi}{3}} b^{3/2} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{96c^3} + \frac{3\sqrt{\pi} b^{3/2} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{32c^3} + \frac{\sqrt{\frac{\pi}{3}} b^{3/2}}{32c^3}$$

Antiderivative was successfully verified.

[In]  $\int x^2 (a + b \operatorname{ArcCosh}[cx])^{3/2}, x$

[Out]  $-\frac{(b \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \operatorname{ArcCosh}[cx]})}{(3c^3)} - \frac{(b x^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \operatorname{ArcCosh}[cx]})}{(6c)} + \frac{(x^3 (a + b \operatorname{ArcCosh}[cx])^{3/2})}{3} - \frac{(3 b^{3/2} E^{(a/b)} \sqrt{\pi} \operatorname{Erf}[\sqrt{a + b \operatorname{ArcCosh}[cx]} / \sqrt{b}])}{(32c^3)} - \frac{(b^{3/2} E^{((3a)/b)} \sqrt{\pi/3} \operatorname{Erf}[(\sqrt{3} \sqrt{a + b \operatorname{ArcCosh}[cx]}) / \sqrt{b}])}{(96c^3)} + \frac{(3 b^{3/2} \sqrt{\pi} \operatorname{Erfi}[\sqrt{a + b \operatorname{ArcCosh}[cx]} / \sqrt{b}])}{(32c^3 E^{(a/b)})} + \frac{(b^{3/2} \sqrt{\pi/3} \operatorname{Erfi}[(\sqrt{3} \sqrt{a + b \operatorname{ArcCosh}[cx]}) / \sqrt{b}])}{(96c^3 E^{((3a)/b)})}$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.) * ((e_.) + (f_.) * (x_)))} / \sqrt{(c_.) + (d_.) * (x_)}], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \sqrt{c + d*x}], x] /;$  FreeQ[{F, c, d, e, f, g}, x] && !UseGamma == True

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erfi}[(c + d*x) \operatorname{Rt}[b \operatorname{Log}[F], 2]]) / (2*d \operatorname{Rt}[b \operatorname{Log}[F], 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erf}[(c + d*x) \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]]) / (2*d \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.) * (x_))^{(m_.)} \sin[(e_.) + (f_.) * (x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m / E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m * E^{($

$I*(e + f*x)), x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

#### Rule 5448

$\text{Int}[\text{Cosh}[a_.] + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sinh}[a_.] + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] :> \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sinh}[a + b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

#### Rule 5658

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}, x\_Symbol] :> -\text{Dist}[(b*c)^{-1}, \text{Subst}[\text{Int}[x^n*\text{Sinh}[a/b - x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x]$

#### Rule 5664

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] :> \text{Simp}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^n)/(m+1), x] - \text{Dist}[(b*c*n)/(m+1), \text{Int}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)})/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 5670

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] :> \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

#### Rule 5718

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x\_Symbol] :> \text{Simp}[(d1 + e1*x)^{(p+1)}*(d2 + e2*x)^{(p+1)}*(a + b*\text{ArcCosh}[c*x])^n]/(2*e1*e2*(p+1)), x] - \text{Dist}[(b*n*(-(d1*d2))^{IntPart[p]}*(d1 + e1*x)^{FracPart[p]}*(d2 + e2*x)^{FracPart[p]})/(2*c*(p+1)*(1 + c*x)^{FracPart[p]}*(-1 + c*x)^{FracPart[p]}), \text{Int}[(-1 + c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, p\}, x] \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1] \&\& \text{IntegerQ}[p + 1/2]$

#### Rule 5759

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x\_Symbol] :> \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]*(a + b*\text{ArcCosh}[c*x])^n)/(e1*e2*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcCosh}[c*x])^n]/(\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]), x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x])/(c*d1*d2*m*\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f\}, x] \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cosh^{-1}(cx))^{3/2} dx &= \frac{1}{3}x^3 (a + b \cosh^{-1}(cx))^{3/2} - \frac{1}{2}(bc) \int \frac{x^3 \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= -\frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cosh^{-1}(cx))^{3/2} + \frac{1}{12}b^2 \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c} \\
&= -\frac{b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{6c}
\end{aligned}$$

**Mathematica [A]** time = 2.39, size = 540, normalized size = 1.85

$$\frac{ae^{-\frac{3a}{b}} \sqrt{a + b \cosh^{-1}(cx)} \left( 9e^{\frac{4a}{b}} \sqrt{-\frac{a+b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{3}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{3} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{3}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) \right)}{72c^3 \sqrt{-\frac{(a+b \cosh^{-1}(cx))}{b^2}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*(a + b\*ArcCosh[c\*x])^(3/2),x]

[Out] (a\*Sqrt[a + b\*ArcCosh[c\*x]]\*(9\*E^((4\*a)/b)\*Sqrt[-((a + b\*ArcCosh[c\*x])/b)]\*Gamma[3/2, a/b + ArcCosh[c\*x]] + Sqrt[3]\*Sqrt[a/b + ArcCosh[c\*x]]\*Gamma[3/2, (-3\*(a + b\*ArcCosh[c\*x])/b] + 9\*E^((2\*a)/b)\*Sqrt[a/b + ArcCosh[c\*x]]\*Gamma[3/2, -((a + b\*ArcCosh[c\*x])/b)] + Sqrt[3]\*E^((6\*a)/b)\*Sqrt[-((a + b\*ArcCosh[c\*x])/b)]\*Gamma[3/2, (3\*(a + b\*ArcCosh[c\*x])/b)))/(72\*c^3\*E^((3\*a)/b)\*Sqrt[-((a + b\*ArcCosh[c\*x])^2/b^2)]) + (Sqrt[b]\*(9\*(-12\*Sqrt[b]\*Sqrt[(-1 + c\*x)/(1 + c\*x)]\*(1 + c\*x)\*Sqrt[a + b\*ArcCosh[c\*x]] + 8\*Sqrt[b]\*c\*x\*ArcCosh[c\*x]\*Sqrt[a + b\*ArcCosh[c\*x]] + (2\*a + 3\*b)\*Sqrt[Pi]\*Erfi[Sqrt[a + b\*ArcCosh[c\*x]]/Sqrt[b]]\*(Cosh[a/b] - Sinh[a/b]) + (2\*a - 3\*b)\*Sqrt[Pi]\*Erf[Sqrt[a + b\*ArcCosh[c\*x]]/Sqrt[b]]\*(Cosh[a/b] + Sinh[a/b])) + (2\*a + b)\*Sqrt[3\*Pi]\*Erfi[(Sqrt[3]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(3\*a)/b] - Sinh[(3\*a)/b]) + (2\*a - b)\*Sqrt[3\*Pi]\*Erf[(Sqrt[3]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(3\*a)/b] + Sinh[(3\*a)/b]) + 12\*Sqrt[b]\*Sqrt[a + b\*ArcCosh[c\*x]]\*(2\*ArcCosh[c\*x]\*Cosh[3\*ArcCosh[c\*x]] - Sinh[3\*ArcCosh[c\*x]])))/(288\*c^3)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x))^(3/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{arccosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arccosh(c\*x))^(3/2),x)

[Out] int(x^2\*(a+b\*arccosh(c\*x))^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arccosh(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(3/2)\*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a + b\*acosh(c\*x))^(3/2),x)

[Out] int(x^2\*(a + b\*acosh(c\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*acosh(c\*x))\*\*(3/2),x)

[Out] Integral(x\*\*2\*(a + b\*acosh(c\*x))\*\*(3/2), x)

$$3.146 \quad \int x \left( a + b \cosh^{-1}(cx) \right)^{3/2} dx$$

**Optimal.** Leaf size=184

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^2} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^2} - \frac{(a+b\cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a+b\cosh^{-1}(cx))$$

[Out]  $-1/4*(a+b*\operatorname{arccosh}(c*x))^{3/2}/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))^{3/2}-3/128*b^{3/2}*\exp(2*a/b)*\operatorname{erf}(2^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*2^{1/2}*Pi^{1/2}/c^2+3/128*b^{3/2}*\operatorname{erfi}(2^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*2^{1/2}*Pi^{1/2}/c^2/\exp(2*a/b)-3/8*b*x*(c*x-1)^{1/2}*(c*x+1)^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/c$

**Rubi [A]** time = 0.82, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {5664, 5759, 5676, 5670, 5448, 12, 3308, 2180, 2204, 2205}

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^2} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^2} - \frac{(a+b\cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a+b\cosh^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}, x]$

[Out]  $(-3*b*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/(8*c) - (a + b*\operatorname{ArcCosh}[c*x])^{3/2}/(4*c^2) + (x^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2})/2 - (3*b^{3/2}*E^{((2*a)/b)}*\operatorname{Sqrt}[Pi/2]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(64*c^2) + (3*b^{3/2}*\operatorname{Sqrt}[Pi/2]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(64*c^2*E^{((2*a)/b)})$

#### Rule 12

$\operatorname{Int}[(a_*)(u_), x\_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_)*((e_.) + (f_)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_)*(x_)]}, x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$  FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_)*((c_.) + (d_)*(x_))^{2})}, x\_Symbol] := \operatorname{Simp}[(F^a*\operatorname{Sqrt}[Pi]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && PosQ[b]

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_)*((c_.) + (d_)*(x_))^{2})}, x\_Symbol] := \operatorname{Simp}[(F^a*\operatorname{Sqrt}[Pi]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && NegQ[b]

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_)*(x_)]^{(m_)*\sin[(e_.) + (f_)*(x_)]}, x\_Symbol] := \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{($

$I*(e + f*x)), x], x] /; \text{FreeQ}[\{c, d, e, f, m\}, x]$

#### Rule 5448

$\text{Int}[\text{Cosh}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sinh}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sinh}[a + b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

#### Rule 5664

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^n)/(m+1), x] - \text{Dist}[(b*c*n)/(m+1), \text{Int}[(x^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)})/(\text{Sqrt}[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 5670

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x], x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

#### Rule 5676

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcCosh}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[-(d1*d2)]*(n+1)), x] /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2, n\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, -(c*d2)] \&\& \text{GtQ}[d1, 0] \&\& \text{LtQ}[d2, 0] \&\& \text{NeQ}[n, -1]$

#### Rule 5759

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]*(a + b*\text{ArcCosh}[c*x])^n)/(e1*e2*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcCosh}[c*x])^n]/(\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]), x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x])/(c*d1*d2*m*\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2, f\}, x] \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rubi steps

$$\begin{aligned}
\int x (a + b \cosh^{-1}(cx))^{3/2} dx &= \frac{1}{2} x^2 (a + b \cosh^{-1}(cx))^{3/2} - \frac{1}{4} (3bc) \int \frac{x^2 \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} + \frac{1}{2} x^2 (a + b \cosh^{-1}(cx))^{3/2} + \frac{1}{16} (3b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b \\
&= -\frac{3bx\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2} x^2 (a + b
\end{aligned}$$

**Mathematica** [A] time = 1.11, size = 165, normalized size = 0.90

$$-3\sqrt{2\pi} b^{3/2} \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right) + 3\sqrt{2\pi} b^{3/2} \left( \cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*(a + b\*ArcCosh[c\*x])^(3/2), x]

[Out] (3\*b^(3/2)\*Sqrt[2\*Pi]\*Erfi[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(2\*a)/b] - Sinh[(2\*a)/b]) - 3\*b^(3/2)\*Sqrt[2\*Pi]\*Erf[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(2\*a)/b] + Sinh[(2\*a)/b]) + 8\*Sqrt[a + b\*ArcCosh[c\*x]]\*(4\*a\*Cosh[2\*ArcCosh[c\*x]] + 4\*b\*ArcCosh[c\*x]\*Cosh[2\*ArcCosh[c\*x]] - 3\*b\*Sinh[2\*ArcCosh[c\*x]]))/(128\*c^2)

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{3/2} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)^(3/2)\*x, x)

maple [F] time = 0.16, size = 0, normalized size = 0.00

$$\int x (a + b \operatorname{arccosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arccosh(c\*x))^(3/2),x)

[Out] int(x\*(a+b\*arccosh(c\*x))^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(3/2)\*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*acosh(c\*x))^(3/2),x)

[Out] int(x\*(a + b\*acosh(c\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*acosh(c\*x))\*\*(3/2),x)

[Out] Integral(x\*(a + b\*acosh(c\*x))\*\*(3/2), x)

### 3.147 $\int (a + b \cosh^{-1}(cx))^{3/2} dx$

**Optimal.** Leaf size=140

$$\frac{3\sqrt{\pi} b^{3/2} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8c} + \frac{3\sqrt{\pi} b^{3/2} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8c} - \frac{3b\sqrt{cx-1} \sqrt{cx+1} \sqrt{a+b \cosh^{-1}(cx)}}{2c} + x$$

[Out]  $x*(a+b*\operatorname{arccosh}(c*x))^{3/2}-3/8*b^{3/2}*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/c+3/8*b^{3/2}*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/c/\exp(a/b)-3/2*b*(c*x-1)^{1/2}*(c*x+1)^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/c$

**Rubi [A]** time = 0.43, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5654, 5718, 5658, 3308, 2180, 2205, 2204}

$$\frac{3\sqrt{\pi} b^{3/2} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8c} + \frac{3\sqrt{\pi} b^{3/2} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8c} - \frac{3b\sqrt{cx-1} \sqrt{cx+1} \sqrt{a+b \cosh^{-1}(cx)}}{2c} + x$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])^{3/2}, x]$

[Out]  $(-3*b*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/(2*c) + x*(a + b*\operatorname{ArcCosh}[c*x])^{3/2} - (3*b^{3/2}*E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(8*c) + (3*b^{3/2}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(8*c*E^{(a/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}[\{F, c, d, e, f, g\}, x] \ \&\amp; \ \! \$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\amp; \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}[\{F, a, b, c, d\}, x] \ \&\amp; \ \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}[\{c, d, e, f, m\}, x]$

#### Rule 5654

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c^n, \operatorname{Int}[(x*(a + b*\operatorname{ArcCosh}[c*x])^{(n-1)})/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /;$   $\operatorname{FreeQ}[\{a, b, c\}, x] \ \&\amp; \ \operatorname{GtQ}[n, 0]$

Rule 5658

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Dist[(b*c)^(-1)
, Subst[Int[x^n*Sinh[a/b - x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a
, b, c, n}, x]
```

Rule 5718

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d1_.) + (e1_.)*(x_.))^(p
_.)*((d2_.) + (e2_.)*(x_.))^(p_.), x_Symbol] := Simp[((d1 + e1*x)^(p + 1)*(d2
+ e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*
(-d1*d2)^(IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p])/(2*c
*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^(
p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d
2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ
[p, -1] && IntegerQ[p + 1/2]
```

Rubi steps

$$\begin{aligned} \int (a + b \cosh^{-1}(cx))^{3/2} dx &= x (a + b \cosh^{-1}(cx))^{3/2} - \frac{1}{2}(3bc) \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} + \frac{1}{4} (3b^2) \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} - \frac{3b^2}{4} \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \quad (3b) \text{ Subs} \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} - \frac{3b^2}{4} \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \quad (3b) \text{ Subs} \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} - \frac{3b^2}{4} \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \quad (3b) \text{ Subs} \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} - \frac{3b^2}{4} \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \quad (3b) \text{ Subs} \\ &= -\frac{3b\sqrt{-1 + cx} \sqrt{1 + cx} \sqrt{a + b \cosh^{-1}(cx)}}{2c} + x (a + b \cosh^{-1}(cx))^{3/2} - \frac{3b^2}{4} \int \frac{x \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \quad (3b) \text{ Subs} \end{aligned}$$

**Mathematica [A]** time = 0.71, size = 269, normalized size = 1.92

$$b \left[ \frac{\sqrt{\pi} (2a-3b) \left( \sinh\left(\frac{a}{b}\right) + \cosh\left(\frac{a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} + \frac{\sqrt{\pi} (2a+3b) \left( \cosh\left(\frac{a}{b}\right) - \sinh\left(\frac{a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - 12 \sqrt{\frac{cx-1}{cx+1}} (cx+1) \sqrt{a} \right]$$

8c

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcCosh[c*x])^(3/2), x]
```

```
[Out] (a*Sqrt[a + b*ArcCosh[c*x]]*((E^((2*a)/b)*Gamma[3/2, a/b + ArcCosh[c*x]])/S
qrt[a/b + ArcCosh[c*x]] + Gamma[3/2, -((a + b*ArcCosh[c*x])/b)]/Sqrt[-((a +
b*ArcCosh[c*x])/b)]))/(2*c*E^(a/b)) + (b*(-12*Sqrt[(-1 + c*x)/(1 + c*x)]*(
1 + c*x)*Sqrt[a + b*ArcCosh[c*x]] + 8*c*x*ArcCosh[c*x]*Sqrt[a + b*ArcCosh[c
```

```
*x]] + ((2*a + 3*b)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] - Sinh[a/b]))/Sqrt[b] + ((2*a - 3*b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b]))/Sqrt[b]]/(8*c)
```

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccosh(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arccosh(c*x) + a)^(3/2), x)
```

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arccosh(c*x))^(3/2),x)
```

```
[Out] int((a+b*arccosh(c*x))^(3/2),x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*arccosh(c*x) + a)^(3/2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acosh}(cx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(c*x))^(3/2),x)
```

```
[Out] int((a + b*acosh(c*x))^(3/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acosh(c*x))**(3/2),x)
```

```
[Out] Integral((a + b*acosh(c*x))**(3/2), x)
```



### 3.148 $\int x^2 (a + b \cosh^{-1}(cx))^{5/2} dx$

**Optimal.** Leaf size=337

$$\frac{15\sqrt{\pi} b^{5/2} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^3} - \frac{5\sqrt{\frac{\pi}{3}} b^{5/2} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{576c^3} - \frac{15\sqrt{\pi} b^{5/2} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^3} + 5$$

[Out]  $\frac{1}{3}x^3(a+b\operatorname{arccosh}(cx))^{5/2} - \frac{5}{1728}b^{5/2}\exp(3a/b)\operatorname{erf}(3^{1/2}(a+b\operatorname{arccosh}(cx))^{1/2}/b^{1/2})\cdot 3^{1/2}\pi^{1/2}/c^3 - \frac{5}{1728}b^{5/2}\operatorname{erfi}(3^{1/2}(a+b\operatorname{arccosh}(cx))^{1/2}/b^{1/2})\cdot 3^{1/2}\pi^{1/2}/c^3 \exp(3a/b) - \frac{15}{64}b^{5/2}\exp(a/b)\operatorname{erf}((a+b\operatorname{arccosh}(cx))^{1/2}/b^{1/2})\cdot \pi^{1/2}/c^3 - \frac{15}{64}b^{5/2}\operatorname{erfi}((a+b\operatorname{arccosh}(cx))^{1/2}/b^{1/2})\cdot \pi^{1/2}/c^3 \exp(a/b) - \frac{5}{9}b^2(a+b\operatorname{arccosh}(cx))^{3/2}(cx-1)^{1/2}(cx+1)^{1/2}/c^3 - \frac{5}{18}b^2x^2(a+b\operatorname{arccosh}(cx))^{3/2}(cx-1)^{1/2}(cx+1)^{1/2}/c + \frac{5}{6}b^2x^3(a+b\operatorname{arccosh}(cx))^{1/2}/c^2 + \frac{5}{36}b^2x^3(a+b\operatorname{arccosh}(cx))^{1/2}$

**Rubi [A]** time = 2.09, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {5664, 5759, 5718, 5654, 5781, 3307, 2180, 2204, 2205, 3312}

$$\frac{15\sqrt{\pi} b^{5/2} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^3} - \frac{5\sqrt{\frac{\pi}{3}} b^{5/2} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{576c^3} - \frac{15\sqrt{\pi} b^{5/2} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{64c^3} + 5$$

Antiderivative was successfully verified.

[In]  $\int x^2(a + b\operatorname{ArcCosh}[cx])^{5/2}, x$

[Out]  $(5b^2x\sqrt{a + b\operatorname{ArcCosh}[cx]})/(6c^2) + (5b^2x^3\sqrt{a + b\operatorname{ArcCosh}[cx]})/36 - (5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + b\operatorname{ArcCosh}[cx])^{3/2})/(9c^3) - (5bx^2\sqrt{-1 + cx}\sqrt{1 + cx}(a + b\operatorname{ArcCosh}[cx])^{3/2})/(18c) + (x^3(a + b\operatorname{ArcCosh}[cx])^{5/2})/3 - (15b^{5/2}E^{(a/b)}\sqrt{\pi}\operatorname{Erf}[\sqrt{a + b\operatorname{ArcCosh}[cx]}/\sqrt{b}])/(64c^3) - (5b^{5/2}E^{((3a)/b)}\sqrt{\pi/3}\operatorname{Erf}[(\sqrt{3}\sqrt{a + b\operatorname{ArcCosh}[cx]})/\sqrt{b}])/(576c^3) - (15b^{5/2}\sqrt{\pi}\operatorname{Erfi}[\sqrt{a + b\operatorname{ArcCosh}[cx]}/\sqrt{b}])/(64c^3E^{(a/b)}) - (5b^{5/2}\sqrt{\pi/3}\operatorname{Erfi}[(\sqrt{3}\sqrt{a + b\operatorname{ArcCosh}[cx]})/\sqrt{b}])/(576c^3E^{((3a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.) * ((e_.) + (f_.) * (x_)))} / \sqrt{(c_.) + (d_.) * (x_)}], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \sqrt{c + d*x}], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\amp; \operatorname{!}\$UseGamma == \operatorname{True}$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erfi}[(c + d*x) \operatorname{Rt}[b \operatorname{Log}[F], 2]]) / (2*d \operatorname{Rt}[b \operatorname{Log}[F], 2])], x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_)) ^ 2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \sqrt{\pi} \operatorname{Erf}[(c + d*x) \operatorname{Rt}[-(b \operatorname{Log}[F]), 2]]) / (2*d \operatorname{Rt}[-(b \operatorname{Log}[F]), 2])], x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{NegQ}[b]$

#### Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f,
m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 5654

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol]
:> Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 5664

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Simp[(x^(m + 1)*(a + b*ArcCosh[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 5718

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol]
:> Simp[((d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*(a + b*ArcCosh[c*x])^n)/(2*e1*e2*(p + 1)), x] - Dist[(b*n*(-(d1*d2))^IntPart[p]*(d1 + e1*x)^FracPart[p]*(d2 + e2*x)^FracPart[p])/(2*c*(p + 1)*(1 + c*x)^FracPart[p]*(-1 + c*x)^FracPart[p]), Int[(-1 + c^2*x^2)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && NeQ[p, -1] && IntegerQ[p + 1/2]
```

### Rule 5759

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)/(Sqrt[(d1_.) + (e1_.)*(x_)]*Sqrt[(d2_.) + (e2_.)*(x_)]), x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]*(a + b*ArcCosh[c*x])^n)/(e1*e2*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCosh[c*x])^n)/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x]), x], x] + Dist[(b*f*n*Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x])/(c*d1*d2*m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

### Rule 5781

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol]
:> Dist[(-(d1*d2))^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x]^(2*p + 1), x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])
```

### Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cosh^{-1}(cx))^{5/2} dx &= \frac{1}{3}x^3 (a + b \cosh^{-1}(cx))^{5/2} - \frac{1}{6}(5bc) \int \frac{x^3 (a + b \cosh^{-1}(cx))^{3/2}}{\sqrt{-1+cx}\sqrt{1+cx}} dx \\
&= -\frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx} (a + b \cosh^{-1}(cx))^{3/2}}{18c} + \frac{1}{3}x^3 (a + b \cosh^{-1}(cx))^{5/2} + \\
&= \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx} (a + b \cosh^{-1}(cx))^{3/2}}{9c^3} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2} \\
&= \frac{5b^2x\sqrt{a + b \cosh^{-1}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}}{9c^2}
\end{aligned}$$

**Mathematica [B]** time = 11.12, size = 924, normalized size = 2.74

$$e^{-\frac{3a}{b}} \sqrt{a + b \cosh^{-1}(cx)} \left( 9e^{\frac{4a}{b}} \sqrt{-\frac{a+b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{3}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{3} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{3}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) \right) - \frac{72c^3 \sqrt{-\frac{(a+b \cosh^{-1}(cx))}{b^2}}}{9}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*(a + b\*ArcCosh[c\*x])^(5/2),x]

[Out] (a^2\*sqrt[a + b\*ArcCosh[c\*x]]\*(9\*E^((4\*a)/b)\*sqrt[-((a + b\*ArcCosh[c\*x])/b)]\*Gamma[3/2, a/b + ArcCosh[c\*x]] + sqrt[3]\*sqrt[a/b + ArcCosh[c\*x]]\*Gamma[3/2, (-3\*(a + b\*ArcCosh[c\*x]))/b] + 9\*E^((2\*a)/b)\*sqrt[a/b + ArcCosh[c\*x]]\*Gamma[3/2, -((a + b\*ArcCosh[c\*x])/b)] + sqrt[3]\*E^((6\*a)/b)\*sqrt[-((a + b\*ArcCosh[c\*x])/b)]\*Gamma[3/2, (3\*(a + b\*ArcCosh[c\*x]))/b]))/(72\*c^3\*E^((3\*a)/b)\*sqrt[-((a + b\*ArcCosh[c\*x])^2/b^2)]) + (a\*sqrt[b]\*(9\*(-12\*sqrt[b]\*sqrt[(-1 + c\*x)/(1 + c\*x)]\*(1 + c\*x)\*sqrt[a + b\*ArcCosh[c\*x]] + 8\*sqrt[b]\*c\*x\*ArcCosh[c\*x]\*sqrt[a + b\*ArcCosh[c\*x]] + (2\*a + 3\*b)\*sqrt[Pi]\*Erfi[sqrt[a + b\*ArcCosh[c\*x]]/sqrt[b]]\*(Cosh[a/b] - Sinh[a/b]) + (2\*a - 3\*b)\*sqrt[Pi]\*Erf[sqrt[a + b\*ArcCosh[c\*x]]/sqrt[b]]\*(Cosh[a/b] + Sinh[a/b])) + (2\*a + b)\*sqrt[3\*Pi]\*Erfi[(sqrt[3]\*sqrt[a + b\*ArcCosh[c\*x]])/sqrt[b]]\*(Cosh[(3\*a)/b] - Sinh[(3\*a)/b]) + (2\*a - b)\*sqrt[3\*Pi]\*Erf[(sqrt[3]\*sqrt[a + b\*ArcCosh[c\*x]])/sqrt[b]]\*(Cosh[(3\*a)/b] + Sinh[(3\*a)/b]) + 12\*sqrt[b]\*sqrt[a + b\*ArcCosh[c\*x]]\*(2\*ArcCosh[c\*x]\*Cosh[3\*ArcCosh[c\*x]] - Sinh[3\*ArcCosh[c\*x]])))/(144\*c^3) -

```
(27*(-4*b*Sqrt[a + b*ArcCosh[c*x]]*(2*Sqrt[(-1 + c*x)/(1 + c*x)]*(1 + c*x)
*(a - 5*b*ArcCosh[c*x]) + b*c*x*(15 + 4*ArcCosh[c*x]^2)) + Sqrt[b]*(4*a^2 +
12*a*b + 15*b^2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b
] - Sinh[a/b]) + Sqrt[b]*(4*a^2 - 12*a*b + 15*b^2)*Sqrt[Pi]*Erf[Sqrt[a + b*
ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b])) + Sqrt[b]*(12*a^2 + 12*a*b
+ 5*b^2)*Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[
(3*a)/b] - Sinh[(3*a)/b]) + Sqrt[b]*(12*a^2 - 12*a*b + 5*b^2)*Sqrt[3*Pi]*Er
f[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(3*a)/b] + Sinh[(3*a)/b
]) - 12*b*Sqrt[a + b*ArcCosh[c*x]]*(b*(5 + 12*ArcCosh[c*x]^2)*Cosh[3*ArcCos
h[c*x]] + 2*(a - 5*b*ArcCosh[c*x])*Sinh[3*ArcCosh[c*x]]))/(1728*c^3)
```

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
eur & l) Error: Bad Argument Value
```

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*arccosh(c*x))^(5/2),x)
```

```
[Out] int(x^2*(a+b*arccosh(c*x))^(5/2),x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((b*arccosh(c*x) + a)^(5/2)*x^2, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*acosh(c*x))^(5/2),x)
```

[Out] `int(x^2*(a + b*acosh(c*x))^(5/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*acosh(c*x))**(5/2), x)`

[Out] `Integral(x**2*(a + b*acosh(c*x))**(5/2), x)`

$$3.149 \quad \int x \left( a + b \cosh^{-1}(cx) \right)^{5/2} dx$$

**Optimal.** Leaf size=228

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15b^2\sqrt{a+b\cosh^{-1}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+b\cosh^{-1}(cx)}$$

[Out]  $-1/4*(a+b*\operatorname{arccosh}(c*x))^{(5/2)}/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))^{(5/2)}-15/512*b^{(5/2)}*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\pi^{(1/2)}/c^2-15/512*b^{(5/2)}*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\pi^{(1/2)}/c^2/\exp(2*a/b)-5/8*b*x*(a+b*\operatorname{arccosh}(c*x))^{(3/2)}*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c-15/64*b^2*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/c^2+15/32*b^2*x^2*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 1.33, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.643$ , Rules used = {5664, 5759, 5676, 5781, 3312, 3307, 2180, 2204, 2205}

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15b^2\sqrt{a+b\cosh^{-1}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+b\cosh^{-1}(cx)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x*(a + b*\operatorname{ArcCosh}[c*x])^{(5/2)}, x]$

[Out]  $(-15*b^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/(64*c^2) + (15*b^2*x^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/32 - (5*b*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]*(a + b*\operatorname{ArcCosh}[c*x])^{(3/2)})/(8*c) - (a + b*\operatorname{ArcCosh}[c*x])^{(5/2)}/(4*c^2) + (x^2*(a + b*\operatorname{ArcCosh}[c*x])^{(5/2)})/2 - (15*b^{(5/2)}*E^{((2*a)/b)}*\operatorname{Sqrt}[\pi/2]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(256*c^2) - (15*b^{(5/2)}*\operatorname{Sqrt}[\pi/2]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(256*c^2*E^{((2*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\pi]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + \pi*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*\pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*\pi)}*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2*k]$

Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5664

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n - 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5676

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

Rule 5759

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]\*(a + b\*ArcCosh[c\*x])^n)/(e1\*e2\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcCosh[c\*x])^n)/(Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x], x] + Dist[(b\*f\*n\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x])/(c\*d1\*d2\*m\*Sqrt[1 + c\*x]\*Sqrt[-1 + c\*x]), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.)\*((d1\_.) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_.) + (e2\_.)\*(x\_.))^(q\_.), x\_Symbol] := Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned}
\int x (a + b \cosh^{-1}(cx))^{5/2} dx &= \frac{1}{2} x^2 (a + b \cosh^{-1}(cx))^{5/2} - \frac{1}{4} (5bc) \int \frac{x^2 (a + b \cosh^{-1}(cx))^{3/2}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= -\frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} + \frac{1}{2} x^2 (a + b \cosh^{-1}(cx))^{5/2} + \frac{1}{16} (a + b \cosh^{-1}(cx))^{3/2} \\
&= \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{16} \\
&= \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{16} \\
&= \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cosh^{-1}(cx))^{3/2}}{16} \\
&= -\frac{15b^2 \sqrt{a + b \cosh^{-1}(cx)}}{64c^2} + \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} \\
&= -\frac{15b^2 \sqrt{a + b \cosh^{-1}(cx)}}{64c^2} + \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} \\
&= -\frac{15b^2 \sqrt{a + b \cosh^{-1}(cx)}}{64c^2} + \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c} \\
&= -\frac{15b^2 \sqrt{a + b \cosh^{-1}(cx)}}{64c^2} + \frac{15}{32} b^2 x^2 \sqrt{a + b \cosh^{-1}(cx)} - \frac{5bx\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{8c}
\end{aligned}$$

**Mathematica** [A] time = 2.04, size = 207, normalized size = 0.91

$$8\sqrt{a + b \cosh^{-1}(cx)} \left( (16a^2 + 15b^2) \cosh(2 \cosh^{-1}(cx)) + 4b \cosh^{-1}(cx) (8a \cosh(2 \cosh^{-1}(cx)) - 5b \sinh(2 \cosh^{-1}(cx))) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*(a + b\*ArcCosh[c\*x])^(5/2), x]

[Out]  $(-15b^{5/2} \sqrt{2\pi} \operatorname{Erfi}(\sqrt{2} \sqrt{a + b \operatorname{ArcCosh}[c*x]}) / \sqrt{b}) * (\operatorname{Cosh}[(2a)/b] - \operatorname{Sinh}[(2a)/b]) - 15b^{5/2} \sqrt{2\pi} \operatorname{Erf}(\sqrt{2} \sqrt{a + b \operatorname{ArcCosh}[c*x]}) / \sqrt{b} * (\operatorname{Cosh}[(2a)/b] + \operatorname{Sinh}[(2a)/b]) + 8 \sqrt{a + b \operatorname{ArcCosh}[c*x]} * ((16a^2 + 15b^2) \operatorname{Cosh}[2 \operatorname{ArcCosh}[c*x]] + 16b^2 \operatorname{ArcCosh}[c*x]^2 \operatorname{Cosh}[2 \operatorname{ArcCosh}[c*x]] - 20a*b \operatorname{Sinh}[2 \operatorname{ArcCosh}[c*x]] + 4b \operatorname{ArcCosh}[c*x] * (8a \operatorname{Cosh}[2 \operatorname{ArcCosh}[c*x]] - 5b \operatorname{Sinh}[2 \operatorname{ArcCosh}[c*x]])) / (512c^2)$

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)



**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:Evaluation time: 0.54sym2poly/r2sym(const gen & e,const i  
ndex\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arccosh(c\*x))^(5/2),x)

[Out] int(x\*(a+b\*arccosh(c\*x))^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arcosh}(cx) + a)^{\frac{5}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arccosh(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(5/2)\*x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x(a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*acosh(c\*x))^(5/2),x)

[Out] int(x\*(a + b\*acosh(c\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*acosh(c\*x))\*\*(5/2),x)

[Out] Integral(x\*(a + b\*acosh(c\*x))\*\*(5/2), x)

### 3.150 $\int (a + b \cosh^{-1}(cx))^{5/2} dx$

**Optimal.** Leaf size=160

$$\frac{15\sqrt{\pi} b^{5/2} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c} - \frac{15\sqrt{\pi} b^{5/2} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c} + \frac{15}{4} b^2 x \sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{cx-1} \sqrt{a}}{4}$$

[Out]  $x*(a+b*\operatorname{arccosh}(c*x))^{5/2}-15/16*b^{5/2}*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/c-15/16*b^{5/2}*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/c/\exp(a/b)-5/2*b*(a+b*\operatorname{arccosh}(c*x))^{3/2}*(c*x-1)^{1/2}*(c*x+1)^{1/2}/c+15/4*b^2*x*(a+b*\operatorname{arccosh}(c*x))^{1/2}$

**Rubi [A]** time = 0.75, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5654, 5718, 5781, 3307, 2180, 2204, 2205}

$$\frac{15\sqrt{\pi} b^{5/2} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c} - \frac{15\sqrt{\pi} b^{5/2} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{16c} + \frac{15}{4} b^2 x \sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{cx-1} \sqrt{a}}{4}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])^{5/2}, x]$

[Out]  $(15*b^2*x*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/4 - (5*b*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]*(a + b*\operatorname{ArcCosh}[c*x])^{3/2})/(2*c) + x*(a + b*\operatorname{ArcCosh}[c*x])^{5/2} - (15*b^{5/2}*E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(16*c) - (15*b^{5/2}*E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(16*c*E^{(a/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\amp; !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d\}, x] \&\amp; \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\sin[(e_.) + \operatorname{Pi}*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x] \&\amp; \operatorname{IntegerQ}[2*k]$

#### Rule 5654

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c^n, \operatorname{Int}[(x*(a + b*\operatorname{ArcCosh}[c*x])^{(n-1)})/\operatorname{Sqrt}]]$

$[-1 + c*x]*\text{Sqrt}[1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[n, 0]$

### Rule 5718

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x\_Symbol] :> \text{Simp}[(d1 + e1*x)^{(p + 1)}*(d2 + e2*x)^{(p + 1)}*(a + b*\text{ArcCosh}[c*x])^n]/(2*e1*e2*(p + 1)), x] - \text{Dist}[(b*n*(-(d1*d2))^{IntPart[p]}*(d1 + e1*x)^{FracPart[p]}*(d2 + e2*x)^{FracPart[p]})/(2*c*(p + 1)*(1 + c*x)^{FracPart[p]}*(-1 + c*x)^{FracPart[p]})], \text{Int}[(-1 + c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, p\}, x\} \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1] \&\& \text{IntegerQ}[p + 1/2]$

### Rule 5781

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x\_Symbol] :> \text{Dist}[(-(d1*d2))^{p/c}*(m + 1), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cosh}[x]^m*\text{Sinh}[x]^{(2*p + 1)}, x], x, \text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}, x\} \&\& \text{EqQ}[e1 - c*d1, 0] \&\& \text{EqQ}[e2 + c*d2, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{GtQ}[d1, 0] \&\& \text{LtQ}[d2, 0])$

### Rubi steps

$$\begin{aligned} \int (a + b \cosh^{-1}(cx))^{5/2} dx &= x(a + b \cosh^{-1}(cx))^{5/2} - \frac{1}{2}(5bc) \int \frac{x(a + b \cosh^{-1}(cx))^{3/2}}{\sqrt{-1 + cx} \sqrt{1 + cx}} dx \\ &= -\frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + b \cosh^{-1}(cx))^{5/2} + \frac{1}{4}(15b^2 \\ &= \frac{15}{4}b^2x\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + \\ &= \frac{15}{4}b^2x\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + \\ &= \frac{15}{4}b^2x\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + \\ &= \frac{15}{4}b^2x\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + \\ &= \frac{15}{4}b^2x\sqrt{a + b \cosh^{-1}(cx)} - \frac{5b\sqrt{-1 + cx} \sqrt{1 + cx} (a + b \cosh^{-1}(cx))^{3/2}}{2c} + x(a + \end{aligned}$$

**Mathematica [B]** time = 2.55, size = 452, normalized size = 2.82

$$-\sqrt{\pi} \sqrt{b} (4a^2 - 12ab + 15b^2) \left( \sinh\left(\frac{a}{b}\right) + \cosh\left(\frac{a}{b}\right) \right) \text{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) - \sqrt{\pi} \sqrt{b} (4a^2 + 12ab + 15b^2) \left( \cosh\left(\frac{a}{b}\right) - \sinh\left(\frac{a}{b}\right) \right) \text{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcCosh[c\*x])^(5/2),x]

[Out]  $(4*b*\sqrt{a + b*\text{ArcCosh}[c*x]}*(2*\sqrt{(-1 + c*x)/(1 + c*x)}*(1 + c*x)*(a - 5*b*\text{ArcCosh}[c*x]) + b*c*x*(15 + 4*\text{ArcCosh}[c*x]^2)) + (8*a^2*\sqrt{a + b*\text{ArcCosh}[c*x]}*((E^{(2*a)/b}*\text{Gamma}[3/2, a/b + \text{ArcCosh}[c*x]])/\sqrt{a/b + \text{ArcCosh}[c*x]} + \text{Gamma}[3/2, -(a + b*\text{ArcCosh}[c*x])/b})/\sqrt{-(a + b*\text{ArcCosh}[c*x])/b})))/E^{a/b} - \sqrt{b}*(4*a^2 + 12*a*b + 15*b^2)*\sqrt{\pi}*\text{Erfi}[\sqrt{a + b*\text{ArcCosh}[c*x]}/\sqrt{b}]*(\text{Cosh}[a/b] - \text{Sinh}[a/b]) - \sqrt{b}*(4*a^2 - 12*a*b + 15*b^2)*\sqrt{\pi}*\text{Erf}[\sqrt{a + b*\text{ArcCosh}[c*x]}/\sqrt{b}]*(\text{Cosh}[a/b] + \text{Sinh}[a/b]) + 4*a*b*(-12*\sqrt{(-1 + c*x)/(1 + c*x)}*(1 + c*x)*\sqrt{a + b*\text{ArcCosh}[c*x]} + 8*c*x*\text{ArcCosh}[c*x]*\sqrt{a + b*\text{ArcCosh}[c*x]} + ((2*a + 3*b)*\sqrt{\pi}*\text{Erfi}[\sqrt{a + b*\text{ArcCosh}[c*x]}/\sqrt{b}]*(\text{Cosh}[a/b] - \text{Sinh}[a/b]))/\sqrt{b} + ((2*a - 3*b)*\sqrt{\pi}*\text{Erf}[\sqrt{a + b*\text{ArcCosh}[c*x]}/\sqrt{b}]*(\text{Cosh}[a/b] + \text{Sinh}[a/b]))/\sqrt{b}))/((16*c)$

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))^(5/2),x)

[Out] int((a+b\*arccosh(c\*x))^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acosh(c*x))^(5/2), x)`

[Out] `int((a + b*acosh(c*x))^(5/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{acosh}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acosh(c*x))**(5/2), x)`

[Out] `Integral((a + b*acosh(c*x))**(5/2), x)`

$$3.151 \quad \int \frac{x^2}{\sqrt{a+b \cosh^{-1}(cx)}} dx$$

**Optimal.** Leaf size=194

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{3}} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{\sqrt{\frac{\pi}{3}} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3}$$

[Out]  $-1/24*\exp(3*a/b)*\operatorname{erf}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/b^{(1/2)}+1/24*\operatorname{erfi}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/\exp(3*a/b)/b^{(1/2)}-1/8*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/c^3/b^{(1/2)}+1/8*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/c^3/\exp(a/b)/b^{(1/2)}$

**Rubi [A]** time = 0.36, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {5670, 5448, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{3}} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{\sqrt{\frac{\pi}{3}} e^{-\frac{3a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2/\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]], x]$

[Out]  $-(E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(8*\operatorname{Sqrt}[b]*c^3) - (E^{((3*a)/b)}*\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erf}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(8*\operatorname{Sqrt}[b]*c^3) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(8*\operatorname{Sqrt}[b]*c^3*E^{(a/b)}) + (\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erfi}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(8*\operatorname{Sqrt}[b]*c^3*E^{((3*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\}$

#### Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sinh[(a_.) +
(b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

### Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{\sqrt{a + b \cosh^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{c^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{a+bx}} + \frac{\sinh(3x)}{4\sqrt{a+bx}}\right) dx, x, \cosh^{-1}(cx)\right)}{c^3} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c^3} + \frac{\text{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c^3} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-3x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{8c^3} - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{8c^3} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{8c^3} \\ &= -\frac{\text{Subst}\left(\int e^{\frac{3a}{b} - \frac{3x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{4bc^3} - \frac{\text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{4bc^3} \\ &= -\frac{e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b} c^3} - \frac{e^{\frac{3a}{b}} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b} c^3} + \frac{e^{-\frac{a}{b}} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b} c^3} \end{aligned}$$

**Mathematica [A]** time = 0.37, size = 195, normalized size = 1.01

$$\frac{e^{-\frac{3a}{b}} \left( 3e^{\frac{4a}{b}} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{3} \sqrt{-\frac{a+b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) + 3e^{\frac{2a}{b}} \sqrt{-\frac{a+b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) \right)}{24c^3 \sqrt{a + b \cosh^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2/Sqrt[a + b*ArcCosh[c*x]], x]
```

```
[Out] (3*E^((4*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, (-3*(a + b*ArcCosh[c*x]))/b] + 3*E^((2*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, -(a + b*ArcCosh[c*x])/b] + Sqrt[3]*E^((6*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, (3*(a + b*ArcCosh[c*x])/b)]/(24*c^3*E^((3*a)/b)*Sqrt[a + b*ArcCosh[c*x]])
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arccosh(c*x))^(1/2), x, algorithm="fricas")
```

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(1/2),x, algorithm="giac")

[Out] integrate(x^2/sqrt(b\*arccosh(c\*x) + a), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*arccosh(c\*x))^(1/2),x)

[Out] int(x^2/(a+b\*arccosh(c\*x))^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/sqrt(b\*arccosh(c\*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*acosh(c\*x))^(1/2),x)

[Out] int(x^2/(a + b\*acosh(c\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*acosh(c\*x))\*\*(1/2),x)

[Out] Integral(x\*\*2/sqrt(a + b\*acosh(c\*x)), x)



$$3.152 \quad \int \frac{x}{\sqrt{a+b \cosh^{-1}(cx)}} dx$$

**Optimal.** Leaf size=107

$$\frac{\sqrt{\frac{\pi}{2}} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b}c^2} - \frac{\sqrt{\frac{\pi}{2}} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b}c^2}$$

[Out]  $-1/8*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/b^{(1/2)}+1/8*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/\exp(2*a/b)/b^{(1/2)}$

**Rubi [A]** time = 0.18, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5670, 5448, 12, 3308, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b}c^2} - \frac{\sqrt{\frac{\pi}{2}} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b}c^2}$$

Antiderivative was successfully verified.

[In] `Int[x/Sqrt[a + b*ArcCosh[c*x]], x]`

[Out]  $-(E^{((2*a)/b)}*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(4*\operatorname{Sqrt}[b]*c^2) + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(4*\operatorname{Sqrt}[b]*c^2*E^{((2*a)/b)})$

#### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

#### Rule 2180

`Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[(F^a*Sqrt[Pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3308

`Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

#### Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^(n)*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

### Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{a + b \cosh^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cosh(x) \sinh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{c^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{c^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{2c^2} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c^2} + \frac{\text{Subst}\left(\int \frac{e^{2x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4c^2} \\ &= -\frac{\text{Subst}\left(\int e^{\frac{2a}{b} - \frac{2x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2bc^2} + \frac{\text{Subst}\left(\int e^{-\frac{2a}{b} + \frac{2x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2bc^2} \\ &= -\frac{e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b} c^2} + \frac{e^{-\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{b} c^2} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 104, normalized size = 0.97

$$\frac{\sqrt{\frac{\pi}{2}} \left( \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) + \left( \sinh\left(\frac{2a}{b}\right) - \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) \right)}{4\sqrt{b} c^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/Sqrt[a + b*ArcCosh[c*x]], x]
```

```
[Out] -1/4*(Sqrt[Pi/2]*(Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(-Cosh[(2*a)/b] + Sinh[(2*a)/b]) + Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] + Sinh[(2*a)/b]))) / (Sqrt[b]*c^2)
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arccosh(c*x))^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(b\*arccosh(c\*x) + a), x)

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arccosh(c\*x))^(1/2),x)

[Out] int(x/(a+b\*arccosh(c\*x))^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(b\*arccosh(c\*x) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*acosh(c\*x))^(1/2),x)

[Out] int(x/(a + b\*acosh(c\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*acosh(c\*x))\*\*(1/2),x)

[Out] Integral(x/sqrt(a + b\*acosh(c\*x)), x)

$$3.153 \quad \int \frac{1}{\sqrt{a+b \cosh^{-1}(cx)}} dx$$

**Optimal.** Leaf size=88

$$\frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c} - \frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c}$$

[Out]  $-1/2*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\pi^{(1/2)}/c/b^{(1/2)+1/2}*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\pi^{(1/2)}/c/\exp(a/b)/b^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5658, 3308, 2180, 2205, 2204}

$$\frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c} - \frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c}$$

Antiderivative was successfully verified.

[In] `Int[1/Sqrt[a + b*ArcCosh[c*x]], x]`

[Out]  $-(E^{(a/b)}*\operatorname{Sqrt}[\pi]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(2*\operatorname{Sqrt}[b]*c) + (\operatorname{Sqrt}[\pi]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(2*\operatorname{Sqrt}[b]*c*E^{(a/b)})$

#### Rule 2180

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - (c*f)/d) + (f*g*x^2)/d), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !$UseGamma == True`

#### Rule 2204

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[\pi]*Erfi[(c + d*x)*Rt[b*Log[F], 2]])/(2*d*Rt[b*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]`

#### Rule 2205

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[(F^a*Sqrt[\pi]*Erf[(c + d*x)*Rt[-(b*Log[F]), 2]])/(2*d*Rt[-(b*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]`

#### Rule 3308

`Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

#### Rule 5658

`Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n, x_Symbol] :> -Dist[(b*c)^(-1), Subst[Int[x^n*Sinh[a/b - x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]`

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a + b \cosh^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \cosh^{-1}(cx)\right)}{bc} \\
&= \frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + b \cosh^{-1}(cx)\right)}{2bc} + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + b \cosh^{-1}(cx)\right)}{2bc} \\
&= \frac{\text{Subst}\left(\int \frac{e^{\frac{a-x^2}{b}}}{\sqrt{x}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{bc} + \frac{\text{Subst}\left(\int \frac{e^{-\frac{a-x^2}{b}}}{\sqrt{x}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{bc} \\
&= \frac{e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c} + \frac{e^{-a/b} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 100, normalized size = 1.14

$$\frac{e^{-\frac{a}{b}} \left( e^{\frac{2a}{b}} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{-\frac{a + b \cosh^{-1}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{a + b \cosh^{-1}(cx)}{b}\right) \right)}{2c \sqrt{a + b \cosh^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[a + b\*ArcCosh[c\*x]], x]

[Out] (E^((2\*a)/b)\*Sqrt[a/b + ArcCosh[c\*x]]\*Gamma[1/2, a/b + ArcCosh[c\*x]] + Sqrt[-((a + b\*ArcCosh[c\*x])/b)]\*Gamma[1/2, -((a + b\*ArcCosh[c\*x])/b)])/(2\*c\*E^(a/b)\*Sqrt[a + b\*ArcCosh[c\*x]])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \operatorname{arccosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(1/2), x, algorithm="giac")

[Out] integrate(1/sqrt(b\*arccosh(c\*x) + a), x)

**maple [F]** time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arccosh(c*x))^(1/2),x)`

[Out] `int(1/(a+b*arccosh(c*x))^(1/2),x)`

**maxima** [F]    time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \operatorname{arccosh}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(b*arccosh(c*x) + a), x)`

**mupad** [F]    time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*acosh(c*x))^(1/2),x)`

[Out] `int(1/(a + b*acosh(c*x))^(1/2), x)`

**sympy** [F]    time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acosh(c*x))**(1/2),x)`

[Out] `Integral(1/sqrt(a + b*acosh(c*x)), x)`

$$3.154 \quad \int \frac{x^2}{(a+b \cosh^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=231

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3}$$

[Out]  $1/4 \cdot \exp(a/b) \cdot \operatorname{erf}\left(\frac{a+b \cdot \operatorname{arccosh}(c \cdot x)}{b}\right)^{1/2} / b^{1/2} \cdot \pi^{1/2} / b^{3/2} / c^{3+1/4} \cdot \operatorname{erfi}\left(\frac{a+b \cdot \operatorname{arccosh}(c \cdot x)}{b}\right)^{1/2} / b^{1/2} \cdot \pi^{1/2} / b^{3/2} / c^3 / \exp(a/b) + 1/4 \cdot \exp(3 \cdot a/b) \cdot \operatorname{erf}\left(3^{1/2} \cdot \frac{a+b \cdot \operatorname{arccosh}(c \cdot x)}{b}\right)^{1/2} \cdot 3^{1/2} \cdot \pi^{1/2} / b^{3/2} / c^{3+1/4} \cdot \operatorname{erfi}\left(3^{1/2} \cdot \frac{a+b \cdot \operatorname{arccosh}(c \cdot x)}{b}\right)^{1/2} \cdot 3^{1/2} \cdot \pi^{1/2} / b^{3/2} / c^3 / \exp(3 \cdot a/b) - 2 \cdot x^2 \cdot (c \cdot x - 1)^{1/2} \cdot (c \cdot x + 1)^{1/2} / b / c / (a+b \cdot \operatorname{arccosh}(c \cdot x))^{1/2}$

**Rubi [A]** time = 0.31, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3}$$

Antiderivative was successfully verified.

[In]  $\int x^2 / (a + b \cdot \operatorname{ArcCosh}[c \cdot x])^{3/2}, x$

[Out]  $(-2 \cdot x^2 \cdot \sqrt{-1 + c \cdot x} \cdot \sqrt{1 + c \cdot x}) / (b \cdot c \cdot \sqrt{a + b \cdot \operatorname{ArcCosh}[c \cdot x]}) + (E^{(a/b)} \cdot \sqrt{\pi} \cdot \operatorname{Erf}\left[\frac{\sqrt{a + b \cdot \operatorname{ArcCosh}[c \cdot x]}}{\sqrt{b}}\right]) / (4 \cdot b^{3/2} \cdot c^3) + (E^{(3 \cdot a/b)} \cdot \sqrt{3 \cdot \pi} \cdot \operatorname{Erf}\left[\frac{\sqrt{3} \cdot \sqrt{a + b \cdot \operatorname{ArcCosh}[c \cdot x]}}{\sqrt{b}}\right]) / (4 \cdot b^{3/2} \cdot c^3) + (\sqrt{\pi} \cdot \operatorname{Erfi}\left[\frac{\sqrt{a + b \cdot \operatorname{ArcCosh}[c \cdot x]}}{\sqrt{b}}\right]) / (4 \cdot b^{3/2} \cdot c^3) + (3 \cdot E^{(a/b)} \cdot \sqrt{3 \cdot \pi} \cdot \operatorname{Erfi}\left[\frac{\sqrt{3} \cdot \sqrt{a + b \cdot \operatorname{ArcCosh}[c \cdot x]}}{\sqrt{b}}\right]) / (4 \cdot b^{3/2} \cdot c^3 \cdot E^{(3 \cdot a/b)})$

**Rule 2180**

$\operatorname{Int}[(F\_)^{((g\_)\cdot((e\_)+(f\_)\cdot(x\_)))/\sqrt{(c\_)+(d\_)\cdot(x\_)}}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g\cdot(e-(c\cdot f)/d)+(f\cdot g\cdot x^2)/d)}, x], x, \sqrt{c+dx}], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g, x\} \ \&\amp; \ \! \$UseGamma == True$

**Rule 2204**

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)\cdot((c\_)+(d\_)\cdot(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \cdot \sqrt{\pi} \cdot \operatorname{Erfi}[(c+dx) \cdot \operatorname{Rt}[b \cdot \operatorname{Log}[F], 2]]) / (2 \cdot d \cdot \operatorname{Rt}[b \cdot \operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d, x\} \ \&\amp; \ \operatorname{PosQ}[b]$

**Rule 2205**

$\operatorname{Int}[(F\_)^{((a\_)+(b\_)\cdot((c\_)+(d\_)\cdot(x\_))^2)}, x\_Symbol] :> \operatorname{Simp}[(F^a \cdot \sqrt{\pi} \cdot \operatorname{Erf}[(c+dx) \cdot \operatorname{Rt}[-(b \cdot \operatorname{Log}[F]), 2]]) / (2 \cdot d \cdot \operatorname{Rt}[-(b \cdot \operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d, x\} \ \&\amp; \ \operatorname{NegQ}[b]$

**Rule 3307**

$\operatorname{Int}[(c\_)+(d\_)\cdot(x\_)]^{(m\_)} \cdot \sin[(e\_)+\pi \cdot (k\_)+(f\_)\cdot(x\_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c+dx)^m / (E^{(I \cdot k \cdot \pi)} \cdot E^{(I \cdot (e+f \cdot x))}), x], x] - \operatorname{Dist}[\dots]$

$I/2, \text{Int}[(c + d*x)^m * E^{(I*k*Pi)} * E^{(I*(e + f*x))}, x], x] /;$  FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

### Rule 5666

$\text{Int}[(a + \text{ArcCosh}[c*x])*(b + \text{ArcCosh}[c*x])^{(n)}*(x)^{(m)}, x\_Symbol] \rightarrow \text{Simp}[(x^m * \text{Sqrt}[-1 + c*x] * \text{Sqrt}[1 + c*x] * (a + b * \text{ArcCosh}[c*x])^{(n+1)}) / (b*c*(n+1)), x] + \text{Dist}[1/(b*c^{(m+1)}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{(n+1)} * \text{Cosh}[x]^{(m-1)} * (m - (m+1) * \text{Cosh}[x]^2), x], x], x, \text{ArcCosh}[c*x]], x] /;$  FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(a + b \cosh^{-1}(cx))^{3/2}} dx &= -\frac{2x^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{bc \sqrt{a + b \cosh^{-1}(cx)}} - \frac{2 \text{Subst}\left(\int \left(-\frac{\cosh(x)}{4\sqrt{a+bx}} - \frac{3 \cosh(3x)}{4\sqrt{a+bx}}\right) dx, x, \cosh^{-1}(cx)\right)}{bc^3} \\ &= -\frac{2x^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{bc \sqrt{a + b \cosh^{-1}(cx)}} + \frac{\text{Subst}\left(\int \frac{\cosh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{2bc^3} + \frac{3 \text{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{2bc^3} \\ &= -\frac{2x^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{bc \sqrt{a + b \cosh^{-1}(cx)}} + \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4bc^3} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{4bc^3} \\ &= -\frac{2x^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{bc \sqrt{a + b \cosh^{-1}(cx)}} + \frac{\text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2b^2c^3} + \frac{\text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{2b^2c^3} \\ &= -\frac{2x^2 \sqrt{-1 + cx} \sqrt{1 + cx}}{bc \sqrt{a + b \cosh^{-1}(cx)}} + \frac{e^{a/b} \sqrt{\pi} \text{erf}\left(\frac{\sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{e^{\frac{3a}{b}} \sqrt{3\pi} \text{erf}\left(\frac{\sqrt{3} \sqrt{a + b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} \end{aligned}$$

**Mathematica [A]** time = 0.71, size = 247, normalized size = 1.07

$$\frac{e^{-\frac{3a}{b}} \left( -2e^{\frac{3a}{b}} \sqrt{\frac{cx-1}{cx+1}} (cx+1) - 2e^{\frac{3a}{b}} \sinh(3 \cosh^{-1}(cx)) - e^{\frac{4a}{b}} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{3} \sqrt{-\frac{a+bcx}{a+bcx+1}} \right)}{4bc^3 \sqrt{a+bcx+1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/(a + b\*ArcCosh[c\*x])^(3/2), x]

[Out]  $(-2 * E^{((3*a)/b)} * \text{Sqrt}[(-1 + c*x)/(1 + c*x)] * (1 + c*x) - E^{((4*a)/b)} * \text{Sqrt}[a/b + \text{ArcCosh}[c*x]] * \text{Gamma}[1/2, a/b + \text{ArcCosh}[c*x]] + \text{Sqrt}[3] * \text{Sqrt}[-((a + b * \text{ArcCosh}[c*x])/b)] * \text{Gamma}[1/2, (-3*(a + b * \text{ArcCosh}[c*x]))/b] + E^{((2*a)/b)} * \text{Sqrt}[-((a + b * \text{ArcCosh}[c*x])/b)] * \text{Gamma}[1/2, -((a + b * \text{ArcCosh}[c*x])/b)] - \text{Sqrt}[3] * E^{((6*a)/b)} * \text{Sqrt}[a/b + \text{ArcCosh}[c*x]] * \text{Gamma}[1/2, (3*(a + b * \text{ArcCosh}[c*x]))/b] - 2 * E^{((3*a)/b)} * \text{Sinh}[3 * \text{ArcCosh}[c*x]]) / (4 * b * c^3 * E^{((3*a)/b)} * \text{Sqrt}[a + b * \text{ArcCosh}[c*x]])$

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^2/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(3/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*arccosh(c\*x))^(3/2),x)

[Out] int(x^2/(a+b\*arccosh(c\*x))^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*acosh(c\*x))^(3/2),x)

[Out] int(x^2/(a + b\*acosh(c\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*acosh(c\*x))\*\*(3/2),x)

[Out] Integral(x\*\*2/(a + b\*acosh(c\*x))\*\*(3/2), x)

$$3.155 \quad \int \frac{x}{(a+b \cosh^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=140

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\frac{\pi}{2}} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} - \frac{2x \sqrt{cx-1} \sqrt{cx+1}}{bc \sqrt{a+b \cosh^{-1}(cx)}}$$

[Out]  $1/2 * \exp(2*a/b) * \operatorname{erf}(2^{(1/2)} * (a+b * \operatorname{arccosh}(c*x))^{(1/2)} / b^{(1/2)}) * 2^{(1/2)} * \pi^{(1/2)} / b^{(3/2)} / c^2 + 1/2 * \operatorname{erfi}(2^{(1/2)} * (a+b * \operatorname{arccosh}(c*x))^{(1/2)} / b^{(1/2)}) * 2^{(1/2)} * \pi^{(1/2)} / b^{(3/2)} / c^2 / \exp(2*a/b) - 2*x*(c*x-1)^{(1/2)} * (c*x+1)^{(1/2)} / b/c / (a+b * \operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 0.15, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {5666, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\frac{\pi}{2}} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\frac{\pi}{2}} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2} \sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} - \frac{2x \sqrt{cx-1} \sqrt{cx+1}}{bc \sqrt{a+b \cosh^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x/(a + b * \operatorname{ArcCosh}[c*x])^{(3/2)}, x]$

[Out]  $(-2*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]) / (b*c*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) + (E^{((2*a)/b)} * \operatorname{Sqrt}[\pi/2] * \operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]]) / (b^{(3/2)} * c^2) + (\operatorname{Sqrt}[\pi/2] * \operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]]) / (b^{(3/2)} * c^2 * E^{((2*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \text{!}\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a * \operatorname{Sqrt}[\pi] * \operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]]) / (2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a * \operatorname{Sqrt}[\pi] * \operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]]) / (2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)} * \sin[(e_.) + \pi*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m / (E^{(I*k*\pi)} * E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m * E^{(I*k*\pi)} * E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2*k]$

#### Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1
)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)
^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]],
x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{(a + b \cosh^{-1}(cx))^{3/2}} dx &= -\frac{2x\sqrt{-1 + cx}\sqrt{1 + cx}}{bc\sqrt{a + b \cosh^{-1}(cx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc^2} \\ &= -\frac{2x\sqrt{-1 + cx}\sqrt{1 + cx}}{bc\sqrt{a + b \cosh^{-1}(cx)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc^2} + \frac{\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc^2} \\ &= -\frac{2x\sqrt{-1 + cx}\sqrt{1 + cx}}{bc\sqrt{a + b \cosh^{-1}(cx)}} + \frac{2 \operatorname{Subst}\left(\int e^{\frac{2a}{b} - \frac{2x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{b^2c^2} + \frac{2 \operatorname{Subst}\left(\int e^{\frac{2a}{b} + \frac{2x^2}{b}} dx, x, \sqrt{a + b \cosh^{-1}(cx)}\right)}{b^2c^2} \\ &= -\frac{2x\sqrt{-1 + cx}\sqrt{1 + cx}}{bc\sqrt{a + b \cosh^{-1}(cx)}} + \frac{e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} + \frac{e^{-\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} \end{aligned}$$

**Mathematica [A]** time = 1.29, size = 135, normalized size = 0.96

$$\frac{\sqrt{2\pi} \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right) + \sqrt{2\pi} \left( \cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x/(a + b*ArcCosh[c*x])^(3/2), x]
```

```
[Out] (Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b]
- Sinh[(2*a)/b]) + Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[
b]]*(Cosh[(2*a)/b] + Sinh[(2*a)/b]) - (2*Sqrt[b]*Sinh[2*ArcCosh[c*x]])/Sqrt
[a + b*ArcCosh[c*x]])/(2*b^(3/2)*c^2)
```

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arccosh(c*x))^(3/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(3/2), x)

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arccosh(c\*x))^(3/2),x)

[Out] int(x/(a+b\*arccosh(c\*x))^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*acosh(c\*x))^(3/2),x)

[Out] int(x/(a + b\*acosh(c\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*acosh(c\*x))\*\*(3/2),x)

[Out] Integral(x/(a + b\*acosh(c\*x))\*\*(3/2), x)

$$3.156 \quad \int \frac{1}{(a+b \cosh^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=120

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{bc\sqrt{a+b \cosh^{-1}(cx)}}$$

[Out] exp(a/b)\*erf((a+b\*arccosh(c\*x))^(1/2)/b^(1/2))\*Pi^(1/2)/b^(3/2)/c+erfi((a+b\*arccosh(c\*x))^(1/2)/b^(1/2))\*Pi^(1/2)/b^(3/2)/c/exp(a/b)-2\*(c\*x-1)^(1/2)\*(c\*x+1)^(1/2)/b/c/(a+b\*arccosh(c\*x))^(1/2)

**Rubi [A]** time = 0.41, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5656, 5781, 3307, 2180, 2204, 2205}

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{bc\sqrt{a+b \cosh^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcCosh[c\*x])^(-3/2), x]

[Out] (-2\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])/(b\*c\*Sqrt[a + b\*ArcCosh[c\*x]]) + (E^(a/b)\*Sqrt[Pi]\*Erf[Sqrt[a + b\*ArcCosh[c\*x]]/Sqrt[b]])/(b^(3/2)\*c) + (Sqrt[Pi]\*Erfi[Sqrt[a + b\*ArcCosh[c\*x]]/Sqrt[b]])/(b^(3/2)\*c\*E^(a/b))

**Rule 2180**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - (c\*f)/d) + (f\*g\*x^2)/d), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

**Rule 2204**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erfi[(c + d\*x)\*Rt[b\*Log[F], 2]])/(2\*d\*Rt[b\*Log[F], 2]), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

**Rule 2205**

Int[(F\_)^((a\_.) + (b\_.)\*((c\_.) + (d\_.)\*(x\_)^2)), x\_Symbol] :> Simp[(F^a\*Sqrt[Pi]\*Erf[(c + d\*x)\*Rt[-(b\*Log[F]), 2]])/(2\*d\*Rt[-(b\*Log[F]), 2]), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

**Rule 3307**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

**Rule 5656**

Int[(a\_.) + ArcCosh[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c

$\int \frac{1}{(a + b \cosh^{-1}(cx))^{3/2}} dx = -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+b\cosh^{-1}(cx)}} dx}{b}$

### Rule 5781

$\text{Int}[(a + b \cosh^{-1}(cx))^{n+1} / (\sqrt{-1+cx} \sqrt{1+cx})^m, x] \text{ ; FreeQ}\{a, b, c\}, x] \ \&\& \ \text{LtQ}[n, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cosh^{-1}(cx))^{3/2}} dx &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+b\cosh^{-1}(cx)}} dx}{b} \\ &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{2 \text{Subst}\left(\int \frac{\cosh(x)}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc} \\ &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{a+bx}} dx, x, \cosh^{-1}(cx)\right)}{bc} \\ &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{2 \text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a+b\cosh^{-1}(cx)}\right)}{b^2c} + \frac{2 \text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a+b\cosh^{-1}(cx)}\right)}{b^2c} \\ &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\cosh^{-1}(cx)}} + \frac{e^{a/b} \sqrt{\pi} \text{erf}\left(\frac{\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{e^{-a/b} \sqrt{\pi} \text{erfi}\left(\frac{\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} \end{aligned}$$

**Mathematica** [A] time = 0.26, size = 132, normalized size = 1.10

$$\frac{e^{-\frac{a}{b}} \left( -2e^{a/b} \sqrt{\frac{cx-1}{cx+1}} (cx+1) - e^{\frac{2a}{b}} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) + \sqrt{-\frac{a+b\cosh^{-1}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{a+b\cosh^{-1}(cx)}{b}\right) \right)}{bc\sqrt{a+b\cosh^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcCosh[c\*x])^(-3/2), x]

[Out]  $(-2E^{a/b} \sqrt{(-1+cx)/(1+cx)} * (1+cx) - E^{(2a)/b} \sqrt{a/b + \text{ArcCosh}[c*x]} * \Gamma[1/2, a/b + \text{ArcCosh}[c*x]] + \sqrt{-((a+b*\text{ArcCosh}[c*x])/b)}) * \Gamma[1/2, -((a+b*\text{ArcCosh}[c*x])/b)]) / (b*c*E^{a/b} \sqrt{a+b*\text{ArcCosh}[c*x]})$

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)^(-3/2), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arccosh(c\*x))^(3/2),x)

[Out] int(1/(a+b\*arccosh(c\*x))^(3/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(-3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*acosh(c\*x))^(3/2),x)

[Out] int(1/(a + b\*acosh(c\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*acosh(c\*x))\*\*(3/2),x)

[Out] Integral((a + b\*acosh(c\*x))\*\*(-3/2), x)

$$3.157 \quad \int \frac{x^2}{(a+b \cosh^{-1}(cx))^{5/2}} dx$$

**Optimal.** Leaf size=276

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} - \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3}$$

[Out]  $-1/6*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^{3+1/6}*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^3/\exp(a/b)-1/2*\exp(3*a/b)*\operatorname{erf}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^{3+1/2}*\operatorname{erfi}(3^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^3/\exp(3*a/b)-2/3*x^2*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}+8/3*x/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}-4*x^3/b^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 1.33, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 16, number of rules / integrand size = 0.562, Rules used = {5668, 5775, 5670, 5448, 3308, 2180, 2204, 2205, 5658}

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} - \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2/(a + b*\operatorname{ArcCosh}[c*x])^{(5/2)}, x]$

[Out]  $(-2*x^2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(3*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{(3/2)}) + (8*x)/(3*b^2*c^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (4*x^3)/(b^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(6*b^{(5/2)}*c^3) - (E^{((3*a)/b)}*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(2*b^{(5/2)}*c^3) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(6*b^{(5/2)}*c^3*E^{(a/b)}) + (\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(2*b^{(5/2)}*c^3*E^{((3*a)/b)})$

**Rule 2180**

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$  FreeQ[{F, c, d, e, f, g}, x] && !\$UseGamma == True

**Rule 2204**

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && PosQ[b]

**Rule 2205**

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(2)}), x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$  FreeQ[{F, a, b, c, d}, x] && NegQ[b]

**Rule 3308**



```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

#### Rule 5448

```
Int[Cosh[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sinh[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 5658

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Dist[(b*c)^(-1), Subst[Int[x^n*Sinh[a/b - x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

#### Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Simp[(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

#### Rule 5670

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Cosh[x]^m*Sinh[x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[((f*x)^m*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \cosh^{-1}(cx))^{5/2}} dx &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4 \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+b \cosh^{-1}(cx))^{3/2}} dx}{3bc} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a + b \cosh^{-1}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a + b \cosh^{-1}(cx)}} - \frac{4x^3}{b^2\sqrt{a + b \cosh^{-1}(cx)}} + \frac{4c \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc}
\end{aligned}$$

**Mathematica [A]** time = 2.22, size = 340, normalized size = 1.23

$$e^{-3\left(\frac{a}{b} + \cosh^{-1}(cx)\right)} \left( -6\sqrt{3} b e^{3 \cosh^{-1}(cx)} \left( -\frac{a+b \cosh^{-1}(cx)}{b} \right)^{3/2} \Gamma\left(\frac{1}{2}, -\frac{3(a+b \cosh^{-1}(cx))}{b}\right) - 2b e^{\frac{2a}{b} + 3 \cosh^{-1}(cx)} \left( -\frac{a+b \cosh^{-1}(cx)}{b} \right)^{3/2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/(a + b\*ArcCosh[c\*x])^(5/2), x]

[Out] (2\*E^((4\*a)/b + 3\*ArcCosh[c\*x])\*Sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x]))\*Gamma[1/2, a/b + ArcCosh[c\*x]] - 6\*Sqrt[3]\*b\*E^(3\*ArcCosh[c\*x])\*(-(a + b\*ArcCosh[c\*x])/b)^(3/2)\*Gamma[1/2, (-3\*(a + b\*ArcCosh[c\*x]))/b] - 2\*b\*E^((2\*a)/b + 3\*ArcCosh[c\*x])\*(-(a + b\*ArcCosh[c\*x])/b)^(3/2)\*Gamma[1/2, -(a + b\*ArcCosh[c\*x])/b] + E^((3\*a)/b)\*(-(1 + E^(2\*ArcCosh[c\*x]))\*(a\*(6 - 4\*E^(2\*ArcCosh[c\*x]) + 6\*E^(4\*ArcCosh[c\*x])) + b\*(-1 + 6\*ArcCosh[c\*x] - 4\*E^(2\*ArcCosh[c\*x])\*ArcCosh[c\*x] + E^(4\*ArcCosh[c\*x])\*(1 + 6\*ArcCosh[c\*x]))) + 6\*Sqrt[3]\*E^(3\*(a/b + ArcCosh[c\*x]))\*Sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x])\*Gamma[1/2, (3\*(a + b\*ArcCosh[c\*x]))/b]]/(12\*b^2\*c^3\*E^(3\*(a/b + ArcCosh[c\*x]))\*(a + b\*ArcCosh[c\*x])^(3/2))

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(5/2),x, algorithm="giac")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(5/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*arccosh(c\*x))^(5/2),x)

[Out] int(x^2/(a+b\*arccosh(c\*x))^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*acosh(c\*x))^(5/2),x)

[Out] int(x^2/(a + b\*acosh(c\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*acosh(c\*x))\*\*(5/2),x)

[Out] Integral(x\*\*2/(a + b\*acosh(c\*x))\*\*(5/2), x)

$$3.158 \quad \int \frac{x}{(a+b \cosh^{-1}(cx))^{5/2}} dx$$

**Optimal.** Leaf size=188

$$\frac{2\sqrt{2\pi} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{2\sqrt{2\pi} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{4}{3b^2c^2\sqrt{a+b \cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b \cosh^{-1}(cx)}}$$

[Out]  $-2/3*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^2+2/3*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^2/\exp(2*a/b)-2/3*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}+4/3/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}-8/3*x^2/b^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 0.89, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {5668, 5775, 5670, 5448, 12, 3308, 2180, 2204, 2205, 5676}

$$\frac{2\sqrt{2\pi} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{2\sqrt{2\pi} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{4}{3b^2c^2\sqrt{a+b \cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b \cosh^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x/(a + b*\operatorname{ArcCosh}[c*x])^{(5/2)}, x]$

[Out]  $(-2*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(3*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{(3/2)}) + 4/(3*b^2*c^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (8*x^2)/(3*b^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (2*E^{((2*a)/b)}*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(3*b^{(5/2)}*c^2) + (2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(3*b^{(5/2)}*c^2*E^{((2*a)/b)})$

#### Rule 12

$\operatorname{Int}[(a_*)(u_), x\_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$   $\operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[u, (b_*)(v_)] /;$   $\operatorname{FreeQ}[b, x]$

#### Rule 2180

$\operatorname{Int}[(F_*)^{((g_*)*((e_*) + (f_*)(x_)))/\operatorname{Sqrt}[(c_*) + (d_*)(x_)]}, x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x \ \&\& \ !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_*)^{((a_*) + (b_*)((c_*) + (d_*)(x_))^{(2)}), x\_Symbol] := \operatorname{Simp}[(F^{a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2])}, x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x \ \&\& \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_*)^{((a_*) + (b_*)((c_*) + (d_*)(x_))^{(2)}), x\_Symbol] := \operatorname{Simp}[(F^{a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2])}, x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x \ \&\& \ \operatorname{NegQ}[b]$

#### Rule 3308

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)], x\_Symbol] := Dist[I/2, Int[(c + d\*x)^m/E^(I\*(e + f\*x)), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

#### Rule 5448

Int[Cosh[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sinh[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sinh[a + b\*x]^n\*Cosh[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 5670

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 5676

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[(a + b\*ArcCosh[c\*x])^(n + 1)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c\*d1] && EqQ[e2, -(c\*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]

#### Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \cosh^{-1}(cx))^{5/2}} dx &= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} - \frac{2\int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}(a+b\cosh^{-1}(cx))^{3/2}} dx}{3bc} + \frac{(4c)\int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3bc} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\cosh^{-1}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+b\cosh^{-1}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\cosh^{-1}(cx)}}
\end{aligned}$$

**Mathematica [A]** time = 1.65, size = 157, normalized size = 0.84

$$\frac{-2\sqrt{2\pi} \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right) + 2\sqrt{2\pi} \left( \cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right) \right) \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/(a + b\*ArcCosh[c\*x])^(5/2), x]

[Out] (2\*Sqrt[2\*Pi]\*Erfi[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(2\*a)/b] - Sinh[(2\*a)/b]) - 2\*Sqrt[2\*Pi]\*Erf[(Sqrt[2]\*Sqrt[a + b\*ArcCosh[c\*x]])/Sqrt[b]]\*(Cosh[(2\*a)/b] + Sinh[(2\*a)/b]) - (Sqrt[b]\*(4\*(a + b\*ArcCosh[c\*x])\*Cosh[2\*ArcCosh[c\*x]] + b\*Sinh[2\*ArcCosh[c\*x]]))/(a + b\*ArcCosh[c\*x])^(3/2))/(3\*b^(5/2)\*c^2)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(5/2),x, algorithm="giac")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(5/2), x)

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arccosh(c\*x))^(5/2),x)

[Out] int(x/(a+b\*arccosh(c\*x))^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*acosh(c\*x))^(5/2),x)

[Out] int(x/(a + b\*acosh(c\*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*acosh(c\*x))\*\*(5/2),x)

[Out] Integral(x/(a + b\*acosh(c\*x))\*\*(5/2), x)

$$3.159 \quad \int \frac{1}{(a+b \cosh^{-1}(cx))^{5/2}} dx$$

**Optimal.** Leaf size=148

$$\frac{2\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{2\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} - \frac{4x}{3b^2\sqrt{a+b \cosh^{-1}(cx)}} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{3bc(a+b \cosh^{-1}(cx))^{3/2}}$$

[Out]  $-2/3*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c+2/3*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c/\exp(a/b)-2/3*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}-4/3*x/b^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

**Rubi [A]** time = 0.46, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5656, 5775, 5658, 3308, 2180, 2205, 2204}

$$\frac{2\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{2\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} - \frac{4x}{3b^2\sqrt{a+b \cosh^{-1}(cx)}} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{3bc(a+b \cosh^{-1}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])^{(-5/2)}, x]$

[Out]  $(-2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(3*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{(3/2)}) - (4*x)/(3*b^2*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (2*E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(3*b^{(5/2)}*c) + (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(3*b^{(5/2)}*c*E^{(a/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \operatorname{!}\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \&\& \operatorname{NegQ}[b]$

#### Rule 3308

$\operatorname{Int}[(c_.) + (d_.)*(x_)^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x\}$

#### Rule 5656



```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

### Rule 5658

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Dist[(b*c)^(-1), Subst[Int[x^n*Sinh[a/b - x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_)*((f_.)*(x_.))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[((f*x)^(m*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cosh^{-1}(cx))^{5/2}} dx &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx} \sqrt{1+cx} (a+b \cosh^{-1}(cx))^{3/2}} dx}{3b} \\ &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x}{3b^2 \sqrt{a + b \cosh^{-1}(cx)}} + \frac{4 \int \frac{1}{\sqrt{a+b \cosh^{-1}(cx)}} dx}{3b^2} \\ &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x}{3b^2 \sqrt{a + b \cosh^{-1}(cx)}} - \frac{4 \operatorname{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x\right)}{3b^3 c} \\ &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x}{3b^2 \sqrt{a + b \cosh^{-1}(cx)}} - \frac{2 \operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x\right)}{3b^3 c} \\ &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x}{3b^2 \sqrt{a + b \cosh^{-1}(cx)}} - \frac{4 \operatorname{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{x}\right)}{3b^3 c} \\ &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{3bc (a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x}{3b^2 \sqrt{a + b \cosh^{-1}(cx)}} - \frac{2e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2} c} \end{aligned}$$

**Mathematica [A]** time = 1.08, size = 192, normalized size = 1.30

$$\frac{e^{-\frac{a+b \cosh^{-1}(cx)}{b}} \left( 2e^{\frac{2a}{b} + \cosh^{-1}(cx)} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} (a + b \cosh^{-1}(cx)) \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) - 2 \left( e^{a/b} \left( e^{2 \cosh^{-1}(cx)} + \dots \right) \right)}{3b^2 c (a + b \cosh^{-1}(cx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcCosh[c\*x])^(-5/2), x]

[Out] (2\*E^((2\*a)/b + ArcCosh[c\*x])\*Sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x]) \*Gamma[1/2, a/b + ArcCosh[c\*x]] - 2\*(E^(a/b)\*(b\*E^ArcCosh[c\*x])\*Sqrt[(-1 + c\*x)/(1 + c\*x)]\*(1 + c\*x) + (1 + E^(2\*ArcCosh[c\*x]))\*(a + b\*ArcCosh[c\*x])) + b\*E^ArcCosh[c\*x]\*(-((a + b\*ArcCosh[c\*x])/b))^(3/2)\*Gamma[1/2, -((a + b\*ArcCosh[c\*x])/b)))/(3\*b^2\*c\*E^((a + b\*ArcCosh[c\*x])/b)\*(a + b\*ArcCosh[c\*x])^(3/2))

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(5/2), x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)^(-5/2), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arccosh(c\*x))^(5/2), x)

[Out] int(1/(a+b\*arccosh(c\*x))^(5/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(5/2), x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(-5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*acosh(c\*x))^(5/2), x)

[Out] int(1/(a + b\*acosh(c\*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*acosh(c\*x))\*\*(5/2), x)

[Out] Integral((a + b\*acosh(c\*x))\*\*(-5/2), x)

$$3.160 \quad \int \frac{x^2}{(a+b \cosh^{-1}(cx))^{7/2}} dx$$

**Optimal.** Leaf size=361

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3}$$

[Out]  $8/15*x/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{3/2}-4/5*x^3/b^2/(a+b*\operatorname{arccosh}(c*x))^{3/2}+1/15*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/b^{7/2}/c^3+1/15*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\operatorname{Pi}^{1/2}/b^{7/2}/c^3/\exp(a/b)+3/5*\exp(3*a/b)*\operatorname{erf}(3^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*3^{1/2}*\operatorname{Pi}^{1/2}/b^{7/2}/c^3+3/5*\operatorname{erfi}(3^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*3^{1/2}*\operatorname{Pi}^{1/2}/b^{7/2}/c^3/\exp(3*a/b)-2/5*x^2*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b/c/(a+b*\operatorname{arccosh}(c*x))^{5/2}+16/15*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b^3/c^3/(a+b*\operatorname{arccosh}(c*x))^{1/2}-24/5*x^2*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b^3/c/(a+b*\operatorname{arccosh}(c*x))^{1/2}$

**Rubi [A]** time = 1.63, antiderivative size = 361, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205, 5656, 5781}

$$\frac{\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{Erf}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{3}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2/(a + b*\operatorname{ArcCosh}[c*x])^{7/2}, x]$

[Out]  $(-2*x^2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(5*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{5/2}) + (8*x)/(15*b^2*c^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}) - (4*x^3)/(5*b^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}) + (16*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(15*b^3*c^3*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) - (24*x^2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(5*b^3*c*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) + (E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(15*b^{7/2}*c^3) + (3*E^{((3*a)/b)}*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erf}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(5*b^{7/2}*c^3) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(15*b^{7/2}*c^3*E^{(a/b)}) + (3*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{Erfi}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(5*b^{7/2}*c^3*E^{((3*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*(e_.) + (f_.)*(x_))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g, x\} \ \&\amp; \ !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x\} \ \&\amp; \ \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{Fr}$

eeQ[{F, a, b, c, d}, x] && NegQ[b]

### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

### Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[1/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

### Rule 5666

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1)\*Cosh[x]^(m - 1)\*(m - (m + 1)\*Cosh[x]^2), x], x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

### Rule 5668

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] :> Simp[(x^m\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(c\*(m + 1))/(b\*(n + 1)), Int[(x^(m + 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] + Dist[m/(b\*c\*(n + 1)), Int[(x^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

### Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_)\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

### Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_.))^(p\_.)\*((d2\_) + (e2\_.)\*(x\_.))^(p\_.), x\_Symbol] :> Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \cosh^{-1}(cx))^{7/2}} dx &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} - \frac{4 \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+b \cosh^{-1}(cx))^{5/2}} dx}{5bc} \quad (6c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a + b \cosh^{-1}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a + b \cosh^{-1}(cx))^{3/2}} - \frac{4x^3}{5b^2(a + b \cosh^{-1}(cx))}
\end{aligned}$$

**Mathematica [A]** time = 2.59, size = 394, normalized size = 1.09

$$-2e^{-\cosh^{-1}(cx)}(a + b \cosh^{-1}(cx)) \left( 2e^{\frac{a}{b} + \cosh^{-1}(cx)} \sqrt{\frac{a}{b} + \cosh^{-1}(cx)} (a + b \cosh^{-1}(cx)) \Gamma\left(\frac{1}{2}, \frac{a}{b} + \cosh^{-1}(cx)\right) - 2a - \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/(a + b\*ArcCosh[c\*x])^(7/2), x]

[Out] (-6\*b^2\*Sqrt[(-1 + c\*x)/(1 + c\*x)]\*(1 + c\*x) - (2\*(a + b\*ArcCosh[c\*x]))\*(-2\*a + b - 2\*b\*ArcCosh[c\*x] + 2\*E^(a/b + ArcCosh[c\*x])\*Sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x])\*Gamma[1/2, a/b + ArcCosh[c\*x]])/E^ArcCosh[c\*x] - (2\*(a + b\*ArcCosh[c\*x]))\*(E^(a/b + ArcCosh[c\*x])\*(2\*a + b + 2\*b\*ArcCosh[c\*x]) + 2\*b\*(-((a + b\*ArcCosh[c\*x])/b))^(3/2)\*Gamma[1/2, -((a + b\*ArcCosh[c\*x])/b)]))/E^(a/b) - 3\*(a + b\*ArcCosh[c\*x])\*((12\*Sqrt[3]\*b\*(-((a + b\*ArcCosh[c\*x])/b))^(3/2)\*Gamma[1/2, (-3\*(a + b\*ArcCosh[c\*x])/b)]/E^((3\*a)/b) + (2\*(b + 6\*a\*(-1 + E^(6\*ArcCosh[c\*x]))) - 6\*b\*ArcCosh[c\*x] + b\*E^(6\*ArcCosh[c\*x]))\*(1 + 6\*ArcCosh[c\*x]) + 6\*Sqrt[3]\*E^(3\*(a/b + ArcCosh[c\*x]))\*Sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x])\*Gamma[1/2, (3\*(a + b\*ArcCosh[c\*x])/b)]))/E^(3\*ArcCosh[c\*x]) - 6\*b^2\*Sinh[3\*ArcCosh[c\*x]]/(60\*b^3\*c^3\*(a + b\*ArcCosh[c\*x])^(5/2))

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(7/2),x, algorithm="giac")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(7/2), x)

**maple** [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*arccosh(c\*x))^(7/2),x)

[Out] int(x^2/(a+b\*arccosh(c\*x))^(7/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arccosh(c\*x))^(7/2),x, algorithm="maxima")

[Out] integrate(x^2/(b\*arccosh(c\*x) + a)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*acosh(c\*x))^(7/2),x)

[Out] int(x^2/(a + b\*acosh(c\*x))^(7/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*acosh(c\*x))\*\*(7/2),x)

[Out] Integral(x\*\*2/(a + b\*acosh(c\*x))\*\*(7/2), x)

$$3.161 \quad \int \frac{x}{(a+b \cosh^{-1}(cx))^{7/2}} dx$$

**Optimal.** Leaf size=229

$$\frac{8\sqrt{2\pi} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{8\sqrt{2\pi} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} - \frac{32x\sqrt{cx-1}\sqrt{cx+1}}{15b^3c\sqrt{a+b \cosh^{-1}(cx)}} + \frac{4}{15b^2c^2(a+b \cosh^{-1}(cx))^{3/2}}$$

[Out]  $4/15/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{3/2}-8/15*x^2/b^2/(a+b*\operatorname{arccosh}(c*x))^{3/2}+8/15*\exp(2*a/b)*\operatorname{erf}(2^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*2^{1/2}*Pi^{1/2}/b^{7/2}/c^2+8/15*\operatorname{erfi}(2^{1/2}*(a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*2^{1/2}*Pi^{1/2}/b^{7/2}/c^2/\exp(2*a/b)-2/5*x*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b/c/(a+b*\operatorname{arccosh}(c*x))^{5/2}-32/15*x*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b^3/c/(a+b*\operatorname{arccosh}(c*x))^{3/2}$

**Rubi [A]** time = 0.87, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {5668, 5775, 5666, 3307, 2180, 2204, 2205, 5676}

$$\frac{8\sqrt{2\pi} e^{\frac{2a}{b}} \operatorname{Erf}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{8\sqrt{2\pi} e^{-\frac{2a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{2}\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{4}{15b^2c^2(a+b \cosh^{-1}(cx))^{3/2}} - \frac{8}{15b^2(a+b \cosh^{-1}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x/(a + b*\operatorname{ArcCosh}[c*x])^{7/2}, x]$

[Out]  $(-2*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(5*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{5/2}) + 4/(15*b^2*c^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}) - (8*x^2)/(15*b^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}) - (32*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(15*b^3*c*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]) + (8*E^{((2*a)/b)}*\operatorname{Sqrt}[2*Pi]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(15*b^{7/2}*c^2) + (8*\operatorname{Sqrt}[2*Pi]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(15*b^{7/2}*c^2*E^{((2*a)/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\amp; !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[Pi]*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\amp; \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\operatorname{Sqrt}[Pi]*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /; \operatorname{FreeQ}\{F, a, b, c, d, x\} \&\amp; \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] /; \operatorname{FreeQ}\{c, d, e,$



f, m}, x] && IntegerQ[2\*k]

#### Rule 5666

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] + Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1)*Cosh[x]^(m - 1)*(m - (m + 1)*Cosh[x]^2), x], x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

#### Rule 5668

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
(x^m*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1))/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

#### Rule 5676

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(a + b*ArcCosh[c*x])^(n + 1)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, -(c*d2)] && GtQ[d1, 0] && LtQ[d2, 0] && NeQ[n, -1]
```

#### Rule 5775

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[((f*x)^m*(a + b*ArcCosh[c*x])^(n + 1))/(b*c*Sqrt[-(d1*d2)]*(n + 1)), x] - Dist[(f*m)/(b*c*Sqrt[-(d1*d2)]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c*d1, 0] && EqQ[e2 + c*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \cosh^{-1}(cx))^{7/2}} dx &= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} - \frac{2 \int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}(a+b\cosh^{-1}(cx))^{5/2}} dx}{5bc} + \frac{(4c) \int \frac{1}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{5bc} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\cosh^{-1}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\cosh^{-1}(cx))^{5/2}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\cosh^{-1}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\cosh^{-1}(cx))^{5/2}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\cosh^{-1}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\cosh^{-1}(cx))^{5/2}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\cosh^{-1}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\cosh^{-1}(cx))^{5/2}} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\cosh^{-1}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\cosh^{-1}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\cosh^{-1}(cx))^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.75, size = 175, normalized size = 0.76

$$\frac{\sqrt{b} \left( -\sinh(2 \cosh^{-1}(cx)) \left( 16(a+b \cosh^{-1}(cx))^2 + 3b^2 \right) - 4b \cosh(2 \cosh^{-1}(cx)) (a+b \cosh^{-1}(cx)) \right)}{(a+b \cosh^{-1}(cx))^{5/2}} + 8\sqrt{2\pi} \left( \sinh\left(\frac{2a}{b}\right) + \cosh\left(\frac{2a}{b}\right) \right) \operatorname{erf}\left(\frac{\sqrt{b} \left( -\sinh(2 \cosh^{-1}(cx)) \left( 16(a+b \cosh^{-1}(cx))^2 + 3b^2 \right) - 4b \cosh(2 \cosh^{-1}(cx)) (a+b \cosh^{-1}(cx)) \right)}{(a+b \cosh^{-1}(cx))^{5/2}} \right)}{15b^{7/2}c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/(a + b\*ArcCosh[c\*x])^(7/2), x]

[Out] (8\*sqrt(2\*pi)\*Erfi[(sqrt(2)\*sqrt(a + b\*ArcCosh[c\*x]))/sqrt(b)]\*(Cosh[(2\*a)/b] - Sinh[(2\*a)/b]) + 8\*sqrt(2\*pi)\*Erf[(sqrt(2)\*sqrt(a + b\*ArcCosh[c\*x]))/sqrt(b)]\*(Cosh[(2\*a)/b] + Sinh[(2\*a)/b]) + (sqrt(b)\*(-4\*b\*(a + b\*ArcCosh[c\*x]))\*Cosh[2\*ArcCosh[c\*x]] - (3\*b^2 + 16\*(a + b\*ArcCosh[c\*x])^2)\*Sinh[2\*ArcCosh[c\*x]])/(a + b\*ArcCosh[c\*x])^(5/2))/(15\*b^(7/2)\*c^2)

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(7/2),x, algorithm="giac")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(7/2), x)

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arccosh(c\*x))^(7/2),x)

[Out] int(x/(a+b\*arccosh(c\*x))^(7/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \operatorname{arccosh}(cx) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arccosh(c\*x))^(7/2),x, algorithm="maxima")

[Out] integrate(x/(b\*arccosh(c\*x) + a)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*acosh(c\*x))^(7/2),x)

[Out] int(x/(a + b\*acosh(c\*x))^(7/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*acosh(c\*x))\*\*(7/2),x)

[Out] Integral(x/(a + b\*acosh(c\*x))\*\*(7/2), x)

$$3.162 \quad \int \frac{1}{(a+b \cosh^{-1}(cx))^{7/2}} dx$$

**Optimal.** Leaf size=188

$$\frac{4\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} + \frac{4\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} - \frac{8\sqrt{cx-1}\sqrt{cx+1}}{15b^3c\sqrt{a+b \cosh^{-1}(cx)}} - \frac{4x}{15b^2(a+b \cosh^{-1}(cx))^{3/2}}$$

[Out]  $-4/15*x/b^2/(a+b*\operatorname{arccosh}(c*x))^{3/2}+4/15*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\pi^{1/2}/b^{7/2}/c+4/15*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\pi^{1/2}/b^{7/2}/c/\exp(a/b)-2/5*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b/c/(a+b*\operatorname{arccosh}(c*x))^{5/2}-8/15*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b^3/c/(a+b*\operatorname{arccosh}(c*x))^{1/2}$

**Rubi [A]** time = 0.77, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {5656, 5775, 5781, 3307, 2180, 2204, 2205}

$$\frac{4\sqrt{\pi} e^{a/b} \operatorname{Erf}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} + \frac{4\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{Erfi}\left(\frac{\sqrt{a+b \cosh^{-1}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} - \frac{4x}{15b^2(a+b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{cx-1}\sqrt{cx+1}}{15b^3c\sqrt{a+b \cosh^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])^{-7/2}, x]$

[Out]  $(-2*\sqrt{-1 + c*x}*\sqrt{1 + c*x})/(5*b*c*(a + b*\operatorname{ArcCosh}[c*x])^{5/2}) - (4*x)/(15*b^2*(a + b*\operatorname{ArcCosh}[c*x])^{3/2}) - (8*\sqrt{-1 + c*x}*\sqrt{1 + c*x})/(15*b^3*c*\sqrt{a + b*\operatorname{ArcCosh}[c*x]}) + (4*E^{(a/b)}*\sqrt{\pi}*\operatorname{Erf}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}])/(15*b^{7/2}*c) + (4*\sqrt{\pi}*\operatorname{Erfi}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}])/(15*b^{7/2}*c*E^{(a/b)})$

#### Rule 2180

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\sqrt{(c_.) + (d_.)*(x_)}}, x\_Symbol] :> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - (c*f)/d) + (f*g*x^2)/d)}, x], x, \sqrt{c + d*x}], x] /;$   $\operatorname{FreeQ}\{F, c, d, e, f, g\}, x \&\& !\$UseGamma == True$

#### Rule 2204

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\sqrt{\pi}*\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]])/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x \&\& \operatorname{PosQ}[b]$

#### Rule 2205

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x\_Symbol] :> \operatorname{Simp}[(F^a*\sqrt{\pi}*\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]])/(2*d*\operatorname{Rt}[-(b*\operatorname{Log}[F]), 2]), x] /;$   $\operatorname{FreeQ}\{F, a, b, c, d\}, x \&\& \operatorname{NegQ}[b]$

#### Rule 3307

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + \pi*(k_.) + (f_.)*(x_)], x\_Symbol] :> \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*\pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*\pi)}*E^{(I*(e + f*x))}, x], x] /;$   $\operatorname{FreeQ}\{c, d, e, f, m\}, x \&\& \operatorname{IntegerQ}[2*k]$

Rule 5656

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_], x\_Symbol] := Simp[(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcCosh[c\*x])^(n + 1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 5775

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_)\*((f\_.)\*(x\_.))^(m\_.)/(Sqrt[(d1\_) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_) + (e2\_.)\*(x\_.)]), x\_Symbol] := Simp[((f\*x)^m\*(a + b\*ArcCosh[c\*x])^(n + 1))/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[-(d1\*d2)]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcCosh[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && LtQ[n, -1] && GtQ[d1, 0] && LtQ[d2, 0]

Rule 5781

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^n\_\*(x\_)^(m\_.)\*((d1\_) + (e1\_.)\*(x\_)^(p\_.))\*((d2\_) + (e2\_.)\*(x\_)^(p\_.)), x\_Symbol] := Dist[(-(d1\*d2))^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Cosh[x]^m\*Sinh[x]^(2\*p + 1), x], x, ArcCosh[c\*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && IntegerQ[p + 1/2] && GtQ[p, -1] && IGtQ[m, 0] && (GtQ[d1, 0] && LtQ[d2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \cosh^{-1}(cx))^{7/2}} dx &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx} \sqrt{1+cx} (a+b \cosh^{-1}(cx))^{5/2}} dx}{5b} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} + \frac{4 \int \frac{1}{(a+b \cosh^{-1}(cx))^{3/2}} dx}{15b^2} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{-1 + cx} \sqrt{1 + cx}}{15b^3 c \sqrt{a + b \cosh^{-1}(cx)}} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{-1 + cx} \sqrt{1 + cx}}{15b^3 c \sqrt{a + b \cosh^{-1}(cx)}} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{-1 + cx} \sqrt{1 + cx}}{15b^3 c \sqrt{a + b \cosh^{-1}(cx)}} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{-1 + cx} \sqrt{1 + cx}}{15b^3 c \sqrt{a + b \cosh^{-1}(cx)}} \\
 &= -\frac{2\sqrt{-1 + cx} \sqrt{1 + cx}}{5bc (a + b \cosh^{-1}(cx))^{5/2}} - \frac{4x}{15b^2 (a + b \cosh^{-1}(cx))^{3/2}} - \frac{8\sqrt{-1 + cx} \sqrt{1 + cx}}{15b^3 c \sqrt{a + b \cosh^{-1}(cx)}}
 \end{aligned}$$

**Mathematica** [A] time = 0.75, size = 214, normalized size = 1.14

$$\frac{2e^{-\cosh^{-1}(cx)}(a+b \cosh^{-1}(cx))\left(2e^{\frac{a}{b}+\cosh^{-1}(cx)}\sqrt{\frac{a}{b}+\cosh^{-1}(cx)}(a+b \cosh^{-1}(cx))\Gamma\left(\frac{1}{2}, \frac{a}{b}+\cosh^{-1}(cx)\right)-2a-2b \cosh^{-1}(cx)+b\right)}{b^2} - \frac{2e^{-\frac{a}{b}}(a+b \cosh^{-1}(cx))}{15bc(a+b \cosh^{-1}(cx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcCosh[c\*x])^(-7/2), x]

[Out] (-6\*sqrt[(-1 + c\*x)/(1 + c\*x)]\*(1 + c\*x) - (2\*(a + b\*ArcCosh[c\*x])\*(-2\*a + b - 2\*b\*ArcCosh[c\*x] + 2\*E^(a/b + ArcCosh[c\*x])\*sqrt[a/b + ArcCosh[c\*x]]\*(a + b\*ArcCosh[c\*x])\*Gamma[1/2, a/b + ArcCosh[c\*x]]))/(b^2\*E^ArcCosh[c\*x]) - (2\*(a + b\*ArcCosh[c\*x])\*(E^(a/b + ArcCosh[c\*x])\*(2\*a + b + 2\*b\*ArcCosh[c\*x]) + 2\*b\*(-((a + b\*ArcCosh[c\*x])/b))^(3/2)\*Gamma[1/2, -((a + b\*ArcCosh[c\*x])/b)]))/(b^2\*E^(a/b)))/(15\*b\*c\*(a + b\*ArcCosh[c\*x])^(5/2))

**fricas** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(7/2), x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)^(-7/2), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arccosh(c\*x))^(7/2), x)

[Out] int(1/(a+b\*arccosh(c\*x))^(7/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \operatorname{arccosh}(cx) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arccosh(c\*x))^(7/2), x, algorithm="maxima")

[Out] integrate((b\*arccosh(c\*x) + a)^(-7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*acosh(c*x))^(7/2), x)`

[Out] `int(1/(a + b*acosh(c*x))^(7/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acosh(c*x))**(7/2), x)`

[Out] `Integral((a + b*acosh(c*x))**(-7/2), x)`

### 3.163 $\int \sqrt{fx} \left(a + b \cosh^{-1}(cx)\right)^2 dx$

**Optimal.** Leaf size=128

$$\frac{16b^2c^2(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105f^3} - \frac{8bc\sqrt{1-cx}(fx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a + b \cosh^{-1}(cx))}{15f^2\sqrt{cx-1}} + \frac{2(fx)^{3/2}(a + b \cosh^{-1}(cx))^2}{3f}$$

[Out]  $2/3*(f*x)^{(3/2)}*(a+b*\operatorname{arccosh}(c*x))^2/f-16/105*b^2*c^2*(f*x)^{(7/2)}*\operatorname{HypergeometricPFQ}([1, 7/4, 7/4], [9/4, 11/4], c^2*x^2)/f^3-8/15*b*c*(f*x)^{(5/2)}*(a+b*\operatorname{arccosh}(c*x))*\operatorname{hypergeom}([1/2, 5/4], [9/4], c^2*x^2)*(-c*x+1)^{(1/2)}/f^2/(c*x-1)^{(1/2)}$

**Rubi [A]** time = 0.29, antiderivative size = 141, normalized size of antiderivative = 1.10, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {5662, 5763}

$$\frac{16b^2c^2(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105f^3} - \frac{8bc\sqrt{1-c^2x^2}(fx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a + b \cosh^{-1}(cx))}{15f^2\sqrt{cx-1}\sqrt{cx+1}} + \frac{2(fx)^{3/2}(a + b \cosh^{-1}(cx))^2}{3f}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sqrt}[f*x]*(a + b*\operatorname{ArcCosh}[c*x])^2, x]$

[Out]  $(2*(f*x)^{(3/2)}*(a + b*\operatorname{ArcCosh}[c*x])^2)/(3*f) - (8*b*c*(f*x)^{(5/2)}*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcCosh}[c*x])*Hypergeometric2F1[1/2, 5/4, 9/4, c^2*x^2])/(15*f^2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]) - (16*b^2*c^2*(f*x)^{(7/2)}*\operatorname{HypergeometricPFQ}[\{1, 7/4, 7/4\}, \{9/4, 11/4\}, c^2*x^2])/(105*f^3)$

#### Rule 5662

$\operatorname{Int}[(a + \operatorname{ArcCosh}[c*x])*(b*x)^n, x]$   
 $\rightarrow \operatorname{Simp}[(d*x)^{m+1}*(a + b*\operatorname{ArcCosh}[c*x])^n/(d*(m+1)), x] - \operatorname{Dist}[(b*c*n)/(d*(m+1)), \operatorname{Int}[(d*x)^{m+1}*(a + b*\operatorname{ArcCosh}[c*x])^{n-1}/(\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]), x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, m, x\}$  &&  $\operatorname{IGtQ}[n, 0]$  &&  $\operatorname{NeQ}[m, -1]$

#### Rule 5763

$\operatorname{Int}[(a + \operatorname{ArcCosh}[c*x])*(b*x)^m/\operatorname{Sqrt}[(d1 + e1*x)*\operatorname{Sqrt}[d2 + e2*x]], x]$   
 $\rightarrow \operatorname{Simp}[(f*x)^{m+1}*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcCosh}[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/(f*(m+1)*\operatorname{Sqrt}[d1 + e1*x]*\operatorname{Sqrt}[d2 + e2*x]), x] + \operatorname{Simp}[(b*c*(f*x)^{m+2}*HypergeometricPFQ[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])/(f*(m+1)*\operatorname{Sqrt}[-(d1*d2)]*f^2*(m+1)*(m+2)), x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e1, d2, e2, f, m, x\}$  &&  $\operatorname{EqQ}[e1 - c*d1, 0]$  &&  $\operatorname{EqQ}[e2 + c*d2, 0]$  &&  $\operatorname{GtQ}[d1, 0]$  &&  $\operatorname{LtQ}[d2, 0]$  &&  $\operatorname{IntegerQ}[m]$

#### Rubi steps

$$\begin{aligned} \int \sqrt{fx} \left(a + b \cosh^{-1}(cx)\right)^2 dx &= \frac{2(fx)^{3/2} \left(a + b \cosh^{-1}(cx)\right)^2}{3f} - \frac{(4bc) \int \frac{(fx)^{3/2} (a + b \cosh^{-1}(cx))}{\sqrt{-1+cx} \sqrt{1+cx}} dx}{3f} \\ &= \frac{2(fx)^{3/2} \left(a + b \cosh^{-1}(cx)\right)^2}{3f} - \frac{8bc(fx)^{5/2} \sqrt{1-c^2x^2} \left(a + b \cosh^{-1}(cx)\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)}{15f^2 \sqrt{-1+cx} \sqrt{1+cx}} \end{aligned}$$



**Mathematica [A]** time = 0.43, size = 118, normalized size = 0.92

$$\frac{2}{105}x\sqrt{fx} \left( 35(a + b \cosh^{-1}(cx))^2 - 4bcx \left( 2bcx {}_3F_2 \left( 1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2 \right) + \frac{7\sqrt{1-c^2x^2} {}_2F_1 \left( \frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2 \right) (a + \sqrt{cx-1} \sqrt{cx+1})}{\sqrt{cx-1} \sqrt{cx+1}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[f\*x]\*(a + b\*ArcCosh[c\*x])^2,x]

[Out] (2\*x\*Sqrt[f\*x]\*(35\*(a + b\*ArcCosh[c\*x])^2 - 4\*b\*c\*x\*((7\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcCosh[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]) + 2\*b\*c\*x\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2]))) / 105

**fricas [F]** time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left( (b^2 \operatorname{arccosh}(cx)^2 + 2ab \operatorname{arccosh}(cx) + a^2) \sqrt{fx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^2\*(f\*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*arccosh(c\*x)^2 + 2\*a\*b\*arccosh(c\*x) + a^2)\*sqrt(f\*x), x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^2\*(f\*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [F(-2)]** time = 180.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{arccosh}(cx))^2 \sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arccosh(c\*x))^2\*(f\*x)^(1/2),x)

[Out] int((a+b\*arccosh(c\*x))^2\*(f\*x)^(1/2),x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{3}b^2\sqrt{f}x^{\frac{3}{2}}\log\left(cx + \sqrt{cx+1}\sqrt{cx-1}\right)^2 + \frac{2}{3f}(fx)^{\frac{3}{2}}a^2 + \int \frac{2\left(\left(3abc^2\sqrt{f} - 2b^2c^2\sqrt{f}\right)x^2 - 3ab\sqrt{f}\right)\sqrt{cx+1}\sqrt{cx-1}}{\dots} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arccosh(c\*x))^2\*(f\*x)^(1/2),x, algorithm="maxima")

[Out] 2/3\*b^2\*sqrt(f)\*x^(3/2)\*log(c\*x + sqrt(c\*x + 1)\*sqrt(c\*x - 1))^2 + 2/3\*(f\*x)^(3/2)\*a^2/f + integrate(2/3\*((3\*a\*b\*c^2\*sqrt(f) - 2\*b^2\*c^2\*sqrt(f))\*x^2 - 3\*a\*b\*sqrt(f))\*sqrt(c\*x + 1)\*sqrt(c\*x - 1)\*sqrt(x) + ((3\*a\*b\*c^3\*sqrt(f) - 2\*b^2\*c^3\*sqrt(f))\*x^3 - (3\*a\*b\*c\*sqrt(f) - 2\*b^2\*c\*sqrt(f))\*x)\*sqrt(x))

```
*log(c*x + sqrt(c*x + 1)*sqrt(c*x - 1))/(c^3*x^3 + (c^2*x^2 - 1)*sqrt(c*x + 1)*sqrt(c*x - 1) - c*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acosh}(cx))^2 \sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acosh(c*x))^2*(f*x)^(1/2), x)
```

```
[Out] int((a + b*acosh(c*x))^2*(f*x)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{fx} (a + b \operatorname{acosh}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acosh(c*x))**2*(f*x)**(1/2), x)
```

```
[Out] Integral(sqrt(f*x)*(a + b*acosh(c*x))**2, x)
```

### 3.164 $\int (dx)^m \left( a + b \cosh^{-1}(cx) \right)^2 dx$

**Optimal.** Leaf size=181

$$\frac{2b^2c^2(dx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; c^2x^2\right)}{d^3(m+1)(m+2)(m+3)} - \frac{2bc\sqrt{1-cx}(dx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)(a+bcx)}{d^2(m+1)(m+2)\sqrt{cx-1}}$$

[Out]  $(d*x)^{(1+m)}*(a+b*\operatorname{arccosh}(c*x))^2/d/(1+m)-2*b^2*c^2*(d*x)^{(3+m)}*\operatorname{HypergeometricPFQ}([1, 3/2+1/2*m, 3/2+1/2*m], [2+1/2*m, 5/2+1/2*m], c^2*x^2)/d^3/(3+m)/(m^2+3*m+2)-2*b*c*(d*x)^{(2+m)}*(a+b*\operatorname{arccosh}(c*x))*\operatorname{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], c^2*x^2)*(-c*x+1)^{(1/2)}/d^2/(1+m)/(2+m)/(c*x-1)^{(1/2)}$

**Rubi [A]** time = 0.31, antiderivative size = 194, normalized size of antiderivative = 1.07, number of steps used = 2, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {5662, 5763}

$$\frac{2b^2c^2(dx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; c^2x^2\right)}{d^3(m+1)(m+2)(m+3)} - \frac{2bc\sqrt{1-c^2x^2}(dx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)(a+b\sqrt{cx-1}\sqrt{cx+1})}{d^2(m+1)(m+2)\sqrt{cx-1}\sqrt{cx+1}}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*(a + b\*ArcCosh[c\*x])^2, x]

[Out]  $((d*x)^{(1+m)}*(a+b*\operatorname{ArcCosh}[c*x])^2)/(d*(1+m)) - (2*b*c*(d*x)^{(2+m)}*\operatorname{Sqrt}[1-c^2*x^2]*(a+b*\operatorname{ArcCosh}[c*x])*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(d^2*(1+m)*(2+m)*\operatorname{Sqrt}[-1+c*x]*\operatorname{Sqrt}[1+c*x]) - (2*b^2*c^2*(d*x)^{(3+m)}*\operatorname{HypergeometricPFQ}[\{1, 3/2+m/2, 3/2+m/2\}, \{2+m/2, 5/2+m/2\}, c^2*x^2])/(d^3*(1+m)*(2+m)*(3+m))$

#### Rule 5662

Int[((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1+c\*x]\*Sqrt[1+c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 5763

Int[(((a\_.) + ArcCosh[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.))/(Sqrt[(d1\_.) + (e1\_.)\*(x\_.)]\*Sqrt[(d2\_.) + (e2\_.)\*(x\_.)]), x\_Symbol] :> Simp[((f\*x)^(m+1)\*Sqrt[1-c^2\*x^2]\*(a + b\*ArcCosh[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(f\*(m+1)\*Sqrt[d1 + e1\*x]\*Sqrt[d2 + e2\*x]), x] + Simp[(b\*c\*(f\*x)^(m+2)\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(Sqrt[-(d1\*d2)]\*f^2\*(m+1)\*(m+2)), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1 - c\*d1, 0] && EqQ[e2 + c\*d2, 0] && GtQ[d1, 0] && LtQ[d2, 0] && !IntegerQ[m]

#### Rubi steps

$$\begin{aligned} \int (dx)^m \left( a + b \cosh^{-1}(cx) \right)^2 dx &= \frac{(dx)^{1+m} \left( a + b \cosh^{-1}(cx) \right)^2}{d(1+m)} - \frac{(2bc) \int \frac{(dx)^{1+m} (a + b \cosh^{-1}(cx))}{\sqrt{-1+cx} \sqrt{1+cx}} dx}{d(1+m)} \\ &= \frac{(dx)^{1+m} \left( a + b \cosh^{-1}(cx) \right)^2}{d(1+m)} - \frac{2bc(dx)^{2+m} \sqrt{1-c^2x^2} \left( a + b \cosh^{-1}(cx) \right) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx}\sqrt{1+cx}} \end{aligned}$$

**Mathematica** [A] time = 0.26, size = 164, normalized size = 0.91

$$\frac{x(dx)^m \left( -\frac{2b^2c^2x^2 {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; c^2x^2\right)}{m^2 + 5m + 6} - \frac{2bcx\sqrt{1-c^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)(a+b\cosh^{-1}(cx))}{(m+2)\sqrt{cx-1}\sqrt{cx+1}} + (a+b\cosh^{-1}(cx))^2 \right)}{m+1}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*(a + b\*ArcCosh[c\*x])^2,x]

[Out] (x\*(d\*x)^m\*((a + b\*ArcCosh[c\*x])^2 - (2\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcCosh[c\*x])\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2])/((2 + m)\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]) - (2\*b^2\*c^2\*x^2\*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/2}, {2 + m/2, 5/2 + m/2}, c^2\*x^2]))/(6 + 5\*m + m^2))/(1 + m)

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left( (b^2 \operatorname{arcosh}(cx))^2 + 2ab \operatorname{arcosh}(cx) + a^2 \right) (dx)^m, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x))^2,x, algorithm="fricas")

[Out] integral((b^2\*arccosh(c\*x)^2 + 2\*a\*b\*arccosh(c\*x) + a^2)\*(d\*x)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arcosh}(cx) + a)^2 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x))^2,x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)^2\*(d\*x)^m, x)

**maple** [F] time = 3.19, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arccosh}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(a+b\*arccosh(c\*x))^2,x)

[Out] int((d\*x)^m\*(a+b\*arccosh(c\*x))^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{b^2 d^m x x^m \log\left(cx + \sqrt{cx+1}\sqrt{cx-1}\right)^2}{m+1} + \frac{(dx)^{m+1} a^2}{d(m+1)} + \int -\frac{2\left((abd^m(m+1) - (abc^2d^m(m+1) - b^2c^2d^m)x^2)\sqrt{cx+1} + \dots\right)}{c^3(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x))^2,x, algorithm="maxima")

[Out] b^2\*d^m\*x\*x^m\*log(c\*x + sqrt(c\*x + 1)\*sqrt(c\*x - 1))^2/(m + 1) + (d\*x)^(m + 1)\*a^2/(d\*(m + 1)) + integrate(-2\*((a\*b\*d^m\*(m + 1) - (a\*b\*c^2\*d^m\*(m + 1) - b^2\*c^2\*d^m)\*x^2)\*sqrt(c\*x + 1)\*sqrt(c\*x - 1)\*x^m - ((a\*b\*c^3\*d^m\*(m + 1) - b^2\*c^3\*d^m)\*x^3 - (a\*b\*c\*d^m\*(m + 1) - b^2\*c\*d^m)\*x)\*x^m)\*log(c\*x + sqrt(c\*x + 1)\*sqrt(c\*x - 1))/(c^3\*(m + 1)\*x^3 - c\*(m + 1)\*x + (c^2\*(m + 1)\*x^2 - m - 1)\*sqrt(c\*x + 1)\*sqrt(c\*x - 1)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acosh}(cx))^2 (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))^2\*(d\*x)^m, x)

[Out] int((a + b\*acosh(c\*x))^2\*(d\*x)^m, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{acosh}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*(a+b\*acosh(c\*x))\*\*2, x)

[Out] Integral((d\*x)\*\*m\*(a + b\*acosh(c\*x))\*\*2, x)

### 3.165 $\int (dx)^m (a + b \cosh^{-1}(cx)) dx$

**Optimal.** Leaf size=106

$$\frac{(dx)^{m+1} (a + b \cosh^{-1}(cx))}{d(m+1)} - \frac{bc\sqrt{1-c^2x^2} (dx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)}{d^2(m+1)(m+2)\sqrt{cx-1}\sqrt{cx+1}}$$

[Out] (d\*x)^(1+m)\*(a+b\*arccosh(c\*x))/d/(1+m)-b\*c\*(d\*x)^(2+m)\*hypergeom([1/2, 1+1/2\*m], [2+1/2\*m], c^2\*x^2)\*(-c^2\*x^2+1)^(1/2)/d^2/(1+m)/(2+m)/(c\*x-1)^(1/2)/(c\*x+1)^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {5662, 126, 365, 364}

$$\frac{(dx)^{m+1} (a + b \cosh^{-1}(cx))}{d(m+1)} - \frac{bc\sqrt{1-c^2x^2} (dx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)}{d^2(m+1)(m+2)\sqrt{cx-1}\sqrt{cx+1}}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*(a + b\*ArcCosh[c\*x]),x]

[Out] ((d\*x)^(1+m)\*(a + b\*ArcCosh[c\*x]))/(d\*(1+m)) - (b\*c\*(d\*x)^(2+m)\*Sqrt[1 - c^2\*x^2]\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/(d^2\*(1+m)\*(2+m)\*Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x])

#### Rule 126

Int[((f\_)\*(x\_))^(p\_)\*((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Dist[((a + b\*x)^FracPart[m]\*(c + d\*x)^FracPart[m])/(a\*c + b\*d\*x^2)^FracPart[m], Int[(a\*c + b\*d\*x^2)^m\*(f\*x)^p, x], x] /; FreeQ[{a, b, c, d, f, m, n, p}, x] && EqQ[b\*c + a\*d, 0] && EqQ[m - n, 0]

#### Rule 364

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_))^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/(c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 365

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_))^(n\_))^(p\_), x\_Symbol] :> Dist[(a^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(1 + (b\*x^n)/a)^FracPart[p], Int[(c\*x)^m\*(1 + (b\*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

#### Rule 5662

Int[((a\_) + ArcCosh[(c\_)\*(x\_)])\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^n)/(d\*(m+1)), x] - Dist[(b\*c\*n)/(d\*(m+1)), Int[((d\*x)^(m+1)\*(a + b\*ArcCosh[c\*x])^(n-1))/(Sqrt[-1 + c\*x]\*Sqrt[1 + c\*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int (dx)^m (a + b \cosh^{-1}(cx)) dx &= \frac{(dx)^{1+m} (a + b \cosh^{-1}(cx))}{d(1+m)} - \frac{(bc) \int \frac{(dx)^{1+m}}{\sqrt{-1+cx} \sqrt{1+cx}} dx}{d(1+m)} \\
&= \frac{(dx)^{1+m} (a + b \cosh^{-1}(cx))}{d(1+m)} - \frac{(bc\sqrt{-1+c^2x^2}) \int \frac{(dx)^{1+m}}{\sqrt{-1+c^2x^2}} dx}{d(1+m)\sqrt{-1+cx} \sqrt{1+cx}} \\
&= \frac{(dx)^{1+m} (a + b \cosh^{-1}(cx))}{d(1+m)} - \frac{(bc\sqrt{1-c^2x^2}) \int \frac{(dx)^{1+m}}{\sqrt{1-c^2x^2}} dx}{d(1+m)\sqrt{-1+cx} \sqrt{1+cx}} \\
&= \frac{(dx)^{1+m} (a + b \cosh^{-1}(cx))}{d(1+m)} - \frac{bc(dx)^{2+m} \sqrt{1-c^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; c^2x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx} \sqrt{1+cx}}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 87, normalized size = 0.82

$$\frac{x(dx)^m \left( a - \frac{bcx\sqrt{1-c^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)}{(m+2)\sqrt{cx-1}\sqrt{cx+1}} + b \cosh^{-1}(cx) \right)}{m+1}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*(a + b\*ArcCosh[c\*x]), x]

[Out] (x\*(d\*x)^m\*(a + b\*ArcCosh[c\*x] - (b\*c\*x\*sqrt[1 - c^2\*x^2]\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2])/((2 + m)\*sqrt[-1 + c\*x]\*sqrt[1 + c\*x]))/(1 + m)

**fricas [F]** time = 1.56, size = 0, normalized size = 0.00

$$\text{integral}((b \operatorname{arcosh}(cx) + a)(dx)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x)), x, algorithm="fricas")

[Out] integral((b\*arccosh(c\*x) + a)\*(d\*x)^m, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \operatorname{arcosh}(cx) + a)(dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x)), x, algorithm="giac")

[Out] integrate((b\*arccosh(c\*x) + a)\*(d\*x)^m, x)

**maple [F]** time = 2.96, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{arccosh}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(a+b\*arccosh(c\*x)), x)

[Out] int((d\*x)^m\*(a+b\*arccosh(c\*x)), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\left( c^2 d^m \int \frac{x^2 x^m}{c^2(m+1)x^2 - m - 1} dx - c d^m \int \frac{x x^m}{c^3(m+1)x^3 - c(m+1)x + (c^2(m+1)x^2 - m - 1)\sqrt{cx+1}\sqrt{cx-1}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(a+b\*arccosh(c\*x)),x, algorithm="maxima")

[Out]  $-(c^2 d^m \int \frac{x^2 x^m}{c^2(m+1)x^2 - m - 1}, x) - c d^m \int \frac{x x^m}{c^3(m+1)x^3 - c(m+1)x + (c^2(m+1)x^2 - m - 1)\sqrt{cx+1}\sqrt{cx-1}}, x) - d^m x x^m \log(c x + \sqrt{c x + 1} \sqrt{c x - 1}) / ((m + 1) b + (d x)^{(m + 1)} a / (d(m + 1)))$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acosh}(cx)) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*acosh(c\*x))\*(d\*x)^m,x)

[Out] int((a + b\*acosh(c\*x))\*(d\*x)^m, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m (a + b \operatorname{acosh}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*(a+b\*acosh(c\*x)),x)

[Out] Integral((d\*x)\*\*m\*(a + b\*acosh(c\*x)), x)



$$3.166 \quad \int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(dx)^m}{a+b \cosh^{-1}(cx)}, x\right)$$

[Out] Unintegrable((d\*x)^m/(a+b\*arccosh(c\*x)), x)

**Rubi [A]** time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(d\*x)^m/(a + b\*ArcCosh[c\*x]), x]

[Out] Defer[Int] [(d\*x)^m/(a + b\*ArcCosh[c\*x]), x]

Rubi steps

$$\int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx = \int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx$$

**Mathematica [A]** time = 0.50, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a+b \cosh^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d\*x)^m/(a + b\*ArcCosh[c\*x]), x]

[Out] Integrate[(d\*x)^m/(a + b\*ArcCosh[c\*x]), x]

**fricas [A]** time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(dx)^m}{b \operatorname{arcosh}(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m/(a+b\*arccosh(c\*x)), x, algorithm="fricas")

[Out] integral((d\*x)^m/(b\*arccosh(c\*x) + a), x)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{b \operatorname{arcosh}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m/(a+b\*arccosh(c\*x)), x, algorithm="giac")

[Out] integrate((d\*x)^m/(b\*arccosh(c\*x) + a), x)

**maple** [A] time = 1.18, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{arccosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a+b*arccosh(c*x)),x)`

[Out] `int((d*x)^m/(a+b*arccosh(c*x)),x)`

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{b \operatorname{arccosh}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m/(a+b*arccosh(c*x)),x, algorithm="maxima")`

[Out] `integrate((d*x)^m/(b*arccosh(c*x) + a), x)`

**mupad** [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^m}{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m/(a + b*acosh(c*x)),x)`

[Out] `int((d*x)^m/(a + b*acosh(c*x)), x)`

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^m}{a + b \operatorname{acosh}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m/(a+b*acosh(c*x)),x)`

[Out] `Integral((d*x)**m/(a + b*acosh(c*x)), x)`

# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
            If[ElementaryFunctionQ[Head[expn]],
              Max[3, ExpnType[expn[[1]]],
            If[SpecialFunctionQ[Head[expn]],
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
            If[HypergeometricFunctionQ[Head[expn]],
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
            If[AppellFunctionQ[Head[expn]],
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
            If[Head[expn]===RootSum,
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
            If[Head[expn]===Integrate || Head[expn]===Int,
              Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
            9]]]]]]]]]]
```

```
ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]
```

```
SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]
```

```
HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

## 4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;
fi;
```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

### 4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```



```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands(
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```