

# Computer algebra independent integration tests

## 8-Special-functions/8.8-Polylogarithm-function

Nasser M. Abbasi

July 28, 2021

Compiled on July 28, 2021 at 10:47am

## Contents

<b>1</b>	<b>Introduction</b>	<b>9</b>
1.1	Listing of CAS systems tested . . . . .	9
1.2	Results . . . . .	10
1.3	Performance . . . . .	14
1.4	list of integrals that has no closed form antiderivative . . . . .	15
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	16
1.6	list of integrals solved by CAS but failed verification . . . . .	16
1.7	Timing . . . . .	17
1.8	Verification . . . . .	17
1.9	Important notes about some of the results . . . . .	17
1.9.1	Important note about Maxima results . . . . .	17
1.9.2	Important note about FriCAS and Giac/XCAS results . . . . .	18
1.9.3	Important note about finding leaf size of antiderivative . . . . .	18
1.9.4	Important note about Mupad results . . . . .	19
1.10	Design of the test system . . . . .	20
<b>2</b>	<b>detailed summary tables of results</b>	<b>21</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	21
2.1.1	Rubi . . . . .	21
2.1.2	Mathematica . . . . .	21
2.1.3	Maple . . . . .	22
2.1.4	Maxima . . . . .	22

2.1.5	FriCAS . . . . .	22
2.1.6	Sympy . . . . .	23
2.1.7	Giac . . . . .	23
2.1.8	Mupad . . . . .	24
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	25
2.3	Detailed conclusion table specific for Rubi results . . . . .	65
<b>3</b>	<b>Listing of integrals</b>	<b>75</b>
3.1	$\int x^4 \text{Li}_2(ax) dx$ . . . . .	75
3.2	$\int x^3 \text{Li}_2(ax) dx$ . . . . .	79
3.3	$\int x^2 \text{Li}_2(ax) dx$ . . . . .	82
3.4	$\int x \text{Li}_2(ax) dx$ . . . . .	85
3.5	$\int \text{Li}_2(ax) dx$ . . . . .	88
3.6	$\int \frac{\text{Li}_2(ax)}{x} dx$ . . . . .	91
3.7	$\int \frac{\text{Li}_2(ax)}{x^2} dx$ . . . . .	94
3.8	$\int \frac{\text{Li}_2(ax)}{x^3} dx$ . . . . .	97
3.9	$\int \frac{\text{Li}_2(ax)}{x^4} dx$ . . . . .	100
3.10	$\int \frac{\text{Li}_2(ax)}{x^5} dx$ . . . . .	103
3.11	$\int x^3 \text{Li}_3(ax) dx$ . . . . .	106
3.12	$\int x^2 \text{Li}_3(ax) dx$ . . . . .	109
3.13	$\int x \text{Li}_3(ax) dx$ . . . . .	112
3.14	$\int \text{Li}_3(ax) dx$ . . . . .	115
3.15	$\int \frac{\text{Li}_3(ax)}{x} dx$ . . . . .	118
3.16	$\int \frac{\text{Li}_3(ax)}{x^2} dx$ . . . . .	121
3.17	$\int \frac{\text{Li}_3(ax)}{x^3} dx$ . . . . .	125
3.18	$\int \frac{\text{Li}_3(ax)}{x^4} dx$ . . . . .	128
3.19	$\int x^5 \text{Li}_2(ax^2) dx$ . . . . .	131
3.20	$\int x^3 \text{Li}_2(ax^2) dx$ . . . . .	135
3.21	$\int x \text{Li}_2(ax^2) dx$ . . . . .	139
3.22	$\int \frac{\text{Li}_2(ax^2)}{x} dx$ . . . . .	143
3.23	$\int \frac{\text{Li}_2(ax^2)}{x^3} dx$ . . . . .	146
3.24	$\int \frac{\text{Li}_2(ax^2)}{x^5} dx$ . . . . .	150
3.25	$\int \frac{\text{Li}_2(ax^2)}{x^7} dx$ . . . . .	154
3.26	$\int x^4 \text{Li}_2(ax^2) dx$ . . . . .	158
3.27	$\int x^2 \text{Li}_2(ax^2) dx$ . . . . .	162

3.28	$\int \text{Li}_2(ax^2) dx$	166
3.29	$\int \frac{\text{Li}_2(ax^2)}{x^2} dx$	170
3.30	$\int \frac{\text{Li}_2(ax^2)}{x^4} dx$	174
3.31	$\int \frac{\text{Li}_2(ax^2)}{x^6} dx$	178
3.32	$\int x^5 \text{Li}_3(ax^2) dx$	182
3.33	$\int x^3 \text{Li}_3(ax^2) dx$	186
3.34	$\int x \text{Li}_3(ax^2) dx$	190
3.35	$\int \frac{\text{Li}_3(ax^2)}{x} dx$	194
3.36	$\int \frac{\text{Li}_3(ax^2)}{x^3} dx$	197
3.37	$\int \frac{\text{Li}_3(ax^2)}{x^5} dx$	201
3.38	$\int \frac{\text{Li}_3(ax^2)}{x^7} dx$	205
3.39	$\int x^4 \text{Li}_3(ax^2) dx$	209
3.40	$\int x^2 \text{Li}_3(ax^2) dx$	213
3.41	$\int \text{Li}_3(ax^2) dx$	217
3.42	$\int \frac{\text{Li}_3(ax^2)}{x^2} dx$	221
3.43	$\int \frac{\text{Li}_3(ax^2)}{x^4} dx$	225
3.44	$\int \frac{\text{Li}_3(ax^2)}{x^6} dx$	229
3.45	$\int x^2 \text{Li}_2(ax^q) dx$	233
3.46	$\int x \text{Li}_2(ax^q) dx$	236
3.47	$\int \text{Li}_2(ax^q) dx$	239
3.48	$\int \frac{\text{Li}_2(ax^q)}{x} dx$	242
3.49	$\int \frac{\text{Li}_2(ax^q)}{x^2} dx$	245
3.50	$\int \frac{\text{Li}_2(ax^q)}{x^3} dx$	248
3.51	$\int \frac{\text{Li}_2(ax^q)}{x^4} dx$	252
3.52	$\int x^2 \text{Li}_3(ax^q) dx$	256
3.53	$\int x \text{Li}_3(ax^q) dx$	260
3.54	$\int \text{Li}_3(ax^q) dx$	264
3.55	$\int \frac{\text{Li}_3(ax^q)}{x} dx$	267
3.56	$\int \frac{\text{Li}_3(ax^q)}{x^2} dx$	270
3.57	$\int \frac{\text{Li}_3(ax^q)}{x^3} dx$	274
3.58	$\int \frac{\text{Li}_3(ax^q)}{x^4} dx$	278

3.59	$\int (dx)^{3/2} \text{Li}_2(ax) dx$	282
3.60	$\int \sqrt{dx} \text{Li}_2(ax) dx$	286
3.61	$\int \frac{\text{Li}_2(ax)}{\sqrt{dx}} dx$	290
3.62	$\int \frac{\text{Li}_2(ax)}{(dx)^{3/2}} dx$	294
3.63	$\int \frac{\text{Li}_2(ax)}{(dx)^{5/2}} dx$	298
3.64	$\int \frac{\text{Li}_2(ax)}{(dx)^{7/2}} dx$	302
3.65	$\int (dx)^{5/2} \text{Li}_3(ax) dx$	306
3.66	$\int (dx)^{3/2} \text{Li}_3(ax) dx$	311
3.67	$\int \sqrt{dx} \text{Li}_3(ax) dx$	316
3.68	$\int \frac{\text{Li}_3(ax)}{\sqrt{dx}} dx$	320
3.69	$\int \frac{\text{Li}_3(ax)}{(dx)^{3/2}} dx$	324
3.70	$\int \frac{\text{Li}_3(ax)}{(dx)^{5/2}} dx$	328
3.71	$\int \frac{\text{Li}_3(ax)}{(dx)^{7/2}} dx$	332
3.72	$\int (dx)^{3/2} \text{Li}_2(ax^2) dx$	337
3.73	$\int \sqrt{dx} \text{Li}_2(ax^2) dx$	342
3.74	$\int \frac{\text{Li}_2(ax^2)}{\sqrt{dx}} dx$	347
3.75	$\int \frac{\text{Li}_2(ax^2)}{(dx)^{3/2}} dx$	352
3.76	$\int \frac{\text{Li}_2(ax^2)}{(dx)^{5/2}} dx$	357
3.77	$\int \frac{\text{Li}_2(ax^2)}{(dx)^{7/2}} dx$	362
3.78	$\int (dx)^{5/2} \text{Li}_3(ax^2) dx$	367
3.79	$\int (dx)^{3/2} \text{Li}_3(ax^2) dx$	372
3.80	$\int \sqrt{dx} \text{Li}_3(ax^2) dx$	377
3.81	$\int \frac{\text{Li}_3(ax^2)}{\sqrt{dx}} dx$	382
3.82	$\int \frac{\text{Li}_3(ax^2)}{(dx)^{3/2}} dx$	387
3.83	$\int \frac{\text{Li}_3(ax^2)}{(dx)^{5/2}} dx$	392
3.84	$\int \frac{\text{Li}_3(ax^2)}{(dx)^{7/2}} dx$	397
3.85	$\int \frac{\text{Li}_3(ax^2)}{(dx)^{9/2}} dx$	402
3.86	$\int (dx)^{3/2} \text{Li}_2(ax^q) dx$	407
3.87	$\int \sqrt{dx} \text{Li}_2(ax^q) dx$	411

3.88	$\int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx$	415
3.89	$\int \frac{\text{Li}_2(ax^q)}{(dx)^{3/2}} dx$	419
3.90	$\int \frac{\text{Li}_2(ax^q)}{(dx)^{5/2}} dx$	423
3.91	$\int (dx)^{3/2} \text{Li}_3(ax^q) dx$	427
3.92	$\int \sqrt{dx} \text{Li}_3(ax^q) dx$	431
3.93	$\int \frac{\text{Li}_3(ax^q)}{\sqrt{dx}} dx$	435
3.94	$\int \frac{\text{Li}_3(ax^q)}{(dx)^{3/2}} dx$	439
3.95	$\int \frac{\text{Li}_3(ax^q)}{(dx)^{5/2}} dx$	443
3.96	$\int \text{Li}_{\frac{3}{2}}(ax) dx$	447
3.97	$\int \text{Li}_{\frac{1}{2}}(ax) dx$	450
3.98	$\int \text{Li}_{-\frac{1}{2}}(ax) dx$	453
3.99	$\int \text{Li}_{-\frac{3}{2}}(ax) dx$	456
3.100	$\int \text{Li}_{-\frac{5}{2}}(ax) dx$	459
3.101	$\int \left( \text{Li}_{-\frac{3}{2}}(ax) + \text{Li}_{-\frac{1}{2}}(ax) \right) dx$	462
3.102	$\int (dx)^m \text{Li}_2(ax) dx$	465
3.103	$\int (dx)^m \text{Li}_3(ax) dx$	468
3.104	$\int (dx)^m \text{Li}_4(ax) dx$	472
3.105	$\int (dx)^m \text{Li}_2(ax^2) dx$	476
3.106	$\int (dx)^m \text{Li}_3(ax^2) dx$	480
3.107	$\int (dx)^m \text{Li}_4(ax^2) dx$	484
3.108	$\int (dx)^m \text{Li}_2(ax^3) dx$	488
3.109	$\int (dx)^m \text{Li}_3(ax^3) dx$	492
3.110	$\int (dx)^m \text{Li}_4(ax^3) dx$	496
3.111	$\int (dx)^m \text{Li}_2(ax^q) dx$	500
3.112	$\int (dx)^m \text{Li}_3(ax^q) dx$	504
3.113	$\int (dx)^m \text{Li}_4(ax^q) dx$	508
3.114	$\int x \text{Li}_n(ax) dx$	512
3.115	$\int \text{Li}_n(ax) dx$	514
3.116	$\int \frac{\text{Li}_n(ax)}{x} dx$	516
3.117	$\int \frac{\text{Li}_n(ax)}{x^2} dx$	519
3.118	$\int \frac{\text{Li}_n(ax)}{x^3} dx$	522
3.119	$\int x \text{Li}_n(ax^q) dx$	525

3.120	$\int \text{Li}_n(ax^q) dx$	527
3.121	$\int \frac{\text{Li}_n(ax^q)}{x} dx$	529
3.122	$\int \frac{\text{Li}_n(ax^q)}{x^2} dx$	532
3.123	$\int \frac{\text{Li}_n(ax^q)}{x^3} dx$	535
3.124	$\int x^2 \text{Li}_2(c(a+bx)) dx$	538
3.125	$\int x \text{Li}_2(c(a+bx)) dx$	543
3.126	$\int \text{Li}_2(c(a+bx)) dx$	548
3.127	$\int \frac{\text{Li}_2(c(a+bx))}{x} dx$	552
3.128	$\int \frac{\text{Li}_2(c(a+bx))}{x^2} dx$	556
3.129	$\int \frac{\text{Li}_2(c(a+bx))}{x^3} dx$	560
3.130	$\int \frac{\text{Li}_2(c(a+bx))}{x^4} dx$	565
3.131	$\int x^2 \text{Li}_3(c(a+bx)) dx$	570
3.132	$\int x \text{Li}_3(c(a+bx)) dx$	576
3.133	$\int \text{Li}_3(c(a+bx)) dx$	582
3.134	$\int \frac{\text{Li}_3(c(a+bx))}{x} dx$	586
3.135	$\int \frac{\text{Li}_3(c(a+bx))}{x^2} dx$	589
3.136	$\int \frac{\text{Li}_3(c(a+bx))}{x^3} dx$	594
3.137	$\int (d+ex)^3 \text{Li}_2(c(a+bx)) dx$	600
3.138	$\int (d+ex)^2 \text{Li}_2(c(a+bx)) dx$	607
3.139	$\int (d+ex) \text{Li}_2(c(a+bx)) dx$	613
3.140	$\int \text{Li}_2(c(a+bx)) dx$	618
3.141	$\int \frac{\text{Li}_2(c(a+bx))}{d+ex} dx$	622
3.142	$\int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^2} dx$	627
3.143	$\int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^3} dx$	631
3.144	$\int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^4} dx$	636
3.145	$\int \frac{\text{Li}_2(x)}{-1+x} dx$	642
3.146	$\int -\frac{\text{Li}_2(x)}{1-x} dx$	646
3.147	$\int \frac{\text{Li}_2(x)}{(-1+x)x} dx$	650
3.148	$\int -\frac{\text{Li}_2(x)}{(1-x)x} dx$	654
3.149	$\int \frac{\text{Li}_n\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{(a+bx)(c+dx)} dx$	658
3.150	$\int \frac{\text{Li}_3\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{(a+bx)(c+dx)} dx$	661

3.151	$\int \frac{\text{Li}_2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$	664
3.152	$\int -\frac{\log\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$	667
3.153	$\int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$	670
3.154	$\int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)^2} dx$	673
3.155	$\int \frac{e\left(\frac{a+bx}{c+dx}\right)^n + e^2\left(\frac{a+bx}{c+dx}\right)^{2n}}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)^3} dx$	676
3.156	$\int x^3 \text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right) dx$	680
3.157	$\int x^2 \text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right) dx$	684
3.158	$\int x \text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right) dx$	687
3.159	$\int \text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right) dx$	690
3.160	$\int \frac{\text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right)}{x} dx$	693
3.161	$\int x^3 \log(1-cx) \text{Li}_2(cx) dx$	696
3.162	$\int x^2 \log(1-cx) \text{Li}_2(cx) dx$	702
3.163	$\int x \log(1-cx) \text{Li}_2(cx) dx$	708
3.164	$\int \log(1-cx) \text{Li}_2(cx) dx$	714
3.165	$\int \frac{\log(1-cx) \text{Li}_2(cx)}{x} dx$	719
3.166	$\int \frac{\log(1-cx) \text{Li}_2(cx)}{x^2} dx$	722
3.167	$\int \frac{\log(1-cx) \text{Li}_2(cx)}{x^3} dx$	728
3.168	$\int \frac{\log(1-cx) \text{Li}_2(cx)}{x^4} dx$	734
3.169	$\int \frac{\log(1-cx) \text{Li}_2(cx)}{x^5} dx$	740
3.170	$\int x^2(g+h \log(1-cx)) \text{Li}_2(cx) dx$	746
3.171	$\int x(g+h \log(1-cx)) \text{Li}_2(cx) dx$	753
3.172	$\int (g+h \log(1-cx)) \text{Li}_2(cx) dx$	760
3.173	$\int \frac{(g+h \log(1-cx)) \text{Li}_2(cx)}{x} dx$	766
3.174	$\int \frac{(g+h \log(1-cx)) \text{Li}_2(cx)}{x^2} dx$	769
3.175	$\int \frac{(g+h \log(1-cx)) \text{Li}_2(cx)}{x^3} dx$	775

3.176	$\int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x^4} dx$	782
3.177	$\int x^2 (g + h \log(f(d + ex)^n)) \text{Li}_2(c(a + bx)) dx$	790
3.178	$\int x (g + h \log(f(d + ex)^n)) \text{Li}_2(c(a + bx)) dx$	801
3.179	$\int (g + h \log(f(d + ex)^n)) \text{Li}_2(c(a + bx)) dx$	811
3.180	$\int \frac{(g+h \log(f(d+ex)^n))\text{Li}_2(c(a+bx))}{x} dx$	820
3.181	$\int \frac{(g+h \log(f(d+ex)^n))\text{Li}_2(c(a+bx))}{x^2} dx$	823
3.182	$\int \frac{(g+h \log(f(d+ex)^n))\text{Li}_2(c(a+bx))}{x^3} dx$	831
3.183	$\int \frac{(g+h \log(f(d+ex)^n))\text{Li}_2(c(a+bx))}{x^4} dx$	841
3.184	$\int x^2(a + bx) \log(1 - cx)\text{Li}_2(cx) dx$	851
3.185	$\int x(a + bx) \log(1 - cx)\text{Li}_2(cx) dx$	858
3.186	$\int (a + bx) \log(1 - cx)\text{Li}_2(cx) dx$	865
3.187	$\int \frac{(a+bx) \log(1-cx)\text{Li}_2(cx)}{x} dx$	872
3.188	$\int \frac{(a+bx) \log(1-cx)\text{Li}_2(cx)}{x^2} dx$	878
3.189	$\int \frac{(a+bx) \log(1-cx)\text{Li}_2(cx)}{x^3} dx$	884
3.190	$\int \frac{(a+bx) \log(1-cx)\text{Li}_2(cx)}{x^4} dx$	891
3.191	$\int \frac{(a+bx) \log(1-cx)\text{Li}_2(cx)}{x^5} dx$	898
3.192	$\int x (a + bx + cx^2) \log(1 - dx)\text{Li}_2(dx) dx$	905
3.193	$\int (a + bx + cx^2) \log(1 - dx)\text{Li}_2(dx) dx$	913
3.194	$\int \frac{(a+bx+cx^2) \log(1-dx)\text{Li}_2(dx)}{x} dx$	920
3.195	$\int \frac{(a+bx+cx^2) \log(1-dx)\text{Li}_2(dx)}{x^2} dx$	928
3.196	$\int \frac{(a+bx+cx^2) \log(1-dx)\text{Li}_2(dx)}{x^3} dx$	935
3.197	$\int \frac{(a+bx+cx^2) \log(1-dx)\text{Li}_2(dx)}{x^4} dx$	942
3.198	$\int \frac{(a+bx+cx^2) \log(1-dx)\text{Li}_2(dx)}{x^5} dx$	949
<b>4</b>	<b>Listing of Grading functions</b>	<b>957</b>
4.0.1	Mathematica and Rubi grading function	957
4.0.2	Maple grading function	959
4.0.3	Sympy grading function	964
4.0.4	SageMath grading function	967



# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 198 ]. This is test number [ 208 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 ( 198 )	% 0.00 ( 0 )
Mathematica	% 98.48 ( 195 )	% 1.52 ( 3 )
Maple	% 72.73 ( 144 )	% 27.27 ( 54 )
Maxima	% 64.14 ( 127 )	% 35.86 ( 71 )
Fricas	% 51.52 ( 102 )	% 48.48 ( 96 )
Sympy	% 23.23 ( 46 )	% 76.77 ( 152 )
Giac	% 8.08 ( 16 )	% 91.92 ( 182 )
Mupad	% 35.86 ( 71 )	% 64.14 ( 127 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	77.78	0.00	20.20	1.52
Maple	51.52	4.04	17.17	27.27
Maxima	63.13	1.01	0.00	35.86
Fricas	31.31	1.52	18.69	48.48
Sympy	23.23	0.00	0.00	76.77
Giac	8.08	0.00	0.00	91.92
Mupad	8.08	27.78	0.00	64.14

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	3	100.00 %	0.00 %	0.00 %
Maple	54	100.00 %	0.00 %	0.00 %
Maxima	71	100.00 %	0.00 %	0.00 %
Fricas	96	100.00 %	0.00 %	0.00 %
Sympy	152	78.29 %	21.71 %	0.00 %
Giac	182	98.35 %	1.65 %	0.00 %
Mupad	127	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



## 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.27	215.93	0.92	91.00	1.00
Mathematica	0.38	161.40	0.74	64.00	0.81
Maple	0.11	116.35	1.09	101.50	1.11
Maxima	0.42	129.72	0.88	78.00	0.94
Fricas	0.86	103.66	1.09	72.50	0.96
Sympy	13.00	84.83	0.79	41.50	0.75
Giac	0.00	0.00	0.00	0.00	0.00
Mupad	0.36	37.83	0.67	46.00	0.83

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



## 1.4 list of integrals that has no closed form antiderivative

{96, 97, 98, 99, 100, 114, 115, 117, 118, 119, 120, 122, 123, 134, 160, 180}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

**Mupad** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {17, 18, 37, 38, 52, 53, 54, 56, 57, 58, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, 95, 103, 104, 106, 107, 109, 110, 112, 113}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.



## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

[ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](http://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. This is description of each record**

1. integer. the problem number.
  2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
  3. integer. Leaf size of result.
  4. integer. Leaf size of the optimal antiderivative.
  5. number. CPU time used to solve this integral. 0 if failed.
  6. string. The integral in Latex format
  7. string. The input used in CAS own syntax.
  8. string. The result (antiderivative) produced by CAS in Latex format
  9. string. The optimal antiderivative in Latex format.
  10. integer. 0 or 1. Indicates if problem has known antiderivative or not
  11. String. The result (antiderivative) in CAS own syntax.
  12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
  15. integer. Integrand leaf size.
  16. real number. Ratio of field 14 over field 15
  17. integer. 1 if result was verified or 0 if not verified.
  18. String of form "{n,n,...}" which is list of the rules used by Rubi

**High level overview of the CAS independent integration test build system**

# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 32, 33, 34, 35, 36, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 55, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 86, 87, 96, 97, 98, 99, 100, 102, 105, 108, 111, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 197, 198 }

B grade: { }

C grade: { 17, 18, 30, 31, 37, 38, 52, 53, 54, 56, 57, 58, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, 95, 103, 104, 106, 107, 109, 110, 112, 113 }

F grade: { 101, 183, 196 }

### 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 48, 55, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 96, 97, 98, 99, 100, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 128, 129, 130, 134, 138, 139, 140, 142, 143, 153, 154, 155, 159, 160, 165, 173, 180 }

B grade: { 39, 40, 41, 42, 43, 44, 137, 144 }

C grade: { 45, 46, 47, 49, 50, 51, 52, 53, 54, 56, 57, 58, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

F grade: { 101, 127, 131, 132, 133, 135, 136, 141, 145, 146, 147, 148, 149, 150, 151, 152, 156, 157, 158, 161, 162, 163, 164, 166, 167, 168, 169, 170, 171, 172, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198 }

### 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 96, 97, 98, 99, 100, 114, 115, 117, 118, 119, 120, 122, 123, 124, 125, 126, 128, 129, 130, 131, 132, 133, 134, 137, 138, 139, 140, 142, 143, 145, 146, 147, 148, 153, 154, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 180, 184, 185, 186, 189, 190, 191, 192, 193, 197, 198 }

B grade: { 144, 155 }

C grade: { }

F grade: { 22, 35, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 116, 121, 127, 135, 136, 141, 149, 150, 151, 152, 156, 157, 158, 159, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 187, 188, 194, 195, 196 }

### 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 48, 55, 59, 60, 61, 62, 63, 64, 72, 73, 74, 96, 97, 98, 99, 100, 114, 115, 117, 118, 119, 120, 122, 123, 124, 125, 126, 134, 137, 138, 139, 140, 150, 151, 152, 153, 154, 155, 160, 165, 180 }

B grade: { 75,76,77 }

C grade: { 11,12,13,14,16,17,18,32,33,34,36,37,38,39,40,41,42,43,44,65,66,67,68,69,70,71,78,79,80,81,82,83,84,85,131,132,133 }

F grade: { 6,15,22,35,45,46,47,49,50,51,52,53,54,56,57,58,86,87,88,89,90,91,92,93,94,95,101,102,103,104,105,106,107,108,109,110,111,112,113,116,121,127,128,129,130,135,136,141,142,143,144,145,146,147,148,149,156,157,158,159,161,162,163,164,166,167,168,169,170,171,172,173,174,175,176,177,178,179,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198 }

## 2.1.6 Sympy

A grade: { 1,2,3,4,5,6,7,8,9,10,15,19,20,21,23,24,25,26,27,28,29,30,60,96,97,98,99,100,114,115,116,117,118,119,120,122,123,124,125,126,134,137,138,139,140,160 }

B grade: { }

C grade: { }

F grade: { 11,12,13,14,16,17,18,22,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,101,102,103,104,105,106,107,108,109,110,111,112,113,121,127,128,129,130,131,132,133,135,136,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198 }

## 2.1.7 Giac

A grade: { 96,97,98,99,100,114,115,117,118,119,120,122,123,134,160,180 }

B grade: { }

C grade: { }

F grade: { 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,101,102,103,104,105,106,107,108,109,110,111,112,113,116,121,124,125,126,127,128,129,130,131,132,133,135,136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198 }

## 2.1.8 Mupad

A grade: { 96, 97, 98, 99, 100, 114, 115, 117, 118, 119, 120, 122, 123, 134, 160, 180 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 101, 116, 126, 133, 140, 145, 146, 153, 154, 155, 165, 173 }

C grade: { }

F grade: { 15, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 121, 124, 125, 127, 128, 129, 130, 131, 132, 135, 136, 137, 138, 139, 141, 142, 143, 144, 147, 148, 149, 150, 151, 152, 156, 157, 158, 159, 161, 162, 163, 164, 166, 167, 168, 169, 170, 171, 172, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198 }



## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	73	76	72	72	66	0	69
normalized size	1	1.00	0.85	0.88	0.84	0.84	0.77	0.00	0.80
time (sec)	N/A	0.053	0.044	0.013	0.321	1.211	9.678	0.000	0.309
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	65	68	64	64	58	0	61
normalized size	1	1.00	0.86	0.89	0.84	0.84	0.76	0.00	0.80
time (sec)	N/A	0.045	0.031	0.006	0.321	1.525	5.612	0.000	0.246
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	57	60	56	56	49	0	53
normalized size	1	1.00	0.86	0.91	0.85	0.85	0.74	0.00	0.80
time (sec)	N/A	0.040	0.028	0.007	0.307	0.515	3.252	0.000	0.226

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	48	52	48	48	41	0	46
normalized size	1	1.00	0.86	0.93	0.86	0.86	0.73	0.00	0.82
time (sec)	N/A	0.028	0.024	0.010	0.317	0.565	1.806	0.000	0.341

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	26	36	29	29	22	0	32
normalized size	1	1.00	0.90	1.24	1.00	1.00	0.76	0.00	1.10
time (sec)	N/A	0.009	0.013	0.006	0.317	1.054	0.940	0.000	0.257

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	5	5	5	6	5	0	3	0	5
normalized size	1	1.00	1.00	1.20	1.00	0.00	0.60	0.00	1.00
time (sec)	N/A	0.009	0.001	0.003	0.316	0.443	0.796	0.000	0.175

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	36	40	28	34	24	0	34
normalized size	1	1.00	1.00	1.11	0.78	0.94	0.67	0.00	0.94
time (sec)	N/A	0.022	0.010	0.013	0.326	1.363	1.090	0.000	0.202

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	50	52	40	47	42	0	51
normalized size	1	1.00	0.86	0.90	0.69	0.81	0.72	0.00	0.88
time (sec)	N/A	0.033	0.023	0.019	0.328	0.547	1.970	0.000	0.298

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	52	60	49	56	51	0	57
normalized size	1	1.00	0.76	0.88	0.72	0.82	0.75	0.00	0.84
time (sec)	N/A	0.036	0.031	0.016	0.311	0.529	3.305	0.000	0.319

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	60	68	58	65	60	0	60
normalized size	1	1.00	0.77	0.87	0.74	0.83	0.77	0.00	0.77
time (sec)	N/A	0.039	0.034	0.014	0.313	0.746	5.528	0.000	0.443

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	86	78	77	77	0	0	71
normalized size	1	1.00	0.98	0.89	0.88	0.88	0.00	0.00	0.81
time (sec)	N/A	0.057	0.012	0.152	0.325	0.537	0.000	0.000	0.819

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	78	69	69	69	0	0	63
normalized size	1	1.00	1.00	0.88	0.88	0.88	0.00	0.00	0.81
time (sec)	N/A	0.051	0.011	0.137	0.325	0.950	0.000	0.000	0.949

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	69	62	61	61	0	0	55
normalized size	1	1.00	1.01	0.91	0.90	0.90	0.00	0.00	0.81
time (sec)	N/A	0.035	0.009	0.132	0.326	0.771	0.000	0.000	0.904

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	39	41	39	39	0	0	37
normalized size	1	1.00	1.15	1.21	1.15	1.15	0.00	0.00	1.09
time (sec)	N/A	0.011	0.012	0.054	0.321	0.489	0.000	0.000	0.844

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	5	5	5	6	5	0	3	0	-1
normalized size	1	1.00	1.00	1.20	1.00	0.00	0.60	0.00	-0.20
time (sec)	N/A	0.009	0.001	0.003	0.325	0.484	0.454	0.000	0.000

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	44	57	33	39	0	0	36
normalized size	1	1.00	0.96	1.24	0.72	0.85	0.00	0.00	0.78
time (sec)	N/A	0.030	0.104	0.044	0.331	0.493	0.000	0.000	0.886

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	25	90	47	54	0	0	46
normalized size	1	1.00	0.36	1.29	0.67	0.77	0.00	0.00	0.66
time (sec)	N/A	0.043	0.008	0.135	0.329	0.625	0.000	0.000	1.273

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	25	106	56	63	0	0	62
normalized size	1	1.00	0.31	1.32	0.70	0.79	0.00	0.00	0.78
time (sec)	N/A	0.048	0.009	0.144	0.332	0.707	0.000	0.000	1.502

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	65	62	62	62	56	0	61
normalized size	1	1.00	0.88	0.84	0.84	0.84	0.76	0.00	0.82
time (sec)	N/A	0.061	0.022	0.014	0.314	0.448	19.525	0.000	0.194

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	56	54	54	54	48	0	53
normalized size	1	1.00	0.88	0.84	0.84	0.84	0.75	0.00	0.83
time (sec)	N/A	0.050	0.018	0.007	0.311	0.719	7.483	0.000	0.270

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	43	52	40	40	39	0	45
normalized size	1	1.00	0.93	1.13	0.87	0.87	0.85	0.00	0.98
time (sec)	N/A	0.025	0.009	0.005	0.311	0.526	2.725	0.000	0.206

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	10	0	0	0	0	9
normalized size	1	1.00	1.00	0.91	0.00	0.00	0.00	0.00	0.82
time (sec)	N/A	0.009	0.001	0.058	0.000	0.495	0.000	0.000	0.173

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	49	43	34	44	37	0	44
normalized size	1	1.00	1.00	0.88	0.69	0.90	0.76	0.00	0.90
time (sec)	N/A	0.041	0.013	0.012	0.320	0.913	2.741	0.000	0.210

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	51	54	46	55	49	0	53
normalized size	1	1.00	0.80	0.84	0.72	0.86	0.77	0.00	0.83
time (sec)	N/A	0.050	0.027	0.015	0.334	1.350	7.306	0.000	0.264

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	60	62	55	64	58	0	61
normalized size	1	1.00	0.81	0.84	0.74	0.86	0.78	0.00	0.82
time (sec)	N/A	0.054	0.031	0.014	0.319	0.451	18.527	0.000	0.278

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	65	58	80	159	94	0	60
normalized size	1	1.00	0.89	0.79	1.10	2.18	1.29	0.00	0.82
time (sec)	N/A	0.045	0.069	0.010	0.422	1.305	144.625	0.000	0.413

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	57	50	68	143	83	0	52
normalized size	1	1.00	0.90	0.79	1.08	2.27	1.32	0.00	0.83
time (sec)	N/A	0.039	0.052	0.009	0.420	0.651	40.310	0.000	0.280

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	39	37	49	107	60	0	39
normalized size	1	1.00	0.98	0.92	1.22	2.68	1.50	0.00	0.98
time (sec)	N/A	0.017	0.027	0.010	0.411	0.558	9.924	0.000	0.239

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	41	39	49	94	184	0	38
normalized size	1	1.00	0.98	0.93	1.17	2.24	4.38	0.00	0.90
time (sec)	N/A	0.026	0.017	0.008	0.413	1.002	34.457	0.000	0.264

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	47	45	57	114	275	0	47
normalized size	1	1.00	0.84	0.80	1.02	2.04	4.91	0.00	0.84
time (sec)	N/A	0.032	0.014	0.013	0.417	0.599	133.625	0.000	0.326

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	47	53	65	132	0	0	58
normalized size	1	1.00	0.71	0.80	0.98	2.00	0.00	0.00	0.88
time (sec)	N/A	0.038	0.014	0.013	0.411	0.515	0.000	0.000	0.336

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	80	77	77	0	0	73
normalized size	1	1.00	1.00	0.91	0.88	0.88	0.00	0.00	0.83
time (sec)	N/A	0.075	0.017	0.018	0.319	0.489	0.000	0.000	0.338

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	79	72	69	69	0	0	65
normalized size	1	1.00	1.01	0.92	0.88	0.88	0.00	0.00	0.83
time (sec)	N/A	0.061	0.015	0.020	0.323	0.710	0.000	0.000	0.305

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	52	56	53	53	0	0	57
normalized size	1	1.00	0.87	0.93	0.88	0.88	0.00	0.00	0.95
time (sec)	N/A	0.030	0.011	0.013	0.322	0.481	0.000	0.000	0.378

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	10	0	0	0	0	9
normalized size	1	1.00	1.00	0.91	0.00	0.00	0.00	0.00	0.82
time (sec)	N/A	0.009	0.001	0.128	0.000	0.845	0.000	0.000	0.202

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	60	68	41	51	0	0	54
normalized size	1	1.00	0.95	1.08	0.65	0.81	0.00	0.00	0.86
time (sec)	N/A	0.047	0.028	0.020	0.335	0.568	0.000	0.000	0.294

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	30	98	55	64	0	0	65
normalized size	1	1.00	0.38	1.26	0.71	0.82	0.00	0.00	0.83
time (sec)	N/A	0.064	0.012	0.026	0.339	0.572	0.000	0.000	0.728

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	30	115	64	73	0	0	73
normalized size	1	1.00	0.34	1.31	0.73	0.83	0.00	0.00	0.83
time (sec)	N/A	0.065	0.012	0.027	0.337	0.584	0.000	0.000	1.025



Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	77	144	95	189	0	0	72
normalized size	1	1.00	0.89	1.66	1.09	2.17	0.00	0.00	0.83
time (sec)	N/A	0.053	0.155	0.165	0.414	0.526	0.000	0.000	0.552

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	69	136	81	173	0	0	64
normalized size	1	1.00	0.90	1.77	1.05	2.25	0.00	0.00	0.83
time (sec)	N/A	0.049	0.130	0.163	0.416	0.646	0.000	0.000	0.487

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	119	59	133	0	0	49
normalized size	1	1.00	1.00	2.38	1.18	2.66	0.00	0.00	0.98
time (sec)	N/A	0.023	0.083	0.172	0.414	0.734	0.000	0.000	0.364

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	50	112	58	112	0	0	53
normalized size	1	1.00	0.93	2.07	1.07	2.07	0.00	0.00	0.98
time (sec)	N/A	0.036	0.077	0.164	0.412	0.547	0.000	0.000	0.554

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	61	125	66	132	0	0	59
normalized size	1	1.00	0.87	1.79	0.94	1.89	0.00	0.00	0.84
time (sec)	N/A	0.041	0.083	0.161	0.413	0.589	0.000	0.000	0.771

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	69	138	74	150	0	0	70
normalized size	1	1.00	0.86	1.72	0.92	1.88	0.00	0.00	0.88
time (sec)	N/A	0.047	0.095	0.167	1.128	0.809	0.000	0.000	1.034

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	69	108	0	0	0	0	-1
normalized size	1	1.00	0.97	1.52	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.037	0.043	0.138	0.000	0.708	0.000	0.000	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	69	108	0	0	0	0	-1
normalized size	1	1.00	0.97	1.52	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.032	0.037	0.121	0.000	1.036	0.000	0.000	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	51	88	0	0	0	0	-1
normalized size	1	1.00	0.94	1.63	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.023	0.044	0.135	0.000	0.512	0.000	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	12	0	11	0	0	-1
normalized size	1	1.00	1.00	1.09	0.00	1.00	0.00	0.00	-0.09
time (sec)	N/A	0.010	0.001	0.003	0.000	0.564	0.000	0.000	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	60	106	0	0	0	0	-1
normalized size	1	1.00	0.87	1.54	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.039	0.054	0.133	0.000	0.693	0.000	0.000	0.000

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	61	108	0	0	0	0	-1
normalized size	1	1.00	0.78	1.38	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.042	0.050	0.132	0.000	0.582	0.000	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	61	108	0	0	0	0	-1
normalized size	1	1.00	0.80	1.42	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.040	0.052	0.128	0.000	0.674	0.000	0.000	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	41	132	0	0	0	0	-1
normalized size	1	1.00	0.47	1.50	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.052	0.009	0.269	0.000	0.648	0.000	0.000	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	41	132	0	0	0	0	-1
normalized size	1	1.00	0.47	1.50	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.043	0.007	0.275	0.000	0.556	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	39	105	0	0	0	0	-1
normalized size	1	1.00	0.57	1.52	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.028	0.006	0.273	0.000	0.546	0.000	0.000	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	12	0	11	0	0	-1
normalized size	1	1.00	1.00	1.09	0.00	1.00	0.00	0.00	-0.09
time (sec)	N/A	0.010	0.001	0.003	0.000	0.458	0.000	0.000	0.000

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	37	129	0	0	0	0	-1
normalized size	1	1.00	0.44	1.54	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.050	0.009	0.260	0.000	0.544	0.000	0.000	0.000

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	41	132	0	0	0	0	-1
normalized size	1	1.00	0.43	1.39	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.050	0.009	0.261	0.000	0.491	0.000	0.000	0.000

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	41	132	0	0	0	0	-1
normalized size	1	1.00	0.44	1.42	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.051	0.009	0.259	0.000	0.587	0.000	0.000	0.000

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	90	96	128	190	0	0	-1
normalized size	1	1.00	0.77	0.82	1.09	1.62	0.00	0.00	-0.01
time (sec)	N/A	0.072	0.102	0.022	1.076	0.587	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	75	83	109	143	119	0	-1
normalized size	1	1.00	0.74	0.81	1.07	1.40	1.17	0.00	-0.01
time (sec)	N/A	0.053	0.080	0.010	1.587	0.768	67.854	0.000	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	63	69	83	135	0	0	-1
normalized size	1	1.00	0.79	0.86	1.04	1.69	0.00	0.00	-0.01
time (sec)	N/A	0.046	0.075	0.015	0.414	0.442	0.000	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	51	63	71	132	0	0	-1
normalized size	1	1.00	0.75	0.93	1.04	1.94	0.00	0.00	-0.01
time (sec)	N/A	0.043	0.067	0.010	0.503	0.677	0.000	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	57	76	89	150	0	0	-1
normalized size	1	1.00	0.64	0.85	1.00	1.69	0.00	0.00	-0.01
time (sec)	N/A	0.050	0.072	0.015	1.080	0.694	0.000	0.000	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	65	89	108	170	0	0	-1
normalized size	1	1.00	0.61	0.84	1.02	1.60	0.00	0.00	-0.01
time (sec)	N/A	0.057	0.089	0.017	1.179	0.614	0.000	0.000	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	98	149	156	279	0	0	-1
normalized size	1	1.00	0.64	0.97	1.02	1.82	0.00	0.00	-0.01
time (sec)	N/A	0.098	0.254	0.173	0.670	0.562	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	88	141	143	229	0	0	-1
normalized size	1	1.00	0.65	1.04	1.05	1.68	0.00	0.00	-0.01
time (sec)	N/A	0.083	0.208	0.020	0.647	0.527	0.000	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	73	133	122	173	0	0	-1
normalized size	1	1.00	0.60	1.10	1.01	1.43	0.00	0.00	-0.01
time (sec)	N/A	0.067	0.181	0.022	2.059	0.708	0.000	0.000	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	57	127	94	161	0	0	-1
normalized size	1	1.00	0.59	1.31	0.97	1.66	0.00	0.00	-0.01
time (sec)	N/A	0.062	0.133	0.019	0.491	0.681	0.000	0.000	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	58	111	78	156	0	0	-1
normalized size	1	1.00	0.68	1.31	0.92	1.84	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.096	0.016	0.617	0.523	0.000	0.000	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	64	122	97	175	0	0	-1
normalized size	1	1.00	0.59	1.13	0.90	1.62	0.00	0.00	-0.01
time (sec)	N/A	0.066	0.091	0.021	0.478	0.537	0.000	0.000	0.000

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	72	135	118	195	0	0	-1
normalized size	1	1.00	0.58	1.08	0.94	1.56	0.00	0.00	-0.01
time (sec)	N/A	0.076	0.127	0.020	0.575	1.038	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	101	150	160	194	0	0	-1
normalized size	1	1.00	0.72	1.07	1.14	1.39	0.00	0.00	-0.01
time (sec)	N/A	0.107	0.102	0.021	0.449	0.948	0.000	0.000	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	91	139	139	172	0	0	-1
normalized size	1	1.00	0.73	1.11	1.11	1.38	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.069	0.009	1.059	0.745	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	57	137	128	156	0	0	-1
normalized size	1	1.00	0.50	1.19	1.11	1.36	0.00	0.00	-0.01
time (sec)	N/A	0.080	0.066	0.016	1.363	0.587	0.000	0.000	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	62	127	123	170	0	0	-1
normalized size	1	1.00	0.60	1.23	1.19	1.65	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.067	0.009	1.081	0.853	0.000	0.000	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	62	129	125	196	0	0	-1
normalized size	1	1.00	0.56	1.16	1.13	1.77	0.00	0.00	-0.01
time (sec)	N/A	0.072	0.064	0.011	1.075	0.495	0.000	0.000	0.000

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	B	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	70	140	151	212	0	0	-1
normalized size	1	1.00	0.56	1.11	1.20	1.68	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.074	0.017	0.462	0.737	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	89	155	178	237	0	0	-1
normalized size	1	1.00	0.55	0.96	1.11	1.47	0.00	0.00	-0.01
time (sec)	N/A	0.127	0.096	0.177	0.414	0.622	0.000	0.000	0.000



Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	89	155	175	213	0	0	-1
normalized size	1	1.00	0.55	0.96	1.09	1.32	0.00	0.00	-0.01
time (sec)	N/A	0.116	0.094	0.165	1.348	0.909	0.000	0.000	0.000

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	68	147	153	187	0	0	-1
normalized size	1	1.00	0.47	1.01	1.05	1.28	0.00	0.00	-0.01
time (sec)	N/A	0.097	0.086	0.168	0.530	1.506	0.000	0.000	0.000

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	68	147	141	169	0	0	-1
normalized size	1	1.00	0.51	1.10	1.05	1.26	0.00	0.00	-0.01
time (sec)	N/A	0.101	0.081	0.174	1.198	0.750	0.000	0.000	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	71	131	132	184	0	0	-1
normalized size	1	1.00	0.58	1.07	1.08	1.51	0.00	0.00	-0.01
time (sec)	N/A	0.093	0.084	0.174	1.415	0.483	0.000	0.000	0.000

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	71	131	134	211	0	0	-1
normalized size	1	1.00	0.54	0.99	1.02	1.60	0.00	0.00	-0.01
time (sec)	N/A	0.091	0.090	0.175	0.552	0.610	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	79	142	163	226	0	0	-1
normalized size	1	1.00	0.54	0.97	1.11	1.54	0.00	0.00	-0.01
time (sec)	N/A	0.107	0.090	0.176	0.491	0.960	0.000	0.000	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	84	142	168	223	0	0	-1
normalized size	1	1.00	0.57	0.97	1.14	1.52	0.00	0.00	-0.01
time (sec)	N/A	0.106	0.093	0.181	0.434	0.794	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	82	121	0	0	0	0	-1
normalized size	1	1.00	0.81	1.20	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.120	0.157	0.000	0.522	0.000	0.000	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	82	121	0	0	0	0	-1
normalized size	1	1.00	0.82	1.21	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.104	0.137	0.000	0.690	0.000	0.000	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	48	109	0	0	0	0	-1
normalized size	1	1.00	0.52	1.17	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.054	0.021	0.132	0.000	0.887	0.000	0.000	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	48	121	0	0	0	0	-1
normalized size	1	1.00	0.49	1.25	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.060	0.026	0.143	0.000	0.648	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	48	121	0	0	0	0	-1
normalized size	1	1.00	0.46	1.15	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.061	0.027	0.133	0.000	0.642	0.000	0.000	0.000

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	50	145	0	0	0	0	-1
normalized size	1	1.00	0.40	1.16	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.075	0.030	0.283	0.000	0.813	0.000	0.000	0.000

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	50	145	0	0	0	0	-1
normalized size	1	1.00	0.40	1.17	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.070	0.025	0.283	0.000	0.514	0.000	0.000	0.000

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	50	133	0	0	0	0	-1
normalized size	1	1.00	0.43	1.16	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.069	0.020	0.287	0.000	1.331	0.000	0.000	0.000

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	50	145	0	0	0	0	-1
normalized size	1	1.00	0.42	1.22	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.078	0.023	0.282	0.000	0.875	0.000	0.000	0.000

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	50	145	0	0	0	0	-1
normalized size	1	1.00	0.39	1.12	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.075	0.023	0.279	0.000	0.581	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.008	0.006	0.006	0.000	0.863	0.000	0.000	0.000

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.005	0.006	0.006	0.000	0.479	0.000	0.000	0.000

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.10
time (sec)	N/A	0.002	0.006	0.005	0.000	0.529	0.000	0.000	0.000

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.005	0.007	0.004	0.000	0.804	0.000	0.000	0.000

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.008	0.008	0.004	0.000	0.417	0.000	0.000	0.000

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	B
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	9	9	0	0	0	0	0	0	7
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.78
time (sec)	N/A	0.008	0.007	0.013	0.000	0.560	0.000	0.000	0.370

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	53	144	0	0	0	0	-1
normalized size	1	1.00	0.68	1.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.049	0.041	0.135	0.000	0.636	0.000	0.000	0.000

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	88	173	0	0	0	0	-1
normalized size	1	1.00	0.86	1.70	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.064	0.059	0.279	0.000	0.565	0.000	0.000	0.000

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	119	198	0	0	0	0	-1
normalized size	1	1.00	0.98	1.64	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.072	0.621	0.000	0.501	0.000	0.000	0.000

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	72	177	0	0	0	0	-1
normalized size	1	1.00	0.77	1.88	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.044	0.156	0.000	0.489	0.000	0.000	0.000

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	126	218	0	0	0	0	-1
normalized size	1	1.00	1.07	1.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.077	0.309	0.000	0.619	0.000	0.000	0.000

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	166	259	0	0	0	0	-1
normalized size	1	1.00	1.17	1.82	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.093	0.093	0.671	0.000	0.771	0.000	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	72	177	0	0	0	0	-1
normalized size	1	1.00	0.77	1.88	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.046	0.147	0.000	1.745	0.000	0.000	0.000

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	126	218	0	0	0	0	-1
normalized size	1	1.00	1.07	1.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.079	0.332	0.000	0.869	0.000	0.000	0.000

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	166	259	0	0	0	0	-1
normalized size	1	1.00	1.17	1.82	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.094	0.092	0.810	0.000	1.221	0.000	0.000	0.000

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	80	148	0	0	0	0	-1
normalized size	1	1.00	0.79	1.47	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.060	0.065	0.141	0.000	1.975	0.000	0.000	0.000

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	50	180	0	0	0	0	-1
normalized size	1	1.00	0.38	1.38	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.076	0.023	0.379	0.000	0.979	0.000	0.000	0.000

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	52	217	0	0	0	0	-1
normalized size	1	1.00	0.34	1.41	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.102	0.020	1.700	0.000	1.269	0.000	0.000	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.10
time (sec)	N/A	0.005	0.022	0.004	0.000	0.781	0.000	0.000	0.000

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	8	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.12
time (sec)	N/A	0.002	0.001	0.006	0.000	1.065	0.000	0.000	0.000

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	7	7	7	8	0	0	5	0	7
normalized size	1	1.00	1.00	1.14	0.00	0.00	0.71	0.00	1.00
time (sec)	N/A	0.009	0.001	0.003	0.000	0.465	0.454	0.000	0.539

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.020	0.006	0.000	0.745	0.000	0.000	0.000

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.020	0.005	0.000	0.588	0.000	0.000	0.000



Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	12	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.006	0.024	0.005	0.000	1.946	0.000	0.000	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	10	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.10
time (sec)	N/A	0.003	0.004	0.004	0.000	1.058	0.000	0.000	0.000

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	14	0	0	0	0	-1
normalized size	1	1.00	1.00	1.08	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.010	0.001	0.003	0.000	1.029	0.000	0.000	0.000

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.022	0.004	0.000	0.825	0.000	0.000	0.000

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	14	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.022	0.006	0.000	1.459	0.000	0.000	0.000

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	144	269	200	165	236	0	-1
normalized size	1	1.00	0.55	1.03	0.77	0.63	0.91	0.00	-0.00
time (sec)	N/A	0.321	0.195	0.010	0.313	0.789	8.796	0.000	0.000

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	96	177	145	110	153	0	-1
normalized size	1	1.00	0.63	1.16	0.95	0.72	1.01	0.00	-0.01
time (sec)	N/A	0.169	0.093	0.006	0.311	1.362	4.039	0.000	0.000

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	53	96	90	55	73	0	61
normalized size	1	1.00	0.88	1.60	1.50	0.92	1.22	0.00	1.02
time (sec)	N/A	0.049	0.017	0.003	0.304	0.759	2.075	0.000	0.593

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	401	401	422	0	0	0	0	0	-1
normalized size	1	1.00	1.05	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.355	0.131	0.016	0.000	0.451	0.000	0.000	0.000

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	73	85	114	0	0	0	-1
normalized size	1	1.00	0.87	1.01	1.36	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.117	0.051	0.022	0.319	0.900	0.000	0.000	0.000

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	131	195	193	0	0	0	-1
normalized size	1	1.00	0.76	1.13	1.12	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.178	0.158	0.020	0.314	1.278	0.000	0.000	0.000

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	210	376	302	0	0	0	-1
normalized size	1	1.00	0.76	1.36	1.09	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.273	0.286	0.026	0.319	0.815	0.000	0.000	0.000

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	347	296	0	264	219	0	0	-1
normalized size	1	1.00	0.85	0.00	0.76	0.63	0.00	0.00	-0.00
time (sec)	N/A	0.638	0.064	0.006	0.320	0.793	0.000	0.000	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	198	0	193	149	0	0	-1
normalized size	1	1.00	1.00	0.00	0.97	0.75	0.00	0.00	-0.01
time (sec)	N/A	0.287	0.045	0.005	0.316	1.949	0.000	0.000	0.000

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	C	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	66	0	120	73	0	0	77
normalized size	1	1.00	0.79	0.00	1.43	0.87	0.00	0.00	0.92
time (sec)	N/A	0.069	0.024	0.006	0.327	0.976	0.000	0.000	2.181

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.038	0.036	0.005	0.000	1.217	0.000	0.000	0.000

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	486	486	477	0	0	0	0	0	-1
normalized size	1	1.00	0.98	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.560	0.697	0.006	0.000	0.952	0.000	0.000	0.000

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	629	629	573	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.664	1.734	0.007	0.000	1.254	0.000	0.000	0.000

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	605	605	485	1177	681	651	1028	0	-1
normalized size	1	1.00	0.80	1.95	1.13	1.08	1.70	0.00	-0.00
time (sec)	N/A	0.587	0.533	0.023	0.352	0.652	36.564	0.000	0.000

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	385	385	274	687	406	373	561	0	-1
normalized size	1	1.00	0.71	1.78	1.05	0.97	1.46	0.00	-0.00
time (sec)	N/A	0.339	0.179	0.014	0.338	1.074	15.000	0.000	0.000

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	210	210	161	292	212	176	252	0	-1
normalized size	1	1.00	0.77	1.39	1.01	0.84	1.20	0.00	-0.00
time (sec)	N/A	0.197	0.082	0.006	0.333	0.631	5.457	0.000	0.000

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	53	96	90	55	73	0	61
normalized size	1	1.00	0.88	1.60	1.50	0.92	1.22	0.00	1.02
time (sec)	N/A	0.052	0.015	0.000	0.314	3.953	2.072	0.000	0.002

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	591	591	622	0	0	0	0	0	-1
normalized size	1	1.00	1.05	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.518	0.227	0.109	0.000	0.590	0.000	0.000	0.000

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	108	189	166	0	0	0	-1
normalized size	1	1.00	0.78	1.37	1.20	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.184	0.131	0.031	0.319	1.918	0.000	0.000	0.000

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	190	437	379	0	0	0	-1
normalized size	1	1.00	0.68	1.57	1.36	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.270	0.311	0.018	0.324	1.220	0.000	0.000	0.000

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	448	448	313	1075	1428	0	0	0	-1
normalized size	1	1.00	0.70	2.40	3.19	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.426	0.530	0.040	0.384	0.671	0.000	0.000	0.000

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	0	44	0	0	0	46
normalized size	1	1.00	1.00	0.00	0.96	0.00	0.00	0.00	1.00
time (sec)	N/A	0.066	0.041	0.106	0.312	0.783	0.000	0.000	0.044

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	0	44	0	0	0	46
normalized size	1	1.00	1.00	0.00	0.96	0.00	0.00	0.00	1.00
time (sec)	N/A	0.067	0.007	0.105	0.304	0.527	0.000	0.000	0.002

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	51	0	49	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.96	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.133	0.038	0.109	0.328	0.644	0.000	0.000	0.000

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	51	0	49	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.96	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.134	0.014	0.106	0.311	2.348	0.000	0.000	0.000

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	34	0	0	0	0	0	-1
normalized size	1	1.00	0.97	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.071	0.019	0.115	0.000	0.645	0.000	0.000	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	32	0	0	33	0	0	-1
normalized size	1	1.00	0.97	0.00	0.00	1.00	0.00	0.00	-0.03
time (sec)	N/A	0.061	0.007	0.104	0.000	0.809	0.000	0.000	0.000

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	32	0	0	33	0	0	-1
normalized size	1	1.00	0.97	0.00	0.00	1.00	0.00	0.00	-0.03
time (sec)	N/A	0.061	0.007	0.098	0.000	0.928	0.000	0.000	0.000

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	40	0	0	32	0	0	-1
normalized size	1	1.00	1.21	0.00	0.00	0.97	0.00	0.00	-0.03
time (sec)	N/A	0.058	1.772	0.108	0.000	1.912	0.000	0.000	0.000

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	38	37	58	35	0	0	33
normalized size	1	1.00	1.06	1.03	1.61	0.97	0.00	0.00	0.92
time (sec)	N/A	0.317	0.087	0.101	0.331	1.604	0.000	0.000	0.269

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	35	56	52	42	0	0	35
normalized size	1	1.00	0.97	1.56	1.44	1.17	0.00	0.00	0.97
time (sec)	N/A	0.367	0.101	0.159	0.332	1.535	0.000	0.000	0.195

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	52	57	211	87	0	0	81
normalized size	1	1.00	1.00	1.10	4.06	1.67	0.00	0.00	1.56
time (sec)	N/A	2.025	0.249	0.284	0.375	2.095	0.000	0.000	0.252

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	135	0	0	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.088	0.011	0.029	0.000	1.218	0.000	0.000	0.000

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	100	0	0	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.058	0.006	0.005	0.000	1.293	0.000	0.000	0.000

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	65	0	0	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.033	0.005	0.007	0.000	3.476	0.000	0.000	0.000



Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	32	0	0	0	0	-1
normalized size	1	1.00	1.00	1.03	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.018	0.004	0.013	0.000	0.948	0.000	0.000	0.000

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.068	0.053	0.005	0.000	0.928	0.000	0.000	0.000

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	300	300	223	0	376	0	0	0	-1
normalized size	1	1.00	0.74	0.00	1.25	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.523	0.561	0.012	0.347	2.259	0.000	0.000	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	258	258	192	0	296	0	0	0	-1
normalized size	1	1.00	0.74	0.00	1.15	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.405	0.323	0.007	0.365	1.711	0.000	0.000	0.000

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	160	0	222	0	0	0	-1
normalized size	1	1.00	0.61	0.00	0.85	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.255	0.285	0.009	0.372	0.620	0.000	0.000	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	119	0	141	0	0	0	-1
normalized size	1	1.00	0.90	0.00	1.07	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.212	0.024	0.006	0.339	0.819	0.000	0.000	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	10	8	8	0	0	9
normalized size	1	1.00	1.00	0.91	0.73	0.73	0.00	0.00	0.82
time (sec)	N/A	0.026	0.010	0.003	0.295	1.042	0.000	0.000	0.240

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	115	0	113	0	0	0	-1
normalized size	1	1.00	1.04	0.00	1.02	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.164	0.131	0.009	0.367	1.134	0.000	0.000	0.000

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	191	191	185	0	162	0	0	0	-1
normalized size	1	1.00	0.97	0.00	0.85	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.282	0.264	0.009	0.449	1.870	0.000	0.000	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	246	0	188	0	0	0	-1
normalized size	1	1.00	1.00	0.00	0.77	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.355	0.226	0.006	0.463	1.317	0.000	0.000	0.000

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	287	287	277	0	214	0	0	0	-1
normalized size	1	1.00	0.97	0.00	0.75	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.449	0.229	0.010	0.457	1.007	0.000	0.000	0.000

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	423	366	252	0	0	0	0	0	-1
normalized size	1	0.87	0.60	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.611	0.406	0.306	0.000	0.968	0.000	0.000	0.000

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	330	287	211	0	0	0	0	0	-1
normalized size	1	0.87	0.64	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.449	0.313	0.277	0.000	2.040	0.000	0.000	0.000

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	149	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.211	0.068	0.249	0.000	1.310	0.000	0.000	0.000

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	20	19	0	0	0	0	18
normalized size	1	1.00	1.00	0.95	0.00	0.00	0.00	0.00	0.90
time (sec)	N/A	0.058	0.010	0.169	0.000	1.064	0.000	0.000	0.248

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	165	150	0	0	0	0	0	-1
normalized size	1	1.06	0.96	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.355	0.151	0.274	0.000	0.544	0.000	0.000	0.000

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	278	238	0	0	0	0	0	-1
normalized size	1	1.05	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.496	0.118	0.306	0.000	0.909	0.000	0.000	0.000

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	351	301	0	0	0	0	0	-1
normalized size	1	1.03	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.651	0.268	0.319	0.000	0.724	0.000	0.000	0.000

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	2995	2995	2610	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.600	10.167	0.272	0.000	0.805	0.000	0.000	0.000

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	2252	2252	1996	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.904	6.157	0.143	0.000	2.036	0.000	0.000	0.000

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1653	1653	1546	0	0	0	0	0	-1
normalized size	1	1.00	0.94	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.186	2.466	0.141	0.000	0.779	0.000	0.000	0.000

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.025	2.432	0.261	0.000	1.372	0.000	0.000	0.000

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	2498	2498	2247	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.667	7.393	0.290	0.000	0.721	0.000	0.000	0.000

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3119	3119	2673	0	0	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.238	14.598	0.295	0.000	0.793	0.000	0.000	0.000

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	3733	3733	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.308	10.471	0.311	0.000	1.473	0.000	0.000	0.000

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	661	661	425	0	415	0	0	0	-1
normalized size	1	1.00	0.64	0.00	0.63	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.982	0.715	0.007	0.341	1.029	0.000	0.000	0.000

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	546	546	362	0	345	0	0	0	-1
normalized size	1	1.00	0.66	0.00	0.63	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.718	0.568	0.008	0.331	1.060	0.000	0.000	0.000

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	390	390	285	0	258	0	0	0	-1
normalized size	1	1.00	0.73	0.00	0.66	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.449	0.451	0.007	0.343	0.890	0.000	0.000	0.000

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	137	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.338	0.227	0.008	0.000	0.767	0.000	0.000	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	135	0	0	0	0	0	-1
normalized size	1	1.00	1.03	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.314	0.683	0.010	0.000	2.956	0.000	0.000	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	285	0	213	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.64	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.541	1.135	0.006	0.396	0.461	0.000	0.000	0.000

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	460	460	389	0	287	0	0	0	-1
normalized size	1	1.00	0.85	0.00	0.62	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.672	1.359	0.009	0.399	0.734	0.000	0.000	0.000

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	584	584	505	0	341	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.58	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.845	1.468	0.006	0.378	2.502	0.000	0.000	0.000

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	900	900	583	0	518	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.58	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.185	1.208	0.014	0.336	0.604	0.000	0.000	0.000

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	645	645	472	0	412	0	0	0	-1
normalized size	1	1.00	0.73	0.00	0.64	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.818	0.980	0.011	0.343	1.999	0.000	0.000	0.000

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	402	402	298	0	0	0	0	0	-1
normalized size	1	1.00	0.74	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.619	0.356	0.010	0.000	1.042	0.000	0.000	0.000

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	280	0	0	0	0	0	-1
normalized size	1	1.00	1.28	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.508	0.787	0.007	0.000	1.718	0.000	0.000	0.000

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.740	1.685	0.007	0.000	3.317	0.000	0.000	0.000

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	515	515	488	0	319	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.62	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.823	1.589	0.008	0.400	1.948	0.000	0.000	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	767	767	621	0	403	0	0	0	-1
normalized size	1	1.00	0.81	0.00	0.53	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.125	1.912	0.012	0.393	2.993	0.000	0.000	0.000



## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [163] had the largest ratio of [1.214]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	3	1.00	9	0.333
2	A	4	3	1.00	9	0.333
3	A	4	3	1.00	9	0.333
4	A	4	3	1.00	7	0.429
5	A	3	3	1.00	5	0.600
6	A	1	1	1.00	9	0.111
7	A	5	5	1.00	9	0.556
8	A	4	3	1.00	9	0.333
9	A	4	3	1.00	9	0.333
10	A	4	3	1.00	9	0.333
11	A	5	3	1.00	9	0.333
12	A	5	3	1.00	9	0.333
13	A	5	3	1.00	7	0.429
14	A	4	3	1.00	5	0.600
15	A	1	1	1.00	9	0.111

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
16	A	6	5	1.00	9	0.556
17	A	5	3	1.00	9	0.333
18	A	5	3	1.00	9	0.333
19	A	5	4	1.00	11	0.364
20	A	5	4	1.00	11	0.364
21	A	4	4	1.00	9	0.444
22	A	1	1	1.00	11	0.091
23	A	6	6	1.00	11	0.546
24	A	5	4	1.00	11	0.364
25	A	5	4	1.00	11	0.364
26	A	5	4	1.00	11	0.364
27	A	5	4	1.00	11	0.364
28	A	4	4	1.00	7	0.571
29	A	3	3	1.00	11	0.273
30	A	4	4	1.00	11	0.364
31	A	5	4	1.00	11	0.364
32	A	6	4	1.00	11	0.364
33	A	6	4	1.00	11	0.364
34	A	5	4	1.00	9	0.444
35	A	1	1	1.00	11	0.091
36	A	7	6	1.00	11	0.546
37	A	6	4	1.00	11	0.364
38	A	6	4	1.00	11	0.364
39	A	6	4	1.00	11	0.364
40	A	6	4	1.00	11	0.364
41	A	5	4	1.00	7	0.571

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
42	A	4	3	1.00	11	0.273
43	A	5	4	1.00	11	0.364
44	A	6	4	1.00	11	0.364
45	A	3	3	1.00	11	0.273
46	A	3	3	1.00	9	0.333
47	A	3	3	1.00	7	0.429
48	A	1	1	1.00	11	0.091
49	A	3	3	1.00	11	0.273
50	A	3	3	1.00	11	0.273
51	A	3	3	1.00	11	0.273
52	A	4	3	1.00	11	0.273
53	A	4	3	1.00	9	0.333
54	A	4	3	1.00	7	0.429
55	A	1	1	1.00	11	0.091
56	A	4	3	1.00	11	0.273
57	A	4	3	1.00	11	0.273
58	A	4	3	1.00	11	0.273
59	A	7	5	1.00	13	0.385
60	A	6	5	1.00	13	0.385
61	A	5	5	1.00	13	0.385
62	A	4	4	1.00	13	0.308
63	A	5	5	1.00	13	0.385
64	A	6	5	1.00	13	0.385
65	A	9	5	1.00	13	0.385
66	A	8	5	1.00	13	0.385
67	A	7	5	1.00	13	0.385

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
68	A	6	5	1.00	13	0.385
69	A	5	4	1.00	13	0.308
70	A	6	5	1.00	13	0.385
71	A	7	5	1.00	13	0.385
72	A	9	8	1.00	15	0.533
73	A	8	8	1.00	15	0.533
74	A	8	8	1.00	15	0.533
75	A	7	7	1.00	15	0.467
76	A	7	7	1.00	15	0.467
77	A	8	8	1.00	15	0.533
78	A	10	8	1.00	15	0.533
79	A	10	8	1.00	15	0.533
80	A	9	8	1.00	15	0.533
81	A	9	8	1.00	15	0.533
82	A	8	7	1.00	15	0.467
83	A	8	7	1.00	15	0.467
84	A	9	8	1.00	15	0.533
85	A	9	8	1.00	15	0.533
86	A	4	4	1.00	15	0.267
87	A	4	4	1.00	15	0.267
88	A	4	4	1.00	15	0.267
89	A	4	4	1.00	15	0.267
90	A	4	4	1.00	15	0.267
91	A	5	4	1.00	15	0.267
92	A	5	4	1.00	15	0.267
93	A	5	4	1.00	15	0.267

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
94	A	5	4	1.00	15	0.267
95	A	5	4	1.00	15	0.267
96	A	0	0	0.00	0	0.000
97	A	0	0	0.00	0	0.000
98	A	0	0	0.00	0	0.000
99	A	0	0	0.00	0	0.000
100	A	0	0	0.00	0	0.000
101	A	2	1	1.00	15	0.067
102	A	3	3	1.00	11	0.273
103	A	4	3	1.00	11	0.273
104	A	5	3	1.00	11	0.273
105	A	4	4	1.00	13	0.308
106	A	5	4	1.00	13	0.308
107	A	6	4	1.00	13	0.308
108	A	4	4	1.00	13	0.308
109	A	5	4	1.00	13	0.308
110	A	6	4	1.00	13	0.308
111	A	4	4	1.00	13	0.308
112	A	5	4	1.00	13	0.308
113	A	6	4	1.00	13	0.308
114	A	0	0	0.00	0	0.000
115	A	0	0	0.00	0	0.000
116	A	1	1	1.00	9	0.111
117	A	0	0	0.00	0	0.000
118	A	0	0	0.00	0	0.000
119	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
120	A	0	0	0.00	0	0.000
121	A	1	1	1.00	11	0.091
122	A	0	0	0.00	0	0.000
123	A	0	0	0.00	0	0.000
124	A	13	8	1.00	13	0.615
125	A	10	8	1.00	11	0.727
126	A	7	7	1.00	9	0.778
127	A	3	3	1.00	13	0.231
128	A	7	9	1.00	13	0.692
129	A	11	11	1.00	13	0.846
130	A	14	11	1.00	13	0.846
131	A	33	13	1.00	13	1.000
132	A	19	12	1.00	11	1.091
133	A	9	8	1.00	9	0.889
134	A	0	0	0.00	0	0.000
135	A	6	5	1.00	13	0.385
136	A	12	13	1.00	13	1.000
137	A	16	8	1.00	17	0.471
138	A	13	8	1.00	17	0.471
139	A	10	8	1.00	15	0.533
140	A	7	7	1.00	9	0.778
141	A	3	3	1.00	17	0.176
142	A	8	5	1.00	17	0.294
143	A	12	8	1.00	17	0.471
144	A	15	9	1.00	17	0.529
145	A	5	5	1.00	9	0.556

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
146	A	5	5	1.00	12	0.417
147	A	8	6	1.00	12	0.500
148	A	8	6	1.00	15	0.400
149	A	1	1	1.00	34	0.029
150	A	1	1	1.00	34	0.029
151	A	1	1	1.00	34	0.029
152	A	1	1	1.00	37	0.027
153	A	2	2	1.00	53	0.038
154	A	2	2	1.00	53	0.038
155	A	4	4	1.00	76	0.053
156	A	5	3	1.00	19	0.158
157	A	4	3	1.00	19	0.158
158	A	3	3	1.00	17	0.176
159	A	2	2	1.00	15	0.133
160	A	0	0	0.00	0	0.000
161	A	38	16	1.00	16	1.000
162	A	31	16	1.00	16	1.000
163	A	22	17	1.00	14	1.214
164	A	15	12	1.00	13	0.923
165	A	1	2	1.00	16	0.125
166	A	10	13	1.00	16	0.812
167	A	23	17	1.00	16	1.062
168	A	30	17	1.00	16	1.062
169	A	37	17	1.00	16	1.062
170	A	37	20	0.87	20	1.000
171	A	30	20	0.87	18	1.111

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
172	A	18	14	1.00	17	0.824
173	A	3	3	1.00	20	0.150
174	A	19	15	1.06	20	0.750
175	A	31	22	1.05	20	1.100
176	A	42	24	1.03	20	1.200
177	A	108	20	1.00	27	0.741
178	A	67	20	1.00	25	0.800
179	A	42	17	1.00	24	0.708
180	A	0	0	0.00	0	0.000
181	A	22	9	1.00	27	0.333
182	A	44	16	1.00	27	0.593
183	A	78	18	1.00	27	0.667
184	A	52	17	1.00	21	0.810
185	A	40	21	1.00	19	1.105
186	A	26	20	1.00	18	1.111
187	A	18	15	1.00	21	0.714
188	A	13	17	1.00	21	0.810
189	A	30	20	1.00	21	0.952
190	A	41	19	1.00	21	0.905
191	A	51	19	1.00	21	0.905
192	A	60	22	1.00	24	0.917
193	A	43	21	1.00	23	0.913
194	A	29	24	1.00	26	0.923
195	A	19	21	1.00	26	0.808
196	A	32	22	1.00	26	0.846
197	A	43	20	1.00	26	0.769

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
198	A	61	19	1.00	26	0.731



# Chapter 3

## Listing of integrals

### 3.1 $\int x^4 \text{Li}_2(ax) dx$

Optimal. Leaf size=86

$$-\frac{\log(1-ax)}{25a^5} - \frac{x}{25a^4} - \frac{x^2}{50a^3} - \frac{x^3}{75a^2} + \frac{1}{5}x^5 \text{Li}_2(ax) + \frac{1}{25}x^5 \log(1-ax) - \frac{x^4}{100a} - \frac{x^5}{125}$$

[Out]  $-1/25*x/a^4-1/50*x^2/a^3-1/75*x^3/a^2-1/100*x^4/a-1/125*x^5-1/25*\ln(-a*x+1)/a^5+1/25*x^5*\ln(-a*x+1)+1/5*x^5*\text{polylog}(2,a*x)$

**Rubi** [A] time = 0.05, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 43}

$$\frac{1}{5}x^5 \text{PolyLog}(2, ax) - \frac{x^3}{75a^2} - \frac{x^2}{50a^3} - \frac{x}{25a^4} - \frac{\log(1-ax)}{25a^5} - \frac{x^4}{100a} + \frac{1}{25}x^5 \log(1-ax) - \frac{x^5}{125}$$

Antiderivative was successfully verified.

[In] Int[x^4\*PolyLog[2, a\*x], x]

[Out]  $-x/(25*a^4) - x^2/(50*a^3) - x^3/(75*a^2) - x^4/(100*a) - x^5/125 - \text{Log}[1 - a*x]/(25*a^5) + (x^5*\text{Log}[1 - a*x])/25 + (x^5*\text{PolyLog}[2, a*x])/5$

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_.))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_.))^(q_.), x_Symbol] :> Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

Rule 6591

```
Int[((d_.)*(x_.))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_.)^(p_.))^(q_.)], x_Symbol] :> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int x^4 \text{Li}_2(ax) dx &= \frac{1}{5} x^5 \text{Li}_2(ax) + \frac{1}{5} \int x^4 \log(1 - ax) dx \\ &= \frac{1}{25} x^5 \log(1 - ax) + \frac{1}{5} x^5 \text{Li}_2(ax) + \frac{1}{25} a \int \frac{x^5}{1 - ax} dx \\ &= \frac{1}{25} x^5 \log(1 - ax) + \frac{1}{5} x^5 \text{Li}_2(ax) + \frac{1}{25} a \int \left( -\frac{1}{a^5} - \frac{x}{a^4} - \frac{x^2}{a^3} - \frac{x^3}{a^2} - \frac{x^4}{a} - \frac{1}{a^5(-1 + ax)} \right) dx \\ &= -\frac{x}{25a^4} - \frac{x^2}{50a^3} - \frac{x^3}{75a^2} - \frac{x^4}{100a} - \frac{x^5}{125} - \frac{\log(1 - ax)}{25a^5} + \frac{1}{25} x^5 \log(1 - ax) + \frac{1}{5} x^5 \text{Li}_2(ax) \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 73, normalized size = 0.85

$$\frac{300a^5x^5\text{Li}_2(ax) + 60(a^5x^5 - 1)\log(1 - ax) - ax(12a^4x^4 + 15a^3x^3 + 20a^2x^2 + 30ax + 60)}{1500a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*PolyLog[2, a\*x], x]

[Out]  $(-(a*x*(60 + 30*a*x + 20*a^2*x^2 + 15*a^3*x^3 + 12*a^4*x^4)) + 60*(-1 + a^5*x^5)*\text{Log}[1 - a*x] + 300*a^5*x^5*\text{PolyLog}[2, a*x])/(1500*a^5)$

**fricas** [A] time = 1.21, size = 72, normalized size = 0.84

$$\frac{300a^5x^5\text{Li}_2(ax) - 12a^5x^5 - 15a^4x^4 - 20a^3x^3 - 30a^2x^2 - 60ax + 60(a^5x^5 - 1)\log(-ax + 1)}{1500a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(2,a\*x),x, algorithm="fricas")

[Out] 1/1500\*(300\*a^5\*x^5\*dilog(a\*x) - 12\*a^5\*x^5 - 15\*a^4\*x^4 - 20\*a^3\*x^3 - 30\*a^2\*x^2 - 60\*a\*x + 60\*(a^5\*x^5 - 1)\*log(-a\*x + 1))/a^5

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate(x^4\*dilog(a\*x), x)

**maple** [A] time = 0.01, size = 76, normalized size = 0.88

$$\frac{x}{25a^4} - \frac{x^5}{125} - \frac{x^4}{100a} - \frac{x^3}{75a^2} - \frac{x^2}{50a^3} - \frac{\ln(-ax+1)}{25a^5} + \frac{x^5 \ln(-ax+1)}{25} + \frac{x^5 \text{polylog}(2,ax)}{5} + \frac{137}{1500a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*polylog(2,a\*x),x)

[Out] -1/25\*x/a^4-1/125\*x^5-1/100\*x^4/a-1/75\*x^3/a^2-1/50\*x^2/a^3-1/25\*ln(-a\*x+1)/a^5+1/25\*x^5\*ln(-a\*x+1)+1/5\*x^5\*polylog(2,a\*x)+137/1500/a^5

**maxima** [A] time = 0.32, size = 72, normalized size = 0.84

$$\frac{300 a^5 x^5 \text{Li}_2(ax) - 12 a^5 x^5 - 15 a^4 x^4 - 20 a^3 x^3 - 30 a^2 x^2 - 60 ax + 60 (a^5 x^5 - 1) \log(-ax + 1)}{1500 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(2,a\*x),x, algorithm="maxima")

[Out] 1/1500\*(300\*a^5\*x^5\*dilog(a\*x) - 12\*a^5\*x^5 - 15\*a^4\*x^4 - 20\*a^3\*x^3 - 30\*a^2\*x^2 - 60\*a\*x + 60\*(a^5\*x^5 - 1)\*log(-a\*x + 1))/a^5

**mupad** [B] time = 0.31, size = 69, normalized size = 0.80

$$\frac{x^5 \ln(1-ax)}{25} - \frac{\ln(ax-1)}{25a^5} - \frac{x}{25a^4} - \frac{x^5}{125} + \frac{x^5 \text{polylog}(2,ax)}{5} - \frac{x^4}{100a} - \frac{x^3}{75a^2} - \frac{x^2}{50a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*polylog(2, a*x),x)`

[Out]  $(x^5 \log(1 - ax))/25 - \log(ax - 1)/(25a^5) - x/(25a^4) - x^5/125 + (x^5 \text{polylog}(2, ax))/5 - x^4/(100a) - x^3/(75a^2) - x^2/(50a^3)$

**sympy [A]** time = 9.68, size = 66, normalized size = 0.77

$$\begin{cases} -\frac{x^5 \text{Li}_1(ax)}{25} + \frac{x^5 \text{Li}_2(ax)}{5} - \frac{x^5}{125} - \frac{x^4}{100a} - \frac{x^3}{75a^2} - \frac{x^2}{50a^3} - \frac{x}{25a^4} + \frac{\text{Li}_1(ax)}{25a^5} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*polylog(2,a*x),x)`

[Out] `Piecewise((-x**5*polylog(1, a*x)/25 + x**5*polylog(2, a*x)/5 - x**5/125 - x**4/(100*a) - x**3/(75*a**2) - x**2/(50*a**3) - x/(25*a**4) + polylog(1, a*x)/(25*a**5), Ne(a, 0)), (0, True))`

## 3.2 $\int x^3 \text{Li}_2(ax) dx$

Optimal. Leaf size=76

$$-\frac{\log(1-ax)}{16a^4} - \frac{x}{16a^3} - \frac{x^2}{32a^2} + \frac{1}{4}x^4 \text{Li}_2(ax) + \frac{1}{16}x^4 \log(1-ax) - \frac{x^3}{48a} - \frac{x^4}{64}$$

[Out]  $-1/16*x/a^3-1/32*x^2/a^2-1/48*x^3/a-1/64*x^4-1/16*\ln(-a*x+1)/a^4+1/16*x^4*\ln(-a*x+1)+1/4*x^4*\text{polylog}(2,a*x)$

**Rubi [A]** time = 0.04, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 43}

$$\frac{1}{4}x^4 \text{PolyLog}(2, ax) - \frac{x^2}{32a^2} - \frac{x}{16a^3} - \frac{\log(1-ax)}{16a^4} - \frac{x^3}{48a} + \frac{1}{16}x^4 \log(1-ax) - \frac{x^4}{64}$$

Antiderivative was successfully verified.

[In] Int[x^3\*PolyLog[2, a\*x], x]

[Out]  $-x/(16*a^3) - x^2/(32*a^2) - x^3/(48*a) - x^4/64 - \text{Log}[1 - a*x]/(16*a^4) + (x^4*\text{Log}[1 - a*x])/16 + (x^4*\text{PolyLog}[2, a*x])/4$

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^3 \text{Li}_2(ax) dx &= \frac{1}{4} x^4 \text{Li}_2(ax) + \frac{1}{4} \int x^3 \log(1 - ax) dx \\
&= \frac{1}{16} x^4 \log(1 - ax) + \frac{1}{4} x^4 \text{Li}_2(ax) + \frac{1}{16} a \int \frac{x^4}{1 - ax} dx \\
&= \frac{1}{16} x^4 \log(1 - ax) + \frac{1}{4} x^4 \text{Li}_2(ax) + \frac{1}{16} a \int \left( -\frac{1}{a^4} - \frac{x}{a^3} - \frac{x^2}{a^2} - \frac{x^3}{a} - \frac{1}{a^4(-1 + ax)} \right) dx \\
&= -\frac{x}{16a^3} - \frac{x^2}{32a^2} - \frac{x^3}{48a} - \frac{x^4}{64} - \frac{\log(1 - ax)}{16a^4} + \frac{1}{16} x^4 \log(1 - ax) + \frac{1}{4} x^4 \text{Li}_2(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 65, normalized size = 0.86

$$\frac{48a^4x^4\text{Li}_2(ax) + 12(a^4x^4 - 1)\log(1 - ax) - ax(3a^3x^3 + 4a^2x^2 + 6ax + 12)}{192a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*PolyLog[2, a\*x], x]

[Out]  $(-(a*x*(12 + 6*a*x + 4*a^2*x^2 + 3*a^3*x^3)) + 12*(-1 + a^4*x^4)*\text{Log}[1 - a*x] + 48*a^4*x^4*\text{PolyLog}[2, a*x])/(192*a^4)$

**fricas [A]** time = 1.52, size = 64, normalized size = 0.84

$$\frac{48a^4x^4\text{Li}_2(ax) - 3a^4x^4 - 4a^3x^3 - 6a^2x^2 - 12ax + 12(a^4x^4 - 1)\log(-ax + 1)}{192a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(2,a\*x),x, algorithm="fricas")

[Out]  $1/192*(48*a^4*x^4*\text{dilog}(a*x) - 3*a^4*x^4 - 4*a^3*x^3 - 6*a^2*x^2 - 12*a*x + 12*(a^4*x^4 - 1)*\log(-a*x + 1))/a^4$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(2,a\*x),x, algorithm="giac")



[Out] integrate(x<sup>3</sup>\*dilog(a\*x), x)

**maple [A]** time = 0.01, size = 68, normalized size = 0.89

$$\frac{x^4 \operatorname{polylog}(2, ax)}{4} + \frac{x^4 \ln(-ax + 1)}{16} - \frac{\ln(-ax + 1)}{16a^4} - \frac{x^4}{64} - \frac{x^3}{48a} - \frac{x^2}{32a^2} - \frac{x}{16a^3} + \frac{25}{192a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>3</sup>\*polylog(2, a\*x), x)

[Out] 1/4\*x<sup>4</sup>\*polylog(2, a\*x)+1/16\*x<sup>4</sup>\*ln(-a\*x+1)-1/16\*ln(-a\*x+1)/a<sup>4</sup>-1/64\*x<sup>4</sup>-1/48\*x<sup>3</sup>/a-1/32\*x<sup>2</sup>/a<sup>2</sup>-1/16\*x/a<sup>3</sup>+25/192/a<sup>4</sup>

**maxima [A]** time = 0.32, size = 64, normalized size = 0.84

$$\frac{48 a^4 x^4 \operatorname{Li}_2(ax) - 3 a^4 x^4 - 4 a^3 x^3 - 6 a^2 x^2 - 12 a x + 12 (a^4 x^4 - 1) \log(-ax + 1)}{192 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>3</sup>\*polylog(2, a\*x), x, algorithm="maxima")

[Out] 1/192\*(48\*a<sup>4</sup>\*x<sup>4</sup>\*dilog(a\*x) - 3\*a<sup>4</sup>\*x<sup>4</sup> - 4\*a<sup>3</sup>\*x<sup>3</sup> - 6\*a<sup>2</sup>\*x<sup>2</sup> - 12\*a\*x + 12\*(a<sup>4</sup>\*x<sup>4</sup> - 1)\*log(-a\*x + 1))/a<sup>4</sup>

**mupad [B]** time = 0.25, size = 61, normalized size = 0.80

$$\frac{x^4 \ln(1 - ax)}{16} - \frac{\ln(ax - 1)}{16a^4} - \frac{x}{16a^3} - \frac{x^4}{64} + \frac{x^4 \operatorname{polylog}(2, ax)}{4} - \frac{x^3}{48a} - \frac{x^2}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>3</sup>\*polylog(2, a\*x), x)

[Out] (x<sup>4</sup>\*log(1 - a\*x))/16 - log(a\*x - 1)/(16\*a<sup>4</sup>) - x/(16\*a<sup>3</sup>) - x<sup>4</sup>/64 + (x<sup>4</sup>\*polylog(2, a\*x))/4 - x<sup>3</sup>/(48\*a) - x<sup>2</sup>/(32\*a<sup>2</sup>)

**sympy [A]** time = 5.61, size = 58, normalized size = 0.76

$$\begin{cases} -\frac{x^4 \operatorname{Li}_1(ax)}{16} + \frac{x^4 \operatorname{Li}_2(ax)}{4} - \frac{x^4}{64} - \frac{x^3}{48a} - \frac{x^2}{32a^2} - \frac{x}{16a^3} + \frac{\operatorname{Li}_1(ax)}{16a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*polylog(2, a\*x), x)

[Out] Piecewise((-x\*\*4\*polylog(1, a\*x)/16 + x\*\*4\*polylog(2, a\*x)/4 - x\*\*4/64 - x\*\*3/(48\*a) - x\*\*2/(32\*a\*\*2) - x/(16\*a\*\*3) + polylog(1, a\*x)/(16\*a\*\*4), Ne(a, 0)), (0, True))

### 3.3 $\int x^2 \text{Li}_2(ax) dx$

Optimal. Leaf size=66

$$-\frac{\log(1-ax)}{9a^3} - \frac{x}{9a^2} + \frac{1}{3}x^3 \text{Li}_2(ax) + \frac{1}{9}x^3 \log(1-ax) - \frac{x^2}{18a} - \frac{x^3}{27}$$

[Out]  $-1/9*x/a^2-1/18*x^2/a-1/27*x^3-1/9*\ln(-a*x+1)/a^3+1/9*x^3*\ln(-a*x+1)+1/3*x^3*\text{polylog}(2,a*x)$

**Rubi [A]** time = 0.04, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 43}

$$\frac{1}{3}x^3 \text{PolyLog}(2, ax) - \frac{x}{9a^2} - \frac{\log(1-ax)}{9a^3} - \frac{x^2}{18a} + \frac{1}{9}x^3 \log(1-ax) - \frac{x^3}{27}$$

Antiderivative was successfully verified.

[In] Int[x^2\*PolyLog[2, a\*x], x]

[Out]  $-x/(9*a^2) - x^2/(18*a) - x^3/27 - \text{Log}[1 - a*x]/(9*a^3) + (x^3*\text{Log}[1 - a*x])/9 + (x^3*\text{PolyLog}[2, a*x])/3$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_2(ax) dx &= \frac{1}{3} x^3 \text{Li}_2(ax) + \frac{1}{3} \int x^2 \log(1 - ax) dx \\
&= \frac{1}{9} x^3 \log(1 - ax) + \frac{1}{3} x^3 \text{Li}_2(ax) + \frac{1}{9} a \int \frac{x^3}{1 - ax} dx \\
&= \frac{1}{9} x^3 \log(1 - ax) + \frac{1}{3} x^3 \text{Li}_2(ax) + \frac{1}{9} a \int \left( -\frac{1}{a^3} - \frac{x}{a^2} - \frac{x^2}{a} - \frac{1}{a^3(-1 + ax)} \right) dx \\
&= -\frac{x}{9a^2} - \frac{x^2}{18a} - \frac{x^3}{27} - \frac{\log(1 - ax)}{9a^3} + \frac{1}{9} x^3 \log(1 - ax) + \frac{1}{3} x^3 \text{Li}_2(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 57, normalized size = 0.86

$$\frac{18a^3x^3\text{Li}_2(ax) + 6(a^3x^3 - 1)\log(1 - ax) - ax(2a^2x^2 + 3ax + 6)}{54a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[2, a\*x], x]

[Out]  $(-(a*x*(6 + 3*a*x + 2*a^2*x^2)) + 6*(-1 + a^3*x^3)*\text{Log}[1 - a*x] + 18*a^3*x^3*\text{PolyLog}[2, a*x])/(54*a^3)$

**fricas [A]** time = 0.51, size = 56, normalized size = 0.85

$$\frac{18a^3x^3\text{Li}_2(ax) - 2a^3x^3 - 3a^2x^2 - 6ax + 6(a^3x^3 - 1)\log(-ax + 1)}{54a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,a\*x),x, algorithm="fricas")

[Out]  $1/54*(18*a^3*x^3*\text{dilog}(a*x) - 2*a^3*x^3 - 3*a^2*x^2 - 6*a*x + 6*(a^3*x^3 - 1)*\log(-a*x + 1))/a^3$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate(x^2\*dilog(a\*x), x)

**maple [A]** time = 0.01, size = 60, normalized size = 0.91

$$\frac{x^3 \operatorname{polylog}(2, ax)}{3} + \frac{x^3 \ln(-ax + 1)}{9} - \frac{\ln(-ax + 1)}{9a^3} - \frac{x^3}{27} - \frac{x^2}{18a} - \frac{x}{9a^2} + \frac{11}{54a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(2,a\*x),x)

[Out] 1/3\*x^3\*polylog(2,a\*x)+1/9\*x^3\*ln(-a\*x+1)-1/9\*ln(-a\*x+1)/a^3-1/27\*x^3-1/18\*x^2/a-1/9\*x/a^2+11/54/a^3

**maxima [A]** time = 0.31, size = 56, normalized size = 0.85

$$\frac{18 a^3 x^3 \operatorname{Li}_2(ax) - 2 a^3 x^3 - 3 a^2 x^2 - 6 a x + 6 (a^3 x^3 - 1) \log(-ax + 1)}{54 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,a\*x),x, algorithm="maxima")

[Out] 1/54\*(18\*a^3\*x^3\*dilog(a\*x) - 2\*a^3\*x^3 - 3\*a^2\*x^2 - 6\*a\*x + 6\*(a^3\*x^3 - 1)\*log(-a\*x + 1))/a^3

**mupad [B]** time = 0.23, size = 53, normalized size = 0.80

$$\frac{x^3 \ln(1 - ax)}{9} - \frac{\ln(ax - 1)}{9a^3} - \frac{x}{9a^2} - \frac{x^3}{27} + \frac{x^3 \operatorname{polylog}(2, ax)}{3} - \frac{x^2}{18a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(2, a\*x),x)

[Out] (x^3\*log(1 - a\*x))/9 - log(a\*x - 1)/(9\*a^3) - x/(9\*a^2) - x^3/27 + (x^3\*polylog(2, a\*x))/3 - x^2/(18\*a)

**sympy [A]** time = 3.25, size = 49, normalized size = 0.74

$$\begin{cases} -\frac{x^3 \operatorname{Li}_1(ax)}{9} + \frac{x^3 \operatorname{Li}_2(ax)}{3} - \frac{x^3}{27} - \frac{x^2}{18a} - \frac{x}{9a^2} + \frac{\operatorname{Li}_1(ax)}{9a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*polylog(2,a\*x),x)

[Out] Piecewise((-x\*\*3\*polylog(1, a\*x)/9 + x\*\*3\*polylog(2, a\*x)/3 - x\*\*3/27 - x\*\*2/(18\*a) - x/(9\*a\*\*2) + polylog(1, a\*x)/(9\*a\*\*3), Ne(a, 0)), (0, True))

### 3.4 $\int x \text{Li}_2(ax) dx$

Optimal. Leaf size=56

$$-\frac{\log(1-ax)}{4a^2} + \frac{1}{2}x^2 \text{Li}_2(ax) + \frac{1}{4}x^2 \log(1-ax) - \frac{x}{4a} - \frac{x^2}{8}$$

[Out]  $-1/4*x/a-1/8*x^2-1/4*\ln(-a*x+1)/a^2+1/4*x^2*\ln(-a*x+1)+1/2*x^2*\text{polylog}(2,a*x)$

**Rubi [A]** time = 0.03, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {6591, 2395, 43}

$$\frac{1}{2}x^2 \text{PolyLog}(2, ax) - \frac{\log(1-ax)}{4a^2} + \frac{1}{4}x^2 \log(1-ax) - \frac{x}{4a} - \frac{x^2}{8}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[2, a\*x], x]

[Out]  $-x/(4*a) - x^2/8 - \text{Log}[1 - a*x]/(4*a^2) + (x^2*\text{Log}[1 - a*x])/4 + (x^2*\text{PolyLog}[2, a*x])/2$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x\text{Li}_2(ax) dx &= \frac{1}{2}x^2\text{Li}_2(ax) + \frac{1}{2} \int x \log(1 - ax) dx \\
&= \frac{1}{4}x^2 \log(1 - ax) + \frac{1}{2}x^2\text{Li}_2(ax) + \frac{1}{4}a \int \frac{x^2}{1 - ax} dx \\
&= \frac{1}{4}x^2 \log(1 - ax) + \frac{1}{2}x^2\text{Li}_2(ax) + \frac{1}{4}a \int \left( -\frac{1}{a^2} - \frac{x}{a} - \frac{1}{a^2(-1 + ax)} \right) dx \\
&= -\frac{x}{4a} - \frac{x^2}{8} - \frac{\log(1 - ax)}{4a^2} + \frac{1}{4}x^2 \log(1 - ax) + \frac{1}{2}x^2\text{Li}_2(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 48, normalized size = 0.86

$$\frac{4a^2x^2\text{Li}_2(ax) + 2(a^2x^2 - 1)\log(1 - ax) - ax(ax + 2)}{8a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[2, a\*x], x]

[Out]  $(-(a*x*(2 + a*x)) + 2*(-1 + a^2*x^2)*\text{Log}[1 - a*x] + 4*a^2*x^2*\text{PolyLog}[2, a*x])/(8*a^2)$

**fricas [A]** time = 0.56, size = 48, normalized size = 0.86

$$\frac{4a^2x^2\text{Li}_2(ax) - a^2x^2 - 2ax + 2(a^2x^2 - 1)\log(-ax + 1)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x),x, algorithm="fricas")

[Out]  $1/8*(4*a^2*x^2*\text{dilog}(a*x) - a^2*x^2 - 2*a*x + 2*(a^2*x^2 - 1)*\log(-a*x + 1))/a^2$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x\text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate(x\*dilog(a\*x), x)

**maple** [A] time = 0.01, size = 52, normalized size = 0.93

$$\frac{x^2 \operatorname{polylog}(2, ax)}{2} - \frac{\ln(-ax + 1)}{4a^2} + \frac{3}{8a^2} - \frac{x}{4a} + \frac{x^2 \ln(-ax + 1)}{4} - \frac{x^2}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2,a\*x),x)

[Out] 1/2\*x^2\*polylog(2,a\*x)-1/4\*ln(-a\*x+1)/a^2+3/8/a^2-1/4\*x/a+1/4\*x^2\*ln(-a\*x+1)-1/8\*x^2

**maxima** [A] time = 0.32, size = 48, normalized size = 0.86

$$\frac{4a^2x^2\operatorname{Li}_2(ax) - a^2x^2 - 2ax + 2(a^2x^2 - 1)\log(-ax + 1)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x),x, algorithm="maxima")

[Out] 1/8\*(4\*a^2\*x^2\*dilog(a\*x) - a^2\*x^2 - 2\*a\*x + 2\*(a^2\*x^2 - 1)\*log(-a\*x + 1))/a^2

**mupad** [B] time = 0.34, size = 46, normalized size = 0.82

$$\frac{x^2 \ln(1 - ax)}{4} - \frac{\ln(1 - ax)}{4a^2} - \frac{x}{4a} - \frac{x^2}{8} + \frac{x^2 \operatorname{polylog}(2, ax)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2, a\*x),x)

[Out] (x^2\*log(1 - a\*x))/4 - log(1 - a\*x)/(4\*a^2) - x/(4\*a) - x^2/8 + (x^2\*polylog(2, a\*x))/2

**sympy** [A] time = 1.81, size = 41, normalized size = 0.73

$$\begin{cases} -\frac{x^2 \operatorname{Li}_1(ax)}{4} + \frac{x^2 \operatorname{Li}_2(ax)}{2} - \frac{x^2}{8} - \frac{x}{4a} + \frac{\operatorname{Li}_1(ax)}{4a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x),x)

[Out] Piecewise((-x\*\*2\*polylog(1, a\*x)/4 + x\*\*2\*polylog(2, a\*x)/2 - x\*\*2/8 - x/(4\*a) + polylog(1, a\*x)/(4\*a\*\*2), Ne(a, 0)), (0, True))

### 3.5 $\int \text{Li}_2(ax) dx$

Optimal. Leaf size=29

$$x\text{Li}_2(ax) - \frac{(1-ax)\log(1-ax)}{a} - x$$

[Out]  $-x - (-a*x+1)*\ln(-a*x+1)/a + x*\text{polylog}(2, a*x)$

**Rubi [A]** time = 0.01, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {6586, 2389, 2295}

$$x\text{PolyLog}(2, ax) - \frac{(1-ax)\log(1-ax)}{a} - x$$

Antiderivative was successfully verified.

[In] `Int[PolyLog[2, a*x], x]`

[Out]  $-x - ((1 - a*x)*\text{Log}[1 - a*x])/a + x*\text{PolyLog}[2, a*x]$

Rule 2295

`Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x] /; FreeQ[{c, n}, x]`

Rule 2389

`Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.), x_Symbol] :> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]`

Rule 6586

`Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]`

Rubi steps



$$\begin{aligned}
\int \operatorname{Li}_2(ax) dx &= x\operatorname{Li}_2(ax) + \int \log(1-ax) dx \\
&= x\operatorname{Li}_2(ax) - \frac{\operatorname{Subst}(\int \log(x) dx, x, 1-ax)}{a} \\
&= -x - \frac{(1-ax)\log(1-ax)}{a} + x\operatorname{Li}_2(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 26, normalized size = 0.90

$$x\operatorname{Li}_2(ax) + \left(x - \frac{1}{a}\right)\log(1-ax) - x$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x], x]

[Out] -x + (-a^(-1) + x)\*Log[1 - a\*x] + x\*PolyLog[2, a\*x]

**fricas [A]** time = 1.05, size = 29, normalized size = 1.00

$$\frac{ax\operatorname{Li}_2(ax) - ax + (ax - 1)\log(-ax + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x),x, algorithm="fricas")

[Out] (a\*x\*dilog(a\*x) - a\*x + (a\*x - 1)\*log(-a\*x + 1))/a

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x),x, algorithm="giac")

[Out] integrate(dilog(a\*x), x)

**maple [A]** time = 0.01, size = 36, normalized size = 1.24

$$\ln(-ax + 1)x + x \operatorname{polylog}(2, ax) - x - \frac{\ln(-ax + 1)}{a} + \frac{1}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x),x)`

[Out] `ln(-a*x+1)*x+x*polylog(2,a*x)-x-1/a*ln(-a*x+1)+1/a`

**maxima** [A] time = 0.32, size = 29, normalized size = 1.00

$$\frac{ax\text{Li}_2(ax) - ax + (ax - 1)\log(-ax + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x),x, algorithm="maxima")`

[Out] `(a*x*dilog(a*x) - a*x + (a*x - 1)*log(-a*x + 1))/a`

**mupad** [B] time = 0.26, size = 32, normalized size = 1.10

$$x \text{polylog}(2, ax) - \frac{\ln(1 - ax)}{a} - x + x \ln(1 - ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x),x)`

[Out] `x*polylog(2, a*x) - log(1 - a*x)/a - x + x*log(1 - a*x)`

**sympy** [A] time = 0.94, size = 22, normalized size = 0.76

$$\begin{cases} -x \text{Li}_1(ax) + x \text{Li}_2(ax) - x + \frac{\text{Li}_1(ax)}{a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x),x)`

[Out] `Piecewise((-x*polylog(1, a*x) + x*polylog(2, a*x) - x + polylog(1, a*x)/a, Ne(a, 0)), (0, True))`

$$3.6 \quad \int \frac{\text{Li}_2(ax)}{x} dx$$

Optimal. Leaf size=5

$$\text{Li}_3(ax)$$

[Out] polylog(3,a\*x)

Rubi [A] time = 0.01, antiderivative size = 5, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {6589}

$$\text{PolyLog}(3, ax)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/x,x]

[Out] PolyLog[3, a\*x]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_2(ax)}{x} dx = \text{Li}_3(ax)$$

Mathematica [A] time = 0.00, size = 5, normalized size = 1.00

$$\text{Li}_3(ax)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/x,x]

[Out] PolyLog[3, a\*x]

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(ax)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x,x, algorithm="fricas")

[Out] integral(dilog(a\*x)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x,x, algorithm="giac")

[Out] integrate(dilog(a\*x)/x, x)

**maple** [A] time = 0.00, size = 6, normalized size = 1.20

$$\text{polylog}(3, ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/x,x)

[Out] polylog(3,a\*x)

**maxima** [A] time = 0.32, size = 5, normalized size = 1.00

$$\text{Li}_3(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x,x, algorithm="maxima")

[Out] polylog(3, a\*x)

**mupad** [B] time = 0.18, size = 5, normalized size = 1.00

$$\text{polylog}(3, ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x,x)

[Out] polylog(3, a\*x)

**sympy** [A] time = 0.80, size = 3, normalized size = 0.60

$$\text{Li}_3(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x)/x,x)
```

```
[Out] polylog(3, a*x)
```

### 3.7 $\int \frac{\text{Li}_2(ax)}{x^2} dx$

Optimal. Leaf size=36

$$-\frac{\text{Li}_2(ax)}{x} + a \log(x) - a \log(1 - ax) + \frac{\log(1 - ax)}{x}$$

[Out] a\*ln(x)-a\*ln(-a\*x+1)+ln(-a\*x+1)/x-polylog(2,a\*x)/x

**Rubi [A]** time = 0.02, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {6591, 2395, 36, 29, 31}

$$-\frac{\text{PolyLog}(2, ax)}{x} + a \log(x) - a \log(1 - ax) + \frac{\log(1 - ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/x^2, x]

[Out] a\*Log[x] - a\*Log[1 - a\*x] + Log[1 - a\*x]/x - PolyLog[2, a\*x]/x

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

#### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_))^(q\_), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol
1] :> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax)}{x^2} dx &= -\frac{\text{Li}_2(ax)}{x} - \int \frac{\log(1-ax)}{x^2} dx \\ &= \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} + a \int \frac{1}{x(1-ax)} dx \\ &= \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} + a \int \frac{1}{x} dx + a^2 \int \frac{1}{1-ax} dx \\ &= a \log(x) - a \log(1-ax) + \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 36, normalized size = 1.00

$$-\frac{\text{Li}_2(ax)}{x} + a \log(x) - a \log(1-ax) + \frac{\log(1-ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/x^2,x]

[Out] a\*Log[x] - a\*Log[1 - a\*x] + Log[1 - a\*x]/x - PolyLog[2, a\*x]/x

**fricas [A]** time = 1.36, size = 34, normalized size = 0.94

$$\frac{ax \log(ax - 1) - ax \log(x) + \text{Li}_2(ax) - \log(-ax + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^2,x, algorithm="fricas")

[Out] -(a\*x\*log(a\*x - 1) - a\*x\*log(x) + dilog(a\*x) - log(-a\*x + 1))/x

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^2,x, algorithm="giac")

[Out] integrate(dilog(a\*x)/x^2, x)

**maple** [A] time = 0.01, size = 40, normalized size = 1.11

$$-\frac{\text{polylog}(2, ax)}{x} + a \ln(-ax) - a \ln(-ax + 1) + \frac{\ln(-ax + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/x^2,x)

[Out] -polylog(2,a\*x)/x+a\*ln(-a\*x)-a\*ln(-a\*x+1)+ln(-a\*x+1)/x

**maxima** [A] time = 0.33, size = 28, normalized size = 0.78

$$a \log(x) - \frac{(ax - 1) \log(-ax + 1) + \text{Li}_2(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^2,x, algorithm="maxima")

[Out] a\*log(x) - ((a\*x - 1)\*log(-a\*x + 1) + dilog(a\*x))/x

**mupad** [B] time = 0.20, size = 34, normalized size = 0.94

$$\frac{\ln(1 - ax) - \text{polylog}(2, ax)}{x} + a \ln(x) - a \ln(1 - ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^2,x)

[Out] (log(1 - a\*x) - polylog(2, a\*x))/x + a\*log(x) - a\*log(1 - a\*x)

**sympy** [A] time = 1.09, size = 24, normalized size = 0.67

$$a \log(x) + a \text{Li}_1(ax) - \frac{\text{Li}_1(ax)}{x} - \frac{\text{Li}_2(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x\*\*2,x)

[Out] a\*log(x) + a\*polylog(1, a\*x) - polylog(1, a\*x)/x - polylog(2, a\*x)/x



### 3.8 $\int \frac{\text{Li}_2(ax)}{x^3} dx$

Optimal. Leaf size=58

$$\frac{1}{4}a^2 \log(x) - \frac{1}{4}a^2 \log(1 - ax) - \frac{\text{Li}_2(ax)}{2x^2} + \frac{\log(1 - ax)}{4x^2} - \frac{a}{4x}$$

[Out]  $-1/4*a/x+1/4*a^2*\ln(x)-1/4*a^2*\ln(-a*x+1)+1/4*\ln(-a*x+1)/x^2-1/2*\text{polylog}(2, a*x)/x^2$

**Rubi** [A] time = 0.03, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax)}{2x^2} + \frac{1}{4}a^2 \log(x) - \frac{1}{4}a^2 \log(1 - ax) + \frac{\log(1 - ax)}{4x^2} - \frac{a}{4x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/x^3, x]

[Out]  $-a/(4*x) + (a^2*\text{Log}[x])/4 - (a^2*\text{Log}[1 - a*x])/4 + \text{Log}[1 - a*x]/(4*x^2) - \text{PolyLog}[2, a*x]/(2*x^2)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax)}{x^3} dx &= -\frac{\text{Li}_2(ax)}{2x^2} - \frac{1}{2} \int \frac{\log(1-ax)}{x^3} dx \\
&= \frac{\log(1-ax)}{4x^2} - \frac{\text{Li}_2(ax)}{2x^2} + \frac{1}{4}a \int \frac{1}{x^2(1-ax)} dx \\
&= \frac{\log(1-ax)}{4x^2} - \frac{\text{Li}_2(ax)}{2x^2} + \frac{1}{4}a \int \left( \frac{1}{x^2} + \frac{a}{x} - \frac{a^2}{-1+ax} \right) dx \\
&= -\frac{a}{4x} + \frac{1}{4}a^2 \log(x) - \frac{1}{4}a^2 \log(1-ax) + \frac{\log(1-ax)}{4x^2} - \frac{\text{Li}_2(ax)}{2x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 50, normalized size = 0.86

$$\frac{a^2x^2 \log(x) - a^2x^2 \log(1-ax) - 2\text{Li}_2(ax) - ax + \log(1-ax)}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/x^3,x]

[Out]  $(-(a*x) + a^2*x^2*\text{Log}[x] + \text{Log}[1 - a*x] - a^2*x^2*\text{Log}[1 - a*x] - 2*\text{PolyLog}[2, a*x])/(4*x^2)$

**fricas [A]** time = 0.55, size = 47, normalized size = 0.81

$$\frac{a^2x^2 \log(ax-1) - a^2x^2 \log(x) + ax + 2\text{Li}_2(ax) - \log(-ax+1)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^3,x, algorithm="fricas")

[Out]  $-1/4*(a^2*x^2*\log(a*x - 1) - a^2*x^2*\log(x) + a*x + 2*\text{dilog}(a*x) - \log(-a*x + 1))/x^2$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^3,x, algorithm="giac")

[Out] integrate(dilog(a\*x)/x^3, x)

**maple** [A] time = 0.02, size = 52, normalized size = 0.90

$$-\frac{\text{polylog}(2, ax)}{2x^2} + \frac{a^2 \ln(-ax)}{4} - \frac{a}{4x} - \frac{a^2 \ln(-ax + 1)}{4} + \frac{\ln(-ax + 1)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^3, x)

[Out]  $-1/2*\text{polylog}(2, a*x)/x^2 + 1/4*a^2*\ln(-a*x) - 1/4*a/x - 1/4*a^2*\ln(-a*x+1) + 1/4*\ln(-a*x+1)/x^2$

**maxima** [A] time = 0.33, size = 40, normalized size = 0.69

$$\frac{1}{4} a^2 \log(x) - \frac{ax + (a^2 x^2 - 1) \log(-ax + 1) + 2 \text{Li}_2(ax)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x)/x^3, x, algorithm="maxima")

[Out]  $1/4*a^2*\log(x) - 1/4*(a*x + (a^2*x^2 - 1)*\log(-a*x + 1) + 2*\text{dilog}(a*x))/x^2$

**mupad** [B] time = 0.30, size = 51, normalized size = 0.88

$$\frac{a^2 \ln(x)}{2} + \frac{\ln(1 - ax)}{4x^2} - \frac{a^2 \ln(ax^2 - x)}{4} - \frac{a}{4x} - \frac{\text{polylog}(2, ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^3, x)

[Out]  $(a^2*\log(x))/2 + \log(1 - a*x)/(4*x^2) - (a^2*\log(a*x^2 - x))/4 - a/(4*x) - \text{polylog}(2, a*x)/(2*x^2)$

**sympy** [A] time = 1.97, size = 42, normalized size = 0.72

$$\frac{a^2 \log(x)}{4} + \frac{a^2 \text{Li}_1(ax)}{4} - \frac{a}{4x} - \frac{\text{Li}_1(ax)}{4x^2} - \frac{\text{Li}_2(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x)/x\*\*3, x)

[Out]  $a**2*\log(x)/4 + a**2*\text{polylog}(1, a*x)/4 - a/(4*x) - \text{polylog}(1, a*x)/(4*x**2) - \text{polylog}(2, a*x)/(2*x**2)$

### 3.9 $\int \frac{\text{Li}_2(ax)}{x^4} dx$

**Optimal.** Leaf size=68

$$\frac{1}{9}a^3 \log(x) - \frac{1}{9}a^3 \log(1 - ax) - \frac{a^2}{9x} - \frac{\text{Li}_2(ax)}{3x^3} + \frac{\log(1 - ax)}{9x^3} - \frac{a}{18x^2}$$

[Out]  $-1/18*a/x^2-1/9*a^2/x+1/9*a^3*\ln(x)-1/9*a^3*\ln(-a*x+1)+1/9*\ln(-a*x+1)/x^3-1/3*\text{polylog}(2,a*x)/x^3$

**Rubi [A]** time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax)}{3x^3} - \frac{a^2}{9x} + \frac{1}{9}a^3 \log(x) - \frac{1}{9}a^3 \log(1 - ax) - \frac{a}{18x^2} + \frac{\log(1 - ax)}{9x^3}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/x^4, x]

[Out]  $-a/(18*x^2) - a^2/(9*x) + (a^3*\text{Log}[x])/9 - (a^3*\text{Log}[1 - a*x])/9 + \text{Log}[1 - a*x]/(9*x^3) - \text{PolyLog}[2, a*x]/(3*x^3)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax)}{x^4} dx &= -\frac{\text{Li}_2(ax)}{3x^3} - \frac{1}{3} \int \frac{\log(1-ax)}{x^4} dx \\
&= \frac{\log(1-ax)}{9x^3} - \frac{\text{Li}_2(ax)}{3x^3} + \frac{1}{9}a \int \frac{1}{x^3(1-ax)} dx \\
&= \frac{\log(1-ax)}{9x^3} - \frac{\text{Li}_2(ax)}{3x^3} + \frac{1}{9}a \int \left( \frac{1}{x^3} + \frac{a}{x^2} + \frac{a^2}{x} - \frac{a^3}{-1+ax} \right) dx \\
&= -\frac{a}{18x^2} - \frac{a^2}{9x} + \frac{1}{9}a^3 \log(x) - \frac{1}{9}a^3 \log(1-ax) + \frac{\log(1-ax)}{9x^3} - \frac{\text{Li}_2(ax)}{3x^3}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 52, normalized size = 0.76

$$-\frac{-2a^3x^3 \log(x) + 2(a^3x^3 - 1) \log(1-ax) + 6\text{Li}_2(ax) + ax(2ax + 1)}{18x^3}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/x^4, x]

[Out] -1/18\*(a\*x\*(1 + 2\*a\*x) - 2\*a^3\*x^3\*Log[x] + 2\*(-1 + a^3\*x^3)\*Log[1 - a\*x] + 6\*PolyLog[2, a\*x])/x^3

**fricas [A]** time = 0.53, size = 56, normalized size = 0.82

$$-\frac{2a^3x^3 \log(ax - 1) - 2a^3x^3 \log(x) + 2a^2x^2 + ax + 6\text{Li}_2(ax) - 2 \log(-ax + 1)}{18x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^4,x, algorithm="fricas")

[Out] -1/18\*(2\*a^3\*x^3\*log(a\*x - 1) - 2\*a^3\*x^3\*log(x) + 2\*a^2\*x^2 + a\*x + 6\*dilog(a\*x) - 2\*log(-a\*x + 1))/x^3

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^4,x, algorithm="giac")

[Out] integrate(dilog(a\*x)/x^4, x)

**maple [A]** time = 0.02, size = 60, normalized size = 0.88

$$-\frac{\text{polylog}(2, ax)}{3x^3} - \frac{a}{18x^2} + \frac{a^3 \ln(-ax)}{9} - \frac{a^2}{9x} - \frac{a^3 \ln(-ax + 1)}{9} + \frac{\ln(-ax + 1)}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^4, x)

[Out] -1/3\*polylog(2, a\*x)/x^3 - 1/18\*a/x^2 + 1/9\*a^3\*ln(-a\*x) - 1/9\*a^2/x - 1/9\*a^3\*ln(-a\*x+1) + 1/9\*ln(-a\*x+1)/x^3

**maxima [A]** time = 0.31, size = 49, normalized size = 0.72

$$\frac{1}{9} a^3 \log(x) - \frac{2 a^2 x^2 + ax + 2 (a^3 x^3 - 1) \log(-ax + 1) + 6 \text{Li}_2(ax)}{18 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x)/x^4, x, algorithm="maxima")

[Out] 1/9\*a^3\*log(x) - 1/18\*(2\*a^2\*x^2 + a\*x + 2\*(a^3\*x^3 - 1)\*log(-a\*x + 1) + 6\*dilog(a\*x))/x^3

**mupad [B]** time = 0.32, size = 57, normalized size = 0.84

$$\frac{2 a^3 \ln(x)}{9} - \frac{\frac{ax}{18} - \frac{\ln(1-ax)}{9} + \frac{\text{polylog}(2, ax)}{3} + \frac{a^2 x^2}{9}}{x^3} - \frac{a^3 \ln(ax^2 - x)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^4, x)

[Out] (2\*a^3\*log(x))/9 - ((a\*x)/18 - log(1 - a\*x)/9 + polylog(2, a\*x)/3 + (a^2\*x^2)/9)/x^3 - (a^3\*log(a\*x^2 - x))/9

**sympy [A]** time = 3.30, size = 51, normalized size = 0.75

$$\frac{a^3 \log(x)}{9} + \frac{a^3 \text{Li}_1(ax)}{9} - \frac{a^2}{9x} - \frac{a}{18x^2} - \frac{\text{Li}_1(ax)}{9x^3} - \frac{\text{Li}_2(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x)/x\*\*4, x)

[Out] a\*\*3\*log(x)/9 + a\*\*3\*polylog(1, a\*x)/9 - a\*\*2/(9\*x) - a/(18\*x\*\*2) - polylog(1, a\*x)/(9\*x\*\*3) - polylog(2, a\*x)/(3\*x\*\*3)

### 3.10 $\int \frac{\text{Li}_2(ax)}{x^5} dx$

**Optimal.** Leaf size=78

$$\frac{1}{16}a^4 \log(x) - \frac{1}{16}a^4 \log(1 - ax) - \frac{a^3}{16x} - \frac{a^2}{32x^2} - \frac{\text{Li}_2(ax)}{4x^4} + \frac{\log(1 - ax)}{16x^4} - \frac{a}{48x^3}$$

[Out]  $-1/48*a/x^3-1/32*a^2/x^2-1/16*a^3/x+1/16*a^4*\ln(x)-1/16*a^4*\ln(-a*x+1)+1/16*\ln(-a*x+1)/x^4-1/4*polylog(2,a*x)/x^4$

**Rubi [A]** time = 0.04, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax)}{4x^4} - \frac{a^2}{32x^2} - \frac{a^3}{16x} + \frac{1}{16}a^4 \log(x) - \frac{1}{16}a^4 \log(1 - ax) - \frac{a}{48x^3} + \frac{\log(1 - ax)}{16x^4}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/x^5, x]

[Out]  $-a/(48*x^3) - a^2/(32*x^2) - a^3/(16*x) + (a^4*\text{Log}[x])/16 - (a^4*\text{Log}[1 - a*x])/16 + \text{Log}[1 - a*x]/(16*x^4) - \text{PolyLog}[2, a*x]/(4*x^4)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax)}{x^5} dx &= -\frac{\text{Li}_2(ax)}{4x^4} - \frac{1}{4} \int \frac{\log(1-ax)}{x^5} dx \\
&= \frac{\log(1-ax)}{16x^4} - \frac{\text{Li}_2(ax)}{4x^4} + \frac{1}{16}a \int \frac{1}{x^4(1-ax)} dx \\
&= \frac{\log(1-ax)}{16x^4} - \frac{\text{Li}_2(ax)}{4x^4} + \frac{1}{16}a \int \left( \frac{1}{x^4} + \frac{a}{x^3} + \frac{a^2}{x^2} + \frac{a^3}{x} - \frac{a^4}{-1+ax} \right) dx \\
&= -\frac{a}{48x^3} - \frac{a^2}{32x^2} - \frac{a^3}{16x} + \frac{1}{16}a^4 \log(x) - \frac{1}{16}a^4 \log(1-ax) + \frac{\log(1-ax)}{16x^4} - \frac{\text{Li}_2(ax)}{4x^4}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 60, normalized size = 0.77

$$-\frac{-6a^4x^4 \log(x) + 6(a^4x^4 - 1) \log(1-ax) + ax(6a^2x^2 + 3ax + 2) + 24\text{Li}_2(ax)}{96x^4}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/x^5, x]

[Out] -1/96\*(a\*x\*(2 + 3\*a\*x + 6\*a^2\*x^2) - 6\*a^4\*x^4\*Log[x] + 6\*(-1 + a^4\*x^4)\*Log[1 - a\*x] + 24\*PolyLog[2, a\*x])/x^4

**fricas [A]** time = 0.75, size = 65, normalized size = 0.83

$$-\frac{6a^4x^4 \log(ax - 1) - 6a^4x^4 \log(x) + 6a^3x^3 + 3a^2x^2 + 2ax + 24\text{Li}_2(ax) - 6 \log(-ax + 1)}{96x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^5,x, algorithm="fricas")

[Out] -1/96\*(6\*a^4\*x^4\*log(a\*x - 1) - 6\*a^4\*x^4\*log(x) + 6\*a^3\*x^3 + 3\*a^2\*x^2 + 2\*a\*x + 24\*dilog(a\*x) - 6\*log(-a\*x + 1))/x^4

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^5,x, algorithm="giac")



[Out] integrate(dilog(a\*x)/x^5, x)

**maple [A]** time = 0.01, size = 68, normalized size = 0.87

$$-\frac{\text{polylog}(2, ax)}{4x^4} - \frac{a^2}{32x^2} + \frac{a^4 \ln(-ax)}{16} - \frac{a}{48x^3} - \frac{a^3}{16x} - \frac{a^4 \ln(-ax + 1)}{16} + \frac{\ln(-ax + 1)}{16x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/x^5,x)

[Out] -1/4\*polylog(2,a\*x)/x^4-1/32\*a^2/x^2+1/16\*a^4\*ln(-a\*x)-1/48\*a/x^3-1/16\*a^3/x-1/16\*a^4\*ln(-a\*x+1)+1/16\*ln(-a\*x+1)/x^4

**maxima [A]** time = 0.31, size = 58, normalized size = 0.74

$$\frac{1}{16} a^4 \log(x) - \frac{6 a^3 x^3 + 3 a^2 x^2 + 2 a x + 6 (a^4 x^4 - 1) \log(-a x + 1) + 24 \text{Li}_2(ax)}{96 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x^5,x, algorithm="maxima")

[Out] 1/16\*a^4\*log(x) - 1/96\*(6\*a^3\*x^3 + 3\*a^2\*x^2 + 2\*a\*x + 6\*(a^4\*x^4 - 1)\*log(-a\*x + 1) + 24\*dilog(a\*x))/x^4

**mupad [B]** time = 0.44, size = 60, normalized size = 0.77

$$\frac{\ln(1 - a x)}{16 x^4} - \frac{\text{polylog}(2, a x)}{4 x^4} - \frac{a^3 x^2 + \frac{a^2 x}{2} + \frac{a}{3}}{16 x^3} - \frac{a^4 \operatorname{atan}(a x 2i - i) \operatorname{li}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/x^5,x)

[Out] log(1 - a\*x)/(16\*x^4) - (a^4\*atan(a\*x\*2i - 1i)\*1i)/8 - polylog(2, a\*x)/(4\*x^4) - (a/3 + (a^2\*x)/2 + a^3\*x^2)/(16\*x^3)

**sympy [A]** time = 5.53, size = 60, normalized size = 0.77

$$\frac{a^4 \log(x)}{16} + \frac{a^4 \text{Li}_1(ax)}{16} - \frac{a^3}{16x} - \frac{a^2}{32x^2} - \frac{a}{48x^3} - \frac{\text{Li}_1(ax)}{16x^4} - \frac{\text{Li}_2(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/x\*\*5,x)

[Out] a\*\*4\*log(x)/16 + a\*\*4\*polylog(1, a\*x)/16 - a\*\*3/(16\*x) - a\*\*2/(32\*x\*\*2) - a/(48\*x\*\*3) - polylog(1, a\*x)/(16\*x\*\*4) - polylog(2, a\*x)/(4\*x\*\*4)

### 3.11 $\int x^3 \text{Li}_3(ax) dx$

**Optimal.** Leaf size=88

$$\frac{\log(1-ax)}{64a^4} + \frac{x}{64a^3} + \frac{x^2}{128a^2} - \frac{1}{16}x^4 \text{Li}_2(ax) + \frac{1}{4}x^4 \text{Li}_3(ax) - \frac{1}{64}x^4 \log(1-ax) + \frac{x^3}{192a} + \frac{x^4}{256}$$

[Out]  $1/64*x/a^3+1/128*x^2/a^2+1/192*x^3/a+1/256*x^4+1/64*\ln(-a*x+1)/a^4-1/64*x^4*\ln(-a*x+1)-1/16*x^4*\text{polylog}(2,a*x)+1/4*x^4*\text{polylog}(3,a*x)$

**Rubi [A]** time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 43}

$$-\frac{1}{16}x^4 \text{PolyLog}(2, ax) + \frac{1}{4}x^4 \text{PolyLog}(3, ax) + \frac{x^2}{128a^2} + \frac{x}{64a^3} + \frac{\log(1-ax)}{64a^4} + \frac{x^3}{192a} - \frac{1}{64}x^4 \log(1-ax) + \frac{x^4}{256}$$

Antiderivative was successfully verified.

[In] Int[x^3\*PolyLog[3, a\*x], x]

[Out]  $x/(64*a^3) + x^2/(128*a^2) + x^3/(192*a) + x^4/256 + \text{Log}[1 - a*x]/(64*a^4) - (x^4*\text{Log}[1 - a*x])/64 - (x^4*\text{PolyLog}[2, a*x])/16 + (x^4*\text{PolyLog}[3, a*x])/4$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^3 \text{Li}_3(ax) dx &= \frac{1}{4} x^4 \text{Li}_3(ax) - \frac{1}{4} \int x^3 \text{Li}_2(ax) dx \\
&= -\frac{1}{16} x^4 \text{Li}_2(ax) + \frac{1}{4} x^4 \text{Li}_3(ax) - \frac{1}{16} \int x^3 \log(1-ax) dx \\
&= -\frac{1}{64} x^4 \log(1-ax) - \frac{1}{16} x^4 \text{Li}_2(ax) + \frac{1}{4} x^4 \text{Li}_3(ax) - \frac{1}{64} a \int \frac{x^4}{1-ax} dx \\
&= -\frac{1}{64} x^4 \log(1-ax) - \frac{1}{16} x^4 \text{Li}_2(ax) + \frac{1}{4} x^4 \text{Li}_3(ax) - \frac{1}{64} a \int \left( -\frac{1}{a^4} - \frac{x}{a^3} - \frac{x^2}{a^2} - \frac{x^3}{a} - \frac{1}{a^4(-1+ax)} \right) dx \\
&= \frac{x}{64a^3} + \frac{x^2}{128a^2} + \frac{x^3}{192a} + \frac{x^4}{256} + \frac{\log(1-ax)}{64a^4} - \frac{1}{64} x^4 \log(1-ax) - \frac{1}{16} x^4 \text{Li}_2(ax) + \frac{1}{4} x^4 \text{Li}_3(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 86, normalized size = 0.98

$$\frac{-48a^4x^4\text{Li}_2(ax) + 192a^4x^4\text{Li}_3(ax) + 3a^4x^4 - 12a^4x^4\log(1-ax) + 4a^3x^3 + 6a^2x^2 + 12ax + 12\log(1-ax)}{768a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*PolyLog[3, a\*x], x]

[Out] (12\*a\*x + 6\*a^2\*x^2 + 4\*a^3\*x^3 + 3\*a^4\*x^4 + 12\*Log[1 - a\*x] - 12\*a^4\*x^4\*Log[1 - a\*x] - 48\*a^4\*x^4\*PolyLog[2, a\*x] + 192\*a^4\*x^4\*PolyLog[3, a\*x])/(768\*a^4)

**fricas [C]** time = 0.54, size = 77, normalized size = 0.88

$$\frac{48a^4x^4\text{Li}_2(ax) - 192a^4x^4\text{polylog}(3, ax) - 3a^4x^4 - 4a^3x^3 - 6a^2x^2 - 12ax + 12(a^4x^4 - 1)\log(-ax + 1)}{768a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x),x, algorithm="fricas")

[Out] -1/768\*(48\*a^4\*x^4\*dilog(a\*x) - 192\*a^4\*x^4\*polylog(3, a\*x) - 3\*a^4\*x^4 - 4\*a^3\*x^3 - 6\*a^2\*x^2 - 12\*a\*x + 12\*(a^4\*x^4 - 1)\*log(-a\*x + 1))/a^4

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate(x^3\*polylog(3, a\*x), x)

**maple** [A] time = 0.15, size = 78, normalized size = 0.89

$$-\frac{xa(15a^3x^3+20a^2x^2+30ax+60)}{3840} - \frac{(-5a^4x^4+5)\ln(-ax+1)}{320} + \frac{x^4a^4 \operatorname{polylog}(2,ax)}{16} - \frac{x^4a^4 \operatorname{polylog}(3,ax)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(3,a\*x),x)

[Out] -1/a^4\*(-1/3840\*x\*a\*(15\*a^3\*x^3+20\*a^2\*x^2+30\*a\*x+60)-1/320\*(-5\*a^4\*x^4+5)\*ln(-a\*x+1)+1/16\*x^4\*a^4\*polylog(2,a\*x)-1/4\*x^4\*a^4\*polylog(3,a\*x))

**maxima** [A] time = 0.33, size = 77, normalized size = 0.88

$$\frac{48a^4x^4\operatorname{Li}_2(ax) - 192a^4x^4\operatorname{Li}_3(ax) - 3a^4x^4 - 4a^3x^3 - 6a^2x^2 - 12ax + 12(a^4x^4 - 1)\log(-ax + 1)}{768a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x),x, algorithm="maxima")

[Out] -1/768\*(48\*a^4\*x^4\*dilog(a\*x) - 192\*a^4\*x^4\*polylog(3, a\*x) - 3\*a^4\*x^4 - 4\*a^3\*x^3 - 6\*a^2\*x^2 - 12\*a\*x + 12\*(a^4\*x^4 - 1)\*log(-a\*x + 1))/a^4

**mupad** [B] time = 0.82, size = 71, normalized size = 0.81

$$\frac{\ln(ax-1)}{64a^4} - \frac{x^4 \ln(1-ax)}{64} + \frac{x}{64a^3} + \frac{x^4}{256} - \frac{x^4 \operatorname{polylog}(2,ax)}{16} + \frac{x^4 \operatorname{polylog}(3,ax)}{4} + \frac{x^3}{192a} + \frac{x^2}{128a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(3, a\*x),x)

[Out] log(a\*x - 1)/(64\*a^4) - (x^4\*log(1 - a\*x))/64 + x/(64\*a^3) + x^4/256 - (x^4\*polylog(2, a\*x))/16 + (x^4\*polylog(3, a\*x))/4 + x^3/(192\*a) + x^2/(128\*a^2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*polylog(3,a\*x),x)

[Out] Integral(x\*\*3\*polylog(3, a\*x), x)

## 3.12 $\int x^2 \text{Li}_3(ax) dx$

**Optimal.** Leaf size=78

$$\frac{\log(1-ax)}{27a^3} + \frac{x}{27a^2} - \frac{1}{9}x^3 \text{Li}_2(ax) + \frac{1}{3}x^3 \text{Li}_3(ax) - \frac{1}{27}x^3 \log(1-ax) + \frac{x^2}{54a} + \frac{x^3}{81}$$

[Out]  $1/27*x/a^2+1/54*x^2/a+1/81*x^3+1/27*\ln(-a*x+1)/a^3-1/27*x^3*\ln(-a*x+1)-1/9*x^3*\text{polylog}(2,a*x)+1/3*x^3*\text{polylog}(3,a*x)$

**Rubi [A]** time = 0.05, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 43}

$$-\frac{1}{9}x^3 \text{PolyLog}(2, ax) + \frac{1}{3}x^3 \text{PolyLog}(3, ax) + \frac{x}{27a^2} + \frac{\log(1-ax)}{27a^3} + \frac{x^2}{54a} - \frac{1}{27}x^3 \log(1-ax) + \frac{x^3}{81}$$

Antiderivative was successfully verified.

[In] Int[x^2\*PolyLog[3, a\*x], x]

[Out]  $x/(27*a^2) + x^2/(54*a) + x^3/81 + \text{Log}[1 - a*x]/(27*a^3) - (x^3*\text{Log}[1 - a*x])/27 - (x^3*\text{PolyLog}[2, a*x])/9 + (x^3*\text{PolyLog}[3, a*x])/3$

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_3(ax) dx &= \frac{1}{3} x^3 \text{Li}_3(ax) - \frac{1}{3} \int x^2 \text{Li}_2(ax) dx \\
&= -\frac{1}{9} x^3 \text{Li}_2(ax) + \frac{1}{3} x^3 \text{Li}_3(ax) - \frac{1}{9} \int x^2 \log(1 - ax) dx \\
&= -\frac{1}{27} x^3 \log(1 - ax) - \frac{1}{9} x^3 \text{Li}_2(ax) + \frac{1}{3} x^3 \text{Li}_3(ax) - \frac{1}{27} a \int \frac{x^3}{1 - ax} dx \\
&= -\frac{1}{27} x^3 \log(1 - ax) - \frac{1}{9} x^3 \text{Li}_2(ax) + \frac{1}{3} x^3 \text{Li}_3(ax) - \frac{1}{27} a \int \left( -\frac{1}{a^3} - \frac{x}{a^2} - \frac{x^2}{a} - \frac{1}{a^3(-1 + ax)} \right) dx \\
&= \frac{x}{27a^2} + \frac{x^2}{54a} + \frac{x^3}{81} + \frac{\log(1 - ax)}{27a^3} - \frac{1}{27} x^3 \log(1 - ax) - \frac{1}{9} x^3 \text{Li}_2(ax) + \frac{1}{3} x^3 \text{Li}_3(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 78, normalized size = 1.00

$$\frac{-18a^3x^3\text{Li}_2(ax) + 54a^3x^3\text{Li}_3(ax) + 2a^3x^3 - 6a^3x^3\log(1 - ax) + 3a^2x^2 + 6ax + 6\log(1 - ax)}{162a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[3, a\*x], x]

[Out] (6\*a\*x + 3\*a^2\*x^2 + 2\*a^3\*x^3 + 6\*Log[1 - a\*x] - 6\*a^3\*x^3\*Log[1 - a\*x] - 18\*a^3\*x^3\*PolyLog[2, a\*x] + 54\*a^3\*x^3\*PolyLog[3, a\*x])/(162\*a^3)

**fricas [C]** time = 0.95, size = 69, normalized size = 0.88

$$\frac{18a^3x^3\text{Li}_2(ax) - 54a^3x^3\text{polylog}(3, ax) - 2a^3x^3 - 3a^2x^2 - 6ax + 6(a^3x^3 - 1)\log(-ax + 1)}{162a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x),x, algorithm="fricas")

[Out] -1/162\*(18\*a^3\*x^3\*dilog(a\*x) - 54\*a^3\*x^3\*polylog(3, a\*x) - 2\*a^3\*x^3 - 3\*a^2\*x^2 - 6\*a\*x + 6\*(a^3\*x^3 - 1)\*log(-a\*x + 1))/a^3

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate(x^2\*polylog(3, a\*x), x)

**maple** [A] time = 0.14, size = 69, normalized size = 0.88

$$\frac{\frac{ax(4a^2x^2+6ax+12)}{324} + \frac{(-4a^3x^3+4)\ln(-ax+1)}{108} - \frac{a^3x^3 \operatorname{polylog}(2,ax)}{9} + \frac{a^3x^3 \operatorname{polylog}(3,ax)}{3}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3,a\*x),x)

[Out] 1/a^3\*(1/324\*a\*x\*(4\*a^2\*x^2+6\*a\*x+12)+1/108\*(-4\*a^3\*x^3+4)\*ln(-a\*x+1)-1/9\*a^3\*x^3\*polylog(2,a\*x)+1/3\*a^3\*x^3\*polylog(3,a\*x))

**maxima** [A] time = 0.33, size = 69, normalized size = 0.88

$$\frac{18a^3x^3\operatorname{Li}_2(ax) - 54a^3x^3\operatorname{Li}_3(ax) - 2a^3x^3 - 3a^2x^2 - 6ax + 6(a^3x^3 - 1)\log(-ax + 1)}{162a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x),x, algorithm="maxima")

[Out] -1/162\*(18\*a^3\*x^3\*dilog(a\*x) - 54\*a^3\*x^3\*polylog(3, a\*x) - 2\*a^3\*x^3 - 3\*a^2\*x^2 - 6\*a\*x + 6\*(a^3\*x^3 - 1)\*log(-a\*x + 1))/a^3

**mupad** [B] time = 0.95, size = 63, normalized size = 0.81

$$\frac{\ln(ax-1)}{27a^3} - \frac{x^3 \ln(1-ax)}{27} + \frac{x}{27a^2} + \frac{x^3}{81} - \frac{x^3 \operatorname{polylog}(2,ax)}{9} + \frac{x^3 \operatorname{polylog}(3,ax)}{3} + \frac{x^2}{54a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3, a\*x),x)

[Out] log(a\*x - 1)/(27\*a^3) - (x^3\*log(1 - a\*x))/27 + x/(27\*a^2) + x^3/81 - (x^3\*polylog(2, a\*x))/9 + (x^3\*polylog(3, a\*x))/3 + x^2/(54\*a)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*polylog(3,a\*x),x)

[Out] Integral(x\*\*2\*polylog(3, a\*x), x)

### 3.13 $\int x\text{Li}_3(ax) dx$

Optimal. Leaf size=68

$$\frac{\log(1-ax)}{8a^2} - \frac{1}{4}x^2\text{Li}_2(ax) + \frac{1}{2}x^2\text{Li}_3(ax) - \frac{1}{8}x^2\log(1-ax) + \frac{x}{8a} + \frac{x^2}{16}$$

[Out] 1/8\*x/a+1/16\*x^2+1/8\*ln(-a\*x+1)/a^2-1/8\*x^2\*ln(-a\*x+1)-1/4\*x^2\*polylog(2,a\*x)+1/2\*x^2\*polylog(3,a\*x)

**Rubi [A]** time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {6591, 2395, 43}

$$-\frac{1}{4}x^2\text{PolyLog}(2, ax) + \frac{1}{2}x^2\text{PolyLog}(3, ax) + \frac{\log(1-ax)}{8a^2} - \frac{1}{8}x^2\log(1-ax) + \frac{x}{8a} + \frac{x^2}{16}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[3, a\*x], x]

[Out] x/(8\*a) + x^2/16 + Log[1 - a\*x]/(8\*a^2) - (x^2\*Log[1 - a\*x])/8 - (x^2\*PolyLog[2, a\*x])/4 + (x^2\*PolyLog[3, a\*x])/2

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]



Rubi steps

$$\begin{aligned}
\int x\text{Li}_3(ax) dx &= \frac{1}{2}x^2\text{Li}_3(ax) - \frac{1}{2} \int x\text{Li}_2(ax) dx \\
&= -\frac{1}{4}x^2\text{Li}_2(ax) + \frac{1}{2}x^2\text{Li}_3(ax) - \frac{1}{4} \int x \log(1 - ax) dx \\
&= -\frac{1}{8}x^2 \log(1 - ax) - \frac{1}{4}x^2\text{Li}_2(ax) + \frac{1}{2}x^2\text{Li}_3(ax) - \frac{1}{8}a \int \frac{x^2}{1 - ax} dx \\
&= -\frac{1}{8}x^2 \log(1 - ax) - \frac{1}{4}x^2\text{Li}_2(ax) + \frac{1}{2}x^2\text{Li}_3(ax) - \frac{1}{8}a \int \left( -\frac{1}{a^2} - \frac{x}{a} - \frac{1}{a^2(-1 + ax)} \right) dx \\
&= \frac{x}{8a} + \frac{x^2}{16} + \frac{\log(1 - ax)}{8a^2} - \frac{1}{8}x^2 \log(1 - ax) - \frac{1}{4}x^2\text{Li}_2(ax) + \frac{1}{2}x^2\text{Li}_3(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 69, normalized size = 1.01

$$\frac{-4a^2x^2\text{Li}_2(ax) + 8a^2x^2\text{Li}_3(ax) + a^2x^2 - 2a^2x^2 \log(1 - ax) + 2ax + 2 \log(1 - ax)}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[3, a\*x], x]

[Out] (2\*a\*x + a^2\*x^2 + 2\*Log[1 - a\*x] - 2\*a^2\*x^2\*Log[1 - a\*x] - 4\*a^2\*x^2\*PolyLog[2, a\*x] + 8\*a^2\*x^2\*PolyLog[3, a\*x])/(16\*a^2)

**fricas [C]** time = 0.77, size = 61, normalized size = 0.90

$$\frac{4a^2x^2\text{Li}_2(ax) - 8a^2x^2\text{polylog}(3, ax) - a^2x^2 - 2ax + 2(a^2x^2 - 1) \log(-ax + 1)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x),x, algorithm="fricas")

[Out] -1/16\*(4\*a^2\*x^2\*dilog(a\*x) - 8\*a^2\*x^2\*polylog(3, a\*x) - a^2\*x^2 - 2\*a\*x + 2\*(a^2\*x^2 - 1)\*log(-a\*x + 1))/a^2

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x\text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate(x\*polylog(3, a\*x), x)

**maple** [A] time = 0.13, size = 62, normalized size = 0.91

$$-\frac{\frac{ax(3ax+6)}{48} - \frac{(-3a^2x^2+3)\ln(-ax+1)}{24} + \frac{a^2x^2 \operatorname{polylog}(2,ax)}{4} - \frac{a^2x^2 \operatorname{polylog}(3,ax)}{2}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3,a\*x),x)

[Out]  $-1/a^2 * (-1/48 * a * x * (3 * a * x + 6) - 1/24 * (-3 * a^2 * x^2 + 3) * \ln(-a * x + 1) + 1/4 * a^2 * x^2 * \operatorname{polylog}(2, a * x) - 1/2 * a^2 * x^2 * \operatorname{polylog}(3, a * x))$

**maxima** [A] time = 0.33, size = 61, normalized size = 0.90

$$-\frac{4a^2x^2\operatorname{Li}_2(ax) - 8a^2x^2\operatorname{Li}_3(ax) - a^2x^2 - 2ax + 2(a^2x^2 - 1)\log(-ax + 1)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x),x, algorithm="maxima")

[Out]  $-1/16 * (4 * a^2 * x^2 * \operatorname{dilog}(a * x) - 8 * a^2 * x^2 * \operatorname{polylog}(3, a * x) - a^2 * x^2 - 2 * a * x + 2 * (a^2 * x^2 - 1) * \log(-a * x + 1)) / a^2$

**mupad** [B] time = 0.90, size = 55, normalized size = 0.81

$$\frac{\ln(ax - 1)}{8a^2} - \frac{x^2 \ln(1 - ax)}{8} + \frac{x}{8a} + \frac{x^2}{16} - \frac{x^2 \operatorname{polylog}(2, ax)}{4} + \frac{x^2 \operatorname{polylog}(3, ax)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3, a\*x),x)

[Out]  $\log(a * x - 1) / (8 * a^2) - (x^2 * \log(1 - a * x)) / 8 + x / (8 * a) + x^2 / 16 - (x^2 * \operatorname{polylog}(2, a * x)) / 4 + (x^2 * \operatorname{polylog}(3, a * x)) / 2$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x),x)

[Out] Integral(x\*polylog(3, a\*x), x)

### 3.14 $\int \text{Li}_3(ax) dx$

Optimal. Leaf size=34

$$x(-\text{Li}_2(ax)) + x\text{Li}_3(ax) + \frac{(1-ax)\log(1-ax)}{a} + x$$

[Out]  $x+(-a*x+1)*\ln(-a*x+1)/a-x*\text{polylog}(2,a*x)+x*\text{polylog}(3,a*x)$

**Rubi [A]** time = 0.01, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {6586, 2389, 2295}

$$x(-\text{PolyLog}(2, ax)) + x\text{PolyLog}(3, ax) + \frac{(1-ax)\log(1-ax)}{a} + x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{PolyLog}[3, a*x], x]$

[Out]  $x + ((1 - a*x)*\text{Log}[1 - a*x])/a - x*\text{PolyLog}[2, a*x] + x*\text{PolyLog}[3, a*x]$

#### Rule 2295

$\text{Int}[\text{Log}[(c\_)*(x\_)^{(n\_)}], x\_Symbol] \rightarrow \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n\}, x]$

#### Rule 2389

$\text{Int}[(a\_ + \text{Log}[(c\_)*((d\_ + (e\_)*(x\_))^{(n\_)}])*(b\_)]^{(p\_)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x]$

#### Rule 6586

$\text{Int}[\text{PolyLog}[n, (a\_)*((b\_)*(x\_)^{(p\_)}])^{(q\_)}], x\_Symbol] \rightarrow \text{Simp}[x*\text{PolyLog}[n, a*(b*x^p)^q], x] - \text{Dist}[p*q, \text{Int}[\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a, b, p, q\}, x \ \&\& \text{GtQ}[n, 0]$

#### Rubi steps

$$\begin{aligned}
\int \operatorname{Li}_3(ax) dx &= x\operatorname{Li}_3(ax) - \int \operatorname{Li}_2(ax) dx \\
&= -x\operatorname{Li}_2(ax) + x\operatorname{Li}_3(ax) - \int \log(1-ax) dx \\
&= -x\operatorname{Li}_2(ax) + x\operatorname{Li}_3(ax) + \frac{\operatorname{Subst}(\int \log(x) dx, x, 1-ax)}{a} \\
&= x + \frac{(1-ax)\log(1-ax)}{a} - x\operatorname{Li}_2(ax) + x\operatorname{Li}_3(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 39, normalized size = 1.15

$$x \left( -\operatorname{Li}_2(ax) + \operatorname{Li}_3(ax) + \frac{\log(1-ax)}{ax} - \log(1-ax) + 1 \right)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x], x]

[Out] x\*(1 - Log[1 - a\*x] + Log[1 - a\*x]/(a\*x) - PolyLog[2, a\*x] + PolyLog[3, a\*x])

**fricas [C]** time = 0.49, size = 39, normalized size = 1.15

$$\frac{ax\operatorname{Li}_2(ax) - ax\operatorname{polylog}(3, ax) - ax + (ax - 1)\log(-ax + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x),x, algorithm="fricas")

[Out] -(a\*x\*dilog(a\*x) - a\*x\*polylog(3, a\*x) - a\*x + (a\*x - 1)\*log(-a\*x + 1))/a

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x), x)

**maple [A]** time = 0.05, size = 41, normalized size = 1.21

$$\frac{ax + \frac{(-2ax+2)\ln(-ax+1)}{2} - ax\operatorname{polylog}(2, ax) + ax\operatorname{polylog}(3, ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3,a*x),x)`

[Out] `1/a*(a*x+1/2*(-2*a*x+2)*ln(-a*x+1)-a*x*polylog(2,a*x)+a*x*polylog(3,a*x))`

**maxima** [A] time = 0.32, size = 39, normalized size = 1.15

$$\frac{ax\text{Li}_2(ax) - ax\text{Li}_3(ax) - ax + (ax - 1)\log(-ax + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x),x, algorithm="maxima")`

[Out] `-(a*x*dilog(a*x) - a*x*polylog(3, a*x) - a*x + (a*x - 1)*log(-a*x + 1))/a`

**mupad** [B] time = 0.84, size = 37, normalized size = 1.09

$$x + \frac{\ln(ax - 1)}{a} - x \text{polylog}(2, ax) + x \text{polylog}(3, ax) - x \ln(1 - ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x),x)`

[Out] `x + log(a*x - 1)/a - x*polylog(2, a*x) + x*polylog(3, a*x) - x*log(1 - a*x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x),x)`

[Out] `Integral(polylog(3, a*x), x)`

$$3.15 \quad \int \frac{\text{Li}_3(ax)}{x} dx$$

Optimal. Leaf size=5

$$\text{Li}_4(ax)$$

[Out] polylog(4,a\*x)

**Rubi** [A] time = 0.01, antiderivative size = 5, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {6589}

$$\text{PolyLog}(4, ax)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/x,x]

[Out] PolyLog[4, a\*x]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_3(ax)}{x} dx = \text{Li}_4(ax)$$

**Mathematica** [A] time = 0.00, size = 5, normalized size = 1.00

$$\text{Li}_4(ax)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/x,x]

[Out] PolyLog[4, a\*x]

**fricas** [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(3, ax)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x,x, algorithm="fricas")

[Out] integral(polylog(3, a\*x)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/x, x)

**maple** [A] time = 0.00, size = 6, normalized size = 1.20

$$\text{polylog}(4, ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/x,x)

[Out] polylog(4,a\*x)

**maxima** [A] time = 0.32, size = 5, normalized size = 1.00

$$\text{Li}_4(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x,x, algorithm="maxima")

[Out] polylog(4, a\*x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.20

$$\int \frac{\text{polylog}(3, ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x)/x,x)

[Out] int(polylog(3, a\*x)/x, x)

**sympy** [A] time = 0.45, size = 3, normalized size = 0.60

$$\text{Li}_4(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x)/x,x)
```

```
[Out] polylog(4, a*x)
```



$$3.16 \quad \int \frac{\text{Li}_3(ax)}{x^2} dx$$

Optimal. Leaf size=46

$$-\frac{\text{Li}_2(ax)}{x} - \frac{\text{Li}_3(ax)}{x} + a \log(x) - a \log(1 - ax) + \frac{\log(1 - ax)}{x}$$

[Out] a\*ln(x)-a\*ln(-a\*x+1)+ln(-a\*x+1)/x-polylog(2,a\*x)/x-polylog(3,a\*x)/x

Rubi [A] time = 0.03, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {6591, 2395, 36, 29, 31}

$$-\frac{\text{PolyLog}(2, ax)}{x} - \frac{\text{PolyLog}(3, ax)}{x} + a \log(x) - a \log(1 - ax) + \frac{\log(1 - ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/x^2, x]

[Out] a\*Log[x] - a\*Log[1 - a\*x] + Log[1 - a\*x]/x - PolyLog[2, a\*x]/x - PolyLog[3, a\*x]/x

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

#### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)])\*(b\_)\*((f\_) + (g\_)\*(x\_))^(q\_), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 6591

```
Int[((d_.)*(x_.))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_.)^(p_.))^(q_.)], x_Symbol]
:= Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1),
Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x]
&& NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax)}{x^2} dx &= -\frac{\text{Li}_3(ax)}{x} + \int \frac{\text{Li}_2(ax)}{x^2} dx \\
&= -\frac{\text{Li}_2(ax)}{x} - \frac{\text{Li}_3(ax)}{x} - \int \frac{\log(1-ax)}{x^2} dx \\
&= \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} - \frac{\text{Li}_3(ax)}{x} + a \int \frac{1}{x(1-ax)} dx \\
&= \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} - \frac{\text{Li}_3(ax)}{x} + a \int \frac{1}{x} dx + a^2 \int \frac{1}{1-ax} dx \\
&= a \log(x) - a \log(1-ax) + \frac{\log(1-ax)}{x} - \frac{\text{Li}_2(ax)}{x} - \frac{\text{Li}_3(ax)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 44, normalized size = 0.96

$$\frac{\text{Li}_2(ax) + \text{Li}_3(ax) - ax \log(-ax) + ax \log(1-ax) - \log(1-ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/x^2, x]

[Out] -((-a\*x\*Log[-a\*x]) - Log[1 - a\*x] + a\*x\*Log[1 - a\*x] + PolyLog[2, a\*x] + PolyLog[3, a\*x])/x

**fricas [C]** time = 0.49, size = 39, normalized size = 0.85

$$\frac{ax \log(ax - 1) - ax \log(x) + \text{Li}_2(ax) - \log(-ax + 1) + \text{polylog}(3, ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^2,x, algorithm="fricas")

[Out] -(a\*x\*log(a\*x - 1) - a\*x\*log(x) + dilog(a\*x) - log(-a\*x + 1) + polylog(3, a\*x))/x

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^2,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/x^2, x)

**maple** [A] time = 0.04, size = 57, normalized size = 1.24

$$a \left( \frac{(-8ax + 8) \ln(-ax + 1)}{8ax} - \frac{\text{polylog}(2, ax)}{ax} - \frac{\text{polylog}(3, ax)}{ax} + \ln(x) + \ln(-a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/x^2,x)

[Out] a\*(1/8/a/x\*(-8\*a\*x+8)\*ln(-a\*x+1)-polylog(2,a\*x)/a/x-1/a/x\*polylog(3,a\*x)+ln(x)+ln(-a))

**maxima** [A] time = 0.33, size = 33, normalized size = 0.72

$$a \log(x) - \frac{(ax - 1) \log(-ax + 1) + \text{Li}_2(ax) + \text{Li}_3(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^2,x, algorithm="maxima")

[Out] a\*log(x) - ((a\*x - 1)\*log(-a\*x + 1) + dilog(a\*x) + polylog(3, a\*x))/x

**mupad** [B] time = 0.89, size = 36, normalized size = 0.78

$$2 a \operatorname{atanh}(2 a x - 1) - \frac{\text{polylog}(2, a x) - \ln(1 - a x) + \text{polylog}(3, a x)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x)/x^2,x)

[Out] 2\*a\*atanh(2\*a\*x - 1) - (polylog(2, a\*x) - log(1 - a\*x) + polylog(3, a\*x))/x

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x)/x**2,x)
```

```
[Out] Integral(polylog(3, a*x)/x**2, x)
```

$$3.17 \quad \int \frac{\text{Li}_3(ax)}{x^3} dx$$

Optimal. Leaf size=70

$$\frac{1}{8}a^2 \log(x) - \frac{1}{8}a^2 \log(1-ax) - \frac{\text{Li}_2(ax)}{4x^2} - \frac{\text{Li}_3(ax)}{2x^2} + \frac{\log(1-ax)}{8x^2} - \frac{a}{8x}$$

[Out]  $-1/8*a/x+1/8*a^2*\ln(x)-1/8*a^2*\ln(-a*x+1)+1/8*\ln(-a*x+1)/x^2-1/4*\text{polylog}(2, a*x)/x^2-1/2*\text{polylog}(3, a*x)/x^2$

**Rubi** [A] time = 0.04, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax)}{4x^2} - \frac{\text{PolyLog}(3, ax)}{2x^2} + \frac{1}{8}a^2 \log(x) - \frac{1}{8}a^2 \log(1-ax) + \frac{\log(1-ax)}{8x^2} - \frac{a}{8x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/x^3, x]

[Out]  $-a/(8*x) + (a^2*\text{Log}[x])/8 - (a^2*\text{Log}[1 - a*x])/8 + \text{Log}[1 - a*x]/(8*x^2) - \text{PolyLog}[2, a*x]/(4*x^2) - \text{PolyLog}[3, a*x]/(2*x^2)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax)}{x^3} dx &= -\frac{\text{Li}_3(ax)}{2x^2} + \frac{1}{2} \int \frac{\text{Li}_2(ax)}{x^3} dx \\
&= -\frac{\text{Li}_2(ax)}{4x^2} - \frac{\text{Li}_3(ax)}{2x^2} - \frac{1}{4} \int \frac{\log(1-ax)}{x^3} dx \\
&= \frac{\log(1-ax)}{8x^2} - \frac{\text{Li}_2(ax)}{4x^2} - \frac{\text{Li}_3(ax)}{2x^2} + \frac{1}{8}a \int \frac{1}{x^2(1-ax)} dx \\
&= \frac{\log(1-ax)}{8x^2} - \frac{\text{Li}_2(ax)}{4x^2} - \frac{\text{Li}_3(ax)}{2x^2} + \frac{1}{8}a \int \left( \frac{1}{x^2} + \frac{a}{x} - \frac{a^2}{-1+ax} \right) dx \\
&= -\frac{a}{8x} + \frac{1}{8}a^2 \log(x) - \frac{1}{8}a^2 \log(1-ax) + \frac{\log(1-ax)}{8x^2} - \frac{\text{Li}_2(ax)}{4x^2} - \frac{\text{Li}_3(ax)}{2x^2}
\end{aligned}$$

**Mathematica** [C] time = 0.01, size = 25, normalized size = 0.36

$$\frac{G_{5,5}^{2,4} \left( -ax \left| \begin{array}{l} 1, 1, 1, 1, 3 \\ 1, 2, 0, 0, 0 \end{array} \right. \right)}{x^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x]/x^3,x]

[Out] MeijerG[{{1, 1, 1, 1}, {3}}, {{1, 2}, {0, 0, 0}}, -(a\*x)]/x^2

**fricas** [C] time = 0.62, size = 54, normalized size = 0.77

$$\frac{a^2 x^2 \log(ax-1) - a^2 x^2 \log(x) + ax + 2 \text{Li}_2(ax) - \log(-ax+1) + 4 \text{polylog}(3, ax)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^3,x, algorithm="fricas")

[Out] -1/8\*(a^2\*x^2\*log(a\*x - 1) - a^2\*x^2\*log(x) + a\*x + 2\*dilog(a\*x) - log(-a\*x + 1) + 4\*polylog(3, a\*x))/x^2

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^3,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/x^3, x)

**maple** [A] time = 0.14, size = 90, normalized size = 1.29

$$-a^2 \left( -\frac{81ax + 378}{432ax} - \frac{(-27a^2x^2 + 27) \ln(-ax + 1)}{216a^2x^2} + \frac{\text{polylog}(2, ax)}{4a^2x^2} + \frac{\text{polylog}(3, ax)}{2a^2x^2} + \frac{3}{16} - \frac{\ln(x)}{8} - \frac{\ln(-a)}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/x^3,x)

[Out]  $-a^2 * (-1/432/a/x * (81*a*x+378) - 1/216/a^2/x^2 * (-27*a^2*x^2+27) * \ln(-a*x+1) + 1/4/a^2/x^2 * \text{polylog}(2, a*x) + 1/2/a^2/x^2 * \text{polylog}(3, a*x) + 3/16 - 1/8 * \ln(x) - 1/8 * \ln(-a) + 1/a/x)$

**maxima** [A] time = 0.33, size = 47, normalized size = 0.67

$$\frac{1}{8} a^2 \log(x) - \frac{ax + (a^2x^2 - 1) \log(-ax + 1) + 2 \text{Li}_2(ax) + 4 \text{Li}_3(ax)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^3,x, algorithm="maxima")

[Out]  $1/8*a^2*\log(x) - 1/8*(a*x + (a^2*x^2 - 1)*\log(-a*x + 1) + 2*dilog(a*x) + 4*\text{polylog}(3, a*x))/x^2$

**mupad** [B] time = 1.27, size = 46, normalized size = 0.66

$$\frac{a^2 \operatorname{atanh}(2ax - 1)}{4} - \frac{\frac{ax}{8} - \frac{\ln(1-ax)}{8} + \frac{\text{polylog}(2, ax)}{4} + \frac{\text{polylog}(3, ax)}{2}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x)/x^3,x)

[Out]  $(a^2*\operatorname{atanh}(2*a*x - 1))/4 - ((a*x)/8 - \log(1 - a*x)/8 + \text{polylog}(2, a*x)/4 + \text{polylog}(3, a*x)/2)/x^2$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x\*\*3,x)

[Out] Integral(polylog(3, a\*x)/x\*\*3, x)

### 3.18 $\int \frac{\text{Li}_3(ax)}{x^4} dx$

**Optimal.** Leaf size=80

$$\frac{1}{27}a^3 \log(x) - \frac{1}{27}a^3 \log(1-ax) - \frac{a^2}{27x} - \frac{\text{Li}_2(ax)}{9x^3} - \frac{\text{Li}_3(ax)}{3x^3} + \frac{\log(1-ax)}{27x^3} - \frac{a}{54x^2}$$

[Out]  $-1/54*a/x^2-1/27*a^2/x+1/27*a^3*\ln(x)-1/27*a^3*\ln(-a*x+1)+1/27*\ln(-a*x+1)/x^3-1/9*\text{polylog}(2,a*x)/x^3-1/3*\text{polylog}(3,a*x)/x^3$

**Rubi [A]** time = 0.05, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2395, 44}

$$-\frac{\text{PolyLog}(2,ax)}{9x^3} - \frac{\text{PolyLog}(3,ax)}{3x^3} - \frac{a^2}{27x} + \frac{1}{27}a^3 \log(x) - \frac{1}{27}a^3 \log(1-ax) - \frac{a}{54x^2} + \frac{\log(1-ax)}{27x^3}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/x^4, x]

[Out]  $-a/(54*x^2) - a^2/(27*x) + (a^3*\text{Log}[x])/27 - (a^3*\text{Log}[1 - a*x])/27 + \text{Log}[1 - a*x]/(27*x^3) - \text{PolyLog}[2, a*x]/(9*x^3) - \text{PolyLog}[3, a*x]/(3*x^3)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] & & NeQ[b\*c - a\*d, 0] & & ILtQ[m, 0] & & IntegerQ[n] & & !(IGtQ[n, 0] & & LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] & & NeQ[e\*f - d\*g, 0] & & NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] & & NeQ[m, -1] & & GtQ[n, 0]



Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax)}{x^4} dx &= -\frac{\text{Li}_3(ax)}{3x^3} + \frac{1}{3} \int \frac{\text{Li}_2(ax)}{x^4} dx \\
&= -\frac{\text{Li}_2(ax)}{9x^3} - \frac{\text{Li}_3(ax)}{3x^3} - \frac{1}{9} \int \frac{\log(1-ax)}{x^4} dx \\
&= \frac{\log(1-ax)}{27x^3} - \frac{\text{Li}_2(ax)}{9x^3} - \frac{\text{Li}_3(ax)}{3x^3} + \frac{1}{27} a \int \frac{1}{x^3(1-ax)} dx \\
&= \frac{\log(1-ax)}{27x^3} - \frac{\text{Li}_2(ax)}{9x^3} - \frac{\text{Li}_3(ax)}{3x^3} + \frac{1}{27} a \int \left( \frac{1}{x^3} + \frac{a}{x^2} + \frac{a^2}{x} - \frac{a^3}{-1+ax} \right) dx \\
&= -\frac{a}{54x^2} - \frac{a^2}{27x} + \frac{1}{27} a^3 \log(x) - \frac{1}{27} a^3 \log(1-ax) + \frac{\log(1-ax)}{27x^3} - \frac{\text{Li}_2(ax)}{9x^3} - \frac{\text{Li}_3(ax)}{3x^3}
\end{aligned}$$

**Mathematica** [C] time = 0.01, size = 25, normalized size = 0.31

$$\frac{G_{5,5}^{2,4} \left( -ax \left| \begin{array}{l} 1, 1, 1, 1, 4 \\ 1, 3, 0, 0, 0 \end{array} \right. \right)}{x^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x]/x^4, x]

[Out] MeijerG[{{1, 1, 1, 1}, {4}}, {{1, 3}, {0, 0, 0}}, -(a\*x)]/x^3

**fricas** [C] time = 0.71, size = 63, normalized size = 0.79

$$\frac{2a^3x^3 \log(ax-1) - 2a^3x^3 \log(x) + 2a^2x^2 + ax + 6\text{Li}_2(ax) - 2\log(-ax+1) + 18\text{polylog}(3, ax)}{54x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^4,x, algorithm="fricas")

[Out] -1/54\*(2\*a^3\*x^3\*log(a\*x - 1) - 2\*a^3\*x^3\*log(x) + 2\*a^2\*x^2 + a\*x + 6\*dilog(a\*x) - 2\*log(-a\*x + 1) + 18\*polylog(3, a\*x))/x^3

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^4,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/x^4, x)

**maple** [A] time = 0.14, size = 106, normalized size = 1.32

$$a^3 \left( \frac{64a^2x^2 + 152ax + 832}{1728a^2x^2} + \frac{(-64a^3x^3 + 64) \ln(-ax + 1)}{1728a^3x^3} - \frac{\text{polylog}(2, ax)}{9a^3x^3} - \frac{\text{polylog}(3, ax)}{3a^3x^3} - \frac{1}{27} + \frac{\ln(x)}{27} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/x^4,x)

[Out] a^3\*(1/1728/a^2/x^2\*(64\*a^2\*x^2+152\*a\*x+832)+1/1728/a^3/x^3\*(-64\*a^3\*x^3+64)\*ln(-a\*x+1)-1/9/a^3/x^3\*polylog(2,a\*x)-1/3/a^3/x^3\*polylog(3,a\*x)-1/27+1/27\*ln(x)+1/27\*ln(-a)-1/2/x^2/a^2-1/8/a/x)

**maxima** [A] time = 0.33, size = 56, normalized size = 0.70

$$\frac{1}{27} a^3 \log(x) - \frac{2a^2x^2 + ax + 2(a^3x^3 - 1) \log(-ax + 1) + 6 \text{Li}_2(ax) + 18 \text{Li}_3(ax)}{54x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x^4,x, algorithm="maxima")

[Out] 1/27\*a^3\*log(x) - 1/54\*(2\*a^2\*x^2 + a\*x + 2\*(a^3\*x^3 - 1)\*log(-a\*x + 1) + 6\*dilog(a\*x) + 18\*polylog(3, a\*x))/x^3

**mupad** [B] time = 1.50, size = 62, normalized size = 0.78

$$\frac{\ln(1 - ax)}{27x^3} - \frac{\text{polylog}(2, ax)}{9x^3} - \frac{\text{polylog}(3, ax)}{3x^3} - \frac{xa^2 + \frac{a}{2}}{27x^2} - \frac{a^3 \text{atan}(ax2i - i)2i}{27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x)/x^4,x)

[Out] log(1 - a\*x)/(27\*x^3) - (a^3\*atan(a\*x\*2i - 1i)\*2i)/27 - polylog(2, a\*x)/(9\*x^3) - polylog(3, a\*x)/(3\*x^3) - (a/2 + a^2\*x)/(27\*x^2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/x\*\*4,x)

[Out] Integral(polylog(3, a\*x)/x\*\*4, x)

### 3.19 $\int x^5 \text{Li}_2(ax^2) dx$

Optimal. Leaf size=74

$$-\frac{\log(1-ax^2)}{18a^3} - \frac{x^2}{18a^2} + \frac{1}{6}x^6 \text{Li}_2(ax^2) - \frac{x^4}{36a} + \frac{1}{18}x^6 \log(1-ax^2) - \frac{x^6}{54}$$

[Out]  $-1/18*x^2/a^2-1/36*x^4/a-1/54*x^6-1/18*\ln(-a*x^2+1)/a^3+1/18*x^6*\ln(-a*x^2+1)+1/6*x^6*\text{polylog}(2,a*x^2)$

**Rubi [A]** time = 0.06, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 43}

$$\frac{1}{6}x^6 \text{PolyLog}(2, ax^2) - \frac{x^2}{18a^2} - \frac{\log(1-ax^2)}{18a^3} - \frac{x^4}{36a} + \frac{1}{18}x^6 \log(1-ax^2) - \frac{x^6}{54}$$

Antiderivative was successfully verified.

[In] Int[x^5\*PolyLog[2, a\*x^2], x]

[Out]  $-x^2/(18*a^2) - x^4/(36*a) - x^6/54 - \text{Log}[1 - a*x^2]/(18*a^3) + (x^6*\text{Log}[1 - a*x^2])/18 + (x^6*\text{PolyLog}[2, a*x^2])/6$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))^(p\_.)]\*(b\_.))^(q\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x^5 \text{Li}_2(ax^2) dx &= \frac{1}{6} x^6 \text{Li}_2(ax^2) + \frac{1}{3} \int x^5 \log(1 - ax^2) dx \\
 &= \frac{1}{6} x^6 \text{Li}_2(ax^2) + \frac{1}{6} \text{Subst}\left(\int x^2 \log(1 - ax) dx, x, x^2\right) \\
 &= \frac{1}{18} x^6 \log(1 - ax^2) + \frac{1}{6} x^6 \text{Li}_2(ax^2) + \frac{1}{18} a \text{Subst}\left(\int \frac{x^3}{1 - ax} dx, x, x^2\right) \\
 &= \frac{1}{18} x^6 \log(1 - ax^2) + \frac{1}{6} x^6 \text{Li}_2(ax^2) + \frac{1}{18} a \text{Subst}\left(\int \left(-\frac{1}{a^3} - \frac{x}{a^2} - \frac{x^2}{a} - \frac{1}{a^3(-1 + ax)}\right) dx, x, x^2\right) \\
 &= -\frac{x^2}{18a^2} - \frac{x^4}{36a} - \frac{x^6}{54} - \frac{\log(1 - ax^2)}{18a^3} + \frac{1}{18} x^6 \log(1 - ax^2) + \frac{1}{6} x^6 \text{Li}_2(ax^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 65, normalized size = 0.88

$$\frac{18a^3x^6\text{Li}_2(ax^2) + 6(a^3x^6 - 1)\log(1 - ax^2) - ax^2(2a^2x^4 + 3ax^2 + 6)}{108a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*PolyLog[2, a\*x^2], x]

[Out] (-(a\*x^2\*(6 + 3\*a\*x^2 + 2\*a^2\*x^4)) + 6\*(-1 + a^3\*x^6)\*Log[1 - a\*x^2] + 18\*a^3\*x^6\*PolyLog[2, a\*x^2])/(108\*a^3)

**fricas [A]** time = 0.45, size = 62, normalized size = 0.84

$$\frac{18a^3x^6\text{Li}_2(ax^2) - 2a^3x^6 - 3a^2x^4 - 6ax^2 + 6(a^3x^6 - 1)\log(-ax^2 + 1)}{108a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*polylog(2,a\*x^2),x, algorithm="fricas")

[Out]  $1/108*(18*a^3*x^6*dilog(a*x^2) - 2*a^3*x^6 - 3*a^2*x^4 - 6*a*x^2 + 6*(a^3*x^6 - 1)*log(-a*x^2 + 1))/a^3$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^5 \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*polylog(2,a*x^2),x, algorithm="giac")`

[Out] `integrate(x^5*dilog(a*x^2), x)`

**maple** [A] time = 0.01, size = 62, normalized size = 0.84

$$\frac{x^6 \text{polylog}(2, ax^2)}{6} + \frac{x^6 \ln(-ax^2 + 1)}{18} - \frac{x^6}{54} - \frac{x^4}{36a} - \frac{x^2}{18a^2} - \frac{\ln(ax^2 - 1)}{18a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*polylog(2,a*x^2),x)`

[Out]  $1/6*x^6*polylog(2,a*x^2)+1/18*x^6*\ln(-a*x^2+1)-1/54*x^6-1/36*x^4/a-1/18*x^2/a^2-1/18/a^3*\ln(a*x^2-1)$

**maxima** [A] time = 0.31, size = 62, normalized size = 0.84

$$\frac{18 a^3 x^6 \text{Li}_2(ax^2) - 2 a^3 x^6 - 3 a^2 x^4 - 6 a x^2 + 6 (a^3 x^6 - 1) \log(-ax^2 + 1)}{108 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*polylog(2,a*x^2),x, algorithm="maxima")`

[Out]  $1/108*(18*a^3*x^6*dilog(a*x^2) - 2*a^3*x^6 - 3*a^2*x^4 - 6*a*x^2 + 6*(a^3*x^6 - 1)*log(-a*x^2 + 1))/a^3$

**mupad** [B] time = 0.19, size = 61, normalized size = 0.82

$$\frac{x^6 \text{polylog}(2, ax^2)}{6} - \frac{\ln(ax^2 - 1)}{18 a^3} + \frac{x^6 \ln(1 - ax^2)}{18} - \frac{x^6}{54} - \frac{x^2}{18 a^2} - \frac{x^4}{36 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*polylog(2, a*x^2),x)`

[Out]  $(x^6 \operatorname{polylog}(2, a x^2))/6 - \log(a x^2 - 1)/(18 a^3) + (x^6 \log(1 - a x^2))/18 - x^6/54 - x^2/(18 a^2) - x^4/(36 a)$

sympy [A] time = 19.53, size = 56, normalized size = 0.76

$$\begin{cases} -\frac{x^6 \operatorname{Li}_1(ax^2)}{18} + \frac{x^6 \operatorname{Li}_2(ax^2)}{6} - \frac{x^6}{54} - \frac{x^4}{36a} - \frac{x^2}{18a^2} + \frac{\operatorname{Li}_1(ax^2)}{18a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*polylog(2,a*x**2),x)`

[Out] `Piecewise((-x**6*polylog(1, a*x**2)/18 + x**6*polylog(2, a*x**2)/6 - x**6/54 - x**4/(36*a) - x**2/(18*a**2) + polylog(1, a*x**2)/(18*a**3), Ne(a, 0)), (0, True))`

## 3.20 $\int x^3 \text{Li}_2(ax^2) dx$

Optimal. Leaf size=64

$$-\frac{\log(1-ax^2)}{8a^2} + \frac{1}{4}x^4 \text{Li}_2(ax^2) - \frac{x^2}{8a} + \frac{1}{8}x^4 \log(1-ax^2) - \frac{x^4}{16}$$

[Out]  $-1/8*x^2/a-1/16*x^4-1/8*\ln(-a*x^2+1)/a^2+1/8*x^4*\ln(-a*x^2+1)+1/4*x^4*\text{polylog}(2,a*x^2)$

**Rubi [A]** time = 0.05, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 43}

$$\frac{1}{4}x^4 \text{PolyLog}(2, ax^2) - \frac{\log(1-ax^2)}{8a^2} - \frac{x^2}{8a} + \frac{1}{8}x^4 \log(1-ax^2) - \frac{x^4}{16}$$

Antiderivative was successfully verified.

[In] Int[x^3\*PolyLog[2, a\*x^2], x]

[Out]  $-x^2/(8*a) - x^4/16 - \text{Log}[1 - a*x^2]/(8*a^2) + (x^4*\text{Log}[1 - a*x^2])/8 + (x^4*\text{PolyLog}[2, a*x^2])/4$

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]^(p\_.))\*(b\_.)^(q\_.)\*(x\_)^m, x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^n])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x^3 \text{Li}_2(ax^2) dx &= \frac{1}{4} x^4 \text{Li}_2(ax^2) + \frac{1}{2} \int x^3 \log(1 - ax^2) dx \\
 &= \frac{1}{4} x^4 \text{Li}_2(ax^2) + \frac{1}{4} \text{Subst}\left(\int x \log(1 - ax) dx, x, x^2\right) \\
 &= \frac{1}{8} x^4 \log(1 - ax^2) + \frac{1}{4} x^4 \text{Li}_2(ax^2) + \frac{1}{8} a \text{Subst}\left(\int \frac{x^2}{1 - ax} dx, x, x^2\right) \\
 &= \frac{1}{8} x^4 \log(1 - ax^2) + \frac{1}{4} x^4 \text{Li}_2(ax^2) + \frac{1}{8} a \text{Subst}\left(\int \left(-\frac{1}{a^2} - \frac{x}{a} - \frac{1}{a^2(-1 + ax)}\right) dx, x, x^2\right) \\
 &= -\frac{x^2}{8a} - \frac{x^4}{16} - \frac{\log(1 - ax^2)}{8a^2} + \frac{1}{8} x^4 \log(1 - ax^2) + \frac{1}{4} x^4 \text{Li}_2(ax^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 56, normalized size = 0.88

$$\frac{4a^2x^4\text{Li}_2(ax^2) + 2(a^2x^4 - 1)\log(1 - ax^2) - ax^2(ax^2 + 2)}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*PolyLog[2, a\*x^2], x]

[Out] (-(a\*x^2\*(2 + a\*x^2)) + 2\*(-1 + a^2\*x^4)\*Log[1 - a\*x^2] + 4\*a^2\*x^4\*PolyLog[2, a\*x^2])/(16\*a^2)

**fricas [A]** time = 0.72, size = 54, normalized size = 0.84

$$\frac{4a^2x^4\text{Li}_2(ax^2) - a^2x^4 - 2ax^2 + 2(a^2x^4 - 1)\log(-ax^2 + 1)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(2,a\*x^2),x, algorithm="fricas")



[Out]  $1/16*(4*a^2*x^4*dilog(a*x^2) - a^2*x^4 - 2*a*x^2 + 2*(a^2*x^4 - 1)*log(-a*x^2 + 1))/a^2$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*polylog(2,a*x^2),x, algorithm="giac")`

[Out] `integrate(x^3*dilog(a*x^2), x)`

**maple** [A] time = 0.01, size = 54, normalized size = 0.84

$$\frac{x^4 \text{polylog}(2, ax^2)}{4} + \frac{x^4 \ln(-ax^2 + 1)}{8} - \frac{x^4}{16} - \frac{x^2}{8a} - \frac{\ln(ax^2 - 1)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*polylog(2,a*x^2),x)`

[Out]  $1/4*x^4*polylog(2,a*x^2)+1/8*x^4*\ln(-a*x^2+1)-1/16*x^4-1/8*x^2/a-1/8/a^2*\ln(a*x^2-1)$

**maxima** [A] time = 0.31, size = 54, normalized size = 0.84

$$\frac{4a^2x^4\text{Li}_2(ax^2) - a^2x^4 - 2ax^2 + 2(a^2x^4 - 1)\log(-ax^2 + 1)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*polylog(2,a*x^2),x, algorithm="maxima")`

[Out]  $1/16*(4*a^2*x^4*dilog(a*x^2) - a^2*x^4 - 2*a*x^2 + 2*(a^2*x^4 - 1)*log(-a*x^2 + 1))/a^2$

**mupad** [B] time = 0.27, size = 53, normalized size = 0.83

$$\frac{x^4 \text{polylog}(2, ax^2)}{4} - \frac{\ln(ax^2 - 1)}{8a^2} + \frac{x^4 \ln(1 - ax^2)}{8} - \frac{x^4}{16} - \frac{x^2}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*polylog(2, a*x^2),x)`

[Out]  $(x^4 \text{polylog}(2, ax^2))/4 - \log(ax^2 - 1)/(8a^2) + (x^4 \log(1 - ax^2))/8 - x^4/16 - x^2/(8a)$

sympy [A] time = 7.48, size = 48, normalized size = 0.75

$$\begin{cases} -\frac{x^4 \text{Li}_1(ax^2)}{8} + \frac{x^4 \text{Li}_2(ax^2)}{4} - \frac{x^4}{16} - \frac{x^2}{8a} + \frac{\text{Li}_1(ax^2)}{8a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*polylog(2,a*x**2),x)`

[Out] `Piecewise((-x**4*polylog(1, a*x**2)/8 + x**4*polylog(2, a*x**2)/4 - x**4/16 - x**2/(8*a) + polylog(1, a*x**2)/(8*a**2), Ne(a, 0)), (0, True))`

### 3.21 $\int x \text{Li}_2(ax^2) dx$

Optimal. Leaf size=46

$$\frac{1}{2}x^2\text{Li}_2(ax^2) - \frac{(1-ax^2)\log(1-ax^2)}{2a} - \frac{x^2}{2}$$

[Out]  $-1/2*x^2-1/2*(-a*x^2+1)*\ln(-a*x^2+1)/a+1/2*x^2*\text{polylog}(2,a*x^2)$

**Rubi [A]** time = 0.03, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {6591, 2454, 2389, 2295}

$$\frac{1}{2}x^2\text{PolyLog}(2,ax^2) - \frac{(1-ax^2)\log(1-ax^2)}{2a} - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[2, a\*x^2], x]

[Out]  $-x^2/2 - ((1 - a*x^2)*\text{Log}[1 - a*x^2])/(2*a) + (x^2*\text{PolyLog}[2, a*x^2])/2$

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] :> Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))^(p\_.)]\*(b\_.))^(q\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) && !(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

#### Rule 6591

Int[((d\_.)\*(x\_)^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(

$p \cdot q) / (m + 1)$ ,  $\text{Int}[(d \cdot x)^m \cdot \text{PolyLog}[n - 1, a \cdot (b \cdot x^p)^q], x], x] /;$   $\text{FreeQ}[\{a, b, d, m, p, q\}, x]$  &&  $\text{NeQ}[m, -1]$  &&  $\text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int x \text{Li}_2(ax^2) dx &= \frac{1}{2} x^2 \text{Li}_2(ax^2) + \int x \log(1 - ax^2) dx \\ &= \frac{1}{2} x^2 \text{Li}_2(ax^2) + \frac{1}{2} \text{Subst}\left(\int \log(1 - ax) dx, x, x^2\right) \\ &= \frac{1}{2} x^2 \text{Li}_2(ax^2) - \frac{\text{Subst}\left(\int \log(x) dx, x, 1 - ax^2\right)}{2a} \\ &= -\frac{x^2}{2} - \frac{(1 - ax^2) \log(1 - ax^2)}{2a} + \frac{1}{2} x^2 \text{Li}_2(ax^2) \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 43, normalized size = 0.93

$$\frac{ax^2 \text{Li}_2(ax^2) - ax^2 + (ax^2 - 1) \log(1 - ax^2)}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[2, a\*x^2], x]

[Out]  $(-(a \cdot x^2) + (-1 + a \cdot x^2) \cdot \text{Log}[1 - a \cdot x^2] + a \cdot x^2 \cdot \text{PolyLog}[2, a \cdot x^2]) / (2 \cdot a)$

**fricas** [A] time = 0.53, size = 40, normalized size = 0.87

$$\frac{ax^2 \text{Li}_2(ax^2) - ax^2 + (ax^2 - 1) \log(-ax^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^2),x, algorithm="fricas")

[Out]  $1/2 \cdot (a \cdot x^2 \cdot \text{dilog}(a \cdot x^2) - a \cdot x^2 + (a \cdot x^2 - 1) \cdot \log(-a \cdot x^2 + 1)) / a$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^2),x, algorithm="giac")

[Out] integrate(x\*dilog(a\*x^2), x)

**maple** [A] time = 0.00, size = 52, normalized size = 1.13

$$\frac{\ln(-ax^2+1)x^2}{2} + \frac{x^2 \operatorname{polylog}(2, ax^2)}{2} - \frac{x^2}{2} - \frac{\ln(-ax^2+1)}{2a} + \frac{1}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2,a\*x^2),x)

[Out] 1/2\*ln(-a\*x^2+1)\*x^2+1/2\*x^2\*polylog(2,a\*x^2)-1/2\*x^2-1/2/a\*ln(-a\*x^2+1)+1/2/a

**maxima** [A] time = 0.31, size = 40, normalized size = 0.87

$$\frac{ax^2 \operatorname{Li}_2(ax^2) - ax^2 + (ax^2 - 1) \log(-ax^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^2),x, algorithm="maxima")

[Out] 1/2\*(a\*x^2\*dilog(a\*x^2) - a\*x^2 + (a\*x^2 - 1)\*log(-a\*x^2 + 1))/a

**mupad** [B] time = 0.21, size = 45, normalized size = 0.98

$$\frac{x^2 \operatorname{polylog}(2, ax^2)}{2} - \frac{\ln(ax^2 - 1)}{2a} + \frac{x^2 \ln(1 - ax^2)}{2} - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2, a\*x^2),x)

[Out] (x^2\*polylog(2, a\*x^2))/2 - log(a\*x^2 - 1)/(2\*a) + (x^2\*log(1 - a\*x^2))/2 - x^2/2

**sympy** [A] time = 2.72, size = 39, normalized size = 0.85

$$\begin{cases} -\frac{x^2 \operatorname{Li}_1(ax^2)}{2} + \frac{x^2 \operatorname{Li}_2(ax^2)}{2} - \frac{x^2}{2} + \frac{\operatorname{Li}_1(ax^2)}{2a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*polylog(2,a*x**2),x)
```

```
[Out] Piecewise((-x**2*polylog(1, a*x**2)/2 + x**2*polylog(2, a*x**2)/2 - x**2/2  
+ polylog(1, a*x**2)/(2*a), Ne(a, 0)), (0, True))
```

$$3.22 \quad \int \frac{\text{Li}_2(ax^2)}{x} dx$$

Optimal. Leaf size=11

$$\frac{\text{Li}_3(ax^2)}{2}$$

[Out] 1/2\*polylog(3,a\*x^2)

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6589}

$$\frac{1}{2}\text{PolyLog}(3, ax^2)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x,x]

[Out] PolyLog[3, a\*x^2]/2

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_2(ax^2)}{x} dx = \frac{\text{Li}_3(ax^2)}{2}$$

Mathematica [A] time = 0.00, size = 11, normalized size = 1.00

$$\frac{\text{Li}_3(ax^2)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x,x]

[Out] PolyLog[3, a\*x^2]/2

**fricas** [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(ax^2)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x,x, algorithm="fricas")

[Out] integral(dilog(a\*x^2)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x,x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/x, x)

**maple** [A] time = 0.06, size = 10, normalized size = 0.91

$$\frac{\text{polylog}(3, ax^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/x,x)

[Out] 1/2\*polylog(3,a\*x^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x,x, algorithm="maxima")

[Out] integrate(dilog(a\*x^2)/x, x)

**mupad** [B] time = 0.17, size = 9, normalized size = 0.82

$$\frac{\text{polylog}(3, ax^2)}{2}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^2)/x,x)
```

```
[Out] polylog(3, a*x^2)/2
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_2(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x**2)/x,x)
```

```
[Out] Integral(polylog(2, a*x**2)/x, x)
```

$$3.23 \quad \int \frac{\text{Li}_2(ax^2)}{x^3} dx$$

Optimal. Leaf size=49

$$-\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{1}{2}a \log(1 - ax^2) + \frac{\log(1 - ax^2)}{2x^2} + a \log(x)$$

[Out] a\*ln(x)-1/2\*a\*ln(-a\*x^2+1)+1/2\*ln(-a\*x^2+1)/x^2-1/2\*polylog(2,a\*x^2)/x^2

**Rubi [A]** time = 0.04, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {6591, 2454, 2395, 36, 29, 31}

$$-\frac{\text{PolyLog}(2, ax^2)}{2x^2} - \frac{1}{2}a \log(1 - ax^2) + \frac{\log(1 - ax^2)}{2x^2} + a \log(x)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^3, x]

[Out] a\*Log[x] - (a\*Log[1 - a\*x^2])/2 + Log[1 - a\*x^2]/(2\*x^2) - PolyLog[2, a\*x^2]/(2\*x^2)

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && N

eQ[q, -1]

### Rule 2454

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))^(q_.)*(x_)^(m
_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Lo
g[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q},
x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&
!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:= Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax^2)}{x^3} dx &= -\frac{\text{Li}_2(ax^2)}{2x^2} - \int \frac{\log(1-ax^2)}{x^3} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{1}{2} \text{Subst}\left(\int \frac{\log(1-ax)}{x^2} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2} + \frac{1}{2}a \text{Subst}\left(\int \frac{1}{x(1-ax)} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2} + \frac{1}{2}a \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right) + \frac{1}{2}a^2 \text{Subst}\left(\int \frac{1}{1-ax} dx, x, x^2\right) \\
 &= a \log(x) - \frac{1}{2}a \log(1-ax^2) + \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 49, normalized size = 1.00

$$-\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{1}{2}a \log(1-ax^2) + \frac{\log(1-ax^2)}{2x^2} + a \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^3,x]

[Out]  $a \cdot \text{Log}[x] - (a \cdot \text{Log}[1 - a \cdot x^2])/2 + \text{Log}[1 - a \cdot x^2]/(2 \cdot x^2) - \text{PolyLog}[2, a \cdot x^2]/(2 \cdot x^2)$

**fricas** [A] time = 0.91, size = 44, normalized size = 0.90

$$\frac{ax^2 \log(ax^2 - 1) - 2ax^2 \log(x) + \text{Li}_2(ax^2) - \log(-ax^2 + 1)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^3,x, algorithm="fricas")`

[Out]  $-1/2 \cdot (a \cdot x^2 \cdot \log(a \cdot x^2 - 1) - 2 \cdot a \cdot x^2 \cdot \log(x) + \text{dilog}(a \cdot x^2) - \log(-a \cdot x^2 + 1))/x^2$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^3,x, algorithm="giac")`

[Out] `integrate(dilog(a*x^2)/x^3, x)`

**maple** [A] time = 0.01, size = 43, normalized size = 0.88

$$-\frac{\text{polylog}(2, ax^2)}{2x^2} + \frac{\ln(-ax^2 + 1)}{2x^2} + a \ln(x) - \frac{a \ln(ax^2 - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x^2)/x^3,x)`

[Out]  $-1/2 \cdot \text{polylog}(2, a \cdot x^2)/x^2 + 1/2 \cdot \ln(-a \cdot x^2 + 1)/x^2 + a \cdot \ln(x) - 1/2 \cdot a \cdot \ln(a \cdot x^2 - 1)$

**maxima** [A] time = 0.32, size = 34, normalized size = 0.69

$$a \log(x) - \frac{(ax^2 - 1) \log(-ax^2 + 1) + \text{Li}_2(ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^3,x, algorithm="maxima")`

[Out]  $a \cdot \log(x) - 1/2 \cdot ((a \cdot x^2 - 1) \cdot \log(-a \cdot x^2 + 1) + \text{dilog}(a \cdot x^2))/x^2$

**mupad [B]** time = 0.21, size = 44, normalized size = 0.90

$$\frac{3 a \ln(x)}{2} + \frac{\frac{\ln(1-ax^2)}{2} - \frac{\text{polylog}(2,ax^2)}{2}}{x^2} - \frac{a \ln(ax^3 - x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)/x^3,x)

[Out] (3\*a\*log(x))/2 + (log(1 - a\*x^2)/2 - polylog(2, a\*x^2)/2)/x^2 - (a\*log(a\*x^3 - x))/2

**sympy [A]** time = 2.74, size = 37, normalized size = 0.76

$$a \log(x) + \frac{a \text{Li}_1(ax^2)}{2} - \frac{\text{Li}_1(ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*2)/x\*\*3,x)

[Out] a\*log(x) + a\*polylog(1, a\*x\*\*2)/2 - polylog(1, a\*x\*\*2)/(2\*x\*\*2) - polylog(2, a\*x\*\*2)/(2\*x\*\*2)

$$3.24 \quad \int \frac{\text{Li}_2(ax^2)}{x^5} dx$$

Optimal. Leaf size=64

$$-\frac{1}{8}a^2 \log(1-ax^2) + \frac{1}{4}a^2 \log(x) - \frac{\text{Li}_2(ax^2)}{4x^4} - \frac{a}{8x^2} + \frac{\log(1-ax^2)}{8x^4}$$

[Out]  $-1/8*a/x^2+1/4*a^2*\ln(x)-1/8*a^2*\ln(-a*x^2+1)+1/8*\ln(-a*x^2+1)/x^4-1/4*\text{poly}\log(2,a*x^2)/x^4$

**Rubi [A]** time = 0.05, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax^2)}{4x^4} - \frac{1}{8}a^2 \log(1-ax^2) + \frac{1}{4}a^2 \log(x) - \frac{a}{8x^2} + \frac{\log(1-ax^2)}{8x^4}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^5, x]

[Out]  $-a/(8*x^2) + (a^2*\text{Log}[x])/4 - (a^2*\text{Log}[1 - a*x^2])/8 + \text{Log}[1 - a*x^2]/(8*x^4) - \text{PolyLog}[2, a*x^2]/(4*x^4)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]^(p\_.)]\*(b\_.)^(q\_.)\*(x\_)^m, x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax^2)}{x^5} dx &= -\frac{\text{Li}_2(ax^2)}{4x^4} - \frac{1}{2} \int \frac{\log(1-ax^2)}{x^5} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{4x^4} - \frac{1}{4} \text{Subst}\left(\int \frac{\log(1-ax)}{x^3} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{8x^4} - \frac{\text{Li}_2(ax^2)}{4x^4} + \frac{1}{8}a \text{Subst}\left(\int \frac{1}{x^2(1-ax)} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{8x^4} - \frac{\text{Li}_2(ax^2)}{4x^4} + \frac{1}{8}a \text{Subst}\left(\int \left(\frac{1}{x^2} + \frac{a}{x} - \frac{a^2}{-1+ax}\right) dx, x, x^2\right) \\
 &= -\frac{a}{8x^2} + \frac{1}{4}a^2 \log(x) - \frac{1}{8}a^2 \log(1-ax^2) + \frac{\log(1-ax^2)}{8x^4} - \frac{\text{Li}_2(ax^2)}{4x^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 51, normalized size = 0.80

$$-\frac{-2a^2x^4 \log(x) + (a^2x^4 - 1) \log(1 - ax^2) + 2\text{Li}_2(ax^2) + ax^2}{8x^4}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^5, x]

[Out] -1/8\*(a\*x^2 - 2\*a^2\*x^4\*Log[x] + (-1 + a^2\*x^4)\*Log[1 - a\*x^2] + 2\*PolyLog[2, a\*x^2])/x^4

**fricas [A]** time = 1.35, size = 55, normalized size = 0.86

$$-\frac{a^2x^4 \log(ax^2 - 1) - 2a^2x^4 \log(x) + ax^2 + 2\text{Li}_2(ax^2) - \log(-ax^2 + 1)}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^5,x, algorithm="fricas")

[Out]  $-1/8*(a^2*x^4*\log(a*x^2 - 1) - 2*a^2*x^4*\log(x) + a*x^2 + 2*dilog(a*x^2) - \log(-a*x^2 + 1))/x^4$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^5,x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/x^5, x)

**maple** [A] time = 0.02, size = 54, normalized size = 0.84

$$-\frac{\text{polylog}(2, ax^2)}{4x^4} + \frac{\ln(-ax^2 + 1)}{8x^4} - \frac{a}{8x^2} + \frac{a^2 \ln(x)}{4} - \frac{a^2 \ln(ax^2 - 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/x^5,x)

[Out]  $-1/4*\text{polylog}(2, a*x^2)/x^4 + 1/8*\ln(-a*x^2+1)/x^4 - 1/8*a/x^2 + 1/4*a^2*\ln(x) - 1/8*a^2*\ln(a*x^2-1)$

**maxima** [A] time = 0.33, size = 46, normalized size = 0.72

$$\frac{1}{4} a^2 \log(x) - \frac{ax^2 + (a^2x^4 - 1) \log(-ax^2 + 1) + 2 \text{Li}_2(ax^2)}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^5,x, algorithm="maxima")

[Out]  $1/4*a^2*\log(x) - 1/8*(a*x^2 + (a^2*x^4 - 1)*\log(-a*x^2 + 1) + 2*dilog(a*x^2))/x^4$

**mupad** [B] time = 0.26, size = 53, normalized size = 0.83

$$\frac{a^2 \ln(x)}{4} - \frac{\text{polylog}(2, ax^2)}{4x^4} - \frac{a^2 \ln(ax^2 - 1)}{8} - \frac{a}{8x^2} + \frac{\ln(1 - ax^2)}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)/x^5,x)



[Out]  $(a^2 \log(x))/4 - \text{polylog}(2, a*x^2)/(4*x^4) - (a^2 \log(a*x^2 - 1))/8 - a/(8*x^2) + \log(1 - a*x^2)/(8*x^4)$

sympy [A] time = 7.31, size = 49, normalized size = 0.77

$$\frac{a^2 \log(x)}{4} + \frac{a^2 \text{Li}_1(ax^2)}{8} - \frac{a}{8x^2} - \frac{\text{Li}_1(ax^2)}{8x^4} - \frac{\text{Li}_2(ax^2)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x**2)/x**5,x)`

[Out]  $a**2*\log(x)/4 + a**2*\text{polylog}(1, a*x**2)/8 - a/(8*x**2) - \text{polylog}(1, a*x**2)/(8*x**4) - \text{polylog}(2, a*x**2)/(4*x**4)$

$$3.25 \quad \int \frac{\text{Li}_2(ax^2)}{x^7} dx$$

Optimal. Leaf size=74

$$-\frac{1}{18}a^3 \log(1-ax^2) + \frac{1}{9}a^3 \log(x) - \frac{a^2}{18x^2} - \frac{\text{Li}_2(ax^2)}{6x^6} - \frac{a}{36x^4} + \frac{\log(1-ax^2)}{18x^6}$$

[Out]  $-1/36*a/x^4-1/18*a^2/x^2+1/9*a^3*\ln(x)-1/18*a^3*\ln(-a*x^2+1)+1/18*\ln(-a*x^2+1)/x^6-1/6*polylog(2,a*x^2)/x^6$

**Rubi [A]** time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 44}

$$-\frac{\text{PolyLog}(2, ax^2)}{6x^6} - \frac{a^2}{18x^2} - \frac{1}{18}a^3 \log(1-ax^2) + \frac{1}{9}a^3 \log(x) - \frac{a}{36x^4} + \frac{\log(1-ax^2)}{18x^6}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^7, x]

[Out]  $-a/(36*x^4) - a^2/(18*x^2) + (a^3*\text{Log}[x])/9 - (a^3*\text{Log}[1 - a*x^2])/18 + \text{Log}[1 - a*x^2]/(18*x^6) - \text{PolyLog}[2, a*x^2]/(6*x^6)$

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)])\*(b\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.))]^(p\_.)\*(b\_.)^(q\_.)\*(x\_)^m, x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^2)}{x^7} dx &= -\frac{\text{Li}_2(ax^2)}{6x^6} - \frac{1}{3} \int \frac{\log(1-ax^2)}{x^7} dx \\ &= -\frac{\text{Li}_2(ax^2)}{6x^6} - \frac{1}{6} \text{Subst}\left(\int \frac{\log(1-ax)}{x^4} dx, x, x^2\right) \\ &= \frac{\log(1-ax^2)}{18x^6} - \frac{\text{Li}_2(ax^2)}{6x^6} + \frac{1}{18}a \text{Subst}\left(\int \frac{1}{x^3(1-ax)} dx, x, x^2\right) \\ &= \frac{\log(1-ax^2)}{18x^6} - \frac{\text{Li}_2(ax^2)}{6x^6} + \frac{1}{18}a \text{Subst}\left(\int \left(\frac{1}{x^3} + \frac{a}{x^2} + \frac{a^2}{x} - \frac{a^3}{-1+ax}\right) dx, x, x^2\right) \\ &= -\frac{a}{36x^4} - \frac{a^2}{18x^2} + \frac{1}{9}a^3 \log(x) - \frac{1}{18}a^3 \log(1-ax^2) + \frac{\log(1-ax^2)}{18x^6} - \frac{\text{Li}_2(ax^2)}{6x^6} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 60, normalized size = 0.81

$$-\frac{-4a^3x^6 \log(x) + 2(a^3x^6 - 1) \log(1-ax^2) + 6\text{Li}_2(ax^2) + ax^2(2ax^2 + 1)}{36x^6}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^7, x]

[Out] -1/36\*(a\*x^2\*(1 + 2\*a\*x^2) - 4\*a^3\*x^6\*Log[x] + 2\*(-1 + a^3\*x^6)\*Log[1 - a\*x^2] + 6\*PolyLog[2, a\*x^2])/x^6

**fricas [A]** time = 0.45, size = 64, normalized size = 0.86

$$\frac{2a^3x^6 \log(ax^2 - 1) - 4a^3x^6 \log(x) + 2a^2x^4 + ax^2 + 6\text{Li}_2(ax^2) - 2 \log(-ax^2 + 1)}{36x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^7,x, algorithm="fricas")

[Out]  $-1/36*(2*a^3*x^6*\log(a*x^2 - 1) - 4*a^3*x^6*\log(x) + 2*a^2*x^4 + a*x^2 + 6*\text{dilog}(a*x^2) - 2*\log(-a*x^2 + 1))/x^6$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^7,x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/x^7, x)

**maple** [A] time = 0.01, size = 62, normalized size = 0.84

$$-\frac{\text{polylog}(2, ax^2)}{6x^6} + \frac{\ln(-ax^2 + 1)}{18x^6} - \frac{a}{36x^4} - \frac{a^2}{18x^2} + \frac{a^3 \ln(x)}{9} - \frac{a^3 \ln(ax^2 - 1)}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/x^7,x)

[Out]  $-1/6*\text{polylog}(2, a*x^2)/x^6 + 1/18*\ln(-a*x^2+1)/x^6 - 1/36*a/x^4 - 1/18*a^2/x^2 + 1/9*a^3*\ln(x) - 1/18*a^3*\ln(a*x^2-1)$

**maxima** [A] time = 0.32, size = 55, normalized size = 0.74

$$\frac{1}{9} a^3 \log(x) - \frac{2a^2x^4 + ax^2 + 2(a^3x^6 - 1)\log(-ax^2 + 1) + 6\text{Li}_2(ax^2)}{36x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^7,x, algorithm="maxima")

[Out]  $1/9*a^3*\log(x) - 1/36*(2*a^2*x^4 + a*x^2 + 2*(a^3*x^6 - 1)*\log(-a*x^2 + 1) + 6*\text{dilog}(a*x^2))/x^6$

**mupad** [B] time = 0.28, size = 61, normalized size = 0.82

$$\frac{a^3 \ln(x)}{9} - \frac{\text{polylog}(2, ax^2)}{6x^6} - \frac{a^3 \ln(ax^2 - 1)}{18} - \frac{a}{36x^4} + \frac{\ln(1 - ax^2)}{18x^6} - \frac{a^2}{18x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)/x^7,x)

[Out]  $(a^3 \log(x))/9 - \text{polylog}(2, a*x^2)/(6*x^6) - (a^3 \log(a*x^2 - 1))/18 - a/(36*x^4) + \log(1 - a*x^2)/(18*x^6) - a^2/(18*x^2)$

sympy [A] time = 18.53, size = 58, normalized size = 0.78

$$\frac{a^3 \log(x)}{9} + \frac{a^3 \text{Li}_1(ax^2)}{18} - \frac{a^2}{18x^2} - \frac{a}{36x^4} - \frac{\text{Li}_1(ax^2)}{18x^6} - \frac{\text{Li}_2(ax^2)}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x**2)/x**7,x)`

[Out]  $a**3*\log(x)/9 + a**3*\text{polylog}(1, a*x**2)/18 - a**2/(18*x**2) - a/(36*x**4) - \text{polylog}(1, a*x**2)/(18*x**6) - \text{polylog}(2, a*x**2)/(6*x**6)$

### 3.26 $\int x^4 \text{Li}_2(ax^2) dx$

**Optimal.** Leaf size=73

$$\frac{4 \tanh^{-1}(\sqrt{a}x)}{25a^{5/2}} - \frac{4x}{25a^2} + \frac{1}{5}x^5 \text{Li}_2(ax^2) - \frac{4x^3}{75a} + \frac{2}{25}x^5 \log(1 - ax^2) - \frac{4x^5}{125}$$

[Out]  $-4/25*x/a^2 - 4/75*x^3/a - 4/125*x^5 + 4/25*\text{arctanh}(x*a^{(1/2)})/a^{(5/2)} + 2/25*x^5*\ln(-a*x^2+1) + 1/5*x^5*\text{polylog}(2, a*x^2)$

**Rubi [A]** time = 0.05, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 302, 206}

$$\frac{1}{5}x^5 \text{PolyLog}(2, ax^2) - \frac{4x}{25a^2} + \frac{4 \tanh^{-1}(\sqrt{a}x)}{25a^{5/2}} - \frac{4x^3}{75a} + \frac{2}{25}x^5 \log(1 - ax^2) - \frac{4x^5}{125}$$

Antiderivative was successfully verified.

[In] `Int[x^4*PolyLog[2, a*x^2], x]`

[Out]  $(-4*x)/(25*a^2) - (4*x^3)/(75*a) - (4*x^5)/125 + (4*\text{ArcTanh}[\text{Sqrt}[a]*x])/(25*a^{(5/2)}) + (2*x^5*\text{Log}[1 - a*x^2])/25 + (x^5*\text{PolyLog}[2, a*x^2])/5$

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rule 302

`Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[PolynomialDivide[x^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]`

#### Rule 2455

`Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.)), x_Symbol] := Simp[((f*x)^(m+1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m+1)), x] - Dist[(b*e*n*p)/(f*(m+1)), Int[(x^(n-1)*(f*x)^(m+1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]`

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^4 \text{Li}_2(ax^2) dx &= \frac{1}{5} x^5 \text{Li}_2(ax^2) + \frac{2}{5} \int x^4 \log(1 - ax^2) dx \\
&= \frac{2}{25} x^5 \log(1 - ax^2) + \frac{1}{5} x^5 \text{Li}_2(ax^2) + \frac{1}{25} (4a) \int \frac{x^6}{1 - ax^2} dx \\
&= \frac{2}{25} x^5 \log(1 - ax^2) + \frac{1}{5} x^5 \text{Li}_2(ax^2) + \frac{1}{25} (4a) \int \left( -\frac{1}{a^3} - \frac{x^2}{a^2} - \frac{x^4}{a} + \frac{1}{a^3(1 - ax^2)} \right) dx \\
&= -\frac{4x}{25a^2} - \frac{4x^3}{75a} - \frac{4x^5}{125} + \frac{2}{25} x^5 \log(1 - ax^2) + \frac{1}{5} x^5 \text{Li}_2(ax^2) + \frac{4 \int \frac{1}{1 - ax^2} dx}{25a^2} \\
&= -\frac{4x}{25a^2} - \frac{4x^3}{75a} - \frac{4x^5}{125} + \frac{4 \tanh^{-1}(\sqrt{a}x)}{25a^{5/2}} + \frac{2}{25} x^5 \log(1 - ax^2) + \frac{1}{5} x^5 \text{Li}_2(ax^2)
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 65, normalized size = 0.89

$$\frac{1}{375} \left( \frac{60 \tanh^{-1}(\sqrt{a}x)}{a^{5/2}} - \frac{60x}{a^2} + 75x^5 \text{Li}_2(ax^2) - \frac{20x^3}{a} + 30x^5 \log(1 - ax^2) - 12x^5 \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*PolyLog[2, a\*x^2], x]

[Out] ((-60\*x)/a^2 - (20\*x^3)/a - 12\*x^5 + (60\*ArcTanh[Sqrt[a]\*x])/a^(5/2) + 30\*x^5\*Log[1 - a\*x^2] + 75\*x^5\*PolyLog[2, a\*x^2])/375

**fricas [A]** time = 1.30, size = 159, normalized size = 2.18

$$\left[ \frac{75 a^3 x^5 \text{Li}_2(ax^2) + 30 a^3 x^5 \log(-ax^2 + 1) - 12 a^3 x^5 - 20 a^2 x^3 - 60 ax + 30 \sqrt{a} \log\left(\frac{ax^2 + 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{375 a^3}, \frac{75 a^3 x^5 \text{Li}_2(ax^2)}{375 a^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(2,a\*x^2),x, algorithm="fricas")

[Out]  $[1/375*(75*a^3*x^5*dilog(a*x^2) + 30*a^3*x^5*\log(-a*x^2 + 1) - 12*a^3*x^5 - 20*a^2*x^3 - 60*a*x + 30*\sqrt{a}*\log((a*x^2 + 2*\sqrt{a})*x + 1)/(a*x^2 - 1)))/a^3, 1/375*(75*a^3*x^5*dilog(a*x^2) + 30*a^3*x^5*\log(-a*x^2 + 1) - 12*a^3*x^5 - 20*a^2*x^3 - 60*a*x - 60*\sqrt{-a}*\arctan(\sqrt{-a}*x))/a^3]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*polylog(2,a*x^2),x, algorithm="giac")`

[Out] `integrate(x^4*dilog(a*x^2), x)`

**maple** [A] time = 0.01, size = 58, normalized size = 0.79

$$-\frac{4x}{25a^2} - \frac{4x^3}{75a} - \frac{4x^5}{125} + \frac{4 \operatorname{arctanh}(x\sqrt{a})}{25a^{5/2}} + \frac{2x^5 \ln(-ax^2 + 1)}{25} + \frac{x^5 \operatorname{polylog}(2, ax^2)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*polylog(2,a*x^2),x)`

[Out] `-4/25*x/a^2-4/75*x^3/a-4/125*x^5+4/25*arctanh(x*a^(1/2))/a^(5/2)+2/25*x^5*ln(-a*x^2+1)+1/5*x^5*polylog(2,a*x^2)`

**maxima** [A] time = 0.42, size = 80, normalized size = 1.10

$$\frac{75 a^2 x^5 \text{Li}_2(ax^2) + 30 a^2 x^5 \log(-ax^2 + 1) - 12 a^2 x^5 - 20 a x^3 - 60 x}{375 a^2} - \frac{2 \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right)}{25 a^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*polylog(2,a*x^2),x, algorithm="maxima")`

[Out] `1/375*(75*a^2*x^5*dilog(a*x^2) + 30*a^2*x^5*log(-a*x^2 + 1) - 12*a^2*x^5 - 20*a*x^3 - 60*x)/a^2 - 2/25*log((a*x - sqrt(a))/(a*x + sqrt(a)))/a^(5/2)`

**mupad** [B] time = 0.41, size = 60, normalized size = 0.82

$$\frac{x^5 \operatorname{polylog}(2, ax^2)}{5} - \frac{4x}{25a^2} + \frac{2x^5 \ln(1 - ax^2)}{25} - \frac{4x^5}{125} - \frac{4x^3}{75a} - \frac{\operatorname{atan}(\sqrt{a} x)}{25 a^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int(x^4*polylog(2, a*x^2),x)
```

```
[Out] (x^5*polylog(2, a*x^2))/5 - (atan(a^(1/2)*x*1i)*4i)/(25*a^(5/2)) - (4*x)/(25*a^2) + (2*x^5*log(1 - a*x^2))/25 - (4*x^5)/125 - (4*x^3)/(75*a)
```

**sympy [A]** time = 144.62, size = 94, normalized size = 1.29

$$\begin{cases} -\frac{2x^5 \operatorname{Li}_1(ax^2)}{25} + \frac{x^5 \operatorname{Li}_2(ax^2)}{5} - \frac{4x^5}{125} - \frac{4x^3}{75a} - \frac{4x}{25a^2} - \frac{4 \log\left(x - \sqrt{\frac{1}{a}}\right)}{25a^3 \sqrt{\frac{1}{a}}} - \frac{2 \operatorname{Li}_1(ax^2)}{25a^3 \sqrt{\frac{1}{a}}} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*polylog(2,a*x**2),x)
```

```
[Out] Piecewise((-2*x**5*polylog(1, a*x**2)/25 + x**5*polylog(2, a*x**2)/5 - 4*x**5/125 - 4*x**3/(75*a) - 4*x/(25*a**2) - 4*log(x - sqrt(1/a))/(25*a**3*sqrt(1/a)) - 2*polylog(1, a*x**2)/(25*a**3*sqrt(1/a)), Ne(a, 0)), (0, True))
```

### 3.27 $\int x^2 \text{Li}_2(ax^2) dx$

**Optimal.** Leaf size=63

$$\frac{4 \tanh^{-1}(\sqrt{a}x)}{9a^{3/2}} + \frac{1}{3}x^3 \text{Li}_2(ax^2) + \frac{2}{9}x^3 \log(1 - ax^2) - \frac{4x}{9a} - \frac{4x^3}{27}$$

[Out]  $-4/9*x/a-4/27*x^3+4/9*\text{arctanh}(x*a^{(1/2)})/a^{(3/2)}+2/9*x^3*\ln(-a*x^2+1)+1/3*x^3*\text{polylog}(2,a*x^2)$

**Rubi [A]** time = 0.04, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 302, 206}

$$\frac{1}{3}x^3 \text{PolyLog}(2, ax^2) + \frac{4 \tanh^{-1}(\sqrt{a}x)}{9a^{3/2}} + \frac{2}{9}x^3 \log(1 - ax^2) - \frac{4x}{9a} - \frac{4x^3}{27}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*\text{PolyLog}[2, a*x^2], x]$

[Out]  $(-4*x)/(9*a) - (4*x^3)/27 + (4*\text{ArcTanh}[\text{Sqrt}[a]*x])/(9*a^{(3/2)}) + (2*x^3*\text{Log}[1 - a*x^2])/9 + (x^3*\text{PolyLog}[2, a*x^2])/3$

#### Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 302

$\text{Int}[(x_)^{(m_)} / ((a_ + (b_)*(x_)^{(n_)})), x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^m, a + b*x^n, x], x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 2*n - 1]$

#### Rule 2455

$\text{Int}[(a_ + \text{Log}[c_]*((d_ + (e_)*(x_)^{(n_)}))^{(p_)}])*(b_)*((f_)*(x_)^{(m_)}), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p])]/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d + e*x^n), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \ \&\& \ \text{NeQ}[m, -1]$

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol
1] :> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_2(ax^2) dx &= \frac{1}{3} x^3 \text{Li}_2(ax^2) + \frac{2}{3} \int x^2 \log(1 - ax^2) dx \\
&= \frac{2}{9} x^3 \log(1 - ax^2) + \frac{1}{3} x^3 \text{Li}_2(ax^2) + \frac{1}{9} (4a) \int \frac{x^4}{1 - ax^2} dx \\
&= \frac{2}{9} x^3 \log(1 - ax^2) + \frac{1}{3} x^3 \text{Li}_2(ax^2) + \frac{1}{9} (4a) \int \left( -\frac{1}{a^2} - \frac{x^2}{a} + \frac{1}{a^2(1 - ax^2)} \right) dx \\
&= -\frac{4x}{9a} - \frac{4x^3}{27} + \frac{2}{9} x^3 \log(1 - ax^2) + \frac{1}{3} x^3 \text{Li}_2(ax^2) + \frac{4 \int \frac{1}{1 - ax^2} dx}{9a} \\
&= -\frac{4x}{9a} - \frac{4x^3}{27} + \frac{4 \tanh^{-1}(\sqrt{a}x)}{9a^{3/2}} + \frac{2}{9} x^3 \log(1 - ax^2) + \frac{1}{3} x^3 \text{Li}_2(ax^2)
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 57, normalized size = 0.90

$$\frac{1}{27} \left( \frac{12 \tanh^{-1}(\sqrt{a}x)}{a^{3/2}} + 9x^3 \text{Li}_2(ax^2) + 6x^3 \log(1 - ax^2) - \frac{12x}{a} - 4x^3 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*PolyLog[2, a*x^2], x]
```

```
[Out] ((-12*x)/a - 4*x^3 + (12*ArcTanh[Sqrt[a]*x])/a^(3/2) + 6*x^3*Log[1 - a*x^2]
+ 9*x^3*PolyLog[2, a*x^2])/27
```

**fricas [A]** time = 0.65, size = 143, normalized size = 2.27

$$\left[ \frac{9a^2x^3 \text{Li}_2(ax^2) + 6a^2x^3 \log(-ax^2 + 1) - 4a^2x^3 - 12ax + 6\sqrt{a} \log\left(\frac{ax^2 + 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{27a^2}, \frac{9a^2x^3 \text{Li}_2(ax^2) + 6a^2x^3 \log(1 - ax^2)}{27a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*polylog(2,a*x^2),x, algorithm="fricas")
```

[Out]  $[1/27*(9*a^2*x^3*dilog(a*x^2) + 6*a^2*x^3*log(-a*x^2 + 1) - 4*a^2*x^3 - 12*a*x + 6*sqrt(a)*log((a*x^2 + 2*sqrt(a)*x + 1)/(a*x^2 - 1)))/a^2, 1/27*(9*a^2*x^3*dilog(a*x^2) + 6*a^2*x^3*log(-a*x^2 + 1) - 4*a^2*x^3 - 12*a*x - 12*sqrt(-a)*arctan(sqrt(-a)*x))/a^2]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*polylog(2,a*x^2),x, algorithm="giac")`

[Out] `integrate(x^2*dilog(a*x^2), x)`

**maple** [A] time = 0.01, size = 50, normalized size = 0.79

$$-\frac{4x}{9a} - \frac{4x^3}{27} + \frac{4 \operatorname{arctanh}(x\sqrt{a})}{9a^{\frac{3}{2}}} + \frac{2x^3 \ln(-ax^2 + 1)}{9} + \frac{x^3 \operatorname{polylog}(2, ax^2)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*polylog(2,a*x^2),x)`

[Out]  $-4/9*x/a - 4/27*x^3 + 4/9*\operatorname{arctanh}(x*a^{(1/2)})/a^{(3/2)} + 2/9*x^3*\ln(-a*x^2+1) + 1/3*x^3*\operatorname{polylog}(2,a*x^2)$

**maxima** [A] time = 0.42, size = 68, normalized size = 1.08

$$\frac{9ax^3 \text{Li}_2(ax^2) + 6ax^3 \log(-ax^2 + 1) - 4ax^3 - 12x}{27a} - \frac{2 \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right)}{9a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*polylog(2,a*x^2),x, algorithm="maxima")`

[Out]  $1/27*(9*a*x^3*dilog(a*x^2) + 6*a*x^3*log(-a*x^2 + 1) - 4*a*x^3 - 12*x)/a - 2/9*log((a*x - sqrt(a))/(a*x + sqrt(a)))/a^{(3/2)}$

**mupad** [B] time = 0.28, size = 52, normalized size = 0.83

$$\frac{x^3 \operatorname{polylog}(2, ax^2)}{3} - \frac{4x}{9a} + \frac{2x^3 \ln(1 - ax^2)}{9} - \frac{4x^3}{27} - \frac{\operatorname{atan}(\sqrt{a} x)}{9a^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*polylog(2, a*x^2),x)
```

```
[Out] (x^3*polylog(2, a*x^2))/3 - (atan(a^(1/2)*x*1i)*4i)/(9*a^(3/2)) - (4*x)/(9*a) + (2*x^3*log(1 - a*x^2))/9 - (4*x^3)/27
```

**sympy [A]** time = 40.31, size = 83, normalized size = 1.32

$$\begin{cases} -\frac{2x^3 \operatorname{Li}_1(ax^2)}{9} + \frac{x^3 \operatorname{Li}_2(ax^2)}{3} - \frac{4x^3}{27} - \frac{4x}{9a} - \frac{4 \log\left(x - \sqrt{\frac{1}{a}}\right)}{9a^2 \sqrt{\frac{1}{a}}} - \frac{2 \operatorname{Li}_1(ax^2)}{9a^2 \sqrt{\frac{1}{a}}} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*polylog(2,a*x**2),x)
```

```
[Out] Piecewise((-2*x**3*polylog(1, a*x**2)/9 + x**3*polylog(2, a*x**2)/3 - 4*x**3/27 - 4*x/(9*a) - 4*log(x - sqrt(1/a))/(9*a**2*sqrt(1/a)) - 2*polylog(1, a*x**2)/(9*a**2*sqrt(1/a)), Ne(a, 0)), (0, True))
```

### 3.28 $\int \text{Li}_2(ax^2) dx$

Optimal. Leaf size=40

$$x\text{Li}_2(ax^2) + 2x \log(1 - ax^2) + \frac{4 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} - 4x$$

[Out]  $-4*x+2*x*\ln(-a*x^2+1)+x*\text{polylog}(2,a*x^2)+4*\text{arctanh}(x*a^{(1/2)})/a^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {6586, 2448, 321, 206}

$$x\text{PolyLog}(2, ax^2) + 2x \log(1 - ax^2) + \frac{4 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} - 4x$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2], x]

[Out]  $-4*x + (4*\text{ArcTanh}[\text{Sqrt}[a]*x])/ \text{Sqrt}[a] + 2*x*\text{Log}[1 - a*x^2] + x*\text{PolyLog}[2, a*x^2]$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2448

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)], x\_Symbol] := Simp[x\*Log[c\*(d + e\*x^n)^p], x] - Dist[e\*n\*p, Int[x^n/(d + e\*x^n), x], x] /; FreeQ[{c, d, e, n, p}, x]

#### Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] / ; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned} \int \text{Li}_2(ax^2) dx &= x\text{Li}_2(ax^2) + 2 \int \log(1 - ax^2) dx \\ &= 2x \log(1 - ax^2) + x\text{Li}_2(ax^2) + (4a) \int \frac{x^2}{1 - ax^2} dx \\ &= -4x + 2x \log(1 - ax^2) + x\text{Li}_2(ax^2) + 4 \int \frac{1}{1 - ax^2} dx \\ &= -4x + \frac{4 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} + 2x \log(1 - ax^2) + x\text{Li}_2(ax^2) \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 39, normalized size = 0.98

$$x\text{Li}_2(ax^2) + 2x(\log(1 - ax^2) - 2) + \frac{4 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}}$$

Antiderivative was successfully verified.

```
[In] Integrate[PolyLog[2, a*x^2], x]
```

```
[Out] (4*ArcTanh[Sqrt[a]*x])/Sqrt[a] + 2*x*(-2 + Log[1 - a*x^2]) + x*PolyLog[2, a*x^2]
```

**fricas [A]** time = 0.56, size = 107, normalized size = 2.68

$$\left[ \frac{ax\text{Li}_2(ax^2) + 2ax \log(-ax^2 + 1) - 4ax + 2\sqrt{a} \log\left(\frac{ax^2 + 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{a}, \frac{ax\text{Li}_2(ax^2) + 2ax \log(-ax^2 + 1) - 4ax - 2\sqrt{a} \log\left(\frac{ax^2 + 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x^2),x, algorithm="fricas")
```

```
[Out] [(a*x*dilog(a*x^2) + 2*a*x*log(-a*x^2 + 1) - 4*a*x + 2*sqrt(a)*log((a*x^2 + 2*sqrt(a)*x + 1)/(a*x^2 - 1)))/a, (a*x*dilog(a*x^2) + 2*a*x*log(-a*x^2 + 1) - 4*a*x - 4*sqrt(-a)*arctan(sqrt(-a)*x))/a]
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^2), x)

**maple** [A] time = 0.01, size = 37, normalized size = 0.92

$$-4x + 2x \ln(-ax^2 + 1) + x \text{polylog}(2, ax^2) + \frac{4 \operatorname{arctanh}(x\sqrt{a})}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2),x)

[Out] -4\*x+2\*x\*ln(-a\*x^2+1)+x\*polylog(2,a\*x^2)+4\*arctanh(x\*a^(1/2))/a^(1/2)

**maxima** [A] time = 0.41, size = 49, normalized size = 1.22

$$x\text{Li}_2(ax^2) + 2x \log(-ax^2 + 1) - 4x - \frac{2 \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2),x, algorithm="maxima")

[Out] x\*dilog(a\*x^2) + 2\*x\*log(-a\*x^2 + 1) - 4\*x - 2\*log((a\*x - sqrt(a))/(a\*x + sqrt(a)))/sqrt(a)

**mupad** [B] time = 0.24, size = 39, normalized size = 0.98

$$2x \ln(1 - ax^2) - 4x + x \text{polylog}(2, ax^2) - \frac{\operatorname{atan}(\sqrt{a} x) 4i}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2),x)

[Out] 2\*x\*log(1 - a\*x^2) - (atan(a^(1/2)\*x\*1i)\*4i)/a^(1/2) - 4\*x + x\*polylog(2, a\*x^2)



sympy [A] time = 9.92, size = 60, normalized size = 1.50

$$\begin{cases} -2x \operatorname{Li}_1(ax^2) + x \operatorname{Li}_2(ax^2) - 4x - \frac{4 \log\left(x - \sqrt{\frac{1}{a}}\right)}{a \sqrt{\frac{1}{a}}} - \frac{2 \operatorname{Li}_1(ax^2)}{a \sqrt{\frac{1}{a}}} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*2),x)

[Out] Piecewise((-2\*x\*polylog(1, a\*x\*\*2) + x\*polylog(2, a\*x\*\*2) - 4\*x - 4\*log(x - sqrt(1/a))/(a\*sqrt(1/a)) - 2\*polylog(1, a\*x\*\*2)/(a\*sqrt(1/a)), Ne(a, 0)), (0, True))

$$3.29 \quad \int \frac{\text{Li}_2(ax^2)}{x^2} dx$$

Optimal. Leaf size=42

$$-\frac{\text{Li}_2(ax^2)}{x} + \frac{2 \log(1 - ax^2)}{x} + 4\sqrt{a} \tanh^{-1}(\sqrt{a}x)$$

[Out]  $2*\ln(-a*x^2+1)/x - \text{polylog}(2, a*x^2)/x + 4*\text{arctanh}(x*a^{(1/2)})*a^{(1/2)}$

**Rubi [A]** time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 206}

$$-\frac{\text{PolyLog}(2, ax^2)}{x} + \frac{2 \log(1 - ax^2)}{x} + 4\sqrt{a} \tanh^{-1}(\sqrt{a}x)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^2, x]

[Out]  $4*\text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a]*x] + (2*\text{Log}[1 - a*x^2])/x - \text{PolyLog}[2, a*x^2]/x$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{Li}_2(ax^2)}{x^2} dx &= -\frac{\operatorname{Li}_2(ax^2)}{x} - 2 \int \frac{\log(1-ax^2)}{x^2} dx \\
&= \frac{2 \log(1-ax^2)}{x} - \frac{\operatorname{Li}_2(ax^2)}{x} + (4a) \int \frac{1}{1-ax^2} dx \\
&= 4\sqrt{a} \tanh^{-1}(\sqrt{a}x) + \frac{2 \log(1-ax^2)}{x} - \frac{\operatorname{Li}_2(ax^2)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 41, normalized size = 0.98

$$\frac{-\operatorname{Li}_2(ax^2) + 2 \log(1-ax^2) + 4\sqrt{a}x \tanh^{-1}(\sqrt{a}x)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^2, x]

[Out] (4\*Sqrt[a]\*x\*ArcTanh[Sqrt[a]\*x] + 2\*Log[1 - a\*x^2] - PolyLog[2, a\*x^2])/x

**fricas [A]** time = 1.00, size = 94, normalized size = 2.24

$$\left[ \frac{2\sqrt{a}x \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - \operatorname{Li}_2(ax^2) + 2 \log(-ax^2+1)}{x}, -\frac{4\sqrt{-a}x \arctan(\sqrt{-a}x) + \operatorname{Li}_2(ax^2) - 2 \log(-ax^2+1)}{x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^2,x, algorithm="fricas")

[Out] [(2\*sqrt(a)\*x\*log((a\*x^2 + 2\*sqrt(a)\*x + 1)/(a\*x^2 - 1)) - dilog(a\*x^2) + 2\*log(-a\*x^2 + 1))/x, -(4\*sqrt(-a)\*x\*arctan(sqrt(-a)\*x) + dilog(a\*x^2) - 2\*log(-a\*x^2 + 1))/x]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^2,x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/x^2, x)

**maple [A]** time = 0.01, size = 39, normalized size = 0.93

$$\frac{2 \ln(-ax^2 + 1)}{x} - \frac{\text{polylog}(2, ax^2)}{x} + 4 \operatorname{arctanh}(x\sqrt{a}) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x^2)/x^2,x)`

[Out] `2*ln(-a*x^2+1)/x-polylog(2,a*x^2)/x+4*arctanh(x*a^(1/2))*a^(1/2)`

**maxima [A]** time = 0.41, size = 49, normalized size = 1.17

$$-2\sqrt{a} \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right) - \frac{\operatorname{Li}_2(ax^2) - 2 \log(-ax^2 + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^2,x, algorithm="maxima")`

[Out] `-2*sqrt(a)*log((a*x - sqrt(a))/(a*x + sqrt(a))) - (dilog(a*x^2) - 2*log(-a*x^2 + 1))/x`

**mupad [B]** time = 0.26, size = 38, normalized size = 0.90

$$4\sqrt{a} \operatorname{atanh}(\sqrt{a}x) - \frac{\text{polylog}(2, ax^2)}{x} + \frac{2 \ln(1 - ax^2)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x^2)/x^2,x)`

[Out] `4*a^(1/2)*atanh(a^(1/2)*x) - polylog(2, a*x^2)/x + (2*log(1 - a*x^2))/x`

**sympy [A]** time = 34.46, size = 184, normalized size = 4.38

$$\left\{ \begin{array}{l} -\frac{\pi^2}{6x} \\ 0 \\ -\frac{4ax^3 \sqrt{\frac{1}{a}} \log\left(x - \sqrt{\frac{1}{a}}\right)}{x^3 - \frac{x}{a}} - \frac{2ax^3 \sqrt{\frac{1}{a}} \operatorname{Li}_1(ax^2)}{x^3 - \frac{x}{a}} - \frac{2x^2 \operatorname{Li}_1(ax^2)}{x^3 - \frac{x}{a}} - \frac{x^2 \operatorname{Li}_2(ax^2)}{x^3 - \frac{x}{a}} + \frac{4x \sqrt{\frac{1}{a}} \log\left(x - \sqrt{\frac{1}{a}}\right)}{x^3 - \frac{x}{a}} + \frac{2x \sqrt{\frac{1}{a}} \operatorname{Li}_1(ax^2)}{x^3 - \frac{x}{a}} + \frac{2 \operatorname{Li}_1(ax^2)}{ax^3 - x} + \frac{\operatorname{Li}_2(ax^2)}{ax^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x**2)/x**2,x)`

```
[Out] Piecewise((-pi**2/(6*x), Eq(a, x**(-2))), (0, Eq(a, 0)), (-4*a*x**3*sqrt(1/a)*log(x - sqrt(1/a))/(x**3 - x/a) - 2*a*x**3*sqrt(1/a)*polylog(1, a*x**2)/(x**3 - x/a) - 2*x**2*polylog(1, a*x**2)/(x**3 - x/a) - x**2*polylog(2, a*x**2)/(x**3 - x/a) + 4*x*sqrt(1/a)*log(x - sqrt(1/a))/(x**3 - x/a) + 2*x*sqrt(1/a)*polylog(1, a*x**2)/(x**3 - x/a) + 2*polylog(1, a*x**2)/(a*x**3 - x) + polylog(2, a*x**2)/(a*x**3 - x), True))
```

$$3.30 \quad \int \frac{\operatorname{Li}_2(ax^2)}{x^4} dx$$

Optimal. Leaf size=56

$$\frac{4}{9}a^{3/2} \tanh^{-1}(\sqrt{a}x) - \frac{\operatorname{Li}_2(ax^2)}{3x^3} + \frac{2 \log(1-ax^2)}{9x^3} - \frac{4a}{9x}$$

[Out]  $-4/9*a/x+4/9*a^{(3/2)}*\operatorname{arctanh}(x*a^{(1/2)})+2/9*\ln(-a*x^2+1)/x^3-1/3*\operatorname{polylog}(2, a*x^2)/x^3$

**Rubi [A]** time = 0.03, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 325, 206}

$$-\frac{\operatorname{PolyLog}(2, ax^2)}{3x^3} + \frac{4}{9}a^{3/2} \tanh^{-1}(\sqrt{a}x) + \frac{2 \log(1-ax^2)}{9x^3} - \frac{4a}{9x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^4, x]

[Out]  $(-4*a)/(9*x) + (4*a^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[a]*x])/9 + (2*\operatorname{Log}[1 - a*x^2])/(9*x^3) - \operatorname{PolyLog}[2, a*x^2]/(3*x^3)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d+e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^2)}{x^4} dx &= -\frac{\text{Li}_2(ax^2)}{3x^3} - \frac{2}{3} \int \frac{\log(1-ax^2)}{x^4} dx \\ &= \frac{2 \log(1-ax^2)}{9x^3} - \frac{\text{Li}_2(ax^2)}{3x^3} + \frac{1}{9}(4a) \int \frac{1}{x^2(1-ax^2)} dx \\ &= -\frac{4a}{9x} + \frac{2 \log(1-ax^2)}{9x^3} - \frac{\text{Li}_2(ax^2)}{3x^3} + \frac{1}{9}(4a^2) \int \frac{1}{1-ax^2} dx \\ &= -\frac{4a}{9x} + \frac{4}{9}a^{3/2} \tanh^{-1}(\sqrt{a}x) + \frac{2 \log(1-ax^2)}{9x^3} - \frac{\text{Li}_2(ax^2)}{3x^3} \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 47, normalized size = 0.84

$$\frac{4ax^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; ax^2\right) + 3\text{Li}_2(ax^2) - 2 \log(1-ax^2)}{9x^3}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^4,x]

[Out] -1/9\*(4\*a\*x^2\*Hypergeometric2F1[-1/2, 1, 1/2, a\*x^2] - 2\*Log[1 - a\*x^2] + 3\*PolyLog[2, a\*x^2])/x^3

**fricas** [A] time = 0.60, size = 114, normalized size = 2.04

$$\left[ \frac{2a^{\frac{3}{2}}x^3 \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - 4ax^2 - 3\text{Li}_2(ax^2) + 2 \log(-ax^2+1)}{9x^3}, -\frac{4\sqrt{-a}ax^3 \arctan(\sqrt{-a}x) + 4ax^2 + 3\text{Li}_2}{9x^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^4,x, algorithm="fricas")

[Out]  $[1/9*(2*a^{(3/2)}*x^3*\log((a*x^2 + 2*\sqrt{a}*x + 1)/(a*x^2 - 1)) - 4*a*x^2 - 3*dilog(a*x^2) + 2*\log(-a*x^2 + 1))/x^3, -1/9*(4*\sqrt{-a}*a*x^3*\arctan(\sqrt{-a}*x) + 4*a*x^2 + 3*dilog(a*x^2) - 2*\log(-a*x^2 + 1))/x^3]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^4,x, algorithm="giac")`

[Out] `integrate(dilog(a*x^2)/x^4, x)`

**maple** [A] time = 0.01, size = 45, normalized size = 0.80

$$-\frac{4a}{9x} + \frac{4a^{\frac{3}{2}} \operatorname{arctanh}(x\sqrt{a})}{9} + \frac{2 \ln(-ax^2 + 1)}{9x^3} - \frac{\operatorname{polylog}(2, ax^2)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x^2)/x^4,x)`

[Out]  $-4/9*a/x + 4/9*a^{(3/2)}*\operatorname{arctanh}(x*a^{(1/2)}) + 2/9*\ln(-a*x^2+1)/x^3 - 1/3*\operatorname{polylog}(2, a*x^2)/x^3$

**maxima** [A] time = 0.42, size = 57, normalized size = 1.02

$$-\frac{2}{9} a^{\frac{3}{2}} \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right) - \frac{4ax^2 + 3\text{Li}_2(ax^2) - 2\log(-ax^2 + 1)}{9x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^2)/x^4,x, algorithm="maxima")`

[Out]  $-2/9*a^{(3/2)}*\log((a*x - \sqrt{a})/(a*x + \sqrt{a})) - 1/9*(4*a*x^2 + 3*dilog(a*x^2) - 2*\log(-a*x^2 + 1))/x^3$

**mupad** [B] time = 0.33, size = 47, normalized size = 0.84

$$\frac{2 \ln(1 - ax^2)}{9x^3} - \frac{4a}{9x} - \frac{\operatorname{polylog}(2, ax^2)}{3x^3} - \frac{a^{3/2} \operatorname{atan}(\sqrt{a} x)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x^2)/x^4,x)`



[Out]  $(2 \cdot \log(1 - a \cdot x^2)) / (9 \cdot x^3) - \text{polylog}(2, a \cdot x^2) / (3 \cdot x^3) - (4 \cdot a) / (9 \cdot x) - (a^{3/2}) \cdot \text{atan}(a^{1/2} \cdot x \cdot 1i) \cdot 4i / 9$

sympy [A] time = 133.63, size = 275, normalized size = 4.91

$$\left\{ \begin{array}{l} -\frac{\pi^2}{18x^3} \\ 0 \\ -\frac{4a^2x^5\sqrt{\frac{1}{a}}\log\left(x-\sqrt{\frac{1}{a}}\right)}{9x^5-\frac{9x^3}{a}} - \frac{2a^2x^5\sqrt{\frac{1}{a}}\text{Li}_1(ax^2)}{9x^5-\frac{9x^3}{a}} - \frac{4ax^4}{9x^5-\frac{9x^3}{a}} + \frac{4ax^3\sqrt{\frac{1}{a}}\log\left(x-\sqrt{\frac{1}{a}}\right)}{9x^5-\frac{9x^3}{a}} + \frac{2ax^3\sqrt{\frac{1}{a}}\text{Li}_1(ax^2)}{9x^5-\frac{9x^3}{a}} - \frac{2x^2\text{Li}_1(ax^2)}{9x^5-\frac{9x^3}{a}} - \frac{3x^2\text{Li}_2(ax^2)}{9x^5-\frac{9x^3}{a}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*2)/x\*\*4,x)

[Out] Piecewise((-pi\*\*2/(18\*x\*\*3), Eq(a, x\*\*(-2))), (0, Eq(a, 0)), (-4\*a\*\*2\*x\*\*5\*sqrt(1/a)\*log(x - sqrt(1/a))/(9\*x\*\*5 - 9\*x\*\*3/a) - 2\*a\*\*2\*x\*\*5\*sqrt(1/a)\*polylog(1, a\*x\*\*2)/(9\*x\*\*5 - 9\*x\*\*3/a) - 4\*a\*x\*\*4/(9\*x\*\*5 - 9\*x\*\*3/a) + 4\*a\*x\*\*3\*sqrt(1/a)\*log(x - sqrt(1/a))/(9\*x\*\*5 - 9\*x\*\*3/a) + 2\*a\*x\*\*3\*sqrt(1/a)\*polylog(1, a\*x\*\*2)/(9\*x\*\*5 - 9\*x\*\*3/a) - 2\*x\*\*2\*polylog(1, a\*x\*\*2)/(9\*x\*\*5 - 9\*x\*\*3/a) - 3\*x\*\*2\*polylog(2, a\*x\*\*2)/(9\*x\*\*5 - 9\*x\*\*3/a) + 4\*x\*\*2/(9\*x\*\*5 - 9\*x\*\*3/a) + 2\*polylog(1, a\*x\*\*2)/(9\*a\*x\*\*5 - 9\*x\*\*3) + 3\*polylog(2, a\*x\*\*2)/(9\*a\*x\*\*5 - 9\*x\*\*3), True))

$$3.31 \quad \int \frac{\operatorname{Li}_2(ax^2)}{x^6} dx$$

Optimal. Leaf size=66

$$\frac{4}{25}a^{5/2} \tanh^{-1}(\sqrt{a}x) - \frac{4a^2}{25x} - \frac{\operatorname{Li}_2(ax^2)}{5x^5} - \frac{4a}{75x^3} + \frac{2 \log(1-ax^2)}{25x^5}$$

[Out]  $-4/75*a/x^3-4/25*a^2/x+4/25*a^{(5/2)}*\operatorname{arctanh}(x*a^{(1/2)})+2/25*\ln(-a*x^2+1)/x^5-1/5*\operatorname{polylog}(2,a*x^2)/x^5$

**Rubi [A]** time = 0.04, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 325, 206}

$$-\frac{\operatorname{PolyLog}(2, ax^2)}{5x^5} - \frac{4a^2}{25x} + \frac{4}{25}a^{5/2} \tanh^{-1}(\sqrt{a}x) - \frac{4a}{75x^3} + \frac{2 \log(1-ax^2)}{25x^5}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/x^6, x]

[Out]  $(-4*a)/(75*x^3) - (4*a^2)/(25*x) + (4*a^{(5/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[a]*x])/25 + (2*\operatorname{Log}[1 - a*x^2])/(25*x^5) - \operatorname{PolyLog}[2, a*x^2]/(5*x^5)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d+e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax^2)}{x^6} dx &= -\frac{\text{Li}_2(ax^2)}{5x^5} - \frac{2}{5} \int \frac{\log(1-ax^2)}{x^6} dx \\
 &= \frac{2 \log(1-ax^2)}{25x^5} - \frac{\text{Li}_2(ax^2)}{5x^5} + \frac{1}{25}(4a) \int \frac{1}{x^4(1-ax^2)} dx \\
 &= -\frac{4a}{75x^3} + \frac{2 \log(1-ax^2)}{25x^5} - \frac{\text{Li}_2(ax^2)}{5x^5} + \frac{1}{25}(4a^2) \int \frac{1}{x^2(1-ax^2)} dx \\
 &= -\frac{4a}{75x^3} - \frac{4a^2}{25x} + \frac{2 \log(1-ax^2)}{25x^5} - \frac{\text{Li}_2(ax^2)}{5x^5} + \frac{1}{25}(4a^3) \int \frac{1}{1-ax^2} dx \\
 &= -\frac{4a}{75x^3} - \frac{4a^2}{25x} + \frac{4}{25}a^{5/2} \tanh^{-1}(\sqrt{a}x) + \frac{2 \log(1-ax^2)}{25x^5} - \frac{\text{Li}_2(ax^2)}{5x^5}
 \end{aligned}$$

**Mathematica [C]** time = 0.01, size = 47, normalized size = 0.71

$$\frac{4ax^2 {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; ax^2\right) + 15\text{Li}_2(ax^2) - 6 \log(1-ax^2)}{75x^5}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^2]/x^6,x]

[Out] -1/75\*(4\*a\*x^2\*Hypergeometric2F1[-3/2, 1, -1/2, a\*x^2] - 6\*Log[1 - a\*x^2] + 15\*PolyLog[2, a\*x^2])/x^5

**fricas [A]** time = 0.52, size = 132, normalized size = 2.00

$$\left[ \frac{6a^{\frac{5}{2}}x^5 \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - 12a^2x^4 - 4ax^2 - 15\text{Li}_2(ax^2) + 6 \log(-ax^2+1)}{75x^5}, -\frac{12\sqrt{-a}a^2x^5 \arctan(\sqrt{-a}x) + \dots}{75x^5} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^6,x, algorithm="fricas")

[Out] [1/75\*(6\*a^(5/2)\*x^5\*log((a\*x^2 + 2\*sqrt(a)\*x + 1)/(a\*x^2 - 1)) - 12\*a^2\*x^4 - 4\*a\*x^2 - 15\*dilog(a\*x^2) + 6\*log(-a\*x^2 + 1))/x^5, -1/75\*(12\*sqrt(-a)\*a^2\*x^5\*arctan(sqrt(-a)\*x) + 12\*a^2\*x^4 + 4\*a\*x^2 + 15\*dilog(a\*x^2) - 6\*log(-a\*x^2 + 1))/x^5]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^6,x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/x^6, x)

**maple** [A] time = 0.01, size = 53, normalized size = 0.80

$$-\frac{4a}{75x^3} - \frac{4a^2}{25x} + \frac{4a^{\frac{5}{2}} \operatorname{arctanh}(x\sqrt{a})}{25} + \frac{2 \ln(-ax^2 + 1)}{25x^5} - \frac{\operatorname{polylog}(2, ax^2)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/x^6,x)

[Out] -4/75\*a/x^3-4/25\*a^2/x+4/25\*a^(5/2)\*arctanh(x\*a^(1/2))+2/25\*ln(-a\*x^2+1)/x^5-1/5\*polylog(2,a\*x^2)/x^5

**maxima** [A] time = 0.41, size = 65, normalized size = 0.98

$$-\frac{2}{25} a^{\frac{5}{2}} \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right) - \frac{12a^2x^4 + 4ax^2 + 15\text{Li}_2(ax^2) - 6\log(-ax^2 + 1)}{75x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/x^6,x, algorithm="maxima")

[Out] -2/25\*a^(5/2)\*log((a\*x - sqrt(a))/(a\*x + sqrt(a))) - 1/75\*(12\*a^2\*x^4 + 4\*a\*x^2 + 15\*dilog(a\*x^2) - 6\*log(-a\*x^2 + 1))/x^5

**mupad** [B] time = 0.34, size = 58, normalized size = 0.88

$$\frac{2 \ln(1 - ax^2)}{25x^5} - \frac{4a^2x^2 + \frac{4a}{3}}{25x^3} - \frac{\operatorname{polylog}(2, ax^2)}{5x^5} - \frac{a^{5/2} \operatorname{atan}(\sqrt{a} x)}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^2)/x^6,x)
```

```
[Out] (2*log(1 - a*x^2))/(25*x^5) - polylog(2, a*x^2)/(5*x^5) - ((4*a)/3 + 4*a^2*
x^2)/(25*x^3) - (a^(5/2)*atan(a^(1/2)*x*1i)*4i)/25
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x**2)/x**6,x)
```

```
[Out] Timed out
```

### 3.32 $\int x^5 \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=88

$$\frac{\log(1-ax^2)}{54a^3} + \frac{x^2}{54a^2} - \frac{1}{18}x^6 \text{Li}_2(ax^2) + \frac{1}{6}x^6 \text{Li}_3(ax^2) + \frac{x^4}{108a} - \frac{1}{54}x^6 \log(1-ax^2) + \frac{x^6}{162}$$

[Out]  $1/54*x^2/a^2+1/108*x^4/a+1/162*x^6+1/54*\ln(-a*x^2+1)/a^3-1/54*x^6*\ln(-a*x^2+1)-1/18*x^6*\text{polylog}(2,a*x^2)+1/6*x^6*\text{polylog}(3,a*x^2)$

**Rubi [A]** time = 0.08, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 43}

$$-\frac{1}{18}x^6 \text{PolyLog}(2, ax^2) + \frac{1}{6}x^6 \text{PolyLog}(3, ax^2) + \frac{x^2}{54a^2} + \frac{\log(1-ax^2)}{54a^3} + \frac{x^4}{108a} - \frac{1}{54}x^6 \log(1-ax^2) + \frac{x^6}{162}$$

Antiderivative was successfully verified.

[In] `Int[x^5*PolyLog[3, a*x^2], x]`

[Out]  $x^2/(54*a^2) + x^4/(108*a) + x^6/162 + \text{Log}[1 - a*x^2]/(54*a^3) - (x^6*\text{Log}[1 - a*x^2])/54 - (x^6*\text{PolyLog}[2, a*x^2])/18 + (x^6*\text{PolyLog}[3, a*x^2])/6$

#### Rule 43

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

#### Rule 2395

`Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]`

#### Rule 2454

`Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]^(p_.))*(b_.)^(q_.)*(x_)^m, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Log[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&`

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x^5 \text{Li}_3(ax^2) dx &= \frac{1}{6} x^6 \text{Li}_3(ax^2) - \frac{1}{3} \int x^5 \text{Li}_2(ax^2) dx \\
 &= -\frac{1}{18} x^6 \text{Li}_2(ax^2) + \frac{1}{6} x^6 \text{Li}_3(ax^2) - \frac{1}{9} \int x^5 \log(1 - ax^2) dx \\
 &= -\frac{1}{18} x^6 \text{Li}_2(ax^2) + \frac{1}{6} x^6 \text{Li}_3(ax^2) - \frac{1}{18} \text{Subst}\left(\int x^2 \log(1 - ax) dx, x, x^2\right) \\
 &= -\frac{1}{54} x^6 \log(1 - ax^2) - \frac{1}{18} x^6 \text{Li}_2(ax^2) + \frac{1}{6} x^6 \text{Li}_3(ax^2) - \frac{1}{54} a \text{Subst}\left(\int \frac{x^3}{1 - ax} dx, x, x^2\right) \\
 &= -\frac{1}{54} x^6 \log(1 - ax^2) - \frac{1}{18} x^6 \text{Li}_2(ax^2) + \frac{1}{6} x^6 \text{Li}_3(ax^2) - \frac{1}{54} a \text{Subst}\left(\int \left(-\frac{1}{a^3} - \frac{x}{a^2} - \frac{x^2}{a} - \frac{x^3}{1 - ax}\right) dx, x, x^2\right) \\
 &= \frac{x^2}{54a^2} + \frac{x^4}{108a} + \frac{x^6}{162} + \frac{\log(1 - ax^2)}{54a^3} - \frac{1}{54} x^6 \log(1 - ax^2) - \frac{1}{18} x^6 \text{Li}_2(ax^2) + \frac{1}{6} x^6 \text{Li}_3(ax^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 88, normalized size = 1.00

$$\frac{-18a^3x^6\text{Li}_2(ax^2) + 54a^3x^6\text{Li}_3(ax^2) + 2a^3x^6 - 6a^3x^6\log(1 - ax^2) + 3a^2x^4 + 6ax^2 + 6\log(1 - ax^2)}{324a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*PolyLog[3, a\*x^2], x]

[Out] (6\*a\*x^2 + 3\*a^2\*x^4 + 2\*a^3\*x^6 + 6\*Log[1 - a\*x^2] - 6\*a^3\*x^6\*Log[1 - a\*x^2] - 18\*a^3\*x^6\*PolyLog[2, a\*x^2] + 54\*a^3\*x^6\*PolyLog[3, a\*x^2])/(324\*a^3)

**fricas [C]** time = 0.49, size = 77, normalized size = 0.88

$$\frac{18a^3x^6\text{Li}_2(ax^2) - 54a^3x^6\text{polylog}(3, ax^2) - 2a^3x^6 - 3a^2x^4 - 6ax^2 + 6(a^3x^6 - 1)\log(-ax^2 + 1)}{324a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] -1/324\*(18\*a^3\*x^6\*dilog(a\*x^2) - 54\*a^3\*x^6\*polylog(3, a\*x^2) - 2\*a^3\*x^6 - 3\*a^2\*x^4 - 6\*a\*x^2 + 6\*(a^3\*x^6 - 1)\*log(-a\*x^2 + 1))/a^3

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^5 \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(x^5\*polylog(3, a\*x^2), x)

**maple** [A] time = 0.02, size = 80, normalized size = 0.91

$$\frac{\frac{x^2 a(4a^2 x^4 + 6a x^2 + 12)}{324} + \frac{(-4a^3 x^6 + 4) \ln(-a x^2 + 1)}{108} - \frac{x^6 a^3 \text{polylog}(2, a x^2)}{9} + \frac{x^6 a^3 \text{polylog}(3, a x^2)}{3}}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*polylog(3,a\*x^2),x)

[Out] 1/2/a^3\*(1/324\*x^2\*a\*(4\*a^2\*x^4+6\*a\*x^2+12)+1/108\*(-4\*a^3\*x^6+4)\*ln(-a\*x^2+1)-1/9\*x^6\*a^3\*polylog(2,a\*x^2)+1/3\*x^6\*a^3\*polylog(3,a\*x^2))

**maxima** [A] time = 0.32, size = 77, normalized size = 0.88

$$\frac{18 a^3 x^6 \text{Li}_2(ax^2) - 54 a^3 x^6 \text{Li}_3(ax^2) - 2 a^3 x^6 - 3 a^2 x^4 - 6 a x^2 + 6 (a^3 x^6 - 1) \log(-a x^2 + 1)}{324 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out] -1/324\*(18\*a^3\*x^6\*dilog(a\*x^2) - 54\*a^3\*x^6\*polylog(3, a\*x^2) - 2\*a^3\*x^6 - 3\*a^2\*x^4 - 6\*a\*x^2 + 6\*(a^3\*x^6 - 1)\*log(-a\*x^2 + 1))/a^3

**mupad** [B] time = 0.34, size = 73, normalized size = 0.83

$$\frac{x^6 \text{polylog}(3, a x^2)}{6} - \frac{x^6 \text{polylog}(2, a x^2)}{18} + \frac{\ln(a x^2 - 1)}{54 a^3} - \frac{x^6 \ln(1 - a x^2)}{54} + \frac{x^6}{162} + \frac{x^2}{54 a^2} + \frac{x^4}{108 a}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int(x^5*polylog(3, a*x^2),x)
```

```
[Out] (x^6*polylog(3, a*x^2))/6 - (x^6*polylog(2, a*x^2))/18 + log(a*x^2 - 1)/(54
*a^3) - (x^6*log(1 - a*x^2))/54 + x^6/162 + x^2/(54*a^2) + x^4/(108*a)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^5 \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*polylog(3,a*x**2),x)
```

```
[Out] Integral(x**5*polylog(3, a*x**2), x)
```

### 3.33 $\int x^3 \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=78

$$\frac{\log(1-ax^2)}{16a^2} - \frac{1}{8}x^4 \text{Li}_2(ax^2) + \frac{1}{4}x^4 \text{Li}_3(ax^2) + \frac{x^2}{16a} - \frac{1}{16}x^4 \log(1-ax^2) + \frac{x^4}{32}$$

[Out] 1/16\*x^2/a+1/32\*x^4+1/16\*ln(-a\*x^2+1)/a^2-1/16\*x^4\*ln(-a\*x^2+1)-1/8\*x^4\*polylog(2,a\*x^2)+1/4\*x^4\*polylog(3,a\*x^2)

**Rubi [A]** time = 0.06, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 43}

$$-\frac{1}{8}x^4 \text{PolyLog}(2, ax^2) + \frac{1}{4}x^4 \text{PolyLog}(3, ax^2) + \frac{\log(1-ax^2)}{16a^2} + \frac{x^2}{16a} - \frac{1}{16}x^4 \log(1-ax^2) + \frac{x^4}{32}$$

Antiderivative was successfully verified.

[In] Int[x^3\*PolyLog[3, a\*x^2], x]

[Out] x^2/(16\*a) + x^4/32 + Log[1 - a\*x^2]/(16\*a^2) - (x^4\*Log[1 - a\*x^2])/16 - (x^4\*PolyLog[2, a\*x^2])/8 + (x^4\*PolyLog[3, a\*x^2])/4

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]^(p\_.)]\*(b\_.)^(q\_.)\*(x\_)^m, x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x^3 \text{Li}_3(ax^2) dx &= \frac{1}{4} x^4 \text{Li}_3(ax^2) - \frac{1}{2} \int x^3 \text{Li}_2(ax^2) dx \\
 &= -\frac{1}{8} x^4 \text{Li}_2(ax^2) + \frac{1}{4} x^4 \text{Li}_3(ax^2) - \frac{1}{4} \int x^3 \log(1 - ax^2) dx \\
 &= -\frac{1}{8} x^4 \text{Li}_2(ax^2) + \frac{1}{4} x^4 \text{Li}_3(ax^2) - \frac{1}{8} \text{Subst}\left(\int x \log(1 - ax) dx, x, x^2\right) \\
 &= -\frac{1}{16} x^4 \log(1 - ax^2) - \frac{1}{8} x^4 \text{Li}_2(ax^2) + \frac{1}{4} x^4 \text{Li}_3(ax^2) - \frac{1}{16} a \text{Subst}\left(\int \frac{x^2}{1 - ax} dx, x, x^2\right) \\
 &= -\frac{1}{16} x^4 \log(1 - ax^2) - \frac{1}{8} x^4 \text{Li}_2(ax^2) + \frac{1}{4} x^4 \text{Li}_3(ax^2) - \frac{1}{16} a \text{Subst}\left(\int \left(-\frac{1}{a^2} - \frac{x}{a} - \frac{1}{a^2(-1 + ax)}\right) dx, x, x^2\right) \\
 &= \frac{x^2}{16a} + \frac{x^4}{32} + \frac{\log(1 - ax^2)}{16a^2} - \frac{1}{16} x^4 \log(1 - ax^2) - \frac{1}{8} x^4 \text{Li}_2(ax^2) + \frac{1}{4} x^4 \text{Li}_3(ax^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 79, normalized size = 1.01

$$\frac{-4a^2x^4\text{Li}_2(ax^2) + 8a^2x^4\text{Li}_3(ax^2) + a^2x^4 - 2a^2x^4\log(1 - ax^2) + 2ax^2 + 2\log(1 - ax^2)}{32a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*PolyLog[3, a\*x^2], x]

[Out] (2\*a\*x^2 + a^2\*x^4 + 2\*Log[1 - a\*x^2] - 2\*a^2\*x^4\*Log[1 - a\*x^2] - 4\*a^2\*x^4\*PolyLog[2, a\*x^2] + 8\*a^2\*x^4\*PolyLog[3, a\*x^2])/(32\*a^2)

**fricas [C]** time = 0.71, size = 69, normalized size = 0.88

$$\frac{4a^2x^4\text{Li}_2(ax^2) - 8a^2x^4\text{polylog}(3, ax^2) - a^2x^4 - 2ax^2 + 2(a^2x^4 - 1)\log(-ax^2 + 1)}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out]  $-1/32*(4*a^2*x^4*dilog(a*x^2) - 8*a^2*x^4*polylog(3, a*x^2) - a^2*x^4 - 2*a*x^2 + 2*(a^2*x^4 - 1)*log(-a*x^2 + 1))/a^2$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(x^3\*polylog(3, a\*x^2), x)

**maple** [A] time = 0.02, size = 72, normalized size = 0.92

$$\frac{-\frac{ax^2(3ax^2+6)}{48} - \frac{(-3a^2x^4+3)\ln(-ax^2+1)}{24} + \frac{a^2x^4 \text{polylog}(2,ax^2)}{4} - \frac{a^2x^4 \text{polylog}(3,ax^2)}{2}}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(3,a\*x^2),x)

[Out]  $-1/2/a^2*(-1/48*a*x^2*(3*a*x^2+6)-1/24*(-3*a^2*x^4+3)*\ln(-a*x^2+1)+1/4*a^2*x^4*polylog(2,a*x^2)-1/2*a^2*x^4*polylog(3,a*x^2))$

**maxima** [A] time = 0.32, size = 69, normalized size = 0.88

$$\frac{4a^2x^4\text{Li}_2(ax^2) - 8a^2x^4\text{Li}_3(ax^2) - a^2x^4 - 2ax^2 + 2(a^2x^4 - 1)\log(-ax^2 + 1)}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $-1/32*(4*a^2*x^4*dilog(a*x^2) - 8*a^2*x^4*polylog(3, a*x^2) - a^2*x^4 - 2*a*x^2 + 2*(a^2*x^4 - 1)*log(-a*x^2 + 1))/a^2$

**mupad** [B] time = 0.30, size = 65, normalized size = 0.83

$$\frac{x^4 \text{polylog}(3, ax^2)}{4} - \frac{x^4 \text{polylog}(2, ax^2)}{8} + \frac{\ln(ax^2 - 1)}{16a^2} - \frac{x^4 \ln(1 - ax^2)}{16} + \frac{x^4}{32} + \frac{x^2}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(3, a\*x^2),x)

[Out]  $(x^4 \operatorname{polylog}(3, ax^2))/4 - (x^4 \operatorname{polylog}(2, ax^2))/8 + \log(ax^2 - 1)/(16a^2) - (x^4 \log(1 - ax^2))/16 + x^4/32 + x^2/(16a)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*polylog(3,ax**2),x)`

[Out] `Integral(x**3*polylog(3, ax**2), x)`

### 3.34 $\int x \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=60

$$-\frac{1}{2}x^2 \text{Li}_2(ax^2) + \frac{1}{2}x^2 \text{Li}_3(ax^2) + \frac{(1-ax^2)\log(1-ax^2)}{2a} + \frac{x^2}{2}$$

[Out] 1/2\*x^2+1/2\*(-a\*x^2+1)\*ln(-a\*x^2+1)/a-1/2\*x^2\*polylog(2,a\*x^2)+1/2\*x^2\*polylog(3,a\*x^2)

**Rubi [A]** time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {6591, 2454, 2389, 2295}

$$-\frac{1}{2}x^2 \text{PolyLog}(2, ax^2) + \frac{1}{2}x^2 \text{PolyLog}(3, ax^2) + \frac{(1-ax^2)\log(1-ax^2)}{2a} + \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[3, a\*x^2], x]

[Out] x^2/2 + ((1 - a\*x^2)\*Log[1 - a\*x^2])/(2\*a) - (x^2\*PolyLog[2, a\*x^2])/2 + (x^2\*PolyLog[3, a\*x^2])/2

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

#### Rule 2454

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))^(p\_.)]\*(b\_.))^(q\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) && !(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int x \operatorname{Li}_3(ax^2) dx &= \frac{1}{2} x^2 \operatorname{Li}_3(ax^2) - \int x \operatorname{Li}_2(ax^2) dx \\
&= -\frac{1}{2} x^2 \operatorname{Li}_2(ax^2) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^2) - \int x \log(1 - ax^2) dx \\
&= -\frac{1}{2} x^2 \operatorname{Li}_2(ax^2) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^2) - \frac{1}{2} \operatorname{Subst}\left(\int \log(1 - ax) dx, x, x^2\right) \\
&= -\frac{1}{2} x^2 \operatorname{Li}_2(ax^2) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^2) + \frac{\operatorname{Subst}\left(\int \log(x) dx, x, 1 - ax^2\right)}{2a} \\
&= \frac{x^2}{2} + \frac{(1 - ax^2) \log(1 - ax^2)}{2a} - \frac{1}{2} x^2 \operatorname{Li}_2(ax^2) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^2)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 52, normalized size = 0.87

$$\frac{1}{2} x^2 \left( -\operatorname{Li}_2(ax^2) + \operatorname{Li}_3(ax^2) + \frac{\log(1 - ax^2)}{ax^2} - \log(1 - ax^2) + 1 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x*PolyLog[3, a*x^2], x]
```

```
[Out] (x^2*(1 - Log[1 - a*x^2] + Log[1 - a*x^2]/(a*x^2) - PolyLog[2, a*x^2] + PolyLog[3, a*x^2]))/2
```

**fricas [C]** time = 0.48, size = 53, normalized size = 0.88

$$\frac{ax^2 \operatorname{Li}_2(ax^2) - ax^2 \operatorname{polylog}(3, ax^2) - ax^2 + (ax^2 - 1) \log(-ax^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*polylog(3,a*x^2),x, algorithm="fricas")
```

```
[Out] -1/2*(a*x^2*dilog(a*x^2) - a*x^2*polylog(3, a*x^2) - a*x^2 + (a*x^2 - 1)*log(-a*x^2 + 1))/a
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(x\*polylog(3, a\*x^2), x)

**maple [A]** time = 0.01, size = 56, normalized size = 0.93

$$\frac{ax^2 + \frac{(-2ax^2+2)\ln(-ax^2+1)}{2} - ax^2 \text{polylog}(2, ax^2) + ax^2 \text{polylog}(3, ax^2)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3,a\*x^2),x)

[Out] 1/2/a\*(a\*x^2+1/2\*(-2\*a\*x^2+2)\*ln(-a\*x^2+1)-a\*x^2\*polylog(2,a\*x^2)+a\*x^2\*polylog(3,a\*x^2))

**maxima [A]** time = 0.32, size = 53, normalized size = 0.88

$$\frac{ax^2 \text{Li}_2(ax^2) - ax^2 \text{Li}_3(ax^2) - ax^2 + (ax^2 - 1) \log(-ax^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out] -1/2\*(a\*x^2\*dilog(a\*x^2) - a\*x^2\*polylog(3, a\*x^2) - a\*x^2 + (a\*x^2 - 1)\*log(-a\*x^2 + 1))/a

**mupad [B]** time = 0.38, size = 57, normalized size = 0.95

$$\frac{x^2 \text{polylog}(3, ax^2)}{2} - \frac{x^2 \text{polylog}(2, ax^2)}{2} + \frac{\ln(ax^2 - 1)}{2a} - \frac{x^2 \ln(1 - ax^2)}{2} + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3, a\*x^2),x)

[Out] (x^2\*polylog(3, a\*x^2))/2 - (x^2\*polylog(2, a\*x^2))/2 + log(a\*x^2 - 1)/(2\*a) - (x^2\*log(1 - a\*x^2))/2 + x^2/2



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*polylog(3,a*x**2),x)
```

```
[Out] Integral(x*polylog(3, a*x**2), x)
```

$$3.35 \quad \int \frac{\text{Li}_3(ax^2)}{x} dx$$

Optimal. Leaf size=11

$$\frac{\text{Li}_4(ax^2)}{2}$$

[Out] 1/2\*polylog(4,a\*x^2)

**Rubi [A]** time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6589}

$$\frac{1}{2}\text{PolyLog}(4, ax^2)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x,x]

[Out] PolyLog[4, a\*x^2]/2

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_3(ax^2)}{x} dx = \frac{\text{Li}_4(ax^2)}{2}$$

**Mathematica [A]** time = 0.00, size = 11, normalized size = 1.00

$$\frac{\text{Li}_4(ax^2)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x^2]/x,x]

[Out] PolyLog[4, a\*x^2]/2

**fricas** [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}\left(3, ax^2\right)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x,x, algorithm="fricas")

[Out] integral(polylog(3, a\*x^2)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x, x)

**maple** [A] time = 0.13, size = 10, normalized size = 0.91

$$\frac{\text{polylog}\left(4, ax^2\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x,x)

[Out] 1/2\*polylog(4,a\*x^2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x,x, algorithm="maxima")

[Out] integrate(polylog(3, a\*x^2)/x, x)

**mupad** [B] time = 0.20, size = 9, normalized size = 0.82

$$\frac{\text{polylog}\left(4, ax^2\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x^2)/x,x)
```

```
[Out] polylog(4, a*x^2)/2
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_3(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2)/x,x)
```

```
[Out] Integral(polylog(3, a*x**2)/x, x)
```

$$3.36 \quad \int \frac{\text{Li}_3(ax^2)}{x^3} dx$$

Optimal. Leaf size=63

$$-\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2} - \frac{1}{2}a \log(1 - ax^2) + \frac{\log(1 - ax^2)}{2x^2} + a \log(x)$$

[Out] a\*ln(x)-1/2\*a\*ln(-a\*x^2+1)+1/2\*ln(-a\*x^2+1)/x^2-1/2\*polylog(2,a\*x^2)/x^2-1/2\*polylog(3,a\*x^2)/x^2

**Rubi [A]** time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {6591, 2454, 2395, 36, 29, 31}

$$-\frac{\text{PolyLog}(2, ax^2)}{2x^2} - \frac{\text{PolyLog}(3, ax^2)}{2x^2} - \frac{1}{2}a \log(1 - ax^2) + \frac{\log(1 - ax^2)}{2x^2} + a \log(x)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^3, x]

[Out] a\*Log[x] - (a\*Log[1 - a\*x^2])/2 + Log[1 - a\*x^2]/(2\*x^2) - PolyLog[2, a\*x^2]/(2\*x^2) - PolyLog[3, a\*x^2]/(2\*x^2)

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

#### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)])\*(b\_)\*((f\_) + (g\_)\*(x\_))^(q\_), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && N

eQ[q, -1]

### Rule 2454

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))^(q_.)*(x_)^(m
_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Lo
g[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q},
x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&
!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^2)}{x^3} dx &= -\frac{\text{Li}_3(ax^2)}{2x^2} + \int \frac{\text{Li}_2(ax^2)}{x^3} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2} - \int \frac{\log(1-ax^2)}{x^3} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2} - \frac{1}{2} \text{Subst}\left(\int \frac{\log(1-ax)}{x^2} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2} + \frac{1}{2}a \text{Subst}\left(\int \frac{1}{x(1-ax)} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2} + \frac{1}{2}a \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right) + \frac{1}{2}a^2 \text{Subst}\left(\int \frac{1}{1-ax} dx, x, x^2\right) \\
 &= a \log(x) - \frac{1}{2}a \log(1-ax^2) + \frac{\log(1-ax^2)}{2x^2} - \frac{\text{Li}_2(ax^2)}{2x^2} - \frac{\text{Li}_3(ax^2)}{2x^2}
 \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 60, normalized size = 0.95

$$\frac{\text{Li}_2(ax^2) + \text{Li}_3(ax^2) - ax^2 \log(-ax^2) + ax^2 \log(1-ax^2) - \log(1-ax^2)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x^2]/x^3,x]

[Out]  $-1/2*(-(a*x^2*\text{Log}[-(a*x^2)]) - \text{Log}[1 - a*x^2] + a*x^2*\text{Log}[1 - a*x^2] + \text{PolyLog}[2, a*x^2] + \text{PolyLog}[3, a*x^2])/x^2$

**fricas** [C] time = 0.57, size = 51, normalized size = 0.81

$$\frac{ax^2 \log(ax^2 - 1) - 2ax^2 \log(x) + \text{Li}_2(ax^2) - \log(-ax^2 + 1) + \text{polylog}(3, ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^3,x, algorithm="fricas")

[Out]  $-1/2*(a*x^2*\log(a*x^2 - 1) - 2*a*x^2*\log(x) + \text{dilog}(a*x^2) - \log(-a*x^2 + 1) + \text{polylog}(3, a*x^2))/x^2$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^3,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^3, x)

**maple** [A] time = 0.02, size = 68, normalized size = 1.08

$$\frac{a \left( \frac{(-8ax^2+8)\ln(-ax^2+1)}{8ax^2} - \frac{\text{polylog}(2,ax^2)}{ax^2} - \frac{\text{polylog}(3,ax^2)}{ax^2} + 2\ln(x) + \ln(-a) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^3,x)

[Out]  $1/2*a*(1/8/a/x^2*(-8*a*x^2+8)*\ln(-a*x^2+1)-\text{polylog}(2,a*x^2)/a/x^2-1/a/x^2*\text{polylog}(3,a*x^2)+2*\ln(x)+\ln(-a))$

**maxima** [A] time = 0.33, size = 41, normalized size = 0.65

$$a \log(x) - \frac{(ax^2 - 1) \log(-ax^2 + 1) + \text{Li}_2(ax^2) + \text{Li}_3(ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^3,x, algorithm="maxima")

[Out]  $a \log(x) - \frac{1}{2}((a x^2 - 1) \log(-a x^2 + 1) + \operatorname{dilog}(a x^2) + \operatorname{polylog}(3, a x^2)) / x^2$

**mupad [B]** time = 0.29, size = 54, normalized size = 0.86

$$\frac{\operatorname{polylog}(2, a x^2) - \ln(1 - a x^2) + \operatorname{polylog}(3, a x^2) - 3 a x^2 \ln(x) + a x^2 \ln(x (a x^2 - 1))}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/x^3,x)

[Out]  $-(\operatorname{polylog}(2, a x^2) - \log(1 - a x^2) + \operatorname{polylog}(3, a x^2) - 3 a x^2 \log(x) + a x^2 \log(x (a x^2 - 1))) / (2 x^2)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/x\*\*3,x)

[Out] Integral(polylog(3, a\*x\*\*2)/x\*\*3, x)



$$3.37 \quad \int \frac{\text{Li}_3(ax^2)}{x^5} dx$$

Optimal. Leaf size=78

$$-\frac{1}{16}a^2 \log(1-ax^2) + \frac{1}{8}a^2 \log(x) - \frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4} - \frac{a}{16x^2} + \frac{\log(1-ax^2)}{16x^4}$$

[Out]  $-1/16*a/x^2+1/8*a^2*\ln(x)-1/16*a^2*\ln(-a*x^2+1)+1/16*\ln(-a*x^2+1)/x^4-1/8*\text{polylog}(2,a*x^2)/x^4-1/4*\text{polylog}(3,a*x^2)/x^4$

Rubi [A] time = 0.06, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 44}

$$-\frac{\text{PolyLog}(2,ax^2)}{8x^4} - \frac{\text{PolyLog}(3,ax^2)}{4x^4} - \frac{1}{16}a^2 \log(1-ax^2) + \frac{1}{8}a^2 \log(x) - \frac{a}{16x^2} + \frac{\log(1-ax^2)}{16x^4}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^5, x]

[Out]  $-a/(16*x^2) + (a^2*\text{Log}[x])/8 - (a^2*\text{Log}[1 - a*x^2])/16 + \text{Log}[1 - a*x^2]/(16*x^4) - \text{PolyLog}[2, a*x^2]/(8*x^4) - \text{PolyLog}[3, a*x^2]/(4*x^4)$

#### Rule 44

Int[((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(p\_)]\*(b\_))^(q\_)\*(x\_)^(m\_)), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &&

!(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^2)}{x^5} dx &= -\frac{\text{Li}_3(ax^2)}{4x^4} + \frac{1}{2} \int \frac{\text{Li}_2(ax^2)}{x^5} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4} - \frac{1}{4} \int \frac{\log(1-ax^2)}{x^5} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4} - \frac{1}{8} \text{Subst}\left(\int \frac{\log(1-ax)}{x^3} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{16x^4} - \frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4} + \frac{1}{16} a \text{Subst}\left(\int \frac{1}{x^2(1-ax)} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{16x^4} - \frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4} + \frac{1}{16} a \text{Subst}\left(\int \left(\frac{1}{x^2} + \frac{a}{x} - \frac{a^2}{-1+ax}\right) dx, x, x^2\right) \\
 &= -\frac{a}{16x^2} + \frac{1}{8} a^2 \log(x) - \frac{1}{16} a^2 \log(1-ax^2) + \frac{\log(1-ax^2)}{16x^4} - \frac{\text{Li}_2(ax^2)}{8x^4} - \frac{\text{Li}_3(ax^2)}{4x^4}
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 30, normalized size = 0.38

$$\frac{G_{5,5}^{2,4}\left(-ax^2 \mid \begin{matrix} 1, 1, 1, 1, 3 \\ 1, 2, 0, 0, 0 \end{matrix}\right)}{2x^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/x^5, x]

[Out] MeijerG[{{1, 1, 1, 1}, {3}}, {{1, 2}, {0, 0, 0}}, -(a\*x^2)]/(2\*x^4)

**fricas** [C] time = 0.57, size = 64, normalized size = 0.82

$$\frac{a^2 x^4 \log(ax^2 - 1) - 2 a^2 x^4 \log(x) + ax^2 + 2 \text{Li}_2(ax^2) - \log(-ax^2 + 1) + 4 \text{polylog}(3, ax^2)}{16x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^5,x, algorithm="fricas")

[Out]  $-1/16*(a^2*x^4*\log(a*x^2 - 1) - 2*a^2*x^4*\log(x) + a*x^2 + 2*dilog(a*x^2) - \log(-a*x^2 + 1) + 4*polylog(3, a*x^2))/x^4$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^5,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^5, x)

**maple** [A] time = 0.03, size = 98, normalized size = 1.26

$$\frac{a^2 \left( -\frac{81ax^2+378}{432ax^2} - \frac{(-27a^2x^4+27)\ln(-ax^2+1)}{216a^2x^4} + \frac{\text{polylog}(2,ax^2)}{4a^2x^4} + \frac{\text{polylog}(3,ax^2)}{2a^2x^4} + \frac{3}{16} - \frac{\ln(x)}{4} - \frac{\ln(-a)}{8} + \frac{1}{ax^2} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^5,x)

[Out]  $-1/2*a^2*(-1/432/a/x^2*(81*a*x^2+378)-1/216/a^2/x^4*(-27*a^2*x^4+27)*\ln(-a*x^2+1)+1/4/a^2/x^4*polylog(2,a*x^2)+1/2/a^2/x^4*polylog(3,a*x^2)+3/16-1/4*\ln(x)-1/8*\ln(-a)+1/a/x^2)$

**maxima** [A] time = 0.34, size = 55, normalized size = 0.71

$$\frac{1}{8} a^2 \log(x) - \frac{ax^2 + (a^2x^4 - 1) \log(-ax^2 + 1) + 2 \text{Li}_2(ax^2) + 4 \text{Li}_3(ax^2)}{16x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^5,x, algorithm="maxima")

[Out]  $1/8*a^2*\log(x) - 1/16*(a*x^2 + (a^2*x^4 - 1)*\log(-a*x^2 + 1) + 2*dilog(a*x^2) + 4*polylog(3, a*x^2))/x^4$

**mupad** [B] time = 0.73, size = 65, normalized size = 0.83

$$\frac{a^2 \ln(x)}{8} - \frac{\text{polylog}(2, ax^2)}{8x^4} - \frac{\text{polylog}(3, ax^2)}{4x^4} - \frac{a^2 \ln(ax^2 - 1)}{16} - \frac{a}{16x^2} + \frac{\ln(1 - ax^2)}{16x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x^2)/x^5,x)
```

```
[Out] (a^2*log(x))/8 - polylog(2, a*x^2)/(8*x^4) - polylog(3, a*x^2)/(4*x^4) - (a^2*log(a*x^2 - 1))/16 - a/(16*x^2) + log(1 - a*x^2)/(16*x^4)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_3(ax^2)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2)/x**5,x)
```

```
[Out] Integral(polylog(3, a*x**2)/x**5, x)
```

$$3.38 \quad \int \frac{\text{Li}_3(ax^2)}{x^7} dx$$

Optimal. Leaf size=88

$$-\frac{1}{54}a^3 \log(1-ax^2) + \frac{1}{27}a^3 \log(x) - \frac{a^2}{54x^2} - \frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6} - \frac{a}{108x^4} + \frac{\log(1-ax^2)}{54x^6}$$

[Out]  $-1/108*a/x^4-1/54*a^2/x^2+1/27*a^3*\ln(x)-1/54*a^3*\ln(-a*x^2+1)+1/54*\ln(-a*x^2+1)/x^6-1/18*\text{polylog}(2,a*x^2)/x^6-1/6*\text{polylog}(3,a*x^2)/x^6$

Rubi [A] time = 0.07, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2454, 2395, 44}

$$-\frac{\text{PolyLog}(2,ax^2)}{18x^6} - \frac{\text{PolyLog}(3,ax^2)}{6x^6} - \frac{a^2}{54x^2} - \frac{1}{54}a^3 \log(1-ax^2) + \frac{1}{27}a^3 \log(x) - \frac{a}{108x^4} + \frac{\log(1-ax^2)}{54x^6}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^7, x]

[Out]  $-a/(108*x^4) - a^2/(54*x^2) + (a^3*\text{Log}[x])/27 - (a^3*\text{Log}[1 - a*x^2])/54 + \text{Log}[1 - a*x^2]/(54*x^6) - \text{PolyLog}[2, a*x^2]/(18*x^6) - \text{PolyLog}[3, a*x^2]/(6*x^6)$

#### Rule 44

Int[((a\_) + (b\_)\*(x\_)^(m\_))\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 2454

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(p\_)]\*(b\_))^(q\_)\*(x\_)^(m\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*Log[c\*(d + e\*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q},

x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) && !(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^2)}{x^7} dx &= -\frac{\text{Li}_3(ax^2)}{6x^6} + \frac{1}{3} \int \frac{\text{Li}_2(ax^2)}{x^7} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6} - \frac{1}{9} \int \frac{\log(1-ax^2)}{x^7} dx \\
 &= -\frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6} - \frac{1}{18} \text{Subst}\left(\int \frac{\log(1-ax)}{x^4} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{54x^6} - \frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6} + \frac{1}{54} a \text{Subst}\left(\int \frac{1}{x^3(1-ax)} dx, x, x^2\right) \\
 &= \frac{\log(1-ax^2)}{54x^6} - \frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6} + \frac{1}{54} a \text{Subst}\left(\int \left(\frac{1}{x^3} + \frac{a}{x^2} + \frac{a^2}{x} - \frac{a^3}{-1+ax}\right) dx, x, x^2\right) \\
 &= -\frac{a}{108x^4} - \frac{a^2}{54x^2} + \frac{1}{27} a^3 \log(x) - \frac{1}{54} a^3 \log(1-ax^2) + \frac{\log(1-ax^2)}{54x^6} - \frac{\text{Li}_2(ax^2)}{18x^6} - \frac{\text{Li}_3(ax^2)}{6x^6}
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 30, normalized size = 0.34

$$\frac{G_{5,5}^{2,4}\left(-ax^2 \mid \begin{matrix} 1, 1, 1, 1, 4 \\ 1, 3, 0, 0, 0 \end{matrix}\right)}{2x^6}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/x^7, x]

[Out] MeijerG[{{1, 1, 1, 1}, {4}}, {{1, 3}, {0, 0, 0}}, -(a\*x^2)]/(2\*x^6)

**fricas** [C] time = 0.58, size = 73, normalized size = 0.83

$$\frac{2a^3x^6 \log(ax^2 - 1) - 4a^3x^6 \log(x) + 2a^2x^4 + ax^2 + 6\text{Li}_2(ax^2) - 2\log(-ax^2 + 1) + 18\text{polylog}(3, ax^2)}{108x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^7,x, algorithm="fricas")

[Out]  $-1/108*(2*a^3*x^6*\log(a*x^2 - 1) - 4*a^3*x^6*\log(x) + 2*a^2*x^4 + a*x^2 + 6*dilog(a*x^2) - 2*\log(-a*x^2 + 1) + 18*polylog(3, a*x^2))/x^6$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^7,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^7, x)

**maple** [A] time = 0.03, size = 115, normalized size = 1.31

$$\frac{a^3 \left( \frac{64a^2x^4+152ax^2+832}{1728a^2x^4} + \frac{(-64a^3x^6+64)\ln(-ax^2+1)}{1728a^3x^6} - \frac{\text{polylog}(2,ax^2)}{9a^3x^6} - \frac{\text{polylog}(3,ax^2)}{3a^3x^6} - \frac{1}{27} + \frac{2\ln(x)}{27} + \frac{\ln(-a)}{27} - \frac{1}{2x^4a^2} - \frac{1}{8ax^2} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^7,x)

[Out]  $1/2*a^3*(1/1728/a^2/x^4*(64*a^2*x^4+152*a*x^2+832)+1/1728/a^3/x^6*(-64*a^3*x^6+64)*\ln(-a*x^2+1)-1/9/a^3/x^6*polylog(2,a*x^2)-1/3/a^3/x^6*polylog(3,a*x^2)-1/27+2/27*\ln(x)+1/27*\ln(-a)-1/2/x^4/a^2-1/8/a/x^2)$

**maxima** [A] time = 0.34, size = 64, normalized size = 0.73

$$\frac{1}{27} a^3 \log(x) - \frac{2a^2x^4 + ax^2 + 2(a^3x^6 - 1)\log(-ax^2 + 1) + 6\text{Li}_2(ax^2) + 18\text{Li}_3(ax^2)}{108x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^7,x, algorithm="maxima")

[Out]  $1/27*a^3*\log(x) - 1/108*(2*a^2*x^4 + a*x^2 + 2*(a^3*x^6 - 1)*\log(-a*x^2 + 1) + 6*dilog(a*x^2) + 18*polylog(3, a*x^2))/x^6$

**mupad** [B] time = 1.02, size = 73, normalized size = 0.83

$$\frac{a^3 \ln(x)}{27} - \frac{\text{polylog}(2, ax^2)}{18x^6} - \frac{\text{polylog}(3, ax^2)}{6x^6} - \frac{a^3 \ln(ax^2 - 1)}{54} - \frac{a}{108x^4} + \frac{\ln(1 - ax^2)}{54x^6} - \frac{a^2}{54x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x^2)/x^7,x)
```

```
[Out] (a^3*log(x))/27 - polylog(2, a*x^2)/(18*x^6) - polylog(3, a*x^2)/(6*x^6) -
(a^3*log(a*x^2 - 1))/54 - a/(108*x^4) + log(1 - a*x^2)/(54*x^6) - a^2/(54*x
^2)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2)/x**7,x)
```

```
[Out] Integral(polylog(3, a*x**2)/x**7, x)
```



### 3.39 $\int x^4 \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=87

$$-\frac{8 \tanh^{-1}(\sqrt{a}x)}{125a^{5/2}} + \frac{8x}{125a^2} - \frac{2}{25}x^5 \text{Li}_2(ax^2) + \frac{1}{5}x^5 \text{Li}_3(ax^2) + \frac{8x^3}{375a} - \frac{4}{125}x^5 \log(1-ax^2) + \frac{8x^5}{625}$$

[Out]  $8/125*x/a^2+8/375*x^3/a+8/625*x^5-8/125*\text{arctanh}(x*a^{(1/2)})/a^{(5/2)}-4/125*x^5*\ln(-a*x^2+1)-2/25*x^5*\text{polylog}(2,a*x^2)+1/5*x^5*\text{polylog}(3,a*x^2)$

**Rubi [A]** time = 0.05, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 302, 206}

$$-\frac{2}{25}x^5 \text{PolyLog}(2, ax^2) + \frac{1}{5}x^5 \text{PolyLog}(3, ax^2) + \frac{8x}{125a^2} - \frac{8 \tanh^{-1}(\sqrt{a}x)}{125a^{5/2}} + \frac{8x^3}{375a} - \frac{4}{125}x^5 \log(1-ax^2) + \frac{8x^5}{625}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4*\text{PolyLog}[3, a*x^2], x]$

[Out]  $(8*x)/(125*a^2) + (8*x^3)/(375*a) + (8*x^5)/625 - (8*\text{ArcTanh}[\text{Sqrt}[a]*x])/(125*a^{(5/2)}) - (4*x^5*\text{Log}[1 - a*x^2])/125 - (2*x^5*\text{PolyLog}[2, a*x^2])/25 + (x^5*\text{PolyLog}[3, a*x^2])/5$

#### Rule 206

$\text{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 302

$\text{Int}[(x_+)^{(m_+)} / ((a_+ + (b_+)*(x_+)^{n_+})), x\_Symbol] \rightarrow \text{Int}[\text{PolynomialDivide}[x^m, a + b*x^n, x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 2*n - 1]$

#### Rule 2455

$\text{Int}[(a_+ + \text{Log}[(c_+)*((d_+ + (e_+)*(x_+)^{n_+})^{p_+})]*(b_+))*((f_+)*(x_+))^{(m_+)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p]) / (f*(m+1)), x] - \text{Dist}[(b*e*n*p) / (f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)}) / (d + e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \ \&\& \ \text{NeQ}[m, -1]$

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^4 \text{Li}_3(ax^2) dx &= \frac{1}{5} x^5 \text{Li}_3(ax^2) - \frac{2}{5} \int x^4 \text{Li}_2(ax^2) dx \\
&= -\frac{2}{25} x^5 \text{Li}_2(ax^2) + \frac{1}{5} x^5 \text{Li}_3(ax^2) - \frac{4}{25} \int x^4 \log(1 - ax^2) dx \\
&= -\frac{4}{125} x^5 \log(1 - ax^2) - \frac{2}{25} x^5 \text{Li}_2(ax^2) + \frac{1}{5} x^5 \text{Li}_3(ax^2) - \frac{1}{125} (8a) \int \frac{x^6}{1 - ax^2} dx \\
&= -\frac{4}{125} x^5 \log(1 - ax^2) - \frac{2}{25} x^5 \text{Li}_2(ax^2) + \frac{1}{5} x^5 \text{Li}_3(ax^2) - \frac{1}{125} (8a) \int \left( -\frac{1}{a^3} - \frac{x^2}{a^2} - \frac{x^4}{a} + \frac{1}{a^3(1 - ax^2)} \right) dx \\
&= \frac{8x}{125a^2} + \frac{8x^3}{375a} + \frac{8x^5}{625} - \frac{4}{125} x^5 \log(1 - ax^2) - \frac{2}{25} x^5 \text{Li}_2(ax^2) + \frac{1}{5} x^5 \text{Li}_3(ax^2) - \frac{8 \int \frac{1}{1 - ax^2} dx}{125a^2} \\
&= \frac{8x}{125a^2} + \frac{8x^3}{375a} + \frac{8x^5}{625} - \frac{8 \tanh^{-1}(\sqrt{a}x)}{125a^{5/2}} - \frac{4}{125} x^5 \log(1 - ax^2) - \frac{2}{25} x^5 \text{Li}_2(ax^2) + \frac{1}{5} x^5 \text{Li}_3(ax^2)
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 77, normalized size = 0.89

$$\frac{-\frac{120 \tanh^{-1}(\sqrt{a}x)}{a^{5/2}} + \frac{120x}{a^2} - 150x^5 \text{Li}_2(ax^2) + 375x^5 \text{Li}_3(ax^2) + \frac{40x^3}{a} - 60x^5 \log(1 - ax^2) + 24x^5}{1875}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*PolyLog[3, a\*x^2], x]

[Out] ((120\*x)/a^2 + (40\*x^3)/a + 24\*x^5 - (120\*ArcTanh[Sqrt[a]\*x])/a^(5/2) - 60\*x^5\*Log[1 - a\*x^2] - 150\*x^5\*PolyLog[2, a\*x^2] + 375\*x^5\*PolyLog[3, a\*x^2])/1875

**fricas [C]** time = 0.53, size = 189, normalized size = 2.17

$$\left[ \frac{150 a^3 x^5 \text{Li}_2(ax^2) + 60 a^3 x^5 \log(-ax^2 + 1) - 375 a^3 x^5 \text{polylog}(3, ax^2) - 24 a^3 x^5 - 40 a^2 x^3 - 120 ax - 60 \sqrt{a}}{1875 a^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out]  $[-1/1875*(150*a^3*x^5*\text{dilog}(a*x^2) + 60*a^3*x^5*\log(-a*x^2 + 1) - 375*a^3*x^5*\text{polylog}(3, a*x^2) - 24*a^3*x^5 - 40*a^2*x^3 - 120*a*x - 60*\text{sqrt}(a)*\log((a*x^2 - 2*\text{sqrt}(a)*x + 1)/(a*x^2 - 1)))/a^3, -1/1875*(150*a^3*x^5*\text{dilog}(a*x^2) + 60*a^3*x^5*\log(-a*x^2 + 1) - 375*a^3*x^5*\text{polylog}(3, a*x^2) - 24*a^3*x^5 - 40*a^2*x^3 - 120*a*x - 120*\text{sqrt}(-a)*\arctan(\text{sqrt}(-a)*x))/a^3]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(x^4\*polylog(3, a\*x^2), x)

**maple** [B] time = 0.16, size = 144, normalized size = 1.66

$$\frac{\frac{2x(-a)^{\frac{7}{2}}(168a^2x^4+280ax^2+840)}{13125a^3} + \frac{8x(-a)^{\frac{7}{2}}(\ln(1-\sqrt{ax^2})-\ln(1+\sqrt{ax^2}))}{125a^3\sqrt{ax^2}} - \frac{8x^5(-a)^{\frac{7}{2}}\ln(-ax^2+1)}{125a} - \frac{4x^5(-a)^{\frac{7}{2}}\text{polylog}(2,ax^2)}{25a} + \frac{2x^5(-a)^{\frac{7}{2}}}{25a}}{2a^2\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*polylog(3,a\*x^2),x)

[Out]  $-1/2/a^2/(-a)^{(1/2)}*(2/13125*x*(-a)^{(7/2)}*(168*a^2*x^4+280*a*x^2+840)/a^3+8/125*x*(-a)^{(7/2)}/a^3/(a*x^2)^{(1/2)}*(\ln(1-(a*x^2)^{(1/2)})-\ln(1+(a*x^2)^{(1/2)})))-8/125*x^5*(-a)^{(7/2)}/a*\ln(-a*x^2+1)-4/25*x^5*(-a)^{(7/2)}*\text{polylog}(2,a*x^2)/a+2/5*x^5*(-a)^{(7/2)}/a*\text{polylog}(3,a*x^2))$

**maxima** [A] time = 0.41, size = 95, normalized size = 1.09

$$\frac{150a^2x^5\text{Li}_2(ax^2) + 60a^2x^5\log(-ax^2 + 1) - 375a^2x^5\text{Li}_3(ax^2) - 24a^2x^5 - 40ax^3 - 120x}{1875a^2} + \frac{4\log\left(\frac{ax-\sqrt{a}}{ax+\sqrt{a}}\right)}{125a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $-1/1875*(150*a^2*x^5*\text{dilog}(a*x^2) + 60*a^2*x^5*\log(-a*x^2 + 1) - 375*a^2*x^5*\text{polylog}(3, a*x^2) - 24*a^2*x^5 - 40*a*x^3 - 120*x)/a^2 + 4/125*\log((a*x - \text{sqrt}(a))/(a*x + \text{sqrt}(a)))/a^{(5/2)}$

**mupad** [B] time = 0.55, size = 72, normalized size = 0.83

$$\frac{x^5 \operatorname{polylog}(3, ax^2)}{5} - \frac{2x^5 \operatorname{polylog}(2, ax^2)}{25} + \frac{8x}{125a^2} - \frac{4x^5 \ln(1 - ax^2)}{125} + \frac{8x^5}{625} + \frac{8x^3}{375a} + \frac{\operatorname{atan}(\sqrt{a} x 1i) 8i}{125 a^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*polylog(3, a\*x^2),x)

[Out] (atan(a^(1/2)\*x\*1i)\*8i)/(125\*a^(5/2)) - (2\*x^5\*polylog(2, a\*x^2))/25 + (x^5\*polylog(3, a\*x^2))/5 + (8\*x)/(125\*a^2) - (4\*x^5\*log(1 - a\*x^2))/125 + (8\*x^5)/625 + (8\*x^3)/(375\*a)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*polylog(3,a\*x\*\*2),x)

[Out] Integral(x\*\*4\*polylog(3, a\*x\*\*2), x)

### 3.40 $\int x^2 \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=77

$$-\frac{8 \tanh^{-1}(\sqrt{ax})}{27a^{3/2}} - \frac{2}{9}x^3 \text{Li}_2(ax^2) + \frac{1}{3}x^3 \text{Li}_3(ax^2) - \frac{4}{27}x^3 \log(1 - ax^2) + \frac{8x}{27a} + \frac{8x^3}{81}$$

[Out]  $8/27*x/a+8/81*x^3-8/27*\text{arctanh}(x*a^{(1/2)})/a^{(3/2)}-4/27*x^3*\ln(-a*x^2+1)-2/9*x^3*\text{polylog}(2,a*x^2)+1/3*x^3*\text{polylog}(3,a*x^2)$

**Rubi [A]** time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 302, 206}

$$-\frac{2}{9}x^3 \text{PolyLog}(2, ax^2) + \frac{1}{3}x^3 \text{PolyLog}(3, ax^2) - \frac{8 \tanh^{-1}(\sqrt{ax})}{27a^{3/2}} - \frac{4}{27}x^3 \log(1 - ax^2) + \frac{8x}{27a} + \frac{8x^3}{81}$$

Antiderivative was successfully verified.

[In] Int[x^2\*PolyLog[3, a\*x^2], x]

[Out]  $(8*x)/(27*a) + (8*x^3)/81 - (8*\text{ArcTanh}[\text{Sqrt}[a]*x])/(27*a^{(3/2)}) - (4*x^3*\text{Log}[1 - a*x^2])/27 - (2*x^3*\text{PolyLog}[2, a*x^2])/9 + (x^3*\text{PolyLog}[3, a*x^2])/3$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n - 1]

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^2 \operatorname{Li}_3(ax^2) dx &= \frac{1}{3} x^3 \operatorname{Li}_3(ax^2) - \frac{2}{3} \int x^2 \operatorname{Li}_2(ax^2) dx \\
&= -\frac{2}{9} x^3 \operatorname{Li}_2(ax^2) + \frac{1}{3} x^3 \operatorname{Li}_3(ax^2) - \frac{4}{9} \int x^2 \log(1 - ax^2) dx \\
&= -\frac{4}{27} x^3 \log(1 - ax^2) - \frac{2}{9} x^3 \operatorname{Li}_2(ax^2) + \frac{1}{3} x^3 \operatorname{Li}_3(ax^2) - \frac{1}{27} (8a) \int \frac{x^4}{1 - ax^2} dx \\
&= -\frac{4}{27} x^3 \log(1 - ax^2) - \frac{2}{9} x^3 \operatorname{Li}_2(ax^2) + \frac{1}{3} x^3 \operatorname{Li}_3(ax^2) - \frac{1}{27} (8a) \int \left( -\frac{1}{a^2} - \frac{x^2}{a} + \frac{1}{a^2(1 - ax^2)} \right) dx \\
&= \frac{8x}{27a} + \frac{8x^3}{81} - \frac{4}{27} x^3 \log(1 - ax^2) - \frac{2}{9} x^3 \operatorname{Li}_2(ax^2) + \frac{1}{3} x^3 \operatorname{Li}_3(ax^2) - \frac{8 \int \frac{1}{1 - ax^2} dx}{27a} \\
&= \frac{8x}{27a} + \frac{8x^3}{81} - \frac{8 \tanh^{-1}(\sqrt{a}x)}{27a^{3/2}} - \frac{4}{27} x^3 \log(1 - ax^2) - \frac{2}{9} x^3 \operatorname{Li}_2(ax^2) + \frac{1}{3} x^3 \operatorname{Li}_3(ax^2)
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 69, normalized size = 0.90

$$\frac{1}{81} \left( -\frac{24 \tanh^{-1}(\sqrt{a}x)}{a^{3/2}} - 18x^3 \operatorname{Li}_2(ax^2) + 27x^3 \operatorname{Li}_3(ax^2) - 12x^3 \log(1 - ax^2) + \frac{24x}{a} + 8x^3 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*PolyLog[3, a*x^2], x]
```

```
[Out] ((24*x)/a + 8*x^3 - (24*ArcTanh[Sqrt[a]*x])/a^(3/2) - 12*x^3*Log[1 - a*x^2] - 18*x^3*PolyLog[2, a*x^2] + 27*x^3*PolyLog[3, a*x^2])/81
```

**fricas [C]** time = 0.65, size = 173, normalized size = 2.25

$$\left[ \frac{18 a^2 x^3 \operatorname{Li}_2(ax^2) + 12 a^2 x^3 \log(-ax^2 + 1) - 27 a^2 x^3 \operatorname{polylog}(3, ax^2) - 8 a^2 x^3 - 24 ax - 12 \sqrt{a} \log\left(\frac{ax^2 - 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{81 a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] [-1/81\*(18\*a^2\*x^3\*dilog(a\*x^2) + 12\*a^2\*x^3\*log(-a\*x^2 + 1) - 27\*a^2\*x^3\*polylog(3, a\*x^2) - 8\*a^2\*x^3 - 24\*a\*x - 12\*sqrt(a)\*log((a\*x^2 - 2\*sqrt(a)\*x + 1)/(a\*x^2 - 1)))/a^2, -1/81\*(18\*a^2\*x^3\*dilog(a\*x^2) + 12\*a^2\*x^3\*log(-a\*x^2 + 1) - 27\*a^2\*x^3\*polylog(3, a\*x^2) - 8\*a^2\*x^3 - 24\*a\*x - 24\*sqrt(-a)\*arctan(sqrt(-a)\*x))/a^2]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(x^2\*polylog(3, a\*x^2), x)

**maple** [B] time = 0.16, size = 136, normalized size = 1.77

$$\frac{\frac{2x(-a)^{\frac{5}{2}}(40ax^2+120)}{405a^2} + \frac{8x(-a)^{\frac{5}{2}}(\ln(1-\sqrt{ax^2})-\ln(1+\sqrt{ax^2}))}{27a^2\sqrt{ax^2}} - \frac{8x^3(-a)^{\frac{5}{2}}\ln(-ax^2+1)}{27a} - \frac{4x^3(-a)^{\frac{5}{2}}\text{polylog}(2,ax^2)}{9a} + \frac{2x^3(-a)^{\frac{5}{2}}\text{polylog}(3,ax^2)}{3a}}{2a\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3,a\*x^2),x)

[Out] 1/2/a/(-a)^(1/2)\*(2/405\*x\*(-a)^(5/2)\*(40\*a\*x^2+120)/a^2+8/27\*x\*(-a)^(5/2)/a^2/(a\*x^2)^(1/2)\*(ln(1-(a\*x^2)^(1/2))-ln(1+(a\*x^2)^(1/2))))-8/27\*x^3\*(-a)^(5/2)/a\*ln(-a\*x^2+1)-4/9\*x^3\*(-a)^(5/2)\*polylog(2,a\*x^2)/a+2/3\*x^3\*(-a)^(5/2)/a\*polylog(3,a\*x^2))

**maxima** [A] time = 0.42, size = 81, normalized size = 1.05

$$\frac{18ax^3\text{Li}_2(ax^2) + 12ax^3\log(-ax^2 + 1) - 27ax^3\text{Li}_3(ax^2) - 8ax^3 - 24x}{81a} + \frac{4\log\left(\frac{ax-\sqrt{a}}{ax+\sqrt{a}}\right)}{27a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out] -1/81\*(18\*a\*x^3\*dilog(a\*x^2) + 12\*a\*x^3\*log(-a\*x^2 + 1) - 27\*a\*x^3\*polylog(3, a\*x^2) - 8\*a\*x^3 - 24\*x)/a + 4/27\*log((a\*x - sqrt(a))/(a\*x + sqrt(a)))/a^(3/2)

**mupad** [B] time = 0.49, size = 64, normalized size = 0.83

$$\frac{x^3 \operatorname{polylog}(3, ax^2)}{3} - \frac{2x^3 \operatorname{polylog}(2, ax^2)}{9} + \frac{8x}{27a} - \frac{4x^3 \ln(1 - ax^2)}{27} + \frac{8x^3}{81} + \frac{\operatorname{atan}(\sqrt{a} x) \operatorname{Li}_3(a)}{27a^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3, a\*x^2),x)

[Out] (atan(a^(1/2)\*x)\*Li3(a\*x^2))/(27\*a^(3/2)) - (2\*x^3\*polylog(2, a\*x^2))/9 + (x^3\*polylog(3, a\*x^2))/3 + (8\*x)/(27\*a) - (4\*x^3\*log(1 - a\*x^2))/27 + (8\*x^3)/81

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*polylog(3,a\*x\*\*2),x)

[Out] Integral(x\*\*2\*polylog(3, a\*x\*\*2), x)



### 3.41 $\int \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=50

$$-2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2) - 4x \log(1 - ax^2) - \frac{8 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} + 8x$$

[Out]  $8*x-4*x*\ln(-a*x^2+1)-2*x*\text{polylog}(2,a*x^2)+x*\text{polylog}(3,a*x^2)-8*\text{arctanh}(x*a^{(1/2)})/a^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {6586, 2448, 321, 206}

$$-2x\text{PolyLog}(2, ax^2) + x\text{PolyLog}(3, ax^2) - 4x \log(1 - ax^2) - \frac{8 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} + 8x$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2], x]

[Out]  $8*x - (8*\text{ArcTanh}[\text{Sqrt}[a]*x])/ \text{Sqrt}[a] - 4*x*\text{Log}[1 - a*x^2] - 2*x*\text{PolyLog}[2, a*x^2] + x*\text{PolyLog}[3, a*x^2]$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2448

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(p\_.)], x\_Symbol] := Simp[x\*Log[c\*(d + e\*x^n)^p], x] - Dist[e\*n\*p, Int[x^n/(d + e\*x^n), x], x] /; FreeQ[{c, d, e, n, p}, x]

#### Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] / ; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \text{Li}_3(ax^2) dx &= x\text{Li}_3(ax^2) - 2 \int \text{Li}_2(ax^2) dx \\
 &= -2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2) - 4 \int \log(1 - ax^2) dx \\
 &= -4x \log(1 - ax^2) - 2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2) - (8a) \int \frac{x^2}{1 - ax^2} dx \\
 &= 8x - 4x \log(1 - ax^2) - 2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2) - 8 \int \frac{1}{1 - ax^2} dx \\
 &= 8x - \frac{8 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} - 4x \log(1 - ax^2) - 2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 50, normalized size = 1.00

$$-2x\text{Li}_2(ax^2) + x\text{Li}_3(ax^2) - 4x \log(1 - ax^2) - \frac{8 \tanh^{-1}(\sqrt{a}x)}{\sqrt{a}} + 8x$$

Antiderivative was successfully verified.

```
[In] Integrate[PolyLog[3, a*x^2], x]
```

```
[Out] 8*x - (8*ArcTanh[Sqrt[a]*x])/Sqrt[a] - 4*x*Log[1 - a*x^2] - 2*x*PolyLog[2, a*x^2] + x*PolyLog[3, a*x^2]
```

**fricas [C]** time = 0.73, size = 133, normalized size = 2.66

$$\left[ \frac{2ax\text{Li}_2(ax^2) + 4ax \log(-ax^2 + 1) - ax \text{polylog}(3, ax^2) - 8ax - 4\sqrt{a} \log\left(\frac{ax^2 - 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{a}, -\frac{2ax\text{Li}_2(ax^2) + 4ax \log(-ax^2 + 1) - ax \text{polylog}(3, ax^2) - 8ax - 4\sqrt{a} \log\left(\frac{ax^2 - 2\sqrt{a}x + 1}{ax^2 - 1}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x^2),x, algorithm="fricas")
```

```
[Out] [-(2*a*x*dilog(a*x^2) + 4*a*x*log(-a*x^2 + 1) - a*x*polylog(3, a*x^2) - 8*a*x - 4*sqrt(a)*log((a*x^2 - 2*sqrt(a)*x + 1)/(a*x^2 - 1)))/a, -(2*a*x*dilog
```

$(a*x^2) + 4*a*x*\log(-a*x^2 + 1) - a*x*\text{polylog}(3, a*x^2) - 8*a*x - 8*\text{sqrt}(-a) * \arctan(\text{sqrt}(-a)*x)/a]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2), x)

**maple** [B] time = 0.17, size = 119, normalized size = 2.38

$$\frac{\frac{16x(-a)^{\frac{3}{2}}}{a} + \frac{8x(-a)^{\frac{3}{2}}(\ln(1-\sqrt{ax^2})-\ln(1+\sqrt{ax^2}))}{a\sqrt{ax^2}} - \frac{8x(-a)^{\frac{3}{2}}\ln(-ax^2+1)}{a} - \frac{4x(-a)^{\frac{3}{2}}\text{polylog}(2,ax^2)}{a} + \frac{2x(-a)^{\frac{3}{2}}\text{polylog}(3,ax^2)}{a}}{2\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2),x)

[Out]  $-1/2/(-a)^{(1/2)}*(16*x*(-a)^{(3/2)}/a+8*x*(-a)^{(3/2)}/a/(a*x^2)^{(1/2)}*(\ln(1-(a*x^2)^{(1/2)})-\ln(1+(a*x^2)^{(1/2)}))-8*x*(-a)^{(3/2)}/a*\ln(-a*x^2+1)-4*x*(-a)^{(3/2)}*\text{polylog}(2,a*x^2)/a+2*x*(-a)^{(3/2)}/a*\text{polylog}(3,a*x^2))$

**maxima** [A] time = 0.41, size = 59, normalized size = 1.18

$$-2x\text{Li}_2(ax^2) - 4x\log(-ax^2 + 1) + x\text{Li}_3(ax^2) + 8x + \frac{4\log\left(\frac{ax-\sqrt{a}}{ax+\sqrt{a}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $-2*x*\text{dilog}(a*x^2) - 4*x*\log(-a*x^2 + 1) + x*\text{polylog}(3, a*x^2) + 8*x + 4*\log((a*x - \text{sqrt}(a))/(a*x + \text{sqrt}(a)))/\text{sqrt}(a)$

**mupad** [B] time = 0.36, size = 49, normalized size = 0.98

$$8x - 4x\ln(1 - ax^2) - 2x\text{polylog}(2, ax^2) + x\text{polylog}(3, ax^2) + \frac{\text{atan}(\sqrt{a} x i) 8i}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x^2),x)
```

```
[Out] 8*x + (atan(a^(1/2)*x*1i)*8i)/a^(1/2) - 4*x*log(1 - a*x^2) - 2*x*polylog(2,
a*x^2) + x*polylog(3, a*x^2)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2),x)
```

```
[Out] Integral(polylog(3, a*x**2), x)
```

$$3.42 \quad \int \frac{\text{Li}_3(ax^2)}{x^2} dx$$

Optimal. Leaf size=54

$$-\frac{2\text{Li}_2(ax^2)}{x} - \frac{\text{Li}_3(ax^2)}{x} + \frac{4\log(1-ax^2)}{x} + 8\sqrt{a} \tanh^{-1}(\sqrt{a}x)$$

[Out]  $4*\ln(-a*x^2+1)/x-2*\text{polylog}(2,a*x^2)/x-\text{polylog}(3,a*x^2)/x+8*\text{arctanh}(x*a^{(1/2)})*a^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 206}

$$-\frac{2\text{PolyLog}(2,ax^2)}{x} - \frac{\text{PolyLog}(3,ax^2)}{x} + \frac{4\log(1-ax^2)}{x} + 8\sqrt{a} \tanh^{-1}(\sqrt{a}x)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^2,x]

[Out]  $8*\text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a]*x] + (4*\text{Log}[1 - a*x^2])/x - (2*\text{PolyLog}[2, a*x^2])/x - \text{PolyLog}[3, a*x^2]/x$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2455

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(p\_)]\*(b\_))\*((f\_)\*(x\_)^(m\_)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_)\*(x\_)^(m\_))\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{x^2} dx &= -\frac{\text{Li}_3(ax^2)}{x} + 2 \int \frac{\text{Li}_2(ax^2)}{x^2} dx \\
&= -\frac{2\text{Li}_2(ax^2)}{x} - \frac{\text{Li}_3(ax^2)}{x} - 4 \int \frac{\log(1-ax^2)}{x^2} dx \\
&= \frac{4 \log(1-ax^2)}{x} - \frac{2\text{Li}_2(ax^2)}{x} - \frac{\text{Li}_3(ax^2)}{x} + (8a) \int \frac{1}{1-ax^2} dx \\
&= 8\sqrt{a} \tanh^{-1}(\sqrt{a}x) + \frac{4 \log(1-ax^2)}{x} - \frac{2\text{Li}_2(ax^2)}{x} - \frac{\text{Li}_3(ax^2)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 50, normalized size = 0.93

$$\frac{-2\text{Li}_2(ax^2) - \text{Li}_3(ax^2) + 4 \log(1-ax^2) + 8\sqrt{a}x \tanh^{-1}(\sqrt{a}x)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x^2]/x^2,x]

[Out] (8\*Sqrt[a]\*x\*ArcTanh[Sqrt[a]\*x] + 4\*Log[1 - a\*x^2] - 2\*PolyLog[2, a\*x^2] - PolyLog[3, a\*x^2])/x

**fricas [C]** time = 0.55, size = 112, normalized size = 2.07

$$\left[ \frac{4\sqrt{a}x \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - 2\text{Li}_2(ax^2) + 4 \log(-ax^2+1) - \text{polylog}(3, ax^2)}{x}, -\frac{8\sqrt{-a}x \arctan(\sqrt{-a}x) + 2\text{Li}_2(ax^2)}{x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^2,x, algorithm="fricas")

[Out] [(4\*sqrt(a)\*x\*log((a\*x^2 + 2\*sqrt(a)\*x + 1)/(a\*x^2 - 1)) - 2\*dilog(a\*x^2) + 4\*log(-a\*x^2 + 1) - polylog(3, a\*x^2))/x, -(8\*sqrt(-a)\*x\*arctan(sqrt(-a)\*x) + 2\*dilog(a\*x^2) - 4\*log(-a\*x^2 + 1) + polylog(3, a\*x^2))/x]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^2,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^2, x)

**maple** [B] time = 0.16, size = 112, normalized size = 2.07

$$a \left( -\frac{8x\sqrt{-a} \left( \ln(1-\sqrt{ax^2}) - \ln(1+\sqrt{ax^2}) \right)}{\sqrt{ax^2}} + \frac{8\sqrt{-a} \ln(-ax^2+1)}{xa} - \frac{4\sqrt{-a} \operatorname{polylog}(2, ax^2)}{xa} - \frac{2\sqrt{-a} \operatorname{polylog}(3, ax^2)}{xa} \right) \\ \frac{1}{2\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^2,x)

[Out] 1/2\*a/(-a)^(1/2)\*(-8\*x\*(-a)^(1/2)/(a\*x^2)^(1/2)\*(ln(1-(a\*x^2)^(1/2))-ln(1+(a\*x^2)^(1/2)))+8/x\*(-a)^(1/2)/a\*ln(-a\*x^2+1)-4/x\*(-a)^(1/2)\*polylog(2,a\*x^2)/a-2/x\*(-a)^(1/2)/a\*polylog(3,a\*x^2))

**maxima** [A] time = 0.41, size = 58, normalized size = 1.07

$$-4\sqrt{a} \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right) - \frac{2\operatorname{Li}_2(ax^2) - 4\log(-ax^2 + 1) + \operatorname{Li}_3(ax^2)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^2,x, algorithm="maxima")

[Out] -4\*sqrt(a)\*log((a\*x - sqrt(a))/(a\*x + sqrt(a))) - (2\*dilog(a\*x^2) - 4\*log(-a\*x^2 + 1) + polylog(3, a\*x^2))/x

**mupad** [B] time = 0.55, size = 53, normalized size = 0.98

$$\frac{4 \ln(1 - ax^2)}{x} - \frac{\operatorname{polylog}(3, ax^2)}{x} - \frac{2 \operatorname{polylog}(2, ax^2)}{x} - \sqrt{a} \operatorname{atan}(\sqrt{a} x 1i) 8i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/x^2,x)

[Out] (4\*log(1 - a\*x^2))/x - (2\*polylog(2, a\*x^2))/x - polylog(3, a\*x^2)/x - a^(1/2)\*atan(a^(1/2)\*x\*1i)\*8i

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2)/x**2,x)
```

```
[Out] Integral(polylog(3, a*x**2)/x**2, x)
```



$$3.43 \quad \int \frac{\text{Li}_3(ax^2)}{x^4} dx$$

Optimal. Leaf size=70

$$\frac{8}{27}a^{3/2} \tanh^{-1}(\sqrt{a}x) - \frac{2\text{Li}_2(ax^2)}{9x^3} - \frac{\text{Li}_3(ax^2)}{3x^3} + \frac{4 \log(1-ax^2)}{27x^3} - \frac{8a}{27x}$$

[Out]  $-8/27*a/x+8/27*a^{(3/2)}*\text{arctanh}(x*a^{(1/2)})+4/27*\ln(-a*x^2+1)/x^3-2/9*\text{polylog}(2,a*x^2)/x^3-1/3*\text{polylog}(3,a*x^2)/x^3$

**Rubi [A]** time = 0.04, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 325, 206}

$$-\frac{2\text{PolyLog}(2,ax^2)}{9x^3} - \frac{\text{PolyLog}(3,ax^2)}{3x^3} + \frac{8}{27}a^{3/2} \tanh^{-1}(\sqrt{a}x) + \frac{4 \log(1-ax^2)}{27x^3} - \frac{8a}{27x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^4, x]

[Out]  $(-8*a)/(27*x) + (8*a^{(3/2)}*\text{ArcTanh}[\text{Sqrt}[a]*x])/27 + (4*\text{Log}[1 - a*x^2])/(27*x^3) - (2*\text{PolyLog}[2, a*x^2])/(9*x^3) - \text{PolyLog}[3, a*x^2]/(3*x^3)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d+e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^2)}{x^4} dx &= -\frac{\text{Li}_3(ax^2)}{3x^3} + \frac{2}{3} \int \frac{\text{Li}_2(ax^2)}{x^4} dx \\
 &= -\frac{2\text{Li}_2(ax^2)}{9x^3} - \frac{\text{Li}_3(ax^2)}{3x^3} - \frac{4}{9} \int \frac{\log(1-ax^2)}{x^4} dx \\
 &= \frac{4 \log(1-ax^2)}{27x^3} - \frac{2\text{Li}_2(ax^2)}{9x^3} - \frac{\text{Li}_3(ax^2)}{3x^3} + \frac{1}{27}(8a) \int \frac{1}{x^2(1-ax^2)} dx \\
 &= -\frac{8a}{27x} + \frac{4 \log(1-ax^2)}{27x^3} - \frac{2\text{Li}_2(ax^2)}{9x^3} - \frac{\text{Li}_3(ax^2)}{3x^3} + \frac{1}{27}(8a^2) \int \frac{1}{1-ax^2} dx \\
 &= -\frac{8a}{27x} + \frac{8}{27}a^{3/2} \tanh^{-1}(\sqrt{a}x) + \frac{4 \log(1-ax^2)}{27x^3} - \frac{2\text{Li}_2(ax^2)}{9x^3} - \frac{\text{Li}_3(ax^2)}{3x^3}
 \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 61, normalized size = 0.87

$$\frac{-8a^{3/2}x^3 \tanh^{-1}(\sqrt{a}x) + 6\text{Li}_2(ax^2) + 9\text{Li}_3(ax^2) + 8ax^2 - 4 \log(1-ax^2)}{27x^3}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x^2]/x^4, x]

[Out] -1/27\*(8\*a\*x^2 - 8\*a^(3/2)\*x^3\*ArcTanh[Sqrt[a]\*x] - 4\*Log[1 - a\*x^2] + 6\*PolyLog[2, a\*x^2] + 9\*PolyLog[3, a\*x^2])/x^3

**fricas** [C] time = 0.59, size = 132, normalized size = 1.89

$$\left[ \frac{4a^{\frac{3}{2}}x^3 \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - 8ax^2 - 6\text{Li}_2(ax^2) + 4 \log(-ax^2+1) - 9 \text{polylog}(3, ax^2)}{27x^3}, -\frac{8\sqrt{-a}ax^3 \arctan(\sqrt{-a}x)}{27x^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^4,x, algorithm="fricas")

[Out]  $\frac{1}{27}*(4*a^{(3/2)}*x^3*\log((a*x^2 + 2*\sqrt{a}*x + 1)/(a*x^2 - 1)) - 8*a*x^2 - 6*dilog(a*x^2) + 4*\log(-a*x^2 + 1) - 9*polylog(3, a*x^2))/x^3, -1/27*(8*\sqrt{a}*x^3*\arctan(\sqrt{-a}*x) + 8*a*x^2 + 6*dilog(a*x^2) - 4*\log(-a*x^2 + 1) + 9*polylog(3, a*x^2))/x^3]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^4,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^4, x)

**maple** [B] time = 0.16, size = 125, normalized size = 1.79

$$\frac{a^2 \left( -\frac{16}{27x\sqrt{-a}} - \frac{8xa(\ln(1-\sqrt{ax^2})-\ln(1+\sqrt{ax^2}))}{27\sqrt{-a}\sqrt{ax^2}} + \frac{8\ln(-ax^2+1)}{27x^3\sqrt{-a}a} - \frac{4\text{polylog}(2,ax^2)}{9x^3\sqrt{-a}a} - \frac{2\text{polylog}(3,ax^2)}{3x^3\sqrt{-a}a} \right)}{2\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^4,x)

[Out]  $-1/2*a^2/(-a)^{(1/2)}*(-16/27/x/(-a)^{(1/2)}-8/27*x/(-a)^{(1/2)}*a/(a*x^2)^{(1/2)}*(\ln(1-(a*x^2)^{(1/2)})-\ln(1+(a*x^2)^{(1/2)}))+8/27/x^3/(-a)^{(1/2)}/a*\ln(-a*x^2+1)-4/9/x^3/(-a)^{(1/2)}*polylog(2,a*x^2)/a-2/3/x^3/(-a)^{(1/2)}/a*polylog(3,a*x^2))$

**maxima** [A] time = 0.41, size = 66, normalized size = 0.94

$$-\frac{4}{27}a^{\frac{3}{2}}\log\left(\frac{ax-\sqrt{a}}{ax+\sqrt{a}}\right)-\frac{8ax^2+6\text{Li}_2(ax^2)-4\log(-ax^2+1)+9\text{Li}_3(ax^2)}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^4,x, algorithm="maxima")

[Out]  $-4/27*a^{(3/2)}*\log((a*x - \sqrt{a})/(a*x + \sqrt{a})) - 1/27*(8*a*x^2 + 6*dilog(a*x^2) - 4*\log(-a*x^2 + 1) + 9*polylog(3, a*x^2))/x^3$

**mupad** [B] time = 0.77, size = 59, normalized size = 0.84

$$\frac{4\ln(1-ax^2)}{27x^3} - \frac{\text{polylog}(3,ax^2)}{3x^3} - \frac{8a}{27x} - \frac{2\text{polylog}(2,ax^2)}{9x^3} - \frac{a^{3/2}\text{atan}(\sqrt{a}x)}{27}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x^2)/x^4,x)
```

```
[Out] (4*log(1 - a*x^2))/(27*x^3) - (2*polylog(2, a*x^2))/(9*x^3) - polylog(3, a*
x^2)/(3*x^3) - (8*a)/(27*x) - (a^(3/2)*atan(a^(1/2)*x*1i)*8i)/27
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_3(ax^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**2)/x**4,x)
```

```
[Out] Integral(polylog(3, a*x**2)/x**4, x)
```

$$3.44 \quad \int \frac{\text{Li}_3(ax^2)}{x^6} dx$$

Optimal. Leaf size=80

$$\frac{8}{125}a^{5/2} \tanh^{-1}(\sqrt{a}x) - \frac{8a^2}{125x} - \frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} - \frac{8a}{375x^3} + \frac{4 \log(1-ax^2)}{125x^5}$$

[Out]  $-8/375*a/x^3 - 8/125*a^2/x + 8/125*a^{(5/2)}*\text{arctanh}(x*a^{(1/2)}) + 4/125*\ln(-a*x^2+1)/x^5 - 2/25*\text{polylog}(2, a*x^2)/x^5 - 1/5*\text{polylog}(3, a*x^2)/x^5$

Rubi [A] time = 0.05, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {6591, 2455, 325, 206}

$$-\frac{2\text{PolyLog}(2, ax^2)}{25x^5} - \frac{\text{PolyLog}(3, ax^2)}{5x^5} - \frac{8a^2}{125x} + \frac{8}{125}a^{5/2} \tanh^{-1}(\sqrt{a}x) - \frac{8a}{375x^3} + \frac{4 \log(1-ax^2)}{125x^5}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/x^6, x]

[Out]  $(-8*a)/(375*x^3) - (8*a^2)/(125*x) + (8*a^{(5/2)}*\text{ArcTanh}[\text{Sqrt}[a]*x])/125 + (4*\text{Log}[1 - a*x^2])/(125*x^5) - (2*\text{PolyLog}[2, a*x^2])/(25*x^5) - \text{PolyLog}[3, a*x^2]/(5*x^5)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 325

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*c\*(m+1)), x] - Dist[(b\*(m+n\*(p+1)+1))/(a\*c^n\*(m+1)), Int[(c\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d+e\*x^n), x], x]

$e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{NeQ}[m, -1]$

### Rule 6591

$\text{Int}[(d*x)^m * \text{PolyLog}[n, a*(b*x^p)^q], x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m * \text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a, b, d, m, p, q\}, x] \&\& \text{NeQ}[m, -1] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_3(ax^2)}{x^6} dx &= -\frac{\text{Li}_3(ax^2)}{5x^5} + \frac{2}{5} \int \frac{\text{Li}_2(ax^2)}{x^6} dx \\ &= -\frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} - \frac{4}{25} \int \frac{\log(1-ax^2)}{x^6} dx \\ &= \frac{4 \log(1-ax^2)}{125x^5} - \frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} + \frac{1}{125}(8a) \int \frac{1}{x^4(1-ax^2)} dx \\ &= -\frac{8a}{375x^3} + \frac{4 \log(1-ax^2)}{125x^5} - \frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} + \frac{1}{125}(8a^2) \int \frac{1}{x^2(1-ax^2)} dx \\ &= -\frac{8a}{375x^3} - \frac{8a^2}{125x} + \frac{4 \log(1-ax^2)}{125x^5} - \frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} + \frac{1}{125}(8a^3) \int \frac{1}{1-ax^2} dx \\ &= -\frac{8a}{375x^3} - \frac{8a^2}{125x} + \frac{8}{125}a^{5/2} \tanh^{-1}(\sqrt{a}x) + \frac{4 \log(1-ax^2)}{125x^5} - \frac{2\text{Li}_2(ax^2)}{25x^5} - \frac{\text{Li}_3(ax^2)}{5x^5} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 69, normalized size = 0.86

$$\frac{-24a^{5/2}x^5 \tanh^{-1}(\sqrt{a}x) + 24a^2x^4 + 30\text{Li}_2(ax^2) + 75\text{Li}_3(ax^2) + 8ax^2 - 12 \log(1-ax^2)}{375x^5}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x^2]/x^6, x]

[Out] -1/375\*(8\*a\*x^2 + 24\*a^2\*x^4 - 24\*a^(5/2)\*x^5\*ArcTanh[Sqrt[a]\*x] - 12\*Log[1 - a\*x^2] + 30\*PolyLog[2, a\*x^2] + 75\*PolyLog[3, a\*x^2])/x^5

**fricas [C]** time = 0.81, size = 150, normalized size = 1.88

$$\left[ \frac{12 a^{\frac{5}{2}} x^5 \log\left(\frac{ax^2+2\sqrt{a}x+1}{ax^2-1}\right) - 24 a^2 x^4 - 8 a x^2 - 30 \text{Li}_2(ax^2) + 12 \log(-ax^2+1) - 75 \text{polylog}(3, ax^2)}{375 x^5}, -\frac{24 \sqrt{-a}}{375 x^5} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^6,x, algorithm="fricas")

[Out]  $[1/375*(12*a^{(5/2)}*x^5*\log((a*x^2 + 2*\sqrt{a}*x + 1)/(a*x^2 - 1)) - 24*a^2*x^4 - 8*a*x^2 - 30*\operatorname{dilog}(a*x^2) + 12*\log(-a*x^2 + 1) - 75*\operatorname{polylog}(3, a*x^2))/x^5, -1/375*(24*\sqrt{-a}*a^2*x^5*\arctan(\sqrt{-a}*x) + 24*a^2*x^4 + 8*a*x^2 + 30*\operatorname{dilog}(a*x^2) - 12*\log(-a*x^2 + 1) + 75*\operatorname{polylog}(3, a*x^2))/x^5]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^6,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/x^6, x)

**maple** [B] time = 0.17, size = 138, normalized size = 1.72

$$a^3 \left( \frac{16}{375x^3(-a)^2} - \frac{16a}{125x(-a)^2} - \frac{8xa^2(\ln(1-\sqrt{ax^2})-\ln(1+\sqrt{ax^2}))}{125(-a)^2\sqrt{ax^2}} + \frac{8\ln(-ax^2+1)}{125x^5(-a)^2a} - \frac{4\operatorname{polylog}(2,ax^2)}{25x^5(-a)^2a} - \frac{2\operatorname{polylog}(3,ax^2)}{5x^5(-a)^2a} \right) \frac{1}{2\sqrt{-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/x^6,x)

[Out]  $1/2*a^3/(-a)^{(1/2)}*(-16/375/x^3/(-a)^{(3/2)}-16/125/x/(-a)^{(3/2)}*a-8/125*x/(-a)^{(3/2)}*a^2/(a*x^2)^{(1/2)}*(\ln(1-(a*x^2)^{(1/2)})-\ln(1+(a*x^2)^{(1/2)}))+8/125/x^5/(-a)^{(3/2)}/a*\ln(-a*x^2+1)-4/25/x^5/(-a)^{(3/2)}*\operatorname{polylog}(2,a*x^2)/a-2/5/x^5/(-a)^{(3/2)}/a*\operatorname{polylog}(3,a*x^2))$

**maxima** [A] time = 1.13, size = 74, normalized size = 0.92

$$-\frac{4}{125} a^{\frac{5}{2}} \log\left(\frac{ax - \sqrt{a}}{ax + \sqrt{a}}\right) - \frac{24a^2x^4 + 8ax^2 + 30\operatorname{Li}_2(ax^2) - 12\log(-ax^2 + 1) + 75\operatorname{Li}_3(ax^2)}{375x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/x^6,x, algorithm="maxima")

[Out]  $-4/125*a^{(5/2)}*\log((a*x - \sqrt{a})/(a*x + \sqrt{a})) - 1/375*(24*a^2*x^4 + 8*a*x^2 + 30*\operatorname{dilog}(a*x^2) - 12*\log(-a*x^2 + 1) + 75*\operatorname{polylog}(3, a*x^2))/x^5$

**mupad** [B] time = 1.03, size = 70, normalized size = 0.88

$$\frac{4 \ln(1 - ax^2)}{125x^5} - \frac{\text{polylog}(3, ax^2)}{5x^5} - \frac{8a^2x^2 + \frac{8a}{3}}{125x^3} - \frac{2 \text{polylog}(2, ax^2)}{25x^5} - \frac{a^{5/2} \text{atan}(\sqrt{a} x 1i) 8i}{125}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/x^6, x)

[Out] (4\*log(1 - a\*x^2))/(125\*x^5) - (2\*polylog(2, a\*x^2))/(25\*x^5) - polylog(3, a\*x^2)/(5\*x^5) - ((8\*a)/3 + 8\*a^2\*x^2)/(125\*x^3) - (a^(5/2)\*atan(a^(1/2)\*x\*1i)\*8i)/125

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x\*\*2)/x\*\*6, x)

[Out] Integral(polylog(3, a\*x\*\*2)/x\*\*6, x)



### 3.45 $\int x^2 \text{Li}_2(ax^q) dx$

Optimal. Leaf size=71

$$\frac{aq^2x^{q+3} {}_2F_1\left(1, \frac{q+3}{q}; 2 + \frac{3}{q}; ax^q\right)}{9(q+3)} + \frac{1}{3}x^3\text{Li}_2(ax^q) + \frac{1}{9}qx^3 \log(1 - ax^q)$$

[Out]  $1/9*a*q^2*x^{(3+q)}*\text{hypergeom}([1, (3+q)/q], [2+3/q], a*x^q)/(3+q)+1/9*q*x^3*\ln(1-a*x^q)+1/3*x^3*\text{polylog}(2, a*x^q)$

**Rubi [A]** time = 0.04, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$\frac{1}{3}x^3\text{PolyLog}(2, ax^q) + \frac{aq^2x^{q+3} {}_2F_1\left(1, \frac{q+3}{q}; 2 + \frac{3}{q}; ax^q\right)}{9(q+3)} + \frac{1}{9}qx^3 \log(1 - ax^q)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*\text{PolyLog}[2, a*x^q], x]$

[Out]  $(a*q^2*x^{(3+q)}*\text{Hypergeometric2F1}[1, (3+q)/q, 2+3/q, a*x^q])/(9*(3+q)) + (q*x^3*\text{Log}[1-a*x^q])/9 + (x^3*\text{PolyLog}[2, a*x^q])/3$

#### Rule 364

$\text{Int}[\left((c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}\right), x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])]/(c*(m+1)), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt Q[p, 0] || GtQ[a, 0])

#### Rule 2455

$\text{Int}[\left((a_*) + \text{Log}[(c_*)*((d_*) + (e_*)*(x_*)^{(n_*)})^{(p_*)}]\right)*(b_*)*((f_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p])]/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d + e*x^n), x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

$\text{Int}[\left((d_*)*(x_*)^{(m_*)}*\text{PolyLog}[n, (a_*)*((b_*)*(x_*)^{(p_*)})^{(q_*)}]\right), x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*\text{PolyLog}[n, a*(b*x^p)^q]/(d*(m+1)), x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m*\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /;$  FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_2(ax^q) dx &= \frac{1}{3} x^3 \text{Li}_2(ax^q) + \frac{1}{3} q \int x^2 \log(1 - ax^q) dx \\
&= \frac{1}{9} q x^3 \log(1 - ax^q) + \frac{1}{3} x^3 \text{Li}_2(ax^q) + \frac{1}{9} (aq^2) \int \frac{x^{2+q}}{1 - ax^q} dx \\
&= \frac{aq^2 x^{3+q} {}_2F_1\left(1, \frac{3+q}{q}; 2 + \frac{3}{q}; ax^q\right)}{9(3+q)} + \frac{1}{9} q x^3 \log(1 - ax^q) + \frac{1}{3} x^3 \text{Li}_2(ax^q)
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 69, normalized size = 0.97

$$\frac{qx^3 \left( aqx^q {}_2F_1\left(1, \frac{q+3}{q}; 2 + \frac{3}{q}; ax^q\right) + (q+3) \log(1 - ax^q) \right)}{9(q+3)} + \frac{1}{3} x^3 \text{Li}_2(ax^q)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[2, a\*x^q], x]

[Out] (q\*x^3\*(a\*q\*x^q\*Hypergeometric2F1[1, (3 + q)/q, 2 + 3/q, a\*x^q] + (3 + q)\*Log[1 - a\*x^q]))/(9\*(3 + q)) + (x^3\*PolyLog[2, a\*x^q])/3

**fricas** [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}(x^2 \text{Li}_2(ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral(x^2\*dilog(a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate(x^2\*dilog(a\*x^q), x)

**maple** [C] time = 0.14, size = 108, normalized size = 1.52

$$\frac{(-a)^{-\frac{3}{q}} \left( -\frac{q^2 x^3 (-a)^{\frac{3}{q}} \ln(1-ax^q)}{9} - \frac{q x^3 (-a)^{\frac{3}{q}} \left(1 + \frac{q}{3}\right) \text{polylog}(2, ax^q)}{3+q} - \frac{q^2 x^{3+q} a (-a)^{\frac{3}{q}} \Phi\left(ax^q, 1, \frac{3+q}{q}\right)}{9} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(2, a\*x^q), x)

[Out]  $-(-a)^{-3/q}/q*(-1/9*q^2*x^3*(-a)^{3/q}*\ln(1-a*x^q)-q/(3+q)*x^3*(-a)^{3/q}*(1+1/3*q)*\text{polylog}(2, a*x^q)-1/9*q^2*x^{3+q}*a*(-a)^{3/q}*\text{LerchPhi}(a*x^q, 1, (3+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{27}q^2x^3 + \frac{1}{9}qx^3 \log(-ax^q + 1) + \frac{1}{3}x^3\text{Li}_2(ax^q) - q^2 \int \frac{x^2}{9(ax^q - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2, a\*x^q), x, algorithm="maxima")

[Out]  $-1/27*q^2*x^3 + 1/9*q*x^3*\log(-a*x^q + 1) + 1/3*x^3*\text{dilog}(a*x^q) - q^2*\text{integrate}(1/9*x^2/(a*x^q - 1), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \text{polylog}(2, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(2, a\*x^q), x)

[Out] int(x^2\*polylog(2, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*polylog(2, a\*x\*\*q), x)

[Out] Integral(x\*\*2\*polylog(2, a\*x\*\*q), x)

### 3.46 $\int x \text{Li}_2(ax^q) dx$

Optimal. Leaf size=71

$$\frac{aq^2 x^{q+2} {}_2F_1\left(1, \frac{q+2}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{4(q+2)} + \frac{1}{2}x^2 \text{Li}_2(ax^q) + \frac{1}{4}qx^2 \log(1 - ax^q)$$

[Out]  $\frac{1}{4}a^2 q^2 x^{2+q} \text{hypergeom}\left([1, (2+q)/q], [2+2/q], a^2 x^{2+q}\right) / (2+q) + \frac{1}{4}q x^2 \ln(1 - a^2 x^q) + \frac{1}{2}x^2 \text{polylog}(2, a^2 x^q)$

**Rubi [A]** time = 0.03, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2455, 364}

$$\frac{1}{2}x^2 \text{PolyLog}(2, ax^q) + \frac{aq^2 x^{q+2} {}_2F_1\left(1, \frac{q+2}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{4(q+2)} + \frac{1}{4}qx^2 \log(1 - ax^q)$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[2, a\*x^q], x]

[Out]  $(a^2 q^2 x^{2+q} \text{Hypergeometric2F1}[1, (2+q)/q, 2*(1+q^{-1}), a^2 x^{2+q}]) / (4*(2+q)) + (q^2 x^2 \text{Log}[1 - a^2 x^q]) / 4 + (x^2 \text{PolyLog}[2, a^2 x^q]) / 2$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x \operatorname{Li}_2(ax^q) dx &= \frac{1}{2} x^2 \operatorname{Li}_2(ax^q) + \frac{1}{2} q \int x \log(1 - ax^q) dx \\
&= \frac{1}{4} q x^2 \log(1 - ax^q) + \frac{1}{2} x^2 \operatorname{Li}_2(ax^q) + \frac{1}{4} (aq^2) \int \frac{x^{1+q}}{1 - ax^q} dx \\
&= \frac{aq^2 x^{2+q} {}_2F_1\left(1, \frac{2+q}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{4(2+q)} + \frac{1}{4} q x^2 \log(1 - ax^q) + \frac{1}{2} x^2 \operatorname{Li}_2(ax^q)
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 69, normalized size = 0.97

$$\frac{qx^2 \left( aqx^q {}_2F_1\left(1, \frac{q+2}{q}; 2 + \frac{2}{q}; ax^q\right) + (q+2) \log(1 - ax^q) \right)}{4(q+2)} + \frac{1}{2} x^2 \operatorname{Li}_2(ax^q)$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[2, a\*x^q], x]

[Out] (q\*x^2\*(a\*q\*x^q\*Hypergeometric2F1[1, (2 + q)/q, 2 + 2/q, a\*x^q] + (2 + q)\*Log[1 - a\*x^q]))/(4\*(2 + q)) + (x^2\*PolyLog[2, a\*x^q])/2

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

integral(xLi2(ax^q), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral(x\*dilog(a\*x^q), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate(x\*dilog(a\*x^q), x)

**maple** [C] time = 0.12, size = 108, normalized size = 1.52

$$\frac{(-a)^{-\frac{2}{q}} \left( -\frac{q^2 x^2 (-a)^{\frac{2}{q}} \ln(1 - a x^q)}{4} - \frac{q x^2 (-a)^{\frac{2}{q}} \left(1 + \frac{q}{2}\right) \text{polylog}(2, a x^q)}{2+q} - \frac{q^2 x^{2+q} a (-a)^{\frac{2}{q}} \Phi\left(a x^q, 1, \frac{2+q}{q}\right)}{4} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2,a\*x^q),x)

[Out]  $-(-a)^{-(2/q)}/q * (-1/4 * q^2 * x^2 * (-a)^{(2/q)} * \ln(1 - a * x^q) - q / (2+q) * x^2 * (-a)^{(2/q)} * (1 + 1/2 * q) * \text{polylog}(2, a * x^q) - 1/4 * q^2 * x^{(2+q)} * a * (-a)^{(2/q)} * \text{LerchPhi}(a * x^q, 1, (2 + q) / q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8} q^2 x^2 + \frac{1}{4} q x^2 \log(-a x^q + 1) + \frac{1}{2} x^2 \text{Li}_2(a x^q) - q^2 \int \frac{x}{4(a x^q - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x^q),x, algorithm="maxima")

[Out]  $-1/8 * q^2 * x^2 + 1/4 * q * x^2 * \log(-a * x^q + 1) + 1/2 * x^2 * \text{dilog}(a * x^q) - q^2 * \text{integrate}(1/4 * x / (a * x^q - 1), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \text{polylog}(2, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2, a\*x^q),x)

[Out] int(x\*polylog(2, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_2(a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,a\*x\*\*q),x)

[Out] Integral(x\*polylog(2, a\*x\*\*q), x)

### 3.47 $\int \text{Li}_2(ax^q) dx$

Optimal. Leaf size=54

$$\frac{aq^2x^{q+1} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{q+1} + x\text{Li}_2(ax^q) + qx \log(1 - ax^q)$$

[Out] a\*q^2\*x^(1+q)\*hypergeom([1, 1+1/q], [2+1/q], a\*x^q)/(1+q)+q\*x\*ln(1-a\*x^q)+x\*polylog(2, a\*x^q)

**Rubi [A]** time = 0.02, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {6586, 2448, 364}

$$x\text{PolyLog}(2, ax^q) + \frac{aq^2x^{q+1} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{q+1} + qx \log(1 - ax^q)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q], x]

[Out] (a\*q^2\*x^(1 + q)\*Hypergeometric2F1[1, 1 + q^(-1), 2 + q^(-1), a\*x^q])/(1 + q) + q\*x\*Log[1 - a\*x^q] + x\*PolyLog[2, a\*x^q]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/ (c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2448

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)], x\_Symbol] :> Simp[x\*Log[c\*(d + e\*x^n)^p], x] - Dist[e\*n\*p, Int[x^n/(d + e\*x^n), x], x] /; FreeQ[{c, d, e, n, p}, x]

#### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

#### Rubi steps

$$\begin{aligned}
\int \operatorname{Li}_2(ax^q) dx &= x\operatorname{Li}_2(ax^q) + q \int \log(1 - ax^q) dx \\
&= qx \log(1 - ax^q) + x\operatorname{Li}_2(ax^q) + (aq^2) \int \frac{x^q}{1 - ax^q} dx \\
&= \frac{aq^2 x^{1+q} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{1 + q} + qx \log(1 - ax^q) + x\operatorname{Li}_2(ax^q)
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 51, normalized size = 0.94

$$qx \left( \frac{aqx^q {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{q + 1} + \log(1 - ax^q) \right) + x\operatorname{Li}_2(ax^q)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^q], x]

[Out] q\*x\*((a\*q\*x^q\*Hypergeometric2F1[1, 1 + q^(-1), 2 + q^(-1), a\*x^q])/(1 + q) + Log[1 - a\*x^q]) + x\*PolyLog[2, a\*x^q]

**fricas** [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}(\operatorname{Li}_2(ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral(dilog(a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate(dilog(a\*x^q), x)

**maple** [C] time = 0.14, size = 88, normalized size = 1.63

$$\frac{(-a)^{-\frac{1}{q}} \left( -q^2 x (-a)^{\frac{1}{q}} \ln(1 - ax^q) - qx (-a)^{\frac{1}{q}} \operatorname{polylog}\left(2, ax^q\right) - q^2 x^{1+q} a (-a)^{\frac{1}{q}} \Phi\left(ax^q, 1, \frac{1+q}{q}\right) \right)}{q}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x^q),x)`

[Out]  $-1/q*(-a)^{-1/q}*(-q^2*x*(-a)^{1/q}*\ln(1-a*x^q)-q*x*(-a)^{1/q}*polylog(2,a*x^q)-q^2*x^{1+q}*a*(-a)^{1/q}*LerchPhi(a*x^q,1,(1+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^2x - q^2 \int \frac{1}{ax^q - 1} dx + qx \log(-ax^q + 1) + xLi_2(ax^q)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x^q),x, algorithm="maxima")`

[Out]  $-q^2*x - q^2*integrate(1/(a*x^q - 1), x) + q*x*\log(-a*x^q + 1) + x*dilog(a*x^q)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int polylog(2, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x^q),x)`

[Out] `int(polylog(2, a*x^q), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int Li_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x**q),x)`

[Out] `Integral(polylog(2, a*x**q), x)`

$$3.48 \quad \int \frac{\text{Li}_2(ax^q)}{x} dx$$

Optimal. Leaf size=11

$$\frac{\text{Li}_3(ax^q)}{q}$$

[Out] polylog(3,a\*x^q)/q

**Rubi [A]** time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6589}

$$\frac{\text{PolyLog}(3, ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[2, a\*x^q]/x,x]

[Out] PolyLog[3, a\*x^q]/q

Rule 6589

Int [PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp [PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_2(ax^q)}{x} dx = \frac{\text{Li}_3(ax^q)}{q}$$

**Mathematica [A]** time = 0.00, size = 11, normalized size = 1.00

$$\frac{\text{Li}_3(ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Integrate [PolyLog[2, a\*x^q]/x,x]

[Out] PolyLog[3, a\*x^q]/q

**fricas** [A] time = 0.56, size = 11, normalized size = 1.00

$$\frac{\text{polylog}(3, ax^q)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x,x, algorithm="fricas")

[Out] polylog(3, a\*x^q)/q

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x,x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/x, x)

**maple** [A] time = 0.00, size = 12, normalized size = 1.09

$$\frac{\text{polylog}(3, ax^q)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/x,x)

[Out] polylog(3,a\*x^q)/q

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{6}q^2 \log(x)^3 + \frac{1}{2}q \log(-ax^q + 1) \log(x)^2 - q^2 \int \frac{\log(x)^2}{2(axx^q - x)} dx + \text{Li}_2(ax^q) \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x,x, algorithm="maxima")

[Out] -1/6\*q^2\*log(x)^3 + 1/2\*q\*log(-a\*x^q + 1)\*log(x)^2 - q^2\*integrate(1/2\*log(x)^2/(a\*x\*x^q - x), x) + dilog(a\*x^q)\*log(x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.09

$$\int \frac{\text{polylog}(2, ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^q)/x, x)
```

```
[Out] int(polylog(2, a*x^q)/x, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_2(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, a*x**q)/x, x)
```

```
[Out] Integral(polylog(2, a*x**q)/x, x)
```

$$3.49 \quad \int \frac{\text{Li}_2(ax^q)}{x^2} dx$$

Optimal. Leaf size=69

$$-\frac{aq^2x^{q-1} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} - \frac{\text{Li}_2(ax^q)}{x} + \frac{q \log(1-ax^q)}{x}$$

[Out]  $-a*q^2*x^{(-1+q)}*hypergeom([1, (-1+q)/q], [2-1/q], a*x^q)/(1-q)+q*\ln(1-a*x^q)/x - polylog(2, a*x^q)/x$

**Rubi [A]** time = 0.04, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{\text{PolyLog}(2, ax^q)}{x} - \frac{aq^2x^{q-1} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} + \frac{q \log(1-ax^q)}{x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q]/x^2, x]

[Out]  $-((a*q^2*x^{(-1+q)}*Hypergeometric2F1[1, -((1-q)/q), 2 - q^{(-1)}, a*x^q])/(1-q)) + (q*\text{Log}[1 - a*x^q])/x - \text{PolyLog}[2, a*x^q]/x$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^q)}{x^2} dx &= -\frac{\text{Li}_2(ax^q)}{x} - q \int \frac{\log(1-ax^q)}{x^2} dx \\ &= \frac{q \log(1-ax^q)}{x} - \frac{\text{Li}_2(ax^q)}{x} + (aq^2) \int \frac{x^{-2+q}}{1-ax^q} dx \\ &= -\frac{aq^2 x^{-1+q} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} + \frac{q \log(1-ax^q)}{x} - \frac{\text{Li}_2(ax^q)}{x} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 60, normalized size = 0.87

$$\frac{q \left( \frac{{}_2F_1\left(1, \frac{q-1}{q}; 2 - \frac{1}{q}; ax^q\right)}{q-1} + \log(1-ax^q) \right)}{x} - \frac{\text{Li}_2(ax^q)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^q]/x^2, x]

[Out] (q\*((a\*q\*x^q\*Hypergeometric2F1[1, (-1 + q)/q, 2 - q^(-1), a\*x^q])/(-1 + q) + Log[1 - a\*x^q]))/x - PolyLog[2, a\*x^q]/x

**fricas** [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(ax^q)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^2,x, algorithm="fricas")

[Out] integral(dilog(a\*x^q)/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^2,x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/x^2, x)

**maple** [C] time = 0.13, size = 106, normalized size = 1.54

$$\frac{(-a)^{\frac{1}{q}} \left( -\frac{q^2(-a)^{-\frac{1}{q}} \ln(1-ax^q)}{x} - \frac{q(-a)^{-\frac{1}{q}}(1-q) \text{polylog}(2,ax^q)}{(-1+q)x} - q^2 x^{-1+q} a (-a)^{-\frac{1}{q}} \Phi \left( ax^q, 1, \frac{-1+q}{q} \right) \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/x^2,x)

[Out]  $-(-a)^{(1/q)}/q*(-q^2/x*(-a)^{(-1/q)}*\ln(1-a*x^q)-q/(-1+q)/x*(-a)^{(-1/q)}*(1-q)*\text{polylog}(2,a*x^q)-q^2*x^{(-1+q)}*a*(-a)^{(-1/q)}*\text{LerchPhi}(a*x^q,1,(-1+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^2 \int \frac{1}{ax^2x^q - x^2} dx + \frac{q^2 + q \log(-ax^q + 1) - \text{Li}_2(ax^q)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^2,x, algorithm="maxima")

[Out]  $-q^2*\text{integrate}(1/(a*x^2*x^q - x^2), x) + (q^2 + q*\log(-a*x^q + 1) - \text{dilog}(a*x^q))/x$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^q)/x^2,x)

[Out] int(polylog(2, a\*x^q)/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*q)/x\*\*2,x)

[Out] Integral(polylog(2, a\*x\*\*q)/x\*\*2, x)

### 3.50 $\int \frac{\text{Li}_2(ax^q)}{x^3} dx$

**Optimal.** Leaf size=78

$$-\frac{aq^2x^{q-2} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1 - \frac{1}{q}\right); ax^q\right)}{4(2-q)} - \frac{\text{Li}_2(ax^q)}{2x^2} + \frac{q \log(1 - ax^q)}{4x^2}$$

[Out]  $-1/4*a*q^2*x^{(-2+q)}*\text{hypergeom}([1, (-2+q)/q], [2-2/q], a*x^q)/(2-q)+1/4*q*\ln(1-a*x^q)/x^2-1/2*\text{polylog}(2, a*x^q)/x^2$

**Rubi [A]** time = 0.04, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{\text{PolyLog}(2, ax^q)}{2x^2} - \frac{aq^2x^{q-2} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1 - \frac{1}{q}\right); ax^q\right)}{4(2-q)} + \frac{q \log(1 - ax^q)}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q]/x^3, x]

[Out]  $-(a*q^2*x^{(-2+q)}*\text{Hypergeometric2F1}[1, -((2-q)/q), 2*(1-q^{(-1)}), a*x^q])/((4*(2-q)) + (q*\text{Log}[1-a*x^q]))/(4*x^2) - \text{PolyLog}[2, a*x^q]/(2*x^2)$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_)^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,



b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^q)}{x^3} dx &= -\frac{\text{Li}_2(ax^q)}{2x^2} - \frac{1}{2}q \int \frac{\log(1-ax^q)}{x^3} dx \\ &= \frac{q \log(1-ax^q)}{4x^2} - \frac{\text{Li}_2(ax^q)}{2x^2} + \frac{1}{4}(aq^2) \int \frac{x^{-3+q}}{1-ax^q} dx \\ &= -\frac{aq^2 x^{-2+q} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1-\frac{1}{q}\right); ax^q\right)}{4(2-q)} + \frac{q \log(1-ax^q)}{4x^2} - \frac{\text{Li}_2(ax^q)}{2x^2} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 61, normalized size = 0.78

$$\frac{q \left( \frac{{}_2F_1\left(1, \frac{q-2}{q}; 2-\frac{2}{q}; ax^q\right)}{q-2} + \log(1-ax^q) \right) - 2\text{Li}_2(ax^q)}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^q]/x^3,x]

[Out] (q\*((a\*q\*x^q\*Hypergeometric2F1[1, (-2 + q)/q, 2 - 2/q, a\*x^q])/(-2 + q) + Log[1 - a\*x^q]) - 2\*PolyLog[2, a\*x^q])/(4\*x^2)

**fricas** [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(ax^q)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^3,x, algorithm="fricas")

[Out] integral(dilog(a\*x^q)/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^3,x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/x^3, x)

**maple** [C] time = 0.13, size = 108, normalized size = 1.38

$$\frac{(-a)^{\frac{2}{q}} \left( -\frac{q^2(-a)^{-\frac{2}{q}} \ln(1-ax^q)}{4x^2} - \frac{q(-a)^{-\frac{2}{q}} \left(1-\frac{q}{2}\right) \text{polylog}(2,ax^q)}{(-2+q)x^2} - \frac{q^2x^{-2+q}a(-a)^{-\frac{2}{q}} \Phi\left(ax^q, 1, \frac{-2+q}{q}\right)}{4} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/x^3,x)

[Out]  $-(-a)^{(2/q)}/q*(-1/4*q^2/x^2*(-a)^{(-2/q)}*\ln(1-a*x^q)-q/(-2+q)/x^2*(-a)^{(-2/q)})*(1-1/2*q)*\text{polylog}(2,a*x^q)-1/4*q^2*x^{(-2+q)}*a*(-a)^{(-2/q)}*\text{LerchPhi}(a*x^q, 1, (-2+q)/q)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^2 \int \frac{1}{4(ax^3x^q - x^3)} dx + \frac{q^2 + 2q \log(-ax^q + 1) - 4 \text{Li}_2(ax^q)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^3,x, algorithm="maxima")

[Out]  $-q^2*\text{integrate}(1/4/(a*x^3*x^q - x^3), x) + 1/8*(q^2 + 2*q*\log(-a*x^q + 1) - 4*\text{dilog}(a*x^q))/x^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^q)/x^3,x)

[Out] int(polylog(2, a\*x^q)/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x**q)/x**3,x)
```

```
[Out] Integral(polylog(2, a*x**q)/x**3, x)
```

### 3.51 $\int \frac{\text{Li}_2(ax^q)}{x^4} dx$

Optimal. Leaf size=76

$$-\frac{aq^2x^{q-3} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{9(3-q)} - \frac{\text{Li}_2(ax^q)}{3x^3} + \frac{q \log(1 - ax^q)}{9x^3}$$

[Out]  $-1/9*a*q^2*x^{(-3+q)}*\text{hypergeom}([1, (-3+q)/q], [2-3/q], a*x^q)/(3-q)+1/9*q*\ln(1-a*x^q)/x^3-1/3*\text{polylog}(2, a*x^q)/x^3$

**Rubi [A]** time = 0.04, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{\text{PolyLog}(2, ax^q)}{3x^3} - \frac{aq^2x^{q-3} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{9(3-q)} + \frac{q \log(1 - ax^q)}{9x^3}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q]/x^4, x]

[Out]  $-(a*q^2*x^{(-3 + q)}*\text{Hypergeometric2F1}[1, -((3 - q)/q), 2 - 3/q, a*x^q])/(9*(3 - q)) + (q*\text{Log}[1 - a*x^q])/(9*x^3) - \text{PolyLog}[2, a*x^q]/(3*x^3)$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m + 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_)^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^q)}{x^4} dx &= -\frac{\text{Li}_2(ax^q)}{3x^3} - \frac{1}{3}q \int \frac{\log(1-ax^q)}{x^4} dx \\ &= \frac{q \log(1-ax^q)}{9x^3} - \frac{\text{Li}_2(ax^q)}{3x^3} + \frac{1}{9}(aq^2) \int \frac{x^{-4+q}}{1-ax^q} dx \\ &= -\frac{aq^2 x^{-3+q} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{9(3-q)} + \frac{q \log(1-ax^q)}{9x^3} - \frac{\text{Li}_2(ax^q)}{3x^3} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 61, normalized size = 0.80

$$\frac{q \left( \frac{aqx^q {}_2F_1\left(1, \frac{q-3}{q}; 2 - \frac{3}{q}; ax^q\right)}{q-3} + \log(1-ax^q) \right) - 3\text{Li}_2(ax^q)}{9x^3}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x^q]/x^4, x]

[Out] (q\*((a\*q\*x^q\*Hypergeometric2F1[1, (-3 + q)/q, 2 - 3/q, a\*x^q])/(-3 + q) + Log[1 - a\*x^q]) - 3\*PolyLog[2, a\*x^q])/(9\*x^3)

**fricas** [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(ax^q)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^4,x, algorithm="fricas")

[Out] integral(dilog(a\*x^q)/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^4,x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/x^4, x)

**maple** [C] time = 0.13, size = 108, normalized size = 1.42

$$\frac{(-a)^{\frac{3}{q}} \left( -\frac{q^2(-a)^{-\frac{3}{q}} \ln(1-ax^q)}{9x^3} - \frac{q(-a)^{-\frac{3}{q}} \left(1-\frac{q}{3}\right) \text{polylog}(2,ax^q)}{(-3+q)x^3} - \frac{q^2x^{-3+q}a(-a)^{-\frac{3}{q}} \Phi\left(ax^q, 1, \frac{-3+q}{q}\right)}{9} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/x^4,x)

[Out]  $-(-a)^{(3/q)}/q*(-1/9*q^2/x^3*(-a)^{(-3/q)}*\ln(1-a*x^q)-q/(-3+q)/x^3*(-a)^{(-3/q)}*(1-1/3*q)*\text{polylog}(2,a*x^q)-1/9*q^2*x^{(-3+q)}*a*(-a)^{(-3/q)}*\text{LerchPhi}(a*x^q, 1, (-3+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^2 \int \frac{1}{9(ax^4x^q - x^4)} dx + \frac{q^2 + 3q \log(-ax^q + 1) - 9 \text{Li}_2(ax^q)}{27x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/x^4,x, algorithm="maxima")

[Out]  $-q^2*\text{integrate}(1/9/(a*x^4*x^q - x^4), x) + 1/27*(q^2 + 3*q*\log(-a*x^q + 1) - 9*\text{dilog}(a*x^q))/x^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^q)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^q)/x^4,x)

[Out] int(polylog(2, a\*x^q)/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,a*x**q)/x**4,x)
```

```
[Out] Integral(polylog(2, a*x**q)/x**4, x)
```

### 3.52 $\int x^2 \text{Li}_3(ax^q) dx$

**Optimal.** Leaf size=88

$$-\frac{aq^3 x^{q+3} {}_2F_1\left(1, \frac{q+3}{q}; 2 + \frac{3}{q}; ax^q\right)}{27(q+3)} - \frac{1}{9} q x^3 \text{Li}_2(ax^q) + \frac{1}{3} x^3 \text{Li}_3(ax^q) - \frac{1}{27} q^2 x^3 \log(1 - ax^q)$$

[Out]  $-1/27*a*q^3*x^{(3+q)}*\text{hypergeom}([1, (3+q)/q], [2+3/q], a*x^q)/(3+q)-1/27*q^2*x^3*\ln(1-a*x^q)-1/9*q*x^3*\text{polylog}(2, a*x^q)+1/3*x^3*\text{polylog}(3, a*x^q)$

**Rubi [A]** time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{1}{9} q x^3 \text{PolyLog}(2, ax^q) + \frac{1}{3} x^3 \text{PolyLog}(3, ax^q) - \frac{aq^3 x^{q+3} {}_2F_1\left(1, \frac{q+3}{q}; 2 + \frac{3}{q}; ax^q\right)}{27(q+3)} - \frac{1}{27} q^2 x^3 \log(1 - ax^q)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*\text{PolyLog}[3, a*x^q], x]$

[Out]  $-(a*q^3*x^{(3+q)}*\text{Hypergeometric2F1}[1, (3+q)/q, 2+3/q, a*x^q])/(27*(3+q)) - (q^2*x^3*\text{Log}[1-a*x^q])/27 - (q*x^3*\text{PolyLog}[2, a*x^q])/9 + (x^3*\text{PolyLog}[3, a*x^q])/3$

#### Rule 364

$\text{Int}[\{(c\_)*(x\_)\}^{(m\_)}*\{(a\_)+(b\_)*(x\_)\}^{(n\_)}\}^{(p\_)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/ (c*(m+1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& (\text{ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

#### Rule 2455

$\text{Int}[\{(a\_)+\text{Log}[(c\_)*\{(d\_)+(e\_)*(x\_)\}^{(n\_)}]\}^{(p\_)}\}*(b\_)*\{(f\_)*(x\_)\}^{(m\_)}, x\_Symbol] \rightarrow \text{Simp}[\{(f*x)^{(m+1)}*(a+b*\text{Log}[c*(d+e*x^n)^p])\}/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d+e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{NeQ}[m, -1]$

#### Rule 6591

$\text{Int}[\{(d\_)*(x\_)\}^{(m\_)}*\text{PolyLog}[n, (a\_)*\{(b\_)*(x\_)\}^{(p\_)}\}^{(q\_)}], x\_Symbol] \rightarrow \text{Simp}[\{(d*x)^{(m+1)}*\text{PolyLog}[n, a*(b*x^p)^q]\}/(d*(m+1)), x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m*\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a,$



b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x^2 \text{Li}_3(ax^q) dx &= \frac{1}{3} x^3 \text{Li}_3(ax^q) - \frac{1}{3} q \int x^2 \text{Li}_2(ax^q) dx \\
 &= -\frac{1}{9} q x^3 \text{Li}_2(ax^q) + \frac{1}{3} x^3 \text{Li}_3(ax^q) - \frac{1}{9} q^2 \int x^2 \log(1 - ax^q) dx \\
 &= -\frac{1}{27} q^2 x^3 \log(1 - ax^q) - \frac{1}{9} q x^3 \text{Li}_2(ax^q) + \frac{1}{3} x^3 \text{Li}_3(ax^q) - \frac{1}{27} (aq^3) \int \frac{x^{2+q}}{1 - ax^q} dx \\
 &= -\frac{aq^3 x^{3+q} {}_2F_1\left(1, \frac{3+q}{q}; 2 + \frac{3}{q}; ax^q\right)}{27(3+q)} - \frac{1}{27} q^2 x^3 \log(1 - ax^q) - \frac{1}{9} q x^3 \text{Li}_2(ax^q) + \frac{1}{3} x^3 \text{Li}_3(ax^q)
 \end{aligned}$$

**Mathematica [C]** time = 0.01, size = 41, normalized size = 0.47

$$\frac{x^3 G_{5,5}^{1,5} \left( \begin{matrix} 1, 1, 1, 1, \frac{q-3}{q} \\ -ax^q \\ 1, 0, 0, 0, -\frac{3}{q} \end{matrix} \right)}{q}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2\*PolyLog[3, a\*x^q], x]

[Out] -((x^3\*MeijerG[{{1, 1, 1, 1, (-3 + q)/q}, {}}, {{1}, {0, 0, 0, -3/q}}, -(a\*x^q)])/q)

**fricas [F]** time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}(x^2 \text{polylog}(3, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^q),x, algorithm="fricas")

[Out] integral(x^2\*polylog(3, a\*x^q), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^q),x, algorithm="giac")

[Out] integrate(x^2\*polylog(3, a\*x^q), x)

**maple** [C] time = 0.27, size = 132, normalized size = 1.50

$$\frac{(-a)^{-\frac{3}{q}} \left( \frac{q^3 x^3 (-a)^{\frac{3}{q}} \ln(1-ax^q)}{27} + \frac{q^2 x^3 (-a)^{\frac{3}{q}} \text{polylog}(2, ax^q)}{9} - \frac{q x^3 (-a)^{\frac{3}{q}} \left(1 + \frac{q}{3}\right) \text{polylog}(3, ax^q)}{3+q} + \frac{q^3 x^{3+q} a (-a)^{\frac{3}{q}} \Phi\left(ax^q, 1, \frac{3+q}{q}\right)}{27} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3,a\*x^q),x)

[Out]  $-(-a)^{-3/q}/q*(1/27*q^3*x^3*(-a)^{3/q}*\ln(1-a*x^q)+1/9*q^2*x^3*(-a)^{3/q}*$   
 $\text{polylog}(2,a*x^q)-q/(3+q)*x^3*(-a)^{3/q}*(1+1/3*q)*\text{polylog}(3,a*x^q)+1/27*q^3$   
 $*x^{3+q}*a*(-a)^{3/q}*\text{LerchPhi}(a*x^q,1,(3+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{81} q^3 x^3 - \frac{1}{27} q^2 x^3 \log(-ax^q + 1) - \frac{1}{9} q x^3 \text{Li}_2(ax^q) + q^3 \int \frac{x^2}{27(ax^q - 1)} dx + \frac{1}{3} x^3 \text{Li}_3(ax^q)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,a\*x^q),x, algorithm="maxima")

[Out]  $1/81*q^3*x^3 - 1/27*q^2*x^3*\log(-a*x^q + 1) - 1/9*q*x^3*\text{dilog}(a*x^q) + q^3*$   
 $\text{integrate}(1/27*x^2/(a*x^q - 1), x) + 1/3*x^3*\text{polylog}(3, a*x^q)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \text{polylog}(3, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3, a\*x^q),x)

[Out] int(x^2\*polylog(3, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*polylog(3,a*x**q),x)
```

```
[Out] Integral(x**2*polylog(3, a*x**q), x)
```

### 3.53 $\int x \text{Li}_3(ax^q) dx$

**Optimal.** Leaf size=88

$$-\frac{aq^3x^{q+2} {}_2F_1\left(1, \frac{q+2}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{8(q+2)} - \frac{1}{4}qx^2\text{Li}_2(ax^q) + \frac{1}{2}x^2\text{Li}_3(ax^q) - \frac{1}{8}q^2x^2\log(1-ax^q)$$

[Out]  $-1/8*a*q^3*x^{(2+q)}*\text{hypergeom}([1, (2+q)/q], [2+2/q], a*x^q)/(2+q)-1/8*q^2*x^2*\ln(1-a*x^q)-1/4*q*x^2*\text{polylog}(2, a*x^q)+1/2*x^2*\text{polylog}(3, a*x^q)$

**Rubi [A]** time = 0.04, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6591, 2455, 364}

$$-\frac{1}{4}qx^2\text{PolyLog}(2, ax^q) + \frac{1}{2}x^2\text{PolyLog}(3, ax^q) - \frac{aq^3x^{q+2} {}_2F_1\left(1, \frac{q+2}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{8(q+2)} - \frac{1}{8}q^2x^2\log(1-ax^q)$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[3, a\*x^q], x]

[Out]  $-(a*q^3*x^{(2+q)}*\text{Hypergeometric2F1}[1, (2+q)/q, 2*(1+q^{-1}), a*x^q])/((8*(2+q)) - (q^2*x^2*\text{Log}[1-a*x^q])/8 - (q*x^2*\text{PolyLog}[2, a*x^q])/4 + (x^2*\text{PolyLog}[3, a*x^q])/2)$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int x \operatorname{Li}_3(ax^q) dx &= \frac{1}{2} x^2 \operatorname{Li}_3(ax^q) - \frac{1}{2} q \int x \operatorname{Li}_2(ax^q) dx \\
 &= -\frac{1}{4} q x^2 \operatorname{Li}_2(ax^q) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^q) - \frac{1}{4} q^2 \int x \log(1 - ax^q) dx \\
 &= -\frac{1}{8} q^2 x^2 \log(1 - ax^q) - \frac{1}{4} q x^2 \operatorname{Li}_2(ax^q) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^q) - \frac{1}{8} (aq^3) \int \frac{x^{1+q}}{1 - ax^q} dx \\
 &= -\frac{aq^3 x^{2+q} {}_2F_1\left(1, \frac{2+q}{q}; 2\left(1 + \frac{1}{q}\right); ax^q\right)}{8(2+q)} - \frac{1}{8} q^2 x^2 \log(1 - ax^q) - \frac{1}{4} q x^2 \operatorname{Li}_2(ax^q) + \frac{1}{2} x^2 \operatorname{Li}_3(ax^q)
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 41, normalized size = 0.47

$$\frac{x^2 G_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, \frac{q-2}{q} \\ 1, 0, 0, 0, -\frac{2}{q} \end{matrix}\right)}{q}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x\*PolyLog[3, a\*x^q], x]

[Out] -((x^2\*MeijerG[{{1, 1, 1, 1, (-2 + q)/q}, {}}, {{1}, {0, 0, 0, -2/q}}, -(a\*x^q)])/q)

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\operatorname{integral}(x \operatorname{polylog}(3, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x^q),x, algorithm="fricas")

[Out] integral(x\*polylog(3, a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x^q),x, algorithm="giac")

[Out] integrate(x\*polylog(3, a\*x^q), x)

**maple** [C] time = 0.28, size = 132, normalized size = 1.50

$$\frac{(-a)^{-\frac{2}{q}} \left( \frac{q^3 x^2 (-a)^{\frac{2}{q}} \ln(1 - a x^q)}{8} + \frac{q^2 x^2 (-a)^{\frac{2}{q}} \text{polylog}(2, a x^q)}{4} - \frac{q x^2 (-a)^{\frac{2}{q}} \left(1 + \frac{q}{2}\right) \text{polylog}(3, a x^q)}{2+q} + \frac{q^3 x^{2+q} a (-a)^{\frac{2}{q}} \Phi\left(a x^q, 1, \frac{2+q}{q}\right)}{8} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3,a\*x^q),x)

[Out]  $-(-a)^{-2/q}/q*(1/8*q^3*x^2*(-a)^{2/q}*\ln(1-a*x^q)+1/4*q^2*x^2*(-a)^{2/q}*polylog(2,a*x^q)-q/(2+q)*x^2*(-a)^{2/q}*(1+1/2*q)*polylog(3,a*x^q)+1/8*q^3*x^{2+q}*a*(-a)^{2/q}*LerchPhi(a*x^q,1,(2+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{16} q^3 x^2 - \frac{1}{8} q^2 x^2 \log(-a x^q + 1) - \frac{1}{4} q x^2 \text{Li}_2(ax^q) + q^3 \int \frac{x}{8(ax^q - 1)} dx + \frac{1}{2} x^2 \text{Li}_3(ax^q)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,a\*x^q),x, algorithm="maxima")

[Out]  $1/16*q^3*x^2 - 1/8*q^2*x^2*\log(-a*x^q + 1) - 1/4*q*x^2*dilog(a*x^q) + q^3*integrate(1/8*x/(a*x^q - 1), x) + 1/2*x^2*polylog(3, a*x^q)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \text{polylog}(3, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3, a\*x^q),x)

[Out] int(x\*polylog(3, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*polylog(3,a*x**q),x)
```

```
[Out] Integral(x*polylog(3, a*x**q), x)
```

### 3.54 $\int \text{Li}_3(ax^q) dx$

Optimal. Leaf size=69

$$-\frac{aq^3x^{q+1} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{q+1} - qx\text{Li}_2(ax^q) + x\text{Li}_3(ax^q) - q^2x \log(1 - ax^q)$$

[Out]  $-a*q^3*x^{(1+q)}*\text{hypergeom}([1, 1+1/q], [2+1/q], a*x^q)/(1+q)-q^2*x*\ln(1-a*x^q)-q*x*\text{polylog}(2, a*x^q)+x*\text{polylog}(3, a*x^q)$

**Rubi [A]** time = 0.03, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {6586, 2448, 364}

$$-qx\text{PolyLog}(2, ax^q) + x\text{PolyLog}(3, ax^q) - \frac{aq^3x^{q+1} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{q+1} - q^2x \log(1 - ax^q)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^q], x]

[Out]  $-((a*q^3*x^{(1+q)}*\text{Hypergeometric2F1}[1, 1+q^{-1}, 2+q^{-1}, a*x^q])/(1+q))-q^2*x*\text{Log}[1-a*x^q]-q*x*\text{PolyLog}[2, a*x^q]+x*\text{PolyLog}[3, a*x^q]$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2448

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_))^(p\_.)], x\_Symbol] :> Simp[x\*Log[c\*(d+e\*x^n)^p], x] - Dist[e\*n\*p, Int[x^n/(d+e\*x^n), x], x] /; FreeQ[{c, d, e, n, p}, x]

#### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

#### Rubi steps



$$\begin{aligned}
\int \operatorname{Li}_3(ax^q) dx &= x\operatorname{Li}_3(ax^q) - q \int \operatorname{Li}_2(ax^q) dx \\
&= -qx\operatorname{Li}_2(ax^q) + x\operatorname{Li}_3(ax^q) - q^2 \int \log(1 - ax^q) dx \\
&= -q^2x \log(1 - ax^q) - qx\operatorname{Li}_2(ax^q) + x\operatorname{Li}_3(ax^q) - (aq^3) \int \frac{x^q}{1 - ax^q} dx \\
&= -\frac{aq^3x^{1+q} {}_2F_1\left(1, 1 + \frac{1}{q}; 2 + \frac{1}{q}; ax^q\right)}{1 + q} - q^2x \log(1 - ax^q) - qx\operatorname{Li}_2(ax^q) + x\operatorname{Li}_3(ax^q)
\end{aligned}$$

**Mathematica** [C] time = 0.01, size = 39, normalized size = 0.57

$$-\frac{xG_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, \frac{q-1}{q} \\ 1, 0, 0, 0, -\frac{1}{q} \end{matrix}\right)}{q}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^q], x]

[Out] -((x\*MeijerG[{{1, 1, 1, 1, (-1 + q)/q}, {}}, {{1}, {0, 0, 0, -q^(-1)}}}, -(a\*x^q)])/q)

**fricas** [F] time = 0.55, size = 0, normalized size = 0.00

$$\operatorname{integral}(\operatorname{polylog}(3, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q),x, algorithm="fricas")

[Out] integral(polylog(3, a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^q), x)

**maple** [C] time = 0.27, size = 105, normalized size = 1.52

$$\frac{(-a)^{-\frac{1}{q}} \left( q^3 x (-a)^{\frac{1}{q}} \ln(1 - a x^q) + q^2 x (-a)^{\frac{1}{q}} \operatorname{polylog}(2, a x^q) - q x (-a)^{\frac{1}{q}} \operatorname{polylog}(3, a x^q) + q^3 x^{1+q} a (-a)^{\frac{1}{q}} \Phi(a x^q) \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q), x)

[Out]  $-1/q * (-a)^{-1/q} * (q^3 * x * (-a)^{1/q} * \ln(1 - a * x^q) + q^2 * x * (-a)^{1/q} * \operatorname{polylog}(2, a * x^q) - q * x * (-a)^{1/q} * \operatorname{polylog}(3, a * x^q) + q^3 * x^{1+q} * a * (-a)^{1/q} * \operatorname{LerchPhi}(a * x^q, 1, (1+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$q^3 x + q^3 \int \frac{1}{ax^q - 1} dx - q^2 x \log(-ax^q + 1) - qx \operatorname{Li}_2(ax^q) + x \operatorname{Li}_3(ax^q)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x^q), x, algorithm="maxima")

[Out]  $q^3 * x + q^3 * \operatorname{integrate}(1/(a * x^q - 1), x) - q^2 * x * \log(-a * x^q + 1) - q * x * \operatorname{dilog}(a * x^q) + x * \operatorname{polylog}(3, a * x^q)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(3, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q), x)

[Out] int(polylog(3, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x\*\*q), x)

[Out] Integral(polylog(3, a\*x\*\*q), x)

$$3.55 \quad \int \frac{\text{Li}_3(ax^q)}{x} dx$$

Optimal. Leaf size=11

$$\frac{\text{Li}_4(ax^q)}{q}$$

[Out] polylog(4,a\*x^q)/q

**Rubi** [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6589}

$$\frac{\text{PolyLog}(4, ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[3, a\*x^q]/x,x]

[Out] PolyLog[4, a\*x^q]/q

Rule 6589

Int [PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp [PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_3(ax^q)}{x} dx = \frac{\text{Li}_4(ax^q)}{q}$$

**Mathematica** [A] time = 0.00, size = 11, normalized size = 1.00

$$\frac{\text{Li}_4(ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Integrate [PolyLog[3, a\*x^q]/x,x]

[Out] PolyLog[4, a\*x^q]/q

**fricas** [A] time = 0.46, size = 11, normalized size = 1.00

$$\frac{\text{polylog}(4, ax^q)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x,x, algorithm="fricas")

[Out] polylog(4, a\*x^q)/q

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^q)/x, x)

**maple** [A] time = 0.00, size = 12, normalized size = 1.09

$$\frac{\text{polylog}(4, a x^q)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^q)/x,x)

[Out] polylog(4,a\*x^q)/q

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{24} q^3 \log(x)^4 - \frac{1}{6} q^2 \log(-ax^q + 1) \log(x)^3 + q^3 \int \frac{\log(x)^3}{6(axx^q - x)} dx - \frac{1}{2} q \text{Li}_2(ax^q) \log(x)^2 + \log(x) \text{Li}_3(ax^q)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x,x, algorithm="maxima")

[Out] 1/24\*q^3\*log(x)^4 - 1/6\*q^2\*log(-a\*x^q + 1)\*log(x)^3 + q^3\*integrate(1/6\*log(x)^3/(a\*x\*x^q - x), x) - 1/2\*q\*dilog(a\*x^q)\*log(x)^2 + log(x)\*polylog(3, a\*x^q)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.09

$$\int \frac{\text{polylog}(3, a x^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x^q)/x,x)`

[Out] `int(polylog(3, a*x^q)/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x**q)/x,x)`

[Out] `Integral(polylog(3, a*x**q)/x, x)`

### 3.56 $\int \frac{\text{Li}_3(ax^q)}{x^2} dx$

Optimal. Leaf size=84

$$-\frac{aq^3x^{q-1} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} - \frac{q\text{Li}_2(ax^q)}{x} - \frac{\text{Li}_3(ax^q)}{x} + \frac{q^2 \log(1-ax^q)}{x}$$

[Out]  $-a*q^3*x^{(-1+q)}*hypergeom([1, (-1+q)/q], [2-1/q], a*x^q)/(1-q)+q^2*\ln(1-a*x^q)/x-q*polylog(2, a*x^q)/x-polylog(3, a*x^q)/x$

**Rubi [A]** time = 0.05, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$\frac{q\text{PolyLog}(2, ax^q)}{x} - \frac{\text{PolyLog}(3, ax^q)}{x} - \frac{aq^3x^{q-1} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} + \frac{q^2 \log(1-ax^q)}{x}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^q]/x^2, x]

[Out]  $-((a*q^3*x^{(-1+q)}*Hypergeometric2F1[1, -((1-q)/q), 2 - q^{(-1)}, a*x^q])/(1-q)) + (q^2*\text{Log}[1 - a*x^q])/x - (q*\text{PolyLog}[2, a*x^q])/x - \text{PolyLog}[3, a*x^q]/x$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{x^2} dx &= -\frac{\text{Li}_3(ax^q)}{x} + q \int \frac{\text{Li}_2(ax^q)}{x^2} dx \\
 &= -\frac{q\text{Li}_2(ax^q)}{x} - \frac{\text{Li}_3(ax^q)}{x} - q^2 \int \frac{\log(1-ax^q)}{x^2} dx \\
 &= \frac{q^2 \log(1-ax^q)}{x} - \frac{q\text{Li}_2(ax^q)}{x} - \frac{\text{Li}_3(ax^q)}{x} + (aq^3) \int \frac{x^{-2+q}}{1-ax^q} dx \\
 &= -\frac{aq^3 x^{-1+q} {}_2F_1\left(1, -\frac{1-q}{q}; 2 - \frac{1}{q}; ax^q\right)}{1-q} + \frac{q^2 \log(1-ax^q)}{x} - \frac{q\text{Li}_2(ax^q)}{x} - \frac{\text{Li}_3(ax^q)}{x}
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 37, normalized size = 0.44

$$\frac{{}_G_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, 1 + \frac{1}{q} \\ 1, 0, 0, 0, \frac{1}{q} \end{matrix}\right)}{qx}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^q]/x^2, x]

[Out] -(MeijerG[{{1, 1, 1, 1, 1 + q^(-1)}}, {}], {{1}, {0, 0, 0, q^(-1)}}}, -(a\*x^q)]/(q\*x)

**fricas** [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(3, ax^q)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x^q)/x^2, x, algorithm="fricas")

[Out] integral(polylog(3, a\*x^q)/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^2,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^q)/x^2, x)

**maple** [C] time = 0.26, size = 129, normalized size = 1.54

$$\frac{(-a)^{\frac{1}{q}} \left( -\frac{q^3(-a)^{-\frac{1}{q}} \ln(1-ax^q)}{x} + \frac{q^2(-a)^{-\frac{1}{q}} \text{polylog}(2,ax^q)}{x} - \frac{q(-a)^{-\frac{1}{q}}(1-q) \text{polylog}(3,ax^q)}{(-1+q)x} - q^3 x^{-1+q} a (-a)^{-\frac{1}{q}} \Phi\left(ax^q, 1, \frac{-1+q}{q}\right) \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^q)/x^2,x)

[Out]  $-(-a)^{(1/q)}/q*(-q^3/x*(-a)^{(-1/q)}*\ln(1-a*x^q)+q^2/x*(-a)^{(-1/q)}*\text{polylog}(2,a*x^q)-q/(-1+q)/x*(-a)^{(-1/q)}*(1-q)*\text{polylog}(3,a*x^q)-q^3*x^{(-1+q)}*a*(-a)^{(-1/q)}*\text{LerchPhi}(a*x^q,1,(-1+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^3 \int \frac{1}{ax^2x^q - x^2} dx + \frac{q^3 + q^2 \log(-ax^q + 1) - q \text{Li}_2(ax^q) - \text{Li}_3(ax^q)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^2,x, algorithm="maxima")

[Out]  $-q^3*\text{integrate}(1/(a*x^2*x^q - x^2), x) + (q^3 + q^2*\log(-a*x^q + 1) - q*\text{dilog}(a*x^q) - \text{polylog}(3, a*x^q))/x$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/x^2,x)

[Out] int(polylog(3, a\*x^q)/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**q)/x**2,x)
```

```
[Out] Integral(polylog(3, a*x**q)/x**2, x)
```

### 3.57 $\int \frac{\text{Li}_3(ax^q)}{x^3} dx$

**Optimal.** Leaf size=95

$$-\frac{aq^3x^{q-2} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1 - \frac{1}{q}\right); ax^q\right)}{8(2-q)} - \frac{q\text{Li}_2(ax^q)}{4x^2} - \frac{\text{Li}_3(ax^q)}{2x^2} + \frac{q^2 \log(1-ax^q)}{8x^2}$$

[Out]  $-1/8*a*q^3*x^{(-2+q)}*\text{hypergeom}([1, (-2+q)/q], [2-2/q], a*x^q)/(2-q)+1/8*q^2*\ln(1-a*x^q)/x^2-1/4*q*\text{polylog}(2, a*x^q)/x^2-1/2*\text{polylog}(3, a*x^q)/x^2$

**Rubi [A]** time = 0.05, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{q\text{PolyLog}(2, ax^q)}{4x^2} - \frac{\text{PolyLog}(3, ax^q)}{2x^2} - \frac{aq^3x^{q-2} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1 - \frac{1}{q}\right); ax^q\right)}{8(2-q)} + \frac{q^2 \log(1-ax^q)}{8x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{PolyLog}[3, a*x^q]/x^3, x]$

[Out]  $-(a*q^3*x^{(-2+q)}*\text{Hypergeometric2F1}[1, -((2-q)/q), 2*(1-q^{(-1)}), a*x^q])/((8*(2-q)) + (q^2*\text{Log}[1-a*x^q]))/(8*x^2) - (q*\text{PolyLog}[2, a*x^q])/(4*x^2) - \text{PolyLog}[3, a*x^q]/(2*x^2)$

#### Rule 364

$\text{Int}[\text{((c_.)*(x_.))}^{(m_.)}*\text{((a_.) + (b_.)*(x_.))}^{(n_.)}]^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/((c*(m+1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& (\text{ILtQ}[p, 0] || \text{GtQ}[a, 0])$

#### Rule 2455

$\text{Int}[\text{((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_.))}^{(n_.)})}^{(p_.)}]^{(m_.)}*(b_.)*(f_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[\text{((f*x)}^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p]))/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d + e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{NeQ}[m, -1]$

#### Rule 6591

$\text{Int}[\text{((d_.)*(x_.))}^{(m_.)}*\text{PolyLog}[n_, (a_.)*((b_.)*(x_.))^{(p_.)}]^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[\text{((d*x)}^{(m+1)}*\text{PolyLog}[n, a*(b*x^p)^q])/((d*(m+1)), x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m*\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a,$

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{x^3} dx &= -\frac{\text{Li}_3(ax^q)}{2x^2} + \frac{1}{2}q \int \frac{\text{Li}_2(ax^q)}{x^3} dx \\
 &= -\frac{q\text{Li}_2(ax^q)}{4x^2} - \frac{\text{Li}_3(ax^q)}{2x^2} - \frac{1}{4}q^2 \int \frac{\log(1-ax^q)}{x^3} dx \\
 &= \frac{q^2 \log(1-ax^q)}{8x^2} - \frac{q\text{Li}_2(ax^q)}{4x^2} - \frac{\text{Li}_3(ax^q)}{2x^2} + \frac{1}{8}(aq^3) \int \frac{x^{-3+q}}{1-ax^q} dx \\
 &= -\frac{aq^3 x^{-2+q} {}_2F_1\left(1, -\frac{2-q}{q}; 2\left(1-\frac{1}{q}\right); ax^q\right)}{8(2-q)} + \frac{q^2 \log(1-ax^q)}{8x^2} - \frac{q\text{Li}_2(ax^q)}{4x^2} - \frac{\text{Li}_3(ax^q)}{2x^2}
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 41, normalized size = 0.43

$$\frac{G_{5,5}^{1,5} \left( -ax^q \mid \begin{matrix} 1, 1, 1, 1, \frac{q+2}{q} \\ 1, 0, 0, 0, \frac{2}{q} \end{matrix} \right)}{qx^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^q]/x^3, x]

[Out] -(MeijerG[{{1, 1, 1, 1, (2 + q)/q}, {}}, {{1}}, {0, 0, 0, 2/q}}, -(a\*x^q)]/(q\*x^2))

**fricas** [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(3, ax^q)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x^q)/x^3, x, algorithm="fricas")

[Out] integral(polylog(3, a\*x^q)/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^3,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^q)/x^3, x)

**maple** [C] time = 0.26, size = 132, normalized size = 1.39

$$\frac{(-a)^{\frac{2}{q}} \left( -\frac{q^3(-a)^{-\frac{2}{q}} \ln(1-ax^q)}{8x^2} + \frac{q^2(-a)^{-\frac{2}{q}} \text{polylog}(2,ax^q)}{4x^2} - \frac{q(-a)^{-\frac{2}{q}} \left(1-\frac{q}{2}\right) \text{polylog}(3,ax^q)}{(-2+q)x^2} - \frac{q^3x^{-2+q}a(-a)^{-\frac{2}{q}} \Phi\left(ax^q, 1, \frac{-2+q}{q}\right)}{8} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^q)/x^3,x)

[Out]  $-(a)^{(2/q)}/q*(-1/8*q^3/x^2*(-a)^{(-2/q)}*\ln(1-a*x^q)+1/4*q^2/x^2*(-a)^{(-2/q)}*\text{polylog}(2,a*x^q)-q/(-2+q)/x^2*(-a)^{(-2/q)}*(1-1/2*q)*\text{polylog}(3,a*x^q)-1/8*q^3*x^{(-2+q)}*a*(-a)^{(-2/q)}*\text{LerchPhi}(a*x^q,1,(-2+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^3 \int \frac{1}{8(ax^3x^q - x^3)} dx + \frac{q^3 + 2q^2 \log(-ax^q + 1) - 4q \text{Li}_2(ax^q) - 8 \text{Li}_3(ax^q)}{16x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^3,x, algorithm="maxima")

[Out]  $-q^3*\text{integrate}(1/8/(a*x^3*x^q - x^3), x) + 1/16*(q^3 + 2*q^2*\log(-a*x^q + 1) - 4*q*\text{dilog}(a*x^q) - 8*\text{polylog}(3, a*x^q))/x^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/x^3,x)

[Out] int(polylog(3, a\*x^q)/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**q)/x**3,x)
```

```
[Out] Integral(polylog(3, a*x**q)/x**3, x)
```

### 3.58 $\int \frac{\text{Li}_3(ax^q)}{x^4} dx$

Optimal. Leaf size=93

$$-\frac{aq^3x^{q-3} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{27(3-q)} - \frac{q\text{Li}_2(ax^q)}{9x^3} - \frac{\text{Li}_3(ax^q)}{3x^3} + \frac{q^2 \log(1-ax^q)}{27x^3}$$

[Out]  $-1/27*a*q^3*x^{(-3+q)}*\text{hypergeom}([1, (-3+q)/q], [2-3/q], a*x^q)/(3-q)+1/27*q^2*\ln(1-a*x^q)/x^3-1/9*q*\text{polylog}(2, a*x^q)/x^3-1/3*\text{polylog}(3, a*x^q)/x^3$

**Rubi [A]** time = 0.05, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2455, 364}

$$-\frac{q\text{PolyLog}(2, ax^q)}{9x^3} - \frac{\text{PolyLog}(3, ax^q)}{3x^3} - \frac{aq^3x^{q-3} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{27(3-q)} + \frac{q^2 \log(1-ax^q)}{27x^3}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^q]/x^4, x]

[Out]  $-(a*q^3*x^{(-3+q)}*\text{Hypergeometric2F1}[1, -((3-q)/q), 2-3/q, a*x^q])/(27*(3-q)) + (q^2*\text{Log}[1-a*x^q])/(27*x^3) - (q*\text{PolyLog}[2, a*x^q])/(9*x^3) - \text{PolyLog}[3, a*x^q]/(3*x^3)$

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m+1)), x] - Dist[(b\*e\*n\*p)/(f\*(m+1)), Int[(x^(n-1)\*(f\*x)^(m+1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/((d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{x^4} dx &= -\frac{\text{Li}_3(ax^q)}{3x^3} + \frac{1}{3}q \int \frac{\text{Li}_2(ax^q)}{x^4} dx \\
 &= -\frac{q\text{Li}_2(ax^q)}{9x^3} - \frac{\text{Li}_3(ax^q)}{3x^3} - \frac{1}{9}q^2 \int \frac{\log(1-ax^q)}{x^4} dx \\
 &= \frac{q^2 \log(1-ax^q)}{27x^3} - \frac{q\text{Li}_2(ax^q)}{9x^3} - \frac{\text{Li}_3(ax^q)}{3x^3} + \frac{1}{27}(aq^3) \int \frac{x^{-4+q}}{1-ax^q} dx \\
 &= -\frac{aq^3 x^{-3+q} {}_2F_1\left(1, -\frac{3-q}{q}; 2 - \frac{3}{q}; ax^q\right)}{27(3-q)} + \frac{q^2 \log(1-ax^q)}{27x^3} - \frac{q\text{Li}_2(ax^q)}{9x^3} - \frac{\text{Li}_3(ax^q)}{3x^3}
 \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 41, normalized size = 0.44

$$\frac{G_{5,5}^{1,5} \left( \begin{matrix} 1, 1, 1, 1, \frac{q+3}{q} \\ -ax^q \\ 1, 0, 0, 0, \frac{3}{q} \end{matrix} \right)}{qx^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^q]/x^4, x]

[Out] -(MeijerG[{{1, 1, 1, 1, (3 + q)/q}, {}}, {{1}, {0, 0, 0, 3/q}}, -(a\*x^q)]/(q\*x^3))

**fricas** [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{polylog}(3, ax^q)}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, a\*x^q)/x^4, x, algorithm="fricas")

[Out] integral(polylog(3, a\*x^q)/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^4,x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^q)/x^4, x)

**maple** [C] time = 0.26, size = 132, normalized size = 1.42

$$\frac{(-a)^{\frac{3}{q}} \left( -\frac{q^3(-a)^{-\frac{3}{q}} \ln(1-ax^q)}{27x^3} + \frac{q^2(-a)^{-\frac{3}{q}} \text{polylog}(2,ax^q)}{9x^3} - \frac{q(-a)^{-\frac{3}{q}} \left(1-\frac{q}{3}\right) \text{polylog}(3,ax^q)}{(-3+q)x^3} - \frac{q^3x^{-3+q}a(-a)^{-\frac{3}{q}} \Phi\left(ax^q, 1, \frac{-3+q}{q}\right)}{27} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^q)/x^4,x)

[Out]  $-(a)^{(3/q)}/q*(-1/27*q^3/x^3*(-a)^{(-3/q)}*\ln(1-a*x^q)+1/9*q^2/x^3*(-a)^{(-3/q)}*\text{polylog}(2,a*x^q)-q/(-3+q)/x^3*(-a)^{(-3/q)}*(1-1/3*q)*\text{polylog}(3,a*x^q)-1/27*q^3*x^{(-3+q)}*a*(-a)^{(-3/q)}*\text{LerchPhi}(a*x^q,1,(-3+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-q^3 \int \frac{1}{27(ax^4x^q - x^4)} dx + \frac{q^3 + 3q^2 \log(-ax^q + 1) - 9q \text{Li}_2(ax^q) - 27 \text{Li}_3(ax^q)}{81x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/x^4,x, algorithm="maxima")

[Out]  $-q^3*\text{integrate}(1/27/(a*x^4*x^q - x^4), x) + 1/81*(q^3 + 3*q^2*\log(-a*x^q + 1) - 9*q*\text{dilog}(a*x^q) - 27*\text{polylog}(3, a*x^q))/x^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax^q)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/x^4,x)

[Out] int(polylog(3, a\*x^q)/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{x^4} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x**q)/x**4,x)
```

```
[Out] Integral(polylog(3, a*x**q)/x**4, x)
```

### 3.59 $\int (dx)^{3/2} \text{Li}_2(ax) dx$

**Optimal.** Leaf size=117

$$\frac{8d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/2}} - \frac{8d\sqrt{dx}}{25a^2} + \frac{2(dx)^{5/2}\text{Li}_2(ax)}{5d} - \frac{8(dx)^{3/2}}{75a} + \frac{4(dx)^{5/2}\log(1-ax)}{25d} - \frac{8(dx)^{5/2}}{125d}$$

[Out]  $-8/75*(d*x)^{(3/2)}/a-8/125*(d*x)^{(5/2)}/d+8/25*d^{(3/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/2)}+4/25*(d*x)^{(5/2)}*\ln(-a*x+1)/d+2/5*(d*x)^{(5/2)}*\text{polylog}(2,a*x)/d-8/25*d*(d*x)^{(1/2)}/a^2$

**Rubi [A]** time = 0.07, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$\frac{2(dx)^{5/2}\text{PolyLog}(2,ax)}{5d} + \frac{8d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/2}} - \frac{8d\sqrt{dx}}{25a^2} - \frac{8(dx)^{3/2}}{75a} + \frac{4(dx)^{5/2}\log(1-ax)}{25d} - \frac{8(dx)^{5/2}}{125d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^{(3/2)}*\text{PolyLog}[2, a*x], x]$

[Out]  $(-8*d*\text{Sqrt}[d*x])/(25*a^2) - (8*(d*x)^{(3/2)})/(75*a) - (8*(d*x)^{(5/2)})/(125*d) + (8*d^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/\text{Sqrt}[d]])/(25*a^{(5/2)}) + (4*(d*x)^{(5/2)}*\text{Log}[1 - a*x])/(25*d) + (2*(d*x)^{(5/2)}*\text{PolyLog}[2, a*x])/(5*d)$

#### Rule 50

$\text{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x\_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1}*(c + d*x)^n/(b*(m+n+1)), x] + \text{Dist}[(n*(b*c - a*d))/(b*(m+n+1)), \text{Int}[(a + b*x)^m*(c + d*x)^{n-1}, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m+n+1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m-n, 0]))) && !ILtQ[m+n+2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x\_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p*(m+1)-1}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int (dx)^{3/2} \text{Li}_2(ax) dx &= \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{2}{5} \int (dx)^{3/2} \log(1 - ax) dx \\
 &= \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{(4a) \int \frac{(dx)^{5/2}}{1 - ax} dx}{25d} \\
 &= -\frac{8(dx)^{5/2}}{125d} + \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{4}{25} \int \frac{(dx)^{3/2}}{1 - ax} dx \\
 &= -\frac{8(dx)^{3/2}}{75a} - \frac{8(dx)^{5/2}}{125d} + \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{(4d) \int \frac{\sqrt{dx}}{1 - ax} dx}{25a} \\
 &= -\frac{8d\sqrt{dx}}{25a^2} - \frac{8(dx)^{3/2}}{75a} - \frac{8(dx)^{5/2}}{125d} + \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{(4d^2) \int \frac{1}{\sqrt{dx}(1 - ax)} dx}{25a^2} \\
 &= -\frac{8d\sqrt{dx}}{25a^2} - \frac{8(dx)^{3/2}}{75a} - \frac{8(dx)^{5/2}}{125d} + \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d} + \frac{(8d) \text{Subst}\left(\int \frac{1}{\sqrt{dx}(1 - ax)} dx\right)}{25a^2} \\
 &= -\frac{8d\sqrt{dx}}{25a^2} - \frac{8(dx)^{3/2}}{75a} - \frac{8(dx)^{5/2}}{125d} + \frac{8d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/2}} + \frac{4(dx)^{5/2} \log(1 - ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax)}{5d}
 \end{aligned}$$

**Mathematica** [A] time = 0.10, size = 90, normalized size = 0.77

$$\frac{2(dx)^{3/2} \left( \frac{4 \tanh^{-1}(\sqrt{a} \sqrt{x})}{5a^{5/2}} + \frac{2}{75} \sqrt{x} \left( 15x^2 \log(1 - ax) - \frac{2(3a^2x^2 + 5ax + 15)}{a^2} \right) + x^{5/2} \text{Li}_2(ax) \right)}{5x^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(3/2)\*PolyLog[2, a\*x], x]

[Out] (2\*(d\*x)^(3/2)\*((4\*ArcTanh[Sqrt[a]\*Sqrt[x]])/(5\*a^(5/2)) + (2\*Sqrt[x]\*((-2\*(15 + 5\*a\*x + 3\*a^2\*x^2))/a^2 + 15\*x^2\*Log[1 - a\*x]))/75 + x^(5/2)\*PolyLog[2, a\*x]))/(5\*x^(3/2))

**fricas** [A] time = 0.59, size = 190, normalized size = 1.62

$$\left[ \frac{2 \left( 30 d \sqrt{\frac{d}{a}} \log \left( \frac{adx + 2 \sqrt{dx} a \sqrt{\frac{d}{a}} + d}{ax - 1} \right) + (75 a^2 dx^2 \text{Li}_2(ax) + 30 a^2 dx^2 \log(-ax + 1) - 12 a^2 dx^2 - 20 adx - 60 d) \sqrt{dx} \right)}{375 a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x),x, algorithm="fricas")

[Out] [2/375\*(30\*d\*sqrt(d/a)\*log((a\*d\*x + 2\*sqrt(d\*x)\*a\*sqrt(d/a) + d)/(a\*x - 1)) + (75\*a^2\*d\*x^2\*dilog(a\*x) + 30\*a^2\*d\*x^2\*log(-a\*x + 1) - 12\*a^2\*d\*x^2 - 20\*a\*d\*x - 60\*d)\*sqrt(d\*x))/a^2, -2/375\*(60\*d\*sqrt(-d/a)\*arctan(sqrt(d\*x)\*a\*sqrt(-d/a)/d) - (75\*a^2\*d\*x^2\*dilog(a\*x) + 30\*a^2\*d\*x^2\*log(-a\*x + 1) - 12\*a^2\*d\*x^2 - 20\*a\*d\*x - 60\*d)\*sqrt(d\*x))/a^2]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^(3/2)\*dilog(a\*x), x)

**maple** [A] time = 0.02, size = 96, normalized size = 0.82

$$\frac{2(dx)^{\frac{5}{2}} \text{polylog}(2, ax)}{5d} + \frac{4(dx)^{\frac{5}{2}} \ln\left(\frac{-adx+d}{d}\right)}{25d} - \frac{8(dx)^{\frac{5}{2}}}{125d} - \frac{8(dx)^{\frac{3}{2}}}{75a} - \frac{8d\sqrt{dx}}{25a^2} + \frac{8d^2 \text{arctanh}\left(\frac{a\sqrt{dx}}{\sqrt{ad}}\right)}{25a^2\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)*polylog(2,a*x),x)`

[Out]  $2/5*(d*x)^{(5/2)}*polylog(2,a*x)/d+4/25/d*(d*x)^{(5/2)}*\ln((-a*d*x+d)/d)-8/125*(d*x)^{(5/2)}/d-8/75*(d*x)^{(3/2)}/a-8/25*d*(d*x)^{(1/2)}/a^2+8/25*d^2/a^2/(a*d)^{(1/2)}*\operatorname{arctanh}(a*(d*x)^{(1/2)}/(a*d)^{(1/2)})$

**maxima** [A] time = 1.08, size = 128, normalized size = 1.09

$$2 \left( \frac{30 d^3 \log\left(\frac{\sqrt{dx} a - \sqrt{ad}}{\sqrt{dx} a + \sqrt{ad}}\right)}{\sqrt{ad} a^2} - \frac{75 (dx)^{\frac{5}{2}} a^2 \operatorname{Li}_2(ax) + 30 (dx)^{\frac{5}{2}} a^2 \log(-adx+d) - 6 (5 a^2 \log(d) + 2 a^2) (dx)^{\frac{5}{2}} - 20 (dx)^{\frac{3}{2}} ad - 60 \sqrt{dx} d^2}{a^2} \right) / 375 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*polylog(2,a*x),x, algorithm="maxima")`

[Out]  $-2/375*(30*d^3*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*a^2) - (75*(d*x)^{(5/2)}*a^2*\operatorname{dilog}(a*x) + 30*(d*x)^{(5/2)}*a^2*\log(-a*d*x + d) - 6*(5*a^2*\log(d) + 2*a^2)*(d*x)^{(5/2)} - 20*(d*x)^{(3/2)}*a*d - 60*\sqrt{d*x}*d^2)/a^2)/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^{3/2} \operatorname{polylog}(2, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)*polylog(2, a*x),x)`

[Out] `int((d*x)^(3/2)*polylog(2, a*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \operatorname{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)*polylog(2,a*x),x)`

[Out] `Integral((d*x)**(3/2)*polylog(2, a*x), x)`

### 3.60 $\int \sqrt{dx} \operatorname{Li}_2(ax) dx$

**Optimal.** Leaf size=102

$$\frac{8\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/2}} + \frac{2(dx)^{3/2}\operatorname{Li}_2(ax)}{3d} - \frac{8\sqrt{dx}}{9a} + \frac{4(dx)^{3/2}\log(1-ax)}{9d} - \frac{8(dx)^{3/2}}{27d}$$

[Out]  $-8/27*(d*x)^{(3/2)}/d+4/9*(d*x)^{(3/2)}*\ln(-a*x+1)/d+2/3*(d*x)^{(3/2)}*\operatorname{polylog}(2, a*x)/d+8/9*\operatorname{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a^{(3/2)}-8/9*(d*x)^{(1/2)}/a$

**Rubi [A]** time = 0.05, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$\frac{2(dx)^{3/2}\operatorname{PolyLog}(2, ax)}{3d} + \frac{8\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/2}} - \frac{8\sqrt{dx}}{9a} + \frac{4(dx)^{3/2}\log(1-ax)}{9d} - \frac{8(dx)^{3/2}}{27d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d*x]*PolyLog[2, a*x], x]`

[Out]  $(-8*\operatorname{Sqrt}[d*x])/(9*a) - (8*(d*x)^{(3/2)})/(27*d) + (8*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sqrt}[d*x])/\operatorname{Sqrt}[d]])/(9*a^{(3/2)}) + (4*(d*x)^{(3/2)}*\operatorname{Log}[1 - a*x])/(9*d) + (2*(d*x)^{(3/2)}*\operatorname{PolyLog}[2, a*x])/(3*d)$

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_)\*(x\_)^(m\_))\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{dx} \operatorname{Li}_2(ax) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d} + \frac{2}{3} \int \sqrt{dx} \log(1 - ax) dx \\
 &= \frac{4(dx)^{3/2} \log(1 - ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d} + \frac{(4a) \int \frac{(dx)^{3/2}}{1 - ax} dx}{9d} \\
 &= -\frac{8(dx)^{3/2}}{27d} + \frac{4(dx)^{3/2} \log(1 - ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d} + \frac{4}{9} \int \frac{\sqrt{dx}}{1 - ax} dx \\
 &= -\frac{8\sqrt{dx}}{9a} - \frac{8(dx)^{3/2}}{27d} + \frac{4(dx)^{3/2} \log(1 - ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d} + \frac{(4d) \int \frac{1}{\sqrt{dx}(1 - ax)} dx}{9a} \\
 &= -\frac{8\sqrt{dx}}{9a} - \frac{8(dx)^{3/2}}{27d} + \frac{4(dx)^{3/2} \log(1 - ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d} + \frac{8 \operatorname{Subst} \left( \int \frac{1}{1 - \frac{ax^2}{d}} dx, x, \sqrt{dx} \right)}{9a} \\
 &= -\frac{8\sqrt{dx}}{9a} - \frac{8(dx)^{3/2}}{27d} + \frac{8\sqrt{d} \tanh^{-1} \left( \frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}} \right)}{9a^{3/2}} + \frac{4(dx)^{3/2} \log(1 - ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 75, normalized size = 0.74

$$\frac{2\sqrt{dx} \left( \frac{12 \tanh^{-1}(\sqrt{a}\sqrt{x})}{a^{3/2}} + 9x^{3/2} \text{Li}_2(ax) + \frac{2\sqrt{x}(-2ax+3ax \log(1-ax)-6)}{a} \right)}{27\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d\*x]\*PolyLog[2, a\*x], x]

[Out] (2\*Sqrt[d\*x]\*((12\*ArcTanh[Sqrt[a]\*Sqrt[x]])/a^(3/2) + (2\*Sqrt[x]\*(-6 - 2\*a\*x + 3\*a\*x\*Log[1 - a\*x]))/a + 9\*x^(3/2)\*PolyLog[2, a\*x]))/(27\*Sqrt[x])

**fricas [A]** time = 0.77, size = 143, normalized size = 1.40

$$\left[ \frac{2 \left( (9ax \text{Li}_2(ax) + 6ax \log(-ax + 1) - 4ax - 12) \sqrt{dx} + 6 \sqrt{\frac{d}{a}} \log \left( \frac{adx + 2\sqrt{dx}a\sqrt{\frac{d}{a}} + d}{ax - 1} \right) \right)}{27a}, \frac{2 \left( 9ax \text{Li}_2(ax) + 6ax \log(-ax + 1) - 4ax - 12 \right) \sqrt{dx}}{27a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x),x, algorithm="fricas")

[Out] [2/27\*((9\*a\*x\*dilog(a\*x) + 6\*a\*x\*log(-a\*x + 1) - 4\*a\*x - 12)\*sqrt(d\*x) + 6\*sqrt(d/a)\*log((a\*d\*x + 2\*sqrt(d\*x)\*a\*sqrt(d/a) + d)/(a\*x - 1)))/a, 2/27\*((9\*a\*x\*dilog(a\*x) + 6\*a\*x\*log(-a\*x + 1) - 4\*a\*x - 12)\*sqrt(d\*x) - 12\*sqrt(-d/a)\*arctan(sqrt(d\*x)\*a\*sqrt(-d/a)/d))/a]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*dilog(a\*x), x)

**maple [A]** time = 0.01, size = 83, normalized size = 0.81

$$\frac{2(dx)^{\frac{3}{2}} \text{polylog}(2, ax)}{3d} + \frac{4(dx)^{\frac{3}{2}} \ln\left(\frac{-adx+d}{d}\right)}{9d} - \frac{8(dx)^{\frac{3}{2}}}{27d} - \frac{8\sqrt{dx}}{9a} + \frac{8d \operatorname{arctanh}\left(\frac{a\sqrt{dx}}{\sqrt{ad}}\right)}{9a\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((d*x)^(1/2)*polylog(2,a*x),x)`

[Out]  $2/3*(d*x)^{(3/2)}*polylog(2,a*x)/d+4/9/d*(d*x)^{(3/2)}*\ln((-a*d*x+d)/d)-8/27*(d*x)^{(3/2)}/d-8/9*(d*x)^{(1/2)}/a+8/9*d/a/(a*d)^{(1/2)}*arctanh(a*(d*x)^{(1/2)}/(a*d)^{(1/2)})$

**maxima** [A] time = 1.59, size = 109, normalized size = 1.07

$$2 \left( \frac{6d^2 \log\left(\frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}}\right)}{\sqrt{ad}a} - \frac{9(dx)^{\frac{3}{2}}aLi_2(ax) + 6(dx)^{\frac{3}{2}}a \log(-adx+d) - 2(dx)^{\frac{3}{2}}(3a \log(d) + 2a) - 12\sqrt{dx}d}{a} \right) \\ \hline 27d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*polylog(2,a*x),x, algorithm="maxima")`

[Out]  $-2/27*(6*d^2*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*a) - (9*(d*x)^{(3/2)}*a*dilog(a*x) + 6*(d*x)^{(3/2)}*a*\log(-a*d*x + d) - 2*(d*x)^{(3/2)}*(3*a*\log(d) + 2*a) - 12*\sqrt{d*x}*d)/a)/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{dx} \operatorname{polylog}(2, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)*polylog(2, a*x),x)`

[Out] `int((d*x)^(1/2)*polylog(2, a*x), x)`

**sympy** [A] time = 67.85, size = 119, normalized size = 1.17

$$2 \left( \left\{ \begin{array}{l} -\frac{2(dx)^{\frac{3}{2}}Li_1(ax)}{9} + \frac{(dx)^{\frac{3}{2}}Li_2(ax)}{3} - \frac{4(dx)^{\frac{3}{2}}}{27} - \frac{4d\sqrt{dx}}{9a} - \frac{4d^{\frac{3}{2}}\log\left(-\sqrt{d}\sqrt{\frac{1}{a}} + \sqrt{dx}\right)}{9a^2\sqrt{\frac{1}{a}}} - \frac{2d^{\frac{3}{2}}Li_1(ax)}{9a^2\sqrt{\frac{1}{a}}} \quad \text{for } a \neq 0 \\ 0 \quad \text{otherwise} \end{array} \right. \right) \\ \hline d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)*polylog(2,a*x),x)`

[Out]  $2*Piecewise((-2*(d*x)**(3/2)*polylog(1, a*x)/9 + (d*x)**(3/2)*polylog(2, a*x)/3 - 4*(d*x)**(3/2)/27 - 4*d*\sqrt{d*x}/(9*a) - 4*d**(3/2)*\log(-\sqrt{d}*\sqrt{1/a} + \sqrt{d*x})/(9*a**2*\sqrt{1/a}) - 2*d**(3/2)*polylog(1, a*x)/(9*a**2*\sqrt{1/a}), Ne(a, 0)), (0, True))/d$

### 3.61 $\int \frac{\text{Li}_2(ax)}{\sqrt{dx}} dx$

Optimal. Leaf size=80

$$\frac{2\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{8 \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a}\sqrt{d}} - \frac{8\sqrt{dx}}{d}$$

[Out]  $8*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(1/2)}/d^{(1/2)}-8*(d*x)^{(1/2)}/d+4*\ln(-a*x+1)*(d*x)^{(1/2)}/d+2*\text{polylog}(2,a*x)*(d*x)^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$\frac{2\sqrt{dx} \text{PolyLog}(2, ax)}{d} + \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{8 \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a}\sqrt{d}} - \frac{8\sqrt{dx}}{d}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[2, a\*x]/Sqrt[d\*x], x]

[Out]  $(-8*\text{Sqrt}[d*x])/d + (8*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/(\text{Sqrt}[a]*\text{Sqrt}[d]) + (4*\text{Sqrt}[d*x]*\text{Log}[1 - a*x])/d + (2*\text{Sqrt}[d*x]*\text{PolyLog}[2, a*x])/d$

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_
))^ (q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e^n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^ (q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \text{Li}_2(ax)}{d} + 2 \int \frac{\log(1-ax)}{\sqrt{dx}} dx \\
&= \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{(4a) \int \frac{\sqrt{dx}}{1-ax} dx}{d} \\
&= -\frac{8\sqrt{dx}}{d} + \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax)}{d} + 4 \int \frac{1}{\sqrt{dx}(1-ax)} dx \\
&= -\frac{8\sqrt{dx}}{d} + \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{8 \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{d} \\
&= -\frac{8\sqrt{dx}}{d} + \frac{8 \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a}\sqrt{d}} + \frac{4\sqrt{dx} \log(1-ax)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax)}{d}
\end{aligned}$$

**Mathematica** [A] time = 0.07, size = 63, normalized size = 0.79

$$\frac{2\sqrt{a} x \text{Li}_2(ax) + 4\sqrt{a} x (\log(1-ax) - 2) + 8\sqrt{x} \tanh^{-1}\left(\sqrt{a}\sqrt{x}\right)}{\sqrt{a}\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/Sqrt[d\*x], x]

[Out] (8\*Sqrt[x]\*ArcTanh[Sqrt[a]\*Sqrt[x]] + 4\*Sqrt[a]\*x\*(-2 + Log[1 - a\*x]) + 2\*Sqrt[a]\*x\*PolyLog[2, a\*x])/(Sqrt[a]\*Sqrt[d\*x])

**fricas** [A] time = 0.44, size = 135, normalized size = 1.69

$$\left[ \frac{2 \left( \sqrt{dx} \left( a \operatorname{Li}_2(ax) + 2a \log(-ax + 1) - 4a \right) + 2 \sqrt{ad} \log \left( \frac{adx + 2 \sqrt{ad} \sqrt{dx} + d}{ax - 1} \right) \right)}{ad}, \frac{2 \left( \sqrt{dx} \left( a \operatorname{Li}_2(ax) + 2a \log(-ax + 1) - 4a \right) + 2 \sqrt{ad} \log \left( \frac{adx + 2 \sqrt{ad} \sqrt{dx} + d}{ax - 1} \right) \right)}{ad} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(1/2), x, algorithm="fricas")

[Out] [2\*(sqrt(d\*x)\*(a\*dilog(a\*x) + 2\*a\*log(-a\*x + 1) - 4\*a) + 2\*sqrt(a\*d)\*log((a\*d\*x + 2\*sqrt(a\*d)\*sqrt(d\*x) + d)/(a\*x - 1)))/(a\*d), 2\*(sqrt(d\*x)\*(a\*dilog(a\*x) + 2\*a\*log(-a\*x + 1) - 4\*a) - 4\*sqrt(-a\*d)\*arctan(sqrt(-a\*d)\*sqrt(d\*x)/(a\*d\*x)))/(a\*d)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(1/2), x, algorithm="giac")

[Out] integrate(dilog(a\*x)/sqrt(d\*x), x)

**maple** [A] time = 0.02, size = 69, normalized size = 0.86

$$\frac{2 \operatorname{polylog}(2, ax) \sqrt{dx}}{d} + \frac{4 \sqrt{dx} \ln \left( \frac{-adx + d}{d} \right)}{d} - \frac{8 \sqrt{dx}}{d} + \frac{8 \operatorname{arctanh} \left( \frac{a \sqrt{dx}}{\sqrt{ad}} \right)}{\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/(d\*x)^(1/2), x)

[Out] 2\*polylog(2,a\*x)\*(d\*x)^(1/2)/d+4/d\*(d\*x)^(1/2)\*ln((-a\*d\*x+d)/d)-8\*(d\*x)^(1/2)/d+8/(a\*d)^(1/2)\*arctanh(a\*(d\*x)^(1/2)/(a\*d)^(1/2))

**maxima** [A] time = 0.41, size = 83, normalized size = 1.04

$$\frac{2 \left( 2 \sqrt{dx} (\log(d) + 2) - \sqrt{dx} \operatorname{Li}_2(ax) - 2 \sqrt{dx} \log(-adx + d) + \frac{2d \log\left(\frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}}\right)}{\sqrt{ad}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(1/2),x, algorithm="maxima")

[Out]  $-2*(2*\sqrt{d*x}*(\log(d) + 2) - \sqrt{d*x}*\operatorname{dilog}(a*x) - 2*\sqrt{d*x}*\log(-a*d*x + d) + 2*d*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/\sqrt{d*x})/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(2, ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/(d\*x)^(1/2),x)

[Out] int(polylog(2, a\*x)/(d\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)\*\*(1/2),x)

[Out] Integral(polylog(2, a\*x)/sqrt(d\*x), x)

### 3.62 $\int \frac{\text{Li}_2(ax)}{(dx)^{3/2}} dx$

**Optimal.** Leaf size=68

$$\frac{8\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\text{Li}_2(ax)}{d\sqrt{dx}} + \frac{4\log(1-ax)}{d\sqrt{dx}}$$

[Out]  $8*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})*a^{(1/2)}/d^{(3/2)}+4*\ln(-a*x+1)/d/(d*x)^{(1/2)}-2*\text{polylog}(2,a*x)/d/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2395, 63, 206}

$$-\frac{2\text{PolyLog}(2, ax)}{d\sqrt{dx}} + \frac{8\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{4\log(1-ax)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/(d\*x)^(3/2), x]

[Out]  $(8*\text{Sqrt}[a]*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])])/d^{(3/2)} + (4*\text{Log}[1 - a*x])/d*\text{Sqrt}[d*x] - (2*\text{PolyLog}[2, a*x])/d*\text{Sqrt}[d*x]$

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x)

, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[(d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_2(ax)}{d\sqrt{dx}} - 2 \int \frac{\log(1-ax)}{(dx)^{3/2}} dx \\ &= \frac{4 \log(1-ax)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax)}{d\sqrt{dx}} + \frac{(4a) \int \frac{1}{\sqrt{dx}(1-ax)} dx}{d} \\ &= \frac{4 \log(1-ax)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax)}{d\sqrt{dx}} + \frac{(8a) \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{d^2} \\ &= \frac{8\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{4 \log(1-ax)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax)}{d\sqrt{dx}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 51, normalized size = 0.75

$$\frac{2x \left( -\text{Li}_2(ax) + 2 \log(1-ax) + 4\sqrt{a} \sqrt{x} \tanh^{-1}(\sqrt{a} \sqrt{x}) \right)}{(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/(d\*x)^(3/2), x]

[Out] (2\*x\*(4\*Sqrt[a]\*Sqrt[x]\*ArcTanh[Sqrt[a]\*Sqrt[x]] + 2\*Log[1 - a\*x] - PolyLog[2, a\*x]))/(d\*x)^(3/2)

**fricas [A]** time = 0.68, size = 132, normalized size = 1.94

$$\left[ \frac{2 \left( 2 dx \sqrt{\frac{a}{d}} \log\left(\frac{ax+2\sqrt{dx}\sqrt{\frac{a}{d}}+1}{ax-1}\right) - \sqrt{dx} \left( \text{Li}_2(ax) - 2 \log(-ax+1) \right) \right)}{d^2 x}, - \frac{2 \left( 4 dx \sqrt{-\frac{a}{d}} \arctan\left(\frac{\sqrt{dx}\sqrt{-\frac{a}{d}}}{ax}\right) + \sqrt{dx} \right)}{d^2 x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(3/2),x, algorithm="fricas")

[Out] [2\*(2\*d\*x\*sqrt(a/d)\*log((a\*x + 2\*sqrt(d\*x)\*sqrt(a/d) + 1)/(a\*x - 1)) - sqrt(d\*x)\*(dilog(a\*x) - 2\*log(-a\*x + 1)))/(d^2\*x), -2\*(4\*d\*x\*sqrt(-a/d)\*arctan(sqrt(d\*x)\*sqrt(-a/d)/(a\*x)) + sqrt(d\*x)\*(dilog(a\*x) - 2\*log(-a\*x + 1)))/(d^2\*x)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(3/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x)/(d\*x)^(3/2), x)

**maple** [A] time = 0.01, size = 63, normalized size = 0.93

$$-\frac{2 \text{polylog}(2, ax)}{d\sqrt{dx}} + \frac{4 \ln\left(\frac{-adx+d}{d}\right)}{d\sqrt{dx}} + \frac{8a \operatorname{arctanh}\left(\frac{a\sqrt{dx}}{\sqrt{ad}}\right)}{d\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/(d\*x)^(3/2),x)

[Out] -2\*polylog(2,a\*x)/d/(d\*x)^(1/2)+4/d/(d\*x)^(1/2)\*ln((-a\*d\*x+d)/d)+8/d\*a/(a\*d)^(1/2)\*arctanh(a\*(d\*x)^(1/2)/(a\*d)^(1/2))

**maxima** [A] time = 0.50, size = 71, normalized size = 1.04

$$-\frac{2 \left( \frac{2a \log\left(\frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}}\right)}{\sqrt{ad}} + \frac{\text{Li}_2(ax) - 2 \log(-adx+d) + 2 \log(d)}{\sqrt{dx}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(3/2),x, algorithm="maxima")

[Out] -2\*(2\*a\*log((sqrt(d\*x)\*a - sqrt(a\*d))/(sqrt(d\*x)\*a + sqrt(a\*d)))/sqrt(a\*d) + (dilog(a\*x) - 2\*log(-a\*d\*x + d) + 2\*log(d))/sqrt(d\*x))/d



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/(d\*x)^(3/2), x)

[Out] int(polylog(2, a\*x)/(d\*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x)/(d\*x)\*\*(3/2), x)

[Out] Integral(polylog(2, a\*x)/(d\*x)\*\*(3/2), x)

### 3.63 $\int \frac{\text{Li}_2(ax)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=89

$$\frac{8a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} - \frac{8a}{9d^2\sqrt{dx}} - \frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}} + \frac{4\log(1-ax)}{9d(dx)^{3/2}}$$

[Out]  $8/9*a^{(3/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)/d^{(1/2)})/d^{(5/2)}+4/9*\ln(-a*x+1)/d/(d*x)^{(3/2)}-2/3*\text{polylog}(2,a*x)/d/(d*x)^{(3/2)}-8/9*a/d^2/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 51, 63, 206}

$$-\frac{2\text{PolyLog}(2,ax)}{3d(dx)^{3/2}} + \frac{8a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} - \frac{8a}{9d^2\sqrt{dx}} + \frac{4\log(1-ax)}{9d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] `Int[PolyLog[2, a*x]/(d*x)^(5/2), x]`

[Out]  $(-8*a)/(9*d^2*\text{Sqrt}[d*x]) + (8*a^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])])/(9*d^{(5/2)}) + (4*\text{Log}[1 - a*x])/(9*d*(d*x)^{(3/2)}) - (2*\text{PolyLog}[2, a*x])/(3*d*(d*x)^{(3/2)})$

#### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_
))^ (q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e^n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^ (q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[
(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}} - \frac{2}{3} \int \frac{\log(1-ax)}{(dx)^{5/2}} dx \\
 &= \frac{4\log(1-ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}} + \frac{(4a) \int \frac{1}{(dx)^{3/2}(1-ax)} dx}{9d} \\
 &= -\frac{8a}{9d^2\sqrt{dx}} + \frac{4\log(1-ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}} + \frac{(4a^2) \int \frac{1}{\sqrt{dx}(1-ax)} dx}{9d^2} \\
 &= -\frac{8a}{9d^2\sqrt{dx}} + \frac{4\log(1-ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}} + \frac{(8a^2) \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{9d^3} \\
 &= -\frac{8a}{9d^2\sqrt{dx}} + \frac{8a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} + \frac{4\log(1-ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax)}{3d(dx)^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 57, normalized size = 0.64

$$\frac{2x \left( -4a^{3/2} x^{3/2} \tanh^{-1} \left( \sqrt{a} \sqrt{x} \right) + 3\text{Li}_2(ax) + 4ax - 2\log(1-ax) \right)}{9(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/(d\*x)^(5/2), x]

[Out]  $(-2*x*(4*a*x - 4*a^{(3/2)}*x^{(3/2)}*ArcTanh[Sqrt[a]*Sqrt[x]] - 2*Log[1 - a*x] + 3*PolyLog[2, a*x]))/(9*(d*x)^{(5/2)})$

**fricas** [A] time = 0.69, size = 150, normalized size = 1.69

$$\left[ \frac{2 \left( 2 a d x^2 \sqrt{\frac{a}{d}} \log \left( \frac{a x + 2 \sqrt{d x} \sqrt{\frac{a}{d}} + 1}{a x - 1} \right) - (4 a x + 3 \operatorname{Li}_2(a x) - 2 \log(-a x + 1)) \sqrt{d x} \right)}{9 d^3 x^2}, - \frac{2 \left( 4 a d x^2 \sqrt{-\frac{a}{d}} \arctan \left( \frac{\sqrt{d x} \sqrt{-\frac{a}{d}}}{a x} \right) \right)}{9 d^3 x^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(5/2), x, algorithm="fricas")

[Out]  $[2/9*(2*a*d*x^2*\sqrt{a/d}*\log((a*x + 2*\sqrt{d*x})*\sqrt{a/d} + 1)/(a*x - 1)) - (4*a*x + 3*dilog(a*x) - 2*\log(-a*x + 1))*\sqrt{d*x}]/(d^3*x^2), -2/9*(4*a*d*x^2*\sqrt{-a/d}*\arctan(\sqrt{d*x}*\sqrt{-a/d}/(a*x)) + (4*a*x + 3*dilog(a*x) - 2*\log(-a*x + 1))*\sqrt{d*x}]/(d^3*x^2)]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(5/2), x, algorithm="giac")

[Out] integrate(dilog(a\*x)/(d\*x)^(5/2), x)

**maple** [A] time = 0.02, size = 76, normalized size = 0.85

$$-\frac{2 \operatorname{polylog}(2, a x)}{3 d (d x)^{\frac{3}{2}}} + \frac{4 \ln \left( \frac{-a d x + d}{d} \right)}{9 d (d x)^{\frac{3}{2}}} + \frac{8 a^2 \operatorname{arctanh} \left( \frac{a \sqrt{d x}}{\sqrt{a d}} \right)}{9 d^2 \sqrt{a d}} - \frac{8 a}{9 d^2 \sqrt{d x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x)/(d\*x)^(5/2), x)

[Out]  $-2/3*\operatorname{polylog}(2, a*x)/d/(d*x)^{(3/2)} + 4/9*d/(d*x)^{(3/2)}*\ln((-a*d*x+d)/d) + 8/9*d^2*a^2/(a*d)^{(1/2)}*\operatorname{arctanh}(a*(d*x)^{(1/2)}/(a*d)^{(1/2)}) - 8/9*a/d^2/(d*x)^{(1/2)}$

**maxima** [A] time = 1.08, size = 89, normalized size = 1.00

$$\frac{2 \left( \frac{2 a^2 \log\left(\frac{\sqrt{dx} a - \sqrt{ad}}{\sqrt{dx} a + \sqrt{ad}}\right)}{\sqrt{ad} d} + \frac{4 adx + 3 d \operatorname{Li}_2(ax) - 2 d \log(-adx + d) + 2 d \log(d)}{(dx)^{\frac{3}{2}} d} \right)}{9 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(5/2),x, algorithm="maxima")

[Out]  $-2/9*(2*a^2*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*d) + (4*a*d*x + 3*d*dilog(a*x) - 2*d*\log(-a*d*x + d) + 2*d*\log(d))/((d*x)^{(3/2)*d}))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(2, a x)}{(d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x)/(d\*x)^(5/2),x)

[Out] int(polylog(2, a\*x)/(d\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)\*\*(5/2),x)

[Out] Integral(polylog(2, a\*x)/(d\*x)\*\*(5/2), x)

### 3.64 $\int \frac{\text{Li}_2(ax)}{(dx)^{7/2}} dx$

**Optimal.** Leaf size=106

$$\frac{8a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} - \frac{8a^2}{25d^3\sqrt{dx}} - \frac{8a}{75d^2(dx)^{3/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}}$$

[Out]  $-8/75*a/d^2/(d*x)^{(3/2)}+8/25*a^{(5/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+4/25*\ln(-a*x+1)/d/(d*x)^{(5/2)}-2/5*\text{polylog}(2,a*x)/d/(d*x)^{(5/2)}-8/25*a^2/d^3/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 51, 63, 206}

$$-\frac{2\text{PolyLog}(2,ax)}{5d(dx)^{5/2}} - \frac{8a^2}{25d^3\sqrt{dx}} + \frac{8a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} - \frac{8a}{75d^2(dx)^{3/2}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x]/(d\*x)^(7/2), x]

[Out]  $(-8*a)/(75*d^2*(d*x)^{(3/2)}) - (8*a^2)/(25*d^3*\text{Sqrt}[d*x]) + (8*a^{(5/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])]/(25*d^{(7/2)})) + (4*\text{Log}[1 - a*x])/(25*d*(d*x)^{(5/2)}) - (2*\text{PolyLog}[2, a*x])/(5*d*(d*x)^{(5/2)})$

#### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax)}{(dx)^{7/2}} dx &= -\frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} - \frac{2}{5} \int \frac{\log(1-ax)}{(dx)^{7/2}} dx \\
 &= \frac{4\log(1-ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} + \frac{(4a) \int \frac{1}{(dx)^{5/2}(1-ax)} dx}{25d} \\
 &= -\frac{8a}{75d^2(dx)^{3/2}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} + \frac{(4a^2) \int \frac{1}{(dx)^{3/2}(1-ax)} dx}{25d^2} \\
 &= -\frac{8a}{75d^2(dx)^{3/2}} - \frac{8a^2}{25d^3\sqrt{dx}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} + \frac{(4a^3) \int \frac{1}{\sqrt{dx}(1-ax)} dx}{25d^3} \\
 &= -\frac{8a}{75d^2(dx)^{3/2}} - \frac{8a^2}{25d^3\sqrt{dx}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}} + \frac{(8a^3) \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{25d^4} \\
 &= -\frac{8a}{75d^2(dx)^{3/2}} - \frac{8a^2}{25d^3\sqrt{dx}} + \frac{8a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} + \frac{4\log(1-ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax)}{5d(dx)^{5/2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 65, normalized size = 0.61

$$\frac{2x \left( -12a^{5/2}x^{5/2} \tanh^{-1} \left( \sqrt{a} \sqrt{x} \right) + 12a^2x^2 + 15\text{Li}_2(ax) + 4ax - 6 \log(1 - ax) \right)}{75(dx)^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, a\*x]/(d\*x)^(7/2), x]

[Out] (-2\*x\*(4\*a\*x + 12\*a^2\*x^2 - 12\*a^(5/2)\*x^(5/2)\*ArcTanh[Sqrt[a]\*Sqrt[x]] - 6\*Log[1 - a\*x] + 15\*PolyLog[2, a\*x])/(75\*(d\*x)^(7/2))

**fricas [A]** time = 0.61, size = 170, normalized size = 1.60

$$\left[ \frac{2 \left( 6a^2dx^3 \sqrt{\frac{a}{d}} \log \left( \frac{ax+2\sqrt{dx}\sqrt{\frac{a}{d}}+1}{ax-1} \right) - (12a^2x^2 + 4ax + 15\text{Li}_2(ax) - 6 \log(-ax + 1))\sqrt{dx} \right)}{75d^4x^3}, - \frac{2 \left( 12a^2dx^3 \sqrt{-\frac{a}{d}} \arctan \left( \sqrt{\frac{d}{a}} \sqrt{-ax+1} \right) - (12a^2x^2 + 4ax + 15\text{Li}_2(ax) - 6 \log(-ax + 1))\sqrt{dx} \right)}{75d^4x^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(7/2),x, algorithm="fricas")

[Out] [2/75\*(6\*a^2\*d\*x^3\*sqrt(a/d)\*log((a\*x + 2\*sqrt(d\*x)\*sqrt(a/d) + 1)/(a\*x - 1)) - (12\*a^2\*x^2 + 4\*a\*x + 15\*dilog(a\*x) - 6\*log(-a\*x + 1))\*sqrt(d\*x))/(d^4\*x^3), -2/75\*(12\*a^2\*d\*x^3\*sqrt(-a/d)\*arctan(sqrt(d\*x)\*sqrt(-a/d)/(a\*x)) + (12\*a^2\*x^2 + 4\*a\*x + 15\*dilog(a\*x) - 6\*log(-a\*x + 1))\*sqrt(d\*x))/(d^4\*x^3)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax)}{(dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x)/(d\*x)^(7/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x)/(d\*x)^(7/2), x)

**maple [A]** time = 0.02, size = 89, normalized size = 0.84

$$-\frac{2 \text{polylog}(2, ax)}{5d(dx)^{5/2}} + \frac{4 \ln\left(\frac{-adx+d}{d}\right)}{25d(dx)^{5/2}} - \frac{8a}{75d^2(dx)^{3/2}} - \frac{8a^2}{25d^3\sqrt{dx}} + \frac{8a^3 \text{arctanh}\left(\frac{a\sqrt{dx}}{\sqrt{ad}}\right)}{25d^3\sqrt{ad}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2,a*x)/(d*x)^(7/2),x)`

[Out]  $-2/5*\text{polylog}(2,a*x)/d/(d*x)^{(5/2)}+4/25/d/(d*x)^{(5/2)}*\ln((-a*d*x+d)/d)-8/75*a/d^2/(d*x)^{(3/2)}-8/25*a^2/d^3/(d*x)^{(1/2)}+8/25/d^3*a^3/(a*d)^{(1/2)}*\text{arctanh}(a*(d*x)^{(1/2)}/(a*d)^{(1/2)})$

**maxima** [A] time = 1.18, size = 108, normalized size = 1.02

$$\frac{2 \left( \frac{6 a^3 \log\left(\frac{\sqrt{d x} a - \sqrt{a d}}{\sqrt{d x} a + \sqrt{a d}}\right)}{\sqrt{a d} d^2} + \frac{12 a^2 d^2 x^2 + 4 a d^2 x + 15 d^2 \text{Li}_2(a x) - 6 d^2 \log(-a d x + d) + 6 d^2 \log(d)}{(d x)^2 a^2} \right)}{75 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x)/(d*x)^(7/2),x, algorithm="maxima")`

[Out]  $-2/75*(6*a^3*\log((\text{sqrt}(d*x)*a - \text{sqrt}(a*d))/(\text{sqrt}(d*x)*a + \text{sqrt}(a*d))))/(\text{sqrt}(a*d)*d^2) + (12*a^2*d^2*x^2 + 4*a*d^2*x + 15*d^2*d\text{ilog}(a*x) - 6*d^2*\log(-a*d*x + d) + 6*d^2*\log(d))/((d*x)^{(5/2)}*d^2))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, a x)}{(d x)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x)/(d*x)^(7/2),x)`

[Out] `int(polylog(2, a*x)/(d*x)^(7/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2,a*x)/(d*x)**(7/2),x)`

[Out] Timed out

### 3.65 $\int (dx)^{5/2} \text{Li}_3(ax) dx$

**Optimal.** Leaf size=153

$$-\frac{16d^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{a}}\right)}{343a^{7/2}} + \frac{16d^2\sqrt{dx}}{343a^3} + \frac{16d(dx)^{3/2}}{1029a^2} - \frac{4(dx)^{7/2}\text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2}\text{Li}_3(ax)}{7d} + \frac{16(dx)^{5/2}}{1715a} - \frac{8(dx)^{7/2}\log(1 - ax)}{343d}$$

[Out]  $16/1029*d*(d*x)^{(3/2)}/a^2+16/1715*(d*x)^{(5/2)}/a+16/2401*(d*x)^{(7/2)}/d-16/343*d^{(5/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(7/2)}-8/343*(d*x)^{(7/2)}*\ln(-a*x+1)/d-4/49*(d*x)^{(7/2)}*\text{polylog}(2,a*x)/d+2/7*(d*x)^{(7/2)}*\text{polylog}(3,a*x)/d+16/343*d^2*(d*x)^{(1/2)}/a^3$

**Rubi [A]** time = 0.10, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$-\frac{4(dx)^{7/2}\text{PolyLog}(2, ax)}{49d} + \frac{2(dx)^{7/2}\text{PolyLog}(3, ax)}{7d} + \frac{16d^2\sqrt{dx}}{343a^3} - \frac{16d^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{a}}\right)}{343a^{7/2}} + \frac{16d(dx)^{3/2}}{1029a^2} + \frac{16(dx)^{5/2}}{1715a}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^(5/2)\*PolyLog[3, a\*x], x]

[Out]  $(16*d^2*\text{Sqrt}[d*x])/(343*a^3) + (16*d*(d*x)^{(3/2)})/(1029*a^2) + (16*(d*x)^{(5/2)})/(1715*a) + (16*(d*x)^{(7/2)})/(2401*d) - (16*d^{(5/2)}*\text{ArcTanh}[\text{Sqrt}[a]*\text{Sqrt}[d*x])/\text{Sqrt}[d])/(343*a^{(7/2)}) - (8*(d*x)^{(7/2)}*\text{Log}[1 - a*x])/(343*d) - (4*(d*x)^{(7/2)}*\text{PolyLog}[2, a*x])/(49*d) + (2*(d*x)^{(7/2)}*\text{PolyLog}[3, a*x])/(7*d)$

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
\int (dx)^{5/2} \text{Li}_3(ax) dx &= \frac{2(dx)^{7/2} \text{Li}_3(ax)}{7d} - \frac{2}{7} \int (dx)^{5/2} \text{Li}_2(ax) dx \\
&= -\frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax)}{7d} - \frac{4}{49} \int (dx)^{5/2} \log(1-ax) dx \\
&= -\frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax)}{7d} - \frac{(8a) \int \frac{(dx)^{7/2}}{1-ax} dx}{343d} \\
&= \frac{16(dx)^{7/2}}{2401d} - \frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax)}{7d} - \frac{8}{343} \int \frac{(dx)^{5/2}}{1-ax} dx \\
&= \frac{16(dx)^{5/2}}{1715a} + \frac{16(dx)^{7/2}}{2401d} - \frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax)}{7d} - \frac{(8d) \int}{3} \\
&= \frac{16d(dx)^{3/2}}{1029a^2} + \frac{16(dx)^{5/2}}{1715a} + \frac{16(dx)^{7/2}}{2401d} - \frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3}{7d} \\
&= \frac{16d^2 \sqrt{dx}}{343a^3} + \frac{16d(dx)^{3/2}}{1029a^2} + \frac{16(dx)^{5/2}}{1715a} + \frac{16(dx)^{7/2}}{2401d} - \frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \\
&= \frac{16d^2 \sqrt{dx}}{343a^3} + \frac{16d(dx)^{3/2}}{1029a^2} + \frac{16(dx)^{5/2}}{1715a} + \frac{16(dx)^{7/2}}{2401d} - \frac{8(dx)^{7/2} \log(1-ax)}{343d} - \frac{4(dx)^{7/2} \text{Li}_2(ax)}{49d} + \\
&= \frac{16d^2 \sqrt{dx}}{343a^3} + \frac{16d(dx)^{3/2}}{1029a^2} + \frac{16(dx)^{5/2}}{1715a} + \frac{16(dx)^{7/2}}{2401d} - \frac{16d^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/2}} - \frac{8(dx)^{7/2} \log(1-ax)}{343d}
\end{aligned}$$

**Mathematica [A]** time = 0.25, size = 98, normalized size = 0.64

$$\frac{2(dx)^{5/2} \left( -\frac{840 \tanh^{-1}(\sqrt{a} \sqrt{x})}{a^{7/2} \sqrt{x}} + \frac{8(15a^3 x^3 + 21a^2 x^2 + 35ax + 105)}{a^3} - 1470x^3 \text{Li}_2(ax) + 5145x^3 \text{Li}_3(ax) - 420x^3 \log(1-ax) \right)}{36015x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(5/2)\*PolyLog[3, a\*x], x]

[Out] (2\*(d\*x)^(5/2)\*((8\*(105 + 35\*a\*x + 21\*a^2\*x^2 + 15\*a^3\*x^3))/a^3 - (840\*ArcTanh[Sqrt[a]\*Sqrt[x]])/(a^(7/2)\*Sqrt[x]) - 420\*x^3\*Log[1 - a\*x] - 1470\*x^3\*PolyLog[2, a\*x] + 5145\*x^3\*PolyLog[3, a\*x]))/(36015\*x^2)

**fricas** [C] time = 0.56, size = 279, normalized size = 1.82

$$\frac{2 \left( 5145 \sqrt{dx} a^3 d^2 x^3 \operatorname{polylog}(3, ax) + 420 d^2 \sqrt{\frac{d}{a}} \log \left( \frac{adx - 2 \sqrt{dx} a \sqrt{\frac{d}{a}} + d}{ax - 1} \right) - 2 (735 a^3 d^2 x^3 \operatorname{Li}_2(ax) + 210 a^3 d^2 x^3 \log(a*x) + 210 a^3 d^2 x^3 \log(-a*x + 1) - 60 a^3 d^2 x^3 - 84 a^2 d^2 x^2 - 140 a d^2 x - 420 d^2) \sqrt{d*x} \right) / a^3}{36015 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x),x, algorithm="fricas")

[Out] [2/36015\*(5145\*sqrt(d\*x)\*a^3\*d^2\*x^3\*polylog(3, a\*x) + 420\*d^2\*sqrt(d/a)\*log((a\*d\*x - 2\*sqrt(d\*x)\*a\*sqrt(d/a) + d)/(a\*x - 1)) - 2\*(735\*a^3\*d^2\*x^3\*dilog(a\*x) + 210\*a^3\*d^2\*x^3\*log(-a\*x + 1) - 60\*a^3\*d^2\*x^3 - 84\*a^2\*d^2\*x^2 - 140\*a\*d^2\*x - 420\*d^2)\*sqrt(d\*x))/a^3, 2/36015\*(5145\*sqrt(d\*x)\*a^3\*d^2\*x^3\*polylog(3, a\*x) + 840\*d^2\*sqrt(-d/a)\*arctan(sqrt(d\*x)\*a\*sqrt(-d/a)/d) - 2\*(735\*a^3\*d^2\*x^3\*dilog(a\*x) + 210\*a^3\*d^2\*x^3\*log(-a\*x + 1) - 60\*a^3\*d^2\*x^3 - 84\*a^2\*d^2\*x^2 - 140\*a\*d^2\*x - 420\*d^2)\*sqrt(d\*x))/a^3]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^(5/2)\*polylog(3, a\*x), x)

**maple** [A] time = 0.17, size = 149, normalized size = 0.97

$$\frac{(dx)^{\frac{5}{2}} \left( \frac{2\sqrt{x} (-a)^{\frac{9}{2}} (360a^3x^3 + 504a^2x^2 + 840ax + 2520)}{108045a^4} + \frac{8\sqrt{x} (-a)^{\frac{9}{2}} (\ln(1-\sqrt{ax}) - \ln(1+\sqrt{ax}))}{343a^4\sqrt{ax}} - \frac{8x^{\frac{7}{2}} (-a)^{\frac{9}{2}} \ln(-ax+1)}{343a} - \frac{4x^{\frac{7}{2}} (-a)^{\frac{9}{2}} \operatorname{polylog}(2, ax)}{49a} \right)}{x^{\frac{5}{2}} (-a)^{\frac{5}{2}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(5/2)\*polylog(3,a\*x),x)

[Out] (d\*x)^(5/2)/x^(5/2)/(-a)^(5/2)/a\*(2/108045\*x^(1/2)\*(-a)^(9/2)\*(360\*a^3\*x^3+504\*a^2\*x^2+840\*a\*x+2520)/a^4+8/343\*x^(1/2)\*(-a)^(9/2)/a^4/(a\*x)^(1/2)\*(ln(1-(a\*x)^(1/2))-ln(1+(a\*x)^(1/2)))-8/343\*x^(7/2)\*(-a)^(9/2)/a\*ln(-a\*x+1)-4/49\*x^(7/2)\*(-a)^(9/2)\*polylog(2,a\*x)/a+2/7\*x^(7/2)\*(-a)^(9/2)/a\*polylog(3,a\*x))

**maxima** [A] time = 0.67, size = 156, normalized size = 1.02

$$2 \left( \frac{420 d^4 \log\left(\frac{\sqrt{dx} a - \sqrt{ad}}{\sqrt{dx} a + \sqrt{ad}}\right)}{\sqrt{ad} a^3} - \frac{1470 (dx)^{\frac{7}{2}} a^3 \text{Li}_2(ax) + 420 (dx)^{\frac{7}{2}} a^3 \log(-adx+d) - 5145 (dx)^{\frac{7}{2}} a^3 \text{Li}_3(ax) - 168 (dx)^{\frac{5}{2}} a^2 d - 60 (7 a^3 \log(d) + 2 a^3) (dx)^{\frac{7}{2}} - 280 (dx)^{\frac{3}{2}} a d^2}{a^3} \right)$$


---

$36015 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x),x, algorithm="maxima")

[Out]  $2/36015*(420*d^4*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*a^3) - (1470*(d*x)^{(7/2)}*a^3*\text{dilog}(a*x) + 420*(d*x)^{(7/2)}*a^3*\log(-a*d*x + d) - 5145*(d*x)^{(7/2)}*a^3*\text{polylog}(3, a*x) - 168*(d*x)^{(5/2)}*a^2*d - 60*(7*a^3*\log(d) + 2*a^3)*(d*x)^{(7/2)} - 280*(d*x)^{(3/2)}*a*d^2 - 840*\sqrt{d*x}*d^3)/a^3)/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^{5/2} \text{polylog}(3, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(5/2)\*polylog(3, a\*x),x)

[Out] int((d\*x)^(5/2)\*polylog(3, a\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(5/2)\*polylog(3,a\*x),x)

[Out] Integral((d\*x)\*\*(5/2)\*polylog(3, a\*x), x)

### 3.66 $\int (dx)^{3/2} \text{Li}_3(ax) dx$

**Optimal.** Leaf size=136

$$-\frac{16d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/2}} + \frac{16d\sqrt{dx}}{125a^2} - \frac{4(dx)^{5/2}\text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2}\text{Li}_3(ax)}{5d} + \frac{16(dx)^{3/2}}{375a} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} + \frac{16(dx)}{625d}$$

[Out]  $16/375*(d*x)^{(3/2)}/a+16/625*(d*x)^{(5/2)}/d-16/125*d^{(3/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/2)}-8/125*(d*x)^{(5/2)}*\ln(-a*x+1)/d-4/25*(d*x)^{(5/2)}*\text{polylog}(2,a*x)/d+2/5*(d*x)^{(5/2)}*\text{polylog}(3,a*x)/d+16/125*d*(d*x)^{(1/2)}/a^2$

**Rubi [A]** time = 0.08, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$-\frac{4(dx)^{5/2}\text{PolyLog}(2,ax)}{25d} + \frac{2(dx)^{5/2}\text{PolyLog}(3,ax)}{5d} - \frac{16d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/2}} + \frac{16d\sqrt{dx}}{125a^2} + \frac{16(dx)^{3/2}}{375a} - \frac{8(dx)^{5/2} \log}{125d}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^(3/2)\*PolyLog[3, a\*x], x]

[Out]  $(16*d*\text{Sqrt}[d*x])/(125*a^2) + (16*(d*x)^{(3/2)})/(375*a) + (16*(d*x)^{(5/2)})/(625*d) - (16*d^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/\text{Sqrt}[d]])/(125*a^{(5/2)}) - (8*(d*x)^{(5/2)}*\text{Log}[1 - a*x])/(125*d) - (4*(d*x)^{(5/2)}*\text{PolyLog}[2, a*x])/(25*d) + (2*(d*x)^{(5/2)}*\text{PolyLog}[3, a*x])/(5*d)$

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_
))^ (q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps



$$\begin{aligned}
\int (dx)^{3/2} \text{Li}_3(ax) dx &= \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} - \frac{2}{5} \int (dx)^{3/2} \text{Li}_2(ax) dx \\
&= -\frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} - \frac{4}{25} \int (dx)^{3/2} \log(1-ax) dx \\
&= -\frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} - \frac{(8a) \int \frac{(dx)^{5/2}}{1-ax} dx}{125d} \\
&= \frac{16(dx)^{5/2}}{625d} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} - \frac{8}{125} \int \frac{(dx)^{3/2}}{1-ax} dx \\
&= \frac{16(dx)^{3/2}}{375a} + \frac{16(dx)^{5/2}}{625d} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} - \frac{(8d)}{125} \int \frac{(dx)^{3/2}}{1-ax} dx \\
&= \frac{16d\sqrt{dx}}{125a^2} + \frac{16(dx)^{3/2}}{375a} + \frac{16(dx)^{5/2}}{625d} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} \\
&= \frac{16d\sqrt{dx}}{125a^2} + \frac{16(dx)^{3/2}}{375a} + \frac{16(dx)^{5/2}}{625d} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d} \\
&= \frac{16d\sqrt{dx}}{125a^2} + \frac{16(dx)^{3/2}}{375a} + \frac{16(dx)^{5/2}}{625d} - \frac{16d^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/2}} - \frac{8(dx)^{5/2} \log(1-ax)}{125d} - \frac{4(dx)^{5/2} \text{Li}_2(ax)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 88, normalized size = 0.65

$$\frac{2d\sqrt{dx} \left( 4 \left( -\frac{30 \tanh^{-1}(\sqrt{a}\sqrt{x})}{a^{5/2}\sqrt{x}} + \frac{30}{a^2} - 15x^2 \log(1-ax) + \frac{10x}{a} + 6x^2 \right) - 150x^2 \text{Li}_2(ax) + 375x^2 \text{Li}_3(ax) \right)}{1875}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(3/2)\*PolyLog[3, a\*x], x]

[Out] (2\*d\*Sqrt[d\*x]\*(4\*(30/a^2 + (10\*x)/a + 6\*x^2 - (30\*ArcTanh[Sqrt[a]\*Sqrt[x]])/(a^(5/2)\*Sqrt[x]) - 15\*x^2\*Log[1 - a\*x]) - 150\*x^2\*PolyLog[2, a\*x] + 375\*x^2\*PolyLog[3, a\*x])/1875

**fricas [C]** time = 0.53, size = 229, normalized size = 1.68

$$\left[ \frac{2 \left( 375 \sqrt{dx} a^2 dx^2 \text{polylog}(3, ax) + 60 d \sqrt{\frac{d}{a}} \log \left( \frac{adx - 2 \sqrt{dx} a \sqrt{\frac{d}{a}} + d}{ax-1} \right) - 2 (75 a^2 dx^2 \text{Li}_2(ax) + 30 a^2 dx^2 \log(-ax + \dots) \right)}{1875 a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x),x, algorithm="fricas")

[Out] [2/1875\*(375\*sqrt(d\*x)\*a^2\*d\*x^2\*polylog(3, a\*x) + 60\*d\*sqrt(d/a)\*log((a\*d\*x - 2\*sqrt(d\*x)\*a\*sqrt(d/a) + d)/(a\*x - 1)) - 2\*(75\*a^2\*d\*x^2\*dilog(a\*x) + 30\*a^2\*d\*x^2\*log(-a\*x + 1) - 12\*a^2\*d\*x^2 - 20\*a\*d\*x - 60\*d)\*sqrt(d\*x))/a^2 , 2/1875\*(375\*sqrt(d\*x)\*a^2\*d\*x^2\*polylog(3, a\*x) + 120\*d\*sqrt(-d/a)\*arctan(sqrt(d\*x)\*a\*sqrt(-d/a)/d) - 2\*(75\*a^2\*d\*x^2\*dilog(a\*x) + 30\*a^2\*d\*x^2\*log(-a\*x + 1) - 12\*a^2\*d\*x^2 - 20\*a\*d\*x - 60\*d)\*sqrt(d\*x))/a^2]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^(3/2)\*polylog(3, a\*x), x)

**maple** [A] time = 0.02, size = 141, normalized size = 1.04

$$(dx)^{\frac{3}{2}} \left( \frac{2\sqrt{x}(-a)^{\frac{7}{2}}(168a^2x^2+280ax+840)}{13125a^3} + \frac{8\sqrt{x}(-a)^{\frac{7}{2}}(\ln(1-\sqrt{ax})-\ln(1+\sqrt{ax}))}{125a^3\sqrt{ax}} - \frac{8x^{\frac{5}{2}}(-a)^{\frac{7}{2}}\ln(-ax+1)}{125a} - \frac{4x^{\frac{5}{2}}(-a)^{\frac{7}{2}}\text{polylog}(2,ax)}{25a} + \frac{2x^{\frac{5}{2}}(-a)^{\frac{7}{2}}\text{polylog}(3,ax)}{125a} \right) / x^{\frac{3}{2}}(-a)^{\frac{3}{2}}a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(3,a\*x),x)

[Out] (d\*x)^(3/2)/x^(3/2)/(-a)^(3/2)/a\*(2/13125\*x^(1/2)\*(-a)^(7/2)\*(168\*a^2\*x^2+280\*a\*x+840)/a^3+8/125\*x^(1/2)\*(-a)^(7/2)/a^3/(a\*x)^(1/2)\*(ln(1-(a\*x)^(1/2))-ln(1+(a\*x)^(1/2)))-8/125\*x^(5/2)\*(-a)^(7/2)/a\*ln(-a\*x+1)-4/25\*x^(5/2)\*(-a)^(7/2)\*polylog(2,a\*x)/a+2/5\*x^(5/2)\*(-a)^(7/2)/a\*polylog(3,a\*x))

**maxima** [A] time = 0.65, size = 143, normalized size = 1.05

$$2 \left( \frac{60d^3 \log\left(\frac{\sqrt{dx}a-\sqrt{ad}}{\sqrt{dx}a+\sqrt{ad}}\right)}{\sqrt{ad}a^2} - \frac{150(dx)^{\frac{5}{2}}a^2\text{Li}_2(ax)+60(dx)^{\frac{5}{2}}a^2\log(-adx+d)-375(dx)^{\frac{5}{2}}a^2\text{Li}_3(ax)-12(5a^2\log(d)+2a^2)(dx)^{\frac{5}{2}}-40(dx)^{\frac{3}{2}}ad-120\sqrt{dx}d^2}{a^2} \right) / 1875d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x),x, algorithm="maxima")

[Out]  $\frac{2}{1875} \cdot (60 \cdot d^3 \cdot \log(\frac{\sqrt{d \cdot x} \cdot a - \sqrt{a \cdot d}}{\sqrt{d \cdot x} \cdot a + \sqrt{a \cdot d}})) / (\sqrt{a \cdot d} \cdot a^2) - (150 \cdot (d \cdot x)^{5/2} \cdot a^2 \cdot \text{dilog}(a \cdot x) + 60 \cdot (d \cdot x)^{5/2} \cdot a^2 \cdot \log(-a \cdot d \cdot x + d) - 375 \cdot (d \cdot x)^{5/2} \cdot a^2 \cdot \text{polylog}(3, a \cdot x) - 12 \cdot (5 \cdot a^2 \cdot \log(d) + 2 \cdot a^2) \cdot (d \cdot x)^{5/2} - 40 \cdot (d \cdot x)^{3/2} \cdot a \cdot d - 120 \cdot \sqrt{d \cdot x} \cdot d^2) / a^2) / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^{3/2} \text{polylog}(3, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(3, a\*x),x)

[Out] int((d\*x)^(3/2)\*polylog(3, a\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(3/2)\*polylog(3,a\*x),x)

[Out] Integral((d\*x)\*\*(3/2)\*polylog(3, a\*x), x)

### 3.67 $\int \sqrt{dx} \operatorname{Li}_3(ax) dx$

**Optimal.** Leaf size=121

$$-\frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/2}} - \frac{4(dx)^{3/2}\operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2}\operatorname{Li}_3(ax)}{3d} + \frac{16\sqrt{dx}}{27a} - \frac{8(dx)^{3/2}\log(1-ax)}{27d} + \frac{16(dx)^{3/2}}{81d}$$

[Out] 16/81\*(d\*x)^(3/2)/d-8/27\*(d\*x)^(3/2)\*ln(-a\*x+1)/d-4/9\*(d\*x)^(3/2)\*polylog(2, a\*x)/d+2/3\*(d\*x)^(3/2)\*polylog(3, a\*x)/d-16/27\*arctanh(a^(1/2)\*(d\*x)^(1/2)/d^(1/2))\*d^(1/2)/a^(3/2)+16/27\*(d\*x)^(1/2)/a

**Rubi [A]** time = 0.07, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$-\frac{4(dx)^{3/2}\operatorname{PolyLog}(2, ax)}{9d} + \frac{2(dx)^{3/2}\operatorname{PolyLog}(3, ax)}{3d} - \frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/2}} + \frac{16\sqrt{dx}}{27a} - \frac{8(dx)^{3/2}\log(1-ax)}{27d} + \frac{16(dx)^{3/2}}{81d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d\*x]\*PolyLog[3, a\*x], x]

[Out] (16\*Sqrt[d\*x])/(27\*a) + (16\*(d\*x)^(3/2))/(81\*d) - (16\*Sqrt[d]\*ArcTanh[(Sqrt[a]\*Sqrt[d\*x])/Sqrt[d]])/(27\*a^(3/2)) - (8\*(d\*x)^(3/2)\*Log[1 - a\*x])/(27\*d) - (4\*(d\*x)^(3/2)\*PolyLog[2, a\*x])/(9\*d) + (2\*(d\*x)^(3/2)\*PolyLog[3, a\*x])/(3\*d)

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{dx} \operatorname{Li}_3(ax) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{2}{3} \int \sqrt{dx} \operatorname{Li}_2(ax) dx \\
 &= -\frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{4}{9} \int \sqrt{dx} \log(1 - ax) dx \\
 &= -\frac{8(dx)^{3/2} \log(1 - ax)}{27d} - \frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{(8d) \int \frac{(dx)^{3/2}}{1 - ax} dx}{27d} \\
 &= \frac{16(dx)^{3/2}}{81d} - \frac{8(dx)^{3/2} \log(1 - ax)}{27d} - \frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{8}{27} \int \frac{\sqrt{dx}}{1 - ax} dx \\
 &= \frac{16\sqrt{dx}}{27a} + \frac{16(dx)^{3/2}}{81d} - \frac{8(dx)^{3/2} \log(1 - ax)}{27d} - \frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{(8d) \int \frac{\sqrt{dx}}{1 - ax} dx}{27d} \\
 &= \frac{16\sqrt{dx}}{27a} + \frac{16(dx)^{3/2}}{81d} - \frac{8(dx)^{3/2} \log(1 - ax)}{27d} - \frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d} - \frac{16 \operatorname{Subst}\left(\int \frac{\sqrt{dx}}{1 - ax} dx, x, \frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}}\right)}{27d} \\
 &= \frac{16\sqrt{dx}}{27a} + \frac{16(dx)^{3/2}}{81d} - \frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/2}} - \frac{8(dx)^{3/2} \log(1 - ax)}{27d} - \frac{4(dx)^{3/2} \operatorname{Li}_2(ax)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 73, normalized size = 0.60

$$\frac{2}{81} \sqrt{dx} \left( 4 \left( -\frac{6 \tanh^{-1}(\sqrt{a} \sqrt{x})}{a^{3/2} \sqrt{x}} - 3x \log(1 - ax) + \frac{6}{a} + 2x \right) - 18x \text{Li}_2(ax) + 27x \text{Li}_3(ax) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d\*x]\*PolyLog[3, a\*x], x]

[Out] (2\*Sqrt[d\*x]\*(4\*(6/a + 2\*x - (6\*ArcTanh[Sqrt[a]\*Sqrt[x]])/(a^(3/2)\*Sqrt[x]) - 3\*x\*Log[1 - a\*x]) - 18\*x\*PolyLog[2, a\*x] + 27\*x\*PolyLog[3, a\*x]))/81

**fricas [C]** time = 0.71, size = 173, normalized size = 1.43

$$\left[ \frac{2 \left( 27 \sqrt{dx} ax \text{polylog}(3, ax) - 2 (9 ax \text{Li}_2(ax) + 6 ax \log(-ax + 1) - 4 ax - 12) \sqrt{dx} + 12 \sqrt{\frac{d}{a}} \log\left(\frac{adx - 2 \sqrt{dx} a \sqrt{\frac{d}{a}}}{ax - 1}\right) \right)}{81 a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x),x, algorithm="fricas")

[Out] [2/81\*(27\*sqrt(d\*x)\*a\*x\*polylog(3, a\*x) - 2\*(9\*a\*x\*dilog(a\*x) + 6\*a\*x\*log(-a\*x + 1) - 4\*a\*x - 12)\*sqrt(d\*x) + 12\*sqrt(d/a)\*log((a\*d\*x - 2\*sqrt(d\*x)\*a\*sqrt(d/a) + d)/(a\*x - 1)))/a, 2/81\*(27\*sqrt(d\*x)\*a\*x\*polylog(3, a\*x) - 2\*(9\*a\*x\*dilog(a\*x) + 6\*a\*x\*log(-a\*x + 1) - 4\*a\*x - 12)\*sqrt(d\*x) + 24\*sqrt(-d/a)\*arctan(sqrt(d\*x)\*a\*sqrt(-d/a)/d))/a]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*polylog(3, a\*x), x)

**maple [A]** time = 0.02, size = 133, normalized size = 1.10

$$\frac{\sqrt{dx} \left( \frac{2\sqrt{x}(-a)^{\frac{5}{2}}(40ax+120)}{405a^2} + \frac{8\sqrt{x}(-a)^{\frac{5}{2}}(\ln(1-\sqrt{ax})-\ln(1+\sqrt{ax}))}{27a^2\sqrt{ax}} - \frac{8x^{\frac{3}{2}}(-a)^{\frac{5}{2}}\ln(-ax+1)}{27a} - \frac{4x^{\frac{3}{2}}(-a)^{\frac{5}{2}}\text{polylog}(2,ax)}{9a} + \frac{2x^{\frac{3}{2}}(-a)^{\frac{5}{2}}\text{polylog}(3,ax)}{3a} \right)}{\sqrt{x} \sqrt{-a} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)*polylog(3,a*x),x)`

[Out]  $(d*x)^{1/2}/x^{1/2}/(-a)^{1/2}/a*(2/405*x^{1/2}*(-a)^{5/2}*(40*a*x+120)/a^2+8/27*x^{1/2}*(-a)^{5/2}/a^2/(a*x)^{1/2}*(\ln(1-(a*x)^{1/2})-\ln(1+(a*x)^{1/2}))-8/27*x^{3/2}*(-a)^{5/2}/a*\ln(-a*x+1)-4/9*x^{3/2}*(-a)^{5/2}*polylog(2,a*x)/a+2/3*x^{3/2}*(-a)^{5/2}/a*polylog(3,a*x))$

**maxima** [A] time = 2.06, size = 122, normalized size = 1.01

$$2 \left( \frac{12 d^2 \log\left(\frac{\sqrt{dx} a - \sqrt{ad}}{\sqrt{dx} a + \sqrt{ad}}\right)}{\sqrt{ad} a} - \frac{18 (dx)^{\frac{3}{2}} a \operatorname{Li}_2(ax) + 12 (dx)^{\frac{3}{2}} a \log(-adx+d) - 27 (dx)^{\frac{3}{2}} a \operatorname{Li}_3(ax) - 4 (dx)^{\frac{3}{2}} (3 a \log(d) + 2 a) - 24 \sqrt{dx} d}{a} \right) \frac{1}{81 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*polylog(3,a*x),x, algorithm="maxima")`

[Out]  $2/81*(12*d^2*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*a) - (18*(d*x)^{3/2}*a*\operatorname{dilog}(a*x) + 12*(d*x)^{3/2}*a*\log(-a*d*x + d) - 27*(d*x)^{3/2}*a*polylog(3, a*x) - 4*(d*x)^{3/2}*(3*a*\log(d) + 2*a) - 24*\sqrt{d*x}*d)/a)/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{dx} \operatorname{polylog}(3, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)*polylog(3, a*x),x)`

[Out] `int((d*x)^(1/2)*polylog(3, a*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)*polylog(3,a*x),x)`

[Out] `Integral(sqrt(d*x)*polylog(3, a*x), x)`

### 3.68 $\int \frac{\text{Li}_3(ax)}{\sqrt{dx}} dx$

**Optimal.** Leaf size=97

$$-\frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - \frac{8\sqrt{dx} \log(1-ax)}{d} - \frac{16 \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a}\sqrt{d}} + \frac{16\sqrt{dx}}{d}$$

[Out] -16\*arctanh(a^(1/2)\*(d\*x)^(1/2)/d^(1/2))/a^(1/2)/d^(1/2)+16\*(d\*x)^(1/2)/d-8\*ln(-a\*x+1)\*(d\*x)^(1/2)/d-4\*polylog(2,a\*x)\*(d\*x)^(1/2)/d+2\*polylog(3,a\*x)\*(d\*x)^(1/2)/d

**Rubi [A]** time = 0.06, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 50, 63, 206}

$$-\frac{4\sqrt{dx} \text{PolyLog}(2, ax)}{d} + \frac{2\sqrt{dx} \text{PolyLog}(3, ax)}{d} - \frac{8\sqrt{dx} \log(1-ax)}{d} - \frac{16 \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a}\sqrt{d}} + \frac{16\sqrt{dx}}{d}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/Sqrt[d\*x], x]

[Out] (16\*Sqrt[d\*x])/d - (16\*ArcTanh[(Sqrt[a]\*Sqrt[d\*x])/Sqrt[d]])/(Sqrt[a]\*Sqrt[d]) - (8\*Sqrt[d\*x]\*Log[1 - a\*x])/d - (4\*Sqrt[d\*x]\*PolyLog[2, a\*x])/d + (2\*Sqrt[d\*x]\*PolyLog[3, a\*x])/d

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```



Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - 2 \int \frac{\text{Li}_2(ax)}{\sqrt{dx}} dx \\
 &= -\frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - 4 \int \frac{\log(1 - ax)}{\sqrt{dx}} dx \\
 &= -\frac{8\sqrt{dx} \log(1 - ax)}{d} - \frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - \frac{(8a) \int \frac{\sqrt{dx}}{1 - ax} dx}{d} \\
 &= \frac{16\sqrt{dx}}{d} - \frac{8\sqrt{dx} \log(1 - ax)}{d} - \frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - 8 \int \frac{1}{\sqrt{dx}(1 - ax)} dx \\
 &= \frac{16\sqrt{dx}}{d} - \frac{8\sqrt{dx} \log(1 - ax)}{d} - \frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d} - \frac{16 \text{Subst}\left(\int \frac{1}{1 - \frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{d} \\
 &= \frac{16\sqrt{dx}}{d} - \frac{16 \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{a} \sqrt{d}} - \frac{8\sqrt{dx} \log(1 - ax)}{d} - \frac{4\sqrt{dx} \text{Li}_2(ax)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 57, normalized size = 0.59

$$\frac{2x \left( -2\text{Li}_2(ax) + \text{Li}_3(ax) - 4 \log(1 - ax) - \frac{8 \tanh^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a} \sqrt{x}} + 8 \right)}{\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/Sqrt[d\*x], x]

[Out] (2\*x\*(8 - (8\*ArcTanh[Sqrt[a]\*Sqrt[x]]))/(Sqrt[a]\*Sqrt[x]) - 4\*Log[1 - a\*x] - 2\*PolyLog[2, a\*x] + PolyLog[3, a\*x])/Sqrt[d\*x]

**fricas [C]** time = 0.68, size = 161, normalized size = 1.66

$$\left[ \frac{2 \left( \sqrt{dx} \text{apolylog}(3, ax) - 2 \sqrt{dx} (a \text{Li}_2(ax) + 2a \log(-ax + 1) - 4a) + 4 \sqrt{ad} \log\left(\frac{adx - 2\sqrt{ad}\sqrt{dx} + d}{ax - 1}\right) \right)}{ad}, \frac{2 \left( \sqrt{dx} \text{apolylog}(3, ax) - 2 \sqrt{dx} (a \text{Li}_2(ax) + 2a \log(-ax + 1) - 4a) + 4 \sqrt{ad} \log\left(\frac{adx - 2\sqrt{ad}\sqrt{dx} + d}{ax - 1}\right) \right)}{ad} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(1/2),x, algorithm="fricas")

[Out] [2\*(sqrt(d\*x)\*a\*polylog(3, a\*x) - 2\*sqrt(d\*x)\*(a\*dilog(a\*x) + 2\*a\*log(-a\*x + 1) - 4\*a) + 4\*sqrt(a\*d)\*log((a\*d\*x - 2\*sqrt(a\*d)\*sqrt(d\*x) + d)/(a\*x - 1)))/(a\*d), 2\*(sqrt(d\*x)\*a\*polylog(3, a\*x) - 2\*sqrt(d\*x)\*(a\*dilog(a\*x) + 2\*a\*log(-a\*x + 1) - 4\*a) + 8\*sqrt(-a\*d)\*arctan(sqrt(-a\*d)\*sqrt(d\*x)/(a\*d\*x)))/(a\*d)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(1/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/sqrt(d\*x), x)

**maple [A]** time = 0.02, size = 127, normalized size = 1.31

$$\frac{\sqrt{x} \sqrt{-a} \left( \frac{16\sqrt{x} (-a)^{\frac{3}{2}}}{a} + \frac{8\sqrt{x} (-a)^{\frac{3}{2}} (\ln(1-\sqrt{ax}) - \ln(1+\sqrt{ax}))}{a\sqrt{ax}} - \frac{8\sqrt{x} (-a)^{\frac{3}{2}} \ln(-ax+1)}{a} - \frac{4\sqrt{x} (-a)^{\frac{3}{2}} \text{polylog}(2, ax)}{a} + \frac{2\sqrt{x} (-a)^{\frac{3}{2}} \text{polylog}(3, ax)}{a} \right)}{\sqrt{dx} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3,a*x)/(d*x)^(1/2),x)`

[Out]  $1/(d*x)^{(1/2)}*x^{(1/2)}*(-a)^{(1/2)}/a*(16*x^{(1/2)}*(-a)^{(3/2)}/a+8*x^{(1/2)}*(-a)^{(3/2)}/a/(a*x)^{(1/2)}*(\ln(1-(a*x)^{(1/2)})-\ln(1+(a*x)^{(1/2)}))-8*x^{(1/2)}*(-a)^{(3/2)}/a*\ln(-a*x+1)-4*x^{(1/2)}*(-a)^{(3/2)}*\text{polylog}(2,a*x)/a+2*x^{(1/2)}*(-a)^{(3/2)}/a*\text{polylog}(3,a*x)$

**maxima** [A] time = 0.49, size = 94, normalized size = 0.97

$$\frac{2 \left( 4 \sqrt{dx} (\log(d) + 2) - 2 \sqrt{dx} \text{Li}_2(ax) - 4 \sqrt{dx} \log(-adx + d) + \frac{4d \log\left(\frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}}\right)}{\sqrt{ad}} + \sqrt{dx} \text{Li}_3(ax) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x)/(d*x)^(1/2),x, algorithm="maxima")`

[Out]  $2*(4*\text{sqrt}(d*x)*(\log(d) + 2) - 2*\text{sqrt}(d*x)*\text{dilog}(a*x) - 4*\text{sqrt}(d*x)*\log(-a*d*x + d) + 4*d*\log((\text{sqrt}(d*x)*a - \text{sqrt}(a*d))/(\text{sqrt}(d*x)*a + \text{sqrt}(a*d))))/\text{sqrt}(a*d) + \text{sqrt}(d*x)*\text{polylog}(3, a*x))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x)/(d*x)^(1/2),x)`

[Out] `int(polylog(3, a*x)/(d*x)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x)/(d*x)**(1/2),x)`

[Out] `Integral(polylog(3, a*x)/sqrt(d*x), x)`

### 3.69 $\int \frac{\text{Li}_3(ax)}{(dx)^{3/2}} dx$

**Optimal.** Leaf size=85

$$\frac{16\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{4\text{Li}_2(ax)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax)}{d\sqrt{dx}} + \frac{8\log(1-ax)}{d\sqrt{dx}}$$

[Out] 16\*arctanh(a^(1/2)\*(d\*x)^(1/2)/d^(1/2))\*a^(1/2)/d^(3/2)+8\*ln(-a\*x+1)/d/(d\*x)^(1/2)-4\*polylog(2,a\*x)/d/(d\*x)^(1/2)-2\*polylog(3,a\*x)/d/(d\*x)^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2395, 63, 206}

$$-\frac{4\text{PolyLog}(2,ax)}{d\sqrt{dx}} - \frac{2\text{PolyLog}(3,ax)}{d\sqrt{dx}} + \frac{16\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{8\log(1-ax)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/(d\*x)^(3/2), x]

[Out] (16\*Sqrt[a]\*ArcTanh[(Sqrt[a]\*Sqrt[d\*x])/Sqrt[d]])/d^(3/2) + (8\*Log[1 - a\*x])/(d\*Sqrt[d\*x]) - (4\*PolyLog[2, a\*x])/(d\*Sqrt[d\*x]) - (2\*PolyLog[3, a\*x])/(d\*Sqrt[d\*x])

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/

$(g*(q + 1)), x] - \text{Dist}[(b*e*n)/(g*(q + 1)), \text{Int}[(f + g*x)^(q + 1)/(d + e*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, q\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[q, -1]$

### Rule 6591

$\text{Int}[(d*x)^m * \text{PolyLog}[n, a*(b*x^p)^q] / (d*(m + 1)), x] - \text{Dist}[(p*q)/(m + 1), \text{Int}[(d*x)^m * \text{PolyLog}[n - 1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a, b, d, m, p, q\}, x] \&\& \text{NeQ}[m, -1] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_3(ax)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_3(ax)}{d\sqrt{dx}} + 2 \int \frac{\text{Li}_2(ax)}{(dx)^{3/2}} dx \\ &= -\frac{4\text{Li}_2(ax)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax)}{d\sqrt{dx}} - 4 \int \frac{\log(1 - ax)}{(dx)^{3/2}} dx \\ &= \frac{8 \log(1 - ax)}{d\sqrt{dx}} - \frac{4\text{Li}_2(ax)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax)}{d\sqrt{dx}} + \frac{(8a) \int \frac{1}{\sqrt{dx}(1 - ax)} dx}{d} \\ &= \frac{8 \log(1 - ax)}{d\sqrt{dx}} - \frac{4\text{Li}_2(ax)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax)}{d\sqrt{dx}} + \frac{(16a) \text{Subst}\left(\int \frac{1}{1 - \frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{d^2} \\ &= \frac{16\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{8 \log(1 - ax)}{d\sqrt{dx}} - \frac{4\text{Li}_2(ax)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax)}{d\sqrt{dx}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 58, normalized size = 0.68

$$\frac{2x \left( -2\text{Li}_2(ax) - \text{Li}_3(ax) + 4 \log(1 - ax) + 8\sqrt{a} \sqrt{x} \tanh^{-1}(\sqrt{a} \sqrt{x}) \right)}{(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/(d\*x)^(3/2), x]

[Out] (2\*x\*(8\*Sqrt[a]\*Sqrt[x]\*ArcTanh[Sqrt[a]\*Sqrt[x]] + 4\*Log[1 - a\*x] - 2\*PolyLog[2, a\*x] - PolyLog[3, a\*x]))/(d\*x)^(3/2)

**fricas** [C] time = 0.52, size = 156, normalized size = 1.84

$$\frac{2 \left( 4 dx \sqrt{\frac{a}{d}} \log \left( \frac{ax+2\sqrt{dx}\sqrt{\frac{a}{d}}+1}{ax-1} \right) - 2\sqrt{dx} \left( \text{Li}_2(ax) - 2 \log(-ax+1) \right) - \sqrt{dx} \text{polylog}(3, ax) \right)}{d^2 x}, - \frac{2 \left( 8 dx \sqrt{-\frac{a}{d}} \arctan \left( \sqrt{\frac{d}{ax}} \sqrt{-\frac{a}{d}} \right) + 2\sqrt{dx} \left( \text{Li}_2(ax) - 2 \log(-ax+1) \right) + \sqrt{dx} \text{polylog}(3, ax) \right)}{d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(3/2),x, algorithm="fricas")

[Out] [2\*(4\*d\*x\*sqrt(a/d)\*log((a\*x + 2\*sqrt(d\*x)\*sqrt(a/d) + 1)/(a\*x - 1)) - 2\*sqrt(d\*x)\*(dilog(a\*x) - 2\*log(-a\*x + 1)) - sqrt(d\*x)\*polylog(3, a\*x))/(d^2\*x) , -2\*(8\*d\*x\*sqrt(-a/d)\*arctan(sqrt(d\*x)\*sqrt(-a/d)/(a\*x)) + 2\*sqrt(d\*x)\*(dilog(a\*x) - 2\*log(-a\*x + 1)) + sqrt(d\*x)\*polylog(3, a\*x))/(d^2\*x)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(3/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/(d\*x)^(3/2), x)

**maple** [A] time = 0.02, size = 111, normalized size = 1.31

$$\frac{x^{\frac{3}{2}} (-a)^{\frac{3}{2}} \left( -\frac{8\sqrt{x}\sqrt{-a}(\ln(1-\sqrt{ax})-\ln(1+\sqrt{ax}))}{\sqrt{ax}} + \frac{8\sqrt{-a}\ln(-ax+1)}{\sqrt{x}a} - \frac{4\sqrt{-a}\text{polylog}(2,ax)}{\sqrt{x}a} - \frac{2\sqrt{-a}\text{polylog}(3,ax)}{\sqrt{x}a} \right)}{(dx)^{\frac{3}{2}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/(d\*x)^(3/2),x)

[Out] 1/(d\*x)^(3/2)\*x^(3/2)\*(-a)^(3/2)/a\*(-8\*x^(1/2)\*(-a)^(1/2)/(a\*x)^(1/2)\*(ln(1-(a\*x)^(1/2))-ln(1+(a\*x)^(1/2)))+8/x^(1/2)\*(-a)^(1/2)/a\*ln(-a\*x+1)-4/x^(1/2)\*(-a)^(1/2)\*polylog(2,a\*x)/a-2/x^(1/2)\*(-a)^(1/2)/a\*polylog(3,a\*x))

**maxima** [A] time = 0.62, size = 78, normalized size = 0.92

$$\frac{2 \left( \frac{4a \log \left( \frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}} \right)}{\sqrt{ad}} + \frac{2 \text{Li}_2(ax) - 4 \log(-adx+d) + 4 \log(d) + \text{Li}_3(ax)}{\sqrt{dx}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x)/(d*x)^(3/2),x, algorithm="maxima")
```

```
[Out] -2*(4*a*log((sqrt(d*x)*a - sqrt(a*d))/(sqrt(d*x)*a + sqrt(a*d)))/sqrt(a*d)
+ (2*dilog(a*x) - 4*log(-a*d*x + d) + 4*log(d) + polylog(3, a*x))/sqrt(d*x)
)/d
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, a*x)/(d*x)^(3/2), x)
```

```
[Out] int(polylog(3, a*x)/(d*x)^(3/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,a*x)/(d*x)**(3/2),x)
```

```
[Out] Integral(polylog(3, a*x)/(d*x)**(3/2), x)
```

### 3.70 $\int \frac{\text{Li}_3(ax)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=108

$$\frac{16a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} - \frac{16a}{27d^2\sqrt{dx}} - \frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} + \frac{8\log(1-ax)}{27d(dx)^{3/2}}$$

[Out]  $16/27*a^{(3/2)}*\text{arctanh}(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(5/2)}+8/27*\ln(-a*x+1)/d/(d*x)^{(3/2)}-4/9*\text{polylog}(2,a*x)/d/(d*x)^{(3/2)}-2/3*\text{polylog}(3,a*x)/d/(d*x)^{(3/2)}-16/27*a/d^2/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 51, 63, 206}

$$-\frac{4\text{PolyLog}(2,ax)}{9d(dx)^{3/2}} - \frac{2\text{PolyLog}(3,ax)}{3d(dx)^{3/2}} + \frac{16a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} - \frac{16a}{27d^2\sqrt{dx}} + \frac{8\log(1-ax)}{27d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x]/(d\*x)^(5/2), x]

[Out]  $(-16*a)/(27*d^2*\text{Sqrt}[d*x]) + (16*a^{(3/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])])/(27*d^{(5/2)}) + (8*\text{Log}[1 - a*x])/(27*d*(d*x)^{(3/2)}) - (4*\text{PolyLog}[2, a*x])/(9*d*(d*x)^{(3/2)}) - (2*\text{PolyLog}[3, a*x])/(3*d*(d*x)^{(3/2)})$

#### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]



Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2395

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))\*((f\_) + (g\_)\*(x\_)^(q\_)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 6591

Int[((d\_)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_)\*((b\_)\*(x\_)^(p\_))^(q\_)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} + \frac{2}{3} \int \frac{\text{Li}_2(ax)}{(dx)^{5/2}} dx \\
 &= -\frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} - \frac{4}{9} \int \frac{\log(1-ax)}{(dx)^{5/2}} dx \\
 &= \frac{8\log(1-ax)}{27d(dx)^{3/2}} - \frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} + \frac{(8a) \int \frac{1}{(dx)^{3/2}(1-ax)} dx}{27d} \\
 &= -\frac{16a}{27d^2\sqrt{dx}} + \frac{8\log(1-ax)}{27d(dx)^{3/2}} - \frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} + \frac{(8a^2) \int \frac{1}{\sqrt{dx}(1-ax)} dx}{27d^2} \\
 &= -\frac{16a}{27d^2\sqrt{dx}} + \frac{8\log(1-ax)}{27d(dx)^{3/2}} - \frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}} + \frac{(16a^2) \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx, x, \sqrt{dx}\right)}{27d^3} \\
 &= -\frac{16a}{27d^2\sqrt{dx}} + \frac{16a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} + \frac{8\log(1-ax)}{27d(dx)^{3/2}} - \frac{4\text{Li}_2(ax)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax)}{3d(dx)^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 64, normalized size = 0.59

$$\frac{2x \left( -8a^{3/2} x^{3/2} \tanh^{-1} \left( \sqrt{a} \sqrt{x} \right) + 6\text{Li}_2(ax) + 9\text{Li}_3(ax) + 8ax - 4 \log(1 - ax) \right)}{27(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/(d\*x)^(5/2), x]

[Out] (-2\*x\*(8\*a\*x - 8\*a^(3/2)\*x^(3/2)\*ArcTanh[Sqrt[a]\*Sqrt[x]] - 4\*Log[1 - a\*x] + 6\*PolyLog[2, a\*x] + 9\*PolyLog[3, a\*x]))/(27\*(d\*x)^(5/2))

**fricas [C]** time = 0.54, size = 175, normalized size = 1.62

$$\left[ \frac{2 \left( 4 a d x^2 \sqrt{\frac{a}{d}} \log \left( \frac{a x + 2 \sqrt{d x} \sqrt{\frac{a}{d}} + 1}{a x - 1} \right) - 2 \left( 4 a x + 3 \text{Li}_2(a x) - 2 \log(-a x + 1) \right) \sqrt{d x} - 9 \sqrt{d x} \text{polylog}(3, a x) \right)}{27 d^3 x^2} \right], -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(5/2),x, algorithm="fricas")

[Out] [2/27\*(4\*a\*d\*x^2\*sqrt(a/d)\*log((a\*x + 2\*sqrt(d\*x)\*sqrt(a/d) + 1)/(a\*x - 1)) - 2\*(4\*a\*x + 3\*dilog(a\*x) - 2\*log(-a\*x + 1))\*sqrt(d\*x) - 9\*sqrt(d\*x)\*polylog(3, a\*x))/(d^3\*x^2), -2/27\*(8\*a\*d\*x^2\*sqrt(-a/d)\*arctan(sqrt(d\*x)\*sqrt(-a/d)/(a\*x)) + 2\*(4\*a\*x + 3\*dilog(a\*x) - 2\*log(-a\*x + 1))\*sqrt(d\*x) + 9\*sqrt(d\*x)\*polylog(3, a\*x))/(d^3\*x^2)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/(d\*x)^(5/2), x)

**maple [A]** time = 0.02, size = 122, normalized size = 1.13

$$\frac{x^{\frac{5}{2}} (-a)^{\frac{5}{2}} \left( -\frac{16}{27 \sqrt{x} \sqrt{-a}} - \frac{8 \sqrt{x} a (\ln(1 - \sqrt{ax}) - \ln(1 + \sqrt{ax}))}{27 \sqrt{-a} \sqrt{ax}} + \frac{8 \ln(-ax+1)}{27 x^{\frac{3}{2}} \sqrt{-a} a} - \frac{4 \text{polylog}(2, ax)}{9 x^{\frac{3}{2}} \sqrt{-a} a} - \frac{2 \text{polylog}(3, ax)}{3 x^{\frac{3}{2}} \sqrt{-a} a} \right)}{(dx)^{\frac{5}{2}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3,a*x)/(d*x)^(5/2),x)`

[Out]  $1/(d*x)^{(5/2)}*x^{(5/2)}*(-a)^{(5/2)}/a*(-16/27/x^{(1/2)}/(-a)^{(1/2)}-8/27*x^{(1/2)}/(-a)^{(1/2)}*a/(a*x)^{(1/2)}*(\ln(1-(a*x)^{(1/2)})-\ln(1+(a*x)^{(1/2)}))+8/27/x^{(3/2)}/(-a)^{(1/2)}/a*\ln(-a*x+1)-4/9/x^{(3/2)}/(-a)^{(1/2)}*polylog(2,a*x)/a-2/3/x^{(3/2)}/(-a)^{(1/2)}/a*polylog(3,a*x))$

**maxima** [A] time = 0.48, size = 97, normalized size = 0.90

$$\frac{2 \left( \frac{4a^2 \log\left(\frac{\sqrt{dx}a - \sqrt{ad}}{\sqrt{dx}a + \sqrt{ad}}\right)}{\sqrt{ad}d} + \frac{8adx + 6dLi_2(ax) - 4d \log(-adx+d) + 4d \log(d) + 9dLi_3(ax)}{(dx)^2 d} \right)}{27d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x)/(d*x)^(5/2),x, algorithm="maxima")`

[Out]  $-2/27*(4*a^2*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*d) + (8*a*d*x + 6*d*dilog(a*x) - 4*d*\log(-a*d*x + d) + 4*d*\log(d) + 9*d*polylog(3, a*x))/((d*x)^{(3/2)*d}))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x)/(d*x)^(5/2),x)`

[Out] `int(polylog(3, a*x)/(d*x)^(5/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Li_3(ax)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x)/(d*x)**(5/2),x)`

[Out] `Integral(polylog(3, a*x)/(d*x)**(5/2), x)`

### 3.71 $\int \frac{\text{Li}_3(ax)}{(dx)^{7/2}} dx$

**Optimal.** Leaf size=125

$$\frac{16a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} - \frac{16a^2}{125d^3\sqrt{dx}} - \frac{16a}{375d^2(dx)^{3/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}}$$

[Out]  $-16/375*a/d^2/(d*x)^{(3/2)}+16/125*a^{(5/2)}*\arctanh(a^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+8/125*\ln(-a*x+1)/d/(d*x)^{(5/2)}-4/25*\text{polylog}(2,a*x)/d/(d*x)^{(5/2)}-2/5*\text{polylog}(3,a*x)/d/(d*x)^{(5/2)}-16/125*a^2/d^3/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6591, 2395, 51, 63, 206}

$$-\frac{4\text{PolyLog}(2,ax)}{25d(dx)^{5/2}} - \frac{2\text{PolyLog}(3,ax)}{5d(dx)^{5/2}} - \frac{16a^2}{125d^3\sqrt{dx}} + \frac{16a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} - \frac{16a}{375d^2(dx)^{3/2}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int [PolyLog [3, a\*x] / (d\*x)^(7/2), x]

[Out]  $(-16*a)/(375*d^2*(d*x)^{(3/2)}) - (16*a^2)/(125*d^3*\text{Sqrt}[d*x]) + (16*a^{(5/2)}*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])])/(125*d^{(7/2)}) + (8*\text{Log}[1 - a*x])/(125*d*(d*x)^{(5/2)}) - (4*\text{PolyLog}[2, a*x])/(25*d*(d*x)^{(5/2)}) - (2*\text{PolyLog}[3, a*x])/(5*d*(d*x)^{(5/2)})$

#### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 2395

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))*((f_) + (g_)*(x_
))^ (q_), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

Rule 6591

```
Int[((d_)*(x_))^(m_)*PolyLog[n_, (a_)*((b_)*(x_))^(p_)]^(q_), x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax)}{(dx)^{7/2}} dx &= -\frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{2}{5} \int \frac{\text{Li}_2(ax)}{(dx)^{7/2}} dx \\
&= -\frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} - \frac{4}{25} \int \frac{\log(1-ax)}{(dx)^{7/2}} dx \\
&= \frac{8\log(1-ax)}{125d(dx)^{5/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{(8a) \int \frac{1}{(dx)^{5/2}(1-ax)} dx}{125d} \\
&= -\frac{16a}{375d^2(dx)^{3/2}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{(8a^2) \int \frac{1}{(dx)^{3/2}(1-ax)} dx}{125d^2} \\
&= -\frac{16a}{375d^2(dx)^{3/2}} - \frac{16a^2}{125d^3\sqrt{dx}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{(8a^3) \int \frac{1}{\sqrt{dx}(1-ax)} dx}{125d^3} \\
&= -\frac{16a}{375d^2(dx)^{3/2}} - \frac{16a^2}{125d^3\sqrt{dx}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}} + \frac{(16a^3) \text{Subst}\left(\int \frac{1}{1-\frac{ax^2}{d}} dx\right)}{125d^4} \\
&= -\frac{16a}{375d^2(dx)^{3/2}} - \frac{16a^2}{125d^3\sqrt{dx}} + \frac{16a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} + \frac{8\log(1-ax)}{125d(dx)^{5/2}} - \frac{4\text{Li}_2(ax)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax)}{5d(dx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 72, normalized size = 0.58

$$\frac{2x(-24a^{5/2}x^{5/2} \tanh^{-1}(\sqrt{a}\sqrt{x}) + 24a^2x^2 + 30\text{Li}_2(ax) + 75\text{Li}_3(ax) + 8ax - 12\log(1-ax))}{375(dx)^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, a\*x]/(d\*x)^(7/2), x]

[Out] (-2\*x\*(8\*a\*x + 24\*a^2\*x^2 - 24\*a^(5/2)\*x^(5/2)\*ArcTanh[Sqrt[a]\*Sqrt[x]] - 12\*Log[1 - a\*x] + 30\*PolyLog[2, a\*x] + 75\*PolyLog[3, a\*x]))/(375\*(d\*x)^(7/2))

**fricas [C]** time = 1.04, size = 195, normalized size = 1.56

$$\left[ \frac{2 \left( 12 a^2 dx^3 \sqrt{\frac{a}{d}} \log\left(\frac{ax+2\sqrt{dx}\sqrt{\frac{a}{d}}+1}{ax-1}\right) - 2 \left( 12 a^2 x^2 + 4 ax + 15 \text{Li}_2(ax) - 6 \log(-ax+1) \right) \sqrt{dx} - 75 \sqrt{dx} \text{polylog} \right)}{375 d^4 x^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(7/2),x, algorithm="fricas")

[Out] [2/375\*(12\*a^2\*d\*x^3\*sqrt(a/d)\*log((a\*x + 2\*sqrt(d\*x)\*sqrt(a/d) + 1)/(a\*x - 1)) - 2\*(12\*a^2\*x^2 + 4\*a\*x + 15\*dilog(a\*x) - 6\*log(-a\*x + 1))\*sqrt(d\*x) - 75\*sqrt(d\*x)\*polylog(3, a\*x))/(d^4\*x^3), -2/375\*(24\*a^2\*d\*x^3\*sqrt(-a/d)\*arctan(sqrt(d\*x)\*sqrt(-a/d)/(a\*x)) + 2\*(12\*a^2\*x^2 + 4\*a\*x + 15\*dilog(a\*x) - 6\*log(-a\*x + 1))\*sqrt(d\*x) + 75\*sqrt(d\*x)\*polylog(3, a\*x))/(d^4\*x^3)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax)}{(dx)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(7/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x)/(d\*x)^(7/2), x)

**maple** [A] time = 0.02, size = 135, normalized size = 1.08

$$\frac{x^{\frac{7}{2}} (-a)^{\frac{7}{2}} \left( -\frac{16}{375x^{\frac{3}{2}}(-a)^{\frac{3}{2}}} - \frac{16a}{125\sqrt{x}(-a)^{\frac{3}{2}}} - \frac{8\sqrt{x}a^2(\ln(1-\sqrt{ax})-\ln(1+\sqrt{ax}))}{125(-a)^{\frac{3}{2}}\sqrt{ax}} + \frac{8\ln(-ax+1)}{125x^{\frac{5}{2}}(-a)^{\frac{3}{2}}a} - \frac{4\text{polylog}(2,ax)}{25x^{\frac{5}{2}}(-a)^{\frac{3}{2}}a} - \frac{2\text{polylog}(3,ax)}{5x^{\frac{5}{2}}(-a)^{\frac{3}{2}}a} \right)}{(dx)^{\frac{7}{2}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x)/(d\*x)^(7/2),x)

[Out] 1/(d\*x)^(7/2)\*x^(7/2)\*(-a)^(7/2)/a\*(-16/375/x^(3/2)/(-a)^(3/2)-16/125/x^(1/2)/(-a)^(3/2)\*a-8/125\*x^(1/2)/(-a)^(3/2)\*a^2/(a\*x)^(1/2)\*(ln(1-(a\*x)^(1/2))-ln(1+(a\*x)^(1/2)))+8/125/x^(5/2)/(-a)^(3/2)/a\*ln(-a\*x+1)-4/25/x^(5/2)/(-a)^(3/2)\*polylog(2,a\*x)/a-2/5/x^(5/2)/(-a)^(3/2)/a\*polylog(3,a\*x))

**maxima** [A] time = 0.57, size = 118, normalized size = 0.94

$$\frac{2 \left( \frac{12a^3 \log\left(\frac{\sqrt{ax}a - \sqrt{ad}}{\sqrt{ax}a + \sqrt{ad}}\right)}{\sqrt{ad}d^2} + \frac{24a^2d^2x^2 + 8ad^2x + 30d^2\text{Li}_2(ax) - 12d^2 \log(-adx+d) + 12d^2 \log(d) + 75d^2\text{Li}_3(ax)}{(dx)^{\frac{5}{2}}d^2} \right)}{375d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x)/(d\*x)^(7/2),x, algorithm="maxima")

[Out] 
$$-2/375*(12*a^3*\log((\sqrt{d*x}*a - \sqrt{a*d})/(\sqrt{d*x}*a + \sqrt{a*d}))/(\sqrt{a*d}*d^2) + (24*a^2*d^2*x^2 + 8*a*d^2*x + 30*d^2*\operatorname{dilog}(a*x) - 12*d^2*\log(-a*d*x + d) + 12*d^2*\log(d) + 75*d^2*\operatorname{polylog}(3, a*x))/((d*x)^{(5/2)}*d^2))/d$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(3, a x)}{(d x)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x)/(d*x)^(7/2), x)`

[Out] `int(polylog(3, a*x)/(d*x)^(7/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax)}{(dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3, a*x)/(d*x)**(7/2), x)`

[Out] `Integral(polylog(3, a*x)/(d*x)**(7/2), x)`



### 3.72 $\int (dx)^{3/2} \text{Li}_2(ax^2) dx$

**Optimal.** Leaf size=140

$$\frac{16d^{3/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/4}} + \frac{16d^{3/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/4}} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} - \frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d}$$

[Out]  $-32/125*(d*x)^{(5/2)}/d+16/25*d^{(3/2)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/4)}+16/25*d^{(3/2)}*\operatorname{arctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/4)}+8/25*(d*x)^{(5/2)}*\ln(-a*x^2+1)/d+2/5*(d*x)^{(5/2)}*\operatorname{polylog}(2,a*x^2)/d-32/25*d*(d*x)^{(1/2)}/a$

**Rubi [A]** time = 0.11, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 212, 208, 205}

$$\frac{2(dx)^{5/2} \operatorname{PolyLog}(2, ax^2)}{5d} + \frac{16d^{3/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/4}} + \frac{16d^{3/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25a^{5/4}} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} - \frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d*x)^{(3/2)}*\operatorname{PolyLog}[2, a*x^2], x]$

[Out]  $(-32*d*\operatorname{Sqrt}[d*x])/(25*a) - (32*(d*x)^{(5/2)})/(125*d) + (16*d^{(3/2)}*\operatorname{ArcTan}[a^{(1/4)}*\operatorname{Sqrt}[d*x]/\operatorname{Sqrt}[d]])/(25*a^{(5/4)}) + (16*d^{(3/2)}*\operatorname{ArcTanh}[a^{(1/4)}*\operatorname{Sqrt}[d*x]/\operatorname{Sqrt}[d]])/(25*a^{(5/4)}) + (8*(d*x)^{(5/2)}*\operatorname{Log}[1 - a*x^2])/(25*d) + (2*(d*x)^{(5/2)}*\operatorname{PolyLog}[2, a*x^2])/(5*d)$

#### Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{b, n\}, x] \ \&\& \ \operatorname{IntegerQ}[m]$

#### Rule 205

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

#### Rule 208

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

#### Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
  x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
  + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
  + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
  e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
  b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int (dx)^{3/2} \text{Li}_2(ax^2) dx &= \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{4}{5} \int (dx)^{3/2} \log(1-ax^2) dx \\
&= \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{(16a) \int \frac{x(dx)^{5/2}}{1-ax^2} dx}{25d} \\
&= \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{(16a) \int \frac{(dx)^{7/2}}{1-ax^2} dx}{25d^2} \\
&= -\frac{32(dx)^{5/2}}{125d} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{16}{25} \int \frac{(dx)^{3/2}}{1-ax^2} dx \\
&= -\frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{(16d^2) \int \frac{1}{\sqrt{dx}(1-ax^2)} dx}{25a} \\
&= -\frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{(32d) \text{Subst} \left( \int \frac{1}{1-ax^2} dx \right)}{25a} \\
&= -\frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d} + \frac{8(dx)^{5/2} \log(1-ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^2)}{5d} + \frac{(16d^2) \text{Subst} \left( \int \frac{1}{1-ax^2} dx \right)}{25a} \\
&= -\frac{32d\sqrt{dx}}{25a} - \frac{32(dx)^{5/2}}{125d} + \frac{16d^{3/2} \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{25a^{5/4}} + \frac{16d^{3/2} \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{25a^{5/4}} + \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25a}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 101, normalized size = 0.72

$$\frac{2(dx)^{3/2} \left( \frac{4\sqrt[4]{a}\sqrt{x}(-4ax^2+5ax^2\log(1-ax^2)-20)+40\tan^{-1}(\sqrt[4]{a}\sqrt{x})+40\tanh^{-1}(\sqrt[4]{a}\sqrt{x})}{a^{5/4}} + 25x^{5/2}\text{Li}_2(ax^2) \right)}{125x^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(3/2)\*PolyLog[2, a\*x^2], x]

[Out] (2\*(d\*x)^(3/2)\*((40\*ArcTan[a^(1/4)\*Sqrt[x]] + 40\*ArcTanh[a^(1/4)\*Sqrt[x]] + 4\*a^(1/4)\*Sqrt[x]\*(-20 - 4\*a\*x^2 + 5\*a\*x^2\*Log[1 - a\*x^2]))/a^(5/4) + 25\*x^(5/2)\*PolyLog[2, a\*x^2])/(125\*x^(3/2))

**fricas** [A] time = 0.95, size = 194, normalized size = 1.39

$$2 \left( 80 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} a^4 d \left( \frac{d^6}{a^5} \right)^{\frac{3}{4}} - \sqrt{d^3 x + a^2} \sqrt{\frac{d^6}{a^5}} a^4 \left( \frac{d^6}{a^5} \right)^{\frac{3}{4}}}{d^6} \right) - 20 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \log \left( 8 \sqrt{dx} d + 8 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \right) + 20 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \log \left( \dots \right) \right)$$

125 a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^2),x, algorithm="fricas")

[Out]  $-2/125*(80*a*(d^6/a^5)^{(1/4)}*\arctan(-(\sqrt{d*x})*a^4*d*(d^6/a^5)^{(3/4)} - \sqrt{d^3*x + a^2*\sqrt{d^6/a^5}}*a^4*(d^6/a^5)^{(3/4)})/d^6 - 20*a*(d^6/a^5)^{(1/4)}*\log(8*\sqrt{d*x}*d + 8*a*(d^6/a^5)^{(1/4)}) + 20*a*(d^6/a^5)^{(1/4)}*\log(8*\sqrt{d*x}*d - 8*a*(d^6/a^5)^{(1/4)}) - (25*a*d*x^2*dilog(a*x^2) + 20*a*d*x^2*\log(-a*x^2 + 1) - 16*a*d*x^2 - 80*d)*\sqrt{d*x})/a$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^(3/2)\*dilog(a\*x^2), x)

**maple** [A] time = 0.02, size = 150, normalized size = 1.07

$$\frac{2(dx)^{\frac{5}{2}} \text{polylog}(2, ax^2)}{5d} + \frac{8(dx)^{\frac{5}{2}} \ln\left(\frac{-ad^2x^2+d^2}{d^2}\right)}{25d} - \frac{32(dx)^{\frac{5}{2}}}{125d} - \frac{32d\sqrt{dx}}{25a} + \frac{8d\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \ln\left(\frac{\sqrt{dx} + \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{dx} - \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{25a} + \frac{16d\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \arctan\left(\dots\right)}{25a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(2,a\*x^2),x)

[Out]  $2/5*(d*x)^{(5/2)}*\text{polylog}(2, a*x^2)/d + 8/25/d*(d*x)^{(5/2)}*\ln((-a*d^2*x^2+d^2)/d^2) - 32/125*(d*x)^{(5/2)}/d - 32/25*d*(d*x)^{(1/2)}/a + 8/25*d/a*(d^2/a)^{(1/4)}*\ln(((d*x)^{(1/2)}+(d^2/a)^{(1/4)})/((d*x)^{(1/2)}-(d^2/a)^{(1/4)})) + 16/25*d/a*(d^2/a)^{(1/4)}*\arctan((d*x)^{(1/2)}/(d^2/a)^{(1/4)})$

**maxima** [A] time = 0.45, size = 160, normalized size = 1.14

$$2 \left( \frac{25(dx)^{\frac{5}{2}} a \operatorname{Li}_2(ax^2) + 20(dx)^{\frac{5}{2}} a \log(-ad^2x^2 + d^2) - 8(dx)^{\frac{5}{2}} (5a \log(d) + 2a) - 80\sqrt{dx}d^2}{a} + \frac{20 \left( \frac{2d^3 \arctan\left(\frac{\sqrt{dx}\sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}} - \frac{d^3 \log\left(\frac{\sqrt{dx}\sqrt{a} - \sqrt{\sqrt{a}d}}{\sqrt{dx}\sqrt{a} + \sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}} \right)}{a} \right)$$

$125d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^2),x, algorithm="maxima")

[Out] 2/125\*((25\*(d\*x)^(5/2)\*a\*dilog(a\*x^2) + 20\*(d\*x)^(5/2)\*a\*log(-a\*d^2\*x^2 + d^2) - 8\*(d\*x)^(5/2)\*(5\*a\*log(d) + 2\*a) - 80\*sqrt(d\*x)\*d^2)/a + 20\*(2\*d^3\*arctan(sqrt(d\*x)\*sqrt(a)/sqrt(sqrt(a)\*d))/sqrt(sqrt(a)\*d) - d^3\*log((sqrt(d\*x)\*sqrt(a) - sqrt(sqrt(a)\*d))/(sqrt(d\*x)\*sqrt(a) + sqrt(sqrt(a)\*d)))/sqrt(sqrt(a)\*d))/a)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(2, ax^2) (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)\*(d\*x)^(3/2),x)

[Out] int(polylog(2, a\*x^2)\*(d\*x)^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(3/2)\*polylog(2,a\*x\*\*2),x)

[Out] Timed out

### 3.73 $\int \sqrt{dx} \operatorname{Li}_2(ax^2) dx$

**Optimal.** Leaf size=125

$$-\frac{16\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{2(dx)^{3/2}\operatorname{Li}_2(ax^2)}{3d} + \frac{8(dx)^{3/2} \log(1-ax^2)}{9d} - \frac{32(dx)^{3/2}}{27d}$$

[Out]  $-32/27*(d*x)^{(3/2)}/d+8/9*(d*x)^{(3/2)}*\ln(-a*x^2+1)/d+2/3*(d*x)^{(3/2)}*\operatorname{polylog}(2,a*x^2)/d-16/9*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a^{(3/4)}+16/9*\operatorname{rctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a^{(3/4)}$

**Rubi [A]** time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 298, 205, 208}

$$\frac{2(dx)^{3/2}\operatorname{PolyLog}(2,ax^2)}{3d} - \frac{16\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{8(dx)^{3/2} \log(1-ax^2)}{9d} - \frac{32(dx)^{3/2}}{27d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d*x]*PolyLog[2, a*x^2], x]`

[Out]  $(-32*(d*x)^{(3/2)})/(27*d) - (16*\operatorname{Sqrt}[d]*\operatorname{ArcTan}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(9*a^{(3/4)}) + (16*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(9*a^{(3/4)}) + (8*(d*x)^{(3/2)}*\operatorname{Log}[1 - a*x^2])/(9*d) + (2*(d*x)^{(3/2)}*\operatorname{PolyLog}[2, a*x^2])/(3*d)$

#### Rule 16

`Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 205

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 208

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

#### Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{dx} \operatorname{Li}_2(ax^2) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{4}{3} \int \sqrt{dx} \log(1 - ax^2) dx \\
&= \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{(16a) \int \frac{x(dx)^{3/2}}{1-ax^2} dx}{9d} \\
&= \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{(16a) \int \frac{(dx)^{5/2}}{1-ax^2} dx}{9d^2} \\
&= -\frac{32(dx)^{3/2}}{27d} + \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{16}{9} \int \frac{\sqrt{dx}}{1 - ax^2} dx \\
&= -\frac{32(dx)^{3/2}}{27d} + \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{32 \operatorname{Subst}\left(\int \frac{x^2}{1 - \frac{ax^4}{d^2}} dx, x, \sqrt{dx}\right)}{9d} \\
&= -\frac{32(dx)^{3/2}}{27d} + \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^2)}{3d} + \frac{(16d) \operatorname{Subst}\left(\int \frac{1}{d - \sqrt{a}x^2} dx, x, \sqrt{dx}\right)}{9\sqrt{a}} \\
&= -\frac{32(dx)^{3/2}}{27d} - \frac{16\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{16\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9a^{3/4}} + \frac{8(dx)^{3/2} \log(1 - ax^2)}{9d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 91, normalized size = 0.73

$$\frac{2\sqrt{dx} \left( \frac{4(a^{3/4}x^{3/2}(3\log(1-ax^2)-4)-6\tan^{-1}(\frac{\sqrt[4]{a}\sqrt{x}}{\sqrt{d}})+6\tanh^{-1}(\frac{\sqrt[4]{a}\sqrt{x}}{\sqrt{d}}))}{a^{3/4}} + 9x^{3/2}\operatorname{Li}_2(ax^2) \right)}{27\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d\*x]\*PolyLog[2, a\*x^2], x]

[Out] (2\*Sqrt[d\*x]\*((4\*(-6\*ArcTan[a^(1/4)\*Sqrt[x]] + 6\*ArcTanh[a^(1/4)\*Sqrt[x]] + a^(3/4)\*x^(3/2)\*(-4 + 3\*Log[1 - a\*x^2])))/a^(3/4) + 9\*x^(3/2)\*PolyLog[2, a\*x^2]))/(27\*Sqrt[x])

**fricas [A]** time = 0.74, size = 172, normalized size = 1.38

$$\frac{2}{27} \sqrt{dx} \left( 9x \operatorname{Li}_2(ax^2) + 12x \log(-ax^2 + 1) - 16x \right) + \frac{32}{9} \left( \frac{d^2}{a^3} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} ad \left( \frac{d^2}{a^3} \right)^{\frac{1}{4}} - \sqrt{d^3x + ad^2} \sqrt{\frac{d^2}{a^3}} a \left( \frac{d^2}{a^3} \right)}{d^2} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^2),x, algorithm="fricas")

[Out]  $2/27*\sqrt{d*x}*(9*x*\operatorname{dilog}(a*x^2) + 12*x*\log(-a*x^2 + 1) - 16*x) + 32/9*(d^2/a^3)^{1/4}*\arctan(-(\sqrt{d*x}*a*d*(d^2/a^3)^{1/4} - \sqrt{d^3*x + a*d^2*\sqrt{d^2/a^3}})*a*(d^2/a^3)^{1/4})/d^2) + 8/9*(d^2/a^3)^{1/4}*\log(512*a^2*(d^2/a^3)^{3/4} + 512*\sqrt{d*x}*d) - 8/9*(d^2/a^3)^{1/4}*\log(-512*a^2*(d^2/a^3)^{3/4} + 512*\sqrt{d*x}*d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \operatorname{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^2),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*dilog(a\*x^2), x)

**maple** [A] time = 0.01, size = 139, normalized size = 1.11

$$\frac{2(dx)^{\frac{3}{2}} \operatorname{polylog}\left(2, ax^2\right)}{3d} + \frac{8(dx)^{\frac{3}{2}} \ln\left(\frac{-ad^2x^2+d^2}{d^2}\right)}{9d} - \frac{32(dx)^{\frac{3}{2}}}{27d} - \frac{16d \arctan\left(\frac{\sqrt{dx}}{\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{9a\left(\frac{d^2}{a}\right)^{\frac{1}{4}}} + \frac{8d \ln\left(\frac{\sqrt{dx}+\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{dx}-\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{9a\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(1/2)\*polylog(2,a\*x^2),x)

[Out]  $2/3*(d*x)^{3/2}*polylog(2,a*x^2)/d+8/9/d*(d*x)^{3/2}*\ln((-a*d^2*x^2+d^2)/d^2)-32/27*(d*x)^{3/2}/d-16/9*d/a/(d^2/a)^{1/4}*\arctan((d*x)^{1/2}/(d^2/a)^{1/4})+8/9*d/a/(d^2/a)^{1/4}*\ln(((d*x)^{1/2}+(d^2/a)^{1/4})/((d*x)^{1/2}-(d^2/a)^{1/4}))$

**maxima** [A] time = 1.06, size = 139, normalized size = 1.11

$$2 \left( 12 d^2 \left( \frac{2 \arctan\left(\frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} + \frac{\log\left(\frac{\sqrt{dx} \sqrt{a} - \sqrt{\sqrt{a} d}}{\sqrt{dx} \sqrt{a} + \sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} \right) + 8 (dx)^{\frac{3}{2}} (3 \log(d) + 2) - 9 (dx)^{\frac{3}{2}} \operatorname{Li}_2(ax^2) - 12 (dx)^{\frac{3}{2}} \log(-ad^2) \right)$$

27 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^2),x, algorithm="maxima")

[Out] 
$$-2/27*(12*d^2*(2*\arctan(\sqrt{d*x}*\sqrt{a})/\sqrt{\sqrt{a}*d})/(\sqrt{\sqrt{a}*d}*\sqrt{a}) + \log((\sqrt{d*x}*\sqrt{a} - \sqrt{\sqrt{a}*d})/(\sqrt{d*x}*\sqrt{a} + \sqrt{\sqrt{a}*d}))/(\sqrt{\sqrt{a}*d}*\sqrt{a})) + 8*(d*x)^{(3/2)}*(3*\log(d) + 2) - 9*(d*x)^{(3/2)}*\operatorname{dilog}(a*x^2) - 12*(d*x)^{(3/2)}*\log(-a*d^2*x^2 + d^2))/d$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(2, ax^2) \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)\*(d\*x)^(1/2),x)

[Out] int(polylog(2, a\*x^2)\*(d\*x)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(1/2)\*polylog(2,a\*x\*\*2),x)

[Out] Timed out

$$3.74 \quad \int \frac{\text{Li}_2(ax^2)}{\sqrt{dx}} dx$$

Optimal. Leaf size=115

$$\frac{2\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{16 \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} + \frac{16 \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} - \frac{32\sqrt{dx}}{d}$$

[Out] 16\*arctan(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/a^(1/4)/d^(1/2)+16\*arctanh(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/a^(1/4)/d^(1/2)-32\*(d\*x)^(1/2)/d+8\*ln(-a\*x^2+1)\*(d\*x)^(1/2)/d+2\*polylog(2,a\*x^2)\*(d\*x)^(1/2)/d

**Rubi** [A] time = 0.08, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 212, 208, 205}

$$\frac{2\sqrt{dx} \text{PolyLog}(2, ax^2)}{d} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{16 \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} + \frac{16 \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} - \frac{32\sqrt{dx}}{d}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/Sqrt[d\*x], x]

[Out] (-32\*Sqrt[d\*x])/d + (16\*ArcTan[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]])/(a^(1/4)\*Sqrt[d]) + (16\*ArcTanh[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]])/(a^(1/4)\*Sqrt[d]) + (8\*Sqrt[d\*x]\*Log[1 - a\*x^2])/d + (2\*Sqrt[d\*x]\*PolyLog[2, a\*x^2])/d

#### Rule 16

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
  x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
  + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^
n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
  + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
  e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
  l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[
  (p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
  b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\operatorname{Li}_2(ax^2)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + 4 \int \frac{\log(1-ax^2)}{\sqrt{dx}} dx \\
&= \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + \frac{(16a) \int \frac{x\sqrt{dx}}{1-ax^2} dx}{d} \\
&= \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + \frac{(16a) \int \frac{(dx)^{3/2}}{1-ax^2} dx}{d^2} \\
&= -\frac{32\sqrt{dx}}{d} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + 16 \int \frac{1}{\sqrt{dx} (1-ax^2)} dx \\
&= -\frac{32\sqrt{dx}}{d} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + \frac{32 \operatorname{Subst}\left(\int \frac{1}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx}\right)}{d} \\
&= -\frac{32\sqrt{dx}}{d} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d} + 16 \operatorname{Subst}\left(\int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx}\right) + 16 \\
&= -\frac{32\sqrt{dx}}{d} + \frac{16 \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} + \frac{16 \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a} \sqrt{d}} + \frac{8\sqrt{dx} \log(1-ax^2)}{d} + \frac{2\sqrt{dx} \operatorname{Li}_2(ax^2)}{d}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 57, normalized size = 0.50

$$\frac{5x\Gamma\left(\frac{5}{4}\right)\left(16 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) + \operatorname{Li}_2(ax^2) + 4 \log(1-ax^2) - 16\right)}{2\Gamma\left(\frac{9}{4}\right)\sqrt{dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^2]/Sqrt[d\*x], x]

[Out] (5\*x\*Gamma[5/4]\*(-16 + 16\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 4\*Log[1 - a\*x^2] + PolyLog[2, a\*x^2]))/(2\*Sqrt[d\*x]\*Gamma[9/4])

**fricas [A]** time = 0.59, size = 156, normalized size = 1.36

$$\frac{2\left(16d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} \arctan\left(\sqrt{d^2\sqrt{\frac{1}{ad^2}} + dx} ad\left(\frac{1}{ad^2}\right)^{\frac{3}{4}} - \sqrt{dx} ad\left(\frac{1}{ad^2}\right)^{\frac{3}{4}}\right) - 4d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} \log\left(d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} + \sqrt{dx}\right) + 4d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(1/2),x, algorithm="fricas")

[Out]  $-2*(16*d*(1/(a*d^2))^{1/4}*\arctan(\sqrt{d^2*\sqrt{1/(a*d^2)}} + d*x)*a*d*(1/(a*d^2))^{3/4} - \sqrt{d*x}*a*d*(1/(a*d^2))^{3/4}) - 4*d*(1/(a*d^2))^{1/4}*\log(d*(1/(a*d^2))^{1/4} + \sqrt{d*x}) + 4*d*(1/(a*d^2))^{1/4}*\log(-d*(1/(a*d^2))^{1/4} + \sqrt{d*x}) - \sqrt{d*x}*(\operatorname{dilog}(a*x^2) + 4*\log(-a*x^2 + 1) - 16))/d$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(1/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/sqrt(d\*x), x)

**maple** [A] time = 0.02, size = 137, normalized size = 1.19

$$\frac{2 \operatorname{polylog}\left(2, a x^2\right) \sqrt{d x}}{d} + \frac{8 \sqrt{d x} \ln\left(\frac{-a d^2 x^2 + d^2}{d^2}\right)}{d} + \frac{16\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{d x}}{\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{d} + \frac{8\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \ln\left(\frac{\sqrt{d x} + \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{d x} - \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{d} - \frac{32 \sqrt{d x}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/(d\*x)^(1/2),x)

[Out]  $2*\operatorname{polylog}(2,a*x^2)*(d*x)^{1/2}/d+8/d*(d*x)^{1/2}*\ln((-a*d^2*x^2+d^2)/d^2)+1/6*d*(d^2/a)^{1/4}*\arctan((d*x)^{1/2}/(d^2/a)^{1/4})+8/d*(d^2/a)^{1/4}*\ln(((d*x)^{1/2}+(d^2/a)^{1/4})/((d*x)^{1/2}-(d^2/a)^{1/4}))-32*(d*x)^{1/2}/d$

**maxima** [A] time = 1.36, size = 128, normalized size = 1.11

$$\frac{2 \left( 8 \sqrt{d x} (\log(d) + 2) - \frac{8 d \arctan\left(\frac{\sqrt{d x} \sqrt{a}}{\sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d}} - \sqrt{d x} \operatorname{Li}_2\left(a x^2\right) - 4 \sqrt{d x} \log\left(-a d^2 x^2 + d^2\right) + \frac{4 d \log\left(\frac{\sqrt{d x} \sqrt{a} - \sqrt{\sqrt{a} d}}{\sqrt{d x} \sqrt{a} + \sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(1/2),x, algorithm="maxima")

```
[Out] -2*(8*sqrt(d*x)*(log(d) + 2) - 8*d*arctan(sqrt(d*x)*sqrt(a)/sqrt(sqrt(a)*d)
)/sqrt(sqrt(a)*d) - sqrt(d*x)*dilog(a*x^2) - 4*sqrt(d*x)*log(-a*d^2*x^2 + d
^2) + 4*d*log((sqrt(d*x)*sqrt(a) - sqrt(sqrt(a)*d))/(sqrt(d*x)*sqrt(a) + sq
rt(sqrt(a)*d)))/sqrt(sqrt(a)*d))/d
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^2)/(d*x)^(1/2), x)
```

```
[Out] int(polylog(2, a*x^2)/(d*x)^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, a*x**2)/(d*x)**(1/2), x)
```

```
[Out] Integral(polylog(2, a*x**2)/sqrt(d*x), x)
```

$$3.75 \quad \int \frac{\operatorname{Li}_2(ax^2)}{(dx)^{3/2}} dx$$

**Optimal.** Leaf size=103

$$-\frac{16\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{16\sqrt[4]{a} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\operatorname{Li}_2(ax^2)}{d\sqrt{dx}} + \frac{8\log(1-ax^2)}{d\sqrt{dx}}$$

[Out]  $-16*a^{(1/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(3/2)}+16*a^{(1/4)}*\operatorname{arctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(3/2)}+8*\ln(-a*x^2+1)/d/(d*x)^{(1/2)}-2*\operatorname{polylog}(2,a*x^2)/d/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {6591, 2455, 16, 329, 298, 205, 208}

$$-\frac{2\operatorname{PolyLog}(2,ax^2)}{d\sqrt{dx}} - \frac{16\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{16\sqrt[4]{a} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{8\log(1-ax^2)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] `Int[PolyLog[2, a*x^2]/(d*x)^(3/2), x]`

[Out]  $(-16*a^{(1/4)}*\operatorname{ArcTan}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/d^{(3/2)} + (16*a^{(1/4)}*\operatorname{ArcTanh}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/d^{(3/2)} + (8*\operatorname{Log}[1 - a*x^2])/ (d*\operatorname{Sqrt}[d*x]) - (2*\operatorname{PolyLog}[2, a*x^2])/ (d*\operatorname{Sqrt}[d*x])$

#### Rule 16

`Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

#### Rule 298



```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/((d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax^2)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}} - 4 \int \frac{\log(1-ax^2)}{(dx)^{3/2}} dx \\
&= \frac{8 \log(1-ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}} + \frac{(16a) \int \frac{x}{\sqrt{dx}(1-ax^2)} dx}{d} \\
&= \frac{8 \log(1-ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}} + \frac{(16a) \int \frac{\sqrt{dx}}{1-ax^2} dx}{d^2} \\
&= \frac{8 \log(1-ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}} + \frac{(32a) \text{Subst} \left( \int \frac{x^2}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx} \right)}{d^3} \\
&= \frac{8 \log(1-ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}} + \frac{(16\sqrt{a}) \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{d} - \frac{(16\sqrt{a}) \text{Subst} \left( \int \frac{1}{d+\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{d} \\
&= -\frac{16\sqrt[4]{a} \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{d^{3/2}} + \frac{16\sqrt[4]{a} \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{d^{3/2}} + \frac{8 \log(1-ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{d\sqrt{dx}}
\end{aligned}$$

**Mathematica** [C] time = 0.07, size = 62, normalized size = 0.60

$$\frac{x\Gamma\left(\frac{3}{4}\right)\left(16ax^2 {}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) - 3\text{Li}_2(ax^2) + 12 \log(1-ax^2)\right)}{2\Gamma\left(\frac{7}{4}\right)(dx)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^2]/(d\*x)^(3/2),x]

[Out] (x\*Gamma[3/4]\*(16\*a\*x^2\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 12\*Log[1 - a\*x^2] - 3\*PolyLog[2, a\*x^2]))/(2\*(d\*x)^(3/2)\*Gamma[7/4])

**fricas** [B] time = 0.85, size = 170, normalized size = 1.65

$$\frac{2 \left( 16 d^2 x \left( \frac{a}{d^6} \right)^{\frac{1}{4}} \arctan \left( -\frac{\sqrt{dx} ad \left( \frac{a}{d^6} \right)^{\frac{1}{4}} - \sqrt{ad^4 \frac{a}{d^6} + a^2 dx} d \left( \frac{a}{d^6} \right)^{\frac{1}{4}}}{a} \right) + 4 d^2 x \left( \frac{a}{d^6} \right)^{\frac{1}{4}} \log \left( 512 d^5 \left( \frac{a}{d^6} \right)^{\frac{3}{4}} + 512 \sqrt{dx} a \right) - 4 d^2 x \right)}{d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(3/2),x, algorithm="fricas")

[Out]  $2*(16*d^2*x*(a/d^6)^{(1/4)}*\arctan(-(\sqrt{d*x})*a*d*(a/d^6)^{(1/4)} - \sqrt{a*d^4*\sqrt{a/d^6}} + a^2*d*x)*d*(a/d^6)^{(1/4)})/a + 4*d^2*x*(a/d^6)^{(1/4)}*\log(512*d^5*(a/d^6)^{(3/4)} + 512*\sqrt{d*x}*a) - 4*d^2*x*(a/d^6)^{(1/4)}*\log(-512*d^5*(a/d^6)^{(3/4)} + 512*\sqrt{d*x}*a) - \sqrt{d*x}*(\operatorname{dilog}(a*x^2) - 4*\log(-a*x^2 + 1)))/(d^2*x)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax^2)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(3/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/(d\*x)^(3/2), x)

**maple** [A] time = 0.01, size = 127, normalized size = 1.23

$$-\frac{2 \operatorname{polylog}\left(2, a x^2\right)}{d \sqrt{d x}} + \frac{8 \ln\left(\frac{-a d^2 x^2 + d^2}{d^2}\right)}{d \sqrt{d x}} - \frac{16 \arctan\left(\frac{\sqrt{d x}}{\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{d\left(\frac{d^2}{a}\right)^{\frac{1}{4}}} + \frac{8 \ln\left(\frac{\sqrt{d x} + \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{d x} - \left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{d\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/(d\*x)^(3/2),x)

[Out]  $-2*\operatorname{polylog}(2,a*x^2)/d/(d*x)^{(1/2)}+8/d/(d*x)^{(1/2)}*\ln((-a*d^2*x^2+d^2)/d^2)-16/d/(d^2/a)^{(1/4)}*\arctan((d*x)^{(1/2)}/(d^2/a)^{(1/4)})+8/d/(d^2/a)^{(1/4)}*\ln(((d*x)^{(1/2)}+(d^2/a)^{(1/4)})/((d*x)^{(1/2)}-(d^2/a)^{(1/4)}))$

**maxima** [A] time = 1.08, size = 123, normalized size = 1.19

$$\frac{2 \left( 4 a \left( \frac{2 \arctan\left(\frac{\sqrt{d x} \sqrt{a}}{\sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} + \frac{\log\left(\frac{\sqrt{d x} \sqrt{a} - \sqrt{\sqrt{a} d}}{\sqrt{d x} \sqrt{a} + \sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} \right) + \frac{\operatorname{Li}_2(ax^2) - 4 \log(-ad^2x^2 + d^2) + 8 \log(d)}{\sqrt{d x}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(3/2),x, algorithm="maxima")

[Out]  $-2*(4*a*(2*\arctan(\sqrt{d*x}*\sqrt{a})/\sqrt{(\sqrt{a}*d)})/(\sqrt{(\sqrt{a}*d)*\sqrt{a}}) + \log((\sqrt{d*x}*\sqrt{a} - \sqrt{(\sqrt{a}*d)})/(\sqrt{d*x}*\sqrt{a} + \sqrt{(\sqrt{a}*d)})))/(\sqrt{(\sqrt{a}*d)*\sqrt{a}}) + (\operatorname{dilog}(a*x^2) - 4*\log(-a*d^2*x^2 + d^2) + 8*\log(d))/\sqrt{d*x})/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(2, a x^2)}{(d x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)/(d\*x)^(3/2),x)

[Out] int(polylog(2, a\*x^2)/(d\*x)^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*2)/(d\*x)\*\*(3/2),x)

[Out] Timed out

$$3.76 \quad \int \frac{\text{Li}_2(ax^2)}{(dx)^{5/2}} dx$$

**Optimal.** Leaf size=111

$$\frac{16a^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} + \frac{16a^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} + \frac{8 \log(1 - ax^2)}{9d(dx)^{3/2}}$$

[Out] 16/9\*a^(3/4)\*arctan(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/d^(5/2)+16/9\*a^(3/4)\*arctanh(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/d^(5/2)+8/9\*ln(-a\*x^2+1)/d/(d\*x)^(3/2)-2/3\*polylog(2,a\*x^2)/d/(d\*x)^(3/2)

**Rubi [A]** time = 0.07, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {6591, 2455, 16, 329, 212, 208, 205}

$$-\frac{2\text{PolyLog}(2, ax^2)}{3d(dx)^{3/2}} + \frac{16a^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} + \frac{16a^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{9d^{5/2}} + \frac{8 \log(1 - ax^2)}{9d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/(d\*x)^(5/2), x]

[Out] (16\*a^(3/4)\*ArcTan[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]]/(9\*d^(5/2)) + (16\*a^(3/4)\*ArcTanh[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]]/(9\*d^(5/2)) + (8\*Log[1 - a\*x^2])/(9\*d\*(d\*x)^(3/2)) - (2\*PolyLog[2, a\*x^2])/(3\*d\*(d\*x)^(3/2))

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

### Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^
  n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
+ 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax^2)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} - \frac{4}{3} \int \frac{\log(1-ax^2)}{(dx)^{5/2}} dx \\
&= \frac{8\log(1-ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} + \frac{(16a) \int \frac{x}{(dx)^{3/2}(1-ax^2)} dx}{9d} \\
&= \frac{8\log(1-ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} + \frac{(16a) \int \frac{1}{\sqrt{dx}(1-ax^2)} dx}{9d^2} \\
&= \frac{8\log(1-ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} + \frac{(32a) \text{Subst} \left( \int \frac{1}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx} \right)}{9d^3} \\
&= \frac{8\log(1-ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}} + \frac{(16a) \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{9d^2} + \frac{(16a) \text{Subst} \left( \int \frac{1}{d+\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{9d^2} \\
&= \frac{16a^{3/4} \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{9d^{5/2}} + \frac{16a^{3/4} \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{9d^{5/2}} + \frac{8\log(1-ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^2)}{3d(dx)^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 62, normalized size = 0.56

$$\frac{x\Gamma\left(\frac{1}{4}\right)\left(16ax^2 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) - 3\text{Li}_2(ax^2) + 4\log(1-ax^2)\right)}{18\Gamma\left(\frac{5}{4}\right)(dx)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^2]/(d\*x)^(5/2), x]

[Out] (x\*Gamma[1/4]\*(16\*a\*x^2\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 4\*Log[1 - a\*x^2] - 3\*PolyLog[2, a\*x^2]))/(18\*(d\*x)^(5/2)\*Gamma[5/4])

**fricas [B]** time = 0.50, size = 196, normalized size = 1.77

$$\frac{2 \left( 16 d^3 x^2 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} ad^7 \left( \frac{a^3}{d^{10}} \right)^{\frac{3}{4}} - \sqrt{d^6 \sqrt{\frac{a^3}{d^{10}} + a^2 dx} d^7 \left( \frac{a^3}{d^{10}} \right)^{\frac{3}{4}}}}{a^3} \right) - 4 d^3 x^2 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} \log \left( 8 d^3 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} + 8 \sqrt{dx} a \right) + 4 \right)}{9 d^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(5/2),x, algorithm="fricas")

[Out] 
$$-2/9*(16*d^3*x^2*(a^3/d^10)^{(1/4)}*\arctan(-(\sqrt{d*x}*a*d^7*(a^3/d^10)^{(3/4)} - \sqrt{d^6*\sqrt{a^3/d^10} + a^2*d*x})*d^7*(a^3/d^10)^{(3/4)})/a^3 - 4*d^3*x^2*(a^3/d^10)^{(1/4)}*\log(8*d^3*(a^3/d^10)^{(1/4)} + 8*\sqrt{d*x}*a) + 4*d^3*x^2*(a^3/d^10)^{(1/4)}*\log(-8*d^3*(a^3/d^10)^{(1/4)} + 8*\sqrt{d*x}*a) + \sqrt{d*x}*(3*\operatorname{dilog}(a*x^2) - 4*\log(-a*x^2 + 1)))/(d^3*x^2)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax^2)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/(d\*x)^(5/2), x)

**maple** [A] time = 0.01, size = 129, normalized size = 1.16

$$-\frac{2 \operatorname{polylog}\left(2, a x^2\right)}{3 d (d x)^{\frac{3}{2}}} + \frac{8 \ln\left(\frac{-a d^2 x^2+d^2}{d^2}\right)}{9 d (d x)^{\frac{3}{2}}} + \frac{8 a\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \ln\left(\frac{\sqrt{d x}+\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{d x}-\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{9 d^3} + \frac{16 a\left(\frac{d^2}{a}\right)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{d x}}{\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{9 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/(d\*x)^(5/2),x)

[Out] 
$$-2/3*\operatorname{polylog}(2,a*x^2)/d/(d*x)^{(3/2)}+8/9/d/(d*x)^{(3/2)}*\ln((-a*d^2*x^2+d^2)/d^2)+8/9/d^3*a*(d^2/a)^{(1/4)}*\ln(((d*x)^{(1/2)}+(d^2/a)^{(1/4)})/((d*x)^{(1/2)}-(d^2/a)^{(1/4)}))+16/9/d^3*a*(d^2/a)^{(1/4)}*\arctan((d*x)^{(1/2)}/(d^2/a)^{(1/4)})$$

**maxima** [A] time = 1.08, size = 125, normalized size = 1.13

$$2 \left( \frac{8 a \arctan\left(\frac{\sqrt{d x} \sqrt{a}}{\sqrt{a d}}\right)}{\sqrt{a d d}} - \frac{4 a \log\left(\frac{\sqrt{d x} \sqrt{a}-\sqrt{a d}}{\sqrt{d x} \sqrt{a}+\sqrt{a d}}\right)}{\sqrt{a d d}} - \frac{3 \operatorname{Li}_2\left(a x^2\right)-4 \log\left(-a d^2 x^2+d^2\right)+8 \log(d)}{(d x)^{\frac{3}{2}}} \right) / 9 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(5/2),x, algorithm="maxima")



```
[Out] 2/9*(8*a*arctan(sqrt(d*x)*sqrt(a)/sqrt(sqrt(a)*d))/(sqrt(sqrt(a)*d)*d) - 4*
a*log((sqrt(d*x)*sqrt(a) - sqrt(sqrt(a)*d))/(sqrt(d*x)*sqrt(a) + sqrt(sqrt(
a)*d)))/(sqrt(sqrt(a)*d)*d) - (3*dilog(a*x^2) - 4*log(-a*d^2*x^2 + d^2) + 8
*log(d))/(d*x)^(3/2))/d
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^2)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^2)/(d*x)^(5/2), x)
```

```
[Out] int(polylog(2, a*x^2)/(d*x)^(5/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, a*x**2)/(d*x)**(5/2), x)
```

```
[Out] Timed out
```

$$3.77 \quad \int \frac{\text{Li}_2(ax^2)}{(dx)^{7/2}} dx$$

**Optimal.** Leaf size=126

$$-\frac{16a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} + \frac{16a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} - \frac{32a}{25d^3 \sqrt{dx}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{8 \log(1 - ax^2)}{25d(dx)^{5/2}}$$

[Out]  $-16/25*a^{(5/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+16/25*a^{(5/4)}*\arctanh(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+8/25*\ln(-a*x^2+1)/d/(d*x)^{(5/2)}-2/5*\text{polylog}(2,a*x^2)/d/(d*x)^{(5/2)}-32/25*a/d^3/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 325, 329, 298, 205, 208}

$$-\frac{2\text{PolyLog}(2, ax^2)}{5d(dx)^{5/2}} - \frac{16a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} + \frac{16a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} - \frac{32a}{25d^3 \sqrt{dx}} + \frac{8 \log(1 - ax^2)}{25d(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^2]/(d\*x)^(7/2), x]

[Out]  $(-32*a)/(25*d^3*\text{Sqrt}[d*x]) - (16*a^{(5/4)}*\text{ArcTan}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/(25*d^{(7/2)}) + (16*a^{(5/4)}*\text{ArcTanh}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/(25*d^{(7/2)}) + (8*\text{Log}[1 - a*x^2])/(25*d*(d*x)^{(5/2)}) - (2*\text{PolyLog}[2, a*x^2])/(5*d*(d*x)^{(5/2)})$

**Rule 16**

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 298**

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

### Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(ax^2)}{(dx)^{7/2}} dx &= -\frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} - \frac{4}{5} \int \frac{\log(1-ax^2)}{(dx)^{7/2}} dx \\
&= \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{(16a) \int \frac{x}{(dx)^{5/2}(1-ax^2)} dx}{25d} \\
&= \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{(16a) \int \frac{1}{(dx)^{3/2}(1-ax^2)} dx}{25d^2} \\
&= -\frac{32a}{25d^3\sqrt{dx}} + \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{(16a^2) \int \frac{\sqrt{dx}}{1-ax^2} dx}{25d^4} \\
&= -\frac{32a}{25d^3\sqrt{dx}} + \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{(32a^2) \text{Subst}\left(\int \frac{x^2}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx}\right)}{25d^5} \\
&= -\frac{32a}{25d^3\sqrt{dx}} + \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}} + \frac{(16a^{3/2}) \text{Subst}\left(\int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx}\right)}{25d^3} - \frac{(16a^{3/2})}{25d^3} \\
&= -\frac{32a}{25d^3\sqrt{dx}} - \frac{16a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} + \frac{16a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{25d^{7/2}} + \frac{8 \log(1-ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_2(ax^2)}{5d(dx)^{5/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 70, normalized size = 0.56

$$\frac{x\Gamma\left(-\frac{1}{4}\right)\left(16a^2x^4 {}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) - 15\text{Li}_2(ax^2) - 48ax^2 + 12 \log(1-ax^2)\right)}{150\Gamma\left(\frac{3}{4}\right)(dx)^{7/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^2]/(d\*x)^(7/2), x]

[Out] -1/150\*(x\*Gamma[-1/4]\*(-48\*a\*x^2 + 16\*a^2\*x^4\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 12\*Log[1 - a\*x^2] - 15\*PolyLog[2, a\*x^2]))/((d\*x)^(7/2)\*Gamma[3/4])

**fricas [B]** time = 0.74, size = 212, normalized size = 1.68

$$2 \left( 16 d^4 x^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} \arctan \left( -\frac{\sqrt{dx} a^4 d^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} - \sqrt{a^5 d^8 \sqrt{\frac{a^5}{d^{14}} + a^8 dx} d^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}}}}{a^5} \right) + 4 d^4 x^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} \log \left( 512 d^{11} \left( \frac{a^5}{d^{14}} \right)^{\frac{3}{4}} + 512 \sqrt{dx} \right) \right)$$

25 d^4 x^3

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(7/2),x, algorithm="fricas")

[Out]  $2/25*(16*d^4*x^3*(a^5/d^14)^(1/4)*\arctan(-(\sqrt{d*x})*a^4*d^3*(a^5/d^14)^(1/4) - \sqrt{a^5*d^8*\sqrt{a^5/d^14} + a^8*d*x}*d^3*(a^5/d^14)^(1/4))/a^5) + 4*d^4*x^3*(a^5/d^14)^(1/4)*\log(512*d^11*(a^5/d^14)^(3/4) + 512*\sqrt{d*x}*a^4) - 4*d^4*x^3*(a^5/d^14)^(1/4)*\log(-512*d^11*(a^5/d^14)^(3/4) + 512*\sqrt{d*x})*a^4) - (16*a*x^2 + 5*\operatorname{dilog}(a*x^2) - 4*\log(-a*x^2 + 1))*\sqrt{d*x})/(d^4*x^3)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ax^2)}{(dx)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(7/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^2)/(d\*x)^(7/2), x)

**maple** [A] time = 0.02, size = 140, normalized size = 1.11

$$-\frac{2 \operatorname{polylog}\left(2, a x^2\right)}{5 d(d x)^{\frac{5}{2}}} + \frac{8 \ln\left(\frac{-a d^2 x^2+d^2}{d^2}\right)}{25 d(d x)^{\frac{5}{2}}} - \frac{32 a}{25 d^3 \sqrt{d x}} - \frac{16 a \arctan\left(\frac{\sqrt{d x}}{\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{25 d^3\left(\frac{d^2}{a}\right)^{\frac{1}{4}}} + \frac{8 a \ln\left(\frac{\sqrt{d x}+\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}{\sqrt{d x}-\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}\right)}{25 d^3\left(\frac{d^2}{a}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^2)/(d\*x)^(7/2),x)

[Out]  $-2/5*\operatorname{polylog}(2,a*x^2)/d/(d*x)^(5/2)+8/25/d/(d*x)^(5/2)*\ln((-a*d^2*x^2+d^2)/d^2)-32/25*a/d^3/(d*x)^(1/2)-16/25/d^3*a/(d^2/a)^(1/4)*\arctan((d*x)^(1/2)/(d^2/a)^(1/4))+8/25/d^3*a/(d^2/a)^(1/4)*\ln(((d*x)^(1/2)+(d^2/a)^(1/4))/((d*x)^(1/2)-(d^2/a)^(1/4)))$

**maxima** [A] time = 0.46, size = 151, normalized size = 1.20

$$2 \left[ \frac{4a^2 \left( \frac{2 \arctan\left(\frac{\sqrt{dx}\sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}\sqrt{a}} + \frac{\log\left(\frac{\sqrt{dx}\sqrt{a}-\sqrt{\sqrt{a}d}}{\sqrt{dx}\sqrt{a}+\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}\sqrt{a}} \right)}{d^2} + \frac{16ad^2x^2 + 5d^2\text{Li}_2(ax^2) - 4d^2\log(-ad^2x^2 + d^2) + 8d^2\log(d)}{(dx)^{\frac{5}{2}}d^2} \right]$$


---

25 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^2)/(d\*x)^(7/2),x, algorithm="maxima")

[Out]  $-2/25*(4*a^2*(2*\arctan(\sqrt{d*x}*\sqrt{a})/\sqrt{(\sqrt{a}*d)})/(\sqrt{(\sqrt{a}*d)}*\sqrt{a}) + \log((\sqrt{d*x}*\sqrt{a} - \sqrt{(\sqrt{a}*d)})/(\sqrt{d*x}*\sqrt{a} + \sqrt{(\sqrt{a}*d)}*\sqrt{a}))/(\sqrt{(\sqrt{a}*d)}*\sqrt{a}))/d^2 + (16*a*d^2*x^2 + 5*d^2*\text{dilog}(a*x^2) - 4*d^2*\log(-a*d^2*x^2 + d^2) + 8*d^2*\log(d))/((d*x)^{(5/2)}*d^2))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^2)}{(dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^2)/(d\*x)^(7/2),x)

[Out] int(polylog(2, a\*x^2)/(d\*x)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x\*\*2)/(d\*x)\*\*(7/2),x)

[Out] Timed out

### 3.78 $\int (dx)^{5/2} \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=161

$$\frac{64d^{5/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{64d^{5/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d} +$$

[Out]  $128/1029*d*(d*x)^{(3/2)}/a+128/2401*(d*x)^{(7/2)}/d+64/343*d^{(5/2)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(7/4)}-64/343*d^{(5/2)}*\operatorname{arctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(7/4)}-32/343*(d*x)^{(7/2)}*\ln(-a*x^2+1)/d-8/49*(d*x)^{(7/2)}*\operatorname{polylog}(2,a*x^2)/d+2/7*(d*x)^{(7/2)}*\operatorname{polylog}(3,a*x^2)/d$

**Rubi [A]** time = 0.13, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 298, 205, 208}

$$-\frac{8(dx)^{7/2} \operatorname{PolyLog}(2, ax^2)}{49d} + \frac{2(dx)^{7/2} \operatorname{PolyLog}(3, ax^2)}{7d} + \frac{64d^{5/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{64d^{5/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d*x)^{(5/2)}*\operatorname{PolyLog}[3, a*x^2], x]$

[Out]  $(128*d*(d*x)^{(3/2)})/(1029*a) + (128*(d*x)^{(7/2)})/(2401*d) + (64*d^{(5/2)}*\operatorname{ArcTan}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(343*a^{(7/4)}) - (64*d^{(5/2)}*\operatorname{ArcTanh}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(343*a^{(7/4)}) - (32*(d*x)^{(7/2)}*\operatorname{Log}[1 - a*x^2])/(343*d) - (8*(d*x)^{(7/2)}*\operatorname{PolyLog}[2, a*x^2])/(49*d) + (2*(d*x)^{(7/2)}*\operatorname{PolyLog}[3, a*x^2])/(7*d)$

#### Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}[\{b, n\}, x] \ \&\& \operatorname{IntegerQ}[m]$

#### Rule 205

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{PosQ}[a/b]$

#### Rule 208

$\operatorname{Int}[(a_*) + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 298

```
Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 321

```
Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 329

```
Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2455

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))^(p_)])*(b_)*((f_)*(x_)^(m_)), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

Rule 6591

```
Int[((d_)*(x_)^(m_))*PolyLog[n_, (a_)*((b_)*(x_)^(p_))^(q_)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps



$$\begin{aligned}
\int (dx)^{5/2} \text{Li}_3(ax^2) dx &= \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{4}{7} \int (dx)^{5/2} \text{Li}_2(ax^2) dx \\
&= -\frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{16}{49} \int (dx)^{5/2} \log(1-ax^2) dx \\
&= -\frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{(64a) \int \frac{x(dx)^{7/2}}{1-ax^2} dx}{343d} \\
&= -\frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{(64a) \int \frac{(dx)^{9/2}}{1-ax^2} dx}{343d^2} \\
&= \frac{128(dx)^{7/2}}{2401d} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} - \frac{64}{343} \int \\
&= \frac{128d(dx)^{3/2}}{1029a} + \frac{128(dx)^{7/2}}{2401d} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} \\
&= \frac{128d(dx)^{3/2}}{1029a} + \frac{128(dx)^{7/2}}{2401d} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} \\
&= \frac{128d(dx)^{3/2}}{1029a} + \frac{128(dx)^{7/2}}{2401d} - \frac{32(dx)^{7/2} \log(1-ax^2)}{343d} - \frac{8(dx)^{7/2} \text{Li}_2(ax^2)}{49d} + \frac{2(dx)^{7/2} \text{Li}_3(ax^2)}{7d} \\
&= \frac{128d(dx)^{3/2}}{1029a} + \frac{128(dx)^{7/2}}{2401d} + \frac{64d^{5/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{64d^{5/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343a^{7/4}} - \frac{32(dx)^{7/2}}{343d}
\end{aligned}$$

**Mathematica [C]** time = 0.10, size = 89, normalized size = 0.55

$$\frac{11d\Gamma\left(\frac{11}{4}\right)(dx)^{3/2}\left(448{}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) + 588ax^2\text{Li}_2(ax^2) - 1029ax^2\text{Li}_3(ax^2) - 192ax^2 + 336ax^2 \log(1-ax^2)\right)}{14406a\Gamma\left(\frac{15}{4}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^(5/2)\*PolyLog[3, a\*x^2], x]

[Out] (-11\*d\*(d\*x)^(3/2)\*Gamma[11/4]\*(-448 - 192\*a\*x^2 + 448\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 336\*a\*x^2\*Log[1 - a\*x^2] + 588\*a\*x^2\*PolyLog[2, a\*x^2] - 1029\*a\*x^2\*PolyLog[3, a\*x^2]))/(14406\*a\*Gamma[15/4])

**fricas** [C] time = 0.62, size = 237, normalized size = 1.47

$$2 \left( 1029 \sqrt{dx} a d^2 x^3 \operatorname{polylog}(3, ax^2) - 1344 \left( \frac{d^{10}}{a^7} \right)^{\frac{1}{4}} a \arctan \left( \frac{\left( \frac{d^{10}}{a^7} \right)^{\frac{1}{4}} \sqrt{dx} a^2 d^7 - \sqrt{d^{15}x + \sqrt{\frac{d^{10}}{a^7}} a^3 d^{10} \left( \frac{d^{10}}{a^7} \right)^{\frac{1}{4}} a^2}}{d^{10}} \right) - 336 \left( \frac{d^{10}}{a^7} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] 2/7203\*(1029\*sqrt(d\*x)\*a\*d^2\*x^3\*polylog(3, a\*x^2) - 1344\*(d^10/a^7)^(1/4)\*a\*arctan(-((d^10/a^7)^(1/4)\*sqrt(d\*x)\*a^2\*d^7 - sqrt(d^15\*x + sqrt(d^10/a^7)\*a^3\*d^10)\*(d^10/a^7)^(1/4)\*a^2)/d^10 - 336\*(d^10/a^7)^(1/4)\*a\*log(32768\*sqrt(d\*x)\*d^7 + 32768\*(d^10/a^7)^(3/4)\*a^5) + 336\*(d^10/a^7)^(1/4)\*a\*log(32768\*sqrt(d\*x)\*d^7 - 32768\*(d^10/a^7)^(3/4)\*a^5) - 4\*(147\*a\*d^2\*x^3\*dilog(a\*x^2) + 84\*a\*d^2\*x^3\*log(-a\*x^2 + 1) - 48\*a\*d^2\*x^3 - 112\*d^2\*x)\*sqrt(d\*x))/a

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^(5/2)\*polylog(3, a\*x^2), x)

**maple** [A] time = 0.18, size = 155, normalized size = 0.96

$$(dx)^{\frac{5}{2}} \left( \frac{4x^{\frac{3}{2}}(-a)^{\frac{11}{4}}(2112ax^2+4928)}{79233a^2} + \frac{64x^{\frac{3}{2}}(-a)^{\frac{11}{4}} \left( \ln\left(1-(ax^2)^{\frac{1}{4}}\right) - \ln\left(1+(ax^2)^{\frac{1}{4}}\right) + 2\arctan\left((ax^2)^{\frac{1}{4}}\right) \right)}{343a^2(ax^2)^{\frac{3}{4}}} - \frac{64x^{\frac{7}{2}}(-a)^{\frac{11}{4}} \ln(-ax^2+1)}{343a} - \frac{16x^{\frac{7}{2}}(-a)^{\frac{11}{4}}}{16x^{\frac{7}{2}}(-a)^{\frac{7}{4}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(5/2)\*polylog(3,a\*x^2),x)

[Out] -1/2\*(d\*x)^(5/2)/x^(5/2)/(-a)^(7/4)\*(4/79233\*x^(3/2)\*(-a)^(11/4)\*(2112\*a\*x^2+4928)/a^2+64/343\*x^(3/2)\*(-a)^(11/4)/a^2/(a\*x^2)^(3/4)\*(ln(1-(a\*x^2)^(1/4))-ln(1+(a\*x^2)^(1/4))+2\*arctan((a\*x^2)^(1/4)))-64/343\*x^(7/2)\*(-a)^(11/4)/

$a \cdot \ln(-a \cdot x^2 + 1) - 16/49 \cdot x^{7/2} \cdot (-a)^{11/4} \cdot \text{polylog}(2, a \cdot x^2) / a + 4/7 \cdot x^{7/2} \cdot (-a)^{11/4} / a \cdot \text{polylog}(3, a \cdot x^2)$

**maxima** [A] time = 0.41, size = 178, normalized size = 1.11

$$2 \left[ \frac{336 d^4 \left( \frac{2 \arctan\left(\frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} + \frac{\log\left(\frac{\sqrt{dx} \sqrt{a} - \sqrt{\sqrt{a} d}}{\sqrt{dx} \sqrt{a} + \sqrt{\sqrt{a} d}}\right)}{\sqrt{\sqrt{a} d} \sqrt{a}} \right)}{a} - \frac{588 (dx)^{\frac{7}{2}} a \text{Li}_2(ax^2) + 336 (dx)^{\frac{7}{2}} a \log(-ad^2 x^2 + d^2) - 1029 (dx)^{\frac{7}{2}} a \text{Li}_3(ax^2) - 96 (dx)^{\frac{7}{2}} (7 a \log(d))}{a} \right]}{7203 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(5/2)\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $2/7203 \cdot (336 \cdot d^4 \cdot (2 \cdot \arctan(\sqrt{d \cdot x} \cdot \sqrt{a}) / \sqrt{\sqrt{a} \cdot d}) / (\sqrt{\sqrt{a} \cdot d}) \cdot \sqrt{a} + \log((\sqrt{d \cdot x} \cdot \sqrt{a} - \sqrt{\sqrt{a} \cdot d}) / (\sqrt{d \cdot x} \cdot \sqrt{a} + \sqrt{\sqrt{a} \cdot d}))) / (\sqrt{\sqrt{a} \cdot d}) \cdot \sqrt{a}) / a - (588 \cdot (d \cdot x)^{7/2} \cdot a \cdot \text{dilog}(a \cdot x^2) + 336 \cdot (d \cdot x)^{7/2} \cdot a \cdot \log(-a \cdot d^2 \cdot x^2 + d^2) - 1029 \cdot (d \cdot x)^{7/2} \cdot a \cdot \text{polylog}(3, a \cdot x^2) - 96 \cdot (d \cdot x)^{7/2} \cdot (7 \cdot a \cdot \log(d) + 2 \cdot a) - 448 \cdot (d \cdot x)^{3/2} \cdot d^2) / a$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \text{polylog}(3, a x^2) (d x)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)\*(d\*x)^(5/2),x)

[Out] int(polylog(3, a\*x^2)\*(d\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} \text{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(5/2)\*polylog(3,a\*x\*\*2),x)

[Out] Integral((d\*x)\*\*(5/2)\*polylog(3, a\*x\*\*2), x)

### 3.79 $\int (dx)^{3/2} \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=161

$$\frac{64d^{3/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{64d^{3/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} +$$

[Out]  $128/625*(d*x)^{(5/2)}/d - 64/125*d^{(3/2)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/4)} - 64/125*d^{(3/2)}*\operatorname{arctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/a^{(5/4)} - 32/125*(d*x)^{(5/2)}*\ln(-a*x^2+1)/d - 8/25*(d*x)^{(5/2)}*\operatorname{polylog}(2, a*x^2)/d + 2/5*(d*x)^{(5/2)}*\operatorname{polylog}(3, a*x^2)/d + 128/125*d*(d*x)^{(1/2)}/a$

**Rubi [A]** time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 212, 208, 205}

$$\frac{8(dx)^{5/2} \operatorname{PolyLog}(2, ax^2)}{25d} + \frac{2(dx)^{5/2} \operatorname{PolyLog}(3, ax^2)}{5d} - \frac{64d^{3/2} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{64d^{3/2} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} +$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^{(3/2)}*\operatorname{PolyLog}[3, a*x^2], x]$

[Out]  $(128*d*\sqrt{d*x})/(125*a) + (128*(d*x)^{(5/2)})/(625*d) - (64*d^{(3/2)}*\operatorname{ArcTan}[a^{(1/4)}*\sqrt{d*x}]/\sqrt{d}]/(125*a^{(5/4)}) - (64*d^{(3/2)}*\operatorname{ArcTanh}[a^{(1/4)}*\sqrt{d*x}]/\sqrt{d}]/(125*a^{(5/4)}) - (32*(d*x)^{(5/2)}*\operatorname{Log}[1 - a*x^2])/(125*d) - (8*(d*x)^{(5/2)}*\operatorname{PolyLog}[2, a*x^2])/(25*d) + (2*(d*x)^{(5/2)}*\operatorname{PolyLog}[3, a*x^2])/(5*d)$

#### Rule 16

$\text{Int}[(u_.)*(v_)^{(m_.)}*((b_.)*(v_))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$  FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$  FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
+ 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (dx)^{3/2} \text{Li}_3(ax^2) dx &= \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{4}{5} \int (dx)^{3/2} \text{Li}_2(ax^2) dx \\
&= -\frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{16}{25} \int (dx)^{3/2} \log(1-ax^2) dx \\
&= -\frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{(64a) \int \frac{x(dx)^{5/2}}{1-ax^2} dx}{125d} \\
&= -\frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{(64a) \int \frac{(dx)^{7/2}}{1-ax^2} dx}{125d^2} \\
&= \frac{128(dx)^{5/2}}{625d} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} - \frac{64}{125} \int \frac{(dx)^{7/2}}{1-ax^2} dx \\
&= \frac{128d\sqrt{dx}}{125a} + \frac{128(dx)^{5/2}}{625d} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} \\
&= \frac{128d\sqrt{dx}}{125a} + \frac{128(dx)^{5/2}}{625d} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} \\
&= \frac{128d\sqrt{dx}}{125a} + \frac{128(dx)^{5/2}}{625d} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d} - \frac{8(dx)^{5/2} \text{Li}_2(ax^2)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^2)}{5d} \\
&= \frac{128d\sqrt{dx}}{125a} + \frac{128(dx)^{5/2}}{625d} - \frac{64d^{3/2} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{64d^{3/2} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{125a^{5/4}} - \frac{32(dx)^{5/2} \log(1-ax^2)}{125d}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 89, normalized size = 0.55

$$\frac{9d\Gamma\left(\frac{9}{4}\right)\sqrt{dx}\left(320{}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) + 100ax^2\text{Li}_2(ax^2) - 125ax^2\text{Li}_3(ax^2) - 64ax^2 + 80ax^2\log(1-ax^2) - 320\right)}{1250a\Gamma\left(\frac{13}{4}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^(3/2)\*PolyLog[3, a\*x^2], x]

[Out] (-9\*d\*Sqrt[d\*x]\*Gamma[9/4]\*(-320 - 64\*a\*x^2 + 320\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 80\*a\*x^2\*Log[1 - a\*x^2] + 100\*a\*x^2\*PolyLog[2, a\*x^2] - 125\*a\*x^2\*PolyLog[3, a\*x^2]))/(1250\*a\*Gamma[13/4])

**fricas** [C] time = 0.91, size = 213, normalized size = 1.32

$$2 \left( 125 \sqrt{dx} a dx^2 \operatorname{polylog}(3, ax^2) + 320 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} a^4 d \left( \frac{d^6}{a^5} \right)^{\frac{3}{4}} - \sqrt{d^3 x + a^2} \sqrt{\frac{d^6}{a^5}} a^4 \left( \frac{d^6}{a^5} \right)^{\frac{3}{4}}}{d^6} \right) - 80 a \left( \frac{d^6}{a^5} \right)^{\frac{1}{4}} \log \left( 32 \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] 2/625\*(125\*sqrt(d\*x)\*a\*d\*x^2\*polylog(3, a\*x^2) + 320\*a\*(d^6/a^5)^(1/4)\*arctan(-(sqrt(d\*x)\*a^4\*d\*(d^6/a^5)^(3/4) - sqrt(d^3\*x + a^2\*sqrt(d^6/a^5))\*a^4\*(d^6/a^5)^(3/4))/d^6) - 80\*a\*(d^6/a^5)^(1/4)\*log(32\*sqrt(d\*x)\*d + 32\*a\*(d^6/a^5)^(1/4)) + 80\*a\*(d^6/a^5)^(1/4)\*log(32\*sqrt(d\*x)\*d - 32\*a\*(d^6/a^5)^(1/4)) - 4\*(25\*a\*d\*x^2\*dilog(a\*x^2) + 20\*a\*d\*x^2\*log(-a\*x^2 + 1) - 16\*a\*d\*x^2 - 80\*d)\*sqrt(d\*x))/a

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^(3/2)\*polylog(3, a\*x^2), x)

**maple** [A] time = 0.16, size = 155, normalized size = 0.96

$$(dx)^{\frac{3}{2}} \left( \frac{4\sqrt{x} (-a)^{\frac{9}{4}} (576ax^2 + 2880)}{5625a^2} + \frac{64\sqrt{x} (-a)^{\frac{9}{4}} \left( \ln \left( 1 - (ax^2)^{\frac{1}{4}} \right) - \ln \left( 1 + (ax^2)^{\frac{1}{4}} \right) - 2 \arctan \left( (ax^2)^{\frac{1}{4}} \right) \right)}{125a^2 (ax^2)^{\frac{1}{4}}} - \frac{64x^{\frac{5}{2}} (-a)^{\frac{9}{4}} \ln(-ax^2 + 1)}{125a} - \frac{16x^{\frac{5}{2}} (-a)^{\frac{9}{4}}}{2x^{\frac{3}{2}} (-a)^{\frac{5}{4}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(3,a\*x^2),x)

[Out] -1/2\*(d\*x)^(3/2)/x^(3/2)/(-a)^(5/4)\*(4/5625\*x^(1/2)\*(-a)^(9/4)\*(576\*a\*x^2+2880)/a^2+64/125\*x^(1/2)\*(-a)^(9/4)/a^2/(a\*x^2)^(1/4)\*(ln(1-(a\*x^2)^(1/4))-ln(1+(a\*x^2)^(1/4))-2\*arctan((a\*x^2)^(1/4)))-64/125\*x^(5/2)\*(-a)^(9/4)/a\*ln(-a\*x^2+1)-16/25\*x^(5/2)\*(-a)^(9/4)\*polylog(2,a\*x^2)/a+4/5\*x^(5/2)\*(-a)^(9/4)/a\*polylog(3,a\*x^2))

**maxima** [A] time = 1.35, size = 175, normalized size = 1.09

$$2 \left[ \frac{100 (dx)^{\frac{5}{2}} a \operatorname{Li}_2(ax^2) + 80 (dx)^{\frac{5}{2}} a \log(-ad^2x^2 + d^2) - 125 (dx)^{\frac{5}{2}} a \operatorname{Li}_3(ax^2) - 32 (dx)^{\frac{5}{2}} (5a \log(d) + 2a) - 320 \sqrt{dx} d^2}{a} + \frac{80 \left( \frac{2d^3 \arctan\left(\frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a}d}}\right) + d^3 \log\left(\frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}} \right)}{a} \right]$$


---

625 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out] -2/625\*((100\*(d\*x)^(5/2)\*a\*dilog(a\*x^2) + 80\*(d\*x)^(5/2)\*a\*log(-a\*d^2\*x^2 + d^2) - 125\*(d\*x)^(5/2)\*a\*polylog(3, a\*x^2) - 32\*(d\*x)^(5/2)\*(5\*a\*log(d) + 2\*a) - 320\*sqrt(d\*x)\*d^2)/a + 80\*(2\*d^3\*arctan(sqrt(d\*x)\*sqrt(a)/sqrt(sqrt(a)\*d))/sqrt(sqrt(a)\*d) - d^3\*log((sqrt(d\*x)\*sqrt(a) - sqrt(sqrt(a)\*d))/(sqrt(d\*x)\*sqrt(a) + sqrt(sqrt(a)\*d)))/sqrt(sqrt(a)\*d))/a)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(3, ax^2) (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)\*(d\*x)^(3/2),x)

[Out] int(polylog(3, a\*x^2)\*(d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(3/2)\*polylog(3,a\*x\*\*2),x)

[Out] Integral((d\*x)\*\*(3/2)\*polylog(3, a\*x\*\*2), x)



### 3.80 $\int \sqrt{dx} \operatorname{Li}_3(ax^2) dx$

**Optimal.** Leaf size=146

$$\frac{64\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{64\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d} +$$

[Out]  $128/81*(d*x)^{(3/2)}/d - 32/27*(d*x)^{(3/2)}*\ln(-a*x^2+1)/d - 8/9*(d*x)^{(3/2)}*\operatorname{polylog}(2, a*x^2)/d + 2/3*(d*x)^{(3/2)}*\operatorname{polylog}(3, a*x^2)/d + 64/27*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a^{(3/4)} - 64/27*\operatorname{arctanh}(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a^{(3/4)}$

**Rubi [A]** time = 0.10, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 298, 205, 208}

$$\frac{8(dx)^{3/2} \operatorname{PolyLog}(2, ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{PolyLog}(3, ax^2)}{3d} + \frac{64\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{64\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d*x]*PolyLog[3, a*x^2], x]`

[Out]  $(128*(d*x)^{(3/2)})/(81*d) + (64*\operatorname{Sqrt}[d]*\operatorname{ArcTan}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(27*a^{(3/4)}) - (64*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(a^{(1/4)}*\operatorname{Sqrt}[d*x])/ \operatorname{Sqrt}[d]])/(27*a^{(3/4)}) - (32*(d*x)^{(3/2)}*\operatorname{Log}[1 - a*x^2])/(27*d) - (8*(d*x)^{(3/2)}*\operatorname{PolyLog}[2, a*x^2])/(9*d) + (2*(d*x)^{(3/2)}*\operatorname{PolyLog}[3, a*x^2])/(3*d)$

#### Rule 16

`Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

#### Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{dx} \operatorname{Li}_3(ax^2) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{4}{3} \int \sqrt{dx} \operatorname{Li}_2(ax^2) dx \\
&= -\frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{16}{9} \int \sqrt{dx} \log(1-ax^2) dx \\
&= -\frac{32(dx)^{3/2} \log(1-ax^2)}{27d} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{(64a) \int \frac{x(dx)^{3/2}}{1-ax^2} dx}{27d} \\
&= -\frac{32(dx)^{3/2} \log(1-ax^2)}{27d} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{(64a) \int \frac{(dx)^{5/2}}{1-ax^2} dx}{27d^2} \\
&= \frac{128(dx)^{3/2}}{81d} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{64}{27} \int \frac{\sqrt{dx}}{1-ax^2} dx \\
&= \frac{128(dx)^{3/2}}{81d} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{128 \operatorname{Subst}\left(\int \frac{\sqrt{dx}}{1-ax^2} dx, x, \sqrt{dx}\right)}{27} \\
&= \frac{128(dx)^{3/2}}{81d} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d} - \frac{8(dx)^{3/2} \operatorname{Li}_2(ax^2)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^2)}{3d} - \frac{(64d) \operatorname{Subst}\left(\int \frac{\sqrt{dx}}{1-ax^2} dx, x, \sqrt{dx}\right)}{27} \\
&= \frac{128(dx)^{3/2}}{81d} + \frac{64\sqrt{d} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{64\sqrt{d} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27a^{3/4}} - \frac{32(dx)^{3/2} \log(1-ax^2)}{27d}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 68, normalized size = 0.47

$$\frac{7x\Gamma\left(\frac{7}{4}\right)\sqrt{dx}\left(64{}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) + 36\operatorname{Li}_2(ax^2) - 27\operatorname{Li}_3(ax^2) + 48\log(1-ax^2) - 64\right)}{162\Gamma\left(\frac{11}{4}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[d\*x]\*PolyLog[3, a\*x^2], x]

[Out] (-7\*x\*Sqrt[d\*x]\*Gamma[7/4]\*(-64 + 64\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 48\*Log[1 - a\*x^2] + 36\*PolyLog[2, a\*x^2] - 27\*PolyLog[3, a\*x^2]))/(162\*Gamma[11/4])

**fricas [C]** time = 1.51, size = 187, normalized size = 1.28

$$\frac{2}{3} \sqrt{dx} x \operatorname{polylog}(3, ax^2) - \frac{8}{81} \sqrt{dx} (9x \operatorname{Li}_2(ax^2) + 12x \log(-ax^2 + 1) - 16x) - \frac{128}{27} \left(\frac{d^2}{a^3}\right)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{dx} ad \left(\frac{d^2}{a^3}\right)^{\frac{1}{4}}}{\sqrt{d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] 2/3\*sqrt(d\*x)\*x\*polylog(3, a\*x^2) - 8/81\*sqrt(d\*x)\*(9\*x\*dilog(a\*x^2) + 12\*x\*log(-a\*x^2 + 1) - 16\*x) - 128/27\*(d^2/a^3)^(1/4)\*arctan(-(sqrt(d\*x)\*a\*d\*(d^2/a^3)^(1/4) - sqrt(d^3\*x + a\*d^2\*sqrt(d^2/a^3)))\*a\*(d^2/a^3)^(1/4))/d^2) - 32/27\*(d^2/a^3)^(1/4)\*log(32768\*a^2\*(d^2/a^3)^(3/4) + 32768\*sqrt(d\*x)\*d) + 32/27\*(d^2/a^3)^(1/4)\*log(-32768\*a^2\*(d^2/a^3)^(3/4) + 32768\*sqrt(d\*x)\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*polylog(3, a\*x^2), x)

**maple** [A] time = 0.17, size = 147, normalized size = 1.01

$$\frac{\sqrt{dx} \left( \frac{256x^{\frac{3}{2}}(-a)^{\frac{7}{4}}}{81a} + \frac{64x^{\frac{3}{2}}(-a)^{\frac{7}{4}} \left( \ln\left(1-(ax^2)^{\frac{1}{4}}\right) - \ln\left(1+(ax^2)^{\frac{1}{4}}\right) + 2\arctan\left((ax^2)^{\frac{1}{4}}\right) \right)}{27a(ax^2)^{\frac{3}{4}}} - \frac{64x^{\frac{3}{2}}(-a)^{\frac{7}{4}} \ln(-ax^2+1)}{27a} - \frac{16x^{\frac{3}{2}}(-a)^{\frac{7}{4}} \operatorname{polylog}(2, ax^2)}{9a} \right)}{2\sqrt{x} (-a)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(1/2)\*polylog(3,a\*x^2),x)

[Out] -1/2\*(d\*x)^(1/2)/x^(1/2)/(-a)^(3/4)\*(256/81\*x^(3/2)\*(-a)^(7/4)/a+64/27\*x^(3/2)\*(-a)^(7/4)/a/(a\*x^2)^(3/4)\*(ln(1-(a\*x^2)^(1/4))-ln(1+(a\*x^2)^(1/4))+2\*arctan((a\*x^2)^(1/4)))-64/27\*x^(3/2)\*(-a)^(7/4)/a\*ln(-a\*x^2+1)-16/9\*x^(3/2)\*(-a)^(7/4)\*polylog(2,a\*x^2)/a+4/3\*x^(3/2)\*(-a)^(7/4)/a\*polylog(3,a\*x^2))

**maxima** [A] time = 0.53, size = 153, normalized size = 1.05

$$\frac{2 \left( 48 d^2 \left( \frac{2 \arctan\left(\frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d} \sqrt{a}} + \frac{\log\left(\frac{\sqrt{dx} \sqrt{a} - \sqrt{\sqrt{a}d}}{\sqrt{dx} \sqrt{a} + \sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d} \sqrt{a}} \right) + 32 (dx)^{\frac{3}{2}} (3 \log(d) + 2) - 36 (dx)^{\frac{3}{2}} \operatorname{Li}_2(ax^2) - 48 (dx)^{\frac{3}{2}} \log(-ad^2) \right)}{81 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $\frac{2}{81} \cdot (48 \cdot d^2 \cdot (2 \cdot \arctan(\sqrt{d \cdot x} \cdot \sqrt{a}) / \sqrt{\sqrt{a} \cdot d})) / (\sqrt{\sqrt{a} \cdot d}) \cdot \sqrt{a} + \log((\sqrt{d \cdot x} \cdot \sqrt{a} - \sqrt{\sqrt{a} \cdot d}) / (\sqrt{d \cdot x} \cdot \sqrt{a} + \sqrt{\sqrt{a} \cdot d}))) / (\sqrt{\sqrt{a} \cdot d}) \cdot \sqrt{a} + 32 \cdot (d \cdot x)^{3/2} \cdot (3 \cdot \log(d) + 2) - 36 \cdot (d \cdot x)^{3/2} \cdot \operatorname{dilog}(a \cdot x^2) - 48 \cdot (d \cdot x)^{3/2} \cdot \log(-a \cdot d^2 \cdot x^2 + d^2) + 27 \cdot (d \cdot x)^{3/2} \cdot \operatorname{polylog}(3, a \cdot x^2)) / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(3, a x^2) \sqrt{d x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)\*(d\*x)^(1/2),x)

[Out] int(polylog(3, a\*x^2)\*(d\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{d x} \operatorname{Li}_3(a x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(1/2)\*polylog(3,a\*x\*\*2),x)

[Out] Integral(sqrt(d\*x)\*polylog(3, a\*x\*\*2), x)

### 3.81 $\int \frac{\text{Li}_3(ax^2)}{\sqrt{dx}} dx$

**Optimal.** Leaf size=134

$$-\frac{8\sqrt{dx}\text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx}\text{Li}_3(ax^2)}{d} - \frac{32\sqrt{dx}\log(1-ax^2)}{d} - \frac{64\tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a}\sqrt{d}} - \frac{64\tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a}\sqrt{d}} + \frac{128\sqrt{dx}}{d}$$

[Out] -64\*arctan(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/a^(1/4)/d^(1/2)-64\*arctanh(a^(1/4)\*(d\*x)^(1/2)/d^(1/2))/a^(1/4)/d^(1/2)+128\*(d\*x)^(1/2)/d-32\*ln(-a\*x^2+1)\*(d\*x)^(1/2)/d-8\*polylog(2,a\*x^2)\*(d\*x)^(1/2)/d+2\*polylog(3,a\*x^2)\*(d\*x)^(1/2)/d

**Rubi [A]** time = 0.10, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 321, 329, 212, 208, 205}

$$-\frac{8\sqrt{dx}\text{PolyLog}(2,ax^2)}{d} + \frac{2\sqrt{dx}\text{PolyLog}(3,ax^2)}{d} - \frac{32\sqrt{dx}\log(1-ax^2)}{d} - \frac{64\tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a}\sqrt{d}} - \frac{64\tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt[4]{a}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/Sqrt[d\*x], x]

[Out] (128\*Sqrt[d\*x])/d - (64\*ArcTan[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]])/(a^(1/4)\*Sqrt[d]) - (64\*ArcTanh[(a^(1/4)\*Sqrt[d\*x])/Sqrt[d]])/(a^(1/4)\*Sqrt[d]) - (32\*Sqrt[d\*x]\*Log[1 - a\*x^2])/d - (8\*Sqrt[d\*x]\*PolyLog[2, a\*x^2])/d + (2\*Sqrt[d\*x]\*PolyLog[3, a\*x^2])/d

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
  x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
  + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
  + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
  e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:= Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
  b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - 4 \int \frac{\text{Li}_2(ax^2)}{\sqrt{dx}} dx \\
&= -\frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - 16 \int \frac{\log(1-ax^2)}{\sqrt{dx}} dx \\
&= -\frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - \frac{(64a) \int \frac{x\sqrt{dx}}{1-ax^2} dx}{d} \\
&= -\frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - \frac{(64a) \int \frac{(dx)^{3/2}}{1-ax^2} dx}{d^2} \\
&= \frac{128\sqrt{dx}}{d} - \frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - 64 \int \frac{1}{\sqrt{dx} (1-ax^2)} dx \\
&= \frac{128\sqrt{dx}}{d} - \frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - \frac{128 \text{Subst} \left( \int \frac{1}{1-\frac{ax^4}{d^2}} dx \right)}{d} \\
&= \frac{128\sqrt{dx}}{d} - \frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^2)}{d} - 64 \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x} dx \right) \\
&= \frac{128\sqrt{dx}}{d} - \frac{64 \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{\sqrt[4]{a} \sqrt{d}} - \frac{64 \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{\sqrt[4]{a} \sqrt{d}} - \frac{32\sqrt{dx} \log(1-ax^2)}{d} - \frac{8\sqrt{dx} \text{Li}_2(ax^2)}{d}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 68, normalized size = 0.51

$$\frac{5x\Gamma\left(\frac{5}{4}\right)\left(64 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) + 4\text{Li}_2(ax^2) - \text{Li}_3(ax^2) + 16 \log(1-ax^2) - 64\right)}{2\Gamma\left(\frac{9}{4}\right)\sqrt{dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/Sqrt[d\*x], x]

[Out] (-5\*x\*Gamma[5/4]\*(-64 + 64\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 16\*Log[1 - a\*x^2] + 4\*PolyLog[2, a\*x^2] - PolyLog[3, a\*x^2]))/(2\*Sqrt[d\*x]\*Gamma[9/4])

**fricas [C]** time = 0.75, size = 169, normalized size = 1.26

$$\frac{2\left(64d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} \arctan\left(\sqrt{d^2\sqrt{\frac{1}{ad^2}} + dx} ad\left(\frac{1}{ad^2}\right)^{\frac{3}{4}} - \sqrt{dx} ad\left(\frac{1}{ad^2}\right)^{\frac{3}{4}}\right) - 16d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} \log\left(d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}} + \sqrt{dx}\right) + 16d\left(\frac{1}{ad^2}\right)^{\frac{1}{4}}\right)}{d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(1/2),x, algorithm="fricas")

[Out]  $2*(64*d*(1/(a*d^2))^{1/4}*\arctan(\sqrt{d^2*\sqrt{1/(a*d^2)}} + d*x)*a*d*(1/(a*d^2))^{3/4} - \sqrt{d*x}*a*d*(1/(a*d^2))^{3/4}) - 16*d*(1/(a*d^2))^{1/4}*\log(d*(1/(a*d^2))^{1/4} + \sqrt{d*x}) + 16*d*(1/(a*d^2))^{1/4}*\log(-d*(1/(a*d^2))^{1/4} + \sqrt{d*x}) - 4*\sqrt{d*x}*(\operatorname{dilog}(a*x^2) + 4*\log(-a*x^2 + 1) - 16) + \sqrt{d*x}*polylog(3, a*x^2))/d$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(1/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/sqrt(d\*x), x)

**maple** [A] time = 0.17, size = 147, normalized size = 1.10

$$\frac{\sqrt{x} \left( \frac{256 \sqrt{x} (-a)^{5/4}}{a} + \frac{64 \sqrt{x} (-a)^{5/4} \left( \ln \left( 1 - (ax^2)^{1/4} \right) - \ln \left( 1 + (ax^2)^{1/4} \right) - 2 \arctan \left( (ax^2)^{1/4} \right) \right)}{a (ax^2)^{1/4}} - \frac{64 \sqrt{x} (-a)^{5/4} \ln(-ax^2+1)}{a} - \frac{16 \sqrt{x} (-a)^{5/4} \operatorname{polylog}(2, ax^2)}{a} \right)}{2 \sqrt{dx} (-a)^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/(d\*x)^(1/2),x)

[Out]  $-1/2/(d*x)^{1/2}*x^{1/2}/(-a)^{1/4}*(256*x^{1/2}*(-a)^{5/4}/a+64*x^{1/2}*(-a)^{5/4}/a/(a*x^2)^{1/4}*(\ln(1-(a*x^2)^{1/4})-\ln(1+(a*x^2)^{1/4}))-2*\arctan((a*x^2)^{1/4}))-64*x^{1/2}*(-a)^{5/4}/a*\ln(-a*x^2+1)-16*x^{1/2}*(-a)^{5/4}*polylog(2,a*x^2)/a+4*x^{1/2}*(-a)^{5/4}/a*polylog(3,a*x^2))$

**maxima** [A] time = 1.20, size = 141, normalized size = 1.05

$$\frac{2 \left( 32 \sqrt{dx} (\log(d) + 2) - \frac{32 d \arctan \left( \frac{\sqrt{dx} \sqrt{a}}{\sqrt{\sqrt{a}d}} \right)}{\sqrt{\sqrt{a}d}} - 4 \sqrt{dx} \operatorname{Li}_2(ax^2) - 16 \sqrt{dx} \log(-ad^2x^2 + d^2) + \frac{16 d \log \left( \frac{\sqrt{dx} \sqrt{a} - \sqrt{\sqrt{a}d}}{\sqrt{dx} \sqrt{a} + \sqrt{\sqrt{a}d}} \right)}{\sqrt{\sqrt{a}d}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(1/2),x, algorithm="maxima")

[Out] 2\*(32\*sqrt(d\*x)\*(log(d) + 2) - 32\*d\*arctan(sqrt(d\*x)\*sqrt(a)/sqrt(sqrt(a)\*d)))/sqrt(sqrt(a)\*d) - 4\*sqrt(d\*x)\*dilog(a\*x^2) - 16\*sqrt(d\*x)\*log(-a\*d^2\*x^2 + d^2) + 16\*d\*log((sqrt(d\*x)\*sqrt(a) - sqrt(sqrt(a)\*d))/(sqrt(d\*x)\*sqrt(a) + sqrt(sqrt(a)\*d)))/sqrt(sqrt(a)\*d) + sqrt(d\*x)\*polylog(3, a\*x^2))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/(d\*x)^(1/2),x)

[Out] int(polylog(3, a\*x^2)/(d\*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/(d\*x)\*\*(1/2),x)

[Out] Integral(polylog(3, a\*x\*\*2)/sqrt(d\*x), x)

### 3.82 $\int \frac{\text{Li}_3(ax^2)}{(dx)^{3/2}} dx$

**Optimal.** Leaf size=122

$$\frac{64\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{64\sqrt[4]{a} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + \frac{32\log(1-ax^2)}{d\sqrt{dx}}$$

[Out]  $-64*a^{(1/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)/d^{(1/2)}}/d^{(3/2)}+64*a^{(1/4)}*\arctanh(a^{(1/4)}*(d*x)^{(1/2)/d^{(1/2)}}/d^{(3/2)}+32*\ln(-a*x^2+1)/d/(d*x)^{(1/2)}-8*\text{polylog}(2,a*x^2)/d/(d*x)^{(1/2)}-2*\text{polylog}(3,a*x^2)/d/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {6591, 2455, 16, 329, 298, 205, 208}

$$\frac{8\text{PolyLog}(2,ax^2)}{d\sqrt{dx}} - \frac{2\text{PolyLog}(3,ax^2)}{d\sqrt{dx}} - \frac{64\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{64\sqrt[4]{a} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{32\log(1-ax^2)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/(d\*x)^(3/2), x]

[Out]  $(-64*a^{(1/4)}*\text{ArcTan}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/d^{(3/2)} + (64*a^{(1/4)}*\text{ArcTanh}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/d^{(3/2)} + (32*\text{Log}[1 - a*x^2])/ (d*\text{Sqrt}[d*x]) - (8*\text{PolyLog}[2, a*x^2])/ (d*\text{Sqrt}[d*x]) - (2*\text{PolyLog}[3, a*x^2])/ (d*\text{Sqrt}[d*x])$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

### Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + 4 \int \frac{\text{Li}_2(ax^2)}{(dx)^{3/2}} dx \\
&= -\frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} - 16 \int \frac{\log(1-ax^2)}{(dx)^{3/2}} dx \\
&= \frac{32 \log(1-ax^2)}{d\sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + \frac{(64a) \int \frac{x}{\sqrt{dx}(1-ax^2)} dx}{d} \\
&= \frac{32 \log(1-ax^2)}{d\sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + \frac{(64a) \int \frac{\sqrt{dx}}{1-ax^2} dx}{d^2} \\
&= \frac{32 \log(1-ax^2)}{d\sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + \frac{(128a) \text{Subst} \left( \int \frac{x^2}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx} \right)}{d^3} \\
&= \frac{32 \log(1-ax^2)}{d\sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}} + \frac{(64\sqrt{a}) \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{d} - \frac{(64\sqrt{a})}{d} \\
&= -\frac{64\sqrt[4]{a} \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{a}} \right)}{d^{3/2}} + \frac{64\sqrt[4]{a} \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{a}} \right)}{d^{3/2}} + \frac{32 \log(1-ax^2)}{d\sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^2)}{d\sqrt{dx}}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 71, normalized size = 0.58

$$\frac{x\Gamma\left(\frac{3}{4}\right)\left(64ax^2 {}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) - 12\text{Li}_2(ax^2) - 3\text{Li}_3(ax^2) + 48 \log(1-ax^2)\right)}{2\Gamma\left(\frac{7}{4}\right)(dx)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/(d\*x)^(3/2), x]

[Out] (x\*Gamma[3/4]\*(64\*a\*x^2\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 48\*Log[1 - a\*x^2] - 12\*PolyLog[2, a\*x^2] - 3\*PolyLog[3, a\*x^2]))/(2\*(d\*x)^(3/2)\*Gamma[7/4])

**fricas [C]** time = 0.48, size = 184, normalized size = 1.51

$$2 \left( 64 d^2 x \left( \frac{a}{d^6} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} a d \left( \frac{a}{d^6} \right)^{\frac{1}{4}} - \sqrt{ad^4 \sqrt{\frac{a}{d^6}} + a^2} dx \left( \frac{a}{d^6} \right)^{\frac{1}{4}}}{a} \right) + 16 d^2 x \left( \frac{a}{d^6} \right)^{\frac{1}{4}} \log \left( 32768 d^5 \left( \frac{a}{d^6} \right)^{\frac{3}{4}} + 32768 \sqrt{dx} a \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(3/2),x, algorithm="fricas")

[Out]  $2*(64*d^2*x*(a/d^6)^{(1/4)}*\arctan(-(\sqrt{d*x})*a*d*(a/d^6)^{(1/4)} - \sqrt{a*d^4*\sqrt{a/d^6} + a^2*d*x})*d*(a/d^6)^{(1/4)})/a + 16*d^2*x*(a/d^6)^{(1/4)}*\log(32768*d^5*(a/d^6)^{(3/4)} + 32768*\sqrt{d*x}*a) - 16*d^2*x*(a/d^6)^{(1/4)}*\log(-32768*d^5*(a/d^6)^{(3/4)} + 32768*\sqrt{d*x}*a) - 4*\sqrt{d*x}*(\operatorname{dilog}(a*x^2) - 4*\log(-a*x^2 + 1)) - \sqrt{d*x}*\operatorname{polylog}(3, a*x^2))/(d^2*x)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(3/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/(d\*x)^(3/2), x)

**maple** [A] time = 0.17, size = 131, normalized size = 1.07

$$\frac{x^{\frac{3}{2}}(-a)^{\frac{1}{4}} \left( \frac{64x^{\frac{3}{2}}(-a)^{\frac{3}{4}} \left( \ln\left(1-(ax^2)^{\frac{1}{4}}\right) - \ln\left(1+(ax^2)^{\frac{1}{4}}\right) + 2\arctan\left((ax^2)^{\frac{1}{4}}\right) \right)}{(ax^2)^{\frac{3}{4}}} + \frac{64(-a)^{\frac{3}{4}} \ln(-ax^2+1)}{\sqrt{x}a} - \frac{16(-a)^{\frac{3}{4}} \operatorname{polylog}(2,ax^2)}{\sqrt{x}a} - \frac{4(-a)^{\frac{3}{4}} \operatorname{polylog}(3,ax^2)}{\sqrt{x}a} \right)}{2(dx)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/(d\*x)^(3/2),x)

[Out]  $-1/2/(d*x)^{(3/2)}*x^{(3/2)}*(-a)^{(1/4)}*(-64*x^{(3/2)}*(-a)^{(3/4)}/(a*x^2)^{(3/4)}*(\ln(1-(a*x^2)^{(1/4)})-\ln(1+(a*x^2)^{(1/4)})+2*\arctan((a*x^2)^{(1/4)}))+64/x^{(1/2)}*(-a)^{(3/4)}/a*\ln(-a*x^2+1)-16/x^{(1/2)}*(-a)^{(3/4)}*\operatorname{polylog}(2,a*x^2)/a-4/x^{(1/2)}*(-a)^{(3/4)}/a*\operatorname{polylog}(3,a*x^2))$

**maxima** [A] time = 1.42, size = 132, normalized size = 1.08

$$\frac{2 \left( 16a \left( \frac{2 \arctan\left(\frac{\sqrt{dx}\sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}\sqrt{a}} + \frac{\log\left(\frac{\sqrt{dx}\sqrt{a}-\sqrt{\sqrt{a}d}}{\sqrt{dx}\sqrt{a}+\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}\sqrt{a}} \right) + \frac{4\operatorname{Li}_2(ax^2)-16\log(-ad^2x^2+d^2)+32\log(d)+\operatorname{Li}_3(ax^2)}{\sqrt{dx}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(3/2),x, algorithm="maxima")

[Out]  $-2*(16*a*(2*\arctan(\sqrt{d*x})*\sqrt{a})/\sqrt{\sqrt{a}*d})/(\sqrt{\sqrt{a}*d}*\sqrt{a}) + \log((\sqrt{d*x}*\sqrt{a} - \sqrt{\sqrt{a}*d})/(\sqrt{d*x}*\sqrt{a} + \sqrt{\sqrt{a}*d}))/(\sqrt{\sqrt{a}*d}*\sqrt{a})) + (4*\operatorname{dilog}(a*x^2) - 16*\log(-a*d^2*x^2 + d^2) + 32*\log(d) + \operatorname{polylog}(3, a*x^2))/\sqrt{d*x})/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(3, ax^2)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/(d\*x)^(3/2),x)

[Out] int(polylog(3, a\*x^2)/(d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/(d\*x)\*\*(3/2),x)

[Out] Integral(polylog(3, a\*x\*\*2)/(d\*x)\*\*(3/2), x)

### 3.83 $\int \frac{\text{Li}_3(ax^2)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=132

$$\frac{64a^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} + \frac{64a^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{32 \log(1 - ax^2)}{27d(dx)^{3/2}}$$

[Out]  $64/27*a^{(3/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(5/2)}+64/27*a^{(3/4)}*\arctan(\tanh(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(5/2)}+32/27*\ln(-a*x^2+1)/d/(d*x)^{(3/2)}-8/9*\text{polylog}(2,a*x^2)/d/(d*x)^{(3/2)}-2/3*\text{polylog}(3,a*x^2)/d/(d*x)^{(3/2)})$

**Rubi [A]** time = 0.09, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$ , Rules used = {6591, 2455, 16, 329, 212, 208, 205}

$$-\frac{8\text{PolyLog}(2, ax^2)}{9d(dx)^{3/2}} - \frac{2\text{PolyLog}(3, ax^2)}{3d(dx)^{3/2}} + \frac{64a^{3/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} + \frac{64a^{3/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{27d^{5/2}} + \frac{32 \log(1 - ax^2)}{27d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] `Int[PolyLog[3, a*x^2]/(d*x)^(5/2), x]`

[Out]  $(64*a^{(3/4)}*\text{ArcTan}[(a^{(1/4)}*\text{Sqrt}[d*x])/(\text{Sqrt}[d])]/(27*d^{(5/2)}) + (64*a^{(3/4)}*\text{ArcTanh}[(a^{(1/4)}*\text{Sqrt}[d*x])/(\text{Sqrt}[d])]/(27*d^{(5/2)}) + (32*\text{Log}[1 - a*x^2])/(27*d*(d*x)^{(3/2)}) - (8*\text{PolyLog}[2, a*x^2])/(9*d*(d*x)^{(3/2)}) - (2*\text{PolyLog}[3, a*x^2])/(3*d*(d*x)^{(3/2)}))$

#### Rule 16

`Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

#### Rule 212



```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

### Rule 329

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
  n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
+ 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{4}{3} \int \frac{\text{Li}_2(ax^2)}{(dx)^{5/2}} dx \\
&= -\frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} - \frac{16}{9} \int \frac{\log(1-ax^2)}{(dx)^{5/2}} dx \\
&= \frac{32 \log(1-ax^2)}{27d(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{(64a) \int \frac{x}{(dx)^{3/2}(1-ax^2)} dx}{27d} \\
&= \frac{32 \log(1-ax^2)}{27d(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{(64a) \int \frac{1}{\sqrt{dx}(1-ax^2)} dx}{27d^2} \\
&= \frac{32 \log(1-ax^2)}{27d(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{(128a) \text{Subst} \left( \int \frac{1}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx} \right)}{27d^3} \\
&= \frac{32 \log(1-ax^2)}{27d(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}} + \frac{(64a) \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{27d^2} + \frac{(64a) \text{Subst} \left( \int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx} \right)}{27d^2} \\
&= \frac{64a^{3/4} \tan^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{27d^{5/2}} + \frac{64a^{3/4} \tanh^{-1} \left( \frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}} \right)}{27d^{5/2}} + \frac{32 \log(1-ax^2)}{27d(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^2)}{3d(dx)^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 71, normalized size = 0.54

$$\frac{x\Gamma\left(\frac{1}{4}\right)\left(64ax^2 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) - 12\text{Li}_2(ax^2) - 9\text{Li}_3(ax^2) + 16 \log(1-ax^2)\right)}{54\Gamma\left(\frac{5}{4}\right)(dx)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/(d\*x)^(5/2), x]

[Out] (x\*Gamma[1/4]\*(64\*a\*x^2\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 16\*Log[1 - a\*x^2] - 12\*PolyLog[2, a\*x^2] - 9\*PolyLog[3, a\*x^2]))/(54\*(d\*x)^(5/2)\*Gamma[5/4])

**fricas [C]** time = 0.61, size = 211, normalized size = 1.60

$$2 \left( 64 d^3 x^2 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} a d^7 \left( \frac{a^3}{d^{10}} \right)^{\frac{3}{4}} - \sqrt{d^6 \sqrt{\frac{a^3}{d^{10}} + a^2 dx} d^7 \left( \frac{a^3}{d^{10}} \right)^{\frac{3}{4}}}}{a^3} \right) - 16 d^3 x^2 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} \log \left( 32 d^3 \left( \frac{a^3}{d^{10}} \right)^{\frac{1}{4}} + 32 \sqrt{dx} a \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(5/2),x, algorithm="fricas")

[Out] 
$$-2/27*(64*d^3*x^2*(a^3/d^{10})^{(1/4)}*\arctan(-(\sqrt{d*x})*a*d^7*(a^3/d^{10})^{(3/4)}) - \sqrt{d^6*\sqrt{a^3/d^{10}} + a^2*d*x}*d^7*(a^3/d^{10})^{(3/4)}/a^3 - 16*d^3*x^2*(a^3/d^{10})^{(1/4)}*\log(32*d^3*(a^3/d^{10})^{(1/4)} + 32*\sqrt{d*x}*a) + 16*d^3*x^2*(a^3/d^{10})^{(1/4)}*\log(-32*d^3*(a^3/d^{10})^{(1/4)} + 32*\sqrt{d*x}*a) + 4*\sqrt{d*x}*(3*\operatorname{dilog}(a*x^2) - 4*\log(-a*x^2 + 1)) + 9*\sqrt{d*x}*polylog(3, a*x^2)))/(d^3*x^2)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/(d\*x)^(5/2), x)

**maple** [A] time = 0.18, size = 131, normalized size = 0.99

$$\frac{x^{\frac{5}{2}}(-a)^{\frac{3}{4}} \left( -\frac{64\sqrt{x}(-a)^{\frac{1}{4}} \left( \ln\left(1-(ax^2)^{\frac{1}{4}}\right) - \ln\left(1+(ax^2)^{\frac{1}{4}}\right) - 2\arctan\left((ax^2)^{\frac{1}{4}}\right) \right)}{27(ax^2)^{\frac{1}{4}}} + \frac{64(-a)^{\frac{1}{4}} \ln(-ax^2+1)}{27x^{\frac{3}{2}}a} - \frac{16(-a)^{\frac{1}{4}} \operatorname{polylog}(2,ax^2)}{9x^{\frac{3}{2}}a} - \frac{4(-a)^{\frac{1}{4}}}{4(-a)^{\frac{1}{4}}} \right)}{2(dx)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/(d\*x)^(5/2),x)

[Out] 
$$-1/2/(d*x)^{(5/2)}*x^{(5/2)}*(-a)^{(3/4)}*(-64/27*x^{(1/2)}*(-a)^{(1/4)}/(a*x^2)^{(1/4)})*(\ln(1-(a*x^2)^{(1/4)})-\ln(1+(a*x^2)^{(1/4)})-2*\arctan((a*x^2)^{(1/4)}))+64/27/x^{(3/2)}*(-a)^{(1/4)}/a*\ln(-a*x^2+1)-16/9/x^{(3/2)}*(-a)^{(1/4)}*polylog(2,a*x^2)/a-4/3/x^{(3/2)}*(-a)^{(1/4)}/a*polylog(3,a*x^2)$$

**maxima** [A] time = 0.55, size = 134, normalized size = 1.02

$$2 \left( \frac{32a \arctan\left(\frac{\sqrt{dx}\sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}d} - \frac{16a \log\left(\frac{\sqrt{dx}\sqrt{a}-\sqrt{\sqrt{a}d}}{\sqrt{dx}\sqrt{a}+\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}d} - \frac{12\operatorname{Li}_2(ax^2)-16\log(-ad^2x^2+d^2)+32\log(d)+9\operatorname{Li}_3(ax^2)}{(dx)^{\frac{3}{2}}} \right) / 27d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(5/2),x, algorithm="maxima")

[Out]  $\frac{2}{27} \cdot (32 \cdot a \cdot \arctan(\sqrt{d \cdot x} \cdot \sqrt{a}) / \sqrt{\sqrt{a} \cdot d}) / (\sqrt{\sqrt{a} \cdot d} \cdot d) - 16 \cdot a \cdot \log((\sqrt{d \cdot x} \cdot \sqrt{a} - \sqrt{\sqrt{a} \cdot d}) / (\sqrt{d \cdot x} \cdot \sqrt{a} + \sqrt{\sqrt{a} \cdot d})) / (\sqrt{\sqrt{a} \cdot d} \cdot d) - (12 \cdot \operatorname{dilog}(a \cdot x^2) - 16 \cdot \log(-a \cdot d^2 \cdot x^2 + d^2)) + 32 \cdot \log(d) + 9 \cdot \operatorname{polylog}(3, a \cdot x^2)) / (d \cdot x)^{3/2} / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(3, a x^2)}{(d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/(d\*x)^(5/2),x)

[Out] int(polylog(3, a\*x^2)/(d\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/(d\*x)\*\*(5/2),x)

[Out] Integral(polylog(3, a\*x\*\*2)/(d\*x)\*\*(5/2), x)

$$3.84 \quad \int \frac{\text{Li}_3(ax^2)}{(dx)^{7/2}} dx$$

**Optimal.** Leaf size=147

$$-\frac{64a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} + \frac{64a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} - \frac{128a}{125d^3 \sqrt{dx}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{32 \log(1 - ax^2)}{125d(dx)^{5/2}}$$

[Out]  $-64/125*a^{(5/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+64/125*a^{(5/4)}*\arctanh(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(7/2)}+32/125*\ln(-a*x^2+1)/d/(d*x)^{(5/2)}-8/25*\text{polylog}(2,a*x^2)/d/(d*x)^{(5/2)}-2/5*\text{polylog}(3,a*x^2)/d/(d*x)^{(5/2)}-128/125*a/d^3/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 325, 329, 298, 205, 208}

$$-\frac{8\text{PolyLog}(2, ax^2)}{25d(dx)^{5/2}} - \frac{2\text{PolyLog}(3, ax^2)}{5d(dx)^{5/2}} - \frac{64a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} + \frac{64a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} - \frac{128a}{125d^3 \sqrt{dx}} + \frac{32 \log}{125d}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/(d\*x)^(7/2), x]

[Out]  $(-128*a)/(125*d^3*\text{Sqrt}[d*x]) - (64*a^{(5/4)}*\text{ArcTan}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/(125*d^{(7/2)}) + (64*a^{(5/4)}*\text{ArcTanh}[(a^{(1/4)}*\text{Sqrt}[d*x])/ \text{Sqrt}[d]])/(125*d^{(7/2)}) + (32*\text{Log}[1 - a*x^2])/(125*d*(d*x)^{(5/2)}) - (8*\text{PolyLog}[2, a*x^2])/(25*d*(d*x)^{(5/2)}) - (2*\text{PolyLog}[3, a*x^2])/(5*d*(d*x)^{(5/2)})$

### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 325

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.)), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/((d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{(dx)^{7/2}} dx &= -\frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{4}{5} \int \frac{\text{Li}_2(ax^2)}{(dx)^{7/2}} dx \\
&= -\frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} - \frac{16}{25} \int \frac{\log(1-ax^2)}{(dx)^{7/2}} dx \\
&= \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{(64a) \int \frac{x}{(dx)^{5/2}(1-ax^2)} dx}{125d} \\
&= \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{(64a) \int \frac{1}{(dx)^{3/2}(1-ax^2)} dx}{125d^2} \\
&= -\frac{128a}{125d^3\sqrt{dx}} + \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{(64a^2) \int \frac{\sqrt{dx}}{1-ax^2} dx}{125d^4} \\
&= -\frac{128a}{125d^3\sqrt{dx}} + \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{(128a^2) \text{Subst}\left(\int \frac{x^2}{1-\frac{ax^4}{d^2}} dx, x, \sqrt{dx}\right)}{125d^5} \\
&= -\frac{128a}{125d^3\sqrt{dx}} + \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}} - \frac{2\text{Li}_3(ax^2)}{5d(dx)^{5/2}} + \frac{(64a^{3/2}) \text{Subst}\left(\int \frac{1}{d-\sqrt{a}x^2} dx, x, \sqrt{dx}\right)}{125d^3} \\
&= -\frac{128a}{125d^3\sqrt{dx}} - \frac{64a^{5/4} \tan^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} + \frac{64a^{5/4} \tanh^{-1}\left(\frac{\sqrt[4]{a}\sqrt{dx}}{\sqrt{d}}\right)}{125d^{7/2}} + \frac{32 \log(1-ax^2)}{125d(dx)^{5/2}} - \frac{8\text{Li}_2(ax^2)}{25d(dx)^{5/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 79, normalized size = 0.54

$$\frac{x\Gamma\left(-\frac{1}{4}\right)\left(64a^2x^4{}_2F_1\left(\frac{3}{4}, 1; \frac{7}{4}; ax^2\right) - 60\text{Li}_2(ax^2) - 75\text{Li}_3(ax^2) - 192ax^2 + 48 \log(1-ax^2)\right)}{750\Gamma\left(\frac{3}{4}\right)(dx)^{7/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/(d\*x)^(7/2), x]

[Out] -1/750\*(x\*Gamma[-1/4]\*(-192\*a\*x^2 + 64\*a^2\*x^4\*Hypergeometric2F1[3/4, 1, 7/4, a\*x^2] + 48\*Log[1 - a\*x^2] - 60\*PolyLog[2, a\*x^2] - 75\*PolyLog[3, a\*x^2]))/((d\*x)^(7/2)\*Gamma[3/4])

**fricas** [C] time = 0.96, size = 226, normalized size = 1.54

$$2 \left( 64 d^4 x^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} \arctan \left( - \frac{\sqrt{dx} a^4 d^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} - \sqrt{a^5 d^8 \sqrt{\frac{a^5}{d^{14}} + a^8 dx} d^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}}}}{a^5} \right) + 16 d^4 x^3 \left( \frac{a^5}{d^{14}} \right)^{\frac{1}{4}} \log \left( 32768 d^{11} \left( \frac{a^5}{d^{14}} \right)^{\frac{3}{4}} + 32768 \sqrt{dx} a^4 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(7/2),x, algorithm="fricas")

[Out] 2/125\*(64\*d^4\*x^3\*(a^5/d^14)^(1/4)\*arctan(-(sqrt(dx)\*a^4\*d^3\*(a^5/d^14)^(1/4) - sqrt(a^5\*d^8\*sqrt(a^5/d^14) + a^8\*d\*x)\*d^3\*(a^5/d^14)^(1/4))/a^5) + 16\*d^4\*x^3\*(a^5/d^14)^(1/4)\*log(32768\*d^11\*(a^5/d^14)^(3/4) + 32768\*sqrt(dx)\*a^4) - 16\*d^4\*x^3\*(a^5/d^14)^(1/4)\*log(-32768\*d^11\*(a^5/d^14)^(3/4) + 32768\*sqrt(dx)\*a^4) - 4\*(16\*a\*x^2 + 5\*dilog(a\*x^2) - 4\*log(-a\*x^2 + 1))\*sqrt(dx) - 25\*sqrt(dx)\*polylog(3, a\*x^2)/(d^4\*x^3)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{(dx)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(7/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/(d\*x)^(7/2), x)

**maple** [A] time = 0.18, size = 142, normalized size = 0.97

$$\frac{x^{\frac{7}{2}} (-a)^{\frac{5}{4}} \left( -\frac{256}{125 \sqrt{x} (-a)^{\frac{1}{4}}} - \frac{64 x^{\frac{3}{2}} a \left( \ln \left( 1 - (a x^2)^{\frac{1}{4}} \right) - \ln \left( 1 + (a x^2)^{\frac{1}{4}} \right) + 2 \arctan \left( (a x^2)^{\frac{1}{4}} \right) \right)}{125 (-a)^{\frac{1}{4}} (a x^2)^{\frac{3}{4}}} + \frac{64 \ln(-a x^2 + 1)}{125 x^{\frac{5}{2}} (-a)^{\frac{1}{4}} a} - \frac{16 \text{polylog}(2, a x^2)}{25 x^{\frac{5}{2}} (-a)^{\frac{1}{4}} a} - \frac{4 \text{polylog}(3, a x^2)}{5 x^{\frac{5}{2}} (-a)^{\frac{1}{4}} a} \right)}{2 (dx)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/(d\*x)^(7/2),x)

[Out] -1/2/(d\*x)^(7/2)\*x^(7/2)\*(-a)^(5/4)\*(-256/125/x^(1/2)/(-a)^(1/4)-64/125\*x^(3/2)/(-a)^(1/4)\*a/(a\*x^2)^(3/4)\*(ln(1-(a\*x^2)^(1/4))-ln(1+(a\*x^2)^(1/4))+2\*arctan((a\*x^2)^(1/4)))+64/125/x^(5/2)/(-a)^(1/4)/a\*ln(-a\*x^2+1)-16/25/x^(5/2)/(-a)^(1/4)\*polylog(2,a\*x^2)/a-4/5/x^(5/2)/(-a)^(1/4)/a\*polylog(3,a\*x^2)



**maxima** [A] time = 0.49, size = 163, normalized size = 1.11

$$2 \left( \frac{16 a^2 \left( \frac{2 \arctan \left( \frac{\sqrt{d x} \sqrt{a}}{\sqrt{\sqrt{a} d}} \right)}{\sqrt{\sqrt{a} d} \sqrt{a}} + \frac{\log \left( \frac{\sqrt{d x} \sqrt{a} - \sqrt{\sqrt{a} d}}{\sqrt{d x} \sqrt{a} + \sqrt{\sqrt{a} d}} \right)}{\sqrt{\sqrt{a} d} \sqrt{a}} \right)}{d^2} + \frac{64 a d^2 x^2 + 20 d^2 \operatorname{Li}_2(a x^2) - 16 d^2 \log(-a d^2 x^2 + d^2) + 32 d^2 \log(d) + 25 d^2 \operatorname{Li}_3(a x^2)}{(d x)^{\frac{5}{2}} d^2} \right)$$


---

125 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(7/2),x, algorithm="maxima")

[Out]  $-2/125*(16*a^2*(2*\arctan(\sqrt{d*x}*\sqrt{a})/\sqrt{(\sqrt{a}*d)})/(\sqrt{(\sqrt{a}*d)}*\sqrt{a}) + \log((\sqrt{d*x}*\sqrt{a} - \sqrt{(\sqrt{a}*d)})/(\sqrt{d*x}*\sqrt{a} + \sqrt{(\sqrt{a}*d)}))) / (\sqrt{(\sqrt{a}*d)}*\sqrt{a}))/d^2 + (64*a*d^2*x^2 + 20*d^2*\operatorname{dilog}(a*x^2) - 16*d^2*\log(-a*d^2*x^2 + d^2) + 32*d^2*\log(d) + 25*d^2*\operatorname{polylog}(3, a*x^2))/((d*x)^{(5/2)}*d^2)/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(3, a x^2)}{(d x)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/(d\*x)^(7/2), x)

[Out] int(polylog(3, a\*x^2)/(d\*x)^(7/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(a x^2)}{(d x)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/(d\*x)\*\*(7/2),x)

[Out] Integral(polylog(3, a\*x\*\*2)/(d\*x)\*\*(7/2), x)

### 3.85 $\int \frac{\text{Li}_3(ax^2)}{(dx)^{9/2}} dx$

**Optimal.** Leaf size=147

$$\frac{64a^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343d^{9/2}} + \frac{64a^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343d^{9/2}} - \frac{128a}{1029d^3(dx)^{3/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{32 \log(1 - ax^2)}{343d(dx)^{7/2}}$$

[Out]  $-128/1029*a/d^3/(d*x)^{(3/2)}+64/343*a^{(7/4)}*\arctan(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(9/2)}+64/343*a^{(7/4)}*\arctanh(a^{(1/4)}*(d*x)^{(1/2)}/d^{(1/2)})/d^{(9/2)}+32/343*\ln(-a*x^2+1)/d/(d*x)^{(7/2)}-8/49*\text{polylog}(2,a*x^2)/d/(d*x)^{(7/2)}-2/7*\text{polylog}(3,a*x^2)/d/(d*x)^{(7/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6591, 2455, 16, 325, 329, 212, 208, 205}

$$-\frac{8\text{PolyLog}(2, ax^2)}{49d(dx)^{7/2}} - \frac{2\text{PolyLog}(3, ax^2)}{7d(dx)^{7/2}} + \frac{64a^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343d^{9/2}} + \frac{64a^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{d}}\right)}{343d^{9/2}} - \frac{128a}{1029d^3(dx)^{3/2}} + \frac{32 \log(1 - ax^2)}{343d(dx)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^2]/(d\*x)^(9/2), x]

[Out]  $(-128*a)/(1029*d^3*(d*x)^{(3/2)}) + (64*a^{(7/4)}*\text{ArcTan}[a^{(1/4)}*\text{Sqrt}[d*x]]/\text{Sqrt}[d])/(343*d^{(9/2)}) + (64*a^{(7/4)}*\text{ArcTanh}[a^{(1/4)}*\text{Sqrt}[d*x]]/\text{Sqrt}[d])/(343*d^{(9/2)}) + (32*\text{Log}[1 - a*x^2])/(343*d*(d*x)^{(7/2)}) - (8*\text{PolyLog}[2, a*x^2])/(49*d*(d*x)^{(7/2)}) - (2*\text{PolyLog}[3, a*x^2])/(7*d*(d*x)^{(7/2)})$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 325

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*
x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1)
+ 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a,
  b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p,
  x]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n
  ^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(
m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m
+ 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d +
e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

Rule 6591

```
Int[((d_.)*(x_)^(m_.))*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:= Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
  b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(ax^2)}{(dx)^{9/2}} dx &= -\frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{4}{7} \int \frac{\text{Li}_2(ax^2)}{(dx)^{9/2}} dx \\
&= -\frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} - \frac{16}{49} \int \frac{\log(1-ax^2)}{(dx)^{9/2}} dx \\
&= \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{(64a) \int \frac{x}{(dx)^{7/2}(1-ax^2)} dx}{343d} \\
&= \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{(64a) \int \frac{1}{(dx)^{5/2}(1-ax^2)} dx}{343d^2} \\
&= -\frac{128a}{1029d^3(dx)^{3/2}} + \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{(64a^2) \int \frac{1}{\sqrt{dx}(1-ax^2)} dx}{343d^4} \\
&= -\frac{128a}{1029d^3(dx)^{3/2}} + \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{(128a^2) \text{Subst}\left(\int \frac{1}{1-\frac{ax^4}{d^2}} dx, x\right)}{343d^5} \\
&= -\frac{128a}{1029d^3(dx)^{3/2}} + \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}} - \frac{2\text{Li}_3(ax^2)}{7d(dx)^{7/2}} + \frac{(64a^2) \text{Subst}\left(\int \frac{1}{d-\sqrt{a}x^2} dx, x\right)}{343d^4} \\
&= -\frac{128a}{1029d^3(dx)^{3/2}} + \frac{64a^{7/4} \tan^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{a}}\right)}{343d^{9/2}} + \frac{64a^{7/4} \tanh^{-1}\left(\frac{\sqrt[4]{a} \sqrt{dx}}{\sqrt{a}}\right)}{343d^{9/2}} + \frac{32 \log(1-ax^2)}{343d(dx)^{7/2}} - \frac{8\text{Li}_2(ax^2)}{49d(dx)^{7/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 84, normalized size = 0.57

$$\frac{\Gamma\left(-\frac{3}{4}\right) \sqrt{dx} \left(192a^2x^4 {}_2F_1\left(\frac{1}{4}, 1; \frac{5}{4}; ax^2\right) - 84\text{Li}_2(ax^2) - 147\text{Li}_3(ax^2) - 64ax^2 + 48 \log(1-ax^2)\right)}{686d^5x^4\Gamma\left(\frac{1}{4}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^2]/(d\*x)^(9/2), x]

[Out] -1/686\*(Sqrt[d\*x]\*Gamma[-3/4]\*(-64\*a\*x^2 + 192\*a^2\*x^4\*Hypergeometric2F1[1/4, 1, 5/4, a\*x^2] + 48\*Log[1 - a\*x^2] - 84\*PolyLog[2, a\*x^2] - 147\*PolyLog[3, a\*x^2]))/(d^5\*x^4\*Gamma[1/4])

**fricas** [C] time = 0.79, size = 223, normalized size = 1.52

$$2 \left( 192 d^5 x^4 \left( \frac{a^7}{d^{18}} \right)^{\frac{1}{4}} \arctan \left( \frac{\sqrt{dx} a^2 d^{13} \left( \frac{a^7}{d^{18}} \right)^{\frac{3}{4}} - \sqrt{d^{10} \sqrt{\frac{a^7}{d^{18}} + a^4 dx} d^{13} \left( \frac{a^7}{d^{18}} \right)^{\frac{3}{4}}}}{a^7} \right) - 48 d^5 x^4 \left( \frac{a^7}{d^{18}} \right)^{\frac{1}{4}} \log \left( 32 d^5 \left( \frac{a^7}{d^{18}} \right)^{\frac{1}{4}} + 32 \sqrt{d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(9/2),x, algorithm="fricas")

[Out]  $-2/1029*(192*d^5*x^4*(a^7/d^18)^(1/4)*\arctan(-(\sqrt{d*x})*a^2*d^{13}*(a^7/d^18)^(3/4) - \sqrt{d^{10}*\sqrt{a^7/d^18} + a^4*d*x}*d^{13}*(a^7/d^18)^(3/4))/a^7) - 48*d^5*x^4*(a^7/d^18)^(1/4)*\log(32*d^5*(a^7/d^18)^(1/4) + 32*\sqrt{d*x}*a^2) + 48*d^5*x^4*(a^7/d^18)^(1/4)*\log(-32*d^5*(a^7/d^18)^(1/4) + 32*\sqrt{d*x}) * a^2) + 4*(16*a*x^2 + 21*\operatorname{dilog}(a*x^2) - 12*\log(-a*x^2 + 1))*\sqrt{d*x} + 147*\sqrt{d*x}*polylog(3, a*x^2))/(d^5*x^4)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^2)}{(dx)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(9/2),x, algorithm="giac")

[Out] integrate(polylog(3, a\*x^2)/(d\*x)^(9/2), x)

**maple** [A] time = 0.18, size = 142, normalized size = 0.97

$$x^{\frac{9}{2}} (-a)^{\frac{7}{4}} \left( -\frac{256}{1029x^{\frac{3}{2}}(-a)^{\frac{3}{4}}} - \frac{64\sqrt{x} a \left( \ln\left(1 - (ax^2)^{\frac{1}{4}}\right) - \ln\left(1 + (ax^2)^{\frac{1}{4}}\right) - 2\arctan\left((ax^2)^{\frac{1}{4}}\right) \right)}{343(-a)^{\frac{3}{4}}(ax^2)^{\frac{1}{4}}} \right) + \frac{64\ln(-ax^2+1)}{343x^{\frac{7}{2}}(-a)^{\frac{3}{4}}a} - \frac{16\operatorname{polylog}(2,ax^2)}{49x^{\frac{7}{2}}(-a)^{\frac{3}{4}}a} - \frac{4\operatorname{polylog}(3,ax^2)}{7x^{\frac{7}{2}}(-a)^{\frac{3}{4}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,a\*x^2)/(d\*x)^(9/2),x)

[Out]  $-1/2/(d*x)^(9/2)*x^(9/2)*(-a)^(7/4)*(-256/1029/x^(3/2)/(-a)^(3/4)-64/343*x^(1/2)/(-a)^(3/4)*a/(a*x^2)^(1/4)*(ln(1-(a*x^2)^(1/4))-ln(1+(a*x^2)^(1/4)))-2*\arctan((a*x^2)^(1/4)))+64/343/x^(7/2)/(-a)^(3/4)/a*ln(-a*x^2+1)-16/49/x^(7/2)$

/2)/(-a)^(3/4)\*polylog(2,a\*x^2)/a-4/7/x^(7/2)/(-a)^(3/4)/a\*polylog(3,a\*x^2)  
)

**maxima** [A] time = 0.43, size = 168, normalized size = 1.14

$$2 \left( \frac{48 \left( \frac{2a^2 \arctan\left(\frac{\sqrt{dx}\sqrt{a}}{\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}} - \frac{a^2 \log\left(\frac{\sqrt{dx}\sqrt{a}-\sqrt{\sqrt{a}d}}{\sqrt{dx}\sqrt{a}+\sqrt{\sqrt{a}d}}\right)}{\sqrt{\sqrt{a}d}} \right)}{d^2} - \frac{64ad^2x^2+84d^2\text{Li}_2(ax^2)-48d^2\log(-ad^2x^2+d^2)+96d^2\log(d)+147d^2\text{Li}_3(ax^2)}{(dx)^{\frac{7}{2}}d^2} \right)}{1029d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^2)/(d\*x)^(9/2),x, algorithm="maxima")

[Out] 2/1029\*(48\*(2\*a^2\*arctan(sqrt(d\*x)\*sqrt(a)/sqrt(sqrt(a)\*d))/(sqrt(sqrt(a)\*d)\*d) - a^2\*log((sqrt(d\*x)\*sqrt(a) - sqrt(sqrt(a)\*d))/(sqrt(d\*x)\*sqrt(a) + sqrt(sqrt(a)\*d)))/(sqrt(sqrt(a)\*d)\*d))/d^2 - (64\*a\*d^2\*x^2 + 84\*d^2\*dilog(a\*x^2) - 48\*d^2\*log(-a\*d^2\*x^2 + d^2) + 96\*d^2\*log(d) + 147\*d^2\*polylog(3, a\*x^2))/((d\*x)^(7/2)\*d^2)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}\left(3, ax^2\right)}{(dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^2)/(d\*x)^(9/2),x)

[Out] int(polylog(3, a\*x^2)/(d\*x)^(9/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^2)}{(dx)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*2)/(d\*x)\*\*(9/2),x)

[Out] Integral(polylog(3, a\*x\*\*2)/(d\*x)\*\*(9/2), x)

### 3.86 $\int (dx)^{3/2} \text{Li}_2(ax^q) dx$

**Optimal.** Leaf size=101

$$\frac{8adq^2\sqrt{dx}x^{q+2} {}_2F_1\left(1, \frac{q+\frac{5}{2}}{q}; \frac{1}{2}\left(4+\frac{5}{q}\right); ax^q\right)}{25(2q+5)} + \frac{2(dx)^{5/2}\text{Li}_2(ax^q)}{5d} + \frac{4q(dx)^{5/2}\log(1-ax^q)}{25d}$$

[Out]  $4/25*q*(d*x)^{(5/2)}*\ln(1-a*x^q)/d+2/5*(d*x)^{(5/2)}*\text{polylog}(2, a*x^q)/d+8/25*a*d*q^2*x^{(2+q)}*\text{hypergeom}([1, (5/2+q)/q], [2+5/2/q], a*x^q)*(d*x)^{(1/2)}/(5+2*q)$

**Rubi [A]** time = 0.06, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{2(dx)^{5/2}\text{PolyLog}(2, ax^q)}{5d} + \frac{8adq^2\sqrt{dx}x^{q+2} {}_2F_1\left(1, \frac{q+\frac{5}{2}}{q}; \frac{1}{2}\left(4+\frac{5}{q}\right); ax^q\right)}{25(2q+5)} + \frac{4q(dx)^{5/2}\log(1-ax^q)}{25d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^{(3/2)}*\text{PolyLog}[2, a*x^q], x]$

[Out]  $(8*a*d*q^2*x^{(2+q)}*\text{Sqrt}[d*x]*\text{Hypergeometric2F1}[1, (5/2+q)/q, (4+5/q)/2, a*x^q])/(25*(5+2*q)) + (4*q*(d*x)^{(5/2)}*\text{Log}[1-a*x^q])/(25*d) + (2*(d*x)^{(5/2)}*\text{PolyLog}[2, a*x^q])/(5*d)$

#### Rule 20

$\text{Int}[(u_.)*((a_.)*(v_.))^{(m_.)}*((b_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]})], \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$  FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

$\text{Int}[(c_.)*(x_.))^{(m_.)}*((a_.)+(b_.)*(x_.)^{(n_.))^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/(c*(m+1)), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

$\text{Int}[(a_.)+\text{Log}[(c_.)*((d_.)+(e_.)*(x_.)^{(n_.))^{(p_.)}]*(b_.))*((f_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a+b*\text{Log}[c*(d+e*x^n)^p])/(f*(m$

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int (dx)^{3/2} \text{Li}_2(ax^q) dx &= \frac{2(dx)^{5/2} \text{Li}_2(ax^q)}{5d} + \frac{1}{5}(2q) \int (dx)^{3/2} \log(1 - ax^q) dx \\ &= \frac{4q(dx)^{5/2} \log(1 - ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^q)}{5d} + \frac{(4aq^2) \int \frac{x^{-1+q}(dx)^{5/2}}{1-ax^q} dx}{25d} \\ &= \frac{4q(dx)^{5/2} \log(1 - ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^q)}{5d} + \frac{(4adq^2 \sqrt{dx}) \int \frac{x^{\frac{3}{2}+q}}{1-ax^q} dx}{25\sqrt{x}} \\ &= \frac{8adq^2 x^{2+q} \sqrt{dx} {}_2F_1\left(1, \frac{5}{2}+q; \frac{1}{2}\left(4 + \frac{5}{q}\right); ax^q\right)}{25(5 + 2q)} + \frac{4q(dx)^{5/2} \log(1 - ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_2(ax^q)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 82, normalized size = 0.81

$$\frac{2x(dx)^{3/2} \left( 4aq^2 x^q {}_2F_1\left(1, \frac{q+\frac{5}{2}}{q}; 2 + \frac{5}{2q}; ax^q\right) + (2q + 5) \left( 5\text{Li}_2(ax^q) + 2q \log(1 - ax^q) \right) \right)}{25(2q + 5)}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(3/2)\*PolyLog[2, a\*x^q], x]

[Out] (2\*x\*(d\*x)^(3/2)\*(4\*a\*q^2\*x^q\*Hypergeometric2F1[1, (5/2 + q)/q, 2 + 5/(2\*q), a\*x^q] + (5 + 2\*q)\*(2\*q\*Log[1 - a\*x^q] + 5\*PolyLog[2, a\*x^q])))/(25\*(5 + 2\*q))

**fricas [F]** time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{dx} dx \text{Li}_2(ax^q), x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral(sqrt(d\*x)\*d\*x\*dilog(a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate((d\*x)^(3/2)\*dilog(a\*x^q), x)

**maple** [C] time = 0.16, size = 121, normalized size = 1.20

$$\frac{(dx)^{\frac{3}{2}} (-a)^{-\frac{5}{2q}} \left( -\frac{4q^2 x^{\frac{5}{2}} (-a)^{\frac{5}{2q}} \ln(1-ax^q)}{25} - \frac{2q x^{\frac{5}{2}} (-a)^{\frac{5}{2q}} \left(1 + \frac{2q}{5}\right) \text{polylog}(2, ax^q)}{5+2q} - \frac{4q^2 x^{\frac{5}{2}+q} a (-a)^{\frac{5}{2q}} \Phi\left(ax^q, 1, \frac{5+2q}{2q}\right)}{25} \right)}{x^{\frac{3}{2}} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(2,a\*x^q),x)

[Out]  $-(d*x)^{(3/2)}/x^{(3/2)}*(-a)^{(-5/2/q)}/q*(-4/25*q^2*x^{(5/2)}*(-a)^{(5/2/q)}*\ln(1-a*x^q)-2*q/(5+2*q)*x^{(5/2)}*(-a)^{(5/2/q)}*(1+2/5*q)*\text{polylog}(2,a*x^q)-4/25*q^2*x^{(5/2+q)}*a*(-a)^{(5/2/q)}*\text{LerchPhi}(a*x^q,1,1/2*(5+2*q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8d^{\frac{3}{2}}q^3 \int \frac{x^{\frac{3}{2}}}{25((2a^2q-5a^2)x^{2q}-2(2aq-5a)x^q+2q-5)} dx + \frac{2\left(25\left(\left(2ad^{\frac{3}{2}}q-5ad^{\frac{3}{2}}\right)xx^q-\left(2d^{\frac{3}{2}}q-5d^{\frac{3}{2}}\right)x\right)\right)}{25((2a^2q-5a^2)x^{2q}-2(2aq-5a)x^q+2q-5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(2,a\*x^q),x, algorithm="maxima")

[Out]  $8*d^{(3/2)}*q^3*\text{integrate}(1/25*x^{(3/2)}/((2*a^2*q-5*a^2)*x^{(2*q)}-2*(2*a*q-5*a)*x^q+2*q-5), x) + 2/125*(25*((2*a*d^{(3/2)}*q-5*a*d^{(3/2)})*x*x^q-(2*d^{(3/2)}*q-5*d^{(3/2)})*x)*x^{(3/2)}*\text{dilog}(a*x^q)+10*((2*a*d^{(3/2)}*q^2-5*a*d^{(3/2)}*q)*x*x^q-(2*d^{(3/2)}*q^2-5*d^{(3/2)}*q)*x)*x^{(3/2)}*\log(-a*x^q))$

$$\frac{q + 1 + 4 \cdot (2 \cdot d^{3/2} \cdot q^3 \cdot x - (2 \cdot a \cdot d^{3/2} \cdot q^3 - 5 \cdot a \cdot d^{3/2} \cdot q^2) \cdot x \cdot x^q) \cdot x^{3/2}}{(2 \cdot a \cdot q - 5 \cdot a) \cdot x^q - 2 \cdot q + 5}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^{3/2} \operatorname{polylog}(2, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)*polylog(2, a*x^q), x)`

[Out] `int((d*x)^(3/2)*polylog(2, a*x^q), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)*polylog(2, a*x**q), x)`

[Out] Timed out

### 3.87 $\int \sqrt{dx} \operatorname{Li}_2(ax^q) dx$

**Optimal.** Leaf size=100

$$\frac{8aq^2\sqrt{dx}x^{q+1} {}_2F_1\left(1, \frac{q+\frac{3}{2}}{q}; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{9(2q+3)} + \frac{2(dx)^{3/2}\operatorname{Li}_2(ax^q)}{3d} + \frac{4q(dx)^{3/2}\log(1-ax^q)}{9d}$$

[Out]  $4/9*q*(d*x)^{(3/2)}*\ln(1-a*x^q)/d+2/3*(d*x)^{(3/2)}*\operatorname{polylog}(2, a*x^q)/d+8/9*a*q^{2*x^{(1+q)}}*\operatorname{hypergeom}([1, (3/2+q)/q], [2+3/2/q], a*x^q)*(d*x)^{(1/2)}/(3+2*q)$

**Rubi [A]** time = 0.05, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{2(dx)^{3/2}\operatorname{PolyLog}(2, ax^q)}{3d} + \frac{8aq^2\sqrt{dx}x^{q+1} {}_2F_1\left(1, \frac{q+\frac{3}{2}}{q}; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{9(2q+3)} + \frac{4q(dx)^{3/2}\log(1-ax^q)}{9d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d*x]*PolyLog[2, a*x^q], x]`

[Out]  $(8*a*q^2*x^{(1+q)}*\operatorname{Sqrt}[d*x]*\operatorname{Hypergeometric2F1}[1, (3/2+q)/q, (4+3/q)/2, a*x^q])/(9*(3+2*q)) + (4*q*(d*x)^{(3/2)}*\operatorname{Log}[1-a*x^q])/(9*d) + (2*(d*x)^{(3/2)}*\operatorname{PolyLog}[2, a*x^q])/(3*d)$

#### Rule 20

`Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]`

#### Rule 364

`Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])`

#### Rule 2455

`Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m+1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m`

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{dx} \operatorname{Li}_2(ax^q) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^q)}{3d} + \frac{1}{3}(2q) \int \sqrt{dx} \log(1 - ax^q) dx \\
 &= \frac{4q(dx)^{3/2} \log(1 - ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^q)}{3d} + \frac{(4aq^2) \int \frac{x^{-1+q}(dx)^{3/2}}{1-ax^q} dx}{9d} \\
 &= \frac{4q(dx)^{3/2} \log(1 - ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^q)}{3d} + \frac{(4aq^2 \sqrt{dx}) \int \frac{x^{\frac{1}{2}+q}}{1-ax^q} dx}{9\sqrt{x}} \\
 &= \frac{8aq^2 x^{1+q} \sqrt{dx} {}_2F_1\left(1, \frac{\frac{3}{2}+q}{q}; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{9(3 + 2q)} + \frac{4q(dx)^{3/2} \log(1 - ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_2(ax^q)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 82, normalized size = 0.82

$$\frac{2x\sqrt{dx} \left( 4aq^2 x^q {}_2F_1\left(1, \frac{q+\frac{3}{2}}{q}; 2 + \frac{3}{2q}; ax^q\right) + (2q + 3) \left( 3\operatorname{Li}_2(ax^q) + 2q \log(1 - ax^q) \right) \right)}{9(2q + 3)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d\*x]\*PolyLog[2, a\*x^q], x]

[Out] (2\*x\*Sqrt[d\*x]\*(4\*a\*q^2\*x^q\*Hypergeometric2F1[1, (3/2 + q)/q, 2 + 3/(2\*q), a\*x^q] + (3 + 2\*q)\*(2\*q\*Log[1 - a\*x^q] + 3\*PolyLog[2, a\*x^q])))/(9\*(3 + 2\*q))

**fricas [F]** time = 0.69, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\sqrt{dx} \operatorname{Li}_2(ax^q), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral(sqrt(d\*x)\*dilog(a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*dilog(a\*x^q), x)

**maple** [C] time = 0.14, size = 121, normalized size = 1.21

$$\frac{\sqrt{dx} (-a)^{-\frac{3}{2q}} \left( -\frac{4q^2 x^{\frac{3}{2}} (-a)^{\frac{3}{2q}} \ln(1-ax^q)}{9} - \frac{2q x^{\frac{3}{2}} (-a)^{\frac{3}{2q}} \left(1 + \frac{2q}{3}\right) \operatorname{polylog}(2, ax^q)}{3+2q} - \frac{4q^2 x^{\frac{3}{2}+q} a (-a)^{\frac{3}{2q}} \Phi\left(ax^q, 1, \frac{3+2q}{2q}\right)}{9} \right)}{\sqrt{x} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(1/2)\*polylog(2,a\*x^q),x)

[Out]  $-(d*x)^{(1/2)}/x^{(1/2)}*(-a)^{(-3/2/q)}/q*(-4/9*q^2*x^{(3/2)}*(-a)^{(3/2/q)}*\ln(1-a*x^q)-2*q/(3+2*q)*x^{(3/2)}*(-a)^{(3/2/q)}*(1+2/3*q)*\operatorname{polylog}(2,a*x^q)-4/9*q^2*x^{(3/2+q)}*a*(-a)^{(3/2/q)}*\operatorname{LerchPhi}(a*x^q,1,1/2*(3+2*q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8 \sqrt{d} q^3 \int \frac{\sqrt{x}}{9 \left( (2a^2q - 3a^2)x^{2q} - 2(2aq - 3a)x^q + 2q - 3 \right)} dx + \frac{2 \left( 9 \left( (2a\sqrt{d}q - 3a\sqrt{d})xx^q - (2\sqrt{d}q - 3\sqrt{d})x \right) \right)}{9 \left( (2a^2q - 3a^2)x^{2q} - 2(2aq - 3a)x^q + 2q - 3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(2,a\*x^q),x, algorithm="maxima")

[Out]  $8*\sqrt{d}*q^3*\operatorname{integrate}(1/9*\sqrt{x}/((2*a^2*q - 3*a^2)*x^{(2*q)} - 2*(2*a*q - 3*a)*x^q + 2*q - 3), x) + 2/27*(9*((2*a*\sqrt{d})*q - 3*a*\sqrt{d})*x*x^q - (2*\sqrt{d}*q - 3*\sqrt{d})*x)*\sqrt{x}*\operatorname{dilog}(a*x^q) + 6*((2*a*\sqrt{d})*q^2 - 3*a*\sqrt{d})*q*x*x^q - (2*\sqrt{d})*q^2 - 3*\sqrt{d})*q*x)*\sqrt{x}*\log(-a*x^q + 1) + 4*(2*\sqrt{d})*q^3*x - (2*a*\sqrt{d})*q^3 - 3*a*\sqrt{d})*q^2)*x*x^q)*\sqrt{x})/((2*a*q - 3*a)*x^q - 2*q + 3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{dx} \operatorname{polylog}(2, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)*polylog(2, a*x^q), x)`

[Out] `int((d*x)^(1/2)*polylog(2, a*x^q), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)*polylog(2, a*x**q), x)`

[Out] `Integral(sqrt(d*x)*polylog(2, a*x**q), x)`

### 3.88 $\int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx$

**Optimal.** Leaf size=93

$$\frac{8aq^2\sqrt{dx}x^q {}_2F_1\left(1, \frac{q+\frac{1}{2}}{q}; \frac{1}{2}\left(4 + \frac{1}{q}\right); ax^q\right)}{d(2q+1)} + \frac{2\sqrt{dx}\text{Li}_2(ax^q)}{d} + \frac{4q\sqrt{dx}\log(1-ax^q)}{d}$$

[Out]  $8*a*q^2*x^q*\text{hypergeom}([1, (1/2+q)/q], [2+1/2/q], a*x^q)*(d*x)^{(1/2)}/d/(1+2*q) + 4*q*\ln(1-a*x^q)*(d*x)^{(1/2)}/d+2*\text{polylog}(2, a*x^q)*(d*x)^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{2\sqrt{dx}\text{PolyLog}(2, ax^q)}{d} + \frac{8aq^2\sqrt{dx}x^q {}_2F_1\left(1, \frac{q+\frac{1}{2}}{q}; \frac{1}{2}\left(4 + \frac{1}{q}\right); ax^q\right)}{d(2q+1)} + \frac{4q\sqrt{dx}\log(1-ax^q)}{d}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[2, a\*x^q]/Sqrt [d\*x], x]

[Out]  $(8*a*q^2*x^q*\text{Sqrt}[d*x]*\text{Hypergeometric2F1}[1, (1/2 + q)/q, (4 + q^{(-1)})/2, a*x^q])/(d*(1 + 2*q)) + (4*q*\text{Sqrt}[d*x]*\text{Log}[1 - a*x^q])/d + (2*\text{Sqrt}[d*x]*\text{PolyLog}[2, a*x^q])/d$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart [n]\*(b\*v)^FracPart [n])/(a^IntPart [n]\*(a\*v)^FracPart [n]), Int[u\*(a\*v)^(m + n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

#### Rule 364

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt Q[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(p\_)])\*(b\_)\*((f\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \text{Li}_2(ax^q)}{d} + (2q) \int \frac{\log(1 - ax^q)}{\sqrt{dx}} dx \\
 &= \frac{4q\sqrt{dx} \log(1 - ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{(4aq^2) \int \frac{x^{-1+q}\sqrt{dx}}{1-ax^q} dx}{d} \\
 &= \frac{4q\sqrt{dx} \log(1 - ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{(4aq^2\sqrt{dx}) \int \frac{x^{-\frac{1}{2}+q}}{1-ax^q} dx}{d\sqrt{x}} \\
 &= \frac{8aq^2x^q\sqrt{dx} {}_2F_1\left(1, \frac{\frac{1}{2}+q}{q}; \frac{1}{2}\left(4 + \frac{1}{q}\right); ax^q\right)}{d(1 + 2q)} + \frac{4q\sqrt{dx} \log(1 - ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_2(ax^q)}{d}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 48, normalized size = 0.52

$$\frac{{}_xG_{4,4}^{1,4}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1 - \frac{1}{2q} \\ 1, 0, 0, -\frac{1}{2q} \end{matrix}\right)}{q\sqrt{dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^q]/Sqrt[d\*x], x]

[Out] -((x\*MeijerG[{{1, 1, 1, 1 - 1/(2\*q)}, {}}, {{1}, {0, 0, -1/2\*1/q}}, -(a\*x^q)])/ (q\*Sqrt[d\*x]))



**fricas** [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{dx} \text{Li}_2(ax^q)}{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d\*x)\*dilog(a\*x^q)/(d\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(1/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/sqrt(d\*x), x)

**maple** [C] time = 0.13, size = 109, normalized size = 1.17

$$\frac{\sqrt{x} (-a)^{-\frac{1}{2q}} \left( -4q^2 \sqrt{x} (-a)^{\frac{1}{2q}} \ln(1 - ax^q) - 2q \sqrt{x} (-a)^{\frac{1}{2q}} \text{polylog}(2, ax^q) - 4q^2 x^{\frac{1}{2}+q} a (-a)^{\frac{1}{2q}} \Phi\left(ax^q, 1, \frac{1+2q}{2q}\right) \right)}{\sqrt{dx}^q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/(d\*x)^(1/2),x)

[Out]  $-1/(d*x)^{(1/2)} * x^{(1/2)} * (-a)^{-(1/2/q)} / q * (-4*q^2*x^{(1/2)} * (-a)^{(1/2/q)} * \ln(1-a*x^q) - 2*q*x^{(1/2)} * (-a)^{(1/2/q)} * \text{polylog}(2, a*x^q) - 4*q^2*x^{(1/2+q)} * a * (-a)^{(1/2/q)} * \text{LerchPhi}(a*x^q, 1, 1/2*(1+2*q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8q^3 \int \frac{1}{\left((2a^2\sqrt{d}q - a^2\sqrt{d})x^{2q} - 2(2a\sqrt{d}q - a\sqrt{d})x^q + 2\sqrt{d}q - \sqrt{d}\right)\sqrt{x}} dx - \frac{2 \left( \frac{((2a\sqrt{d}q - a\sqrt{d})xx^q - (2\sqrt{d}q - \sqrt{d})x)Li_2(ax^q)}{\sqrt{x}} \right)}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(1/2),x, algorithm="maxima")

```
[Out] 8*q^3*integrate(1/(((2*a^2*sqrt(d)*q - a^2*sqrt(d))*x^(2*q) - 2*(2*a*sqrt(d)
)*q - a*sqrt(d))*x^q + 2*sqrt(d)*q - sqrt(d))*sqrt(x), x) - 2*(((2*a*sqrt(
d)*q - a*sqrt(d))*x*x^q - (2*sqrt(d)*q - sqrt(d))*x)*dilog(a*x^q)/sqrt(x) +
2*((2*a*sqrt(d)*q^2 - a*sqrt(d)*q)*x*x^q - (2*sqrt(d)*q^2 - sqrt(d)*q)*x)*
log(-a*x^q + 1)/sqrt(x) + 4*(2*sqrt(d)*q^3*x - (2*a*sqrt(d)*q^3 - a*sqrt(d)
*q^2)*x*x^q)/sqrt(x))/(2*d*q - (2*a*d*q - a*d)*x^q - d)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^q)/(d*x)^(1/2), x)
```

```
[Out] int(polylog(2, a*x^q)/(d*x)^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, a*x**q)/(d*x)**(1/2), x)
```

```
[Out] Integral(polylog(2, a*x**q)/sqrt(d*x), x)
```

$$3.89 \quad \int \frac{\text{Li}_2(ax^q)}{(dx)^{3/2}} dx$$

**Optimal.** Leaf size=97

$$\frac{8aq^2x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1-2q)\sqrt{dx}} - \frac{2\text{Li}_2(ax^q)}{d\sqrt{dx}} + \frac{4q \log(1-ax^q)}{d\sqrt{dx}}$$

[Out]  $-8*a*q^2*x^q*\text{hypergeom}([1, 1-1/2/q], [2-1/2/q], a*x^q)/d/(1-2*q)/(d*x)^{(1/2)}+4*q*\ln(1-a*x^q)/d/(d*x)^{(1/2)}-2*\text{polylog}(2, a*x^q)/d/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$-\frac{2\text{PolyLog}(2, ax^q)}{d\sqrt{dx}} - \frac{8aq^2x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1-2q)\sqrt{dx}} + \frac{4q \log(1-ax^q)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q]/(d\*x)^(3/2), x]

[Out]  $(-8*a*q^2*x^q*\text{Hypergeometric2F1}[1, (2 - q^{(-1)})/2, (4 - q^{(-1)})/2, a*x^q])/d*(1 - 2*q)*\text{Sqrt}[d*x] + (4*q*\text{Log}[1 - a*x^q])/d*\text{Sqrt}[d*x] - (2*\text{PolyLog}[2, a*x^q])/d*\text{Sqrt}[d*x]$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^q)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_2(ax^q)}{d\sqrt{dx}} - (2q) \int \frac{\log(1 - ax^q)}{(dx)^{3/2}} dx \\ &= \frac{4q \log(1 - ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^q)}{d\sqrt{dx}} + \frac{(4aq^2) \int \frac{x^{-1+q}}{\sqrt{dx}(1-ax^q)} dx}{d} \\ &= \frac{4q \log(1 - ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^q)}{d\sqrt{dx}} + \frac{(4aq^2\sqrt{x}) \int \frac{x^{-\frac{3}{2}+q}}{1-ax^q} dx}{d\sqrt{dx}} \\ &= -\frac{8aq^2x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1 - 2q)\sqrt{dx}} + \frac{4q \log(1 - ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_2(ax^q)}{d\sqrt{dx}} \end{aligned}$$

**Mathematica** [C] time = 0.03, size = 48, normalized size = 0.49

$$-\frac{xG_{4,4}^{1,4}\left(-ax^q\left|\begin{array}{c} 1, 1, 1, 1 + \frac{1}{2q} \\ 1, 0, 0, \frac{1}{2q} \end{array}\right.\right)}{q(dx)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^q]/(d\*x)^(3/2), x]

[Out] -((x\*MeijerG[{{1, 1, 1, 1 + 1/(2\*q)}, {}}, {{1}, {0, 0, 1/(2\*q)}}], -(a\*x^q)])/ (q\*(d\*x)^(3/2))

**fricas** [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{dx} \text{Li}_2(ax^q)}{d^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(d\*x)\*dilog(a\*x^q)/(d^2\*x^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(3/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/(d\*x)^(3/2), x)

**maple** [C] time = 0.14, size = 121, normalized size = 1.25

$$\frac{x^{\frac{3}{2}}(-a)^{\frac{1}{2q}} \left( -\frac{4q^2(-a)^{-\frac{1}{2q}} \ln(1-ax^q)}{\sqrt{x}} - \frac{2q(-a)^{-\frac{1}{2q}}(1-2q) \text{polylog}(2,ax^q)}{(2q-1)\sqrt{x}} - 4q^2 x^{q-\frac{1}{2}} a(-a)^{-\frac{1}{2q}} \Phi\left(ax^q, 1, \frac{2q-1}{2q}\right) \right)}{(dx)^{\frac{3}{2}} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/(d\*x)^(3/2),x)

[Out]  $-1/(d*x)^{(3/2)}*x^{(3/2)}*(-a)^{(1/2/q)}/q*(-4*q^2/x^{(1/2)}*(-a)^{(-1/2/q)}*\ln(1-a*x^q)-2*q/(2*q-1)/x^{(1/2)}*(-a)^{(-1/2/q)}*(1-2*q)*\text{polylog}(2,a*x^q)-4*q^2*x^{(q-1/2)}*a*(-a)^{(-1/2/q)}*\text{LerchPhi}(a*x^q,1,1/2*(2*q-1)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8q^3 \int \frac{1}{\left(2d^{\frac{3}{2}}q + \left(2a^2d^{\frac{3}{2}}q + a^2d^{\frac{3}{2}}\right)x^{2q} - 2\left(2ad^{\frac{3}{2}}q + ad^{\frac{3}{2}}\right)x^q + d^{\frac{3}{2}}\right)x^{\frac{3}{2}}} dx + \frac{2 \left( \frac{((2a\sqrt{d}q+a\sqrt{d})xx^q - (2\sqrt{d}q+\sqrt{d})x)\text{Li}_2(ax^q)}{x^{\frac{3}{2}}} \right)}{x^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(3/2),x, algorithm="maxima")

[Out]  $8*q^3*\text{integrate}(1/((2*d^{(3/2)}*q + (2*a^2*d^{(3/2)}*q + a^2*d^{(3/2)})*x^{(2*q)} - 2*(2*a*d^{(3/2)}*q + a*d^{(3/2)})*x^q + d^{(3/2)})*x^{(3/2)}), x) + 2*((2*a*\text{sqrt}(d)*q + a*\text{sqrt}(d))*x*x^q - (2*\text{sqrt}(d)*q + \text{sqrt}(d))*x)*\text{dilog}(a*x^q)/x^{(3/2)} -$

$2*((2*a*\sqrt{d})*q^2 + a*\sqrt{d}*q)*x*x^q - (2*\sqrt{d}*q^2 + \sqrt{d}*q)*x)*$   
 $\log(-a*x^q + 1)/x^{(3/2)} + 4*(2*\sqrt{d}*q^3*x - (2*a*\sqrt{d}*q^3 + a*\sqrt{d}$   
 $*q^2)*x*x^q)/x^{(3/2)})/(2*d^2*q + d^2 - (2*a*d^2*q + a*d^2)*x^q)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, a x^q)}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^q)/(d\*x)^(3/2), x)

[Out] int(polylog(2, a\*x^q)/(d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x\*\*q)/(d\*x)\*\*(3/2), x)

[Out] Integral(polylog(2, a\*x\*\*q)/(d\*x)\*\*(3/2), x)

### 3.90 $\int \frac{\text{Li}_2(ax^q)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=105

$$-\frac{8aq^2x^{q-1} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{9d^2(3-2q)\sqrt{dx}} - \frac{2\text{Li}_2(ax^q)}{3d(dx)^{3/2}} + \frac{4q \log(1-ax^q)}{9d(dx)^{3/2}}$$

[Out]  $4/9*q*\ln(1-a*x^q)/d/(d*x)^{(3/2)}-2/3*polylog(2,a*x^q)/d/(d*x)^{(3/2)}-8/9*a*q^2*x^{(-1+q)}*hypergeom([1, 1-3/2/q], [2-3/2/q], a*x^q)/d^2/(3-2*q)/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$-\frac{2\text{PolyLog}(2, ax^q)}{3d(dx)^{3/2}} - \frac{8aq^2x^{q-1} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{9d^2(3-2q)\sqrt{dx}} + \frac{4q \log(1-ax^q)}{9d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, a\*x^q]/(d\*x)^(5/2), x]

[Out]  $(-8*a*q^2*x^{(-1+q)}*Hypergeometric2F1[1, (2-3/q)/2, (4-3/q)/2, a*x^q])/(9*d^2*(3-2*q)*Sqrt[d*x]) + (4*q*Log[1-a*x^q])/(9*d*(d*x)^{(3/2)}) - (2*PolyLog[2, a*x^q])/(3*d*(d*x)^{(3/2)})$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.)+(b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.)+Log[(c\_.)\*((d\_.)+(e\_.)\*(x\_)^(n\_.))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(ax^q)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_2(ax^q)}{3d(dx)^{3/2}} - \frac{1}{3}(2q) \int \frac{\log(1 - ax^q)}{(dx)^{5/2}} dx \\ &= \frac{4q \log(1 - ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^q)}{3d(dx)^{3/2}} + \frac{(4aq^2) \int \frac{x^{-1+q}}{(dx)^{3/2}(1-ax^q)} dx}{9d} \\ &= \frac{4q \log(1 - ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^q)}{3d(dx)^{3/2}} + \frac{(4aq^2\sqrt{x}) \int \frac{x^{-\frac{5}{2}+q}}{1-ax^q} dx}{9d^2\sqrt{dx}} \\ &= -\frac{8aq^2x^{-1+q} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{9d^2(3 - 2q)\sqrt{dx}} + \frac{4q \log(1 - ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_2(ax^q)}{3d(dx)^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 0.03, size = 48, normalized size = 0.46

$$\frac{{}_4G_{4,4}^{1,4}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1 + \frac{3}{2q} \\ 1, 0, 0, \frac{3}{2q} \end{matrix}\right)}{q(dx)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[2, a\*x^q]/(d\*x)^(5/2), x]

[Out] -((x\*MeijerG[{{1, 1, 1, 1 + 3/(2\*q)}, {}}, {{1}, {0, 0, 3/(2\*q)}}], -(a\*x^q)])/ (q\*(d\*x)^(5/2)))

**fricas [F]** time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{dx} \text{Li}_2(ax^q)}{d^3x^3}, x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(d\*x)\*dilog(a\*x^q)/(d^3\*x^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ax^q)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate(dilog(a\*x^q)/(d\*x)^(5/2), x)

**maple** [C] time = 0.13, size = 121, normalized size = 1.15

$$\frac{x^{\frac{5}{2}} (-a)^{\frac{3}{2q}} \left( -\frac{4q^2(-a)^{-\frac{3}{2q}} \ln(1-ax^q)}{9x^{\frac{3}{2}}} - \frac{2q(-a)^{-\frac{3}{2q}} \left(1 - \frac{2q}{3}\right) \text{polylog}(2, ax^q)}{(-3+2q)x^{\frac{3}{2}}} - \frac{4q^2 x^{q-\frac{3}{2}} a(-a)^{-\frac{3}{2q}} \Phi\left(ax^q, 1, \frac{-3+2q}{2q}\right)}{9} \right)}{(dx)^{\frac{5}{2}} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,a\*x^q)/(d\*x)^(5/2),x)

[Out]  $-1/(d*x)^{(5/2)} * x^{(5/2)} * (-a)^{(3/2/q)} / q * (-4/9 * q^2 / x^{(3/2)} * (-a)^{(-3/2/q)} * \ln(1 - a*x^q) - 2*q / (-3+2*q) / x^{(3/2)} * (-a)^{(-3/2/q)} * (1-2/3*q) * \text{polylog}(2, a*x^q) - 4/9 * q^2 * x^{(q-3/2)} * a * (-a)^{(-3/2/q)} * \text{LerchPhi}(a*x^q, 1, 1/2 * (-3+2*q) / q)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8q^3 \int \frac{1}{9 \left( 2d^{\frac{5}{2}}q + 3d^{\frac{5}{2}} + \left( 2a^2d^{\frac{5}{2}}q + 3a^2d^{\frac{5}{2}} \right) x^{2q} - 2 \left( 2ad^{\frac{5}{2}}q + 3ad^{\frac{5}{2}} \right) x^q \right) x^{\frac{5}{2}}} dx + \frac{2 \left( 9 \left( (2a\sqrt{d}q + 3a\sqrt{d})xx^q - (2\sqrt{d}q + 3\sqrt{d})x^q \right) \right)}{x^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,a\*x^q)/(d\*x)^(5/2),x, algorithm="maxima")

[Out]  $8*q^3 * \text{integrate}(1/9 / ((2*d^{(5/2)}*q + 3*d^{(5/2)} + (2*a^2*d^{(5/2)}*q + 3*a^2*d^{(5/2)}) * x^{(2*q)} - 2*(2*a*d^{(5/2)}*q + 3*a*d^{(5/2)}) * x^q) * x^{(5/2)}), x) + 2/27 * (9 * ((2*a*sqrt(d)*q + 3*a*sqrt(d)) * x * x^q - (2*sqrt(d)*q + 3*sqrt(d)) * x) * \text{dilog}$

$$\frac{(a*x^q)/x^{(5/2)} - 6*((2*a*\sqrt{d})*q^2 + 3*a*\sqrt{d})*x*x^q - (2*\sqrt{d})*q^2 + 3*\sqrt{d})*x)*\log(-a*x^q + 1)/x^{(5/2)} + 4*(2*\sqrt{d})*q^3*x - (2*a*\sqrt{d})*q^3 + 3*a*\sqrt{d})*x*x^q)/x^{(5/2)}}{(2*d^3*q + 3*d^3 - (2*a*d^3*q + 3*a*d^3)*x^q)}$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, a x^q)}{(d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, a\*x^q)/(d\*x)^(5/2), x)

[Out] int(polylog(2, a\*x^q)/(d\*x)^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, a\*x\*\*q)/(d\*x)\*\*(5/2), x)

[Out] Timed out

### 3.91 $\int (dx)^{3/2} \text{Li}_3(ax^q) dx$

**Optimal.** Leaf size=125

$$\frac{16adq^3\sqrt{dx}x^{q+2} {}_2F_1\left(1, \frac{q+\frac{5}{2}}{q}; \frac{1}{2}\left(4+\frac{5}{q}\right); ax^q\right)}{125(2q+5)} - \frac{4q(dx)^{5/2}\text{Li}_2(ax^q)}{25d} + \frac{2(dx)^{5/2}\text{Li}_3(ax^q)}{5d} - \frac{8q^2(dx)^{5/2}\log(1-ax^q)}{125d}$$

[Out]  $-8/125*q^2*(d*x)^{(5/2)*\ln(1-a*x^q)/d-4/25*q*(d*x)^{(5/2)*\text{polylog}(2,a*x^q)/d+2/5*(d*x)^{(5/2)*\text{polylog}(3,a*x^q)/d-16/125*a*d*q^3*x^{(2+q)*\text{hypergeom}([1, (5/2+q)/q], [2+5/2/q], a*x^q)*(d*x)^{(1/2)/(5+2*q)}$

**Rubi [A]** time = 0.07, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{4q(dx)^{5/2}\text{PolyLog}(2, ax^q)}{25d} + \frac{2(dx)^{5/2}\text{PolyLog}(3, ax^q)}{5d} - \frac{16adq^3\sqrt{dx}x^{q+2} {}_2F_1\left(1, \frac{q+\frac{5}{2}}{q}; \frac{1}{2}\left(4+\frac{5}{q}\right); ax^q\right)}{125(2q+5)} - \frac{8q^2(dx)^{5/2}\log(1-ax^q)}{125d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^{(3/2)*\text{PolyLog}[3, a*x^q], x]$

[Out]  $(-16*a*d*q^3*x^{(2+q)*\text{Sqrt}[d*x]*\text{Hypergeometric2F1}[1, (5/2+q)/q, (4+5/q)/2, a*x^q])/(125*(5+2*q)) - (8*q^2*(d*x)^{(5/2)*\text{Log}[1-a*x^q])/(125*d) - (4*q*(d*x)^{(5/2)*\text{PolyLog}[2, a*x^q])/(25*d) + (2*(d*x)^{(5/2)*\text{PolyLog}[3, a*x^q])/(5*d)$

#### Rule 20

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$  FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

$\text{Int}[(c*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])]/(c*(m+1)), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int (dx)^{3/2} \text{Li}_3(ax^q) dx &= \frac{2(dx)^{5/2} \text{Li}_3(ax^q)}{5d} - \frac{1}{5}(2q) \int (dx)^{3/2} \text{Li}_2(ax^q) dx \\
 &= -\frac{4q(dx)^{5/2} \text{Li}_2(ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^q)}{5d} - \frac{1}{25}(4q^2) \int (dx)^{3/2} \log(1 - ax^q) dx \\
 &= -\frac{8q^2(dx)^{5/2} \log(1 - ax^q)}{125d} - \frac{4q(dx)^{5/2} \text{Li}_2(ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^q)}{5d} - \frac{(8aq^3) \int \frac{x^{-1+q}(dx)^{5/2}}{1-ax^q} dx}{125d} \\
 &= -\frac{8q^2(dx)^{5/2} \log(1 - ax^q)}{125d} - \frac{4q(dx)^{5/2} \text{Li}_2(ax^q)}{25d} + \frac{2(dx)^{5/2} \text{Li}_3(ax^q)}{5d} - \frac{(8adq^3 \sqrt{dx}) \int \frac{x^{3/2+q}}{1-ax^q} dx}{125\sqrt{x}} \\
 &= -\frac{16adq^3 x^{2+q} \sqrt{dx} {}_2F_1\left(1, \frac{5}{2}+q; \frac{1}{2}\left(4 + \frac{5}{q}\right); ax^q\right)}{125(5 + 2q)} - \frac{8q^2(dx)^{5/2} \log(1 - ax^q)}{125d} - \frac{4q(dx)^{5/2} \text{Li}_2(ax^q)}{25d}
 \end{aligned}$$

**Mathematica [C]** time = 0.03, size = 50, normalized size = 0.40

$$\frac{x(dx)^{3/2} G_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, 1 - \frac{5}{2q} \\ 1, 0, 0, 0, -\frac{5}{2q} \end{matrix}\right)}{q}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d*x)^(3/2)*PolyLog[3, a*x^q], x]
```

[Out]  $-\left(\frac{(x \cdot (dx)^{3/2}) \cdot \text{MeijerG}\left[\left\{\left\{1, 1, 1, 1, 1 - \frac{5}{2q}\right\}, \left\{\right\}, \left\{\left\{1\right\}, \left\{0, 0, 0, -\frac{5}{2q}\right\}\right\}, -\left(a \cdot x^q\right)\right]}{q}\right)$

**fricas** [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{dx} \, dx \, \text{polylog}(3, ax^q), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((dx)^(3/2)*polylog(3,a*x^q),x, algorithm="fricas")`

[Out] `integral(sqrt(dx)*dx*polylog(3, a*x^q), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((dx)^(3/2)*polylog(3,a*x^q),x, algorithm="giac")`

[Out] `integrate((dx)^(3/2)*polylog(3, a*x^q), x)`

**maple** [C] time = 0.28, size = 145, normalized size = 1.16

$$\frac{(dx)^{\frac{3}{2}} (-a)^{-\frac{5}{2q}} \left( \frac{8q^3 x^{\frac{5}{2}} (-a)^{\frac{5}{2q}} \ln(1-ax^q)}{125} + \frac{4q^2 x^{\frac{5}{2}} (-a)^{\frac{5}{2q}} \text{polylog}(2, ax^q)}{25} - \frac{2q x^{\frac{5}{2}} (-a)^{\frac{5}{2q}} \left(1 + \frac{2q}{5}\right) \text{polylog}(3, ax^q)}{5+2q} + \frac{8q^3 x^{\frac{5}{2}+q} a (-a)^{\frac{5}{2q}} \Phi(ax^q)}{125} \right)}{x^{\frac{3}{2}} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((dx)^(3/2)*polylog(3,a*x^q),x)`

[Out]  $-\frac{(dx)^{3/2}}{x^{3/2}} \cdot (-a)^{-5/2q} / q \cdot \left( \frac{8}{125} q^3 x^{5/2} (-a)^{5/2q} \ln(1-ax^q) + \frac{4}{25} q^2 x^{5/2} (-a)^{5/2q} \text{polylog}(2, ax^q) - \frac{2q}{5+2q} x^{5/2} (-a)^{5/2q} \left(1 + \frac{2q}{5}\right) \text{polylog}(3, ax^q) + \frac{8}{125} q^3 x^{5/2+q} a (-a)^{5/2q} \text{LerchPhi}(ax^q, 1, \frac{1}{2}(5+2q)/q) \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-16 d^{\frac{3}{2}} q^4 \int \frac{x^{\frac{3}{2}}}{125 (a^2 (2q-5) x^{2q} - 2a(2q-5) x^q + 2q-5)} dx - \frac{2 \left( 50 \left( (2q^2 - 5q) a d^{\frac{3}{2}} x x^q - (2q^2 - 5q) d^{\frac{3}{2}} x \right) x^{\frac{3}{2}} \right)}{125 (a^2 (2q-5) x^{2q} - 2a(2q-5) x^q + 2q-5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*polylog(3,a\*x^q),x, algorithm="maxima")

[Out]  $-16*d^{(3/2)}*q^4*integrate(1/125*x^{(3/2)}/(a^2*(2*q - 5)*x^{(2*q)} - 2*a*(2*q - 5)*x^q + 2*q - 5), x) - 2/625*(50*((2*q^2 - 5*q)*a*d^{(3/2)}*x*x^q - (2*q^2 - 5*q)*d^{(3/2)}*x)*x^{(3/2)}*dilog(a*x^q) + 20*((2*q^3 - 5*q^2)*a*d^{(3/2)}*x*x^q - (2*q^3 - 5*q^2)*d^{(3/2)}*x)*x^{(3/2)}*log(-a*x^q + 1) - 125*(a*d^{(3/2)}*(2*q - 5)*x*x^q - d^{(3/2)}*(2*q - 5)*x)*x^{(3/2)}*polylog(3, a*x^q) + 8*(2*d^{(3/2)})*q^4*x - (2*q^4 - 5*q^3)*a*d^{(3/2)}*x*x^q)*x^{(3/2)})/(a*(2*q - 5)*x^q - 2*q + 5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^{3/2} \text{polylog}(3, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(3/2)\*polylog(3, a\*x^q),x)

[Out] int((d\*x)^(3/2)\*polylog(3, a\*x^q), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(3/2)\*polylog(3,a\*x\*\*q),x)

[Out] Integral((d\*x)\*\*(3/2)\*polylog(3, a\*x\*\*q), x)

### 3.92 $\int \sqrt{dx} \text{Li}_3(ax^q) dx$

**Optimal.** Leaf size=124

$$\frac{16aq^3 \sqrt{dx} x^{q+1} {}_2F_1\left(1, \frac{q+\frac{3}{2}}{q}; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{27(2q+3)} - \frac{4q(dx)^{3/2} \text{Li}_2(ax^q)}{9d} + \frac{2(dx)^{3/2} \text{Li}_3(ax^q)}{3d} - \frac{8q^2(dx)^{3/2} \log(1-ax^q)}{27d}$$

[Out]  $-8/27*q^2*(d*x)^{(3/2)}*\ln(1-a*x^q)/d-4/9*q*(d*x)^{(3/2)}*\text{polylog}(2,a*x^q)/d+2/3*(d*x)^{(3/2)}*\text{polylog}(3,a*x^q)/d-16/27*a*q^3*x^{(1+q)}*\text{hypergeom}([1, (3/2+q)/q], [2+3/2/q], a*x^q)*(d*x)^{(1/2)}/(3+2*q)$

**Rubi [A]** time = 0.07, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{4q(dx)^{3/2} \text{PolyLog}(2, ax^q)}{9d} + \frac{2(dx)^{3/2} \text{PolyLog}(3, ax^q)}{3d} - \frac{16aq^3 \sqrt{dx} x^{q+1} {}_2F_1\left(1, \frac{q+\frac{3}{2}}{q}; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{27(2q+3)} - \frac{8q^2(dx)^{3/2}}{27d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d*x]*PolyLog[3, a*x^q], x]`

[Out]  $(-16*a*q^3*x^{(1+q)}*\text{Sqrt}[d*x]*\text{Hypergeometric2F1}[1, (3/2+q)/q, (4+3/q)/2, a*x^q])/(27*(3+2*q)) - (8*q^2*(d*x)^{(3/2)}*\text{Log}[1-a*x^q])/(27*d) - (4*q*(d*x)^{(3/2)}*\text{PolyLog}[2, a*x^q])/(9*d) + (2*(d*x)^{(3/2)}*\text{PolyLog}[3, a*x^q])/(3*d)$

#### Rule 20

`Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]`

#### Rule 364

`Int[((c_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])`

#### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \sqrt{dx} \operatorname{Li}_3(ax^q) dx &= \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^q)}{3d} - \frac{1}{3}(2q) \int \sqrt{dx} \operatorname{Li}_2(ax^q) dx \\
 &= -\frac{4q(dx)^{3/2} \operatorname{Li}_2(ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^q)}{3d} - \frac{1}{9}(4q^2) \int \sqrt{dx} \log(1 - ax^q) dx \\
 &= -\frac{8q^2(dx)^{3/2} \log(1 - ax^q)}{27d} - \frac{4q(dx)^{3/2} \operatorname{Li}_2(ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^q)}{3d} - \frac{(8aq^3) \int \frac{x^{-1+q}(dx)^{3/2}}{1-ax^q} dx}{27d} \\
 &= -\frac{8q^2(dx)^{3/2} \log(1 - ax^q)}{27d} - \frac{4q(dx)^{3/2} \operatorname{Li}_2(ax^q)}{9d} + \frac{2(dx)^{3/2} \operatorname{Li}_3(ax^q)}{3d} - \frac{(8aq^3 \sqrt{dx}) \int \frac{x^{\frac{1}{2}+q}}{1-ax^q} dx}{27\sqrt{x}} \\
 &= -\frac{16aq^3 x^{1+q} \sqrt{dx} {}_2F_1\left(1, \frac{3}{2}+q; \frac{1}{2}\left(4 + \frac{3}{q}\right); ax^q\right)}{27(3 + 2q)} - \frac{8q^2(dx)^{3/2} \log(1 - ax^q)}{27d} - \frac{4q(dx)^{3/2} \operatorname{Li}_2(ax^q)}{9d}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 50, normalized size = 0.40

$$\frac{x\sqrt{dx} G_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, 1 - \frac{3}{2q} \\ 1, 0, 0, 0, -\frac{3}{2q} \end{matrix}\right)}{q}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[d*x]*PolyLog[3, a*x^q], x]
```



[Out]  $-\left(\frac{(x\sqrt{d*x})\text{MeijerG}\left[\left\{\left\{1, 1, 1, 1, 1 - \frac{3}{2q}\right\}, \left\{\right\}, \left\{1\right\}, \left\{0, 0, 0, -\frac{3}{2q}\right\}\right\}, -\left(a*x^q\right)\right)}{q}\right)$

**fricas** [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{dx} \text{polylog}\left(3, ax^q\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*polylog(3,a*x^q),x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)*polylog(3, a*x^q), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*polylog(3,a*x^q),x, algorithm="giac")`

[Out] `integrate(sqrt(d*x)*polylog(3, a*x^q), x)`

**maple** [C] time = 0.28, size = 145, normalized size = 1.17

$$\frac{\sqrt{dx} (-a)^{-\frac{3}{2q}} \left( \frac{8q^3 x^{\frac{3}{2}} (-a)^{\frac{3}{2q}} \ln(1-ax^q)}{27} + \frac{4q^2 x^{\frac{3}{2}} (-a)^{\frac{3}{2q}} \text{polylog}(2, ax^q)}{9} - \frac{2q x^{\frac{3}{2}} (-a)^{\frac{3}{2q}} \left(1 + \frac{2q}{3}\right) \text{polylog}(3, ax^q)}{3+2q} + \frac{8q^3 x^{\frac{3}{2}+q} a (-a)^{\frac{3}{2q}} \Phi(ax^q)}{27} \right)}{\sqrt{x} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)*polylog(3,a*x^q),x)`

[Out]  $-\left(\frac{(d*x)^{1/2}}{x^{1/2}}\right) \frac{(-a)^{-3/2/q}}{q} \left( \frac{8}{27} q^3 x^{3/2} (-a)^{3/2/q} \ln(1-ax^q) + \frac{4}{9} q^2 x^{3/2} (-a)^{3/2/q} \text{polylog}(2, ax^q) - \frac{2q}{3+2q} x^{3/2} (-a)^{3/2/q} \left(1 + \frac{2}{3}q\right) \text{polylog}(3, ax^q) + \frac{8}{27} q^3 x^{3/2+q} a (-a)^{3/2/q} \text{LerchPhi}(ax^q, 1, 1/2*(3+2q)/q) \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-16 \sqrt{d} q^4 \int \frac{\sqrt{x}}{27(a^2(2q-3)x^{2q} - 2a(2q-3)x^q + 2q-3)} dx - \frac{2(18((2q^2-3q)a\sqrt{d}xx^q - (2q^2-3q)\sqrt{d}x)\sqrt{d}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*polylog(3,a\*x^q),x, algorithm="maxima")

[Out] -16\*sqrt(d)\*q^4\*integrate(1/27\*sqrt(x)/(a^2\*(2\*q - 3)\*x^(2\*q) - 2\*a\*(2\*q - 3)\*x^q + 2\*q - 3), x) - 2/81\*(18\*((2\*q^2 - 3\*q)\*a\*sqrt(d)\*x\*x^q - (2\*q^2 - 3\*q)\*sqrt(d)\*x)\*sqrt(x)\*dilog(a\*x^q) + 12\*((2\*q^3 - 3\*q^2)\*a\*sqrt(d)\*x\*x^q - (2\*q^3 - 3\*q^2)\*sqrt(d)\*x)\*sqrt(x)\*log(-a\*x^q + 1) - 27\*(a\*sqrt(d)\*(2\*q - 3)\*x\*x^q - sqrt(d)\*(2\*q - 3)\*x)\*sqrt(x)\*polylog(3, a\*x^q) + 8\*(2\*sqrt(d)\*q^4\*x - (2\*q^4 - 3\*q^3)\*a\*sqrt(d)\*x\*x^q)\*sqrt(x))/(a\*(2\*q - 3)\*x^q - 2\*q + 3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{d} x \operatorname{polylog}(3, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^(1/2)\*polylog(3, a\*x^q),x)

[Out] int((d\*x)^(1/2)\*polylog(3, a\*x^q), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{d} x \operatorname{Li}_3(a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(1/2)\*polylog(3,a\*x\*\*q),x)

[Out] Integral(sqrt(d\*x)\*polylog(3, a\*x\*\*q), x)

### 3.93 $\int \frac{\text{Li}_3(ax^q)}{\sqrt{dx}} dx$

**Optimal.** Leaf size=115

$$\frac{16aq^3\sqrt{dx}x^q {}_2F_1\left(1, \frac{q+\frac{1}{2}}{q}; \frac{1}{2}\left(4+\frac{1}{q}\right); ax^q\right)}{d(2q+1)} - \frac{4q\sqrt{dx}\text{Li}_2(ax^q)}{d} + \frac{2\sqrt{dx}\text{Li}_3(ax^q)}{d} - \frac{8q^2\sqrt{dx}\log(1-ax^q)}{d}$$

[Out]  $-16*a*q^3*x^q*\text{hypergeom}([1, (1/2+q)/q], [2+1/2/q], a*x^q)*(d*x)^{(1/2)}/d/(1+2*q)-8*q^2*\ln(1-a*x^q)*(d*x)^{(1/2)}/d-4*q*\text{polylog}(2, a*x^q)*(d*x)^{(1/2)}/d+2*\text{polylog}(3, a*x^q)*(d*x)^{(1/2)}/d$

**Rubi [A]** time = 0.07, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$-\frac{4q\sqrt{dx}\text{PolyLog}(2, ax^q)}{d} + \frac{2\sqrt{dx}\text{PolyLog}(3, ax^q)}{d} - \frac{16aq^3\sqrt{dx}x^q {}_2F_1\left(1, \frac{q+\frac{1}{2}}{q}; \frac{1}{2}\left(4+\frac{1}{q}\right); ax^q\right)}{d(2q+1)} - \frac{8q^2\sqrt{dx}\log(1-ax^q)}{d}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, a\*x^q]/Sqrt[d\*x], x]

[Out]  $(-16*a*q^3*x^q*\text{Sqrt}[d*x]*\text{Hypergeometric2F1}[1, (1/2 + q)/q, (4 + q^{(-1)})/2, a*x^q])/(d*(1 + 2*q)) - (8*q^2*\text{Sqrt}[d*x]*\text{Log}[1 - a*x^q])/d - (4*q*\text{Sqrt}[d*x]*\text{PolyLog}[2, a*x^q])/d + (2*\text{Sqrt}[d*x]*\text{PolyLog}[3, a*x^q])/d$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} \text{Li}_3(ax^q)}{d} - (2q) \int \frac{\text{Li}_2(ax^q)}{\sqrt{dx}} dx \\
 &= -\frac{4q\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^q)}{d} - (4q^2) \int \frac{\log(1 - ax^q)}{\sqrt{dx}} dx \\
 &= -\frac{8q^2\sqrt{dx} \log(1 - ax^q)}{d} - \frac{4q\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^q)}{d} - \frac{(8aq^3) \int \frac{x^{-1+q}\sqrt{dx}}{1-ax^q} dx}{d} \\
 &= -\frac{8q^2\sqrt{dx} \log(1 - ax^q)}{d} - \frac{4q\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{2\sqrt{dx} \text{Li}_3(ax^q)}{d} - \frac{(8aq^3\sqrt{dx}) \int \frac{x^{-\frac{1}{2}+q}}{1-ax^q} dx}{d\sqrt{x}} \\
 &= -\frac{16aq^3x^q\sqrt{dx} {}_2F_1\left(1, \frac{\frac{1}{2}+q}{q}; \frac{1}{2}\left(4 + \frac{1}{q}\right); ax^q\right)}{d(1 + 2q)} - \frac{8q^2\sqrt{dx} \log(1 - ax^q)}{d} - \frac{4q\sqrt{dx} \text{Li}_2(ax^q)}{d} + \frac{2\sqrt{dx}}{d}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 50, normalized size = 0.43

$$\frac{xG_{5,5}^{1,5}\left(-ax^q \left| \begin{array}{c} 1, 1, 1, 1, 1 - \frac{1}{2q} \\ 1, 0, 0, 0, -\frac{1}{2q} \end{array} \right. \right)}{q\sqrt{dx}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[PolyLog[3, a*x^q]/Sqrt[d*x], x]
```

[Out]  $-\left(\frac{(x \text{MeijerG}[\{1, 1, 1, 1, 1 - 1/(2q)\}, \{\}], \{1\}, \{0, 0, 0, -1/2*1/q\}, -(a*x^q)]}{q*\text{Sqrt}[d*x]}\right)$

**fricas** [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{dx} \text{polylog}(3, ax^q)}{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x^q)/(d*x)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)*polylog(3, a*x^q)/(d*x), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x^q)/(d*x)^(1/2),x, algorithm="giac")`

[Out] `integrate(polylog(3, a*x^q)/sqrt(d*x), x)`

**maple** [C] time = 0.29, size = 133, normalized size = 1.16

$$\frac{\sqrt{x} (-a)^{-\frac{1}{2q}} \left( 8q^3 \sqrt{x} (-a)^{\frac{1}{2q}} \ln(1 - ax^q) + 4q^2 \sqrt{x} (-a)^{\frac{1}{2q}} \text{polylog}(2, ax^q) - 2q \sqrt{x} (-a)^{\frac{1}{2q}} \text{polylog}(3, ax^q) + \dots \right)}{\sqrt{dx} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3,a*x^q)/(d*x)^(1/2),x)`

[Out]  $-1/(d*x)^{(1/2)}*x^{(1/2)}*(-a)^{(-1/2/q)}/q*(8*q^3*x^{(1/2)}*(-a)^{(1/2/q)}*\ln(1-a*x^q)+4*q^2*x^{(1/2)}*(-a)^{(1/2/q)}*\text{polylog}(2,a*x^q)-2*q*x^{(1/2)}*(-a)^{(1/2/q)}*\text{polylog}(3,a*x^q)+8*q^3*x^{(1/2+q)}*a*(-a)^{(1/2/q)}*\text{LerchPhi}(a*x^q,1,1/2*(1+2*q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-16q^4 \int \frac{1}{(a^2 \sqrt{d} (2q-1)x^{2q} - 2a\sqrt{d} (2q-1)x^q + \sqrt{d} (2q-1)) \sqrt{x}} dx - 2 \left( \frac{2((2q^2-q)axx^q - (2q^2-q)x)\text{Li}_2(ax^q)}{\sqrt{x}} + \frac{4((2q^2-q)x^2 - (2q^2-q)x)\text{Li}_3(ax^q)}{\sqrt{x}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/(d\*x)^(1/2),x, algorithm="maxima")

[Out]  $-16q^4 \int \frac{1}{(a^2 \sqrt{d} (2q-1)x^{2q} - 2a\sqrt{d}(2q-1)x^q + \sqrt{d}(2q-1))\sqrt{x}} dx - 2(2((2q^2-q)a^2x^{2q} - (2q^2-q)x)\operatorname{dilog}(ax^q)/\sqrt{x} + 4((2q^3-q^2)a^2x^{2q} - (2q^3-q^2)x)\log(-ax^q+1)/\sqrt{x} - (a(2q-1)x^{2q} - (2q-1)x)\operatorname{polylog}(3, ax^q)/\sqrt{x} + 8(2q^4x - (2q^4-q^3)a^2x^{2q})/\sqrt{x})/(a\sqrt{d}(2q-1)x^q - \sqrt{d}(2q-1))$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(3, ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/(d\*x)^(1/2),x)

[Out] int(polylog(3, a\*x^q)/(d\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^q)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*q)/(d\*x)\*\*(1/2),x)

[Out] Integral(polylog(3, a\*x\*\*q)/sqrt(d\*x), x)

### 3.94 $\int \frac{\text{Li}_3(ax^q)}{(dx)^{3/2}} dx$

**Optimal.** Leaf size=119

$$-\frac{16aq^3x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1-2q)\sqrt{dx}} - \frac{4q\text{Li}_2(ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}} + \frac{8q^2 \log(1-ax^q)}{d\sqrt{dx}}$$

[Out]  $-16*a*q^3*x^q*\text{hypergeom}([1, 1-1/2/q], [2-1/2/q], a*x^q)/d/(1-2*q)/(d*x)^{(1/2)}$   
 $+8*q^2*\ln(1-a*x^q)/d/(d*x)^{(1/2)}-4*q*\text{polylog}(2, a*x^q)/d/(d*x)^{(1/2)}-2*\text{polylog}(3, a*x^q)/d/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$\frac{4q\text{PolyLog}(2, ax^q)}{d\sqrt{dx}} - \frac{2\text{PolyLog}(3, ax^q)}{d\sqrt{dx}} - \frac{16aq^3x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1-2q)\sqrt{dx}} + \frac{8q^2 \log(1-ax^q)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{PolyLog}[3, a*x^q]/(d*x)^{(3/2)}, x]$

[Out]  $(-16*a*q^3*x^q*\text{Hypergeometric2F1}[1, (2 - q^{(-1)})/2, (4 - q^{(-1)})/2, a*x^q])/(d*(1 - 2*q)*\text{Sqrt}[d*x]) + (8*q^2*\text{Log}[1 - a*x^q])/(d*\text{Sqrt}[d*x]) - (4*q*\text{PolyLog}[2, a*x^q])/(d*\text{Sqrt}[d*x]) - (2*\text{PolyLog}[3, a*x^q])/(d*\text{Sqrt}[d*x])$

#### Rule 20

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]})], \text{Int}[u*(a*v)^{(m+n)}, x], x] /;$   $\text{FreeQ}\{a, b, m, n\}, x \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m+n]$

#### Rule 364

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/(c*(m+1)), x] /;$   $\text{FreeQ}\{a, b, c, m, n, p\}, x \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ (!\text{LtQ}[p, 0] \ || \ \text{GtQ}[a, 0])$

#### Rule 2455

$\text{Int}[(a_*) + \text{Log}[(c_*)*((d_*) + (e_*)*(x_*)^{(n_*)})^{(p_*)}]]*(b_*)*((f_*)*(x_*)^{(m_*)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p])]/(f*(m$

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{(dx)^{3/2}} dx &= -\frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}} + (2q) \int \frac{\text{Li}_2(ax^q)}{(dx)^{3/2}} dx \\
 &= -\frac{4q\text{Li}_2(ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}} - (4q^2) \int \frac{\log(1 - ax^q)}{(dx)^{3/2}} dx \\
 &= \frac{8q^2 \log(1 - ax^q)}{d\sqrt{dx}} - \frac{4q\text{Li}_2(ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}} + \frac{(8aq^3) \int \frac{x^{-1+q}}{\sqrt{dx}(1 - ax^q)} dx}{d} \\
 &= \frac{8q^2 \log(1 - ax^q)}{d\sqrt{dx}} - \frac{4q\text{Li}_2(ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}} + \frac{(8aq^3 \sqrt{x}) \int \frac{x^{-\frac{3}{2}+q}}{1 - ax^q} dx}{d\sqrt{dx}} \\
 &= -\frac{16aq^3 x^q {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{1}{q}\right); \frac{1}{2}\left(4 - \frac{1}{q}\right); ax^q\right)}{d(1 - 2q)\sqrt{dx}} + \frac{8q^2 \log(1 - ax^q)}{d\sqrt{dx}} - \frac{4q\text{Li}_2(ax^q)}{d\sqrt{dx}} - \frac{2\text{Li}_3(ax^q)}{d\sqrt{dx}}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 50, normalized size = 0.42

$$-\frac{xG_{5,5}^{1,5}\left(-ax^q \left| \begin{array}{c} 1, 1, 1, 1, 1 + \frac{1}{2q} \\ 1, 0, 0, 0, \frac{1}{2q} \end{array} \right. \right)}{q(dx)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[PolyLog[3, a\*x^q]/(d\*x)^(3/2), x]

[Out] -((x\*MeijerG[{{1, 1, 1, 1, 1 + 1/(2\*q)}}, {}], {{1}, {0, 0, 0, 1/(2\*q)}}), -(a\*x^q)))/(q\*(d\*x)^(3/2))



**fricas** [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{dx} \operatorname{polylog}(3, ax^q)}{d^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x^q)/(d*x)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)*polylog(3, a*x^q)/(d^2*x^2), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ax^q)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,a*x^q)/(d*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(polylog(3, a*x^q)/(d*x)^(3/2), x)`

**maple** [C] time = 0.28, size = 145, normalized size = 1.22

$$x^{\frac{3}{2}} (-a)^{\frac{1}{2q}} \left( -\frac{8q^3 (-a)^{-\frac{1}{2q}} \ln(1-ax^q)}{\sqrt{x}} + \frac{4q^2 (-a)^{-\frac{1}{2q}} \operatorname{polylog}(2, ax^q)}{\sqrt{x}} - \frac{2q (-a)^{-\frac{1}{2q}} (1-2q) \operatorname{polylog}(3, ax^q)}{(2q-1)\sqrt{x}} - 8q^3 x^{q-\frac{1}{2}} a (-a)^{-\frac{1}{2q}} \Phi(ax^q) \right)$$


---


$$(dx)^{\frac{3}{2}} q$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3,a*x^q)/(d*x)^(3/2),x)`

[Out] `-1/(d*x)^(3/2)*x^(3/2)*(-a)^(1/2/q)/q*(-8*q^3/x^(1/2)*(-a)^(-1/2/q)*ln(1-a*x^q)+4*q^2/x^(1/2)*(-a)^(-1/2/q)*polylog(2,a*x^q)-2*q/(2*q-1)/x^(1/2)*(-a)^(-1/2/q)*(1-2*q)*polylog(3,a*x^q)-8*q^3*x^(q-1/2)*a*(-a)^(-1/2/q)*LerchPhi(a*x^q,1,1/2*(2*q-1)/q)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$16q^4 \int \frac{1}{\left( a^2 d^{\frac{3}{2}} (2q+1) x^{2q} - 2 a d^{\frac{3}{2}} (2q+1) x^q + d^{\frac{3}{2}} (2q+1) \right) x^{\frac{3}{2}}} dx - \frac{2 \left( \frac{2((2q^2+q)axx^q - (2q^2+q)x) \operatorname{Li}_2(ax^q)}{x^{\frac{3}{2}}} - \frac{4((2q^3+q^2)a)}{x^{\frac{3}{2}}} \right)}{x^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/(d\*x)^(3/2),x, algorithm="maxima")

[Out]  $16*q^4*\text{integrate}(1/((a^2*d^{(3/2)}*(2*q + 1)*x^{(2*q)} - 2*a*d^{(3/2)}*(2*q + 1)*x^q + d^{(3/2)}*(2*q + 1))*x^{(3/2)}), x) - 2*(2*((2*q^2 + q)*a*x*x^q - (2*q^2 + q)*x)*\text{dilog}(a*x^q)/x^{(3/2)} - 4*((2*q^3 + q^2)*a*x*x^q - (2*q^3 + q^2)*x)*\log(-a*x^q + 1)/x^{(3/2)} + (a*(2*q + 1)*x*x^q - (2*q + 1)*x)*\text{polylog}(3, a*x^q)/x^{(3/2)} + 8*(2*q^4*x - (2*q^4 + q^3)*a*x*x^q)/x^{(3/2)})/(a*d^{(3/2)}*(2*q + 1)*x^q - d^{(3/2)}*(2*q + 1))$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, a x^q)}{(d x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/(d\*x)^(3/2),x)

[Out] int(polylog(3, a\*x^q)/(d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*q)/(d\*x)\*\*(3/2),x)

[Out] Integral(polylog(3, a\*x\*\*q)/(d\*x)\*\*(3/2), x)

### 3.95 $\int \frac{\text{Li}_3(ax^q)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=129

$$-\frac{16aq^3x^{q-1} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{27d^2(3-2q)\sqrt{dx}} - \frac{4q\text{Li}_2(ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}} + \frac{8q^2 \log(1-ax^q)}{27d(dx)^{3/2}}$$

[Out]  $8/27*q^2*\ln(1-a*x^q)/d/(d*x)^{(3/2)}-4/9*q*\text{polylog}(2,a*x^q)/d/(d*x)^{(3/2)}-2/3*\text{polylog}(3,a*x^q)/d/(d*x)^{(3/2)}-16/27*a*q^3*x^{(-1+q)}*\text{hypergeom}([1, 1-3/2/q], [2-3/2/q], a*x^q)/d^2/(3-2*q)/(d*x)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {6591, 2455, 20, 364}

$$-\frac{4q\text{PolyLog}(2, ax^q)}{9d(dx)^{3/2}} - \frac{2\text{PolyLog}(3, ax^q)}{3d(dx)^{3/2}} - \frac{16aq^3x^{q-1} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{27d^2(3-2q)\sqrt{dx}} + \frac{8q^2 \log(1-ax^q)}{27d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int [PolyLog [3, a\*x^q]/(d\*x)^(5/2), x]

[Out]  $(-16*a*q^3*x^{(-1+q)}*\text{Hypergeometric2F1}[1, (2-3/q)/2, (4-3/q)/2, a*x^q])/(27*d^2*(3-2*q)*\text{Sqrt}[d*x]) + (8*q^2*\text{Log}[1-a*x^q])/(27*d*(d*x)^{(3/2)}) - (4*q*\text{PolyLog}[2, a*x^q])/(9*d*(d*x)^{(3/2)}) - (2*\text{PolyLog}[3, a*x^q])/(3*d*(d*x)^{(3/2)})$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/(c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q])/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_3(ax^q)}{(dx)^{5/2}} dx &= -\frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}} + \frac{1}{3}(2q) \int \frac{\text{Li}_2(ax^q)}{(dx)^{5/2}} dx \\
 &= -\frac{4q\text{Li}_2(ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}} - \frac{1}{9}(4q^2) \int \frac{\log(1-ax^q)}{(dx)^{5/2}} dx \\
 &= \frac{8q^2 \log(1-ax^q)}{27d(dx)^{3/2}} - \frac{4q\text{Li}_2(ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}} + \frac{(8aq^3) \int \frac{x^{-1+q}}{(dx)^{3/2}(1-ax^q)} dx}{27d} \\
 &= \frac{8q^2 \log(1-ax^q)}{27d(dx)^{3/2}} - \frac{4q\text{Li}_2(ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}} + \frac{(8aq^3 \sqrt{x}) \int \frac{x^{-\frac{5}{2}+q}}{1-ax^q} dx}{27d^2 \sqrt{dx}} \\
 &= -\frac{16aq^3 x^{-1+q} {}_2F_1\left(1, \frac{1}{2}\left(2 - \frac{3}{q}\right); \frac{1}{2}\left(4 - \frac{3}{q}\right); ax^q\right)}{27d^2(3-2q)\sqrt{dx}} + \frac{8q^2 \log(1-ax^q)}{27d(dx)^{3/2}} - \frac{4q\text{Li}_2(ax^q)}{9d(dx)^{3/2}} - \frac{2\text{Li}_3(ax^q)}{3d(dx)^{3/2}}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 50, normalized size = 0.39

$$\frac{xG_{5,5}^{1,5}\left(-ax^q \mid \begin{matrix} 1, 1, 1, 1, 1 + \frac{3}{2q} \\ 1, 0, 0, 0, \frac{3}{2q} \end{matrix}\right)}{q(dx)^{5/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[PolyLog[3, a*x^q]/(d*x)^(5/2), x]
```

[Out]  $-\left(\frac{(x \cdot \text{MeijerG}\left[\left\{\left\{1, 1, 1, 1, 1 + \frac{3}{2q}\right\}\right\}, \left\{\left\{1\right\}\right\}, \left\{0, 0, 0, \frac{3}{2q}\right\}\right\}, -\left(a \cdot x^q\right))}{q \cdot (d \cdot x)^{5/2}}\right)$

**fricas** [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{dx} \text{polylog}(3, ax^q)}{d^3 x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3, a*x^q)/(d*x)^(5/2), x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)*polylog(3, a*x^q)/(d^3*x^3), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3, a*x^q)/(d*x)^(5/2), x, algorithm="giac")`

[Out] `integrate(polylog(3, a*x^q)/(d*x)^(5/2), x)`

**maple** [C] time = 0.28, size = 145, normalized size = 1.12

$$\frac{x^{\frac{5}{2}} (-a)^{\frac{3}{2q}} \left( -\frac{8q^3 (-a)^{-\frac{3}{2q}} \ln(1-ax^q)}{27x^{\frac{3}{2}}} + \frac{4q^2 (-a)^{-\frac{3}{2q}} \text{polylog}(2, ax^q)}{9x^{\frac{3}{2}}} - \frac{2q (-a)^{-\frac{3}{2q}} \left(1 - \frac{2q}{3}\right) \text{polylog}(3, ax^q)}{(-3+2q)x^{\frac{3}{2}}} - \frac{8q^3 x^{q-\frac{3}{2}} a (-a)^{-\frac{3}{2q}} \Phi\left(ax^q, 1, \frac{-3+2q}{2q}\right)}{27} \right)}{(dx)^{\frac{5}{2}} q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x^q)/(d*x)^(5/2), x)`

[Out]  $-\frac{1}{(d \cdot x)^{5/2}} \cdot x^{5/2} \cdot (-a)^{3/2/q} / q \cdot \left( -\frac{8}{27} q^3 / x^{3/2} \cdot (-a)^{-3/2/q} \cdot \ln(1 - a \cdot x^q) + \frac{4}{9} q^2 / x^{3/2} \cdot (-a)^{-3/2/q} \cdot \text{polylog}(2, a \cdot x^q) - \frac{2q}{(-3+2q)} / x^{3/2} \cdot (-a)^{-3/2/q} \cdot (1 - 2/3 \cdot q) \cdot \text{polylog}(3, a \cdot x^q) - \frac{8}{27} q^3 \cdot x^{q-3/2} \cdot a \cdot (-a)^{-3/2/q} \cdot \text{LerchPhi}(a \cdot x^q, 1, 1/2 \cdot (-3+2q)/q) \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$16q^4 \int \frac{1}{27 \left( a^2 d^{\frac{5}{2}} (2q+3) x^{2q} - 2ad^{\frac{5}{2}} (2q+3) x^q + d^{\frac{5}{2}} (2q+3) \right) x^{\frac{5}{2}}} dx - 2 \left( \frac{18 \left( (2q^2+3q) ax^q - (2q^2+3q)x \right) \text{Li}_2(ax^q)}{x^{\frac{5}{2}}} - \frac{12}{x^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x^q)/(d\*x)^(5/2),x, algorithm="maxima")

[Out] 16\*q^4\*integrate(1/27/((a^2\*d^(5/2)\*(2\*q + 3)\*x^(2\*q) - 2\*a\*d^(5/2)\*(2\*q + 3)\*x^q + d^(5/2)\*(2\*q + 3))\*x^(5/2)), x) - 2/81\*(18\*((2\*q^2 + 3\*q)\*a\*x\*x^q - (2\*q^2 + 3\*q)\*x)\*dilog(a\*x^q)/x^(5/2) - 12\*((2\*q^3 + 3\*q^2)\*a\*x\*x^q - (2\*q^3 + 3\*q^2)\*x)\*log(-a\*x^q + 1)/x^(5/2) + 27\*(a\*(2\*q + 3)\*x\*x^q - (2\*q + 3)\*x)\*polylog(3, a\*x^q)/x^(5/2) + 8\*(2\*q^4\*x - (2\*q^4 + 3\*q^3)\*a\*x\*x^q)/x^(5/2))/(a\*d^(5/2)\*(2\*q + 3)\*x^q - d^(5/2)\*(2\*q + 3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(3, ax^q)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, a\*x^q)/(d\*x)^(5/2),x)

[Out] int(polylog(3, a\*x^q)/(d\*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ax^q)}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,a\*x\*\*q)/(d\*x)\*\*(5/2),x)

[Out] Integral(polylog(3, a\*x\*\*q)/(d\*x)\*\*(5/2), x)

### 3.96 $\int \text{Li}_{\frac{3}{2}}(ax) dx$

**Optimal.** Leaf size=30

$$\text{Int}\left(\text{Li}_{-\frac{1}{2}}(ax), x\right) - x\text{Li}_{\frac{1}{2}}(ax) + x\text{Li}_{\frac{3}{2}}(ax)$$

[Out]  $-x*\text{polylog}(1/2, a*x) + x*\text{polylog}(3/2, a*x) + \text{Unintegrable}(\text{polylog}(-1/2, a*x), x)$

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}\left(\frac{3}{2}, ax\right) dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[\text{PolyLog}[3/2, a*x], x]$

[Out]  $-(x*\text{PolyLog}[1/2, a*x]) + x*\text{PolyLog}[3/2, a*x] + \text{Defer}[\text{Int}][\text{PolyLog}[-1/2, a*x], x]$

Rubi steps

$$\begin{aligned} \int \text{Li}_{\frac{3}{2}}(ax) dx &= x\text{Li}_{\frac{3}{2}}(ax) - \int \text{Li}_{\frac{1}{2}}(ax) dx \\ &= -x\text{Li}_{\frac{1}{2}}(ax) + x\text{Li}_{\frac{3}{2}}(ax) + \int \text{Li}_{-\frac{1}{2}}(ax) dx \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \text{Li}_{\frac{3}{2}}(ax) dx$$

Verification is Not applicable to the result.

[In]  $\text{Integrate}[\text{PolyLog}[3/2, a*x], x]$

[Out]  $\text{Integrate}[\text{PolyLog}[3/2, a*x], x]$

**fricas** [A] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(\frac{3}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3/2,a\*x),x, algorithm="fricas")

[Out] integral(polylog(3/2, a\*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(3/2, a\*x), x)

maple [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \operatorname{polylog}\left(\frac{3}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3/2,a\*x),x)

[Out] int(polylog(3/2,a\*x),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(3/2, a\*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \operatorname{polylog}\left(\frac{3}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3/2, a\*x),x)

[Out] int(polylog(3/2, a\*x), x)



sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3/2,a\*x),x)

[Out] Integral(polylog(3/2, a\*x), x)

### 3.97 $\int \text{Li}_{\frac{1}{2}}(ax) dx$

**Optimal.** Leaf size=22

$$x\text{Li}_{\frac{1}{2}}(ax) - \text{Int}\left(\text{Li}_{-\frac{1}{2}}(ax), x\right)$$

[Out] x\*polylog(1/2, a\*x)-Unintegrable(polylog(-1/2, a\*x), x)

**Rubi [A]** time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}\left(\frac{1}{2}, ax\right) dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog [1/2, a\*x], x]

[Out] x\*PolyLog [1/2, a\*x] - Defer [Int] [PolyLog [-1/2, a\*x], x]

Rubi steps

$$\int \text{Li}_{\frac{1}{2}}(ax) dx = x\text{Li}_{\frac{1}{2}}(ax) - \int \text{Li}_{-\frac{1}{2}}(ax) dx$$

**Mathematica [A]** time = 0.01, size = 0, normalized size = 0.00

$$\int \text{Li}_{\frac{1}{2}}(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog [1/2, a\*x], x]

[Out] Integrate [PolyLog [1/2, a\*x], x]

**fricas [A]** time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(\frac{1}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(1/2, a\*x), x, algorithm="fricas")

[Out] integral(polylog(1/2, a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(1/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(1/2, a\*x), x)

**maple** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \operatorname{polylog}\left(\frac{1}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(1/2,a\*x),x)

[Out] int(polylog(1/2,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(1/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(1/2, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \operatorname{polylog}\left(\frac{1}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(1/2, a\*x),x)

[Out] int(polylog(1/2, a\*x), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(1/2,a*x),x)
```

```
[Out] Integral(polylog(1/2, a*x), x)
```

### 3.98 $\int \text{Li}_{-\frac{1}{2}}(ax) dx$

Optimal. Leaf size=10

$$\text{Int}\left(\text{Li}_{-\frac{1}{2}}(ax), x\right)$$

[Out] Unintegrable(polylog(-1/2, a\*x), x)

**Rubi** [A] time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}\left(-\frac{1}{2}, ax\right) dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog[-1/2, a\*x], x]

[Out] Defer[Int] [PolyLog[-1/2, a\*x], x]

Rubi steps

$$\int \text{Li}_{-\frac{1}{2}}(ax) dx = \int \text{Li}_{-\frac{1}{2}}(ax) dx$$

**Mathematica** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog[-1/2, a\*x], x]

[Out] Integrate [PolyLog[-1/2, a\*x], x]

**fricas** [A] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(-\frac{1}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-1/2, a\*x), x, algorithm="fricas")

[Out] integral(polylog(-1/2, a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-1/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(-1/2, a\*x), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{polylog}\left(-\frac{1}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-1/2,a\*x),x)

[Out] int(polylog(-1/2,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-1/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(-1/2, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.10

$$\int \text{polylog}\left(-\frac{1}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-1/2, a\*x),x)

[Out] int(polylog(-1/2, a\*x), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(-1/2,a*x),x)
```

```
[Out] Integral(polylog(-1/2, a*x), x)
```

### 3.99 $\int \text{Li}_{-\frac{3}{2}}(ax) dx$

**Optimal.** Leaf size=22

$$x\text{Li}_{-\frac{1}{2}}(ax) - \text{Int}\left(\text{Li}_{-\frac{1}{2}}(ax), x\right)$$

[Out] x\*polylog(-1/2,a\*x)-Unintegrable(polylog(-1/2,a\*x),x)

**Rubi [A]** time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}\left(-\frac{3}{2}, ax\right) dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog[-3/2, a\*x], x]

[Out] x\*PolyLog[-1/2, a\*x] - Defer[Int] [PolyLog[-1/2, a\*x], x]

Rubi steps

$$\int \text{Li}_{-\frac{3}{2}}(ax) dx = x\text{Li}_{-\frac{1}{2}}(ax) - \int \text{Li}_{-\frac{1}{2}}(ax) dx$$

**Mathematica [A]** time = 0.01, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{3}{2}}(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog[-3/2, a\*x], x]

[Out] Integrate [PolyLog[-3/2, a\*x], x]

**fricas [A]** time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(-\frac{3}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x),x, algorithm="fricas")



[Out] integral(polylog(-3/2, a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{-\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(-3/2, a\*x), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{polylog}\left(-\frac{3}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-3/2,a\*x),x)

[Out] int(polylog(-3/2,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{-\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(-3/2, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \operatorname{polylog}\left(-\frac{3}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-3/2, a\*x),x)

[Out] int(polylog(-3/2, a\*x), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{-\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(-3/2,a*x),x)
```

```
[Out] Integral(polylog(-3/2, a*x), x)
```

### 3.100 $\int \text{Li}_{-\frac{5}{2}}(ax) dx$

**Optimal.** Leaf size=30

$$\text{Int}\left(\text{Li}_{-\frac{1}{2}}(ax), x\right) + x\text{Li}_{-\frac{3}{2}}(ax) - x\text{Li}_{-\frac{1}{2}}(ax)$$

[Out] x\*polylog(-3/2,a\*x)-x\*polylog(-1/2,a\*x)+Unintegrable(polylog(-1/2,a\*x),x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}\left(-\frac{5}{2}, ax\right) dx$$

Verification is Not applicable to the result.

[In] Int[PolyLog[-5/2, a\*x], x]

[Out] x\*PolyLog[-3/2, a\*x] - x\*PolyLog[-1/2, a\*x] + Defer[Int][PolyLog[-1/2, a\*x], x]

Rubi steps

$$\begin{aligned} \int \text{Li}_{-\frac{5}{2}}(ax) dx &= x\text{Li}_{-\frac{3}{2}}(ax) - \int \text{Li}_{-\frac{3}{2}}(ax) dx \\ &= x\text{Li}_{-\frac{3}{2}}(ax) - x\text{Li}_{-\frac{1}{2}}(ax) + \int \text{Li}_{-\frac{1}{2}}(ax) dx \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{5}{2}}(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate[PolyLog[-5/2, a\*x], x]

[Out] Integrate[PolyLog[-5/2, a\*x], x]

**fricas** [A] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(-\frac{5}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-5/2,a\*x),x, algorithm="fricas")

[Out] integral(polylog(-5/2, a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{-\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-5/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(-5/2, a\*x), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{polylog}\left(-\frac{5}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-5/2,a\*x),x)

[Out] int(polylog(-5/2,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_{-\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-5/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(-5/2, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \operatorname{polylog}\left(-\frac{5}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-5/2, a\*x),x)

[Out] int(polylog(-5/2, a\*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-5/2,a\*x),x)

[Out] Integral(polylog(-5/2, a\*x), x)

$$3.101 \quad \int \left( \text{Li}_{-\frac{3}{2}}(ax) + \text{Li}_{-\frac{1}{2}}(ax) \right) dx$$

Optimal. Leaf size=9

$$x\text{Li}_{-\frac{1}{2}}(ax)$$

[Out] x\*polylog(-1/2,a\*x)

**Rubi [A]** time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {6587}

$$x\text{PolyLog}\left(-\frac{1}{2}, ax\right)$$

Antiderivative was successfully verified.

[In] Int [PolyLog[-3/2, a\*x] + PolyLog[-1/2, a\*x], x]

[Out] x\*PolyLog[-1/2, a\*x]

Rule 6587

Int [PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[(x\*PolyLog[n + 1, a\*(b\*x^p)^q]/(p\*q), x] - Dist[1/(p\*q), Int [PolyLog[n + 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \left( \text{Li}_{-\frac{3}{2}}(ax) + \text{Li}_{-\frac{1}{2}}(ax) \right) dx &= \int \text{Li}_{-\frac{3}{2}}(ax) dx + \int \text{Li}_{-\frac{1}{2}}(ax) dx \\ &= x\text{Li}_{-\frac{1}{2}}(ax) \end{aligned}$$

Mathematica [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \left( \text{Li}_{-\frac{3}{2}}(ax) + \text{Li}_{-\frac{1}{2}}(ax) \right) dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog[-3/2, a\*x] + PolyLog[-1/2, a\*x], x]

[Out] Integrate [PolyLog[-3/2, a\*x] + PolyLog[-1/2, a\*x], x]

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\text{polylog}\left(-\frac{1}{2}, ax\right) + \text{polylog}\left(-\frac{3}{2}, ax\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x)+polylog(-1/2,a\*x),x, algorithm="fricas")

[Out] integral(polylog(-1/2, a\*x) + polylog(-3/2, a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) + \text{Li}_{-\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x)+polylog(-1/2,a\*x),x, algorithm="giac")

[Out] integrate(polylog(-1/2, a\*x) + polylog(-3/2, a\*x), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \text{polylog}\left(-\frac{3}{2}, ax\right) + \text{polylog}\left(-\frac{1}{2}, ax\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(-3/2,a\*x)+polylog(-1/2,a\*x),x)

[Out] int(polylog(-3/2,a\*x)+polylog(-1/2,a\*x),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_{-\frac{1}{2}}(ax) + \text{Li}_{-\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(-3/2,a\*x)+polylog(-1/2,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(-1/2, a\*x) + polylog(-3/2, a\*x), x)

**mupad** [B] time = 0.37, size = 7, normalized size = 0.78

$$x \text{polylog}\left(-\frac{1}{2}, ax\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(-1/2, a*x) + polylog(-3/2, a*x), x)
```

```
[Out] x*polylog(-1/2, a*x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left( \text{Li}_{-\frac{3}{2}}(ax) + \text{Li}_{-\frac{1}{2}}(ax) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(-3/2, a*x)+polylog(-1/2, a*x), x)
```

```
[Out] Integral(polylog(-3/2, a*x) + polylog(-1/2, a*x), x)
```



### 3.102 $\int (dx)^m \text{Li}_2(ax) dx$

Optimal. Leaf size=78

$$\frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^2(m+2)} + \frac{\text{Li}_2(ax)(dx)^{m+1}}{d(m+1)} + \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^2}$$

[Out]  $a*(d*x)^{(2+m)}*\text{hypergeom}([1, 2+m], [3+m], a*x)/d^2/(1+m)^2/(2+m)+(d*x)^{(1+m)}*1n(-a*x+1)/d/(1+m)^2+(d*x)^{(1+m)}*\text{polylog}(2, a*x)/d/(1+m)$

**Rubi [A]** time = 0.05, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2395, 64}

$$\frac{(dx)^{m+1} \text{PolyLog}(2, ax)}{d(m+1)} + \frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^2(m+2)} + \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^2}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*PolyLog[2, a\*x], x]

[Out]  $(a*(d*x)^{(2+m)}*\text{Hypergeometric2F1}[1, 2+m, 3+m, a*x])/(d^2*(1+m)^2*(2+m)) + ((d*x)^{(1+m)}*\text{Log}[1-a*x])/(d*(1+m)^2) + ((d*x)^{(1+m)}*\text{PolyLog}[2, a*x])/(d*(1+m))$

#### Rule 64

Int[((b\_.)\*(x\_))^(m\_)\*((c\_) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[(c^n\*(b\*x)^(m+1)\*Hypergeometric2F1[-n, m+1, m+2, -(d\*x)/c])/(b\*(m+1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b\*c)), 0]))

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q+1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q+1)), x] - Dist[(b\*e^n)/(g\*(q+1)), Int[(f + g\*x)^(q+1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbol] :> Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int (dx)^m \text{Li}_2(ax) dx &= \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)} + \frac{\int (dx)^m \log(1-ax) dx}{1+m} \\ &= \frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)} + \frac{a \int \frac{(dx)^{1+m}}{1-ax} dx}{d(1+m)^2} \\ &= \frac{a(dx)^{2+m} {}_2F_1(1, 2+m; 3+m; ax)}{d^2(1+m)^2(2+m)} + \frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)} \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 53, normalized size = 0.68

$$\frac{x(dx)^m (ax {}_2F_1(1, m+2; m+3; ax) + (m+2)((m+1)\text{Li}_2(ax) + \log(1-ax)))}{(m+1)^2(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*PolyLog[2, a\*x], x]

[Out] (x\*(d\*x)^m\*(a\*x\*Hypergeometric2F1[1, 2 + m, 3 + m, a\*x] + (2 + m)\*(Log[1 - a\*x] + (1 + m)\*PolyLog[2, a\*x]))/((1 + m)^2\*(2 + m))

**fricas** [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{Li}_2(ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x),x, algorithm="fricas")

[Out] integral((d\*x)^m\*dilog(a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^m\*dilog(a\*x), x)

**maple** [C] time = 0.14, size = 144, normalized size = 1.85

$$\frac{(dx)^m x^{-m} (-a)^{-m} \left( \frac{x^m (-a)^m (-a m^2 x - 2 a m x - m^2 - 3 m - 2)}{(m+2)(1+m)^3 m} - \frac{x^{1+m} (-a)^m a (-2-m) \ln(-ax+1)}{(m+2)(1+m)^2} + \frac{x^{1+m} (-a)^m a \operatorname{polylog}(2, ax)}{1+m} + \frac{x^m (-a)^m \Phi(ax, 1, m)}{(1+m)^2} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(2,a\*x),x)

[Out] (d\*x)^m\*x^(-m)\*(-a)^(-m)/a\*(1/(m+2)\*x^m\*(-a)^m\*(-a\*m^2\*x-2\*a\*m\*x-m^2-3\*m-2)/(1+m)^3/m-1/(m+2)\*x^(1+m)\*(-a)^m\*a\*(-2-m)/(1+m)^2\*ln(-a\*x+1)+x^(1+m)\*(-a)^m\*a/(1+m)\*polylog(2,a\*x)+x^m\*(-a)^m/(1+m)^2\*LerchPhi(a\*x,1,m)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-ad^m \int -\frac{xx^m}{m^2 - (am^2 + 2am + a)x + 2m + 1} dx + \frac{(d^m m + d^m)xx^m \operatorname{Li}_2(ax) + d^m xx^m \log(-ax + 1)}{m^2 + 2m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x),x, algorithm="maxima")

[Out] -a\*d^m\*integrate(-x\*x^m/(m^2 - (a\*m^2 + 2\*a\*m + a)\*x + 2\*m + 1), x) + ((d^m\*m + d^m)\*x\*x^m\*dilog(a\*x) + d^m\*x\*x^m\*log(-a\*x + 1))/(m^2 + 2\*m + 1)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(2, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(2, a\*x), x)

[Out] int((d\*x)^m\*polylog(2, a\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*polylog(2,a\*x),x)

[Out] Integral((d\*x)\*\*m\*polylog(2, a\*x), x)

### 3.103 $\int (dx)^m \text{Li}_3(ax) dx$

**Optimal.** Leaf size=102

$$-\frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^3(m+2)} - \frac{\text{Li}_2(ax)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_3(ax)(dx)^{m+1}}{d(m+1)} - \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^3}$$

[Out] -a\*(d\*x)^(2+m)\*hypergeom([1, 2+m], [3+m], a\*x)/d^2/(1+m)^3/(2+m)-(d\*x)^(1+m)\*ln(-a\*x+1)/d/(1+m)^3-(d\*x)^(1+m)\*polylog(2, a\*x)/d/(1+m)^2+(d\*x)^(1+m)\*polylog(3, a\*x)/d/(1+m)

**Rubi [A]** time = 0.06, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {6591, 2395, 64}

$$-\frac{(dx)^{m+1} \text{PolyLog}(2, ax)}{d(m+1)^2} + \frac{(dx)^{m+1} \text{PolyLog}(3, ax)}{d(m+1)} - \frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^3(m+2)} - \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^3}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*PolyLog[3, a\*x], x]

[Out] -((a\*(d\*x)^(2+m)\*Hypergeometric2F1[1, 2+m, 3+m, a\*x])/(d^2\*(1+m)^3\*(2+m))) - ((d\*x)^(1+m)\*Log[1-a\*x])/(d\*(1+m)^3) - ((d\*x)^(1+m)\*PolyLog[2, a\*x])/(d\*(1+m)^2) + ((d\*x)^(1+m)\*PolyLog[3, a\*x])/(d\*(1+m))

#### Rule 64

Int[((b\_.)\*(x\_))^(m\_)\*((c\_) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[(c^n\*(b\*x)^(m+1)\*Hypergeometric2F1[-n, m+1, m+2, -(d\*x)/c])/(b\*(m+1)), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0] && !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b\*c)), 0]))

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q+1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q+1)), x] - Dist[(b\*e\*n)/(g\*(q+1)), Int[(f + g\*x)^(q+1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m+1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m+1)), x] - Dist[(p\*q)/(m+1), Int[(d\*x)^m\*PolyLog[n-1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a,

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int (dx)^m \text{Li}_3(ax) dx &= \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)} - \frac{\int (dx)^m \text{Li}_2(ax) dx}{1+m} \\ &= -\frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)} - \frac{\int (dx)^m \log(1-ax) dx}{(1+m)^2} \\ &= -\frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^3} - \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)} - \frac{a \int \frac{(dx)^{1+m}}{1-ax} dx}{d(1+m)^3} \\ &= -\frac{a(dx)^{2+m} {}_2F_1(1, 2+m; 3+m; ax)}{d^2(1+m)^3(2+m)} - \frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^3} - \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)} \end{aligned}$$

**Mathematica [C]** time = 0.06, size = 88, normalized size = 0.86

$$\frac{x\Gamma(m+2)(dx)^m \left( a(m+1)x\Gamma(m+1) {}_2\tilde{F}_1(1, m+2; m+3; ax) + m^2(-\text{Li}_3(ax)) - 2m\text{Li}_3(ax) + (m+1)\text{Li}_2(ax) - \text{Li}_3(ax) \right)}{(m+1)^4\Gamma(m+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[3, a\*x], x]

[Out] -((x\*(d\*x)^m\*Gamma[2+m]\*(a\*(1+m)\*x\*Gamma[1+m]\*HypergeometricPFQRegularized[{1, 2+m}, {3+m}, a\*x] + Log[1-a\*x] + (1+m)\*PolyLog[2, a\*x] - PolyLog[3, a\*x] - 2\*m\*PolyLog[3, a\*x] - m^2\*PolyLog[3, a\*x]))/((1+m)^4\*Gamma[1+m]))

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left( (dx)^m \text{polylog}(3, ax), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3, a\*x), x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(3, a\*x), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(3, a\*x), x)

maple [C] time = 0.28, size = 173, normalized size = 1.70

$$\frac{(dx)^m x^{-m} (-a)^{-m} \left( \frac{x^m (-a)^m (a m^2 x + 2 a m x + m^2 + 3 m + 2)}{(m+2)(1+m)^4 m} - \frac{x^{1+m} (-a)^m a \ln(-a x + 1)}{(1+m)^3} + \frac{x^{1+m} (-a)^m a (-2-m) \operatorname{polylog}(2, a x)}{(m+2)(1+m)^2} + \frac{x^{1+m} (-a)^m a \operatorname{polylog}(3, a x)}{1+m} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(3,a\*x),x)

[Out] (d\*x)^m\*x^(-m)\*(-a)^(-m)/a\*(1/(m+2)\*x^m\*(-a)^m\*(a\*m^2\*x+2\*a\*m\*x+m^2+3\*m+2)/(1+m)^4/m-x^(1+m)\*(-a)^m\*a/(1+m)^3\*ln(-a\*x+1)+1/(m+2)\*x^(1+m)\*(-a)^m\*a\*(-2-m)/(1+m)^2\*polylog(2,a\*x)+x^(1+m)\*(-a)^m\*a/(1+m)\*polylog(3,a\*x)+1/(m+2)\*x^m\*(-a)^m\*(-2-m)/(1+m)^3\*LerchPhi(a\*x,1,m))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$a d^m \int \frac{x x^m}{m^3 - (m^3 + 3 m^2 + 3 m + 1) a x + 3 m^2 + 3 m + 1} dx - \frac{d^m (m + 1) x x^m \operatorname{Li}_2(a x) - (m^2 + 2 m + 1) d^m x x^m \operatorname{Li}_3(a x)}{m^3 + 3 m^2 + 3 m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x),x, algorithm="maxima")

[Out] a\*d^m\*integrate(-x\*x^m/(m^3 - (m^3 + 3\*m^2 + 3\*m + 1)\*a\*x + 3\*m^2 + 3\*m + 1), x) - (d^m\*(m + 1)\*x\*x^m\*dilog(a\*x) - (m^2 + 2\*m + 1)\*d^m\*x\*x^m\*polylog(3, a\*x) + d^m\*x\*x^m\*log(-a\*x + 1))/(m^3 + 3\*m^2 + 3\*m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(3, a x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(3, a\*x),x)

[Out] int((d\*x)^m\*polylog(3, a\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*polylog(3,a*x),x)
```

```
[Out] Integral((d*x)**m*polylog(3, a*x), x)
```

### 3.104 $\int (dx)^m \text{Li}_4(ax) dx$

**Optimal.** Leaf size=121

$$\frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^4(m+2)} + \frac{\text{Li}_2(ax)(dx)^{m+1}}{d(m+1)^3} - \frac{\text{Li}_3(ax)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_4(ax)(dx)^{m+1}}{d(m+1)} + \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^4}$$

[Out] a\*(d\*x)^(2+m)\*hypergeom([1, 2+m], [3+m], a\*x)/d^2/(1+m)^4/(2+m)+(d\*x)^(1+m)\*1  
n(-a\*x+1)/d/(1+m)^4+(d\*x)^(1+m)\*polylog(2, a\*x)/d/(1+m)^3-(d\*x)^(1+m)\*polylo  
g(3, a\*x)/d/(1+m)^2+(d\*x)^(1+m)\*polylog(4, a\*x)/d/(1+m)

**Rubi [A]** time = 0.09, antiderivative size = 121, normalized size of antiderivative =  
1.00, number of steps used = 5, number of rules used = 3, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}}$   
= 0.273, Rules used = {6591, 2395, 64}

$$\frac{(dx)^{m+1} \text{PolyLog}(2, ax)}{d(m+1)^3} - \frac{(dx)^{m+1} \text{PolyLog}(3, ax)}{d(m+1)^2} + \frac{(dx)^{m+1} \text{PolyLog}(4, ax)}{d(m+1)} + \frac{a(dx)^{m+2} {}_2F_1(1, m+2; m+3; ax)}{d^2(m+1)^4(m+2)} + \frac{\log(1-ax)(dx)^{m+1}}{d(m+1)^4}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*PolyLog[4, a\*x], x]

[Out] (a\*(d\*x)^(2 + m)\*Hypergeometric2F1[1, 2 + m, 3 + m, a\*x])/(d^2\*(1 + m)^4\*(2  
+ m)) + ((d\*x)^(1 + m)\*Log[1 - a\*x])/(d\*(1 + m)^4) + ((d\*x)^(1 + m)\*PolyLo  
g[2, a\*x])/(d\*(1 + m)^3) - ((d\*x)^(1 + m)\*PolyLog[3, a\*x])/(d\*(1 + m)^2) +  
((d\*x)^(1 + m)\*PolyLog[4, a\*x])/(d\*(1 + m))

#### Rule 64

Int[((b\_.)\*(x\_))^(m\_)\*((c\_) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[(c^n\*(b\*x)  
)^(m + 1)\*Hypergeometric2F1[-n, m + 1, m + 2, -((d\*x)/c)]/(b\*(m + 1)), x]  
/; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[m] && (IntegerQ[n] || (GtQ[c, 0]  
&& !(EqQ[n, -2^(-1)] && EqQ[c^2 - d^2, 0] && GtQ[-(d/(b\*c)), 0]))

#### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_  
)^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/  
(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x)  
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && N  
eQ[q, -1]

#### Rule 6591

Int[((d\_.)\*(x\_))^(m\_)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.), x\_Symbo  
l] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q])/(d\*(m + 1)), x] - Dist[(



$p \cdot q / (m + 1)$ ,  $\text{Int}[(d \cdot x)^m \cdot \text{PolyLog}[n - 1, a \cdot (b \cdot x^p)^q], x], x] /;$   $\text{FreeQ}[\{a, b, d, m, p, q\}, x]$  &&  $\text{NeQ}[m, -1]$  &&  $\text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int (dx)^m \text{Li}_4(ax) dx &= \frac{(dx)^{1+m} \text{Li}_4(ax)}{d(1+m)} - \frac{\int (dx)^m \text{Li}_3(ax) dx}{1+m} \\ &= -\frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax)}{d(1+m)} + \frac{\int (dx)^m \text{Li}_2(ax) dx}{(1+m)^2} \\ &= \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^3} - \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax)}{d(1+m)} + \frac{\int (dx)^m \log(1-ax) dx}{(1+m)^3} \\ &= \frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^4} + \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^3} - \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax)}{d(1+m)} + \frac{a \int \frac{(dx)^{1+m}}{1-ax} dx}{d(1+m)^4} \\ &= \frac{a(dx)^{2+m} {}_2F_1(1, 2+m; 3+m; ax)}{d^2(1+m)^4(2+m)} + \frac{(dx)^{1+m} \log(1-ax)}{d(1+m)^4} + \frac{(dx)^{1+m} \text{Li}_2(ax)}{d(1+m)^3} - \frac{(dx)^{1+m} \text{Li}_3(ax)}{d(1+m)^2} \end{aligned}$$

**Mathematica [C]** time = 0.07, size = 119, normalized size = 0.98

$$\frac{x\Gamma(m+2)(dx)^m \left( a(m+1)x\Gamma(m+1) {}_2\tilde{F}_1(1, m+2; m+3; ax) + m^3 \text{Li}_4(ax) - m^2 \text{Li}_3(ax) + 3m^2 \text{Li}_4(ax) - 2m \text{Li}_3(ax) \right)}{(m+1)^5 \Gamma(m+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[4, a\*x], x]

[Out]  $(x \cdot (d \cdot x)^m \cdot \Gamma[2 + m] \cdot (a \cdot (1 + m) \cdot x \cdot \Gamma[1 + m] \cdot \text{HypergeometricPFQRegularized}[\{1, 2 + m\}, \{3 + m\}, a \cdot x] + \text{Log}[1 - a \cdot x] + (1 + m) \cdot \text{PolyLog}[2, a \cdot x] - \text{PolyLog}[3, a \cdot x] - 2 \cdot m \cdot \text{PolyLog}[3, a \cdot x] - m^2 \cdot \text{PolyLog}[3, a \cdot x] + \text{PolyLog}[4, a \cdot x] + 3 \cdot m \cdot \text{PolyLog}[4, a \cdot x] + 3 \cdot m^2 \cdot \text{PolyLog}[4, a \cdot x] + m^3 \cdot \text{PolyLog}[4, a \cdot x])) / ((1 + m)^5 \cdot \Gamma[1 + m])$

**fricas [F]** time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(4, ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(4, a\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_4(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(4, a\*x), x)

**maple** [C] time = 0.62, size = 198, normalized size = 1.64

$$\frac{(dx)^m x^{-m} (-a)^{-m} \left( \frac{x^m (-a)^m (-a m^2 x - 2 a m x - m^2 - 3 m - 2)}{(m+2)(1+m)^5 m} - \frac{x^{1+m} (-a)^m a (-2-m) \ln(-ax+1)}{(m+2)(1+m)^4} + \frac{x^{1+m} (-a)^m a \operatorname{polylog}(2, ax)}{(1+m)^3} + \frac{x^{1+m} (-a)^m a (-2-m)}{(m+2)(1+m)} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(4,a\*x),x)

[Out] (d\*x)^m\*x^(-m)\*(-a)^(-m)/a\*(1/(m+2)\*x^m\*(-a)^m\*(-a\*m^2\*x-2\*a\*m\*x-m^2-3\*m-2)/(1+m)^5/m-1/(m+2)\*x^(1+m)\*(-a)^m\*a\*(-2-m)/(1+m)^4\*ln(-a\*x+1)+x^(1+m)\*(-a)^m\*a/(1+m)^3\*polylog(2,a\*x)+1/(m+2)\*x^(1+m)\*(-a)^m\*a\*(-2-m)/(1+m)^2\*polylog(3,a\*x)+x^(1+m)\*(-a)^m\*a/(1+m)\*polylog(4,a\*x)+x^m\*(-a)^m/(1+m)^4\*LerchPhi(a\*x,1,m))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-ad^m \int -\frac{xx^m}{m^4 + 4m^3 + 6m^2 - (am^4 + 4am^3 + 6am^2 + 4am + a)x + 4m + 1} dx + \frac{(d^m m + d^m) xx^m \operatorname{Li}_2(ax) + d^m x^m}{m^4 + 4m^3 + 6m^2 - (am^4 + 4am^3 + 6am^2 + 4am + a)x + 4m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x),x, algorithm="maxima")

[Out] -a\*d^m\*integrate(-x\*x^m/(m^4 + 4\*m^3 + 6\*m^2 - (a\*m^4 + 4\*a\*m^3 + 6\*a\*m^2 + 4\*a\*m + a)\*x + 4\*m + 1), x) + ((d^m\*m + d^m)\*x\*x^m\*dilog(a\*x) + d^m\*x\*x^m\*log(-a\*x + 1) + (d^m\*m^3 + 3\*d^m\*m^2 + 3\*d^m\*m + d^m)\*x\*x^m\*polylog(4, a\*x) - (d^m\*m^2 + 2\*d^m\*m + d^m)\*x\*x^m\*polylog(3, a\*x))/(m^4 + 4\*m^3 + 6\*m^2 + 4\*m + 1)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(4, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m*polylog(4, a*x),x)
```

```
[Out] int((d*x)^m*polylog(4, a*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (dx)^m \operatorname{Li}_4(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*polylog(4,a*x),x)
```

```
[Out] Integral((d*x)**m*polylog(4, a*x), x)
```

### 3.105 $\int (dx)^m \text{Li}_2(ax^2) dx$

**Optimal.** Leaf size=94

$$\frac{4a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^2(m+3)} + \frac{\text{Li}_2(ax^2)(dx)^{m+1}}{d(m+1)} + \frac{2 \log(1-ax^2)(dx)^{m+1}}{d(m+1)^2}$$

[Out]  $4*a*(d*x)^(3+m)*\text{hypergeom}([1, 3/2+1/2*m], [5/2+1/2*m], a*x^2)/d^3/(1+m)^2/(3+m)+2*(d*x)^(1+m)*\ln(-a*x^2+1)/d/(1+m)^2+(d*x)^(1+m)*\text{polylog}(2, a*x^2)/d/(1+m)$

**Rubi [A]** time = 0.05, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$\frac{(dx)^{m+1} \text{PolyLog}(2, ax^2)}{d(m+1)} + \frac{4a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^2(m+3)} + \frac{2 \log(1-ax^2)(dx)^{m+1}}{d(m+1)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^m * \text{PolyLog}[2, a*x^2], x]$

[Out]  $(4*a*(d*x)^(3+m)*\text{Hypergeometric2F1}[1, (3+m)/2, (5+m)/2, a*x^2])/d^3*(1+m)^2*(3+m) + (2*(d*x)^(1+m)*\text{Log}[1-a*x^2])/d*(1+m)^2 + ((d*x)^(1+m)*\text{PolyLog}[2, a*x^2])/d*(1+m)$

#### Rule 16

$\text{Int}[(u_*)*(v_)^(m_*)*((b_)*(v_))^(n_), x\_Symbol] := \text{Dist}[1/b^m, \text{Int}[u*(b*v)^(m+n), x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 364

$\text{Int}[(c_*)*(x_)^(m_*)*((a_)+(b_)*(x_)^(n_))^(p_), x\_Symbol] := \text{Simp}[(a^p*(c*x)^(m+1)*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/c*(m+1), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

$\text{Int}[(a_*) + \text{Log}[(c_*)*((d_)+(e_)*(x_)^(n_))^(p_)]*(b_)*((f_)*(x_)^(m_)), x\_Symbol] := \text{Simp}[(f*x)^(m+1)*(a+b*\text{Log}[c*(d+e*x^n)^p])/f*(m+1), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^(n-1)*(f*x)^(m+1))/(d+e*x^n), x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_2(ax^2) dx &= \frac{(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)} + \frac{2 \int (dx)^m \log(1-ax^2) dx}{1+m} \\
 &= \frac{2(dx)^{1+m} \log(1-ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)} + \frac{(4a) \int \frac{x(dx)^{1+m}}{1-ax^2} dx}{d(1+m)^2} \\
 &= \frac{2(dx)^{1+m} \log(1-ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)} + \frac{(4a) \int \frac{(dx)^{2+m}}{1-ax^2} dx}{d^2(1+m)^2} \\
 &= \frac{4a(dx)^{3+m} {}_2F_1\left(1, \frac{3+m}{2}; \frac{5+m}{2}; ax^2\right)}{d^3(1+m)^2(3+m)} + \frac{2(dx)^{1+m} \log(1-ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)}
 \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 72, normalized size = 0.77

$$\frac{x(dx)^m \left( 4ax^2 {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right) + (m+3) \left( (m+1) \text{Li}_2(ax^2) + 2 \log(1-ax^2) \right) \right)}{(m+1)^2(m+3)}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*PolyLog[2, a\*x^2], x]

[Out] (x\*(d\*x)^m\*(4\*a\*x^2\*Hypergeometric2F1[1, (3 + m)/2, (5 + m)/2, a\*x^2] + (3 + m)\*(2\*Log[1 - a\*x^2] + (1 + m)\*PolyLog[2, a\*x^2]))/((1 + m)^2\*(3 + m))

**fricas [F]** time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{Li}_2(ax^2), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2, a\*x^2), x, algorithm="fricas")

[Out] integral((d\*x)^m\*dilog(a\*x^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^m\*dilog(a\*x^2), x)

**maple** [C] time = 0.16, size = 177, normalized size = 1.88

$$\frac{(dx)^m x^{-m} (-a)^{-\frac{1}{2}-\frac{m}{2}} \left( \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(-4m-12)}{(m+3)(1+m)^3 a} - \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(-2m-6)\ln(-ax^2+1)}{(m+3)(1+m)^2 a} + \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}} \operatorname{polylog}(2,ax^2)}{(1+m)a} + \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}} \operatorname{LerchPhi}(ax^2, 1, 1/2+1/2*m)}{(1+m)^2 a} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(2,a\*x^2),x)

[Out]  $-1/2*(d*x)^m*x^{(-m)}*(-a)^{(-1/2-1/2*m)}*(2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-4*m-12)/(1+m)^3/a-2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-2*m-6)/(1+m)^2/a*\ln(-a*x^2+1)+2*x^{(1+m)}*(-a)^{(3/2+1/2*m)}/(1+m)*\operatorname{polylog}(2,a*x^2)/a+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(2*m+6)/(1+m)^2/a*\operatorname{LerchPhi}(a*x^2,1,1/2+1/2*m))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-4 ad^m \int \frac{x^2 x^m}{(am^2 + 2am + a)x^2 - m^2 - 2m - 1} dx + \frac{(d^m m + d^m) x x^m \operatorname{Li}_2(ax^2) + 2 d^m x x^m \log(-ax^2 + 1)}{m^2 + 2m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^2),x, algorithm="maxima")

[Out]  $-4*a*d^m*\operatorname{integrate}(x^2*x^m/((a*m^2 + 2*a*m + a)*x^2 - m^2 - 2*m - 1), x) + ((d^m*m + d^m)*x*x^m*\operatorname{dilog}(a*x^2) + 2*d^m*x*x^m*\log(-a*x^2 + 1))/(m^2 + 2*m + 1)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(2, ax^2) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, a*x^2)*(d*x)^m,x)`

[Out] `int(polylog(2, a*x^2)*(d*x)^m, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*polylog(2,a*x**2),x)`

[Out] `Integral((d*x)**m*polylog(2, a*x**2), x)`

### 3.106 $\int (dx)^m \text{Li}_3(ax^2) dx$

**Optimal.** Leaf size=118

$$\frac{8a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^3(m+3)} - \frac{2\text{Li}_2(ax^2)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_3(ax^2)(dx)^{m+1}}{d(m+1)} - \frac{4\log(1-ax^2)(dx)^{m+1}}{d(m+1)^3}$$

[Out]  $-8*a*(d*x)^{(3+m)}*\text{hypergeom}([1, 3/2+1/2*m], [5/2+1/2*m], a*x^2)/d^3/(1+m)^3/(3+m)-4*(d*x)^{(1+m)}*\ln(-a*x^2+1)/d/(1+m)^3-2*(d*x)^{(1+m)}*\text{polylog}(2, a*x^2)/d/(1+m)^2+(d*x)^{(1+m)}*\text{polylog}(3, a*x^2)/d/(1+m)$

**Rubi [A]** time = 0.07, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$-\frac{2(dx)^{m+1}\text{PolyLog}(2, ax^2)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(3, ax^2)}{d(m+1)} - \frac{8a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^3(m+3)} - \frac{4\log(1-ax^2)(dx)^m}{d(m+1)^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^m*\text{PolyLog}[3, a*x^2], x]$

[Out]  $(-8*a*(d*x)^{(3+m)}*\text{Hypergeometric2F1}[1, (3+m)/2, (5+m)/2, a*x^2])/d^3*(1+m)^3*(3+m) - (4*(d*x)^{(1+m)}*\text{Log}[1-a*x^2])/d*(1+m)^3 - (2*(d*x)^{(1+m)}*\text{PolyLog}[2, a*x^2])/d*(1+m)^2 + ((d*x)^{(1+m)}*\text{PolyLog}[3, a*x^2])/d*(1+m)$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

#### Rule 364

$\text{Int}[(c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/c*(m+1), x] /; \text{FreeQ}\{a, b, c, m, n, p, x\} \&\& !\text{IGtQ}[p, 0] \&\& (\text{ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

#### Rule 2455

$\text{Int}[(a_*) + \text{Log}[(c_*)*((d_*) + (e_*)*(x_*)^{(n_*)})^{(p_*)}]]*(b_*)*((f_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p])]/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d +$



$e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x\} \&\& \text{NeQ}[m, -1]$

### Rule 6591

$\text{Int}[(d \cdot x)^m \text{PolyLog}[n, a \cdot (b \cdot x^p)^q], x] - \text{Dist}[(p \cdot q)/(m + 1), \text{Int}[(d \cdot x)^m \text{PolyLog}[n - 1, a \cdot (b \cdot x^p)^q], x], x] /; \text{FreeQ}\{a, b, d, m, p, q\}, x\} \&\& \text{NeQ}[m, -1] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int (dx)^m \text{Li}_3(ax^2) dx &= \frac{(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)} - \frac{2 \int (dx)^m \text{Li}_2(ax^2) dx}{1+m} \\ &= -\frac{2(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)} - \frac{4 \int (dx)^m \log(1-ax^2) dx}{(1+m)^2} \\ &= -\frac{4(dx)^{1+m} \log(1-ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)} - \frac{(8a) \int \frac{x(dx)^{1+m}}{1-ax^2} dx}{d(1+m)^3} \\ &= -\frac{4(dx)^{1+m} \log(1-ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)} - \frac{(8a) \int \frac{(dx)^{2+m}}{1-ax^2} dx}{d^2(1+m)^3} \\ &= -\frac{8a(dx)^{3+m} {}_2F_1\left(1, \frac{3+m}{2}; \frac{5+m}{2}; ax^2\right)}{d^3(1+m)^3(3+m)} - \frac{4(dx)^{1+m} \log(1-ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)} \end{aligned}$$

**Mathematica [C]** time = 0.08, size = 126, normalized size = 1.07

$$\frac{2x\Gamma\left(\frac{m+3}{2}\right)(dx)^m \left(2a(m+1)x^2\Gamma\left(\frac{m+1}{2}\right) {}_2\tilde{F}_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right) + m^2(-\text{Li}_3(ax^2)) - 2m\text{Li}_3(ax^2) + 2(m+1)\text{Li}_2(ax^2)\right)}{(m+1)^4\Gamma\left(\frac{m+1}{2}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[3, a\*x^2], x]

[Out]  $(-2*x*(d*x)^m*\Gamma[(3+m)/2]*(2*a*(1+m)*x^2*\Gamma[(1+m)/2]*\text{HypergeometricPFQRegularized}\{1, (3+m)/2\}, \{(5+m)/2\}, a*x^2) + 4*\text{Log}[1-a*x^2] + 2*(1+m)*\text{PolyLog}[2, a*x^2] - \text{PolyLog}[3, a*x^2] - 2*m*\text{PolyLog}[3, a*x^2] - m^2*\text{PolyLog}[3, a*x^2])/((1+m)^4*\Gamma[(1+m)/2])$

**fricas [F]** time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(3, ax^2), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^2),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(3, a\*x^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(3, a\*x^2), x)

**maple** [C] time = 0.31, size = 218, normalized size = 1.85

$$(dx)^m x^{-m} (-a)^{-\frac{1}{2}-\frac{m}{2}} \left( \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(8m+24)}{(m+3)(1+m)^4 a} - \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(4m+12)\ln(-ax^2+1)}{(m+3)(1+m)^3 a} + \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(-2m-6)\operatorname{polylog}(2,ax^2)}{(m+3)(1+m)^2 a} + \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}\operatorname{polylog}(3,ax^2)}{(m+3)(1+m)a} \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(3,a\*x^2),x)

[Out]  $-1/2*(d*x)^m*x^{(-m)}*(-a)^{(-1/2-1/2*m)}*(2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(8*m+24)/(1+m)^4/a-2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(4*m+12)/(1+m)^3/a*\ln(-a*x^2+1)+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-2*m-6)/(1+m)^2*\operatorname{polylog}(2,a*x^2)/a+2*x^{(1+m)}*(-a)^{(3/2+1/2*m)}/(1+m)/a*\operatorname{polylog}(3,a*x^2)+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-4*m-12)/(1+m)^3/a*\operatorname{LerchPhi}(a*x^2,1,1/2+1/2*m))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$8ad^m \int \frac{x^2 x^m}{(m^3 + 3m^2 + 3m + 1)ax^2 - m^3 - 3m^2 - 3m - 1} dx - \frac{2d^m(m+1)xx^m \operatorname{Li}_2(ax^2) - (m^2 + 2m + 1)d^m xx^m}{m^3 + 3m^2 + 3m - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^2),x, algorithm="maxima")

[Out]  $8*a*d^m*\operatorname{integrate}(x^2*x^m/((m^3 + 3*m^2 + 3*m + 1)*a*x^2 - m^3 - 3*m^2 - 3*m - 1), x) - (2*d^m*(m + 1)*x*x^m*\operatorname{dilog}(a*x^2) - (m^2 + 2*m + 1)*d^m*x*x^m*\operatorname{polylog}(3, a*x^2) + 4*d^m*x*x^m*\log(-a*x^2 + 1))/(m^3 + 3*m^2 + 3*m + 1)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(3, ax^2) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x^2)*(d*x)^m, x)`

[Out] `int(polylog(3, a*x^2)*(d*x)^m, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*polylog(3, a*x**2), x)`

[Out] `Integral((d*x)**m*polylog(3, a*x**2), x)`

### 3.107 $\int (dx)^m \text{Li}_4(ax^2) dx$

**Optimal.** Leaf size=142

$$\frac{16a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^4(m+3)} + \frac{4\text{Li}_2(ax^2)(dx)^{m+1}}{d(m+1)^3} - \frac{2\text{Li}_3(ax^2)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_4(ax^2)(dx)^{m+1}}{d(m+1)} + \frac{8\log(1-ax^2)(dx)^{m+1}}{d(m+1)^4}$$

[Out] 16\*a\*(d\*x)^(3+m)\*hypergeom([1, 3/2+1/2\*m], [5/2+1/2\*m], a\*x^2)/d^3/(1+m)^4/(3+m)+8\*(d\*x)^(1+m)\*ln(-a\*x^2+1)/d/(1+m)^4+4\*(d\*x)^(1+m)\*polylog(2, a\*x^2)/d/(1+m)^3-2\*(d\*x)^(1+m)\*polylog(3, a\*x^2)/d/(1+m)^2+(d\*x)^(1+m)\*polylog(4, a\*x^2)/d/(1+m)

**Rubi [A]** time = 0.09, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$\frac{4(dx)^{m+1}\text{PolyLog}(2, ax^2)}{d(m+1)^3} - \frac{2(dx)^{m+1}\text{PolyLog}(3, ax^2)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(4, ax^2)}{d(m+1)} + \frac{16a(dx)^{m+3} {}_2F_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right)}{d^3(m+1)^4(m+3)}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*PolyLog[4, a\*x^2], x]

[Out] (16\*a\*(d\*x)^(3 + m)\*Hypergeometric2F1[1, (3 + m)/2, (5 + m)/2, a\*x^2])/(d^3\*(1 + m)^4\*(3 + m)) + (8\*(d\*x)^(1 + m)\*Log[1 - a\*x^2])/(d\*(1 + m)^4) + (4\*(d\*x)^(1 + m)\*PolyLog[2, a\*x^2])/(d\*(1 + m)^3) - (2\*(d\*x)^(1 + m)\*PolyLog[3, a\*x^2])/(d\*(1 + m)^2) + ((d\*x)^(1 + m)\*PolyLog[4, a\*x^2])/(d\*(1 + m))

#### Rule 16

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_)^(n\_.)), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 364

Int[((c\_.)\*(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b\*x^n)/a])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))^(p\_.)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(a + b\*Log[c\*(d + e\*x^n)^p]))/(f\*(m + 1)), x]

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_4(ax^2) dx &= \frac{(dx)^{1+m} \text{Li}_4(ax^2)}{d(1+m)} - \frac{2 \int (dx)^m \text{Li}_3(ax^2) dx}{1+m} \\
 &= -\frac{2(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^2)}{d(1+m)} + \frac{4 \int (dx)^m \text{Li}_2(ax^2) dx}{(1+m)^2} \\
 &= \frac{4(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^2)}{d(1+m)} + \frac{8 \int (dx)^m \log(1-ax^2) dx}{(1+m)^3} \\
 &= \frac{8(dx)^{1+m} \log(1-ax^2)}{d(1+m)^4} + \frac{4(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^2)}{d(1+m)} + \dots \\
 &= \frac{8(dx)^{1+m} \log(1-ax^2)}{d(1+m)^4} + \frac{4(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^2)}{d(1+m)} + \dots \\
 &= \frac{16a(dx)^{3+m} {}_2F_1\left(1, \frac{3+m}{2}; \frac{5+m}{2}; ax^2\right)}{d^3(1+m)^4(3+m)} + \frac{8(dx)^{1+m} \log(1-ax^2)}{d(1+m)^4} + \frac{4(dx)^{1+m} \text{Li}_2(ax^2)}{d(1+m)^3} - \frac{2(dx)^{1+m} \text{Li}_3(ax^2)}{d(1+m)^2} + \dots
 \end{aligned}$$

**Mathematica [C]** time = 0.09, size = 166, normalized size = 1.17

$$\frac{2x\Gamma\left(\frac{m+3}{2}\right)(dx)^m\left(4a(m+1)x^2\Gamma\left(\frac{m+1}{2}\right) {}_2\tilde{F}_1\left(1, \frac{m+3}{2}; \frac{m+5}{2}; ax^2\right) + m^3\text{Li}_4(ax^2) - 2m^2\text{Li}_3(ax^2) + 3m^2\text{Li}_4(ax^2) - 4\right)}{(m+1)^5\Gamma\left(\frac{m+1}{2}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[4, a\*x^2], x]

[Out] (2\*x\*(d\*x)^m\*Gamma[(3 + m)/2]\*(4\*a\*(1 + m)\*x^2\*Gamma[(1 + m)/2]\*HypergeometricPFQRegularized[{1, (3 + m)/2}, {(5 + m)/2}, a\*x^2] + 8\*Log[1 - a\*x^2] +

$$4*(1+m)*\text{PolyLog}[2, a*x^2] - 2*\text{PolyLog}[3, a*x^2] - 4*m*\text{PolyLog}[3, a*x^2] - 2*m^2*\text{PolyLog}[3, a*x^2] + \text{PolyLog}[4, a*x^2] + 3*m*\text{PolyLog}[4, a*x^2] + 3*m^2*\text{PolyLog}[4, a*x^2] + m^3*\text{PolyLog}[4, a*x^2]) / ((1+m)^5*\text{Gamma}[(1+m)/2])$$

**fricas** [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(4, ax^2), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^2),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(4, a\*x^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_4(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^2),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(4, a\*x^2), x)

**maple** [C] time = 0.67, size = 259, normalized size = 1.82

$$(dx)^m x^{-m} (-a)^{-\frac{1}{2}-\frac{m}{2}} \left( \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(-16m-48)}{(m+3)(1+m)^5 a} - \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(-8m-24)\ln(-ax^2+1)}{(m+3)(1+m)^4 a} + \frac{2x^{1+m}(-a)^{\frac{3}{2}+\frac{m}{2}}(4m+12)\text{polylog}(2,ax^2)}{(m+3)(1+m)^3 a} + \dots \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(4,a\*x^2),x)

[Out]  $-1/2*(d*x)^m*x^{(-m)}*(-a)^{(-1/2-1/2*m)}*(2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-16*m-48)/(1+m)^5/a-2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-8*m-24)/(1+m)^4/a*\ln(-a*x^2+1)+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(4*m+12)/(1+m)^3*\text{polylog}(2,a*x^2)/a+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(-2*m-6)/(1+m)^2/a*\text{polylog}(3,a*x^2)+2*x^{(1+m)}*(-a)^{(3/2+1/2*m)}/(1+m)/a*\text{polylog}(4,a*x^2)+2/(m+3)*x^{(1+m)}*(-a)^{(3/2+1/2*m)}*(8*m+24)/(1+m)^4/a*\text{LerchPhi}(a*x^2,1,1/2+1/2*m))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-16ad^m \int -\frac{x^2 x^m}{m^4 + 4m^3 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^2 + 6m^2 + 4m + 1} dx + \frac{4(d^m m + d^m) x x^m \text{Li}_2(ax^2)}{m^4 + 4m^3 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^2 + 6m^2 + 4m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^2),x, algorithm="maxima")

[Out]  $-16*a*d^m*\int(-x^2*x^m/(m^4 + 4*m^3 - (a*m^4 + 4*a*m^3 + 6*a*m^2 + 4*a*m + a)*x^2 + 6*m^2 + 4*m + 1), x) + (4*(d^m*m + d^m)*x*x^m*\operatorname{dilog}(a*x^2) + 8*d^m*x*x^m*\log(-a*x^2 + 1) + (d^m*m^3 + 3*d^m*m^2 + 3*d^m*m + d^m)*x*x^m*\operatorname{polylog}(4, a*x^2) - 2*(d^m*m^2 + 2*d^m*m + d^m)*x*x^m*\operatorname{polylog}(3, a*x^2))/(m^4 + 4*m^3 + 6*m^2 + 4*m + 1)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(4, ax^2) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(4, a\*x^2)\*(d\*x)^m,x)

[Out] int(polylog(4, a\*x^2)\*(d\*x)^m, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_4(ax^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*polylog(4,a\*x\*\*2),x)

[Out] Integral((d\*x)\*\*m\*polylog(4, a\*x\*\*2), x)

### 3.108 $\int (dx)^m \text{Li}_2(ax^3) dx$

**Optimal.** Leaf size=94

$$\frac{9a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^2(m+4)} + \frac{\text{Li}_2(ax^3)(dx)^{m+1}}{d(m+1)} + \frac{3 \log(1-ax^3)(dx)^{m+1}}{d(m+1)^2}$$

[Out]  $9*a*(d*x)^(4+m)*\text{hypergeom}([1, 4/3+1/3*m], [7/3+1/3*m], a*x^3)/d^4/(1+m)^2/(4+m)+3*(d*x)^(1+m)*\ln(-a*x^3+1)/d/(1+m)^2+(d*x)^(1+m)*\text{polylog}(2, a*x^3)/d/(1+m)$

**Rubi [A]** time = 0.05, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$\frac{(dx)^{m+1} \text{PolyLog}(2, ax^3)}{d(m+1)} + \frac{9a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^2(m+4)} + \frac{3 \log(1-ax^3)(dx)^{m+1}}{d(m+1)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^m * \text{PolyLog}[2, a*x^3], x]$

[Out]  $(9*a*(d*x)^(4+m)*\text{Hypergeometric2F1}[1, (4+m)/3, (7+m)/3, a*x^3])/(d^4*(1+m)^2*(4+m)) + (3*(d*x)^(1+m)*\text{Log}[1-a*x^3])/(d*(1+m)^2) + ((d*x)^(1+m)*\text{PolyLog}[2, a*x^3])/(d*(1+m))$

#### Rule 16

$\text{Int}[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_.), x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^(m+n), x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 364

$\text{Int}[(c_.)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^(m+1)*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/(c*(m+1)), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_)^(n_.))^(p_.)]*(b_.)]*(f_.)*(x_)^(m_.), x\_Symbol] \rightarrow \text{Simp}[(f*x)^(m+1)*(a + b*\text{Log}[c*(d + e*x^n)^p])/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^(n-1)*(f*x)^(m+1))/(d + e*x^n), x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]



Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_2(ax^3) dx &= \frac{(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)} + \frac{3 \int (dx)^m \log(1-ax^3) dx}{1+m} \\
 &= \frac{3(dx)^{1+m} \log(1-ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)} + \frac{(9a) \int \frac{x^2(dx)^{1+m}}{1-ax^3} dx}{d(1+m)^2} \\
 &= \frac{3(dx)^{1+m} \log(1-ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)} + \frac{(9a) \int \frac{(dx)^{3+m}}{1-ax^3} dx}{d^3(1+m)^2} \\
 &= \frac{9a(dx)^{4+m} {}_2F_1\left(1, \frac{4+m}{3}; \frac{7+m}{3}; ax^3\right)}{d^4(1+m)^2(4+m)} + \frac{3(dx)^{1+m} \log(1-ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 72, normalized size = 0.77

$$\frac{x(dx)^m \left( 9ax^3 {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right) + (m+4) \left( (m+1) \text{Li}_2(ax^3) + 3 \log(1-ax^3) \right) \right)}{(m+1)^2(m+4)}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*PolyLog[2, a\*x^3], x]

[Out] (x\*(d\*x)^m\*(9\*a\*x^3\*Hypergeometric2F1[1, (4+m)/3, (7+m)/3, a\*x^3] + (4+m)\*(3\*Log[1-a\*x^3] + (1+m)\*PolyLog[2, a\*x^3]))/((1+m)^2\*(4+m))

**fricas [F]** time = 1.75, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{Li}_2(ax^3), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^3),x, algorithm="fricas")

[Out] integral((d\*x)^m\*dilog(a\*x^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^3),x, algorithm="giac")

[Out] integrate((d\*x)^m\*dilog(a\*x^3), x)

**maple** [C] time = 0.15, size = 177, normalized size = 1.88

$$\frac{(dx)^m x^{-m} (-a)^{-\frac{1}{3}-\frac{m}{3}} \left( \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(-36-9m)}{(4+m)(1+m)^3 a} - \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(-12-3m)\ln(-ax^3+1)}{(4+m)(1+m)^2 a} + \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}} \operatorname{polylog}(2,ax^3)}{(1+m)a} + \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}}{(1+m)a} \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(2,a\*x^3),x)

[Out]  $-1/3*(d*x)^m*x^{(-m)}*(-a)^{(-1/3-1/3*m)}*(3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-36-9*m)/(1+m)^3/a-3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-12-3*m)/(1+m)^2*\ln(-a*x^3+1)/a+3*x^{(1+m)}*(-a)^{(4/3+1/3*m)}/(1+m)/a*\operatorname{polylog}(2,a*x^3)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(12+3*m)/(1+m)^2/a*\operatorname{LerchPhi}(a*x^3,1,1/3*m+1/3))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-9 ad^m \int \frac{x^3 x^m}{(am^2 + 2am + a)x^3 - m^2 - 2m - 1} dx + \frac{(d^m m + d^m) x x^m \operatorname{Li}_2(ax^3) + 3 d^m x x^m \log(-ax^3 + 1)}{m^2 + 2m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^3),x, algorithm="maxima")

[Out]  $-9*a*d^m*\operatorname{integrate}(x^3*x^m/((a*m^2 + 2*a*m + a)*x^3 - m^2 - 2*m - 1), x) + ((d^m*m + d^m)*x*x^m*\operatorname{dilog}(a*x^3) + 3*d^m*x*x^m*\log(-a*x^3 + 1))/(m^2 + 2*m + 1)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(2,ax^3) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, a*x^3)*(d*x)^m,x)
```

```
[Out] int(polylog(2, a*x^3)*(d*x)^m, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*polylog(2,a*x**3),x)
```

```
[Out] Timed out
```

### 3.109 $\int (dx)^m \text{Li}_3(ax^3) dx$

**Optimal.** Leaf size=118

$$\frac{27a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^3(m+4)} - \frac{3\text{Li}_2(ax^3)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_3(ax^3)(dx)^{m+1}}{d(m+1)} - \frac{9\log(1-ax^3)(dx)^{m+1}}{d(m+1)^3}$$

[Out]  $-27*a*(d*x)^{(4+m)}*\text{hypergeom}([1, 4/3+1/3*m], [7/3+1/3*m], a*x^3)/d^4/(1+m)^3/(4+m) - 9*(d*x)^{(1+m)}*\ln(-a*x^3+1)/d/(1+m)^3 - 3*(d*x)^{(1+m)}*\text{polylog}(2, a*x^3)/d/(1+m)^2 + (d*x)^{(1+m)}*\text{polylog}(3, a*x^3)/d/(1+m)$

**Rubi [A]** time = 0.07, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$\frac{3(dx)^{m+1}\text{PolyLog}(2, ax^3)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(3, ax^3)}{d(m+1)} - \frac{27a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^3(m+4)} - \frac{9\log(1-ax^3)(dx)^{m+1}}{d(m+1)^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^m*\text{PolyLog}[3, a*x^3], x]$

[Out]  $(-27*a*(d*x)^{(4+m)}*\text{Hypergeometric2F1}[1, (4+m)/3, (7+m)/3, a*x^3])/(d^4*(1+m)^3*(4+m)) - (9*(d*x)^{(1+m)}*\text{Log}[1-a*x^3])/(d*(1+m)^3) - (3*(d*x)^{(1+m)}*\text{PolyLog}[2, a*x^3])/(d*(1+m)^2) + ((d*x)^{(1+m)}*\text{PolyLog}[3, a*x^3])/(d*(1+m))$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \ \&\& \ \text{IntegerQ}[m]$

#### Rule 364

$\text{Int}[(c_*)*(x_)^{(m_*)}*((a_*) + (b_*)*(x_)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])]/(c*(m+1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ (\text{ILtQ}[p, 0] \ || \ \text{GtQ}[a, 0])$

#### Rule 2455

$\text{Int}[(a_*) + \text{Log}[(c_*)*((d_*) + (e_*)*(x_)^{(n_*)})^{(p_*)}]]*(b_*)*((f_*)*(x_))^{(m_*)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(a + b*\text{Log}[c*(d + e*x^n)^p])]/(f*(m+1)), x] - \text{Dist}[(b*e*n*p)/(f*(m+1)), \text{Int}[(x^{(n-1)}*(f*x)^{(m+1)})/(d +$

$e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x\} \&\& \text{NeQ}[m, -1]$

### Rule 6591

$\text{Int}[(d*x)^m * \text{PolyLog}[n, a*(b*x^p)^q], x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m * \text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a, b, d, m, p, q\}, x\} \&\& \text{NeQ}[m, -1] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int (dx)^m \text{Li}_3(ax^3) dx &= \frac{(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)} - \frac{3 \int (dx)^m \text{Li}_2(ax^3) dx}{1+m} \\ &= -\frac{3(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)} - \frac{9 \int (dx)^m \log(1-ax^3) dx}{(1+m)^2} \\ &= -\frac{9(dx)^{1+m} \log(1-ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)} - \frac{(27a) \int \frac{x^{2(dx)^{1+m}}}{1-ax^3} dx}{d(1+m)^3} \\ &= -\frac{9(dx)^{1+m} \log(1-ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)} - \frac{(27a) \int \frac{(dx)^{3+m}}{1-ax^3} dx}{d^3(1+m)^3} \\ &= -\frac{27a(dx)^{4+m} {}_2F_1\left(1, \frac{4+m}{3}; \frac{7+m}{3}; ax^3\right)}{d^4(1+m)^3(4+m)} - \frac{9(dx)^{1+m} \log(1-ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)} \end{aligned}$$

**Mathematica [C]** time = 0.08, size = 126, normalized size = 1.07

$$\frac{3x\Gamma\left(\frac{m+4}{3}\right)(dx)^m \left(3a(m+1)x^3\Gamma\left(\frac{m+1}{3}\right) {}_2\tilde{F}_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right) - m^2 \text{Li}_3(ax^3) + 3(m+1) \text{Li}_2(ax^3) - 2m \text{Li}_3(ax^3)\right)}{(m+1)^4 \Gamma\left(\frac{m+1}{3}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[3, a\*x^3],x]

[Out]  $(-3*x*(d*x)^m*\Gamma[(4+m)/3]*(3*a*(1+m)*x^3*\Gamma[(1+m)/3]*\text{HypergeometricPFQRegularized}\{1, (4+m)/3\}, \{(7+m)/3\}, a*x^3) + 9*\text{Log}[1-a*x^3] + 3*(1+m)*\text{PolyLog}[2, a*x^3] - \text{PolyLog}[3, a*x^3] - 2*m*\text{PolyLog}[3, a*x^3] - m^2*\text{PolyLog}[3, a*x^3])/((1+m)^4*\Gamma[(1+m)/3])$

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(3, ax^3), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^3),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(3, a\*x^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^3),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(3, a\*x^3), x)

**maple** [C] time = 0.33, size = 218, normalized size = 1.85

$$\frac{(dx)^m x^{-m} (-a)^{-\frac{1}{3}-\frac{m}{3}} \left( \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(108+27m)}{(4+m)(1+m)^4 a} - \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(36+9m)\ln(-ax^3+1)}{(4+m)(1+m)^3 a} + \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(-12-3m)\operatorname{polylog}(2,ax^3)}{(4+m)(1+m)^2 a} \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(3,a\*x^3),x)

[Out]  $-1/3*(d*x)^m*x^{(-m)}*(-a)^{(-1/3-1/3*m)}*(3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(108+27*m)/(1+m)^4/a-3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(36+9*m)/(1+m)^3/a*\ln(-a*x^3+1)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-12-3*m)/(1+m)^2*\operatorname{polylog}(2,a*x^3)/a+3*x^{(1+m)}*(-a)^{(4/3+1/3*m)}/(1+m)/a*\operatorname{polylog}(3,a*x^3)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-36-9*m)/(1+m)^3/a*\operatorname{LerchPhi}(a*x^3,1,1/3*m+1/3))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$27 ad^m \int \frac{x^3 x^m}{(m^3 + 3m^2 + 3m + 1)ax^3 - m^3 - 3m^2 - 3m - 1} dx - \frac{3d^m(m+1)xx^m \operatorname{Li}_2(ax^3) - (m^2 + 2m + 1)d^m xx^m}{m^3 + 3m^2 + 3m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^3),x, algorithm="maxima")

[Out]  $27*a*d^m*\operatorname{integrate}(x^3*x^m/((m^3 + 3*m^2 + 3*m + 1)*a*x^3 - m^3 - 3*m^2 - 3*m - 1), x) - (3*d^m*(m + 1)*x*x^m*\operatorname{dilog}(a*x^3) - (m^2 + 2*m + 1)*d^m*x*x^m*\operatorname{polylog}(3, a*x^3) + 9*d^m*x*x^m*\log(-a*x^3 + 1))/(m^3 + 3*m^2 + 3*m + 1)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{polylog}(3, ax^3) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, a*x^3)*(d*x)^m, x)`

[Out] `int(polylog(3, a*x^3)*(d*x)^m, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*polylog(3, a*x**3), x)`

[Out] `Integral((d*x)**m*polylog(3, a*x**3), x)`

### 3.110 $\int (dx)^m \text{Li}_4(ax^3) dx$

**Optimal.** Leaf size=142

$$\frac{81a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^4(m+4)} + \frac{9\text{Li}_2(ax^3)(dx)^{m+1}}{d(m+1)^3} - \frac{3\text{Li}_3(ax^3)(dx)^{m+1}}{d(m+1)^2} + \frac{\text{Li}_4(ax^3)(dx)^{m+1}}{d(m+1)} + \frac{27\log(1-ax^3)}{d(m+1)}$$

[Out]  $81*a*(d*x)^(4+m)*\text{hypergeom}([1, 4/3+1/3*m], [7/3+1/3*m], a*x^3)/d^4/(1+m)^4/(4+m)+27*(d*x)^(1+m)*\ln(-a*x^3+1)/d/(1+m)^4+9*(d*x)^(1+m)*\text{polylog}(2, a*x^3)/d/(1+m)^3-3*(d*x)^(1+m)*\text{polylog}(3, a*x^3)/d/(1+m)^2+(d*x)^(1+m)*\text{polylog}(4, a*x^3)/d/(1+m)$

**Rubi [A]** time = 0.09, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 16, 364}

$$\frac{9(dx)^{m+1}\text{PolyLog}(2, ax^3)}{d(m+1)^3} - \frac{3(dx)^{m+1}\text{PolyLog}(3, ax^3)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(4, ax^3)}{d(m+1)} + \frac{81a(dx)^{m+4} {}_2F_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right)}{d^4(m+1)^4(m+4)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d*x)^m*\text{PolyLog}[4, a*x^3], x]$

[Out]  $(81*a*(d*x)^(4+m)*\text{Hypergeometric2F1}[1, (4+m)/3, (7+m)/3, a*x^3])/d^4*(1+m)^4*(4+m) + (27*(d*x)^(1+m)*\text{Log}[1-a*x^3])/d*(1+m)^4 + (9*(d*x)^(1+m)*\text{PolyLog}[2, a*x^3])/d*(1+m)^3 - (3*(d*x)^(1+m)*\text{PolyLog}[3, a*x^3])/d*(1+m)^2 + ((d*x)^(1+m)*\text{PolyLog}[4, a*x^3])/d*(1+m)$

#### Rule 16

$\text{Int}[(u_.)*(v_)^(m_.)*((b_.)*(v_)^(n_.)), x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^(m+n), x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 364

$\text{Int}[(c_.)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x\_Symbol] \rightarrow \text{Simp}[(a^p*(c*x)^(m+1)*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/c*(m+1), x] /;$  FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_)^(n_.))^(p_.)]*(b_.)]*(f_.)*(x_)^(m_.), x\_Symbol] \rightarrow \text{Simp}[(f*x)^(m+1)*(a + b*\text{Log}[c*(d + e*x^n)^p])/f*(m+1), x]$



+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_4(ax^3) dx &= \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)} - \frac{3 \int (dx)^m \text{Li}_3(ax^3) dx}{1+m} \\
 &= -\frac{3(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)} + \frac{9 \int (dx)^m \text{Li}_2(ax^3) dx}{(1+m)^2} \\
 &= \frac{9(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)} + \frac{27 \int (dx)^m \log(1-ax^3)}{(1+m)^3} \\
 &= \frac{27(dx)^{1+m} \log(1-ax^3)}{d(1+m)^4} + \frac{9(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)} \\
 &= \frac{27(dx)^{1+m} \log(1-ax^3)}{d(1+m)^4} + \frac{9(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)} \\
 &= \frac{81a(dx)^{4+m} {}_2F_1\left(1, \frac{4+m}{3}; \frac{7+m}{3}; ax^3\right)}{d^4(1+m)^4(4+m)} + \frac{27(dx)^{1+m} \log(1-ax^3)}{d(1+m)^4} + \frac{9(dx)^{1+m} \text{Li}_2(ax^3)}{d(1+m)^3} - \frac{3(dx)^{1+m} \text{Li}_3(ax^3)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^3)}{d(1+m)}
 \end{aligned}$$

**Mathematica [C]** time = 0.09, size = 166, normalized size = 1.17

$$\frac{3x\Gamma\left(\frac{m+4}{3}\right)(dx)^m\left(9a(m+1)x^3\Gamma\left(\frac{m+1}{3}\right) {}_2\tilde{F}_1\left(1, \frac{m+4}{3}; \frac{m+7}{3}; ax^3\right) + m^3\text{Li}_4(ax^3) - 3m^2\text{Li}_3(ax^3) + 3m^2\text{Li}_4(ax^3) - 6\right)}{(m+1)^5\Gamma\left(\frac{m+1}{3}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[4, a\*x^3], x]

[Out] (3\*x\*(d\*x)^m\*Gamma[(4 + m)/3]\*(9\*a\*(1 + m)\*x^3\*Gamma[(1 + m)/3]\*HypergeometricPFQRegularized[{1, (4 + m)/3}, {(7 + m)/3}, a\*x^3] + 27\*Log[1 - a\*x^3] +

$$9*(1+m)*\text{PolyLog}[2, a*x^3] - 3*\text{PolyLog}[3, a*x^3] - 6*m*\text{PolyLog}[3, a*x^3] - 3*m^2*\text{PolyLog}[3, a*x^3] + \text{PolyLog}[4, a*x^3] + 3*m*\text{PolyLog}[4, a*x^3] + 3*m^2*\text{PolyLog}[4, a*x^3] + m^3*\text{PolyLog}[4, a*x^3]) / ((1+m)^5*\text{Gamma}[(1+m)/3])$$

**fricas** [F] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(4, ax^3), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^3),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(4, a\*x^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_4(ax^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^3),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(4, a\*x^3), x)

**maple** [C] time = 0.81, size = 259, normalized size = 1.82

$$(dx)^m x^{-m} (-a)^{-\frac{1}{3}-\frac{m}{3}} \left( \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(-324-81m)}{(4+m)a(1+m)^5} - \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(-108-27m)\ln(-ax^3+1)}{(4+m)(1+m)^4a} + \frac{3x^{1+m}(-a)^{\frac{4}{3}+\frac{m}{3}}(36+9m)\text{polylog}(2,ax^3)}{(4+m)(1+m)^3a} \right)$$

3

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(4,a\*x^3),x)

[Out]  $-1/3*(d*x)^m*x^{(-m)}*(-a)^{(-1/3-1/3*m)}*(3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-324-81*m)/a/(1+m)^5-3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-108-27*m)/(1+m)^4/a*\ln(-a*x^3+1)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(36+9*m)/(1+m)^3/a*\text{polylog}(2, a*x^3)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(-12-3*m)/(1+m)^2/a*\text{polylog}(3, a*x^3)+3*x^{(1+m)}*(-a)^{(4/3+1/3*m)}/(1+m)/a*\text{polylog}(4, a*x^3)+3/(4+m)*x^{(1+m)}*(-a)^{(4/3+1/3*m)}*(108+27*m)/(1+m)^4/a*\text{LerchPhi}(a*x^3, 1, 1/3*m+1/3)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-81 ad^m \int -\frac{x^3 x^m}{m^4 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^3 + 4m^3 + 6m^2 + 4m + 1} dx + \frac{9(d^m m + d^m) x x^m \text{Li}_2(ax^3)}{m^4 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^3 + 4m^3 + 6m^2 + 4m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*polylog(4,a*x^3),x, algorithm="maxima")`

[Out]  $-81*a*d^m*\integrate(-x^3*x^m/(m^4 - (a*m^4 + 4*a*m^3 + 6*a*m^2 + 4*a*m + a)*x^3 + 4*m^3 + 6*m^2 + 4*m + 1), x) + (9*(d^m*m + d^m)*x*x^m*dilog(a*x^3) + 27*d^m*x*x^m*\log(-a*x^3 + 1) + (d^m*m^3 + 3*d^m*m^2 + 3*d^m*m + d^m)*x*x^m*polylog(4, a*x^3) - 3*(d^m*m^2 + 2*d^m*m + d^m)*x*x^m*polylog(3, a*x^3))/(m^4 + 4*m^3 + 6*m^2 + 4*m + 1)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \text{polylog}(4, ax^3) (dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(4, a*x^3)*(d*x)^m,x)`

[Out] `int(polylog(4, a*x^3)*(d*x)^m, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_4(ax^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*polylog(4,a*x**3),x)`

[Out] `Integral((d*x)**m*polylog(4, a*x**3), x)`

### 3.111 $\int (dx)^m \text{Li}_2(ax^q) dx$

**Optimal.** Leaf size=101

$$\frac{aq^2x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^2(m+q+1)} + \frac{(dx)^{m+1}\text{Li}_2(ax^q)}{d(m+1)} + \frac{q(dx)^{m+1}\log(1-ax^q)}{d(m+1)^2}$$

[Out]  $aq^2x^{q+1}(dx)^m \text{hypergeom}\left([1, (1+m+q)/q], [(1+m+2q)/q], ax^q\right)/(1+m)^2 / (1+m+q) + q*(dx)^{(1+m)}*\ln(1-ax^q)/d/(1+m)^2 + (dx)^{(1+m)}*\text{polylog}(2, ax^q)/d / (1+m)$

**Rubi [A]** time = 0.06, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 20, 364}

$$\frac{(dx)^{m+1}\text{PolyLog}(2, ax^q)}{d(m+1)} + \frac{aq^2x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^2(m+q+1)} + \frac{q(dx)^{m+1}\log(1-ax^q)}{d(m+1)^2}$$

Antiderivative was successfully verified.

[In] `Int[(d*x)^m*PolyLog[2, a*x^q], x]`

[Out]  $(aq^2x^{q+1}(d*x)^m \text{Hypergeometric2F1}[1, (1+m+q)/q, (1+m+2q)/q, a*x^q])/((1+m)^2*(1+m+q)) + (q*(d*x)^{(1+m)}*\text{Log}[1-a*x^q])/((d*(1+m)^2) + ((d*x)^{(1+m)}*\text{PolyLog}[2, a*x^q]))/(d*(1+m))$

#### Rule 20

`Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]`

#### Rule 364

`Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])`

#### Rule 2455

`Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_))^(m_.), x_Symbol] := Simp[((f*x)^(m+1)*(a + b*Log[c*(d + e*x^n)^p]))/(f*(m`

+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_2(ax^q) dx &= \frac{(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)} + \frac{q \int (dx)^m \log(1 - ax^q) dx}{1+m} \\
 &= \frac{q(dx)^{1+m} \log(1 - ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)} + \frac{(aq^2) \int \frac{x^{-1+q}(dx)^{1+m}}{1-ax^q} dx}{d(1+m)^2} \\
 &= \frac{q(dx)^{1+m} \log(1 - ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)} + \frac{(aq^2 x^{-m} (dx)^m) \int \frac{x^{m+q}}{1-ax^q} dx}{(1+m)^2} \\
 &= \frac{aq^2 x^{1+q} (dx)^m {}_2F_1\left(1, \frac{1+m+q}{q}; \frac{1+m+2q}{q}; ax^q\right)}{(1+m)^2(1+m+q)} + \frac{q(dx)^{1+m} \log(1 - ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)}
 \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 80, normalized size = 0.79

$$\frac{x(dx)^m \left( aq^2 x^q {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right) + (m+q+1) \left( (m+1) \text{Li}_2(ax^q) + q \log(1 - ax^q) \right) \right)}{(m+1)^2(m+q+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*PolyLog[2, a\*x^q], x]

[Out] (x\*(d\*x)^m\*(a\*q^2\*x^q\*Hypergeometric2F1[1, (1 + m + q)/q, (1 + m + 2\*q)/q, a\*x^q] + (1 + m + q)\*(q\*Log[1 - a\*x^q] + (1 + m)\*PolyLog[2, a\*x^q]))/((1 + m)^2\*(1 + m + q))

**fricas [F]** time = 1.98, size = 0, normalized size = 0.00

$$\text{integral}\left((dx)^m \text{Li}_2(ax^q), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^q),x, algorithm="fricas")

[Out] integral((d\*x)^m\*dilog(a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^q),x, algorithm="giac")

[Out] integrate((d\*x)^m\*dilog(a\*x^q), x)

**maple** [C] time = 0.14, size = 148, normalized size = 1.47

$$\frac{(dx)^m x^{-m} (-a)^{-\frac{m}{q}-\frac{1}{q}} \left( -\frac{q^2 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \ln(1-ax^q)}{(1+m)^2} - \frac{q x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \operatorname{polylog}(2,ax^q)}{1+m} - \frac{q^2 x^{1+m+q} a (-a)^{\frac{m}{q}+\frac{1}{q}} \Phi\left(ax^q, 1, \frac{1+m+q}{q}\right)}{(1+m)^2} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(2,a\*x^q),x)

[Out]  $-(d*x)^m*x^{(-m)}*(-a)^{(-m/q-1/q)}/q*(-q^2*x^{(1+m)}*(-a)^{(m/q+1/q)}/(1+m)^2*\ln(1-a*x^q)-q*x^{(1+m)}*(-a)^{(m/q+1/q)}/(1+m)*\operatorname{polylog}(2,a*x^q)-q^2*x^{(1+m+q)}*a*(-a)^{(m/q+1/q)}/(1+m)^2*\operatorname{LerchPhi}(a*x^q, 1, (1+m+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-d^m q^2 \int -\frac{x^m}{m^2 - (am^2 + 2am + a)x^q + 2m + 1} dx - \frac{d^m q^2 x x^m - (d^m m + d^m) q x x^m \log(-ax^q + 1) - (d^m m^2 + 2 d^m m)}{m^3 + 3 m^2 + 3 m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(2,a\*x^q),x, algorithm="maxima")

[Out]  $-d^m q^2 \int -x^m / (m^2 - (a*m^2 + 2*a*m + a)*x^q + 2*m + 1), x - (d^m m q^2 x x^m - (d^m m + d^m) q x x^m \log(-a*x^q + 1) - (d^m m^2 + 2*d^m m + d^m) x x^m \operatorname{dilog}(a*x^q)) / (m^3 + 3*m^2 + 3*m + 1)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(2, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*polylog(2, a*x^q), x)`

[Out] `int((d*x)^m*polylog(2, a*x^q), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_2(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*polylog(2, a*x**q), x)`

[Out] `Integral((d*x)**m*polylog(2, a*x**q), x)`

### 3.112 $\int (dx)^m \text{Li}_3(ax^q) dx$

**Optimal.** Leaf size=130

$$\frac{aq^3x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^3(m+q+1)} - \frac{q(dx)^{m+1}\text{Li}_2(ax^q)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{Li}_3(ax^q)}{d(m+1)} - \frac{q^2(dx)^{m+1}\log(1-ax^q)}{d(m+1)^3}$$

[Out]  $-a^3q^3x^{(1+q)}(dx)^m \text{hypergeom}\left(\left[1, (1+m+q)/q\right], \left[(1+m+2q)/q\right], ax^q\right)/(1+m)^3/(1+m+q) - q^2(dx)^{(1+m)} \ln(1-ax^q)/d/(1+m)^3 - q(dx)^{(1+m)} \text{polylog}(2, ax^q)/d/(1+m)^2 + (dx)^{(1+m)} \text{polylog}(3, ax^q)/d/(1+m)$

**Rubi [A]** time = 0.08, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 20, 364}

$$\frac{q(dx)^{m+1}\text{PolyLog}(2, ax^q)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(3, ax^q)}{d(m+1)} - \frac{aq^3x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^3(m+q+1)} - \frac{q^2(dx)^{m+1}\log}{d(m+1)^3}$$

Antiderivative was successfully verified.

[In] Int[(dx)^m\*PolyLog[3, ax^q], x]

[Out]  $-((a^3q^3x^{(1+q)}(dx)^m \text{Hypergeometric2F1}\left[1, (1+m+q)/q, (1+m+2q)/q, ax^q\right])/((1+m)^3(1+m+q)) - (q^2(dx)^{(1+m)} \text{Log}[1-ax^q])/((d(1+m)^3) - (q(dx)^{(1+m)} \text{PolyLog}[2, ax^q])/((d(1+m)^2) + ((dx)^{(1+m)} \text{PolyLog}[3, ax^q])/((d(1+m))))$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

Int[((a\_)+Log[(c\_)\*((d\_)+(e\_)\*(x\_)^(n\_))^(p\_)])\*(b\_)\*((f\_)\*(x\_))^(m\_), x\_Symbol] := Simp[((f\*x)^(m+1)\*(a+b\*Log[c\*(d+e\*x^n)^p]))/(f\*(m



+ 1)), x] - Dist[(b\*e\*n\*p)/(f\*(m + 1)), Int[(x^(n - 1)\*(f\*x)^(m + 1))/(d + e\*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_3(ax^q) dx &= \frac{(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)} - \frac{q \int (dx)^m \text{Li}_2(ax^q) dx}{1+m} \\
 &= -\frac{q(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)} - \frac{q^2 \int (dx)^m \log(1-ax^q) dx}{(1+m)^2} \\
 &= -\frac{q^2(dx)^{1+m} \log(1-ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)} - \frac{(aq^3) \int \frac{x^{-1+q}(dx)^{1+m}}{1-ax^q} dx}{d(1+m)^3} \\
 &= -\frac{q^2(dx)^{1+m} \log(1-ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)} - \frac{(aq^3 x^{-m} (dx)^m) \int \frac{x^q}{1-ax^q} dx}{(1+m)^3} \\
 &= -\frac{aq^3 x^{1+q} (dx)^m {}_2F_1\left(1, \frac{1+m+q}{q}; \frac{1+m+2q}{q}; ax^q\right)}{(1+m)^3(1+m+q)} - \frac{q^2(dx)^{1+m} \log(1-ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^2}
 \end{aligned}$$

**Mathematica [C]** time = 0.02, size = 50, normalized size = 0.38

$$\frac{x(dx)^m G_{5,5}^{1,5} \left( -ax^q \middle| \begin{array}{c} 1, 1, 1, 1, 1 - \frac{m+1}{q} \\ 1, 0, 0, 0, -\frac{m+1}{q} \end{array} \right)}{q}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d\*x)^m\*PolyLog[3, a\*x^q], x]

[Out] -((x\*(d\*x)^m\*MeijerG[{{1, 1, 1, 1, 1 - (1 + m)/q}, {}}, {{1}}, {0, 0, 0, -((1 + m)/q)}], -(a\*x^q)]/q)

**fricas** [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}((dx)^m \text{polylog}(3, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^q),x, algorithm="fricas")

[Out] integral((d\*x)^m\*polylog(3, a\*x^q), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^q),x, algorithm="giac")

[Out] integrate((d\*x)^m\*polylog(3, a\*x^q), x)

**maple** [C] time = 0.38, size = 180, normalized size = 1.38

$$\frac{(dx)^m x^{-m} (-a)^{-\frac{m}{q}-\frac{1}{q}} \left( \frac{q^3 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \ln(1-ax^q)}{(1+m)^3} + \frac{q^2 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(2, ax^q)}{(1+m)^2} - \frac{q x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(3, ax^q)}{1+m} + \frac{q^3 x^{1+m+q} a(-a)^{-\frac{m}{q}-\frac{1}{q}}}{q} \right)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(3,a\*x^q),x)

[Out]  $-(d*x)^m x^{-m} (-a)^{-\frac{m}{q}-\frac{1}{q}} / q * (q^3 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} / (1+m)^3 \ln(1-ax^q) + q^2 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} / (1+m)^2 \text{polylog}(2, ax^q) - q x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} / (1+m) \text{polylog}(3, ax^q) + q^3 x^{1+m+q} a (-a)^{-\frac{m}{q}-\frac{1}{q}} / (1+m)^3 \text{Lerc hPhi}(ax^q, 1, (1+m+q)/q))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$d^m q^3 \int -\frac{x^m}{m^3 - (m^3 + 3m^2 + 3m + 1)ax^q + 3m^2 + 3m + 1} dx + \frac{d^m q^3 x x^m - (m^2 q + 2mq + q) d^m x x^m \text{Li}_2(ax^q) - (m^2 q + 2mq + q) d^m x x^m \text{Li}_2(ax^q)}{m^3 - (m^3 + 3m^2 + 3m + 1)ax^q + 3m^2 + 3m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(3,a\*x^q),x, algorithm="maxima")

```
[Out] d^m*q^3*integrate(-x^m/(m^3 - (m^3 + 3*m^2 + 3*m + 1)*a*x^q + 3*m^2 + 3*m + 1), x) + (d^m*q^3*x*x^m - (m^2*q + 2*m*q + q)*d^m*x*x^m*dilog(a*x^q) - (m*q^2 + q^2)*d^m*x*x^m*log(-a*x^q + 1) + (m^3 + 3*m^2 + 3*m + 1)*d^m*x*x^m*polylog(3, a*x^q))/(m^4 + 4*m^3 + 6*m^2 + 4*m + 1)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(3, ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m*polylog(3, a*x^q), x)
```

```
[Out] int((d*x)^m*polylog(3, a*x^q), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_3(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*polylog(3, a*x**q), x)
```

```
[Out] Integral((d*x)**m*polylog(3, a*x**q), x)
```

### 3.113 $\int (dx)^m \text{Li}_4(ax^q) dx$

**Optimal.** Leaf size=154

$$\frac{aq^4x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^4(m+q+1)} + \frac{q^2(dx)^{m+1}\text{Li}_2(ax^q)}{d(m+1)^3} - \frac{q(dx)^{m+1}\text{Li}_3(ax^q)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{Li}_4(ax^q)}{d(m+1)} + \frac{q^3(dx)^{m+1}}{d(m+1)}$$

[Out]  $aq^4x^{q+1}(d*x)^m \text{hypergeom}([1, (1+m+q)/q], [(1+m+2*q)/q], a*x^q)/(1+m)^4 / (1+m+q) + q^3(d*x)^{(1+m)} \ln(1-a*x^q)/d/(1+m)^4 + q^2(d*x)^{(1+m)} \text{polylog}(2, a*x^q)/d/(1+m)^3 - q(d*x)^{(1+m)} \text{polylog}(3, a*x^q)/d/(1+m)^2 + (d*x)^{(1+m)} \text{polylog}(4, a*x^q)/d/(1+m)$

**Rubi [A]** time = 0.10, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {6591, 2455, 20, 364}

$$\frac{q^2(dx)^{m+1}\text{PolyLog}(2, ax^q)}{d(m+1)^3} - \frac{q(dx)^{m+1}\text{PolyLog}(3, ax^q)}{d(m+1)^2} + \frac{(dx)^{m+1}\text{PolyLog}(4, ax^q)}{d(m+1)} + \frac{aq^4x^{q+1}(dx)^m {}_2F_1\left(1, \frac{m+q+1}{q}; \frac{m+2q+1}{q}; ax^q\right)}{(m+1)^4(m+q+1)}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*PolyLog[4, a\*x^q], x]

[Out]  $(a*q^4*x^{(1+q)}*(d*x)^m \text{Hypergeometric2F1}[1, (1+m+q)/q, (1+m+2*q)/q, a*x^q])/((1+m)^4*(1+m+q)) + (q^3*(d*x)^{(1+m)} \text{Log}[1-a*x^q])/((d*(1+m)^4) + (q^2*(d*x)^{(1+m)} \text{PolyLog}[2, a*x^q]))/(d*(1+m)^3) - (q*(d*x)^{(1+m)} \text{PolyLog}[3, a*x^q])/((d*(1+m)^2) + ((d*x)^{(1+m)} \text{PolyLog}[4, a*x^q]))/(d*(1+m))$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 2455

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))*((f_.)*(x_)^(m_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*Log[c*(d + e*x^n)^p])/(f*(m + 1)), x] - Dist[(b*e*n*p)/(f*(m + 1)), Int[(x^(n - 1)*(f*x)^(m + 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && NeQ[m, -1]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int (dx)^m \text{Li}_4(ax^q) dx &= \frac{(dx)^{1+m} \text{Li}_4(ax^q)}{d(1+m)} - \frac{q \int (dx)^m \text{Li}_3(ax^q) dx}{1+m} \\
 &= -\frac{q(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^q)}{d(1+m)} + \frac{q^2 \int (dx)^m \text{Li}_2(ax^q) dx}{(1+m)^2} \\
 &= \frac{q^2(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^q)}{d(1+m)} + \frac{q^3 \int (dx)^m \log(1-ax^q) dx}{(1+m)^3} \\
 &= \frac{q^3(dx)^{1+m} \log(1-ax^q)}{d(1+m)^4} + \frac{q^2(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^q)}{d(1+m)} + \dots \\
 &= \frac{q^3(dx)^{1+m} \log(1-ax^q)}{d(1+m)^4} + \frac{q^2(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^3} - \frac{q(dx)^{1+m} \text{Li}_3(ax^q)}{d(1+m)^2} + \frac{(dx)^{1+m} \text{Li}_4(ax^q)}{d(1+m)} + \dots \\
 &= \frac{aq^4 x^{1+q} (dx)^m {}_2F_1\left(1, \frac{1+m+q}{q}; \frac{1+m+2q}{q}; ax^q\right)}{(1+m)^4(1+m+q)} + \frac{q^3(dx)^{1+m} \log(1-ax^q)}{d(1+m)^4} + \frac{q^2(dx)^{1+m} \text{Li}_2(ax^q)}{d(1+m)^3} + \dots
 \end{aligned}$$

**Mathematica [C]** time = 0.02, size = 52, normalized size = 0.34

$$\frac{x(dx)^m G_{6,6}^{1,6} \left( -ax^q \middle| \begin{matrix} 1, 1, 1, 1, 1, 1 - \frac{m+1}{q} \\ 1, 0, 0, 0, 0, -\frac{m+1}{q} \end{matrix} \right)}{q}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d*x)^m*PolyLog[4, a*x^q], x]
```

[Out]  $-\left(\frac{x \cdot (dx)^m \cdot \text{MeijerG}\left[\left\{\left\{1, 1, 1, 1, 1, 1 - \frac{1+m}{q}\right\}, \left\{\right\}, \left\{1\right\}, \left\{0, 0, 0, 0, -\frac{1+m}{q}\right\}\right], -\left(a \cdot x^q\right)\right)}{q}$

**fricas** [F] time = 1.27, size = 0, normalized size = 0.00

$$\int (dx)^m \text{polylog}(4, ax^q), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*polylog(4,a*x^q),x, algorithm="fricas")`

[Out] `integral((d*x)^m*polylog(4, a*x^q), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \text{Li}_4(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*polylog(4,a*x^q),x, algorithm="giac")`

[Out] `integrate((d*x)^m*polylog(4, a*x^q), x)`

**maple** [C] time = 1.70, size = 217, normalized size = 1.41

$$(dx)^m x^{-m} (-a)^{-\frac{m}{q}-\frac{1}{q}} \left( -\frac{q^4 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \ln(1-ax^q)}{(1+m)^4} - \frac{q^3 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(2, ax^q)}{(1+m)^3} + \frac{q^2 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(3, ax^q)}{(1+m)^2} - \frac{q x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(4, ax^q)}{(1+m)} \right)$$

q

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^m*polylog(4,a*x^q),x)`

[Out]  $-\left(\frac{(dx)^m x^{-m} (-a)^{-\frac{m}{q}-\frac{1}{q}}}{q} \left( -\frac{q^4 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \ln(1-ax^q)}{(1+m)^4} - \frac{q^3 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(2, ax^q)}{(1+m)^3} + \frac{q^2 x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(3, ax^q)}{(1+m)^2} - \frac{q x^{1+m} (-a)^{\frac{m}{q}+\frac{1}{q}} \text{polylog}(4, ax^q)}{(1+m)} \right) \right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-d^m q^4 \int \frac{x^m}{m^4 + 4m^3 + 6m^2 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^q + 4m + 1} dx - \frac{d^m q^4 x x^m - (d^m m + d^m) q^3 x x^m}{m^4 + 4m^3 + 6m^2 - (am^4 + 4am^3 + 6am^2 + 4am + a)x^q + 4m + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*polylog(4,a\*x^q),x, algorithm="maxima")

[Out]  $-d^m q^4 \int \frac{-x^m}{(m^4 + 4m^3 + 6m^2 - (a^m x^4 + 4a^m x^3 + 6a^m x^2 + 4a^m x + a)x^q + 4m + 1)} dx - (d^m q^4 x^m - (d^m m + d^m) q^3 x^m \operatorname{Li}_4(-a x^q + 1) - (d^m m^2 + 2d^m m + d^m) q^2 x^m \operatorname{dilog}(a x^q) + (d^m m^3 + 3d^m m^2 + 3d^m m + d^m) q x^m \operatorname{polylog}(3, a x^q) - (d^m m^4 + 4d^m m^3 + 6d^m m^2 + 4d^m m + d^m) x^m \operatorname{polylog}(4, a x^q)) / (m^5 + 5m^4 + 10m^3 + 10m^2 + 5m + 1)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (dx)^m \operatorname{polylog}(4, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*polylog(4, a\*x^q),x)

[Out] int((d\*x)^m\*polylog(4, a\*x^q), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^m \operatorname{Li}_4(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*polylog(4,a\*x\*\*q),x)

[Out] Integral((d\*x)\*\*m\*polylog(4, a\*x\*\*q), x)

### 3.114 $\int x \text{Li}_n(ax) dx$

Optimal. Leaf size=10

$$\text{Int}(x \text{Li}_n(ax), x)$$

[Out] Unintegrable(x\*polylog(n,a\*x),x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x \text{PolyLog}(n, ax) dx$$

Verification is Not applicable to the result.

[In] Int[x\*PolyLog[n, a\*x], x]

[Out] Defer[Int][x\*PolyLog[n, a\*x], x]

Rubi steps

$$\int x \text{Li}_n(ax) dx = \int x \text{Li}_n(ax) dx$$

**Mathematica** [A] time = 0.02, size = 0, normalized size = 0.00

$$\int x \text{Li}_n(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate[x\*PolyLog[n, a\*x], x]

[Out] Integrate[x\*PolyLog[n, a\*x], x]

**fricas** [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}(x \text{polylog}(n, ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x),x, algorithm="fricas")

[Out] integral(x\*polylog(n, a\*x), x)



**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x),x, algorithm="giac")

[Out] integrate(x\*polylog(n, a\*x), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{polylog}(n, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(n,a\*x),x)

[Out] int(x\*polylog(n,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x),x, algorithm="maxima")

[Out] integrate(x\*polylog(n, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.10

$$\int x \operatorname{polylog}(n, a x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(n, a\*x),x)

[Out] int(x\*polylog(n, a\*x), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x),x)

[Out] Integral(x\*polylog(n, a\*x), x)

### 3.115 $\int \text{Li}_n(ax) dx$

Optimal. Leaf size=8

$$\text{Int}(\text{Li}_n(ax), x)$$

[Out] Unintegrable(polylog(n,a\*x),x)

**Rubi [A]** time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}(n, ax) dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog [n, a\*x] , x]

[Out] Defer [Int] [PolyLog [n, a\*x] , x]

Rubi steps

$$\int \text{Li}_n(ax) dx = \int \text{Li}_n(ax) dx$$

**Mathematica [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog [n, a\*x] , x]

[Out] Integrate [PolyLog [n, a\*x] , x]

**fricas [A]** time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}(\text{polylog}(n, ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x),x, algorithm="fricas")

[Out] integral(polylog(n, a\*x), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x),x, algorithm="giac")

[Out] integrate(polylog(n, a\*x), x)

**maple** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \operatorname{polylog}(n, ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x),x)

[Out] int(polylog(n,a\*x),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x),x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.12

$$\int \operatorname{polylog}(n, a x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x),x)

[Out] int(polylog(n, a\*x), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x),x)

[Out] Integral(polylog(n, a\*x), x)

$$3.116 \quad \int \frac{\text{Li}_n(ax)}{x} dx$$

Optimal. Leaf size=7

$$\text{Li}_{n+1}(ax)$$

[Out] polylog(1+n,a\*x)

Rubi [A] time = 0.01, antiderivative size = 7, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {6589}

$$\text{PolyLog}(n + 1, ax)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[n, a\*x]/x,x]

[Out] PolyLog[1 + n, a\*x]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_n(ax)}{x} dx = \text{Li}_{1+n}(ax)$$

Mathematica [A] time = 0.00, size = 7, normalized size = 1.00

$$\text{Li}_{n+1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[n, a\*x]/x,x]

[Out] PolyLog[1 + n, a\*x]

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x,x, algorithm="fricas")

[Out] integral(polylog(n, a\*x)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x)/x, x)

**maple** [A] time = 0.00, size = 8, normalized size = 1.14

$$\text{polylog}(1 + n, ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x)/x,x)

[Out] polylog(1+n,a\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x)/x, x)

**mupad** [B] time = 0.54, size = 7, normalized size = 1.00

$$\text{polylog}(n + 1, ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x)/x,x)

[Out] polylog(n + 1, a\*x)

**sympy** [A] time = 0.45, size = 5, normalized size = 0.71

$$\text{Li}_{n+1}(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,a*x)/x,x)
```

```
[Out] polylog(n + 1, a*x)
```

$$3.117 \quad \int \frac{\text{Li}_n(ax)}{x^2} dx$$

Optimal. Leaf size=12

$$\text{Int}\left(\frac{\text{Li}_n(ax)}{x^2}, x\right)$$

[Out] Unintegrable(polylog(n, a\*x)/x^2, x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}(n, ax)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog [n, a\*x] /x^2, x]

[Out] Defer [Int] [PolyLog [n, a\*x] /x^2, x]

Rubi steps

$$\int \frac{\text{Li}_n(ax)}{x^2} dx = \int \frac{\text{Li}_n(ax)}{x^2} dx$$

**Mathematica** [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog [n, a\*x] /x^2, x]

[Out] Integrate [PolyLog [n, a\*x] /x^2, x]

**fricas** [A] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n, a\*x)/x^2, x, algorithm="fricas")

[Out] integral(polylog(n, a\*x)/x^2, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x^2,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x)/x^2, x)

**maple** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(n, ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x)/x^2,x)

[Out] int(polylog(n,a\*x)/x^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x^2,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x)/x^2, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\text{polylog}(n, a x)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x)/x^2,x)

[Out] int(polylog(n, a\*x)/x^2, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,a*x)/x**2,x)
```

```
[Out] Integral(polylog(n, a*x)/x**2, x)
```

$$3.118 \quad \int \frac{\text{Li}_n(ax)}{x^3} dx$$

Optimal. Leaf size=12

$$\text{Int}\left(\frac{\text{Li}_n(ax)}{x^3}, x\right)$$

[Out] Unintegrable(polylog(n,a\*x)/x^3,x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}(n, ax)}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog [n, a\*x] /x^3, x]

[Out] Defer[Int] [PolyLog [n, a\*x] /x^3, x]

Rubi steps

$$\int \frac{\text{Li}_n(ax)}{x^3} dx = \int \frac{\text{Li}_n(ax)}{x^3} dx$$

**Mathematica** [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog [n, a\*x] /x^3, x]

[Out] Integrate [PolyLog [n, a\*x] /x^3, x]

**fricas** [A] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x^3,x, algorithm="fricas")

[Out] integral(polylog(n, a\*x)/x^3, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x^3,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x)/x^3, x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(n, ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x)/x^3,x)

[Out] int(polylog(n,a\*x)/x^3,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x)/x^3,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x)/x^3, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\text{polylog}(n, ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x)/x^3,x)

[Out] int(polylog(n, a\*x)/x^3, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,a*x)/x**3,x)
```

```
[Out] Integral(polylog(n, a*x)/x**3, x)
```

### 3.119 $\int x \text{Li}_n(ax^q) dx$

Optimal. Leaf size=12

$$\text{Int}(x \text{Li}_n(ax^q), x)$$

[Out] Unintegrable(x\*polylog(n, a\*x^q), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int x \text{PolyLog}(n, ax^q) dx$$

Verification is Not applicable to the result.

[In] Int[x\*PolyLog[n, a\*x^q], x]

[Out] Defer[Int][x\*PolyLog[n, a\*x^q], x]

Rubi steps

$$\int x \text{Li}_n(ax^q) dx = \int x \text{Li}_n(ax^q) dx$$

Mathematica [A] time = 0.02, size = 0, normalized size = 0.00

$$\int x \text{Li}_n(ax^q) dx$$

Verification is Not applicable to the result.

[In] Integrate[x\*PolyLog[n, a\*x^q], x]

[Out] Integrate[x\*PolyLog[n, a\*x^q], x]

fricas [A] time = 1.95, size = 0, normalized size = 0.00

$$\text{integral}(x \text{polylog}(n, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n, a\*x^q), x, algorithm="fricas")

[Out] integral(x\*polylog(n, a\*x^q), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x^q),x, algorithm="giac")

[Out] integrate(x\*polylog(n, a\*x^q), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{polylog}(n, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(n,a\*x^q),x)

[Out] int(x\*polylog(n,a\*x^q),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x^q),x, algorithm="maxima")

[Out] integrate(x\*polylog(n, a\*x^q), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.08

$$\int x \operatorname{polylog}(n, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(n, a\*x^q),x)

[Out] int(x\*polylog(n, a\*x^q), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,a\*x\*\*q),x)

[Out] Integral(x\*polylog(n, a\*x\*\*q), x)

### 3.120 $\int \text{Li}_n(ax^q) dx$

Optimal. Leaf size=10

$$\text{Int}(\text{Li}_n(ax^q), x)$$

[Out] Unintegrable(polylog(n, a\*x^q), x)

**Rubi** [A] time = 0.00, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \text{PolyLog}(n, ax^q) dx$$

Verification is Not applicable to the result.

[In] Int[PolyLog[n, a\*x^q], x]

[Out] Defer[Int][PolyLog[n, a\*x^q], x]

Rubi steps

$$\int \text{Li}_n(ax^q) dx = \int \text{Li}_n(ax^q) dx$$

**Mathematica** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n(ax^q) dx$$

Verification is Not applicable to the result.

[In] Integrate[PolyLog[n, a\*x^q], x]

[Out] Integrate[PolyLog[n, a\*x^q], x]

**fricas** [A] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}(\text{polylog}(n, ax^q), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n, a\*x^q), x, algorithm="fricas")

[Out] integral(polylog(n, a\*x^q), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q),x, algorithm="giac")

[Out] integrate(polylog(n, a\*x^q), x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{polylog}(n, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x^q),x)

[Out] int(polylog(n,a\*x^q),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q),x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x^q), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.10

$$\int \text{polylog}(n, a x^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x^q),x)

[Out] int(polylog(n, a\*x^q), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n(ax^q) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x\*\*q),x)

[Out] Integral(polylog(n, a\*x\*\*q), x)



$$3.121 \quad \int \frac{\text{Li}_n(ax^q)}{x} dx$$

Optimal. Leaf size=13

$$\frac{\text{Li}_{n+1}(ax^q)}{q}$$

[Out] polylog(1+n, a\*x^q)/q

**Rubi [A]** time = 0.01, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {6589}

$$\frac{\text{PolyLog}(n + 1, ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[n, a\*x^q]/x, x]

[Out] PolyLog[1 + n, a\*x^q]/q

Rule 6589

Int [PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp [PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\int \frac{\text{Li}_n(ax^q)}{x} dx = \frac{\text{Li}_{1+n}(ax^q)}{q}$$

**Mathematica [A]** time = 0.00, size = 13, normalized size = 1.00

$$\frac{\text{Li}_{n+1}(ax^q)}{q}$$

Antiderivative was successfully verified.

[In] Integrate [PolyLog[n, a\*x^q]/x, x]

[Out] PolyLog[1 + n, a\*x^q]/q

**fricas** [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax^q)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x,x, algorithm="fricas")

[Out] integral(polylog(n, a\*x^q)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x^q)/x, x)

**maple** [A] time = 0.00, size = 14, normalized size = 1.08

$$\frac{\text{polylog}(1+n, ax^q)}{q}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x^q)/x,x)

[Out] polylog(1+n,a\*x^q)/q

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x^q)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\text{polylog}(n, ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(n, a*x^q)/x,x)
```

```
[Out] int(polylog(n, a*x^q)/x, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_n(ax^q)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n, a*x**q)/x,x)
```

```
[Out] Integral(polylog(n, a*x**q)/x, x)
```

$$3.122 \quad \int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

Optimal. Leaf size=14

$$\text{Int}\left(\frac{\text{Li}_n(ax^q)}{x^2}, x\right)$$

[Out] Unintegrable(polylog(n,a\*x^q)/x^2,x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}(n, ax^q)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int [PolyLog [n, a\*x^q]/x^2, x]

[Out] Defer[Int] [PolyLog [n, a\*x^q]/x^2, x]

Rubi steps

$$\int \frac{\text{Li}_n(ax^q)}{x^2} dx = \int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

**Mathematica** [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate [PolyLog [n, a\*x^q]/x^2, x]

[Out] Integrate [PolyLog [n, a\*x^q]/x^2, x]

**fricas** [A] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax^q)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x^2,x, algorithm="fricas")

[Out] integral(polylog(n, a\*x^q)/x^2, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x^2,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x^q)/x^2, x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(n, ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x^q)/x^2,x)

[Out] int(polylog(n,a\*x^q)/x^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x^2,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x^q)/x^2, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\text{polylog}(n, ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x^q)/x^2,x)

[Out] int(polylog(n, a\*x^q)/x^2, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,a*x**q)/x**2,x)
```

```
[Out] Integral(polylog(n, a*x**q)/x**2, x)
```

$$3.123 \quad \int \frac{\text{Li}_n(ax^q)}{x^3} dx$$

Optimal. Leaf size=14

$$\text{Int}\left(\frac{\text{Li}_n(ax^q)}{x^3}, x\right)$$

[Out] Unintegrable(polylog(n, a\*x^q)/x^3, x)

**Rubi** [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}(n, ax^q)}{x^3} dx$$

Verification is Not applicable to the result.

[In] Int[PolyLog[n, a\*x^q]/x^3, x]

[Out] Defer[Int][PolyLog[n, a\*x^q]/x^3, x]

Rubi steps

$$\int \frac{\text{Li}_n(ax^q)}{x^3} dx = \int \frac{\text{Li}_n(ax^q)}{x^3} dx$$

**Mathematica** [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[PolyLog[n, a\*x^q]/x^3, x]

[Out] Integrate[PolyLog[n, a\*x^q]/x^3, x]

**fricas** [A] time = 1.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(n, ax^q)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n, a\*x^q)/x^3, x, algorithm="fricas")

[Out] integral(polylog(n, a\*x^q)/x^3, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x^3,x, algorithm="giac")

[Out] integrate(polylog(n, a\*x^q)/x^3, x)

**maple** [A] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(n, a x^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,a\*x^q)/x^3,x)

[Out] int(polylog(n,a\*x^q)/x^3,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,a\*x^q)/x^3,x, algorithm="maxima")

[Out] integrate(polylog(n, a\*x^q)/x^3, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\text{polylog}(n, a x^q)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, a\*x^q)/x^3,x)

[Out] int(polylog(n, a\*x^q)/x^3, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n(ax^q)}{x^3} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,a*x**q)/x**3,x)
```

```
[Out] Integral(polylog(n, a*x**q)/x**3, x)
```

### 3.124 $\int x^2 \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=260

$$\frac{a^3 \text{Li}_2(c(a + bx))}{3b^3} - \frac{a^2(-ac - bcx + 1) \log(-ac - bcx + 1)}{3b^3 c} - \frac{a^2 x}{3b^2} - \frac{(1 - ac)^3 \log(-ac - bcx + 1)}{9b^3 c^3} + \frac{a(1 - ac)^2 \log(-ac - bcx + 1)}{6b^3 c^2}$$

[Out]  $-1/3*a^2*x/b^2+1/6*a*(-a*c+1)*x/b^2/c-1/9*(-a*c+1)^2*x/b^2/c^2+1/12*a*x^2/b-1/18*(-a*c+1)*x^2/b/c-1/27*x^3+1/6*a*(-a*c+1)^2*\ln(-b*c*x-a*c+1)/b^3/c^2-1/9*(-a*c+1)^3*\ln(-b*c*x-a*c+1)/b^3/c^3-1/6*a*x^2*\ln(-b*c*x-a*c+1)/b+1/9*x^3*\ln(-b*c*x-a*c+1)-1/3*a^2*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^3/c+1/3*a^3*\text{polylog}(2,c*(b*x+a))/b^3+1/3*x^3*\text{polylog}(2,c*(b*x+a))$

**Rubi [A]** time = 0.32, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.615$ , Rules used = {6598, 43, 2416, 2389, 2295, 2395, 2393, 2391}

$$\frac{a^3 \text{PolyLog}(2, c(a + bx))}{3b^3} + \frac{1}{3} x^3 \text{PolyLog}(2, c(a + bx)) - \frac{a^2(-ac - bcx + 1) \log(-ac - bcx + 1)}{3b^3 c} - \frac{a^2 x}{3b^2} - \frac{x(1 - ac)^2}{9b^2 c^2} + \frac{a(1 - ac) \log(-ac - bcx + 1)}{6b^3 c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2 * \text{PolyLog}[2, c*(a + b*x)], x]$

[Out]  $-(a^2*x)/(3*b^2) + (a*(1 - a*c)*x)/(6*b^2*c) - ((1 - a*c)^2*x)/(9*b^2*c^2) + (a*x^2)/(12*b) - ((1 - a*c)*x^2)/(18*b*c) - x^3/27 + (a*(1 - a*c)^2*\text{Log}[1 - a*c - b*c*x])/(6*b^3*c^2) - ((1 - a*c)^3*\text{Log}[1 - a*c - b*c*x])/(9*b^3*c^3) - (a*x^2*\text{Log}[1 - a*c - b*c*x])/(6*b) + (x^3*\text{Log}[1 - a*c - b*c*x])/9 - (a^2*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(3*b^3*c) + (a^3*\text{PolyLog}[2, c*(a + b*x)])/(3*b^3) + (x^3*\text{PolyLog}[2, c*(a + b*x)])/3$

#### Rule 43

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}\{b*c - a*d, 0\} \ \&\& \ \text{IGtQ}\{m, 0\} \ \&\& \ (\ !\text{IntegerQ}\{n\} \ || \ (\text{EqQ}\{c, 0\} \ \&\& \ \text{LeQ}\{7*m + 4*n + 4, 0\}) \ || \ \text{LtQ}\{9*m + 5*(n + 1), 0\} \ || \ \text{GtQ}\{m + n + 2, 0\})$

#### Rule 2295

$\text{Int}[\text{Log}[(c_.)*(x_.)^(n_.)], x\_Symbol] \rightarrow \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n, x\}$

#### Rule 2389

$\text{Int}[(a_. + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^(n_.)])*(b_.)^(p_.), x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p, x\}$

, b, c, d, e, n, p}, x]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2393

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))])\*(b\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.)\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e^n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.)^(p\_.)\*((h\_.)\*(x\_)^(m\_.)\*((f\_) + (g\_.)\*(x\_)^(r\_.))^(q\_.)), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 6598

Int[((d\_.) + (e\_.)\*(x\_)^(m\_.))\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*PolyLog[2, c\*(a + b\*x)]/(e\*(m + 1)), x] + Dist[b/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*Log[1 - a\*c - b\*c\*x])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_2(c(a+bx)) dx &= \frac{1}{3} x^3 \text{Li}_2(c(a+bx)) + \frac{1}{3} b \int \frac{x^3 \log(1-ac-bcx)}{a+bx} dx \\
&= \frac{1}{3} x^3 \text{Li}_2(c(a+bx)) + \frac{1}{3} b \int \left( \frac{a^2 \log(1-ac-bcx)}{b^3} - \frac{ax \log(1-ac-bcx)}{b^2} + \frac{x^2 \log(1-ac-bcx)}{b} \right) dx \\
&= \frac{1}{3} x^3 \text{Li}_2(c(a+bx)) + \frac{1}{3} \int x^2 \log(1-ac-bcx) dx + \frac{a^2 \int \log(1-ac-bcx) dx}{3b^2} - \frac{a^3 \int \frac{\log(1-ac-bcx)}{x} dx}{3b^3} \\
&= -\frac{ax^2 \log(1-ac-bcx)}{6b} + \frac{1}{9} x^3 \log(1-ac-bcx) + \frac{1}{3} x^3 \text{Li}_2(c(a+bx)) - \frac{a^3 \text{Subst} \left( \int \frac{\log(1-ac-bcx)}{x} dx \right)}{3b^3} \\
&= -\frac{a^2 x}{3b^2} - \frac{ax^2 \log(1-ac-bcx)}{6b} + \frac{1}{9} x^3 \log(1-ac-bcx) - \frac{a^2(1-ac-bcx) \log(1-ac-bcx)}{3b^3 c} \\
&= -\frac{a^2 x}{3b^2} + \frac{a(1-ac)x}{6b^2 c} - \frac{(1-ac)^2 x}{9b^2 c^2} + \frac{ax^2}{12b} - \frac{(1-ac)x^2}{18bc} - \frac{x^3}{27} + \frac{a(1-ac)^2 \log(1-ac-bcx)}{6b^3 c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 144, normalized size = 0.55

$$\frac{36c^3 (a^3 + b^3 x^3) \text{Li}_2(c(a+bx)) - bcx (66a^2 c^2 - 3ac(5bcx + 14) + 4b^2 c^2 x^2 + 6bcx + 12) + 6 (11a^3 c^3 + 6a^2 c^2 (bcx - 3a^2 c^2))}{108b^3 c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[2, c\*(a + b\*x)],x]

[Out]  $(-(b*c*x*(12 + 66*a^2*c^2 + 6*b*c*x + 4*b^2*c^2*x^2 - 3*a*c*(14 + 5*b*c*x)) + 6*(-2 + 11*a^3*c^3 + 2*b^3*c^3*x^3 + 6*a^2*c^2*(-3 + b*c*x) + a*(9*c - 3*b^2*c^3*x^2))*\text{Log}[1 - a*c - b*c*x] + 36*c^3*(a^3 + b^3*x^3)*\text{PolyLog}[2, c*(a + b*x)])/(108*b^3*c^3)$

**fricas [A]** time = 0.79, size = 165, normalized size = 0.63

$$\frac{4b^3 c^3 x^3 - 3(5ab^2 c^3 - 2b^2 c^2)x^2 + 6(11a^2 bc^3 - 7abc^2 + 2bc)x - 36(b^3 c^3 x^3 + a^3 c^3) \text{Li}_2(bcx + ac) - 6(2b^3 c^3 x^3 - 3a^2 b^2 c^3 x^2 + 6a^2 b^2 c^3 x + 11a^3 c^3 - 18a^2 c^2 + 9a^2 c - 2) \log(-b*c*x - a*c + 1)}{108b^3 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out]  $-1/108*(4*b^3*c^3*x^3 - 3*(5*a*b^2*c^3 - 2*b^2*c^2)*x^2 + 6*(11*a^2*b*c^3 - 7*a*b*c^2 + 2*b*c)*x - 36*(b^3*c^3*x^3 + a^3*c^3)*\text{dilog}(b*c*x + a*c) - 6*(2*b^3*c^3*x^3 - 3*a*b^2*c^3*x^2 + 6*a^2*b*c^3*x + 11*a^3*c^3 - 18*a^2*c^2 + 9*a^2*c - 2)*\log(-b*c*x - a*c + 1)/(b^3*c^3)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(x^2\*dilog((b\*x + a)\*c), x)

**maple** [A] time = 0.01, size = 269, normalized size = 1.03

$$\frac{11}{54b^3c^3} - \frac{\ln(-bcx - ac + 1)}{9b^3c^3} - \frac{85a^3}{108b^3} + \frac{13a^2}{9b^3c} - \frac{x}{9b^2c^2} - \frac{31a}{36b^3c^2} + \frac{\ln(-bcx - ac + 1)xa^2}{3b^2} - \frac{ax^2 \ln(-bcx - ac + 1)}{6b} + \frac{7x^3}{18b^3c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(2,c\*(b\*x+a)),x)

[Out] 11/54/b^3/c^3-1/9/b^3/c^3\*ln(-b\*c\*x-a\*c+1)-85/108/b^3\*a^3+13/9/b^3/c\*a^2-1/9/b^2/c^2\*x-31/36/b^3/c^2\*a+1/3/b^2\*ln(-b\*c\*x-a\*c+1)\*x\*a^2-1/6\*a\*x^2\*ln(-b\*c\*x-a\*c+1)/b+7/18/b^2/c\*x\*a+5/36\*a\*x^2/b+1/3\*polylog(2,b\*c\*x+a\*c)\*x^3+1/9\*x^3\*ln(-b\*c\*x-a\*c+1)-11/18\*a^2\*x/b^2+11/18/b^3\*ln(-b\*c\*x-a\*c+1)\*a^3-1/b^3/c\*ln(-b\*c\*x-a\*c+1)\*a^2-1/18/b/c\*x^2+1/2/b^3/c^2\*ln(-b\*c\*x-a\*c+1)\*a-1/27\*x^3+1/3/b^3\*dilog(-b\*c\*x-a\*c+1)\*a^3

**maxima** [A] time = 0.31, size = 200, normalized size = 0.77

$$\frac{(\log(bcx + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))a^3}{3b^3} + \frac{36b^3c^3x^3\text{Li}_2(bcx + ac) - 4b^3c^3x^3 + 3(5ab^2c^3 - \dots)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out] -1/3\*(log(b\*c\*x + a\*c)\*log(-b\*c\*x - a\*c + 1) + dilog(-b\*c\*x - a\*c + 1))\*a^3/b^3 + 1/108\*(36\*b^3\*c^3\*x^3\*dilog(b\*c\*x + a\*c) - 4\*b^3\*c^3\*x^3 + 3\*(5\*a\*b^2\*c^3 - 2\*b^2\*c^2)\*x^2 - 6\*(11\*a^2\*b\*c^3 - 7\*a\*b\*c^2 + 2\*b\*c)\*x + 6\*(2\*b^3\*c^3\*x^3 - 3\*a\*b^2\*c^3\*x^2 + 6\*a^2\*b\*c^3\*x + 11\*a^3\*c^3 - 18\*a^2\*c^2 + 9\*a\*c - 2)\*log(-b\*c\*x - a\*c + 1))/(b^3\*c^3)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \text{polylog}(2, c(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*polylog(2, c*(a + b*x)),x)
```

```
[Out] int(x^2*polylog(2, c*(a + b*x)), x)
```

**sympy [A]** time = 8.80, size = 236, normalized size = 0.91

$$\left\{ \begin{array}{l} 0 \\ \frac{x^3 \operatorname{Li}_2(ac)}{3} \\ -\frac{11a^3 \operatorname{Li}_1(ac+bcx)}{18b^3} + \frac{a^3 \operatorname{Li}_2(ac+bcx)}{3b^3} - \frac{a^2x \operatorname{Li}_1(ac+bcx)}{3b^2} - \frac{11a^2x}{18b^2} + \frac{a^2 \operatorname{Li}_1(ac+bcx)}{b^3c} + \frac{ax^2 \operatorname{Li}_1(ac+bcx)}{6b} + \frac{5ax^2}{36b} + \frac{7ax}{18b^2c} - \frac{a \operatorname{Li}_1(ac+bcx)}{2b^3c^2} - \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*polylog(2,c*(b*x+a)),x)
```

```
[Out] Piecewise((0, Eq(c, 0) & (Eq(b, 0) | Eq(c, 0))), (x**3*polylog(2, a*c)/3, Eq(b, 0)), (-11*a**3*polylog(1, a*c + b*c*x)/(18*b**3) + a**3*polylog(2, a*c + b*c*x)/(3*b**3) - a**2*x*polylog(1, a*c + b*c*x)/(3*b**2) - 11*a**2*x/(18*b**2) + a**2*polylog(1, a*c + b*c*x)/(b**3*c) + a*x**2*polylog(1, a*c + b*c*x)/(6*b) + 5*a*x**2/(36*b) + 7*a*x/(18*b**2*c) - a*polylog(1, a*c + b*c*x)/(2*b**3*c**2) - x**3*polylog(1, a*c + b*c*x)/9 + x**3*polylog(2, a*c + b*c*x)/3 - x**3/27 - x**2/(18*b*c) - x/(9*b**2*c**2) + polylog(1, a*c + b*c*x)/(9*b**3*c**3), True))
```

### 3.125 $\int x \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=152

$$-\frac{a^2 \text{Li}_2(c(a + bx))}{2b^2} - \frac{(1 - ac)^2 \log(-ac - bcx + 1)}{4b^2 c^2} + \frac{a(-ac - bcx + 1) \log(-ac - bcx + 1)}{2b^2 c} + \frac{1}{2} x^2 \text{Li}_2(c(a + bx)) + \frac{1}{4} x^2 \log(-ac - bcx + 1)$$

[Out]  $\frac{1}{2} a x / b - \frac{1}{4} (-a c + 1) x / b / c - \frac{1}{8} x^2 - \frac{1}{4} (-a c + 1)^2 \ln(-b c x - a c + 1) / b^2 / c^2 + \frac{1}{4} x^2 \ln(-b c x - a c + 1) + \frac{1}{2} a (-b c x - a c + 1) \ln(-b c x - a c + 1) / b^2 / c - \frac{1}{2} a^2 \text{polylog}(2, c(b x + a)) / b^2 + \frac{1}{2} x^2 \text{polylog}(2, c(b x + a))$

**Rubi [A]** time = 0.17, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.727$ , Rules used = {6598, 43, 2416, 2389, 2295, 2395, 2393, 2391}

$$-\frac{a^2 \text{PolyLog}(2, c(a + bx))}{2b^2} + \frac{1}{2} x^2 \text{PolyLog}(2, c(a + bx)) - \frac{(1 - ac)^2 \log(-ac - bcx + 1)}{4b^2 c^2} + \frac{a(-ac - bcx + 1) \log(-ac - bcx + 1)}{2b^2 c}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[2, c\*(a + b\*x)], x]

[Out]  $(a x) / (2 b) - ((1 - a c) x) / (4 b c) - x^2 / 8 - ((1 - a c)^2 \text{Log}[1 - a c - b c x]) / (4 b^2 c^2) + (x^2 \text{Log}[1 - a c - b c x]) / 4 + (a (1 - a c - b c x) \text{Log}[1 - a c - b c x]) / (2 b^2 c) - (a^2 \text{PolyLog}[2, c(a + b x)]) / (2 b^2) + (x^2 \text{PolyLog}[2, c(a + b x)]) / 2$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)])\*(b\_.)^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

#### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_)^(q_.)), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

### Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((h_.)*(x_)^(m_.))*((f_.) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_)^(m_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] + Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rubi steps



$$\begin{aligned}
\int x \operatorname{Li}_2(c(a+bx)) dx &= \frac{1}{2} x^2 \operatorname{Li}_2(c(a+bx)) + \frac{1}{2} b \int \frac{x^2 \log(1-ac-bcx)}{a+bx} dx \\
&= \frac{1}{2} x^2 \operatorname{Li}_2(c(a+bx)) + \frac{1}{2} b \int \left( -\frac{a \log(1-ac-bcx)}{b^2} + \frac{x \log(1-ac-bcx)}{b} + \frac{a^2 \log(1-ac-bcx)}{b^2(a+bx)} \right) dx \\
&= \frac{1}{2} x^2 \operatorname{Li}_2(c(a+bx)) + \frac{1}{2} \int x \log(1-ac-bcx) dx - \frac{a \int \log(1-ac-bcx) dx}{2b} + \frac{a^2 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{2b^2} \\
&= \frac{1}{4} x^2 \log(1-ac-bcx) + \frac{1}{2} x^2 \operatorname{Li}_2(c(a+bx)) + \frac{a^2 \operatorname{Subst}\left(\int \frac{\log(1-cx)}{x} dx, x, a+bx\right)}{2b^2} + \frac{a \operatorname{Subst}\left(\int \frac{\log(1-cx)}{a+bx} dx, x, a+bx\right)}{2b^2} \\
&= \frac{ax}{2b} + \frac{1}{4} x^2 \log(1-ac-bcx) + \frac{a(1-ac-bcx) \log(1-ac-bcx)}{2b^2 c} - \frac{a^2 \operatorname{Li}_2(c(a+bx))}{2b^2} + \frac{1}{2} \frac{a^2 \log(1-ac-bcx)}{b^2} \\
&= \frac{ax}{2b} - \frac{(1-ac)x}{4bc} - \frac{x^2}{8} - \frac{(1-ac)^2 \log(1-ac-bcx)}{4b^2 c^2} + \frac{1}{4} x^2 \log(1-ac-bcx) + \frac{a(1-ac-bcx)}{2b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 96, normalized size = 0.63

$$\frac{-4c^2(a^2 - b^2x^2) \operatorname{Li}_2(c(a+bx)) + (-6a^2c^2 - 4ac(bcx - 2) + 2b^2c^2x^2 - 2) \log(-ac - bcx + 1) - bcx(-6ac + bcx + 1)}{8b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[2, c\*(a + b\*x)], x]

[Out]  $(-(b*c*x*(2 - 6*a*c + b*c*x)) + (-2 - 6*a^2*c^2 + 2*b^2*c^2*x^2 - 4*a*c*(-2 + b*c*x))*\operatorname{Log}[1 - a*c - b*c*x] - 4*c^2*(a^2 - b^2*x^2)*\operatorname{PolyLog}[2, c*(a + b*x)])/(8*b^2*c^2)$

**fricas [A]** time = 1.36, size = 110, normalized size = 0.72

$$\frac{b^2c^2x^2 - 2(3abc^2 - bc)x - 4(b^2c^2x^2 - a^2c^2)\operatorname{Li}_2(bcx + ac) - 2(b^2c^2x^2 - 2abc^2x - 3a^2c^2 + 4ac - 1) \log(-bcx + ac)}{8b^2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2, c\*(b\*x+a)), x, algorithm="fricas")

[Out]  $-1/8*(b^2*c^2*x^2 - 2*(3*a*b*c^2 - b*c)*x - 4*(b^2*c^2*x^2 - a^2*c^2)*\operatorname{dilog}(b*c*x + a*c) - 2*(b^2*c^2*x^2 - 2*a*b*c^2*x - 3*a^2*c^2 + 4*a*c - 1)*\log(-b*c*x - a*c + 1))/(b^2*c^2)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_2((bx+a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(x\*dilog((b\*x + a)\*c), x)

maple [A] time = 0.01, size = 177, normalized size = 1.16

$$-\frac{\text{polylog}(2, bcx + ac) a^2}{2b^2} + \frac{\text{polylog}(2, bcx + ac) x^2}{2} - \frac{\ln(-bcx - ac + 1) xa}{2b} - \frac{3 \ln(-bcx - ac + 1) a^2}{4b^2} + \frac{3ax}{4b} + \frac{7a^2}{8b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2,c\*(b\*x+a)),x)

[Out] -1/2/b^2\*polylog(2,b\*c\*x+a\*c)\*a^2+1/2\*polylog(2,b\*c\*x+a\*c)\*x^2-1/2/b\*ln(-b\*c\*x-a\*c+1)\*x\*a-3/4/b^2\*ln(-b\*c\*x-a\*c+1)\*a^2+3/4\*a\*x/b+7/8/b^2\*a^2+1/b^2/c\*ln(-b\*c\*x-a\*c+1)\*a-5/4/b^2/c\*a+1/4\*x^2\*ln(-b\*c\*x-a\*c+1)-1/4/b^2/c^2\*ln(-b\*c\*x-a\*c+1)-1/8\*x^2-1/4/b/c\*x+3/8/b^2/c^2

maxima [A] time = 0.31, size = 145, normalized size = 0.95

$$\frac{(\log(bcx + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1)) a^2}{2b^2} + \frac{4b^2c^2x^2\text{Li}_2(bcx + ac) - b^2c^2x^2 + 2(3abc^2 - bc)x + \dots}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out] 1/2\*(log(b\*c\*x + a\*c)\*log(-b\*c\*x - a\*c + 1) + dilog(-b\*c\*x - a\*c + 1))\*a^2/b^2 + 1/8\*(4\*b^2\*c^2\*x^2\*dilog(b\*c\*x + a\*c) - b^2\*c^2\*x^2 + 2\*(3\*a\*b\*c^2 - b\*c)\*x + 2\*(b^2\*c^2\*x^2 - 2\*a\*b\*c^2\*x - 3\*a^2\*c^2 + 4\*a\*c - 1)\*log(-b\*c\*x - a\*c + 1))/(b^2\*c^2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \text{polylog}(2, c(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2, c\*(a + b\*x)),x)

[Out] int(x\*polylog(2, c\*(a + b\*x)), x)

sympy [A] time = 4.04, size = 153, normalized size = 1.01

$$\left\{ \begin{array}{l} 0 \\ \frac{x^2 \operatorname{Li}_2(ac)}{2} \\ 0 \\ \frac{3a^2 \operatorname{Li}_1(ac+bcx)}{4b^2} - \frac{a^2 \operatorname{Li}_2(ac+bcx)}{2b^2} + \frac{ax \operatorname{Li}_1(ac+bcx)}{2b} + \frac{3ax}{4b} - \frac{a \operatorname{Li}_1(ac+bcx)}{b^2c} - \frac{x^2 \operatorname{Li}_1(ac+bcx)}{4} + \frac{x^2 \operatorname{Li}_2(ac+bcx)}{2} - \frac{x^2}{8} - \frac{x}{4bc} + \frac{\operatorname{Li}_1(ac+bcx)}{4b^2c^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(2,c\*(b\*x+a)),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), (x\*\*2\*polylog(2, a\*c)/2, Eq(b, 0)), (0, Eq(c, 0)), (3\*a\*\*2\*polylog(1, a\*c + b\*c\*x)/(4\*b\*\*2) - a\*\*2\*polylog(2, a\*c + b\*c\*x)/(2\*b\*\*2) + a\*x\*polylog(1, a\*c + b\*c\*x)/(2\*b) + 3\*a\*x/(4\*b) - a\*polylog(1, a\*c + b\*c\*x)/(b\*\*2\*c) - x\*\*2\*polylog(1, a\*c + b\*c\*x)/4 + x\*\*2\*polylog(2, a\*c + b\*c\*x)/2 - x\*\*2/8 - x/(4\*b\*c) + polylog(1, a\*c + b\*c\*x)/(4\*b\*\*2\*c\*\*2), True))

### 3.126 $\int \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=60

$$x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_2(c(a + bx))}{b} - \frac{(-ac - bcx + 1)\log(-ac - bcx + 1)}{bc} - x$$

[Out]  $-x - (-b*c*x - a*c + 1) * \ln(-b*c*x - a*c + 1) / b / c + a * \text{polylog}(2, c*(b*x + a)) / b + x * \text{polylog}(2, c*(b*x + a))$

**Rubi [A]** time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$ , Rules used = {6595, 2444, 2389, 2295, 2421, 2393, 2391}

$$x\text{PolyLog}(2, c(a + bx)) + \frac{a\text{PolyLog}(2, c(a + bx))}{b} - \frac{(-ac - bcx + 1)\log(-ac - bcx + 1)}{bc} - x$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)], x]

[Out]  $-x - ((1 - a*c - b*c*x) * \text{Log}[1 - a*c - b*c*x]) / (b*c) + (a * \text{PolyLog}[2, c*(a + b*x)]) / b + x * \text{PolyLog}[2, c*(a + b*x)]$

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 2393

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

Rule 2421

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_)^(q_.), x_Symbol] := Int[ExpandToSum[u, x]^q*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatchQ[u, x] && LinearMatchQ[v, x])
```

Rule 2444

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Int[u*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p}, x] && LinearQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c*v, (e_.)*(f_) + (g_.)*x] /; FreeQ[{e, f, g}, x])
```

Rule 6595

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*PolyLog[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x], x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x) /; FreeQ[{a, b, c, p}, x] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \text{Li}_2(c(a + bx)) dx &= x\text{Li}_2(c(a + bx)) - a \int \frac{\log(1 - c(a + bx))}{a + bx} dx + \int \log(1 - c(a + bx)) dx \\ &= x\text{Li}_2(c(a + bx)) - a \int \frac{\log(1 - ac - bcx)}{a + bx} dx + \int \log(1 - ac - bcx) dx \\ &= x\text{Li}_2(c(a + bx)) - \frac{a \text{Subst}\left(\int \frac{\log(1-cx)}{x} dx, x, a + bx\right)}{b} - \frac{\text{Subst}\left(\int \log(x) dx, x, 1 - ac - bcx\right)}{bc} \\ &= -x - \frac{(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{a\text{Li}_2(c(a + bx))}{b} + x\text{Li}_2(c(a + bx)) \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 53, normalized size = 0.88

$$\frac{c(a + bx)\text{Li}_2(c(a + bx)) - c(a + bx) + (c(a + bx) - 1) \log(1 - c(a + bx))}{bc}$$

Antiderivative was successfully verified.

```
[In] Integrate[PolyLog[2, c*(a + b*x)], x]
```

```
[Out] (-c*(a + b*x)) + (-1 + c*(a + b*x))*Log[1 - c*(a + b*x)] + c*(a + b*x)*PolyLog[2, c*(a + b*x)]/(b*c)
```

**fricas** [A] time = 0.76, size = 55, normalized size = 0.92

$$\frac{bcx - (bcx + ac)\text{Li}_2(bcx + ac) - (bcx + ac - 1)\log(-bcx - ac + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out]  $-(b*c*x - (b*c*x + a*c)*\text{dilog}(b*c*x + a*c) - (b*c*x + a*c - 1)*\log(-b*c*x - a*c + 1))/(b*c)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c), x)

**maple** [A] time = 0.00, size = 96, normalized size = 1.60

$$\text{polylog}(2, bcx + ac)x + \ln(-bcx - ac + 1)x + \frac{\text{polylog}(2, bcx + ac)a}{b} + \frac{\ln(-bcx - ac + 1)a}{b} - x\frac{a}{b} - \frac{\ln(-bcx - ac + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a)),x)

[Out]  $\text{polylog}(2, b*c*x+a*c)*x + \ln(-b*c*x-a*c+1)*x + 1/b*\text{polylog}(2, b*c*x+a*c)*a + 1/b*\ln(-b*c*x-a*c+1)*a - x - a/b - 1/b/c*\ln(-b*c*x-a*c+1) + 1/b/c$

**maxima** [A] time = 0.30, size = 90, normalized size = 1.50

$$\frac{(\log(bcx + ac)\log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))a}{b} + \frac{bcx\text{Li}_2(bcx + ac) - bcx + (bcx + ac - 1)\log(-bcx - ac + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out]  $-(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \text{dilog}(-b*c*x - a*c + 1))*a/b + (b*c*x*\text{dilog}(b*c*x + a*c) - b*c*x + (b*c*x + a*c - 1)*\log(-b*c*x - a*c + 1))/(b*c)$

**mupad [B]** time = 0.59, size = 61, normalized size = 1.02

$$\frac{\text{polylog}(2, c(a+bx))(a+bx)}{b} - x - \frac{\ln(1-c(a+bx))}{bc} + \frac{\ln(1-c(a+bx))(a+bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x)),x)

[Out] (polylog(2, c\*(a + b\*x))\*(a + b\*x))/b - x - log(1 - c\*(a + b\*x))/(b\*c) + (log(1 - c\*(a + b\*x))\*(a + b\*x))/b

**sympy [A]** time = 2.08, size = 73, normalized size = 1.22

$$\begin{cases} 0 & \text{for } b = 0 \wedge c = 0 \\ x \text{Li}_2(ac) & \text{for } b = 0 \\ 0 & \text{for } c = 0 \\ -\frac{a \text{Li}_1(ac+bcx)}{b} + \frac{a \text{Li}_2(ac+bcx)}{b} - x \text{Li}_1(ac+bcx) + x \text{Li}_2(ac+bcx) - x + \frac{\text{Li}_1(ac+bcx)}{bc} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a)),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), (x\*polylog(2, a\*c), Eq(b, 0)), (0, Eq(c, 0)), (-a\*polylog(1, a\*c + b\*c\*x)/b + a\*polylog(2, a\*c + b\*c\*x)/b - x\*polylog(1, a\*c + b\*c\*x) + x\*polylog(2, a\*c + b\*c\*x) - x + polylog(1, a\*c + b\*c\*x)/(b\*c), True))

$$3.127 \quad \int \frac{\text{Li}_2(c(a+bx))}{x} dx$$

**Optimal.** Leaf size=401

$$\text{Li}_3\left(-\frac{bx}{a(1-c(a+bx))}\right) - \text{Li}_3\left(-\frac{bcx}{1-c(a+bx)}\right) - \text{Li}_3(1-c(a+bx)) + \text{Li}_2\left(-\frac{bx}{a(1-c(a+bx))}\right) \log\left(-\frac{a(1-c(a+bx))}{bx}\right)$$

[Out]  $\ln(x) \cdot \ln(1+b*x/a) \cdot \ln(1-c*(b*x+a)) + 1/2 * (\ln(1+b*x/a) + \ln((-a*c+1)/(1-c*(b*x+a))) - \ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x+a)))) * \ln(-a*(1-c*(b*x+a))/b/x)^2 + 1/2 * (\ln(c*(b*x+a)) - \ln(1+b*x/a)) * (\ln(x) + \ln(-a*(1-c*(b*x+a))/b/x))^2 + (\ln(1-c*(b*x+a)) - \ln(-a*(1-c*(b*x+a))/b/x)) * \text{polylog}(2, -b*x/a) + \ln(x) * \text{polylog}(2, c*(b*x+a)) + \ln(-a*(1-c*(b*x+a))/b/x) * \text{polylog}(2, -b*x/a/(1-c*(b*x+a))) - \ln(-a*(1-c*(b*x+a))/b/x) * \text{polylog}(2, -b*c*x/(1-c*(b*x+a))) + (\ln(x) + \ln(-a*(1-c*(b*x+a))/b/x)) * \text{polylog}(2, 1-c*(b*x+a)) - \text{polylog}(3, -b*x/a) + \text{polylog}(3, -b*x/a/(1-c*(b*x+a))) - \text{polylog}(3, -b*c*x/(1-c*(b*x+a))) - \text{polylog}(3, 1-c*(b*x+a))$

**Rubi [A]** time = 0.36, antiderivative size = 401, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {6597, 2440, 2435}

$$\text{PolyLog}\left(3, -\frac{bx}{a(1-c(a+bx))}\right) - \text{PolyLog}\left(3, -\frac{bcx}{1-c(a+bx)}\right) - \text{PolyLog}(3, 1-c(a+bx)) + \log\left(-\frac{a(1-c(a+bx))}{bx}\right)$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/x, x]

[Out]  $\text{Log}[x] * \text{Log}[1 + (b*x)/a] * \text{Log}[1 - c*(a + b*x)] + ((\text{Log}[1 + (b*x)/a] + \text{Log}[(1 - a*c)/(1 - c*(a + b*x))] - \text{Log}[(1 - a*c)*(a + b*x)/(a*(1 - c*(a + b*x))]) * \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))^2/2 + ((\text{Log}[c*(a + b*x)] - \text{Log}[1 + (b*x)/a]) * (\text{Log}[x] + \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))]^2/2 + (\text{Log}[1 - c*(a + b*x)] - \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))]) * \text{PolyLog}[2, -((b*x)/a)] + \text{Log}[x] * \text{PolyLog}[2, c*(a + b*x)] + \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))] * \text{PolyLog}[2, -((b*x)/(a*(1 - c*(a + b*x))))] - \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))] * \text{PolyLog}[2, -((b*c*x)/(1 - c*(a + b*x)))] + (\text{Log}[x] + \text{Log}[ -((a*(1 - c*(a + b*x)))/(b*x))]) * \text{PolyLog}[2, 1 - c*(a + b*x)] - \text{PolyLog}[3, -((b*x)/a)] + \text{PolyLog}[3, -((b*x)/(a*(1 - c*(a + b*x)))] - \text{PolyLog}[3, -((b*c*x)/(1 - c*(a + b*x)))] - \text{PolyLog}[3, 1 - c*(a + b*x)]$

**Rule 2435**

Int[(Log[(a\_) + (b\_.)\*(x\_)]\*Log[(c\_) + (d\_.)\*(x\_)])/(x\_), x\_Symbol] := Simp[Log[-((b\*x)/a)]\*Log[a + b\*x]\*Log[c + d\*x], x] + (Simp[(1\*(Log[-((b\*x)/a)] - Log[-((b\*c - a\*d)\*x]/(a\*(c + d\*x)))] + Log[(b\*c - a\*d)/(b\*(c + d\*x))])\*Log[(a\*(c + d\*x))/(c\*(a + b\*x))]^2/2, x] - Simp[(1\*(Log[-((b\*x)/a)] - Log[-



```
((d*x)/c)]*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))])^2)/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2440

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/l) + (e*x)/l)^n])*(f +
g*Log[h*(-((j*k - i*1)/l) + (j*x)/l)^m]), x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]
```

### Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\text{Li}_2(c(a + bx))}{x} dx &= \log(x) \text{Li}_2(c(a + bx)) + b \int \frac{\log(x) \log(1 - ac - bcx)}{a + bx} dx \\ &= \log(x) \text{Li}_2(c(a + bx)) + \text{Subst} \left( \int \frac{\log\left(-\frac{a}{b} + \frac{x}{b}\right) \log\left(-\frac{-abc - b(1 - ac)}{b} - cx\right)}{x} dx, x, a + bx \right) \\ &= \log(x) \log\left(1 + \frac{bx}{a}\right) \log(1 - c(a + bx)) + \frac{1}{2} \left( \log\left(1 + \frac{bx}{a}\right) + \log\left(\frac{1 - ac}{1 - c(a + bx)}\right) - \log\left(\frac{c}{a}\right) \right) \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 422, normalized size = 1.05

$$-\text{Li}_3(-ac - bxc + 1) + \text{Li}_3\left(\frac{a(ac + bxc - 1)}{bx}\right) - \text{Li}_3\left(\frac{ac + bxc - 1}{bcx}\right) + \left(\text{Li}_2\left(\frac{ac + bxc - 1}{bcx}\right) - \text{Li}_2\left(\frac{a(ac + bxc - 1)}{bx}\right)\right) \log$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/x,x]

[Out] Log[x]\*Log[1 + (b\*x)/a]\*Log[1 - a\*c - b\*c\*x] + ((-Log[c\*(a + b\*x)] + Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*(-2\*Log[x] + Log[1 - a\*c - b\*c\*x]))/2 + (Log[c\*(a + b\*x)] - Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + ((Log[(1 - a\*c)/(b\*c\*x)] - Log[((1 - a\*c)\*(a + b\*x))/(b\*x)]) + Log[1 + (b\*x)/a])\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]^2/2 + (Log[1 - a\*c - b\*c\*x] - Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, -(b\*x)/a] + (Log[x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, 1 - a\*c - b\*c\*x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]\*(-PolyLog[2, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]) + Log[x]\*PolyLog[2, a\*c + b\*c\*x] - PolyLog[3, -(b\*x)/a] - PolyLog[3, 1 - a\*c - b\*c\*x] + PolyLog[3, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] - PolyLog[3, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]

**fricas** [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x,x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x,x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/x, x)

**maple** [F] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(2, c(bx + a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/x,x)

[Out] int(polylog(2,c\*(b\*x+a))/x,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x,x, algorithm="maxima")

[Out] integrate(dilog((b\*x + a)\*c)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\text{polylog}(2, c(a + bx))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/x,x)

[Out] int(polylog(2, c\*(a + b\*x))/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ac + bcx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x,x)

[Out] Integral(polylog(2, a\*c + b\*c\*x)/x, x)

$$3.128 \quad \int \frac{\text{Li}_2(c(a+bx))}{x^2} dx$$

Optimal. Leaf size=84

$$\frac{\frac{b\text{Li}_2(c(a+bx))}{a} - \frac{\text{Li}_2(c(a+bx))}{x} - \frac{b\text{Li}_2\left(1 - \frac{bcx}{1-ac}\right)}{a} - \frac{b \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{a}}$$

[Out]  $-b*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a-b*\text{polylog}(2,c*(b*x+a))/a-\text{polylog}(2,c*(b*x+a))/x-b*\text{polylog}(2,1-b*c*x/(-a*c+1))/a$

**Rubi [A]** time = 0.12, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 9, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$ , Rules used = {6598, 36, 29, 31, 2416, 2394, 2315, 2393, 2391}

$$\frac{\frac{b\text{PolyLog}(2,c(a+bx))}{a} - \frac{\text{PolyLog}(2,c(a+bx))}{x} - \frac{b\text{PolyLog}\left(2,1 - \frac{bcx}{1-ac}\right)}{a} - \frac{b \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{a}}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/x^2,x]

[Out]  $-((b*\text{Log}[(b*c*x)/(1 - a*c)]*\text{Log}[1 - a*c - b*c*x])/a) - (b*\text{PolyLog}[2, c*(a + b*x)]/a - \text{PolyLog}[2, c*(a + b*x)]/x - (b*\text{PolyLog}[2, 1 - (b*c*x)/(1 - a*c)])/a$

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^( -1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2315

Int[Log[(c\_.)\*(x\_)]/((d\_) + (e\_.)\*(x\_)), x\_Symbol] :> -Simp[PolyLog[2, 1 - c\*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c\*d, 0]

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))])*(b_.)/((f_.) + (g_.)*(x_)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))])*(b_.)/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))])*(b_.)^(p_.)*((h_.)*(x_)^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

Rule 6598

```
Int[((d_.) + (e_.)*(x_)^(m_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] + Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(c(a+bx))}{x^2} dx &= -\frac{\text{Li}_2(c(a+bx))}{x} - b \int \frac{\log(1-ac-bcx)}{x(a+bx)} dx \\
&= -\frac{\text{Li}_2(c(a+bx))}{x} - b \int \left( \frac{\log(1-ac-bcx)}{ax} - \frac{b \log(1-ac-bcx)}{a(a+bx)} \right) dx \\
&= -\frac{\text{Li}_2(c(a+bx))}{x} - \frac{b \int \frac{\log(1-ac-bcx)}{x} dx}{a} + \frac{b^2 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{a} \\
&= -\frac{b \log\left(\frac{bcx}{1-ac}\right) \log(1-ac-bcx)}{a} - \frac{\text{Li}_2(c(a+bx))}{x} + \frac{b \text{Subst}\left(\int \frac{\log(1-cx)}{x} dx, x, a+bx\right)}{a} \\
&= -\frac{b \log\left(\frac{bcx}{1-ac}\right) \log(1-ac-bcx)}{a} - \frac{b \text{Li}_2(c(a+bx))}{a} - \frac{\text{Li}_2(c(a+bx))}{x} - \frac{b \text{Li}_2\left(1 - \frac{bcx}{1-ac}\right)}{a}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 73, normalized size = 0.87

$$\frac{(a+bx)\text{Li}_2(c(a+bx)) + bx \left( \text{Li}_2\left(\frac{ac+bcx-1}{ac-1}\right) + \log\left(\frac{bcx}{1-ac}\right) \log(-ac-bcx+1) \right)}{ax}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/x^2,x]

[Out] -(((a + b\*x)\*PolyLog[2, c\*(a + b\*x)] + b\*x\*(Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(-1 + a\*c)])))/(a\*x))

**fricas [F]** time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^2,x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/x^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx+a)c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^2,x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/x^2, x)

**maple** [A] time = 0.02, size = 85, normalized size = 1.01

$$\frac{\text{polylog}(2, bcx + ac)}{x} - \frac{b \text{dilog}(-bcx - ac + 1)}{a} - \frac{b \ln(-bcx - ac + 1) \ln\left(-\frac{xbc}{ac-1}\right)}{a} - \frac{b \text{dilog}\left(-\frac{xbc}{ac-1}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/x^2,x)

[Out] -polylog(2,b\*c\*x+a\*c)/x-b\*dilog(-b\*c\*x-a\*c+1)/a-b/a\*ln(-b\*c\*x-a\*c+1)\*ln(-x\*b\*c/(a\*c-1))-b/a\*dilog(-x\*b\*c/(a\*c-1))

**maxima** [A] time = 0.32, size = 114, normalized size = 1.36

$$\frac{(\log(bc x + ac) \log(-bc x - ac + 1) + \text{Li}_2(-bc x - ac + 1))b}{a} - \frac{(\log(-bc x - ac + 1) \log\left(-\frac{bcx+ac-1}{ac-1} + 1\right) + \text{Li}_2\left(\frac{bcx}{ac-1}\right))b}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^2,x, algorithm="maxima")

[Out] (log(b\*c\*x + a\*c)\*log(-b\*c\*x - a\*c + 1) + dilog(-b\*c\*x - a\*c + 1))\*b/a - (log(-b\*c\*x - a\*c + 1)\*log(-(b\*c\*x + a\*c - 1)/(a\*c - 1) + 1) + dilog((b\*c\*x + a\*c - 1)/(a\*c - 1)))\*b/a - dilog(b\*c\*x + a\*c)/x

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, c(a + bx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/x^2,x)

[Out] int(polylog(2, c\*(a + b\*x))/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ac + bcx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x\*\*2,x)

[Out] Integral(polylog(2, a\*c + b\*c\*x)/x\*\*2, x)

$$3.129 \quad \int \frac{\text{Li}_2(c(a+bx))}{x^3} dx$$

**Optimal.** Leaf size=173

$$\frac{b^2 \text{Li}_2(c(a+bx))}{2a^2} + \frac{b^2 \text{Li}_2\left(1 - \frac{bcx}{1-ac}\right)}{2a^2} + \frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{2a^2} + \frac{b^2 c \log(x)}{2a(1-ac)} - \frac{b^2 c \log(-ac - bcx + 1)}{2a(1-ac)} - \frac{\text{Li}_2(c(a+bx))}{2a^2}$$

[Out] 1/2\*b^2\*c\*ln(x)/a/(-a\*c+1)-1/2\*b^2\*c\*ln(-b\*c\*x-a\*c+1)/a/(-a\*c+1)+1/2\*b\*ln(-b\*c\*x-a\*c+1)/a/x+1/2\*b^2\*ln(b\*c\*x/(-a\*c+1))\*ln(-b\*c\*x-a\*c+1)/a^2+1/2\*b^2\*polylog(2,c\*(b\*x+a))/a^2-1/2\*polylog(2,c\*(b\*x+a))/x^2+1/2\*b^2\*polylog(2,1-b\*c\*x/(-a\*c+1))/a^2

**Rubi [A]** time = 0.18, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.846$ , Rules used = {6598, 44, 2416, 2395, 36, 29, 31, 2394, 2315, 2393, 2391}

$$\frac{b^2 \text{PolyLog}(2, c(a+bx))}{2a^2} + \frac{b^2 \text{PolyLog}\left(2, 1 - \frac{bcx}{1-ac}\right)}{2a^2} - \frac{\text{PolyLog}(2, c(a+bx))}{2x^2} + \frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{2a^2} + \frac{b^2 c \log(x)}{2a(1-ac)} - \frac{b^2 c \log(-ac - bcx + 1)}{2a(1-ac)} - \frac{\text{Li}_2(c(a+bx))}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/x^3, x]

[Out] (b^2\*c\*Log[x])/(2\*a\*(1 - a\*c)) - (b^2\*c\*Log[1 - a\*c - b\*c\*x])/(2\*a\*(1 - a\*c)) + (b\*Log[1 - a\*c - b\*c\*x])/(2\*a\*x) + (b^2\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x])/(2\*a^2) + (b^2\*PolyLog[2, c\*(a + b\*x)]/(2\*a^2) - PolyLog[2, c\*(a + b\*x)]/(2\*x^2) + (b^2\*PolyLog[2, 1 - (b\*c\*x)/(1 - a\*c)]/(2\*a^2))

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rule 36**

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

**Rule 44**



```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

### Rule 2315

```
Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))]*(b_)]/((f_) + (g_)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

### Rule 2394

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)])*(b_)]/((f_) + (g_)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x
)^n]))/g, x] - Dist[(b*e^n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

### Rule 2395

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)])*(b_))*((f_) + (g_)*(x_
))^ (q_), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e^n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2416

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)])*(b_))^(p_)*((h_)*(x_))
^(m_)*((f_) + (g_)*(x_))^(r_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a
+ b*Log[c*(d + e*x)^n]^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

## Rule 6598

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_.))], x_Symbol]
:= Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)])/(e*(m + 1)), x] +
  Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

## Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(c(a + bx))}{x^3} dx &= -\frac{\text{Li}_2(c(a + bx))}{2x^2} - \frac{1}{2}b \int \frac{\log(1 - ac - bcx)}{x^2(a + bx)} dx \\
&= -\frac{\text{Li}_2(c(a + bx))}{2x^2} - \frac{1}{2}b \int \left( \frac{\log(1 - ac - bcx)}{ax^2} - \frac{b \log(1 - ac - bcx)}{a^2x} + \frac{b^2 \log(1 - ac - bcx)}{a^2(a + bx)} \right) dx \\
&= -\frac{\text{Li}_2(c(a + bx))}{2x^2} - \frac{b \int \frac{\log(1-ac-bcx)}{x^2} dx}{2a} + \frac{b^2 \int \frac{\log(1-ac-bcx)}{x} dx}{2a^2} - \frac{b^3 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{2a^2} \\
&= \frac{b \log(1 - ac - bcx)}{2ax} + \frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2} - \frac{\text{Li}_2(c(a + bx))}{2x^2} - \frac{b^2 \text{Subst}\left(\int \frac{\log(1-ac-bcx)}{a+bx} dx\right)}{2a^2} \\
&= \frac{b \log(1 - ac - bcx)}{2ax} + \frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b^2 \text{Li}_2(c(a + bx))}{2a^2} - \frac{\text{Li}_2(c(a + bx))}{2x^2} \\
&= \frac{b^2 c \log(x)}{2a(1 - ac)} - \frac{b^2 c \log(1 - ac - bcx)}{2a(1 - ac)} + \frac{b \log(1 - ac - bcx)}{2ax} + \frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 131, normalized size = 0.76

$$\frac{bx \left( bx(ac - 1) \text{Li}_2\left(\frac{ac+bcx-1}{ac-1}\right) - abcx \log(x) + \left( a(ac + bcx - 1) + bx(ac - 1) \log\left(\frac{bcx}{1-ac}\right) \right) \log(-ac - bcx + 1) \right) - (ac - 1) \text{Li}_2(c(a + bx))}{2a^2 x^2 (ac - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/x^3,x]

[Out] (-((-1 + a\*c)\*(a^2 - b^2\*x^2)\*PolyLog[2, c\*(a + b\*x)]) + b\*x\*(-(a\*b\*c\*x\*Log[x]) + (a\*(-1 + a\*c + b\*c\*x) + b\*(-1 + a\*c))\*x\*Log[(b\*c\*x)/(1 - a\*c)])\*Log[1 - a\*c - b\*c\*x] + b\*(-1 + a\*c)\*x\*PolyLog[2, (-1 + a\*c + b\*c\*x)/(-1 + a\*c)])/(2\*a^2\*(-1 + a\*c)\*x^2)

**fricas [F]** time = 1.28, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^3,x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx+a)c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^3,x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/x^3, x)

**maple** [A] time = 0.02, size = 195, normalized size = 1.13

$$\frac{\text{polylog}(2, bcx + ac)}{2x^2} + \frac{b^2 \text{dilog}(-bcx - ac + 1)}{2a^2} - \frac{b^2 c \ln(-bcx)}{2a(ac - 1)} + \frac{b^2 c \ln(-bcx - ac + 1)}{2a(ac - 1)} + \frac{bc \ln(-bcx - ac + 1)}{2(ac - 1)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/x^3,x)

[Out]  $-1/2*\text{polylog}(2, b*c*x+a*c)/x^2+1/2*b^2*\text{dilog}(-b*c*x-a*c+1)/a^2-1/2*b^2*c/a/(a*c-1)*\ln(-b*c*x)+1/2*b^2*c/a*\ln(-b*c*x-a*c+1)/(a*c-1)+1/2*b*c*\ln(-b*c*x-a*c+1)/(a*c-1)/x-1/2*b/a*\ln(-b*c*x-a*c+1)/(a*c-1)/x+1/2*b^2/a^2*\ln(-b*c*x-a*c+1)*\ln(-x*b*c/(a*c-1))+1/2*b^2/a^2*\text{dilog}(-x*b*c/(a*c-1))$

**maxima** [A] time = 0.31, size = 193, normalized size = 1.12

$$\frac{b^2 c \log(x)}{2(a^2 c - a)} - \frac{(\log(bc x + ac) \log(-bc x - ac + 1) + \text{Li}_2(-bc x - ac + 1)) b^2}{2 a^2} + \frac{(\log(-bc x - ac + 1) \log\left(-\frac{bc x + ac - 1}{ac - 1}\right))}{2 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^3,x, algorithm="maxima")

[Out]  $-1/2*b^2*c*\log(x)/(a^2*c - a) - 1/2*(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \text{dilog}(-b*c*x - a*c + 1))*b^2/a^2 + 1/2*(\log(-b*c*x - a*c + 1)*\log(-(b*c*x + a*c - 1)/(a*c - 1) + 1) + \text{dilog}((b*c*x + a*c - 1)/(a*c - 1)))*b^2/a^2 - 1/2*((a^2*c - a)*\text{dilog}(b*c*x + a*c) - (b^2*c*x^2 + (a*b*c - b)*x)*\log(-b*c*x - a*c + 1))/((a^2*c - a)*x^2)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{polylog}(2, c(a + bx))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/x^3, x)

[Out] int(polylog(2, c\*(a + b\*x))/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ac + bcx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a))/x\*\*3, x)

[Out] Integral(polylog(2, a\*c + b\*c\*x)/x\*\*3, x)

$$3.130 \quad \int \frac{\text{Li}_2(c(a+bx))}{x^4} dx$$

**Optimal.** Leaf size=276

$$\frac{b^3 \text{Li}_2(c(a+bx))}{3a^3} - \frac{b^3 \text{Li}_2\left(1 - \frac{bcx}{1-ac}\right)}{3a^3} - \frac{b^3 \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{3a^3} - \frac{b^3 c \log(x)}{3a^2(1-ac)} + \frac{b^3 c \log(-ac - bcx + 1)}{3a^2(1-ac)} - \frac{b^2}{3a^3}$$

[Out]  $-1/6*b^2*c/a/(-a*c+1)/x+1/6*b^3*c^2*\ln(x)/a/(-a*c+1)^2-1/3*b^3*c*\ln(x)/a^2/(-a*c+1)-1/6*b^3*c^2*\ln(-b*c*x-a*c+1)/a/(-a*c+1)^2+1/3*b^3*c*\ln(-b*c*x-a*c+1)/a^2/(-a*c+1)+1/6*b*\ln(-b*c*x-a*c+1)/a/x^2-1/3*b^2*\ln(-b*c*x-a*c+1)/a^2/x-1/3*b^3*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a^3-1/3*b^3*\text{polylog}(2,c*(b*x+a))/a^3-1/3*\text{polylog}(2,c*(b*x+a))/x^3-1/3*b^3*\text{polylog}(2,1-b*c*x/(-a*c+1))/a^3$

**Rubi [A]** time = 0.27, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.846$ , Rules used = {6598, 44, 2416, 2395, 36, 29, 31, 2394, 2315, 2393, 2391}

$$\frac{b^3 \text{PolyLog}(2, c(a+bx))}{3a^3} - \frac{b^3 \text{PolyLog}\left(2, 1 - \frac{bcx}{1-ac}\right)}{3a^3} - \frac{\text{PolyLog}(2, c(a+bx))}{3x^3} - \frac{b^3 c \log(x)}{3a^2(1-ac)} - \frac{b^3 \log\left(\frac{bcx}{1-ac}\right) \log(-ac - bcx + 1)}{3a^3}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/x^4, x]

[Out]  $-(b^2*c)/(6*a*(1-a*c)*x) + (b^3*c^2*\text{Log}[x])/(6*a*(1-a*c)^2) - (b^3*c*\text{Log}[x])/(3*a^2*(1-a*c)) - (b^3*c^2*\text{Log}[1-a*c-b*c*x])/(6*a*(1-a*c)^2) + (b^3*c*\text{Log}[1-a*c-b*c*x])/(3*a^2*(1-a*c)) + (b*\text{Log}[1-a*c-b*c*x])/(6*a*x^2) - (b^2*\text{Log}[1-a*c-b*c*x])/(3*a^2*x) - (b^3*\text{Log}[(b*c*x)/(1-a*c)]*\text{Log}[1-a*c-b*c*x])/(3*a^3) - (b^3*\text{PolyLog}[2, c*(a+b*x)])/(3*a^3) - \text{PolyLog}[2, c*(a+b*x)]/(3*x^3) - (b^3*\text{PolyLog}[2, 1-(b*c*x)/(1-a*c)])/(3*a^3)$

### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x],

$x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 44

$\text{Int}[(a_ + (b_ \cdot)(x_))^{(m_)} \cdot ((c_ + (d_ \cdot)(x_))^{(n_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m \cdot (c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$

#### Rule 2315

$\text{Int}[\text{Log}[(c_ \cdot)(x_)] / ((d_ + (e_ \cdot)(x_))), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 - c*x] / e, x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$

#### Rule 2391

$\text{Int}[\text{Log}[(c_ \cdot)((d_ + (e_ \cdot)(x_))^{(n_)}))] / (x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

#### Rule 2393

$\text{Int}[(a_ + \text{Log}[(c_ \cdot)((d_ + (e_ \cdot)(x_)))] \cdot (b_)) / ((f_ + (g_ \cdot)(x_))), x\_Symbol] \rightarrow \text{Dist}[1/g, \text{Subst}[\text{Int}[(a + b*\text{Log}[1 + (c*e*x)/g]] / x, x], x, f + g*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[g + c*(e*f - d*g), 0]$

#### Rule 2394

$\text{Int}[(a_ + \text{Log}[(c_ \cdot)((d_ + (e_ \cdot)(x_))^{(n_)})] \cdot (b_)) / ((f_ + (g_ \cdot)(x_))^{(q_)}), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])) / g, x] - \text{Dist}[(b*e^n) / g, \text{Int}[\text{Log}[(e*(f + g*x)) / (e*f - d*g)] / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0]$

#### Rule 2395

$\text{Int}[(a_ + \text{Log}[(c_ \cdot)((d_ + (e_ \cdot)(x_))^{(n_)})] \cdot (b_)) \cdot ((f_ + (g_ \cdot)(x_))^{(q_)}), x\_Symbol] \rightarrow \text{Simp}[(f + g*x)^{(q+1)} * (a + b*\text{Log}[c*(d + e*x)^n]) / (g*(q+1)), x] - \text{Dist}[(b*e^n) / (g*(q+1)), \text{Int}[(f + g*x)^{(q+1)} / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[q, -1]$

#### Rule 2416

$\text{Int}[(a_ + \text{Log}[(c_ \cdot)((d_ + (e_ \cdot)(x_))^{(n_)})] \cdot (b_))^{(p_)} \cdot ((h_ \cdot)(x_))^{(m_)} \cdot ((f_ + (g_ \cdot)(x_))^{(r_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a$

+ b\*Log[c\*(d + e\*x)^n]^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 6598

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*PolyLog[2, c\*(a + b\*x)]/(e\*(m + 1)), x] + Dist[b/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*Log[1 - a\*c - b\*c\*x])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(c(a + bx))}{x^4} dx &= -\frac{\text{Li}_2(c(a + bx))}{3x^3} - \frac{1}{3}b \int \frac{\log(1 - ac - bcx)}{x^3(a + bx)} dx \\
 &= -\frac{\text{Li}_2(c(a + bx))}{3x^3} - \frac{1}{3}b \int \left( \frac{\log(1 - ac - bcx)}{ax^3} - \frac{b \log(1 - ac - bcx)}{a^2x^2} + \frac{b^2 \log(1 - ac - bcx)}{a^3x} \right) dx \\
 &= -\frac{\text{Li}_2(c(a + bx))}{3x^3} - \frac{b \int \frac{\log(1 - ac - bcx)}{x^3} dx}{3a} + \frac{b^2 \int \frac{\log(1 - ac - bcx)}{x^2} dx}{3a^2} - \frac{b^3 \int \frac{\log(1 - ac - bcx)}{x} dx}{3a^3} + \frac{b^4}{3a^3} \\
 &= \frac{b \log(1 - ac - bcx)}{6ax^2} - \frac{b^2 \log(1 - ac - bcx)}{3a^2x} - \frac{b^3 \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{3a^3} - \frac{\text{Li}_2(c(a + bx))}{3x^3} \\
 &= \frac{b \log(1 - ac - bcx)}{6ax^2} - \frac{b^2 \log(1 - ac - bcx)}{3a^2x} - \frac{b^3 \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{3a^3} - \frac{b^3 \text{Li}_2(c(a + bx))}{3a^3} \\
 &= -\frac{b^2c}{6a(1 - ac)x} + \frac{b^3c^2 \log(x)}{6a(1 - ac)^2} - \frac{b^3c \log(x)}{3a^2(1 - ac)} - \frac{b^3c^2 \log(1 - ac - bcx)}{6a(1 - ac)^2} + \frac{b^3c \log(1 - ac - bcx)}{3a^2(1 - ac)}
 \end{aligned}$$

**Mathematica [A]** time = 0.29, size = 210, normalized size = 0.76

$$\frac{b \left( -\frac{a^2 \log(-ac - bcx + 1)}{x^2} - \frac{a^2 bc(-bcx \log(-ac - bcx + 1) + ac + bcx \log(x) - 1)}{x(ac - 1)^2} + 2b^2 \text{Li}_2(c(a + bx)) + 2b^2 \text{Li}_2\left(\frac{ac + bcx - 1}{ac - 1}\right) - \frac{2ab^2c(\log(x) - 1)}{a} \right)}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/x^4, x]

[Out] -1/6\*(b\*((-2\*a\*b^2\*c\*(Log[x] - Log[1 - a\*c - b\*c\*x]))/(-1 + a\*c) - (a^2\*Log[1 - a\*c - b\*c\*x])/x^2 + (2\*a\*b\*Log[1 - a\*c - b\*c\*x])/x + 2\*b^2\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x] - (a^2\*b\*c\*(-1 + a\*c + b\*c\*x\*Log[x] - b\*c\*

$x \cdot \text{Log}[1 - a \cdot c - b \cdot c \cdot x]) / ((-1 + a \cdot c)^{2 \cdot x}) + 2 \cdot b^2 \cdot \text{PolyLog}[2, c \cdot (a + b \cdot x)] + 2 \cdot b^2 \cdot \text{PolyLog}[2, (-1 + a \cdot c + b \cdot c \cdot x) / (-1 + a \cdot c)] / a^3 - \text{PolyLog}[2, a \cdot c + b \cdot c \cdot x] / (3 \cdot x^3)$

**fricas** [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^4,x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx + a)c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^4,x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/x^4, x)

**maple** [A] time = 0.03, size = 376, normalized size = 1.36

$$\frac{\text{polylog}(2, bc x + ac)}{3x^3} - \frac{b^3 \text{dilog}(-bcx - ac + 1)}{3a^3} + \frac{b^2 c^2}{6(ac - 1)^2 x} - \frac{b^2 c}{6a(ac - 1)^2 x} + \frac{b^3 c^2 \ln(-bcx)}{6a(ac - 1)^2} - \frac{b^3 c^2 \ln(-bcx - a)}{6a(ac - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/x^4,x)

[Out]  $-1/3 \cdot \text{polylog}(2, b \cdot c \cdot x + a \cdot c) / x^3 - 1/3 \cdot b^3 \cdot \text{dilog}(-b \cdot c \cdot x - a \cdot c + 1) / a^3 + 1/6 \cdot b^2 \cdot c^2 / (a \cdot c - 1)^2 / x - 1/6 \cdot b^2 \cdot c / a / (a \cdot c - 1)^2 / x + 1/6 \cdot b^3 \cdot c^2 / a / (a \cdot c - 1)^2 \cdot \ln(-b \cdot c \cdot x) - 1/6 \cdot b^3 \cdot c^2 / a \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / (a \cdot c - 1)^2 + 1/6 \cdot b \cdot c^2 \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / x^2 / (a \cdot c - 1)^2 \cdot a - 1/3 \cdot b \cdot c \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / x^2 / (a \cdot c - 1)^2 + 1/6 \cdot b / a \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / x^2 / (a \cdot c - 1)^2 + 1/3 \cdot b^3 \cdot c / a^2 / (a \cdot c - 1) \cdot \ln(-b \cdot c \cdot x) - 1/3 \cdot b^3 \cdot c / a^2 \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / (a \cdot c - 1) - 1/3 \cdot b^2 \cdot c / a \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / (a \cdot c - 1) / x + 1/3 \cdot b^2 / a^2 \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) / (a \cdot c - 1) / x - 1/3 \cdot b^3 / a^3 \cdot \ln(-b \cdot c \cdot x - a \cdot c + 1) \cdot \ln(-x \cdot b \cdot c / (a \cdot c - 1)) - 1/3 \cdot b^3 / a^3 \cdot \text{dilog}(-x \cdot b \cdot c / (a \cdot c - 1))$

**maxima** [A] time = 0.32, size = 302, normalized size = 1.09

$$\frac{(\log(bc x + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1)) b^3}{3 a^3} - \frac{\left(\log(-bcx - ac + 1) \log\left(-\frac{bcx + ac - 1}{ac - 1} + 1\right) + \text{Li}_2\left(\frac{bcx + ac - 1}{ac - 1}\right)\right) b^3}{3 a^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x^4,x, algorithm="maxima")

[Out]  $\frac{1}{3}(\log(bcx + ac) \log(-bcx - ac + 1) + \operatorname{dilog}(-bcx - ac + 1)) \frac{b^3}{a^3} - \frac{1}{3}(\log(-bcx - ac + 1) \log(-\frac{bcx + ac - 1}{ac - 1} + 1) + \operatorname{dilog}(\frac{bcx + ac - 1}{ac - 1})) \frac{b^3}{a^3} + \frac{1}{6}(3ab^3c^2 - 2b^3c) \log(x) / (a^4c^2 - 2a^3c + a^2) + \frac{1}{6}((a^2b^2c^2 - ab^2c)x^2 - 2(a^4c^2 - 2a^3c + a^2) \operatorname{dilog}(bcx + ac) - ((3ab^3c^2 - 2b^3c)x^3 + 2(a^2b^2c^2 - 2ab^2c + b^2)x^2 - (a^3bc^2 - 2a^2bc + ab)x) \log(-bcx - ac + 1)) / ((a^4c^2 - 2a^3c + a^2)x^3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{polylog}(2, c(a + bx))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/x^4,x)

[Out] int(polylog(2, c\*(a + b\*x))/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ac + bcx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/x\*\*4,x)

[Out] Integral(polylog(2, ac + b\*c\*x)/x\*\*4, x)

### 3.131 $\int x^2 \text{Li}_3(c(a + bx)) dx$

**Optimal.** Leaf size=347

$$-\frac{(a^3 - b^3 x^3) \text{Li}_3(c(a + bx))}{3b^3} - \frac{11a^3 \text{Li}_2(c(a + bx))}{18b^3} + \frac{2a^3 \text{Li}_3(c(a + bx))}{3b^3} + \frac{11a^2(-ac - bcx + 1) \log(-ac - bcx + 1)}{18b^3 c} - \frac{a^2}{b^3}$$

[Out]  $11/18*a^2*x/b^2-5/36*a*(-a*c+1)*x/b^2/c+1/27*(-a*c+1)^2*x/b^2/c^2-5/72*a*x^2/b+1/54*(-a*c+1)*x^2/b/c+1/81*x^3-5/36*a*(-a*c+1)^2*\ln(-b*c*x-a*c+1)/b^3/c^2+1/27*(-a*c+1)^3*\ln(-b*c*x-a*c+1)/b^3/c^3+5/36*a*x^2*\ln(-b*c*x-a*c+1)/b-1/27*x^3*\ln(-b*c*x-a*c+1)+11/18*a^2*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^3/c-11/18*a^3*\text{polylog}(2,c*(b*x+a))/b^3-1/3*a^2*x*\text{polylog}(2,c*(b*x+a))/b^2+1/6*a*x^2*\text{polylog}(2,c*(b*x+a))/b-1/9*x^3*\text{polylog}(2,c*(b*x+a))+2/3*a^3*\text{polylog}(3,c*(b*x+a))/b^3-1/3*(-b^3*x^3+a^3)*\text{polylog}(3,c*(b*x+a))/b^3$

**Rubi [A]** time = 0.64, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 33, number of rules used = 13, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {6599, 6595, 2444, 2389, 2295, 2421, 2393, 2391, 6598, 43, 2416, 2395, 6589}

$$-\frac{(a^3 - b^3 x^3) \text{PolyLog}(3, c(a + bx))}{3b^3} - \frac{11a^3 \text{PolyLog}(2, c(a + bx))}{18b^3} + \frac{2a^3 \text{PolyLog}(3, c(a + bx))}{3b^3} - \frac{a^2 x \text{PolyLog}(2, c(a + bx))}{3b^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2 * \text{PolyLog}[3, c*(a + b*x)], x]$

[Out]  $(11*a^2*x)/(18*b^2) - (5*a*(1 - a*c)*x)/(36*b^2*c) + ((1 - a*c)^2*x)/(27*b^2*c^2) - (5*a*x^2)/(72*b) + ((1 - a*c)*x^2)/(54*b*c) + x^3/81 - (5*a*(1 - a*c)^2*\text{Log}[1 - a*c - b*c*x])/(36*b^3*c^2) + ((1 - a*c)^3*\text{Log}[1 - a*c - b*c*x])/(27*b^3*c^3) + (5*a*x^2*\text{Log}[1 - a*c - b*c*x])/(36*b) - (x^3*\text{Log}[1 - a*c - b*c*x])/27 + (11*a^2*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(18*b^3*c) - (11*a^3*\text{PolyLog}[2, c*(a + b*x)])/(18*b^3) - (a^2*x*\text{PolyLog}[2, c*(a + b*x)])/(3*b^2) + (a*x^2*\text{PolyLog}[2, c*(a + b*x)])/(6*b) - (x^3*\text{PolyLog}[2, c*(a + b*x)])/9 + (2*a^3*\text{PolyLog}[3, c*(a + b*x)])/(3*b^3) - ((a^3 - b^3*x^3)*\text{PolyLog}[3, c*(a + b*x)])/(3*b^3)$

#### Rule 43

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_. + (d_.)*(x_.))^(n_.), x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])$

#### Rule 2295

```
Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x]
]; FreeQ[{c, n}, x]
```

### Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a,
b, c, d, e, n, p}, x]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2,
-(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_
))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((h_.)*(x_)
)^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a
+ b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

### Rule 2421

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_)^(q_.), x_Symbol] := In
t[ExpandToSum[u, x]^q*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a,
b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatch
Q[u, x] && LinearMatchQ[v, x])
```

### Rule 2444

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Int[u*(
a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p}, x] && Lin
earQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c*v, (e_.)*((f
_) + (g_.)*x) /; FreeQ[{e, f, g}, x]])
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6595

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*Poly
Log[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x]
, x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x]) /; Fr
eeQ[{a, b, c, p}, x] && GtQ[n, 0]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rule 6599

```
Int[(x_)^(m_.)*PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] :=
-Simp[((a^(m + 1) - b^(m + 1)*x^(m + 1))*PolyLog[n, c*(a + b*x)^p])/((m + 1
)*b^(m + 1)), x] + Dist[p/((m + 1)*b^m), Int[ExpandIntegrand[PolyLog[n - 1,
c*(a + b*x)^p], (a^(m + 1) - b^(m + 1)*x^(m + 1))/(a + b*x), x], x], x] /;
FreeQ[{a, b, c, p}, x] && GtQ[n, 0] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int x^2 \text{Li}_3(c(a+bx)) dx &= -\frac{(a^3 - b^3 x^3) \text{Li}_3(c(a+bx))}{3b^3} + \frac{\int (-a^2 \text{Li}_2(c(a+bx)) + abx \text{Li}_2(c(a+bx)) - b^2 x^2 \text{Li}_2(c(a+bx))) dx}{3b^2} \\
&= -\frac{(a^3 - b^3 x^3) \text{Li}_3(c(a+bx))}{3b^3} - \frac{1}{3} \int x^2 \text{Li}_2(c(a+bx)) dx - \frac{a^2 \int \text{Li}_2(c(a+bx)) dx}{3b^2} + \frac{(2a^3 - b^3) \text{Li}_3(c(a+bx))}{3b^3} \\
&= -\frac{a^2 x \text{Li}_2(c(a+bx))}{3b^2} + \frac{ax^2 \text{Li}_2(c(a+bx))}{6b} - \frac{1}{9} x^3 \text{Li}_2(c(a+bx)) + \frac{2a^3 \text{Li}_3(c(a+bx))}{3b^3} - \frac{(a^3 - b^3) \text{Li}_3(c(a+bx))}{3b^3} \\
&= -\frac{a^2 x \text{Li}_2(c(a+bx))}{3b^2} + \frac{ax^2 \text{Li}_2(c(a+bx))}{6b} - \frac{1}{9} x^3 \text{Li}_2(c(a+bx)) + \frac{2a^3 \text{Li}_3(c(a+bx))}{3b^3} - \frac{(a^3 - b^3) \text{Li}_3(c(a+bx))}{3b^3} \\
&= -\frac{a^2 x \text{Li}_2(c(a+bx))}{3b^2} + \frac{ax^2 \text{Li}_2(c(a+bx))}{6b} - \frac{1}{9} x^3 \text{Li}_2(c(a+bx)) + \frac{2a^3 \text{Li}_3(c(a+bx))}{3b^3} - \frac{(a^3 - b^3) \text{Li}_3(c(a+bx))}{3b^3} \\
&= \frac{a^2 x}{3b^2} + \frac{5ax^2 \log(1-ac-bcx)}{36b} - \frac{1}{27} x^3 \log(1-ac-bcx) + \frac{a^2(1-ac-bcx) \log(1-ac-bcx)}{3b^3 c} \\
&= \frac{11a^2 x}{18b^2} + \frac{5ax^2 \log(1-ac-bcx)}{36b} - \frac{1}{27} x^3 \log(1-ac-bcx) + \frac{11a^2(1-ac-bcx) \log(1-ac-bcx)}{18b^3 c} \\
&= \frac{11a^2 x}{18b^2} - \frac{5a(1-ac)x}{36b^2 c} + \frac{(1-ac)^2 x}{27b^2 c^2} - \frac{5ax^2}{72b} + \frac{(1-ac)x^2}{54bc} + \frac{x^3}{81} - \frac{5a(1-ac)^2 \log(1-ac-bcx)}{36b^3 c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 296, normalized size = 0.85

$$216c^3 (a^3 + b^3 x^3) \text{Li}_3(c(a+bx)) - 510a^3 c^3 \log(-ac - bcx + 1) + 575a^3 c^3 + 510a^2 bc^3 x - 396a^2 bc^3 x \log(-ac - bcx)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[3, c\*(a + b\*x)], x]

[Out] (24\*a\*c - 150\*a^2\*c^2 + 575\*a^3\*c^3 + 24\*b\*c\*x - 138\*a\*b\*c^2\*x + 510\*a^2\*b\*c^3\*x + 12\*b^2\*c^2\*x^2 - 57\*a\*b^2\*c^3\*x^2 + 8\*b^3\*c^3\*x^3 + 24\*Log[1 - a\*c - b\*c\*x] - 162\*a\*c\*Log[1 - a\*c - b\*c\*x] + 648\*a^2\*c^2\*Log[1 - a\*c - b\*c\*x] - 510\*a^3\*c^3\*Log[1 - a\*c - b\*c\*x] - 396\*a^2\*b\*c^3\*x\*Log[1 - a\*c - b\*c\*x] + 90\*a\*b^2\*c^3\*x^2\*Log[1 - a\*c - b\*c\*x] - 24\*b^3\*c^3\*x^3\*Log[1 - a\*c - b\*c\*x] - 36\*c^3\*(11\*a^3 + 6\*a^2\*b\*x - 3\*a\*b^2\*x^2 + 2\*b^3\*x^3)\*PolyLog[2, c\*(a + b\*x)] + 216\*c^3\*(a^3 + b^3\*x^3)\*PolyLog[3, c\*(a + b\*x)]/(648\*b^3\*c^3)

**fricas [C]** time = 0.79, size = 219, normalized size = 0.63

$$8b^3c^3x^3 - 3(19ab^2c^3 - 4b^2c^2)x^2 + 6(85a^2bc^3 - 23abc^2 + 4bc)x - 36(2b^3c^3x^3 - 3ab^2c^3x^2 + 6a^2bc^3x + 11a^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,c\*(b\*x+a)),x, algorithm="fricas")

[Out] 1/648\*(8\*b^3\*c^3\*x^3 - 3\*(19\*a\*b^2\*c^3 - 4\*b^2\*c^2)\*x^2 + 6\*(85\*a^2\*b\*c^3 - 23\*a\*b\*c^2 + 4\*b\*c)\*x - 36\*(2\*b^3\*c^3\*x^3 - 3\*a\*b^2\*c^3\*x^2 + 6\*a^2\*b\*c^3\*x + 11\*a^3\*c^3)\*dilog(b\*c\*x + a\*c) - 6\*(4\*b^3\*c^3\*x^3 - 15\*a\*b^2\*c^3\*x^2 + 66\*a^2\*b\*c^3\*x + 85\*a^3\*c^3 - 108\*a^2\*c^2 + 27\*a\*c - 4)\*log(-b\*c\*x - a\*c + 1) + 216\*(b^3\*c^3\*x^3 + a^3\*c^3)\*polylog(3, b\*c\*x + a\*c))/(b^3\*c^3)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_3((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(x^2\*polylog(3, (b\*x + a)\*c), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x^2 \text{polylog}(3, c(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(3,c\*(b\*x+a)),x)

[Out] int(x^2\*polylog(3,c\*(b\*x+a)),x)

**maxima** [A] time = 0.32, size = 264, normalized size = 0.76

$$\frac{11 \left( \log(bcx + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1) \right) a^3}{18 b^3} + \frac{a^3 \text{Li}_3(bcx + ac)}{3 b^3} + \frac{216 b^3 c^3 x^3 \text{Li}_3(bcx + ac) + 8 b^3}{18 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(3,c\*(b\*x+a)),x, algorithm="maxima")

[Out] 11/18\*(log(b\*c\*x + a\*c)\*log(-b\*c\*x - a\*c + 1) + dilog(-b\*c\*x - a\*c + 1))\*a^3/b^3 + 1/3\*a^3\*polylog(3, b\*c\*x + a\*c)/b^3 + 1/648\*(216\*b^3\*c^3\*x^3\*polylog(3, b\*c\*x + a\*c) + 8\*b^3\*c^3\*x^3 - 3\*(19\*a\*b^2\*c^3 - 4\*b^2\*c^2)\*x^2 + 6\*(85\*a^2\*b\*c^3 - 23\*a\*b\*c^2 + 4\*b\*c)\*x - 36\*(2\*b^3\*c^3\*x^3 - 3\*a\*b^2\*c^3\*x^2 + 6\*a^2\*b\*c^3\*x)\*dilog(b\*c\*x + a\*c) - 6\*(4\*b^3\*c^3\*x^3 - 15\*a\*b^2\*c^3\*x^2 + 66\*a^2\*b\*c^3\*x + 85\*a^3\*c^3 - 108\*a^2\*c^2 + 27\*a\*c - 4)\*log(-b\*c\*x - a\*c + 1))/(b^3\*c^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \operatorname{polylog}(3, c(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*polylog(3, c*(a + b*x)), x)`

[Out] `int(x^2*polylog(3, c*(a + b*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_3(ac + bcx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*polylog(3, c*(b*x+a)), x)`

[Out] `Integral(x**2*polylog(3, a*c + b*c*x), x)`

### 3.132 $\int x \text{Li}_3(c(a + bx)) dx$

**Optimal.** Leaf size=198

$$-\frac{(a^2 - b^2x^2) \text{Li}_3(c(a + bx))}{2b^2} + \frac{3a^2 \text{Li}_2(c(a + bx))}{4b^2} + \frac{(1 - ac)^2 \log(-ac - bcx + 1)}{8b^2c^2} - \frac{3a(-ac - bcx + 1) \log(-ac - bcx + 1)}{4b^2c}$$

[Out]  $-3/4*a*x/b+1/8*(-a*c+1)*x/b/c+1/16*x^2+1/8*(-a*c+1)^2*\ln(-b*c*x-a*c+1)/b^2/c^2-1/8*x^2*\ln(-b*c*x-a*c+1)-3/4*a*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^2/c+3/4*a^2*\text{polylog}(2,c*(b*x+a))/b^2+1/2*a*x*\text{polylog}(2,c*(b*x+a))/b-1/4*x^2*\text{polylog}(2,c*(b*x+a))-1/2*(-b^2*x^2+a^2)*\text{polylog}(3,c*(b*x+a))/b^2$

**Rubi [A]** time = 0.29, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 12, integrand size = 11,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.091$ , Rules used = {6599, 6595, 2444, 2389, 2295, 2421, 2393, 2391, 6598, 43, 2416, 2395}

$$-\frac{(a^2 - b^2x^2) \text{PolyLog}(3, c(a + bx))}{2b^2} + \frac{3a^2 \text{PolyLog}(2, c(a + bx))}{4b^2} - \frac{1}{4}x^2 \text{PolyLog}(2, c(a + bx)) + \frac{ax \text{PolyLog}(2, c(a + bx))}{2b}$$

Antiderivative was successfully verified.

[In] Int[x\*PolyLog[3, c\*(a + b\*x)], x]

[Out]  $(-3*a*x)/(4*b) + ((1 - a*c)*x)/(8*b*c) + x^2/16 + ((1 - a*c)^2*\text{Log}[1 - a*c - b*c*x])/(8*b^2*c^2) - (x^2*\text{Log}[1 - a*c - b*c*x])/8 - (3*a*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(4*b^2*c) + (3*a^2*\text{PolyLog}[2, c*(a + b*x)])/(4*b^2) + (a*x*\text{PolyLog}[2, c*(a + b*x)])/(2*b) - (x^2*\text{PolyLog}[2, c*(a + b*x)])/4 - ((a^2 - b^2*x^2)*\text{PolyLog}[3, c*(a + b*x)])/(2*b^2)$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2295

Int[Log[(c\_.)\*(x\_)]^(n\_.), x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a



, b, c, d, e, n, p}, x]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2393

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((h\_.)\*(x\_)^(m\_.))\*((f\_.) + (g\_.)\*(x\_)^(r\_.))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 2421

Int[((a\_.) + Log[(c\_.)\*(v\_)^(n\_.)]\*(b\_.))^(p\_.)\*(u\_)^(q\_.), x\_Symbol] := Int[ExpandToSum[u, x]^q\*(a + b\*Log[c\*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatchQ[u, x] && LinearMatchQ[v, x])

### Rule 2444

Int[((a\_.) + Log[(c\_.)\*(v\_)^(n\_.)]\*(b\_.))^(p\_.)\*(u\_.), x\_Symbol] := Int[u\*(a + b\*Log[c\*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p}, x] && LinearQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c\*v, (e\_.)\*((f\_) + (g\_.)\*x)] /; FreeQ[{e, f, g}, x]]

### Rule 6595

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*Poly
Log[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x]
, x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x]) /; Fr
eeQ[{a, b, c, p}, x] && GtQ[n, 0]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rule 6599

```
Int[(x_)^(m_.)*PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] :=
-Simp[((a^(m + 1) - b^(m + 1)*x^(m + 1))*PolyLog[n, c*(a + b*x)^p])/((m + 1)
*b^(m + 1)), x] + Dist[p/((m + 1)*b^m), Int[ExpandIntegrand[PolyLog[n - 1,
c*(a + b*x)^p], (a^(m + 1) - b^(m + 1)*x^(m + 1))/(a + b*x), x], x], x] /;
FreeQ[{a, b, c, p}, x] && GtQ[n, 0] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int x \operatorname{Li}_3(c(a+bx)) dx &= -\frac{(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx))}{2b^2} + \frac{\int (a \operatorname{Li}_2(c(a+bx)) - bx \operatorname{Li}_2(c(a+bx))) dx}{2b} \\
&= -\frac{(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx))}{2b^2} - \frac{1}{2} \int x \operatorname{Li}_2(c(a+bx)) dx + \frac{a \int \operatorname{Li}_2(c(a+bx)) dx}{2b} \\
&= \frac{ax \operatorname{Li}_2(c(a+bx))}{2b} - \frac{1}{4} x^2 \operatorname{Li}_2(c(a+bx)) - \frac{(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx))}{2b^2} + \frac{a \int \log(1 - c(a+bx)) dx}{2b} \\
&= \frac{ax \operatorname{Li}_2(c(a+bx))}{2b} - \frac{1}{4} x^2 \operatorname{Li}_2(c(a+bx)) - \frac{(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx))}{2b^2} + \frac{a \int \log(1 - ac - bcx) dx}{2b} \\
&= \frac{ax \operatorname{Li}_2(c(a+bx))}{2b} - \frac{1}{4} x^2 \operatorname{Li}_2(c(a+bx)) - \frac{(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx))}{2b^2} - \frac{1}{4} \int x \log(1 - ac - bcx) dx \\
&= -\frac{ax}{2b} - \frac{1}{8} x^2 \log(1 - ac - bcx) - \frac{a(1 - ac - bcx) \log(1 - ac - bcx)}{2b^2c} + \frac{a^2 \operatorname{Li}_2(c(a+bx))}{2b^2} + \frac{a^2 \operatorname{Li}_3(c(a+bx))}{2b^2} \\
&= -\frac{3ax}{4b} - \frac{1}{8} x^2 \log(1 - ac - bcx) - \frac{3a(1 - ac - bcx) \log(1 - ac - bcx)}{4b^2c} + \frac{3a^2 \operatorname{Li}_2(c(a+bx))}{4b^2} \\
&= -\frac{3ax}{4b} + \frac{(1 - ac)x}{8bc} + \frac{x^2}{16} + \frac{(1 - ac)^2 \log(1 - ac - bcx)}{8b^2c^2} - \frac{1}{8} x^2 \log(1 - ac - bcx) - \frac{3a(1 - ac)}{4b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 198, normalized size = 1.00

$$\frac{4c^2(3a^2 + 2abx - b^2x^2) \operatorname{Li}_2(c(a+bx)) - 8c^2(a^2 - b^2x^2) \operatorname{Li}_3(c(a+bx)) + 14a^2c^2 \log(-ac - bcx + 1) - 15a^2c^2 - 2a^2c^2}{16b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[3, c\*(a + b\*x)], x]

[Out] (2\*a\*c - 15\*a^2\*c^2 + 2\*b\*c\*x - 14\*a\*b\*c^2\*x + b^2\*c^2\*x^2 + 2\*Log[1 - a\*c - b\*c\*x] - 16\*a\*c\*Log[1 - a\*c - b\*c\*x] + 14\*a^2\*c^2\*Log[1 - a\*c - b\*c\*x] + 12\*a\*b\*c^2\*x\*Log[1 - a\*c - b\*c\*x] - 2\*b^2\*c^2\*x^2\*Log[1 - a\*c - b\*c\*x] + 4\*c^2\*(3\*a^2 + 2\*a\*b\*x - b^2\*x^2)\*PolyLog[2, c\*(a + b\*x)] - 8\*c^2\*(a^2 - b^2\*x^2)\*PolyLog[3, c\*(a + b\*x)])/(16\*b^2\*c^2)

**fricas [C]** time = 1.95, size = 149, normalized size = 0.75

$$\frac{b^2c^2x^2 - 2(7abc^2 - bc)x - 4(b^2c^2x^2 - 2abc^2x - 3a^2c^2) \operatorname{Li}_2(bcx + ac) - 2(b^2c^2x^2 - 6abc^2x - 7a^2c^2 + 8ac - 1) \operatorname{Li}_3(bcx + ac)}{16b^2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,c\*(b\*x+a)),x, algorithm="fricas")

[Out]  $\frac{1}{16}(b^2c^2x^2 - 2(7ab^2c^2 - b^2c^2)x - 4(b^2c^2x^2 - 2ab^2c^2x - 3a^2c^2))\text{dilog}(bcx + ac) - 2(b^2c^2x^2 - 6ab^2c^2x - 7a^2c^2 + 8ac - 1)\log(-bcx - ac + 1) + 8(b^2c^2x^2 - a^2c^2)\text{polylog}(3, bcx + ac)/(b^2c^2)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_3((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(x\*polylog(3, (b\*x + a)\*c), x)

**maple** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{polylog}(3, c(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(3,c\*(b\*x+a)),x)

[Out] int(x\*polylog(3,c\*(b\*x+a)),x)

**maxima** [A] time = 0.32, size = 193, normalized size = 0.97

$$\frac{3(\log(bc x + ac)\log(-bc x - ac + 1) + \text{Li}_2(-bc x - ac + 1))a^2}{4b^2} - \frac{a^2\text{Li}_3(bc x + ac)}{2b^2} + \frac{8b^2c^2x^2\text{Li}_3(bc x + ac) + b^2c^2x^2}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(3,c\*(b\*x+a)),x, algorithm="maxima")

[Out]  $-3/4(\log(bc x + ac)\log(-bc x - ac + 1) + \text{dilog}(-bc x - ac + 1))a^2/b^2 - 1/2a^2\text{polylog}(3, bc x + ac)/b^2 + 1/16(8b^2c^2x^2\text{polylog}(3, bc x + ac) + b^2c^2x^2 - 2(7ab^2c^2 - b^2c^2)x - 4(b^2c^2x^2 - 2ab^2c^2x)\text{dilog}(bc x + ac) - 2(b^2c^2x^2 - 6ab^2c^2x - 7a^2c^2 + 8ac - 1)\log(-bc x - ac + 1))/(b^2c^2)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \text{polylog}(3, c(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*polylog(3, c*(a + b*x)),x)`

[Out] `int(x*polylog(3, c*(a + b*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_3(ac + bcx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*polylog(3,c*(b*x+a)),x)`

[Out] `Integral(x*polylog(3, a*c + b*c*x), x)`

### 3.133 $\int \text{Li}_3(c(a + bx)) dx$

Optimal. Leaf size=84

$$x(-\text{Li}_2(c(a+bx))) + x\text{Li}_3(c(a+bx)) - \frac{a\text{Li}_2(c(a+bx))}{b} + \frac{a\text{Li}_3(c(a+bx))}{b} + \frac{(-ac - bcx + 1)\log(-ac - bcx + 1)}{bc} + x$$

[Out]  $x + (-b*c*x - a*c + 1) * \ln(-b*c*x - a*c + 1) / b / c - a * \text{polylog}(2, c*(b*x + a)) / b - x * \text{polylog}(2, c*(b*x + a)) + a * \text{polylog}(3, c*(b*x + a)) / b + x * \text{polylog}(3, c*(b*x + a))$

**Rubi [A]** time = 0.07, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.889$ , Rules used = {6595, 2444, 2389, 2295, 2421, 2393, 2391, 6589}

$$x(-\text{PolyLog}(2, c(a+bx))) + x\text{PolyLog}(3, c(a+bx)) - \frac{a\text{PolyLog}(2, c(a+bx))}{b} + \frac{a\text{PolyLog}(3, c(a+bx))}{b} + \frac{(-ac - bcx}{b}$$

Antiderivative was successfully verified.

[In] Int [PolyLog [3, c\*(a + b\*x)], x]

[Out]  $x + ((1 - a*c - b*c*x) * \text{Log}[1 - a*c - b*c*x]) / (b*c) - (a * \text{PolyLog}[2, c*(a + b*x)]) / b - x * \text{PolyLog}[2, c*(a + b*x)] + (a * \text{PolyLog}[3, c*(a + b*x)]) / b + x * \text{PolyLog}[3, c*(a + b*x)]$

#### Rule 2295

Int [Log [(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp [x\*Log [c\*x^n], x] - Simp [n\*x, x] /; FreeQ [{c, n}, x]

#### Rule 2389

Int [((a\_.) + Log [(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] :> Dist [1/e, Subst [Int [(a + b\*Log [c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ [{a, b, c, d, e, n, p}, x]

#### Rule 2391

Int [Log [(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp [PolyLog [2, -(c\*e\*x^n)]/n, x] /; FreeQ [{c, d, e, n}, x] && EqQ [c\*d, 1]

#### Rule 2393

Int [((a\_.) + Log [(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist [1/g, Subst [Int [(a + b\*Log [1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ [{a, b, c, d, e, f, g}, x] && NeQ [e\*f - d\*g, 0] && EqQ [g + c\*

$(e*f - d*g), 0]$

### Rule 2421

$\text{Int}[(a_.) + \text{Log}[(c_.)*(v_.)^{(n_.)}]*(b_.)^{(p_.)}*(u_.)^{(q_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandToSum}[u, x]^q*(a + b*\text{Log}[c*\text{ExpandToSum}[v, x]^n])^p, x] /; \text{FreeQ}\{a, b, c, n, p, q\}, x] \&\& \text{BinomialQ}[u, x] \&\& \text{LinearQ}[v, x] \&\& \text{!}(\text{BinomialMatchQ}[u, x] \&\& \text{LinearMatchQ}[v, x])$

### Rule 2444

$\text{Int}[(a_.) + \text{Log}[(c_.)*(v_.)^{(n_.)}]*(b_.)^{(p_.)}*(u_.), x\_Symbol] \rightarrow \text{Int}[u*(a + b*\text{Log}[c*\text{ExpandToSum}[v, x]^n])^p, x] /; \text{FreeQ}\{a, b, c, n, p\}, x] \&\& \text{LinearQ}[v, x] \&\& \text{!LinearMatchQ}[v, x] \&\& \text{!}(\text{EqQ}[n, 1] \&\& \text{MatchQ}[c*v, (e_.)*(f_.) + (g_.)*x] /; \text{FreeQ}\{e, f, g\}, x])$

### Rule 6589

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

### Rule 6595

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}], x\_Symbol] \rightarrow \text{Simp}[x*\text{PolyLog}[n, c*(a + b*x)^p], x] + (-\text{Dist}[p, \text{Int}[\text{PolyLog}[n - 1, c*(a + b*x)^p], x], x] + \text{Dist}[a*p, \text{Int}[\text{PolyLog}[n - 1, c*(a + b*x)^p]/(a + b*x), x], x]) /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned}
 \int \text{Li}_3(c(a + bx)) dx &= x\text{Li}_3(c(a + bx)) + a \int \frac{\text{Li}_2(c(a + bx))}{a + bx} dx - \int \text{Li}_2(c(a + bx)) dx \\
 &= -x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_3(c(a + bx))}{b} + x\text{Li}_3(c(a + bx)) + a \int \frac{\log(1 - c(a + bx))}{a + bx} dx - \int \log(1 - c(a + bx)) dx \\
 &= -x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_3(c(a + bx))}{b} + x\text{Li}_3(c(a + bx)) + a \int \frac{\log(1 - ac - bcx)}{a + bx} dx - \int \log(1 - ac - bcx) dx \\
 &= -x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_3(c(a + bx))}{b} + x\text{Li}_3(c(a + bx)) + \frac{a \text{Subst}\left(\int \frac{\log(1 - cx)}{x} dx, x, a + bx\right)}{b} - \int \log(1 - ac - bcx) dx \\
 &= x + \frac{(1 - ac - bcx) \log(1 - ac - bcx)}{bc} - \frac{a\text{Li}_2(c(a + bx))}{b} - x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_3(c(a + bx))}{b}
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 66, normalized size = 0.79

$$\frac{(a + bx) \left( -\text{Li}_2(c(a + bx)) + \text{Li}_3(c(a + bx)) + \frac{\log(1 - c(a + bx))}{c(a + bx)} - \log(1 - c(a + bx)) + 1 \right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, c\*(a + b\*x)], x]

[Out] ((a + b\*x)\*(1 - Log[1 - c\*(a + b\*x)] + Log[1 - c\*(a + b\*x)]/(c\*(a + b\*x)) - PolyLog[2, c\*(a + b\*x)] + PolyLog[3, c\*(a + b\*x)])/b

**fricas [C]** time = 0.98, size = 73, normalized size = 0.87

$$\frac{bcx - (bcx + ac)\text{Li}_2(bcx + ac) - (bcx + ac - 1)\log(-bcx - ac + 1) + (bcx + ac)\text{polylog}(3, bcx + ac)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, c\*(b\*x+a)), x, algorithm="fricas")

[Out] (b\*c\*x - (b\*c\*x + a\*c)\*dilog(b\*c\*x + a\*c) - (b\*c\*x + a\*c - 1)\*log(-b\*c\*x - a\*c + 1) + (b\*c\*x + a\*c)\*polylog(3, b\*c\*x + a\*c))/(b\*c)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_3((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3, c\*(b\*x+a)), x, algorithm="giac")

[Out] integrate(polylog(3, (b\*x + a)\*c), x)

**maple [F]** time = 0.01, size = 0, normalized size = 0.00

$$\int \text{polylog}(3, c(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, c\*(b\*x+a)), x)

[Out] int(polylog(3, c\*(b\*x+a)), x)

**maxima [A]** time = 0.33, size = 120, normalized size = 1.43

$$\frac{(\log(bcx + ac)\log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))a}{b} + \frac{a\text{Li}_3(bcx + ac)}{b} - \frac{bcx\text{Li}_2(bcx + ac) - bcx\text{Li}_3(bcx + ac)}{b}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a)),x, algorithm="maxima")

[Out]  $(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \operatorname{dilog}(-b*c*x - a*c + 1))*a/b + a*\operatorname{polylog}(3, b*c*x + a*c)/b - (b*c*x*\operatorname{dilog}(b*c*x + a*c) - b*c*x*\operatorname{polylog}(3, b*c*x + a*c) - b*c*x + (b*c*x + a*c - 1)*\log(-b*c*x - a*c + 1))/(b*c)$

**mupad [B]** time = 2.18, size = 77, normalized size = 0.92

$$x - \frac{\operatorname{polylog}(2, c(a + bx))(a + bx)}{b} + \frac{\operatorname{polylog}(3, c(a + bx))(a + bx)}{b} + \frac{\ln(c(a + bx) - 1)}{bc} - \frac{\ln(1 - c(a + bx))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, c\*(a + b\*x)),x)

[Out]  $x - (\operatorname{polylog}(2, c*(a + b*x))*(a + b*x))/b + (\operatorname{polylog}(3, c*(a + b*x))*(a + b*x))/b + \log(c*(a + b*x) - 1)/(b*c) - (\log(1 - c*(a + b*x))*(a + b*x))/b$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_3(c(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a)),x)

[Out] Integral(polylog(3, c\*(a + b\*x)), x)

$$3.134 \quad \int \frac{\text{Li}_3(c(a+bx))}{x} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\text{Li}_3(ac + bxc)}{x}, x\right)$$

[Out] int(polylog(3,b\*c\*x+a\*c)/x,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}(3, c(a + bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[PolyLog[3, c\*(a + b\*x)]/x,x]

[Out] Defer[Int][PolyLog[3, a\*c + b\*c\*x]/x, x]

Rubi steps

$$\int \frac{\text{Li}_3(c(a + bx))}{x} dx = \int \frac{\text{Li}_3(ac + bxc)}{x} dx$$

Mathematica [A] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(c(a + bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[PolyLog[3, c\*(a + b\*x)]/x,x]

[Out] Integrate[PolyLog[3, c\*(a + b\*x)]/x, x]

fricas [A] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(3, bxc + ac)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x,x, algorithm="fricas")

[Out] integral(polylog(3, b\*c\*x + a\*c)/x, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x,x, algorithm="giac")

[Out] integrate(polylog(3, (b\*x + a)\*c)/x, x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(3, c(bx + a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,c\*(b\*x+a))/x,x)

[Out] int(polylog(3,c\*(b\*x+a))/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x,x, algorithm="maxima")

[Out] integrate(polylog(3, (b\*x + a)\*c)/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\text{polylog}(3, c(a + bx))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, c\*(a + b\*x))/x,x)

[Out] int(polylog(3, c\*(a + b\*x))/x, x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3(ac + bcx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,c*(b*x+a))/x,x)
```

```
[Out] Integral(polylog(3, a*c + b*c*x)/x, x)
```

$$3.135 \quad \int \frac{\text{Li}_3(c(a+bx))}{x^2} dx$$

**Optimal.** Leaf size=486

$$-\frac{2b\text{Li}_3(c(a+bx))}{a} + \frac{\left(b - \frac{a}{x}\right)\text{Li}_3(c(a+bx))}{a} + \frac{b\text{Li}_3\left(-\frac{bx}{a(1-c(a+bx))}\right)}{a} - \frac{b\text{Li}_3\left(-\frac{bcx}{1-c(a+bx)}\right)}{a} - \frac{b\text{Li}_3(1-c(a+bx))}{a} + \frac{b\text{Li}_2\left(-\frac{bx}{a(1-c(a+bx))}\right)}{a}$$

[Out]  $b*\ln(x)*\ln(1+b*x/a)*\ln(1-c*(b*x+a))/a+1/2*b*(\ln(1+b*x/a)+\ln((-a*c+1)/(1-c*(b*x+a)))-\ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x+a))))*\ln(-a*(1-c*(b*x+a))/b/x)^2/a+1/2*b*(\ln(c*(b*x+a))-\ln(1+b*x/a))*(\ln(x)+\ln(-a*(1-c*(b*x+a))/b/x))^2/a+b*(\ln(1-c*(b*x+a))-\ln(-a*(1-c*(b*x+a))/b/x))*\text{polylog}(2,-b*x/a)/a+b*\ln(x)*\text{polylog}(2,c*(b*x+a)/a+b*\ln(-a*(1-c*(b*x+a))/b/x))*\text{polylog}(2,-b*x/a/(1-c*(b*x+a)))/a-b*\ln(-a*(1-c*(b*x+a))/b/x)*\text{polylog}(2,-b*c*x/(1-c*(b*x+a)))/a+b*(\ln(x)+\ln(-a*(1-c*(b*x+a))/b/x))*\text{polylog}(2,1-c*(b*x+a))/a-b*\text{polylog}(3,-b*x/a)/a-2*b*\text{polylog}(3,c*(b*x+a))/a+(b-a/x)*\text{polylog}(3,c*(b*x+a))/a+b*\text{polylog}(3,-b*x/a/(1-c*(b*x+a)))/a-b*\text{polylog}(3,-b*c*x/(1-c*(b*x+a)))/a-b*\text{polylog}(3,1-c*(b*x+a))/a$

**Rubi [A]** time = 0.56, antiderivative size = 486, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$ , Rules used = {6599, 6597, 2440, 2435, 6589}

$$-\frac{2b\text{PolyLog}(3,c(a+bx))}{a} + \frac{\left(b - \frac{a}{x}\right)\text{PolyLog}(3,c(a+bx))}{a} + \frac{b\text{PolyLog}\left(3,-\frac{bx}{a(1-c(a+bx))}\right)}{a} - \frac{b\text{PolyLog}\left(3,-\frac{bcx}{1-c(a+bx)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int [PolyLog [3, c\*(a + b\*x)]/x^2, x]

[Out]  $(b*\text{Log}[x]*\text{Log}[1+(b*x)/a]*\text{Log}[1-c*(a+b*x)])/a+(b*(\text{Log}[1+(b*x)/a]+\text{Log}[(1-a*c)/(1-c*(a+b*x))]-\text{Log}[(1-a*c)*(a+b*x)/(a*(1-c*(a+b*x)))]*\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))]^2/(2*a)+(b*(\text{Log}[c*(a+b*x)]-\text{Log}[1+(b*x)/a])*(\text{Log}[x]+\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))]^2/(2*a)+(b*(\text{Log}[1-c*(a+b*x)]-\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))])*\text{PolyLog}[2,-((b*x)/a)])/a+(b*\text{Log}[x]*\text{PolyLog}[2,c*(a+b*x)])/a+(b*\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))]*\text{PolyLog}[2,-((b*x)/(a*(1-c*(a+b*x)))])/a-(b*\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))]*\text{PolyLog}[2,-((b*c*x)/(1-c*(a+b*x)))])/a+(b*(\text{Log}[x]+\text{Log}[-((a*(1-c*(a+b*x)))/(b*x))])*\text{PolyLog}[2,1-c*(a+b*x)])/a-(b*\text{PolyLog}[3,-((b*x)/a)])/a-(2*b*\text{PolyLog}[3,c*(a+b*x)])/a+((b-a/x)*\text{PolyLog}[3,c*(a+b*x)])/a+(b*\text{PolyLog}[3,-((b*x)/(a*(1-c*(a+b*x)))])/a-(b*\text{PolyLog}[3,-((b*c*x)/(1-c*(a+b*x)))])/a-(b*\text{PolyLog}[3,1-c*(a+b*x)])/a$

Rule 2435

```

Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp
[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)]
- Log[-(((b*c - a*d)*x)/(a*(c + d*x)))] + Log[(b*c - a*d)/(b*(c + d*x))])*L
og[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-
((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x]) /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]

```

### Rule 2440

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + Log[(h_.)
*(i_.) + (j_.)*(x_)^(m_.)]*(g_.))*((k_) + (l_.)*(x_)^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/l) + (e*x)/l)^n]*(f +
g*Log[h*(-((j*k - i*1)/l) + (j*x)/l)^m)], x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]

```

### Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

### Rule 6597

```

Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]

```

### Rule 6599

```

Int[(x_)^(m_.)*PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))], x_Symbol] :=
-Simp[((a^(m + 1) - b^(m + 1))*x^(m + 1))*PolyLog[n, c*(a + b*x)^p]/((m + 1
)*b^(m + 1)), x] + Dist[p/((m + 1)*b^m), Int[ExpandIntegrand[PolyLog[n - 1,
c*(a + b*x)^p], (a^(m + 1) - b^(m + 1))*x^(m + 1)/(a + b*x), x], x] /;
FreeQ[{a, b, c, p}, x] && GtQ[n, 0] && IntegerQ[m] && NeQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(c(a+bx))}{x^2} dx &= \frac{\left(b - \frac{a}{x}\right) \text{Li}_3(c(a+bx))}{a} - b^2 \int \left( -\frac{\text{Li}_2(c(a+bx))}{abx} + \frac{2\text{Li}_2(c(a+bx))}{a(a+bx)} \right) dx \\
&= \frac{\left(b - \frac{a}{x}\right) \text{Li}_3(c(a+bx))}{a} + \frac{b \int \frac{\text{Li}_2(c(a+bx))}{x} dx}{a} - \frac{(2b^2) \int \frac{\text{Li}_2(c(a+bx))}{a+bx} dx}{a} \\
&= \frac{b \log(x) \text{Li}_2(c(a+bx))}{a} - \frac{2b \text{Li}_3(c(a+bx))}{a} + \frac{\left(b - \frac{a}{x}\right) \text{Li}_3(c(a+bx))}{a} + \frac{b^2 \int \frac{\log(x) \log(1-ac-bx)}{a+bx}}{a} \\
&= \frac{b \log(x) \text{Li}_2(c(a+bx))}{a} - \frac{2b \text{Li}_3(c(a+bx))}{a} + \frac{\left(b - \frac{a}{x}\right) \text{Li}_3(c(a+bx))}{a} + \frac{b \text{Subst} \left( \int \frac{\log\left(-\frac{a}{b} + \dots\right)}{\dots} \right)}{a} \\
&= \frac{b \log(x) \log\left(1 + \frac{bx}{a}\right) \log(1 - c(a+bx))}{a} + \frac{b \left( \log\left(1 + \frac{bx}{a}\right) + \log\left(\frac{1-ac}{1-c(a+bx)}\right) - \log\left(\frac{(1-ac)(c(a+bx)-1)}{a(1-c(a+bx))}\right) \right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.70, size = 477, normalized size = 0.98

$$b \left( -\text{Li}_3(c(a+bx)) - \text{Li}_3(-ac - bxc + 1) + \text{Li}_3\left(\frac{a(ac+bxc-1)}{bx}\right) - \text{Li}_3\left(\frac{ac+bxc-1}{bcx}\right) + \left(\text{Li}_2\left(\frac{ac+bxc-1}{bcx}\right) - \text{Li}_2\left(\frac{a(ac+bxc-1)}{bx}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, c\*(a + b\*x)]/x^2, x]

[Out] -(PolyLog[3, c\*(a + b\*x)]/x) + (b\*(Log[x]\*Log[1 + (b\*x)/a]\*Log[1 - a\*c - b\*c\*x] + ((-Log[c\*(a + b\*x)] + Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*(-2\*Log[x] + Log[1 - a\*c - b\*c\*x]))/2 + (Log[c\*(a + b\*x)] - Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + ((Log[(1 - a\*c)/(b\*c\*x)] - Log[((1 - a\*c)\*(a + b\*x))/(b\*x)] + Log[1 + (b\*x)/a])\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]^2)/2 + (Log[1 - a\*c - b\*c\*x] - Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, -(b\*x)/a] + (Log[x] - Log[a + b\*x])\*PolyLog[2, c\*(a + b\*x)] + Log[a + b\*x]\*PolyLog[2, c\*(a + b\*x)] + (Log[x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, 1 - a\*c - b\*c\*x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]\*(-PolyLog[2, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]) - PolyLog[3, -(b\*x)/a] - PolyLog[3, c\*(a + b\*x)] - PolyLog[3, 1 - a\*c - b\*c\*x] + PolyLog[3, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] - PolyLog[3, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]))/a

**fricas [F]** time = 0.95, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{polylog}(3, bcx + ac)}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x^2,x, algorithm="fricas")

[Out] integral(polylog(3, b\*c\*x + a\*c)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3((bx + a)c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x^2,x, algorithm="giac")

[Out] integrate(polylog(3, (b\*x + a)\*c)/x^2, x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(3, c(bx + a))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,c\*(b\*x+a))/x^2,x)

[Out] int(polylog(3,c\*(b\*x+a))/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\text{Li}_2(bcx + ac)}{bx^2 + ax} dx - \frac{\text{Li}_3(bcx + ac)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,c\*(b\*x+a))/x^2,x, algorithm="maxima")

[Out] b\*integrate(dilog(b\*c\*x + a\*c)/(b\*x^2 + a\*x), x) - polylog(3, b\*c\*x + a\*c)/x

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\text{polylog}(3, c(a + bx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3, c\*(a + b\*x))/x^2,x)



```
[Out] int(polylog(3, c*(a + b*x))/x^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\text{Li}_3(ac + bcx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3, c*(b*x+a))/x**2, x)
```

```
[Out] Integral(polylog(3, a*c + b*c*x)/x**2, x)
```

$$3.136 \quad \int \frac{\text{Li}_3(c(a+bx))}{x^3} dx$$

**Optimal.** Leaf size=629

$$\frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{Li}_3(c(a+bx))}{2a^2} - \frac{b^2 \text{Li}_2(c(a+bx))}{2a^2} - \frac{b^2 \text{Li}_2\left(1 - \frac{bcx}{1-ac}\right)}{2a^2} - \frac{b^2 \text{Li}_3\left(-\frac{bx}{a(1-c(a+bx))}\right)}{2a^2} + \frac{b^2 \text{Li}_3\left(-\frac{bcx}{1-c(a+bx)}\right)}{2a^2} + \frac{b^2 \text{Li}_3(1 - \frac{bcx}{1-c(a+bx)})}{2a^2}$$

[Out]  $-1/2*b^2*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a^2-1/2*b^2*\ln(x)*\ln(1+b*x/a)*\ln(1-c*(b*x+a))/a^2-1/4*b^2*(\ln(1+b*x/a)+\ln((-a*c+1)/(1-c*(b*x+a)))-\ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x+a))))*\ln(-a*(1-c*(b*x+a))/b/x)^2/a^2-1/4*b^2*(\ln(c*(b*x+a)-\ln(1+b*x/a))*(\ln(x)+\ln(-a*(1-c*(b*x+a))/b/x))^2/a^2-1/2*b^2*(\ln(1-c*(b*x+a))-\ln(-a*(1-c*(b*x+a))/b/x))*\text{polylog}(2,-b*x/a)/a^2-1/2*b^2*\text{polylog}(2,c*(b*x+a))/a^2-1/2*b*\text{polylog}(2,c*(b*x+a))/a/x-1/2*b^2*\ln(x)*\text{polylog}(2,c*(b*x+a))/a^2-1/2*b^2*\text{polylog}(2,1-b*c*x/(-a*c+1))/a^2-1/2*b^2*\ln(-a*(1-c*(b*x+a))/b/x)*\text{polylog}(2,-b*x/a/(1-c*(b*x+a)))/a^2+1/2*b^2*\ln(-a*(1-c*(b*x+a))/b/x)*\text{polylog}(2,-b*c*x/(1-c*(b*x+a)))/a^2-1/2*b^2*(\ln(x)+\ln(-a*(1-c*(b*x+a))/b/x))*\text{polylog}(2,1-c*(b*x+a))/a^2+1/2*b^2*\text{polylog}(3,-b*x/a)/a^2+1/2*(b^2-a^2/x^2)*\text{polylog}(3,c*(b*x+a))/a^2-1/2*b^2*\text{polylog}(3,-b*x/a/(1-c*(b*x+a)))/a^2+1/2*b^2*\text{polylog}(3,-b*c*x/(1-c*(b*x+a)))/a^2+1/2*b^2*\text{polylog}(3,1-c*(b*x+a))/a^2$

**Rubi [A]** time = 0.66, antiderivative size = 629, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 13, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {6599, 6598, 36, 29, 31, 2416, 2394, 2315, 2393, 2391, 6597, 2440, 2435}

$$\frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{PolyLog}(3, c(a+bx))}{2a^2} - \frac{b^2 \text{PolyLog}(2, c(a+bx))}{2a^2} - \frac{b^2 \text{PolyLog}\left(2, 1 - \frac{bcx}{1-ac}\right)}{2a^2} - \frac{b^2 \text{PolyLog}\left(3, -\frac{bx}{a(1-c(a+bx))}\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, c\*(a + b\*x)]/x^3, x]

[Out]  $-(b^2*\text{Log}[(b*c*x)/(1-a*c)]*\text{Log}[1-a*c-b*c*x])/(2*a^2) - (b^2*\text{Log}[x]*\text{Log}[1+(b*x)/a]*\text{Log}[1-c*(a+b*x)])/(2*a^2) - (b^2*(\text{Log}[1+(b*x)/a] + \text{Log}[(1-a*c)/(1-c*(a+b*x))]) - \text{Log}[(1-a*c)*(a+b*x)/(a*(1-c*(a+b*x)))])*\text{Log}[(-(a*(1-c*(a+b*x)))/(b*x))]^2/(4*a^2) - (b^2*(\text{Log}[c*(a+b*x)] - \text{Log}[1+(b*x)/a])*(\text{Log}[x] + \text{Log}[(-(a*(1-c*(a+b*x)))/(b*x))])^2)/(4*a^2) - (b^2*(\text{Log}[1-c*(a+b*x)] - \text{Log}[(-(a*(1-c*(a+b*x)))/(b*x))]))*\text{PolyLog}[2, -(b*x)/a]/(2*a^2) - (b^2*\text{PolyLog}[2, c*(a+b*x)])/(2*a^2) - (b*\text{PolyLog}[2, c*(a+b*x)])/(2*a*x) - (b^2*\text{Log}[x]*\text{PolyLog}[2, c*(a+b*x)])/(2*a^2) - (b^2*\text{PolyLog}[2, 1-(b*c*x)/(1-a*c)])/(2*a^2) - (b^2*\text{Log}[(-(a*(1-c*(a+b*x)))/(b*x))]*\text{PolyLog}[2, -(b*x)/(a*(1-c*(a+b*x)))])/(2*a^2$

$$\begin{aligned} & + (b^2 \cdot \text{Log}[-((a \cdot (1 - c \cdot (a + b \cdot x))) / (b \cdot x))] \cdot \text{PolyLog}[2, -((b \cdot c \cdot x) / (1 - c \cdot (a + b \cdot x)))] / (2 \cdot a^2) - (b^2 \cdot (\text{Log}[x] + \text{Log}[-((a \cdot (1 - c \cdot (a + b \cdot x))) / (b \cdot x))]) \cdot \text{PolyLog}[2, 1 - c \cdot (a + b \cdot x)] / (2 \cdot a^2) + (b^2 \cdot \text{PolyLog}[3, -((b \cdot x) / a)] / (2 \cdot a^2) \\ & + ((b^2 - a^2 / x^2) \cdot \text{PolyLog}[3, c \cdot (a + b \cdot x)] / (2 \cdot a^2) - (b^2 \cdot \text{PolyLog}[3, -((b \cdot x) / (a \cdot (1 - c \cdot (a + b \cdot x))))] / (2 \cdot a^2) + (b^2 \cdot \text{PolyLog}[3, -((b \cdot c \cdot x) / (1 - c \cdot (a + b \cdot x)))] / (2 \cdot a^2) + (b^2 \cdot \text{PolyLog}[3, 1 - c \cdot (a + b \cdot x)] / (2 \cdot a^2) \end{aligned}$$
Rule 29

$$\text{Int}[(x\_)^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[x], x]$$
Rule 31

$$\text{Int}[(a\_ + (b\_)(x\_))^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]] / b, x] \text{ ; FreeQ}\{a, b\}, x]$$
Rule 36

$$\text{Int}[1 / (((a\_ + (b\_)(x\_)) \cdot ((c\_ + (d\_)(x\_))), x\_Symbol] \rightarrow \text{Dist}[b / (b \cdot c - a \cdot d), \text{Int}[1 / (a + b \cdot x), x], x] - \text{Dist}[d / (b \cdot c - a \cdot d), \text{Int}[1 / (c + d \cdot x), x], x] \text{ ; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0]$$
Rule 2315

$$\text{Int}[\text{Log}[(c\_)(x\_)] / ((d\_ + (e\_)(x\_)), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 - c \cdot x] / e, x] \text{ ; FreeQ}\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c \cdot d, 0]$$
Rule 2391

$$\text{Int}[\text{Log}[(c\_)(d\_ + (e\_)(x\_)^{n\_})] / (x\_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)] / n, x] \text{ ; FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c \cdot d, 1]$$
Rule 2393

$$\text{Int}[(a\_ + \text{Log}[(c\_)(d\_ + (e\_)(x\_))]) \cdot (b\_)] / ((f\_ + (g\_)(x\_)), x\_Symbol] \rightarrow \text{Dist}[1 / g, \text{Subst}[\text{Int}[(a + b \cdot \text{Log}[1 + (c \cdot e \cdot x) / g]] / x, x], x, f + g \cdot x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e \cdot f - d \cdot g, 0] \ \&\& \ \text{EqQ}[g + c \cdot (e \cdot f - d \cdot g), 0]$$
Rule 2394

$$\text{Int}[(a\_ + \text{Log}[(c\_)(d\_ + (e\_)(x\_)^{n\_})]) \cdot (b\_)] / ((f\_ + (g\_)(x\_)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e \cdot (f + g \cdot x)) / (e \cdot f - d \cdot g)]) \cdot (a + b \cdot \text{Log}[c \cdot (d + e \cdot x)^n]) / g, x] - \text{Dist}[(b \cdot e \cdot n) / g, \text{Int}[\text{Log}[(e \cdot (f + g \cdot x)) / (e \cdot f - d \cdot g)] / (d + e \cdot x), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{NeQ}[e \cdot f - d \cdot g, 0]$$

Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))
^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a
+ b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

Rule 2435

```
Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp
[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)]
- Log[-(((b*c - a*d)*x)/(a*(c + d*x)))] + Log[(b*c - a*d)/(b*(c + d*x))])*L
og[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-
((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x]) /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

Rule 2440

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/1, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/1) + (e*x)/1)^n])*(f +
g*Log[h*(-((j*k - i*1)/1) + (j*x)/1)^m]), x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]
```

Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)])/e*(m + 1), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 6599

```
Int[(x_)^(m_)*PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] :=
-Simp[((a^(m + 1) - b^(m + 1))*x^(m + 1))*PolyLog[n, c*(a + b*x)^p])/((m + 1)
)*b^(m + 1)), x] + Dist[p/((m + 1)*b^m), Int[ExpandIntegrand[PolyLog[n - 1,
c*(a + b*x)^p], (a^(m + 1) - b^(m + 1))*x^(m + 1))/(a + b*x), x], x], x] /;
FreeQ[{a, b, c, p}, x] && GtQ[n, 0] && IntegerQ[m] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_3(c(a + bx))}{x^3} dx &= \frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{Li}_3(c(a + bx))}{2a^2} - \frac{1}{2}b^3 \int \left(-\frac{\text{Li}_2(c(a + bx))}{ab^2x^2} + \frac{\text{Li}_2(c(a + bx))}{a^2bx}\right) dx \\
&= \frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{Li}_3(c(a + bx))}{2a^2} + \frac{b \int \frac{\text{Li}_2(c(a+bx))}{x^2} dx}{2a} - \frac{b^2 \int \frac{\text{Li}_2(c(a+bx))}{x} dx}{2a^2} \\
&= -\frac{b\text{Li}_2(c(a + bx))}{2ax} - \frac{b^2 \log(x)\text{Li}_2(c(a + bx))}{2a^2} + \frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{Li}_3(c(a + bx))}{2a^2} - \frac{b^2 \int \frac{\log(1-ac-bcx)}{x(a+bx)} dx}{2a} \\
&= -\frac{b\text{Li}_2(c(a + bx))}{2ax} - \frac{b^2 \log(x)\text{Li}_2(c(a + bx))}{2a^2} + \frac{\left(b^2 - \frac{a^2}{x^2}\right) \text{Li}_3(c(a + bx))}{2a^2} - \frac{b^2 \text{Subst}\left(\int \frac{\log}{x} dx\right)}{2a^2} \\
&= -\frac{b^2 \log(x) \log\left(1 + \frac{bx}{a}\right) \log(1 - c(a + bx))}{2a^2} - \frac{b^2 \left(\log\left(1 + \frac{bx}{a}\right) + \log\left(\frac{1-ac}{1-c(a+bx)}\right) - \log\left(\frac{1-ac}{a(1-ac)}\right)\right)}{4a^2} \\
&= -\frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2} - \frac{b^2 \log(x) \log\left(1 + \frac{bx}{a}\right) \log(1 - c(a + bx))}{2a^2} - \frac{b^2 \left(\log\left(1 + \frac{bx}{a}\right) + \log\left(\frac{1-ac}{1-c(a+bx)}\right) - \log\left(\frac{1-ac}{a(1-ac)}\right)\right)}{4a^2} \\
&= -\frac{b^2 \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2} - \frac{b^2 \log(x) \log\left(1 + \frac{bx}{a}\right) \log(1 - c(a + bx))}{2a^2} - \frac{b^2 \left(\log\left(1 + \frac{bx}{a}\right) + \log\left(\frac{1-ac}{1-c(a+bx)}\right) - \log\left(\frac{1-ac}{a(1-ac)}\right)\right)}{4a^2}
\end{aligned}$$

**Mathematica [A]** time = 1.73, size = 573, normalized size = 0.91

$$\frac{bx \left( bx \left( \text{Li}_2\left(\frac{bcx}{1-ac}\right) + \text{Li}_2(-ac-bxc+1) + \text{Li}_3(c(a+bx)) + \text{Li}_3(-ac-bxc+1) - \text{Li}_3\left(\frac{a(ac+bx-1)}{bx}\right) + \text{Li}_3\left(\frac{ac+bx-1}{bcx}\right) + \left(\text{Li}_2\left(\frac{a(ac+bx-1)}{bx}\right) - \text{Li}_2\left(\frac{ac+bx-1}{bcx}\right)\right) \log\left(\frac{a(ac+bx-1)}{bx}\right) \right) \right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, c\*(a + b\*x)]/x^3, x]

```
[Out] (-PolyLog[3, c*(a + b*x)] + (b*x*(-((a + b*x*Log[x] - b*x*Log[a + b*x])*PolyLog[2, c*(a + b*x)]) + b*x*(Log[c*(a + b*x)]*Log[1 - a*c - b*c*x] - Log[x]*Log[1 + (b*x)/a]*Log[1 - a*c - b*c*x] + ((Log[c*(a + b*x)] - Log[1 + (b*x)/a])*Log[1 - a*c - b*c*x]*(-2*Log[x] + Log[1 - a*c - b*c*x]))/2 - (Log[c*(a + b*x)] - Log[1 + (b*x)/a])*Log[1 - a*c - b*c*x]*Log[(a*(-1 + a*c + b*c*x))/(b*x)] - ((Log[(1 - a*c)/(b*c*x)] - Log[((1 - a*c)*(a + b*x))/(b*x)] + Log[1 + (b*x)/a])*Log[(a*(-1 + a*c + b*c*x))/(b*x)]^2)/2 - Log[x]*(Log[1 - a*c - b*c*x] - Log[1 + (b*c*x)/(-1 + a*c)]) - (Log[1 - a*c - b*c*x] - Log[(a*(-1 + a*c + b*c*x))/(b*x)])*PolyLog[2, -((b*x)/a)] + PolyLog[2, (b*c*x)/(1 - a*c)] - Log[a + b*x]*PolyLog[2, c*(a + b*x)] + PolyLog[2, 1 - a*c - b*c*x] - (Log[x] + Log[(a*(-1 + a*c + b*c*x))/(b*x)])*PolyLog[2, 1 - a*c - b*c*x] + Log[(a*(-1 + a*c + b*c*x))/(b*x)]*(PolyLog[2, (a*(-1 + a*c + b*c*x))/(b*x)] - PolyLog[2, (-1 + a*c + b*c*x)/(b*c*x)]) + PolyLog[3, -((b*x)/a)] + PolyLog[3, c*(a + b*x)] + PolyLog[3, 1 - a*c - b*c*x] - PolyLog[3, (a*(-1 + a*c + b*c*x))/(b*x)] + PolyLog[3, (-1 + a*c + b*c*x)/(b*c*x)])))/a^2)/(2*x^2)
```

**fricas** [F] time = 1.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}(3, bcx + ac)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,c*(b*x+a))/x^3,x, algorithm="fricas")
```

```
[Out] integral(polylog(3, b*c*x + a*c)/x^3, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3((bx + a)c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,c*(b*x+a))/x^3,x, algorithm="giac")
```

```
[Out] integrate(polylog(3, (b*x + a)*c)/x^3, x)
```

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(3, c(bx + a))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3,c*(b*x+a))/x^3,x)
```

[Out] `int(polylog(3,c*(b*x+a))/x^3,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\operatorname{Li}_2(bc x + ac)}{2(b x^3 + a x^2)} dx - \frac{\operatorname{Li}_3(bc x + ac)}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,c*(b*x+a))/x^3,x, algorithm="maxima")`

[Out] `b*integrate(1/2*dilog(b*c*x + a*c)/(b*x^3 + a*x^2), x) - 1/2*polylog(3, b*c*x + a*c)/x^2`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{polylog}(3, c(a + b x))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(3, c*(a + b*x))/x^3,x)`

[Out] `int(polylog(3, c*(a + b*x))/x^3, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_3(ac + bc x)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(3,c*(b*x+a))/x**3,x)`

[Out] `Integral(polylog(3, a*c + b*c*x)/x**3, x)`

### 3.137 $\int (d + ex)^3 \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=605

$$\frac{(-ace + bcd + e)^4 \log(-ac - bcx + 1)}{16b^4c^4e} - \frac{(bd - ae)(-ace + bcd + e)^3 \log(-ac - bcx + 1)}{12b^4c^3e} - \frac{(bd - ae)^2(-ace + bcd + e)^2 \log(-ac - bcx + 1)}{8b^4c^2e} - \frac{(bd - ae)(-ace + bcd + e) \log(-ac - bcx + 1)}{4b^4c^2e} - \frac{(bd - ae) \log(-ac - bcx + 1)}{4b^4c^2e} - \frac{\log(-ac - bcx + 1)}{4b^4c^2e}$$

[Out]  $-1/4*(-a*e+b*d)^3*x/b^3-1/8*(-a*e+b*d)^2*(-a*c*e+b*c*d+e)*x/b^3/c-1/12*(-a*e+b*d)*(-a*c*e+b*c*d+e)^2*x/b^3/c^2-1/16*(-a*c*e+b*c*d+e)^3*x/b^3/c^3-1/16*(-a*e+b*d)^2*(e*x+d)^2/b^2/e-1/24*(-a*e+b*d)*(-a*c*e+b*c*d+e)*(e*x+d)^2/b^2/c/e-1/32*(-a*c*e+b*c*d+e)^2*(e*x+d)^2/b^2/c^2/e-1/36*(-a*e+b*d)*(e*x+d)^3/b/e-1/48*(-a*c*e+b*c*d+e)*(e*x+d)^3/b/c/e-1/64*(e*x+d)^4/e-1/8*(-a*e+b*d)^2*(-a*c*e+b*c*d+e)^2*\ln(-b*c*x-a*c+1)/b^4/c^2/e-1/12*(-a*e+b*d)*(-a*c*e+b*c*d+e)^3*\ln(-b*c*x-a*c+1)/b^4/c^3/e-1/16*(-a*c*e+b*c*d+e)^4*\ln(-b*c*x-a*c+1)/b^4/c^4/e-1/4*(-a*e+b*d)^3*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^4/c+1/8*(-a*e+b*d)^2*(e*x+d)^2*\ln(-b*c*x-a*c+1)/b^2/e+1/12*(-a*e+b*d)*(e*x+d)^3*\ln(-b*c*x-a*c+1)/b/e+1/16*(e*x+d)^4*\ln(-b*c*x-a*c+1)/e-1/4*(-a*e+b*d)^4*\text{polylog}(2,c*(b*x+a))/b^4/e+1/4*(e*x+d)^4*\text{polylog}(2,c*(b*x+a))/e$

**Rubi [A]** time = 0.59, antiderivative size = 605, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {6598, 2418, 2389, 2295, 2393, 2391, 2395, 43}

$$\frac{(bd - ae)^4 \text{PolyLog}(2, c(a + bx))}{4b^4e} + \frac{(d + ex)^4 \text{PolyLog}(2, c(a + bx))}{4e} - \frac{x(bd - ae)(-ace + bcd + e)^2}{12b^3c^2} - \frac{(d + ex)^2(-ace + bcd + e) \log(-ac - bcx + 1)}{32b^2c^2e} - \frac{(d + ex) \log(-ac - bcx + 1)}{16b^2c^2e} - \frac{\log(-ac - bcx + 1)}{16b^2c^2e}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3\*PolyLog[2, c\*(a + b\*x)], x]

[Out]  $-\frac{((b*d - a*e)^3*x)}{(4*b^3)} - \frac{((b*d - a*e)^2*(b*c*d + e - a*c*e)*x)}{(8*b^3*c)} - \frac{((b*d - a*e)*(b*c*d + e - a*c*e)^2*x)}{(12*b^3*c^2)} - \frac{((b*c*d + e - a*c*e)^3*x)}{(16*b^3*c^3)} - \frac{((b*d - a*e)^2*(d + e*x)^2)}{(16*b^2*e)} - \frac{((b*d - a*e)*(b*c*d + e - a*c*e)*(d + e*x)^2)}{(24*b^2*c*e)} - \frac{((b*c*d + e - a*c*e)^2*(d + e*x)^2)}{(32*b^2*c^2*e)} - \frac{((b*d - a*e)*(d + e*x)^3)}{(36*b*e)} - \frac{((b*c*d + e - a*c*e)*(d + e*x)^3)}{(48*b*c*e)} - \frac{(d + e*x)^4}{(64*e)} - \frac{((b*d - a*e)^2*(b*c*d + e - a*c*e)^2*\text{Log}[1 - a*c - b*c*x])}{(8*b^4*c^2*e)} - \frac{((b*d - a*e)*(b*c*d + e - a*c*e)^3*\text{Log}[1 - a*c - b*c*x])}{(12*b^4*c^3*e)} - \frac{((b*c*d + e - a*c*e)^4*\text{Log}[1 - a*c - b*c*x])}{(16*b^4*c^4*e)} - \frac{((b*d - a*e)^3*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])}{(4*b^4*c)} + \frac{((b*d - a*e)^2*(d + e*x)^2*\text{Log}[1 - a*c - b*c*x])}{(8*b^2*e)} + \frac{((b*d - a*e)*(d + e*x)^3*\text{Log}[1 - a*c - b*c*x])}{(12*b*e)} + \frac{((d + e*x)^4*\text{Log}[1 - a*c - b*c*x])}{(16*e)} - \frac{((b*d - a*e)^4*\text{PolyLog}[2, c*(a + b*x)])}{(4*b^4*e)} + \frac{((d + e*x)^4*\text{PolyLog}[2, c*(a + b*x)])}{(4*e)}$

**Rule 43**



```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 2295

```
Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x
] /; FreeQ[{c, n}, x]
```

### Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a
, b, c, d, e, n, p}, x]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e^n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Sy
mbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]},
Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
RFx, x] && IntegerQ[p]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] :> Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int (d + ex)^3 \text{Li}_2(c(a + bx)) dx &= \frac{(d + ex)^4 \text{Li}_2(c(a + bx))}{4e} + \frac{b \int \frac{(d+ex)^4 \log(1-ac-bcx)}{a+bx} dx}{4e} \\
&= \frac{(d + ex)^4 \text{Li}_2(c(a + bx))}{4e} + \frac{b \int \left( \frac{e(bd-ae)^3 \log(1-ac-bcx)}{b^4} + \frac{(bd-ae)^4 \log(1-ac-bcx)}{b^4(a+bx)} + \frac{e(bd-ae)^2}{b^4} \right) dx}{4e} \\
&= \frac{(d + ex)^4 \text{Li}_2(c(a + bx))}{4e} + \frac{1}{4} \int (d + ex)^3 \log(1 - ac - bcx) dx + \frac{(bd - ae) \int (d + ex)^3 dx}{4e} \\
&= \frac{(bd - ae)^2 (d + ex)^2 \log(1 - ac - bcx)}{8b^2 e} + \frac{(bd - ae)(d + ex)^3 \log(1 - ac - bcx)}{12be} + \frac{(bd - ae)^2 (d + ex)^2}{8b^2 e} \\
&= -\frac{(bd - ae)^3 x}{4b^3} - \frac{(bd - ae)^3 (1 - ac - bcx) \log(1 - ac - bcx)}{4b^4 c} + \frac{(bd - ae)^2 (d + ex)^2 \log(1 - ac - bcx)}{8b^2 e} \\
&= -\frac{(bd - ae)^3 x}{4b^3} - \frac{(bd - ae)^2 (bcd + e - ace)x}{8b^3 c} - \frac{(bd - ae)(bcd + e - ace)^2 x}{12b^3 c^2} - \frac{(bcd + e - ace)^2}{16b^3 c}
\end{aligned}$$

**Mathematica [A]** time = 0.53, size = 485, normalized size = 0.80

$$\frac{12e(ac + bcx - 1) \log(-ac - bcx + 1) \left( bce \left( 8d \left( 11a^2 c^2 - 7ac + 2 \right) + ex \left( 13a^2 c^2 - 10ac + 3 \right) \right) + e^2 \left( -25a^3 c^3 + 23a^2 c^2 \right) \right)}{16b^3 c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^3*PolyLog[2, c*(a + b*x)], x]
```

```
[Out] (12*e*(-1 + a*c + b*c*x)*((3 - 13*a*c + 23*a^2*c^2 - 25*a^3*c^3)*e^2 + b*c*
e*(8*(2 - 7*a*c + 11*a^2*c^2)*d + (3 - 10*a*c + 13*a^2*c^2)*e*x) + b^3*c^3*
x*(36*d^2 + 16*d*e*x + 3*e^2*x^2) + b^2*c^2*(-36*(-1 + 3*a*c)*d^2 - 8*(-2 +
5*a*c)*d*e*x + (3 - 7*a*c)*e^2*x^2))*Log[1 - a*c - b*c*x] + b*c*(300*a^3*c
^3*e^3*x - 6*a^2*c^2*e^2*x*(46*e + b*c*(176*d + 13*e*x)) + 4*a*c*(39*e^3*x
+ 3*b*c*e^2*x*(56*d + 5*e*x) + b^2*c^2*(-144*d^3 + 324*d^2*e*x + 60*d*e^2*x
^2 + 7*e^3*x^3)) - x*(36*e^3 + 6*b*c*e^2*(32*d + 3*e*x) + 12*b^2*c^2*e*(36*
d^2 + 8*d*e*x + e^2*x^2) + b^3*c^3*(576*d^3 + 216*d^2*e*x + 64*d*e^2*x^2 +
9*e^3*x^3)) + 576*b^2*c^2*d^3*(-1 + a*c + b*c*x)*Log[1 - c*(a + b*x)]) - 14
```

$4*c^4*(-4*a*b^3*d^3 + 6*a^2*b^2*d^2*e - 4*a^3*b*d*e^2 + a^4*e^3 - b^4*x*(4*d^3 + 6*d^2*e*x + 4*d*e^2*x^2 + e^3*x^3))*PolyLog[2, c*(a + b*x)]/(576*b^4*c^4)$

**fricas** [A] time = 0.65, size = 651, normalized size = 1.08

$$\frac{9b^4c^4e^3x^4 + 4(16b^4c^4de^2 - (7ab^3c^4 - 3b^3c^3)e^3)x^3 + 6(36b^4c^4d^2e - 8(5ab^3c^4 - 2b^3c^3)de^2 + (13a^2b^2c^4 - 10ab^2c^3 + 3b^2c^2)e^3)x^2 + 12(48b^4c^4d^3 - 36(3a^2b^3c^4 - b^3c^3)d^2e + 8(11a^2b^2c^4 - 7ab^2c^3 + 2b^2c^2)d^2e^2 - (25a^3b^2c^4 - 23a^2b^2c^3 + 13ab^2c^2 - 3b^2c^2)e^3)x - 144(b^4c^4e^3x^4 + 4b^4c^4d^2e^2x^3 + 6b^4c^4d^2e^2x^2 + 4b^4c^4d^3x + 4a^2b^3c^4d^3 - 6a^2b^2c^4d^2e + 4a^3b^2c^4d^2e^2 - a^4c^4e^3)*dilog(b*c*x + a*c) - 12(3b^4c^4e^3x^4 + 48(ab^3c^4 - b^3c^3)d^3 - 36(3a^2b^2c^4 - 4ab^2c^3 + b^2c^2)d^2e + 8(11a^3b^2c^4 - 18a^2b^2c^3 + 9ab^2c^2 - 2b^2c^2)d^2e^2 - (25a^4c^4 - 48a^3c^3 + 36a^2c^2 - 16a^2c + 3)e^3 + 4(4b^4c^4d^2e^2 - ab^3c^4e^3)x^3 + 6(6b^4c^4d^2e^2 - 4ab^3c^4d^2e^2 + a^2b^2c^4e^3)x^2 + 12(4b^4c^4d^3 - 6ab^3c^4d^2e + 4a^2b^2c^4d^2e^2 - a^3b^2c^4e^3)x)*log(-b*c*x - a*c + 1))/(b^4c^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out]  $-1/576*(9*b^4*c^4*e^3*x^4 + 4*(16*b^4*c^4*d^2*e^2 - (7*a*b^3*c^4 - 3*b^3*c^3)*e^3)*x^3 + 6*(36*b^4*c^4*d^2*e - 8*(5*a*b^3*c^4 - 2*b^3*c^3)*d^2*e^2 + (13*a^2*b^2*c^4 - 10*a*b^2*c^3 + 3*b^2*c^2)*e^3)*x^2 + 12*(48*b^4*c^4*d^3 - 36*(3*a*b^3*c^4 - b^3*c^3)*d^2*e + 8*(11*a^2*b^2*c^4 - 7*a*b^2*c^3 + 2*b^2*c^2)*d^2*e^2 - (25*a^3*b^2*c^4 - 23*a^2*b^2*c^3 + 13*a*b^2*c^2 - 3*b^2*c^2)*e^3)*x - 144*(b^4*c^4*e^3*x^4 + 4*b^4*c^4*d^2*e^2*x^3 + 6*b^4*c^4*d^2*e^2*x^2 + 4*b^4*c^4*d^3*x + 4*a^2*b^3*c^4*d^3 - 6*a^2*b^2*c^4*d^2*e + 4*a^3*b^2*c^4*d^2*e^2 - a^4*c^4*e^3)*dilog(b*c*x + a*c) - 12*(3*b^4*c^4*e^3*x^4 + 48*(a*b^3*c^4 - b^3*c^3)*d^3 - 36*(3*a^2*b^2*c^4 - 4*a*b^2*c^3 + b^2*c^2)*d^2*e + 8*(11*a^3*b^2*c^4 - 18*a^2*b^2*c^3 + 9*a*b^2*c^2 - 2*b^2*c^2)*d^2*e^2 - (25*a^4*c^4 - 48*a^3*c^3 + 36*a^2*c^2 - 16*a^2*c + 3)*e^3 + 4*(4*b^4*c^4*d^2*e^2 - a*b^3*c^4*e^3)*x^3 + 6*(6*b^4*c^4*d^2*e^2 - 4*a*b^3*c^4*d^2*e^2 + a^2*b^2*c^4*e^3)*x^2 + 12*(4*b^4*c^4*d^3 - 6*a*b^3*c^4*d^2*e + 4*a^2*b^2*c^4*d^2*e^2 - a^3*b^2*c^4*e^3)*x)*log(-b*c*x - a*c + 1))/(b^4*c^4)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex + d)^3 \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate((e\*x + d)^3\*dilog((b\*x + a)\*c), x)

**maple** [B] time = 0.02, size = 1177, normalized size = 1.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*polylog(2,c\*(b\*x+a)),x)

```
[Out] 3/b^2/c*e*ln(-b*c*x-a*c+1)*a*d^2-3/b^3/c*e^2*ln(-b*c*x-a*c+1)*a^2*d+7/6/b^2
/c*e^2*x*a*d+3/2/b^3/c^2*e^2*ln(-b*c*x-a*c+1)*a*d-3/2/b*e*ln(-b*c*x-a*c+1)*
x*a*d^2-1/2/b*e^2*ln(-b*c*x-a*c+1)*x^2*a*d+1/b^2*e^2*ln(-b*c*x-a*c+1)*x*a^2
*d-13/96/b^2*e^3*x^2*a^2+1/b/c*d^3+25/192/b^4/c^4*e^3+1/4/e*polylog(2,b*c*x
+a*c)*d^4+ln(-b*c*x-a*c+1)*x*d^3+1/16*e^3*ln(-b*c*x-a*c+1)*x^4-1/4/e*dilog(
-b*c*x-a*c+1)*d^4+1/4*e^3*polylog(2,b*c*x+a*c)*x^4+polylog(2,b*c*x+a*c)*x*d
^3-1/9*e^2*x^3*d-3/8*e*x^2*d^2-1/48/b/c*x^3*e^3-1/16/b^3/c^3*e^3*x-d^3*x-1/
64*e^3*x^4+e^2*polylog(2,b*c*x+a*c)*d*x^3+1/3*e^2*ln(-b*c*x-a*c+1)*x^3*d+25
/48/b^3*e^3*x*a^3-1/32/b^2/c^2*e^3*x^2+3/2*e*polylog(2,b*c*x+a*c)*d^2*x^2-1
/3/b^2/c^2*e^2*x*d-1/6/b/c*e^2*x^2*d+5/48/b^2/c*e^3*x^2*a-23/48/b^3/c*e^3*x
*a^2+13/48/b^3/c^2*e^3*x*a-11/6/b^2*e^2*x*a^2*d+9/4/b*e*x*a*d^2+11/6/b^3*e^
2*ln(-b*c*x-a*c+1)*a^3*d-1/3/b^3/c^3*e^2*ln(-b*c*x-a*c+1)*d-3/4/b^2/c^2*e*l
n(-b*c*x-a*c+1)*d^2+1/b^4/c*e^3*ln(-b*c*x-a*c+1)*a^3-3/4/b^4/c^2*e^3*ln(-b*
c*x-a*c+1)*a^2+1/3/b^4/c^3*e^3*ln(-b*c*x-a*c+1)*a-3/4/b/c*e*x*d^2-1/12/b*e^
3*ln(-b*c*x-a*c+1)*x^3*a+1/8/b^2*e^3*ln(-b*c*x-a*c+1)*x^2*a^2-1/4/b^3*e^3*l
n(-b*c*x-a*c+1)*x*a^3+1/b^3*e^2*dilog(-b*c*x-a*c+1)*a^3*d-3/2/b^2*e*dilog(-
b*c*x-a*c+1)*a^2*d^2-9/4/b^2*e*ln(-b*c*x-a*c+1)*a^2*d^2-85/36/b^3*e^2*a^3*d
+21/8/b^2*e*a^2*d^2-31/12/b^3/c^2*e^2*a*d-1/16/b^4/c^4*e^3*ln(-b*c*x-a*c+1)
-1/b/c*ln(-b*c*x-a*c+1)*d^3-25/48/b^4*e^3*ln(-b*c*x-a*c+1)*a^4-1/b*a*d^3-77
/48/b^4/c*e^3*a^3+415/576/b^4*e^3*a^4+137/96/b^4/c^2*e^3*a^2+9/8/b^2/c^2*e*
d^2-97/144/b^4/c^3*e^3*a+11/18/b^3/c^3*e^2*d+7/144/b*e^3*x^3*a+3/4*e*ln(-b*
c*x-a*c+1)*x^2*d^2-1/4/b^4*e^3*dilog(-b*c*x-a*c+1)*a^4+1/b*ln(-b*c*x-a*c+1)
*a*d^3+1/b*dilog(-b*c*x-a*c+1)*a*d^3+5/12/b*e^2*x^2*a*d+13/3/b^3/c*e^2*a^2*
d-15/4/b^2/c*e*a*d^2
```

**maxima** [A] time = 0.35, size = 681, normalized size = 1.13

$$\frac{(4ab^3d^3 - 6a^2b^2d^2e + 4a^3bde^2 - a^4e^3)(\log(bcx + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))}{4b^4} - 9b^4c^4e^3x^4 +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*polylog(2,c*(b*x+a)),x, algorithm="maxima")
```

```
[Out] -1/4*(4*a*b^3*d^3 - 6*a^2*b^2*d^2*e + 4*a^3*b*d*e^2 - a^4*e^3)*(log(b*c*x +
a*c)*log(-b*c*x - a*c + 1) + dilog(-b*c*x - a*c + 1))/b^4 - 1/576*(9*b^4*c
^4*e^3*x^4 + 4*(16*b^4*c^4*d*e^2 - (7*a*b^3*c^4 - 3*b^3*c^3)*e^3)*x^3 + 6*(
36*b^4*c^4*d^2*e - 8*(5*a*b^3*c^4 - 2*b^3*c^3)*d*e^2 + (13*a^2*b^2*c^4 - 10
*a*b^2*c^3 + 3*b^2*c^2)*e^3)*x^2 + 12*(48*b^4*c^4*d^3 - 36*(3*a*b^3*c^4 - b
^3*c^3)*d^2*e + 8*(11*a^2*b^2*c^4 - 7*a*b^2*c^3 + 2*b^2*c^2)*d*e^2 - (25*a^
3*b*c^4 - 23*a^2*b*c^3 + 13*a*b*c^2 - 3*b*c)*e^3)*x - 144*(b^4*c^4*e^3*x^4
+ 4*b^4*c^4*d*e^2*x^3 + 6*b^4*c^4*d^2*e*x^2 + 4*b^4*c^4*d^3*x)*dilog(b*c*x
+ a*c) - 12*(3*b^4*c^4*e^3*x^4 + 48*(a*b^3*c^4 - b^3*c^3)*d^3 - 36*(3*a^2*b
^2*c^4 - 4*a*b^2*c^3 + b^2*c^2)*d^2*e + 8*(11*a^3*b*c^4 - 18*a^2*b*c^3 + 9*
a*b*c^2 - 2*b*c)*d*e^2 - (25*a^4*c^4 - 48*a^3*c^3 + 36*a^2*c^2 - 16*a*c + 3
)*e^3 + 4*(4*b^4*c^4*d*e^2 - a*b^3*c^4*e^3)*x^3 + 6*(6*b^4*c^4*d^2*e - 4*a*
```

$$b^3c^4de^2 + a^2b^2c^4e^3)x^2 + 12*(4*b^4*c^4*d^3 - 6*a*b^3*c^4*d^2*e + 4*a^2*b^2*c^4*d*e^2 - a^3*b*c^4*e^3)*x)*\log(-b*c*x - a*c + 1)/(b^4*c^4)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \text{polylog}(2, c(a + bx))(d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))\*(d + e\*x)^3, x)

[Out] int(polylog(2, c\*(a + b\*x))\*(d + e\*x)^3, x)

sympy [A] time = 36.56, size = 1028, normalized size = 1.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*polylog(2,c\*(b\*x+a)),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), ((d\*\*3\*x + 3\*d\*\*2\*e\*x\*\*2/2 + d\*e\*\*2\*x\*\*3 + e\*\*3\*x\*\*4/4)\*polylog(2, a\*c), Eq(b, 0)), (0, Eq(c, 0)), (25\*a\*\*4\*e\*\*3\*polylog(1, a\*c + b\*c\*x)/(48\*b\*\*4) - a\*\*4\*e\*\*3\*polylog(2, a\*c + b\*c\*x)/(4\*b\*\*4) - 11\*a\*\*3\*d\*e\*\*2\*polylog(1, a\*c + b\*c\*x)/(6\*b\*\*3) + a\*\*3\*d\*e\*\*2\*polylog(2, a\*c + b\*c\*x)/b\*\*3 + a\*\*3\*e\*\*3\*x\*polylog(1, a\*c + b\*c\*x)/(4\*b\*\*3) + 25\*a\*\*3\*e\*\*3\*x/(48\*b\*\*3) - a\*\*3\*e\*\*3\*polylog(1, a\*c + b\*c\*x)/(b\*\*4\*c) + 9\*a\*\*2\*d\*\*2\*e\*polylog(1, a\*c + b\*c\*x)/(4\*b\*\*2) - 3\*a\*\*2\*d\*\*2\*e\*polylog(2, a\*c + b\*c\*x)/(2\*b\*\*2) - a\*\*2\*d\*e\*\*2\*x\*polylog(1, a\*c + b\*c\*x)/b\*\*2 - 11\*a\*\*2\*d\*e\*\*2\*x/(6\*b\*\*2) - a\*\*2\*e\*\*3\*x\*\*2\*polylog(1, a\*c + b\*c\*x)/(8\*b\*\*2) - 13\*a\*\*2\*e\*\*3\*x\*\*2/(96\*b\*\*2) + 3\*a\*\*2\*d\*e\*\*2\*polylog(1, a\*c + b\*c\*x)/(b\*\*3\*c) - 23\*a\*\*2\*e\*\*3\*x/(48\*b\*\*3\*c) + 3\*a\*\*2\*e\*\*3\*polylog(1, a\*c + b\*c\*x)/(4\*b\*\*4\*c\*\*2) - a\*d\*\*3\*polylog(1, a\*c + b\*c\*x)/b + a\*d\*\*3\*polylog(2, a\*c + b\*c\*x)/b + 3\*a\*d\*\*2\*e\*x\*polylog(1, a\*c + b\*c\*x)/(2\*b) + 9\*a\*d\*\*2\*e\*x/(4\*b) + a\*d\*e\*\*2\*x\*\*2\*polylog(1, a\*c + b\*c\*x)/(2\*b) + 5\*a\*d\*e\*\*2\*x\*\*2/(12\*b) + a\*e\*\*3\*x\*\*3\*polylog(1, a\*c + b\*c\*x)/(12\*b) + 7\*a\*e\*\*3\*x\*\*3/(144\*b) - 3\*a\*d\*\*2\*e\*polylog(1, a\*c + b\*c\*x)/(b\*\*2\*c) + 7\*a\*d\*e\*\*2\*x/(6\*b\*\*2\*c) + 5\*a\*e\*\*3\*x\*\*2/(48\*b\*\*2\*c) - 3\*a\*d\*e\*\*2\*polylog(1, a\*c + b\*c\*x)/(2\*b\*\*3\*c\*\*2) + 13\*a\*e\*\*3\*x/(48\*b\*\*3\*c\*\*2) - a\*e\*\*3\*polylog(1, a\*c + b\*c\*x)/(3\*b\*\*4\*c\*\*3) - d\*\*3\*x\*polylog(1, a\*c + b\*c\*x) + d\*\*3\*x\*polylog(2, a\*c + b\*c\*x) - d\*\*3\*x - 3\*d\*\*2\*e\*x\*\*2\*polylog(1, a\*c + b\*c\*x)/4 + 3\*d\*\*2\*e\*x\*\*2\*polylog(2, a\*c + b\*c\*x)/2 - 3\*d\*\*2\*e\*x\*\*2/8 - d\*e\*\*2\*x\*\*3\*polylog(1, a\*c + b\*c\*x)/3 + d\*e\*\*2\*x\*\*3\*polylog(2, a\*c + b\*c\*x) - d\*e\*\*2\*x\*\*3/9 - e\*\*3\*x\*\*4\*polylog(1, a\*c + b\*c\*x)/16 + e\*\*3\*x\*\*4\*polylog(2, a\*c + b\*c\*x)/4 - e\*\*3\*x\*\*4/64 + d\*\*3\*polylog(1, a\*c + b\*c\*x)/(b\*c) - 3\*d\*\*2\*e\*x/(4\*b\*c) - d\*e\*\*2\*x\*\*2/(6\*b\*c) - e\*\*3\*x\*\*3/(48\*b\*c) + 3\*d\*\*2\*e\*p

```
olylog(1, a*c + b*c*x)/(4*b**2*c**2) - d*e**2*x/(3*b**2*c**2) - e**3*x**2/(
32*b**2*c**2) + d*e**2*polylog(1, a*c + b*c*x)/(3*b**3*c**3) - e**3*x/(16*b
**3*c**3) + e**3*polylog(1, a*c + b*c*x)/(16*b**4*c**4), True))
```

### 3.138 $\int (d + ex)^2 \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=385

$$\frac{(-ace + bcd + e)^3 \log(-ac - bcx + 1)}{9b^3c^3e} - \frac{(bd - ae)(-ace + bcd + e)^2 \log(-ac - bcx + 1)}{6b^3c^2e} - \frac{(bd - ae)^3 \text{Li}_2(c(a + bx))}{3b^3e}$$

[Out]  $-1/3*(-a*e+b*d)^2*x/b^2-1/6*(-a*e+b*d)*(-a*c*e+b*c*d+e)*x/b^2/c-1/9*(-a*c*e+b*c*d+e)^2*x/b^2/c^2-1/12*(-a*e+b*d)*(e*x+d)^2/b/e-1/18*(-a*c*e+b*c*d+e)*(e*x+d)^2/b/c/e-1/27*(e*x+d)^3/e-1/6*(-a*e+b*d)*(-a*c*e+b*c*d+e)^2*\ln(-b*c*x-a*c+1)/b^3/c^2/e-1/9*(-a*c*e+b*c*d+e)^3*\ln(-b*c*x-a*c+1)/b^3/c^3/e-1/3*(-a*e+b*d)^2*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^3/c+1/6*(-a*e+b*d)*(e*x+d)^2*\ln(-b*c*x-a*c+1)/b/e+1/9*(e*x+d)^3*\ln(-b*c*x-a*c+1)/e-1/3*(-a*e+b*d)^3*\text{polylog}(2,c*(b*x+a))/b^3/e+1/3*(e*x+d)^3*\text{polylog}(2,c*(b*x+a))/e$

**Rubi [A]** time = 0.34, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {6598, 2418, 2389, 2295, 2393, 2391, 2395, 43}

$$\frac{(bd - ae)^3 \text{PolyLog}(2, c(a + bx))}{3b^3e} + \frac{(d + ex)^3 \text{PolyLog}(2, c(a + bx))}{3e} - \frac{x(-ace + bcd + e)^2}{9b^2c^2} - \frac{(bd - ae)(-ace + bcd + e)}{6b^3e}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2\*PolyLog[2, c\*(a + b\*x)], x]

[Out]  $-((b*d - a*e)^2*x)/(3*b^2) - ((b*d - a*e)*(b*c*d + e - a*c*e)*x)/(6*b^2*c) - ((b*c*d + e - a*c*e)^2*x)/(9*b^2*c^2) - ((b*d - a*e)*(d + e*x)^2)/(12*b*e) - ((b*c*d + e - a*c*e)*(d + e*x)^2)/(18*b*c*e) - (d + e*x)^3/(27*e) - ((b*d - a*e)*(b*c*d + e - a*c*e)^2*\text{Log}[1 - a*c - b*c*x])/(6*b^3*c^2*e) - ((b*c*d + e - a*c*e)^3*\text{Log}[1 - a*c - b*c*x])/(9*b^3*c^3*e) - ((b*d - a*e)^2*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(3*b^3*c) + ((b*d - a*e)*(d + e*x)^2*\text{Log}[1 - a*c - b*c*x])/(6*b*e) + ((d + e*x)^3*\text{Log}[1 - a*c - b*c*x])/(9*e) - ((b*d - a*e)^3*\text{PolyLog}[2, c*(a + b*x)])/(3*b^3*e) + ((d + e*x)^3*\text{PolyLog}[2, c*(a + b*x)])/(3*e)$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2295

```
Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x]
]; FreeQ[{c, n}, x]
```

### Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a,
b, c, d, e, n, p}, x]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2,
-(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_
))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Sy
mbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]},
Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
RFx, x] && IntegerQ[p]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_)^(m_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)])/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rubi steps



$$\begin{aligned}
\int (d+ex)^2 \text{Li}_2(c(a+bx)) dx &= \frac{(d+ex)^3 \text{Li}_2(c(a+bx))}{3e} + \frac{b \int \frac{(d+ex)^3 \log(1-ac-bcx)}{a+bx} dx}{3e} \\
&= \frac{(d+ex)^3 \text{Li}_2(c(a+bx))}{3e} + \frac{b \int \left( \frac{e(bd-ae)^2 \log(1-ac-bcx)}{b^3} + \frac{(bd-ae)^3 \log(1-ac-bcx)}{b^3(a+bx)} + \frac{e(bd-ae)}{b^3} \right) dx}{3e} \\
&= \frac{(d+ex)^3 \text{Li}_2(c(a+bx))}{3e} + \frac{1}{3} \int (d+ex)^2 \log(1-ac-bcx) dx + \frac{(bd-ae) \int (d+ex) dx}{3e} \\
&= \frac{(bd-ae)(d+ex)^2 \log(1-ac-bcx)}{6be} + \frac{(d+ex)^3 \log(1-ac-bcx)}{9e} + \frac{(d+ex)^3 \text{Li}_2(c(a+bx))}{3e} \\
&= -\frac{(bd-ae)^2 x}{3b^2} - \frac{(bd-ae)^2 (1-ac-bcx) \log(1-ac-bcx)}{3b^3 c} + \frac{(bd-ae)(d+ex)^2 \log(1-ac-bcx)}{6be} \\
&= -\frac{(bd-ae)^2 x}{3b^2} - \frac{(bd-ae)(bcd+e-ace)x}{6b^2 c} - \frac{(bcd+e-ace)^2 x}{9b^2 c^2} - \frac{(bd-ae)(d+ex)^2 \log(1-ac-bcx)}{12be}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 274, normalized size = 0.71

$$\frac{bc(-66a^2c^2e^2x + 3ac(bc(-36d^2 + 54dex + 5e^2x^2) + 14e^2x) + 108bcd^2(ac + bcx - 1) \log(1 - c(a + bx)) - x(b^2c^2 + 3ac^2))}{(108b^3c^3e^2x^3 + 3(9b^3c^3de - (5ab^2c^3 - 2b^2c^2)e^2)x^2 + 6(18b^3c^3d^2 - 9(3ab^2c^3 - b^2c^2)de + (11a^2bc^3 - 7abc^2 + 3a^2c^3))x + 3(3a^2c^3d^2 - 3a^2c^3de + a^3e^2 + b^3c^3(3d^2 + 3de + e^2)) \text{PolyLog}[2, c(a + bx)])}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2\*PolyLog[2, c\*(a + b\*x)], x]

[Out] (6\*e\*(-1 + a\*c + b\*c\*x)\*((2 - 7\*a\*c + 11\*a^2\*c^2)\*e + b^2\*c^2\*x\*(9\*d + 2\*e\*x) + b\*c\*((9 - 27\*a\*c)\*d + (2 - 5\*a\*c)\*e\*x))\*Log[1 - a\*c - b\*c\*x] + b\*c\*(-66\*a^2\*c^2\*e^2\*x - x\*(12\*e^2 + 6\*b\*c\*e\*(9\*d + e\*x) + b^2\*c^2\*(108\*d^2 + 27\*d\*e\*x + 4\*e^2\*x^2)) + 3\*a\*c\*(14\*e^2\*x + b\*c\*(-36\*d^2 + 54\*d\*e\*x + 5\*e^2\*x^2)) + 108\*b\*c\*d^2\*(-1 + a\*c + b\*c\*x)\*Log[1 - c\*(a + b\*x)] + 36\*c^3\*(3\*a\*b^2\*d^2 - 3\*a^2\*b\*d\*e + a^3\*e^2 + b^3\*c\*(3\*d^2 + 3\*d\*e\*x + e^2\*x^2))\*PolyLog[2, c\*(a + b\*x)]/(108\*b^3\*c^3)

**fricas [A]** time = 1.07, size = 373, normalized size = 0.97

$$\frac{4b^3c^3e^2x^3 + 3(9b^3c^3de - (5ab^2c^3 - 2b^2c^2)e^2)x^2 + 6(18b^3c^3d^2 - 9(3ab^2c^3 - b^2c^2)de + (11a^2bc^3 - 7abc^2 + 3a^2c^3))x + 3(3a^2c^3d^2 - 3a^2c^3de + a^3e^2 + b^3c^3(3d^2 + 3de + e^2)) \text{PolyLog}[2, c(a + b*x)]}{(108b^3c^3e^2x^3 + 3(9b^3c^3de - (5ab^2c^3 - 2b^2c^2)e^2)x^2 + 6(18b^3c^3d^2 - 9(3ab^2c^3 - b^2c^2)de + (11a^2bc^3 - 7abc^2 + 3a^2c^3))x + 3(3a^2c^3d^2 - 3a^2c^3de + a^3e^2 + b^3c^3(3d^2 + 3de + e^2)) \text{PolyLog}[2, c(a + b*x)])}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

```
[Out] -1/108*(4*b^3*c^3*e^2*x^3 + 3*(9*b^3*c^3*d*e - (5*a*b^2*c^3 - 2*b^2*c^2)*e^2)*x^2 + 6*(18*b^3*c^3*d^2 - 9*(3*a*b^2*c^3 - b^2*c^2)*d*e + (11*a^2*b*c^3 - 7*a*b*c^2 + 2*b*c)*e^2)*x - 36*(b^3*c^3*e^2*x^3 + 3*b^3*c^3*d*e*x^2 + 3*b^3*c^3*d^2*x + 3*a*b^2*c^3*d^2 - 3*a^2*b*c^3*d*e + a^3*c^3*e^2)*dilog(b*c*x + a*c) - 6*(2*b^3*c^3*e^2*x^3 + 18*(a*b^2*c^3 - b^2*c^2)*d^2 - 9*(3*a^2*b*c^3 - 4*a*b*c^2 + b*c)*d*e + (11*a^3*c^3 - 18*a^2*c^2 + 9*a*c - 2)*e^2 + 3*(3*b^3*c^3*d*e - a*b^2*c^3*e^2)*x^2 + 6*(3*b^3*c^3*d^2 - 3*a*b^2*c^3*d*e + a^2*b*c^3*e^2)*x)*log(-b*c*x - a*c + 1))/(b^3*c^3)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex + d)^2 \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^2*polylog(2,c*(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^2*dilog((b*x + a)*c), x)
```

**maple** [A] time = 0.01, size = 687, normalized size = 1.78

$$\frac{3e \ln(-bcx - ac + 1) a^2 d}{2b^2} - \frac{e \ln(-bcx - ac + 1) d}{2b^2 c^2} - \frac{e^2 \ln(-bcx - ac + 1) a^2}{b^3 c} + \frac{7e^2 x a}{18b^2 c} - \frac{exd}{2bc} - \frac{e \operatorname{dilog}(-bcx - ac + 1)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^2*polylog(2,c*(b*x+a)),x)
```

```
[Out] -3/2/b^2*e*ln(-b*c*x-a*c+1)*a^2*d-1/2/b^2/c^2*e*ln(-b*c*x-a*c+1)*d-1/b^3/c*e^2*ln(-b*c*x-a*c+1)*a^2+7/18/b^2/c*e^2*x*a-1/2/b/c*e*x*d+1/b/c*d^2+11/54/b^3/c^3*e^2+1/9*e^2*ln(-b*c*x-a*c+1)*x^3+1/3/e*polylog(2,b*c*x+a*c)*d^3+ln(-b*c*x-a*c+1)*x*d^2+1/3*e^2*polylog(2,b*c*x+a*c)*x^3+polylog(2,b*c*x+a*c)*x*d^2-1/3/e*dilog(-b*c*x-a*c+1)*d^3-1/4*e*x^2*d-1/b*a*d^2+3/4/b^2/c^2*e*d+13/9/b^3/c*e^2*a^2-31/36/b^3/c^2*e^2*a-85/108/b^3*e^2*a^3-d^2*x-1/27*e^2*x^3-1/9/b^2/c^2*e^2*x-1/18/b/c*x^2*e^2-1/b/c*ln(-b*c*x-a*c+1)*d^2-1/9/b^3/c^3*e^2*ln(-b*c*x-a*c+1)+1/2*e*ln(-b*c*x-a*c+1)*x^2*d+e*polylog(2,b*c*x+a*c)*d*x^2+1/b*dilog(-b*c*x-a*c+1)*a*d^2+1/b*ln(-b*c*x-a*c+1)*a*d^2+11/18/b^3*e^2*ln(-b*c*x-a*c+1)*a^3+1/3/b^3*e^2*dilog(-b*c*x-a*c+1)*a^3+5/36/b*e^2*x^2*a-11/18/b^2*e^2*x*a^2+1/2/b^3/c^2*e^2*ln(-b*c*x-a*c+1)*a+3/2/b*e*x*a*d-1/6/b*e^2*ln(-b*c*x-a*c+1)*x^2*a+1/3/b^2*e^2*ln(-b*c*x-a*c+1)*x*a^2-1/b^2*e*dilog(-b*c*x-a*c+1)*a^2*d+2/b^2/c*e*ln(-b*c*x-a*c+1)*a*d-1/b*e*ln(-b*c*x-a*c+1)*x*a*d+7/4/b^2*e*a^2*d-5/2/b^2/c*e*a*d
```

**maxima** [A] time = 0.34, size = 406, normalized size = 1.05

$$\frac{(3ab^2d^2 - 3a^2bde + a^3e^2)(\log(bcx + ac) \log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))}{3b^3} - \frac{4b^3c^3e^2x^3 + 3(9b^3c^3de -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out] 
$$-1/3*(3*a*b^2*d^2 - 3*a^2*b*d*e + a^3*e^2)*(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \operatorname{dilog}(-b*c*x - a*c + 1))/b^3 - 1/108*(4*b^3*c^3*e^2*x^3 + 3*(9*b^3*c^3*d*e - (5*a*b^2*c^3 - 2*b^2*c^2)*e^2)*x^2 + 6*(18*b^3*c^3*d^2 - 9*(3*a*b^2*c^3 - b^2*c^2)*d*e + (11*a^2*b*c^3 - 7*a*b*c^2 + 2*b*c)*e^2)*x - 36*(b^3*c^3*e^2*x^3 + 3*b^3*c^3*d*e*x^2 + 3*b^3*c^3*d^2*x)*\operatorname{dilog}(b*c*x + a*c) - 6*(2*b^3*c^3*e^2*x^3 + 18*(a*b^2*c^3 - b^2*c^2)*d^2 - 9*(3*a^2*b*c^3 - 4*a*b*c^2 + b*c)*d*e + (11*a^3*c^3 - 18*a^2*c^2 + 9*a*c - 2)*e^2 + 3*(3*b^3*c^3*d*e - a*b^2*c^3*e^2)*x^2 + 6*(3*b^3*c^3*d^2 - 3*a*b^2*c^3*d*e + a^2*b*c^3*e^2)*x)*\log(-b*c*x - a*c + 1))/(b^3*c^3)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \operatorname{polylog}(2, c(a + bx)) (d + ex)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))\*(d + e\*x)^2, x)

[Out] int(polylog(2, c\*(a + b\*x))\*(d + e\*x)^2, x)

**sympy** [A] time = 15.00, size = 561, normalized size = 1.46

$$\begin{cases} 0 \\ \left(d^2x + dex^2 + \frac{e^2x^3}{3}\right) \operatorname{Li}_2(ac) \\ 0 \\ -\frac{11a^3e^2 \operatorname{Li}_1(ac+bcx)}{18b^3} + \frac{a^3e^2 \operatorname{Li}_2(ac+bcx)}{3b^3} + \frac{3a^2de \operatorname{Li}_1(ac+bcx)}{2b^2} - \frac{a^2de \operatorname{Li}_2(ac+bcx)}{b^2} - \frac{a^2e^2x \operatorname{Li}_1(ac+bcx)}{3b^2} - \frac{11a^2e^2x}{18b^2} + \frac{a^2e^2 \operatorname{Li}_1(ac+bcx)}{b^3c} - \frac{a^2e^2 \operatorname{Li}_2(ac+bcx)}{b^3c} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*polylog(2,c\*(b\*x+a)),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), ((d\*\*2\*x + d\*e\*x\*\*2 + e\*\*2\*x\*\*3/3)\*polylog(2, a\*c), Eq(b, 0)), (0, Eq(c, 0)), (-11\*a\*\*3\*e\*\*2\*polylog(1, a\*c + b\*c\*x)/(18\*b\*\*3) + a\*\*3\*e\*\*2\*polylog(2, a\*c + b\*c\*x)/(3\*b\*\*3) + 3\*a\*\*2\*d\*e\*polylog(1, a\*c + b\*c\*x)/(2\*b\*\*2) - a\*\*2\*d\*e\*polylog(2, a\*c + b\*c\*x)/b\*\*2 - a\*\*2\*e\*\*2\*x\*polylog(1, a\*c + b\*c\*x)/(3\*b\*\*2) - 11\*a\*\*2\*e\*\*2\*x/(18\*b\*\*2) + a\*\*2\*e\*\*2\*polylog(1, a\*c + b\*c\*x)/(b\*\*3\*c) - a\*d\*\*2\*polylog(1, a\*c + b\*c\*x)/b + a\*d\*\*2\*polylog(2, a\*c + b\*c\*x)/b + a\*d\*e\*x\*polylog(1, a\*c + b\*c\*x)/b + 3\*a\*d\*e\*x/(2\*b) + a\*e\*\*2\*x\*\*2\*polylog(1, a\*c + b\*c\*x)/(6\*b) + 5\*a\*e\*\*2\*x\*\*2/(36

```

*b) - 2*a*d*e*polylog(1, a*c + b*c*x)/(b**2*c) + 7*a*e**2*x/(18*b**2*c) - a
*e**2*polylog(1, a*c + b*c*x)/(2*b**3*c**2) - d**2*x*polylog(1, a*c + b*c*x
) + d**2*x*polylog(2, a*c + b*c*x) - d**2*x - d*e*x**2*polylog(1, a*c + b*c
*x)/2 + d*e*x**2*polylog(2, a*c + b*c*x) - d*e*x**2/4 - e**2*x**3*polylog(1
, a*c + b*c*x)/9 + e**2*x**3*polylog(2, a*c + b*c*x)/3 - e**2*x**3/27 + d**
2*polylog(1, a*c + b*c*x)/(b*c) - d*e*x/(2*b*c) - e**2*x**2/(18*b*c) + d*e*
polylog(1, a*c + b*c*x)/(2*b**2*c**2) - e**2*x/(9*b**2*c**2) + e**2*polylog
(1, a*c + b*c*x)/(9*b**3*c**3), True))

```

### 3.139 $\int (d + ex)\text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=210

$$\frac{(-ace + bcd + e)^2 \log(-ac - bcx + 1)}{4b^2c^2e} - \frac{(bd - ae)^2 \text{Li}_2(c(a + bx))}{2b^2e} - \frac{(-ac - bcx + 1)(bd - ae) \log(-ac - bcx + 1)}{2b^2c} +$$

[Out]  $-1/2*(-a*e+b*d)*x/b-1/4*(-a*c*e+b*c*d+e)*x/b/c-1/8*(e*x+d)^2/e-1/4*(-a*c*e+b*c*d+e)^2*\ln(-b*c*x-a*c+1)/b^2/c^2/e-1/2*(-a*e+b*d)*(-b*c*x-a*c+1)*\ln(-b*c*x-a*c+1)/b^2/c+1/4*(e*x+d)^2*\ln(-b*c*x-a*c+1)/e-1/2*(-a*e+b*d)^2*polylog(2,c*(b*x+a))/b^2/e+1/2*(e*x+d)^2*polylog(2,c*(b*x+a))/e$

**Rubi [A]** time = 0.20, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$ , Rules used = {6598, 2418, 2389, 2295, 2393, 2391, 2395, 43}

$$\frac{(bd - ae)^2 \text{PolyLog}(2, c(a + bx))}{2b^2e} + \frac{(d + ex)^2 \text{PolyLog}(2, c(a + bx))}{2e} - \frac{(-ace + bcd + e)^2 \log(-ac - bcx + 1)}{4b^2c^2e} - \frac{(-ac - bcx + 1)(bd - ae) \log(-ac - bcx + 1)}{2b^2c}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)\*PolyLog[2, c\*(a + b\*x)], x]

[Out]  $-((b*d - a*e)*x)/(2*b) - ((b*c*d + e - a*c*e)*x)/(4*b*c) - (d + e*x)^2/(8*e) - ((b*c*d + e - a*c*e)^2*\text{Log}[1 - a*c - b*c*x])/(4*b^2*c^2*e) - ((b*d - a*e)*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(2*b^2*c) + ((d + e*x)^2*\text{Log}[1 - a*c - b*c*x])/(4*e) - ((b*d - a*e)^2*\text{PolyLog}[2, c*(a + b*x)])/(2*b^2*e) + ((d + e*x)^2*\text{PolyLog}[2, c*(a + b*x)])/(2*e)$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a

, b, c, d, e, n, p}, x]

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_)^(q_.)), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

### Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_)^(m_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] + Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int (d+ex)\text{Li}_2(c(a+bx)) dx &= \frac{(d+ex)^2\text{Li}_2(c(a+bx))}{2e} + \frac{b \int \frac{(d+ex)^2 \log(1-ac-bcx)}{a+bx} dx}{2e} \\
&= \frac{(d+ex)^2\text{Li}_2(c(a+bx))}{2e} + \frac{b \int \left( \frac{e(bd-ae)\log(1-ac-bcx)}{b^2} + \frac{(bd-ae)^2 \log(1-ac-bcx)}{b^2(a+bx)} + \frac{e(d+ex)\log(1-ac-bcx)}{a+bx} \right) dx}{2e} \\
&= \frac{(d+ex)^2\text{Li}_2(c(a+bx))}{2e} + \frac{1}{2} \int (d+ex) \log(1-ac-bcx) dx + \frac{(bd-ae) \int \log(1-ac-bcx) dx}{2b} \\
&= \frac{(d+ex)^2 \log(1-ac-bcx)}{4e} + \frac{(d+ex)^2\text{Li}_2(c(a+bx))}{2e} + \frac{(bc) \int \frac{(d+ex)^2}{1-ac-bcx} dx}{4e} - \frac{(bd-ae) \int \log(1-ac-bcx) dx}{2b} \\
&= -\frac{(bd-ae)x}{2b} - \frac{(bd-ae)(1-ac-bcx) \log(1-ac-bcx)}{2b^2c} + \frac{(d+ex)^2 \log(1-ac-bcx)}{4e} \\
&= -\frac{(bd-ae)x}{2b} - \frac{(bcd+e-ace)x}{4bc} - \frac{(d+ex)^2}{8e} - \frac{(bcd+e-ace)^2 \log(1-ac-bcx)}{4b^2c^2e}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 161, normalized size = 0.77

$$\frac{e \left( (-6a^2c^2 - 4ac(bcx - 2) + 2b^2c^2x^2 - 2) \log(-ac - bcx + 1) - 4a^2c^2\text{Li}_2(c(a+bx)) - bcx(-6ac + bcx + 2) \right)}{8b^2c^2} + \frac{d(c(a+bx) - a)}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)\*PolyLog[2, c\*(a + b\*x)], x]

[Out] (e\*(-(b\*c\*x\*(2 - 6\*a\*c + b\*c\*x)) + (-2 - 6\*a^2\*c^2 + 2\*b^2\*c^2\*x^2 - 4\*a\*c\*(-2 + b\*c\*x))\*Log[1 - a\*c - b\*c\*x] - 4\*a^2\*c^2\*PolyLog[2, c\*(a + b\*x)]))/(8\*b^2\*c^2) + (d\*(-(c\*(a + b\*x)) + (-1 + c\*(a + b\*x))\*Log[1 - c\*(a + b\*x)] + c\*(a + b\*x)\*PolyLog[2, c\*(a + b\*x)])/(b\*c) + (e\*x^2\*PolyLog[2, a\*c + b\*c\*x])/2

**fricas [A]** time = 0.63, size = 176, normalized size = 0.84

$$\frac{b^2c^2ex^2 + 2(4b^2c^2d - (3abc^2 - bc)e)x - 4(b^2c^2ex^2 + 2b^2c^2dx + 2abc^2d - a^2c^2e)\text{Li}_2(bcx + ac) - 2(b^2c^2ex^2 + 2b^2c^2dx + 2abc^2d - a^2c^2e)}{8b^2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out] -1/8\*(b^2\*c^2\*e\*x^2 + 2\*(4\*b^2\*c^2\*d - (3\*a\*b\*c^2 - b\*c)\*e)\*x - 4\*(b^2\*c^2\*e\*x^2 + 2\*b^2\*c^2\*d\*x + 2\*a\*b\*c^2\*d - a^2\*c^2\*e)\*dilog(b\*c\*x + a\*c) - 2\*(b^2\*c^2\*e\*x^2 + 2\*b^2\*c^2\*d\*x + 2\*a\*b\*c^2\*d - a^2\*c^2\*e)\*log(1 - c\*(a + b\*x)) + c\*(a + b\*x)\*polylog(2, c\*(a + b\*x))

$$2*c^2*e*x^2 + 4*(a*b*c^2 - b*c)*d - (3*a^2*c^2 - 4*a*c + 1)*e + 2*(2*b^2*c^2*d - a*b*c^2*e)*x*\log(-b*c*x - a*c + 1)/(b^2*c^2)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex + d) \operatorname{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate((e\*x + d)\*dilog((b\*x + a)\*c), x)

**maple** [A] time = 0.01, size = 292, normalized size = 1.39

$$-\frac{\operatorname{polylog}(2, bcx + ac) a^2 e}{2b^2} + \operatorname{polylog}(2, bcx + ac) xd + \frac{\operatorname{polylog}(2, bcx + ac) ad}{b} + \frac{\operatorname{polylog}(2, bcx + ac) e x^2}{2} - \frac{\ln(-)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*polylog(2,c\*(b\*x+a)),x)

[Out] -1/2/b^2\*polylog(2,b\*c\*x+a\*c)\*a^2\*e+polylog(2,b\*c\*x+a\*c)\*x\*d+1/b\*polylog(2,b\*c\*x+a\*c)\*a\*d+1/2\*polylog(2,b\*c\*x+a\*c)\*e\*x^2-1/2/b\*ln(-b\*c\*x-a\*c+1)\*x\*a\*e+3/8/b^2/c^2\*e+1/b/c\*d-5/4/b^2/c\*a\*e-1/4/b^2/c^2\*e\*ln(-b\*c\*x-a\*c+1)+3/4/b\*a\*e\*x+ln(-b\*c\*x-a\*c+1)\*x\*d+1/b\*ln(-b\*c\*x-a\*c+1)\*a\*d+1/4\*e\*ln(-b\*c\*x-a\*c+1)\*x^2+7/8/b^2\*a^2\*e-d\*x-1/b\*a\*d-1/b/c\*ln(-b\*c\*x-a\*c+1)\*d-1/8\*e\*x^2-1/4/b/c\*e\*x-3/4/b^2\*ln(-b\*c\*x-a\*c+1)\*a^2\*e+1/b^2/c\*ln(-b\*c\*x-a\*c+1)\*a\*e

**maxima** [A] time = 0.33, size = 212, normalized size = 1.01

$$-\frac{(2abd - a^2e)(\log(bcx + ac)\log(-bcx - ac + 1) + \operatorname{Li}_2(-bcx - ac + 1))}{2b^2} - \frac{b^2c^2ex^2 + 2(4b^2c^2d - (3abc^2 - bc)e)x}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out] -1/2\*(2\*a\*b\*d - a^2\*e)\*(log(b\*c\*x + a\*c)\*log(-b\*c\*x - a\*c + 1) + dilog(-b\*c\*x - a\*c + 1))/b^2 - 1/8\*(b^2\*c^2\*e\*x^2 + 2\*(4\*b^2\*c^2\*d - (3\*a\*b\*c^2 - b\*c)\*e)\*x - 4\*(b^2\*c^2\*e\*x^2 + 2\*b^2\*c^2\*d\*x)\*dilog(b\*c\*x + a\*c) - 2\*(b^2\*c^2\*e\*x^2 + 4\*(a\*b\*c^2 - b\*c)\*d - (3\*a^2\*c^2 - 4\*a\*c + 1)\*e + 2\*(2\*b^2\*c^2\*d - a\*b\*c^2\*e)\*x)\*log(-b\*c\*x - a\*c + 1)/(b^2\*c^2)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \operatorname{polylog}(2, c(a + bx))(d + ex) dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, c*(a + b*x))*(d + e*x), x)
```

```
[Out] int(polylog(2, c*(a + b*x))*(d + e*x), x)
```

**sympy** [A] time = 5.46, size = 252, normalized size = 1.20

$$\left\{ \begin{array}{l} 0 \\ \left( dx + \frac{ex^2}{2} \right) \text{Li}_2(ac) \\ 0 \\ \frac{3a^2e \text{Li}_1(ac+bcx)}{4b^2} - \frac{a^2e \text{Li}_2(ac+bcx)}{2b^2} - \frac{ad \text{Li}_1(ac+bcx)}{b} + \frac{ad \text{Li}_2(ac+bcx)}{b} + \frac{aex \text{Li}_1(ac+bcx)}{2b} + \frac{3aex}{4b} - \frac{ae \text{Li}_1(ac+bcx)}{b^2c} - dx \text{Li}_1(ac + bcx) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*polylog(2,c*(b*x+a)), x)
```

```
[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), ((d*x + e*x**2/2)*polylog(2, a*c), Eq(b, 0)), (0, Eq(c, 0)), (3*a**2*e*polylog(1, a*c + b*c*x)/(4*b**2) - a**2*e*polylog(2, a*c + b*c*x)/(2*b**2) - a*d*polylog(1, a*c + b*c*x)/b + a*d*polylog(2, a*c + b*c*x)/b + a*e*x*polylog(1, a*c + b*c*x)/(2*b) + 3*a*e*x/(4*b) - a*e*polylog(1, a*c + b*c*x)/(b**2*c) - d*x*polylog(1, a*c + b*c*x) + d*x*polylog(2, a*c + b*c*x) - d*x - e*x**2*polylog(1, a*c + b*c*x)/4 + e*x**2*polylog(2, a*c + b*c*x)/2 - e*x**2/8 + d*polylog(1, a*c + b*c*x)/(b*c) - e*x/(4*b*c) + e*polylog(1, a*c + b*c*x)/(4*b**2*c**2), True))
```

### 3.140 $\int \text{Li}_2(c(a + bx)) dx$

Optimal. Leaf size=60

$$x\text{Li}_2(c(a + bx)) + \frac{a\text{Li}_2(c(a + bx))}{b} - \frac{(-ac - bcx + 1)\log(-ac - bcx + 1)}{bc} - x$$

[Out]  $-x - (-b*c*x - a*c + 1) * \ln(-b*c*x - a*c + 1) / b / c + a * \text{polylog}(2, c*(b*x + a)) / b + x * \text{polylog}(2, c*(b*x + a))$

**Rubi [A]** time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$ , Rules used = {6595, 2444, 2389, 2295, 2421, 2393, 2391}

$$x\text{PolyLog}(2, c(a + bx)) + \frac{a\text{PolyLog}(2, c(a + bx))}{b} - \frac{(-ac - bcx + 1)\log(-ac - bcx + 1)}{bc} - x$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)], x]

[Out]  $-x - ((1 - a*c - b*c*x) * \text{Log}[1 - a*c - b*c*x]) / (b*c) + (a * \text{PolyLog}[2, c*(a + b*x)]) / b + x * \text{PolyLog}[2, c*(a + b*x)]$

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 2393

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

Rule 2421

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_)^(q_.), x_Symbol] := Int[ExpandToSum[u, x]^q*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatchQ[u, x] && LinearMatchQ[v, x])
```

Rule 2444

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Int[u*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p}, x] && LinearQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c*v, (e_.)*(f_) + (g_.)*x] /; FreeQ[{e, f, g}, x])
```

Rule 6595

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*PolyLog[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x], x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x) /; FreeQ[{a, b, c, p}, x] && GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int \text{Li}_2(c(a + bx)) dx &= x\text{Li}_2(c(a + bx)) - a \int \frac{\log(1 - c(a + bx))}{a + bx} dx + \int \log(1 - c(a + bx)) dx \\
 &= x\text{Li}_2(c(a + bx)) - a \int \frac{\log(1 - ac - bcx)}{a + bx} dx + \int \log(1 - ac - bcx) dx \\
 &= x\text{Li}_2(c(a + bx)) - \frac{a \text{Subst}\left(\int \frac{\log(1-cx)}{x} dx, x, a + bx\right)}{b} - \frac{\text{Subst}(\int \log(x) dx, x, 1 - ac - bcx)}{bc} \\
 &= -x - \frac{(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{a\text{Li}_2(c(a + bx))}{b} + x\text{Li}_2(c(a + bx))
 \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 53, normalized size = 0.88

$$\frac{c(a + bx)\text{Li}_2(c(a + bx)) - c(a + bx) + (c(a + bx) - 1) \log(1 - c(a + bx))}{bc}$$

Antiderivative was successfully verified.

```
[In] Integrate[PolyLog[2, c*(a + b*x)], x]
```

```
[Out] (-c*(a + b*x)) + (-1 + c*(a + b*x))*Log[1 - c*(a + b*x)] + c*(a + b*x)*PolyLog[2, c*(a + b*x)]/(b*c)
```

**fricas** [A] time = 3.95, size = 55, normalized size = 0.92

$$\frac{bcx - (bcx + ac)\text{Li}_2(bcx + ac) - (bcx + ac - 1)\log(-bcx - ac + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out]  $-(b*c*x - (b*c*x + a*c)*\text{dilog}(b*c*x + a*c) - (b*c*x + a*c - 1)*\log(-b*c*x - a*c + 1))/(b*c)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c), x)

**maple** [A] time = 0.00, size = 96, normalized size = 1.60

$$\text{polylog}(2, bcx + ac)x + \ln(-bcx - ac + 1)x + \frac{\text{polylog}(2, bcx + ac)a}{b} + \frac{\ln(-bcx - ac + 1)a}{b} - x\frac{a}{b} - \frac{\ln(-bcx - ac + 1)a}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a)),x)

[Out]  $\text{polylog}(2, b*c*x+a*c)*x + \ln(-b*c*x-a*c+1)*x + 1/b*\text{polylog}(2, b*c*x+a*c)*a + 1/b*\ln(-b*c*x-a*c+1)*a - x - a/b - 1/b/c*\ln(-b*c*x-a*c+1) + 1/b/c$

**maxima** [A] time = 0.31, size = 90, normalized size = 1.50

$$\frac{(\log(bcx + ac)\log(-bcx - ac + 1) + \text{Li}_2(-bcx - ac + 1))a}{b} + \frac{bcx\text{Li}_2(bcx + ac) - bcx + (bcx + ac - 1)\log(-bcx - ac + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out]  $-(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \text{dilog}(-b*c*x - a*c + 1))*a/b + (b*c*x*\text{dilog}(b*c*x + a*c) - b*c*x + (b*c*x + a*c - 1)*\log(-b*c*x - a*c + 1))/(b*c)$

**mupad [B]** time = 0.00, size = 61, normalized size = 1.02

$$\frac{\text{polylog}(2, c(a+bx))(a+bx)}{b} - x - \frac{\ln(1-c(a+bx))}{bc} + \frac{\ln(1-c(a+bx))(a+bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x)),x)

[Out] (polylog(2, c\*(a + b\*x))\*(a + b\*x))/b - x - log(1 - c\*(a + b\*x))/(b\*c) + (log(1 - c\*(a + b\*x))\*(a + b\*x))/b

**sympy [A]** time = 2.07, size = 73, normalized size = 1.22

$$\begin{cases} 0 & \text{for } b = 0 \wedge c = 0 \\ x \text{Li}_2(ac) & \text{for } b = 0 \\ 0 & \text{for } c = 0 \\ -\frac{a \text{Li}_1(ac+bcx)}{b} + \frac{a \text{Li}_2(ac+bcx)}{b} - x \text{Li}_1(ac+bcx) + x \text{Li}_2(ac+bcx) - x + \frac{\text{Li}_1(ac+bcx)}{bc} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a)),x)

[Out] Piecewise((0, Eq(b, 0) & Eq(c, 0)), (x\*polylog(2, a\*c), Eq(b, 0)), (0, Eq(c, 0)), (-a\*polylog(1, a\*c + b\*c\*x)/b + a\*polylog(2, a\*c + b\*c\*x)/b - x\*polylog(1, a\*c + b\*c\*x) + x\*polylog(2, a\*c + b\*c\*x) - x + polylog(1, a\*c + b\*c\*x)/(b\*c), True))

$$3.141 \quad \int \frac{\text{Li}_2(c(a+bx))}{d+ex} dx$$

**Optimal.** Leaf size=591

$$\frac{\text{Li}_3\left(-\frac{e(1-c(a+bx))}{bc(d+ex)}\right)}{e} + \frac{\text{Li}_3\left(\frac{(bd-ae)(1-c(a+bx))}{b(d+ex)}\right)}{e} - \frac{\text{Li}_2\left(-\frac{e(1-c(a+bx))}{bc(d+ex)}\right) \log\left(\frac{b(d+ex)}{(1-c(a+bx))(bd-ae)}\right)}{e} + \frac{\text{Li}_2\left(\frac{(bd-ae)(1-c(a+bx))}{b(d+ex)}\right) \log\left(\frac{b(d+ex)}{(1-c(a+bx))(bd-ae)}\right)}{e}$$

[Out] 1/2\*(ln(c\*(b\*x+a))+ln((-a\*c\*e+b\*c\*d+e)/b/c/(e\*x+d))-ln((-a\*c\*e+b\*c\*d+e)\*(b\*x+a)/b/(e\*x+d)))\*ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a)))^2/e+ln(c\*(b\*x+a))\*ln(e\*x+d)\*ln(1-c\*(b\*x+a))/e-1/2\*(ln(c\*(b\*x+a))-ln(-e\*(b\*x+a)/(-a\*e+b\*d)))\*(ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a)))+ln(1-c\*(b\*x+a)))^2/e+ln(e\*x+d)\*polylog(2,c\*(b\*x+a))/e+(ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a)))+ln(1-c\*(b\*x+a)))\*polylog(2,b\*(e\*x+d)/(-a\*e+b\*d))/e+(ln(e\*x+d)-ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a))))\*polylog(2,1-c\*(b\*x+a))/e-ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a))\*polylog(2,-e\*(1-c\*(b\*x+a))/b/c/(e\*x+d))/e+ln(b\*(e\*x+d)/(-a\*e+b\*d)/(1-c\*(b\*x+a)))\*polylog(2,(-a\*e+b\*d)\*(1-c\*(b\*x+a))/b/(e\*x+d))/e-polylog(3,b\*(e\*x+d)/(-a\*e+b\*d))/e-polylog(3,1-c\*(b\*x+a))/e-polylog(3,-e\*(1-c\*(b\*x+a))/b/c/(e\*x+d))/e+polylog(3,(-a\*e+b\*d)\*(1-c\*(b\*x+a))/b/(e\*x+d))/e

**Rubi [A]** time = 0.52, antiderivative size = 591, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {6597, 2440, 2435}

$$\frac{\text{PolyLog}\left(3, -\frac{e(1-c(a+bx))}{bc(d+ex)}\right)}{e} + \frac{\text{PolyLog}\left(3, \frac{(1-c(a+bx))(bd-ae)}{b(d+ex)}\right)}{e} - \frac{\log\left(\frac{b(d+ex)}{(1-c(a+bx))(bd-ae)}\right) \text{PolyLog}\left(2, -\frac{e(1-c(a+bx))}{bc(d+ex)}\right)}{e} + \frac{\log\left(\frac{b(d+ex)}{(1-c(a+bx))(bd-ae)}\right) \text{PolyLog}\left(2, \frac{(bd-ae)(1-c(a+bx))}{b(d+ex)}\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/(d + e\*x), x]

[Out] ((Log[c\*(a + b\*x)] + Log[(b\*c\*d + e - a\*c\*e)/(b\*c\*(d + e\*x))]) - Log[((b\*c\*d + e - a\*c\*e)\*(a + b\*x))/(b\*(d + e\*x))])\*Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))]^2/(2\*e) + (Log[c\*(a + b\*x)]\*Log[d + e\*x]\*Log[1 - c\*(a + b\*x)])/e - ((Log[c\*(a + b\*x)] - Log[-((e\*(a + b\*x))/(b\*d - a\*e))])\*Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))] + Log[1 - c\*(a + b\*x)]^2/(2\*e) + (Log[d + e\*x]\*PolyLog[2, c\*(a + b\*x)])/e + ((Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))] + Log[1 - c\*(a + b\*x)])\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e])/e + ((Log[d + e\*x] - Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))])\*PolyLog[2, 1 - c\*(a + b\*x)])/e - (Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))]\*PolyLog[2, -((e\*(1 - c\*(a + b\*x)))/(b\*c\*(d + e\*x)))]/e + (Log[(b\*(d + e\*x))/((b\*d - a\*e)\*(1 - c\*(a + b\*x)))]\*PolyLog[2, ((b\*d - a\*e)\*(1 - c\*(a + b\*x)))/(b\*(d + e\*x))])/e - PolyLog[3, (b\*(d + e\*x))/(b\*d - a\*e])/e - PolyLog[3, 1 - c\*(a + b\*x)]/e - PolyLog[3, -((e\*(1 - c\*(a + b\*x)))/(b\*c\*(d + e\*x)))]/e

)/(b\*c\*(d + e\*x)))]/e + PolyLog[3, ((b\*d - a\*e)\*(1 - c\*(a + b\*x)))/(b\*(d + e\*x)))]/e

#### Rule 2435

```
Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp
[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)]
- Log[-(((b*c - a*d)*x)/(a*(c + d*x)))] + Log[(b*c - a*d)/(b*(c + d*x))])*L
og[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-
((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x]) /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 2440

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/l) + (e*x)/l)^n])*(f +
g*Log[h*(-((j*k - i*1)/l) + (j*x)/l)^m]), x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]
```

#### Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(c(a+bx))}{d+ex} dx &= \frac{\log(d+ex)\text{Li}_2(c(a+bx))}{e} + \frac{b \int \frac{\log(1-ac-bcx)\log(d+ex)}{a+bx} dx}{e} \\
&= \frac{\log(d+ex)\text{Li}_2(c(a+bx))}{e} + \frac{\text{Subst}\left(\int \frac{\log\left(-\frac{-abc-b(1-ac)}{b}-cx\right)\log\left(-\frac{-bd+ae}{b}+\frac{ex}{b}\right)}{x} dx, x, a+bx\right)}{e} \\
&= \frac{\left(\log(c(a+bx)) + \log\left(\frac{bcd+e-ace}{bc(d+ex)}\right) - \log\left(\frac{(bcd+e-ace)(a+bx)}{b(d+ex)}\right)\right) \log^2\left(\frac{b(d+ex)}{(bd-ae)(1-c(a+bx))}\right) + \log(c(a+bx))}{2e}
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 622, normalized size = 1.05

$$-\text{Li}_3\left(\frac{bc(d+ex)}{e(ac+bx-1)}\right) + \text{Li}_3\left(-\frac{b(d+ex)}{(bd-ae)(ac+bx-1)}\right) + \left(\text{Li}_2\left(\frac{bc(d+ex)}{e(ac+bx-1)}\right) - \text{Li}_2\left(-\frac{b(d+ex)}{(bd-ae)(ac+bx-1)}\right)\right) \log\left(-\frac{b(d+ex)}{(ac+bx-1)(bd-ae)}\right) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/(d + e\*x), x]

[Out] (Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + ((Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]^2\*(Log[c\*(a + b\*x)] - Log[((b\*c\*d + e - a\*c\*e)\*(a + b\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e - b\*c\*e\*x)]))/2 + Log[d + e\*x]\*PolyLog[2, c\*(a + b\*x)] + (Log[d + e\*x] - Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*PolyLog[2, 1 - a\*c - b\*c\*x] + (Log[1 - a\*c - b\*c\*x] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e)] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*(PolyLog[2, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))]] - PolyLog[2, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])) - PolyLog[3, 1 - a\*c - b\*c\*x] - PolyLog[3, (b\*(d + e\*x))/(b\*d - a\*e)] - PolyLog[3, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] + PolyLog[3, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]/e

**fricas [F]** time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{ex + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d),x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/(e\*x + d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx+a)c)}{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d),x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/(e\*x + d), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(2, c(bx+a))}{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/(e\*x+d),x)

[Out] int(polylog(2,c\*(b\*x+a))/(e\*x+d),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx+a)c)}{ex+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d),x, algorithm="maxima")

[Out] integrate(dilog((b\*x + a)\*c)/(e\*x + d), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\text{polylog}(2, c(a+bx))}{d+ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/(d + e\*x),x)

[Out] int(polylog(2, c\*(a + b\*x))/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(ac + bcx)}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d),x)

[Out] Integral(polylog(2, a\*c + b\*c\*x)/(d + e\*x), x)

$$3.142 \quad \int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^2} dx$$

**Optimal.** Leaf size=138

$$\frac{b\text{Li}_2(c(a+bx))}{e(bd-ae)} - \frac{\text{Li}_2(c(a+bx))}{e(d+ex)} + \frac{b\text{Li}_2\left(\frac{e(-ac-bcx+1)}{bcd-ace+e}\right)}{e(bd-ae)} + \frac{b \log(-ac-bcx+1) \log\left(\frac{bc(d+ex)}{-ace+bcd+e}\right)}{e(bd-ae)}$$

[Out]  $b*\ln(-b*c*x-a*c+1)*\ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/e/(-a*e+b*d)+b*\text{polylog}(2, c*(b*x+a))/e/(-a*e+b*d)-\text{polylog}(2, c*(b*x+a))/e/(e*x+d)+b*\text{polylog}(2, e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/e/(-a*e+b*d)$

**Rubi [A]** time = 0.18, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {6598, 2418, 2393, 2391, 2394}

$$\frac{b\text{PolyLog}(2, c(a+bx))}{e(bd-ae)} - \frac{\text{PolyLog}(2, c(a+bx))}{e(d+ex)} + \frac{b\text{PolyLog}\left(2, \frac{e(-ac-bcx+1)}{-ace+bcd+e}\right)}{e(bd-ae)} + \frac{b \log(-ac-bcx+1) \log\left(\frac{bc(d+ex)}{-ace+bcd+e}\right)}{e(bd-ae)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^2, x]

[Out]  $(b*\text{Log}[1 - a*c - b*c*x]*\text{Log}[(b*c*(d + e*x))/(b*c*d + e - a*c*e]))/(e*(b*d - a*e)) + (b*\text{PolyLog}[2, c*(a + b*x)]/(e*(b*d - a*e)) - \text{PolyLog}[2, c*(a + b*x)]/(e*(d + e*x)) + (b*\text{PolyLog}[2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)])/(e*(b*d - a*e))$

**Rule 2391**

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

**Rule 2393**

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))])\*(b\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

**Rule 2394**

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])/g, x] - Dist[(b\*e\*n)/g, Int[Log[(e\*(f + g\*x))/(e\*f - d\*g)]/(d + e\*x)]

, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0]

### Rule 2418

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*(RFx\_), x\_Symbol] := With[{u = ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n]^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]

### Rule 6598

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*PolyLog[2, c\*(a + b\*x)]/(e\*(m + 1)), x] + Dist[b/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*Log[1 - a\*c - b\*c\*x])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(c(a + bx))}{(d + ex)^2} dx &= -\frac{\text{Li}_2(c(a + bx))}{e(d + ex)} - \frac{b \int \frac{\log(1-ac-bcx)}{(a+bx)(d+ex)} dx}{e} \\
 &= -\frac{\text{Li}_2(c(a + bx))}{e(d + ex)} - \frac{b \int \left( \frac{b \log(1-ac-bcx)}{(bd-ae)(a+bx)} - \frac{e \log(1-ac-bcx)}{(bd-ae)(d+ex)} \right) dx}{e} \\
 &= -\frac{\text{Li}_2(c(a + bx))}{e(d + ex)} + \frac{b \int \frac{\log(1-ac-bcx)}{d+ex} dx}{bd - ae} - \frac{b^2 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{e(bd - ae)} \\
 &= \frac{b \log(1 - ac - bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{e(bd - ae)} - \frac{\text{Li}_2(c(a + bx))}{e(d + ex)} - \frac{b \text{Subst}\left(\int \frac{\log(1-cx)}{x} dx, x, a + bx\right)}{e(bd - ae)} + \\
 &= \frac{b \log(1 - ac - bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{e(bd - ae)} + \frac{b \text{Li}_2(c(a + bx))}{e(bd - ae)} - \frac{\text{Li}_2(c(a + bx))}{e(d + ex)} - \frac{b \text{Subst}\left(\int \frac{\log(1+)}{x} dx, x, a + bx\right)}{e(bd - ae)} \\
 &= \frac{b \log(1 - ac - bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{e(bd - ae)} + \frac{b \text{Li}_2(c(a + bx))}{e(bd - ae)} - \frac{\text{Li}_2(c(a + bx))}{e(d + ex)} + \frac{b \text{Li}_2\left(\frac{e(1-ac-bcx)}{bcd+e-ace}\right)}{e(bd - ae)}
 \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 108, normalized size = 0.78

$$\frac{b \left( \text{Li}_2\left(\frac{e(ac+bx-1)}{-bcd+ace-e}\right) + \log(-ac-bcx+1) \log\left(\frac{bc(d+ex)}{-ace+bcd+e}\right) + \text{Li}_2(c(a+bx)) \right)}{bd-ae} - \frac{\text{Li}_2(c(a+bx))}{d+ex}$$

$e$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^2, x]

[Out]  $-(\text{PolyLog}[2, c*(a + b*x)]/(d + e*x)) + (b*(\text{Log}[1 - a*c - b*c*x]*\text{Log}[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] + \text{PolyLog}[2, c*(a + b*x)] + \text{PolyLog}[2, (e*(-1 + a*c + b*c*x))/(-b*c*d - e + a*c*e)]))/(b*d - a*e)/e$

**fricas** [F] time = 1.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bc x + ac)}{e^2 x^2 + 2 d e x + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a))/(e\*x+d)^2, x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/(e^2\*x^2 + 2\*d\*e\*x + d^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx + a)c)}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a))/(e\*x+d)^2, x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/(e\*x + d)^2, x)

**maple** [A] time = 0.03, size = 189, normalized size = 1.37

$$\frac{bc \text{ polylog}(2, bcx + ac)}{(bcx + bcd)e} - \frac{b \text{ dilog}\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{e(ae - bd)} - \frac{b \ln(-bcx - ac + 1) \ln\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{e(ae - bd)} - b \text{ dilog}\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(b\*x+a))/(e\*x+d)^2, x)

[Out]  $-b*c/(b*c*e*x + b*c*d)/e \text{ polylog}(2, b*c*x + a*c) - b/e/(a*e - b*d) * \text{dilog}((a*c*e - b*c*d + e*(-b*c*x - a*c + 1) - e)/(a*c*e - b*c*d - e)) - b/e/(a*e - b*d) * \ln(-b*c*x - a*c + 1) * \ln((a*c*e - b*c*d + e*(-b*c*x - a*c + 1) - e)/(a*c*e - b*c*d - e)) - b/e * \text{dilog}(-b*c*x - a*c + 1)/(a*e - b*d)$

**maxima** [A] time = 0.32, size = 166, normalized size = 1.20

$$\frac{(\log(bc x + ac) \log(-bc x - ac + 1) + \text{Li}_2(-bc x - ac + 1))b}{bde - ae^2} + \frac{(\log(-bc x - ac + 1) \log\left(\frac{bcx + (ac-1)e}{bcd - (ac-1)e} + 1\right) + \text{Li}_2\left(\frac{bcx + (ac-1)e}{bcd - (ac-1)e} + 1\right))b}{bde - ae^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)^2,x, algorithm="maxima")

[Out]  $-(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \operatorname{dilog}(-b*c*x - a*c + 1))*b/(b*d*e - a*e^2) + (\log(-b*c*x - a*c + 1)*\log((b*c*e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e) + 1) + \operatorname{dilog}(-(b*c*e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e)))*b/(b*d*e - a*e^2) - \operatorname{dilog}(b*c*x + a*c)/(e^2*x + d*e)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{polylog}(2, c(a + bx))}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/(d + e\*x)^2,x)

[Out] int(polylog(2, c\*(a + b\*x))/(d + e\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ac + bcx)}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)\*\*2,x)

[Out] Integral(polylog(2, a\*c + b\*c\*x)/(d + e\*x)\*\*2, x)

$$3.143 \quad \int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^3} dx$$

**Optimal.** Leaf size=278

$$\frac{b^2 \text{Li}_2(c(a+bx))}{2e(bd-ae)^2} + \frac{b^2 \text{Li}_2\left(\frac{e(-ac-bcx+1)}{bcd-ace+e}\right)}{2e(bd-ae)^2} + \frac{b^2 c \log(-ac-bcx+1)}{2e(bd-ae)(-ace+bcd+e)} - \frac{b^2 c \log(d+ex)}{2e(bd-ae)(-ace+bcd+e)} + \frac{b^2 \log(-ac-...)}{2e(bd-ae)(-ace+bcd+e)}$$

[Out]  $1/2*b^2*c*\ln(-b*c*x-a*c+1)/e/(-a*e+b*d)/(-a*c*e+b*c*d+e)-1/2*b*\ln(-b*c*x-a*c+1)/e/(-a*e+b*d)/(e*x+d)-1/2*b^2*c*\ln(e*x+d)/e/(-a*e+b*d)/(-a*c*e+b*c*d+e)+1/2*b^2*\ln(-b*c*x-a*c+1)*\ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/e/(-a*e+b*d)^2+1/2*b^2*\text{polylog}(2,c*(b*x+a))/e/(-a*e+b*d)^2-1/2*\text{polylog}(2,c*(b*x+a))/e/(e*x+d)^2+1/2*b^2*\text{polylog}(2,e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/e/(-a*e+b*d)^2$

**Rubi [A]** time = 0.27, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {6598, 2418, 2393, 2391, 2395, 36, 31, 2394}

$$\frac{b^2 \text{PolyLog}(2, c(a+bx))}{2e(bd-ae)^2} + \frac{b^2 \text{PolyLog}\left(2, \frac{e(-ac-bcx+1)}{-ace+bcd+e}\right)}{2e(bd-ae)^2} - \frac{\text{PolyLog}(2, c(a+bx))}{2e(d+ex)^2} + \frac{b^2 c \log(-ac-bcx+1)}{2e(bd-ae)(-ace+bcd+e)} - \frac{b^2 c \log(d+ex)}{2e(bd-ae)(-ace+bcd+e)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^3, x]

[Out]  $(b^2*c*\text{Log}[1-a*c-b*c*x])/(2*e*(b*d-a*e)*(b*c*d+e-a*c*e)) - (b*\text{Log}[1-a*c-b*c*x])/(2*e*(b*d-a*e)*(d+e*x)) - (b^2*c*\text{Log}[d+e*x])/(2*e*(b*d-a*e)*(b*c*d+e-a*c*e)) + (b^2*\text{Log}[1-a*c-b*c*x]*\text{Log}[(b*c*(d+e*x))/(b*c*d+e-a*c*e)])/(2*e*(b*d-a*e)^2) + (b^2*\text{PolyLog}[2, c*(a+b*x)])/(2*e*(b*d-a*e)^2) - \text{PolyLog}[2, c*(a+b*x)]/(2*e*(d+e*x)^2) + (b^2*\text{PolyLog}[2, (e*(1-a*c-b*c*x))/(b*c*d+e-a*c*e)])/(2*e*(b*d-a*e)^2)$

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]
```

### Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n]))/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

### Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_)^(m_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] + Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^3} dx &= -\frac{\text{Li}_2(c(a+bx))}{2e(d+ex)^2} - \frac{b \int \frac{\log(1-ac-bcx)}{(a+bx)(d+ex)^2} dx}{2e} \\
&= -\frac{\text{Li}_2(c(a+bx))}{2e(d+ex)^2} - \frac{b \int \left( \frac{b^2 \log(1-ac-bcx)}{(bd-ae)^2(a+bx)} - \frac{e \log(1-ac-bcx)}{(bd-ae)(d+ex)^2} - \frac{be \log(1-ac-bcx)}{(bd-ae)^2(d+ex)} \right) dx}{2e} \\
&= -\frac{\text{Li}_2(c(a+bx))}{2e(d+ex)^2} + \frac{b^2 \int \frac{\log(1-ac-bcx)}{d+ex} dx}{2(bd-ae)^2} - \frac{b^3 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{2e(bd-ae)^2} + \frac{b \int \frac{\log(1-ac-bcx)}{(d+ex)^2} dx}{2(bd-ae)} \\
&= -\frac{b \log(1-ac-bcx)}{2e(bd-ae)(d+ex)} + \frac{b^2 \log(1-ac-bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{2e(bd-ae)^2} - \frac{\text{Li}_2(c(a+bx))}{2e(d+ex)^2} - \frac{b^2 \text{Subst}}{2e} \\
&= -\frac{b \log(1-ac-bcx)}{2e(bd-ae)(d+ex)} + \frac{b^2 \log(1-ac-bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{2e(bd-ae)^2} + \frac{b^2 \text{Li}_2(c(a+bx))}{2e(bd-ae)^2} - \frac{\text{Li}_2(c(a+bx))}{2e(d+ex)^2} \\
&= \frac{b^2 c \log(1-ac-bcx)}{2e(bd-ae)(bcd+e-ace)} - \frac{b \log(1-ac-bcx)}{2e(bd-ae)(d+ex)} - \frac{b^2 c \log(d+ex)}{2e(bd-ae)(bcd+e-ace)} + \frac{b^2 \log(1-ac-bcx)}{2e}
\end{aligned}$$

**Mathematica [A]** time = 0.31, size = 190, normalized size = 0.68

$$\frac{b \left( b \text{Li}_2\left(\frac{e(ac+bx-1)}{(ac-1)e-bcd}\right) + b \log(-ac-bcx+1) \log\left(\frac{bc(d+ex)}{-ace+bcd+e}\right) - \frac{(bd-ae) \log(-ac-bcx+1)}{d+ex} + \frac{bc(bd-ae)(\log(-ac-bcx+1) - \log(d+ex))}{-ace+bcd+e} + b \text{Li}_2(c(a+bx)) \right)}{(bd-ae)^2} - \frac{\text{Li}_2(c(a+bx))}{(d+ex)^2}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^3, x]

[Out]  $(-\text{PolyLog}[2, c*(a + b*x)]/(d + e*x)^2) + (b*(-(((b*d - a*e)*\text{Log}[1 - a*c - b*c*x])/(d + e*x)) + (b*c*(b*d - a*e)*(\text{Log}[1 - a*c - b*c*x] - \text{Log}[d + e*x]))/(b*c*d + e - a*c*e) + b*\text{Log}[1 - a*c - b*c*x]*\text{Log}[(b*c*(d + e*x))/(b*c*d + e - a*c*e)]) + b*\text{PolyLog}[2, c*(a + b*x)] + b*\text{PolyLog}[2, (e*(-1 + a*c + b*c*x))/(- (b*c*d) + (-1 + a*c)*e)])/(b*d - a*e)^2)/(2*e)$

**fricas [F]** time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bcx + ac)}{e^3 x^3 + 3 d e^2 x^2 + 3 d^2 e x + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)^3,x, algorithm="fricas")

[Out] integral(dilog(b\*c\*x + a\*c)/(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx+a)c)}{(ex+d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)^3,x, algorithm="giac")

[Out] integrate(dilog((b\*x + a)\*c)/(e\*x + d)^3, x)

**maple** [A] time = 0.02, size = 437, normalized size = 1.57

$$-\frac{b^2 c^2 \text{polylog}(2, bcx + ac)}{2(bcex + bcd)^2 e} + \frac{b^2 \text{dilog}\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{2e(ae - bd)^2} + \frac{b^2 \ln(-bcx - ac + 1) \ln\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{2e(ae - bd)^2} + \frac{b^2}{2e(ae - bd)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,c\*(b\*x+a))/(e\*x+d)^3,x)

[Out]  $-\frac{1}{2}b^2c^2/(b^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^2/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^3/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^4/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^5/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^6/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^7/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^8/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^9/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{10}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{11}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{12}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{13}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{14}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{15}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{16}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{17}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{18}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{19}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{20}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{21}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{22}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{23}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{24}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{25}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{26}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{27}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{28}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{29}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{30}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{31}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{32}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{33}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{34}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{35}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{36}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{37}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{38}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{39}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{40}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{41}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{42}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{43}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{44}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{45}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{46}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{47}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{48}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{49}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{50}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{51}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{52}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{53}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{54}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{55}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{56}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{57}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{58}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{59}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{60}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{61}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{62}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{63}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{64}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{65}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{66}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{67}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{68}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{69}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{70}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{71}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{72}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{73}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{74}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{75}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{76}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{77}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{78}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{79}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{80}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{81}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{82}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{83}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{84}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{85}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{86}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{87}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{88}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{89}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{90}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{91}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{92}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{93}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{94}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{95}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{96}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{97}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{98}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{99}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3) + \frac{1}{2}b^2c^2e^{100}/(a^2c^2e^2 + b^2cd^2e^2 + a^2c^2e^3)$

**maxima** [A] time = 0.32, size = 379, normalized size = 1.36

$$\frac{b^2 c \log(bc x + ac - 1)}{2(b^2 cd^2 e - (2 abc - b) de^2 + (a^2 c - a) e^3)} - \frac{b^2 c \log(ex + d)}{2(b^2 cd^2 e - (2 abc - b) de^2 + (a^2 c - a) e^3)} - \frac{(\log(bc x + ac) \log(-bc x - a))}{2(b^2 d^2 e - 2 abc d + a^2 c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)^3,x, algorithm="maxima")

[Out]  $\frac{1}{2}b^2c^2 \log(bc x + ac - 1) / (b^2cd^2e^2 + (2abc - b)de^2 + a^2c^2e^3) - \frac{1}{2}b^2c^2 \log(ex + d) / (b^2cd^2e^2 + (2abc - b)de^2 + a^2c^2e^3) - \frac{1}{2}(\log(bc x + ac) \log(-bc x - a)) / (b^2d^2e - 2abc d + a^2c^2) + \text{dilog}(-bc x + a)$

$$\begin{aligned}
 & - a*c + 1)) * b^2 / (b^2*d^2*e - 2*a*b*d*e^2 + a^2*e^3) + 1/2*(\log(-b*c*x - a*c \\
 & + 1)*\log((b*c*e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e) + 1) + \operatorname{dilog}(-(b*c* \\
 & e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e))) * b^2 / (b^2*d^2*e - 2*a*b*d*e^2 + a \\
 & ^2*e^3) - 1/2*((b*d - a*e)*\operatorname{dilog}(b*c*x + a*c) + (b*e*x + b*d)*\log(-b*c*x - \\
 & a*c + 1)) / (b*d^3*e - a*d^2*e^2 + (b*d*e^3 - a*e^4)*x^2 + 2*(b*d^2*e^2 - a*d \\
 & *e^3)*x)
 \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{polylog}(2, c(a + bx))}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(2, c*(a + b*x))/(d + e*x)^3, x)`

[Out] `int(polylog(2, c*(a + b*x))/(d + e*x)^3, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(ac + bcx)}{(d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(2, c*(b*x+a))/(e*x+d)**3, x)`

[Out] `Integral(polylog(2, a*c + b*c*x)/(d + e*x)**3, x)`

$$3.144 \quad \int \frac{\text{Li}_2(c(a+bx))}{(d+ex)^4} dx$$

**Optimal.** Leaf size=448

$$\frac{b^3 c^2 \log(-ac - bcx + 1)}{6e(bd - ae)(-ace + bcd + e)^2} - \frac{b^3 c^2 \log(d + ex)}{6e(bd - ae)(-ace + bcd + e)^2} + \frac{b^3 \text{Li}_2(c(a + bx))}{3e(bd - ae)^3} + \frac{b^3 \text{Li}_2\left(\frac{e(-ac-bcx+1)}{bcd-ace+e}\right)}{3e(bd - ae)^3} + \frac{b^3 c \log(-)}{3e(bd - ae)^2}$$

[Out] 1/6\*b^2\*c/e/(-a\*e+b\*d)/(-a\*c\*e+b\*c\*d+e)/(e\*x+d)+1/6\*b^3\*c^2\*ln(-b\*c\*x-a\*c+1)/e/(-a\*e+b\*d)/(-a\*c\*e+b\*c\*d+e)^2+1/3\*b^3\*c\*ln(-b\*c\*x-a\*c+1)/e/(-a\*e+b\*d)^2/(-a\*c\*e+b\*c\*d+e)-1/6\*b\*ln(-b\*c\*x-a\*c+1)/e/(-a\*e+b\*d)/(e\*x+d)^2-1/3\*b^2\*ln(-b\*c\*x-a\*c+1)/e/(-a\*e+b\*d)^2/(e\*x+d)-1/6\*b^3\*c^2\*ln(e\*x+d)/e/(-a\*e+b\*d)/(-a\*c\*e+b\*c\*d+e)^2-1/3\*b^3\*c\*ln(e\*x+d)/e/(-a\*e+b\*d)^2/(-a\*c\*e+b\*c\*d+e)+1/3\*b^3\*ln(-b\*c\*x-a\*c+1)\*ln(b\*c\*(e\*x+d)/(-a\*c\*e+b\*c\*d+e))/e/(-a\*e+b\*d)^3+1/3\*b^3\*polylog(2,c\*(b\*x+a))/e/(-a\*e+b\*d)^3-1/3\*polylog(2,c\*(b\*x+a))/e/(e\*x+d)^3+1/3\*b^3\*polylog(2,e\*(-b\*c\*x-a\*c+1)/(-a\*c\*e+b\*c\*d+e))/e/(-a\*e+b\*d)^3

**Rubi [A]** time = 0.43, antiderivative size = 448, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$ , Rules used = {6598, 2418, 2393, 2391, 2395, 44, 36, 31, 2394}

$$\frac{b^3 \text{PolyLog}(2, c(a + bx))}{3e(bd - ae)^3} + \frac{b^3 \text{PolyLog}\left(2, \frac{e(-ac-bcx+1)}{-ace+bcd+e}\right)}{3e(bd - ae)^3} - \frac{\text{PolyLog}(2, c(a + bx))}{3e(d + ex)^3} + \frac{b^3 c^2 \log(-ac - bcx + 1)}{6e(bd - ae)(-ace + bcd + e)^2} - \frac{b^3 c \log(-)}{3e(bd - ae)^2}$$

Antiderivative was successfully verified.

[In] Int [PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^4, x]

[Out] (b^2\*c)/(6\*e\*(b\*d - a\*e)\*(b\*c\*d + e - a\*c\*e)\*(d + e\*x)) + (b^3\*c^2\*Log[1 - a\*c - b\*c\*x])/(6\*e\*(b\*d - a\*e)\*(b\*c\*d + e - a\*c\*e)^2) + (b^3\*c\*Log[1 - a\*c - b\*c\*x])/(3\*e\*(b\*d - a\*e)^2\*(b\*c\*d + e - a\*c\*e)) - (b\*Log[1 - a\*c - b\*c\*x])/(6\*e\*(b\*d - a\*e)\*(d + e\*x)^2) - (b^2\*Log[1 - a\*c - b\*c\*x])/(3\*e\*(b\*d - a\*e)^2\*(d + e\*x)) - (b^3\*c^2\*Log[d + e\*x])/(6\*e\*(b\*d - a\*e)\*(b\*c\*d + e - a\*c\*e)^2) - (b^3\*c\*Log[d + e\*x])/(3\*e\*(b\*d - a\*e)^2\*(b\*c\*d + e - a\*c\*e)) + (b^3\*Log[1 - a\*c - b\*c\*x]\*Log[(b\*c\*(d + e\*x))/(b\*c\*d + e - a\*c\*e)])/(3\*e\*(b\*d - a\*e)^3) + (b^3\*PolyLog[2, c\*(a + b\*x)])/(3\*e\*(b\*d - a\*e)^3) - PolyLog[2, c\*(a + b\*x)]/(3\*e\*(d + e\*x)^3) + (b^3\*PolyLog[2, (e\*(1 - a\*c - b\*c\*x))/(b\*c\*d + e - a\*c\*e)])/(3\*e\*(b\*d - a\*e)^3)

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

```
Int[1/((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 44

```
Int[((a_) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_.))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.))]*(b_.))/((f_.) + (g_.)*(x_.)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)
]^n))/g, x] - Dist[(b*e^n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
))^ (q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e^n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.))^(n_.)]*(b_.))^ (p_.)*(RFx_), x_Sy
mbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n]^p, RFx, x]},
Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
```

RfX, x] && IntegerQ[p]

### Rule 6598

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))], x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*PolyLog[2, c\*(a + b\*x)]/(e\*(m + 1)), x] + Dist[b/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*Log[1 - a\*c - b\*c\*x]/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(c(a + bx))}{(d + ex)^4} dx &= -\frac{\text{Li}_2(c(a + bx))}{3e(d + ex)^3} - \frac{b \int \frac{\log(1-ac-bcx)}{(a+bx)(d+ex)^3} dx}{3e} \\
 &= -\frac{\text{Li}_2(c(a + bx))}{3e(d + ex)^3} - \frac{b \int \left( \frac{b^3 \log(1-ac-bcx)}{(bd-ae)^3(a+bx)} - \frac{e \log(1-ac-bcx)}{(bd-ae)(d+ex)^3} - \frac{be \log(1-ac-bcx)}{(bd-ae)^2(d+ex)^2} - \frac{b^2 e \log(1-ac-bcx)}{(bd-ae)^3(d+ex)} \right) dx}{3e} \\
 &= -\frac{\text{Li}_2(c(a + bx))}{3e(d + ex)^3} + \frac{b^3 \int \frac{\log(1-ac-bcx)}{d+ex} dx}{3(bd - ae)^3} - \frac{b^4 \int \frac{\log(1-ac-bcx)}{a+bx} dx}{3e(bd - ae)^3} + \frac{b^2 \int \frac{\log(1-ac-bcx)}{(d+ex)^2} dx}{3(bd - ae)^2} + \frac{b \int \frac{\log(1-ac-bcx)}{d+ex} dx}{3e} \\
 &= -\frac{b \log(1 - ac - bcx)}{6e(bd - ae)(d + ex)^2} - \frac{b^2 \log(1 - ac - bcx)}{3e(bd - ae)^2(d + ex)} + \frac{b^3 \log(1 - ac - bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{3e(bd - ae)^3} - \frac{\text{Li}_2(c(a + bx))}{3e} \\
 &= -\frac{b \log(1 - ac - bcx)}{6e(bd - ae)(d + ex)^2} - \frac{b^2 \log(1 - ac - bcx)}{3e(bd - ae)^2(d + ex)} + \frac{b^3 \log(1 - ac - bcx) \log\left(\frac{bc(d+ex)}{bcd+e-ace}\right)}{3e(bd - ae)^3} + \frac{b^3 \text{Li}_2(c(a + bx))}{3e} \\
 &= \frac{b^2 c}{6e(bd - ae)(bcd + e - ace)(d + ex)} + \frac{b^3 c^2 \log(1 - ac - bcx)}{6e(bd - ae)(bcd + e - ace)^2} + \frac{b^3 c \log(1 - ac - bcx)}{3e(bd - ae)^2(bcd + e - ace)}
 \end{aligned}$$

**Mathematica [A]** time = 0.53, size = 313, normalized size = 0.70

$$\frac{b \left( 2b^2 \text{Li}_2\left(\frac{e(ac+bx-1)}{(ac-1)e-bcd}\right) + \frac{2b^2 c(bd-ae)(\log(-ac-bcx+1)-\log(d+ex))}{-ace+bcd+e} + 2b^2 \log(-ac-bcx+1) \log\left(\frac{bc(d+ex)}{-ace+bcd+e}\right) + 2b^2 \text{Li}_2(c(a+bx)) - \frac{2b(bd-ae) \log(-ac-bcx+1)}{d+ex} + \frac{bc(bd-ae)^2}{(bd-ae)^3} \right)}{6e}$$

6e

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, c\*(a + b\*x)]/(d + e\*x)^4, x]

```
[Out] ((-2*PolyLog[2, c*(a + b*x)])/(d + e*x)^3 + (b*(-(((b*d - a*e)^2*Log[1 - a*c - b*c*x])/(d + e*x)^2) - (2*b*(b*d - a*e)*Log[1 - a*c - b*c*x])/(d + e*x) + (2*b^2*c*(b*d - a*e)*(Log[1 - a*c - b*c*x] - Log[d + e*x]))/(b*c*d + e - a*c*e) + (b*c*(b*d - a*e)^2*(b*c*d + e - a*c*e + b*c*(d + e*x)*Log[1 - a*c - b*c*x] - b*c*(d + e*x)*Log[d + e*x]))/((b*c*d + e - a*c*e)^2*(d + e*x)) + 2*b^2*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] + 2*b^2*PolyLog[2, c*(a + b*x)] + 2*b^2*PolyLog[2, (e*(-1 + a*c + b*c*x))/(-(b*c*d) + (-1 + a*c)*e)])))/(b*d - a*e)^3)/(6*e)
```

**fricas** [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(bcx + ac)}{e^4x^4 + 4de^3x^3 + 6d^2e^2x^2 + 4d^3ex + d^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, c*(b*x+a))/(e*x+d)^4, x, algorithm="fricas")
```

```
[Out] integral(dilog(b*c*x + a*c)/(e^4*x^4 + 4*d*e^3*x^3 + 6*d^2*e^2*x^2 + 4*d^3*e*x + d^4), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2((bx + a)c)}{(ex + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2, c*(b*x+a))/(e*x+d)^4, x, algorithm="giac")
```

```
[Out] integrate(dilog((b*x + a)*c)/(e*x + d)^4, x)
```

**maple** [B] time = 0.04, size = 1075, normalized size = 2.40

$$\frac{b^3c^3 \text{polylog}(2, bcx + ac)}{3(bcex + bcd)^3 e} - \frac{b^3 \text{dilog}\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{3e(ae - bd)^3} - \frac{b^3 \ln(-bcx - ac + 1) \ln\left(\frac{ace - bcd + e(-bcx - ac + 1) - e}{ace - bcd - e}\right)}{3e(ae - bd)^3} - \frac{b^3}{3e(ae - bd)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, c*(b*x+a))/(e*x+d)^4, x)
```

```
[Out] -1/3*b^3*c^3/(b*c*e*x+b*c*d)^3/e*polylog(2, b*c*x+a*c) - 1/3*b^3/e/(a*e-b*d)^3*dilog((a*c*e-b*c*d+e*(-b*c*x-a*c+1)-e)/(a*c*e-b*c*d-e)) - 1/3*b^3/e/(a*e-b*d)^3*ln(-b*c*x-a*c+1)*ln((a*c*e-b*c*d+e*(-b*c*x-a*c+1)-e)/(a*c*e-b*c*d-e)) - 1/3*b^3/e*dilog(-b*c*x-a*c+1)/(a*e-b*d)^3 + 1/3*b^3*c/e/(a*e-b*d)^2/(a*c*e-b*c*d-e)*ln(a*c*e-b*c*d+e*(-b*c*x-a*c+1)-e) + 1/3*b^4*c^2/(a*e-b*d)^2*ln(-b*c*x-
```

$$\begin{aligned} & a*c+1)/(a*c*e-b*c*d-e)/(-b*c*e*x-b*c*d)*x+1/3*b^3*c^2/(a*e-b*d)^2*\ln(-b*c*x \\ & -a*c+1)/(a*c*e-b*c*d-e)/(-b*c*e*x-b*c*d)*a-1/3*b^3*c/(a*e-b*d)^2*\ln(-b*c*x- \\ & a*c+1)/(a*c*e-b*c*d-e)/(-b*c*e*x-b*c*d)+1/6*b^3*c^2/e/(a*e-b*d)/(a*c*e-b*c* \\ & d-e)^2*\ln(a*c*e-b*c*d+e*(-b*c*x-a*c+1)-e)-1/6*b^3*c^3/(a*e-b*d)/(a*c*e-b*c* \\ & d-e)^2/(-b*c*e*x-b*c*d)*a+1/6*b^4*c^3/e/(a*e-b*d)/(a*c*e-b*c*d-e)^2/(-b*c*e \\ & *x-b*c*d)*d+1/6*b^3*c^2/(a*e-b*d)/(a*c*e-b*c*d-e)^2/(-b*c*e*x-b*c*d)-1/6*b^ \\ & 5*c^4*e/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c*d)^2/(a*c*e-b*c*d-e)^2*x^2 \\ & -1/3*b^5*c^4/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c*d)^2/(a*c*e-b*c*d-e)^ \\ & 2*x*d+1/6*b^3*c^4*e/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c*d)^2/(a*c*e-b* \\ & c*d-e)^2*a^2-1/3*b^4*c^4/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c*d)^2/(a*c \\ & *e-b*c*d-e)^2*a*d-1/3*b^3*c^3*e/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c*d) \\ & ^2/(a*c*e-b*c*d-e)^2*a+1/3*b^4*c^3/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e*x-b*c \\ & *d)^2/(a*c*e-b*c*d-e)^2*d+1/6*b^3*c^2*e/(a*e-b*d)*\ln(-b*c*x-a*c+1)/(-b*c*e* \\ & x-b*c*d)^2/(a*c*e-b*c*d-e)^2 \end{aligned}$$

**maxima [B]** time = 0.38, size = 1428, normalized size = 3.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,c\*(b\*x+a))/(e\*x+d)^4,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/3*(\log(b*c*x + a*c)*\log(-b*c*x - a*c + 1) + \operatorname{dilog}(-b*c*x - a*c + 1))*b^3 \\ & / (b^3*d^3*e - 3*a*b^2*d^2*e^2 + 3*a^2*b*d*e^3 - a^3*e^4) + 1/3*(\log(-b*c*x \\ & - a*c + 1)*\log((b*c*e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e) + 1) + \operatorname{dilog}(- \\ & (b*c*e*x + (a*c - 1)*e)/(b*c*d - (a*c - 1)*e))*b^3/(b^3*d^3*e - 3*a*b^2*d^ \\ & 2*e^2 + 3*a^2*b*d*e^3 - a^3*e^4) - 1/6*(3*b^4*c^2*d - (3*a*b^3*c^2 - 2*b^3*c \\ & c)*e)*\log(e*x + d)/(b^4*c^2*d^4*e - 2*(2*a*b^3*c^2 - b^3*c)*d^3*e^2 + (6*a^ \\ & 2*b^2*c^2 - 6*a*b^2*c + b^2)*d^2*e^3 - 2*(2*a^3*b*c^2 - 3*a^2*b*c + a*b)*d* \\ & e^4 + (a^4*c^2 - 2*a^3*c + a^2)*e^5) + 1/6*(b^4*c^2*d^4 - (2*a*b^3*c^2 - b^ \\ & 3*c)*d^3*e + (a^2*b^2*c^2 - a*b^2*c)*d^2*e^2 + (b^4*c^2*d^2*e^2 - (2*a*b^3*c \\ & c^2 - b^3*c)*d*e^3 + (a^2*b^2*c^2 - a*b^2*c)*e^4)*x^2 + 2*(b^4*c^2*d^3*e - \\ & (2*a*b^3*c^2 - b^3*c)*d^2*e^2 + (a^2*b^2*c^2 - a*b^2*c)*d*e^3)*x - 2*(b^4*c \\ & ^2*d^4 - 2*(2*a*b^3*c^2 - b^3*c)*d^3*e + (6*a^2*b^2*c^2 - 6*a*b^2*c + b^2)* \\ & d^2*e^2 - 2*(2*a^3*b*c^2 - 3*a^2*b*c + a*b)*d*e^3 + (a^4*c^2 - 2*a^3*c + a^ \\ & 2)*e^4)*\operatorname{dilog}(b*c*x + a*c) + (4*(a*b^3*c^2 - b^3*c)*d^3*e - (5*a^2*b^2*c^2 \\ & - 8*a*b^2*c + 3*b^2)*d^2*e^2 + (a^3*b*c^2 - 2*a^2*b*c + a*b)*d*e^3 + (3*b^4 \\ & *c^2*d*e^3 - (3*a*b^3*c^2 - 2*b^3*c)*e^4)*x^3 + (7*b^4*c^2*d^2*e^2 - (5*a*b \\ & ^3*c^2 - 2*b^3*c)*d*e^3 - 2*(a^2*b^2*c^2 - 2*a*b^2*c + b^2)*e^4)*x^2 + (4*b \\ & ^4*c^2*d^3*e + 2*(a*b^3*c^2 - 2*b^3*c)*d^2*e^2 - (7*a^2*b^2*c^2 - 12*a*b^2*c \\ & c + 5*b^2)*d*e^3 + (a^3*b*c^2 - 2*a^2*b*c + a*b)*e^4)*x)*\log(-b*c*x - a*c + \\ & 1))/(b^4*c^2*d^7*e - 2*(2*a*b^3*c^2 - b^3*c)*d^6*e^2 + (6*a^2*b^2*c^2 - 6* \\ & a*b^2*c + b^2)*d^5*e^3 - 2*(2*a^3*b*c^2 - 3*a^2*b*c + a*b)*d^4*e^4 + (a^4*c \\ & ^2 - 2*a^3*c + a^2)*d^3*e^5 + (b^4*c^2*d^4*e^4 - 2*(2*a*b^3*c^2 - b^3*c)*d^ \\ & 3*e^5 + (6*a^2*b^2*c^2 - 6*a*b^2*c + b^2)*d^2*e^6 - 2*(2*a^3*b*c^2 - 3*a^2* \end{aligned}$$



$b*c + a*b)*d*e^7 + (a^4*c^2 - 2*a^3*c + a^2)*e^8)*x^3 + 3*(b^4*c^2*d^5*e^3 - 2*(2*a*b^3*c^2 - b^3*c)*d^4*e^4 + (6*a^2*b^2*c^2 - 6*a*b^2*c + b^2)*d^3*e^5 - 2*(2*a^3*b*c^2 - 3*a^2*b*c + a*b)*d^2*e^6 + (a^4*c^2 - 2*a^3*c + a^2)*d*e^7)*x^2 + 3*(b^4*c^2*d^6*e^2 - 2*(2*a*b^3*c^2 - b^3*c)*d^5*e^3 + (6*a^2*b^2*c^2 - 6*a*b^2*c + b^2)*d^4*e^4 - 2*(2*a^3*b*c^2 - 3*a^2*b*c + a*b)*d^3*e^5 + (a^4*c^2 - 2*a^3*c + a^2)*d^2*e^6)*x$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\text{polylog}(2, c(a + bx))}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))/(d + e\*x)^4, x)

[Out] int(polylog(2, c\*(a + b\*x))/(d + e\*x)^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, c\*(b\*x+a))/(e\*x+d)\*\*4, x)

[Out] Timed out

$$3.145 \quad \int \frac{\text{Li}_2(x)}{-1+x} dx$$

**Optimal.** Leaf size=46

$$-2\text{Li}_3(1-x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

[Out]  $\ln(1-x)^2*\ln(x)+2*\ln(1-x)*\text{polylog}(2,1-x)+\ln(1-x)*\text{polylog}(2,x)-2*\text{polylog}(3,1-x)$

**Rubi [A]** time = 0.07, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {6596, 2396, 2433, 2374, 6589}

$$-2\text{PolyLog}(3,1-x) + 2\log(1-x)\text{PolyLog}(2,1-x) + \log(1-x)\text{PolyLog}(2,x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In] Int [PolyLog[2, x]/(-1 + x), x]

[Out] Log[1 - x]^2\*Log[x] + 2\*Log[1 - x]\*PolyLog[2, 1 - x] + Log[1 - x]\*PolyLog[2, x] - 2\*PolyLog[3, 1 - x]

#### Rule 2374

Int[(Log[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^(m\_.))]\*(a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)]/(x\_), x\_Symbol] :> -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

#### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)]/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

#### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_)^(m\_.))]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_)^(r\_.)), x\_Symbol] :> Dist[1/e, Subst[Int[(k\*x)/d]^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*1, 0]

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c*(b*d - a*e) + e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\text{Li}_2(x)}{-1+x} dx &= \log(1-x)\text{Li}_2(x) + \int \frac{\log^2(1-x)}{x} dx \\
&= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) + 2 \int \frac{\log(1-x)\log(x)}{1-x} dx \\
&= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - 2 \text{Subst}\left(\int \frac{\log(1-x)\log(x)}{x} dx, x, 1-x\right) \\
&= \log^2(1-x)\log(x) + 2\log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2 \text{Subst}\left(\int \frac{\text{Li}_2(x)}{x} dx, x, 1-x\right) \\
&= \log^2(1-x)\log(x) + 2\log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2\text{Li}_3(1-x)
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 46, normalized size = 1.00

$$-2\text{Li}_3(1-x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

```
[In] Integrate[PolyLog[2, x]/(-1 + x), x]
```

```
[Out] Log[1 - x]^2*Log[x] + 2*Log[1 - x]*PolyLog[2, 1 - x] + Log[1 - x]*PolyLog[2, x] - 2*PolyLog[3, 1 - x]
```

**fricas [F]** time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(x)}{x-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x),x, algorithm="fricas")

[Out] integral(dilog(x)/(x - 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x),x, algorithm="giac")

[Out] integrate(dilog(x)/(x - 1), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(2, x)}{-1 + x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,x)/(-1+x),x)

[Out] int(polylog(2,x)/(-1+x),x)

**maxima** [A] time = 0.31, size = 44, normalized size = 0.96

$$\log(x)\log(-x+1)^2 + \text{Li}_2(x)\log(-x+1) + 2\text{Li}_2(-x+1)\log(-x+1) - 2\text{Li}_3(-x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x),x, algorithm="maxima")

[Out] log(x)\*log(-x + 1)^2 + dilog(x)\*log(-x + 1) + 2\*dilog(-x + 1)\*log(-x + 1) - 2\*polylog(3, -x + 1)

**mupad** [B] time = 0.04, size = 46, normalized size = 1.00

$$\ln(1-x)^2 \ln(x) - 2 \text{polylog}(3, 1-x) + 2 \ln(1-x) \text{polylog}(2, 1-x) + \ln(1-x) \text{polylog}(2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, x)/(x - 1),x)

[Out] log(1 - x)^2\*log(x) - 2\*polylog(3, 1 - x) + 2\*log(1 - x)\*polylog(2, 1 - x) + log(1 - x)\*polylog(2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x),x)

[Out] Integral(polylog(2, x)/(x - 1), x)

$$3.146 \quad \int -\frac{\text{Li}_2(x)}{1-x} dx$$

**Optimal.** Leaf size=46

$$-2\text{Li}_3(1-x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

[Out]  $\ln(1-x)^2*\ln(x)+2*\ln(1-x)*\text{polylog}(2,1-x)+\ln(1-x)*\text{polylog}(2,x)-2*\text{polylog}(3,1-x)$

**Rubi [A]** time = 0.07, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {6596, 2396, 2433, 2374, 6589}

$$-2\text{PolyLog}(3,1-x) + 2\log(1-x)\text{PolyLog}(2,1-x) + \log(1-x)\text{PolyLog}(2,x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[-(\text{PolyLog}[2, x]/(1-x)), x]$

[Out]  $\text{Log}[1-x]^2*\text{Log}[x] + 2*\text{Log}[1-x]*\text{PolyLog}[2, 1-x] + \text{Log}[1-x]*\text{PolyLog}[2, x] - 2*\text{PolyLog}[3, 1-x]$

#### Rule 2374

$\text{Int}[(\text{Log}[(d_.)*(e_.) + (f_.)*(x_.)^{(m_.)}]*(a_.) + \text{Log}[(c_.)*(x_.)^{(n_.)}]*(b_.)^{(p_.)})/(x_.), x\_Symbol] :> -\text{Simp}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^p)/m, x] + \text{Dist}[(b*n*p)/m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^{(p-1)})/x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[d*e, 1]$

#### Rule 2396

$\text{Int}[(\text{Log}[(d_.) + \text{Log}[(c_.)*((e_.)*(x_.)^{(n_.)})*(b_.)^{(p_.)})/(f_.) + (g_.)*(x_.)], x\_Symbol] :> \text{Simp}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n])^p)/g, x] - \text{Dist}[(b*e*n*p)/g, \text{Int}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)})/(d + e*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{IGtQ}[p, 1]$

#### Rule 2433

$\text{Int}[(\text{Log}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})*(b_.)^{(p_.)})*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_.)^{(m_.)})*(g_.)*((k_.) + (l_.)*(x_.)^{(r_.)})], x\_Symbol] :> \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r*(a + b*\text{Log}[c*x^n])^p*(f + g*\text{Log}[h*((e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \&\& \text{EqQ}[e*k - d*1, 0]$

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)]/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c*(b*d - a*e) + e, 0]
```

Rubi steps

$$\begin{aligned}
\int -\frac{\text{Li}_2(x)}{1-x} dx &= \log(1-x)\text{Li}_2(x) + \int \frac{\log^2(1-x)}{x} dx \\
&= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) + 2 \int \frac{\log(1-x)\log(x)}{1-x} dx \\
&= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - 2 \text{Subst}\left(\int \frac{\log(1-x)\log(x)}{x} dx, x, 1-x\right) \\
&= \log^2(1-x)\log(x) + 2\log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2 \text{Subst}\left(\int \frac{\text{Li}_2(x)}{x} dx, x, 1-x\right) \\
&= \log^2(1-x)\log(x) + 2\log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2\text{Li}_3(1-x)
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 46, normalized size = 1.00

$$-2\text{Li}_3(1-x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

```
[In] Integrate[-(PolyLog[2, x]/(1 - x)), x]
```

```
[Out] Log[1 - x]^2*Log[x] + 2*Log[1 - x]*PolyLog[2, 1 - x] + Log[1 - x]*PolyLog[2, x] - 2*PolyLog[3, 1 - x]
```

**fricas [F]** time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(x)}{x-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x),x, algorithm="fricas")

[Out] integral(dilog(x)/(x - 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x),x, algorithm="giac")

[Out] integrate(dilog(x)/(x - 1), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int -\frac{\text{polylog}(2, x)}{1-x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-polylog(2,x)/(1-x),x)

[Out] int(-polylog(2,x)/(1-x),x)

**maxima** [A] time = 0.30, size = 44, normalized size = 0.96

$$\log(x)\log(-x+1)^2 + \text{Li}_2(x)\log(-x+1) + 2\text{Li}_2(-x+1)\log(-x+1) - 2\text{Li}_3(-x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x),x, algorithm="maxima")

[Out] log(x)\*log(-x + 1)^2 + dilog(x)\*log(-x + 1) + 2\*dilog(-x + 1)\*log(-x + 1) - 2\*polylog(3, -x + 1)

**mupad** [B] time = 0.00, size = 46, normalized size = 1.00

$$\ln(1-x)^2 \ln(x) - 2 \text{polylog}(3, 1-x) + 2 \ln(1-x) \text{polylog}(2, 1-x) + \ln(1-x) \text{polylog}(2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, x)/(x - 1),x)

[Out] log(1 - x)^2\*log(x) - 2\*polylog(3, 1 - x) + 2\*log(1 - x)\*polylog(2, 1 - x) + log(1 - x)\*polylog(2, x)



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x),x)

[Out] Integral(polylog(2, x)/(x - 1), x)

$$3.147 \quad \int \frac{\text{Li}_2(x)}{(-1+x)x} dx$$

**Optimal.** Leaf size=51

$$-2\text{Li}_3(1-x) - \text{Li}_3(x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

[Out]  $\ln(1-x)^2 \ln(x) + 2 \ln(1-x) \text{polylog}(2, 1-x) + \ln(1-x) \text{polylog}(2, x) - 2 \text{polylog}(3, 1-x) - \text{polylog}(3, x)$

**Rubi [A]** time = 0.13, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {6742, 6596, 2396, 2433, 2374, 6589}

$$-2\text{PolyLog}(3, 1-x) - \text{PolyLog}(3, x) + 2\log(1-x)\text{PolyLog}(2, 1-x) + \log(1-x)\text{PolyLog}(2, x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{PolyLog}[2, x]/((-1+x)*x), x]$

[Out]  $\text{Log}[1-x]^2 \text{Log}[x] + 2 \text{Log}[1-x] \text{PolyLog}[2, 1-x] + \text{Log}[1-x] \text{PolyLog}[2, x] - 2 \text{PolyLog}[3, 1-x] - \text{PolyLog}[3, x]$

#### Rule 2374

$\text{Int}[(\text{Log}[(d_.) * ((e_.) + (f_.) * (x_.)^{(m_.)})]) * ((a_.) + \text{Log}[(c_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)}) / (x_.), x\_Symbol] :> -\text{Simp}[(\text{PolyLog}[2, -(d*f*x^m)] * (a + b*\text{Log}[c*x^n])^p) / m, x] + \text{Dist}[(b*n*p) / m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)] * (a + b*\text{Log}[c*x^n])^{(p-1)}) / x, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

#### Rule 2396

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)} / ((f_.) + (g_.) * (x_.)], x\_Symbol] :> \text{Simp}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^p) / g, x] - \text{Dist}[(b*e*n*p) / g, \text{Int}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)}) / (d + e*x), x], x] /;$  FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

#### Rule 2433

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)} * ((f_.) + \text{Log}[(h_.) * ((i_.) + (j_.) * (x_.)^{(m_.)}) * (g_.)]^{(k_.)} * (l_.) * (x_.)^{(r_.)})], x\_Symbol] :> \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r * (a + b*\text{Log}[c*x^n])^p * (f + g*\text{Log}[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /;$  FreeQ[{a, b, c, d, e,

f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6742

Int[u\_, x\_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rubi steps

$$\begin{aligned}
 \int \frac{\text{Li}_2(x)}{(-1+x)x} dx &= \int \left( \frac{\text{Li}_2(x)}{-1+x} - \frac{\text{Li}_2(x)}{x} \right) dx \\
 &= \int \frac{\text{Li}_2(x)}{-1+x} dx - \int \frac{\text{Li}_2(x)}{x} dx \\
 &= \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) + \int \frac{\log^2(1-x)}{x} dx \\
 &= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) + 2 \int \frac{\log(1-x)\log(x)}{1-x} dx \\
 &= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) - 2 \text{Subst} \left( \int \frac{\log(1-x)\log(x)}{x} dx, x, 1-x \right) \\
 &= \log^2(1-x)\log(x) + 2 \log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) - 2 \text{Subst} \left( \int \frac{\text{Li}_2(x)}{x} dx, x, 1-x \right) \\
 &= \log^2(1-x)\log(x) + 2 \log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2\text{Li}_3(1-x) - \text{Li}_3(x)
 \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 51, normalized size = 1.00

$$-2\text{Li}_3(1-x) - \text{Li}_3(x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[2, x]/((-1 + x)\*x),x]

[Out] Log[1 - x]^2\*Log[x] + 2\*Log[1 - x]\*PolyLog[2, 1 - x] + Log[1 - x]\*PolyLog[2, x] - 2\*PolyLog[3, 1 - x] - PolyLog[3, x]

**fricas** [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(x)}{x^2 - x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x)/x,x, algorithm="fricas")

[Out] integral(dilog(x)/(x^2 - x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{(x-1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x)/x,x, algorithm="giac")

[Out] integrate(dilog(x)/((x - 1)\*x), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}(2, x)}{(-1 + x)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,x)/(-1+x)/x,x)

[Out] int(polylog(2,x)/(-1+x)/x,x)

**maxima** [A] time = 0.33, size = 49, normalized size = 0.96

$\log(x) \log(-x + 1)^2 + \text{Li}_2(x) \log(-x + 1) + 2 \text{Li}_2(-x + 1) \log(-x + 1) - \text{Li}_3(x) - 2 \text{Li}_3(-x + 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,x)/(-1+x)/x,x, algorithm="maxima")

[Out] log(x)\*log(-x + 1)^2 + dilog(x)\*log(-x + 1) + 2\*dilog(-x + 1)\*log(-x + 1) - polylog(3, x) - 2\*polylog(3, -x + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\text{polylog}(2, x)}{x(x-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, x)/(x\*(x - 1)), x)

[Out] int(polylog(2, x)/(x\*(x - 1)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x(x-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2, x)/(-1+x)/x, x)

[Out] Integral(polylog(2, x)/(x\*(x - 1)), x)

$$3.148 \quad \int -\frac{\text{Li}_2(x)}{(1-x)x} dx$$

**Optimal.** Leaf size=51

$$-2\text{Li}_3(1-x) - \text{Li}_3(x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

[Out]  $\ln(1-x)^2 \ln(x) + 2 \ln(1-x) \text{polylog}(2, 1-x) + \ln(1-x) \text{polylog}(2, x) - 2 \text{polylog}(3, 1-x) - \text{polylog}(3, x)$

**Rubi [A]** time = 0.13, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {6742, 6596, 2396, 2433, 2374, 6589}

$$-2\text{PolyLog}(3, 1-x) - \text{PolyLog}(3, x) + 2\log(1-x)\text{PolyLog}(2, 1-x) + \log(1-x)\text{PolyLog}(2, x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[-(\text{PolyLog}[2, x]/((1-x)*x)), x]$

[Out]  $\text{Log}[1-x]^2 \text{Log}[x] + 2 \text{Log}[1-x] \text{PolyLog}[2, 1-x] + \text{Log}[1-x] \text{PolyLog}[2, x] - 2 \text{PolyLog}[3, 1-x] - \text{PolyLog}[3, x]$

#### Rule 2374

$\text{Int}[(\text{Log}[(d_.) * ((e_.) + (f_.) * (x_.)^{(m_.)})]) * ((a_.) + \text{Log}[(c_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)}) / (x_.), x\_Symbol] :> -\text{Simp}[(\text{PolyLog}[2, -(d*f*x^m)] * (a + b*\text{Log}[c*x^n])^p) / m, x] + \text{Dist}[(b*n*p) / m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)] * (a + b*\text{Log}[c*x^n])^{(p-1)}) / x, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

#### Rule 2396

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)} / ((f_.) + (g_.) * (x_.)], x\_Symbol] :> \text{Simp}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^p) / g, x] - \text{Dist}[(b*e*n*p) / g, \text{Int}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)}) / (d + e*x), x], x] /;$  FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

#### Rule 2433

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_.)^{(n_.)}) * (b_.)]^{(p_.)} * ((f_.) + \text{Log}[(h_.) * ((i_.) + (j_.) * (x_.)^{(m_.)}) * (g_.)]^{(k_.)} * (l_.) * (x_.)^{(r_.)})], x\_Symbol] :> \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r * (a + b*\text{Log}[c*x^n])^p * (f + g*\text{Log}[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /;$  FreeQ[{a, b, c, d, e,

f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6742

Int[u\_, x\_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rubi steps

$$\begin{aligned}
 \int -\frac{\text{Li}_2(x)}{(1-x)x} dx &= -\int \left( -\frac{\text{Li}_2(x)}{-1+x} + \frac{\text{Li}_2(x)}{x} \right) dx \\
 &= \int \frac{\text{Li}_2(x)}{-1+x} dx - \int \frac{\text{Li}_2(x)}{x} dx \\
 &= \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) + \int \frac{\log^2(1-x)}{x} dx \\
 &= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) + 2 \int \frac{\log(1-x)\log(x)}{1-x} dx \\
 &= \log^2(1-x)\log(x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) - 2 \text{Subst} \left( \int \frac{\log(1-x)\log(x)}{x} dx, x, 1-x \right) \\
 &= \log^2(1-x)\log(x) + 2 \log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - \text{Li}_3(x) - 2 \text{Subst} \left( \int \frac{\text{Li}_2(x)}{x} dx, x, 1-x \right) \\
 &= \log^2(1-x)\log(x) + 2 \log(1-x)\text{Li}_2(1-x) + \log(1-x)\text{Li}_2(x) - 2\text{Li}_3(1-x) - \text{Li}_3(x)
 \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 51, normalized size = 1.00

$$-2\text{Li}_3(1-x) - \text{Li}_3(x) + 2\text{Li}_2(1-x)\log(1-x) + \text{Li}_2(x)\log(1-x) + \log(x)\log^2(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[-(PolyLog[2, x]/((1 - x)\*x)),x]

[Out] Log[1 - x]^2\*Log[x] + 2\*Log[1 - x]\*PolyLog[2, 1 - x] + Log[1 - x]\*PolyLog[2, x] - 2\*PolyLog[3, 1 - x] - PolyLog[3, x]

**fricas** [F] time = 2.35, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(x)}{x^2 - x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x)/x,x, algorithm="fricas")

[Out] integral(dilog(x)/(x^2 - x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{(x-1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x)/x,x, algorithm="giac")

[Out] integrate(dilog(x)/((x - 1)\*x), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int -\frac{\text{polylog}(2, x)}{(1-x)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-polylog(2,x)/(1-x)/x,x)

[Out] int(-polylog(2,x)/(1-x)/x,x)

**maxima** [A] time = 0.31, size = 49, normalized size = 0.96

$$\log(x) \log(-x + 1)^2 + \text{Li}_2(x) \log(-x + 1) + 2 \text{Li}_2(-x + 1) \log(-x + 1) - \text{Li}_3(x) - 2 \text{Li}_3(-x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2,x)/(1-x)/x,x, algorithm="maxima")

[Out] log(x)\*log(-x + 1)^2 + dilog(x)\*log(-x + 1) + 2\*dilog(-x + 1)\*log(-x + 1) - polylog(3, x) - 2\*polylog(3, -x + 1)



mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\text{polylog}(2, x)}{x(x-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, x)/(x\*(x - 1)), x)

[Out] int(polylog(2, x)/(x\*(x - 1)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(x)}{x(x-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-polylog(2, x)/(1-x)/x, x)

[Out] Integral(polylog(2, x)/(x\*(x - 1)), x)

$$3.149 \quad \int \frac{\text{Li}_n\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Optimal. Leaf size=35

$$\frac{\text{Li}_{n+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

[Out] polylog(1+n, e\*((b\*x+a)/(d\*x+c))^n)/(-a\*d+b\*c)/n

Rubi [A] time = 0.07, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$ , Rules used = {6610}

$$\frac{\text{PolyLog}\left(n+1, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[n, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)), x]

[Out] PolyLog[1 + n, e\*((a + b\*x)/(c + d\*x))^n]/((b\*c - a\*d)\*n)

Rule 6610

Int[(u\_)\*PolyLog[n\_, v\_], x\_Symbol] :> With[{w = DerivativeDivides[v, u\*v, x]}, Simp[w\*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\int \frac{\text{Li}_n\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx = \frac{\text{Li}_{1+n}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n}$$

Mathematica [A] time = 0.02, size = 34, normalized size = 0.97

$$\frac{\text{Li}_{n+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bcn-adn}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[n, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)),x]

[Out] PolyLog[1 + n, e\*((a + b\*x)/(c + d\*x))^n]/(b\*c\*n - a\*d\*n)

**fricas** [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\text{polylog} \left( n, e \left( \frac{bx+a}{dx+c} \right)^n \right)}{bdx^2 + ac + (bc + ad)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n, e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c), x, algorithm="fricas")

[Out] integral(polylog(n, e\*((b\*x + a)/(d\*x + c))^n)/(b\*d\*x^2 + a\*c + (b\*c + a\*d)\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n \left( e \left( \frac{bx+a}{dx+c} \right)^n \right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n, e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c), x, algorithm="giac")

[Out] integrate(polylog(n, e\*((b\*x + a)/(d\*x + c))^n)/((b\*x + a)\*(d\*x + c)), x)

**maple** [F] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog} \left( n, e \left( \frac{bx+a}{dx+c} \right)^n \right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n, e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c), x)

[Out] int(polylog(n, e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n \left( e \left( \frac{bx+a}{dx+c} \right)^n \right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

```
[Out] integrate(polylog(n, e*((b*x + a)/(d*x + c))^n)/((b*x + a)*(d*x + c)), x)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\text{polylog}\left(n, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(n, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)), x)
```

```
[Out] int(polylog(n, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)), x)
```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(n,e*((b*x+a)/(d*x+c)**n)/(b*x+a)/(d*x+c),x)
```

```
[Out] Integral(polylog(n, e*(a/(c + d*x) + b*x/(c + d*x)**n)/((a + b*x)*(c + d*x))), x)
```

$$3.150 \quad \int \frac{\text{Li}_3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Optimal. Leaf size=33

$$\frac{\text{Li}_4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

[Out] polylog(4,e\*((b\*x+a)/(d\*x+c))^n)/(-a\*d+b\*c)/n

Rubi [A] time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$ , Rules used = {6610}

$$\frac{\text{PolyLog}\left(4, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[3, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)), x]

[Out] PolyLog[4, e\*((a + b\*x)/(c + d\*x))^n]/((b\*c - a\*d)\*n)

Rule 6610

Int[(u\_)\*PolyLog[n\_, v\_], x\_Symbol] := With[{w = DerivativeDivides[v, u\*v, x]}, Simp[w\*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\int \frac{\text{Li}_3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx = \frac{\text{Li}_4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 0.97

$$\frac{\text{Li}_4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bcn - adn}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[3, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)),x]

[Out] PolyLog[4, e\*((a + b\*x)/(c + d\*x))^n]/(b\*c\*n - a\*d\*n)

**fricas** [A] time = 0.81, size = 33, normalized size = 1.00

$$\frac{\text{polylog}\left(4, e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bc-ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="fricas")

[Out] polylog(4, e\*((b\*x + a)/(d\*x + c))^n)/((b\*c - a\*d)\*n)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(3,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="giac")

[Out] integrate(polylog(3, e\*((b\*x + a)/(d\*x + c))^n)/((b\*x + a)\*(d\*x + c)), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}\left(3, e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(3,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

[Out] int(polylog(3,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

---


$$3\left(n \log (bx+a)^2 - 2 n \log (bx+a) \log (dx+c) + n \log (dx+c)^2\right) \text{Li}_2\left(e^{\left(n \log (bx+a)-n \log (dx+c)\right)}\right) + \left(n^2 \log (bx+a)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

```
[Out] -1/6*(3*(n*log(b*x + a)^2 - 2*n*log(b*x + a)*log(d*x + c) + n*log(d*x + c)^2)*dilog(e*e^(n*log(b*x + a) - n*log(d*x + c))) + (n^2*log(b*x + a)^3 - 3*n^2*log(b*x + a)^2*log(d*x + c) + 3*n^2*log(b*x + a)*log(d*x + c)^2 - n^2*log(d*x + c)^3)*log(-(b*x + a)^n*e + (d*x + c)^n) - (n^2*log(b*x + a)^3 - 3*n^2*log(b*x + a)^2*log(d*x + c) + 3*n^2*log(b*x + a)*log(d*x + c)^2 - n^2*log(d*x + c)^3)*log((d*x + c)^n) - 6*(log(b*x + a) - log(d*x + c))*polylog(3, e*e^(n*log(b*x + a) - n*log(d*x + c)))/(b*c - a*d) + integrate(1/6*(e*n^3*log(b*x + a)^3 - 3*e*n^3*log(b*x + a)^2*log(d*x + c) + 3*e*n^3*log(b*x + a)*log(d*x + c)^2 - e*n^3*log(d*x + c)^3)*(b*x + a)^n/((b*d*e*x^2 + a*c*e + (b*c*e + a*d*e)*x)*(b*x + a)^n - (b*d*x^2 + a*c + (b*c + a*d)*x)*(d*x + c)^n), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\text{polylog}\left(3, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(3, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)),x)
```

```
[Out] int(polylog(3, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_3\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(3,e*((b*x+a)/(d*x+c))**n)/(b*x+a)/(d*x+c),x)
```

```
[Out] Integral(polylog(3, e*(a/(c + d*x) + b*x/(c + d*x))**n)/((a + b*x)*(c + d*x)), x)
```

$$3.151 \quad \int \frac{\operatorname{Li}_2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Optimal. Leaf size=33

$$\frac{\operatorname{Li}_3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

[Out] polylog(3,e\*((b\*x+a)/(d\*x+c))^n)/(-a\*d+b\*c)/n

Rubi [A] time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$ , Rules used = {6610}

$$\frac{\operatorname{PolyLog}\left(3, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[2, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)), x]

[Out] PolyLog[3, e\*((a + b\*x)/(c + d\*x))^n]/((b\*c - a\*d)\*n)

Rule 6610

Int[(u\_)\*PolyLog[n\_, v\_], x\_Symbol] :> With[{w = DerivativeDivides[v, u\*v, x]}, Simp[w\*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\int \frac{\operatorname{Li}_2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx = \frac{\operatorname{Li}_3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 0.97

$$\frac{\operatorname{Li}_3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bcn-adn}$$

Antiderivative was successfully verified.



[In] Integrate[PolyLog[2, e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)),x]

[Out] PolyLog[3, e\*((a + b\*x)/(c + d\*x))^n]/(b\*c\*n - a\*d\*n)

**fricas** [A] time = 0.93, size = 33, normalized size = 1.00

$$\frac{\text{polylog}\left(3, e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bc - ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="fricas")

[Out] polylog(3, e\*((b\*x + a)/(d\*x + c))^n)/((b\*c - a\*d)\*n)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(2,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="giac")

[Out] integrate(dilog(e\*((b\*x + a)/(d\*x + c))^n)/((b\*x + a)\*(d\*x + c)), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}\left(2, e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

[Out] int(polylog(2,e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$2(\log(bx+a) - \log(dx+c))\text{Li}_2\left(e^{(n\log(bx+a) - n\log(dx+c))}\right) + (n\log(bx+a))^2 - 2n\log(bx+a)\log(dx+c) + n$$


---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

```
[Out] 1/2*(2*(log(b*x + a) - log(d*x + c))*dilog(e*e^(n*log(b*x + a) - n*log(d*x + c))) + (n*log(b*x + a)^2 - 2*n*log(b*x + a)*log(d*x + c) + n*log(d*x + c)^2)*log(-(b*x + a)^n*e + (d*x + c)^n) - (n*log(b*x + a)^2 - 2*n*log(b*x + a)*log(d*x + c) + n*log(d*x + c)^2)*log((d*x + c)^n))/(b*c - a*d) + integrate(-1/2*(e*n^2*log(b*x + a)^2 - 2*e*n^2*log(b*x + a)*log(d*x + c) + e*n^2*log(d*x + c)^2)*(b*x + a)^n/((b*d*e*x^2 + a*c*e + (b*c + a*d)*e*x)*(b*x + a)^n - (b*d*x^2 + a*c + (b*c + a*d)*x)*(d*x + c)^n), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\text{polylog}\left(2, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(polylog(2, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)),x)
```

```
[Out] int(polylog(2, e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(polylog(2,e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x)
```

```
[Out] Timed out
```

$$3.152 \quad \int -\frac{\log\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Optimal. Leaf size=33

$$\frac{\text{Li}_2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc - ad)}$$

[Out] polylog(2,e\*((b\*x+a)/(d\*x+c))^n)/(-a\*d+b\*c)/n

Rubi [A] time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$ , Rules used = {2518}

$$\frac{\text{PolyLog}\left(2, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc - ad)}$$

Antiderivative was successfully verified.

[In] Int[-(Log[1 - e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x))),x]

[Out] PolyLog[2, e\*((a + b\*x)/(c + d\*x))^n]/((b\*c - a\*d)\*n)

Rule 2518

Int[Log[v\_]\*(u\_), x\_Symbol] := With[{w = DerivativeDivides[v, u\*(1 - v), x]}, Simp[w\*PolyLog[2, 1 - v], x] /; !FalseQ[w]]

Rubi steps

$$\int -\frac{\log\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx = \frac{\text{Li}_2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc - ad)n}$$

Mathematica [F] time = 1.77, size = 40, normalized size = 1.21

$$-\int \frac{\log\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Antiderivative was successfully verified.

[In] Integrate[-(Log[1 - e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x))),x]

[Out] -Integrate[Log[1 - e\*((a + b\*x)/(c + d\*x))^n]/((a + b\*x)\*(c + d\*x)), x]

**fricas** [A] time = 1.91, size = 32, normalized size = 0.97

$$\frac{\operatorname{Li}_2\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bc-ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-log(1-e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="fricas")

[Out] dilog(e\*((b\*x + a)/(d\*x + c))^n)/((b\*c - a\*d)\*n)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{\log\left(-e\left(\frac{bx+a}{dx+c}\right)^n + 1\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-log(1-e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="giac")

[Out] integrate(-log(-e\*((b\*x + a)/(d\*x + c))^n + 1)/((b\*x + a)\*(d\*x + c)), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int -\frac{\ln\left(1 - e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-ln(1-e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

[Out] int(-ln(1-e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(\log(bx+a) - \log(dx+c)) \log\left(-e\left(\frac{bx+a}{dx+c}\right)^n + 1\right) - (\log(bx+a) - \log(dx+c)) \log\left(\frac{dx+c}{bx+a}\right)}{bc-ad} + \int \frac{1}{(bx+a)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-log(1-e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

```
[Out] -((log(b*x + a) - log(d*x + c))*log(-(b*x + a)^n*e + (d*x + c)^n) - (log(b*x + a) - log(d*x + c))*log((d*x + c)^n))/(b*c - a*d) + integrate((e*n*log(b*x + a) - e*n*log(d*x + c))*(b*x + a)^n/((b*d*e*x^2 + a*c*e + (b*c*e + a*d*e)*x)*(b*x + a)^n - (b*d*x^2 + a*c + (b*c + a*d)*x)*(d*x + c)^n), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int -\frac{\ln\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(-log(1 - e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)),x)
```

```
[Out] int(-log(1 - e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-ln(1-e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x)
```

```
[Out] Timed out
```

$$3.153 \quad \int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

Optimal. Leaf size=36

$$-\frac{\log\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

[Out]  $-\ln(1-e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)/n$

**Rubi [A]** time = 0.32, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 53,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {12, 6684}

$$-\frac{\log\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(e*((a + b*x)/(c + d*x))^n)/((a + b*x)*(c + d*x)*(1 - e*((a + b*x)/(c + d*x))^n)), x]$

[Out]  $-(\text{Log}[1 - e*((a + b*x)/(c + d*x))^n]/((b*c - a*d)*n))$

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\amp; \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 6684

$\text{Int}[(u_)/(y_), x\_Symbol] \rightarrow \text{With}[\{q = \text{DerivativeDivides}[y, u, x]\}, \text{Simp}[q*\text{Log}[\text{RemoveContent}[y, x]], x] /; \ !\text{FalseQ}[q]]$

Rubi steps

$$\int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = e \int \frac{\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

$$= -\frac{\log\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n}$$

**Mathematica [A]** time = 0.09, size = 38, normalized size = 1.06

$$-\frac{e \log\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bcn - aden}$$

Antiderivative was successfully verified.

[In] Integrate[(e\*((a + b\*x)/(c + d\*x))^n)/((a + b\*x)\*(c + d\*x)\*(1 - e\*((a + b\*x)/(c + d\*x))^n)),x]

[Out] -((e\*Log[1 - e\*((a + b\*x)/(c + d\*x))^n])/(b\*c\*e\*n - a\*d\*e\*n))

**fricas [A]** time = 1.60, size = 35, normalized size = 0.97

$$-\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n - 1\right)}{(bc-ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="fricas")

[Out] -log(e\*((b\*x + a)/(d\*x + c))^n - 1)/((b\*c - a\*d)\*n)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)/(b\*x+a)/(d\*x+c),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.10, size = 37, normalized size = 1.03

$$\frac{\ln\left(e e^{n \ln\left(\frac{bx+a}{dx+c}\right)} - 1\right)}{n(ad - bc)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-e*((b*x+a)/(d*x+c))^n/(-1+e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x)`

[Out] `1/n/(a*d-b*c)*ln(e*exp(n*ln((b*x+a)/(d*x+c))))-1)`

**maxima** [A] time = 0.33, size = 58, normalized size = 1.61

$$-e\left(\frac{\log\left(-(bx+a)^n e + (dx+c)^n\right)}{bcen - aden} - \frac{\log(dx+c)}{bce - ade}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-e*((b*x+a)/(d*x+c))^n/(-1+e*((b*x+a)/(d*x+c))^n)/(b*x+a)/(d*x+c),x, algorithm="maxima")`

[Out] `-e*(log(-(b*x + a)^n*e + (d*x + c)^n)/(b*c*e*n - a*d*e*n) - log(d*x + c)/(b*c*e - a*d*e))`

**mupad** [B] time = 0.27, size = 33, normalized size = 0.92

$$\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n - 1\right)}{adn - bcn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(e*((a + b*x)/(c + d*x))^n)/((e*((a + b*x)/(c + d*x))^n - 1)*(a + b*x)*(c + d*x)),x)`

[Out] `log(e*((a + b*x)/(c + d*x))^n - 1)/(a*d*n - b*c*n)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-e*((b*x+a)/(d*x+c))**n/(-1+e*((b*x+a)/(d*x+c))**n)/(b*x+a)/(d*x+c),x)`

[Out] Timed out



$$3.154 \quad \int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)^2} dx$$

Optimal. Leaf size=36

$$\frac{1}{n(bc-ad)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}$$

[Out] 1/(-a\*d+b\*c)/n/(1-e\*((b\*x+a)/(d\*x+c))^n)

**Rubi [A]** time = 0.37, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 53,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {12, 6686}

$$\frac{1}{n(bc-ad)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}$$

Antiderivative was successfully verified.

[In] Int[(e\*((a + b\*x)/(c + d\*x))^n)/((a + b\*x)\*(c + d\*x)\*(1 - e\*((a + b\*x)/(c + d\*x))^n)^2), x]

[Out] 1/((b\*c - a\*d)\*n\*(1 - e\*((a + b\*x)/(c + d\*x))^n))

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 6686

Int[(u\_)\*(y\_)^(m\_.), x\_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Simp[(q\*y^(m + 1))/(m + 1), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps

$$\int \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)^2} dx = e \int \frac{\left(\frac{a+bx}{c+dx}\right)^n}{(a+bx)(c+dx)\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)^2} dx$$

$$= \frac{1}{(bc-ad)n\left(1-e\left(\frac{a+bx}{c+dx}\right)^n\right)}$$

**Mathematica** [A] time = 0.10, size = 35, normalized size = 0.97

$$\frac{1}{n(ad-bc)\left(e\left(\frac{a+bx}{c+dx}\right)^n-1\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(e\*((a + b\*x)/(c + d\*x))^n)/((a + b\*x)\*(c + d\*x)\*(1 - e\*((a + b\*x)/(c + d\*x))^n)^2), x]

[Out] 1/((-b\*c) + a\*d)\*n\*(-1 + e\*((a + b\*x)/(c + d\*x))^n)

**fricas** [A] time = 1.53, size = 42, normalized size = 1.17

$$-\frac{1}{(bc-ad)en\left(\frac{bx+a}{dx+c}\right)^n - (bc-ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^2/(b\*x+a)/(d\*x+c), x, algorithm="fricas")

[Out] -1/((b\*c - a\*d)\*e\*n\*((b\*x + a)/(d\*x + c))^n - (b\*c - a\*d)\*n)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^2/(b\*x+a)/(d\*x+c), x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.16, size = 56, normalized size = 1.56

$$\frac{e e^{n \ln\left(\frac{bx+a}{dx+c}\right)}}{n(ad-bc)\left(e e^{n \ln\left(\frac{bx+a}{dx+c}\right)} - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^2/(b\*x+a)/(d\*x+c),x)

[Out] e/n/(a\*d-b\*c)\*exp(n\*ln((b\*x+a)/(d\*x+c)))/(e\*exp(n\*ln((b\*x+a)/(d\*x+c))))-1)

**maxima [A]** time = 0.33, size = 52, normalized size = 1.44

$$\frac{(bx+a)^n e}{(bcen - aden)(bx+a)^n - (bcn - adn)(dx+c)^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^2/(b\*x+a)/(d\*x+c),x, algorithm="maxima")

[Out] -(b\*x + a)^n\*e/((b\*c\*e\*n - a\*d\*e\*n)\*(b\*x + a)^n - (b\*c\*n - a\*d\*n)\*(d\*x + c)^n)

**mupad [B]** time = 0.19, size = 35, normalized size = 0.97

$$\frac{1}{n\left(e\left(\frac{a+bx}{c+dx}\right)^n - 1\right)(ad-bc)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*((a + b\*x)/(c + d\*x))^n)/((e\*((a + b\*x)/(c + d\*x))^n - 1)^2\*(a + b\*x)\*(c + d\*x)),x)

[Out] 1/(n\*(e\*((a + b\*x)/(c + d\*x))^n - 1)\*(a\*d - b\*c))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(e\*((b\*x+a)/(d\*x+c))\*\*n/(-1+e\*((b\*x+a)/(d\*x+c))\*\*n)\*\*2/(b\*x+a)/(d\*x+c),x)

[Out] Timed out

$$3.155 \quad \int \frac{e\left(\frac{a+bx}{c+dx}\right)^n + e^2\left(\frac{a+bx}{c+dx}\right)^{2n}}{(a+bx)(c+dx)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^3} dx$$

**Optimal.** Leaf size=52

$$\frac{e\left(\frac{a+bx}{c+dx}\right)^n}{n(bc - ad)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^2}$$

[Out]  $e*((b*x+a)/(d*x+c))^n/(-1+e*((b*x+a)/(d*x+c))^n)^2/(-a*d+b*c)/n$

**Rubi [A]** time = 2.02, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 76,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {6741, 12, 6692, 34}

$$\frac{e\left(\frac{a+bx}{c+dx}\right)^n}{n(bc - ad)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(e*((a + b*x)/(c + d*x))^n + e^2*((a + b*x)/(c + d*x))^(2*n))/((a + b*x)*(c + d*x)*(1 - e*((a + b*x)/(c + d*x))^n)^3), x]$

[Out]  $(e*((a + b*x)/(c + d*x))^n)/((b*c - a*d)*n*(1 - e*((a + b*x)/(c + d*x))^n)^2)$

### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

### Rule 34

$\text{Int}[(a_*) + (b_*)(x_)^(m_)*((c_*) + (d_*)(x_)), x\_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x)^(m + 1))/(b*(m + 2)), x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{EqQ}[a*d - b*c*(m + 2), 0]$

### Rule 6692

$\text{Int}[(u_)*((c_*) + (d_*)(v_))^(n_)*((a_*) + (b_*)(y_))^(m_), x\_Symbol] \rightarrow \text{With}[\{q = \text{DerivativeDivides}[y, u, x]\}, \text{Dist}[q, \text{Subst}[\text{Int}[(a + b*x)^m*(c +$

$d*x)^n, x], x, y], x] /; !FalseQ[q]] /; FreeQ[{a, b, c, d, m, n}, x] \&\& E$   
 $qQ[v, y]$

### Rule 6741

$\text{Int}[u_, x\_Symbol] := \text{With}[\{v = \text{NormalizeIntegrand}[u, x]\}, \text{Int}[v, x] /; v =!$   
 $= u]$

### Rubi steps

$$\begin{aligned} \int \frac{e\left(\frac{a+bx}{c+dx}\right)^n + e^2\left(\frac{a+bx}{c+dx}\right)^{2n}}{(a+bx)(c+dx)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^3} dx &= \int \frac{e\left(\frac{a+bx}{c+dx}\right)^n \left(1 + e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^3} dx \\ &= e \int \frac{\left(\frac{a+bx}{c+dx}\right)^n \left(1 + e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^3} dx \\ &= \frac{\text{Subst}\left(\int \frac{1+x}{(1-x)^3} dx, x, e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n} \\ &= \frac{e\left(\frac{a+bx}{c+dx}\right)^n}{(bc-ad)n\left(1 - e\left(\frac{a+bx}{c+dx}\right)^n\right)^2} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 52, normalized size = 1.00

$$\frac{e\left(\frac{a+bx}{c+dx}\right)^n}{n(ad-bc)\left(e\left(\frac{a+bx}{c+dx}\right)^n - 1\right)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e\*((a + b\*x)/(c + d\*x))^n + e^2\*((a + b\*x)/(c + d\*x))^(2\*n))/((a + b\*x)\*(c + d\*x)\*(1 - e\*((a + b\*x)/(c + d\*x))^n)^3), x]

[Out] -((e\*((a + b\*x)/(c + d\*x))^n)/((-b\*c) + a\*d)\*n\*(-1 + e\*((a + b\*x)/(c + d\*x))^n)^2)

**fricas** [A] time = 2.10, size = 87, normalized size = 1.67

$$\frac{e\left(\frac{bx+a}{dx+c}\right)^n}{(bc-ad)e^2n\left(\frac{bx+a}{dx+c}\right)^{2n} - 2(bc-ad)en\left(\frac{bx+a}{dx+c}\right)^n + (bc-ad)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(1+e\*((b\*x+a)/(d\*x+c))^n)\*e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^3/(b\*x+a)/(d\*x+c),x, algorithm="fricas")

[Out] e\*((b\*x + a)/(d\*x + c))^n/((b\*c - a\*d)\*e^2\*n\*((b\*x + a)/(d\*x + c))^(2\*n) - 2\*(b\*c - a\*d)\*e\*n\*((b\*x + a)/(d\*x + c))^n + (b\*c - a\*d)\*n)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(1+e\*((b\*x+a)/(d\*x+c))^n)\*e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^3/(b\*x+a)/(d\*x+c),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.28, size = 57, normalized size = 1.10

$$\frac{e^{n \ln\left(\frac{bx+a}{dx+c}\right)}}{n(ad-bc)\left(e^{n \ln\left(\frac{bx+a}{dx+c}\right)} - 1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(1+e\*((b\*x+a)/(d\*x+c))^n)\*e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^3/(b\*x+a)/(d\*x+c),x)

[Out] -e/n/(a\*d-b\*c)\*exp(n\*ln((b\*x+a)/(d\*x+c)))/(e\*exp(n\*ln((b\*x+a)/(d\*x+c)))-1)^2

**maxima** [B] time = 0.38, size = 211, normalized size = 4.06

$$\frac{1}{2} \left( \frac{(bx+a)^{2n} e}{(bce^{2n} - ade^{2n})(bx+a)^{2n} + (bcn - adn)(dx+c)^{2n} - 2(bcen - aden)e^{(n \log(bx+a) + n \log(dx+c))}} - \frac{1}{(bce^{2n} - ade^{2n})} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(1+e\*((b\*x+a)/(d\*x+c)))^n)\*e\*((b\*x+a)/(d\*x+c))^n/(-1+e\*((b\*x+a)/(d\*x+c))^n)^3/(b\*x+a)/(d\*x+c),x, algorithm="maxima")

[Out] 1/2\*((b\*x + a)^(2\*n)\*e/((b\*c\*e^2\*n - a\*d\*e^2\*n)\*(b\*x + a)^(2\*n) + (b\*c\*n - a\*d\*n)\*(d\*x + c)^(2\*n) - 2\*(b\*c\*e\*n - a\*d\*e\*n)\*e^(n\*log(b\*x + a) + n\*log(d\*x + c))) - ((b\*x + a)^(2\*n)\*e - 2\*e^(n\*log(b\*x + a) + n\*log(d\*x + c)))/((b\*c\*e^2\*n - a\*d\*e^2\*n)\*(b\*x + a)^(2\*n) + (b\*c\*n - a\*d\*n)\*(d\*x + c)^(2\*n) - 2\*(b\*c\*e\*n - a\*d\*e\*n)\*e^(n\*log(b\*x + a) + n\*log(d\*x + c))))\*e

**mupad [B]** time = 0.25, size = 81, normalized size = 1.56

$$\frac{e\left(\frac{a+bx}{c+dx}\right)^n}{n(ad-bc)\left(e^2\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^{2n} - 2e\left(\frac{a+bx}{c+dx}\right)^n + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(e\*(e\*((a + b\*x)/(c + d\*x)))^n + 1)\*((a + b\*x)/(c + d\*x))^n)/((e\*((a + b\*x)/(c + d\*x)))^n - 1)^3\*(a + b\*x)\*(c + d\*x),x)

[Out] -(e\*((a + b\*x)/(c + d\*x))^n)/(n\*(a\*d - b\*c)\*(e^2\*(a/(c + d\*x) + (b\*x)/(c + d\*x))^n - 2\*e\*((a + b\*x)/(c + d\*x))^n + 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-(1+e\*((b\*x+a)/(d\*x+c)))\*\*n)\*e\*((b\*x+a)/(d\*x+c))\*\*n/(-1+e\*((b\*x+a)/(d\*x+c))\*\*n)\*\*3/(b\*x+a)/(d\*x+c),x)

[Out] Timed out

$$3.156 \quad \int x^3 \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx$$

**Optimal.** Leaf size=135

$$\frac{6\text{Li}_{n+4} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^4 c^4 p^4 \log^4(F)} + \frac{6x\text{Li}_{n+3} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{3x^2\text{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{x^3\text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

[Out]  $x^3 \text{polylog}(1+n, d(F^{c(b*x+a)})^p) / b/c/p/\ln(F) - 3x^2 \text{polylog}(2+n, d(F^{c(b*x+a)})^p) / b^2/c^2/p^2/\ln(F)^2 + 6x \text{polylog}(3+n, d(F^{c(b*x+a)})^p) / b^3/c^3/p^3/\ln(F)^3 - 6 \text{polylog}(4+n, d(F^{c(b*x+a)})^p) / b^4/c^4/p^4/\ln(F)^4$

**Rubi [A]** time = 0.09, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {6609, 2282, 6589}

$$\frac{3x^2 \text{PolyLog} \left( n+2, d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{6x \text{PolyLog} \left( n+3, d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{6 \text{PolyLog} \left( n+4, d \left( F^{c(a+bx)} \right)^p \right)}{b^4 c^4 p^4 \log^4(F)} + \frac{x^3 \text{PolyLog} \left( n+1, d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

Antiderivative was successfully verified.

[In] `Int[x^3*PolyLog[n, d*(F^(c*(a + b*x)))^p], x]`

[Out]  $(x^3 \text{PolyLog}[1+n, d(F^{c(a+b*x)})^p]) / (b*c*p*\text{Log}[F]) - (3x^2 \text{PolyLog}[2+n, d(F^{c(a+b*x)})^p]) / (b^2*c^2*p^2*\text{Log}[F]^2) + (6x \text{PolyLog}[3+n, d(F^{c(a+b*x)})^p]) / (b^3*c^3*p^3*\text{Log}[F]^3) - (6 \text{PolyLog}[4+n, d(F^{c(a+b*x)})^p]) / (b^4*c^4*p^4*\text{Log}[F]^4)$

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n+1, c*(a+b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6609



```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int x^3 \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx &= \frac{x^3 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{3 \int x^2 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{bcp \log(F)} \\ &= \frac{x^3 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{3x^2 \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{6 \int x \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{b^2 c^2 p^2 \log^2(F)} \\ &= \frac{x^3 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{3x^2 \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{6x \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{6 \int \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{b^3 c^3 p^3 \log^3(F)} \\ &= \frac{x^3 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{3x^2 \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{6x \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{6 \int \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{b^3 c^3 p^3 \log^3(F)} \\ &= \frac{x^3 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{3x^2 \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{6x \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{6 \int \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{b^3 c^3 p^3 \log^3(F)} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 135, normalized size = 1.00

$$\frac{6 \text{Li}_{n+4} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^4 c^4 p^4 \log^4(F)} + \frac{6x \text{Li}_{n+3} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{3x^2 \text{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{x^3 \text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*PolyLog[n, d\*(F^(c\*(a + b\*x)))^p], x]

[Out] (x^3\*PolyLog[1 + n, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]) - (3\*x^2\*PolyLog[2 + n, d\*(F^(c\*(a + b\*x)))^p])/(b^2\*c^2\*p^2\*Log[F]^2) + (6\*x\*PolyLog[3 + n, d\*(F^(c\*(a + b\*x)))^p])/(b^3\*c^3\*p^3\*Log[F]^3) - (6\*PolyLog[4 + n, d\*(F^(c\*(a + b\*x)))^p])/(b^4\*c^4\*p^4\*Log[F]^4)

**fricas [F]** time = 1.22, size = 0, normalized size = 0.00

$$\text{integral} \left( x^3 \text{polylog} \left( n, \left( F^{bcx+ac} \right)^p d \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x, algorithm="fricas")

[Out] integral(x^3\*polylog(n, (F^(b\*c\*x + a\*c))^p\*d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_n((F^{(bx+a)c})^p d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x, algorithm="giac")

[Out] integrate(x^3\*polylog(n, (F^((b\*x + a)\*c))^p\*d), x)

**maple** [F] time = 0.03, size = 0, normalized size = 0.00

$$\int x^3 \text{polylog}\left(n, d\left(F^{c(bx+a)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x)

[Out] int(x^3\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{Li}_n((F^{(bx+a)c})^p d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x, algorithm="maxima")

[Out] integrate(x^3\*polylog(n, (F^((b\*x + a)\*c))^p\*d), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \text{polylog}\left(n, d\left(F^{c(a+bx)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*polylog(n, d\*(F^(c\*(a + b\*x))))^p),x)

[Out] int(x^3\*polylog(n, d\*(F^(c\*(a + b\*x))))^p), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{Li}_n \left( d \left( F^{ac} F^{bcx} \right)^p \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*polylog(n,d\*(F\*\*(c\*(b\*x+a))))\*\*p),x)

[Out] Integral(x\*\*3\*polylog(n, d\*(F\*\*(a\*c)\*F\*\*(b\*c\*x))\*\*p), x)

$$3.157 \quad \int x^2 \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx$$

**Optimal.** Leaf size=100

$$\frac{2\text{Li}_{n+3} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{2x \text{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{x^2 \text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b c p \log(F)}$$

[Out]  $x^2 \text{polylog}(1+n, d*(F^{c*(b*x+a)})^p)/b/c/p/\ln(F) - 2*x \text{polylog}(2+n, d*(F^{c*(b*x+a)})^p)/b^2/c^2/p^2/\ln(F)^2 + 2*\text{polylog}(3+n, d*(F^{c*(b*x+a)})^p)/b^3/c^3/p^3/\ln(F)^3$

**Rubi [A]** time = 0.06, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {6609, 2282, 6589}

$$-\frac{2x \text{PolyLog} \left( n+2, d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{2 \text{PolyLog} \left( n+3, d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} + \frac{x^2 \text{PolyLog} \left( n+1, d \left( F^{c(a+bx)} \right)^p \right)}{b c p \log(F)}$$

Antiderivative was successfully verified.

[In] `Int[x^2*PolyLog[n, d*(F^(c*(a + b*x)))^p], x]`

[Out]  $(x^2 * \text{PolyLog}[1 + n, d*(F^{c*(a + b*x)})^p]) / (b*c*p*\text{Log}[F]) - (2*x*\text{PolyLog}[2 + n, d*(F^{c*(a + b*x)})^p]) / (b^2*c^2*p^2*\text{Log}[F]^2) + (2*\text{PolyLog}[3 + n, d*(F^{c*(a + b*x)})^p]) / (b^3*c^3*p^3*\text{Log}[F]^3)$

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
```

$(+ b*x)))^p]/(b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m)/(b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^(m - 1)*\text{PolyLog}[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int x^2 \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx &= \frac{x^2 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{2 \int x \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{bcp \log(F)} \\ &= \frac{x^2 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{2x \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{2 \int \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{b^2 c^2 p^2 \log^2(F)} \\ &= \frac{x^2 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{2x \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{2 \text{Subst} \left( \int \frac{\text{Li}_{2+n}(dx^p)}{x} dx, x, F^{c(a+bx)} \right)}{b^3 c^3 p^2 \log^3(F)} \\ &= \frac{x^2 \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)} - \frac{2x \text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{2 \text{Li}_{3+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 100, normalized size = 1.00

$$\frac{2 \text{Li}_{n+3} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^3 c^3 p^3 \log^3(F)} - \frac{2x \text{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} + \frac{x^2 \text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*PolyLog[n, d\*(F^(c\*(a + b\*x)))^p], x]

[Out] (x^2\*PolyLog[1 + n, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]) - (2\*x\*PolyLog[2 + n, d\*(F^(c\*(a + b\*x)))^p])/(b^2\*c^2\*p^2\*Log[F]^2) + (2\*PolyLog[3 + n, d\*(F^(c\*(a + b\*x)))^p])/(b^3\*c^3\*p^3\*Log[F]^3)

**fricas [F]** time = 1.29, size = 0, normalized size = 0.00

$$\text{integral} \left( x^2 \text{polylog} \left( n, \left( F^{bcx+ac} \right)^p d \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(n,d\*(F^(c\*(b\*x+a)))^p),x, algorithm="fricas")

[Out] integral(x^2\*polylog(n, (F^(b\*c\*x + a\*c))^p\*d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x, algorithm="giac")

[Out] integrate(x^2\*polylog(n, (F^((b\*x + a)\*c))^p\*d), x)

**maple** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{polylog}\left(n, d\left(F^{c(bx+a)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x)

[Out] int(x^2\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*polylog(n,d\*(F^(c\*(b\*x+a))))^p),x, algorithm="maxima")

[Out] integrate(x^2\*polylog(n, (F^((b\*x + a)\*c))^p\*d), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{polylog}\left(n, d\left(F^{c(a+bx)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*polylog(n, d\*(F^(c\*(a + b\*x))))^p),x)

[Out] int(x^2\*polylog(n, d\*(F^(c\*(a + b\*x))))^p), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{Li}_n\left(d\left(F^{ac}F^{bcx}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*polylog(n,d\*(F\*\*(c\*(b\*x+a))))\*\*p),x)

[Out] Integral(x\*\*2\*polylog(n, d\*(F\*\*(a\*c)\*F\*\*(b\*c\*x))\*\*p), x)

$$3.158 \quad \int x \operatorname{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx$$

Optimal. Leaf size=65

$$\frac{x \operatorname{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\operatorname{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)}$$

[Out]  $x \operatorname{polylog}(1+n, d*(F^{c*(b*x+a)})^p)/b/c/p/\ln(F) - \operatorname{polylog}(2+n, d*(F^{c*(b*x+a)})^p)/b^2/c^2/p^2/\ln(F)^2$

**Rubi [A]** time = 0.03, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {6609, 2282, 6589}

$$\frac{x \operatorname{PolyLog} \left( n+1, d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\operatorname{PolyLog} \left( n+2, d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] `Int[x*PolyLog[n, d*(F^(c*(a + b*x)))^p], x]`

[Out]  $(x \operatorname{PolyLog}[1 + n, d*(F^{c*(a + b*x)})^p]) / (b*c*p*\log[F]) - \operatorname{PolyLog}[2 + n, d*(F^{c*(a + b*x)})^p] / (b^2*c^2*p^2*\log[F]^2)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)] / ((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p] / (e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]) / (b*c*p*log[F]), x] - Dist[(f*m) / (b*c*p*log[F]), Int[(e + f*x)^m]
```

$(m - 1) * \text{PolyLog}[n + 1, d * (F^{(c * (a + b * x)))^p}], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rubi steps

$$\begin{aligned} \int x \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx &= \frac{x \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\int \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right) dx}{bc p \log(F)} \\ &= \frac{x \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\text{Subst} \left( \int \frac{\text{Li}_{1+n}(dx^p)}{x} dx, x, F^{c(a+bx)} \right)}{b^2 c^2 p \log^2(F)} \\ &= \frac{x \text{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\text{Li}_{2+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)} \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 65, normalized size = 1.00

$$\frac{x \text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)} - \frac{\text{Li}_{n+2} \left( d \left( F^{c(a+bx)} \right)^p \right)}{b^2 c^2 p^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[x\*PolyLog[n, d\*(F^(c\*(a + b\*x)))^p], x]

[Out] (x\*PolyLog[1 + n, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]) - PolyLog[2 + n, d\*(F^(c\*(a + b\*x)))^p]/(b^2\*c^2\*p^2\*Log[F]^2)

**fricas** [F] time = 3.48, size = 0, normalized size = 0.00

$$\text{integral} \left( x \text{polylog} \left( n, \left( F^{bcx+ac} \right)^p d \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*polylog(n,d\*(F^(c\*(b\*x+a)))^p),x, algorithm="fricas")

[Out] integral(x\*polylog(n, (F^(b\*c\*x + a\*c))^p\*d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \text{Li}_n \left( \left( F^{(bx+a)c} \right)^p d \right) dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*polylog(n,d*(F^(c*(b*x+a)))^p),x, algorithm="giac")`

[Out] `integrate(x*polylog(n, (F^((b*x + a)*c))^p*d), x)`

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x \operatorname{polylog}\left(n, d\left(F^{c(bx+a)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*polylog(n,d*(F^(c*(b*x+a)))^p),x)`

[Out] `int(x*polylog(n,d*(F^(c*(b*x+a)))^p),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*polylog(n,d*(F^(c*(b*x+a)))^p),x, algorithm="maxima")`

[Out] `integrate(x*polylog(n, (F^((b*x + a)*c))^p*d), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \operatorname{polylog}\left(n, d\left(F^{c(a+bx)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*polylog(n, d*(F^(c*(a + b*x)))^p),x)`

[Out] `int(x*polylog(n, d*(F^(c*(a + b*x)))^p), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{Li}_n\left(d\left(F^{ac} F^{bcx}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*polylog(n,d*(F**(c*(b*x+a)))**p),x)`

[Out] `Integral(x*polylog(n, d*(F**(a*c)*F**(b*c*x))**p), x)`

$$3.159 \quad \int \text{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx$$

Optimal. Leaf size=31

$$\frac{\text{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)}$$

[Out] polylog(1+n,d\*(F^(c\*(b\*x+a)))^p)/b/c/p/ln(F)

**Rubi [A]** time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {2282, 6589}

$$\frac{\text{PolyLog} \left( n + 1, d \left( F^{c(a+bx)} \right)^p \right)}{bc p \log(F)}$$

Antiderivative was successfully verified.

[In] Int[PolyLog[n, d\*(F^(c\*(a + b\*x)))^p], x]

[Out] PolyLog[1 + n, d\*(F^(c\*(a + b\*x)))^p]/(b\*c\*p\*Log[F])

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\int \operatorname{Li}_n \left( d \left( F^{c(a+bx)} \right)^p \right) dx = \frac{\operatorname{Subst} \left( \int \frac{\operatorname{Li}_n(dx^p)}{x} dx, x, F^{c(a+bx)} \right)}{bc \log(F)}$$

$$= \frac{\operatorname{Li}_{1+n} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

**Mathematica** [A] time = 0.00, size = 31, normalized size = 1.00

$$\frac{\operatorname{Li}_{n+1} \left( d \left( F^{c(a+bx)} \right)^p \right)}{bcp \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[PolyLog[n, d\*(F^(c\*(a + b\*x)))^p], x]

[Out] PolyLog[1 + n, d\*(F^(c\*(a + b\*x)))^p]/(b\*c\*p\*Log[F])

**fricas** [F] time = 0.95, size = 0, normalized size = 0.00

$$\operatorname{integral} \left( \operatorname{polylog} \left( n, \left( F^{bcx+ac} \right)^p d \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,d\*(F^(c\*(b\*x+a)))^p),x, algorithm="fricas")

[Out] integral(polylog(n, (F^(b\*c\*x + a\*c))^p\*d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{Li}_n \left( \left( F^{(bx+a)c} \right)^p d \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,d\*(F^(c\*(b\*x+a)))^p),x, algorithm="giac")

[Out] integrate(polylog(n, (F^((b\*x + a)\*c))^p\*d), x)

**maple** [A] time = 0.01, size = 32, normalized size = 1.03

$$\frac{\operatorname{polylog} \left( 1 + n, d \left( F^{c(bx+a)} \right)^p \right)}{bcp \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(n,d*(F^(c*(b*x+a)))^p),x)`

[Out] `polylog(1+n,d*(F^(c*(b*x+a)))^p)/b/c/p/ln(F)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(n,d*(F^(c*(b*x+a)))^p),x, algorithm="maxima")`

[Out] `integrate(polylog(n, (F^((b*x + a)*c))^p*d), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \text{polylog}\left(n, d\left(F^{c(a+bx)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(n, d*(F^(c*(a + b*x)))^p),x)`

[Out] `int(polylog(n, d*(F^(c*(a + b*x)))^p), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(n,d*(F**(c*(b*x+a)))**p),x)`

[Out] `Integral(polylog(n, d*(F**(c*(a + b*x)))**p), x)`

$$3.160 \quad \int \frac{\text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right)}{x} dx$$

**Optimal.** Leaf size=23

$$\text{Int}\left(\frac{\text{Li}_n\left(d\left(F^{ac+bcx}\right)^p\right)}{x}, x\right)$$

[Out] CannotIntegrate(polylog(n,d\*(F^(b\*c\*x+a\*c))^p)/x,x)

**Rubi [A]** time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{PolyLog}\left(n, d\left(F^{c(a+bx)}\right)^p\right)}{x} dx$$

Verification is Not applicable to the result.

[In] Int[PolyLog[n, d\*(F^(c\*(a + b\*x)))^p]/x,x]

[Out] Defer[Int][PolyLog[n, d\*(F^(a\*c + b\*c\*x))^p]/x, x]

Rubi steps

$$\int \frac{\text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right)}{x} dx = \int \frac{\text{Li}_n\left(d\left(F^{ac+bcx}\right)^p\right)}{x} dx$$

**Mathematica [A]** time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n\left(d\left(F^{c(a+bx)}\right)^p\right)}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[PolyLog[n, d\*(F^(c\*(a + b\*x)))^p]/x,x]

[Out] Integrate[PolyLog[n, d\*(F^(c\*(a + b\*x)))^p]/x, x]

**fricas [A]** time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{polylog}\left(n, \left(F^{bcx+ac}\right)^p d\right)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,d\*(F^(c\*(b\*x+a)))^p)/x,x, algorithm="fricas")

[Out] integral(polylog(n, (F^(b\*c\*x + a\*c))^p\*d)/x, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,d\*(F^(c\*(b\*x+a)))^p)/x,x, algorithm="giac")

[Out] integrate(polylog(n, (F^((b\*x + a)\*c))^p\*d)/x, x)

**maple** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{polylog}\left(n, d\left(F^{c(bx+a)}\right)^p\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(n,d\*(F^(c\*(b\*x+a)))^p)/x,x)

[Out] int(polylog(n,d\*(F^(c\*(b\*x+a)))^p)/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n\left(\left(F^{(bx+a)c}\right)^p d\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(polylog(n,d\*(F^(c\*(b\*x+a)))^p)/x,x, algorithm="maxima")

[Out] integrate(polylog(n, (F^((b\*x + a)\*c))^p\*d)/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\text{polylog}\left(n, d\left(F^{c(a+bx)}\right)^p\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(polylog(n, d*(F^(c*(a + b*x)))^p)/x, x)`

[Out] `int(polylog(n, d*(F^(c*(a + b*x)))^p)/x, x)`

**sympy [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_n\left(d\left(F^{ac}F^{bcx}\right)^p\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(polylog(n, d*(F**(c*(b*x+a)))**p)/x, x)`

[Out] `Integral(polylog(n, d*(F**(a*c)*F**(b*c*x))**p)/x, x)`

### 3.161 $\int x^3 \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=300

$$\frac{\text{Li}_3(1 - cx)}{2c^4} - \frac{\text{Li}_2(cx) \log(1 - cx)}{4c^4} - \frac{\text{Li}_2(1 - cx) \log(1 - cx)}{2c^4} - \frac{\log(cx) \log^2(1 - cx)}{4c^4} - \frac{\log^2(1 - cx)}{16c^4} + \frac{3(1 - cx) \log(1 - cx)}{8c^4}$$

[Out]  $355/576*x/c^3+139/1152*x^2/c^2+67/1728*x^3/c+3/256*x^4+139/576*\ln(-c*x+1)/c^4-1/8*x^2*\ln(-c*x+1)/c^2-5/72*x^3*\ln(-c*x+1)/c-3/64*x^4*\ln(-c*x+1)+3/8*(-c*x+1)*\ln(-c*x+1)/c^4-1/16*\ln(-c*x+1)^2/c^4+1/16*x^4*\ln(-c*x+1)^2-1/4*\ln(c*x)*\ln(-c*x+1)^2/c^4-1/4*x*\text{polylog}(2,c*x)/c^3-1/8*x^2*\text{polylog}(2,c*x)/c^2-1/12*x^3*\text{polylog}(2,c*x)/c-1/16*x^4*\text{polylog}(2,c*x)-1/4*\ln(-c*x+1)*\text{polylog}(2,c*x)/c^4+1/4*x^4*\ln(-c*x+1)*\text{polylog}(2,c*x)-1/2*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/c^4+1/2*\text{polylog}(3,-c*x+1)/c^4$

**Rubi [A]** time = 0.52, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 38, number of rules used = 16, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {6591, 2395, 43, 6603, 2398, 2410, 2389, 2295, 2390, 2301, 6586, 6596, 2396, 2433, 2374, 6589}

$$\frac{x^2 \text{PolyLog}(2, cx)}{8c^2} - \frac{x \text{PolyLog}(2, cx)}{4c^3} + \frac{\text{PolyLog}(3, 1 - cx)}{2c^4} - \frac{\log(1 - cx) \text{PolyLog}(2, cx)}{4c^4} - \frac{\log(1 - cx) \text{PolyLog}(2, 1 - cx)}{2c^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3 \text{Log}[1 - c*x] * \text{PolyLog}[2, c*x], x]$

[Out]  $(355*x)/(576*c^3) + (139*x^2)/(1152*c^2) + (67*x^3)/(1728*c) + (3*x^4)/256 + (139*\text{Log}[1 - c*x])/(576*c^4) - (x^2*\text{Log}[1 - c*x])/(8*c^2) - (5*x^3*\text{Log}[1 - c*x])/(72*c) - (3*x^4*\text{Log}[1 - c*x])/64 + (3*(1 - c*x)*\text{Log}[1 - c*x])/(8*c^4) - \text{Log}[1 - c*x]^2/(16*c^4) + (x^4*\text{Log}[1 - c*x]^2)/16 - (\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(4*c^4) - (x*\text{PolyLog}[2, c*x])/(4*c^3) - (x^2*\text{PolyLog}[2, c*x])/(8*c^2) - (x^3*\text{PolyLog}[2, c*x])/(12*c) - (x^4*\text{PolyLog}[2, c*x])/16 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(4*c^4) + (x^4*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/4 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/(2*c^4) + \text{PolyLog}[3, 1 - c*x]/(2*c^4)$

#### Rule 43

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}\{b*c - a*d, 0\} \ \&\& \ \text{IGtQ}\{m, 0\} \ \&\& \ (!\text{IntegerQ}\{n\} \ || \ (\text{EqQ}\{c, 0\} \ \&\& \ \text{LeQ}\{7*m + 4*n + 4, 0\}) \ || \ \text{LtQ}\{9*m + 5*(n + 1), 0\} \ || \ \text{GtQ}\{m + n + 2, 0\})$

#### Rule 2295



Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

### Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

### Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

### Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_)^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.
)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^
n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && Int
egersQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_.) + (g_.)*(x_)), x_Symb
ol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[(k*x)/d]^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e)^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLo
g[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /
; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol
] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
```

```

:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]

```

### Rule 6603

```

Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_.))^(n_.)]*(h_.))*(x_.)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_.))], x_Symbol] :> Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int x^3 \log(1 - cx) \operatorname{Li}_2(cx) dx &= \frac{1}{4} x^4 \log(1 - cx) \operatorname{Li}_2(cx) + \frac{1}{4} \int x^3 \log^2(1 - cx) dx + \frac{1}{4} c \int \left( -\frac{\operatorname{Li}_2(cx)}{c^4} - \frac{x \operatorname{Li}_2(cx)}{c^3} - \frac{1}{4} x^2 \log^2(1 - cx) + \frac{1}{4} x^4 \log(1 - cx) \operatorname{Li}_2(cx) - \frac{1}{4} \int x^3 \operatorname{Li}_2(cx) dx - \frac{\int \operatorname{Li}_2(cx) dx}{4c^3} \right) dx \\
&= \frac{1}{16} x^4 \log^2(1 - cx) + \frac{1}{4} x^4 \log(1 - cx) \operatorname{Li}_2(cx) - \frac{1}{4} \int x^3 \operatorname{Li}_2(cx) dx - \frac{\int \operatorname{Li}_2(cx) dx}{4c^3} \\
&= \frac{1}{16} x^4 \log^2(1 - cx) - \frac{x \operatorname{Li}_2(cx)}{4c^3} - \frac{x^2 \operatorname{Li}_2(cx)}{8c^2} - \frac{x^3 \operatorname{Li}_2(cx)}{12c} - \frac{1}{16} x^4 \operatorname{Li}_2(cx) - \frac{\log(1 - cx)}{4c} \\
&= -\frac{x^2 \log(1 - cx)}{16c^2} - \frac{x^3 \log(1 - cx)}{36c} - \frac{1}{64} x^4 \log(1 - cx) + \frac{1}{16} x^4 \log^2(1 - cx) - \frac{\log(cx)}{4c} \\
&= \frac{x}{4c^3} - \frac{x^2 \log(1 - cx)}{8c^2} - \frac{5x^3 \log(1 - cx)}{72c} - \frac{3}{64} x^4 \log(1 - cx) + \frac{(1 - cx) \log(1 - cx)}{4c^4} \\
&= \frac{277x}{576c^3} + \frac{61x^2}{1152c^2} + \frac{25x^3}{1728c} + \frac{x^4}{256} + \frac{61 \log(1 - cx)}{576c^4} - \frac{x^2 \log(1 - cx)}{8c^2} - \frac{5x^3 \log(1 - cx)}{72c} \\
&= \frac{355x}{576c^3} + \frac{139x^2}{1152c^2} + \frac{67x^3}{1728c} + \frac{3x^4}{256} + \frac{139 \log(1 - cx)}{576c^4} - \frac{x^2 \log(1 - cx)}{8c^2} - \frac{5x^3 \log(1 - cx)}{72c}
\end{aligned}$$

**Mathematica [A]** time = 0.56, size = 223, normalized size = 0.74

---


$$81c^4x^4 + 432c^4x^4 \log^2(1 - cx) - 324c^4x^4 \log(1 - cx) + 268c^3x^3 - 480c^3x^3 \log(1 - cx) + 834c^2x^2 - 864c^2x^2 \log(1 - cx) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out] (4260\*c\*x + 834\*c^2\*x^2 + 268\*c^3\*x^3 + 81\*c^4\*x^4 + 4260\*Log[1 - c\*x] - 25  
92\*c\*x\*Log[1 - c\*x] - 864\*c^2\*x^2\*Log[1 - c\*x] - 480\*c^3\*x^3\*Log[1 - c\*x] -  
324\*c^4\*x^4\*Log[1 - c\*x] - 432\*Log[1 - c\*x]^2 + 432\*c^4\*x^4\*Log[1 - c\*x]^2  
- 1728\*Log[c\*x]\*Log[1 - c\*x]^2 + 144\*(-(c\*x\*(12 + 6\*c\*x + 4\*c^2\*x^2 + 3\*c^3\*x^3))  
+ 12\*(-1 + c^4\*x^4)\*Log[1 - c\*x])\*PolyLog[2, c\*x] - 3456\*Log[1 - c\*x]  
)\*PolyLog[2, 1 - c\*x] + 3456\*PolyLog[3, 1 - c\*x])/(6912\*c^4)

fricas [F] time = 2.26, size = 0, normalized size = 0.00

$$\text{integral}\left(x^3\text{Li}_2(cx)\log(-cx+1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="fricas")

[Out] integral(x^3\*dilog(c\*x)\*log(-c\*x + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3\text{Li}_2(cx)\log(-cx+1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="giac")

[Out] integrate(x^3\*dilog(c\*x)\*log(-c\*x + 1), x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x^3 \ln(-cx+1) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*ln(-c\*x+1)\*polylog(2,c\*x), x)

[Out] int(x^3\*ln(-c\*x+1)\*polylog(2,c\*x), x)

maxima [A] time = 0.35, size = 376, normalized size = 1.25

$$9c^4\left(\frac{3c^3x^4+4c^2x^3+6cx^2+12x}{c^4} + \frac{12\log(cx-1)}{c^5}\right) + 24c^3\left(\frac{2c^2x^3+3cx^2+6x}{c^3} + \frac{6\log(cx-1)}{c^4}\right) + 108c^2\left(\frac{cx^2+2x}{c^2} + \frac{2\log(cx-1)}{c^3}\right) + 432c\left(\frac{\log(cx-1)}{c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*log(-c*x+1)*polylog(2,c*x),x, algorithm="maxima")
```

```
[Out] 1/6912*(9*c^4*((3*c^3*x^4 + 4*c^2*x^3 + 6*c*x^2 + 12*x)/c^4 + 12*log(c*x - 1)/c^5) + 24*c^3*((2*c^2*x^3 + 3*c*x^2 + 6*x)/c^3 + 6*log(c*x - 1)/c^4) + 108*c^2*((c*x^2 + 2*x)/c^2 + 2*log(c*x - 1)/c^3) + 432*c*(x/c + log(c*x - 1)/c^2) + 2*(27*c^4*x^4 + 92*c^3*x^3 + 300*c^2*x^2 + 1680*c*x - 72*(3*c^4*x^4 + 4*c^3*x^3 + 6*c^2*x^2 + 12*c*x + 12*log(-c*x + 1))*dilog(c*x) - 12*(9*c^4*x^4 + 14*c^3*x^3 + 27*c^2*x^2 + 90*c*x - 140)*log(-c*x + 1))/c - 1728*(log(c*x)*log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*log(-c*x + 1) - 2*polylog(3, -c*x + 1))/c)/c^3 + 1/192*(48*c^4*x^4*dilog(c*x) - 3*c^4*x^4 - 4*c^3*x^3 - 6*c^2*x^2 - 12*c*x + 12*(c^4*x^4 - 1)*log(-c*x + 1))*log(-c*x + 1)/c^4
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \ln(1 - cx) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*log(1 - c*x)*polylog(2, c*x),x)
```

```
[Out] int(x^3*log(1 - c*x)*polylog(2, c*x), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*ln(-c*x+1)*polylog(2,c*x),x)
```

```
[Out] Timed out
```

### 3.162 $\int x^2 \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=258

$$\frac{2\text{Li}_3(1 - cx)}{3c^3} - \frac{\text{Li}_2(cx) \log(1 - cx)}{3c^3} - \frac{2\text{Li}_2(1 - cx) \log(1 - cx)}{3c^3} - \frac{\log(cx) \log^2(1 - cx)}{3c^3} - \frac{\log^2(1 - cx)}{9c^3} + \frac{5(1 - cx) \log(1 - cx)}{9c^3}$$

[Out]  $31/36*x/c^2+11/72*x^2/c+1/27*x^3+11/36*\ln(-c*x+1)/c^3-7/36*x^2*\ln(-c*x+1)/c-1/9*x^3*\ln(-c*x+1)+5/9*(-c*x+1)*\ln(-c*x+1)/c^3-1/9*\ln(-c*x+1)^2/c^3+1/9*x^3*\ln(-c*x+1)^2-1/3*\ln(c*x)*\ln(-c*x+1)^2/c^3-1/3*x*\text{polylog}(2,c*x)/c^2-1/6*x^2*\text{polylog}(2,c*x)/c-1/9*x^3*\text{polylog}(2,c*x)-1/3*\ln(-c*x+1)*\text{polylog}(2,c*x)/c^3+1/3*x^3*\ln(-c*x+1)*\text{polylog}(2,c*x)-2/3*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/c^3+2/3*\text{polylog}(3,-c*x+1)/c^3$

**Rubi [A]** time = 0.40, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 31, number of rules used = 16, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {6591, 2395, 43, 6603, 2398, 2410, 2389, 2295, 2390, 2301, 6586, 6596, 2396, 2433, 2374, 6589}

$$-\frac{x \text{PolyLog}(2, cx)}{3c^2} + \frac{2 \text{PolyLog}(3, 1 - cx)}{3c^3} - \frac{\log(1 - cx) \text{PolyLog}(2, cx)}{3c^3} - \frac{2 \log(1 - cx) \text{PolyLog}(2, 1 - cx)}{3c^3} - \frac{1}{9} x^3 \text{PolyLog}(3, -cx)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2 * \text{Log}[1 - c*x] * \text{PolyLog}[2, c*x], x]$

[Out]  $(31*x)/(36*c^2) + (11*x^2)/(72*c) + x^3/27 + (11*\text{Log}[1 - c*x])/(36*c^3) - (7*x^2*\text{Log}[1 - c*x])/(36*c) - (x^3*\text{Log}[1 - c*x])/9 + (5*(1 - c*x)*\text{Log}[1 - c*x])/(9*c^3) - \text{Log}[1 - c*x]^2/(9*c^3) + (x^3*\text{Log}[1 - c*x]^2)/9 - (\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(3*c^3) - (x*\text{PolyLog}[2, c*x])/(3*c^2) - (x^2*\text{PolyLog}[2, c*x])/(6*c) - (x^3*\text{PolyLog}[2, c*x])/9 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(3*c^3) + (x^3*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/3 - (2*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/(3*c^3) + (2*\text{PolyLog}[3, 1 - c*x])/(3*c^3)$

#### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)^(m_.)*((c_.) + (d_.)*(x_)^(n_.), x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}\{b*c - a*d, 0\} \ \&\& \ \text{IGtQ}\{m, 0\} \ \&\& \ (!\text{IntegerQ}\{n\} \ || \ (\text{EqQ}\{c, 0\} \ \&\& \ \text{LeQ}\{7*m + 4*n + 4, 0\}) \ || \ \text{LtQ}\{9*m + 5*(n + 1), 0\} \ || \ \text{GtQ}\{m + n + 2, 0\})$

#### Rule 2295

$\text{Int}[\text{Log}[(c_.)*(x_)^(n_.)], x\_Symbol] := \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n\}, x]$

Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.)\*(x\_)^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

Rule 2398

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)

```
)*(x_)^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegersQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

### Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_) + (g_.)*(x_)), x_Symbol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

### Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Symbol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

### Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
```



EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6603

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_.))^(n\_.)]\*(h\_.))\*(x\_.)^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))], x\_Symbol] :> Simp[(x^(m + 1)\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], x^(m + 1)/(a + b\*x), x], x], x] - Dist[(e\*h\*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], x^(m + 1)/(d + e\*x), x], x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int x^2 \log(1 - cx) \text{Li}_2(cx) dx &= \frac{1}{3} x^3 \log(1 - cx) \text{Li}_2(cx) + \frac{1}{3} \int x^2 \log^2(1 - cx) dx + \frac{1}{3} c \int \left( -\frac{\text{Li}_2(cx)}{c^3} - \frac{x \text{Li}_2(cx)}{c^2} - \frac{x^2 \text{Li}_2(cx)}{c} \right) dx \\
 &= \frac{1}{9} x^3 \log^2(1 - cx) + \frac{1}{3} x^3 \log(1 - cx) \text{Li}_2(cx) - \frac{1}{3} \int x^2 \text{Li}_2(cx) dx - \frac{\int \text{Li}_2(cx) dx}{3c^2} - \frac{\int x \text{Li}_2(cx) dx}{3c} \\
 &= \frac{1}{9} x^3 \log^2(1 - cx) - \frac{x \text{Li}_2(cx)}{3c^2} - \frac{x^2 \text{Li}_2(cx)}{6c} - \frac{1}{9} x^3 \text{Li}_2(cx) - \frac{\log(1 - cx) \text{Li}_2(cx)}{3c^3} + \frac{1}{3} x^2 \log(1 - cx) \\
 &= -\frac{x^2 \log(1 - cx)}{12c} - \frac{1}{27} x^3 \log(1 - cx) + \frac{1}{9} x^3 \log^2(1 - cx) - \frac{\log(cx) \log^2(1 - cx)}{3c^3} - \frac{x \log(1 - cx)}{3c} \\
 &= \frac{x}{3c^2} - \frac{7x^2 \log(1 - cx)}{36c} - \frac{1}{9} x^3 \log(1 - cx) + \frac{(1 - cx) \log(1 - cx)}{3c^3} + \frac{1}{9} x^3 \log^2(1 - cx) \\
 &= \frac{73x}{108c^2} + \frac{13x^2}{216c} + \frac{x^3}{81} + \frac{13 \log(1 - cx)}{108c^3} - \frac{7x^2 \log(1 - cx)}{36c} - \frac{1}{9} x^3 \log(1 - cx) + \frac{5(1 - cx)}{36c^3} \\
 &= \frac{31x}{36c^2} + \frac{11x^2}{72c} + \frac{x^3}{27} + \frac{11 \log(1 - cx)}{36c^3} - \frac{7x^2 \log(1 - cx)}{36c} - \frac{1}{9} x^3 \log(1 - cx) + \frac{5(1 - cx)}{36c^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 192, normalized size = 0.74

$$\frac{8c^3x^3 + 24c^3x^3 \log^2(1 - cx) - 24c^3x^3 \log(1 - cx) + 33c^2x^2 - 42c^2x^2 \log(1 - cx) + 12\text{Li}_2(cx) \left( 6(c^3x^3 - 1) \log(1 - cx) \right)}{36c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Log[1 - c\*x]\*PolyLog[2, c\*x],x]

[Out] (186\*c\*x + 33\*c^2\*x^2 + 8\*c^3\*x^3 + 186\*Log[1 - c\*x] - 120\*c\*x\*Log[1 - c\*x] - 42\*c^2\*x^2\*Log[1 - c\*x] - 24\*c^3\*x^3\*Log[1 - c\*x] - 24\*Log[1 - c\*x]^2 + 24\*c^3\*x^3\*Log[1 - c\*x]^2 - 72\*Log[c\*x]\*Log[1 - c\*x]^2 + 12\*(-(c\*x\*(6 + 3\*c\*x + 2\*c^2\*x^2)) + 6\*(-1 + c^3\*x^3)\*Log[1 - c\*x])\*PolyLog[2, c\*x] - 144\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] + 144\*PolyLog[3, 1 - c\*x])/(216\*c^3)

**fricas** [F] time = 1.71, size = 0, normalized size = 0.00

$$\text{integral}(x^2 \text{Li}_2(cx) \log(-cx + 1), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="fricas")

[Out] integral(x^2\*dilog(c\*x)\*log(-c\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \text{Li}_2(cx) \log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="giac")

[Out] integrate(x^2\*dilog(c\*x)\*log(-c\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x^2 \ln(-cx + 1) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*ln(-c\*x+1)\*polylog(2,c\*x),x)

[Out] int(x^2\*ln(-c\*x+1)\*polylog(2,c\*x),x)

**maxima** [A] time = 0.37, size = 296, normalized size = 1.15

$$4c^3 \left( \frac{2c^2x^3 + 3cx^2 + 6x}{c^3} + \frac{6 \log(cx-1)}{c^4} \right) + 18c^2 \left( \frac{cx^2 + 2x}{c^2} + \frac{2 \log(cx-1)}{c^3} \right) + 72c \left( \frac{x}{c} + \frac{\log(cx-1)}{c^2} \right) + \frac{16c^3x^3 + 69c^2x^2 + 426cx - 36(2c^3x^3 + 3c^2x^2 + 6cx - 6)}{216c^3}$$

648

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="maxima")

```
[Out] 1/648*(4*c^3*((2*c^2*x^3 + 3*c*x^2 + 6*x)/c^3 + 6*log(c*x - 1)/c^4) + 18*c^
2*((c*x^2 + 2*x)/c^2 + 2*log(c*x - 1)/c^3) + 72*c*(x/c + log(c*x - 1)/c^2)
+ (16*c^3*x^3 + 69*c^2*x^2 + 426*c*x - 36*(2*c^3*x^3 + 3*c^2*x^2 + 6*c*x +
6*log(-c*x + 1))*dilog(c*x) - 6*(8*c^3*x^3 + 15*c^2*x^2 + 48*c*x - 71)*log(
-c*x + 1))/c - 216*(log(c*x)*log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*log(-c*x +
1) - 2*polylog(3, -c*x + 1))/c)/c^2 + 1/54*(18*c^3*x^3*dilog(c*x) - 2*c^3*
x^3 - 3*c^2*x^2 - 6*c*x + 6*(c^3*x^3 - 1)*log(-c*x + 1))*log(-c*x + 1)/c^3
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \ln(1 - cx) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*log(1 - c*x)*polylog(2, c*x), x)
```

```
[Out] int(x^2*log(1 - c*x)*polylog(2, c*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \log(-cx + 1) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*ln(-c*x+1)*polylog(2, c*x), x)
```

```
[Out] Integral(x**2*log(-c*x + 1)*polylog(2, c*x), x)
```

### 3.163 $\int x \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=262

$$\frac{\text{Li}_3(1 - cx)}{c^2} - \frac{\text{Li}_2(cx) \log(1 - cx)}{2c^2} - \frac{\text{Li}_2(1 - cx) \log(1 - cx)}{c^2} + \frac{(1 - cx)^2}{8c^2} + \frac{(1 - cx)^2 \log^2(1 - cx)}{4c^2} - \frac{(1 - cx) \log^2(1 - cx)}{2c^2}$$

[Out]  $13/8*x/c+1/16*x^2+1/8*(-c*x+1)^2/c^2+1/8*\ln(-c*x+1)/c^2-1/8*x^2*\ln(-c*x+1)+3/2*(-c*x+1)*\ln(-c*x+1)/c^2-1/4*(-c*x+1)^2*\ln(-c*x+1)/c^2-1/2*(-c*x+1)*\ln(-c*x+1)^2/c^2+1/4*(-c*x+1)^2*\ln(-c*x+1)^2/c^2-1/2*\ln(c*x)*\ln(-c*x+1)^2/c^2-1/2*x*\text{polylog}(2,c*x)/c-1/4*x^2*\text{polylog}(2,c*x)-1/2*\ln(-c*x+1)*\text{polylog}(2,c*x)/c^2+1/2*x^2*\ln(-c*x+1)*\text{polylog}(2,c*x)-\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/c^2+\text{polylog}(3,-c*x+1)/c^2$

**Rubi [A]** time = 0.25, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 17, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.214$ , Rules used = {6591, 2395, 43, 6603, 2401, 2389, 2296, 2295, 2390, 2305, 2304, 6586, 6596, 2396, 2433, 2374, 6589}

$$\frac{\text{PolyLog}(3, 1 - cx)}{c^2} - \frac{\log(1 - cx) \text{PolyLog}(2, cx)}{2c^2} - \frac{\log(1 - cx) \text{PolyLog}(2, 1 - cx)}{c^2} - \frac{1}{4} x^2 \text{PolyLog}(2, cx) + \frac{1}{2} x^2 \log(1 - cx)$$

Antiderivative was successfully verified.

[In] Int[x\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $(13*x)/(8*c) + x^2/16 + (1 - c*x)^2/(8*c^2) + \text{Log}[1 - c*x]/(8*c^2) - (x^2*\text{Log}[1 - c*x])/8 + (3*(1 - c*x)*\text{Log}[1 - c*x])/(2*c^2) - ((1 - c*x)^2*\text{Log}[1 - c*x])/(4*c^2) - ((1 - c*x)*\text{Log}[1 - c*x]^2)/(2*c^2) + ((1 - c*x)^2*\text{Log}[1 - c*x]^2)/(4*c^2) - (\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(2*c^2) - (x*\text{PolyLog}[2, c*x])/(2*c) - (x^2*\text{PolyLog}[2, c*x])/4 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(2*c^2) + (x^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/2 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/c^2 + \text{PolyLog}[3, 1 - c*x]/c^2$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 2295

Int[Log[(c\_.)\*(x\_)]^(n\_.), x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

Rule 2296

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b
*Log[c*x^n])^p, x] - Dist[b*n*p, Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

Rule 2304

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :=
Simp[((d*x)^(m + 1)*(a + b*Log[c*x^n]))/(d*(m + 1)), x] - Simp[(b*n*(d*x)^(
m + 1))/(d*(m + 1)^2), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

Rule 2305

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_)^(m_.), x_Symbol] :=
Simp[((d*x)^(m + 1)*(a + b*Log[c*x^n])^p)/(d*(m + 1)), x] - Dist[(b*n
*p)/(m + 1), Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b,
c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

Rule 2374

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :=
Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a,
b, c, d, e, n, p}, x]
```

Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_) + (g_.
)*(x_)^(q_.), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x
^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
_)^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
```

, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2401

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(f + g\*x)^q\*(a + b\*Log[c\*(d + e\*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[q, 0]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_))^(r\_.), x\_Symbol] := Dist[1/e, Subst[Int[(k\*x)/d]^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x \log(1 - cx) \text{Li}_2(cx) dx &= \frac{1}{2} x^2 \log(1 - cx) \text{Li}_2(cx) + \frac{1}{2} \int x \log^2(1 - cx) dx + \frac{1}{2} c \int \left( -\frac{\text{Li}_2(cx)}{c^2} - \frac{x \text{Li}_2(cx)}{c} - \frac{x^2 \log^2(1 - cx)}{c^2} \right) dx \\
&= \frac{1}{2} x^2 \log(1 - cx) \text{Li}_2(cx) + \frac{1}{2} \int \left( \frac{\log^2(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} \right) dx - \frac{1}{2} \int x \log^2(1 - cx) dx \\
&= -\frac{x \text{Li}_2(cx)}{2c} - \frac{1}{4} x^2 \text{Li}_2(cx) - \frac{\log(1 - cx) \text{Li}_2(cx)}{2c^2} + \frac{1}{2} x^2 \log(1 - cx) \text{Li}_2(cx) - \frac{1}{4} \int x \log^2(1 - cx) dx \\
&= -\frac{1}{8} x^2 \log(1 - cx) - \frac{\log(cx) \log^2(1 - cx)}{2c^2} - \frac{x \text{Li}_2(cx)}{2c} - \frac{1}{4} x^2 \text{Li}_2(cx) - \frac{\log(1 - cx) \text{Li}_2(cx)}{2c^2} \\
&= \frac{x}{2c} - \frac{1}{8} x^2 \log(1 - cx) + \frac{(1 - cx) \log(1 - cx)}{2c^2} - \frac{(1 - cx) \log^2(1 - cx)}{2c^2} + \frac{(1 - cx)^2 \log^3(1 - cx)}{4c^2} \\
&= \frac{13x}{8c} + \frac{x^2}{16} + \frac{(1 - cx)^2}{8c^2} + \frac{\log(1 - cx)}{8c^2} - \frac{1}{8} x^2 \log(1 - cx) + \frac{3(1 - cx) \log(1 - cx)}{2c^2} - \frac{(1 - cx)^2 \log^2(1 - cx)}{2c^2} \\
&= \frac{13x}{8c} + \frac{x^2}{16} + \frac{(1 - cx)^2}{8c^2} + \frac{\log(1 - cx)}{8c^2} - \frac{1}{8} x^2 \log(1 - cx) + \frac{3(1 - cx) \log(1 - cx)}{2c^2} - \frac{(1 - cx)^2 \log^2(1 - cx)}{2c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 160, normalized size = 0.61

---


$$\text{Li}_2(cx) \left( 8(c^2 x^2 - 1) \log(1 - cx) - 4cx(cx + 2) \right) + 3c^2 x^2 + 4c^2 x^2 \log^2(1 - cx) - 6c^2 x^2 \log(1 - cx) + 16\text{Li}_3(1 - cx)$$

Antiderivative was successfully verified.

[In] Integrate[x\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $(-14 + 22*c*x + 3*c^2*x^2 + 22*\text{Log}[1 - c*x] - 16*c*x*\text{Log}[1 - c*x] - 6*c^2*x^2*\text{Log}[1 - c*x] - 4*\text{Log}[1 - c*x]^2 + 4*c^2*x^2*\text{Log}[1 - c*x]^2 - 8*\text{Log}[c*x]*\text{Log}[1 - c*x]^2 + (-4*c*x*(2 + c*x) + 8*(-1 + c^2*x^2))*\text{Log}[1 - c*x])*PolyLog[2, c*x] - 16*\text{Log}[1 - c*x]*PolyLog[2, 1 - c*x] + 16*PolyLog[3, 1 - c*x])/(16*c^2)$

**fricas** [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}(x\text{Li}_2(cx)\log(-cx + 1), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="fricas")

[Out] integral(x\*dilog(c\*x)\*log(-c\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\text{Li}_2(cx)\log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="giac")

[Out] integrate(x\*dilog(c\*x)\*log(-c\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x \ln(-cx + 1) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*ln(-c\*x+1)\*polylog(2,c\*x), x)

[Out] int(x\*ln(-c\*x+1)\*polylog(2,c\*x), x)

**maxima** [A] time = 0.37, size = 222, normalized size = 0.85

$$c^2 \left( \frac{cx^2 + 2x}{c^2} + \frac{2 \log(cx-1)}{c^3} \right) + 4c \left( \frac{x}{c} + \frac{\log(cx-1)}{c^2} \right) + \frac{2(c^2x^2 + 8cx - 2(c^2x^2 + 2cx + 2 \log(-cx+1))\text{Li}_2(cx) - 2(c^2x^2 + 3cx - 4)\log(-cx+1))}{c} - \frac{8(\log(-cx+1))}{c}$$

---

16c

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="maxima")

[Out]  $\frac{1}{16}*(c^2*((c*x^2 + 2*x)/c^2 + 2*\log(c*x - 1)/c^3) + 4*c*(x/c + \log(c*x - 1)/c^2) + 2*(c^2*x^2 + 8*c*x - 2*(c^2*x^2 + 2*c*x + 2*\log(-c*x + 1))*\operatorname{dilog}(c*x) - 2*(c^2*x^2 + 3*c*x - 4)*\log(-c*x + 1))/c - 8*(\log(c*x)*\log(-c*x + 1)^2 + 2*\operatorname{dilog}(-c*x + 1)*\log(-c*x + 1) - 2*\operatorname{polylog}(3, -c*x + 1))/c)/c + 1/8*(4*c^2*x^2*\operatorname{dilog}(c*x) - c^2*x^2 - 2*c*x + 2*(c^2*x^2 - 1)*\log(-c*x + 1))*\log(-c*x + 1)/c^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \ln(1 - cx) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*log(1 - c\*x)\*polylog(2, c\*x),x)

[Out] int(x\*log(1 - c\*x)\*polylog(2, c\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \log(-cx + 1) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*ln(-c\*x+1)\*polylog(2,c\*x),x)

[Out] Integral(x\*log(-c\*x + 1)\*polylog(2, c\*x), x)

### 3.164 $\int \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=132

$$-x\text{Li}_2(cx) + \frac{2\text{Li}_3(1-cx)}{c} + x\text{Li}_2(cx)\log(1-cx) - \frac{\text{Li}_2(cx)\log(1-cx)}{c} - \frac{2\text{Li}_2(1-cx)\log(1-cx)}{c} - \frac{(1-cx)\log^2(1-cx)}{c}$$

[Out]  $3*x+3*(-c*x+1)*\ln(-c*x+1)/c - (-c*x+1)*\ln(-c*x+1)^2/c - \ln(c*x)*\ln(-c*x+1)^2/c - x*\text{polylog}(2, c*x) - \ln(-c*x+1)*\text{polylog}(2, c*x)/c + x*\ln(-c*x+1)*\text{polylog}(2, c*x) - 2*\ln(-c*x+1)*\text{polylog}(2, -c*x+1)/c + 2*\text{polylog}(3, -c*x+1)/c$

**Rubi [A]** time = 0.21, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.923$ , Rules used = {6586, 2389, 2295, 6600, 2296, 6688, 6742, 6596, 2396, 2433, 2374, 6589}

$$-x\text{PolyLog}(2, cx) + \frac{2\text{PolyLog}(3, 1-cx)}{c} + x\log(1-cx)\text{PolyLog}(2, cx) - \frac{\log(1-cx)\text{PolyLog}(2, cx)}{c} - \frac{2\log(1-cx)\text{PolyLog}(2, cx)}{c}$$

Antiderivative was successfully verified.

[In] Int[Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $3*x + (3*(1 - c*x)*\text{Log}[1 - c*x])/c - ((1 - c*x)*\text{Log}[1 - c*x]^2)/c - (\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/c - x*\text{PolyLog}[2, c*x] - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/c + x*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x] - (2*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/c + (2*\text{PolyLog}[3, 1 - c*x])/c$

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2296

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^p, x\_Symbol] := Simp[x\*(a + b\*Log[c\*x^n])^p, x] - Dist[b\*n\*p, Int[(a + b\*Log[c\*x^n])^(p-1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]

#### Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^p]/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p-1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]

&& EqQ[d\*e, 1]

### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_))^(r\_.), x\_Symbol] :> Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6600

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*PolyLog[2, (c_.)*
((a_.) + (b_.)*(x_))], x_Symbol] := Simp[x*(g + h*Log[f*(d + e*x)^n])*PolyL
og[2, c*(a + b*x)], x] + (Dist[b, Int[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*
c - b*c*x]*ExpandIntegrand[x/(a + b*x), x], x], x] - Dist[e*h*n, Int[PolyLo
g[2, c*(a + b*x)]*ExpandIntegrand[x/(d + e*x), x], x], x]) /; FreeQ[{a, b,
c, d, e, f, g, h, n}, x]
```

### Rule 6688

```
Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; Simpl
erIntegrandQ[v, u, x]]
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

### Rubi steps

$$\begin{aligned}
\int \log(1 - cx) \text{Li}_2(cx) dx &= x \log(1 - cx) \text{Li}_2(cx) + c \int \left( -\frac{1}{c} - \frac{1}{c(-1 + cx)} \right) \text{Li}_2(cx) dx + \int \log^2(1 - cx) dx \\
&= x \log(1 - cx) \text{Li}_2(cx) - \frac{\text{Subst}\left(\int \log^2(x) dx, x, 1 - cx\right)}{c} + c \int \frac{x \text{Li}_2(cx)}{1 - cx} dx \\
&= -\frac{(1 - cx) \log^2(1 - cx)}{c} + x \log(1 - cx) \text{Li}_2(cx) + \frac{2 \text{Subst}\left(\int \log(x) dx, x, 1 - cx\right)}{c} + c \int \\
&= 2x + \frac{2(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} + x \log(1 - cx) \text{Li}_2(cx) - \int \text{Li}_2(cx) dx \\
&= 2x + \frac{2(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} - x \text{Li}_2(cx) - \frac{\log(1 - cx) \text{Li}_2(cx)}{c} + x \\
&= 2x + \frac{2(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} - \frac{\log(cx) \log^2(1 - cx)}{c} - x \text{Li}_2(cx) - \\
&= 3x + \frac{3(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} - \frac{\log(cx) \log^2(1 - cx)}{c} - x \text{Li}_2(cx) - \\
&= 3x + \frac{3(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} - \frac{\log(cx) \log^2(1 - cx)}{c} - x \text{Li}_2(cx) - \\
&= 3x + \frac{3(1 - cx) \log(1 - cx)}{c} - \frac{(1 - cx) \log^2(1 - cx)}{c} - \frac{\log(cx) \log^2(1 - cx)}{c} - x \text{Li}_2(cx) -
\end{aligned}$$

**Mathematica** [A] time = 0.02, size = 119, normalized size = 0.90

$$\frac{2\text{Li}_3(1-cx) - 2\text{Li}_2(1-cx)\log(1-cx) + \text{Li}_2(cx)((cx-1)\log(1-cx) - cx) + 3cx + cx\log^2(1-cx) - \log(cx)\log(1-cx)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $(-2 + 3cx + 3\text{Log}[1 - cx] - 3cx\text{Log}[1 - cx] - \text{Log}[1 - cx]^2 + cx\text{Log}[1 - cx]^2 - \text{Log}[cx]\text{Log}[1 - cx]^2 + (-cx) + (-1 + cx)\text{Log}[1 - cx]) \cdot \text{PolyLog}[2, cx] - 2\text{Log}[1 - cx]\text{PolyLog}[2, 1 - cx] + 2\text{PolyLog}[3, 1 - cx]) / c$

**fricas** [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}(\text{Li}_2(cx)\log(-cx + 1), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="fricas")

[Out] integral(dilog(c\*x)\*log(-c\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \text{Li}_2(cx)\log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x), x, algorithm="giac")

[Out] integrate(dilog(c\*x)\*log(-c\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \ln(-cx + 1)\text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(ln(-c\*x+1)\*polylog(2,c\*x), x)

[Out] int(ln(-c\*x+1)\*polylog(2,c\*x), x)

**maxima** [A] time = 0.34, size = 141, normalized size = 1.07

$$c\left(\frac{x}{c} + \frac{\log(cx-1)}{c^2}\right) + \frac{(cx\text{Li}_2(cx) - cx + (cx-1)\log(-cx+1))\log(-cx+1) - \log(cx)\log(-cx+1)^2 + 2\text{Li}_2(-cx)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="maxima")

[Out]  $c*(x/c + \log(c*x - 1)/c^2) + (c*x*dilog(c*x) - c*x + (c*x - 1)*\log(-c*x + 1))*\log(-c*x + 1)/c - (\log(c*x)*\log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*\log(-c*x + 1) - 2*polylog(3, -c*x + 1))/c + (2*c*x - (c*x + \log(-c*x + 1))*dilog(c*x) - 2*(c*x - 1)*\log(-c*x + 1))/c$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \ln(1 - cx) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(log(1 - c\*x)\*polylog(2, c\*x),x)

[Out] int(log(1 - c\*x)\*polylog(2, c\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \log(-cx + 1) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(ln(-c\*x+1)\*polylog(2,c\*x),x)

[Out] Integral(log(-c\*x + 1)\*polylog(2, c\*x), x)

$$3.165 \quad \int \frac{\log(1-cx)\text{Li}_2(cx)}{x} dx$$

Optimal. Leaf size=11

$$-\frac{1}{2}\text{Li}_2(cx)^2$$

[Out] -1/2\*polylog(2,c\*x)^2

Rubi [A] time = 0.03, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {6589, 6601}

$$-\frac{1}{2}\text{PolyLog}(2, cx)^2$$

Antiderivative was successfully verified.

[In] Int[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x,x]

[Out] -PolyLog[2, c\*x]^2/2

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rule 6601

Int[(Log[1 + (e\_.)\*(x\_)])\*PolyLog[2, (c\_.)\*(x\_)]]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, c\*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]

Rubi steps

$$\int \frac{\log(1-cx)\text{Li}_2(cx)}{x} dx = -\frac{1}{2}\text{Li}_2(cx)^2$$

Mathematica [A] time = 0.01, size = 11, normalized size = 1.00

$$-\frac{1}{2}\text{Li}_2(cx)^2$$

Antiderivative was successfully verified.

[In] Integrate[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x,x]

[Out] -1/2\*PolyLog[2, c\*x]^2

**fricas** [A] time = 1.04, size = 8, normalized size = 0.73

$$-\frac{1}{2} \operatorname{Li}_2(cx)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="fricas")

[Out] -1/2\*dilog(c\*x)^2

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{Li}_2(cx) \log(-cx + 1)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="giac")

[Out] integrate(dilog(c\*x)\*log(-c\*x + 1)/x, x)

**maple** [A] time = 0.00, size = 10, normalized size = 0.91

$$\frac{\operatorname{polylog}(2, cx)^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(ln(-c\*x+1)\*polylog(2,c\*x)/x,x)

[Out] -1/2\*polylog(2,c\*x)^2

**maxima** [A] time = 0.29, size = 8, normalized size = 0.73

$$-\frac{1}{2} \operatorname{Li}_2(cx)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="maxima")

[Out] -1/2\*dilog(c\*x)^2



mupad [B] time = 0.24, size = 9, normalized size = 0.82

$$\frac{\text{polylog}(2, cx)^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - c\*x)\*polylog(2, c\*x))/x,x)

[Out] -polylog(2, c\*x)^2/2

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\log(-cx + 1) \text{Li}_2(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(ln(-c\*x+1)\*polylog(2,c\*x)/x,x)

[Out] Integral(log(-c\*x + 1)\*polylog(2, c\*x)/x, x)

$$3.166 \quad \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^2} dx$$

Optimal. Leaf size=111

$$-2c\text{Li}_2(cx)-c\text{Li}_3(cx)-2c\text{Li}_3(1-cx)+c\text{Li}_2(cx)\log(1-cx)-\frac{\text{Li}_2(cx)\log(1-cx)}{x}+2c\text{Li}_2(1-cx)\log(1-cx)+\frac{(1-cx)\log(1-cx)}{x}$$

[Out]  $(-c*x+1)*\ln(-c*x+1)^2/x+c*\ln(c*x)*\ln(-c*x+1)^2-2*c*\text{polylog}(2,c*x)+c*\ln(-c*x+1)*\text{polylog}(2,c*x)-\ln(-c*x+1)*\text{polylog}(2,c*x)/x+2*c*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)-c*\text{polylog}(3,c*x)-2*c*\text{polylog}(3,-c*x+1)$

Rubi [A] time = 0.16, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 13, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.812$ , Rules used = {6591, 2395, 36, 29, 31, 6603, 2397, 2391, 6589, 6596, 2396, 2433, 2374}

$$-2c\text{PolyLog}(2,cx)-c\text{PolyLog}(3,cx)-2c\text{PolyLog}(3,1-cx)+c\log(1-cx)\text{PolyLog}(2,cx)-\frac{\log(1-cx)\text{PolyLog}(2,cx)}{x}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/x^2, x]$

[Out]  $((1 - c*x)*\text{Log}[1 - c*x]^2)/x + c*\text{Log}[c*x]*\text{Log}[1 - c*x]^2 - 2*c*\text{PolyLog}[2, c*x] + c*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x] - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/x + 2*c*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x] - c*\text{PolyLog}[3, c*x] - 2*c*\text{PolyLog}[3, 1 - c*x]$

Rule 29

$\text{Int}[(x_)^{(-1)}, x\_Symbol] \text{ :> } \text{Simp}[\text{Log}[x], x]$

Rule 31

$\text{Int}[(a_) + (b_)*(x_)^{(-1)}, x\_Symbol] \text{ :> } \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; } \text{FreeQ}\{a, b\}, x]$

Rule 36

$\text{Int}[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x\_Symbol] \text{ :> } \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2397

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_))^2, x\_Symbol] := Simp[((d + e\*x)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/((e\*f - d\*g)\*(f + g\*x)), x] - Dist[(b\*e\*n\*p)/(e\*f - d\*g), Int[(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)/(f + g\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_)^(m\_.))]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_)^(r\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1),
Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x]
&& NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> Simp[(x^(m + 1)*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/(a + b*x), x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
&& IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\log(1-cx)\text{Li}_2(cx)}{x^2} dx &= -\frac{\log(1-cx)\text{Li}_2(cx)}{x} - c \int \left( \frac{\text{Li}_2(cx)}{x} - \frac{c\text{Li}_2(cx)}{-1+cx} \right) dx - \int \frac{\log^2(1-cx)}{x^2} dx \\
&= \frac{(1-cx)\log^2(1-cx)}{x} - \frac{\log(1-cx)\text{Li}_2(cx)}{x} - c \int \frac{\text{Li}_2(cx)}{x} dx + (2c) \int \frac{\log(1-cx)}{x} dx \\
&= \frac{(1-cx)\log^2(1-cx)}{x} - 2c\text{Li}_2(cx) + c \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{x} - c\text{Li}_3 \\
&= \frac{(1-cx)\log^2(1-cx)}{x} + c \log(cx) \log^2(1-cx) - 2c\text{Li}_2(cx) + c \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{x} \\
&= \frac{(1-cx)\log^2(1-cx)}{x} + c \log(cx) \log^2(1-cx) - 2c\text{Li}_2(cx) + c \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{x} \\
&= \frac{(1-cx)\log^2(1-cx)}{x} + c \log(cx) \log^2(1-cx) - 2c\text{Li}_2(cx) + c \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{x} \\
&= \frac{(1-cx)\log^2(1-cx)}{x} + c \log(cx) \log^2(1-cx) - 2c\text{Li}_2(cx) + c \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 115, normalized size = 1.04

$$-c\text{Li}_3(cx) - 2c\text{Li}_3(1-cx) + \frac{(cx-1)\text{Li}_2(cx)\log(1-cx)}{x} + 2c\text{Li}_2(1-cx)(\log(1-cx)+1) - c\log^2(1-cx) + c\log(cx)\log^2(1-cx)$$

Antiderivative was successfully verified.

[In] Integrate[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^2, x]

[Out] 2\*c\*Log[c\*x]\*Log[1 - c\*x] - c\*Log[1 - c\*x]^2 + Log[1 - c\*x]^2/x + c\*Log[c\*x]\*Log[1 - c\*x]^2 + ((-1 + c\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x + 2\*c\*(1 + Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] - c\*PolyLog[3, c\*x] - 2\*c\*PolyLog[3, 1 - c\*x]

**fricas [F]** time = 1.13, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(cx)\log(-cx+1)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="fricas")

[Out] integral(dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(cx) \log(-cx + 1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="giac")

[Out] integrate(dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\ln(-cx + 1) \text{polylog}(2, cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(ln(-c\*x+1)\*polylog(2,c\*x)/x^2,x)

[Out] int(ln(-c\*x+1)\*polylog(2,c\*x)/x^2,x)

**maxima** [A] time = 0.37, size = 113, normalized size = 1.02

$$(\log(cx) \log(-cx + 1)^2 + 2 \text{Li}_2(-cx + 1) \log(-cx + 1) - 2 \text{Li}_3(-cx + 1))c + 2(\log(cx) \log(-cx + 1) + \text{Li}_2(-cx + 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="maxima")

[Out] (log(c\*x)\*log(-c\*x + 1)^2 + 2\*dilog(-c\*x + 1)\*log(-c\*x + 1) - 2\*polylog(3, -c\*x + 1))\*c + 2\*(log(c\*x)\*log(-c\*x + 1) + dilog(-c\*x + 1))\*c - c\*polylog(3, c\*x) + ((c\*x - 1)\*dilog(c\*x)\*log(-c\*x + 1) - (c\*x - 1)\*log(-c\*x + 1)^2)/x

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\ln(1 - cx) \text{polylog}(2, cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - c\*x)\*polylog(2, c\*x))/x^2,x)

[Out] int((log(1 - c\*x)\*polylog(2, c\*x))/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\log(-cx + 1) \text{Li}_2(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(ln(-c*x+1)*polylog(2,c*x)/x**2,x)
```

```
[Out] Integral(log(-c*x + 1)*polylog(2, c*x)/x**2, x)
```

$$3.167 \quad \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^3} dx$$

**Optimal.** Leaf size=191

$$-\frac{1}{2}c^2\text{Li}_2(cx)-\frac{1}{2}c^2\text{Li}_3(cx)-c^2\text{Li}_3(1-cx)+\frac{1}{2}c^2\text{Li}_2(cx)\log(1-cx)+c^2\text{Li}_2(1-cx)\log(1-cx)+\frac{1}{2}c^2\log(cx)\log^2(1-cx)-\frac{1}{4}$$

[Out]  $-c^2*\ln(x)+c^2*\ln(-c*x+1)-c*\ln(-c*x+1)/x-1/4*c^2*\ln(-c*x+1)^2+1/4*\ln(-c*x+1)^2/x^2+1/2*c^2*\ln(c*x)*\ln(-c*x+1)^2-1/2*c^2*\text{polylog}(2,c*x)+1/2*c*\text{polylog}(2,c*x)/x+1/2*c^2*\ln(-c*x+1)*\text{polylog}(2,c*x)-1/2*\ln(-c*x+1)*\text{polylog}(2,c*x)/x^2+c^2*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)-1/2*c^2*\text{polylog}(3,c*x)-c^2*\text{polylog}(3,-c*x+1)$

**Rubi [A]** time = 0.28, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 17, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.062$ , Rules used = {6591, 2395, 44, 6603, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{2}c^2\text{PolyLog}(2,cx)-\frac{1}{2}c^2\text{PolyLog}(3,cx)-c^2\text{PolyLog}(3,1-cx)+\frac{1}{2}c^2\log(1-cx)\text{PolyLog}(2,cx)+c^2\log(1-cx)\text{Poly}$$

Antiderivative was successfully verified.

[In] Int[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^3,x]

[Out]  $-(c^2*\text{Log}[x]) + c^2*\text{Log}[1 - c*x] - (c*\text{Log}[1 - c*x])/x - (c^2*\text{Log}[1 - c*x]^2)/4 + \text{Log}[1 - c*x]^2/(4*x^2) + (c^2*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/2 - (c^2*\text{PolyLog}[2, c*x])/2 + (c*\text{PolyLog}[2, c*x])/(2*x) + (c^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/2 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(2*x^2) + c^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x] - (c^2*\text{PolyLog}[3, c*x])/2 - c^2*\text{PolyLog}[3, 1 - c*x]$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rule 36**

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]



Rule 44

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 2301

```
Int[((a_) + Log[(c_)*(x_)^(n_)])*(b_)/(x_), x_Symbol] := Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2374

```
Int[(Log[(d_)*((e_) + (f_)*(x_)^(m_))])*((a_) + Log[(c_)*(x_)^(n_)])*(b
_)^(p_))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

Rule 2390

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))])*(b_)^(p_)*((f_) + (g_
)*(x_)^(q_)), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x
^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2395

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))])*(b_)*((f_) + (g_)*(x_
))^(q_), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eq[q, -1]
```

Rule 2396

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))])*(b_)^(p_)/((f_) + (g_
)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
```

$(a + b \log[c(d + ex)^n])^{p-1} / (d + ex), x, x] /;$  FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2398

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_.))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(g\*(q + 1)), x] - Dist[(b\*e\*n\*p)/(g\*(q + 1)), Int[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegersQ[2\*p, 2\*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))

### Rule 2410

Int[(Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_.))]\*(x\_.)^(m\_.))/((f\_.) + (g\_.)\*(x\_.)), x\_Symbol] := Int[ExpandIntegrand[Log[c\*(d + e\*x)], x^m/(f + g\*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e\*f - d\*g, 0] && EqQ[c\*d, 1] && IntegerQ[m]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_.))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_.))^(m\_.)]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_.))^(r\_.), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))^(p\_.)]/((d\_.) + (e\_.)\*(x\_.)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_.))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_.))^(p\_.)]^(q\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_.))]/((d\_.) + (e\_.)\*(x\_.)), x\_Symbol] := Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&

EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6603

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(h\_.))\*(x\_)^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := Simp[(x^(m + 1)\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], x^(m + 1)/(a + b\*x), x], x], x] - Dist[(e\*h\*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], x^(m + 1)/(d + e\*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^3} dx &= -\frac{\log(1-cx)\text{Li}_2(cx)}{2x^2} - \frac{1}{2} \int \frac{\log^2(1-cx)}{x^3} dx - \frac{1}{2}c \int \left( \frac{\text{Li}_2(cx)}{x^2} + \frac{c\text{Li}_2(cx)}{x} - \frac{c^2\text{Li}_2(cx)}{-1+cx} \right) dx \\
 &= \frac{\log^2(1-cx)}{4x^2} - \frac{\log(1-cx)\text{Li}_2(cx)}{2x^2} + \frac{1}{2}c \int \frac{\log(1-cx)}{x^2(1-cx)} dx - \frac{1}{2}c \int \frac{\text{Li}_2(cx)}{x^2} dx - \frac{1}{2}c^2 \int \frac{\text{Li}_2(cx)}{1-cx} dx \\
 &= \frac{\log^2(1-cx)}{4x^2} + \frac{c\text{Li}_2(cx)}{2x} + \frac{1}{2}c^2 \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{2x^2} - \frac{1}{2}c^2 \text{Li}_3(cx) \\
 &= -\frac{c \log(1-cx)}{2x} + \frac{\log^2(1-cx)}{4x^2} + \frac{1}{2}c^2 \log(cx) \log^2(1-cx) + \frac{c\text{Li}_2(cx)}{2x} + \frac{1}{2}c^2 \log(1-cx) \\
 &= -\frac{c \log(1-cx)}{x} + \frac{\log^2(1-cx)}{4x^2} + \frac{1}{2}c^2 \log(cx) \log^2(1-cx) - \frac{1}{2}c^2 \text{Li}_2(cx) + \frac{c\text{Li}_2(cx)}{2x} + \frac{1}{2}c^2 \log(1-cx) \\
 &= -\frac{1}{2}c^2 \log(x) + \frac{1}{2}c^2 \log(1-cx) - \frac{c \log(1-cx)}{x} - \frac{1}{4}c^2 \log^2(1-cx) + \frac{\log^2(1-cx)}{4x^2} + \frac{1}{2}c^2 \log(1-cx) \\
 &= -c^2 \log(x) + c^2 \log(1-cx) - \frac{c \log(1-cx)}{x} - \frac{1}{4}c^2 \log^2(1-cx) + \frac{\log^2(1-cx)}{4x^2} + \frac{1}{2}c^2 \log(1-cx)
 \end{aligned}$$

**Mathematica [A]** time = 0.26, size = 185, normalized size = 0.97

$$\frac{1}{4} \left( \frac{2\text{Li}_2(cx) \left( (c^2x^2 - 1) \log(1-cx) + cx \right)}{x^2} - 2c^2\text{Li}_3(cx) - 4c^2\text{Li}_3(1-cx) + 2c^2\text{Li}_2(1-cx)(2\log(1-cx) + 1) + 2c^2 \log(1-cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^3, x]

```
[Out] (-2*c^2*Log[x] - 2*c^2*Log[c*x] + 4*c^2*Log[1 - c*x] - (4*c*Log[1 - c*x])/x
+ 2*c^2*Log[c*x]*Log[1 - c*x] - c^2*Log[1 - c*x]^2 + Log[1 - c*x]^2/x^2 +
2*c^2*Log[c*x]*Log[1 - c*x]^2 + (2*(c*x + (-1 + c^2*x^2))*Log[1 - c*x])*Poly
Log[2, c*x])/x^2 + 2*c^2*(1 + 2*Log[1 - c*x])*PolyLog[2, 1 - c*x] - 2*c^2*P
olyLog[3, c*x] - 4*c^2*PolyLog[3, 1 - c*x])/4
```

**fricas** [F] time = 1.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(cx) \log(-cx + 1)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(log(-c*x+1)*polylog(2,c*x)/x^3,x, algorithm="fricas")
```

```
[Out] integral(dilog(c*x)*log(-c*x + 1)/x^3, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(cx) \log(-cx + 1)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(log(-c*x+1)*polylog(2,c*x)/x^3,x, algorithm="giac")
```

```
[Out] integrate(dilog(c*x)*log(-c*x + 1)/x^3, x)
```

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\ln(-cx + 1) \text{polylog}(2, cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(ln(-c*x+1)*polylog(2,c*x)/x^3,x)
```

```
[Out] int(ln(-c*x+1)*polylog(2,c*x)/x^3,x)
```

**maxima** [A] time = 0.45, size = 162, normalized size = 0.85

$$\frac{1}{2} \left( \log(cx) \log(-cx + 1)^2 + 2 \text{Li}_2(-cx + 1) \log(-cx + 1) - 2 \text{Li}_3(-cx + 1) \right) c^2 + \frac{1}{2} \left( \log(cx) \log(-cx + 1) + \text{Li}_2(-cx + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(log(-c*x+1)*polylog(2,c*x)/x^3,x, algorithm="maxima")
```

```
[Out] 1/2*(log(c*x)*log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*log(-c*x + 1) - 2*polylog
(3, -c*x + 1))*c^2 + 1/2*(log(c*x)*log(-c*x + 1) + dilog(-c*x + 1))*c^2 - c
^2*log(x) - 1/2*c^2*polylog(3, c*x) - 1/4*((c^2*x^2 - 1)*log(-c*x + 1)^2 -
2*(c*x + (c^2*x^2 - 1)*log(-c*x + 1))*dilog(c*x) - 4*(c^2*x^2 - c*x)*log(-c
*x + 1))/x^2
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\ln(1 - cx) \operatorname{polylog}(2, cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((log(1 - c*x)*polylog(2, c*x))/x^3,x)
```

```
[Out] int((log(1 - c*x)*polylog(2, c*x))/x^3, x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\log(-cx + 1) \operatorname{Li}_2(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(ln(-c*x+1)*polylog(2,c*x)/x**3,x)
```

```
[Out] Integral(log(-c*x + 1)*polylog(2, c*x)/x**3, x)
```

$$3.168 \quad \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^4} dx$$

**Optimal.** Leaf size=245

$$-\frac{2}{9}c^3\text{Li}_2(cx)-\frac{1}{3}c^3\text{Li}_3(cx)-\frac{2}{3}c^3\text{Li}_3(1-cx)+\frac{1}{3}c^3\text{Li}_2(cx)\log(1-cx)+\frac{2}{3}c^3\text{Li}_2(1-cx)\log(1-cx)+\frac{1}{3}c^3\log(cx)\log^2(1-cx)$$

[Out]  $7/36*c^2/x-3/4*c^3*\ln(x)+3/4*c^3*\ln(-c*x+1)-7/36*c*\ln(-c*x+1)/x^2-5/9*c^2*\ln(-c*x+1)/x-1/9*c^3*\ln(-c*x+1)^2+1/9*\ln(-c*x+1)^2/x^3+1/3*c^3*\ln(c*x)*\ln(-c*x+1)^2-2/9*c^3*\text{polylog}(2,c*x)+1/6*c*\text{polylog}(2,c*x)/x^2+1/3*c^2*\text{polylog}(2,c*x)/x+1/3*c^3*\ln(-c*x+1)*\text{polylog}(2,c*x)-1/3*\ln(-c*x+1)*\text{polylog}(2,c*x)/x^3+2/3*c^3*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)-1/3*c^3*\text{polylog}(3,c*x)-2/3*c^3*\text{polylog}(3,-c*x+1)$

**Rubi [A]** time = 0.35, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 17, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.062$ , Rules used = {6591, 2395, 44, 6603, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$-\frac{2}{9}c^3\text{PolyLog}(2,cx)-\frac{1}{3}c^3\text{PolyLog}(3,cx)-\frac{2}{3}c^3\text{PolyLog}(3,1-cx)+\frac{c^2\text{PolyLog}(2,cx)}{3x}+\frac{1}{3}c^3\log(1-cx)\text{PolyLog}(2,cx)$$

Antiderivative was successfully verified.

[In] Int[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^4, x]

[Out]  $(7*c^2)/(36*x) - (3*c^3*\text{Log}[x])/4 + (3*c^3*\text{Log}[1 - c*x])/4 - (7*c*\text{Log}[1 - c*x])/(36*x^2) - (5*c^2*\text{Log}[1 - c*x])/(9*x) - (c^3*\text{Log}[1 - c*x]^2)/9 + \text{Log}[1 - c*x]^2/(9*x^3) + (c^3*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/3 - (2*c^3*\text{PolyLog}[2, c*x])/9 + (c*\text{PolyLog}[2, c*x])/(6*x^2) + (c^2*\text{PolyLog}[2, c*x])/(3*x) + (c^3*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/3 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(3*x^3) + (2*c^3*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/3 - (c^3*\text{PolyLog}[3, c*x])/3 - (2*c^3*\text{PolyLog}[3, 1 - c*x])/3$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rule 36**

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 44

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

#### Rule 2301

```
Int[((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

#### Rule 2374

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_.)^(m_.))]*((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

#### Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.)]*(b_.))^(p_.)*((f_) + (g_.
)*(x_.)^(q_.)), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x
^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

#### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

#### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
.))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eqQ[q, -1]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)/((f_.) + (g_.
)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.
)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^
n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && Int
egersQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_) + (g_.)*(x_)), x_Symb
ol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[(k*x)/d]^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*1, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596



```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)]/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\log(1-cx)\text{Li}_2(cx)}{x^4} dx &= -\frac{\log(1-cx)\text{Li}_2(cx)}{3x^3} - \frac{1}{3} \int \frac{\log^2(1-cx)}{x^4} dx - \frac{1}{3}c \int \left( \frac{\text{Li}_2(cx)}{x^3} + \frac{c\text{Li}_2(cx)}{x^2} + \frac{c^2\text{Li}_2(cx)}{x} \right. \\
&= \frac{\log^2(1-cx)}{9x^3} - \frac{\log(1-cx)\text{Li}_2(cx)}{3x^3} + \frac{1}{9}(2c) \int \frac{\log(1-cx)}{x^3(1-cx)} dx - \frac{1}{3}c \int \frac{\text{Li}_2(cx)}{x^3} dx - \frac{1}{3}c^2 \int \frac{\log(1-cx)}{x^2} dx \\
&= \frac{\log^2(1-cx)}{9x^3} + \frac{c\text{Li}_2(cx)}{6x^2} + \frac{c^2\text{Li}_2(cx)}{3x} + \frac{1}{3}c^3 \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)\text{Li}_2(cx)}{3x^3} \\
&= -\frac{c \log(1-cx)}{12x^2} - \frac{c^2 \log(1-cx)}{3x} + \frac{\log^2(1-cx)}{9x^3} + \frac{1}{3}c^3 \log(cx) \log^2(1-cx) + \frac{c\text{Li}_2(cx)}{6x^2} \\
&= -\frac{7c \log(1-cx)}{36x^2} - \frac{5c^2 \log(1-cx)}{9x} + \frac{\log^2(1-cx)}{9x^3} + \frac{1}{3}c^3 \log(cx) \log^2(1-cx) - \frac{2}{9}c^3 \text{Li}_2(cx) \\
&= \frac{c^2}{12x} - \frac{5}{12}c^3 \log(x) + \frac{5}{12}c^3 \log(1-cx) - \frac{7c \log(1-cx)}{36x^2} - \frac{5c^2 \log(1-cx)}{9x} - \frac{1}{9}c^3 \log^2(1-cx) \\
&= \frac{7c^2}{36x} - \frac{3}{4}c^3 \log(x) + \frac{3}{4}c^3 \log(1-cx) - \frac{7c \log(1-cx)}{36x^2} - \frac{5c^2 \log(1-cx)}{9x} - \frac{1}{9}c^3 \log^2(1-cx)
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 246, normalized size = 1.00

$$-12c^3x^3\text{Li}_3(cx) - 24c^3x^3\text{Li}_3(1-cx) + 8c^3x^3\text{Li}_2(1-cx)(3\log(1-cx) + 1) + 6\text{Li}_2(cx) \left( 2(c^3x^3 - 1) \log(1-cx) + \right.$$

Antiderivative was successfully verified.

[In] Integrate[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^4,x]

[Out] (7\*c^2\*x^2 - 4\*c^3\*x^3 - 15\*c^3\*x^3\*Log[x] - 12\*c^3\*x^3\*Log[c\*x] - 7\*c\*x\*Log[1 - c\*x] - 20\*c^2\*x^2\*Log[1 - c\*x] + 27\*c^3\*x^3\*Log[1 - c\*x] + 8\*c^3\*x^3\*Log[c\*x]\*Log[1 - c\*x] + 4\*Log[1 - c\*x]^2 - 4\*c^3\*x^3\*Log[1 - c\*x]^2 + 12\*c^3\*x^3\*Log[c\*x]\*Log[1 - c\*x]^2 + 6\*(c\*x\*(1 + 2\*c\*x) + 2\*(-1 + c^3\*x^3)\*Log[1 - c\*x])\*PolyLog[2, c\*x] + 8\*c^3\*x^3\*(1 + 3\*Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] - 12\*c^3\*x^3\*PolyLog[3, c\*x] - 24\*c^3\*x^3\*PolyLog[3, 1 - c\*x])/(36\*x^3)

**fricas** [F] time = 1.32, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(cx)\log(-cx+1)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="fricas")

[Out] integral(dilog(c\*x)\*log(-c\*x + 1)/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(cx)\log(-cx+1)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="giac")

[Out] integrate(dilog(c\*x)\*log(-c\*x + 1)/x^4, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\ln(-cx+1)\text{polylog}(2,cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(ln(-c\*x+1)\*polylog(2,c\*x)/x^4,x)

[Out] int(ln(-c\*x+1)\*polylog(2,c\*x)/x^4,x)

**maxima** [A] time = 0.46, size = 188, normalized size = 0.77

$$\frac{1}{3} \left( \log(cx)\log(-cx+1)^2 + 2\text{Li}_2(-cx+1)\log(-cx+1) - 2\text{Li}_3(-cx+1) \right) c^3 + \frac{2}{9} \left( \log(cx)\log(-cx+1) + \text{Li}_2(-cx+1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="maxima")

[Out]  $\frac{1}{3}(\log(cx)\log(-cx+1)^2 + 2\text{dilog}(-cx+1)\log(-cx+1) - 2\text{polylog}(3, -cx+1))c^3 + \frac{2}{9}(\log(cx)\log(-cx+1) + \text{dilog}(-cx+1))c^3 - \frac{3}{4}c^3\log(x) - \frac{1}{3}c^3\text{polylog}(3, cx) + \frac{1}{36}(7c^2x^2 - 4(c^3x^3 - 1))\log(-cx+1)^2 + 6(2c^2x^2 + cx + 2(c^3x^3 - 1))\log(-cx+1)\text{dilog}(cx) + (27c^3x^3 - 20c^2x^2 - 7cx)\log(-cx+1)/x^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1-cx) \text{polylog}(2, cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - c\*x)\*polylog(2, c\*x))/x^4,x)

[Out] int((log(1 - c\*x)\*polylog(2, c\*x))/x^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\log(-cx+1) \text{Li}_2(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(ln(-c\*x+1)\*polylog(2,c\*x)/x\*\*4,x)

[Out] Integral(log(-c\*x + 1)\*polylog(2, c\*x)/x\*\*4, x)

$$3.169 \quad \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^5} dx$$

Optimal. Leaf size=287

$$-\frac{1}{8}c^4\text{Li}_2(cx)-\frac{1}{4}c^4\text{Li}_3(cx)-\frac{1}{2}c^4\text{Li}_3(1-cx)+\frac{1}{4}c^4\text{Li}_2(cx)\log(1-cx)+\frac{1}{2}c^4\text{Li}_2(1-cx)\log(1-cx)+\frac{1}{4}c^4\log(cx)\log^2(1-cx)$$

[Out]  $5/144*c^2/x^2+7/36*c^3/x-41/72*c^4*\ln(x)+41/72*c^4*\ln(-c*x+1)-5/72*c*\ln(-c*x+1)/x^3-1/8*c^2*\ln(-c*x+1)/x^2-3/8*c^3*\ln(-c*x+1)/x-1/16*c^4*\ln(-c*x+1)^2+1/16*\ln(-c*x+1)^2/x^4+1/4*c^4*\ln(c*x)*\ln(-c*x+1)^2-1/8*c^4*polylog(2,c*x)+1/12*c*polylog(2,c*x)/x^3+1/8*c^2*polylog(2,c*x)/x^2+1/4*c^3*polylog(2,c*x)/x+1/4*c^4*\ln(-c*x+1)*polylog(2,c*x)-1/4*\ln(-c*x+1)*polylog(2,c*x)/x^4+1/2*c^4*\ln(-c*x+1)*polylog(2,-c*x+1)-1/4*c^4*polylog(3,c*x)-1/2*c^4*polylog(3,-c*x+1)$

**Rubi [A]** time = 0.45, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 37, number of rules used = 17, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.062$ , Rules used = {6591, 2395, 44, 6603, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$\frac{c^2\text{PolyLog}(2,cx)}{8x^2}-\frac{1}{8}c^4\text{PolyLog}(2,cx)-\frac{1}{4}c^4\text{PolyLog}(3,cx)-\frac{1}{2}c^4\text{PolyLog}(3,1-cx)+\frac{c^3\text{PolyLog}(2,cx)}{4x}+\frac{1}{4}c^4\log(1-cx)$$

Antiderivative was successfully verified.

[In] Int[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^5,x]

[Out]  $(5*c^2)/(144*x^2) + (7*c^3)/(36*x) - (41*c^4*\text{Log}[x])/72 + (41*c^4*\text{Log}[1 - c*x])/72 - (5*c*\text{Log}[1 - c*x])/(72*x^3) - (c^2*\text{Log}[1 - c*x])/(8*x^2) - (3*c^3*\text{Log}[1 - c*x])/(8*x) - (c^4*\text{Log}[1 - c*x]^2)/16 + \text{Log}[1 - c*x]^2/(16*x^4) + (c^4*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/4 - (c^4*\text{PolyLog}[2, c*x])/8 + (c*\text{PolyLog}[2, c*x])/(12*x^3) + (c^2*\text{PolyLog}[2, c*x])/(8*x^2) + (c^3*\text{PolyLog}[2, c*x])/(4*x) + (c^4*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/4 - (\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(4*x^4) + (c^4*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/2 - (c^4*\text{PolyLog}[3, c*x])/4 - (c^4*\text{PolyLog}[3, 1 - c*x])/2$

### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 44

```
Int[((a_) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 2301

```
Int[((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2374

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_.)^(m_.))]*((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.)]*(b_.))^(p_.)*((f_) + (g_.
)*(x_.)^(q_.)), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x
^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_.)^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
.))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
```

$e^q[q, -1]$

### Rule 2396

$\text{Int}[\{(a\_.) + \text{Log}[(c\_.) * \{(d\_.) + (e\_.) * (x\_.)\}^{(n\_.)}] * (b\_.)\}^{(p\_.)} / \{(f\_.) + (g\_.) * (x\_.)\}, x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e * (f + g * x)) / (e * f - d * g)] * (a + b * \text{Log}[c * (d + e * x)^n])^p) / g, x] - \text{Dist}[(b * e * n * p) / g, \text{Int}[(\text{Log}[(e * (f + g * x)) / (e * f - d * g)] * (a + b * \text{Log}[c * (d + e * x)^n])^{(p - 1)}) / (d + e * x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e * f - d * g, 0] \&\& \text{IGtQ}[p, 1]$

### Rule 2398

$\text{Int}[\{(a\_.) + \text{Log}[(c\_.) * \{(d\_.) + (e\_.) * (x\_.)\}^{(n\_.)}] * (b\_.)\}^{(p\_.)} * \{(f\_.) + (g\_.) * (x\_.)\}^{(q\_.)}, x\_Symbol] \rightarrow \text{Simp}[(\{(f + g * x\}^{(q + 1)} * (a + b * \text{Log}[c * (d + e * x)^n])^p) / (g * (q + 1)), x] - \text{Dist}[(b * e * n * p) / (g * (q + 1)), \text{Int}[(\{(f + g * x\}^{(q + 1)} * (a + b * \text{Log}[c * (d + e * x)^n])^{(p - 1)}) / (d + e * x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \&\& \text{NeQ}[e * f - d * g, 0] \&\& \text{GtQ}[p, 0] \&\& \text{NeQ}[q, -1] \&\& \text{IntegersQ}[2 * p, 2 * q] \&\& (\text{!IGtQ}[q, 0] \text{||} (\text{EqQ}[p, 2] \&\& \text{NeQ}[q, 1]))$

### Rule 2410

$\text{Int}[(\text{Log}[(c\_.) * \{(d\_.) + (e\_.) * (x\_.)\}]) * (x\_.)^{(m\_.)} / \{(f\_.) + (g\_.) * (x\_.)\}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Log}[c * (d + e * x)], x^m / (f + g * x), x], x] /; \text{FreeQ}[\{c, d, e, f, g\}, x] \&\& \text{EqQ}[e * f - d * g, 0] \&\& \text{EqQ}[c * d, 1] \&\& \text{IntegerQ}[m]$

### Rule 2433

$\text{Int}[\{(a\_.) + \text{Log}[(c\_.) * \{(d\_.) + (e\_.) * (x\_.)\}^{(n\_.)}] * (b\_.)\}^{(p\_.)} * \{(f\_.) + \text{Log}[(h\_.) * \{(i\_.) + (j\_.) * (x\_.)\}^{(m\_.)}] * (g\_.)\} * \{(k\_.) + (l\_.) * (x\_.)\}^{(r\_.)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(\{(k * x) / d\}^r * (a + b * \text{Log}[c * x^n])^p * (f + g * \text{Log}[h * (e * i - d * j) / e + (j * x) / e]^m)], x], x, d + e * x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \&\& \text{EqQ}[e * k - d * l, 0]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n\_., (c\_.) * \{(a\_.) + (b\_.) * (x\_.)\}^{(p\_.)}] / \{(d\_.) + (e\_.) * (x\_.)\}, x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c * (a + b * x)^p] / (e * p), x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b * d, a * e]$

### Rule 6591

$\text{Int}[\{(d\_.) * (x\_.)\}^{(m\_.)} * \text{PolyLog}[n\_., (a\_.) * \{(b\_.) * (x\_.)\}^{(p\_.)}]^{(q\_.)}, x\_Symbol] \rightarrow \text{Simp}[(\{(d * x\}^{(m + 1)} * \text{PolyLog}[n, a * (b * x^p)^q]) / (d * (m + 1)), x] - \text{Dist}[(p * q) / (m + 1), \text{Int}[(d * x)^m * \text{PolyLog}[n - 1, a * (b * x^p)^q], x], x] /; \text{FreeQ}[\{a,$

b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\log(1-cx)\text{Li}_2(cx)}{x^5} dx &= -\frac{\log(1-cx)\text{Li}_2(cx)}{4x^4} - \frac{1}{4} \int \frac{\log^2(1-cx)}{x^5} dx - \frac{1}{4} \int \left( \frac{\text{Li}_2(cx)}{x^4} + \frac{c\text{Li}_2(cx)}{x^3} + \frac{c^2\text{Li}_2(cx)}{x^2} \right. \\
 &= \frac{\log^2(1-cx)}{16x^4} - \frac{\log(1-cx)\text{Li}_2(cx)}{4x^4} + \frac{1}{8}c \int \frac{\log(1-cx)}{x^4(1-cx)} dx - \frac{1}{4}c \int \frac{\text{Li}_2(cx)}{x^4} dx - \frac{1}{4}c^2 \\
 &= \frac{\log^2(1-cx)}{16x^4} + \frac{c\text{Li}_2(cx)}{12x^3} + \frac{c^2\text{Li}_2(cx)}{8x^2} + \frac{c^3\text{Li}_2(cx)}{4x} + \frac{1}{4}c^4 \log(1-cx)\text{Li}_2(cx) - \frac{\log(1-cx)}{4} \\
 &= -\frac{c \log(1-cx)}{36x^3} - \frac{c^2 \log(1-cx)}{16x^2} - \frac{c^3 \log(1-cx)}{4x} + \frac{\log^2(1-cx)}{16x^4} + \frac{1}{4}c^4 \log(cx) \log^2(1-cx) \\
 &= -\frac{5c \log(1-cx)}{72x^3} - \frac{c^2 \log(1-cx)}{8x^2} - \frac{3c^3 \log(1-cx)}{8x} + \frac{\log^2(1-cx)}{16x^4} + \frac{1}{4}c^4 \log(cx) \log^2(1-cx) \\
 &= \frac{c^2}{72x^2} + \frac{13c^3}{144x} - \frac{49}{144}c^4 \log(x) + \frac{49}{144}c^4 \log(1-cx) - \frac{5c \log(1-cx)}{72x^3} - \frac{c^2 \log(1-cx)}{8x^2} \\
 &= \frac{5c^2}{144x^2} + \frac{7c^3}{36x} - \frac{41}{72}c^4 \log(x) + \frac{41}{72}c^4 \log(1-cx) - \frac{5c \log(1-cx)}{72x^3} - \frac{c^2 \log(1-cx)}{8x^2}
 \end{aligned}$$

**Mathematica** [A] time = 0.23, size = 277, normalized size = 0.97

$$\frac{-36c^4x^4\text{Li}_3(cx) - 72c^4x^4\text{Li}_3(1-cx) + 18c^4x^4\text{Li}_2(1-cx)(4\log(1-cx) + 1) - 18c^4x^4 - 9c^4x^4\log^2(1-cx) + 36c^4x^4}{x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(Log[1 - c\*x]\*PolyLog[2, c\*x])/x^5,x]

[Out] (5\*c^2\*x^2 + 28\*c^3\*x^3 - 18\*c^4\*x^4 - 49\*c^4\*x^4\*Log[x] - 33\*c^4\*x^4\*Log[c\*x] - 10\*c\*x\*Log[1 - c\*x] - 18\*c^2\*x^2\*Log[1 - c\*x] - 54\*c^3\*x^3\*Log[1 - c\*x] + 82\*c^4\*x^4\*Log[1 - c\*x] + 18\*c^4\*x^4\*Log[c\*x]\*Log[1 - c\*x] + 9\*Log[1 - c\*x]^2 - 9\*c^4\*x^4\*Log[1 - c\*x]^2 + 36\*c^4\*x^4\*Log[c\*x]\*Log[1 - c\*x]^2 + 6\*(c\*x\*(2 + 3\*c\*x + 6\*c^2\*x^2) + 6\*(-1 + c^4\*x^4)\*Log[1 - c\*x])\*PolyLog[2, c\*x] + 18\*c^4\*x^4\*(1 + 4\*Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] - 36\*c^4\*x^4\*PolyLog[3, c\*x] - 72\*c^4\*x^4\*PolyLog[3, 1 - c\*x])/(144\*x^4)

**fricas** [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\text{Li}_2(cx)\log(-cx+1)}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^5,x, algorithm="fricas")

[Out] integral(dilog(c\*x)\*log(-c\*x + 1)/x^5, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{Li}_2(cx)\log(-cx+1)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(log(-c\*x+1)\*polylog(2,c\*x)/x^5,x, algorithm="giac")

[Out] integrate(dilog(c\*x)\*log(-c\*x + 1)/x^5, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\ln(-cx+1)\text{polylog}(2,cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(ln(-c\*x+1)\*polylog(2,c\*x)/x^5,x)



[Out] `int(ln(-c*x+1)*polylog(2,c*x)/x^5,x)`

**maxima [A]** time = 0.46, size = 214, normalized size = 0.75

$$\frac{1}{4} \left( \log(cx) \log(-cx+1)^2 + 2 \operatorname{Li}_2(-cx+1) \log(-cx+1) - 2 \operatorname{Li}_3(-cx+1) \right) c^4 + \frac{1}{8} \left( \log(cx) \log(-cx+1) + \operatorname{Li}_2(-cx+1) \right) c^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(log(-c*x+1)*polylog(2,c*x)/x^5,x, algorithm="maxima")`

[Out] `1/4*(log(c*x)*log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*log(-c*x + 1) - 2*polylog(3, -c*x + 1))*c^4 + 1/8*(log(c*x)*log(-c*x + 1) + dilog(-c*x + 1))*c^4 - 4/72*c^4*log(x) - 1/4*c^4*polylog(3, c*x) + 1/144*(28*c^3*x^3 + 5*c^2*x^2 - 9*(c^4*x^4 - 1)*log(-c*x + 1)^2 + 6*(6*c^3*x^3 + 3*c^2*x^2 + 2*c*x + 6*(c^4*x^4 - 1)*log(-c*x + 1))*dilog(c*x) + 2*(41*c^4*x^4 - 27*c^3*x^3 - 9*c^2*x^2 - 5*c*x)*log(-c*x + 1))/x^4`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1-cx) \operatorname{polylog}(2, cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - c*x)*polylog(2, c*x))/x^5,x)`

[Out] `int((log(1 - c*x)*polylog(2, c*x))/x^5, x)`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(ln(-c*x+1)*polylog(2,c*x)/x**5,x)`

[Out] Timed out

### 3.170 $\int x^2(g + h \log(1 - cx))\text{Li}_2(cx) dx$

**Optimal.** Leaf size=423

$$\frac{(1-cx)^3(2h \log(1-cx) + g)}{27c^3} - \frac{(1-cx)^2(2h \log(1-cx) + g)}{6c^3} + \frac{(1-cx)(2h \log(1-cx) + g)}{3c^3} - \frac{\log(1-cx)(2h \log(1-cx) + g)}{9c^3}$$

[Out]  $121/108*h*x/c^2+13/216*h*x^2/c+1/81*h*x^3+1/6*h*(-c*x+1)^2/c^3-2/81*h*(-c*x+1)^3/c^3+13/108*h*\ln(-c*x+1)/c^3-1/12*h*x^2*\ln(-c*x+1)/c-1/27*h*x^3*\ln(-c*x+1)+1/3*h*(-c*x+1)*\ln(-c*x+1)/c^3+1/9*h*\ln(-c*x+1)^2/c^3-1/3*h*\ln(c*x)*\ln(-c*x+1)^2/c^3+1/9*x^3*\ln(-c*x+1)*(g+h*\ln(-c*x+1))+1/3*(-c*x+1)*(g+2*h*\ln(-c*x+1))/c^3-1/6*(-c*x+1)^2*(g+2*h*\ln(-c*x+1))/c^3+1/27*(-c*x+1)^3*(g+2*h*\ln(-c*x+1))/c^3-1/9*\ln(-c*x+1)*(g+2*h*\ln(-c*x+1))/c^3-1/3*h*x*polylog(2,c*x)/c^2-1/6*h*x^2*polylog(2,c*x)/c-1/9*h*x^3*polylog(2,c*x)-1/3*h*\ln(-c*x+1)*polylog(2,c*x)/c^3+1/3*x^3*(g+h*\ln(-c*x+1))*polylog(2,c*x)-2/3*h*\ln(-c*x+1)*polylog(2,-c*x+1)/c^3+2/3*h*polylog(3,-c*x+1)/c^3$

**Rubi [A]** time = 0.61, antiderivative size = 366, normalized size of antiderivative = 0.87, number of steps used = 37, number of rules used = 20, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {6603, 2439, 2410, 2389, 2295, 2395, 43, 2390, 2301, 2411, 2334, 12, 14, 6586, 6591, 6596, 2396, 2433, 2374, 6589}

$$-\frac{hx \text{PolyLog}(2, cx)}{3c^2} + \frac{2h \text{PolyLog}(3, 1 - cx)}{3c^3} - \frac{h \log(1 - cx) \text{PolyLog}(2, cx)}{3c^3} - \frac{2h \log(1 - cx) \text{PolyLog}(2, 1 - cx)}{3c^3} + \frac{1}{3}x^3$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(g + h*\text{Log}[1 - c*x])*\text{PolyLog}[2, c*x], x]$

[Out]  $(107*h*x)/(108*c^2) + (23*h*x^2)/(216*c) + (2*h*x^3)/81 + (h*(1 - c*x)^2)/(12*c^3) - (h*(1 - c*x)^3)/(81*c^3) + (23*h*\text{Log}[1 - c*x])/(108*c^3) - (5*h*x^2*\text{Log}[1 - c*x])/(36*c) - (2*h*x^3*\text{Log}[1 - c*x])/27 + (4*h*(1 - c*x)*\text{Log}[1 - c*x])/(9*c^3) - (h*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(3*c^3) + (x^3*\text{Log}[1 - c*x]*(g + h*\text{Log}[1 - c*x]))/9 + (((18*(1 - c*x))/c^3 - (9*(1 - c*x)^2)/c^3 + (2*(1 - c*x)^3)/c^3 - (6*\text{Log}[1 - c*x])/c^3)*(g + h*\text{Log}[1 - c*x]))/54 - (h*x*\text{PolyLog}[2, c*x])/(3*c^2) - (h*x^2*\text{PolyLog}[2, c*x])/(6*c) - (h*x^3*\text{PolyLog}[2, c*x])/9 - (h*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(3*c^3) + (x^3*(g + h*\text{Log}[1 - c*x])*\text{PolyLog}[2, c*x])/3 - (2*h*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/(3*c^3) + (2*h*\text{PolyLog}[3, 1 - c*x])/(3*c^3)$

**Rule 12**

$\text{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_) /; \text{FreeQ}[b, x]]$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_))] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 2295

```
Int[Log[(c_)*(x_)]^(n_), x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x] /; FreeQ[{c, n}, x]
```

Rule 2301

```
Int[((a_) + Log[(c_)*(x_)]^(n_))*(b_)/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2334

```
Int[((a_) + Log[(c_)*(x_)]^(n_))*(b_)*(x_)^m*((d_) + (e_)*(x_)]^(r_)]^(q_), x_Symbol] := With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[u*(a + b*Log[c*x^n]), x] - Dist[b*n, Int[SimplifyIntegrand[u/x, x], x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] && !(EqQ[q, 1] && EqQ[m, -1])
```

Rule 2374

```
Int[(Log[(d_)*((e_) + (f_)*(x_)]^(m_)))*((a_) + Log[(c_)*(x_)]^(n_))*(b_)]^(p_)/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]
```

Rule 2389

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)]^(n_))*(b_)]^(p_), x_Symbol] := Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]
```

Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.
)*(x_))^(q_.), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x^
n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
))^q, x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_/((f_.) + (g_.
)*(x_))), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_))/((f_.) + (g_.)*(x_)), x_Symb
ol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2411

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.
)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] := Dist[1/e, Subst[Int
[((g*x)/e)^q*((e*h - d*i)/e + (i*x)/e)^r*(a + b*Log[c*x^n])^p, x], x, d + e
*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d
*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 2439

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*(x_)^(r_.), x_Symbol] := Simp[(x^
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]))/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(i
+ j*x), x], x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]
```

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLo
g[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /
; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
```

, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int x^2(g + h \log(1 - cx))\text{Li}_2(cx) dx &= \frac{1}{3}x^3(g + h \log(1 - cx))\text{Li}_2(cx) + \frac{1}{3} \int x^2 \log(1 - cx)(g + h \log(1 - cx)) dx + \dots \\
 &= \frac{1}{9}x^3 \log(1 - cx)(g + h \log(1 - cx)) + \frac{1}{3}x^3(g + h \log(1 - cx))\text{Li}_2(cx) + \frac{1}{9}c \int \dots \\
 &= \frac{1}{9}x^3 \log(1 - cx)(g + h \log(1 - cx)) - \frac{hx\text{Li}_2(cx)}{3c^2} - \frac{hx^2\text{Li}_2(cx)}{6c} - \frac{1}{9}hx^3\text{Li}_2(cx) \\
 &= -\frac{hx^2 \log(1 - cx)}{12c} - \frac{1}{27}hx^3 \log(1 - cx) - \frac{h \log(cx) \log^2(1 - cx)}{3c^3} + \frac{1}{9}x^3 \log(1 - \dots \\
 &= \frac{hx}{3c^2} - \frac{5hx^2 \log(1 - cx)}{36c} - \frac{2}{27}hx^3 \log(1 - cx) + \frac{h(1 - cx) \log(1 - cx)}{3c^3} - \frac{h \log \dots \\
 &= \frac{61hx}{108c^2} + \frac{13hx^2}{216c} + \frac{hx^3}{81} + \frac{13h \log(1 - cx)}{108c^3} - \frac{5hx^2 \log(1 - cx)}{36c} - \frac{2}{27}hx^3 \log(1 - \dots \\
 &= \frac{107hx}{108c^2} + \frac{23hx^2}{216c} + \frac{2hx^3}{81} + \frac{h(1 - cx)^2}{12c^3} - \frac{h(1 - cx)^3}{81c^3} + \frac{23h \log(1 - cx)}{108c^3} - \frac{5hx^2 \dots \\
 &= \frac{107hx}{108c^2} + \frac{23hx^2}{216c} + \frac{2hx^3}{81} + \frac{h(1 - cx)^2}{12c^3} - \frac{h(1 - cx)^3}{81c^3} + \frac{23h \log(1 - cx)}{108c^3} - \frac{5hx^2 \dots
 \end{aligned}$$

**Mathematica [A]** time = 0.41, size = 252, normalized size = 0.60

$$\frac{g(18c^3x^3\text{Li}_2(cx) + 6(c^3x^3 - 1)\log(1 - cx) - cx(2c^2x^2 + 3cx + 6))}{54c^3} + \frac{h(8c^3x^3 + 24c^3x^3 \log^2(1 - cx) - 24c^3x^3 \log \dots}{54c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x], x]

[Out] (g\*(-(c\*x\*(6 + 3\*c\*x + 2\*c^2\*x^2)) + 6\*(-1 + c^3\*x^3)\*Log[1 - c\*x] + 18\*c^3\*x^3\*PolyLog[2, c\*x]))/(54\*c^3) + (h\*(186\*c\*x + 33\*c^2\*x^2 + 8\*c^3\*x^3 + 18\*6\*Log[1 - c\*x] - 120\*c\*x\*Log[1 - c\*x] - 42\*c^2\*x^2\*Log[1 - c\*x] - 24\*c^3\*x^3

$3*\text{Log}[1 - c*x] - 24*\text{Log}[1 - c*x]^2 + 24*c^3*x^3*\text{Log}[1 - c*x]^2 - 72*\text{Log}[c*x] * \text{Log}[1 - c*x]^2 + 12*(-(c*x*(6 + 3*c*x + 2*c^2*x^2)) + 6*(-1 + c^3*x^3)*\text{Log}[1 - c*x]) * \text{PolyLog}[2, c*x] - 144*\text{Log}[1 - c*x] * \text{PolyLog}[2, 1 - c*x] + 144*\text{PolyLog}[3, 1 - c*x]) / (216*c^3)$

**fricas** [F] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}(hx^2\text{Li}_2(cx)\log(-cx+1) + gx^2\text{Li}_2(cx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="fricas")

[Out] integral(h\*x^2\*dilog(c\*x)\*log(-c\*x + 1) + g\*x^2\*dilog(c\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (h \log(-cx + 1) + g)x^2\text{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*x^2\*dilog(c\*x), x)

**maple** [F] time = 0.31, size = 0, normalized size = 0.00

$$\int x^2 (g + h \ln(-cx + 1)) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

[Out] int(x^2\*(g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{18}h \left( \frac{(2c^3x^3 + 3c^2x^2 + 6cx - 6(c^3x^3 - 1)\log(-cx + 1))\text{Li}_2(cx)}{c^3} - \frac{\frac{4}{9}c^3x^3 - \frac{1}{9}(6x^3\log(-cx + 1) - c\left(\frac{2c^2x^3 + 3c}{c^3}\right))}{c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="maxima")

[Out] -1/18\*h\*((2\*c^3\*x^3 + 3\*c^2\*x^2 + 6\*c\*x - 6\*(c^3\*x^3 - 1)\*log(-c\*x + 1))\*dilog(c\*x)/c^3 - integrate((6\*(c^3\*x^3 - 1)\*log(-c\*x + 1)^2 - (2\*c^3\*x^3 + 3\*

$c^2x^2 + 6cx) \cdot \log(-cx + 1) / x, x) / c^3) + 1/54 \cdot (18c^3x^3 \cdot \text{dilog}(cx) - 2c^3x^3 - 3c^2x^2 - 6cx + 6(c^3x^3 - 1) \cdot \log(-cx + 1)) \cdot g / c^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (g + h \ln(1 - cx)) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(g + h*log(1 - c*x))*polylog(2, c*x),x)`

[Out] `int(x^2*(g + h*log(1 - c*x))*polylog(2, c*x), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(g+h*ln(-c*x+1))*polylog(2,c*x),x)`

[Out] Timed out



### 3.171 $\int x(g + h \log(1 - cx))\text{Li}_2(cx) dx$

**Optimal.** Leaf size=330

$$\frac{(1-cx)^2(2h \log(1-cx) + g)}{8c^2} + \frac{(1-cx)(2h \log(1-cx) + g)}{2c^2} - \frac{\log(1-cx)(2h \log(1-cx) + g)}{4c^2} + \frac{h\text{Li}_3(1-cx)}{c^2} - \frac{h\text{Li}_2(1-cx)}{c^2}$$

[Out] 13/8\*h\*x/c+1/16\*h\*x^2+1/8\*h\*(-c\*x+1)^2/c^2+1/8\*h\*ln(-c\*x+1)/c^2-1/8\*h\*x^2\*ln(-c\*x+1)+1/2\*h\*(-c\*x+1)\*ln(-c\*x+1)/c^2+1/4\*h\*ln(-c\*x+1)^2/c^2-1/2\*h\*ln(c\*x)\*ln(-c\*x+1)^2/c^2+1/4\*x^2\*ln(-c\*x+1)\*(g+h\*ln(-c\*x+1))+1/2\*(-c\*x+1)\*(g+2\*h\*ln(-c\*x+1))/c^2-1/8\*(-c\*x+1)^2\*(g+2\*h\*ln(-c\*x+1))/c^2-1/4\*ln(-c\*x+1)\*(g+2\*h\*ln(-c\*x+1))/c^2-1/2\*h\*x\*polylog(2,c\*x)/c-1/4\*h\*x^2\*polylog(2,c\*x)-1/2\*h\*ln(-c\*x+1)\*polylog(2,c\*x)/c^2+1/2\*x^2\*(g+h\*ln(-c\*x+1))\*polylog(2,c\*x)-h\*ln(-c\*x+1)\*polylog(2,-c\*x+1)/c^2+h\*polylog(3,-c\*x+1)/c^2

**Rubi [A]** time = 0.45, antiderivative size = 287, normalized size of antiderivative = 0.87, number of steps used = 30, number of rules used = 20, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.111$ , Rules used = {6603, 2439, 2410, 2389, 2295, 2395, 43, 2390, 2301, 2411, 2334, 12, 14, 6586, 6591, 6596, 2396, 2433, 2374, 6589}

$$\frac{h\text{PolyLog}(3,1-cx)}{c^2} - \frac{h \log(1-cx)\text{PolyLog}(2,cx)}{2c^2} - \frac{h \log(1-cx)\text{PolyLog}(2,1-cx)}{c^2} + \frac{1}{2}x^2\text{PolyLog}(2,cx)(h \log(1-cx) + g)$$

Antiderivative was successfully verified.

[In] Int[x\*(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x], x]

[Out] (3\*h\*x)/(2\*c) + (h\*x^2)/8 + (h\*(1 - c\*x)^2)/(16\*c^2) + (h\*Log[1 - c\*x])/(4\*c^2) - (h\*x^2\*Log[1 - c\*x])/4 + (3\*h\*(1 - c\*x)\*Log[1 - c\*x])/(4\*c^2) - (h\*Log[c\*x]\*Log[1 - c\*x]^2)/(2\*c^2) + (x^2\*Log[1 - c\*x]\*(g + h\*Log[1 - c\*x]))/4 + (((4\*(1 - c\*x))/c^2 - (1 - c\*x)^2/c^2 - (2\*Log[1 - c\*x])/c^2)\*(g + h\*Log[1 - c\*x]))/8 - (h\*x\*PolyLog[2, c\*x])/(2\*c) - (h\*x^2\*PolyLog[2, c\*x])/4 - (h\*Log[1 - c\*x]\*PolyLog[2, c\*x])/(2\*c^2) + (x^2\*(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/2 - (h\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x])/c^2 + (h\*PolyLog[3, 1 - c\*x])/c^2

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_)

+ (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

### Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

### Rule 2334

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^(r\_.))^(q\_.), x\_Symbol] := With[{u = IntHide[x^m\*(d + e\*x^r)^q, x]}, Simp[u\*(a + b\*Log[c\*x^n]), x] - Dist[b\*n, Int[SimplifyIntegrand[u/x, x], x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] && !(EqQ[q, 1] && EqQ[m, -1])

### Rule 2374

Int[(Log[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

### Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_)^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x]

$n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p, q\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0]$

### Rule 2395

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))*((f_.) + (g_.)*(x_))^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(f + g*x)^{(q + 1)}*(a + b*\text{Log}[c*(d + e*x)^n]) / (g*(q + 1)), x] - \text{Dist}[(b*e*n)/(g*(q + 1)), \text{Int}[(f + g*x)^{(q + 1)} / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[q, -1]$

### Rule 2396

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)} / ((f_.) + (g_.)*(x_)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^p) / g, x] - \text{Dist}[(b*e*n*p) / g, \text{Int}[(\text{Log}[(e*(f + g*x)) / (e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^{(p - 1)}) / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[p, 1]$

### Rule 2410

$\text{Int}[(\text{Log}[(c_.)*((d_) + (e_.)*(x_))])*(x_)^{(m_.)} / ((f_) + (g_.)*(x_)), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Log}[c*(d + e*x)], x^m / (f + g*x), x], x] /; \text{FreeQ}[\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d, 1] \ \&\& \ \text{IntegerQ}[m]$

### Rule 2411

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + (g_.)*(x_))^{(q_.)}*((h_.) + (i_.)*(x_))^{(r_.)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(g*x)/e)^q * ((e*h - d*i)/e + (i*x)/e)^r * (a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[r, 0]) \ \&\& \ \text{IntegerQ}[2*r]$

### Rule 2433

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_))^{(m_.)}]*(g_.))*((k_.) + (l_.)*(x_))^{(r_.)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d)^r * (a + b*\text{Log}[c*x^n])^p * (f + g*\text{Log}[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \ \&\& \ \text{EqQ}[e*k - d*l, 0]$

### Rule 2439

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_))^{(m_.)}]*(g_.))*((x_))^{(r_.)}, x\_Symbol] \rightarrow \text{Simp}[(x^$

```
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m])/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p]/(i
+ j*x), x], x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m])]/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]
```

### Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLo
g[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /
; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int x(g + h \log(1 - cx))\text{Li}_2(cx) dx &= \frac{1}{2}x^2(g + h \log(1 - cx))\text{Li}_2(cx) + \frac{1}{2} \int x \log(1 - cx)(g + h \log(1 - cx)) dx + \frac{1}{2} \\
&= \frac{1}{4}x^2 \log(1 - cx)(g + h \log(1 - cx)) + \frac{1}{2}x^2(g + h \log(1 - cx))\text{Li}_2(cx) + \frac{1}{4}c \int \\
&= \frac{1}{4}x^2 \log(1 - cx)(g + h \log(1 - cx)) - \frac{hx\text{Li}_2(cx)}{2c} - \frac{1}{4}hx^2\text{Li}_2(cx) - \frac{h \log(1 - cx)}{2c^2} \\
&= -\frac{1}{8}hx^2 \log(1 - cx) - \frac{h \log(cx) \log^2(1 - cx)}{2c^2} + \frac{1}{4}x^2 \log(1 - cx)(g + h \log(1 - cx)) \\
&= \frac{hx}{2c} - \frac{1}{4}hx^2 \log(1 - cx) + \frac{h(1 - cx) \log(1 - cx)}{2c^2} - \frac{h \log(cx) \log^2(1 - cx)}{2c^2} + \frac{1}{4} \\
&= \frac{7hx}{8c} + \frac{hx^2}{16} + \frac{h \log(1 - cx)}{8c^2} - \frac{1}{4}hx^2 \log(1 - cx) + \frac{3h(1 - cx) \log(1 - cx)}{4c^2} - \frac{h \log(cx) \log^2(1 - cx)}{2c^2} \\
&= \frac{3hx}{2c} + \frac{hx^2}{8} + \frac{h(1 - cx)^2}{16c^2} + \frac{h \log(1 - cx)}{4c^2} - \frac{1}{4}hx^2 \log(1 - cx) + \frac{3h(1 - cx) \log(1 - cx)}{4c^2} \\
&= \frac{3hx}{2c} + \frac{hx^2}{8} + \frac{h(1 - cx)^2}{16c^2} + \frac{h \log(1 - cx)}{4c^2} - \frac{1}{4}hx^2 \log(1 - cx) + \frac{3h(1 - cx) \log(1 - cx)}{4c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.31, size = 211, normalized size = 0.64

$$\frac{g(4c^2x^2\text{Li}_2(cx) + 2(c^2x^2 - 1)\log(1 - cx) - cx(cx + 2)) + h(\text{Li}_2(cx)(8(c^2x^2 - 1)\log(1 - cx) - 4cx(cx + 2)) + 3c^2)}{8c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x], x]

[Out] (g\*(-(c\*x\*(2 + c\*x)) + 2\*(-1 + c^2\*x^2)\*Log[1 - c\*x] + 4\*c^2\*x^2\*PolyLog[2, c\*x]))/(8\*c^2) + (h\*(-14 + 22\*c\*x + 3\*c^2\*x^2 + 22\*Log[1 - c\*x] - 16\*c\*x\*Log[1 - c\*x] - 6\*c^2\*x^2\*Log[1 - c\*x] - 4\*Log[1 - c\*x]^2 + 4\*c^2\*x^2\*Log[1 - c\*x]^2 - 8\*Log[c\*x]\*Log[1 - c\*x]^2 + (-4\*c\*x\*(2 + c\*x) + 8\*(-1 + c^2\*x^2)\*Log[1 - c\*x])\*PolyLog[2, c\*x] - 16\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] + 16\*PolyLog[3, 1 - c\*x]))/(16\*c^2)

**fricas [F]** time = 2.04, size = 0, normalized size = 0.00

$$\text{integral}(hx\text{Li}_2(cx) \log(-cx + 1) + gx\text{Li}_2(cx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="fricas")

[Out] integral(h\*x\*dilog(c\*x)\*log(-c\*x + 1) + g\*x\*dilog(c\*x), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (h \log(-cx + 1) + g)x \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*x\*dilog(c\*x), x)

**maple** [F] time = 0.28, size = 0, normalized size = 0.00

$$\int x (g + h \ln(-cx + 1)) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

[Out] int(x\*(g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{4} h \left( \frac{(c^2 x^2 + 2cx - 2(c^2 x^2 - 1) \log(-cx + 1)) \operatorname{Li}_2(cx)}{c^2} - \frac{\frac{1}{2} c^2 x^2 - \frac{1}{4} (2x^2 \log(-cx + 1) - c \left( \frac{cx^2 + 2x}{c^2} + \frac{2 \log(cx-1)}{c^3} \right))}{c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="maxima")

[Out] -1/4\*h\*((c^2\*x^2 + 2\*c\*x - 2\*(c^2\*x^2 - 1)\*log(-c\*x + 1))\*dilog(c\*x)/c^2 - integrate((2\*(c^2\*x^2 - 1)\*log(-c\*x + 1)^2 - (c^2\*x^2 + 2\*c\*x)\*log(-c\*x + 1))/x, x)/c^2) + 1/8\*(4\*c^2\*x^2\*dilog(c\*x) - c^2\*x^2 - 2\*c\*x + 2\*(c^2\*x^2 - 1)\*log(-c\*x + 1))\*g/c^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (g + h \ln(1 - cx)) \operatorname{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(g + h*log(1 - c*x))*polylog(2, c*x), x)`

[Out] `int(x*(g + h*log(1 - c*x))*polylog(2, c*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (g + h \log(-cx + 1)) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(g+h*ln(-c*x+1))*polylog(2,c*x), x)`

[Out] `Integral(x*(g + h*log(-c*x + 1))*polylog(2, c*x), x)`

### 3.172 $\int (g + h \log(1 - cx)) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=167

$$x \text{Li}_2(cx)(h \log(1-cx)+g) - \frac{g(1-cx) \log(1-cx)}{c} - hx \text{Li}_2(cx) + \frac{2h \text{Li}_3(1-cx)}{c} - \frac{h \text{Li}_2(cx) \log(1-cx)}{c} - \frac{2h \text{Li}_2(1-cx) \log(1-cx)}{c}$$

[Out]  $-g*x+3*h*x-g*(-c*x+1)*\ln(-c*x+1)/c+3*h*(-c*x+1)*\ln(-c*x+1)/c-h*(-c*x+1)*\ln(-c*x+1)^2/c-h*\ln(c*x)*\ln(-c*x+1)^2/c-h*x*\text{polylog}(2,c*x)-h*\ln(-c*x+1)*\text{polylog}(2,c*x)/c+x*(g+h*\ln(-c*x+1))*\text{polylog}(2,c*x)-2*h*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/c+2*h*\text{polylog}(3,-c*x+1)/c$

**Rubi [A]** time = 0.21, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 14, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.824$ , Rules used = {6600, 2364, 2360, 2295, 2296, 6688, 6742, 6586, 2389, 6596, 2396, 2433, 2374, 6589}

$$x \text{PolyLog}(2, cx)(h \log(1-cx)+g) - hx \text{PolyLog}(2, cx) + \frac{2h \text{PolyLog}(3, 1-cx)}{c} - \frac{h \log(1-cx) \text{PolyLog}(2, cx)}{c} - \frac{2h \log(1-cx) \text{PolyLog}(2, 1-cx)}{c}$$

Antiderivative was successfully verified.

[In] Int[(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x], x]

[Out]  $-(g*x) + 3*h*x - (g*(1 - c*x)*\text{Log}[1 - c*x])/c + (3*h*(1 - c*x)*\text{Log}[1 - c*x])/c - (h*(1 - c*x)*\text{Log}[1 - c*x]^2)/c - (h*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/c - h*x*\text{PolyLog}[2, c*x] - (h*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/c + x*(g + h*\text{Log}[1 - c*x])*\text{PolyLog}[2, c*x] - (2*h*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/c + (2*h*\text{PolyLog}[3, 1 - c*x])/c$

#### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

#### Rule 2296

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^p, x\_Symbol] := Simp[x\*(a + b\*Log[c\*x^n])^p, x] - Dist[b\*n\*p, Int[(a + b\*Log[c\*x^n])^(p-1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]

#### Rule 2360

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^p\*(Log[(c\_.)\*(x\_)^(n\_.)]\*(e\_.) + (d\_.)^(q\_.)), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*x^n])^p\*(d + e\*Log[c\*x^n])^q, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IntegerQ[p] &&



IntegerQ[q]

### Rule 2364

Int[((a\_.) + Log[v\_]\*(b\_.))^(p\_.)\*((c\_.) + Log[v\_]\*(d\_.))^(q\_.), x\_Symbol] :> Dist[1/Coeff[v, x, 1], Subst[Int[(a + b\*Log[x])^p\*(c + d\*Log[x])^q, x], x, v], x] /; FreeQ[{a, b, c, d, p, q}, x] && LinearQ[v, x] && NeQ[Coeff[v, x, 0], 0]

### Rule 2374

Int[(Log[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] :> -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

### Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.), x\_Symbol] :> Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_)^(m\_.))]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_)^(r\_.)), x\_Symbol] :> Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6600

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> Simp[x*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x]*ExpandIntegrand[x/(a + b*x), x], x], x] - Dist[e*h*n, Int[PolyLog[2, c*(a + b*x)]*ExpandIntegrand[x/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
```

Rule 6688

```
Int[u_, x_Symbol] :> With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifierIntegrandQ[v, u, x]]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int (g + h \log(1 - cx)) \text{Li}_2(cx) dx &= x(g + h \log(1 - cx)) \text{Li}_2(cx) + (ch) \int \left( -\frac{1}{c} - \frac{1}{c(-1 + cx)} \right) \text{Li}_2(cx) dx + \int \log(1 - cx) dx \\
&= x(g + h \log(1 - cx)) \text{Li}_2(cx) - \frac{\text{Subst}(\int \log(x)(g + h \log(x)) dx, x, 1 - cx)}{c} + (ch) \int \log(1 - cx) dx \\
&= x(g + h \log(1 - cx)) \text{Li}_2(cx) - \frac{\text{Subst}(\int (g \log(x) + h \log^2(x)) dx, x, 1 - cx)}{c} + (ch) \int \log(1 - cx) dx \\
&= x(g + h \log(1 - cx)) \text{Li}_2(cx) - \frac{g \text{Subst}(\int \log(x) dx, x, 1 - cx)}{c} - h \int \text{Li}_2(cx) dx \\
&= -gx - \frac{g(1 - cx) \log(1 - cx)}{c} - \frac{h(1 - cx) \log^2(1 - cx)}{c} - hx \text{Li}_2(cx) - \frac{h \log(1 - cx)}{c} \\
&= -gx + 2hx - \frac{g(1 - cx) \log(1 - cx)}{c} + \frac{2h(1 - cx) \log(1 - cx)}{c} - \frac{h(1 - cx) \log^2(1 - cx)}{c} \\
&= -gx + 3hx - \frac{g(1 - cx) \log(1 - cx)}{c} + \frac{3h(1 - cx) \log(1 - cx)}{c} - \frac{h(1 - cx) \log^2(1 - cx)}{c} \\
&= -gx + 3hx - \frac{g(1 - cx) \log(1 - cx)}{c} + \frac{3h(1 - cx) \log(1 - cx)}{c} - \frac{h(1 - cx) \log^2(1 - cx)}{c} \\
&= -gx + 3hx - \frac{g(1 - cx) \log(1 - cx)}{c} + \frac{3h(1 - cx) \log(1 - cx)}{c} - \frac{h(1 - cx) \log^2(1 - cx)}{c}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 149, normalized size = 0.89

$$g \left( x \text{Li}_2(cx) + \left( x - \frac{1}{c} \right) \log(1 - cx) - x \right) + \frac{h \left( 2 \text{Li}_3(1 - cx) - 2 \text{Li}_2(1 - cx) \log(1 - cx) + \text{Li}_2(cx) ((cx - 1) \log(1 - cx)) \right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x], x]

[Out] g\*(-x + (-c^(-1) + x)\*Log[1 - c\*x] + x\*PolyLog[2, c\*x]) + (h\*(-2 + 3\*c\*x + 3\*Log[1 - c\*x] - 3\*c\*x\*Log[1 - c\*x] - Log[1 - c\*x]^2 + c\*x\*Log[1 - c\*x]^2 - Log[c\*x]\*Log[1 - c\*x]^2 + -(c\*x) + (-1 + c\*x)\*Log[1 - c\*x])\*PolyLog[2, c\*x] - 2\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] + 2\*PolyLog[3, 1 - c\*x])/c

**fricas [F]** time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}(h \text{Li}_2(cx) \log(-cx + 1) + g \text{Li}_2(cx), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="fricas")

[Out] integral(h\*dilog(c\*x)\*log(-c\*x + 1) + g\*dilog(c\*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (h \log(-cx + 1) + g) \text{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*dilog(c\*x), x)

maple [F] time = 0.25, size = 0, normalized size = 0.00

$$\int (g + h \ln(-cx + 1)) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

[Out] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-h \left( \frac{(cx - (cx - 1) \log(-cx + 1)) \text{Li}_2(cx)}{c} - \frac{(cx - 1)(\log(-cx + 1))^2 - 2 \log(-cx + 1) + 2}{c} + cx - (cx - 1) \log(-cx + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x),x, algorithm="maxima")

[Out] -h\*((c\*x - (c\*x - 1)\*log(-c\*x + 1))\*dilog(c\*x)/c - integrate(-(c\*x\*log(-c\*x + 1) - (c\*x - 1)\*log(-c\*x + 1)^2)/x, x)/c) + (c\*x\*dilog(c\*x) - c\*x + (c\*x - 1)\*log(-c\*x + 1))\*g/c

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (g + h \ln(1 - cx)) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g + h*log(1 - c*x))*polylog(2, c*x), x)
```

```
[Out] int((g + h*log(1 - c*x))*polylog(2, c*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (g + h \log(-cx + 1)) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g+h*ln(-c*x+1))*polylog(2,c*x), x)
```

```
[Out] Integral((g + h*log(-c*x + 1))*polylog(2, c*x), x)
```

$$3.173 \quad \int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x} dx$$

Optimal. Leaf size=20

$$g\text{Li}_3(cx) - \frac{1}{2}h\text{Li}_2(cx)^2$$

[Out]  $-1/2*h*\text{polylog}(2,c*x)^2+g*\text{polylog}(3,c*x)$

Rubi [A] time = 0.06, antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {6602, 6589, 6601}

$$g\text{PolyLog}(3, cx) - \frac{1}{2}h\text{PolyLog}(2, cx)^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(g + h*\text{Log}[1 - c*x])*PolyLog[2, c*x])/x, x]$

[Out]  $-(h*PolyLog[2, c*x]^2)/2 + g*PolyLog[3, c*x]$

Rule 6589

$\text{Int}[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x\_Symbol] \rightarrow \text{Simp}[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

Rule 6601

$\text{Int}[(\text{Log}[1 + (e_.)*(x_)]*PolyLog[2, (c_.)*(x_)])/(x_), x\_Symbol] \rightarrow -\text{Simp}[PolyLog[2, c*x]^2/2, x] /; \text{FreeQ}\{c, e\}, x] \&\& \text{EqQ}[c + e, 0]$

Rule 6602

$\text{Int}[(\text{Log}[1 + (e_.)*(x_)]*(h_.) + (g_.))*PolyLog[2, (c_.)*(x_)])/(x_), x\_Symbol] \rightarrow \text{Dist}[g, \text{Int}[PolyLog[2, c*x]/x, x], x] + \text{Dist}[h, \text{Int}[(\text{Log}[1 + e*x])*PolyLog[2, c*x])/x, x], x] /; \text{FreeQ}\{c, e, g, h\}, x] \&\& \text{EqQ}[c + e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x} dx &= g \int \frac{\text{Li}_2(cx)}{x} dx + h \int \frac{\log(1-cx)\text{Li}_2(cx)}{x} dx \\ &= -\frac{1}{2}h\text{Li}_2(cx)^2 + g\text{Li}_3(cx) \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 20, normalized size = 1.00

$$g\text{Li}_3(cx) - \frac{1}{2}h\text{Li}_2(cx)^2$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x,x]

[Out] -1/2\*(h\*PolyLog[2, c\*x]^2) + g\*PolyLog[3, c\*x]

**fricas** [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(cx)\log(-cx+1) + g\text{Li}_2(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x,x, algorithm="fricas")

[Out] integral((h\*dilog(c\*x)\*log(-c\*x + 1) + g\*dilog(c\*x))/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h\log(-cx+1) + g)\text{Li}_2(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x,x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*dilog(c\*x)/x, x)

**maple** [A] time = 0.17, size = 19, normalized size = 0.95

$$-\frac{h\text{polylog}(2, cx)^2}{2} + g\text{polylog}(3, cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x,x)

[Out] -1/2\*h\*polylog(2,c\*x)^2+g\*polylog(3,c\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h\log(-cx+1) + g)\text{Li}_2(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x,x, algorithm="maxima")

[Out] integrate((h\*log(-c\*x + 1) + g)\*dilog(c\*x)/x, x)

mupad [B] time = 0.25, size = 18, normalized size = 0.90

$$g \operatorname{polylog}(3, cx) - \frac{h \operatorname{polylog}(2, cx)^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((g + h\*log(1 - c\*x))\*polylog(2, c\*x))/x,x)

[Out] g\*polylog(3, c\*x) - (h\*polylog(2, c\*x)^2)/2

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(g + h \log(-cx + 1)) \operatorname{Li}_2(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x,x)

[Out] Integral((g + h\*log(-c\*x + 1))\*polylog(2, c\*x)/x, x)



$$3.174 \quad \int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x^2} dx$$

**Optimal.** Leaf size=156

$$-\frac{\text{Li}_2(cx)(h \log(1-cx) + g)}{x} + \frac{\log(1-cx)(h \log(1-cx) + g)}{x} + c \log\left(1 - \frac{1}{1-cx}\right) (2h \log(1-cx) + g) - 2ch \text{Li}_2\left(\frac{1}{1-cx}\right)$$

[Out] c\*h\*ln(c\*x)\*ln(-c\*x+1)^2+ln(-c\*x+1)\*(g+h\*ln(-c\*x+1))/x+c\*(g+2\*h\*ln(-c\*x+1))\*ln(1-1/(-c\*x+1))+c\*h\*ln(-c\*x+1)\*polylog(2,c\*x)-(g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x-2\*c\*h\*polylog(2,1/(-c\*x+1))+2\*c\*h\*ln(-c\*x+1)\*polylog(2,-c\*x+1)-c\*h\*polylog(3,c\*x)-2\*c\*h\*polylog(3,-c\*x+1)

**Rubi [A]** time = 0.36, antiderivative size = 165, normalized size of antiderivative = 1.06, number of steps used = 19, number of rules used = 15, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {6603, 2439, 2410, 2391, 2390, 2301, 2411, 2344, 2316, 2315, 6589, 6596, 2396, 2433, 2374}

$$-\frac{\text{PolyLog}(2, cx)(h \log(1-cx) + g)}{x} - 2ch \text{PolyLog}(2, cx) - ch \text{PolyLog}(3, cx) - 2ch \text{PolyLog}(3, 1-cx) + ch \log(1-cx)$$

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^2, x]

[Out] c\*g\*Log[x] - (c\*h\*Log[1 - c\*x]^2)/2 + c\*h\*Log[c\*x]\*Log[1 - c\*x]^2 + (Log[1 - c\*x]\*(g + h\*Log[1 - c\*x]))/x - (c\*(g + h\*Log[1 - c\*x])^2)/(2\*h) - 2\*c\*h\*PolyLog[2, c\*x] + c\*h\*Log[1 - c\*x]\*PolyLog[2, c\*x] - ((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x + 2\*c\*h\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] - c\*h\*PolyLog[3, c\*x] - 2\*c\*h\*PolyLog[3, 1 - c\*x]

#### Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

#### Rule 2315

Int[Log[(c\_.)\*(x\_)]/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := -Simp[PolyLog[2, 1 - c\*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c\*d, 0]

#### Rule 2316

Int[((a\_.) + Log[(c\_.)\*(x\_)])\*(b\_.)/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Simp[((a + b\*Log[-((c\*d)/e)])\*Log[d + e\*x])/e, x] + Dist[b, Int[Log[-((e\*x)/d)]/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[-((c\*d)/e), 0]

Rule 2344

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)/((x\_)\*((d\_) + (e\_.)\*(x\_))),  
 x\_Symbol] := Dist[1/d, Int[(a + b\*Log[c\*x^n])^p/x, x], x] - Dist[e/d, Int[(a + b\*Log[c\*x^n])^p/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))]/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))]/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

Rule 2410

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(x\_)^(m\_.))/((f\_) + (g\_.)\*(x\_)), x\_Symbol] := Int[ExpandIntegrand[Log[c\*(d + e\*x)], x^m/(f + g\*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e\*f - d\*g, 0] && EqQ[c\*d, 1] && IntegerQ[m]

Rule 2411

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.)\*((h\_.) + (i\_.)\*(x\_))^(r\_.), x\_Symbol] := Dist[1/e, Subst[Int

$$\left[ \left( \frac{g*x}{e} \right)^q \left( \frac{e*h - d*i}{e} + \left( \frac{i*x}{e} \right)^r \left( a + b*\text{Log}[c*x^n] \right)^p, x \right), x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x\} \&\& \text{EqQ}[e*f - d*g, 0] \&\& (\text{IGtQ}[p, 0] \mid\mid \text{IGtQ}[r, 0]) \&\& \text{IntegerQ}[2*r]$$

### Rule 2433

$$\text{Int}\left[\left(\frac{a}{e} + \text{Log}\left[\frac{c}{d} + \frac{e}{x}\right]^n\right)^p \left(\frac{f}{h} + \text{Log}\left[\frac{i}{j} + \frac{g}{x}\right]^m\right)^r, x_{\text{Symbol}}\right] \rightarrow \text{Dist}\left[\frac{1}{e}, \text{Subst}\left[\text{Int}\left[\left(\frac{k*x}{d}\right)^r \left(a + b*\text{Log}[c*x^n]\right)^p \left(f + g*\text{Log}\left[\frac{e*i - d*j}{e} + \frac{j*x}{e}\right]^m\right)\right], x\right], x, d + e*x], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x\} \&\& \text{EqQ}[e*k - d*l, 0]$$

### Rule 2439

$$\text{Int}\left[\left(\frac{a}{e} + \text{Log}\left[\frac{c}{d} + \frac{e}{x}\right]^n\right)^p \left(\frac{f}{h} + \text{Log}\left[\frac{i}{j} + \frac{g}{x}\right]^m\right)^r, x_{\text{Symbol}}\right] \rightarrow \text{Simp}\left[\frac{x^{r+1} \left(a + b*\text{Log}[c*(d + e*x)^n]\right)^p \left(f + g*\text{Log}[h*(i + j*x)^m]\right)}{r+1}, x\right] + \left(-\text{Dist}\left[\frac{g*j*m}{r+1}, \text{Int}\left[\frac{x^{r+1} \left(a + b*\text{Log}[c*(d + e*x)^n]\right)^p}{i + j*x}, x\right] - \text{Dist}\left[\frac{b*e*n*p}{r+1}, \text{Int}\left[\frac{x^{r+1} \left(a + b*\text{Log}[c*(d + e*x)^n]\right)^{p-1} \left(f + g*\text{Log}[h*(i + j*x)^m]\right)}{d + e*x}, x\right]\right) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, m, n\}, x\} \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[r] \&\& (\text{EqQ}[p, 1] \mid\mid \text{GtQ}[r, 0]) \&\& \text{NeQ}[r, -1]$$

### Rule 6589

$$\text{Int}\left[\text{PolyLog}[n, \left(\frac{a}{d} + \frac{b}{e} \frac{x}{x}\right)^p] / \left(\frac{d}{e} + \frac{e}{x}\right), x_{\text{Symbol}}\right] \rightarrow \text{Simp}\left[\text{PolyLog}[n+1, c*(a + b*x)^p] / (e*p), x\right] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \&\& \text{EqQ}[b*d, a*e]$$

### Rule 6596

$$\text{Int}\left[\text{PolyLog}[2, \left(\frac{a}{d} + \frac{b}{e} \frac{x}{x}\right)] / \left(\frac{d}{e} + \frac{e}{x}\right), x_{\text{Symbol}}\right] \rightarrow \text{Simp}\left[\frac{\text{Log}[1 - a*c - b*c*x] * \text{PolyLog}[2, c*(a + b*x)]}{e}, x\right] + \text{Dist}\left[\frac{b}{e}, \text{Int}\left[\frac{\text{Log}[1 - a*c - b*c*x]^2}{(a + b*x)}, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c*(b*d - a*e) + e, 0]$$

### Rule 6603

$$\text{Int}\left[\left(\frac{g}{f} + \text{Log}\left[\frac{d}{e} + \frac{e}{x}\right]^n\right)^p \left(\frac{h}{g} + \text{Log}\left[\frac{i}{j} + \frac{g}{x}\right]^m\right)^r * \text{PolyLog}[2, \left(\frac{a}{d} + \frac{b}{e} \frac{x}{x}\right)], x_{\text{Symbol}}\right] \rightarrow \text{Simp}\left[\frac{x^{m+1} \left(g + h*\text{Log}\left[\frac{f}{d + e*x}\right]^n\right)^p * \text{PolyLog}[2, c*(a + b*x)]}{m+1}, x\right] + \left(\text{Dist}\left[\frac{b}{m+1}, \text{Int}\left[\text{ExpandIntegrand}\left[\left(g + h*\text{Log}\left[\frac{f}{d + e*x}\right]^n\right)*\text{Log}[1 - a*c - b*c*x], x^{m+1}\right] / (a + b*x), x\right], x\right] - \text{Dist}\left[\frac{e*h*n}{m+1}, \text{Int}\left[\text{ExpandIntegrand}\left[\text{PolyLog}[2, c*(a + b*x)], x^{m+1}\right] / (d + e*x), x\right], x\right)\right) /; \text{FreeQ}\{a, b, c, d, e, f$$

, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(g + h \log(1 - cx)) \text{Li}_2(cx)}{x^2} dx &= -\frac{(g + h \log(1 - cx)) \text{Li}_2(cx)}{x} - (ch) \int \left( \frac{\text{Li}_2(cx)}{x} - \frac{c \text{Li}_2(cx)}{-1 + cx} \right) dx - \int \frac{\log(1 - cx)}{x} dx \\
 &= \frac{\log(1 - cx)(g + h \log(1 - cx))}{x} - \frac{(g + h \log(1 - cx)) \text{Li}_2(cx)}{x} + c \int \frac{g + h \log(1 - cx)}{x(1 - cx)} dx \\
 &= \frac{\log(1 - cx)(g + h \log(1 - cx))}{x} + ch \log(1 - cx) \text{Li}_2(cx) - \frac{(g + h \log(1 - cx)) \text{Li}_2(cx)}{x} \\
 &= ch \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)(g + h \log(1 - cx))}{x} + ch \log(1 - cx) \text{Li}_2(cx) \\
 &= cg \log(x) + ch \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)(g + h \log(1 - cx))}{x} - \frac{c(g + h \log(1 - cx))}{x} \\
 &= cg \log(x) - \frac{1}{2} ch \log^2(1 - cx) + ch \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)(g + h \log(1 - cx))}{x} \\
 &= cg \log(x) - \frac{1}{2} ch \log^2(1 - cx) + ch \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)(g + h \log(1 - cx))}{x}
 \end{aligned}$$

**Mathematica** [A] time = 0.15, size = 150, normalized size = 0.96

$$\frac{g(-\text{Li}_2(cx) + cx \log(x) + (1 - cx) \log(1 - cx))}{x} + h \left( -c \text{Li}_3(cx) - 2c \text{Li}_3(1 - cx) + \frac{(cx - 1) \text{Li}_2(cx) \log(1 - cx)}{x} + 2c \text{Li}_2(1 - cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^2, x]

[Out] (g\*(c\*x\*Log[x] + (1 - c\*x)\*Log[1 - c\*x] - PolyLog[2, c\*x]))/x + h\*(2\*c\*Log[c\*x]\*Log[1 - c\*x] - c\*Log[1 - c\*x]^2 + Log[1 - c\*x]^2/x + c\*Log[c\*x]\*Log[1 - c\*x]^2 + ((-1 + c\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x + 2\*c\*(1 + Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] - c\*PolyLog[3, c\*x] - 2\*c\*PolyLog[3, 1 - c\*x])

**fricas** [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{h \text{Li}_2(cx) \log(-cx + 1) + g \text{Li}_2(cx)}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^2,x, algorithm="fricas")

[Out] integral((h\*dilog(c\*x)\*log(-c\*x + 1) + g\*dilog(c\*x))/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log(-cx + 1) + g) \text{Li}_2(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^2,x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*dilog(c\*x)/x^2, x)

**maple** [F] time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(-cx + 1)) \text{polylog}(2, cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x^2,x)

[Out] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\left( c \log(x) - \frac{(cx - 1) \log(-cx + 1) + \text{Li}_2(cx)}{x} \right) g + h \int \frac{\text{Li}_2(cx) \log(-cx + 1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^2,x, algorithm="maxima")

[Out] (c\*log(x) - ((c\*x - 1)\*log(-c\*x + 1) + dilog(c\*x))/x)\*g + h\*integrate(dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(g + h \ln(1 - cx)) \text{polylog}(2, cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((g + h\*log(1 - c\*x))\*polylog(2, c\*x))/x^2,x)

[Out] `int(((g + h*log(1 - c*x))*polylog(2, c*x))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(g + h \log(-cx + 1)) \operatorname{Li}_2(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g+h*ln(-c*x+1))*polylog(2,c*x)/x**2,x)`

[Out] `Integral((g + h*log(-c*x + 1))*polylog(2, c*x)/x**2, x)`

$$3.175 \quad \int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x^3} dx$$

Optimal. Leaf size=266

$$\frac{1}{4}c^2 \log\left(1 - \frac{1}{1-cx}\right) (2h \log(1-cx)+g) - \frac{1}{2}c^2 h \text{Li}_2\left(\frac{1}{1-cx}\right) - \frac{1}{2}c^2 h \text{Li}_3(cx) - c^2 h \text{Li}_3(1-cx) + \frac{1}{2}c^2 h \text{Li}_2(cx) \log(1-cx) +$$

[Out]  $-c^2 h \ln(x) + 1/2 c^2 h \ln(-c*x+1) - 1/2 c^2 h \ln(-c*x+1)/x + 1/2 c^2 h \ln(c*x) \ln(-c*x+1)^2 + 1/4 \ln(-c*x+1) * (g+h \ln(-c*x+1))/x^2 - 1/4 c^2 h \ln(-c*x+1) * (g+2h \ln(-c*x+1))/x + 1/4 c^2 h (g+2h \ln(-c*x+1)) \ln(1-1/(-c*x+1)) + 1/2 c^2 h \text{polylog}(2, c*x)/x + 1/2 c^2 h \ln(-c*x+1) \text{polylog}(2, c*x) - 1/2 (g+h \ln(-c*x+1)) \text{polylog}(2, c*x)/x^2 - 1/2 c^2 h \text{polylog}(2, 1/(-c*x+1)) + c^2 h \ln(-c*x+1) \text{polylog}(2, -c*x+1) - 1/2 c^2 h \text{polylog}(3, c*x) - c^2 h \text{polylog}(3, -c*x+1)$

Rubi [A] time = 0.50, antiderivative size = 278, normalized size of antiderivative = 1.05, number of steps used = 31, number of rules used = 22, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.100$ , Rules used = {6603, 2439, 2410, 2395, 36, 29, 31, 2391, 2390, 2301, 2411, 2347, 2344, 2316, 2315, 2314, 6591, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{2}c^2 h \text{PolyLog}(2, cx) - \frac{1}{2}c^2 h \text{PolyLog}(3, cx) - c^2 h \text{PolyLog}(3, 1-cx) + \frac{1}{2}c^2 h \log(1-cx) \text{PolyLog}(2, cx) + c^2 h \log(1-cx)$$

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^3, x]

[Out]  $(c^2 g \text{Log}[x])/4 - c^2 h \text{Log}[x] + (3c^2 h \text{Log}[1 - c*x])/4 - (3c^2 h \text{Log}[1 - c*x])/(4*x) - (c^2 h \text{Log}[1 - c*x]^2)/8 + (c^2 h \text{Log}[c*x] \text{Log}[1 - c*x]^2)/2 - (c*(1 - c*x)*(g + h \text{Log}[1 - c*x]))/(4*x) + (\text{Log}[1 - c*x]*(g + h \text{Log}[1 - c*x]))/(4*x^2) - (c^2*(g + h \text{Log}[1 - c*x])^2)/(8*h) - (c^2 h \text{PolyLog}[2, c*x])/2 + (c^2 h \text{PolyLog}[2, c*x])/(2*x) + (c^2 h \text{Log}[1 - c*x] \text{PolyLog}[2, c*x])/2 - ((g + h \text{Log}[1 - c*x]) \text{PolyLog}[2, c*x])/(2*x^2) + c^2 h \text{Log}[1 - c*x] \text{PolyLog}[2, 1 - c*x] - (c^2 h \text{PolyLog}[3, c*x])/2 - c^2 h \text{PolyLog}[3, 1 - c*x]$

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

### Rule 2314

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^(r\_.))^(q\_), x\_Symbol] := Simp[(x\*(d + e\*x^r)^(q + 1)\*(a + b\*Log[c\*x^n]))/d, x] - Dist[(b\*n)/d, Int[(d + e\*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r}, x] && EqQ[r\*(q + 1) + 1, 0]

### Rule 2315

Int[Log[(c\_.)\*(x\_)]/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := -Simp[PolyLog[2, 1 - c\*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c\*d, 0]

### Rule 2316

Int[((a\_.) + Log[(c\_.)\*(x\_)]\*(b\_.))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Simp[((a + b\*Log[-((c\*d)/e)])\*Log[d + e\*x])/e, x] + Dist[b, Int[Log[-((e\*x)/d)]/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[-((c\*d)/e), 0]

### Rule 2344

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)/((x\_)\*((d\_) + (e\_.)\*(x\_))), x\_Symbol] := Dist[1/d, Int[(a + b\*Log[c\*x^n])^p/x, x], x] - Dist[e/d, Int[(a + b\*Log[c\*x^n])^p/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[p, 0]

### Rule 2347

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((d\_) + (e\_.)\*(x\_))^(q\_))/(x\_), x\_Symbol] := Dist[1/d, Int[((d + e\*x)^(q + 1)\*(a + b\*Log[c\*x^n])^p)/x, x], x] - Dist[e/d, Int[(d + e\*x)^q\*(a + b\*Log[c\*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2\*q]

### Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x



$\wedge n])^p)/m, x] + \text{Dist}[(b*n*p)/m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^{p-1})/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[d*e, 1]$

### Rule 2390

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]* (b_.)]^{p_.} * ((f_.) + (g_.)*(x_.))^q, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(f*x)/d]^q * (a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p, q\}, x] \&\& \text{EqQ}[e*f - d*g, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]/(x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

### Rule 2395

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]* (b_.)] * ((f_.) + (g_.)*(x_.))^q, x\_Symbol] \rightarrow \text{Simp}[(f + g*x)^{q+1} * (a + b*\text{Log}[c*(d + e*x)^n]) / (g*(q+1)), x] - \text{Dist}[(b*e*n)/(g*(q+1)), \text{Int}[(f + g*x)^{q+1}/(d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[q, -1]$

### Rule 2396

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]* (b_.)]^{p_.} / ((f_.) + (g_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e*(f + g*x)]/(e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^p) / g, x] - \text{Dist}[(b*e*n*p)/g, \text{Int}[(\text{Log}[(e*(f + g*x)]/(e*f - d*g)] * (a + b*\text{Log}[c*(d + e*x)^n])^{p-1}) / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{IGtQ}[p, 1]$

### Rule 2410

$\text{Int}[(\text{Log}[(c_.)*((d_.) + (e_.)*(x_.))] * (x_.))^m / ((f_.) + (g_.)*(x_.)), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Log}[c*(d + e*x)], x^m/(f + g*x), x], x] /; \text{FreeQ}[\{c, d, e, f, g\}, x] \&\& \text{EqQ}[e*f - d*g, 0] \&\& \text{EqQ}[c*d, 1] \&\& \text{IntegerQ}[m]$

### Rule 2411

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]* (b_.)]^{p_.} * ((f_.) + (g_.)*(x_.))^q * ((h_.) + (i_.)*(x_.))^r, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(g*x)/e]^q * ((e*h - d*i)/e + (i*x)/e)^r * (a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \&\& \text{EqQ}[e*f - d$

\*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2\*r]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_))^(r\_.), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 2439

Int[((a\_.) + Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.))\*((x\_)^(r\_.), x\_Symbol] := Simp[(x^(r + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p\*(f + g\*Log[h\*(i + j\*x)^m]))/(r + 1), x] + (-Dist[(g\*j\*m)/(r + 1), Int[(x^(r + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(i + j\*x), x], x] - Dist[(b\*e\*n\*p)/(r + 1), Int[(x^(r + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)\*(f + g\*Log[h\*(i + j\*x)^m]))/(d + e\*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ[p, 1] || GtQ[r, 0]) && NeQ[r, -1]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6603

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(h\_.))\*((x\_)^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := Simp[(x^(m + 1)\*(g + h\*Log[f

```

*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{x^3} dx &= -\frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{2x^2} - \frac{1}{2} \int \frac{\log(1 - cx)(g + h \log(1 - cx))}{x^3} dx - \frac{1}{2}(ch) \\
&= \frac{\log(1 - cx)(g + h \log(1 - cx))}{4x^2} - \frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{2x^2} + \frac{1}{4}c \int \frac{g + h \log(1 - cx)}{x^2(1 - cx)} dx \\
&= \frac{\log(1 - cx)(g + h \log(1 - cx))}{4x^2} + \frac{ch\text{Li}_2(cx)}{2x} + \frac{1}{2}c^2h \log(1 - cx)\text{Li}_2(cx) - \frac{(g + h \log(1 - cx))}{2x} \\
&= -\frac{ch \log(1 - cx)}{2x} + \frac{1}{2}c^2h \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)(g + h \log(1 - cx))}{4x^2} \\
&= -\frac{3ch \log(1 - cx)}{4x} + \frac{1}{2}c^2h \log(cx) \log^2(1 - cx) - \frac{c(1 - cx)(g + h \log(1 - cx))}{4x} \\
&= \frac{1}{4}c^2g \log(x) - \frac{3}{4}c^2h \log(x) + \frac{1}{2}c^2h \log(1 - cx) - \frac{3ch \log(1 - cx)}{4x} - \frac{1}{8}c^2h \log^2(1 - cx) \\
&= \frac{1}{4}c^2g \log(x) - c^2h \log(x) + \frac{3}{4}c^2h \log(1 - cx) - \frac{3ch \log(1 - cx)}{4x} - \frac{1}{8}c^2h \log^2(1 - cx)
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 238, normalized size = 0.89

$$\frac{g(c^2x^2 \log(x) - c^2x^2 \log(1 - cx) - 2\text{Li}_2(cx) - cx + \log(1 - cx))}{4x^2} + \frac{1}{4}h \left( \frac{2\text{Li}_2(cx) \left( (c^2x^2 - 1) \log(1 - cx) + cx \right)}{x^2} - 2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^3,x]

[Out] (g\*(-(c\*x) + c^2\*x^2\*Log[x] + Log[1 - c\*x] - c^2\*x^2\*Log[1 - c\*x] - 2\*PolyLog[2, c\*x]))/(4\*x^2) + (h\*(-2\*c^2\*Log[x] - 2\*c^2\*Log[c\*x] + 4\*c^2\*Log[1 - c

$*x] - (4*c*\text{Log}[1 - c*x])/x + 2*c^2*\text{Log}[c*x]*\text{Log}[1 - c*x] - c^2*\text{Log}[1 - c*x]^2 + \text{Log}[1 - c*x]^2/x^2 + 2*c^2*\text{Log}[c*x]*\text{Log}[1 - c*x]^2 + (2*(c*x + (-1 + c^2*x^2))*\text{Log}[1 - c*x])*PolyLog[2, c*x])/x^2 + 2*c^2*(1 + 2*\text{Log}[1 - c*x])*PolyLog[2, 1 - c*x] - 2*c^2*PolyLog[3, c*x] - 4*c^2*PolyLog[3, 1 - c*x])/4$

**fricas** [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(cx)\log(-cx+1) + g\text{Li}_2(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^3,x, algorithm="fricas")

[Out] integral((h\*dilog(c\*x)\*log(-c\*x + 1) + g\*dilog(c\*x))/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log(-cx + 1) + g)\text{Li}_2(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^3,x, algorithm="giac")

[Out] integrate((h\*log(-c\*x + 1) + g)\*dilog(c\*x)/x^3, x)

**maple** [F] time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(-cx + 1)) \text{polylog}(2, cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x^3,x)

[Out] int((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} \left( c^2 \log(x) - \frac{cx + (c^2x^2 - 1) \log(-cx + 1) + 2 \text{Li}_2(cx)}{x^2} \right) g + h \int \frac{\text{Li}_2(cx) \log(-cx + 1)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(-c\*x+1))\*polylog(2,c\*x)/x^3,x, algorithm="maxima")

[Out]  $1/4*(c^2*\log(x) - (c*x + (c^2*x^2 - 1)*\log(-c*x + 1) + 2*\operatorname{dilog}(c*x))/x^2)*g$   
 $+ h*\operatorname{integrate}(\operatorname{dilog}(c*x)*\log(-c*x + 1)/x^3, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(g + h \ln(1 - cx)) \operatorname{polylog}(2, cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((g + h*log(1 - c*x))*polylog(2, c*x))/x^3,x)`

[Out] `int(((g + h*log(1 - c*x))*polylog(2, c*x))/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(g + h \log(-cx + 1)) \operatorname{Li}_2(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g+h*ln(-c*x+1))*polylog(2,c*x)/x**3,x)`

[Out] `Integral((g + h*log(-c*x + 1))*polylog(2, c*x)/x**3, x)`

$$3.176 \quad \int \frac{(g+h \log(1-cx))\text{Li}_2(cx)}{x^4} dx$$

**Optimal.** Leaf size=340

$$\frac{1}{9}c^3 \log\left(1 - \frac{1}{1-cx}\right) (2h \log(1-cx)+g) - \frac{2}{9}c^3 h \text{Li}_2\left(\frac{1}{1-cx}\right) - \frac{1}{3}c^3 h \text{Li}_3(cx) - \frac{2}{3}c^3 h \text{Li}_3(1-cx) + \frac{1}{3}c^3 h \text{Li}_2(cx) \log(1-cx) +$$

[Out]  $7/36*c^2*h/x-3/4*c^3*h*\ln(x)+19/36*c^3*h*\ln(-c*x+1)-1/12*c*h*\ln(-c*x+1)/x^2$   
 $-1/3*c^2*h*\ln(-c*x+1)/x+1/3*c^3*h*\ln(c*x)*\ln(-c*x+1)^2+1/9*\ln(-c*x+1)*(g+h*$   
 $\ln(-c*x+1))/x^3-1/18*c*(g+2*h*\ln(-c*x+1))/x^2-1/9*c^2*(-c*x+1)*(g+2*h*\ln(-c$   
 $*x+1))/x+1/9*c^3*(g+2*h*\ln(-c*x+1))*\ln(1-1/(-c*x+1))+1/6*c*h*polylog(2,c*x)$   
 $/x^2+1/3*c^2*h*polylog(2,c*x)/x+1/3*c^3*h*\ln(-c*x+1)*polylog(2,c*x)-1/3*(g+$   
 $h*\ln(-c*x+1))*polylog(2,c*x)/x^3-2/9*c^3*h*polylog(2,1/(-c*x+1))+2/3*c^3*h*$   
 $\ln(-c*x+1)*polylog(2,-c*x+1)-1/3*c^3*h*polylog(3,c*x)-2/3*c^3*h*polylog(3,-$   
 $c*x+1)$

**Rubi [A]** time = 0.65, antiderivative size = 351, normalized size of antiderivative = 1.03, number of steps used = 42, number of rules used = 24, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.200$ , Rules used = {6603, 2439, 2410, 2395, 44, 36, 29, 31, 2391, 2390, 2301, 2411, 2347, 2344, 2316, 2315, 2314, 2319, 6591, 6589, 6596, 2396, 2433, 2374}

$$-\frac{2}{9}c^3 h \text{PolyLog}(2, cx) - \frac{1}{3}c^3 h \text{PolyLog}(3, cx) - \frac{2}{3}c^3 h \text{PolyLog}(3, 1-cx) + \frac{c^2 h \text{PolyLog}(2, cx)}{3x} + \frac{1}{3}c^3 h \log(1-cx) \text{PolyLog}(2, cx)$$

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^4, x]

[Out]  $(7*c^2*h)/(36*x) + (c^3*g*\text{Log}[x])/9 - (3*c^3*h*\text{Log}[x])/4 + (23*c^3*h*\text{Log}[1$   
 $- c*x])/36 - (5*c*h*\text{Log}[1 - c*x])/(36*x^2) - (4*c^2*h*\text{Log}[1 - c*x])/(9*x) -$   
 $(c^3*h*\text{Log}[1 - c*x]^2)/18 + (c^3*h*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/3 - (c*(g + h*$   
 $\text{Log}[1 - c*x]))/(18*x^2) - (c^2*(1 - c*x)*(g + h*\text{Log}[1 - c*x]))/(9*x) + (\text{Log}$   
 $[1 - c*x]*(g + h*\text{Log}[1 - c*x]))/(9*x^3) - (c^3*(g + h*\text{Log}[1 - c*x])^2)/(18*$   
 $h) - (2*c^3*h*\text{PolyLog}[2, c*x])/9 + (c*h*\text{PolyLog}[2, c*x])/(6*x^2) + (c^2*h*$   
 $\text{PolyLog}[2, c*x])/(3*x) + (c^3*h*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/3 - ((g + h*\text{Lo}$   
 $\text{g}[1 - c*x])* \text{PolyLog}[2, c*x])/(3*x^3) + (2*c^3*h*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 -$   
 $c*x])/3 - (c^3*h*\text{PolyLog}[3, c*x])/3 - (2*c^3*h*\text{PolyLog}[3, 1 - c*x])/3$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 2301

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2314

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] := Simp[(x*(d + e*x^r)^(q + 1)*(a + b*Log[c*x^n]))/d, x] - Dist[(b
*n)/d, Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r}, x
] && EqQ[r*(q + 1) + 1, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2316

```
Int[((a_.) + Log[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := Simp[
((a + b*Log[-((c*d)/e]))*Log[d + e*x])/e, x] + Dist[b, Int[Log[-((e*x)/d)]/
(d + e*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[-((c*d)/e), 0]
```

Rule 2319

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p)/(e*(q + 1)), x]
- Dist[(b*n*p)/(e*(q + 1)), Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
-1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] && !IGtQ[q, 0]) || (EqQ[p, 2] &&
NeQ[q, 1]))
```

Rule 2344

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)/((x\_)\*((d\_) + (e\_.)\*(x\_))),  
 x\_Symbol] := Dist[1/d, Int[(a + b\*Log[c\*x^n])^p/x, x], x] - Dist[e/d, Int[(a + b\*Log[c\*x^n])^p/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]

Rule 2347

Int[(((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((d\_) + (e\_.)\*(x\_))^(q\_.))/  
 (x\_), x\_Symbol] := Dist[1/d, Int[((d + e\*x)^(q + 1)\*(a + b\*Log[c\*x^n])^p)/  
 x, x], x] - Dist[e/d, Int[(d + e\*x)^q\*(a + b\*Log[c\*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2\*q]

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*(a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)/  
 (x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.  
 )\*(x\_))^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.),  
 x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && EqQ[q, -1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)/((f\_.) + (g\_.



```

)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]

```

### Rule 2410

```

Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_) + (g_.)*(x_)), x_Symb
ol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]

```

### Rule 2411

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^p]*((f_.) + (g_
.)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] := Dist[1/e, Subst[Int
[(g*x)/e]^q*((e*h - d*i)/e + (i*x)/e)^r*(a + b*Log[c*x^n])^p, x], x, d + e
*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d
*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]

```

### Rule 2433

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^p]*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*(k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[(k*x)/d]^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]

```

### Rule 2439

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^p]*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*(x_)^(r_.), x_Symbol] := Simp[(x^
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]))/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(i
+ j*x), x], x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]

```

### Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> Simp[(x^(m + 1)*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{x^4} dx &= -\frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{3x^3} - \frac{1}{3} \int \frac{\log(1 - cx)(g + h \log(1 - cx))}{x^4} dx - \frac{1}{3}(ch) \\
&= \frac{\log(1 - cx)(g + h \log(1 - cx))}{9x^3} - \frac{(g + h \log(1 - cx))\text{Li}_2(cx)}{3x^3} + \frac{1}{9}c \int \frac{g + h \log(1 - cx)}{x^3} dx \\
&= \frac{\log(1 - cx)(g + h \log(1 - cx))}{9x^3} + \frac{ch\text{Li}_2(cx)}{6x^2} + \frac{c^2h\text{Li}_2(cx)}{3x} + \frac{1}{3}c^3h \log(1 - cx) \\
&= -\frac{ch \log(1 - cx)}{12x^2} - \frac{c^2h \log(1 - cx)}{3x} + \frac{1}{3}c^3h \log(cx) \log^2(1 - cx) + \frac{\log(1 - cx)}{18} \\
&= -\frac{5ch \log(1 - cx)}{36x^2} - \frac{4c^2h \log(1 - cx)}{9x} + \frac{1}{3}c^3h \log(cx) \log^2(1 - cx) - \frac{c(g + h \log(1 - cx))}{18} \\
&= \frac{c^2h}{12x} - \frac{5}{12}c^3h \log(x) + \frac{5}{12}c^3h \log(1 - cx) - \frac{5ch \log(1 - cx)}{36x^2} - \frac{4c^2h \log(1 - cx)}{9x} \\
&= \frac{7c^2h}{36x} + \frac{1}{9}c^3g \log(x) - \frac{3}{4}c^3h \log(x) + \frac{23}{36}c^3h \log(1 - cx) - \frac{5ch \log(1 - cx)}{36x^2} - \frac{4}{18} \\
&= \frac{7c^2h}{36x} + \frac{1}{9}c^3g \log(x) - \frac{3}{4}c^3h \log(x) + \frac{23}{36}c^3h \log(1 - cx) - \frac{5ch \log(1 - cx)}{36x^2} - \frac{4}{18}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 301, normalized size = 0.89

$$h(-12c^3x^3\text{Li}_3(cx) - 24c^3x^3\text{Li}_3(1 - cx) + 8c^3x^3\text{Li}_2(1 - cx)(3 \log(1 - cx) + 1) + 6\text{Li}_2(cx)(2(c^3x^3 - 1) \log(1 - cx) + 1))$$

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^4, x]

[Out] -1/18\*(g\*(c\*x\*(1 + 2\*c\*x) - 2\*c^3\*x^3\*Log[x] + 2\*(-1 + c^3\*x^3)\*Log[1 - c\*x] + 6\*PolyLog[2, c\*x]))/x^3 + (h\*(7\*c^2\*x^2 - 4\*c^3\*x^3 - 15\*c^3\*x^3\*Log[x] - 12\*c^3\*x^3\*Log[c\*x] - 7\*c\*x\*Log[1 - c\*x] - 20\*c^2\*x^2\*Log[1 - c\*x] + 27\*c^3\*x^3\*Log[1 - c\*x] + 8\*c^3\*x^3\*Log[c\*x]\*Log[1 - c\*x] + 4\*Log[1 - c\*x]^2 - 4\*c^3\*x^3\*Log[1 - c\*x]^2 + 12\*c^3\*x^3\*Log[c\*x]\*Log[1 - c\*x]^2 + 6\*(c\*x\*(1 + 2\*c\*x) + 2\*(-1 + c^3\*x^3)\*Log[1 - c\*x])\*PolyLog[2, c\*x] + 8\*c^3\*x^3\*(1 +

$3*\text{Log}[1 - c*x])*PolyLog[2, 1 - c*x] - 12*c^3*x^3*PolyLog[3, c*x] - 24*c^3*x^3*PolyLog[3, 1 - c*x])/(36*x^3)$

**fricas** [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(cx)\log(-cx+1)+g\text{Li}_2(cx)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g+h*log(-c*x+1))*polylog(2,c*x)/x^4,x, algorithm="fricas")`

[Out] `integral((h*dilog(c*x)*log(-c*x+1)+g*dilog(c*x))/x^4, x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h\log(-cx+1)+g)\text{Li}_2(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g+h*log(-c*x+1))*polylog(2,c*x)/x^4,x, algorithm="giac")`

[Out] `integrate((h*log(-c*x+1)+g)*dilog(c*x)/x^4, x)`

**maple** [F] time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{(g+h\ln(-cx+1))\text{polylog}(2,cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g+h*ln(-c*x+1))*polylog(2,c*x)/x^4,x)`

[Out] `int((g+h*ln(-c*x+1))*polylog(2,c*x)/x^4,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{18}\left(2c^3\log(x) - \frac{2c^2x^2 + cx + 2(c^3x^3 - 1)\log(-cx+1) + 6\text{Li}_2(cx)}{x^3}\right)g + h\int \frac{\text{Li}_2(cx)\log(-cx+1)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g+h*log(-c*x+1))*polylog(2,c*x)/x^4,x, algorithm="maxima")`

[Out] `1/18*(2*c^3*log(x) - (2*c^2*x^2 + c*x + 2*(c^3*x^3 - 1)*log(-c*x + 1) + 6*dilog(c*x))/x^3)*g + h*integrate(dilog(c*x)*log(-c*x + 1)/x^4, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(g + h \ln(1 - cx)) \operatorname{polylog}(2, cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((g + h\*log(1 - c\*x))\*polylog(2, c\*x))/x^4,x)

[Out] int(((g + h\*log(1 - c\*x))\*polylog(2, c\*x))/x^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(-c\*x+1))\*polylog(2,c\*x)/x\*\*4,x)

[Out] Timed out

$$3.177 \quad \int x^2 \left( g + h \log \left( f(d + ex)^n \right) \right) \text{Li}_2(c(a+bx)) dx$$

Optimal. Leaf size=2995

result too large to display

```
[Out] -1/27*x^3*(g+h*ln(f*(e*x+d)^n))-2/27*h*n*x^3*ln(-b*c*x-a*c+1)+1/12*a*x^2*(g
+h*ln(f*(e*x+d)^n)/b+1/3*a*d*h*n*(-b*c*x-a*c+1)*ln(-b*c*x-a*c+1)/b^2/c/e-1
/3*a^3*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a))))*polylog(2,1-c
*(b*x+a))/b^3+1/3*d^3*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))
)*polylog(2,1-c*(b*x+a))/e^3+1/3*a^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+
a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b^3-1/3*d^3*h*n*ln(b*(e*x+d)/(-
a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/e^3-1/3*a^
3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x
+a))/b/(e*x+d))/b^3+1/3*d^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*poly
log(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/e^3+2/27*(-a*c+1)^3*h*n*ln(-b*c*x
-a*c+1)/b^3/c^3+5/36*a*h*n*x^2*ln(-b*c*x-a*c+1)/b+5/36*d*h*n*x^2*ln(-b*c*x-
a*c+1)/e+1/9*d^3*h*n*ln(-b*c*x-a*c+1)*ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/e^3-
1/3*a^2*h*(e*x+d)*ln(f*(e*x+d)^n)/b^2/e-1/3*a^2*(-a*c+1)*ln(e*(-b*c*x-a*c+1
)/(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/b^3/c+1/6*a*(-a*c+1)^2*ln(e*(-b*c
*x-a*c+1)/(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/b^3/c^2-1/6*a^3*h*n*(ln(c
*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e
*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/b^3+1/6*d^3*h*n*(ln(c*(b*x
+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d
)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/e^3+1/6*a^3*h*n*(ln(c*(b*x+a))-
ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(
b*x+a)))^2/b^3-1/6*d^3*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*
(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/e^3+1/3*d^3*h*n*ln(e*x
+d)*polylog(2,c*(b*x+a))/e^3-1/3*a^3*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x
+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/b^3+1/3*d^3*h*n*(ln(
b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-
a*e+b*d))/e^3+1/6*d*h*n*x^2*polylog(2,c*(b*x+a))/e-1/9*(-a*c+1)^3*h*n*polylog
(2,b*c*(e*x+d)/(-a*c*e+b*c*d+e))/b^3/c^3+1/6*a*(-a*c+1)*g*x/b^2/c+5/27*(-a
*c+1)^2*h*n*x/b^2/c^2+7/108*(-a*c+1)*h*n*x^2/b/c-1/3*d^2*h*n*x*polylog(2,c
*(b*x+a))/e^2-1/27*d^3*h*n*ln(e*x+d)/e^3-1/18*(-a*c+1)*x^2*(g+h*ln(f*(e*x+d
)^n))/b/c+1/3*a^2*x*ln(-b*c*x-a*c+1)*(g+h*ln(f*(e*x+d)^n))/b^2-1/6*a*x^2*ln
(-b*c*x-a*c+1)*(g+h*ln(f*(e*x+d)^n))/b-1/9*(-a*c+1)^3*ln(e*(-b*c*x-a*c+1)/(-
a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/b^3/c^3-1/3*a^3*h*(n*ln(e*x+d)-ln(f*
(e*x+d)^n))*polylog(2,c*(b*x+a))/b^3-1/3*d^3*h*n*polylog(3,-e*(1-c*(b*x+a))
/b/c/(e*x+d))/e^3-1/3*a^3*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))
/b^3+1/3*d^3*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/e^3-5/36*a*(-
a*c+1)^2*h*n*ln(-b*c*x-a*c+1)/b^3/c^2+4/9*a^2*h*n*(-b*c*x-a*c+1)*ln(-b*c*x-
a*c+1)/b^3/c-1/12*a*d^2*h*n*ln(e*x+d)/b/e^2-1/9*(-a*c+1)^2*h*(e*x+d)*ln(f*
(e*x+d)^n)/b^2/c^2/e-1/3*a^3*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/b^
3+1/3*d^3*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/e^3-1/9*(-a*c+1)^2*g*
```

$$\begin{aligned} & x/b^2/c^2+7/9*a^2*h*n*x/b^2+13/27*d^2*h*n*x/e^2-1/9*a*h*n*x^2/b-19/216*d*h* \\ & n*x^2/e-1/9*a^3*h*n*polylog(2,c*(b*x+a))/b^3+1/9*d^3*h*n*polylog(2,e*(-b*c* \\ & x-a*c+1)/(-a*c*e+b*c*d+e))/e^3+1/3*a^3*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/ \\ & b^3-1/3*d^3*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/e^3+1/3*a^3*h*n*polylog(3,1 \\ & -c*(b*x+a))/b^3-1/3*d^3*h*n*polylog(3,1-c*(b*x+a))/e^3+1/3*a^3*h*n*polylog( \\ & 3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b^3+1/9*x^3*ln(-b*c*x-a*c+1)*(g+h*ln(f*(e*x \\ & +d)^n))+1/3*x^3*(g+h*ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))-1/3*a^2*g*x/b^2+ \\ & 1/3*a^3*g*polylog(2,c*(b*x+a))/b^3-1/9*h*n*x^3*polylog(2,c*(b*x+a))-5/36*(- \\ & a*c+1)^2*d*h*n*ln(-b*c*x-a*c+1)/b^2/c^2/e+4/9*d^2*h*n*(-b*c*x-a*c+1)*ln(-b* \\ & c*x-a*c+1)/b/c/e^2+1/18*(-a*c+1)*d^2*h*n*ln(e*x+d)/b/c/e^2+1/6*a*d^2*h*n*ln \\ & (-b*c*x-a*c+1)*ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/b/e^2+1/3*a^2*d*h*n*ln(-b*c \\ & *x-a*c+1)*ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/b^2/e+1/6*a*(-a*c+1)*h*(e*x+d)*l \\ & n(f*(e*x+d)^n)/b^2/c/e-7/36*(-a*c+1)*d*h*n*x/b/c/e+1/27*h*n*x^3-11/36*a*(-a \\ & *c+1)*h*n*x/b^2/c+5/12*a*d*h*n*x/b/e-1/3*a*d^2*h*n*polylog(2,c*(b*x+a))/b/e \\ & ^2-1/6*a^2*d*h*n*polylog(2,c*(b*x+a))/b^2/e+1/6*a*d^2*h*n*polylog(2,e*(-b*c \\ & *x-a*c+1)/(-a*c*e+b*c*d+e))/b/e^2+1/3*a^2*d*h*n*polylog(2,e*(-b*c*x-a*c+1)/ \\ & (-a*c*e+b*c*d+e))/b^2/e-1/3*a^2*(-a*c+1)*h*n*polylog(2,b*c*(e*x+d)/(-a*c*e+ \\ & b*c*d+e))/b^3/c+1/6*a*(-a*c+1)^2*h*n*polylog(2,b*c*(e*x+d)/(-a*c*e+b*c*d+e) \\ & )/b^3/c^2 \end{aligned}$$

**Rubi [A]** time = 4.60, antiderivative size = 2995, normalized size of antiderivative = 1.00, number of steps used = 108, number of rules used = 20, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.741$ , Rules used = {6603, 2430, 43, 2416, 2389, 2295, 2394, 2393, 2391, 2439, 2395, 2440, 2438, 2437, 2435, 6595, 2444, 2421, 6598, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[x^2\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

[Out] 
$$\begin{aligned} & -(a^2*g*x)/(3*b^2) + (a*(1 - a*c)*g*x)/(6*b^2*c) - ((1 - a*c)^2*g*x)/(9*b^2 \\ & *c^2) + (7*a^2*h*n*x)/(9*b^2) - (11*a*(1 - a*c)*h*n*x)/(36*b^2*c) + (5*(1 - \\ & a*c)^2*h*n*x)/(27*b^2*c^2) + (13*d^2*h*n*x)/(27*e^2) + (5*a*d*h*n*x)/(12*b \\ & *e) - (7*(1 - a*c)*d*h*n*x)/(36*b*c*e) - (a*h*n*x^2)/(9*b) + (7*(1 - a*c)*h \\ & *n*x^2)/(108*b*c) - (19*d*h*n*x^2)/(216*e) + (h*n*x^3)/27 - (5*a*(1 - a*c)^ \\ & 2*h*n*Log[1 - a*c - b*c*x])/(36*b^3*c^2) + (2*(1 - a*c)^3*h*n*Log[1 - a*c - \\ & b*c*x])/(27*b^3*c^3) - (5*(1 - a*c)^2*d*h*n*Log[1 - a*c - b*c*x])/(36*b^2* \\ & c^2*e) + (5*a*h*n*x^2*Log[1 - a*c - b*c*x])/(36*b) + (5*d*h*n*x^2*Log[1 - a \\ & *c - b*c*x])/(36*e) - (2*h*n*x^3*Log[1 - a*c - b*c*x])/27 + (4*a^2*h*n*(1 - \\ & a*c - b*c*x)*Log[1 - a*c - b*c*x])/(9*b^3*c) + (4*d^2*h*n*(1 - a*c - b*c*x) \\ & )*Log[1 - a*c - b*c*x])/(9*b*c*e^2) + (a*d*h*n*(1 - a*c - b*c*x)*Log[1 - a \\ & c - b*c*x])/(3*b^2*c*e) - (d^3*h*n*Log[d + e*x])/(27*e^3) - (a*d^2*h*n*Log[ \\ & d + e*x])/(12*b*e^2) + ((1 - a*c)*d^2*h*n*Log[d + e*x])/(18*b*c*e^2) + (d^3 \\ & *h*n*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)])/(9*e^3) \\ & + (a*d^2*h*n*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)]) \end{aligned}$$

$$\begin{aligned}
& )/(6*b*e^2) + (a^2*d*h*n*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/(b*c*d + \\
& e - a*c*e)]/(3*b^2*e) - (a^2*h*(d + e*x)*Log[f*(d + e*x)^n]/(3*b^2*e) + ( \\
& a*(1 - a*c)*h*(d + e*x)*Log[f*(d + e*x)^n]/(6*b^2*c*e) - ((1 - a*c)^2*h*(d \\
& + e*x)*Log[f*(d + e*x)^n]/(9*b^2*c^2*e) + (a*x^2*(g + h*Log[f*(d + e*x)^n \\
& ]))/(12*b) - ((1 - a*c)*x^2*(g + h*Log[f*(d + e*x)^n]))/(18*b*c) - (x^3*(g \\
& + h*Log[f*(d + e*x)^n]))/27 + (a^2*x*Log[1 - a*c - b*c*x]*(g + h*Log[f*(d + \\
& e*x)^n]))/(3*b^2) - (a*x^2*Log[1 - a*c - b*c*x]*(g + h*Log[f*(d + e*x)^n]) \\
& )/(6*b) + (x^3*Log[1 - a*c - b*c*x]*(g + h*Log[f*(d + e*x)^n]))/9 - (a^2*(1 \\
& - a*c)*Log[(e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]*(g + h*Log[f*(d + e*x \\
& )^n]))/(3*b^3*c) + (a*(1 - a*c)^2*Log[(e*(1 - a*c - b*c*x))/(b*c*d + e - a \\
& *c*e)]*(g + h*Log[f*(d + e*x)^n]))/(6*b^3*c^2) - ((1 - a*c)^3*Log[(e*(1 - a \\
& *c - b*c*x))/(b*c*d + e - a*c*e)]*(g + h*Log[f*(d + e*x)^n]))/(9*b^3*c^3) - \\
& (a^3*h*n*(Log[c*(a + b*x)] + Log[(b*c*d + e - a*c*e)/(b*c*(d + e*x)]) - Lo \\
& g[((b*c*d + e - a*c*e)*(a + b*x))/(b*(d + e*x))])*Log[(b*(d + e*x))/((b*d - \\
& a*e)*(1 - c*(a + b*x)))]^2)/(6*b^3) + (d^3*h*n*(Log[c*(a + b*x)] + Log[(b* \\
& c*d + e - a*c*e)/(b*c*(d + e*x)]) - Log[((b*c*d + e - a*c*e)*(a + b*x))/(b* \\
& (d + e*x))])*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]^2)/(6*e^3) \\
& - (a^3*h*n*Log[c*(a + b*x)]*Log[d + e*x]*Log[1 - c*(a + b*x)])/(3*b^3) + (d \\
& ^3*h*n*Log[c*(a + b*x)]*Log[d + e*x]*Log[1 - c*(a + b*x)])/(3*e^3) + (a^3*h \\
& *n*(Log[c*(a + b*x)] - Log[-((e*(a + b*x))/(b*d - a*e))])*Log[(b*(d + e*x) \\
& )/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)]^2)/(6*b^3) - (d^ \\
& 3*h*n*(Log[c*(a + b*x)] - Log[-((e*(a + b*x))/(b*d - a*e))])*Log[(b*(d + e \\
& *x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)]^2)/(6*e^3) + \\
& (a^3*g*PolyLog[2, c*(a + b*x)])/(3*b^3) - (a^3*h*n*PolyLog[2, c*(a + b*x)]) \\
& / (9*b^3) - (a*d^2*h*n*PolyLog[2, c*(a + b*x)])/(3*b*e^2) - (a^2*d*h*n*PolyL \\
& og[2, c*(a + b*x)]/(6*b^2*e) - (d^2*h*n*x*PolyLog[2, c*(a + b*x)]/(3*e^2) \\
& + (d*h*n*x^2*PolyLog[2, c*(a + b*x)]/(6*e) - (h*n*x^3*PolyLog[2, c*(a + b \\
& *x)])/9 + (d^3*h*n*Log[d + e*x]*PolyLog[2, c*(a + b*x)]/(3*e^3) - (a^3*h*( \\
& n*Log[d + e*x] - Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(3*b^3) + (x^ \\
& 3*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/3 + (d^3*h*n*PolyLog[ \\
& 2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]/(9*e^3) + (a*d^2*h*n*PolyLog \\
& [2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]/(6*b*e^2) + (a^2*d*h*n*Poly \\
& Log[2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]/(3*b^2*e) - (a^3*h*n*(Lo \\
& g[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)])*Po \\
& lyLog[2, (b*(d + e*x))/(b*d - a*e)]/(3*b^3) + (d^3*h*n*(Log[(b*(d + e*x))/ \\
& ((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)]*PolyLog[2, (b*(d + \\
& e*x))/((b*d - a*e))]/(3*e^3) - (a^2*(1 - a*c)*h*n*PolyLog[2, (b*c*(d + e*x) \\
& )/(b*c*d + e - a*c*e)]/(3*b^3*c) + (a*(1 - a*c)^2*h*n*PolyLog[2, (b*c*(d + \\
& e*x))/(b*c*d + e - a*c*e)]/(6*b^3*c^2) - ((1 - a*c)^3*h*n*PolyLog[2, (b*c \\
& *(d + e*x))/(b*c*d + e - a*c*e)]/(9*b^3*c^3) - (a^3*h*n*(Log[d + e*x] - Lo \\
& g[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]*PolyLog[2, 1 - c*(a + b*x \\
& )])/(3*b^3) + (d^3*h*n*(Log[d + e*x] - Log[(b*(d + e*x))/((b*d - a*e)*(1 - \\
& c*(a + b*x)))]*PolyLog[2, 1 - c*(a + b*x)]/(3*e^3) + (a^3*h*n*Log[(b*(d + \\
& e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]*PolyLog[2, -((e*(1 - c*(a + b*x)))/ \\
& (b*c*(d + e*x)))]/(3*b^3) - (d^3*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c
\end{aligned}$$



$$\begin{aligned}
 & * (a + b*x)))] * \text{PolyLog}[2, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))] / (3*e^3) \\
 & - (a^3*h*n*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] * \text{PolyLog}[2, ( \\
 & (b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))] / (3*b^3) + (d^3*h*n*\text{Log}[(b*(d \\
 & + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] * \text{PolyLog}[2, ((b*d - a*e)*(1 - c*(a \\
 & + b*x)))/(b*(d + e*x)))] / (3*e^3) + (a^3*h*n*\text{PolyLog}[3, (b*(d + e*x))/(b*d \\
 & - a*e)] / (3*b^3) - (d^3*h*n*\text{PolyLog}[3, (b*(d + e*x))/(b*d - a*e)] / (3*e^3) \\
 & + (a^3*h*n*\text{PolyLog}[3, 1 - c*(a + b*x)] / (3*b^3) - (d^3*h*n*\text{PolyLog}[3, 1 - c \\
 & *(a + b*x)] / (3*e^3) + (a^3*h*n*\text{PolyLog}[3, -((e*(1 - c*(a + b*x)))/(b*c*(d \\
 & + e*x)))] / (3*b^3) - (d^3*h*n*\text{PolyLog}[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + \\
 & e*x)))] / (3*e^3) - (a^3*h*n*\text{PolyLog}[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*( \\
 & d + e*x)))] / (3*b^3) + (d^3*h*n*\text{PolyLog}[3, ((b*d - a*e)*(1 - c*(a + b*x)))/( \\
 & b*(d + e*x)))] / (3*e^3)
 \end{aligned}$$

### Rule 43

$$\text{Int}[(a + b*x)^m * (c + d*x)^n, x] := \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\! \text{IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0]) \ || \ \text{GtQ}[m + n + 2, 0])$$

### Rule 2295

$$\text{Int}[\text{Log}[c*x^n], x] := \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n\}, x$$

### Rule 2389

$$\text{Int}[(a + \text{Log}[c*(d + e*x)]^n * (b*x)^p, x] := \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x$$

### Rule 2391

$$\text{Int}[\text{Log}[c*(d + e*x)]^n / (x), x] := -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)/n], x] /; \text{FreeQ}\{c, d, e, n\}, x \ \&\& \ \text{EqQ}[c*d, 1]$$

### Rule 2393

$$\text{Int}[(a + \text{Log}[c*(d + e*x)] * (b*x)) / ((f + g*x)), x] := \text{Dist}[1/g, \text{Subst}[\text{Int}[(a + b*\text{Log}[1 + (c*e*x)/g]] / x, x], x, f + g*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[g + c*(e*f - d*g), 0]$$

### Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n]))/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

### Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(r_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

### Rule 2421

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_)^(q_.), x_Symbol] := Int[ExpandToSum[u, x]^q*(a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatchQ[u, x] && LinearMatchQ[v, x])
```

### Rule 2430

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.)), x_Symbol] := Simp[x*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]), x] + (-Dist[g*j*m, Int[(x*(a + b*Log[c*(d + e*x)^n])^p)/(i + j*x), x], x] - Dist[b*e*n*p, Int[(x*(a + b*Log[c*(d + e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0]
```

### Rule 2435

```
Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)] - Log[-((b*c - a*d)*x]/(a*(c + d*x))]) + Log[(b*c - a*d)/(b*(c + d*x))])*Log[(a*(c + d*x))/(c*(a + b*x))]^2/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-((d*x)/c]))*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)]))^2/2, x] + Simp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1 + (b*x)/a], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1
```

```

+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
, x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]

```

### Rule 2437

```

Int[(Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*Log[(h_.)*((i_.) + (j_.)*(x_))^(m
_.)])/(x_), x_Symbol] := Dist[m, Int[(Log[i + j*x]*Log[c*(d + e*x)^n])/x, x
], x] - Dist[m*Log[i + j*x] - Log[h*(i + j*x)^m], Int[Log[c*(d + e*x)^n]/x,
x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0] && NeQ[i
+ j*x, h*(i + j*x)^m]

```

### Rule 2438

```

Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*(Log[(h_.)*((i_.)
+ (j_.)*(x_))^(m_.)]*(g_.) + (f_.)))/(x_), x_Symbol] := Dist[f, Int[(a + b*
Log[c*(d + e*x)^n])/x, x], x] + Dist[g, Int[(Log[h*(i + j*x)^m]*(a + b*Log[
c*(d + e*x)^n])/x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x
] && NeQ[e*i - d*j, 0]

```

### Rule 2439

```

Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*(x_)^(r_.), x_Symbol] := Simp[(x^
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]))/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p]/(i
+ j*x), x], x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]

```

### Rule 2440

```

Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/l) + (e*x)/l)^n]*(f +
g*Log[h*(-((j*k - i*1)/l) + (j*x)/l)^m)], x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]

```

### Rule 2444

```

Int[(((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Int[u*(

```

$a + b \cdot \log[c \cdot \text{ExpandToSum}[v, x]^n]^p, x] /;$  FreeQ[{a, b, c, n, p}, x] && LinearQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c\*v, (e\_.)\*(f\_.) + (g\_.)\*x]) /; FreeQ[{e, f, g}, x]]

### Rule 6595

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, c\*(a + b\*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c\*(a + b\*x)^p], x], x] + Dist[a\*p, Int[PolyLog[n - 1, c\*(a + b\*x)^p]/(a + b\*x), x], x]) /; FreeQ[{a, b, c, p}, x] && GtQ[n, 0]

### Rule 6597

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[d + e\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[(Log[d + e\*x]\*Log[1 - a\*c - b\*c\*x])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6598

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*PolyLog[2, c\*(a + b\*x)]/(e\*(m + 1)), x] + Dist[b/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*Log[1 - a\*c - b\*c\*x])/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]

### Rule 6603

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(h\_.))\*(x\_)^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> Simp[(x^(m + 1)\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], x^(m + 1)/(a + b\*x), x], x], x] - Dist[(e\*h\*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], x^(m + 1)/(d + e\*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int x^2 (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) dx &= \frac{1}{3} x^3 (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + \frac{1}{3} b \int \left( \frac{a^2 \log(1 - ac - bcx)}{3b^2} \right) dx \\
&= \frac{1}{3} x^3 (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + \frac{1}{3} \int x^2 \log(1 - ac - bcx) dx \\
&= \frac{a^2 x \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{3b^2} - \frac{ax^2 \log(1 - ac - bcx)}{3b^2} \\
&= \frac{a^2 x \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{3b^2} - \frac{ax^2 \log(1 - ac - bcx)}{3b^2} \\
&= \frac{a^2 x \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{3b^2} - \frac{ax^2 \log(1 - ac - bcx)}{3b^2} \\
&= -\frac{a^2 gx}{3b^2} + \frac{a(1 - ac)gx}{6b^2 c} - \frac{(1 - ac)^2 gx}{9b^2 c^2} + \frac{d^2 hnx}{3e^2} + \frac{5ahnx^2 \log(1 - ac - bcx)}{36b^2 c} \\
&= -\frac{a^2 gx}{3b^2} + \frac{a(1 - ac)gx}{6b^2 c} - \frac{(1 - ac)^2 gx}{9b^2 c^2} + \frac{4a^2 hnx}{9b^2} + \frac{4d^2 hnx}{9e^2} + \frac{5ahnx^2 \log(1 - ac - bcx)}{36b^2 c} \\
&= -\frac{a^2 gx}{3b^2} + \frac{a(1 - ac)gx}{6b^2 c} - \frac{(1 - ac)^2 gx}{9b^2 c^2} + \frac{7a^2 hnx}{9b^2} - \frac{11a(1 - ac)hnx}{36b^2 c}
\end{aligned}$$

**Mathematica [A]** time = 10.17, size = 2610, normalized size = 0.87

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[x^2\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

[Out] ((g - h\*n\*Log[d + e\*x] + h\*Log[f\*(d + e\*x)^n])\*(-(b\*c\*x\*(12 + 66\*a^2\*c^2 + 6\*b\*c\*x + 4\*b^2\*c^2\*x^2 - 3\*a\*c\*(14 + 5\*b\*c\*x))) + 6\*(-2 + 11\*a^3\*c^3 + 2\*b^3\*c^3\*x^3 + 6\*a^2\*c^2\*(-3 + b\*c\*x) + a\*(9\*c - 3\*b^2\*c^3\*x^2))\*Log[1 - a\*c

$$\begin{aligned}
& - b*c*x] + 36*c^3*(a^3 + b^3*x^3)*PolyLog[2, c*(a + b*x)]/(108*b^3*c^3) + \\
& (h*n*(36*b^3*c^3*(e*x*(-6*d^2 + 3*d*e*x - 2*e^2*x^2) + 6*(d^3 + e^3*x^3)*L \\
& og[d + e*x])*PolyLog[2, c*(a + b*x)] - 216*b^2*c^2*d^2*e*(1 - a*c - b*c*x + \\
& (-1 + a*c + b*c*x - a*c*Log[c*(a + b*x)])*Log[1 - a*c - b*c*x] - a*c*PolyL \\
& og[2, 1 - a*c - b*c*x]) - 27*b*c*d*e^2*(c*(-4*a^2*c + a*(4 - 6*b*c*x) + b*x \\
& *(2 + b*c*x)) + (2 + 6*a^2*c^2 - 2*b^2*c^2*x^2 + 4*a*c*(-2 + b*c*x) - 4*a^2 \\
& *c^2*Log[c*(a + b*x)]*Log[1 - a*c - b*c*x] - 4*a^2*c^2*PolyLog[2, 1 - a*c \\
& - b*c*x]) - 2*e^3*(-(c*(36*a^3*c^2 - 3*a*b*c*x*(14 + 5*b*c*x) + 6*a^2*c*(-6 \\
& + 11*b*c*x) + 2*b*x*(6 + 3*b*c*x + 2*b^2*c^2*x^2))) - 6*(2 - 11*a^3*c^3 - \\
& 2*b^3*c^3*x^3 - 6*a^2*c^2*(-3 + b*c*x) + 3*a*c*(-3 + b^2*c^2*x^2) + 6*a^3*c \\
& ^3*Log[c*(a + b*x)]*Log[1 - a*c - b*c*x] - 36*a^3*c^3*PolyLog[2, 1 - a*c - \\
& b*c*x]) + 216*b^3*c^3*d^3*(Log[c*(a + b*x)]*Log[1 - a*c - b*c*x]*Log[d + e \\
& *x] + ((Log[c*(a + b*x)] - Log[(e*(a + b*x))/(-(b*d) + a*e)])*Log[(b*(d + e \\
& *x))/(b*d - a*e)]*(-2*Log[1 - a*c - b*c*x] + Log[(b*(d + e*x))/(b*d - a*e)] \\
& ))/2 + (-Log[c*(a + b*x)] + Log[(e*(a + b*x))/(-(b*d) + a*e)]*Log[(b*(d + \\
& e*x))/(b*d - a*e)]*Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] + \\
& (Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]^2*(Log[c*(a + b*x) \\
& ] - Log[((b*c*d + e - a*c*e)*(a + b*x))/((b*d - a*e)*(-1 + a*c + b*c*x))]) + \\
& Log[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e*x)]))/2 + (Log[d + e*x] - Log[- \\
& ((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*PolyLog[2, 1 - a*c - b*c \\
& *x] + (Log[1 - a*c - b*c*x] + Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + \\
& b*c*x)))]*PolyLog[2, (b*(d + e*x))/(b*d - a*e)] + Log[-((b*(d + e*x))/((b* \\
& d - a*e)*(-1 + a*c + b*c*x)))]*(PolyLog[2, (b*c*(d + e*x))/(e*(-1 + a*c + b \\
& *c*x))] - PolyLog[2, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] - \\
& PolyLog[3, 1 - a*c - b*c*x] - PolyLog[3, (b*(d + e*x))/(b*d - a*e)] - PolyL \\
& og[3, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))] + PolyLog[3, -((b*(d + e*x))/ \\
& ((b*d - a*e)*(-1 + a*c + b*c*x)))] + 2*(b*c*(e*(48*(-1 + a*c)^2*e^2*x + 3* \\
& b*c*(-1 + a*c)*(12*d^2 + 12*d*e*x - 5*e^2*x^2) + b^2*c^2*x*(48*d^2 - 15*d*e \\
& *x + 8*e^2*x^2)) - 6*(d + e*x)*(6*(-1 + a*c)^2*e^2 + 3*b*c*(-1 + a*c)*e*(d \\
& - e*x) + 2*b^2*c^2*(d^2 - d*e*x + e^2*x^2))*Log[d + e*x] + 6*Log[1 - a*c - \\
& b*c*x]*(-(e*(-1 + a*c + b*c*x)*(2*(-1 + a*c)^2*e^2 + b*c*(-1 + a*c)*e*(3*d \\
& - 2*e*x) + b^2*c^2*(6*d^2 - 3*d*e*x + 2*e^2*x^2))) + 6*e^3*(-1 + 3*a*c - 3 \\
& *a^2*c^2 + a^3*c^3 + b^3*c^3*x^3)*Log[d + e*x] + 6*(b^3*c^3*d^3 - (-1 + a*c \\
& )^3*e^3)*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] + 36*(b^3*c^3*d^3 - (-1 \\
& + a*c)^3*e^3)*PolyLog[2, (e*(-1 + a*c + b*c*x))/(-(b*c*d) + (-1 + a*c)*e)] \\
& - 108*a^2*c^2*e^2*(e - a*c*e - 2*b*c*e*x + b*c*d*Log[d + e*x] + b*c*e*x*Log \\
& [d + e*x] - Log[1 - a*c - b*c*x]*(-(e*(-1 + a*c + b*c*x)) + e*(-1 + a*c + b \\
& *c*x)*Log[d + e*x] + (b*c*d + e - a*c*e)*Log[(b*c*(d + e*x))/(b*c*d + e - a \\
& *c*e)]) - (b*c*d + e - a*c*e)*PolyLog[2, (e*(-1 + a*c + b*c*x))/(-(b*c*d) + \\
& (-1 + a*c)*e)] - 27*a*c*e*(b*c*(e*(d*(2 - 2*a*c - 3*b*c*x) + e*x*(3 - 3*a \\
& *c + b*c*x)) + (d + e*x)*(2*(-1 + a*c)*e + b*c*(d - e*x))*Log[d + e*x]) + L \\
& og[1 - a*c - b*c*x]*(e*(-1 + a*c + b*c*x)*((-1 + a*c)*e + b*c*(2*d - e*x)) \\
& - 2*e^2*(1 - 2*a*c + a^2*c^2 - b^2*c^2*x^2)*Log[d + e*x] + 2*(-(b^2*c^2*d^2 \\
& ) + (-1 + a*c)^2*e^2)*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] + 2*(-(b^2*c \\
& ^2*d^2) + (-1 + a*c)^2*e^2)*PolyLog[2, (e*(-1 + a*c + b*c*x))/(-(b*c*d) +
\end{aligned}$$

$$(-1 + a*c)*e)] - 108*a^3*c^3*e^3*(\text{Log}[c*(a + b*x)]*\text{Log}[1 - a*c - b*c*x]*\text{Log}[d + e*x] + ((\text{Log}[c*(a + b*x)] - \text{Log}[(e*(a + b*x))/(-(b*d) + a*e)])*\text{Log}[(b*(d + e*x))/(b*d - a*e)]*(-2*\text{Log}[1 - a*c - b*c*x] + \text{Log}[(b*(d + e*x))/(b*d - a*e)]))/2 + (-\text{Log}[c*(a + b*x)] + \text{Log}[(e*(a + b*x))/(-(b*d) + a*e)])*\text{Log}[(b*(d + e*x))/(b*d - a*e)]*\text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] + (\text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]^2*(\text{Log}[c*(a + b*x)] - \text{Log}[(b*c*d + e - a*c*e)*(a + b*x)/((b*d - a*e)*(-1 + a*c + b*c*x))]) + \text{Log}[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e*x)]))/2 + (\text{Log}[d + e*x] - \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*\text{PolyLog}[2, 1 - a*c - b*c*x] + (\text{Log}[1 - a*c - b*c*x] + \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*\text{PolyLog}[2, (b*(d + e*x))/(b*d - a*e)] + \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*(\text{PolyLog}[2, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))] - \text{PolyLog}[2, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))])) - \text{PolyLog}[3, 1 - a*c - b*c*x] - \text{PolyLog}[3, (b*(d + e*x))/(b*d - a*e)] - \text{PolyLog}[3, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))] + \text{PolyLog}[3, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))])))/(648*b^3*c^3*e^3)$$

**fricas** [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}(hx^2\text{Li}_2(bcx + ac)\log((ex + d)^n f) + gx^2\text{Li}_2(bcx + ac), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out] integral(h\*x^2\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*x^2\*dilog(b\*c\*x + a\*c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (h \log((ex + d)^n f) + g)x^2\text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*x^2\*dilog((b\*x + a)\*c), x)

**maple** [F] time = 0.27, size = 0, normalized size = 0.00

$$\int x^2 (g + h \ln(f(ex + d)^n)) \text{polylog}(2, c(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(g+h*ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a)),x)`

[Out] `int(x^2*(g+h*ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a)),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(6e^3hx^3 \log((ex+d)^n) + 3de^2hn x^2 - 6d^2ehnx + 6d^3hn \log(ex+d) - 2(e^3hn - 3e^3h \log(f) - 3e^3g)x^3) \text{Li}_2(bc)}{18e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(g+h*log(f*(e*x+d)^n))*polylog(2,c*(b*x+a)),x, algorithm="maxima")`

[Out] `1/18*(6*e^3*h*x^3*log((e*x + d)^n) + 3*d*e^2*h*n*x^2 - 6*d^2*e*h*n*x + 6*d^3*h*n*log(e*x + d) - 2*(e^3*h*n - 3*e^3*h*log(f) - 3*e^3*g)*x^3)*dilog(b*c*x + a*c)/e^3 + integrate(1/18*(6*b*e^3*h*x^3*log(-b*c*x - a*c + 1)*log((e*x + d)^n) + (3*b*d*e^2*h*n*x^2 - 6*b*d^2*e*h*n*x + 6*b*d^3*h*n*log(e*x + d) - 2*(b*e^3*h*n - 3*b*e^3*h*log(f) - 3*b*e^3*g)*x^3)*log(-b*c*x - a*c + 1))/(b*e^3*x + a*e^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \text{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*polylog(2, c*(a + b*x))*(g + h*log(f*(d + e*x)^n)),x)`

[Out] `int(x^2*polylog(2, c*(a + b*x))*(g + h*log(f*(d + e*x)^n)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(g+h*ln(f*(e*x+d)**n))*polylog(2,c*(b*x+a)),x)`

[Out] Timed out



$$3.178 \quad \int x \left( g + h \log \left( f(d + ex)^n \right) \right) \text{Li}_2(c(a + bx)) dx$$

Optimal. Leaf size=2252

result too large to display

```
[Out] -1/8*x^2*(g+h*ln(f*(e*x+d)^n))-1/4*h*n*x^2*ln(-b*c*x-a*c+1)+1/4*(-a*c+1)^2*
h*n*ln(-b*c*x-a*c+1)/b^2/c^2-1/4*d^2*h*n*ln(-b*c*x-a*c+1)*ln(b*c*(e*x+d)/(-
a*c*e+b*c*d+e))/e^2+1/2*a*h*(e*x+d)*ln(f*(e*x+d)^n)/b/e+1/2*a*(-a*c+1)*ln(e
*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/b^2/c+1/4*a^2*h*n*(
ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/
b/(e*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/b^2-1/4*d^2*h*n*(ln(c*
(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*
x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/e^2-1/4*a^2*h*n*(ln(c*(b*x+
a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1
-c*(b*x+a)))^2/b^2+1/4*d^2*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(l
n(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/e^2-1/2*d^2*h*n*ln
(e*x+d)*polylog(2,c*(b*x+a))/e^2+1/2*a^2*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*
(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/b^2-1/2*d^2*h*n*
(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d
)/(-a*e+b*d))/e^2+1/2*a^2*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+
a))))*polylog(2,1-c*(b*x+a))/b^2-1/2*d^2*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+
b*d)/(1-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/e^2-1/2*a^2*h*n*ln(b*(e*x+d)/(-
a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b^2+1/2*d^2
*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/
(e*x+d))/e^2+1/2*a^2*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(
-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/b^2-1/2*d^2*h*n*ln(b*(e*x+d)/(-a*e+b*d)/
(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/e^2+1/2*(-a*c+
1)*h*n*x/b/c+1/2*d^2*h*n*x*polylog(2,c*(b*x+a))/e-1/4*(-a*c+1)^2*h*n*polylog(
2,b*c*(e*x+d)/(-a*c*e+b*c*d+e))/b^2/c^2+1/8*d^2*h*n*ln(e*x+d)/e^2-1/2*a*x*l
n(-b*c*x-a*c+1)*(g+h*ln(f*(e*x+d)^n))/b-1/4*(-a*c+1)^2*ln(e*(-b*c*x-a*c+1)/
(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/b^2/c^2+1/2*a^2*h*(n*ln(e*x+d)-ln(f
*(e*x+d)^n))*polylog(2,c*(b*x+a))/b^2-1/4*(-a*c+1)*g*x/b/c-5/4*a*h*n*x/b-7/
8*d^2*h*n*x/e+1/4*a^2*h*n*polylog(2,c*(b*x+a))/b^2-1/4*d^2*h*n*polylog(2,e*(-
b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/e^2-1/2*a^2*h*n*polylog(3,b*(e*x+d)/(-a*e+b*
d))/b^2+1/2*d^2*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/e^2-1/2*a^2*h*n*polylog
(3,1-c*(b*x+a))/b^2+1/2*d^2*h*n*polylog(3,1-c*(b*x+a))/e^2-1/2*a^2*h*n*poly
log(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b^2+1/2*d^2*h*n*polylog(3,-e*(1-c*(b*x+
a))/b/c/(e*x+d))/e^2+1/2*a^2*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+
d))/b^2-1/2*d^2*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/e^2+1/2*a
^2*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/b^2-1/2*d^2*h*n*ln(c*(b*x+a)
)*ln(e*x+d)*ln(1-c*(b*x+a))/e^2-3/4*a*h*n*(-b*c*x-a*c+1)*ln(-b*c*x-a*c+1)/b
^2/c-1/4*(-a*c+1)*h*(e*x+d)*ln(f*(e*x+d)^n)/b/c/e+1/2*x^2*(g+h*ln(f*(e*x+d)
^n))*polylog(2,c*(b*x+a))+1/4*x^2*ln(-b*c*x-a*c+1)*(g+h*ln(f*(e*x+d)^n))+1/
2*a*g*x/b-1/2*a^2*g*polylog(2,c*(b*x+a))/b^2-1/4*h*n*x^2*polylog(2,c*(b*x+a
```

$$\begin{aligned} &)) - 3/4 * d * h * n * (-b * c * x - a * c + 1) * \ln(-b * c * x - a * c + 1) / b / c / e - 1/2 * a * d * h * n * \ln(-b * c * x - a * \\ &c + 1) * \ln(b * c * (e * x + d) / (-a * c * e + b * c * d + e)) / b / e + 3/16 * h * n * x^2 + 1/2 * a * d * h * n * \text{polylog}( \\ &2, c * (b * x + a)) / b / e - 1/2 * a * d * h * n * \text{polylog}(2, e * (-b * c * x - a * c + 1) / (-a * c * e + b * c * d + e)) / b \\ &/ e + 1/2 * a * (-a * c + 1) * h * n * \text{polylog}(2, b * c * (e * x + d) / (-a * c * e + b * c * d + e)) / b^2 / c \end{aligned}$$

**Rubi [A]** time = 2.90, antiderivative size = 2252, normalized size of antiderivative = 1.00, number of steps used = 67, number of rules used = 20, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {6603, 2430, 43, 2416, 2389, 2295, 2394, 2393, 2391, 2439, 2395, 2440, 2438, 2437, 2435, 6595, 2444, 2421, 6598, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[x\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

[Out] 
$$\begin{aligned} &(a * g * x) / (2 * b) - ((1 - a * c) * g * x) / (4 * b * c) - (5 * a * h * n * x) / (4 * b) + ((1 - a * c) * h * \\ &n * x) / (2 * b * c) - (7 * d * h * n * x) / (8 * e) + (3 * h * n * x^2) / 16 + ((1 - a * c)^2 * h * n * \text{Log}[1 \\ &- a * c - b * c * x]) / (4 * b^2 * c^2) - (h * n * x^2 * \text{Log}[1 - a * c - b * c * x]) / 4 - (3 * a * h * n * ( \\ &1 - a * c - b * c * x) * \text{Log}[1 - a * c - b * c * x]) / (4 * b^2 * c) - (3 * d * h * n * (1 - a * c - b * c * \\ &x) * \text{Log}[1 - a * c - b * c * x]) / (4 * b * c * e) + (d^2 * h * n * \text{Log}[d + e * x]) / (8 * e^2) - (d^2 * h * \\ &n * \text{Log}[1 - a * c - b * c * x] * \text{Log}[(b * c * (d + e * x)) / (b * c * d + e - a * c * e)]) / (4 * e^2) \\ &- (a * d * h * n * \text{Log}[1 - a * c - b * c * x] * \text{Log}[(b * c * (d + e * x)) / (b * c * d + e - a * c * e)]) / ( \\ &2 * b * e) + (a * h * (d + e * x) * \text{Log}[f * (d + e * x)^n]) / (2 * b * e) - ((1 - a * c) * h * (d + e * x) \\ &) * \text{Log}[f * (d + e * x)^n] / (4 * b * c * e) - (x^2 * (g + h * \text{Log}[f * (d + e * x)^n])) / 8 - (a * x \\ &* \text{Log}[1 - a * c - b * c * x] * (g + h * \text{Log}[f * (d + e * x)^n])) / (2 * b) + (x^2 * \text{Log}[1 - a * c \\ &- b * c * x] * (g + h * \text{Log}[f * (d + e * x)^n])) / 4 + (a * (1 - a * c) * \text{Log}[(e * (1 - a * c - b * c \\ &* x)) / (b * c * d + e - a * c * e)] * (g + h * \text{Log}[f * (d + e * x)^n])) / (2 * b^2 * c) - ((1 - a * c \\ &)^2 * \text{Log}[(e * (1 - a * c - b * c * x)) / (b * c * d + e - a * c * e)] * (g + h * \text{Log}[f * (d + e * x)^n \\ &])) / (4 * b^2 * c^2) + (a^2 * h * n * (\text{Log}[c * (a + b * x)] + \text{Log}[(b * c * d + e - a * c * e) / (b * c \\ &* (d + e * x))]) - \text{Log}[(b * c * d + e - a * c * e) * (a + b * x) / (b * (d + e * x))]) * \text{Log}[(b * ( \\ &d + e * x)) / ((b * d - a * e) * (1 - c * (a + b * x)))]^2 / (4 * b^2) - (d^2 * h * n * (\text{Log}[c * (a \\ &+ b * x)] + \text{Log}[(b * c * d + e - a * c * e) / (b * c * (d + e * x))]) - \text{Log}[(b * c * d + e - a * c * \\ &e) * (a + b * x) / (b * (d + e * x))]) * \text{Log}[(b * (d + e * x)) / ((b * d - a * e) * (1 - c * (a + b * \\ &x)))]^2 / (4 * e^2) + (a^2 * h * n * \text{Log}[c * (a + b * x)] * \text{Log}[d + e * x] * \text{Log}[1 - c * (a + b * \\ &x)]) / (2 * b^2) - (d^2 * h * n * \text{Log}[c * (a + b * x)] * \text{Log}[d + e * x] * \text{Log}[1 - c * (a + b * x)]) \\ &/ (2 * e^2) - (a^2 * h * n * (\text{Log}[c * (a + b * x)] - \text{Log}[-((e * (a + b * x)) / (b * d - a * e))]) * \\ &(\text{Log}[(b * (d + e * x)) / ((b * d - a * e) * (1 - c * (a + b * x)))] + \text{Log}[1 - c * (a + b * x)]) \\ &^2) / (4 * b^2) + (d^2 * h * n * (\text{Log}[c * (a + b * x)] - \text{Log}[-((e * (a + b * x)) / (b * d - a * e)) \\ &]) * (\text{Log}[(b * (d + e * x)) / ((b * d - a * e) * (1 - c * (a + b * x)))] + \text{Log}[1 - c * (a + b * x) \\ &]))^2) / (4 * e^2) - (a^2 * g * \text{PolyLog}[2, c * (a + b * x)]) / (2 * b^2) + (a^2 * h * n * \text{PolyLog} \\ &[2, c * (a + b * x)]) / (4 * b^2) + (a * d * h * n * \text{PolyLog}[2, c * (a + b * x)]) / (2 * b * e) + (d * \\ &h * n * x * \text{PolyLog}[2, c * (a + b * x)]) / (2 * e) - (h * n * x^2 * \text{PolyLog}[2, c * (a + b * x)]) / 4 \\ &- (d^2 * h * n * \text{Log}[d + e * x] * \text{PolyLog}[2, c * (a + b * x)]) / (2 * e^2) + (a^2 * h * (n * \text{Log}[d \\ &+ e * x] - \text{Log}[f * (d + e * x)^n]) * \text{PolyLog}[2, c * (a + b * x)]) / (2 * b^2) + (x^2 * (g + h \\ &* \text{Log}[f * (d + e * x)^n]) * \text{PolyLog}[2, c * (a + b * x)]) / 2 - (d^2 * h * n * \text{PolyLog}[2, (e * (1 \end{aligned}$$

$$\begin{aligned}
& - a*c - b*c*x))/(b*c*d + e - a*c*e)]/(4*e^2) - (a*d*h*n*PolyLog[2, (e*(1 \\
& - a*c - b*c*x))/(b*c*d + e - a*c*e)]/(2*b*e) + (a^2*h*n*(Log[(b*(d + e*x)) \\
& /((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)])*PolyLog[2, (b*(d \\
& + e*x))/(b*d - a*e)]/(2*b^2) - (d^2*h*n*(Log[(b*(d + e*x))/((b*d - a*e)*(1 \\
& - c*(a + b*x)))] + Log[1 - c*(a + b*x)])*PolyLog[2, (b*(d + e*x))/(b*d - a \\
& *e)]/(2*e^2) + (a*(1 - a*c)*h*n*PolyLog[2, (b*c*(d + e*x))/(b*c*d + e - a* \\
& c*e)]/(2*b^2*c) - ((1 - a*c)^2*h*n*PolyLog[2, (b*c*(d + e*x))/(b*c*d + e - \\
& a*c*e)]/(4*b^2*c^2) + (a^2*h*n*(Log[d + e*x] - Log[(b*(d + e*x))/((b*d - \\
& a*e)*(1 - c*(a + b*x)))]*PolyLog[2, 1 - c*(a + b*x)]/(2*b^2) - (d^2*h*n*( \\
& Log[d + e*x] - Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]*PolyLog[ \\
& 2, 1 - c*(a + b*x)]/(2*e^2) - (a^2*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - \\
& c*(a + b*x)))]*PolyLog[2, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/(2*b^ \\
& 2) + (d^2*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]*PolyLog[2, \\
& -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/(2*e^2) + (a^2*h*n*Log[(b*(d + \\
& e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]*PolyLog[2, ((b*d - a*e)*(1 - c*(a + \\
& b*x)))/(b*(d + e*x)))]/(2*b^2) - (d^2*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 \\
& - c*(a + b*x)))]*PolyLog[2, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))] \\
& )/(2*e^2) - (a^2*h*n*PolyLog[3, (b*(d + e*x))/(b*d - a*e)]/(2*b^2) + (d^2* \\
& h*n*PolyLog[3, (b*(d + e*x))/(b*d - a*e)]/(2*e^2) - (a^2*h*n*PolyLog[3, 1 \\
& - c*(a + b*x)]/(2*b^2) + (d^2*h*n*PolyLog[3, 1 - c*(a + b*x)]/(2*e^2) - ( \\
& a^2*h*n*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/(2*b^2) + (d^ \\
& 2*h*n*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/(2*e^2) + (a^2* \\
& h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))]/(2*b^2) - (d \\
& ^2*h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))]/(2*e^2)
\end{aligned}$$

### Rule 43

```

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

```

### Rule 2295

```

Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x
] /; FreeQ[{c, n}, x]

```

### Rule 2389

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a
, b, c, d, e, n, p}, x]

```

### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2

```

,  $-(c*e*x^n)/n, x] /;$  FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2393

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))])\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Dist[1/g, Subst[Int[(a + b\*Log[1 + (c\*e\*x)/g])/x, x], x, f + g\*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[g + c\*(e\*f - d\*g), 0]

### Rule 2394

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.))/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n]))/g, x] - Dist[(b\*e\*n)/g, Int[Log[(e\*(f + g\*x))/(e\*f - d\*g)]/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[(f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.))^(p\_.)\*((h\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_)^(r\_.))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 2421

Int[((a\_.) + Log[(c\_.)\*(v\_)^(n\_.)])\*(b\_.))^(p\_.)\*(u\_)^(q\_.), x\_Symbol] := Int[ExpandToSum[u, x]^q\*(a + b\*Log[c\*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p, q}, x] && BinomialQ[u, x] && LinearQ[v, x] && !(BinomialMatchQ[u, x] && LinearMatchQ[v, x])

### Rule 2430

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))])\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.)), x\_Symbol] := Simp[x\*(a + b\*Log[c\*(d + e\*x)^n])^p\*(f + g\*Log[h\*(i + j\*x)^m]), x] + (-Dist[g\*j\*m, Int[(x\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(i + j\*x), x], x] - Dist[b\*e\*n\*p, Int[(x\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)\*(f + g\*Log[h\*(i + j\*x)^m]))/(d + e\*x), x], x]) /

; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0]

### Rule 2435

```
Int[(Log[(a_) + (b_)*(x_)]*Log[(c_) + (d_)*(x_)])/(x_), x_Symbol] := Simp
[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)]
- Log[-(((b*c - a*d)*x)/(a*(c + d*x)))] + Log[(b*c - a*d)/(b*(c + d*x))])*L
og[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-
((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)]))^2)/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x)])*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)])*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x]) /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2437

```
Int[(Log[(c_)*((d_) + (e_)*(x_))^(n_)]*Log[(h_)*((i_) + (j_)*(x_))^(m
_)])/(x_), x_Symbol] := Dist[m, Int[(Log[i + j*x]*Log[c*(d + e*x)^n])/x, x
], x] - Dist[m*Log[i + j*x] - Log[h*(i + j*x)^m], Int[Log[c*(d + e*x)^n]/x,
x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0] && NeQ[i
+ j*x, h*(i + j*x)^m]
```

### Rule 2438

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))*((Log[(h_)*((i_)
+ (j_)*(x_))^(m_)]*(g_) + (f_)))/(x_), x_Symbol] := Dist[f, Int[(a + b*
Log[c*(d + e*x)^n])/x, x], x] + Dist[g, Int[(Log[h*(i + j*x)^m]*(a + b*Log[
c*(d + e*x)^n])/x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x
] && NeQ[e*i - d*j, 0]
```

### Rule 2439

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))^(p_)*((f_) + Log
[(h_)*((i_) + (j_)*(x_))^(m_)]*(g_))*((x_)^(r_)), x_Symbol] := Simp[(x^
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]))/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p]/(i
+ j*x), x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]
```

Rule 2440

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*l)/l) + (e*x)/l)^n)]*(f +
g*Log[h*(-((j*k - i*l)/l) + (j*x)/l)^m]), x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]
```

Rule 2444

```
Int[((a_.) + Log[(c_.)*(v_)^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Int[u*(
a + b*Log[c*ExpandToSum[v, x]^n])^p, x] /; FreeQ[{a, b, c, n, p}, x] && Lin
earQ[v, x] && !LinearMatchQ[v, x] && !(EqQ[n, 1] && MatchQ[c*v, (e_.)*((f
_) + (g_.)*x) /; FreeQ[{e, f, g}, x]])
```

Rule 6595

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*Poly
Log[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x]
, x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x]) /; Fr
eeQ[{a, b, c, p}, x] && GtQ[n, 0]
```

Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)]/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^m)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f
```

, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) dx &= \frac{1}{2} x^2 (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + \frac{1}{2} b \int \left( -\frac{a \log(1 - ac - bcx)}{1 - ac - bcx} \right) dx \\
 &= \frac{1}{2} x^2 (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + \frac{1}{2} \int x \log(1 - ac - bcx) dx \\
 &= -\frac{ax \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{2b} + \frac{1}{4} x^2 \log(1 - ac - bcx) \\
 &= -\frac{ax \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{2b} + \frac{1}{4} x^2 \log(1 - ac - bcx) \\
 &= -\frac{ax \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{2b} + \frac{1}{4} x^2 \log(1 - ac - bcx) \\
 &= \frac{agx}{2b} - \frac{(1 - ac)gx}{4bc} - \frac{dhnx}{2e} - \frac{dhn(1 - ac - bcx) \log(1 - ac - bcx)}{2bce} \\
 &= \frac{agx}{2b} - \frac{(1 - ac)gx}{4bc} - \frac{3ahnx}{4b} - \frac{3dhnx}{4e} - \frac{3ahn(1 - ac - bcx) \log(1 - ac - bcx)}{4b^2c} \\
 &= \frac{agx}{2b} - \frac{(1 - ac)gx}{4bc} - \frac{5ahnx}{4b} + \frac{(1 - ac)hnx}{4bc} - \frac{7dhnx}{8e} + \frac{1}{16} hnx^2
 \end{aligned}$$

**Mathematica [A]** time = 6.16, size = 1996, normalized size = 0.89

result too large to display

Antiderivative was successfully verified.

[In] Integrate[x\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

```
[Out] ((g - h*n*Log[d + e*x] + h*Log[f*(d + e*x)^n])*(-(b*c*x*(2 - 6*a*c + b*c*x)
) + (-2 - 6*a^2*c^2 + 2*b^2*c^2*x^2 - 4*a*c*(-2 + b*c*x))*Log[1 - a*c - b*c
*x] - 4*c^2*(a^2 - b^2*x^2)*PolyLog[2, c*(a + b*x)]))/(8*b^2*c^2) + (h*n*(4
*b^2*c^2*(e*x*(2*d - e*x) - 2*(d^2 - e^2*x^2)*Log[d + e*x])*PolyLog[2, c*(a
+ b*x)] + 8*b*c*d*e*(1 - a*c - b*c*x + (-1 + a*c + b*c*x - a*c*Log[c*(a +
b*x)]))*Log[1 - a*c - b*c*x] - a*c*PolyLog[2, 1 - a*c - b*c*x]) + e^2*(c*(-4
*a^2*c + a*(4 - 6*b*c*x) + b*x*(2 + b*c*x)) + (2 + 6*a^2*c^2 - 2*b^2*c^2*x^
2 + 4*a*c*(-2 + b*c*x) - 4*a^2*c^2*Log[c*(a + b*x)])*Log[1 - a*c - b*c*x] -
4*a^2*c^2*PolyLog[2, 1 - a*c - b*c*x]) - 8*b^2*c^2*d^2*(Log[c*(a + b*x)]*L
og[1 - a*c - b*c*x]*Log[d + e*x] + ((Log[c*(a + b*x)] - Log[(e*(a + b*x))/(-
(b*d) + a*e)])*Log[(b*(d + e*x))/(b*d - a*e)]*(-2*Log[1 - a*c - b*c*x] + L
og[(b*(d + e*x))/(b*d - a*e)]))/2 + (-Log[c*(a + b*x)] + Log[(e*(a + b*x))/(-
(b*d) + a*e)])*Log[(b*(d + e*x))/(b*d - a*e)]*Log[-((b*(d + e*x))/((b*d -
a*e)*(-1 + a*c + b*c*x)))] + (Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c +
b*c*x)))]^2*(Log[c*(a + b*x)] - Log[((b*c*d + e - a*c*e)*(a + b*x))/((b*d
- a*e)*(-1 + a*c + b*c*x))] + Log[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e*x
)]))/2 + (Log[d + e*x] - Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)
))])*PolyLog[2, 1 - a*c - b*c*x] + (Log[1 - a*c - b*c*x] + Log[-((b*(d + e
x))/((b*d - a*e)*(-1 + a*c + b*c*x))])*PolyLog[2, (b*(d + e*x))/(b*d - a*e
)] + Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*(PolyLog[2, (b*
c*(d + e*x))/(e*(-1 + a*c + b*c*x))] - PolyLog[2, -((b*(d + e*x))/((b*d - a
*e)*(-1 + a*c + b*c*x)))] - PolyLog[3, 1 - a*c - b*c*x] - PolyLog[3, (b*(d
+ e*x))/(b*d - a*e)] - PolyLog[3, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))]
+ PolyLog[3, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] + 2*(b*c*(
e*(d*(2 - 2*a*c - 3*b*c*x) + e*x*(3 - 3*a*c + b*c*x)) + (d + e*x)*(2*(-1 +
a*c)*e + b*c*(d - e*x))*Log[d + e*x]) + Log[1 - a*c - b*c*x]*(e*(-1 + a*c +
b*c*x)*((-1 + a*c)*e + b*c*(2*d - e*x)) - 2*e^2*(1 - 2*a*c + a^2*c^2 - b^2
*c^2*x^2)*Log[d + e*x] + 2*(-(b^2*c^2*d^2) + (-1 + a*c)^2*e^2)*Log[(b*c*(d
+ e*x))/(b*c*d + e - a*c*e)] + 2*(-(b^2*c^2*d^2) + (-1 + a*c)^2*e^2)*PolyL
og[2, (e*(-1 + a*c + b*c*x))/(-b*c*d) + (-1 + a*c)*e] + 4*a*c*e*(e - a*c*
e - 2*b*c*e*x + b*c*d*Log[d + e*x] + b*c*e*x*Log[d + e*x] - Log[1 - a*c - b
*c*x]*(-e*(-1 + a*c + b*c*x)) + e*(-1 + a*c + b*c*x)*Log[d + e*x] + (b*c*d
+ e - a*c*e)*Log[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] - (b*c*d + e - a*c*
e)*PolyLog[2, (e*(-1 + a*c + b*c*x))/(-b*c*d) + (-1 + a*c)*e] + 4*a^2*c^
2*e^2*(Log[c*(a + b*x)]*Log[1 - a*c - b*c*x]*Log[d + e*x] + ((Log[c*(a + b*
x)] - Log[(e*(a + b*x))/(-b*d) + a*e])*Log[(b*(d + e*x))/(b*d - a*e)]*(-2
*Log[1 - a*c - b*c*x] + Log[(b*(d + e*x))/(b*d - a*e)]))/2 + (-Log[c*(a + b
*x)] + Log[(e*(a + b*x))/(-b*d) + a*e])*Log[(b*(d + e*x))/(b*d - a*e)]*Lo
g[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] + (Log[-((b*(d + e*x)
)/((b*d - a*e)*(-1 + a*c + b*c*x)))]^2*(Log[c*(a + b*x)] - Log[((b*c*d + e -
a*c*e)*(a + b*x))/((b*d - a*e)*(-1 + a*c + b*c*x))] + Log[(b*c*d + e - a*c
*e)/(e - a*c*e - b*c*e*x)]))/2 + (Log[d + e*x] - Log[-((b*(d + e*x))/((b*d
- a*e)*(-1 + a*c + b*c*x))])*PolyLog[2, 1 - a*c - b*c*x] + (Log[1 - a*c -
b*c*x] + Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x))])*PolyLog[2,
(b*(d + e*x))/(b*d - a*e)] + Log[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c +
```



$$b*c*x)))]*(PolyLog[2, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))] - PolyLog[2, -(b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x))]) - PolyLog[3, 1 - a*c - b*c*x] - PolyLog[3, (b*(d + e*x))/(b*d - a*e)] - PolyLog[3, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))] + PolyLog[3, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))])))/(16*b^2*c^2*e^2)$$

**fricas** [F] time = 2.04, size = 0, normalized size = 0.00

$$\text{integral}\left(hx\text{Li}_2(bc x + ac) \log\left((ex + d)^n f\right) + gx\text{Li}_2(bc x + ac), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out] integral(h\*x\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*x\*dilog(b\*c\*x + a\*c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(h \log\left((ex + d)^n f\right) + g\right) x \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*x\*dilog((b\*x + a)\*c), x)

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int x \left(g + h \ln\left(f(ex + d)^n\right)\right) \text{polylog}(2, c(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x)

[Out] int(x\*(g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(2e^2hx^2 \log((ex + d)^n) + 2dehnx - 2d^2hn \log(ex + d) - (e^2hn - 2e^2h \log(f) - 2e^2g)x^2)\text{Li}_2(bc x + ac)}{4e^2} + \int 2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out]  $\frac{1}{4}*(2*e^{2*h*x^2}*\log((e*x + d)^n) + 2*d*e^{h*n*x} - 2*d^{2*h*n}*\log(e*x + d) - (e^{2*h*n} - 2*e^{2*h*\log(f) - 2*e^{2*g}})*x^2)*\text{dilog}(b*c*x + a*c)/e^2 + \text{integrate}(1/4*(2*b*e^{2*h*x^2}*\log(-b*c*x - a*c + 1)*\log((e*x + d)^n) + (2*b*d*e^{h*n*x} - 2*b*d^{2*h*n}*\log(e*x + d) - (b*e^{2*h*n} - 2*b*e^{2*h*\log(f) - 2*b*e^{2*g}})*x^2)*\log(-b*c*x - a*c + 1))/(b*e^{2*x} + a*e^2), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \text{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)),x)

[Out] int(x\*polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g+h\*ln(f\*(e\*x+d)\*\*n))\*polylog(2,c\*(b\*x+a)),x)

[Out] Timed out

### 3.179 $\int \left( g + h \log \left( f(d + ex)^n \right) \right) \text{Li}_2(c(a + bx)) dx$

**Optimal.** Leaf size=1653

$$\frac{dhn \left( \log(c(a + bx)) + \log \left( \frac{bcd - ace + e}{bc(d + ex)} \right) - \log \left( \frac{(bcd - ace + e)(a + bx)}{b(d + ex)} \right) \right) \log^2 \left( \frac{b(d + ex)}{(bd - ae)(-ac - bxc + 1)} \right) - dhn \text{Li}_2 \left( -\frac{e(-ac - bxc + 1)}{bc(d + ex)} \right) \log^2 \left( \frac{b(d + ex)}{(bd - ae)(-ac - bxc + 1)} \right)}{2e}$$

```
[Out] -h*(e*x+d)*ln(f*(e*x+d)^n)/e+h*x*ln(-b*c*x-a*c+1)*ln(f*(e*x+d)^n)+a*g*polylog(2,c*(b*x+a))/b-h*n*x*polylog(2,b*c*x+a*c)-1/2*a*h*n*(ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/b+1/2*a*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/b+d*h*n*ln(-b*c*x-a*c+1)*ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/e+d*h*n*(ln(-e*x-d)-ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1)))*polylog(2,-b*c*x-a*c+1)/e+d*h*n*ln(-e*x-d)*polylog(2,b*c*x+a*c)/e-d*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1))*polylog(2,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/e+d*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1))*polylog(2,(-a*e+b*d)*(-b*c*x-a*c+1)/b/(e*x+d))/e+d*h*n*(ln(-b*c*x-a*c+1)+ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/e-a*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/b-a*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/b+a*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b-a*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/b-(-a*c+1)*h*n*polylog(2,b*c*(e*x+d)/(-a*c*e+b*c*d+e))/b/c+2*h*n*(-b*c*x-a*c+1)*ln(-b*c*x-a*c+1)/b/c+1/2*d*h*n*(ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1))^2/e-1/2*d*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(-b*c*x-a*c+1)+ln(b*(e*x+d)/(-a*e+b*d)/(-b*c*x-a*c+1)))^2/e-(-a*c+1)*h*ln(e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))*ln(f*(e*x+d)^n)/b/c-g*(-b*c*x-a*c+1)*ln(-b*c*x-a*c+1)/b/c-a*h*n*polylog(2,c*(b*x+a))/b-a*h*(n*ln(e*x+d)-ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))/b+d*h*n*polylog(2,e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/e-d*h*n*polylog(3,-b*c*x-a*c+1)/e-d*h*n*polylog(3,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/e+d*h*n*polylog(3,(-a*e+b*d)*(-b*c*x-a*c+1)/b/(e*x+d))/e+a*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/b-d*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/e+a*h*n*polylog(3,1-c*(b*x+a))/b+a*h*n*polylog(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/b-a*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/b-g*x+d*h*n*ln(c*(b*x+a))*ln(-b*c*x-a*c+1)*ln(-e*x-d)/e-a*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/b+x*(g+h*ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))+3*h*n*x
```

**Rubi [A]** time = 3.19, antiderivative size = 1653, normalized size of antiderivative = 1.00, number of steps used = 42, number of rules used = 17, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.708$ , Rules used = {6600, 2418, 2389, 2295, 2394, 2393, 2391, 6688, 43,

2416, 6742, 2430, 2440, 2437, 2435, 6595, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

[Out]  $-(g*x) + 3*h*n*x - (g*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(b*c) + (2*h*n*(1 - a*c - b*c*x)*\text{Log}[1 - a*c - b*c*x])/(b*c) + (d*h*n*\text{Log}[c*(a + b*x)]*\text{Log}[1 - a*c - b*c*x]*\text{Log}[-d - e*x])/e + (d*h*n*\text{Log}[1 - a*c - b*c*x]*\text{Log}[(b*c*(d + e*x))/(b*c*d + e - a*c*e])/e + (d*h*n*(\text{Log}[c*(a + b*x)] + \text{Log}[(b*c*d + e - a*c*e)/(b*c*(d + e*x))] - \text{Log}[(b*c*d + e - a*c*e)*(a + b*x)/(b*(d + e*x))])*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))]^2)/(2*e) - (d*h*n*(\text{Log}[c*(a + b*x)] - \text{Log}[-((e*(a + b*x))/(b*d - a*e))])*(\text{Log}[1 - a*c - b*c*x] + \text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))]^2)/(2*e) - (h*(d + e*x)*\text{Log}[f*(d + e*x)^n])/e + h*x*\text{Log}[1 - a*c - b*c*x]*\text{Log}[f*(d + e*x)^n] - ((1 - a*c)*h*\text{Log}[(e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]*\text{Log}[f*(d + e*x)^n])/(b*c) - (a*h*n*(\text{Log}[c*(a + b*x)] + \text{Log}[(b*c*d + e - a*c*e)/(b*c*(d + e*x))] - \text{Log}[(b*c*d + e - a*c*e)*(a + b*x)/(b*(d + e*x))])*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))]^2)/(2*b) - (a*h*n*\text{Log}[c*(a + b*x)]*\text{Log}[d + e*x]*\text{Log}[1 - c*(a + b*x)]/b + (a*h*n*(\text{Log}[c*(a + b*x)] - \text{Log}[-((e*(a + b*x))/(b*d - a*e))])*(\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))] + \text{Log}[1 - c*(a + b*x)]^2)/(2*b) + (a*g*\text{PolyLog}[2, c*(a + b*x)]/b - (a*h*n*\text{PolyLog}[2, c*(a + b*x)]/b - (a*h*(n*\text{Log}[d + e*x] - \text{Log}[f*(d + e*x)^n])*\text{PolyLog}[2, c*(a + b*x)]/b + x*(g + h*\text{Log}[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)] + (d*h*n*(\text{Log}[-d - e*x] - \text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))])*PolyLog[2, 1 - a*c - b*c*x])/e + (d*h*n*\text{PolyLog}[2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]/e - h*n*x*\text{PolyLog}[2, a*c + b*c*x] + (d*h*n*\text{Log}[-d - e*x]*\text{PolyLog}[2, a*c + b*c*x])/e - (d*h*n*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))]*\text{PolyLog}[2, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x))])/e + (d*h*n*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))]*\text{PolyLog}[2, ((b*d - a*e)*(1 - a*c - b*c*x))/(b*(d + e*x))])/e + (d*h*n*(\text{Log}[1 - a*c - b*c*x] + \text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - a*c - b*c*x))])*PolyLog[2, (b*(d + e*x))/(b*d - a*e)]/e - (a*h*n*(\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))]) + \text{Log}[1 - c*(a + b*x)])*PolyLog[2, (b*(d + e*x))/(b*d - a*e)]/b - ((1 - a*c)*h*n*\text{PolyLog}[2, (b*c*(d + e*x))/(b*c*d + e - a*c*e)]/(b*c) - (a*h*n*(\text{Log}[d + e*x] - \text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*\text{PolyLog}[2, 1 - c*(a + b*x)]/b + (a*h*n*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*PolyLog[2, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x))])/b - (a*h*n*\text{Log}[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*PolyLog[2, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x))])/b - (d*h*n*\text{PolyLog}[3, 1 - a*c - b*c*x])/e - (d*h*n*\text{PolyLog}[3, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x))])/e + (d*h*n*\text{PolyLog}[3, ((b*d - a*e)*(1 - a*c - b*c*x))/(b*(d + e*x))])/e + (a*h*n*\text{PolyLog}[3, (b*(d + e*x))/(b*d - a*e)]/b - (d*h*n*\text{PolyLog}[3, (b*(d + e*x))/(b*d - a*e)]/e + (a*h*n*\text{PolyLog}[3, 1 - c*(a + b*x)]/b + (a*h*n*\text{PolyLog}$

$\log[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/b - (a*h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))]/b$

### Rule 43

$\text{Int}[(a_. + (b_.)(x_.))^{(m_.)}((c_.) + (d_.)(x_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\ !\text{IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0] \ || \ \text{GtQ}[m + n + 2, 0])$

### Rule 2295

$\text{Int}[\text{Log}[(c_.)(x_.)^{(n_.)}], x\_Symbol] \rightarrow \text{Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n\}, x]$

### Rule 2389

$\text{Int}[(a_. + \text{Log}[(c_.)((d_.) + (e_.)(x_.))^{(n_.)}])*(b_.))^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.)((d_.) + (e_.)(x_.))^{(n_.)}]/(x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x \ \&\& \ \text{EqQ}[c*d, 1]$

### Rule 2393

$\text{Int}[(a_. + \text{Log}[(c_.)((d_.) + (e_.)(x_.))])*(b_.))/((f_.) + (g_.)(x_.)), x\_Symbol] \rightarrow \text{Dist}[1/g, \text{Subst}[\text{Int}[(a + b*\text{Log}[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[g + c*(e*f - d*g), 0]$

### Rule 2394

$\text{Int}[(a_. + \text{Log}[(c_.)((d_.) + (e_.)(x_.))^{(n_.)}])*(b_.))/((f_.) + (g_.)(x_.)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n]))/g, x] - \text{Dist}[(b*e*n)/g, \text{Int}[\text{Log}[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{NeQ}[e*f - d*g, 0]$

### Rule 2416

$\text{Int}[(a_. + \text{Log}[(c_.)((d_.) + (e_.)(x_.))^{(n_.)}])*(b_.))^{(p_.)}((h_.)(x_.))^{(m_.)}((f_.) + (g_.)(x_.))^{(r_.)}(q_.), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; \text{FreeQ}\{a, b, c$

, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 2418

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*(RFx\_), x\_Symbol] := With[{u = ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]

### Rule 2430

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.)), x\_Symbol] := Simp[x\*(a + b\*Log[c\*(d + e\*x)^n])^p\*(f + g\*Log[h\*(i + j\*x)^m]), x] + (-Dist[g\*j\*m, Int[(x\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(i + j\*x), x], x] - Dist[b\*e\*n\*p, Int[(x\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)\*(f + g\*Log[h\*(i + j\*x)^m)))/(d + e\*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0]

### Rule 2435

Int[(Log[(a\_) + (b\_.)\*(x\_)]\*Log[(c\_) + (d\_.)\*(x\_)])/(x\_), x\_Symbol] := Simp[Log[-((b\*x)/a)]\*Log[a + b\*x]\*Log[c + d\*x], x] + (Simp[(1\*(Log[-((b\*x)/a)] - Log[-((b\*c - a\*d)\*x]/(a\*(c + d\*x)))] + Log[(b\*c - a\*d)/(b\*(c + d\*x))])\*Log[(a\*(c + d\*x))/(c\*(a + b\*x))]^2/2, x] - Simp[(1\*(Log[-((b\*x)/a)] - Log[-((d\*x)/c)])\*(Log[a + b\*x] + Log[(a\*(c + d\*x))/(c\*(a + b\*x))]^2)/2, x] + Simp[(Log[c + d\*x] - Log[(a\*(c + d\*x))/(c\*(a + b\*x))])\*PolyLog[2, 1 + (b\*x)/a], x] + Simp[(Log[a + b\*x] + Log[(a\*(c + d\*x))/(c\*(a + b\*x))])\*PolyLog[2, 1 + (d\*x)/c], x] + Simp[Log[(a\*(c + d\*x))/(c\*(a + b\*x))]\*PolyLog[2, (c\*(a + b\*x))/(a\*(c + d\*x))], x] - Simp[Log[(a\*(c + d\*x))/(c\*(a + b\*x))]\*PolyLog[2, (d\*(a + b\*x))/(b\*(c + d\*x))], x] - Simp[PolyLog[3, 1 + (b\*x)/a], x] - Simp[PolyLog[3, 1 + (d\*x)/c], x] + Simp[PolyLog[3, (c\*(a + b\*x))/(a\*(c + d\*x))], x] - Simp[PolyLog[3, (d\*(a + b\*x))/(b\*(c + d\*x))], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2437

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)])/(x\_), x\_Symbol] := Dist[m, Int[(Log[i + j\*x]\*Log[c\*(d + e\*x)^n])/x, x], x] - Dist[m\*Log[i + j\*x] - Log[h\*(i + j\*x)^m], Int[Log[c\*(d + e\*x)^n]/x, x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e\*i - d\*j, 0] && NeQ[i + j\*x, h\*(i + j\*x)^m]

### Rule 2440

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + Log[(h\_.)

```

*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
  Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*l)/l) + (e*x)/l)^n)]*(f +
  g*Log[h*(-((j*k - i*l)/l) + (j*x)/l)^m]), x], x, k + l*x], x] /; FreeQ[{a,
  b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]

```

### Rule 6595

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)], x_Symbol] := Simp[x*Poly
  Log[n, c*(a + b*x)^p], x] + (-Dist[p, Int[PolyLog[n - 1, c*(a + b*x)^p], x]
  , x] + Dist[a*p, Int[PolyLog[n - 1, c*(a + b*x)^p]/(a + b*x), x], x]) /; Fr
  eeQ[{a, b, c, p}, x] && GtQ[n, 0]

```

### Rule 6597

```

Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
  := Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
  + e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
  ] && NeQ[c*(b*d - a*e) + e, 0]

```

### Rule 6600

```

Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*PolyLog[2, (c_.)*
  ((a_.) + (b_.)*(x_))], x_Symbol] := Simp[x*(g + h*Log[f*(d + e*x)^n])*PolyL
  og[2, c*(a + b*x)], x] + (Dist[b, Int[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*
  c - b*c*x]*ExpandIntegrand[x/(a + b*x), x], x], x] - Dist[e*h*n, Int[PolyLo
  g[2, c*(a + b*x)]*ExpandIntegrand[x/(d + e*x), x], x], x]) /; FreeQ[{a, b,
  c, d, e, f, g, h, n}, x]

```

### Rule 6688

```

Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; Simpl
  erIntegrandQ[v, u, x]]

```

### Rule 6742

```

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
  ]

```

### Rubi steps

$$\begin{aligned}
\int (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) dx &= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + b \int \left( \frac{1}{b} - \frac{a}{b(a + bx)} \right) \log(1 - ac - bcx) dx \\
&= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + b \int \frac{x \log(1 - ac - bcx)}{a + bx} dx \\
&= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + b \int \left( \frac{gx \log(1 - ac - bcx)}{a + bx} \right) dx \\
&= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) + (bg) \int \frac{x \log(1 - ac - bcx)}{a + bx} dx \\
&= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) - hnx \operatorname{Li}_2(ac + bcx) + \frac{dh}{b} \log(c(a + bx)) \log(1 - ac - bcx) \\
&= x (g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx)) - hnx \operatorname{Li}_2(ac + bcx) + \frac{dh}{b} \log(c(a + bx)) \log(1 - ac - bcx) \\
&= hnx + \frac{hn(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{dhn \log(c(a + bx)) \log(1 - ac - bcx)}{b} \\
&= -gx + hnx - \frac{g(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{hn(1 - ac - bcx) \log(1 - ac - bcx)}{b} \\
&= -gx + hnx - \frac{g(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{hn(1 - ac - bcx) \log(1 - ac - bcx)}{b} \\
&= -gx + hnx - \frac{g(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{hn(1 - ac - bcx) \log(1 - ac - bcx)}{b} \\
&= -gx + 3hnx - \frac{g(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{2hn(1 - ac - bcx) \log(1 - ac - bcx)}{b} \\
&= -gx + 3hnx - \frac{g(1 - ac - bcx) \log(1 - ac - bcx)}{bc} + \frac{2hn(1 - ac - bcx) \log(1 - ac - bcx)}{b}
\end{aligned}$$



**Mathematica [A]** time = 2.47, size = 1546, normalized size = 0.94

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)],x]

[Out] ((g - h\*n\*Log[d + e\*x] + h\*Log[f\*(d + e\*x)^n])\*(-(b\*c\*x) + (-1 + a\*c + b\*c\*x)\*Log[1 - a\*c - b\*c\*x] + c\*(a + b\*x)\*PolyLog[2, c\*(a + b\*x)]))/(b\*c) + (h\*n\*((-(e\*x) + (d + e\*x)\*Log[d + e\*x])\*PolyLog[2, c\*(a + b\*x)] + (-e + a\*c\*e + 2\*b\*c\*e\*x - b\*c\*d\*Log[d + e\*x] - b\*c\*e\*x\*Log[d + e\*x] + Log[1 - a\*c - b\*c\*x])\*(-(e\*(-1 + a\*c + b\*c\*x)) + e\*(-1 + a\*c + b\*c\*x)\*Log[d + e\*x] + (b\*c\*d + e - a\*c\*e)\*Log[(b\*c\*(d + e\*x))/(b\*c\*d + e - a\*c\*e)]) + e\*(-1 + a\*c + b\*c\*x + (1 - a\*c - b\*c\*x + a\*c\*Log[c\*(a + b\*x)])\*Log[1 - a\*c - b\*c\*x] + a\*c\*PolyLog[2, 1 - a\*c - b\*c\*x]) + (b\*c\*d + e - a\*c\*e)\*PolyLog[2, (e\*(-1 + a\*c + b\*c\*x))/(-b\*c\*d) + (-1 + a\*c)\*e]) + b\*c\*d\*(Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + ((Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-b\*d) + a\*e]))\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-b\*d) + a\*e])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]^2\*(Log[c\*(a + b\*x)] - Log[((b\*c\*d + e - a\*c\*e)\*(a + b\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x))]) + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e - b\*c\*e\*x)]))/2 + (Log[d + e\*x] - Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, 1 - a\*c - b\*c\*x] + (Log[1 - a\*c - b\*c\*x] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*(PolyLog[2, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] - PolyLog[2, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])) - PolyLog[3, 1 - a\*c - b\*c\*x] - PolyLog[3, (b\*(d + e\*x))/(b\*d - a\*e] - PolyLog[3, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] + PolyLog[3, -(b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x))] - a\*c\*e\*(Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + ((Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-b\*d) + a\*e]))\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-b\*d) + a\*e])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]^2\*(Log[c\*(a + b\*x)] - Log[((b\*c\*d + e - a\*c\*e)\*(a + b\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x))]) + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e - b\*c\*e\*x)]))/2 + (Log[d + e\*x] - Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, 1 - a\*c - b\*c\*x] + (Log[1 - a\*c - b\*c\*x] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*(PolyLog[2, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] - PolyLog[2, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])) - PolyLog[3, 1 - a\*c - b\*c\*x] - PolyLog[3, (b\*

$(d + e*x)/(b*d - a*e)] - \text{PolyLog}[3, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))]$   
 $] + \text{PolyLog}[3, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]/(b*c))$   
 $/e$

**fricas** [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}(h\text{Li}_2(bcx + ac) \log((ex + d)^n f) + g\text{Li}_2(bcx + ac), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="fricas")

[Out] integral(h\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*dilog(b\*c\*x + a\*c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (h \log((ex + d)^n f) + g) \text{Li}_2((bx + a)c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c), x)

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int (g + h \ln(f (ex + d)^n)) \text{polylog}(2, c (bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x)

[Out] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(dhn \log(ex + d) + ehx \log((ex + d)^n) - (ehn - eh \log(f) - eg)x) \text{Li}_2(bcx + ac)}{e} + \int \frac{behx \log(-bcx - ac + 1) \log}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a)),x, algorithm="maxima")

[Out] (d\*h\*n\*log(e\*x + d) + e\*h\*x\*log((e\*x + d)^n) - (e\*h\*n - e\*h\*log(f) - e\*g)\*x)  
 $) * \text{dilog}(b*c*x + a*c) / e + \text{integrate}((b*e*h*x*log(-b*c*x - a*c + 1)*log((e*x$

$+ d)^n) + (b*d*h*n*\log(e*x + d) - (b*e*h*n - b*e*h*\log(f) - b*e*g)*x)*\log(-b*c*x - a*c + 1)/(b*e*x + a*e), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \text{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)), x)

[Out] int(polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(f\*(e\*x+d)\*\*n))\*polylog(2, c\*(b\*x+a)), x)

[Out] Timed out

$$3.180 \quad \int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x} dx$$

Optimal. Leaf size=30

$$\operatorname{Int}\left(\frac{\operatorname{Li}_2(c(a+bx))(h \log(f(d+ex)^n) + g)}{x}, x\right)$$

[Out] Unintegrable((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x)

**Rubi [A]** time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(g+h \log(f(d+ex)^n)) \operatorname{PolyLog}(2, c(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x,x]

[Out] Defer[Int] [((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x, x]

Rubi steps

$$\int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x} dx = \int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x} dx$$

**Mathematica [A]** time = 2.43, size = 0, normalized size = 0.00

$$\int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x,x]

[Out] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x, x]

**fricas [A]** time = 1.37, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{h \operatorname{Li}_2(bcx+ac) \log((ex+d)^n f) + g \operatorname{Li}_2(bcx+ac)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x, algorithm="fricas")

[Out] integral((h\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*dilog(b\*c\*x + a\*c))/x, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g) \text{Li}_2((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x, x)

**maple** [A] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(f(ex + d)^n)) \text{polylog}(2, c(bx + a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x)

[Out] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g) \text{Li}_2((bx + a)c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x,x, algorithm="maxima")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\text{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((polylog(2, c*(a + b*x))*(g + h*log(f*(d + e*x)^n)))/x,x)
```

```
[Out] int((polylog(2, c*(a + b*x))*(g + h*log(f*(d + e*x)^n)))/x, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g+h*ln(f*(e*x+d)**n))*polylog(2,c*(b*x+a))/x,x)
```

```
[Out] Timed out
```

$$3.181 \quad \int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x^2} dx$$

Optimal. Leaf size=2498

result too large to display

```
[Out] -b*g*polylog(2,c*(b*x+a))/a-b*g*polylog(2,1-b*c*x/(-a*c+1))/a-1/2*b*h*n*(ln
(b*c*x/(-a*c+1))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*x/(-a
*c+1)/(e*x+d)))*ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))^2/a+1/2*b*h*n*(ln(b*c
*x/(-a*c+1))-ln(-e*x/d))*(ln(-b*c*x-a*c+1)+ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a
c+1)))^2/a+1/2*b*h*n*(ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a
*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/
a-1/2*e*h*n*(ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c
d+e)*(b*x+a)/b/(e*x+d)))*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/d-1/2*b*h
*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c
*(b*x+a)))+ln(1-c*(b*x+a)))^2/a+1/2*e*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e
+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/d+1/2*e
h*n*(ln(1+b*x/a)+ln((-a*c+1)/(1-c*(b*x+a)))-ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x
+a))))*ln(-a*(1-c*(b*x+a))/b/x)^2/d+1/2*e*h*n*(ln(c*(b*x+a))-ln(1+b*x/a))*
(ln(x)+ln(-a*(1-c*(b*x+a))/b/x))^2/d+e*h*n*ln(x)*polylog(2,c*(b*x+a))/d-e*h
n*ln(e*x+d)*polylog(2,c*(b*x+a))/d-b*h*n*(ln(e*x+d)-ln((-a*c+1)*(e*x+d)/d/
(-b*c*x-a*c+1)))*polylog(2,1-b*c*x/(-a*c+1))/a-b*h*n*ln((-a*c+1)*(e*x+d)/d/
(-b*c*x-a*c+1))*polylog(2,d*(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d))/a+b*h*n*ln((-a*
c+1)*(e*x+d)/d/(-b*c*x-a*c+1))*polylog(2,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/a+b
*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(
e*x+d)/(-a*e+b*d))/a-e*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(
b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/d-b*h*n*(ln(-b*c*x-a*c+1)+ln((-a*c
+1)*(e*x+d)/d/(-b*c*x-a*c+1)))*polylog(2,1+e*x/d)/a+e*h*n*ln(-a*(1-c*(b*x+a
))/b/x)*polylog(2,-b*x/a/(1-c*(b*x+a)))/d-e*h*n*ln(-a*(1-c*(b*x+a))/b/x)*po
lylog(2,-b*c*x/(1-c*(b*x+a)))/d+b*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1
-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/a-e*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+
b*d)/(1-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/d+e*h*n*(ln(x)+ln(-a*(1-c*(b*x+
a))/b/x))*polylog(2,1-c*(b*x+a))/d-b*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+
a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/a+e*h*n*ln(b*(e*x+d)/(-a*e+b*d
))/(1-c*(b*x+a))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/d+b*h*n*ln(b*(e*x+
d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/
a-e*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b
*x+a))/b/(e*x+d))/d+b*h*ln(b*c*x/(-a*c+1))*ln(-b*c*x-a*c+1)*(n*ln(e*x+d)-ln
(f*(e*x+d)^n))/a+e*h*n*(ln(1-c*(b*x+a))-ln(-a*(1-c*(b*x+a))/b/x))*polylog(2
,-b*x/a)/d+b*h*(n*ln(e*x+d)-ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))/a+b*h*(n*
ln(e*x+d)-ln(f*(e*x+d)^n))*polylog(2,1-b*c*x/(-a*c+1))/a+b*h*n*polylog(3,1-
b*c*x/(-a*c+1))/a-b*h*n*polylog(3,d*(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d))/a+b*h*
n*polylog(3,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/a-b*h*n*polylog(3,b*(e*x+d)/(-a*
e+b*d))/a+e*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/d+e*h*n*polylog(3,-b*x/a/(1
```

$$-c*(b*x+a))/d-e*h*n*polylog(3,-b*c*x/(1-c*(b*x+a)))/d-b*h*n*polylog(3,1-c*(b*x+a))/a-b*h*n*polylog(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/a+e*h*n*polylog(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/d+b*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/a-e*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/d-b*g*ln(b*c*x/(-a*c+1))*ln(-b*c*x-a*c+1)/a-e*h*n*polylog(3,-b*x/a)/d+b*h*n*polylog(3,1+e*x/d)/a+e*h*n*ln(x)*ln(1+b*x/a)*ln(1-c*(b*x+a))/d+b*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/a-e*h*n*ln(c*(b*x+a))*ln(e*x+d)*ln(1-c*(b*x+a))/d-b*h*n*ln(b*c*x/(-a*c+1))*ln(-b*c*x-a*c+1)*ln(e*x+d)/a-(g+h*ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))/x$$

**Rubi [A]** time = 2.67, antiderivative size = 2498, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {6603, 2438, 2394, 2315, 2437, 2435, 2440, 2391, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^2,x]

[Out]  $-(b*g*Log[(b*c*x)/(1-a*c)]*Log[1-a*c-b*c*x])/a - (b*h*n*Log[(b*c*x)/(1-a*c)]*Log[1-a*c-b*c*x]*Log[d+e*x])/a - (b*h*n*(Log[(b*c*x)/(1-a*c)] + Log[(b*c*d+e-a*c*e)/(b*c*(d+e*x))]) - Log[((b*c*d+e-a*c*e)*x)/((1-a*c)*(d+e*x))])*Log[((1-a*c)*(d+e*x))/(d*(1-a*c-b*c*x))]^2)/(2*a) + (b*h*n*(Log[(b*c*x)/(1-a*c)] - Log[-((e*x)/d)])*(Log[1-a*c-b*c*x] + Log[((1-a*c)*(d+e*x))/(d*(1-a*c-b*c*x))]^2)/(2*a) + (b*h*Log[(b*c*x)/(1-a*c)]*Log[1-a*c-b*c*x]*(n*Log[d+e*x] - Log[f*(d+e*x)^n]))/a + (b*h*n*(Log[c*(a+b*x)] + Log[(b*c*d+e-a*c*e)/(b*c*(d+e*x))]) - Log[((b*c*d+e-a*c*e)*(a+b*x))/(b*(d+e*x))])*Log[(b*(d+e*x))/((b*d-a*e)*(1-c*(a+b*x)))]^2)/(2*a) - (e*h*n*(Log[c*(a+b*x)] + Log[(b*c*d+e-a*c*e)/(b*c*(d+e*x))]) - Log[((b*c*d+e-a*c*e)*(a+b*x))/(b*(d+e*x))])*Log[(b*(d+e*x))/((b*d-a*e)*(1-c*(a+b*x)))]^2)/(2*d) + (e*h*n*Log[x]*Log[1+(b*x)/a]*Log[1-c*(a+b*x)])/d + (b*h*n*Log[c*(a+b*x)]*Log[d+e*x]*Log[1-c*(a+b*x)])/a - (e*h*n*Log[c*(a+b*x)]*Log[d+e*x]*Log[1-c*(a+b*x)])/d - (b*h*n*(Log[c*(a+b*x)] - Log[-(e*(a+b*x))/(b*d-a*e)]))*Log[(b*(d+e*x))/((b*d-a*e)*(1-c*(a+b*x)))] + Log[1-c*(a+b*x)]^2)/(2*a) + (e*h*n*(Log[c*(a+b*x)] - Log[-(e*(a+b*x))/(b*d-a*e)]))*Log[(b*(d+e*x))/((b*d-a*e)*(1-c*(a+b*x)))] + Log[1-c*(a+b*x)]^2)/(2*d) + (e*h*n*(Log[1+(b*x)/a] + Log[(1-a*c)/(1-c*(a+b*x))]) - Log[((1-a*c)*(a+b*x))/(a*(1-c*(a+b*x)))]*Log[-((a*(1-c*(a+b*x)))/(b*x))]^2)/(2*d) + (e*h*n*(Log[c*(a+b*x)] - Log[1+(b*x)/a])*(Log[x] + Log[-((a*(1-c*(a+b*x)))/(b*x))]^2)/(2*d) + (e*h*n*(Log[1-c*(a+b*x)] - Log[-((a*(1-c*(a+b*x)))/(b*x))]))*PolyLog[2, -(b*x)/a])/d - (b*g*PolyLog[2, c*(a+b*x)])/a + (e*h*n*Log[x]*PolyLog[2, c*(a+b*x)])/d - (e*h*n*Log[d+e*x]*PolyLog[2, c*(a+b*x)])/d + (b*h*(n*Log[d+e*x] - Log[f*(d+e*x)^n])*PolyLog[2, c*(a+b*x)])/a - ((g$



$$\begin{aligned}
& + h \cdot \text{Log}[f \cdot (d + e \cdot x)^n] \cdot \text{PolyLog}[2, c \cdot (a + b \cdot x)] / x - (b \cdot g \cdot \text{PolyLog}[2, 1 - (b \cdot c \cdot x) / (1 - a \cdot c)]) / a - (b \cdot h \cdot n \cdot (\text{Log}[d + e \cdot x] - \text{Log}[\frac{(1 - a \cdot c) \cdot (d + e \cdot x)}{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}]) \cdot \text{PolyLog}[2, 1 - (b \cdot c \cdot x) / (1 - a \cdot c)]) / a + (b \cdot h \cdot (n \cdot \text{Log}[d + e \cdot x] - \text{Log}[f \cdot (d + e \cdot x)^n]) \cdot \text{PolyLog}[2, 1 - (b \cdot c \cdot x) / (1 - a \cdot c)]) / a - (b \cdot h \cdot n \cdot \text{Log}[\frac{(1 - a \cdot c) \cdot (d + e \cdot x)}{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}]) \cdot \text{PolyLog}[2, \frac{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}{(1 - a \cdot c) \cdot (d + e \cdot x)}]) / a + (b \cdot h \cdot n \cdot \text{Log}[\frac{(1 - a \cdot c) \cdot (d + e \cdot x)}{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}]) \cdot \text{PolyLog}[2, -(\frac{e \cdot (1 - a \cdot c - b \cdot c \cdot x)}{b \cdot c \cdot (d + e \cdot x)})] / a + (b \cdot h \cdot n \cdot (\text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] + \text{Log}[1 - c \cdot (a + b \cdot x)]) \cdot \text{PolyLog}[2, \frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e)}]) / a - (e \cdot h \cdot n \cdot (\text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] + \text{Log}[1 - c \cdot (a + b \cdot x)]) \cdot \text{PolyLog}[2, \frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e)}]) / d - (b \cdot h \cdot n \cdot (\text{Log}[1 - a \cdot c - b \cdot c \cdot x] + \text{Log}[\frac{(1 - a \cdot c) \cdot (d + e \cdot x)}{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}]) \cdot \text{PolyLog}[2, 1 + (e \cdot x) / d]) / a + (e \cdot h \cdot n \cdot \text{Log}[-(\frac{a \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot x})] \cdot \text{PolyLog}[2, -(\frac{b \cdot x}{a \cdot (1 - c \cdot (a + b \cdot x))})]) / d - (e \cdot h \cdot n \cdot \text{Log}[-(\frac{a \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot x})] \cdot \text{PolyLog}[2, -(\frac{b \cdot c \cdot x}{1 - c \cdot (a + b \cdot x)})]) / d + (b \cdot h \cdot n \cdot (\text{Log}[d + e \cdot x] - \text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}]) \cdot \text{PolyLog}[2, 1 - c \cdot (a + b \cdot x)]) / d + (e \cdot h \cdot n \cdot (\text{Log}[x] + \text{Log}[-(\frac{a \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot x})]) \cdot \text{PolyLog}[2, 1 - c \cdot (a + b \cdot x)]) / d - (b \cdot h \cdot n \cdot \text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] \cdot \text{PolyLog}[2, -(\frac{e \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot c \cdot (d + e \cdot x)})] / a + (e \cdot h \cdot n \cdot \text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] \cdot \text{PolyLog}[2, -(\frac{e \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot c \cdot (d + e \cdot x)})] / d + (b \cdot h \cdot n \cdot \text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] \cdot \text{PolyLog}[2, \frac{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot (d + e \cdot x)}]) / a - (e \cdot h \cdot n \cdot \text{Log}[\frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}] \cdot \text{PolyLog}[2, \frac{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot (d + e \cdot x)}]) / d - (e \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{b \cdot x}{a})]) / d + (b \cdot h \cdot n \cdot \text{PolyLog}[3, 1 - (b \cdot c \cdot x) / (1 - a \cdot c)]) / a - (b \cdot h \cdot n \cdot \text{PolyLog}[3, \frac{d \cdot (1 - a \cdot c - b \cdot c \cdot x)}{(1 - a \cdot c) \cdot (d + e \cdot x)}]) / a + (b \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{e \cdot (1 - a \cdot c - b \cdot c \cdot x)}{b \cdot c \cdot (d + e \cdot x)})] / a - (b \cdot h \cdot n \cdot \text{PolyLog}[3, \frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e)}]) / a + (e \cdot h \cdot n \cdot \text{PolyLog}[3, \frac{b \cdot (d + e \cdot x)}{(b \cdot d - a \cdot e)}]) / d + (b \cdot h \cdot n \cdot \text{PolyLog}[3, 1 + (e \cdot x) / d]) / a + (e \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{b \cdot x}{a \cdot (1 - c \cdot (a + b \cdot x))})]) / d - (e \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{b \cdot c \cdot x}{1 - c \cdot (a + b \cdot x)})] / d - (b \cdot h \cdot n \cdot \text{PolyLog}[3, 1 - c \cdot (a + b \cdot x)]) / a - (b \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{e \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot c \cdot (d + e \cdot x)})] / a + (e \cdot h \cdot n \cdot \text{PolyLog}[3, -(\frac{e \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot c \cdot (d + e \cdot x)})] / d + (b \cdot h \cdot n \cdot \text{PolyLog}[3, \frac{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot (d + e \cdot x)}]) / a - (e \cdot h \cdot n \cdot \text{PolyLog}[3, \frac{(b \cdot d - a \cdot e) \cdot (1 - c \cdot (a + b \cdot x))}{b \cdot (d + e \cdot x)}]) / d
\end{aligned}$$

### Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2435

```
Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)] - Log[-(((b*c - a*d)*x)/(a*(c + d*x))]) + Log[(b*c - a*d)/(b*(c + d*x))])*Log[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))]^2)/2, x] + Simp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1 + (b*x)/a], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x))])*PolyLog[2, 1 + (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a + b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))], x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 2437

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)])/(x_), x_Symbol] := Dist[m, Int[(Log[i + j*x]*Log[c*(d + e*x)^n])/x, x], x] - Dist[m*Log[i + j*x] - Log[h*(i + j*x)^m], Int[Log[c*(d + e*x)^n]/x, x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0] && NeQ[i + j*x, h*(i + j*x)^m]
```

Rule 2438

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.) + (f_.)))/(x_), x_Symbol] := Dist[f, Int[(a + b*Log[c*(d + e*x)^n])/x, x], x] + Dist[g, Int[(Log[h*(i + j*x)^m]*(a + b*Log[c*(d + e*x)^n])/x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0]
```

Rule 2440

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] := Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/l) + (e*x)/l)^n]*(f + g*Log[h*(-((j*k - i*1)/l) + (j*x)/l)^m)], x], x, k + l*x], x] /; FreeQ[{a,
```

b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]

### Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)])/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x^2} dx &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x} - b \int \left( \frac{\log(1 - ac - bcx)}{a + bx} \right) dx \\
 &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x} - \frac{b \int \frac{\log(1 - ac - bcx)(g + h \log(f(d + ex)^n))}{a + bx} dx}{a} \\
 &= \frac{ehn \log(x) \operatorname{Li}_2(c(a + bx))}{d} - \frac{ehn \log(d + ex) \operatorname{Li}_2(c(a + bx))}{d} - \frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{a} \\
 &= -\frac{bg \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{a} + \frac{ehn \log(x) \operatorname{Li}_2(c(a + bx))}{d} - \frac{e}{a} \\
 &= -\frac{bg \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{a} - \frac{bhn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{a} \\
 &= -\frac{bg \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{a} - \frac{bhn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{a}
 \end{aligned}$$

**Mathematica** [A] time = 7.39, size = 2247, normalized size = 0.90

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^2,x]

[Out] -(((g - h\*n\*Log[d + e\*x] + h\*Log[f\*(d + e\*x)^n])\*((a + b\*x)\*PolyLog[2, c\*(a + b\*x)] + b\*x\*(Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(-1 + a\*c)])))/(a\*x)) + (h\*n\*(a\*(e\*x\*Log[x] - (d + e\*x)\*Log[d + e\*x])\*PolyLog[2, c\*(a + b\*x)] + x\*(a\*e\*(Log[x]\*Log[1 + (b\*x)/a]\*Log[1 - a\*c - b\*c\*x] + ((-Log[c\*(a + b\*x)] + Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*(-2\*Log[x] + Log[1 - a\*c - b\*c\*x]))/2 + (Log[c\*(a + b\*x)] - Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + ((Log[(1 - a\*c)/(b\*c\*x)] - Log[((1 - a\*c)\*(a + b\*x))/(b\*x)] + Log[1 + (b\*x)/a])\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]^2)/2 + (Log[1 - a\*c - b\*c\*x] - Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, -(b\*x)/a] + (Log[x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, 1 - a\*c - b\*c\*x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]\*(-PolyLog[2, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]) - PolyLog[3, -(b\*x)/a] - PolyLog[3, 1 - a\*c - b\*c\*x] + PolyLog[3, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] - PolyLog[3, (-1 + a\*c + b\*c\*x)/(b\*c\*x)] - a\*e\*(Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + ((Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-b\*d + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-b\*d + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]^2\*(Log[c\*(a + b\*x)] - Log[((b\*c\*d + e - a\*c\*e)\*(a + b\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x))]) + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e - b\*c\*e\*x)]))/2 + (Log[d + e\*x] - Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, 1 - a\*c - b\*c\*x] + (Log[1 - a\*c - b\*c\*x] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*(PolyLog[2, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] - PolyLog[2, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] - PolyLog[3, 1 - a\*c - b\*c\*x] - PolyLog[3, (b\*(d + e\*x))/(b\*d - a\*e] - PolyLog[3, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] + PolyLog[3, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] - b\*d\*(Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] - Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] - ((Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-b\*d + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-b\*d + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[((-1 + a\*c)\*(d + e\*x))/(d\*(-1 + a\*c + b\*c\*x))]^2\*(Log[(b\*c\*x)/(1 - a\*c)] - Log[((b\*c\*d + e - a\*c\*e)\*x)/(d\*(-1 + a\*c + b\*c\*x))]) + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e

$$\begin{aligned}
& - b*c*e*x)))/2 - (\text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]^2 \\
& *(\text{Log}[c*(a + b*x)] - \text{Log}[(b*c*d + e - a*c*e)*(a + b*x)/((b*d - a*e)*(-1 + \\
& a*c + b*c*x))] + \text{Log}[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e*x)))/2 + (-\text{Lo} \\
& \text{g}[(b*c*x)/(1 - a*c)] + \text{Log}[-((e*x)/d)])*\text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + \\
& a*c + b*c*x))]*\text{Log}[1 + (e*x)/d] + ((\text{Log}[(b*c*x)/(1 - a*c)] - \text{Log}[-((e*x)/d \\
& )])*\text{Log}[1 + (e*x)/d]*(-2*\text{Log}[1 - a*c - b*c*x] + \text{Log}[1 + (e*x)/d]))/2 - (\text{Log} \\
& [d + e*x] - \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*\text{PolyLog} \\
& [2, 1 - a*c - b*c*x] + (\text{Log}[d + e*x] - \text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + \\
& a*c + b*c*x))])*\text{PolyLog}[2, (-1 + a*c + b*c*x)/(-1 + a*c)] - (\text{Log}[1 - a*c - \\
& b*c*x] + \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*\text{PolyLog}[2, \\
& (b*(d + e*x))/(b*d - a*e)] + \text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + a*c + b*c \\
& *x))]*(-\text{PolyLog}[2, ((-1 + a*c)*(d + e*x))/(d*(-1 + a*c + b*c*x))] + \text{PolyLog} \\
& [2, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))]) - \text{Log}[-((b*(d + e*x))/((b*d - \\
& a*e)*(-1 + a*c + b*c*x)))]*(\text{PolyLog}[2, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x \\
& ))] - \text{PolyLog}[2, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] + (\text{Log} \\
& [1 - a*c - b*c*x] + \text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + a*c + b*c*x))])*\text{Pol} \\
& \text{yLog}[2, 1 + (e*x)/d] + \text{PolyLog}[3, 1 - a*c - b*c*x] - \text{PolyLog}[3, (-1 + a*c + \\
& b*c*x)/(-1 + a*c)] + \text{PolyLog}[3, (b*(d + e*x))/(b*d - a*e)] + \text{PolyLog}[3, (( \\
& -1 + a*c)*(d + e*x))/(d*(-1 + a*c + b*c*x))] - \text{PolyLog}[3, -((b*(d + e*x))/ \\
& (b*d - a*e)*(-1 + a*c + b*c*x))] - \text{PolyLog}[3, 1 + (e*x)/d])))))/(a*d*x)
\end{aligned}$$

**fricas** [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(bc x + ac) \log((ex + d)^n f) + g\text{Li}_2(bc x + ac)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^2,x, algorithm="fricas")

[Out] integral((h\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*dilog(b\*c\*x + a\*c))/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g)\text{Li}_2((bx + a)c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^2,x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^2, x)

**maple** [F] time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(f(ex + d)^n)) \operatorname{polylog}(2, c(bx + a))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^2,x)

[Out] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g) \operatorname{Li}_2((bx + a)c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^2,x, algorithm="maxima")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^2,x)

[Out] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(f\*(e\*x+d)\*\*n))\*polylog(2,c\*(b\*x+a))/x\*\*2,x)

[Out] Timed out

$$3.182 \quad \int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x^3} dx$$

Optimal. Leaf size=3119

result too large to display

```
[Out] 1/2*e^2*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-
c*(b*x+a))/b/(e*x+d))/d^2+1/4*b^2*h*n*(ln(b*c*x/(-a*c+1))+ln((-a*c*e+b*c*d+
e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*x/(-a*c+1)/(e*x+d)))*ln((-a*c+1)*(e*x+d
)/d/(-b*c*x-a*c+1))^2/a^2-1/4*b^2*h*n*(ln(b*c*x/(-a*c+1))-ln(-e*x/d))*(ln(-
b*c*x-a*c+1)+ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1)))^2/a^2-1/2*b^2*h*ln(b*c*
x/(-a*c+1))*ln(-b*c*x-a*c+1)*(n*ln(e*x+d)-ln(f*(e*x+d)^n))/a^2+1/2*b^2*c*ln
(-e*x/d)*(g+h*ln(f*(e*x+d)^n))/a/(-a*c+1)-1/2*b^2*c*ln(e*(-b*c*x-a*c+1)/(-a
*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/a/(-a*c+1)-1/4*b^2*h*n*(ln(c*(b*x+a))+
ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d)))*ln
(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/a^2+1/4*e^2*h*n*(ln(c*(b*x+a))+ln((-
a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+a)/b/(e*x+d)))*ln(b*(e
*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/d^2+1/4*b^2*h*n*(ln(c*(b*x+a))-ln(-e*(b*x
+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2
/a^2-1/4*e^2*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-
a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/d^2-1/4*e^2*h*n*(ln(1+b*x/a)+ln(
(-a*c+1)/(1-c*(b*x+a)))-ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x+a))))*ln(-a*(1-c*(b
*x+a))/b/x)^2/d^2-1/4*e^2*h*n*(ln(c*(b*x+a))-ln(1+b*x/a))*(ln(x)+ln(-a*(1-c
*(b*x+a))/b/x))^2/d^2-1/2*e^2*h*n*(ln(1-c*(b*x+a))-ln(-a*(1-c*(b*x+a))/b/x)
)*polylog(2,-b*x/a)/d^2-1/2*e^2*h*n*ln(x)*polylog(2,c*(b*x+a))/d^2+1/2*e^2*
h*n*ln(e*x+d)*polylog(2,c*(b*x+a))/d^2+1/2*b^2*h*n*(ln(e*x+d)-ln((-a*c+1)*(
e*x+d)/d/(-b*c*x-a*c+1)))*polylog(2,1-b*c*x/(-a*c+1))/a^2+1/2*b^2*h*n*ln((-
a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))*polylog(2,d*(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d
))/a^2-1/2*b^2*h*n*ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))*polylog(2,-e*(-b*c
*x-a*c+1)/b/c/(e*x+d))/a^2-1/2*b^2*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a
)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/a^2+1/2*e^2*h*n*(ln(b*
(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*
e+b*d))/d^2+1/2*b^2*h*n*(ln(-b*c*x-a*c+1)+ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c
+1)))*polylog(2,1+e*x/d)/a^2-1/2*e^2*h*n*ln(-a*(1-c*(b*x+a))/b/x)*polylog(2
,-b*x/a/(1-c*(b*x+a)))/d^2+1/2*e^2*h*n*ln(-a*(1-c*(b*x+a))/b/x)*polylog(2,-
b*c*x/(1-c*(b*x+a)))/d^2-1/2*b^2*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-
c*(b*x+a))))*polylog(2,1-c*(b*x+a))/a^2+1/2*e^2*h*n*(ln(e*x+d)-ln(b*(e*x+d)
)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,1-c*(b*x+a))/d^2-1/2*e^2*h*n*(ln(x)+l
n(-a*(1-c*(b*x+a))/b/x))*polylog(2,1-c*(b*x+a))/d^2+1/2*b^2*h*n*ln(b*(e*x+d
)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/a^2-1/2
*e^2*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/
b/c/(e*x+d))/d^2-1/2*b^2*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog
(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/a^2-1/2*e*h*n*polylog(2,c*(b*x+a))/d
/x+1/2*b^2*g*ln(b*c*x/(-a*c+1))*ln(-b*c*x-a*c+1)/a^2+1/2*b*ln(-b*c*x-a*c+1)
```

$$\begin{aligned} &*(g+h*\ln(f*(e*x+d)^n))/a/x-1/2*b^2*h*(n*\ln(e*x+d)-\ln(f*(e*x+d)^n))*\text{polylog}( \\ &2,c*(b*x+a))/a^2-1/2*b^2*h*(n*\ln(e*x+d)-\ln(f*(e*x+d)^n))*\text{polylog}(2,1-b*c*x/ \\ &(-a*c+1))/a^2+1/2*e^2*h*n*\text{polylog}(3,-b*x/a)/d^2-1/2*b^2*h*n*\text{polylog}(3,1-b*c \\ &*x/(-a*c+1))/a^2+1/2*b^2*h*n*\text{polylog}(3,d*(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d))/a \\ &^2-1/2*b^2*h*n*\text{polylog}(3,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/a^2+1/2*b^2*h*n*\text{pol} \\ &\text{ylog}(3,b*(e*x+d)/(-a*e+b*d))/a^2-1/2*e^2*h*n*\text{polylog}(3,b*(e*x+d)/(-a*e+b*d) \\ &)/d^2-1/2*b^2*h*n*\text{polylog}(3,1+e*x/d)/a^2-1/2*e^2*h*n*\text{polylog}(3,-b*x/a/(1-c* \\ &(b*x+a)))/d^2+1/2*e^2*h*n*\text{polylog}(3,-b*c*x/(1-c*(b*x+a)))/d^2+1/2*b^2*h*n*p \\ &\text{olylog}(3,1-c*(b*x+a))/a^2+1/2*b^2*h*n*\text{polylog}(3,-e*(1-c*(b*x+a))/b/c/(e*x+d \\ &))/a^2-1/2*e^2*h*n*\text{polylog}(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/d^2-1/2*b^2*h*n* \\ &\text{polylog}(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/a^2+1/2*e^2*h*n*\text{polylog}(3,(-a \\ &*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/d^2+1/2*b^2*h*n*\ln(b*c*x/(-a*c+1))*\ln(-b*c \\ &*x-a*c+1)*\ln(e*x+d)/a^2-1/2*e^2*h*n*\ln(x)*\ln(1+b*x/a)*\ln(1-c*(b*x+a))/d^2-1 \\ &/2*b^2*h*n*\ln(c*(b*x+a))*\ln(e*x+d)*\ln(1-c*(b*x+a))/a^2+1/2*e^2*h*n*\ln(c*(b* \\ &x+a))*\ln(e*x+d)*\ln(1-c*(b*x+a))/d^2-b*e*h*n*\text{polylog}(2,1-b*c*x/(-a*c+1))/a/d \\ &-1/2*(g+h*\ln(f*(e*x+d)^n))*\text{polylog}(2,c*(b*x+a))/x^2+1/2*b^2*g*\text{polylog}(2,c*( \\ &b*x+a))/a^2+1/2*b^2*g*\text{polylog}(2,1-b*c*x/(-a*c+1))/a^2-b*e*h*n*\ln(b*c*x/(-a* \\ &c+1))*\ln(-b*c*x-a*c+1)/a/d+1/2*b*e*h*n*\ln(-b*c*x-a*c+1)*\ln(b*c*(e*x+d)/(-a* \\ &c*e+b*c*d+e))/a/d-1/2*b*e*h*n*\text{polylog}(2,c*(b*x+a))/a/d+1/2*b*e*h*n*\text{polylog}( \\ &2,e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/a/d-1/2*b^2*c*h*n*\text{polylog}(2,b*c*(e*x+d) \\ &)/(-a*c*e+b*c*d+e))/a/(-a*c+1)+1/2*b^2*c*h*n*\text{polylog}(2,1+e*x/d)/a/(-a*c+1) \end{aligned}$$

**Rubi [A]** time = 3.24, antiderivative size = 3119, normalized size of antiderivative = 1.00, number of steps used = 44, number of rules used = 16, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.593$ , Rules used = {6603, 2439, 36, 29, 31, 2416, 2394, 2315, 2393, 2391, 2438, 2437, 2435, 2440, 6598, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^3,x]

[Out] (b^2\*g\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]/(2\*a^2) - (b\*e\*h\*n\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]/(a\*d) + (b^2\*h\*n\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x]/(2\*a^2) + (b\*e\*h\*n\*Log[1 - a\*c - b\*c\*x]\*Log[(b\*c\*(d + e\*x))/(b\*c\*d + e - a\*c\*e)]/(2\*a\*d) + (b^2\*h\*n\*(Log[(b\*c\*x)/(1 - a\*c)] + Log[(b\*c\*d + e - a\*c\*e)/(b\*c\*(d + e\*x))] - Log[((b\*c\*d + e - a\*c\*e)\*x)/((1 - a\*c)\*(d + e\*x))])\*Log[((1 - a\*c)\*(d + e\*x))/(d\*(1 - a\*c - b\*c\*x)))^2)/(4\*a^2) - (b^2\*h\*n\*(Log[(b\*c\*x)/(1 - a\*c)] - Log[-((e\*x)/d)])\*(Log[1 - a\*c - b\*c\*x] + Log[((1 - a\*c)\*(d + e\*x))/(d\*(1 - a\*c - b\*c\*x))])^2)/(4\*a^2) - (b^2\*h\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]\*(n\*Log[d + e\*x] - Log[f\*(d + e\*x)^n]))/(2\*a^2) + (b^2\*c\*Log[-((e\*x)/d)]\*(g + h\*Log[f\*(d + e\*x)^n]))/(2\*a\*(1 - a\*c)) + (b\*Log[1 - a\*c - b\*c\*x]\*(g + h\*Log[f\*(d + e\*x)^n]))/(2\*a\*x) - (b^2\*c\*Log[(e\*(1 - a\*c - b\*c\*x))/(b\*c\*d + e - a\*c\*e)]\*(g + h\*Log[f\*(d + e\*x)^n]))/(2\*a\*(1 - a\*c)) - (b^2\*h\*n\*(Log[c\*(a + b\*x)] + L



$$\begin{aligned}
& \log\left[\frac{b*c*d + e - a*c*e}{b*c*(d + e*x)}\right] - \log\left[\frac{(b*c*d + e - a*c*e)*(a + b*x)}{b*(d + e*x)}\right] * \log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right]^2 / (4*a^2) \\
& + (e^{2*h*n} * (\log[c*(a + b*x)] + \log\left[\frac{b*c*d + e - a*c*e}{b*c*(d + e*x)}\right])) - \log\left[\frac{(b*c*d + e - a*c*e)*(a + b*x)}{b*(d + e*x)}\right] * \log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right]^2 / (4*d^2) \\
& - (e^{2*h*n} * \log[x] * \log[1 + (b*x)/a] * \log[1 - c*(a + b*x)]) / (2*d^2) - (b^{2*h*n} * \log[c*(a + b*x)] * \log[d + e*x] * \log[1 - c*(a + b*x)]) / (2*a^2) \\
& + (e^{2*h*n} * \log[c*(a + b*x)] * \log[d + e*x] * \log[1 - c*(a + b*x)]) / (2*d^2) + (b^{2*h*n} * (\log[c*(a + b*x)] - \log[-((e*(a + b*x))/(b*d - a*e))])) * (\log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right] + \log[1 - c*(a + b*x)])^2 / (4*a^2) \\
& - (e^{2*h*n} * (\log[c*(a + b*x)] - \log[-((e*(a + b*x))/(b*d - a*e))])) * (\log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right] + \log[1 - c*(a + b*x)])^2 / (4*d^2) \\
& - (e^{2*h*n} * (\log[1 + (b*x)/a] + \log[(1 - a*c)/(1 - c*(a + b*x))])) - \log\left[\frac{(1 - a*c)*(a + b*x)}{a*(1 - c*(a + b*x))}\right] * \log[-((a*(1 - c*(a + b*x)))/(b*x))]^2 / (4*d^2) \\
& - (e^{2*h*n} * (\log[c*(a + b*x)] - \log[1 + (b*x)/a]) * (\log[x] + \log[-((a*(1 - c*(a + b*x)))/(b*x))]))^2 / (4*d^2) \\
& - (e^{2*h*n} * (\log[1 - c*(a + b*x)] - \log[-((a*(1 - c*(a + b*x)))/(b*x))])) * \text{PolyLog}[2, -((b*x)/a)] / (2*d^2) + (b^{2*g} * \text{PolyLog}[2, c*(a + b*x)]) / (2*a^2) - (b^{e*h*n} * \text{PolyLog}[2, c*(a + b*x)]) / (2*a*d) - (e^{h*n} * \text{PolyLog}[2, c*(a + b*x)]) / (2*d*x) \\
& - (e^{2*h*n} * \log[x] * \text{PolyLog}[2, c*(a + b*x)]) / (2*d^2) + (e^{2*h*n} * \log[d + e*x] * \text{PolyLog}[2, c*(a + b*x)]) / (2*d^2) - (b^{2*h} * (n * \log[d + e*x] - \log[f*(d + e*x)^n]) * \text{PolyLog}[2, c*(a + b*x)]) / (2*a^2) - ((g + h * \log[f*(d + e*x)^n]) * \text{PolyLog}[2, c*(a + b*x)]) / (2*x^2) \\
& + (b^{e*h*n} * \text{PolyLog}[2, (e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]) / (2*a*d) + (b^{2*g} * \text{PolyLog}[2, 1 - (b*c*x)/(1 - a*c)]) / (2*a^2) - (b^{e*h*n} * \text{PolyLog}[2, 1 - (b*c*x)/(1 - a*c)]) / (a*d) + (b^{2*h} * (n * \log[d + e*x] - \log[f*(d + e*x)^n]) * \text{PolyLog}[2, 1 - (b*c*x)/(1 - a*c)]) / (2*a^2) - (b^{2*h} * (n * \log[d + e*x] - \log[f*(d + e*x)^n]) * \text{PolyLog}[2, 1 - (b*c*x)/(1 - a*c)]) / (2*a^2) + (b^{2*h} * n * \log\left[\frac{(1 - a*c)*(d + e*x)}{d*(1 - a*c - b*c*x)}\right] * \text{PolyLog}[2, (d*(1 - a*c - b*c*x))/(1 - a*c)*(d + e*x)]) / (2*a^2) - (b^{2*h} * n * \log\left[\frac{(1 - a*c)*(d + e*x)}{d*(1 - a*c - b*c*x)}\right] * \text{PolyLog}[2, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x)))] / (2*a^2) - (b^{2*h} * n * (\log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right] + \log[1 - c*(a + b*x)])) * \text{PolyLog}[2, (b*(d + e*x))/(b*d - a*e)] / (2*a^2) + (e^{2*h*n} * (\log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right] + \log[1 - c*(a + b*x)])) * \text{PolyLog}[2, (b*(d + e*x))/(b*d - a*e)] / (2*d^2) - (b^{2*c} * h * n * \text{PolyLog}[2, (b*c*(d + e*x))/(b*c*d + e - a*c*e)]) / (2*a*(1 - a*c)) + (b^{2*c} * h * n * \text{PolyLog}[2, 1 + (e*x)/d]) / (2*a*(1 - a*c)) + (b^{2*h} * n * (\log[1 - a*c - b*c*x] + \log\left[\frac{(1 - a*c)*(d + e*x)}{d*(1 - a*c - b*c*x)}\right])) * \text{PolyLog}[2, 1 + (e*x)/d] / (2*a^2) - (e^{2*h*n} * \log[-((a*(1 - c*(a + b*x)))/(b*x))] * \text{PolyLog}[2, -((b*x)/(a*(1 - c*(a + b*x))))]) / (2*d^2) + (e^{2*h*n} * \log[-((a*(1 - c*(a + b*x)))/(b*x))] * \text{PolyLog}[2, -((b*c*x)/(1 - c*(a + b*x))))]) / (2*d^2) - (b^{2*h} * n * (\log[d + e*x] - \log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right])) * \text{PolyLog}[2, 1 - c*(a + b*x)] / (2*a^2) + (e^{2*h*n} * (\log[d + e*x] - \log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right])) * \text{PolyLog}[2, 1 - c*(a + b*x)] / (2*d^2) - (e^{2*h*n} * (\log[x] + \log[-((a*(1 - c*(a + b*x)))/(b*x))])) * \text{PolyLog}[2, 1 - c*(a + b*x)] / (2*d^2) + (b^{2*h} * n * \log\left[\frac{b*(d + e*x)}{(b*d - a*e)*(1 - c*(a + b*x))}\right] * \text{PolyLog}[2, -((e*(1 - c*(a + b*x)))/(b*x))]) / (2*d^2)
\end{aligned}$$

$$\begin{aligned} & b*x)))/(b*c*(d + e*x)))]/(2*a^2) - (e^{2*h*n}*Log[(b*(d + e*x))/((b*d - a*e) \\ & *(1 - c*(a + b*x))])*PolyLog[2, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))] \\ & /((2*d^2) - (b^2*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*Poly \\ & Log[2, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x)))]/(2*a^2) + (e^{2*h*n}*L \\ & og[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*PolyLog[2, ((b*d - a*e)*( \\ & 1 - c*(a + b*x)))/(b*(d + e*x)))]/(2*d^2) + (e^{2*h*n}*PolyLog[3, -((b*x)/a)] \\ & )/(2*d^2) - (b^2*h*n*PolyLog[3, 1 - (b*c*x)/(1 - a*c)]/(2*a^2) + (b^2*h*n* \\ & PolyLog[3, (d*(1 - a*c - b*c*x))/((1 - a*c)*(d + e*x)))]/(2*a^2) - (b^2*h*n* \\ & *PolyLog[3, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x)))]/(2*a^2) + (b^2*h*n*P \\ & olyLog[3, (b*(d + e*x))/(b*d - a*e)]/(2*a^2) - (e^{2*h*n}*PolyLog[3, (b*(d + \\ & e*x))/(b*d - a*e)]/(2*d^2) - (b^2*h*n*PolyLog[3, 1 + (e*x)/d)]/(2*a^2) - \\ & (e^{2*h*n}*PolyLog[3, -((b*x)/(a*(1 - c*(a + b*x)))]/(2*d^2) + (e^{2*h*n}*Pol \\ & yLog[3, -((b*c*x)/(1 - c*(a + b*x)))]/(2*d^2) + (b^2*h*n*PolyLog[3, 1 - c* \\ & (a + b*x)]/(2*a^2) + (b^2*h*n*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + \\ & e*x)))]/(2*a^2) - (e^{2*h*n}*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e \\ & *x)))]/(2*d^2) - (b^2*h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d \\ & + e*x)))]/(2*a^2) + (e^{2*h*n}*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b \\ & *(d + e*x)))]/(2*d^2) \end{aligned}$$
Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

### Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x
)^n]))/g, x] - Dist[(b*e^n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

### Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))
^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a
+ b*Log[c*(d + e*x)^n]]^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

### Rule 2435

```
Int[(Log[(a_) + (b_.)*(x_)]*Log[(c_) + (d_.)*(x_)])/(x_), x_Symbol] := Simp
[Log[-((b*x)/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1*(Log[-((b*x)/a)]
- Log[-((b*c - a*d)*x)/(a*(c + d*x))]) + Log[(b*c - a*d)/(b*(c + d*x))])*L
og[(a*(c + d*x))/(c*(a + b*x))]^2/2, x] - Simp[(1*(Log[-((b*x)/a)] - Log[-
((d*x)/c)])*(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)]))^2/2, x] + Si
mp[(Log[c + d*x] - Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1 + (b*x)/a
], x] + Simp[(Log[a + b*x] + Log[(a*(c + d*x))/(c*(a + b*x)])]*PolyLog[2, 1
+ (d*x)/c], x] + Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2, (c*(a +
b*x))/(a*(c + d*x))], x] - Simp[Log[(a*(c + d*x))/(c*(a + b*x))]*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))], x] - Simp[PolyLog[3, 1 + (b*x)/a], x] - Simp
[PolyLog[3, 1 + (d*x)/c], x] + Simp[PolyLog[3, (c*(a + b*x))/(a*(c + d*x))],
x] - Simp[PolyLog[3, (d*(a + b*x))/(b*(c + d*x))], x] /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2437

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*Log[(h_.)*((i_.) + (j_.)*(x_))^(m
_.))]/(x_), x_Symbol] := Dist[m, Int[(Log[i + j*x]*Log[c*(d + e*x)^n])/x, x
], x] - Dist[m*Log[i + j*x] - Log[h*(i + j*x)^m], Int[Log[c*(d + e*x)^n]/x,
x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0] && NeQ[i
+ j*x, h*(i + j*x)^m]
```

### Rule 2438

```
Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*(Log[(h_.)*((i_.)
+ (j_.)*(x_))^(m_.)]*(g_.) + (f_)))/(x_), x_Symbol] := Dist[f, Int[(a + b*
Log[c*(d + e*x)^n])/x, x], x] + Dist[g, Int[(Log[h*(i + j*x)^m]*(a + b*Log[
c*(d + e*x)^n])/x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, m, n}, x
] && NeQ[e*i - d*j, 0]
```

### Rule 2439

```
Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*(x_)^(r_.), x_Symbol] := Simp[(x^
(r + 1)*(a + b*Log[c*(d + e*x)^n])^p*(f + g*Log[h*(i + j*x)^m]))/(r + 1), x
] + (-Dist[(g*j*m)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(i
+ j*x), x], x] - Dist[(b*e*n*p)/(r + 1), Int[(x^(r + 1)*(a + b*Log[c*(d +
e*x)^n])^(p - 1)*(f + g*Log[h*(i + j*x)^m]))/(d + e*x), x], x]) /; FreeQ[{a
, b, c, d, e, f, g, h, i, j, m, n}, x] && IGtQ[p, 0] && IntegerQ[r] && (EqQ
[p, 1] || GtQ[r, 0]) && NeQ[r, -1]
```

### Rule 2440

```
Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + Log[(h_.)
*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_) + (l_.)*(x_))^(r_.), x_Symbol] :=
Dist[1/l, Subst[Int[x^r*(a + b*Log[c*(-((e*k - d*1)/1) + (e*x)/1)^n]*(f +
g*Log[h*(-((j*k - i*1)/1) + (j*x)/1)^m)], x], x, k + l*x], x] /; FreeQ[{a,
b, c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]
```

### Rule 6597

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[d + e*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[(Log[d
+ e*x]*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x
] && NeQ[c*(b*d - a*e) + e, 0]
```

### Rule 6598

```
Int[(((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rule 6603

```
Int[(((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^(m_.)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)]/
```

`(a + b*x), x], x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned}
 \int \frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x^3} dx &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{2x^2} - \frac{1}{2}b \int \left( \frac{\log(1 - ac - bcx)}{x^2} \right. \\
 &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{2x^2} - \frac{b \int \frac{\log(1 - ac - bcx)(g + h \log(f(d + ex)^n))}{x^2} dx}{2a} \\
 &= \frac{b \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{2ax} - \frac{ehn \operatorname{Li}_2(c(a + bx))}{2dx} \\
 &= \frac{b^2 g \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b \log(1 - ac - bcx) (g + h \log(f(d + ex)^n))}{2ax} \\
 &= \frac{b^2 g \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b^2 hn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} \\
 &= \frac{b^2 g \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b^2 hn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} \\
 &= \frac{b^2 g \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b^2 hn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} \\
 &= \frac{b^2 g \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2} + \frac{b^2 hn \log\left(\frac{bcx}{1 - ac}\right) \log(1 - ac - bcx)}{2a^2}
 \end{aligned}$$

**Mathematica** [A] time = 14.60, size = 2673, normalized size = 0.86

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^3,x]

[Out] ((g - h\*n\*Log[d + e\*x] + h\*Log[f\*(d + e\*x)^n])\*(-((-1 + a\*c)\*(a^2 - b^2\*x^2)\*PolyLog[2, c\*(a + b\*x)]) + b\*x\*(-(a\*b\*c\*x\*Log[x]) + (a\*(-1 + a\*c + b\*c\*x) + b\*(-1 + a\*c)\*x\*Log[(b\*c\*x)/(1 - a\*c)])\*Log[1 - a\*c - b\*c\*x] + b\*(-1 + a\*c)\*x\*PolyLog[2, (-1 + a\*c + b\*c\*x)/(-1 + a\*c)])))/(2\*a^2\*(-1 + a\*c)\*x^2) - (h\*n\*((d\*e\*x + e^2\*x^2\*Log[x] + (d^2 - e^2\*x^2)\*Log[d + e\*x])\*PolyLog[2, c\*(a + b\*x)])/x^2 + (b\*d\*e\*(Log[x]\*Log[1 - a\*c - b\*c\*x] - Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x] - Log[x]\*Log[1 + (b\*c\*x)/(-1 + a\*c)] - PolyLog[2, (b\*c\*x)/(1 - a\*c)] - PolyLog[2, 1 - a\*c - b\*c\*x]))/a + e^2\*(Log[x]\*Log[1 + (b\*x)/a]\*Log[1 - a\*c - b\*c\*x] + ((-Log[c\*(a + b\*x)] + Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*(-2\*Log[x] + Log[1 - a\*c - b\*c\*x]))/2 + (Log[c\*(a + b\*x)] - Log[1 + (b\*x)/a])\*Log[1 - a\*c - b\*c\*x]\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + ((Log[(1 - a\*c)/(b\*c\*x)] - Log[((1 - a\*c)\*(a + b\*x))/(b\*x)] + Log[1 + (b\*x)/a])\*Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]^2)/2 + (Log[1 - a\*c - b\*c\*x] - Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, -((b\*x)/a)] + (Log[x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)])\*PolyLog[2, 1 - a\*c - b\*c\*x] + Log[(a\*(-1 + a\*c + b\*c\*x))/(b\*x)]\*(-PolyLog[2, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] + PolyLog[2, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]) - PolyLog[3, -((b\*x)/a)] - PolyLog[3, 1 - a\*c - b\*c\*x] + PolyLog[3, (a\*(-1 + a\*c + b\*c\*x))/(b\*x)] - PolyLog[3, (-1 + a\*c + b\*c\*x)/(b\*c\*x)]) - e^2\*(Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + (Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + (-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]^2\*(Log[c\*(a + b\*x)] - Log[(b\*c\*d + e - a\*c\*e)\*(a + b\*x)/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x))]) + Log[(b\*c\*d + e - a\*c\*e)/(e - a\*c\*e - b\*c\*e\*x)]))/2 + (Log[d + e\*x] - Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, 1 - a\*c - b\*c\*x] + (Log[1 - a\*c - b\*c\*x] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))])\*PolyLog[2, (b\*(d + e\*x))/(b\*d - a\*e)] + Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))]\*(PolyLog[2, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] - PolyLog[2, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] - PolyLog[3, 1 - a\*c - b\*c\*x] - PolyLog[3, (b\*(d + e\*x))/(b\*d - a\*e)] - PolyLog[3, (b\*c\*(d + e\*x))/(e\*(-1 + a\*c + b\*c\*x))] + PolyLog[3, -((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] + (b\*d^2\*(-((a\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x])/x) - b\*Log[(b\*c\*x)/(1 - a\*c)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + b\*Log[c\*(a + b\*x)]\*Log[1 - a\*c - b\*c\*x]\*Log[d + e\*x] + (b\*(Log[c\*(a + b\*x)] - Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*(-2\*Log[1 - a\*c - b\*c\*x] + Log[(b\*(d + e\*x))/(b\*d - a\*e)]))/2 + b\*(-Log[c\*(a + b\*x)] + Log[(e\*(a + b\*x))/(-(b\*d) + a\*e)])\*Log[(b\*(d + e\*x))/(b\*d - a\*e)]\*Log[-((b\*(d + e\*x))/((b\*d - a\*e)\*(-1 + a\*c + b\*c\*x)))] - (b\*Log[((-1 + a\*c)\*(d + e\*x))/(d\*(-1 + a\*c + b\*c\*x))]^2\*(Log[(b\*c\*x)/(1 - a\*c)] - Log[(b\*c\*d + e - a\*c

$$\begin{aligned}
 & *e)*x)/(d*(-1 + a*c + b*c*x))] + \text{Log}[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e \\
 & *x))]/2 + (b*\text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]^2*(\text{Log} \\
 & [c*(a + b*x)] - \text{Log}[(b*c*d + e - a*c*e)*(a + b*x)/((b*d - a*e)*(-1 + a*c \\
 & + b*c*x))]) + \text{Log}[(b*c*d + e - a*c*e)/(e - a*c*e - b*c*e*x)]/2 + b*(\text{Log}[(b \\
 & *c*x)/(1 - a*c)] - \text{Log}[-((e*x)/d)])*\text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + a*c \\
 & + b*c*x))]*\text{Log}[1 + (e*x)/d] - (b*(\text{Log}[(b*c*x)/(1 - a*c)] - \text{Log}[-((e*x)/d)]) \\
 & )*\text{Log}[1 + (e*x)/d]*(-2*\text{Log}[1 - a*c - b*c*x] + \text{Log}[1 + (e*x)/d])/2 + b*(\text{Log} \\
 & [d + e*x] - \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))])*\text{PolyLog} \\
 & [2, 1 - a*c - b*c*x] - b*(\text{Log}[d + e*x] - \text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 \\
 & + a*c + b*c*x))])* \text{PolyLog}[2, (-1 + a*c + b*c*x)/(-1 + a*c)] + (a*e*(\text{Log}[x]* \\
 & \text{Log}[1 - a*c - b*c*x] - \text{Log}[x]*\text{Log}[1 + (b*c*x)/(-1 + a*c)] - \text{Log}[1 - a*c - b \\
 & *c*x]*\text{Log}[(b*c*(d + e*x))/(b*c*d + e - a*c*e)] - \text{PolyLog}[2, (b*c*x)/(1 - a* \\
 & c)] - \text{PolyLog}[2, (e*(-1 + a*c + b*c*x))/(-b*c*d - e + a*c*e)]))/d + b*(\text{Lo} \\
 & g[1 - a*c - b*c*x] + \text{Log}[-((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))] \\
 & )*\text{PolyLog}[2, (b*(d + e*x))/(b*d - a*e)] + b*\text{Log}[((-1 + a*c)*(d + e*x))/(d*( \\
 & -1 + a*c + b*c*x))]*(\text{PolyLog}[2, ((-1 + a*c)*(d + e*x))/(d*(-1 + a*c + b*c*x \\
 & ))] - \text{PolyLog}[2, (b*c*(d + e*x))/(e*(-1 + a*c + b*c*x))]) + b*\text{Log}[-((b*(d + \\
 & e*x))/((b*d - a*e)*(-1 + a*c + b*c*x)))]*(\text{PolyLog}[2, (b*c*(d + e*x))/(e*(- \\
 & 1 + a*c + b*c*x))] - \text{PolyLog}[2, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c + b* \\
 & c*x)))] - b*(\text{Log}[1 - a*c - b*c*x] + \text{Log}[((-1 + a*c)*(d + e*x))/(d*(-1 + a* \\
 & c + b*c*x))])* \text{PolyLog}[2, 1 + (e*x)/d] + (a*b*c*(\text{Log}[d + e*x]*(\text{Log}[-((e*x)/d \\
 & ]) - \text{Log}[1 - (b*c*(d + e*x))/(b*c*d + e - a*c*e)]) - \text{PolyLog}[2, (b*c*(d + e \\
 & *x))/(b*c*d + e - a*c*e)] + \text{PolyLog}[2, 1 + (e*x)/d]))/(-1 + a*c) - b*\text{PolyLo} \\
 & g[3, 1 - a*c - b*c*x] + b*\text{PolyLog}[3, (-1 + a*c + b*c*x)/(-1 + a*c)] - b*\text{Pol} \\
 & y\text{Log}[3, (b*(d + e*x))/(b*d - a*e)] - b*\text{PolyLog}[3, ((-1 + a*c)*(d + e*x))/(d \\
 & *(-1 + a*c + b*c*x))] + b*\text{PolyLog}[3, -((b*(d + e*x))/((b*d - a*e)*(-1 + a*c \\
 & + b*c*x)))] + b*\text{PolyLog}[3, 1 + (e*x)/d))/a^2)/(2*d^2)
 \end{aligned}$$

**fricas** [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(bc x + ac) \log((ex + d)^n f) + g\text{Li}_2(bc x + ac)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^3,x, algorithm="fricas")

[Out] integral((h\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*dilog(b\*c\*x + a\*c))/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g) \text{Li}_2((bx + a)c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^3,x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^3, x)

**maple** [F] time = 0.30, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(f(e x + d)^n)) \operatorname{polylog}(2, c(b x + a))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^3,x)

[Out] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((e x + d)^n f) + g) \operatorname{Li}_2((b x + a) c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^3,x, algorithm="maxima")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{polylog}(2, c(a + b x)) (g + h \ln(f(d + e x)^n))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^3,x)

[Out] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(f\*(e\*x+d)\*\*n))\*polylog(2,c\*(b\*x+a))/x\*\*3,x)

[Out] Timed out



$$3.183 \quad \int \frac{(g+h \log(f(d+ex)^n)) \operatorname{Li}_2(c(a+bx))}{x^4} dx$$

Optimal. Leaf size=3733

result too large to display

```
[Out] 1/2*b^2*c*e*h*n*ln(x)/a/(-a*c+1)/d-1/3*b^2*c*e*h*n*ln(-b*c*x-a*c+1)/a/(-a*c+1)/d-1/6*b^2*c*e*h*n*ln(e*x+d)/a/(-a*c+1)/d-1/6*b^3*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/a^3+1/6*e^3*h*n*(ln(c*(b*x+a))-ln(-e*(b*x+a)/(-a*e+b*d)))*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))^2/d^3+1/6*e^3*h*n*(ln(1+b*x/a)+ln((-a*c+1)/(1-c*(b*x+a)))-ln((-a*c+1)*(b*x+a)/a/(1-c*(b*x+a))))*ln(-a*(1-c*(b*x+a))/b/x)^2/d^3+1/6*e^3*h*n*(ln(c*(b*x+a))-ln(1+b*x/a))*(ln(x)+ln(-a*(1-c*(b*x+a))/b/x))^2/d^3+1/3*e^3*h*n*(ln(1-c*(b*x+a))-ln(-a*(1-c*(b*x+a))/b/x))*polylog(2,-b*x/a)/d^3+1/3*e^3*h*n*ln(x)*polylog(2,c*(b*x+a))/d^3-1/3*e^3*h*n*ln(e*x+d)*polylog(2,c*(b*x+a))/d^3-1/3*b^3*h*n*(ln(e*x+d)-ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1)))*polylog(2,1-b*c*x/(-a*c+1))/a^3-1/3*b^3*h*n*ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))*polylog(2,d*(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d))/a^3+1/3*b^3*h*n*ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))*polylog(2,-e*(-b*c*x-a*c+1)/b/c/(e*x+d))/a^3+1/3*b^3*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/a^3-1/3*e^3*h*n*(ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))+ln(1-c*(b*x+a)))*polylog(2,b*(e*x+d)/(-a*e+b*d))/d^3-1/3*b^3*h*n*(ln(-b*c*x-a*c+1)+ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1)))*polylog(2,1+e*x/d)/a^3+1/3*e^3*h*n*ln(-a*(1-c*(b*x+a))/b/x)*polylog(2,-b*x/a/(1-c*(b*x+a)))/d^3-1/3*e^3*h*n*ln(-a*(1-c*(b*x+a))/b/x)*polylog(2,-b*c*x/(1-c*(b*x+a)))/d^3+1/3*b^3*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/a^3-1/3*e^3*h*n*(ln(e*x+d)-ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a))))*polylog(2,1-c*(b*x+a))/d^3+1/3*e^3*h*n*(ln(x)+ln(-a*(1-c*(b*x+a))/b/x))*polylog(2,1-c*(b*x+a))/d^3-1/3*b^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/a^3+1/3*e^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,-e*(1-c*(b*x+a))/b/c/(e*x+d))/d^3+1/3*b^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/a^3-1/3*e^3*h*n*ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))*polylog(2,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/d^3-1/6*b^3*h*n*(ln(b*c*x/(-a*c+1))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*x/(-a*c+1)/(e*x+d)))*ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1))^2/a^3+1/6*b^3*h*n*(ln(b*c*x/(-a*c+1))-ln(-e*x/d))*(ln(-b*c*x-a*c+1)+ln((-a*c+1)*(e*x+d)/d/(-b*c*x-a*c+1)))^2/a^3+1/3*b^3*h*ln(b*c*x/(-a*c+1))*ln(-b*c*x-a*c+1)*(n*ln(e*x+d)-ln(f*(e*x+d)^n))/a^3-1/6*b^2*c*(g+h*ln(f*(e*x+d)^n))/a/(-a*c+1)/x+1/6*b^3*c^2*ln(-e*x/d)*(g+h*ln(f*(e*x+d)^n))/a/(-a*c+1)^2-1/3*b^3*c*ln(-e*x/d)*(g+h*ln(f*(e*x+d)^n))/a^2/(-a*c+1)-1/6*b^3*c^2*ln(e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/a/(-a*c+1)^2+1/3*b^3*c*ln(e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))*(g+h*ln(f*(e*x+d)^n))/a^2/(-a*c+1)+1/6*b^3*h*n*(ln(c*(b*x+a))+ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-ln((-a*c*e+b*c*d+e)*(b*x+
```

$$\begin{aligned}
& a/b/(e*x+d)))*\ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/a^3-1/6*e^3*h*n*(\ln \\
& (c*(b*x+a))+\ln((-a*c*e+b*c*d+e)/b/c/(e*x+d))-\ln((-a*c*e+b*c*d+e)*(b*x+a)/b/ \\
& (e*x+d)))*\ln(b*(e*x+d)/(-a*e+b*d)/(1-c*(b*x+a)))^2/d^3-1/6*e*h*n*polylog(2, \\
& c*(b*x+a))/d/x^2+1/3*e^2*h*n*polylog(2,c*(b*x+a))/d^2/x-1/3*b^3*g*polylog(2 \\
& ,c*(b*x+a))/a^3-1/3*b^3*g*polylog(2,1-b*c*x/(-a*c+1))/a^3-1/3*b^3*g*\ln(b*c* \\
& x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a^3+1/6*b*\ln(-b*c*x-a*c+1)*(g+h*\ln(f*(e*x+d)^n \\
& ))/a/x^2-1/3*b^2*\ln(-b*c*x-a*c+1)*(g+h*\ln(f*(e*x+d)^n))/a^2/x+1/3*b^3*h*(n* \\
& \ln(e*x+d)-\ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))/a^3+1/3*b^3*h*(n*\ln(e*x+d)- \\
& \ln(f*(e*x+d)^n))*polylog(2,1-b*c*x/(-a*c+1))/a^3-1/3*e^3*h*n*polylog(3,-b*x \\
& /a)/d^3+1/3*b^3*h*n*polylog(3,1-b*c*x/(-a*c+1))/a^3-1/3*b^3*h*n*polylog(3,d \\
& *(-b*c*x-a*c+1)/(-a*c+1)/(e*x+d))/a^3+1/3*b^3*h*n*polylog(3,-e*(-b*c*x-a*c+ \\
& 1)/b/c/(e*x+d))/a^3-1/3*b^3*h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/a^3+1/3*e^3 \\
& *h*n*polylog(3,b*(e*x+d)/(-a*e+b*d))/d^3+1/3*b^3*h*n*polylog(3,1+e*x/d)/a^3 \\
& +1/3*e^3*h*n*polylog(3,-b*x/a/(1-c*(b*x+a)))/d^3-1/3*e^3*h*n*polylog(3,-b*c \\
& *x/(1-c*(b*x+a)))/d^3-1/3*b^3*h*n*polylog(3,1-c*(b*x+a))/a^3-1/3*b^3*h*n*po \\
& lylog(3,-e*(1-c*(b*x+a))/b/c/(e*x+d))/a^3+1/3*e^3*h*n*polylog(3,-e*(1-c*(b* \\
& x+a))/b/c/(e*x+d))/d^3+1/3*b^3*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e* \\
& x+d))/a^3-1/3*e^3*h*n*polylog(3,(-a*e+b*d)*(1-c*(b*x+a))/b/(e*x+d))/d^3-1/3 \\
& *b^3*h*n*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)*\ln(e*x+d)/a^3+1/3*e^3*h*n*\ln(x \\
& )*\ln(1+b*x/a)*\ln(1-c*(b*x+a))/d^3+1/3*b^3*h*n*\ln(c*(b*x+a))*\ln(e*x+d)*\ln(1- \\
& c*(b*x+a))/a^3-1/3*e^3*h*n*\ln(c*(b*x+a))*\ln(e*x+d)*\ln(1-c*(b*x+a))/d^3-1/3* \\
& (g+h*\ln(f*(e*x+d)^n))*polylog(2,c*(b*x+a))/x^3+1/3*b*e*h*n*\ln(-b*c*x-a*c+1) \\
& /a/d/x+1/2*b^2*e*h*n*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a^2/d+1/2*b*e^2*h* \\
& n*\ln(b*c*x/(-a*c+1))*\ln(-b*c*x-a*c+1)/a/d^2-1/3*b^2*e*h*n*\ln(-b*c*x-a*c+1)* \\
& \ln(b*c*(e*x+d)/(-a*c*e+b*c*d+e))/a^2/d-1/6*b*e^2*h*n*\ln(-b*c*x-a*c+1)*\ln(b* \\
& c*(e*x+d)/(-a*c*e+b*c*d+e))/a/d^2+1/2*b^2*e*h*n*polylog(2,1-b*c*x/(-a*c+1)) \\
& /a^2/d+1/2*b*e^2*h*n*polylog(2,1-b*c*x/(-a*c+1))/a/d^2-1/6*b^3*c^2*h*n*poly \\
& log(2,b*c*(e*x+d)/(-a*c*e+b*c*d+e))/a/(-a*c+1)^2+1/3*b^3*c^2*h*n*polylog(2,b* \\
& c*(e*x+d)/(-a*c*e+b*c*d+e))/a^2/(-a*c+1)+1/6*b^3*c^2*h*n*polylog(2,1+e*x/d) \\
& /a/(-a*c+1)^2-1/3*b^3*c^2*h*n*polylog(2,1+e*x/d)/a^2/(-a*c+1)+1/6*b^2*e*h*n*p \\
& olylog(2,c*(b*x+a))/a^2/d+1/3*b*e^2*h*n*polylog(2,c*(b*x+a))/a/d^2-1/3*b^2* \\
& e*h*n*polylog(2,e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/a^2/d-1/6*b*e^2*h*n*poly \\
& log(2,e*(-b*c*x-a*c+1)/(-a*c*e+b*c*d+e))/a/d^2
\end{aligned}$$

**Rubi [A]** time = 4.31, antiderivative size = 3733, normalized size of antiderivative = 1.00, number of steps used = 78, number of rules used = 18, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {6603, 2439, 44, 2416, 2395, 36, 29, 31, 2394, 2315, 2393, 2391, 2438, 2437, 2435, 2440, 6598, 6597}

result too large to display

Antiderivative was successfully verified.

[In] Int[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^4,x]

[Out] (b^2\*c\*e\*h\*n\*Log[x])/(2\*a\*(1 - a\*c)\*d) - (b^2\*c\*e\*h\*n\*Log[1 - a\*c - b\*c\*x])

$$\begin{aligned}
& / (3*a*(1 - a*c)*d) + (b*e*h*n*Log[1 - a*c - b*c*x]) / (3*a*d*x) - (b^3*g*Log[ \\
& (b*c*x)/(1 - a*c)]*Log[1 - a*c - b*c*x]) / (3*a^3) + (b^2*e*h*n*Log[(b*c*x)/( \\
& 1 - a*c)]*Log[1 - a*c - b*c*x]) / (2*a^2*d) + (b*e^2*h*n*Log[(b*c*x)/(1 - a*c \\
& )]*Log[1 - a*c - b*c*x]) / (2*a*d^2) - (b^2*c*e*h*n*Log[d + e*x]) / (6*a*(1 - a \\
& *c)*d) - (b^3*h*n*Log[(b*c*x)/(1 - a*c)]*Log[1 - a*c - b*c*x]*Log[d + e*x]) \\
& / (3*a^3) - (b^2*e*h*n*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/(b*c*d + e - \\
& a*c*e)]) / (3*a^2*d) - (b*e^2*h*n*Log[1 - a*c - b*c*x]*Log[(b*c*(d + e*x))/( \\
& b*c*d + e - a*c*e)]) / (6*a*d^2) - (b^3*h*n*(Log[(b*c*x)/(1 - a*c)] + Log[(b* \\
& c*d + e - a*c*e)/(b*c*(d + e*x)]) - Log[((b*c*d + e - a*c*e)*x)/((1 - a*c)* \\
& (d + e*x))])*Log[((1 - a*c)*(d + e*x))/(d*(1 - a*c - b*c*x))]^2) / (6*a^3) + \\
& (b^3*h*n*(Log[(b*c*x)/(1 - a*c)] - Log[-((e*x)/d)])*(Log[1 - a*c - b*c*x] + \\
& Log[((1 - a*c)*(d + e*x))/(d*(1 - a*c - b*c*x))]^2) / (6*a^3) + (b^3*h*Log[ \\
& (b*c*x)/(1 - a*c)]*Log[1 - a*c - b*c*x]*(n*Log[d + e*x] - Log[f*(d + e*x)^n \\
& ])) / (3*a^3) - (b^2*c*(g + h*Log[f*(d + e*x)^n])) / (6*a*(1 - a*c)*x) + (b^3*c \\
& ^2*Log[-((e*x)/d)]*(g + h*Log[f*(d + e*x)^n])) / (6*a*(1 - a*c)^2) - (b^3*c*L \\
& og[-((e*x)/d)]*(g + h*Log[f*(d + e*x)^n])) / (3*a^2*(1 - a*c)) + (b*Log[1 - a \\
& *c - b*c*x]*(g + h*Log[f*(d + e*x)^n])) / (6*a*x^2) - (b^2*Log[1 - a*c - b*c* \\
& x]*(g + h*Log[f*(d + e*x)^n])) / (3*a^2*x) - (b^3*c^2*Log[(e*(1 - a*c - b*c*x \\
& ))/(b*c*d + e - a*c*e)]*(g + h*Log[f*(d + e*x)^n])) / (6*a*(1 - a*c)^2) + (b^ \\
& 3*c*Log[(e*(1 - a*c - b*c*x))/(b*c*d + e - a*c*e)]*(g + h*Log[f*(d + e*x)^n \\
& ])) / (3*a^2*(1 - a*c)) + (b^3*h*n*(Log[c*(a + b*x)] + Log[(b*c*d + e - a*c*e \\
& )/(b*c*(d + e*x))]) - Log[((b*c*d + e - a*c*e)*(a + b*x))/(b*(d + e*x))])*Lo \\
& g[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]^2) / (6*a^3) - (e^3*h*n*(Log \\
& [c*(a + b*x)] + Log[(b*c*d + e - a*c*e)/(b*c*(d + e*x)]) - Log[((b*c*d + e \\
& - a*c*e)*(a + b*x))/(b*(d + e*x))])*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*( \\
& a + b*x)))]^2) / (6*d^3) + (e^3*h*n*Log[x]*Log[1 + (b*x)/a]*Log[1 - c*(a + b* \\
& x)]) / (3*d^3) + (b^3*h*n*Log[c*(a + b*x)]*Log[d + e*x]*Log[1 - c*(a + b*x)]) \\
& / (3*a^3) - (e^3*h*n*Log[c*(a + b*x)]*Log[d + e*x]*Log[1 - c*(a + b*x)]) / (3* \\
& d^3) - (b^3*h*n*(Log[c*(a + b*x)] - Log[-((e*(a + b*x))/(b*d - a*e))])*(Log \\
& [(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)]^2) / \\
& (6*a^3) + (e^3*h*n*(Log[c*(a + b*x)] - Log[-((e*(a + b*x))/(b*d - a*e))])*( \\
& Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)]^ \\
& 2) / (6*d^3) + (e^3*h*n*(Log[1 + (b*x)/a] + Log[(1 - a*c)/(1 - c*(a + b*x))]) \\
& - Log[((1 - a*c)*(a + b*x))/(a*(1 - c*(a + b*x))])*Log[-((a*(1 - c*(a + b* \\
& x)))/(b*x))]^2) / (6*d^3) + (e^3*h*n*(Log[c*(a + b*x)] - Log[1 + (b*x)/a])*(L \\
& og[x] + Log[-((a*(1 - c*(a + b*x)))/(b*x))]^2) / (6*d^3) + (e^3*h*n*(Log[1 - \\
& c*(a + b*x)] - Log[-((a*(1 - c*(a + b*x)))/(b*x))])*PolyLog[2, -((b*x)/a)] \\
& ) / (3*d^3) - (b^3*g*PolyLog[2, c*(a + b*x)]) / (3*a^3) + (b^2*e*h*n*PolyLog[2, \\
& c*(a + b*x)]) / (6*a^2*d) + (b*e^2*h*n*PolyLog[2, c*(a + b*x)]) / (3*a*d^2) - \\
& (e*h*n*PolyLog[2, c*(a + b*x)]) / (6*d*x^2) + (e^2*h*n*PolyLog[2, c*(a + b*x) \\
& ]) / (3*d^2*x) + (e^3*h*n*Log[x]*PolyLog[2, c*(a + b*x)]) / (3*d^3) - (e^3*h*n* \\
& Log[d + e*x]*PolyLog[2, c*(a + b*x)]) / (3*d^3) + (b^3*h*(n*Log[d + e*x] - Lo \\
& g[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]) / (3*a^3) - ((g + h*Log[f*(d + e*x) \\
& ]^n))*PolyLog[2, c*(a + b*x)]) / (3*x^3) - (b^2*e*h*n*PolyLog[2, (e*(1 - a*c \\
& - b*c*x))/(b*c*d + e - a*c*e)]) / (3*a^2*d) - (b*e^2*h*n*PolyLog[2, (e*(1 - a
\end{aligned}$$

$$\begin{aligned}
& *c - b*c*x))/(b*c*d + e - a*c*e)]/(6*a*d^2) - (b^3*g*PolyLog[2, 1 - (b*c*x) \\
& )/(1 - a*c)]/(3*a^3) + (b^2*e*h*n*PolyLog[2, 1 - (b*c*x)/(1 - a*c)]/(2*a^ \\
& 2*d) + (b*e^2*h*n*PolyLog[2, 1 - (b*c*x)/(1 - a*c)]/(2*a*d^2) - (b^3*h*n*( \\
& Log[d + e*x] - Log[((1 - a*c)*(d + e*x))/(d*(1 - a*c - b*c*x))])*PolyLog[2, \\
& 1 - (b*c*x)/(1 - a*c)]/(3*a^3) + (b^3*h*(n*Log[d + e*x] - Log[f*(d + e*x) \\
& ^n])*PolyLog[2, 1 - (b*c*x)/(1 - a*c)]/(3*a^3) - (b^3*h*n*Log[((1 - a*c)*( \\
& d + e*x))/(d*(1 - a*c - b*c*x))])*PolyLog[2, (d*(1 - a*c - b*c*x))/((1 - a*c) \\
& )*(d + e*x))]/(3*a^3) + (b^3*h*n*Log[((1 - a*c)*(d + e*x))/(d*(1 - a*c - b \\
& *c*x))])*PolyLog[2, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x)))]/(3*a^3) + (b^ \\
& 3*h*n*(Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + \\
& b*x)])*PolyLog[2, (b*(d + e*x))/(b*d - a*e)]/(3*a^3) - (e^3*h*n*(Log[(b*(d \\
& + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))] + Log[1 - c*(a + b*x)])*PolyLog[2 \\
& , (b*(d + e*x))/(b*d - a*e)]/(3*d^3) - (b^3*c^2*h*n*PolyLog[2, (b*c*(d + e \\
& *x))/(b*c*d + e - a*c*e)]/(6*a*(1 - a*c)^2) + (b^3*c*h*n*PolyLog[2, (b*c*( \\
& d + e*x))/(b*c*d + e - a*c*e)]/(3*a^2*(1 - a*c)) + (b^3*c^2*h*n*PolyLog[2, \\
& 1 + (e*x)/d)]/(6*a*(1 - a*c)^2) - (b^3*c*h*n*PolyLog[2, 1 + (e*x)/d)]/(3*a \\
& ^2*(1 - a*c)) - (b^3*h*n*(Log[1 - a*c - b*c*x] + Log[((1 - a*c)*(d + e*x))/ \\
& (d*(1 - a*c - b*c*x))])*PolyLog[2, 1 + (e*x)/d)]/(3*a^3) + (e^3*h*n*Log[-(( \\
& a*(1 - c*(a + b*x)))/(b*x))])*PolyLog[2, -((b*x)/(a*(1 - c*(a + b*x))))]/(3 \\
& *d^3) - (e^3*h*n*Log[-((a*(1 - c*(a + b*x)))/(b*x))])*PolyLog[2, -((b*c*x)/( \\
& 1 - c*(a + b*x)))]/(3*d^3) + (b^3*h*n*(Log[d + e*x] - Log[(b*(d + e*x))/(( \\
& b*d - a*e)*(1 - c*(a + b*x)))]])*PolyLog[2, 1 - c*(a + b*x)]/(3*a^3) - (e^3 \\
& *h*n*(Log[d + e*x] - Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]])*Po \\
& lyLog[2, 1 - c*(a + b*x)]/(3*d^3) + (e^3*h*n*(Log[x] + Log[-((a*(1 - c*(a \\
& + b*x)))/(b*x))])*PolyLog[2, 1 - c*(a + b*x)]/(3*d^3) - (b^3*h*n*Log[(b*(d \\
& + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*PolyLog[2, -((e*(1 - c*(a + b*x)) \\
& )/(b*c*(d + e*x)))]/(3*a^3) + (e^3*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - \\
& c*(a + b*x)))]])*PolyLog[2, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))]/(3*d^ \\
& 3) + (b^3*h*n*Log[(b*(d + e*x))/((b*d - a*e)*(1 - c*(a + b*x)))]])*PolyLog[2, \\
& ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x))]/(3*a^3) - (e^3*h*n*Log[(b* \\
& (d + e*x))/((b*d - a*e)*(1 - c*(a + b*x))])*PolyLog[2, ((b*d - a*e)*(1 - c* \\
& (a + b*x)))/(b*(d + e*x))]/(3*d^3) - (e^3*h*n*PolyLog[3, -((b*x)/a)]/(3*d \\
& ^3) + (b^3*h*n*PolyLog[3, 1 - (b*c*x)/(1 - a*c)]/(3*a^3) - (b^3*h*n*PolyLo \\
& g[3, (d*(1 - a*c - b*c*x))/((1 - a*c)*(d + e*x))]/(3*a^3) + (b^3*h*n*PolyL \\
& og[3, -((e*(1 - a*c - b*c*x))/(b*c*(d + e*x)))]/(3*a^3) - (b^3*h*n*PolyLog \\
& [3, (b*(d + e*x))/(b*d - a*e)]/(3*a^3) + (e^3*h*n*PolyLog[3, (b*(d + e*x)) \\
& /((b*d - a*e))]/(3*d^3) + (b^3*h*n*PolyLog[3, 1 + (e*x)/d)]/(3*a^3) + (e^3*h \\
& *n*PolyLog[3, -((b*x)/(a*(1 - c*(a + b*x))))]/(3*d^3) - (e^3*h*n*PolyLog[3 \\
& , -((b*c*x)/(1 - c*(a + b*x)))]/(3*d^3) - (b^3*h*n*PolyLog[3, 1 - c*(a + b \\
& *x)]/(3*a^3) - (b^3*h*n*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)) \\
& ]]/(3*a^3) + (e^3*h*n*PolyLog[3, -((e*(1 - c*(a + b*x)))/(b*c*(d + e*x)))] \\
& )/(3*d^3) + (b^3*h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + e*x \\
& ))]/(3*a^3) - (e^3*h*n*PolyLog[3, ((b*d - a*e)*(1 - c*(a + b*x)))/(b*(d + \\
& e*x))]/(3*d^3)
\end{aligned}$$

Rule 29

$$\text{Int}[(x\_)^{-1}, x\_Symbol] \text{ :> Simp}[\text{Log}[x], x]$$
Rule 31

$$\text{Int}[(a\_ + (b\_)*(x\_))^{-1}, x\_Symbol] \text{ :> Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; FreeQ}[\{a, b\}, x]$$
Rule 36

$$\text{Int}[1/(((a\_.) + (b\_)*(x\_))*((c\_.) + (d\_)*(x\_))), x\_Symbol] \text{ :> Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] \text{ /; FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$$
Rule 44

$$\text{Int}[(a\_ + (b\_)*(x\_))^{(m\_)}*((c\_.) + (d\_)*(x\_))^{(n\_)}, x\_Symbol] \text{ :> Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ /; FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$$
Rule 2315

$$\text{Int}[\text{Log}[(c\_)*(x\_)]/((d\_.) + (e\_)*(x\_)), x\_Symbol] \text{ :> -Simp}[\text{PolyLog}[2, 1 - c*x]/e, x] \text{ /; FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$$
Rule 2391

$$\text{Int}[\text{Log}[(c\_)*((d\_.) + (e\_)*(x\_))^{(n\_)}]/(x\_), x\_Symbol] \text{ :> -Simp}[\text{PolyLog}[2, -(c*e*x^n)/n, x] \text{ /; FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$$
Rule 2393

$$\text{Int}[(a\_.) + \text{Log}[(c\_)*((d\_.) + (e\_)*(x\_))]* (b\_.) / ((f\_.) + (g\_)*(x\_)), x\_Symbol] \text{ :> Dist}[1/g, \text{Subst}[\text{Int}[(a + b*\text{Log}[1 + (c*e*x)/g])/x, x], x, f + g*x], x] \text{ /; FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[g + c*(e*f - d*g), 0]$$
Rule 2394

$$\text{Int}[(a\_.) + \text{Log}[(c\_)*((d\_.) + (e\_)*(x\_))^{(n\_)}]* (b\_.) / ((f\_.) + (g\_)*(x\_)), x\_Symbol] \text{ :> Simp}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n]))/g, x] - \text{Dist}[(b*e*n)/g, \text{Int}[\text{Log}[(e*(f + g*x))/(e*f - d*g)]/(d + e*x)$$

, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((h\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(r\_.))^(q\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

### Rule 2435

Int[(Log[(a\_) + (b\_.)\*(x\_)]\*Log[(c\_) + (d\_.)\*(x\_)])/(x\_), x\_Symbol] :> Simp[Log[-((b\*x)/a)]\*Log[a + b\*x]\*Log[c + d\*x], x] + (Simp[(1\*(Log[-((b\*x)/a)] - Log[-((b\*c - a\*d)\*x]/(a\*(c + d\*x)))) + Log[(b\*c - a\*d)/(b\*(c + d\*x))]\*Log[(a\*(c + d\*x))/(c\*(a + b\*x))]^2)/2, x] - Simp[(1\*(Log[-((b\*x)/a)] - Log[-((d\*x)/c)])\*(Log[a + b\*x] + Log[(a\*(c + d\*x))/(c\*(a + b\*x))]^2)/2, x] + Simp[(Log[c + d\*x] - Log[(a\*(c + d\*x))/(c\*(a + b\*x))])\*PolyLog[2, 1 + (b\*x)/a], x] + Simp[(Log[a + b\*x] + Log[(a\*(c + d\*x))/(c\*(a + b\*x))])\*PolyLog[2, 1 + (d\*x)/c], x] + Simp[Log[(a\*(c + d\*x))/(c\*(a + b\*x))]\*PolyLog[2, (c\*(a + b\*x))/(a\*(c + d\*x))], x] - Simp[Log[(a\*(c + d\*x))/(c\*(a + b\*x))]\*PolyLog[2, (d\*(a + b\*x))/(b\*(c + d\*x))], x] - Simp[PolyLog[3, 1 + (b\*x)/a], x] - Simp[PolyLog[3, 1 + (d\*x)/c], x] + Simp[PolyLog[3, (c\*(a + b\*x))/(a\*(c + d\*x))], x] - Simp[PolyLog[3, (d\*(a + b\*x))/(b\*(c + d\*x))], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2437

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.))]/(x\_), x\_Symbol] :> Dist[m, Int[(Log[i + j\*x]\*Log[c\*(d + e\*x)^n])/x, x], x] - Dist[m\*Log[i + j\*x] - Log[h\*(i + j\*x)^m], Int[Log[c\*(d + e\*x)^n]/x, x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e\*i - d\*j, 0] && NeQ[i + j\*x, h\*(i + j\*x)^m]

### Rule 2438

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.) + (f\_)))/(x\_), x\_Symbol] :> Dist[f, Int[(a + b\*

$\text{Log}[c*(d + e*x)^n]/x, x], x] + \text{Dist}[g, \text{Int}[(\text{Log}[h*(i + j*x)^m]*(a + b*\text{Log}[c*(d + e*x)^n]))/x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, m, n\}, x] \&\& \text{NeQ}[e*i - d*j, 0]$

### Rule 2439

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_.))^{(m_.)}]*(g_.))*x_.^{(r_.)}, x\_Symbol] \rightarrow \text{Simp}[(x^{(r+1)}*(a + b*\text{Log}[c*(d + e*x)^n])^p*(f + g*\text{Log}[h*(i + j*x)^m]))/(r + 1), x] + (-\text{Dist}[(g*j*m)/(r + 1), \text{Int}[(x^{(r+1)}*(a + b*\text{Log}[c*(d + e*x)^n])^p]/(i + j*x), x] - \text{Dist}[(b*e*n*p)/(r + 1), \text{Int}[(x^{(r+1)}*(a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)}*(f + g*\text{Log}[h*(i + j*x)^m]))/(d + e*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[r] \&\& (\text{EqQ}[p, 1] || \text{GtQ}[r, 0]) \&\& \text{NeQ}[r, -1]$

### Rule 2440

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^{(n_.)}]*(b_.))*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_.))^{(m_.)}]*(g_.))*((k_.) + (l_.)*(x_.))^{(r_.)}, x\_Symbol] \rightarrow \text{Dist}[1/l, \text{Subst}[\text{Int}[x^r*(a + b*\text{Log}[c*(-((e*k - d*1)/l) + (e*x)/l)^n])*(f + g*\text{Log}[h*(-((j*k - i*1)/l) + (j*x)/l)^m]), x], x, k + l*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, k, l, m, n\}, x] \&\& \text{IntegerQ}[r]$

### Rule 6597

$\text{Int}[\text{PolyLog}[2, (c_.)*((a_.) + (b_.)*(x_.))]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[d + e*x]*\text{PolyLog}[2, c*(a + b*x)])/e, x] + \text{Dist}[b/e, \text{Int}[(\text{Log}[d + e*x]*\text{Log}[1 - a*c - b*c*x])/(a + b*x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[c*(b*d - a*e) + e, 0]$

### Rule 6598

$\text{Int}[(d_.) + (e_.)*(x_.))^{(m_.)}*\text{PolyLog}[2, (c_.)*((a_.) + (b_.)*(x_.))], x\_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m+1)}*\text{PolyLog}[2, c*(a + b*x)]/(e*(m + 1)), x] + \text{Dist}[b/(e*(m + 1)), \text{Int}[(d + e*x)^{(m+1)}*\text{Log}[1 - a*c - b*c*x])/(a + b*x), x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[m, -1]$

### Rule 6603

$\text{Int}[(g_.) + \text{Log}[(f_.)*((d_.) + (e_.)*(x_.))^{(n_.)}]*(h_.))*x_.^{(m_.)}*\text{PolyLog}[2, (c_.)*((a_.) + (b_.)*(x_.))], x\_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(g + h*\text{Log}[f*(d + e*x)^n])*\text{PolyLog}[2, c*(a + b*x)])/m + 1, x] + (\text{Dist}[b/m + 1, \text{Int}[\text{ExpandIntegrand}[(g + h*\text{Log}[f*(d + e*x)^n])*\text{Log}[1 - a*c - b*c*x], x^{(m+1)}/(a + b*x), x], x] - \text{Dist}[(e*h*n)/m + 1, \text{Int}[\text{ExpandIntegrand}[\text{PolyLog}[2, c*(a + b*x)], x^{(m+1)}/(d + e*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f$

, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x^4} dx &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{3x^3} - \frac{1}{3}b \int \left( \frac{\log(1 - ac - bcx)}{x^3} \right. \\
 &= -\frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{3x^3} - \frac{b \int \frac{\log(1 - ac - bcx)(g + h \log(f(d + ex)^n))}{x^3} dx}{3a} \\
 &= \frac{b \log(1 - ac - bcx)(g + h \log(f(d + ex)^n))}{6ax^2} - \frac{b^2 \log(1 - ac - bcx)}{6ax^2} \\
 &= -\frac{b^3 g \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} + \frac{b \log(1 - ac - bcx)(g + h \log(f(d + ex)^n))}{6ax^2} \\
 &= -\frac{b^3 g \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} - \frac{b^3 h n \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} \\
 &= -\frac{b^3 g \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} + \frac{b^2 e h n \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2 d} \\
 &= -\frac{b^3 g \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} + \frac{b^2 e h n \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2 d} \\
 &= \frac{b^2 c e h n \log(x)}{6a(1 - ac)d} - \frac{b^3 g \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{3a^3} + \frac{b^2 e h n \log\left(\frac{bcx}{1-ac}\right) \log(1 - ac - bcx)}{2a^2 d}
 \end{aligned}$$

**Mathematica** [F] time = 10.47, size = 0, normalized size = 0.00

$$\int \frac{(g + h \log(f(d + ex)^n)) \operatorname{Li}_2(c(a + bx))}{x^4} dx$$

Verification is Not applicable to the result.



[In] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^4,x]

[Out] Integrate[((g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)])/x^4, x]

**fricas** [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{h\text{Li}_2(bc x + ac) \log((ex + d)^n f) + g\text{Li}_2(bc x + ac)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^4,x, algorithm="fricas")

[Out] integral((h\*dilog(b\*c\*x + a\*c)\*log((e\*x + d)^n\*f) + g\*dilog(b\*c\*x + a\*c))/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g)\text{Li}_2((bx + a)c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^4,x, algorithm="giac")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^4, x)

**maple** [F] time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{(g + h \ln(f(ex + d)^n)) \text{polylog}(2, c(bx + a))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^4,x)

[Out] int((g+h\*ln(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^4,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(h \log((ex + d)^n f) + g)\text{Li}_2((bx + a)c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*log(f\*(e\*x+d)^n))\*polylog(2,c\*(b\*x+a))/x^4,x, algorithm="maxima")

[Out] integrate((h\*log((e\*x + d)^n\*f) + g)\*dilog((b\*x + a)\*c)/x^4, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\text{polylog}(2, c(a + bx)) (g + h \ln(f(d + ex)^n))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^4,x)

[Out] int((polylog(2, c\*(a + b\*x))\*(g + h\*log(f\*(d + e\*x)^n)))/x^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g+h\*ln(f\*(e\*x+d)\*\*n))\*polylog(2,c\*(b\*x+a))/x\*\*4,x)

[Out] Timed out

### 3.184 $\int x^2(a + bx) \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=661

$$\frac{(4ac + 3b)\text{Li}_3(1 - cx)}{6c^4} - \frac{(4ac + 3b)\text{Li}_2(cx) \log(1 - cx)}{12c^4} - \frac{(4ac + 3b)\text{Li}_2(1 - cx) \log(1 - cx)}{6c^4} - \frac{(4ac + 3b) \log(cx) \log(1 - cx)}{12c^4}$$

[Out]  $3/256*b*x^4-1/16*b*x^2*\ln(-c*x+1)/c^2-1/9*a*x^2*\ln(-c*x+1)/c-1/48*(4*a*c+3*b)*x^2*\ln(-c*x+1)/c^2-1/24*b*x^3*\ln(-c*x+1)/c-1/108*(4*a*c+3*b)*x^3*\ln(-c*x+1)/c+1/8*b*(-c*x+1)*\ln(-c*x+1)/c^4+2/9*a*(-c*x+1)*\ln(-c*x+1)/c^3+1/12*(4*a*c+3*b)*(-c*x+1)*\ln(-c*x+1)/c^4-1/12*(4*a*c+3*b)*\ln(c*x)*\ln(-c*x+1)^2/c^4-1/12*(4*a*c+3*b)*\ln(-c*x+1)*\text{polylog}(2,c*x)/c^4-1/6*(4*a*c+3*b)*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/c^4-1/12*(4*a*c+3*b)*x*\text{polylog}(2,c*x)/c^3-1/24*(4*a*c+3*b)*x^2*\text{polylog}(2,c*x)/c^2-1/36*(4*a*c+3*b)*x^3*\text{polylog}(2,c*x)/c+29/192*b*\ln(-c*x+1)/c^4+5/27*a*\ln(-c*x+1)/c^3+13/432*(4*a*c+3*b)*\ln(-c*x+1)/c^4-2/27*a*x^3*\ln(-c*x+1)-3/64*b*x^4*\ln(-c*x+1)-1/16*b*\ln(-c*x+1)^2/c^4-1/9*a*\ln(-c*x+1)^2/c^3+1/9*a*x^3*\ln(-c*x+1)^2+1/16*b*x^4*\ln(-c*x+1)^2+1/12*(3*b*x^4+4*a*x^3)*\ln(-c*x+1)*\text{polylog}(2,c*x)+53/192*b*x/c^3+11/27*a*x/c^2+49/432*(4*a*c+3*b)*x/c^3+29/384*b*x^2/c^2+5/54*a*x^2/c+13/864*(4*a*c+3*b)*x^2/c^2+17/576*b*x^3/c+1/324*(4*a*c+3*b)*x^3/c-1/16*b*x^4*\text{polylog}(2,c*x)+1/6*(4*a*c+3*b)*\text{polylog}(3,-c*x+1)/c^4+2/81*a*x^3$

**Rubi [A]** time = 0.98, antiderivative size = 661, normalized size of antiderivative = 1.00, number of steps used = 52, number of rules used = 17, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.810$ , Rules used = {6742, 6591, 2395, 43, 6604, 2398, 2410, 2389, 2295, 2390, 2301, 6586, 6596, 2396, 2433, 2374, 6589}

$$-\frac{x^2(4ac + 3b)\text{PolyLog}(2, cx)}{24c^2} - \frac{x(4ac + 3b)\text{PolyLog}(2, cx)}{12c^3} + \frac{(4ac + 3b)\text{PolyLog}(3, 1 - cx)}{6c^4} - \frac{(4ac + 3b) \log(1 - cx)}{12c^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(a + b*x)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x], x]$

[Out]  $(53*b*x)/(192*c^3) + (11*a*x)/(27*c^2) + (49*(3*b + 4*a*c)*x)/(432*c^3) + (29*b*x^2)/(384*c^2) + (5*a*x^2)/(54*c) + (13*(3*b + 4*a*c)*x^2)/(864*c^2) + (2*a*x^3)/81 + (17*b*x^3)/(576*c) + ((3*b + 4*a*c)*x^3)/(324*c) + (3*b*x^4)/256 + (29*b*\text{Log}[1 - c*x])/(192*c^4) + (5*a*\text{Log}[1 - c*x])/(27*c^3) + (13*(3*b + 4*a*c)*\text{Log}[1 - c*x])/(432*c^4) - (b*x^2*\text{Log}[1 - c*x])/(16*c^2) - (a*x^2*\text{Log}[1 - c*x])/(9*c) - ((3*b + 4*a*c)*x^2*\text{Log}[1 - c*x])/(48*c^2) - (2*a*x^3*\text{Log}[1 - c*x])/27 - (b*x^3*\text{Log}[1 - c*x])/(24*c) - ((3*b + 4*a*c)*x^3*\text{Log}[1 - c*x])/(108*c) - (3*b*x^4*\text{Log}[1 - c*x])/64 + (b*(1 - c*x)*\text{Log}[1 - c*x])/(8*c^4) + (2*a*(1 - c*x)*\text{Log}[1 - c*x])/(9*c^3) + ((3*b + 4*a*c)*(1 - c*x)*\text{Log}[1 - c*x])/(12*c^4) - (b*\text{Log}[1 - c*x]^2)/(16*c^4) - (a*\text{Log}[1 - c*x]^2)/(9*c^3) + (a*x^3*\text{Log}[1 - c*x]^2)/9 + (b*x^4*\text{Log}[1 - c*x]^2)/16 - ((3*b + 4*a*c)$

$c) \cdot \text{Log}[c*x] \cdot \text{Log}[1 - c*x]^2 / (12*c^4) - ((3*b + 4*a*c)*x \cdot \text{PolyLog}[2, c*x]) / (12*c^3) - ((3*b + 4*a*c)*x^2 \cdot \text{PolyLog}[2, c*x]) / (24*c^2) - ((3*b + 4*a*c)*x^3 \cdot \text{PolyLog}[2, c*x]) / (36*c) - (b*x^4 \cdot \text{PolyLog}[2, c*x]) / 16 - ((3*b + 4*a*c) \cdot \text{Log}[1 - c*x] \cdot \text{PolyLog}[2, c*x]) / (12*c^4) + ((4*a*x^3 + 3*b*x^4) \cdot \text{Log}[1 - c*x] \cdot \text{PolyLog}[2, c*x]) / 12 - ((3*b + 4*a*c) \cdot \text{Log}[1 - c*x] \cdot \text{PolyLog}[2, 1 - c*x]) / (6*c^4) + ((3*b + 4*a*c) \cdot \text{PolyLog}[3, 1 - c*x]) / (6*c^4)$

### Rule 43

$\text{Int}[(a_.) + (b_.)(x_)^{(m_.)}((c_.) + (d_.)(x_)^{(n_.)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0] \ || \ \text{GtQ}[m + n + 2, 0])$

### Rule 2295

$\text{Int}[\text{Log}[(c_.)(x_)^{(n_.)}], x\_Symbol] \rightarrow \text{Simp}[x \cdot \text{Log}[c*x^n], x] - \text{Simp}[n*x, x] /; \text{FreeQ}\{c, n\}, x]$

### Rule 2301

$\text{Int}[(a_.) + \text{Log}[(c_.)(x_)^{(n_.)}] \cdot (b_.)] / (x_), x\_Symbol] \rightarrow \text{Simp}[(a + b \cdot \text{Log}[c*x^n])^2 / (2*b*n), x] /; \text{FreeQ}\{a, b, c, n\}, x]$

### Rule 2374

$\text{Int}[(\text{Log}[(d_.)(e_.) + (f_.)(x_)^{(m_.)}]) \cdot ((a_.) + \text{Log}[(c_.)(x_)^{(n_.)}] \cdot (b_.))^{(p_.)} / (x_), x\_Symbol] \rightarrow -\text{Simp}[(\text{PolyLog}[2, -(d*f*x^m)] \cdot (a + b \cdot \text{Log}[c*x^n])^p) / m, x] + \text{Dist}[(b*n*p) / m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)] \cdot (a + b \cdot \text{Log}[c*x^n])^{(p-1)}) / x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[d*e, 1]$

### Rule 2389

$\text{Int}[(a_.) + \text{Log}[(c_.)(d_.) + (e_.)(x_)^{(n_.)}] \cdot (b_.)]^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b \cdot \text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x]$

### Rule 2390

$\text{Int}[(a_.) + \text{Log}[(c_.)(d_.) + (e_.)(x_)^{(n_.)}] \cdot (b_.)]^{(p_.)} \cdot ((f_.) + (g_.)(x_)^{(q_.)}), x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(f*x)/d]^q \cdot (a + b \cdot \text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, p, q\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0]$

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[(f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegerQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Symbol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_))^(p_.)]^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1),
Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x]
&& NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6604

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> With[{u = IntHide[Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n]*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], u/(a + b*x), x], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], u/(d + e*x), x], x], x])] /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
&& PolyQ[Px, x]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned}
\int x^2(a + bx) \log(1 - cx) \text{Li}_2(cx) dx &= \frac{1}{12} (4ax^3 + 3bx^4) \log(1 - cx) \text{Li}_2(cx) + c \int \left( \frac{(-3b - 4ac) \text{Li}_2(cx)}{12c^4} - \frac{(3b + 4ac)}{12c^3} \right) dx \\
&= \frac{1}{12} (4ax^3 + 3bx^4) \log(1 - cx) \text{Li}_2(cx) + \frac{1}{3} a \int x^2 \log^2(1 - cx) dx + \frac{1}{4} b \int x^3 \log^2(1 - cx) dx \\
&= \frac{1}{9} ax^3 \log^2(1 - cx) + \frac{1}{16} bx^4 \log^2(1 - cx) - \frac{(3b + 4ac)x \text{Li}_2(cx)}{12c^3} - \frac{(3b + 4ac)}{24c^2} \log(1 - cx) \\
&= -\frac{(3b + 4ac)x^2 \log(1 - cx)}{48c^2} - \frac{(3b + 4ac)x^3 \log(1 - cx)}{108c} - \frac{1}{64} bx^4 \log(1 - cx) \\
&= \frac{(3b + 4ac)x}{12c^3} - \frac{(3b + 4ac)x^2 \log(1 - cx)}{48c^2} - \frac{(3b + 4ac)x^3 \log(1 - cx)}{108c} - \frac{1}{64} bx^4 \\
&= \frac{bx}{64c^3} + \frac{49(3b + 4ac)x}{432c^3} + \frac{bx^2}{128c^2} + \frac{13(3b + 4ac)x^2}{864c^2} + \frac{bx^3}{192c} + \frac{(3b + 4ac)x^3}{324c} \\
&= \frac{9bx}{64c^3} + \frac{2ax}{9c^2} + \frac{49(3b + 4ac)x}{432c^3} + \frac{bx^2}{128c^2} + \frac{13(3b + 4ac)x^2}{864c^2} + \frac{bx^3}{192c} + \frac{(3b + 4ac)x^3}{324c} \\
&= \frac{53bx}{192c^3} + \frac{11ax}{27c^2} + \frac{49(3b + 4ac)x}{432c^3} + \frac{29bx^2}{384c^2} + \frac{5ax^2}{54c} + \frac{13(3b + 4ac)x^2}{864c^2} + \frac{2ax}{81c}
\end{aligned}$$

**Mathematica [A]** time = 0.71, size = 425, normalized size = 0.64

$$48\text{Li}_2(cx) (12 \log(1 - cx) (4ac (c^3 x^3 - 1) + 3b (c^4 x^4 - 1)) - cx (8ac (2c^2 x^2 + 3cx + 6) + 3b (3c^3 x^3 + 4c^2 x^2 + 6cx)))$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out] (4260\*b\*c\*x + 5952\*a\*c^2\*x + 834\*b\*c^2\*x^2 + 1056\*a\*c^3\*x^2 + 268\*b\*c^3\*x^3 + 256\*a\*c^4\*x^3 + 81\*b\*c^4\*x^4 + 4260\*b\*Log[1 - c\*x] + 5952\*a\*c\*Log[1 - c\*x] - 2592\*b\*c\*x\*Log[1 - c\*x] - 3840\*a\*c^2\*x\*Log[1 - c\*x] - 864\*b\*c^2\*x^2\*Log[1 - c\*x] - 1344\*a\*c^3\*x^2\*Log[1 - c\*x] - 480\*b\*c^3\*x^3\*Log[1 - c\*x] - 768\*a\*c^4\*x^3\*Log[1 - c\*x] - 324\*b\*c^4\*x^4\*Log[1 - c\*x] - 432\*b\*Log[1 - c\*x]^2 - 768\*a\*c\*Log[1 - c\*x]^2 + 768\*a\*c^4\*x^3\*Log[1 - c\*x]^2 + 432\*b\*c^4\*x^4\*Log[1 - c\*x]^2 - 1728\*b\*Log[c\*x]\*Log[1 - c\*x]^2 - 2304\*a\*c\*Log[c\*x]\*Log[1 - c\*x]^2 + 48\*(-(c\*x\*(8\*a\*c\*(6 + 3\*c\*x + 2\*c^2\*x^2) + 3\*b\*(12 + 6\*c\*x + 4\*c^2\*x^2 + 3\*c^3\*x^3))) + 12\*(4\*a\*c\*(-1 + c^3\*x^3) + 3\*b\*(-1 + c^4\*x^4))\*Log[1 -

$c*x])*\text{PolyLog}[2, c*x] - 1152*(3*b + 4*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x] + 3456*b*\text{PolyLog}[3, 1 - c*x] + 4608*a*c*\text{PolyLog}[3, 1 - c*x])/(6912*c^4)$

**fricas** [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bx^3 + ax^2\right)\text{Li}_2(cx)\log(-cx + 1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x+a)*log(-c*x+1)*polylog(2,c*x),x, algorithm="fricas")`

[Out] `integral((b*x^3 + a*x^2)*dilog(c*x)*log(-c*x + 1), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + a)x^2\text{Li}_2(cx)\log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x+a)*log(-c*x+1)*polylog(2,c*x),x, algorithm="giac")`

[Out] `integrate((b*x + a)*x^2*dilog(c*x)*log(-c*x + 1), x)`

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x^2 (bx + a) \ln(-cx + 1) \text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x+a)*ln(-c*x+1)*polylog(2,c*x),x)`

[Out] `int(x^2*(b*x+a)*ln(-c*x+1)*polylog(2,c*x),x)`

**maxima** [A] time = 0.34, size = 415, normalized size = 0.63

$$-\frac{1}{6912} c \left( \frac{576 (\log(cx) \log(-cx + 1))^2 + 2 \text{Li}_2(-cx + 1) \log(-cx + 1) - 2 \text{Li}_3(-cx + 1)}{c^5} (4ac + 3b) - \frac{81 bc^4 x^4 + 4}{c^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x+a)*log(-c*x+1)*polylog(2,c*x),x, algorithm="maxima")`

[Out] `-1/6912*c*(576*(log(c*x)*log(-c*x + 1)^2 + 2*dilog(-c*x + 1)*log(-c*x + 1) - 2*polylog(3, -c*x + 1))*(4*a*c + 3*b)/c^5 - (81*b*c^4*x^4 + 4*(64*a*c^4 + 67*b*c^3)*x^3 + 6*(176*a*c^3 + 139*b*c^2)*x^2 + 12*(496*a*c^2 + 355*b*c)*x - 48*(9*b*c^4*x^4 + 4*(4*a*c^4 + 3*b*c^3)*x^3 + 6*(4*a*c^3 + 3*b*c^2)*x^2`



```
+ 12*(4*a*c^2 + 3*b*c)*x + 12*(4*a*c + 3*b)*log(-c*x + 1))*dilog(c*x) - 4*(
54*b*c^4*x^4 + 4*(32*a*c^4 + 21*b*c^3)*x^3 + 6*(40*a*c^3 + 27*b*c^2)*x^2 -
1488*a*c + 12*(64*a*c^2 + 45*b*c)*x - 1065*b)*log(-c*x + 1))/c^5) + 1/1728*
(32*(18*c^3*x^3*dilog(c*x) - 2*c^3*x^3 - 3*c^2*x^2 - 6*c*x + 6*(c^3*x^3 - 1
)*log(-c*x + 1))*a/c^3 + 9*(48*c^4*x^4*dilog(c*x) - 3*c^4*x^4 - 4*c^3*x^3 -
6*c^2*x^2 - 12*c*x + 12*(c^4*x^4 - 1)*log(-c*x + 1))*b/c^4)*log(-c*x + 1)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \ln(1 - cx) \operatorname{polylog}(2, cx) (a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*log(1 - c*x)*polylog(2, c*x)*(a + b*x),x)
```

```
[Out] int(x^2*log(1 - c*x)*polylog(2, c*x)*(a + b*x), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(b*x+a)*ln(-c*x+1)*polylog(2,c*x),x)
```

```
[Out] Timed out
```

### 3.185 $\int x(a + bx) \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=546

$$\frac{(3ac + 2b)\text{Li}_3(1 - cx)}{3c^3} - \frac{(3ac + 2b)\text{Li}_2(cx) \log(1 - cx)}{6c^3} - \frac{(3ac + 2b)\text{Li}_2(1 - cx) \log(1 - cx)}{3c^3} - \frac{(3ac + 2b) \log(cx) \log^2(1 - cx)}{6c^3}$$

[Out]  $-1/9*b*x^2*\ln(-c*x+1)/c-1/24*(3*a*c+2*b)*x^2*\ln(-c*x+1)/c+2/9*b*(-c*x+1)*\ln(-c*x+1)/c^3+1/6*(3*a*c+2*b)*(-c*x+1)*\ln(-c*x+1)/c^3-1/4*a*(-c*x+1)^2*\ln(-c*x+1)/c^2-1/2*a*(-c*x+1)*\ln(-c*x+1)^2/c^2+1/4*a*(-c*x+1)^2*\ln(-c*x+1)^2/c^2-1/6*(3*a*c+2*b)*\ln(c*x)*\ln(-c*x+1)^2/c^3-1/6*(3*a*c+2*b)*\ln(-c*x+1)*\text{polylog}(2, c*x)/c^3-1/3*(3*a*c+2*b)*\ln(-c*x+1)*\text{polylog}(2, -c*x+1)/c^3+a*(-c*x+1)*\ln(-c*x+1)/c^2-1/6*(3*a*c+2*b)*x*\text{polylog}(2, c*x)/c^2-1/12*(3*a*c+2*b)*x^2*\text{polylog}(2, c*x)/c+a*x/c+1/27*b*x^3+2/9*b*\ln(-c*x+1)/c^3+1/24*(3*a*c+2*b)*\ln(-c*x+1)/c^3-1/9*b*x^3*\ln(-c*x+1)-1/9*b*\ln(-c*x+1)^2/c^3+1/9*b*x^3*\ln(-c*x+1)^2+1/6*(2*b*x^3+3*a*x^2)*\ln(-c*x+1)*\text{polylog}(2, c*x)+4/9*b*x/c^2+5/24*(3*a*c+2*b)*x/c^2+1/9*b*x^2/c+1/48*(3*a*c+2*b)*x^2/c+1/8*a*(-c*x+1)^2/c^2-1/9*b*x^3*\text{polylog}(2, c*x)+1/3*(3*a*c+2*b)*\text{polylog}(3, -c*x+1)/c^3$

**Rubi [A]** time = 0.72, antiderivative size = 546, normalized size of antiderivative = 1.00, number of steps used = 40, number of rules used = 21, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.105$ , Rules used = {6742, 6591, 2395, 43, 6604, 2401, 2389, 2296, 2295, 2390, 2305, 2304, 2398, 2410, 2301, 6586, 6596, 2396, 2433, 2374, 6589}

$$-\frac{x(3ac + 2b)\text{PolyLog}(2, cx)}{6c^2} + \frac{(3ac + 2b)\text{PolyLog}(3, 1 - cx)}{3c^3} - \frac{(3ac + 2b) \log(1 - cx)\text{PolyLog}(2, cx)}{6c^3} - \frac{(3ac + 2b) \log^2(1 - cx)}{6c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(a + b*x)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x], x]$

[Out]  $(4*b*x)/(9*c^2) + (a*x)/c + (5*(2*b + 3*a*c)*x)/(24*c^2) + (b*x^2)/(9*c) + ((2*b + 3*a*c)*x^2)/(48*c) + (b*x^3)/27 + (a*(1 - c*x)^2)/(8*c^2) + (2*b*\text{Log}[1 - c*x])/(9*c^3) + ((2*b + 3*a*c)*\text{Log}[1 - c*x])/(24*c^3) - (b*x^2*\text{Log}[1 - c*x])/(9*c) - ((2*b + 3*a*c)*x^2*\text{Log}[1 - c*x])/(24*c) - (b*x^3*\text{Log}[1 - c*x])/9 + (2*b*(1 - c*x)*\text{Log}[1 - c*x])/(9*c^3) + (a*(1 - c*x)*\text{Log}[1 - c*x])/c^2 + ((2*b + 3*a*c)*(1 - c*x)*\text{Log}[1 - c*x])/(6*c^3) - (a*(1 - c*x)^2*\text{Log}[1 - c*x])/(4*c^2) - (b*\text{Log}[1 - c*x]^2)/(9*c^3) + (b*x^3*\text{Log}[1 - c*x]^2)/9 - (a*(1 - c*x)*\text{Log}[1 - c*x]^2)/(2*c^2) + (a*(1 - c*x)^2*\text{Log}[1 - c*x]^2)/(4*c^2) - ((2*b + 3*a*c)*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(6*c^3) - ((2*b + 3*a*c)*x*\text{PolyLog}[2, c*x])/(6*c^2) - ((2*b + 3*a*c)*x^2*\text{PolyLog}[2, c*x])/(12*c) - (b*x^3*\text{PolyLog}[2, c*x])/9 - ((2*b + 3*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(6*c^3) + ((3*a*x^2 + 2*b*x^3)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/6 - ((2*b + 3*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/(3*c^3) + ((2*b + 3*a*c)*\text{PolyLog}[3, 1 - c*x])/(3*c^3)$

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

Rule 2296

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Simp[x\*(a + b\*Log[c\*x^n])^p, x] - Dist[b\*n\*p, Int[(a + b\*Log[c\*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]

Rule 2301

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

Rule 2304

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n])/(d\*(m + 1)), x] - Simp[(b\*n\*(d\*x)^(m + 1))/(d\*(m + 1)^2), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 2305

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n])^p/(d\*(m + 1)), x] - Dist[(b\*n\*p)/(m + 1), Int[(d\*x)^m\*(a + b\*Log[c\*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]

Rule 2374

Int[(Log[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a
, b, c, d, e, n, p}, x]
```

### Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_) + (g_.
)*(x_))^(q_.), x_Symbol] :> Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x^
n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
))^ (q_.), x_Symbol] :> Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)/((f_.) + (g_.
)*(x_)), x_Symbol] :> Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

### Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)*((f_.) + (g_.
)*(x_))^(q_.), x_Symbol] :> Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^
n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && Int
egersQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

### Rule 2401

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)*((f_.) + (g_.
)*(x_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(f + g*x)^q*(a + b*Log[c*(d
+ e*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f -
d*g, 0] && IGtQ[q, 0]
```

### Rule 2410

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(x\_)^(m\_.))/((f\_) + (g\_.)\*(x\_)), x\_Symbol] := Int[ExpandIntegrand[Log[c\*(d + e\*x)], x^m/(f + g\*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e\*f - d\*g, 0] && EqQ[c\*d, 1] && IntegerQ[m]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]^(n\_.))\*((b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))]^(m\_.))\*((g\_.))\*((k\_.) + (l\_.)\*(x\_))^(r\_.), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m)], x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] := Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)]/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6604

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))]^(n\_.))\*((h\_.))\*(Px\_)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] := With[{u = IntHide[Px, x]}, Simp[u\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], u/(a + b\*x), x], x] - Dist[e\*h\*n, Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], u/(d +

```
e*x), x], x], x]]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x]
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
```

### Rubi steps

$$\begin{aligned}
 \int x(a + bx) \log(1 - cx) \text{Li}_2(cx) dx &= \frac{1}{6} (3ax^2 + 2bx^3) \log(1 - cx) \text{Li}_2(cx) + c \int \left( \frac{(-2b - 3ac) \text{Li}_2(cx)}{6c^3} - \frac{(2b + 3ac)}{6c^2} \right) dx \\
 &= \frac{1}{6} (3ax^2 + 2bx^3) \log(1 - cx) \text{Li}_2(cx) + \frac{1}{2} a \int x \log^2(1 - cx) dx + \frac{1}{3} b \int x^2 \log^2(1 - cx) dx \\
 &= \frac{1}{9} bx^3 \log^2(1 - cx) - \frac{(2b + 3ac)x \text{Li}_2(cx)}{6c^2} - \frac{(2b + 3ac)x^2 \text{Li}_2(cx)}{12c} - \frac{1}{9} bx^3 \text{Li}_2(cx) \\
 &= -\frac{(2b + 3ac)x^2 \log(1 - cx)}{24c} - \frac{1}{27} bx^3 \log(1 - cx) + \frac{1}{9} bx^3 \log^2(1 - cx) - \frac{(2b + 3ac)}{6c^2} x \\
 &= \frac{(2b + 3ac)x}{6c^2} - \frac{(2b + 3ac)x^2 \log(1 - cx)}{24c} - \frac{1}{27} bx^3 \log(1 - cx) + \frac{(2b + 3ac)(1 - cx)}{6c^2} \\
 &= \frac{bx}{27c^2} + \frac{5(2b + 3ac)x}{24c^2} + \frac{bx^2}{54c} + \frac{(2b + 3ac)x^2}{48c} + \frac{bx^3}{81} + \frac{b \log(1 - cx)}{27c^3} + \frac{(2b + 3ac)}{6c^2} \\
 &= \frac{7bx}{27c^2} + \frac{ax}{c} + \frac{5(2b + 3ac)x}{24c^2} + \frac{bx^2}{54c} + \frac{(2b + 3ac)x^2}{48c} + \frac{bx^3}{81} + \frac{a(1 - cx)^2}{8c^2} + \frac{b \log(1 - cx)}{27c^3} \\
 &= \frac{4bx}{9c^2} + \frac{ax}{c} + \frac{5(2b + 3ac)x}{24c^2} + \frac{bx^2}{9c} + \frac{(2b + 3ac)x^2}{48c} + \frac{bx^3}{27} + \frac{a(1 - cx)^2}{8c^2} + \frac{2b \log(1 - cx)}{27c^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.57, size = 362, normalized size = 0.66

$$\frac{12 \text{Li}_2(cx) \left( 6 \log(1 - cx) \left( 3ac(c^2x^2 - 1) + 2b(c^3x^3 - 1) \right) - cx \left( 9ac(cx + 2) + 2b(2c^2x^2 + 3cx + 6) \right) \right) - 144(3ac + 2b)}{27c^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(a + b*x)*Log[1 - c*x]*PolyLog[2, c*x], x]
```

```
[Out] (-378*a*c + 372*b*c*x + 594*a*c^2*x + 66*b*c^2*x^2 + 81*a*c^3*x^2 + 16*b*c^3*x^3 + 372*b*Log[1 - c*x] + 594*a*c*Log[1 - c*x] - 240*b*c*x*Log[1 - c*x] - 432*a*c^2*x*Log[1 - c*x] - 84*b*c^2*x^2*Log[1 - c*x] - 162*a*c^3*x^2*Log[1 - c*x] - 48*b*c^3*x^3*Log[1 - c*x] - 48*b*Log[1 - c*x]^2 - 108*a*c*Log[1 - c*x]^2 + 108*a*c^3*x^2*Log[1 - c*x]^2 + 48*b*c^3*x^3*Log[1 - c*x]^2 - 144*b*Log[c*x]*Log[1 - c*x]^2 - 216*a*c*Log[c*x]*Log[1 - c*x]^2 + 12*(-(c*x*(9*a*c*(2 + c*x) + 2*b*(6 + 3*c*x + 2*c^2*x^2))) + 6*(3*a*c*(-1 + c^2*x^2) + 2*b*(-1 + c^3*x^3))*Log[1 - c*x])*PolyLog[2, c*x] - 144*(2*b + 3*a*c)*Log[1 - c*x]*PolyLog[2, 1 - c*x] + 288*b*PolyLog[3, 1 - c*x] + 432*a*c*PolyLog[3, 1 - c*x])/(432*c^3)
```

**fricas** [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}((bx^2 + ax)\text{Li}_2(cx)\log(-cx + 1), x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)*log(-c*x+1)*polylog(2,c*x),x, algorithm="fricas")
```

```
[Out] integral((b*x^2 + a*x)*dilog(c*x)*log(-c*x + 1), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + a)x\text{Li}_2(cx)\log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)*log(-c*x+1)*polylog(2,c*x),x, algorithm="giac")
```

```
[Out] integrate((b*x + a)*x*dilog(c*x)*log(-c*x + 1), x)
```

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x(bx + a)\ln(-cx + 1)\text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(b*x+a)*ln(-c*x+1)*polylog(2,c*x),x)
```

```
[Out] int(x*(b*x+a)*ln(-c*x+1)*polylog(2,c*x),x)
```

**maxima** [A] time = 0.33, size = 345, normalized size = 0.63

$$-\frac{1}{432}c \left( \frac{72(\log(cx)\log(-cx+1))^2 + 2\text{Li}_2(-cx+1)\log(-cx+1) - 2\text{Li}_3(-cx+1)}{c^4} \right) (3ac + 2b) - \frac{16bc^3x^3 + 3}{c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="maxima")

[Out] 
$$-1/432*c*(72*(\log(c*x)*\log(-c*x + 1)^2 + 2*\operatorname{dilog}(-c*x + 1)*\log(-c*x + 1) - 2*\operatorname{polylog}(3, -c*x + 1))*(3*a*c + 2*b)/c^4 - (16*b*c^3*x^3 + 3*(27*a*c^3 + 2*2*b*c^2)*x^2 + 6*(99*a*c^2 + 62*b*c)*x - 12*(4*b*c^3*x^3 + 3*(3*a*c^3 + 2*b*c^2)*x^2 + 6*(3*a*c^2 + 2*b*c)*x + 6*(3*a*c + 2*b)*\log(-c*x + 1))*\operatorname{dilog}(c*x) - 2*(16*b*c^3*x^3 + 6*(9*a*c^3 + 5*b*c^2)*x^2 - 297*a*c + 6*(27*a*c^2 + 16*b*c)*x - 186*b)*\log(-c*x + 1))/c^4 + 1/216*(27*(4*c^2*x^2*\operatorname{dilog}(c*x) - c^2*x^2 - 2*c*x + 2*(c^2*x^2 - 1)*\log(-c*x + 1))*a/c^2 + 4*(18*c^3*x^3*\operatorname{dilog}(c*x) - 2*c^3*x^3 - 3*c^2*x^2 - 6*c*x + 6*(c^3*x^3 - 1)*\log(-c*x + 1))*b/c^3)*\log(-c*x + 1)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \ln(1 - cx) \operatorname{polylog}(2, cx) (a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x),x)

[Out] int(x\*log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (a + bx) \log(-cx + 1) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x),x)

[Out] Integral(x\*(a + b\*x)\*log(-c\*x + 1)\*polylog(2, c\*x), x)



### 3.186 $\int (a + bx) \log(1 - cx) \text{Li}_2(cx) dx$

**Optimal.** Leaf size=390

$$\frac{(2ac + b)\text{Li}_3(1 - cx)}{c^2} - \frac{(2ac + b)\text{Li}_2(cx) \log(1 - cx)}{2c^2} - \frac{(2ac + b)\text{Li}_2(1 - cx) \log(1 - cx)}{c^2} - \frac{(2ac + b) \log(cx) \log^2(1 - cx)}{2c^2}$$

[Out]  $2ax + 9/8bx/c + 1/2(2ac + b)x/c + 1/16bx^2 + 1/8b(-cx + 1)^2/c^2 + 1/8b \ln(-cx + 1)/c^2 - 1/8bx^2 \ln(-cx + 1) + b(-cx + 1) \ln(-cx + 1)/c^2 + 2a(-cx + 1) \ln(-cx + 1)/c + 1/2(2ac + b)(-cx + 1) \ln(-cx + 1)/c^2 - 1/4b(-cx + 1)^2 \ln(-cx + 1)/c^2 - 1/2b(-cx + 1) \ln(-cx + 1)^2/c^2 - a(-cx + 1) \ln(-cx + 1)^2/c + 1/4b(-cx + 1)^2 \ln(-cx + 1)^2/c^2 - 1/2(2ac + b) \ln(cx) \ln(-cx + 1)^2/c^2 - 1/2(2ac + b) x \text{polylog}(2, cx)/c - 1/4bx^2 \text{polylog}(2, cx) - 1/2(2ac + b) \ln(-cx + 1) \text{polylog}(2, cx)/c^2 + 1/2(bx^2 + 2ax) \ln(-cx + 1) \text{polylog}(2, cx) - (2ac + b) \ln(-cx + 1) \text{polylog}(2, -cx + 1)/c^2 + (2ac + b) \text{polylog}(3, -cx + 1)/c^2$

**Rubi [A]** time = 0.45, antiderivative size = 390, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 20, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.111$ , Rules used = {6598, 43, 2416, 2389, 2295, 2391, 2395, 6604, 2296, 2401, 2390, 2305, 2304, 6586, 6591, 6596, 2396, 2433, 2374, 6589}

$$\frac{(2ac + b)\text{PolyLog}(3, 1 - cx)}{c^2} - \frac{(2ac + b) \log(1 - cx) \text{PolyLog}(2, cx)}{2c^2} - \frac{(2ac + b) \log(1 - cx) \text{PolyLog}(2, 1 - cx)}{c^2} + \frac{1}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $2ax + (9bx)/(8c) + ((b + 2ac)x)/(2c) + (bx^2)/16 + (b(1 - cx)^2)/(8c^2) + (b \text{Log}[1 - cx])/(8c^2) - (bx^2 \text{Log}[1 - cx])/8 + (b(1 - cx) \text{Log}[1 - cx])/c^2 + (2a(1 - cx) \text{Log}[1 - cx])/c + ((b + 2ac)(1 - cx) \text{Log}[1 - cx])/(2c^2) - (b(1 - cx)^2 \text{Log}[1 - cx])/(4c^2) - (b(1 - cx) \text{Log}[1 - cx]^2)/(2c^2) - (a(1 - cx) \text{Log}[1 - cx]^2)/c + (b(1 - cx)^2 \text{Log}[1 - cx]^2)/(4c^2) - ((b + 2ac) \text{Log}[cx] \text{Log}[1 - cx]^2)/(2c^2) - ((b + 2ac)x \text{PolyLog}[2, cx])/(2c) - (bx^2 \text{PolyLog}[2, cx])/4 - ((b + 2ac) \text{Log}[1 - cx] \text{PolyLog}[2, cx])/(2c^2) + ((2ax + bx^2) \text{Log}[1 - cx] \text{PolyLog}[2, cx])/2 - ((b + 2ac) \text{Log}[1 - cx] \text{PolyLog}[2, 1 - cx])/c^2 + ((b + 2ac) \text{PolyLog}[3, 1 - cx])/c^2$

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

Rule 2296

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Simp[x\*(a + b\*Log[c\*x^n])^p, x] - Dist[b\*n\*p, Int[(a + b\*Log[c\*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]

Rule 2304

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((d\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n]))/(d\*(m + 1)), x] - Simp[(b\*n\*(d\*x)^(m + 1))/(d\*(m + 1)^2), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 2305

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((d\_.)\*(x\_)^(m\_.)), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n])^p)/(d\*(m + 1)), x] - Dist[(b\*n\*p)/(m + 1), Int[(d\*x)^m\*(a + b\*Log[c\*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

Rule 2401

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Int[ExpandIntegrand[(f + g\*x)^q\*(a + b\*Log[c\*(d + e\*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[q, 0]

Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)\*((h\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(r\_))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_)^(m\_.))]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_)^(r\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)]/(e*(m + 1)), x] + Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

### Rule 6604

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{u = IntHide[Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], u/(a + b*x), x], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], u/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + bx) \log(1 - cx) \operatorname{Li}_2(cx) dx &= \frac{1}{2} (2ax + bx^2) \log(1 - cx) \operatorname{Li}_2(cx) + c \int \left( \frac{(-b - 2ac) \operatorname{Li}_2(cx)}{2c^2} - \frac{bx \operatorname{Li}_2(cx)}{2c} + \frac{(-b - 2ac)}{2c} \right) dx \\
&= \frac{1}{2} (2ax + bx^2) \log(1 - cx) \operatorname{Li}_2(cx) + a \int \log^2(1 - cx) dx + \frac{1}{2} b \int x \log^2(1 - cx) dx \\
&= -\frac{(b + 2ac)x \operatorname{Li}_2(cx)}{2c} - \frac{1}{4} bx^2 \operatorname{Li}_2(cx) - \frac{(b + 2ac) \log(1 - cx) \operatorname{Li}_2(cx)}{2c^2} + \frac{1}{2} (2ax - bx^2) \log(1 - cx) \\
&= -\frac{1}{8} bx^2 \log(1 - cx) - \frac{a(1 - cx) \log^2(1 - cx)}{c} - \frac{(b + 2ac) \log(cx) \log^2(1 - cx)}{2c^2} \\
&= 2ax + \frac{(b + 2ac)x}{2c} - \frac{1}{8} bx^2 \log(1 - cx) + \frac{2a(1 - cx) \log(1 - cx)}{c} + \frac{(b + 2ac)(1 - cx)}{2c} \\
&= 2ax + \frac{bx}{8c} + \frac{(b + 2ac)x}{2c} + \frac{bx^2}{16} + \frac{b \log(1 - cx)}{8c^2} - \frac{1}{8} bx^2 \log(1 - cx) + \frac{2a(1 - cx)}{c} \\
&= 2ax + \frac{9bx}{8c} + \frac{(b + 2ac)x}{2c} + \frac{bx^2}{16} + \frac{b(1 - cx)^2}{8c^2} + \frac{b \log(1 - cx)}{8c^2} - \frac{1}{8} bx^2 \log(1 - cx)
\end{aligned}$$

**Mathematica [A]** time = 0.45, size = 285, normalized size = 0.73

---


$$4\operatorname{Li}_2(cx)(2(cx - 1) \log(1 - cx)(2ac + bcx + b) - cx(4ac + bcx + 2b)) - 16(2ac + b)\operatorname{Li}_2(1 - cx) \log(1 - cx) + 48ac$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x], x]

[Out]  $(-14*b - 32*a*c + 22*b*c*x + 48*a*c^2*x + 3*b*c^2*x^2 + 22*b*\operatorname{Log}[1 - c*x] + 48*a*c*\operatorname{Log}[1 - c*x] - 16*b*c*x*\operatorname{Log}[1 - c*x] - 48*a*c^2*x*\operatorname{Log}[1 - c*x] - 6*b*c^2*x^2*\operatorname{Log}[1 - c*x] - 4*b*\operatorname{Log}[1 - c*x]^2 - 16*a*c*\operatorname{Log}[1 - c*x]^2 + 16*a*c^2*x*\operatorname{Log}[1 - c*x]^2 + 4*b*c^2*x^2*\operatorname{Log}[1 - c*x]^2 - 8*b*\operatorname{Log}[c*x]*\operatorname{Log}[1 - c*x]^2 - 16*a*c*\operatorname{Log}[c*x]*\operatorname{Log}[1 - c*x]^2 + 4*(-(c*x*(2*b + 4*a*c + b*c*x)) + 2*(-1 + c*x)*(b + 2*a*c + b*c*x))*\operatorname{Log}[1 - c*x])*PolyLog[2, c*x] - 16*(b + 2*a*c)*\operatorname{Log}[1 - c*x]*PolyLog[2, 1 - c*x] + 16*b*PolyLog[3, 1 - c*x] + 32*a*c*PolyLog[3, 1 - c*x])/(16*c^2)$

**fricas [F]** time = 0.89, size = 0, normalized size = 0.00

$$\operatorname{integral}\left((bx + a)\operatorname{Li}_2(cx) \log(-cx + 1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx + a)\text{Li}_2(cx)\log(-cx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int (bx + a)\ln(-cx + 1)\text{polylog}(2, cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x),x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x),x)

**maxima** [A] time = 0.34, size = 258, normalized size = 0.66

$$-\frac{1}{16}c \left( \frac{8(\log(cx)\log(-cx+1))^2 + 2\text{Li}_2(-cx+1)\log(-cx+1) - 2\text{Li}_3(-cx+1)}{c^3} (2ac+b) - \frac{3bc^2x^2 + 2(24ac^2}{c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x),x, algorithm="maxima")

[Out] -1/16\*c\*(8\*(log(c\*x)\*log(-c\*x + 1)^2 + 2\*dilog(-c\*x + 1)\*log(-c\*x + 1) - 2\*polylog(3, -c\*x + 1))\*(2\*a\*c + b)/c^3 - (3\*b\*c^2\*x^2 + 2\*(24\*a\*c^2 + 11\*b\*c)\*x - 4\*(b\*c^2\*x^2 + 2\*(2\*a\*c^2 + b\*c)\*x + 2\*(2\*a\*c + b)\*log(-c\*x + 1))\*dilog(c\*x) - 2\*(2\*b\*c^2\*x^2 - 24\*a\*c + 2\*(8\*a\*c^2 + 3\*b\*c)\*x - 11\*b)\*log(-c\*x + 1))/c^3 + 1/8\*(8\*(c\*x\*dilog(c\*x) - c\*x + (c\*x - 1)\*log(-c\*x + 1))\*a/c + (4\*c^2\*x^2\*dilog(c\*x) - c^2\*x^2 - 2\*c\*x + 2\*(c^2\*x^2 - 1)\*log(-c\*x + 1))\*b/c^2)\*log(-c\*x + 1)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \ln(1 - cx)\text{polylog}(2, cx)(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(log(1 - c*x)*polylog(2, c*x)*(a + b*x), x)`

[Out] `int(log(1 - c*x)*polylog(2, c*x)*(a + b*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx) \log(-cx + 1) \operatorname{Li}_2(cx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*ln(-c*x+1)*polylog(2, c*x), x)`

[Out] `Integral((a + b*x)*log(-c*x + 1)*polylog(2, c*x), x)`

$$3.187 \quad \int \frac{(a+bx) \log(1-cx) \text{Li}_2(cx)}{x} dx$$

Optimal. Leaf size=153

$$-\frac{1}{2}a\text{Li}_2(cx)^2 - bx\text{Li}_2(cx) + \frac{2b\text{Li}_3(1-cx)}{c} + bx\text{Li}_2(cx) \log(1-cx) - \frac{b\text{Li}_2(cx) \log(1-cx)}{c} - \frac{2b\text{Li}_2(1-cx) \log(1-cx)}{c} - \frac{b^2 \log(1-cx)^2}{c}$$

[Out] 3\*b\*x+3\*b\*(-c\*x+1)\*ln(-c\*x+1)/c-b\*(-c\*x+1)\*ln(-c\*x+1)^2/c-b\*ln(c\*x)\*ln(-c\*x+1)^2/c-b\*x\*polylog(2,c\*x)-b\*ln(-c\*x+1)\*polylog(2,c\*x)/c+b\*x\*ln(-c\*x+1)\*polylog(2,c\*x)-1/2\*a\*polylog(2,c\*x)^2-2\*b\*ln(-c\*x+1)\*polylog(2,-c\*x+1)/c+2\*b\*polylog(3,-c\*x+1)/c

**Rubi [A]** time = 0.34, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 15, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {6742, 6586, 2389, 2295, 6589, 6605, 6601, 12, 6600, 2296, 6688, 6596, 2396, 2433, 2374}

$$-\frac{1}{2}a\text{PolyLog}(2, cx)^2 - bx\text{PolyLog}(2, cx) + \frac{2b\text{PolyLog}(3, 1-cx)}{c} + bx \log(1-cx)\text{PolyLog}(2, cx) - \frac{b \log(1-cx)\text{PolyLog}(2, cx)}{c} - \frac{b^2 \log(1-cx)^2}{c}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x, x]

[Out] 3\*b\*x + (3\*b\*(1 - c\*x)\*Log[1 - c\*x])/c - (b\*(1 - c\*x)\*Log[1 - c\*x]^2)/c - (b\*Log[c\*x]\*Log[1 - c\*x]^2)/c - b\*x\*PolyLog[2, c\*x] - (b\*Log[1 - c\*x]\*PolyLog[2, c\*x])/c + b\*x\*Log[1 - c\*x]\*PolyLog[2, c\*x] - (a\*PolyLog[2, c\*x]^2)/2 - (2\*b\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x])/c + (2\*b\*PolyLog[3, 1 - c\*x])/c

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2295

Int[Log[(c\_.)\*(x\_)^(n\_.)], x\_Symbol] := Simp[x\*Log[c\*x^n], x] - Simp[n\*x, x] /; FreeQ[{c, n}, x]

### Rule 2296

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] := Simp[x\*(a + b\*Log[c\*x^n])^p, x] - Dist[b\*n\*p, Int[(a + b\*Log[c\*x^n])^(p-1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]



Rule 2374

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]
```

Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.), x_Symbol] :> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_)^(m_.))]*(g_.))*((k_.) + (l_.)*(x_)^(r_.)), x_Symbol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLog[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
```

```

:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c*(b*d - a*e) + e, 0]

```

### Rule 6600

```

Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> Simp[x*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x]*ExpandIntegrand[x/(a + b*x), x], x], x] - Dist[e*h*n, Int[PolyLog[2, c*(a + b*x)]*ExpandIntegrand[x/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]

```

### Rule 6601

```

Int[(Log[1 + (e_.)*(x_)]*PolyLog[2, (c_.)*(x_)])/(x_), x_Symbol] :> -Simp[PolyLog[2, c*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]

```

### Rule 6605

```

Int[((g_.) + Log[1 + (e_.)*(x_)]*(h_.))*(Px_)*(x_)^(m_)*PolyLog[2, (c_.)*(x_)], x_Symbol] :> Dist[Coeff[Px, x, -m - 1], Int[(g + h*Log[1 + e*x])*PolyLog[2, c*x])/x, x], x] + Int[x^m*(Px - Coeff[Px, x, -m - 1])*x^(-m - 1)*(g + h*Log[1 + e*x])*PolyLog[2, c*x], x] /; FreeQ[{c, e, g, h}, x] && PolyQ[Px, x] && ILtQ[m, 0] && EqQ[c + e, 0] && NeQ[Coeff[Px, x, -m - 1], 0]

```

### Rule 6688

```

Int[u_, x_Symbol] :> With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifierIntegrandQ[v, u, x]]

```

### Rule 6742

```

Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx) \log(1 - cx) \text{Li}_2(cx)}{x} dx &= a \int \frac{\log(1 - cx) \text{Li}_2(cx)}{x} dx + \int b \log(1 - cx) \text{Li}_2(cx) dx \\
&= -\frac{1}{2} a \text{Li}_2(cx)^2 + b \int \log(1 - cx) \text{Li}_2(cx) dx \\
&= bx \log(1 - cx) \text{Li}_2(cx) - \frac{1}{2} a \text{Li}_2(cx)^2 + b \int \log^2(1 - cx) dx + (bc) \int \left( -\frac{1}{c} - \frac{1}{c} \right) dx \\
&= bx \log(1 - cx) \text{Li}_2(cx) - \frac{1}{2} a \text{Li}_2(cx)^2 - \frac{b \text{Subst}\left(\int \log^2(x) dx, x, 1 - cx\right)}{c} + (bc) \int \left( -\frac{1}{c} - \frac{1}{c} \right) dx \\
&= -\frac{b(1 - cx) \log^2(1 - cx)}{c} + bx \log(1 - cx) \text{Li}_2(cx) - \frac{1}{2} a \text{Li}_2(cx)^2 + \frac{(2b) \text{Subst}\left(\int \log^2(x) dx, x, 1 - cx\right)}{c} \\
&= 2bx + \frac{2b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} + bx \log(1 - cx) \text{Li}_2(cx) \\
&= 2bx + \frac{2b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} - bx \text{Li}_2(cx) - \frac{b \log(1 - cx)}{c} \\
&= 2bx + \frac{2b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} - \frac{b \log(cx) \log^2(1 - cx)}{c} \\
&= 3bx + \frac{3b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} - \frac{b \log(cx) \log^2(1 - cx)}{c} \\
&= 3bx + \frac{3b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} - \frac{b \log(cx) \log^2(1 - cx)}{c} \\
&= 3bx + \frac{3b(1 - cx) \log(1 - cx)}{c} - \frac{b(1 - cx) \log^2(1 - cx)}{c} - \frac{b \log(cx) \log^2(1 - cx)}{c}
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 137, normalized size = 0.90

$$-\frac{1}{2} a \text{Li}_2(cx)^2 + \frac{b \left( 2\text{Li}_3(1 - cx) - 2\text{Li}_2(1 - cx) \log(1 - cx) + 3cx + cx \log^2(1 - cx) - \log(cx) \log^2(1 - cx) - \log^2(1 - cx) \right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x, x]

[Out] (b\*(-(c\*x) + (-1 + c\*x)\*Log[1 - c\*x])\*PolyLog[2, c\*x])/c - (a\*PolyLog[2, c\*x]^2)/2 + (b\*(-2 + 3\*c\*x + 3\*Log[1 - c\*x] - 3\*c\*x\*Log[1 - c\*x] - Log[1 - c\*x]^2 + c\*x\*Log[1 - c\*x]^2 - Log[c\*x]\*Log[1 - c\*x]^2 - 2\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] + 2\*PolyLog[3, 1 - c\*x]))/c

**fricas** [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\ln(-cx+1)\text{polylog}(2,cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x,x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x,x, algorithm="maxima")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\ln(1-cx)\text{polylog}(2,cx)(a+bx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x,x)`

[Out] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \log(-cx + 1) \operatorname{Li}_2(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*ln(-c*x+1)*polylog(2,c*x)/x,x)`

[Out] `Integral((a + b*x)*log(-c*x + 1)*polylog(2, c*x)/x, x)`

$$3.188 \quad \int \frac{(a+bx) \log(1-cx) \text{Li}_2(cx)}{x^2} dx$$

Optimal. Leaf size=131

$$-2ac\text{Li}_2(cx) - ac\text{Li}_3(cx) - 2ac\text{Li}_3(1-cx) + ac\text{Li}_2(cx) \log(1-cx) - \frac{a\text{Li}_2(cx) \log(1-cx)}{x} + 2ac\text{Li}_2(1-cx) \log(1-cx) + \frac{a(1-cx)}{x}$$

[Out] a\*(-c\*x+1)\*ln(-c\*x+1)^2/x+a\*c\*ln(c\*x)\*ln(-c\*x+1)^2-2\*a\*c\*polylog(2,c\*x)+a\*c\*ln(-c\*x+1)\*polylog(2,c\*x)-a\*ln(-c\*x+1)\*polylog(2,c\*x)/x-1/2\*b\*polylog(2,c\*x)^2+2\*a\*c\*ln(-c\*x+1)\*polylog(2,-c\*x+1)-a\*c\*polylog(3,c\*x)-2\*a\*c\*polylog(3,-c\*x+1)

**Rubi [A]** time = 0.31, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 17, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.810$ , Rules used = {6742, 6591, 2395, 36, 29, 31, 6589, 6605, 6601, 12, 6603, 2397, 2391, 6596, 2396, 2433, 2374}

$$-2ac\text{PolyLog}(2, cx) - ac\text{PolyLog}(3, cx) - 2ac\text{PolyLog}(3, 1-cx) + ac \log(1-cx) \text{PolyLog}(2, cx) - \frac{a \log(1-cx) \text{PolyLog}(2, cx)}{x}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^2, x]

[Out] (a\*(1 - c\*x)\*Log[1 - c\*x]^2)/x + a\*c\*Log[c\*x]\*Log[1 - c\*x]^2 - 2\*a\*c\*PolyLog[2, c\*x] + a\*c\*Log[1 - c\*x]\*PolyLog[2, c\*x] - (a\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x - (b\*PolyLog[2, c\*x]^2)/2 + 2\*a\*c\*Log[1 - c\*x]\*PolyLog[2, 1 - c\*x] - a\*c\*PolyLog[3, c\*x] - 2\*a\*c\*PolyLog[3, 1 - c\*x]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2374

```
Int[(Log[(d_.)*((e_.) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.)^(p_.)))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))*((f_.) + (g_.)*(x
_)^(q_.)), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

### Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_)/((f_.) + (g_
.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

### Rule 2397

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_)/((f_.) + (g_
.)*(x_)^2, x_Symbol] := Simp[((d + e*x)*(a + b*Log[c*(d + e*x)^n])^p)/((e*f
- d*g)*(f + g*x)), x] - Dist[(b*e*n*p)/(e*f - d*g), Int[(a + b*Log[c*(d +
e*x)^n])^(p - 1)/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] &&
NeQ[e*f - d*g, 0] && GtQ[p, 0]
```

### Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_)^(m_.))]*(g_.))*((k_.) + (l_.)*(x_)^(r_.)), x_Sym
```

```
bol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e)^m]), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_))^(p_.)]^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6601

```
Int[(Log[1 + (e_.)*(x_)])*PolyLog[2, (c_.)*(x_)]]/(x_), x_Symbol] := -Simp[P
olyLog[2, c*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]
```

### Rule 6603

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(x_)^m)*PolyLo
g[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := Simp[(x^(m + 1)*(g + h*Log[f
*(d + e*x)^n])*PolyLog[2, c*(a + b*x)]/(m + 1), x] + (Dist[b/(m + 1), Int[
ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], x^(m + 1)/
(a + b*x), x], x] - Dist[(e*h*n)/(m + 1), Int[ExpandIntegrand[PolyLog[2
, c*(a + b*x)], x^(m + 1)/(d + e*x), x], x]) /; FreeQ[{a, b, c, d, e, f
, g, h, n}, x] && IntegerQ[m] && NeQ[m, -1]
```

### Rule 6605

```
Int[((g_.) + Log[1 + (e_.)*(x_)])*(h_.)*(Px_)*(x_)^m)*PolyLog[2, (c_.)*(x
_)], x_Symbol] := Dist[Coeff[Px, x, -m - 1], Int[((g + h*Log[1 + e*x])*Poly
Log[2, c*x])/x, x], x] + Int[x^m*(Px - Coeff[Px, x, -m - 1]*x^(-m - 1))*(g
+ h*Log[1 + e*x])*PolyLog[2, c*x], x] /; FreeQ[{c, e, g, h}, x] && PolyQ[Px
```



, x] && ILtQ[m, 0] && EqQ[c + e, 0] && NeQ[Coeff[Px, x, -m - 1], 0]

### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx) \log(1 - cx) \text{Li}_2(cx)}{x^2} dx &= b \int \frac{\log(1 - cx) \text{Li}_2(cx)}{x} dx + \int \frac{a \log(1 - cx) \text{Li}_2(cx)}{x^2} dx \\
 &= -\frac{1}{2} b \text{Li}_2(cx)^2 + a \int \frac{\log(1 - cx) \text{Li}_2(cx)}{x^2} dx \\
 &= -\frac{a \log(1 - cx) \text{Li}_2(cx)}{x} - \frac{1}{2} b \text{Li}_2(cx)^2 - a \int \frac{\log^2(1 - cx)}{x^2} dx - (ac) \int \left( \frac{\text{Li}_2(cx)}{x} \right) \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} - \frac{a \log(1 - cx) \text{Li}_2(cx)}{x} - \frac{1}{2} b \text{Li}_2(cx)^2 - (ac) \int \frac{\text{Li}_2(cx)}{x} \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} - 2ac \text{Li}_2(cx) + ac \log(1 - cx) \text{Li}_2(cx) - \frac{a \log(1 - cx) \text{Li}_2(cx)}{x} \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} + ac \log(cx) \log^2(1 - cx) - 2ac \text{Li}_2(cx) + ac \log(1 - cx) \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} + ac \log(cx) \log^2(1 - cx) - 2ac \text{Li}_2(cx) + ac \log(1 - cx) \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} + ac \log(cx) \log^2(1 - cx) - 2ac \text{Li}_2(cx) + ac \log(1 - cx) \\
 &= \frac{a(1 - cx) \log^2(1 - cx)}{x} + ac \log(cx) \log^2(1 - cx) - 2ac \text{Li}_2(cx) + ac \log(1 - cx)
 \end{aligned}$$

**Mathematica [A]** time = 0.68, size = 135, normalized size = 1.03

$$-ac \text{Li}_3(cx) - 2ac \text{Li}_3(1 - cx) + \frac{a(cx - 1) \text{Li}_2(cx) \log(1 - cx)}{x} + 2ac \text{Li}_2(1 - cx) (\log(1 - cx) + 1) - ac \log^2(1 - cx) + ac \log(cx)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^2, x]

[Out] 2\*a\*c\*Log[c\*x]\*Log[1 - c\*x] - a\*c\*Log[1 - c\*x]^2 + (a\*Log[1 - c\*x]^2)/x + a\*c\*Log[c\*x]\*Log[1 - c\*x]^2 + (a\*(-1 + c\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x

$-(b \cdot \text{PolyLog}[2, c \cdot x]^2)/2 + 2 \cdot a \cdot c \cdot (1 + \text{Log}[1 - c \cdot x]) \cdot \text{PolyLog}[2, 1 - c \cdot x] - a \cdot c \cdot \text{PolyLog}[3, c \cdot x] - 2 \cdot a \cdot c \cdot \text{PolyLog}[3, 1 - c \cdot x]$

**fricas** [F] time = 2.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\ln(-cx+1)\text{polylog}(2,cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^2,x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^2,x, algorithm="maxima")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\ln(1-cx)\text{polylog}(2,cx)(a+bx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x^2,x)`

[Out] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \log(-cx + 1) \operatorname{Li}_2(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*ln(-c*x+1)*polylog(2,c*x)/x**2,x)`

[Out] `Integral((a + b*x)*log(-c*x + 1)*polylog(2, c*x)/x**2, x)`

$$3.189 \quad \int \frac{(a+bx) \log(1-cx) \text{Li}_2(cx)}{x^3} dx$$

**Optimal.** Leaf size=331

$$\frac{b^2 \text{Li}_3(1-cx)}{a} - \frac{b^2 \text{Li}_2(1-cx) \log(1-cx)}{a} - \frac{b^2 \log(cx) \log^2(1-cx)}{2a} - \frac{(a+bx)^2 \text{Li}_2(cx) \log(1-cx)}{2ax^2} - \frac{1}{2} c(ac+2b) \text{Li}_3(cx)$$

[Out]  $-a*c^2*\ln(x)+a*c^2*\ln(-c*x+1)-a*c*\ln(-c*x+1)/x-1/4*a*c^2*\ln(-c*x+1)^2+1/4*a*\ln(-c*x+1)^2/x^2+b*(-c*x+1)*\ln(-c*x+1)^2/x-1/2*b^2*\ln(c*x)*\ln(-c*x+1)^2/a+1/2*(a*c+b)^2*\ln(c*x)*\ln(-c*x+1)^2/a-2*b*c*\text{polylog}(2,c*x)-1/2*a*c^2*\text{polylog}(2,c*x)+1/2*a*c*\text{polylog}(2,c*x)/x+1/2*(a*c+b)^2*\ln(-c*x+1)*\text{polylog}(2,c*x)/a-1/2*(b*x+a)^2*\ln(-c*x+1)*\text{polylog}(2,c*x)/a/x^2-b^2*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/a+(a*c+b)^2*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)/a-1/2*c*(a*c+2*b)*\text{polylog}(3,c*x)+b^2*\text{polylog}(3,-c*x+1)/a-(a*c+b)^2*\text{polylog}(3,-c*x+1)/a$

**Rubi [A]** time = 0.54, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 20, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.952$ , Rules used = {6742, 6591, 2395, 44, 36, 29, 31, 37, 6606, 2398, 2410, 2391, 2390, 2301, 2397, 2396, 2433, 2374, 6589, 6596}

$$\frac{b^2 \text{PolyLog}(3,1-cx)}{a} - \frac{b^2 \log(1-cx) \text{PolyLog}(2,1-cx)}{a} - \frac{(a+bx)^2 \log(1-cx) \text{PolyLog}(2,cx)}{2ax^2} - \frac{1}{2} c(ac+2b) \text{PolyLog}(3,cx)$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^3,x]

[Out]  $-(a*c^2*\text{Log}[x]) + a*c^2*\text{Log}[1 - c*x] - (a*c*\text{Log}[1 - c*x])/x - (a*c^2*\text{Log}[1 - c*x]^2)/4 + (a*\text{Log}[1 - c*x]^2)/(4*x^2) + (b*(1 - c*x)*\text{Log}[1 - c*x]^2)/x - (b^2*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(2*a) + ((b + a*c)^2*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/(2*a) - 2*b*c*\text{PolyLog}[2, c*x] - (a*c^2*\text{PolyLog}[2, c*x])/2 + (a*c*\text{PolyLog}[2, c*x])/(2*x) + ((b + a*c)^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(2*a) - ((a + b*x)^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/(2*a*x^2) - (b^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/a + ((b + a*c)^2*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/a - (c*(2*b + a*c)*\text{PolyLog}[3, c*x])/2 + (b^2*\text{PolyLog}[3, 1 - c*x])/a - ((b + a*c)^2*\text{PolyLog}[3, 1 - c*x])/a$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_.)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

```
Int[1/((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 37

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp
[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] /; FreeQ[{
a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -
1]
```

Rule 44

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rule 2301

```
Int[((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2374

```
Int[(Log[(d_.)*((e_.) + (f_.)*(x_.)^(m_.))]*((a_.) + Log[(c_.)*(x_.)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x
^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]
&& EqQ[d*e, 1]
```

Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.
)*(x_.)^(q_.)), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x
^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && NeQ[q, -1]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2397

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)/((f_.) + (g_.)*(x_))^2, x_Symbol] := Simp[((d + e*x)*(a + b*Log[c*(d + e*x)^n])^p)/((e*f - d*g)*(f + g*x)), x] - Dist[(b*e*n*p)/(e*f - d*g), Int[(a + b*Log[c*(d + e*x)^n])^(p - 1)/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0]
```

Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegerQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_) + (g_.)*(x_)), x_Symbol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Symbol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
```

f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.)], x\_Symbol] :> Simp[(d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6606

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(h\_.))\*(Px\_)\*(x\_))^(m\_.)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{u = IntHide[x^m\*Px, x]}, Simp[u\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], u/(a + b\*x), x], x], x] - Dist[e\*h\*n, Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], u/(d + e\*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x] && IntegerQ[m]

### Rule 6742

Int[u\_, x\_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)\log(1-cx)\text{Li}_2(cx)}{x^3} dx &= -\frac{(a+bx)^2\log(1-cx)\text{Li}_2(cx)}{2ax^2} + c \int \left( -\frac{a\text{Li}_2(cx)}{2x^2} + \frac{(-2b-ac)\text{Li}_2(cx)}{2x} + \frac{(b+ac)\log(1-cx)}{2} \right) dx \\
&= -\frac{(a+bx)^2\log(1-cx)\text{Li}_2(cx)}{2ax^2} - \frac{1}{2}a \int \frac{\log^2(1-cx)}{x^3} dx - b \int \frac{\log^2(1-cx)}{x^2} dx \\
&= \frac{a\log^2(1-cx)}{4x^2} + \frac{b(1-cx)\log^2(1-cx)}{x} - \frac{b^2\log(cx)\log^2(1-cx)}{2a} + \frac{ac\text{Li}_2(cx)}{2x} \\
&= -\frac{ac\log(1-cx)}{2x} + \frac{a\log^2(1-cx)}{4x^2} + \frac{b(1-cx)\log^2(1-cx)}{x} - \frac{b^2\log(cx)\log^2(1-cx)}{2a} \\
&= -\frac{ac\log(1-cx)}{2x} + \frac{a\log^2(1-cx)}{4x^2} + \frac{b(1-cx)\log^2(1-cx)}{x} - \frac{b^2\log(cx)\log^2(1-cx)}{2a} \\
&= -\frac{1}{2}ac^2\log(x) + \frac{1}{2}ac^2\log(1-cx) - \frac{ac\log(1-cx)}{x} + \frac{a\log^2(1-cx)}{4x^2} + \frac{b(1-cx)\log^2(1-cx)}{x} \\
&= -\frac{1}{2}ac^2\log(x) + \frac{1}{2}ac^2\log(1-cx) - \frac{ac\log(1-cx)}{x} - \frac{1}{4}ac^2\log^2(1-cx) + \frac{a\log^2(1-cx)}{4x^2} \\
&= -ac^2\log(x) + ac^2\log(1-cx) - \frac{ac\log(1-cx)}{x} - \frac{1}{4}ac^2\log^2(1-cx) + \frac{a\log^2(1-cx)}{4x^2}
\end{aligned}$$

**Mathematica [A]** time = 1.13, size = 285, normalized size = 0.86

$$\frac{1}{4} \left( \frac{2\text{Li}_2(cx)((cx-1)\log(1-cx)(acx+a+2bx)+acx)}{x^2} + 2c\text{Li}_2(1-cx)(2(ac+2b)\log(1-cx)+ac+4b) - 2ac^2L \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^3,x]

[Out] (-4\*a\*c^2\*Log[c\*x] + 4\*a\*c^2\*Log[1 - c\*x] - (4\*a\*c\*Log[1 - c\*x])/x + 8\*b\*c\*Log[c\*x]\*Log[1 - c\*x] + 2\*a\*c^2\*Log[c\*x]\*Log[1 - c\*x] - 4\*b\*c\*Log[1 - c\*x]^2 - a\*c^2\*Log[1 - c\*x]^2 + (a\*Log[1 - c\*x]^2)/x^2 + (4\*b\*Log[1 - c\*x]^2)/x + 4\*b\*c\*Log[c\*x]\*Log[1 - c\*x]^2 + 2\*a\*c^2\*Log[c\*x]\*Log[1 - c\*x]^2 + (2\*(a\*c\*x + (-1 + c\*x)\*(a + 2\*b\*x + a\*c\*x)\*Log[1 - c\*x])\*PolyLog[2, c\*x])/x^2 + 2\*c\*(4\*b + a\*c + 2\*(2\*b + a\*c)\*Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] - 4\*b\*c\*PolyLog[3, c\*x] - 2\*a\*c^2\*PolyLog[3, c\*x] - 8\*b\*c\*PolyLog[3, 1 - c\*x] - 4\*a\*c^2\*PolyLog[3, 1 - c\*x])/4



**fricas** [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^3,x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^3,x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^3, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\ln(-cx+1)\text{polylog}(2,cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^3,x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^3,x)

**maxima** [A] time = 0.40, size = 213, normalized size = 0.64

$$-ac^2 \log(x) + \frac{1}{2} (ac^2 + 2bc) (\log(cx) \log(-cx+1))^2 + 2\text{Li}_2(-cx+1) \log(-cx+1) - 2\text{Li}_3(-cx+1) + \frac{1}{2} (ac^2 + 4bc^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^3,x, algorithm="maxima")

[Out] -a\*c^2\*log(x) + 1/2\*(a\*c^2 + 2\*b\*c)\*(log(c\*x)\*log(-c\*x + 1)^2 + 2\*dilog(-c\*x + 1)\*log(-c\*x + 1) - 2\*polylog(3, -c\*x + 1)) + 1/2\*(a\*c^2 + 4\*b\*c)\*(log(c\*x)\*log(-c\*x + 1) + dilog(-c\*x + 1)) - 1/2\*(a\*c^2 + 2\*b\*c)\*polylog(3, c\*x) - 1/4\*(((a\*c^2 + 4\*b\*c)\*x^2 - 4\*b\*x - a)\*log(-c\*x + 1)^2 - 2\*(a\*c\*x + (a\*c^2 + 2\*b\*c)\*x^2 - 2\*b\*x - a)\*log(-c\*x + 1))\*dilog(c\*x) - 4\*(a\*c^2\*x^2 - a\*c\*x)\*log(-c\*x + 1))/x^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - cx) \operatorname{polylog}(2, cx) (a + bx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x^3, x)`

[Out] `int((log(1 - c*x)*polylog(2, c*x)*(a + b*x))/x^3, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \log(-cx + 1) \operatorname{Li}_2(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*ln(-c*x+1)*polylog(2, c*x)/x**3, x)`

[Out] `Integral((a + b*x)*log(-c*x + 1)*polylog(2, c*x)/x**3, x)`

$$3.190 \quad \int \frac{(a+bx) \log(1-cx) \text{Li}_2(cx)}{x^4} dx$$

**Optimal.** Leaf size=460

$$-\frac{1}{6}c^2(2ac+3b)\text{Li}_3(cx) - \frac{1}{3}c^2(2ac+3b)\text{Li}_3(1-cx) + \frac{1}{6}c^2(2ac+3b)\text{Li}_2(cx) \log(1-cx) + \frac{1}{3}c^2(2ac+3b)\text{Li}_2(1-cx) \log(1-cx)$$

[Out]  $-7/36*a*c*\ln(-c*x+1)/x^2 - 1/2*b*c*\ln(-c*x+1)/x - 2/9*a*c^2*\ln(-c*x+1)/x - 1/6*c*(2*a*c+3*b)*\ln(-c*x+1)/x + 1/6*c^2*(2*a*c+3*b)*\ln(c*x)*\ln(-c*x+1)^2 + 1/6*c^2*(2*a*c+3*b)*\ln(-c*x+1)*\text{polylog}(2, c*x) + 1/3*c^2*(2*a*c+3*b)*\ln(-c*x+1)*\text{polylog}(2, -c*x+1) + 1/6*a*c*\text{polylog}(2, c*x)/x^2 + 1/6*c*(2*a*c+3*b)*\text{polylog}(2, c*x)/x - 1/2*b*c^2*\ln(x) - 5/12*a*c^3*\ln(x) - 1/6*c^2*(2*a*c+3*b)*\ln(x) + 1/2*b*c^2*\ln(-c*x+1) + 5/12*a*c^3*\ln(-c*x+1) + 1/6*c^2*(2*a*c+3*b)*\ln(-c*x+1) - 1/4*b*c^2*\ln(-c*x+1)^2 - 1/9*a*c^3*\ln(-c*x+1)^2 + 1/9*a*\ln(-c*x+1)^2/x^3 + 1/4*b*\ln(-c*x+1)^2/x^2 - 1/6*(2*a/x^3 + 3*b/x^2)*\ln(-c*x+1)*\text{polylog}(2, c*x) + 7/36*a*c^2/x - 1/2*b*c^2*\text{polylog}(2, c*x) - 2/9*a*c^3*\text{polylog}(2, c*x) - 1/6*c^2*(2*a*c+3*b)*\text{polylog}(3, c*x) - 1/3*c^2*(2*a*c+3*b)*\text{polylog}(3, -c*x+1)$

**Rubi [A]** time = 0.67, antiderivative size = 460, normalized size of antiderivative = 1.00, number of steps used = 41, number of rules used = 19, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.905$ , Rules used = {6742, 6591, 2395, 44, 43, 6606, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{6}c^2(2ac+3b)\text{PolyLog}(3, cx) - \frac{1}{3}c^2(2ac+3b)\text{PolyLog}(3, 1-cx) + \frac{1}{6}c^2(2ac+3b) \log(1-cx)\text{PolyLog}(2, cx) + \frac{1}{3}c^2(2ac+3b) \log(1-cx)\text{PolyLog}(3, 1-cx)$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^4, x]

[Out]  $(7*a*c^2)/(36*x) - (b*c^2*\text{Log}[x])/2 - (5*a*c^3*\text{Log}[x])/12 - (c^2*(3*b + 2*a*c)*\text{Log}[x])/6 + (b*c^2*\text{Log}[1 - c*x])/2 + (5*a*c^3*\text{Log}[1 - c*x])/12 + (c^2*(3*b + 2*a*c)*\text{Log}[1 - c*x])/6 - (7*a*c*\text{Log}[1 - c*x])/(36*x^2) - (b*c*\text{Log}[1 - c*x])/(2*x) - (2*a*c^2*\text{Log}[1 - c*x])/(9*x) - (c*(3*b + 2*a*c)*\text{Log}[1 - c*x])/(6*x) - (b*c^2*\text{Log}[1 - c*x]^2)/4 - (a*c^3*\text{Log}[1 - c*x]^2)/9 + (a*\text{Log}[1 - c*x]^2)/(9*x^3) + (b*\text{Log}[1 - c*x]^2)/(4*x^2) + (c^2*(3*b + 2*a*c)*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/6 - (b*c^2*\text{PolyLog}[2, c*x])/2 - (2*a*c^3*\text{PolyLog}[2, c*x])/9 + (a*c*\text{PolyLog}[2, c*x])/(6*x^2) + (c*(3*b + 2*a*c)*\text{PolyLog}[2, c*x])/(6*x) + (c^2*(3*b + 2*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/6 - (((2*a)/x^3 + (3*b)/x^2)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/6 + (c^2*(3*b + 2*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/3 - (c^2*(3*b + 2*a*c)*\text{PolyLog}[3, c*x])/6 - (c^2*(3*b + 2*a*c)*\text{PolyLog}[3, 1 - c*x])/3$

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

### Rule 31

`Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

### Rule 36

`Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

### Rule 43

`Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

### Rule 44

`Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

### Rule 2301

`Int[((a_) + Log[(c_)*(x_)]^(n_))*((b_))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]`

### Rule 2374

`Int[(Log[(d_)*((e_) + (f_)*(x_)]^(m_)))*((a_) + Log[(c_)*(x_)]^(n_))*((b_))^(p_)/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

### Rule 2390

`Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)]^(n_))*((b_))^(p_)*((f_) + (g_)*(x_)]^(q_), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E`

qQ[e\*f - d\*g, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2398

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(g\*(q + 1)), x] - Dist[(b\*e\*n\*p)/(g\*(q + 1)), Int[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegersQ[2\*p, 2\*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))

### Rule 2410

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(x\_)^(m\_.))/((f\_) + (g\_.)\*(x\_)), x\_Symbol] := Int[ExpandIntegrand[Log[c\*(d + e\*x)], x^m/(f + g\*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e\*f - d\*g, 0] && EqQ[c\*d, 1] && IntegerQ[m]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_)^(m\_.))]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_)^(r\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m)], x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e,

f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_))^(p\_.)]^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

### Rule 6596

Int[PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[1 - a\*c - b\*c\*x]\*PolyLog[2, c\*(a + b\*x)])/e, x] + Dist[b/e, Int[Log[1 - a\*c - b\*c\*x]^2/(a + b\*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c\*(b\*d - a\*e) + e, 0]

### Rule 6606

Int[((g\_.) + Log[(f\_.)\*((d\_.) + (e\_.)\*(x\_))^(n\_.)]\*(h\_.))\*(Px\_)\*(x\_)^m)\*PolyLog[2, (c\_.)\*((a\_.) + (b\_.)\*(x\_))], x\_Symbol] :> With[{u = IntHide[x^m\*Px, x]}, Simp[u\*(g + h\*Log[f\*(d + e\*x)^n])\*PolyLog[2, c\*(a + b\*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h\*Log[f\*(d + e\*x)^n])\*Log[1 - a\*c - b\*c\*x], u/(a + b\*x), x], x] - Dist[e\*h\*n, Int[ExpandIntegrand[PolyLog[2, c\*(a + b\*x)], u/(d + e\*x), x], x]])] /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x] && IntegerQ[m]

### Rule 6742

Int[u\_, x\_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)\log(1-cx)\text{Li}_2(cx)}{x^4} dx &= -\frac{1}{6} \left( \frac{2a}{x^3} + \frac{3b}{x^2} \right) \log(1-cx)\text{Li}_2(cx) + c \int \left( -\frac{a\text{Li}_2(cx)}{3x^3} + \frac{(-3b-2ac)\text{Li}_2(cx)}{6x^2} \right) dx \\
&= -\frac{1}{6} \left( \frac{2a}{x^3} + \frac{3b}{x^2} \right) \log(1-cx)\text{Li}_2(cx) - \frac{1}{3}a \int \frac{\log^2(1-cx)}{x^4} dx - \frac{1}{2}b \int \frac{\log^2(1-cx)}{x^3} dx \\
&= \frac{a \log^2(1-cx)}{9x^3} + \frac{b \log^2(1-cx)}{4x^2} + \frac{ac\text{Li}_2(cx)}{6x^2} + \frac{c(3b+2ac)\text{Li}_2(cx)}{6x} + \frac{1}{6}c^2(3b+2ac) \log(1-cx) \\
&= -\frac{ac \log(1-cx)}{12x^2} - \frac{c(3b+2ac) \log(1-cx)}{6x} + \frac{a \log^2(1-cx)}{9x^3} + \frac{b \log^2(1-cx)}{4x^2} \\
&= -\frac{ac \log(1-cx)}{12x^2} - \frac{c(3b+2ac) \log(1-cx)}{6x} + \frac{a \log^2(1-cx)}{9x^3} + \frac{b \log^2(1-cx)}{4x^2} \\
&= \frac{ac^2}{12x} - \frac{1}{12}ac^3 \log(x) - \frac{1}{6}c^2(3b+2ac) \log(x) + \frac{1}{12}ac^3 \log(1-cx) + \frac{1}{6}c^2(3b+2ac) \log(1-cx) \\
&= \frac{ac^2}{12x} - \frac{1}{12}ac^3 \log(x) - \frac{1}{6}c^2(3b+2ac) \log(x) + \frac{1}{12}ac^3 \log(1-cx) + \frac{1}{6}c^2(3b+2ac) \log(1-cx) \\
&= \frac{7ac^2}{36x} - \frac{1}{2}bc^2 \log(x) - \frac{5}{12}ac^3 \log(x) - \frac{1}{6}c^2(3b+2ac) \log(x) + \frac{1}{2}bc^2 \log(1-cx) + \frac{1}{6}c^2(3b+2ac) \log(1-cx)
\end{aligned}$$

**Mathematica [A]** time = 1.36, size = 389, normalized size = 0.85

$$\frac{1}{36} \left( 2c^2\text{Li}_2(1-cx)(6(2ac+3b)\log(1-cx)+4ac+9b) + \frac{6\text{Li}_2(cx)(\log(1-cx)(2ac^3x^3-2a+3bc^2x^3-3bx)+36b^2c^2\log(1-cx))}{x^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^4, x]

[Out]  $(-7ac^3 + (7ac^2)/x - 36b^2c^2\text{Log}[cx] - 27ac^3\text{Log}[cx] + 36b^2c^2\text{Log}[1-cx] + 27ac^3\text{Log}[1-cx] - (7ac^2\text{Log}[1-cx])/x^2 - (36b^2c^2\text{Log}[1-cx])/x - (20ac^2\text{Log}[1-cx])/x + 18b^2c^2\text{Log}[cx]\text{Log}[1-cx] + 8ac^3\text{Log}[cx]\text{Log}[1-cx] - 9b^2c^2\text{Log}[1-cx]^2 - 4ac^3\text{Log}[1-cx]^2 + (4a\text{Log}[1-cx]^2)/x^3 + (9b\text{Log}[1-cx]^2)/x^2 + 18b^2c^2\text{Log}[cx]\text{Log}[1-cx]^2 + 12ac^3\text{Log}[cx]\text{Log}[1-cx]^2 + (6(c*x*(a+3b*x+2a*c*x) + (-2a-3b*x+3b^2c^2*x^3+2ac^3*x^3))*\text{Log}[1-cx]))*\text{PolyLog}[2, c*x])/x^3 + 2c^2*(9b+4ac+6*(3b+2ac))*\text{Log}[1-cx))*\text{PolyLog}[2, 1-cx] - 18b^2c^2\text{PolyLog}[3, cx] - 12ac^3\text{PolyLog}[3, cx] - 36b^2c^2\text{PolyLog}[3, 1-cx] - 24ac^3\text{PolyLog}[3, 1-cx])/36$

**fricas** [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^4, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\ln(-cx+1)\text{polylog}(2,cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^4,x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^4,x)

**maxima** [A] time = 0.40, size = 287, normalized size = 0.62

$$\frac{1}{6}(2ac^3 + 3bc^2)(\log(cx)\log(-cx+1)^2 + 2\text{Li}_2(-cx+1)\log(-cx+1) - 2\text{Li}_3(-cx+1)) + \frac{1}{18}(4ac^3 + 9bc^2)(\log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^4,x, algorithm="maxima")

[Out] 1/6\*(2\*a\*c^3 + 3\*b\*c^2)\*(log(c\*x)\*log(-c\*x + 1)^2 + 2\*dilog(-c\*x + 1)\*log(-c\*x + 1) - 2\*polylog(3, -c\*x + 1)) + 1/18\*(4\*a\*c^3 + 9\*b\*c^2)\*(log(c\*x)\*log(-c\*x + 1) + dilog(-c\*x + 1)) - 1/4\*(3\*a\*c^3 + 4\*b\*c^2)\*log(x) - 1/6\*(2\*a\*c^3 + 3\*b\*c^2)\*polylog(3, c\*x) + 1/36\*(7\*a\*c^2\*x^2 - ((4\*a\*c^3 + 9\*b\*c^2)\*x^3 - 9\*b\*x - 4\*a)\*log(-c\*x + 1)^2 + 6\*(a\*c\*x + (2\*a\*c^2 + 3\*b\*c)\*x^2 + ((2\*a



$*c^3 + 3*b*c^2)*x^3 - 3*b*x - 2*a)*\log(-c*x + 1))*\operatorname{dilog}(c*x) + (9*(3*a*c^3 + 4*b*c^2)*x^3 - 7*a*c*x - 4*(5*a*c^2 + 9*b*c)*x^2)*\log(-c*x + 1))/x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - cx) \operatorname{polylog}(2, cx) (a + bx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x))/x^4,x)

[Out] int((log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x))/x^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x\*\*4,x)

[Out] Timed out

$$3.191 \quad \int \frac{(a+bx) \log(1-cx) \text{Li}_2(cx)}{x^5} dx$$

**Optimal.** Leaf size=584

$$-\frac{1}{12}c^3(3ac+4b)\text{Li}_3(cx) - \frac{1}{6}c^3(3ac+4b)\text{Li}_3(1-cx) + \frac{1}{12}c^3(3ac+4b)\text{Li}_2(cx) \log(1-cx) + \frac{1}{6}c^3(3ac+4b)\text{Li}_2(1-cx) \log(1-cx)$$

[Out]  $1/3*b*c^3*\ln(-c*x+1)+37/144*a*c^4*\ln(-c*x+1)+5/48*c^3*(3*a*c+4*b)*\ln(-c*x+1)-1/9*b*c^3*\ln(-c*x+1)^2-1/16*a*c^4*\ln(-c*x+1)^2+1/16*a*\ln(-c*x+1)^2/x^4+1/9*b*\ln(-c*x+1)^2/x^3-1/12*(3*a/x^4+4*b/x^3)*\ln(-c*x+1)*\text{polylog}(2,c*x)-5/72*a*c*\ln(-c*x+1)/x^3-1/9*b*c*\ln(-c*x+1)/x^2-1/16*a*c^2*\ln(-c*x+1)/x^2-1/48*c*(3*a*c+4*b)*\ln(-c*x+1)/x^2-2/9*b*c^2*\ln(-c*x+1)/x-1/8*a*c^3*\ln(-c*x+1)/x-1/12*c^2*(3*a*c+4*b)*\ln(-c*x+1)/x+1/12*c^3*(3*a*c+4*b)*\ln(c*x)*\ln(-c*x+1)^2+1/12*c^3*(3*a*c+4*b)*\ln(-c*x+1)*\text{polylog}(2,c*x)+1/6*c^3*(3*a*c+4*b)*\ln(-c*x+1)*\text{polylog}(2,-c*x+1)+1/12*a*c*\text{polylog}(2,c*x)/x^3+1/24*c*(3*a*c+4*b)*\text{polylog}(2,c*x)/x^2+1/12*c^2*(3*a*c+4*b)*\text{polylog}(2,c*x)/x-1/3*b*c^3*\ln(x)-37/144*a*c^4*\ln(x)-5/48*c^3*(3*a*c+4*b)*\ln(x)+5/144*a*c^2/x^2+1/9*b*c^2/x+19/144*a*c^3/x+1/48*c^2*(3*a*c+4*b)/x-2/9*b*c^3*\text{polylog}(2,c*x)-1/8*a*c^4*\text{polylog}(2,c*x)-1/12*c^3*(3*a*c+4*b)*\text{polylog}(3,c*x)-1/6*c^3*(3*a*c+4*b)*\text{polylog}(3,-c*x+1)$

**Rubi [A]** time = 0.84, antiderivative size = 584, normalized size of antiderivative = 1.00, number of steps used = 51, number of rules used = 19, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.905$ , Rules used = {6742, 6591, 2395, 44, 43, 6606, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{12}c^3(3ac+4b)\text{PolyLog}(3,cx) - \frac{1}{6}c^3(3ac+4b)\text{PolyLog}(3,1-cx) + \frac{c^2(3ac+4b)\text{PolyLog}(2,cx)}{12x} + \frac{1}{12}c^3(3ac+4b) \log$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^5, x]

[Out]  $(5*a*c^2)/(144*x^2) + (b*c^2)/(9*x) + (19*a*c^3)/(144*x) + (c^2*(4*b + 3*a*c))/(48*x) - (b*c^3*\text{Log}[x])/3 - (37*a*c^4*\text{Log}[x])/144 - (5*c^3*(4*b + 3*a*c)*\text{Log}[x])/48 + (b*c^3*\text{Log}[1 - c*x])/3 + (37*a*c^4*\text{Log}[1 - c*x])/144 + (5*c^3*(4*b + 3*a*c)*\text{Log}[1 - c*x])/48 - (5*a*c*\text{Log}[1 - c*x])/(72*x^3) - (b*c*\text{Log}[1 - c*x])/(9*x^2) - (a*c^2*\text{Log}[1 - c*x])/(16*x^2) - (c*(4*b + 3*a*c)*\text{Log}[1 - c*x])/(48*x^2) - (2*b*c^2*\text{Log}[1 - c*x])/(9*x) - (a*c^3*\text{Log}[1 - c*x])/(8*x) - (c^2*(4*b + 3*a*c)*\text{Log}[1 - c*x])/(12*x) - (b*c^3*\text{Log}[1 - c*x]^2)/9 - (a*c^4*\text{Log}[1 - c*x]^2)/16 + (a*\text{Log}[1 - c*x]^2)/(16*x^4) + (b*\text{Log}[1 - c*x]^2)/(9*x^3) + (c^3*(4*b + 3*a*c)*\text{Log}[c*x]*\text{Log}[1 - c*x]^2)/12 - (2*b*c^3*\text{PolyLog}[2, c*x])/9 - (a*c^4*\text{PolyLog}[2, c*x])/8 + (a*c*\text{PolyLog}[2, c*x])/(12*x^3) + (c*(4*b + 3*a*c)*\text{PolyLog}[2, c*x])/(24*x^2) + (c^2*(4*b + 3*a*c)*\text{PolyLog}[2, c*x])/(12*x) + (c^3*(4*b + 3*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/12 - ((3*$

$$a)/x^4 + (4*b)/x^3)*\text{Log}[1 - c*x]*\text{PolyLog}[2, c*x])/12 + (c^3*(4*b + 3*a*c)*\text{Log}[1 - c*x]*\text{PolyLog}[2, 1 - c*x])/6 - (c^3*(4*b + 3*a*c)*\text{PolyLog}[3, c*x])/12 - (c^3*(4*b + 3*a*c)*\text{PolyLog}[3, 1 - c*x])/6$$
Rule 29

$$\text{Int}[(x_-)^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[x], x]$$
Rule 31

$$\text{Int}[(a\_ + (b\_)*(x\_))^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; FreeQ}\{a, b\}, x]$$
Rule 36

$$\text{Int}[1/((a\_ + (b\_)*(x\_))*((c\_ + (d\_)*(x\_))), x\_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$$
Rule 43

$$\text{Int}[(a\_ + (b\_)*(x\_))^{(m\_)}*((c\_ + (d\_)*(x\_))^{(n\_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ /; FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (!\text{IntegerQ}[n] \ || \ (\text{EqQ}[c, 0] \ \&\& \ \text{LeQ}[7*m + 4*n + 4, 0]) \ || \ \text{LtQ}[9*m + 5*(n + 1), 0] \ || \ \text{GtQ}[m + n + 2, 0])$$
Rule 44

$$\text{Int}[(a\_ + (b\_)*(x\_))^{(m\_)}*((c\_ + (d\_)*(x\_))^{(n\_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$$
Rule 2301

$$\text{Int}[(a\_ + \text{Log}[(c\_)*(x\_)^{(n\_)}]*(b\_)]/(x\_), x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{Log}[c*x^n])^2/(2*b*n), x] \text{ /; FreeQ}\{a, b, c, n\}, x]$$
Rule 2374

$$\text{Int}[(\text{Log}[(d\_)*((e\_ + (f\_)*(x\_)^{(m\_)}))]*(a\_ + \text{Log}[(c\_)*(x\_)^{(n\_)}]*(b\_))^{(p\_)}]/(x\_), x\_Symbol] \rightarrow -\text{Simp}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^p)/m, x] + \text{Dist}[(b*n*p)/m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^{(p-1)})/x, x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, m, n\}, x \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[d*e, 1]$$

Rule 2390

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_) + (g_.)
)*(x_))^(q_.), x_Symbol] := Dist[1/e, Subst[Int[((f*x)/d)^q*(a + b*Log[c*x^
n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E
qQ[e*f - d*g, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2395

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))*((f_.) + (g_.)*(x_
))^q), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^n]))/
(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)^(q + 1)/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N
eQ[q, -1]
```

Rule 2396

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)/((f_.) + (g_.)
)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d
+ e*x)^n])^p)/g, x] - Dist[(b*e*n*p)/g, Int[(Log[(e*(f + g*x))/(e*f - d*g)]
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

Rule 2398

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_)*((f_.) + (g_.)
)*(x_))^(q_.), x_Symbol] := Simp[((f + g*x)^(q + 1)*(a + b*Log[c*(d + e*x)^
n])^p)/(g*(q + 1)), x] - Dist[(b*e*n*p)/(g*(q + 1)), Int[((f + g*x)^(q + 1)
*(a + b*Log[c*(d + e*x)^n])^(p - 1))/(d + e*x), x], x] /; FreeQ[{a, b, c, d
, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && GtQ[p, 0] && NeQ[q, -1] && Int
egersQ[2*p, 2*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))
```

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_))^(m_.)/((f_) + (g_.)*(x_)), x_Symb
ol] := Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_))^(p_.)]^(q_.), x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6606

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*(x_)^m)*
PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{u = IntHide[x^m*
Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (D
ist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x],
u/(a + b*x), x], x], x] - Dist[e*h^n, Int[ExpandIntegrand[PolyLog[2, c*(a
+ b*x)], u/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
&& PolyQ[Px, x] && IntegerQ[m]
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx) \log(1 - cx) \text{Li}_2(cx)}{x^5} dx &= -\frac{1}{12} \left( \frac{3a}{x^4} + \frac{4b}{x^3} \right) \log(1 - cx) \text{Li}_2(cx) + c \int \left( -\frac{a \text{Li}_2(cx)}{4x^4} + \frac{(-4b - 3ac) \text{Li}_2(cx)}{12x^3} \right) dx \\
&= -\frac{1}{12} \left( \frac{3a}{x^4} + \frac{4b}{x^3} \right) \log(1 - cx) \text{Li}_2(cx) - \frac{1}{4} a \int \frac{\log^2(1 - cx)}{x^5} dx - \frac{1}{3} b \int \frac{\log^2(1 - cx)}{x^4} dx \\
&= \frac{a \log^2(1 - cx)}{16x^4} + \frac{b \log^2(1 - cx)}{9x^3} + \frac{ac \text{Li}_2(cx)}{12x^3} + \frac{c(4b + 3ac) \text{Li}_2(cx)}{24x^2} + \frac{c^2(4b + 3ac) \log(1 - cx)}{12x} + \frac{a \log(1 - cx)}{36x^3} \\
&= -\frac{ac \log(1 - cx)}{36x^3} - \frac{c(4b + 3ac) \log(1 - cx)}{48x^2} - \frac{c^2(4b + 3ac) \log(1 - cx)}{12x} + \frac{a \log(1 - cx)}{36x^3} \\
&= -\frac{ac \log(1 - cx)}{36x^3} - \frac{c(4b + 3ac) \log(1 - cx)}{48x^2} - \frac{c^2(4b + 3ac) \log(1 - cx)}{12x} + \frac{a \log(1 - cx)}{36x^3} \\
&= \frac{ac^2}{72x^2} + \frac{ac^3}{36x} + \frac{c^2(4b + 3ac)}{48x} - \frac{1}{36} ac^4 \log(x) - \frac{5}{48} c^3(4b + 3ac) \log(x) + \frac{1}{36} ac^4 \\
&= \frac{ac^2}{72x^2} + \frac{ac^3}{36x} + \frac{c^2(4b + 3ac)}{48x} - \frac{1}{36} ac^4 \log(x) - \frac{5}{48} c^3(4b + 3ac) \log(x) + \frac{1}{36} ac^4 \\
&= \frac{5ac^2}{144x^2} + \frac{bc^2}{9x} + \frac{19ac^3}{144x} + \frac{c^2(4b + 3ac)}{48x} - \frac{1}{3} bc^3 \log(x) - \frac{37}{144} ac^4 \log(x) - \frac{5}{48} c^3(4b + 3ac) \log(x) + \frac{1}{36} ac^4
\end{aligned}$$

**Mathematica [A]** time = 1.47, size = 505, normalized size = 0.86

$$-\frac{2c^3x^4\text{Li}_2(1-cx)(12(3ac+4b)\log(1-cx)+9ac+16b)-6\text{Li}_2(cx)\left(cx\left(a\left(6c^2x^2+3cx+2\right)+4bx(2cx+1)\right)+\right)}{144x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x)\*Log[1 - c\*x]\*PolyLog[2, c\*x])/x^5, x]

[Out] -1/144\*(-5\*a\*c^2\*x^2 - 28\*b\*c^2\*x^3 - 28\*a\*c^3\*x^3 + 28\*b\*c^3\*x^4 + 33\*a\*c^4\*x^4 + 108\*b\*c^3\*x^4\*Log[c\*x] + 82\*a\*c^4\*x^4\*Log[c\*x] + 10\*a\*c\*x\*Log[1 - c\*x] + 28\*b\*c\*x^2\*Log[1 - c\*x] + 18\*a\*c^2\*x^2\*Log[1 - c\*x] + 80\*b\*c^2\*x^3\*Log[1 - c\*x] + 54\*a\*c^3\*x^3\*Log[1 - c\*x] - 108\*b\*c^3\*x^4\*Log[1 - c\*x] - 82\*a\*c^4\*x^4\*Log[1 - c\*x] - 32\*b\*c^3\*x^4\*Log[c\*x]\*Log[1 - c\*x] - 18\*a\*c^4\*x^4\*Log[c\*x]\*Log[1 - c\*x] - 9\*a\*Log[1 - c\*x]^2 - 16\*b\*x\*Log[1 - c\*x]^2 + 16\*b\*c^3\*x^4\*Log[1 - c\*x]^2 + 9\*a\*c^4\*x^4\*Log[1 - c\*x]^2 - 48\*b\*c^3\*x^4\*Log[c\*x]\*Log[1 - c\*x]^2 - 36\*a\*c^4\*x^4\*Log[c\*x]\*Log[1 - c\*x]^2 - 6\*(c\*x\*(4\*b\*x\*(1 + 2\*c\*x) + a\*(2 + 3\*c\*x + 6\*c^2\*x^2)) + (8\*b\*x\*(-1 + c^3\*x^3) + 6\*a\*(-1 + c^4\*x^4)))\*Log[1 - c\*x])\*PolyLog[2, c\*x] - 2\*c^3\*x^4\*(16\*b + 9\*a\*c + 12\*(4\*b + 3\*a\*c)\*Log[1 - c\*x])\*PolyLog[2, 1 - c\*x] + 48\*b\*c^3\*x^4\*PolyLog[3, c\*x] + 36\*

$a*c^4*x^4*PolyLog[3, c*x] + 96*b*c^3*x^4*PolyLog[3, 1 - c*x] + 72*a*c^4*x^4*PolyLog[3, 1 - c*x])/x^4$

**fricas** [F] time = 2.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^5,x, algorithm="fricas")

[Out] integral((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^5, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\text{Li}_2(cx)\log(-cx+1)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^5,x, algorithm="giac")

[Out] integrate((b\*x + a)\*dilog(c\*x)\*log(-c\*x + 1)/x^5, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(bx+a)\ln(-cx+1)\text{polylog}(2,cx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^5,x)

[Out] int((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x^5,x)

**maxima** [A] time = 0.38, size = 341, normalized size = 0.58

$$\frac{1}{12} (3ac^4 + 4bc^3) (\log(cx)\log(-cx+1)^2 + 2\text{Li}_2(-cx+1)\log(-cx+1) - 2\text{Li}_3(-cx+1)) + \frac{1}{72} (9ac^4 + 16bc^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*log(-c\*x+1)\*polylog(2,c\*x)/x^5,x, algorithm="maxima")

[Out] 1/12\*(3\*a\*c^4 + 4\*b\*c^3)\*(log(c\*x)\*log(-c\*x + 1)^2 + 2\*dilog(-c\*x + 1)\*log(-c\*x + 1) - 2\*polylog(3, -c\*x + 1)) + 1/72\*(9\*a\*c^4 + 16\*b\*c^3)\*(log(c\*x)\*log(-c\*x + 1) + dilog(-c\*x + 1)) - 1/72\*(41\*a\*c^4 + 54\*b\*c^3)\*log(x) - 1/12\*

$$(3ac^4 + 4b^3c^3) \operatorname{polylog}(3, cx) + \frac{1}{144} (5a^2c^2x^2 + 28(ac^3 + b^2c^2)x^3 - ((9a^4c^4 + 16b^3c^3)x^4 - 16bx - 9a) \log(-cx + 1)^2 + 6(2(3a^3c^3 + 4b^2c^2)x^3 + 2acx + (3a^2c^2 + 4b^2c)x^2 + 2((3a^4c^4 + 4b^3c^3)x^4 - 4bx - 3a) \log(-cx + 1)) \operatorname{dilog}(cx) + 2((41a^4c^4 + 54b^3c^3)x^4 - (27a^3c^3 + 40b^2c^2)x^3 - 5acx - (9a^2c^2 + 14b^2c)x^2) \log(-cx + 1)) / x^4$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - cx) \operatorname{polylog}(2, cx) (a + bx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x))/x^5,x)

[Out] int((log(1 - c\*x)\*polylog(2, c\*x)\*(a + b\*x))/x^5, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*ln(-c\*x+1)\*polylog(2,c\*x)/x\*\*5,x)

[Out] Timed out



### 3.192 $\int x(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx) dx$

**Optimal.** Leaf size=900

$$\frac{1}{16}c \log^2(1-dx)x^4 + \frac{3cx^4}{256} - \frac{3}{64}c \log(1-dx)x^4 - \frac{1}{16}c \text{Li}_2(dx)x^4 + \frac{1}{9}b \log^2(1-dx)x^3 + \frac{2bx^3}{81} + \frac{(3c + 4bd)x^3}{324d} - \frac{2}{27}b \log(1-dx)x^2$$

[Out]  $\frac{29}{192}c \ln(-dx+1)/d^4 + \frac{5}{27}b \ln(-dx+1)/d^3 + \frac{1}{108}(4bd+3c) \ln(-dx+1)/d^4 + \frac{1}{48}(6ad^2+4bd+3c) \ln(-dx+1)/d^4 - \frac{2}{27}bx^3 \ln(-dx+1) - \frac{3}{64}cx^4 \ln(-dx+1) - \frac{1}{16}c \ln(-dx+1)^2/d^4 - \frac{1}{9}b \ln(-dx+1)^2/d^3 + \frac{1}{9}bx^3 \ln(-dx+1)^2 + \frac{1}{16}cx^4 \ln(-dx+1)^2 + \frac{1}{12}(3cx^4+4bx^3+6a^2x^2) \ln(-dx+1) \text{polylog}(2, dx) - \frac{1}{16}cx^2 \ln(-dx+1)/d^2 - \frac{1}{9}bx^2 \ln(-dx+1)/d - \frac{1}{48}(6ad^2+4bd+3c)x^2 \ln(-dx+1)/d^2 - \frac{1}{24}cx^3 \ln(-dx+1)/d - \frac{1}{108}(4bd+3c)x^3 \ln(-dx+1)/d + \frac{1}{8}c(-dx+1) \ln(-dx+1)/d^4 + \frac{2}{9}b(-dx+1) \ln(-dx+1)/d^3 + \frac{1}{12}(6ad^2+4bd+3c)(-dx+1) \ln(-dx+1)/d^4 - \frac{1}{4}a(-dx+1)^2 \ln(-dx+1)/d^2 - \frac{1}{2}a(-dx+1) \ln(-dx+1)^2/d^2 + \frac{1}{4}a(-dx+1)^2 \ln(-dx+1)^2/d^2 - \frac{1}{12}(6ad^2+4bd+3c) \ln(dx) \ln(-dx+1)^2/d^4 - \frac{1}{12}(6ad^2+4bd+3c) \ln(-dx+1) \text{polylog}(2, dx)/d^4 - \frac{1}{6}(6ad^2+4bd+3c) \ln(-dx+1) \text{polylog}(2, -dx+1)/d^4 + a(-dx+1) \ln(-dx+1)/d^2 - \frac{1}{12}(6ad^2+4bd+3c)x \text{polylog}(2, dx)/d^3 - \frac{1}{24}(6ad^2+4bd+3c)x^2 \text{polylog}(2, dx)/d^2 - \frac{1}{36}(4bd+3c)x^3 \text{polylog}(2, dx)/d + ax/d + \frac{2}{81}bx^3 + \frac{3}{256}cx^4 + \frac{53}{192}cx/d^3 + \frac{11}{27}bx/d^2 + \frac{1}{108}(4bd+3c)x/d^3 + \frac{5}{48}(6ad^2+4bd+3c)x/d^3 + \frac{29}{384}cx^2/d^2 + \frac{5}{54}bx^2/d + \frac{1}{216}(4bd+3c)x^2/d^2 + \frac{1}{96}(6ad^2+4bd+3c)x^2/d^2 + \frac{17}{576}cx^3/d + \frac{1}{324}(4bd+3c)x^3/d + \frac{1}{8}a(-dx+1)^2/d^2 - \frac{1}{16}cx^4 \text{polylog}(2, dx) + \frac{1}{6}(6ad^2+4bd+3c) \text{polylog}(3, -dx+1)/d^4$

**Rubi [A]** time = 1.18, antiderivative size = 900, normalized size of antiderivative = 1.00, number of steps used = 60, number of rules used = 22, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.917$ , Rules used = {6742, 6591, 2395, 43, 14, 6604, 2401, 2389, 2296, 2295, 2390, 2305, 2304, 2398, 2410, 2301, 6586, 6596, 2396, 2433, 2374, 6589}

$$\frac{1}{16}c \log^2(1-dx)x^4 + \frac{3cx^4}{256} - \frac{3}{64}c \log(1-dx)x^4 - \frac{1}{16}c \text{PolyLog}(2, dx)x^4 + \frac{1}{9}b \log^2(1-dx)x^3 + \frac{2bx^3}{81} + \frac{(3c + 4bd)x^3}{324d} - \frac{2}{27}b \log(1-dx)x^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x(a + bx + cx^2) \text{Log}[1 - dx] \text{PolyLog}[2, dx], x]$

[Out]  $\frac{53cx}{192d^3} + \frac{11bx}{27d^2} + \frac{ax}{d} + \frac{(3c + 4bd)x}{108d^3} + \frac{5(3c + 4bd + 6ad^2)x}{48d^3} + \frac{29cx^2}{384d^2} + \frac{5bx^2}{54d} + \frac{(3c + 4bd)x^2}{216d^2} + \frac{(3c + 4bd + 6ad^2)x^2}{96d^2} + \frac{2bx^3}{81} + \frac{17cx^3}{576d} + \frac{(3c + 4bd)x^3}{324d} + \frac{3cx^4}{256} + \frac{a(1 - dx)^2}{8d^2} + \frac{29c \text{Log}[1 - dx]}{192d^4} + \frac{5b \text{Log}[1 - dx]}{27d^3} + \frac{(3c + 4bd) \text{Log}[1 - dx]}{108d^4} + \frac{(3c + 4bd + 6ad^2) \text{Log}[1 - dx]}{48d^4} - \frac{cx^2 \text{Log}[1 - dx]}{16d^4}$

$$\begin{aligned}
& 2) - (b*x^2*\text{Log}[1 - d*x])/(9*d) - ((3*c + 4*b*d + 6*a*d^2)*x^2*\text{Log}[1 - d*x]) / (48*d^2) - (2*b*x^3*\text{Log}[1 - d*x])/27 - (c*x^3*\text{Log}[1 - d*x])/(24*d) - ((3*c + 4*b*d)*x^3*\text{Log}[1 - d*x])/(108*d) - (3*c*x^4*\text{Log}[1 - d*x])/64 + (c*(1 - d*x)*\text{Log}[1 - d*x])/(8*d^4) + (2*b*(1 - d*x)*\text{Log}[1 - d*x])/(9*d^3) + (a*(1 - d*x)*\text{Log}[1 - d*x])/d^2 + ((3*c + 4*b*d + 6*a*d^2)*(1 - d*x)*\text{Log}[1 - d*x]) / (12*d^4) - (a*(1 - d*x)^2*\text{Log}[1 - d*x])/(4*d^2) - (c*\text{Log}[1 - d*x]^2)/(16*d^4) - (b*\text{Log}[1 - d*x]^2)/(9*d^3) + (b*x^3*\text{Log}[1 - d*x]^2)/9 + (c*x^4*\text{Log}[1 - d*x]^2)/16 - (a*(1 - d*x)*\text{Log}[1 - d*x]^2)/(2*d^2) + (a*(1 - d*x)^2*\text{Log}[1 - d*x]^2)/(4*d^2) - ((3*c + 4*b*d + 6*a*d^2)*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/(12*d^4) - ((3*c + 4*b*d + 6*a*d^2)*x*\text{PolyLog}[2, d*x])/(12*d^3) - ((3*c + 4*b*d + 6*a*d^2)*x^2*\text{PolyLog}[2, d*x])/(24*d^2) - ((3*c + 4*b*d)*x^3*\text{PolyLog}[2, d*x])/(36*d) - (c*x^4*\text{PolyLog}[2, d*x])/16 - ((3*c + 4*b*d + 6*a*d^2)*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/(12*d^4) + ((6*a*x^2 + 4*b*x^3 + 3*c*x^4)*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/12 - ((3*c + 4*b*d + 6*a*d^2)*\text{Log}[1 - d*x]*\text{PolyLog}[2, 1 - d*x])/(6*d^4) + ((3*c + 4*b*d + 6*a*d^2)*\text{PolyLog}[3, 1 - d*x])/(6*d^4)
\end{aligned}$$

#### Rule 14

```

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

```

#### Rule 43

```

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

```

#### Rule 2295

```

Int[Log[(c_.)*(x_)]^(n_.), x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x] /; FreeQ[{c, n}, x]

```

#### Rule 2296

```

Int[((a_.) + Log[(c_.)*(x_)]^(n_.))*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*Log[c*x^n])^p, x] - Dist[b*n*p, Int[(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]

```

#### Rule 2301

```

Int[((a_.) + Log[(c_.)*(x_)]^(n_.))*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]

```

Rule 2304

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((d\_.)\*(x\_)^(m\_.)), x\_Symbol] :=  
 Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n]))/(d\*(m + 1)), x] - Simp[(b\*n\*(d\*x)^(  
 m + 1))/(d\*(m + 1)^2), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 2305

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((d\_.)\*(x\_)^(m\_.)), x\_Symbol  
 ] := Simp[((d\*x)^(m + 1)\*(a + b\*Log[c\*x^n])^p)/(d\*(m + 1)), x] - Dist[(b\*n  
 \*p)/(m + 1), Int[(d\*x)^m\*(a + b\*Log[c\*x^n])^(p - 1), x], x] /; FreeQ[{a, b,  
 c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b  
 \_.)^(p\_.)))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x  
 ^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x  
 ^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]  
 && EqQ[d\*e, 1]

Rule 2389

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.), x\_Symbol] :  
 > Dist[1/e, Subst[Int[(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a  
 , b, c, d, e, n, p}, x]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.  
 )\*(x\_)^(q\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x  
 ^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && E  
 qQ[e\*f - d\*g, 0]

Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_  
 \_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/  
 (g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x)  
 , x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && N  
 eQ[q, -1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)

$(x\_)$ ,  $x\_Symbol]$   $\rightarrow$   $Simp[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n])^p)/g, x] - \text{Dist}[(b*e*n*p)/g, \text{Int}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n])^{(p - 1)})/(d + e*x), x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[p, 1]$

### Rule 2398

$\text{Int}[(a\_ + \text{Log}[c\_*(d\_ + (e\_)*(x\_))^{(n\_)}])*(b\_)^{(p\_)}*((f\_ + (g\_)*(x\_))^{(q\_)}), x\_Symbol]$   $\rightarrow$   $Simp[(f + g*x)^{(q + 1)}*(a + b*\text{Log}[c*(d + e*x)^n])^p)/(g*(q + 1)), x] - \text{Dist}[(b*e*n*p)/(g*(q + 1)), \text{Int}[(f + g*x)^{(q + 1)}*(a + b*\text{Log}[c*(d + e*x)^n])^{(p - 1)})/(d + e*x), x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[q, -1] \ \&\& \ \text{IntegersQ}[2*p, 2*q] \ \&\& \ (\ !\text{IGtQ}[q, 0] \ || \ (\text{EqQ}[p, 2] \ \&\& \ \text{NeQ}[q, 1]))$

### Rule 2401

$\text{Int}[(a\_ + \text{Log}[c\_*(d\_ + (e\_)*(x\_))^{(n\_)}])*(b\_)^{(p\_)}*((f\_ + (g\_)*(x\_))^{(q\_)}), x\_Symbol]$   $\rightarrow$   $\text{Int}[\text{ExpandIntegrand}[(f + g*x)^q*(a + b*\text{Log}[c*(d + e*x)^n])^p, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[q, 0]$

### Rule 2410

$\text{Int}[(\text{Log}[c\_*(d\_ + (e\_)*(x\_))]*(x\_)^{(m\_)})/((f\_ + (g\_)*(x\_))], x\_Symbol]$   $\rightarrow$   $\text{Int}[\text{ExpandIntegrand}[\text{Log}[c*(d + e*x)], x^m/(f + g*x), x], x] /;$   $\text{FreeQ}[\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d, 1] \ \&\& \ \text{IntegerQ}[m]$

### Rule 2433

$\text{Int}[(a\_ + \text{Log}[c\_*(d\_ + (e\_)*(x\_))^{(n\_)}])*(b\_)^{(p\_)}*((f\_ + \text{Log}[(h\_)*((i\_ + (j\_)*(x\_))^{(m\_)}])*(g\_))*((k\_ + (l\_)*(x\_))^{(r\_)}), x\_Symbol]$   $\rightarrow$   $\text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r*(a + b*\text{Log}[c*x^n])^p*(f + g*\text{Log}[h*(e*i - d*j)/e + (j*x)/e]^m), x], x, d + e*x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \ \&\& \ \text{EqQ}[e*k - d*1, 0]$

### Rule 6586

$\text{Int}[\text{PolyLog}[n, (a\_)*(b\_)*(x\_)^{(p\_)}]^{(q\_)}], x\_Symbol]$   $\rightarrow$   $Simp[x*\text{PolyLog}[n, a*(b*x^p)^q], x] - \text{Dist}[p*q, \text{Int}[\text{PolyLog}[n - 1, a*(b*x^p)^q], x], x] /;$   $\text{FreeQ}[\{a, b, p, q\}, x] \ \&\& \ \text{GtQ}[n, 0]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n, (c\_)*((a\_ + (b\_)*(x\_))^{(p\_)}]/((d\_ + (e\_)*(x\_))), x\_Symbol]$   $\rightarrow$   $Simp[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /;$   $\text{FreeQ}[\{a, b, c, d$

, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

#### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, Int[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c*(b*d - a*e) + e, 0]
```

#### Rule 6604

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> With[{u = IntHide[Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n]*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], u/(a + b*x), x], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], u/(d + e*x), x], x], x])] /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x]
```

#### Rule 6742

```
Int[u_, x_Symbol]
:> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
```

#### Rubi steps

$$\begin{aligned}
\int x(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx) dx &= \frac{1}{12} (6ax^2 + 4bx^3 + 3cx^4) \log(1 - dx) \text{Li}_2(dx) + d \int \left( \frac{-3c - 4bd - 6ad^2}{12d^4} \right. \\
&= \frac{1}{12} (6ax^2 + 4bx^3 + 3cx^4) \log(1 - dx) \text{Li}_2(dx) + \frac{1}{2} a \int x \log^2(1 - dx) dx \\
&= \frac{1}{9} bx^3 \log^2(1 - dx) + \frac{1}{16} cx^4 \log^2(1 - dx) - \frac{(3c + 4bd + 6ad^2) x \text{Li}_2(dx)}{12d^3} \\
&= -\frac{(3c + 4bd + 6ad^2) x^2 \log(1 - dx)}{48d^2} - \frac{(3c + 4bd) x^3 \log(1 - dx)}{108d} - \frac{1}{64} c \\
&= \frac{(3c + 4bd + 6ad^2) x}{12d^3} - \frac{(3c + 4bd + 6ad^2) x^2 \log(1 - dx)}{48d^2} - \frac{(3c + 4bd) x}{108d} \\
&= \frac{cx}{64d^3} + \frac{(3c + 4bd)x}{108d^3} + \frac{5(3c + 4bd + 6ad^2)x}{48d^3} + \frac{cx^2}{128d^2} + \frac{(3c + 4bd)x}{216d^2} \\
&= \frac{9cx}{64d^3} + \frac{2bx}{9d^2} + \frac{ax}{d} + \frac{(3c + 4bd)x}{108d^3} + \frac{5(3c + 4bd + 6ad^2)x}{48d^3} + \frac{cx^2}{128d^2} + \\
&= \frac{53cx}{192d^3} + \frac{11bx}{27d^2} + \frac{ax}{d} + \frac{(3c + 4bd)x}{108d^3} + \frac{5(3c + 4bd + 6ad^2)x}{48d^3} + \frac{29cx^2}{384d^2}
\end{aligned}$$

**Mathematica [A]** time = 1.21, size = 583, normalized size = 0.65

$$\frac{24\text{Li}_3(1 - dx) (6ad^2 + 4bd + 3c) - 24\text{Li}_2(1 - dx) \log(1 - dx) (6ad^2 + 4bd + 3c) + \text{Li}_2(dx) (12 \log(1 - dx) (6ad^4 x^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x], x]

[Out] ((355\*c\*d\*x)/4 + 124\*b\*d^2\*x + 198\*a\*d^3\*x + (139\*c\*d^2\*x^2)/8 + 22\*b\*d^3\*x^2 + 27\*a\*d^4\*x^2 + (67\*c\*d^3\*x^3)/12 + (16\*b\*d^4\*x^3)/3 + (27\*c\*d^4\*x^4)/16 + (355\*c\*Log[1 - d\*x])/4 + 124\*b\*d\*Log[1 - d\*x] + 198\*a\*d^2\*Log[1 - d\*x] - 54\*c\*d\*x\*Log[1 - d\*x] - 80\*b\*d^2\*x\*Log[1 - d\*x] - 144\*a\*d^3\*x\*Log[1 - d\*x] - 18\*c\*d^2\*x^2\*Log[1 - d\*x] - 28\*b\*d^3\*x^2\*Log[1 - d\*x] - 54\*a\*d^4\*x^2\*Log[1 - d\*x] - 10\*c\*d^3\*x^3\*Log[1 - d\*x] - 16\*b\*d^4\*x^3\*Log[1 - d\*x] - (27\*c\*d^4\*x^4\*Log[1 - d\*x])/4 - 9\*c\*Log[1 - d\*x]^2 - 16\*b\*d\*Log[1 - d\*x]^2 - 36\*a\*d^2\*Log[1 - d\*x]^2 + 36\*a\*d^4\*x^2\*Log[1 - d\*x]^2 + 16\*b\*d^4\*x^3\*Log[1 - d

$$\begin{aligned} & x]^2 + 9*c*d^4*x^4*\text{Log}[1 - d*x]^2 - 36*c*\text{Log}[d*x]*\text{Log}[1 - d*x]^2 - 48*b*d*L \\ & \text{og}[d*x]*\text{Log}[1 - d*x]^2 - 72*a*d^2*\text{Log}[d*x]*\text{Log}[1 - d*x]^2 + (-(d*x*(3*c*(12 \\ & + 6*d*x + 4*d^2*x^2 + 3*d^3*x^3) + 4*d*(9*a*d*(2 + d*x) + 2*b*(6 + 3*d*x + \\ & 2*d^2*x^2)))) + 12*(-4*b*d - 6*a*d^2 + 6*a*d^4*x^2 + 4*b*d^4*x^3 + 3*c*(-1 \\ & + d^4*x^4))*\text{Log}[1 - d*x])*PolyLog[2, d*x] - 24*(3*c + 4*b*d + 6*a*d^2)*\text{Log} \\ & [1 - d*x]*PolyLog[2, 1 - d*x] + 24*(3*c + 4*b*d + 6*a*d^2)*PolyLog[3, 1 - d \\ & *x])/(144*d^4) \end{aligned}$$

**fricas** [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cx^3 + bx^2 + ax\right)\text{Li}_2(dx) \log(-dx + 1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="fricas")

[Out] integral((c\*x^3 + b\*x^2 + a\*x)\*dilog(d\*x)\*log(-d\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^2 + bx + a)x\text{Li}_2(dx) \log(-dx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*x\*dilog(d\*x)\*log(-d\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int x(c x^2 + b x + a) \ln(-d x + 1) \text{polylog}(2, d x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x),x)

[Out] int(x\*(c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x),x)

**maxima** [A] time = 0.34, size = 518, normalized size = 0.58

$$-\frac{1}{6912} d \left( \frac{576(6ad^2 + 4bd + 3c)(\log(dx) \log(-dx + 1)^2 + 2\text{Li}_2(-dx + 1) \log(-dx + 1) - 2\text{Li}_3(-dx + 1))}{d^5} - \frac{8}{d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="maxima")

```
[Out] -1/6912*d*(576*(6*a*d^2 + 4*b*d + 3*c)*(log(d*x)*log(-d*x + 1)^2 + 2*dilog(-d*x + 1)*log(-d*x + 1) - 2*polylog(3, -d*x + 1))/d^5 - (81*c*d^4*x^4 + 4*(64*b*d^4 + 67*c*d^3)*x^3 + 6*(216*a*d^4 + 176*b*d^3 + 139*c*d^2)*x^2 + 12*(792*a*d^3 + 496*b*d^2 + 355*c*d)*x - 48*(9*c*d^4*x^4 + 4*(4*b*d^4 + 3*c*d^3)*x^3 + 6*(6*a*d^4 + 4*b*d^3 + 3*c*d^2)*x^2 + 12*(6*a*d^3 + 4*b*d^2 + 3*c*d)*x + 12*(6*a*d^2 + 4*b*d + 3*c)*log(-d*x + 1))*dilog(d*x) - 4*(54*c*d^4*x^4 + 4*(32*b*d^4 + 21*c*d^3)*x^3 - 2376*a*d^2 + 6*(72*a*d^4 + 40*b*d^3 + 27*c*d^2)*x^2 - 1488*b*d + 12*(108*a*d^3 + 64*b*d^2 + 45*c*d)*x - 1065*c)*log(-d*x + 1))/d^5 + 1/1728*(216*(4*d^2*x^2*dilog(d*x) - d^2*x^2 - 2*d*x + 2*(d^2*x^2 - 1)*log(-d*x + 1))*a/d^2 + 32*(18*d^3*x^3*dilog(d*x) - 2*d^3*x^3 - 3*d^2*x^2 - 6*d*x + 6*(d^3*x^3 - 1)*log(-d*x + 1))*b/d^3 + 9*(48*d^4*x^4*dilog(d*x) - 3*d^4*x^4 - 4*d^3*x^3 - 6*d^2*x^2 - 12*d*x + 12*(d^4*x^4 - 1)*log(-d*x + 1))*c/d^4)*log(-d*x + 1)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \ln(1 - dx) \operatorname{polylog}(2, dx) (cx^2 + bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2), x)
```

```
[Out] int(x*log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x**2+b*x+a)*ln(-d*x+1)*polylog(2,d*x), x)
```

```
[Out] Timed out
```



### 3.193 $\int (a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx) dx$

**Optimal.** Leaf size=645

$$\frac{\text{Li}_3(1 - dx)(3d(2ad + b) + 2c)}{3d^3} - \frac{\text{Li}_2(dx) \log(1 - dx)(3d(2ad + b) + 2c)}{6d^3} - \frac{\text{Li}_2(1 - dx) \log(1 - dx)(3d(2ad + b) + 2c)}{3d^3}$$

[Out]  $2ax^2/9c \ln(-dx+1)/d^3 + 1/24(3bd+2c) \ln(-dx+1)/d^3 - 1/9c x^3 \ln(-dx+1) - 1/9c \ln(-dx+1)^2/d^3 + 1/9c x^3 \ln(-dx+1)^2 + 1/6(2cx^3+3bx^2+6a^2x) \ln(-dx+1) \text{polylog}(2, dx) - 1/9c x^2 \ln(-dx+1)/d - 1/24(3bd+2c) x^2 \ln(-dx+1)/d + 2/9c (-dx+1) \ln(-dx+1)/d^3 + 2a(-dx+1) \ln(-dx+1)/d + 1/6(2c+3d(2a+d+b)) (-dx+1) \ln(-dx+1)/d^3 - 1/4b(-dx+1)^2 \ln(-dx+1)/d^2 - 1/2b(-dx+1) \ln(-dx+1)^2/d^2 + 1/4b(-dx+1)^2 \ln(-dx+1)^2/d^2 - 1/6(2c+3d(2a+d+b)) \ln(dx) \ln(-dx+1)^2/d^3 - 1/6(2c+3d(2a+d+b)) \ln(-dx+1) \text{polylog}(2, dx)/d^3 - 1/3(2c+3d(2a+d+b)) \ln(-dx+1) \text{polylog}(2, -dx+1)/d^3 + b(-dx+1) \ln(-dx+1)/d^2 - a(-dx+1) \ln(-dx+1)^2/d - 1/6(2c+3d(2a+d+b)) x \text{polylog}(2, dx)/d^2 - 1/12(3bd+2c) x^2 \text{polylog}(2, dx)/d + 1/27c x^3 + bx/d + 4/9c x/d^2 + 1/24(3bd+2c) x/d^2 + 1/6(2c+3d(2a+d+b)) x/d^2 + 1/9c x^2/d + 1/48(3bd+2c) x^2/d + 1/8b(-dx+1)^2/d^2 - 1/9c x^3 \text{polylog}(2, dx) + 1/3(2c+3d(2a+d+b)) \text{polylog}(3, -dx+1)/d^3$

**Rubi [A]** time = 0.82, antiderivative size = 645, normalized size of antiderivative = 1.00, number of steps used = 43, number of rules used = 21, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.913$ , Rules used = {6742, 6586, 2389, 2295, 6591, 2395, 43, 6604, 2296, 2401, 2390, 2305, 2304, 2398, 2410, 2301, 6596, 2396, 2433, 2374, 6589}

$$\frac{x \text{PolyLog}(2, dx)(3d(2ad + b) + 2c)}{6d^2} + \frac{\text{PolyLog}(3, 1 - dx)(3d(2ad + b) + 2c)}{3d^3} - \frac{\log(1 - dx) \text{PolyLog}(2, dx)(3d(2ad + b) + 2c)}{6d^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + bx + cx^2) \text{Log}[1 - dx] \text{PolyLog}[2, dx], x]$

[Out]  $2ax + (4cx)/(9d^2) + (bx)/d + ((2c + 3bd)x)/(24d^2) + ((2c + 3d(b + 2ad))x)/(6d^2) + (cx^2)/(9d) + ((2c + 3bd)x^2)/(48d) + (cx^3)/27 + (b(1 - dx)^2)/(8d^2) + (2c \text{Log}[1 - dx])/(9d^3) + ((2c + 3bd) \text{Log}[1 - dx])/(24d^3) - (cx^2 \text{Log}[1 - dx])/(9d) - ((2c + 3bd)x^2 \text{Log}[1 - dx])/(24d) - (cx^3 \text{Log}[1 - dx])/9 + (2c(1 - dx) \text{Log}[1 - dx])/(9d^3) + (b(1 - dx) \text{Log}[1 - dx])/d^2 + (2a(1 - dx) \text{Log}[1 - dx])/d + ((2c + 3d(b + 2ad))(1 - dx) \text{Log}[1 - dx])/(6d^3) - (b(1 - dx)^2 \text{Log}[1 - dx])/(4d^2) - (c \text{Log}[1 - dx]^2)/(9d^3) + (cx^3 \text{Log}[1 - dx]^2)/9 - (b(1 - dx) \text{Log}[1 - dx]^2)/(2d^2) - (a(1 - dx) \text{Log}[1 - dx]^2)/d + (b(1 - dx)^2 \text{Log}[1 - dx]^2)/(4d^2) - ((2c + 3d(b + 2ad)) \text{Log}[dx] \text{Log}[1 - dx]^2)/(6d^3) - ((2c + 3d(b + 2ad))x \text{PolyLog}[2, dx])/(6d^2) - ((2c + 3bd)x^2 \text{PolyLog}[2, dx])/(12d) - (cx^3 \text{PolyLog}[2,$

$$d*x))/9 - ((2*c + 3*d*(b + 2*a*d))*Log[1 - d*x]*PolyLog[2, d*x])/(6*d^3) + ((6*a*x + 3*b*x^2 + 2*c*x^3)*Log[1 - d*x]*PolyLog[2, d*x])/6 - ((2*c + 3*d*(b + 2*a*d))*Log[1 - d*x]*PolyLog[2, 1 - d*x])/(3*d^3) + ((2*c + 3*d*(b + 2*a*d))*PolyLog[3, 1 - d*x])/(3*d^3)$$
Rule 43

$$\text{Int}[(a_.) + (b_.)*(x_)^(m_.)*((c_.) + (d_.)*(x_)^(n_.), x\_Symbol] \text{ :> Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ /; FreeQ}\{a, b, c, d, n, x\} \ \&\& \ \text{NeQ}\{b*c - a*d, 0\} \ \&\& \ \text{IGtQ}\{m, 0\} \ \&\& \ (\text{!IntegerQ}\{n\} \ || \ (\text{EqQ}\{c, 0\} \ \&\& \ \text{LeQ}\{7*m + 4*n + 4, 0\}) \ || \ \text{LtQ}\{9*m + 5*(n + 1), 0\} \ || \ \text{GtQ}\{m + n + 2, 0\})$$
Rule 2295

$$\text{Int}[\text{Log}[(c_.)*(x_)^(n_.)], x\_Symbol] \text{ :> Simp}[x*\text{Log}[c*x^n], x] - \text{Simp}[n*x, x] \text{ /; FreeQ}\{c, n, x\}$$
Rule 2296

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]^(p_.), x\_Symbol] \text{ :> Simp}[x*(a + b*\text{Log}[c*x^n])^p, x] - \text{Dist}[b*n*p, \text{Int}[(a + b*\text{Log}[c*x^n])^(p - 1), x], x] \text{ /; FreeQ}\{a, b, c, n, x\} \ \&\& \ \text{GtQ}\{p, 0\} \ \&\& \ \text{IntegerQ}\{2*p\}$$
Rule 2301

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]/(x_), x\_Symbol] \text{ :> Simp}[(a + b*\text{Log}[c*x^n])^2/(2*b*n), x] \text{ /; FreeQ}\{a, b, c, n, x\}$$
Rule 2304

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]*((d_.)*(x_)^(m_.), x\_Symbol] \text{ :> Simp}[(d*x)^(m + 1)*(a + b*\text{Log}[c*x^n])/(d*(m + 1)), x] - \text{Simp}[(b*n*(d*x)^(m + 1))/(d*(m + 1)^2), x] \text{ /; FreeQ}\{a, b, c, d, m, n, x\} \ \&\& \ \text{NeQ}\{m, -1\}$$
Rule 2305

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]^(p_.)*((d_.)*(x_)^(m_.), x\_Symbol] \text{ :> Simp}[(d*x)^(m + 1)*(a + b*\text{Log}[c*x^n])^p/(d*(m + 1)), x] - \text{Dist}[(b*n*p)/(m + 1), \text{Int}[(d*x)^m*(a + b*\text{Log}[c*x^n])^(p - 1), x], x] \text{ /; FreeQ}\{a, b, c, d, m, n, x\} \ \&\& \ \text{NeQ}\{m, -1\} \ \&\& \ \text{GtQ}\{p, 0\}$$
Rule 2374

$$\text{Int}[(\text{Log}[(d_.)*((e_.) + (f_.)*(x_)^(m_.))])*((a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]^(p_.)]/(x_), x\_Symbol] \text{ :> -Simp}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^p)/m, x] + \text{Dist}[(b*n*p)/m, \text{Int}[(\text{PolyLog}[2, -(d*f*x^m)]*(a + b*\text{Log}[c*x^n])^p)/m, x]$$

$n])^{(p-1)}/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0]$   
 $\&\& \ \text{EqQ}[d*e, 1]$

### Rule 2389

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}, x\_Symbol] :$   
 $> \text{Dist}[1/e, \text{Subst}[\text{Int}[(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a,$   
 $b, c, d, e, n, p\}, x]$

### Rule 2390

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_) + (g_.$   
 $)*(x_))^{(q_.)}, x\_Symbol] :> \text{Dist}[1/e, \text{Subst}[\text{Int}[(f*x)/d]^q*(a + b*\text{Log}[c*x^n]$   
 $n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p, q\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0]$

### Rule 2395

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))*((f_.) + (g_.)*(x_$   
 $))^{(q_.)}, x\_Symbol] :> \text{Simp}[\{(f + g*x)^{(q+1)}*(a + b*\text{Log}[c*(d + e*x)^n])\}/$   
 $(g*(q+1)), x] - \text{Dist}[(b*e*n)/(g*(q+1)), \text{Int}[(f + g*x)^{(q+1)}/(d + e*x)$   
 $, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[q, -1]$

### Rule 2396

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}/\{(f_.) + (g_.$   
 $)*(x_)\}, x\_Symbol] :> \text{Simp}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d$   
 $+ e*x)^n])^p)/g, x] - \text{Dist}[(b*e*n*p)/g, \text{Int}[(\text{Log}[(e*(f + g*x))/(e*f - d*g)]$   
 $* (a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)}/(d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d,$   
 $e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[p, 1]$

### Rule 2398

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + (g_.$   
 $)*(x_))^{(q_.)}, x\_Symbol] :> \text{Simp}[\{(f + g*x)^{(q+1)}*(a + b*\text{Log}[c*(d + e*x)^n]$   
 $n])^p\}/(g*(q+1)), x] - \text{Dist}[(b*e*n*p)/(g*(q+1)), \text{Int}[\{(f + g*x)^{(q+1)}$   
 $* (a + b*\text{Log}[c*(d + e*x)^n])^{(p-1)}/(d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d,$   
 $e, f, g, n, q\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[q, -1] \ \&\& \ \text{IntegersQ}[2*p,$   
 $2*q] \ \&\& \ (\ !\text{IGtQ}[q, 0] \ || \ (\text{EqQ}[p, 2] \ \&\& \ \text{NeQ}[q, 1]))$

### Rule 2401

$\text{Int}[\{(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + (g_.$   
 $)*(x_))^{(q_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(f + g*x)^q*(a + b*\text{Log}[c*(d$

$+ e*x)^n]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[q, 0]$

### Rule 2410

$\text{Int}[(\text{Log}[(c\_)*(d\_)+(e\_)*(x\_)]*(x\_)^{(m\_)})/((f\_)+(g\_)*(x\_)), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Log}[c*(d+e*x)], x^m/(f+g*x), x], x] /; \text{FreeQ}[\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d, 1] \ \&\& \ \text{IntegerQ}[m]$

### Rule 2433

$\text{Int}[(a\_)+\text{Log}[(c\_)*(d\_)+(e\_)*(x\_)]^{(n\_)}*(b\_)^{(p\_)}*((f\_)+\text{Log}[(h\_)*(i\_)+(j\_)*(x\_)]^{(m\_)}*(g\_))*((k\_)+(l\_)*(x\_)]^{(r\_)}, x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r*(a+b*\text{Log}[c*x^n])^p*(f+g*\text{Log}[h*(e*i-d*j)/e+(j*x)/e]^m), x], x, d+e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \ \&\& \ \text{EqQ}[e*k - d*l, 0]$

### Rule 6586

$\text{Int}[\text{PolyLog}[n_, (a\_)*((b\_)*(x\_)^{(p\_)})^{(q\_)}], x\_Symbol] \rightarrow \text{Simp}[x*\text{PolyLog}[n, a*(b*x^p)^q], x] - \text{Dist}[p*q, \text{Int}[\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}[\{a, b, p, q\}, x] \ \&\& \ \text{GtQ}[n, 0]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n_, (c\_)*((a\_)+(b\_)*(x\_)]^{(p\_)}]/((d\_)+(e\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n+1, c*(a+b*x)^p]/(e*p), x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \ \&\& \ \text{EqQ}[b*d, a*e]$

### Rule 6591

$\text{Int}[(d\_)*(x\_)]^{(m\_)}*\text{PolyLog}[n_, (a\_)*((b\_)*(x\_)]^{(p\_)}^{(q\_)}], x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*\text{PolyLog}[n, a*(b*x^p)^q]/(d*(m+1)), x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m*\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}[\{a, b, d, m, p, q\}, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{GtQ}[n, 0]$

### Rule 6596

$\text{Int}[\text{PolyLog}[2, (c\_)*((a\_)+(b\_)*(x\_))]/((d\_)+(e\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[1-a*c-b*c*x]*\text{PolyLog}[2, c*(a+b*x)])]/e, x] + \text{Dist}[b/e, \text{Int}[\text{Log}[1-a*c-b*c*x]^2/(a+b*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*(b*d - a*e) + e, 0]$

### Rule 6604

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_.))^(n_.)]*(h_.))*(Px_)*PolyLog[2,
(c_.)*((a_.) + (b_.)*(x_.))], x_Symbol] := With[{u = IntHide[Px, x]}, Simp[u
*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[Expa
ndIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], u/(a + b*x), x
], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], u/(d +
e*x), x], x], x]] /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x
]
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

### Rubi steps

$$\begin{aligned}
\int (a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx) dx &= \frac{1}{6} (6ax + 3bx^2 + 2cx^3) \log(1 - dx) \text{Li}_2(dx) + d \int \left( \frac{(-2c - 3d(b + 2ad))}{6d^3} \right. \\
&= \frac{1}{6} (6ax + 3bx^2 + 2cx^3) \log(1 - dx) \text{Li}_2(dx) + a \int \log^2(1 - dx) dx + \frac{1}{2} \\
&= \frac{1}{9} cx^3 \log^2(1 - dx) - \frac{(2c + 3d(b + 2ad))x \text{Li}_2(dx)}{6d^2} - \frac{(2c + 3bd)x^2 \text{Li}_2(dx)}{12d} \\
&= -\frac{(2c + 3bd)x^2 \log(1 - dx)}{24d} - \frac{1}{27} cx^3 \log(1 - dx) + \frac{1}{9} cx^3 \log^2(1 - dx) - \\
&= 2ax + \frac{(2c + 3d(b + 2ad))x}{6d^2} - \frac{(2c + 3bd)x^2 \log(1 - dx)}{24d} - \frac{1}{27} cx^3 \log(1 - dx) \\
&= 2ax + \frac{cx}{27d^2} + \frac{(2c + 3bd)x}{24d^2} + \frac{(2c + 3d(b + 2ad))x}{6d^2} + \frac{cx^2}{54d} + \frac{(2c + 3bd)x^2}{48d} \\
&= 2ax + \frac{7cx}{27d^2} + \frac{bx}{d} + \frac{(2c + 3bd)x}{24d^2} + \frac{(2c + 3d(b + 2ad))x}{6d^2} + \frac{cx^2}{54d} + \frac{(2c + 3bd)x^2}{48d} \\
&= 2ax + \frac{4cx}{9d^2} + \frac{bx}{d} + \frac{(2c + 3bd)x}{24d^2} + \frac{(2c + 3d(b + 2ad))x}{6d^2} + \frac{cx^2}{9d} + \frac{(2c + 3bd)x^2}{48d}
\end{aligned}$$

**Mathematica [A]** time = 0.98, size = 472, normalized size = 0.73

---


$$\text{Li}_2(dx) \left( 6(dx - 1) \log(1 - dx) \left( 3d(2ad + bdx + b) + 2c(d^2x^2 + dx + 1) \right) - dx \left( 9d(4ad + bdx + 2b) + 2c(2d^2x^2 + \dots \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x], x]

[Out] (31\*c\*d\*x + (99\*b\*d^2\*x)/2 + 108\*a\*d^3\*x + (11\*c\*d^2\*x^2)/2 + (27\*b\*d^3\*x^2)/4 + (4\*c\*d^3\*x^3)/3 + 31\*c\*Log[1 - d\*x] + (99\*b\*d\*Log[1 - d\*x])/2 + 108\*a\*d^2\*Log[1 - d\*x] - 20\*c\*d\*x\*Log[1 - d\*x] - 36\*b\*d^2\*x\*Log[1 - d\*x] - 108\*a\*d^3\*x\*Log[1 - d\*x] - 7\*c\*d^2\*x^2\*Log[1 - d\*x] - (27\*b\*d^3\*x^2\*Log[1 - d\*x])/2 - 4\*c\*d^3\*x^3\*Log[1 - d\*x] - 4\*c\*Log[1 - d\*x]^2 - 9\*b\*d\*Log[1 - d\*x]^2 - 36\*a\*d^2\*Log[1 - d\*x]^2 + 36\*a\*d^3\*x\*Log[1 - d\*x]^2 + 9\*b\*d^3\*x^2\*Log[1 - d\*x]^2 + 4\*c\*d^3\*x^3\*Log[1 - d\*x]^2 - 12\*c\*Log[d\*x]\*Log[1 - d\*x]^2 - 18\*b\*d\*Log[d\*x]\*Log[1 - d\*x]^2 - 36\*a\*d^2\*Log[d\*x]\*Log[1 - d\*x]^2 + (-(d\*x\*(9\*d\*(2\*b + 4\*a\*d + b\*d\*x) + 2\*c\*(6 + 3\*d\*x + 2\*d^2\*x^2))) + 6\*(-1 + d\*x)\*(3\*d\*(b + 2\*a\*d + b\*d\*x) + 2\*c\*(1 + d\*x + d^2\*x^2))\*Log[1 - d\*x])\*PolyLog[2, d\*x] - 12\*(2\*c + 3\*d\*(b + 2\*a\*d))\*Log[1 - d\*x]\*PolyLog[2, 1 - d\*x] + 12\*(2\*c + 3\*d\*(b + 2\*a\*d))\*PolyLog[3, 1 - d\*x])/(36\*d^3)

**fricas** [F] time = 2.00, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cx^2 + bx + a\right)\text{Li}_2(dx) \log(-dx + 1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="fricas")

[Out] integral((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^2 + bx + a)\text{Li}_2(dx) \log(-dx + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int (cx^2 + bx + a) \ln(-dx + 1) \text{polylog}(2, dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x),x)

[Out] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x),x)

**maxima** [A] time = 0.34, size = 412, normalized size = 0.64

$$-\frac{1}{432}d\left(\frac{72(6ad^2 + 3bd + 2c)(\log(dx)\log(-dx+1)^2 + 2\text{Li}_2(-dx+1)\log(-dx+1) - 2\text{Li}_3(-dx+1))}{d^4} - \frac{16c}{d^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x),x, algorithm="maxima")

[Out] -1/432\*d\*(72\*(6\*a\*d^2 + 3\*b\*d + 2\*c)\*(log(d\*x)\*log(-d\*x + 1)^2 + 2\*dilog(-d\*x + 1)\*log(-d\*x + 1) - 2\*polylog(3, -d\*x + 1))/d^4 - (16\*c\*d^3\*x^3 + 3\*(27\*b\*d^3 + 22\*c\*d^2)\*x^2 + 6\*(216\*a\*d^3 + 99\*b\*d^2 + 62\*c\*d)\*x - 12\*(4\*c\*d^3\*x^3 + 3\*(3\*b\*d^3 + 2\*c\*d^2)\*x^2 + 6\*(6\*a\*d^3 + 3\*b\*d^2 + 2\*c\*d)\*x + 6\*(6\*a\*d^2 + 3\*b\*d + 2\*c)\*log(-d\*x + 1))\*dilog(d\*x) - 2\*(16\*c\*d^3\*x^3 - 648\*a\*d^2 + 6\*(9\*b\*d^3 + 5\*c\*d^2)\*x^2 - 297\*b\*d + 6\*(72\*a\*d^3 + 27\*b\*d^2 + 16\*c\*d)\*x - 186\*c)\*log(-d\*x + 1))/d^4 + 1/216\*(216\*(d\*x\*dilog(d\*x) - d\*x + (d\*x - 1)\*log(-d\*x + 1))\*a/d + 27\*(4\*d^2\*x^2\*dilog(d\*x) - d^2\*x^2 - 2\*d\*x + 2\*(d^2\*x^2 - 1)\*log(-d\*x + 1))\*b/d^2 + 4\*(18\*d^3\*x^3\*dilog(d\*x) - 2\*d^3\*x^3 - 3\*d^2\*x^2 - 6\*d\*x + 6\*(d^3\*x^3 - 1)\*log(-d\*x + 1))\*c/d^3)\*log(-d\*x + 1)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \ln(1 - dx) \text{polylog}(2, dx) (cx^2 + bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2),x)

[Out] int(log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx + cx^2) \log(-dx + 1) \text{Li}_2(dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x),x)

[Out] Integral((a + b\*x + c\*x\*\*2)\*log(-d\*x + 1)\*polylog(2, d\*x), x)

$$3.194 \quad \int \frac{(a+bx+cx^2) \log(1-dx) \text{Li}_2(dx)}{x} dx$$

Optimal. Leaf size=402

$$-\frac{1}{2}a\text{Li}_2(dx)^2 + \frac{(2bd+c)\text{Li}_3(1-dx)}{d^2} - \frac{(2bd+c)\text{Li}_2(dx)\log(1-dx)}{2d^2} - \frac{(2bd+c)\text{Li}_2(1-dx)\log(1-dx)}{d^2} - \frac{(2bd+c)\log(1-dx)}{d^2}$$

[Out]  $2*b*x+9/8*c*x/d+1/2*(2*b*d+c)*x/d+1/16*c*x^2+1/8*c*(-d*x+1)^2/d^2+1/8*c*\ln(-d*x+1)/d^2-1/8*c*x^2*\ln(-d*x+1)+c*(-d*x+1)*\ln(-d*x+1)/d^2+2*b*(-d*x+1)*\ln(-d*x+1)/d+1/2*(2*b*d+c)*(-d*x+1)*\ln(-d*x+1)/d^2-1/4*c*(-d*x+1)^2*\ln(-d*x+1)/d^2-1/2*c*(-d*x+1)*\ln(-d*x+1)^2/d^2-b*(-d*x+1)*\ln(-d*x+1)^2/d+1/4*c*(-d*x+1)^2*\ln(-d*x+1)^2/d^2-1/2*(2*b*d+c)*\ln(d*x)*\ln(-d*x+1)^2/d^2-1/2*(2*b*d+c)*x*\text{polylog}(2,d*x)/d-1/4*c*x^2*\text{polylog}(2,d*x)-1/2*(2*b*d+c)*\ln(-d*x+1)*\text{polylog}(2,d*x)/d^2+1/2*(c*x^2+2*b*x)*\ln(-d*x+1)*\text{polylog}(2,d*x)-1/2*a*\text{polylog}(2,d*x)^2-(2*b*d+c)*\ln(-d*x+1)*\text{polylog}(2,-d*x+1)/d^2+(2*b*d+c)*\text{polylog}(3,-d*x+1)/d^2$

**Rubi [A]** time = 0.62, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 29, number of rules used = 24, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.923$ , Rules used = {6742, 6586, 2389, 2295, 6589, 6591, 2395, 43, 6605, 6601, 1584, 6598, 2416, 2391, 6604, 2296, 2401, 2390, 2305, 2304, 6596, 2396, 2433, 2374}

$$-\frac{1}{2}a\text{PolyLog}(2,dx)^2 + \frac{(2bd+c)\text{PolyLog}(3,1-dx)}{d^2} - \frac{(2bd+c)\log(1-dx)\text{PolyLog}(2,dx)}{2d^2} - \frac{(2bd+c)\log(1-dx)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x,x]

[Out]  $2*b*x + (9*c*x)/(8*d) + ((c + 2*b*d)*x)/(2*d) + (c*x^2)/16 + (c*(1 - d*x)^2)/(8*d^2) + (c*\text{Log}[1 - d*x])/(8*d^2) - (c*x^2*\text{Log}[1 - d*x])/8 + (c*(1 - d*x)*\text{Log}[1 - d*x])/d^2 + (2*b*(1 - d*x)*\text{Log}[1 - d*x])/d + ((c + 2*b*d)*(1 - d*x)*\text{Log}[1 - d*x])/(2*d^2) - (c*(1 - d*x)^2*\text{Log}[1 - d*x])/(4*d^2) - (c*(1 - d*x)*x*\text{Log}[1 - d*x]^2)/(2*d^2) - (b*(1 - d*x)*\text{Log}[1 - d*x]^2)/d + (c*(1 - d*x)^2*\text{Log}[1 - d*x]^2)/(4*d^2) - ((c + 2*b*d)*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/(2*d^2) - ((c + 2*b*d)*x*\text{PolyLog}[2, d*x])/(2*d) - (c*x^2*\text{PolyLog}[2, d*x])/4 - ((c + 2*b*d)*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/(2*d^2) + ((2*b*x + c*x^2)*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/2 - (a*\text{PolyLog}[2, d*x]^2)/2 - ((c + 2*b*d)*\text{Log}[1 - d*x]*\text{PolyLog}[2, 1 - d*x])/d^2 + ((c + 2*b*d)*\text{PolyLog}[3, 1 - d*x])/d^2$

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le



$Q[7*m + 4*n + 4, 0] \parallel LtQ[9*m + 5*(n + 1), 0] \parallel GtQ[m + n + 2, 0]$

### Rule 1584

$Int[(u_.)*(x_)^{(m_.)}*((a_.)*(x_)^{(p_.)} + (b_.)*(x_)^{(q_.)})^{(n_.)}, x\_Symbol]$   
 $:> Int[u*x^{(m + n*p)}*(a + b*x^{(q - p)})^n, x] /;$  FreeQ[{a, b, m, p, q}, x]  
 && IntegerQ[n] && PosQ[q - p]

### Rule 2295

$Int[Log[(c_.)*(x_)^{(n_.)}], x\_Symbol] :> Simp[x*Log[c*x^n], x] - Simp[n*x, x]$   
 $] /;$  FreeQ[{c, n}, x]

### Rule 2296

$Int[((a_.) + Log[(c_.)*(x_)^{(n_.)}])*(b_.)^{(p_.)}, x\_Symbol] :> Simp[x*(a + b$   
 $*Log[c*x^n])^p, x] - Dist[b*n*p, Int[(a + b*Log[c*x^n])^{(p - 1)}, x], x] /;$   
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2\*p]

### Rule 2304

$Int[((a_.) + Log[(c_.)*(x_)^{(n_.)}])*(b_.)*((d_.)*(x_))^{(m_.)}, x\_Symbol] :>$   
 $Simp[((d*x)^{(m + 1)}*(a + b*Log[c*x^n]))/(d*(m + 1)), x] - Simp[(b*n*(d*x)^{($   
 $m + 1)))/(d*(m + 1)^2), x] /;$  FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

### Rule 2305

$Int[((a_.) + Log[(c_.)*(x_)^{(n_.)}])*(b_.)^{(p_.)}*((d_.)*(x_))^{(m_.)}, x\_Symbo$   
 $l] :> Simp[((d*x)^{(m + 1)}*(a + b*Log[c*x^n])^p)/(d*(m + 1)), x] - Dist[(b*n$   
 $*p)/(m + 1), Int[(d*x)^m*(a + b*Log[c*x^n])^{(p - 1)}, x], x] /;$  FreeQ[{a, b,  
 c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]

### Rule 2374

$Int[(Log[(d_.)*((e_.) + (f_.)*(x_)^{(m_.)})])*((a_.) + Log[(c_.)*(x_)^{(n_.)}])*(b$   
 $_.)^{(p_.)})/(x_), x\_Symbol] :> -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x$   
 $^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x$   
 $^n])^{(p - 1)})/x, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0]  
 && EqQ[d\*e, 1]

### Rule 2389

$Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^{(n_.)}])*(b_.)^{(p_.)}, x\_Symbol] :$   
 $> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /;$  FreeQ[{a

, b, c, d, e, n, p}, x]

### Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2401

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(f + g\*x)^q\*(a + b\*Log[c\*(d + e\*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[q, 0]

### Rule 2416

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((h\_.)\*(x\_))^(m\_.)\*((f\_) + (g\_.)\*(x\_))^(r\_.))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*Log[c\*(d + e\*x)^n])^p, (h\*x)^m\*(f + g\*x)^r, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 6586

```
Int[PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol] := Simp[x*PolyLo
g[n, a*(b*x^p)^q], x] - Dist[p*q, Int[PolyLog[n - 1, a*(b*x^p)^q], x], x] /
; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6598

```
Int[((d_.) + (e_.)*(x_))^(m_.)*PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Sy
mbol] := Simp[((d + e*x)^(m + 1)*PolyLog[2, c*(a + b*x)])/((e*(m + 1)), x] +
Dist[b/(e*(m + 1)), Int[((d + e*x)^(m + 1)*Log[1 - a*c - b*c*x])/(a + b*x)
, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[m, -1]
```

Rule 6601

```
Int[(Log[1 + (e_.)*(x_)])*PolyLog[2, (c_.)*(x_)]/(x_), x_Symbol] := -Simp[P
olyLog[2, c*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]
```

Rule 6604

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*PolyLog[2,
(c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{u = IntHide[Px, x]}, Simp[u
*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (Dist[b, Int[Expa
ndIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x], u/(a + b*x), x
], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a + b*x)], u/(d +
e*x), x], x], x]]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x] && PolyQ[Px, x
]
```

Rule 6605

```
Int[((g_.) + Log[1 + (e_.)*(x_)]*(h_.))*(Px_)*(x_)^(m_)*PolyLog[2, (c_.)*(x
_)], x_Symbol] := Dist[Coeff[Px, x, -m - 1], Int[((g + h*Log[1 + e*x])*Poly
Log[2, c*x])/x, x], x] + Int[x^m*(Px - Coeff[Px, x, -m - 1])*x^(-m - 1)*(g
+ h*Log[1 + e*x])*PolyLog[2, c*x], x] /; FreeQ[{c, e, g, h}, x] && PolyQ[Px
, x] && ILtQ[m, 0] && EqQ[c + e, 0] && NeQ[Coeff[Px, x, -m - 1], 0]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2) \log(1 - dx) \operatorname{Li}_2(dx)}{x} dx &= a \int \frac{\log(1 - dx) \operatorname{Li}_2(dx)}{x} dx + \int \frac{(bx + cx^2) \log(1 - dx) \operatorname{Li}_2(dx)}{x} dx \\
&= -\frac{1}{2} a \operatorname{Li}_2(dx)^2 + \int (b + cx) \log(1 - dx) \operatorname{Li}_2(dx) dx \\
&= \frac{1}{2} (2bx + cx^2) \log(1 - dx) \operatorname{Li}_2(dx) - \frac{1}{2} a \operatorname{Li}_2(dx)^2 + d \int \left( \frac{(-c - 2bd) \operatorname{Li}_2(dx)}{2d^2} \right. \\
&= \frac{1}{2} (2bx + cx^2) \log(1 - dx) \operatorname{Li}_2(dx) - \frac{1}{2} a \operatorname{Li}_2(dx)^2 + b \int \log^2(1 - dx) dx \\
&= -\frac{(c + 2bd)x \operatorname{Li}_2(dx)}{2d} - \frac{1}{4} cx^2 \operatorname{Li}_2(dx) - \frac{(c + 2bd) \log(1 - dx) \operatorname{Li}_2(dx)}{2d^2} + \\
&= -\frac{1}{8} cx^2 \log(1 - dx) - \frac{b(1 - dx) \log^2(1 - dx)}{d} - \frac{(c + 2bd) \log(dx) \log^2(1 - dx)}{2d^2} \\
&= 2bx + \frac{(c + 2bd)x}{2d} - \frac{1}{8} cx^2 \log(1 - dx) + \frac{2b(1 - dx) \log(1 - dx)}{d} + \frac{(c + 2bd) \log^2(1 - dx)}{2d^2} \\
&= 2bx + \frac{cx}{8d} + \frac{(c + 2bd)x}{2d} + \frac{cx^2}{16} + \frac{c \log(1 - dx)}{8d^2} - \frac{1}{8} cx^2 \log(1 - dx) + \frac{2b(1 - dx) \log(1 - dx)}{d} + \frac{(c + 2bd) \log^2(1 - dx)}{2d^2} \\
&= 2bx + \frac{9cx}{8d} + \frac{(c + 2bd)x}{2d} + \frac{cx^2}{16} + \frac{c(1 - dx)^2}{8d^2} + \frac{c \log(1 - dx)}{8d^2} - \frac{1}{8} cx^2 \log(1 - dx) + \frac{2b(1 - dx) \log(1 - dx)}{d} + \frac{(c + 2bd) \log^2(1 - dx)}{2d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.36, size = 298, normalized size = 0.74

$$\frac{-8ad^2 \operatorname{Li}_2(dx)^2 + 4 \operatorname{Li}_2(dx)(2(dx - 1) \log(1 - dx)(2bd + cdx + c) - dx(4bd + cdx + 2c)) - 16(2bd + c) \operatorname{Li}_2(1 - dx)}{16d^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x,x]

[Out] (-14\*c - 32\*b\*d + 22\*c\*d\*x + 48\*b\*d^2\*x + 3\*c\*d^2\*x^2 + 22\*c\*Log[1 - d\*x] + 48\*b\*d\*Log[1 - d\*x] - 16\*c\*d\*x\*Log[1 - d\*x] - 48\*b\*d^2\*x\*Log[1 - d\*x] - 6\*c\*d^2\*x^2\*Log[1 - d\*x] - 4\*c\*Log[1 - d\*x]^2 - 16\*b\*d\*Log[1 - d\*x]^2 + 16\*b\*d^2\*x\*Log[1 - d\*x]^2 + 4\*c\*d^2\*x^2\*Log[1 - d\*x]^2 - 8\*c\*Log[d\*x]\*Log[1 - d\*x]^2 - 16\*b\*d\*Log[d\*x]\*Log[1 - d\*x]^2 + 4\*(-(d\*x\*(2\*c + 4\*b\*d + c\*d\*x)) + 2\*(-1 + d\*x)\*(c + 2\*b\*d + c\*d\*x))\*Log[1 - d\*x]\*PolyLog[2, d\*x] - 8\*a\*d^2\*PolyLog[2, d\*x]^2 - 16\*(c + 2\*b\*d)\*Log[1 - d\*x]\*PolyLog[2, 1 - d\*x] + 16\*c\*PolyLog[3, 1 - d\*x] + 32\*b\*d\*PolyLog[3, 1 - d\*x])/(16\*d^2)

**fricas** [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x,x, algorithm="fricas")

[Out] integral((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x,x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\ln(-dx + 1)\text{polylog}(2, dx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x,x)

[Out] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x,x, algorithm="maxima")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - dx)\text{polylog}(2, dx)(cx^2 + bx + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2))/x,x)`

[Out] `int((log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2))/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2) \log(-dx + 1) \operatorname{Li}_2(dx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)*ln(-d*x+1)*polylog(2,d*x)/x,x)`

[Out] `Integral((a + b*x + c*x**2)*log(-d*x + 1)*polylog(2, d*x)/x, x)`

$$3.195 \quad \int \frac{(a+bx+cx^2) \log(1-dx) \text{Li}_2(dx)}{x^2} dx$$

Optimal. Leaf size=218

$$-2d \left( a - \frac{c}{d^2} \right) \text{Li}_3(1-dx) + d \left( a - \frac{c}{d^2} \right) \text{Li}_2(dx) \log(1-dx) + 2d \left( a - \frac{c}{d^2} \right) \text{Li}_2(1-dx) \log(1-dx) + d \left( a - \frac{c}{d^2} \right) \log(dx) \log^2(dx)$$

[Out] 3\*c\*x+3\*c\*(-d\*x+1)\*ln(-d\*x+1)/d-c\*(-d\*x+1)\*ln(-d\*x+1)^2/d+a\*(-d\*x+1)\*ln(-d\*x+1)^2/x+(a-c/d^2)\*d\*ln(d\*x)\*ln(-d\*x+1)^2-2\*a\*d\*polylog(2,d\*x)-c\*x\*polylog(2,d\*x)+(a-c/d^2)\*d\*ln(-d\*x+1)\*polylog(2,d\*x)-(a/x-c\*x)\*ln(-d\*x+1)\*polylog(2,d\*x)-1/2\*b\*polylog(2,d\*x)^2+2\*(a-c/d^2)\*d\*ln(-d\*x+1)\*polylog(2,-d\*x+1)-a\*d\*polylog(3,d\*x)-2\*(a-c/d^2)\*d\*polylog(3,-d\*x+1)

**Rubi [A]** time = 0.51, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 21, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.808$ , Rules used = {6742, 6586, 2389, 2295, 6591, 2395, 36, 29, 31, 6589, 6605, 6601, 14, 6606, 2296, 2397, 2391, 6596, 2396, 2433, 2374}

$$-2d \left( a - \frac{c}{d^2} \right) \text{PolyLog}(3, 1-dx) + d \left( a - \frac{c}{d^2} \right) \log(1-dx) \text{PolyLog}(2, dx) + 2d \left( a - \frac{c}{d^2} \right) \log(1-dx) \text{PolyLog}(2, 1-dx) -$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^2, x]

[Out] 3\*c\*x + (3\*c\*(1 - d\*x)\*Log[1 - d\*x])/d - (c\*(1 - d\*x)\*Log[1 - d\*x]^2)/d + (a\*(1 - d\*x)\*Log[1 - d\*x]^2)/x + (a - c/d^2)\*d\*Log[d\*x]\*Log[1 - d\*x]^2 - 2\*a\*d\*PolyLog[2, d\*x] - c\*x\*PolyLog[2, d\*x] + (a - c/d^2)\*d\*Log[1 - d\*x]\*PolyLog[2, d\*x] - (a/x - c\*x)\*Log[1 - d\*x]\*PolyLog[2, d\*x] - (b\*PolyLog[2, d\*x]^2)/2 + 2\*(a - c/d^2)\*d\*Log[1 - d\*x]\*PolyLog[2, 1 - d\*x] - a\*d\*PolyLog[3, d\*x] - 2\*(a - c/d^2)\*d\*PolyLog[3, 1 - d\*x]

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

#### Rule 31



`Int[((a_) + (b_)*(x_))(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

### Rule 36

`Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

### Rule 2295

`Int[Log[(c_)*(x_)(n_)], x_Symbol] := Simp[x*Log[c*xn], x] - Simp[n*x, x] /; FreeQ[{c, n}, x]`

### Rule 2296

`Int[((a_) + Log[(c_)*(x_)(n_)])*(b_)(p_), x_Symbol] := Simp[x*(a + b*Log[c*xn])p, x] - Dist[b*n*p, Int[(a + b*Log[c*xn])(p - 1), x], x] /; FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]`

### Rule 2374

`Int[(Log[(d_)*((e_) + (f_)*(x_)(m_))]*((a_) + Log[(c_)*(x_)(n_)])*(b_)(p_)]/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*xm)]*(a + b*Log[c*xn])p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*xm)]*(a + b*Log[c*xn])(p - 1)]/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

### Rule 2389

`Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)(n_)])*(b_)(p_), x_Symbol] := Dist[1/e, Subst[Int[(a + b*Log[c*xn])p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, n, p}, x]`

### Rule 2391

`Int[Log[(c_)*((d_) + (e_)*(x_)(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*xn)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

### Rule 2395

`Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)(n_)])*(b_))*((f_) + (g_)*(x_)(q_), x_Symbol] := Simp[((f + g*x)(q + 1)*(a + b*Log[c*(d + e*x)n])]/(g*(q + 1)), x] - Dist[(b*e*n)/(g*(q + 1)), Int[(f + g*x)(q + 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e*f - d*g, 0] && N`

eQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] :> Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2397

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_))^2, x\_Symbol] :> Simp[((d + e\*x)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/((e\*f - d\*g)\*(f + g\*x)), x] - Dist[(b\*e\*n\*p)/(e\*f - d\*g), Int[(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)/(f + g\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0]

### Rule 2433

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]\*(b\_.))^(p\_.)\*((f\_.) + Log[(h\_.)\*((i\_.) + (j\_.)\*(x\_))^(m\_.)]\*(g\_.))\*((k\_.) + (l\_.)\*(x\_))^(r\_.), x\_Symbol] :> Dist[1/e, Subst[Int[((k\*x)/d)^r\*(a + b\*Log[c\*x^n])^p\*(f + g\*Log[h\*(e\*i - d\*j)/e + (j\*x)/e]^m), x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e\*k - d\*l, 0]

### Rule 6586

Int[PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[x\*PolyLog[n, a\*(b\*x^p)^q], x] - Dist[p\*q, Int[PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, p, q}, x] && GtQ[n, 0]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6591

Int[((d\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (a\_.)\*((b\_.)\*(x\_)^(p\_.))^(q\_.)], x\_Symbol] :> Simp[((d\*x)^(m + 1)\*PolyLog[n, a\*(b\*x^p)^q]/(d\*(m + 1)), x] - Dist[(p\*q)/(m + 1), Int[(d\*x)^m\*PolyLog[n - 1, a\*(b\*x^p)^q], x], x] /; FreeQ[{a, b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6601

```
Int[(Log[1 + (e_.)*(x_)]*PolyLog[2, (c_.)*(x_)])/(x_), x_Symbol] :> -Simp[P
olyLog[2, c*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]
```

Rule 6605

```
Int[((g_.) + Log[1 + (e_.)*(x_)]*(h_.))*(Px_)*(x_)^(m_)*PolyLog[2, (c_.)*(x
_)], x_Symbol] :> Dist[Coeff[Px, x, -m - 1], Int[((g + h*Log[1 + e*x])*Poly
Log[2, c*x])/x, x], x] + Int[x^m*(Px - Coeff[Px, x, -m - 1]*x^(-m - 1))*(g
+ h*Log[1 + e*x])*PolyLog[2, c*x], x] /; FreeQ[{c, e, g, h}, x] && PolyQ[Px
, x] && ILtQ[m, 0] && EqQ[c + e, 0] && NeQ[Coeff[Px, x, -m - 1], 0]
```

Rule 6606

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.))*(Px_)*(x_)^(m_.)*
PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] :> With[{u = IntHide[x^m*
Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (D
ist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x],
u/(a + b*x), x], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a
+ b*x)], u/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
&& PolyQ[Px, x] && IntegerQ[m]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^2} dx &= b \int \frac{\log(1 - dx) \text{Li}_2(dx)}{x} dx + \int \frac{(a + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^2} dx \\
&= -\left(\frac{a}{x} - cx\right) \log(1 - dx) \text{Li}_2(dx) - \frac{1}{2} b \text{Li}_2(dx)^2 + d \int \left(-\frac{c \text{Li}_2(dx)}{d} - \frac{a \text{Li}_2(dx)}{x}\right) dx \\
&= -\left(\frac{a}{x} - cx\right) \log(1 - dx) \text{Li}_2(dx) - \frac{1}{2} b \text{Li}_2(dx)^2 - a \int \frac{\log^2(1 - dx)}{x^2} dx + c \int \frac{\log(1 - dx) \text{Li}_2(dx)}{x} dx \\
&= \frac{a(1 - dx) \log^2(1 - dx)}{x} - cx \text{Li}_2(dx) - \frac{(c - ad^2) \log(1 - dx) \text{Li}_2(dx)}{d} - \left(\frac{c(1 - dx) \log^2(1 - dx)}{d} + \frac{a(1 - dx) \log^2(1 - dx)}{x}\right) \\
&= 3cx + \frac{3c(1 - dx) \log(1 - dx)}{d} - \frac{c(1 - dx) \log^2(1 - dx)}{d} + \frac{a(1 - dx) \log^2(1 - dx)}{x} \\
&= 3cx + \frac{3c(1 - dx) \log(1 - dx)}{d} - \frac{c(1 - dx) \log^2(1 - dx)}{d} + \frac{a(1 - dx) \log^2(1 - dx)}{x} \\
&= 3cx + \frac{3c(1 - dx) \log(1 - dx)}{d} - \frac{c(1 - dx) \log^2(1 - dx)}{d} + \frac{a(1 - dx) \log^2(1 - dx)}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.79, size = 280, normalized size = 1.28

$$2(2x \text{Li}_2(1 - dx) ((ad^2 - c) \log(1 - dx) + ad^2) - ad^2 x \text{Li}_3(dx) - 2ad^2 x \text{Li}_3(1 - dx) - ad^2 x \log^2(1 - dx) + ad^2 x \log(1 - dx) \log^2(1 - dx)) / (2d^2 x)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^2,x]

[Out] (2\*(-(c\*d\*x^2) + (a\*d + c\*x)\*(-1 + d\*x)\*Log[1 - d\*x])\*PolyLog[2, d\*x] - b\*d\*x\*PolyLog[2, d\*x]^2 + 2\*(-2\*c\*x + 3\*c\*d\*x^2 + 3\*c\*x\*Log[1 - d\*x] - 3\*c\*d\*x^2\*Log[1 - d\*x] + 2\*a\*d^2\*x\*Log[d\*x]\*Log[1 - d\*x] + a\*d\*Log[1 - d\*x]^2 - c\*x\*Log[1 - d\*x]^2 - a\*d^2\*x\*Log[1 - d\*x]^2 + c\*d\*x^2\*Log[1 - d\*x]^2 - c\*x\*Log[d\*x]\*Log[1 - d\*x]^2 + a\*d^2\*x\*Log[d\*x]\*Log[1 - d\*x]^2 + 2\*x\*(a\*d^2 + (-c + a\*d^2)\*Log[1 - d\*x])\*PolyLog[2, 1 - d\*x] - a\*d^2\*x\*PolyLog[3, d\*x] + 2\*c\*x\*PolyLog[3, 1 - d\*x] - 2\*a\*d^2\*x\*PolyLog[3, 1 - d\*x]))/(2\*d\*x)

**fricas [F]** time = 1.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^2 + bx + a)\text{Li}_2(dx) \log(-dx + 1)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^2,x, algorithm="fricas")

[Out] integral((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a) \text{Li}_2(dx) \log(-dx + 1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^2,x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^2, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a) \ln(-dx + 1) \text{polylog}(2, dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^2,x)

[Out] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a) \text{Li}_2(dx) \log(-dx + 1)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^2,x, algorithm="maxima")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - dx) \text{polylog}(2, dx) (cx^2 + bx + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2))/x^2,x)`

[Out] `int((log(1 - d*x)*polylog(2, d*x)*(a + b*x + c*x^2))/x^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2) \log(-dx + 1) \operatorname{Li}_2(dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)*ln(-d*x+1)*polylog(2,d*x)/x**2,x)`

[Out] `Integral((a + b*x + c*x**2)*log(-d*x + 1)*polylog(2, d*x)/x**2, x)`

$$3.196 \quad \int \frac{(a+bx+cx^2) \log(1-dx) \text{Li}_2(dx)}{x^3} dx$$

**Optimal.** Leaf size=343

$$\frac{b^2 \text{Li}_3(1-dx)}{a} - \frac{b^2 \text{Li}_2(1-dx) \log(1-dx)}{a} - \frac{b^2 \log(dx) \log^2(1-dx)}{2a} - \frac{(a+bx)^2 \text{Li}_2(dx) \log(1-dx)}{2ax^2} - \frac{1}{2} d(ad+2b) \text{Li}_2(dx)$$

[Out]  $-a*d^2*\ln(x)+a*d^2*\ln(-d*x+1)-a*d*\ln(-d*x+1)/x-1/4*a*d^2*\ln(-d*x+1)^2+1/4*a*d*\ln(-d*x+1)^2/x^2+b*(-d*x+1)*\ln(-d*x+1)^2/x-1/2*b^2*\ln(d*x)*\ln(-d*x+1)^2/a+1/2*(a*d+b)^2*\ln(d*x)*\ln(-d*x+1)^2/a-2*b*d*polylog(2,d*x)-1/2*a*d^2*polylog(2,d*x)+1/2*a*d*polylog(2,d*x)/x+1/2*(a*d+b)^2*\ln(-d*x+1)*polylog(2,d*x)/a-1/2*(b*x+a)^2*\ln(-d*x+1)*polylog(2,d*x)/a/x^2-1/2*c*polylog(2,d*x)^2-b^2*\ln(-d*x+1)*polylog(2,-d*x+1)/a+(a*d+b)^2*\ln(-d*x+1)*polylog(2,-d*x+1)/a-1/2*d*(a*d+2*b)*polylog(3,d*x)+b^2*polylog(3,-d*x+1)/a-(a*d+b)^2*polylog(3,-d*x+1)/a$

**Rubi [A]** time = 0.74, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 22, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.846$ , Rules used = {6742, 6591, 2395, 44, 36, 29, 31, 6589, 6605, 6601, 37, 6606, 2398, 2410, 2391, 2390, 2301, 2397, 2396, 2433, 2374, 6596}

$$\frac{b^2 \text{PolyLog}(3, 1-dx)}{a} - \frac{b^2 \log(1-dx) \text{PolyLog}(2, 1-dx)}{a} - \frac{(a+bx)^2 \log(1-dx) \text{PolyLog}(2, dx)}{2ax^2} - \frac{1}{2} d(ad+2b) \text{PolyLog}(2, dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^3, x]

[Out]  $-(a*d^2*\text{Log}[x]) + a*d^2*\text{Log}[1 - d*x] - (a*d*\text{Log}[1 - d*x])/x - (a*d^2*\text{Log}[1 - d*x]^2)/4 + (a*\text{Log}[1 - d*x]^2)/(4*x^2) + (b*(1 - d*x)*\text{Log}[1 - d*x]^2)/x - (b^2*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/(2*a) + ((b + a*d)^2*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/(2*a) - 2*b*d*\text{PolyLog}[2, d*x] - (a*d^2*\text{PolyLog}[2, d*x])/2 + (a*d*\text{PolyLog}[2, d*x])/(2*x) + ((b + a*d)^2*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/(2*a) - ((a + b*x)^2*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/(2*a*x^2) - (c*\text{PolyLog}[2, d*x]^2)/2 - (b^2*\text{Log}[1 - d*x]*\text{PolyLog}[2, 1 - d*x])/a + ((b + a*d)^2*\text{Log}[1 - d*x]*\text{PolyLog}[2, 1 - d*x])/a - (d*(2*b + a*d)*\text{PolyLog}[3, d*x])/2 + (b^2*\text{PolyLog}[3, 1 - d*x])/a - ((b + a*d)^2*\text{PolyLog}[3, 1 - d*x])/a$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 37

Int[((a\_) + (b\_)\*(x\_))<sup>(m\_)\*((c\_) + (d\_)\*(x\_))<sup>(n\_)</sup>, x\_Symbol] := Simp[((a + b\*x)<sup>(m + 1)</sup>\*(c + d\*x)<sup>(n + 1)</sup>)/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]</sup>

### Rule 44

Int[((a\_) + (b\_)\*(x\_))<sup>(m\_)\*((c\_) + (d\_)\*(x\_))<sup>(n\_)</sup>, x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)<sup>m</sup>\*(c + d\*x)<sup>n</sup>, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])</sup>

### Rule 2301

Int[((a\_) + Log[(c\_)\*(x\_)<sup>(n\_)]\*(b\_))/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x<sup>n</sup>])<sup>2</sup>/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]</sup>

### Rule 2374

Int[(Log[(d\_)\*((e\_) + (f\_)\*(x\_))<sup>(m\_)])\*((a\_) + Log[(c\_)\*(x\_)<sup>(n\_)]\*(b\_))<sup>(p\_)</sup>]/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x<sup>m</sup>)]\*(a + b\*Log[c\*x<sup>n</sup>])<sup>p</sup>)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x<sup>m</sup>)]\*(a + b\*Log[c\*x<sup>n</sup>])<sup>(p - 1)</sup>]/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]</sup></sup>

### Rule 2390

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))<sup>(n\_)]\*(b\_))<sup>(p\_)\*((f\_) + (g\_)\*(x\_))<sup>(q\_)</sup>, x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)<sup>q</sup>\*(a + b\*Log[c\*x<sup>n</sup>])<sup>p</sup>, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]</sup></sup>

### Rule 2391



Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n]))/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

### Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

### Rule 2397

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)/((f\_.) + (g\_.)\*(x\_))^2, x\_Symbol] := Simp[((d + e\*x)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/((e\*f - d\*g)\*(f + g\*x)), x] - Dist[(b\*e\*n\*p)/(e\*f - d\*g), Int[(a + b\*Log[c\*(d + e\*x)^n])^(p - 1)/(f + g\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0]

### Rule 2398

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(g\*(q + 1)), x] - Dist[(b\*e\*n\*p)/(g\*(q + 1)), Int[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegerQ[2\*p, 2\*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))

### Rule 2410

Int[(Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))]\*(x\_)^(m\_.))/((f\_) + (g\_.)\*(x\_)), x\_Symbol] := Int[ExpandIntegrand[Log[c\*(d + e\*x)], x^m/(f + g\*x), x], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[e\*f - d\*g, 0] && EqQ[c\*d, 1] && IntegerQ[m]

### Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_))^(m_.)]*(g_.))*((k_.) + (l_.)*(x_))^(r_.), x_Sym
bol] := Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*1, 0]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 6591

```
Int[((d_.)*(x_))^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_))^(p_.)]^(q_.)], x_Symbo
l] := Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

### Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

### Rule 6601

```
Int[(Log[1 + (e_.)*(x_)])*PolyLog[2, (c_.)*(x_)])/(x_), x_Symbol] := -Simp[P
olyLog[2, c*x]^2/2, x] /; FreeQ[{c, e}, x] && EqQ[c + e, 0]
```

### Rule 6605

```
Int[((g_.) + Log[1 + (e_.)*(x_)])*(h_.)*(Px_)*(x_))^(m_.)*PolyLog[2, (c_.)*(x
_)], x_Symbol] := Dist[Coeff[Px, x, -m - 1], Int[((g + h*Log[1 + e*x])*Poly
Log[2, c*x])/x, x], x] + Int[x^m*(Px - Coeff[Px, x, -m - 1]*x^(-m - 1))*(g
+ h*Log[1 + e*x])*PolyLog[2, c*x], x] /; FreeQ[{c, e, g, h}, x] && PolyQ[Px
, x] && ILtQ[m, 0] && EqQ[c + e, 0] && NeQ[Coeff[Px, x, -m - 1], 0]
```

### Rule 6606

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_))^(n_.)]*(h_.)*(Px_)*(x_))^(m_.)*
PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol] := With[{u = IntHide[x^m*
Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (D
ist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x],
```

$u/(a + b*x), x], x], x] - \text{Dist}[e*h*n, \text{Int}[\text{ExpandIntegrand}[\text{PolyLog}[2, c*(a + b*x)], u/(d + e*x), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, n\}, x] \&\& \text{PolyQ}[Px, x] \&\& \text{IntegerQ}[m]$

### Rule 6742

$\text{Int}[u_, x\_Symbol] \text{ :> With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^3} dx &= c \int \frac{\log(1 - dx) \text{Li}_2(dx)}{x} dx + \int \frac{(a + bx) \log(1 - dx) \text{Li}_2(dx)}{x^3} dx \\
 &= -\frac{(a + bx)^2 \log(1 - dx) \text{Li}_2(dx)}{2ax^2} - \frac{1}{2}c \text{Li}_2(dx)^2 + d \int \left( -\frac{a \text{Li}_2(dx)}{2x^2} + \frac{(-}{2} \right. \\
 &= -\frac{(a + bx)^2 \log(1 - dx) \text{Li}_2(dx)}{2ax^2} - \frac{1}{2}c \text{Li}_2(dx)^2 - \frac{1}{2}a \int \frac{\log^2(1 - dx)}{x^3} dx \\
 &= \frac{a \log^2(1 - dx)}{4x^2} + \frac{b(1 - dx) \log^2(1 - dx)}{x} - \frac{b^2 \log(dx) \log^2(1 - dx)}{2a} + \\
 &= -\frac{ad \log(1 - dx)}{2x} + \frac{a \log^2(1 - dx)}{4x^2} + \frac{b(1 - dx) \log^2(1 - dx)}{x} - \frac{b^2 \log(}{2} \\
 &= -\frac{ad \log(1 - dx)}{2x} + \frac{a \log^2(1 - dx)}{4x^2} + \frac{b(1 - dx) \log^2(1 - dx)}{x} - \frac{b^2 \log(}{2} \\
 &= -\frac{1}{2}ad^2 \log(x) + \frac{1}{2}ad^2 \log(1 - dx) - \frac{ad \log(1 - dx)}{x} + \frac{a \log^2(1 - dx)}{4x^2} \\
 &= -\frac{1}{2}ad^2 \log(x) + \frac{1}{2}ad^2 \log(1 - dx) - \frac{ad \log(1 - dx)}{x} - \frac{1}{4}ad^2 \log^2(1 - dx) \\
 &= -ad^2 \log(x) + ad^2 \log(1 - dx) - \frac{ad \log(1 - dx)}{x} - \frac{1}{4}ad^2 \log^2(1 - dx)
 \end{aligned}$$

**Mathematica** [F] time = 1.68, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^3, x]

[Out] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^3, x]

**fricas** [F] time = 3.32, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^3,x, algorithm="fricas")

[Out] integral((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^3,x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^3, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\ln(-dx + 1)\text{polylog}(2, dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^3,x)

[Out] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^3,x, algorithm="maxima")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1 - dx) \operatorname{polylog}(2, dx) (cx^2 + bx + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^3,x)

[Out] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2) \log(-dx + 1) \operatorname{Li}_2(dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x\*\*3,x)

[Out] Integral((a + b\*x + c\*x\*\*2)\*log(-d\*x + 1)\*polylog(2, d\*x)/x\*\*3, x)

$$3.197 \quad \int \frac{(a+bx+cx^2) \log(1-dx) \text{Li}_2(dx)}{x^4} dx$$

Optimal. Leaf size=515

$$-\frac{1}{6} \text{Li}_2(dx) \log(1-dx) \left( \frac{2a}{x^3} + \frac{3b}{x^2} + \frac{6c}{x} \right) - \frac{1}{6} d \text{Li}_3(dx) (d(2ad+3b)+6c) - \frac{1}{3} d \text{Li}_3(1-dx) (d(2ad+3b)+6c) + \frac{1}{6} d \text{Li}_2(dx) \log$$

[Out]  $-1/2*b*d^2*\ln(x)-5/12*a*d^3*\ln(x)-1/6*d^2*(2*a*d+3*b)*\ln(x)+1/2*b*d^2*\ln(-d*x+1)+5/12*a*d^3*\ln(-d*x+1)+1/6*d^2*(2*a*d+3*b)*\ln(-d*x+1)-1/4*b*d^2*\ln(-d*x+1)^2-1/9*a*d^3*\ln(-d*x+1)^2+1/9*a*\ln(-d*x+1)^2/x^3+1/4*b*\ln(-d*x+1)^2/x^2-1/6*(2*a/x^3+3*b/x^2+6*c/x)*\ln(-d*x+1)*\text{polylog}(2,d*x)-7/36*a*d*\ln(-d*x+1)/x^2-1/2*b*d*\ln(-d*x+1)/x-2/9*a*d^2*\ln(-d*x+1)/x-1/6*d*(2*a*d+3*b)*\ln(-d*x+1)/x+1/6*d*(6*c+d*(2*a*d+3*b))*\ln(d*x)*\ln(-d*x+1)^2+1/6*d*(6*c+d*(2*a*d+3*b))*\ln(-d*x+1)*\text{polylog}(2,d*x)+1/3*d*(6*c+d*(2*a*d+3*b))*\ln(-d*x+1)*\text{polylog}(2,-d*x+1)+c*(-d*x+1)*\ln(-d*x+1)^2/x+1/6*a*d*\text{polylog}(2,d*x)/x^2+1/6*d*(2*a*d+3*b)*\text{polylog}(2,d*x)/x+7/36*a*d^2/x-2*c*d*\text{polylog}(2,d*x)-1/2*b*d^2*\text{polylog}(2,d*x)-2/9*a*d^3*\text{polylog}(2,d*x)-1/6*d*(6*c+d*(2*a*d+3*b))*\text{polylog}(3,d*x)-1/3*d*(6*c+d*(2*a*d+3*b))*\text{polylog}(3,-d*x+1)$

**Rubi [A]** time = 0.82, antiderivative size = 515, normalized size of antiderivative = 1.00, number of steps used = 43, number of rules used = 20, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.769$ , Rules used = {6742, 6591, 2395, 44, 36, 29, 31, 14, 6606, 2398, 2410, 2391, 2390, 2301, 2397, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{6} \log(1-dx) \text{PolyLog}(2, dx) \left( \frac{2a}{x^3} + \frac{3b}{x^2} + \frac{6c}{x} \right) - \frac{1}{6} d \text{PolyLog}(3, dx) (d(2ad+3b)+6c) - \frac{1}{3} d \text{PolyLog}(3, 1-dx) (d(2ad+3b)+6c)$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^4, x]

[Out]  $(7*a*d^2)/(36*x) - (b*d^2*\text{Log}[x])/2 - (5*a*d^3*\text{Log}[x])/12 - (d^2*(3*b + 2*a*d)*\text{Log}[x])/6 + (b*d^2*\text{Log}[1 - d*x])/2 + (5*a*d^3*\text{Log}[1 - d*x])/12 + (d^2*(3*b + 2*a*d)*\text{Log}[1 - d*x])/6 - (7*a*d*\text{Log}[1 - d*x])/(36*x^2) - (b*d*\text{Log}[1 - d*x])/(2*x) - (2*a*d^2*\text{Log}[1 - d*x])/(9*x) - (d*(3*b + 2*a*d)*\text{Log}[1 - d*x])/(6*x) - (b*d^2*\text{Log}[1 - d*x]^2)/4 - (a*d^3*\text{Log}[1 - d*x]^2)/9 + (a*\text{Log}[1 - d*x]^2)/(9*x^3) + (b*\text{Log}[1 - d*x]^2)/(4*x^2) + (c*(1 - d*x)*\text{Log}[1 - d*x]^2)/x + (d*(6*c + d*(3*b + 2*a*d))*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/6 - 2*c*d*\text{PolyLog}[2, d*x] - (b*d^2*\text{PolyLog}[2, d*x])/2 - (2*a*d^3*\text{PolyLog}[2, d*x])/9 + (a*d*\text{PolyLog}[2, d*x])/(6*x^2) + (d*(3*b + 2*a*d)*\text{PolyLog}[2, d*x])/(6*x) + (d*(6*c + d*(3*b + 2*a*d))*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/6 - (((2*a)/x^3 + (3*b)/x^2 + (6*c)/x)*\text{Log}[1 - d*x]*\text{PolyLog}[2, d*x])/6 + (d*(6*c + d*(3*b + 2*a*d))*\text{Log}[1 - d*x]*\text{PolyLog}[2, 1 - d*x])/3 - (d*(6*c + d*(3*b + 2*a*d))*\text{PolyLog}[3, d*x])/6 - (d*(6*c + d*(3*b + 2*a*d))*\text{PolyLog}[3, 1 - d*x])/3$

Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 44

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2301

Int[((a\_) + Log[(c\_)\*(x\_)]^(n\_))\*(b\_)/(x\_), x\_Symbol] := Simp[(a + b\*Log[c\*x^n])^2/(2\*b\*n), x] /; FreeQ[{a, b, c, n}, x]

Rule 2374

Int[(Log[(d\_)\*((e\_) + (f\_)\*(x\_))^(m\_))]\*((a\_) + Log[(c\_)\*(x\_)]^(n\_))\*(b\_)^((p\_))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2390

Int[((a\_) + Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]\*(b\_))^(p\_)\*((f\_) + (g\_)\*(x\_))^(q\_), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x]]

$n))^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p, q\}, x] \&\& \text{EqQ}[e*f - d*g, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})] / (x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

### Rule 2395

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})] * (b_.)] * ((f_.) + (g_.) * (x_)^{(q_.)})^p, x\_Symbol] \rightarrow \text{Simp}[(f + g*x)^{(q+1)} * (a + b * \text{Log}[c * (d + e*x)^n]) / (g * (q + 1)), x] - \text{Dist}[(b * e^n) / (g * (q + 1)), \text{Int}[(f + g*x)^{(q+1)} / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[q, -1]$

### Rule 2396

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})] * (b_.)]^{(p_)} / ((f_.) + (g_.) * (x_)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[(e * (f + g*x)) / (e*f - d*g)] * (a + b * \text{Log}[c * (d + e*x)^n])^p) / g, x] - \text{Dist}[(b * e^n * p) / g, \text{Int}[(\text{Log}[(e * (f + g*x)) / (e*f - d*g)] * (a + b * \text{Log}[c * (d + e*x)^n])^{(p-1)}) / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{IGtQ}[p, 1]$

### Rule 2397

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})] * (b_.)]^{(p_)} / ((f_.) + (g_.) * (x_))^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x) * (a + b * \text{Log}[c * (d + e*x)^n])^p / ((e*f - d*g) * (f + g*x)), x] - \text{Dist}[(b * e^n * p) / (e*f - d*g), \text{Int}[(a + b * \text{Log}[c * (d + e*x)^n])^{(p-1)} / (f + g*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{GtQ}[p, 0]$

### Rule 2398

$\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_.)})] * (b_.)]^{(p_)} * ((f_.) + (g_.) * (x_))^{(q_.)}, x\_Symbol] \rightarrow \text{Simp}[(f + g*x)^{(q+1)} * (a + b * \text{Log}[c * (d + e*x)^n])^p / (g * (q + 1)), x] - \text{Dist}[(b * e^n * p) / (g * (q + 1)), \text{Int}[(f + g*x)^{(q+1)} * (a + b * \text{Log}[c * (d + e*x)^n])^{(p-1)} / (d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, q\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{GtQ}[p, 0] \&\& \text{NeQ}[q, -1] \&\& \text{IntegersQ}[2*p, 2*q] \&\& (!\text{IGtQ}[q, 0] || (\text{EqQ}[p, 2] \&\& \text{NeQ}[q, 1]))$

### Rule 2410

$\text{Int}[(\text{Log}[(c_.) * ((d_.) + (e_.) * (x_))] * (x_)^{(m_.)}) / ((f_.) + (g_.) * (x_)), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Log}[c * (d + e*x)], x^m / (f + g*x), x], x] /; \text{FreeQ}$



$\{c, d, e, f, g\}, x \} \&\& \text{EqQ}[e*f - d*g, 0] \&\& \text{EqQ}[c*d, 1] \&\& \text{IntegerQ}[m]$

### Rule 2433

$\text{Int}[(a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^n]*((b_.))^p]*((f_.) + \text{Log}[(h_.)*((i_.) + (j_.)*(x_.))^m]*((g_.)*((k_.) + (l_.)*(x_.))^r), x\_Symbol] \rightarrow \text{Dist}[1/e, \text{Subst}[\text{Int}[(k*x)/d]^r*(a + b*\text{Log}[c*x^n])^p*(f + g*\text{Log}[h*(e*i - d*j)/e + (j*x)/e]^m)], x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x\} \&\& \text{EqQ}[e*k - d*l, 0]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n, (c_.)*((a_.) + (b_.)*(x_.))^p]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \&\& \text{EqQ}[b*d, a*e]$

### Rule 6591

$\text{Int}[(d_.)*(x_.))^m*\text{PolyLog}[n, (a_.)*((b_.)*(x_.))^p]^q], x\_Symbol] \rightarrow \text{Simp}[(d*x)^{m+1}*\text{PolyLog}[n, a*(b*x^p)^q]/(d*(m+1)), x] - \text{Dist}[(p*q)/(m+1), \text{Int}[(d*x)^m*\text{PolyLog}[n-1, a*(b*x^p)^q], x], x] /; \text{FreeQ}\{a, b, d, m, p, q\}, x\} \&\& \text{NeQ}[m, -1] \&\& \text{GtQ}[n, 0]$

### Rule 6596

$\text{Int}[\text{PolyLog}[2, (c_.)*((a_.) + (b_.)*(x_.))]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[(\text{Log}[1 - a*c - b*c*x]*\text{PolyLog}[2, c*(a + b*x)])]/e, x] + \text{Dist}[b/e, \text{Int}[\text{Log}[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c*(b*d - a*e) + e, 0]$

### Rule 6606

$\text{Int}[(g_.) + \text{Log}[(f_.)*((d_.) + (e_.)*(x_.))^n]*((h_.))*(Px_)*(x_.))^m]*\text{PolyLog}[2, (c_.)*((a_.) + (b_.)*(x_.))], x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[x^m*Px, x]\}, \text{Simp}[u*(g + h*\text{Log}[f*(d + e*x)^n]*\text{PolyLog}[2, c*(a + b*x)]), x] + (\text{Dist}[b, \text{Int}[\text{ExpandIntegrand}[(g + h*\text{Log}[f*(d + e*x)^n]*\text{Log}[1 - a*c - b*c*x], u/(a + b*x), x], x], x] - \text{Dist}[e*h*n, \text{Int}[\text{ExpandIntegrand}[\text{PolyLog}[2, c*(a + b*x)], u/(d + e*x), x], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, n\}, x\} \&\& \text{PolyQ}[Px, x] \&\& \text{IntegerQ}[m]$

### Rule 6742

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^4} dx &= -\frac{1}{6} \left( \frac{2a}{x^3} + \frac{3b}{x^2} + \frac{6c}{x} \right) \log(1 - dx) \text{Li}_2(dx) + d \int \left( -\frac{a \text{Li}_2(dx)}{3x^3} + \frac{(-3b - 2c)}{6x^2} \right) dx \\
&= -\frac{1}{6} \left( \frac{2a}{x^3} + \frac{3b}{x^2} + \frac{6c}{x} \right) \log(1 - dx) \text{Li}_2(dx) - \frac{1}{3} a \int \frac{\log^2(1 - dx)}{x^4} dx - \frac{1}{2} b \int \frac{\log(1 - dx)}{x^3} dx \\
&= \frac{a \log^2(1 - dx)}{9x^3} + \frac{b \log^2(1 - dx)}{4x^2} + \frac{c(1 - dx) \log^2(1 - dx)}{x} + \frac{ad \text{Li}_2(dx)}{6x^2} \\
&= -\frac{ad \log(1 - dx)}{12x^2} - \frac{d(3b + 2ad) \log(1 - dx)}{6x} + \frac{a \log^2(1 - dx)}{9x^3} + \frac{b \log^2(1 - dx)}{4x^2} \\
&= -\frac{ad \log(1 - dx)}{12x^2} - \frac{d(3b + 2ad) \log(1 - dx)}{6x} + \frac{a \log^2(1 - dx)}{9x^3} + \frac{b \log^2(1 - dx)}{4x^2} \\
&= \frac{ad^2}{12x} - \frac{1}{12} ad^3 \log(x) - \frac{1}{6} d^2(3b + 2ad) \log(x) + \frac{1}{12} ad^3 \log(1 - dx) + \frac{1}{6} ad^2 \log^2(1 - dx) \\
&= \frac{ad^2}{12x} - \frac{1}{12} ad^3 \log(x) - \frac{1}{6} d^2(3b + 2ad) \log(x) + \frac{1}{12} ad^3 \log(1 - dx) + \frac{1}{6} ad^2 \log^2(1 - dx) \\
&= \frac{7ad^2}{36x} - \frac{1}{2} bd^2 \log(x) - \frac{5}{12} ad^3 \log(x) - \frac{1}{6} d^2(3b + 2ad) \log(x) + \frac{1}{2} bd^2 \log^2(1 - dx)
\end{aligned}$$

**Mathematica [A]** time = 1.59, size = 488, normalized size = 0.95

$$\frac{1}{36} \left( \frac{6 \text{Li}_2(dx) \left( (dx - 1) \log(1 - dx) \left( 2a(d^2x^2 + dx + 1) + 3x(bdx + b + 2cx) \right) + dx(2adx + a + 3bx) \right)}{x^3} + 2d \text{Li}_2(1 - dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^4, x]

[Out] (-7\*a\*d^3 + (7\*a\*d^2)/x - 36\*b\*d^2\*Log[d\*x] - 27\*a\*d^3\*Log[d\*x] + 36\*b\*d^2\*Log[1 - d\*x] + 27\*a\*d^3\*Log[1 - d\*x] - (7\*a\*d\*Log[1 - d\*x])/x^2 - (36\*b\*d\*Log[1 - d\*x])/x - (20\*a\*d^2\*Log[1 - d\*x])/x + 72\*c\*d\*Log[d\*x]\*Log[1 - d\*x] + 18\*b\*d^2\*Log[d\*x]\*Log[1 - d\*x] + 8\*a\*d^3\*Log[d\*x]\*Log[1 - d\*x] - 36\*c\*d\*Log[1 - d\*x]^2 - 9\*b\*d^2\*Log[1 - d\*x]^2 - 4\*a\*d^3\*Log[1 - d\*x]^2 + (4\*a\*Log[1 - d\*x]^2)/x^3 + (9\*b\*Log[1 - d\*x]^2)/x^2 + (36\*c\*Log[1 - d\*x]^2)/x + 36\*c\*d\*Log[d\*x]\*Log[1 - d\*x]^2 + 18\*b\*d^2\*Log[d\*x]\*Log[1 - d\*x]^2 + 12\*a\*d^3\*Log[d\*x]\*Log[1 - d\*x]^2 + (6\*(d\*x\*(a + 3\*b\*x + 2\*a\*d\*x) + (-1 + d\*x)\*(3\*x\*(b +

$$\frac{2cx + bdx + 2a(1 + dx + d^2x^2) \operatorname{Log}[1 - dx] \operatorname{PolyLog}[2, dx]}{x^3} + \frac{2d(36c + 9bd + 4ad^2 + 6(6c + 3bd + 2ad^2) \operatorname{Log}[1 - dx]) \operatorname{PolyLog}[2, 1 - dx] - 36cd \operatorname{PolyLog}[3, dx] - 18bd^2 \operatorname{PolyLog}[3, dx] - 12ad^3 \operatorname{PolyLog}[3, dx] - 72cd \operatorname{PolyLog}[3, 1 - dx] - 36bd^2 \operatorname{PolyLog}[3, 1 - dx] - 24ad^3 \operatorname{PolyLog}[3, 1 - dx]}{36}$$

**fricas** [F] time = 1.95, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(cx^2 + bx + a) \operatorname{Li}_2(dx) \log(-dx + 1)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)*log(-d*x+1)*polylog(2,d*x)/x^4,x, algorithm="fricas")`

[Out] `integral((c*x^2 + b*x + a)*dilog(d*x)*log(-d*x + 1)/x^4, x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a) \operatorname{Li}_2(dx) \log(-dx + 1)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)*log(-d*x+1)*polylog(2,d*x)/x^4,x, algorithm="giac")`

[Out] `integrate((c*x^2 + b*x + a)*dilog(d*x)*log(-d*x + 1)/x^4, x)`

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a) \ln(-dx + 1) \operatorname{polylog}(2, dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)*ln(-d*x+1)*polylog(2,d*x)/x^4,x)`

[Out] `int((c*x^2+b*x+a)*ln(-d*x+1)*polylog(2,d*x)/x^4,x)`

**maxima** [A] time = 0.40, size = 319, normalized size = 0.62

$$\frac{1}{6} (2ad^3 + 3bd^2 + 6cd) (\log(dx) \log(-dx + 1)^2 + 2 \operatorname{Li}_2(-dx + 1) \log(-dx + 1) - 2 \operatorname{Li}_3(-dx + 1)) + \frac{1}{18} (4ad^3 + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^4,x, algorithm="maxima")

[Out] 1/6\*(2\*a\*d^3 + 3\*b\*d^2 + 6\*c\*d)\*(log(d\*x)\*log(-d\*x + 1)^2 + 2\*dilog(-d\*x + 1)\*log(-d\*x + 1) - 2\*polylog(3, -d\*x + 1)) + 1/18\*(4\*a\*d^3 + 9\*b\*d^2 + 36\*c\*d)\*(log(d\*x)\*log(-d\*x + 1) + dilog(-d\*x + 1)) - 1/4\*(3\*a\*d^3 + 4\*b\*d^2)\*log(x) - 1/6\*(2\*a\*d^3 + 3\*b\*d^2 + 6\*c\*d)\*polylog(3, d\*x) + 1/36\*(7\*a\*d^2\*x^2 - ((4\*a\*d^3 + 9\*b\*d^2 + 36\*c\*d)\*x^3 - 36\*c\*x^2 - 9\*b\*x - 4\*a)\*log(-d\*x + 1)^2 + 6\*(a\*d\*x + (2\*a\*d^2 + 3\*b\*d)\*x^2 + ((2\*a\*d^3 + 3\*b\*d^2 + 6\*c\*d)\*x^3 - 6\*c\*x^2 - 3\*b\*x - 2\*a)\*log(-d\*x + 1))\*dilog(d\*x) + (9\*(3\*a\*d^3 + 4\*b\*d^2)\*x^3 - 7\*a\*d\*x - 4\*(5\*a\*d^2 + 9\*b\*d)\*x^2)\*log(-d\*x + 1))/x^3

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1-dx) \operatorname{polylog}(2, dx) (cx^2 + bx + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^4,x)

[Out] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x\*\*4,x)

[Out] Timed out

$$3.198 \quad \int \frac{(a+bx+cx^2) \log(1-dx) \text{Li}_2(dx)}{x^5} dx$$

Optimal. Leaf size=767

$$-\frac{1}{12}d^2\text{Li}_3(dx)(d(3ad+4b)+6c)-\frac{1}{6}d^2\text{Li}_3(1-dx)(d(3ad+4b)+6c)+\frac{1}{12}d^2\text{Li}_2(dx) \log(1-dx)(d(3ad+4b)+6c)+\frac{1}{6}d^2\text{Li}_2(1-dx) \log(1-dx)(d(3ad+4b)+6c)$$

[Out]  $-1/2*c*d^2*\ln(x)-1/3*b*d^3*\ln(x)-37/144*a*d^4*\ln(x)-1/48*d^3*(3*a*d+4*b)*\ln(x)-1/12*d^2*(6*c+d*(3*a*d+4*b))*\ln(x)+1/2*c*d^2*\ln(-d*x+1)+1/3*b*d^3*\ln(-d*x+1)+37/144*a*d^4*\ln(-d*x+1)+1/48*d^3*(3*a*d+4*b)*\ln(-d*x+1)+1/12*d^2*(6*c+d*(3*a*d+4*b))*\ln(-d*x+1)-1/4*c*d^2*\ln(-d*x+1)^2-1/9*b*d^3*\ln(-d*x+1)^2-1/16*a*d^4*\ln(-d*x+1)^2+1/16*a*\ln(-d*x+1)^2/x^4+1/9*b*\ln(-d*x+1)^2/x^3+1/4*c*\ln(-d*x+1)^2/x^2-1/12*(3*a/x^4+4*b/x^3+6*c/x^2)*\ln(-d*x+1)*\text{polylog}(2,d*x)-5/72*a*d*\ln(-d*x+1)/x^3-1/9*b*d*\ln(-d*x+1)/x^2-1/16*a*d^2*\ln(-d*x+1)/x^2-1/4*8*d*(3*a*d+4*b)*\ln(-d*x+1)/x^2-1/2*c*d*\ln(-d*x+1)/x-2/9*b*d^2*\ln(-d*x+1)/x-1/8*a*d^3*\ln(-d*x+1)/x-1/12*d*(6*c+d*(3*a*d+4*b))*\ln(-d*x+1)/x+1/12*d^2*(6*c+d*(3*a*d+4*b))*\ln(d*x)*\ln(-d*x+1)^2+1/12*d^2*(6*c+d*(3*a*d+4*b))*\ln(-d*x+1)*\text{polylog}(2,d*x)+1/6*d^2*(6*c+d*(3*a*d+4*b))*\ln(-d*x+1)*\text{polylog}(2,-d*x+1)+1/12*a*d*\text{polylog}(2,d*x)/x^3+1/24*d*(3*a*d+4*b)*\text{polylog}(2,d*x)/x^2+1/12*d*(6*c+d*(3*a*d+4*b))*\text{polylog}(2,d*x)/x+5/144*a*d^2/x^2+1/9*b*d^2/x+19/144*a*d^3/x+1/48*d^2*(3*a*d+4*b)/x-1/2*c*d^2*\text{polylog}(2,d*x)-2/9*b*d^3*\text{polylog}(2,d*x)-1/8*a*d^4*\text{polylog}(2,d*x)-1/12*d^2*(6*c+d*(3*a*d+4*b))*\text{polylog}(3,d*x)-1/6*d^2*(6*c+d*(3*a*d+4*b))*\text{polylog}(3,-d*x+1)$

Rubi [A] time = 1.12, antiderivative size = 767, normalized size of antiderivative = 1.00, number of steps used = 61, number of rules used = 19, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.731$ , Rules used = {6742, 6591, 2395, 44, 14, 6606, 2398, 2410, 36, 29, 31, 2391, 2390, 2301, 6589, 6596, 2396, 2433, 2374}

$$-\frac{1}{12}d^2\text{PolyLog}(3,dx)(d(3ad+4b)+6c)-\frac{1}{6}d^2\text{PolyLog}(3,1-dx)(d(3ad+4b)+6c)+\frac{1}{12}d^2 \log(1-dx)\text{PolyLog}(2,dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^5,x]

[Out]  $(5*a*d^2)/(144*x^2) + (b*d^2)/(9*x) + (19*a*d^3)/(144*x) + (d^2*(4*b + 3*a*d))/(48*x) - (c*d^2*\text{Log}[x])/2 - (b*d^3*\text{Log}[x])/3 - (37*a*d^4*\text{Log}[x])/144 - (d^3*(4*b + 3*a*d)*\text{Log}[x])/48 - (d^2*(6*c + d*(4*b + 3*a*d))*\text{Log}[x])/12 + (c*d^2*\text{Log}[1 - d*x])/2 + (b*d^3*\text{Log}[1 - d*x])/3 + (37*a*d^4*\text{Log}[1 - d*x])/144 + (d^3*(4*b + 3*a*d)*\text{Log}[1 - d*x])/48 + (d^2*(6*c + d*(4*b + 3*a*d))*\text{Log}[1 - d*x])/12 - (5*a*d*\text{Log}[1 - d*x])/(72*x^3) - (b*d*\text{Log}[1 - d*x])/(9*x^2) - (a*d^2*\text{Log}[1 - d*x])/(16*x^2) - (d*(4*b + 3*a*d)*\text{Log}[1 - d*x])/(48*x^2) - (c*d*\text{Log}[1 - d*x])/(2*x) - (2*b*d^2*\text{Log}[1 - d*x])/(9*x) - (a*d^3*\text{Log}[1 - d*x])/(144*x)$

$$\begin{aligned} & x)/(8*x) - (d*(6*c + d*(4*b + 3*a*d))*\text{Log}[1 - d*x])/(12*x) - (c*d^2*\text{Log}[1 \\ & - d*x]^2)/4 - (b*d^3*\text{Log}[1 - d*x]^2)/9 - (a*d^4*\text{Log}[1 - d*x]^2)/16 + (a*\text{Log} \\ & [1 - d*x]^2)/(16*x^4) + (b*\text{Log}[1 - d*x]^2)/(9*x^3) + (c*\text{Log}[1 - d*x]^2)/(4*x \\ & ^2) + (d^2*(6*c + d*(4*b + 3*a*d))*\text{Log}[d*x]*\text{Log}[1 - d*x]^2)/12 - (c*d^2*Po \\ & ly\text{Log}[2, d*x])/2 - (2*b*d^3*Poly\text{Log}[2, d*x])/9 - (a*d^4*Poly\text{Log}[2, d*x])/8 \\ & + (a*d*Poly\text{Log}[2, d*x])/(12*x^3) + (d*(4*b + 3*a*d)*Poly\text{Log}[2, d*x])/(24*x^ \\ & 2) + (d*(6*c + d*(4*b + 3*a*d))*Poly\text{Log}[2, d*x])/(12*x) + (d^2*(6*c + d*(4* \\ & b + 3*a*d))*\text{Log}[1 - d*x]*Poly\text{Log}[2, d*x])/12 - (((3*a)/x^4 + (4*b)/x^3 + (6 \\ & *c)/x^2)*\text{Log}[1 - d*x]*Poly\text{Log}[2, d*x])/12 + (d^2*(6*c + d*(4*b + 3*a*d))*Lo \\ & g[1 - d*x]*Poly\text{Log}[2, 1 - d*x])/6 - (d^2*(6*c + d*(4*b + 3*a*d))*Poly\text{Log}[3, \\ & d*x])/12 - (d^2*(6*c + d*(4*b + 3*a*d))*Poly\text{Log}[3, 1 - d*x])/6 \end{aligned}$$
Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 2301

```
Int[((a_.) + Log[(c_.)*(x_)]^(n_.))*(b_.)/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

Rule 2374

Int[(Log[(d\_.)\*((e\_) + (f\_.)\*(x\_)^(m\_.))]\*((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))^(p\_.))/(x\_), x\_Symbol] := -Simp[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^p)/m, x] + Dist[(b\*n\*p)/m, Int[(PolyLog[2, -(d\*f\*x^m)]\*(a + b\*Log[c\*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d\*e, 1]

Rule 2390

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Dist[1/e, Subst[Int[((f\*x)/d)^q\*(a + b\*Log[c\*x^n])^p, x], x, d + e\*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e\*f - d\*g, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 2395

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])/(g\*(q + 1)), x] - Dist[(b\*e\*n)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && NeQ[q, -1]

Rule 2396

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)/((f\_.) + (g\_.)\*(x\_)), x\_Symbol] := Simp[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^p)/g, x] - Dist[(b\*e\*n\*p)/g, Int[(Log[(e\*(f + g\*x))/(e\*f - d\*g)]\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && IGtQ[p, 1]

Rule 2398

Int[((a\_.) + Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]\*(b\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_)^(q\_.)), x\_Symbol] := Simp[((f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^p)/(g\*(q + 1)), x] - Dist[(b\*e\*n\*p)/(g\*(q + 1)), Int[(f + g\*x)^(q + 1)\*(a + b\*Log[c\*(d + e\*x)^n])^(p - 1))/(d + e\*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, q}, x] && NeQ[e\*f - d\*g, 0] && GtQ[p, 0] && NeQ[q, -1] && IntegersQ[2\*p, 2\*q] && (!IGtQ[q, 0] || (EqQ[p, 2] && NeQ[q, 1]))

Rule 2410

```
Int[(Log[(c_.)*((d_) + (e_.)*(x_))]*(x_)^(m_.))/((f_) + (g_.)*(x_)), x_Symbol]
:> Int[ExpandIntegrand[Log[c*(d + e*x)], x^m/(f + g*x), x], x] /; FreeQ
[{c, d, e, f, g}, x] && EqQ[e*f - d*g, 0] && EqQ[c*d, 1] && IntegerQ[m]
```

Rule 2433

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_.) + Log
[(h_.)*((i_.) + (j_.)*(x_)^(m_.))]*(g_.))*((k_.) + (l_.)*(x_)^(r_.)), x_Symbol]
:> Dist[1/e, Subst[Int[((k*x)/d)^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*(
(e*i - d*j)/e + (j*x)/e)^m]), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e,
f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d,
e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6591

```
Int[((d_.)*(x_)^(m_.)*PolyLog[n_, (a_.)*((b_.)*(x_)^(p_.))^(q_.)], x_Symbol]
:> Simp[((d*x)^(m + 1)*PolyLog[n, a*(b*x^p)^q]/(d*(m + 1)), x] - Dist[(
p*q)/(m + 1), Int[(d*x)^m*PolyLog[n - 1, a*(b*x^p)^q], x], x] /; FreeQ[{a,
b, d, m, p, q}, x] && NeQ[m, -1] && GtQ[n, 0]
```

Rule 6596

```
Int[PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[(Log[1 - a*c - b*c*x]*PolyLog[2, c*(a + b*x)])/e, x] + Dist[b/e, In
t[Log[1 - a*c - b*c*x]^2/(a + b*x), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
EqQ[c*(b*d - a*e) + e, 0]
```

Rule 6606

```
Int[((g_.) + Log[(f_.)*((d_.) + (e_.)*(x_)^(n_.))]*(h_.))*(Px_)*(x_)^(m_.)*
PolyLog[2, (c_.)*((a_.) + (b_.)*(x_))], x_Symbol]
:> With[{u = IntHide[x^m*Px, x]}, Simp[u*(g + h*Log[f*(d + e*x)^n])*PolyLog[2, c*(a + b*x)], x] + (D
ist[b, Int[ExpandIntegrand[(g + h*Log[f*(d + e*x)^n])*Log[1 - a*c - b*c*x],
u/(a + b*x), x], x], x] - Dist[e*h*n, Int[ExpandIntegrand[PolyLog[2, c*(a
+ b*x)], u/(d + e*x), x], x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, n}, x]
&& PolyQ[Px, x] && IntegerQ[m]
```

Rule 6742



Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]  
]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx + cx^2) \log(1 - dx) \text{Li}_2(dx)}{x^5} dx &= -\frac{1}{12} \left( \frac{3a}{x^4} + \frac{4b}{x^3} + \frac{6c}{x^2} \right) \log(1 - dx) \text{Li}_2(dx) + d \int \left( -\frac{a \text{Li}_2(dx)}{4x^4} + \frac{(-4b - 12c)x - 12a}{4x^5} \right) dx \\
 &= -\frac{1}{12} \left( \frac{3a}{x^4} + \frac{4b}{x^3} + \frac{6c}{x^2} \right) \log(1 - dx) \text{Li}_2(dx) - \frac{1}{4} a \int \frac{\log^2(1 - dx)}{x^5} dx - \frac{1}{4} (4b + 12c) \int \frac{\log(1 - dx)}{x^5} dx \\
 &= \frac{a \log^2(1 - dx)}{16x^4} + \frac{b \log^2(1 - dx)}{9x^3} + \frac{c \log^2(1 - dx)}{4x^2} + \frac{ad \text{Li}_2(dx)}{12x^3} + \frac{d(4b + 12c) \log(1 - dx)}{12x^4} \\
 &= -\frac{ad \log(1 - dx)}{36x^3} - \frac{d(4b + 3ad) \log(1 - dx)}{48x^2} - \frac{d(6c + d(4b + 3ad)) \log(1 - dx)}{12x} \\
 &= -\frac{ad \log(1 - dx)}{36x^3} - \frac{d(4b + 3ad) \log(1 - dx)}{48x^2} - \frac{d(6c + d(4b + 3ad)) \log(1 - dx)}{12x} \\
 &= \frac{ad^2}{72x^2} + \frac{ad^3}{36x} + \frac{d^2(4b + 3ad)}{48x} - \frac{1}{36} ad^4 \log(x) - \frac{1}{48} d^3(4b + 3ad) \log(x) \\
 &= \frac{ad^2}{72x^2} + \frac{ad^3}{36x} + \frac{d^2(4b + 3ad)}{48x} - \frac{1}{36} ad^4 \log(x) - \frac{1}{48} d^3(4b + 3ad) \log(x) \\
 &= \frac{5ad^2}{144x^2} + \frac{bd^2}{9x} + \frac{19ad^3}{144x} + \frac{d^2(4b + 3ad)}{48x} - \frac{1}{2} cd^2 \log(x) - \frac{1}{3} bd^3 \log(x) - \frac{1}{48} d^3(4b + 3ad) \log(x)
 \end{aligned}$$

**Mathematica [A]** time = 1.91, size = 621, normalized size = 0.81

$$\frac{1}{144} \left( 2d^2 \text{Li}_2(1 - dx) (12 \log(1 - dx) (3ad^2 + 4bd + 6c) + 9ad^2 + 16bd + 36c) + \frac{6 \text{Li}_2(dx) (dx (a(6d^2x^2 + 3dx + 2a) + b(4dx + 3a) + c))}{12x^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*x + c\*x^2)\*Log[1 - d\*x]\*PolyLog[2, d\*x])/x^5,x]

[Out] (-28\*b\*d^3 - 33\*a\*d^4 + (5\*a\*d^2)/x^2 + (28\*b\*d^2)/x + (28\*a\*d^3)/x - 144\*c\*d^2\*Log[d\*x] - 108\*b\*d^3\*Log[d\*x] - 82\*a\*d^4\*Log[d\*x] + 144\*c\*d^2\*Log[1 - d\*x] + 108\*b\*d^3\*Log[1 - d\*x] + 82\*a\*d^4\*Log[1 - d\*x] - (10\*a\*d\*Log[1 - d\*x])/x^3 - (28\*b\*d\*Log[1 - d\*x])/x^2 - (18\*a\*d^2\*Log[1 - d\*x])/x^2 - (144\*c\*d\*Log[1 - d\*x])/x - (80\*b\*d^2\*Log[1 - d\*x])/x - (54\*a\*d^3\*Log[1 - d\*x])/x +

$72*c*d^2*\text{Log}[d*x]*\text{Log}[1 - d*x] + 32*b*d^3*\text{Log}[d*x]*\text{Log}[1 - d*x] + 18*a*d^4*$   
 $\text{Log}[d*x]*\text{Log}[1 - d*x] - 36*c*d^2*\text{Log}[1 - d*x]^2 - 16*b*d^3*\text{Log}[1 - d*x]^2 -$   
 $9*a*d^4*\text{Log}[1 - d*x]^2 + (9*a*\text{Log}[1 - d*x]^2)/x^4 + (16*b*\text{Log}[1 - d*x]^2)/$   
 $x^3 + (36*c*\text{Log}[1 - d*x]^2)/x^2 + 72*c*d^2*\text{Log}[d*x]*\text{Log}[1 - d*x]^2 + 48*b*d$   
 $^3*\text{Log}[d*x]*\text{Log}[1 - d*x]^2 + 36*a*d^4*\text{Log}[d*x]*\text{Log}[1 - d*x]^2 + (6*(d*x*(4*$   
 $x*(b + 3*c*x + 2*b*d*x) + a*(2 + 3*d*x + 6*d^2*x^2)) + 2*(-4*b*x - 6*c*x^2$   
 $+ 6*c*d^2*x^4 + 4*b*d^3*x^4 + 3*a*(-1 + d^4*x^4))*\text{Log}[1 - d*x])*PolyLog[2,$   
 $d*x])/x^4 + 2*d^2*(36*c + 16*b*d + 9*a*d^2 + 12*(6*c + 4*b*d + 3*a*d^2)*\text{Log}$   
 $[1 - d*x])*PolyLog[2, 1 - d*x] - 72*c*d^2*PolyLog[3, d*x] - 48*b*d^3*PolyLo$   
 $g[3, d*x] - 36*a*d^4*PolyLog[3, d*x] - 144*c*d^2*PolyLog[3, 1 - d*x] - 96*b$   
 $*d^3*PolyLog[3, 1 - d*x] - 72*a*d^4*PolyLog[3, 1 - d*x])/144$

**fricas** [F] time = 2.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^5,x, algorithm="fricas")

[Out] integral((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^5, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\text{Li}_2(dx)\log(-dx + 1)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^5,x, algorithm="giac")

[Out] integrate((c\*x^2 + b\*x + a)\*dilog(d\*x)\*log(-d\*x + 1)/x^5, x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)\ln(-dx + 1)\text{polylog}(2, dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^5,x)

[Out] int((c\*x^2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x^5,x)

**maxima** [A] time = 0.39, size = 403, normalized size = 0.53

$$\frac{1}{12} (3ad^4 + 4bd^3 + 6cd^2) (\log(dx) \log(-dx+1)^2 + 2\text{Li}_2(-dx+1) \log(-dx+1) - 2\text{Li}_3(-dx+1)) + \frac{1}{72} (9ad^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)\*log(-d\*x+1)\*polylog(2,d\*x)/x^5,x, algorithm="maxima")

[Out] 1/12\*(3\*a\*d^4 + 4\*b\*d^3 + 6\*c\*d^2)\*(log(d\*x)\*log(-d\*x + 1)^2 + 2\*dilog(-d\*x + 1)\*log(-d\*x + 1) - 2\*polylog(3, -d\*x + 1)) + 1/72\*(9\*a\*d^4 + 16\*b\*d^3 + 36\*c\*d^2)\*(log(d\*x)\*log(-d\*x + 1) + dilog(-d\*x + 1)) - 1/72\*(41\*a\*d^4 + 54\*b\*d^3 + 72\*c\*d^2)\*log(x) - 1/12\*(3\*a\*d^4 + 4\*b\*d^3 + 6\*c\*d^2)\*polylog(3, d\*x) + 1/144\*(5\*a\*d^2\*x^2 + 28\*(a\*d^3 + b\*d^2)\*x^3 - ((9\*a\*d^4 + 16\*b\*d^3 + 36\*c\*d^2)\*x^4 - 36\*c\*x^2 - 16\*b\*x - 9\*a)\*log(-d\*x + 1)^2 + 6\*(2\*(3\*a\*d^3 + 4\*b\*d^2 + 6\*c\*d)\*x^3 + 2\*a\*d\*x + (3\*a\*d^2 + 4\*b\*d)\*x^2 + 2\*((3\*a\*d^4 + 4\*b\*d^3 + 6\*c\*d^2)\*x^4 - 6\*c\*x^2 - 4\*b\*x - 3\*a)\*log(-d\*x + 1))\*dilog(d\*x) + 2\*((41\*a\*d^4 + 54\*b\*d^3 + 72\*c\*d^2)\*x^4 - (27\*a\*d^3 + 40\*b\*d^2 + 72\*c\*d)\*x^3 - 5\*a\*d\*x - (9\*a\*d^2 + 14\*b\*d)\*x^2)\*log(-d\*x + 1))/x^4

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\ln(1-dx) \text{polylog}(2, dx) (cx^2 + bx + a)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^5,x)

[Out] int((log(1 - d\*x)\*polylog(2, d\*x)\*(a + b\*x + c\*x^2))/x^5, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*ln(-d\*x+1)\*polylog(2,d\*x)/x\*\*5,x)

[Out] Timed out



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

## 4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

### 4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2', 'floor', 'abs', 'log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```