

# Computer algebra independent integration tests

Summer 2022 edition

2-Exponentials/54-2.2-c+d-x<sup>m</sup>-F<sup>-g-e+f-x<sup>n</sup>-a+b-F<sup>-g-e+f-x<sup>n</sup>-  
p</sup></sup>

Nasser M. Abbasi

September 27, 2022

Compiled on September 27, 2022 at 2:28am

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>detailed summary tables of results</b>	<b>19</b>
<b>3</b>	<b>Listing of integrals</b>	<b>45</b>
<b>4</b>	<b>Appendix</b>	<b>429</b>

# Chapter 1

## Introduction

### Local contents

1.1	Listing of CAS systems tested . . . . .	4
1.2	Results . . . . .	5
1.3	Time and leaf size Performance . . . . .	9
1.4	list of integrals that has no closed form antiderivative . . . . .	11
1.5	List of integrals solved by CAS but has no known antiderivative . . . . .	12
1.6	list of integrals solved by CAS but failed verification . . . . .	13
1.7	Timing . . . . .	13
1.8	Verification . . . . .	14
1.9	Important notes about some of the results . . . . .	14
1.10	Design of the test system . . . . .	17

This report gives the result of running the computer algebra independent integration test. The download section in the appendix contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [ 93 ]. This is test number [ 54 ].

## 1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.1 (June 29, 2022) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.0.1 on windows 10.
3. Maple 2022.1 (June 1, 2022) on windows 10.
4. Maxima 5.46 (April 13, 2022) using Lisp SBCL 2.1.11.debian on Linux via sagemath 9.6.
5. Fricas 1.3.8 (June 21, 2022) based on sbcl 2.1.11.debian on Linux via sagemath 9.6.
6. Giac/Xcas 1.9.0-13 (July 3, 2022) on Linux via sagemath 9.6.
7. Sympy 1.10.1 (March 20, 2022) Using Python 3.10.4 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly from Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 93 )	0.00 ( 0 )
Fricas	100.00 ( 93 )	0.00 ( 0 )
Mathematica	90.32 ( 84 )	9.68 ( 9 )
Maxima	83.87 ( 78 )	16.13 ( 15 )
Maple	80.65 ( 75 )	19.35 ( 18 )
Giac	58.06 ( 54 )	41.94 ( 39 )
Mupad	56.99 ( 53 )	43.01 ( 40 )
Sympy	56.99 ( 53 )	43.01 ( 40 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	90.32	0.00	0.00	9.68
Fricas	86.02	13.98	0.00	0.00
Maxima	81.72	2.15	0.00	16.13
Maple	64.52	16.13	0.00	19.35
Sympy	55.91	1.08	0.00	43.01
Giac	45.16	3.23	9.68	41.94
Mupad	N/A	31.18	0.00	43.01

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and

Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	9	100.00 %	0.00 %	0.00 %
Maple	18	100.00 %	0.00 %	0.00 %
Fricas	0	0.00 %	0.00 %	0.00 %
Giac	39	100.00 %	0.00 %	0.00 %
Maxima	15	100.00 %	0.00 %	0.00 %
Sympy	40	85.00 %	15.00 %	0.00 %
Mupad	40	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS



## 1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.



Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.17	121.83	0.74	84.00	1.00
Mathematica	0.45	84.69	0.65	66.50	0.78
Maple	0.04	320.53	1.66	67.00	1.04
Maxima	0.23	143.37	0.85	72.00	0.95
Fricas	0.28	221.27	1.12	105.00	1.09
Sympy	0.15	109.45	0.75	27.00	0.81
Giac	1.40	1158.69	4.71	28.50	0.97
Mupad	1.88	75.11	0.64	24.00	0.91

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used from the above table.



## **1.4 list of integrals that has no closed form antiderivative**

{5, 6, 13, 14, 21, 22, 50, 51, 56, 57, 62, 63, 67, 68, 69, 73, 74, 75, 80, 81, 86, 87, 92, 93}

## 1.5 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
```

```
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

### 1.9.2 Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

### 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```

try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1

```

### 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```

integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand,the_variable)


```

Which gives  $\sin(x)^2/2$



## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



### High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified.

*The following fields are present only in Rubi Table file*

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,..}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax



# Chapter 2

## detailed summary tables of results

### Local contents

2.1	List of integrals sorted by grade for each CAS . . . . .	20
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	23
2.3	Detailed conclusion table specific for Rubi results . . . . .	42

## 2.1 List of integrals sorted by grade for each CAS

### Local contents

2.1.1	Rubi . . . . .	21
2.1.2	Mathematica . . . . .	21
2.1.3	Maple . . . . .	21
2.1.4	Maxima . . . . .	21
2.1.5	FriCAS . . . . .	22
2.1.6	Sympy . . . . .	22
2.1.7	Giac . . . . .	22
2.1.8	Mupad . . . . .	22

### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { }

F grade: { }

### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { }

F grade: { 52, 53, 54, 58, 59, 60, 70, 71, 72 }

### 2.1.3 Maple

A grade: { 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 34, 35, 42, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { 1, 2, 10, 46, 47, 48, 52, 53, 54, 58, 59, 60, 77, 78, 83 }

C grade: { }

F grade: { 25, 29, 30, 31, 32, 33, 36, 37, 38, 39, 40, 41, 43, 44, 45, 70, 71, 72 }

### 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 39, 40, 41, 42, 49, 50, 51, 52, 53, 55, 56, 57, 58, 59, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { 46, 47 }

C grade: { }

F grade: { 29, 30, 31, 36, 37, 38, 43, 44, 45, 48, 54, 60, 70, 71, 72 }

### 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 48, 49, 50, 51, 55, 56, 57, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 90, 91, 92, 93 }

B grade: { 17, 18, 19, 46, 47, 52, 53, 54, 58, 59, 60, 88, 89 }

C grade: { }

F grade: { }

### 2.1.6 SymPy

A grade: { 4, 5, 6, 7, 8, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 39, 40, 41, 42, 49, 50, 51, 55, 56, 57, 61, 62, 64, 65, 66, 67, 68, 69, 73, 79, 80, 81, 84, 85, 86, 87, 90, 92, 93 }

B grade: { 91 }

C grade: { }

F grade: { 1, 2, 3, 9, 10, 11, 17, 18, 19, 29, 30, 31, 36, 37, 38, 43, 44, 45, 46, 47, 48, 52, 53, 54, 58, 59, 60, 63, 70, 71, 72, 74, 75, 76, 77, 78, 82, 83, 88, 89 }

### 2.1.7 Giac

A grade: { 4, 5, 6, 7, 8, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 28, 35, 42, 49, 50, 51, 55, 56, 57, 61, 62, 63, 67, 68, 69, 73, 74, 75, 79, 80, 81, 85, 86, 87, 91, 92, 93 }

B grade: { 64, 65, 66 }

C grade: { 25, 26, 27, 32, 33, 34, 39, 40, 41 }

F grade: { 1, 2, 3, 9, 10, 11, 17, 18, 19, 29, 30, 31, 36, 37, 38, 43, 44, 45, 46, 47, 48, 52, 53, 54, 58, 59, 60, 70, 71, 72, 76, 77, 78, 82, 83, 84, 88, 89, 90 }

### 2.1.8 Mupad

A grade: { 5, 6, 13, 14, 21, 22, 50, 51, 56, 57, 62, 63, 67, 68, 69, 73, 74, 75, 80, 81, 86, 87, 92, 93 }

B grade: { 4, 7, 8, 12, 15, 16, 20, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 39, 40, 41, 42, 49, 55, 61, 79, 84, 85, 90, 91 }

C grade: { }

F grade: { 1, 2, 3, 9, 10, 11, 17, 18, 19, 29, 30, 31, 36, 37, 38, 43, 44, 45, 46, 47, 48, 52, 53, 54, 58, 59, 60, 64, 65, 66, 70, 71, 72, 76, 77, 78, 82, 83, 88, 89 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N.S. in the table below, which stands for **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To help make the table fit, **Mathematica** was abbrevi-

	Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
viated to MMA.	grade	A	A	A	B	A	A	F	F	F
	verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
	size	110	110	112	295	94	120	0	0	-1
	N.S.	1	1.00	1.02	2.68	0.85	1.09	0.00	0.00	-0.01
	time (sec)	N/A	0.130	0.042	0.038	0.317	0.372	0.000	0.000	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	83	178	72	100	0	0	-1
N.S.	1	1.00	0.99	2.12	0.86	1.19	0.00	0.00	-0.01
time (sec)	N/A	0.116	0.037	0.011	0.292	0.420	0.000	0.000	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	53	90	48	72	0	0	-1
N.S.	1	1.00	0.91	1.55	0.83	1.24	0.00	0.00	-0.02
time (sec)	N/A	0.068	0.023	0.009	0.294	0.373	0.000	0.000	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	42	33	32	24	17	31	24
N.S.	1	1.00	1.62	1.27	1.23	0.92	0.65	1.19	0.92
time (sec)	N/A	0.013	0.020	0.025	0.296	0.418	0.049	1.785	3.497

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.032	0.066	0.084	0.000	0.000	0.000	0.000	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.029	0.198	0.050	0.000	0.000	0.000	0.000	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	23	36	34	23	17	33	23
N.S.	1	1.00	0.88	1.38	1.31	0.88	0.65	1.27	0.88
time (sec)	N/A	0.016	0.032	0.012	0.282	0.405	0.045	2.052	3.474

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	19	40	34	25	19	33	25
N.S.	1	1.00	0.68	1.43	1.21	0.89	0.68	1.18	0.89
time (sec)	N/A	0.017	0.022	0.010	0.286	0.373	0.056	2.252	0.048



Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	158	382	195	330	0	0	-1
N.S.	1	1.00	0.73	1.76	0.90	1.52	0.00	0.00	-0.00
time (sec)	N/A	0.347	0.187	0.084	0.291	0.365	0.000	0.000	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	113	324	149	263	0	0	-1
N.S.	1	1.00	0.68	1.96	0.90	1.59	0.00	0.00	-0.01
time (sec)	N/A	0.276	0.204	0.048	0.288	0.374	0.000	0.000	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	85	154	95	176	0	0	-1
N.S.	1	1.00	0.79	1.44	0.89	1.64	0.00	0.00	-0.01
time (sec)	N/A	0.143	0.107	0.018	0.306	0.443	0.000	0.000	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	45	49	51	60	39	51	66
N.S.	1	1.00	0.98	1.07	1.11	1.30	0.85	1.11	1.43
time (sec)	N/A	0.024	0.049	0.013	0.272	0.372	0.064	2.946	3.559

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.032	1.339	0.129	0.000	0.000	0.000	0.000	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.030	0.891	0.133	0.000	0.000	0.000	0.000	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	45	53	55	65	39	54	68
N.S.	1	1.00	0.94	1.10	1.15	1.35	0.81	1.12	1.42
time (sec)	N/A	0.026	0.078	0.015	0.282	0.399	0.060	2.211	0.163

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	66	59	57	73	42	58	76
N.S.	1	1.00	1.27	1.13	1.10	1.40	0.81	1.12	1.46
time (sec)	N/A	0.027	0.192	0.014	0.302	0.388	0.063	2.036	3.499

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	241	548	303	702	0	0	-1
N.S.	1	1.00	0.72	1.65	0.91	2.11	0.00	0.00	-0.00
time (sec)	N/A	0.751	0.211	0.094	0.298	0.365	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	203	385	234	521	0	0	-1
N.S.	1	1.00	0.84	1.58	0.96	2.14	0.00	0.00	-0.00
time (sec)	N/A	0.536	0.166	0.067	0.308	0.353	0.000	0.000	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	120	252	149	338	0	0	-1
N.S.	1	1.00	0.75	1.58	0.94	2.13	0.00	0.00	-0.01
time (sec)	N/A	0.233	0.121	0.033	0.292	0.437	0.000	0.000	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	64	66	84	127	76	65	121
N.S.	1	1.00	0.93	0.96	1.22	1.84	1.10	0.94	1.75
time (sec)	N/A	0.031	0.076	0.015	0.277	0.376	0.075	2.505	3.745

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.032	2.237	0.157	0.000	0.000	0.000	0.000	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.032	1.146	0.166	0.000	0.000	0.000	0.000	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	67	71	88	132	78	71	124
N.S.	1	1.00	0.93	0.99	1.22	1.83	1.08	0.99	1.72
time (sec)	N/A	0.033	0.120	0.017	0.301	0.357	0.081	2.732	3.651

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	54	79	92	140	85	75	132
N.S.	1	1.00	0.69	1.01	1.18	1.79	1.09	0.96	1.69
time (sec)	N/A	0.034	0.804	0.016	0.284	0.378	0.084	1.762	3.700

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	130	0	292	268	332	5726	225
N.S.	1	1.00	0.85	0.00	1.91	1.75	2.17	37.42	1.47
time (sec)	N/A	0.168	0.287	0.012	0.311	0.365	0.112	2.960	3.815

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	91	163	177	167	196	2726	135
N.S.	1	1.00	0.79	1.42	1.54	1.45	1.70	23.70	1.17
time (sec)	N/A	0.112	0.230	0.058	0.292	0.412	0.091	2.333	3.672

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	73	84	88	88	94	1111	72
N.S.	1	1.00	0.95	1.09	1.14	1.14	1.22	14.43	0.94
time (sec)	N/A	0.054	0.205	0.024	0.297	0.352	0.063	3.430	3.595

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	31	30	38	32	32	31
N.S.	1	1.00	1.00	1.03	1.00	1.27	1.07	1.07	1.03
time (sec)	N/A	0.012	0.030	0.052	0.284	0.393	0.042	2.604	3.604

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	56	0	0	55	0	0	-1
N.S.	1	1.00	0.82	0.00	0.00	0.81	0.00	0.00	-0.01
time (sec)	N/A	0.094	0.220	0.024	0.000	0.361	0.000	0.000	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	78	0	0	93	0	0	-1
N.S.	1	1.00	0.78	0.00	0.00	0.93	0.00	0.00	-0.01
time (sec)	N/A	0.122	0.299	0.030	0.000	0.374	0.000	0.000	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	111	0	0	165	0	0	-1
N.S.	1	1.00	0.76	0.00	0.00	1.12	0.00	0.00	-0.01
time (sec)	N/A	0.165	0.302	0.009	0.000	0.437	0.000	0.000	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	239	0	588	484	707	12033	438
N.S.	1	1.00	0.74	0.00	1.83	1.50	2.20	37.37	1.36
time (sec)	N/A	0.338	0.443	0.012	0.329	0.436	0.197	4.352	3.970

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	171	0	359	289	437	5695	267
N.S.	1	1.00	0.72	0.00	1.50	1.21	1.83	23.83	1.12
time (sec)	N/A	0.223	0.391	0.010	0.305	0.369	0.148	2.732	3.816

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	117	174	184	141	231	2304	146
N.S.	1	1.00	0.75	1.12	1.18	0.90	1.48	14.77	0.94
time (sec)	N/A	0.113	0.312	0.033	0.296	0.351	0.109	3.181	3.669

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	65	65	64	63	92	77	75
N.S.	1	1.00	0.97	0.97	0.96	0.94	1.37	1.15	1.12
time (sec)	N/A	0.028	0.094	0.021	0.276	0.424	0.070	3.006	3.719

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	108	0	0	105	0	0	-1
N.S.	1	1.00	0.81	0.00	0.00	0.78	0.00	0.00	-0.01
time (sec)	N/A	0.179	0.383	0.035	0.000	0.427	0.000	0.000	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	136	0	0	183	0	0	-1
N.S.	1	1.00	0.67	0.00	0.00	0.91	0.00	0.00	-0.00
time (sec)	N/A	0.246	0.602	0.008	0.000	0.390	0.000	0.000	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	217	0	0	324	0	0	-1
N.S.	1	1.00	0.76	0.00	0.00	1.13	0.00	0.00	-0.00
time (sec)	N/A	0.334	0.514	0.009	0.000	0.361	0.000	0.000	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	496	496	341	0	884	711	1073	18737	652
N.S.	1	1.00	0.69	0.00	1.78	1.43	2.16	37.78	1.31
time (sec)	N/A	0.489	0.590	0.014	0.324	0.424	0.288	2.831	4.372

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	366	366	248	0	541	417	651	8850	399
N.S.	1	1.00	0.68	0.00	1.48	1.14	1.78	24.18	1.09
time (sec)	N/A	0.321	0.509	0.013	0.324	0.370	0.249	2.721	3.993

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	161	0	278	195	348	3558	219
N.S.	1	1.00	0.68	0.00	1.18	0.83	1.47	15.08	0.93
time (sec)	N/A	0.157	0.403	0.006	0.301	0.447	0.146	2.859	3.765

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	87	86	97	87	151	102	124
N.S.	1	1.00	0.84	0.83	0.94	0.84	1.47	0.99	1.20
time (sec)	N/A	0.037	0.105	0.030	0.280	0.370	0.083	2.742	3.775

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	160	0	0	155	0	0	-1
N.S.	1	1.00	0.80	0.00	0.00	0.78	0.00	0.00	-0.00
time (sec)	N/A	0.245	0.619	0.010	0.000	0.393	0.000	0.000	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	250	0	0	277	0	0	-1
N.S.	1	1.00	0.82	0.00	0.00	0.91	0.00	0.00	-0.00
time (sec)	N/A	0.349	1.031	0.009	0.000	0.401	0.000	0.000	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	447	447	325	0	0	493	0	0	-1
N.S.	1	1.00	0.73	0.00	0.00	1.10	0.00	0.00	-0.00
time (sec)	N/A	0.485	0.723	0.010	0.000	0.451	0.000	0.000	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	166	3075	491	445	0	0	-1
N.S.	1	1.00	0.86	16.02	2.56	2.32	0.00	0.00	-0.01
time (sec)	N/A	0.220	0.665	0.117	0.401	0.372	0.000	0.000	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	121	1677	310	291	0	0	-1
N.S.	1	1.00	0.83	11.57	2.14	2.01	0.00	0.00	-0.01
time (sec)	N/A	0.196	0.487	0.073	0.410	0.403	0.000	0.000	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	74	679	0	155	0	0	-1
N.S.	1	1.00	0.76	6.93	0.00	1.58	0.00	0.00	-0.01
time (sec)	N/A	0.110	0.238	0.043	0.000	0.393	0.000	0.000	0.000



Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	55	53	61	45	27	74	44
N.S.	1	1.00	1.38	1.32	1.52	1.12	0.68	1.85	1.10
time (sec)	N/A	0.022	0.097	0.029	0.305	0.385	0.058	2.745	3.449

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.097	0.255	0.042	0.000	0.000	0.000	0.000	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.091	0.372	0.051	0.000	0.000	0.000	0.000	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	A	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	388	388	0	3319	713	1538	0	0	-1
N.S.	1	1.00	0.00	8.55	1.84	3.96	0.00	0.00	-0.00
time (sec)	N/A	0.613	1.789	0.092	0.436	0.399	0.000	0.000	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	A	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	0	1650	478	918	0	0	-1
N.S.	1	1.00	0.00	5.61	1.63	3.12	0.00	0.00	-0.00
time (sec)	N/A	0.480	1.248	0.081	0.406	0.371	0.000	0.000	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	191	191	0	591	0	428	0	0	-1
N.S.	1	1.00	0.00	3.09	0.00	2.24	0.00	0.00	-0.01
time (sec)	N/A	0.236	0.947	0.057	0.000	0.362	0.000	0.000	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	107	74	97	104	66	111	80
N.S.	1	1.00	1.45	1.00	1.31	1.41	0.89	1.50	1.08
time (sec)	N/A	0.036	0.159	0.039	0.291	0.377	0.077	2.268	3.445

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.089	0.835	0.055	0.000	0.000	0.000	0.000	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.084	0.849	0.003	0.000	0.000	0.000	0.000	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	A	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	594	594	0	4005	1028	2968	0	0	-1
N.S.	1	1.00	0.00	6.74	1.73	5.00	0.00	0.00	-0.00
time (sec)	N/A	1.331	1.793	0.091	0.420	0.457	0.000	0.000	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	A	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	439	439	0	1887	711	1652	0	0	-1
N.S.	1	1.00	0.00	4.30	1.62	3.76	0.00	0.00	-0.00
time (sec)	N/A	0.935	1.431	0.084	0.398	0.411	0.000	0.000	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	B	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	0	668	0	738	0	0	-1
N.S.	1	1.00	0.00	2.42	0.00	2.67	0.00	0.00	-0.00
time (sec)	N/A	0.413	0.938	0.032	0.000	0.369	0.000	0.000	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	128	96	143	197	116	136	142
N.S.	1	1.00	1.15	0.86	1.29	1.77	1.05	1.23	1.28
time (sec)	N/A	0.049	0.206	0.060	0.345	0.445	0.094	1.970	3.502

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.088	1.384	0.004	0.000	0.000	0.000	0.000	0.000

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.082	1.128	0.003	0.000	0.000	0.000	0.000	0.000

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	77	82	70	85	132	-1
N.S.	1	1.00	1.00	1.08	1.15	0.99	1.20	1.86	-0.01
time (sec)	N/A	0.065	0.268	0.063	0.302	0.472	1.097	2.190	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	181	144	160	133	184	250	-1
N.S.	1	1.00	1.25	0.99	1.10	0.92	1.27	1.72	-0.01
time (sec)	N/A	0.142	0.992	0.051	0.545	0.419	1.580	1.869	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	299	211	238	196	291	368	-1
N.S.	1	1.00	1.33	0.94	1.06	0.88	1.30	1.64	-0.00
time (sec)	N/A	0.208	1.427	0.053	0.518	0.390	2.452	1.987	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	0.909	0.011	0.000	0.000	0.000	0.000	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	1.339	0.003	0.000	0.000	0.000	0.000	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	5.013	0.004	0.000	0.000	0.000	0.000	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	0	0	0	279	0	0	-1
N.S.	1	1.00	0.00	0.00	0.00	0.82	0.00	0.00	-0.00
time (sec)	N/A	0.345	0.283	0.012	0.000	0.111	0.000	0.000	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	0	0	0	197	0	0	-1
N.S.	1	1.00	0.00	0.00	0.00	0.86	0.00	0.00	-0.00
time (sec)	N/A	0.211	0.237	0.013	0.000	0.113	0.000	0.000	0.000

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	0	0	0	114	0	0	-1
N.S.	1	1.00	0.00	0.00	0.00	0.98	0.00	0.00	-0.01
time (sec)	N/A	0.097	0.145	0.012	0.000	0.102	0.000	0.000	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.085	0.186	0.010	0.000	0.000	0.000	0.000	0.000

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.083	0.207	0.007	0.000	0.000	0.000	0.000	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.080	0.297	0.025	0.000	0.000	0.000	0.000	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	115	225	106	134	0	0	-1
N.S.	1	1.00	1.00	1.96	0.92	1.17	0.00	0.00	-0.01
time (sec)	N/A	0.099	0.107	0.035	0.317	0.367	0.000	0.000	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	85	194	78	108	0	0	-1
N.S.	1	1.00	1.00	2.28	0.92	1.27	0.00	0.00	-0.01
time (sec)	N/A	0.082	0.101	0.042	0.602	0.434	0.000	0.000	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	54	154	48	75	0	0	-1
N.S.	1	1.00	1.00	2.85	0.89	1.39	0.00	0.00	-0.02
time (sec)	N/A	0.049	0.087	0.029	0.524	0.392	0.000	0.000	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	30	24	23	23	17	24	23
N.S.	1	1.00	1.30	1.04	1.00	1.00	0.74	1.04	1.00
time (sec)	N/A	0.026	0.028	0.012	0.413	0.375	0.057	1.704	3.429

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.048	0.262	0.006	0.000	0.000	0.000	0.000	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.048	0.236	0.006	0.000	0.000	0.000	0.000	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	137	274	129	246	0	0	-1
N.S.	1	1.00	0.98	1.96	0.92	1.76	0.00	0.00	-0.01
time (sec)	N/A	0.174	0.162	0.030	0.326	0.381	0.000	0.000	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	103	231	99	186	0	0	-1
N.S.	1	1.00	0.96	2.16	0.93	1.74	0.00	0.00	-0.01
time (sec)	N/A	0.151	0.114	0.024	0.303	0.386	0.000	0.000	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	54	67	72	74	58	0	63
N.S.	1	1.00	0.78	0.97	1.04	1.07	0.84	0.00	0.91
time (sec)	N/A	0.053	0.092	0.015	0.309	0.447	0.095	0.000	3.623

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	26	25	25	26	26	31
N.S.	1	1.00	1.00	1.04	1.00	1.00	1.04	1.04	1.24
time (sec)	N/A	0.025	0.034	0.011	0.294	0.403	0.040	2.379	3.463

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	61	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.088	0.189	0.006	0.000	0.000	0.000	0.000	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	61	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.081	0.294	0.010	0.000	0.000	0.000	0.000	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	220	501	266	577	0	0	-1
N.S.	1	1.00	0.84	1.92	1.02	2.21	0.00	0.00	-0.00
time (sec)	N/A	0.344	0.276	0.044	0.340	0.355	0.000	0.000	0.000



Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	177	304	202	379	0	0	-1
N.S.	1	1.00	0.97	1.67	1.11	2.08	0.00	0.00	-0.01
time (sec)	N/A	0.212	0.166	0.038	0.339	0.397	0.000	0.000	0.000

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	98	111	150	148	122	0	155
N.S.	1	1.00	0.92	1.05	1.42	1.40	1.15	0.00	1.46
time (sec)	N/A	0.067	0.106	0.020	0.304	0.440	0.094	0.000	3.753

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	27	26	25	46	53	26	25
N.S.	1	1.00	1.00	0.96	0.93	1.70	1.96	0.96	0.93
time (sec)	N/A	0.025	0.036	0.013	0.323	0.354	0.055	2.191	3.633

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.083	0.733	0.009	0.000	0.000	0.000	0.000	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	63	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.084	0.863	0.019	0.000	0.000	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [32] had the largest ratio of [25]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	6	1.00	17	0.353
2	A	5	5	1.00	17	0.294
3	A	4	4	1.00	15	0.267
4	A	4	4	1.00	13	0.308
5	A	0	0	0.00	0	0.000
6	A	0	0	0.00	0	0.000
7	A	4	4	1.00	14	0.286
8	A	4	4	1.00	16	0.250
9	A	13	8	1.00	17	0.471
10	A	11	9	1.00	17	0.529
11	A	10	10	1.00	15	0.667
12	A	3	2	1.00	13	0.154
13	A	0	0	0.00	0	0.000
14	A	0	0	0.00	0	0.000
15	A	3	2	1.00	14	0.143
16	A	3	2	1.00	16	0.125
17	A	26	10	1.00	17	0.588
18	A	23	12	1.00	17	0.706
19	A	15	11	1.00	15	0.733
20	A	3	2	1.00	13	0.154
21	A	0	0	0.00	0	0.000
22	A	0	0	0.00	0	0.000
23	A	3	2	1.00	14	0.143
24	A	3	2	1.00	16	0.125
25	A	6	3	1.00	23	0.130

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
26	A	5	3	1.00	23	0.130
27	A	4	3	1.00	21	0.143
28	A	2	1	1.00	15	0.067
29	A	4	3	1.00	23	0.130
30	A	5	4	1.00	23	0.174
31	A	6	4	1.00	23	0.174
32	A	10	3	1.00	25	0.120
33	A	8	3	1.00	25	0.120
34	A	6	3	1.00	23	0.130
35	A	4	3	1.00	17	0.176
36	A	6	3	1.00	25	0.120
37	A	8	4	1.00	25	0.160
38	A	10	4	1.00	25	0.160
39	A	14	3	1.00	25	0.120
40	A	11	3	1.00	25	0.120
41	A	8	3	1.00	23	0.130
42	A	4	3	1.00	17	0.176
43	A	8	3	1.00	25	0.120
44	A	11	4	1.00	25	0.160
45	A	14	4	1.00	25	0.160
46	A	6	6	1.00	25	0.240
47	A	5	5	1.00	25	0.200
48	A	4	4	1.00	23	0.174
49	A	5	5	1.00	17	0.294
50	A	0	0	0.00	0	0.000
51	A	0	0	0.00	0	0.000
52	A	13	8	1.00	25	0.320
53	A	11	9	1.00	25	0.360
54	A	11	11	1.00	23	0.478
55	A	4	3	1.00	17	0.176
56	A	0	0	0.00	0	0.000
57	A	0	0	0.00	0	0.000
58	A	26	10	1.00	25	0.400
59	A	24	13	1.00	25	0.520
60	A	17	12	1.00	23	0.522

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	A	4	3	1.00	17	0.176
62	A	0	0	0.00	0	0.000
63	A	0	0	0.00	0	0.000
64	A	5	4	1.00	17	0.235
65	A	8	4	1.00	19	0.210
66	A	11	4	1.00	19	0.210
67	A	0	0	0.00	0	0.000
68	A	0	0	0.00	0	0.000
69	A	0	0	0.00	0	0.000
70	A	8	3	1.00	25	0.120
71	A	6	3	1.00	25	0.120
72	A	4	3	1.00	23	0.130
73	A	0	0	0.00	0	0.000
74	A	0	0	0.00	0	0.000
75	A	0	0	0.00	0	0.000
76	A	5	5	1.00	24	0.208
77	A	4	4	1.00	24	0.167
78	A	3	3	1.00	22	0.136
79	A	2	2	1.00	21	0.095
80	A	0	0	0.00	0	0.000
81	A	0	0	0.00	0	0.000
82	A	6	6	1.00	24	0.250
83	A	5	5	1.00	24	0.208
84	A	5	5	1.00	22	0.227
85	A	2	2	1.00	21	0.095
86	A	0	0	0.00	0	0.000
87	A	0	0	0.00	0	0.000
88	A	12	9	1.00	24	0.375
89	A	11	10	1.00	24	0.417
90	A	4	3	1.00	22	0.136
91	A	2	2	1.00	21	0.095
92	A	0	0	0.00	0	0.000
93	A	0	0	0.00	0	0.000

# Chapter 3

## Listing of integrals

### Local contents

3.1	$\int \frac{x^3}{a+be^{c+dx}} dx$	46
3.2	$\int \frac{x^2}{a+be^{c+dx}} dx$	50
3.3	$\int \frac{x}{a+be^{c+dx}} dx$	54
3.4	$\int \frac{1}{a+be^{c+dx}} dx$	58
3.5	$\int \frac{1}{(a+be^{c+dx})x} dx$	61
3.6	$\int \frac{1}{(a+be^{c+dx})x^2} dx$	64
3.7	$\int \frac{1}{a+be^{c-dx}} dx$	67
3.8	$\int \frac{1}{a+be^{-c-dx}} dx$	70
3.9	$\int \frac{x^3}{(a+be^{c+dx})^2} dx$	73
3.10	$\int \frac{x^2}{(a+be^{c+dx})^2} dx$	78
3.11	$\int \frac{x}{(a+be^{c+dx})^2} dx$	83
3.12	$\int \frac{1}{(a+be^{c+dx})^2} dx$	88
3.13	$\int \frac{1}{(a+be^{c+dx})^2 x} dx$	92
3.14	$\int \frac{1}{(a+be^{c+dx})^2 x^2} dx$	95
3.15	$\int \frac{1}{(a+be^{c-dx})^2} dx$	98
3.16	$\int \frac{1}{(a+be^{-c-dx})^2} dx$	102
3.17	$\int \frac{x^3}{(a+be^{c+dx})^3} dx$	106
3.18	$\int \frac{x^2}{(a+be^{c+dx})^3} dx$	112
3.19	$\int \frac{x}{(a+be^{c+dx})^3} dx$	118
3.20	$\int \frac{1}{(a+be^{c+dx})^3} dx$	123
3.21	$\int \frac{1}{(a+be^{c+dx})^3 x} dx$	127
3.22	$\int \frac{1}{(a+be^{c+dx})^3 x^2} dx$	130

3.23	$\int \frac{1}{(a+be^{c-dx})^3} dx$	133
3.24	$\int \frac{1}{(a+be^{-c-dx})^3} dx$	137
3.25	$\int (a+b(Fg^{(e+fx)})^n)(c+dx)^3 dx$	141
3.26	$\int (a+b(Fg^{(e+fx)})^n)(c+dx)^2 dx$	146
3.27	$\int (a+b(Fg^{(e+fx)})^n)(c+dx) dx$	151
3.28	$\int (a+b(Fg^{(e+fx)})^n) dx$	155
3.29	$\int \frac{a+b(Fg^{(e+fx)})^n}{c+dx} dx$	158
3.30	$\int \frac{a+b(Fg^{(e+fx)})^n}{(c+dx)^2} dx$	161
3.31	$\int \frac{a+b(Fg^{(e+fx)})^n}{(c+dx)^3} dx$	165
3.32	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx)^3 dx$	169
3.33	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx)^2 dx$	175
3.34	$\int (a+b(Fg^{(e+fx)})^n)^2 (c+dx) dx$	181
3.35	$\int (a+b(Fg^{(e+fx)})^n)^2 dx$	186
3.36	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{c+dx} dx$	190
3.37	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{(c+dx)^2} dx$	193
3.38	$\int \frac{(a+b(Fg^{(e+fx)})^n)^2}{(c+dx)^3} dx$	197
3.39	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx)^3 dx$	201
3.40	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx)^2 dx$	208
3.41	$\int (a+b(Fg^{(e+fx)})^n)^3 (c+dx) dx$	214
3.42	$\int (a+b(Fg^{(e+fx)})^n)^3 dx$	219
3.43	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{c+dx} dx$	223
3.44	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{(c+dx)^2} dx$	227
3.45	$\int \frac{(a+b(Fg^{(e+fx)})^n)^3}{(c+dx)^3} dx$	231
3.46	$\int \frac{(c+dx)^3}{a+b(Fg^{(e+fx)})^n} dx$	235
3.47	$\int \frac{(c+dx)^2}{a+b(Fg^{(e+fx)})^n} dx$	241
3.48	$\int \frac{c+dx}{a+b(Fg^{(e+fx)})^n} dx$	246
3.49	$\int \frac{1}{a+b(Fg^{(e+fx)})^n} dx$	250
3.50	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)(c+dx)} dx$	254
3.51	$\int \frac{1}{(a+b(Fg^{(e+fx)})^n)(c+dx)^2} dx$	257
3.52	$\int \frac{(c+dx)^3}{(a+b(Fg^{(e+fx)})^n)^2} dx$	260
3.53	$\int \frac{(c+dx)^2}{(a+b(Fg^{(e+fx)})^n)^2} dx$	268
3.54	$\int \frac{c+dx}{(a+b(Fg^{(e+fx)})^n)^2} dx$	274

3.55	$\int \frac{1}{(a+b(Fg(e+fx))^n)^2} dx$	279
3.56	$\int \frac{1}{(a+b(Fg(e+fx))^n)^2(c+dx)} dx$	283
3.57	$\int \frac{1}{(a+b(Fg(e+fx))^n)^2(c+dx)^2} dx$	286
3.58	$\int \frac{(c+dx)^3}{(a+b(Fg(e+fx))^n)^3} dx$	289
3.59	$\int \frac{(c+dx)^2}{(a+b(Fg(e+fx))^n)^3} dx$	298
3.60	$\int \frac{c+dx}{(a+b(Fg(e+fx))^n)^3} dx$	306
3.61	$\int \frac{1}{(a+b(Fg(e+fx))^n)^3} dx$	312
3.62	$\int \frac{1}{(a+b(Fg(e+fx))^n)^3(c+dx)} dx$	316
3.63	$\int \frac{1}{(a+b(Fg(e+fx))^n)^3(c+dx)^2} dx$	320
3.64	$\int (a+be^x) \sqrt{c+dx} dx$	323
3.65	$\int (a+be^x)^2 \sqrt{c+dx} dx$	327
3.66	$\int (a+be^x)^3 \sqrt{c+dx} dx$	331
3.67	$\int \frac{\sqrt{c+dx}}{a+be^x} dx$	336
3.68	$\int \frac{\sqrt{c+dx}}{(a+be^x)^2} dx$	339
3.69	$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$	342
3.70	$\int (a+b(Fg(e+fx))^n)^3 (c+dx)^m dx$	345
3.71	$\int (a+b(Fg(e+fx))^n)^2 (c+dx)^m dx$	349
3.72	$\int (a+b(Fg(e+fx))^n) (c+dx)^m dx$	352
3.73	$\int \frac{(c+dx)^m}{a+b(Fg(e+fx))^n} dx$	355
3.74	$\int \frac{(c+dx)^m}{(a+b(Fg(e+fx))^n)^2} dx$	358
3.75	$\int (a+b(Fg(e+fx))^n)^p (c+dx)^m dx$	361
3.76	$\int \frac{F^{c+dx} x^3}{a+bF^{c+dx}} dx$	363
3.77	$\int \frac{F^{c+dx} x^2}{a+bF^{c+dx}} dx$	367
3.78	$\int \frac{F^{c+dx} x}{a+bF^{c+dx}} dx$	371
3.79	$\int \frac{F^{c+dx}}{a+bF^{c+dx}} dx$	374
3.80	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$	377
3.81	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$	380
3.82	$\int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^2} dx$	383
3.83	$\int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^2} dx$	388
3.84	$\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx$	392
3.85	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2} dx$	396
3.86	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$	399
3.87	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$	402

3.88	$\int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^3} dx$	405
3.89	$\int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^3} dx$	410
3.90	$\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^3} dx$	415
3.91	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3} dx$	419
3.92	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$	422
3.93	$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$	425



### 3.1 $\int \frac{x^3}{a+be^{c+dx}} dx$

**Optimal.** Leaf size=110

$$\frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{Li}_4\left(-\frac{be^{c+dx}}{a}\right)}{ad^4}$$

[Out] 1/4\*x^4/a-x^3\*ln(1+b\*exp(d\*x+c)/a)/a/d-3\*x^2\*polylog(2,-b\*exp(d\*x+c)/a)/a/d^2+6\*x\*polylog(3,-b\*exp(d\*x+c)/a)/a/d^3-6\*polylog(4,-b\*exp(d\*x+c)/a)/a/d^4

**Rubi [A]**

time = 0.13, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {2215, 2221, 2611, 6744, 2320, 6724}

$$-\frac{6 \text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{ad^4} + \frac{6x \text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{3x^2 \text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} - \frac{x^3 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^4}{4a}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b\*E^(c + d\*x)),x]

[Out] x^4/(4\*a) - (x^3\*Log[1 + (b\*E^(c + d\*x))/a])/(a\*d) - (3\*x^2\*PolyLog[2, -(b\*E^(c + d\*x))/a])/(a\*d^2) + (6\*x\*PolyLog[3, -(b\*E^(c + d\*x))/a])/(a\*d^3) - (6\*PolyLog[4, -(b\*E^(c + d\*x))/a])/(a\*d^4)

Rule 2215

Int[(((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

Int[(((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)), x\_Symbol] := Simp[(((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a]), x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a]), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*

$(F\_)[v\_]$  /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 2611

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_)))^(n\_.))]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-f + g\*x)^m\*(PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m - 1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 6724

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6744

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_)))^(p\_.)], x\_Symbol] :> Simp[(e + f\*x)^m\*(PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p]/(b\*c\*p\*Log[F])), x] - Dist[f\*(m/(b\*c\*p\*Log[F])), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{a + be^{c+dx}} dx &= \frac{x^4}{4a} - \frac{b \int \frac{e^{c+dx} x^3}{a + be^{c+dx}} dx}{a} \\
 &= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{3 \int x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\
 &= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6 \int x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^2} \\
 &= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \int \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^3} \\
 &= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{Subst}\left(\int \frac{\text{Li}_3\left(-\frac{bx}{a}\right)}{x} dx\right)}{ad^4} \\
 &= \frac{x^4}{4a} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{6 \text{Li}_4\left(-\frac{be^{c+dx}}{a}\right)}{ad^4}
 \end{aligned}$$

**Mathematica [A]**

time = 0.04, size = 112, normalized size = 1.02

$$-\frac{x^3 \log\left(1 + \frac{ae^{-c-dx}}{b}\right)}{ad} + \frac{3x^2 \text{Li}_2\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^2} + \frac{6x \text{Li}_3\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^3} + \frac{6 \text{Li}_4\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^4}$$

Antiderivative was successfully verified.

`[In] Integrate[x^3/(a + b*E^(c + d*x)),x]`

```
[Out] -((x^3*Log[1 + (a*E^(-c - d*x))/b])/(a*d)) + (3*x^2*PolyLog[2, -((a*E^(-c - d*x))/b))]/(a*d^2) + (6*x*PolyLog[3, -((a*E^(-c - d*x))/b))]/(a*d^3) + (6*PolyLog[4, -((a*E^(-c - d*x))/b))]/(a*d^4)
```

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 294 vs.  $2(104) = 208$ .

time = 0.04, size = 295, normalized size = 2.68

method	result
risch	$\frac{x^4}{4a} + \frac{c^3 x}{d^3 a} + \frac{3c^4}{4d^4 a} - \frac{x^3 \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{ad} - \frac{\ln\left(1 + \frac{be^{dx+c}}{a}\right) c^3}{d^4 a} - \frac{3x^2 \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a d^2} + \frac{6x \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)}{a d^3}$
derivativedivides	$\frac{(dx+c)^4}{4a} - \frac{(dx+c)^3 \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{a} - \frac{3(dx+c)^2 \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a} + \frac{6(dx+c) \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)}{a} - \frac{6 \text{polylog}\left(4, -\frac{be^{dx+c}}{a}\right)}{a}$
default	$\frac{(dx+c)^4}{4a} - \frac{(dx+c)^3 \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{a} - \frac{3(dx+c)^2 \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a} + \frac{6(dx+c) \text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)}{a} - \frac{6 \text{polylog}\left(4, -\frac{be^{dx+c}}{a}\right)}{a}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3/(a+b*exp(d*x+c)),x,method=_RETURNVERBOSE)`

```
[Out] 1/d^4*(1/4/a*(d*x+c)^4-1/a*(d*x+c)^3*ln(1+b*exp(d*x+c)/a)-3/a*(d*x+c)^2*pol
ylog(2,-b*exp(d*x+c)/a)+6/a*(d*x+c)*polylog(3,-b*exp(d*x+c)/a)-6/a*polylog(
4,-b*exp(d*x+c)/a)-c^3/a*ln(exp(d*x+c))+c^3/a*ln(a+b*exp(d*x+c))-c/a*(d*x+c
)^3+3*c/a*(d*x+c)^2*ln(1+b*exp(d*x+c)/a)+6*c/a*(d*x+c)*polylog(2,-b*exp(d*x
+c)/a)-6*c/a*polylog(3,-b*exp(d*x+c)/a)+3/2*c^2/a*(d*x+c)^2-3*c^2/a*(d*x+c
)*ln(1+b*exp(d*x+c)/a)-3*c^2/a*polylog(2,-b*exp(d*x+c)/a)
```

**Maxima [A]**

time = 0.32, size = 94, normalized size = 0.85

$$\frac{x^4}{4a} - \frac{d^3 x^3 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 3d^2 x^2 \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 6dx \text{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right) + 6 \text{Li}_4\left(-\frac{be^{(dx+c)}}{a}\right)}{ad^4}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{4}x^4/a - (d^3x^3 \log(b e^{(dx+c)})/a + 1) + 3d^2x^2 \operatorname{dilog}(-b e^{(dx+c)}/a) - 6d x \operatorname{polylog}(3, -b e^{(dx+c)}/a) + 6 \operatorname{polylog}(4, -b e^{(dx+c)}/a) / (a d^4)$

**Fricas** [A]

time = 0.37, size = 120, normalized size = 1.09

$$\frac{d^4 x^4 - 12 d^2 x^2 \operatorname{Li}_2\left(-\frac{b e^{(dx+c)}}{a} + 1\right) + 4 c^3 \log(b e^{(dx+c)} + a) + 24 d x \operatorname{polylog}\left(3, -\frac{b e^{(dx+c)}}{a}\right) - 4 (d^3 x^3 + c^3) \log\left(\frac{b e^{(dx+c)}}{a} + a\right) - 24 \operatorname{polylog}\left(4, -\frac{b e^{(dx+c)}}{a}\right)}{4 a d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="fricas")`

[Out]  $\frac{1}{4} * (d^4 x^4 - 12 d^2 x^2 \operatorname{dilog}(-(b e^{(dx+c)} + a)/a + 1) + 4 c^3 \log(b e^{(dx+c)} + a) + 24 d x \operatorname{polylog}(3, -b e^{(dx+c)}/a) - 4 (d^3 x^3 + c^3) \log((b e^{(dx+c)} + a)/a) - 24 \operatorname{polylog}(4, -b e^{(dx+c)}/a)) / (a d^4)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a + b e^{c+dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(a+b*exp(d*x+c)),x)`

[Out] `Integral(x**3/(a + b*exp(c)*exp(d*x)), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c)),x, algorithm="giac")`

[Out] `integrate(x^3/(b*e^(d*x + c) + a), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{a + b e^{c+dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(a + b*exp(c + d*x)),x)`

[Out] `int(x^3/(a + b*exp(c + d*x)), x)`

## 3.2 $\int \frac{x^2}{a+be^{c+dx}} dx$

**Optimal.** Leaf size=84

$$\frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3}$$

[Out]  $1/3*x^3/a - x^2*\ln(1+b*\exp(d*x+c)/a)/a/d - 2*x*polylog(2, -b*\exp(d*x+c)/a)/a/d^2 + 2*polylog(3, -b*\exp(d*x+c)/a)/a/d^3$

**Rubi** [A]

time = 0.12, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {2215, 2221, 2611, 2320, 6724}

$$\frac{2 \operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{ad^3} - \frac{2x \operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^3}{3a}$$

Antiderivative was successfully verified.

[In] `Int[x^2/(a + b*E^(c + d*x)),x]`

[Out]  $x^3/(3*a) - (x^2*\log[1 + (b*E^(c + d*x))/a])/(a*d) - (2*x*\operatorname{PolyLog}[2, -((b*E^(c + d*x))/a)])/(a*d^2) + (2*\operatorname{PolyLog}[3, -((b*E^(c + d*x))/a)])/(a*d^3)$

Rule 2215

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
```

`(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

### Rule 2611

`Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))] * ((f_) + (g_) * (x_)^(m_)), x_Symbol] :> Simp[(-f + g*x)^m * (PolyLog[2, (-e)*(F^(c*(a + b*x)))^n] / (b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1) * PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

### Rule 6724

`Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)] / ((d_) + (e_)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p] / (e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{a + be^{c+dx}} dx &= \frac{x^3}{3a} - \frac{b \int \frac{e^{c+dx} x^2}{a + be^{c+dx}} dx}{a} \\
 &= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{2 \int x \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\
 &= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \int \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right) dx}{ad^2} \\
 &= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2\left(-\frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{ad^3} \\
 &= \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{2x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} + \frac{2 \operatorname{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{ad^3}
 \end{aligned}$$

### Mathematica [A]

time = 0.04, size = 83, normalized size = 0.99

$$-\frac{x^2 \log\left(1 + \frac{ae^{-c-dx}}{b}\right)}{ad} + \frac{2x \operatorname{Li}_2\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^2} + \frac{2 \operatorname{Li}_3\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b\*E^(c + d\*x)),x]

[Out]  $-\left(\frac{x^2 \operatorname{Log}\left[1 + \frac{a e^{-c - dx}}{b}\right]}{a d}\right) + \left(\frac{2 x \operatorname{PolyLog}\left[2, -\frac{a e^{-c - dx}}{b}\right]}{a d^2}\right) + \left(\frac{2 \operatorname{PolyLog}\left[3, -\frac{a e^{-c - dx}}{b}\right]}{a d^3}\right)$

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 177 vs. 2(79) = 158.

time = 0.01, size = 178, normalized size = 2.12

method	result
risch	$\frac{c^2 \ln(e^{dx+c})}{d^3 a} - \frac{c^2 \ln(a+b e^{dx+c})}{d^3 a} + \frac{x^3}{3a} - \frac{c^2 x}{d^2 a} - \frac{2c^3}{3d^3 a} - \frac{x^2 \ln\left(1 + \frac{b e^{dx+c}}{a}\right)}{ad} + \frac{\ln\left(1 + \frac{b e^{dx+c}}{a}\right) c^2}{d^3 a} - \frac{2x \operatorname{polylog}\left(2, -\frac{b e^{dx+c}}{a}\right)}{d^3 a}$
derivativedivides	$\frac{c^2 \ln(e^{dx+c})}{a} - \frac{c^2 \ln(a+b e^{dx+c})}{a} + \frac{(dx+c)^3}{3a} - \frac{(dx+c)^2 \ln\left(1 + \frac{b e^{dx+c}}{a}\right)}{a} - \frac{2(dx+c) \operatorname{polylog}\left(2, -\frac{b e^{dx+c}}{a}\right)}{d^3} + \frac{2 \operatorname{polylog}\left(3, -\frac{b e^{dx+c}}{a}\right)}{a}$
default	$\frac{c^2 \ln(e^{dx+c})}{a} - \frac{c^2 \ln(a+b e^{dx+c})}{a} + \frac{(dx+c)^3}{3a} - \frac{(dx+c)^2 \ln\left(1 + \frac{b e^{dx+c}}{a}\right)}{a} - \frac{2(dx+c) \operatorname{polylog}\left(2, -\frac{b e^{dx+c}}{a}\right)}{d^3} + \frac{2 \operatorname{polylog}\left(3, -\frac{b e^{dx+c}}{a}\right)}{a}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*exp(d*x+c)),x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{d^3} \left( \frac{c^2}{a} \ln(\exp(dx+c)) - c^2/a \ln(a+b \exp(dx+c)) + \frac{1}{3} x^3/a - \frac{1}{a} (dx+c)^2 \ln(1+b \exp(dx+c)/a) - \frac{2}{a} (dx+c) \operatorname{polylog}\left(2, -\frac{b \exp(dx+c)}{a}\right) + \frac{2}{a} \operatorname{polylog}\left(3, -\frac{b \exp(dx+c)}{a}\right) - \frac{c}{a} (dx+c)^2 + \frac{2c}{a} (dx+c) \ln(1+b \exp(dx+c)/a) + \frac{2c}{a} \operatorname{polylog}\left(2, -\frac{b \exp(dx+c)}{a}\right) \right)$

**Maxima [A]**

time = 0.29, size = 72, normalized size = 0.86

$$\frac{x^3}{3a} - \frac{d^2 x^2 \log\left(\frac{b e^{(dx+c)}}{a} + 1\right) + 2 dx \operatorname{Li}_2\left(-\frac{b e^{(dx+c)}}{a}\right) - 2 \operatorname{Li}_3\left(-\frac{b e^{(dx+c)}}{a}\right)}{ad^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{3} x^3/a - \frac{(d^2 x^2 \log(b e^{(dx+c)}/a + 1) + 2 d x \operatorname{dilog}(-b e^{(dx+c)}/a) - 2 \operatorname{polylog}(3, -b e^{(dx+c)}/a))}{a d^3}$

**Fricas [A]**

time = 0.42, size = 100, normalized size = 1.19

$$\frac{d^3 x^3 - 6 dx \operatorname{Li}_2\left(-\frac{b e^{(dx+c)+a}}{a} + 1\right) - 3 c^2 \log(b e^{(dx+c)} + a) - 3 (d^2 x^2 - c^2) \log\left(\frac{b e^{(dx+c)+a}}{a}\right) + 6 \operatorname{polylog}\left(3, -\frac{b e^{(dx+c)}}{a}\right)}{3 a d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="fricas")`

[Out]  $\frac{1}{3}(d^3x^3 - 6dx \operatorname{dilog}(-\frac{b e^{dx+c}}{a+1}) - 3c^2 \log(\frac{b e^{dx+c}}{a}) - 3(d^2x^2 - c^2) \log(\frac{b e^{dx+c}}{a}) + 6 \operatorname{polylog}(3, -\frac{b e^{dx+c}}{a}))}{(a d^3)}$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b e^{c+dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*exp(d*x+c)),x)`

[Out] `Integral(x**2/(a + b*exp(c)*exp(d*x)), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c)),x, algorithm="giac")`

[Out] `integrate(x^2/(b*e^(d*x + c) + a), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{a + b e^{c+dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*exp(c + d*x)),x)`

[Out] `int(x^2/(a + b*exp(c + d*x)), x)`



### 3.3 $\int \frac{x}{a+be^{c+dx}} dx$

Optimal. Leaf size=58

$$\frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2}$$

[Out] 1/2\*x^2/a-x\*ln(1+b\*exp(d\*x+c)/a)/a/d-polylog(2,-b\*exp(d\*x+c)/a)/a/d^2

Rubi [A]

time = 0.07, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {2215, 2221, 2317, 2438}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{ad^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{ad} + \frac{x^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*E^(c + d\*x)),x]

[Out] x^2/(2\*a) - (x\*Log[1 + (b\*E^(c + d\*x))/a])/(a\*d) - PolyLog[2, -((b\*E^(c + d\*x))/a)]/(a\*d^2)

Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F])\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{a + be^{c+dx}} dx &= \frac{x^2}{2a} - \frac{b \int \frac{e^{c+dx} x}{a + be^{c+dx}} dx}{a} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{\int \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{ad} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, e^{c+dx}\right)}{ad^2} \\ &= \frac{x^2}{2a} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{ad} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{ad^2} \end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 53, normalized size = 0.91

$$-\frac{x \log\left(1 + \frac{ae^{-c-dx}}{b}\right)}{ad} + \frac{\text{Li}_2\left(-\frac{ae^{-c-dx}}{b}\right)}{ad^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/(a + b*E^(c + d*x)),x]
```

```
[Out] -((x*Log[1 + (a*E^(-c - d*x))/b])/(a*d)) + PolyLog[2, -((a*E^(-c - d*x))/b)
]/(a*d^2)
```

**Maple [A]**

time = 0.01, size = 90, normalized size = 1.55

method	result
derivativedivides	$\frac{\frac{(dx+c)^2}{2a} - \frac{(dx+c) \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{a} - \frac{\text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{d^2} - \frac{c \ln(e^{dx+c})}{a} + \frac{c \ln(a + be^{dx+c})}{a}}{d^2}$
default	$\frac{\frac{(dx+c)^2}{2a} - \frac{(dx+c) \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{a} - \frac{\text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{d^2} - \frac{c \ln(e^{dx+c})}{a} + \frac{c \ln(a + be^{dx+c})}{a}}{d^2}$
risch	$\frac{x^2}{2a} + \frac{cx}{da} + \frac{c^2}{2d^2a} - \frac{x \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{ad} - \frac{\ln\left(1 + \frac{be^{dx+c}}{a}\right)c}{d^2a} - \frac{\text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{ad^2} - \frac{c \ln(e^{dx+c})}{d^2a} + \frac{c \ln(a + be^{dx+c})}{d^2a}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*exp(d*x+c)),x,method=_RETURNVERBOSE)`

[Out]  $1/d^2*(1/2/a*(d*x+c)^2-1/a*(d*x+c)*\ln(1+b*\exp(d*x+c)/a)-1/a*\text{polylog}(2,-b*\exp(d*x+c)/a)-c/a*\ln(\exp(d*x+c))+c/a*\ln(a+b*\exp(d*x+c)))$

**Maxima** [A]

time = 0.29, size = 48, normalized size = 0.83

$$\frac{x^2}{2a} - \frac{dx \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right)}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c)),x, algorithm="maxima")`

[Out]  $1/2*x^2/a - (d*x*\log(b*e^{(d*x + c)}/a + 1) + \text{dilog}(-b*e^{(d*x + c)}/a))/(a*d^2)$

**Fricas** [A]

time = 0.37, size = 72, normalized size = 1.24

$$\frac{d^2x^2 + 2c \log(b e^{(dx+c)} + a) - 2(dx + c) \log\left(\frac{be^{(dx+c)+a}}{a}\right) - 2 \text{Li}_2\left(-\frac{be^{(dx+c)+a}}{a} + 1\right)}{2ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c)),x, algorithm="fricas")`

[Out]  $1/2*(d^2*x^2 + 2*c*\log(b*e^{(d*x + c)} + a) - 2*(d*x + c)*\log((b*e^{(d*x + c)} + a)/a) - 2*\text{dilog}(-(b*e^{(d*x + c)} + a)/a + 1))/(a*d^2)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + be^c e^{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c)),x)`

[Out] `Integral(x/(a + b*exp(c)*exp(d*x)), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*exp(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x/(b*e^(d*x + c) + a), x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{a + b e^{c+dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*exp(c + d*x)),x)
```

```
[Out] int(x/(a + b*exp(c + d*x)), x)
```

### 3.4 $\int \frac{1}{a+be^{c+dx}} dx$

Optimal. Leaf size=26

$$\frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad}$$

[Out] x/a-ln(a+b\*exp(d\*x+c))/a/d

Rubi [A]

time = 0.01, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {2320, 36, 29, 31}

$$\frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(c + d\*x))^(-1), x]

[Out] x/a - Log[a + b\*E^(c + d\*x)]/(a\*d)

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(-1), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned} \int \frac{1}{a + be^{c+dx}} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c+dx}\right)}{d} \\ &= \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c+dx}\right)}{ad} - \frac{b\text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{c+dx}\right)}{ad} \\ &= \frac{x}{a} - \frac{\log(a + be^{c+dx})}{ad} \end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 42, normalized size = 1.62

$$\frac{\log(e^{c+dx})}{ad} - \frac{\log(a^2d + abde^{c+dx})}{ad}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(c + d*x))^(-1), x]``[Out] Log[E^(c + d*x)]/(a*d) - Log[a^2*d + a*b*d*E^(c + d*x)]/(a*d)`**Maple [A]**

time = 0.02, size = 33, normalized size = 1.27

method	result	size
norman	$\frac{x}{a} - \frac{\ln(a+be^{dx+c})}{ad}$	26
derivativedivides	$-\frac{\ln(a+be^{dx+c})}{a} + \frac{\ln(e^{dx+c})}{a}$	33
default	$-\frac{\ln(a+be^{dx+c})}{a} + \frac{\ln(e^{dx+c})}{a}$	33
risch	$\frac{x}{a} + \frac{c}{ad} - \frac{\ln(e^{dx+c} + \frac{a}{b})}{ad}$	36

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(d*x+c)), x, method=_RETURNVERBOSE)``[Out] 1/d*(-1/a*ln(a+b*exp(d*x+c))+1/a*ln(exp(d*x+c)))`**Maxima [A]**

time = 0.30, size = 32, normalized size = 1.23

$$\frac{dx + c}{ad} - \frac{\log(be^{(dx+c)} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c)),x, algorithm="maxima")

[Out] (d\*x + c)/(a\*d) - log(b\*e^(d\*x + c) + a)/(a\*d)

**Fricas** [A]

time = 0.42, size = 24, normalized size = 0.92

$$\frac{dx - \log (be^{(dx+c)} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c)),x, algorithm="fricas")

[Out] (d\*x - log(b\*e^(d\*x + c) + a))/(a\*d)

**Sympy** [A]

time = 0.05, size = 17, normalized size = 0.65

$$\frac{x}{a} - \frac{\log \left( \frac{a}{b} + e^{c+dx} \right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c)),x)

[Out] x/a - log(a/b + exp(c + d\*x))/(a\*d)

**Giac** [A]

time = 1.78, size = 31, normalized size = 1.19

$$\frac{\frac{dx+c}{a} - \frac{\log(|be^{(dx+c)}+a|)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c)),x, algorithm="giac")

[Out] ((d\*x + c)/a - log(abs(b\*e^(d\*x + c) + a))/a)/d

**Mupad** [B]

time = 3.50, size = 24, normalized size = 0.92

$$-\frac{\ln (a + b e^{dx} e^c) - dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*exp(c + d\*x)),x)

[Out] -(log(a + b\*exp(d\*x)\*exp(c)) - d\*x)/(a\*d)

### 3.5

$$\int \frac{1}{(a+be^{c+dx})x} dx$$

Optimal. Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})x}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))/x,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})x} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))\*x), x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))\*x), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})x} dx = \int \frac{1}{(a+be^{c+dx})x} dx$$

Mathematica [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})x} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))\*x), x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))\*x), x]

Maple [A]

time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})x} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/(a+b*exp(d*x+c))/x,x)`

[Out] `int(1/(a+b*exp(d*x+c))/x,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="maxima")`

[Out] `integrate(1/((b*e^(d*x + c) + a)*x), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="fricas")`

[Out] `integral(1/(b*x*e^(d*x + c) + a*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + be^c e^{dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x,x)`

[Out] `Integral(1/(x*(a + b*exp(c)*exp(d*x))), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x,x, algorithm="giac")`

[Out] `integrate(1/((b*e^(d*x + c) + a)*x), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a + be^{c+dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*exp(c + d*x))),x)
```

```
[Out] int(1/(x*(a + b*exp(c + d*x))), x)
```

### 3.6

$$\int \frac{1}{(a+be^{c+dx})x^2} dx$$

Optimal. Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})x^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))/x^2,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})x^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))\*x^2), x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))\*x^2), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})x^2} dx = \int \frac{1}{(a+be^{c+dx})x^2} dx$$

Mathematica [A]

time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))\*x^2), x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))\*x^2), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*exp(d*x+c))/x^2,x)`

[Out] `int(1/(a+b*exp(d*x+c))/x^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="maxima")`

[Out] `integrate(1/((b*e^(d*x + c) + a)*x^2), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="fricas")`

[Out] `integral(1/(b*x^2*e^(d*x + c) + a*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b e^{c+dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x**2,x)`

[Out] `Integral(1/(x**2*(a + b*exp(c)*exp(d*x))), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))/x^2,x, algorithm="giac")`

[Out] `integrate(1/((b*e^(d*x + c) + a)*x^2), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b e^{c+dx})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*exp(c + d*x))),x)
```

```
[Out] int(1/(x^2*(a + b*exp(c + d*x))), x)
```

### 3.7 $\int \frac{1}{a+be^{c-dx}} dx$

Optimal. Leaf size=26

$$\frac{x}{a} + \frac{\log(a + be^{c-dx})}{ad}$$

[Out] x/a+ln(a+b\*exp(-d\*x+c))/a/d

Rubi [A]

time = 0.02, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2320, 36, 29, 31}

$$\frac{\log(a + be^{c-dx})}{ad} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(c - d\*x))^(-1),x]

[Out] x/a + Log[a + b\*E^(c - d\*x)]/(a\*d)

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
\int \frac{1}{a + be^{c-dx}} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c-dx}\right)}{ad} + \frac{b\text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{c-dx}\right)}{ad} \\
&= \frac{x}{a} + \frac{\log(a + be^{c-dx})}{ad}
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 23, normalized size = 0.88

$$\frac{\log(d(be^c + ae^{dx}))}{ad}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(c - d*x))^(-1), x]``[Out] Log[d*(b*E^c + a*E^(d*x))]/(a*d)`**Maple [A]**

time = 0.01, size = 36, normalized size = 1.38

method	result	size
norman	$\frac{x}{a} + \frac{\ln(a + be^{-dx+c})}{ad}$	26
derivativedivides	$-\frac{\ln(e^{-dx+c})}{a} - \frac{\ln(a + be^{-dx+c})}{ad}$	36
default	$-\frac{\ln(e^{-dx+c})}{a} - \frac{\ln(a + be^{-dx+c})}{ad}$	36
risch	$\frac{x}{a} - \frac{c}{ad} + \frac{\ln(e^{-dx+c} + \frac{a}{b})}{ad}$	37

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(-d*x+c)), x, method=_RETURNVERBOSE)``[Out] -1/d*(1/a*ln(exp(-d*x+c))-1/a*ln(a+b*exp(-d*x+c)))`**Maxima [A]**

time = 0.28, size = 34, normalized size = 1.31

$$\frac{dx - c}{ad} + \frac{\log(be^{(-dx+c)} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c)),x, algorithm="maxima")

[Out] (d\*x - c)/(a\*d) + log(b\*e^(-d\*x + c) + a)/(a\*d)

**Fricas** [A]

time = 0.40, size = 23, normalized size = 0.88

$$\frac{dx + \log(b e^{(-dx+c)} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c)),x, algorithm="fricas")

[Out] (d\*x + log(b\*e^(-d\*x + c) + a))/(a\*d)

**Sympy** [A]

time = 0.05, size = 17, normalized size = 0.65

$$\frac{x}{a} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c)),x)

[Out] x/a + log(a/b + exp(c - d\*x))/(a\*d)

**Giac** [A]

time = 2.05, size = 33, normalized size = 1.27

$$\frac{\frac{dx-c}{a} + \frac{\log(|be^{(-dx+c)}+a|)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c)),x, algorithm="giac")

[Out] ((d\*x - c)/a + log(abs(b\*e^(-d\*x + c) + a))/a)/d

**Mupad** [B]

time = 3.47, size = 23, normalized size = 0.88

$$\frac{\ln(a + b e^{-dx} e^c) + dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*exp(c - d\*x)),x)

[Out] (log(a + b\*exp(-d\*x)\*exp(c)) + d\*x)/(a\*d)



### 3.8 $\int \frac{1}{a+be^{-c-dx}} dx$

Optimal. Leaf size=28

$$\frac{x}{a} + \frac{\log(a + be^{-c-dx})}{ad}$$

[Out] x/a+ln(a+b\*exp(-d\*x-c))/a/d

Rubi [A]

time = 0.02, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {2320, 36, 29, 31}

$$\frac{\log(a + be^{-c-dx})}{ad} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(-c - d\*x))^(-1),x]

[Out] x/a + Log[a + b\*E^(-c - d\*x)]/(a\*d)

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned} \int \frac{1}{a + be^{-c-dx}} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{-c-dx}\right)}{d} \\ &= -\frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{-c-dx}\right)}{ad} + \frac{b\text{Subst}\left(\int \frac{1}{a+bx} dx, x, e^{-c-dx}\right)}{ad} \\ &= \frac{x}{a} + \frac{\log(a + be^{-c-dx})}{ad} \end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 19, normalized size = 0.68

$$\frac{\log(b + ae^{c+dx})}{ad}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(-c - d*x))^(-1),x]``[Out] Log[b + a*E^(c + d*x)]/(a*d)`**Maple [A]**

time = 0.01, size = 40, normalized size = 1.43

method	result	size
norman	$\frac{x}{a} + \frac{\ln(a+be^{-dx-c})}{ad}$	28
risch	$\frac{x}{a} + \frac{c}{ad} + \frac{\ln(e^{-dx-c} + \frac{a}{b})}{ad}$	38
derivativedivides	$-\frac{\ln(a+be^{-dx-c})}{a} + \frac{\ln(e^{-dx-c})}{a}$	40
default	$-\frac{\ln(a+be^{-dx-c})}{a} + \frac{\ln(e^{-dx-c})}{a}$	40

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(-d*x-c)),x,method=_RETURNVERBOSE)``[Out] -1/d*(-1/a*ln(a+b*exp(-d*x-c))+1/a*ln(exp(-d*x-c)))`**Maxima [A]**

time = 0.29, size = 34, normalized size = 1.21

$$\frac{dx + c}{ad} + \frac{\log(be^{-dx-c} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x-c)),x, algorithm="maxima")

[Out] (d\*x + c)/(a\*d) + log(b\*e^(-d\*x - c) + a)/(a\*d)

**Fricas** [A]

time = 0.37, size = 25, normalized size = 0.89

$$\frac{dx + \log(b e^{-dx-c} + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x-c)),x, algorithm="fricas")

[Out] (d\*x + log(b\*e^(-d\*x - c) + a))/(a\*d)

**Sympy** [A]

time = 0.06, size = 19, normalized size = 0.68

$$\frac{x}{a} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x-c)),x)

[Out] x/a + log(a/b + exp(-c - d\*x))/(a\*d)

**Giac** [A]

time = 2.25, size = 33, normalized size = 1.18

$$\frac{\frac{dx+c}{a} + \frac{\log(|be^{-dx-c}+a|)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x-c)),x, algorithm="giac")

[Out] ((d\*x + c)/a + log(abs(b\*e^(-d\*x - c) + a)))/a/d

**Mupad** [B]

time = 0.05, size = 25, normalized size = 0.89

$$\frac{\ln(a + b e^{-c} e^{-dx}) + dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*exp(-c - d\*x)),x)

[Out] (log(a + b\*exp(-c)\*exp(-d\*x)) + d\*x)/(a\*d)

### 3.9 $\int \frac{x^3}{(a+be^{c+dx})^2} dx$

**Optimal.** Leaf size=217

$$-\frac{x^3}{a^2d} + \frac{x^3}{ad(a+be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{6x \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d^3} - \frac{3x^2 \operatorname{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d^2}$$

[Out]  $-x^3/a^2/d+x^3/a/d/(a+b*\exp(d*x+c))+1/4*x^4/a^2+3*x^2*\ln(1+b*\exp(d*x+c)/a)/a^2/d^2-x^3*\ln(1+b*\exp(d*x+c)/a)/a^2/d+6*x*polylog(2,-b*\exp(d*x+c)/a)/a^2/d^3-3*x^2*polylog(2,-b*\exp(d*x+c)/a)/a^2/d^2-6*polylog(3,-b*\exp(d*x+c)/a)/a^2/d^4+6*x*polylog(3,-b*\exp(d*x+c)/a)/a^2/d^3-6*polylog(4,-b*\exp(d*x+c)/a)/a^2/d^4$

**Rubi [A]**

time = 0.35, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {2216, 2215, 2221, 2611, 6744, 2320, 6724, 2222}

$$-\frac{6\operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2d^4} - \frac{6\operatorname{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{a^2d^4} + \frac{6x\operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^3} + \frac{6x\operatorname{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2d^3} - \frac{3x^2\operatorname{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^2} + \frac{3x^2\log\left(\frac{be^{c+dx}}{a}+1\right)}{a^2d^2} - \frac{x^3\log\left(\frac{be^{c+dx}}{a}+1\right)}{a^2d} - \frac{x^3}{a^2d} + \frac{x^4}{4a^2} + \frac{x^3}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b\*E^(c + d\*x))^2, x]

[Out]  $-(x^3/(a^2*d)) + x^3/(a*d*(a + b*E^(c + d*x))) + x^4/(4*a^2) + (3*x^2*Log[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^3*Log[1 + (b*E^(c + d*x))/a])/(a^2*d) + (6*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (3*x^2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) - (6*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^4) + (6*x*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (6*PolyLog[4, -((b*E^(c + d*x))/a)])/(a^2*d^4)$

**Rule 2215**

Int[((c\_) + (d\_)\*(x\_))^(m\_)/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2216**

Int[((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2222

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((a_) + (b_)*((F_)^((g_)*(
e_) + (f_)*(x_)))^(n_)))^(p_))*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[(((e_) + (f_)*(x_))^(m_))*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_)))^(p_)]], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(a + be^{c+dx})^2} dx &= \int \frac{x^3}{a+be^{c+dx}} dx - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^2} dx}{a} \\
&= \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} - \frac{b \int \frac{e^{c+dx} x^3}{a+be^{c+dx}} dx}{a^2} - \frac{3 \int \frac{x^2}{a+be^{c+dx}} dx}{ad} \\
&= -\frac{x^3}{a^2d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{3 \int x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2d} + \dots \\
&= -\frac{x^3}{a^2d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d} \\
&= -\frac{x^3}{a^2d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d} \\
&= -\frac{x^3}{a^2d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d} \\
&= -\frac{x^3}{a^2d} + \frac{x^3}{ad(a + be^{c+dx})} + \frac{x^4}{4a^2} + \frac{3x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{6x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d}
\end{aligned}$$

**Mathematica [A]**

time = 0.19, size = 158, normalized size = 0.73

$$\frac{-\frac{4x^3}{d} + \frac{4ax^3}{ad+be^{c+dx}} + x^4 + \frac{12x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{d^2} - \frac{4x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{d} - \frac{12x(-2+dx)\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{24(-1+dx)\text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{d^4} - \frac{24\text{Li}_4\left(-\frac{be^{c+dx}}{a}\right)}{d^4}}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b\*E^(c + d\*x))^2,x]

[Out] ((-4\*x^3)/d + (4\*a\*x^3)/(a\*d + b\*d\*E^(c + d\*x)) + x^4 + (12\*x^2\*Log[1 + (b\*E^(c + d\*x))/a])/d^2 - (4\*x^3\*Log[1 + (b\*E^(c + d\*x))/a])/d - (12\*x\*(-2 + d\*x)\*PolyLog[2, -(b\*E^(c + d\*x))/a])/d^3 + (24\*(-1 + d\*x)\*PolyLog[3, -(b\*E^(c + d\*x))/a])/d^4 - (24\*PolyLog[4, -(b\*E^(c + d\*x))/a])/d^4)/(4\*a^2)

**Maple [A]**

time = 0.08, size = 382, normalized size = 1.76

method	result
--------	--------

risch	$\frac{x^3}{ad(a+be^{dx+c})} - \frac{3c^2 \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{d^4 a^2} - \frac{\ln\left(1 + \frac{be^{dx+c}}{a}\right) c^3}{d^4 a^2} + \frac{6x \operatorname{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a^2 d^3} - \frac{3x^2 \operatorname{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a^2 d^2} + \frac{3x^2 \ln}{a^2 d}$
-------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(a+b*exp(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out] 
$$\begin{aligned} & x^3/a/d/(a+b*\exp(d*x+c))-3/d^4/a^2*c^2*\ln(1+b*\exp(d*x+c)/a)-1/d^4/a^2*\ln(1+ \\ & b*\exp(d*x+c)/a)*c^3+6*x*\operatorname{polylog}(2,-b*\exp(d*x+c)/a)/a^2/d^3-3*x^2*\operatorname{polylog}(2, \\ & -b*\exp(d*x+c)/a)/a^2/d^2+3*x^2*\ln(1+b*\exp(d*x+c)/a)/a^2/d^2-x^3*\ln(1+b*\exp( \\ & d*x+c)/a)/a^2/d+6*x*\operatorname{polylog}(3,-b*\exp(d*x+c)/a)/a^2/d^3-x^3/a^2/d-3/d^4/a^2* \\ & c^2*\ln(\exp(d*x+c))+3/d^4/a^2*c^2*\ln(a+b*\exp(d*x+c))-1/d^4/a^2*c^3*\ln(\exp(d* \\ & x+c))+1/d^4/a^2*c^3*\ln(a+b*\exp(d*x+c))+1/4*x^4/a^2+1/d^3/a^2*c^3*x+3/d^3/a^ \\ & 2*c^2*x-6*\operatorname{polylog}(4,-b*\exp(d*x+c)/a)/a^2/d^4-6*\operatorname{polylog}(3,-b*\exp(d*x+c)/a)/a \\ & ^2/d^4+3/4/d^4/a^2*c^4+2/d^4/a^2*c^3 \end{aligned}$$

**Maxima [A]**

time = 0.29, size = 195, normalized size = 0.90

$$\frac{x^3}{abd e^{(dx+c)} + a^2 d} + \frac{d^4 x^4 - 4 d^3 x^3}{4 a^2 d^4} - \frac{d^2 x^3 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 3 d^2 x^2 \operatorname{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 6 dx \operatorname{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right) + 6 \operatorname{Li}_4\left(-\frac{be^{(dx+c)}}{a}\right)}{a^2 d^4} + \frac{3\left(d^2 x^2 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 2 dx \operatorname{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 2 \operatorname{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right)\right)}{a^2 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c))^2,x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & x^3/(a*b*d*e^{(d*x + c)} + a^2*d) + 1/4*(d^4*x^4 - 4*d^3*x^3)/(a^2*d^4) - (d^ \\ & 3*x^3*\log(b*e^{(d*x + c)}/a + 1) + 3*d^2*x^2*\operatorname{dilog}(-b*e^{(d*x + c)}/a) - 6*d*x* \\ & \operatorname{polylog}(3, -b*e^{(d*x + c)}/a) + 6*\operatorname{polylog}(4, -b*e^{(d*x + c)}/a))/(a^2*d^4) + \\ & 3*(d^2*x^2*\log(b*e^{(d*x + c)}/a + 1) + 2*d*x*\operatorname{dilog}(-b*e^{(d*x + c)}/a) - 2*\operatorname{pol} \\ & y\log(3, -b*e^{(d*x + c)}/a))/(a^2*d^4) \end{aligned}$$

**Fricas [A]**

time = 0.37, size = 330, normalized size = 1.52

$$\frac{a^2 d^4 x^4 - a^2 c^4 - 12 (a d^2 x^2 - 2 a d x + (b d^2 x^2 - 2 b d x) e^{d x + c}) \operatorname{dilog}\left(-\frac{b e^{d x + c}}{a} + 1\right) + (b d^4 x^4 - 4 b d^3 x^3 - b c^4 - 4 b c^3) e^{d x + c} + 4 (a^2 c^3 + 3 a^2 c^2 + (b c^3 + 3 b c^2) e^{d x + c}) \log(b e^{d x + c} + a) - 4 (a^2 d^3 x^3 - 3 a^2 d^2 x^2 + a^2 c^3 + 3 a^2 c^2 + (b d^3 x^3 - 3 b d^2 x^2 + b c^3 + 3 b c^2) e^{d x + c}) \log\left(\frac{b e^{d x + c}}{a} + 1\right) - 24 (b e^{d x + c} + a) \operatorname{polylog}(4, -\frac{b e^{d x + c}}{a}) + 24 (a d x + (b d x - b) e^{d x + c} - a) \operatorname{polylog}(3, -\frac{b e^{d x + c}}{a})}{4 (a^2 b^2 e^{d x + c} + a^2 d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*exp(d*x+c))^2,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & 1/4*(a*d^4*x^4 - a*c^4 - 4*a*c^3 - 12*(a*d^2*x^2 - 2*a*d*x + (b*d^2*x^2 - 2 \\ & *b*d*x)*e^{(d*x + c)})*\operatorname{dilog}(-\frac{b*e^{(d*x + c)}}{a} + 1) + (b*d^4*x^4 - 4*b*d \\ & ^3*x^3 - b*c^4 - 4*b*c^3)*e^{(d*x + c)} + 4*(a*c^3 + 3*a*c^2 + (b*c^3 + 3*b*c \\ & ^2)*e^{(d*x + c)})*\log(b*e^{(d*x + c)} + a) - 4*(a*d^3*x^3 - 3*a*d^2*x^2 + a*c^ \\ & 3 + 3*a*c^2 + (b*d^3*x^3 - 3*b*d^2*x^2 + b*c^3 + 3*b*c^2)*e^{(d*x + c)})*\log( \\ & (b*e^{(d*x + c)} + a)/a) - 24*(b*e^{(d*x + c)} + a)*\operatorname{polylog}(4, -b*e^{(d*x + c)}/a \end{aligned}$$

) + 24\*(a\*d\*x + (b\*d\*x - b)\*e^(d\*x + c) - a)\*polylog(3, -b\*e^(d\*x + c)/a))/  
(a^2\*b\*d^4\*e^(d\*x + c) + a^3\*d^4)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{x^3}{a^2d + abde^{c+dx}} + \frac{\int \left( -\frac{3x^2}{a+be^ce^{dx}} \right) dx + \int \frac{dx^3}{a+be^ce^{dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a+b\*exp(d\*x+c))\*\*2,x)

[Out] x\*\*3/(a\*\*2\*d + a\*b\*d\*exp(c + d\*x)) + (Integral(-3\*x\*\*2/(a + b\*exp(c)\*exp(d\*x)), x) + Integral(d\*x\*\*3/(a + b\*exp(c)\*exp(d\*x)), x))/(a\*d)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*exp(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(x^3/(b\*e^(d\*x + c) + a)^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(a + be^{c+dx})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + b\*exp(c + d\*x))^2,x)

[Out] int(x^3/(a + b\*exp(c + d\*x))^2, x)



$$3.10 \quad \int \frac{x^2}{(a+be^{c+dx})^2} dx$$

**Optimal.** Leaf size=165

$$-\frac{x^2}{a^2d} + \frac{x^2}{ad(a+be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} + \frac{2\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d^3} - \frac{2x\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d^2} +$$

[Out]  $-x^2/a^2/d+x^2/a/d/(a+b*\exp(d*x+c))+1/3*x^3/a^2+2*x*\ln(1+b*\exp(d*x+c)/a)/a^2/d^2-x^2*\ln(1+b*\exp(d*x+c)/a)/a^2/d+2*polylog(2,-b*\exp(d*x+c)/a)/a^2/d^3-2*x*polylog(2,-b*\exp(d*x+c)/a)/a^2/d^2+2*polylog(3,-b*\exp(d*x+c)/a)/a^2/d^3$

**Rubi [A]**

time = 0.28, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$ , Rules used = {2216, 2215, 2221, 2611, 2320, 6724, 2222, 2317, 2438}

$$\frac{2\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^3} + \frac{2\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^2d^3} - \frac{2x\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^2} + \frac{2x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2d^2} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2d} - \frac{x^2}{a^2d} + \frac{x^3}{3a^2} + \frac{x^2}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b\*E^(c + d\*x))^2,x]

[Out]  $-(x^2/(a^2*d)) + x^2/(a*d*(a + b*E^(c + d*x))) + x^3/(3*a^2) + (2*x*Log[1 + (b*E^(c + d*x))/a])/(a^2*d^2) - (x^2*Log[1 + (b*E^(c + d*x))/a])/(a^2*d) + (2*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^3) - (2*x*PolyLog[2, -((b*E^(c + d*x))/a)])/(a^2*d^2) + (2*PolyLog[3, -((b*E^(c + d*x))/a)])/(a^2*d^3)$

Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2216

Int[((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

Rule 2221

Int[((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp

```

[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

#### Rule 2222

```

Int[((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)*((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

```

#### Rule 2317

```

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

#### Rule 2320

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

#### Rule 2438

```

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

#### Rule 2611

```

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

```

#### Rule 6724

```

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + be^{c+dx})^2} dx &= \frac{\int \frac{x^2}{a+be^{c+dx}} dx}{a} - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^2} dx}{a} \\
&= \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} - \frac{b \int \frac{e^{c+dx} x^2}{a+be^{c+dx}} dx}{a^2} - \frac{2 \int \frac{x}{a+be^{c+dx}} dx}{ad} \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{2 \int x \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2 d} + \dots \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{2x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d} + \dots \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{2x \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d} + \dots \\
&= -\frac{x^2}{a^2 d} + \frac{x^2}{ad(a + be^{c+dx})} + \frac{x^3}{3a^2} + \frac{2x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d^2} - \frac{x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} + \frac{2 \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d} + \dots
\end{aligned}$$

**Mathematica [A]**

time = 0.20, size = 113, normalized size = 0.68

$$\frac{\frac{d^2 x^2 (adx + be^{c+dx}(-3+dx))}{a+be^{c+dx}} - 3dx(-2+dx) \log\left(1 + \frac{be^{c+dx}}{a}\right) + (6-6dx) \text{Li}_2\left(-\frac{be^{c+dx}}{a}\right) + 6 \text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{3a^2 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b\*E^(c + d\*x))^2,x]

[Out] ((d^2\*x^2\*(a\*d\*x + b\*E^(c + d\*x))\*(-3 + d\*x))/(a + b\*E^(c + d\*x)) - 3\*d\*x\*(-2 + d\*x)\*Log[1 + (b\*E^(c + d\*x))/a] + (6 - 6\*d\*x)\*PolyLog[2, -(b\*E^(c + d\*x))/a] + 6\*PolyLog[3, -(b\*E^(c + d\*x))/a]]/(3\*a^2\*d^3)

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 323 vs. 2(157) = 314.

time = 0.05, size = 324, normalized size = 1.96

method	result
risch	$\frac{x^2}{ad(a+be^{dx+c})} + \frac{c^2 \ln(e^{dx+c})}{d^3 a^2} - \frac{c^2 \ln(a+be^{dx+c})}{d^3 a^2} + \frac{x^3}{3a^2} - \frac{c^2 x}{d^2 a^2} - \frac{2c^3}{3d^3 a^2} - \frac{x^2 \ln\left(1 + \frac{be^{dx+c}}{a}\right)}{a^2 d} + \frac{\ln\left(1 + \frac{be^{dx+c}}{a}\right) c^2}{d^3 a^2} - \dots$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*exp(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out]  $x^2/a/d/(a+b\exp(dx+c))+1/d^3/a^2*c^2*\ln(\exp(dx+c))-1/d^3/a^2*c^2*\ln(a+b\exp(dx+c))+1/3*x^3/a^2-1/d^2/a^2*c^2*x-2/3/d^3/a^2*c^3-x^2*\ln(1+b\exp(dx+c)/a)/a^2/d+1/d^3/a^2*\ln(1+b\exp(dx+c)/a)*c^2-2*x*\text{polylog}(2,-b\exp(dx+c)/a)/a^2/d^2+2*\text{polylog}(3,-b\exp(dx+c)/a)/a^2/d^3+2/d^3/a^2*c*\ln(\exp(dx+c))-2/d^3/a^2*c*\ln(a+b\exp(dx+c))-x^2/a^2/d-2/d^2/a^2*c*x-1/d^3/a^2*c^2+2*x*\ln(1+b\exp(dx+c)/a)/a^2/d^2+2/d^3/a^2*\ln(1+b\exp(dx+c)/a)*c+2*\text{polylog}(2,-b\exp(dx+c)/a)/a^2/d^3$

**Maxima** [A]

time = 0.29, size = 149, normalized size = 0.90

$$\frac{x^2}{abde^{(dx+c)} + a^2d} + \frac{d^3x^3 - 3d^2x^2}{3a^2d^3} - \frac{d^2x^2 \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + 2dx \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right) - 2\text{Li}_3\left(-\frac{be^{(dx+c)}}{a}\right)}{a^2d^3} + \frac{2\left(dx \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right)\right)}{a^2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="maxima")`

[Out]  $x^2/(a*b*d*e^{(d*x + c)} + a^2*d) + 1/3*(d^3*x^3 - 3*d^2*x^2)/(a^2*d^3) - (d^2*x^2*\log(b*e^{(d*x + c)}/a + 1) + 2*d*x*\text{dilog}(-b*e^{(d*x + c)}/a) - 2*\text{polylog}(3, -b*e^{(d*x + c)}/a))/(a^2*d^3) + 2*(d*x*\log(b*e^{(d*x + c)}/a + 1) + \text{dilog}(-b*e^{(d*x + c)}/a))/(a^2*d^3)$

**Fricas** [A]

time = 0.37, size = 263, normalized size = 1.59

$$\frac{a^2d^3 + a^2 + 3ac^2 - 6(adx + (bdx - b)e^{dx+c} - a)\text{Li}_2\left(-\frac{be^{dx+c}}{a}\right) + (bd^2x^2 - 3bd^2x + b^2 + 3b^2e^{dx+c}) - 3(a^2 + 2ac + (b^2 + 2bc)e^{dx+c})\log\left(\frac{be^{dx+c}}{a}\right) - 3(ad^2x^2 - ac^2 - 2adx - 2ac + (bd^2x^2 - b^2 - 2bdx - 2bc)e^{dx+c})\log\left(\frac{be^{dx+c}}{a}\right) + 6(b^2e^{dx+c} + a)\text{polylog}\left(3, -\frac{be^{dx+c}}{a}\right)}{3(a^2bd^2e^{dx+c} + a^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="fricas")`

[Out]  $1/3*(a*d^3*x^3 + a*c^3 + 3*a*c^2 - 6*(a*d*x + (b*d*x - b)*e^{(d*x + c)} - a)*\text{dilog}(-b*e^{(d*x + c)} + a)/a + 1) + (b*d^3*x^3 - 3*b*d^2*x^2 + b*c^3 + 3*b*c^2)*e^{(d*x + c)} - 3*(a*c^2 + 2*a*c + (b*c^2 + 2*b*c)*e^{(d*x + c)})*\log(b*e^{(d*x + c)} + a) - 3*(a*d^2*x^2 - a*c^2 - 2*a*d*x - 2*a*c + (b*d^2*x^2 - b*c^2 - 2*b*d*x - 2*b*c)*e^{(d*x + c)})*\log((b*e^{(d*x + c)} + a)/a) + 6*(b*e^{(d*x + c)} + a)*\text{polylog}(3, -b*e^{(d*x + c)}/a))/(a^2*b*d^3*e^{(d*x + c)} + a^3*d^3)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{x^2}{a^2d + abde^{c+dx}} + \frac{\int\left(-\frac{2x}{a+be^ce^{dx}}\right)dx + \int\frac{dx^2}{a+be^ce^{dx}}dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*exp(d*x+c))**2,x)`

[Out]  $x^2/(a^2d + a*b*d*\exp(c + d*x)) + (\text{Integral}(-2*x/(a + b*\exp(c)*\exp(d*x)), x) + \text{Integral}(d*x^2/(a + b*\exp(c)*\exp(d*x)), x))/(a*d)$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*exp(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate(x^2/(b*e^(d*x + c) + a)^2, x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(a + b e^{c+dx})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*exp(c + d*x))^2,x)`

[Out] `int(x^2/(a + b*exp(c + d*x))^2, x)`

### 3.11 $\int \frac{x}{(a+be^{c+dx})^2} dx$

**Optimal.** Leaf size=107

$$-\frac{x}{a^2d} + \frac{x}{ad(a+be^{c+dx})} + \frac{x^2}{2a^2} + \frac{\log(a+be^{c+dx})}{a^2d^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2d} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2d^2}$$

[Out]  $-x/a^2/d+x/a/d/(a+b*\exp(d*x+c))+1/2*x^2/a^2+\ln(a+b*\exp(d*x+c))/a^2/d^2-x*\ln(1+b*\exp(d*x+c)/a)/a^2/d-\text{polylog}(2,-b*\exp(d*x+c)/a)/a^2/d^2$

**Rubi [A]**

time = 0.14, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {2216, 2215, 2221, 2317, 2438, 2222, 2320, 36, 29, 31}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^2d^2} + \frac{\log(a+be^{c+dx})}{a^2d^2} - \frac{x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^2d} - \frac{x}{a^2d} + \frac{x^2}{2a^2} + \frac{x}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x/(a + b*E^{(c + d*x)})^2, x]$

[Out]  $-(x/(a^2*d)) + x/(a*d*(a + b*E^{(c + d*x)})) + x^2/(2*a^2) + \text{Log}[a + b*E^{(c + d*x)}]/(a^2*d^2) - (x*\text{Log}[1 + (b*E^{(c + d*x)})/a])/a^2*d - \text{PolyLog}[2, -(b*E^{(c + d*x)})/a]/(a^2*d^2)$

**Rule 29**

$\text{Int}[(x_)^{(-1)}, x\_Symbol] \text{ :> } \text{Simp}[\text{Log}[x], x]$

**Rule 31**

$\text{Int}[((a_) + (b_)*(x_))^{(-1)}, x\_Symbol] \text{ :> } \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; } \text{FreeQ}\{a, b\}, x]$

**Rule 36**

$\text{Int}[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x\_Symbol] \text{ :> } \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

**Rule 2215**

$\text{Int}(((c_) + (d_)*(x_))^{(m_)} / ((a_) + (b_)*((F_)^{(g_)*((e_) + (f_)*(x_))})^{(n_)}), x\_Symbol] \text{ :> } \text{Simp}[(c + d*x)^{(m + 1)} / (a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m * ((F^{(g*(e + f*x))})^n / (a + b*(F^{(g*(e + f*x))})^n)), x],$

x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2216

Int[((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

#### Rule 2221

Int[(((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2222

Int[(((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(c + d\*x)^m\*((a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F])), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

#### Rule 2317

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 2438

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{x}{(a + be^{c+dx})^2} dx &= \frac{\int \frac{x}{a+be^{c+dx}} dx}{a} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^2} dx}{a} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{b \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^2} - \frac{\int \frac{1}{a+be^{c+dx}} dx}{ad} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, e^{c+dx}\right)}{ad^2} + \frac{\int \log\left(1 + \frac{be^{c+dx}}{a}\right) dx}{a^2 d} \\
 &= \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, e^{c+dx}\right)}{a^2 d^2} + \frac{\text{Subst}\left(\int \frac{\log(1 + \frac{be^{c+dx}}{a})}{x} dx, x, e^{c+dx}\right)}{a^2 d} \\
 &= -\frac{x}{a^2 d} + \frac{x}{ad(a + be^{c+dx})} + \frac{x^2}{2a^2} + \frac{\log(a + be^{c+dx})}{a^2 d^2} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^2 d} - \frac{\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a^2 d^2}
 \end{aligned}$$

Mathematica [A]

time = 0.11, size = 85, normalized size = 0.79

$$\frac{\frac{dx(ax+be^{c+dx}(-2+dx))}{a+be^{c+dx}} - 2(-1+dx) \log\left(1 + \frac{be^{c+dx}}{a}\right) - 2\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{2a^2 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b\*E^(c + d\*x))^2,x]

[Out] ((d\*x\*(a\*d\*x + b\*E^(c + d\*x))\*(-2 + d\*x))/(a + b\*E^(c + d\*x)) - 2\*(-1 + d\*x)\*Log[1 + (b\*E^(c + d\*x))/a] - 2\*PolyLog[2, -(b\*E^(c + d\*x))/a])/(2\*a^2\*d^2)

Maple [A]

time = 0.02, size = 154, normalized size = 1.44

method	result
derivativedivides	$  \frac{\frac{(dx+c)^2}{2a^2} - \frac{\text{dilog}\left(\frac{a+b e^{dx+c}}{a}\right)}{a^2} - \frac{(dx+c) \ln\left(\frac{a+b e^{dx+c}}{a}\right)}{a^2} + \frac{\ln(a+b e^{dx+c})}{a^2} - \frac{b(dx+c)e^{dx+c}}{a^2(a+b e^{dx+c})} - \frac{c \ln(e^{dx+c})}{a^2} + \frac{c \ln(a+b e^{dx+c})}{a^2}}{d^2}  $
default	$  \frac{\frac{(dx+c)^2}{2a^2} - \frac{\text{dilog}\left(\frac{a+b e^{dx+c}}{a}\right)}{a^2} - \frac{(dx+c) \ln\left(\frac{a+b e^{dx+c}}{a}\right)}{a^2} + \frac{\ln(a+b e^{dx+c})}{a^2} - \frac{b(dx+c)e^{dx+c}}{a^2(a+b e^{dx+c})} - \frac{c \ln(e^{dx+c})}{a^2} + \frac{c \ln(a+b e^{dx+c})}{a^2}}{d^2}  $
risch	$  \frac{x}{ad(a+b e^{dx+c})} + \frac{x^2}{2a^2} + \frac{cx}{d a^2} + \frac{c^2}{2d^2 a^2} - \frac{x \ln\left(1 + \frac{b e^{dx+c}}{a}\right)}{a^2 d} - \frac{\ln\left(1 + \frac{b e^{dx+c}}{a}\right) c}{d^2 a^2} - \frac{\text{polylog}\left(2, -\frac{b e^{dx+c}}{a}\right)}{a^2 d^2} - \frac{\ln(e^{dx+c})}{d^2 a^2}  $



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*exp(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out]  $1/d^2*(1/2*(d*x+c)^2/a^2-1/a^2*dilog((a+b*exp(d*x+c))/a)-1/a^2*(d*x+c)*ln((a+b*exp(d*x+c))/a)+1/a^2*ln(a+b*exp(d*x+c))-1/a^2*b*(d*x+c)*exp(d*x+c)/(a+b*exp(d*x+c))-c/a^2*ln(exp(d*x+c))+c/a^2*ln(a+b*exp(d*x+c))-c/a/(a+b*exp(d*x+c)))$

**Maxima [A]**

time = 0.31, size = 95, normalized size = 0.89

$$\frac{x}{abde^{(dx+c)} + a^2d} + \frac{x^2}{2a^2} - \frac{x}{a^2d} - \frac{dx \log\left(\frac{be^{(dx+c)}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{(dx+c)}}{a}\right)}{a^2d^2} + \frac{\log\left(be^{(dx+c)} + a\right)}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="maxima")`

[Out]  $x/(a*b*d*e^{(d*x + c)} + a^2*d) + 1/2*x^2/a^2 - x/(a^2*d) - (d*x*log(b*e^{(d*x + c)}/a + 1) + dilog(-b*e^{(d*x + c)}/a))/(a^2*d^2) + log(b*e^{(d*x + c)} + a)/(a^2*d^2)$

**Fricas [A]**

time = 0.44, size = 176, normalized size = 1.64

$$\frac{ad^2x^2 - ac^2 - 2ac - 2(be^{(dx+c)} + a)\text{Li}_2\left(-\frac{be^{(dx+c)} + a}{a}\right) + (bd^2x^2 - bc^2 - 2bdx - 2bc)e^{(dx+c)} + 2(ac + (bc + b)e^{(dx+c)} + a)\log(be^{(dx+c)} + a) - 2(adx + ac + (bdx + bc)e^{(dx+c)})\log\left(\frac{be^{(dx+c)} + a}{a}\right)}{2(a^2bd^2e^{(dx+c)} + a^3d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="fricas")`

[Out]  $1/2*(a*d^2*x^2 - a*c^2 - 2*a*c - 2*(b*e^{(d*x + c)} + a)*dilog(-(b*e^{(d*x + c)} + a)/a + 1) + (b*d^2*x^2 - b*c^2 - 2*b*d*x - 2*b*c)*e^{(d*x + c)} + 2*(a*c + (b*c + b)*e^{(d*x + c)} + a)*log(b*e^{(d*x + c)} + a) - 2*(a*d*x + a*c + (b*d*x + b*c)*e^{(d*x + c)})*log((b*e^{(d*x + c)} + a)/a))/(a^2*b*d^2*e^{(d*x + c)} + a^3*d^2)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{x}{a^2d + abde^{c+dx}} + \frac{\int \frac{dx}{a+be^c e^{dx}} dx + \int \left(-\frac{1}{a+be^c e^{dx}}\right) dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))^2,x)`

[Out]  $x/(a^2d + a*b*d*\exp(c + d*x)) + (\text{Integral}(d*x/(a + b*\exp(c)*\exp(d*x)), x) + \text{Integral}(-1/(a + b*\exp(c)*\exp(d*x)), x))/(a*d)$

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate(x/(b*e^(d*x + c) + a)^2, x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b e^{c+dx})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a + b*exp(c + d*x))^2,x)`

[Out] `int(x/(a + b*exp(c + d*x))^2, x)`

$$3.12 \quad \int \frac{1}{(a+be^{c+dx})^2} dx$$

Optimal. Leaf size=46

$$\frac{1}{ad(a+be^{c+dx})} + \frac{x}{a^2} - \frac{\log(a+be^{c+dx})}{a^2d}$$

[Out] 1/a/d/(a+b\*exp(d\*x+c))+x/a^2-ln(a+b\*exp(d\*x+c))/a^2/d

**Rubi** [A]

time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2320, 46}

$$-\frac{\log(a+be^{c+dx})}{a^2d} + \frac{x}{a^2} + \frac{1}{ad(a+be^{c+dx})}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(c + d\*x))^(-2),x]

[Out] 1/(a\*d\*(a + b\*E^(c + d\*x))) + x/a^2 - Log[a + b\*E^(c + d\*x)]/(a^2\*d)

Rule 46

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_)+(b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + be^{c+dx})^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{c+dx}\right)}{d} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{c+dx}\right)}{d} \\ &= \frac{1}{ad(a + be^{c+dx})} + \frac{x}{a^2} - \frac{\log(a + be^{c+dx})}{a^2d} \end{aligned}$$

**Mathematica [A]**

time = 0.05, size = 45, normalized size = 0.98

$$\frac{\frac{a}{a+be^{c+dx}} + \log(e^{c+dx}) - \log(a + be^{c+dx})}{a^2d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(c + d*x))^(-2), x]``[Out] (a/(a + b*E^(c + d*x)) + Log[E^(c + d*x)] - Log[a + b*E^(c + d*x)])/(a^2*d)`**Maple [A]**

time = 0.01, size = 49, normalized size = 1.07

method	result	size
derivativedivides	$\frac{-\frac{\ln(a+be^{dx+c})}{a^2} + \frac{1}{a(a+be^{dx+c})} + \frac{\ln(e^{dx+c})}{a^2}}{d}$	49
default	$\frac{-\frac{\ln(a+be^{dx+c})}{a^2} + \frac{1}{a(a+be^{dx+c})} + \frac{\ln(e^{dx+c})}{a^2}}{d}$	49
risch	$\frac{x}{a^2} + \frac{c}{a^2d} + \frac{1}{ad(a+be^{dx+c})} - \frac{\ln(e^{dx+c} + \frac{a}{b})}{a^2d}$	55
norman	$\frac{\frac{x}{a} + \frac{bx e^{dx+c}}{a^2} - \frac{b e^{dx+c}}{a^2d}}{a+be^{dx+c}} - \frac{\ln(a+be^{dx+c})}{a^2d}$	67

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(d*x+c))^2,x,method=_RETURNVERBOSE)``[Out] 1/d*(-1/a^2*ln(a+b*exp(d*x+c))+1/a/(a+b*exp(d*x+c))+1/a^2*ln(exp(d*x+c)))`**Maxima [A]**

time = 0.27, size = 51, normalized size = 1.11

$$\frac{1}{(abe^{(dx+c)} + a^2)d} + \frac{dx + c}{a^2d} - \frac{\log(be^{(dx+c)} + a)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/((a\*b\*e^(d\*x + c) + a^2)\*d) + (d\*x + c)/(a^2\*d) - log(b\*e^(d\*x + c) + a)/(a^2\*d)

**Fricas** [A]

time = 0.37, size = 60, normalized size = 1.30

$$\frac{bdxe^{(dx+c)} + adx - (be^{(dx+c)} + a) \log (be^{(dx+c)} + a) + a}{a^2bde^{(dx+c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^2,x, algorithm="fricas")

[Out] (b\*d\*x\*e^(d\*x + c) + a\*d\*x - (b\*e^(d\*x + c) + a)\*log(b\*e^(d\*x + c) + a) + a)/(a^2\*b\*d\*e^(d\*x + c) + a^3\*d)

**Sympy** [A]

time = 0.06, size = 39, normalized size = 0.85

$$\frac{1}{a^2d + abde^{c+dx}} + \frac{x}{a^2} - \frac{\log\left(\frac{a}{b} + e^{c+dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))\*\*2,x)

[Out] 1/(a\*\*2\*d + a\*b\*d\*exp(c + d\*x)) + x/a\*\*2 - log(a/b + exp(c + d\*x))/(a\*\*2\*d)

**Giac** [A]

time = 2.95, size = 51, normalized size = 1.11

$$\frac{b\left(\frac{\log\left(\left|-\frac{a}{be^{(dx+c)}+a}+1\right|\right)}{a^2b} + \frac{1}{(be^{(dx+c)}+a)ab}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^2,x, algorithm="giac")

[Out] b\*(log(abs(-a/(b\*e^(d\*x + c) + a) + 1)))/(a^2\*b) + 1/((b\*e^(d\*x + c) + a)\*a\*b)/d

**Mupad** [B]

time = 3.56, size = 66, normalized size = 1.43

$$\frac{\frac{x}{a} + \frac{bx e^{c+dx}}{a^2} - \frac{be^{c+dx}}{a^2 d}}{a + be^{c+dx}} - \frac{\ln(a + be^{dx} e^c)}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*exp(c + d*x))^2,x)
```

```
[Out] (x/a + (b*x*exp(c + d*x))/a^2 - (b*exp(c + d*x))/(a^2*d))/(a + b*exp(c + d*x)) - log(a + b*exp(d*x)*exp(c))/(a^2*d)
```

### 3.13

$$\int \frac{1}{(a+be^{c+dx})^2 x} dx$$

**Optimal.** Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})^2 x}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))^2/x,x)

**Rubi** [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})^2 x} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))^2\*x),x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))^2\*x), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})^2 x} dx = \int \frac{1}{(a+be^{c+dx})^2 x} dx$$

**Mathematica** [A]

time = 1.34, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})^2 x} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))^2\*x),x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))^2\*x), x]

**Maple** [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*exp(d*x+c))^2/x,x)`

[Out] `int(1/(a+b*exp(d*x+c))^2/x,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="maxima")`

[Out] `1/(a*b*d*x*e^(d*x + c) + a^2*d*x) + integrate((d*x + 1)/(a*b*d*x^2*e^(d*x + c) + a^2*d*x^2), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="fricas")`

[Out] `integral(1/(b^2*x*e^(2*d*x + 2*c) + 2*a*b*x*e^(d*x + c) + a^2*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{a^2 dx + ab dx e^{c+dx}} + \frac{\int \frac{dx}{ax^2 + bx^2 e^{c+dx}} dx + \int \frac{1}{ax^2 + bx^2 e^{c+dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x,x)`

[Out] `1/(a**2*d*x + a*b*d*x*exp(c + d*x)) + (Integral(d*x/(a*x**2 + b*x**2*exp(c)*exp(d*x)), x) + Integral(1/(a*x**2 + b*x**2*exp(c)*exp(d*x)), x))/(a*d)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x,x, algorithm="giac")`

[Out] `integrate(1/((b*e^(d*x + c) + a)^2*x), x)`



**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x (a + b e^{c+dx})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + b\*exp(c + d\*x))^2),x)

[Out] int(1/(x\*(a + b\*exp(c + d\*x))^2), x)

$$3.14 \quad \int \frac{1}{(a+be^{c+dx})^2 x^2} dx$$

Optimal. Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})^2 x^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))^2/x^2,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})^2 x^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))^2\*x^2), x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))^2\*x^2), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})^2 x^2} dx = \int \frac{1}{(a+be^{c+dx})^2 x^2} dx$$

Mathematica [A]

time = 0.89, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})^2 x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))^2\*x^2), x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))^2\*x^2), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*exp(d*x+c))^2/x^2,x)`

[Out] `int(1/(a+b*exp(d*x+c))^2/x^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="maxima")`

[Out] `1/(a*b*d*x^2*e^(d*x + c) + a^2*d*x^2) + integrate((d*x + 2)/(a*b*d*x^3*e^(d*x + c) + a^2*d*x^3), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="fricas")`

[Out] `integral(1/(b^2*x^2*e^(2*d*x + 2*c) + 2*a*b*x^2*e^(d*x + c) + a^2*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{a^2 dx^2 + ab dx^2 e^{c+dx}} + \frac{\int \frac{dx}{ax^3 + bx^3 e^{c+dx}} dx + \int \frac{2}{ax^3 + bx^3 e^{c+dx}} dx}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x**2,x)`

[Out] `1/(a**2*d*x**2 + a*b*d*x**2*exp(c + d*x)) + (Integral(d*x/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x) + Integral(2/(a*x**3 + b*x**3*exp(c)*exp(d*x)), x))/(a*d)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*exp(d*x+c))^2/x^2,x, algorithm="giac")`

[Out] `integrate(1/((b*e^(d*x + c) + a)^2*x^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b e^{c+dx})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + b\*exp(c + d\*x))^2),x)

[Out] int(1/(x^2\*(a + b\*exp(c + d\*x))^2), x)

$$3.15 \quad \int \frac{1}{(a+be^{c-dx})^2} dx$$

**Optimal.** Leaf size=48

$$-\frac{1}{ad(a+be^{c-dx})} + \frac{x}{a^2} + \frac{\log(a+be^{c-dx})}{a^2d}$$

[Out]  $-1/a/d/(a+b*\exp(-d*x+c))+x/a^2+\ln(a+b*\exp(-d*x+c))/a^2/d$

**Rubi [A]**

time = 0.03, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2320, 46}

$$\frac{\log(a+be^{c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{c-dx})}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*E^{(c - d*x)})^{(-2)}, x]$

[Out]  $-(1/(a*d*(a + b*E^{(c - d*x)}))) + x/a^2 + \text{Log}[a + b*E^{(c - d*x)}]/(a^2*d)$

Rule 46

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2320

$\text{Int}[u, x\_Symbol] \rightarrow \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$  FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_)+(b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{c-dx})^2} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{1}{ad(a + be^{c-dx})} + \frac{x}{a^2} + \frac{\log(a + be^{c-dx})}{a^2d}
\end{aligned}$$

**Mathematica [A]**

time = 0.08, size = 45, normalized size = 0.94

$$\frac{be^c}{be^c + ae^{dx}} + \log(ad(be^c + ae^{dx}))$$

$$\frac{\log(ad(be^c + ae^{dx}))}{a^2d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(c - d*x))^(-2),x]``[Out] ((b*E^c)/(b*E^c + a*E^(d*x)) + Log[a*d*(b*E^c + a*E^(d*x))])/(a^2*d)`**Maple [A]**

time = 0.02, size = 53, normalized size = 1.10

method	result	size
derivativedivides	$-\frac{\frac{\ln(e^{-dx+c})}{a^2} - \frac{\ln(a+be^{-dx+c})}{a^2} + \frac{1}{a(a+be^{-dx+c})}}{d}$	53
default	$-\frac{\frac{\ln(e^{-dx+c})}{a^2} - \frac{\ln(a+be^{-dx+c})}{a^2} + \frac{1}{a(a+be^{-dx+c})}}{d}$	53
risch	$\frac{x}{a^2} - \frac{c}{a^2d} - \frac{1}{ad(a+be^{-dx+c})} + \frac{\ln(e^{-dx+c} + \frac{a}{b})}{a^2d}$	58
norman	$\frac{x}{a} + \frac{bx e^{-dx+c}}{a^2} - \frac{1}{ad} + \frac{\ln(a+be^{-dx+c})}{a^2d}$	62

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(-d*x+c))^2,x,method=_RETURNVERBOSE)``[Out] -1/d*(1/a^2*ln(exp(-d*x+c))-1/a^2*ln(a+b*exp(-d*x+c))+1/a/(a+b*exp(-d*x+c)))`**Maxima [A]**

time = 0.28, size = 55, normalized size = 1.15

$$-\frac{1}{(abe^{(-dx+c)} + a^2)d} + \frac{dx - c}{a^2d} + \frac{\log(be^{(-dx+c)} + a)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c))^2,x, algorithm="maxima")

[Out]  $-1/((a*b*e^{(-d*x + c)} + a^2)*d) + (d*x - c)/(a^2*d) + \log(b*e^{(-d*x + c)} + a)/(a^2*d)$

**Fricas** [A]

time = 0.40, size = 65, normalized size = 1.35

$$\frac{bdxe^{(-dx+c)} + adx + (be^{(-dx+c)} + a) \log (be^{(-dx+c)} + a) - a}{a^2bde^{(-dx+c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c))^2,x, algorithm="fricas")

[Out]  $(b*d*x*e^{(-d*x + c)} + a*d*x + (b*e^{(-d*x + c)} + a)*\log(b*e^{(-d*x + c)} + a) - a)/(a^2*b*d*e^{(-d*x + c)} + a^3*d)$

**Sympy** [A]

time = 0.06, size = 39, normalized size = 0.81

$$-\frac{1}{a^2d + abde^{c-dx}} + \frac{x}{a^2} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c))\*\*2,x)

[Out]  $-1/(a**2*d + a*b*d*\exp(c - d*x)) + x/a**2 + \log(a/b + \exp(c - d*x))/(a**2*d)$

**Giac** [A]

time = 2.21, size = 54, normalized size = 1.12

$$\frac{b \left( \frac{\log\left(\left| -\frac{a}{be^{(-dx+c)}+a} + 1 \right| \right)}{a^2b} + \frac{1}{(be^{(-dx+c)}+a)ab} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(-d\*x+c))^2,x, algorithm="giac")

[Out]  $-b*(\log(\text{abs}(-a/(b*e^{(-d*x + c)} + a) + 1)))/(a^2*b) + 1/((b*e^{(-d*x + c)} + a)*a*b))/d$

**Mupad** [B]

time = 0.16, size = 68, normalized size = 1.42

$$\frac{\frac{x}{a} + \frac{bx e^{c-dx}}{a^2} + \frac{b e^{c-dx}}{a^2 d}}{a + b e^{c-dx}} + \frac{\ln(a + b e^{-dx} e^c)}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*exp(c - d*x))^2,x)
```

```
[Out] (x/a + (b*x*exp(c - d*x))/a^2 + (b*exp(c - d*x))/(a^2*d))/(a + b*exp(c - d*x)) + log(a + b*exp(-d*x)*exp(c))/(a^2*d)
```



$$3.16 \quad \int \frac{1}{(a+be^{-c-dx})^2} dx$$

**Optimal.** Leaf size=52

$$-\frac{1}{ad(a+be^{-c-dx})} + \frac{x}{a^2} + \frac{\log(a+be^{-c-dx})}{a^2d}$$

[Out]  $-1/a/d/(a+b*\exp(-d*x-c))+x/a^2+\ln(a+b*\exp(-d*x-c))/a^2/d$

**Rubi [A]**

time = 0.03, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {2320, 46}

$$\frac{\log(a+be^{-c-dx})}{a^2d} + \frac{x}{a^2} - \frac{1}{ad(a+be^{-c-dx})}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*E^{(-c - d*x)})^{(-2)}, x]$

[Out]  $-(1/(a*d*(a + b*E^{(-c - d*x)}))) + x/a^2 + \text{Log}[a + b*E^{(-c - d*x)}]/(a^2*d)$

Rule 46

$\text{Int}[(a + b*x)^m * (c + d*x)^n, x] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2320

$\text{Int}[u, x\_Symbol] \rightarrow \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$  FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_)+(b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{-c-dx})^2} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{1}{ad(a + be^{-c-dx})} + \frac{x}{a^2} + \frac{\log(a + be^{-c-dx})}{a^2d}
\end{aligned}$$

**Mathematica [A]**

time = 0.19, size = 66, normalized size = 1.27

$$\frac{b + bdx + ade^{c+dx}x + 2(b + ae^{c+dx}) \tanh^{-1}\left(1 + \frac{2ae^{c+dx}}{b}\right)}{a^2d(b + ae^{c+dx})}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(-c - d*x))^(-2),x]``[Out] (b + b*d*x + a*d*E^(c + d*x)*x + 2*(b + a*E^(c + d*x))*ArcTanh[1 + (2*a*E^(c + d*x))/b])/(a^2*d*(b + a*E^(c + d*x)))`**Maple [A]**

time = 0.01, size = 59, normalized size = 1.13

method	result	size
derivativedivides	$-\frac{\frac{\ln(a+be^{-dx-c})}{a^2} + \frac{1}{a(a+be^{-dx-c})} + \frac{\ln(e^{-dx-c})}{a^2}}{d}$	59
default	$-\frac{\frac{\ln(a+be^{-dx-c})}{a^2} + \frac{1}{a(a+be^{-dx-c})} + \frac{\ln(e^{-dx-c})}{a^2}}{d}$	59
risch	$\frac{x}{a^2} + \frac{c}{a^2d} - \frac{1}{ad(a+be^{-dx-c})} + \frac{\ln(e^{-dx-c} + \frac{a}{b})}{a^2d}$	61
norman	$\frac{x}{a} + \frac{bx e^{-dx-c}}{a^2} - \frac{1}{ad} + \frac{\ln(a+be^{-dx-c})}{a^2d}$	68

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(-d*x-c))^2,x,method=_RETURNVERBOSE)``[Out] -1/d*(-1/a^2*ln(a+b*exp(-d*x-c))+1/a/(a+b*exp(-d*x-c))+1/a^2*ln(exp(-d*x-c)))`

**Maxima [A]**

time = 0.30, size = 57, normalized size = 1.10

$$-\frac{1}{(abe^{(-dx-c)} + a^2)d} + \frac{dx + c}{a^2d} + \frac{\log( (be^{(-dx-c)} + a) )}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="maxima")`

```
[Out] -1/((a*b*e^(-d*x - c) + a^2)*d) + (d*x + c)/(a^2*d) + log(b*e^(-d*x - c) + a)/(a^2*d)
```

**Fricas [A]**

time = 0.39, size = 73, normalized size = 1.40

$$\frac{bdxe^{(-dx-c)} + adx + (be^{(-dx-c)} + a) \log( (be^{(-dx-c)} + a) ) - a}{a^2bde^{(-dx-c)} + a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="fricas")`

```
[Out] (b*d*x*e^(-d*x - c) + a*d*x + (b*e^(-d*x - c) + a)*log(b*e^(-d*x - c) + a) - a)/(a^2*b*d*e^(-d*x - c) + a^3*d)
```

**Sympy [A]**

time = 0.06, size = 42, normalized size = 0.81

$$-\frac{1}{a^2d + abde^{-c-dx}} + \frac{x}{a^2} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))**2,x)`

```
[Out] -1/(a**2*d + a*b*d*exp(-c - d*x)) + x/a**2 + log(a/b + exp(-c - d*x))/(a**2*d)
```

**Giac [A]**

time = 2.04, size = 58, normalized size = 1.12

$$-\frac{b \left( \frac{\log\left(\left| -\frac{a}{be^{(-dx-c)}+a} + 1 \right| \right)}{a^2b} + \frac{1}{(be^{(-dx-c)}+a)ab} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^2,x, algorithm="giac")`

[Out]  $-b \cdot (\log(\text{abs}(-a/(b \cdot e^{(-d \cdot x - c) + a}) + 1)))/(a^2 \cdot b) + 1/((b \cdot e^{(-d \cdot x - c) + a} \cdot a \cdot b))/d$

**Mupad [B]**

time = 3.50, size = 76, normalized size = 1.46

$$\frac{\frac{x}{a} + \frac{b e^{-c-dx}}{a^2 d} + \frac{b x e^{-c-dx}}{a^2}}{a + b e^{-c-dx}} + \frac{\ln(a + b e^{-c} e^{-dx})}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a + b \cdot \exp(-c - d \cdot x))^2, x)$

[Out]  $(x/a + (b \cdot \exp(-c - d \cdot x))/(a^2 \cdot d) + (b \cdot x \cdot \exp(-c - d \cdot x))/a^2)/(a + b \cdot \exp(-c - d \cdot x)) + \log(a + b \cdot \exp(-c) \cdot \exp(-d \cdot x))/(a^2 \cdot d)$

$$3.17 \quad \int \frac{x^3}{(a+be^{c+dx})^3} dx$$

**Optimal.** Leaf size=333

$$\frac{3x^2}{2a^3d^2} - \frac{3x^2}{2a^2d^2(a+be^{c+dx})} - \frac{3x^3}{2a^3d} + \frac{x^3}{2ad(a+be^{c+dx})^2} + \frac{x^3}{a^2d(a+be^{c+dx})} + \frac{x^4}{4a^3} - \frac{3x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3d^3} + \frac{9x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3d^3}$$

[Out]  $\frac{3}{2}x^2/a^3/d^2 - 3/2x^2/a^2/d^2/(a+b*\exp(d*x+c)) - 3/2x^3/a^3/d + 1/2x^3/a/d/(a+b*\exp(d*x+c))^2 + x^3/a^2/d/(a+b*\exp(d*x+c)) + 1/4x^4/a^3 - 3x*\ln(1+b*\exp(d*x+c)/a)/a^3/d^3 + 9/2x^2*\ln(1+b*\exp(d*x+c)/a)/a^3/d^2 - x^3*\ln(1+b*\exp(d*x+c)/a)/a^3/d - 3*polylog(2, -b*\exp(d*x+c)/a)/a^3/d^4 + 9*x*polylog(2, -b*\exp(d*x+c)/a)/a^3/d^3 - 3*x^2*polylog(2, -b*\exp(d*x+c)/a)/a^3/d^2 - 9*polylog(3, -b*\exp(d*x+c)/a)/a^3/d^4 + 6*x*polylog(3, -b*\exp(d*x+c)/a)/a^3/d^3 - 6*polylog(4, -b*\exp(d*x+c)/a)/a^3/d^4$

**Rubi [A]**

time = 0.75, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 10, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$ , Rules used = {2216, 2215, 2221, 2611, 6744, 2320, 6724, 2222, 2317, 2438}

$$-\frac{3\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^4} - \frac{9\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3d^4} - \frac{6\text{PolyLog}\left(4, -\frac{be^{c+dx}}{a}\right)}{a^3d^4} + \frac{9x\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^3} + \frac{6x^2\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^2} - \frac{3x^3\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d} - \frac{3x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3d^3} + \frac{9x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{2a^3d^3} - \frac{x^3 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3d^3} + \frac{3x^4}{2a^3d^2} - \frac{3x^4}{2a^3d} + \frac{x^4}{4a^3} - \frac{3x^2}{2a^2d(a+be^{c+dx})} + \frac{x^3}{a^2d(a+be^{c+dx})} + \frac{x^3}{2ad(a+be^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b\*E^(c + d\*x))^3, x]

[Out]  $\frac{(3x^2)/(2a^3d^2) - (3x^2)/(2a^2d^2(a + bE^{(c + dx)})) - (3x^3)/(2a^3d) + x^3/(2ad(a + bE^{(c + dx)})^2) + x^3/(a^2d(a + bE^{(c + dx)}))}{1} + \frac{x^4}{4a^3} - \frac{(3x \log[1 + (bE^{(c + dx)})/a])/(a^3d^3) + (9x^2 \log[1 + (bE^{(c + dx)})/a])/(2a^3d^2) - (x^3 \log[1 + (bE^{(c + dx)})/a])/(a^3d)}{1} - \frac{(3 \text{PolyLog}[2, -((bE^{(c + dx)})/a])/(a^3d^4) + (9x \text{PolyLog}[2, -((bE^{(c + dx)})/a])/(a^3d^3) - (3x^2 \text{PolyLog}[2, -((bE^{(c + dx)})/a])/(a^3d^2) - (9 \text{PolyLog}[3, -((bE^{(c + dx)})/a])/(a^3d^4) + (6x \text{PolyLog}[3, -((bE^{(c + dx)})/a])/(a^3d^3) - (6 \text{PolyLog}[4, -((bE^{(c + dx)})/a])/(a^3d^4)]}{1}$

**Rule 2215**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x))))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2216**

Int[((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x))))^n], x]

```
f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

#### Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2222

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((a_) + (b_)*((F_)^((g_)*(
(e_) + (f_)*(x_)))^(n_)))^(p_))*((c_) + (d_)*(x_))^(m_), x_Symbol] :>
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

#### Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

#### Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

#### Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
```

f, g, n}, x] && GtQ[m, 0]

### Rule 6724

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 6744

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(p\_.)], x\_Symbol] := Simp[(e + f\*x)^m\*(PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p]/(b\*c\*p\*Log[F])), x] - Dist[f\*(m/(b\*c\*p\*Log[F])), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x^3}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^3} dx}{a} \\
 &= \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x^3}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x^3}{(a+be^{c+dx})^2} dx}{a^2} - \frac{3 \int \frac{x^2}{(a+be^{c+dx})^2} dx}{2ad} \\
 &= \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{b \int \frac{e^{c+dx} x^3}{a+be^{c+dx}} dx}{a^3} - \frac{3 \int \frac{x^2}{a+be^{c+dx}} dx}{2a^2 d} - \frac{3 \int \frac{x}{a+be^{c+dx}} dx}{2a^2 d} \\
 &= -\frac{3x^2}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{x^3 \log(a + be^{c+dx})}{2a^2 d} \\
 &= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} + \frac{x^3 \log(a + be^{c+dx})}{2a^2 d} \\
 &= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{x^3 \log(a + be^{c+dx})}{2a^2 d} \\
 &= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{x^3 \log(a + be^{c+dx})}{2a^2 d} \\
 &= \frac{3x^2}{2a^3 d^2} - \frac{3x^2}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x^3}{2a^3 d} + \frac{x^3}{2ad(a + be^{c+dx})^2} + \frac{x^3}{a^2 d(a + be^{c+dx})} + \frac{x^4}{4a^3} - \frac{x^3 \log(a + be^{c+dx})}{2a^2 d}
 \end{aligned}$$

**Mathematica [A]**

time = 0.21, size = 241, normalized size = 0.72

$$\frac{6x^2}{d^2} - \frac{6ax^2}{d^2(a+be^{c+dx})} - \frac{6x^3}{d} + \frac{2a^2x^3}{d(a+be^{c+dx})^2} + \frac{4ax^3}{ad+bdx+dx^2} + x^4 - \frac{12x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{d^3} + \frac{18x^2 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{d^2} - \frac{4x^3 \log\left(1 + \frac{be^{c+dx}}{a}\right)}{d} - \frac{12(1-3dx+d^2x^2)\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{d^4} + \frac{12(-3+2dx)\text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{d^4} - \frac{2\text{Li}_4\left(-\frac{be^{c+dx}}{a}\right)}{d^4}$$

Antiderivative was successfully verified.

**[In]** Integrate[x^3/(a + b\*E^(c + d\*x))^3,x]

**[Out]** ((6\*x^2)/d^2 - (6\*a\*x^2)/(d^2\*(a + b\*E^(c + d\*x))) - (6\*x^3)/d + (2\*a^2\*x^3)/(d\*(a + b\*E^(c + d\*x))^2) + (4\*a\*x^3)/(a\*d + b\*d\*E^(c + d\*x)) + x^4 - (12\*x\*Log[1 + (b\*E^(c + d\*x))/a])/d^3 + (18\*x^2\*Log[1 + (b\*E^(c + d\*x))/a])/d^2 - (4\*x^3\*Log[1 + (b\*E^(c + d\*x))/a])/d - (12\*(1 - 3\*d\*x + d^2\*x^2)\*PolyLog[2, -(b\*E^(c + d\*x))/a])/d^4 + (12\*(-3 + 2\*d\*x)\*PolyLog[3, -(b\*E^(c + d\*x))/a])/d^4 - (24\*PolyLog[4, -(b\*E^(c + d\*x))/a])/d^4)/(4\*a^3)

**Maple [A]**

time = 0.09, size = 548, normalized size = 1.65

method	result
risch	$\frac{3c^4}{4d^4a^3} + \frac{3c^3}{d^4a^3} + \frac{3c^2}{2d^4a^3} - \frac{3 \text{polylog}\left(2, -\frac{be^{dx+c}}{a}\right)}{a^3d^4} + \frac{9c^2x}{2d^3a^3} + \frac{3cx}{d^3a^3} + \frac{c^3x}{d^3a^3} + \frac{x^2(2xbd e^{dx+c} + 3xad - 3be^{dx+c} - 3a)}{2a^2d^2(a+be^{dx+c})^2} - \frac{3c \ln}{a^3d^3}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^3/(a+b\*exp(d\*x+c))^3,x,method=\_RETURNVERBOSE)

**[Out]** 3/4/d^4/a^3\*c^4+3/d^4/a^3\*c^3+3/2/d^4/a^3\*c^2+9/2/d^3/a^3\*c^2\*x+3/d^3/a^3\*c\*x+1/d^3/a^3\*c^3\*x+1/2\*x^2\*(2\*x\*b\*d\*exp(d\*x+c)+3\*x\*a\*d-3\*b\*exp(d\*x+c)-3\*a)/a^2/d^2/(a+b\*exp(d\*x+c))^2-3/d^4/a^3\*c\*ln(1+b\*exp(d\*x+c)/a)-9/2/d^4/a^3\*c^2\*ln(exp(d\*x+c))+3/d^4/a^3\*c\*ln(a+b\*exp(d\*x+c))-3/d^4/a^3\*c\*ln(exp(d\*x+c))+9/2/d^4/a^3\*c^2\*ln(a+b\*exp(d\*x+c))-1/d^4/a^3\*c^3\*ln(exp(d\*x+c))+1/d^4/a^3\*c^3\*ln(a+b\*exp(d\*x+c))-9/2/d^4/a^3\*c^2\*ln(1+b\*exp(d\*x+c)/a)-1/d^4/a^3\*c^3\*ln(1+b\*exp(d\*x+c)/a)+3/2\*x^2/a^3/d^2-3/2\*x^3/a^3/d-3\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^4-9\*polylog(3,-b\*exp(d\*x+c)/a)/a^3/d^4-6\*polylog(4,-b\*exp(d\*x+c)/a)/a^3/d^4+1/4\*x^4/a^3-3\*x\*ln(1+b\*exp(d\*x+c)/a)/a^3/d^3+9/2\*x^2\*ln(1+b\*exp(d\*x+c)/a)/a^3/d^2-x^3\*ln(1+b\*exp(d\*x+c)/a)/a^3/d+9\*x\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^3-3\*x^2\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^2+6\*x\*polylog(3,-b\*exp(d\*x+c)/a)/a^3/d^3

**Maxima [A]**

time = 0.30, size = 303, normalized size = 0.91

$$\frac{3adx^3 - 3ax^2 + (2bx^3e^c - 3bx^2e^c)e^{dx}}{2(a^2b^2d^2e^{2c+2dx} + 2a^2b^2d^2e^{c+dx} + a^2d^2)} + \frac{d^4x^4 - 6d^3x^3 + 6d^2x^2}{4a^3d^4} - \frac{d^3x^3 \log\left(\frac{be^{dx+c}}{a} + 1\right) + 3d^2x^2 \text{Li}_2\left(-\frac{be^{dx+c}}{a}\right) - 6dx \text{Li}_3\left(-\frac{be^{dx+c}}{a}\right) + 6 \text{Li}_4\left(-\frac{be^{dx+c}}{a}\right)}{a^3d^4} + \frac{9(d^2x^2 \log\left(\frac{be^{dx+c}}{a} + 1\right) + 2dx \text{Li}_2\left(-\frac{be^{dx+c}}{a}\right) - 2 \text{Li}_3\left(-\frac{be^{dx+c}}{a}\right))}{2a^3d^4} - \frac{3(dx \log\left(\frac{be^{dx+c}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{dx+c}}{a}\right))}{a^3d^4}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^3/(a+b\*exp(d\*x+c))^3,x, algorithm="maxima")

[Out]  $\frac{1}{2}*(3*a*d*x^3 - 3*a*x^2 + (2*b*d*x^3*e^c - 3*b*x^2*e^c)*e^{(d*x)})/(a^2*b^2*d^2*e^{(2*d*x + 2*c)} + 2*a^3*b*d^2*e^{(d*x + c)} + a^4*d^2) + \frac{1}{4}*(d^4*x^4 - 6*d^3*x^3 + 6*d^2*x^2)/(a^3*d^4) - (d^3*x^3*\log(b*e^{(d*x + c)}/a + 1) + 3*d^2*x^2*\operatorname{dilog}(-b*e^{(d*x + c)}/a) - 6*d*x*\operatorname{polylog}(3, -b*e^{(d*x + c)}/a) + 6*\operatorname{polylog}(4, -b*e^{(d*x + c)}/a))/(a^3*d^4) + \frac{9}{2}*(d^2*x^2*\log(b*e^{(d*x + c)}/a + 1) + 2*d*x*\operatorname{dilog}(-b*e^{(d*x + c)}/a) - 2*\operatorname{polylog}(3, -b*e^{(d*x + c)}/a))/(a^3*d^4) - 3*(d*x*\log(b*e^{(d*x + c)}/a + 1) + \operatorname{dilog}(-b*e^{(d*x + c)}/a))/(a^3*d^4)$

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 702 vs. 2(306) = 612.

time = 0.37, size = 702, normalized size = 2.11

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*exp(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\frac{1}{4}*(a^2*d^4*x^4 - a^2*c^4 - 6*a^2*c^3 - 6*a^2*c^2 - 12*(a^2*d^2*x^2 - 3*a^2*d*x + a^2 + (b^2*d^2*x^2 - 3*b^2*d*x + b^2)*e^{(2*d*x + 2*c)} + 2*(a*b*d^2*x^2 - 3*a*b*d*x + a*b)*e^{(d*x + c)})*\operatorname{dilog}(-(b*e^{(d*x + c)} + a)/a + 1) + (b^2*d^4*x^4 - 6*b^2*d^3*x^3 - b^2*c^4 + 6*b^2*d^2*x^2 - 6*b^2*c^3 - 6*b^2*c^2)*e^{(2*d*x + 2*c)} + 2*(a*b*d^4*x^4 - 4*a*b*d^3*x^3 - a*b*c^4 + 3*a*b*d^2*x^2 - 6*a*b*c^3 - 6*a*b*c^2)*e^{(d*x + c)} + 2*(2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*c + (2*b^2*c^3 + 9*b^2*c^2 + 6*b^2*c)*e^{(2*d*x + 2*c)} + 2*(2*a*b*c^3 + 9*a*b*c^2 + 6*a*b*c)*e^{(d*x + c)})*\log(b*e^{(d*x + c)} + a) - 2*(2*a^2*d^3*x^3 - 9*a^2*d^2*x^2 + 2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*d*x + 6*a^2*c + (2*b^2*d^3*x^3 - 9*b^2*d^2*x^2 + 2*b^2*c^3 + 9*b^2*c^2 + 6*b^2*d*x + 6*b^2*c)*e^{(2*d*x + 2*c)} + 2*(2*a*b*d^3*x^3 - 9*a*b*d^2*x^2 + 2*a*b*c^3 + 9*a*b*c^2 + 6*a*b*d*x + 6*a*b*c)*e^{(d*x + c)})*\log((b*e^{(d*x + c)} + a)/a) - 24*(b^2*e^{(2*d*x + 2*c)} + 2*a*b*e^{(d*x + c)} + a^2)*\operatorname{polylog}(4, -b*e^{(d*x + c)}/a) + 12*(2*a^2*d*x - 3*a^2 + (2*b^2*d*x - 3*b^2)*e^{(2*d*x + 2*c)} + 2*(2*a*b*d*x - 3*a*b)*e^{(d*x + c)})*\operatorname{polylog}(3, -b*e^{(d*x + c)}/a))/(a^3*b^2*d^4*e^{(2*d*x + 2*c)} + 2*a^4*b*d^4*e^{(d*x + c)} + a^5*d^4)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3adx^3 - 3ax^2 + (2bdx^3 - 3bx^2)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int \frac{6x}{a+be^ce^{dx}} dx + \int \left(-\frac{9dx^2}{a+be^ce^{dx}}\right) dx + \int \frac{2d^2x^3}{a+be^ce^{dx}} dx}{2a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a+b\*exp(d\*x+c))\*\*3,x)

[Out]  $(3*a*d*x**3 - 3*a*x**2 + (2*b*d*x**3 - 3*b*x**2)*\exp(c + d*x))/(2*a**4*d**2 + 4*a**3*b*d**2*\exp(c + d*x) + 2*a**2*b**2*d**2*\exp(2*c + 2*d*x)) + (\operatorname{Integ}$

ral(6\*x/(a + b\*exp(c)\*exp(d\*x)), x) + Integral(-9\*d\*x\*\*2/(a + b\*exp(c)\*exp(d\*x)), x) + Integral(2\*d\*\*2\*x\*\*3/(a + b\*exp(c)\*exp(d\*x)), x)/(2\*a\*\*2\*d\*\*2)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*exp(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(x^3/(b\*e^(d\*x + c) + a)^3, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(a + b e^{c+dx})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + b\*exp(c + d\*x))^3,x)

[Out] int(x^3/(a + b\*exp(c + d\*x))^3, x)

$$3.18 \quad \int \frac{x^2}{(a+be^{c+dx})^3} dx$$

**Optimal.** Leaf size=243

$$\frac{x}{a^3d^2} - \frac{x}{a^2d^2(a+be^{c+dx})} - \frac{3x^2}{2a^3d} + \frac{x^2}{2ad(a+be^{c+dx})^2} + \frac{x^2}{a^2d(a+be^{c+dx})} + \frac{x^3}{3a^3} - \frac{\log(a+be^{c+dx})}{a^3d^3} + \frac{3x \log(1+be^{c+dx}/a)}{a^3d^2}$$

[Out] x/a^3/d^2-x/a^2/d^2/(a+b\*exp(d\*x+c))-3/2\*x^2/a^3/d+1/2\*x^2/a/d/(a+b\*exp(d\*x+c))^2+x^2/a^2/d/(a+b\*exp(d\*x+c))+1/3\*x^3/a^3-ln(a+b\*exp(d\*x+c))/a^3/d^3+3\*x\*ln(1+b\*exp(d\*x+c)/a)/a^3/d^2-x^2\*ln(1+b\*exp(d\*x+c)/a)/a^3/d+3\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^3-2\*x\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^2+2\*polylog(3,-b\*exp(d\*x+c)/a)/a^3/d^3

**Rubi [A]**

time = 0.54, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 12, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.706$ , Rules used = {2216, 2215, 2221, 2611, 2320, 6724, 2222, 2317, 2438, 36, 29, 31}

$$\frac{3\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^3} + \frac{2\text{PolyLog}\left(3, -\frac{be^{c+dx}}{a}\right)}{a^3d^3} - \frac{2x\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^2} - \frac{\log(a+be^{c+dx})}{a^3d^3} + \frac{3x \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3d^2} - \frac{x^2 \log\left(\frac{be^{c+dx}}{a} + 1\right)}{a^3d} + \frac{x}{a^3d^2} - \frac{3x^2}{2a^3d} + \frac{x^3}{3a^3} - \frac{x}{a^2d^2(a+be^{c+dx})} + \frac{x^2}{a^2d(a+be^{c+dx})} + \frac{x^2}{2ad(a+be^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b\*E^(c + d\*x))^3, x]

[Out] x/(a^3\*d^2) - x/(a^2\*d^2\*(a + b\*E^(c + d\*x))) - (3\*x^2)/(2\*a^3\*d) + x^2/(2\*a\*d\*(a + b\*E^(c + d\*x))^2) + x^2/(a^2\*d\*(a + b\*E^(c + d\*x))) + x^3/(3\*a^3) - Log[a + b\*E^(c + d\*x)]/(a^3\*d^3) + (3\*x\*Log[1 + (b\*E^(c + d\*x))/a])/(a^3\*d^2) - (x^2\*Log[1 + (b\*E^(c + d\*x))/a])/(a^3\*d) + (3\*PolyLog[2, -((b\*E^(c + d\*x))/a)])/(a^3\*d^3) - (2\*x\*PolyLog[2, -((b\*E^(c + d\*x))/a)])/(a^3\*d^2) + (2\*PolyLog[3, -((b\*E^(c + d\*x))/a)])/(a^3\*d^3)

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_)\*(x\_))^(n-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rule 36**

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2215

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2216

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_) * ((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2221

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2222

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.) * ((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2438

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 2611

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(-f + g\*x)^m\*(PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m - 1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6724

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x^2}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^3} dx}{a} \\
 &= \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x^2}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x^2}{(a+be^{c+dx})^2} dx}{a^2} - \frac{\int \frac{x}{(a+be^{c+dx})^2} dx}{ad} \\
 &= \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{b \int \frac{e^{c+dx} x^2}{a+be^{c+dx}} dx}{a^3} - \frac{\int \frac{x}{a+be^{c+dx}} dx}{a^2 d} - \frac{2 \int \frac{x}{(a+be^{c+dx})^2} dx}{a} \\
 &= -\frac{x}{a^2 d^2 (a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{x^2 \log(a + be^{c+dx})}{a^2 d} \\
 &= -\frac{x}{a^2 d^2 (a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} + \frac{3x \log(a + be^{c+dx})}{a^2 d} \\
 &= -\frac{x}{a^2 d^2 (a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} + \frac{3x \log(a + be^{c+dx})}{a^2 d} \\
 &= \frac{x}{a^3 d^2} - \frac{x}{a^2 d^2 (a + be^{c+dx})} - \frac{3x^2}{2a^3 d} + \frac{x^2}{2ad(a + be^{c+dx})^2} + \frac{x^2}{a^2 d(a + be^{c+dx})} + \frac{x^3}{3a^3} - \frac{\log(a + be^{c+dx})}{a^2 d}
 \end{aligned}$$

**Mathematica [A]**

time = 0.17, size = 203, normalized size = 0.84

$$\frac{6x}{d^2} - \frac{6ax}{d^2(a+be^{c+dx})} - \frac{9x^2}{d} + \frac{3a^2x^2}{d(a+be^{c+dx})^2} + \frac{6ax^2}{ad+be^{c+dx}} + 2x^3 - \frac{6\log\left(1+\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{18x\log\left(1+\frac{be^{c+dx}}{a}\right)}{d^2} - \frac{6x^2\log\left(1+\frac{be^{c+dx}}{a}\right)}{d} - \frac{6(-3+2dx)\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{d^3} + \frac{12\text{Li}_3\left(-\frac{be^{c+dx}}{a}\right)}{d^3}$$

Antiderivative was successfully verified.

**[In]** Integrate[x^2/(a + b\*E^(c + d\*x))^3,x]

**[Out]** ((6\*x)/d^2 - (6\*a\*x)/(d^2\*(a + b\*E^(c + d\*x))) - (9\*x^2)/d + (3\*a^2\*x^2)/(d\*(a + b\*E^(c + d\*x))^2) + (6\*a\*x^2)/(a\*d + b\*d\*E^(c + d\*x)) + 2\*x^3 - (6\*Log[1 + (b\*E^(c + d\*x))/a])/d^3 + (18\*x\*Log[1 + (b\*E^(c + d\*x))/a])/d^2 - (6\*x^2\*Log[1 + (b\*E^(c + d\*x))/a])/d - (6\*(-3 + 2\*d\*x)\*PolyLog[2, -(b\*E^(c + d\*x))/a])/d^3 + (12\*PolyLog[3, -(b\*E^(c + d\*x))/a])/d^3)/(6\*a^3)

**Maple [A]**

time = 0.07, size = 385, normalized size = 1.58

method	result
risch	$\frac{x(2xbd e^{dx+c} + 3xad - 2b e^{dx+c} - 2a)}{2a^2 d^2 (a + b e^{dx+c})^2} + \frac{\ln(e^{dx+c})}{d^3 a^3} - \frac{\ln(a + b e^{dx+c})}{a^3 d^3} + \frac{c^2 \ln(e^{dx+c})}{d^3 a^3} - \frac{c^2 \ln(a + b e^{dx+c})}{d^3 a^3} + \frac{x^3}{3a^3} - \frac{c^2 x}{d^2 a^3} - \frac{2}{3d}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^2/(a+b\*exp(d\*x+c))^3,x,method=\_RETURNVERBOSE)

**[Out]** 1/2\*x\*(2\*x\*b\*d\*exp(d\*x+c)+3\*x\*a\*d-2\*b\*exp(d\*x+c)-2\*a)/a^2/d^2/(a+b\*exp(d\*x+c))^2+1/d^3/a^3\*ln(exp(d\*x+c))-ln(a+b\*exp(d\*x+c))/a^3/d^3+1/d^3/a^3\*c^2\*ln(exp(d\*x+c))-1/d^3/a^3\*c^2\*ln(a+b\*exp(d\*x+c))+1/3\*x^3/a^3-1/d^2/a^3\*c^2\*x-2/3/d^3/a^3\*c^3-x^2\*ln(1+b\*exp(d\*x+c)/a)/a^3/d+1/d^3/a^3\*ln(1+b\*exp(d\*x+c)/a)\*c^2-2\*x\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^2+2\*polylog(3,-b\*exp(d\*x+c)/a)/a^3/d^3+3/d^3/a^3\*c\*ln(exp(d\*x+c))-3/d^3/a^3\*c\*ln(a+b\*exp(d\*x+c))-3/2\*x^2/a^3/d-3/d^2/a^3\*c\*x-3/2/d^3/a^3\*c^2+3\*x\*ln(1+b\*exp(d\*x+c)/a)/a^3/d^2+3/d^3/a^3\*ln(1+b\*exp(d\*x+c)/a)\*c+3\*polylog(2,-b\*exp(d\*x+c)/a)/a^3/d^3

**Maxima [A]**

time = 0.31, size = 234, normalized size = 0.96

$$\frac{3ax^2 - 2ax + 2(bdx^2e^c - bxe^c)e^{dx}}{2(a^2b^2d^2e^{2dx+2c} + 2a^3bd^2e^{dx+c} + a^4d^2)} + \frac{x}{a^3d^2} + \frac{2d^3x^3 - 9d^2x^2}{6a^3d^3} - \frac{d^2x^2\log\left(\frac{be^{dx+c}}{a} + 1\right) + 2dx\text{Li}_2\left(-\frac{be^{dx+c}}{a}\right) - 2\text{Li}_3\left(-\frac{be^{dx+c}}{a}\right)}{a^3d^3} + \frac{3\left(dx\log\left(\frac{be^{dx+c}}{a} + 1\right) + \text{Li}_2\left(-\frac{be^{dx+c}}{a}\right)\right)}{a^3d^3} - \frac{\log\left(\frac{be^{dx+c}}{a} + a\right)}{a^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x^2/(a+b\*exp(d\*x+c))^3,x, algorithm="maxima")

**[Out]** 1/2\*(3\*a\*d\*x^2 - 2\*a\*x + 2\*(b\*d\*x^2\*e^c - b\*x\*e^c)\*e^(d\*x))/(a^2\*b^2\*d^2\*e^(2\*d\*x + 2\*c) + 2\*a^3\*b\*d^2\*e^(d\*x + c) + a^4\*d^2) + x/(a^3\*d^2) + 1/6\*(2\*d^3\*x^3 - 9\*d^2\*x^2)/(a^3\*d^3) - (d^2\*x^2\*log(b\*e^(d\*x + c)/a + 1) + 2\*d\*x\*d

```
ilog(-b*e^(d*x + c)/a) - 2*polylog(3, -b*e^(d*x + c)/a)/(a^3*d^3) + 3*(d*x
*log(b*e^(d*x + c)/a + 1) + dilog(-b*e^(d*x + c)/a))/(a^3*d^3) - log(b*e^(d
*x + c) + a)/(a^3*d^3)
```

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 521 vs. 2(226) = 452.

time = 0.35, size = 521, normalized size = 2.14

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*exp(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/6*(2*a^2*d^3*x^3 + 2*a^2*c^3 + 9*a^2*c^2 + 6*a^2*c - 6*(2*a^2*d*x - 3*a^2
+ (2*b^2*d*x - 3*b^2)*e^(2*d*x + 2*c) + 2*(2*a*b*d*x - 3*a*b)*e^(d*x + c))
*dilog(-(b*e^(d*x + c) + a)/a + 1) + (2*b^2*d^3*x^3 - 9*b^2*d^2*x^2 + 2*b^2
*c^3 + 9*b^2*c^2 + 6*b^2*d*x + 6*b^2*c)*e^(2*d*x + 2*c) + 2*(2*a*b*d^3*x^3
- 6*a*b*d^2*x^2 + 2*a*b*c^3 + 9*a*b*c^2 + 3*a*b*d*x + 6*a*b*c)*e^(d*x + c)
- 6*(a^2*c^2 + 3*a^2*c + a^2 + (b^2*c^2 + 3*b^2*c + b^2)*e^(2*d*x + 2*c) +
2*(a*b*c^2 + 3*a*b*c + a*b)*e^(d*x + c))*log(b*e^(d*x + c) + a) - 6*(a^2*d^
2*x^2 - a^2*c^2 - 3*a^2*d*x - 3*a^2*c + (b^2*d^2*x^2 - b^2*c^2 - 3*b^2*d*x
- 3*b^2*c)*e^(2*d*x + 2*c) + 2*(a*b*d^2*x^2 - a*b*c^2 - 3*a*b*d*x - 3*a*b*c
)*e^(d*x + c))*log((b*e^(d*x + c) + a)/a) + 12*(b^2*e^(2*d*x + 2*c) + 2*a*b
*e^(d*x + c) + a^2)*polylog(3, -b*e^(d*x + c)/a)/(a^3*b^2*d^3*e^(2*d*x + 2
*c) + 2*a^4*b*d^3*e^(d*x + c) + a^5*d^3)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3adx^2 - 2ax + (2bdx^2 - 2bx)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int \left( -\frac{3dx}{a+be^ce^{dx}} \right) dx + \int \frac{d^2x^2}{a+be^ce^{dx}} dx + \int \frac{1}{a+be^ce^{dx}} dx}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*exp(d*x+c))**3,x)
```

```
[Out] (3*a*d*x**2 - 2*a*x + (2*b*d*x**2 - 2*b*x)*exp(c + d*x))/(2*a**4*d**2 + 4*a
**3*b*d**2*exp(c + d*x) + 2*a**2*b**2*d**2*exp(2*c + 2*d*x)) + (Integral(-3
*d*x/(a + b*exp(c)*exp(d*x)), x) + Integral(d**2*x**2/(a + b*exp(c)*exp(d*x
))), x) + Integral(1/(a + b*exp(c)*exp(d*x)), x))/(a**2*d**2)
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*exp(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(x^2/(b*e^(d*x + c) + a)^3, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b e^{c+dx})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a + b*exp(c + d*x))^3,x)
```

```
[Out] int(x^2/(a + b*exp(c + d*x))^3, x)
```



$$3.19 \quad \int \frac{x}{(a+be^{c+dx})^3} dx$$

**Optimal.** Leaf size=159

$$-\frac{1}{2a^2d^2(a+be^{c+dx})} - \frac{3x}{2a^3d} + \frac{x}{2ad(a+be^{c+dx})^2} + \frac{x}{a^2d(a+be^{c+dx})} + \frac{x^2}{2a^3} + \frac{3\log(a+be^{c+dx})}{2a^3d^2} - \frac{x\log\left(1+\frac{be^{c+dx}}{a}\right)}{a^3d}$$

[Out]  $-1/2/a^2/d^2/(a+b*\exp(d*x+c))-3/2*x/a^3/d+1/2*x/a/d/(a+b*\exp(d*x+c))^2+x/a^2/d/(a+b*\exp(d*x+c))+1/2*x^2/a^3+3/2*\ln(a+b*\exp(d*x+c))/a^3/d^2-x*\ln(1+b*\exp(d*x+c)/a)/a^3/d-\text{polylog}(2,-b*\exp(d*x+c)/a)/a^3/d^2$

**Rubi [A]**

time = 0.23, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.733$ , Rules used = {2216, 2215, 2221, 2317, 2438, 2222, 2320, 36, 29, 31, 46}

$$-\frac{\text{PolyLog}\left(2, -\frac{be^{c+dx}}{a}\right)}{a^3d^2} + \frac{3\log(a+be^{c+dx})}{2a^3d^2} - \frac{x\log\left(\frac{be^{c+dx}}{a}+1\right)}{a^3d} - \frac{3x}{2a^3d} + \frac{x^2}{2a^3} - \frac{1}{2a^2d^2(a+be^{c+dx})} + \frac{x}{a^2d(a+be^{c+dx})} + \frac{x}{2ad(a+be^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*E^(c + d\*x))^3, x]

[Out]  $-1/2*1/(a^2*d^2*(a + b*E^(c + d*x))) - (3*x)/(2*a^3*d) + x/(2*a*d*(a + b*E^(c + d*x))^2) + x/(a^2*d*(a + b*E^(c + d*x))) + x^2/(2*a^3) + (3*\text{Log}[a + b*E^(c + d*x)])/(2*a^3*d^2) - (x*\text{Log}[1 + (b*E^(c + d*x))/a])/(a^3*d) - \text{PolyLog}[2, -((b*E^(c + d*x))/a)]/(a^3*d^2)$

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^-1, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 46

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&

NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

#### Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2216

Int[((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^(p\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

#### Rule 2221

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2222

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F]), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

#### Rule 2317

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[

```
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{(a + be^{c+dx})^3} dx &= \frac{\int \frac{x}{(a+be^{c+dx})^2} dx}{a} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^3} dx}{a} \\ &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{\int \frac{x}{a+be^{c+dx}} dx}{a^2} - \frac{b \int \frac{e^{c+dx} x}{(a+be^{c+dx})^2} dx}{a^2} - \frac{\int \frac{1}{(a+be^{c+dx})^2} dx}{2ad} \\ &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} - \frac{b \int \frac{e^{c+dx} x}{a+be^{c+dx}} dx}{a^3} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, \frac{1}{x(a+bx)^2}\right)}{2ad^2} \\ &= \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} - \frac{x \log\left(1 + \frac{be^{c+dx}}{a}\right)}{a^3 d} - \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, \frac{1}{x(a+bx)}\right)}{a^2 d^2} \\ &= -\frac{1}{2a^2 d^2 (a + be^{c+dx})} - \frac{x}{2a^3 d} + \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} + \frac{\log(a - be^{c+dx})}{2ad^2} \\ &= -\frac{1}{2a^2 d^2 (a + be^{c+dx})} - \frac{3x}{2a^3 d} + \frac{x}{2ad(a + be^{c+dx})^2} + \frac{x}{a^2 d(a + be^{c+dx})} + \frac{x^2}{2a^3} + \frac{3 \log(a - be^{c+dx})}{2ad^2} \end{aligned}$$

### Mathematica [A]

time = 0.12, size = 120, normalized size = 0.75

$$\frac{\frac{adx}{(a+be^{c+dx})^2} + \frac{-1+2dx}{a+be^{c+dx}} + \frac{-3dx+3\log\left(1+\frac{be^{c+dx}}{a}\right)}{a} + \frac{dx(dx-2\log\left(1+\frac{be^{c+dx}}{a}\right))-2\text{Li}_2\left(-\frac{be^{c+dx}}{a}\right)}{a}}{2a^2d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/(a + b*E^(c + d*x))^3,x]
```

```
[Out] ((a*d*x)/(a + b*E^(c + d*x))^2 + (-1 + 2*d*x)/(a + b*E^(c + d*x)) + (-3*d*x
+ 3*Log[1 + (b*E^(c + d*x))/a])/a + (d*x*(d*x - 2*Log[1 + (b*E^(c + d*x))/
a]) - 2*PolyLog[2, -(b*E^(c + d*x))/a])/a)/(2*a^2*d^2)
```

**Maple [A]**

time = 0.03, size = 252, normalized size = 1.58

method	result
risch	$\frac{2xbd e^{dx+c} + 3xad - b e^{dx+c} - a}{2a^2 d^2 (a + b e^{dx+c})^2} - \frac{3 \ln(e^{dx+c})}{2d^2 a^3} + \frac{3 \ln(a + b e^{dx+c})}{2a^3 d^2} - \frac{c \ln(e^{dx+c})}{d^2 a^3} + \frac{c \ln(a + b e^{dx+c})}{d^2 a^3} + \frac{x^2}{2a^3} + \frac{cx}{d a^3}$
derivativdivides	$\frac{\frac{(dx+c)^2}{2a^3} - \frac{\operatorname{dilog}\left(\frac{a+b e^{dx+c}}{a}\right) - (dx+c) \ln\left(\frac{a+b e^{dx+c}}{a}\right)}{a^3} + \frac{3 \ln(a + b e^{dx+c})}{2a^3} - \frac{1}{2a^2 (a + b e^{dx+c})} - \frac{b^2 (dx+c) e^{2dx+2c}}{2a^3 (a + b e^{dx+c})^2} - \frac{b(dx+c) e^{dx+c}}{a^2 (a + b e^{dx+c})}}{d^2}$
default	$\frac{\frac{(dx+c)^2}{2a^3} - \frac{\operatorname{dilog}\left(\frac{a+b e^{dx+c}}{a}\right) - (dx+c) \ln\left(\frac{a+b e^{dx+c}}{a}\right)}{a^3} + \frac{3 \ln(a + b e^{dx+c})}{2a^3} - \frac{1}{2a^2 (a + b e^{dx+c})} - \frac{b^2 (dx+c) e^{2dx+2c}}{2a^3 (a + b e^{dx+c})^2} - \frac{b(dx+c) e^{dx+c}}{a^2 (a + b e^{dx+c})}}{d^2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a+b*exp(d*x+c))^3,x,method=_RETURNVERBOSE)
```

```
[Out] 1/d^2*(1/2*(d*x+c)^2/a^3-1/a^3*dilog((a+b*exp(d*x+c))/a)-1/a^3*(d*x+c)*ln((a+b*exp(d*x+c))/a)+3/2/a^3*ln(a+b*exp(d*x+c))-1/2/a^2/(a+b*exp(d*x+c))-1/2/a^3*b^2*(d*x+c)*exp(d*x+c)^2/(a+b*exp(d*x+c))^2-1/a^2*b*(d*x+c)*exp(d*x+c)/(a+b*exp(d*x+c))^2-1/a^3*b*(d*x+c)*exp(d*x+c)/(a+b*exp(d*x+c))-c/a^3*ln(exp(d*x+c))+c/a^3*ln(a+b*exp(d*x+c))-c/a^2/(a+b*exp(d*x+c))-1/2*c/a/(a+b*exp(d*x+c))^2)
```

**Maxima [A]**

time = 0.29, size = 149, normalized size = 0.94

$$\frac{3 a d x + (2 b d x e^c - b e^c) e^{(d x)} - a}{2(a^2 b^2 d^2 e^{(2 d x+2 c)} + 2 a^3 b d^2 e^{(d x+c)} + a^4 d^2)} + \frac{x^2}{2 a^3} - \frac{3 x}{2 a^3 d} - \frac{d x \log\left(\frac{b e^{(d x+c)}}{a} + 1\right) + \operatorname{Li}_2\left(-\frac{b e^{(d x+c)}}{a}\right)}{a^3 d^2} + \frac{3 \log\left(b e^{(d x+c)} + a\right)}{2 a^3 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] 1/2*(3*a*d*x + (2*b*d*x*e^c - b*e^c)*e^(d*x) - a)/(a^2*b^2*d^2*e^(2*d*x + 2*c) + 2*a^3*b*d^2*e^(d*x + c) + a^4*d^2) + 1/2*x^2/a^3 - 3/2*x/(a^3*d) - (d*x*log(b*e^(d*x + c)/a + 1) + dilog(-b*e^(d*x + c)/a))/(a^3*d^2) + 3/2*log(b*e^(d*x + c) + a)/(a^3*d^2)
```

**Fricas [B]** Leaf count of result is larger than twice the leaf count of optimal. 338 vs. 2(142) = 284.

time = 0.44, size = 338, normalized size = 2.13

$$\frac{a^2 d^2 x^2 - a^2 c^2 - 3 a^2 c - a^2 - 2 (b^2 d^2 e^{2 c} + 2 a b d^{2 c} + a^2) \operatorname{Li}_2\left(-\frac{b e^{d x+c}}{a}\right) + (b^2 d^2 x^2 - b^2 c^2 - 3 b^2 d x - 3 b^2 c) e^{2 d x+c} + (2 a b d^2 x^2 - 2 a b c^2 - 4 a b d x - 6 a b c - a b) e^{d x+c} + (2 a^2 c^2 + 3 a^2 + (2 b^2 c + 3 b^2) e^{2 d x+c} + 2 (2 a b c + 3 a b) e^{d x+c}) \log\left(\frac{b e^{d x+c}}{a}\right) - 2 (a^2 d x + a^2 c + (b^2 d x + b^2 c) e^{2 d x+c} + 2 (a b d x + a b c) e^{d x+c}) \log\left(\frac{b e^{d x+c}}{a}\right)}{2(a^2 b^2 d^2 e^{(2 d x+2 c)} + 2 a^3 b d^2 e^{(d x+c)} + a^4 d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="fricas")
```

[Out]  $\frac{1}{2}(a^2d^2x^2 - a^2c^2 - 3a^2c - a^2 - 2(b^2e^{(2dx + 2c)} + 2ab e^{(dx + c)} + a^2) \operatorname{dilog}(-\frac{b^2e^{(dx + c)} + a}{a + 1}) + (b^2d^2x^2 - b^2c^2 - 3b^2dx - 3b^2c)e^{(2dx + 2c)} + (2abd^2x^2 - 2abc^2 - 4abd^2x - 6abc - ab)e^{(dx + c)} + (2a^2c + 3a^2 + (2b^2c + 3b^2))e^{(2dx + 2c)} + 2(2abc + 3ab)e^{(dx + c)}) \log(b^2e^{(dx + c)} + a) - 2(a^2dx + a^2c + (b^2dx + b^2c)e^{(2dx + 2c)} + 2(abdx + abc)e^{(dx + c)}) \log(\frac{b^2e^{(dx + c)} + a}{a})) / (a^3b^2d^2e^{(2dx + 2c)} + 2a^4bd^2e^{(dx + c)} + a^5d^2)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3adx - a + (2bdx - b)e^{c+dx}}{2a^4d^2 + 4a^3bd^2e^{c+dx} + 2a^2b^2d^2e^{2c+2dx}} + \frac{\int \frac{2dx}{a+be^ce^{dx}} dx + \int \left(-\frac{3}{a+be^ce^{dx}}\right) dx}{2a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))**3,x)`

[Out]  $(3a^2dx - a + (2bdx - b)\exp(c + dx)) / (2a^4d^2 + 4a^3bd^2\exp(c + dx) + 2a^2b^2d^2\exp(2c + 2dx)) + (\operatorname{Integral}(2dx/(a + b\exp(c)\exp(dx)), x) + \operatorname{Integral}(-3/(a + b\exp(c)\exp(dx)), x)) / (2a^2d)$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*exp(d*x+c))^3,x, algorithm="giac")`

[Out] `integrate(x/(b*e^(d*x + c) + a)^3, x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + be^{c+dx})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a + b*exp(c + d*x))^3,x)`

[Out] `int(x/(a + b*exp(c + d*x))^3, x)`

$$3.20 \quad \int \frac{1}{(a+be^{c+dx})^3} dx$$

Optimal. Leaf size=69

$$\frac{1}{2ad(a+be^{c+dx})^2} + \frac{1}{a^2d(a+be^{c+dx})} + \frac{x}{a^3} - \frac{\log(a+be^{c+dx})}{a^3d}$$

[Out] 1/2/a/d/(a+b\*exp(d\*x+c))^2+1/a^2/d/(a+b\*exp(d\*x+c))+x/a^3-ln(a+b\*exp(d\*x+c))/a^3/d

Rubi [A]

time = 0.03, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2320, 46}

$$-\frac{\log(a+be^{c+dx})}{a^3d} + \frac{x}{a^3} + \frac{1}{a^2d(a+be^{c+dx})} + \frac{1}{2ad(a+be^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(c + d\*x))^(-3), x]

[Out] 1/(2\*a\*d\*(a + b\*E^(c + d\*x))^2) + 1/(a^2\*d\*(a + b\*E^(c + d\*x))) + x/a^3 - Log[a + b\*E^(c + d\*x)]/(a^3\*d)

Rule 46

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\int \frac{1}{(a + be^{c+dx})^3} dx = \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{c+dx}\right)}{d}$$

$$= \frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{c+dx}\right)}{d}$$

$$= \frac{1}{2ad(a + be^{c+dx})^2} + \frac{1}{a^2d(a + be^{c+dx})} + \frac{x}{a^3} - \frac{\log(a + be^{c+dx})}{a^3d}$$

**Mathematica [A]**

time = 0.08, size = 64, normalized size = 0.93

$$\frac{\frac{a(3a+2be^{c+dx})}{(a+be^{c+dx})^2} + 2 \log(e^{c+dx}) - 2 \log(a + be^{c+dx})}{2a^3d}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*E^(c + d\*x))^(-3),x]**[Out]** ((a\*(3\*a + 2\*b\*E^(c + d\*x)))/(a + b\*E^(c + d\*x))^2 + 2\*Log[E^(c + d\*x)] - 2\*Log[a + b\*E^(c + d\*x)])/(2\*a^3\*d)**Maple [A]**

time = 0.02, size = 66, normalized size = 0.96

method	result	size
derivativedivides	$\frac{-\frac{\ln(a+be^{dx+c})}{a^3} + \frac{1}{a^2(a+be^{dx+c})} + \frac{1}{2a(a+be^{dx+c})^2} + \frac{\ln(e^{dx+c})}{a^3}}{d}$	66
default	$\frac{-\frac{\ln(a+be^{dx+c})}{a^3} + \frac{1}{a^2(a+be^{dx+c})} + \frac{1}{2a(a+be^{dx+c})^2} + \frac{\ln(e^{dx+c})}{a^3}}{d}$	66
risch	$\frac{x}{a^3} + \frac{c}{a^3d} + \frac{2be^{dx+c}+3a}{2a^2d(a+be^{dx+c})^2} - \frac{\ln(e^{dx+c}+\frac{a}{b})}{a^3d}$	69
norman	$\frac{\frac{x}{a} + \frac{b^2x e^{2dx+2c}}{a^3} + \frac{2bx e^{dx+c}}{a^2} - \frac{2b e^{dx+c}}{a^2d} - \frac{3b^2 e^{2dx+2c}}{2a^3d}}{(a+be^{dx+c})^2} - \frac{\ln(a+be^{dx+c})}{a^3d}$	103

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(1/(a+b\*exp(d\*x+c))^3,x,method=\_RETURNVERBOSE)**[Out]** 1/d\*(-1/a^3\*ln(a+b\*exp(d\*x+c))+1/a^2/(a+b\*exp(d\*x+c))+1/2/a/(a+b\*exp(d\*x+c))^2+1/a^3\*ln(exp(d\*x+c)))

**Maxima [A]**

time = 0.28, size = 84, normalized size = 1.22

$$\frac{2be^{(dx+c)} + 3a}{2(a^2b^2e^{(2dx+2c)} + 2a^3be^{(dx+c)} + a^4)d} + \frac{dx+c}{a^3d} - \frac{\log(be^{(dx+c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="maxima")`

```
[Out] 1/2*(2*b*e^(d*x + c) + 3*a)/((a^2*b^2*e^(2*d*x + 2*c) + 2*a^3*b*e^(d*x + c)
+ a^4)*d) + (d*x + c)/(a^3*d) - log(b*e^(d*x + c) + a)/(a^3*d)
```

**Fricas [A]**

time = 0.38, size = 127, normalized size = 1.84

$$\frac{2b^2dxe^{(2dx+2c)} + 2a^2dx + 3a^2 + 2(2abdx + ab)e^{(dx+c)} - 2(b^2e^{(2dx+2c)} + 2abe^{(dx+c)} + a^2)\log(be^{(dx+c)} + a)}{2(a^3b^2de^{(2dx+2c)} + 2a^4bde^{(dx+c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="fricas")`

```
[Out] 1/2*(2*b^2*d*x*e^(2*d*x + 2*c) + 2*a^2*d*x + 3*a^2 + 2*(2*a*b*d*x + a*b)*e^(
d*x + c) - 2*(b^2*e^(2*d*x + 2*c) + 2*a*b*e^(d*x + c) + a^2)*log(b*e^(d*x
+ c) + a))/(a^3*b^2*d*e^(2*d*x + 2*c) + 2*a^4*b*d*e^(d*x + c) + a^5*d)
```

**Sympy [A]**

time = 0.08, size = 76, normalized size = 1.10

$$\frac{3a + 2be^{c+dx}}{2a^4d + 4a^3bde^{c+dx} + 2a^2b^2de^{2c+2dx}} + \frac{x}{a^3} - \frac{\log\left(\frac{a}{b} + e^{c+dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(d*x+c))**3,x)`

```
[Out] (3*a + 2*b*exp(c + d*x))/(2*a**4*d + 4*a**3*b*d*exp(c + d*x) + 2*a**2*b**2*
d*exp(2*c + 2*d*x)) + x/a**3 - log(a/b + exp(c + d*x))/(a**3*d)
```

**Giac [A]**

time = 2.50, size = 65, normalized size = 0.94

$$\frac{\frac{2(dx+c)}{a^3} - \frac{2\log(|be^{(dx+c)}+a|)}{a^3} + \frac{2abe^{(dx+c)}+3a^2}{(be^{(dx+c)}+a)^2a^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(d*x+c))^3,x, algorithm="giac")`



[Out]  $\frac{1}{2} \cdot \frac{2 \cdot (d \cdot x + c)}{a^3} - \frac{2 \cdot \log(\text{abs}(b \cdot e^{(d \cdot x + c)} + a))}{a^3} + \frac{(2 \cdot a \cdot b \cdot e^{(d \cdot x + c)} + 3 \cdot a^2)}{((b \cdot e^{(d \cdot x + c)} + a)^{2 \cdot a^3})} / d$

**Mupad [B]**

time = 3.74, size = 121, normalized size = 1.75

$$\frac{\frac{x}{a} + \frac{b^2 x e^{2c+2dx}}{a^3} + \frac{2bx e^{c+dx}}{a^2} - \frac{3b^2 e^{2c+2dx}}{2a^3 d} - \frac{2b e^{c+dx}}{a^2 d}}{a^2 + 2e^{c+dx} a b + e^{2c+2dx} b^2} - \frac{\ln(a + b e^{dx} e^c)}{a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*exp(c + d*x))^3,x)`

[Out]  $(x/a + (b^2 \cdot x \cdot \exp(2 \cdot c + 2 \cdot d \cdot x))/a^3 + (2 \cdot b \cdot x \cdot \exp(c + d \cdot x))/a^2 - (3 \cdot b^2 \cdot \exp(2 \cdot c + 2 \cdot d \cdot x))/(2 \cdot a^3 \cdot d) - (2 \cdot b \cdot \exp(c + d \cdot x))/(a^2 \cdot d))/(a^2 + b^2 \cdot \exp(2 \cdot c + 2 \cdot d \cdot x) + 2 \cdot a \cdot b \cdot \exp(c + d \cdot x)) - \log(a + b \cdot \exp(d \cdot x) \cdot \exp(c))/(a^3 \cdot d)$

$$3.21 \quad \int \frac{1}{(a+be^{c+dx})^3 x} dx$$

Optimal. Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})^3 x}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))^3/x,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})^3 x} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))^3\*x),x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))^3\*x), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})^3 x} dx = \int \frac{1}{(a+be^{c+dx})^3 x} dx$$

Mathematica [A]

time = 2.24, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})^3 x} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))^3\*x),x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))^3\*x), x]

Maple [A]

time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*exp(d\*x+c))^3/x,x)

[Out] int(1/(a+b\*exp(d\*x+c))^3/x,x)

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x,x, algorithm="maxima")

[Out] 1/2\*(3\*a\*d\*x + (2\*b\*d\*x\*e^c + b\*e^c)\*e^(d\*x) + a)/(a^2\*b^2\*d^2\*x^2\*e^(2\*d\*x + 2\*c) + 2\*a^3\*b\*d^2\*x^2\*e^(d\*x + c) + a^4\*d^2\*x^2) + integrate(1/2\*(2\*d^2\*x^2 + 3\*d\*x + 2)/(a^2\*b\*d^2\*x^3\*e^(d\*x + c) + a^3\*d^2\*x^3), x)

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x,x, algorithm="fricas")

[Out] integral(1/(b^3\*x\*e^(3\*d\*x + 3\*c) + 3\*a\*b^2\*x\*e^(2\*d\*x + 2\*c) + 3\*a^2\*b\*x\*e^(d\*x + c) + a^3\*x), x)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3adx + a + (2bdx + b)e^{c+dx}}{2a^4d^2x^2 + 4a^3bd^2x^2e^{c+dx} + 2a^2b^2d^2x^2e^{2c+2dx}} + \frac{\int \frac{3dx}{ax^3+bx^3e^{c+dx}} dx + \int \frac{2d^2x^2}{ax^3+bx^3e^{c+dx}} dx + \int \frac{2}{ax^3+bx^3e^{c+dx}} dx}{2a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x,x)

[Out] (3\*a\*d\*x + a + (2\*b\*d\*x + b)\*exp(c + d\*x))/(2\*a\*\*4\*d\*\*2\*x\*\*2 + 4\*a\*\*3\*b\*d\*\*2\*x\*\*2\*exp(c + d\*x) + 2\*a\*\*2\*b\*\*2\*d\*\*2\*x\*\*2\*exp(2\*c + 2\*d\*x)) + (Integral(3\*d\*x/(a\*x\*\*3 + b\*x\*\*3\*exp(c)\*exp(d\*x)), x) + Integral(2\*d\*\*2\*x\*\*2/(a\*x\*\*3 + b\*x\*\*3\*exp(c)\*exp(d\*x)), x) + Integral(2/(a\*x\*\*3 + b\*x\*\*3\*exp(c)\*exp(d\*x)), x))/(2\*a\*\*2\*d\*\*2)

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(d*x+c))^3/x,x, algorithm="giac")
```

```
[Out] integrate(1/((b*e^(d*x + c) + a)^3*x), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x (a + b e^{c+dx})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*exp(c + d*x))^3),x)
```

```
[Out] int(1/(x*(a + b*exp(c + d*x))^3), x)
```

$$3.22 \quad \int \frac{1}{(a+be^{c+dx})^3 x^2} dx$$

**Optimal.** Leaf size=20

$$\text{Int}\left(\frac{1}{(a+be^{c+dx})^3 x^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*exp(d\*x+c))^3/x^2,x)

**Rubi [A]**

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(a+be^{c+dx})^3 x^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*E^(c + d\*x))^3\*x^2), x]

[Out] Defer[Int][1/((a + b\*E^(c + d\*x))^3\*x^2), x]

Rubi steps

$$\int \frac{1}{(a+be^{c+dx})^3 x^2} dx = \int \frac{1}{(a+be^{c+dx})^3 x^2} dx$$

**Mathematica [A]**

time = 1.15, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{c+dx})^3 x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*E^(c + d\*x))^3\*x^2), x]

[Out] Integrate[1/((a + b\*E^(c + d\*x))^3\*x^2), x]

**Maple [A]**

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+be^{dx+c})^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*exp(d\*x+c))^3/x^2,x)

[Out] int(1/(a+b\*exp(d\*x+c))^3/x^2,x)

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x^2,x, algorithm="maxima")

[Out] 1/2\*(3\*a\*d\*x + 2\*(b\*d\*x\*e^c + b\*e^c)\*e^(d\*x) + 2\*a)/(a^2\*b^2\*d^2\*x^3\*e^(2\*d\*x + 2\*c) + 2\*a^3\*b\*d^2\*x^3\*e^(d\*x + c) + a^4\*d^2\*x^3) + integrate((d^2\*x^2 + 3\*d\*x + 3)/(a^2\*b\*d^2\*x^4\*e^(d\*x + c) + a^3\*d^2\*x^4), x)

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x^2,x, algorithm="fricas")

[Out] integral(1/(b^3\*x^2\*e^(3\*d\*x + 3\*c) + 3\*a\*b^2\*x^2\*e^(2\*d\*x + 2\*c) + 3\*a^2\*b\*x^2\*e^(d\*x + c) + a^3\*x^2), x)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3adx + 2a + (2bdx + 2b)e^{c+dx}}{2a^4d^2x^3 + 4a^3bd^2x^3e^{c+dx} + 2a^2b^2d^2x^3e^{2c+2dx}} + \frac{\int \frac{3dx}{ax^4+bx^4e^{ce^{dx}}} dx + \int \frac{d^2x^2}{ax^4+bx^4e^{ce^{dx}}} dx + \int \frac{3}{ax^4+bx^4e^{ce^{dx}}} dx}{a^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*exp(d\*x+c))^3/x\*\*2,x)

[Out] (3\*a\*d\*x + 2\*a + (2\*b\*d\*x + 2\*b)\*exp(c + d\*x))/(2\*a\*\*4\*d\*\*2\*x\*\*3 + 4\*a\*\*3\*b\*d\*\*2\*x\*\*3\*exp(c + d\*x) + 2\*a\*\*2\*b\*\*2\*d\*\*2\*x\*\*3\*exp(2\*c + 2\*d\*x)) + (Integral(3\*d\*x/(a\*x\*\*4 + b\*x\*\*4\*exp(c)\*exp(d\*x)), x) + Integral(d\*\*2\*x\*\*2/(a\*x\*\*4 + b\*x\*\*4\*exp(c)\*exp(d\*x)), x) + Integral(3/(a\*x\*\*4 + b\*x\*\*4\*exp(c)\*exp(d\*x)), x))/(a\*\*2\*d\*\*2)

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*exp(d*x+c))^3/x^2,x, algorithm="giac")
```

```
[Out] integrate(1/((b*e^(d*x + c) + a)^3*x^2), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b e^{c+dx})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*exp(c + d*x))^3),x)
```

```
[Out] int(1/(x^2*(a + b*exp(c + d*x))^3), x)
```

### 3.23

$$\int \frac{1}{(a+be^{c-dx})^3} dx$$

Optimal. Leaf size=72

$$-\frac{1}{2ad(a+be^{c-dx})^2} - \frac{1}{a^2d(a+be^{c-dx})} + \frac{x}{a^3} + \frac{\log(a+be^{c-dx})}{a^3d}$$

[Out] -1/2/a/d/(a+b\*exp(-d\*x+c))^2-1/a^2/d/(a+b\*exp(-d\*x+c))+x/a^3+ln(a+b\*exp(-d\*x+c))/a^3/d

Rubi [A]

time = 0.03, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2320, 46}

$$\frac{\log(a+be^{c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{a^2d(a+be^{c-dx})} - \frac{1}{2ad(a+be^{c-dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(c - d\*x))^(-3), x]

[Out] -1/2\*1/(a\*d\*(a + b\*E^(c - d\*x))^2) - 1/(a^2\*d\*(a + b\*E^(c - d\*x))) + x/a^3 + Log[a + b\*E^(c - d\*x)]/(a^3\*d)

Rule 46

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rubi steps



$$\begin{aligned}
\int \frac{1}{(a + be^{c-dx})^3} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{c-dx}\right)}{d} \\
&= -\frac{1}{2ad(a + be^{c-dx})^2} - \frac{1}{a^2d(a + be^{c-dx})} + \frac{x}{a^3} + \frac{\log(a + be^{c-dx})}{a^3d}
\end{aligned}$$

**Mathematica [A]**

time = 0.12, size = 67, normalized size = 0.93

$$\frac{be^c(3be^c + 4ae^{dx})}{(be^c + ae^{dx})^2} + 2 \log(a^2d(be^c + ae^{dx}))}{2a^3d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*E^(c - d*x))^(-3),x]`
`[Out] ((b*E^c*(3*b*E^c + 4*a*E^(d*x)))/(b*E^c + a*E^(d*x))^2 + 2*Log[a^2*d*(b*E^c + a*E^(d*x))])/(2*a^3*d)`
**Maple [A]**

time = 0.02, size = 71, normalized size = 0.99

method	result	size
derivativdivides	$-\frac{\frac{\ln(e^{-dx+c})}{a^3} - \frac{\ln(a+be^{-dx+c})}{a^3} + \frac{1}{a^2(a+be^{-dx+c})} + \frac{1}{2a(a+be^{-dx+c})^2}}{d}$	71
default	$-\frac{\frac{\ln(e^{-dx+c})}{a^3} - \frac{\ln(a+be^{-dx+c})}{a^3} + \frac{1}{a^2(a+be^{-dx+c})} + \frac{1}{2a(a+be^{-dx+c})^2}}{d}$	71
risch	$\frac{x}{a^3} - \frac{c}{a^3d} - \frac{2be^{-dx+c} + 3a}{2a^2d(a+be^{-dx+c})^2} + \frac{\ln(e^{-dx+c} + \frac{a}{b})}{a^3d}$	72
norman	$\frac{\frac{x}{a} + \frac{b^2xe^{-2dx+2c}}{a^3} + \frac{2bxe^{-dx+c}}{a^2} + \frac{2be^{-dx+c}}{a^2d} + \frac{3b^2e^{-2dx+2c}}{2a^3d}}{(a+be^{-dx+c})^2} + \frac{\ln(a+be^{-dx+c})}{a^3d}$	108

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/(a+b*exp(-d*x+c))^3,x,method=_RETURNVERBOSE)`
`[Out] -1/d*(1/a^3*ln(exp(-d*x+c))-1/a^3*ln(a+b*exp(-d*x+c))+1/a^2/(a+b*exp(-d*x+c)))+1/2/a/(a+b*exp(-d*x+c))^2)`

**Maxima [A]**

time = 0.30, size = 88, normalized size = 1.22

$$-\frac{2be^{(-dx+c)} + 3a}{2(2a^3be^{(-dx+c)} + a^2b^2e^{(-2dx+2c)} + a^4)d} + \frac{dx - c}{a^3d} + \frac{\log(be^{(-dx+c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="maxima")`

`[Out] -1/2*(2*b*e^(-d*x + c) + 3*a)/((2*a^3*b*e^(-d*x + c) + a^2*b^2*e^(-2*d*x + 2*c) + a^4)*d) + (d*x - c)/(a^3*d) + log(b*e^(-d*x + c) + a)/(a^3*d)`

**Fricas [A]**

time = 0.36, size = 132, normalized size = 1.83

$$\frac{2b^2dxe^{(-2dx+2c)} + 2a^2dx - 3a^2 + 2(2abdx - ab)e^{(-dx+c)} + 2(2abe^{(-dx+c)} + b^2e^{(-2dx+2c)} + a^2)\log(be^{(-dx+c)} + a)}{2(2a^4bde^{(-dx+c)} + a^3b^2de^{(-2dx+2c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="fricas")`

`[Out] 1/2*(2*b^2*d*x*e^(-2*d*x + 2*c) + 2*a^2*d*x - 3*a^2 + 2*(2*a*b*d*x - a*b)*e^(-d*x + c) + 2*(2*a*b*e^(-d*x + c) + b^2*e^(-2*d*x + 2*c) + a^2)*log(b*e^(-d*x + c) + a))/(2*a^4*b*d*e^(-d*x + c) + a^3*b^2*d*e^(-2*d*x + 2*c) + a^5*d)`

**Sympy [A]**

time = 0.08, size = 78, normalized size = 1.08

$$\frac{-3a - 2be^{c-dx}}{2a^4d + 4a^3bde^{c-dx} + 2a^2b^2de^{2c-2dx}} + \frac{x}{a^3} + \frac{\log\left(\frac{a}{b} + e^{c-dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x+c))**3,x)`

`[Out] (-3*a - 2*b*exp(c - d*x))/(2*a**4*d + 4*a**3*b*d*exp(c - d*x) + 2*a**2*b**2*d*exp(2*c - 2*d*x)) + x/a**3 + log(a/b + exp(c - d*x))/(a**3*d)`

**Giac [A]**

time = 2.73, size = 71, normalized size = 0.99

$$\frac{\frac{2(dx-c)}{a^3} + \frac{2\log(|be^{(-dx+c)}+a|)}{a^3} - \frac{2abe^{(-dx+c)}+3a^2}{(be^{(-dx+c)}+a)^2a^3}}{2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x+c))^3,x, algorithm="giac")`

[Out]  $\frac{1}{2} \cdot \frac{2(dx - c)}{a^3} + \frac{2 \log(\text{abs}(b \cdot e^{-(dx + c)} + a))}{a^3} - \frac{(2ab \cdot e^{-(dx + c)} + 3a^2)}{(b \cdot e^{-(dx + c)} + a)^{2a^3}} / d$

**Mupad [B]**

time = 3.65, size = 124, normalized size = 1.72

$$\frac{\frac{x}{a} + \frac{b^2 x e^{2c-2dx}}{a^3} + \frac{2bx e^{c-dx}}{a^2} + \frac{3b^2 e^{2c-2dx}}{2a^3 d} + \frac{2b e^{c-dx}}{a^2 d}}{a^2 + 2e^{c-dx} a b + e^{2c-2dx} b^2} + \frac{\ln(a + b e^{-dx} e^c)}{a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*exp(c - d*x))^3,x)`

[Out]  $(x/a + (b^2 x \exp(2c - 2dx))/a^3 + (2bx \exp(c - dx))/a^2 + (3b^2 \exp(2c - 2dx))/(2a^3 d) + (2b \exp(c - dx))/(a^2 d))/(a^2 + b^2 \exp(2c - 2dx) + 2ab \exp(c - dx)) + \log(a + b \exp(-dx) \exp(c))/(a^3 d)$

$$3.24 \quad \int \frac{1}{(a+be^{-c-dx})^3} dx$$

Optimal. Leaf size=78

$$-\frac{1}{2ad(a+be^{-c-dx})^2} - \frac{1}{a^2d(a+be^{-c-dx})} + \frac{x}{a^3} + \frac{\log(a+be^{-c-dx})}{a^3d}$$

[Out]  $-1/2/a/d/(a+b*\exp(-d*x-c))^2-1/a^2/d/(a+b*\exp(-d*x-c))+x/a^3+\ln(a+b*\exp(-d*x-c))/a^3/d$

Rubi [A]

time = 0.03, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {2320, 46}

$$\frac{\log(a+be^{-c-dx})}{a^3d} + \frac{x}{a^3} - \frac{1}{a^2d(a+be^{-c-dx})} - \frac{1}{2ad(a+be^{-c-dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^(-c - d\*x))^(-3), x]

[Out]  $-1/2*1/(a*d*(a + b*E^(-c - d*x))^2) - 1/(a^2*d*(a + b*E^(-c - d*x))) + x/a^3 + \text{Log}[a + b*E^(-c - d*x)]/(a^3*d)$

Rule 46

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_) /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + be^{-c-dx})^3} dx &= -\frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, e^{-c-dx}\right)}{d} \\
&= -\frac{1}{2ad(a + be^{-c-dx})^2} - \frac{1}{a^2d(a + be^{-c-dx})} + \frac{x}{a^3} + \frac{\log(a + be^{-c-dx})}{a^3d}
\end{aligned}$$

**Mathematica [A]**

time = 0.80, size = 54, normalized size = 0.69

$$\frac{\frac{b(3b+4ae^{c+dx})}{(b+ae^{c+dx})^2} + 2 \log(b + ae^{c+dx})}{2a^3d}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*E^(-c - d\*x))^(-3),x]**[Out]** ((b\*(3\*b + 4\*a\*E^(c + d\*x)))/(b + a\*E^(c + d\*x))^2 + 2\*Log[b + a\*E^(c + d\*x)])/((2\*a^3\*d)**Maple [A]**

time = 0.02, size = 79, normalized size = 1.01

method	result	size
risch	$\frac{x}{a^3} + \frac{c}{a^3d} - \frac{2be^{-dx-c}+3a}{2a^2d(a+be^{-dx-c})^2} + \frac{\ln(e^{-dx-c}+\frac{a}{b})}{a^3d}$	77
derivativedivides	$-\frac{\frac{\ln(a+be^{-dx-c})}{a^3} + \frac{1}{a^2(a+be^{-dx-c})} + \frac{1}{2a(a+be^{-dx-c})^2} + \frac{\ln(e^{-dx-c})}{a^3}}{d}$	79
default	$-\frac{\frac{\ln(a+be^{-dx-c})}{a^3} + \frac{1}{a^2(a+be^{-dx-c})} + \frac{1}{2a(a+be^{-dx-c})^2} + \frac{\ln(e^{-dx-c})}{a^3}}{d}$	79
norman	$\frac{\frac{x}{a} + \frac{b^2xe^{-2dx-2c}}{a^3} + \frac{2bxe^{-dx-c}}{a^2} + \frac{2be^{-dx-c}}{a^2d} + \frac{3b^2e^{-2dx-2c}}{2a^3d}}{(a+be^{-dx-c})^2} + \frac{\ln(a+be^{-dx-c})}{a^3d}$	120

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(1/(a+b\*exp(-d\*x-c))^3,x,method=\_RETURNVERBOSE)**[Out]** -1/d\*(-1/a^3\*ln(a+b\*exp(-d\*x-c))+1/a^2/(a+b\*exp(-d\*x-c))+1/2/a/(a+b\*exp(-d\*x-c))^2+1/a^3\*ln(exp(-d\*x-c)))

**Maxima [A]**

time = 0.28, size = 92, normalized size = 1.18

$$-\frac{2be^{(-dx-c)} + 3a}{2(2a^3be^{(-dx-c)} + a^2b^2e^{(-2dx-2c)} + a^4)d} + \frac{dx+c}{a^3d} + \frac{\log(be^{(-dx-c)} + a)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="maxima")`

`[Out] -1/2*(2*b*e^(-d*x - c) + 3*a)/((2*a^3*b*e^(-d*x - c) + a^2*b^2*e^(-2*d*x - 2*c) + a^4)*d) + (d*x + c)/(a^3*d) + log(b*e^(-d*x - c) + a)/(a^3*d)`

**Fricas [A]**

time = 0.38, size = 140, normalized size = 1.79

$$\frac{2b^2dxe^{(-2dx-2c)} + 2a^2dx - 3a^2 + 2(2abdx - ab)e^{(-dx-c)} + 2(2abe^{(-dx-c)} + b^2e^{(-2dx-2c)} + a^2)\log(be^{(-dx-c)} + a)}{2(2a^4bde^{(-dx-c)} + a^3b^2de^{(-2dx-2c)} + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="fricas")`

`[Out] 1/2*(2*b^2*d*x*e^(-2*d*x - 2*c) + 2*a^2*d*x - 3*a^2 + 2*(2*a*b*d*x - a*b)*e^(-d*x - c) + 2*(2*a*b*e^(-d*x - c) + b^2*e^(-2*d*x - 2*c) + a^2)*log(b*e^(-d*x - c) + a))/(2*a^4*b*d*e^(-d*x - c) + a^3*b^2*d*e^(-2*d*x - 2*c) + a^5*d)`

**Sympy [A]**

time = 0.08, size = 85, normalized size = 1.09

$$\frac{-3a - 2be^{-c-dx}}{2a^4d + 4a^3bde^{-c-dx} + 2a^2b^2de^{-2c-2dx}} + \frac{x}{a^3} + \frac{\log\left(\frac{a}{b} + e^{-c-dx}\right)}{a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))**3,x)`

`[Out] (-3*a - 2*b*exp(-c - d*x))/(2*a**4*d + 4*a**3*b*d*exp(-c - d*x) + 2*a**2*b**2*d*exp(-2*c - 2*d*x)) + x/a**3 + log(a/b + exp(-c - d*x))/(a**3*d)`

**Giac [A]**

time = 1.76, size = 75, normalized size = 0.96

$$\frac{\frac{2(dx+c)}{a^3} + \frac{2\log(|be^{(-dx-c)}+a|)}{a^3} - \frac{2abe^{(-dx-c)}+3a^2}{(be^{(-dx-c)}+a)^2a^3}}{2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(a+b*exp(-d*x-c))^3,x, algorithm="giac")`

[Out]  $\frac{1}{2} \cdot \frac{2(dx + c)}{a^3} + \frac{2 \log(\text{abs}(b \cdot e^{-(dx - c)} + a))}{a^3} - \frac{(2ab \cdot e^{-(dx - c)} + 3a^2)}{(b \cdot e^{-(dx - c)} + a)^2 a^3} / d$

**Mupad [B]**

time = 3.70, size = 132, normalized size = 1.69

$$\frac{\frac{x}{a} + \frac{2be^{-c-dx}}{a^2 d} + \frac{b^2 x e^{-2c-2dx}}{a^3} + \frac{3b^2 e^{-2c-2dx}}{2a^3 d} + \frac{2bx e^{-c-dx}}{a^2}}{a^2 + 2e^{-c-dx} ab + e^{-2c-2dx} b^2} + \frac{\ln(a + b e^{-c} e^{-dx})}{a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*exp(- c - d*x))^3,x)`

[Out]  $(x/a + (2b \cdot \exp(-c - dx))/(a^2 d) + (b^2 x \cdot \exp(-2c - 2dx))/a^3 + (3b^2 \cdot \exp(-2c - 2dx))/(2a^3 d) + (2b \cdot x \cdot \exp(-c - dx))/a^2)/(a^2 + b^2 \cdot \exp(-2c - 2dx) + 2ab \cdot \exp(-c - dx)) + \log(a + b \cdot \exp(-c) \cdot \exp(-dx))/(a^3 d)$

### 3.25 $\int (a + b(F^{g(e+fx)})^n) (c + dx)^3 dx$

**Optimal.** Leaf size=153

$$\frac{a(c+dx)^4}{4d} - \frac{6bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{6bd^2(F^{eg+fgx})^n(c+dx)}{f^3g^3n^3\log^3(F)} - \frac{3bd(F^{eg+fgx})^n(c+dx)^2}{f^2g^2n^2\log^2(F)} + \frac{b(F^{eg+fgx})^n(c+dx)^3}{fgn\log(F)}$$

[Out]  $1/4*a*(d*x+c)^4/d-6*b*d^3*(F^(f*g*x+e*g))^n/f^4/g^4/n^4/\ln(F)^4+6*b*d^2*(F^(f*g*x+e*g))^n*(d*x+c)/f^3/g^3/n^3/\ln(F)^3-3*b*d*(F^(f*g*x+e*g))^n*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2+b*(F^(f*g*x+e*g))^n*(d*x+c)^3/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.17, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ ,

Rules used = {2214, 2207, 2225}

$$\frac{a(c+dx)^4}{4d} + \frac{6bd^2(c+dx)(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{3bd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{6bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*(F^(g*(e + f*x)))^n)*(c + d*x)^3,x]`

[Out]  $(a*(c + d*x)^4)/(4*d) - (6*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*\text{Log}[F]^4) + (6*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*\text{Log}[F]^3) - (3*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*\text{Log}[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*\text{Log}[F])$

Rule 2207

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(c + d*x)^m*((b*F^(g*(e + f*x)))^n/(f*g*n*Log[F])), x] - Dist[d*(m/(f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !TrueQ[$UseGamma]
```

Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]
```

Rule 2225

```
Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```



Rubi steps

$$\begin{aligned}
\int (a + b(F^{g(e+fx)})^n) (c + dx)^3 dx &= \int (a(c + dx)^3 + b(F^{eg+fgx})^n (c + dx)^3) dx \\
&= \frac{a(c + dx)^4}{4d} + b \int (F^{eg+fgx})^n (c + dx)^3 dx \\
&= \frac{a(c + dx)^4}{4d} + \frac{b(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} - \frac{(3bd) \int (F^{eg+fgx})^n (c + dx)^2 dx}{fgn \log(F)} \\
&= \frac{a(c + dx)^4}{4d} - \frac{3bd(F^{eg+fgx})^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} + \frac{6bd^2 \int (F^{eg+fgx})^n (c + dx) dx}{f^2 g^2 n^2 \log^2(F)} \\
&= \frac{a(c + dx)^4}{4d} + \frac{6bd^2 (F^{eg+fgx})^n (c + dx)}{f^3 g^3 n^3 \log^3(F)} - \frac{3bd(F^{eg+fgx})^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)} + \frac{3bd^3 \int (F^{eg+fgx})^n dx}{f^3 g^3 n^3 \log^3(F)} \\
&= \frac{a(c + dx)^4}{4d} - \frac{6bd^3 (F^{eg+fgx})^n}{f^4 g^4 n^4 \log^4(F)} + \frac{6bd^2 (F^{eg+fgx})^n (c + dx)}{f^3 g^3 n^3 \log^3(F)} - \frac{3bd(F^{eg+fgx})^n (c + dx)^2}{f^2 g^2 n^2 \log^2(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.29, size = 130, normalized size = 0.85

$$ac^3x + \frac{3}{2}ac^2dx^2 + acd^2x^3 + \frac{1}{4}ad^3x^4 + \frac{b(F^{g(e+fx)})^n (-6d^3 + 6d^2fgn(c+dx)\log(F) - 3df^2g^2n^2(c+dx)^2\log^2(F) + f^3g^3n^3(c+dx)^3\log^3(F))}{f^4g^4n^4\log^4(F)}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^3,x]

**[Out]** a\*c^3\*x + (3\*a\*c^2\*d\*x^2)/2 + a\*c\*d^2\*x^3 + (a\*d^3\*x^4)/4 + (b\*(F^(g\*(e + f\*x)))^n\*(-6\*d^3 + 6\*d^2\*f\*g\*n\*(c + d\*x)\*Log[F] - 3\*d\*f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2 + f^3\*g^3\*n^3\*(c + d\*x)^3\*Log[F]^3))/(f^4\*g^4\*n^4\*Log[F]^4)

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int (a + b(F^{g(fx+e)})^n) (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c)^3,x)**[Out]** int((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c)^3,x)**Maxima [A]**

time = 0.31, size = 292, normalized size = 1.91

$$\frac{1}{4}ad^3x^4 + acd^2x^3 + \frac{3}{2}ac^2dx^2 + ac^3x + \frac{F^{g(e+fx)}bc^3}{fgn \log(F)} + \frac{3(F^{g(e+fx)}fgnx \log(F) - F^{g(e+fx)}F^{g(e+fx)}bc^2d)}{f^2g^2n^2 \log(F)^2} + \frac{3(F^{g(e+fx)}f^2g^2n^2 \log(F)^2 - 2F^{g(e+fx)}fgnx \log(F) + 2F^{g(e+fx)}F^{g(e+fx)}bc^2d)}{f^3g^3n^3 \log(F)^3} + \frac{(F^{g(e+fx)}f^3g^3n^3 \log(F)^3 - 3F^{g(e+fx)}f^2g^2n^2 \log(F)^2 + 6F^{g(e+fx)}fgnx \log(F) - 6F^{g(e+fx)}F^{g(e+fx)}bc^2d)}{f^4g^4n^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)\*(d\*x+c)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4}a^4d^3x^4 + a^3cd^2x^3 + \frac{3}{2}a^2c^2dx^2 + a^2c^3x + F^{(fgnx + gne)} \frac{b^3c^3}{(fgn \log(F))} + 3(F^{(gne)} f g n x \log(F) - F^{(gne)}) F^{(fgnx)} \frac{b^2c^2d}{(f^2g^2n^2 \log(F)^2)} + 3(F^{(gne)} f^2g^2n^2x^2 \log(F)^2 - 2F^{(gne)} f g n x \log(F) + 2F^{(gne)}) F^{(fgnx)} \frac{b^2cd^2}{(f^3g^3n^3 \log(F)^3)} + (F^{(gne)} f^3g^3n^3x^3 \log(F)^3 - 3F^{(gne)} f^2g^2n^2x^2 \log(F)^2 + 6F^{(gne)} f g n x \log(F) - 6F^{(gne)}) F^{(fgnx)} \frac{bd^3}{(f^4g^4n^4 \log(F)^4)}$

**Fricas** [A]

time = 0.37, size = 268, normalized size = 1.75

$$\frac{(ad^3fg^3n^3x^4 + 4acd^2fg^3n^3x^3 + 6ac^2d^2fg^3n^3x^2 + 4ac^2fg^3n^3x) \log(F)^4 - 4(6bd^3 - (bd^3fg^3n^3x^2 + 3bcd^2fg^3n^3x + 3bc^2d^2fg^3n^3x + bc^2fg^3n^3) \log(F)^3 + 3(bd^3fg^3n^3x^2 + 2bcd^2fg^3n^3x + bc^2d^2fg^3n^3) \log(F)^2 - 6(bd^3fgnx + bcd^2fgn) \log(F)) F^{fmx+gnc}}{4f^4g^4n^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)\*(d\*x+c)^3,x, algorithm="fricas")

[Out]  $\frac{1}{4}((a^4d^3f^4g^4n^4x^4 + 4a^3c^2d^2f^4g^4n^4x^3 + 6a^2c^2d^2f^4g^4n^4x^2 + 4a^2c^3f^4g^4n^4x) \log(F)^4 - 4(6b^3d^3 - (b^3d^3f^3g^3n^3x^3 + 3b^2c^2d^2f^3g^3n^3x^2 + 3b^2c^2d^2f^3g^3n^3x + b^2c^3f^3g^3n^3) \log(F)^3 + 3(b^3d^3f^2g^2n^2x^2 + 2b^2c^2d^2f^2g^2n^2x + b^2c^2d^2f^2g^2n^2) \log(F)^2 - 6(b^3d^3f^2g^2n^2x + b^2c^2d^2f^2g^2n^2) \log(F)) F^{(fgnx + gne)}) / (f^4g^4n^4 \log(F)^4)$

**Sympy** [A]

time = 0.11, size = 332, normalized size = 2.17

$$ac^3x + \frac{3ac^2dx^2}{2} + acd^2x^3 + \frac{ad^3x^4}{4} + \begin{cases} \frac{(bc^3f^3g^3n^3 \log(F)^3 + 3bc^2d^2fg^3n^3 \log(F)^2 - 3bc^2d^2fg^3n^3 \log(F)^2 + 3bcd^2f^2g^3n^3 \log(F)^2 - 6bcd^2f^2g^3n^3 \log(F)^2 + 6bcd^2fgn \log(F) + bd^3f^2g^3n^3 \log(F)^3 - 3bd^3f^2g^3n^3 \log(F)^2 + 6bd^3fgnx \log(F) - 6bd^3) F^{(f+g)}}{f^4g^4n^4 \log(F)^4} & \text{for } f^4g^4n^4 \log(F)^4 \neq 0 \\ bc^3x + \frac{3bc^2dx^2}{2} + bcd^2x^3 + \frac{bd^3x^4}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*(d\*x+c)\*\*3,x)

[Out]  $a^3c^3x + 3a^2c^2d^2x^2/2 + a^2cd^2x^3 + a^2d^3x^4/4 + \text{Piecewise}(((b^3c^3f^3g^3n^3 \log(F)^3 + 3b^2c^2d^2f^3g^3n^3x \log(F)^3 - 3b^2c^2d^2f^3g^3n^3x^2 \log(F)^2 + 3b^2c^2d^2f^3g^3n^3x^2 \log(F)^2 * 3 - 6b^2c^2d^2f^3g^3n^3x \log(F)^2 + 6b^2c^2d^2f^3g^3n^3 \log(F) + b^2c^3f^3g^3n^3x^3 \log(F)^3 - 3b^2d^3f^3g^3n^3x^2 \log(F)^2 + 6b^2d^3f^3g^3n^3x \log(F) - 6b^2d^3) * (F**(g*(e + f*x)))) ** n / (f**4g**4n**4 \log(F)**4), \text{Ne}(f**4g**4n**4 \log(F)**4, 0)), (b^3c^3x + 3b^2c^2d^2x^2/2 + b^2cd^2x^3 + b^2d^3x^4/4, \text{True}))$

**Giac** [C] Result contains complex when optimal does not.

time = 2.96, size = 5726, normalized size = 37.42

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c)^3,x, algorithm="giac")

[Out]  $\frac{1}{4}a*d^3*x^4 + a*c*d^2*x^3 + \frac{3}{2}a*c^2*d*x^2 + a*c^3*x - (((3*\pi^2*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F)) + 2*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^3 + 9*\pi^2*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 9*\pi^2*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F)) + 6*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))^3 + 9*\pi^2*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))*\text{sgn}(F) - 9*\pi^2*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F)) + 6*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))^3 + 3*\pi^2*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F)) + 2*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))^3 - 3*\pi^2*b*d^3*f^2*g^2*n^2*x^2*\text{sgn}(F) + 3*\pi^2*b*d^3*f^2*g^2*n^2*x^2 - 6*b*d^3*f^2*g^2*n^2*x^2*\log(\text{abs}(F))^2 - 6*\pi^2*b*c*d^2*f^2*g^2*n^2*x*\text{sgn}(F) + 6*\pi^2*b*c*d^2*f^2*g^2*n^2*x - 12*b*c*d^2*f^2*g^2*n^2*x*\log(\text{abs}(F))^2 - 3*\pi^2*b*c^2*d*f^2*g^2*n^2*\text{sgn}(F) + 3*\pi^2*b*c^2*d*f^2*g^2*n^2 - 6*b*c^2*d*f^2*g^2*n^2*\log(\text{abs}(F))^2 + 12*b*d^3*f*g*n*x*\log(\text{abs}(F)) + 12*b*c*d^2*f*g*n*\log(\text{abs}(F)) - 12*b*d^3)*(pi^4*f^4*g^4*n^4*\text{sgn}(F) - 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^4*f^4*g^4*n^4 + 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2 - 2*f^4*g^4*n^4*\log(\text{abs}(F))^4)/((pi^4*f^4*g^4*n^4*\text{sgn}(F) - 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^4*f^4*g^4*n^4 + 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2 - 2*f^4*g^4*n^4*\log(\text{abs}(F))^4)^2 + 16*(pi^3*f^4*g^4*n^4*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^4*g^4*n^4*\log(\text{abs}(F))^3*\text{sgn}(F) - pi^3*f^4*g^4*n^4*\log(\text{abs}(F)) + pi*f^4*g^4*n^4*\log(\text{abs}(F)))^3)^2) - 4*(pi^3*b*d^3*f^3*g^3*n^3*x^3*\text{sgn}(F) - 3*\pi*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^3*b*d^3*f^3*g^3*n^3*x^3 + 3*\pi*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^2 + 3*\pi^3*b*c*d^2*f^3*g^3*n^3*x^2*\text{sgn}(F) - 9*\pi*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))^2*\text{sgn}(F) - 3*\pi^3*b*c*d^2*f^3*g^3*n^3*x^2 + 9*\pi*b*c*d^2*f^3*g^3*n^3*x^2*\log(\text{abs}(F))^2 + 3*\pi^3*b*c^2*d*f^3*g^3*n^3*x*\text{sgn}(F) - 9*\pi*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))^2*\text{sgn}(F) - 3*\pi^3*b*c^2*d*f^3*g^3*n^3*x + 9*\pi*b*c^2*d*f^3*g^3*n^3*x*\log(\text{abs}(F))^2 + pi^3*b*c^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^3*b*c^3*f^3*g^3*n^3 + 3*\pi*b*c^3*f^3*g^3*n^3*\log(\text{abs}(F))^2 + 6*\pi*b*d^3*f^2*g^2*n^2*x^2*\log(\text{abs}(F))*\text{sgn}(F) - 6*\pi*b*d^3*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) + 12*\pi*b*c*d^2*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - 12*\pi*b*c*d^2*f^2*g^2*n^2*x*\log(\text{abs}(F)) + 6*\pi*b*c^2*d*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - 6*\pi*b*c^2*d*f^2*g^2*n^2*\log(\text{abs}(F)) - 6*\pi*b*d^3*f*g*n*x*\text{sgn}(F) + 6*\pi*b*d^3*f*g*n*x - 6*\pi*b*c*d^2*f*g*n*\text{sgn}(F) + 6*\pi*b*c*d^2*f*g*n)*(pi^3*f^4*g^4*n^4*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^4*g^4*n^4*\log(\text{abs}(F))^3*\text{sgn}(F) - pi^3*f^4*g^4*n^4*\log(\text{abs}(F)) + pi*f^4*g^4*n^4*\log(\text{abs}(F))^3)/((pi^4*f^4*g^4*n^4*\text{sgn}(F) - 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^4*f^4*g^4*n^4 + 6*\pi^2*f^4*g^4*n^4*\log(\text{abs}(F))^2 - 2*f^4*g^4*n^4*\log(\text{abs}(F))^4)^2 + 16*(pi^3*f^4*g^4*n^4*\log(\text{abs}(F))*\text{sgn}(F) - pi*f^4*g^4*n^4*\log(\text{abs}(F))^3*\text{sgn}(F) - pi^3*f^4*g^4*n^4*\log(\text{abs}(F)) + pi*f^4*g^4*n^4*\log(\text{abs}(F))^3)^2))*cos(-1/2*pi*f*g*n*x*\text{sgn}(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*\text{sgn}(F) + 1/2*pi*g*n*e) - ((pi^3*b*d^3*f^3*g^3*n^3*x^3*\text{sgn}(F) - 3*\pi*b*d^3*f^3*g^3*n^3*x^3*\log(\text{abs}(F))^2*\text{sgn}(F) - pi^3*b*d^3*f^3*g^3*n^3*x^3 + 3$

$$\begin{aligned} & \pi^3 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F))^2 + 3\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \text{sgn}(F) - 9\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 \text{sgn}(F) - 3\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 + 9\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 + 3\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x \text{sgn}(F) - 9\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 \text{sgn}(F) - 3\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x + 9\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 + \pi^3 b^3 c^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^3 b^3 c^3 f^3 g^3 n^3 + 3\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 + 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 12\pi^3 b^3 c^3 d^2 f^2 g^2 n^2 x \log(\text{abs}(F)) \text{sgn}(F) - 12\pi^3 b^3 c^3 d^2 f^2 g^2 n^2 x \log(\text{abs}(F)) + 6\pi^3 b^3 c^3 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - 6\pi^3 b^3 c^3 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) - 6\pi^3 b^3 d^3 f^3 g^3 n^3 \text{sgn}(F) + 6\pi^3 b^3 d^3 f^3 g^3 n^3 x - 6\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 \text{sgn}(F) + 6\pi^3 b^3 c^3 d^2 f^3 g^3 n^3 (\pi^4 f^4 g^4 n^4 \text{sgn}(F) - 6\pi^4 f^4 g^4 n^4 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^4 f^4 g^4 n^4 + 6\pi^4 f^4 g^4 n^4 \log(\text{abs}(F))^2 - 2f^4 g^4 n^4 \log(\text{abs}(F))^4) / ((\pi^4 f^4 g^4 n^4 \text{sgn}(F) - 6\pi^4 f^4 g^4 n^4 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^4 f^4 g^4 n^4 + 6\pi^4 f^4 g^4 n^4 \log(\text{abs}(F))^2 - 2f^4 g^4 n^4 \log(\text{abs}(F))^4)^2 + 16(\pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3 \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) + \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3)^2) + 4(3\pi^2 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F)) + 2b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F))^3 + 9\pi^2 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 9\pi^2 b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F)) + 6b^3 c^3 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^3 + 9\pi^2 b^3 c^3 d^2 f^3 g^3 n^3 x \log(\text{abs}(F)) \text{sgn}(F) - 9\pi^2 b^3 c^3 d^2 f^3 g^3 n^3 x \log(\text{abs}(F)) + 6b^3 c^3 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^3 + 3\pi^2 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F)) + 2b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^3 - 3\pi^2 b^3 d^3 f^2 g^2 n^2 x^2 \text{sgn}(F) + 3\pi^2 b^3 d^3 f^2 g^2 n^2 \dots \end{aligned}$$

Mupad [B]

time = 3.81, size = 225, normalized size = 1.47

$$\frac{a^2 x^4}{4} - (F^{f^2} F^{e^2})^n \left( \frac{b(-c^3 f^3 g^3 n^3 \ln(F)^3 + 3c^2 d f^2 g^2 n^2 \ln(F)^2 - 6c d^2 f g n \ln(F) + 6d^3)}{f^4 g^4 n^4 \ln(F)^4} - \frac{b d^2 x^3}{f g n \ln(F)} - \frac{3b d x (c^2 f^2 g^2 n^2 \ln(F)^2 - 2c d f g n \ln(F) + 2d^2)}{f^3 g^3 n^3 \ln(F)^3} + \frac{3b d^2 x^2 (d - c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} \right) + a c^3 x + \frac{3a c^2 d x^2}{2} + a c d^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^3,x)

[Out] (a\*d^3\*x^4)/4 - (F^(f\*g\*x)\*F^(e\*g))^n\*((b\*(6\*d^3 - c^3\*f^3\*g^3\*n^3\*log(F)^3 - 6\*c\*d^2\*f\*g\*n\*log(F) + 3\*c^2\*d\*f^2\*g^2\*n^2\*log(F)^2))/(f^4\*g^4\*n^4\*log(F)^4) - (b\*d^3\*x^3)/(f\*g\*n\*log(F)) - (3\*b\*d\*x\*(2\*d^2 + c^2\*f^2\*g^2\*n^2\*log(F)^2 - 2\*c\*d\*f\*g\*n\*log(F)))/(f^3\*g^3\*n^3\*log(F)^3) + (3\*b\*d^2\*x^2\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2) + a\*c^3\*x + (3\*a\*c^2\*d\*x^2)/2 + a\*c\*d^2\*x^3

### 3.26 $\int (a + b(F^{g(e+fx)})^n) (c + dx)^2 dx$

Optimal. Leaf size=115

$$\frac{a(c+dx)^3}{3d} + \frac{2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{2bd(F^{eg+fgx})^n(c+dx)}{f^2g^2n^2\log^2(F)} + \frac{b(F^{eg+fgx})^n(c+dx)^2}{fgn\log(F)}$$

[Out]  $1/3*a*(d*x+c)^3/d+2*b*d^2*(F^{(f*g*x+e*g)})^n/f^3/g^3/n^3/\ln(F)^3-2*b*d*(F^{(f*g*x+e*g)})^n*(d*x+c)/f^2/g^2/n^2/\ln(F)^2+b*(F^{(f*g*x+e*g)})^n*(d*x+c)^2/f/g/n/\ln(F)$

Rubi [A]

time = 0.11, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2214, 2207, 2225}

$$\frac{a(c+dx)^3}{3d} - \frac{2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^2,x]

[Out]  $(a*(c+d*x)^3)/(3*d) + (2*b*d^2*(F^{(e*g+f*g*x)})^n)/(f^3*g^3*n^3*\text{Log}[F]^3) - (2*b*d*(F^{(e*g+f*g*x)})^n*(c+d*x))/(f^2*g^2*n^2*\text{Log}[F]^2) + (b*(F^{(e*g+f*g*x)})^n*(c+d*x)^2)/(f*g*n*\text{Log}[F])$

Rule 2207

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2225

Int[(F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
\int (a + b(F^{g(e+fx)})^n) (c + dx)^2 dx &= \int (a(c + dx)^2 + b(F^{eg+fgx})^n (c + dx)^2) dx \\
&= \frac{a(c + dx)^3}{3d} + b \int (F^{eg+fgx})^n (c + dx)^2 dx \\
&= \frac{a(c + dx)^3}{3d} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} - \frac{(2bd) \int (F^{eg+fgx})^n (c + dx) dx}{fgn \log(F)} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2bd(F^{eg+fgx})^n (c + dx)}{f^2 g^2 n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} + \frac{(2bd) \int (F^{eg+fgx})^n (c + dx) dx}{fgn \log(F)} \\
&= \frac{a(c + dx)^3}{3d} + \frac{2bd^2(F^{eg+fgx})^n}{f^3 g^3 n^3 \log^3(F)} - \frac{2bd(F^{eg+fgx})^n (c + dx)}{f^2 g^2 n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)}
\end{aligned}$$

Mathematica [A]

time = 0.23, size = 91, normalized size = 0.79

$$ac^2x + acdx^2 + \frac{1}{3}ad^2x^3 + \frac{b(F^{g(e+fx)})^n (2d^2 - 2dfgn(c + dx) \log(F) + f^2 g^2 n^2 (c + dx)^2 \log^2(F))}{f^3 g^3 n^3 \log^3(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x)^2,x]`

```
[Out] a*c^2*x + a*c*d*x^2 + (a*d^2*x^3)/3 + (b*(F^(g*(e + f*x))))^n*(2*d^2 - 2*d*f
*g*n*(c + d*x)*Log[F] + f^2*g^2*n^2*(c + d*x)^2*Log[F]^2)/(f^3*g^3*n^3*Log
[F]^3)
```

Maple [A]

time = 0.06, size = 163, normalized size = 1.42

method	result
norman	$a c^2 x + a c d x^2 + \frac{b(\ln(F)^2 c^2 f^2 g^2 n^2 - 2 \ln(F) c d f g n + 2 d^2) e^{n \ln(e^{g(fx+e)} \ln(F))}}{\ln(F)^3 f^3 g^3 n^3} + \frac{b d^2 x^2 e^{n \ln(e^{g(fx+e)} \ln(F))}}{n g f \ln(F)} + \frac{a d^2 x^3}{3} + \frac{2 b d \int (F^{eg+fgx})^n (c + dx) dx}{f g n \log(F)}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^2,x,method=_RETURNVERBOSE)`

```
[Out] a*c^2*x+a*c*d*x^2+b*(ln(F)^2*c^2*f^2*g^2*n^2-2*ln(F)*c*d*f*g*n+2*d^2)/ln(F)
^3/f^3/g^3/n^3*exp(n*ln(exp(g*(f*x+e)*ln(F))))+1/n/g/f/ln(F)*b*d^2*x^2*exp(
n*ln(exp(g*(f*x+e)*ln(F))))+1/3*a*d^2*x^3+2*b*d*(ln(F)*c*f*g*n-d)/ln(F)^2/f
^2/g^2/n^2*x*exp(n*ln(exp(g*(f*x+e)*ln(F))))
```

**Maxima [A]**

time = 0.29, size = 177, normalized size = 1.54

$$\frac{1}{3}ad^2x^3 + acdx^2 + ac^2x + \frac{F^{fgnx+gne}bc^2}{fgn \log(F)} + \frac{2(F^{gne}fgnx \log(F) - F^{gne})F^{fgnx}bcd}{f^2g^2n^2 \log(F)^2} + \frac{(F^{gne}f^2g^2n^2x^2 \log(F)^2 - 2F^{gne}fgnx \log(F) + 2F^{gne})F^{fgnx}bd^2}{f^3g^3n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*(F^(g\*(f\*x+e))))^n)\*(d\*x+c)^2,x, algorithm="maxima")

**[Out]** 1/3\*a\*d^2\*x^3 + a\*c\*d\*x^2 + a\*c^2\*x + F^(f\*g\*n\*x + g\*n\*e)\*b\*c^2/(f\*g\*n\*log(F)) + 2\*(F^(g\*n\*e)\*f\*g\*n\*x\*log(F) - F^(g\*n\*e))\*F^(f\*g\*n\*x)\*b\*c\*d/(f^2\*g^2\*n^2\*log(F)^2) + (F^(g\*n\*e)\*f^2\*g^2\*n^2\*x^2\*log(F)^2 - 2\*F^(g\*n\*e)\*f\*g\*n\*x\*log(F) + 2\*F^(g\*n\*e))\*F^(f\*g\*n\*x)\*b\*d^2/(f^3\*g^3\*n^3\*log(F)^3)

**Fricas [A]**

time = 0.41, size = 167, normalized size = 1.45

$$\frac{(ad^2f^3g^3n^3x^3 + 3acdf^3g^3n^3x^2 + 3ac^2f^3g^3n^3x) \log(F)^3 + 3(2bd^2 + (bd^2f^2g^2n^2x^2 + 2bcdf^2g^2n^2x + bc^2f^2g^2n^2) \log(F)^2 - 2(bd^2fgnx + bcdfgn) \log(F))F^{fgnx+gne}}{3f^3g^3n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*(F^(g\*(f\*x+e))))^n)\*(d\*x+c)^2,x, algorithm="fricas")

**[Out]** 1/3\*((a\*d^2\*f^3\*g^3\*n^3\*x^3 + 3\*a\*c\*d\*f^3\*g^3\*n^3\*x^2 + 3\*a\*c^2\*f^3\*g^3\*n^3\*x)\*log(F)^3 + 3\*(2\*b\*d^2 + (b\*d^2\*f^2\*g^2\*n^2\*x^2 + 2\*b\*c\*d\*f^2\*g^2\*n^2\*x + b\*c^2\*f^2\*g^2\*n^2)\*log(F)^2 - 2\*(b\*d^2\*f\*g\*n\*x + b\*c\*d\*f\*g\*n)\*log(F))\*F^(f\*g\*n\*x + g\*n\*e))/(f^3\*g^3\*n^3\*log(F)^3)

**Sympy [A]**

time = 0.09, size = 196, normalized size = 1.70

$$ac^2x + acdx^2 + \frac{ad^2x^3}{3} + \begin{cases} \frac{(bc^2f^2g^2n^2 \log(F)^2 + 2bcdf^2g^2n^2x \log(F)^2 - 2bcdfgn \log(F) + bd^2f^2g^2n^2x^2 \log(F)^2 - 2bd^2fgnx \log(F) + 2bd^2)(F^{g(e+fx)})^n}{f^3g^3n^3 \log(F)^3} & \text{for } f^3g^3n^3 \log(F)^3 \neq 0 \\ bc^2x + bc dx^2 + \frac{bd^2x^3}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*(d\*x+c)\*\*2,x)

**[Out]** a\*c\*\*2\*x + a\*c\*d\*x\*\*2 + a\*d\*\*2\*x\*\*3/3 + Piecewise(((b\*c\*\*2\*f\*\*2\*g\*\*2\*n\*\*2\*log(F)\*\*2 + 2\*b\*c\*d\*f\*\*2\*g\*\*2\*n\*\*2\*x\*log(F)\*\*2 - 2\*b\*c\*d\*f\*g\*n\*log(F) + b\*d\*\*2\*f\*\*2\*g\*\*2\*n\*\*2\*x\*\*2\*log(F)\*\*2 - 2\*b\*d\*\*2\*f\*g\*n\*x\*log(F) + 2\*b\*d\*\*2)\*(F\*\*(g\*(e + f\*x))))\*\*n/(f\*\*3\*g\*\*3\*n\*\*3\*log(F)\*\*3), Ne(f\*\*3\*g\*\*3\*n\*\*3\*log(F)\*\*3, 0)), (b\*c\*\*2\*x + b\*c\*d\*x\*\*2 + b\*d\*\*2\*x\*\*3/3, True))

**Giac [C]** Result contains complex when optimal does not.

time = 2.33, size = 2726, normalized size = 23.70

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c)^2,x, algorithm="giac")

[Out]  $\frac{1}{3}a*d^2*x^3 + a*c*d*x^2 + a*c^2*x - ((2*(\pi*b*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F)))*\text{sgn}(F) - \pi*b*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) + 2*\pi*b*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - 2*\pi*b*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F)) + \pi*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F)) - \pi*b*d^2*f*g*n*x*\text{sgn}(F) + \pi*b*d^2*f*g*n*x - \pi*b*c*d*f*g*n*\text{sgn}(F) + \pi*b*c*d*f*g*n)*( \pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3*n^3 *g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2)/((\pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi *f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log (\text{abs}(F))^2)^2 + (3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3 * \log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2) - (\pi^2*b*d^2*f^2*g^2*n^2*x^2 * \text{sgn}(F) - \pi^2*b*d^2*f^2*g^2*n^2*x^2 + 2*b*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) ^2 + 2*\pi^2*b*c*d*f^2*g^2*n^2*x*\text{sgn}(F) - 2*\pi^2*b*c*d*f^2*g^2*n^2*x + 4*b*c *d*f^2*g^2*n^2*x*\log(\text{abs}(F))^2 + \pi^2*b*c^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*b*c^2 *f^2*g^2*n^2 + 2*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F))^2 - 4*b*d^2*f*g*n*x*\log(\text{abs}( F)) - 4*b*c*d*f*g*n*\log(\text{abs}(F)) + 4*b*d^2)*(3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))* \text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)/((\pi ^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3 *n^3 + 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2)^2 + (3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) * \text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2)) * \cos(-1/2*\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2*\pi *g*n*e) - ((\pi^2*b*d^2*f^2*g^2*n^2*x^2*\text{sgn}(F) - \pi^2*b*d^2*f^2*g^2*n^2*x^2 + 2*b*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F))^2 + 2*\pi^2*b*c*d*f^2*g^2*n^2*x*\text{sgn}(F) - 2*\pi^2*b*c*d*f^2*g^2*n^2*x + 4*b*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F))^2 + \pi^2*b *c^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*b*c^2*f^2*g^2*n^2 + 2*b*c^2*f^2*g^2*n^2*\log (\text{abs}(F))^2 - 4*b*d^2*f*g*n*x*\log(\text{abs}(F)) - 4*b*c*d*f*g*n*\log(\text{abs}(F)) + 4*b *d^2)*(\pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3 *f^3*g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log(\text{abs}(F))^2)/((\pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi *f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log (\text{abs}(F))^2)^2 + (3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3 * \log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2) + 2*(\pi*b*d^2*f^2*g^2*n^2 *x^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*b*d^2*f^2*g^2*n^2*x^2*\log(\text{abs}(F)) + 2*\pi*b*c *d*f^2*g^2*n^2*x*\log(\text{abs}(F))*\text{sgn}(F) - 2*\pi*b*c*d*f^2*g^2*n^2*x*\log(\text{abs}(F)) + \pi*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*b*c^2*f^2*g^2*n^2*\log(\text{abs}(F)) - \pi*b*d^2*f*g*n*x*\text{sgn}(F) + \pi*b*d^2*f*g*n*x - \pi*b*c*d*f*g*n*\text{sgn}(F) + \pi *b*c*d*f*g*n)*(3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)/((\pi^3*f^3*g^3*n^3*\text{sgn}(F) - 3*\pi *f^3*g^3*n^3*\log(\text{abs}(F))^2*\text{sgn}(F) - \pi^3*f^3*g^3*n^3 + 3*\pi*f^3*g^3*n^3*\log (\text{abs}(F))^2)^2 + (3*\pi^2*f^3*g^3*n^3*\log(\text{abs}(F))*\text{sgn}(F) - 3*\pi^2*f^3*g^3*n^3 * \log(\text{abs}(F)) + 2*f^3*g^3*n^3*\log(\text{abs}(F))^3)^2))*\sin(-1/2*\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2*\pi*g*n*e))*e^(f*g*n*x*\log(\text{abs}(F))) + g*n*e*\log(\text{abs}(F))) - 2*I*((-I*\pi^2*b*d^2*f^2*g^2*n^2*x^2*\text{sgn}(F) + 2*\pi$



```

*b*d^2*f^2*g^2*n^2*x^2*log(abs(F))*sgn(F) + I*pi^2*b*d^2*f^2*g^2*n^2*x^2 -
2*pi*b*d^2*f^2*g^2*n^2*x^2*log(abs(F)) - 2*I*b*d^2*f^2*g^2*n^2*x^2*log(abs(
F))^2 - 2*I*pi^2*b*c*d*f^2*g^2*n^2*x*sgn(F) + 4*pi*b*c*d*f^2*g^2*n^2*x*log(
abs(F))*sgn(F) + 2*I*pi^2*b*c*d*f^2*g^2*n^2*x - 4*pi*b*c*d*f^2*g^2*n^2*x*lo
g(abs(F)) - 4*I*b*c*d*f^2*g^2*n^2*x*log(abs(F))^2 - I*pi^2*b*c^2*f^2*g^2*n^
2*sgn(F) + 2*pi*b*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) + I*pi^2*b*c^2*f^2*g^2
*n^2 - 2*pi*b*c^2*f^2*g^2*n^2*log(abs(F)) - 2*I*b*c^2*f^2*g^2*n^2*log(abs(F
))^2 - 2*pi*b*d^2*f*g*n*x*sgn(F) + 2*pi*b*d^2*f*g*n*x + 4*I*b*d^2*f*g*n*x*l
og(abs(F)) - 2*pi*b*c*d*f*g*n*sgn(F) + 2*pi*b*c*d*f*g*n + 4*I*b*c*d*f*g*n*l
og(abs(F)) - 4*I*b*d^2)*e^(1/2*I*pi*f*g*n*x*sgn(F) - 1/2*I*pi*f*g*n*x + 1/2
*I*pi*g*n*e*sgn(F) - 1/2*I*pi*g*n*e)/(-4*I*pi^3*f^3*g^3*n^3*sgn(F) + 12*pi^
2*f^3*g^3*n^3*log(abs(F))*sgn(F) + 12*I*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F)
+ 4*I*pi^3*f^3*g^3*n^3 - 12*pi^2*f^3*g^3*n^3*log(abs(F)) - 12*I*pi*f^3*g^3
*n^3*log(abs(F))^2 + 8*f^3*g^3*n^3*log(abs(F))^3) - (-I*pi^2*b*d^2*f^2*g^2*
n^2*x^2*sgn(F) - 2*pi*b*d^2*f^2*g^2*n^2*x^2*log(abs(F))*sgn(F) + I*pi^2*b*d
^2*f^2*g^2*n^2*x^2 + 2*pi*b*d^2*f^2*g^2*n^2*x^2*log(abs(F)) - 2*I*b*d^2*f^2
*g^2*n^2*x^2*log(abs(F))^2 - 2*I*pi^2*b*c*d*f^2*g^2*n^2*x*sgn(F) - 4*pi*b*c
*d*f^2*g^2*n^2*x*log(abs(F))*sgn(F) + 2*I*pi^2*b*c*d*f^2*g^2*n^2*x + 4*pi*b
*c*d*f^2*g^2*n^2*x*log(abs(F)) - 4*I*b*c*d*f^2*g^2*n^2*x*log(abs(F))^2 - I*
pi^2*b*c^2*f^2*g^2*n^2*sgn(F) - 2*pi*b*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) +
I*pi^2*b*c^2*f^2*g^2*n^2 + 2*pi*b*c^2*f^2*g^2*n^2*log(abs(F)) - 2*I*b*c^2*
f^2*g^2*n^2*log(abs(F))^2 + 2*pi*b*d^2*f*g*n*x*sgn(F) - 2*pi*b*d^2*f*g*n*x
+ 4*I*b*d^2*f*g*n*x*log(abs(F)) + 2*pi*b*c*d*f*g*n*sgn(F) - 2*pi*b*c*d*f*g*
n + 4*I*b*c*d*f*g*n*log(abs(F)) - 4*I*b*d^2)*e^(-1/2*I*pi*f*g*n*x*sgn(F) +
1/2*I*pi*f*g*n*x - 1/2*I*pi*g*n*e*sgn(F) + 1/2*I*pi*g*n*e)/(4*I*pi^3*f^3*g^
3*n^3*sgn(F) + 12*pi^2*f^3*g^3*n^3*log(abs(F)))*...

```

**Mupad [B]**

time = 3.67, size = 135, normalized size = 1.17

$$(F^{fgx} F^{eg})^n \left( \frac{b(c^2 f^2 g^2 n^2 \ln(F)^2 - 2cdfgn \ln(F) + 2d^2)}{f^3 g^3 n^3 \ln(F)^3} + \frac{bd^2 x^2}{fgn \ln(F)} - \frac{2bdx(d - c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} \right) + \frac{ad^2 x^3}{3} + ac^2 x + acd x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^2,x)

[Out] (F^(f\*g\*x)\*F^(e\*g))^n\*((b\*(2\*d^2 + c^2\*f^2\*g^2\*n^2\*log(F)^2 - 2\*c\*d\*f\*g\*n\*log(F)))/(f^3\*g^3\*n^3\*log(F)^3) + (b\*d^2\*x^2)/(f\*g\*n\*log(F)) - (2\*b\*d\*x\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2)) + (a\*d^2\*x^3)/3 + a\*c^2\*x + a\*c\*d\*x^2

### 3.27 $\int (a + b(F^{g(e+fx)})^n) (c + dx) dx$

Optimal. Leaf size=77

$$\frac{a(c + dx)^2}{2d} - \frac{bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)}{fgn \log(F)}$$

[Out]  $1/2*a*(d*x+c)^2/d-b*d*(F^(f*g*x+e*g))^n/f^2/g^2/n^2/\ln(F)^2+b*(F^(f*g*x+e*g))^n*(d*x+c)/f/g/n/\ln(F)$

Rubi [A]

time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2214, 2207, 2225}

$$\frac{a(c + dx)^2}{2d} + \frac{b(c + dx) (F^{eg+fgx})^n}{fgn \log(F)} - \frac{bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x),x]

[Out]  $(a*(c + d*x)^2)/(2*d) - (b*d*(F^(e*g + f*g*x))^n)/(f^2*g^2*n^2*\text{Log}[F]^2) + (b*(F^(e*g + f*g*x))^n*(c + d*x))/(f*g*n*\text{Log}[F])$

Rule 2207

Int[((b\_)\*(F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2225

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
\int \left( a + b(F^{g(e+fx)})^n \right) (c + dx) dx &= \int (a(c + dx) + b(F^{eg+fgx})^n (c + dx)) dx \\
&= \frac{a(c + dx)^2}{2d} + b \int (F^{eg+fgx})^n (c + dx) dx \\
&= \frac{a(c + dx)^2}{2d} + \frac{b(F^{eg+fgx})^n (c + dx)}{fgn \log(F)} - \frac{(bd) \int (F^{eg+fgx})^n dx}{fgn \log(F)} \\
&= \frac{a(c + dx)^2}{2d} - \frac{bd(F^{eg+fgx})^n}{f^2 g^2 n^2 \log^2(F)} + \frac{b(F^{eg+fgx})^n (c + dx)}{fgn \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.20, size = 73, normalized size = 0.95

$$\frac{1}{2}ax(2c + dx) - \frac{bd(F^{g(e+fx)})^n}{f^2 g^2 n^2 \log^2(F)} + \frac{b(F^{g(e+fx)})^n (c + dx)}{fgn \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)*(c + d*x), x]`

```
[Out] (a*x*(2*c + d*x))/2 - (b*d*(F^(g*(e + f*x)))^n)/(f^2*g^2*n^2*Log[F]^2) + (b*(F^(g*(e + f*x)))^n*(c + d*x))/(f*g*n*Log[F])
```

**Maple [A]**

time = 0.02, size = 84, normalized size = 1.09

method	result	size
norman	$cax + \frac{b(\ln(F)cfgn-d)e^{n \ln(e^{g(fx+e)} \ln(F))}}{n^2 g^2 f^2 \ln(F)^2} + \frac{bdx e^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)} + \frac{adx^2}{2}$	84

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e)))^n)*(d*x+c), x, method=_RETURNVERBOSE)`

```
[Out] c*a*x+b*(ln(F)*c*f*g*n-d)/n^2/g^2/f^2/ln(F)^2*exp(n*ln(exp(g*(f*x+e)*ln(F))))+1/n/g/f/ln(F)*b*d*x*exp(n*ln(exp(g*(f*x+e)*ln(F))))+1/2*a*d*x^2
```

**Maxima [A]**

time = 0.30, size = 88, normalized size = 1.14

$$\frac{1}{2}adx^2 + acx + \frac{Ffgnx+gnebc}{fgn \log(F)} + \frac{(Fgne fgnx \log(F) - Fgne)Ffgnxbd}{f^2 g^2 n^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c),x, algorithm="maxima")

[Out]  $\frac{1}{2}a*d*x^2 + a*c*x + F^{(f*g*n*x + g*n*e)*b*c/(f*g*n*\log(F)) + (F^{(g*n*e)*f*g*n*x*\log(F)} - F^{(g*n*e)})*F^{(f*g*n*x)*b*d}/(f^2*g^2*n^2*\log(F)^2)}$

**Fricas** [A]

time = 0.35, size = 88, normalized size = 1.14

$$\frac{(adf^2g^2n^2x^2 + 2acf^2g^2n^2x)\log(F)^2 - 2(bd - (bdfgnx + bcfgn)\log(F))F^{fgnx+gne}}{2f^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c),x, algorithm="fricas")

[Out]  $\frac{1}{2}*((a*d*f^2*g^2*n^2*x^2 + 2*a*c*f^2*g^2*n^2*x)*\log(F)^2 - 2*(b*d - (b*d*f*g*n*x + b*c*f*g*n)*\log(F))*F^{(f*g*n*x + g*n*e)})/(f^2*g^2*n^2*\log(F)^2)$

**Sympy** [A]

time = 0.06, size = 94, normalized size = 1.22

$$acx + \frac{adx^2}{2} + \begin{cases} \frac{(bcfgn\log(F)+bdfgnx\log(F)-bd)(F^{g(e+fx)})^n}{f^2g^2n^2\log(F)^2} & \text{for } f^2g^2n^2\log(F)^2 \neq 0 \\ bcx + \frac{bdx^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*(d\*x+c),x)

[Out]  $a*c*x + a*d*x**2/2 + \text{Piecewise}(((b*c*f*g*n*\log(F) + b*d*f*g*n*x*\log(F) - b*d)*(F**(g*(e + f*x))))**n/(f**2*g**2*n**2*\log(F)**2), \text{Ne}(f**2*g**2*n**2*\log(F)**2, 0)), (b*c*x + b*d*x**2/2, \text{True}))$

**Giac** [C] Result contains complex when optimal does not.

time = 3.43, size = 1111, normalized size = 14.43

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)\*(d\*x+c),x, algorithm="giac")

[Out]  $\frac{1}{2}a*d*x^2 + a*c*x + (2*((\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))*(\pi*b*d*f*g*n*x*\text{sgn}(F) - \pi*b*d*f*g*n*x + \pi*b*c*f*g*n*\text{sgn}(F) - \pi*b*c*f*g*n))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2) + (\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)*(b*d*f*g*n*x*\log(\text{abs}(F)) + b*c*f*g*n*\log(\text{abs}(F)) - b*d))/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F)))^2}$

$$\begin{aligned}
& 2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2 \\
& )*\cos(-1/2*\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2* \\
& \pi*g*n*e) + ((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log \\
& (\text{abs}(F))^2)*(\pi*b*d*f*g*n*x*\text{sgn}(F) - \pi*b*d*f*g*n*x + \pi*b*c*f*g*n*\text{sgn}(F) \\
& - \pi*b*c*f*g*n)/((\pi^2*f^2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2* \\
& 2*\log(\text{abs}(F))^2)^2 + 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2* \\
& \log(\text{abs}(F)))^2) - 4*(\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log \\
& (\text{abs}(F)))*(b*d*f*g*n*x*\log(\text{abs}(F)) + b*c*f*g*n*\log(\text{abs}(F)) - b*d)/((\pi^2*f^ \\
& 2*g^2*n^2*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)^2 + 4*(\pi \\
& i*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi*f^2*g^2*n^2*\log(\text{abs}(F)))^2)*\sin(-1/2 \\
& *\pi*f*g*n*x*\text{sgn}(F) + 1/2*\pi*f*g*n*x - 1/2*\pi*g*n*e*\text{sgn}(F) + 1/2*\pi*g*n*e))* \\
& e^{(f*g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))} - 1/2*I*((\pi*b*d*f*g*n*x*\text{sgn}(F) \\
& - \pi*b*d*f*g*n*x - 2*I*b*d*f*g*n*x*\log(\text{abs}(F)) + \pi*b*c*f*g*n*\text{sgn}(F) - \pi* \\
& b*c*f*g*n - 2*I*b*c*f*g*n*\log(\text{abs}(F)) + 2*I*b*d)*e^{(1/2*I*\pi*f*g*n*x*\text{sgn}(F) \\
& - 1/2*I*\pi*f*g*n*x + 1/2*I*\pi*g*n*e*\text{sgn}(F) - 1/2*I*\pi*g*n*e)/( \pi^2*f^2*g^2 \\
& *n^2*\text{sgn}(F) + 2*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi^2*f^2*g^2*n^2 - 2* \\
& I*\pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2) + (\pi*b*d*f*g*n \\
& *x*\text{sgn}(F) - \pi*b*d*f*g*n*x + 2*I*b*d*f*g*n*x*\log(\text{abs}(F)) + \pi*b*c*f*g*n*\text{sgn} \\
& (F) - \pi*b*c*f*g*n + 2*I*b*c*f*g*n*\log(\text{abs}(F)) - 2*I*b*d)*e^{(-1/2*I*\pi*f*g* \\
& n*x*\text{sgn}(F) + 1/2*I*\pi*f*g*n*x - 1/2*I*\pi*g*n*e*\text{sgn}(F) + 1/2*I*\pi*g*n*e)/( \pi \\
& ^2*f^2*g^2*n^2*\text{sgn}(F) - 2*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F))*\text{sgn}(F) - \pi^2*f^2*g^ \\
& 2*n^2 + 2*I*\pi*f^2*g^2*n^2*\log(\text{abs}(F)) + 2*f^2*g^2*n^2*\log(\text{abs}(F))^2)}*e^{(f \\
& *g*n*x*\log(\text{abs}(F)) + g*n*e*\log(\text{abs}(F)))}
\end{aligned}$$

**Mupad [B]**

time = 3.60, size = 72, normalized size = 0.94

$$a c x - \left( \frac{b(d - c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} - \frac{b d x}{f g n \ln(F)} \right) (F^{f g x} F^{e g})^n + \frac{a d x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x),x)

[Out] a\*c\*x - ((b\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2) - (b\*d\*x)/(f\*g\*n\*log(F)))\*(F^(f\*g\*x)\*F^(e\*g))^n + (a\*d\*x^2)/2

### 3.28 $\int (a + b(F^{g(e+fx)})^n) dx$

Optimal. Leaf size=30

$$ax + \frac{b(F^{g(e+fx)})^n}{fgn \log(F)}$$

[Out] a\*x+b\*(F^(g\*(f\*x+e)))^n/f/g/n/ln(F)

Rubi [A]

time = 0.01, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {2225}

$$ax + \frac{b(F^{g(e+fx)})^n}{fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[a + b\*(F^(g\*(e + f\*x)))^n,x]

[Out] a\*x + (b\*(F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F])

Rule 2225

Int[((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_))))^(n\_), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int (a + b(F^{g(e+fx)})^n) dx &= ax + b \int (F^{g(e+fx)})^n dx \\ &= ax + \frac{b(F^{g(e+fx)})^n}{fgn \log(F)} \end{aligned}$$

Mathematica [A]

time = 0.03, size = 30, normalized size = 1.00

$$ax + \frac{b(F^{g(e+fx)})^n}{fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*(F^(g\*(e + f\*x)))^n,x]

[Out] a\*x + (b\*(F^(g\*(e + f\*x)))^n)/(f\*g\*n\*Log[F])

**Maple [A]**

time = 0.05, size = 31, normalized size = 1.03

method	result	size
default	$ax + \frac{b(F^{g(fx+e)})^n}{fgn \ln(F)}$	31
norman	$ax + \frac{be^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)}$	34
derivativedivides	$\frac{b(F^{g(fx+e)})^n + a \ln((F^{g(fx+e)})^n)}{gf \ln(F)n}$	43

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(a+b*(F^(g*(f*x+e)))^n,x,method=_RETURNVERBOSE)
```

```
[Out] a*x+b*(F^(g*(f*x+e)))^n/f/g/n/ln(F)
```

**Maxima [A]**

time = 0.28, size = 30, normalized size = 1.00

$$ax + \frac{F^{(fx+e)gn}b}{fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*(F^(g*(f*x+e)))^n,x, algorithm="maxima")
```

```
[Out] a*x + F^((f*x + e)*g*n)*b/(f*g*n*log(F))
```

**Fricas [A]**

time = 0.39, size = 38, normalized size = 1.27

$$\frac{afgnx \log(F) + F^{fgnx+gne}b}{fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*(F^(g*(f*x+e)))^n,x, algorithm="fricas")
```

```
[Out] (a*f*g*n*x*log(F) + F^(f*g*n*x + g*n*e)*b)/(f*g*n*log(F))
```

**Sympy [A]**

time = 0.04, size = 32, normalized size = 1.07

$$ax + \begin{cases} \frac{b(F^{g(e+fx)})^n}{fgn \log(F)} & \text{for } fgn \log(F) \neq 0 \\ bx & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*(F\*\*(g\*(f\*x+e)))\*\*n,x)

[Out] a\*x + Piecewise((b\*(F\*\*(g\*(e + f\*x)))\*\*n/(f\*g\*n\*log(F)), Ne(f\*g\*n\*log(F), 0)), (b\*x, True))

**Giac** [A]

time = 2.60, size = 32, normalized size = 1.07

$$ax + \frac{F^{fgnx+gne}b}{fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*(F^(g\*(f\*x+e)))^n,x, algorithm="giac")

[Out] a\*x + F^(f\*g\*n\*x + g\*n\*e)\*b/(f\*g\*n\*log(F))

**Mupad** [B]

time = 3.60, size = 31, normalized size = 1.03

$$ax + \frac{b(F^{eg+fgx})^n}{fgn \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b\*(F^(g\*(e + f\*x)))^n,x)

[Out] a\*x + (b\*(F^(e\*g + f\*g\*x))^n)/(f\*g\*n\*log(F))



$$3.29 \quad \int \frac{a+b\left(Fg(e+fx)\right)^n}{c+dx} dx$$

**Optimal.** Leaf size=68

$$\frac{bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}\left(F^{eg+fgx}\right)^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{a\log(c+dx)}{d}$$

[Out]  $bF^{\left(\left(e-c*f/d\right)*g*n-g*n*\left(f*x+e\right)\right)}*\left(F^{\left(f*g*x+e*g\right)}\right)^n*\operatorname{Ei}\left(f*g*n*\left(d*x+c\right)*\ln\left(F\right)/d\right)/d+a*\ln\left(d*x+c\right)/d$

**Rubi [A]**

time = 0.09, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2214, 2213, 2209}

$$\frac{a\log(c+dx)}{d} + \frac{b\left(F^{eg+fgx}\right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\left(a+b*\left(F^{\left(g*\left(e+f*x\right)\right)}\right)^n\right)/\left(c+d*x\right),x\right]$

[Out]  $\left(bF^{\left(\left(e-\left(c*f\right)/d\right)*g*n-g*n*\left(e+f*x\right)\right)}*\left(F^{\left(e*g+f*g*x\right)}\right)^n*\operatorname{ExpIntegralEi}\left[\left(f*g*n*\left(c+d*x\right)*\operatorname{Log}\left[F\right]\right)/d\right]\right)/d+\left(a*\operatorname{Log}\left[c+d*x\right]\right)/d$

Rule 2209

$\operatorname{Int}\left[\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}\left/\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right),x_{-}\operatorname{Symbol}\right]:>\operatorname{Simp}\left[\left(F^{\left(g*\left(e-c*\left(f/d\right)\right)\right)}\right)/d*\operatorname{ExpIntegralEi}\left[f*g*\left(c+d*x\right)*\left(\operatorname{Log}\left[F\right]/d\right)\right],x\right];\operatorname{FreeQ}\left[\left\{F,c,d,e,f,g\right\},x\right]\&\amp;!\operatorname{TrueQ}\left[\$UseGamma\right]$

Rule 2213

$\operatorname{Int}\left[\left(\left(b_{-}\right)*\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}\right)^{\left(n_{-}\right)}\left/\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right)^{\left(m_{-}\right)}\right),x_{-}\operatorname{Symbol}\right]:>\operatorname{Dist}\left[\left(bF^{\left(g*\left(e+f*x\right)\right)}\right)^n/F^{\left(g*n*\left(e+f*x\right)\right)},\operatorname{Int}\left[\left(c+d*x\right)^m*F^{\left(g*n*\left(e+f*x\right)\right)},x\right],x\right];\operatorname{FreeQ}\left[\left\{F,b,c,d,e,f,g,m,n\right\},x\right]$

Rule 2214

$\operatorname{Int}\left[\left(\left(a_{-}\right)+\left(b_{-}\right)*\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}\right)^{\left(n_{-}\right)}\right)^{\left(p_{-}\right)}\left/\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right)^{\left(m_{-}\right)}\right),x_{-}\operatorname{Symbol}\right]:>\operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\left(c+d*x\right)^m,\left(a+b*\left(F^{\left(g*\left(e+f*x\right)\right)}\right)^n\right)^p,x\right],x\right];\operatorname{FreeQ}\left[\left\{F,a,b,c,d,e,f,g,m,n\right\},x\right]\&\amp;\operatorname{IGtQ}\left[p,0\right]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b(F^{g(e+fx)})^n}{c + dx} dx &= \int \left( \frac{a}{c + dx} + \frac{b(F^{eg+fgx})^n}{c + dx} \right) dx \\
&= \frac{a \log(c + dx)}{d} + b \int \frac{(F^{eg+fgx})^n}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + (bF^{-n(eg+fgx)} (F^{eg+fgx})^n) \int \frac{F^{n(eg+fgx)}}{c + dx} dx \\
&= \frac{bF^{(e-\frac{cf}{d})gn-gn(e+fx)} (F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{a \log(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]**

time = 0.22, size = 56, normalized size = 0.82

$$\frac{bF^{-\frac{fgn(c+dx)}{d}} (F^{g(e+fx)})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + a \log(c + dx)}{d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)/(c + d*x), x]``[Out] ((b*(F^(g*(e + f*x)))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/F^((f*g*n*(c + d*x))/d) + a*Log[c + d*x])/d`**Maple [F]**

time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{g(fx+e)})^n}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c), x)``[Out] int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c), x, algorithm="maxima")`

[Out]  $F^{(g*n*e)*b*\int(F^{(f*g*n*x)/(d*x + c)}, x) + a*\log(d*x + c)/d$

**Fricas** [A]

time = 0.36, size = 55, normalized size = 0.81

$$\frac{a \log(dx + c) + \frac{b \operatorname{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{cfgn-dgne}{d}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="fricas")`

[Out]  $(a*\log(d*x + c) + b*\operatorname{Ei}((d*f*g*n*x + c*f*g*n)*\log(F)/d)/F^{((c*f*g*n - d*g*n*e)/d)})/d$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{eg} F^{fgx})^n}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)/(d*x+c),x)`

[Out] `Integral((a + b*(F**(e*g)*F**(f*g*x))))**n)/(c + d*x), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)/(d*x + c), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b(F^{g(e+fx)})^n}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*(F^(g*(e + f*x))))^n)/(c + d*x),x)`

[Out] `int((a + b*(F^(g*(e + f*x))))^n)/(c + d*x), x)`

$$3.30 \quad \int \frac{a+b(F^{g(e+fx)})^n}{(c+dx)^2} dx$$

Optimal. Leaf size=100

$$-\frac{a}{d(c+dx)} - \frac{b(F^{eg+fgx})^n}{d(c+dx)} + \frac{bfF^{(e-\frac{cf}{d})gn-gn(e+fx)}(F^{eg+fgx})^n gn \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) \log(F)}{d^2}$$

[Out]  $-a/d/(d*x+c) - b*(F^{(f*g*x+e*g)})^n/d/(d*x+c) + b*f*F^{((e-c*f/d)*g*n-g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^n*g*n*Ei(f*g*n*(d*x+c)*\ln(F)/d)*\ln(F)/d^2$

Rubi [A]

time = 0.12, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2214, 2208, 2213, 2209}

$$-\frac{a}{d(c+dx)} + \frac{bfgn \log(F) (F^{eg+fgx})^n F^{gn(e-\frac{cf}{d})-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^2} - \frac{b(F^{eg+fgx})^n}{d(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*(F^{(g*(e + f*x))})^n)/(c + d*x)^2, x]$

[Out]  $-(a/(d*(c + d*x))) - (b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)) + (b*f*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^n*g*n*\operatorname{ExpIntegralEi}[(f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/d^2$

Rule 2208

$\operatorname{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(n_*)*((c_*) + (d_*)*(x_*))^{(m_*)}, x\_Symbol] := \operatorname{Simp}[(c + d*x)^{(m + 1)}*((b*F^{(g*(e + f*x))})^n/(d*(m + 1))), x] - \operatorname{Dist}[f*g*n*(\operatorname{Log}[F]/(d*(m + 1))), \operatorname{Int}[(c + d*x)^{(m + 1)}*(b*F^{(g*(e + f*x))})^n, x], x] /; \operatorname{FreeQ}\{F, b, c, d, e, f, g, n\}, x] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{IntegerQ}[2*m] \&\& !\operatorname{TrueQ}[\$UseGamma]$

Rule 2209

$\operatorname{Int}[(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(c_*) + (d_*)*(x_*)}, x\_Symbol] := \operatorname{Simp}[(F^{(g*(e - c*(f/d))})/d)*\operatorname{ExpIntegralEi}[f*g*(c + d*x)*(\operatorname{Log}[F]/d)], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\& !\operatorname{TrueQ}[\$UseGamma]$

Rule 2213

$\operatorname{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(n_*)*((c_*) + (d_*)*(x_*))^{(m_*)}, x\_Symbol] := \operatorname{Dist}[(b*F^{(g*(e + f*x))})^n/F^{(g*n*(e + f*x))}, \operatorname{Int}[(c + d*x$

)^m \* F^(g \* n \* (e + f \* x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

#### Rule 2214

Int[((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{a + b(F^{g(e+fx)})^n}{(c + dx)^2} dx &= \int \left( \frac{a}{(c + dx)^2} + \frac{b(F^{eg+fgx})^n}{(c + dx)^2} \right) dx \\ &= -\frac{a}{d(c + dx)} + b \int \frac{(F^{eg+fgx})^n}{(c + dx)^2} dx \\ &= -\frac{a}{d(c + dx)} - \frac{b(F^{eg+fgx})^n}{d(c + dx)} + \frac{(bfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{c + dx} dx}{d} \\ &= -\frac{a}{d(c + dx)} - \frac{b(F^{eg+fgx})^n}{d(c + dx)} + \frac{(bf F^{-n(eg+fgx)} (F^{eg+fgx})^n gn \log(F)) \int \frac{F^{n(eg+fgx)}}{c + dx} dx}{d} \\ &= -\frac{a}{d(c + dx)} - \frac{b(F^{eg+fgx})^n}{d(c + dx)} + \frac{bf F^{(e - \frac{cf}{d})gn - gn(e+fx)} (F^{eg+fgx})^n gn \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{d^2} \end{aligned}$$

#### Mathematica [A]

time = 0.30, size = 78, normalized size = 0.78

$$\frac{-\frac{d(a + b(F^{g(e+fx)})^n)}{c + dx} + bf F^{-\frac{fgn(c+dx)}{d}} (F^{g(e+fx)})^n gn \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right) \log(F)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)/(c + d\*x)^2, x]

[Out] (-(d\*(a + b\*(F^(g\*(e + f\*x)))^n))/(c + d\*x)) + (b\*f\*(F^(g\*(e + f\*x)))^n\*g\*n\*ExpIntegralEi[(f\*g\*n\*(c + d\*x)\*Log[F])/d]\*Log[F])/F^((f\*g\*n\*(c + d\*x))/d)/d^2

#### Maple [F]

time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{g(fx+e)})^n}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x)`

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="maxima")`

[Out] `F^(g*n*e)*b*integrate(F^(f*g*n*x)/(d^2*x^2 + 2*c*d*x + c^2), x) - a/(d^2*x + c*d)`

**Fricas** [A]

time = 0.37, size = 93, normalized size = 0.93

$$\frac{F^{fgnx+gne}bd + ad - \frac{(bdfgnx+bcfgn)Ei\left(\frac{dfgnx+cfgn}{d}\log(F)\right)\log(F)}{F^{\frac{cfgn-dgne}{d}}}}{d^3x + cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="fricas")`

[Out] `-(F^(f*g*n*x + g*n*e)*b*d + a*d - (b*d*f*g*n*x + b*c*f*g*n)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)/F^((c*f*g*n - d*g*n*e)/d))/(d^3*x + c*d^2)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{eg}F^{fgx})^n}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)/(d*x+c)**2,x)`

[Out] `Integral((a + b*(F**(e*g)*F**(f*g*x))))**n/(c + d*x)**2, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)/(d\*x+c)^2,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)/(d\*x + c)^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b (F^{g(e+fx)})^n}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)/(c + d\*x)^2,x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)/(c + d\*x)^2, x)

$$3.31 \quad \int \frac{a+b(Fg(e+fx))^n}{(c+dx)^3} dx$$

**Optimal.** Leaf size=147

$$-\frac{a}{2d(c+dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c+dx)} + \frac{bf^2 F^{(e-\frac{cf}{d})gn-gn(e+fx)} (F^{eg+fgx})^n g^2 n^2 \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{2d^3}$$

[Out]  $-1/2*a/d/(d*x+c)^2-1/2*b*(F^{(f*g*x+e*g)})^n/d/(d*x+c)^2-1/2*b*f*(F^{(f*g*x+e*g)})^n*g*n*\ln(F)/d^2/(d*x+c)+1/2*b*f^2*F^{((e-c*f/d)*g*n-g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^n*g^2*n^2*\text{Ei}(f*g*n*(d*x+c)*\ln(F)/d)*\ln(F)^2/d^3$

**Rubi [A]**

time = 0.17, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2214, 2208, 2213, 2209}

$$-\frac{a}{2d(c+dx)^2} + \frac{bf^2 g^2 n^2 \log^2(F) (F^{eg+fgx})^n F^{gn(e-\frac{cf}{d})-gn(e+fx)} \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right)}{2d^3} - \frac{bfgn \log(F) (F^{eg+fgx})^n}{2d^2(c+dx)} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*(F^{(g*(e + f*x))))^n]/(c + d*x)^3, x]$

[Out]  $-1/2*a/(d*(c + d*x)^2) - (b*(F^{(e*g + f*g*x)})^n)/(2*d*(c + d*x)^2) - (b*f*(F^{(e*g + f*g*x)})^n*g*n*\text{Log}[F])/(2*d^2*(c + d*x)) + (b*f^2*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^n*g^2*n^2*\text{ExpIntegralEi}[(f*g*n*(c + d*x)*\text{Log}[F])/d]*\text{Log}[F]^2)/(2*d^3)$

Rule 2208

$\text{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))})^{(n_*)}*((c_*) + (d_*)*(x_))^{(m_*)}, x\_Symbol] := \text{Simp}[(c + d*x)^{(m+1)}*((b*F^{(g*(e + f*x)))^n/(d*(m+1))}, x] - \text{Dist}[f*g*n*(\text{Log}[F]/(d*(m+1))), \text{Int}[(c + d*x)^{(m+1)}*(b*F^{(g*(e + f*x)))^n}, x], x] /; \text{FreeQ}\{F, b, c, d, e, f, g, n\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2*m] \&\& !\text{TrueQ}[\$UseGamma]$

Rule 2209

$\text{Int}[(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))}/((c_*) + (d_*)*(x_)), x\_Symbol] := \text{Simp}[(F^{(g*(e - c*(f/d))}/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(\text{Log}[F]/d)], x] /; \text{FreeQ}\{F, c, d, e, f, g\}, x] \&\& !\text{TrueQ}[\$UseGamma]$

Rule 2213

$\text{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))})^{(n_*)}*((c_*) + (d_*)*(x_))^{(m_*)}, x\_Symbol] := \text{Dist}[(b*F^{(g*(e + f*x)))^n}/F^{(g*n*(e + f*x))}, \text{Int}[(c + d*x$



)^m \* F^(g \* n \* (e + f \* x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

### Rule 2214

Int[((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + b(F^{g(e+fx)})^n}{(c+dx)^3} dx &= \int \left( \frac{a}{(c+dx)^3} + \frac{b(F^{eg+fgx})^n}{(c+dx)^3} \right) dx \\
 &= -\frac{a}{2d(c+dx)^2} + b \int \frac{(F^{eg+fgx})^n}{(c+dx)^3} dx \\
 &= -\frac{a}{2d(c+dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2} + \frac{(bfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{(c+dx)^2} dx}{2d} \\
 &= -\frac{a}{2d(c+dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c+dx)} + \frac{(bf^2 g^2 n^2 \log^2(F)) \int \frac{(F^{eg+fgx})^n}{(c+dx)} dx}{2d^2} \\
 &= -\frac{a}{2d(c+dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c+dx)} + \frac{(bf^2 F^{-n(eg+fgx)} (F^{eg+fgx})) \int \frac{(F^{eg+fgx})^n}{(c+dx)} dx}{2d^2} \\
 &= -\frac{a}{2d(c+dx)^2} - \frac{b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{bf(F^{eg+fgx})^n gn \log(F)}{2d^2(c+dx)} + \frac{bf^2 F^{(e-\frac{cf}{d})gn-gn(e+fx)}}{2d^2}
 \end{aligned}$$

### Mathematica [A]

time = 0.30, size = 111, normalized size = 0.76

$$\frac{ad^2 - bf^2 F^{-\frac{fgn(c+dx)}{d}} (F^{g(e+fx)})^n g^2 n^2 (c+dx)^2 \text{Ei}\left(\frac{fgn(c+dx) \log(F)}{d}\right) \log^2(F) + bd (F^{g(e+fx)})^n (d + fgn(c+dx) \log(F))}{2d^3 (c+dx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)/(c + d\*x)^3, x]

[Out] -1/2\*(a\*d^2 - (b\*f^2\*(F^(g\*(e + f\*x)))^n\*g^2\*n^2\*(c + d\*x)^2\*ExpIntegralEi[(f\*g\*n\*(c + d\*x)\*Log[F])/d]\*Log[F]^2)/F^((f\*g\*n\*(c + d\*x))/d) + b\*d\*(F^(g\*(e + f\*x)))^n\*(d + f\*g\*n\*(c + d\*x)\*Log[F]))/(d^3\*(c + d\*x)^2)

### Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{g(fx+e)})^n}{(dx+c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3,x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3,x)`

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3,x, algorithm="maxima")`

[Out] `F^(g*n*e)*b*integrate(F^(f*g*n*x)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a/(d^3*x^2 + 2*c*d^2*x + c^2*d)`

**Fricas** [A]

time = 0.44, size = 165, normalized size = 1.12

$$\frac{ad^2 - \frac{(bd^2 f^2 g^2 n^2 x^2 + 2bcdf^2 g^2 n^2 x + bc^2 f^2 g^2 n^2) \operatorname{Ei}\left(\frac{dfgnx + c fgn}{d} \log(F)\right) \log(F)^2}{F^{\frac{c fgn - d gne}{d}}} + (bd^2 + (bd^2 fgnx + bcdfgn) \log(F)) F^{fgnx + gne}}{2(d^5 x^2 + 2cd^4 x + c^2 d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3,x, algorithm="fricas")`

[Out] `-1/2*(a*d^2 - (b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x + b*c^2*f^2*g^2*n^2)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2/F^((c*f*g*n - d*g*n*e)/d) + (b*d^2 + (b*d^2*f*g*n*x + b*c*d*f*g*n)*log(F))*F^(f*g*n*x + g*n*e))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b(F^{eg} F^{fgx})^n}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e)))**n)/(d*x+c)**3,x)`

[Out] `Integral((a + b*(F**(e*g)*F**(f*g*x)))**n)/(c + d*x)**3, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] integrate(((F^((f*x + e)*g))^n*b + a)/(d*x + c)^3, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b (F^{g(e+fx)})^n}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*(F^(g*(e + f*x)))^n)/(c + d*x)^3,x)
```

```
[Out] int((a + b*(F^(g*(e + f*x)))^n)/(c + d*x)^3, x)
```

### 3.32 $\int (a + b(F^{g(e+fx)})^n)^2 (c + dx)^3 dx$

**Optimal.** Leaf size=322

$$\frac{a^2(c+dx)^4}{4d} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} - \frac{3b^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4\log^4(F)} + \frac{12abd^2(F^{eg+fgx})^n(c+dx)}{f^3g^3n^3\log^3(F)} + \frac{3b^2d^2(F^{eg+fgx})^{2n}(c+dx)}{4f^3g^3n^3\log^3(F)}$$

[Out]  $\frac{1}{4}a^2(d*x+c)^4/d - 12*a*b*d^3*(F^(f*g*x+e*g))^n/f^4/g^4/n^4/\ln(F)^4 - 3/8*b^2*d^3*(F^(f*g*x+e*g))^(2*n)/f^4/g^4/n^4/\ln(F)^4 + 12*a*b*d^2*(F^(f*g*x+e*g))^n*(d*x+c)/f^3/g^3/n^3/\ln(F)^3 + 3/4*b^2*d^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)/f^3/g^3/n^3/\ln(F)^3 - 6*a*b*d*(F^(f*g*x+e*g))^n*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2 - 3/4*b^2*d*(F^(f*g*x+e*g))^(2*n)*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2 + 2*a*b*(F^(f*g*x+e*g))^n*(d*x+c)^3/f/g/n/\ln(F) + 1/2*b^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)^3/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.34, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2207, 2225}

$$\frac{a^2(c+dx)^4}{4d} + \frac{12abd^2(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} - \frac{6abd(c+dx)^2(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{2ab(c+dx)^3(F^{eg+fgx})^n}{fgn\log(F)} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} + \frac{3b^2d^2(c+dx)(F^{eg+fgx})^{2n}}{4f^3g^3n^3\log^3(F)} - \frac{3b^2d(c+dx)^2(F^{eg+fgx})^{2n}}{4f^2g^2n^2\log^2(F)} + \frac{b^2(c+dx)^3(F^{eg+fgx})^{2n}}{2fgn\log(F)} - \frac{3b^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4\log^4(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^3,x]

[Out]  $(a^2*(c + d*x)^4)/(4*d) - (12*a*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*\text{Log}[F]^4) - (3*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*\text{Log}[F]^4) + (12*a*b*d^2*(F^(e*g + f*g*x))^n*(c + d*x))/(f^3*g^3*n^3*\text{Log}[F]^3) + (3*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(4*f^3*g^3*n^3*\text{Log}[F]^3) - (6*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f^2*g^2*n^2*\text{Log}[F]^2) - (3*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(4*f^2*g^2*n^2*\text{Log}[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^3)/(f*g*n*\text{Log}[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^3)/(2*f*g*n*\text{Log}[F])$

Rule 2207

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F

$\int (g*(e + f*x))^n dx$ , x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&  
IGtQ[p, 0]

### Rule 2225

Int[((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.), x\_Symbol] :> Simp[(F^(c\*(a +  
b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

### Rubi steps

$$\begin{aligned} \int \left( a + b(F^{g(e+fx)})^n \right)^2 (c + dx)^3 dx &= \int \left( a^2(c + dx)^3 + 2ab(F^{eg+fgx})^n (c + dx)^3 + b^2(F^{eg+fgx})^{2n} (c + dx)^3 \right) dx \\ &= \frac{a^2(c + dx)^4}{4d} + (2ab) \int (F^{eg+fgx})^n (c + dx)^3 dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx)^3 dx \\ &= \frac{a^2(c + dx)^4}{4d} + \frac{2ab(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)^3}{2fgn \log(F)} \\ &= \frac{a^2(c + dx)^4}{4d} - \frac{6abd(F^{eg+fgx})^n (c + dx)^2}{f^2g^2n^2 \log^2(F)} - \frac{3b^2d(F^{eg+fgx})^{2n} (c + dx)^2}{4f^2g^2n^2 \log^2(F)} \\ &= \frac{a^2(c + dx)^4}{4d} + \frac{12abd^2(F^{eg+fgx})^n (c + dx)}{f^3g^3n^3 \log^3(F)} + \frac{3b^2d^2(F^{eg+fgx})^{2n} (c + dx)}{4f^3g^3n^3 \log^3(F)} \\ &= \frac{a^2(c + dx)^4}{4d} - \frac{12abd^3(F^{eg+fgx})^n}{f^4g^4n^4 \log^4(F)} - \frac{3b^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4 \log^4(F)} + \frac{12abd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} \end{aligned}$$

### Mathematica [A]

time = 0.44, size = 239, normalized size = 0.74

$$\frac{a^2c^2x + \frac{3}{2}a^2cdx^2 + a^2cd^2x^3 + \frac{1}{4}a^2d^4x^4 + \frac{2ab(F^{g(e+fx)})^n(-6d^3 + 6d^2fgn(c+dx)\log(F) - 3d^2g^2n^2(c+dx)^2\log^2(F) + f^2g^2n^3(c+dx)^3\log^3(F))}{f^4g^4n^4\log^4(F)} + \frac{b^2(F^{g(e+fx)})^{2n}(-3d^3 + 6d^2fgn(c+dx)\log(F) - 6d^2g^2n^2(c+dx)^2\log^2(F) + 4f^2g^2n^3(c+dx)^3\log^3(F))}{8f^4g^4n^4\log^4(F)}}{f^4g^4n^4\log^4(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^3,x]

[Out]  $a^2c^3x + (3a^2c^2d*x^2)/2 + a^2c*d^2*x^3 + (a^2*d^3*x^4)/4 + (2*a*b*(F^(g*(e + f*x)))^n*(-6*d^3 + 6*d^2*f*g*n*(c + d*x)*Log[F] - 3*d*f^2*g^2*n^2*(c + d*x)^2*Log[F]^2 + f^3*g^3*n^3*(c + d*x)^3*Log[F]^3))/(f^4*g^4*n^4*Log[F]^4) + (b^2*(F^(g*(e + f*x)))^(2*n)*(-3*d^3 + 6*d^2*f*g*n*(c + d*x)*Log[F] - 6*d*f^2*g^2*n^2*(c + d*x)^2*Log[F]^2 + 4*f^3*g^3*n^3*(c + d*x)^3*Log[F]^3))/(8*f^4*g^4*n^4*Log[F]^4)$

### Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^2 (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x)`

**Maxima** [A]

time = 0.33, size = 588, normalized size = 1.83

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & 1/4*a^2*d^3*x^4 + a^2*c*d^2*x^3 + 3/2*a^2*c^2*d*x^2 + a^2*c^3*x + 2*F^{(f*g*n*x + g*n*e)}*a*b*c^3/(f*g*n*\log(F)) + 1/2*F^{(2*f*g*n*x + 2*g*n*e)}*b^2*c^3/(f*g*n*\log(F)) \\ & + 6*(F^{(g*n*e)}*f*g*n*x*\log(F) - F^{(g*n*e)})*F^{(f*g*n*x)}*a*b*c^2*d/(f^2*g^2*n^2*\log(F)^2) + 3/4*(2*F^{(2*g*n*e)}*f*g*n*x*\log(F) - F^{(2*g*n*e)}) \\ & *F^{(2*f*g*n*x)}*b^2*c^2*d/(f^2*g^2*n^2*\log(F)^2) + 6*(F^{(g*n*e)}*f^2*g^2*n^2*x^2*\log(F)^2 - 2*F^{(g*n*e)}*f*g*n*x*\log(F) + 2*F^{(g*n*e)})*F^{(f*g*n*x)}*a*b*c*d^2/(f^3*g^3*n^3*\log(F)^3) \\ & + 3/4*(2*F^{(2*g*n*e)}*f^2*g^2*n^2*x^2*\log(F)^2 - 2*F^{(2*g*n*e)}*f*g*n*x*\log(F) + F^{(2*g*n*e)})*F^{(2*f*g*n*x)}*b^2*c*d^2/(f^3*g^3*n^3*\log(F)^3) \\ & + 2*(F^{(g*n*e)}*f^3*g^3*n^3*x^3*\log(F)^3 - 3*F^{(g*n*e)}*f^2*g^2*n^2*x^2*\log(F)^2 + 6*F^{(g*n*e)}*f*g*n*x*\log(F) - 6*F^{(g*n*e)})*F^{(f*g*n*x)}*a*b*d^3/(f^4*g^4*n^4*\log(F)^4) \\ & + 1/8*(4*F^{(2*g*n*e)}*f^3*g^3*n^3*x^3*\log(F)^3 - 6*F^{(2*g*n*e)}*f^2*g^2*n^2*x^2*\log(F)^2 + 6*F^{(2*g*n*e)}*f*g*n*x*\log(F) - 3*F^{(2*g*n*e)})*F^{(2*f*g*n*x)}*b^2*d^3/(f^4*g^4*n^4*\log(F)^4) \end{aligned}$$

**Fricas** [A]

time = 0.44, size = 484, normalized size = 1.50

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^2*(d*x+c)^3,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & 1/8*(2*(a^2*d^3*f^4*g^4*n^4*x^4 + 4*a^2*c*d^2*f^4*g^4*n^4*x^3 + 6*a^2*c^2*d*f^4*g^4*n^4*x^2 + 4*a^2*c^3*f^4*g^4*n^4*x)*\log(F)^4 - (3*b^2*d^3 - 4*(b^2*d^3*f^3*g^3*n^3*x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x + b^2*c^3*f^3*g^3*n^3)*\log(F)^3 + 6*(b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x + b^2*c^2*d*f^2*g^2*n^2)*\log(F)^2 - 6*(b^2*d^3*f*g*n*x + b^2*c*d^2*f*g*n)*\log(F))*F^{(2*f*g*n*x + 2*g*n*e)} - 16*(6*a*b*d^3 - (a*b*d^3*f^3*g^3*n^3*x^3 + 3*a*b*c*d^2*f^3*g^3*n^3*x^2 + 3*a*b*c^2*d*f^3*g^3*n^3*x + a*b*c^3*f^3*g^3*n^3)*\log(F)^3 + 3*(a*b*d^3*f^2*g^2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x + a*b*c^2*d*f^2*g^2*n^2)*\log(F)^2 - 6*(a*b*d^3*f*g*n*x + a*b*c*d^2*f*g*n)*\log(F))*F^{(f*g*n*x + g*n*e)})/(f^4*g^4*n^4*\log(F)^4) \end{aligned}$$

**Sympy [A]**

time = 0.20, size = 707, normalized size = 2.20

$$\frac{\partial}{\partial x} \left( \frac{a^2 c^3 x^4 + 3 a^2 c^2 d x^3 + a^2 c d^2 x^2 + a^2 d^3 x}{4} + \text{Piecewise}(\dots) \right) = (a+b*(F^{g*(f*x+e)})^{n})^2*(d*x+c)^3, x$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*2\*(d\*x+c)\*\*3,x)

**[Out]** a\*\*2\*c\*\*3\*x + 3\*a\*\*2\*c\*\*2\*d\*x\*\*2/2 + a\*\*2\*c\*d\*\*2\*x\*\*3 + a\*\*2\*d\*\*3\*x\*\*4/4 + Piecewise((((4\*b\*\*2\*c\*\*3\*f\*\*7\*g\*\*7\*n\*\*7\*log(F)\*\*7 + 12\*b\*\*2\*c\*\*2\*d\*f\*\*7\*g\*\*7\*n\*\*7\*x\*log(F)\*\*7 - 6\*b\*\*2\*c\*\*2\*d\*f\*\*6\*g\*\*6\*n\*\*6\*log(F)\*\*6 + 12\*b\*\*2\*c\*d\*\*2\*f\*\*7\*g\*\*7\*n\*\*7\*x\*\*2\*log(F)\*\*7 - 12\*b\*\*2\*c\*d\*\*2\*f\*\*6\*g\*\*6\*n\*\*6\*x\*log(F)\*\*6 + 6\*b\*\*2\*c\*d\*\*2\*f\*\*5\*g\*\*5\*n\*\*5\*log(F)\*\*5 + 4\*b\*\*2\*d\*\*3\*f\*\*7\*g\*\*7\*n\*\*7\*x\*\*3\*log(F)\*\*7 - 6\*b\*\*2\*d\*\*3\*f\*\*6\*g\*\*6\*n\*\*6\*x\*\*2\*log(F)\*\*6 + 6\*b\*\*2\*d\*\*3\*f\*\*5\*g\*\*5\*n\*\*5\*x\*log(F)\*\*5 - 3\*b\*\*2\*d\*\*3\*f\*\*4\*g\*\*4\*n\*\*4\*log(F)\*\*4)\*(F\*\*(g\*(e + f\*x)))\*\*2\*n) + (16\*a\*b\*c\*\*3\*f\*\*7\*g\*\*7\*n\*\*7\*log(F)\*\*7 + 48\*a\*b\*c\*\*2\*d\*f\*\*7\*g\*\*7\*n\*\*7\*x\*log(F)\*\*7 - 48\*a\*b\*c\*\*2\*d\*f\*\*6\*g\*\*6\*n\*\*6\*log(F)\*\*6 + 48\*a\*b\*c\*d\*\*2\*f\*\*7\*g\*\*7\*n\*\*7\*x\*\*2\*log(F)\*\*7 - 96\*a\*b\*c\*d\*\*2\*f\*\*6\*g\*\*6\*n\*\*6\*x\*log(F)\*\*6 + 96\*a\*b\*c\*d\*\*2\*f\*\*5\*g\*\*5\*n\*\*5\*log(F)\*\*5 + 16\*a\*b\*d\*\*3\*f\*\*7\*g\*\*7\*n\*\*7\*x\*\*3\*log(F)\*\*7 - 48\*a\*b\*d\*\*3\*f\*\*6\*g\*\*6\*n\*\*6\*x\*\*2\*log(F)\*\*6 + 96\*a\*b\*d\*\*3\*f\*\*5\*g\*\*5\*n\*\*5\*x\*log(F)\*\*5 - 96\*a\*b\*d\*\*3\*f\*\*4\*g\*\*4\*n\*\*4\*log(F)\*\*4)\*(F\*\*(g\*(e + f\*x))))\*\*n)/(8\*f\*\*8\*g\*\*8\*n\*\*8\*log(F)\*\*8), Ne(f\*\*8\*g\*\*8\*n\*\*8\*log(F)\*\*8, 0)), (x\*\*4\*(a\*b\*d\*\*3/2 + b\*\*2\*d\*\*3/4) + x\*\*3\*(2\*a\*b\*c\*d\*\*2 + b\*\*2\*c\*d\*\*2) + x\*\*2\*(3\*a\*b\*c\*\*2\*d + 3\*b\*\*2\*c\*\*2\*d/2) + x\*(2\*a\*b\*c\*\*3 + b\*\*2\*c\*\*3), True))

**Giac [C]** Result contains complex when optimal does not.

time = 4.35, size = 12033, normalized size = 37.37

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c)^3,x, algorithm="giac")

**[Out]** 1/4\*a^2\*d^3\*x^4 + a^2\*c\*d^2\*x^3 + 3/2\*a^2\*c^2\*d\*x^2 + a^2\*c^3\*x - 1/4\*(((6\*pi^2\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F))\*sgn(F) - 6\*pi^2\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F)) + 4\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F))^3 + 18\*pi^2\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F))\*sgn(F) - 18\*pi^2\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F)) + 12\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F))^3 + 18\*pi^2\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*x\*log(abs(F))\*sgn(F) - 18\*pi^2\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*x\*log(abs(F)) + 12\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*x\*log(abs(F))^3 + 6\*pi^2\*b^2\*c^3\*f^3\*g^3\*n^3\*log(abs(F))\*sgn(F) - 6\*pi^2\*b^2\*c^3\*f^3\*g^3\*n^3\*log(abs(F)) + 4\*b^2\*c^3\*f^3\*g^3\*n^3\*log(abs(F))^3 - 3\*pi^2\*b^2\*d^3\*f^2\*g^2\*n^2\*x^2\*sgn(F) + 3\*pi^2\*b^2\*d^3\*f^2\*g^2\*n^2\*x^2\*log(abs(F))^2 - 6\*pi^2\*b^2\*c\*d^2\*f^2\*g^2\*n^2\*x\*sgn(F) + 6\*pi^2\*b^2\*c\*d^2\*f^2\*g^2\*n^2\*x - 12\*b^2\*c\*d^2\*f^2\*g^2\*n^2\*x\*log(abs(F))^2 - 3\*pi^2\*b^2\*c^2\*d\*f^2\*g^2\*n^2\*sgn(F) + 3\*





)^4)/((pi^4\*f^4\*g^4\*n^4\*sgn(F) - 6\*pi^2\*f^4\*g^4\*n^4\*log(abs(F))^2\*sgn(F) - pi^4\*f^4\*g^4\*n^4 + 6\*pi^2\*f^4\*g^4\*n^4\*log(abs(F))^2 - 2\*f^4\*g^4\*n^4\*log(abs(F))^4)^2 + 16\*(pi^3\*f^4\*g^4\*n^4\*log(abs(F))\*sgn(F) - pi\*f^4\*g^4\*n^4\*log(abs(F))^3\*sgn(F) - pi^3\*f^4\*g^4\*n^4\*log(abs(F)) + pi\*f^4\*g^4\*n^4\*log(abs(F))^3)^2) + 4\*(6\*pi^2\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F))\*sgn(F) - 6\*pi^2\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F)) + 4\*b^2\*d^3\*f^3\*g^3\*n^3\*x^3\*log(abs(F))^3 + 18\*pi^2\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F))\*sgn(F) - 18\*pi^2\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F)) + 12\*b^2\*c\*d^2\*f^3\*g^3\*n^3\*x^2\*log(abs(F))^3 + 18\*pi^2\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*x\*log(abs(F))\*sgn(F) - 18\*pi^2\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*x\*log(abs(F)) + 12\*b^2\*c^2\*d\*f^3\*g^3\*n^3\*...

**Mupad [B]**

time = 3.97, size = 438, normalized size = 1.36

$$\frac{a^2 c^3 x - (F^{(f g x)} F^{(e g)})^n ((2 a b (6 d^3 - c^2 f^3 g^3 n^3 \log(F)^3 - 6 c d^2 f g n \log(F) + 3 c^2 d f^2 g^2 n^2 \log(F)^2)) / (f^4 g^4 n^4 \log(F)^4) - (2 a b d^3 x^3) / (f g n \log(F)) - (6 a b d x (2 d^2 + c^2 f^2 g^2 n^2 \log(F)^2 - 2 c d f g n \log(F))) / (f^3 g^3 n^3 \log(F)^3) + (6 a b d^2 x^2 (d - c f g n \log(F))) / (f^2 g^2 n^2 \log(F)^2) - (F^{(f g x)} F^{(e g)})^{(2 n)} ((b^2 (3 d^3 - 4 c^3 f^3 g^3 n^3 \log(F)^3 - 6 c d^2 f g n \log(F) + 6 c^2 d f^2 g^2 n^2 \log(F)^2)) / (8 f^4 g^4 n^4 \log(F)^4) - (b^2 d^3 x^3) / (2 f g n \log(F)) - (3 b^2 d x (d^2 + 2 c^2 f^2 g^2 n^2 \log(F)^2 - 2 c d f g n \log(F))) / (4 f^3 g^3 n^3 \log(F)^3) + (3 b^2 d^2 x^2 (d - 2 c f g n \log(F))) / (4 f^2 g^2 n^2 \log(F)^2) + (a^2 d^3 x^4) / 4 + (3 a^2 c^2 d x^2) / 2 + a^2 c d^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^3,x)

[Out] a^2\*c^3\*x - (F^(f\*g\*x)\*F^(e\*g))^n\*((2\*a\*b\*(6\*d^3 - c^2\*f^3\*g^3\*n^3\*log(F)^3 - 6\*c\*d^2\*f\*g\*n\*log(F) + 3\*c^2\*d\*f^2\*g^2\*n^2\*log(F)^2))/(f^4\*g^4\*n^4\*log(F)^4) - (2\*a\*b\*d^3\*x^3)/(f\*g\*n\*log(F)) - (6\*a\*b\*d\*x\*(2\*d^2 + c^2\*f^2\*g^2\*n^2\*log(F)^2 - 2\*c\*d\*f\*g\*n\*log(F)))/(f^3\*g^3\*n^3\*log(F)^3) + (6\*a\*b\*d^2\*x^2\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2) - (F^(f\*g\*x)\*F^(e\*g))^(2\*n)\*((b^2\*(3\*d^3 - 4\*c^3\*f^3\*g^3\*n^3\*log(F)^3 - 6\*c\*d^2\*f\*g\*n\*log(F) + 6\*c^2\*d\*f^2\*g^2\*n^2\*log(F)^2))/(8\*f^4\*g^4\*n^4\*log(F)^4) - (b^2\*d^3\*x^3)/(2\*f\*g\*n\*log(F)) - (3\*b^2\*d\*x\*(d^2 + 2\*c^2\*f^2\*g^2\*n^2\*log(F)^2 - 2\*c\*d\*f\*g\*n\*log(F)))/(4\*f^3\*g^3\*n^3\*log(F)^3) + (3\*b^2\*d^2\*x^2\*(d - 2\*c\*f\*g\*n\*log(F)))/(4\*f^2\*g^2\*n^2\*log(F)^2) + (a^2\*d^3\*x^4)/4 + (3\*a^2\*c^2\*d\*x^2)/2 + a^2\*c\*d^2\*x^3

### 3.33 $\int (a + b(F^{g(e+fx)})^n)^2 (c + dx)^2 dx$

**Optimal.** Leaf size=239

$$\frac{a^2(c+dx)^3}{3d} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} + \frac{b^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3\log^3(F)} - \frac{4abd(F^{eg+fgx})^n(c+dx)}{f^2g^2n^2\log^2(F)} - \frac{b^2d(F^{eg+fgx})^{2n}(c+dx)}{2f^2g^2n^2\log^2(F)} + \frac{2ab}{f^2g^2n^2\log^2(F)}$$

[Out]  $\frac{1}{3}a^2(d*x+c)^3/d + 4*a*b*d^2*(F^(f*g*x+e*g))^n/f^3/g^3/n^3/\ln(F)^3 + 1/4*b^2*d^2*(F^(f*g*x+e*g))^(2*n)/f^3/g^3/n^3/\ln(F)^3 - 4*a*b*d*(F^(f*g*x+e*g))^n*(d*x+c)/f^2/g^2/n^2/\ln(F)^2 - 1/2*b^2*d*(F^(f*g*x+e*g))^(2*n)*(d*x+c)/f^2/g^2/n^2/\ln(F)^2 + 2*a*b*(F^(f*g*x+e*g))^n*(d*x+c)^2/f/g/n/\ln(F) + 1/2*b^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)^2/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.22, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2207, 2225}

$$\frac{a^2(c+dx)^3}{3d} - \frac{4abd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{2ab(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{b^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2\log^2(F)} + \frac{b^2(c+dx)^2(F^{eg+fgx})^{2n}}{2fgn\log(F)} + \frac{b^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3\log^3(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x))))^n]^2\*(c + d\*x)^2,x]

[Out]  $(a^2*(c + d*x)^3)/(3*d) + (4*a*b*d^2*(F^(e*g + f*g*x))^n)/(f^3*g^3*n^3*\text{Log}[F]^3) + (b^2*d^2*(F^(e*g + f*g*x))^(2*n))/(4*f^3*g^3*n^3*\text{Log}[F]^3) - (4*a*b*d*(F^(e*g + f*g*x))^n*(c + d*x))/(f^2*g^2*n^2*\text{Log}[F]^2) - (b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f^2*g^2*n^2*\text{Log}[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x)^2)/(f*g*n*\text{Log}[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x)^2)/(2*f*g*n*\text{Log}[F])$

Rule 2207

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(c + d*x)^m*((b*F^(g*(e + f*x)))^n/(f*g*n*Log[F])), x] - Dist[d*(m/(f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !TrueQ[$UseGamma]
```

Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n]^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]
```

## Rule 2225

`Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]`

## Rubi steps

$$\begin{aligned}
 \int \left( a + b(F^{g(e+fx)})^n \right)^2 (c + dx)^2 dx &= \int \left( a^2(c + dx)^2 + 2ab(F^{eg+fgx})^n (c + dx)^2 + b^2(F^{eg+fgx})^{2n} (c + dx)^2 \right) dx \\
 &= \frac{a^2(c + dx)^3}{3d} + (2ab) \int (F^{eg+fgx})^n (c + dx)^2 dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx)^2 dx \\
 &= \frac{a^2(c + dx)^3}{3d} + \frac{2ab(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)^2}{2fgn \log(F)} \\
 &= \frac{a^2(c + dx)^3}{3d} - \frac{4abd(F^{eg+fgx})^n (c + dx)}{f^2g^2n^2 \log^2(F)} - \frac{b^2d(F^{eg+fgx})^{2n} (c + dx)}{2f^2g^2n^2 \log^2(F)} \\
 &= \frac{a^2(c + dx)^3}{3d} + \frac{4abd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} + \frac{b^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3 \log^3(F)} - \frac{4abd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)}
 \end{aligned}$$

## Mathematica [A]

time = 0.39, size = 171, normalized size = 0.72

$$\frac{a^2c^2x + a^2cdx^2 + \frac{1}{3}a^2d^2x^3 + \frac{2ab(F^{g(e+fx)})^n (2d^2 - 2dfgn(c + dx) \log(F) + f^2g^2n^2(c + dx)^2 \log^2(F))}{f^3g^3n^3 \log^3(F)} + \frac{b^2(F^{g(e+fx)})^{2n} (d^2 - 2dfgn(c + dx) \log(F) + 2f^2g^2n^2(c + dx)^2 \log^2(F))}{4f^3g^3n^3 \log^3(F)}}{f^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^2\*(c + d\*x)^2,x]

[Out] a^2\*c^2\*x + a^2\*c\*d\*x^2 + (a^2\*d^2\*x^3)/3 + (2\*a\*b\*(F^(g\*(e + f\*x))))^n\*(2\*d^2 - 2\*d\*f\*g\*n\*(c + d\*x)\*Log[F] + f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2)/(f^3\*g^3\*n^3\*Log[F]^3) + (b^2\*(F^(g\*(e + f\*x))))^(2\*n)\*(d^2 - 2\*d\*f\*g\*n\*(c + d\*x)\*Log[F] + 2\*f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2)/(4\*f^3\*g^3\*n^3\*Log[F]^3)

## Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^2 (dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^2\*(d\*x+c)^2,x)

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^2\*(d\*x+c)^2,x)

**Maxima [A]**

time = 0.30, size = 359, normalized size = 1.50

$$\frac{1}{3} a^2 d^2 x^3 + a^2 c d x^2 + a^2 c^2 x + \frac{2 F^{f m a+2 m} a b c^2}{f g n \log(F)} + \frac{F^2 f m a+2 m b^2 c^2}{2 f g n \log(F)} + \frac{4(F^{f m} f g n x \log(F) - F^{f m}) F^{f m} a b c d}{f^2 g^2 n^2 \log(F)^2} + \frac{(2 F^{2 m} f g n x \log(F) - F^{2 m}) F^{2 m} b^2 c d}{2 f^2 g^2 n^2 \log(F)^2} + \frac{2(F^{f m} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{f m} f g n x \log(F) + 2 F^{f m}) F^{f m} a b d^2}{f^3 g^2 n^3 \log(F)^3} + \frac{(2 F^{2 m} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{2 m} f g n x \log(F) + F^{2 m}) F^{2 m} b^2 c d^2}{4 f^3 g^2 n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x, algorithm="maxima")
```

```
[Out] 1/3*a^2*d^2*x^3 + a^2*c*d*x^2 + a^2*c^2*x + 2*F^(f*g*n*x + g*n*e)*a*b*c^2/(f*g*n*log(F)) + 1/2*F^(2*f*g*n*x + 2*g*n*e)*b^2*c^2/(f*g*n*log(F)) + 4*(F^(g*n*e)*f*g*n*x*log(F) - F^(g*n*e))*F^(f*g*n*x)*a*b*c*d/(f^2*g^2*n^2*log(F)^2) + 1/2*(2*F^(2*g*n*e)*f*g*n*x*log(F) - F^(2*g*n*e))*F^(2*f*g*n*x)*b^2*c*d/(f^2*g^2*n^2*log(F)^2) + 2*(F^(g*n*e)*f^2*g^2*n^2*x^2*log(F)^2 - 2*F^(g*n*e)*f*g*n*x*log(F) + 2*F^(g*n*e))*F^(f*g*n*x)*a*b*d^2/(f^3*g^3*n^3*log(F)^3) + 1/4*(2*F^(2*g*n*e)*f^2*g^2*n^2*x^2*log(F)^2 - 2*F^(2*g*n*e)*f*g*n*x*log(F) + F^(2*g*n*e))*F^(2*f*g*n*x)*b^2*d^2/(f^3*g^3*n^3*log(F)^3)
```

**Fricas [A]**

time = 0.37, size = 289, normalized size = 1.21

$$\frac{4(a^2 d^2 f^3 g^3 n^3 x^3 + 3 a^2 c d f^2 g^2 n^2 x^2 + 3 a^2 c^2 f g n x) \log(F)^3 + 3(b^2 d^2 + 2(b^2 d^2 f^2 g^2 n^2 x^2 + 2 b^2 c d f g n x + b^2 c^2 f^2 g^2 n^2) \log(F)^2 - 2(b^2 d^2 f g n x + b^2 c d f g n) \log(F)) F^{2 f m a+2 m} + 24(2 a b d^2 + (a b d^2 f^2 g^2 n^2 x^2 + 2 a b c d f^2 g^2 n^2 x + a b c^2 f^2 g^2 n^2) \log(F)^2 - 2(a b d^2 f g n x + a b c d f g n) \log(F)) F^{f m a+2 m}}{12 f^3 g^3 n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2*(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/12*(4*(a^2*d^2*f^3*g^3*n^3*x^3 + 3*a^2*c*d*f^2*g^2*n^2*x^2 + 3*a^2*c^2*f*g*n*x)*log(F)^3 + 3*(b^2*d^2 + 2*(b^2*d^2*f^2*g^2*n^2*x^2 + 2*b^2*c*d*f^2*g^2*n^2*x + b^2*c^2*f*g*n*x)*log(F)^2 - 2*(b^2*d^2*f*g*n*x + b^2*c*d*f*g*n)*log(F))*F^(2*f*g*n*x + 2*g*n*e) + 24*(2*a*b*d^2 + (a*b*d^2*f^2*g^2*n^2*x^2 + 2*a*b*c*d*f^2*g^2*n^2*x + a*b*c^2*f^2*g^2*n^2)*log(F)^2 - 2*(a*b*d^2*f*g*n*x + a*b*c*d*f*g*n)*log(F))*F^(f*g*n*x + g*n*e))/(f^3*g^3*n^3*log(F)^3)
```

**Sympy [A]**

time = 0.15, size = 437, normalized size = 1.83

$$a^2 c^2 x + a^2 c d x^2 + \frac{a^2 d^2 x^3}{3} + \left\{ \frac{(2 a^2 d^2 f^3 g^3 n^3 \log(F)^3 + 3 a^2 c d f^2 g^2 n^2 \log(F)^2 + 3 a^2 c^2 f g n x \log(F) - 2 a^2 d^2 f^2 g^2 n^2 \log(F)^2 - 2 a^2 c d f^2 g^2 n^2 \log(F) - 2 a^2 c^2 f^2 g^2 n^2 \log(F)) (e^{f x+g})^{2 m}}{4 f^3 g^3 n^3 \log(F)^3} + \frac{(2 a b d^2 f^2 g^2 n^2 x^2 \log(F)^2 + 2 a b c d f^2 g^2 n^2 x \log(F) + 2 a b c^2 f^2 g^2 n^2 \log(F)^2 - 2 a b d^2 f g n x \log(F) - 2 a b c d f g n) \log(F) F^{2 f m a+2 m}}{12 f^3 g^3 n^3 \log(F)^3} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))^n)**2*(d*x+c)**2,x)
```

```
[Out] a**2*c**2*x + a**2*c*d*x**2 + a**2*d**2*x**3/3 + Piecewise((((2*b**2*c**2*f**5*g**5*n**5*log(F)**5 + 4*b**2*c*d*f**5*g**5*n**5*x*log(F)**5 - 2*b**2*c*d*f**4*g**4*n**4*log(F)**4 + 2*b**2*d**2*f**5*g**5*n**5*x**2*log(F)**5 - 2*b**2*d**2*f**4*g**4*n**4*x*log(F)**4 + b**2*d**2*f**3*g**3*n**3*log(F)**3)*
```



$$\begin{aligned} & ))^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2 + (2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 4\pi^2 b^2 c d f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 4\pi^2 b^2 c d f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) - \pi^2 b^2 d^2 f g n x \text{sgn}(F) + \pi^2 b^2 d^2 f g n x - \pi^2 b^2 c d f g n x \text{sgn}(F) + \pi^2 b^2 c d f g n x) * (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) + 2f^3 g^3 n^3 \log(\text{abs}(F))^3)^2) * \sin(-\pi^2 f g n x \text{sgn}(F) + \pi^2 f g n x - \pi^2 g n x \text{sgn}(F) + \pi^2 g n x) * e^{(2f g n x \log(\text{abs}(F)) + 2g n x \log(\text{abs}(F)))} - I * ((-I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) + 2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) + I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 - 2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) - 2I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F))^2 - 2I\pi^2 b^2 c d f^2 g^2 n^2 x \text{sgn}(F) + 4\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F)) \text{sgn}(F) + 2I\pi^2 b^2 c d f^2 g^2 n^2 x - 4\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F)) - 4I\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 - I\pi^2 b^2 c^2 f^2 g^2 n^2 \text{sgn}(F) + 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) + I\pi^2 b^2 c^2 f^2 g^2 n^2 - 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) - 2I\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F))^2 - \pi^2 b^2 d^2 f g n x \text{sgn}(F) + \pi^2 b^2 d^2 f g n x + 2I\pi^2 b^2 d^2 f g n x \log(\text{abs}(F)) - \pi^2 b^2 c d f g n x \text{sgn}(F) + \pi^2 b^2 c d f g n x + 2I\pi^2 b^2 c d f g n x \log(\text{abs}(F)) - I\pi^2 b^2 d^2) * e^{(I\pi^2 f g n x \text{sgn}(F) - I\pi^2 f g n x + I\pi^2 g n x \text{sgn}(F) - I\pi^2 g n x) / (-4I\pi^3 f^3 g^3 n^3 \text{sgn}(F) + 12\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) \text{sgn}(F) + 12I\pi^2 f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) + 4I\pi^3 f^3 g^3 n^3 - 12\pi^2 f^3 g^3 n^3 \log(\text{abs}(F)) - 12I\pi^2 f^3 g^3 n^3 \log(\text{abs}(F))^2 + 8f^3 g^3 n^3 \log(\text{abs}(F))^3) - (-I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \text{sgn}(F) - 2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) + I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 + 2\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) - 2I\pi^2 b^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F))^2 - 2I\pi^2 b^2 c d f^2 g^2 n^2 x \text{sgn}(F) - 4\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F)) \text{sgn}(F) + 2I\pi^2 b^2 c d f^2 g^2 n^2 x + 4\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F)) - 4I\pi^2 b^2 c d f^2 g^2 n^2 x \log(\text{abs}(F))^2 - I\pi^2 b^2 c^2 f^2 g^2 n^2 \text{sgn}(F) - 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) + I\pi^2 b^2 c^2 f^2 g^2 n^2 + 2\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F)) - 2I\pi^2 b^2 c^2 f^2 g^2 n^2 \log(\text{abs}(F))^2 + \pi^2 b^2 d^2 f g n x \text{sgn}(F) - \pi^2 b^2 d^2 f g n x + 2I\pi^2 b^2 d^2 f g n x \log(\text{abs}(F)) + \pi^2 b^2 c d f g n x \text{sgn}(F) - \pi^2 b^2 c d f g n x + 2I\pi^2 b^2 c d f g n x \log(\text{abs}(F)) - I\pi^2 b^2 d^2) * e^{(-I\pi^2 f g n x \text{sgn}(F) \dots} \end{aligned}$$

**Mupad [B]**

time = 3.82, size = 267, normalized size = 1.12

$$(F^{f^2} F^{g^2})^{2n} \left( \frac{b^2 (2c^2 f^2 g^2 n^2 \ln(F)^2 - 2cdfgn \ln(F) + d^2)}{4f^2 g^2 n^3 \ln(F)^3} + \frac{b^2 d^2 x^2}{2fgn \ln(F)} - \frac{b^2 dx(d - 2c fgn \ln(F))}{2f^2 g^2 n^2 \ln(F)^2} \right) + (F^{f^2} F^{g^2})^{2n} \left( \frac{2ab(c^2 f^2 g^2 n^2 \ln(F)^2 - 2cdfgn \ln(F) + 2d^2)}{f^2 g^2 n^3 \ln(F)^3} + \frac{2abd^2 x^2}{fgn \ln(F)} - \frac{4abdxd - c fgn \ln(F)}{f^2 g^2 n^2 \ln(F)^2} \right) + a^2 c^2 x + \frac{a^2 d^2 x^3}{3} + a^2 cdx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a + b*(F^{(g*(e + f*x))})^n)^2*(c + d*x)^2, x)$

[Out]  $(F^{(f*g*x)}*F^{(e*g)})^{(2*n)}*((b^2*(d^2 + 2*c^2*f^2*g^2*n^2*\log(F)^2 - 2*c*d*f*g*n*\log(F)))/(4*f^3*g^3*n^3*\log(F)^3) + (b^2*d^2*x^2)/(2*f*g*n*\log(F)) - (b^2*d*x*(d - 2*c*f*g*n*\log(F)))/(2*f^2*g^2*n^2*\log(F)^2)) + (F^{(f*g*x)}*F^{(e*g)})^n*((2*a*b*(2*d^2 + c^2*f^2*g^2*n^2*\log(F)^2 - 2*c*d*f*g*n*\log(F)))/(f^3*g^3*n^3*\log(F)^3) + (2*a*b*d^2*x^2)/(f*g*n*\log(F)) - (4*a*b*d*x*(d - c*f*g*n*\log(F)))/(f^2*g^2*n^2*\log(F)^2)) + a^2*c^2*x + (a^2*d^2*x^3)/3 + a^2*c*d*x^2$

### 3.34 $\int (a + b(F^{g(e+fx)})^n)^2 (c + dx) dx$

**Optimal.** Leaf size=156

$$\frac{a^2(c+dx)^2}{2d} - \frac{2abd(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} - \frac{b^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2\log^2(F)} + \frac{2ab(F^{eg+fgx})^n(c+dx)}{fgn\log(F)} + \frac{b^2(F^{eg+fgx})^{2n}(c+dx)}{2fgn\log(F)}$$

[Out]  $1/2*a^2*(d*x+c)^2/d-2*a*b*d*(F^(f*g*x+e*g))^n/f^2/g^2/n^2/\ln(F)^2-1/4*b^2*d*(F^(f*g*x+e*g))^(2*n)/f^2/g^2/n^2/\ln(F)^2+2*a*b*(F^(f*g*x+e*g))^n*(d*x+c)/f/g/n/\ln(F)+1/2*b^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.11, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2214, 2207, 2225}

$$\frac{a^2(c+dx)^2}{2d} + \frac{2ab(c+dx)(F^{eg+fgx})^n}{fgn\log(F)} - \frac{2abd(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{b^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn\log(F)} - \frac{b^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2\log^2(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x))))^n]^2\*(c + d\*x), x]

[Out]  $(a^2*(c + d*x)^2)/(2*d) - (2*a*b*d*(F^(e*g + f*g*x))^n)/(f^2*g^2*n^2*\text{Log}[F]^2) - (b^2*d*(F^(e*g + f*g*x))^(2*n))/(4*f^2*g^2*n^2*\text{Log}[F]^2) + (2*a*b*(F^(e*g + f*g*x))^n*(c + d*x))/(f*g*n*\text{Log}[F]) + (b^2*(F^(e*g + f*g*x))^(2*n)*(c + d*x))/(2*f*g*n*\text{Log}[F])$

Rule 2207

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^p\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2225

Int[((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.), x\_Symbol] :> Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]



Rubi steps

$$\begin{aligned}
\int \left( a + b(F^{g(e+fx)})^n \right)^2 (c + dx) dx &= \int \left( a^2(c + dx) + 2ab(F^{eg+fgx})^n (c + dx) + b^2(F^{eg+fgx})^{2n} (c + dx) \right) dx \\
&= \frac{a^2(c + dx)^2}{2d} + (2ab) \int (F^{eg+fgx})^n (c + dx) dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx) dx \\
&= \frac{a^2(c + dx)^2}{2d} + \frac{2ab(F^{eg+fgx})^n (c + dx)}{fgn \log(F)} + \frac{b^2(F^{eg+fgx})^{2n} (c + dx)}{2fgn \log(F)} - \frac{b^2 d (F^{eg+fgx})^{2n}}{4f^2 g^2 n^2 \log^2(F)} + \frac{2ab(F^{eg+fgx})^n}{fgn \log(F)} \\
&= \frac{a^2(c + dx)^2}{2d} - \frac{2abd(F^{eg+fgx})^n}{f^2 g^2 n^2 \log^2(F)} - \frac{b^2 d (F^{eg+fgx})^{2n}}{4f^2 g^2 n^2 \log^2(F)} + \frac{2ab(F^{eg+fgx})^n}{fgn \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.31, size = 117, normalized size = 0.75

$$\frac{-bd(F^{g(e+fx)})^n (8a + b(F^{g(e+fx)})^n) + 2bf(F^{g(e+fx)})^n (4a + b(F^{g(e+fx)})^n) gnc + dx \log(F) + 2a^2 f^2 g^2 n^2 x(2c + dx) \log^2(F)}{4f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x), x]

**[Out]**  $(-b*d*(F^{g*(e + f*x)})^n*(8*a + b*(F^{g*(e + f*x)})^n) + 2*b*f*(F^{g*(e + f*x)})^n*(4*a + b*(F^{g*(e + f*x)})^n)*g*n*(c + d*x)*\text{Log}[F] + 2*a^2*f^2*g^2*n^2*x*(2*c + d*x)*\text{Log}[F]^2)/(4*f^2*g^2*n^2*\text{Log}[F]^2)$

**Maple [A]**

time = 0.03, size = 174, normalized size = 1.12

method	result
norman	$a^2 cx + \frac{a^2 dx^2}{2} + \frac{b^2(2 \ln(F) c f g n - d) e^{2n \ln(e^{g(fx+e)} \ln(F))}}{4n^2 g^2 f^2 \ln(F)^2} + \frac{2ab(\ln(F) c f g n - d) e^{n \ln(e^{g(fx+e)} \ln(F))}}{n^2 g^2 f^2 \ln(F)^2} + \frac{b^2 dx e^{2n \ln(e^{g(fx+e)} \ln(F))}}{2ngf \ln(F)}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c), x, method=\_RETURNVERBOSE)

**[Out]**  $a^2*c*x+1/2*a^2*d*x^2+1/4*b^2*(2*\ln(F)*c*f*g*n-d)/n^2/g^2/f^2/\ln(F)^2*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))^2+2*a*b*(\ln(F)*c*f*g*n-d)/n^2/g^2/f^2/\ln(F)^2*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))+1/2/n/g/f/\ln(F)*b^2*d*x*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))^2+2/n/g/f/\ln(F)*a*b*d*x*\exp(n*\ln(\exp(g*(f*x+e)*\ln(F))))$

**Maxima [A]**

time = 0.30, size = 184, normalized size = 1.18

$$\frac{1}{2} a^2 dx^2 + a^2 cx + \frac{2 F^{fgnx+gne} abc}{fgn \log(F)} + \frac{F^2 fgnx+2gne b^2 c}{2 fgn \log(F)} + \frac{2(F^{gne} fgnx \log(F) - F^{gne}) F^{fgnx} abd}{f^2 g^2 n^2 \log(F)^2} + \frac{(2 F^{2gne} fgnx \log(F) - F^{2gne}) F^2 fgnx b^2 d}{4 f^2 g^2 n^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c),x, algorithm="maxima")

[Out]  $\frac{1}{2}a^2d^2x^2 + a^2c^2x + 2F^{(fgn+gne)}ab^2c/(fgn \log(F)) + \frac{1}{2}F^{(2fgn+2gne)}b^2c/(fgn \log(F)) + 2(F^{(gne)}fgn \log(F) - F^{(gne)})F^{(fgn)}abd/(f^2g^2n^2 \log(F)^2) + \frac{1}{4}(2F^{(2gne)}fgn \log(F) - F^{(2gne)})F^{(2fgn)}b^2d/(f^2g^2n^2 \log(F)^2)$

**Fricas** [A]

time = 0.35, size = 141, normalized size = 0.90

$$\frac{2(a^2df^2g^2n^2x^2 + 2a^2cf^2g^2n^2x)\log(F)^2 - (b^2d - 2(b^2dfgnx + b^2cfgn)\log(F))F^{2fgn+2gne} - 8(abd - (abdfgnx + abcfgn)\log(F))F^{fgn+gne}}{4f^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c),x, algorithm="fricas")

[Out]  $\frac{1}{4}(2(a^2df^2g^2n^2x^2 + 2a^2cf^2g^2n^2x)\log(F)^2 - (b^2d - 2(b^2dfgnx + b^2cfgn)\log(F))F^{(2fgn+2gne)} - 8(a^2bd - (a^2bdfgnx + a^2bcfgn)\log(F))F^{(fgn+gne)})/(f^2g^2n^2 \log(F)^2)$

**Sympy** [A]

time = 0.11, size = 231, normalized size = 1.48

$$a^2cx + \frac{a^2dx^2}{2} + \begin{cases} \frac{(2b^2cf^3g^3n^3 \log(F)^3 + 2b^2df^3g^3n^3x \log(F)^2 - b^2df^2g^2n^2 \log(F)^2)(F^{9(c+fx)})^{2n} + (8abcf^3g^3n^3 \log(F)^3 + 8abdf^3g^3n^3x \log(F)^2 - 8abdf^2g^2n^2 \log(F)^2)(F^{9(c+fx)})^n}{4f^4g^4n^4 \log(F)^4} & \text{for } f^4g^4n^4 \log(F)^4 \neq 0 \\ x^2\left(abd + \frac{b^2d}{2}\right) + x(2abc + b^2c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*2\*(d\*x+c),x)

[Out]  $a^{**2}c^2x + a^{**2}d^2x^{**2}/2 + \text{Piecewise}(((2b^{**2}c^2f^{**3}g^{**3}n^{**3} \log(F)^{**3} + 2b^{**2}d^2f^{**3}g^{**3}n^{**3}x \log(F)^{**3} - b^{**2}d^2f^{**2}g^{**2}n^{**2} \log(F)^{**2})(F^{**}(g*(e + f*x)))^{**}(2*n) + (8a^2b^2c^2f^{**3}g^{**3}n^{**3} \log(F)^{**3} + 8a^2b^2d^2f^{**3}g^{**3}n^{**3}x \log(F)^{**3} - 8a^2b^2d^2f^{**2}g^{**2}n^{**2} \log(F)^{**2})(F^{**}(g*(e + f*x)))^{**}n)/(4f^{**4}g^{**4}n^{**4} \log(F)^{**4}), \text{Ne}(f^{**4}g^{**4}n^{**4} \log(F)^{**4}, 0)), (x^{**2}(a^2b^2d + b^{**2}d/2) + x(2a^2b^2c + b^{**2}c), \text{True}))$

**Giac** [C] Result contains complex when optimal does not.

time = 3.18, size = 2304, normalized size = 14.77

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c),x, algorithm="giac")



```
(F) - pi^2*f^2*g^2*n^2 + 2*f^2*g^2*n^2*log(abs(F))^2 + 4*(pi*f^2*g^2*n^2
*log(abs(F))*sgn(F) - pi*f^2*g^2*n^2*log(abs(F)))^2)*sin(-1/2*pi*f*g*n*x*s
gn(F) + 1/2*pi*f*g*n*x - 1/2*pi*g*n*e*sgn(F) + 1/2*pi*g*n*e))*e^(f*g*n*x*lo
g(abs(F)) + g*n*e*log(abs(F))) - I*((pi*a*b*d*f*g*n*x*sgn(F) - pi*a*b*d*f*g
*n*x - 2*I*a*b*d*f*g*n*x*log(abs(F)) + pi*a*b*c*f*g*n*sgn(F) - pi*a*b*c*f*g
*n - 2*I*a*b*c*f*g*n*log(abs(F)) + 2*I*a*b*d)*e^(1/2*I*pi*f*g*n*x*sgn(F) -
1/2*I*pi*f*g*n*x + 1/2*I*pi*g*n*e*sgn(F) - 1/2*I*pi*g*n*e)/(pi^2*f^2*g^2*n^
2*sgn(F) + 2*I*pi*f^2*g^2*n^2*log(abs(F))*sgn(F) - pi^2*f^2*g^2*n^2 - 2*I*p
i*f^2*g^2*n^2*log(abs(F)) + 2*f^2*g^2*n^2*log(abs(F))^2) + (pi*a*b*d*f*g*n*
x*sgn(F) - pi*a*b*d*f*g*n*x + 2*I*a*b*d*f*g*n*x*log(abs(F)) + pi*a*b*c*f*g*
n*sgn(F) - pi*a*b*c*f*g*n + 2*I*a*b*c*f*g*n*log(abs(F)) - 2*I*a*b*d)*e^(-1/
2*I*pi*f*g*n*x*sgn(F) + 1/2*I*pi*f*g*n*x - 1/2*I*pi*g*n*e*sgn(F) + 1/2*I*pi
*g*n*e)/(pi^2*f^2*g^2*n^2*sgn(F) - 2*I*pi*f^2*g^2*n^2*log(abs(F))*sgn(F) -
pi^2*f^2*g^2*n^2 + 2*I*pi*f^2*g^2*n^2*log(abs(F)) + 2*f^2*g^2*n^2*log(abs(F
))^2))*e^(f*g*n*x*log(abs(F)) + g*n*e*log(abs(F)))
```

**Mupad [B]**

time = 3.67, size = 146, normalized size = 0.94

$$\frac{a^2 dx^2}{2} - (F^{fgx} F^{eg})^{2n} \left( \frac{b^2 (d - 2c f g n \ln(F))}{4 f^2 g^2 n^2 \ln(F)^2} - \frac{b^2 dx}{2 f g n \ln(F)} \right) - (F^{fgx} F^{eg})^n \left( \frac{2ab(d - c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} - \frac{2abd x}{f g n \ln(F)} \right) + a^2 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x),x)

[Out] (a^2\*d\*x^2)/2 - (F^(f\*g\*x)\*F^(e\*g))^(2\*n)\*((b^2\*(d - 2\*c\*f\*g\*n\*log(F)))/(4\*f^2\*g^2\*n^2\*log(F)^2) - (b^2\*d\*x)/(2\*f\*g\*n\*log(F))) - (F^(f\*g\*x)\*F^(e\*g))^n\*((2\*a\*b\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2) - (2\*a\*b\*d\*x)/(f\*g\*n\*log(F))) + a^2\*c\*x

### 3.35 $\int (a + b(F^{g(e+fx)})^n)^2 dx$

Optimal. Leaf size=67

$$a^2x + \frac{2ab(F^{g(e+fx)})^n}{fgn \log(F)} + \frac{b^2(F^{g(e+fx)})^{2n}}{2fgn \log(F)}$$

[Out]  $a^2x + 2ab(F^{g(f*x+e)})^n/f/g/n/\ln(F) + 1/2*b^2*(F^{g*(f*x+e)})^{(2*n)}/f/g/n/\ln(F)$

Rubi [A]

time = 0.03, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {2320, 272, 45}

$$a^2x + \frac{2ab(F^{g(e+fx)})^n}{fgn \log(F)} + \frac{b^2(F^{g(e+fx)})^{2n}}{2fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^2, x]

[Out]  $a^2x + (2ab*(F^{g*(e + f*x)})^n)/(f*g*n*\text{Log}[F]) + (b^2*(F^{g*(e + f*x)})^{(2*n)})/(2*f*g*n*\text{Log}[F])$

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
\int \left(a + b(F^{g(e+fx)})^n\right)^2 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^n)^2}{x} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
&= \frac{\text{Subst}\left(\int \frac{(a+bx)^2}{x} dx, x, (F^{g(e+fx)})^n\right)}{f g n \log(F)} \\
&= \frac{\text{Subst}\left(\int \left(2ab + \frac{a^2}{x} + b^2 x\right) dx, x, (F^{g(e+fx)})^n\right)}{f g n \log(F)} \\
&= a^2 x + \frac{2ab(F^{g(e+fx)})^n}{f g n \log(F)} + \frac{b^2(F^{g(e+fx)})^{2n}}{2f g n \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.09, size = 65, normalized size = 0.97

$$\frac{b(F^{g(e+fx)})^n (4a + b(F^{g(e+fx)})^n) + 2a^2 \log((F^{g(e+fx)})^n)}{2f g n \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x))))^n]^2, x]``[Out] (b*(F^(g*(e + f*x))))^n*(4*a + b*(F^(g*(e + f*x))))^n + 2*a^2*Log[(F^(g*(e + f*x))))^n]/(2*f*g*n*Log[F])`**Maple [A]**

time = 0.02, size = 65, normalized size = 0.97

method	result	size
derivativedivides	$\frac{\frac{b^2(F^{g(fx+e)})^{2n}}{2} + 2ab(F^{g(fx+e)})^n + a^2 \ln((F^{g(fx+e)})^n)}{gf \ln(F)n}}$	65
default	$\frac{\frac{b^2(F^{g(fx+e)})^{2n}}{2} + 2ab(F^{g(fx+e)})^n + a^2 \ln((F^{g(fx+e)})^n)}{gf \ln(F)n}}$	65
norman	$a^2 x + \frac{b^2 e^{2n \ln(e^{g(fx+e)} \ln(F))}}{2ngf \ln(F)} + \frac{2abe^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)}$	72

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e))))^n)^2, x, method=_RETURNVERBOSE)``[Out] 1/g/f/ln(F)/n*(1/2*b^2*((F^(g*(f*x+e))))^n)^2+2*a*b*(F^(g*(f*x+e))))^n+a^2*ln((F^(g*(f*x+e))))^n)`

**Maxima [A]**

time = 0.28, size = 64, normalized size = 0.96

$$a^2x + \frac{2 F^{(fx+e)gn} ab}{fgn \log(F)} + \frac{F^{2(fx+e)gn} b^2}{2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="maxima")
```

```
[Out] a^2*x + 2*F^((f*x + e)*g*n)*a*b/(f*g*n*log(F)) + 1/2*F^(2*(f*x + e)*g*n)*b^2/(f*g*n*log(F))
```

**Fricas [A]**

time = 0.42, size = 63, normalized size = 0.94

$$\frac{2 a^2 fgnx \log(F) + 4 F^{fgnx+gne} ab + F^{2fgnx+2gne} b^2}{2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")
```

```
[Out] 1/2*(2*a^2*f*g*n*x*log(F) + 4*F^(f*g*n*x + g*n*e)*a*b + F^(2*f*g*n*x + 2*g*n*e)*b^2)/(f*g*n*log(F))
```

**Sympy [A]**

time = 0.07, size = 92, normalized size = 1.37

$$a^2x + \begin{cases} \frac{4abfgn(F^{g(e+fx)})^n \log(F) + b^2fgn(F^{g(e+fx)})^{2n} \log(F)}{2f^2g^2n^2 \log(F)^2} & \text{for } f^2g^2n^2 \log(F)^2 \neq 0 \\ x(2ab + b^2) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2,x)
```

```
[Out] a**2*x + Piecewise(((4*a*b*f*g*n*(F**(g*(e + f*x))))**n*log(F) + b**2*f*g*n*(F**(g*(e + f*x))))**2*log(F))/(2*f**2*g**2*n**2*log(F)**2), Ne(f**2*g**2*n**2*log(F)**2, 0)), (x*(2*a*b + b**2), True))
```

**Giac [A]**

time = 3.01, size = 77, normalized size = 1.15

$$\frac{4 F^{fgnx} F^{gne} ab + F^{2fgnx} F^{2gne} b^2 + 2 a^2 \log(|F|^{fgnx} |F|^{gne})}{2 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (4 \cdot F^{(f \cdot g \cdot n \cdot x)} \cdot F^{(g \cdot n \cdot e)} \cdot a \cdot b + F^{(2 \cdot f \cdot g \cdot n \cdot x)} \cdot F^{(2 \cdot g \cdot n \cdot e)} \cdot b^2 + 2 \cdot a^2 \cdot \log(\text{abs}(F)^{(f \cdot g \cdot n \cdot x)} \cdot \text{abs}(F)^{(g \cdot n \cdot e)})) / (f \cdot g \cdot n \cdot \log(F))$

**Mupad [B]**

time = 3.72, size = 75, normalized size = 1.12

$$\frac{\frac{b^2 (F^{eg+fgx})^{2n}}{2} + 2ab (F^{eg+fgx})^n}{fgn \ln(F)} + \frac{a^2 \ln(F^{g(e+fx)})}{fg \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x))))^n)^2,x)

[Out]  $((b^2 \cdot (F^{(e \cdot g + f \cdot g \cdot x)})^{(2 \cdot n)}) / 2 + 2 \cdot a \cdot b \cdot (F^{(e \cdot g + f \cdot g \cdot x)})^n) / (f \cdot g \cdot n \cdot \log(F)) + (a^2 \cdot \log(F^{(g \cdot (e + f \cdot x))})) / (f \cdot g \cdot \log(F))$



$$3.36 \quad \int \frac{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2}{c+dx} dx$$

**Optimal.** Leaf size=134

$$\frac{2abF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}\left(F^{eg+fgx}\right)^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}\left(F^{eg+fgx}\right)^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

[Out]  $2*a*b*F^{\left(\left(e-c*f/d\right)*g*n-g*n*\left(f*x+e\right)\right)}*\left(F^{\left(f*g*x+e*g\right)}\right)^n*\operatorname{Ei}\left(f*g*n*\left(d*x+c\right)*\ln\left(F\right)/d\right)/d+b^2*F^{\left(2*\left(e-c*f/d\right)*g*n-2*g*n*\left(f*x+e\right)\right)}*\left(F^{\left(f*g*x+e*g\right)}\right)^{\left(2*n\right)}*\operatorname{Ei}\left(2*f*g*n*\left(d*x+c\right)*\ln\left(F\right)/d\right)/d+a^2*\ln\left(d*x+c\right)/d$

**Rubi [A]**

time = 0.18, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2213, 2209}

$$\frac{a^2 \log(c+dx)}{d} + \frac{2ab\left(F^{eg+fgx}\right)^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^2\left(F^{eg+fgx}\right)^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\left(a+b*\left(F^{\left(g*\left(e+f*x\right)\right)}\right)^n\right)^2/\left(c+d*x\right),x\right]$

[Out]  $\left(2*a*b*F^{\left(\left(e-\left(c*f\right)/d\right)*g*n-g*n*\left(e+f*x\right)\right)}*\left(F^{\left(e*g+f*g*x\right)}\right)^n*\operatorname{ExpIntegralEi}\left[\left(f*g*n*\left(c+d*x\right)*\operatorname{Log}\left[F\right]\right)/d\right]/d+\left(b^2*F^{\left(2*\left(e-\left(c*f\right)/d\right)*g*n-2*g*n*\left(e+f*x\right)\right)}*\left(F^{\left(e*g+f*g*x\right)}\right)^{\left(2*n\right)}*\operatorname{ExpIntegralEi}\left[\left(2*f*g*n*\left(c+d*x\right)*\operatorname{Log}\left[F\right]\right)/d\right]/d+\left(a^2*\operatorname{Log}\left[c+d*x\right]\right)/d$

Rule 2209

$\operatorname{Int}\left[\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}/\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right),x_{-}\operatorname{Symbol}\right]:>\operatorname{Simp}\left[\left(F^{\left(g*\left(e-c*\left(f/d\right)\right)\right)}\right)/d*\operatorname{ExpIntegralEi}\left[f*g*\left(c+d*x\right)*\left(\operatorname{Log}\left[F\right]/d\right)\right],x\right];\operatorname{FreeQ}\left[\left\{F,c,d,e,f,g\right\},x\right]\&\amp;\operatorname{!TrueQ}\left[\$UseGamma\right]$

Rule 2213

$\operatorname{Int}\left[\left(\left(b_{-}\right)*\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}\right)^{\left(n_{-}\right)}*\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right)^{\left(m_{-}\right)},x_{-}\operatorname{Symbol}\right]:>\operatorname{Dist}\left[\left(b*F^{\left(g*\left(e+f*x\right)\right)}\right)^n/F^{\left(g*n*\left(e+f*x\right)\right)},\operatorname{Int}\left[\left(c+d*x\right)^m*F^{\left(g*n*\left(e+f*x\right)\right)},x\right],x\right];\operatorname{FreeQ}\left[\left\{F,b,c,d,e,f,g,m,n\right\},x\right]$

Rule 2214

$\operatorname{Int}\left[\left(\left(a_{-}\right)+\left(b_{-}\right)*\left(F_{-}\right)^{\left(\left(g_{-}\right)*\left(e_{-}\right)+\left(f_{-}\right)*\left(x_{-}\right)\right)}\right)^{\left(n_{-}\right)}\right)^{\left(p_{-}\right)}*\left(\left(c_{-}\right)+\left(d_{-}\right)*\left(x_{-}\right)\right)^{\left(m_{-}\right)},x_{-}\operatorname{Symbol}\right]:>\operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\left(c+d*x\right)^m,\left(a+b*\left(F^{\left(g*\left(e+f*x\right)\right)}\right)^n\right)^p,x\right],x\right];\operatorname{FreeQ}\left[\left\{F,a,b,c,d,e,f,g,m,n\right\},x\right]\&\amp;\operatorname{IGtQ}\left[p,0\right]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b(F^{g(e+fx)})^n)^2}{c + dx} dx &= \int \left( \frac{a^2}{c + dx} + \frac{2ab(F^{eg+fgx})^n}{c + dx} + \frac{b^2(F^{eg+fgx})^{2n}}{c + dx} \right) dx \\
&= \frac{a^2 \log(c + dx)}{d} + (2ab) \int \frac{(F^{eg+fgx})^n}{c + dx} dx + b^2 \int \frac{(F^{eg+fgx})^{2n}}{c + dx} dx \\
&= \frac{a^2 \log(c + dx)}{d} + (2abF^{-n(eg+fgx)} (F^{eg+fgx})^n) \int \frac{F^{n(eg+fgx)}}{c + dx} dx + \left( b^2 F^{-2n(eg+fgx)} \right) \int \frac{F^{2n(eg+fgx)}}{c + dx} dx \\
&= \frac{2abF^{(e-\frac{cf}{d})gn-gn(e+fx)} (F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + b^2 F^{2(e-\frac{cf}{d})gn-2gn(e+fx)} (F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right) + a^2 \log(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]**

time = 0.38, size = 108, normalized size = 0.81

$$\frac{2abF^{-\frac{fgn(c+dx)}{d}} (F^{g(e+fx)})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + b^2 F^{-\frac{2fgn(c+dx)}{d}} (F^{g(e+fx)})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right) + a^2 \log(c + dx)}{d}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x), x]`

```
[Out] ((2*a*b*(F^(g*(e + f*x)))^n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d])/F^((f*g*n*(c + d*x))/d) + (b^2*(F^(g*(e + f*x)))^(2*n)*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d])/F^((2*f*g*n*(c + d*x))/d) + a^2*Log[c + d*x])/d
```

**Maple [F]**

time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^2}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c), x)``[Out] int((a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c),x, algorithm="maxima")

[Out] F^(2\*g\*n\*e)\*b^2\*integrate(F^(2\*f\*g\*n\*x)/(d\*x + c), x) + 2\*F^(g\*n\*e)\*a\*b\*integrate(F^(f\*g\*n\*x)/(d\*x + c), x) + a^2\*log(d\*x + c)/d

**Fricas** [A]

time = 0.43, size = 105, normalized size = 0.78

$$\frac{a^2 \log(dx + c) + \frac{b^2 \operatorname{Ei}\left(\frac{2(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{2(cfgn-dgne)}{d}}} + \frac{2ab \operatorname{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{cfgn-dgne}{d}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c),x, algorithm="fricas")

[Out] (a^2\*log(d\*x + c) + b^2\*Ei(2\*(d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d)/F^(2\*(c\*f\*g\*n - d\*g\*n\*e)/d) + 2\*a\*b\*Ei((d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d)/F^((c\*f\*g\*n - d\*g\*n\*e)/d))/d

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{eg} F^{fgx})^n)^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*2/(d\*x+c),x)

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))))\*\*n)\*\*2/(c + d\*x), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c),x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^2/(d\*x + c), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b(F^{g(e+fx)})^n)^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^2/(c + d\*x),x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^2/(c + d\*x), x)

$$3.37 \quad \int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^2}{(c+dx)^2} dx$$

**Optimal.** Leaf size=202

$$\frac{a^2}{d(c+dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c+dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c+dx)} + \frac{2abfF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n gn \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) \log(F)}{d^2}$$

[Out]  $-a^2/d/(d*x+c) - 2*a*b*(F^{(f*g*x+e*g)})^n/d/(d*x+c) - b^2*(F^{(f*g*x+e*g)})^{(2*n)}/d/(d*x+c) + 2*a*b*f*F^{((e-c*f/d)*g*n-g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^n*g*n*Ei(f*g*n*(d*x+c)*\ln(F)/d)*\ln(F)/d^2 + 2*b^2*f*F^{(2*(e-c*f/d)*g*n-2*g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^{(2*n)}*g*n*Ei(2*f*g*n*(d*x+c)*\ln(F)/d)*\ln(F)/d^2$

**Rubi [A]**

time = 0.25, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2214, 2208, 2213, 2209}

$$-\frac{a^2}{d(c+dx)} + \frac{2abfgn \log(F) (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d^2} - \frac{2ab(F^{eg+fgx})^n}{d(c+dx)} + \frac{2b^2fgn \log(F) (F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d^2} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b(F^{g(e + f*x)}))^n]^2/(c + d*x)^2, x]$

[Out]  $-(a^2/(d*(c + d*x))) - (2*a*b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)) - (b^2*(F^{(e*g + f*g*x)})^{(2*n)})/(d*(c + d*x)) + (2*a*b*f*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^n*g*n*\operatorname{ExpIntegralEi}[(f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/d^2 + (2*b^2*f*F^{(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^{(2*n)}*g*n*\operatorname{ExpIntegralEi}[(2*f*g*n*(c + d*x)*\operatorname{Log}[F])/d]*\operatorname{Log}[F])/d^2$

Rule 2208

$\operatorname{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(n_*)}*((c_*) + (d_*)*(x_*))^{(m_*)}, x\_Symbol] := \operatorname{Simp}[(c + d*x)^{(m+1)}*((b*F^{(g*(e + f*x))})^n/(d*(m+1))), x] - \operatorname{Dist}[f*g*n*(\operatorname{Log}[F]/(d*(m+1))), \operatorname{Int}[(c + d*x)^{(m+1)}*(b*F^{(g*(e + f*x))})^n, x], x] /; \operatorname{FreeQ}\{F, b, c, d, e, f, g, n\}, x] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{IntegerQ}[2*m] \&\& \operatorname{!TrueQ}[\$UseGamma]$

Rule 2209

$\operatorname{Int}[(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(n_*)}*((c_*) + (d_*)*(x_*))}, x\_Symbol] := \operatorname{Simp}[(F^{(g*(e - c*(f/d))})/d)*\operatorname{ExpIntegralEi}[f*g*(c + d*x)*(\operatorname{Log}[F]/d)], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\& \operatorname{!TrueQ}[\$UseGamma]$

Rule 2213

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_
.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

### Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) +
(d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b(F^{g(e+fx)})^n)^2}{(c + dx)^2} dx &= \int \left( \frac{a^2}{(c + dx)^2} + \frac{2ab(F^{eg+fgx})^n}{(c + dx)^2} + \frac{b^2(F^{eg+fgx})^{2n}}{(c + dx)^2} \right) dx \\
&= -\frac{a^2}{d(c + dx)} + (2ab) \int \frac{(F^{eg+fgx})^n}{(c + dx)^2} dx + b^2 \int \frac{(F^{eg+fgx})^{2n}}{(c + dx)^2} dx \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{(2abfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{c+dx}}{d} \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{(2abfF^{-n(eg+fgx)}(F^{eg+fgx})^n)}{d} \\
&= -\frac{a^2}{d(c + dx)} - \frac{2ab(F^{eg+fgx})^n}{d(c + dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{d(c + dx)} + \frac{2abfF^{(e-\frac{cf}{d})gn-gn(e+fx)}(F^{eg+fgx})^n}{d}
\end{aligned}$$

### Mathematica [A]

time = 0.60, size = 136, normalized size = 0.67

$$\frac{-\frac{d(a+b(F^{g(e+fx)})^n)^2}{c+dx} + 2abfF^{-\frac{fgn(c+dx)}{d}}(F^{g(e+fx)})^n gnEi\left(\frac{fgn(c+dx)\log(F)}{d}\right)\log(F) + 2b^2fF^{-\frac{2fgn(c+dx)}{d}}(F^{g(e+fx)})^{2n} gnEi\left(\frac{2fgn(c+dx)\log(F)}{d}\right)\log(F)}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x)^2,x]
```

```
[Out] (-(d*(a + b*(F^(g*(e + f*x)))^n)^2)/(c + d*x)) + (2*a*b*f*(F^(g*(e + f*x)))^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/F^((f*g*n*(c + d*x))/d) + (2*b^2*f*(F^(g*(e + f*x)))^(2*n)*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/F^((2*f*g*n*(c + d*x))/d)/d^2
```

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^2}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x``[Out] int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x, algorithm="maxima")`

`[Out] F^(2*g*n*e)*b^2*integrate(F^(2*f*g*n*x)/(d^2*x^2 + 2*c*d*x + c^2), x) + 2*F^(g*n*e)*a*b*integrate(F^(f*g*n*x)/(d^2*x^2 + 2*c*d*x + c^2), x) - a^2/(d^2*x + c*d)`

**Fricas [A]**

time = 0.39, size = 183, normalized size = 0.91

$$\frac{2 F^{fgnx+gne}abd + F^{2fgnx+2gne}b^2d + a^2d - \frac{2(b^2dfgnx+b^2cfdn)Ei\left(\frac{2(dfgnx+cfgn)\log(F)}{d}\right)\log(F)}{F^{\frac{2(cfgn-dgne)}{d}}}}{d^3x + cd^2} - \frac{2(abdfgnx+abcfgn)Ei\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right)\log(F)}{F^{\frac{cfgn-dgne}{d}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^2,x, algorithm="fricas")`

`[Out] -(2*F^(f*g*n*x + g*n*e)*a*b*d + F^(2*f*g*n*x + 2*g*n*e)*b^2*d + a^2*d - 2*(b^2*d*f*g*n*x + b^2*c*f*g*n)*Ei(2*(d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)/F^(2*(c*f*g*n - d*g*n*e)/d) - 2*(a*b*d*f*g*n*x + a*b*c*f*g*n)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)/F^((c*f*g*n - d*g*n*e)/d))/(d^3*x + c*d^2)`

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{egFfgx})^n)^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F**(g*(f*x+e))))**n)**2/(d*x+c)**2,x`

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n)\*\*2/(c + d\*x)\*\*2, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c)^2,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^2/(d\*x + c)^2, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b (F^{g(e+fx)})^n)^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^2/(c + d\*x)^2,x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^2/(c + d\*x)^2, x)

$$3.38 \quad \int \frac{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2}{(c+dx)^3} dx$$

**Optimal.** Leaf size=286

$$\frac{a^2}{2d(c+dx)^2} - \frac{ab(F^{eg+fgx})^n}{d(c+dx)^2} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c+dx)^2} - \frac{abf(F^{eg+fgx})^n gn \log(F)}{d^2(c+dx)} - \frac{b^2f(F^{eg+fgx})^{2n} gn \log(F)}{d^2(c+dx)} + \frac{abf^2F^{2n}}{d^2(c+dx)}$$

[Out]  $-1/2*a^2/d/(d*x+c)^2-a*b*(F^{(f*g*x+e*g)})^n/d/(d*x+c)^2-1/2*b^2*(F^{(f*g*x+e*g)})^{(2*n)}/d/(d*x+c)^2-a*b*f*(F^{(f*g*x+e*g)})^n*g*n*ln(F)/d^2/(d*x+c)-b^2*f*(F^{(f*g*x+e*g)})^{(2*n)}*g*n*ln(F)/d^2/(d*x+c)+a*b*f^2*F^{(e-c*f/d)*g*n-g*n*(f*x+e)}*(F^{(f*g*x+e*g)})^n*g^2*n^2*Ei(f*g*n*(d*x+c)*ln(F)/d)*ln(F)^2/d^3+2*b^2*f^2*F^{(2*(e-c*f/d)*g*n-2*g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^{(2*n)}*g^2*n^2*Ei(2*f*g*n*(d*x+c)*ln(F)/d)*ln(F)^2/d^3$

**Rubi [A]**

time = 0.33, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2214, 2208, 2213, 2209}

$$\frac{a^2}{2d(c+dx)^2} + \frac{abf^2g^2n^2 \log^2(F) (F^{eg+fgx})^n F^{gn(e-\frac{c}{d})-gn(e+fx)} Ei\left(\frac{fmc+dx}{d} \log(F)\right)}{d^3} - \frac{abfgn \log(F) (F^{eg+fgx})^n}{d^2(c+dx)} - \frac{ab(F^{eg+fgx})^n}{d(c+dx)^2} + \frac{2b^2f^2g^2n^2 \log^2(F) (F^{eg+fgx})^{2n} F^{2gn(e-\frac{c}{d})-2gn(e+fx)} Ei\left(\frac{2fmc+dx}{d} \log(F)\right)}{d^3} - \frac{b^2fgn \log(F) (F^{eg+fgx})^{2n}}{d^2(c+dx)} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^2/(c + d\*x)^3, x]

[Out]  $-1/2*a^2/(d*(c+d*x)^2) - (a*b*(F^{(e*g+f*g*x)})^n)/(d*(c+d*x)^2) - (b^2*(F^{(e*g+f*g*x)})^{(2*n)})/(2*d*(c+d*x)^2) - (a*b*f*(F^{(e*g+f*g*x)})^n*g*n*Log[F])/(d^2*(c+d*x)) - (b^2*f*(F^{(e*g+f*g*x)})^{(2*n)}*g*n*Log[F])/(d^2*(c+d*x)) + (a*b*f^2*F^{(e-(c*f)/d)*g*n-g*n*(e+f*x)}*(F^{(e*g+f*g*x)})^n*g^2*n^2*ExpIntegralEi[(f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2/d^3 + (2*b^2*f^2*F^{(2*(e-(c*f)/d)*g*n-2*g*n*(e+f*x)}*(F^{(e*g+f*g*x)})^{(2*n)}*g^2*n^2*ExpIntegralEi[(2*f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2/d^3$

**Rule 2208**

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.)+(f\_.)\*(x\_))))^(n\_.)\*((c\_.)+(d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(c+d\*x)^(m+1)\*((b\*F^(g\*(e+f\*x)))^n/(d\*(m+1))), x] - Dist[f\*g\*n\*(Log[F]/(d\*(m+1))), Int[(c+d\*x)^(m+1)\*(b\*F^(g\*(e+f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

**Rule 2209**

Int[(F\_)^((g\_.)\*((e\_.)+(f\_.)\*(x\_)))/((c\_.)+(d\_.)\*(x\_)), x\_Symbol] := Simp[(F^(g\*(e-c\*(f/d)))/d)\*ExpIntegralEi[f\*g\*(c+d\*x)\*(Log[F]/d)], x] /; F



```
reeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

### Rule 2213

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_
.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

### Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) +
(d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b(F^{g(e+fx)})^n)^2}{(c + dx)^3} dx &= \int \left( \frac{a^2}{(c + dx)^3} + \frac{2ab(F^{eg+fgx})^n}{(c + dx)^3} + \frac{b^2(F^{eg+fgx})^{2n}}{(c + dx)^3} \right) dx \\
 &= -\frac{a^2}{2d(c + dx)^2} + (2ab) \int \frac{(F^{eg+fgx})^n}{(c + dx)^3} dx + b^2 \int \frac{(F^{eg+fgx})^{2n}}{(c + dx)^3} dx \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{ab(F^{eg+fgx})^n}{d(c + dx)^2} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} + \frac{(abfgn \log(F)) \int \frac{(F^{eg+fgx})^n}{(c+dx)^2}}{d} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{ab(F^{eg+fgx})^n}{d(c + dx)^2} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{abf(F^{eg+fgx})^n gn \log(F)}{d^2(c + dx)} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{ab(F^{eg+fgx})^n}{d(c + dx)^2} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{abf(F^{eg+fgx})^n gn \log(F)}{d^2(c + dx)} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{ab(F^{eg+fgx})^n}{d(c + dx)^2} - \frac{b^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{abf(F^{eg+fgx})^n gn \log(F)}{d^2(c + dx)}
 \end{aligned}$$

### Mathematica [A]

time = 0.51, size = 217, normalized size = 0.76

$$\frac{a^2 d^2 - 2ab f^2 F^{-\frac{2m(c+dx)}{g}} (F^{g(e+fx)})^n g^2 n^2 (c + dx)^2 \operatorname{Ei}\left(\frac{2m(c+dx) \log(F)}{g}\right) \log^2(F) - 4b^2 f^2 F^{-\frac{2m(c+dx)}{g}} (F^{g(e+fx)})^{2n} g^2 n^2 (c + dx)^2 \operatorname{Ei}\left(\frac{2m(c+dx) \log(F)}{g}\right) \log^2(F) + 2abd(F^{g(e+fx)})^n (d + fgn(c + dx) \log(F)) + b^2 d(F^{g(e+fx)})^{2n} (d + 2fgn(c + dx) \log(F))}{2d^3(c + dx)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^2/(c + d*x)^3,x]
```

[Out]  $-1/2*(a^2*d^2 - (2*a*b*f^2*(F^{g*(e+f*x)})^n*g^{2*n^2*(c+d*x)^2}*ExpIntegralEi[(f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2)/F^{((f*g*n*(c+d*x))/d)} - (4*b^2*f^2*(F^{g*(e+f*x)})^{2*n}*g^{2*n^2*(c+d*x)^2}*ExpIntegralEi[(2*f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2)/F^{((2*f*g*n*(c+d*x))/d)} + 2*a*b*d*(F^{g*(e+f*x)})^n*(d+f*g*n*(c+d*x)*Log[F]) + b^2*d*(F^{g*(e+f*x)})^{2*n}*(d+2*f*g*n*(c+d*x)*Log[F])/(d^3*(c+d*x)^2)$

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^2}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x`

[Out] `int((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x`

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x, algorithm="maxima")`

[Out]  $F^{(2*g*n*e)}*b^2*integrate(F^{(2*f*g*n*x)}/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 2*F^{(g*n*e)}*a*b*integrate(F^{(f*g*n*x)}/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a^2/(d^3*x^2 + 2*c*d^2*x + c^2*d)$

**Fricas [A]**

time = 0.36, size = 324, normalized size = 1.13

$$\frac{a^2 d^2 - \frac{4 (b^2 f^2 g^2 n^2 x^2 + 2 b^2 c d^2 g^2 n^2 x + b^2 c^2 f^2 g^2 n^2) \operatorname{Ei}\left(\frac{2 (d f g n + f g n) \log(F)}{d}\right) \log(F)^2}{2 (d f g n + f g n)} - \frac{2 (a b d^2 f^2 g^2 n^2 x^2 + 2 a b c d^2 g^2 n^2 x + a b c^2 f^2 g^2 n^2) \operatorname{Ei}\left(\frac{d (d f g n + f g n) \log(F)}{d}\right) \log(F)^2}{2 (d f g n + f g n)} + (b^2 d^2 + 2 (b^2 d^2 f g n x + b^2 c d f g n) \log(F)) F^{2 f g n x + 2 g n e} + 2 (a b d^2 + (a b d^2 f g n x + a b c d f g n) \log(F)) F^{f g n x + g n e}}{2 (d^3 x^2 + 2 c d^2 x + c^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)^2/(d*x+c)^3,x, algorithm="fricas")`

[Out]  $-1/2*(a^2*d^2 - 4*(b^2*d^2*f^2*g^2*n^2*x^2 + 2*b^2*c*d*f^2*g^2*n^2*x + b^2*c^2*f^2*g^2*n^2)*Ei(2*(d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2/F^{(2*(c*f*g*n - d*g*n*e)/d)} - 2*(a*b*d^2*f^2*g^2*n^2*x^2 + 2*a*b*c*d*f^2*g^2*n^2*x + a*b*c^2*f^2*g^2*n^2)*Ei((d*f*g*n*x + c*f*g*n)*log(F)/d)*log(F)^2/F^{((c*f*g*n - d*g*n*e)/d)} + (b^2*d^2 + 2*(b^2*d^2*f*g*n*x + b^2*c*d*f*g*n)*log(F))*F^{(2*f*g*n*x + 2*g*n*e)} + 2*(a*b*d^2 + (a*b*d^2*f*g*n*x + a*b*c*d*f*g*n)*log(F))*F^{(f*g*n*x + g*n*e)}/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{eg} F^{fgx})^n)^2}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*2/(d\*x+c)\*\*3,x)

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n)\*\*2/(c + d\*x)\*\*3, x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c)^3,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^2/(d\*x + c)^3, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b(F^{g(e+fx)})^n)^2}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x))))^n)^2/(c + d\*x)^3,x)

[Out] int((a + b\*(F^(g\*(e + f\*x))))^n)^2/(c + d\*x)^3, x)

### 3.39 $\int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^3 dx$

**Optimal.** Leaf size=496

$$\frac{a^3(c+dx)^4}{4d} - \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} - \frac{9ab^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4\log^4(F)} - \frac{2b^3d^3(F^{eg+fgx})^{3n}}{27f^4g^4n^4\log^4(F)} + \frac{18a^2bd^2(F^{eg+fgx})^n(c+dx)}{f^3g^3n^3\log^3(F)} + \frac{9ab^2d^2(F^{eg+fgx})^{2n}(c+dx)}{8f^3g^3n^3\log^3(F)} + \frac{b^3d^2(F^{eg+fgx})^{3n}(c+dx)}{27f^3g^3n^3\log^3(F)}$$

[Out]  $\frac{1}{4}a^3(d*x+c)^4/d - 18a^2b*d^3*(F^(f*g*x+e*g))^n/f^4/g^4/n^4/\ln(F)^4 - 9/8*a*b^2*d^3*(F^(f*g*x+e*g))^(2*n)/f^4/g^4/n^4/\ln(F)^4 - 2/27*b^3*d^3*(F^(f*g*x+e*g))^(3*n)/f^4/g^4/n^4/\ln(F)^4 + 18a^2*b*d^2*(F^(f*g*x+e*g))^n*(d*x+c)/f^3/g^3/n^3/\ln(F)^3 + 9/4*a*b^2*d^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)/f^3/g^3/n^3/\ln(F)^3 + 2/9*b^3*d^2*(F^(f*g*x+e*g))^(3*n)*(d*x+c)/f^3/g^3/n^3/\ln(F)^3 - 9a^2*b*d*(F^(f*g*x+e*g))^n*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2 - 9/4*a*b^2*d*(F^(f*g*x+e*g))^(2*n)*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2 - 1/3*b^3*d*(F^(f*g*x+e*g))^(3*n)*(d*x+c)^2/f^2/g^2/n^2/\ln(F)^2 + 3a^2*b*(F^(f*g*x+e*g))^n*(d*x+c)^3/f/g/n/\ln(F) + 3/2*a*b^2*(F^(f*g*x+e*g))^(2*n)*(d*x+c)^3/f/g/n/\ln(F) + 1/3*b^3*(F^(f*g*x+e*g))^(3*n)*(d*x+c)^3/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.49, antiderivative size = 496, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2207, 2225}

$$\frac{d^3(c+dx)^4}{4d} + \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4\log^4(F)} - \frac{9ab^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4\log^4(F)} + \frac{2b^3d^3(F^{eg+fgx})^{3n}}{27f^4g^4n^4\log^4(F)} + \frac{18a^2bd^2(F^{eg+fgx})^n(c+dx)}{f^3g^3n^3\log^3(F)} + \frac{9ab^2d^2(F^{eg+fgx})^{2n}(c+dx)}{8f^3g^3n^3\log^3(F)} + \frac{b^3d^2(F^{eg+fgx})^{3n}(c+dx)}{27f^3g^3n^3\log^3(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b(F^{g(e + fx)}))^n]^3*(c + dx)^3, x]$

[Out]  $(a^3*(c + dx)^4)/(4*d) - (18*a^2*b*d^3*(F^(e*g + f*g*x))^n)/(f^4*g^4*n^4*\text{Log}[F]^4) - (9*a*b^2*d^3*(F^(e*g + f*g*x))^(2*n))/(8*f^4*g^4*n^4*\text{Log}[F]^4) - (2*b^3*d^3*(F^(e*g + f*g*x))^(3*n))/(27*f^4*g^4*n^4*\text{Log}[F]^4) + (18*a^2*b*d^2*(F^(e*g + f*g*x))^n*(c + dx))/(f^3*g^3*n^3*\text{Log}[F]^3) + (9*a*b^2*d^2*(F^(e*g + f*g*x))^(2*n)*(c + dx))/(4*f^3*g^3*n^3*\text{Log}[F]^3) + (2*b^3*d^2*(F^(e*g + f*g*x))^(3*n)*(c + dx))/(9*f^3*g^3*n^3*\text{Log}[F]^3) - (9*a^2*b*d*(F^(e*g + f*g*x))^n*(c + dx)^2)/(f^2*g^2*n^2*\text{Log}[F]^2) - (9*a*b^2*d*(F^(e*g + f*g*x))^(2*n)*(c + dx)^2)/(4*f^2*g^2*n^2*\text{Log}[F]^2) - (b^3*d*(F^(e*g + f*g*x))^(3*n)*(c + dx)^2)/(3*f^2*g^2*n^2*\text{Log}[F]^2) + (3*a^2*b*(F^(e*g + f*g*x))^n*(c + dx)^3)/(f*g*n*\text{Log}[F]) + (3*a*b^2*(F^(e*g + f*g*x))^(2*n)*(c + dx)^3)/(2*f*g*n*\text{Log}[F]) + (b^3*(F^(e*g + f*g*x))^(3*n)*(c + dx)^3)/(3*f*g*n*\text{Log}[F])$

**Rule 2207**

$\text{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))^{(n_*)*((c_*) + (d_*)*(x_*))^{(m_*)}}, x\_Symbol] :> \text{Simp}[(c + dx)^m*((b*F^(g*(e + fx)))^n/(f*g*n*\text{Log}[F])), x] - \text{Dist}[d*(m/(f*g*n*\text{Log}[F])), \text{Int}[(c + dx)^{(m-1)}*(b*F^(g*(e + fx)))^n]$

```
, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m]
] && !TrueQ[$UseGamma]
```

### Rule 2214

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

### Rule 2225

```
Int[((F_)^((c_)*((a_) + (b_)*(x_))))^(n_), x_Symbol] := Simp[(F^(c*(a +
b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]
```

### Rubi steps

$$\begin{aligned}
\int \left( a + b(F^{g(e+fx)})^n \right)^3 (c + dx)^3 dx &= \int \left( a^3(c + dx)^3 + 3a^2b(F^{eg+fgx})^n (c + dx)^3 + 3ab^2(F^{eg+fgx})^{2n} (c + dx)^3 + b^3(F^{eg+fgx})^{3n} (c + dx)^3 \right) dx \\
&= \frac{a^3(c + dx)^4}{4d} + (3a^2b) \int (F^{eg+fgx})^n (c + dx)^3 dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx)^3 dx + b^3 \int (F^{eg+fgx})^{3n} (c + dx)^3 dx \\
&= \frac{a^3(c + dx)^4}{4d} + \frac{3a^2b(F^{eg+fgx})^n (c + dx)^3}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n} (c + dx)^3}{2fgn \log(F)} + \frac{b^3(F^{eg+fgx})^{3n} (c + dx)^3}{fgn \log(F)} \\
&= \frac{a^3(c + dx)^4}{4d} - \frac{9a^2bd(F^{eg+fgx})^n (c + dx)^2}{f^2g^2n^2 \log^2(F)} - \frac{9ab^2d(F^{eg+fgx})^{2n} (c + dx)^2}{4f^2g^2n^2 \log^2(F)} - \frac{b^3d(F^{eg+fgx})^{3n} (c + dx)^2}{4f^2g^2n^2 \log^2(F)} \\
&= \frac{a^3(c + dx)^4}{4d} + \frac{18a^2bd^2(F^{eg+fgx})^n (c + dx)}{f^3g^3n^3 \log^3(F)} + \frac{9ab^2d^2(F^{eg+fgx})^{2n} (c + dx)}{4f^3g^3n^3 \log^3(F)} - \frac{b^3d^2(F^{eg+fgx})^{3n} (c + dx)}{4f^3g^3n^3 \log^3(F)} \\
&= \frac{a^3(c + dx)^4}{4d} - \frac{18a^2bd^3(F^{eg+fgx})^n}{f^4g^4n^4 \log^4(F)} - \frac{9ab^2d^3(F^{eg+fgx})^{2n}}{8f^4g^4n^4 \log^4(F)} - \frac{2b^3d^3(F^{eg+fgx})^{3n}}{27f^4g^4n^4 \log^4(F)}
\end{aligned}$$

### Mathematica [A]

time = 0.59, size = 341, normalized size = 0.69

$$\frac{a^3x + \frac{3}{2}a^2b(F^{g(e+fx)})^n + a^2b^2(F^{g(e+fx)})^{2n} + \frac{1}{4}a^2b^3(F^{g(e+fx)})^{3n} + \frac{3a^2b(F^{g(e+fx)})^n (-6d^3 + 6d^2fgn(c+dx)\log(F) - 3d^2fg^2n^2(c+dx)^2\log^2(F) + f^2g^2n^2(c+dx)^2\log^2(F))}{f^3g^3n^3\log^3(F)} + \frac{3ab^2(F^{g(e+fx)})^{2n} (-3d^3 + 6d^2fgn(c+dx)\log(F) - 6d^2fg^2n^2(c+dx)^2\log^2(F) + 4f^2g^2n^2(c+dx)^2\log^2(F))}{4f^3g^3n^3\log^3(F)} + \frac{b^3(F^{g(e+fx)})^{3n} (-3d^3 + 6d^2fgn(c+dx)\log(F) - 3d^2fg^2n^2(c+dx)^2\log^2(F) + 9f^2g^2n^2(c+dx)^2\log^2(F))}{27f^3g^3n^3\log^3(F)}}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3*(c + d*x)^3,x]
```

```
[Out] a^3*c^3*x + (3*a^3*c^2*d*x^2)/2 + a^3*c*d^2*x^3 + (a^3*d^3*x^4)/4 + (3*a^2*
b*(F^(g*(e + f*x)))^n*(-6*d^3 + 6*d^2*f*g*n*(c + d*x)*Log[F] - 3*d*f^2*g^2*
```

$$\frac{n^2(c + dx)^2 \text{Log}[F]^2 + f^3 g^3 n^3 (c + dx)^3 \text{Log}[F]^3}{(f^4 g^4 n^4 \text{Log}[F]^4) + (3ab^2(F^{g(e+fx)})^{2n})^3 (-3d^3 + 6d^2 f g n (c + dx) \text{Log}[F] - 6d f^2 g^2 n^2 (c + dx)^2 \text{Log}[F]^2 + 4f^3 g^3 n^3 (c + dx)^3 \text{Log}[F]^3)} / \frac{(8f^4 g^4 n^4 \text{Log}[F]^4) + (b^3(F^{g(e+fx)})^{3n})^3 (-2d^3 + 6d^2 f g n (c + dx) \text{Log}[F] - 9d f^2 g^2 n^2 (c + dx)^2 \text{Log}[F]^2 + 9f^3 g^3 n^3 (c + dx)^3 \text{Log}[F]^3)}{(27f^4 g^4 n^4 \text{Log}[F]^4)}$$

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^3 (dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c)^3,x

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c)^3,x

**Maxima [A]**

time = 0.32, size = 884, normalized size = 1.78

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4}a^3d^3x^4 + a^3cd^2x^3 + \frac{3}{2}a^3c^2dx^2 + a^3c^3x + 3F^{fgnx+gne}a^2b^3c^3/(fgn \log(F)) + \frac{3}{2}F^{2fgnx+2gne}a^2b^2c^3/(fgn \log(F)) + \frac{1}{3}F^{3fgnx+3gne}b^3c^3/(fgn \log(F)) + 9(F^{gne}fgnx \log(F) - F^{gne})F^{fgnx}a^2b^2cd/(f^2g^2n^2 \log(F)^2) + \frac{9}{4}(2F^{2gne}fgnx \log(F) - F^{2gne})F^{2fgnx}a^2b^2cd/(f^2g^2n^2 \log(F)^2) + \frac{1}{3}(3F^{3gne}fgnx \log(F) - F^{3gne})F^{3fgnx}b^3c^2d/(f^2g^2n^2 \log(F)^2) + 9(F^{gne}f^2g^2n^2x^2 \log(F)^2 - 2F^{gne}fgnx \log(F) + 2F^{gne})F^{fgnx}a^2b^3cd^2/(f^3g^3n^3 \log(F)^3) + \frac{9}{4}(2F^{2gne}f^2g^2n^2x^2 \log(F)^2 - 2F^{2gne}fgnx \log(F) + F^{2gne})F^{2fgnx}a^2b^2cd^2/(f^3g^3n^3 \log(F)^3) + \frac{1}{9}(9F^{3gne}f^2g^2n^2x^2 \log(F)^2 - 6F^{3gne}fgnx \log(F) + 2F^{3gne})F^{3fgnx}b^3cd^2/(f^3g^3n^3 \log(F)^3) + 3(F^{gne}f^3g^3n^3x^3 \log(F)^3 - 3F^{gne}f^2g^2n^2x^2 \log(F)^2 + 6F^{gne}fgnx \log(F) - 6F^{gne})F^{fgnx}a^2bd^3/(f^4g^4n^4 \log(F)^4) + \frac{3}{8}(4F^{2gne}f^3g^3n^3x^3 \log(F)^3 - 6F^{2gne}f^2g^2n^2x^2 \log(F)^2 + 6F^{2gne}fgnx \log(F) - 3F^{2gne})F^{2fgnx}a^2bd^3/(f^4g^4n^4 \log(F)^4) + \frac{1}{27}(9F^{3gne}f^3g^3n^3x^3 \log(F)^3 - 9F^{3gne}f^2g^2n^2x^2 \log(F)^2 + 6F^{3gne}fgnx \log(F) - 2F^{3gne})F^{3fgnx}b^3cd^3/(f^4g^4n^4 \log(F)^4)$

**Fricas** [A]

time = 0.42, size = 711, normalized size = 1.43

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c)^3,x, algorithm="fricas")

[Out]  $\frac{1}{216} * (54 * (a^3 * d^3 * f^4 * g^4 * n^4 * x^4 + 4 * a^3 * c * d^2 * f^4 * g^4 * n^4 * x^3 + 6 * a^3 * c^2 * d * f^4 * g^4 * n^4 * x^2 + 4 * a^3 * c^3 * f^4 * g^4 * n^4 * x) * \log(F)^4 - 8 * (2 * b^3 * d^3 - 9 * (b^3 * d^3 * f^3 * g^3 * n^3 * x^3 + 3 * b^3 * c * d^2 * f^3 * g^3 * n^3 * x^2 + 3 * b^3 * c^2 * d * f^3 * g^3 * n^3 * x + b^3 * c^3 * f^3 * g^3 * n^3) * \log(F)^3 + 9 * (b^3 * d^3 * f^2 * g^2 * n^2 * x^2 + 2 * b^3 * c * d^2 * f^2 * g^2 * n^2 * x + b^3 * c^2 * d * f^2 * g^2 * n^2) * \log(F)^2 - 6 * (b^3 * d^3 * f * g * n * x + b^3 * c * d^2 * f * g * n) * \log(F)) * F^{(3 * f * g * n * x + 3 * g * n * e)} - 81 * (3 * a * b^2 * d^3 - 4 * (a * b^2 * d^3 * f^3 * g^3 * n^3 * x^3 + 3 * a * b^2 * c * d^2 * f^3 * g^3 * n^3 * x^2 + 3 * a * b^2 * c^2 * d * f^3 * g^3 * n^3 * x + a * b^2 * c^3 * f^3 * g^3 * n^3) * \log(F)^3 + 6 * (a * b^2 * d^3 * f^2 * g^2 * n^2 * x^2 + 2 * a * b^2 * c * d^2 * f^2 * g^2 * n^2 * x + a * b^2 * c^2 * d * f^2 * g^2 * n^2) * \log(F)^2 - 6 * (a * b^2 * d^3 * f * g * n * x + a * b^2 * c * d^2 * f * g * n) * \log(F)) * F^{(2 * f * g * n * x + 2 * g * n * e)} - 64 * 8 * (6 * a^2 * b * d^3 - (a^2 * b * d^3 * f^3 * g^3 * n^3 * x^3 + 3 * a^2 * b * c * d^2 * f^3 * g^3 * n^3 * x^2 + 3 * a^2 * b * c^2 * d * f^3 * g^3 * n^3 * x + a^2 * b * c^3 * f^3 * g^3 * n^3) * \log(F)^3 + 3 * (a^2 * b * d^3 * f^2 * g^2 * n^2 * x^2 + 2 * a^2 * b * c * d^2 * f^2 * g^2 * n^2 * x + a^2 * b * c^2 * d * f^2 * g^2 * n^2) * \log(F)^2 - 6 * (a^2 * b * d^3 * f * g * n * x + a^2 * b * c * d^2 * f * g * n) * \log(F)) * F^{(f * g * n * x + g * n * e)}) / (f^4 * g^4 * n^4 * \log(F)^4)$

**Sympy** [A]

time = 0.29, size = 1073, normalized size = 2.16

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*3\*(d\*x+c)\*\*3,x)

[Out]  $a^{**3} * c^{**3} * x + 3 * a^{**3} * c^{**2} * d * x^{**2} / 2 + a^{**3} * c * d^{**2} * x^{**3} + a^{**3} * d^{**3} * x^{**4} / 4 + \text{Piecewise}(((72 * b^{**3} * c^{**3} * f^{**11} * g^{**11} * n^{**11} * \log(F)^{**11} + 216 * b^{**3} * c^{**2} * d * f^{**11} * g^{**11} * n^{**11} * x * \log(F)^{**11} - 72 * b^{**3} * c^{**2} * d * f^{**10} * g^{**10} * n^{**10} * \log(F)^{**10} + 216 * b^{**3} * c * d^{**2} * f^{**11} * g^{**11} * n^{**11} * x^{**2} * \log(F)^{**11} - 144 * b^{**3} * c * d^{**2} * f^{**10} * g^{**10} * n^{**10} * x * \log(F)^{**10} + 48 * b^{**3} * c * d^{**2} * f^{**9} * g^{**9} * n^{**9} * \log(F)^{**9} + 72 * b^{**3} * d^{**3} * f^{**11} * g^{**11} * n^{**11} * x^{**3} * \log(F)^{**11} - 72 * b^{**3} * d^{**3} * f^{**10} * g^{**10} * n^{**10} * x^{**2} * \log(F)^{**10} + 48 * b^{**3} * d^{**3} * f^{**9} * g^{**9} * n^{**9} * x * \log(F)^{**9} - 16 * b^{**3} * d^{**3} * f^{**8} * g^{**8} * n^{**8} * \log(F)^{**8}) * (F^{(g * (e + f * x))})^{(3 * n)} + (324 * a * b^{**2} * c^{**3} * f^{**11} * g^{**11} * n^{**11} * \log(F)^{**11} + 972 * a * b^{**2} * c^{**2} * d * f^{**11} * g^{**11} * n^{**11} * x * \log(F)^{**11} - 486 * a * b^{**2} * c^{**2} * d * f^{**10} * g^{**10} * n^{**10} * \log(F)^{**10} + 972 * a * b^{**2} * c * d^{**2} * f^{**11} * g^{**11} * n^{**11} * x^{**2} * \log(F)^{**11} - 972 * a * b^{**2} * c * d^{**2} * f^{**10} * g^{**10} * n^{**10} * x * \log(F)^{**10} + 486 * a * b^{**2} * c * d^{**2} * f^{**9} * g^{**9} * n^{**9} * \log(F)^{**9} + 324 * a * b^{**2} * d^{**3} * f^{**11} * g^{**11} * n^{**11} * x^{**3} * \log(F)^{**11} - 486 * a * b^{**2} * d^{**3} * f^{**10} * g^{**10} * n^{**10} * x^{**2} * \log(F)^{**11}$

```

0 + 486*a*b**2*d**3*f**9*g**9*n**9*x*log(F)**9 - 243*a*b**2*d**3*f**8*g**8*
n**8*log(F)**8)*(F**(g*(e + f*x))**(2*n) + (648*a**2*b*c**3*f**11*g**11*n*
**11*log(F)**11 + 1944*a**2*b*c**2*d*f**11*g**11*n**11*x*log(F)**11 - 1944*a
**2*b*c**2*d*f**10*g**10*n**10*log(F)**10 + 1944*a**2*b*c*d**2*f**11*g**11*
n**11*x**2*log(F)**11 - 3888*a**2*b*c*d**2*f**10*g**10*n**10*x*log(F)**10 +
 3888*a**2*b*c*d**2*f**9*g**9*n**9*log(F)**9 + 648*a**2*b*d**3*f**11*g**11*
n**11*x**3*log(F)**11 - 1944*a**2*b*d**3*f**10*g**10*n**10*x**2*log(F)**10
+ 3888*a**2*b*d**3*f**9*g**9*n**9*x*log(F)**9 - 3888*a**2*b*d**3*f**8*g**8*
n**8*log(F)**8)*(F**(g*(e + f*x))**n)/(216*f**12*g**12*n**12*log(F)**12),
Ne(f**12*g**12*n**12*log(F)**12, 0), (x**4*(3*a**2*b*d**3/4 + 3*a*b**2*d**
3/4 + b**3*d**3/4) + x**3*(3*a**2*b*c*d**2 + 3*a*b**2*c*d**2 + b**3*c*d**2)
+ x**2*(9*a**2*b*c**2*d/2 + 9*a*b**2*c**2*d/2 + 3*b**3*c**2*d/2) + x*(3*a
**2*b*c**3 + 3*a*b**2*c**3 + b**3*c**3), True))

```

**Giac** [C] Result contains complex when optimal does not.

time = 2.83, size = 18737, normalized size = 37.78

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^3*(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/4*a^3*d^3*x^4 + a^3*c*d^2*x^3 + 3/2*a^3*c^2*d*x^2 + a^3*c^3*x - 1/27*(((2
7*pi^2*b^3*d^3*f^3*g^3*n^3*x^3*log(abs(F))*sgn(F) - 27*pi^2*b^3*d^3*f^3*g^3
*n^3*x^3*log(abs(F)) + 18*b^3*d^3*f^3*g^3*n^3*x^3*log(abs(F))^3 + 81*pi^2*b
^3*c*d^2*f^3*g^3*n^3*x^2*log(abs(F))*sgn(F) - 81*pi^2*b^3*c*d^2*f^3*g^3*n^3
*x^2*log(abs(F)) + 54*b^3*c*d^2*f^3*g^3*n^3*x^2*log(abs(F))^3 + 81*pi^2*b^3
*c^2*d*f^3*g^3*n^3*x*log(abs(F))*sgn(F) - 81*pi^2*b^3*c^2*d*f^3*g^3*n^3*x*l
og(abs(F)) + 54*b^3*c^2*d*f^3*g^3*n^3*x*log(abs(F))^3 + 27*pi^2*b^3*c^3*f^3
*g^3*n^3*log(abs(F))*sgn(F) - 27*pi^2*b^3*c^3*f^3*g^3*n^3*log(abs(F)) + 18*
b^3*c^3*f^3*g^3*n^3*log(abs(F))^3 - 9*pi^2*b^3*d^3*f^2*g^2*n^2*x^2*sgn(F) +
 9*pi^2*b^3*d^3*f^2*g^2*n^2*x^2 - 18*b^3*d^3*f^2*g^2*n^2*x^2*log(abs(F))^2
- 18*pi^2*b^3*c*d^2*f^2*g^2*n^2*x*sgn(F) + 18*pi^2*b^3*c*d^2*f^2*g^2*n^2*x
- 36*b^3*c*d^2*f^2*g^2*n^2*x*log(abs(F))^2 - 9*pi^2*b^3*c^2*d*f^2*g^2*n^2*s
gn(F) + 9*pi^2*b^3*c^2*d*f^2*g^2*n^2 - 18*b^3*c^2*d*f^2*g^2*n^2*log(abs(F))
^2 + 12*b^3*d^3*f*g*n*x*log(abs(F)) + 12*b^3*c*d^2*f*g*n*log(abs(F)) - 4*b^
3*d^3)*(pi^4*f^4*g^4*n^4*sgn(F) - 6*pi^2*f^4*g^4*n^4*log(abs(F))^2*sgn(F) -
  pi^4*f^4*g^4*n^4 + 6*pi^2*f^4*g^4*n^4*log(abs(F))^2 - 2*f^4*g^4*n^4*log(ab
s(F))^4)/((pi^4*f^4*g^4*n^4*sgn(F) - 6*pi^2*f^4*g^4*n^4*log(abs(F))^2*sgn(F)
) - pi^4*f^4*g^4*n^4 + 6*pi^2*f^4*g^4*n^4*log(abs(F))^2 - 2*f^4*g^4*n^4*log
(abs(F))^4)^2 + 16*(pi^3*f^4*g^4*n^4*log(abs(F))*sgn(F) - pi*f^4*g^4*n^4*lo
g(abs(F))^3*sgn(F) - pi^3*f^4*g^4*n^4*log(abs(F)) + pi*f^4*g^4*n^4*log(abs(
F))^3)^2) - 12*(3*pi^3*b^3*d^3*f^3*g^3*n^3*x^3*sgn(F) - 9*pi*b^3*d^3*f^3*g^
3*n^3*x^3*log(abs(F))^2*sgn(F) - 3*pi^3*b^3*d^3*f^3*g^3*n^3*x^3 + 9*pi*b^3*
d^3*f^3*g^3*n^3*x^3*log(abs(F))^2 + 9*pi^3*b^3*c*d^2*f^3*g^3*n^3*x^2*sgn(F)

```



$$\begin{aligned}
& - 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 \text{sgn}(F) - 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 + 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 + 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \text{sgn}(F) \\
& - 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 \text{sgn}(F) - 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x + 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 + 3\pi^3 b^3 c^3 f^3 g^3 n^3 \text{sgn}(F) \\
& - 9\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) - 3\pi^3 b^3 c^3 f^3 g^3 n^3 + 9\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 + 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) \\
& - 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) + 12\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 12\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 x \log(\text{abs}(F)) \\
& + 6\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - 6\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) - 2\pi^3 b^3 d^3 f^3 g^3 n^3 \text{sgn}(F) \\
& + 2\pi^3 b^3 d^3 f^3 g^3 n^3 x \text{sgn}(F) - 2\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 \text{sgn}(F) + 2\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 (\pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3 \text{sgn}(F) \\
& - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) + \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3) / ((\pi^4 f^4 g^4 n^4 \text{sgn}(F) - 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^4 f^4 g^4 n^4 + 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 \\
& - 2f^4 g^4 n^4 \log(\text{abs}(F))^4)^2 + 16(\pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3 \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) + \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3)^2) \\
& \cos(-3/2\pi^3 f^3 g^3 n^3 \text{sgn}(F) + 3/2\pi^3 f^3 g^3 n^3 x - 3/2\pi^3 f^3 g^3 n^3 e \text{sgn}(F) + 3/2\pi^3 f^3 g^3 n^3 e) - (3(3\pi^3 b^3 d^3 f^3 g^3 n^3 x^3 \text{sgn}(F) - 9\pi^3 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F))^2 \text{sgn}(F) \\
& - 3\pi^3 b^3 d^3 f^3 g^3 n^3 x^3 + 9\pi^3 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F))^2 + 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \text{sgn}(F) - 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 \text{sgn}(F) \\
& - 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 + 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^2 + 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \text{sgn}(F) - 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 \text{sgn}(F) \\
& - 9\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x + 27\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^2 + 3\pi^3 b^3 c^3 f^3 g^3 n^3 \text{sgn}(F) - 9\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 \text{sgn}(F) \\
& - 3\pi^3 b^3 c^3 f^3 g^3 n^3 + 9\pi^3 b^3 c^3 f^3 g^3 n^3 \log(\text{abs}(F))^2 + 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 6\pi^3 b^3 d^3 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \\
& + 12\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 12\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 x \log(\text{abs}(F)) + 6\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) \\
& - 6\pi^3 b^3 c^2 d^2 f^2 g^2 n^2 \log(\text{abs}(F)) - 2\pi^3 b^3 d^3 f^3 g^3 n^3 \text{sgn}(F) + 2\pi^3 b^3 d^3 f^3 g^3 n^3 x \text{sgn}(F) - 2\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 \text{sgn}(F) \\
& + 2\pi^3 b^3 c^2 d^2 f^3 g^3 n^3 (\pi^4 f^4 g^4 n^4 \text{sgn}(F) - 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^4 f^4 g^4 n^4 + 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 - 2f^4 g^4 n^4 \log(\text{abs}(F))^4) / ((\pi^4 f^4 g^4 n^4 \text{sgn}(F) \\
& - 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 \text{sgn}(F) - \pi^4 f^4 g^4 n^4 + 6\pi^2 f^4 g^4 n^4 \log(\text{abs}(F))^2 - 2f^4 g^4 n^4 \log(\text{abs}(F))^4)^2 + 16(\pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) \text{sgn}(F) - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3 \text{sgn}(F) \\
& - \pi^3 f^4 g^4 n^4 \log(\text{abs}(F)) + \pi^3 f^4 g^4 n^4 \log(\text{abs}(F))^3)^2) + 4(27\pi^2 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F)) \text{sgn}(F) - 27\pi^2 b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F)) + 18b^3 d^3 f^3 g^3 n^3 x^3 \log(\text{abs}(F))^3 \\
& + 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F)) \text{sgn}(F) - 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F)) + 54b^3 c^2 d^2 f^3 g^3 n^3 x^2 \log(\text{abs}(F))^3 + 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F)) \text{sgn}(F) \\
& - 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F)) + 54b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F))^3 + 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\text{abs}(F)) \text{sgn}(F) - 81\pi^2 b^3 c^2 d^2 f^3 g^3 n^3 x \log(\dots)
\end{aligned}$$



### 3.40 $\int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^2 dx$

**Optimal.** Leaf size=366

$$\frac{a^3(c+dx)^3}{3d} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} + \frac{3ab^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3\log^3(F)} + \frac{2b^3d^2(F^{eg+fgx})^{3n}}{27f^3g^3n^3\log^3(F)} - \frac{6a^2bd(F^{eg+fgx})^n(c+dx)}{f^2g^2n^2\log^2(F)} - \frac{3ab^2d^2(F^{eg+fgx})^{2n}(c+dx)}{4f^2g^2n^2\log^2(F)}$$

[Out]  $\frac{1}{3}a^3(d*x+c)^3/d + 6a^2b*d^2*(F^{(f*g*x+e*g)})^n/f^3/g^3/n^3/\ln(F)^3 + 3/4*a*b^2*d^2*(F^{(f*g*x+e*g)})^{(2*n)}/f^3/g^3/n^3/\ln(F)^3 + 2/27*b^3*d^2*(F^{(f*g*x+e*g)})^{(3*n)}/f^3/g^3/n^3/\ln(F)^3 - 6a^2*b*d*(F^{(f*g*x+e*g)})^n*(d*x+c)/f^2/g^2/n^2/\ln(F)^2 - 3/2*a*b^2*d*(F^{(f*g*x+e*g)})^{(2*n)}*(d*x+c)/f^2/g^2/n^2/\ln(F)^2 - 2/9*b^3*d*(F^{(f*g*x+e*g)})^{(3*n)}*(d*x+c)/f^2/g^2/n^2/\ln(F)^2 + 3*a^2*b*(F^{(f*g*x+e*g)})^n*(d*x+c)^2/f/g/n/\ln(F) + 3/2*a*b^2*(F^{(f*g*x+e*g)})^{(2*n)}*(d*x+c)^2/f/g/n/\ln(F) + 1/3*b^3*(F^{(f*g*x+e*g)})^{(3*n)}*(d*x+c)^2/f/g/n/\ln(F)$

**Rubi** [A]

time = 0.32, antiderivative size = 366, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2207, 2225}

$$\frac{a^3(c+dx)^3}{3d} - \frac{6a^2bd(c+dx)(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3a^2b(c+dx)^2(F^{eg+fgx})^n}{fgn\log(F)} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3\log^3(F)} - \frac{3ab^2d(c+dx)(F^{eg+fgx})^{2n}}{2f^2g^2n^2\log^2(F)} + \frac{3ab^2(c+dx)^2(F^{eg+fgx})^{2n}}{2fgn\log(F)} + \frac{3ab^2d^2(F^{eg+fgx})^{2n}}{4f^2g^2n^3\log^3(F)} - \frac{2b^3d(c+dx)(F^{eg+fgx})^{3n}}{9f^2g^2n^2\log^2(F)} + \frac{b^3(c+dx)^2(F^{eg+fgx})^{3n}}{3fgn\log(F)} + \frac{2b^3d^2(F^{eg+fgx})^{3n}}{27f^2g^2n^3\log^3(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^2,x]

[Out]  $(a^3*(c + d*x)^3)/(3*d) + (6*a^2*b*d^2*(F^{(e*g + f*g*x)})^n)/(f^3*g^3*n^3*Log[F]^3) + (3*a*b^2*d^2*(F^{(e*g + f*g*x)})^{(2*n)})/(4*f^3*g^3*n^3*Log[F]^3) + (2*b^3*d^2*(F^{(e*g + f*g*x)})^{(3*n)})/(27*f^3*g^3*n^3*Log[F]^3) - (6*a^2*b*d*(F^{(e*g + f*g*x)})^n*(c + d*x))/(f^2*g^2*n^2*Log[F]^2) - (3*a*b^2*d*(F^{(e*g + f*g*x)})^{(2*n)}*(c + d*x))/(2*f^2*g^2*n^2*Log[F]^2) - (2*b^3*d*(F^{(e*g + f*g*x)})^{(3*n)}*(c + d*x))/(9*f^2*g^2*n^2*Log[F]^2) + (3*a^2*b*(F^{(e*g + f*g*x)})^n*(c + d*x)^2)/(f*g*n*Log[F]) + (3*a*b^2*(F^{(e*g + f*g*x)})^{(2*n)}*(c + d*x)^2)/(2*f*g*n*Log[F]) + (b^3*(F^{(e*g + f*g*x)})^{(3*n)}*(c + d*x)^2)/(3*f*g*n*Log[F])$

Rule 2207

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^p\_.\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F

$\int (g*(e + f*x))^n dx$ , x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&  
IGtQ[p, 0]

### Rule 2225

Int[((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(F^(c\*(a +  
b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

### Rubi steps

$$\begin{aligned} \int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^2 dx &= \int (a^3(c + dx)^2 + 3a^2b(F^{eg+fgx})^n (c + dx)^2 + 3ab^2(F^{eg+fgx})^{2n} (c + dx)^2) dx \\ &= \frac{a^3(c + dx)^3}{3d} + (3a^2b) \int (F^{eg+fgx})^n (c + dx)^2 dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx)^2 dx \\ &= \frac{a^3(c + dx)^3}{3d} + \frac{3a^2b(F^{eg+fgx})^n (c + dx)^2}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n} (c + dx)^2}{2fgn \log(F)} \\ &= \frac{a^3(c + dx)^3}{3d} - \frac{6a^2bd(F^{eg+fgx})^n (c + dx)}{f^2g^2n^2 \log^2(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n} (c + dx)}{2f^2g^2n^2 \log^2(F)} \\ &= \frac{a^3(c + dx)^3}{3d} + \frac{6a^2bd^2(F^{eg+fgx})^n}{f^3g^3n^3 \log^3(F)} + \frac{3ab^2d^2(F^{eg+fgx})^{2n}}{4f^3g^3n^3 \log^3(F)} + \frac{2b^3d^2(F^{eg+fgx})^{2n}}{27f^3g^3n^3 \log^3(F)} \end{aligned}$$

### Mathematica [A]

time = 0.51, size = 248, normalized size = 0.68

$$a^3c^2x + a^3cdx^2 + \frac{1}{3}a^3d^2x^3 + \frac{3a^2b(F^{g(e+fx)})^n (2d^2 - 2dfgn(c + dx) \log(F) + f^2g^2n^2(c + dx)^2 \log^2(F))}{f^3g^3n^3 \log^3(F)} + \frac{3ab^2(F^{g(e+fx)})^{2n} (d^2 - 2dfgn(c + dx) \log(F) + 2f^2g^2n^2(c + dx)^2 \log^2(F))}{4f^3g^3n^3 \log^3(F)} + \frac{b^3(F^{g(e+fx)})^{3n} (2d^2 - 6dfgn(c + dx) \log(F) + 9f^2g^2n^2(c + dx)^2 \log^2(F))}{27f^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^3\*(c + d\*x)^2,x]

[Out] a^3\*c^2\*x + a^3\*c\*d\*x^2 + (a^3\*d^2\*x^3)/3 + (3\*a^2\*b\*(F^(g\*(e + f\*x))))^n\*(2\*d^2 - 2\*d\*f\*g\*n\*(c + d\*x)\*Log[F] + f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2)/(f^3\*g^3\*n^3\*Log[F]^3) + (3\*a\*b^2\*(F^(g\*(e + f\*x))))^(2\*n)\*(d^2 - 2\*d\*f\*g\*n\*(c + d\*x)\*Log[F] + 2\*f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2)/(4\*f^3\*g^3\*n^3\*Log[F]^3) + (b^3\*(F^(g\*(e + f\*x))))^(3\*n)\*(2\*d^2 - 6\*d\*f\*g\*n\*(c + d\*x)\*Log[F] + 9\*f^2\*g^2\*n^2\*(c + d\*x)^2\*Log[F]^2)/(27\*f^3\*g^3\*n^3\*Log[F]^3)

### Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int (a + b(F^{g(fx+e)})^n)^3 (dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c)^2,x)

[Out] int((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c)^2,x)

**Maxima** [A]

time = 0.32, size = 541, normalized size = 1.48

$$\frac{1}{3} a^3 d^2 x^3 + a^3 c d^2 x^2 + a^3 c^2 d x + 3 F^{(f g n x + g n e)} a^2 b c^2 / (f g n \log(F)) + 3/2 F^{(2 f g n x + 2 g n e)} a b^2 c^2 / (f g n \log(F)) + 1/3 F^{(3 f g n x + 3 g n e)} b^3 c^2 / (f g n \log(F)) + 6 (F^{(g n e)} f g n x \log(F) - F^{(g n e)}) F^{(f g n x)} a^2 b c d / (f^2 g^2 n^2 \log(F)^2) + 3/2 (2 F^{(2 g n e)} f g n x \log(F) - F^{(2 g n e)}) F^{(2 f g n x)} a b^2 c d / (f^2 g^2 n^2 \log(F)^2) + 2/9 (3 F^{(3 g n e)} f g n x \log(F) - F^{(3 g n e)}) F^{(3 f g n x)} b^3 c d / (f^2 g^2 n^2 \log(F)^2) + 3 (F^{(g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{(g n e)} f g n x \log(F) + 2 F^{(g n e)}) F^{(f g n x)} a^2 b d^2 / (f^3 g^3 n^3 \log(F)^3) + 3/4 (2 F^{(2 g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{(2 g n e)} f g n x \log(F) + F^{(2 g n e)}) F^{(2 f g n x)} a b^2 d^2 / (f^3 g^3 n^3 \log(F)^3) + 1/27 (9 F^{(3 g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 6 F^{(3 g n e)} f g n x \log(F) + 2 F^{(3 g n e)}) F^{(3 f g n x)} b^3 d^2 / (f^3 g^3 n^3 \log(F)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c)^2,x, algorithm="maxima")

[Out]  $1/3 a^3 d^2 x^3 + a^3 c d^2 x^2 + a^3 c^2 d x + 3 F^{(f g n x + g n e)} a^2 b c^2 / (f g n \log(F)) + 3/2 F^{(2 f g n x + 2 g n e)} a b^2 c^2 / (f g n \log(F)) + 1/3 F^{(3 f g n x + 3 g n e)} b^3 c^2 / (f g n \log(F)) + 6 (F^{(g n e)} f g n x \log(F) - F^{(g n e)}) F^{(f g n x)} a^2 b c d / (f^2 g^2 n^2 \log(F)^2) + 3/2 (2 F^{(2 g n e)} f g n x \log(F) - F^{(2 g n e)}) F^{(2 f g n x)} a b^2 c d / (f^2 g^2 n^2 \log(F)^2) + 2/9 (3 F^{(3 g n e)} f g n x \log(F) - F^{(3 g n e)}) F^{(3 f g n x)} b^3 c d / (f^2 g^2 n^2 \log(F)^2) + 3 (F^{(g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{(g n e)} f g n x \log(F) + 2 F^{(g n e)}) F^{(f g n x)} a^2 b d^2 / (f^3 g^3 n^3 \log(F)^3) + 3/4 (2 F^{(2 g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 2 F^{(2 g n e)} f g n x \log(F) + F^{(2 g n e)}) F^{(2 f g n x)} a b^2 d^2 / (f^3 g^3 n^3 \log(F)^3) + 1/27 (9 F^{(3 g n e)} f^2 g^2 n^2 x^2 \log(F)^2 - 6 F^{(3 g n e)} f g n x \log(F) + 2 F^{(3 g n e)}) F^{(3 f g n x)} b^3 d^2 / (f^3 g^3 n^3 \log(F)^3)$

**Fricas** [A]

time = 0.37, size = 417, normalized size = 1.14

$$\frac{1}{108} (36 (a^3 d^2 f^3 g^3 n^3 x^3 + 3 a^3 c d f^3 g^3 n^3 x^2 + 3 a^3 c^2 d f^3 g^3 n^3 x) \log(F)^3 + 4 (2 b^3 d^2 + 9 (b^3 d^2 f^2 g^2 n^2 x^2 + 2 b^3 c d f^2 g^2 n^2 x + b^3 c^2 f^2 g^2 n^2) \log(F)^2 - 6 (b^3 d^2 f g n x + b^3 c d f g n) \log(F)) F^{(3 f g n x + 3 g n e)} + 81 (a b^2 d^2 + 2 (a b^2 d^2 f^2 g^2 n^2 x^2 + 2 a b^2 c d f^2 g^2 n^2 x + a b^2 c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a b^2 d^2 f g n x + a b^2 c d f g n) \log(F)) F^{(2 f g n x + 2 g n e)} + 324 (2 a^2 b d^2 + (a^2 b d^2 f^2 g^2 n^2 x^2 + 2 a^2 b c d f^2 g^2 n^2 x + a^2 b c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a^2 b d^2 f g n x + a^2 b c d f g n) \log(F)) F^{(f g n x + g n e)}) / (f^3 g^3 n^3 \log(F)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c)^2,x, algorithm="fricas")

[Out]  $1/108 (36 (a^3 d^2 f^3 g^3 n^3 x^3 + 3 a^3 c d f^3 g^3 n^3 x^2 + 3 a^3 c^2 d f^3 g^3 n^3 x) \log(F)^3 + 4 (2 b^3 d^2 + 9 (b^3 d^2 f^2 g^2 n^2 x^2 + 2 b^3 c d f^2 g^2 n^2 x + b^3 c^2 f^2 g^2 n^2) \log(F)^2 - 6 (b^3 d^2 f g n x + b^3 c d f g n) \log(F)) F^{(3 f g n x + 3 g n e)} + 81 (a b^2 d^2 + 2 (a b^2 d^2 f^2 g^2 n^2 x^2 + 2 a b^2 c d f^2 g^2 n^2 x + a b^2 c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a b^2 d^2 f g n x + a b^2 c d f g n) \log(F)) F^{(2 f g n x + 2 g n e)} + 324 (2 a^2 b d^2 + (a^2 b d^2 f^2 g^2 n^2 x^2 + 2 a^2 b c d f^2 g^2 n^2 x + a^2 b c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a^2 b d^2 f g n x + a^2 b c d f g n) \log(F)) F^{(f g n x + g n e)}) / (f^3 g^3 n^3 \log(F)^3)$

**Sympy** [A]

time = 0.25, size = 651, normalized size = 1.78

$$\frac{1}{108} (36 (a^3 d^2 f^3 g^3 n^3 x^3 + 3 a^3 c d f^3 g^3 n^3 x^2 + 3 a^3 c^2 d f^3 g^3 n^3 x) \log(F)^3 + 4 (2 b^3 d^2 + 9 (b^3 d^2 f^2 g^2 n^2 x^2 + 2 b^3 c d f^2 g^2 n^2 x + b^3 c^2 f^2 g^2 n^2) \log(F)^2 - 6 (b^3 d^2 f g n x + b^3 c d f g n) \log(F)) F^{(3 f g n x + 3 g n e)} + 81 (a b^2 d^2 + 2 (a b^2 d^2 f^2 g^2 n^2 x^2 + 2 a b^2 c d f^2 g^2 n^2 x + a b^2 c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a b^2 d^2 f g n x + a b^2 c d f g n) \log(F)) F^{(2 f g n x + 2 g n e)} + 324 (2 a^2 b d^2 + (a^2 b d^2 f^2 g^2 n^2 x^2 + 2 a^2 b c d f^2 g^2 n^2 x + a^2 b c^2 f^2 g^2 n^2) \log(F)^2 - 2 (a^2 b d^2 f g n x + a^2 b c d f g n) \log(F)) F^{(f g n x + g n e)}) / (f^3 g^3 n^3 \log(F)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3*(d*x+c)**2,x)
```

```
[Out] a**3*c**2*x + a**3*c*d*x**2 + a**3*d**2*x**3/3 + Piecewise((((36*b**3*c**2*
f**8*g**8*n**8*log(F)**8 + 72*b**3*c*d*f**8*g**8*n**8*x*log(F)**8 - 24*b**3
*c*d*f**7*g**7*n**7*log(F)**7 + 36*b**3*d**2*f**8*g**8*n**8*x**2*log(F)**8
- 24*b**3*d**2*f**7*g**7*n**7*x*log(F)**7 + 8*b**3*d**2*f**6*g**6*n**6*log(
F)**6)*(F**(g*(e + f*x)))**(3*n) + (162*a*b**2*c**2*f**8*g**8*n**8*log(F)**
8 + 324*a*b**2*c*d*f**8*g**8*n**8*x*log(F)**8 - 162*a*b**2*c*d*f**7*g**7*n*
**7*log(F)**7 + 162*a*b**2*d**2*f**8*g**8*n**8*x**2*log(F)**8 - 162*a*b**2*d
**2*f**7*g**7*n**7*x*log(F)**7 + 81*a*b**2*d**2*f**6*g**6*n**6*log(F)**6)*(
F**(g*(e + f*x)))**(2*n) + (324*a**2*b*c**2*f**8*g**8*n**8*log(F)**8 + 648*
a**2*b*c*d*f**8*g**8*n**8*x*log(F)**8 - 648*a**2*b*c*d*f**7*g**7*n**7*log(F
)**7 + 324*a**2*b*d**2*f**8*g**8*n**8*x**2*log(F)**8 - 648*a**2*b*d**2*f**7
*g**7*n**7*x*log(F)**7 + 648*a**2*b*d**2*f**6*g**6*n**6*log(F)**6)*(F**(g(
e + f*x)))**n)/(108*f**9*g**9*n**9*log(F)**9), Ne(f**9*g**9*n**9*log(F)**9,
0)), (x**3*(a**2*b*d**2 + a*b**2*d**2 + b**3*d**2/3) + x**2*(3*a**2*b*c*d
+ 3*a*b**2*c*d + b**3*c*d) + x*(3*a**2*b*c**2 + 3*a*b**2*c**2 + b**3*c**2),
True))
```

**Giac** [C] Result contains complex when optimal does not.

time = 2.72, size = 8850, normalized size = 24.18

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3*(d*x+c)^2,x, algorithm="giac")
```

```
[Out] 1/3*a^3*d^2*x^3 + a^3*c*d*x^2 + a^3*c^2*x - 1/27*(((6*(3*pi*b^3*d^2*f^2*g^2*
n^2*x^2*log(abs(F))*sgn(F) - 3*pi*b^3*d^2*f^2*g^2*n^2*x^2*log(abs(F)) + 6*p
i*b^3*c*d*f^2*g^2*n^2*x*log(abs(F))*sgn(F) - 6*pi*b^3*c*d*f^2*g^2*n^2*x*log
(abs(F)) + 3*pi*b^3*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) - 3*pi*b^3*c^2*f^2*g
^2*n^2*log(abs(F)) - pi*b^3*d^2*f*g*n*x*sgn(F) + pi*b^3*d^2*f*g*n*x - pi*b^
3*c*d*f*g*n*sgn(F) + pi*b^3*c*d*f*g*n)*(pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*
g^3*n^3*log(abs(F))^2*sgn(F) - pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(
F))^2)/((pi^3*f^3*g^3*n^3*sgn(F) - 3*pi*f^3*g^3*n^3*log(abs(F))^2*sgn(F) -
pi^3*f^3*g^3*n^3 + 3*pi*f^3*g^3*n^3*log(abs(F))^2)^2 + (3*pi^2*f^3*g^3*n^3*
log(abs(F))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs
(F))^3)^2) - (9*pi^2*b^3*d^2*f^2*g^2*n^2*x^2*sgn(F) - 9*pi^2*b^3*d^2*f^2*g^
2*n^2*x^2 + 18*b^3*d^2*f^2*g^2*n^2*x^2*log(abs(F))^2 + 18*pi^2*b^3*c*d*f^2*
g^2*n^2*x*sgn(F) - 18*pi^2*b^3*c*d*f^2*g^2*n^2*x + 36*b^3*c*d*f^2*g^2*n^2*x
*log(abs(F))^2 + 9*pi^2*b^3*c^2*f^2*g^2*n^2*sgn(F) - 9*pi^2*b^3*c^2*f^2*g^2
*n^2 + 18*b^3*c^2*f^2*g^2*n^2*log(abs(F))^2 - 12*b^3*d^2*f*g*n*x*log(abs(F)
) - 12*b^3*c*d*f*g*n*log(abs(F)) + 4*b^3*d^2)*(3*pi^2*f^3*g^3*n^3*log(abs(F
))*sgn(F) - 3*pi^2*f^3*g^3*n^3*log(abs(F)) + 2*f^3*g^3*n^3*log(abs(F))^3)/(
```

$$\begin{aligned}
& (\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 \\
& * g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2 \\
& ) * \cos(-3/2\pi f g n x \operatorname{sgn}(F) + 3/2\pi f g n x - 3/2\pi g n e \operatorname{sgn}(F) + 3/2\pi g n e) - ((9\pi^2 b^3 d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) - 9\pi^2 b^3 d^2 f^2 g^2 n^2 x^2 \\
& + 18b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 + 18\pi^2 b^3 c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 18\pi^2 b^3 c d f^2 g^2 n^2 x + 36b^3 c d f^2 g^2 n^2 x \\
& x \log(\operatorname{abs}(F))^2 + 9\pi^2 b^3 c^2 f^2 g^2 n^2 \operatorname{sgn}(F) - 9\pi^2 b^3 c^2 f^2 g^2 n^2 + 18b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 12b^3 d^2 f g n x \log(\operatorname{abs}(F)) \\
& ) - 12b^3 c d f g n \log(\operatorname{abs}(F)) + 4b^3 d^2) * (\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \\
& \log(\operatorname{abs}(F))^2) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \\
& * \log(\operatorname{abs}(F))^3)^2) + 6 * (3\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) + 6\pi b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 6\pi b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) + 3\pi b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) - \pi b^3 d^2 f g n x \operatorname{sgn}(F) + \pi b^3 d^2 f g n x - \pi b^3 c d f g n \operatorname{sgn}(F) + \pi b^3 c d f g n) * (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3) / ((\pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) - 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) - \pi^3 f^3 g^3 n^3 + 3\pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2)^2 + (3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - 3\pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) + 2f^3 g^3 n^3 \log(\operatorname{abs}(F))^3)^2) * \sin(-3/2\pi f g n x \operatorname{sgn}(F) + 3/2\pi f g n x - 3/2\pi g n e \operatorname{sgn}(F) + 3/2\pi g n e) * e^{(3f g n x \log(\operatorname{abs}(F)) + 3g n e \log(\operatorname{abs}(F)))} - 2 * I * ((-9 * I * \pi^2 b^3 d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) + 18\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 9 * I * \pi^2 b^3 d^2 f^2 g^2 n^2 x^2 - 18\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) - 18 * I * b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 - 18 * I * \pi^2 b^3 c d f^2 g^2 n^2 x \operatorname{sgn}(F) + 36\pi b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 18 * I * \pi^2 b^3 c d f^2 g^2 n^2 x - 36\pi b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) - 36 * I * b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F))^2 - 9 * I * \pi^2 b^3 c^2 f^2 g^2 n^2 \operatorname{sgn}(F) + 18\pi b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 9 * I * \pi^2 b^3 c^2 f^2 g^2 n^2 - 18\pi b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F)) - 18 * I * b^3 c^2 f^2 g^2 n^2 \log(\operatorname{abs}(F))^2 - 6\pi b^3 d^2 f g n x \operatorname{sgn}(F) + 6\pi b^3 d^2 f g n x + 12 * I * b^3 d^2 f g n x \log(\operatorname{abs}(F)) - 6\pi b^3 c d f g n \operatorname{sgn}(F) + 6\pi b^3 c d f g n + 12 * I * b^3 c d f g n \log(\operatorname{abs}(F)) - 4 * I * b^3 d^2) * e^{(3/2 * I * \pi f g n x \operatorname{sgn}(F) - 3/2 * I * \pi f g n x + 3/2 * I * \pi g n e \operatorname{sgn}(F) - 3/2 * I * \pi g n e) / (-108 * I * \pi^3 f^3 g^3 n^3 \operatorname{sgn}(F) + 324 * \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 324 * I * \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 \operatorname{sgn}(F) + 108 * I * \pi^3 f^3 g^3 n^3 - 324 * \pi^2 f^3 g^3 n^3 \log(\operatorname{abs}(F)) - 324 * I * \pi f^3 g^3 n^3 \log(\operatorname{abs}(F))^2 + 216 * f^3 g^3 n^3 \log(\operatorname{abs}(F))^3) - (-9 * I * \pi^2 b^3 d^2 f^2 g^2 n^2 x^2 \operatorname{sgn}(F) - 18\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 9 * I * \pi^2 b^3 d^2 f^2 g^2 n^2 x^2 + 18\pi b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F)) - 18 * I * b^3 d^2 f^2 g^2 n^2 x^2 \log(\operatorname{abs}(F))^2 - 18 * I * \pi^2 b^3 c d f^2 g^2 n^2 x \operatorname{sgn}(F) - 36\pi b^3 c d f^2 g^2 n^2 x \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) + 18 * I * \pi^2 b^3 c
\end{aligned}$$

```

*d*f^2*g^2*n^2*x + 36*pi*b^3*c*d*f^2*g^2*n^2*x*log(abs(F)) - 36*I*b^3*c*d*f
^2*g^2*n^2*x*log(abs(F))^2 - 9*I*pi^2*b^3*c^2*f^2*g^2*n^2*sgn(F) - 18*pi*b^
3*c^2*f^2*g^2*n^2*log(abs(F))*sgn(F) + 9*I*pi^2*b^3*c^2*f^2*g^2*n^2 + 18*pi
*b^3*c^2*f^2*g^2*n^2*log(abs(F)) - 18*I*b^3*c^2*f^2*g^2*n^2*log(abs(F))^2 +
6*pi*b^3*d^2*f*g*n*x*sgn(F) - 6*pi*b^3*d^2*f*g...

```

**Mupad [B]**

time = 3.99, size = 399, normalized size = 1.09

$$(r^{1+pr})^n \left( \frac{b^3 d^2 f^2 g^2 n^2 \ln(F)^2 - 6 c d f g n \ln(F) + 2 d^3}{27 f^3 g^3 n^3 \ln(F)^3} \right) + \frac{b^3 d^2 x^2}{3 f g n \ln(F)} - \frac{2 b^3 d x (d - 3 c f g n \ln(F))}{9 f^2 g^2 n^2 \ln(F)^2} + (r^{1+pr})^n \left( \frac{3 a^2 b^3 c^2 f^2 g^2 n^2 \ln(F)^2 - 2 c d f g n \ln(F) + 2 d^3}{f^2 g^2 n^2 \ln(F)^2} \right) + \frac{3 a^2 b^3 d^2 x^2}{f g n \ln(F)} - \frac{6 a^2 b^3 d x (d - c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} + (r^{1+pr})^n \left( \frac{3 a b^3 (2 c^2 f^2 g^2 n^2 \ln(F)^2 - 2 c d f g n \ln(F) + d^3)}{4 f^2 g^2 n^2 \ln(F)^2} + \frac{3 a b^3 d^2 x^2}{2 f g n \ln(F)} - \frac{3 a b^3 d x (d - 2 c f g n \ln(F))}{2 f^2 g^2 n^2 \ln(F)^2} \right) + a^2 d^2 x + \frac{a^3 d^2 x^2}{3} + a^3 c d x^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*(F^(g*(e + f*x))))^n)^3*(c + d*x)^2,x
```

```

[Out] (F^(f*g*x)*F^(e*g))^(3*n)*((b^3*(2*d^2 + 9*c^2*f^2*g^2*n^2*log(F)^2 - 6*c*d
*f*g*n*log(F)))/(27*f^3*g^3*n^3*log(F)^3) + (b^3*d^2*x^2)/(3*f*g*n*log(F))
- (2*b^3*d*x*(d - 3*c*f*g*n*log(F)))/(9*f^2*g^2*n^2*log(F)^2)) + (F^(f*g*x)
*F^(e*g))^n*((3*a^2*b*(2*d^2 + c^2*f^2*g^2*n^2*log(F)^2 - 2*c*d*f*g*n*log(F)
)))/(f^3*g^3*n^3*log(F)^3) + (3*a^2*b*d^2*x^2)/(f*g*n*log(F)) - (6*a^2*b*d*
x*(d - c*f*g*n*log(F)))/(f^2*g^2*n^2*log(F)^2)) + (F^(f*g*x)*F^(e*g))^(2*n)
*((3*a*b^2*(d^2 + 2*c^2*f^2*g^2*n^2*log(F)^2 - 2*c*d*f*g*n*log(F)))/(4*f^3*
g^3*n^3*log(F)^3) + (3*a*b^2*d^2*x^2)/(2*f*g*n*log(F)) - (3*a*b^2*d*x*(d -
2*c*f*g*n*log(F)))/(2*f^2*g^2*n^2*log(F)^2)) + a^3*c^2*x + (a^3*d^2*x^3)/3
+ a^3*c*d*x^2

```



### 3.41 $\int (a + b(F^{g(e+fx)})^n)^3 (c + dx) dx$

**Optimal.** Leaf size=236

$$\frac{a^3(c+dx)^2}{2d} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2\log^2(F)} - \frac{b^3d(F^{eg+fgx})^{3n}}{9f^2g^2n^2\log^2(F)} + \frac{3a^2b(F^{eg+fgx})^n(c+dx)}{fgn\log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n}(c+dx)}{2fgn\log(F)}$$

[Out]  $\frac{1}{2}a^3(d*x+c)^2/d - 3a^2b*d*(F^{(f*g*x+e*g)})^n/f^2/g^2/n^2/\ln(F)^2 - 3/4*a*b^2*d*(F^{(f*g*x+e*g)})^{(2*n)}/f^2/g^2/n^2/\ln(F)^2 - 1/9*b^3*d*(F^{(f*g*x+e*g)})^{(3*n)}/f^2/g^2/n^2/\ln(F)^2 + 3a^2*b*(F^{(f*g*x+e*g)})^n*(d*x+c)/f/g/n/\ln(F) + 3/2*a*b^2*(F^{(f*g*x+e*g)})^{(2*n)}*(d*x+c)/f/g/n/\ln(F) + 1/3*b^3*(F^{(f*g*x+e*g)})^{(3*n)}*(d*x+c)/f/g/n/\ln(F)$

**Rubi** [A]

time = 0.16, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ ,

Rules used = {2214, 2207, 2225}

$$\frac{a^3(c+dx)^2}{2d} + \frac{3a^2b(c+dx)(F^{eg+fgx})^n}{fgn\log(F)} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2\log^2(F)} + \frac{3ab^2(c+dx)(F^{eg+fgx})^{2n}}{2fgn\log(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2\log^2(F)} + \frac{b^3(c+dx)(F^{eg+fgx})^{3n}}{3fgn\log(F)} - \frac{b^3d(F^{eg+fgx})^{3n}}{9f^2g^2n^2\log^2(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*(F^{g*(e + f*x)})^n)^3*(c + d*x), x]$

[Out]  $(a^3*(c + d*x)^2)/(2*d) - (3*a^2*b*d*(F^{(e*g + f*g*x)})^n)/(f^2*g^2*n^2*\text{Log}[F]^2) - (3*a*b^2*d*(F^{(e*g + f*g*x)})^{(2*n)})/(4*f^2*g^2*n^2*\text{Log}[F]^2) - (b^3*d*(F^{(e*g + f*g*x)})^{(3*n)})/(9*f^2*g^2*n^2*\text{Log}[F]^2) + (3*a^2*b*(F^{(e*g + f*g*x)})^n*(c + d*x))/(f*g*n*\text{Log}[F]) + (3*a*b^2*(F^{(e*g + f*g*x)})^{(2*n)}*(c + d*x))/(2*f*g*n*\text{Log}[F]) + (b^3*(F^{(e*g + f*g*x)})^{(3*n)}*(c + d*x))/(3*f*g*n*\text{Log}[F])$

Rule 2207

$\text{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))})^{(n_*)}*((c_*) + (d_*)*(x_))^{(m_*)}, x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*((b*F^{(g*(e + f*x)})^n)/(f*g*n*\text{Log}[F])), x] - \text{Dist}[d*(m/(f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{(m-1)}*(b*F^{(g*(e + f*x)})^n), x], x] /; \text{FreeQ}[F, b, c, d, e, f, g, n], x] \&\& \text{GtQ}[m, 0] \&\& \text{IntegerQ}[2*m] \&\& !\text{TrueQ}[\$UseGamma]$

Rule 2214

$\text{Int}[(a_*) + (b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_)))})^{(n_*)}]^{(p_*)}*((c_*) + (d_*)*(x_))^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*(F^{(g*(e + f*x)})^n)^p, x], x] /; \text{FreeQ}[F, a, b, c, d, e, f, g, m, n], x] \&\& \text{IGtQ}[p, 0]$

Rule 2225

Int[((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_)))^((n\_.), x\_Symbol] := Simp[(F^(c\*(a + b\*x)))^n/(b\*c\*n\*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \left( a + b(F^{g(e+fx)})^n \right)^3 (c + dx) dx &= \int \left( a^3(c + dx) + 3a^2b(F^{eg+fgx})^n (c + dx) + 3ab^2(F^{eg+fgx})^{2n} (c + dx) \right. \\ &= \frac{a^3(c + dx)^2}{2d} + (3a^2b) \int (F^{eg+fgx})^n (c + dx) dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx) dx \\ &= \frac{a^3(c + dx)^2}{2d} + \frac{3a^2b(F^{eg+fgx})^n (c + dx)}{fgn \log(F)} + \frac{3ab^2(F^{eg+fgx})^{2n} (c + dx)}{2fgn \log(F)} + \\ &= \frac{a^3(c + dx)^2}{2d} - \frac{3a^2bd(F^{eg+fgx})^n}{f^2g^2n^2 \log^2(F)} - \frac{3ab^2d(F^{eg+fgx})^{2n}}{4f^2g^2n^2 \log^2(F)} - \frac{b^3d(F^{eg+fgx})^3}{9f^2g^2n^2 \log^2(F)} \end{aligned}$$

Mathematica [A]

time = 0.40, size = 161, normalized size = 0.68

$$\frac{-bd(F^{g(e+fx)})^n (108a^2 + 27ab(F^{g(e+fx)})^n + 4b^2(F^{g(e+fx)})^{2n}) + 6bf(F^{g(e+fx)})^n (18a^2 + 9ab(F^{g(e+fx)})^n + 2b^2(F^{g(e+fx)})^{2n}) g n(c + dx) \log(F) + 18a^3 f^2 g^2 n^2 x(2c + dx) \log^2(F)}{36f^2 g^2 n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^3\*(c + d\*x), x]

[Out] (-b\*d\*(F^(g\*(e + f\*x))))^n\*(108\*a^2 + 27\*a\*b\*(F^(g\*(e + f\*x))))^n + 4\*b^2\*(F^(g\*(e + f\*x)))^(2\*n)) + 6\*b\*f\*(F^(g\*(e + f\*x)))^n\*(18\*a^2 + 9\*a\*b\*(F^(g\*(e + f\*x))))^n + 2\*b^2\*(F^(g\*(e + f\*x)))^(2\*n))\*g\*n\*(c + d\*x)\*Log[F] + 18\*a^3\*f^2\*g^2\*n^2\*x\*(2\*c + d\*x)\*Log[F]^2)/(36\*f^2\*g^2\*n^2\*Log[F]^2)

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^3 (dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c), x)

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c), x)

Maxima [A]

time = 0.30, size = 278, normalized size = 1.18

$$\frac{1}{2} a^3 dx^2 + a^3 cx + \frac{3F^{fgnx+gnc} a^2 bc}{fgn \log(F)} + \frac{3F^{2fgnx+2gnc} ab^2 c}{2fgn \log(F)} + \frac{F^{3fgnx+3gnc} b^3 c}{3fgn \log(F)} + \frac{3(F^{gnc} fgnx \log(F) - F^{gnc}) F^{fgnx} a^2 bd}{f^2 g^2 n^2 \log(F)^2} + \frac{3(2F^{2gnc} fgnx \log(F) - F^{2gnc}) F^{2fgnx} ab^2 d}{4f^2 g^2 n^2 \log(F)^2} + \frac{(3F^{3gnc} fgnx \log(F) - F^{3gnc}) F^{3fgnx} b^3 d}{9f^2 g^2 n^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c),x, algorithm="maxima")

[Out]  $\frac{1}{2}a^3d^3x^2 + a^3c^3x + 3F^{f*gn*x + g*n*e}a^2b^3c/(f*gn*\log(F)) + 3/2F^{2*f*gn*x + 2*g*n*e}a^2b^2c/(f*gn*\log(F)) + 1/3F^{3*f*gn*x + 3*g*n*e}b^3c/(f*gn*\log(F)) + 3(F^{g*n*e}f*gn*x*\log(F) - F^{g*n*e})F^{f*gn*x}a^2b^3d/(f^2*g^2*n^2*\log(F)^2) + 3/4*(2F^{2*g*n*e}f*gn*x*\log(F) - F^{2*g*n*e})F^{2*f*gn*x}a^2b^2d/(f^2*g^2*n^2*\log(F)^2) + 1/9*(3F^{3*g*n*e}f*gn*x*\log(F) - F^{3*g*n*e})F^{3*f*gn*x}b^3d/(f^2*g^2*n^2*\log(F)^2)$

**Fricas** [A]

time = 0.45, size = 195, normalized size = 0.83

$$\frac{18(a^3df^2g^2n^2x^2 + 2a^3cf^2g^2n^2x)\log(F)^2 - 4(b^3d - 3(b^2dfgnx + b^3cfgn)\log(F))F^{3fgnx+3gne} - 27(ab^2d - 2(ab^2dfgnx + ab^2cfgn)\log(F))F^{2fgnx+2gne} - 108(a^2bd - (a^2bdfgnx + a^2bcfgn)\log(F))F^{fgnx+gne}}{36f^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c),x, algorithm="fricas")

[Out]  $\frac{1}{36}(18(a^3d^3f^2g^2n^2x^2 + 2a^3c^3f^2g^2n^2x)\log(F)^2 - 4(b^3d - 3(b^3d^3f*gn*x + b^3c^3f*gn)\log(F))F^{3*f*gn*x + 3*g*n*e} - 27(a^2b^2d - 2(a^2b^2d^3f*gn*x + a^2b^2c^3f*gn)\log(F))F^{2*f*gn*x + 2*g*n*e} - 108(a^2b^2d - (a^2b^2d^3f*gn*x + a^2b^2c^3f*gn)\log(F))F^{f*gn*x + g*n*e})/(f^2*g^2*n^2*\log(F)^2)$

**Sympy** [A]

time = 0.15, size = 348, normalized size = 1.47

$$a^3cx + \frac{a^3dx^2}{2} + \begin{cases} \frac{(120c^2f^2g^2n^2\log(F)^2 + 120df^2g^2n^2x\log(F)^2 - 4b^3d^3f^2g^2n^2x\log(F)^2 - 4b^3c^3f^2g^2n^2x\log(F)^2)(F^{3f*gn*x+3*g*n*e})^{2n} + (54ab^2cf^2g^2n^2\log(F)^2 + 54ab^2df^2g^2n^2x\log(F)^2 - 27a^2b^2df^2g^2n^2x\log(F)^2 - 27a^2b^2cf^2g^2n^2x\log(F)^2)(F^{2f*gn*x+2*g*n*e})^{2n} + (108a^2bdf^2g^2n^2\log(F)^2 + 108a^2bcf^2g^2n^2x\log(F)^2 - 108a^2bdf^2g^2n^2x\log(F)^2 - 108a^2bcf^2g^2n^2x\log(F)^2)(F^{f*gn*x+g*n*e})^{2n}}{36f^2g^2n^2\log(F)^2} & \text{for } f^6g^6n^6\log(F)^6 \neq 0 \\ x^2 \cdot \left( \frac{3a^2d}{2} + \frac{3ab^2d}{4} + \frac{b^2d}{4} \right) + x(3a^2bc + 3ab^2c + b^3c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*3\*(d\*x+c),x)

[Out]  $a^{**3}c^3x + a^{**3}d^3x^{**2}/2 + \text{Piecewise}(\left(\left(\left(12*b^{**3}c^3f^{**5}g^{**5}n^{**5}\log(F)^{**5} + 12*b^{**3}d^3f^{**5}g^{**5}n^{**5}x*\log(F)^{**5} - 4*b^{**3}d^3f^{**4}g^{**4}n^{**4}\log(F)^{**4}\right)*(F^{**}(g*(e + f*x)))^{**}(3*n) + (54*a*b^{**2}c^3f^{**5}g^{**5}n^{**5}\log(F)^{**5} + 54*a*b^{**2}d^3f^{**5}g^{**5}n^{**5}x*\log(F)^{**5} - 27*a*b^{**2}d^3f^{**4}g^{**4}n^{**4}\log(F)^{**4}\right)*(F^{**}(g*(e + f*x)))^{**}(2*n) + (108*a^{**2}b^2c^3f^{**5}g^{**5}n^{**5}\log(F)^{**5} + 108*a^{**2}b^2d^3f^{**5}g^{**5}n^{**5}x*\log(F)^{**5} - 108*a^{**2}b^2d^3f^{**4}g^{**4}n^{**4}\log(F)^{**4}\right)*(F^{**}(g*(e + f*x)))^{**n})/(36*f^{**6}g^{**6}n^{**6}\log(F)^{**6}), \text{Ne}(f^{**6}g^{**6}n^{**6}\log(F)^{**6}, 0), (x^{**2}*(3*a^{**2}b^2d/2 + 3*a*b^{**2}d/2 + b^{**3}d/2) + x*(3*a^{**2}b^2c + 3*a*b^{**2}c + b^{**3}c), \text{True}))$

**Giac** [C] Result contains complex when optimal does not.

time = 2.86, size = 3558, normalized size = 15.08

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3\*(d\*x+c),x, algorithm="giac")

[Out]  $\frac{1}{2}a^3dx^2 + a^3cx + \frac{1}{9}(2((3b^3dfg^n x \log(\text{abs}(F)) + 3b^3c f g^n \log(\text{abs}(F)) - b^3d)(\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) + 3(\pi b^3 d f g^n x \text{sgn}(F) - \pi b^3 d f g^n x + \pi b^3 c f g^n \text{sgn}(F) - \pi b^3 c f g^n) (\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) * \cos(-3/2 \pi f g^n x \text{sgn}(F) + 3/2 \pi f g^n x - 3/2 \pi g^n e \text{sgn}(F) + 3/2 \pi g^n e) + (3(\pi b^3 d f g^n x \text{sgn}(F) - \pi b^3 d f g^n x + \pi b^3 c f g^n \text{sgn}(F) - \pi b^3 c f g^n) (\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) - 4(3b^3 d f g^n x \log(\text{abs}(F)) + 3b^3 c f g^n \log(\text{abs}(F)) - b^3 d) (\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) * \sin(-3/2 \pi f g^n x \text{sgn}(F) + 3/2 \pi f g^n x - 3/2 \pi g^n e \text{sgn}(F) + 3/2 \pi g^n e)) * e^{(3f g^n x \log(\text{abs}(F)) + 3g^n e \log(\text{abs}(F)))} - \frac{1}{18} I((3\pi b^3 d f g^n x \text{sgn}(F) - 3\pi b^3 d f g^n x - 6I b^3 d f g^n x \log(\text{abs}(F)) + 3\pi b^3 c f g^n \text{sgn}(F) - 3\pi b^3 c f g^n - 6I b^3 c f g^n \log(\text{abs}(F)) + 2I b^3 d) e^{(3/2 I \pi f g^n x \text{sgn}(F) - 3/2 I \pi f g^n x + 3/2 I \pi g^n e \text{sgn}(F) - 3/2 I \pi g^n e)} / (\pi^2 f^2 g^2 n^2 \text{sgn}(F) + 2I \pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi^2 f^2 g^2 n^2 - 2I \pi f^2 g^2 n^2 \log(\text{abs}(F)) + 2f^2 g^2 n^2 \log(\text{abs}(F))^2) + (3\pi b^3 d f g^n x \text{sgn}(F) - 3\pi b^3 d f g^n x + 6I b^3 d f g^n x \log(\text{abs}(F)) + 3\pi b^3 c f g^n \text{sgn}(F) - 3\pi b^3 c f g^n + 6I b^3 c f g^n \log(\text{abs}(F)) - 2I b^3 d) e^{(-3/2 I \pi f g^n x \text{sgn}(F) + 3/2 I \pi f g^n x - 3/2 I \pi g^n e \text{sgn}(F) + 3/2 I \pi g^n e)} / (\pi^2 f^2 g^2 n^2 \text{sgn}(F) - 2I \pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2I \pi f^2 g^2 n^2 \log(\text{abs}(F)) + 2f^2 g^2 n^2 \log(\text{abs}(F))^2) * e^{(3f g^n x \log(\text{abs}(F)) + 3g^n e \log(\text{abs}(F)))} + \frac{3}{2}(((2a b^2 d f g^n x \log(\text{abs}(F)) + 2a b^2 c f g^n \log(\text{abs}(F)) - a b^2 d) (\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) + 2(\pi a b^2 d f g^n x \text{sgn}(F) - \pi a b^2 d f g^n x + \pi a b^2 c f g^n \text{sgn}(F) - \pi a b^2 c f g^n) (\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) * \cos(-\pi f g^n x \text{sgn}(F) + \pi f g^n x - \pi g^n e \text{sgn}(F) + \pi g^n e) + ((\pi a b^2 d f g^n x \text{sgn}(F) - \pi a b^2 d f g^n x + \pi a b^2 c f g^n \text{sgn}(F) - \pi a b^2 c f g^n) (\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) * \cos(-\pi f g^n x \text{sgn}(F) + \pi f g^n x - \pi g^n e \text{sgn}(F) + \pi g^n e) + ((\pi a b^2 d f g^n x \text{sgn}(F) - \pi a b^2 d f g^n x + \pi a b^2 c f g^n \text{sgn}(F) - \pi a b^2 c f g^n) (\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F))) / ((\pi^2 f^2 g^2 n^2 \text{sgn}(F) - \pi^2 f^2 g^2 n^2 + 2f^2 g^2 n^2 \log(\text{abs}(F))^2)^2 + 4(\pi f^2 g^2 n^2 \log(\text{abs}(F)) \text{sgn}(F) - \pi f^2 g^2 n^2 \log(\text{abs}(F)))^2) * \cos(-\pi f g^n x \text{sgn}(F) + \pi f g^n x - \pi g^n e \text{sgn}(F) + \pi g^n e)$

$$\begin{aligned}
& F) - \pi * a * b^2 * c * f * g * n * (\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * f^2 * \\
& g^2 * n^2 * \log(\operatorname{abs}(F))^2) / ((\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * f^2 * \\
& g^2 * n^2 * \log(\operatorname{abs}(F))^2)^2 + 4 * (\pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \pi * f^2 * g^2 * \\
& n^2 * \log(\operatorname{abs}(F)))^2) - 2 * (2 * a * b^2 * d * f * g * n * x * \log(\operatorname{abs}(F)) + 2 * a * b^2 * c * f * g * n \\
& * \log(\operatorname{abs}(F)) - a * b^2 * d) * (\pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \pi * f^2 * g^2 * n^2 \\
& * \log(\operatorname{abs}(F))) / ((\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * f^2 * g^2 * n^2 * \\
& \log(\operatorname{abs}(F))^2)^2 + 4 * (\pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)))^2) * \sin(-\pi * f * g * n * x * \operatorname{sgn}(F) + \pi * f * g * n * x - \pi * g * n * e * \operatorname{sgn}(F) + \pi * g \\
& * n * e) * e^{(2 * f * g * n * x * \log(\operatorname{abs}(F)) + 2 * g * n * e * \log(\operatorname{abs}(F)))} - 3/4 * I * ((\pi * a * b^2 * d \\
& * f * g * n * x * \operatorname{sgn}(F) - \pi * a * b^2 * d * f * g * n * x - 2 * I * a * b^2 * d * f * g * n * x * \log(\operatorname{abs}(F)) + \pi \\
& * a * b^2 * c * f * g * n * \operatorname{sgn}(F) - \pi * a * b^2 * c * f * g * n - 2 * I * a * b^2 * c * f * g * n * \log(\operatorname{abs}(F)) + \\
& I * a * b^2 * d) * e^{(I * \pi * f * g * n * x * \operatorname{sgn}(F) - I * \pi * f * g * n * x + I * \pi * g * n * e * \operatorname{sgn}(F) - I * \pi * \\
& g * n * e) / (\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) + 2 * I * \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \\
& \pi^2 * f^2 * g^2 * n^2 - 2 * I * \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) + 2 * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)))^2) + (\pi * a * b^2 * d * f * g * n * x * \operatorname{sgn}(F) - \pi * a * b^2 * d * f * g * n * x + 2 * I * a * b^2 * d * f * g * n \\
& * x * \log(\operatorname{abs}(F)) + \pi * a * b^2 * c * f * g * n * \operatorname{sgn}(F) - \pi * a * b^2 * c * f * g * n + 2 * I * a * b^2 * c * f \\
& * g * n * \log(\operatorname{abs}(F)) - I * a * b^2 * d) * e^{(-I * \pi * f * g * n * x * \operatorname{sgn}(F) + I * \pi * f * g * n * x - I * \pi * \\
& g * n * e * \operatorname{sgn}(F) + I * \pi * g * n * e) / (\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - 2 * I * \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * I * \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) + 2 * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F))^2)} * e^{(2 * f * g * n * x * \log(\operatorname{abs}(F)) + 2 * g * n * e * \log(\operatorname{abs}(F)))} \\
& + 3 * (2 * ((a^2 * b * d * f * g * n * x * \log(\operatorname{abs}(F)) + a^2 * b * c * f * g * n * \log(\operatorname{abs}(F)) - a^2 * b * d) \\
& * (\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F))^2) \\
& / ((\pi^2 * f^2 * g^2 * n^2 * \operatorname{sgn}(F) - \pi^2 * f^2 * g^2 * n^2 + 2 * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F))^2)^2 + 4 * (\pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)) * \operatorname{sgn}(F) - \pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F)))^2) \\
& + (\pi * a^2 * b * d * f * g * n * x * \operatorname{sgn}(F) - \pi * a^2 * b * d * f * g * n * x + \pi * a^2 * b * c * f * g * n * \operatorname{sgn}(F) \\
& ) - \pi * a^2 * b * c * f * g * n) * (\pi * f^2 * g^2 * n^2 * \log(\operatorname{abs}(F) \dots
\end{aligned}$$

Mupad [B]

time = 3.77, size = 219, normalized size = 0.93

$$\frac{a^3 dx^2}{2} - (F^{f g x} F^{e g})^{2n} \left( \frac{3ab^2(d-2c f g n \ln(F))}{4f^2 g^2 n^2 \ln(F)^2} - \frac{3ab^2 dx}{2f g n \ln(F)} \right) - (F^{f g x} F^{e g})^{3n} \left( \frac{b^3(d-3c f g n \ln(F))}{9f^2 g^2 n^2 \ln(F)^2} - \frac{b^3 dx}{3f g n \ln(F)} \right) - (F^{f g x} F^{e g})^n \left( \frac{3a^2 b(d-c f g n \ln(F))}{f^2 g^2 n^2 \ln(F)^2} - \frac{3a^2 b dx}{f g n \ln(F)} \right) + a^3 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x), x)

[Out] (a^3\*d\*x^2)/2 - (F^(f\*g\*x)\*F^(e\*g))^(2\*n)\*((3\*a\*b^2\*(d - 2\*c\*f\*g\*n\*log(F)))/(4\*f^2\*g^2\*n^2\*log(F)^2) - (3\*a\*b^2\*d\*x)/(2\*f\*g\*n\*log(F))) - (F^(f\*g\*x)\*F^(e\*g))^(3\*n)\*((b^3\*(d - 3\*c\*f\*g\*n\*log(F)))/(9\*f^2\*g^2\*n^2\*log(F)^2) - (b^3\*d\*x)/(3\*f\*g\*n\*log(F))) - (F^(f\*g\*x)\*F^(e\*g))^n\*((3\*a^2\*b\*(d - c\*f\*g\*n\*log(F)))/(f^2\*g^2\*n^2\*log(F)^2) - (3\*a^2\*b\*d\*x)/(f\*g\*n\*log(F))) + a^3\*c\*x

$$3.42 \quad \int \left( a + b \left( F^{g(e+fx)} \right)^n \right)^3 dx$$

Optimal. Leaf size=103

$$a^3x + \frac{3a^2b(F^{g(e+fx)})^n}{fgn \log(F)} + \frac{3ab^2(F^{g(e+fx)})^{2n}}{2fgn \log(F)} + \frac{b^3(F^{g(e+fx)})^{3n}}{3fgn \log(F)}$$

[Out]  $a^3x + 3a^2b(F^{g(f*x+e)})^n/f/g/n/\ln(F) + 3/2*a*b^2*(F^{g(f*x+e)})^{(2*n)}/f/g/n/\ln(F) + 1/3*b^3*(F^{g(f*x+e)})^{(3*n)}/f/g/n/\ln(F)$

Rubi [A]

time = 0.04, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {2320, 272, 45}

$$a^3x + \frac{3a^2b(F^{g(e+fx)})^n}{fgn \log(F)} + \frac{3ab^2(F^{g(e+fx)})^{2n}}{2fgn \log(F)} + \frac{b^3(F^{g(e+fx)})^{3n}}{3fgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x))))^n]^3,x]

[Out]  $a^3x + (3a^2b*(F^{g(e + f*x)})^n)/(f*g*n*\text{Log}[F]) + (3a*b^2*(F^{g(e + f*x)})^{(2*n)})/(2*f*g*n*\text{Log}[F]) + (b^3*(F^{g(e + f*x)})^{(3*n)})/(3*f*g*n*\text{Log}[F])$

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

## Rubi steps

$$\begin{aligned}
\int \left(a + b(F^{g(e+fx)})^n\right)^3 dx &= \frac{\text{Subst}\left(\int \frac{(a+bx^n)^3}{x} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
&= \frac{\text{Subst}\left(\int \frac{(a+bx)^3}{x} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
&= \frac{\text{Subst}\left(\int \left(3a^2b + \frac{a^3}{x} + 3ab^2x + b^3x^2\right) dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
&= a^3x + \frac{3a^2b(F^{g(e+fx)})^n}{fgn \log(F)} + \frac{3ab^2(F^{g(e+fx)})^{2n}}{2fgn \log(F)} + \frac{b^3(F^{g(e+fx)})^{3n}}{3fgn \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.10, size = 87, normalized size = 0.84

$$\frac{b(F^{g(e+fx)})^n \left(18a^2 + 9ab(F^{g(e+fx)})^n + 2b^2(F^{g(e+fx)})^{2n}\right) + 6a^3 \log\left((F^{g(e+fx)})^n\right)}{6fgn \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3, x]`

```
[Out] (b*(F^(g*(e + f*x)))^n*(18*a^2 + 9*a*b*(F^(g*(e + f*x)))^n + 2*b^2*(F^(g*(e + f*x)))^(2*n)) + 6*a^3*Log[(F^(g*(e + f*x)))^n])/(6*f*g*n*Log[F])
```

**Maple [A]**

time = 0.03, size = 86, normalized size = 0.83

method	result	size
derivativedivides	$\frac{\frac{b^3(F^{g(fx+e)})^{3n}}{3} + \frac{3ab^2(F^{g(fx+e)})^{2n}}{2} + 3a^2b(F^{g(fx+e)})^n + a^3 \ln\left((F^{g(fx+e)})^n\right)}{gf \ln(F)n}$	86
default	$\frac{\frac{b^3(F^{g(fx+e)})^{3n}}{3} + \frac{3ab^2(F^{g(fx+e)})^{2n}}{2} + 3a^2b(F^{g(fx+e)})^n + a^3 \ln\left((F^{g(fx+e)})^n\right)}{gf \ln(F)n}$	86
norman	$a^3x + \frac{b^3e^{3n \ln(e^{g(fx+e)} \ln(F))}}{3ngf \ln(F)} + \frac{3ab^2e^{2n \ln(e^{g(fx+e)} \ln(F))}}{2ngf \ln(F)} + \frac{3a^2be^{n \ln(e^{g(fx+e)} \ln(F))}}{ngf \ln(F)}$	109

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e)))^n)^3, x, method=_RETURNVERBOSE)`

```
[Out] 1/g/f/ln(F)/n*(1/3*b^3*((F^(g*(f*x+e)))^n)^3+3/2*a*b^2*((F^(g*(f*x+e)))^n)^2+3*a^2*b*(F^(g*(f*x+e)))^n+a^3*ln((F^(g*(f*x+e)))^n))
```

**Maxima [A]**

time = 0.28, size = 97, normalized size = 0.94

$$a^3x + \frac{3F^{(fx+e)gn}a^2b}{fgn \log(F)} + \frac{3F^{2(fx+e)gn}ab^2}{2fgn \log(F)} + \frac{F^{3(fx+e)gn}b^3}{3fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")`

```
[Out] a^3*x + 3*F^((f*x + e)*g*n)*a^2*b/(f*g*n*log(F)) + 3/2*F^(2*(f*x + e)*g*n)*
a*b^2/(f*g*n*log(F)) + 1/3*F^(3*(f*x + e)*g*n)*b^3/(f*g*n*log(F))
```

**Fricas [A]**

time = 0.37, size = 87, normalized size = 0.84

$$\frac{6a^3fgnx \log(F) + 18F^{fgnx+gne}a^2b + 9F^{2fgnx+2gne}ab^2 + 2F^{3fgnx+3gne}b^3}{6fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")`

```
[Out] 1/6*(6*a^3*f*g*n*x*log(F) + 18*F^(f*g*n*x + g*n*e)*a^2*b + 9*F^(2*f*g*n*x +
2*g*n*e)*a*b^2 + 2*F^(3*f*g*n*x + 3*g*n*e)*b^3)/(f*g*n*log(F))
```

**Sympy [A]**

time = 0.08, size = 151, normalized size = 1.47

$$a^3x + \begin{cases} \frac{18a^2bf^2g^2n^2(F^{g(e+fx)})^n \log(F)^2 + 9ab^2f^2g^2n^2(F^{g(e+fx)})^{2n} \log(F)^2 + 2b^3f^2g^2n^2(F^{g(e+fx)})^{3n} \log(F)^2}{6f^3g^3n^3 \log(F)^3} & \text{for } f^3g^3n^3 \log(F)^3 \neq 0 \\ x(3a^2b + 3ab^2 + b^3) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3,x)`

```
[Out] a**3*x + Piecewise(((18*a**2*b*f**2*g**2*n**2*(F**(g*(e + f*x))))**n*log(F)*
**2 + 9*a*b**2*f**2*g**2*n**2*(F**(g*(e + f*x))))**(2*n)*log(F)**2 + 2*b**3*f
**2*g**2*n**2*(F**(g*(e + f*x))))**(3*n)*log(F)**2)/(6*f**3*g**3*n**3*log(F)
**3), Ne(f**3*g**3*n**3*log(F)**3, 0)), (x*(3*a**2*b + 3*a*b**2 + b**3), Tr
ue))
```

**Giac [A]**

time = 2.74, size = 102, normalized size = 0.99

$$\frac{18F^{fgnx}F^{gne}a^2b + 9F^{2fgnx}F^{2gne}ab^2 + 2F^{3fgnx}F^{3gne}b^3 + 6a^3 \log(|F|^{fgnx}|F|^{gne})}{6fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3,x, algorithm="giac")

[Out]  $\frac{1}{6} \cdot (18 \cdot F^{(f \cdot g \cdot n \cdot x)} \cdot F^{(g \cdot n \cdot e)} \cdot a^2 \cdot b + 9 \cdot F^{(2 \cdot f \cdot g \cdot n \cdot x)} \cdot F^{(2 \cdot g \cdot n \cdot e)} \cdot a \cdot b^2 + 2 \cdot F^{(3 \cdot f \cdot g \cdot n \cdot x)} \cdot F^{(3 \cdot g \cdot n \cdot e)} \cdot b^3 + 6 \cdot a^3 \cdot \log(\text{abs}(F)^{(f \cdot g \cdot n \cdot x)} \cdot \text{abs}(F)^{(g \cdot n \cdot e)})) / (f \cdot g \cdot n \cdot \log(F))$

Mupad [B]

time = 3.78, size = 124, normalized size = 1.20

$$\frac{a^3 \ln(F^{fgx})}{fg \ln(F)} + \frac{b^3 (F^{fgx} F^{eg})^{3n}}{3fgn \ln(F)} + \frac{3a^2 b (F^{fgx} F^{eg})^n}{fgn \ln(F)} + \frac{3ab^2 (F^{fgx} F^{eg})^{2n}}{2fgn \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^3,x)

[Out]  $(a^3 \cdot \log(F^{(f \cdot g \cdot x)})) / (f \cdot g \cdot \log(F)) + (b^3 \cdot (F^{(f \cdot g \cdot x)} \cdot F^{(e \cdot g)})^{(3 \cdot n)}) / (3 \cdot f \cdot g \cdot n \cdot \log(F)) + (3 \cdot a^2 \cdot b \cdot (F^{(f \cdot g \cdot x)} \cdot F^{(e \cdot g)})^n) / (f \cdot g \cdot n \cdot \log(F)) + (3 \cdot a \cdot b^2 \cdot (F^{(f \cdot g \cdot x)} \cdot F^{(e \cdot g)})^{(2 \cdot n)}) / (2 \cdot f \cdot g \cdot n \cdot \log(F))$

$$3.43 \quad \int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3}{c+dx} dx$$

**Optimal.** Leaf size=200

$$\frac{3a^2bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{3ab^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}(F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d}$$

[Out]  $3a^2bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + 3ab^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}(F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right) + a^3 \ln(d*x+c)/d$

**Rubi [A]**

time = 0.25, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2213, 2209}

$$\frac{a^3 \log(c+dx)}{d} + \frac{3a^2b(F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{3ab^2(F^{eg+fgx})^{2n} F^{2gn\left(e-\frac{cf}{d}\right)-2gn(e+fx)} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^3(F^{eg+fgx})^{3n} F^{3gn\left(e-\frac{cf}{d}\right)-3gn(e+fx)} \operatorname{Ei}\left(\frac{3fgn(c+dx)\log(F)}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x), x]

[Out]  $(3a^2bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n \operatorname{ExpIntegralEi}\left[\frac{(f*gn*(c+d*x)*\operatorname{Log}[F])}{d}\right])/d + (3ab^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}(F^{eg+fgx})^{2n} \operatorname{ExpIntegralEi}\left[\frac{(2*f*gn*(c+d*x)*\operatorname{Log}[F])}{d}\right])/d + (b^3F^{3\left(e-\frac{cf}{d}\right)gn-3gn(e+fx)}(F^{eg+fgx})^{3n} \operatorname{ExpIntegralEi}\left[\frac{(3*f*gn*(c+d*x)*\operatorname{Log}[F])}{d}\right])/d + (a^3 \operatorname{Log}[c+d*x])/d$

**Rule 2209**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(F^(g\*(e - c\*(f/d)))/d)\*ExpIntegralEi[f\*g\*(c + d\*x)\*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

**Rule 2213**

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[(b\*F^(g\*(e + f\*x)))^n/F^(g\*n\*(e + f\*x)), Int[(c + d\*x)^m\*F^(g\*n\*(e + f\*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

**Rule 2214**

Int[((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^((p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F

$\int (a + b(F^{g(e+fx)})^n)^3 dx$ , x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&  
IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + b(F^{g(e+fx)})^n)^3}{c + dx} dx &= \int \left( \frac{a^3}{c + dx} + \frac{3a^2b(F^{eg+fgx})^n}{c + dx} + \frac{3ab^2(F^{eg+fgx})^{2n}}{c + dx} + \frac{b^3(F^{eg+fgx})^{3n}}{c + dx} \right) dx \\ &= \frac{a^3 \log(c + dx)}{d} + (3a^2b) \int \frac{(F^{eg+fgx})^n}{c + dx} dx + (3ab^2) \int \frac{(F^{eg+fgx})^{2n}}{c + dx} dx + b^3 \int \frac{(F^{eg+fgx})^{3n}}{c + dx} dx \\ &= \frac{a^3 \log(c + dx)}{d} + (3a^2bF^{-n(eg+fgx)}(F^{eg+fgx})^n) \int \frac{F^{n(eg+fgx)}}{c + dx} dx + (3ab^2F^{-2n(eg+fgx)}(F^{eg+fgx})^{2n}) \int \frac{F^{2n(eg+fgx)}}{c + dx} dx + (b^3F^{-3n(eg+fgx)}(F^{eg+fgx})^{3n}) \int \frac{F^{3n(eg+fgx)}}{c + dx} dx \\ &= \frac{3a^2bF^{(e-\frac{cf}{d})gn-gn(e+fx)}(F^{eg+fgx})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{3ab^2F^{2(e-\frac{cf}{d})gn-2gn(e+fx)}(F^{eg+fgx})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right)}{d} + \frac{b^3F^{3(e-\frac{cf}{d})gn-3gn(e+fx)}(F^{eg+fgx})^{3n} \operatorname{Ei}\left(\frac{3fgn(c+dx)\log(F)}{d}\right)}{d} + a^3 \log(c + dx) \end{aligned}$$

Mathematica [A]

time = 0.62, size = 160, normalized size = 0.80

$$\frac{3a^2bF^{-\frac{fgn(c+dx)}{d}}(F^{g(e+fx)})^n \operatorname{Ei}\left(\frac{fgn(c+dx)\log(F)}{d}\right) + 3ab^2F^{-\frac{2fgn(c+dx)}{d}}(F^{g(e+fx)})^{2n} \operatorname{Ei}\left(\frac{2fgn(c+dx)\log(F)}{d}\right) + b^3F^{-\frac{3fgn(c+dx)}{d}}(F^{g(e+fx)})^{3n} \operatorname{Ei}\left(\frac{3fgn(c+dx)\log(F)}{d}\right) + a^3 \log(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x), x]

[Out] ((3\*a^2\*b\*(F^(g\*(e + f\*x)))^n\*ExpIntegralEi[(f\*g\*n\*(c + d\*x)\*Log[F])/d])/F^((f\*g\*n\*(c + d\*x))/d) + (3\*a\*b^2\*(F^(g\*(e + f\*x)))^(2\*n)\*ExpIntegralEi[(2\*f\*g\*n\*(c + d\*x)\*Log[F])/d])/F^((2\*f\*g\*n\*(c + d\*x))/d) + (b^3\*(F^(g\*(e + f\*x)))^(3\*n)\*ExpIntegralEi[(3\*f\*g\*n\*(c + d\*x)\*Log[F])/d])/F^((3\*f\*g\*n\*(c + d\*x))/d) + a^3\*Log[c + d\*x])/d

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^3}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c), x)

[Out] int((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c), x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c),x, algorithm="maxima")

[Out]  $F^{(3*g*n*e)*b^3*\int(F^{(3*f*g*n*x)/(d*x+c)},x) + 3*F^{(2*g*n*e)*a*b^2*\int(F^{(2*f*g*n*x)/(d*x+c)},x) + 3*F^{(g*n*e)*a^2*b*\int(F^{(f*g*n*x)/(d*x+c)},x) + a^3*\log(d*x+c)/d$

**Fricas** [A]

time = 0.39, size = 155, normalized size = 0.78

$$\frac{a^3 \log(dx + c) + \frac{b^3 \operatorname{Ei}\left(\frac{3(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{3(cfgn-dgne)}{d}}} + \frac{3ab^2 \operatorname{Ei}\left(\frac{2(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{2(cfgn-dgne)}{d}}} + \frac{3a^2b \operatorname{Ei}\left(\frac{(dfgnx+cfgn)\log(F)}{d}\right)}{F^{\frac{cfgn-dgne}{d}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c),x, algorithm="fricas")

[Out]  $(a^3*\log(d*x+c) + b^3*\operatorname{Ei}(3*(d*f*g*n*x + c*f*g*n)*\log(F)/d)/F^{(3*(c*f*g*n - d*g*n*e)/d)} + 3*a*b^2*\operatorname{Ei}(2*(d*f*g*n*x + c*f*g*n)*\log(F)/d)/F^{(2*(c*f*g*n - d*g*n*e)/d)} + 3*a^2*b*\operatorname{Ei}((d*f*g*n*x + c*f*g*n)*\log(F)/d)/F^{((c*f*g*n - d*g*n*e)/d)})/d$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{eg}F^{fgx})^n)^3}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*3/(d\*x+c),x)

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))))\*\*n)\*\*3/(c + d\*x), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c),x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^3/(d\*x + c), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b(F^{g(e+fx)})^n)^3}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x), x)
```

```
[Out] int((a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x), x)
```

$$3.44 \quad \int \frac{\left(a + b \left(F^{g(e+fx)}\right)^n\right)^3}{(c+dx)^2} dx$$

**Optimal.** Leaf size=305

$$\frac{a^3}{d(c+dx)} - \frac{3a^2b(F^{eg+fgx})^n}{d(c+dx)} - \frac{3ab^2(F^{eg+fgx})^{2n}}{d(c+dx)} - \frac{b^3(F^{eg+fgx})^{3n}}{d(c+dx)} + \frac{3a^2bfF^{\left(\frac{e-cf}{d}\right)gn-gn(e+fx)}(F^{eg+fgx})^n gn\text{Ei}\left(\frac{\dots}{d^2}\right)}{d^2}$$

[Out]  $-a^3/d/(d*x+c) - 3*a^2*b*(F^{(f*g*x+e*g)})^n/d/(d*x+c) - 3*a*b^2*(F^{(f*g*x+e*g)})^{2*n}/d/(d*x+c) - b^3*(F^{(f*g*x+e*g)})^{3*n}/d/(d*x+c) + 3*a^2*b*f*F^{((e-c*f)/d)*g*n-g*n*(f*x+e)}*(F^{(f*g*x+e*g)})^n*g*n*Ei(f*g*n*(d*x+c)*ln(F)/d)*ln(F)/d^2 + 6*a*b^2*f*F^{(2*(e-c*f)/d)*g*n-2*g*n*(f*x+e)}*(F^{(f*g*x+e*g)})^{2*n}*g*n*Ei(2*f*g*n*(d*x+c)*ln(F)/d)*ln(F)/d^2 + 3*b^3*f*F^{(3*(e-c*f)/d)*g*n-3*g*n*(f*x+e)}*(F^{(f*g*x+e*g)})^{3*n}*g*n*Ei(3*f*g*n*(d*x+c)*ln(F)/d)*ln(F)/d^2$

**Rubi [A]**

time = 0.35, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2214, 2208, 2213, 2209}

$$\frac{a^3}{d(c+dx)} + \frac{3a^2bfg \log(F) (F^{eg+fgx})^n F^{gn\left(\frac{e-cf}{d}\right)Ei\left(\frac{fmg(d+g)x}{d}\right)}}{d^2} - \frac{3a^2b(F^{eg+fgx})^n}{d(c+dx)} + \frac{6ab^2fg \log(F) (F^{eg+fgx})^{2n} F^{2gn\left(\frac{e-cf}{d}\right)-2gn(e+fx)Ei\left(\frac{2fmg(d+g)x}{d}\right)}}{d^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{d(c+dx)} + \frac{3b^3fg \log(F) (F^{eg+fgx})^{3n} F^{3gn\left(\frac{e-cf}{d}\right)-3gn(e+fx)Ei\left(\frac{3fmg(d+g)x}{d}\right)}}{d^2} - \frac{b^3(F^{eg+fgx})^{3n}}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^2,x]

[Out]  $-(a^3/(d*(c + d*x))) - (3*a^2*b*(F^{(e*g + f*g*x)})^n)/(d*(c + d*x)) - (3*a*b^2*(F^{(e*g + f*g*x)})^{2*n})/(d*(c + d*x)) - (b^3*(F^{(e*g + f*g*x)})^{3*n})/(d*(c + d*x)) + (3*a^2*b*f*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^n*g*n*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (6*a*b^2*f*F^{(2*(e - (c*f)/d)*g*n - 2*g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^{2*n}*g*n*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2 + (3*b^3*f*F^{(3*(e - (c*f)/d)*g*n - 3*g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^{3*n}*g*n*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d]*Log[F])/d^2$

**Rule 2208**

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(c + d\*x)^(m + 1)\*((b\*F^(g\*(e + f\*x)))^n/(d\*(m + 1))), x] - Dist[f\*g\*n\*(Log[F]/(d\*(m + 1))), Int[(c + d\*x)^(m + 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && LtQ[m, -1] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

**Rule 2209**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[(F^(g\*(e - c\*(f/d)))/d)\*ExpIntegralEi[f\*g\*(c + d\*x)\*(Log[F]/d)], x] /; F

```
reeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

### Rule 2213

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x)^m*F^(g*n*(e + f*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]
```

### Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b(F^{g(e+fx)})^n)^3}{(c + dx)^2} dx &= \int \left( \frac{a^3}{(c + dx)^2} + \frac{3a^2b(F^{eg+fgx})^n}{(c + dx)^2} + \frac{3ab^2(F^{eg+fgx})^{2n}}{(c + dx)^2} + \frac{b^3(F^{eg+fgx})^{3n}}{(c + dx)^2} \right) dx \\ &= -\frac{a^3}{d(c + dx)} + (3a^2b) \int \frac{(F^{eg+fgx})^n}{(c + dx)^2} dx + (3ab^2) \int \frac{(F^{eg+fgx})^{2n}}{(c + dx)^2} dx + b^3 \int \frac{(F^{eg+fgx})^{3n}}{(c + dx)^2} dx \\ &= -\frac{a^3}{d(c + dx)} - \frac{3a^2b(F^{eg+fgx})^n}{d(c + dx)} - \frac{3ab^2(F^{eg+fgx})^{2n}}{d(c + dx)} - \frac{b^3(F^{eg+fgx})^{3n}}{d(c + dx)} + \frac{(3a^2bf)(F^{eg+fgx})^{n+1}}{d^2(c + dx)} \\ &= -\frac{a^3}{d(c + dx)} - \frac{3a^2b(F^{eg+fgx})^n}{d(c + dx)} - \frac{3ab^2(F^{eg+fgx})^{2n}}{d(c + dx)} - \frac{b^3(F^{eg+fgx})^{3n}}{d(c + dx)} + \frac{(3a^2bf)(F^{eg+fgx})^{n+1}}{d^2(c + dx)} \\ &= -\frac{a^3}{d(c + dx)} - \frac{3a^2b(F^{eg+fgx})^n}{d(c + dx)} - \frac{3ab^2(F^{eg+fgx})^{2n}}{d(c + dx)} - \frac{b^3(F^{eg+fgx})^{3n}}{d(c + dx)} + \frac{3a^2bf(F^{eg+fgx})^{n+1}}{d^2(c + dx)} \end{aligned}$$

### Mathematica [A]

time = 1.03, size = 250, normalized size = 0.82

$$\frac{a^3 d + 3a^2 b d (F^{g(e+fx)})^n + 3ab^2 d (F^{g(e+fx)})^{2n} + b^3 d (F^{g(e+fx)})^{3n} - 3a^2 b f F^{-\frac{2am+2dn}{d}} (F^{g(e+fx)})^n \operatorname{gn}(c+dx) \operatorname{Ei}\left(\frac{2m(c+dx)\log(F)}{d}\right) \log(F) - 6ab^2 f F^{-\frac{4am+4dn}{d}} (F^{g(e+fx)})^{2n} \operatorname{gn}(c+dx) \operatorname{Ei}\left(\frac{2m(c+dx)\log(F)}{d}\right) \log(F) - 3b^3 f F^{-\frac{6am+6dn}{d}} (F^{g(e+fx)})^{3n} \operatorname{gn}(c+dx) \operatorname{Ei}\left(\frac{2m(c+dx)\log(F)}{d}\right) \log(F)}{d^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^3/(c + d*x)^2, x]
```

```
[Out] -((a^3*d + 3*a^2*b*d*(F^(g*(e + f*x)))^n + 3*a*b^2*d*(F^(g*(e + f*x)))^(2*n) + b^3*d*(F^(g*(e + f*x)))^(3*n) - (3*a^2*b*f*(F^(g*(e + f*x)))^n*g*n*(c + d*x)*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F])/F^((f*g*n*(c + d*x)
```

)/d) - (6\*a\*b^2\*f\*(F^(g\*(e + f\*x)))^(2\*n)\*g\*n\*(c + d\*x)\*ExpIntegralEi[(2\*f\*g\*n\*(c + d\*x)\*Log[F])/d]\*Log[F])/F^((2\*f\*g\*n\*(c + d\*x))/d) - (3\*b^3\*f\*(F^(g\*(e + f\*x)))^(3\*n)\*g\*n\*(c + d\*x)\*ExpIntegralEi[(3\*f\*g\*n\*(c + d\*x)\*Log[F])/d]\*Log[F])/F^((3\*f\*g\*n\*(c + d\*x))/d))/(d^2\*(c + d\*x))

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^3}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c)^2,x)

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c)^2,x)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c)^2,x, algorithm="maxima")

[Out] F^(3\*g\*n\*e)\*b^3\*integrate(F^(3\*f\*g\*n\*x)/(d^2\*x^2 + 2\*c\*d\*x + c^2), x) + 3\*F^(2\*g\*n\*e)\*a\*b^2\*integrate(F^(2\*f\*g\*n\*x)/(d^2\*x^2 + 2\*c\*d\*x + c^2), x) + 3\*F^(g\*n\*e)\*a^2\*b\*integrate(F^(f\*g\*n\*x)/(d^2\*x^2 + 2\*c\*d\*x + c^2), x) - a^3/(d^2\*x + c\*d)

**Fricas [A]**

time = 0.40, size = 277, normalized size = 0.91

$$\frac{3 F^{f g n x+g n e} a^2 b d+3 F^{2 f g n x+2 g n e} a b^2 d+F^{3 f g n x+3 g n e} b^3 d+a^3 d-\frac{3\left(b^3 d f g n x+b^3 c f g n\right) \operatorname{Ei}\left(\frac{3\left(d f g n x+c f g n\right) \log (F)}{d}\right) \log (F)-6\left(a b^2 d f g n x+a b^2 c f g n\right) \operatorname{Ei}\left(\frac{2\left(d f g n x+c f g n\right) \log (F)}{d}\right) \log (F)-3\left(a^2 b d f g n x+a^2 b c f g n\right) \operatorname{Ei}\left(\frac{\left(d f g n x+c f g n\right) \log (F)}{d}\right) \log (F)}{d^3 x+c d^2}}{d^3 x+c d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e))))^n)^3/(d\*x+c)^2,x, algorithm="fricas")

[Out] -(3\*F^(f\*g\*n\*x + g\*n\*e)\*a^2\*b\*d + 3\*F^(2\*f\*g\*n\*x + 2\*g\*n\*e)\*a\*b^2\*d + F^(3\*f\*g\*n\*x + 3\*g\*n\*e)\*b^3\*d + a^3\*d - 3\*(b^3\*d\*f\*g\*n\*x + b^3\*c\*f\*g\*n)\*Ei(3\*(d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d)\*log(F)/F^(3\*(c\*f\*g\*n - d\*g\*n\*e)/d) - 6\*(a\*b^2\*d\*f\*g\*n\*x + a\*b^2\*c\*f\*g\*n)\*Ei(2\*(d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d)\*log(F)/F^(2\*(c\*f\*g\*n - d\*g\*n\*e)/d) - 3\*(a^2\*b\*d\*f\*g\*n\*x + a^2\*b\*c\*f\*g\*n)\*Ei((d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d)\*log(F)/F^((c\*f\*g\*n - d\*g\*n\*e)/d))/(d^3\*x + c\*d^2)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{eg}F^{fgx})^n)^3}{(c + dx)^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e)))\*\*n)\*\*3/(d\*x+c)\*\*2,x)

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n)\*\*3/(c + d\*x)\*\*2, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^2,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^3/(d\*x + c)^2, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b (F^{g(e+fx)})^n)^3}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^2,x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^2, x)

$$3.45 \quad \int \frac{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^3}{(c+dx)^3} dx$$

**Optimal.** Leaf size=447

$$\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c+dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c+dx)^2} - \frac{3a^2bf(F^{eg+fgx})^n g n \log(F)}{2d^2(c+dx)} - \frac{3ab^2f(F^{eg+fgx})^{2n} g n \log(F)}{2d^2(c+dx)}$$

[Out]  $-1/2*a^3/d/(d*x+c)^2-3/2*a^2*b*(F^(f*g*x+e*g))^n/d/(d*x+c)^2-3/2*a*b^2*(F^(f*g*x+e*g))^(2*n)/d/(d*x+c)^2-1/2*b^3*(F^(f*g*x+e*g))^(3*n)/d/(d*x+c)^2-3/2*a^2*b*f*(F^(f*g*x+e*g))^n*g*n*ln(F)/d^2/(d*x+c)-3*a*b^2*f*(F^(f*g*x+e*g))^(2*n)*g*n*ln(F)/d^2/(d*x+c)-3/2*b^3*f*(F^(f*g*x+e*g))^(3*n)*g*n*ln(F)/d^2/(d*x+c)+3/2*a^2*b*f^2*F^((e-c*f/d)*g*n-g*n*(f*x+e))*(F^(f*g*x+e*g))^n*g^2*n^2*Ei(f*g*n*(d*x+c)*ln(F)/d)*ln(F)^2/d^3+6*a*b^2*f^2*F^(2*(e-c*f/d)*g*n-2*g*n*(f*x+e))*(F^(f*g*x+e*g))^(2*n)*g^2*n^2*Ei(2*f*g*n*(d*x+c)*ln(F)/d)*ln(F)^2/d^3+9/2*b^3*f^2*F^(3*(e-c*f/d)*g*n-3*g*n*(f*x+e))*(F^(f*g*x+e*g))^(3*n)*g^2*n^2*Ei(3*f*g*n*(d*x+c)*ln(F)/d)*ln(F)^2/d^3$

**Rubi [A]**

time = 0.49, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2214, 2208, 2213, 2209}

$$\frac{a^3}{2d(c+dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c+dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c+dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c+dx)^2} - \frac{3a^2bf(F^{eg+fgx})^n g n \log(F)}{2d^2(c+dx)} - \frac{3ab^2f(F^{eg+fgx})^{2n} g n \log(F)}{2d^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x))))^n]^3/(c + d\*x)^3,x]

[Out]  $-1/2*a^3/(d*(c+d*x)^2) - (3*a^2*b*(F^(e*g+f*g*x))^n)/(2*d*(c+d*x)^2) - (3*a*b^2*(F^(e*g+f*g*x))^(2*n))/(2*d*(c+d*x)^2) - (b^3*(F^(e*g+f*g*x))^(3*n))/(2*d*(c+d*x)^2) - (3*a^2*b*f*(F^(e*g+f*g*x))^n*g*n*Log[F])/(2*d^2*(c+d*x)) - (3*a*b^2*f*(F^(e*g+f*g*x))^(2*n)*g*n*Log[F])/(d^2*(c+d*x)) - (3*b^3*f*(F^(e*g+f*g*x))^(3*n)*g*n*Log[F])/(2*d^2*(c+d*x)) + (3*a^2*b*f^2*F^((e-(c*f)/d)*g*n-g*n*(e+f*x))*(F^(e*g+f*g*x))^n*g^2*n^2*ExpIntegralEi[(f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2)/(2*d^3) + (6*a*b^2*f^2*F^(2*(e-(c*f)/d)*g*n-2*g*n*(e+f*x))*(F^(e*g+f*g*x))^(2*n)*g^2*n^2*ExpIntegralEi[(2*f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2)/d^3 + (9*b^3*f^2*F^(3*(e-(c*f)/d)*g*n-3*g*n*(e+f*x))*(F^(e*g+f*g*x))^(3*n)*g^2*n^2*ExpIntegralEi[(3*f*g*n*(c+d*x)*Log[F])/d]*Log[F]^2)/(2*d^3)$

Rule 2208

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.)+(f\_.)\*(x\_))))^(n\_.)\*((c\_.)+(d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(c + d\*x)^(m + 1)\*((b\*F^(g\*(e + f\*x)))^n/(d\*(m + 1))), x] - Dist[f\*g\*n\*(Log[F]/(d\*(m + 1))), Int[(c + d\*x)^(m + 1)\*(b\*F^(g\*(e +

$f*x)))^n, x], x] /; \text{FreeQ}\{F, b, c, d, e, f, g, n\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2*m] \&\& \text{!TrueQ}[\$UseGamma]$

### Rule 2209

$\text{Int}[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x\_Symbol] \text{:> Simp}[(F^{(g*(e - c*(f/d))})/d)*\text{ExpIntegralEi}[f*g*(c + d*x)*(Log[F]/d)], x] /; \text{FreeQ}\{F, c, d, e, f, g\}, x\} \&\& \text{!TrueQ}[\$UseGamma]$

### Rule 2213

$\text{Int}[(b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \text{:> Dist}[(b*F^{(g*(e + f*x))})^n/F^{(g*n*(e + f*x))}, \text{Int}[(c + d*x)^m * F^{(g*n*(e + f*x))}, x], x] /; \text{FreeQ}\{F, b, c, d, e, f, g, m, n\}, x\}$

### Rule 2214

$\text{Int}[(a_.) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^{(n_.)}^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \text{:> Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*(F^{(g*(e + f*x))})^n)^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, m, n\}, x\} \&\& \text{IGtQ}[p, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + b(F^{g(e+fx)})^n)^3}{(c + dx)^3} dx &= \int \left( \frac{a^3}{(c + dx)^3} + \frac{3a^2b(F^{eg+fgx})^n}{(c + dx)^3} + \frac{3ab^2(F^{eg+fgx})^{2n}}{(c + dx)^3} + \frac{b^3(F^{eg+fgx})^{3n}}{(c + dx)^3} \right) dx \\ &= -\frac{a^3}{2d(c + dx)^2} + (3a^2b) \int \frac{(F^{eg+fgx})^n}{(c + dx)^3} dx + (3ab^2) \int \frac{(F^{eg+fgx})^{2n}}{(c + dx)^3} dx + b^3 \int \frac{(F^{eg+fgx})^{3n}}{(c + dx)^3} dx \\ &= -\frac{a^3}{2d(c + dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c + dx)^2} + \frac{(3a^2b)^n}{2d(c + dx)^2} \\ &= -\frac{a^3}{2d(c + dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c + dx)^2} - \frac{3a^2b}{2d(c + dx)^2} \\ &= -\frac{a^3}{2d(c + dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c + dx)^2} - \frac{3a^2b}{2d(c + dx)^2} \\ &= -\frac{a^3}{2d(c + dx)^2} - \frac{3a^2b(F^{eg+fgx})^n}{2d(c + dx)^2} - \frac{3ab^2(F^{eg+fgx})^{2n}}{2d(c + dx)^2} - \frac{b^3(F^{eg+fgx})^{3n}}{2d(c + dx)^2} - \frac{3a^2b}{2d(c + dx)^2} \end{aligned}$$

### Mathematica [A]

time = 0.72, size = 325, normalized size = 0.73

$$\frac{a^2 b^2 - 3a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log^2(F) - 12a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log(F) \log\left(\frac{2a^2 b^2 \log^2(F)}{2b^2(c+d)^2}\right) \log^2(F) - 9a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log^2(F) + 3a^2 b^2 d (F^{c+dn})^n (d + f g(c+dn) \log(F)) + 3a^2 b^2 d (F^{c+dn})^n (d + 2f g(c+dn) \log(F)) + b^2 d (F^{c+dn})^n (d + 3f g(c+dn) \log(F))}{2b^2(c+d)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^3,x]

[Out]  $-1/2*(a^3*d^2 - (3*a^2*b*f^2*(F^{(g*(e + f*x))})^n*g^{2*n^2*(c + d*x)^2*ExpIntegralEi[(f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/F^{((f*g*n*(c + d*x))/d)} - (12*a*b^2*f^2*(F^{(g*(e + f*x))})^{(2*n)}*g^{2*n^2*(c + d*x)^2*ExpIntegralEi[(2*f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/F^{((2*f*g*n*(c + d*x))/d)} - (9*b^3*f^2*(F^{(g*(e + f*x))})^{(3*n)}*g^{2*n^2*(c + d*x)^2*ExpIntegralEi[(3*f*g*n*(c + d*x)*Log[F])/d]*Log[F]^2)/F^{((3*f*g*n*(c + d*x))/d)} + 3*a^2*b*d*(F^{(g*(e + f*x))})^n*(d + f*g*n*(c + d*x)*Log[F]) + 3*a*b^2*d*(F^{(g*(e + f*x))})^{(2*n)}*(d + 2*f*g*n*(c + d*x)*Log[F]) + b^3*d*(F^{(g*(e + f*x))})^{(3*n)}*(d + 3*f*g*n*(c + d*x)*Log[F]))/(d^3*(c + d*x)^2)$

**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{g(fx+e)})^n)^3}{(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^3,x)

[Out] int((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^3,x)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^3,x, algorithm="maxima")

[Out]  $F^{(3*g*n*e)}*b^3*integrate(F^{(3*f*g*n*x)})/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 3*F^{(2*g*n*e)}*a*b^2*integrate(F^{(2*f*g*n*x)})/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + 3*F^{(g*n*e)}*a^2*b*integrate(F^{(f*g*n*x)})/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) - 1/2*a^3/(d^3*x^2 + 2*c*d^2*x + c^2*d)$

**Fricas [A]**

time = 0.45, size = 493, normalized size = 1.10

$$\frac{a^2 b^2 - 3(a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log^2(F) - 12(a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log(F) \log\left(\frac{2a^2 b^2 \log^2(F)}{2b^2(c+d)^2}\right) \log^2(F) - 9a^2 b^2 F^{-\frac{2n}{c+d}} (F^{c+dn})^n g^{2n}(c+dn)^2 \log^2(F) + 3a^2 b^2 d (F^{c+dn})^n (d + f g(c+dn) \log(F)) + 3a^2 b^2 d (F^{c+dn})^n (d + 2f g(c+dn) \log(F)) + b^2 d (F^{c+dn})^n (d + 3f g(c+dn) \log(F)))}{2(b^2 c^2 + 2cd^2 + d^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^3,x, algorithm="fricas")

[Out] 
$$-1/2*(a^3*d^2 - 9*(b^3*d^2*f^2*g^2*n^2*x^2 + 2*b^3*c*d*f^2*g^2*n^2*x + b^3*c^2*f^2*g^2*n^2)*Ei(3*(d*f*g*n*x + c*f*g*n)*\log(F)/d)*\log(F)^2/F^{(3*(c*f*g*n - d*g*n*e)/d)} - 12*(a*b^2*d^2*f^2*g^2*n^2*x^2 + 2*a*b^2*c*d*f^2*g^2*n^2*x + a*b^2*c^2*f^2*g^2*n^2)*Ei(2*(d*f*g*n*x + c*f*g*n)*\log(F)/d)*\log(F)^2/F^{(2*(c*f*g*n - d*g*n*e)/d)} - 3*(a^2*b*d^2*f^2*g^2*n^2*x^2 + 2*a^2*b*c*d*f^2*g^2*n^2*x + a^2*b*c^2*f^2*g^2*n^2)*Ei((d*f*g*n*x + c*f*g*n)*\log(F)/d)*\log(F)^2/F^{((c*f*g*n - d*g*n*e)/d)} + (b^3*d^2 + 3*(b^3*d^2*f*g*n*x + b^3*c*d*f*g*n)*\log(F))*F^{(3*f*g*n*x + 3*g*n*e)} + 3*(a*b^2*d^2 + 2*(a*b^2*d^2*f*g*n*x + a*b^2*c*d*f*g*n)*\log(F))*F^{(2*f*g*n*x + 2*g*n*e)} + 3*(a^2*b*d^2 + (a^2*b*d^2*f*g*n*x + a^2*b*c*d*f*g*n)*\log(F))*F^{(f*g*n*x + g*n*e)}/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b(F^{eg} F^{fgx})^n)^3}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e)))\*\*n)\*\*3/(d\*x+c)\*\*3,x)

[Out] Integral((a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x)))\*\*n)\*\*3/(c + d\*x)\*\*3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^3,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^3/(d\*x + c)^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b(F^{g(e+fx)})^n)^3}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^3,x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^3/(c + d\*x)^3, x)

$$3.46 \quad \int \frac{(c+dx)^3}{a+b(Fg(e+fx))^n} dx$$

**Optimal.** Leaf size=192

$$\frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{6d^2(c+dx) \text{Li}_3\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^3g^3n^3 \log^3(F)}$$

[Out] 1/4\*(d\*x+c)^4/a/d-(d\*x+c)^3\*ln(1+b\*(F^(g\*(f\*x+e)))^n/a)/a/f/g/n/ln(F)-3\*d\*(d\*x+c)^2\*polylog(2,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^2/g^2/n^2/ln(F)^2+6\*d^2\*(d\*x+c)\*polylog(3,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^3/g^3/n^3/ln(F)^3-6\*d^3\*polylog(4,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^4/g^4/n^4/ln(F)^4

**Rubi [A]**

time = 0.22, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2215, 2221, 2611, 6744, 2320, 6724}

$$\frac{6d^2(c+dx) \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^3g^3n^3 \log^3(F)} - \frac{3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} - \frac{6d^3 \text{PolyLog}\left(4, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^4g^4n^4 \log^4(F)} - \frac{(c+dx)^3 \log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{afgn \log(F)} + \frac{(c+dx)^4}{4ad}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n), x]

[Out] (c + d\*x)^4/(4\*a\*d) - ((c + d\*x)^3\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(a\*f\*g\*n\*Log[F]) - (3\*d\*(c + d\*x)^2\*PolyLog[2, -((b\*(F^(g\*(e + f\*x)))^n)/a)])/(a\*f^2\*g^2\*n^2\*Log[F]^2) + (6\*d^2\*(c + d\*x)\*PolyLog[3, -((b\*(F^(g\*(e + f\*x)))^n)/a)])/(a\*f^3\*g^3\*n^3\*Log[F]^3) - (6\*d^3\*PolyLog[4, -((b\*(F^(g\*(e + f\*x)))^n)/a)])/(a\*f^4\*g^4\*n^4\*Log[F]^4)

**Rule 2215**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] :> Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2221**

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] :> Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2320**

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_)^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

#### Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

#### Rule 6744

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{a+b(Fg(e+fx))^n} dx &= \frac{(c+dx)^4}{4ad} - \frac{b \int \frac{(Fg(e+fx))^n (c+dx)^3}{a+b(Fg(e+fx))^n} dx}{a} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} + \frac{(3d) \int (c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \\
&= \frac{(c+dx)^4}{4ad} - \frac{(c+dx)^3 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{3d(c+dx)^2 \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots
\end{aligned}$$

**Mathematica [A]**

time = 0.67, size = 166, normalized size = 0.86

$$\frac{-(c+dx)^3 \log\left(1 + \frac{a(Fg(e+fx))^{-n}}{b}\right) + \frac{3d\left(f^2g^2n^2(c+dx)^2 \log^2(F) \text{Li}_2\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right) + 2d\left(fgn(c+dx) \log(F) \text{Li}_3\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right) + d \text{Li}_4\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right)\right)\right)}{f^3g^3n^3 \log^3(F)}}{afgn \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n), x]`

```
[Out] (-(c + d*x)^3*Log[1 + a/(b*(F^(g*(e + f*x)))^n])) + (3*d*(f^2*g^2*n^2*(c + d*x)^2*Log[F]^2*PolyLog[2, -(a/(b*(F^(g*(e + f*x)))^n))]) + 2*d*(f*g*n*(c + d*x)*Log[F]*PolyLog[3, -(a/(b*(F^(g*(e + f*x)))^n))]) + d*PolyLog[4, -(a/(b*(F^(g*(e + f*x)))^n))]))/(f^3*g^3*n^3*Log[F]^3)/(a*f*g*n*Log[F])
```

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 3074 vs. 2(190) = 380.

time = 0.12, size = 3075, normalized size = 16.02

method	result	size
risch	Expression too large to display	3075

Verification of antiderivative is not currently implemented for this CAS.







[In] integrate((d\*x+c)^3/(a+b\*(F^(g\*(f\*x+e)))^n),x, algorithm="fricas")

[Out] 
$$-1/4*(4*(c^3*f^3*g^3*n^3 - 3*c^2*d*f^2*g^3*n^3*e + 3*c*d^2*f*g^3*n^3*e^2 - d^3*g^3*n^3*e^3)*\log(F^{(f*g*n*x + g*n*e)*b + a})*\log(F)^3 - (d^3*f^4*g^4*n^4*x^4 + 4*c*d^2*f^4*g^4*n^4*x^3 + 6*c^2*d*f^4*g^4*n^4*x^2 + 4*c^3*f^4*g^4*n^4*x)*\log(F)^4 + 4*(d^3*f^3*g^3*n^3*x^3 + 3*c*d^2*f^3*g^3*n^3*x^2 + 3*c^2*d*f^3*g^3*n^3*x + 3*c^2*d*f^2*g^3*n^3*e - 3*c*d^2*f*g^3*n^3*e^2 + d^3*g^3*n^3*e^3)*\log(F)^3*\log((F^{(f*g*n*x + g*n*e)*b + a})/a) + 12*(d^3*f^2*g^2*n^2*x^2 + 2*c*d^2*f^2*g^2*n^2*x + c^2*d*f^2*g^2*n^2)*\operatorname{dilog}(-(F^{(f*g*n*x + g*n*e)*b + a})/a + 1)*\log(F)^2 + 24*d^3*\operatorname{polylog}(4, -F^{(f*g*n*x + g*n*e)*b/a}) - 24*(d^3*f*g*n*x + c*d^2*f*g*n)*\log(F)*\operatorname{polylog}(3, -F^{(f*g*n*x + g*n*e)*b/a})/(a*f^4*g^4*n^4*\log(F)^4)$$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx)^3}{a + b(F^{eg}F^{fgx})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)\*\*3/(a+b\*(F\*\*(g\*(f\*x+e)))\*\*n),x)

[Out] Integral((c + d\*x)\*\*3/(a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^3/(a+b\*(F^(g\*(f\*x+e)))^n),x, algorithm="giac")

[Out] integrate((d\*x + c)^3/((F^((f\*x + e)\*g))^n\*b + a), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^3}{a + b(F^{g(e+fx)})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n),x)

[Out] int((c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n), x)

$$3.47 \quad \int \frac{(c+dx)^2}{a+b(Fg(e+fx))^n} dx$$

**Optimal.** Leaf size=145

$$\frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx) \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{2d^2 \text{Li}_3\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^3g^3n^3 \log^3(F)}$$

[Out] 1/3\*(d\*x+c)^3/a/d-(d\*x+c)^2\*ln(1+b\*(F^(g\*(f\*x+e)))^n/a)/a/f/g/n/ln(F)-2\*d\*(d\*x+c)\*polylog(2,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^2/g^2/n^2/ln(F)^2+2\*d^2\*polylog(3,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^3/g^3/n^3/ln(F)^3

**Rubi [A]**

time = 0.20, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2215, 2221, 2611, 2320, 6724}

$$-\frac{2d(c+dx) \text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \frac{2d^2 \text{PolyLog}\left(3, -\frac{b(Fg(e+fx))^n}{a}\right)}{af^3g^3n^3 \log^3(F)} - \frac{(c+dx)^2 \log\left(\frac{b(Fg(e+fx))^n}{a} + 1\right)}{afgn \log(F)} + \frac{(c+dx)^3}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n), x]

[Out] (c + d\*x)^3/(3\*a\*d) - ((c + d\*x)^2\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(a\*f\*g\*n\*Log[F]) - (2\*d\*(c + d\*x)\*PolyLog[2, -((b\*(F^(g\*(e + f\*x)))^n)/a)])/(a\*f^2\*g^2\*n^2\*Log[F]^2) + (2\*d^2\*PolyLog[3, -((b\*(F^(g\*(e + f\*x)))^n)/a)])/(a\*f^3\*g^3\*n^3\*Log[F]^3)

Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] :> Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] :> Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

### Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned} \int \frac{(c+dx)^2}{a+b(Fg(e+fx))^n} dx &= \frac{(c+dx)^3}{3ad} - \frac{b \int \frac{(Fg(e+fx))^n (c+dx)^2}{a+b(Fg(e+fx))^n} dx}{a} \\ &= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} + \frac{(2d) \int (c+dx) \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} \\ &= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx) \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \\ &= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx) \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \\ &= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{2d(c+dx) \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} + \dots \end{aligned}$$

### Mathematica [A]

time = 0.49, size = 121, normalized size = 0.83

$$\frac{-f^2g^2n^2(c+dx)^2 \log^2(F) \log\left(1 + \frac{a(Fg(e+fx))^{-n}}{b}\right) + 2dfgn(c+dx) \log(F) \text{Li}_2\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right) + 2d^2 \text{Li}_3\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right)}{af^3g^3n^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n),x]

[Out]  $(-(f^2 g^2 n^2 (c + d x)^2 \operatorname{Log}[F]^2 \operatorname{Log}[1 + a/(b(F^{g(e + f x)})^n])]) + 2 d f g n (c + d x) \operatorname{Log}[F] \operatorname{PolyLog}[2, -(a/(b(F^{g(e + f x)})^n)]) + 2 d^2 \operatorname{PolyLog}[3, -(a/(b(F^{g(e + f x)})^n)])]) / (a f^3 g^3 n^3 \operatorname{Log}[F]^3)$

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 1676 vs.  $2(143) = 286$ .

time = 0.07, size = 1677, normalized size = 11.57

method	result	size
risch	Expression too large to display	1677

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e)))^n),x,method=\_RETURNVERBOSE)

[Out]  $2/\ln(F)^3/f^3/g^3/n^3*d^2/a*\operatorname{polylog}(3,-bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)-2/3/\ln(F)^3/f^3/g^3*d^2/a*\ln(F^{(g(fx+e))})^3-1/\ln(F)^2/f^2/g^2*d^2*(\ln(F^{(g(fx+e))})-g*(fx+e)*\ln(F))^2/a*x+1/\ln(F)/f/g/n*c^2/a*\ln(F^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)-1/\ln(F)/f/g/n*c^2/a*\ln(a+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)+2/f*c*d/a*x*e+1/\ln(F)^2/f^2/g^2*c*d/a*\ln(F^{(g(fx+e))})^2+2*c*d/a*x^2-2/\ln(F)/f/g*d^2/a*\ln(F^{(g(fx+e))})*x^2+2/\ln(F)^2/f^2/g^2*d^2/a*\ln(F^{(g(fx+e))})^2*x-2/\ln(F)^2/f^3/g^2/n*d^2*e*(\ln(F^{(g(fx+e))})-g*(fx+e)*\ln(F))/a*\ln(a+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)-2/\ln(F)/f^2/g/n*c*d*e/a*\ln(F^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)+2/\ln(F)/f^2/g/n*c*d*e/a*\ln(a+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)+2/\ln(F)^2/f^3/g^2/n*d^2/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*e*(\ln(F^{(g(fx+e))})-g*(fx+e)*\ln(F))-2/\ln(F)^2/f^2/g^2/n*c*d*(\ln(F^{(g(fx+e))})-g*(fx+e)*\ln(F))/a*\ln(F^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)+2/\ln(F)^2/f^2/g^2/n*c*d*(\ln(F^{(g(fx+e))})-g*(fx+e)*\ln(F))/a*\ln(a+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)-2/\ln(F)/f/g/n*c*d/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*x-2/\ln(F)^2/f^2/g^2/n*c*d/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*(ln(F^{(g(fx+e))})-g*(fx+e)*ln(F))+2/\ln(F)^2/f^3/g^2/n*d^2*e*(ln(F^{(g(fx+e))})-g*(fx+e)*ln(F))/a*\ln(F^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)-1/f^2*d^2/a*x*e^2+d^2/a*x^3-2/\ln(F)/f/g*c*d/a*\ln(F^{(g(fx+e))})*x-2/\ln(F)/f^2/g*d^2*(ln(F^{(g(fx+e))})-g*(fx+e)*ln(F))/a*x*e+2/\ln(F)/f/g*c*d/a*x*(ln(F^{(g(fx+e))})-g*(fx+e)*ln(F))-1/\ln(F)/f/g/n*d^2/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*x^2+1/\ln(F)/f^3/g/n*d^2/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*e^2+1/\ln(F)^3/f^3/g^3/n*d^2/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*(ln(F^{(g(fx+e))})-g*(fx+e)*ln(F))^2-2/\ln(F)^2/f^2/g^2/n^2*d^2/a*\operatorname{polylog}(2,-bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*x-2/\ln(F)/f^2/g/n*c*d/a*\ln(1+bF^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n/a)*e+1/\ln(F)/f^3/g/n*d^2*e^2/a*\ln(F^{(ngfx)}*F^{(-ngfx)}*(F^{(g(fx+e))})^n)-1/\ln(F)/f^3/g/$

$n*d^2*e^2/a*\ln(a+b*F^{(n*g*f*x)}*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n)-2/\ln(F)^2/f^2/g^2/n^2*c*d/a*polylog(2,-b*F^{(n*g*f*x)}*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n/a)+1/\ln(F)^3/f^3/g^3/n*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(F^{(n*g*f*x)}*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n)-1/\ln(F)^3/f^3/g^3/n*d^2*(\ln(F^{(g*(f*x+e))})-g*(f*x+e)*\ln(F))^2/a*\ln(a+b*F^{(n*g*f*x)}*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n)$

**Maxima [B]** Leaf count of result is larger than twice the leaf count of optimal. 310 vs. 2(145) = 290.

time = 0.41, size = 310, normalized size = 2.14

$$c^2 \left( \frac{f g n x + g n e}{a f g n} - \frac{\log(F^{f g n x + g n e + a})}{a f g n \log(F)} \right) - \frac{2(f g n x \log(\frac{e^{f g n x}}{a} + 1) \log(F) + \text{Li}_2(-\frac{e^{f g n x}}{a}))}{a^2 f^2 g^2 n^2 \log(F)^2} c d - \frac{(f^2 g^2 n^2 x^2 \log(\frac{e^{f g n x}}{a} + 1) \log(F)^2 + 2 f g n x \text{Li}_2(-\frac{e^{f g n x}}{a})) \log(F) - 2 \text{Li}_3(-\frac{e^{f g n x}}{a}))}{a^2 f^2 g^2 n^3 \log(F)^3} d^2 + \frac{d^2 f^2 g^2 n^3 x^3 \log(F)^3 + 3 c d f^2 g^2 n^3 x^2 \log(F)^3}{3 a^2 f^2 g^2 n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^n),x, algorithm="maxima")

[Out]  $c^2*((f*g*n*x + g*n*e)/(a*f*g*n) - \log(F^{(f*g*n*x + g*n*e)*b + a})/(a*f*g*n*\log(F))) - 2*(f*g*n*x*\log(F^{(f*g*n*x)*F^{(g*n*e)*b/a} + 1})*\log(F) + \text{dilog}(-F^{(f*g*n*x)*F^{(g*n*e)*b/a}})*c*d/(a*f^2*g^2*n^2*\log(F)^2) - (f^2*g^2*n^2*x^2*1\log(F^{(f*g*n*x)*F^{(g*n*e)*b/a} + 1})*\log(F)^2 + 2*f*g*n*x*\text{dilog}(-F^{(f*g*n*x)*F^{(g*n*e)*b/a}})*\log(F) - 2*polylog(3, -F^{(f*g*n*x)*F^{(g*n*e)*b/a}})*d^2/(a*f^3*g^3*n^3*\log(F)^3) + 1/3*(d^2*f^3*g^3*n^3*x^3*\log(F)^3 + 3*c*d*f^3*g^3*n^3*x^2*\log(F)^3)/(a*f^3*g^3*n^3*\log(F)^3)$

**Fricas [B]** Leaf count of result is larger than twice the leaf count of optimal. 291 vs. 2(145) = 290.

time = 0.40, size = 291, normalized size = 2.01

$$\frac{3(c^2 f^2 g^2 n^2 - 2 c d f^2 g^2 n^2 e + d^2 f^2 g^2 n^2 e^2) \log(F^{f g n x + g n e + a}) \log(F)^2 - (d^2 f^2 g^2 n^3 x^3 + 3 c^2 f^2 g^2 n^3 x^2) \log(F)^3 + 3(d^2 f^2 g^2 n^2 x^2 + 2 c d f^2 g^2 n^2 e - d^2 f^2 g^2 n^2 e^2) \log(F)^2 \log(\frac{e^{f g n x}}{a} + 1) + 6(d^2 f g n x + c d f g n) \text{Li}_2(-\frac{e^{f g n x}}{a} + 1) \log(F) - 6 d^2 \text{polylog}(3, -\frac{e^{f g n x}}{a})}{3 a^2 f^2 g^2 n^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^n),x, algorithm="fricas")

[Out]  $-1/3*(3*(c^2*f^2*g^2*n^2 - 2*c*d*f^2*g^2*n^2*e + d^2*g^2*n^2*e^2)*\log(F^{(f*g*n*x + g*n*e)*b + a})*\log(F)^2 - (d^2*f^3*g^3*n^3*x^3 + 3*c*d*f^3*g^3*n^3*x^2 + 3*c^2*f^3*g^3*n^3*x)*\log(F)^3 + 3*(d^2*f^2*g^2*n^2*x^2 + 2*c*d*f^2*g^2*n^2*x + 2*c*d*f^2*g^2*n^2*e - d^2*g^2*n^2*e^2)*\log(F)^2*\log((F^{(f*g*n*x + g*n*e)*b + a})/a) + 6*(d^2*f*g*n*x + c*d*f*g*n)*\text{dilog}(-F^{(f*g*n*x + g*n*e)*b + a})/a + 1)*\log(F) - 6*d^2*polylog(3, -F^{(f*g*n*x + g*n*e)*b/a})/(a*f^3*g^3*n^3*\log(F)^3)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx)^2}{a + b(F^{eg} F^{fgx})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)\*\*2/(a+b\*(F\*\*(g\*(f\*x+e))))\*\*n),x)

[Out] Integral((c + d\*x)\*\*2/(a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e)))^n),x, algorithm="giac")

[Out] integrate((d\*x + c)^2/((F^((f\*x + e)\*g))^n\*b + a), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^2}{a + b(F^{g(e+fx)})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n),x)

[Out] int((c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n), x)



$$3.48 \quad \int \frac{c+dx}{a+b\left(F^{g(e+fx)}\right)^n} dx$$

**Optimal.** Leaf size=98

$$\frac{(c+dx)^2}{2ad} - \frac{(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{afgn \log(F)} - \frac{d\text{Li}_2\left(-\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^2g^2n^2 \log^2(F)}$$

[Out] 1/2\*(d\*x+c)^2/a/d-(d\*x+c)\*ln(1+b\*(F^(g\*(f\*x+e)))^n/a)/a/f/g/n/ln(F)-d\*polylog(2,-b\*(F^(g\*(f\*x+e)))^n/a)/a/f^2/g^2/n^2/ln(F)^2

**Rubi [A]**

time = 0.11, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2215, 2221, 2317, 2438}

$$-\frac{d\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{af^2g^2n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{afgn \log(F)} + \frac{(c+dx)^2}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x)))^n), x]

[Out] (c + d\*x)^2/(2\*a\*d) - ((c + d\*x)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(a\*f\*g\*n\*Log[F]) - (d\*PolyLog[2, -(b\*(F^(g\*(e + f\*x)))^n)/a])/(a\*f^2\*g^2\*n^2\*Log[F]^2)

Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a\_.) + (b\_.)\*((F\_)^(g\_.)\*((c\_.) + (d\_.)\*(x\_)))]^(n\_.), x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))]

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2438

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + b(Fg(e+fx))^n} dx &= \frac{(c + dx)^2}{2ad} - \frac{b \int \frac{(Fg(e+fx))^n (c+dx)}{a+b(Fg(e+fx))^n} dx}{a} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} + \frac{d \int \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right) dx}{afgn \log(F)} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} + \frac{d \text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, (Fg(e+fx))^n\right)}{af^2g^2n^2 \log^2(F)} \\ &= \frac{(c + dx)^2}{2ad} - \frac{(c + dx) \log\left(1 + \frac{b(Fg(e+fx))^n}{a}\right)}{afgn \log(F)} - \frac{d \text{Li}_2\left(-\frac{b(Fg(e+fx))^n}{a}\right)}{af^2g^2n^2 \log^2(F)} \end{aligned}$$

### Mathematica [A]

time = 0.24, size = 74, normalized size = 0.76

$$\frac{-fgn(c + dx) \log(F) \log\left(1 + \frac{a(Fg(e+fx))^{-n}}{b}\right) + d \text{Li}_2\left(-\frac{a(Fg(e+fx))^{-n}}{b}\right)}{af^2g^2n^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x)))^n), x]

[Out] (-(f\*g\*n\*(c + d\*x)\*Log[F]\*Log[1 + a/(b\*(F^(g\*(e + f\*x)))^n])) + d\*PolyLog[2, -(a/(b\*(F^(g\*(e + f\*x)))^n))]/(a\*f^2\*g^2\*n^2\*Log[F]^2)

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 678 vs. 2(96) = 192.

time = 0.04, size = 679, normalized size = 6.93

method	result
--------	--------

risch	$\frac{c \ln\left(F^{ngfx} F^{-ngfx} (F^{g(fx+e)})^n\right)}{\ln(F)fgna} - \frac{c \ln\left(a+b F^{ngfx} F^{-ngfx} (F^{g(fx+e)})^n\right)}{\ln(F)fgna} + \frac{dx^2}{a} + \frac{dxe}{fa} + \frac{dx(\ln(F^{g(fx+e)})-g(fx+e))\ln(F)}{\ln(F)fga}$
-------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(a+b*(F^(g*(f*x+e))))^n),x,method=_RETURNVERBOSE)`

[Out] 
$$\frac{1}{\ln(F)} \frac{f}{g} \frac{n}{c} \frac{c}{a} \ln(F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n) - \frac{1}{\ln(F)} \frac{f}{g} \frac{n}{c} \frac{c}{a} \ln(a+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n) + \frac{d}{a} x^2 + \frac{1}{f} \frac{d}{a} x e + \frac{1}{\ln(F)} \frac{f}{g} \frac{d}{a} x x \ln(F^{g(fx+e)}) - g(fx+e) \ln(F) - \frac{1}{\ln(F)} \frac{f}{g} \frac{d}{a} \ln(F^{g(fx+e)}) x + \frac{1}{2} \frac{1}{\ln(F)^2} \frac{f^2}{g^2} \frac{d}{a} \ln(F^{g(fx+e)})^2 - \frac{1}{\ln(F)} \frac{f}{g} \frac{n}{d} \frac{d}{a} \ln(1+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n/a) x - \frac{1}{\ln(F)} \frac{f^2}{g} \frac{n}{d} \frac{d}{a} \ln(1+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n/a) e - \frac{1}{\ln(F)^2} \frac{f^2}{g^2} \frac{n}{d} \frac{d}{a} \ln(1+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n/a) (\ln(F^{g(fx+e)}) - g(fx+e) \ln(F)) - \frac{1}{\ln(F)^2} \frac{f^2}{g^2} \frac{n^2}{d} \frac{d}{a} \text{polylog}(2, -b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n/a) - \frac{1}{\ln(F)} \frac{f^2}{g} \frac{n}{d} \frac{d}{a} \ln(F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n) + \frac{1}{\ln(F)} \frac{f^2}{g} \frac{n}{d} \frac{d}{a} \ln(a+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n) - \frac{1}{\ln(F)^2} \frac{f^2}{g^2} \frac{n}{d} \frac{d}{a} (\ln(F^{g(fx+e)}) - g(fx+e) \ln(F)) / a \ln(F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n) + \frac{1}{\ln(F)^2} \frac{f^2}{g^2} \frac{n}{d} \frac{d}{a} (\ln(F^{g(fx+e)}) - g(fx+e) \ln(F)) / a \ln(a+b F^{(ngfx)} F^{(-ngfx)} (F^{g(fx+e)})^n)$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="maxima")`

[Out] 
$$c \left( \frac{f g n x + g n e}{a f g n} - \log(F^{(f g n x + g n e) b + a}) / (a f g n \log(F)) \right) + d \int \frac{x}{F^{(f g n x) b + a}} dx$$

**Fricas** [A]

time = 0.39, size = 155, normalized size = 1.58

$$\frac{2(cfgn - dgne) \log(F^{fgnx+gneb+a}) \log(F) - (df^2g^2n^2x^2 + 2cf^2g^2n^2x) \log(F)^2 + 2(dfgnx + dgne) \log(F) \log\left(\frac{F^{fgnx+gneb+a}}{a}\right) + 2d\text{Li}_2\left(-\frac{F^{fgnx+gneb+a}}{a} + 1\right)}{2af^2g^2n^2\log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="fricas")`

[Out] 
$$-\frac{1}{2} (2(cfgn - dgne) \log(F^{(fgnx+gneb) b + a}) \log(F) - (df^2g^2n^2x^2 + 2cf^2g^2n^2x) \log(F)^2 + 2(dfgnx + dgne) \log(F) \log\left(\frac{F^{(fgnx+gneb) b + a}}{a}\right) + 2d \text{dilog}\left(-\frac{F^{(fgnx+gneb) b + a}}{a} + 1\right)) / (af^2g^2n^2 \log(F)^2)$$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{a + b(F^{eg}F^{fgx})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)/(a+b\*(F\*\*(g\*(f\*x+e)))\*\*n),x)

[Out] Integral((c + d\*x)/(a + b\*(F\*\*(e\*g)\*F\*\*(f\*g\*x))\*\*n), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)/(a+b\*(F^(g\*(f\*x+e)))^n),x, algorithm="giac")

[Out] integrate((d\*x + c)/((F^((f\*x + e)\*g))^n\*b + a), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{a + b(F^{g(e+fx)})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)/(a + b\*(F^(g\*(e + f\*x)))^n),x)

[Out] int((c + d\*x)/(a + b\*(F^(g\*(e + f\*x)))^n), x)

$$3.49 \quad \int \frac{1}{a+b(F^{g(e+fx)})^n} dx$$

Optimal. Leaf size=40

$$\frac{x}{a} - \frac{\log(a + b(F^{g(e+fx)})^n)}{afgn \log(F)}$$

[Out] x/a-ln(a+b\*(F^(g\*(f\*x+e)))^n)/a/f/g/n/ln(F)

**Rubi** [A]

time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {2320, 272, 36, 29, 31}

$$\frac{x}{a} - \frac{\log(a + b(F^{g(e+fx)})^n)}{afgn \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^(-1),x]

[Out] x/a - Log[a + b\*(F^(g\*(e + f\*x)))^n]/(a\*f\*g\*n\*Log[F])

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 272

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{a + b(F^{g(e+fx)})^n} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx^n)} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\ &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\ &= \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, (F^{g(e+fx)})^n\right)}{afgn \log(F)} - \frac{b \text{Subst}\left(\int \frac{1}{a+bx} dx, x, (F^{g(e+fx)})^n\right)}{afgn \log(F)} \\ &= \frac{x}{a} - \frac{\log(a + b(F^{g(e+fx)})^n)}{afgn \log(F)} \end{aligned}$$

**Mathematica** [A]

time = 0.10, size = 55, normalized size = 1.38

$$\frac{\log((F^{g(e+fx)})^n) - \log(af(a + b(F^{g(e+fx)})^n)gn \log(F))}{afgn \log(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*(F^(g*(e + f*x)))^n)^(-1), x]
```

```
[Out] (Log[(F^(g*(e + f*x)))^n] - Log[af*(a + b*(F^(g*(e + f*x)))^n]*g*n*Log[F])
)/(a*f*g*n*Log[F])
```

**Maple** [A]

time = 0.03, size = 53, normalized size = 1.32

method	result	size
norman	$\frac{x}{a} - \frac{\ln(a + b e^{n \ln(e^{g(fx+e)} \ln(F))})}{\ln(F) a f g n}$	44
derivativedivides	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a} - \frac{\ln(a + b(F^{g(fx+e)})^n)}{a}}{g f \ln(F) n}$	53
default	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a} - \frac{\ln(a + b(F^{g(fx+e)})^n)}{a}}{g f \ln(F) n}$	53

risch	$\frac{\ln(F^{g(fx+e)})}{\ln(F)afg} - \frac{\ln\left(\left(F^{g(fx+e)}\right)^n + \frac{a}{b}\right)}{\ln(F)afgn}$	62
-------	--	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e))))^n),x,method=_RETURNVERBOSE)`

[Out] `1/g/f/ln(F)/n*(1/a*ln((F^(g*(f*x+e))))^n)-1/a*ln(a+b*(F^(g*(f*x+e))))^n)`

**Maxima** [A]

time = 0.30, size = 61, normalized size = 1.52

$$\frac{fgnx + gne}{afgn} - \frac{\log(F^{fgnx+gne}b + a)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="maxima")`

[Out] `(f*g*n*x + g*n*e)/(a*f*g*n) - log(F^(f*g*n*x + g*n*e)*b + a)/(a*f*g*n*log(F))`

**Fricas** [A]

time = 0.38, size = 45, normalized size = 1.12

$$\frac{fgnx \log(F) - \log(F^{fgnx+gne}b + a)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="fricas")`

[Out] `(f*g*n*x*log(F) - log(F^(f*g*n*x + g*n*e)*b + a))/(a*f*g*n*log(F))`

**Sympy** [A]

time = 0.06, size = 27, normalized size = 0.68

$$\frac{x}{a} - \frac{\log\left(\frac{a}{b} + \left(F^{g(e+fx)}\right)^n\right)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e))))^n),x)`

[Out] `x/a - log(a/b + (F**(g*(e + f*x))))^n/(a*f*g*n*log(F))`

**Giac** [A]

time = 2.75, size = 74, normalized size = 1.85

$$\frac{\log\left(|F|^{fgnx}|F|^{gne}\right)}{afgn \log(F)} - \frac{\log\left(|F^{fgnx}F^{gne}b + a|\right)}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*(F^(g\*(f\*x+e)))^n),x, algorithm="giac")

[Out]  $\frac{\log(\text{abs}(F)^{(f*g*n*x)}*\text{abs}(F)^{(g*n*e)})}{a*f*g*n*\log(F)} - \log(\text{abs}(F)^{(f*g*n*x)}*F^{(g*n*e)*b + a})/(a*f*g*n*\log(F))$

**Mupad [B]**

time = 3.45, size = 44, normalized size = 1.10

$$-\frac{\ln(a + b(F^{eg+fgx})^n) - fgnx \ln(F)}{afgn \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*(F^(g\*(e + f\*x)))^n),x)

[Out]  $-(\log(a + b*(F^{(e*g + f*g*x)})^n) - f*g*n*x*\log(F))/(a*f*g*n*\log(F))$



$$3.50 \quad \int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)(c+dx)} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)/(d\*x+c), x)

Rubi [A]

time = 0.10, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)(c+dx)} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x), x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))^n)\*(c + d\*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)(c+dx)} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)} dx$$

Mathematica [A]

time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)(c+dx)} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x), x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x), x]

Maple [A]

time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(fx+e)\right)^n\right)(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x)`

[Out] `int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="maxima")`

[Out] `integrate(1/((F^((f*x + e)*g*n)*b + a)*(d*x + c)), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="fricas")`

[Out] `integral(1/(a*d*x + (b*d*x + b*c)*(F^(f*g*x + g*e))^n + a*c), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b(F^{eg}F^{fgx})^n)(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)/(d*x+c),x)`

[Out] `Integral(1/((a + b*(F**(e*g)*F**(f*g*x))**n)*(c + d*x)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c),x, algorithm="giac")`

[Out] `integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(F^{g(e+fx)})^n)(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)), x)

[Out] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)), x)

$$3.51 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)^2} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)/(d\*x+c)^2,x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x)^2], x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))^n)\*(c + d\*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)^2} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)(c+dx)^2} dx$$

Mathematica [A]

time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)(c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x)^2], x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)\*(c + d\*x)^2), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(fx+e)}\right)^n\right)(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x)`

[Out] `int(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="maxima")`

[Out] `integrate(1/((F^((f*x + e)*g*n)*b + a)*(d*x + c)^2), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="fricas")`

[Out] `integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*(F^(f*g*x + g*e))^n), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b(F^{eg} F^{fgx})^n)(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)/(d*x+c)**2,x)`

[Out] `Integral(1/((a + b*(F**(e*g)*F**(f*g*x))**n)*(c + d*x)**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)/(d*x+c)^2,x, algorithm="giac")`

[Out] `integrate(1/(((F^((f*x + e)*g))^n*b + a)*(d*x + c)^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(F^{g(e+fx)})^n) (c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^2), x)

[Out] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)\*(c + d\*x)^2), x)

$$3.52 \quad \int \frac{(c+dx)^3}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

**Optimal.** Leaf size=388

$$\frac{(c+dx)^4}{4a^2d} - \frac{(c+dx)^3}{a^2fgn \log(F)} + \frac{(c+dx)^3}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{3d(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} - \frac{(c+dx)^3}{a}$$

[Out]  $1/4*(d*x+c)^4/a^2/d-(d*x+c)^3/a^2/f/g/n/\ln(F)+(d*x+c)^3/a/f/(a+b*(F^{(g*(f*x+e))})^n)/g/n/\ln(F)+3*d*(d*x+c)^2*\ln(1+b*(F^{(g*(f*x+e))})^n/a)/a^2/f^2/g^2/n^2/\ln(F)^2-(d*x+c)^3*\ln(1+b*(F^{(g*(f*x+e))})^n/a)/a^2/f/g/n/\ln(F)+6*d^2*(d*x+c)*\text{polylog}(2,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^3/g^3/n^3/\ln(F)^3-3*d*(d*x+c)^2*\text{polylog}(2,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^2/g^2/n^2/\ln(F)^2-6*d^3*\text{polylog}(3,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^4/g^4/n^4/\ln(F)^4+6*d^2*(d*x+c)*\text{polylog}(3,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^3/g^3/n^3/\ln(F)^3-6*d^3*\text{polylog}(4,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^4/g^4/n^4/\ln(F)^4$

**Rubi** [A]

time = 0.61, antiderivative size = 388, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2216, 2215, 2221, 2611, 6744, 2320, 6724, 2222}

$$\frac{6d^2(c+dx)\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn^3 \log^2(F)} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn^3 \log^3(F)} - \frac{3d(c+dx)^2\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn^3 \log^2(F)} - \frac{6d^2\text{PolyLog}\left(3, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn^3 \log^3(F)} - \frac{6d^2\text{PolyLog}\left(4, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn^3 \log^4(F)} + \frac{3d(c+dx)^2 \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{a^2fgn^3 \log^3(F)} - \frac{(c+dx)^2 \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{a^2fgn \log(F)} - \frac{(c+dx)^3}{a^2fgn \log(F)} - \frac{(c+dx)^4}{4a^2d} + \frac{(c+dx)^3}{afgn \log(F)(a+b(F^{g(e+fx)})^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n)^2, x]

[Out]  $(c+d*x)^4/(4*a^2*d) - (c+d*x)^3/(a^2*f*g*n*\text{Log}[F]) + (c+d*x)^3/(a*f*(a+b*(F^{(g*(e+f*x))})^n)*g*n*\text{Log}[F]) + (3*d*(c+d*x)^2*\text{Log}[1+(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - ((c+d*x)^3*\text{Log}[1+(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f*g*n*\text{Log}[F]) + (6*d^2*(c+d*x)*\text{PolyLog}[2, -((b*(F^{(g*(e+f*x))})^n)/a)])/(a^2*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c+d*x)^2*\text{PolyLog}[2, -((b*(F^{(g*(e+f*x))})^n)/a)])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - (6*d^3*\text{PolyLog}[3, -((b*(F^{(g*(e+f*x))})^n)/a)])/(a^2*f^4*g^4*n^4*\text{Log}[F]^4) + (6*d^2*(c+d*x)*\text{PolyLog}[3, -((b*(F^{(g*(e+f*x))})^n)/a)])/(a^2*f^3*g^3*n^3*\text{Log}[F]^3) - (6*d^3*\text{PolyLog}[4, -((b*(F^{(g*(e+f*x))})^n)/a)])/(a^2*f^4*g^4*n^4*\text{Log}[F]^4)$

**Rule 2215**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2216

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e +
f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2222

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*
(e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=>
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

Rule 2320

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :=> Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```



## Rule 6744

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_)))^(p\_.)], x\_Symbol] := Simp[(e + f\*x)^m\*(PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p]/(b\*c\*p\*Log[F])), x] - Dist[f\*(m/(b\*c\*p\*Log[F])), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

## Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^3}{(a + b(F^{g(e+fx)})^n)^2} dx &= \frac{\int \frac{(c+dx)^3}{a+b(F^{g(e+fx)})^n} dx}{a} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^3}{(a+b(F^{g(e+fx)})^n)^2} dx}{a} \\
 &= \frac{(c + dx)^4}{4a^2d} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^3}{a+b(F^{g(e+fx)})^n} dx}{a^2} - \frac{(c + dx)^3 \log(F)}{a^2 f^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{(c + dx)^3}{a^2 f gn \log(F)} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} - \frac{(c + dx)^3 \log(F)}{a^2 f^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{(c + dx)^3}{a^2 f gn \log(F)} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} + \frac{3d(c + dx)^2 \log(F)}{a^2 f^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{(c + dx)^3}{a^2 f gn \log(F)} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} + \frac{3d(c + dx)^2 \log(F)}{a^2 f^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{(c + dx)^3}{a^2 f gn \log(F)} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} + \frac{3d(c + dx)^2 \log(F)}{a^2 f^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{(c + dx)^3}{a^2 f gn \log(F)} + \frac{(c + dx)^3}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} + \frac{3d(c + dx)^2 \log(F)}{a^2 f^2}
 \end{aligned}$$

## Mathematica [F]

time = 1.79, size = 0, normalized size = 0.00

$$\int \frac{(c + dx)^3}{(a + b(F^{g(e+fx)})^n)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n)^2,x]

[Out] Integrate[(c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n)^2, x]



$$\begin{aligned}
& (n * g * f * x) * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n * \ln(F^{(g * (f * x + e))})^3 - 1/n/g^4/f^4/ \\
& n(F)^4/a^2*d^3*\ln(1+b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n/a) * \ln(F^{(g * \\
& (f * x + e))})^3 + 3/g^2/f^2/\ln(F)^2/a^2*c^2*d^2*\ln(F^{(g * (f * x + e))})^2 * x + 3/n/g^2/f^2/ \\
& \ln(F)^2/a^2*c^2*d^2*\ln(a + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * \\
& (f * x + e))}) + 3/n/g^3/f^3/\ln(F)^3/a^2*c^2*d^2*\ln(1 + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * ( \\
& F^{(g * (f * x + e))})^n/a) * \ln(F^{(g * (f * x + e))})^2 + 3/n/g/f/\ln(F)/a^2*c^2*d^2*\ln(F^{(n * g * f * \\
& x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * x - 3/n/g^2/f^2/\ln(F)^2/a^2*c^2*d^2*\ln(F^{(n * \\
& g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) + 3/n/g/f/\ln(F)/a^2 \\
& * c^2*d^2*\ln(F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * x^2 - 6/n^2/g^2/f^2/\ln(F) \\
& ^2/a^2*c^2*d^2*polylog(2, -b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n/a) * x \\
& + 6/n^2/g^3/f^3/\ln(F)^3/a^2*c^2*d^2*\ln(1 + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + \\
& e))})^n/a) * \ln(F^{(g * (f * x + e))}) + 6/n^2/g^3/f^3/\ln(F)^3/a^2*d^3*\ln(1 + b * F^{(n * g * f * \\
& x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n/a) * \ln(F^{(g * (f * x + e))}) * x + 6/n^2/g^3/f^3/\ln(F) \\
& )^3/a^2*d^3*\ln(F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) \\
& ) * x - 6/n^2/g^3/f^3/\ln(F)^3/a^2*d^3*\ln(a + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * \\
& x + e))})^n) * \ln(F^{(g * (f * x + e))}) * x - 6/n^2/g^2/f^2/\ln(F)^2/a^2*c^2*d^2*\ln(F^{(n * g * f * x)} \\
& ) * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * x + 6/n^2/g^3/f^3/\ln(F)^3/a^2*c^2*d^2*\ln(F^{(n * \\
& g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) + 3/n/g^3/f^3/\ln(F) \\
& ^3/a^2*c^2*d^2*\ln(F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) \\
& )^2 - 3/n/g/f/\ln(F)/a^2*c^2*d^2*\ln(a + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))}) \\
& )^n) * x^2 - 3/n/g^3/f^3/\ln(F)^3/a^2*c^2*d^2*\ln(a + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * \\
& (f * x + e))})^n) * \ln(F^{(g * (f * x + e))})^2 + 6/n^2/g^2/f^2/\ln(F)^2/a^2*c^2*d^2*\ln(a + b * F^{(n * g * f * x)} \\
& ) * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * x - 6/n^2/g^3/f^3/\ln(F)^3/a^2*c^2*d^2*\ln(a + b * F^{(n * g * f * x)} \\
& ) * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) - 3/n/g^2/f^2/\ln(F)^2/a^2*d^3*\ln(F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F \\
& ^{(g * (f * x + e))}) * x^2 + 3/n/g^3/f^3/\ln(F)^3/a^2*d^3*\ln(F^{(n * g * f * x)} * F^{(-n * g * f * x)} * ( \\
& F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))})^2 * x + 3/n/g^2/f^2/\ln(F)^2/a^2*d^3*\ln(a + b * \\
& F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * (f * x + e))}) * x^2 - 3/n/g^3/f \\
& ^3/\ln(F)^3/a^2*d^3*\ln(a + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n) * \ln(F^{(g * \\
& (f * x + e))})^2 * x - 3/n/g^2/f^2/\ln(F)^2/a^2*d^3*\ln(1 + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} \\
& ) * (F^{(g * (f * x + e))})^n/a) * \ln(F^{(g * (f * x + e))}) * x^2 + 3/n/g^3/f^3/\ln(F)^3/a^2*d^3*\ln \\
& (1 + b * F^{(n * g * f * x)} * F^{(-n * g * f * x)} * (F^{(g * (f * x + e))})^n/a) * \ln(F^{(g * (f * x + e))})^2 * x - 3/ \\
& n/g^2/f^2/\ln(F)^2/a^2*c^2*d^2*\ln(1 + b * F^{(n * g * f * x)} * \dots
\end{aligned}$$

**Maxima** [A]

time = 0.44, size = 713, normalized size = 1.84

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^3/(a+b\*(F^(g\*(f\*x+e)))^n)^2,x, algorithm="maxima")

[Out] c^3\*((f\*g\*n\*x + g\*n\*e)/(a^2\*f\*g\*n) + 1/((F^(f\*g\*n\*x + g\*n\*e)\*a\*b + a^2)\*f\*g\*n\*log(F)) - log(F^(f\*g\*n\*x + g\*n\*e)\*b + a)/(a^2\*f\*g\*n\*log(F))) + (d^3\*x^3 + 3\*c\*d^2\*x^2 + 3\*c^2\*d\*x)/(F^(f\*g\*n\*x)\*F^(g\*n\*e)\*a\*b\*f\*g\*n\*log(F) + a^2\*f\*

$$g^n \log(F)) - 3c^2 d x / (a^2 f g^n \log(F)) + 3c^2 d \log(F^{(f g^n x)} F^{(g^n e) b/a + a}) / (a^2 f^2 g^2 n^2 \log(F)^2) - 3(c^2 d f g^n \log(F) - 2c^2 d^2) (f g^n x \log(F^{(f g^n x)} F^{(g^n e) b/a + 1}) \log(F) + \operatorname{dilog}(-F^{(f g^n x)} F^{(g^n e) b/a})) / (a^2 f^3 g^3 n^3 \log(F)^3) - (f^3 g^3 n^3 x^3 \log(F^{(f g^n x)} F^{(g^n e) b/a + 1}) \log(F)^3 + 3f^2 g^2 n^2 x^2 \operatorname{dilog}(-F^{(f g^n x)} F^{(g^n e) b/a}) \log(F)^2 - 6f g^n x \log(F) \operatorname{polylog}(3, -F^{(f g^n x)} F^{(g^n e) b/a}) + 6 \operatorname{polylog}(4, -F^{(f g^n x)} F^{(g^n e) b/a})) d^3 / (a^2 f^4 g^4 n^4 \log(F)^4) - 3(f^2 g^2 n^2 x^2 \log(F^{(f g^n x)} F^{(g^n e) b/a + 1}) \log(F)^2 + 2f g^n x \operatorname{dilog}(-F^{(f g^n x)} F^{(g^n e) b/a}) \log(F) - 2 \operatorname{polylog}(3, -F^{(f g^n x)} F^{(g^n e) b/a})) (c^2 d^2 f g^n \log(F) - d^3) / (a^2 f^4 g^4 n^4 \log(F)^4) + 1/4 (d^3 f^4 g^4 n^4 x^4 \log(F)^4 + 4(c^2 d^2 f g^n \log(F) - d^3) f^3 g^3 n^3 x^3 \log(F)^3 + 6(c^2 d f^2 g^2 n^2 \log(F)^2 - 2c^2 d^2 f g^n \log(F)) f^2 g^2 n^2 x^2 \log(F)^2) / (a^2 f^4 g^4 n^4 \log(F)^4)$$

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 1538 vs. 2(392) = 784.

time = 0.40, size = 1538, normalized size = 3.96

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas"`

[Out]  $1/4 * ((a^3 d^3 f^4 g^4 n^4 x^4 + 4 a^2 c d^2 f^4 g^4 n^4 x^3 + 6 a^2 c^2 d f^4 g^4 n^4 x^2 + 4 a^2 c^3 f^4 g^4 n^4 x + 4 a^2 c^3 f^3 g^4 n^4 e - 6 a^2 c^2 d f^2 g^4 n^4 e^2 + 4 a^2 c d^2 f g^4 n^4 e^3 - a^2 d^3 g^4 n^4 e^4) \log(F)^4 + 4 (a^2 c^3 f^3 g^3 n^3 - 3 a^2 c^2 d f^2 g^3 n^3 e + 3 a^2 c d^2 f g^3 n^3 e^2 - a^2 d^3 g^3 n^3 e^3) \log(F)^3 + ((b^3 d^3 f^4 g^4 n^4 x^4 + 4 b^2 c d^2 f^4 g^4 n^4 x^3 + 6 b^2 c^2 d f^4 g^4 n^4 x^2 + 4 b^2 c^3 f^4 g^4 n^4 x + 4 b^2 c^3 f^3 g^4 n^4 e - 6 b^2 c^2 d f^2 g^4 n^4 e^2 + 4 b^2 c d^2 f g^4 n^4 e^3 - b^2 d^3 g^4 n^4 e^4) \log(F)^4 - 4 (b^2 d^3 f^3 g^3 n^3 x^3 + 3 b^2 c d^2 f^3 g^3 n^3 x^2 + 3 b^2 c^2 d f^3 g^3 n^3 x + 3 b^2 c^2 d f^2 g^3 n^3 e - 3 b^2 c d^2 f g^3 n^3 e^2 + b^2 d^3 g^3 n^3 e^3) \log(F)^3) F^{(f g^n x + g^n e)} - 12 ((a^3 d^3 f^2 g^2 n^2 x^2 + 2 a^2 c d^2 f^2 g^2 n^2 x + a^2 c^2 d f^2 g^2 n^2) \log(F)^2 + ((b^3 d^3 f^2 g^2 n^2 x^2 + 2 b^2 c d^2 f^2 g^2 n^2 x + b^2 c^2 d f^2 g^2 n^2) \log(F)^2 - 2 (b^2 d^3 f g^n x + b^2 c d^2 f g^n) \log(F)) F^{(f g^n x + g^n e)} - 2 (a^3 d^3 f g^n x + a^2 c d^2 f g^n) \log(F) \operatorname{dilog}(-F^{(f g^n x + g^n e) b/a + 1}) - 4 ((a^2 c^3 f^3 g^3 n^3 - 3 a^2 c^2 d f^2 g^3 n^3 e + 3 a^2 c d^2 f g^3 n^3 e^2 - a^2 d^3 g^3 n^3 e^3) \log(F)^3 - 3 (a^2 c^2 d f^2 g^2 n^2 - 2 a^2 c d^2 f g^2 n^2 e + a^2 d^3 g^2 n^2 e^2) \log(F)^2 + ((b^2 c^3 f^3 g^3 n^3 - 3 b^2 c^2 d f^2 g^3 n^3 e + 3 b^2 c d^2 f g^3 n^3 e^2 - b^2 d^3 g^3 n^3 e^3) \log(F)^3 - 3 (b^2 c^2 d f^2 g^2 n^2 - 2 b^2 c d^2 f g^2 n^2 e + b^2 d^3 g^2 n^2 e^2) \log(F)^2) F^{(f g^n x + g^n e)) \log(F^{(f g^n x + g^n e) b/a}) - 4 ((a^3 d^3 f^3 g^3 n^3 x^3 + 3 a^2 c d^2 f^3 g^3 n^3 x^2 + 3 a^2 c^2 d f^3 g^3 n^3 x + 3 a^2 c^2 d f^2 g^3 n^3 e - 3 a^2 c d^2 f g^3 n^3 e^2 + a^2 d^3 g^3 n^3 e^3) \log(F)^3 - 3 (a^3 d^3 f^2 g^2 n^2 x^2$

$$2 + 2*a*c*d^2*f^2*g^2*n^2*x + 2*a*c*d^2*f*g^2*n^2*e - a*d^3*g^2*n^2*e^2)*\log(F)^2 + ((b*d^3*f^3*g^3*n^3*x^3 + 3*b*c*d^2*f^3*g^3*n^3*x^2 + 3*b*c^2*d*f^3*g^3*n^3*x + 3*b*c^2*d*f^2*g^3*n^3*e - 3*b*c*d^2*f*g^3*n^3*e^2 + b*d^3*g^3*n^3*e^3)*\log(F)^3 - 3*(b*d^3*f^2*g^2*n^2*x^2 + 2*b*c*d^2*f^2*g^2*n^2*x + 2*b*c*d^2*f*g^2*n^2*e - b*d^3*g^2*n^2*e^2)*\log(F)^2)*F^(f*g*n*x + g*n*e))*\log((F^(f*g*n*x + g*n*e)*b + a)/a) - 24*(F^(f*g*n*x + g*n*e)*b*d^3 + a*d^3)*\text{polylog}(4, -F^(f*g*n*x + g*n*e)*b/a) - 24*(a*d^3 + (b*d^3 - (b*d^3*f*g*n*x + b*c*d^2*f*g*n)*\log(F))*F^(f*g*n*x + g*n*e) - (a*d^3*f*g*n*x + a*c*d^2*f*g*n)*\log(F))*\text{polylog}(3, -F^(f*g*n*x + g*n*e)*b/a))/(F^(f*g*n*x + g*n*e)*a^2*b*f^4*g^4*n^4*\log(F)^4 + a^3*f^4*g^4*n^4*\log(F)^4)$$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{c^3 + 3c^2dx + 3cd^2x^2 + d^3x^3}{a^2fgn\log(F) + abfgn(F^{g(e+fx)})^n\log(F)} + \int \left( \frac{-3c^2d}{a+b\exp(e*gn\log(F))} dx + \int \left( \frac{-3cd^2}{a+b\exp(e*gn\log(F))} dx + \int \left( \frac{-6cfd}{a+b\exp(e*gn\log(F))} dx + \int \frac{c^2fgn\log(F)}{a+b\exp(e*gn\log(F))} dx + \int \frac{d^2fgn^2\log(F)}{a+b\exp(e*gn\log(F))} dx + \int \frac{3cd^2fgn\log(F)}{a+b\exp(e*gn\log(F))} dx + \int \frac{3c^2d^2fgn\log(F)}{a+b\exp(e*gn\log(F))} dx \right) \right) \right) \frac{dx}{afgn\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)\*\*3/(a+b\*(F\*\*(g\*(f\*x+e)))\*\*n)\*\*2,x)

[Out] (c\*\*3 + 3\*c\*\*2\*d\*x + 3\*c\*d\*\*2\*x\*\*2 + d\*\*3\*x\*\*3)/(a\*\*2\*f\*g\*n\*log(F) + a\*b\*f\*g\*n\*(F\*\*(g\*(e + f\*x)))\*\*n\*log(F)) + (Integral(-3\*c\*\*2\*d/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-3\*d\*\*3\*x\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-6\*c\*d\*\*2\*x/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(c\*\*3\*f\*g\*n\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(d\*\*3\*f\*g\*n\*x\*\*3\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(3\*c\*d\*\*2\*f\*g\*n\*x\*\*2\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(3\*c\*\*2\*d\*f\*g\*n\*x\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x))/ (a\*f\*g\*n\*log(F))

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^3/(a+b\*(F^(g\*(f\*x+e)))^n)^2,x, algorithm="giac")

[Out] integrate((d\*x + c)^3/((F^((f\*x + e)\*g))^n\*b + a)^2, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c + dx)^3}{(a + b(F^{g(e+fx)})^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n)^2,x)
```

```
[Out] int((c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n)^2, x)
```

$$3.53 \quad \int \frac{(c+dx)^2}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

**Optimal.** Leaf size=294

$$\frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2fgn \log(F)} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{2d(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} - \frac{(c+dx)^2 \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn \log(F)}$$

[Out]  $1/3*(d*x+c)^3/a^2/d-(d*x+c)^2/a^2/f/g/n/\ln(F)+(d*x+c)^2/a/f/(a+b*(F^{(g*(f*x+e))})^n)/g/n/\ln(F)+2*d*(d*x+c)*\ln(1+b*(F^{(g*(f*x+e))})^n/a)/a^2/f^2/g^2/n^2/\ln(F)^2-(d*x+c)^2*\ln(1+b*(F^{(g*(f*x+e))})^n/a)/a^2/f/g/n/\ln(F)+2*d^2*polylog(2,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^3/g^3/n^3/\ln(F)^3-2*d*(d*x+c)*polylog(2,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^2/g^2/n^2/\ln(F)^2+2*d^2*polylog(3,-b*(F^{(g*(f*x+e))})^n/a)/a^2/f^3/g^3/n^3/\ln(F)^3$

**Rubi [A]**

time = 0.48, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {2216, 2215, 2221, 2611, 2320, 6724, 2222, 2317, 2438}

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} + \frac{2d^2\text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} + \frac{2d^2\text{PolyLog}\left(3, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^3(F)} + \frac{2d(c+dx) \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{a^2f^2g^2n^2 \log^2(F)} - \frac{(c+dx)^2 \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{a^2fgn \log(F)} - \frac{(c+dx)^2}{3a^2d} + \frac{(c+dx)^2}{afgn \log(F)(a+b(F^{g(e+fx)})^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n)^2,x]

[Out]  $(c+dx)^3/(3*a^2*d) - (c+dx)^2/(a^2*f*g*n*Log[F]) + (c+dx)^2/(a*f*(a+b*(F^{(g*(e+f*x))})^n)*g*n*Log[F]) + (2*d*(c+dx)*Log[1+(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) - ((c+dx)^2*Log[1+(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f*g*n*Log[F]) + (2*d^2*PolyLog[2,-(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3) - (2*d*(c+dx)*PolyLog[2,-(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f^2*g^2*n^2*Log[F]^2) + (2*d^2*PolyLog[3,-(b*(F^{(g*(e+f*x))})^n)/a])/(a^2*f^3*g^3*n^3*Log[F]^3)$

**Rule 2215**

Int[((c\_) + (d\_)\*(x\_))^(m\_)/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2216**

Int[((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*

$(a + b*(F^{(g*(e + f*x))})^n)^p, x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

#### Rule 2221

Int[(((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_))\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[(c + d\*x)^m/(b\*f\*g\*n\*Log[F])\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2222

Int[((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_))\*((a\_) + (b\_)\*((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(c + d\*x)^m\*((a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F])), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

#### Rule 2317

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_))], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 2438

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 2611

Int[Log[1 + (e\_)\*((F\_)^((c\_)\*((a\_) + (b\_)\*(x\_)))^(n\_))]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(-f + g\*x)^m\*(PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m - 1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]



## Rule 6724

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

## Rubi steps

$$\begin{aligned}
 \int \frac{(c+dx)^2}{(a+b(F^{g(e+fx)})^n)^2} dx &= \frac{\int \frac{(c+dx)^2}{a+b(F^{g(e+fx)})^n} dx}{a} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^2}{(a+b(F^{g(e+fx)})^n)^2} dx}{a} \\
 &= \frac{(c+dx)^3}{3a^2d} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^2}{a+b(F^{g(e+fx)})^n} dx}{a^2} - \frac{(2d)(c+dx) \log(F)}{a^2 f^2 g} \\
 &= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2 f gn \log(F)} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{(c+dx)^2 \log(F)}{a^2 f^2 g} \\
 &= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2 f gn \log(F)} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{2d(c+dx) \log(F)}{a^2 f^2 g} \\
 &= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2 f gn \log(F)} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{2d(c+dx) \log(F)}{a^2 f^2 g} \\
 &= \frac{(c+dx)^3}{3a^2d} - \frac{(c+dx)^2}{a^2 f gn \log(F)} + \frac{(c+dx)^2}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{2d(c+dx) \log(F)}{a^2 f^2 g}
 \end{aligned}$$

**Mathematica [F]**

time = 1.25, size = 0, normalized size = 0.00

$$\int \frac{(c+dx)^2}{(a+b(F^{g(e+fx)})^n)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n)^2,x]

[Out] Integrate[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n)^2, x]

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 1649 vs. 2(292) = 584.

time = 0.08, size = 1650, normalized size = 5.61



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^n)^2,x, algorithm="maxima")

[Out]  $c^2 \left( \frac{f*g*n*x + g*n*e}{a^2*f*g*n} + 1 \right) / \left( (F^{f*g*n*x + g*n*e})^a * b + a^2 \right) * f * g * n * \log(F) - \log(F^{f*g*n*x + g*n*e} * b + a) / (a^2 * f * g * n * \log(F)) + (d^2 * x^2 + 2 * c * d * x) / (F^{f*g*n*x} * F^{g*n*e}) * a * b * f * g * n * \log(F) + a^2 * f * g * n * \log(F) - 2 * c * d * x / (a^2 * f * g * n * \log(F)) + 2 * c * d * \log(F^{f*g*n*x} * F^{g*n*e} * b + a) / (a^2 * f^2 * g^2 * n^2 * \log(F)^2) - (f^2 * g^2 * n^2 * x^2 * \log(F^{f*g*n*x} * F^{g*n*e} * b / a + 1) * \log(F)^2 + 2 * f * g * n * x * \operatorname{dilog}(-F^{f*g*n*x} * F^{g*n*e} * b / a) * \log(F) - 2 * \operatorname{polylog}(3, -F^{f*g*n*x} * F^{g*n*e} * b / a)) * d^2 / (a^2 * f^3 * g^3 * n^3 * \log(F)^3) - 2 * (c * d * f * g * n * \log(F) - d^2) * (f * g * n * x * \log(F^{f*g*n*x} * F^{g*n*e} * b / a + 1) * \log(F) + \operatorname{dilog}(-F^{f*g*n*x} * F^{g*n*e} * b / a)) / (a^2 * f^3 * g^3 * n^3 * \log(F)^3) + 1 / 3 * (d^2 * f^3 * g^3 * n^3 * x^3 * \log(F)^3 + 3 * (c * d * f * g * n * \log(F) - d^2) * f^2 * g^2 * n^2 * x^2 * \log(F)^2) / (a^2 * f^3 * g^3 * n^3 * \log(F)^3)$

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 918 vs. 2(296) = 592.

time = 0.37, size = 918, normalized size = 3.12

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^n)^2,x, algorithm="fricas")

[Out]  $1/3 * ((a*d^2*f^3*g^3*n^3*x^3 + 3*a*c*d*f^3*g^3*n^3*x^2 + 3*a*c^2*f^3*g^3*n^3*x + 3*a*c^2*f^2*g^3*n^3*e - 3*a*c*d*f^3*g^3*n^3*e^2 + a*d^2*g^3*n^3*e^3) * \log(F)^3 + 3 * (a*c^2*f^2*g^2*n^2 - 2*a*c*d*f^2*g^2*n^2*e + a*d^2*g^2*n^2*e^2) * \log(F)^2 + ((b*d^2*f^3*g^3*n^3*x^3 + 3*b*c*d*f^3*g^3*n^3*x^2 + 3*b*c^2*f^3*g^3*n^3*x + 3*b*c^2*f^2*g^3*n^3*e - 3*b*c*d*f^3*g^3*n^3*e^2 + b*d^2*g^3*n^3*e^3) * \log(F)^3 - 3 * (b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x + 2*b*c*d*f^2*n^2*e - b*d^2*g^2*n^2*e^2) * \log(F)^2) * F^{f*g*n*x + g*n*e} + 6 * (a*d^2 + (b*d^2 - (b*d^2*f*g*n*x + b*c*d*f*g*n) * \log(F)) * F^{f*g*n*x + g*n*e} - (a*d^2*f*g*n*x + a*c*d*f*g*n) * \log(F)) * \operatorname{dilog}(-F^{f*g*n*x + g*n*e} * b + a) / a + 1) - 3 * ((a*c^2*f^2*g^2*n^2 - 2*a*c*d*f^2*g^2*n^2*e + a*d^2*g^2*n^2*e^2) * \log(F)^2 + ((b*c^2*f^2*g^2*n^2 - 2*b*c*d*f^2*g^2*n^2*e + b*d^2*g^2*n^2*e^2) * \log(F)^2 - 2 * (b*c*d*f*g*n - b*d^2*g*n*e) * \log(F)) * F^{f*g*n*x + g*n*e} - 2 * (a*c*d*f*g*n - a*d^2*g*n*e) * \log(F)) * \log(F^{f*g*n*x + g*n*e} * b + a) - 3 * ((a*d^2*f^2*g^2*n^2*x^2 + 2*a*c*d*f^2*g^2*n^2*x + 2*a*c*d*f^2*g^2*n^2*e - a*d^2*g^2*n^2*e^2) * \log(F)^2 + ((b*d^2*f^2*g^2*n^2*x^2 + 2*b*c*d*f^2*g^2*n^2*x + 2*b*c*d*f^2*g^2*n^2*e - b*d^2*g^2*n^2*e^2) * \log(F)^2 - 2 * (b*d^2*f*g*n*x + b*d^2*g*n*e) * \log(F)) * F^{f*g*n*x + g*n*e} - 2 * (a*d^2*f*g*n*x + a*d^2*g*n*e) * \log(F)) * \log((F^{f*g*n*x + g*n*e} * b + a) / a) + 6 * (F^{f*g*n*x + g*n*e} * b * d^2 + a * d^2) * \operatorname{polylog}(3, -F^{f*g*n*x + g*n*e} * b / a)) / (F^{f*g*n*x + g*n*e}) * a^2 * b * f^3 * g^3 * n^3 * \log(F)^3 + a^3 * f^3 * g^3 * n^3 * \log(F)^3)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{c^2 + 2cdx + d^2x^2}{a^2fgn \log(F) + abfgn(Fg(e+fx))^n \log(F)} + \frac{\int \left( -\frac{2cd}{a+be^{fgn} \log(F) e^{fgnx} \log(F)} \right) dx + \int \left( -\frac{2d^2x}{a+be^{fgn} \log(F) e^{fgnx} \log(F)} \right) dx + \int \frac{c^2 fgn \log(F)}{a+be^{fgn} \log(F) e^{fgnx} \log(F)} dx + \int \frac{d^2 fgn x^2 \log(F)}{a+be^{fgn} \log(F) e^{fgnx} \log(F)} dx + \int \frac{2cdfgnx \log(F)}{a+be^{fgn} \log(F) e^{fgnx} \log(F)} dx}{afgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((d\*x+c)\*\*2/(a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*2,x)

**[Out]** (c\*\*2 + 2\*c\*d\*x + d\*\*2\*x\*\*2)/(a\*\*2\*f\*g\*n\*log(F) + a\*b\*f\*g\*n\*(F\*\*(g\*(e + f\*x)))\*n\*log(F)) + (Integral(-2\*c\*d/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-2\*d\*\*2\*x/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(c\*\*2\*f\*g\*n\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(d\*\*2\*f\*g\*n\*x\*\*2\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(2\*c\*d\*f\*g\*n\*x\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x))/(a\*f\*g\*n\*log(F))

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^n)^2,x, algorithm="giac")**[Out]** integrate((d\*x + c)^2/((F^((f\*x + e)\*g))^n\*b + a)^2, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c + dx)^2}{(a + b(Fg(e+fx))^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x))))^n)^2,x)**[Out]** int((c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x))))^n)^2, x)

$$3.54 \quad \int \frac{c+dx}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

**Optimal.** Leaf size=191

$$\frac{(c+dx)^2}{2a^2d} - \frac{dx}{a^2fgn \log(F)} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{d \log(a+b(F^{g(e+fx)})^n)}{a^2f^2g^2n^2 \log^2(F)} - \frac{(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2fgn \log(F)}$$

[Out]  $1/2*(d*x+c)^2/a^2/d-d*x/a^2/f/g/n/\ln(F)+(d*x+c)/a/f/(a+b*(F^{(g*(f*x+e)))^n})/g/n/\ln(F)+d*\ln(a+b*(F^{(g*(f*x+e)))^n})/a^2/f^2/g^2/n^2/\ln(F)^2-(d*x+c)*\ln(1+b*(F^{(g*(f*x+e)))^n}/a)/a^2/f/g/n/\ln(F)-d*\text{polylog}(2,-b*(F^{(g*(f*x+e)))^n}/a)/a^2/f^2/g^2/n^2/\ln(F)^2$

**Rubi [A]**

time = 0.24, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {2216, 2215, 2221, 2317, 2438, 2222, 2320, 272, 36, 29, 31}

$$-\frac{d \text{PolyLog}\left(2, -\frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2f^2g^2n^2 \log^2(F)} - \frac{(c+dx) \log\left(\frac{b(F^{g(e+fx)})^n}{a} + 1\right)}{a^2fgn \log(F)} + \frac{d \log(a+b(F^{g(e+fx)})^n)}{a^2f^2g^2n^2 \log^2(F)} + \frac{(c+dx)^2}{2a^2d} - \frac{dx}{a^2fgn \log(F)} + \frac{c+dx}{afgn \log(F)(a+b(F^{g(e+fx)})^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x)))^n)^2, x]

[Out]  $(c + d*x)^2/(2*a^2*d) - (d*x)/(a^2*f*g*n*\text{Log}[F]) + (c + d*x)/(a*f*(a + b*(F^{(g*(e + f*x)))^n}*g*n*\text{Log}[F]) + (d*\text{Log}[a + b*(F^{(g*(e + f*x)))^n}])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2) - ((c + d*x)*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a])/(a^2*f*g*n*\text{Log}[F]) - (d*\text{PolyLog}[2, -((b*(F^{(g*(e + f*x)))^n})/a)])/(a^2*f^2*g^2*n^2*\text{Log}[F]^2)$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

**Rule 36**

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

**Rule 272**

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 2215

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))
^((n_))), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[
b/a, Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x],
x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2216

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e +
f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*
(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n},
x] && ILtQ[p, 0] && IGtQ[m, 0]
```

#### Rule 2221

```
Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_)/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[(c + d*x)^m/(b*f*g*n*Log[F])*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2222

```
Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*
(e_) + (f_)*(x_))))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

#### Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

#### Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
```

```

onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

### Rule 2438

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+b(F^{g(e+fx)})^n)^2} dx &= \frac{\int \frac{c+dx}{a+b(F^{g(e+fx)})^n} dx}{a} - \frac{b \int \frac{(F^{g(e+fx)})^n(c+dx)}{(a+b(F^{g(e+fx)})^n)^2} dx}{a} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{b \int \frac{(F^{g(e+fx)})^n(c+dx)}{a+b(F^{g(e+fx)})^n} dx}{a^2} - \frac{d \int \frac{1}{a+b(F^{g(e+fx)})^n} dx}{a} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f gn \log(F)} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f gn \log(F)} \\
&= \frac{(c+dx)^2}{2a^2d} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} - \frac{(c+dx) \log\left(1 + \frac{b(F^{g(e+fx)})^n}{a}\right)}{a^2 f gn \log(F)} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{dx}{a^2 f gn \log(F)} + \frac{c+dx}{af(a+b(F^{g(e+fx)})^n)gn \log(F)} + \frac{d \log(a+b(F^{g(e+fx)})^n)}{a^2 f^2 g^2 n^2}
\end{aligned}$$

### Mathematica [F]

time = 0.95, size = 0, normalized size = 0.00

$$\int \frac{c+dx}{(a+b(F^{g(e+fx)})^n)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x))))^n]^2, x]

[Out] Integrate[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x))))^n]^2, x]

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 590 vs.  $2(189) = 378$ .

time = 0.06, size = 591, normalized size = 3.09

method	result
risch	$\frac{dx+c}{af(a+b(F^g(fx+e))^n)gn \ln(F)} + \frac{d \ln(F^g(fx+e))^2}{2 \ln(F)^2 f^2 g^2 a^2} - \frac{d \ln\left(1 + \frac{b F^{ngfx} F^{-ngfx} (F^g(fx+e))^n}{a}\right) \ln(F^g(fx+e))}{\ln(F)^2 f^2 g^2 n a^2} + \frac{d \ln(F^{ngfx} F^{-ngfx})}{\ln(F) f}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x,method=_RETURNVERBOSE)
```

```
[Out] (d*x+c)/a/f/(a+b*(F^(g*(f*x+e))))^n/g/n/ln(F)+1/2/ln(F)^2/f^2/g^2/a^2*d*ln(
F^(g*(f*x+e)))^2-1/ln(F)^2/f^2/g^2/n/a^2*d*ln(1+b*F^(n*g*f*x)*F^(-n*g*f*x)*
(F^(g*(f*x+e))))^n/a)*ln(F^(g*(f*x+e)))+1/ln(F)/f/g/n/a^2*d*ln(F^(n*g*f*x)*F
^(-n*g*f*x)*(F^(g*(f*x+e))))^n*x-1/ln(F)^2/f^2/g^2/n/a^2*d*ln(F^(n*g*f*x)*F
^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*ln(F^(g*(f*x+e)))-1/ln(F)/f/g/n/a^2*d*ln(a+b
*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n*x+1/ln(F)^2/f^2/g^2/n/a^2*d*ln
(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*ln(F^(g*(f*x+e)))-1/ln(F)^
2/f^2/g^2/n^2/a^2*d*polylog(2,-b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n
/a)-1/ln(F)^2/f^2/g^2/n^2/a^2*d*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))
^n)+1/ln(F)^2/f^2/g^2/n^2/a^2*d*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+
e))))^n)+1/ln(F)/f/g/n/a^2*c*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n-
1/ln(F)/f/g/n/a^2*c*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="maxima")
```

```
[Out] d*(x/(F^(f*g*n*x)*F^(g*n*e))*a*b*f*g*n*log(F) + a^2*f*g*n*log(F)) + integrat
e((f*g*n*x*log(F) - 1)/(F^(f*g*n*x)*F^(g*n*e))*a*b*f*g*n*log(F) + a^2*f*g*n*
log(F)), x) + c*((f*g*n*x + g*n*e)/(a^2*f*g*n) + 1/((F^(f*g*n*x + g*n*e))*a
*b + a^2)*f*g*n*log(F)) - log(F^(f*g*n*x + g*n*e)*b + a)/(a^2*f*g*n*log(F))
)
```

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 428 vs. 2(192) = 384.

time = 0.36, size = 428, normalized size = 2.24

$$\frac{(ad^2f^2g^2n^2 + 2acdf^2g^2n^2 - ad^2f^2g^2n^2) \ln(F)^2 + ((bd^2f^2g^2n^2 + 2bcdf^2g^2n^2 - bd^2f^2g^2n^2) \ln(F)^2 - 2(bdf^2g^2n^2 + bdg^2n^2) \ln(F)) F^{2n} - 2(F^{2n} \ln^2(a) + ad^2f^2g^2n^2) \ln(F) + 2((bd - (bcfgn - bdgn) \ln(F)) F^{2n} + ad - (acfgn - adgn) \ln(F)) \ln(F) + 2(acfgn - adgn) \ln(F) - 2((bdg^2n^2 + bdg^2n^2) \ln(F) + (adfg^2n^2 + adfg^2n^2) \ln(F)) \ln\left(\frac{d^2f^2g^2n^2 + 2acdf^2g^2n^2 - ad^2f^2g^2n^2}{2(F^{2n} \ln^2(a) + ad^2f^2g^2n^2) \ln(F) + ad^2f^2g^2n^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")
```



[Out]  $\frac{1}{2} * ((a*d*f^2*g^2*n^2*x^2 + 2*a*c*f^2*g^2*n^2*x + 2*a*c*f*g^2*n^2*e - a*d*g^2*n^2*e^2) * \log(F)^2 + ((b*d*f^2*g^2*n^2*x^2 + 2*b*c*f^2*g^2*n^2*x + 2*b*c*f*g^2*n^2*e - b*d*g^2*n^2*e^2) * \log(F)^2 - 2*(b*d*f*g*n*x + b*d*g*n*e) * \log(F)) * F^(f*g*n*x + g*n*e) - 2*(F^(f*g*n*x + g*n*e) * b*d + a*d) * \operatorname{dilog}(-(F^(f*g*n*x + g*n*e) * b + a) / a + 1) + 2*((b*d - (b*c*f*g*n - b*d*g*n*e) * \log(F)) * F^(f*g*n*x + g*n*e) + a*d - (a*c*f*g*n - a*d*g*n*e) * \log(F)) * \log(F^(f*g*n*x + g*n*e) * b + a) + 2*(a*c*f*g*n - a*d*g*n*e) * \log(F) - 2*((b*d*f*g*n*x + b*d*g*n*e) * F^(f*g*n*x + g*n*e) * \log(F) + (a*d*f*g*n*x + a*d*g*n*e) * \log(F)) * \log((F^(f*g*n*x + g*n*e) * b + a) / a)) / (F^(f*g*n*x + g*n*e) * a^2 * b * f^2 * g^2 * n^2 * \log(F)^2 + a^3 * f^2 * g^2 * n^2 * \log(F)^2)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{c + dx}{a^2 f g n \log(F) + a b f g n (F^{g(e+fx)})^n \log(F)} + \frac{\int \left( -\frac{d}{a + b e^{g n \log(F)} e^{f g n x \log(F)}} \right) dx + \int \frac{c f g n \log(F)}{a + b e^{g n \log(F)} e^{f g n x \log(F)}} dx + \int \frac{d f g n x \log(F)}{a + b e^{g n \log(F)} e^{f g n x \log(F)}} dx}{a f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+b*(F**(g*(f*x+e))))**n)**2,x)`

[Out]  $(c + d*x) / (a**2*f*g*n*\log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*\log(F) + (\operatorname{Integral}(-d/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x) + \operatorname{Integral}(c*f*g*n*\log(F)/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x) + \operatorname{Integral}(d*f*g*n*x*\log(F)/(a + b*\exp(e*g*n*\log(F))*\exp(f*g*n*x*\log(F))), x)) / (a*f*g*n*\log(F))$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="giac")`

[Out] `integrate((d*x + c)/((F^((f*x + e)*g))^n*b + a)^2, x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{(a + b(F^{g(e+fx)})^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*(F^(g*(e + f*x))))^n)^2,x)`

[Out] `int((c + d*x)/(a + b*(F^(g*(e + f*x))))^n)^2, x)`

$$3.55 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2} dx$$

Optimal. Leaf size=74

$$\frac{x}{a^2} + \frac{1}{af(a+b(F^{g(e+fx)})^n)gn\log(F)} - \frac{\log(a+b(F^{g(e+fx)})^n)}{a^2fgn\log(F)}$$

[Out]  $x/a^2+1/a/f/(a+b*(F^{(g*(f*x+e)))^n})/g/n/\ln(F)-\ln(a+b*(F^{(g*(f*x+e)))^n})/a^2/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ ,

Rules used = {2320, 272, 46}

$$-\frac{\log(a+b(F^{g(e+fx)})^n)}{a^2fgn\log(F)} + \frac{x}{a^2} + \frac{1}{afgn\log(F)(a+b(F^{g(e+fx)})^n)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^(-2), x]

[Out]  $x/a^2 + 1/(a*f*(a + b*(F^{(g*(e + f*x)))^n})*g*n*Log[F]) - Log[a + b*(F^{(g*(e + f*x)))^n}]/(a^2*f*g*n*Log[F])$

Rule 46

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b(F^{g(e+fx)})^n)^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{a^2x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
 &= \frac{x}{a^2} + \frac{1}{af(a + b(F^{g(e+fx)})^n)gn \log(F)} - \frac{\log(a + b(F^{g(e+fx)})^n)}{a^2fgn \log(F)}
 \end{aligned}$$

**Mathematica [A]**

time = 0.16, size = 107, normalized size = 1.45

$$\frac{\frac{1}{af(a+b(F^{g(e+fx)})^n)gn} + \frac{\log((F^{g(e+fx)})^n)}{a^2fgn} - \frac{\log(a^3fgn \log(F) + a^2bf(F^{g(e+fx)})^n g n \log(F))}{a^2fgn}}{\log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^(-2), x]

[Out] (1/(a\*f\*(a + b\*(F^(g\*(e + f\*x)))^n)\*g\*n) + Log[(F^(g\*(e + f\*x)))^n]/(a^2\*f\*g\*n) - Log[a^3\*f\*g\*n\*Log[F] + a^2\*b\*f\*(F^(g\*(e + f\*x)))^n\*g\*n\*Log[F]]/(a^2\*f\*g\*n))/Log[F]

**Maple [A]**

time = 0.04, size = 74, normalized size = 1.00

method	result
derivativedivides	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a^2} - \frac{\ln(a+b(F^{g(fx+e)})^n)}{a^2} + \frac{1}{a(a+b(F^{g(fx+e)})^n)}}{gf \ln(F)n}$
default	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a^2} - \frac{\ln(a+b(F^{g(fx+e)})^n)}{a^2} + \frac{1}{a(a+b(F^{g(fx+e)})^n)}}{gf \ln(F)n}$
risch	$\frac{\ln(F^{g(fx+e)})}{\ln(F)fga^2} + \frac{1}{af(a+b(F^{g(fx+e)})^n)gn \ln(F)} - \frac{\ln((F^{g(fx+e)})^n + \frac{a}{b})}{\ln(F)fgna^2}$
norman	$\frac{-\frac{b e^{n \ln(e^{g(fx+e)} \ln(F))}}{\ln(F)fgna^2} + \frac{b \ln(e^{g(fx+e)} \ln(F)) e^{n \ln(e^{g(fx+e)} \ln(F))}}{a^2 \ln(F)fg} + \frac{\ln(e^{g(fx+e)} \ln(F))}{\ln(F)afg}}{a+b e^{n \ln(e^{g(fx+e)} \ln(F))}} - \frac{\ln(a+b e^{n \ln(e^{g(fx+e)} \ln(F))})}{\ln(F)fgna^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e))))^n)^2,x,method=_RETURNVERBOSE)`

[Out]  $1/g/f/\ln(F)/n*(1/a^2*\ln((F^{g*(f*x+e)})^n)-1/a^2*\ln(a+b*(F^{g*(f*x+e)})^n)+1/a/(a+b*(F^{g*(f*x+e)})^n))$

**Maxima** [A]

time = 0.29, size = 97, normalized size = 1.31

$$\frac{f g n x + g n e}{a^2 f g n} + \frac{1}{(F^{f g n x + g n e} a b + a^2) f g n \log(F)} - \frac{\log(F^{f g n x + g n e} b + a)}{a^2 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="maxima")`

[Out]  $(f*g*n*x + g*n*e)/(a^2*f*g*n) + 1/((F^{f*g*n*x + g*n*e}*a*b + a^2)*f*g*n*\log(F)) - \log(F^{f*g*n*x + g*n*e}*b + a)/(a^2*f*g*n*\log(F))$

**Fricas** [A]

time = 0.38, size = 104, normalized size = 1.41

$$\frac{F^{f g n x + g n e} b f g n x \log(F) + a f g n x \log(F) - (F^{f g n x + g n e} b + a) \log(F^{f g n x + g n e} b + a) + a}{F^{f g n x + g n e} a^2 b f g n \log(F) + a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e))))^n)^2,x, algorithm="fricas")`

[Out]  $(F^{f*g*n*x + g*n*e}*b*f*g*n*x*\log(F) + a*f*g*n*x*\log(F) - (F^{f*g*n*x + g*n*e}*b + a)*\log(F^{f*g*n*x + g*n*e}*b + a) + a)/(F^{f*g*n*x + g*n*e}*a^2*b*f*g*n*\log(F) + a^3*f*g*n*\log(F))$

**Sympy** [A]

time = 0.08, size = 66, normalized size = 0.89

$$\frac{1}{a^2 f g n \log(F) + a b f g n (F^{g(e+f x)})^n \log(F)} + \frac{x}{a^2} - \frac{\log\left(\frac{a}{b} + (F^{g(e+f x)})^n\right)}{a^2 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e))))**n)**2,x)`

[Out]  $1/(a**2*f*g*n*\log(F) + a*b*f*g*n*(F**(g*(e + f*x))))**n*\log(F) + x/a**2 - 1/\log(a/b + (F**(g*(e + f*x))))**n)/(a**2*f*g*n*\log(F))$

**Giac [A]**

time = 2.27, size = 111, normalized size = 1.50

$$\frac{\log\left(|F|^{fgnx}|F|^{gne}\right)}{a^2 f g n \log(F)} - \frac{\log\left(|F^{fgnx} F^{gne} b + a|\right)}{a^2 f g n \log(F)} + \frac{1}{(F^{fgnx} F^{gne} b + a) a f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(1/(a+b\*(F^(g\*(f\*x+e)))^n)^2,x, algorithm="giac")

**[Out]** log(abs(F)^(f\*g\*n\*x)\*abs(F)^(g\*n\*e))/(a^2\*f\*g\*n\*log(F)) - log(abs(F)^(f\*g\*n\*x)\*F^(g\*n\*e)\*b + a)/(a^2\*f\*g\*n\*log(F)) + 1/((F^(f\*g\*n\*x)\*F^(g\*n\*e)\*b + a)\*a\*f\*g\*n\*log(F))

**Mupad [B]**

time = 3.45, size = 80, normalized size = 1.08

$$\frac{x}{a^2} + \frac{1}{a f g n \ln(F) (a + b (F^{fgx} F^{eg})^n)} - \frac{\ln(a + b (F^{fgx} F^{eg})^n)}{a^2 f g n \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(1/(a + b\*(F^(g\*(e + f\*x)))^n)^2,x)

**[Out]** x/a^2 + 1/(a\*f\*g\*n\*log(F)\*(a + b\*(F^(f\*g\*x)\*F^(e\*g))^n)) - log(a + b\*(F^(f\*g\*x)\*F^(e\*g))^n)/(a^2\*f\*g\*n\*log(F))

$$3.56 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2(c+dx)} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^2(c+dx)}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)^2/(d\*x+c), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2(c+dx)} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)), x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))^n)^2\*(c + d\*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2(c+dx)} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^2(c+dx)} dx$$

Mathematica [A]

time = 0.84, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2(c+dx)} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)), x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)), x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(fx+e)}\right)^n\right)^2(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)`

[Out] `int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="maxima")`

[Out] `1/(a^2*d*f*g*n*x*log(F) + a^2*c*f*g*n*log(F) + (F^(g*n*e))*a*b*d*f*g*n*x*log(F) + F^(g*n*e)*a*b*c*f*g*n*log(F))*F^(f*g*n*x) + integrate((d*f*g*n*x*log(F) + c*f*g*n*log(F) + d)/(a^2*d^2*f*g*n*x^2*log(F) + 2*a^2*c*d*f*g*n*x*log(F) + a^2*c^2*f*g*n*log(F) + (F^(g*n*e))*a*b*d^2*f*g*n*x^2*log(F) + 2*F^(g*n*e))*a*b*c*d*f*g*n*x*log(F) + F^(g*n*e))*a*b*c^2*f*g*n*log(F))*F^(f*g*n*x), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c),x, algorithm="fricas")`

[Out] `integral(1/(a^2*d*x + a^2*c + (b^2*d*x + b^2*c)*(F^(f*g*x + g*e))^(2*n) + 2*(a*b*d*x + a*b*c)*(F^(f*g*x + g*e))^n), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$\frac{1}{a^2 c f g n \log(F) + a^2 d g n \log(F) + (a b^2 f g n \log(F) + a b d f g n \log(F)) (F^{n+1})} + \frac{d}{a^2 b^2 d^2 f g n x^2 \log(F) + 2 a^2 c d f g n x \log(F) + a^2 c^2 f g n \log(F)} dx + \int \frac{d f g n x \log(F) + c f g n \log(F) + d}{a f g n \log(F)} dx$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e))))**n)**2/(d*x+c),x)`

[Out] `1/(a**2*c*f*g*n*log(F) + a**2*d*f*g*n*x*log(F) + (a*b*c*f*g*n*log(F) + a*b*d*f*g*n*x*log(F))*(F**(g*(e + f*x))))**n + (Integral(d/(a*c**2 + 2*a*c*d*x + a*d**2*x**2 + b*c**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 2*b*c*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(c*f*g*n*log(F)/(a*c**2 + 2*a*c*d*x + a*d**2*x**2 + b*c**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 2*b*c*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))`

)), x) + Integral(d\*f\*g\*n\*x\*log(F)/(a\*c\*\*2 + 2\*a\*c\*d\*x + a\*d\*\*2\*x\*\*2 + b\*c\*  
 \*2\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F)) + 2\*b\*c\*d\*x\*exp(e\*g\*n\*log(F))\*exp(  
 f\*g\*n\*x\*log(F)) + b\*d\*\*2\*x\*\*2\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x)/(  
 a\*f\*g\*n\*log(F))

**Giac [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*(F^(g\*(f\*x+e)))^n)^2/(d\*x+c),x, algorithm="giac")

[Out] integrate(1/(((F^((f\*x + e)\*g))^n\*b + a)^2\*(d\*x + c)), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(F^{g(e+fx)})^n)^2 (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)),x)

[Out] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)), x)



$$3.57 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2 (c+dx)^2} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^2 (c+dx)^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)^2/(d\*x+c)^2,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2 (c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x))))^n)^2\*(c + d\*x)^2], x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))^n)^2\*(c + d\*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2 (c+dx)^2} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^2 (c+dx)^2} dx$$

Mathematica [A]

time = 0.85, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^2 (c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)^2\*(c + d\*x)^2], x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)^2\*(c + d\*x)^2), x]

Maple [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(F^{g(fx+e)}\right)^n\right)^2 (dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x)`

[Out] `int(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="maxima")`

[Out] `1/(a^2*d^2*f*g*n*x^2*log(F) + 2*a^2*c*d*f*g*n*x*log(F) + a^2*c^2*f*g*n*log(F) + (F^(g*n*e)*a*b*d^2*f*g*n*x^2*log(F) + 2*F^(g*n*e)*a*b*c*d*f*g*n*x*log(F) + F^(g*n*e)*a*b*c^2*f*g*n*log(F))*F^(f*g*n*x)) + integrate((d*f*g*n*x*log(F) + c*f*g*n*log(F) + 2*d)/(a^2*d^3*f*g*n*x^3*log(F) + 3*a^2*c*d^2*f*g*n*x^2*log(F) + 3*a^2*c^2*d*f*g*n*x*log(F) + a^2*c^3*f*g*n*log(F) + (F^(g*n*e)*a*b*d^3*f*g*n*x^3*log(F) + 3*F^(g*n*e)*a*b*c*d^2*f*g*n*x^2*log(F) + 3*F^(g*n*e)*a*b*c^2*d*f*g*n*x*log(F) + F^(g*n*e)*a*b*c^3*f*g*n*log(F))*F^(f*g*n*x)), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="fricas")`

[Out] `integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*(F^(f*g*x + g*e))^(2*n) + 2*(a*b*d^2*x^2 + 2*a*b*c*d*x + a*b*c^2)*(F^(f*g*x + g*e))^n), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)**2/(d*x+c)**2,x)`

[Out] `1/(a**2*c**2*f*g*n*log(F) + 2*a**2*c*d*f*g*n*x*log(F) + a**2*d**2*f*g*n*x**2*log(F) + (a*b*c**2*f*g*n*log(F) + 2*a*b*c*d*f*g*n*x*log(F) + a*b*d**2*f*g*n*x**2*log(F))*(F**(g*(e + f*x)))**n) + (Integral(2*d/(a*c**3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F))*exp(f*g*n*x*1`

```
og(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c*d**2*x*
*2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e*g*n*log(F))*ex
p(f*g*n*x*log(F))), x) + Integral(c*f*g*n*log(F)/(a*c**3 + 3*a*c**2*d*x + 3
*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))
+ 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c*d**2*x**2*exp
(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e*g*n*log(F))*exp(f*g*
n*x*log(F))), x) + Integral(d*f*g*n*x*log(F)/(a*c**3 + 3*a*c**2*d*x + 3*a*c
*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3
*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c*d**2*x**2*exp(e*g
*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e*g*n*log(F))*exp(f*g*n*x*
log(F))), x))/(a*f*g*n*log(F))
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^2/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate(1/(((F^((f*x + e)*g))^n*b + a)^2*(d*x + c)^2), x)
```

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(F^{g(e+fx)})^n)^2 (c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)^2),x)
```

```
[Out] int(1/((a + b*(F^(g*(e + f*x)))^n)^2*(c + d*x)^2), x)
```

$$3.58 \quad \int \frac{(c+dx)^3}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^3} dx$$

**Optimal.** Leaf size=594

$$\frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn\log(F)} + \frac{(c+dx)^4}{2af(a+b(F^{g(e+fx)})^n)}$$

[Out]  $\frac{1}{4}*(d*x+c)^4/a^3/d+3/2*d*(d*x+c)^2/a^3/f^2/g^2/n^2/\ln(F)^2-3/2*d*(d*x+c)^2/a^2/f^2/(a+b*(F^{g*(f*x+e)}))^n/g^2/n^2/\ln(F)^2-3/2*(d*x+c)^3/a^3/f/g/n/\ln(F)+1/2*(d*x+c)^3/a/f/(a+b*(F^{g*(f*x+e)}))^n^2/g/n/\ln(F)+(d*x+c)^3/a^2/f/(a+b*(F^{g*(f*x+e)}))^n/g/n/\ln(F)-3*d^2*(d*x+c)*\ln(1+b*(F^{g*(f*x+e)}))^n/a/a^3/f^3/g^3/n^3/\ln(F)^3+9/2*d*(d*x+c)^2*\ln(1+b*(F^{g*(f*x+e)}))^n/a/a^3/f^2/g^2/n^2/\ln(F)^2-(d*x+c)^3*\ln(1+b*(F^{g*(f*x+e)}))^n/a/a^3/f/g/n/\ln(F)-3*d^3*\text{polylog}(2,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^4/g^4/n^4/\ln(F)^4+9*d^2*(d*x+c)*\text{polylog}(2,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^3/g^3/n^3/\ln(F)^3-3*d*(d*x+c)^2*\text{polylog}(2,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^2/g^2/n^2/\ln(F)^2-9*d^3*\text{polylog}(3,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^4/g^4/n^4/\ln(F)^4+6*d^2*(d*x+c)*\text{polylog}(3,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^3/g^3/n^3/\ln(F)^3-6*d^3*\text{polylog}(4,-b*(F^{g*(f*x+e)}))^n/a/a^3/f^4/g^4/n^4/\ln(F)^4$

**Rubi [A]**

time = 1.33, antiderivative size = 594, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {2216, 2215, 2221, 2611, 6744, 2320, 6724, 2222, 2317, 2438}

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x)))^n)^3,x]

[Out]  $(c+d*x)^4/(4*a^3*d) + (3*d*(c+d*x)^2)/(2*a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (3*d*(c+d*x)^2)/(2*a^2*f^2*(a+b*(F^{g*(e+f*x)}))^n*g^2*n^2*\text{Log}[F]^2) - (3*(c+d*x)^3)/(2*a^3*f*g*n*\text{Log}[F]) + (c+d*x)^3/(2*a*f*(a+b*(F^{g*(e+f*x)}))^n)^2*g*n*\text{Log}[F]) + (c+d*x)^3/(a^2*f*(a+b*(F^{g*(e+f*x)}))^n)*g*n*\text{Log}[F] - (3*d^2*(c+d*x)*\text{Log}[1+(b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) + (9*d*(c+d*x)^2*\text{Log}[1+(b*(F^{g*(e+f*x)}))^n/a])/(2*a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c+d*x)^3*\text{Log}[1+(b*(F^{g*(e+f*x)}))^n/a])/(a^3*f*g*n*\text{Log}[F]) - (3*d^3*\text{PolyLog}[2,-((b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^4*g^4*n^4*\text{Log}[F]^4) + (9*d^2*(c+d*x)*\text{PolyLog}[2,-((b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (3*d*(c+d*x)^2*\text{PolyLog}[2,-((b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (9*d^3*\text{PolyLog}[3,-((b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^4*g^4*n^4*\text{Log}[F]^4) + (6*d^2*(c+d*x)*\text{PolyLog}[4,-((b*(F^{g*(e+f*x)}))^n/a])/(a^3*f^4*g^4*n^4*\text{Log}[F]^4)$

lyLog[3, -((b\*(F^(g\*(e + f\*x)))^n)/a)]/(a^3\*f^3\*g^3\*n^3\*Log[F]^3) - (6\*d^3\*PolyLog[4, -((b\*(F^(g\*(e + f\*x)))^n)/a)]/(a^3\*f^4\*g^4\*n^4\*Log[F]^4)

#### Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n/(a + b\*(F^(g\*(e + f\*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2216

Int[((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^((p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)), x\_Symbol] := Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

#### Rule 2221

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2222

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^((p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)), x\_Symbol] := Simp[(c + d\*x)^m\*((a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F])), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

#### Rule 2317

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2320

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_.)\*((a\_.)\*(v\_)^(n\_.))^m] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*

```
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

#### Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

#### Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_)^(m_)), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

#### Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

#### Rule 6744

```
Int[((e_) + (f_)*(x_)^(m_))*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{(a+b(F^{g(e+fx)})^n)^3} dx &= \frac{\int \frac{(c+dx)^3}{(a+b(F^{g(e+fx)})^n)^2} dx}{a} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^3}{(a+b(F^{g(e+fx)})^n)^3} dx}{a} \\
&= \frac{(c+dx)^3}{2af(a+b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{\int \frac{(c+dx)^3}{a+b(F^{g(e+fx)})^n} dx}{a^2} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)^3}{(a+b(F^{g(e+fx)})^n)^2} dx}{a^2} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{(c+dx)^3}{2af(a+b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{(c+dx)^3}{a^2f(a+b(F^{g(e+fx)})^n) gn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} + \frac{(c+dx)^3}{2af(a+b(F^{g(e+fx)})^n)gn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)} \\
&= \frac{(c+dx)^4}{4a^3d} + \frac{3d(c+dx)^2}{2a^3f^2g^2n^2\log^2(F)} - \frac{3d(c+dx)^2}{2a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^3}{2a^3fgn \log(F)}
\end{aligned}$$

**Mathematica [F]**

time = 1.79, size = 0, normalized size = 0.00

$$\int \frac{(c+dx)^3}{(a+b(F^{g(e+fx)})^n)^3} dx$$

Verification is not applicable to the result.

`[In] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n)^3,x]``[Out] Integrate[(c + d*x)^3/(a + b*(F^(g*(e + f*x)))^n)^3, x]`**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 4004 vs. 2(582) = 1164.

time = 0.09, size = 4005, normalized size = 6.74





```

n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F^(g*(f*x+e)))^2-3/n/g/f/ln(F)/
a^3*c*d^2*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*x^2-3/n/g^3/f^
3/ln(F)^3/a^3*c*d^2*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F
^(g*(f*x+e)))^2-3/n/g^2/f^2/ln(F)^2/a^3*d^3*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^
(g*(f*x+e)))^n)*ln(F^(g*(f*x+e)))^2*x-6/n^2/g^2/f^2/l
n(F)^2/a^3*c*d^2*polylog(2,-b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n/a
*x+3/n/g^3/f^3/ln(F)^3/a^3*c*d^2*ln(1+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x
+e)))^n/a)*ln(F^(g*(f*x+e)))^2-3/n/g/f/ln(F)/a^3*c^2*d*ln(a+b*F^(n*g*f*x)*F
^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*x+3/n/g/f/ln(F)/a^3*c^2*d*ln(F^(n*g*f*x)*F^(
-n*g*f*x)*(F^(g*(f*x+e)))^n)*x-6/n/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(1+b*F^(n*g*
f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n/a)*ln(F^(g*(f*x+e)))^2*x-6/n/g^2/f^2/ln(F
)^2/a^3*c*d^2*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F^(g*(f*x+e
)))^2*x+6/n/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(
f*x+e)))^n)*ln(F^(g*(f*x+e)))^2*x+3/g^2/f^2/ln(F)^2/a^3*c*d^2*ln(F^(g*(f*x+e
)))^2*x-3/n^3/g^4/f^4/ln(F)^4/a^3*d^3*ln(1+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(
f*x+e)))^n/a)*ln(F^(g*(f*x+e)))^3-3/n^3/g^3/f^3/ln
(F)^3/a^3*d^3*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*x+1/n/g/f/
ln(F)/a^3*d^3*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*x^3-1/n/g^4/f^
4/ln(F)^4/a^3*d^3*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F^(g*(f
*x+e)))^3-9/2/n^2/g^4/f^4/ln(F)^4/a^3*d^3*ln(1+b*F^(n*g*f*x)*F^(-n*g*f*x)*(
F^(g*(f*x+e)))^n/a)*ln(F^(g*(f*x+e)))^2-9/2/n^2/g^2/f^2/ln(F)^2/a^3*d^3*ln(
F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*x^2-9/2/n^2/g^4/f^4/ln(F)^4/a^3
*d^3*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F^(g*(f*x+e)))^2+9/2
/n^2/g^2/f^2/ln(F)^2/a^3*d^3*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e))
)^n)*x^2+9/2/n^2/g^4/f^4/ln(F)^4/a^3*d^3*ln(a+b*F^(n*g*f*x)*F^(-n*g*f*x)*(F
^(g*(f*x+e)))^n)*ln(F^(g*(f*x+e)))^2+3/n^3/g^4/f^4/ln(F)^4/a^3*d^3*ln(a+b*F
^(n*g*f*x)*F^(-n*g*f*x)*(F^(g*(f*x+e)))^n)*ln(F^(g*(f*x+e)))+3/n^3/g^3/f^3/
ln(F)^3/a^3*d^3*ln(F^(n*g*f*x)*F^(-n*g*f*x)*(F^...

```

**Maxima [A]**

time = 0.42, size = 1028, normalized size = 1.73

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")
```

```
[Out] 1/2*c^3*((2*F^(f*g*n*x + g*n*e)*b + 3*a)/((2*F^(f*g*n*x + g*n*e)*a^3*b + F^
(2*f*g*n*x + 2*g*n*e)*a^2*b^2 + a^4)*f*g*n*log(F)) + 2*(f*g*n*x + g*n*e)/(a
^3*f*g*n) - 2*log(F^(f*g*n*x + g*n*e)*b + a)/(a^3*f*g*n*log(F)) + 1/2*(3*a
*d^3*f*g*n*x^3*log(F) - 3*a*c^2*d + 3*(3*a*c*d^2*f*g*n*log(F) - a*d^3)*x^2
+ (2*F^(g*n*e)*b*d^3*f*g*n*x^3*log(F) - 3*F^(g*n*e)*b*c^2*d + 3*(2*F^(g*n*e
)*b*c*d^2*f*g*n*log(F) - F^(g*n*e)*b*d^3)*x^2 + 6*(F^(g*n*e)*b*c^2*d*f*g*n*
```

$$\begin{aligned} & \log(F) - F^{(g*n*e)*b*c*d^2}*x)*F^{(f*g*n*x)} + 3*(3*a*c^2*d*f*g*n*\log(F) - 2* \\ & a*c*d^2)*x)/(2*F^{(f*g*n*x)}*F^{(g*n*e)*a^3*b*f^2*g^2*n^2*\log(F)^2} + F^{(2*f*g* \\ & n*x)*F^{(2*g*n*e)*a^2*b^2*f^2*g^2*n^2*\log(F)^2} + a^4*f^2*g^2*n^2*\log(F)^2) - \\ & 3/2*(3*c^2*d*f*g*n*\log(F) - 2*c*d^2)*x/(a^3*f^2*g^2*n^2*\log(F)^2) + 3/2*(3 \\ & *c^2*d*f*g*n*\log(F) - 2*c*d^2)*\log(F^{(f*g*n*x)}*F^{(g*n*e)*b} + a)/(a^3*f^3*g^ \\ & 3*n^3*\log(F)^3) - (f^3*g^3*n^3*x^3*\log(F^{(f*g*n*x)}*F^{(g*n*e)*b/a} + 1)*\log(F \\ & )^3 + 3*f^2*g^2*n^2*x^2*\operatorname{dilog}(-F^{(f*g*n*x)}*F^{(g*n*e)*b/a})*\log(F)^2 - 6*f*g* \\ & n*x*\log(F)*\operatorname{polylog}(3, -F^{(f*g*n*x)}*F^{(g*n*e)*b/a}) + 6*\operatorname{polylog}(4, -F^{(f*g*n* \\ & x)*F^{(g*n*e)*b/a}))*d^3/(a^3*f^4*g^4*n^4*\log(F)^4) - 3/2*(f^2*g^2*n^2*x^2*lo \\ & g(F^{(f*g*n*x)}*F^{(g*n*e)*b/a} + 1)*\log(F)^2 + 2*f*g*n*x*\operatorname{dilog}(-F^{(f*g*n*x)}*F^{ \\ & (g*n*e)*b/a})*\log(F) - 2*\operatorname{polylog}(3, -F^{(f*g*n*x)}*F^{(g*n*e)*b/a}))* (2*c*d^2*f* \\ & g*n*\log(F) - 3*d^3)/(a^3*f^4*g^4*n^4*\log(F)^4) - 3*(c^2*d*f^2*g^2*n^2*\log(F \\ & )^2 - 3*c*d^2*f*g*n*\log(F) + d^3)*(f*g*n*x*\log(F^{(f*g*n*x)}*F^{(g*n*e)*b/a} + \\ & 1)*\log(F) + \operatorname{dilog}(-F^{(f*g*n*x)}*F^{(g*n*e)*b/a}))/ (a^3*f^4*g^4*n^4*\log(F)^4) + \\ & 1/4*(d^3*f^4*g^4*n^4*x^4*\log(F)^4 + 2*(2*c*d^2*f*g*n*\log(F) - 3*d^3)*f^3*g \\ & ^3*n^3*x^3*\log(F)^3 + 6*(c^2*d*f^2*g^2*n^2*\log(F)^2 - 3*c*d^2*f*g*n*\log(F) \\ & + d^3)*f^2*g^2*n^2*x^2*\log(F)^2)/(a^3*f^4*g^4*n^4*\log(F)^4) \end{aligned}$$

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 2968 vs. 2(591) = 1182.

time = 0.46, size = 2968, normalized size = 5.00

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & 1/4*((a^2*d^3*f^4*g^4*n^4*x^4 + 4*a^2*c*d^2*f^4*g^4*n^4*x^3 + 6*a^2*c^2*d*f \\ & ^4*g^4*n^4*x^2 + 4*a^2*c^3*f^4*g^4*n^4*x + 4*a^2*c^3*f^3*g^4*n^4*e - 6*a^2* \\ & c^2*d*f^2*g^4*n^4*e^2 + 4*a^2*c*d^2*f*g^4*n^4*e^3 - a^2*d^3*g^4*n^4*e^4)*\log \\ & (F)^4 + 6*(a^2*c^3*f^3*g^3*n^3 - 3*a^2*c^2*d*f^2*g^3*n^3*e + 3*a^2*c*d^2*f \\ & *g^3*n^3*e^2 - a^2*d^3*g^3*n^3*e^3)*\log(F)^3 - 6*(a^2*c^2*d*f^2*g^2*n^2 - 2 \\ & *a^2*c*d^2*f*g^2*n^2*e + a^2*d^3*g^2*n^2*e^2)*\log(F)^2 + ((b^2*d^3*f^4*g^4* \\ & n^4*x^4 + 4*b^2*c*d^2*f^4*g^4*n^4*x^3 + 6*b^2*c^2*d*f^4*g^4*n^4*x^2 + 4*b^2 \\ & *c^3*f^4*g^4*n^4*x + 4*b^2*c^3*f^3*g^4*n^4*e - 6*b^2*c^2*d*f^2*g^4*n^4*e^2 \\ & + 4*b^2*c*d^2*f*g^4*n^4*e^3 - b^2*d^3*g^4*n^4*e^4)*\log(F)^4 - 6*(b^2*d^3*f^ \\ & 3*g^3*n^3*x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x + 3 \\ & *b^2*c^2*d*f^2*g^3*n^3*e - 3*b^2*c*d^2*f*g^3*n^3*e^2 + b^2*d^3*g^3*n^3*e^3) \\ & *\log(F)^3 + 6*(b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x + 2*b^2* \\ & c*d^2*f*g^2*n^2*e - b^2*d^3*g^2*n^2*e^2)*\log(F)^2)*F^{(2*f*g*n*x + 2*g*n*e)} \\ & + 2*((a*b*d^3*f^4*g^4*n^4*x^4 + 4*a*b*c*d^2*f^4*g^4*n^4*x^3 + 6*a*b*c^2*d*f \\ & ^4*g^4*n^4*x^2 + 4*a*b*c^3*f^4*g^4*n^4*x + 4*a*b*c^3*f^3*g^4*n^4*e - 6*a*b* \\ & c^2*d*f^2*g^4*n^4*e^2 + 4*a*b*c*d^2*f*g^4*n^4*e^3 - a*b*d^3*g^4*n^4*e^4)*\log \\ & (F)^4 - 2*(2*a*b*d^3*f^3*g^3*n^3*x^3 + 6*a*b*c*d^2*f^3*g^3*n^3*x^2 + 6*a*b \\ & *c^2*d*f^3*g^3*n^3*x - a*b*c^3*f^3*g^3*n^3 + 9*a*b*c^2*d*f^2*g^3*n^3*e - 9* \end{aligned}$$

$$\begin{aligned}
& a*b*c*d^2*f*g^3*n^3*e^2 + 3*a*b*d^3*g^3*n^3*e^3)*\log(F)^3 + 3*(a*b*d^3*f^2* \\
& g^2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x - a*b*c^2*d*f^2*g^2*n^2 + 4*a*b*c*d \\
& ^2*f*g^2*n^2*e - 2*a*b*d^3*g^2*n^2*e^2)*\log(F)^2)*F^(f*g*n*x + g*n*e) - 12* \\
& (a^2*d^3 + (a^2*d^3*f^2*g^2*n^2*x^2 + 2*a^2*c*d^2*f^2*g^2*n^2*x + a^2*c^2*d \\
& *f^2*g^2*n^2)*\log(F)^2 + (b^2*d^3 + (b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2* \\
& f^2*g^2*n^2*x + b^2*c^2*d*f^2*g^2*n^2)*\log(F)^2 - 3*(b^2*d^3*f*g*n*x + b^2* \\
& c*d^2*f*g*n)*\log(F))*F^(2*f*g*n*x + 2*g*n*e) + 2*(a*b*d^3 + (a*b*d^3*f^2*g^ \\
& 2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x + a*b*c^2*d*f^2*g^2*n^2)*\log(F)^2 - 3 \\
& *(a*b*d^3*f*g*n*x + a*b*c*d^2*f*g*n)*\log(F))*F^(f*g*n*x + g*n*e) - 3*(a^2*d \\
& ^3*f*g*n*x + a^2*c*d^2*f*g*n)*\log(F))*\operatorname{dilog}(-(F^(f*g*n*x + g*n*e)*b + a)/a \\
& + 1) - 2*(2*(a^2*c^3*f^3*g^3*n^3 - 3*a^2*c^2*d*f^2*g^3*n^3*e + 3*a^2*c*d^2* \\
& f*g^3*n^3*e^2 - a^2*d^3*g^3*n^3*e^3)*\log(F)^3 - 9*(a^2*c^2*d*f^2*g^2*n^2 - \\
& 2*a^2*c*d^2*f*g^2*n^2*e + a^2*d^3*g^2*n^2*e^2)*\log(F)^2 + (2*(b^2*c^3*f^3*g \\
& ^3*n^3 - 3*b^2*c^2*d*f^2*g^3*n^3*e + 3*b^2*c*d^2*f*g^3*n^3*e^2 - b^2*d^3*g^ \\
& 3*n^3*e^3)*\log(F)^3 - 9*(b^2*c^2*d*f^2*g^2*n^2 - 2*b^2*c*d^2*f*g^2*n^2*e + \\
& b^2*d^3*g^2*n^2*e^2)*\log(F)^2 + 6*(b^2*c*d^2*f*g*n - b^2*d^3*g*n*e)*\log(F)) \\
& *F^(2*f*g*n*x + 2*g*n*e) + 2*(2*(a*b*c^3*f^3*g^3*n^3 - 3*a*b*c^2*d*f^2*g^3* \\
& n^3*e + 3*a*b*c*d^2*f*g^3*n^3*e^2 - a*b*d^3*g^3*n^3*e^3)*\log(F)^3 - 9*(a*b* \\
& c^2*d*f^2*g^2*n^2 - 2*a*b*c*d^2*f*g^2*n^2*e + a*b*d^3*g^2*n^2*e^2)*\log(F)^2 \\
& + 6*(a*b*c*d^2*f*g*n - a*b*d^3*g*n*e)*\log(F))*F^(f*g*n*x + g*n*e) + 6*(a^2 \\
& *c*d^2*f*g*n - a^2*d^3*g*n*e)*\log(F))*\log(F^(f*g*n*x + g*n*e)*b + a) - 2*(2 \\
& *(a^2*d^3*f^3*g^3*n^3*x^3 + 3*a^2*c*d^2*f^3*g^3*n^3*x^2 + 3*a^2*c^2*d*f^3*g \\
& ^3*n^3*x + 3*a^2*c^2*d*f^2*g^3*n^3*e - 3*a^2*c*d^2*f*g^3*n^3*e^2 + a^2*d^3*g \\
& ^3*n^3*e^3)*\log(F)^3 - 9*(a^2*d^3*f^2*g^2*n^2*x^2 + 2*a^2*c*d^2*f^2*g^2*n^ \\
& 2*x + 2*a^2*c*d^2*f*g^2*n^2*e - a^2*d^3*g^2*n^2*e^2)*\log(F)^2 + (2*(b^2*d^3 \\
& *f^3*g^3*n^3*x^3 + 3*b^2*c*d^2*f^3*g^3*n^3*x^2 + 3*b^2*c^2*d*f^3*g^3*n^3*x \\
& + 3*b^2*c^2*d*f^2*g^3*n^3*e - 3*b^2*c*d^2*f*g^3*n^3*e^2 + b^2*d^3*g^3*n^3*e \\
& ^3)*\log(F)^3 - 9*(b^2*d^3*f^2*g^2*n^2*x^2 + 2*b^2*c*d^2*f^2*g^2*n^2*x + 2*b \\
& ^2*c*d^2*f*g^2*n^2*e - b^2*d^3*g^2*n^2*e^2)*\log(F)^2 + 6*(b^2*d^3*f*g*n*x + \\
& b^2*d^3*g*n*e)*\log(F))*F^(2*f*g*n*x + 2*g*n*e) + 2*(2*(a*b*d^3*f^3*g^3*n^3 \\
& *x^3 + 3*a*b*c*d^2*f^3*g^3*n^3*x^2 + 3*a*b*c^2*d*f^3*g^3*n^3*x + 3*a*b*c^2* \\
& d*f^2*g^3*n^3*e - 3*a*b*c*d^2*f*g^3*n^3*e^2 + a*b*d^3*g^3*n^3*e^3)*\log(F)^3 \\
& - 9*(a*b*d^3*f^2*g^2*n^2*x^2 + 2*a*b*c*d^2*f^2*g^2*n^2*x + 2*a*b*c*d^2*f*g \\
& ^2*n^2*e - a*b*d^3*g^2*n^2*e^2)*\log(F)^2 + 6*(a*b*d^3*f*g*n*x + a*b*d^3*g*n \\
& *e)*\log(F))*F^(f*g*n*x + g*n*e) + 6*(a^2*d^3*f*g*n*x + a^2*d^3*g*n*e)*\log(F \\
& ))*\log((F^(f*g*n*x + g*n*e)*b + a)/a) - 24*(2*F^(f*g*n*x + g*n*e)*a*b*d^3 + \\
& F^(2*f*g*n*x + 2*g*n*e)*b^2*d^3 + a^2*d^3)*\operatorname{polylog}(4, -F^(f*g*n*x + g*n*e) \\
& *b/a) - 12*(3*a^2*d^3 + (3*b^2*d^3 - 2*(b^2*d^3*f*g*n*x + b^2*c*d^2*f*g*n)* \\
& \log(F))*F^(2*f*g*n*x + 2*g*n*e) + 2*(3*a*b*d^3 - 2*(a*b*d^3*f*g*n*x + a*b*c \\
& *d^2*f*g*n)*\log(F))*F^(f*g*n*x + g*n*e) - 2*(a^2*d^3*f*g*n*x + a^2*c*d^2*f* \\
& g*n)*\log(F))*\operatorname{polylog}(3, -F^(f*g*n*x + g*n*e)*b/a))/(2*F^(f*g*n*x + g*n*e)*a \\
& ^4*b*f^4*g^4*n^4*\log(F)^4 + F^(2*f*g*n*x + 2*g*n*e)*a^3*b^2*f^4*g^4*n^4*\log \\
& (F)^4 + a^5*f^4*g^4*n^4*\log(F)^4)
\end{aligned}$$

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)\*\*3/(a+b\*(F\*\*(g\*(f\*x+e))))\*\*n)\*\*3,x)

[Out] (3\*a\*c\*\*3\*f\*g\*n\*log(F) + 9\*a\*c\*\*2\*d\*f\*g\*n\*x\*log(F) - 3\*a\*c\*\*2\*d + 9\*a\*c\*d\*\*2\*f\*g\*n\*x\*\*2\*log(F) - 6\*a\*c\*d\*\*2\*x + 3\*a\*d\*\*3\*f\*g\*n\*x\*\*3\*log(F) - 3\*a\*d\*\*3\*x\*\*2 + (2\*b\*c\*\*3\*f\*g\*n\*log(F) + 6\*b\*c\*\*2\*d\*f\*g\*n\*x\*log(F) - 3\*b\*c\*\*2\*d + 6\*b\*c\*d\*\*2\*f\*g\*n\*x\*\*2\*log(F) - 6\*b\*c\*d\*\*2\*x + 2\*b\*d\*\*3\*f\*g\*n\*x\*\*3\*log(F) - 3\*b\*d\*\*3\*x\*\*2)\*(F\*\*(g\*(e + f\*x))))\*\*n)/(2\*a\*\*4\*f\*\*2\*g\*\*2\*n\*\*2\*log(F)\*\*2 + 4\*a\*\*3\*b\*f\*\*2\*g\*\*2\*n\*\*2\*(F\*\*(g\*(e + f\*x))))\*\*n\*log(F)\*\*2 + 2\*a\*\*2\*b\*\*2\*f\*\*2\*g\*\*2\*n\*\*2\*(F\*\*(g\*(e + f\*x))))\*(2\*n)\*log(F)\*\*2) + (Integral(6\*c\*d\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(6\*d\*\*3\*x/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(2\*c\*\*3\*f\*\*2\*g\*\*2\*n\*\*2\*log(F)\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-9\*c\*\*2\*d\*f\*g\*n\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-9\*d\*\*3\*f\*g\*n\*x\*\*2\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(2\*d\*\*3\*f\*\*2\*g\*\*2\*n\*\*2\*x\*\*3\*log(F)\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(-18\*c\*d\*\*2\*f\*g\*n\*x\*log(F)/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(6\*c\*d\*\*2\*f\*\*2\*g\*\*2\*n\*\*2\*x\*\*2\*log(F)\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x) + Integral(6\*c\*\*2\*d\*f\*\*2\*g\*\*2\*n\*\*2\*x\*log(F)\*\*2/(a + b\*exp(e\*g\*n\*log(F))\*exp(f\*g\*n\*x\*log(F))), x))/(2\*a\*\*2\*f\*\*2\*g\*\*2\*n\*\*2\*log(F)\*\*2)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^3/(a+b\*(F^(g\*(f\*x+e))))^n)^3,x, algorithm="giac")

[Out] integrate((d\*x + c)^3/((F^((f\*x + e)\*g))^n\*b + a)^3, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c + dx)^3}{(a + b(F^{g(e+fx)})^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x))))^n)^3,x)

[Out] int((c + d\*x)^3/(a + b\*(F^(g\*(e + f\*x))))^n)^3, x)

$$3.59 \quad \int \frac{(c+dx)^2}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^3} dx$$

**Optimal.** Leaf size=439

$$\frac{(c+dx)^3}{3a^3d} + \frac{d^2x}{a^3f^2g^2n^2\log^2(F)} - \frac{d(c+dx)}{a^2f^2(a+b(F^{g(e+fx)})^n)g^2n^2\log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn\log(F)} + \frac{(c+dx)}{2af(a+b(F^{g(e+fx)})^n)}$$

[Out]  $1/3*(d*x+c)^3/a^3/d+d^2*x/a^3/f^2/g^2/n^2/\ln(F)^2-d*(d*x+c)/a^2/f^2/(a+b*(F^{g*(f*x+e)})^n)/g^2/n^2/\ln(F)^2-3/2*(d*x+c)^2/a^3/f/g/n/\ln(F)+1/2*(d*x+c)^2/a/f/(a+b*(F^{g*(f*x+e)})^n)^2/g/n/\ln(F)+(d*x+c)^2/a^2/f/(a+b*(F^{g*(f*x+e)})^n)/g/n/\ln(F)-d^2*\ln(a+b*(F^{g*(f*x+e)})^n)/a^3/f^3/g^3/n^3/\ln(F)^3+3*d*(d*x+c)*\ln(1+b*(F^{g*(f*x+e)})^n/a)/a^3/f^2/g^2/n^2/\ln(F)^2-(d*x+c)^2*\ln(1+b*(F^{g*(f*x+e)})^n/a)/a^3/f/g/n/\ln(F)+3*d^2*\text{polylog}(2,-b*(F^{g*(f*x+e)})^n/a)/a^3/f^3/g^3/n^3/\ln(F)^3-2*d*(d*x+c)*\text{polylog}(2,-b*(F^{g*(f*x+e)})^n/a)/a^3/f^2/g^2/n^2/\ln(F)^2+2*d^2*\text{polylog}(3,-b*(F^{g*(f*x+e)})^n/a)/a^3/f^3/g^3/n^3/\ln(F)^3$

**Rubi [A]**

time = 0.94, antiderivative size = 439, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 13, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$ , Rules used = {2216, 2215, 2221, 2611, 2320, 6724, 2222, 2317, 2438, 272, 36, 29, 31}

$$\frac{2d(c+dx)\text{PolyLog}\left(2, \frac{b(F^{g(e+fx)})^n}{a+b(F^{g(e+fx)})^n}\right)}{a^2fgn^2\log^2(F)} + \frac{3d^2\text{PolyLog}\left(2, \frac{b(F^{g(e+fx)})^n}{a+b(F^{g(e+fx)})^n}\right)}{a^2fgn^2\log^2(F)} + \frac{2d^2\text{PolyLog}\left(3, \frac{b(F^{g(e+fx)})^n}{a+b(F^{g(e+fx)})^n}\right)}{a^2fgn^2\log^2(F)} + \frac{2d(c+dx)\log\left(\frac{b(F^{g(e+fx)})^n}{a+b(F^{g(e+fx)})^n}\right)}{a^2fgn^2\log^2(F)} + \frac{(c+dx)^2\log\left(\frac{b(F^{g(e+fx)})^n}{a+b(F^{g(e+fx)})^n}\right)}{a^2fgn\log(F)} + \frac{d^2\log(a+b(F^{g(e+fx)})^n)}{2a^2fgn\log(F)} - \frac{3(c+dx)^2}{2a^3fgn\log(F)} + \frac{(c+dx)^2}{2a^3d} + \frac{d^2x}{a^3fgn^2\log^2(F)} - \frac{d(c+dx)}{a^2fgn^2\log^2(F)} + \frac{(c+dx)^2}{a^3fgn\log(F)(a+b(F^{g(e+fx)})^n)} + \frac{(c+dx)^2}{2afgn\log(F)(a+b(F^{g(e+fx)})^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)^2/(a + b\*(F^(g\*(e + f\*x)))^n)^3, x]

[Out]  $(c+dx)^3/(3*a^3*d) + (d^2*x)/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - (d*(c+dx))/(a^2*f^2*(a+b*(F^{g*(e+fx)})^n)*g^2*n^2*\text{Log}[F]^2) - (3*(c+dx)^2)/(2*a^3*f*g*n*\text{Log}[F]) + (c+dx)^2/(2*a*f*(a+b*(F^{g*(e+fx)})^n)^2*g*n*\text{Log}[F]) + (c+dx)^2/(a^2*f*(a+b*(F^{g*(e+fx)})^n)*g*n*\text{Log}[F]) - (d^2*\text{Log}[a+b*(F^{g*(e+fx)})^n])/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) + (3*d*(c+dx)*\text{Log}[1+(b*(F^{g*(e+fx)})^n)/a])/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) - ((c+dx)^2*\text{Log}[1+(b*(F^{g*(e+fx)})^n)/a])/(a^3*f*g*n*\text{Log}[F]) + (3*d^2*\text{PolyLog}[2, -((b*(F^{g*(e+fx)})^n)/a)])/(a^3*f^3*g^3*n^3*\text{Log}[F]^3) - (2*d*(c+dx)*\text{PolyLog}[2, -((b*(F^{g*(e+fx)})^n)/a)])/(a^3*f^2*g^2*n^2*\text{Log}[F]^2) + (2*d^2*\text{PolyLog}[3, -((b*(F^{g*(e+fx)})^n)/a)])/(a^3*f^3*g^3*n^3*\text{Log}[F]^3)$

**Rule 29**

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

**Rule 31**

Int[((a\_) + (b\_)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 272

Int[(x\_)<sup>(m\_)</sup>\*((a\_) + (b\_)\*(x\_)<sup>(n\_)</sup>)<sup>(p\_)</sup>, x\_Symbol] := Dist[1/n, Subst[Int[x<sup>(Simplify[(m + 1)/n] - 1)\*(a + b\*x)<sup>p</sup>, x], x, x<sup>n</sup>], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]</sup>

### Rule 2215

Int[((c\_) + (d\_)\*(x\_))<sup>(m\_)</sup>/((a\_) + (b\_)\*((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>, x\_Symbol] := Simp[(c + d\*x)<sup>(m + 1)</sup>/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)<sup>m</sup>\*((F^(g\*(e + f\*x)))<sup>n</sup>/(a + b\*(F^(g\*(e + f\*x)))<sup>n</sup>)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2216

Int[((a\_) + (b\_)\*((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>)<sup>(p\_)</sup>\*((c\_) + (d\_)\*(x\_))<sup>(m\_)</sup>, x\_Symbol] := Dist[1/a, Int[(c + d\*x)<sup>m</sup>\*((a + b\*(F^(g\*(e + f\*x)))<sup>n</sup>)<sup>(p + 1)</sup>), x], x] - Dist[b/a, Int[(c + d\*x)<sup>m</sup>\*((F^(g\*(e + f\*x)))<sup>n</sup>\*(a + b\*(F^(g\*(e + f\*x)))<sup>n</sup>)<sup>p</sup>), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]

### Rule 2221

Int[(((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>\*((c\_) + (d\_)\*(x\_))<sup>(m\_)</sup>)/((a\_) + (b\_)\*((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>, x\_Symbol] := Simp[((c + d\*x)<sup>m</sup>/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))<sup>n</sup>/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)<sup>(m - 1)</sup>\*Log[1 + b\*((F^(g\*(e + f\*x)))<sup>n</sup>/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2222

Int[(((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>\*((a\_) + (b\_)\*((F\_)<sup>(g\_)</sup>\*((e\_) + (f\_)\*(x\_))))<sup>(n\_)</sup>)<sup>(p\_)</sup>\*((c\_) + (d\_)\*(x\_))<sup>(m\_)</sup>, x\_Symbol] := Simp[(c + d\*x)<sup>m</sup>\*((a + b\*(F^(g\*(e + f\*x)))<sup>n</sup>)<sup>(p + 1)</sup>/(b\*f\*g\*n\*(p + 1)\*Log[F])), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)<sup>(m - 1)</sup>\*((a + b\*(F^(g\*(e + f\*x)))<sup>n</sup>)<sup>(p + 1)</sup>), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{(a+b(Fg(e+fx))^n)^3} dx &= \frac{\int \frac{(c+dx)^2}{(a+b(Fg(e+fx))^n)^2} dx}{a} - \frac{b \int \frac{(Fg(e+fx))^n (c+dx)^2}{(a+b(Fg(e+fx))^n)^3} dx}{a} \\
&= \frac{(c+dx)^2}{2af(a+b(Fg(e+fx))^n)^2 gn \log(F)} + \frac{\int \frac{(c+dx)^2}{a+b(Fg(e+fx))^n} dx}{a^2} - \frac{b \int \frac{(Fg(e+fx))^n (c+dx)^2}{(a+b(Fg(e+fx))^n)^2} dx}{a^2} \\
&= \frac{(c+dx)^3}{3a^3d} + \frac{(c+dx)^2}{2af(a+b(Fg(e+fx))^n)^2 gn \log(F)} + \frac{(c+dx)^2}{a^2f(a+b(Fg(e+fx))^n) gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2(a+b(Fg(e+fx))^n)g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{3(c+dx)^2}{2af(a+b(Fg(e+fx))^n)gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2(a+b(Fg(e+fx))^n)g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{3(c+dx)^2}{2af(a+b(Fg(e+fx))^n)gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} - \frac{d(c+dx)}{a^2f^2(a+b(Fg(e+fx))^n)g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)} + \frac{3(c+dx)^2}{2af(a+b(Fg(e+fx))^n)gn \log(F)} \\
&= \frac{(c+dx)^3}{3a^3d} + \frac{d^2x}{a^3f^2g^2n^2 \log^2(F)} - \frac{d(c+dx)}{a^2f^2(a+b(Fg(e+fx))^n)g^2n^2 \log^2(F)} - \frac{3(c+dx)^2}{2a^3fgn \log(F)}
\end{aligned}$$

**Mathematica [F]**

time = 1.43, size = 0, normalized size = 0.00

$$\int \frac{(c+dx)^2}{(a+b(Fg(e+fx))^n)^3} dx$$

Verification is not applicable to the result.

`[In] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n]^3, x]``[Out] Integrate[(c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n]^3, x]`**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 1886 vs. 2(433) = 866.

time = 0.08, size = 1887, normalized size = 4.30



method	result	size
risch	Expression too large to display	1887

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d*x+c)^2/(a+b*(F^{(g*(f*x+e))))^n)^3,x,\text{method}=\_RETURNVERBOSE)$

[Out] 
$$\begin{aligned} & -2/3/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(F^{(g*(f*x+e))})^3+1/2*(2*\ln(F)*b*d^2*f*g*n*x \\ & ^2*(F^{(g*(f*x+e))})^n+3*\ln(F)*a*d^2*f*g*n*x^2+4*\ln(F)*b*c*d*f*g*n*x*(F^{(g*(f \\ & *x+e))})^n+6*\ln(F)*a*c*d*f*g*n*x+2*\ln(F)*b*c^2*f*g*n*(F^{(g*(f*x+e))})^n+3*\ln(F) \\ & *a*c^2*f*g*n-2*b*d^2*x*(F^{(g*(f*x+e))})^n-2*a*d^2*x-2*b*c*d*(F^{(g*(f*x+e))} \\ & )^n-2*a*c*d/n^2/g^2/f^2/\ln(F)^2/a^2/(a+b*(F^{(g*(f*x+e))})^n)^2-3/2/n/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(F^{(g*(f*x+e))})^2+1/n/g/f/\ln(F)/a^3*c^2*\ln(F^{(n*g*f*x)* \\ & F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n)-1/n/g/f/\ln(F)/a^3*c^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n} \\ & +1/n^3/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}-1/n^3/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(a+b*F^{(n*g \\ & *f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}+3/n^3/g^3/f^3/\ln(F)^3/a^3*d^2*\text{polylog} \\ & (2,-b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}/a)+2/n^3/g^3/f^3/\ln(F)^3/a^3*d^2*\text{polylog}(3,-b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}/a)+1/g^2/f^2 \\ & /ln(F)^2/a^3*d^2*\ln(F^{(g*(f*x+e))})^2*x+1/g^2/f^2/\ln(F)^2/a^3*d*c*\ln(F^{(g*(f \\ & *x+e))})^2+2/n/g^2/f^2/\ln(F)^2/a^3*c*d*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g \\ & *(f*x+e))})^n}*\ln(F^{(g*(f*x+e))})+2/n/g/f/\ln(F)/a^3*c*d*\ln(F^{(n*g*f*x)*F^{(-n* \\ & g*f*x)}*(F^{(g*(f*x+e))})^n})*x-2/n/g^2/f^2/\ln(F)^2/a^3*c*d*\ln(F^{(n*g*f*x)*F^{(-n \\ & *g*f*x)}*(F^{(g*(f*x+e))})^n}*\ln(F^{(g*(f*x+e))})-2/n/g^2/f^2/\ln(F)^2/a^3*c*d* \\ & \ln(1+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}/a)*\ln(F^{(g*(f*x+e))})-2/n/g \\ & /f/\ln(F)/a^3*c*d*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n})*x-2/n/g \\ & ^2/f^2/\ln(F)^2/a^3*d^2*\ln(F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}*\ln(F^{( \\ & g*(f*x+e))})*x+2/n/g^2/f^2/\ln(F)^2/a^3*d^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*( \\ & F^{(g*(f*x+e))})^n}*\ln(F^{(g*(f*x+e))})*x-2/n/g^2/f^2/\ln(F)^2/a^3*d^2*\ln(1+b*F^{(n \\ & *g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}/a)*\ln(F^{(g*(f*x+e))})*x-2/n^2/g^2/ \\ & f^2/\ln(F)^2/a^3*c*d*\text{polylog}(2,-b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n} \\ & /a)+3/n^2/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(1+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f* \\ & x+e))})^n}/a)*\ln(F^{(g*(f*x+e))})-3/n^2/g^2/f^2/\ln(F)^2/a^3*d^2*\ln(F^{(n*g*f*x)* \\ & F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n})*x+3/n^2/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(F^{(n*g*f \\ & *x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}*\ln(F^{(g*(f*x+e))})+3/n^2/g^2/f^2/\ln(F)^2 \\ & /a^3*d^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n})*x-3/n^2/g^3/f^3 \\ & /ln(F)^3/a^3*d^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}*\ln(F^{(g \\ & *(f*x+e))})-1/n/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{( \\ & g*(f*x+e))})^n}*\ln(F^{(g*(f*x+e))})^2+1/n/g^3/f^3/\ln(F)^3/a^3*d^2*\ln(1+b*F^{(n* \\ & g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}/a)*\ln(F^{(g*(f*x+e))})^2+1/n/g/f/\ln(F)/ \\ & a^3*d^2*\ln(F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n})*x^2+1/n/g^3/f^3/\ln(F) \\ & )^3/a^3*d^2*\ln(F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n}*\ln(F^{(g*(f*x+e))}) \\ & )^2-1/n/g/f/\ln(F)/a^3*d^2*\ln(a+b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*(F^{(g*(f*x+e))})^n} \\ & )*x^2-2/n^2/g^2/f^2/\ln(F)^2/a^3*d^2*\text{polylog}(2,-b*F^{(n*g*f*x)*F^{(-n*g*f*x)}*( \end{aligned}$$

$$F^{(g*(f*x+e))^{n/a}} * x^{-3/n^2/g^2/f^2/\ln(F)^2/a^3*c*d*\ln(F^{(n*g*f*x)} * F^{(-n*g*f*x)}) * (F^{(g*(f*x+e))^{n/a}})^3 + 3/n^2/g^2/f^2/\ln(F)^2/a^3*c*d*\ln(a+b*F^{(n*g*f*x)} * F^{(-n*g*f*x)}) * (F^{(g*(f*x+e))^{n/a}})^3$$

**Maxima [A]**

time = 0.40, size = 711, normalized size = 1.62

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^3,x, algorithm="maxima")

[Out]  $\frac{1}{2}c^2 \left( \frac{(2F^{fgnx} + gne) * b + 3a}{(2F^{fgnx} + gne) * a^{3b} + F^{(2fgnx + 2gne) * a^2b^2 + a^4} * fgx \log(F)} \right) + \frac{2(fgxn + gne)}{a^{3fgn} - 2 \log(F^{fgnx + gne) * b + a} / (a^{3fgn} \log(F))} + \frac{1}{2} (3ad^2fgnx^2 \log(F) - 2acd + 2(F^{gne}) * b * d^2fgnx^2 \log(F) - F^{(gne) * bc * d} + (2F^{gne}) * bc * d * fgx \log(F) - F^{(gne) * b * d^2} * x) * F^{fgnx} + 2(3acd * fgx \log(F) - ad^2) * x / (2F^{fgnx} * F^{gne} * a^{3b} * f^2 * g^{2n^2} \log(F)^2 + F^{(2fgnx) * F^{(2gne) * a^2b^2 * f^2 * g^{2n^2} \log(F)^2} + a^4 * f^2 * g^{2n^2} \log(F)^2) - (3cd * fgx \log(F) - d^2) * x / (a^{3f^2 * g^{2n^2} \log(F)^2} - (f^2 * g^{2n^2} * x^2 * \log(F^{fgnx} * F^{gne}) * b / a + 1) * \log(F)^2 + 2fgnx * \operatorname{dilog}(-F^{fgnx} * F^{gne}) * b / a) * \log(F) - 2 \operatorname{polylog}(3, -F^{fgnx} * F^{gne}) * b / a) * d^2 / (a^{3f^3 * g^{3n^3} \log(F)^3} - (2cd * fgx \log(F) - 3d^2) * (fgnx * \log(F^{fgnx} * F^{gne}) * b / a + 1) * \log(F) + \operatorname{dilog}(-F^{fgnx} * F^{gne}) * b / a) / (a^{3f^3 * g^{3n^3} \log(F)^3} + (3cd * fgx \log(F) - d^2) * \log(F^{fgnx} * F^{gne}) * b + a) / (a^{3f^3 * g^{3n^3} \log(F)^3} + 1/6 * (2d^2 * f^3 * g^{3n^3} * x^3 * \log(F)^3 + 3 * (2cd * fgx \log(F) - 3d^2) * f^2 * g^{2n^2} * x^2 * \log(F)^2) / (a^{3f^3 * g^{3n^3} \log(F)^3}$

**Fricas [B]** Leaf count of result is larger than twice the leaf count of optimal. 1652 vs. 2(440) = 880.

time = 0.41, size = 1652, normalized size = 3.76

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x+c)^2/(a+b\*(F^(g\*(f\*x+e))))^3,x, algorithm="fricas")

[Out]  $\frac{1}{6} (2(a^2d^2f^3g^3n^3x^3 + 3a^2cd * f^3g^3n^3x^2 + 3a^2c^2 * f^3g^3n^3x + 3a^2c^2 * f^2g^3n^3e - 3a^2cd * f^3g^3n^3e^2 + a^2d^2 * g^3n^3e^3) * \log(F)^3 + 9(a^2c^2 * f^2g^2n^2 - 2a^2cd * f^2g^2n^2e + a^2d^2 * g^2n^2e^2) * \log(F)^2 + (2(b^2d^2 * f^3g^3n^3x^3 + 3b^2cd * f^3g^3n^3x^2 + 3b^2c^2 * f^3g^3n^3x + 3b^2c^2 * f^2g^3n^3e - 3b^2cd * f^3g^3n^3e^2 + b^2d^2 * g^3n^3e^3) * \log(F)^3 - 9(b^2d^2 * f^2g^2n^2x^2 + 2b^2cd * f^2g^2n^2x + 2b^2cd * f^2g^2n^2e - b^2d^2 * g^2n^2e^2) * \log(F)^2 + 6(b^2d^2 * fgx + b^2d^2 * gne) * \log(F)) * F^{(2fgnx + 2gne)}$



```
g(F))*exp(f*g*n*x*log(F)), x) + Integral(d**2*f**2*g**2*n**2*x**2*log(F)**
2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c*d*f**2*g
**2*n**2*x*log(F)**2/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(a*
*2*f**2*g**2*n**2*log(F)**2)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^2/((F^((f*x + e)*g))^n*b + a)^3, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c + dx)^2}{(a + b(F^{g(e+fx)})^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n)^3,x)
```

```
[Out] int((c + d*x)^2/(a + b*(F^(g*(e + f*x))))^n)^3, x)
```

$$3.60 \quad \int \frac{c+dx}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3} dx$$

Optimal. Leaf size=276

$$\frac{(c+dx)^2}{2a^3d} - \frac{d}{2a^2f^2(a+b(Fg(e+fx))^n)g^2n^2\log^2(F)} - \frac{3dx}{2a^3fgn\log(F)} + \frac{c+dx}{2af(a+b(Fg(e+fx))^n)^2gn\log(F)} + \dots$$

[Out]  $1/2*(d*x+c)^2/a^3/d-1/2*d/a^2/f^2/(a+b*(F^(g*(f*x+e))))^n/g^2/n^2/\ln(F)^2-3/2*d*x/a^3/f/g/n/\ln(F)+1/2*(d*x+c)/a/f/(a+b*(F^(g*(f*x+e))))^n^2/g/n/\ln(F)+(d*x+c)/a^2/f/(a+b*(F^(g*(f*x+e))))^n/g/n/\ln(F)+3/2*d*\ln(a+b*(F^(g*(f*x+e))))^n/a^3/f^2/g^2/n^2/\ln(F)^2-(d*x+c)*\ln(1+b*(F^(g*(f*x+e))))^n/a/a^3/f/g/n/\ln(F)-d*\text{polylog}(2,-b*(F^(g*(f*x+e))))^n/a/a^3/f^2/g^2/n^2/\ln(F)^2$

Rubi [A]

time = 0.41, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 12, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.522$ , Rules used = {2216, 2215, 2221, 2317, 2438, 2222, 2320, 272, 36, 29, 31, 46}

$$\frac{d\text{PolyLog}\left(2, -\frac{b(Fg(e+fx))^n}{a}\right)}{a^3f^2g^2n^2\log^2(F)} - \frac{(c+dx)\log\left(\frac{b(Fg(e+fx))^n}{a}+1\right)}{a^3fgn\log(F)} + \frac{3d\log(a+b(Fg(e+fx))^n)}{2a^2f^2g^2n^2\log^2(F)} + \frac{(c+dx)^2}{2a^3d} - \frac{3dx}{2a^3fgn\log(F)} + \frac{c+dx}{a^2fgn\log(F)(a+b(Fg(e+fx))^n)} - \frac{d}{2a^2f^2g^2n^2\log^2(F)(a+b(Fg(e+fx))^n)} + \frac{c+dx}{2afgn\log(F)(a+b(Fg(e+fx))^n)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d\*x)/(a + b\*(F^(g\*(e + f\*x))))^n]^3, x]

[Out]  $(c+d*x)^2/(2*a^3*d) - d/(2*a^2*f^2*(a+b*(F^(g*(e+f*x))))^n)*g^2*n^2*Log[F]^2 - (3*d*x)/(2*a^3*f*g*n*Log[F]) + (c+d*x)/(2*a*f*(a+b*(F^(g*(e+f*x))))^n)^2*g*n*Log[F] + (c+d*x)/(a^2*f*(a+b*(F^(g*(e+f*x))))^n)*g*n*Log[F] + (3*d*Log[a+b*(F^(g*(e+f*x))))^n]/(2*a^3*f^2*g^2*n^2*Log[F]^2) - ((c+d*x)*Log[1+(b*(F^(g*(e+f*x))))^n/a])/a^3*f*g*n*Log[F] - (d*PolyLog[2, -(b*(F^(g*(e+f*x))))^n/a])/a^3*f^2*g^2*n^2*Log[F]^2$

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))(-1), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 46

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 2215

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*((F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2216

```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2222

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{(a + b(F^{g(e+fx)})^n)^3} dx &= \frac{\int \frac{c+dx}{(a+b(F^{g(e+fx)})^n)^2} dx}{a} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)}{(a+b(F^{g(e+fx)})^n)^3} dx}{a} \\
&= \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{\int \frac{c+dx}{a+b(F^{g(e+fx)})^n} dx}{a^2} - \frac{b \int \frac{(F^{g(e+fx)})^n (c+dx)}{(a+b(F^{g(e+fx)})^n)^2} dx}{a^2} \\
&= \frac{(c + dx)^2}{2a^3 d} + \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{c + dx}{a^2 f (a + b(F^{g(e+fx)})^n) gn \log(F)} \\
&= \frac{(c + dx)^2}{2a^3 d} + \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{c + dx}{a^2 f (a + b(F^{g(e+fx)})^n) gn \log(F)} \\
&= \frac{(c + dx)^2}{2a^3 d} + \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{c + dx}{a^2 f (a + b(F^{g(e+fx)})^n) gn \log(F)} \\
&= \frac{(c + dx)^2}{2a^3 d} - \frac{d}{2a^2 f^2 (a + b(F^{g(e+fx)})^n) g^2 n^2 \log^2(F)} - \frac{dx}{2a^3 f gn \log(F)} + \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)} \\
&= \frac{(c + dx)^2}{2a^3 d} - \frac{d}{2a^2 f^2 (a + b(F^{g(e+fx)})^n) g^2 n^2 \log^2(F)} - \frac{3dx}{2a^3 f gn \log(F)} + \frac{c + dx}{2af (a + b(F^{g(e+fx)})^n)}
\end{aligned}$$

**Mathematica [F]**

time = 0.94, size = 0, normalized size = 0.00

$$\int \frac{c + dx}{(a + b(F^{g(e+fx)})^n)^3} dx$$

Verification is not applicable to the result.

`[In] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^3, x]``[Out] Integrate[(c + d*x)/(a + b*(F^(g*(e + f*x))))^n]^3, x]`**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 667 vs. 2(266) = 532.

time = 0.03, size = 668, normalized size = 2.42

method	result
risch	$\frac{2(F^{g(fx+e)})^n \ln(F) bdfgnx + 3 \ln(F) adfgnx + 2(F^{g(fx+e)})^n \ln(F) bcfgn + 3c \ln(F) afgn - (F^{g(fx+e)})^n bd - ad}{2n^2 g^2 f^2 \ln(F)^2 a^2 (a + b(F^{g(fx+e)})^n)^2} - \frac{3d \ln(F^{ngfx} F^{-ngfa})}{2a^3 n^2 g^2 f^2}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/2*(2*(F^(g*(f*x+e))))^n*ln(F)*b*d*f*g*n*x+3*ln(F)*a*d*f*g*n*x+2*(F^(g*(f*x+e))))^n*ln(F)*b*c*f*g*n+3*c*ln(F)*a*f*g*n-(F^(g*(f*x+e))))^n*b*d-a*d)/n^2/g^2/f^2/ln(F)^2/a^2/(a+b*(F^(g*(f*x+e))))^n)^2-3/2/a^3/n^2/g^2/f^2/ln(F)^2*d*ln(F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)+3/2/a^3/n^2/g^2/f^2/ln(F)^2*d*ln(a+b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)+1/a^3/n/g/f/ln(F)*c*ln(F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)-1/a^3/n/g/f/ln(F)*c*ln(a+b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)-1/a^3/n^2/g^2/f^2/ln(F)^2*d*polylog(2,-b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n/a)-1/a^3/n/g^2/f^2/ln(F)^2*d*ln(1+b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n/a)*ln(F^(g*(f*x+e))))+1/a^3/n/g/f/ln(F)*d*ln(F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*x-1/a^3/n/g^2/f^2/ln(F)^2*d*ln(F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*ln(F^(g*(f*x+e))))-1/a^3/n/g/f/ln(F)*d*ln(a+b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*x+1/a^3/n/g^2/f^2/ln(F)^2*d*ln(a+b*F^(n*g*f*x))*F^(-n*g*f*x)*(F^(g*(f*x+e))))^n)*ln(F^(g*(f*x+e))))+1/2/a^3/g^2/f^2/ln(F)^2*d*ln(F^(g*(f*x+e))))^2
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="maxima")`



```
[Out] 1/2*d*((3*a*f*g*n*x*log(F) + (2*F^(g*n*e))*b*f*g*n*x*log(F) - F^(g*n*e)*b)*F
^(f*g*n*x) - a)/(2*F^(f*g*n*x)*F^(g*n*e)*a^3*b*f^2*g^2*n^2*log(F)^2 + F^(2*
f*g*n*x)*F^(2*g*n*e)*a^2*b^2*f^2*g^2*n^2*log(F)^2 + a^4*f^2*g^2*n^2*log(F)^
2) + 2*integrate(1/2*(2*f*g*n*x*log(F) - 3)/(F^(f*g*n*x)*F^(g*n*e)*a^2*b*f*
g*n*log(F) + a^3*f*g*n*log(F)), x) + 1/2*c*((2*F^(f*g*n*x + g*n*e))*b + 3*a
)/((2*F^(f*g*n*x + g*n*e)*a^3*b + F^(2*f*g*n*x + 2*g*n*e)*a^2*b^2 + a^4)*f*
g*n*log(F) + 2*(f*g*n*x + g*n*e)/(a^3*f*g*n) - 2*log(F^(f*g*n*x + g*n*e))*b
+ a)/(a^3*f*g*n*log(F))
```

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 738 vs. 2(271) = 542.

time = 0.37, size = 738, normalized size = 2.67

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="fricas")
```

```
[Out] -1/2*(a^2*d - (a^2*d*f^2*g^2*n^2*x^2 + 2*a^2*c*f^2*g^2*n^2*x + 2*a^2*c*f*g^
2*n^2*e - a^2*d*g^2*n^2*e^2)*log(F)^2 - ((b^2*d*f^2*g^2*n^2*x^2 + 2*b^2*c*f
^2*g^2*n^2*x + 2*b^2*c*f*g^2*n^2*e - b^2*d*g^2*n^2*e^2)*log(F)^2 - 3*(b^2*d
*f*g*n*x + b^2*d*g*n*e)*log(F))*F^(2*f*g*n*x + 2*g*n*e) + (a*b*d - 2*(a*b*d
*f^2*g^2*n^2*x^2 + 2*a*b*c*f^2*g^2*n^2*x + 2*a*b*c*f*g^2*n^2*e - a*b*d*g^2*
n^2*e^2)*log(F)^2 + 2*(2*a*b*d*f*g*n*x - a*b*c*f*g*n + 3*a*b*d*g*n*e)*log(F
))*F^(f*g*n*x + g*n*e) + 2*(2*F^(f*g*n*x + g*n*e)*a*b*d + F^(2*f*g*n*x + 2*
g*n*e)*b^2*d + a^2*d)*dilog(-(F^(f*g*n*x + g*n*e))*b + a)/a + 1) - (3*a^2*d
+ (3*b^2*d - 2*(b^2*c*f*g*n - b^2*d*g*n*e)*log(F))*F^(2*f*g*n*x + 2*g*n*e)
+ 2*(3*a*b*d - 2*(a*b*c*f*g*n - a*b*d*g*n*e)*log(F))*F^(f*g*n*x + g*n*e) -
2*(a^2*c*f*g*n - a^2*d*g*n*e)*log(F))*log(F^(f*g*n*x + g*n*e))*b + a) - 3*(a
^2*c*f*g*n - a^2*d*g*n*e)*log(F) + 2*((b^2*d*f*g*n*x + b^2*d*g*n*e)*F^(2*f*
g*n*x + 2*g*n*e)*log(F) + 2*(a*b*d*f*g*n*x + a*b*d*g*n*e)*F^(f*g*n*x + g*n*
e)*log(F) + (a^2*d*f*g*n*x + a^2*d*g*n*e)*log(F))*log((F^(f*g*n*x + g*n*e))*
b + a)/a)/(2*F^(f*g*n*x + g*n*e)*a^4*b*f^2*g^2*n^2*log(F)^2 + F^(2*f*g*n*x
+ 2*g*n*e)*a^3*b^2*f^2*g^2*n^2*log(F)^2 + a^5*f^2*g^2*n^2*log(F)^2)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3acfgn \log(F) + 3adfgnx \log(F) - ad + (2bcfgn \log(F) + 2bdfgnx \log(F) - bd) (F^{g(e+fx)})^n}{2a^4 f^2 g^2 n^2 \log(F)^2 + 4a^3 b f^2 g^2 n^2 (F^{g(e+fx)})^n \log(F)^2 + 2a^2 b^2 f^2 g^2 n^2 (F^{g(e+fx)})^{2n} \log(F)^2} + \frac{\int \left( -\frac{3d}{a+b e^{g n \log(F)} + f g n \log(F)} \right) dx + \int \frac{2c f g n \log(F)}{a+b e^{g n \log(F)} + f g n \log(F)} dx + \int \frac{2d f g n x \log(F)}{a+b e^{g n \log(F)} + f g n \log(F)} dx}{2a^2 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F**(g*(f*x+e))))**n)**3,x)
```

```
[Out] (3*a*c*f*g*n*log(F) + 3*a*d*f*g*n*x*log(F) - a*d + (2*b*c*f*g*n*log(F) + 2*
b*d*f*g*n*x*log(F) - b*d)*(F**(g*(e + f*x))))**n)/(2*a**4*f**2*g**2*n**2*log
```

```
(F)**2 + 4*a**3*b*f**2*g**2*n**2*(F**(g*(e + f*x)))**n*log(F)**2 + 2*a**2*b
**2*f**2*g**2*n**2*(F**(g*(e + f*x)))**(2*n)*log(F)**2) + (Integral(-3*d/(a
+ b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*c*f*g*n*log(F)
/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*d*f*g*n*x*log(F)
/(a + b*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(2*a**2*f*g*n*log(F))
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+b*(F^(g*(f*x+e)))^n)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)/((F^((f*x + e)*g))^n*b + a)^3, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{(a + b(F^{g(e+fx)})^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x)/(a + b*(F^(g*(e + f*x)))^n)^3,x)
```

```
[Out] int((c + d*x)/(a + b*(F^(g*(e + f*x)))^n)^3, x)
```

$$3.61 \quad \int \frac{1}{\left(a+b\left(F^{g(e+fx)}\right)^n\right)^3} dx$$

**Optimal.** Leaf size=111

$$\frac{x}{a^3} + \frac{1}{2af(a+b(F^{g(e+fx)})^n)^2 gn \log(F)} + \frac{1}{a^2 f(a+b(F^{g(e+fx)})^n) gn \log(F)} - \frac{\log(a+b(F^{g(e+fx)})^n)}{a^3 f gn \log(F)}$$

[Out]  $x/a^3 + 1/2/a/f/(a+b*(F^{(g*(f*x+e))})^n)^2/g/n/\ln(F) + 1/a^2/f/(a+b*(F^{(g*(f*x+e))})^n)/g/n/\ln(F) - \ln(a+b*(F^{(g*(f*x+e))})^n)/a^3/f/g/n/\ln(F)$

**Rubi [A]**

time = 0.05, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {2320, 272, 46}

$$-\frac{\log(a+b(F^{g(e+fx)})^n)}{a^3 f gn \log(F)} + \frac{x}{a^3} + \frac{1}{a^2 f gn \log(F)(a+b(F^{g(e+fx)})^n)} + \frac{1}{2af gn \log(F)(a+b(F^{g(e+fx)})^n)^2}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*(F^(g*(e + f*x))))^n]^(-3), x]`

[Out]  $x/a^3 + 1/(2*a*f*(a + b*(F^{(g*(e + f*x))})^n)^2*g*n*Log[F]) + 1/(a^2*f*(a + b*(F^{(g*(e + f*x))})^n)*g*n*Log[F]) - Log[a + b*(F^{(g*(e + f*x))})^n]/(a^3*f*g*n*Log[F])$

Rule 46

`Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

Rule 272

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 2320

`Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*`

(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b(F^{g(e+fx)})^n)^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, F^{g(e+fx)}\right)}{fg \log(F)} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^3} dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{a^3x} - \frac{b}{a(a+bx)^3} - \frac{b}{a^2(a+bx)^2} - \frac{b}{a^3(a+bx)}\right) dx, x, (F^{g(e+fx)})^n\right)}{fgn \log(F)} \\
 &= \frac{x}{a^3} + \frac{1}{2af(a + b(F^{g(e+fx)})^n)^2 g n \log(F)} + \frac{1}{a^2 f(a + b(F^{g(e+fx)})^n) g n \log(F)} - \dots
 \end{aligned}$$

Mathematica [A]

time = 0.21, size = 128, normalized size = 1.15

$$\frac{\frac{3a+2b(F^{g(e+fx)})^n}{2a^2 f(a+b(F^{g(e+fx)})^n)^2 g n} + \frac{\log((F^{g(e+fx)})^n)}{a^3 f g n} - \frac{\log(a^4 f g n \log(F) + a^3 b f (F^{g(e+fx)})^n g n \log(F))}{a^3 f g n}}{\log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x)))^n)^(-3), x]

[Out] ((3\*a + 2\*b\*(F^(g\*(e + f\*x)))^n)/(2\*a^2\*f\*(a + b\*(F^(g\*(e + f\*x)))^n)^2\*g\*n) + Log[(F^(g\*(e + f\*x)))^n]/(a^3\*f\*g\*n) - Log[a^4\*f\*g\*n\*Log[F] + a^3\*b\*f\*(F^(g\*(e + f\*x)))^n\*g\*n\*Log[F]]/(a^3\*f\*g\*n))/Log[F]

Maple [A]

time = 0.06, size = 96, normalized size = 0.86

method	result
derivativedivides	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a^3} - \frac{\ln(a+b(F^{g(fx+e)})^n)}{a^3} + \frac{1}{a^2(a+b(F^{g(fx+e)})^n)} + \frac{1}{2a(a+b(F^{g(fx+e)})^n)^2}}{fg \ln(F)n}$
default	$\frac{\frac{\ln((F^{g(fx+e)})^n)}{a^3} - \frac{\ln(a+b(F^{g(fx+e)})^n)}{a^3} + \frac{1}{a^2(a+b(F^{g(fx+e)})^n)} + \frac{1}{2a(a+b(F^{g(fx+e)})^n)^2}}{fg \ln(F)n}$
risch	$\frac{\ln(F^{g(fx+e)})}{\ln(F)a^3 fg} + \frac{2b(F^{g(fx+e)})^n + 3a}{2 \ln(F)fgn a^2(a+b(F^{g(fx+e)})^n)^2} - \frac{\ln((F^{g(fx+e)})^n + \frac{a}{b})}{\ln(F)a^3 fgn}$

norman	$\frac{\frac{b e^{n \ln(e^g(fx+e) \ln(F))}}{\ln(F) f g n a^2} + \frac{b^2 x e^{2n \ln(e^g(fx+e) \ln(F))}}{a^3} + \frac{x}{a} + \frac{2 b x e^{n \ln(e^g(fx+e) \ln(F))}}{a^2} + \frac{3}{2 \ln(F) a f g n}}{\left(a + b e^{n \ln(e^g(fx+e) \ln(F))}\right)^2} - \frac{\ln\left(a + b e^{n \ln(e^g(fx+e) \ln(F))}\right)}{\ln(F) a^3 f g n}}$
--------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*(F^(g*(f*x+e)))^n)^3,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{g/f/\ln(F)/n*(1/a^3*\ln((F^{(g*(f*x+e)))^n})-1/a^3*\ln(a+b*(F^{(g*(f*x+e)))^n))+1/a^2/(a+b*(F^{(g*(f*x+e)))^n})+1/2/a/(a+b*(F^{(g*(f*x+e)))^n})^2}$

**Maxima** [A]

time = 0.35, size = 143, normalized size = 1.29

$$\frac{2 F f g n x + g n e b + 3 a}{2 (2 F f g n x + g n e a^3 b + F^2 f g n x + 2 g n e a^2 b^2 + a^4) f g n \log(F)} + \frac{f g n x + g n e}{a^3 f g n} - \frac{\log(F f g n x + g n e b + a)}{a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{2} * (2 * F^{(f * g * n * x + g * n * e)} * b + 3 * a) / ((2 * F^{(f * g * n * x + g * n * e)} * a^3 * b + F^{(2 * f * g * n * x + 2 * g * n * e)} * a^2 * b^2 + a^4) * f * g * n * \log(F)) + (f * g * n * x + g * n * e) / (a^3 * f * g * n) - \log(F^{(f * g * n * x + g * n * e)} * b + a) / (a^3 * f * g * n * \log(F))$

**Fricas** [A]

time = 0.45, size = 197, normalized size = 1.77

$$\frac{2 F^2 f g n x + 2 g n e b^2 f g n x \log(F) + 2 a^2 f g n x \log(F) + 2 (2 a b f g n x \log(F) + a b) F f g n x + g n e + 3 a^2 - 2 (2 F f g n x + g n e a b + F^2 f g n x + 2 g n e b^2 + a^2) \log(F f g n x + g n e b + a)}{2 (2 F f g n x + g n e a^4 b f g n \log(F) + F^2 f g n x + 2 g n e a^3 b^2 f g n \log(F) + a^5 f g n \log(F))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e)))^n)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{2} * (2 * F^{(2 * f * g * n * x + 2 * g * n * e)} * b^2 * f * g * n * x * \log(F) + 2 * a^2 * f * g * n * x * \log(F) + 2 * (2 * a * b * f * g * n * x * \log(F) + a * b) * F^{(f * g * n * x + g * n * e)} + 3 * a^2 - 2 * (2 * F^{(f * g * n * x + g * n * e)} * a * b + F^{(2 * f * g * n * x + 2 * g * n * e)} * b^2 + a^2) * \log(F^{(f * g * n * x + g * n * e)} * b + a)) / (2 * F^{(f * g * n * x + g * n * e)} * a^4 * b * f * g * n * \log(F) + F^{(2 * f * g * n * x + 2 * g * n * e)} * a^3 * b^2 * f * g * n * \log(F) + a^5 * f * g * n * \log(F))$

**Sympy** [A]

time = 0.09, size = 116, normalized size = 1.05

$$\frac{3a + 2b(F^{g(e+fx)})^n}{2a^4 f g n \log(F) + 4a^3 b f g n (F^{g(e+fx)})^n \log(F) + 2a^2 b^2 f g n (F^{g(e+fx)})^{2n} \log(F)} + \frac{x}{a^3} - \frac{\log\left(\frac{a}{b} + (F^{g(e+fx)})^n\right)}{a^3 f g n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F**(g*(f*x+e)))**n)**3,x)`

[Out]  $(3*a + 2*b*(F**(g*(e + f*x)))**n)/(2*a**4*f*g*n*log(F) + 4*a**3*b*f*g*n*(F*(g*(e + f*x)))**n*log(F) + 2*a**2*b**2*f*g*n*(F**(g*(e + f*x)))**(2*n)*log(F)) + x/a**3 - log(a/b + (F**(g*(e + f*x)))**n)/(a**3*f*g*n*log(F))$

**Giac** [A]

time = 1.97, size = 136, normalized size = 1.23

$$\frac{\log\left(|F|^{fgnx}|F|^{gne}\right)}{a^3 fgn \log(F)} - \frac{\log\left(|F^{fgnx} F^{gne} b + a|\right)}{a^3 fgn \log(F)} + \frac{2 F^{fgnx} F^{gne} ab + 3 a^2}{2 (F^{fgnx} F^{gne} b + a)^2 a^3 fgn \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*(F^(g*(f*x+e))))^n)^3,x, algorithm="giac"`

[Out]  $\log(\text{abs}(F)^{(f*g*n*x)*\text{abs}(F)^{(g*n*e)})}/(a^3*f*g*n*log(F)) - \log(\text{abs}(F^{(f*g*n*x)*F^{(g*n*e)*b + a}})/(a^3*f*g*n*log(F)) + 1/2*(2*F^{(f*g*n*x)*F^{(g*n*e)*a*b + 3*a^2})/((F^{(f*g*n*x)*F^{(g*n*e)*b + a}})^{2*a^3*f*g*n*log(F))$

**Mupad** [B]

time = 3.50, size = 142, normalized size = 1.28

$$\frac{x}{a^3} + \frac{1}{2 a f g n \ln(F) \left(a^2 + b^2 (F^{fgx} F^{eg})^{2n} + 2 a b (F^{fgx} F^{eg})^n\right)} + \frac{1}{a^2 f g n \ln(F) (a + b (F^{fgx} F^{eg})^n)} - \frac{\ln(a + b (F^{fgx} F^{eg})^n)}{a^3 f g n \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*(F^(g*(e + f*x))))^n)^3,x`

[Out]  $x/a^3 + 1/(2*a*f*g*n*log(F)*(a^2 + b^2*(F^{(f*g*x)*F^{(e*g)}})^{(2*n)} + 2*a*b*(F^{(f*g*x)*F^{(e*g)}})^n) + 1/(a^2*f*g*n*log(F)*(a + b*(F^{(f*g*x)*F^{(e*g)}})^n) - \log(a + b*(F^{(f*g*x)*F^{(e*g)}})^n)/(a^3*f*g*n*log(F))$

$$3.62 \quad \int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^3 (c+dx)}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)^3/(d\*x+c), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)), x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))^n)^3\*(c + d\*x)), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^3 (c+dx)} dx$$

Mathematica [A]

time = 1.38, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)), x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)), x]

Maple [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(fx+e)\right)^n\right)^3 (dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c), x)$

[Out]  $\text{int}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c), x)$

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c), x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{2} * (3 * a * d * f * g * n * x * \log(F) + 3 * a * c * f * g * n * \log(F) + (2 * F^{(g * n * e)} * b * d * f * g * n * x * \log(F) + 2 * F^{(g * n * e)} * b * c * f * g * n * \log(F) + F^{(g * n * e)} * b * d) * F^{(f * g * n * x)} + a * d) / (a^4 * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 2 * a^4 * c * d * f^2 * g^2 * n^2 * x * \log(F)^2 + a^4 * c^2 * f^2 * g^2 * n^2 * \log(F)^2 + (F^{(2 * g * n * e)} * a^2 * b^2 * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 2 * F^{(2 * g * n * e)} * a^2 * b^2 * c * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(2 * g * n * e)} * a^2 * b^2 * c^2 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(2 * f * g * n * x)} + 2 * (F^{(g * n * e)} * a^3 * b * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 2 * F^{(g * n * e)} * a^3 * b * c * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(g * n * e)} * a^3 * b * c^2 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(f * g * n * x)}) + \text{integrate}(1/2 * (2 * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 2 * c^2 * f^2 * g^2 * n^2 * \log(F)^2 + 3 * c * d * f * g * n * \log(F) + 2 * d^2 + (4 * c * d * f^2 * g^2 * n^2 * \log(F)^2 + 3 * d^2 * f * g * n * \log(F)) * x) / (a^3 * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 3 * a^3 * c * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 3 * a^3 * c^2 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + a^3 * c^3 * f^2 * g^2 * n^2 * \log(F)^2 + (F^{(g * n * e)} * a^2 * b * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 3 * F^{(g * n * e)} * a^2 * b * c * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 3 * F^{(g * n * e)} * a^2 * b * c^2 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(g * n * e)} * a^2 * b * c^3 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(f * g * n * x)}), x)$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c), x, \text{algorithm}="fricas")$

[Out]  $\text{integral}(1/(a^3*d*x + a^3*c + (b^3*d*x + b^3*c)*(F^{(f*g*x + g*e)})^{(3*n)} + 3*(a*b^2*d*x + a*b^2*c)*(F^{(f*g*x + g*e)})^{(2*n)} + 3*(a^2*b*d*x + a^2*b*c)*(F^{(f*g*x + g*e)})^n), x)$

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F**(g*(f*x+e))))**n)**3/(d*x+c),x)
```

```
[Out] (3*a*c*f*g*n*log(F) + 3*a*d*f*g*n*x*log(F) + a*d + (2*b*c*f*g*n*log(F) + 2*
b*d*f*g*n*x*log(F) + b*d)*(F**(g*(e + f*x))))**n)/(2*a**4*c**2*f**2*g**2*n**
2*log(F)**2 + 4*a**4*c*d*f**2*g**2*n**2*x*log(F)**2 + 2*a**4*d**2*f**2*g**2
*n**2*x**2*log(F)**2 + (2*a**2*b**2*c**2*f**2*g**2*n**2*log(F)**2 + 4*a**2*
b**2*c*d*f**2*g**2*n**2*x*log(F)**2 + 2*a**2*b**2*d**2*f**2*g**2*n**2*x**2*
log(F)**2)*(F**(g*(e + f*x))**(2*n) + (4*a**3*b*c**2*f**2*g**2*n**2*log(F)
**2 + 8*a**3*b*c*d*f**2*g**2*n**2*x*log(F)**2 + 4*a**3*b*d**2*f**2*g**2*n**
2*x**2*log(F)**2)*(F**(g*(e + f*x))))**n) + (Integral(2*d**2/(a*c**3 + 3*a*c
**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F))*exp(f*g*
n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c*d*
**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e*g*n*log(F)
))*exp(f*g*n*x*log(F))), x) + Integral(2*c**2*f**2*g**2*n**2*log(F)**2/(a*c
**3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F)
))*exp(f*g*n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))
+ 3*b*c*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(
e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(3*c*d*f*g*n*log(F)/(a*c**
3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F))
)*exp(f*g*n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) +
3*b*c*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e*
g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(3*d**2*f*g*n*x*log(F)/(a*c*
**3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*exp(e*g*n*log(F)
))*exp(f*g*n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))
+ 3*b*c*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b*d**3*x**3*exp(e
*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(2*d**2*f**2*g**2*n**2*x**2
*log(F)**2/(a*c**3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x**3 + b*c**3*
exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*log(F))*exp(
f*g*n*x*log(F)) + 3*b*c*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + b
*d**3*x**3*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x) + Integral(4*c*d*f**2
*g**2*n**2*x*log(F)**2/(a*c**3 + 3*a*c**2*d*x + 3*a*c*d**2*x**2 + a*d**3*x*
**3 + b*c**3*exp(e*g*n*log(F))*exp(f*g*n*x*log(F)) + 3*b*c**2*d*x*exp(e*g*n*
log(F))*exp(f*g*n*x*log(F)) + 3*b*c*d**2*x**2*exp(e*g*n*log(F))*exp(f*g*n*x
*log(F)) + b*d**3*x**3*exp(e*g*n*log(F))*exp(f*g*n*x*log(F))), x))/(2*a**2*
f**2*g**2*n**2*log(F)**2)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*(F^(g*(f*x+e)))^n)^3/(d*x+c),x, algorithm="giac")
```

[Out] integrate(1/(((F^((f\*x + e)\*g))^n\*b + a)^3\*(d\*x + c)), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(Fg^{(e+fx)})^n)^3 (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*(F^(g\*(e + f\*x))))^n)^3\*(c + d\*x),x)

[Out] int(1/((a + b\*(F^(g\*(e + f\*x))))^n)^3\*(c + d\*x), x)

$$3.63 \quad \int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)^2} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^3 (c+dx)^2}, x\right)$$

[Out] Unintegrable(1/(a+b\*(F^(f\*g\*x+e\*g))^n)^3/(d\*x+c)^2,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((a + b\*(F^(g\*(e + f\*x))))^n)^3\*(c + d\*x)^2], x]

[Out] Defer[Int][1/((a + b\*(F^(e\*g + f\*g\*x))))^n)^3\*(c + d\*x)^2), x]

Rubi steps

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)^2} dx = \int \frac{1}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^3 (c+dx)^2} dx$$

Mathematica [A]

time = 1.13, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(e+fx)\right)^n\right)^3 (c+dx)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)^3\*(c + d\*x)^2], x]

[Out] Integrate[1/((a + b\*(F^(g\*(e + f\*x))))^n)^3\*(c + d\*x)^2), x]

Maple [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b\left(Fg(fx+e)\right)^n\right)^3 (dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c)^2,x)$

[Out]  $\text{int}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c)^2,x)$

**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c)^2,x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{2} * (3 * a * d * f * g * n * x * \log(F) + 3 * a * c * f * g * n * \log(F) + 2 * (F^{(g * n * e)} * b * d * f * g * n * x * \log(F) + F^{(g * n * e)} * b * c * f * g * n * \log(F) + F^{(g * n * e)} * b * d) * F^{(f * g * n * x)} + 2 * a * d) / (a^4 * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 3 * a^4 * c * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 3 * a^4 * c^2 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + a^4 * c^3 * f^2 * g^2 * n^2 * \log(F)^2 + (F^{(2 * g * n * e)} * a^2 * b^2 * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 3 * F^{(2 * g * n * e)} * a^2 * b^2 * c * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 3 * F^{(2 * g * n * e)} * a^2 * b^2 * c^2 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(2 * g * n * e)} * a^2 * b^2 * c^3 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(2 * f * g * n * x)} + 2 * (F^{(g * n * e)} * a^3 * b * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 3 * F^{(g * n * e)} * a^3 * b * c * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 3 * F^{(g * n * e)} * a^3 * b * c^2 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(g * n * e)} * a^3 * b * c^3 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(f * g * n * x)}) + \text{integrate}((d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + c^2 * f^2 * g^2 * n^2 * \log(F)^2 + 3 * c * d * f * g * n * \log(F) + 3 * d^2 + (2 * c * d * f^2 * g^2 * n^2 * \log(F)^2 + 3 * d^2 * f * g * n * \log(F))) * x) / (a^3 * d^4 * f^2 * g^2 * n^2 * x^4 * \log(F)^2 + 4 * a^3 * c * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 6 * a^3 * c^2 * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 4 * a^3 * c^3 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + a^3 * c^4 * f^2 * g^2 * n^2 * \log(F)^2 + (F^{(g * n * e)} * a^2 * b * d^4 * f^2 * g^2 * n^2 * x^4 * \log(F)^2 + 4 * F^{(g * n * e)} * a^2 * b * c * d^3 * f^2 * g^2 * n^2 * x^3 * \log(F)^2 + 6 * F^{(g * n * e)} * a^2 * b * c^2 * d^2 * f^2 * g^2 * n^2 * x^2 * \log(F)^2 + 4 * F^{(g * n * e)} * a^2 * b * c^3 * d * f^2 * g^2 * n^2 * x * \log(F)^2 + F^{(g * n * e)} * a^2 * b * c^4 * f^2 * g^2 * n^2 * \log(F)^2) * F^{(f * g * n * x)}), x)$

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(1/(a+b*(F^{(g*(f*x+e)))^n})^3/(d*x+c)^2,x, \text{algorithm}="fricas")$

[Out]  $\text{integral}(1/(a^3 * d^2 * x^2 + 2 * a^3 * c * d * x + a^3 * c^2 + (b^3 * d^2 * x^2 + 2 * b^3 * c * d * x + b^3 * c^2) * (F^{(f * g * x + g * e)})^{(3 * n)} + 3 * (a * b^2 * d^2 * x^2 + 2 * a * b^2 * c * d * x + a * b^2 * c^2) * (F^{(f * g * x + g * e)})^{(2 * n)} + 3 * (a^2 * b * d^2 * x^2 + 2 * a^2 * b * c * d * x + a^2 * b * c^2) * (F^{(f * g * x + g * e)})^n), x)$

**Sympy** [F(-1)] Timed out  
time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*(F\*\*(g\*(f\*x+e)))\*\*n)\*\*3/(d\*x+c)\*\*2,x)

[Out] Timed out

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*(F^(g\*(f\*x+e)))^n)^3/(d\*x+c)^2,x, algorithm="giac")

[Out] integrate(1/(((F^((f\*x + e)\*g))^n\*b + a)^3\*(d\*x + c)^2), x)

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{(a + b(F^{g(e+fx)})^n)^3 (c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^2),x)

[Out] int(1/((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^2), x)

### 3.64 $\int (a + be^x) \sqrt{c + dx} dx$

Optimal. Leaf size=71

$$be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} b \sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi} \left( \frac{\sqrt{c + dx}}{\sqrt{d}} \right)$$

[Out]  $2/3*a*(d*x+c)^{(3/2)}/d-1/2*b*erfi((d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*Pi^{(1/2)}/exp(c/d)+b*exp(x)*(d*x+c)^{(1/2)}$

Rubi [A]

time = 0.06, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {2214, 2207, 2211, 2235}

$$\frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} \sqrt{\pi} b \sqrt{d} e^{-\frac{c}{d}} \operatorname{Erfi} \left( \frac{\sqrt{c + dx}}{\sqrt{d}} \right) + be^x \sqrt{c + dx}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*E^x)\*Sqrt[c + d\*x],x]

[Out]  $b*E^x*Sqrt[c + d*x] + (2*a*(c + d*x)^{(3/2)})/(3*d) - (b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/(2*E^{(c/d)})$

Rule 2207

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(c + d\*x)^m\*((b\*F^(g\*(e + f\*x)))^n/(f\*g\*n\*Log[F])), x] - Dist[d\*(m/(f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*(b\*F^(g\*(e + f\*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2\*m] && !TrueQ[\$UseGamma]

Rule 2211

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[F^(g\*(e - c\*(f/d)) + f\*g\*(x^2/d)), x], x, Sqrt[c + d\*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2214

Int[((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.))^((p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int (a + be^x) \sqrt{c + dx} \, dx &= \int \left( a\sqrt{c + dx} + be^x \sqrt{c + dx} \right) dx \\
&= \frac{2a(c + dx)^{3/2}}{3d} + b \int e^x \sqrt{c + dx} \, dx \\
&= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2}(bd) \int \frac{e^x}{\sqrt{c + dx}} \, dx \\
&= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - b \text{Subst} \left( \int e^{-\frac{c}{d} + \frac{x^2}{d}} \, dx, x, \sqrt{c + dx} \right) \\
&= be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} b \sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi} \left( \frac{\sqrt{c + dx}}{\sqrt{d}} \right)
\end{aligned}$$

Mathematica [A]

time = 0.27, size = 71, normalized size = 1.00

$$be^x \sqrt{c + dx} + \frac{2a(c + dx)^{3/2}}{3d} - \frac{1}{2} b \sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi} \left( \frac{\sqrt{c + dx}}{\sqrt{d}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*E^x)*Sqrt[c + d*x], x]
```

```
[Out] b*E^x*Sqrt[c + d*x] + (2*a*(c + d*x)^(3/2))/(3*d) - (b*Sqrt[d]*Sqrt[Pi]*Erfi
i[Sqrt[c + d*x]/Sqrt[d]])/(2*E^(c/d))
```

Maple [A]

time = 0.06, size = 77, normalized size = 1.08

method	result	size
derivativedivides	$\frac{\frac{2(dx+c)^{\frac{3}{2}}}{3}a + 2be^{-\frac{c}{d}} \left( \frac{\sqrt{dx+c} e^{\frac{dx+c}{d}}}{2} - \frac{d\sqrt{\pi} \operatorname{erf} \left( \sqrt{-\frac{1}{d}} \sqrt{dx+c} \right)}{4\sqrt{-\frac{1}{d}}} \right)}{d}$	77

default	$\frac{\frac{2(dx+c)^{\frac{3}{2}}a}{3} + 2be^{-\frac{c}{d}} \left( \frac{\sqrt{dx+c} e^{\frac{dx+c}{d}}}{2} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{1}{d}} \sqrt{dx+c}\right)}{4\sqrt{-\frac{1}{d}}}\right)}{d}$	77
---------	--	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*exp(x))*(d*x+c)^(1/2),x,method=_RETURNVERBOSE)`

[Out]  $2/d*(1/3*(d*x+c)^{(3/2)}*a+b/\exp(1/d*c)*(1/2*(d*x+c)^{(1/2)}*\exp(1/d*(d*x+c))*d-1/4*d*\pi^{(1/2)/(-1/d)^{(1/2)}*\operatorname{erf}((-1/d)^{(1/2)}*(d*x+c)^{(1/2))})$

**Maxima** [A]

time = 0.30, size = 82, normalized size = 1.15

$$\frac{4(dx+c)^{\frac{3}{2}}a - 3 \left( \frac{\sqrt{\pi} d \operatorname{erf}\left(\sqrt{dx+c} \sqrt{-\frac{1}{d}}\right) e^{(-\frac{c}{d})}}{\sqrt{-\frac{1}{d}}} - 2\sqrt{dx+c} d e^{\left(\frac{dx+c}{d} - \frac{c}{d}\right)} \right) b}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))*(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]  $1/6*(4*(d*x+c)^{(3/2)}*a - 3*(\operatorname{sqrt}(\pi)*d*\operatorname{erf}(\operatorname{sqrt}(d*x+c)*\operatorname{sqrt}(-1/d))*e^{(-c/d)}/\operatorname{sqrt}(-1/d) - 2*\operatorname{sqrt}(d*x+c)*d*e^{((d*x+c)/d - c/d)}*b)/d$

**Fricas** [A]

time = 0.47, size = 70, normalized size = 0.99

$$\frac{3\sqrt{\pi}bd^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{c}{d})} + 2(2adx + 3bde^x + 2ac)\sqrt{dx+c}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))*(d*x+c)^(1/2),x, algorithm="fricas")`

[Out]  $1/6*(3*\operatorname{sqrt}(\pi)*b*d^2*\operatorname{sqrt}(-1/d)*\operatorname{erf}(\operatorname{sqrt}(d*x+c)*\operatorname{sqrt}(-1/d))*e^{(-c/d)} + 2*(2*a*d*x + 3*b*d*e^x + 2*a*c)*\operatorname{sqrt}(d*x+c))/d$

**Sympy** [A]

time = 1.10, size = 85, normalized size = 1.20

$$\frac{2a(c+dx)^{\frac{3}{2}}}{3d} - \frac{\sqrt{\pi}b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right)}{2} + \frac{b\sqrt{c+dx}e^{-\frac{c}{d}}e^{\frac{c}{d}+x}}{\sqrt{d}\sqrt{\frac{1}{d}}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*exp(x))\*(d\*x+c)\*\*(1/2),x)

[Out]  $2*a*(c + d*x)**(3/2)/(3*d) - \text{sqrt}(\text{pi})*b*\text{sqrt}(d)*\text{exp}(-c/d)*\text{erfi}(\text{sqrt}(c + d*x)/(d*\text{sqrt}(1/d)))/2 + b*\text{sqrt}(c + d*x)*\text{exp}(-c/d)*\text{exp}(c/d + x)/(\text{sqrt}(d)*\text{sqrt}(1/d))$

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 132 vs. 2(53) = 106.

time = 2.19, size = 132, normalized size = 1.86

$$\frac{6\sqrt{\pi}bcd\text{erf}\left(-\frac{\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{(-\frac{c}{d})} - 12\sqrt{dx+c}ac - 4\left((dx+c)^{\frac{3}{2}} - 3\sqrt{dx+c}c\right)a - 3\left(\frac{\sqrt{\pi}(2c+d)d\text{erf}\left(-\frac{\sqrt{dx+c}\sqrt{-d}}{d}\right)e^{(-\frac{c}{d})}}{\sqrt{-d}} + 2\sqrt{dx+c}de^x\right)b}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*exp(x))\*(d\*x+c)^(1/2),x, algorithm="giac")

[Out]  $-1/6*(6*\text{sqrt}(\text{pi})*b*c*d*\text{erf}(-\text{sqrt}(d*x + c)*\text{sqrt}(-d)/d)*e^{(-c/d)}/\text{sqrt}(-d) - 12*\text{sqrt}(d*x + c)*a*c - 4*((d*x + c)^{(3/2)} - 3*\text{sqrt}(d*x + c)*c)*a - 3*(\text{sqrt}(\text{pi})*(2*c + d)*d*\text{erf}(-\text{sqrt}(d*x + c)*\text{sqrt}(-d)/d)*e^{(-c/d)}/\text{sqrt}(-d) + 2*\text{sqrt}(d*x + c)*d*e^x)*b)/d$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b e^x) \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*exp(x))\*(c + d\*x)^(1/2),x)

[Out] int((a + b\*exp(x))\*(c + d\*x)^(1/2), x)

### 3.65 $\int (a + be^x)^2 \sqrt{c + dx} dx$

**Optimal.** Leaf size=145

$$2abe^x \sqrt{c + dx} + \frac{1}{2}b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - ab\sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{c + dx}}{\sqrt{d}}\right) - \frac{1}{4}b^2 \sqrt{d} e^{-\frac{2c}{d}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{\sqrt{c + dx}}{\sqrt{d}}\right)$$

[Out]  $2/3*a^2*(d*x+c)^{(3/2)}/d-1/8*b^2*erfi(2^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}$   
 $*2^{(1/2)}*Pi^{(1/2)}/exp(2*c/d)-a*b*erfi((d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*Pi^{(1/2)}/exp(c/d)+2*a*b*exp(x)*(d*x+c)^{(1/2)}+1/2*b^2*exp(2*x)*(d*x+c)^{(1/2)}$

**Rubi [A]**

time = 0.14, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2214, 2207, 2211, 2235}

$$\frac{2a^2(c + dx)^{3/2}}{3d} - \sqrt{\pi} ab\sqrt{d} e^{-\frac{c}{d}} \operatorname{Erfi}\left(\frac{\sqrt{c + dx}}{\sqrt{d}}\right) + 2abe^x \sqrt{c + dx} - \frac{1}{4}\sqrt{\frac{\pi}{2}} b^2 \sqrt{d} e^{-\frac{2c}{d}} \operatorname{Erfi}\left(\frac{\sqrt{2} \sqrt{c + dx}}{\sqrt{d}}\right) + \frac{1}{2}b^2 e^{2x} \sqrt{c + dx}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*E^x)^2*Sqrt[c + d*x],x]`

[Out]  $2*a*b*E^x*Sqrt[c + d*x] + (b^2*E^{(2*x)}*Sqrt[c + d*x])/2 + (2*a^2*(c + d*x)^{(3/2)})/(3*d) - (a*b*Sqrt[d]*Sqrt[Pi]*Erfi[Sqrt[c + d*x]/Sqrt[d]])/E^{(c/d)} - (b^2*Sqrt[d]*Sqrt[Pi/2]*Erfi[(Sqrt[2]*Sqrt[c + d*x])/Sqrt[d]])/(4*E^{(2*c/d)})$

Rule 2207

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(c + d*x)^m*((b*F^(g*(e + f*x)))^n/(f*g*n*Log[F])), x] - Dist[d*(m/(f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*(b*F^(g*(e + f*x)))^n, x], x] /; FreeQ[{F, b, c, d, e, f, g, n}, x] && GtQ[m, 0] && IntegerQ[2*m] && !TrueQ[$UseGamma]
```

Rule 2211

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2214

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^((p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
```

IGtQ[p, 0]

## Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

## Rubi steps

$$\begin{aligned}
\int (a + be^x)^2 \sqrt{c + dx} \, dx &= \int \left( a^2 \sqrt{c + dx} + 2abe^x \sqrt{c + dx} + b^2 e^{2x} \sqrt{c + dx} \right) dx \\
&= \frac{2a^2(c + dx)^{3/2}}{3d} + (2ab) \int e^x \sqrt{c + dx} \, dx + b^2 \int e^{2x} \sqrt{c + dx} \, dx \\
&= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - (abd) \int \frac{e^x}{\sqrt{c + dx}} \, dx \\
&= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - (2ab) \text{Subst} \left( \int e^{-\frac{c}{d} + \frac{x^2}{d}} \, dx \right) \\
&= 2abe^x \sqrt{c + dx} + \frac{1}{2} b^2 e^{2x} \sqrt{c + dx} + \frac{2a^2(c + dx)^{3/2}}{3d} - ab\sqrt{d} e^{-\frac{c}{d}} \sqrt{\pi} \operatorname{erfi} \left( \frac{\sqrt{c + dx}}{\sqrt{d}} \right)
\end{aligned}$$

## Mathematica [A]

time = 0.99, size = 181, normalized size = 1.25

$$\frac{\sqrt{c + dx} \left( 6b^2 e^{2x} \sqrt{\frac{c + dx}{d}} - 8a^2 \left( -\frac{c + dx}{d} \right)^{3/2} + 12abe^{-\frac{c}{d}} \left( \sqrt{\pi} + 2e^{\frac{x^2}{d}} \sqrt{-\frac{c + dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{-\frac{c + dx}{d}} \right) \right) - 3b^2 e^{-\frac{2x}{d}} \sqrt{\frac{\pi}{2}} \left( -1 + \operatorname{erf} \left( \sqrt{2} \sqrt{-\frac{c + dx}{d}} \right) \right) \right)}{12\sqrt{-\frac{c + dx}{d}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*E^x)^2\*Sqrt[c + d\*x], x]

```
[Out] (Sqrt[c + d*x]*(6*b^2*E^(2*x)*Sqrt[-((c + d*x)/d)] - 8*a^2*(-((c + d*x)/d))
^(3/2) + (12*a*b*(Sqrt[Pi] + 2*E^(c/d + x)*Sqrt[-((c + d*x)/d)] - Sqrt[Pi]*
Erf[Sqrt[-((c + d*x)/d)]]))/E^(c/d) - (3*b^2*Sqrt[Pi/2]*(-1 + Erf[Sqrt[2]*S
qrt[-((c + d*x)/d)]]))/E^((2*c)/d))/(12*Sqrt[-((c + d*x)/d)])
```

## Maple [A]

time = 0.05, size = 144, normalized size = 0.99

method	result
--------	--------

derivativedivides	$\frac{\frac{2(dx+c)^{\frac{3}{2}}a^2}{3} + 2b^2e^{-\frac{2c}{d}} \left( \frac{d\sqrt{dx+c} e^{\frac{2dx+2c}{d}}}{4} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{2}{d}}\sqrt{dx+c}\right)}{8\sqrt{-\frac{2}{d}}} \right)}{d} + 4abe^{-\frac{c}{d}} \left( \frac{\sqrt{dx+c} e^{\frac{dx+c}{d}}}{2} \right)}$
default	$\frac{\frac{2(dx+c)^{\frac{3}{2}}a^2}{3} + 2b^2e^{-\frac{2c}{d}} \left( \frac{d\sqrt{dx+c} e^{\frac{2dx+2c}{d}}}{4} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{2}{d}}\sqrt{dx+c}\right)}{8\sqrt{-\frac{2}{d}}} \right)}{d} + 4abe^{-\frac{c}{d}} \left( \frac{\sqrt{dx+c} e^{\frac{dx+c}{d}}}{2} \right)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*exp(x))^2*(d*x+c)^(1/2),x,method=_RETURNVERBOSE)`

[Out]  $2/d*(1/3*(d*x+c)^{(3/2)}*a^2+b^2/\exp(1/d*c)^2*(1/4*d*(d*x+c)^{(1/2)}*\exp(2/d*(d*x+c))-1/8*d*\pi^{(1/2)/(-2/d)^{(1/2)}*\operatorname{erf}((-2/d)^{(1/2)}*(d*x+c)^{(1/2))})+2*a*b/\exp(1/d*c)*(1/2*(d*x+c)^{(1/2)}*\exp(1/d*(d*x+c))*d-1/4*d*\pi^{(1/2)/(-1/d)^{(1/2)}*\operatorname{erf}((-1/d)^{(1/2)}*(d*x+c)^{(1/2))})$

**Maxima** [A]

time = 0.55, size = 160, normalized size = 1.10

$$\frac{16(dx+c)^{\frac{3}{2}}a^2 - 24 \left( \frac{\sqrt{\pi} d \operatorname{erf}\left(\sqrt{dx+c} \sqrt{-\frac{1}{d}}\right) e^{(-\frac{2c}{d})}}{\sqrt{-\frac{1}{d}}} - 2\sqrt{dx+c} d e^{\left(\frac{dx+c}{d} - \frac{c}{d}\right)} \right) ab - 3 \left( \frac{\sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(\sqrt{2} \sqrt{dx+c} \sqrt{-\frac{1}{d}}\right) e^{(-\frac{2c}{d})}}{\sqrt{-\frac{1}{d}}} - 4\sqrt{dx+c} d e^{\left(\frac{2(dx+c)}{d} - \frac{2c}{d}\right)} \right) b^2}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))^2*(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]  $1/24*(16*(d*x+c)^{(3/2)}*a^2 - 24*(\operatorname{sqrt}(\pi)*d*\operatorname{erf}(\operatorname{sqrt}(d*x+c))*\operatorname{sqrt}(-1/d))*e^{(-c/d)}/\operatorname{sqrt}(-1/d) - 2*\operatorname{sqrt}(d*x+c)*d*e^{((d*x+c)/d - c/d)}*a*b - 3*(\operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*d*\operatorname{erf}(\operatorname{sqrt}(2)*\operatorname{sqrt}(d*x+c))*\operatorname{sqrt}(-1/d))*e^{(-2*c/d)}/\operatorname{sqrt}(-1/d) - 4*\operatorname{sqrt}(d*x+c)*d*e^{(2*(d*x+c)/d - 2*c/d)}*b^2)/d$

**Fricas** [A]

time = 0.42, size = 133, normalized size = 0.92

$$\frac{3\sqrt{2}\sqrt{\pi}b^2d^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{2}\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{2c}{d})} + 24\sqrt{\pi}abd^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{c}{d})} + 4(4a^2dx + 3b^2de^{2x} + 12abde^x + 4a^2c)\sqrt{dx+c}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))^2*(d*x+c)^(1/2),x, algorithm="fricas")`

[Out]  $1/24*(3*\operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*b^2*d^2*\operatorname{sqrt}(-1/d)*\operatorname{erf}(\operatorname{sqrt}(2)*\operatorname{sqrt}(d*x+c))*\operatorname{sqrt}(-1/d))*e^{(-2*c/d)} + 24*\operatorname{sqrt}(\pi)*a*b*d^2*\operatorname{sqrt}(-1/d)*\operatorname{erf}(\operatorname{sqrt}(d*x+c))*\operatorname{sqrt}(-$

$1/d))e^{-c/d} + 4*(4*a^2*d*x + 3*b^2*d*e^{(2*x)} + 12*a*b*d*e^x + 4*a^2*c)*s$   
 $qrt(d*x + c))/d$

**Sympy [A]**

time = 1.58, size = 184, normalized size = 1.27

$$\frac{2a^2(c+dx)^{\frac{3}{2}}}{3d} - \sqrt{\pi} ab\sqrt{d} e^{-\frac{c}{d}} \operatorname{erfi}\left(\frac{\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right) + \frac{2ab\sqrt{c+dx} e^{-\frac{c}{d}} e^{\frac{2x}{d}}}{\sqrt{d}\sqrt{\frac{1}{d}}} - \frac{\sqrt{2}\sqrt{\pi} b^2\sqrt{d} e^{-\frac{2c}{d}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{d\sqrt{\frac{1}{d}}}\right)}{8} + \frac{b^2\sqrt{c+dx} e^{-\frac{2c}{d}} e^{\frac{2x}{d}+2x}}{2\sqrt{d}\sqrt{\frac{1}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*exp(x))\*\*2\*(d\*x+c)\*\*(1/2), x)

[Out]  $2*a**2*(c + d*x)**(3/2)/(3*d) - \operatorname{sqrt}(\pi)*a*b*\operatorname{sqrt}(d)*\exp(-c/d)*\operatorname{erfi}(\operatorname{sqrt}(c + d*x)/(d*\operatorname{sqrt}(1/d))) + 2*a*b*\operatorname{sqrt}(c + d*x)*\exp(-c/d)*\exp(c/d + x)/(\operatorname{sqrt}(d)*\operatorname{sqrt}(1/d)) - \operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*b**2*\operatorname{sqrt}(d)*\exp(-2*c/d)*\operatorname{erfi}(\operatorname{sqrt}(2)*\operatorname{sqrt}(c + d*x)/(d*\operatorname{sqrt}(1/d)))/8 + b**2*\operatorname{sqrt}(c + d*x)*\exp(-2*c/d)*\exp(2*c/d + 2*x)/(2*\operatorname{sqrt}(d)*\operatorname{sqrt}(1/d))$

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 250 vs. 2(110) = 220.

time = 1.87, size = 250, normalized size = 1.72

$$\frac{\frac{12\sqrt{2}\sqrt{\pi} b^2 \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{dx+c}\sqrt{-d}}{\sqrt{-d}}\right)^{(-5)} + 48\sqrt{\pi} ab \operatorname{erfi}\left(\frac{\sqrt{dx+c}\sqrt{-d}}{\sqrt{-d}}\right)^{(-5)} - 48\sqrt{dx+c} a^2 c - 16(dx+c)^2 - 3\sqrt{dx+c} c}{\sqrt{-d}} - 24\left(\frac{\sqrt{\pi} (a+b \exp(x)) \left(\frac{\sqrt{dx+c}\sqrt{-d}}{\sqrt{-d}}\right)^{(-5)} + 2\sqrt{dx+c} d \exp(x)}{\sqrt{-d}}\right) ab - 3\left(\frac{\sqrt{2}\sqrt{\pi} (a+b \exp(x)) \left(\frac{\sqrt{2}\sqrt{dx+c}\sqrt{-d}}{\sqrt{-d}}\right)^{(-5)} + 4\sqrt{dx+c} d \exp(2x)}{\sqrt{-d}}\right) b^2}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*exp(x))^2\*(d\*x+c)^(1/2), x, algorithm="giac")

[Out]  $-1/24*(12*\operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*b^2*c*d*\operatorname{erf}(-\operatorname{sqrt}(2)*\operatorname{sqrt}(d*x + c)*\operatorname{sqrt}(-d)/d)*e^{-2*c/d}/\operatorname{sqrt}(-d) + 48*\operatorname{sqrt}(\pi)*a*b*c*d*\operatorname{erf}(-\operatorname{sqrt}(d*x + c)*\operatorname{sqrt}(-d)/d)*e^{-c/d}/\operatorname{sqrt}(-d) - 48*\operatorname{sqrt}(d*x + c)*a^2*c - 16*((d*x + c)^{(3/2)} - 3*\operatorname{sqrt}(d*x + c)*c)*a^2 - 24*(\operatorname{sqrt}(\pi)*(2*c + d)*d*\operatorname{erf}(-\operatorname{sqrt}(d*x + c)*\operatorname{sqrt}(-d)/d)*e^{-c/d}/\operatorname{sqrt}(-d) + 2*\operatorname{sqrt}(d*x + c)*d*e^x)*a*b - 3*(\operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*(4*c + d)*d*\operatorname{erf}(-\operatorname{sqrt}(2)*\operatorname{sqrt}(d*x + c)*\operatorname{sqrt}(-d)/d)*e^{-2*c/d}/\operatorname{sqrt}(-d) + 4*\operatorname{sqrt}(d*x + c)*d*e^{(2*x)})*b^2)/d$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b e^x)^2 \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*exp(x))^2\*(c + d\*x)^(1/2), x)

[Out] int((a + b\*exp(x))^2\*(c + d\*x)^(1/2), x)

### 3.66 $\int (a + be^x)^3 \sqrt{c + dx} dx$

**Optimal.** Leaf size=224

$$3a^2be^x\sqrt{c+dx} + \frac{3}{2}ab^2e^{2x}\sqrt{c+dx} + \frac{1}{3}b^3e^{3x}\sqrt{c+dx} + \frac{2a^3(c+dx)^{3/2}}{3d} - \frac{3}{2}a^2b\sqrt{d}e^{-\frac{c}{d}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right) - \frac{3}{4}a^2b^2\sqrt{d}e^{-\frac{c}{d}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right) - \frac{1}{6}a^2b^3\sqrt{d}e^{-\frac{c}{d}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right) + \frac{1}{3}b^3e^{3x}\sqrt{c+dx}$$

[Out]  $2/3*a^3*(d*x+c)^{(3/2)}/d-1/18*b^3*\operatorname{erfi}(3^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/\exp(3*c/d)-3/8*a*b^2*\operatorname{erfi}(2^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/\exp(2*c/d)-3/2*a^2*b*\operatorname{erfi}((d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*\operatorname{Pi}^{(1/2)}/\exp(c/d)+3*a^2*b*\exp(x)*(d*x+c)^{(1/2)}+3/2*a*b^2*\exp(2*x)*(d*x+c)^{(1/2)}+1/3*b^3*\exp(3*x)*(d*x+c)^{(1/2)}$

**Rubi [A]**

time = 0.21, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2214, 2207, 2211, 2235}

$$\frac{2a^3(c+dx)^{3/2}}{3d} - \frac{3}{2}\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right) + 3a^2be^x\sqrt{c+dx} - \frac{3}{4}\sqrt{\frac{\pi}{2}}ab^2\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{\sqrt{d}}\right) + \frac{3}{2}ab^2e^{2x}\sqrt{c+dx} - \frac{1}{6}\sqrt{\frac{\pi}{3}}b^3\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{c+dx}}{\sqrt{d}}\right) + \frac{1}{3}b^3e^{3x}\sqrt{c+dx}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + bE^x)^3\operatorname{Sqrt}[c + d*x], x]$

[Out]  $3*a^2*b*E^x*\operatorname{Sqrt}[c + d*x] + (3*a*b^2*E^{(2*x)}*\operatorname{Sqrt}[c + d*x])/2 + (b^3*E^{(3*x)}*\operatorname{Sqrt}[c + d*x])/3 + (2*a^3*(c + d*x)^{(3/2)})/(3*d) - (3*a^2*b*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[c + d*x]/\operatorname{Sqrt}[d]])/(2*E^{(c/d)}) - (3*a*b^2*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c + d*x])/ \operatorname{Sqrt}[d]])/(4*E^{(2*c)/d}) - (b^3*\operatorname{Sqrt}[d]*\operatorname{Sqrt}[\operatorname{Pi}/3]*\operatorname{Erfi}[(\operatorname{Sqrt}[3]*\operatorname{Sqrt}[c + d*x])/ \operatorname{Sqrt}[d]])/(6*E^{(3*c)/d})$

Rule 2207

$\operatorname{Int}[(b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))}^{(n_*)}*((c_*) + (d_*)*(x_*))^{(m_*)}, x\_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*((b*F^{(g*(e + f*x)))}^n/(f*g*n*\operatorname{Log}[F])), x] - \operatorname{Dist}[d*(m/(f*g*n*\operatorname{Log}[F])), \operatorname{Int}[(c + d*x)^{(m-1)}*(b*F^{(g*(e + f*x)))}^n, x], x] /; \operatorname{FreeQ}\{F, b, c, d, e, f, g, n\}, x] \&\& \operatorname{GtQ}[m, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& !\operatorname{TrueQ}[\$UseGamma]$

Rule 2211

$\operatorname{Int}[(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))}/\operatorname{Sqrt}[(c_*) + (d_*)*(x_*)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - c*(f/d)) + f*g*(x^2/d))}, x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{F, c, d, e, f, g\}, x] \&\& !\operatorname{TrueQ}[\$UseGamma]$

Rule 2214

$\operatorname{Int}[(a_*) + (b_*)*(F_*)^{((g_*)*((e_*) + (f_*)*(x_*)))}^{(n_*)}^{(p_*)}*((c_*) + (d_*)*(x_*))^{(m_*)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*(F$

$(g*(e + f*x))^n)^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, m, n\}, x\} \&\& \text{IGtQ}[p, 0]$

### Rule 2235

$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2}), x\_Symbol] \rightarrow \text{Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x\} \&\& \text{PosQ}[b]$

### Rubi steps

$$\begin{aligned} \int (a + be^x)^3 \sqrt{c + dx} \, dx &= \int \left( a^3 \sqrt{c + dx} + 3a^2 be^x \sqrt{c + dx} + 3ab^2 e^{2x} \sqrt{c + dx} + b^3 e^{3x} \sqrt{c + dx} \right) dx \\ &= \frac{2a^3(c + dx)^{3/2}}{3d} + (3a^2b) \int e^x \sqrt{c + dx} \, dx + (3ab^2) \int e^{2x} \sqrt{c + dx} \, dx + b^3 \int e^{3x} \sqrt{c + dx} \, dx \\ &= 3a^2 be^x \sqrt{c + dx} + \frac{3}{2} ab^2 e^{2x} \sqrt{c + dx} + \frac{1}{3} b^3 e^{3x} \sqrt{c + dx} + \frac{2a^3(c + dx)^{3/2}}{3d} - \frac{1}{2} \left( \frac{24a^3d(-\frac{c+dx}{d})^{5/2} + 54a^2be^{-2}(c+dx) \left( \sqrt{\pi} + 2e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{-\frac{c+dx}{d}} \right) \right)}{36\sqrt{c+dx} \sqrt{-\frac{c+dx}{d}}} \right) \\ &= 3a^2 be^x \sqrt{c + dx} + \frac{3}{2} ab^2 e^{2x} \sqrt{c + dx} + \frac{1}{3} b^3 e^{3x} \sqrt{c + dx} + \frac{2a^3(c + dx)^{3/2}}{3d} - \frac{1}{2} \left( \frac{27ab^2e^{-2}(c+dx) \left( \sqrt{\pi} + 2\sqrt{2}e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{2} \sqrt{-\frac{c+dx}{d}} \right) \right)}{\sqrt{2}} \right) + 2\sqrt{3}b^3e^{-\frac{2}{3}}(c+dx) \left( \sqrt{\pi} + 2\sqrt{3}e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{3} \sqrt{-\frac{c+dx}{d}} \right) \right) \end{aligned}$$

### Mathematica [A]

time = 1.43, size = 299, normalized size = 1.33

$$\frac{24a^3d(-\frac{c+dx}{d})^{5/2} + 54a^2be^{-2}(c+dx) \left( \sqrt{\pi} + 2e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{-\frac{c+dx}{d}} \right) \right)}{36\sqrt{c+dx} \sqrt{-\frac{c+dx}{d}}} + \frac{27ab^2e^{-2}(c+dx) \left( \sqrt{\pi} + 2\sqrt{2}e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{2} \sqrt{-\frac{c+dx}{d}} \right) \right)}{\sqrt{2}} + 2\sqrt{3}b^3e^{-\frac{2}{3}}(c+dx) \left( \sqrt{\pi} + 2\sqrt{3}e^{\frac{c+dx}{d}} \sqrt{-\frac{c+dx}{d}} - \sqrt{\pi} \operatorname{erf} \left( \sqrt{3} \sqrt{-\frac{c+dx}{d}} \right) \right)}{36\sqrt{c+dx} \sqrt{-\frac{c+dx}{d}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*E^x)^3\*Sqrt[c + d\*x], x]

[Out]  $(24*a^3*d*(-((c + d*x)/d))^{5/2} + (54*a^2*b*(c + d*x)*(Sqrt[\text{Pi}] + 2*E^{(c/d + x)*Sqrt[-((c + d*x)/d)] - Sqrt[\text{Pi}]*Erf[Sqrt[-((c + d*x)/d)])])/E^{(c/d + x)*Sqrt[-((c + d*x)/d)] - Sqrt[\text{Pi}]*Erf[Sqrt[2]*Sqrt[-((c + d*x)/d)])})/(Sqrt[2]*E^{((2*c)/d)} + (2*Sqrt[3]*b^3*(c + d*x)*(Sqrt[\text{Pi}] + 2*Sqrt[3]*E^{(3*(c/d + x))*Sqrt[-((c + d*x)/d)] - Sqrt[\text{Pi}]*Erf[Sqrt[3]*Sqrt[-((c + d*x)/d)])])/E^{((3*c)/d)})/(36*Sqrt[c + d*x]*Sqrt[-((c + d*x)/d)])$

### Maple [A]

time = 0.05, size = 211, normalized size = 0.94

method	result
derivativedivides	$\frac{\frac{2(dx+c)^{\frac{3}{2}}a^3}{3} + 2b^3e^{-\frac{3c}{d}} \left( \frac{d\sqrt{dx+c}}{6} e^{\frac{3dx+3c}{d}} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{3}{d}}\sqrt{dx+c}\right)}{12\sqrt{-\frac{3}{d}}} \right)}{+6ab^2e^{-\frac{2c}{d}} \left( \frac{d\sqrt{dx+c}}{4} e^{\frac{2dx+2c}{d}} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{3}{d}}\sqrt{dx+c}\right)}{12\sqrt{-\frac{3}{d}}} \right)}$
default	$\frac{\frac{2(dx+c)^{\frac{3}{2}}a^3}{3} + 2b^3e^{-\frac{3c}{d}} \left( \frac{d\sqrt{dx+c}}{6} e^{\frac{3dx+3c}{d}} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{3}{d}}\sqrt{dx+c}\right)}{12\sqrt{-\frac{3}{d}}} \right)}{+6ab^2e^{-\frac{2c}{d}} \left( \frac{d\sqrt{dx+c}}{4} e^{\frac{2dx+2c}{d}} - \frac{d\sqrt{\pi} \operatorname{erf}\left(\sqrt{-\frac{3}{d}}\sqrt{dx+c}\right)}{12\sqrt{-\frac{3}{d}}} \right)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*exp(x))^3*(d*x+c)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 2/d*(1/3*(d*x+c)^(3/2)*a^3+b^3/exp(1/d*c)^3*(1/6*d*(d*x+c)^(1/2)*exp(3/d*(d*x+c))-1/12*d*Pi^(1/2)/(-3/d)^(1/2)*erf((-3/d)^(1/2)*(d*x+c)^(1/2)))+3*a*b^2/exp(1/d*c)^2*(1/4*d*(d*x+c)^(1/2)*exp(2/d*(d*x+c))-1/8*d*Pi^(1/2)/(-2/d)^(1/2)*erf((-2/d)^(1/2)*(d*x+c)^(1/2)))+3*a^2*b/exp(1/d*c)*(1/2*(d*x+c)^(1/2)*exp(1/d*(d*x+c))*d-1/4*d*Pi^(1/2)/(-1/d)^(1/2)*erf((-1/d)^(1/2)*(d*x+c)^(1/2))))
```

**Maxima** [A]

time = 0.52, size = 238, normalized size = 1.06

$$\frac{48(dx+c)^{\frac{3}{2}}a^3 - 108 \left( \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\frac{1}{d}}\sqrt{dx+c}\right) e^{(-\frac{3c}{d})}}{\sqrt{-\frac{1}{d}}} - 2\sqrt{dx+c} \operatorname{erf}\left(\frac{dx+c}{d}\right) \right) a^2 b - 27 \left( \frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\sqrt{2}\sqrt{\frac{1}{d}}\sqrt{dx+c}\right) e^{(-\frac{2c}{d})}}{\sqrt{-\frac{1}{d}}} - 4\sqrt{dx+c} \operatorname{erf}\left(\frac{2(dx+c)}{d}\right) \right) a b^2 - 4 \left( \frac{\sqrt{3} \sqrt{\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\frac{1}{d}}\sqrt{dx+c}\right) e^{(-\frac{3c}{d})}}{\sqrt{-\frac{1}{d}}} - 6\sqrt{dx+c} \operatorname{erf}\left(\frac{3(dx+c)}{d}\right) \right) b^3}{72d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/72*(48*(d*x + c)^(3/2)*a^3 - 108*(sqrt(pi)*d*erf(sqrt(d*x + c)*sqrt(-1/d))*e^(-c/d)/sqrt(-1/d) - 2*sqrt(d*x + c)*d*e^((d*x + c)/d - c/d))*a^2*b - 27*(sqrt(2)*sqrt(pi)*d*erf(sqrt(2)*sqrt(d*x + c)*sqrt(-1/d))*e^(-2*c/d)/sqrt(-1/d) - 4*sqrt(d*x + c)*d*e^(2*(d*x + c)/d - 2*c/d))*a*b^2 - 4*(sqrt(3)*sqrt(pi)*d*erf(sqrt(3)*sqrt(d*x + c)*sqrt(-1/d))*e^(-3*c/d)/sqrt(-1/d) - 6*sqrt(d*x + c)*d*e^(3*(d*x + c)/d - 3*c/d))*b^3)/d
```

**Fricas** [A]

time = 0.39, size = 196, normalized size = 0.88

$$\frac{27\sqrt{2}\sqrt{\pi}ab^2d^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{2}\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{2c}{d})} + 4\sqrt{3}\sqrt{\pi}b^3d^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{3}\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{3c}{d})} + 108\sqrt{\pi}a^2bd^2\sqrt{-\frac{1}{d}}\operatorname{erf}\left(\sqrt{dx+c}\sqrt{-\frac{1}{d}}\right)e^{(-\frac{c}{d})} + 12(4a^3dx + 2b^3de^{(3x)} + 9ab^2de^{(2x)} + 18a^2bde^x + 4a^3e)\sqrt{dx+c}}{72d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="fricas")
```



[Out]  $\frac{1}{72} \cdot (27 \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot a^2 \cdot b^2 \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{2} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-1/d} \cdot e^{-2 \cdot c/d} + 4 \cdot \sqrt{3} \cdot \sqrt{\pi} \cdot b^3 \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{3} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-1/d} \cdot e^{-3 \cdot c/d} + 108 \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot d^2 \cdot \sqrt{-1/d} \cdot \operatorname{erf}(\sqrt{d \cdot x + c}) \cdot \sqrt{-1/d} \cdot e^{-c/d} + 12 \cdot (4 \cdot a^3 \cdot d \cdot x + 2 \cdot b^3 \cdot d \cdot e^{3 \cdot x} + 9 \cdot a^2 \cdot b \cdot d \cdot e^{2 \cdot x} + 18 \cdot a^2 \cdot b \cdot d \cdot e^x + 4 \cdot a^3 \cdot c) \cdot \sqrt{d \cdot x + c}) / d$

**Sympy [A]**

time = 2.45, size = 291, normalized size = 1.30

$$\frac{2a^3(c+dx)^{\frac{3}{2}}}{3d} - \frac{3\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right)}{2} + \frac{3a^2b\sqrt{c+dx}e^{-\frac{c}{d}}e^{\frac{3x}{d}}}{\sqrt{d}\sqrt{\frac{1}{d}}} - \frac{3\sqrt{2}\sqrt{\pi}ab^2\sqrt{d}e^{-\frac{3c}{d}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{\sqrt{d}}\right)}{8} + \frac{3ab^2\sqrt{c+dx}e^{-\frac{3c}{d}}e^{\frac{3x}{d}+2x}}{2\sqrt{d}\sqrt{\frac{1}{d}}} - \frac{\sqrt{3}\sqrt{\pi}b^3\sqrt{d}e^{-\frac{3c}{d}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{c+dx}}{\sqrt{d}}\right)}{18} + \frac{b^3\sqrt{c+dx}e^{-\frac{3c}{d}}e^{\frac{3x}{d}+3x}}{3\sqrt{d}\sqrt{\frac{1}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))*3*(d*x+c)**(1/2),x)`

[Out]  $2 \cdot a \cdot 3 \cdot (c + d \cdot x)^{3/2} / (3 \cdot d) - 3 \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot \sqrt{d} \cdot \exp(-c/d) \cdot \operatorname{erfi}(\sqrt{d \cdot x + c} / \sqrt{d}) / (2 \cdot \sqrt{d}) + 3 \cdot a^2 \cdot b \cdot \sqrt{c + d \cdot x} \cdot \exp(-c/d) \cdot \exp(c/d + x) / (\sqrt{d} \cdot \sqrt{1/d}) - 3 \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot a \cdot b^2 \cdot \sqrt{d} \cdot \exp(-2 \cdot c/d) \cdot \operatorname{erfi}(\sqrt{2} \cdot \sqrt{c + d \cdot x} / \sqrt{d}) / 8 + 3 \cdot a \cdot b^2 \cdot \sqrt{c + d \cdot x} \cdot \exp(-2 \cdot c/d) \cdot \exp(2 \cdot c/d + 2 \cdot x) / (2 \cdot \sqrt{d} \cdot \sqrt{1/d}) - \sqrt{3} \cdot \sqrt{\pi} \cdot b^3 \cdot \sqrt{d} \cdot \exp(-3 \cdot c/d) \cdot \operatorname{erfi}(\sqrt{3} \cdot \sqrt{c + d \cdot x} / \sqrt{d}) / 18 + b^3 \cdot \sqrt{c + d \cdot x} \cdot \exp(-3 \cdot c/d) \cdot \exp(3 \cdot c/d + 3 \cdot x) / (3 \cdot \sqrt{d} \cdot \sqrt{1/d})$

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 368 vs. 2(168) = 336.

time = 1.99, size = 368, normalized size = 1.64

$$\frac{3\sqrt{2}\sqrt{\pi}ab^2\sqrt{d}e^{-\frac{3c}{d}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{c+dx}}{\sqrt{d}}\right)}{8} + \frac{3ab^2\sqrt{c+dx}e^{-\frac{3c}{d}}e^{\frac{3x}{d}+2x}}{2\sqrt{d}\sqrt{\frac{1}{d}}} - \frac{\sqrt{3}\sqrt{\pi}b^3\sqrt{d}e^{-\frac{3c}{d}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{c+dx}}{\sqrt{d}}\right)}{18} + \frac{b^3\sqrt{c+dx}e^{-\frac{3c}{d}}e^{\frac{3x}{d}+3x}}{3\sqrt{d}\sqrt{\frac{1}{d}}} - \frac{2a^3(c+dx)^{\frac{3}{2}}}{3d} + \frac{3\sqrt{\pi}a^2b\sqrt{d}e^{-\frac{c}{d}}\operatorname{erfi}\left(\frac{\sqrt{c+dx}}{\sqrt{d}}\right)}{2} - \frac{3a^2b\sqrt{c+dx}e^{-\frac{c}{d}}e^{\frac{3x}{d}}}{\sqrt{d}\sqrt{\frac{1}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*exp(x))^3*(d*x+c)^(1/2),x, algorithm="giac")`

[Out]  $-1/72 \cdot (108 \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot a^2 \cdot b^2 \cdot c \cdot d \cdot \operatorname{erf}(-\sqrt{2} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-2 \cdot c/d} / \sqrt{-d} + 24 \cdot \sqrt{3} \cdot \sqrt{\pi} \cdot b^3 \cdot c \cdot d \cdot \operatorname{erf}(-\sqrt{3} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-3 \cdot c/d} / \sqrt{-d} + 216 \cdot \sqrt{\pi} \cdot a^2 \cdot b \cdot c \cdot d \cdot \operatorname{erf}(-\sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-c/d} / \sqrt{-d} - 144 \cdot \sqrt{d \cdot x + c} \cdot a^3 \cdot c - 48 \cdot ((d \cdot x + c)^{3/2} - 3 \cdot \sqrt{d \cdot x + c} \cdot c) \cdot a^3 - 108 \cdot (\sqrt{\pi}) \cdot (2 \cdot c + d) \cdot d \cdot \operatorname{erf}(-\sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-c/d} / \sqrt{-d} + 2 \cdot \sqrt{d \cdot x + c} \cdot d \cdot e^x \cdot a^2 \cdot b - 27 \cdot (\sqrt{2} \cdot \sqrt{\pi}) \cdot (4 \cdot c + d) \cdot d \cdot \operatorname{erf}(-\sqrt{2} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-2 \cdot c/d} / \sqrt{-d} + 4 \cdot \sqrt{d \cdot x + c} \cdot d \cdot e^{2 \cdot x} \cdot a \cdot b^2 - 4 \cdot (\sqrt{3} \cdot \sqrt{\pi}) \cdot (6 \cdot c + d) \cdot d \cdot \operatorname{erf}(-\sqrt{3} \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{-d} / d \cdot e^{-3 \cdot c/d} / \sqrt{-d} + 6 \cdot \sqrt{d \cdot x + c} \cdot d \cdot e^{3 \cdot x} \cdot b^3 / d$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int (a + b e^x)^3 \sqrt{c + d x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*exp(x))^3*(c + d*x)^(1/2),x)
```

```
[Out] int((a + b*exp(x))^3*(c + d*x)^(1/2), x)
```

$$3.67 \quad \int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Optimal. Leaf size=22

$$\text{Int}\left(\frac{\sqrt{c + dx}}{a + be^x}, x\right)$$

[Out] Unintegrable((d\*x+c)^(1/2)/(a+b\*exp(x)), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[c + d\*x]/(a + b\*E^x), x]

[Out] Defer[Int][Sqrt[c + d\*x]/(a + b\*E^x), x]

Rubi steps

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx = \int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Mathematica [A]

time = 0.91, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[c + d\*x]/(a + b\*E^x), x]

[Out] Integrate[Sqrt[c + d\*x]/(a + b\*E^x), x]

Maple [A]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx + c}}{a + b e^x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)/(a+b*exp(x)),x)`

[Out] `int((d*x+c)^(1/2)/(a+b*exp(x)),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="maxima")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="fricas")`

[Out] `integral(sqrt(d*x + c)/(b*e^x + a), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(1/2)/(a+b*exp(x)),x)`

[Out] `Integral(sqrt(c + d*x)/(a + b*exp(x)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x)),x, algorithm="giac")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{c + dx}}{a + be^x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^(1/2)/(a + b\*exp(x)), x)

[Out] int((c + d\*x)^(1/2)/(a + b\*exp(x)), x)

$$3.68 \quad \int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Optimal. Leaf size=22

$$\text{Int}\left(\frac{\sqrt{c + dx}}{(a + be^x)^2}, x\right)$$

[Out] Unintegrable((d\*x+c)^(1/2)/(a+b\*exp(x))^2,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[c + d\*x]/(a + b\*E^x)^2,x]

[Out] Defer[Int][Sqrt[c + d\*x]/(a + b\*E^x)^2, x]

Rubi steps

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx = \int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Mathematica [A]

time = 1.34, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[c + d\*x]/(a + b\*E^x)^2,x]

[Out] Integrate[Sqrt[c + d\*x]/(a + b\*E^x)^2, x]

Maple [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx + c}}{(a + be^x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)/(a+b*exp(x))^2,x)`

[Out] `int((d*x+c)^(1/2)/(a+b*exp(x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="maxima")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a)^2, x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x + c)/(b^2*e^(2*x) + 2*a*b*e^x + a^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(1/2)/(a+b*exp(x))**2,x)`

[Out] `Integral(sqrt(c + d*x)/(a + b*exp(x))**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^2,x, algorithm="giac")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a)^2, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^(1/2)/(a + b\*exp(x))^2, x)

[Out] int((c + d\*x)^(1/2)/(a + b\*exp(x))^2, x)



$$3.69 \quad \int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Optimal. Leaf size=22

$$\text{Int}\left(\frac{\sqrt{c+dx}}{(a+be^x)^3}, x\right)$$

[Out] Unintegrable((d\*x+c)^(1/2)/(a+b\*exp(x))^3, x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ ,

Rules used = {}

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[c + d\*x]/(a + b\*E^x)^3, x]

[Out] Defer[Int][Sqrt[c + d\*x]/(a + b\*E^x)^3, x]

Rubi steps

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx = \int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Mathematica [A]

time = 5.01, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c+dx}}{(a+be^x)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[c + d\*x]/(a + b\*E^x)^3, x]

[Out] Integrate[Sqrt[c + d\*x]/(a + b\*E^x)^3, x]

Maple [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx+c}}{(a+be^x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)/(a+b*exp(x))^3,x)`

[Out] `int((d*x+c)^(1/2)/(a+b*exp(x))^3,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="maxima")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a)^3, x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x + c)/(b^3*e^(3*x) + 3*a*b^2*e^(2*x) + 3*a^2*b*e^x + a^3), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(1/2)/(a+b*exp(x))**3,x)`

[Out] `Integral(sqrt(c + d*x)/(a + b*exp(x))**3, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)/(a+b*exp(x))^3,x, algorithm="giac")`

[Out] `integrate(sqrt(d*x + c)/(b*e^x + a)^3, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{c + dx}}{(a + be^x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^(1/2)/(a + b\*exp(x))^3, x)

[Out] int((c + d\*x)^(1/2)/(a + b\*exp(x))^3, x)

$$3.70 \quad \int (a + b(F^{g(e+fx)})^n)^3 (c + dx)^m dx$$

**Optimal.** Leaf size=340

$$\frac{a^3(c + dx)^{1+m}}{d(1 + m)} + \frac{3^{-1-m} b^3 F^{3(e - \frac{cf}{d})gn - 3gn(e+fx)} (F^{eg+fgx})^{3n} (c + dx)^m \Gamma\left(1 + m, -\frac{3fgn(c+dx) \log(F)}{d}\right) \left(-\frac{fgn(c+dx) \log(F)}{d}\right)}{fgn \log(F)}$$

[Out] a^3\*(d\*x+c)^(1+m)/d/(1+m)+3^(-1-m)\*b^3\*F^(3\*(e-c\*f/d)\*g\*n-3\*g\*n\*(f\*x+e))\*(F^(f\*g\*x+e\*g))^(3\*n)\*(d\*x+c)^m\*GAMMA(1+m,-3\*f\*g\*n\*(d\*x+c)\*ln(F)/d)/f/g/n/ln(F)/((-f\*g\*n\*(d\*x+c)\*ln(F)/d)^m)+3\*2^(-1-m)\*a\*b^2\*F^(2\*(e-c\*f/d)\*g\*n-2\*g\*n\*(f\*x+e))\*(F^(f\*g\*x+e\*g))^(2\*n)\*(d\*x+c)^m\*GAMMA(1+m,-2\*f\*g\*n\*(d\*x+c)\*ln(F)/d)/f/g/n/ln(F)/((-f\*g\*n\*(d\*x+c)\*ln(F)/d)^m)+3\*a^2\*b\*F^((e-c\*f/d)\*g\*n-g\*n\*(f\*x+e))\*(F^(f\*g\*x+e\*g))^n\*(d\*x+c)^m\*GAMMA(1+m,-f\*g\*n\*(d\*x+c)\*ln(F)/d)/f/g/n/ln(F)/((-f\*g\*n\*(d\*x+c)\*ln(F)/d)^m)

**Rubi [A]**

time = 0.34, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2213, 2212}

$$\frac{3a^3(c + dx)^m (F^{e+fx})^n F^{3(e - \frac{cf}{d})gn - 3gn(e+fx)} \left(-\frac{fgn(c+dx)}{d}\right)^m \Gamma(m + 1, -\frac{fgn(c+dx)}{d})}{fgn \log(F)} + \frac{3a^2 b^{-1} (c + dx)^m (F^{e+fx})^{2n} F^{2(e - \frac{cf}{d})gn - 2gn(e+fx)} \left(-\frac{fgn(c+dx)}{d}\right)^m \Gamma(m + 1, -\frac{2fgn(c+dx)}{d})}{fgn \log(F)} + \frac{b^3 2^{-m-1} (c + dx)^m (F^{e+fx})^{3n} F^{3(e - \frac{cf}{d})gn - 3gn(e+fx)} \left(-\frac{fgn(c+dx)}{d}\right)^m \Gamma(m + 1, -\frac{3fgn(c+dx)}{d})}{fgn \log(F)} + \frac{a^3 (c + dx)^{m+1}}{d(m + 1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^m,x]

[Out] (a^3\*(c + d\*x)^(1 + m))/(d\*(1 + m)) + (3^(-1 - m)\*b^3\*F^(3\*(e - (c\*f)/d)\*g\*n - 3\*g\*n\*(e + f\*x))\*(F^(e\*g + f\*g\*x))^(3\*n)\*(c + d\*x)^m\*Gamma[1 + m, (-3\*f\*g\*n\*(c + d\*x)\*Log[F])/d]/(f\*g\*n\*Log[F]\*(-((f\*g\*n\*(c + d\*x)\*Log[F])/d))^m) + (3\*2^(-1 - m)\*a\*b^2\*F^(2\*(e - (c\*f)/d)\*g\*n - 2\*g\*n\*(e + f\*x))\*(F^(e\*g + f\*g\*x))^(2\*n)\*(c + d\*x)^m\*Gamma[1 + m, (-2\*f\*g\*n\*(c + d\*x)\*Log[F])/d]/(f\*g\*n\*Log[F]\*(-((f\*g\*n\*(c + d\*x)\*Log[F])/d))^m) + (3\*a^2\*b\*F^((e - (c\*f)/d)\*g\*n - g\*n\*(e + f\*x))\*(F^(e\*g + f\*g\*x))^n\*(c + d\*x)^m\*Gamma[1 + m, -((f\*g\*n\*(c + d\*x)\*Log[F])/d)]/(f\*g\*n\*Log[F]\*(-((f\*g\*n\*(c + d\*x)\*Log[F])/d))^m)

**Rule 2212**

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*(-f)*g*(Log[F]/d))^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d)^FracPart[m])]*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

**Rule 2213**

```
Int[((b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Dist[(b*F^(g*(e + f*x)))^n/F^(g*n*(e + f*x)), Int[(c + d*x
```

)^m \* F^(g\*n\*(e + f\*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

#### Rule 2214

Int[((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c + d\*x)^m, (a + b\*(F^(g\*(e + f\*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] && IGtQ[p, 0]

#### Rubi steps

$$\begin{aligned}
 \int \left( a + b(F^{g(e+fx)})^n \right)^3 (c + dx)^m dx &= \int \left( a^3(c + dx)^m + 3a^2b(F^{eg+fgx})^n (c + dx)^m + 3ab^2(F^{eg+fgx})^{2n} (c + dx)^m + b^3(F^{eg+fgx})^{3n} (c + dx)^m \right) dx \\
 &= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + (3a^2b) \int (F^{eg+fgx})^n (c + dx)^m dx + (3ab^2) \int (F^{eg+fgx})^{2n} (c + dx)^m dx + b^3 \int (F^{eg+fgx})^{3n} (c + dx)^m dx \\
 &= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + (3a^2bF^{-n(eg+fgx)}(F^{eg+fgx})^n) \int F^{n(eg+fgx)}(c + dx)^m dx + (3ab^2F^{-2n(eg+fgx)}(F^{eg+fgx})^{2n}) \int F^{2n(eg+fgx)}(c + dx)^m dx + b^3 \int F^{3n(eg+fgx)}(c + dx)^m dx \\
 &= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + \frac{3^{-1-m}b^3F^{3\left(e-\frac{cf}{d}\right)gn-3gn(e+fx)}(F^{eg+fgx})^{3n}(c + dx)^{m+1}}{fgn}
 \end{aligned}$$

#### Mathematica [F]

time = 0.28, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(e+fx)})^n \right)^3 (c + dx)^m dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^3\*(c + d\*x)^m, x]

[Out] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^3\*(c + d\*x)^m, x]

#### Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^3 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c)^m, x)

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^3\*(d\*x+c)^m, x)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^3*(d*x+c)^m,x, algorithm="maxima")
```

```
[Out] (d*x + c)^(m + 1)*a^3/(d*(m + 1)) + integrate((3*F^(f*g*n*x)*F^(g*n*e)*a^2*
b + 3*F^(2*f*g*n*x)*F^(2*g*n*e)*a*b^2 + F^(3*f*g*n*x)*F^(3*g*n*e)*b^3)*(d*x
+ c)^m, x)
```

**Fricas [A]**

time = 0.11, size = 279, normalized size = 0.82

$$\frac{18(a^2bdm + a^2bd)e^{\left(\frac{a \log(-\frac{d \log(F)}{d}) + c(fg - dg) \log(F)}{d}\right)} \Gamma(m+1, -\frac{d(fg - dg) \log(F)}{d}) + 9(ab^2dm + ab^2d)e^{\left(\frac{a \log(-\frac{d \log(F)}{d}) + c(fg - dg) \log(F)}{d}\right)} \Gamma(m+1, -\frac{2d(fg - dg) \log(F)}{d}) + 2(b^3dm + b^3d)e^{\left(\frac{a \log(-\frac{d \log(F)}{d}) + c(fg - dg) \log(F)}{d}\right)} \Gamma(m+1, -\frac{3d(fg - dg) \log(F)}{d}) + 6(a^3dfgn + a^3c^2fgn)(dx + c)^m \log(F)}{6(dfgm + dfg)n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^3*(d*x+c)^m,x, algorithm="fricas")
```

```
[Out] 1/6*(18*(a^2*b*d*m + a^2*b*d)*e^(-(d*m*log(-f*g*n*log(F)/d) + (c*f*g*n - d*
g*n*e)*log(F))/d)*gamma(m + 1, -(d*f*g*n*x + c*f*g*n)*log(F)/d) + 9*(a*b^2*
d*m + a*b^2*d)*e^(-(d*m*log(-2*f*g*n*log(F)/d) + 2*(c*f*g*n - d*g*n*e)*log(
F))/d)*gamma(m + 1, -2*(d*f*g*n*x + c*f*g*n)*log(F)/d) + 2*(b^3*d*m + b^3*d
)*e^(-(d*m*log(-3*f*g*n*log(F)/d) + 3*(c*f*g*n - d*g*n*e)*log(F))/d)*gamma(
m + 1, -3*(d*f*g*n*x + c*f*g*n)*log(F)/d) + 6*(a^3*d*f*g*n*x + a^3*c*f*g*n)
*(d*x + c)^m*log(F)/((d*f*g*m + d*f*g)*n*log(F))
```

**Sympy [F(-1)]** Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F**(g*(f*x+e))))**n)**3*(d*x+c)**m,x)
```

```
[Out] Timed out
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*(F^(g*(f*x+e)))^n)^3*(d*x+c)^m,x, algorithm="giac")
```

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^3\*(d\*x + c)^m, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \left( a + b \left( F^{g(e+fx)} \right)^n \right)^3 (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^m, x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^3\*(c + d\*x)^m, x)

### 3.71 $\int (a + b(F^{g(e+fx)})^n)^2 (c + dx)^m dx$

**Optimal.** Leaf size=228

$$\frac{a^2(c+dx)^{1+m}}{d(1+m)} + \frac{2^{-1-m}b^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}(F^{eg+fgx})^{2n}(c+dx)^m\Gamma\left(1+m, -\frac{2fgn(c+dx)\log(F)}{d}\right)\left(-\frac{fgn(c+dx)\log(F)}{d}\right)^m}{fgn\log(F)}$$

[Out]  $a^2(d*x+c)^{(1+m)/d/(1+m)+2^{(-1-m)*b^2*F^{(2*(e-c*f/d)*g*n-2*g*n*(f*x+e))*(F^{(f*g*x+e*g)})^{(2*n)}*(d*x+c)^m*\text{GAMMA}(1+m, -2*f*g*n*(d*x+c)*\ln(F)/d)/f/g/n/\ln(F)/((-f*g*n*(d*x+c)*\ln(F)/d)^m)+2*a*b*F^{((e-c*f/d)*g*n-g*n*(f*x+e))*(F^{(f*g*x+e*g)})^{(2*n)}*(d*x+c)^m*\text{GAMMA}(1+m, -f*g*n*(d*x+c)*\ln(F)/d)/f/g/n/\ln(F)/((-f*g*n*(d*x+c)*\ln(F)/d)^m)}$

**Rubi [A]**

time = 0.21, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2214, 2213, 2212}

$$\frac{2ab(c+dx)^m(F^{eg+fgx})^{2n}F^{2g\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}\left(-\frac{fgn\log(F)(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1, -\frac{fgn\log(F)(c+dx)}{d}\right)}{fgn\log(F)} + \frac{b^22^{-m-1}(c+dx)^m(F^{eg+fgx})^{2n}F^{2g\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}\left(-\frac{fgn\log(F)(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1, -\frac{2fgn\log(F)(c+dx)}{d}\right)}{fgn\log(F)} + \frac{a^2(c+dx)^{m+1}}{d(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^m, x]

[Out]  $(a^2*(c + d*x)^{(1+m)})/(d*(1+m)) + (2^{(-1-m)*b^2*F^{(2*(e-(c*f)/d)*g*n-2*g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(2*n)}*(c+d*x)^m*\text{Gamma}[1+m, (-2*f*g*n*(c+d*x)*\text{Log}[F])/d]}/(f*g*n*\text{Log}[F]*(-((f*g*n*(c+d*x)*\text{Log}[F])/d))^m) + (2*a*b*F^{((e-(c*f)/d)*g*n-g*n*(e+f*x))*(F^{(e*g+f*g*x)})^{(2*n)}*(c+d*x)^m*\text{Gamma}[1+m, -((f*g*n*(c+d*x)*\text{Log}[F])/d)]}/(f*g*n*\text{Log}[F]*(-((f*g*n*(c+d*x)*\text{Log}[F])/d))^m)$

**Rule 2212**

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))\*((c\_.) + (d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(-F^(g\*(e - c\*(f/d))))\*((c + d\*x)^FracPart[m]/(d\*(-f)\*g\*(Log[F]/d)))^(IntPart[m] + 1)\*((-f)\*g\*Log[F]\*((c + d\*x)/d))^FracPart[m]]\*Gamma[m + 1, ((-f)\*g\*(Log[F]/d))\*(c + d\*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

**Rule 2213**

Int[((b\_.)\*(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Dist[(b\*F^(g\*(e + f\*x)))^n/F^(g\*n\*(e + f\*x)), Int[(c + d\*x)^m\*F^(g\*n\*(e + f\*x)), x], x] /; FreeQ[{F, b, c, d, e, f, g, m, n}, x]

**Rule 2214**



```
Int[((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))^(p_)*((c_) +
(d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*(F
^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n}, x] &&
IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \left( a + b(F^{g(e+fx)})^n \right)^2 (c + dx)^m dx &= \int \left( a^2(c + dx)^m + 2ab(F^{eg+fgx})^n (c + dx)^m + b^2(F^{eg+fgx})^{2n} (c + dx)^m \right) dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + (2ab) \int (F^{eg+fgx})^n (c + dx)^m dx + b^2 \int (F^{eg+fgx})^{2n} (c + dx)^m dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + (2abF^{-n(eg+fgx)}(F^{eg+fgx})^n) \int F^{n(eg+fgx)}(c + dx)^m dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + \frac{2^{-1-m}b^2F^{2\left(e-\frac{cf}{d}\right)gn-2gn(e+fx)}(F^{eg+fgx})^{2n}(c + dx)^m}{fgn}
\end{aligned}$$

Mathematica [F]

time = 0.24, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(e+fx)})^n \right)^2 (c + dx)^m dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^2\*(c + d\*x)^m,x]

[Out] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^2\*(c + d\*x)^m, x]

Maple [F]

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right)^2 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*(F^(g\*(f\*x+e))))^n)^2\*(d\*x+c)^m,x)

[Out] int((a+b\*(F^(g\*(f\*x+e))))^n)^2\*(d\*x+c)^m,x)

Maxima [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c)^m,x, algorithm="maxima")

[Out] (d\*x + c)^(m + 1)\*a^2/(d\*(m + 1)) + integrate((2\*F^(f\*g\*n\*x)\*F^(g\*n\*e)\*a\*b + F^(2\*f\*g\*n\*x)\*F^(2\*g\*n\*e)\*b^2)\*(d\*x + c)^m, x)

**Fricas** [A]

time = 0.11, size = 197, normalized size = 0.86

$$\frac{4(abdm + abd)e^{\left(-\frac{dm \log\left(-\frac{f \log(F)}{d}\right) + (c f g n - d g n e) \log(F)}{d}\right)} \Gamma\left(m + 1, -\frac{(d f g n x + c f g n) \log(F)}{d}\right) + (b^2 d m + b^2 d) e^{\left(-\frac{dm \log\left(-\frac{2 f g n \log(F)}{d}\right) + 2(c f g n - d g n e) \log(F)}{d}\right)} \Gamma\left(m + 1, -\frac{2(d f g n x + c f g n) \log(F)}{d}\right) + 2(a^2 d f g n x + a^2 c f g n)(d x + c)^m \log(F)}{2(d f g m + d f g) n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c)^m,x, algorithm="fricas")

[Out] 1/2\*(4\*(a\*b\*d\*m + a\*b\*d)\*e^(-(d\*m\*log(-f\*g\*n\*log(F)/d) + (c\*f\*g\*n - d\*g\*n\*e)\*log(F))/d)\*gamma(m + 1, -(d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d) + (b^2\*d\*m + b^2\*d)\*e^(-(d\*m\*log(-2\*f\*g\*n\*log(F)/d) + 2\*(c\*f\*g\*n - d\*g\*n\*e)\*log(F))/d)\*gamma(m + 1, -2\*(d\*f\*g\*n\*x + c\*f\*g\*n)\*log(F)/d) + 2\*(a^2\*d\*f\*g\*n\*x + a^2\*c\*f\*g\*n)\*(d\*x + c)^m\*log(F)/((d\*f\*g\*m + d\*f\*g)\*n\*log(F))

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F\*\*(g\*(f\*x+e)))\*\*n)\*\*2\*(d\*x+c)\*\*m,x)

[Out] Timed out

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*(F^(g\*(f\*x+e)))^n)^2\*(d\*x+c)^m,x, algorithm="giac")

[Out] integrate(((F^((f\*x + e)\*g))^n\*b + a)^2\*(d\*x + c)^m, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \left( a + b \left( F^{g(e+fx)} \right)^n \right)^2 (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^m,x)

[Out] int((a + b\*(F^(g\*(e + f\*x)))^n)^2\*(c + d\*x)^m, x)

### 3.72 $\int (a + b(F^{g(e+fx)})^n) (c + dx)^m dx$

**Optimal.** Leaf size=116

$$\frac{a(c+dx)^{1+m}}{d(1+m)} + \frac{bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)} (F^{eg+fgx})^n (c+dx)^m \Gamma\left(1+m, -\frac{fgn(c+dx)\log(F)}{d}\right) \left(-\frac{fgn(c+dx)\log(F)}{d}\right)^{-m}}{fgn\log(F)}$$

[Out]  $a*(d*x+c)^{(1+m)/d/(1+m)+b*F^{((e-c*f/d)*g*n-g*n*(f*x+e))}*(F^{(f*g*x+e*g)})^n*(d*x+c)^m*\text{GAMMA}(1+m, -f*g*n*(d*x+c)*\ln(F)/d)/f/g/n/\ln(F)/((-f*g*n*(d*x+c)*\ln(F)/d)^m)$

**Rubi [A]**

time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2214, 2213, 2212}

$$\frac{b(c+dx)^m (F^{eg+fgx})^n F^{gn\left(e-\frac{cf}{d}\right)-gn(e+fx)} \left(-\frac{fgn\log(F)(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{fgn\log(F)(c+dx)}{d}\right)}{fgn\log(F)} + \frac{a(c+dx)^{m+1}}{d(m+1)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*(F^{(g*(e + f*x))})^n)*(c + d*x)^m, x]$

[Out]  $(a*(c + d*x)^{(1 + m)}/(d*(1 + m)) + (b*F^{((e - (c*f)/d)*g*n - g*n*(e + f*x))}*(F^{(e*g + f*g*x)})^n*(c + d*x)^m*\text{Gamma}[1 + m, -((f*g*n*(c + d*x)*\text{Log}[F])/d)])/(f*g*n*\text{Log}[F]*(-((f*g*n*(c + d*x)*\text{Log}[F])/d))^m)$

**Rule 2212**

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}*((c_.) + (d_.)*(x_))^{(m_)}, x\_Symbol] \rightarrow \text{Simp}[(-F^{(g*(e - c*(f/d)))})*((c + d*x)^{\text{FracPart}[m]}/(d*((-f)*g*(\text{Log}[F])/d)))^{(\text{IntPart}[m] + 1)*((-f)*g*\text{Log}[F]*((c + d*x)/d))^{\text{FracPart}[m]})]*\text{Gamma}[m + 1, ((-f)*g*(\text{Log}[F])/d)*(c + d*x)], x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \&\& \text{IntegerQ}[m]$

**Rule 2213**

$\text{Int}[(b_.)*(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_)}*((c_.) + (d_.)*(x_))^{(m_)}, x\_Symbol] \rightarrow \text{Dist}[(b*F^{(g*(e + f*x))})^n/F^{(g*n*(e + f*x))}, \text{Int}[(c + d*x)^m*F^{(g*n*(e + f*x))}, x], x] /; \text{FreeQ}\{F, b, c, d, e, f, g, m, n\}, x$

**Rule 2214**

$\text{Int}[(a_.) + (b_.)*(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_)}]^{(p_)}*((c_.) + (d_.)*(x_))^{(m_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*(F^{(g*(e + f*x))})^n)^p, x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, m, n\}, x \&\&$

IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \left( a + b(F^{g(e+fx)})^n \right) (c + dx)^m dx &= \int \left( a(c + dx)^m + b(F^{eg+fgx})^n (c + dx)^m \right) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + b \int (F^{eg+fgx})^n (c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + (bF^{-n(eg+fgx)} (F^{eg+fgx})^n) \int F^{n(eg+fgx)} (c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + \frac{bF^{\left(e-\frac{cf}{d}\right)gn-gn(e+fx)} (F^{eg+fgx})^n (c + dx)^m \Gamma(1+m, -}}{fgn \log(F)}
\end{aligned}$$

**Mathematica [F]**

time = 0.15, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(e+fx)})^n \right) (c + dx)^m dx$$

Verification is not applicable to the result.

`[In] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x)^m, x]``[Out] Integrate[(a + b*(F^(g*(e + f*x))))^n*(c + d*x)^m, x]`**Maple [F]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \left( a + b(F^{g(fx+e)})^n \right) (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*(F^(g*(f*x+e))))^n*(d*x+c)^m, x)``[Out] int((a+b*(F^(g*(f*x+e))))^n*(d*x+c)^m, x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*(F^(g*(f*x+e))))^n*(d*x+c)^m, x, algorithm="maxima")`

[Out]  $F^{(g*n*e)*b} \int e^{(f*g*n*x*\log(F) + m*\log(d*x + c))} dx + (d*x + c)^{(m + 1)*a/(d*(m + 1))}$

**Fricas** [A]

time = 0.10, size = 114, normalized size = 0.98

$$\frac{(b d m + b d) e^{\left(-\frac{d m \log\left(-\frac{f g n \log(F)}{d}\right) + (c f g n - d g n e) \log(F)}{d}\right)} \Gamma\left(m + 1, -\frac{(d f g n x + c f g n) \log(F)}{d}\right) + (a d f g n x + a c f g n) (d x + c)^m \log(F)}{(d f g m + d f g) n \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^m,x, algorithm="fricas")`

[Out]  $((b*d*m + b*d)*e^{-(d*m*\log(-f*g*n*\log(F)/d) + (c*f*g*n - d*g*n*e)*\log(F))}/d)*\text{gamma}(m + 1, -(d*f*g*n*x + c*f*g*n)*\log(F)/d) + (a*d*f*g*n*x + a*c*f*g*n)*(d*x + c)^m*\log(F)/((d*f*g*m + d*f*g)*n*\log(F))$

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e))))**n)*(d*x+c)**m,x)`

[Out] Timed out

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e))))^n)*(d*x+c)^m,x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)*(d*x + c)^m, x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \left( a + b \left( F^{g(e+f x)} \right)^n \right) (c + d x)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*(F^(g*(e + f*x))))^n)*(c + d*x)^m,x)`

[Out] `int((a + b*(F^(g*(e + f*x))))^n)*(c + d*x)^m, x)`

$$3.73 \quad \int \frac{(c+dx)^m}{a+b(Fg(e+fx))^n} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{(c+dx)^m}{a+b(F^{eg+fgx})^n}, x\right)$$

[Out] Unintegrable((d\*x+c)^m/(a+b\*(F^(f\*g\*x+e\*g))^n), x)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(c+dx)^m}{a+b(Fg(e+fx))^n} dx$$

Verification is not applicable to the result.

[In] Int[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n], x]

[Out] Defer[Int] [(c + d\*x)^m/(a + b\*(F^(e\*g + f\*g\*x))^n), x]

Rubi steps

$$\int \frac{(c+dx)^m}{a+b(Fg(e+fx))^n} dx = \int \frac{(c+dx)^m}{a+b(F^{eg+fgx})^n} dx$$

Mathematica [A]

time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(c+dx)^m}{a+b(Fg(e+fx))^n} dx$$

Verification is not applicable to the result.

[In] Integrate[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n], x]

[Out] Integrate[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n], x]

Maple [A]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(dx+c)^m}{a+b(Fg(fx+e))^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x`

[Out] `int((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="maxima")`

[Out] `integrate((d*x + c)^m/(F^((f*x + e)*g*n)*b + a), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="fricas")`

[Out] `integral((d*x + c)^m/((F^(f*g*x + g*e))^n*b + a), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + dx)^m}{a + b(F^{eg} F^{fgx})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**m/(a+b*(F**(g*(f*x+e))))**n),x`

[Out] `Integral((c + d*x)**m/(a + b*(F**(e*g)*F**(f*g*x))**n), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^m/(a+b*(F^(g*(f*x+e))))^n),x, algorithm="giac")`

[Out] `integrate((d*x + c)^m/((F^((f*x + e)*g))^n*b + a), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(c + dx)^m}{a + b(F^{g(e+fx)})^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n), x)

[Out] int((c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n), x)



$$3.74 \quad \int \frac{(c+dx)^m}{\left(a+b\left(Fg(e+fx)\right)^n\right)^2} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{(c+dx)^m}{(a+b(F^{eg+fgx})^n)^2}, x\right)$$

[Out] Unintegrable((d\*x+c)^m/(a+b\*(F^(f\*g\*x+e\*g))^n)^2,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(c+dx)^m}{\left(a+b\left(Fg(e+fx)\right)^n\right)^2} dx$$

Verification is not applicable to the result.

[In] Int[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n]^2,x]

[Out] Defer[Int][(c + d\*x)^m/(a + b\*(F^(e\*g + f\*g\*x))^n)^2, x]

Rubi steps

$$\int \frac{(c+dx)^m}{\left(a+b\left(Fg(e+fx)\right)^n\right)^2} dx = \int \frac{(c+dx)^m}{\left(a+b\left(F^{eg+fgx}\right)^n\right)^2} dx$$

Mathematica [A]

time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{(c+dx)^m}{\left(a+b\left(Fg(e+fx)\right)^n\right)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n]^2,x]

[Out] Integrate[(c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x))))^n]^2, x]

Maple [A]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(dx+c)^m}{\left(a+b\left(Fg(fx+e)\right)^n\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d*x+c)^m/(a+b*(F^{(g*(f*x+e))})^n)^2,x)$

[Out]  $\text{int}((d*x+c)^m/(a+b*(F^{(g*(f*x+e))})^n)^2,x)$

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((d*x+c)^m/(a+b*(F^{(g*(f*x+e))})^n)^2,x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((d*x + c)^m/(F^{((f*x + e)*g*n)*b + a})^2, x)$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((d*x+c)^m/(a+b*(F^{(g*(f*x+e))})^n)^2,x, \text{algorithm}="fricas")$

[Out]  $\text{integral}((d*x + c)^m/(2*(F^{(f*g*x + g*e)})^n*a*b + (F^{(f*g*x + g*e)})^{(2*n)*b} + a^2), x)$

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((d*x+c)**m/(a+b*(F**(g*(f*x+e)))**n)**2,x)$

[Out] Timed out

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((d*x+c)^m/(a+b*(F^{(g*(f*x+e))})^n)^2,x, \text{algorithm}="giac")$

[Out]  $\text{integrate}((d*x + c)^m/((F^{(f*x + e)*g})^n*b + a)^2, x)$

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(c + dx)^m}{(a + b(F^{g(e+fx)})^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x)))^n)^2,x)

[Out] int((c + d\*x)^m/(a + b\*(F^(g\*(e + f\*x)))^n)^2, x)

$$3.75 \quad \int (a + b(F^{g(e+fx)})^n)^p (c + dx)^m dx$$

Optimal. Leaf size=29

$$\text{Int}\left((a + b(F^{eg+fgx})^n)^p (c + dx)^m, x\right)$$

[Out] Unintegrable((a+b\*(F^(f\*g\*x+e\*g))^n)^p\*(d\*x+c)^m,x)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (a + b(F^{g(e+fx)})^n)^p (c + dx)^m dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*(F^(g\*(e + f\*x))))^n]^p\*(c + d\*x)^m,x]

[Out] Defer[Int] [(a + b\*(F^(e\*g + f\*g\*x)))^n]^p\*(c + d\*x)^m, x]

Rubi steps

$$\int (a + b(F^{g(e+fx)})^n)^p (c + dx)^m dx = \int (a + b(F^{eg+fgx})^n)^p (c + dx)^m dx$$

Mathematica [A]

time = 0.30, size = 0, normalized size = 0.00

$$\int (a + b(F^{g(e+fx)})^n)^p (c + dx)^m dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^p\*(c + d\*x)^m,x]

[Out] Integrate[(a + b\*(F^(g\*(e + f\*x))))^n]^p\*(c + d\*x)^m, x]

Maple [A]

time = 0.02, size = 0, normalized size = 0.00

$$\int (a + b(F^{g(fx+e)})^n)^p (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*(F^(g*(f*x+e)))^n)^p*(d*x+c)^m,x)`

[Out] `int((a+b*(F^(g*(f*x+e)))^n)^p*(d*x+c)^m,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^p*(d*x+c)^m,x, algorithm="maxima")`

[Out] `integrate((F^((f*x + e)*g*n)*b + a)^p*(d*x + c)^m, x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^p*(d*x+c)^m,x, algorithm="fricas")`

[Out] `integral(((F^(f*g*x + g*e))^n*b + a)^p*(d*x + c)^m, x)`

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F**(g*(f*x+e)))**n)**p*(d*x+c)**m,x)`

[Out] Timed out

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*(F^(g*(f*x+e)))^n)^p*(d*x+c)^m,x, algorithm="giac")`

[Out] `integrate(((F^((f*x + e)*g))^n*b + a)^p*(d*x + c)^m, x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.03

$$\int \left( a + b \left( F^{g(e+fx)} \right)^n \right)^p (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*(F^(g*(e + f*x)))^n)^p*(c + d*x)^m,x)`

[Out] `int((a + b*(F^(g*(e + f*x)))^n)^p*(c + d*x)^m, x)`

### 3.76 $\int \frac{F^{c+dx} x^3}{a+bF^{c+dx}} dx$

**Optimal.** Leaf size=115

$$\frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Li}_4\left(-\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)}$$

[Out]  $x^3 \ln(1+bF^{(d*x+c)}/a)/b/d/\ln(F)+3*x^2*\text{polylog}(2,-bF^{(d*x+c)}/a)/b/d^2/\ln(F)^2-6*x*\text{polylog}(3,-bF^{(d*x+c)}/a)/b/d^3/\ln(F)^3+6*\text{polylog}(4,-bF^{(d*x+c)}/a)/b/d^4/\ln(F)^4$

**Rubi [A]**

time = 0.10, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {2221, 2611, 6744, 2320, 6724}

$$\frac{6 \text{PolyLog}\left(4, -\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)} - \frac{6x \text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{3x^2 \text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x^3 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(F^{(c+d*x)}*x^3)/(a+bF^{(c+d*x)}),x]$

[Out]  $(x^3*\text{Log}[1+(bF^{(c+d*x)})/a])/(b*d*\text{Log}[F])+(3*x^2*\text{PolyLog}[2,-((bF^{(c+d*x)})/a)])/(b*d^2*\text{Log}[F]^2)-(6*x*\text{PolyLog}[3,-((bF^{(c+d*x)})/a)])/(b*d^3*\text{Log}[F]^3)+(6*\text{PolyLog}[4,-((bF^{(c+d*x)})/a)])/(b*d^4*\text{Log}[F]^4)$

Rule 2221

$\text{Int}[(((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)*((c_)+(d_)*(x_))^{(m_))}/((a_)+(b_)*((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)}), x\_Symbol] :> \text{Simp}[(c+d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1+b*((F^{(g*(e+f*x)))})^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c+d*x)^{(m-1)}*\text{Log}[1+b*((F^{(g*(e+f*x)))})^n/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 2320

$\text{Int}[u, x\_Symbol] :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^{(n_))^{(m_)} /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^{((c_)*((a_)+(b_)*x))* (F_)[v_]} /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 2611

$\text{Int}[\text{Log}[1+(e_)*((F_)^{((c_)*((a_)+(b_)*(x_)))})^{(n_)}]*((f_)+(g_)*(x_))^{(m_)}], x\_Symbol] :> \text{Simp}[(-f+g*x)^m*(\text{PolyLog}[2, (-e)*(F^{(c*(a+$

$b*x)))^n)/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{(c*(a + b*x)))^n}], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

### Rule 6724

$\text{Int}[\text{PolyLog}[n, (c_*)*((a_*) + (b_*)*(x_))^{(p_)}]/((d_*) + (e_*)*(x_)), x\_Symbol] := \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

### Rule 6744

$\text{Int}[((e_*) + (f_*)*(x_))^{(m_*)}*\text{PolyLog}[n, (d_*)*((F_*)^{(c_*)*((a_*) + (b_*)*(x_))^{(p_)}), x\_Symbol] := \text{Simp}[(e + f*x)^m*(\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x)})^p]/(b*c*p*\text{Log}[F])), x] - \text{Dist}[f*(m/(b*c*p*\text{Log}[F])), \text{Int}[(e + f*x)^{(m-1)}*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x)})^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x^3}{a + bF^{c+dx}} dx &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{3 \int x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\ &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6 \int x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^2 \log^2(F)} \\ &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \int \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^3 \log^3(F)} \\ &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Subst}\left(\int \frac{\text{Li}_3\left(-\frac{bx}{a}\right)}{x} dx, \right)}{bd^4 \log^4(F)} \\ &= \frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Li}_4\left(-\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)} \end{aligned}$$

### Mathematica [A]

time = 0.11, size = 115, normalized size = 1.00

$$\frac{x^3 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{3x^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{6x \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{6 \text{Li}_4\left(-\frac{bF^{c+dx}}{a}\right)}{bd^4 \log^4(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d\*x)\*x^3)/(a + b\*F^(c + d\*x)),x]

[Out] (x^3\*Log[1 + (b\*F^(c + d\*x))/a])/(b\*d\*Log[F]) + (3\*x^2\*PolyLog[2, -((b\*F^(c + d\*x))/a)])/(b\*d^2\*Log[F]^2) - (6\*x\*PolyLog[3, -((b\*F^(c + d\*x))/a)])/(b\*d^3\*Log[F]^3) + (6\*PolyLog[4, -((b\*F^(c + d\*x))/a)])/(b\*d^4\*Log[F]^4)

**Maple** [A]

time = 0.04, size = 225, normalized size = 1.96

method	result
risch	$-\frac{c^3 x}{d^3 b} - \frac{3c^4}{4d^4 b} + \frac{\ln\left(1 + \frac{b F^{dx} F^c}{a}\right) x^3}{d \ln(F) b} + \frac{\ln\left(1 + \frac{b F^{dx} F^c}{a}\right) c^3}{d^4 \ln(F) b} + \frac{3 \operatorname{polylog}\left(2, -\frac{b F^{dx} F^c}{a}\right) x^2}{d^2 \ln(F)^2 b} - \frac{6 \operatorname{polylog}\left(3, -\frac{b F^{dx} F^c}{a}\right) x}{d^3 \ln(F)^3 b} + \frac{6 \operatorname{polylog}\left(4, -\frac{b F^{dx} F^c}{a}\right)}{d^4 \ln(F)^4 b}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c)),x,method=\_RETURNVERBOSE)

[Out] -1/d^3/b\*c^3\*x-3/4/d^4/b\*c^4+1/d/ln(F)/b\*ln(1+b\*F^(d\*x)\*F^c/a)\*x^3+1/d^4/ln(F)/b\*ln(1+b\*F^(d\*x)\*F^c/a)\*c^3+3/d^2/ln(F)^2/b\*polylog(2,-b\*F^(d\*x)\*F^c/a)\*x^2-6/d^3/ln(F)^3/b\*polylog(3,-b\*F^(d\*x)\*F^c/a)\*x+6/d^4/ln(F)^4/b\*polylog(4,-b\*F^(d\*x)\*F^c/a)+1/d^4/ln(F)/b\*c^3\*ln(F^(d\*x)\*F^c)-1/d^4/ln(F)/b\*c^3\*ln(a+F^c\*F^(d\*x)\*b)

**Maxima** [A]

time = 0.32, size = 106, normalized size = 0.92

$$\frac{d^3 x^3 \log\left(\frac{F^{dx} F^c b}{a} + 1\right) \log(F)^3 + 3 d^2 x^2 \operatorname{Li}_2\left(-\frac{F^{dx} F^c b}{a}\right) \log(F)^2 - 6 dx \log(F) \operatorname{Li}_3\left(-\frac{F^{dx} F^c b}{a}\right) + 6 \operatorname{Li}_4\left(-\frac{F^{dx} F^c b}{a}\right)}{bd^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c)),x, algorithm="maxima")

[Out] (d^3\*x^3\*log(F^(d\*x)\*F^c\*b/a + 1)\*log(F)^3 + 3\*d^2\*x^2\*dilog(-F^(d\*x)\*F^c\*b/a)\*log(F)^2 - 6\*d\*x\*log(F)\*polylog(3, -F^(d\*x)\*F^c\*b/a) + 6\*polylog(4, -F^(d\*x)\*F^c\*b/a))/(b\*d^4\*log(F)^4)

**Fricas** [A]

time = 0.37, size = 134, normalized size = 1.17

$$\frac{3 d^2 x^2 \operatorname{Li}_2\left(-\frac{F^{dx+c} b+a}{a}\right) \log(F)^2 - c^3 \log(F^{dx+c} b+a) \log(F)^3 + (d^3 x^3 + c^3) \log(F)^3 \log\left(\frac{F^{dx+c} b+a}{a}\right) - 6 dx \log(F) \operatorname{polylog}\left(3, -\frac{F^{dx+c} b}{a}\right) + 6 \operatorname{polylog}\left(4, -\frac{F^{dx+c} b}{a}\right)}{bd^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c)),x, algorithm="fricas")

[Out] (3\*d^2\*x^2\*dilog(-F^(d\*x + c)\*b + a)/a + 1)\*log(F)^2 - c^3\*log(F^(d\*x + c)\*b + a)\*log(F)^3 + (d^3\*x^3 + c^3)\*log(F)^3\*log((F^(d\*x + c)\*b + a)/a) - 6\*



$d*x*\log(F)*\text{polylog}(3, -F^{(d*x + c)*b/a}) + 6*\text{polylog}(4, -F^{(d*x + c)*b/a})/(b*d^4*\log(F)^4)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx} x^3}{F^c F^{dx} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)\*x\*\*3/(a+b\*F\*\*(d\*x+c)),x)

[Out] Integral(F\*\*(c + d\*x)\*x\*\*3/(F\*\*c\*F\*\*(d\*x)\*b + a), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c)),x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x^3/(F^(d\*x + c)\*b + a), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{F^{c+dx} x^3}{a + F^{c+dx} b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x^3)/(a + F^(c + d\*x)\*b),x)

[Out] int((F^(c + d\*x)\*x^3)/(a + F^(c + d\*x)\*b), x)

$$3.77 \quad \int \frac{F^{c+dx} x^2}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=85

$$\frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \operatorname{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)}$$

[Out]  $x^2 \ln(1+bF^{(d*x+c)}/a)/b/d/\ln(F)+2*x*\operatorname{polylog}(2,-bF^{(d*x+c)}/a)/b/d^2/\ln(F)^2-2*\operatorname{polylog}(3,-bF^{(d*x+c)}/a)/b/d^3/\ln(F)^3$

Rubi [A]

time = 0.08, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2221, 2611, 2320, 6724}

$$-\frac{2 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} + \frac{2x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(F^{(c+d*x)}*x^2)/(a+bF^{(c+d*x)}),x]$

[Out]  $(x^2*\operatorname{Log}[1+(bF^{(c+d*x)})/a])/(b*d*\operatorname{Log}[F])+(2*x*\operatorname{PolyLog}[2,-((bF^{(c+d*x)})/a)])/(b*d^2*\operatorname{Log}[F]^2)-(2*\operatorname{PolyLog}[3,-((bF^{(c+d*x)})/a)])/(b*d^3*\operatorname{Log}[F]^3)$

Rule 2221

$\operatorname{Int}[(((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)*((c_)+(d_)*(x_))^{(m_))}/((a_)+(b_)*((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)}), x\_Symbol] \rightarrow \operatorname{Simp}[(c+d*x)^m/(b*f*g*n*\operatorname{Log}[F])*\operatorname{Log}[1+b*((F^{(g*(e+f*x)))})^n/a], x] - \operatorname{Dist}[d*(m/(b*f*g*n*\operatorname{Log}[F])), \operatorname{Int}[(c+d*x)^{(m-1)}*\operatorname{Log}[1+b*((F^{(g*(e+f*x)))})^n/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2320

$\operatorname{Int}[u, x\_Symbol] \rightarrow \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \operatorname{FunctionOfExponentialQ}[u, x] \&\& !\operatorname{MatchQ}[u, (w_)*((a_)*(v_)^{(n_)})^{(m_)} /; \operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m*n] \&\& !\operatorname{MatchQ}[u, E^{((c_)*((a_)+(b_)*x))}*(F_)[v_] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{InverseFunctionQ}[F[x]]]$

Rule 2611

$\operatorname{Int}[\operatorname{Log}[1+(e_)*((F_)^{((c_)*((a_)+(b_)*(x_)))})^{(n_)}]*((f_)+(g_)*(x_))^{(m_)}], x\_Symbol] \rightarrow \operatorname{Simp}[(-f+g*x)^m*(\operatorname{PolyLog}[2, (-e)*(F^{(c*(a+))})$

$b*x))^{n}/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{c*(a + b*x)})^{n}], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

### Rule 6724

$\text{Int}[\text{PolyLog}[n, (c_*)*((a_*) + (b_*)*(x_))^{(p_)}]/((d_*) + (e_*)*(x_)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

### Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x^2}{a + bF^{c+dx}} dx &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{2 \int x \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \int \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right) dx}{bd^2 \log^2(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \text{Subst}\left(\int \frac{\text{Li}_2\left(-\frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{bd^3 \log^3(F)} \\ &= \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)} \end{aligned}$$

### Mathematica [A]

time = 0.10, size = 85, normalized size = 1.00

$$\frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{2x \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} - \frac{2 \text{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{bd^3 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d\*x)\*x^2)/(a + b\*F^(c + d\*x)), x]

[Out] (x^2\*Log[1 + (b\*F^(c + d\*x))/a])/(b\*d\*Log[F]) + (2\*x\*PolyLog[2, -((b\*F^(c + d\*x))/a)])/(b\*d^2\*Log[F]^2) - (2\*PolyLog[3, -((b\*F^(c + d\*x))/a)])/(b\*d^3\*Log[F]^3)

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 193 vs. 2(85) = 170.

time = 0.04, size = 194, normalized size = 2.28

method	result
risch	$\frac{c^2 x}{d^2 b} + \frac{2c^3}{3d^3 b} + \frac{\ln\left(1 + \frac{b F^{dx} F^c}{a}\right) x^2}{d \ln(F) b} - \frac{\ln\left(1 + \frac{b F^{dx} F^c}{a}\right) c^2}{d^3 \ln(F) b} + \frac{2 \operatorname{polylog}\left(2, -\frac{b F^{dx} F^c}{a}\right) x}{d^2 \ln(F)^2 b} - \frac{2 \operatorname{polylog}\left(3, -\frac{b F^{dx} F^c}{a}\right)}{d^3 \ln(F)^3 b} + \frac{c^2 \ln(a + F^{dx} F^c)}{d^3 \ln(F)^3 b}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)*x^2/(a+b*F^(d*x+c)),x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{d^2} \frac{b c^2 x^2 + 2/3 d^3 b c^3 + 1/d \ln(F) / b \ln(1 + b F^{dx} F^c / a) x^2 - 1/d^3 \ln(F) / b \ln(1 + b F^{dx} F^c / a) c^2 + 2/d^2 \ln(F)^2 / b \operatorname{polylog}(2, -b F^{dx} F^c / a) x - 2/d^3 \ln(F)^3 / b \operatorname{polylog}(3, -b F^{dx} F^c / a) + 1/d^3 \ln(F) / b c^2 \ln(a + F^{dx} F^c) - 1/d^3 \ln(F) / b c^2 \ln(F^{dx} F^c)}{b d^3 \ln(F)^3}$

**Maxima** [A]

time = 0.60, size = 78, normalized size = 0.92

$$\frac{d^2 x^2 \log\left(\frac{F^{dx} F^c b}{a} + 1\right) \log(F)^2 + 2 dx \operatorname{Li}_2\left(-\frac{F^{dx} F^c b}{a}\right) \log(F) - 2 \operatorname{Li}_3\left(-\frac{F^{dx} F^c b}{a}\right)}{b d^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{(d^2 x^2 \log(F^{dx} F^c b / a + 1) \log(F)^2 + 2 d x \operatorname{dilog}(-F^{dx} F^c b / a) \log(F) - 2 \operatorname{polylog}(3, -F^{dx} F^c b / a)) / (b d^3 \log(F)^3)}$

**Fricas** [A]

time = 0.43, size = 108, normalized size = 1.27

$$\frac{c^2 \log(F^{dx+c} b + a) \log(F)^2 + 2 dx \operatorname{Li}_2\left(-\frac{F^{dx+c} b + a}{a}\right) \log(F) + (d^2 x^2 - c^2) \log(F)^2 \log\left(\frac{F^{dx+c} b + a}{a}\right) - 2 \operatorname{polylog}\left(3, -\frac{F^{dx+c} b}{a}\right)}{b d^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c)),x, algorithm="fricas")`

[Out]  $\frac{(c^2 \log(F^{dx} + c) b + a) \log(F)^2 + 2 d x \operatorname{dilog}(-(F^{dx} + c) b + a) / a + 1) \log(F) + (d^2 x^2 - c^2) \log(F)^2 \log((F^{dx} + c) b + a) / a - 2 \operatorname{polylog}(3, -F^{dx} + c) b / a)}{b d^3 \log(F)^3}$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx} x^2}{F^c F^{dx} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)\*x\*\*2/(a+b\*F\*\*(d\*x+c)),x)

[Out] Integral(F\*\*(c + d\*x)\*x\*\*2/(F\*\*c\*F\*\*(d\*x)\*b + a), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^2/(a+b\*F^(d\*x+c)),x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x^2/(F^(d\*x + c)\*b + a), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{F^{c+dx} x^2}{a + F^{c+dx} b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b),x)

[Out] int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b), x)

$$3.78 \quad \int \frac{F^{c+dx} x}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=54

$$\frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)}$$

[Out]  $x \ln(1+bF^{(d*x+c)}/a)/b/d/\ln(F)+\text{polylog}(2,-bF^{(d*x+c)}/a)/b/d^2/\ln(F)^2$

Rubi [A]

time = 0.05, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {2221, 2317, 2438}

$$\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)} + \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{bd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(F^{(c+d*x)*x})/(a+bF^{(c+d*x)})], x]$

[Out]  $(x*\text{Log}[1+(bF^{(c+d*x)})/a])/(b*d*\text{Log}[F]) + \text{PolyLog}[2, -((bF^{(c+d*x)})/a)]/(b*d^2*\text{Log}[F]^2)$

Rule 2221

$\text{Int}[(((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)*((c_)+(d_)*(x_))})^{(m_)}]/((a_)+(b_)*((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(c+d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1+b*((F^{(g*(e+f*x)))})^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c+d*x)^{(m-1)}*\text{Log}[1+b*((F^{(g*(e+f*x)))})^n/a)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2317

$\text{Int}[\text{Log}[(a_)+(b_)*((F_)^{((e_)*((c_)+(d_)*(x_)))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a+b*x]/x, x], x, (F^{(e*(c+d*x)})^n)], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2438

$\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_)})]/(x_), x\_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x}{a + bF^{c+dx}} dx &= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{\int \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{bd \log(F)} \\
&= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} - \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx, x, F^{c+dx}\right)}{bd^2 \log^2(F)} \\
&= \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.09, size = 54, normalized size = 1.00

$$\frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{bd \log(F)} + \frac{\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{bd^2 \log^2(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(F^(c + d*x)*x)/(a + b*F^(c + d*x)), x]``[Out] (x*Log[1 + (b*F^(c + d*x))/a])/(b*d*Log[F]) + PolyLog[2, -((b*F^(c + d*x))/a)]/(b*d^2*Log[F]^2)`**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 153 vs. 2(54) = 108.

time = 0.03, size = 154, normalized size = 2.85

method	result	size
risch	$-\frac{cx}{db} - \frac{c^2}{2d^2b} + \frac{\ln\left(1 + \frac{bF^{dx}F^c}{a}\right)x}{d \ln(F)b} + \frac{\ln\left(1 + \frac{bF^{dx}F^c}{a}\right)c}{d^2 \ln(F)b} + \frac{\text{polylog}\left(2, -\frac{bF^{dx}F^c}{a}\right)}{d^2 \ln(F)^2b} - \frac{c \ln(a + F^c F^{dx}b)}{d^2 \ln(F)b} + \frac{c \ln(F^{dx}F^c)}{d^2 \ln(F)b}$	153

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(F^(d*x+c)*x/(a+b*F^(d*x+c)), x, method=_RETURNVERBOSE)``[Out] -1/d/b*c*x-1/2/d^2/b*c^2+1/d/ln(F)/b*ln(1+b*F^(d*x)*F^c/a)*x+1/d^2/ln(F)/b*ln(1+b*F^(d*x)*F^c/a)*c+1/d^2/ln(F)^2/b*polylog(2, -b*F^(d*x)*F^c/a)-1/d^2/ln(F)/b*c*ln(a+F^c*F^(d*x)*b)+1/d^2/ln(F)/b*c*ln(F^(d*x)*F^c)`**Maxima [A]**

time = 0.52, size = 48, normalized size = 0.89

$$\frac{dx \log\left(\frac{F^{dx}F^c}{a} + 1\right) \log(F) + \text{Li}_2\left(-\frac{F^{dx}F^c}{a}\right)}{bd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c)),x, algorithm="maxima")

[Out] (d\*x\*log(F^(d\*x)\*F^c\*b/a + 1)\*log(F) + dilog(-F^(d\*x)\*F^c\*b/a))/(b\*d^2\*log(F)^2)

**Fricas** [A]

time = 0.39, size = 75, normalized size = 1.39

$$\frac{c \log(F^{dx+cb} + a) \log(F) - (dx + c) \log(F) \log\left(\frac{F^{dx+cb+a}}{a}\right) - \text{Li}_2\left(-\frac{F^{dx+cb+a}}{a} + 1\right)}{bd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c)),x, algorithm="fricas")

[Out] -(c\*log(F^(d\*x + c)\*b + a)\*log(F) - (d\*x + c)\*log(F)\*log((F^(d\*x + c)\*b + a)/a) - dilog(-(F^(d\*x + c)\*b + a)/a + 1))/(b\*d^2\*log(F)^2)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx} x}{F^c F^{dx} b + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)\*x/(a+b\*F\*\*(d\*x+c)),x)

[Out] Integral(F\*\*(c + d\*x)\*x/(F\*\*c\*F\*\*(d\*x)\*b + a), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c)),x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x/(F^(d\*x + c)\*b + a), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{F^{c+dx} x}{a + F^{c+dx} b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x)/(a + F^(c + d\*x)\*b),x)

[Out] int((F^(c + d\*x)\*x)/(a + F^(c + d\*x)\*b), x)



$$3.79 \quad \int \frac{F^{c+dx}}{a+bF^{c+dx}} dx$$

Optimal. Leaf size=23

$$\frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

[Out]  $\ln(a+bF^{(d*x+c)})/b/d/\ln(F)$

Rubi [A]

time = 0.03, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2278, 31}

$$\frac{\log(a + bF^{c+dx})}{bd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[F^{(c + d*x)}/(a + bF^{(c + d*x)}), x]$

[Out]  $\text{Log}[a + bF^{(c + d*x)}]/(b*d*\text{Log}[F])$

Rule 31

$\text{Int}[(a + b*x)^{-1}, x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b, x\}$

Rule 2278

$\text{Int}[(F^{(e*(c + d*x))})^{(n)} * ((a + b*F^{(e*(c + d*x))})^{(p)}), x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[(a + b*x)^p, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n, p, x\}$

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx}}{a+bF^{c+dx}} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+bx} dx, x, F^{c+dx}\right)}{d \log(F)} \\ &= \frac{\log(a + bF^{c+dx})}{bd \log(F)} \end{aligned}$$

Mathematica [A]

time = 0.03, size = 30, normalized size = 1.30

$$\frac{\log(ad \log(F) + bF^{c+dx} \log(F))}{bd \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d\*x)/(a + b\*F^(c + d\*x)),x]

[Out] Log[a\*d\*Log[F] + b\*d\*F^(c + d\*x)\*Log[F]]/(b\*d\*Log[F])

**Maple [A]**

time = 0.01, size = 24, normalized size = 1.04

method	result	size
derivativdivides	$\frac{\ln(a+b F^{dx+c})}{bd \ln(F)}$	24
default	$\frac{\ln(a+b F^{dx+c})}{bd \ln(F)}$	24
norman	$\frac{\ln(a+b e^{(dx+c) \ln(F)})}{b \ln(F)d}$	26
risch	$-\frac{c}{bd} + \frac{\ln(F^{dx+c} + \frac{a}{b})}{b \ln(F)d}$	36

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)/(a+b\*F^(d\*x+c)),x,method=\_RETURNVERBOSE)

[Out] ln(a+b\*F^(d\*x+c))/b/d/ln(F)

**Maxima [A]**

time = 0.41, size = 23, normalized size = 1.00

$$\frac{\log(F^{dx+c}b + a)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c)),x, algorithm="maxima")

[Out] log(F^(d\*x + c)\*b + a)/(b\*d\*log(F))

**Fricas [A]**

time = 0.38, size = 23, normalized size = 1.00

$$\frac{\log(F^{dx+c}b + a)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c)),x, algorithm="fricas")

[Out] log(F^(d\*x + c)\*b + a)/(b\*d\*log(F))

**Sympy [A]**

time = 0.06, size = 17, normalized size = 0.74

$$\frac{\log\left(F^{c+dx} + \frac{a}{b}\right)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(F**(d*x+c)/(a+b*F**(d*x+c)),x)``[Out] log(F**(c + d*x) + a/b)/(b*d*log(F))`**Giac [A]**

time = 1.70, size = 24, normalized size = 1.04

$$\frac{\log\left(|F^{dx+c}b + a|\right)}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c)),x, algorithm="giac")``[Out] log(abs(F^(d*x + c)*b + a))/(b*d*log(F))`**Mupad [B]**

time = 3.43, size = 23, normalized size = 1.00

$$\frac{\ln\left(a + F^{c+dx} b\right)}{bd \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(F^(c + d*x)/(a + F^(c + d*x)*b),x)``[Out] log(a + F^(c + d*x)*b)/(b*d*log(F))`

$$3.80 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Optimal. Leaf size=27

$$\text{Int}\left(\frac{F^{c+dx}}{(a+bF^{c+dx})x}, x\right)$$

[Out] Unintegrable(F^(d\*x+c)/(a+bF^(d\*x+c))/x,x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Verification is not applicable to the result.

[In] Int[F^(c + d\*x)/((a + bF^(c + d\*x))\*x), x]

[Out] Defer[Int] [F^(c + d\*x)/((a + bF^(c + d\*x))\*x), x]

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx = \int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Mathematica [A]

time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x} dx$$

Verification is not applicable to the result.

[In] Integrate[F^(c + d\*x)/((a + bF^(c + d\*x))\*x), x]

[Out] Integrate[F^(c + d\*x)/((a + bF^(c + d\*x))\*x), x]

Maple [A]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a+bF^{dx+c})x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)/(a+b*F^(d*x+c))/x,x)`

[Out] `int(F^(d*x+c)/(a+b*F^(d*x+c))/x,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="maxima")`

[Out] `-a*integrate(1/(F^(d*x)*F^c*b^2*x + a*b*x), x) + log(x)/b`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="fricas")`

[Out] `integral(F^(d*x + c)/(F^(d*x + c)*b*x + a*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{x (F^c F^{dx} b + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)/(a+b*F**(d*x+c))/x,x)`

[Out] `Integral(F**(c + d*x)/(x*(F**c*F**(d*x)*b + a)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x,x, algorithm="giac")`

[Out] `integrate(F^(d*x + c)/((F^(d*x + c)*b + a)*x), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{F^{c+dx}}{x (a + F^{c+dx} b)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(F^(c + d*x)/(x*(a + F^(c + d*x)*b)),x)
```

```
[Out] int(F^(c + d*x)/(x*(a + F^(c + d*x)*b)), x)
```

$$3.81 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Optimal. Leaf size=27

$$\text{Int}\left(\frac{F^{c+dx}}{(a+bF^{c+dx})x^2}, x\right)$$

[Out] Unintegrable(F^(d\*x+c)/(a+b\*F^(d\*x+c))/x^2, x)

Rubi [A]

time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ ,

Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Verification is not applicable to the result.

[In] Int[F^(c + d\*x)/((a + b\*F^(c + d\*x))\*x^2), x]

[Out] Defer[Int][F^(c + d\*x)/((a + b\*F^(c + d\*x))\*x^2), x]

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx = \int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Mathematica [A]

time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[F^(c + d\*x)/((a + b\*F^(c + d\*x))\*x^2), x]

[Out] Integrate[F^(c + d\*x)/((a + b\*F^(c + d\*x))\*x^2), x]

Maple [A]

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a+bF^{dx+c})x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x)`

[Out] `int(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="maxima")`

[Out] `-a*integrate(1/(F^(d*x)*F^c*b^2*x^2 + a*b*x^2), x) - 1/(b*x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="fricas")`

[Out] `integral(F^(d*x + c)/(F^(d*x + c)*b*x^2 + a*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{x^2 (F^c F^{dx} b + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)/(a+b*F**(d*x+c))/x**2,x)`

[Out] `Integral(F**(c + d*x)/(x**2*(F**c*F**(d*x)*b + a)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)/(a+b*F^(d*x+c))/x^2,x, algorithm="giac")`

[Out] `integrate(F^(d*x + c)/((F^(d*x + c)*b + a)*x^2), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{F^{c+dx}}{x^2 (a + F^{c+dx} b)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)), x)
```

```
[Out] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)), x)
```

$$3.82 \quad \int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=140

$$\frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a+bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6 \operatorname{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{abd^4 \log^4(F)}$$

[Out]  $x^3/a/b/d/\ln(F) - x^3/b/d/(a+bF^{(d*x+c)})/\ln(F) - 3*x^2*\ln(1+bF^{(d*x+c)}/a)/a/b/d^2/\ln(F)^2 - 6*x*polylog(2, -bF^{(d*x+c)}/a)/a/b/d^3/\ln(F)^3 + 6*polylog(3, -bF^{(d*x+c)}/a)/a/b/d^4/\ln(F)^4$

Rubi [A]

time = 0.17, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {2222, 2215, 2221, 2611, 2320, 6724}

$$\frac{6 \operatorname{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{abd^4 \log^4(F)} - \frac{6x \operatorname{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} - \frac{3x^2 \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^3}{bd \log(F)(a+bF^{c+dx})} + \frac{x^3}{abd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(F^{(c+d*x)}*x^3)/(a+bF^{(c+d*x)})^2, x]$

[Out]  $x^3/(a*b*d*\operatorname{Log}[F]) - x^3/(b*d*(a+bF^{(c+d*x)})*\operatorname{Log}[F]) - (3*x^2*\operatorname{Log}[1+(bF^{(c+d*x)})/a])/(a*b*d^2*\operatorname{Log}[F]^2) - (6*x*\operatorname{PolyLog}[2, -((bF^{(c+d*x)})/a)])/(a*b*d^3*\operatorname{Log}[F]^3) + (6*\operatorname{PolyLog}[3, -((bF^{(c+d*x)})/a)])/(a*b*d^4*\operatorname{Log}[F]^4)$

Rule 2215

$\operatorname{Int}[(c_+ + (d_+)*(x_+))^{(m_+)}/((a_+) + (b_+)*((F_+)^{((g_+)*((e_+) + (f_+)*(x_+))))^{(n_+)}), x\_Symbol] := \operatorname{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*((F^{(g*(e + f*x)))^n)/(a + b*(F^{(g*(e + f*x)))^n))], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

$\operatorname{Int}[(F_+)^{((g_+)*((e_+) + (f_+)*(x_+)))^{(n_+)}}*((c_+) + (d_+)*(x_+))^{(m_+)}/((a_+) + (b_+)*((F_+)^{((g_+)*((e_+) + (f_+)*(x_+))))^{(n_+)}), x\_Symbol] := \operatorname{Simp}[(c + d*x)^m/(b*f*g*n*\operatorname{Log}[F])*\operatorname{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x] - \operatorname{Dist}[d*(m/(b*f*g*n*\operatorname{Log}[F])), \operatorname{Int}[(c + d*x)^{(m - 1)}*\operatorname{Log}[1 + b*((F^{(g*(e + f*x)))^n/a)], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2222

$\operatorname{Int}[(F_+)^{((g_+)*((e_+) + (f_+)*(x_+)))^{(n_+)}}*((a_+) + (b_+)*((F_+)^{((g_+)*((e_+) + (f_+)*(x_+))))^{(n_+)})^{(p_+)}/((c_+) + (d_+)*(x_+))^{(m_+)}, x\_Symbol] :=$

```
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

### Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 2611

```
Int[Log[1 + (e_)*((F)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

### Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x^3}{(a + bF^{c+dx})^2} dx &= -\frac{x^3}{bd(a + bF^{c+dx}) \log(F)} + \frac{3 \int \frac{x^2}{a + bF^{c+dx}} dx}{bd \log(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3 \int \frac{F^{c+dx} x^2}{a + bF^{c+dx}} dx}{ad \log(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{6 \int x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6}{abd^3 \log^3(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6}{abd^3 \log^3(F)} \\
&= \frac{x^3}{abd \log(F)} - \frac{x^3}{bd(a + bF^{c+dx}) \log(F)} - \frac{3x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{6x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} + \frac{6}{abd^3 \log^3(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.16, size = 137, normalized size = 0.98

$$-\frac{x^3}{bd(a + bF^{c+dx}) \log(F)} + \frac{3 \left( \frac{x^3}{3a} - \frac{x^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{ad \log(F)} - \frac{2x \operatorname{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{ad^2 \log^2(F)} + \frac{2 \operatorname{Li}_3\left(-\frac{bF^{c+dx}}{a}\right)}{ad^3 \log^3(F)} \right)}{bd \log(F)}$$

Antiderivative was successfully verified.

`[In] Integrate[(F^(c + d*x)*x^3)/(a + b*F^(c + d*x))^2,x]`

```
[Out] -(x^3/(b*d*(a + b*F^(c + d*x))*Log[F])) + (3*(x^3/(3*a) - (x^2*Log[1 + (b*F^(c + d*x))/a])/(a*d*Log[F]) - (2*x*PolyLog[2, -((b*F^(c + d*x))/a)])/(a*d^2*Log[F]^2) + (2*PolyLog[3, -((b*F^(c + d*x))/a)])/(a*d^3*Log[F]^3)))/(b*d*Log[F])
```

**Maple [A]**

time = 0.03, size = 274, normalized size = 1.96

method	result
risch	$ -\frac{x^3}{bd(a+bF^{dx+c}) \ln(F)} + \frac{x^3}{abd \ln(F)} - \frac{3c^2 x}{bd^3 \ln(F)a} - \frac{2c^3}{bd^4 \ln(F)a} - \frac{3 \ln\left(1 + \frac{bF^{dx} F^c}{a}\right) x^2}{bd^2 \ln(F)^2 a} + \frac{3 \ln\left(1 + \frac{bF^{dx} F^c}{a}\right) c^2}{bd^4 \ln(F)^2 a} - \frac{6 \operatorname{polylog}}{bd^3} $

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out] 
$$-x^3/b/d/(a+b*F^(d*x+c))/\ln(F)+x^3/a/b/d/\ln(F)-3/b/d^3/\ln(F)/a*c^2*x-2/b/d^4/\ln(F)/a*c^3-3/b/d^2/\ln(F)^2/a*\ln(1+b*F^(d*x)*F^c/a)*x^2+3/b/d^4/\ln(F)^2/a*\ln(1+b*F^(d*x)*F^c/a)*c^2-6/b/d^3/\ln(F)^3/a*\text{polylog}(2,-b*F^(d*x)*F^c/a)*x+6/b/d^4/\ln(F)^4/a*\text{polylog}(3,-b*F^(d*x)*F^c/a)-3/b/d^4/\ln(F)^2*c^2/a*\ln(a+F^c*F^(d*x)*b)+3/b/d^4/\ln(F)^2*c^2/a*\ln(F^(d*x)*F^c)$$

**Maxima** [A]

time = 0.33, size = 129, normalized size = 0.92

$$-\frac{x^3}{F^{dx} F^c b^2 d \log(F) + a b d \log(F)} + \frac{x^3}{a b d \log(F)} - \frac{3 \left( d^2 x^2 \log\left(\frac{F^{dx} F^c b}{a} + 1\right) \log(F)^2 + 2 dx \text{Li}_2\left(-\frac{F^{dx} F^c b}{a}\right) \log(F) - 2 \text{Li}_3\left(-\frac{F^{dx} F^c b}{a}\right) \right)}{a b d^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x, algorithm="maxima")`

[Out] 
$$-x^3/(F^(d*x)*F^c*b^2*d*\log(F) + a*b*d*\log(F)) + x^3/(a*b*d*\log(F)) - 3*(d^2*x^2*\log(F^(d*x)*F^c*b/a + 1)*\log(F)^2 + 2*d*x*dilog(-F^(d*x)*F^c*b/a)*\log(F) - 2*\text{polylog}(3, -F^(d*x)*F^c*b/a))/(a*b*d^4*\log(F)^4)$$

**Fricas** [A]

time = 0.38, size = 246, normalized size = 1.76

$$\frac{a^2 \log(F)^3 + (bd^2x^2 + bc^2)F^{dx+c} \log(F)^3 - 6(F^{dx+c} b d x \log(F) + a d x \log(F)) \text{Li}_2\left(-\frac{F^{dx+c} b d x}{a} + 1\right) - 3(F^{dx+c} b^2 \log(F)^2 + a^2 \log(F)^2) \log(F^{dx+c} b + a) - 3((bd^2x^2 - bc^2)F^{dx+c} \log(F)^2 + (ad^2x^2 - ac^2) \log(F)^2) \log\left(\frac{F^{dx+c} b d x}{a}\right) + 6(F^{dx+c} b + a) \text{polylog}\left(3, -\frac{F^{dx+c} b}{a}\right)}{F^{dx+c} a b^2 d^4 \log(F)^4 + a^2 b d^4 \log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^3/(a+b*F^(d*x+c))^2,x, algorithm="fricas")`

[Out] 
$$(a*c^3*\log(F)^3 + (b*d^3*x^3 + b*c^3)*F^(d*x + c)*\log(F)^3 - 6*(F^(d*x + c) * b*d*x*\log(F) + a*d*x*\log(F))*dilog(-(F^(d*x + c)*b + a)/a + 1) - 3*(F^(d*x + c)*b*c^2*\log(F)^2 + a*c^2*\log(F)^2)*\log(F^(d*x + c)*b + a) - 3*((b*d^2*x^2 - b*c^2)*F^(d*x + c)*\log(F)^2 + (a*d^2*x^2 - a*c^2)*\log(F)^2)*\log((F^(d*x + c)*b + a)/a) + 6*(F^(d*x + c)*b + a)*\text{polylog}(3, -F^(d*x + c)*b/a))/(F^(d*x + c)*a*b^2*d^4*\log(F)^4 + a^2*b*d^4*\log(F)^4)$$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$-\frac{x^3}{F^{c+dx} b^2 d \log(F) + a b d \log(F)} + \frac{3 \int \frac{x^2}{a+b e^{c \log(F)} e^{d x \log(F)}} dx}{b d \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x**3/(a+b*F**(d*x+c))**2,x)`

[Out] 
$$-x**3/(F**(c + d*x)*b**2*d*\log(F) + a*b*d*\log(F)) + 3*\text{Integral}(x**2/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x)/(b*d*\log(F))$$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x^3/(F^(d\*x + c)\*b + a)^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{F^{c+dx} x^3}{(a + F^{c+dx} b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x^3)/(a + F^(c + d\*x)\*b)^2,x)

[Out] int((F^(c + d\*x)\*x^3)/(a + F^(c + d\*x)\*b)^2, x)

$$3.83 \quad \int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=107

$$\frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a+bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{2\text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)}$$

[Out]  $x^2/a/b/d/\ln(F) - x^2/b/d/(a+bF^{(d*x+c)})/\ln(F) - 2*x*\ln(1+bF^{(d*x+c)}/a)/a/b/d^2/\ln(F)^2 - 2*polylog(2, -bF^{(d*x+c)}/a)/a/b/d^3/\ln(F)^3$

Rubi [A]

time = 0.15, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {2222, 2215, 2221, 2317, 2438}

$$-\frac{2\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} - \frac{2x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{abd^2 \log^2(F)} - \frac{x^2}{bd \log(F)(a+bF^{c+dx})} + \frac{x^2}{abd \log(F)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(F^{(c+d*x)}*x^2)/(a+bF^{(c+d*x)})^2, x]$

[Out]  $x^2/(a*b*d*\text{Log}[F]) - x^2/(b*d*(a+bF^{(c+d*x)})*\text{Log}[F]) - (2*x*\text{Log}[1+(bF^{(c+d*x)})/a])/(a*b*d^2*\text{Log}[F]^2) - (2*\text{PolyLog}[2, -((bF^{(c+d*x)})/a)])/(a*b*d^3*\text{Log}[F]^3)$

Rule 2215

$\text{Int}[(c + d*x)^m / (a + b*(F^{(g*(e+f*x))})^n), x] \rightarrow \text{Simp}[(c + d*x)^{m+1} / (a*d*(m+1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m * (F^{(g*(e+f*x))})^n / (a + b*(F^{(g*(e+f*x))})^n), x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2221

$\text{Int}[(F^{(g*(e+f*x))})^n * (c + d*x)^m / (a + b*(F^{(g*(e+f*x))})^n), x] \rightarrow \text{Simp}[(c + d*x)^m / (b*f*g*n*\text{Log}[F]) * \text{Log}[1 + b*(F^{(g*(e+f*x))})^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^{m-1} * \text{Log}[1 + b*(F^{(g*(e+f*x))})^n/a], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2222

$\text{Int}[(F^{(g*(e+f*x))})^n * (a + b*(F^{(g*(e+f*x))})^p) * (c + d*x)^m, x] \rightarrow$

```
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x))))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F]), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x))))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

### Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x^2}{(a + bF^{c+dx})^2} dx &= -\frac{x^2}{bd(a + bF^{c+dx}) \log(F)} + \frac{2 \int \frac{x}{a + bF^{c+dx}} dx}{bd \log(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2 \int \frac{F^{c+dx} x}{a + bF^{c+dx}} dx}{ad \log(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{2 \int \log\left(1 + \frac{bF^{c+dx}}{a}\right) dx}{abd^2 \log^2(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} + \frac{2 \text{Subst}\left(\int \frac{\log\left(1 + \frac{bx}{a}\right)}{x} dx\right)}{abd^3 \log^3(F)} \\ &= \frac{x^2}{abd \log(F)} - \frac{x^2}{bd(a + bF^{c+dx}) \log(F)} - \frac{2x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{abd^2 \log^2(F)} - \frac{2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 \log^3(F)} \end{aligned}$$

### Mathematica [A]

time = 0.11, size = 103, normalized size = 0.96

$$\frac{dx \log(F) \left( bdF^{c+dx} x \log(F) - 2(a + bF^{c+dx}) \log\left(1 + \frac{bF^{c+dx}}{a}\right) \right) - 2(a + bF^{c+dx}) \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{abd^3 (a + bF^{c+dx}) \log^3(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(F^(c + d*x)*x^2)/(a + bF^(c + d*x))^2, x]
```



[Out]  $(d*x*\text{Log}[F]*(b*d*F^{(c+d*x)})*x*\text{Log}[F] - 2*(a+b*F^{(c+d*x)})*\text{Log}[1+(b*F^{(c+d*x)})/a]) - 2*(a+b*F^{(c+d*x)})*\text{PolyLog}[2, -((b*F^{(c+d*x)})/a)]/(a*b*d^3*(a+b*F^{(c+d*x)})*\text{Log}[F]^3)$

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 230 vs.  $2(107) = 214$ .

time = 0.02, size = 231, normalized size = 2.16

method	result
risch	$-\frac{x^2}{bd(a+bF^{dx+c})\ln(F)} + \frac{x^2}{abd\ln(F)} + \frac{2cx}{bd^2\ln(F)a} + \frac{c^2}{bd^3\ln(F)a} - \frac{2\ln\left(1+\frac{bF^{dx}F^c}{a}\right)x}{bd^2\ln(F)^2a} - \frac{2\ln\left(1+\frac{bF^{dx}F^c}{a}\right)c}{bd^3\ln(F)^2a} - \frac{2\text{polylog}}{bd^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out]  $-x^2/b/d/(a+b*F^{(d*x+c)})/\ln(F)+x^2/a/b/d/\ln(F)+2/b/d^2/\ln(F)/a*c*x+1/b/d^3/\ln(F)/a*c^2-2/b/d^2/\ln(F)^2/a*\ln(1+b*F^{(d*x)}*F^c/a)*x-2/b/d^3/\ln(F)^2/a*\ln(1+b*F^{(d*x)}*F^c/a)*c-2/b/d^3/\ln(F)^3/a*\text{polylog}(2,-b*F^{(d*x)}*F^c/a)+2/b/d^3/\ln(F)^2*c/a*\ln(a+F^c*F^{(d*x)}*b)-2/b/d^3/\ln(F)^2*c/a*\ln(F^{(d*x)}*F^c)$

**Maxima [A]**

time = 0.30, size = 99, normalized size = 0.93

$$-\frac{x^2}{F^{dx}F^c b^2 d \log(F) + abd \log(F)} + \frac{x^2}{abd \log(F)} - \frac{2 \left( dx \log \left( \frac{F^{dx} F^c b}{a} + 1 \right) \log(F) + \text{Li}_2 \left( -\frac{F^{dx} F^c b}{a} \right) \right)}{abd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2,x, algorithm="maxima")`

[Out]  $-x^2/(F^{(d*x)}*F^c*b^2*d*\log(F) + a*b*d*\log(F)) + x^2/(a*b*d*\log(F)) - 2*(d*x*\log(F^{(d*x)}*F^c*b/a + 1)*\log(F) + \text{dilog}(-F^{(d*x)}*F^c*b/a))/(a*b*d^3*\log(F)^3)$

**Fricas [A]**

time = 0.39, size = 186, normalized size = 1.74

$$\frac{ac^2 \log(F)^2 - (bd^2x^2 - bc^2)F^{dx+c} \log(F)^2 + 2(F^{dx+c}b + a)\text{Li}_2\left(-\frac{F^{dx+c}b+a}{a}\right) - 2(F^{dx+c}bc \log(F) + ac \log(F)) \log(F^{dx+c}b + a) + 2((bdx + bc)F^{dx+c} \log(F) + (adx + ac) \log(F)) \log\left(\frac{F^{dx+c}b+a}{a}\right)}{F^{dx+c}ab^2d^3 \log(F)^3 + a^2bd^3 \log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^2,x, algorithm="fricas")`

[Out]  $-(a*c^2*\log(F)^2 - (b*d^2*x^2 - b*c^2)*F^{(d*x+c)}*\log(F)^2 + 2*(F^{(d*x+c)}*b + a)*\text{dilog}(-(F^{(d*x+c)}*b + a)/a + 1) - 2*(F^{(d*x+c)}*b*c*\log(F) + a*c*\log(F))*\log(F^{(d*x+c)}*b + a) + 2*((b*d*x + b*c)*F^{(d*x+c)}*\log(F) + (a*d*x + a*c)*\log(F))*\log((F^{(d*x+c)}*b + a)/a))/(F^{(d*x+c)}*a*b^2*d^3*\log(F)^3 + a^2*b*d^3*\log(F)^3)$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$-\frac{x^2}{F^{c+dx} b^2 d \log(F) + a b d \log(F)} + \frac{2 \int \frac{x}{a + b e^{c \log(F)} e^{d x \log(F)}} dx}{b d \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F\*\*(d\*x+c)\*x\*\*2/(a+b\*F\*\*(d\*x+c))\*\*2,x)**[Out]** -x\*\*2/(F\*\*(c + d\*x)\*b\*\*2\*d\*log(F) + a\*b\*d\*log(F)) + 2\*Integral(x/(a + b\*exp(c\*log(F))\*exp(d\*x\*log(F))), x)/(b\*d\*log(F))**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)\*x^2/(a+b\*F^(d\*x+c))^2,x, algorithm="giac")**[Out]** integrate(F^(d\*x + c)\*x^2/(F^(d\*x + c)\*b + a)^2, x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{F^{c+dx} x^2}{(a + F^{c+dx} b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b)^2,x)**[Out]** int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b)^2, x)

$$3.84 \quad \int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=69

$$\frac{x}{abd \log(F)} - \frac{x}{bd(a+bF^{c+dx}) \log(F)} - \frac{\log(a+bF^{c+dx})}{abd^2 \log^2(F)}$$

[Out] x/a/b/d/ln(F)-x/b/d/(a+b\*F^(d\*x+c))/ln(F)-ln(a+b\*F^(d\*x+c))/a/b/d^2/ln(F)^2

Rubi [A]

time = 0.05, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {2222, 2320, 36, 29, 31}

$$-\frac{\log(a+bF^{c+dx})}{abd^2 \log^2(F)} - \frac{x}{bd \log(F)(a+bF^{c+dx})} + \frac{x}{abd \log(F)}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d\*x)\*x)/(a + b\*F^(c + d\*x))^2,x]

[Out] x/(a\*b\*d\*Log[F]) - x/(b\*d\*(a + b\*F^(c + d\*x))\*Log[F]) - Log[a + b\*F^(c + d\*x)]/(a\*b\*d^2\*Log[F]^2)

Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2222

Int[((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((a\_) + (b\_)\*(F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(c + d\*x)^m\*((a + b\*(F^(g\*(e + f\*x))))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F]), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x))))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m}

, n, p}, x] && NeQ[p, -1]

### Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx} x}{(a + bF^{c+dx})^2} dx &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} + \frac{\int \frac{1}{a+bF^{c+dx}} dx}{bd \log(F)} \\ &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} + \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)} dx, x, F^{c+dx}\right)}{bd^2 \log^2(F)} \\ &= -\frac{x}{bd(a + bF^{c+dx}) \log(F)} - \frac{\text{Subst}\left(\int \frac{1}{a+bx} dx, x, F^{c+dx}\right)}{ad^2 \log^2(F)} + \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, F^{c+dx}\right)}{abd^2 \log^2(F)} \\ &= \frac{x}{abd \log(F)} - \frac{x}{bd(a + bF^{c+dx}) \log(F)} - \frac{\log(a + bF^{c+dx})}{abd^2 \log^2(F)} \end{aligned}$$

### Mathematica [A]

time = 0.09, size = 54, normalized size = 0.78

$$\frac{\frac{dF^{c+dx} x \log(F)}{a+bF^{c+dx}} - \frac{\log(a+bF^{c+dx})}{b}}{ad^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d\*x)\*x)/(a + b\*F^(c + d\*x))^2,x]

[Out] ((d\*F^(c + d\*x)\*x\*Log[F])/(a + b\*F^(c + d\*x)) - Log[a + b\*F^(c + d\*x)]/b)/(a\*d^2\*Log[F]^2)

### Maple [A]

time = 0.02, size = 67, normalized size = 0.97

method	result	size
norman	$\frac{x e^{(dx+c) \ln(F)}}{\ln(F) a d (a+b e^{(dx+c) \ln(F)})} - \frac{\ln(a+b e^{(dx+c) \ln(F)})}{\ln(F)^2 b d^2 a}$	67

risch	$\frac{x}{abd \ln(F)} + \frac{c}{\ln(F)b d^2 a} - \frac{x}{bd(a+b F^{dx+c}) \ln(F)} - \frac{\ln(F^{dx+c} + \frac{a}{b})}{\ln(F)^2 b d^2 a}$	87
-------	---	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)*x/(a+b*F^(d*x+c))^2,x,method=_RETURNVERBOSE)`

[Out]  $1/\ln(F)/a/d*x*\exp((d*x+c)*\ln(F))/(a+b*\exp((d*x+c)*\ln(F)))-1/\ln(F)^2/b/d^2/a*\ln(a+b*\exp((d*x+c)*\ln(F)))$

**Maxima** [A]

time = 0.31, size = 72, normalized size = 1.04

$$\frac{F^{dx} F^c x}{F^{dx} F^c abd \log(F) + a^2 d \log(F)} - \frac{\log\left(\frac{F^{dx} F^c b + a}{F^c b}\right)}{abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^2,x, algorithm="maxima")`

[Out]  $F^{(d*x)}*F^{c*x}/(F^{(d*x)}*F^{c*a*b*d*\log(F)} + a^{2*d*\log(F)}) - \log((F^{(d*x)}*F^{c*b} + a)/(F^{c*b}))/a*b*d^2*\log(F)^2$

**Fricas** [A]

time = 0.45, size = 74, normalized size = 1.07

$$\frac{F^{dx+c} b dx \log(F) - (F^{dx+c} b + a) \log(F^{dx+c} b + a)}{F^{dx+c} a b^2 d^2 \log(F)^2 + a^2 b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^2,x, algorithm="fricas")`

[Out]  $(F^{(d*x+c)}*b*d*x*\log(F) - (F^{(d*x+c)}*b + a)*\log(F^{(d*x+c)}*b + a))/(F^{(d*x+c)}*a*b^2*d^2*\log(F)^2 + a^2*b*d^2*\log(F)^2)$

**Sympy** [A]

time = 0.09, size = 58, normalized size = 0.84

$$-\frac{x}{F^{c+dx} b^2 d \log(F) + a b d \log(F)} + \frac{x}{a b d \log(F)} - \frac{\log(F^{c+dx} + \frac{a}{b})}{a b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x/(a+b*F**(d*x+c))**2,x)`

[Out]  $-x/(F^{(c+d*x)}*b^{**2}*d*\log(F) + a*b*d*\log(F)) + x/(a*b*d*\log(F)) - \log(F^{(c+d*x)} + a/b)/(a*b*d^{**2}*\log(F)^{**2})$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x/(F^(d\*x + c)\*b + a)^2, x)

**Mupad [B]**

time = 3.62, size = 63, normalized size = 0.91

$$\frac{F^c F^{dx} x}{a d \ln(F) (a + F^c F^{dx} b)} - \frac{\ln(a + F^c F^{dx} b)}{a b d^2 \ln(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x)/(a + F^(c + d\*x)\*b)^2,x)

[Out] (F^c\*F^(d\*x)\*x)/(a\*d\*log(F)\*(a + F^c\*F^(d\*x)\*b)) - log(a + F^c\*F^(d\*x)\*b)/(a\*b\*d^2\*log(F)^2)

$$3.85 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2} dx$$

Optimal. Leaf size=25

$$-\frac{1}{bd(a+bF^{c+dx})\log(F)}$$

[Out] -1/b/d/(a+b\*F^(d\*x+c))/ln(F)

Rubi [A]

time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2278, 32}

$$-\frac{1}{bd\log(F)(a+bF^{c+dx})}$$

Antiderivative was successfully verified.

[In] Int[F^(c + d\*x)/(a + b\*F^(c + d\*x))^2,x]

[Out] -(1/(b\*d\*(a + b\*F^(c + d\*x))\*Log[F]))

Rule 32

Int[((a\_.) + (b\_.)\*(x\_))^(m\_), x\_Symbol] :> Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2278

Int[((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)\*((a\_) + (b\_.)\*(F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(p\_.), x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[(a + b\*x)^p, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n, p}, x]

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2} dx &= \frac{\text{Subst}\left(\int \frac{1}{(a+bx)^2} dx, x, F^{c+dx}\right)}{d\log(F)} \\ &= -\frac{1}{bd(a+bF^{c+dx})\log(F)} \end{aligned}$$

Mathematica [A]

time = 0.03, size = 25, normalized size = 1.00

$$-\frac{1}{abd\log(F) + b^2dF^{c+dx}\log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d\*x)/(a + b\*F^(c + d\*x))^2,x]

[Out] -(a\*b\*d\*Log[F] + b^2\*d\*F^(c + d\*x)\*Log[F])^(-1)

**Maple** [A]

time = 0.01, size = 26, normalized size = 1.04

method	result	size
derivativedivides	$-\frac{1}{bd(a+bF^{dx+c})\ln(F)}$	26
default	$-\frac{1}{bd(a+bF^{dx+c})\ln(F)}$	26
risch	$-\frac{1}{bd(a+bF^{dx+c})\ln(F)}$	26
norman	$\frac{e^{(dx+c)\ln(F)}}{\ln(F)ad(a+be^{(dx+c)\ln(F)})}$	36

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2,x,method=\_RETURNVERBOSE)

[Out] -1/b/d/(a+b\*F^(d\*x+c))/ln(F)

**Maxima** [A]

time = 0.29, size = 25, normalized size = 1.00

$$-\frac{1}{(F^{dx+c}b + a)bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/((F^(d\*x + c)\*b + a)\*b\*d\*log(F))

**Fricas** [A]

time = 0.40, size = 25, normalized size = 1.00

$$-\frac{1}{F^{dx+c}b^2d \log(F) + abd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/(F^(d\*x + c)\*b^2\*d\*log(F) + a\*b\*d\*log(F))

**Sympy** [A]

time = 0.04, size = 26, normalized size = 1.04

$$-\frac{1}{F^{c+dx}b^2d \log(F) + abd \log(F)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*2,x)

[Out] -1/(F\*\*(c + d\*x)\*b\*\*2\*d\*log(F) + a\*b\*d\*log(F))

**Giac [A]**

time = 2.38, size = 26, normalized size = 1.04

$$-\frac{1}{(F^{dx} F^{cb} + a)bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2,x, algorithm="giac")

[Out] -1/((F^(d\*x)\*F^c\*b + a)\*b\*d\*log(F))

**Mupad [B]**

time = 3.46, size = 31, normalized size = 1.24

$$\frac{F^{c+dx}}{a^2 d \ln(F) + F^{c+dx} a b d \ln(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(c + d\*x)/(a + F^(c + d\*x)\*b)^2,x)

[Out] F^(c + d\*x)/(a^2\*d\*log(F) + F^(c + d\*x)\*a\*b\*d\*log(F))

$$3.86 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Optimal. Leaf size=61

$$-\frac{1}{bd(a+bF^{c+dx})x\log(F)} - \frac{\text{Int}\left(\frac{1}{(a+bF^{c+dx})x^2}, x\right)}{bd\log(F)}$$

[Out] -1/b/d/(a+bF^(d\*x+c))/x/ln(F)-Unintegrable(1/(a+bF^(d\*x+c))/x^2,x)/b/d/ln(F)

Rubi [A]

time = 0.09, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Verification is not applicable to the result.

[In] Int[F^(c + d\*x)/((a + bF^(c + d\*x))^2\*x), x]

[Out] -(1/(b\*d\*(a + bF^(c + d\*x))\*x\*Log[F])) - Defer[Int][1/((a + bF^(c + d\*x))\*x^2), x]/(b\*d\*Log[F])

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx = -\frac{1}{bd(a+bF^{c+dx})x\log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})x^2} dx}{bd\log(F)}$$

Mathematica [A]

time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x} dx$$

Verification is not applicable to the result.

[In] Integrate[F^(c + d\*x)/((a + bF^(c + d\*x))^2\*x), x]

[Out] Integrate[F^(c + d\*x)/((a + bF^(c + d\*x))^2\*x), x]

**Maple [A]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a + b F^{dx+c})^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x,x)

[Out] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x,x)

**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x,x, algorithm="maxima")

[Out] -1/(F^(d\*x)\*F^c\*b^2\*d\*x\*log(F) + a\*b\*d\*x\*log(F)) - integrate(1/(F^(d\*x)\*F^c\*b^2\*d\*x^2\*log(F) + a\*b\*d\*x^2\*log(F)), x)

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x,x, algorithm="fricas")

[Out] integral(F^(d\*x + c)/(2\*F^(d\*x + c)\*a\*b\*x + F^(2\*d\*x + 2\*c)\*b^2\*x + a^2\*x), x)

**Sympy [A]**

time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{F^{c+dx} b^2 dx \log(F) + ab dx \log(F)} - \frac{\int \frac{1}{ax^2+bx^2 e^{c \log(F)} e^{dx \log(F)}} dx}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*2/x,x)

[Out] -1/(F\*\*(c + d\*x)\*b\*\*2\*d\*x\*log(F) + a\*b\*d\*x\*log(F)) - Integral(1/(a\*x\*\*2 + b\*x\*\*2\*exp(c\*log(F))\*exp(d\*x\*log(F))), x)/(b\*d\*log(F))

**Giac [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)/((F^(d\*x + c)\*b + a)^2\*x), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{F^{c+dx}}{x(a + F^{c+dx}b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(c + d\*x)/(x\*(a + F^(c + d\*x)\*b)^2),x)

[Out] int(F^(c + d\*x)/(x\*(a + F^(c + d\*x)\*b)^2), x)

$$3.87 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Optimal. Leaf size=61

$$-\frac{1}{bd(a+bF^{c+dx})x^2 \log(F)} - \frac{2 \operatorname{Int}\left(\frac{1}{(a+bF^{c+dx})x^3}, x\right)}{bd \log(F)}$$

[Out]  $-1/b/d/(a+bF^{(d*x+c)})/x^2/\ln(F)-2*\operatorname{Unintegrable}(1/(a+bF^{(d*x+c)})/x^3,x)/b/d/\ln(F)$

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Verification is not applicable to the result.

[In]  $\operatorname{Int}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^2 * x^2), x]$

[Out]  $-(1/(b*d*(a+bF^{(c+d*x)}) * x^2 * \operatorname{Log}[F])) - (2*\operatorname{Defer}[\operatorname{Int}[1/((a+bF^{(c+d*x)}) * x^3), x]) / (b*d * \operatorname{Log}[F])$

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx = -\frac{1}{bd(a+bF^{c+dx})x^2 \log(F)} - \frac{2 \int \frac{1}{(a+bF^{c+dx})x^3} dx}{bd \log(F)}$$

Mathematica [A]

time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^2 x^2} dx$$

Verification is not applicable to the result.

[In]  $\operatorname{Integrate}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^2 * x^2), x]$

[Out]  $\operatorname{Integrate}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^2 * x^2), x]$

**Maple [A]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a+bF^{dx+c})^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x^2,x)**[Out]** int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x^2,x)**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x^2,x, algorithm="maxima")**[Out]** -1/(F^(d\*x)\*F^c\*b^2\*d\*x^2\*log(F) + a\*b\*d\*x^2\*log(F)) - 2\*integrate(1/(F^(d\*x)\*F^c\*b^2\*d\*x^3\*log(F) + a\*b\*d\*x^3\*log(F)), x)**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^2/x^2,x, algorithm="fricas")**[Out]** integral(F^(d\*x + c)/(2\*F^(d\*x + c)\*a\*b\*x^2 + F^(2\*d\*x + 2\*c)\*b^2\*x^2 + a^2\*x^2), x)**Sympy [A]**

time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{F^{c+dx} b^2 dx^2 \log(F) + ab dx^2 \log(F)} - \frac{2 \int \frac{1}{ax^3 + bx^3 e^{c \log(F)} e^{dx \log(F)}} dx}{bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*2/x\*\*2,x)**[Out]** -1/(F\*\*(c + d\*x)\*b\*\*2\*d\*x\*\*2\*log(F) + a\*b\*d\*x\*\*2\*log(F)) - 2\*Integral(1/(a\*x\*\*3 + b\*x\*\*3\*exp(c\*log(F))\*exp(d\*x\*log(F))), x)/(b\*d\*log(F))

**Giac [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^2/x^2,x, algorithm="giac")``[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)^2*x^2), x)`**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{F^{c+dx}}{x^2 (a + F^{c+dx} b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)^2),x)``[Out] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)^2), x)`

$$3.88 \quad \int \frac{F^{c+dx} x^3}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=261

$$-\frac{3x^2}{2a^2bd^2\log^2(F)} + \frac{3x^2}{2abd^2(a+bF^{c+dx})\log^2(F)} + \frac{x^3}{2a^2bd\log(F)} - \frac{x^3}{2bd(a+bF^{c+dx})^2\log(F)} + \frac{3x\log\left(1+\frac{bF^{c+dx}}{a}\right)}{a^2bd^3\log^3(F)}$$

[Out]  $-3/2*x^2/a^2/b/d^2/\ln(F)^2+3/2*x^2/a/b/d^2/(a+b*F^{(d*x+c)})/\ln(F)^2+1/2*x^3/a^2/b/d/\ln(F)-1/2*x^3/b/d/(a+b*F^{(d*x+c)})^2/\ln(F)+3*x*\ln(1+b*F^{(d*x+c)})/a/a^2/b/d^3/\ln(F)^3-3/2*x^2*\ln(1+b*F^{(d*x+c)})/a/a^2/b/d^2/\ln(F)^2+3*polylog(2,-b*F^{(d*x+c)})/a/a^2/b/d^4/\ln(F)^4-3*x*polylog(2,-b*F^{(d*x+c)})/a/a^2/b/d^3/\ln(F)^3+3*polylog(3,-b*F^{(d*x+c)})/a/a^2/b/d^4/\ln(F)^4$

Rubi [A]

time = 0.34, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {2222, 2216, 2215, 2221, 2611, 2320, 6724, 2317, 2438}

$$\frac{3\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2bd^4\log^4(F)} + \frac{3\text{PolyLog}\left(3, -\frac{bF^{c+dx}}{a}\right)}{a^2bd^4\log^4(F)} - \frac{3x\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2bd^3\log^3(F)} + \frac{3x\log\left(\frac{bF^{c+dx}}{a}+1\right)}{a^2bd^3\log^3(F)} - \frac{3x^2\log\left(\frac{bF^{c+dx}}{a}+1\right)}{2a^2bd^2\log^2(F)} - \frac{3x^2}{2a^2bd^2\log^2(F)} + \frac{x^3}{2a^2bd\log(F)} + \frac{3x^2}{2abd^2\log^2(F)(a+bF^{c+dx})} - \frac{x^3}{2bd\log(F)(a+bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d\*x)\*x^3)/(a + b\*F^(c + d\*x))^3,x]

[Out]  $(-3*x^2)/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*x^2)/(2*a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^3/(2*a^2*b*d*\text{Log}[F]) - x^3/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + (3*x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a^2*b*d^3*\text{Log}[F]^3) - (3*x^2*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(2*a^2*b*d^2*\text{Log}[F]^2) + (3*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4) - (3*x*\text{PolyLog}[2, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^3*\text{Log}[F]^3) + (3*\text{PolyLog}[3, -((b*F^{(c + d*x)})/a)])/(a^2*b*d^4*\text{Log}[F]^4)$

Rule 2215

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] :> Simp[(c + d\*x)^(m + 1)/(a\*d\*(m + 1)), x] - Dist[b/a, Int[(c + d\*x)^m\*((F^(g\*(e + f\*x)))^n)/(a + b\*(F^(g\*(e + f\*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2216

Int[((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Dist[1/a, Int[(c + d\*x)^m\*(a + b\*(F^(g\*(e + f\*x))))^n^(p + 1), x], x] - Dist[b/a, Int[(c + d\*x)^m\*(F^(g\*(e + f\*x)))^n\*(a + b\*(F^(g\*(e + f\*x))))^n^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]



Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2222

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((a_) + (b_)*((F_)^((g_)*(
(e_) + (f_)*(x_)))^(n_)))^(p_))*((c_) + (d_)*(x_))^(m_), x_Symbol] :=
Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log
[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a +
b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m
, n, p}, x] && NeQ[p, -1]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*(f_) + (g_)
*(x_)^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x^3}{(a + bF^{c+dx})^3} dx &= -\frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{3 \int \frac{x^2}{(a+bF^{c+dx})^2} dx}{2bd \log(F)} \\
&= -\frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{3 \int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^2} dx}{2ad \log(F)} + \frac{3 \int \frac{x^2}{a+bF^{c+dx}} dx}{2abd \log(F)} \\
&= \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{3 \int \frac{x}{a+bF^{c+dx}} dx}{abd^2 \log^2(F)} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)} \\
&= -\frac{3x^2}{2a^2bd^2 \log^2(F)} + \frac{3x^2}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^3}{2a^2bd \log(F)} - \frac{x^3}{2bd(a + bF^{c+dx})^2 \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.28, size = 220, normalized size = 0.84

$$\frac{dx \log(F) \left( bd^2 F^{c+dx} (2a + bF^{c+dx}) x^2 \log^2(F) + 6(a + bF^{c+dx})^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right) - 3d(a + bF^{c+dx}) x \log(F) \left( bF^{c+dx} + (a + bF^{c+dx}) \log\left(1 + \frac{bF^{c+dx}}{a}\right) \right) \right) - 6(a + bF^{c+dx})^2 (-1 + dx \log(F)) \text{Li}_2\left(\frac{-bF^{c+dx}}{a}\right) + 6(a + bF^{c+dx})^2 \text{Li}_2\left(\frac{-bF^{c+dx}}{a}\right)}{2a^2bd^2(a + bF^{c+dx})^2 \log^4(F)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(F^(c + d*x)*x^3)/(a + b*F^(c + d*x))^3, x]
```

```
[Out] (d*x*Log[F]*(b*d^2*F^(c + d*x)*(2*a + b*F^(c + d*x))*x^2*Log[F]^2 + 6*(a + b*F^(c + d*x))^2*Log[1 + (b*F^(c + d*x))/a] - 3*d*(a + b*F^(c + d*x))*x*Log[F]*(b*F^(c + d*x) + (a + b*F^(c + d*x))*Log[1 + (b*F^(c + d*x))/a])) - 6*(a + b*F^(c + d*x))^2*(-1 + d*x*Log[F])*PolyLog[2, -((b*F^(c + d*x))/a)] + 6*(a + b*F^(c + d*x))^2*PolyLog[3, -((b*F^(c + d*x))/a)]/(2*a^2*b*d^4*(a + b*F^(c + d*x))^2*Log[F]^4)
```

**Maple [A]**

time = 0.04, size = 501, normalized size = 1.92

method	result
risch	$-\frac{x^2(\ln(F)adx-3bF^{dx+c}-3a)}{2\ln(F)^2d^2b(a+bF^{dx+c})^2a} + \frac{x^3}{2a^2bd\ln(F)} - \frac{3c^2x}{2ba^2d^3\ln(F)} - \frac{c^3}{ba^2d^4\ln(F)} - \frac{3\ln\left(1+\frac{bF^{dx}F^c}{a}\right)x^2}{2ba^2d^2\ln(F)^2} + \frac{3\ln\left(1+\frac{bF^{dx}F^c}{a}\right)c}{2ba^2d^4\ln(F)^2}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c))^3,x,method=\_RETURNVERBOSE)

**[Out]** 
$$-1/2*x^2*(\ln(F)*a*d*x-3*b*F^(d*x+c)-3*a)/\ln(F)^2/d^2/b/(a+b*F^(d*x+c))^2/a+1/2*x^3/a^2/b/d/\ln(F)-3/2/b/a^2/d^3/\ln(F)*c^2*x-1/b/a^2/d^4/\ln(F)*c^3-3/2/b/a^2/d^2/\ln(F)^2*\ln(1+b*F^(d*x)*F^c/a)*x^2+3/2/b/a^2/d^4/\ln(F)^2*\ln(1+b*F^(d*x)*F^c/a)*c^2-3/b/a^2/d^3/\ln(F)^3*\text{polylog}(2,-b*F^(d*x)*F^c/a)*x+3/b/a^2/d^4/\ln(F)^4*\text{polylog}(3,-b*F^(d*x)*F^c/a)-3/2/b/a^2/d^4/\ln(F)^2*c^2*\ln(a+F^c*F^(d*x)*b)+3/2/b/a^2/d^4/\ln(F)^2*c^2*\ln(F^(d*x)*F^c)-3/2*x^2/a^2/b/d^2/\ln(F)^2-3/b/a^2/d^3/\ln(F)^2*c*x-3/2/b/a^2/d^4/\ln(F)^2*c^2+3/b/a^2/d^3/\ln(F)^3*\ln(1+b*F^(d*x)*F^c/a)*x+3/b/a^2/d^4/\ln(F)^3*\ln(1+b*F^(d*x)*F^c/a)*c+3/b/a^2/d^4/\ln(F)^4*\text{polylog}(2,-b*F^(d*x)*F^c/a)-3/b/a^2/d^4/\ln(F)^3*c*\ln(a+F^c*F^(d*x)*b)+3/b/a^2/d^4/\ln(F)^3*c*\ln(F^(d*x)*F^c)$$

**Maxima [A]**

time = 0.34, size = 266, normalized size = 1.02

$$-\frac{adx^3\log(F)-3F^{dx}F^c bx^2-3ax^2}{2(2F^{dx}F^{c^2}bd^2\log(F)^2+F^{2dx}F^{2c}ab^2d^2\log(F)^2+a^3bd^2\log(F)^2)} + \frac{d^3x^3\log(F)^3-3d^2x^2\log(F)^2}{2a^2bd^4\log(F)^4} - \frac{3(d^2x^2\log\left(\frac{F^{dx}F^c}{a}+1\right)\log(F)^2+2dxL_2\left(-\frac{F^{dx}F^c}{a}\right)\log(F)-2L_3\left(-\frac{F^{dx}F^c}{a}\right))}{2a^2bd^4\log(F)^4} + \frac{3(dx\log\left(\frac{F^{dx}F^c}{a}+1\right)\log(F)+L_2\left(-\frac{F^{dx}F^c}{a}\right))}{a^2bd^4\log(F)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c))^3,x, algorithm="maxima")

**[Out]** 
$$-1/2*(a*d*x^3*\log(F)-3*F^(d*x)*F^c*b*x^2-3*a*x^2)/(2*F^(d*x)*F^c*a^2*b^2*d^2*\log(F)^2+F^(2*d*x)*F^(2*c)*a*b^3*d^2*\log(F)^2+a^3*b*d^2*\log(F)^2)+1/2*(d^3*x^3*\log(F)^3-3*d^2*x^2*\log(F)^2)/(a^2*b*d^4*\log(F)^4)-3/2*(d^2*x^2*\log(F^(d*x)*F^c*b/a+1)*\log(F)^2+2*d*x*dilog(-F^(d*x)*F^c*b/a)*\log(F)-2*\text{polylog}(3,-F^(d*x)*F^c*b/a))/(a^2*b*d^4*\log(F)^4)+3*(d*x*\log(F^(d*x)*F^c*b/a+1)*\log(F)+dilog(-F^(d*x)*F^c*b/a))/(a^2*b*d^4*\log(F)^4)$$

**Fricas [B]** Leaf count of result is larger than twice the leaf count of optimal. 577 vs. 2(249) = 498.

time = 0.36, size = 577, normalized size = 2.21

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)\*x^3/(a+b\*F^(d\*x+c))^3,x, algorithm="fricas")

```
[Out] 1/2*(a^2*c^3*log(F)^3 + 3*a^2*c^2*log(F)^2 + ((b^2*d^3*x^3 + b^2*c^3)*log(F)^3 - 3*(b^2*d^2*x^2 - b^2*c^2)*log(F)^2)*F^(2*d*x + 2*c) + (2*(a*b*d^3*x^3 + a*b*c^3)*log(F)^3 - 3*(a*b*d^2*x^2 - 2*a*b*c^2)*log(F)^2)*F^(d*x + c) - 6*(a^2*d*x*log(F) + (b^2*d*x*log(F) - b^2)*F^(2*d*x + 2*c) + 2*(a*b*d*x*log(F) - a*b)*F^(d*x + c) - a^2)*dilog(-(F^(d*x + c)*b + a)/a + 1) - 3*(a^2*c^2*log(F)^2 + 2*a^2*c*log(F) + (b^2*c^2*log(F)^2 + 2*b^2*c*log(F))*F^(2*d*x + 2*c) + 2*(a*b*c^2*log(F)^2 + 2*a*b*c*log(F))*F^(d*x + c))*log(F^(d*x + c)*b + a) - 3*((a^2*d^2*x^2 - a^2*c^2)*log(F)^2 + ((b^2*d^2*x^2 - b^2*c^2)*log(F)^2 - 2*(b^2*d*x + b^2*c)*log(F))*F^(2*d*x + 2*c) + 2*((a*b*d^2*x^2 - a*b*c^2)*log(F)^2 - 2*(a*b*d*x + a*b*c)*log(F))*F^(d*x + c) - 2*(a^2*d*x + a^2*c)*log(F))*log((F^(d*x + c)*b + a)/a) + 6*(2*F^(d*x + c)*a*b + F^(2*d*x + 2*c)*b^2 + a^2)*polylog(3, -F^(d*x + c)*b/a)/(2*F^(d*x + c)*a^3*b^2*d^4*log(F)^4 + F^(2*d*x + 2*c)*a^2*b^3*d^4*log(F)^4 + a^4*b*d^4*log(F)^4)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{3F^{c+dx}bx^2 - adx^3 \log(F) + 3ax^2}{4F^{c+dx}a^2b^2d^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2 \log(F)^2 + 2a^3bd^2 \log(F)^2} + \frac{3\left(\int \left(-\frac{2x}{a+be^{c \log(F)}e^{dx \log(F)}}\right) dx + \int \frac{dx^2 \log(F)}{a+be^{c \log(F)}e^{dx \log(F)}} dx\right)}{2abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F**(d*x+c)*x**3/(a+bF**(d*x+c))**3,x)
```

```
[Out] (3*F**(c + d*x)*b*x**2 - a*d*x**3*log(F) + 3*a*x**2)/(4*F**(c + d*x)*a**2*b**2*d**2*log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*log(F)**2 + 2*a**3*b*d**2*log(F)**2) + 3*(Integral(-2*x/(a + b*exp(c*log(F))*exp(d*x*log(F))), x) + Integral(d*x**2*log(F)/(a + b*exp(c*log(F))*exp(d*x*log(F))), x))/(2*a*b*d**2*log(F)**2)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F^(d*x+c)*x^3/(a+bF^(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(F^(d*x + c)*x^3/(F^(d*x + c)*b + a)^3, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{F^{c+dx} x^3}{(a + F^{c+dx} b)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((F^(c + d*x)*x^3)/(a + F^(c + d*x)*b)^3,x)
```

```
[Out] int((F^(c + d*x)*x^3)/(a + F^(c + d*x)*b)^3, x)
```

$$3.89 \quad \int \frac{F^{c+dx} x^2}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=182

$$-\frac{x}{a^2 b d^2 \log^2(F)} + \frac{x}{a b d^2 (a + b F^{c+dx}) \log^2(F)} + \frac{x^2}{2 a^2 b d \log(F)} - \frac{x^2}{2 b d (a + b F^{c+dx})^2 \log(F)} + \frac{\log(a + b F^{c+dx})}{a^2 b d^3 \log^3(F)}$$

[Out]  $-x/a^2/b/d^2/\ln(F)^2+x/a/b/d^2/(a+bF^{(d*x+c)})/\ln(F)^2+1/2*x^2/a^2/b/d/\ln(F)-1/2*x^2/b/d/(a+bF^{(d*x+c)})^2/\ln(F)+\ln(a+bF^{(d*x+c)})/a^2/b/d^3/\ln(F)^3-x*\ln(1+bF^{(d*x+c)}/a)/a^2/b/d^2/\ln(F)^2-\text{polylog}(2,-bF^{(d*x+c)}/a)/a^2/b/d^3/\ln(F)^3$

Rubi [A]

time = 0.21, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2222, 2216, 2215, 2221, 2317, 2438, 2320, 36, 29, 31}

$$-\frac{\text{PolyLog}\left(2, -\frac{bF^{c+dx}}{a}\right)}{a^2 b d^3 \log^3(F)} + \frac{\log(a + b F^{c+dx})}{a^2 b d^3 \log^3(F)} - \frac{x \log\left(\frac{bF^{c+dx}}{a} + 1\right)}{a^2 b d^2 \log^2(F)} - \frac{x}{a^2 b d^2 \log^2(F)} + \frac{x^2}{2 a^2 b d \log(F)} + \frac{x}{a b d^2 \log^2(F) (a + b F^{c+dx})} - \frac{x^2}{2 b d \log(F) (a + b F^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d\*x)\*x^2)/(a + b\*F^(c + d\*x))^3,x]

[Out]  $-(x/(a^2*b*d^2*\text{Log}[F]^2)) + x/(a*b*d^2*(a + b*F^{(c + d*x)})*\text{Log}[F]^2) + x^2/(2*a^2*b*d*\text{Log}[F]) - x^2/(2*b*d*(a + b*F^{(c + d*x)})^2*\text{Log}[F]) + \text{Log}[a + b*F^{(c + d*x)}]/(a^2*b*d^3*\text{Log}[F]^3) - (x*\text{Log}[1 + (b*F^{(c + d*x)})/a])/(a^2*b*d^2*\text{Log}[F]^2) - \text{PolyLog}[2, -((b*F^{(c + d*x)})/a)]/(a^2*b*d^3*\text{Log}[F]^3)$

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a\_) + (b\_)\*(x\_))^-1, x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

Rule 2215

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*((F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2216

```
Int[((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Dist[1/a, Int[(c + d*x)^m*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n*(a + b*(F^(g*(e + f*x)))^n)^p, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && ILtQ[p, 0] && IGtQ[m, 0]
```

#### Rule 2221

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

#### Rule 2222

```
Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.))^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(c + d*x)^m*((a + b*(F^(g*(e + f*x)))^n)^(p + 1)/(b*f*g*n*(p + 1)*Log[F])), x] - Dist[d*(m/(b*f*g*n*(p + 1)*Log[F])), Int[(c + d*x)^(m - 1)*(a + b*(F^(g*(e + f*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]
```

#### Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

#### Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x^2}{(a + bF^{c+dx})^3} dx &= -\frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\int \frac{x}{(a+bF^{c+dx})^2} dx}{bd \log(F)} \\
&= -\frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\int \frac{F^{c+dx} x}{(a+bF^{c+dx})^2} dx}{ad \log(F)} + \frac{\int \frac{x}{a+bF^{c+dx}} dx}{abd \log(F)} \\
&= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\int \frac{1}{a+bF^{c+dx}} dx}{abd^2 \log^2(F)} \\
&= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{a^2bd^2 \log^2(F)} \\
&= \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{x \log\left(1 + \frac{bF^{c+dx}}{a}\right)}{a^2bd^2 \log^2(F)} \\
&= -\frac{x}{a^2bd^2 \log^2(F)} + \frac{x}{abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x^2}{2a^2bd \log(F)} - \frac{x^2}{2bd(a + bF^{c+dx})^2 \log(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.17, size = 177, normalized size = 0.97

$$\frac{bd^2 F^{c+dx} (2a + bF^{c+dx}) x^2 \log^2(F) + 2(a + bF^{c+dx})^2 \log\left(1 + \frac{bF^{c+dx}}{a}\right) - 2d(a + bF^{c+dx}) x \log(F) (bF^{c+dx} + (a + bF^{c+dx}) \log\left(1 + \frac{bF^{c+dx}}{a}\right)) - 2(a + bF^{c+dx})^2 \text{Li}_2\left(-\frac{bF^{c+dx}}{a}\right)}{2a^2bd^3 (a + bF^{c+dx})^2 \log^3(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d\*x)\*x^2)/(a + b\*F^(c + d\*x))^3,x]

[Out] (b\*d^2\*F^(c + d\*x)\*(2\*a + b\*F^(c + d\*x))\*x^2\*Log[F]^2 + 2\*(a + b\*F^(c + d\*x))^2\*Log[1 + (b\*F^(c + d\*x))/a] - 2\*d\*(a + b\*F^(c + d\*x))\*x\*Log[F]\*(b\*F^(c + d\*x) + (a + b\*F^(c + d\*x))\*Log[1 + (b\*F^(c + d\*x))/a]) - 2\*(a + b\*F^(c + d\*x))^2\*PolyLog[2, -(b\*F^(c + d\*x))/a])/(2\*a^2\*b\*d^3\*(a + b\*F^(c + d\*x))^2\*Log[F]^3)

**Maple [A]**

time = 0.04, size = 304, normalized size = 1.67

method	result
--------	--------

risch	$-\frac{x(\ln(F)adx-2bF^{dx+c}-2a)}{2\ln(F)^2d^2ab(a+bF^{dx+c})^2} + \frac{x^2}{2a^2bd\ln(F)} + \frac{cx}{ba^2d^2\ln(F)} + \frac{c^2}{2ba^2d^3\ln(F)} - \frac{\ln\left(1+\frac{bF^{dx}F^c}{a}\right)x}{ba^2d^2\ln(F)^2} - \frac{\ln\left(1+\frac{bF^{dx}F^c}{a}\right)c}{ba^2d^3\ln(F)^2} - \dots$
-------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x,method=_RETURNVERBOSE)`

[Out] 
$$-1/2*x*(\ln(F)*a*d*x-2*b*F^{(d*x+c)}-2*a)/\ln(F)^2/d^2/a/b/(a+b*F^{(d*x+c)})^2+1/2*x^2/a^2/b/d/\ln(F)+1/b/a^2/d^2/\ln(F)*c*x+1/2/b/a^2/d^3/\ln(F)*c^2-1/b/a^2/d^2/\ln(F)^2*\ln(1+b*F^{(d*x)}*F^c/a)*x-1/b/a^2/d^3/\ln(F)^2*\ln(1+b*F^{(d*x)}*F^c/a)*c-1/b/a^2/d^3/\ln(F)^3*\text{polylog}(2,-b*F^{(d*x)}*F^c/a)+1/b/a^2/d^3/\ln(F)^3*\ln(a+F^c*F^{(d*x)}*b)-1/b/a^2/d^3/\ln(F)^3*\ln(F^{(d*x)}*F^c)+1/b/a^2/d^3/\ln(F)^2*c*\ln(a+F^c*F^{(d*x)}*b)-1/b/a^2/d^3/\ln(F)^2*c*\ln(F^{(d*x)}*F^c)$$

**Maxima** [A]

time = 0.34, size = 202, normalized size = 1.11

$$-\frac{adx^2\log(F)-2F^{dx}F^cbx-2ax}{2(F^{dx}F^ca^2b^2d^2\log(F)^2+F^{2dx}F^{2c}ab^3d^2\log(F)^2+a^3bd^2\log(F)^2)} + \frac{x^2}{2a^2bd\log(F)} - \frac{x}{a^2bd^2\log(F)^2} - \frac{dx\log\left(\frac{F^{dx}F^cb}{a}+1\right)\log(F)+\text{Li}_2\left(-\frac{F^{dx}F^cb}{a}\right)}{a^2bd^3\log(F)^3} + \frac{\log(F^{dx}F^cb+a)}{a^2bd^3\log(F)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x, algorithm="maxima")`

[Out] 
$$-1/2*(a*d*x^2*\log(F) - 2*F^{(d*x)}*F^c*b*x - 2*a*x)/(2*F^{(d*x)}*F^c*a^2*b^2*d^2*\log(F)^2 + F^{(2*d*x)}*F^{(2*c)}*a*b^3*d^2*\log(F)^2 + a^3*b*d^2*\log(F)^2) + 1/2*x^2/(a^2*b*d*\log(F)) - x/(a^2*b*d^2*\log(F)^2) - (d*x*\log(F^{(d*x)}*F^c*b/a + 1)*\log(F) + \text{dilog}(-F^{(d*x)}*F^c*b/a))/(a^2*b*d^3*\log(F)^3) + \log(F^{(d*x)}*F^c*b + a)/(a^2*b*d^3*\log(F)^3)$$

**Fricas** [B] Leaf count of result is larger than twice the leaf count of optimal. 379 vs. 2(177) = 354.

time = 0.40, size = 379, normalized size = 2.08

$$\frac{d^2\log(F)^2+2d^2\log(F)-((F^{dx}-F^c)\log(F)^2-2(F^{dx}+F^c)\log(F))F^{dx+c}-2((abdx^2-ab^2)\log(F)^2-(abdx+2ab^2)\log(F))F^{dx+c}+2((2F^{dx}ab+F^{dx+c}a^2)\text{Li}_2\left(\frac{F^{dx}F^cb}{a}\right)-2(d^2\log(F)+F^c\log(F)+F^c)F^{dx+c}+2(abx\log(F)+ab)F^{dx+c}+2((F^{dx}+F^c)F^{dx+c}\log(F)+2(abdx+ab^2)F^{dx+c}\log(F)+c^2dx+a^2)\log(F))\log\left(\frac{F^{dx}F^cb}{a}\right)}{2(2F^{dx}F^ca^2b^2d^2\log(F)^2+F^{2dx}F^{2c}ab^3d^2\log(F)^2+a^3bd^2\log(F)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x^2/(a+b*F^(d*x+c))^3,x, algorithm="fricas")`

[Out] 
$$-1/2*(a^2*c^2*\log(F)^2 + 2*a^2*c*\log(F) - ((b^2*d^2*x^2 - b^2*c^2)*\log(F)^2 - 2*(b^2*d*x + b^2*c)*\log(F))*F^{(2*d*x + 2*c)} - 2*((a*b*d^2*x^2 - a*b*c^2)*\log(F)^2 - (a*b*d*x + 2*a*b*c)*\log(F))*F^{(d*x + c)} + 2*(2*F^{(d*x + c)}*a*b + F^{(2*d*x + 2*c)}*b^2 + a^2)*\text{dilog}(-(F^{(d*x + c)}*b + a)/a + 1) - 2*(a^2*c*\log(F) + (b^2*c*\log(F) + b^2)*F^{(2*d*x + 2*c)} + 2*(a*b*c*\log(F) + a*b)*F^{(d*x + c)} + a^2)*\log(F^{(d*x + c)}*b + a) + 2*((b^2*d*x + b^2*c)*F^{(2*d*x + 2*c)}*\log(F) + 2*(a*b*d*x + a*b*c)*F^{(d*x + c)}*\log(F) + (a^2*d*x + a^2*c)*\log(F)$$



) $\log((F^{(d*x + c)*b + a})/a)/(2*F^{(d*x + c)*a^3*b^2*d^3*\log(F)^3 + F^{(2*d*x + 2*c)*a^2*b^3*d^3*\log(F)^3 + a^4*b*d^3*\log(F)^3}$

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{2F^{c+dx}bx - adx^2 \log(F) + 2ax}{4F^{c+dx}a^2b^2d^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2 \log(F)^2 + 2a^3bd^2 \log(F)^2} + \frac{\int \frac{dx \log(F)}{a+be^{c \log(F)}e^{dx \log(F)}} dx + \int \left( -\frac{1}{a+be^{c \log(F)}e^{dx \log(F)}} \right) dx}{abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)\*x\*\*2/(a+b\*F\*\*(d\*x+c))\*\*3,x)

[Out]  $(2*F^{(c + d*x)*b*x} - a*d*x**2*\log(F) + 2*a*x)/(4*F^{(c + d*x)*a**2*b**2*d**2*\log(F)**2} + 2*F^{(2*c + 2*d*x)*a*b**3*d**2*\log(F)**2} + 2*a**3*b*d**2*\log(F)**2) + (\text{Integral}(d*x*\log(F)/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x) + \text{Integral}(-1/(a + b*\exp(c*\log(F))*\exp(d*x*\log(F))), x))/(a*b*d**2*\log(F)**2)$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x^2/(a+b\*F^(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x^2/(F^(d\*x + c)\*b + a)^3, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{F^{c+dx} x^2}{(a + F^{c+dx} b)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b)^3,x)

[Out] int((F^(c + d\*x)\*x^2)/(a + F^(c + d\*x)\*b)^3, x)

$$3.90 \quad \int \frac{F^{c+dx} x}{(a+bF^{c+dx})^3} dx$$

**Optimal.** Leaf size=106

$$\frac{1}{2abd^2(a+bF^{c+dx})\log^2(F)} + \frac{x}{2a^2bd\log(F)} - \frac{x}{2bd(a+bF^{c+dx})^2\log(F)} - \frac{\log(a+bF^{c+dx})}{2a^2bd^2\log^2(F)}$$

[Out] 1/2/a/b/d^2/(a+b\*F^(d\*x+c))/ln(F)^2+1/2\*x/a^2/b/d/ln(F)-1/2\*x/b/d/(a+b\*F^(d\*x+c))^2/ln(F)-1/2\*ln(a+b\*F^(d\*x+c))/a^2/b/d^2/ln(F)^2

**Rubi [A]**

time = 0.07, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {2222, 2320, 46}

$$-\frac{\log(a+bF^{c+dx})}{2a^2bd^2\log^2(F)} + \frac{x}{2a^2bd\log(F)} + \frac{1}{2abd^2\log^2(F)(a+bF^{c+dx})} - \frac{x}{2bd\log(F)(a+bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[(F^(c + d\*x)\*x)/(a + b\*F^(c + d\*x))^3,x]

[Out] 1/(2\*a\*b\*d^2\*(a + b\*F^(c + d\*x))\*Log[F]^2) + x/(2\*a^2\*b\*d\*Log[F]) - x/(2\*b\*d\*(a + b\*F^(c + d\*x))^2\*Log[F]) - Log[a + b\*F^(c + d\*x)]/(2\*a^2\*b\*d^2\*Log[F]^2)

Rule 46

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 2222

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((a\_.) + (b\_.)\*((F\_)^((g\_.)\*(e\_.) + (f\_.)\*(x\_))))^(n\_.))^((p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(c + d\*x)^m\*((a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1)/(b\*f\*g\*n\*(p + 1)\*Log[F])), x] - Dist[d\*(m/(b\*f\*g\*n\*(p + 1)\*Log[F])), Int[(c + d\*x)^(m - 1)\*(a + b\*(F^(g\*(e + f\*x)))^n)^(p + 1), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, m, n, p}, x] && NeQ[p, -1]

Rule 2320

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```

onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rubi steps

$$\begin{aligned}
\int \frac{F^{c+dx} x}{(a + bF^{c+dx})^3} dx &= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\int \frac{1}{(a+bF^{c+dx})^2} dx}{2bd \log(F)} \\
&= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\text{Subst}\left(\int \frac{1}{x(a+bx)^2} dx, x, F^{c+dx}\right)}{2bd^2 \log^2(F)} \\
&= -\frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} + \frac{\text{Subst}\left(\int \left(\frac{1}{a^2 x} - \frac{b}{a(a+bx)^2} - \frac{b}{a^2(a+bx)}\right) dx, x, F^{c+dx}\right)}{2bd^2 \log^2(F)} \\
&= \frac{1}{2abd^2(a + bF^{c+dx}) \log^2(F)} + \frac{x}{2a^2bd \log(F)} - \frac{x}{2bd(a + bF^{c+dx})^2 \log(F)} - \frac{\log(a + bF^{c+dx})}{2a^2bd^2 \log^2(F)}
\end{aligned}$$

**Mathematica [A]**

time = 0.11, size = 98, normalized size = 0.92

$$\frac{bdF^{c+dx}(2a + bF^{c+dx})x \log(F) - (a + bF^{c+dx})(-a + (a + bF^{c+dx}) \log(a + bF^{c+dx}))}{2a^2bd^2(a + bF^{c+dx})^2 \log^2(F)}$$

Antiderivative was successfully verified.

[In] Integrate[(F^(c + d\*x)\*x)/(a + b\*F^(c + d\*x))^3,x]

[Out] (b\*d\*F^(c + d\*x)\*(2\*a + b\*F^(c + d\*x))\*x\*Log[F] - (a + b\*F^(c + d\*x))\*(-a + (a + b\*F^(c + d\*x))\*Log[a + b\*F^(c + d\*x)])/(2\*a^2\*b\*d^2\*(a + b\*F^(c + d\*x))^2\*Log[F]^2)

**Maple [A]**

time = 0.02, size = 111, normalized size = 1.05

method	result	size
risch	$\frac{x}{2a^2bd \ln(F)} + \frac{c}{2 \ln(F) b d^2 a^2} - \frac{\ln(F) a d x - b F^{dx+c} - a}{2 \ln(F)^2 d^2 b (a+b F^{dx+c})^2 a} - \frac{\ln(F^{dx+c} + \frac{a}{b})}{2 \ln(F)^2 b d^2 a^2}$	111
norman	$\frac{\frac{e^{(dx+c) \ln(F)}}{2 \ln(F)^2 a d^2} + \frac{x e^{(dx+c) \ln(F)}}{\ln(F) a d} + \frac{b x e^{(2dx+2c) \ln(F)}}{2 \ln(F) a^2 d} + \frac{1}{2 \ln(F)^2 b d^2}}{(a+b e^{(dx+c) \ln(F)})^2} - \frac{\ln(a+b e^{(dx+c) \ln(F)})}{2 \ln(F)^2 b d^2 a^2}$	127

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c))^3,x,method=\_RETURNVERBOSE)

[Out]  $\frac{1/2*x/a^2/b/d/\ln(F)+1/2/\ln(F)/b/d^2/a^2*c-1/2*(\ln(F)*a*d*x-b*F^{(d*x+c)-a})/\ln(F)^2/d^2/b/(a+b*F^{(d*x+c)})^2/a-1/2/\ln(F)^2/b/d^2/a^2*\ln(F^{(d*x+c)+a/b})}{2(2F^{dx}F^c a^3 b^2 d^2 \log(F)^2 + F^{2dx}F^2 c a^2 b^3 d^2 \log(F)^2 + a^4 b d^2 \log(F)^2)} - \frac{\log\left(\frac{F^{dx}F^c b+a}{F^c b}\right)}{2a^2 b d^2 \log(F)^2}$

**Maxima [A]**

time = 0.30, size = 150, normalized size = 1.42

$$\frac{F^{2dx}F^2c b^2 d^2 \log(F) + (2F^c a b d x \log(F) + F^c a b)F^{dx} + a^2}{2(2F^{dx}F^c a^3 b^2 d^2 \log(F)^2 + F^{2dx}F^2 c a^2 b^3 d^2 \log(F)^2 + a^4 b d^2 \log(F)^2)} - \frac{\log\left(\frac{F^{dx}F^c b+a}{F^c b}\right)}{2a^2 b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x, algorithm="maxima")`

[Out]  $\frac{1/2*(F^{(2*d*x)}*F^{(2*c)}*b^{2*d*x}*\log(F) + (2*F^c*a*b*d*x*\log(F) + F^c*a*b)*F^{(d*x)} + a^2)/(2*F^{(d*x)}*F^c*a^3*b^2*d^2*\log(F)^2 + F^{(2*d*x)}*F^{(2*c)}*a^2*b^3*d^2*\log(F)^2 + a^4*b*d^2*\log(F)^2) - 1/2*\log((F^{(d*x)}*F^c*b + a)/(F^c*b))}{(a^2*b*d^2*\log(F)^2)}$

**Fricas [A]**

time = 0.44, size = 148, normalized size = 1.40

$$\frac{F^{2dx+2c} b^2 d x \log(F) + (2 a b d x \log(F) + a b) F^{dx+c} + a^2 - (2 F^{dx+c} a b + F^{2dx+2c} b^2 + a^2) \log(F^{dx+c} b + a)}{2(2 F^{dx+c} a^3 b^2 d^2 \log(F)^2 + F^{2dx+2c} a^2 b^3 d^2 \log(F)^2 + a^4 b d^2 \log(F)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F^(d*x+c)*x/(a+b*F^(d*x+c))^3,x, algorithm="fricas")`

[Out]  $\frac{1/2*(F^{(2*d*x + 2*c)}*b^{2*d*x}*\log(F) + (2*a*b*d*x*\log(F) + a*b)*F^{(d*x + c)} + a^2 - (2*F^{(d*x + c)}*a*b + F^{(2*d*x + 2*c)}*b^2 + a^2)*\log(F^{(d*x + c)}*b + a))/(2*F^{(d*x + c)}*a^3*b^2*d^2*\log(F)^2 + F^{(2*d*x + 2*c)}*a^2*b^3*d^2*\log(F)^2 + a^4*b*d^2*\log(F)^2)}$

**Sympy [A]**

time = 0.09, size = 122, normalized size = 1.15

$$\frac{F^{c+dx} b - a d x \log(F) + a}{4 F^{c+dx} a^2 b^2 d^2 \log(F)^2 + 2 F^{2c+2dx} a b^3 d^2 \log(F)^2 + 2 a^3 b d^2 \log(F)^2} + \frac{x}{2 a^2 b d \log(F)} - \frac{\log\left(F^{c+dx} + \frac{a}{b}\right)}{2 a^2 b d^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(F**(d*x+c)*x/(a+b*F**(d*x+c))**3,x)`

[Out]  $\frac{(F^{(c+d*x)}*b - a*d*x*\log(F) + a)/(4*F^{(c+d*x)}*a**2*b**2*d**2*\log(F)**2 + 2*F^{(2*c+2*d*x)}*a*b**3*d**2*\log(F)**2 + 2*a**3*b*d**2*\log(F)**2) + x}{(2*a**2*b*d*\log(F)) - \log(F^{(c+d*x)} + a/b)/(2*a**2*b*d**2*\log(F)**2)}$

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)\*x/(a+b\*F^(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)\*x/(F^(d\*x + c)\*b + a)^3, x)

**Mupad [B]**

time = 3.75, size = 155, normalized size = 1.46

$$-\frac{\frac{F^c F^{dx}}{2 a d^2 \ln(F)^2} - \frac{F^c F^{dx} x}{a d \ln(F)} + \frac{F^{2c} F^{2dx} b}{2 a^2 d^2 \ln(F)^2} - \frac{F^{2c} F^{2dx} b x}{2 a^2 d \ln(F)}}{a^2 + F^{2c} F^{2dx} b^2 + 2 F^c F^{dx} a b} - \frac{\ln(a + F^c F^{dx} b)}{2 a^2 b d^2 \ln(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((F^(c + d\*x)\*x)/(a + F^(c + d\*x)\*b)^3,x)

[Out] - ((F^c\*F^(d\*x))/(2\*a\*d^2\*log(F)^2) - (F^c\*F^(d\*x)\*x)/(a\*d\*log(F)) + (F^(2\*c)\*F^(2\*d\*x)\*b)/(2\*a^2\*d^2\*log(F)^2) - (F^(2\*c)\*F^(2\*d\*x)\*b\*x)/(2\*a^2\*d\*log(F)))/(a^2 + F^(2\*c)\*F^(2\*d\*x)\*b^2 + 2\*F^c\*F^(d\*x)\*a\*b) - log(a + F^c\*F^(d\*x)\*b)/(2\*a^2\*b\*d^2\*log(F)^2)

$$3.91 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3} dx$$

Optimal. Leaf size=27

$$-\frac{1}{2bd(a+bF^{c+dx})^2 \log(F)}$$

[Out] -1/2/b/d/(a+b\*F^(d\*x+c))^2/ln(F)

Rubi [A]

time = 0.03, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2278, 32}

$$-\frac{1}{2bd \log(F) (a + bF^{c+dx})^2}$$

Antiderivative was successfully verified.

[In] Int[F^(c + d\*x)/(a + b\*F^(c + d\*x))^3,x]

[Out] -1/2\*1/(b\*d\*(a + b\*F^(c + d\*x))^2\*Log[F])

Rule 32

Int[((a\_.) + (b\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(a + b\*x)^(m + 1)/(b\*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2278

Int[((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_)))^(n\_.)\*((a\_) + (b\_.)\*(F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_)))^(p\_.), x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[(a + b\*x)^p, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n, p}, x]

Rubi steps

$$\begin{aligned} \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3} dx &= \frac{\text{Subst}\left(\int \frac{1}{(a+bx)^3} dx, x, F^{c+dx}\right)}{d \log(F)} \\ &= -\frac{1}{2bd(a+bF^{c+dx})^2 \log(F)} \end{aligned}$$

Mathematica [A]

time = 0.04, size = 27, normalized size = 1.00

$$-\frac{1}{2bd(a+bF^{c+dx})^2 \log(F)}$$

Antiderivative was successfully verified.

[In] Integrate[F^(c + d\*x)/(a + b\*F^(c + d\*x))^3,x]

[Out]  $-1/2*1/(b*d*(a + b*F^(c + d*x))^2*\text{Log}[F])$

**Maple [A]**

time = 0.01, size = 26, normalized size = 0.96

method	result	size
derivativedivides	$-\frac{1}{2bd(a+bF^{dx+c})^2 \ln(F)}$	26
default	$-\frac{1}{2bd(a+bF^{dx+c})^2 \ln(F)}$	26
risch	$-\frac{1}{2bd(a+bF^{dx+c})^2 \ln(F)}$	26
norman	$-\frac{1}{2b \ln(F) d (a+b e^{(dx+c) \ln(F)})^2}$	28

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3,x,method=\_RETURNVERBOSE)

[Out]  $-1/2/b/d/(a+b*F^(d*x+c))^2/\ln(F)$

**Maxima [A]**

time = 0.32, size = 25, normalized size = 0.93

$$-\frac{1}{2(F^{dx+cb} + a)^2 bd \log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3,x, algorithm="maxima")

[Out]  $-1/2/((F^(d*x + c)*b + a)^2*b*d*\log(F))$

**Fricas [A]**

time = 0.35, size = 46, normalized size = 1.70

$$-\frac{1}{2(2F^{dx+c}ab^2d \log(F) + F^{2dx+2c}b^3d \log(F) + a^2bd \log(F))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3,x, algorithm="fricas")

[Out]  $-1/2/(2*F^(d*x + c)*a*b^2*d*\log(F) + F^(2*d*x + 2*c)*b^3*d*\log(F) + a^2*b*d*\log(F))$

**Sympy [B]** Leaf count of result is larger than twice the leaf count of optimal. 53 vs.  $2(22) = 44$ .

time = 0.05, size = 53, normalized size = 1.96

$$-\frac{1}{4F^{c+dx}ab^2d\log(F) + 2F^{2c+2dx}b^3d\log(F) + 2a^2bd\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*3,x)

[Out] -1/(4\*F\*\*(c + d\*x)\*a\*b\*\*2\*d\*log(F) + 2\*F\*\*(2\*c + 2\*d\*x)\*b\*\*3\*d\*log(F) + 2\*a\*\*2\*b\*d\*log(F))

**Giac [A]**

time = 2.19, size = 26, normalized size = 0.96

$$-\frac{1}{2(F^{dx}F^{cb} + a)^2bd\log(F)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3,x, algorithm="giac")

[Out] -1/2/((F^(d\*x)\*F^c\*b + a)^2\*b\*d\*log(F))

**Mupad [B]**

time = 3.63, size = 25, normalized size = 0.93

$$-\frac{1}{2bd\ln(F)(a + F^{c+dx}b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(c + d\*x)/(a + F^(c + d\*x)\*b)^3,x)

[Out] -1/(2\*b\*d\*log(F)\*(a + F^(c + d\*x)\*b)^2)



$$3.92 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$$

Optimal. Leaf size=65

$$-\frac{1}{2bd(a+bF^{c+dx})^2 x \log(F)} - \frac{\text{Int}\left(\frac{1}{(a+bF^{c+dx})^2 x^2}, x\right)}{2bd \log(F)}$$

[Out]  $-1/2/b/d/(a+bF^{(d*x+c)})^2/x/\ln(F)-1/2*\text{Unintegrable}(1/(a+bF^{(d*x+c)})^2/x^2, x)/b/d/\ln(F)$

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$$

Verification is not applicable to the result.

[In]  $\text{Int}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^3 * x), x]$

[Out]  $-1/2*1/(b*d*(a+bF^{(c+d*x)})^2*x*\text{Log}[F]) - \text{Defer}[\text{Int}][1/((a+bF^{(c+d*x)})^2*x^2), x]/(2*b*d*\text{Log}[F])$

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx = -\frac{1}{2bd(a+bF^{c+dx})^2 x \log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})^2 x^2} dx}{2bd \log(F)}$$

Mathematica [A]

time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x} dx$$

Verification is not applicable to the result.

[In]  $\text{Integrate}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^3 * x), x]$

[Out]  $\text{Integrate}[F^{(c+d*x)} / ((a+bF^{(c+d*x)})^3 * x), x]$

**Maple [A]**

time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a+bF^{dx+c})^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x,x)**[Out]** int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x,x)**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x,x, algorithm="maxima")

**[Out]**  $-1/2*(a*d*x*\log(F) + F^(d*x)*F^c*b + a)/(2*F^(d*x)*F^c*a^2*b^2*d^2*x^2*\log(F)^2 + F^(2*d*x)*F^(2*c)*a*b^3*d^2*x^2*\log(F)^2 + a^3*b*d^2*x^2*\log(F)^2) -$   
 $\text{integrate}(1/2*(d*x*\log(F) + 2)/(F^(d*x)*F^c*a*b^2*d^2*x^3*\log(F)^2 + a^2*b*d^2*x^3*\log(F)^2), x)$

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x,x, algorithm="fricas")

**[Out]**  $\text{integral}(F^(d*x + c)/(3*F^(d*x + c)*a^2*b*x + 3*F^(2*d*x + 2*c)*a*b^2*x + F^(3*d*x + 3*c)*b^3*x + a^3*x), x)$

**Sympy [A]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{-F^{c+dx}b - adx \log(F) - a}{4F^{c+dx}a^2b^2d^2x^2 \log(F)^2 + 2F^{2c+2dx}ab^3d^2x^2 \log(F)^2 + 2a^3bd^2x^2 \log(F)^2} - \frac{\int \frac{dx \log(F)}{ax^3+bx^3e^{c \log(F)}e^{dx \log(F)}} dx + \int \frac{2}{ax^3+bx^3e^{c \log(F)}e^{dx \log(F)}} dx}{2abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*3/x,x)

**[Out]**  $(-F**(c + d*x)*b - a*d*x*\log(F) - a)/(4*F**(c + d*x)*a**2*b**2*d**2*x**2*\log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*x**2*\log(F)**2 + 2*a**3*b*d**2*x**2)$

$2*\log(F)**2) - (\text{Integral}(d*x*\log(F)/(a*x**3 + b*x**3*\exp(c*\log(F))*\exp(d*x*\log(F))), x) + \text{Integral}(2/(a*x**3 + b*x**3*\exp(c*\log(F))*\exp(d*x*\log(F))), x))/(2*a*b*d**2*\log(F)**2)$

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x,x, algorithm="giac")

[Out] integrate(F^(d\*x + c)/((F^(d\*x + c)\*b + a)^3\*x), x)

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{F^{c+dx}}{x(a + F^{c+dx}b)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(c + d\*x)/(x\*(a + F^(c + d\*x)\*b)^3), x)

[Out] int(F^(c + d\*x)/(x\*(a + F^(c + d\*x)\*b)^3), x)

$$3.93 \quad \int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Optimal. Leaf size=63

$$-\frac{1}{2bd(a+bF^{c+dx})^2 x^2 \log(F)} - \frac{\text{Int}\left(\frac{1}{(a+bF^{c+dx})^2 x^3}, x\right)}{bd \log(F)}$$

[Out] -1/2/b/d/(a+b\*F^(d\*x+c))^2/x^2/ln(F)-Unintegrable(1/(a+b\*F^(d\*x+c))^2/x^3,x)/b/d/ln(F)

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Verification is not applicable to the result.

[In] Int[F^(c + d\*x)/((a + b\*F^(c + d\*x))^3\*x^2), x]

[Out] -1/2\*1/(b\*d\*(a + b\*F^(c + d\*x))^2\*x^2\*Log[F]) - Defer[Int][1/((a + b\*F^(c + d\*x))^2\*x^3), x]/(b\*d\*Log[F])

Rubi steps

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx = -\frac{1}{2bd(a+bF^{c+dx})^2 x^2 \log(F)} - \frac{\int \frac{1}{(a+bF^{c+dx})^2 x^3} dx}{bd \log(F)}$$

Mathematica [A]

time = 0.86, size = 0, normalized size = 0.00

$$\int \frac{F^{c+dx}}{(a+bF^{c+dx})^3 x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[F^(c + d\*x)/((a + b\*F^(c + d\*x))^3\*x^2), x]

[Out] Integrate[F^(c + d\*x)/((a + b\*F^(c + d\*x))^3\*x^2), x]

**Maple [A]**

time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{F^{dx+c}}{(a + b F^{dx+c})^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x^2,x)

[Out] int(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x^2,x)

**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x^2,x, algorithm="maxima")

[Out]  $-1/2*(a*d*x*\log(F) + 2*F^(d*x)*F^c*b + 2*a)/(2*F^(d*x)*F^c*a^2*b^2*d^2*x^3*\log(F)^2 + F^(2*d*x)*F^(2*c)*a*b^3*d^2*x^3*\log(F)^2 + a^3*b*d^2*x^3*\log(F)^2) - \text{integrate}((d*x*\log(F) + 3)/(F^(d*x)*F^c*a*b^2*d^2*x^4*\log(F)^2 + a^2*b*d^2*x^4*\log(F)^2), x)$

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F^(d\*x+c)/(a+b\*F^(d\*x+c))^3/x^2,x, algorithm="fricas")

[Out]  $\text{integral}(F^(d*x + c)/(3*F^(d*x + c)*a^2*b*x^2 + 3*F^(2*d*x + 2*c)*a*b^2*x^2 + F^(3*d*x + 3*c)*b^3*x^2 + a^3*x^2), x)$

**Sympy [A]**

time = 0.00, size = 0, normalized size = 0.00

$$\frac{-2F^{c+dx}b - adx \log(F) - 2a}{4F^{c+dx}a^2b^2d^2x^3 \log(F)^2 + 2F^{2c+2dx}ab^3d^2x^3 \log(F)^2 + 2a^3bd^2x^3 \log(F)^2} - \frac{\int \frac{dx \log(F)}{ax^4+bx^4e^{c \log(F)}e^{dx \log(F)}} dx + \int \frac{3}{ax^4+bx^4e^{c \log(F)}e^{dx \log(F)}} dx}{abd^2 \log(F)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(F\*\*(d\*x+c)/(a+b\*F\*\*(d\*x+c))\*\*3/x\*\*2,x)

[Out]  $(-2*F**(c + d*x)*b - a*d*x*\log(F) - 2*a)/(4*F**(c + d*x)*a**2*b**2*d**2*x**3*\log(F)**2 + 2*F**(2*c + 2*d*x)*a*b**3*d**2*x**3*\log(F)**2 + 2*a**3*b*d**2$

```
*x**3*log(F)**2) - (Integral(d*x*log(F)/(a*x**4 + b*x**4*exp(c*log(F))*exp(
d*x*log(F))), x) + Integral(3/(a*x**4 + b*x**4*exp(c*log(F))*exp(d*x*log(F)
)), x))/(a*b*d**2*log(F)**2)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(F^(d*x+c)/(a+b*F^(d*x+c))^3/x^2,x, algorithm="giac")
```

```
[Out] integrate(F^(d*x + c)/((F^(d*x + c)*b + a)^3*x^2), x)
```

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{F^{c+dx}}{x^2 (a + F^{c+dx} b)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)^3),x)
```

```
[Out] int(F^(c + d*x)/(x^2*(a + F^(c + d*x)*b)^3), x)
```

# Chapter 4

## Appendix

### Local contents

4.1	Download section . . . . .	430
4.2	Listing of Grading functions . . . . .	430

## 4.1 Download section

The following zip files contain the raw integrals used in this test.

**Mathematica format** Mathematica\_syntax.zip

**Maple and Mupad format** Maple\_syntax.zip

**Sympy format** SYMPY\_syntax.zip

**Sage math format** SAGE\_syntax.zip

## 4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*           Small rewrite of logic in main function to make it*)
(*           match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*           GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*           is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*           antiderivative*)
(* "A" if result can be considered optimal*)
```



```

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafC
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A","none"}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
      ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","none"}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $
      ]
    ]
    ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "<
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)

```



```

ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]

```

## 4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issues";
  fi;

  leaf_count_optimal := leafcount(optimal);
  ExpnType_result := ExpnType(result);
  ExpnType_optimal := ExpnType(optimal);

```

```

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#   is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
#   antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A","";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of r
                    convert(leaf_count_result,string)," vs. $2 (" ,
                    convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_co
            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex

```

```

    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A","";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of o
                        convert(leaf_count_result,string)," $ vs. $2(",
                        convert(leaf_count_optimal,string),")=",convert(2*leaf_cou

    fi;
fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function

```

```

# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,

```

```

    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

### 4.2.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```



```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnT
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

#### 4.2.4 SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.op
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or instan
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger t
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_resu

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```