

# Computer algebra independent integration tests

Summer 2022 edition

5-Inverse-trig-functions/5.1-Inverse-sine/142-5.1.2-d-x<sup>m</sup>-a+b-  
arcsin-c-x<sup>n</sup>

Nasser M. Abbasi

September 27, 2022

Compiled on September 27, 2022 at 2:12am

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>detailed summary tables of results</b>	<b>19</b>
<b>3</b>	<b>Listing of integrals</b>	<b>79</b>
<b>4</b>	<b>Appendix</b>	<b>957</b>

# Chapter 1

## Introduction

### Local contents

1.1	Listing of CAS systems tested . . . . .	4
1.2	Results . . . . .	5
1.3	Time and leaf size Performance . . . . .	9
1.4	list of integrals that has no closed form antiderivative . . . . .	11
1.5	List of integrals solved by CAS but has no known antiderivative . . . . .	12
1.6	list of integrals solved by CAS but failed verification . . . . .	13
1.7	Timing . . . . .	13
1.8	Verification . . . . .	14
1.9	Important notes about some of the results . . . . .	14
1.10	Design of the test system . . . . .	17

This report gives the result of running the computer algebra independent integration test. The download section in the appendix contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [ 227 ]. This is test number [ 142 ].

## 1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.1 (June 29, 2022) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.0.1 on windows 10.
3. Maple 2022.1 (June 1, 2022) on windows 10.
4. Maxima 5.46 (April 13, 2022) using Lisp SBCL 2.1.11.debian on Linux via sagemath 9.6.
5. Fricas 1.3.8 (June 21, 2022) based on sbcl 2.1.11.debian on Linux via sagemath 9.6.
6. Giac/Xcas 1.9.0-13 (July 3, 2022) on Linux via sagemath 9.6.
7. Sympy 1.10.1 (March 20, 2022) Using Python 3.10.4 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly from Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 227 )	0.00 ( 0 )
Mathematica	99.56 ( 226 )	0.44 ( 1 )
Maple	95.59 ( 217 )	4.41 ( 10 )
Giac	71.81 ( 163 )	28.19 ( 64 )
Sympy	44.05 ( 100 )	55.95 ( 127 )
Fricas	37.44 ( 85 )	62.56 ( 142 )
Mupad	33.04 ( 75 )	66.96 ( 152 )
Maxima	33.04 ( 75 )	66.96 ( 152 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Maple	89.43	5.29	0.88	4.41
Mathematica	71.81	0.44	27.31	0.44
Giac	49.78	7.93	14.10	28.19
Sympy	42.29	0.88	0.88	55.95
Fricas	34.80	0.00	2.64	62.56
Maxima	33.04	0.00	0.00	66.96
Mupad	N/A	5.73	0.00	66.96

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and

Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	1	0.00 %	100.00 %	0.00 %
Maple	10	100.00 %	0.00 %	0.00 %
Fricas	142	44.37 %	0.00 %	55.63 %
Giac	64	79.69 %	0.00 %	20.31 %
Maxima	152	60.53 %	0.00 %	39.47 %
Sympy	127	90.55 %	1.57 %	7.87 %
Mupad	152	100.00 %	0.00 %	0.00 %

Table 1.4: Failure statistics for each CAS



## 1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.



Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.10	81.65	0.73	75.00	1.00
Mathematica	2.66	86.96	0.78	69.50	0.83
Maple	0.90	99.46	0.86	67.00	0.91
Maxima	0.21	34.53	0.44	0.00	0.00
Fricas	1.42	40.40	0.49	36.00	0.57
Sympy	1.21	45.40	0.50	0.00	0.00
Giac	0.32	166.28	1.33	68.00	1.11
Mupad	0.03	9.67	0.16	-1.00	-0.05

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used from the above table.



## **1.4 list of integrals that has no closed form antiderivative**

{49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227}

## 1.5 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
```

```
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

### 1.9.2 Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

### 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

### 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand,the_variable)
```

Which gives  $\sin(x)^2/2$



## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified.

*The following fields are present only in Rubi Table file*

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,..}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax



# Chapter 2

## detailed summary tables of results

### Local contents

2.1	List of integrals sorted by grade for each CAS . . . . .	20
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	25
2.3	Detailed conclusion table specific for Rubi results . . . . .	71

## 2.1 List of integrals sorted by grade for each CAS

### Local contents

2.1.1	Rubi . . . . .	21
2.1.2	Mathematica . . . . .	21
2.1.3	Maple . . . . .	21
2.1.4	Maxima . . . . .	22
2.1.5	FriCAS . . . . .	22
2.1.6	Sympy . . . . .	23
2.1.7	Giac . . . . .	23
2.1.8	Mupad . . . . .	23

### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { }

F grade: { }

### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 209, 210, 211, 212, 213, 214, 215, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 157 }

C grade: { 11, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 203, 204, 205, 206, 207, 208 }

F grade: { 216 }

### 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 152, 153, 154, 155, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 181, 182, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 201, 202, 203, 204, 205, 206, 207, 208, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 151, 156, 157, 178, 179, 180, 183, 184, 185, 198, 199, 200 }

C grade: { 132, 133 }

F grade: { 121, 122, 130, 131, 209, 210, 211, 212, 213, 214 }

### 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 14, 16, 19, 21, 22, 24, 26, 33, 35, 37, 49, 50, 58, 59, 65, 66, 72, 73, 119, 120, 123, 124, 140, 141, 142, 143, 145, 146, 147, 148, 150, 153, 155, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { }

F grade: { 6, 13, 15, 17, 18, 20, 23, 25, 27, 28, 29, 30, 31, 32, 34, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 144, 149, 151, 152, 154, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214 }

### 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 58, 59, 65, 66, 72, 73, 119, 120, 123, 124, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 145, 146, 147, 148, 149, 150, 153, 154, 155, 161, 162, 166, 167, 171, 172, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { 203, 204, 205, 206, 207, 208 }

F grade: { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 125, 126, 127, 128, 130, 131, 132, 133, 144, 151, 152, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 209, 210, 211, 212, 213, 214 }

### 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 137, 138, 139, 140, 141, 142, 143, 145, 146, 147, 148, 149, 150, 153, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 203, 204, 205, 215, 216, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 154, 155 }

C grade: { 7, 8 }

F grade: { 6, 17, 18, 19, 20, 21, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 136, 144, 151, 152, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 206, 207, 208, 209, 210, 211, 212, 213, 214, 217, 218, 219 }

### 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 7, 9, 11, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 42, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 150, 155, 158, 159, 160, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 197, 202, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 8, 10, 19, 21, 51, 145, 146, 147, 148, 149, 153, 154, 163, 164, 165, 168, 169, 170 }

C grade: { 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190 }

F grade: { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 144, 151, 152, 156, 157, 161, 193, 194, 195, 196, 198, 199, 200, 201, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216 }

### 2.1.8 Mupad

A grade: { 49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 4, 5, 6, 7, 16, 26, 37, 142, 143, 144, 145, 150, 155 }

C grade: { }

F grade: { 1, 2, 3, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 140, }

141, 146, 147, 148, 149, 151, 152, 153, 154, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173,  
174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 203, 204, 205, 206,  
207, 208, 209, 210, 211, 212, 213, 214 }



## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N.S. in the table below, which stands for **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To help make the table fit, **Mathematica** was abbrev-

	Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
viated to MMA.	grade	A	A	A	A	A	A	A	A	F
	verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
	size	75	75	51	72	71	49	70	113	-1
	N.S.	1	1.00	0.68	0.96	0.95	0.65	0.93	1.51	-0.01
	time (sec)	N/A	0.031	0.074	0.103	0.518	3.025	0.298	0.413	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	50	60	61	47	61	84	-1
N.S.	1	1.00	0.72	0.87	0.88	0.68	0.88	1.22	-0.01
time (sec)	N/A	0.020	0.017	0.007	0.513	3.990	0.202	0.402	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	41	52	50	40	48	64	-1
N.S.	1	1.00	0.76	0.96	0.93	0.74	0.89	1.19	-0.02
time (sec)	N/A	0.023	0.016	0.007	0.507	4.663	0.128	0.393	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	40	40	40	36	37	46	38
N.S.	1	1.00	0.89	0.89	0.89	0.80	0.82	1.02	0.84
time (sec)	N/A	0.011	0.007	0.014	0.502	2.905	0.088	0.409	0.083

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	25	24	24	20	24	23
N.S.	1	1.00	1.00	1.00	0.96	0.96	0.80	0.96	0.92
time (sec)	N/A	0.005	0.005	0.004	0.542	3.278	0.056	0.426	0.108

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	46	111	0	0	0	0	41
N.S.	1	1.00	0.90	2.18	0.00	0.00	0.00	0.00	0.80
time (sec)	N/A	0.038	0.073	0.090	0.000	0.000	0.000	0.000	0.079

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	31	39	49	32	48	26
N.S.	1	1.00	1.00	1.11	1.39	1.75	1.14	1.71	0.93
time (sec)	N/A	0.015	0.003	0.016	0.508	2.727	0.959	0.388	0.023

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	29	38	28	25	51	68	-1
N.S.	1	1.00	0.85	1.12	0.82	0.74	1.50	2.00	-0.03
time (sec)	N/A	0.011	0.006	0.004	0.501	2.353	0.782	0.404	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	53	53	60	73	107	77	-1
N.S.	1	1.00	0.95	0.95	1.07	1.30	1.91	1.38	-0.02
time (sec)	N/A	0.022	0.010	0.004	0.514	2.392	1.666	0.420	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	41	58	50	37	100	130	-1
N.S.	1	1.00	0.71	1.00	0.86	0.64	1.72	2.24	-0.02
time (sec)	N/A	0.014	0.013	0.005	0.509	2.867	1.110	0.421	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	51	73	82	85	182	101	-1
N.S.	1	1.00	0.64	0.91	1.02	1.06	2.28	1.26	-0.01
time (sec)	N/A	0.029	0.009	0.004	0.501	3.355	3.455	0.411	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	82	76	102	76	114	169	-1
N.S.	1	1.00	0.68	0.63	0.85	0.63	0.95	1.41	-0.01
time (sec)	N/A	0.124	0.020	0.112	0.527	2.366	0.484	0.415	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	74	91	0	70	90	133	-1
N.S.	1	1.00	0.76	0.93	0.00	0.71	0.92	1.36	-0.01
time (sec)	N/A	0.105	0.018	0.097	0.000	2.609	0.331	0.398	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	64	59	72	59	76	97	-1
N.S.	1	1.00	0.78	0.72	0.88	0.72	0.93	1.18	-0.01
time (sec)	N/A	0.078	0.016	0.089	0.512	2.163	0.192	0.398	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	55	65	0	51	51	73	-1
N.S.	1	1.00	0.92	1.08	0.00	0.85	0.85	1.22	-0.02
time (sec)	N/A	0.059	0.010	0.017	0.000	1.936	0.129	0.427	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	35	37	33	36	32	33	32
N.S.	1	1.00	1.00	1.06	0.94	1.03	0.91	0.94	0.91
time (sec)	N/A	0.030	0.007	0.018	0.493	3.016	0.082	0.412	0.137

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	169	0	0	0	0	-1
N.S.	1	1.00	1.00	2.38	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.064	0.025	0.044	0.000	0.000	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	87	120	0	0	0	0	-1
N.S.	1	1.00	1.32	1.82	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.067	0.104	0.020	0.000	0.000	0.000	0.000	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	48	40	44	0	82	-1
N.S.	1	1.00	1.00	1.09	0.91	1.00	0.00	1.86	-0.02
time (sec)	N/A	0.050	0.015	0.020	0.479	2.337	0.000	0.436	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	139	149	0	0	0	0	-1
N.S.	1	1.00	1.20	1.28	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.379	0.156	0.000	0.000	0.000	0.000	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	69	82	74	62	0	185	-1
N.S.	1	1.00	0.79	0.94	0.85	0.71	0.00	2.13	-0.01
time (sec)	N/A	0.095	0.023	0.024	0.471	3.002	0.000	0.488	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	122	159	171	105	196	249	-1
N.S.	1	1.00	0.61	0.79	0.85	0.52	0.98	1.24	-0.00
time (sec)	N/A	0.253	0.039	0.043	0.486	2.562	0.728	0.413	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	112	154	0	96	160	185	-1
N.S.	1	1.00	0.67	0.92	0.00	0.57	0.96	1.11	-0.01
time (sec)	N/A	0.188	0.027	0.049	0.000	3.039	0.491	0.410	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	95	106	120	79	128	142	-1
N.S.	1	1.00	0.70	0.78	0.88	0.58	0.94	1.04	-0.01
time (sec)	N/A	0.149	0.026	0.036	0.491	2.202	0.322	0.406	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	82	96	0	69	92	101	-1
N.S.	1	1.00	0.83	0.97	0.00	0.70	0.93	1.02	-0.01
time (sec)	N/A	0.101	0.015	0.032	0.000	2.877	0.198	0.415	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	57	57	44	54	56	40
N.S.	1	1.00	1.00	0.95	0.95	0.73	0.90	0.93	0.67
time (sec)	N/A	0.051	0.008	0.031	0.487	2.934	0.133	0.419	0.144

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	229	0	0	0	0	-1
N.S.	1	1.00	1.00	2.36	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.034	0.036	0.000	0.000	0.000	0.000	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	133	178	0	0	0	0	-1
N.S.	1	1.00	1.23	1.65	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.108	0.073	0.072	0.000	0.000	0.000	0.000	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	92	161	0	0	0	0	-1
N.S.	1	1.00	0.90	1.58	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.115	0.229	0.086	0.000	0.000	0.000	0.000	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	284	234	0	0	0	0	-1
N.S.	1	1.00	1.59	1.31	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.188	1.682	0.144	0.000	0.000	0.000	0.000	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	116	231	0	0	0	0	-1
N.S.	1	1.00	0.69	1.37	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.184	0.395	0.158	0.000	0.000	0.000	0.000	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	282	282	167	334	0	153	269	362	-1
N.S.	1	1.00	0.59	1.18	0.00	0.54	0.95	1.28	-0.00
time (sec)	N/A	0.550	0.050	0.115	0.000	2.341	1.599	0.408	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	150	197	207	134	241	305	-1
N.S.	1	1.00	0.60	0.79	0.83	0.54	0.96	1.22	-0.00
time (sec)	N/A	0.426	0.042	0.059	0.503	2.349	1.080	0.414	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	135	215	0	121	190	234	-1
N.S.	1	1.00	0.68	1.09	0.00	0.61	0.96	1.18	-0.01
time (sec)	N/A	0.327	0.035	0.048	0.000	2.314	0.767	0.414	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	114	130	147	99	158	176	-1
N.S.	1	1.00	0.69	0.78	0.89	0.60	0.95	1.06	-0.01
time (sec)	N/A	0.231	0.029	0.038	0.484	2.093	0.470	0.409	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	96	117	0	82	104	127	-1
N.S.	1	1.00	0.86	1.05	0.00	0.74	0.94	1.14	-0.01
time (sec)	N/A	0.152	0.017	0.033	0.000	1.649	0.314	0.402	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	69	67	75	55	65	65	48
N.S.	1	1.00	1.00	0.97	1.09	0.80	0.94	0.94	0.70
time (sec)	N/A	0.077	0.010	0.026	0.483	2.073	0.219	0.413	0.139

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	113	287	0	0	0	0	-1
N.S.	1	1.00	1.00	2.54	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.081	0.027	0.037	0.000	0.000	0.000	0.000	0.000



Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	198	238	0	0	0	0	-1
N.S.	1	1.00	1.27	1.53	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.127	0.158	0.069	0.000	0.000	0.000	0.000	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	124	219	0	0	0	0	-1
N.S.	1	1.00	1.04	1.84	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.143	0.165	0.076	0.000	0.000	0.000	0.000	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	399	377	0	0	0	0	-1
N.S.	1	1.00	1.45	1.37	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.272	2.437	0.134	0.000	0.000	0.000	0.000	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	40	40	0	0	0	47	-1
N.S.	1	1.00	0.73	0.73	0.00	0.00	0.00	0.85	-0.02
time (sec)	N/A	0.069	0.010	0.034	0.000	0.000	0.000	0.416	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	33	33	0	0	0	37	-1
N.S.	1	1.00	0.77	0.77	0.00	0.00	0.00	0.86	-0.02
time (sec)	N/A	0.054	0.077	0.030	0.000	0.000	0.000	0.413	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	31	31	0	0	0	35	-1
N.S.	1	1.00	0.76	0.76	0.00	0.00	0.00	0.85	-0.02
time (sec)	N/A	0.055	0.006	0.019	0.000	0.000	0.000	0.431	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	24	24	0	0	0	25	-1
N.S.	1	1.00	0.83	0.83	0.00	0.00	0.00	0.86	-0.03
time (sec)	N/A	0.043	0.050	0.018	0.000	0.000	0.000	0.428	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	22	22	0	0	0	23	-1
N.S.	1	1.00	0.81	0.81	0.00	0.00	0.00	0.85	-0.04
time (sec)	N/A	0.045	0.005	0.014	0.000	0.000	0.000	0.394	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	0	0	0	12	-1
N.S.	1	1.00	1.00	0.93	0.00	0.00	0.00	0.86	-0.07
time (sec)	N/A	0.024	0.014	0.020	0.000	0.000	0.000	0.407	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	9	9	9	10	0	0	0	9	-1
N.S.	1	1.00	1.00	1.11	0.00	0.00	0.00	1.00	-0.11
time (sec)	N/A	0.012	0.009	0.016	0.000	0.000	0.000	0.413	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.143	0.185	0.000	0.000	0.000	0.000	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.719	0.133	0.000	0.000	0.000	0.000	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	86	105	0	0	0	161	-1
N.S.	1	1.00	1.04	1.27	0.00	0.00	0.00	1.94	-0.01
time (sec)	N/A	0.049	0.149	0.036	0.000	0.000	0.000	0.419	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	78	78	0	0	0	120	-1
N.S.	1	1.00	1.10	1.10	0.00	0.00	0.00	1.69	-0.01
time (sec)	N/A	0.044	0.029	0.043	0.000	0.000	0.000	0.413	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	61	81	0	0	0	115	-1
N.S.	1	1.00	0.88	1.17	0.00	0.00	0.00	1.67	-0.01
time (sec)	N/A	0.044	0.121	0.017	0.000	0.000	0.000	0.434	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	56	54	0	0	0	72	-1
N.S.	1	1.00	0.98	0.95	0.00	0.00	0.00	1.26	-0.02
time (sec)	N/A	0.035	0.013	0.020	0.000	0.000	0.000	0.438	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	50	57	0	0	0	68	-1
N.S.	1	1.00	0.91	1.04	0.00	0.00	0.00	1.24	-0.02
time (sec)	N/A	0.030	0.105	0.017	0.000	0.000	0.000	0.437	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	32	28	0	0	0	36	-1
N.S.	1	1.00	0.84	0.74	0.00	0.00	0.00	0.95	-0.03
time (sec)	N/A	0.018	0.003	0.036	0.000	0.000	0.000	0.418	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	32	33	0	0	0	34	-1
N.S.	1	1.00	0.89	0.92	0.00	0.00	0.00	0.94	-0.03
time (sec)	N/A	0.056	0.037	0.020	0.000	0.000	0.000	0.410	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.552	0.119	0.000	0.000	0.000	0.000	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	6.272	0.128	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	103	121	0	0	0	170	-1
N.S.	1	1.00	1.05	1.23	0.00	0.00	0.00	1.73	-0.01
time (sec)	N/A	0.241	0.099	0.037	0.000	0.000	0.000	0.429	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	73	82	0	0	0	125	-1
N.S.	1	1.00	0.88	0.99	0.00	0.00	0.00	1.51	-0.01
time (sec)	N/A	0.203	0.118	0.027	0.000	0.000	0.000	0.430	0.000

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	68	82	0	0	0	102	-1
N.S.	1	1.00	0.83	1.00	0.00	0.00	0.00	1.24	-0.01
time (sec)	N/A	0.170	0.082	0.016	0.000	0.000	0.000	0.444	0.000

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	61	45	0	0	0	67	-1
N.S.	1	1.00	0.95	0.70	0.00	0.00	0.00	1.05	-0.02
time (sec)	N/A	0.112	0.036	0.021	0.000	0.000	0.000	0.423	0.000

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	48	43	0	0	0	43	-1
N.S.	1	1.00	0.94	0.84	0.00	0.00	0.00	0.84	-0.02
time (sec)	N/A	0.057	0.017	0.020	0.000	0.000	0.000	0.417	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	0.344	0.128	0.000	0.000	0.000	0.000	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.010	4.208	0.128	0.000	0.000	0.000	0.000	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	159	171	0	0	0	250	-1
N.S.	1	1.00	1.01	1.08	0.00	0.00	0.00	1.58	-0.01
time (sec)	N/A	0.210	0.179	0.033	0.000	0.000	0.000	0.419	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	107	114	0	0	0	174	-1
N.S.	1	1.00	0.74	0.79	0.00	0.00	0.00	1.21	-0.01
time (sec)	N/A	0.185	0.220	0.040	0.000	0.000	0.000	0.441	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	102	117	0	0	0	148	-1
N.S.	1	1.00	0.72	0.83	0.00	0.00	0.00	1.05	-0.01
time (sec)	N/A	0.201	0.138	0.020	0.000	0.000	0.000	0.423	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	86	60	0	0	0	92	-1
N.S.	1	1.00	0.89	0.62	0.00	0.00	0.00	0.95	-0.01
time (sec)	N/A	0.110	0.070	0.021	0.000	0.000	0.000	0.422	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	70	63	0	0	0	66	-1
N.S.	1	1.00	0.90	0.81	0.00	0.00	0.00	0.85	-0.01
time (sec)	N/A	0.099	0.039	0.020	0.000	0.000	0.000	0.415	0.000

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.008	1.487	0.128	0.000	0.000	0.000	0.000	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.009	11.739	0.135	0.000	0.000	0.000	0.000	0.000

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	204	143	0	0	0	247	-1
N.S.	1	1.00	1.69	1.18	0.00	0.00	0.00	2.04	-0.01
time (sec)	N/A	0.166	0.055	0.098	0.000	0.000	0.000	0.482	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	138	90	0	0	0	153	-1
N.S.	1	1.00	1.45	0.95	0.00	0.00	0.00	1.61	-0.01
time (sec)	N/A	0.130	0.032	0.049	0.000	0.000	0.000	0.451	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	126	96	0	0	0	165	-1
N.S.	1	1.00	1.47	1.12	0.00	0.00	0.00	1.92	-0.01
time (sec)	N/A	0.128	0.028	0.044	0.000	0.000	0.000	0.472	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	81	42	0	0	0	71	-1
N.S.	1	1.00	1.37	0.71	0.00	0.00	0.00	1.20	-0.02
time (sec)	N/A	0.104	0.011	0.032	0.000	0.000	0.000	0.449	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	66	49	0	0	0	83	-1
N.S.	1	1.00	1.50	1.11	0.00	0.00	0.00	1.89	-0.02
time (sec)	N/A	0.062	0.021	0.029	0.000	0.000	0.000	0.444	0.000



Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.297	0.054	0.000	0.000	0.000	0.000	0.000

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	282	202	193	0	0	0	355	-1
N.S.	1	1.32	0.94	0.90	0.00	0.00	0.00	1.66	-0.00
time (sec)	N/A	0.378	0.038	0.073	0.000	0.000	0.000	0.467	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	130	121	0	0	0	225	-1
N.S.	1	1.00	0.83	0.77	0.00	0.00	0.00	1.43	-0.01
time (sec)	N/A	0.258	0.022	0.052	0.000	0.000	0.000	0.470	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	136	131	0	0	0	237	-1
N.S.	1	1.00	0.93	0.89	0.00	0.00	0.00	1.61	-0.01
time (sec)	N/A	0.210	0.032	0.046	0.000	0.000	0.000	0.458	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	71	64	0	0	0	107	-1
N.S.	1	1.00	0.80	0.72	0.00	0.00	0.00	1.20	-0.01
time (sec)	N/A	0.124	0.012	0.033	0.000	0.000	0.000	0.447	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	76	72	0	0	0	119	-1
N.S.	1	1.00	1.01	0.96	0.00	0.00	0.00	1.59	-0.01
time (sec)	N/A	0.069	0.027	0.034	0.000	0.000	0.000	0.471	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.008	0.242	0.049	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F(-2)	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	298	204	233	0	0	0	463	-1
N.S.	1	1.13	0.78	0.89	0.00	0.00	0.00	1.76	-0.00
time (sec)	N/A	0.531	0.041	0.079	0.000	0.000	0.000	0.476	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	140	154	0	0	0	297	-1
N.S.	1	1.00	0.68	0.75	0.00	0.00	0.00	1.45	-0.00
time (sec)	N/A	0.387	0.025	0.053	0.000	0.000	0.000	0.484	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	125	156	0	0	0	309	-1
N.S.	1	1.00	0.70	0.88	0.00	0.00	0.00	1.74	-0.01
time (sec)	N/A	0.309	0.029	0.049	0.000	0.000	0.000	0.500	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	81	79	0	0	0	143	-1
N.S.	1	1.00	0.68	0.66	0.00	0.00	0.00	1.20	-0.01
time (sec)	N/A	0.193	0.012	0.049	0.000	0.000	0.000	0.446	0.000

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	68	88	0	0	0	155	-1
N.S.	1	1.00	0.77	1.00	0.00	0.00	0.00	1.76	-0.01
time (sec)	N/A	0.108	0.025	0.035	0.000	0.000	0.000	0.482	0.000

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.255	0.053	0.000	0.000	0.000	0.000	0.000

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	193	72	0	0	0	139	-1
N.S.	1	1.00	1.82	0.68	0.00	0.00	0.00	1.31	-0.01
time (sec)	N/A	0.076	0.035	0.059	0.000	0.000	0.000	0.448	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	128	44	0	0	0	81	-1
N.S.	1	1.00	1.97	0.68	0.00	0.00	0.00	1.25	-0.02
time (sec)	N/A	0.055	0.019	0.039	0.000	0.000	0.000	0.442	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	128	51	0	0	0	93	-1
N.S.	1	1.00	1.80	0.72	0.00	0.00	0.00	1.31	-0.01
time (sec)	N/A	0.057	0.030	0.036	0.000	0.000	0.000	0.449	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	71	21	0	0	0	35	-1
N.S.	1	1.00	2.54	0.75	0.00	0.00	0.00	1.25	-0.04
time (sec)	N/A	0.028	0.013	0.026	0.000	0.000	0.000	0.427	0.000

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	69	25	0	0	0	47	-1
N.S.	1	1.00	2.30	0.83	0.00	0.00	0.00	1.57	-0.03
time (sec)	N/A	0.018	0.019	0.021	0.000	0.000	0.000	0.427	0.000

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.232	0.053	0.000	0.000	0.000	0.000	0.000

Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	2.015	0.115	0.000	0.000	0.000	0.000	0.000

Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	427	184	0	0	0	0	-1
N.S.	1	1.00	2.50	1.08	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.104	0.141	0.086	0.000	0.000	0.000	0.000	0.000

Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	231	121	0	0	0	0	-1
N.S.	1	1.00	1.82	0.95	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.076	0.088	0.059	0.000	0.000	0.000	0.000	0.000

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	319	138	0	0	0	0	-1
N.S.	1	1.00	2.35	1.01	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.067	0.069	0.045	0.000	0.000	0.000	0.000	0.000

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	154	83	0	0	0	0	-1
N.S.	1	1.00	1.71	0.92	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.057	0.029	0.049	0.000	0.000	0.000	0.000	0.000

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	211	95	0	0	0	0	-1
N.S.	1	1.00	2.20	0.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.048	0.039	0.039	0.000	0.000	0.000	0.000	0.000

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	91	43	0	0	0	0	-1
N.S.	1	1.00	1.65	0.78	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.022	0.020	0.030	0.000	0.000	0.000	0.000	0.000

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	87	65	0	0	0	0	-1
N.S.	1	1.00	1.47	1.10	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.059	0.064	0.028	0.000	0.000	0.000	0.000	0.000

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.010	0.305	0.052	0.000	0.000	0.000	0.000	0.000

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	235	418	173	0	0	0	0	-1
N.S.	1	1.37	2.44	1.01	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.287	0.178	0.075	0.000	0.000	0.000	0.000	0.000

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	200	109	0	0	0	0	-1
N.S.	1	1.00	1.59	0.87	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.230	0.229	0.046	0.000	0.000	0.000	0.000	0.000

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	277	117	0	0	0	0	-1
N.S.	1	1.00	2.22	0.94	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.202	0.085	0.055	0.000	0.000	0.000	0.000	0.000

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	112	56	0	0	0	0	-1
N.S.	1	1.00	1.26	0.63	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.119	0.123	0.035	0.000	0.000	0.000	0.000	0.000

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	138	83	0	0	0	0	-1
N.S.	1	1.00	1.82	1.09	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.065	0.080	0.039	0.000	0.000	0.000	0.000	0.000

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.314	0.051	0.000	0.000	0.000	0.000	0.000

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	417	225	0	0	0	0	-1
N.S.	1	1.00	1.58	0.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.265	0.400	0.074	0.000	0.000	0.000	0.000	0.000

Problem 114	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	272	139	0	0	0	0	-1
N.S.	1	1.00	1.43	0.73	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.215	0.685	0.050	0.000	0.000	0.000	0.000	0.000

Problem 115	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	191	191	280	154	0	0	0	0	-1
N.S.	1	1.00	1.47	0.81	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.237	0.199	0.044	0.000	0.000	0.000	0.000	0.000

Problem 116	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	146	73	0	0	0	0	-1
N.S.	1	1.00	1.23	0.61	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.115	0.238	0.035	0.000	0.000	0.000	0.000	0.000

Problem 117	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	143	110	0	0	0	0	-1
N.S.	1	1.00	1.36	1.05	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.112	0.152	0.036	0.000	0.000	0.000	0.000	0.000

Problem 118	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.009	0.320	0.052	0.000	0.000	0.000	0.000	0.000



Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.085	0.882	0.535	0.000	0.000	0.000	0.000	0.000

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.081	0.822	0.454	0.000	0.000	0.000	0.000	0.000

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	122	0	0	0	0	0	-1
N.S.	1	1.00	0.81	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.081	0.027	0.511	0.000	0.000	0.000	0.000	0.000

Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	56	0	0	0	0	0	-1
N.S.	1	1.00	0.81	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.021	0.013	0.560	0.000	0.000	0.000	0.000	0.000

Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.011	0.785	0.267	0.000	0.000	0.000	0.000	0.000

Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.011	0.550	0.332	0.000	0.000	0.000	0.000	0.000

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.011	4.040	0.045	0.000	0.000	0.000	0.000	0.000

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.011	3.898	0.036	0.000	0.000	0.000	0.000	0.000

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.010	2.852	0.039	0.000	0.000	0.000	0.000	0.000

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.010	3.170	0.037	0.000	0.000	0.000	0.000	0.000

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.011	0.714	0.546	0.000	0.000	0.000	0.000	0.000

Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	132	0	0	0	0	0	-1
N.S.	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.121	0.054	0.141	0.000	0.000	0.000	0.000	0.000

Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	137	0	0	0	0	0	-1
N.S.	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.117	0.046	0.127	0.000	0.000	0.000	0.000	0.000

Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	75	138	0	0	0	0	-1
N.S.	1	1.00	0.88	1.62	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.057	0.013	0.105	0.000	0.000	0.000	0.000	0.000

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	73	240	0	0	0	0	-1
N.S.	1	1.00	0.92	3.04	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.038	0.025	0.073	0.000	0.000	0.000	0.000	0.000

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.011	0.192	0.073	0.000	0.000	0.000	0.000	0.000

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.011	0.459	0.063	0.000	0.000	0.000	0.000	0.000

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.015	2.454	0.051	0.000	0.000	0.000	0.000	0.000

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.013	3.093	0.050	0.000	0.000	0.000	0.000	0.000

Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.012	1.003	0.046	0.000	0.000	0.000	0.000	0.000

Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.015	1.353	0.048	0.000	0.000	0.000	0.000	0.000

Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	81	72	70	61	80	95	-1
N.S.	1	1.00	1.07	0.95	0.92	0.80	1.05	1.25	-0.01
time (sec)	N/A	0.024	0.021	0.013	0.496	3.116	0.212	0.428	0.000

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	49	64	59	53	65	74	-1
N.S.	1	1.00	0.82	1.07	0.98	0.88	1.08	1.23	-0.02
time (sec)	N/A	0.030	0.026	0.004	0.495	3.336	0.153	0.412	0.000

Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	56	52	49	49	54	64	45
N.S.	1	1.00	1.10	1.02	0.96	0.96	1.06	1.25	0.88
time (sec)	N/A	0.013	0.016	0.006	0.487	3.246	0.105	0.403	0.147

Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	30	29	31	26	29	28
N.S.	1	1.00	1.00	1.00	0.97	1.03	0.87	0.97	0.93
time (sec)	N/A	0.010	0.009	0.005	0.513	3.398	0.063	0.405	0.167

Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	52	122	0	0	0	0	48
N.S.	1	1.00	0.83	1.94	0.00	0.00	0.00	0.00	0.76
time (sec)	N/A	0.052	0.024	0.060	0.000	0.000	0.000	0.000	0.150

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	36	43	47	55	39	325	34
N.S.	1	1.00	1.09	1.30	1.42	1.67	1.18	9.85	1.03
time (sec)	N/A	0.020	0.004	0.007	0.497	3.869	1.127	0.437	0.129

Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	44	50	36	35	61	163	-1
N.S.	1	1.00	1.13	1.28	0.92	0.90	1.56	4.18	-0.03
time (sec)	N/A	0.013	0.009	0.006	0.485	4.010	0.919	0.393	0.000

Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	67	65	69	80	117	284	-1
N.S.	1	1.00	1.08	1.05	1.11	1.29	1.89	4.58	-0.02
time (sec)	N/A	0.027	0.013	0.004	0.484	3.501	1.836	0.541	0.000

Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	95	126	142	111	170	194	-1
N.S.	1	1.00	0.93	1.24	1.39	1.09	1.67	1.90	-0.01
time (sec)	N/A	0.103	0.119	0.027	0.491	3.395	0.236	0.436	0.000

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	73	120	0	99	126	155	-1
N.S.	1	1.00	0.96	1.58	0.00	1.30	1.66	2.04	-0.01
time (sec)	N/A	0.079	0.048	0.023	0.000	3.925	0.157	0.415	0.000

Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	47	72	72	65	82	75	142
N.S.	1	1.00	1.00	1.53	1.53	1.38	1.74	1.60	3.02
time (sec)	N/A	0.041	0.027	0.017	0.478	3.253	0.096	0.408	0.347

Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	143	319	0	0	0	0	-1
N.S.	1	1.00	1.59	3.54	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.087	0.088	0.041	0.000	0.000	0.000	0.000	0.000

Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	126	178	0	0	0	0	-1
N.S.	1	1.00	1.56	2.20	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.088	0.161	0.031	0.000	0.000	0.000	0.000	0.000

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	163	235	273	194	328	368	-1
N.S.	1	1.00	0.92	1.32	1.53	1.09	1.84	2.07	-0.01
time (sec)	N/A	0.205	0.255	0.022	0.505	2.218	0.385	0.439	0.000

Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	114	219	0	169	264	285	-1
N.S.	1	1.00	0.91	1.75	0.00	1.35	2.11	2.28	-0.01
time (sec)	N/A	0.145	0.093	0.026	0.000	2.482	0.257	0.417	0.000

Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	77	132	141	108	160	150	242
N.S.	1	1.00	0.94	1.61	1.72	1.32	1.95	1.83	2.95
time (sec)	N/A	0.078	0.053	0.021	0.493	1.479	0.152	0.421	0.407

Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	244	592	0	0	0	0	-1
N.S.	1	1.00	1.98	4.81	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.106	0.133	0.047	0.000	0.000	0.000	0.000	0.000

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	283	380	0	0	0	0	-1
N.S.	1	1.00	2.07	2.77	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.207	0.088	0.000	0.000	0.000	0.000	0.000

Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	91	102	0	0	0	173	-1
N.S.	1	1.00	0.75	0.84	0.00	0.00	0.00	1.43	-0.01
time (sec)	N/A	0.152	0.138	0.025	0.000	0.000	0.000	0.439	0.000



Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	56	58	0	0	0	86	-1
N.S.	1	1.00	0.89	0.92	0.00	0.00	0.00	1.37	-0.02
time (sec)	N/A	0.088	0.054	0.020	0.000	0.000	0.000	0.431	0.000

Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	44	48	0	0	0	49	-1
N.S.	1	1.00	0.83	0.91	0.00	0.00	0.00	0.92	-0.02
time (sec)	N/A	0.057	0.048	0.022	0.000	0.000	0.000	0.409	0.000

Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.017	0.172	0.116	0.000	0.000	0.000	0.000	0.000

Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.018	1.498	0.200	0.000	0.000	0.000	0.000	0.000

Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	125	149	0	0	0	646	-1
N.S.	1	1.00	0.80	0.96	0.00	0.00	0.00	4.14	-0.01
time (sec)	N/A	0.148	0.354	0.028	0.000	0.000	0.000	0.462	0.000

Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	79	77	0	0	0	326	-1
N.S.	1	1.00	0.88	0.86	0.00	0.00	0.00	3.62	-0.01
time (sec)	N/A	0.061	0.184	0.021	0.000	0.000	0.000	0.437	0.000

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	72	76	0	0	0	192	-1
N.S.	1	1.00	0.84	0.88	0.00	0.00	0.00	2.23	-0.01
time (sec)	N/A	0.121	0.109	0.028	0.000	0.000	0.000	0.419	0.000

Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.017	2.716	0.131	0.000	0.000	0.000	0.000	0.000

Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.016	22.345	0.341	0.000	0.000	0.000	0.000	0.000

Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	168	290	0	0	0	1539	-1
N.S.	1	1.00	0.85	1.47	0.00	0.00	0.00	7.81	-0.01
time (sec)	N/A	0.392	0.566	0.029	0.000	0.000	0.000	0.482	0.000

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	108	157	0	0	0	864	-1
N.S.	1	1.00	0.83	1.21	0.00	0.00	0.00	6.65	-0.01
time (sec)	N/A	0.216	0.222	0.021	0.000	0.000	0.000	0.458	0.000

Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	93	138	0	0	0	482	-1
N.S.	1	1.00	0.84	1.24	0.00	0.00	0.00	4.34	-0.01
time (sec)	N/A	0.135	0.270	0.028	0.000	0.000	0.000	0.422	0.000

Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.016	1.484	0.261	0.000	0.000	0.000	0.000	0.000

Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.016	12.349	0.379	0.000	0.000	0.000	0.000	0.000

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	246	361	0	0	0	1057	-1
N.S.	1	1.00	1.02	1.49	0.00	0.00	0.00	4.37	-0.00
time (sec)	N/A	0.480	0.189	0.134	0.000	0.000	0.000	0.940	0.000

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	141	192	0	0	0	448	-1
N.S.	1	1.00	1.03	1.40	0.00	0.00	0.00	3.27	-0.01
time (sec)	N/A	0.241	0.046	0.066	0.000	0.000	0.000	0.758	0.000

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	119	187	0	0	0	531	-1
N.S.	1	1.00	0.99	1.56	0.00	0.00	0.00	4.42	-0.01
time (sec)	N/A	0.183	0.060	0.062	0.000	0.000	0.000	0.611	0.000

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	2.185	0.084	0.000	0.000	0.000	0.000	0.000

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.022	7.893	0.169	0.000	0.000	0.000	0.000	0.000

Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	245	547	0	0	0	1967	-1
N.S.	1	1.00	0.78	1.75	0.00	0.00	0.00	6.28	-0.00
time (sec)	N/A	0.642	0.197	0.118	0.000	0.000	0.000	1.528	0.000

Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	126	287	0	0	0	845	-1
N.S.	1	1.00	0.73	1.67	0.00	0.00	0.00	4.91	-0.01
time (sec)	N/A	0.287	0.071	0.087	0.000	0.000	0.000	0.974	0.000

Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	291	278	0	0	0	993	-1
N.S.	1	1.00	1.83	1.75	0.00	0.00	0.00	6.25	-0.01
time (sec)	N/A	0.183	1.834	0.072	0.000	0.000	0.000	1.081	0.000

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	1.974	0.089	0.000	0.000	0.000	0.000	0.000

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	7.144	0.183	0.000	0.000	0.000	0.000	0.000

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	358	358	228	798	0	0	0	2466	-1
N.S.	1	1.00	0.64	2.23	0.00	0.00	0.00	6.89	-0.00
time (sec)	N/A	0.842	0.203	0.142	0.000	0.000	0.000	2.103	0.000

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	141	414	0	0	0	1307	-1
N.S.	1	1.00	0.65	1.92	0.00	0.00	0.00	6.05	-0.00
time (sec)	N/A	0.434	0.087	0.080	0.000	0.000	0.000	1.167	0.000

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	379	401	0	0	0	1179	-1
N.S.	1	1.00	2.12	2.24	0.00	0.00	0.00	6.59	-0.01
time (sec)	N/A	0.266	1.902	0.084	0.000	0.000	0.000	1.389	0.000

Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	2.074	0.086	0.000	0.000	0.000	0.000	0.000

Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	7.136	0.175	0.000	0.000	0.000	0.000	0.000

Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	228	196	0	0	0	317	-1
N.S.	1	1.00	1.02	0.88	0.00	0.00	0.00	1.42	-0.00
time (sec)	N/A	0.225	0.192	0.091	0.000	0.000	0.000	0.560	0.000

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	123	94	0	0	0	132	-1
N.S.	1	1.00	1.24	0.95	0.00	0.00	0.00	1.33	-0.01
time (sec)	N/A	0.092	0.067	0.045	0.000	0.000	0.000	0.482	0.000

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	121	90	0	0	0	159	-1
N.S.	1	1.00	1.20	0.89	0.00	0.00	0.00	1.57	-0.01
time (sec)	N/A	0.072	0.087	0.056	0.000	0.000	0.000	0.478	0.000

Problem 191	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	2.040	0.073	0.000	0.000	0.000	0.000	0.000

Problem 192	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.023	9.177	0.161	0.000	0.000	0.000	0.000	0.000

Problem 193	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	343	301	0	0	0	0	-1
N.S.	1	1.00	1.37	1.20	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.233	0.306	0.092	0.000	0.000	0.000	0.000	0.000

Problem 194	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	155	164	0	0	0	0	-1
N.S.	1	1.00	1.19	1.26	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.119	0.055	0.000	0.000	0.000	0.000	0.000

Problem 195	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	167	158	0	0	0	0	-1
N.S.	1	1.00	1.22	1.15	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.166	0.227	0.058	0.000	0.000	0.000	0.000	0.000

Problem 196	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	2.384	0.063	0.000	0.000	0.000	0.000	0.000

Problem 197	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	9.180	0.182	0.000	0.000	0.000	0.000	0.000

Problem 198	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	370	672	0	0	0	0	-1
N.S.	1	1.00	1.27	2.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.632	1.147	0.122	0.000	0.000	0.000	0.000	0.000



Problem 199	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	173	352	0	0	0	0	-1
N.S.	1	1.00	0.96	1.96	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.319	0.808	0.076	0.000	0.000	0.000	0.000	0.000

Problem 200	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	214	340	0	0	0	0	-1
N.S.	1	1.00	1.31	2.09	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.195	0.575	0.073	0.000	0.000	0.000	0.000	0.000

Problem 201	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	2.458	0.072	0.000	0.000	0.000	0.000	0.000

Problem 202	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	9.425	0.172	0.000	0.000	0.000	0.000	0.000

Problem 203	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	100	144	0	99	82	0	-1
N.S.	1	1.00	0.83	1.20	0.00	0.82	0.68	0.00	-0.01
time (sec)	N/A	0.047	0.050	0.062	0.000	1.126	84.993	0.000	0.000

Problem 204	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	66	138	0	85	82	0	-1
N.S.	1	1.00	0.53	1.11	0.00	0.69	0.66	0.00	-0.01
time (sec)	N/A	0.066	0.045	0.017	0.000	0.798	12.680	0.000	0.000

Problem 205	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	66	119	0	68	76	0	-1
N.S.	1	1.00	0.75	1.35	0.00	0.77	0.86	0.00	-0.01
time (sec)	N/A	0.031	0.041	0.018	0.000	0.687	1.622	0.000	0.000

Problem 206	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	45	98	0	53	0	0	-1
N.S.	1	1.00	0.51	1.10	0.00	0.60	0.00	0.00	-0.01
time (sec)	N/A	0.054	0.044	0.017	0.000	0.646	0.000	0.000	0.000

Problem 207	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	40	85	0	49	0	0	-1
N.S.	1	1.00	0.73	1.55	0.00	0.89	0.00	0.00	-0.02
time (sec)	N/A	0.024	0.039	0.017	0.000	0.518	0.000	0.000	0.000

Problem 208	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	42	129	0	70	0	0	-1
N.S.	1	1.00	0.34	1.03	0.00	0.56	0.00	0.00	-0.01
time (sec)	N/A	0.065	0.040	0.020	0.000	0.377	0.000	0.000	0.000

Problem 209	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	90	0	0	0	0	0	-1
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.098	0.070	0.050	0.000	0.000	0.000	0.000	0.000

Problem 210	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	90	0	0	0	0	0	-1
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.096	0.066	0.049	0.000	0.000	0.000	0.000	0.000

Problem 211	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	90	0	0	0	0	0	-1
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.095	0.064	0.048	0.000	0.000	0.000	0.000	0.000

Problem 212	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	90	0	0	0	0	0	-1
N.S.	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.060	180.000	0.000	0.000	0.000	0.000	0.000

Problem 213	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	87	0	0	0	0	0	-1
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.066	0.052	0.000	0.000	0.000	0.000	0.000

Problem 214	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	87	0	0	0	0	0	-1
N.S.	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.098	0.062	0.053	0.000	0.000	0.000	0.000	0.000

Problem 215	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	69	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	116.359	0.049	0.000	0.000	0.000	0.000	0.000

Problem 216	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.109	180.002	0.053	0.000	0.000	0.000	0.000	0.000

Problem 217	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.097	105.564	180.000	0.000	0.000	0.000	0.000	0.000

Problem 218	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.100	95.773	0.055	0.000	0.000	0.000	0.000	0.000

Problem 219	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.113	69.389	0.056	0.000	0.000	0.000	0.000	0.000

Problem 220	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.022	2.249	0.063	0.000	0.000	0.000	0.000	0.000

Problem 221	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.020	2.037	0.066	0.000	0.000	0.000	0.000	0.000

Problem 222	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.019	0.532	0.068	0.000	0.000	0.000	0.000	0.000

Problem 223	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.021	3.040	0.066	0.000	0.000	0.000	0.000	0.000

Problem 224	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.018	3.882	0.064	0.000	0.000	0.000	0.000	0.000

Problem 225	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.018	3.239	0.067	0.000	0.000	0.000	0.000	0.000

Problem 226	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.017	5.473	0.068	0.000	0.000	0.000	0.000	0.000

Problem 227	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
N.S.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.019	9.742	0.062	0.000	0.000	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [209] had the largest ratio of [18]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	3	1.00	8	0.375
2	A	4	3	1.00	8	0.375
3	A	4	3	1.00	8	0.375
4	A	3	3	1.00	6	0.500
5	A	2	2	1.00	4	0.500
6	A	5	5	1.00	8	0.625
7	A	4	4	1.00	8	0.500
8	A	2	2	1.00	8	0.250
9	A	5	5	1.00	8	0.625
10	A	3	3	1.00	8	0.375
11	A	6	5	1.00	8	0.625
12	A	7	5	1.00	10	0.500
13	A	6	4	1.00	10	0.400
14	A	5	5	1.00	10	0.500
15	A	4	4	1.00	8	0.500
16	A	3	3	1.00	6	0.500
17	A	6	6	1.00	10	0.600
18	A	7	5	1.00	10	0.500
19	A	3	3	1.00	10	0.300
20	A	9	7	1.00	10	0.700
21	A	5	5	1.00	10	0.500
22	A	14	7	1.00	10	0.700
23	A	11	5	1.00	10	0.500
24	A	9	7	1.00	10	0.700
25	A	6	5	1.00	8	0.625

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
26	A	4	3	1.00	6	0.500
27	A	7	7	1.00	10	0.700
28	A	9	6	1.00	10	0.600
29	A	7	7	1.00	10	0.700
30	A	14	10	1.00	10	1.000
31	A	10	9	1.00	10	0.900
32	A	23	4	1.00	10	0.400
33	A	19	6	1.00	10	0.600
34	A	14	4	1.00	10	0.400
35	A	11	6	1.00	10	0.600
36	A	7	4	1.00	8	0.500
37	A	5	3	1.00	6	0.500
38	A	8	7	1.00	10	0.700
39	A	11	7	1.00	10	0.700
40	A	8	8	1.00	10	0.800
41	A	19	10	1.00	10	1.000
42	A	7	3	1.00	10	0.300
43	A	6	3	1.00	10	0.300
44	A	6	3	1.00	10	0.300
45	A	5	3	1.00	10	0.300
46	A	5	3	1.00	10	0.300
47	A	4	4	1.00	8	0.500
48	A	2	2	1.00	6	0.333
49	A	0	0	0.00	0	0.000
50	A	0	0	0.00	0	0.000
51	A	6	2	1.00	10	0.200
52	A	5	2	1.00	10	0.200
53	A	5	2	1.00	10	0.200
54	A	4	2	1.00	10	0.200
55	A	4	2	1.00	10	0.200
56	A	2	2	1.00	8	0.250
57	A	3	3	1.00	6	0.500
58	A	0	0	0.00	0	0.000
59	A	0	0	0.00	0	0.000
60	A	14	5	1.00	10	0.500

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	A	12	6	1.00	10	0.600
62	A	10	6	1.00	10	0.600
63	A	7	7	1.00	8	0.875
64	A	4	4	1.00	6	0.667
65	A	0	0	0.00	0	0.000
66	A	0	0	0.00	0	0.000
67	A	12	4	1.00	10	0.400
68	A	9	4	1.00	10	0.400
69	A	10	6	1.00	10	0.600
70	A	5	5	1.00	8	0.625
71	A	5	4	1.00	6	0.667
72	A	0	0	0.00	0	0.000
73	A	0	0	0.00	0	0.000
74	A	10	5	1.00	12	0.417
75	A	8	5	1.00	12	0.417
76	A	8	5	1.00	12	0.417
77	A	6	5	1.00	10	0.500
78	A	4	4	1.00	8	0.500
79	A	0	0	0.00	0	0.000
80	A	23	8	1.32	12	0.667
81	A	16	8	1.00	12	0.667
82	A	13	8	1.00	12	0.667
83	A	8	8	1.00	10	0.800
84	A	5	5	1.00	8	0.625
85	A	0	0	0.00	0	0.000
86	A	26	8	1.13	12	0.667
87	A	18	7	1.00	12	0.583
88	A	15	8	1.00	12	0.667
89	A	9	7	1.00	10	0.700
90	A	6	5	1.00	8	0.625
91	A	0	0	0.00	0	0.000
92	A	9	4	1.00	12	0.333
93	A	7	4	1.00	12	0.333
94	A	7	4	1.00	12	0.333
95	A	5	5	1.00	10	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
96	A	3	3	1.00	8	0.375
97	A	0	0	0.00	0	0.000
98	A	0	0	0.00	0	0.000
99	A	10	3	1.00	12	0.250
100	A	8	3	1.00	12	0.250
101	A	8	3	1.00	12	0.250
102	A	6	3	1.00	12	0.250
103	A	6	3	1.00	12	0.250
104	A	3	3	1.00	10	0.300
105	A	4	4	1.00	8	0.500
106	A	0	0	0.00	0	0.000
107	A	19	6	1.37	12	0.500
108	A	15	7	1.00	12	0.583
109	A	13	7	1.00	12	0.583
110	A	8	8	1.00	10	0.800
111	A	5	5	1.00	8	0.625
112	A	0	0	0.00	0	0.000
113	A	17	5	1.00	12	0.417
114	A	12	5	1.00	12	0.417
115	A	13	7	1.00	12	0.583
116	A	6	6	1.00	10	0.600
117	A	6	5	1.00	8	0.625
118	A	0	0	0.00	0	0.000
119	A	0	0	0.00	0	0.000
120	A	0	0	0.00	0	0.000
121	A	2	2	1.00	12	0.167
122	A	2	2	1.00	10	0.200
123	A	0	0	0.00	0	0.000
124	A	0	0	0.00	0	0.000
125	A	0	0	0.00	0	0.000
126	A	0	0	0.00	0	0.000
127	A	0	0	0.00	0	0.000
128	A	0	0	0.00	0	0.000
129	A	0	0	0.00	0	0.000
130	A	9	4	1.00	10	0.400

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
131	A	9	4	1.00	10	0.400
132	A	6	5	1.00	8	0.625
133	A	4	3	1.00	6	0.500
134	A	0	0	0.00	0	0.000
135	A	0	0	0.00	0	0.000
136	A	0	0	0.00	0	0.000
137	A	0	0	0.00	0	0.000
138	A	0	0	0.00	0	0.000
139	A	0	0	0.00	0	0.000
140	A	4	3	1.00	12	0.250
141	A	4	3	1.00	12	0.250
142	A	3	3	1.00	10	0.300
143	A	3	2	1.00	8	0.250
144	A	5	5	1.00	12	0.417
145	A	4	4	1.00	12	0.333
146	A	2	2	1.00	12	0.167
147	A	5	5	1.00	12	0.417
148	A	5	5	1.00	14	0.357
149	A	4	4	1.00	12	0.333
150	A	3	3	1.00	10	0.300
151	A	6	6	1.00	14	0.429
152	A	7	5	1.00	14	0.357
153	A	10	7	1.00	14	0.500
154	A	6	5	1.00	12	0.417
155	A	5	3	1.00	10	0.300
156	A	7	7	1.00	14	0.500
157	A	9	6	1.00	14	0.429
158	A	9	5	1.00	14	0.357
159	A	6	6	1.00	12	0.500
160	A	4	4	1.00	10	0.400
161	A	0	0	0.00	0	0.000
162	A	0	0	0.00	0	0.000
163	A	8	4	1.00	14	0.286
164	A	4	4	1.00	12	0.333
165	A	5	5	1.00	10	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
166	A	0	0	0.00	0	0.000
167	A	0	0	0.00	0	0.000
168	A	16	8	1.00	14	0.571
169	A	9	9	1.00	12	0.750
170	A	6	6	1.00	10	0.600
171	A	0	0	0.00	0	0.000
172	A	0	0	0.00	0	0.000
173	A	14	8	1.00	16	0.500
174	A	9	8	1.00	14	0.571
175	A	7	7	1.00	12	0.583
176	A	0	0	0.00	0	0.000
177	A	0	0	0.00	0	0.000
178	A	22	11	1.00	16	0.688
179	A	11	11	1.00	14	0.786
180	A	8	8	1.00	12	0.667
181	A	0	0	0.00	0	0.000
182	A	0	0	0.00	0	0.000
183	A	24	11	1.00	16	0.688
184	A	12	10	1.00	14	0.714
185	A	9	8	1.00	12	0.667
186	A	0	0	0.00	0	0.000
187	A	0	0	0.00	0	0.000
188	A	13	7	1.00	16	0.438
189	A	8	8	1.00	14	0.571
190	A	6	6	1.00	12	0.500
191	A	0	0	0.00	0	0.000
192	A	0	0	0.00	0	0.000
193	A	12	6	1.00	16	0.375
194	A	6	6	1.00	14	0.429
195	A	7	7	1.00	12	0.583
196	A	0	0	0.00	0	0.000
197	A	0	0	0.00	0	0.000
198	A	22	10	1.00	16	0.625
199	A	11	11	1.00	14	0.786
200	A	8	8	1.00	12	0.667

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
201	A	0	0	0.00	0	0.000
202	A	0	0	0.00	0	0.000
203	A	5	4	1.00	16	0.250
204	A	7	7	1.00	16	0.438
205	A	4	4	1.00	16	0.250
206	A	6	6	1.00	16	0.375
207	A	3	3	1.00	16	0.188
208	A	7	7	1.00	16	0.438
209	A	2	2	1.00	18	0.111
210	A	2	2	1.00	18	0.111
211	A	2	2	1.00	18	0.111
212	A	2	2	1.00	18	0.111
213	A	2	2	1.00	18	0.111
214	A	2	2	1.00	18	0.111
215	A	0	0	0.00	0	0.000
216	A	0	0	0.00	0	0.000
217	A	0	0	0.00	0	0.000
218	A	0	0	0.00	0	0.000
219	A	0	0	0.00	0	0.000
220	A	0	0	0.00	0	0.000
221	A	0	0	0.00	0	0.000
222	A	0	0	0.00	0	0.000
223	A	0	0	0.00	0	0.000
224	A	0	0	0.00	0	0.000
225	A	0	0	0.00	0	0.000
226	A	0	0	0.00	0	0.000
227	A	0	0	0.00	0	0.000



# Chapter 3

## Listing of integrals

### Local contents

3.1	$\int x^4 \text{ArcSin}(ax) dx$	80
3.2	$\int x^3 \text{ArcSin}(ax) dx$	84
3.3	$\int x^2 \text{ArcSin}(ax) dx$	88
3.4	$\int x \text{ArcSin}(ax) dx$	92
3.5	$\int \text{ArcSin}(ax) dx$	95
3.6	$\int \frac{\text{ArcSin}(ax)}{x} dx$	98
3.7	$\int \frac{\text{ArcSin}(ax)}{x^2} dx$	102
3.8	$\int \frac{\text{ArcSin}(ax)}{x^3} dx$	105
3.9	$\int \frac{\text{ArcSin}(ax)}{x^4} dx$	108
3.10	$\int \frac{\text{ArcSin}(ax)}{x^5} dx$	112
3.11	$\int \frac{\text{ArcSin}(ax)}{x^6} dx$	116
3.12	$\int x^4 \text{ArcSin}(ax)^2 dx$	120
3.13	$\int x^3 \text{ArcSin}(ax)^2 dx$	124
3.14	$\int x^2 \text{ArcSin}(ax)^2 dx$	128
3.15	$\int x \text{ArcSin}(ax)^2 dx$	132
3.16	$\int \text{ArcSin}(ax)^2 dx$	136
3.17	$\int \frac{\text{ArcSin}(ax)^2}{x} dx$	139
3.18	$\int \frac{\text{ArcSin}(ax)^2}{x^2} dx$	143
3.19	$\int \frac{\text{ArcSin}(ax)^2}{x^3} dx$	147
3.20	$\int \frac{\text{ArcSin}(ax)^2}{x^4} dx$	150
3.21	$\int \frac{\text{ArcSin}(ax)^2}{x^5} dx$	154
3.22	$\int x^4 \text{ArcSin}(ax)^3 dx$	158
3.23	$\int x^3 \text{ArcSin}(ax)^3 dx$	163
3.24	$\int x^2 \text{ArcSin}(ax)^3 dx$	167
3.25	$\int x \text{ArcSin}(ax)^3 dx$	172

3.26	$\int \text{ArcSin}(ax)^3 dx$	176
3.27	$\int \frac{\text{ArcSin}(ax)^3}{x} dx$	180
3.28	$\int \frac{\text{ArcSin}(ax)^3}{x^2} dx$	185
3.29	$\int \frac{\text{ArcSin}(ax)^3}{x^3} dx$	189
3.30	$\int \frac{\text{ArcSin}(ax)^3}{x^4} dx$	193
3.31	$\int \frac{\text{ArcSin}(ax)^3}{x^5} dx$	198
3.32	$\int x^5 \text{ArcSin}(ax)^4 dx$	203
3.33	$\int x^4 \text{ArcSin}(ax)^4 dx$	208
3.34	$\int x^3 \text{ArcSin}(ax)^4 dx$	213
3.35	$\int x^2 \text{ArcSin}(ax)^4 dx$	217
3.36	$\int x \text{ArcSin}(ax)^4 dx$	221
3.37	$\int \text{ArcSin}(ax)^4 dx$	225
3.38	$\int \frac{\text{ArcSin}(ax)^4}{x} dx$	229
3.39	$\int \frac{\text{ArcSin}(ax)^4}{x^2} dx$	234
3.40	$\int \frac{\text{ArcSin}(ax)^4}{x^3} dx$	239
3.41	$\int \frac{\text{ArcSin}(ax)^4}{x^4} dx$	244
3.42	$\int \frac{\text{ArcSin}(ax)^4}{x^6} dx$	249
3.43	$\int \frac{x^5}{\text{ArcSin}(ax)} dx$	252
3.44	$\int \frac{x^4}{\text{ArcSin}(ax)} dx$	255
3.45	$\int \frac{x^3}{\text{ArcSin}(ax)} dx$	258
3.46	$\int \frac{x^2}{\text{ArcSin}(ax)} dx$	261
3.47	$\int \frac{x}{\text{ArcSin}(ax)} dx$	264
3.48	$\int \frac{1}{\text{ArcSin}(ax)} dx$	267
3.49	$\int \frac{1}{x \text{ArcSin}(ax)} dx$	270
3.50	$\int \frac{1}{x^2 \text{ArcSin}(ax)} dx$	273
3.51	$\int \frac{x^6}{\text{ArcSin}(ax)^2} dx$	276
3.52	$\int \frac{x^5}{\text{ArcSin}(ax)^2} dx$	280
3.53	$\int \frac{x^4}{\text{ArcSin}(ax)^2} dx$	283
3.54	$\int \frac{x^3}{\text{ArcSin}(ax)^2} dx$	287
3.55	$\int \frac{x^2}{\text{ArcSin}(ax)^2} dx$	290
3.56	$\int \frac{x}{\text{ArcSin}(ax)^2} dx$	293
3.57	$\int \frac{1}{\text{ArcSin}(ax)^2} dx$	296
3.58	$\int \frac{1}{x \text{ArcSin}(ax)^2} dx$	299
3.59	$\int \frac{1}{x^2 \text{ArcSin}(ax)^2} dx$	302
3.60	$\int \frac{x^4}{\text{ArcSin}(ax)^3} dx$	305



3.61	$\int \frac{x^3}{\text{ArcSin}(ax)^3} dx$	309
3.62	$\int \frac{x^2}{\text{ArcSin}(ax)^3} dx$	313
3.63	$\int \frac{x}{\text{ArcSin}(ax)^3} dx$	317
3.64	$\int \frac{1}{\text{ArcSin}(ax)^3} dx$	321
3.65	$\int \frac{1}{x \text{ArcSin}(ax)^3} dx$	325
3.66	$\int \frac{1}{x^2 \text{ArcSin}(ax)^3} dx$	328
3.67	$\int \frac{x^4}{\text{ArcSin}(ax)^4} dx$	331
3.68	$\int \frac{x^3}{\text{ArcSin}(ax)^4} dx$	335
3.69	$\int \frac{x^2}{\text{ArcSin}(ax)^4} dx$	339
3.70	$\int \frac{x}{\text{ArcSin}(ax)^4} dx$	343
3.71	$\int \frac{1}{\text{ArcSin}(ax)^4} dx$	347
3.72	$\int \frac{1}{x \text{ArcSin}(ax)^4} dx$	351
3.73	$\int \frac{1}{x^2 \text{ArcSin}(ax)^4} dx$	354
3.74	$\int x^4 \sqrt{\text{ArcSin}(ax)} dx$	357
3.75	$\int x^3 \sqrt{\text{ArcSin}(ax)} dx$	361
3.76	$\int x^2 \sqrt{\text{ArcSin}(ax)} dx$	365
3.77	$\int x \sqrt{\text{ArcSin}(ax)} dx$	369
3.78	$\int \sqrt{\text{ArcSin}(ax)} dx$	373
3.79	$\int \frac{\sqrt{\text{ArcSin}(ax)}}{x} dx$	377
3.80	$\int x^4 \text{ArcSin}(ax)^{3/2} dx$	380
3.81	$\int x^3 \text{ArcSin}(ax)^{3/2} dx$	385
3.82	$\int x^2 \text{ArcSin}(ax)^{3/2} dx$	390
3.83	$\int x \text{ArcSin}(ax)^{3/2} dx$	395
3.84	$\int \text{ArcSin}(ax)^{3/2} dx$	400
3.85	$\int \frac{\text{ArcSin}(ax)^{3/2}}{x} dx$	404
3.86	$\int x^4 \text{ArcSin}(ax)^{5/2} dx$	407
3.87	$\int x^3 \text{ArcSin}(ax)^{5/2} dx$	412
3.88	$\int x^2 \text{ArcSin}(ax)^{5/2} dx$	417
3.89	$\int x \text{ArcSin}(ax)^{5/2} dx$	422
3.90	$\int \text{ArcSin}(ax)^{5/2} dx$	427
3.91	$\int \frac{\text{ArcSin}(ax)^{5/2}}{x} dx$	431
3.92	$\int \frac{x^4}{\sqrt{\text{ArcSin}(ax)}} dx$	434
3.93	$\int \frac{x^3}{\sqrt{\text{ArcSin}(ax)}} dx$	438
3.94	$\int \frac{x^2}{\sqrt{\text{ArcSin}(ax)}} dx$	442
3.95	$\int \frac{x}{\sqrt{\text{ArcSin}(ax)}} dx$	446

3.96	$\int \frac{1}{\sqrt{\text{ArcSin}(ax)}} dx$	450
3.97	$\int \frac{1}{x\sqrt{\text{ArcSin}(ax)}} dx$	453
3.98	$\int \frac{1}{x^2\sqrt{\text{ArcSin}(ax)}} dx$	456
3.99	$\int \frac{x^6}{\text{ArcSin}(ax)^{3/2}} dx$	459
3.100	$\int \frac{x^5}{\text{ArcSin}(ax)^{3/2}} dx$	463
3.101	$\int \frac{x^4}{\text{ArcSin}(ax)^{3/2}} dx$	467
3.102	$\int \frac{x^3}{\text{ArcSin}(ax)^{3/2}} dx$	471
3.103	$\int \frac{x^2}{\text{ArcSin}(ax)^{3/2}} dx$	475
3.104	$\int \frac{x}{\text{ArcSin}(ax)^{3/2}} dx$	479
3.105	$\int \frac{1}{\text{ArcSin}(ax)^{3/2}} dx$	482
3.106	$\int \frac{1}{x\text{ArcSin}(ax)^{3/2}} dx$	486
3.107	$\int \frac{x^4}{\text{ArcSin}(ax)^{5/2}} dx$	489
3.108	$\int \frac{x^3}{\text{ArcSin}(ax)^{5/2}} dx$	494
3.109	$\int \frac{x^2}{\text{ArcSin}(ax)^{5/2}} dx$	499
3.110	$\int \frac{x}{\text{ArcSin}(ax)^{5/2}} dx$	504
3.111	$\int \frac{1}{\text{ArcSin}(ax)^{5/2}} dx$	509
3.112	$\int \frac{1}{x\text{ArcSin}(ax)^{5/2}} dx$	513
3.113	$\int \frac{x^4}{\text{ArcSin}(ax)^{7/2}} dx$	516
3.114	$\int \frac{x^3}{\text{ArcSin}(ax)^{7/2}} dx$	521
3.115	$\int \frac{x^2}{\text{ArcSin}(ax)^{7/2}} dx$	526
3.116	$\int \frac{x}{\text{ArcSin}(ax)^{7/2}} dx$	531
3.117	$\int \frac{1}{\text{ArcSin}(ax)^{7/2}} dx$	536
3.118	$\int \frac{1}{x\text{ArcSin}(ax)^{7/2}} dx$	540
3.119	$\int (bx)^m \text{ArcSin}(ax)^4 dx$	543
3.120	$\int (bx)^m \text{ArcSin}(ax)^3 dx$	546
3.121	$\int (bx)^m \text{ArcSin}(ax)^2 dx$	549
3.122	$\int (bx)^m \text{ArcSin}(ax) dx$	552
3.123	$\int \frac{(bx)^m}{\text{ArcSin}(ax)} dx$	555
3.124	$\int \frac{(bx)^m}{\text{ArcSin}(ax)^2} dx$	558
3.125	$\int (bx)^m \text{ArcSin}(ax)^{3/2} dx$	561
3.126	$\int (bx)^m \sqrt{\text{ArcSin}(ax)} dx$	564
3.127	$\int \frac{(bx)^m}{\sqrt{\text{ArcSin}(ax)}} dx$	567
3.128	$\int \frac{(bx)^m}{\text{ArcSin}(ax)^{3/2}} dx$	570

3.129	$\int (bx)^m \text{ArcSin}(ax)^n dx$	573
3.130	$\int x^3 \text{ArcSin}(ax)^n dx$	575
3.131	$\int x^2 \text{ArcSin}(ax)^n dx$	579
3.132	$\int x \text{ArcSin}(ax)^n dx$	583
3.133	$\int \text{ArcSin}(ax)^n dx$	587
3.134	$\int \frac{\text{ArcSin}(ax)^n}{x} dx$	590
3.135	$\int \frac{\text{ArcSin}(ax)^n}{x^2} dx$	593
3.136	$\int (bx)^{3/2} \text{ArcSin}(ax)^n dx$	596
3.137	$\int \sqrt{bx} \text{ArcSin}(ax)^n dx$	598
3.138	$\int \frac{\text{ArcSin}(ax)^n}{\sqrt{bx}} dx$	601
3.139	$\int \frac{\text{ArcSin}(ax)^n}{(bx)^{3/2}} dx$	604
3.140	$\int x^3 (a + b \text{ArcSin}(cx)) dx$	607
3.141	$\int x^2 (a + b \text{ArcSin}(cx)) dx$	611
3.142	$\int x (a + b \text{ArcSin}(cx)) dx$	615
3.143	$\int (a + b \text{ArcSin}(cx)) dx$	619
3.144	$\int \frac{a+b \text{ArcSin}(cx)}{x} dx$	622
3.145	$\int \frac{a+b \text{ArcSin}(cx)}{x^2} dx$	626
3.146	$\int \frac{a+b \text{ArcSin}(cx)}{x^3} dx$	630
3.147	$\int \frac{a+b \text{ArcSin}(cx)}{x^4} dx$	633
3.148	$\int x^2 (a + b \text{ArcSin}(cx))^2 dx$	637
3.149	$\int x (a + b \text{ArcSin}(cx))^2 dx$	641
3.150	$\int (a + b \text{ArcSin}(cx))^2 dx$	645
3.151	$\int \frac{(a+b \text{ArcSin}(cx))^2}{x} dx$	649
3.152	$\int \frac{(a+b \text{ArcSin}(cx))^2}{x^2} dx$	653
3.153	$\int x^2 (a + b \text{ArcSin}(cx))^3 dx$	657
3.154	$\int x (a + b \text{ArcSin}(cx))^3 dx$	662
3.155	$\int (a + b \text{ArcSin}(cx))^3 dx$	666
3.156	$\int \frac{(a+b \text{ArcSin}(cx))^3}{x} dx$	670
3.157	$\int \frac{(a+b \text{ArcSin}(cx))^3}{x^2} dx$	675
3.158	$\int \frac{x}{a+b \text{ArcSin}(cx)} dx$	679
3.159	$\int \frac{x}{a+b \text{ArcSin}(cx)} dx$	683
3.160	$\int \frac{1}{a+b \text{ArcSin}(cx)} dx$	687
3.161	$\int \frac{1}{x(a+b \text{ArcSin}(cx))} dx$	690
3.162	$\int \frac{1}{x^2(a+b \text{ArcSin}(cx))} dx$	693
3.163	$\int \frac{x^2}{(a+b \text{ArcSin}(cx))^2} dx$	696
3.164	$\int \frac{x}{(a+b \text{ArcSin}(cx))^2} dx$	700
3.165	$\int \frac{1}{(a+b \text{ArcSin}(cx))^2} dx$	704

3.166	$\int \frac{1}{x(a+b\text{ArcSin}(cx))^2} dx$	708
3.167	$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^2} dx$	711
3.168	$\int \frac{x^2}{(a+b\text{ArcSin}(cx))^3} dx$	714
3.169	$\int \frac{x}{(a+b\text{ArcSin}(cx))^3} dx$	720
3.170	$\int \frac{1}{(a+b\text{ArcSin}(cx))^3} dx$	725
3.171	$\int \frac{1}{x(a+b\text{ArcSin}(cx))^3} dx$	729
3.172	$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^3} dx$	732
3.173	$\int x^2 \sqrt{a+b\text{ArcSin}(cx)} dx$	735
3.174	$\int x \sqrt{a+b\text{ArcSin}(cx)} dx$	741
3.175	$\int \sqrt{a+b\text{ArcSin}(cx)} dx$	746
3.176	$\int \frac{\sqrt{a+b\text{ArcSin}(cx)}}{x} dx$	751
3.177	$\int \frac{\sqrt{a+b\text{ArcSin}(cx)}}{x^2} dx$	754
3.178	$\int x^2(a+b\text{ArcSin}(cx))^{3/2} dx$	757
3.179	$\int x(a+b\text{ArcSin}(cx))^{3/2} dx$	765
3.180	$\int (a+b\text{ArcSin}(cx))^{3/2} dx$	771
3.181	$\int \frac{(a+b\text{ArcSin}(cx))^{3/2}}{x} dx$	777
3.182	$\int \frac{(a+b\text{ArcSin}(cx))^{3/2}}{x^2} dx$	780
3.183	$\int x^2(a+b\text{ArcSin}(cx))^{5/2} dx$	783
3.184	$\int x(a+b\text{ArcSin}(cx))^{5/2} dx$	791
3.185	$\int (a+b\text{ArcSin}(cx))^{5/2} dx$	797
3.186	$\int \frac{(a+b\text{ArcSin}(cx))^{5/2}}{x} dx$	803
3.187	$\int \frac{(a+b\text{ArcSin}(cx))^{5/2}}{x^2} dx$	806
3.188	$\int \frac{x^2}{\sqrt{a+b\text{ArcSin}(cx)}} dx$	809
3.189	$\int \frac{x}{\sqrt{a+b\text{ArcSin}(cx)}} dx$	814
3.190	$\int \frac{1}{\sqrt{a+b\text{ArcSin}(cx)}} dx$	819
3.191	$\int \frac{1}{x\sqrt{a+b\text{ArcSin}(cx)}} dx$	823
3.192	$\int \frac{1}{x^2\sqrt{a+b\text{ArcSin}(cx)}} dx$	826
3.193	$\int \frac{x^2}{(a+b\text{ArcSin}(cx))^{3/2}} dx$	829
3.194	$\int \frac{x}{(a+b\text{ArcSin}(cx))^{3/2}} dx$	834
3.195	$\int \frac{1}{(a+b\text{ArcSin}(cx))^{3/2}} dx$	838
3.196	$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{3/2}} dx$	843
3.197	$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{3/2}} dx$	846
3.198	$\int \frac{x^2}{(a+b\text{ArcSin}(cx))^{5/2}} dx$	849
3.199	$\int \frac{x}{(a+b\text{ArcSin}(cx))^{5/2}} dx$	856

3.200	$\int \frac{1}{(a+b\text{ArcSin}(cx))^{5/2}} dx$	862
3.201	$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{5/2}} dx$	867
3.202	$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{5/2}} dx$	870
3.203	$\int (dx)^{5/2} (a + b\text{ArcSin}(cx)) dx$	873
3.204	$\int (dx)^{3/2} (a + b\text{ArcSin}(cx)) dx$	877
3.205	$\int \sqrt{dx} (a + b\text{ArcSin}(cx)) dx$	882
3.206	$\int \frac{a+b\text{ArcSin}(cx)}{\sqrt{dx}} dx$	886
3.207	$\int \frac{a+b\text{ArcSin}(cx)}{(dx)^{3/2}} dx$	891
3.208	$\int \frac{a+b\text{ArcSin}(cx)}{(dx)^{5/2}} dx$	895
3.209	$\int (dx)^{5/2} (a + b\text{ArcSin}(cx))^2 dx$	900
3.210	$\int (dx)^{3/2} (a + b\text{ArcSin}(cx))^2 dx$	903
3.211	$\int \sqrt{dx} (a + b\text{ArcSin}(cx))^2 dx$	906
3.212	$\int \frac{(a+b\text{ArcSin}(cx))^2}{\sqrt{dx}} dx$	909
3.213	$\int \frac{(a+b\text{ArcSin}(cx))^2}{(dx)^{3/2}} dx$	912
3.214	$\int \frac{(a+b\text{ArcSin}(cx))^2}{(dx)^{5/2}} dx$	915
3.215	$\int (dx)^{3/2} (a + b\text{ArcSin}(cx))^3 dx$	918
3.216	$\int \sqrt{dx} (a + b\text{ArcSin}(cx))^3 dx$	921
3.217	$\int \frac{(a+b\text{ArcSin}(cx))^3}{\sqrt{dx}} dx$	924
3.218	$\int \frac{(a+b\text{ArcSin}(cx))^3}{(dx)^{3/2}} dx$	927
3.219	$\int \frac{(a+b\text{ArcSin}(cx))^3}{(dx)^{5/2}} dx$	930
3.220	$\int \frac{(dx)^{3/2}}{a+b\text{ArcSin}(cx)} dx$	933
3.221	$\int \frac{\sqrt{dx}}{a+b\text{ArcSin}(cx)} dx$	936
3.222	$\int \frac{1}{\sqrt{dx} (a+b\text{ArcSin}(cx))} dx$	939
3.223	$\int \frac{1}{(dx)^{3/2} (a+b\text{ArcSin}(cx))} dx$	942
3.224	$\int \frac{(dx)^{3/2}}{(a+b\text{ArcSin}(cx))^2} dx$	945
3.225	$\int \frac{\sqrt{dx}}{(a+b\text{ArcSin}(cx))^2} dx$	948
3.226	$\int \frac{1}{\sqrt{dx} (a+b\text{ArcSin}(cx))^2} dx$	951
3.227	$\int \frac{1}{(dx)^{3/2} (a+b\text{ArcSin}(cx))^2} dx$	954

### 3.1 $\int x^4 \text{ArcSin}(ax) dx$

Optimal. Leaf size=75

$$\frac{\sqrt{1-a^2x^2}}{5a^5} - \frac{2(1-a^2x^2)^{3/2}}{15a^5} + \frac{(1-a^2x^2)^{5/2}}{25a^5} + \frac{1}{5}x^5 \text{ArcSin}(ax)$$

[Out]  $-2/15*(-a^2*x^2+1)^{(3/2)}/a^5+1/25*(-a^2*x^2+1)^{(5/2)}/a^5+1/5*x^5*\arcsin(ax)+1/5*(-a^2*x^2+1)^{(1/2)}/a^5$

Rubi [A]

time = 0.03, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4723, 272, 45}

$$\frac{(1-a^2x^2)^{5/2}}{25a^5} - \frac{2(1-a^2x^2)^{3/2}}{15a^5} + \frac{\sqrt{1-a^2x^2}}{5a^5} + \frac{1}{5}x^5 \text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcSin[a\*x],x]

[Out] Sqrt[1 - a^2\*x^2]/(5\*a^5) - (2\*(1 - a^2\*x^2)^(3/2))/(15\*a^5) + (1 - a^2\*x^2)^(5/2)/(25\*a^5) + (x^5\*ArcSin[a\*x])/5

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^4 \sin^{-1}(ax) dx &= \frac{1}{5} x^5 \sin^{-1}(ax) - \frac{1}{5} a \int \frac{x^5}{\sqrt{1-a^2x^2}} dx \\
&= \frac{1}{5} x^5 \sin^{-1}(ax) - \frac{1}{10} a \text{Subst} \left( \int \frac{x^2}{\sqrt{1-a^2x}} dx, x, x^2 \right) \\
&= \frac{1}{5} x^5 \sin^{-1}(ax) - \frac{1}{10} a \text{Subst} \left( \int \left( \frac{1}{a^4 \sqrt{1-a^2x}} - \frac{2\sqrt{1-a^2x}}{a^4} + \frac{(1-a^2x)^{3/2}}{a^4} \right) dx, x \right) \\
&= \frac{\sqrt{1-a^2x^2}}{5a^5} - \frac{2(1-a^2x^2)^{3/2}}{15a^5} + \frac{(1-a^2x^2)^{5/2}}{25a^5} + \frac{1}{5} x^5 \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]**

time = 0.07, size = 51, normalized size = 0.68

$$\frac{\sqrt{1-a^2x^2} (8 + 4a^2x^2 + 3a^4x^4)}{75a^5} + \frac{1}{5} x^5 \text{ArcSin}(ax)$$

Antiderivative was successfully verified.

`[In] Integrate[x^4*ArcSin[a*x],x]``[Out] (Sqrt[1 - a^2*x^2]*(8 + 4*a^2*x^2 + 3*a^4*x^4))/(75*a^5) + (x^5*ArcSin[a*x])/5`**Maple [A]**

time = 0.10, size = 72, normalized size = 0.96

method	result	size
derivativedivides	$\frac{\frac{a^5 x^5 \arcsin(ax)}{5} + \frac{a^4 x^4 \sqrt{-a^2 x^2 + 1}}{25} + \frac{4a^2 x^2 \sqrt{-a^2 x^2 + 1}}{75} + \frac{8\sqrt{-a^2 x^2 + 1}}{75}}{a^5}$	72
default	$\frac{\frac{a^5 x^5 \arcsin(ax)}{5} + \frac{a^4 x^4 \sqrt{-a^2 x^2 + 1}}{25} + \frac{4a^2 x^2 \sqrt{-a^2 x^2 + 1}}{75} + \frac{8\sqrt{-a^2 x^2 + 1}}{75}}{a^5}$	72

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4*arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^5*(1/5*a^5*x^5*arcsin(a*x)+1/25*a^4*x^4*(-a^2*x^2+1)^(1/2)+4/75*a^2*x^2*(-a^2*x^2+1)^(1/2)+8/75*(-a^2*x^2+1)^(1/2))`**Maxima [A]**

time = 0.52, size = 71, normalized size = 0.95

$$\frac{1}{5} x^5 \arcsin(ax) + \frac{1}{75} \left( \frac{3\sqrt{-a^2x^2+1}x^4}{a^2} + \frac{4\sqrt{-a^2x^2+1}x^2}{a^4} + \frac{8\sqrt{-a^2x^2+1}}{a^6} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x),x, algorithm="maxima")

[Out]  $1/5*x^5*arcsin(ax) + 1/75*(3*sqrt(-a^2*x^2 + 1)*x^4/a^2 + 4*sqrt(-a^2*x^2 + 1)*x^2/a^4 + 8*sqrt(-a^2*x^2 + 1)/a^6)*a$

**Fricas** [A]

time = 3.02, size = 49, normalized size = 0.65

$$\frac{15 a^5 x^5 \arcsin(ax) + (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x),x, algorithm="fricas")

[Out]  $1/75*(15*a^5*x^5*arcsin(a*x) + (3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(-a^2*x^2 + 1))/a^5$

**Sympy** [A]

time = 0.30, size = 70, normalized size = 0.93

$$\begin{cases} \frac{x^5 \operatorname{asin}(ax)}{5} + \frac{x^4 \sqrt{-a^2 x^2 + 1}}{25a} + \frac{4x^2 \sqrt{-a^2 x^2 + 1}}{75a^3} + \frac{8\sqrt{-a^2 x^2 + 1}}{75a^5} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*asin(a\*x),x)

[Out] Piecewise((x\*\*5\*asin(a\*x)/5 + x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)/(25\*a) + 4\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/(75\*a\*\*3) + 8\*sqrt(-a\*\*2\*x\*\*2 + 1)/(75\*a\*\*5), Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.41, size = 113, normalized size = 1.51

$$\frac{(a^2 x^2 - 1)^2 x \arcsin(ax)}{5 a^4} + \frac{2(a^2 x^2 - 1)x \arcsin(ax)}{5 a^4} + \frac{x \arcsin(ax)}{5 a^4} + \frac{(a^2 x^2 - 1)^2 \sqrt{-a^2 x^2 + 1}}{25 a^5} - \frac{2(-a^2 x^2 + 1)^{3/2}}{15 a^5} + \frac{\sqrt{-a^2 x^2 + 1}}{5 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x),x, algorithm="giac")

[Out]  $1/5*(a^2*x^2 - 1)^2*x*arcsin(a*x)/a^4 + 2/5*(a^2*x^2 - 1)*x*arcsin(a*x)/a^4 + 1/5*x*arcsin(a*x)/a^4 + 1/25*(a^2*x^2 - 1)^2*sqrt(-a^2*x^2 + 1)/a^5 - 2/15*(-a^2*x^2 + 1)^{(3/2)}/a^5 + 1/5*sqrt(-a^2*x^2 + 1)/a^5$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{asin}(ax) dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*asin(a*x),x)
```

```
[Out] int(x^4*asin(a*x), x)
```

## 3.2 $\int x^3 \text{ArcSin}(ax) dx$

Optimal. Leaf size=69

$$\frac{3x\sqrt{1-a^2x^2}}{32a^3} + \frac{x^3\sqrt{1-a^2x^2}}{16a} - \frac{3\text{ArcSin}(ax)}{32a^4} + \frac{1}{4}x^4\text{ArcSin}(ax)$$

[Out]  $-3/32*\arcsin(a*x)/a^4+1/4*x^4*\arcsin(a*x)+3/32*x*(-a^2*x^2+1)^{(1/2)}/a^3+1/16*x^3*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A]

time = 0.02, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4723, 327, 222}

$$-\frac{3\text{ArcSin}(ax)}{32a^4} + \frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{3x\sqrt{1-a^2x^2}}{32a^3} + \frac{1}{4}x^4\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcSin[a\*x],x]

[Out]  $(3*x*\text{Sqrt}[1 - a^2*x^2])/(32*a^3) + (x^3*\text{Sqrt}[1 - a^2*x^2])/(16*a) - (3*\text{ArcSin}[a*x])/(32*a^4) + (x^4*\text{ArcSin}[a*x])/4$

Rule 222

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[c^(n-1)\*(c\*x)^(m-n+1)\*((a+b\*x^n)^(p+1)/(b\*(m+n\*p+1))), x] - Dist[a\*c^n\*((m-n+1)/(b\*(m+n\*p+1))), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^3 \sin^{-1}(ax) dx &= \frac{1}{4}x^4 \sin^{-1}(ax) - \frac{1}{4}a \int \frac{x^4}{\sqrt{1-a^2x^2}} dx \\
&= \frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{1}{4}x^4 \sin^{-1}(ax) - \frac{3 \int \frac{x^2}{\sqrt{1-a^2x^2}} dx}{16a} \\
&= \frac{3x\sqrt{1-a^2x^2}}{32a^3} + \frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{1}{4}x^4 \sin^{-1}(ax) - \frac{3 \int \frac{1}{\sqrt{1-a^2x^2}} dx}{32a^3} \\
&= \frac{3x\sqrt{1-a^2x^2}}{32a^3} + \frac{x^3\sqrt{1-a^2x^2}}{16a} - \frac{3 \sin^{-1}(ax)}{32a^4} + \frac{1}{4}x^4 \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 50, normalized size = 0.72

$$\frac{ax\sqrt{1-a^2x^2}(3+2a^2x^2) + (-3+8a^4x^4)\text{ArcSin}(ax)}{32a^4}$$

Antiderivative was successfully verified.

`[In] Integrate[x^3*ArcSin[a*x],x]``[Out] (a*x*Sqrt[1 - a^2*x^2]*(3 + 2*a^2*x^2) + (-3 + 8*a^4*x^4)*ArcSin[a*x])/(32*a^4)`**Maple [A]**

time = 0.01, size = 60, normalized size = 0.87

method	result	size
derivativedivides	$\frac{\frac{a^4x^4 \arcsin(ax)}{4} + \frac{a^3x^3\sqrt{-a^2x^2+1}}{16} + \frac{3ax\sqrt{-a^2x^2+1}}{32} - \frac{3 \arcsin(ax)}{32}}{a^4}$	60
default	$\frac{\frac{a^4x^4 \arcsin(ax)}{4} + \frac{a^3x^3\sqrt{-a^2x^2+1}}{16} + \frac{3ax\sqrt{-a^2x^2+1}}{32} - \frac{3 \arcsin(ax)}{32}}{a^4}$	60

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3*arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^4*(1/4*a^4*x^4*arcsin(a*x)+1/16*a^3*x^3*(-a^2*x^2+1)^(1/2)+3/32*a*x*(-a^2*x^2+1)^(1/2)-3/32*arcsin(a*x))`**Maxima [A]**

time = 0.51, size = 61, normalized size = 0.88

$$\frac{1}{4}x^4 \arcsin(ax) + \frac{1}{32} \left( \frac{2\sqrt{-a^2x^2+1}x^3}{a^2} + \frac{3\sqrt{-a^2x^2+1}x}{a^4} - \frac{3 \arcsin(ax)}{a^5} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x),x, algorithm="maxima")

[Out] 1/4\*x^4\*arcsin(a\*x) + 1/32\*(2\*sqrt(-a^2\*x^2 + 1)\*x^3/a^2 + 3\*sqrt(-a^2\*x^2 + 1)\*x/a^4 - 3\*arcsin(a\*x)/a^5)\*a

**Fricas** [A]

time = 3.99, size = 47, normalized size = 0.68

$$\frac{(8a^4x^4 - 3)\arcsin(ax) + (2a^3x^3 + 3ax)\sqrt{-a^2x^2 + 1}}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x),x, algorithm="fricas")

[Out] 1/32\*((8\*a^4\*x^4 - 3)\*arcsin(a\*x) + (2\*a^3\*x^3 + 3\*a\*x)\*sqrt(-a^2\*x^2 + 1))/a^4

**Sympy** [A]

time = 0.20, size = 61, normalized size = 0.88

$$\begin{cases} \frac{x^4 \operatorname{asin}(ax)}{4} + \frac{x^3 \sqrt{-a^2x^2 + 1}}{16a} + \frac{3x \sqrt{-a^2x^2 + 1}}{32a^3} - \frac{3 \operatorname{asin}(ax)}{32a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x),x)

[Out] Piecewise((x\*\*4\*asin(a\*x)/4 + x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)/(16\*a) + 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)/(32\*a\*\*3) - 3\*asin(a\*x)/(32\*a\*\*4), Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.40, size = 84, normalized size = 1.22

$$-\frac{(-a^2x^2 + 1)^{\frac{3}{2}}x}{16a^3} + \frac{(a^2x^2 - 1)^2 \arcsin(ax)}{4a^4} + \frac{5\sqrt{-a^2x^2 + 1}x}{32a^3} + \frac{(a^2x^2 - 1)\arcsin(ax)}{2a^4} + \frac{5\arcsin(ax)}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x),x, algorithm="giac")

[Out] -1/16\*(-a^2\*x^2 + 1)^(3/2)\*x/a^3 + 1/4\*(a^2\*x^2 - 1)^2\*arcsin(a\*x)/a^4 + 5/32\*sqrt(-a^2\*x^2 + 1)\*x/a^3 + 1/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)/a^4 + 5/32\*arcsin(a\*x)/a^4

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{asin}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*asin(a*x),x)
```

```
[Out] int(x^3*asin(a*x), x)
```

### 3.3 $\int x^2 \text{ArcSin}(ax) dx$

Optimal. Leaf size=54

$$\frac{\sqrt{1-a^2x^2}}{3a^3} - \frac{(1-a^2x^2)^{3/2}}{9a^3} + \frac{1}{3}x^3\text{ArcSin}(ax)$$

[Out]  $-1/9*(-a^2*x^2+1)^{(3/2)}/a^3+1/3*x^3*\arcsin(a*x)+1/3*(-a^2*x^2+1)^{(1/2)}/a^3$

Rubi [A]

time = 0.02, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4723, 272, 45}

$$-\frac{(1-a^2x^2)^{3/2}}{9a^3} + \frac{\sqrt{1-a^2x^2}}{3a^3} + \frac{1}{3}x^3\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] `Int[x^2*ArcSin[a*x],x]`

[Out]  $\text{Sqrt}[1 - a^2*x^2]/(3*a^3) - (1 - a^2*x^2)^{(3/2)}/(9*a^3) + (x^3*\text{ArcSin}[a*x])/3$

Rule 45

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^2 \sin^{-1}(ax) dx &= \frac{1}{3}x^3 \sin^{-1}(ax) - \frac{1}{3}a \int \frac{x^3}{\sqrt{1-a^2x^2}} dx \\
&= \frac{1}{3}x^3 \sin^{-1}(ax) - \frac{1}{6}a \text{Subst} \left( \int \frac{x}{\sqrt{1-a^2x}} dx, x, x^2 \right) \\
&= \frac{1}{3}x^3 \sin^{-1}(ax) - \frac{1}{6}a \text{Subst} \left( \int \left( \frac{1}{a^2\sqrt{1-a^2x}} - \frac{\sqrt{1-a^2x}}{a^2} \right) dx, x, x^2 \right) \\
&= \frac{\sqrt{1-a^2x^2}}{3a^3} - \frac{(1-a^2x^2)^{3/2}}{9a^3} + \frac{1}{3}x^3 \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 41, normalized size = 0.76

$$\frac{1}{9} \left( \frac{\sqrt{1-a^2x^2} (2+a^2x^2)}{a^3} + 3x^3 \text{ArcSin}(ax) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[x^2*ArcSin[a*x],x]``[Out] ((Sqrt[1 - a^2*x^2]*(2 + a^2*x^2))/a^3 + 3*x^3*ArcSin[a*x])/9`**Maple [A]**

time = 0.01, size = 52, normalized size = 0.96

method	result	size
derivativedivides	$\frac{\frac{a^3 x^3 \arcsin(ax) + a^2 x^2 \sqrt{-a^2 x^2 + 1}}{3} + \frac{2 \sqrt{-a^2 x^2 + 1}}{9}}{a^3}$	52
default	$\frac{\frac{a^3 x^3 \arcsin(ax) + a^2 x^2 \sqrt{-a^2 x^2 + 1}}{3} + \frac{2 \sqrt{-a^2 x^2 + 1}}{9}}{a^3}$	52

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2*arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^3*(1/3*a^3*x^3*arcsin(a*x)+1/9*a^2*x^2*(-a^2*x^2+1)^(1/2)+2/9*(-a^2*x^2+1)^(1/2))`**Maxima [A]**

time = 0.51, size = 50, normalized size = 0.93

$$\frac{1}{3}x^3 \arcsin(ax) + \frac{1}{9}a \left( \frac{\sqrt{-a^2x^2+1} x^2}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x),x, algorithm="maxima")

[Out] 1/3\*x^3\*arcsin(a\*x) + 1/9\*a\*(sqrt(-a^2\*x^2 + 1)\*x^2/a^2 + 2\*sqrt(-a^2\*x^2 + 1)/a^4)

**Fricas** [A]

time = 4.66, size = 40, normalized size = 0.74

$$\frac{3 a^3 x^3 \arcsin (a x) + (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{9 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x),x, algorithm="fricas")

[Out] 1/9\*(3\*a^3\*x^3\*arcsin(a\*x) + (a^2\*x^2 + 2)\*sqrt(-a^2\*x^2 + 1))/a^3

**Sympy** [A]

time = 0.13, size = 48, normalized size = 0.89

$$\begin{cases} \frac{x^3 \arcsin (a x)}{3} + \frac{x^2 \sqrt{-a^2 x^2 + 1}}{9 a} + \frac{2 \sqrt{-a^2 x^2 + 1}}{9 a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x),x)

[Out] Piecewise((x\*\*3\*asin(a\*x)/3 + x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/(9\*a) + 2\*sqrt(-a\*\*2\*x\*\*2 + 1)/(9\*a\*\*3), Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.39, size = 64, normalized size = 1.19

$$\frac{(a^2 x^2 - 1) x \arcsin (a x)}{3 a^2} + \frac{x \arcsin (a x)}{3 a^2} - \frac{(-a^2 x^2 + 1)^{\frac{3}{2}}}{9 a^3} + \frac{\sqrt{-a^2 x^2 + 1}}{3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x),x, algorithm="giac")

[Out] 1/3\*(a^2\*x^2 - 1)\*x\*arcsin(a\*x)/a^2 + 1/3\*x\*arcsin(a\*x)/a^2 - 1/9\*(-a^2\*x^2 + 1)^(3/2)/a^3 + 1/3\*sqrt(-a^2\*x^2 + 1)/a^3

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\begin{cases} \frac{\sqrt{\frac{1}{a^2} - x^2} \left(\frac{2}{a^2} + x^2\right)}{9} + \frac{x^3 \arcsin (a x)}{3} & \text{if } 0 < a \\ \int x^2 \arcsin (a x) dx & \text{if } -0 < a \end{cases}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*asin(a*x),x)
```

```
[Out] piecewise(0 < a, ((1/a^2 - x^2)^(1/2)*(2/a^2 + x^2))/9 + (x^3*asin(a*x))/3,  
~0 < a, int(x^2*asin(a*x), x))
```

### 3.4 $\int x \text{ArcSin}(ax) dx$

Optimal. Leaf size=45

$$\frac{x\sqrt{1-a^2x^2}}{4a} - \frac{\text{ArcSin}(ax)}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)$$

[Out]  $-1/4*\arcsin(a*x)/a^2+1/2*x^2*\arcsin(a*x)+1/4*x*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A]

time = 0.01, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 327, 222}

$$-\frac{\text{ArcSin}(ax)}{4a^2} + \frac{x\sqrt{1-a^2x^2}}{4a} + \frac{1}{2}x^2\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] `Int[x*ArcSin[a*x],x]`

[Out]  $(x*\text{Sqrt}[1 - a^2*x^2])/(4*a) - \text{ArcSin}[a*x]/(4*a^2) + (x^2*\text{ArcSin}[a*x])/2$

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 327

`Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n - 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]`

Rule 4723

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned}
\int x \sin^{-1}(ax) dx &= \frac{1}{2}x^2 \sin^{-1}(ax) - \frac{1}{2}a \int \frac{x^2}{\sqrt{1-a^2x^2}} dx \\
&= \frac{x\sqrt{1-a^2x^2}}{4a} + \frac{1}{2}x^2 \sin^{-1}(ax) - \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{4a} \\
&= \frac{x\sqrt{1-a^2x^2}}{4a} - \frac{\sin^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 40, normalized size = 0.89

$$\frac{ax\sqrt{1-a^2x^2} + (-1+2a^2x^2)\text{ArcSin}(ax)}{4a^2}$$

Antiderivative was successfully verified.

`[In] Integrate[x*ArcSin[a*x],x]``[Out] (a*x*Sqrt[1 - a^2*x^2] + (-1 + 2*a^2*x^2)*ArcSin[a*x])/(4*a^2)`**Maple [A]**

time = 0.01, size = 40, normalized size = 0.89

method	result	size
derivativedivides	$\frac{\frac{a^2x^2 \arcsin(ax)}{2} + \frac{ax\sqrt{-a^2x^2+1}}{a^2} - \frac{\arcsin(ax)}{4}}{4}$	40
default	$\frac{\frac{a^2x^2 \arcsin(ax)}{2} + \frac{ax\sqrt{-a^2x^2+1}}{a^2} - \frac{\arcsin(ax)}{4}}{4}$	40

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x*arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^2*(1/2*a^2*x^2*arcsin(a*x)+1/4*a*x*(-a^2*x^2+1)^(1/2)-1/4*arcsin(a*x))`**Maxima [A]**

time = 0.50, size = 40, normalized size = 0.89

$$\frac{1}{2}x^2 \arcsin(ax) + \frac{1}{4}a \left( \frac{\sqrt{-a^2x^2+1}x}{a^2} - \frac{\arcsin(ax)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x*arcsin(a*x),x, algorithm="maxima")`

[Out]  $1/2*x^2*\arcsin(a*x) + 1/4*a*(\sqrt{-a^2*x^2 + 1}*x/a^2 - \arcsin(a*x)/a^3)$

**Fricas** [A]

time = 2.90, size = 36, normalized size = 0.80

$$\frac{\sqrt{-a^2x^2 + 1} ax + (2a^2x^2 - 1) \arcsin(ax)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x),x, algorithm="fricas")`

[Out]  $1/4*(\sqrt{-a^2*x^2 + 1}*a*x + (2*a^2*x^2 - 1)*\arcsin(a*x))/a^2$

**Sympy** [A]

time = 0.09, size = 37, normalized size = 0.82

$$\begin{cases} \frac{x^2 \arcsin(ax)}{2} + \frac{x\sqrt{-a^2x^2 + 1}}{4a} - \frac{\arcsin(ax)}{4a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asin(a*x),x)`

[Out] `Piecewise((x**2*asin(a*x)/2 + x*sqrt(-a**2*x**2 + 1)/(4*a) - asin(a*x)/(4*a**2), Ne(a, 0)), (0, True))`

**Giac** [A]

time = 0.41, size = 46, normalized size = 1.02

$$\frac{\sqrt{-a^2x^2 + 1} x}{4a} + \frac{(a^2x^2 - 1) \arcsin(ax)}{2a^2} + \frac{\arcsin(ax)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x),x, algorithm="giac")`

[Out]  $1/4*\sqrt{-a^2*x^2 + 1}*x/a + 1/2*(a^2*x^2 - 1)*\arcsin(a*x)/a^2 + 1/4*\arcsin(a*x)/a^2$

**Mupad** [B]

time = 0.08, size = 38, normalized size = 0.84

$$\frac{\arcsin(ax) (2a^2x^2 - 1)}{4a^2} + \frac{x\sqrt{1 - a^2x^2}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*asin(a*x),x)`

[Out]  $(\arcsin(a*x)*(2*a^2*x^2 - 1))/(4*a^2) + (x*(1 - a^2*x^2)^(1/2))/(4*a)$

### 3.5 $\int \text{ArcSin}(ax) dx$

Optimal. Leaf size=25

$$\frac{\sqrt{1-a^2x^2}}{a} + x\text{ArcSin}(ax)$$

[Out] x\*arcsin(a\*x)+(-a^2\*x^2+1)^(1/2)/a

Rubi [A]

time = 0.00, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4715, 267}

$$\frac{\sqrt{1-a^2x^2}}{a} + x\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x],x]

[Out] Sqrt[1 - a^2\*x^2]/a + x\*ArcSin[a\*x]

Rule 267

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4715

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \sin^{-1}(ax) dx &= x \sin^{-1}(ax) - a \int \frac{x}{\sqrt{1-a^2x^2}} dx \\ &= \frac{\sqrt{1-a^2x^2}}{a} + x \sin^{-1}(ax) \end{aligned}$$

Mathematica [A]

time = 0.00, size = 25, normalized size = 1.00

$$\frac{\sqrt{1-a^2x^2}}{a} + x\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x],x]

[Out] Sqrt[1 - a^2\*x^2]/a + x\*ArcSin[a\*x]

**Maple [A]**

time = 0.00, size = 25, normalized size = 1.00

method	result	size
derivativedivides	$\frac{ax \arcsin(ax) + \sqrt{-a^2x^2 + 1}}{a}$	25
default	$\frac{ax \arcsin(ax) + \sqrt{-a^2x^2 + 1}}{a}$	25

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x),x,method=\_RETURNVERBOSE)

[Out] 1/a\*(a\*x\*arcsin(a\*x)+(-a^2\*x^2+1)^(1/2))

**Maxima [A]**

time = 0.54, size = 24, normalized size = 0.96

$$\frac{ax \arcsin(ax) + \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x),x, algorithm="maxima")

[Out] (a\*x\*arcsin(a\*x) + sqrt(-a^2\*x^2 + 1))/a

**Fricas [A]**

time = 3.28, size = 24, normalized size = 0.96

$$\frac{ax \arcsin(ax) + \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x),x, algorithm="fricas")

[Out] (a\*x\*arcsin(a\*x) + sqrt(-a^2\*x^2 + 1))/a

**Sympy [A]**

time = 0.06, size = 20, normalized size = 0.80

$$\begin{cases} x \operatorname{asin}(ax) + \frac{\sqrt{-a^2x^2 + 1}}{a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x),x)

[Out] Piecewise((x\*asin(a\*x) + sqrt(-a\*\*2\*x\*\*2 + 1)/a, Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.43, size = 24, normalized size = 0.96

$$\frac{ax \arcsin(ax) + \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x),x, algorithm="giac")

[Out] (a\*x\*arcsin(a\*x) + sqrt(-a^2\*x^2 + 1))/a

**Mupad** [B]

time = 0.11, size = 23, normalized size = 0.92

$$x \arcsin(ax) + \frac{\sqrt{1 - a^2 x^2}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x),x)

[Out] x\*asin(a\*x) + (1 - a^2\*x^2)^(1/2)/a

### 3.6 $\int \frac{\text{ArcSin}(ax)}{x} dx$

**Optimal.** Leaf size=51

$$-\frac{1}{2}i\text{ArcSin}(ax)^2 + \text{ArcSin}(ax) \log(1 - e^{2i\text{ArcSin}(ax)}) - \frac{1}{2}i\text{PolyLog}(2, e^{2i\text{ArcSin}(ax)})$$

[Out]  $-1/2*I*\arcsin(a*x)^2 + \arcsin(a*x)*\ln(1 - (I*a*x + (-a^2*x^2 + 1)^{(1/2)})^2) - 1/2*I*\text{polylog}(2, (I*a*x + (-a^2*x^2 + 1)^{(1/2)})^2)$

**Rubi [A]**

time = 0.04, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4721, 3798, 2221, 2317, 2438}

$$-\frac{1}{2}i\text{Li}_2(e^{2i\text{ArcSin}(ax)}) - \frac{1}{2}i\text{ArcSin}(ax)^2 + \text{ArcSin}(ax) \log(1 - e^{2i\text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/x,x]

[Out]  $(-1/2*I)*\text{ArcSin}[a*x]^2 + \text{ArcSin}[a*x]*\text{Log}[1 - E^{\{(2*I)*\text{ArcSin}[a*x]\}}] - (I/2)*\text{PolyLog}[2, E^{\{(2*I)*\text{ArcSin}[a*x]\}}]$

Rule 2221

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 3798

Int[(((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)], x\_Symbol] := Simp[I\*((c + d\*x)^(m + 1)/(d\*(m + 1))), x] - Dist[2\*I, Int[(c + d\*x)^m



```
*E^(2*I*k*Pi)*(E^(2*I*(e + f*x))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)}{x} dx &= \text{Subst} \left( \int x \cot(x) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{2}i \sin^{-1}(ax)^2 - 2i \text{Subst} \left( \int \frac{e^{2ix} x}{1 - e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{2}i \sin^{-1}(ax)^2 + \sin^{-1}(ax) \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - \text{Subst} \left( \int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{2}i \sin^{-1}(ax)^2 + \sin^{-1}(ax) \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) + \frac{1}{2}i \text{Subst} \left( \int \frac{\log(1 - x)}{x} dx, x, e^{2i \sin^{-1}(ax)} \right) \\
&= -\frac{1}{2}i \sin^{-1}(ax)^2 + \sin^{-1}(ax) \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - \frac{1}{2}i \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right)
\end{aligned}$$

### Mathematica [A]

time = 0.07, size = 46, normalized size = 0.90

$$\text{ArcSin}(ax) \log \left( 1 - e^{2i \text{ArcSin}(ax)} \right) - \frac{1}{2}i \left( \text{ArcSin}(ax)^2 + \text{PolyLog}(2, e^{2i \text{ArcSin}(ax)}) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]/x,x]
```

```
[Out] ArcSin[a*x]*Log[1 - E^((2*I)*ArcSin[a*x])] - (I/2)*(ArcSin[a*x]^2 + PolyLog
[2, E^((2*I)*ArcSin[a*x])])
```

### Maple [A]

time = 0.09, size = 111, normalized size = 2.18

method	result
derivativedivides	$-\frac{i \arcsin(ax)^2}{2} + \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) + \arcsin(ax) \ln(1 + iax + \sqrt{-a^2x^2 + 1})$
default	$-\frac{i \arcsin(ax)^2}{2} + \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) + \arcsin(ax) \ln(1 + iax + \sqrt{-a^2x^2 + 1})$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)/x,x,method=_RETURNVERBOSE)`

[Out]  $-1/2*I*\arcsin(a*x)^2+\arcsin(a*x)*\ln(1-I*a*x-(-a^2*x^2+1)^{(1/2)})+\arcsin(a*x)*\ln(1+I*a*x+(-a^2*x^2+1)^{(1/2)})-I*\text{polylog}(2,I*a*x+(-a^2*x^2+1)^{(1/2)})-I*\text{polylog}(2,-I*a*x-(-a^2*x^2+1)^{(1/2)})$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x,x, algorithm="maxima")`

[Out] `integrate(arcsin(a*x)/x, x)`

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)/x, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)/x,x)`

[Out] `Integral(asin(a*x)/x, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)/x, x)

**Mupad [B]**

time = 0.08, size = 41, normalized size = 0.80

$$\ln(1 - e^{\operatorname{asin}(ax)2i}) \operatorname{asin}(ax) - \frac{\operatorname{polylog}(2, e^{\operatorname{asin}(ax)2i}) \operatorname{li}}{2} - \frac{\operatorname{asin}(ax)^2 \operatorname{li}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x,x)

[Out] log(1 - exp(asin(a\*x)\*2i))\*asin(a\*x) - (polylog(2, exp(asin(a\*x)\*2i))\*1i)/2  
- (asin(a\*x)^2\*1i)/2

### 3.7 $\int \frac{\text{ArcSin}(ax)}{x^2} dx$

Optimal. Leaf size=28

$$-\frac{\text{ArcSin}(ax)}{x} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

[Out] -arcsin(a\*x)/x-a\*arctanh((-a^2\*x^2+1)^(1/2))

Rubi [A]

time = 0.02, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 272, 65, 214}

$$-a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\text{ArcSin}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/x^2,x]

[Out] -(ArcSin[a\*x]/x) - a\*ArcTanh[Sqrt[1 - a^2\*x^2]]

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^(n), x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
```

$x^2$ ), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)}{x^2} dx &= -\frac{\sin^{-1}(ax)}{x} + a \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\ &= -\frac{\sin^{-1}(ax)}{x} + \frac{1}{2} a \text{Subst} \left( \int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2 \right) \\ &= -\frac{\sin^{-1}(ax)}{x} - \frac{\text{Subst} \left( \int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2} \right)}{a} \\ &= -\frac{\sin^{-1}(ax)}{x} - a \tanh^{-1} \left( \sqrt{1-a^2x^2} \right) \end{aligned}$$

Mathematica [A]

time = 0.00, size = 28, normalized size = 1.00

$$-\frac{\text{ArcSin}(ax)}{x} - a \tanh^{-1} \left( \sqrt{1-a^2x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]/x^2,x]

[Out] -(ArcSin[a\*x]/x) - a\*ArcTanh[Sqrt[1 - a^2\*x^2]]

Maple [A]

time = 0.02, size = 31, normalized size = 1.11

method	result	size
derivativedivides	$a \left( -\frac{\arcsin(ax)}{ax} - \operatorname{arctanh} \left( \frac{1}{\sqrt{-a^2x^2+1}} \right) \right)$	31
default	$a \left( -\frac{\arcsin(ax)}{ax} - \operatorname{arctanh} \left( \frac{1}{\sqrt{-a^2x^2+1}} \right) \right)$	31

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)/x^2,x,method=\_RETURNVERBOSE)

[Out] a\*(-arcsin(a\*x)/a/x-arctanh(1/(-a^2\*x^2+1)^(1/2)))

Maxima [A]

time = 0.51, size = 39, normalized size = 1.39

$$-a \log \left( \frac{2\sqrt{-a^2x^2+1}}{|x|} + \frac{2}{|x|} \right) - \frac{\arcsin(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^2,x, algorithm="maxima")

[Out] -a\*log(2\*sqrt(-a^2\*x^2 + 1)/abs(x) + 2/abs(x)) - arcsin(a\*x)/x

**Fricas** [A]

time = 2.73, size = 49, normalized size = 1.75

$$\frac{ax \log\left(\sqrt{-a^2x^2+1} + 1\right) - ax \log\left(\sqrt{-a^2x^2+1} - 1\right) + 2 \arcsin(ax)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^2,x, algorithm="fricas")

[Out] -1/2\*(a\*x\*log(sqrt(-a^2\*x^2 + 1) + 1) - a\*x\*log(sqrt(-a^2\*x^2 + 1) - 1) + 2\*arcsin(a\*x))/x

**Sympy** [C] Result contains complex when optimal does not.

time = 0.96, size = 32, normalized size = 1.14

$$a \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{ax}\right) & \text{for } \frac{1}{|a^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{ax}\right) & \text{otherwise} \end{cases} \right) - \frac{\operatorname{asin}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*2,x)

[Out] a\*Piecewise((-acosh(1/(a\*x)), 1/Abs(a\*\*2\*x\*\*2) > 1), (I\*asin(1/(a\*x)), True)) - asin(a\*x)/x

**Giac** [A]

time = 0.39, size = 48, normalized size = 1.71

$$-\frac{1}{2} a \left( \log\left(\sqrt{-a^2x^2+1} + 1\right) - \log\left(-\sqrt{-a^2x^2+1} + 1\right) \right) - \frac{\arcsin(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^2,x, algorithm="giac")

[Out] -1/2\*a\*(log(sqrt(-a^2\*x^2 + 1) + 1) - log(-sqrt(-a^2\*x^2 + 1) + 1)) - arcsin(a\*x)/x

**Mupad** [B]

time = 0.02, size = 26, normalized size = 0.93

$$-\frac{\operatorname{asin}(ax)}{x} - a \operatorname{atanh}\left(\frac{1}{\sqrt{1-a^2x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x^2,x)

[Out] - asin(a\*x)/x - a\*atanh(1/(1 - a^2\*x^2)^(1/2))

### 3.8 $\int \frac{\text{ArcSin}(ax)}{x^3} dx$

Optimal. Leaf size=34

$$-\frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\text{ArcSin}(ax)}{2x^2}$$

[Out]  $-1/2*\arcsin(a*x)/x^2-1/2*a*(-a^2*x^2+1)^(1/2)/x$

Rubi [A]

time = 0.01, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4723, 270}

$$-\frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\text{ArcSin}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/x^3,x]

[Out]  $-1/2*(a*\text{Sqrt}[1 - a^2*x^2])/x - \text{ArcSin}[a*x]/(2*x^2)$

Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c\*x)^(m + 1)\*((a + b\*x^n)^(p + 1)/(a\*c\*(m + 1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)}{x^3} dx &= -\frac{\sin^{-1}(ax)}{2x^2} + \frac{1}{2}a \int \frac{1}{x^2\sqrt{1-a^2x^2}} dx \\ &= -\frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\sin^{-1}(ax)}{2x^2} \end{aligned}$$

Mathematica [A]

time = 0.01, size = 29, normalized size = 0.85

$$-\frac{ax\sqrt{1-a^2x^2} + \text{ArcSin}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]/x^3,x]

[Out]  $-1/2*(a*x*\text{Sqrt}[1 - a^2*x^2] + \text{ArcSin}[a*x])/x^2$

**Maple** [A]

time = 0.00, size = 38, normalized size = 1.12

method	result	size
derivativedivides	$a^2 \left( -\frac{\arcsin(ax)}{2a^2x^2} - \frac{\sqrt{-a^2x^2 + 1}}{2ax} \right)$	38
default	$a^2 \left( -\frac{\arcsin(ax)}{2a^2x^2} - \frac{\sqrt{-a^2x^2 + 1}}{2ax} \right)$	38

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)/x^3,x,method=\_RETURNVERBOSE)

[Out]  $a^2*(-1/2*\arcsin(a*x)/a^2/x^2-1/2/a/x*(-a^2*x^2+1)^(1/2))$

**Maxima** [A]

time = 0.50, size = 28, normalized size = 0.82

$$-\frac{\sqrt{-a^2x^2 + 1} a}{2x} - \frac{\arcsin(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3,x, algorithm="maxima")

[Out]  $-1/2*\text{sqrt}(-a^2*x^2 + 1)*a/x - 1/2*\arcsin(a*x)/x^2$

**Fricas** [A]

time = 2.35, size = 25, normalized size = 0.74

$$-\frac{\sqrt{-a^2x^2 + 1} ax + \arcsin(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3,x, algorithm="fricas")

[Out]  $-1/2*(\text{sqrt}(-a^2*x^2 + 1)*a*x + \arcsin(a*x))/x^2$

**Sympy** [C] Result contains complex when optimal does not.

time = 0.78, size = 51, normalized size = 1.50

$$a \left( \begin{cases} -\frac{i\sqrt{a^2x^2 - 1}}{x} & \text{for } |a^2x^2| > 1 \\ -\frac{\sqrt{-a^2x^2 + 1}}{x} & \text{otherwise} \end{cases} \right) - \frac{\text{asin}(ax)}{2x^2}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*3,x)

[Out] a\*Piecewise((-I\*sqrt(a\*\*2\*x\*\*2 - 1)/x, Abs(a\*\*2\*x\*\*2) > 1), (-sqrt(-a\*\*2\*x\*\*2 + 1)/x, True))/2 - asin(a\*x)/(2\*x\*\*2)

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 68 vs. 2(28) = 56.  
time = 0.40, size = 68, normalized size = 2.00

$$\frac{1}{4} \left( \frac{a^4 x}{\left( \sqrt{-a^2 x^2 + 1} |a| + a \right) |a|} - \frac{\sqrt{-a^2 x^2 + 1} |a| + a}{x |a|} \right) a - \frac{\arcsin(ax)}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3,x, algorithm="giac")

[Out] 1/4\*(a^4\*x/((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)\*abs(a)) - (sqrt(-a^2\*x^2 + 1)\*abs(a) + a)/(x\*abs(a)))\*a - 1/2\*arcsin(a\*x)/x^2

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\arcsin(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x^3,x)

[Out] int(asin(a\*x)/x^3, x)

### 3.9 $\int \frac{\text{ArcSin}(ax)}{x^4} dx$

Optimal. Leaf size=56

$$-\frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\text{ArcSin}(ax)}{3x^3} - \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

[Out]  $-1/3*\arcsin(a*x)/x^3-1/6*a^3*\arctanh((-a^2*x^2+1)^{(1/2)})-1/6*a*(-a^2*x^2+1)^{(1/2)}/x^2$

Rubi [A]

time = 0.02, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ ,

Rules used = {4723, 272, 44, 65, 214}

$$-\frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\text{ArcSin}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] `Int[ArcSin[a*x]/x^4,x]`

[Out]  $-1/6*(a*\text{Sqrt}[1 - a^2*x^2])/x^2 - \text{ArcSin}[a*x]/(3*x^3) - (a^3*\text{ArcTanh}[\text{Sqrt}[1 - a^2*x^2]])/6$

Rule 44

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
(a + b*x)^(m + 1)*((c + d*x)^(n + 1)/((b*c - a*d)*(m + 1))), x] - Dist[d*((
m + n + 2)/((b*c - a*d)*(m + 1))), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, -1] && !Int
egerQ[n] && LtQ[n, 0]
```

Rule 65

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 214

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x
/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)}{x^4} dx &= -\frac{\sin^{-1}(ax)}{3x^3} + \frac{1}{3}a \int \frac{1}{x^3\sqrt{1-a^2x^2}} dx \\
&= -\frac{\sin^{-1}(ax)}{3x^3} + \frac{1}{6}a \operatorname{Subst}\left(\int \frac{1}{x^2\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\sin^{-1}(ax)}{3x^3} + \frac{1}{12}a^3 \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\sin^{-1}(ax)}{3x^3} - \frac{1}{6}a \operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\sin^{-1}(ax)}{3x^3} - \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)
\end{aligned}$$

### Mathematica [A]

time = 0.01, size = 53, normalized size = 0.95

$$-\frac{ax\sqrt{1-a^2x^2} + 2\operatorname{ArcSin}(ax) + a^3x^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)}{6x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]/x^4, x]
```

```
[Out] -1/6*(a*x*Sqrt[1 - a^2*x^2] + 2*ArcSin[a*x] + a^3*x^3*ArcTanh[Sqrt[1 - a^2*
x^2]])/x^3
```

### Maple [A]

time = 0.00, size = 53, normalized size = 0.95

method	result	size
--------	--------	------

derivativedivides	$a^3 \left( -\frac{\arcsin(ax)}{3a^3x^3} - \frac{\sqrt{-a^2x^2+1}}{6a^2x^2} - \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{6} \right)$	53
default	$a^3 \left( -\frac{\arcsin(ax)}{3a^3x^3} - \frac{\sqrt{-a^2x^2+1}}{6a^2x^2} - \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{6} \right)$	53

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)/x^4,x,method=_RETURNVERBOSE)`

[Out]  $a^3 * (-1/3 * \arcsin(a*x) / a^3 / x^3 - 1/6 / a^2 / x^2 * (-a^2 * x^2 + 1)^{(1/2)} - 1/6 * \operatorname{arctanh}(1 / (-a^2 * x^2 + 1)^{(1/2)}))$

**Maxima** [A]

time = 0.51, size = 60, normalized size = 1.07

$$-\frac{1}{6} \left( a^2 \log \left( \frac{2 \sqrt{-a^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-a^2x^2+1}}{x^2} \right) a - \frac{\arcsin(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^4,x, algorithm="maxima")`

[Out]  $-1/6 * (a^2 * \log(2 * \sqrt{-a^2 * x^2 + 1} / \operatorname{abs}(x) + 2 / \operatorname{abs}(x)) + \sqrt{-a^2 * x^2 + 1} / x^2) * a - 1/3 * \arcsin(a * x) / x^3$

**Fricas** [A]

time = 2.39, size = 73, normalized size = 1.30

$$\frac{a^3 x^3 \log(\sqrt{-a^2 x^2 + 1} + 1) - a^3 x^3 \log(\sqrt{-a^2 x^2 + 1} - 1) + 2 \sqrt{-a^2 x^2 + 1} a x + 4 \arcsin(ax)}{12 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^4,x, algorithm="fricas")`

[Out]  $-1/12 * (a^3 * x^3 * \log(\sqrt{-a^2 * x^2 + 1} + 1) - a^3 * x^3 * \log(\sqrt{-a^2 * x^2 + 1} - 1) + 2 * \sqrt{-a^2 * x^2 + 1} * a * x + 4 * \arcsin(a * x)) / x^3$

**Sympy** [A]

time = 1.67, size = 107, normalized size = 1.91

$$a \left( \begin{array}{l} \left( -\frac{a^2 \operatorname{acosh}\left(\frac{1}{ax}\right)}{2} + \frac{a}{2x \sqrt{-1 + \frac{1}{a^2 x^2}}} - \frac{1}{2ax^3 \sqrt{-1 + \frac{1}{a^2 x^2}}} \right) \text{ for } \frac{1}{|a^2 x^2|} > 1 \\ \left( \frac{ia^2 \operatorname{asin}\left(\frac{1}{ax}\right)}{2} - \frac{ia \sqrt{1 - \frac{1}{a^2 x^2}}}{2x} \right) \text{ otherwise} \end{array} \right) - \frac{\operatorname{asin}(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*4,x)

[Out] a\*Piecewise((-a\*\*2\*acosh(1/(a\*x))/2 + a/(2\*x\*sqrt(-1 + 1/(a\*\*2\*x\*\*2))) - 1/(2\*a\*x\*\*3\*sqrt(-1 + 1/(a\*\*2\*x\*\*2))), 1/Abs(a\*\*2\*x\*\*2) > 1), (I\*a\*\*2\*asin(1/(a\*x))/2 - I\*a\*sqrt(1 - 1/(a\*\*2\*x\*\*2))/(2\*x), True))/3 - asin(a\*x)/(3\*x\*\*3)

**Giac** [A]

time = 0.42, size = 77, normalized size = 1.38

$$\frac{a^4 \log\left(\sqrt{-a^2 x^2 + 1} + 1\right) - a^4 \log\left(-\sqrt{-a^2 x^2 + 1} + 1\right) + \frac{2\sqrt{-a^2 x^2 + 1} a^2}{x^2}}{12 a} - \frac{\arcsin(ax)}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^4,x, algorithm="giac")

[Out] -1/12\*(a^4\*log(sqrt(-a^2\*x^2 + 1) + 1) - a^4\*log(-sqrt(-a^2\*x^2 + 1) + 1) + 2\*sqrt(-a^2\*x^2 + 1)\*a^2/x^2)/a - 1/3\*arcsin(a\*x)/x^3

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arcsin(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x^4,x)

[Out] int(asin(a\*x)/x^4, x)

### 3.10 $\int \frac{\text{ArcSin}(ax)}{x^5} dx$

Optimal. Leaf size=58

$$-\frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{a^3\sqrt{1-a^2x^2}}{6x} - \frac{\text{ArcSin}(ax)}{4x^4}$$

[Out]  $-1/4*\arcsin(a*x)/x^4-1/12*a*(-a^2*x^2+1)^{(1/2)}/x^3-1/6*a^3*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.01, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4723, 277, 270}

$$-\frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{a^3\sqrt{1-a^2x^2}}{6x} - \frac{\text{ArcSin}(ax)}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/x^5,x]

[Out]  $-1/12*(a*\text{Sqrt}[1 - a^2*x^2])/x^3 - (a^3*\text{Sqrt}[1 - a^2*x^2])/(6*x) - \text{ArcSin}[a*x]/(4*x^4)$

Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c\*x)^(m+1)\*((a+b\*x^n)^(p+1)/(a\*c\*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 277

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[x^(m+1)\*((a+b\*x^n)^(p+1)/(a\*(m+1))), x] - Dist[b\*((m+n\*(p+1)+1)/(a\*(m+1))), Int[x^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n+p+1], 0] && NeQ[m, -1]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)}{x^5} dx &= -\frac{\sin^{-1}(ax)}{4x^4} + \frac{1}{4}a \int \frac{1}{x^4\sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{\sin^{-1}(ax)}{4x^4} + \frac{1}{6}a^3 \int \frac{1}{x^2\sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{a^3\sqrt{1-a^2x^2}}{6x} - \frac{\sin^{-1}(ax)}{4x^4}
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 41, normalized size = 0.71

$$-\frac{ax\sqrt{1-a^2x^2}(1+2a^2x^2)+3\text{ArcSin}(ax)}{12x^4}$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]/x^5,x]``[Out] -1/12*(a*x*Sqrt[1 - a^2*x^2]*(1 + 2*a^2*x^2) + 3*ArcSin[a*x])/x^4`**Maple [A]**

time = 0.00, size = 58, normalized size = 1.00

method	result	size
derivativedivides	$a^4 \left( -\frac{\arcsin(ax)}{4a^4x^4} - \frac{\sqrt{-a^2x^2+1}}{12a^3x^3} - \frac{\sqrt{-a^2x^2+1}}{6ax} \right)$	58
default	$a^4 \left( -\frac{\arcsin(ax)}{4a^4x^4} - \frac{\sqrt{-a^2x^2+1}}{12a^3x^3} - \frac{\sqrt{-a^2x^2+1}}{6ax} \right)$	58

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)/x^5,x,method=_RETURNVERBOSE)``[Out] a^4*(-1/4*arcsin(a*x)/a^4/x^4-1/12/a^3/x^3*(-a^2*x^2+1)^(1/2)-1/6/a/x*(-a^2*x^2+1)^(1/2))`**Maxima [A]**

time = 0.51, size = 50, normalized size = 0.86

$$-\frac{1}{12} \left( \frac{2\sqrt{-a^2x^2+1}a^2}{x} + \frac{\sqrt{-a^2x^2+1}}{x^3} \right) a - \frac{\arcsin(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^5,x, algorithm="maxima")

[Out]  $-1/12*(2*\sqrt{-a^2*x^2 + 1}*a^2/x + \sqrt{-a^2*x^2 + 1}/x^3)*a - 1/4*\arcsin(a*x)/x^4$

**Fricas** [A]

time = 2.87, size = 37, normalized size = 0.64

$$\frac{(2a^3x^3 + ax)\sqrt{-a^2x^2 + 1} + 3 \arcsin(ax)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^5,x, algorithm="fricas")

[Out]  $-1/12*((2*a^3*x^3 + a*x)*\sqrt{-a^2*x^2 + 1} + 3*\arcsin(a*x))/x^4$

**Sympy** [A]

time = 1.11, size = 100, normalized size = 1.72

$$a \left( \begin{cases} -\frac{2ia^2\sqrt{a^2x^2 - 1}}{3x} - \frac{i\sqrt{a^2x^2 - 1}}{3x^3} & \text{for } |a^2x^2| > 1 \\ -\frac{2a^2\sqrt{-a^2x^2 + 1}}{3x} - \frac{\sqrt{-a^2x^2 + 1}}{3x^3} & \text{otherwise} \end{cases} \right) - \frac{\arcsin(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*5,x)

[Out]  $a*\text{Piecewise}((-2*I*a**2*\sqrt{a**2*x**2 - 1}/(3*x) - I*\sqrt{a**2*x**2 - 1}/(3*x**3), \text{Abs}(a**2*x**2) > 1), (-2*a**2*\sqrt{-a**2*x**2 + 1}/(3*x) - \sqrt{-a**2*x**2 + 1}/(3*x**3), \text{True}))/4 - \text{asin}(a*x)/(4*x**4)$

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 130 vs. 2(48) = 96.

time = 0.42, size = 130, normalized size = 2.24

$$\frac{1}{96} \left( \frac{\left( a^4 + \frac{9(\sqrt{-a^2x^2 + 1}|a|+a)^2}{x^2} \right) a^6 x^3}{(\sqrt{-a^2x^2 + 1}|a| + a)^3 |a|} - \frac{9(\sqrt{-a^2x^2 + 1}|a|+a)a^4}{x} + \frac{(\sqrt{-a^2x^2 + 1}|a|+a)^3}{x^3} \right) a - \frac{\arcsin(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^5,x, algorithm="giac")

[Out]  $1/96*((a^4 + 9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^2/x^2)*a^6*x^3/((\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^3*\text{abs}(a) - (9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)*a^4/x +$



$(\sqrt{-a^2x^2 + 1} \cdot \text{abs}(a) + a)^3/x^3 / (a^2 \cdot \text{abs}(a)) \cdot a - 1/4 \cdot \arcsin(ax)/x^4$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arcsin(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x^5,x)

[Out] int(asin(a\*x)/x^5, x)

### 3.11 $\int \frac{\text{ArcSin}(ax)}{x^6} dx$

Optimal. Leaf size=80

$$-\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\text{ArcSin}(ax)}{5x^5} - \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

[Out]  $-1/5*\arcsin(a*x)/x^5-3/40*a^5*\arctanh((-a^2*x^2+1)^(1/2))-1/20*a*(-a^2*x^2+1)^(1/2)/x^4-3/40*a^3*(-a^2*x^2+1)^(1/2)/x^2$

Rubi [A]

time = 0.03, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ ,

Rules used = {4723, 272, 44, 65, 214}

$$-\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\text{ArcSin}(ax)}{5x^5}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/x^6,x]

[Out]  $-1/20*(a*\text{Sqrt}[1 - a^2*x^2])/x^4 - (3*a^3*\text{Sqrt}[1 - a^2*x^2])/(40*x^2) - \text{ArcSin}[a*x]/(5*x^5) - (3*a^5*\text{ArcTanh}[\text{Sqrt}[1 - a^2*x^2]])/40$

Rule 44

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[(a + b\*x)^(m + 1)\*((c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[d\*((m + n + 2)/((b\*c - a\*d)\*(m + 1))), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, -1] && !IntegerQ[n] && LtQ[n, 0]

Rule 65

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - a\*(d/b) + d\*(x^p/b))^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-a/b, 2]/a)\*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 4723

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)}{x^6} dx &= -\frac{\sin^{-1}(ax)}{5x^5} + \frac{1}{5}a \int \frac{1}{x^5\sqrt{1-a^2x^2}} dx \\
&= -\frac{\sin^{-1}(ax)}{5x^5} + \frac{1}{10}a \operatorname{Subst}\left(\int \frac{1}{x^3\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{\sin^{-1}(ax)}{5x^5} + \frac{1}{40}(3a^3) \operatorname{Subst}\left(\int \frac{1}{x^2\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\sin^{-1}(ax)}{5x^5} + \frac{1}{80}(3a^5) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\sin^{-1}(ax)}{5x^5} - \frac{1}{40}(3a^3) \operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right) \\
&= -\frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\sin^{-1}(ax)}{5x^5} - \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)
\end{aligned}$$

**Mathematica [C]** Result contains higher order function than in optimal. Order 5 vs. order 3 in optimal.

time = 0.01, size = 51, normalized size = 0.64

$$-\frac{\operatorname{ArcSin}(ax)}{5x^5} - \frac{1}{5}a^5\sqrt{1-a^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1-a^2x^2\right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]/x^6, x]

[Out] -1/5\*ArcSin[a\*x]/x^5 - (a^5\*Sqrt[1 - a^2\*x^2]\*Hypergeometric2F1[1/2, 3, 3/2, 1 - a^2\*x^2])/5

**Maple [A]**

time = 0.00, size = 73, normalized size = 0.91

method	result	size
derivativedivides	$a^5 \left( -\frac{\arcsin(ax)}{5a^5x^5} - \frac{\sqrt{-a^2x^2+1}}{20a^4x^4} - \frac{3\sqrt{-a^2x^2+1}}{40a^2x^2} - \frac{3 \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{40} \right)$	73
default	$a^5 \left( -\frac{\arcsin(ax)}{5a^5x^5} - \frac{\sqrt{-a^2x^2+1}}{20a^4x^4} - \frac{3\sqrt{-a^2x^2+1}}{40a^2x^2} - \frac{3 \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{40} \right)$	73

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)/x^6,x,method=_RETURNVERBOSE)`

[Out]  $a^5 * (-1/5 * \arcsin(a*x) / a^5 / x^5 - 1/20 / a^4 / x^4 * (-a^2 * x^2 + 1)^{(1/2)} - 3/40 / a^2 / x^2 * (-a^2 * x^2 + 1)^{(1/2)} - 3/40 * \operatorname{arctanh}(1 / (-a^2 * x^2 + 1)^{(1/2)})$

**Maxima** [A]

time = 0.50, size = 82, normalized size = 1.02

$$-\frac{1}{40} \left( 3a^4 \log \left( \frac{2\sqrt{-a^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{3\sqrt{-a^2x^2+1}a^2}{x^2} + \frac{2\sqrt{-a^2x^2+1}}{x^4} \right) a - \frac{\arcsin(ax)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^6,x, algorithm="maxima")`

[Out]  $-1/40 * (3 * a^4 * \log(2 * \sqrt{-a^2 * x^2 + 1} / \operatorname{abs}(x) + 2 / \operatorname{abs}(x)) + 3 * \sqrt{-a^2 * x^2 + 1} * a^2 / x^2 + 2 * \sqrt{-a^2 * x^2 + 1} / x^4) * a - 1/5 * \arcsin(a * x) / x^5$

**Fricas** [A]

time = 3.36, size = 85, normalized size = 1.06

$$\frac{3a^5x^5 \log(\sqrt{-a^2x^2+1}+1) - 3a^5x^5 \log(\sqrt{-a^2x^2+1}-1) + 2(3a^3x^3+2ax)\sqrt{-a^2x^2+1} + 16 \arcsin(ax)}{80x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^6,x, algorithm="fricas")`

[Out]  $-1/80 * (3 * a^5 * x^5 * \log(\sqrt{-a^2 * x^2 + 1} + 1) - 3 * a^5 * x^5 * \log(\sqrt{-a^2 * x^2 + 1} - 1) + 2 * (3 * a^3 * x^3 + 2 * a * x) * \sqrt{-a^2 * x^2 + 1} + 16 * \arcsin(a * x)) / x^5$

**Sympy** [A]

time = 3.45, size = 182, normalized size = 2.28

$$a \left( \begin{array}{l} \left( -\frac{3a^4 \operatorname{acosh}\left(\frac{1}{ax}\right)}{8} + \frac{3a^3}{8x\sqrt{-1+\frac{1}{a^2x^2}}} - \frac{a}{8x^3\sqrt{-1+\frac{1}{a^2x^2}}} - \frac{1}{4ax^5\sqrt{-1+\frac{1}{a^2x^2}}} \right) \text{ for } \left|\frac{1}{a^2x^2}\right| > 1 \\ \left( \frac{3ia^4 \operatorname{asin}\left(\frac{1}{ax}\right)}{8} - \frac{3ia^3}{8x\sqrt{1-\frac{1}{a^2x^2}}} + \frac{ia}{8x^3\sqrt{1-\frac{1}{a^2x^2}}} + \frac{i}{4ax^5\sqrt{1-\frac{1}{a^2x^2}}} \right) \text{ otherwise} \end{array} \right) - \frac{\operatorname{asin}(ax)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*6,x)

[Out] a\*Piecewise((-3\*a\*\*4\*acosh(1/(a\*x))/8 + 3\*a\*\*3/(8\*x\*sqrt(-1 + 1/(a\*\*2\*x\*\*2))) - a/(8\*x\*\*3\*sqrt(-1 + 1/(a\*\*2\*x\*\*2)))) - 1/(4\*a\*x\*\*5\*sqrt(-1 + 1/(a\*\*2\*x\*\*2))), 1/Abs(a\*\*2\*x\*\*2) > 1), (3\*I\*a\*\*4\*asin(1/(a\*x))/8 - 3\*I\*a\*\*3/(8\*x\*sqrt(1 - 1/(a\*\*2\*x\*\*2))) + I\*a/(8\*x\*\*3\*sqrt(1 - 1/(a\*\*2\*x\*\*2)))) + I/(4\*a\*x\*\*5\*sqrt(1 - 1/(a\*\*2\*x\*\*2))), True))/5 - asin(a\*x)/(5\*x\*\*5)

**Giac** [A]

time = 0.41, size = 101, normalized size = 1.26

$$\frac{3a^6 \log(\sqrt{-a^2x^2+1}+1) - 3a^6 \log(-\sqrt{-a^2x^2+1}+1) - \frac{2(3(-a^2x^2+1)^{\frac{3}{2}}a^6 - 5\sqrt{-a^2x^2+1}a^6)}{a^4x^4}}{80a} - \frac{\arcsin(ax)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^6,x, algorithm="giac")

[Out] -1/80\*(3\*a^6\*log(sqrt(-a^2\*x^2 + 1) + 1) - 3\*a^6\*log(-sqrt(-a^2\*x^2 + 1) + 1) - 2\*(3\*(-a^2\*x^2 + 1)^(3/2)\*a^6 - 5\*sqrt(-a^2\*x^2 + 1)\*a^6)/(a^4\*x^4))/a - 1/5\*arcsin(a\*x)/x^5

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arcsin(ax)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)/x^6,x)

[Out] int(asin(a\*x)/x^6, x)

## 3.12 $\int x^4 \text{ArcSin}(ax)^2 dx$

**Optimal.** Leaf size=120

$$-\frac{16x}{75a^4} - \frac{8x^3}{225a^2} - \frac{2x^5}{125} + \frac{16\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{75a^5} + \frac{8x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{75a^3} + \frac{2x^4\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{25a} + \dots$$

[Out]  $-16/75*x/a^4-8/225*x^3/a^2-2/125*x^5+1/5*x^5*\arcsin(a*x)^2+16/75*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^5+8/75*x^2*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3+2/25*x^4*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.12, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4795, 4767, 8, 30}

$$-\frac{16x}{75a^4} + \frac{2x^4\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{25a} - \frac{8x^3}{225a^2} + \frac{16\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{75a^5} + \frac{8x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{75a^3} + \frac{1}{5}x^5 \text{ArcSin}(ax)^2 - \frac{2x^5}{125}$$

Antiderivative was successfully verified.

[In] `Int[x^4*ArcSin[a*x]^2,x]`

[Out]  $(-16*x)/(75*a^4) - (8*x^3)/(225*a^2) - (2*x^5)/125 + (16*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(75*a^5) + (8*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(75*a^3) + (2*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(25*a) + (x^5*\text{ArcSin}[a*x]^2)/5$

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 30

`Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

Rule 4723

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

Rule 4767

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a,`

b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

### Rubi steps

$$\begin{aligned} \int x^4 \sin^{-1}(ax)^2 dx &= \frac{1}{5}x^5 \sin^{-1}(ax)^2 - \frac{1}{5}(2a) \int \frac{x^5 \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{2x^4 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax)^2 - \frac{2 \int x^4 dx}{25} - \frac{8 \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{25a} \\ &= -\frac{2x^5}{125} + \frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{75a^3} + \frac{2x^4 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax)^2 - \dots \\ &= -\frac{8x^3}{225a^2} - \frac{2x^5}{125} + \frac{16\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{75a^5} + \frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{75a^3} + \frac{2x^4 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{25a} \\ &= -\frac{16x}{75a^4} - \frac{8x^3}{225a^2} - \frac{2x^5}{125} + \frac{16\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{75a^5} + \frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{75a^3} + \frac{2x^4 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{25a} \end{aligned}$$

### Mathematica [A]

time = 0.02, size = 82, normalized size = 0.68

$$\frac{-2ax(120 + 20a^2x^2 + 9a^4x^4) + 30\sqrt{1 - a^2x^2}(8 + 4a^2x^2 + 3a^4x^4) \operatorname{ArcSin}(ax) + 225a^5x^5 \operatorname{ArcSin}(ax)^2}{1125a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcSin[a\*x]^2,x]

[Out] (-2\*a\*x\*(120 + 20\*a^2\*x^2 + 9\*a^4\*x^4) + 30\*sqrt[1 - a^2\*x^2]\*(8 + 4\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcSin[a\*x] + 225\*a^5\*x^5\*ArcSin[a\*x]^2)/(1125\*a^5)

### Maple [A]

time = 0.11, size = 76, normalized size = 0.63

method	result	size
derivativedivides	$\frac{\frac{a^5 x^5 \arcsin(ax)^2}{5} + \frac{2 \arcsin(ax)(3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75 a^5} - \frac{2a^5 x^5}{125} - \frac{8a^3 x^3}{225} - \frac{16ax}{75}}$	76
default	$\frac{\frac{a^5 x^5 \arcsin(ax)^2}{5} + \frac{2 \arcsin(ax)(3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75 a^5} - \frac{2a^5 x^5}{125} - \frac{8a^3 x^3}{225} - \frac{16ax}{75}}$	76

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

[Out]  $1/a^5*(1/5*a^5*x^5*arcsin(a*x)^2+2/75*arcsin(a*x)*(3*a^4*x^4+4*a^2*x^2+8)*(-a^2*x^2+1)^{(1/2)}-2/125*a^5*x^5-8/225*a^3*x^3-16/75*a*x)$

**Maxima** [A]

time = 0.53, size = 102, normalized size = 0.85

$$\frac{1}{5} x^5 \arcsin(ax)^2 + \frac{2}{75} \left( \frac{3 \sqrt{-a^2 x^2 + 1} x^4}{a^2} + \frac{4 \sqrt{-a^2 x^2 + 1} x^2}{a^4} + \frac{8 \sqrt{-a^2 x^2 + 1}}{a^6} \right) a \arcsin(ax) - \frac{2(9a^4 x^5 + 20a^2 x^3 + 120x)}{1125a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $1/5*x^5*arcsin(a*x)^2 + 2/75*(3*sqrt(-a^2*x^2 + 1)*x^4/a^2 + 4*sqrt(-a^2*x^2 + 1)*x^2/a^4 + 8*sqrt(-a^2*x^2 + 1)/a^6)*a*arcsin(a*x) - 2/1125*(9*a^4*x^5 + 20*a^2*x^3 + 120*x)/a^4$

**Fricas** [A]

time = 2.37, size = 76, normalized size = 0.63

$$\frac{225 a^5 x^5 \arcsin(ax)^2 - 18 a^5 x^5 - 40 a^3 x^3 + 30 (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1} \arcsin(ax) - 240 ax}{1125 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^2,x, algorithm="fricas")`

[Out]  $1/1125*(225*a^5*x^5*arcsin(a*x)^2 - 18*a^5*x^5 - 40*a^3*x^3 + 30*(3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(-a^2*x^2 + 1)*arcsin(a*x) - 240*a*x)/a^5$

**Sympy** [A]

time = 0.48, size = 114, normalized size = 0.95

$$\begin{cases} \frac{x^5 \operatorname{asin}^2(ax)}{5} - \frac{2x^5}{125} + \frac{2x^4 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{25a} - \frac{8x^3}{225a^2} + \frac{8x^2 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{75a^3} - \frac{16x}{75a^4} + \frac{16 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{75a^5} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*\*4\*asin(a\*x)\*\*2,x)

[Out] Piecewise((x\*\*5\*asin(a\*x)\*\*2/5 - 2\*x\*\*5/125 + 2\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)\*a  
sin(a\*x)/(25\*a) - 8\*x\*\*3/(225\*a\*\*2) + 8\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)  
/(75\*a\*\*3) - 16\*x/(75\*a\*\*4) + 16\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(75\*a\*\*5),  
Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.42, size = 169, normalized size = 1.41

$$\frac{(a^2x^2 - 1)^2 x \arcsin(ax)^2}{5a^4} + \frac{2(a^2x^2 - 1)x \arcsin(ax)^2}{5a^4} - \frac{2(a^2x^2 - 1)^2 x}{125a^4} + \frac{x \arcsin(ax)^2}{5a^4} + \frac{2(a^2x^2 - 1)^2 \sqrt{-a^2x^2 + 1} \arcsin(ax)}{25a^5} - \frac{76(a^2x^2 - 1)x}{1125a^4} - \frac{4(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)}{15a^5} - \frac{298x}{1125a^4} + \frac{2\sqrt{-a^2x^2 + 1} \arcsin(ax)}{5a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^2,x, algorithm="giac")

[Out] 1/5\*(a^2\*x^2 - 1)^2\*x\*arcsin(a\*x)^2/a^4 + 2/5\*(a^2\*x^2 - 1)\*x\*arcsin(a\*x)^2  
/a^4 - 2/125\*(a^2\*x^2 - 1)^2\*x/a^4 + 1/5\*x\*arcsin(a\*x)^2/a^4 + 2/25\*(a^2\*x^2  
- 1)^2\*sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)/a^5 - 76/1125\*(a^2\*x^2 - 1)\*x/a^4 -  
4/15\*(-a^2\*x^2 + 1)^(3/2)\*arcsin(a\*x)/a^5 - 298/1125\*x/a^4 + 2/5\*sqrt(-a^2  
\*x^2 + 1)\*arcsin(a\*x)/a^5

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \operatorname{asin}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*asin(a\*x)^2,x)

[Out] int(x^4\*asin(a\*x)^2, x)

### 3.13 $\int x^3 \text{ArcSin}(ax)^2 dx$

**Optimal.** Leaf size=98

$$-\frac{3x^2}{32a^2} - \frac{x^4}{32} + \frac{3x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{16a^3} + \frac{x^3\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{8a} - \frac{3\text{ArcSin}(ax)^2}{32a^4} + \frac{1}{4}x^4 \text{ArcSin}(ax)^2$$

[Out]  $-3/32*x^2/a^2-1/32*x^4-3/32*\arcsin(a*x)^2/a^4+1/4*x^4*\arcsin(a*x)^2+3/16*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3+1/8*x^3*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.10, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4723, 4795, 4737, 30}

$$-\frac{3\text{ArcSin}(ax)^2}{32a^4} + \frac{x^3\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{8a} - \frac{3x^2}{32a^2} + \frac{3x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{16a^3} + \frac{1}{4}x^4 \text{ArcSin}(ax)^2 - \frac{x^4}{32}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcSin[a\*x]^2,x]

[Out]  $(-3*x^2)/(32*a^2) - x^4/32 + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(16*a^3) + (x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(8*a) - (3*\text{ArcSin}[a*x]^2)/(32*a^4) + (x^4*\text{ArcSin}[a*x]^2)/4$

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4737

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

Rule 4795

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a +

$b \cdot \text{ArcSin}[c \cdot x]^n / (e \cdot (m + 2 \cdot p + 1))$ ,  $x$ ] +  $(\text{Dist}[f^2 \cdot ((m - 1) / (c^2 \cdot (m + 2 \cdot p + 1)))$ ,  $\text{Int}[(f \cdot x)^{(m - 2)} \cdot (d + e \cdot x^2)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n$ ,  $x$ ] +  $\text{Dist}[b \cdot f \cdot (n / (c \cdot (m + 2 \cdot p + 1))) \cdot \text{Simp}[(d + e \cdot x^2)^p / (1 - c^2 \cdot x^2)^p]$ ,  $\text{Int}[(f \cdot x)^{(m - 1)} \cdot (1 - c^2 \cdot x^2)^{(p + 1/2)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{(n - 1)}$ ,  $x$ ]) /;  $\text{FreeQ}[\{a, b, c, d, e, f, p\}, x]$  &&  $\text{EqQ}[c^2 \cdot d + e, 0]$  &&  $\text{GtQ}[n, 0]$  &&  $\text{IGtQ}[m, 1]$  &&  $\text{NeQ}[m + 2 \cdot p + 1, 0]$

Rubi steps

$$\begin{aligned} \int x^3 \sin^{-1}(ax)^2 dx &= \frac{1}{4} x^4 \sin^{-1}(ax)^2 - \frac{1}{2} a \int \frac{x^4 \sin^{-1}(ax)}{\sqrt{1 - a^2 x^2}} dx \\ &= \frac{x^3 \sqrt{1 - a^2 x^2} \sin^{-1}(ax)}{8a} + \frac{1}{4} x^4 \sin^{-1}(ax)^2 - \frac{\int x^3 dx}{8} - \frac{3 \int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1 - a^2 x^2}} dx}{8a} \\ &= -\frac{x^4}{32} + \frac{3x \sqrt{1 - a^2 x^2} \sin^{-1}(ax)}{16a^3} + \frac{x^3 \sqrt{1 - a^2 x^2} \sin^{-1}(ax)}{8a} + \frac{1}{4} x^4 \sin^{-1}(ax)^2 - \frac{3 \int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1 - a^2 x^2}} dx}{8a} \\ &= -\frac{3x^2}{32a^2} - \frac{x^4}{32} + \frac{3x \sqrt{1 - a^2 x^2} \sin^{-1}(ax)}{16a^3} + \frac{x^3 \sqrt{1 - a^2 x^2} \sin^{-1}(ax)}{8a} - \frac{3 \sin^{-1}(ax)^2}{32a^4} + \end{aligned}$$

Mathematica [A]

time = 0.02, size = 74, normalized size = 0.76

$$\frac{-a^2 x^2 (3 + a^2 x^2) + 2ax \sqrt{1 - a^2 x^2} (3 + 2a^2 x^2) \text{ArcSin}(ax) + (-3 + 8a^4 x^4) \text{ArcSin}(ax)^2}{32a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^2,x]

[Out]  $(-(a^2 \cdot x^2 \cdot (3 + a^2 \cdot x^2)) + 2 \cdot a \cdot x \cdot \text{Sqrt}[1 - a^2 \cdot x^2] \cdot (3 + 2 \cdot a^2 \cdot x^2) \cdot \text{ArcSin}[a \cdot x] + (-3 + 8 \cdot a^4 \cdot x^4) \cdot \text{ArcSin}[a \cdot x]^2) / (32 \cdot a^4)$

Maple [A]

time = 0.10, size = 91, normalized size = 0.93

method	result
derivativedivides	$\frac{\frac{a^4 x^4 \arcsin(ax)^2}{4} - \frac{\arcsin(ax) \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{16 a^4} + \frac{3 \arcsin(ax)^2}{32} - \frac{(2a^2 x^2 + 3)^2}{128}}{a^4}$
default	$\frac{\frac{a^4 x^4 \arcsin(ax)^2}{4} - \frac{\arcsin(ax) \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{16 a^4} + \frac{3 \arcsin(ax)^2}{32} - \frac{(2a^2 x^2 + 3)^2}{128}}{a^4}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*arcsin(a*x)^2,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^4*(1/4*a^4*x^4*arcsin(a*x)^2-1/16*arcsin(a*x)*(-2*a^3*x^3*(-a^2*x^2+1)^(1/2)-3*a*x*(-a^2*x^2+1)^(1/2)+3*arcsin(a*x))+3/32*arcsin(a*x)^2-1/128*(2*a^2*x^2+3)^2)
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^2,x, algorithm="maxima")
```

```
[Out] 1/4*x^4*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2 + a*integrate(1/2*sqrt(a*x + 1)*sqrt(-a*x + 1)*x^4*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))/(a^2*x^2 - 1), x)
```

**Fricas** [A]

time = 2.61, size = 70, normalized size = 0.71

$$\frac{a^4 x^4 + 3 a^2 x^2 - (8 a^4 x^4 - 3) \arcsin(ax)^2 - 2(2 a^3 x^3 + 3 a x) \sqrt{-a^2 x^2 + 1} \arcsin(ax)}{32 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^2,x, algorithm="fricas")
```

```
[Out] -1/32*(a^4*x^4 + 3*a^2*x^2 - (8*a^4*x^4 - 3)*arcsin(a*x)^2 - 2*(2*a^3*x^3 + 3*a*x)*sqrt(-a^2*x^2 + 1)*arcsin(a*x))/a^4
```

**Sympy** [A]

time = 0.33, size = 90, normalized size = 0.92

$$\begin{cases} \frac{x^4 \operatorname{asin}^2(ax)}{4} - \frac{x^4}{32} + \frac{x^3 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{8a} - \frac{3x^2}{32a^2} + \frac{3x \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{16a^3} - \frac{3 \operatorname{asin}^2(ax)}{32a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*asin(a*x)**2,x)
```

```
[Out] Piecewise((x**4*asin(a*x)**2/4 - x**4/32 + x**3*sqrt(-a**2*x**2 + 1)*asin(a*x)/(8*a) - 3*x**2/(32*a**2) + 3*x*sqrt(-a**2*x**2 + 1)*asin(a*x)/(16*a**3) - 3*asin(a*x)**2/(32*a**4), Ne(a, 0)), (0, True))
```

**Giac [A]**

time = 0.40, size = 133, normalized size = 1.36

$$-\frac{(-a^2x^2+1)^{\frac{3}{2}}x\arcsin(ax)}{8a^3} + \frac{(a^2x^2-1)^2\arcsin(ax)^2}{4a^4} + \frac{5\sqrt{-a^2x^2+1}x\arcsin(ax)}{16a^3} + \frac{(a^2x^2-1)\arcsin(ax)^2}{2a^4} - \frac{(a^2x^2-1)^2}{32a^4} + \frac{5\arcsin(ax)^2}{32a^4} - \frac{5(a^2x^2-1)}{32a^4} - \frac{17}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x^3\*arcsin(a\*x)^2,x, algorithm="giac")

**[Out]**  $-1/8*(-a^2*x^2 + 1)^{(3/2)}*x*\arcsin(a*x)/a^3 + 1/4*(a^2*x^2 - 1)^2*\arcsin(a*x)^2/a^4 + 5/16*\sqrt{-a^2*x^2 + 1}*x*\arcsin(a*x)/a^3 + 1/2*(a^2*x^2 - 1)*\arcsin(a*x)^2/a^4 - 1/32*(a^2*x^2 - 1)^2/a^4 + 5/32*\arcsin(a*x)^2/a^4 - 5/32*(a^2*x^2 - 1)/a^4 - 17/256/a^4$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{asin}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^3\*asin(a\*x)^2,x)**[Out]** int(x^3\*asin(a\*x)^2, x)

### 3.14 $\int x^2 \text{ArcSin}(ax)^2 dx$

**Optimal.** Leaf size=82

$$-\frac{4x}{9a^2} - \frac{2x^3}{27} + \frac{4\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{9a^3} + \frac{2x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{9a} + \frac{1}{3}x^3 \text{ArcSin}(ax)^2$$

[Out]  $-4/9*x/a^2-2/27*x^3+1/3*x^3*\arcsin(a*x)^2+4/9*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3+2/9*x^2*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4795, 4767, 8, 30}

$$\frac{2x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{9a} - \frac{4x}{9a^2} + \frac{4\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{9a^3} + \frac{1}{3}x^3 \text{ArcSin}(ax)^2 - \frac{2x^3}{27}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcSin[a\*x]^2,x]

[Out]  $(-4*x)/(9*a^2) - (2*x^3)/27 + (4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a^3) + (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a) + (x^3*\text{ArcSin}[a*x]^2)/3$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4767

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(d + e\*x^2)^(p+1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p+1))), x] + Dist[b\*(n/(2\*c\*(p+1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p+1/2)\*(a + b\*ArcSin[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

## Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

## Rubi steps

$$\begin{aligned} \int x^2 \sin^{-1}(ax)^2 dx &= \frac{1}{3}x^3 \sin^{-1}(ax)^2 - \frac{1}{3}(2a) \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{2x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{9a} + \frac{1}{3}x^3 \sin^{-1}(ax)^2 - \frac{2 \int x^2 dx}{9} - \frac{4 \int \frac{x \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{9a} \\ &= -\frac{2x^3}{27} + \frac{4\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{9a^3} + \frac{2x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{9a} + \frac{1}{3}x^3 \sin^{-1}(ax)^2 - \frac{4 \int}{9} \\ &= -\frac{4x}{9a^2} - \frac{2x^3}{27} + \frac{4\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{9a^3} + \frac{2x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{9a} + \frac{1}{3}x^3 \sin^{-1}(ax)^2 \end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 64, normalized size = 0.78

$$\frac{-2ax(6 + a^2x^2) + 6\sqrt{1 - a^2x^2}(2 + a^2x^2) \operatorname{ArcSin}(ax) + 9a^3x^3 \operatorname{ArcSin}(ax)^2}{27a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcSin[a\*x]^2,x]

[Out] (-2\*a\*x\*(6 + a^2\*x^2) + 6\*sqrt[1 - a^2\*x^2]\*(2 + a^2\*x^2)\*ArcSin[a\*x] + 9\*a^3\*x^3\*ArcSin[a\*x]^2)/(27\*a^3)

**Maple [A]**

time = 0.09, size = 59, normalized size = 0.72

method	result	size
derivativedivides	$\frac{a^3 x^3 \arcsin(ax)^2 + \frac{2 \arcsin(ax)(a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{9} - \frac{2a^3 x^3}{27} - \frac{4ax}{9}}{a^3}$	59

default	$\frac{\frac{a^3 x^3 \arcsin(ax)^2}{3} + \frac{2 \arcsin(ax)(a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{a^3} - \frac{2a^3 x^3}{27} - \frac{4ax}{9}}{a^3}$	59
---------	--	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^3} * ( \frac{1}{3} * a^3 * x^3 * \arcsin(a*x)^2 + 2/9 * \arcsin(a*x) * (a^2 * x^2 + 2) * (-a^2 * x^2 + 1)^{1/2} - 2/27 * a^3 * x^3 - 4/9 * a * x )$

**Maxima** [A]

time = 0.51, size = 72, normalized size = 0.88

$$\frac{1}{3} x^3 \arcsin(ax)^2 + \frac{2}{9} a \left( \frac{\sqrt{-a^2 x^2 + 1} x^2}{a^2} + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right) \arcsin(ax) - \frac{2(a^2 x^3 + 6x)}{27 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $\frac{1}{3} * x^3 * \arcsin(a*x)^2 + \frac{2}{9} * a * (\sqrt{-a^2 * x^2 + 1}) * x^2 / a^2 + 2 * \sqrt{-a^2 * x^2 + 1} / a^4 * \arcsin(a*x) - \frac{2}{27} * (a^2 * x^3 + 6 * x) / a^2$

**Fricas** [A]

time = 2.16, size = 59, normalized size = 0.72

$$\frac{9 a^3 x^3 \arcsin(ax)^2 - 2 a^3 x^3 + 6(a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1} \arcsin(ax) - 12 ax}{27 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^2,x, algorithm="fricas")`

[Out]  $\frac{1}{27} * (9 * a^3 * x^3 * \arcsin(a*x)^2 - 2 * a^3 * x^3 + 6 * (a^2 * x^2 + 2) * \sqrt{-a^2 * x^2 + 1} * \arcsin(a*x) - 12 * a * x) / a^3$

**Sympy** [A]

time = 0.19, size = 76, normalized size = 0.93

$$\begin{cases} \frac{x^3 \operatorname{asin}^2(ax)}{3} - \frac{2x^3}{27} + \frac{2x^2 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{9a} - \frac{4x}{9a^2} + \frac{4 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{9a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*asin(a*x)**2,x)`

[Out] `Piecewise((x**3*asin(a*x)**2/3 - 2*x**3/27 + 2*x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)/(9*a) - 4*x/(9*a**2) + 4*sqrt(-a**2*x**2 + 1)*asin(a*x)/(9*a**3), Ne(a, 0)), (0, True))`



**Giac [A]**

time = 0.40, size = 97, normalized size = 1.18

$$\frac{(a^2x^2 - 1)x \arcsin(ax)^2}{3a^2} + \frac{x \arcsin(ax)^2}{3a^2} - \frac{2(a^2x^2 - 1)x}{27a^2} - \frac{2(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)}{9a^3} - \frac{14x}{27a^2} + \frac{2\sqrt{-a^2x^2 + 1} \arcsin(ax)}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2*arcsin(a*x)^2,x, algorithm="giac")`

```
[Out] 1/3*(a^2*x^2 - 1)*x*arcsin(a*x)^2/a^2 + 1/3*x*arcsin(a*x)^2/a^2 - 2/27*(a^2
*x^2 - 1)*x/a^2 - 2/9*(-a^2*x^2 + 1)^(3/2)*arcsin(a*x)/a^3 - 14/27*x/a^2 +
2/3*sqrt(-a^2*x^2 + 1)*arcsin(a*x)/a^3
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{asin}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2*asin(a*x)^2,x)``[Out] int(x^2*asin(a*x)^2, x)`

### 3.15 $\int x \text{ArcSin}(ax)^2 dx$

Optimal. Leaf size=60

$$-\frac{x^2}{4} + \frac{x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{2a} - \frac{\text{ArcSin}(ax)^2}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)^2$$

[Out]  $-1/4*x^2-1/4*\arcsin(a*x)^2/a^2+1/2*x^2*\arcsin(a*x)^2+1/2*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A]

time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4795, 4737, 30}

$$\frac{x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{2a} - \frac{\text{ArcSin}(ax)^2}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)^2 - \frac{x^2}{4}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcSin[a\*x]^2,x]

[Out]  $-1/4*x^2 + (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(2*a) - \text{ArcSin}[a*x]^2/(4*a^2) + (x^2*\text{ArcSin}[a*x]^2)/2$

Rule 30

Int[(x\_)^(m\_), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4737

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] :> Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

Rule 4795

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a +

```

b*ArcSin[c*x]^n/(e*(m + 2*p + 1)), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
+ 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]

```

### Rubi steps

$$\begin{aligned}
\int x \sin^{-1}(ax)^2 dx &= \frac{1}{2}x^2 \sin^{-1}(ax)^2 - a \int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\
&= \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{2a} + \frac{1}{2}x^2 \sin^{-1}(ax)^2 - \frac{\int x dx}{2} - \frac{\int \frac{\sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{2a} \\
&= -\frac{x^2}{4} + \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{2a} - \frac{\sin^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^2
\end{aligned}$$

### Mathematica [A]

time = 0.01, size = 55, normalized size = 0.92

$$\frac{-a^2x^2 + 2ax\sqrt{1 - a^2x^2} \operatorname{ArcSin}(ax) + (-1 + 2a^2x^2) \operatorname{ArcSin}(ax)^2}{4a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcSin[a*x]^2,x]
```

```
[Out] (-a^2*x^2) + 2*a*x*Sqrt[1 - a^2*x^2]*ArcSin[a*x] + (-1 + 2*a^2*x^2)*ArcSin
[a*x]^2)/(4*a^2)
```

### Maple [A]

time = 0.02, size = 65, normalized size = 1.08

method	result	size
derivativedivides	$\frac{\frac{(a^2x^2-1) \arcsin(ax)^2}{2} + \frac{\arcsin(ax) \left( ax\sqrt{-a^2x^2+1} + \arcsin(ax) \right)}{a^2} - \frac{\arcsin(ax)^2}{4} - \frac{a^2x^2}{4}}{a^2}$	65
default	$\frac{\frac{(a^2x^2-1) \arcsin(ax)^2}{2} + \frac{\arcsin(ax) \left( ax\sqrt{-a^2x^2+1} + \arcsin(ax) \right)}{a^2} - \frac{\arcsin(ax)^2}{4} - \frac{a^2x^2}{4}}{a^2}$	65

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^2,x,method=_RETURNVERBOSE)
```

[Out]  $1/a^2*(1/2*(a^2*x^2-1)*\arcsin(ax))^2+1/2*\arcsin(ax)*(ax*(-a^2*x^2+1)^{(1/2)}+\arcsin(ax))-1/4*\arcsin(ax)^2-1/4*a^2*x^2)$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $1/2*x^2*\arctan2(ax, \sqrt{ax+1}*\sqrt{-ax+1})^2 + a*\int(\sqrt{ax+1}*\sqrt{-ax+1}*x^2*\arctan2(ax, \sqrt{ax+1}*\sqrt{-ax+1}))/((a^2*x^2-1), x)$

**Fricas [A]**

time = 1.94, size = 51, normalized size = 0.85

$$\frac{a^2x^2 - 2\sqrt{-a^2x^2 + 1}ax \arcsin(ax) - (2a^2x^2 - 1)\arcsin(ax)^2}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^2,x, algorithm="fricas")`

[Out]  $-1/4*(a^2*x^2 - 2*\sqrt{-a^2*x^2 + 1}*a*x*\arcsin(a*x) - (2*a^2*x^2 - 1)*\arcsin(a*x)^2)/a^2$

**Sympy [A]**

time = 0.13, size = 51, normalized size = 0.85

$$\begin{cases} \frac{x^2 \operatorname{asin}^2(ax)}{2} - \frac{x^2}{4} + \frac{x\sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{2a} - \frac{\operatorname{asin}^2(ax)}{4a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asin(a*x)**2,x)`

[Out] `Piecewise((x**2*asin(a*x)**2/2 - x**2/4 + x*sqrt(-a**2*x**2 + 1)*asin(a*x)/(2*a) - asin(a*x)**2/(4*a**2), Ne(a, 0)), (0, True))`

**Giac [A]**

time = 0.43, size = 73, normalized size = 1.22

$$\frac{\sqrt{-a^2x^2+1}x \arcsin(ax)}{2a} + \frac{(a^2x^2-1)\arcsin(ax)^2}{2a^2} + \frac{\arcsin(ax)^2}{4a^2} - \frac{a^2x^2-1}{4a^2} - \frac{1}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^2,x, algorithm="giac")

[Out]  $\frac{1}{2}\sqrt{-a^2x^2 + 1}x\arcsin(ax)/a + \frac{1}{2}(a^2x^2 - 1)\arcsin(ax)^2/a^2 + \frac{1}{4}\arcsin(ax)^2/a^2 - \frac{1}{4}(a^2x^2 - 1)/a^2 - \frac{1}{8}/a^2$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int x \operatorname{asin}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^2,x)

[Out] int(x\*asin(a\*x)^2, x)

### 3.16 $\int \text{ArcSin}(ax)^2 dx$

Optimal. Leaf size=35

$$-2x + \frac{2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{a} + x\text{ArcSin}(ax)^2$$

[Out]  $-2*x+x*\arcsin(a*x)^2+2*\arcsin(a*x)*(-a^2*x^2+1)^(1/2)/a$

Rubi [A]

time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4715, 4767, 8}

$$\frac{2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{a} + x\text{ArcSin}(ax)^2 - 2x$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2,x]

[Out]  $-2*x + (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/a + x*\text{ArcSin}[a*x]^2$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.], x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \sin^{-1}(ax)^2 dx &= x \sin^{-1}(ax)^2 - (2a) \int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
&= \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a} + x \sin^{-1}(ax)^2 - 2 \int 1 dx \\
&= -2x + \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a} + x \sin^{-1}(ax)^2
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 35, normalized size = 1.00

$$-2x + \frac{2\sqrt{1-a^2x^2} \operatorname{ArcSin}(ax)}{a} + x \operatorname{ArcSin}(ax)^2$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^2,x]``[Out] -2*x + (2*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/a + x*ArcSin[a*x]^2`**Maple [A]**

time = 0.02, size = 37, normalized size = 1.06

method	result	size
derivativedivides	$\frac{ax \arcsin(ax)^2 - 2ax + 2 \arcsin(ax) \sqrt{-a^2x^2 + 1}}{a}$	37
default	$\frac{ax \arcsin(ax)^2 - 2ax + 2 \arcsin(ax) \sqrt{-a^2x^2 + 1}}{a}$	37

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^2,x,method=_RETURNVERBOSE)``[Out] 1/a*(a*x*arcsin(a*x)^2-2*a*x+2*arcsin(a*x)*(-a^2*x^2+1)^(1/2))`**Maxima [A]**

time = 0.49, size = 33, normalized size = 0.94

$$x \arcsin(ax)^2 - 2x + \frac{2\sqrt{-a^2x^2+1} \arcsin(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsin(a*x)^2,x, algorithm="maxima")``[Out] x*arcsin(a*x)^2 - 2*x + 2*sqrt(-a^2*x^2 + 1)*arcsin(a*x)/a`

**Fricas [A]**

time = 3.02, size = 36, normalized size = 1.03

$$\frac{ax \arcsin(ax)^2 - 2ax + 2\sqrt{-a^2x^2 + 1} \arcsin(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsin(a*x)^2,x, algorithm="fricas")``[Out] (a*x*arcsin(a*x)^2 - 2*a*x + 2*sqrt(-a^2*x^2 + 1)*arcsin(a*x))/a`**Sympy [A]**

time = 0.08, size = 32, normalized size = 0.91

$$\begin{cases} x \operatorname{asin}^2(ax) - 2x + \frac{2\sqrt{-a^2x^2 + 1} \operatorname{asin}(ax)}{a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(asin(a*x)**2,x)``[Out] Piecewise((x*asin(a*x)**2 - 2*x + 2*sqrt(-a**2*x**2 + 1)*asin(a*x)/a, Ne(a, 0)), (0, True))`**Giac [A]**

time = 0.41, size = 33, normalized size = 0.94

$$x \arcsin(ax)^2 - 2x + \frac{2\sqrt{-a^2x^2 + 1} \arcsin(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsin(a*x)^2,x, algorithm="giac")``[Out] x*arcsin(a*x)^2 - 2*x + 2*sqrt(-a^2*x^2 + 1)*arcsin(a*x)/a`**Mupad [B]**

time = 0.14, size = 32, normalized size = 0.91

$$x (\operatorname{asin}(ax)^2 - 2) + \frac{2 \operatorname{asin}(ax) \sqrt{1 - a^2 x^2}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(asin(a*x)^2,x)``[Out] x*(asin(a*x)^2 - 2) + (2*asin(a*x)*(1 - a^2*x^2)^(1/2))/a`



### 3.17 $\int \frac{\text{ArcSin}(ax)^2}{x} dx$

**Optimal.** Leaf size=71

$$-\frac{1}{3}i\text{ArcSin}(ax)^3 + \text{ArcSin}(ax)^2 \log(1 - e^{2i\text{ArcSin}(ax)}) - i\text{ArcSin}(ax)\text{PolyLog}(2, e^{2i\text{ArcSin}(ax)}) + \frac{1}{2}\text{PolyLog}(3, e^{2i\text{ArcSin}(ax)})$$

[Out]  $-1/3*I*\arcsin(a*x)^3 + \arcsin(a*x)^2*\ln(1 - (I*a*x + (-a^2*x^2+1)^{(1/2)})^2) - I*\arcsin(a*x)*\text{polylog}(2, (I*a*x + (-a^2*x^2+1)^{(1/2)})^2) + 1/2*\text{polylog}(3, (I*a*x + (-a^2*x^2+1)^{(1/2)})^2)$

**Rubi [A]**

time = 0.06, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4721, 3798, 2221, 2611, 2320, 6724}

$$-i\text{ArcSin}(ax)\text{Li}_2(e^{2i\text{ArcSin}(ax)}) + \frac{1}{2}\text{Li}_3(e^{2i\text{ArcSin}(ax)}) - \frac{1}{3}i\text{ArcSin}(ax)^3 + \text{ArcSin}(ax)^2 \log(1 - e^{2i\text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/x, x]

[Out]  $(-1/3*I)*\text{ArcSin}[a*x]^3 + \text{ArcSin}[a*x]^2*\text{Log}[1 - E^((2*I)*\text{ArcSin}[a*x])] - I*\text{ArcSin}[a*x]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[a*x])] + \text{PolyLog}[3, E^((2*I)*\text{ArcSin}[a*x])]/2$

Rule 2221

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] :> Simp[((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e\_)\*((F\_)^(c\_)\*((a\_) + (b\_)\*(x\_)))^(n\_)]\*((f\_) + (g\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(-(f + g\*x)^m)\*(PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m

$- 1) * \text{PolyLog}[2, (-e) * (F^{(c * (a + b * x)))^n}], x], x] /;$  FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 3798

$\text{Int}[(c + d * x)^m * \tan[e + \text{Pi} * k + f * x], x\_Symbol] := \text{Simp}[I * ((c + d * x)^m / (d * (m + 1))), x] - \text{Dist}[2 * I, \text{Int}[(c + d * x)^m * E^{(2 * I * k * \text{Pi})} * (E^{(2 * I * (e + f * x))} / (1 + E^{(2 * I * k * \text{Pi})} * E^{(2 * I * (e + f * x))})]), x], x] /;$  FreeQ[{c, d, e, f}, x] && IntegerQ[4 \* k] && IGtQ[m, 0]

### Rule 4721

$\text{Int}[(a + \text{ArcSin}[c * x] * (b + x))^n / x, x\_Symbol] := \text{Subst}[\text{Int}[(a + b * x)^n * \text{Cot}[x], x], x, \text{ArcSin}[c * x]] /;$  FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 6724

$\text{Int}[\text{PolyLog}[n, (c + (a + b * x)^p) / (d + e * x)], x\_Symbol] := \text{Simp}[\text{PolyLog}[n + 1, c * (a + b * x)^p / (e * p)], x] /;$  FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b \* d, a \* e]

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^2}{x} dx &= \text{Subst} \left( \int x^2 \cot(x) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{1}{3} i \sin^{-1}(ax)^3 - 2i \text{Subst} \left( \int \frac{e^{2ix} x^2}{1 - e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{1}{3} i \sin^{-1}(ax)^3 + \sin^{-1}(ax)^2 \log(1 - e^{2i \sin^{-1}(ax)}) - 2 \text{Subst} \left( \int x \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{1}{3} i \sin^{-1}(ax)^3 + \sin^{-1}(ax)^2 \log(1 - e^{2i \sin^{-1}(ax)}) - i \sin^{-1}(ax) \text{Li}_2(e^{2i \sin^{-1}(ax)}) + i \text{Subst} \left( \int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{1}{3} i \sin^{-1}(ax)^3 + \sin^{-1}(ax)^2 \log(1 - e^{2i \sin^{-1}(ax)}) - i \sin^{-1}(ax) \text{Li}_2(e^{2i \sin^{-1}(ax)}) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{1 - e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{1}{3} i \sin^{-1}(ax)^3 + \sin^{-1}(ax)^2 \log(1 - e^{2i \sin^{-1}(ax)}) - i \sin^{-1}(ax) \text{Li}_2(e^{2i \sin^{-1}(ax)}) + \frac{1}{2} \text{Li}_3(e^{2i \sin^{-1}(ax)}) \end{aligned}$$

### Mathematica [A]

time = 0.03, size = 71, normalized size = 1.00

$$\frac{1}{3} i \text{ArcSin}(ax)^3 + \text{ArcSin}(ax)^2 \log(1 - e^{-2i \text{ArcSin}(ax)}) + i \text{ArcSin}(ax) \text{PolyLog}(2, e^{-2i \text{ArcSin}(ax)}) + \frac{1}{2} \text{PolyLog}(3, e^{-2i \text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/x,x]

[Out] (I/3)\*ArcSin[a\*x]^3 + ArcSin[a\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[a\*x])] + I\*ArcSin[a\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[a\*x])] + PolyLog[3, E^((-2\*I)\*ArcSin[a\*x])]/2

**Maple** [A]

time = 0.04, size = 169, normalized size = 2.38

method	result
derivativedivides	$-\frac{i \arcsin(ax)^3}{3} + \arcsin(ax)^2 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 2i \arcsin(ax) \operatorname{polylog}(2, iax)$
default	$-\frac{i \arcsin(ax)^3}{3} + \arcsin(ax)^2 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 2i \arcsin(ax) \operatorname{polylog}(2, iax)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/x,x,method=\_RETURNVERBOSE)

[Out] -1/3\*I\*arcsin(a\*x)^3+arcsin(a\*x)^2\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))-2\*I\*arcsin(a\*x)\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))+2\*polylog(3,I\*a\*x+(-a^2\*x^2+1)^(1/2))+arcsin(a\*x)^2\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))-2\*I\*arcsin(a\*x)\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))+2\*polylog(3,-I\*a\*x-(-a^2\*x^2+1)^(1/2))

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x,x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^2/x, x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^2/x, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/x,x)`

[Out] `Integral(asin(a*x)**2/x, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^2/x, x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{asin}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^2/x,x)`

[Out] `int(asin(a*x)^2/x, x)`

### 3.18 $\int \frac{\text{ArcSin}(ax)^2}{x^2} dx$

**Optimal.** Leaf size=66

$$-\frac{\text{ArcSin}(ax)^2}{x} - 4a \text{ArcSin}(ax) \tanh^{-1}(e^{i \text{ArcSin}(ax)}) + 2ia \text{PolyLog}(2, -e^{i \text{ArcSin}(ax)}) - 2ia \text{PolyLog}(2, e^{i \text{ArcSin}(ax)})$$

```
[Out] -arcsin(a*x)^2/x-4*a*arcsin(a*x)*arctanh(I*a*x+(-a^2*x^2+1)^(1/2))+2*I*a*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-2*I*a*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))
```

**Rubi [A]**

time = 0.07, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4803, 4268, 2317, 2438}

$$2ia \text{Li}_2(-e^{i \text{ArcSin}(ax)}) - 2ia \text{Li}_2(e^{i \text{ArcSin}(ax)}) - \frac{\text{ArcSin}(ax)^2}{x} - 4a \text{ArcSin}(ax) \tanh^{-1}(e^{i \text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^2/x^2,x]
```

```
[Out] -(ArcSin[a*x]^2/x) - 4*a*ArcSin[a*x]*ArcTanh[E^(I*ArcSin[a*x])] + (2*I)*a*PolyLog[2, -E^(I*ArcSin[a*x])] - (2*I)*a*PolyLog[2, E^(I*ArcSin[a*x])]
```

**Rule 2317**

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

**Rule 2438**

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

**Rule 4268**

```
Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

**Rule 4723**

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_))^(m_), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
```

`/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

### Rule 4803

`Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]`

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^2}{x^2} dx &= -\frac{\sin^{-1}(ax)^2}{x} + (2a) \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\ &= -\frac{\sin^{-1}(ax)^2}{x} + (2a) \text{Subst} \left( \int x \csc(x) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{\sin^{-1}(ax)^2}{x} - 4a \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) - (2a) \text{Subst} \left( \int \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{\sin^{-1}(ax)^2}{x} - 4a \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + (2ia) \text{Subst} \left( \int \frac{\log(1-x)}{x} dx, x, e^{i \sin^{-1}(ax)} \right) \\ &= -\frac{\sin^{-1}(ax)^2}{x} - 4a \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 2ia \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 2ia \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) \end{aligned}$$

### Mathematica [A]

time = 0.10, size = 87, normalized size = 1.32

$$a \left( -\text{ArcSin}(ax) \left( \frac{\text{ArcSin}(ax)}{ax} - 2 \log(1 - e^{i \text{ArcSin}(ax)}) + 2 \log(1 + e^{i \text{ArcSin}(ax)}) \right) + 2i \text{PolyLog}(2, -e^{i \text{ArcSin}(ax)}) - 2i \text{PolyLog}(2, e^{i \text{ArcSin}(ax)}) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^2/x^2, x]`

`[Out] a*(-(ArcSin[a*x]*(ArcSin[a*x]/(a*x) - 2*Log[1 - E^(I*ArcSin[a*x])]) + 2*Log[1 + E^(I*ArcSin[a*x])])) + (2*I)*PolyLog[2, -E^(I*ArcSin[a*x])] - (2*I)*PolyLog[2, E^(I*ArcSin[a*x])]`

### Maple [A]

time = 0.02, size = 120, normalized size = 1.82

method	result
derivativedivides	$a \left( -\frac{\arcsin(ax)^2}{ax} + 2 \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 2 \arcsin(ax) \ln(1 + iax + \sqrt{-a^2x^2 + 1}) \right)$

default

$$a \left( -\frac{\arcsin(ax)^2}{ax} + 2 \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 2 \arcsin(ax) \ln(1 + iax + \sqrt{-a^2x^2 + 1}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/x^2,x,method=\_RETURNVERBOSE)

[Out] a\*(-arcsin(a\*x)^2/a/x+2\*arcsin(a\*x)\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))-2\*arcsin(a\*x)\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))+2\*I\*dilog(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))-2\*I\*dilog(1-I\*a\*x-(-a^2\*x^2+1)^(1/2)))

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^2,x, algorithm="maxima")

[Out] -(2\*a\*x\*integrate(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*arctan2(a\*x, sqrt(a\*x + 1))\*sqrt(-a\*x + 1))/(a^2\*x^3 - x), x) + arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2/x

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^2,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^2/x^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arcsin^2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/x\*\*2,x)

[Out] Integral(asin(a\*x)\*\*2/x\*\*2, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/x^2,x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^2/x^2, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{asin}(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(asin(a*x)^2/x^2,x)
```

```
[Out] int(asin(a*x)^2/x^2, x)
```



### 3.19 $\int \frac{\text{ArcSin}(ax)^2}{x^3} dx$

Optimal. Leaf size=44

$$-\frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{x} - \frac{\text{ArcSin}(ax)^2}{2x^2} + a^2 \log(x)$$

[Out]  $-1/2*\arcsin(a*x)^2/x^2+a^2*\ln(x)-a*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A]

time = 0.05, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4723, 4771, 29}

$$-\frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{x} + a^2 \log(x) - \frac{\text{ArcSin}(ax)^2}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/x^3,x]

[Out]  $-((a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/x) - \text{ArcSin}[a*x]^2/(2*x^2) + a^2*\text{Log}[x]$

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4771

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*f\*(m + 1))), x] - Dist[b\*c\*(n/(f\*(m + 1)))\*Simp[(d + e\*x^2)^(p + 1)/(1 - c^2\*x^2)^p], Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^2}{x^3} dx &= -\frac{\sin^{-1}(ax)^2}{2x^2} + a \int \frac{\sin^{-1}(ax)}{x^2 \sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{x} - \frac{\sin^{-1}(ax)^2}{2x^2} + a^2 \int \frac{1}{x} dx \\
&= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{x} - \frac{\sin^{-1}(ax)^2}{2x^2} + a^2 \log(x)
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 44, normalized size = 1.00

$$-\frac{a\sqrt{1-a^2x^2} \operatorname{ArcSin}(ax)}{x} - \frac{\operatorname{ArcSin}(ax)^2}{2x^2} + a^2 \log(x)$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^2/x^3,x]``[Out] -((a*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/x) - ArcSin[a*x]^2/(2*x^2) + a^2*Log[x]`**Maple [A]**

time = 0.02, size = 48, normalized size = 1.09

method	result	size
derivativedivides	$a^2 \left( -\frac{\arcsin(ax)^2}{2a^2x^2} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{xa} + \ln(ax) \right)$	48
default	$a^2 \left( -\frac{\arcsin(ax)^2}{2a^2x^2} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{xa} + \ln(ax) \right)$	48

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^2/x^3,x,method=_RETURNVERBOSE)``[Out] a^2*(-1/2*arcsin(a*x)^2/a^2/x^2-arcsin(a*x)/x/a*(-a^2*x^2+1)^(1/2)+ln(a*x))`**Maxima [A]**

time = 0.48, size = 40, normalized size = 0.91

$$a^2 \log(x) - \frac{\sqrt{-a^2x^2+1} a \arcsin(ax)}{x} - \frac{\arcsin(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(arcsin(a*x)^2/x^3,x, algorithm="maxima")`

[Out]  $a^2 \log(x) - \sqrt{-a^2 x^2 + 1} a \arcsin(ax) / x - 1/2 \arcsin(ax)^2 / x^2$

**Fricas** [A]

time = 2.34, size = 44, normalized size = 1.00

$$\frac{2 a^2 x^2 \log(x) - 2 \sqrt{-a^2 x^2 + 1} a x \arcsin(ax) - \arcsin(ax)^2}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^3,x, algorithm="fricas")`

[Out]  $1/2 * (2 * a^2 * x^2 * \log(x) - 2 * \sqrt{-a^2 * x^2 + 1} * a * x * \arcsin(a * x) - \arcsin(a * x)^2) / x^2$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arcsin^2(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/x**3,x)`

[Out] `Integral(asin(a*x)**2/x**3, x)`

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 82 vs.  $2(40) = 80$ .  
time = 0.44, size = 82, normalized size = 1.86

$$\frac{1}{2} \left( \left( \frac{a^4 x}{(\sqrt{-a^2 x^2 + 1} |a| + a) |a|} - \frac{\sqrt{-a^2 x^2 + 1} |a| + a}{x |a|} \right) \arcsin(ax) + 2 a \log(|x|) \right) a - \frac{\arcsin(ax)^2}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^3,x, algorithm="giac")`

[Out]  $1/2 * ((a^4 * x / ((\sqrt{-a^2 * x^2 + 1} * \text{abs}(a) + a) * \text{abs}(a)) - (\sqrt{-a^2 * x^2 + 1} * \text{abs}(a) + a) / (x * \text{abs}(a))) * \arcsin(a * x) + 2 * a * \log(\text{abs}(x))) * a - 1/2 * \arcsin(a * x)^2 / x^2$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arcsin(ax)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^2/x^3,x)`

[Out] `int(asin(a*x)^2/x^3, x)`

### 3.20 $\int \frac{\text{ArcSin}(ax)^2}{x^4} dx$

**Optimal.** Leaf size=116

$$\frac{a^2}{3x} - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{3x^2} - \frac{\text{ArcSin}(ax)^2}{3x^3} - \frac{2}{3}a^3\text{ArcSin}(ax)\tanh^{-1}(e^{i\text{ArcSin}(ax)}) + \frac{1}{3}ia^3\text{PolyLog}(2, -e^{i\text{ArcSin}(ax)})$$

[Out] -1/3\*a^2/x-1/3\*arcsin(a\*x)^2/x^3-2/3\*a^3\*arcsin(a\*x)\*arctanh(I\*a\*x+(-a^2\*x^2+1)^(1/2))+1/3\*I\*a^3\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-1/3\*I\*a^3\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))-1/3\*a\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)/x^2

**Rubi [A]**

time = 0.11, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4723, 4789, 4803, 4268, 2317, 2438, 30}

$$\frac{1}{3}ia^3\text{Li}_2(-e^{i\text{ArcSin}(ax)}) - \frac{1}{3}ia^3\text{Li}_2(e^{i\text{ArcSin}(ax)}) - \frac{2}{3}a^3\text{ArcSin}(ax)\tanh^{-1}(e^{i\text{ArcSin}(ax)}) - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{3x^2} - \frac{a^2}{3x} - \frac{\text{ArcSin}(ax)^2}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/x^4,x]

[Out] -1/3\*a^2/x - (a\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(3\*x^2) - ArcSin[a\*x]^2/(3\*x^3) - (2\*a^3\*ArcSin[a\*x]\*ArcTanh[E^(I\*ArcSin[a\*x])])/3 + (I/3)\*a^3\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (I/3)\*a^3\*PolyLog[2, E^(I\*ArcSin[a\*x])]

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2317

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4268

Int[csc[(e\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[-2\*(c + d\*x)^m\*(ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[d\*(m/f), Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[d\*(m/f), Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x]

$(m - 1) \cdot \text{Log}[1 + E^{(I \cdot (e + f \cdot x))}] , x] , x] ) / ; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$

### Rule 4723

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (d \cdot x)^m , x\_Symbol] \rightarrow \text{Simp}[(d \cdot x)^{m+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n / (d \cdot (m+1)) , x] - \text{Dist}[b \cdot c \cdot (n / (d \cdot (m+1))) , \text{Int}[(d \cdot x)^{m+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1} / \text{Sqrt}[1 - c^2 \cdot x^2]] , x] , x] / ; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

### Rule 4789

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (f \cdot x)^m \cdot (d + e \cdot x^2)^p \cdot (x^2)^p , x\_Symbol] \rightarrow \text{Simp}[(f \cdot x)^{m+1} \cdot (d + e \cdot x^2)^{p+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n / (d \cdot f \cdot (m+1)) , x] + (\text{Dist}[c^2 \cdot ((m+2 \cdot p+3) / (f^2 \cdot (m+1))) , \text{Int}[(f \cdot x)^{m+2} \cdot (d + e \cdot x^2)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n , x] , x] - \text{Dist}[b \cdot c \cdot (n / (f \cdot (m+1))) \cdot \text{Simp}[(d + e \cdot x^2)^p / (1 - c^2 \cdot x^2)^p] , \text{Int}[(f \cdot x)^{m+1} \cdot (1 - c^2 \cdot x^2)^{p+1/2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1} , x] , x]) / ; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{ILtQ}[m, -1]$

### Rule 4803

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (x^2)^m / \text{Sqrt}[(d + e \cdot x^2) \cdot (x^2)^2] , x\_Symbol] \rightarrow \text{Dist}[(1 / c^{m+1}) \cdot \text{Simp}[\text{Sqrt}[1 - c^2 \cdot x^2] / \text{Sqrt}[d + e \cdot x^2]] , \text{Subst}[\text{Int}[(a + b \cdot x)^n \cdot \text{Sin}[x]^m , x] , x, \text{ArcSin}[c \cdot x]] , x] / ; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

### Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)^2}{x^4} dx &= -\frac{\sin^{-1}(ax)^2}{3x^3} + \frac{1}{3}(2a) \int \frac{\sin^{-1}(ax)}{x^3 \sqrt{1-a^2x^2}} dx \\
 &= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x^2} - \frac{\sin^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^2 \int \frac{1}{x^2} dx + \frac{1}{3}a^3 \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{a^2}{3x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x^2} - \frac{\sin^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^3 \text{Subst}\left(\int x \csc(x) dx, x, \sin^{-1}(ax)\right) \\
 &= -\frac{a^2}{3x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x^2} - \frac{\sin^{-1}(ax)^2}{3x^3} - \frac{2}{3}a^3 \sin^{-1}(ax) \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) - \frac{1}{3}a^3 \text{Si}\left(\sin^{-1}(ax)\right) \\
 &= -\frac{a^2}{3x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x^2} - \frac{\sin^{-1}(ax)^2}{3x^3} - \frac{2}{3}a^3 \sin^{-1}(ax) \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) + \frac{1}{3}a^3 \text{Si}\left(\sin^{-1}(ax)\right) \\
 &= -\frac{a^2}{3x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x^2} - \frac{\sin^{-1}(ax)^2}{3x^3} - \frac{2}{3}a^3 \sin^{-1}(ax) \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) + \frac{1}{3}a^3 \text{Si}\left(\sin^{-1}(ax)\right)
 \end{aligned}$$

**Mathematica [A]**

time = 0.38, size = 139, normalized size = 1.20

$$\frac{a^2x^2 + ax\sqrt{1-a^2x^2}\operatorname{ArcSin}(ax) + \operatorname{ArcSin}(ax)^2 - a^3x^3\operatorname{ArcSin}(ax)\log(1 - e^{i\operatorname{ArcSin}(ax)}) + a^3x^3\operatorname{ArcSin}(ax)\log(1 + e^{i\operatorname{ArcSin}(ax)}) - ia^3x^3\operatorname{PolyLog}(2, -e^{i\operatorname{ArcSin}(ax)}) + ia^3x^3\operatorname{PolyLog}(2, e^{i\operatorname{ArcSin}(ax)})}{3x^3}$$

Antiderivative was successfully verified.

**[In]** Integrate[ArcSin[a\*x]^2/x^4,x]

**[Out]**  $-1/3*(a^2*x^2 + a*x*\sqrt{1 - a^2*x^2}*\operatorname{ArcSin}[a*x] + \operatorname{ArcSin}[a*x]^2 - a^3*x^3*\operatorname{ArcSin}[a*x]*\operatorname{Log}[1 - E^{(I*\operatorname{ArcSin}[a*x])}] + a^3*x^3*\operatorname{ArcSin}[a*x]*\operatorname{Log}[1 + E^{(I*\operatorname{ArcSin}[a*x])}] - I*a^3*x^3*\operatorname{PolyLog}[2, -E^{(I*\operatorname{ArcSin}[a*x])}] + I*a^3*x^3*\operatorname{PolyLog}[2, E^{(I*\operatorname{ArcSin}[a*x])}])/x^3$

**Maple [A]**

time = 0.16, size = 149, normalized size = 1.28

method	result
derivativedivides	$a^3 \left( -\frac{ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + \arcsin(ax)^2 + a^2x^2}{3a^3x^3} + \frac{\arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1})}{3} - \frac{i \operatorname{polylog}(2, -e^{i\arcsin(ax)})}{3} \right)$
default	$a^3 \left( -\frac{ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + \arcsin(ax)^2 + a^2x^2}{3a^3x^3} + \frac{\arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1})}{3} - \frac{i \operatorname{polylog}(2, -e^{i\arcsin(ax)})}{3} \right)$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(arcsin(a\*x)^2/x^4,x,method=\_RETURNVERBOSE)

**[Out]**  $a^3*(-1/3/a^3/x^3*(a*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}+\arcsin(a*x)^2+a^2*x^2)+1/3*\arcsin(a*x)*\ln(1-I*a*x-(-a^2*x^2+1)^{(1/2)})-1/3*I*\operatorname{polylog}(2,I*a*x+(-a^2*x^2+1)^{(1/2)})-1/3*\arcsin(a*x)*\ln(1+I*a*x+(-a^2*x^2+1)^{(1/2)})+1/3*I*\operatorname{polylog}(2,-I*a*x-(-a^2*x^2+1)^{(1/2)}))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(arcsin(a\*x)^2/x^4,x, algorithm="maxima")

**[Out]**  $-1/3*(6*a*x^3*\operatorname{integrate}(1/3*\sqrt{a*x + 1}*\sqrt{-a*x + 1}*\operatorname{arctan2}(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))/a^2*x^5 - x^3, x) + \operatorname{arctan2}(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^2/x^3$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^4,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^2/x^4, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/x**4,x)`

[Out] `Integral(asin(a*x)**2/x**4, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^4,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^2/x^4, x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^2/x^4,x)`

[Out] `int(asin(a*x)^2/x^4, x)`

### 3.21 $\int \frac{\text{ArcSin}(ax)^2}{x^5} dx$

**Optimal.** Leaf size=87

$$-\frac{a^2}{12x^2} - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{6x^3} - \frac{a^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{3x} - \frac{\text{ArcSin}(ax)^2}{4x^4} + \frac{1}{3}a^4\log(x)$$

[Out]  $-1/12*a^2/x^2-1/4*\arcsin(a*x)^2/x^4+1/3*a^4*\ln(x)-1/6*a*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/x^3-1/3*a^3*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/x$

**Rubi [A]**

time = 0.09, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4789, 4771, 29, 30}

$$\frac{1}{3}a^4\log(x) - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{6x^3} - \frac{a^2}{12x^2} - \frac{a^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{3x} - \frac{\text{ArcSin}(ax)^2}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/x^5,x]

[Out]  $-1/12*a^2/x^2 - (a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(6*x^3) - (a^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(3*x) - \text{ArcSin}[a*x]^2/(4*x^4) + (a^4*\text{Log}[x])/3$

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 30

Int[(x\_)^(m\_), x\_Symbol] :> Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4771

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(f\*x)^(m+1)\*(d + e\*x^2)^(p+1)\*((a + b\*ArcSin[c\*x])^n/(d\*f\*(m+1))), x] - Dist[b\*c\*(n/(f\*(m+1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m+1)\*(1 - c^2\*x^2)^(p+1/2)\*(a + b\*Ar



$\text{cSin}[c*x]^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& \text{EqQ}[c^2 * d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{EqQ}[m + 2*p + 3, 0] \&\& \text{NeQ}[m, -1]$

### Rule 4789

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*((a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1))), x] + (\text{Dist}[c^2*((m+2*p+3)/(f^2*(m+1))), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[b*c*(n/(f*(m+1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{ILtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^2}{x^5} dx &= -\frac{\sin^{-1}(ax)^2}{4x^4} + \frac{1}{2}a \int \frac{\sin^{-1}(ax)}{x^4\sqrt{1-a^2x^2}} dx \\ &= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{6x^3} - \frac{\sin^{-1}(ax)^2}{4x^4} + \frac{1}{6}a^2 \int \frac{1}{x^3} dx + \frac{1}{3}a^3 \int \frac{\sin^{-1}(ax)}{x^2\sqrt{1-a^2x^2}} dx \\ &= -\frac{a^2}{12x^2} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{6x^3} - \frac{a^3\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x} - \frac{\sin^{-1}(ax)^2}{4x^4} + \frac{1}{3}a^4 \int \frac{1}{x} dx \\ &= -\frac{a^2}{12x^2} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)}{6x^3} - \frac{a^3\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3x} - \frac{\sin^{-1}(ax)^2}{4x^4} + \frac{1}{3}a^4 \log(x) \end{aligned}$$

### Mathematica [A]

time = 0.02, size = 69, normalized size = 0.79

$$-\frac{a^2}{12x^2} - \frac{a\sqrt{1-a^2x^2}(1+2a^2x^2)\text{ArcSin}(ax)}{6x^3} - \frac{\text{ArcSin}(ax)^2}{4x^4} + \frac{1}{3}a^4 \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/x^5,x]

[Out] -1/12\*a^2/x^2 - (a\*Sqrt[1 - a^2\*x^2]\*(1 + 2\*a^2\*x^2)\*ArcSin[a\*x])/(6\*x^3) - ArcSin[a\*x]^2/(4\*x^4) + (a^4\*Log[x])/3

### Maple [A]

time = 0.02, size = 82, normalized size = 0.94

method	result	size
--------	--------	------

derivativedivides	$a^4 \left( -\frac{\arcsin(ax)^2}{4a^4x^4} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{6a^3x^3} - \frac{1}{12a^2x^2} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{3xa} + \frac{\ln(ax)}{3} \right)$	82
default	$a^4 \left( -\frac{\arcsin(ax)^2}{4a^4x^4} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{6a^3x^3} - \frac{1}{12a^2x^2} - \frac{\arcsin(ax)\sqrt{-a^2x^2+1}}{3xa} + \frac{\ln(ax)}{3} \right)$	82

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^2/x^5,x,method=_RETURNVERBOSE)`

[Out]  $a^4 * (-1/4 * \arcsin(a*x)^2 / a^4 / x^4 - 1/6 * \arcsin(a*x) / a^3 / x^3 * (-a^2 * x^2 + 1)^{(1/2)} - 1/12 / a^2 / x^2 - 1/3 * \arcsin(a*x) / x / a * (-a^2 * x^2 + 1)^{(1/2)} + 1/3 * \ln(a*x))$

**Maxima** [A]

time = 0.47, size = 74, normalized size = 0.85

$$\frac{1}{12} \left( 4a^2 \log(x) - \frac{1}{x^2} \right) a^2 - \frac{1}{6} \left( \frac{2\sqrt{-a^2x^2+1}a^2}{x} + \frac{\sqrt{-a^2x^2+1}}{x^3} \right) a \arcsin(ax) - \frac{\arcsin(ax)^2}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^5,x, algorithm="maxima")`

[Out]  $1/12 * (4 * a^2 * \log(x) - 1/x^2) * a^2 - 1/6 * (2 * \sqrt{-a^2 * x^2 + 1} * a^2 / x + \sqrt{-a^2 * x^2 + 1} / x^3) * a * \arcsin(a * x) - 1/4 * \arcsin(a * x)^2 / x^4$

**Fricas** [A]

time = 3.00, size = 62, normalized size = 0.71

$$\frac{4a^4x^4 \log(x) - a^2x^2 - 2(2a^3x^3 + ax)\sqrt{-a^2x^2+1} \arcsin(ax) - 3 \arcsin(ax)^2}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/x^5,x, algorithm="fricas")`

[Out]  $1/12 * (4 * a^4 * x^4 * \log(x) - a^2 * x^2 - 2 * (2 * a^3 * x^3 + a * x) * \sqrt{-a^2 * x^2 + 1} * \arcsin(a * x) - 3 * \arcsin(a * x)^2) / x^4$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arcsin^2(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/x**5,x)`

[Out] Integral(asin(a\*x)\*\*2/x\*\*5, x)

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 185 vs. 2(73) = 146.

time = 0.49, size = 185, normalized size = 2.13

$$\frac{1}{48} \left( \left( \frac{\left( a^4 + \frac{9(\sqrt{-a^2x^2+1}|a|+a)^2}{x^2} \right) a^6 x^3}{(\sqrt{-a^2x^2+1}|a|+a)^3 |a|} - \frac{9(\sqrt{-a^2x^2+1}|a|+a)a^4}{x} + \frac{(\sqrt{-a^2x^2+1}|a|+a)^3}{x^3} \right) \arcsin(ax) + \frac{4 \left( 2a^4 \log(a^2x^2) - \frac{2(a^2x^2-1)a^4+3a^4}{a^2x^2} \right)}{a} \right) a - \frac{\arcsin(ax)^2}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^5,x, algorithm="giac")

[Out] 1/48\*(((a^4 + 9\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^2/x^2)\*a^6\*x^3/((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^3\*abs(a)) - (9\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)\*a^4/x + (sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^3/x^3)/(a^2\*abs(a)))\*arcsin(a\*x) + 4\*(2\*a^4\*log(a^2\*x^2) - (2\*(a^2\*x^2 - 1)\*a^4 + 3\*a^4)/(a^2\*x^2))/a)\*a - 1/4\*arcsin(a\*x)^2/x^4

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arcsin(ax)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^2/x^5,x)

[Out] int(asin(a\*x)^2/x^5, x)

## 3.22 $\int x^4 \text{ArcSin}(ax)^3 dx$

**Optimal.** Leaf size=201

$$-\frac{298\sqrt{1-a^2x^2}}{375a^5} + \frac{76(1-a^2x^2)^{3/2}}{1125a^5} - \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{16x\text{ArcSin}(ax)}{25a^4} - \frac{8x^3\text{ArcSin}(ax)}{75a^2} - \frac{6}{125}x^5\text{ArcSin}(ax) + \frac{8}{125}x^5$$

[Out]  $76/1125*(-a^2*x^2+1)^{(3/2)}/a^5-6/625*(-a^2*x^2+1)^{(5/2)}/a^5-16/25*x*\arcsin(a*x)/a^4-8/75*x^3*\arcsin(a*x)/a^2-6/125*x^5*\arcsin(a*x)+1/5*x^5*\arcsin(a*x)^3-298/375*(-a^2*x^2+1)^{(1/2)}/a^5+8/25*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^5+4/25*x^2*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3+3/25*x^4*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.25, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4723, 4795, 4767, 4715, 267, 272, 45}

$$-\frac{16x\text{ArcSin}(ax)}{25a^4} - \frac{8x^3\text{ArcSin}(ax)}{75a^2} + \frac{3x^4\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{25a} + \frac{8\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{25a^3} - \frac{6(1-a^2x^2)^{5/2}}{625a^5} + \frac{76(1-a^2x^2)^{3/2}}{1125a^5} - \frac{298\sqrt{1-a^2x^2}}{375a^5} + \frac{4x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{25a^3} + \frac{1}{5}x^5\text{ArcSin}(ax)^3 - \frac{6}{125}x^5\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcSin[a\*x]^3,x]

[Out]  $(-298*\text{Sqrt}[1 - a^2*x^2])/(375*a^5) + (76*(1 - a^2*x^2)^{(3/2)})/(1125*a^5) - (6*(1 - a^2*x^2)^{(5/2)})/(625*a^5) - (16*x*\text{ArcSin}[a*x])/(25*a^4) - (8*x^3*\text{ArcSin}[a*x])/(75*a^2) - (6*x^5*\text{ArcSin}[a*x])/125 + (8*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(25*a^5) + (4*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(25*a^3) + (3*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(25*a) + (x^5*\text{ArcSin}[a*x]^3)/5$

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 267

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

#### Rubi steps

$$\begin{aligned}
\int x^4 \sin^{-1}(ax)^3 dx &= \frac{1}{5}x^5 \sin^{-1}(ax)^3 - \frac{1}{5}(3a) \int \frac{x^5 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= \frac{3x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax)^3 - \frac{6}{25} \int x^4 \sin^{-1}(ax) dx - \frac{12 \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{25a} \\
&= -\frac{6}{125}x^5 \sin^{-1}(ax) + \frac{4x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax) \\
&= -\frac{8x^3 \sin^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \sin^{-1}(ax) + \frac{8\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a^5} + \frac{4x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a^3} \\
&= -\frac{16x \sin^{-1}(ax)}{25a^4} - \frac{8x^3 \sin^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \sin^{-1}(ax) + \frac{8\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a^5} + \frac{4x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{25a^3} \\
&= -\frac{86\sqrt{1-a^2x^2}}{125a^5} + \frac{4(1-a^2x^2)^{3/2}}{125a^5} - \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{16x \sin^{-1}(ax)}{25a^4} - \frac{8x^3 \sin^{-1}(ax)}{75a^2} \\
&= -\frac{298\sqrt{1-a^2x^2}}{375a^5} + \frac{76(1-a^2x^2)^{3/2}}{1125a^5} - \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{16x \sin^{-1}(ax)}{25a^4} - \frac{8x^3 \sin^{-1}(ax)}{75a^2}
\end{aligned}$$

**Mathematica [A]**

time = 0.04, size = 122, normalized size = 0.61

$$\frac{-2\sqrt{1-a^2x^2}(2072+136a^2x^2+27a^4x^4)-30ax(120+20a^2x^2+9a^4x^4)\text{ArcSin}(ax)+225\sqrt{1-a^2x^2}(8+4a^2x^2+3a^4x^4)\text{ArcSin}(ax)^2+1125a^5x^5\text{ArcSin}(ax)^3}{5625a^5}$$

Antiderivative was successfully verified.

**[In]** Integrate[x^4\*ArcSin[a\*x]^3,x]

**[Out]**  $(-2\sqrt{1-a^2x^2}(2072+136a^2x^2+27a^4x^4)-30ax(120+20a^2x^2+9a^4x^4)\text{ArcSin}[a*x]+225\sqrt{1-a^2x^2}(8+4a^2x^2+3a^4x^4)\text{ArcSin}[a*x]^2+1125a^5x^5\text{ArcSin}[a*x]^3)/(5625a^5)$

**Maple [A]**

time = 0.04, size = 159, normalized size = 0.79

method	result
derivativedivides	$\frac{a^5x^5 \arcsin(ax)^3}{5} + \frac{\arcsin(ax)^2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{25} - \frac{6a^5x^5 \arcsin(ax)}{125} - \frac{2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{625a^5}$
default	$\frac{a^5x^5 \arcsin(ax)^3}{5} + \frac{\arcsin(ax)^2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{25} - \frac{6a^5x^5 \arcsin(ax)}{125} - \frac{2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{625a^5}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arcsin(a*x)^3,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^5} \left( \frac{1}{5} a^5 x^5 \arcsin(ax)^3 + \frac{1}{25} a^5 x^5 \arcsin(ax)^2 (3a^4 x^4 + 4a^2 x^2 + 8) \right. \\ \left. - \frac{1}{6} a^2 x^2 + 1 \right)^{1/2} - \frac{6}{125} a^5 x^5 \arcsin(ax) - \frac{2}{625} (3a^4 x^4 + 4a^2 x^2 + 8) \\ \left. \left( -a^2 x^2 + 1 \right)^{1/2} - \frac{8}{75} a^3 x^3 \arcsin(ax) - \frac{8}{225} (a^2 x^2 + 2) \left( -a^2 x^2 + 1 \right)^{1/2} - \frac{16}{25} a x \arcsin(ax) \right)$

**Maxima** [A]

time = 0.49, size = 171, normalized size = 0.85

$$\frac{1}{5} x^5 \arcsin(ax)^3 + \frac{1}{25} \left( \frac{3\sqrt{-a^2x^2+1}x^4}{a^2} + \frac{4\sqrt{-a^2x^2+1}x^2}{a^4} + \frac{8\sqrt{-a^2x^2+1}}{a^6} \right) a \arcsin(ax)^2 - \frac{2}{5625} a \left( \frac{27\sqrt{-a^2x^2+1}a^2x^4 + 136\sqrt{-a^2x^2+1}x^2 + 2072\sqrt{-a^2x^2+1}}{a^4} + \frac{15(9a^4x^3 + 20a^2x^3 + 120x) \arcsin(ax)}{a^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{5} x^5 \arcsin(ax)^3 + \frac{1}{25} (3 \sqrt{-a^2x^2 + 1} x^4/a^2 + 4 \sqrt{-a^2x^2 + 1} x^2/a^4 + 8 \sqrt{-a^2x^2 + 1}/a^6) a \arcsin(ax)^2 - \frac{2}{5625} a \left( \frac{27 \sqrt{-a^2x^2 + 1} a^2 x^4 + 136 \sqrt{-a^2x^2 + 1} x^2 + 2072 \sqrt{-a^2x^2 + 1}}{a^4} + \frac{15 (9 a^4 x^3 + 20 a^2 x^3 + 120 x) \arcsin(ax)}{a^5} \right)$

**Fricas** [A]

time = 2.56, size = 105, normalized size = 0.52

$$\frac{1125 a^5 x^5 \arcsin(ax)^3 - 30 (9 a^5 x^5 + 20 a^3 x^3 + 120 a x) \arcsin(ax) - (54 a^4 x^4 + 272 a^2 x^2 - 225 (3 a^4 x^4 + 4 a^2 x^2 + 8) \arcsin(ax)^2 + 4144) \sqrt{-a^2 x^2 + 1}}{5625 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{5625} (1125 a^5 x^5 \arcsin(ax)^3 - 30 (9 a^5 x^5 + 20 a^3 x^3 + 120 a x) \arcsin(ax) - (54 a^4 x^4 + 272 a^2 x^2 - 225 (3 a^4 x^4 + 4 a^2 x^2 + 8) a \arcsin(ax)^2 + 4144) \sqrt{-a^2 x^2 + 1}) / a^5$

**Sympy** [A]

time = 0.73, size = 196, normalized size = 0.98

$$\begin{cases} \frac{x^5 \arcsin^3(ax)}{5} - \frac{6x^5 \arcsin(ax)}{125} + \frac{3x^4 \sqrt{-a^2x^2+1} \arcsin^2(ax)}{25a} - \frac{6x^4 \sqrt{-a^2x^2+1}}{625a} - \frac{8x^3 \arcsin(ax)}{75a^2} + \frac{4x^2 \sqrt{-a^2x^2+1} \arcsin(ax)}{25a^3} - \frac{272x^2 \sqrt{-a^2x^2+1}}{5625a^3} - \frac{16x \arcsin(ax)}{25a^4} + \frac{8 \sqrt{-a^2x^2+1} \arcsin^2(ax)}{25a^4} - \frac{4144 \sqrt{-a^2x^2+1}}{5625a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*asin(a*x)**3,x)`

[Out]  $\text{Piecewise}((x**5*asin(a*x)**3/5 - 6*x**5*asin(a*x)/125 + 3*x**4*\sqrt{-a**2*x**2 + 1}*asin(a*x)**2/(25*a) - 6*x**4*\sqrt{-a**2*x**2 + 1}/(625*a) - 8*x**3$

```
*asin(a*x)/(75*a**2) + 4*x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)**2/(25*a**3) -
  272*x**2*sqrt(-a**2*x**2 + 1)/(5625*a**3) - 16*x*asin(a*x)/(25*a**4) + 8*sqrt(-a**2*x**2 + 1)*asin(a*x)**2/(25*a**5) - 4144*sqrt(-a**2*x**2 + 1)/(5625*a**5), Ne(a, 0)), (0, True))
```

**Giac** [A]

time = 0.41, size = 249, normalized size = 1.24

$$\frac{(a^2x^2-1)^2x\arcsin(ax)^2}{5a^4} + \frac{2(a^2x^2-1)x\arcsin(ax)^2}{5a^4} - \frac{6(a^2x^2-1)^2x\arcsin(ax)}{125a^4} + \frac{x\arcsin(ax)^2}{5a^4} + \frac{3(a^2x^2-1)^2\sqrt{-a^2x^2+1}\arcsin(ax)^2}{25a^4} - \frac{70(a^2x^2-1)x\arcsin(ax)}{375a^4} - \frac{2(-a^2x^2+1)^2\arcsin(ax)^2}{5a^4} - \frac{298x\arcsin(ax)}{375a^4} + \frac{6(a^2x^2-1)^2\sqrt{-a^2x^2+1}}{625a^4} + \frac{3\sqrt{-a^2x^2+1}\arcsin(ax)^2}{5a^4} + \frac{70(-a^2x^2+1)^2}{1125a^4} - \frac{298\sqrt{-a^2x^2+1}}{375a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^3,x, algorithm="giac")
```

```
[Out] 1/5*(a^2*x^2 - 1)^2*x*arcsin(a*x)^3/a^4 + 2/5*(a^2*x^2 - 1)*x*arcsin(a*x)^3/a^4 - 6/125*(a^2*x^2 - 1)^2*x*arcsin(a*x)/a^4 + 1/5*x*arcsin(a*x)^3/a^4 + 3/25*(a^2*x^2 - 1)^2*sqrt(-a^2*x^2 + 1)*arcsin(a*x)^2/a^5 - 76/375*(a^2*x^2 - 1)*x*arcsin(a*x)/a^4 - 2/5*(-a^2*x^2 + 1)^(3/2)*arcsin(a*x)^2/a^5 - 298/375*x*arcsin(a*x)/a^4 - 6/625*(a^2*x^2 - 1)^2*sqrt(-a^2*x^2 + 1)/a^5 + 3/5*sqrt(-a^2*x^2 + 1)*arcsin(a*x)^2/a^5 + 76/1125*(-a^2*x^2 + 1)^(3/2)/a^5 - 298/375*sqrt(-a^2*x^2 + 1)/a^5
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{asin}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*asin(a*x)^3,x)
```

```
[Out] int(x^4*asin(a*x)^3, x)
```



### 3.23 $\int x^3 \text{ArcSin}(ax)^3 dx$

Optimal. Leaf size=167

$$-\frac{45x\sqrt{1-a^2x^2}}{256a^3} - \frac{3x^3\sqrt{1-a^2x^2}}{128a} + \frac{45\text{ArcSin}(ax)}{256a^4} - \frac{9x^2\text{ArcSin}(ax)}{32a^2} - \frac{3}{32}x^4\text{ArcSin}(ax) + \frac{9x\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{32a^3}$$

[Out] 45/256\*arcsin(a\*x)/a^4-9/32\*x^2\*arcsin(a\*x)/a^2-3/32\*x^4\*arcsin(a\*x)-3/32\*a  
r csin(a\*x)^3/a^4+1/4\*x^4\*arcsin(a\*x)^3-45/256\*x\*(-a^2\*x^2+1)^(1/2)/a^3-3/12  
8\*x^3\*(-a^2\*x^2+1)^(1/2)/a+9/32\*x\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)/a^3+3/16  
\*x^3\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)/a

Rubi [A]

time = 0.19, antiderivative size = 167, normalized size of antiderivative = 1.00, number of  
steps used = 11, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ ,  
Rules used = {4723, 4795, 4737, 327, 222}

$$-\frac{3\text{ArcSin}(ax)^3}{32a^4} + \frac{45\text{ArcSin}(ax)}{256a^4} - \frac{9x^2\text{ArcSin}(ax)}{32a^2} + \frac{3x^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{16a} - \frac{3x^3\sqrt{1-a^2x^2}}{128a} + \frac{9x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{32a^3} - \frac{45x\sqrt{1-a^2x^2}}{256a^3} + \frac{1}{4}x^4\text{ArcSin}(ax)^3 - \frac{3}{32}x^4\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcSin[a\*x]^3,x]

[Out] (-45\*x\*Sqrt[1 - a^2\*x^2])/(256\*a^3) - (3\*x^3\*Sqrt[1 - a^2\*x^2])/(128\*a) + (45\*ArcSin[a\*x])/(256\*a^4) - (9\*x^2\*ArcSin[a\*x])/(32\*a^2) - (3\*x^4\*ArcSin[a\*x])/32 + (9\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(32\*a^3) + (3\*x^3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(16\*a) - (3\*ArcSin[a\*x]^3)/(32\*a^4) + (x^4\*ArcSin[a\*x]^3)/4

Rule 222

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[c^(n-1)\*(c\*x)^(m-n+1)\*((a+b\*x^n)^(p+1)/(b\*(m+n\*p+1))), x] - Dist[a\*c^n\*((m-n+1)/(b\*(m+n\*p+1))), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2])

$x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

### Rule 4737

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(1/(b*c*(n + 1)))*\text{Simp}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2]]*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{NeQ}[n, -1]$

### Rule 4795

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)*((f_.)*(x_.))^{(m_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[f*(f*x)^{(m - 1)}*(d + e*x^2)^{(p + 1)}*((a + b*\text{ArcSin}[c*x])^n/(e*(m + 2*p + 1))), x] + (\text{Dist}[f^2*((m - 1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{(m - 2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{IGtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 2*p + 1, 0]$

### Rubi steps

$$\begin{aligned} \int x^3 \sin^{-1}(ax)^3 dx &= \frac{1}{4}x^4 \sin^{-1}(ax)^3 - \frac{1}{4}(3a) \int \frac{x^4 \sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{3x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{16a} + \frac{1}{4}x^4 \sin^{-1}(ax)^3 - \frac{3}{8} \int x^3 \sin^{-1}(ax) dx - \frac{9 \int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}}}{16a} \\ &= -\frac{3}{32}x^4 \sin^{-1}(ax) + \frac{9x \sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{32a^3} + \frac{3x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{16a} + \frac{1}{4}x^4 \sin^{-1}(ax) \\ &= -\frac{3x^3 \sqrt{1 - a^2x^2}}{128a} - \frac{9x^2 \sin^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \sin^{-1}(ax) + \frac{9x \sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{32a^3} + \frac{3x^4 \sin^{-1}(ax)}{32} \\ &= -\frac{45x \sqrt{1 - a^2x^2}}{256a^3} - \frac{3x^3 \sqrt{1 - a^2x^2}}{128a} - \frac{9x^2 \sin^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \sin^{-1}(ax) + \frac{9x \sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{32} \\ &= -\frac{45x \sqrt{1 - a^2x^2}}{256a^3} - \frac{3x^3 \sqrt{1 - a^2x^2}}{128a} + \frac{45 \sin^{-1}(ax)}{256a^4} - \frac{9x^2 \sin^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \sin^{-1}(ax) \end{aligned}$$

### Mathematica [A]

time = 0.03, size = 112, normalized size = 0.67

$$\frac{-3ax\sqrt{1 - a^2x^2}(15 + 2a^2x^2) - 3(-15 + 24a^2x^2 + 8a^4x^4) \text{ArcSin}(ax) + 24ax\sqrt{1 - a^2x^2}(3 + 2a^2x^2) \text{ArcSin}(ax)^2 + 8(-3 + 8a^4x^4) \text{ArcSin}(ax)^3}{256a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^3,x]

[Out]  $(-3*a*x*\sqrt{1-a^2*x^2}*(15+2*a^2*x^2)-3*(-15+24*a^2*x^2+8*a^4*x^4)*\text{ArcSin}[a*x]+24*a*x*\sqrt{1-a^2*x^2}*(3+2*a^2*x^2)*\text{ArcSin}[a*x]^2+8*(-3+8*a^4*x^4)*\text{ArcSin}[a*x]^3)/(256*a^4)$

**Maple** [A]

time = 0.05, size = 154, normalized size = 0.92

method	result
derivativedivides	$\frac{\frac{a^4 x^4 \arcsin(ax)^3}{4} - \frac{3 \arcsin(ax)^2 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{32} - \frac{3a^4 x^4 \arcsin(ax)}{32} - \frac{3ax}{a^4} \left( \frac{a^4 x^4 \arcsin(ax)^3}{4} - \frac{3 \arcsin(ax)^2 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{32} - \frac{3a^4 x^4 \arcsin(ax)}{32} - \frac{3ax}{a^4} \right)$
default	$\frac{\frac{a^4 x^4 \arcsin(ax)^3}{4} - \frac{3 \arcsin(ax)^2 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{32} - \frac{3a^4 x^4 \arcsin(ax)}{32} - \frac{3ax}{a^4} \left( \frac{a^4 x^4 \arcsin(ax)^3}{4} - \frac{3 \arcsin(ax)^2 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{32} - \frac{3a^4 x^4 \arcsin(ax)}{32} - \frac{3ax}{a^4} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arcsin(a\*x)^3,x,method=\_RETURNVERBOSE)

[Out]  $1/a^4*(1/4*a^4*x^4*arcsin(a*x)^3-3/32*arcsin(a*x)^2*(-2*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-3*a*x*(-a^2*x^2+1)^{(1/2)}+3*arcsin(a*x))-3/32*a^4*x^4*arcsin(a*x)-3/256*a*x*(2*a^2*x^2+3)*(-a^2*x^2+1)^{(1/2)}-27/256*arcsin(a*x)-9/32*(a^2*x^2-1)*arcsin(a*x)-9/64*a*x*(-a^2*x^2+1)^{(1/2)}+3/16*arcsin(a*x)^3)$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^3,x, algorithm="maxima")

[Out]  $1/4*x^4*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3+3*a*\integrate(1/4*\sqrt{a*x+1}*\sqrt{-a*x+1}*x^4*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^2/(a^2*x^2-1), x)$

**Fricas** [A]

time = 3.04, size = 96, normalized size = 0.57

$$\frac{8(8a^4x^4-3)\arcsin(ax)^3-3(8a^4x^4+24a^2x^2-15)\arcsin(ax)-3(2a^3x^3-8(2a^3x^3+3ax)\arcsin(ax)^2+15ax)\sqrt{-a^2x^2+1}}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out]  $\frac{1}{256} \cdot (8 \cdot (8a^4x^4 - 3) \arcsin(ax)^3 - 3 \cdot (8a^4x^4 + 24a^2x^2 - 15) \arcsin(ax) - 3 \cdot (2a^3x^3 - 8 \cdot (2a^3x^3 + 3ax) \arcsin(ax)^2 + 15ax) \sqrt{-a^2x^2 + 1}) / a^4$

**Sympy [A]**

time = 0.49, size = 160, normalized size = 0.96

$$\begin{cases} \frac{x^4 \arcsin^3(ax)}{4} - \frac{3x^4 \arcsin(ax)}{32} + \frac{3x^3 \sqrt{-a^2x^2 + 1} \arcsin^2(ax)}{16a} - \frac{3x^3 \sqrt{-a^2x^2 + 1}}{128a} - \frac{9x^2 \arcsin(ax)}{32a^2} + \frac{9x \sqrt{-a^2x^2 + 1} \arcsin^2(ax)}{32a^3} - \frac{45x \sqrt{-a^2x^2 + 1}}{256a^3} - \frac{3 \arcsin^3(ax)}{32a^4} + \frac{45 \arcsin(ax)}{256a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x)\*\*3,x)

[Out] Piecewise((x\*\*4\*asin(a\*x)\*\*3/4 - 3\*x\*\*4\*asin(a\*x)/32 + 3\*x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(16\*a) - 3\*x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)/(128\*a) - 9\*x\*\*2\*asin(a\*x)/(32\*a\*\*2) + 9\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(32\*a\*\*3) - 45\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)/(256\*a\*\*3) - 3\*asin(a\*x)\*\*3/(32\*a\*\*4) + 45\*asin(a\*x)/(256\*a\*\*4), Ne(a, 0)), (0, True))

**Giac [A]**

time = 0.41, size = 185, normalized size = 1.11

$$\frac{3(-a^2x^2 + 1)^{3/2} x \arcsin(ax)^2}{16a^3} + \frac{(a^2x^2 - 1)^2 \arcsin(ax)^3}{4a^4} + \frac{15 \sqrt{-a^2x^2 + 1} x \arcsin(ax)^2}{32a^3} + \frac{(a^2x^2 - 1) \arcsin(ax)^3}{2a^4} + \frac{3(-a^2x^2 + 1)^{3/2} x}{128a^2} - \frac{3(a^2x^2 - 1)^2 \arcsin(ax)}{32a^4} + \frac{5 \arcsin(ax)^3}{32a^4} - \frac{51 \sqrt{-a^2x^2 + 1} x}{256a^3} - \frac{15(a^2x^2 - 1) \arcsin(ax)}{32a^4} - \frac{51 \arcsin(ax)}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^3,x, algorithm="giac")

[Out]  $-3/16 \cdot (-a^2x^2 + 1)^{3/2} \cdot x \arcsin(ax)^2 / a^3 + 1/4 \cdot (a^2x^2 - 1)^2 \arcsin(ax)^3 / a^4 + 15/32 \cdot \sqrt{-a^2x^2 + 1} \cdot x \arcsin(ax)^2 / a^3 + 1/2 \cdot (a^2x^2 - 1) \arcsin(ax)^3 / a^4 + 3/128 \cdot (-a^2x^2 + 1)^{3/2} \cdot x / a^3 - 3/32 \cdot (a^2x^2 - 1)^2 \arcsin(ax) / a^4 + 5/32 \cdot \arcsin(ax)^3 / a^4 - 51/256 \cdot \sqrt{-a^2x^2 + 1} \cdot x / a^3 - 15/32 \cdot (a^2x^2 - 1) \arcsin(ax) / a^4 - 51/256 \cdot \arcsin(ax) / a^4$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \arcsin(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*asin(a\*x)^3,x)

[Out] int(x^3\*asin(a\*x)^3, x)

## 3.24 $\int x^2 \text{ArcSin}(ax)^3 dx$

**Optimal.** Leaf size=136

$$-\frac{14\sqrt{1-a^2x^2}}{9a^3} + \frac{2(1-a^2x^2)^{3/2}}{27a^3} - \frac{4x\text{ArcSin}(ax)}{3a^2} - \frac{2}{9}x^3\text{ArcSin}(ax) + \frac{2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{3a^3} + \frac{x^2\sqrt{1-a^2x^2}}{3a}$$

[Out]  $2/27*(-a^2*x^2+1)^{(3/2)}/a^3-4/3*x*\arcsin(a*x)/a^2-2/9*x^3*\arcsin(a*x)+1/3*x^3*\arcsin(a*x)^3-14/9*(-a^2*x^2+1)^{(1/2)}/a^3+2/3*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3+1/3*x^2*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.15, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4723, 4795, 4767, 4715, 267, 272, 45}

$$\frac{x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{3a} - \frac{4x\text{ArcSin}(ax)}{3a^2} + \frac{2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{3a^3} + \frac{2(1-a^2x^2)^{3/2}}{27a^3} - \frac{14\sqrt{1-a^2x^2}}{9a^3} + \frac{1}{3}x^3\text{ArcSin}(ax)^3 - \frac{2}{9}x^3\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcSin[a\*x]^3,x]

[Out]  $(-14*\text{Sqrt}[1 - a^2*x^2])/(9*a^3) + (2*(1 - a^2*x^2)^{(3/2)})/(27*a^3) - (4*x*\text{ArcSin}[a*x])/(3*a^2) - (2*x^3*\text{ArcSin}[a*x])/9 + (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(3*a^3) + (x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(3*a) + (x^3*\text{ArcSin}[a*x]^3)/3$

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 267

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*((d_.)*(x_))^m, x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*(x_)*((d_) + (e_.)*(x_)^2)^p, x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_))^m*((d_) + (e_.)*(x_)^2)^p, x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

#### Rubi steps

$$\begin{aligned}
\int x^2 \sin^{-1}(ax)^3 dx &= \frac{1}{3}x^3 \sin^{-1}(ax)^3 - a \int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= \frac{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \sin^{-1}(ax)^3 - \frac{2}{3} \int x^2 \sin^{-1}(ax) dx - \frac{2 \int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}}}{3a} \\
&= -\frac{2}{9}x^3 \sin^{-1}(ax) + \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \sin^{-1}(ax) \\
&= -\frac{4x \sin^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \sin^{-1}(ax) + \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a} \\
&= -\frac{4\sqrt{1-a^2x^2}}{3a^3} - \frac{4x \sin^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \sin^{-1}(ax) + \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a} \\
&= -\frac{14\sqrt{1-a^2x^2}}{9a^3} + \frac{2(1-a^2x^2)^{3/2}}{27a^3} - \frac{4x \sin^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \sin^{-1}(ax) + \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^3}
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 95, normalized size = 0.70

$$\frac{-2\sqrt{1-a^2x^2}(20+a^2x^2) - 6ax(6+a^2x^2)\text{ArcSin}(ax) + 9\sqrt{1-a^2x^2}(2+a^2x^2)\text{ArcSin}(ax)^2 + 9a^3x^3\text{ArcSin}(ax)^3}{27a^3}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2*ArcSin[a*x]^3,x]`

```
[Out] (-2*Sqrt[1 - a^2*x^2]*(20 + a^2*x^2) - 6*a*x*(6 + a^2*x^2)*ArcSin[a*x] + 9*
Sqrt[1 - a^2*x^2]*(2 + a^2*x^2)*ArcSin[a*x]^2 + 9*a^3*x^3*ArcSin[a*x]^3)/(2
7*a^3)
```

**Maple [A]**

time = 0.04, size = 106, normalized size = 0.78

method	result
derivativedivides	$\frac{a^3 x^3 \arcsin(ax)^3 + \frac{\arcsin(ax)^2 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{3} - 4 \frac{\sqrt{-a^2 x^2 + 1}}{3} - \frac{4ax \arcsin(ax)}{3} - \frac{2a^3 x^3 \arcsin(ax)}{9} - \frac{2(a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{3}}{a^3}$
default	$\frac{a^3 x^3 \arcsin(ax)^3 + \frac{\arcsin(ax)^2 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{3} - 4 \frac{\sqrt{-a^2 x^2 + 1}}{3} - \frac{4ax \arcsin(ax)}{3} - \frac{2a^3 x^3 \arcsin(ax)}{9} - \frac{2(a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{3}}{a^3}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2*arcsin(a*x)^3,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^3} \left( \frac{1}{3} a^3 x^3 \arcsin(ax)^3 + \frac{1}{3} a^2 x^2 \arcsin(ax)^2 (a^2 x^2 + 2) (-a^2 x^2 + 1)^{1/2} - \frac{4}{3} a (-a^2 x^2 + 1)^{1/2} - \frac{4}{3} a^2 x \arcsin(ax) - \frac{2}{9} a^3 x^3 \arcsin(ax) - \frac{2}{27} a^2 (a^2 x^2 + 2) (-a^2 x^2 + 1)^{1/2} \right)$

**Maxima [A]**

time = 0.49, size = 120, normalized size = 0.88

$$\frac{1}{3} x^3 \arcsin(ax)^3 + \frac{1}{3} a \left( \frac{\sqrt{-a^2 x^2 + 1} x^2}{a^2} + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right) \arcsin(ax)^2 - \frac{2}{27} a \left( \frac{\sqrt{-a^2 x^2 + 1} x^2 + \frac{20 \sqrt{-a^2 x^2 + 1}}{a^2}}{a^2} + \frac{3(a^2 x^3 + 6x) \arcsin(ax)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{3} x^3 \arcsin(ax)^3 + \frac{1}{3} a (\sqrt{-a^2 x^2 + 1} x^2 / a^2 + 2 \sqrt{-a^2 x^2 + 1} / a^4) \arcsin(ax)^2 - \frac{2}{27} a ((\sqrt{-a^2 x^2 + 1} x^2 + 20 \sqrt{-a^2 x^2 + 1} / a^2) / a^2 + 3(a^2 x^3 + 6x) \arcsin(ax) / a^3)$

**Fricas [A]**

time = 2.20, size = 79, normalized size = 0.58

$$\frac{9a^3 x^3 \arcsin(ax)^3 - 6(a^3 x^3 + 6ax) \arcsin(ax) - (2a^2 x^2 - 9(a^2 x^2 + 2) \arcsin(ax)^2 + 40) \sqrt{-a^2 x^2 + 1}}{27 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{27} (9a^3 x^3 \arcsin(ax)^3 - 6(a^3 x^3 + 6a^2 x^2 \arcsin(ax) - (2a^2 x^2 - 9(a^2 x^2 + 2) \arcsin(ax)^2 + 40) \sqrt{-a^2 x^2 + 1})) / a^3$

**Sympy [A]**

time = 0.32, size = 128, normalized size = 0.94

$$\begin{cases} \frac{x^3 \arcsin^3(ax)}{3} - \frac{2x^3 \arcsin(ax)}{9} + \frac{x^2 \sqrt{-a^2 x^2 + 1} \arcsin^2(ax)}{3a} - \frac{2x^2 \sqrt{-a^2 x^2 + 1}}{27a} - \frac{4x \arcsin(ax)}{3a^2} + \frac{2 \sqrt{-a^2 x^2 + 1} \arcsin^2(ax)}{3a^3} - \frac{40 \sqrt{-a^2 x^2 + 1}}{27a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*asin(a*x)**3,x)`

[Out] `Piecewise((x**3*asin(a*x)**3/3 - 2*x**3*asin(a*x)/9 + x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)**2/(3*a) - 2*x**2*sqrt(-a**2*x**2 + 1)/(27*a) - 4*x*asin(a*x)/(3*a**2) + 2*sqrt(-a**2*x**2 + 1)*asin(a*x)**2/(3*a**3) - 40*sqrt(-a**2*x**2 + 1)/(27*a**3), Ne(a, 0)), (0, True))`

**Giac [A]**

time = 0.41, size = 142, normalized size = 1.04

$$\frac{(a^2 x^2 - 1)x \arcsin(ax)^3}{3a^2} + \frac{x \arcsin(ax)^3}{3a^2} - \frac{2(a^2 x^2 - 1)x \arcsin(ax)}{9a^2} - \frac{(-a^2 x^2 + 1)^{\frac{3}{2}} \arcsin(ax)^2}{3a^3} - \frac{14x \arcsin(ax)}{9a^2} + \frac{\sqrt{-a^2 x^2 + 1} \arcsin(ax)^2}{a^3} + \frac{2(-a^2 x^2 + 1)^{\frac{3}{2}}}{27a^3} - \frac{14 \sqrt{-a^2 x^2 + 1}}{9a^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^3,x, algorithm="giac")

[Out]  $\frac{1}{3}(a^2x^2 - 1)x\arcsin(ax)^3/a^2 + \frac{1}{3}x\arcsin(ax)^3/a^2 - \frac{2}{9}(a^2x^2 - 1)x\arcsin(ax)/a^2 - \frac{1}{3}(-a^2x^2 + 1)^{3/2}\arcsin(ax)^2/a^3 - \frac{4}{9}x\arcsin(ax)/a^2 + \sqrt{-a^2x^2 + 1}\arcsin(ax)^2/a^3 + \frac{2}{27}(-a^2x^2 + 1)^{3/2}/a^3 - \frac{14}{9}\sqrt{-a^2x^2 + 1}/a^3$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{asin}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*asin(a\*x)^3,x)

[Out] int(x^2\*asin(a\*x)^3, x)

## 3.25 $\int x \text{ArcSin}(ax)^3 dx$

**Optimal.** Leaf size=99

$$-\frac{3x\sqrt{1-a^2x^2}}{8a} + \frac{3\text{ArcSin}(ax)}{8a^2} - \frac{3}{4}x^2\text{ArcSin}(ax) + \frac{3x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{4a} - \frac{\text{ArcSin}(ax)^3}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)$$

[Out]  $\frac{3}{8}\arcsin(ax)/a^2 - \frac{3}{4}x^2\arcsin(ax) - \frac{1}{4}\arcsin(ax)^3/a^2 + \frac{1}{2}x^2\arcsin(ax)\sqrt{1-a^2x^2} - \frac{3}{8}x^2(-a^2x^2+1)^{1/2}/a + \frac{3}{4}x\arcsin(ax)^2(-a^2x^2+1)^{1/2}/a$

**Rubi [A]**

time = 0.10, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4723, 4795, 4737, 327, 222}

$$\frac{3x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{4a} - \frac{\text{ArcSin}(ax)^3}{4a^2} + \frac{3\text{ArcSin}(ax)}{8a^2} - \frac{3x\sqrt{1-a^2x^2}}{8a} + \frac{1}{2}x^2\text{ArcSin}(ax)^3 - \frac{3}{4}x^2\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[x\*ArcSin[a\*x]^3,x]

[Out]  $(-3*x*\text{Sqrt}[1 - a^2*x^2])/(8*a) + (3*\text{ArcSin}[a*x])/(8*a^2) - (3*x^2*\text{ArcSin}[a*x])/4 + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(4*a) - \text{ArcSin}[a*x]^3/(4*a^2) + (x^2*\text{ArcSin}[a*x]^3)/2$

Rule 222

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[c^(n-1)\*(c\*x)^(m-n+1)\*((a+b\*x^n)^(p+1)/(b\*(m+n\*p+1))), x] - Dist[a\*c^n\*((m-n+1)/(b\*(m+n\*p+1))), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_)^(m\_)), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^ (n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && NeQ[n, -1]
```

### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^ (m_.)*((d_) + (e_.)*(x_)^2)^ (p_), x_Symbol]
:> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

### Rubi steps

$$\begin{aligned} \int x \sin^{-1}(ax)^3 dx &= \frac{1}{2}x^2 \sin^{-1}(ax)^3 - \frac{1}{2}(3a) \int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{4a} + \frac{1}{2}x^2 \sin^{-1}(ax)^3 - \frac{3}{2} \int x \sin^{-1}(ax) dx - \frac{3 \int \frac{\sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx}{4a} \\ &= -\frac{3}{4}x^2 \sin^{-1}(ax) + \frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{4a} - \frac{\sin^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^3 + \frac{1}{4}(3a) \int \frac{\sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= -\frac{3x\sqrt{1 - a^2x^2}}{8a} - \frac{3}{4}x^2 \sin^{-1}(ax) + \frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{4a} - \frac{\sin^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^3 \\ &= -\frac{3x\sqrt{1 - a^2x^2}}{8a} + \frac{3 \sin^{-1}(ax)}{8a^2} - \frac{3}{4}x^2 \sin^{-1}(ax) + \frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{4a} - \frac{\sin^{-1}(ax)^3}{4a^2} \end{aligned}$$

### Mathematica [A]

time = 0.01, size = 82, normalized size = 0.83

$$\frac{-3ax\sqrt{1 - a^2x^2} + (3 - 6a^2x^2) \operatorname{ArcSin}(ax) + 6ax\sqrt{1 - a^2x^2} \operatorname{ArcSin}(ax)^2 + (-2 + 4a^2x^2) \operatorname{ArcSin}(ax)^3}{8a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcSin[a\*x]^3,x]

[Out] (-3\*a\*x\*Sqrt[1 - a^2\*x^2] + (3 - 6\*a^2\*x^2)\*ArcSin[a\*x] + 6\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2 + (-2 + 4\*a^2\*x^2)\*ArcSin[a\*x]^3)/(8\*a^2)

**Maple [A]**

time = 0.03, size = 96, normalized size = 0.97

method	result
derivativedivides	$\frac{\frac{(a^2x^2-1)\arcsin(ax)^3}{2} + \frac{3\arcsin(ax)^2(ax\sqrt{-a^2x^2+1} + \arcsin(ax))}{4} - \frac{3(a^2x^2-1)\arcsin(ax)}{4a^2} - \frac{3ax\sqrt{-a^2x^2+1}}{8} - \frac{3a}{8}}$
default	$\frac{\frac{(a^2x^2-1)\arcsin(ax)^3}{2} + \frac{3\arcsin(ax)^2(ax\sqrt{-a^2x^2+1} + \arcsin(ax))}{4} - \frac{3(a^2x^2-1)\arcsin(ax)}{4a^2} - \frac{3ax\sqrt{-a^2x^2+1}}{8} - \frac{3a}{8}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^3,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^2*(1/2*(a^2*x^2-1)*arcsin(a*x)^3+3/4*arcsin(a*x)^2*(a*x*(-a^2*x^2+1)^(1/2)+arcsin(a*x))-3/4*(a^2*x^2-1)*arcsin(a*x)-3/8*a*x*(-a^2*x^2+1)^(1/2)-3/8*arcsin(a*x)-1/2*arcsin(a*x)^3)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^3,x, algorithm="maxima")
```

```
[Out] 1/2*x^2*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3 + 3*a*integrate(1/2*sqrt(a*x + 1)*sqrt(-a*x + 1)*x^2*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2/(a^2*x^2 - 1), x)
```

**Fricas [A]**

time = 2.88, size = 69, normalized size = 0.70

$$\frac{2(2a^2x^2-1)\arcsin(ax)^3 - 3(2a^2x^2-1)\arcsin(ax) + 3\sqrt{-a^2x^2+1}(2ax\arcsin(ax)^2 - ax)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^3,x, algorithm="fricas")
```

```
[Out] 1/8*(2*(2*a^2*x^2 - 1)*arcsin(a*x)^3 - 3*(2*a^2*x^2 - 1)*arcsin(a*x) + 3*sqrt(-a^2*x^2 + 1)*(2*a*x*arcsin(a*x)^2 - a*x))/a^2
```

**Sympy [A]**

time = 0.20, size = 92, normalized size = 0.93

$$\begin{cases} \frac{x^2 \operatorname{asin}^3(ax)}{2} - \frac{3x^2 \operatorname{asin}(ax)}{4} + \frac{3x\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{4a} - \frac{3x\sqrt{-a^2x^2+1}}{8a} - \frac{\operatorname{asin}^3(ax)}{4a^2} + \frac{3 \operatorname{asin}(ax)}{8a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*asin(a\*x)\*\*3,x)

[Out] Piecewise((x\*\*2\*asin(a\*x)\*\*3/2 - 3\*x\*\*2\*asin(a\*x)/4 + 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(4\*a) - 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)/(8\*a) - asin(a\*x)\*\*3/(4\*a\*\*2) + 3\*asin(a\*x)/(8\*a\*\*2), Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.42, size = 101, normalized size = 1.02

$$\frac{3\sqrt{-a^2x^2+1}x\arcsin(ax)^2}{4a} + \frac{(a^2x^2-1)\arcsin(ax)^3}{2a^2} + \frac{\arcsin(ax)^3}{4a^2} - \frac{3\sqrt{-a^2x^2+1}x}{8a} - \frac{3(a^2x^2-1)\arcsin(ax)}{4a^2} - \frac{3\arcsin(ax)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] 3/4\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^2/a + 1/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)^3/a^2 + 1/4\*arcsin(a\*x)^3/a^2 - 3/8\*sqrt(-a^2\*x^2 + 1)\*x/a - 3/4\*(a^2\*x^2 - 1)\*arcsin(a\*x)/a^2 - 3/8\*arcsin(a\*x)/a^2

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{asin}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^3,x)

[Out] int(x\*asin(a\*x)^3, x)

## 3.26 $\int \text{ArcSin}(ax)^3 dx$

**Optimal.** Leaf size=60

$$-\frac{6\sqrt{1-a^2x^2}}{a} - 6x\text{ArcSin}(ax) + \frac{3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{a} + x\text{ArcSin}(ax)^3$$

[Out]  $-6*x*\arcsin(a*x)+x*\arcsin(a*x)^3-6*(-a^2*x^2+1)^{(1/2)}/a+3*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4715, 4767, 267}

$$\frac{3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{a} - \frac{6\sqrt{1-a^2x^2}}{a} + x\text{ArcSin}(ax)^3 - 6x\text{ArcSin}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3,x]

[Out]  $(-6*\text{Sqrt}[1 - a^2*x^2])/a - 6*x*\text{ArcSin}[a*x] + (3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/a + x*\text{ArcSin}[a*x]^3$

Rule 267

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \sin^{-1}(ax)^3 dx &= x \sin^{-1}(ax)^3 - (3a) \int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= \frac{3\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a} + x \sin^{-1}(ax)^3 - 6 \int \sin^{-1}(ax) dx \\
&= -6x \sin^{-1}(ax) + \frac{3\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a} + x \sin^{-1}(ax)^3 + (6a) \int \frac{x}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{6\sqrt{1-a^2x^2}}{a} - 6x \sin^{-1}(ax) + \frac{3\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a} + x \sin^{-1}(ax)^3
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 60, normalized size = 1.00

$$-\frac{6\sqrt{1-a^2x^2}}{a} - 6x\text{ArcSin}(ax) + \frac{3\sqrt{1-a^2x^2} \text{ArcSin}(ax)^2}{a} + x\text{ArcSin}(ax)^3$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^3,x]`

```
[Out] (-6*Sqrt[1 - a^2*x^2])/a - 6*x*ArcSin[a*x] + (3*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/a + x*ArcSin[a*x]^3
```

**Maple [A]**

time = 0.03, size = 57, normalized size = 0.95

method	result	size
derivativedivides	$\frac{ax \arcsin(ax)^3 + 3 \arcsin(ax)^2 \sqrt{-a^2x^2 + 1} - 6\sqrt{-a^2x^2 + 1} - 6ax \arcsin(ax)}{a}$	57
default	$\frac{ax \arcsin(ax)^3 + 3 \arcsin(ax)^2 \sqrt{-a^2x^2 + 1} - 6\sqrt{-a^2x^2 + 1} - 6ax \arcsin(ax)}{a}$	57

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/a*(a*x*arcsin(a*x)^3+3*arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)-6*(-a^2*x^2+1)^(1/2)-6*a*x*arcsin(a*x))
```

**Maxima [A]**

time = 0.49, size = 57, normalized size = 0.95

$$x \arcsin(ax)^3 + \frac{3\sqrt{-a^2x^2+1} \arcsin(ax)^2}{a} - \frac{6\left(ax \arcsin(ax) + \sqrt{-a^2x^2+1}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3,x, algorithm="maxima")

[Out] x\*arcsin(a\*x)^3 + 3\*sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/a - 6\*(a\*x\*arcsin(a\*x) + sqrt(-a^2\*x^2 + 1))/a

**Fricas** [A]

time = 2.93, size = 44, normalized size = 0.73

$$\frac{ax \arcsin(ax)^3 - 6ax \arcsin(ax) + 3\sqrt{-a^2x^2 + 1} (\arcsin(ax)^2 - 2)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3,x, algorithm="fricas")

[Out] (a\*x\*arcsin(a\*x)^3 - 6\*a\*x\*arcsin(a\*x) + 3\*sqrt(-a^2\*x^2 + 1)\*(arcsin(a\*x)^2 - 2))/a

**Sympy** [A]

time = 0.13, size = 54, normalized size = 0.90

$$\begin{cases} x \operatorname{asin}^3(ax) - 6x \operatorname{asin}(ax) + \frac{3\sqrt{-a^2x^2 + 1} \operatorname{asin}^2(ax)}{a} - \frac{6\sqrt{-a^2x^2 + 1}}{a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3,x)

[Out] Piecewise((x\*asin(a\*x)\*\*3 - 6\*x\*asin(a\*x) + 3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/a - 6\*sqrt(-a\*\*2\*x\*\*2 + 1)/a, Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.42, size = 56, normalized size = 0.93

$$x \arcsin(ax)^3 - 6x \arcsin(ax) + \frac{3\sqrt{-a^2x^2 + 1} \arcsin(ax)^2}{a} - \frac{6\sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3,x, algorithm="giac")

[Out] x\*arcsin(a\*x)^3 - 6\*x\*arcsin(a\*x) + 3\*sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/a - 6\*sqrt(-a^2\*x^2 + 1)/a

**Mupad** [B]

time = 0.14, size = 40, normalized size = 0.67

$$\frac{3\sqrt{1 - a^2x^2} (\operatorname{asin}(ax)^2 - 2)}{a} + x \operatorname{asin}(ax) (\operatorname{asin}(ax)^2 - 6)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(asin(a*x)^3,x)
```

```
[Out] (3*(1 - a^2*x^2)^(1/2)*(asin(a*x)^2 - 2))/a + x*asin(a*x)*(asin(a*x)^2 - 6)
```

### 3.27 $\int \frac{\text{ArcSin}(ax)^3}{x} dx$

**Optimal.** Leaf size=97

$$-\frac{1}{4}i\text{ArcSin}(ax)^4 + \text{ArcSin}(ax)^3 \log(1 - e^{2i\text{ArcSin}(ax)}) - \frac{3}{2}i\text{ArcSin}(ax)^2 \text{PolyLog}(2, e^{2i\text{ArcSin}(ax)}) + \frac{3}{2}\text{ArcSin}(ax) \text{PolyLog}(3, e^{2i\text{ArcSin}(ax)}) - \frac{3}{4}i\text{ArcSin}(ax) \text{PolyLog}(4, e^{2i\text{ArcSin}(ax)})$$

[Out]  $-1/4*I*\arcsin(a*x)^4 + \arcsin(a*x)^3*\ln(1-(I*a*x+(-a^2*x^2+1)^(1/2))^2) - 3/2*I*\arcsin(a*x)^2*\text{polylog}(2, (I*a*x+(-a^2*x^2+1)^(1/2))^2) + 3/2*\arcsin(a*x)*\text{polylog}(3, (I*a*x+(-a^2*x^2+1)^(1/2))^2) + 3/4*I*\text{polylog}(4, (I*a*x+(-a^2*x^2+1)^(1/2))^2)$

**Rubi [A]**

time = 0.07, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4721, 3798, 2221, 2611, 6744, 2320, 6724}

$$-\frac{3}{2}i\text{ArcSin}(ax)^2 \text{Li}_2(e^{2i\text{ArcSin}(ax)}) + \frac{3}{2}\text{ArcSin}(ax) \text{Li}_3(e^{2i\text{ArcSin}(ax)}) + \frac{3}{4}i\text{Li}_4(e^{2i\text{ArcSin}(ax)}) - \frac{1}{4}i\text{ArcSin}(ax)^4 + \text{ArcSin}(ax)^3 \log(1 - e^{2i\text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

[In] `Int[ArcSin[a*x]^3/x, x]`

[Out]  $(-1/4*I)*\text{ArcSin}[a*x]^4 + \text{ArcSin}[a*x]^3*\text{Log}[1 - E^((2*I)*\text{ArcSin}[a*x])] - ((3*I)/2)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[a*x])] + (3*\text{ArcSin}[a*x]*\text{PolyLog}[3, E^((2*I)*\text{ArcSin}[a*x])])/2 + ((3*I)/4)*\text{PolyLog}[4, E^((2*I)*\text{ArcSin}[a*x])]$

Rule 2221

`Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

Rule 2320

`Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

Rule 2611

`Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +`

$b*x)))^n/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{(c*(a + b*x)))^n}], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

#### Rule 3798

$\text{Int}[(c_.) + (d_.)*(x_.)^{(m_.)}*\text{tan}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[I*((c + d*x)^{(m+1)}/(d*(m+1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)}*(E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)}*E^{(2*I*(e + f*x))})], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[4*k] \&\& \text{IGtQ}[m, 0]$

#### Rule 4721

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)^{(n_.)}/(x_.)], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cot}[x], x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0]$

#### Rule 6724

$\text{Int}[\text{PolyLog}[n_., (c_.)*((a_.) + (b_.)*(x_.)^{(p_.)})]/((d_.) + (e_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

#### Rule 6744

$\text{Int}[(e_.) + (f_.)*(x_.)^{(m_.)}*\text{PolyLog}[n_., (d_.)*((F_.)^{(c_.)*((a_.) + (b_.)*(x_.)^{(p_.)})})], x\_Symbol] \rightarrow \text{Simp}[(e + f*x)^m*(\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x)))^p]/(b*c*p*\text{Log}[F])), x] - \text{Dist}[f*(m/(b*c*p*\text{Log}[F])), \text{Int}[(e + f*x)^{(m-1)}*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x)))^p}], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{x} dx &= \text{Subst}\left(\int x^3 \cot(x) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 - 2i \text{Subst}\left(\int \frac{e^{2ix} x^3}{1 - e^{2ix}} dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 + \sin^{-1}(ax)^3 \log(1 - e^{2i \sin^{-1}(ax)}) - 3 \text{Subst}\left(\int x^2 \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 + \sin^{-1}(ax)^3 \log(1 - e^{2i \sin^{-1}(ax)}) - \frac{3}{2}i \sin^{-1}(ax)^2 \text{Li}_2(e^{2i \sin^{-1}(ax)}) + 3i \text{Subst}\left(\int x \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 + \sin^{-1}(ax)^3 \log(1 - e^{2i \sin^{-1}(ax)}) - \frac{3}{2}i \sin^{-1}(ax)^2 \text{Li}_2(e^{2i \sin^{-1}(ax)}) + \frac{3}{2}i \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 + \sin^{-1}(ax)^3 \log(1 - e^{2i \sin^{-1}(ax)}) - \frac{3}{2}i \sin^{-1}(ax)^2 \text{Li}_2(e^{2i \sin^{-1}(ax)}) + \frac{3}{2}i \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{1}{4}i \sin^{-1}(ax)^4 + \sin^{-1}(ax)^3 \log(1 - e^{2i \sin^{-1}(ax)}) - \frac{3}{2}i \sin^{-1}(ax)^2 \text{Li}_2(e^{2i \sin^{-1}(ax)}) + \frac{3}{2}i \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right)
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 97, normalized size = 1.00

$$-\frac{1}{64}i(\pi^4 - 16\text{ArcSin}(ax)^4 + 64i\text{ArcSin}(ax)^3 \log(1 - e^{-2i\text{ArcSin}(ax)}) - 96\text{ArcSin}(ax)^2 \text{PolyLog}(2, e^{-2i\text{ArcSin}(ax)}) + 96i\text{ArcSin}(ax) \text{PolyLog}(3, e^{-2i\text{ArcSin}(ax)}) + 48\text{PolyLog}(4, e^{-2i\text{ArcSin}(ax)}))$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^3/x, x]`

```
[Out] (-1/64*I)*(Pi^4 - 16*ArcSin[a*x]^4 + (64*I)*ArcSin[a*x]^3*Log[1 - E^((-2*I)*ArcSin[a*x])] - 96*ArcSin[a*x]^2*PolyLog[2, E^((-2*I)*ArcSin[a*x])] + (96*I)*ArcSin[a*x]*PolyLog[3, E^((-2*I)*ArcSin[a*x])] + 48*PolyLog[4, E^((-2*I)*ArcSin[a*x])])
```

**Maple [A]**

time = 0.04, size = 229, normalized size = 2.36

method	result
derivativedivides	$-\frac{i \arcsin(ax)^4}{4} + \arcsin(ax)^3 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 3i \arcsin(ax)^2 \text{polylog}(2, iax)$
default	$-\frac{i \arcsin(ax)^4}{4} + \arcsin(ax)^3 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 3i \arcsin(ax)^2 \text{polylog}(2, iax)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^3/x, x, method=_RETURNVERBOSE)`

```
[Out] -1/4*I*arcsin(a*x)^4+arcsin(a*x)^3*ln(1-I*a*x+(-a^2*x^2+1)^(1/2))-3*I*arcsin(a*x)^2*polylog(2, I*a*x+(-a^2*x^2+1)^(1/2))+6*arcsin(a*x)*polylog(3, I*a*x+
```

$$(-a^2x^2+1)^{(1/2)}+6*I*polylog(4,I*a*x+(-a^2x^2+1)^{(1/2)})+arcsin(a*x)^3*ln(1+I*a*x+(-a^2x^2+1)^{(1/2)})-3*I*arcsin(a*x)^2*polylog(2,-I*a*x-(-a^2x^2+1)^{(1/2)})+6*arcsin(a*x)*polylog(3,-I*a*x-(-a^2x^2+1)^{(1/2)})+6*I*polylog(4,-I*a*x-(-a^2x^2+1)^{(1/2)})$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x,x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^3/x, x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^3/x, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{asin}^3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/x,x)

[Out] Integral(asin(a\*x)\*\*3/x, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/x, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^3/x,x)`

[Out] `int(asin(a*x)^3/x, x)`

### 3.28 $\int \frac{\text{ArcSin}(ax)^3}{x^2} dx$

**Optimal.** Leaf size=108

$$-\frac{\text{ArcSin}(ax)^3}{x} - 6a\text{ArcSin}(ax)^2 \tanh^{-1}(e^{i\text{ArcSin}(ax)}) + 6ia\text{ArcSin}(ax)\text{PolyLog}(2, -e^{i\text{ArcSin}(ax)}) - 6ia\text{ArcSin}(ax)$$

```
[Out] -arcsin(a*x)^3/x-6*a*arcsin(a*x)^2*arctanh(I*a*x+(-a^2*x^2+1)^(1/2))+6*I*a*
arcsin(a*x)*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-6*I*a*arcsin(a*x)*polylog(
2,I*a*x+(-a^2*x^2+1)^(1/2))-6*a*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2))+6*a*po
lylog(3,I*a*x+(-a^2*x^2+1)^(1/2))
```

**Rubi [A]**

time = 0.11, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4723, 4803, 4268, 2611, 2320, 6724}

$$6ia\text{ArcSin}(ax)\text{Li}_2(-e^{i\text{ArcSin}(ax)}) - 6ia\text{ArcSin}(ax)\text{Li}_2(e^{i\text{ArcSin}(ax)}) - 6a\text{Li}_3(-e^{i\text{ArcSin}(ax)}) + 6a\text{Li}_3(e^{i\text{ArcSin}(ax)}) - \frac{\text{ArcSin}(ax)^3}{x} - 6a\text{ArcSin}(ax)^2 \tanh^{-1}(e^{i\text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^3/x^2,x]
```

```
[Out] -(ArcSin[a*x]^3/x) - 6*a*ArcSin[a*x]^2*ArcTanh[E^(I*ArcSin[a*x])] + (6*I)*a
*ArcSin[a*x]*PolyLog[2, -E^(I*ArcSin[a*x])] - (6*I)*a*ArcSin[a*x]*PolyLog[2
, E^(I*ArcSin[a*x])] - 6*a*PolyLog[3, -E^(I*ArcSin[a*x])] + 6*a*PolyLog[3,
E^(I*ArcSin[a*x])]
```

**Rule 2320**

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

**Rule 2611**

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

**Rule 4268**

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-
2*(c + d*x)^m*(ArcTanh[E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d
```

```
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 4803

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{x^2} dx &= -\frac{\sin^{-1}(ax)^3}{x} + (3a) \int \frac{\sin^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{\sin^{-1}(ax)^3}{x} + (3a) \text{Subst}\left(\int x^2 \csc(x) dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{\sin^{-1}(ax)^3}{x} - 6a \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) - (6a) \text{Subst}\left(\int x \log(1 - e^{ix}) dx, x, s\right) \\
&= -\frac{\sin^{-1}(ax)^3}{x} - 6a \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) + 6ia \sin^{-1}(ax) \text{Li}_2\left(-e^{i \sin^{-1}(ax)}\right) - 6ia \\
&= -\frac{\sin^{-1}(ax)^3}{x} - 6a \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) + 6ia \sin^{-1}(ax) \text{Li}_2\left(-e^{i \sin^{-1}(ax)}\right) - 6ia \\
&= -\frac{\sin^{-1}(ax)^3}{x} - 6a \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) + 6ia \sin^{-1}(ax) \text{Li}_2\left(-e^{i \sin^{-1}(ax)}\right) - 6ia
\end{aligned}$$

### Mathematica [A]

time = 0.07, size = 133, normalized size = 1.23

$$a \left( -\frac{\text{ArcSin}(ax)^3}{ax} + 3\text{ArcSin}(ax)^2 \log(1 - e^{i\text{ArcSin}(ax)}) - 3\text{ArcSin}(ax)^2 \log(1 + e^{i\text{ArcSin}(ax)}) + 6i\text{ArcSin}(ax) \text{PolyLog}(2, -e^{i\text{ArcSin}(ax)}) - 6i\text{ArcSin}(ax) \text{PolyLog}(2, e^{i\text{ArcSin}(ax)}) - 6\text{PolyLog}(3, -e^{i\text{ArcSin}(ax)}) + 6\text{PolyLog}(3, e^{i\text{ArcSin}(ax)}) \right)$$



Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]^3/x^2,x]
```

```
[Out] a*(-(ArcSin[a*x]^3/(a*x)) + 3*ArcSin[a*x]^2*Log[1 - E^(I*ArcSin[a*x])] - 3*
ArcSin[a*x]^2*Log[1 + E^(I*ArcSin[a*x])] + (6*I)*ArcSin[a*x]*PolyLog[2, -E^
(I*ArcSin[a*x])] - (6*I)*ArcSin[a*x]*PolyLog[2, E^(I*ArcSin[a*x])] - 6*Poly
Log[3, -E^(I*ArcSin[a*x])] + 6*PolyLog[3, E^(I*ArcSin[a*x])])
```

**Maple [A]**

time = 0.07, size = 178, normalized size = 1.65

method	result
derivativedivides	$a \left( -\frac{\arcsin(ax)^3}{ax} + 3 \arcsin(ax)^2 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 6i \arcsin(ax) \operatorname{polylog}(2, \dots) \right)$
default	$a \left( -\frac{\arcsin(ax)^3}{ax} + 3 \arcsin(ax)^2 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 6i \arcsin(ax) \operatorname{polylog}(2, \dots) \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^3/x^2,x,method=_RETURNVERBOSE)
```

```
[Out] a*(-arcsin(a*x)^3/a/x+3*arcsin(a*x)^2*ln(1-I*a*x-(-a^2*x^2+1)^(1/2))-6*I*ar
csin(a*x)*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))+6*polylog(3,I*a*x+(-a^2*x^2+1
)^(1/2))-3*arcsin(a*x)^2*ln(1+I*a*x+(-a^2*x^2+1)^(1/2))+6*I*arcsin(a*x)*pol
ylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-6*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x^2,x, algorithm="maxima")
```

```
[Out] -(arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3 + 3*a*x*integrate(sqrt(a*x +
1)*sqrt(-a*x + 1)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2/(a^2*x^3 -
x), x))/x
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x^2,x, algorithm="fricas")
```

```
[Out] integral(arcsin(a*x)^3/x^2, x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/x\*\*2,x)

[Out] Integral(asin(a\*x)\*\*3/x\*\*2, x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^2,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/x^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^3/x^2,x)

[Out] int(asin(a\*x)^3/x^2, x)

### 3.29 $\int \frac{\text{ArcSin}(ax)^3}{x^3} dx$

**Optimal.** Leaf size=102

$$-\frac{3}{2}ia^2 \text{ArcSin}(ax)^2 - \frac{3a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^2}{2x} - \frac{\text{ArcSin}(ax)^3}{2x^2} + 3a^2 \text{ArcSin}(ax) \log(1 - e^{2i \text{ArcSin}(ax)}) - \frac{3}{2}ia^2 \text{Li}_2(e^{2i \text{ArcSin}(ax)})$$

[Out]  $-3/2*I*a^2*\arcsin(a*x)^2-1/2*\arcsin(a*x)^3/x^2+3*a^2*\arcsin(a*x)*\ln(1-(I*a*x+(-a^2*x^2+1)^{(1/2)})^2)-3/2*I*a^2*\text{polylog}(2,(I*a*x+(-a^2*x^2+1)^{(1/2)})^2)-3/2*a*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}/x$

**Rubi [A]**

time = 0.11, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4723, 4771, 4721, 3798, 2221, 2317, 2438}

$$-\frac{3}{2}ia^2 \text{Li}_2(e^{2i \text{ArcSin}(ax)}) - \frac{3a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^2}{2x} - \frac{3}{2}ia^2 \text{ArcSin}(ax)^2 + 3a^2 \text{ArcSin}(ax) \log(1 - e^{2i \text{ArcSin}(ax)}) - \frac{\text{ArcSin}(ax)^3}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/x^3,x]

[Out]  $((-3*I)/2)*a^2*\text{ArcSin}[a*x]^2 - (3*a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(2*x) - \text{ArcSin}[a*x]^3/(2*x^2) + 3*a^2*\text{ArcSin}[a*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[a*x])] - ((3*I)/2)*a^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[a*x])]$

**Rule 2221**

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] :> Simp[(((c + d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c + d\*x)^(m - 1)\*Log[1 + b\*((F^(g\*(e + f\*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

**Rule 2317**

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

**Rule 2438**

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

**Rule 3798**

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[I\*((c + d\*x)^(m + 1)/(d\*(m + 1))), x] - Dist[2\*I, Int[(c + d\*x)^m \* E^(2\*I\*k\*Pi)\*(E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

#### Rule 4721

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n\*Cot[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 4771

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*f\*(m + 1))), x] - Dist[b\*c\*(n/(f\*(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)^3}{x^3} dx &= -\frac{\sin^{-1}(ax)^3}{2x^2} + \frac{1}{2}(3a) \int \frac{\sin^{-1}(ax)^2}{x^2\sqrt{1-a^2x^2}} dx \\
 &= -\frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} + (3a^2) \int \frac{\sin^{-1}(ax)}{x} dx \\
 &= -\frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} + (3a^2) \text{Subst}\left(\int x \cot(x) dx, x, \sin^{-1}(ax)\right) \\
 &= -\frac{3}{2}ia^2 \sin^{-1}(ax)^2 - \frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} - (6ia^2) \text{Subst}\left(\int \frac{e^{2ix}x}{1-e^{2ix}} dx, x, \sin^{-1}(ax)\right) \\
 &= -\frac{3}{2}ia^2 \sin^{-1}(ax)^2 - \frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} + 3a^2 \sin^{-1}(ax) \log\left(1 - e^{2i \sin^{-1}(ax)}\right) \\
 &= -\frac{3}{2}ia^2 \sin^{-1}(ax)^2 - \frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} + 3a^2 \sin^{-1}(ax) \log\left(1 - e^{2i \sin^{-1}(ax)}\right) \\
 &= -\frac{3}{2}ia^2 \sin^{-1}(ax)^2 - \frac{3a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{2x^2} + 3a^2 \sin^{-1}(ax) \log\left(1 - e^{2i \sin^{-1}(ax)}\right)
 \end{aligned}$$

**Mathematica [A]**

time = 0.23, size = 92, normalized size = 0.90

$$\frac{\text{ArcSin}(ax) \left( 3ax \left( iax + \sqrt{1 - a^2 x^2} \right) \text{ArcSin}(ax) + \text{ArcSin}(ax)^2 - 6a^2 x^2 \log(1 - e^{2i \text{ArcSin}(ax)}) \right)}{2x^2} - \frac{3}{2} i a^2 \text{PolyLog}(2, e^{2i \text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

**[In]** Integrate[ArcSin[a\*x]^3/x^3,x]

**[Out]**  $-1/2 * (\text{ArcSin}[a*x] * (3*a*x * (\text{I}*a*x + \text{Sqrt}[1 - a^2*x^2]) * \text{ArcSin}[a*x] + \text{ArcSin}[a*x]^2 - 6*a^2*x^2 * \text{Log}[1 - \text{E}^((2*I)*\text{ArcSin}[a*x])])) / x^2 - ((3*I)/2) * a^2 * \text{PolyLog}[2, \text{E}^((2*I)*\text{ArcSin}[a*x])]$

**Maple [A]**

time = 0.09, size = 161, normalized size = 1.58

method	result
derivativedivides	$a^2 \left( -\frac{\arcsin(ax)^2 \left( -3ia^2x^2 + 3ax\sqrt{-a^2x^2 + 1} + \arcsin(ax) \right)}{2a^2x^2} + 3 \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) \right)$
default	$a^2 \left( -\frac{\arcsin(ax)^2 \left( -3ia^2x^2 + 3ax\sqrt{-a^2x^2 + 1} + \arcsin(ax) \right)}{2a^2x^2} + 3 \arcsin(ax) \ln(1 - iax - \sqrt{-a^2x^2 + 1}) \right)$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(arcsin(a\*x)^3/x^3,x,method=\_RETURNVERBOSE)

**[Out]**  $a^2 * (-1/2 * \arcsin(a*x)^2 * (-3*I*a^2*x^2 + 3*a*x * (-a^2*x^2 + 1)^{(1/2)} + \arcsin(a*x)) / a^2 / x^2 + 3 * \arcsin(a*x) * \ln(1 - I*a*x - (-a^2*x^2 + 1)^{(1/2)}) + 3 * \arcsin(a*x) * \ln(1 + I*a*x + (-a^2*x^2 + 1)^{(1/2)}) - 3*I * \arcsin(a*x)^2 - 3*I * \text{polylog}(2, I*a*x + (-a^2*x^2 + 1)^{(1/2)}) - 3*I * \text{polylog}(2, -I*a*x - (-a^2*x^2 + 1)^{(1/2)})$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(arcsin(a\*x)^3/x^3,x, algorithm="maxima")

**[Out]**  $-1/2 * (6*a*x^2 * \text{integrate}(1/2 * \text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1) * \text{arctan2}(a*x, \text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1))^2 / (a^2*x^4 - x^2), x) + \text{arctan2}(a*x, \text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1))^3) / x^2$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^3,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^3/x^3, x)

Sympy [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/x\*\*3,x)

[Out] Integral(asin(a\*x)\*\*3/x\*\*3, x)

Giac [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^3,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/x^3, x)

Mupad [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^3/x^3,x)

[Out] int(asin(a\*x)^3/x^3, x)

### 3.30 $\int \frac{\text{ArcSin}(ax)^3}{x^4} dx$

**Optimal.** Leaf size=179

$$-\frac{a^2 \text{ArcSin}(ax)}{x} - \frac{a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^2}{2x^2} - \frac{\text{ArcSin}(ax)^3}{3x^3} - a^3 \text{ArcSin}(ax)^2 \tanh^{-1}(e^{i \text{ArcSin}(ax)}) - a^3 \tanh^{-1}$$

[Out]  $-a^2 \arcsin(ax)/x - 1/3 \arcsin(ax)^3/x^3 - a^3 \arcsin(ax)^2 \arctanh(I*a*x + (-a^2*x^2+1)^{(1/2)}) - a^3 \arctanh((-a^2*x^2+1)^{(1/2)}) + I*a^3 \arcsin(ax) \text{polylog}(2, -I*a*x - (-a^2*x^2+1)^{(1/2)}) - I*a^3 \arcsin(ax) \text{polylog}(2, I*a*x + (-a^2*x^2+1)^{(1/2)}) - a^3 \text{polylog}(3, -I*a*x - (-a^2*x^2+1)^{(1/2)}) + a^3 \text{polylog}(3, I*a*x + (-a^2*x^2+1)^{(1/2)}) - 1/2*a*\arcsin(ax)^2*(-a^2*x^2+1)^{(1/2)}/x^2$

**Rubi** [A]

time = 0.19, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {4723, 4789, 4803, 4268, 2611, 2320, 6724, 272, 65, 214}

$$i a^3 \text{ArcSin}(ax) \text{Li}_2(-e^{i \text{ArcSin}(ax)}) - i a^3 \text{ArcSin}(ax) \text{Li}_2(e^{i \text{ArcSin}(ax)}) - a^3 \text{Li}_3(-e^{i \text{ArcSin}(ax)}) + a^3 \text{Li}_3(e^{i \text{ArcSin}(ax)}) + a^3 (-\text{ArcSin}(ax)^2) \tanh^{-1}(e^{i \text{ArcSin}(ax)}) - \frac{a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^2}{2x^2} - \frac{a^2 \text{ArcSin}(ax)}{x} - a^3 \tanh^{-1}(\sqrt{1-a^2x^2}) - \frac{\text{ArcSin}(ax)^3}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/x^4,x]

[Out]  $-((a^2 \text{ArcSin}[a*x])/x) - (a \text{Sqrt}[1 - a^2*x^2] \text{ArcSin}[a*x]^2)/(2*x^2) - \text{ArcSin}[a*x]^3/(3*x^3) - a^3 \text{ArcSin}[a*x]^2 \text{ArcTanh}[E^{\wedge}(I*\text{ArcSin}[a*x])] - a^3 \text{ArcTanh}[\text{Sqrt}[1 - a^2*x^2]] + I*a^3 \text{ArcSin}[a*x] \text{PolyLog}[2, -E^{\wedge}(I*\text{ArcSin}[a*x])] - I*a^3 \text{ArcSin}[a*x] \text{PolyLog}[2, E^{\wedge}(I*\text{ArcSin}[a*x])] - a^3 \text{PolyLog}[3, -E^{\wedge}(I*\text{ArcSin}[a*x])] + a^3 \text{PolyLog}[3, E^{\wedge}(I*\text{ArcSin}[a*x])]$

Rule 65

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - a\*(d/b) + d\*(x^p/b))^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-a/b, 2]/a)\*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

#### Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

#### Rule 4268

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 4789

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_ + (e_.)*(x_)^2)^(p_)), x_Symbol] := Simp[(f*x)^(m + 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(d*f*(m + 1))), x] + (Dist[c^2*((m + 2*p + 3)/(f^2*(m + 1))), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[b*c*(n/(f*(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && ILtQ[m, -1]
```

#### Rule 4803

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_ + (e_.)*(x_)^2], x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e
```



```
x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a,
  b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
  := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d,
  e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^3}{x^4} dx &= -\frac{\sin^{-1}(ax)^3}{3x^3} + a \int \frac{\sin^{-1}(ax)^2}{x^3 \sqrt{1-a^2x^2}} dx \\ &= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x^2} - \frac{\sin^{-1}(ax)^3}{3x^3} + a^2 \int \frac{\sin^{-1}(ax)}{x^2} dx + \frac{1}{2} a^3 \int \frac{\sin^{-1}(ax)^2}{x \sqrt{1-a^2x^2}} dx \\ &= -\frac{a^2 \sin^{-1}(ax)}{x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x^2} - \frac{\sin^{-1}(ax)^3}{3x^3} + \frac{1}{2} a^3 \operatorname{Subst}\left(\int x^2 \operatorname{csc}(x) dx, x, \sqrt{1-a^2x^2}\right) \\ &= -\frac{a^2 \sin^{-1}(ax)}{x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x^2} - \frac{\sin^{-1}(ax)^3}{3x^3} - a^3 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) \\ &= -\frac{a^2 \sin^{-1}(ax)}{x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x^2} - \frac{\sin^{-1}(ax)^3}{3x^3} - a^3 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) \\ &= -\frac{a^2 \sin^{-1}(ax)}{x} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x^2} - \frac{\sin^{-1}(ax)^3}{3x^3} - a^3 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right) \end{aligned}$$

### Mathematica [A]

time = 1.68, size = 284, normalized size = 1.59

```
1/2*(...)
```

Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]^3/x^4, x]
```

```
[Out] (a^3*(-24*ArcSin[a*x]*Cot[ArcSin[a*x]/2] - 4*ArcSin[a*x]^3*Cot[ArcSin[a*x]/
  2] - 6*ArcSin[a*x]^2*Csc[ArcSin[a*x]/2]^2 - a*x*ArcSin[a*x]^3*Csc[ArcSin[a*
  x]/2]^4 + 24*ArcSin[a*x]^2*Log[1 - E^(I*ArcSin[a*x])] - 24*ArcSin[a*x]^2*Lo
  g[1 + E^(I*ArcSin[a*x])] + 48*Log[Tan[ArcSin[a*x]/2]] + (48*I)*ArcSin[a*x]*
  PolyLog[2, -E^(I*ArcSin[a*x])] - (48*I)*ArcSin[a*x]*PolyLog[2, E^(I*ArcSin[
```

$a*x]] - 48*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[a*x])}] + 48*\text{PolyLog}[3, E^{(I*\text{ArcSin}[a*x])}] + 6*\text{ArcSin}[a*x]^2*\text{Sec}[\text{ArcSin}[a*x]/2]^2 - (16*\text{ArcSin}[a*x]^3*\text{Sin}[\text{ArcSin}[a*x]/2]^4)/(a^3*x^3) - 24*\text{ArcSin}[a*x]*\text{Tan}[\text{ArcSin}[a*x]/2] - 4*\text{ArcSin}[a*x]^3*\text{Tan}[\text{ArcSin}[a*x]/2])/48$

**Maple [A]**

time = 0.14, size = 234, normalized size = 1.31

method	result
derivativedivides	$a^3 \left( -\frac{\arcsin(ax) \left( 3ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + 2 \arcsin(ax)^2 + 6a^2x^2 \right)}{6a^3x^3} + \frac{\arcsin(ax)^2 \ln \left( 1 - iax - \sqrt{-a^2x^2 + 1} \right)}{2} \right)$
default	$a^3 \left( -\frac{\arcsin(ax) \left( 3ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + 2 \arcsin(ax)^2 + 6a^2x^2 \right)}{6a^3x^3} + \frac{\arcsin(ax)^2 \ln \left( 1 - iax - \sqrt{-a^2x^2 + 1} \right)}{2} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^3/x^4,x,method=_RETURNVERBOSE)`

[Out]  $a^3 * (-1/6/a^3/x^3 * \arcsin(a*x) * (3*a*x * \arcsin(a*x) * (-a^2*x^2+1)^{(1/2)} + 2 * \arcsin(a*x)^2 + 6*a^2*x^2) + 1/2 * \arcsin(a*x)^2 * \ln(1 - I*a*x - (-a^2*x^2+1)^{(1/2)}) - I * \arcsin(a*x) * \text{polylog}(2, I*a*x + (-a^2*x^2+1)^{(1/2)}) + \text{polylog}(3, I*a*x + (-a^2*x^2+1)^{(1/2)}) - 1/2 * \arcsin(a*x)^2 * \ln(1 + I*a*x + (-a^2*x^2+1)^{(1/2)}) + I * \arcsin(a*x) * \text{polylog}(2, -I*a*x - (-a^2*x^2+1)^{(1/2)}) - \text{polylog}(3, -I*a*x - (-a^2*x^2+1)^{(1/2)}) - 2 * \arctan h(I*a*x + (-a^2*x^2+1)^{(1/2)}))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^4,x, algorithm="maxima")`

[Out]  $-1/3 * (3*a*x^3 * \text{integrate}(\text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1) * \arctan 2(a*x, \text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1))^2 / (a^2*x^5 - x^3), x) + \arctan 2(a*x, \text{sqrt}(a*x + 1) * \text{sqrt}(-a*x + 1))^3) / x^3$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^4,x, algorithm="fricas")`

[Out] integral(arcsin(a\*x)^3/x^4, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/x\*\*4,x)

[Out] Integral(asin(a\*x)\*\*3/x\*\*4, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^4,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/x^4, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^3/x^4,x)

[Out] int(asin(a\*x)^3/x^4, x)

### 3.31 $\int \frac{\text{ArcSin}(ax)^3}{x^5} dx$

**Optimal.** Leaf size=169

$$\frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2\text{ArcSin}(ax)}{4x^2} - \frac{1}{2}ia^4\text{ArcSin}(ax)^2 - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{4x^3} - \frac{a^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{2x}$$

[Out]  $-1/4*a^2*\arcsin(a*x)/x^2-1/2*I*a^4*\arcsin(a*x)^2-1/4*\arcsin(a*x)^3/x^4+a^4*\arcsin(a*x)*\ln(1-(I*a*x+(-a^2*x^2+1)^(1/2))^(1/2))-1/2*I*a^4*\text{polylog}(2,(I*a*x+(-a^2*x^2+1)^(1/2))^(1/2))-1/4*a^3*(-a^2*x^2+1)^(1/2)/x-1/4*a*\arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)/x^3-1/2*a^3*\arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)/x$

**Rubi [A]**

time = 0.18, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$ , Rules used = {4723, 4789, 4771, 4721, 3798, 2221, 2317, 2438, 270}

$$-\frac{1}{2}ia^4\text{Li}_2(e^{2i\text{ArcSin}(ax)}) - \frac{1}{2}ia^4\text{ArcSin}(ax)^2 + a^4\text{ArcSin}(ax)\log(1 - e^{2i\text{ArcSin}(ax)}) - \frac{a^2\text{ArcSin}(ax)}{4x^2} - \frac{a\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{4x^3} - \frac{a^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2}{2x} - \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{\text{ArcSin}(ax)^3}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/x^5,x]

[Out]  $-1/4*(a^3*\text{Sqrt}[1 - a^2*x^2])/x - (a^2*\text{ArcSin}[a*x])/(4*x^2) - (I/2)*a^4*\text{ArcSin}[a*x]^2 - (a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(4*x^3) - (a^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(2*x) - \text{ArcSin}[a*x]^3/(4*x^4) + a^4*\text{ArcSin}[a*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[a*x])] - (I/2)*a^4*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[a*x])]$

Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c\*x)^(m+1)\*((a+b\*x^n)^(p+1)/(a\*c\*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 2221

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)], x\_Symbol] :> Simp[((c+d\*x)^m/(b\*f\*g\*n\*Log[F]))\*Log[1+b\*((F^(g\*(e+f\*x)))^n/a)], x] - Dist[d\*(m/(b\*f\*g\*n\*Log[F])), Int[(c+d\*x)^(m-1)\*Log[1+b\*((F^(g\*(e+f\*x)))^n/a)], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a\_.) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_)))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a+b\*x]/x, x], x, (F^(e\*(c+d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c\_.)\*(d\_) + (e\_.)\*(x\_)^(n\_.)]/(x\_), x\_Symbol] := Simp[-PolyLog[2, (-c)\*e\*x^n/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 3798

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[I\*((c + d\*x)^(m + 1)/(d\*(m + 1))), x] - Dist[2\*I, Int[(c + d\*x)^m \*E^(2\*I\*k\*Pi)\*(E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 4721

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n\*Cot[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4771

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*f\*(m + 1))), x] - Dist[b\*c\*(n/(f\*(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rule 4789

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*f\*(m + 1))), x] + (Dist[c^2\*((m + 2\*p + 3)/(f^2\*(m + 1))), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[b\*c\*(n/(f\*(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && ILtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{x^5} dx &= -\frac{\sin^{-1}(ax)^3}{4x^4} + \frac{1}{4}(3a) \int \frac{\sin^{-1}(ax)^2}{x^4\sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{\sin^{-1}(ax)^3}{4x^4} + \frac{1}{2}a^2 \int \frac{\sin^{-1}(ax)}{x^3} dx + \frac{1}{2}a^3 \int \frac{\sin^{-1}(ax)^2}{x^2\sqrt{1-a^2x^2}} dx \\
&= -\frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} - \frac{\sin^{-1}(ax)^3}{4x^4} + \frac{1}{4} \int \frac{a^3 \sqrt{1-a^2x^2}}{x^2} dx \\
&= -\frac{a^3 \sqrt{1-a^2x^2}}{4x} - \frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2x} \\
&= -\frac{a^3 \sqrt{1-a^2x^2}}{4x} - \frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \sin^{-1}(ax)^2 - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2}}{4x} \\
&= -\frac{a^3 \sqrt{1-a^2x^2}}{4x} - \frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \sin^{-1}(ax)^2 - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2}}{4x} \\
&= -\frac{a^3 \sqrt{1-a^2x^2}}{4x} - \frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \sin^{-1}(ax)^2 - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2}}{4x} \\
&= -\frac{a^3 \sqrt{1-a^2x^2}}{4x} - \frac{a^2 \sin^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \sin^{-1}(ax)^2 - \frac{a\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4x^3} - \frac{a^3 \sqrt{1-a^2x^2}}{4x}
\end{aligned}$$

**Mathematica [A]**

time = 0.39, size = 116, normalized size = 0.69

$$\frac{1}{4} \left( -\frac{\text{ArcSin}(ax)^3}{x^4} + a^4 \left( -\frac{\sqrt{1-a^2x^2} (1 + (2 + \frac{1}{a^2x^2}) \text{ArcSin}(ax)^2)}{ax} - \text{ArcSin}(ax) \left( \frac{1}{a^2x^2} + 2i \text{ArcSin}(ax) - 4 \log(1 - e^{2i \text{ArcSin}(ax)}) \right) - 2i \text{PolyLog}(2, e^{2i \text{ArcSin}(ax)}) \right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^3/x^5, x]`

```
[Out] (-(ArcSin[a*x]^3/x^4) + a^4*(-((Sqrt[1 - a^2*x^2]*(1 + (2 + 1/(a^2*x^2))*ArcSin[a*x]^2))/(a*x)) - ArcSin[a*x]*(1/(a^2*x^2) + (2*I)*ArcSin[a*x] - 4*Log[1 - E^((2*I)*ArcSin[a*x])]) - (2*I)*PolyLog[2, E^((2*I)*ArcSin[a*x])]))/4
```

**Maple [A]**

time = 0.16, size = 231, normalized size = 1.37

method	result
derivativedivides	$a^4 \left( -\frac{-2i \arcsin(ax)^2 a^4 x^4 + 2a^3 x^3 \arcsin(ax)^2 \sqrt{-a^2 x^2 + 1} - ia^4 x^4 + ax \arcsin(ax)^2 \sqrt{-a^2 x^2 + 1} + a^3 x^3 \sqrt{-a^2 x^2 + 1}}{4a^4 x^4} \right)$
default	$a^4 \left( -\frac{-2i \arcsin(ax)^2 a^4 x^4 + 2a^3 x^3 \arcsin(ax)^2 \sqrt{-a^2 x^2 + 1} - ia^4 x^4 + ax \arcsin(ax)^2 \sqrt{-a^2 x^2 + 1} + a^3 x^3 \sqrt{-a^2 x^2 + 1}}{4a^4 x^4} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^3/x^5,x,method=_RETURNVERBOSE)`

[Out]  $a^4*(-1/4*(-2*I*\arcsin(a*x)^2*a^4*x^4+2*a^3*x^3*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}-I*a^4*x^4+a*x*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}+a^3*x^3*(-a^2*x^2+1)^{(1/2)}+\arcsin(a*x)^3+a^2*x^2*\arcsin(a*x))/a^4/x^4+\arcsin(a*x)*\ln(1-I*a*x-(-a^2*x^2+1)^{(1/2)})+\arcsin(a*x)*\ln(1+I*a*x+(-a^2*x^2+1)^{(1/2)})-I*\arcsin(a*x)^2-I*\operatorname{polylog}(2,-I*a*x-(-a^2*x^2+1)^{(1/2)})-I*\operatorname{polylog}(2,I*a*x+(-a^2*x^2+1)^{(1/2)})$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^5,x, algorithm="maxima")`

[Out]  $-1/4*(12*a*x^4*\int(1/4*\sqrt{a*x+1}*\sqrt{-a*x+1}*\arctan2(a*x,\sqrt{a*x+1}*\sqrt{-a*x+1})^2/(a^2*x^6-x^4),x)+\arctan2(a*x,\sqrt{a*x+1})*\sqrt{-a*x+1})^3/x^4$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^5,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^3/x^5, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^3(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**3/x**5,x)`

[Out] `Integral(asin(a*x)**3/x**5, x)`

**Giac [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^5,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in  
 dex\_m & i,const vecteur & l) Error: Bad Argument Value

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^3/x^5,x)

[Out] int(asin(a\*x)^3/x^5, x)



### 3.32 $\int x^5 \text{ArcSin}(ax)^4 dx$

**Optimal.** Leaf size=282

$$\frac{245x^2}{1152a^4} + \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{576a^5} - \frac{65x^3\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{864a^3} - \frac{x^5\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{54a}$$

```
[Out] 245/1152*x^2/a^4+65/3456*x^4/a^2+1/324*x^6+245/1152*arcsin(a*x)^2/a^6-5/16*x^2*arcsin(a*x)^2/a^4-5/48*x^4*arcsin(a*x)^2/a^2-1/18*x^6*arcsin(a*x)^2-5/9*6*arcsin(a*x)^4/a^6+1/6*x^6*arcsin(a*x)^4-245/576*x*arcsin(a*x)*(-a^2*x^2+1)^(1/2)/a^5-65/864*x^3*arcsin(a*x)*(-a^2*x^2+1)^(1/2)/a^3-1/54*x^5*arcsin(a*x)*(-a^2*x^2+1)^(1/2)/a+5/24*x*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)/a^5+5/36*x^3*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)/a^3+1/9*x^5*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)/a
```

**Rubi [A]**

time = 0.55, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4723, 4795, 4737, 30}

$$\frac{5\text{ArcSin}(ax)^4}{96a^4} + \frac{245\text{ArcSin}(ax)^2}{1152a^2} - \frac{5x^2\text{ArcSin}(ax)^2}{16a^4} + \frac{245x^2}{1152a^4} - \frac{5x^4\text{ArcSin}(ax)^2}{48a^2} + \frac{x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^3}{9a} - \frac{x^4\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{54a} + \frac{65x^4}{3456a^2} + \frac{5x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^3}{24a^3} - \frac{245x\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{576a^3} + \frac{5x^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^3}{36a^3} - \frac{65x^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)}{864a^3} + \frac{1}{6}x^5\text{ArcSin}(ax)^4 - \frac{1}{18}x^5\text{ArcSin}(ax)^2 + \frac{x^6}{324}$$

Antiderivative was successfully verified.

[In] Int[x^5\*ArcSin[a\*x]^4,x]

```
[Out] (245*x^2)/(1152*a^4) + (65*x^4)/(3456*a^2) + x^6/324 - (245*x*sqrt[1 - a^2*x^2]*ArcSin[a*x])/(576*a^5) - (65*x^3*sqrt[1 - a^2*x^2]*ArcSin[a*x])/(864*a^3) - (x^5*sqrt[1 - a^2*x^2]*ArcSin[a*x])/(54*a) + (245*ArcSin[a*x]^2)/(1152*a^6) - (5*x^2*ArcSin[a*x]^2)/(16*a^4) - (5*x^4*ArcSin[a*x]^2)/(48*a^2) - (x^6*ArcSin[a*x]^2)/18 + (5*x*sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(24*a^5) + (5*x^3*sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(36*a^3) + (x^5*sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(9*a) - (5*ArcSin[a*x]^4)/(96*a^6) + (x^6*ArcSin[a*x]^4)/6
```

**Rule 30**

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

**Rule 4723**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

**Rule 4737**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && NeQ[n, -1]
```

### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^5 \sin^{-1}(ax)^4 dx &= \frac{1}{6}x^6 \sin^{-1}(ax)^4 - \frac{1}{3}(2a) \int \frac{x^6 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\
&= \frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a} + \frac{1}{6}x^6 \sin^{-1}(ax)^4 - \frac{1}{3} \int x^5 \sin^{-1}(ax)^2 dx - \frac{5 \int \frac{x^4 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{9a} \\
&= -\frac{1}{18}x^6 \sin^{-1}(ax)^2 + \frac{5x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{36a^3} + \frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a} + \frac{1}{6}x^6 \sin^{-1}(ax)^4 \\
&= -\frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{54a} - \frac{5x^4 \sin^{-1}(ax)^2}{48a^2} - \frac{1}{18}x^6 \sin^{-1}(ax)^2 + \frac{5x \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{24a^5} \\
&= \frac{x^6}{324} - \frac{65x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{864a^3} - \frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{54a} - \frac{5x^2 \sin^{-1}(ax)^2}{16a^4} - \frac{5x^4 \sin^{-1}(ax)^4}{10368a^6} \\
&= \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{576a^5} - \frac{65x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{864a^3} - \frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{54a} \\
&= \frac{245x^2}{1152a^4} + \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{576a^5} - \frac{65x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{864a^3} - \frac{x^5 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{54a}
\end{aligned}$$

### Mathematica [A]

time = 0.05, size = 167, normalized size = 0.59

$$\frac{a^2x^2(2205 + 195a^2x^2 + 32a^4x^4) - 6ax\sqrt{1 - a^2x^2}(735 + 130a^2x^2 + 32a^4x^4)\text{ArcSin}(ax) - 9(-245 + 360a^2x^2 + 120a^4x^4 + 64a^6x^6)\text{ArcSin}(ax)^2 + 144ax\sqrt{1 - a^2x^2}(15 + 10a^2x^2 + 8a^4x^4)\text{ArcSin}(ax)^3 + 108(-5 + 16a^2x^2)\text{ArcSin}(ax)^4}{10368a^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*ArcSin[a\*x]^4,x]

[Out]  $(a^2x^2(2205 + 195a^2x^2 + 32a^4x^4) - 6ax\sqrt{1 - a^2x^2})(735 + 130a^2x^2 + 32a^4x^4)\text{ArcSin}[ax] - 9(-245 + 360a^2x^2 + 120a^4x^4 + 64a^6x^6)\text{ArcSin}[ax]^2 + 144ax\sqrt{1 - a^2x^2}(15 + 10a^2x^2 + 8a^4x^4)\text{ArcSin}[ax]^3 + 108(-5 + 16a^6x^6)\text{ArcSin}[ax]^4)/(10368a^6)$

**Maple [A]**

time = 0.12, size = 334, normalized size = 1.18

method	result
derivativedivides	$\frac{a^6 x^6 \arcsin(ax)^4}{6} - \frac{\arcsin(ax)^3 \left( -8\sqrt{-a^2x^2 + 1} a^5 x^5 - 10a^3 x^3 \sqrt{-a^2x^2 + 1} - 15ax \sqrt{-a^2x^2 + 1} + 15 \arcsin(ax) \right)}{72}$
default	$\frac{a^6 x^6 \arcsin(ax)^4}{6} - \frac{\arcsin(ax)^3 \left( -8\sqrt{-a^2x^2 + 1} a^5 x^5 - 10a^3 x^3 \sqrt{-a^2x^2 + 1} - 15ax \sqrt{-a^2x^2 + 1} + 15 \arcsin(ax) \right)}{72}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*arcsin(a\*x)^4,x,method=\_RETURNVERBOSE)

[Out]  $1/a^6*(1/6*a^6*x^6*\arcsin(a*x)^4-1/72*\arcsin(a*x)^3*(-8*(-a^2*x^2+1)^{(1/2)}*a^5*x^5-10*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-15*a*x*(-a^2*x^2+1)^{(1/2)}+15*\arcsin(a*x))-1/18*\arcsin(a*x)^2*a^6*x^6+1/432*\arcsin(a*x)*(-8*(-a^2*x^2+1)^{(1/2)}*a^5*x^5-10*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-15*a*x*(-a^2*x^2+1)^{(1/2)}+15*\arcsin(a*x))+115/1152*\arcsin(a*x)^2+1/324*a^6*x^6+5/864*a^4*x^4+25/144*a^2*x^2-5/48*a^4*x^4*\arcsin(a*x)^2+5/192*\arcsin(a*x)*(-2*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-3*a*x*(-a^2*x^2+1)^{(1/2)}+3*\arcsin(a*x))+5/1536*(2*a^2*x^2+3)^2-5/16*(a^2*x^2-1)*\arcsin(a*x)^2-5/16*\arcsin(a*x)*(a*x*(-a^2*x^2+1)^{(1/2)}+\arcsin(a*x))+5/32*\arcsin(a*x)^4)$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*arcsin(a\*x)^4,x, algorithm="maxima")

[Out]  $1/6*x^6*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^4 + 2*a*\integrate(1/3*\sqrt{a*x + 1}*\sqrt{-a*x + 1}*x^6*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^3/(a^2*x^2 - 1), x)$

**Fricas [A]**

time = 2.34, size = 153, normalized size = 0.54

$$\frac{32 a^6 x^6 + 195 a^4 x^4 + 108 (16 a^6 x^6 - 5) \arcsin(ax)^4 + 2205 a^2 x^2 - 9 (64 a^6 x^6 + 120 a^4 x^4 + 360 a^2 x^2 - 245) \arcsin(ax)^2 + 6 \sqrt{-a^2 x^2 + 1} (24 (8 a^5 x^5 + 10 a^3 x^3 + 15 a x) \arcsin(ax)^3 - (32 a^5 x^5 + 130 a^3 x^3 + 735 a x) \arcsin(ax))}{10368 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>5</sup>\*arcsin(a\*x)<sup>4</sup>,x, algorithm="fricas")

[Out] 1/10368\*(32\*a<sup>6</sup>\*x<sup>6</sup> + 195\*a<sup>4</sup>\*x<sup>4</sup> + 108\*(16\*a<sup>6</sup>\*x<sup>6</sup> - 5)\*arcsin(a\*x)<sup>4</sup> + 2205\*a<sup>2</sup>\*x<sup>2</sup> - 9\*(64\*a<sup>6</sup>\*x<sup>6</sup> + 120\*a<sup>4</sup>\*x<sup>4</sup> + 360\*a<sup>2</sup>\*x<sup>2</sup> - 245)\*arcsin(a\*x)<sup>2</sup> + 6\*sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*(24\*(8\*a<sup>5</sup>\*x<sup>5</sup> + 10\*a<sup>3</sup>\*x<sup>3</sup> + 15\*a\*x)\*arcsin(a\*x)<sup>3</sup> - (32\*a<sup>5</sup>\*x<sup>5</sup> + 130\*a<sup>3</sup>\*x<sup>3</sup> + 735\*a\*x)\*arcsin(a\*x))/a<sup>6</sup>

**Sympy [A]**

time = 1.60, size = 269, normalized size = 0.95

$$\int_0^x \frac{a^2 \sin^4(\arcsin(ax)) - a^2 \sin^2(\arcsin(ax)) + \frac{a^2}{64} + \frac{a^2 \sqrt{-a^2 x^2 + 1} \sin^3(\arcsin(ax)) - a^2 \sqrt{-a^2 x^2 + 1} \sin(\arcsin(ax)) - \frac{5a^2 \sin^4(\arcsin(ax))}{48a} + \frac{65a^4}{1152a^2} + \frac{5a^2 \sqrt{-a^2 x^2 + 1} \sin^2(\arcsin(ax)) - 65a^2 \sqrt{-a^2 x^2 + 1} \sin(\arcsin(ax)) - \frac{5a^2 \sin^2(\arcsin(ax))}{144a} + \frac{245a^2}{1152a^2} + \frac{5a \sqrt{-a^2 x^2 + 1} \sin^3(\arcsin(ax)) - 245a \sqrt{-a^2 x^2 + 1} \sin(\arcsin(ax)) - \frac{5 \sin^4(\arcsin(ax))}{36a^2} + \frac{245 \sin^2(\arcsin(ax))}{1152a^2}}{0} \text{ for } a \neq 0$$

otherwise

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*asin(a\*x)\*\*4,x)

[Out] Piecewise((x\*\*6\*asin(a\*x)\*\*4/6 - x\*\*6\*asin(a\*x)\*\*2/18 + x\*\*6/324 + x\*\*5\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(9\*a) - x\*\*5\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(54\*a) - 5\*x\*\*4\*asin(a\*x)\*\*2/(48\*a\*\*2) + 65\*x\*\*4/(3456\*a\*\*2) + 5\*x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(36\*a\*\*3) - 65\*x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(864\*a\*\*3) - 5\*x\*\*2\*asin(a\*x)\*\*2/(16\*a\*\*4) + 245\*x\*\*2/(1152\*a\*\*4) + 5\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(24\*a\*\*5) - 245\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(576\*a\*\*5) - 5\*asin(a\*x)\*\*4/(96\*a\*\*6) + 245\*asin(a\*x)\*\*2/(1152\*a\*\*6), Ne(a, 0)), (0, True))

**Giac [A]**

time = 0.41, size = 362, normalized size = 1.28

$$\frac{(a^2 - \sqrt{-a^2 x^2 + 1}) \arcsin(ax)^4 - (a^2 - \sqrt{-a^2 x^2 + 1}) \arcsin(ax)^2 + \frac{11 - 2a^2 + 1}{36a} \arcsin(ax)^4 - (a^2 - \sqrt{-a^2 x^2 + 1}) \arcsin(ax)^2 - \frac{11 \sqrt{-a^2 x^2 + 1} \arcsin(ax)^4 - 11 \sqrt{-a^2 x^2 + 1} \arcsin(ax)^2 - \frac{299 \sqrt{-a^2 x^2 + 1} \arcsin(ax)}{36a} - \frac{13 \arcsin(ax)^4}{36a^2} - \frac{11 \arcsin(ax)^2}{36a^2} - \frac{299 \arcsin(ax)}{1152a^2} - \frac{245}{1152a^2}}{0}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>5</sup>\*arcsin(a\*x)<sup>4</sup>,x, algorithm="giac")

[Out] 1/9\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>2</sup>\*sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*x\*arcsin(a\*x)<sup>3</sup>/a<sup>5</sup> + 1/6\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>3</sup>\*arcsin(a\*x)<sup>4</sup>/a<sup>6</sup> - 13/36\*(-a<sup>2</sup>\*x<sup>2</sup> + 1)<sup>(3/2)</sup>\*x\*arcsin(a\*x)<sup>3</sup>/a<sup>5</sup> + 1/2\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>2</sup>\*arcsin(a\*x)<sup>4</sup>/a<sup>6</sup> - 1/54\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>2</sup>\*sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*x\*arcsin(a\*x)/a<sup>5</sup> + 11/24\*sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*x\*arcsin(a\*x)<sup>3</sup>/a<sup>5</sup> - 1/18\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>3</sup>\*arcsin(a\*x)<sup>2</sup>/a<sup>6</sup> + 1/2\*(a<sup>2</sup>\*x<sup>2</sup> - 1)\*arcsin(a\*x)<sup>4</sup>/a<sup>6</sup> + 97/864\*(-a<sup>2</sup>\*x<sup>2</sup> + 1)<sup>(3/2)</sup>\*x\*arcsin(a\*x)/a<sup>5</sup> - 13/48\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>2</sup>\*arcsin(a\*x)<sup>2</sup>/a<sup>6</sup> + 11/96\*arcsin(a\*x)<sup>4</sup>/a<sup>6</sup> - 299/576\*sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*x\*arcsin(a\*x)/a<sup>5</sup> + 1/324\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>3</sup>/a<sup>6</sup> - 11/16\*(a<sup>2</sup>\*x<sup>2</sup> - 1)\*arcsin(a\*x)<sup>2</sup>/a<sup>6</sup> + 97/3456\*(a<sup>2</sup>\*x<sup>2</sup> - 1)<sup>2</sup>/a<sup>6</sup> - 299/1152\*arcsin(a\*x)<sup>2</sup>/a<sup>6</sup> + 299/1152\*(a<sup>2</sup>\*x<sup>2</sup> - 1)/a<sup>6</sup> + 9971/82944/a<sup>6</sup>

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 \operatorname{asin}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*asin(a*x)^4,x)
```

```
[Out] int(x^5*asin(a*x)^4, x)
```

### 3.33 $\int x^4 \text{ArcSin}(ax)^4 dx$

**Optimal.** Leaf size=250

$$\frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{5625a^5} - \frac{1088x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{5625a^3} - \frac{24x^4\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{625a}$$

[Out]  $16576/5625*x/a^4+1088/16875*x^3/a^2+24/3125*x^5-32/25*x*\arcsin(a*x)^2/a^4-16/75*x^3*\arcsin(a*x)^2/a^2-12/125*x^5*\arcsin(a*x)^2+1/5*x^5*\arcsin(a*x)^4-16576/5625*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^5-1088/5625*x^2*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3-24/625*x^4*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a+32/75*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a^5+16/75*x^2*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a^3+4/25*x^4*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.43, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4723, 4795, 4767, 4715, 8, 30}

$$-\frac{32x \text{ArcSin}(ax)^2}{25a^4} + \frac{16576x}{5625a^4} - \frac{16a^3 \text{ArcSin}(ax)^2}{75a^2} + \frac{4x^4 \sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{25a} - \frac{24x^4 \sqrt{1-a^2x^2} \text{ArcSin}(ax)}{625a} + \frac{1088x^3}{16875a^2} + \frac{32 \sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{75a^5} - \frac{16576 \sqrt{1-a^2x^2} \text{ArcSin}(ax)}{5625a^3} + \frac{16x^2 \sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{75a^3} - \frac{1088x^2 \sqrt{1-a^2x^2} \text{ArcSin}(ax)}{5625a^3} + \frac{1}{5} x^5 \text{ArcSin}(ax)^4 - \frac{12}{125} x^5 \text{ArcSin}(ax)^2 - \frac{24x^5}{3125}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcSin[a\*x]^4,x]

[Out]  $(16576*x)/(5625*a^4) + (1088*x^3)/(16875*a^2) + (24*x^5)/3125 - (16576*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(5625*a^5) - (1088*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(5625*a^3) - (24*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(625*a) - (32*x*\text{ArcSin}[a*x]^2)/(25*a^4) - (16*x^3*\text{ArcSin}[a*x]^2)/(75*a^2) - (12*x^5*\text{ArcSin}[a*x]^2)/125 + (32*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(75*a^5) + (16*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(75*a^3) + (4*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(25*a) + (x^5*\text{ArcSin}[a*x]^4)/5$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4715

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] :> Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p +
1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], In
t[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a,
b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a +
b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
+ 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
 \int x^4 \sin^{-1}(ax)^4 dx &= \frac{1}{5}x^5 \sin^{-1}(ax)^4 - \frac{1}{5}(4a) \int \frac{x^5 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
 &= \frac{4x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax)^4 - \frac{12}{25} \int x^4 \sin^{-1}(ax)^2 dx - \frac{16 \int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{25a} \\
 &= -\frac{12}{125}x^5 \sin^{-1}(ax)^2 + \frac{16x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{75a^3} + \frac{4x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{25a} + \frac{1}{5}x^5 \sin^{-1}(ax)^4 \\
 &= -\frac{24x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{625a} - \frac{16x^3 \sin^{-1}(ax)^2}{75a^2} - \frac{12}{125}x^5 \sin^{-1}(ax)^2 + \frac{32 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{75a^5} \\
 &= \frac{24x^5}{3125} - \frac{1088x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{5625a^3} - \frac{24x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{625a} - \frac{32x \sin^{-1}(ax)^2}{25a^4} \\
 &= \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{5625a^5} - \frac{1088x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{5625a^3} - \frac{24x}{5625a^4} \\
 &= \frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{5625a^5} - \frac{1088x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{5625a^3}
 \end{aligned}$$

**Mathematica [A]**

time = 0.04, size = 150, normalized size = 0.60

$$\frac{8ax(31080 + 680a^2x^2 + 81a^4x^4) - 120\sqrt{1-a^2x^2}(2072 + 136a^2x^2 + 27a^4x^4) \operatorname{ArcSin}(ax) - 900ax(120 + 20a^2x^2 + 9a^4x^4) \operatorname{ArcSin}(ax)^2 + 4500\sqrt{1-a^2x^2}(8 + 4a^2x^2 + 3a^4x^4) \operatorname{ArcSin}(ax)^3 + 16875a^5x^5 \operatorname{ArcSin}(ax)^4}{84375a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcSin[a\*x]^4,x]

[Out] (8\*a\*x\*(31080 + 680\*a^2\*x^2 + 81\*a^4\*x^4) - 120\*sqrt[1 - a^2\*x^2]\*(2072 + 136\*a^2\*x^2 + 27\*a^4\*x^4)\*ArcSin[a\*x] - 900\*a\*x\*(120 + 20\*a^2\*x^2 + 9\*a^4\*x^4)\*ArcSin[a\*x]^2 + 4500\*sqrt[1 - a^2\*x^2]\*(8 + 4\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcSin[a\*x]^3 + 16875\*a^5\*x^5\*ArcSin[a\*x]^4)/(84375\*a^5)

**Maple [A]**

time = 0.06, size = 197, normalized size = 0.79

method	result
derivativedivides	$\frac{\frac{a^5 x^5 \arcsin(ax)^4}{5} + \frac{4 \arcsin(ax)^3 (3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75} - \frac{12a^5 x^5 \arcsin(ax)^2}{125} - \frac{8 \arcsin(ax) (3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{625}}{1}$
default	$\frac{\frac{a^5 x^5 \arcsin(ax)^4}{5} + \frac{4 \arcsin(ax)^3 (3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75} - \frac{12a^5 x^5 \arcsin(ax)^2}{125} - \frac{8 \arcsin(ax) (3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{625}}{1}$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x^4*arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^5} * \left( \frac{1}{5} a^5 x^5 \arcsin(ax)^4 + \frac{4}{75} \arcsin(ax)^3 (3a^4 x^4 + 4a^2 x^2 + 8) (-a^2 x^2 + 1)^{1/2} - \frac{12}{125} a^5 x^5 \arcsin(ax)^2 - \frac{8}{625} \arcsin(ax) (3a^4 x^4 + 4a^2 x^2 + 8) (-a^2 x^2 + 1)^{1/2} + \frac{24}{3125} a^5 x^5 + \frac{1088}{16875} a^3 x^3 + \frac{16576}{5625} a x - \frac{16}{75} a^3 x^3 \arcsin(ax)^2 - \frac{32}{225} \arcsin(ax) (a^2 x^2 + 2) (-a^2 x^2 + 1)^{1/2} - \frac{32}{25} a x \arcsin(ax)^2 - \frac{64}{25} \arcsin(ax) (-a^2 x^2 + 1)^{1/2} \right)$

**Maxima** [A]

time = 0.50, size = 207, normalized size = 0.83

$$\frac{1}{5} x^5 \arcsin(ax)^4 + \frac{4}{75} \left( \frac{3\sqrt{-a^2x^2+1}x^4}{a^2} + \frac{4\sqrt{-a^2x^2+1}x^2}{a^4} + \frac{8\sqrt{-a^2x^2+1}}{a^6} \right) a \arcsin(ax)^3 - \frac{4}{84375} \left( 2a \left( \frac{15 \left( 27\sqrt{-a^2x^2+1}a^2x^4 + 136\sqrt{-a^2x^2+1}x^2 + \frac{2072\sqrt{-a^2x^2+1}}{a^2} \right) \arcsin(ax)}{a^5} - \frac{81a^4x^5 + 680a^2x^3 + 31080x}{a^6} \right) + \frac{225(9a^4x^5 + 20a^2x^3 + 120x) \arcsin(ax)^2}{a^5} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^4,x, algorithm="maxima")`

[Out]  $\frac{1}{5} x^5 \arcsin(ax)^4 + \frac{4}{75} (3\sqrt{-a^2x^2+1}x^4/a^2 + 4\sqrt{-a^2x^2+1}x^2/a^4 + 8\sqrt{-a^2x^2+1}/a^6) a \arcsin(ax)^3 - \frac{4}{84375} (2a (15 (27\sqrt{-a^2x^2+1}a^2x^4 + 136\sqrt{-a^2x^2+1}x^2 + 2072\sqrt{-a^2x^2+1}/a^2) \arcsin(ax)/a^5 - (81a^4x^5 + 680a^2x^3 + 31080x)/a^6) + 225(9a^4x^5 + 20a^2x^3 + 120x) \arcsin(ax)^2/a^5) a$

**Fricas** [A]

time = 2.35, size = 134, normalized size = 0.54

$$\frac{16875 a^5 x^5 \arcsin(ax)^4 + 648 a^5 x^5 + 5440 a^3 x^3 - 900 (9 a^5 x^5 + 20 a^3 x^3 + 120 a x) \arcsin(ax)^2 + 248640 a x + 60 \sqrt{-a^2 x^2 + 1} (75 (3 a^4 x^4 + 4 a^2 x^2 + 8) \arcsin(ax)^3 - 2 (27 a^4 x^4 + 136 a^2 x^2 + 2072) \arcsin(ax))}{84375 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^4,x, algorithm="fricas")`

[Out]  $\frac{1}{84375} (16875 a^5 x^5 \arcsin(ax)^4 + 648 a^5 x^5 + 5440 a^3 x^3 - 900 (9 a^5 x^5 + 20 a^3 x^3 + 120 a x) \arcsin(ax)^2 + 248640 a x + 60 \sqrt{-a^2 x^2 + 1} (75 (3 a^4 x^4 + 4 a^2 x^2 + 8) \arcsin(ax)^3 - 2 (27 a^4 x^4 + 136 a^2 x^2 + 2072) \arcsin(ax))) / a^5$

**Sympy** [A]

time = 1.08, size = 241, normalized size = 0.96

$$\int_0^x \frac{x^5 \arcsin^4(ax) - \frac{12x^5 \arcsin^2(ax)}{15} + \frac{24x^5}{3125} + \frac{4x^4 \sqrt{-a^2x^2+1} \arcsin^3(ax)}{25a} - \frac{24x^4 \sqrt{-a^2x^2+1} \arcsin(ax)}{625a} - \frac{16x^3 \arcsin^2(ax)}{15625} + \frac{1088x^3}{15625} + \frac{16x^2 \sqrt{-a^2x^2+1} \arcsin^2(ax)}{75a^3} - \frac{1088x^2 \sqrt{-a^2x^2+1} \arcsin(ax)}{625a^3} - \frac{32x \arcsin^2(ax)}{25a^4} + \frac{16576x}{15625a^4} + \frac{32 \sqrt{-a^2x^2+1} \arcsin(ax)}{75a^5} - \frac{16576 \sqrt{-a^2x^2+1} \arcsin(ax)}{625a^5}}{0} \text{ for } a \neq 0 \text{ otherwise}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*asin(a*x)**4,x)`

[Out]  $\text{Piecewise}((x**5*asin(a*x)**4/5 - 12*x**5*asin(a*x)**2/125 + 24*x**5/3125 + 4*x**4*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(25*a) - 24*x**4*sqrt(-a**2*x**2 + 1)*asin(a*x)/(625*a) - 16*x**3*asin(a*x)**2/(75*a**2) + 1088*x**3/(16875*a$

```
**2) + 16*x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(75*a**3) - 1088*x**2*sqrt
(-a**2*x**2 + 1)*asin(a*x)/(5625*a**3) - 32*x*asin(a*x)**2/(25*a**4) + 1657
6*x/(5625*a**4) + 32*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(75*a**5) - 16576*sq
rt(-a**2*x**2 + 1)*asin(a*x)/(5625*a**5), Ne(a, 0)), (0, True))
```

**Giac [A]**

time = 0.41, size = 305, normalized size = 1.22

$\frac{(a^2 - 1)^2 \arcsin(ax)^2}{3a^4}$ ,  $\frac{2(a^2 - 1)x \arcsin(ax)^2}{3a^4}$ ,  $\frac{12(a^2 - 1)^2 \arcsin(ax)^2}{125a^4}$ ,  $\frac{x \arcsin(ax)^2}{3a^4}$ ,  $\frac{4(a^2 - 1)^2 \sqrt{-a^2 x^2 + 1} \arcsin(ax)^2}{25a^4}$ ,  $\frac{152(a^2 - 1)x \arcsin(ax)^2}{9375a^4}$ ,  $\frac{8(-a^2 + 1)^2 \arcsin(ax)^2}{1125a^4}$ ,  $\frac{24(a^2 - 1)^2}{9375a^4}$ ,  $\frac{996x \arcsin(ax)^2}{9375a^4}$ ,  $\frac{24(a^2 - 1)^2 \sqrt{-a^2 x^2 + 1} \arcsin(ax)^2}{45a^4}$ ,  $\frac{4\sqrt{-a^2 x^2 + 1} \arcsin(ax)^2}{3a^4}$ ,  $\frac{6736(a^2 - 1)x}{9450a^4}$ ,  $\frac{304(-a^2 + 1)^2 \arcsin(ax)}{1125a^4}$ ,  $\frac{254728x}{9450a^4}$ ,  $\frac{1192\sqrt{-a^2 x^2 + 1} \arcsin(ax)}{9375a^4}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^4,x, algorithm="giac")
```

```
[Out] 1/5*(a^2*x^2 - 1)^2*x*arcsin(a*x)^4/a^4 + 2/5*(a^2*x^2 - 1)*x*arcsin(a*x)^4
/a^4 - 12/125*(a^2*x^2 - 1)^2*x*arcsin(a*x)^2/a^4 + 1/5*x*arcsin(a*x)^4/a^4
+ 4/25*(a^2*x^2 - 1)^2*sqrt(-a^2*x^2 + 1)*arcsin(a*x)^3/a^5 - 152/375*(a^2
*x^2 - 1)*x*arcsin(a*x)^2/a^4 - 8/15*(-a^2*x^2 + 1)^(3/2)*arcsin(a*x)^3/a^5
+ 24/3125*(a^2*x^2 - 1)^2*x/a^4 - 596/375*x*arcsin(a*x)^2/a^4 - 24/625*(a^
2*x^2 - 1)^2*sqrt(-a^2*x^2 + 1)*arcsin(a*x)/a^5 + 4/5*sqrt(-a^2*x^2 + 1)*ar
csin(a*x)^3/a^5 + 6736/84375*(a^2*x^2 - 1)*x/a^4 + 304/1125*(-a^2*x^2 + 1)^(
3/2)*arcsin(a*x)/a^5 + 254728/84375*x/a^4 - 1192/375*sqrt(-a^2*x^2 + 1)*ar
csin(a*x)/a^5
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{asin}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*asin(a*x)^4,x)
```

```
[Out] int(x^4*asin(a*x)^4, x)
```

### 3.34 $\int x^3 \text{ArcSin}(ax)^4 dx$

**Optimal.** Leaf size=198

$$\frac{45x^2}{128a^2} + \frac{3x^4}{128} - \frac{45x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{64a^3} - \frac{3x^3\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{32a} + \frac{45\text{ArcSin}(ax)^2}{128a^4} - \frac{9x^2\text{ArcSin}(ax)^2}{16a^2}$$

[Out]  $45/128*x^2/a^2+3/128*x^4+45/128*\arcsin(a*x)^2/a^4-9/16*x^2*\arcsin(a*x)^2/a^2-3/16*x^4*\arcsin(a*x)^2-3/32*\arcsin(a*x)^4/a^4+1/4*x^4*\arcsin(a*x)^4-45/64*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3-3/32*x^3*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3+8*x*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a^3+1/4*x^3*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi** [A]

time = 0.33, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4723, 4795, 4737, 30}

$$-\frac{3\text{ArcSin}(ax)^4}{32a^4} + \frac{45\text{ArcSin}(ax)^2}{128a^4} - \frac{9x^2\text{ArcSin}(ax)^2}{16a^2} + \frac{x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{4a} - \frac{3x^3\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{32a} + \frac{45x^2}{128a^2} + \frac{3x\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{8a^3} - \frac{45x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{64a^3} + \frac{1}{4}x^4\text{ArcSin}(ax)^4 - \frac{3}{16}x^4\text{ArcSin}(ax)^2 + \frac{3x^4}{128}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcSin[a\*x]^4,x]

[Out]  $(45*x^2)/(128*a^2) + (3*x^4)/128 - (45*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(64*a^3) - (3*x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(32*a) + (45*\text{ArcSin}[a*x]^2)/(128*a^4) - (9*x^2*\text{ArcSin}[a*x]^2)/(16*a^2) - (3*x^4*\text{ArcSin}[a*x]^2)/16 + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(8*a^3) + (x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(4*a) - (3*\text{ArcSin}[a*x]^4)/(32*a^4) + (x^4*\text{ArcSin}[a*x]^4)/4$

**Rule 30**

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

**Rule 4723**

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

**Rule 4737**

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(1/(b\*c\*(n+1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n+1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d

+ e, 0] && NeQ[n, -1]

### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

### Rubi steps

$$\begin{aligned}
 \int x^3 \sin^{-1}(ax)^4 dx &= \frac{1}{4}x^4 \sin^{-1}(ax)^4 - a \int \frac{x^4 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\
 &= \frac{x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{4a} + \frac{1}{4}x^4 \sin^{-1}(ax)^4 - \frac{3}{4} \int x^3 \sin^{-1}(ax)^2 dx - \frac{3 \int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}}}{4a} \\
 &= -\frac{3}{16}x^4 \sin^{-1}(ax)^2 + \frac{3x \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{8a^3} + \frac{x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{4a} + \frac{1}{4}x^4 \sin^{-1}(ax)^4 \\
 &= -\frac{3x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{32a} - \frac{9x^2 \sin^{-1}(ax)^2}{16a^2} - \frac{3}{16}x^4 \sin^{-1}(ax)^2 + \frac{3x \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{8a^3} \\
 &= \frac{3x^4}{128} - \frac{45x \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{64a^3} - \frac{3x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{32a} - \frac{9x^2 \sin^{-1}(ax)^2}{16a^2} - \frac{3}{16}x^4 \sin^{-1}(ax)^2 \\
 &= \frac{45x^2}{128a^2} + \frac{3x^4}{128} - \frac{45x \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{64a^3} - \frac{3x^3 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{32a} + \frac{45 \sin^{-1}(ax)^2}{128a^4}
 \end{aligned}$$

### Mathematica [A]

time = 0.03, size = 135, normalized size = 0.68

$$\frac{3a^2x^2(15 + a^2x^2) - 6ax\sqrt{1 - a^2x^2}(15 + 2a^2x^2)\text{ArcSin}(ax) - 3(-15 + 24a^2x^2 + 8a^4x^4)\text{ArcSin}(ax)^2 + 16ax\sqrt{1 - a^2x^2}(3 + 2a^2x^2)\text{ArcSin}(ax)^3 + 4(-3 + 8a^4x^4)\text{ArcSin}(ax)^4}{128a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^4,x]

[Out] (3\*a^2\*x^2\*(15 + a^2\*x^2) - 6\*a\*x\*Sqrt[1 - a^2\*x^2]\*(15 + 2\*a^2\*x^2)\*ArcSin[a\*x] - 3\*(-15 + 24\*a^2\*x^2 + 8\*a^4\*x^4)\*ArcSin[a\*x]^2 + 16\*a\*x\*Sqrt[1 - a^

$2*x^2]*(3 + 2*a^2*x^2)*\text{ArcSin}[a*x]^3 + 4*(-3 + 8*a^4*x^4)*\text{ArcSin}[a*x]^4)/(128*a^4)$

**Maple [A]**

time = 0.05, size = 215, normalized size = 1.09

method	result
derivativedivides	$\frac{\frac{a^4 x^4 \arcsin(ax)^4}{4} - \frac{\arcsin(ax)^3 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{8}}{\frac{3a^4 x^4 \arcsin(ax)^2}{16} + \dots}$
default	$\frac{\frac{a^4 x^4 \arcsin(ax)^4}{4} - \frac{\arcsin(ax)^3 \left( -2a^3 x^3 \sqrt{-a^2 x^2 + 1} - 3ax \sqrt{-a^2 x^2 + 1} + 3 \arcsin(ax) \right)}{8}}{\frac{3a^4 x^4 \arcsin(ax)^2}{16} + \dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^4} * \left( \frac{1}{4} a^4 x^4 \arcsin(ax)^4 - \frac{1}{8} \arcsin(ax)^3 (-2a^3 x^3 (-a^2 x^2 + 1)^{1/2} - 3ax (-a^2 x^2 + 1)^{1/2} + 3 \arcsin(ax)) - \frac{3}{16} a^4 x^4 \arcsin(ax)^2 + \frac{3}{64} \arcsin(ax) (-2a^3 x^3 (-a^2 x^2 + 1)^{1/2} - 3ax (-a^2 x^2 + 1)^{1/2} + 3 \arcsin(ax)) + \frac{27}{128} \arcsin(ax)^2 + \frac{3}{512} (2a^2 x^2 + 3)^2 - \frac{9}{16} (a^2 x^2 - 1) \arcsin(ax)^2 - \frac{9}{16} \arcsin(ax) (ax (-a^2 x^2 + 1)^{1/2} + \arcsin(ax)) + \frac{9}{32} a^2 x^2 + \frac{9}{32} \arcsin(ax)^4 \right)$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^4,x, algorithm="maxima")`

[Out]  $\frac{1}{4} x^4 \arctan^2(ax, \sqrt{ax+1} \sqrt{-ax+1})^4 + a \int \sqrt{ax+1} \sqrt{-ax+1} x^4 \arctan^2(ax, \sqrt{ax+1} \sqrt{-ax+1})^3 / (a^2 x^2 - 1) dx$

**Fricas [A]**

time = 2.31, size = 121, normalized size = 0.61

$$\frac{3a^4 x^4 + 4(8a^4 x^4 - 3) \arcsin(ax)^4 + 45a^2 x^2 - 3(8a^4 x^4 + 24a^2 x^2 - 15) \arcsin(ax)^2 + 2\sqrt{-a^2 x^2 + 1} (8(2a^3 x^3 + 3ax) \arcsin(ax)^3 - 3(2a^3 x^3 + 15ax) \arcsin(ax))}{128a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^4,x, algorithm="fricas")`

[Out]  $\frac{1}{128} * \left( 3a^4 x^4 + 4(8a^4 x^4 - 3) \arcsin(ax)^4 + 45a^2 x^2 - 3(8a^4 x^4 + 24a^2 x^2 - 15) \arcsin(ax)^2 + 2\sqrt{-a^2 x^2 + 1} (8(2a^3 x^3 + 3ax) \arcsin(ax)^3 - 3(2a^3 x^3 + 15ax) \arcsin(ax)) \right) / a^4$

**Sympy [A]**

time = 0.77, size = 190, normalized size = 0.96

$$\begin{cases} \frac{x^4 \operatorname{asin}(ax)}{4} - \frac{3x^2 \operatorname{asin}^2(ax)}{16} + \frac{3x^4}{128} + \frac{x^3 \sqrt{-a^2 x^2 + 1} \operatorname{asin}^3(ax)}{4a} - \frac{3x^2 \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{32a} - \frac{9x^2 \operatorname{asin}^2(ax)}{16a^2} + \frac{45x^2}{128a^2} + \frac{3x \sqrt{-a^2 x^2 + 1} \operatorname{asin}^3(ax)}{8a^3} - \frac{45x \sqrt{-a^2 x^2 + 1} \operatorname{asin}(ax)}{64a^3} - \frac{3 \operatorname{asin}^4(ax)}{32a^4} + \frac{45 \operatorname{asin}^2(ax)}{128a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x\*\*3\*asin(a\*x)\*\*4,x)

**[Out]** Piecewise((x\*\*4\*asin(a\*x)\*\*4/4 - 3\*x\*\*4\*asin(a\*x)\*\*2/16 + 3\*x\*\*4/128 + x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(4\*a) - 3\*x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(32\*a) - 9\*x\*\*2\*asin(a\*x)\*\*2/(16\*a\*\*2) + 45\*x\*\*2/(128\*a\*\*2) + 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(8\*a\*\*3) - 45\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(64\*a\*\*3) - 3\*asin(a\*x)\*\*4/(32\*a\*\*4) + 45\*asin(a\*x)\*\*2/(128\*a\*\*4), Ne(a, 0)), (0, True))

**Giac [A]**

time = 0.41, size = 234, normalized size = 1.18

$$\frac{(-a^2 x^2 + 1)^2 x \operatorname{arcsin}(ax)^3}{4a^2} + \frac{(a^2 x^2 - 1)^2 \operatorname{arcsin}(ax)^4}{4a^4} + \frac{5 \sqrt{-a^2 x^2 + 1} x \operatorname{arcsin}(ax)^3}{8a^3} + \frac{(a^2 x^2 - 1) \operatorname{arcsin}(ax)^4}{2a^4} + \frac{3(-a^2 x^2 + 1)^2 x \operatorname{arcsin}(ax)}{32a^3} - \frac{3(a^2 x^2 - 1)^2 \operatorname{arcsin}(ax)^2}{16a^4} + \frac{5 \operatorname{arcsin}(ax)^4}{32a^4} - \frac{51 \sqrt{-a^2 x^2 + 1} x \operatorname{arcsin}(ax)}{64a^3} - \frac{15(a^2 x^2 - 1) \operatorname{arcsin}(ax)^2}{16a^4} + \frac{3(a^2 x^2 - 1)^2}{128a^4} - \frac{51 \operatorname{arcsin}(ax)^2}{128a^4} + \frac{51(a^2 x^2 - 1)}{128a^4} + \frac{195}{1024a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x^3\*arcsin(a\*x)^4,x, algorithm="giac")

**[Out]** -1/4\*(-a^2\*x^2 + 1)^(3/2)\*x\*arcsin(a\*x)^3/a^3 + 1/4\*(a^2\*x^2 - 1)^2\*arcsin(a\*x)^4/a^4 + 5/8\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^3/a^3 + 1/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)^4/a^4 + 3/32\*(-a^2\*x^2 + 1)^(3/2)\*x\*arcsin(a\*x)/a^3 - 3/16\*(a^2\*x^2 - 1)^2\*arcsin(a\*x)^2/a^4 + 5/32\*arcsin(a\*x)^4/a^4 - 51/64\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)/a^3 - 15/16\*(a^2\*x^2 - 1)\*arcsin(a\*x)^2/a^4 + 3/128\*(a^2\*x^2 - 1)^2/a^4 - 51/128\*arcsin(a\*x)^2/a^4 + 51/128\*(a^2\*x^2 - 1)/a^4 + 195/1024/a^4

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{asin}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^3\*asin(a\*x)^4,x)**[Out]** int(x^3\*asin(a\*x)^4, x)

### 3.35 $\int x^2 \text{ArcSin}(ax)^4 dx$

**Optimal.** Leaf size=166

$$\frac{160x}{27a^2} + \frac{8x^3}{81} - \frac{160\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{27a^3} - \frac{8x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{27a} - \frac{8x \text{ArcSin}(ax)^2}{3a^2} - \frac{4}{9}x^3 \text{ArcSin}(ax)^2 + \frac{8}{81}x^3 \text{ArcSin}(ax)^4$$

[Out]  $160/27*x/a^2+8/81*x^3-8/3*x*\arcsin(ax)^2/a^2-4/9*x^3*\arcsin(ax)^2+1/3*x^3*\arcsin(ax)^4-160/27*\arcsin(ax)*(-a^2*x^2+1)^{(1/2)}/a^3-8/27*x^2*\arcsin(ax)*(-a^2*x^2+1)^{(1/2)}/a+8/9*\arcsin(ax)^3*(-a^2*x^2+1)^{(1/2)}/a^3+4/9*x^2*\arcsin(ax)^3*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi [A]**

time = 0.23, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4723, 4795, 4767, 4715, 8, 30}

$$\frac{4x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{9a} - \frac{8x^2\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{27a} - \frac{8x \text{ArcSin}(ax)^2}{3a^2} + \frac{160x}{27a^2} + \frac{8\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{9a^3} - \frac{160\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{27a^3} + \frac{1}{3}x^3 \text{ArcSin}(ax)^4 - \frac{4}{9}x^3 \text{ArcSin}(ax)^2 + \frac{8x^3}{81}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcSin[a\*x]^4,x]

[Out]  $(160*x)/(27*a^2) + (8*x^3)/81 - (160*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(27*a^3) - (8*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(27*a) - (8*x*\text{ArcSin}[a*x]^2)/(3*a^2) - (4*x^3*\text{ArcSin}[a*x]^2)/9 + (8*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(9*a^3) + (4*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(9*a) + (x^3*\text{ArcSin}[a*x]^4)/3$

Rule 8

Int[a, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\*((d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x]

$x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

### Rule 4767

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*((a + b*\text{ArcSin}[c*x])^n/(2*e*(p + 1))), x] + \text{Dist}[b*(n/(2*c*(p + 1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

### Rule 4795

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[f*(f*x)^{(m - 1)}*(d + e*x^2)^{(p + 1)}*((a + b*\text{ArcSin}[c*x])^n/(e*(m + 2*p + 1))), x] + (\text{Dist}[f^2*((m - 1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{(m - 2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{IGtQ}[m, 1] \&\& \text{NeQ}[m + 2*p + 1, 0]$

### Rubi steps

$$\begin{aligned} \int x^2 \sin^{-1}(ax)^4 dx &= \frac{1}{3}x^3 \sin^{-1}(ax)^4 - \frac{1}{3}(4a) \int \frac{x^3 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{4x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a} + \frac{1}{3}x^3 \sin^{-1}(ax)^4 - \frac{4}{3} \int x^2 \sin^{-1}(ax)^2 dx - \frac{8 \int \frac{x \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}}}{9a} \\ &= -\frac{4}{9}x^3 \sin^{-1}(ax)^2 + \frac{8\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a^3} + \frac{4x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a} + \frac{1}{3}x^3 \sin^{-1}(ax)^4 \\ &= -\frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{27a} - \frac{8x \sin^{-1}(ax)^2}{3a^2} - \frac{4}{9}x^3 \sin^{-1}(ax)^2 + \frac{8\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{9a^3} \\ &= \frac{8x^3}{81} - \frac{160\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{27a^3} - \frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{27a} - \frac{8x \sin^{-1}(ax)^2}{3a^2} - \frac{4}{9}x^3 \sin^{-1}(ax)^2 \\ &= \frac{160x}{27a^2} + \frac{8x^3}{81} - \frac{160\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{27a^3} - \frac{8x^2 \sqrt{1 - a^2x^2} \sin^{-1}(ax)}{27a} - \frac{8x \sin^{-1}(ax)^2}{3a^2} \end{aligned}$$

### Mathematica [A]

time = 0.03, size = 114, normalized size = 0.69

$$\frac{8ax(60 + a^2x^2) - 24\sqrt{1 - a^2x^2}(20 + a^2x^2)\text{ArcSin}(ax) - 36ax(6 + a^2x^2)\text{ArcSin}(ax)^2 + 36\sqrt{1 - a^2x^2}(2 + a^2x^2)\text{ArcSin}(ax)^3 + 27a^3x^3\text{ArcSin}(ax)^4}{81a^3}$$



Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcSin[a\*x]^4,x]

[Out]  $(8*a*x*(60 + a^2*x^2) - 24*\sqrt{1 - a^2*x^2}*(20 + a^2*x^2)*\text{ArcSin}[a*x] - 36*a*x*(6 + a^2*x^2)*\text{ArcSin}[a*x]^2 + 36*\sqrt{1 - a^2*x^2}*(2 + a^2*x^2)*\text{ArcSin}[a*x]^3 + 27*a^3*x^3*\text{ArcSin}[a*x]^4)/(81*a^3)$

**Maple [A]**

time = 0.04, size = 130, normalized size = 0.78

method	result
derivativedivides	$\frac{\frac{a^3 x^3 \arcsin(ax)^4}{3} + \frac{4 \arcsin(ax)^3 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{9} - \frac{8 a x \arcsin(ax)^2}{3} + \frac{160 a x}{27} - \frac{16 \arcsin(ax) \sqrt{-a^2 x^2 + 1}}{3 a^3} - \frac{4 a}{3}}$
default	$\frac{\frac{a^3 x^3 \arcsin(ax)^4}{3} + \frac{4 \arcsin(ax)^3 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{9} - \frac{8 a x \arcsin(ax)^2}{3} + \frac{160 a x}{27} - \frac{16 \arcsin(ax) \sqrt{-a^2 x^2 + 1}}{3 a^3} - \frac{4 a}{3}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arcsin(a\*x)^4,x,method=\_RETURNVERBOSE)

[Out]  $1/a^3*(1/3*a^3*x^3*\arcsin(a*x)^4+4/9*\arcsin(a*x)^3*(a^2*x^2+2)*(-a^2*x^2+1)^{(1/2)}-8/3*a*x*\arcsin(a*x)^2+160/27*a*x-16/3*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}-4/9*a^3*x^3*\arcsin(a*x)^2-8/27*\arcsin(a*x)*(a^2*x^2+2)*(-a^2*x^2+1)^{(1/2)}+8/81*a^3*x^3)$

**Maxima [A]**

time = 0.48, size = 147, normalized size = 0.89

$$\frac{1}{3}x^3 \arcsin(ax)^4 + \frac{4}{9}a \left( \frac{\sqrt{-a^2x^2+1}x^2}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^4} \right) \arcsin(ax)^3 - \frac{4}{81} \left( 2a \left( \frac{3 \left( \sqrt{-a^2x^2+1}x^2 + \frac{20\sqrt{-a^2x^2+1}}{a^2} \right) \arcsin(ax)}{a^3} - \frac{a^2x^3 + 60x}{a^4} \right) + \frac{9(a^2x^3 + 6x) \arcsin(ax)^2}{a^3} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^4,x, algorithm="maxima")

[Out]  $1/3*x^3*\arcsin(a*x)^4 + 4/9*a*(\sqrt{-a^2*x^2 + 1}*x^2/a^2 + 2*\sqrt{-a^2*x^2 + 1}/a^4)*\arcsin(a*x)^3 - 4/81*(2*a*(3*(\sqrt{-a^2*x^2 + 1}*x^2 + 20*\sqrt{-a^2*x^2 + 1}/a^2)*\arcsin(a*x)/a^3 - (a^2*x^3 + 60*x)/a^4) + 9*(a^2*x^3 + 6*x)*\arcsin(a*x)^2/a^3)*a$

**Fricas [A]**

time = 2.09, size = 99, normalized size = 0.60

$$\frac{27 a^3 x^3 \arcsin(ax)^4 + 8 a^3 x^3 - 36 (a^3 x^3 + 6 a x) \arcsin(ax)^2 + 480 a x + 12 \sqrt{-a^2 x^2 + 1} (3 (a^2 x^2 + 2) \arcsin(ax)^3 - 2 (a^2 x^2 + 20) \arcsin(ax))}{81 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^4,x, algorithm="fricas")

[Out]  $\frac{1}{81}(27a^3x^3\arcsin(ax)^4 + 8a^3x^3 - 36(a^3x^3 + 6ax)\arcsin(ax)^2 + 480ax + 12\sqrt{-a^2x^2 + 1}(3(a^2x^2 + 2)\arcsin(ax)^3 - 2(a^2x^2 + 20)\arcsin(ax)))/a^3$

**Sympy [A]**

time = 0.47, size = 158, normalized size = 0.95

$$\begin{cases} \frac{x^3 \arcsin^4(ax)}{3} - \frac{4x^3 \arcsin^2(ax)}{9} + \frac{8x^3}{81} + \frac{4x^2 \sqrt{-a^2x^2 + 1} \arcsin^3(ax)}{9a} - \frac{8x^2 \sqrt{-a^2x^2 + 1} \arcsin(ax)}{27a} - \frac{8x \arcsin^2(ax)}{3a^2} + \frac{160x}{27a^2} + \frac{8\sqrt{-a^2x^2 + 1} \arcsin^3(ax)}{9a^3} - \frac{160\sqrt{-a^2x^2 + 1} \arcsin(ax)}{27a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x)\*\*4,x)

[Out] Piecewise((x\*\*3\*asin(a\*x)\*\*4/3 - 4x\*\*3\*asin(a\*x)\*\*2/9 + 8x\*\*3/81 + 4x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(9\*a) - 8x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(27\*a) - 8x\*asin(a\*x)\*\*2/(3\*a\*\*2) + 160\*x/(27\*a\*\*2) + 8\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(9\*a\*\*3) - 160\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(27\*a\*\*3), Ne(a, 0)), (0, True))

**Giac [A]**

time = 0.41, size = 176, normalized size = 1.06

$$\frac{(a^2x^2 - 1)x \arcsin(ax)^4}{3a^2} + \frac{x \arcsin(ax)^4}{3a^2} - \frac{4(a^2x^2 - 1)x \arcsin(ax)^2}{9a^2} - \frac{4(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)^3}{9a^3} - \frac{28x \arcsin(ax)^2}{9a^2} + \frac{4\sqrt{-a^2x^2 + 1} \arcsin(ax)^3}{3a^3} + \frac{8(a^2x^2 - 1)x}{81a^2} + \frac{8(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)}{27a^3} + \frac{488x}{81a^2} - \frac{56\sqrt{-a^2x^2 + 1} \arcsin(ax)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^4,x, algorithm="giac")

[Out]  $\frac{1}{3}(a^2x^2 - 1)x \arcsin(ax)^4/a^2 + \frac{1}{3}x \arcsin(ax)^4/a^2 - \frac{4}{9}(a^2x^2 - 1)x \arcsin(ax)^2/a^2 - \frac{4}{9}(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)^3/a^3 - \frac{28}{9}x \arcsin(ax)^2/a^2 + \frac{4}{3}\sqrt{-a^2x^2 + 1} \arcsin(ax)^3/a^3 + \frac{8}{81}(a^2x^2 - 1)x/a^2 + \frac{8}{27}(-a^2x^2 + 1)^{\frac{3}{2}} \arcsin(ax)/a^3 + \frac{488}{81}x/a^2 - \frac{56}{9}\sqrt{-a^2x^2 + 1} \arcsin(ax)/a^3$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \arcsin(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*asin(a\*x)^4,x)

[Out] int(x^2\*asin(a\*x)^4, x)

### 3.36 $\int x \text{ArcSin}(ax)^4 dx$

**Optimal.** Leaf size=111

$$\frac{3x^2}{4} - \frac{3x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{2a} + \frac{3\text{ArcSin}(ax)^2}{4a^2} - \frac{3}{2}x^2\text{ArcSin}(ax)^2 + \frac{x\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{a} - \frac{\text{ArcSin}(ax)}{4a^2}$$

[Out]  $3/4*x^2+3/4*\arcsin(a*x)^2/a^2-3/2*x^2*\arcsin(a*x)^2-1/4*\arcsin(a*x)^4/a^2+1/2*x^2*\arcsin(a*x)^4-3/2*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}/a+x*\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a$

**Rubi** [A]

time = 0.15, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ ,

Rules used = {4723, 4795, 4737, 30}

$$\frac{x\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{a} - \frac{3x\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{2a} - \frac{\text{ArcSin}(ax)^4}{4a^2} + \frac{3\text{ArcSin}(ax)^2}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)^4 - \frac{3}{2}x^2\text{ArcSin}(ax)^2 + \frac{3x^2}{4}$$

Antiderivative was successfully verified.

[In] Int[x\*ArcSin[a\*x]^4,x]

[Out]  $(3*x^2)/4 - (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(2*a) + (3*\text{ArcSin}[a*x]^2)/(4*a^2) - (3*x^2*\text{ArcSin}[a*x]^2)/2 + (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/a - \text{ArcSin}[a*x]^4/(4*a^2) + (x^2*\text{ArcSin}[a*x]^4)/2$

Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4737

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(1/(b\*c\*(n+1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n+1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

Rule 4795

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a +
b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
+ 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]

```

### Rubi steps

$$\begin{aligned}
\int x \sin^{-1}(ax)^4 dx &= \frac{1}{2}x^2 \sin^{-1}(ax)^4 - (2a) \int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\
&= \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{a} + \frac{1}{2}x^2 \sin^{-1}(ax)^4 - 3 \int x \sin^{-1}(ax)^2 dx - \frac{\int \frac{\sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{a} \\
&= -\frac{3}{2}x^2 \sin^{-1}(ax)^2 + \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{a} - \frac{\sin^{-1}(ax)^4}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^4 + (3a) \int \frac{x}{\sqrt{1 - a^2x^2}} dx \\
&= -\frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{2a} - \frac{3}{2}x^2 \sin^{-1}(ax)^2 + \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{a} - \frac{\sin^{-1}(ax)^4}{4a^2} + \frac{3x^2}{2} \\
&= \frac{3x^2}{4} - \frac{3x\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{2a} + \frac{3 \sin^{-1}(ax)^2}{4a^2} - \frac{3}{2}x^2 \sin^{-1}(ax)^2 + \frac{x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{a}
\end{aligned}$$

### **Mathematica [A]**

time = 0.02, size = 96, normalized size = 0.86

$$\frac{3a^2x^2 - 6ax\sqrt{1 - a^2x^2} \operatorname{ArcSin}(ax) + (3 - 6a^2x^2) \operatorname{ArcSin}(ax)^2 + 4ax\sqrt{1 - a^2x^2} \operatorname{ArcSin}(ax)^3 + (-1 + 2a^2x^2) \operatorname{ArcSin}(ax)^4}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcSin[a\*x]^4,x]

[Out] (3\*a^2\*x^2 - 6\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] + (3 - 6\*a^2\*x^2)\*ArcSin[a\*x]^2 + 4\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3 + (-1 + 2\*a^2\*x^2)\*ArcSin[a\*x]^4)/(4\*a^2)

### **Maple [A]**

time = 0.03, size = 117, normalized size = 1.05

method	result
--------	--------

derivativedivides	$\frac{\frac{(a^2x^2-1)\arcsin(ax)^4}{2} + \arcsin(ax)^3 \left( ax\sqrt{-a^2x^2+1} + \arcsin(ax) \right) - \frac{3(a^2x^2-1)\arcsin(ax)^2}{2} - 3\arcsin(ax) \left( ax\sqrt{-a^2x^2+1} \right)}{a^2}$
default	$\frac{\frac{(a^2x^2-1)\arcsin(ax)^4}{2} + \arcsin(ax)^3 \left( ax\sqrt{-a^2x^2+1} + \arcsin(ax) \right) - \frac{3(a^2x^2-1)\arcsin(ax)^2}{2} - 3\arcsin(ax) \left( ax\sqrt{-a^2x^2+1} \right)}{a^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{a^2} \left( \frac{1}{2} (a^2x^2 - 1) \arcsin(ax)^4 + \arcsin(ax)^3 (ax\sqrt{-a^2x^2 + 1} + \arcsin(ax)) - \frac{3}{2} (a^2x^2 - 1) \arcsin(ax)^2 - 3 \arcsin(ax) (ax\sqrt{-a^2x^2 + 1}) + \arcsin(ax) \right) + \frac{3}{4} \arcsin(ax)^2 + \frac{3}{4} a^2x^2 - \frac{3}{4} \arcsin(ax)^4$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^4,x, algorithm="maxima")`

[Out]  $\frac{1}{2} x^2 \arctan^2(ax, \sqrt{ax+1} \sqrt{-ax+1})^4 + 2a \int \sqrt{ax+1} \sqrt{-ax+1} x^2 \arctan^2(ax, \sqrt{ax+1} \sqrt{-ax+1})^3 / (a^2x^2 - 1) dx$

**Fricas** [A]

time = 1.65, size = 82, normalized size = 0.74

$$\frac{(2a^2x^2 - 1)\arcsin(ax)^4 + 3a^2x^2 - 3(2a^2x^2 - 1)\arcsin(ax)^2 + 2(2ax\arcsin(ax)^3 - 3ax\arcsin(ax))\sqrt{-a^2x^2 + 1}}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^4,x, algorithm="fricas")`

[Out]  $\frac{1}{4} \left( (2a^2x^2 - 1) \arcsin(ax)^4 + 3a^2x^2 - 3(2a^2x^2 - 1) \arcsin(ax)^2 + 2(2ax\arcsin(ax)^3 - 3ax\arcsin(ax)) \sqrt{-a^2x^2 + 1} \right) / a^2$

**Sympy** [A]

time = 0.31, size = 104, normalized size = 0.94

$$\begin{cases} \frac{x^2 \operatorname{asin}^4(ax)}{2} - \frac{3x^2 \operatorname{asin}^2(ax)}{2} + \frac{3x^2}{4} + \frac{x\sqrt{-a^2x^2+1} \operatorname{asin}^3(ax)}{a} - \frac{3x\sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{2a} - \frac{\operatorname{asin}^4(ax)}{4a^2} + \frac{3\operatorname{asin}^2(ax)}{4a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*asin(a\*x)\*\*4,x)

[Out] Piecewise((x\*\*2\*asin(a\*x)\*\*4/2 - 3\*x\*\*2\*asin(a\*x)\*\*2/2 + 3\*x\*\*2/4 + x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/a - 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(2\*a) - asin(a\*x)\*\*4/(4\*a\*\*2) + 3\*asin(a\*x)\*\*2/(4\*a\*\*2), Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.40, size = 127, normalized size = 1.14

$$\frac{\sqrt{-a^2x^2+1} x \arcsin(ax)^3}{a} + \frac{(a^2x^2-1) \arcsin(ax)^4}{2a^2} + \frac{\arcsin(ax)^4}{4a^2} - \frac{3\sqrt{-a^2x^2+1} x \arcsin(ax)}{2a} - \frac{3(a^2x^2-1) \arcsin(ax)^2}{2a^2} - \frac{3 \arcsin(ax)^2}{4a^2} + \frac{3(a^2x^2-1)}{4a^2} + \frac{3}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^4,x, algorithm="giac")

[Out] sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^3/a + 1/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)^4/a^2 + 1/4\*arcsin(a\*x)^4/a^2 - 3/2\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)/a - 3/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)^2/a^2 - 3/4\*arcsin(a\*x)^2/a^2 + 3/4\*(a^2\*x^2 - 1)/a^2 + 3/8/a^2

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{asin}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^4,x)

[Out] int(x\*asin(a\*x)^4, x)

### 3.37 $\int \text{ArcSin}(ax)^4 dx$

Optimal. Leaf size=69

$$24x - \frac{24\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{a} - 12x \text{ArcSin}(ax)^2 + \frac{4\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{a} + x \text{ArcSin}(ax)^4$$

[Out] 24\*x-12\*x\*arcsin(a\*x)^2+x\*arcsin(a\*x)^4-24\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)/a+4\*arcsin(a\*x)^3\*(-a^2\*x^2+1)^(1/2)/a

Rubi [A]

time = 0.08, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4715, 4767, 8}

$$\frac{4\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{a} - \frac{24\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{a} + x \text{ArcSin}(ax)^4 - 12x \text{ArcSin}(ax)^2 + 24x$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^4,x]

[Out] 24\*x - (24\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/a - 12\*x\*ArcSin[a\*x]^2 + (4\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/a + x\*ArcSin[a\*x]^4

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \sin^{-1}(ax)^4 dx &= x \sin^{-1}(ax)^4 - (4a) \int \frac{x \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a} + x \sin^{-1}(ax)^4 - 12 \int \sin^{-1}(ax)^2 dx \\
&= -12x \sin^{-1}(ax)^2 + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a} + x \sin^{-1}(ax)^4 + (24a) \int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{24\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a} - 12x \sin^{-1}(ax)^2 + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a} + x \sin^{-1}(ax)^4 + \\
&= 24x - \frac{24\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a} - 12x \sin^{-1}(ax)^2 + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a} + x \sin^{-1}(ax)^4
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 69, normalized size = 1.00

$$24x - \frac{24\sqrt{1-a^2x^2} \text{ArcSin}(ax)}{a} - 12x \text{ArcSin}(ax)^2 + \frac{4\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{a} + x \text{ArcSin}(ax)^4$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^4,x]`

```
[Out] 24*x - (24*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/a - 12*x*ArcSin[a*x]^2 + (4*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/a + x*ArcSin[a*x]^4
```

**Maple [A]**

time = 0.03, size = 67, normalized size = 0.97

method	result	size
derivativedivides	$\frac{ax \arcsin(ax)^4 + 4 \arcsin(ax)^3 \sqrt{-a^2x^2 + 1} - 12ax \arcsin(ax)^2 + 24ax - 24 \arcsin(ax) \sqrt{-a^2x^2 + 1}}{a}$	67
default	$\frac{ax \arcsin(ax)^4 + 4 \arcsin(ax)^3 \sqrt{-a^2x^2 + 1} - 12ax \arcsin(ax)^2 + 24ax - 24 \arcsin(ax) \sqrt{-a^2x^2 + 1}}{a}$	67

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

```
[Out] 1/a*(a*x*arcsin(a*x)^4+4*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)-12*a*x*arcsin(a*x)^2+24*a*x-24*arcsin(a*x)*(-a^2*x^2+1)^(1/2))
```

**Maxima [A]**

time = 0.48, size = 75, normalized size = 1.09

$$x \arcsin(ax)^4 + \frac{4\sqrt{-a^2x^2+1} \arcsin(ax)^3}{a} - 12 \left( \frac{x \arcsin(ax)^2}{a} - \frac{2 \left( x - \frac{\sqrt{-a^2x^2+1} \arcsin(ax)}{a} \right)}{a} \right) a$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4,x, algorithm="maxima")

[Out]  $x*\arcsin(ax)^4 + 4*\sqrt{-a^2*x^2 + 1}*\arcsin(ax)^3/a - 12*(x*\arcsin(ax))^2/a - 2*(x - \sqrt{-a^2*x^2 + 1}*\arcsin(ax)/a)/a)*a$

**Fricas** [A]

time = 2.07, size = 55, normalized size = 0.80

$$\frac{ax \arcsin(ax)^4 - 12 ax \arcsin(ax)^2 + 24 ax + 4 \sqrt{-a^2 x^2 + 1} (\arcsin(ax))^3 - 6 \arcsin(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4,x, algorithm="fricas")

[Out]  $(a*x*\arcsin(a*x)^4 - 12*a*x*\arcsin(a*x)^2 + 24*a*x + 4*\sqrt{-a^2*x^2 + 1}*(\arcsin(a*x)^3 - 6*\arcsin(a*x)))/a$

**Sympy** [A]

time = 0.22, size = 65, normalized size = 0.94

$$\begin{cases} x \operatorname{asin}^4(ax) - 12x \operatorname{asin}^2(ax) + 24x + \frac{4\sqrt{-a^2x^2+1}}{a} \operatorname{asin}^3(ax) - \frac{24\sqrt{-a^2x^2+1}}{a} \operatorname{asin}(ax) & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*4,x)

[Out] Piecewise((x\*asin(a\*x)\*\*4 - 12\*x\*asin(a\*x)\*\*2 + 24\*x + 4\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/a - 24\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/a, Ne(a, 0)), (0, True))

**Giac** [A]

time = 0.41, size = 65, normalized size = 0.94

$$x \arcsin(ax)^4 - 12x \arcsin(ax)^2 + \frac{4\sqrt{-a^2x^2+1}}{a} \arcsin(ax)^3 + 24x - \frac{24\sqrt{-a^2x^2+1}}{a} \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4,x, algorithm="giac")

[Out]  $x*\arcsin(a*x)^4 - 12*x*\arcsin(a*x)^2 + 4*\sqrt{-a^2*x^2 + 1}*\arcsin(a*x)^3/a + 24*x - 24*\sqrt{-a^2*x^2 + 1}*\arcsin(a*x)/a$

**Mupad** [B]

time = 0.14, size = 48, normalized size = 0.70

$$x (\operatorname{asin}(ax)^4 - 12 \operatorname{asin}(ax)^2 + 24) + \frac{4 \operatorname{asin}(ax) \sqrt{1 - a^2 x^2} (\operatorname{asin}(ax)^2 - 6)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(asin(a*x)^4,x)
```

```
[Out] x*(asin(a*x)^4 - 12*asin(a*x)^2 + 24) + (4*asin(a*x)*(1 - a^2*x^2)^(1/2)*(a  
sin(a*x)^2 - 6))/a
```

### 3.38 $\int \frac{\text{ArcSin}(ax)^4}{x} dx$

**Optimal.** Leaf size=113

$$-\frac{1}{5}i\text{ArcSin}(ax)^5 + \text{ArcSin}(ax)^4 \log(1 - e^{2i\text{ArcSin}(ax)}) - 2i\text{ArcSin}(ax)^3 \text{PolyLog}(2, e^{2i\text{ArcSin}(ax)}) + 3\text{ArcSin}(ax)^2$$

```
[Out] -1/5*I*arcsin(a*x)^5+arcsin(a*x)^4*ln(1-(I*a*x+(-a^2*x^2+1)^(1/2))^2)-2*I*a
arcsin(a*x)^3*polylog(2,(I*a*x+(-a^2*x^2+1)^(1/2))^2)+3*arcsin(a*x)^2*polylo
g(3,(I*a*x+(-a^2*x^2+1)^(1/2))^2)+3*I*arcsin(a*x)*polylog(4,(I*a*x+(-a^2*x^
2+1)^(1/2))^2)-3/2*polylog(5,(I*a*x+(-a^2*x^2+1)^(1/2))^2)
```

**Rubi [A]**

time = 0.08, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4721, 3798, 2221, 2611, 6744, 2320, 6724}

$$-2i\text{ArcSin}(ax)^3 \text{Li}_2(e^{2i\text{ArcSin}(ax)}) + 3\text{ArcSin}(ax)^2 \text{Li}_3(e^{2i\text{ArcSin}(ax)}) + 3i\text{ArcSin}(ax) \text{Li}_4(e^{2i\text{ArcSin}(ax)}) - \frac{3}{2} \text{Li}_5(e^{2i\text{ArcSin}(ax)}) - \frac{1}{5}i\text{ArcSin}(ax)^5 + \text{ArcSin}(ax)^4 \log(1 - e^{2i\text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^4/x,x]

```
[Out] (-1/5*I)*ArcSin[a*x]^5 + ArcSin[a*x]^4*Log[1 - E^((2*I)*ArcSin[a*x])] - (2*
I)*ArcSin[a*x]^3*PolyLog[2, E^((2*I)*ArcSin[a*x])] + 3*ArcSin[a*x]^2*PolyLo
g[3, E^((2*I)*ArcSin[a*x])] + (3*I)*ArcSin[a*x]*PolyLog[4, E^((2*I)*ArcSin[
a*x])] - (3*PolyLog[5, E^((2*I)*ArcSin[a*x])])/2
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
```

```
b*x)))^n]/(b*c*n*Log[F]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

#### Rule 3798

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m
*E^(2*I*k*Pi)*(E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

#### Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

#### Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

#### Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^4}{x} dx &= \text{Subst} \left( \int x^4 \cot(x) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 - 2i \text{Subst} \left( \int \frac{e^{2ix} x^4}{1 - e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 4 \text{Subst} \left( \int x^3 \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax)^3 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) + 6i \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax)^3 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) + 3 \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax)^3 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) + 3 \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax)^3 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) + 3 \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) \\
&= -\frac{1}{5}i \sin^{-1}(ax)^5 + \sin^{-1}(ax)^4 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax)^3 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right) + 3 \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{2i \sin^{-1}(ax)} \right)
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 113, normalized size = 1.00

$$\frac{1}{5}i \text{ArcSin}(ax)^5 + \text{ArcSin}(ax)^4 \log(1 - e^{-2i \text{ArcSin}(ax)}) + 2i \text{ArcSin}(ax)^3 \text{PolyLog}(2, e^{-2i \text{ArcSin}(ax)}) + 3 \text{ArcSin}(ax)^2 \text{PolyLog}(3, e^{-2i \text{ArcSin}(ax)}) - 3i \text{ArcSin}(ax) \text{PolyLog}(4, e^{-2i \text{ArcSin}(ax)}) - \frac{3}{2} \text{PolyLog}(5, e^{-2i \text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^4/x,x]`

```
[Out] (I/5)*ArcSin[a*x]^5 + ArcSin[a*x]^4*Log[1 - E^((-2*I)*ArcSin[a*x])] + (2*I)
*ArcSin[a*x]^3*PolyLog[2, E^((-2*I)*ArcSin[a*x])] + 3*ArcSin[a*x]^2*PolyLog
[3, E^((-2*I)*ArcSin[a*x])] - (3*I)*ArcSin[a*x]*PolyLog[4, E^((-2*I)*ArcSin
[a*x])] - (3*PolyLog[5, E^((-2*I)*ArcSin[a*x])])/2
```

**Maple [A]**

time = 0.04, size = 287, normalized size = 2.54

method	result
derivativedivides	$-\frac{i \arcsin(ax)^5}{5} + \arcsin(ax)^4 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 4i \arcsin(ax)^3 \text{polylog}(2, iax)$
default	$-\frac{i \arcsin(ax)^5}{5} + \arcsin(ax)^4 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 4i \arcsin(ax)^3 \text{polylog}(2, iax)$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arcsin(a*x)^4/x,x,method=_RETURNVERBOSE)`

```
[Out] -1/5*I*arcsin(a*x)^5+arcsin(a*x)^4*ln(1-I*a*x-(-a^2*x^2+1)^(1/2))-4*I*arcsi
n(a*x)^3*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))+12*arcsin(a*x)^2*polylog(3,I*a
*x+(-a^2*x^2+1)^(1/2))+24*I*arcsin(a*x)*polylog(4,I*a*x+(-a^2*x^2+1)^(1/2))
-24*polylog(5,I*a*x+(-a^2*x^2+1)^(1/2))+arcsin(a*x)^4*ln(1+I*a*x+(-a^2*x^2+
1)^(1/2))-4*I*arcsin(a*x)^3*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))+12*arcsin(
a*x)^2*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2))+24*I*arcsin(a*x)*polylog(4,-I*a
*x-(-a^2*x^2+1)^(1/2))-24*polylog(5,-I*a*x-(-a^2*x^2+1)^(1/2))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^4/x,x, algorithm="maxima")
```

```
[Out] integrate(arcsin(a*x)^4/x, x)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^4/x,x, algorithm="fricas")
```

```
[Out] integral(arcsin(a*x)^4/x, x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{asin}^4(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)**4/x,x)
```

```
[Out] Integral(asin(a*x)**4/x, x)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^4/x,x, algorithm="giac")
```

[Out] integrate(arcsin(a\*x)^4/x, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\text{asin}(a x)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^4/x,x)

[Out] int(asin(a\*x)^4/x, x)

### 3.39 $\int \frac{\text{ArcSin}(ax)^4}{x^2} dx$

**Optimal.** Leaf size=156

$$-\frac{\text{ArcSin}(ax)^4}{x} - 8a \text{ArcSin}(ax)^3 \tanh^{-1}(e^{i \text{ArcSin}(ax)}) + 12ia \text{ArcSin}(ax)^2 \text{PolyLog}(2, -e^{i \text{ArcSin}(ax)}) - 12ia \text{ArcSin}(ax)$$

```
[Out] -arcsin(a*x)^4/x-8*a*arcsin(a*x)^3*arctanh(I*a*x+(-a^2*x^2+1)^(1/2))+12*I*a
*arcsin(a*x)^2*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-12*I*a*arcsin(a*x)^2*po
lylog(2,I*a*x+(-a^2*x^2+1)^(1/2))-24*a*arcsin(a*x)*polylog(3,-I*a*x-(-a^2*x
^2+1)^(1/2))+24*a*arcsin(a*x)*polylog(3,I*a*x+(-a^2*x^2+1)^(1/2))-24*I*a*po
lylog(4,-I*a*x-(-a^2*x^2+1)^(1/2))+24*I*a*polylog(4,I*a*x+(-a^2*x^2+1)^(1/2
))
```

**Rubi [A]**

time = 0.13, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4723, 4803, 4268, 2611, 6744, 2320, 6724}

$$12ia \text{ArcSin}(ax)^2 \text{Li}_2(-e^{i \text{ArcSin}(ax)}) - 12ia \text{ArcSin}(ax)^2 \text{Li}_2(e^{i \text{ArcSin}(ax)}) - 24a \text{ArcSin}(ax) \text{Li}_3(-e^{i \text{ArcSin}(ax)}) + 24a \text{ArcSin}(ax) \text{Li}_3(e^{i \text{ArcSin}(ax)}) - 24ia \text{Li}_4(-e^{i \text{ArcSin}(ax)}) + 24ia \text{Li}_4(e^{i \text{ArcSin}(ax)}) - \frac{\text{ArcSin}(ax)^4}{x} - 8a \text{ArcSin}(ax)^3 \tanh^{-1}(e^{i \text{ArcSin}(ax)})$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^4/x^2,x]
```

```
[Out] -(ArcSin[a*x]^4/x) - 8*a*ArcSin[a*x]^3*ArcTanh[E^(I*ArcSin[a*x])] + (12*I)*
a*ArcSin[a*x]^2*PolyLog[2, -E^(I*ArcSin[a*x])] - (12*I)*a*ArcSin[a*x]^2*Pol
yLog[2, E^(I*ArcSin[a*x])] - 24*a*ArcSin[a*x]*PolyLog[3, -E^(I*ArcSin[a*x])
] + 24*a*ArcSin[a*x]*PolyLog[3, E^(I*ArcSin[a*x])] - (24*I)*a*PolyLog[4, -E
^(I*ArcSin[a*x])] + (24*I)*a*PolyLog[4, E^(I*ArcSin[a*x])]
```

**Rule 2320**

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

**Rule 2611**

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```



Rule 4268

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[-
2*(c + d*x)^m*(ArcTanh[E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n)/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4803

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*
x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a,
b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^4}{x^2} dx &= -\frac{\sin^{-1}(ax)^4}{x} + (4a) \int \frac{\sin^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{\sin^{-1}(ax)^4}{x} + (4a) \text{Subst} \left( \int x^3 \csc(x) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{\sin^{-1}(ax)^4}{x} - 8a \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) - (12a) \text{Subst} \left( \int x^2 \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) \\
&= -\frac{\sin^{-1}(ax)^4}{x} - 8a \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 12ia \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 12ia \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) + 12ia \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) \\
&= -\frac{\sin^{-1}(ax)^4}{x} - 8a \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 12ia \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 12ia \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) + 12ia \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) \\
&= -\frac{\sin^{-1}(ax)^4}{x} - 8a \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 12ia \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 12ia \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) + 12ia \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right)
\end{aligned}$$

**Mathematica [A]**

time = 0.16, size = 198, normalized size = 1.27

$$i \left( -\frac{ia^4}{2} + i \text{ArcSin}(ax)^3 - \frac{\text{ArcSin}(ax)^4}{ax} + 4 \text{ArcSin}(ax)^2 \log(1 - e^{-i \text{ArcSin}(ax)}) - 4 \text{ArcSin}(ax)^2 \log(1 + e^{i \text{ArcSin}(ax)}) + 12i \text{ArcSin}(ax)^2 \text{PolyLog}(2, e^{-i \text{ArcSin}(ax)}) + 12i \text{ArcSin}(ax)^2 \text{PolyLog}(2, -e^{i \text{ArcSin}(ax)}) + 24 \text{ArcSin}(ax) \text{PolyLog}(3, e^{-i \text{ArcSin}(ax)}) - 24 \text{ArcSin}(ax) \text{PolyLog}(3, -e^{i \text{ArcSin}(ax)}) - 24i \text{PolyLog}(4, e^{-i \text{ArcSin}(ax)}) - 24i \text{PolyLog}(4, -e^{i \text{ArcSin}(ax)}) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^4/x^2,x]`

```
[Out] a*((-1/2*I)*Pi^4 + I*ArcSin[a*x]^4 - ArcSin[a*x]^4/(a*x) + 4*ArcSin[a*x]^3*
Log[1 - E^((-I)*ArcSin[a*x])] - 4*ArcSin[a*x]^3*Log[1 + E^(I*ArcSin[a*x])]
+ (12*I)*ArcSin[a*x]^2*PolyLog[2, E^((-I)*ArcSin[a*x])] + (12*I)*ArcSin[a*x]^2*PolyLog[2, -E^(I*ArcSin[a*x])] + 24*ArcSin[a*x]*PolyLog[3, E^((-I)*ArcSin[a*x])] - 24*ArcSin[a*x]*PolyLog[3, -E^(I*ArcSin[a*x])] - (24*I)*PolyLog[4, E^((-I)*ArcSin[a*x])] - (24*I)*PolyLog[4, -E^(I*ArcSin[a*x])])
```

**Maple [A]**

time = 0.07, size = 238, normalized size = 1.53

method	result
derivativedivides	$a \left( -\frac{\arcsin(ax)^4}{ax} + 4 \arcsin(ax)^3 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 4 \arcsin(ax)^3 \ln(1 + iax + \sqrt{-a^2x^2 + 1}) \right)$
default	$a \left( -\frac{\arcsin(ax)^4}{ax} + 4 \arcsin(ax)^3 \ln(1 - iax - \sqrt{-a^2x^2 + 1}) - 4 \arcsin(ax)^3 \ln(1 + iax + \sqrt{-a^2x^2 + 1}) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^4/x^2,x,method=_RETURNVERBOSE)`

[Out]  $a \cdot (-\arcsin(ax))^4/a/x + 4 \arcsin(ax)^3 \ln(1 - I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2}) - 4 \arcsin(ax)^3 \ln(1 + I \arcsin(ax) + (-a^2 x^2 + 1)^{1/2}) + 24 \arcsin(ax) \operatorname{polylog}(3, I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2}) - 24 \arcsin(ax) \operatorname{polylog}(3, -I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2}) - 12 I \arcsin(ax)^2 \operatorname{polylog}(2, I \arcsin(ax) + (-a^2 x^2 + 1)^{1/2}) + 12 I \arcsin(ax)^2 \operatorname{polylog}(2, -I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2}) + 24 I \operatorname{polylog}(4, I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2}) - 24 I \operatorname{polylog}(4, -I \arcsin(ax) - (-a^2 x^2 + 1)^{1/2})$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^4/x^2,x, algorithm="maxima")`

[Out]  $-(\arctan2(ax, \sqrt{ax+1}) \sqrt{-ax+1})^4 + 4ax \operatorname{integrate}(\sqrt{ax+1} \sqrt{-ax+1} \arctan2(ax, \sqrt{ax+1}) \sqrt{-ax+1})^3 / (a^2 x^3 - x), x) / x$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^4/x^2,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^4/x^2, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^4(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**4/x**2,x)`

[Out] `Integral(asin(a*x)**4/x**2, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^4/x^2,x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^4/x^2, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(asin(a*x)^4/x^2,x)
```

```
[Out] int(asin(a*x)^4/x^2, x)
```

### 3.40 $\int \frac{\text{ArcSin}(ax)^4}{x^3} dx$

Optimal. Leaf size=119

$$-2ia^2 \text{ArcSin}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{x} - \frac{\text{ArcSin}(ax)^4}{2x^2} + 6a^2 \text{ArcSin}(ax)^2 \log(1 - e^{2i \text{ArcSin}(ax)}) - 6ia^2 \text{ArcSin}(ax)$$

```
[Out] -2*I*a^2*arcsin(a*x)^3-1/2*arcsin(a*x)^4/x^2+6*a^2*arcsin(a*x)^2*ln(1-(I*a*x+(-a^2*x^2+1)^(1/2))^2)-6*I*a^2*arcsin(a*x)*polylog(2,(I*a*x+(-a^2*x^2+1)^(1/2))^2)+3*a^2*polylog(3,(I*a*x+(-a^2*x^2+1)^(1/2))^2)-2*a*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)/x
```

Rubi [A]

time = 0.14, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {4723, 4771, 4721, 3798, 2221, 2611, 2320, 6724}

$$-6ia^2 \text{ArcSin}(ax) \text{Li}_2(e^{2i \text{ArcSin}(ax)}) + 3a^2 \text{Li}_3(e^{2i \text{ArcSin}(ax)}) - \frac{2a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{x} - 2ia^2 \text{ArcSin}(ax)^3 + 6a^2 \text{ArcSin}(ax)^2 \log(1 - e^{2i \text{ArcSin}(ax)}) - \frac{\text{ArcSin}(ax)^4}{2x^2}$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^4/x^3,x]
```

```
[Out] (-2*I)*a^2*ArcSin[a*x]^3 - (2*a*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/x - ArcSin[a*x]^4/(2*x^2) + 6*a^2*ArcSin[a*x]^2*Log[1 - E^((2*I)*ArcSin[a*x])] - (6*I)*a^2*ArcSin[a*x]*PolyLog[2, E^((2*I)*ArcSin[a*x])] + 3*a^2*PolyLog[3, E^((2*I)*ArcSin[a*x])]
```

Rule 2221

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
```

$b*x)))^n/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{(c*(a + b*x)))^n}], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

#### Rule 3798

$\text{Int}[(c_.) + (d_.)*(x_.)^{(m_.)}*\text{tan}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[I*((c + d*x)^{(m+1)}/(d*(m+1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)}*(E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)}*E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[4*k] \&\& \text{IGtQ}[m, 0]$

#### Rule 4721

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)^{(n_.)}/(x_.)], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cot}[x], x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0]$

#### Rule 4723

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)^{(n_.)}*((d_.)*(x_.)^{(m_.)}), x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*((a + b*\text{ArcSin}[c*x])^n/(d*(m+1))), x] - \text{Dist}[b*c*(n/(d*(m+1))), \text{Int}[(d*x)^{(m+1)}*((a + b*\text{ArcSin}[c*x])^{(n-1)}/\text{Sqrt}[1 - c^2*x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

#### Rule 4771

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)^{(n_.)}*((f_.)*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*((a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1))), x] - \text{Dist}[b*c*(n/(f*(m+1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{EqQ}[m + 2*p + 3, 0] \&\& \text{NeQ}[m, -1]$

#### Rule 6724

$\text{Int}[\text{PolyLog}[n_., (c_.)*((a_.) + (b_.)*(x_.)^{(p_.)})]/((d_.) + (e_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

#### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^4}{x^3} dx &= -\frac{\sin^{-1}(ax)^4}{2x^2} + (2a) \int \frac{\sin^{-1}(ax)^3}{x^2 \sqrt{1-a^2x^2}} dx \\
&= -\frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + (6a^2) \int \frac{\sin^{-1}(ax)^2}{x} dx \\
&= -\frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + (6a^2) \text{Subst} \left( \int x^2 \cot(x) dx, x, \sin^{-1}(ax) \right) \\
&= -2ia^2 \sin^{-1}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} - (12ia^2) \text{Subst} \left( \int \frac{e^{2ix} x^2}{1-e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\
&= -2ia^2 \sin^{-1}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + 6a^2 \sin^{-1}(ax)^2 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) \\
&= -2ia^2 \sin^{-1}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + 6a^2 \sin^{-1}(ax)^2 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) \\
&= -2ia^2 \sin^{-1}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + 6a^2 \sin^{-1}(ax)^2 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) \\
&= -2ia^2 \sin^{-1}(ax)^3 - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - \frac{\sin^{-1}(ax)^4}{2x^2} + 6a^2 \sin^{-1}(ax)^2 \log \left( 1 - e^{2i \sin^{-1}(ax)} \right)
\end{aligned}$$

**Mathematica [A]**

time = 0.17, size = 124, normalized size = 1.04

$$-\frac{\text{ArcSin}(ax)^4}{2x^2} + \frac{1}{4}a^2 \left( -i\pi^3 + 8i\text{ArcSin}(ax)^3 - \frac{8\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{ax} + 24\text{ArcSin}(ax)^2 \log(1 - e^{-2i\text{ArcSin}(ax)}) + 24i\text{ArcSin}(ax)\text{PolyLog}(2, e^{-2i\text{ArcSin}(ax)}) + 12\text{PolyLog}(3, e^{-2i\text{ArcSin}(ax)}) \right)$$

Antiderivative was successfully verified.

**[In]** Integrate[ArcSin[a\*x]^4/x^3,x]

**[Out]**  $-1/2*\text{ArcSin}[a*x]^4/x^2 + (a^2*((-I)*\text{Pi}^3 + (8*I)*\text{ArcSin}[a*x]^3 - (8*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(a*x) + 24*\text{ArcSin}[a*x]^2*\text{Log}[1 - \text{E}^{\text{((-2*I)*\text{ArcSin}[a*x])}] + (24*I)*\text{ArcSin}[a*x]*\text{PolyLog}[2, \text{E}^{\text{((-2*I)*\text{ArcSin}[a*x])}] + 12*\text{PolyLog}[3, \text{E}^{\text{((-2*I)*\text{ArcSin}[a*x])}]])]/4$

**Maple [A]**

time = 0.08, size = 219, normalized size = 1.84

method	result
derivativedivides	$a^2 \left( -\frac{\arcsin(ax)^3 \left( -4ia^2x^2 + 4ax\sqrt{-a^2x^2 + 1} + \arcsin(ax) \right)}{2a^2x^2} - 4i \arcsin(ax)^3 + 6 \arcsin(ax)^2 \ln \right)$

default	$a^2 \left( -\frac{\arcsin(ax)^3 \left( -4ia^2x^2 + 4ax\sqrt{-a^2x^2 + 1} + \arcsin(ax) \right)}{2a^2x^2} - 4i \arcsin(ax)^3 + 6 \arcsin(ax)^2 \ln \left( \dots \right) \right)$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^4/x^3,x,method=_RETURNVERBOSE)`

[Out]  $a^2 * (-1/2 * \arcsin(ax)^3 * (-4 * I * a^2 * x^2 + 4 * a * x * (-a^2 * x^2 + 1)^{(1/2)} + \arcsin(ax)) / a^2 / x^2 - 4 * I * \arcsin(ax)^3 + 6 * \arcsin(ax)^2 * \ln(1 - I * a * x - (-a^2 * x^2 + 1)^{(1/2)}) - 12 * I * \arcsin(ax) * \text{polylog}(2, I * a * x + (-a^2 * x^2 + 1)^{(1/2)}) + 12 * \text{polylog}(3, I * a * x + (-a^2 * x^2 + 1)^{(1/2)}) + 6 * \arcsin(ax)^2 * \ln(1 + I * a * x + (-a^2 * x^2 + 1)^{(1/2)}) - 12 * I * \arcsin(ax) * \text{polylog}(2, -I * a * x - (-a^2 * x^2 + 1)^{(1/2)}) + 12 * \text{polylog}(3, -I * a * x - (-a^2 * x^2 + 1)^{(1/2)})$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^4/x^3,x, algorithm="maxima")`

[Out]  $-1/2 * (\arctan2(ax, \sqrt{ax+1}) * \sqrt{-ax+1})^4 + 4 * a * x^2 * \text{integrate}(\sqrt{ax+1} * \sqrt{-ax+1} * \arctan2(ax, \sqrt{ax+1}) * \sqrt{-ax+1})^3 / (a^2 * x^4 - x^2), x) / x^2$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^4/x^3,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^4/x^3, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{asin}^4(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**4/x**3,x)`

[Out] `Integral(asin(a*x)**4/x**3, x)`



**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4/x^3,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^4/x^3, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{asin}(ax)^4}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^4/x^3,x)

[Out] int(asin(a\*x)^4/x^3, x)

### 3.41 $\int \frac{\text{ArcSin}(ax)^4}{x^4} dx$

**Optimal.** Leaf size=276

$$\frac{2a^2 \text{ArcSin}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{3x^2} - \frac{\text{ArcSin}(ax)^4}{3x^3} - 8a^3 \text{ArcSin}(ax) \tanh^{-1}(e^{i \text{ArcSin}(ax)}) - \frac{4}{3}a^3 \text{ArcS}$$

```
[Out] -2*a^2*arcsin(a*x)^2/x-1/3*arcsin(a*x)^4/x^3-8*a^3*arcsin(a*x)*arctanh(I*a*x+(-a^2*x^2+1)^(1/2))-4/3*a^3*arcsin(a*x)^3*arctanh(I*a*x+(-a^2*x^2+1)^(1/2))+4*I*a^3*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))+2*I*a^3*arcsin(a*x)^2*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-4*I*a^3*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))-2*I*a^3*arcsin(a*x)^2*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))-4*a^3*arcsin(a*x)*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2))+4*a^3*arcsin(a*x)*polylog(3,I*a*x+(-a^2*x^2+1)^(1/2))-4*I*a^3*polylog(4,-I*a*x-(-a^2*x^2+1)^(1/2))+4*I*a^3*polylog(4,I*a*x+(-a^2*x^2+1)^(1/2))-2/3*a*arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)/x^2
```

**Rubi [A]**

time = 0.27, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$ , Rules used = {4723, 4789, 4803, 4268, 2611, 6744, 2320, 6724, 2317, 2438}

$$\frac{2a^2 \text{ArcSin}(ax)^2 \text{Li}_2(-e^{i \text{ArcSin}(ax)}) - 2a^2 \text{ArcSin}(ax)^2 \text{Li}_2(e^{i \text{ArcSin}(ax)}) - 4a^2 \text{ArcSin}(ax) \text{Li}_2(-e^{i \text{ArcSin}(ax)}) + 4a^2 \text{ArcSin}(ax) \text{Li}_2(e^{i \text{ArcSin}(ax)}) + 4ia^2 \text{Li}_2(-e^{i \text{ArcSin}(ax)}) - 4ia^2 \text{Li}_2(e^{i \text{ArcSin}(ax)}) - 4ia^2 \text{Li}_2(-e^{i \text{ArcSin}(ax)}) + 4ia^2 \text{Li}_2(e^{i \text{ArcSin}(ax)}) - \frac{4}{3}a^3 \text{ArcSin}(ax)^3 \tanh^{-1}(e^{i \text{ArcSin}(ax)}) - 8a^3 \text{ArcSin}(ax) \tanh^{-1}(e^{i \text{ArcSin}(ax)}) - \frac{2a\sqrt{1-a^2x^2} \text{ArcSin}(ax)^3}{3x^2} - \frac{2a^2 \text{ArcSin}(ax)^2}{x} - \frac{\text{ArcSin}(ax)^4}{3x^3}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^4/x^4,x]

```
[Out] (-2*a^2*ArcSin[a*x]^2)/x - (2*a*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(3*x^2) - ArcSin[a*x]^4/(3*x^3) - 8*a^3*ArcSin[a*x]*ArcTanh[E^(I*ArcSin[a*x])] - (4*a^3*ArcSin[a*x]^3*ArcTanh[E^(I*ArcSin[a*x])])/3 + (4*I)*a^3*PolyLog[2, -E^(I*ArcSin[a*x])] + (2*I)*a^3*ArcSin[a*x]^2*PolyLog[2, -E^(I*ArcSin[a*x])] - (4*I)*a^3*PolyLog[2, E^(I*ArcSin[a*x])] - (2*I)*a^3*ArcSin[a*x]^2*PolyLog[2, E^(I*ArcSin[a*x])] - 4*a^3*ArcSin[a*x]*PolyLog[3, -E^(I*ArcSin[a*x])] + 4*a^3*ArcSin[a*x]*PolyLog[3, E^(I*ArcSin[a*x])] - (4*I)*a^3*PolyLog[4, -E^(I*ArcSin[a*x])] + (4*I)*a^3*PolyLog[4, E^(I*ArcSin[a*x])]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
```

{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*  
(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

#### Rule 2438

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := Simp[-PolyLog[2,  
(-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 2611

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*(f\_.) + (g\_.)  
\*(x\_)^(m\_.), x\_Symbol] := Simp[(-f + g\*x)^m\*(PolyLog[2, (-e)\*(F^(c\*(a +  
b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m  
- 1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,  
f, g, n}, x] && GtQ[m, 0]

#### Rule 4268

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[-  
2\*(c + d\*x)^m\*(ArcTanh[E^(I\*(e + f\*x))]/f), x] + (-Dist[d\*(m/f), Int[(c + d  
\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[d\*(m/f), Int[(c + d\*x)^(  
m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ  
[m, 0]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol]  
:= Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n  
/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*  
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 4789

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.  
)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*((a + b  
\*ArcSin[c\*x])^n/(d\*f\*(m + 1))), x] + (Dist[c^2\*((m + 2\*p + 3)/(f^2\*(m + 1))  
) , Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[b\*c  
\*(n/(f\*(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m + 1)\*(1  
- c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c  
, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && ILtQ[m, -1]

#### Rule 4803

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.))/Sqrt[(d\_) + (e\_.)\*  
(x\_)^2], x\_Symbol] := Dist[(1/c^(m + 1))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*  
x^2]], Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a,

b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol]
:> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^4}{x^4} dx &= -\frac{\sin^{-1}(ax)^4}{3x^3} + \frac{1}{3}(4a) \int \frac{\sin^{-1}(ax)^3}{x^3 \sqrt{1-a^2x^2}} dx \\ &= -\frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} + (2a^2) \int \frac{\sin^{-1}(ax)^2}{x^2} dx + \frac{1}{3}(2a^3) \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\ &= -\frac{2a^2 \sin^{-1}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} + \frac{1}{3}(2a^3) \text{Subst} \left( \int x^3 \csc(x) dx, x, \sin^{-1}(ax) \right) \\ &= -\frac{2a^2 \sin^{-1}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} - \frac{4}{3}a^3 \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) \\ &= -\frac{2a^2 \sin^{-1}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} - 8a^3 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) \\ &= -\frac{2a^2 \sin^{-1}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} - 8a^3 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) \\ &= -\frac{2a^2 \sin^{-1}(ax)^2}{x} - \frac{2a\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3x^2} - \frac{\sin^{-1}(ax)^4}{3x^3} - 8a^3 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) \end{aligned}$$

Mathematica [A]

time = 2.44, size = 399, normalized size = 1.45

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^4/x^4,x]

[Out]  $(a^3((-2*I)*\text{Pi}^4 + (4*I)*\text{ArcSin}[a*x]^4 - 24*\text{ArcSin}[a*x]^2*\text{Cot}[\text{ArcSin}[a*x]/2] - 2*\text{ArcSin}[a*x]^4*\text{Cot}[\text{ArcSin}[a*x]/2] - 4*\text{ArcSin}[a*x]^3*\text{Csc}[\text{ArcSin}[a*x]/2]^2 - (a*x*\text{ArcSin}[a*x]^4*\text{Csc}[\text{ArcSin}[a*x]/2]^4)/2 + 16*\text{ArcSin}[a*x]^3*\text{Log}[1 - E^{((-I)*\text{ArcSin}[a*x])}] + 96*\text{ArcSin}[a*x]*\text{Log}[1 - E^{(I*\text{ArcSin}[a*x])}] - 96*\text{ArcSin}[a*x]*\text{Log}[1 + E^{(I*\text{ArcSin}[a*x])}] - 16*\text{ArcSin}[a*x]^3*\text{Log}[1 + E^{(I*\text{ArcSin}[a*x])}] + (48*I)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, E^{((-I)*\text{ArcSin}[a*x])}] + (48*I)*(2 + \text{ArcSin}[a*x]^2)*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[a*x])}] - (96*I)*\text{PolyLog}[2, E^{(I*\text{ArcSin}[a*x])}] + 96*\text{ArcSin}[a*x]*\text{PolyLog}[3, E^{((-I)*\text{ArcSin}[a*x])}] - 96*\text{ArcSin}[a*x]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[a*x])}] - (96*I)*\text{PolyLog}[4, E^{((-I)*\text{ArcSin}[a*x])}] - (96*I)*\text{PolyLog}[4, -E^{(I*\text{ArcSin}[a*x])}] + 4*\text{ArcSin}[a*x]^3*\text{Sec}[\text{ArcSin}[a*x]/2]^2 - (8*\text{ArcSin}[a*x]^4*\text{Sin}[\text{ArcSin}[a*x]/2]^4)/(a^3*x^3) - 24*\text{ArcSin}[a*x]^2*\text{Tan}[\text{ArcSin}[a*x]/2] - 2*\text{ArcSin}[a*x]^4*\text{Tan}[\text{ArcSin}[a*x]/2]))/24$

**Maple [A]**

time = 0.13, size = 377, normalized size = 1.37

method	result
derivativedivides	$a^3 \left( -\frac{\arcsin(ax)^2 \left( 2ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + \arcsin(ax)^2 + 6a^2x^2 \right)}{3a^3x^3} + \frac{2 \arcsin(ax)^3 \ln \left( \frac{1-iax - \sqrt{-a^2x^2 + 1}}{3} \right)}{3} \right)$
default	$a^3 \left( -\frac{\arcsin(ax)^2 \left( 2ax \arcsin(ax) \sqrt{-a^2x^2 + 1} + \arcsin(ax)^2 + 6a^2x^2 \right)}{3a^3x^3} + \frac{2 \arcsin(ax)^3 \ln \left( \frac{1-iax - \sqrt{-a^2x^2 + 1}}{3} \right)}{3} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^4/x^4,x,method=\_RETURNVERBOSE)

[Out]  $a^3*(-1/3/a^3/x^3*\arcsin(a*x)^2*(2*a*x*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}+\arcsin(a*x)^2+6*a^2*x^2)+2/3*\arcsin(a*x)^3*\ln(1-I*a*x-(-a^2*x^2+1)^{(1/2)})-2*I*\arcsin(a*x)^2*\text{polylog}(2,I*a*x+(-a^2*x^2+1)^{(1/2)})+4*\arcsin(a*x)*\text{polylog}(3,I*a*x+(-a^2*x^2+1)^{(1/2)})+4*I*\text{polylog}(4,I*a*x+(-a^2*x^2+1)^{(1/2)})-2/3*\arcsin(a*x)^3*\ln(1+I*a*x+(-a^2*x^2+1)^{(1/2)})+2*I*\arcsin(a*x)^2*\text{polylog}(2,-I*a*x-(-a^2*x^2+1)^{(1/2)})-4*\arcsin(a*x)*\text{polylog}(3,-I*a*x-(-a^2*x^2+1)^{(1/2)})-4*I*\text{polylog}(4,-I*a*x-(-a^2*x^2+1)^{(1/2)})+4*\arcsin(a*x)*\ln(1-I*a*x-(-a^2*x^2+1)^{(1/2)})-4*I*\text{polylog}(2,I*a*x+(-a^2*x^2+1)^{(1/2)})-4*\arcsin(a*x)*\ln(1+I*a*x+(-a^2*x^2+1)^{(1/2)})+4*I*\text{polylog}(2,-I*a*x-(-a^2*x^2+1)^{(1/2)})$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4/x^4,x, algorithm="maxima")

[Out]  $-1/3*(12*a*x^3*\int(1/3*\sqrt{a*x + 1}*\sqrt{-a*x + 1}*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))^3/(a^2*x^5 - x^3), x) + \arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^4/x^3$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4/x^4,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^4/x^4, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^4(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*4/x\*\*4,x)

[Out] Integral(asin(a\*x)\*\*4/x\*\*4, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^4/x^4,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^4/x^4, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{asin}(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^4/x^4,x)

[Out] int(asin(a\*x)^4/x^4, x)

$$3.42 \quad \int \frac{x^6}{\text{ArcSin}(ax)} dx$$

**Optimal.** Leaf size=55

$$\frac{5\text{CosIntegral}(\text{ArcSin}(ax))}{64a^7} - \frac{9\text{CosIntegral}(3\text{ArcSin}(ax))}{64a^7} + \frac{5\text{CosIntegral}(5\text{ArcSin}(ax))}{64a^7} - \frac{\text{CosIntegral}(7\text{ArcSin}(ax))}{64a^7}$$

[Out] 5/64\*Ci(arcsin(a\*x))/a^7-9/64\*Ci(3\*arcsin(a\*x))/a^7+5/64\*Ci(5\*arcsin(a\*x))/a^7-1/64\*Ci(7\*arcsin(a\*x))/a^7

**Rubi [A]**

time = 0.07, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4731, 4491, 3383}

$$\frac{5\text{CosIntegral}(\text{ArcSin}(ax))}{64a^7} - \frac{9\text{CosIntegral}(3\text{ArcSin}(ax))}{64a^7} + \frac{5\text{CosIntegral}(5\text{ArcSin}(ax))}{64a^7} - \frac{\text{CosIntegral}(7\text{ArcSin}(ax))}{64a^7}$$

Antiderivative was successfully verified.

[In] Int[x^6/ArcSin[a\*x],x]

[Out] (5\*CosIntegral[ArcSin[a\*x]])/(64\*a^7) - (9\*CosIntegral[3\*ArcSin[a\*x]])/(64\*a^7) + (5\*CosIntegral[5\*ArcSin[a\*x]])/(64\*a^7) - CosIntegral[7\*ArcSin[a\*x]]/(64\*a^7)

**Rule 3383**

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

**Rule 4491**

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

**Rule 4731**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^6}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^6(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^7} \\
&= \frac{\text{Subst}\left(\int \left(\frac{5\cos(x)}{64x} - \frac{9\cos(3x)}{64x} + \frac{5\cos(5x)}{64x} - \frac{\cos(7x)}{64x}\right) dx, x, \sin^{-1}(ax)\right)}{a^7} \\
&= -\frac{\text{Subst}\left(\int \frac{\cos(7x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a^7} + \frac{5\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a^7} + \frac{5\text{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a^7} \\
&= \frac{5\text{Ci}(\sin^{-1}(ax))}{64a^7} - \frac{9\text{Ci}(3\sin^{-1}(ax))}{64a^7} + \frac{5\text{Ci}(5\sin^{-1}(ax))}{64a^7} - \frac{\text{Ci}(7\sin^{-1}(ax))}{64a^7}
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 40, normalized size = 0.73

$$-\frac{5\text{CosIntegral}(\text{ArcSin}(ax)) + 9\text{CosIntegral}(3\text{ArcSin}(ax)) - 5\text{CosIntegral}(5\text{ArcSin}(ax)) + \text{CosIntegral}(7\text{ArcSin}(ax))}{64a^7}$$

Antiderivative was successfully verified.

`[In] Integrate[x^6/ArcSin[a*x], x]`

```
[Out] -1/64*(-5*CosIntegral[ArcSin[a*x]] + 9*CosIntegral[3*ArcSin[a*x]] - 5*CosIntegral[5*ArcSin[a*x]] + CosIntegral[7*ArcSin[a*x]])/a^7
```

**Maple [A]**

time = 0.03, size = 40, normalized size = 0.73

method	result	size
derivativedivides	$\frac{\frac{5 \text{ cosineIntegral}(\arcsin(ax))}{64} - \frac{9 \text{ cosineIntegral}(3 \arcsin(ax))}{64} + \frac{5 \text{ cosineIntegral}(5 \arcsin(ax))}{64} - \frac{\text{ cosineIntegral}(7 \arcsin(ax))}{64}}{a^7}$	40
default	$\frac{\frac{5 \text{ cosineIntegral}(\arcsin(ax))}{64} - \frac{9 \text{ cosineIntegral}(3 \arcsin(ax))}{64} + \frac{5 \text{ cosineIntegral}(5 \arcsin(ax))}{64} - \frac{\text{ cosineIntegral}(7 \arcsin(ax))}{64}}{a^7}$	40

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^6/arcsin(a*x), x, method=_RETURNVERBOSE)`

```
[Out] 1/a^7*(5/64*Ci(arcsin(a*x))-9/64*Ci(3*arcsin(a*x))+5/64*Ci(5*arcsin(a*x))-1/64*Ci(7*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^6/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate(x^6/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x^6/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6/asin(a\*x),x)

[Out] Integral(x\*\*6/asin(a\*x), x)

**Giac** [A]

time = 0.42, size = 47, normalized size = 0.85

$$-\frac{\operatorname{Ci}(7 \operatorname{arcsin}(ax))}{64 a^7} + \frac{5 \operatorname{Ci}(5 \operatorname{arcsin}(ax))}{64 a^7} - \frac{9 \operatorname{Ci}(3 \operatorname{arcsin}(ax))}{64 a^7} + \frac{5 \operatorname{Ci}(\operatorname{arcsin}(ax))}{64 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arcsin(a\*x),x, algorithm="giac")

[Out] -1/64\*cos\_integral(7\*arcsin(a\*x))/a^7 + 5/64\*cos\_integral(5\*arcsin(a\*x))/a^7 - 9/64\*cos\_integral(3\*arcsin(a\*x))/a^7 + 5/64\*cos\_integral(arcsin(a\*x))/a^7

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^6}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/asin(a\*x),x)

[Out] int(x^6/asin(a\*x), x)

### 3.43 $\int \frac{x^5}{\text{ArcSin}(ax)} dx$

**Optimal.** Leaf size=43

$$\frac{5\text{Si}(2\text{ArcSin}(ax))}{32a^6} - \frac{\text{Si}(4\text{ArcSin}(ax))}{8a^6} + \frac{\text{Si}(6\text{ArcSin}(ax))}{32a^6}$$

[Out] 5/32\*Si(2\*arcsin(a\*x))/a^6-1/8\*Si(4\*arcsin(a\*x))/a^6+1/32\*Si(6\*arcsin(a\*x))/a^6

**Rubi [A]**

time = 0.05, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4731, 4491, 3380}

$$\frac{5\text{Si}(2\text{ArcSin}(ax))}{32a^6} - \frac{\text{Si}(4\text{ArcSin}(ax))}{8a^6} + \frac{\text{Si}(6\text{ArcSin}(ax))}{32a^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/ArcSin[a\*x],x]

[Out] (5\*SinIntegral[2\*ArcSin[a\*x]])/(32\*a^6) - SinIntegral[4\*ArcSin[a\*x]]/(8\*a^6) + SinIntegral[6\*ArcSin[a\*x]]/(32\*a^6)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^5(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^6} \\
&= \frac{\text{Subst}\left(\int \left(\frac{5\sin(2x)}{32x} - \frac{\sin(4x)}{8x} + \frac{\sin(6x)}{32x}\right) dx, x, \sin^{-1}(ax)\right)}{a^6} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(6x)}{x} dx, x, \sin^{-1}(ax)\right)}{32a^6} - \frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^6} + \frac{5\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{32a^6} \\
&= \frac{5\text{Si}(2\sin^{-1}(ax))}{32a^6} - \frac{\text{Si}(4\sin^{-1}(ax))}{8a^6} + \frac{\text{Si}(6\sin^{-1}(ax))}{32a^6}
\end{aligned}$$

**Mathematica [A]**

time = 0.08, size = 33, normalized size = 0.77

$$\frac{5\text{Si}(2\text{ArcSin}(ax)) - 4\text{Si}(4\text{ArcSin}(ax)) + \text{Si}(6\text{ArcSin}(ax))}{32a^6}$$

Antiderivative was successfully verified.

`[In] Integrate[x^5/ArcSin[a*x], x]``[Out] (5*SinIntegral[2*ArcSin[a*x]] - 4*SinIntegral[4*ArcSin[a*x]] + SinIntegral[6*ArcSin[a*x]])/(32*a^6)`**Maple [A]**

time = 0.03, size = 33, normalized size = 0.77

method	result	size
derivativedivides	$\frac{\frac{5 \sinIntegral(2 \arcsin(ax))}{32} - \frac{\sinIntegral(4 \arcsin(ax))}{8} + \frac{\sinIntegral(6 \arcsin(ax))}{32}}{a^6}$	33
default	$\frac{\frac{5 \sinIntegral(2 \arcsin(ax))}{32} - \frac{\sinIntegral(4 \arcsin(ax))}{8} + \frac{\sinIntegral(6 \arcsin(ax))}{32}}{a^6}$	33

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^5/arcsin(a*x), x, method=_RETURNVERBOSE)``[Out] 1/a^6*(5/32*Si(2*arcsin(a*x))-1/8*Si(4*arcsin(a*x))+1/32*Si(6*arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate(x^5/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x^5/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5/asin(a\*x),x)

[Out] Integral(x\*\*5/asin(a\*x), x)

**Giac** [A]

time = 0.41, size = 37, normalized size = 0.86

$$\frac{\operatorname{Si}(6 \operatorname{arcsin}(ax))}{32 a^6} - \frac{\operatorname{Si}(4 \operatorname{arcsin}(ax))}{8 a^6} + \frac{5 \operatorname{Si}(2 \operatorname{arcsin}(ax))}{32 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x),x, algorithm="giac")

[Out] 1/32\*sin\_integral(6\*arcsin(a\*x))/a^6 - 1/8\*sin\_integral(4\*arcsin(a\*x))/a^6 + 5/32\*sin\_integral(2\*arcsin(a\*x))/a^6

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^5}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/asin(a\*x),x)

[Out] int(x^5/asin(a\*x), x)

### 3.44 $\int \frac{x^4}{\text{ArcSin}(ax)} dx$

**Optimal.** Leaf size=41

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{8a^5} - \frac{3\text{CosIntegral}(3\text{ArcSin}(ax))}{16a^5} + \frac{\text{CosIntegral}(5\text{ArcSin}(ax))}{16a^5}$$

[Out] 1/8\*Ci(arcsin(a\*x))/a^5-3/16\*Ci(3\*arcsin(a\*x))/a^5+1/16\*Ci(5\*arcsin(a\*x))/a^5

**Rubi [A]**

time = 0.06, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4731, 4491, 3383}

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{8a^5} - \frac{3\text{CosIntegral}(3\text{ArcSin}(ax))}{16a^5} + \frac{\text{CosIntegral}(5\text{ArcSin}(ax))}{16a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcSin[a\*x],x]

[Out] CosIntegral[ArcSin[a\*x]]/(8\*a^5) - (3\*CosIntegral[3\*ArcSin[a\*x]])/(16\*a^5) + CosIntegral[5\*ArcSin[a\*x]]/(16\*a^5)

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] :> Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^4(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{8x} - \frac{3\cos(3x)}{16x} + \frac{\cos(5x)}{16x}\right) dx, x, \sin^{-1}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^5} - \frac{3\text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a^5} \\
&= \frac{\text{Ci}(\sin^{-1}(ax))}{8a^5} - \frac{3\text{Ci}(3\sin^{-1}(ax))}{16a^5} + \frac{\text{Ci}(5\sin^{-1}(ax))}{16a^5}
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 31, normalized size = 0.76

$$\frac{2\text{CosIntegral}(\text{ArcSin}(ax)) - 3\text{CosIntegral}(3\text{ArcSin}(ax)) + \text{CosIntegral}(5\text{ArcSin}(ax))}{16a^5}$$

Antiderivative was successfully verified.

`[In] Integrate[x^4/ArcSin[a*x], x]``[Out] (2*CosIntegral[ArcSin[a*x]] - 3*CosIntegral[3*ArcSin[a*x]] + CosIntegral[5*ArcSin[a*x]])/(16*a^5)`**Maple [A]**

time = 0.02, size = 31, normalized size = 0.76

method	result	size
derivativedivides	$\frac{\frac{\text{cosineIntegral}(\arcsin(ax))}{8} - \frac{3 \text{cosineIntegral}(3 \arcsin(ax))}{16} + \frac{\text{cosineIntegral}(5 \arcsin(ax))}{16}}{a^5}$	31
default	$\frac{\frac{\text{cosineIntegral}(\arcsin(ax))}{8} - \frac{3 \text{cosineIntegral}(3 \arcsin(ax))}{16} + \frac{\text{cosineIntegral}(5 \arcsin(ax))}{16}}{a^5}$	31

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4/arcsin(a*x), x, method=_RETURNVERBOSE)``[Out] 1/a^5*(1/8*Ci(arcsin(a*x))-3/16*Ci(3*arcsin(a*x))+1/16*Ci(5*arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate(x^4/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x^4/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/asin(a\*x),x)

[Out] Integral(x\*\*4/asin(a\*x), x)

**Giac** [A]

time = 0.43, size = 35, normalized size = 0.85

$$\frac{\operatorname{Ci}(5 \operatorname{arcsin}(ax))}{16 a^5} - \frac{3 \operatorname{Ci}(3 \operatorname{arcsin}(ax))}{16 a^5} + \frac{\operatorname{Ci}(\operatorname{arcsin}(ax))}{8 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x),x, algorithm="giac")

[Out] 1/16\*cos\_integral(5\*arcsin(a\*x))/a^5 - 3/16\*cos\_integral(3\*arcsin(a\*x))/a^5  
+ 1/8\*cos\_integral(arcsin(a\*x))/a^5

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^4}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/asin(a\*x),x)

[Out] int(x^4/asin(a\*x), x)

### 3.45 $\int \frac{x^3}{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=29

$$\frac{\text{Si}(2\text{ArcSin}(ax))}{4a^4} - \frac{\text{Si}(4\text{ArcSin}(ax))}{8a^4}$$

[Out] 1/4\*Si(2\*arcsin(a\*x))/a^4-1/8\*Si(4\*arcsin(a\*x))/a^4

Rubi [A]

time = 0.04, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4731, 4491, 3380}

$$\frac{\text{Si}(2\text{ArcSin}(ax))}{4a^4} - \frac{\text{Si}(4\text{ArcSin}(ax))}{8a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcSin[a\*x],x]

[Out] SinIntegral[2\*ArcSin[a\*x]]/(4\*a^4) - SinIntegral[4\*ArcSin[a\*x]]/(8\*a^4)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps



$$\begin{aligned}
\int \frac{x^3}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^3(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\sin(2x)}{4x} - \frac{\sin(4x)}{8x}\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^4} \\
&= \frac{\text{Si}(2\sin^{-1}(ax))}{4a^4} - \frac{\text{Si}(4\sin^{-1}(ax))}{8a^4}
\end{aligned}$$

**Mathematica [A]**

time = 0.05, size = 24, normalized size = 0.83

$$-\frac{-2\text{Si}(2\text{ArcSin}(ax)) + \text{Si}(4\text{ArcSin}(ax))}{8a^4}$$

Antiderivative was successfully verified.

`[In] Integrate[x^3/ArcSin[a*x],x]``[Out] -1/8*(-2*SinIntegral[2*ArcSin[a*x]] + SinIntegral[4*ArcSin[a*x]])/a^4`**Maple [A]**

time = 0.02, size = 24, normalized size = 0.83

method	result	size
derivativedivides	$\frac{\frac{\text{sinIntegral}(2 \arcsin(ax))}{4} - \frac{\text{sinIntegral}(4 \arcsin(ax))}{8}}{a^4}$	24
default	$\frac{\frac{\text{sinIntegral}(2 \arcsin(ax))}{4} - \frac{\text{sinIntegral}(4 \arcsin(ax))}{8}}{a^4}$	24

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3/arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^4*(1/4*Si(2*arcsin(a*x))-1/8*Si(4*arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3/arcsin(a*x),x, algorithm="maxima")`

[Out] integrate(x^3/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x^3/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/asin(a\*x),x)

[Out] Integral(x\*\*3/asin(a\*x), x)

**Giac** [A]

time = 0.43, size = 25, normalized size = 0.86

$$-\frac{\operatorname{Si}(4 \operatorname{arcsin}(ax))}{8a^4} + \frac{\operatorname{Si}(2 \operatorname{arcsin}(ax))}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x),x, algorithm="giac")

[Out] -1/8\*sin\_integral(4\*arcsin(a\*x))/a^4 + 1/4\*sin\_integral(2\*arcsin(a\*x))/a^4

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{x^3}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x),x)

[Out] int(x^3/asin(a\*x), x)

$$3.46 \quad \int \frac{x^2}{\text{ArcSin}(ax)} dx$$

Optimal. Leaf size=27

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{4a^3} - \frac{\text{CosIntegral}(3\text{ArcSin}(ax))}{4a^3}$$

[Out] 1/4\*Ci(arcsin(a\*x))/a^3-1/4\*Ci(3\*arcsin(a\*x))/a^3

Rubi [A]

time = 0.04, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4731, 4491, 3383}

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{4a^3} - \frac{\text{CosIntegral}(3\text{ArcSin}(ax))}{4a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcSin[a\*x],x]

[Out] CosIntegral[ArcSin[a\*x]]/(4\*a^3) - CosIntegral[3\*ArcSin[a\*x]]/(4\*a^3)

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n \* Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] :> Dist[1/(b\*c^(m + 1)), Subst[Int[x^n \* Sin[-a/b + x/b]^m \* Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{4x} - \frac{\cos(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^3} \\
&= \frac{\text{Ci}(\sin^{-1}(ax))}{4a^3} - \frac{\text{Ci}(3\sin^{-1}(ax))}{4a^3}
\end{aligned}$$

**Mathematica [A]**

time = 0.00, size = 22, normalized size = 0.81

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax)) - \text{CosIntegral}(3\text{ArcSin}(ax))}{4a^3}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2/ArcSin[a*x],x]``[Out] (CosIntegral[ArcSin[a*x]] - CosIntegral[3*ArcSin[a*x]])/(4*a^3)`**Maple [A]**

time = 0.01, size = 22, normalized size = 0.81

method	result	size
derivativedivides	$\frac{\frac{\text{cosineIntegral}(\arcsin(ax))}{4} - \frac{\text{cosineIntegral}(3\arcsin(ax))}{4}}{a^3}$	22
default	$\frac{\frac{\text{cosineIntegral}(\arcsin(ax))}{4} - \frac{\text{cosineIntegral}(3\arcsin(ax))}{4}}{a^3}$	22

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2/arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/a^3*(1/4*Ci(arcsin(a*x))-1/4*Ci(3*arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2/arcsin(a*x),x, algorithm="maxima")`

[Out] integrate(x^2/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x^2/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/asin(a\*x),x)

[Out] Integral(x\*\*2/asin(a\*x), x)

**Giac** [A]

time = 0.39, size = 23, normalized size = 0.85

$$-\frac{\operatorname{Ci}(3 \operatorname{arcsin}(ax))}{4a^3} + \frac{\operatorname{Ci}(\operatorname{arcsin}(ax))}{4a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x),x, algorithm="giac")

[Out] -1/4\*cos\_integral(3\*arcsin(a\*x))/a^3 + 1/4\*cos\_integral(arcsin(a\*x))/a^3

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/asin(a\*x),x)

[Out] int(x^2/asin(a\*x), x)

### 3.47 $\int \frac{x}{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=14

$$\frac{\text{Si}(2\text{ArcSin}(ax))}{2a^2}$$

[Out] 1/2\*Si(2\*arcsin(a\*x))/a^2

Rubi [A]

time = 0.02, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4731, 4491, 12, 3380}

$$\frac{\text{Si}(2\text{ArcSin}(ax))}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcSin[a\*x],x]

[Out] SinIntegral[2\*ArcSin[a\*x]]/(2\*a^2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 3380

Int[sin[(e\_) + (f\_)\*(x\_)]/((c\_) + (d\_)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4491

Int[Cos[(a\_) + (b\_)\*(x\_)]^(p\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*Sin[(a\_) + (b\_)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4731

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^2} \\
&= \frac{\text{Si}(2\sin^{-1}(ax))}{2a^2}
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 14, normalized size = 1.00

$$\frac{\text{Si}(2\text{ArcSin}(ax))}{2a^2}$$

Antiderivative was successfully verified.

`[In] Integrate[x/ArcSin[a*x],x]``[Out] SinIntegral[2*ArcSin[a*x]]/(2*a^2)`**Maple [A]**

time = 0.02, size = 13, normalized size = 0.93

method	result	size
derivativedivides	$\frac{\text{sinIntegral}(2 \arcsin(ax))}{2a^2}$	13
default	$\frac{\text{sinIntegral}(2 \arcsin(ax))}{2a^2}$	13

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x/arcsin(a*x),x,method=_RETURNVERBOSE)``[Out] 1/2*Si(2*arcsin(a*x))/a^2`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x/arcsin(a*x),x, algorithm="maxima")`

[Out] integrate(x/arcsin(a\*x), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(x/arcsin(a\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x),x)

[Out] Integral(x/asin(a\*x), x)

**Giac** [A]

time = 0.41, size = 12, normalized size = 0.86

$$\frac{\operatorname{Si}(2 \operatorname{arcsin}(ax))}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x),x, algorithm="giac")

[Out] 1/2\*sin\_integral(2\*arcsin(a\*x))/a^2

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x),x)

[Out] int(x/asin(a\*x), x)



$$3.48 \quad \int \frac{1}{\mathbf{ArcSin}(ax)} dx$$

Optimal. Leaf size=9

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{a}$$

[Out] Ci(arcsin(a\*x))/a

Rubi [A]

time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4719, 3383}

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(-1),x]

[Out] CosIntegral[ArcSin[a\*x]]/a

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_, x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\ &= \frac{\text{Ci}(\sin^{-1}(ax))}{a} \end{aligned}$$

Mathematica [A]

time = 0.01, size = 9, normalized size = 1.00

$$\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-1),x]

[Out] CosIntegral[ArcSin[a\*x]]/a

**Maple [A]**

time = 0.02, size = 10, normalized size = 1.11

method	result	size
derivatividivides	$\frac{\text{cosineIntegral}(\arcsin(ax))}{a}$	10
default	$\frac{\text{cosineIntegral}(\arcsin(ax))}{a}$	10

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x),x,method=\_RETURNVERBOSE)

[Out] Ci(arcsin(a\*x))/a

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate(1/arcsin(a\*x), x)

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(1/arcsin(a\*x), x)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\text{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/asin(a\*x),x)

[Out] Integral(1/asin(a\*x), x)

**Giac [A]**

time = 0.41, size = 9, normalized size = 1.00

$$\frac{\text{Ci}(\arcsin(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x),x, algorithm="giac")

[Out] cos\_integral(arcsin(a\*x))/a

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.11

$$\int \frac{1}{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/asin(a\*x),x)

[Out] int(1/asin(a\*x), x)

$$3.49 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]), x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)} dx = \int \frac{1}{x \sin^{-1}(ax)} dx$$

Mathematica [A]

time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]), x]

[Out] Integrate[1/(x\*ArcSin[a\*x]), x]

Maple [A]

time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arcsin(a*x),x)`

[Out] `int(1/x/arcsin(a*x),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x),x, algorithm="maxima")`

[Out] `integrate(1/(x*arcsin(a*x)), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x),x, algorithm="fricas")`

[Out] `integral(1/(x*arcsin(a*x)), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/asin(a*x),x)`

[Out] `Integral(1/(x*asin(a*x)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x),x, algorithm="giac")`

[Out] `integrate(1/(x*arcsin(a*x)), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*asin(a*x)),x)
```

```
[Out] int(1/(x*asin(a*x)), x)
```

$$3.50 \quad \int \frac{1}{x^2 \mathbf{ArcSin}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \text{ArcSin}(ax)}, x\right)$$

[Out] Unintegrable(1/x^2/arcsin(a\*x), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*ArcSin[a\*x]), x]

[Out] Defer[Int][1/(x^2\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{x^2 \sin^{-1}(ax)} dx = \int \frac{1}{x^2 \sin^{-1}(ax)} dx$$

Mathematica [A]

time = 0.72, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*ArcSin[a\*x]), x]

[Out] Integrate[1/(x^2\*ArcSin[a\*x]), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/arcsin(a*x),x)`

[Out] `int(1/x^2/arcsin(a*x),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x),x, algorithm="maxima")`

[Out] `integrate(1/(x^2*arcsin(a*x)), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x),x, algorithm="fricas")`

[Out] `integral(1/(x^2*arcsin(a*x)), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/asin(a*x),x)`

[Out] `Integral(1/(x**2*asin(a*x)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x),x, algorithm="giac")`

[Out] `integrate(1/(x^2*arcsin(a*x)), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{asin}(ax)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*asin(a*x)),x)
```

```
[Out] int(1/(x^2*asin(a*x)), x)
```

### 3.51 $\int \frac{x^6}{\text{ArcSin}(ax)^2} dx$

**Optimal.** Leaf size=83

$$-\frac{x^6\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} - \frac{5\text{Si}(\text{ArcSin}(ax))}{64a^7} + \frac{27\text{Si}(3\text{ArcSin}(ax))}{64a^7} - \frac{25\text{Si}(5\text{ArcSin}(ax))}{64a^7} + \frac{7\text{Si}(7\text{ArcSin}(ax))}{64a^7}$$

[Out]  $-5/64*\text{Si}(\text{arcsin}(a*x))/a^7+27/64*\text{Si}(3*\text{arcsin}(a*x))/a^7-25/64*\text{Si}(5*\text{arcsin}(a*x))/a^7+7/64*\text{Si}(7*\text{arcsin}(a*x))/a^7-x^6*(-a^2*x^2+1)^{(1/2)}/a/\text{arcsin}(a*x)$

**Rubi [A]**

time = 0.05, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4727, 3380}

$$-\frac{5\text{Si}(\text{ArcSin}(ax))}{64a^7} + \frac{27\text{Si}(3\text{ArcSin}(ax))}{64a^7} - \frac{25\text{Si}(5\text{ArcSin}(ax))}{64a^7} + \frac{7\text{Si}(7\text{ArcSin}(ax))}{64a^7} - \frac{x^6\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x^6/ArcSin[a*x]^2,x]`

[Out]  $-(x^6*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]) - (5*\text{SinIntegral}[\text{ArcSin}[a*x]])/(64*a^7) + (27*\text{SinIntegral}[3*\text{ArcSin}[a*x]])/(64*a^7) - (25*\text{SinIntegral}[5*\text{ArcSin}[a*x]])/(64*a^7) + (7*\text{SinIntegral}[7*\text{ArcSin}[a*x]])/(64*a^7)$

Rule 3380

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 4727

`Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]`

Rubi steps

$$\begin{aligned} \int \frac{x^6}{\sin^{-1}(ax)^2} dx &= -\frac{x^6 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{5 \sin(x)}{64x} + \frac{27 \sin(3x)}{64x} - \frac{25 \sin(5x)}{64x} + \frac{7 \sin(7x)}{64x}\right) dx, x, \sin^{-1}(ax)\right)}{a^7} \\ &= -\frac{x^6 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{5 \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a^7} + \frac{7 \text{Subst}\left(\int \frac{\sin(7x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a^7} \\ &= -\frac{x^6 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{5 \text{Si}(\sin^{-1}(ax))}{64a^7} + \frac{27 \text{Si}(3 \sin^{-1}(ax))}{64a^7} - \frac{25 \text{Si}(5 \sin^{-1}(ax))}{64a^7} + \frac{7 \text{Si}(7 \sin^{-1}(ax))}{64a^7} \end{aligned}$$

**Mathematica [A]**

time = 0.15, size = 86, normalized size = 1.04

$$\frac{64a^6x^6\sqrt{1-a^2x^2} + 5\text{ArcSin}(ax)\text{Si}(\text{ArcSin}(ax)) - 27\text{ArcSin}(ax)\text{Si}(3\text{ArcSin}(ax)) + 25\text{ArcSin}(ax)\text{Si}(5\text{ArcSin}(ax)) - 7\text{ArcSin}(ax)\text{Si}(7\text{ArcSin}(ax))}{64a^7\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

**[In]** Integrate[x^6/ArcSin[a\*x]^2,x]

**[Out]** -1/64\*(64\*a^6\*x^6\*sqrt[1 - a^2\*x^2] + 5\*ArcSin[a\*x]\*SinIntegral[ArcSin[a\*x]] - 27\*ArcSin[a\*x]\*SinIntegral[3\*ArcSin[a\*x]] + 25\*ArcSin[a\*x]\*SinIntegral[5\*ArcSin[a\*x]] - 7\*ArcSin[a\*x]\*SinIntegral[7\*ArcSin[a\*x]])/(a^7\*ArcSin[a\*x])

**Maple [A]**

time = 0.04, size = 105, normalized size = 1.27

method	result
derivativedivides	$\frac{-\frac{5\sqrt{-a^2x^2+1}}{64\arcsin(ax)} - \frac{5\sin\text{Integral}(\arcsin(ax))}{64} + \frac{9\cos(3\arcsin(ax))}{64\arcsin(ax)} + \frac{27\sin\text{Integral}(3\arcsin(ax))}{64} - \frac{5\cos(5\arcsin(ax))}{64\arcsin(ax)} - \frac{25\sin\text{Integral}(5\arcsin(ax))}{64}}{a^7}$
default	$\frac{-\frac{5\sqrt{-a^2x^2+1}}{64\arcsin(ax)} - \frac{5\sin\text{Integral}(\arcsin(ax))}{64} + \frac{9\cos(3\arcsin(ax))}{64\arcsin(ax)} + \frac{27\sin\text{Integral}(3\arcsin(ax))}{64} - \frac{5\cos(5\arcsin(ax))}{64\arcsin(ax)} - \frac{25\sin\text{Integral}(5\arcsin(ax))}{64}}{a^7}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^6/arcsin(a\*x)^2,x,method=\_RETURNVERBOSE)

**[Out]** 1/a^7\*(-5/64/arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)-5/64\*Si(arcsin(a\*x))+9/64/arcsin(a\*x)\*cos(3\*arcsin(a\*x))+27/64\*Si(3\*arcsin(a\*x))-5/64/arcsin(a\*x)\*cos(5\*arcsin(a\*x))-25/64\*Si(5\*arcsin(a\*x))+1/64/arcsin(a\*x)\*cos(7\*arcsin(a\*x))+7/64\*Si(7\*arcsin(a\*x)))

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arcsin(a\*x)^2,x, algorithm="maxima")

[Out]  $-(\sqrt{a*x + 1}*\sqrt{-a*x + 1})*x^6 - a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})*\int((7*a^2*x^7 - 6*x^5)*\sqrt{a*x + 1}*\sqrt{-a*x + 1}/((a^3*x^2 - a)*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))), x)/((a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})))$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^6/arcsin(a\*x)^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{a \sin^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6/asin(a\*x)\*\*2,x)

[Out] Integral(x\*\*6/asin(a\*x)\*\*2, x)

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 161 vs. 2(73) = 146.

time = 0.42, size = 161, normalized size = 1.94

$$-\frac{(a^2x^2 - 1)^3 \sqrt{-a^2x^2 + 1}}{a^7 \arcsin(ax)} - \frac{3(a^2x^2 - 1)^2 \sqrt{-a^2x^2 + 1}}{a^7 \arcsin(ax)} + \frac{7 \operatorname{Si}(7 \arcsin(ax))}{64 a^7} - \frac{25 \operatorname{Si}(5 \arcsin(ax))}{64 a^7} + \frac{27 \operatorname{Si}(3 \arcsin(ax))}{64 a^7} - \frac{5 \operatorname{Si}(\arcsin(ax))}{64 a^7} + \frac{3(-a^2x^2 + 1)^{\frac{3}{2}}}{a^7 \arcsin(ax)} - \frac{\sqrt{-a^2x^2 + 1}}{a^7 \arcsin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arcsin(a\*x)^2,x, algorithm="giac")

[Out]  $-(a^2*x^2 - 1)^3*\sqrt{-a^2*x^2 + 1}/(a^7*\arcsin(a*x)) - 3*(a^2*x^2 - 1)^2*\sqrt{-a^2*x^2 + 1}/(a^7*\arcsin(a*x)) + 7/64*\sin\_integral(7*\arcsin(a*x))/a^7 - 25/64*\sin\_integral(5*\arcsin(a*x))/a^7 + 27/64*\sin\_integral(3*\arcsin(a*x))/a^7 - 5/64*\sin\_integral(\arcsin(a*x))/a^7 + 3*(-a^2*x^2 + 1)^{(3/2)}/(a^7*\arcsin(a*x)) - \sqrt{-a^2*x^2 + 1}/(a^7*\arcsin(a*x))$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6}{a \sin(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^6/asin(a*x)^2,x)
```

```
[Out] int(x^6/asin(a*x)^2, x)
```

### 3.52 $\int \frac{x^5}{\text{ArcSin}(ax)^2} dx$

**Optimal.** Leaf size=71

$$-\frac{x^5\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} + \frac{5\text{CosIntegral}(2\text{ArcSin}(ax))}{16a^6} - \frac{\text{CosIntegral}(4\text{ArcSin}(ax))}{2a^6} + \frac{3\text{CosIntegral}(6\text{ArcSin}(ax))}{16a^6}$$

[Out] 5/16\*Ci(2\*arcsin(a\*x))/a^6-1/2\*Ci(4\*arcsin(a\*x))/a^6+3/16\*Ci(6\*arcsin(a\*x))/a^6-x^5\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)

**Rubi [A]**

time = 0.04, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4727, 3383}

$$\frac{5\text{CosIntegral}(2\text{ArcSin}(ax))}{16a^6} - \frac{\text{CosIntegral}(4\text{ArcSin}(ax))}{2a^6} + \frac{3\text{CosIntegral}(6\text{ArcSin}(ax))}{16a^6} - \frac{x^5\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^5/ArcSin[a\*x]^2,x]

[Out] -((x^5\*Sqrt[1 - a^2\*x^2])/(a\*ArcSin[a\*x])) + (5\*CosIntegral[2\*ArcSin[a\*x]])/(16\*a^6) - CosIntegral[4\*ArcSin[a\*x]]/(2\*a^6) + (3\*CosIntegral[6\*ArcSin[a\*x]])/(16\*a^6)

Rule 3383

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 4727

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{\sin^{-1}(ax)^2} dx &= -\frac{x^5 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(\frac{5 \cos(2x)}{16x} - \frac{\cos(4x)}{2x} + \frac{3 \cos(6x)}{16x}\right) dx, x, \sin^{-1}(ax)\right)}{a^6} \\
&= -\frac{x^5 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{3 \text{Subst}\left(\int \frac{\cos(6x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a^6} + \frac{5 \text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a^6} \\
&= -\frac{x^5 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{5 \text{Ci}(2 \sin^{-1}(ax))}{16a^6} - \frac{\text{Ci}(4 \sin^{-1}(ax))}{2a^6} + \frac{3 \text{Ci}(6 \sin^{-1}(ax))}{16a^6}
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 78, normalized size = 1.10

$$-\frac{10 \text{ArcSin}(ax) \text{CosIntegral}(2 \text{ArcSin}(ax)) + 16 \text{ArcSin}(ax) \text{CosIntegral}(4 \text{ArcSin}(ax)) - 6 \text{ArcSin}(ax) \text{CosIntegral}(6 \text{ArcSin}(ax)) + 5 \sin(2 \text{ArcSin}(ax)) - 4 \sin(4 \text{ArcSin}(ax)) + \sin(6 \text{ArcSin}(ax))}{32a^6 \text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

`[In] Integrate[x^5/ArcSin[a*x]^2,x]`

```
[Out] -1/32*(-10*ArcSin[a*x]*CosIntegral[2*ArcSin[a*x]] + 16*ArcSin[a*x]*CosIntegral[4*ArcSin[a*x]] - 6*ArcSin[a*x]*CosIntegral[6*ArcSin[a*x]] + 5*Sin[2*ArcSin[a*x]] - 4*Sin[4*ArcSin[a*x]] + Sin[6*ArcSin[a*x]])/(a^6*ArcSin[a*x])
```

**Maple [A]**

time = 0.04, size = 78, normalized size = 1.10

method	result
derivativedivides	$-\frac{5 \sin(2 \arcsin(ax))}{32 \arcsin(ax)} + \frac{5 \text{cosineIntegral}(2 \arcsin(ax))}{16} + \frac{\sin(4 \arcsin(ax))}{8 \arcsin(ax)} - \frac{\text{cosineIntegral}(4 \arcsin(ax))}{2} - \frac{\sin(6 \arcsin(ax))}{32 \arcsin(ax)} + \frac{3 \text{cosineIntegral}(6 \arcsin(ax))}{16}$
default	$-\frac{5 \sin(2 \arcsin(ax))}{32 \arcsin(ax)} + \frac{5 \text{cosineIntegral}(2 \arcsin(ax))}{16} + \frac{\sin(4 \arcsin(ax))}{8 \arcsin(ax)} - \frac{\text{cosineIntegral}(4 \arcsin(ax))}{2} - \frac{\sin(6 \arcsin(ax))}{32 \arcsin(ax)} + \frac{3 \text{cosineIntegral}(6 \arcsin(ax))}{16}$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^5/arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^6*(-5/32/arcsin(a*x)*sin(2*arcsin(a*x))+5/16*Ci(2*arcsin(a*x))+1/8/arcsin(a*x)*sin(4*arcsin(a*x))-1/2*Ci(4*arcsin(a*x))-1/32/arcsin(a*x)*sin(6*arcsin(a*x))+3/16*Ci(6*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x)^2,x, algorithm="maxima")

[Out] -(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*x^5 - a\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))\*integrate((6\*a^2\*x^6 - 5\*x^4)\*sqrt(a\*x + 1)\*sqrt(-a\*x + 1)/((a^3\*x^2 - a)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))), x))/(a\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1)))

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^5/arcsin(a\*x)^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5/asin(a\*x)\*\*2,x)

[Out] Integral(x\*\*5/asin(a\*x)\*\*2, x)

**Giac** [A]

time = 0.41, size = 120, normalized size = 1.69

$$-\frac{(a^2x^2 - 1)^2\sqrt{-a^2x^2 + 1}x}{a^5 \operatorname{arcsin}(ax)} + \frac{2(-a^2x^2 + 1)^{\frac{3}{2}}x}{a^5 \operatorname{arcsin}(ax)} - \frac{\sqrt{-a^2x^2 + 1}x}{a^5 \operatorname{arcsin}(ax)} + \frac{3 \operatorname{Ci}(6 \operatorname{arcsin}(ax))}{16 a^6} - \frac{\operatorname{Ci}(4 \operatorname{arcsin}(ax))}{2 a^6} + \frac{5 \operatorname{Ci}(2 \operatorname{arcsin}(ax))}{16 a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arcsin(a\*x)^2,x, algorithm="giac")

[Out] -(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)\*x/(a^5\*arcsin(a\*x)) + 2\*(-a^2\*x^2 + 1)^(3/2)\*x/(a^5\*arcsin(a\*x)) - sqrt(-a^2\*x^2 + 1)\*x/(a^5\*arcsin(a\*x)) + 3/16\*cos\_integral(6\*arcsin(a\*x))/a^6 - 1/2\*cos\_integral(4\*arcsin(a\*x))/a^6 + 5/16\*cos\_integral(2\*arcsin(a\*x))/a^6

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/asin(a\*x)^2,x)

[Out] int(x^5/asin(a\*x)^2, x)



### 3.53 $\int \frac{x^4}{\text{ArcSin}(ax)^2} dx$

**Optimal.** Leaf size=69

$$-\frac{x^4\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} - \frac{\text{Si}(\text{ArcSin}(ax))}{8a^5} + \frac{9\text{Si}(3\text{ArcSin}(ax))}{16a^5} - \frac{5\text{Si}(5\text{ArcSin}(ax))}{16a^5}$$

[Out]  $-1/8*\text{Si}(\arcsin(a*x))/a^5+9/16*\text{Si}(3*\arcsin(a*x))/a^5-5/16*\text{Si}(5*\arcsin(a*x))/a^5-x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)$

**Rubi [A]**

time = 0.04, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4727, 3380}

$$-\frac{\text{Si}(\text{ArcSin}(ax))}{8a^5} + \frac{9\text{Si}(3\text{ArcSin}(ax))}{16a^5} - \frac{5\text{Si}(5\text{ArcSin}(ax))}{16a^5} - \frac{x^4\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/\text{ArcSin}[a*x]^2, x]$

[Out]  $-((x^4*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x])) - \text{SinIntegral}[\text{ArcSin}[a*x]]/(8*a^5) + (9*\text{SinIntegral}[3*\text{ArcSin}[a*x]])/(16*a^5) - (5*\text{SinIntegral}[5*\text{ArcSin}[a*x]])/(16*a^5)$

Rule 3380

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 4727

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}[1/(b^2*c^{(m + 1)*(n + 1)}), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[x^{(n + 1)}, \text{Sin}[-a/b + x/b]^{(m - 1)*(m - (m + 1)*\text{Sin}[-a/b + x/b]^2), x], x], x, a + b*\text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -2] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sin^{-1}(ax)^2} dx &= -\frac{x^4 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{\sin(x)}{8x} + \frac{9 \sin(3x)}{16x} - \frac{5 \sin(5x)}{16x}\right) dx, x, \sin^{-1}(ax)\right)}{a^5} \\
&= -\frac{x^4 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^5} - \frac{5 \text{Subst}\left(\int \frac{\sin(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a^5} \\
&= -\frac{x^4 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Si}(\sin^{-1}(ax))}{8a^5} + \frac{9 \text{Si}(3 \sin^{-1}(ax))}{16a^5} - \frac{5 \text{Si}(5 \sin^{-1}(ax))}{16a^5}
\end{aligned}$$

**Mathematica [A]**

time = 0.12, size = 61, normalized size = 0.88

$$-\frac{\frac{16a^4x^4\sqrt{1-a^2x^2}}{\text{ArcSin}(ax)} + 2\text{Si}(\text{ArcSin}(ax)) - 9\text{Si}(3\text{ArcSin}(ax)) + 5\text{Si}(5\text{ArcSin}(ax))}{16a^5}}$$

Antiderivative was successfully verified.

`[In] Integrate[x^4/ArcSin[a*x]^2,x]`

```
[Out] -1/16*((16*a^4*x^4*Sqrt[1 - a^2*x^2])/ArcSin[a*x] + 2*SinIntegral[ArcSin[a*x]] - 9*SinIntegral[3*ArcSin[a*x]] + 5*SinIntegral[5*ArcSin[a*x]])/a^5
```

**Maple [A]**

time = 0.02, size = 81, normalized size = 1.17

method	result
derivativedivides	$ -\frac{\sqrt{-a^2x^2+1}}{8 \arcsin(ax)} - \frac{\sinIntegral(\arcsin(ax))}{8} + \frac{3 \cos(3 \arcsin(ax))}{16 \arcsin(ax)} + \frac{9 \sinIntegral(3 \arcsin(ax))}{16} - \frac{\cos(5 \arcsin(ax))}{16 \arcsin(ax)} - \frac{5 \sinIntegral(5 \arcsin(ax))}{16} $
default	$ -\frac{\sqrt{-a^2x^2+1}}{8 \arcsin(ax)} - \frac{\sinIntegral(\arcsin(ax))}{8} + \frac{3 \cos(3 \arcsin(ax))}{16 \arcsin(ax)} + \frac{9 \sinIntegral(3 \arcsin(ax))}{16} - \frac{\cos(5 \arcsin(ax))}{16 \arcsin(ax)} - \frac{5 \sinIntegral(5 \arcsin(ax))}{16} $

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4/arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^5*(-1/8/arcsin(a*x)*(-a^2*x^2+1)^(1/2)-1/8*Si(arcsin(a*x))+3/16/arcsin(a*x)*cos(3*arcsin(a*x))+9/16*Si(3*arcsin(a*x))-1/16/arcsin(a*x)*cos(5*arcsin(a*x))-5/16*Si(5*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^2,x, algorithm="maxima")

[Out]  $-(\sqrt{ax+1}\sqrt{-ax+1}x^4 - a\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1}))\int((5a^2x^5 - 4x^3)\sqrt{ax+1}\sqrt{-ax+1}/((a^3x^2 - a)\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1})), x)/(a\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1}))$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^4/arcsin(a\*x)^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/asin(a\*x)\*\*2,x)

[Out] Integral(x\*\*4/asin(a\*x)\*\*2, x)

**Giac** [A]

time = 0.43, size = 115, normalized size = 1.67

$$-\frac{(a^2x^2-1)^2\sqrt{-a^2x^2+1}}{a^5\arcsin(ax)} - \frac{5\operatorname{Si}(5\arcsin(ax))}{16a^5} + \frac{9\operatorname{Si}(3\arcsin(ax))}{16a^5} - \frac{\operatorname{Si}(\arcsin(ax))}{8a^5} + \frac{2(-a^2x^2+1)^{\frac{3}{2}}}{a^5\arcsin(ax)} - \frac{\sqrt{-a^2x^2+1}}{a^5\arcsin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^2,x, algorithm="giac")

[Out]  $-(a^2x^2-1)^2\sqrt{-a^2x^2+1}/(a^5\arcsin(ax)) - 5/16*\sin\_integral(5*\arcsin(ax))/a^5 + 9/16*\sin\_integral(3*\arcsin(ax))/a^5 - 1/8*\sin\_integral(\arcsin(ax))/a^5 + 2*(-a^2x^2+1)^{(3/2)}/(a^5*\arcsin(ax)) - \sqrt{-a^2x^2+1}/(a^5*\arcsin(ax))$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/asin(a*x)^2,x)
```

```
[Out] int(x^4/asin(a*x)^2, x)
```

### 3.54 $\int \frac{x^3}{\text{ArcSin}(ax)^2} dx$

**Optimal.** Leaf size=57

$$-\frac{x^3\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} + \frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{2a^4} - \frac{\text{CosIntegral}(4\text{ArcSin}(ax))}{2a^4}$$

[Out]  $1/2*\text{Ci}(2*\arcsin(a*x))/a^4 - 1/2*\text{Ci}(4*\arcsin(a*x))/a^4 - x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)$

**Rubi [A]**

time = 0.04, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4727, 3383}

$$\frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{2a^4} - \frac{\text{CosIntegral}(4\text{ArcSin}(ax))}{2a^4} - \frac{x^3\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x^3/ArcSin[a*x]^2,x]`

[Out]  $-((x^3\sqrt{1-a^2x^2})/(a\text{ArcSin}[a*x])) + \text{CosIntegral}[2\text{ArcSin}[a*x]]/(2*a^4) - \text{CosIntegral}[4\text{ArcSin}[a*x]]/(2*a^4)$

**Rule 3383**

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

**Rule 4727**

`Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]`

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sin^{-1}(ax)^2} dx &= -\frac{x^3 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(\frac{\cos(2x)}{2x} - \frac{\cos(4x)}{2x}\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{x^3 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^4} - \frac{\text{Subst}\left(\int \frac{\cos(4x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^4} \\
&= -\frac{x^3 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Ci}(2 \sin^{-1}(ax))}{2a^4} - \frac{\text{Ci}(4 \sin^{-1}(ax))}{2a^4}
\end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 56, normalized size = 0.98

$$\frac{4\text{ArcSin}(ax)\text{CosIntegral}(2\text{ArcSin}(ax)) - 4\text{ArcSin}(ax)\text{CosIntegral}(4\text{ArcSin}(ax)) - 2\sin(2\text{ArcSin}(ax)) + \sin(4\text{ArcSin}(ax))}{8a^4\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

`[In] Integrate[x^3/ArcSin[a*x]^2,x]`

```
[Out] (4*ArcSin[a*x]*CosIntegral[2*ArcSin[a*x]] - 4*ArcSin[a*x]*CosIntegral[4*ArcSin[a*x]] - 2*Sin[2*ArcSin[a*x]] + Sin[4*ArcSin[a*x]])/(8*a^4*ArcSin[a*x])
```

**Maple [A]**

time = 0.02, size = 54, normalized size = 0.95

method	result	size
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(ax))}{4 \arcsin(ax)} + \frac{\text{cosineIntegral}(2 \arcsin(ax))}{2} + \frac{\sin(4 \arcsin(ax))}{8 \arcsin(ax)} - \frac{\text{cosineIntegral}(4 \arcsin(ax))}{2}}{a^4}$	54
default	$\frac{-\frac{\sin(2 \arcsin(ax))}{4 \arcsin(ax)} + \frac{\text{cosineIntegral}(2 \arcsin(ax))}{2} + \frac{\sin(4 \arcsin(ax))}{8 \arcsin(ax)} - \frac{\text{cosineIntegral}(4 \arcsin(ax))}{2}}{a^4}$	54

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3/arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^4*(-1/4/arcsin(a*x)*sin(2*arcsin(a*x))+1/2*Ci(2*arcsin(a*x))+1/8/arcsin(a*x)*sin(4*arcsin(a*x))-1/2*Ci(4*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^3/arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $-(\sqrt{ax+1}\sqrt{-ax+1}x^3 - a\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1}))\int \frac{(4a^2x^4 - 3x^2)\sqrt{ax+1}\sqrt{-ax+1}}{(a^3x^2 - a)\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1})} dx / (a\arctan2(ax, \sqrt{ax+1}\sqrt{-ax+1}))$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arcsin(a*x)^2,x, algorithm="fricas")`

[Out] `integral(x^3/arcsin(a*x)^2, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/asin(a*x)**2,x)`

[Out] `Integral(x**3/asin(a*x)**2, x)`

**Giac** [A]

time = 0.44, size = 72, normalized size = 1.26

$$\frac{(-a^2x^2 + 1)^{\frac{3}{2}}x}{a^3 \operatorname{arcsin}(ax)} - \frac{\sqrt{-a^2x^2 + 1}x}{a^3 \operatorname{arcsin}(ax)} - \frac{\operatorname{Ci}(4 \operatorname{arcsin}(ax))}{2a^4} + \frac{\operatorname{Ci}(2 \operatorname{arcsin}(ax))}{2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arcsin(a*x)^2,x, algorithm="giac")`

[Out]  $(-a^2x^2 + 1)^{3/2}x/(a^3\arcsin(ax)) - \sqrt{-a^2x^2 + 1}x/(a^3\arcsin(ax)) - 1/2\cos\_integral(4\arcsin(ax))/a^4 + 1/2\cos\_integral(2\arcsin(ax))/a^4$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/asin(a*x)^2,x)`

[Out] `int(x^3/asin(a*x)^2, x)`

### 3.55 $\int \frac{x^2}{\text{ArcSin}(ax)^2} dx$

**Optimal.** Leaf size=55

$$-\frac{x^2\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} - \frac{\text{Si}(\text{ArcSin}(ax))}{4a^3} + \frac{3\text{Si}(3\text{ArcSin}(ax))}{4a^3}$$

[Out]  $-1/4*\text{Si}(\arcsin(a*x))/a^3+3/4*\text{Si}(3*\arcsin(a*x))/a^3-x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)$

**Rubi [A]**

time = 0.03, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4727, 3380}

$$-\frac{\text{Si}(\text{ArcSin}(ax))}{4a^3} + \frac{3\text{Si}(3\text{ArcSin}(ax))}{4a^3} - \frac{x^2\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/\text{ArcSin}[a*x]^2, x]$

[Out]  $-((x^2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x])) - \text{SinIntegral}[\text{ArcSin}[a*x]]/(4*a^3) + (3*\text{SinIntegral}[3*\text{ArcSin}[a*x]])/(4*a^3)$

**Rule 3380**

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

**Rule 4727**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^m*\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n+1)})/(b*c*(n+1)), x] - \text{Dist}[1/(b^2*c^{(m+1)}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[x^{(n+1)}, \text{Sin}[-a/b + x/b]^{(m-1)}*(m - (m+1)*\text{Sin}[-a/b + x/b]^2), x], x], x, a + b*\text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -2] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps



$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)^2} dx &= -\frac{x^2 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{\sin(x)}{4x} + \frac{3\sin(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= -\frac{x^2 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^3} + \frac{3\text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^3} \\
&= -\frac{x^2 \sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Si}(\sin^{-1}(ax))}{4a^3} + \frac{3\text{Si}(3 \sin^{-1}(ax))}{4a^3}
\end{aligned}$$

**Mathematica [A]**

time = 0.11, size = 50, normalized size = 0.91

$$-\frac{4a^2x^2\sqrt{1-a^2x^2}}{\text{ArcSin}(ax)} + \frac{\text{Si}(\text{ArcSin}(ax)) - 3\text{Si}(3\text{ArcSin}(ax))}{4a^3}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2/ArcSin[a*x]^2,x]`

```
[Out] -1/4*((4*a^2*x^2*Sqrt[1 - a^2*x^2])/ArcSin[a*x] + SinIntegral[ArcSin[a*x]]
- 3*SinIntegral[3*ArcSin[a*x]])/a^3
```

**Maple [A]**

time = 0.02, size = 57, normalized size = 1.04

method	result	size
derivativedivides	$-\frac{\sqrt{-a^2x^2+1}}{4 \arcsin(ax)} - \frac{\sinIntegral(\arcsin(ax))}{4} + \frac{\cos(3 \arcsin(ax))}{4 \arcsin(ax)} + \frac{3 \sinIntegral(3 \arcsin(ax))}{4}$	57
default	$-\frac{\sqrt{-a^2x^2+1}}{4 \arcsin(ax)} - \frac{\sinIntegral(\arcsin(ax))}{4} + \frac{\cos(3 \arcsin(ax))}{4 \arcsin(ax)} + \frac{3 \sinIntegral(3 \arcsin(ax))}{4}$	57

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2/arcsin(a*x)^2,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^3*(-1/4/arcsin(a*x)*(-a^2*x^2+1)^(1/2)-1/4*Si(arcsin(a*x))+1/4/arcsin(a
*x)*cos(3*arcsin(a*x))+3/4*Si(3*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^2,x, algorithm="maxima")

[Out] -(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*x^2 - a\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))\*integrate((3\*a^2\*x^3 - 2\*x)\*sqrt(a\*x + 1)\*sqrt(-a\*x + 1)/((a^3\*x^2 - a)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))), x))/(a\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1)))

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(x^2/arcsin(a\*x)^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/asin(a\*x)\*\*2,x)

[Out] Integral(x\*\*2/asin(a\*x)\*\*2, x)

**Giac** [A]

time = 0.44, size = 68, normalized size = 1.24

$$\frac{3 \operatorname{Si}(3 \operatorname{arcsin}(ax))}{4 a^3} - \frac{\operatorname{Si}(\operatorname{arcsin}(ax))}{4 a^3} + \frac{(-a^2 x^2 + 1)^{\frac{3}{2}}}{a^3 \operatorname{arcsin}(ax)} - \frac{\sqrt{-a^2 x^2 + 1}}{a^3 \operatorname{arcsin}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^2,x, algorithm="giac")

[Out] 3/4\*sin\_integral(3\*arcsin(a\*x))/a^3 - 1/4\*sin\_integral(arcsin(a\*x))/a^3 + (-a^2\*x^2 + 1)^(3/2)/(a^3\*arcsin(a\*x)) - sqrt(-a^2\*x^2 + 1)/(a^3\*arcsin(a\*x))

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^2}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/asin(a\*x)^2,x)

[Out] int(x^2/asin(a\*x)^2, x)

### 3.56 $\int \frac{x}{\text{ArcSin}(ax)^2} dx$

Optimal. Leaf size=38

$$-\frac{x\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} + \frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{a^2}$$

[Out] Ci(2\*arcsin(a\*x))/a^2-x\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)

Rubi [A]

time = 0.02, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4727, 3383}

$$\frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{a^2} - \frac{x\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x/ArcSin[a\*x]^2,x]

[Out] -((x\*sqrt[1 - a^2\*x^2])/(a\*ArcSin[a\*x])) + CosIntegral[2\*ArcSin[a\*x]]/a^2

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4727

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m, x\_Symbol] :> Simp[x^m\*sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] - Dist[1/(b^2\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x}{\sin^{-1}(ax)^2} dx &= -\frac{x\sqrt{1-a^2x^2}}{a\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{1-a^2x^2}}{a\sin^{-1}(ax)} + \frac{\text{Ci}(2\sin^{-1}(ax))}{a^2} \end{aligned}$$

**Mathematica [A]**

time = 0.00, size = 32, normalized size = 0.84

$$\frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{a^2} - \frac{\sin(2\text{ArcSin}(ax))}{2a^2\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

`[In] Integrate[x/ArcSin[a*x]^2,x]``[Out] CosIntegral[2*ArcSin[a*x]]/a^2 - Sin[2*ArcSin[a*x]]/(2*a^2*ArcSin[a*x])`**Maple [A]**

time = 0.04, size = 28, normalized size = 0.74

method	result	size
derivativedivides	$\frac{-\frac{\sin(2\arcsin(ax))}{2\arcsin(ax)} + \text{cosineIntegral}(2\arcsin(ax))}{a^2}$	28
default	$\frac{-\frac{\sin(2\arcsin(ax))}{2\arcsin(ax)} + \text{cosineIntegral}(2\arcsin(ax))}{a^2}$	28

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x/arcsin(a*x)^2,x,method=_RETURNVERBOSE)``[Out] 1/a^2*(-1/2/arcsin(a*x)*sin(2*arcsin(a*x))+Ci(2*arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x/arcsin(a*x)^2,x, algorithm="maxima")`

```
[Out] (a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))*integrate((2*a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^3*x^2 - a)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - sqrt(a*x + 1)*sqrt(-a*x + 1)*x/(a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)))
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x/arcsin(a*x)^2,x, algorithm="fricas")`

[Out] integral(x/arcsin(a\*x)^2, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x)\*\*2,x)

[Out] Integral(x/asin(a\*x)\*\*2, x)

**Giac** [A]

time = 0.42, size = 36, normalized size = 0.95

$$-\frac{\sqrt{-a^2x^2+1}x}{a \operatorname{arcsin}(ax)} + \frac{\operatorname{Ci}(2 \operatorname{arcsin}(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^2,x, algorithm="giac")

[Out] -sqrt(-a^2\*x^2 + 1)\*x/(a\*arcsin(a\*x)) + cos\_integral(2\*arcsin(a\*x))/a^2

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{x}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^2,x)

[Out] int(x/asin(a\*x)^2, x)

### 3.57 $\int \frac{1}{\text{ArcSin}(ax)^2} dx$

Optimal. Leaf size=36

$$-\frac{\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} - \frac{\text{Si}(\text{ArcSin}(ax))}{a}$$

[Out] -Si(arcsin(a\*x))/a-(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)

Rubi [A]

time = 0.06, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4717, 4809, 3380}

$$-\frac{\sqrt{1-a^2x^2}}{a\text{ArcSin}(ax)} - \frac{\text{Si}(\text{ArcSin}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(-2),x]

[Out] -(Sqrt[1 - a^2\*x^2]/(a\*ArcSin[a\*x])) - SinIntegral[ArcSin[a\*x]]/a

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Simp[Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)^m\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sin^{-1}(ax)^2} dx &= -\frac{\sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - a \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx \\
&= -\frac{\sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
&= -\frac{\sqrt{1-a^2x^2}}{a \sin^{-1}(ax)} - \frac{\text{Si}(\sin^{-1}(ax))}{a}
\end{aligned}$$

**Mathematica [A]**

time = 0.04, size = 32, normalized size = 0.89

$$-\frac{\frac{\sqrt{1-a^2x^2}}{\text{ArcSin}(ax)} + \text{Si}(\text{ArcSin}(ax))}{a}$$

Antiderivative was successfully verified.

`[In] Integrate[ArcSin[a*x]^(-2), x]``[Out] -((Sqrt[1 - a^2*x^2]/ArcSin[a*x] + SinIntegral[ArcSin[a*x]])/a)`**Maple [A]**

time = 0.02, size = 33, normalized size = 0.92

method	result	size
derivativedivides	$-\frac{\frac{\sqrt{-a^2x^2+1}}{\arcsin(ax)} - \text{sinIntegral}(\arcsin(ax))}{a}$	33
default	$-\frac{\sqrt{-a^2x^2+1}}{\arcsin(ax)} - \text{sinIntegral}(\arcsin(ax))$	33

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/arcsin(a*x)^2,x,method=_RETURNVERBOSE)``[Out] 1/a*(-1/arcsin(a*x)*(-a^2*x^2+1)^(1/2)-Si(arcsin(a*x)))`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/arcsin(a*x)^2,x, algorithm="maxima")`

```
[Out] (a^2*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x/((a^2*x^2 - 1)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - sqrt(a*x + 1)*sqrt(-a*x + 1)/(a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)))
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^2,x, algorithm="fricas")
```

```
[Out] integral(arcsin(a*x)^(-2), x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/asin(a*x)**2,x)
```

```
[Out] Integral(asin(a*x)**(-2), x)
```

**Giac** [A]

time = 0.41, size = 34, normalized size = 0.94

$$-\frac{\operatorname{Si}(\operatorname{arcsin}(ax))}{a} - \frac{\sqrt{-a^2x^2 + 1}}{a \operatorname{arcsin}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^2,x, algorithm="giac")
```

```
[Out] -sin_integral(arcsin(a*x))/a - sqrt(-a^2*x^2 + 1)/(a*arcsin(a*x))
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/asin(a*x)^2,x)
```

```
[Out] int(1/asin(a*x)^2, x)
```



$$3.58 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^2,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^2),x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^2), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^2} dx = \int \frac{1}{x \sin^{-1}(ax)^2} dx$$

Mathematica [A]

time = 0.55, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^2),x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^2), x]

Maple [A]

time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arcsin(a*x)^2,x)`

[Out] `int(1/x/arcsin(a*x)^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^2,x, algorithm="maxima")`

[Out] `(a*x*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^3*x^4 - a*x^2)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - sqrt(a*x + 1)*sqrt(-a*x + 1)/(a*x*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)))`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^2,x, algorithm="fricas")`

[Out] `integral(1/(x*arcsin(a*x)^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/asin(a*x)**2,x)`

[Out] `Integral(1/(x*asin(a*x)**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^2,x, algorithm="giac")`

[Out] `integrate(1/(x*arcsin(a*x)^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{asin}(a x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^2),x)

[Out] int(1/(x\*asin(a\*x)^2), x)

$$3.59 \quad \int \frac{1}{x^2 \mathbf{ArcSin}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \mathbf{ArcSin}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x^2/arcsin(a\*x)^2,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*ArcSin[a\*x]^2),x]

[Out] Defer[Int][1/(x^2\*ArcSin[a\*x]^2), x]

Rubi steps

$$\int \frac{1}{x^2 \sin^{-1}(ax)^2} dx = \int \frac{1}{x^2 \sin^{-1}(ax)^2} dx$$

Mathematica [A]

time = 6.27, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*ArcSin[a\*x]^2),x]

[Out] Integrate[1/(x^2\*ArcSin[a\*x]^2), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arcsin(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/arcsin(a*x)^2,x)`

[Out] `int(1/x^2/arcsin(a*x)^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $-(a^2x^2 \arctan 2(ax, \sqrt{ax+1}) \sqrt{-ax+1}) \int \frac{(a^2x^2 - 2) \sqrt{ax+1} \sqrt{-ax+1}}{(a^3x^5 - a^3x^3) \arctan 2(ax, \sqrt{ax+1}) \sqrt{-ax+1}} dx + \frac{\sqrt{ax+1} \sqrt{-ax+1}}{a^2x^2 \arctan 2(ax, \sqrt{ax+1}) \sqrt{-ax+1}}$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x)^2,x, algorithm="fricas")`

[Out] `integral(1/(x^2*arcsin(a*x)^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/asin(a*x)**2,x)`

[Out] `Integral(1/(x**2*asin(a*x)**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x)^2,x, algorithm="giac")`

[Out] `integrate(1/(x^2*arcsin(a*x)^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*asin(a*x)^2),x)`

[Out] `int(1/(x^2*asin(a*x)^2), x)`

### 3.60 $\int \frac{x^4}{\text{ArcSin}(ax)^3} dx$

**Optimal.** Leaf size=98

$$\frac{x^4\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{2x^3}{a^2\text{ArcSin}(ax)} + \frac{5x^5}{2\text{ArcSin}(ax)} - \frac{\text{CosIntegral}(\text{ArcSin}(ax))}{16a^5} + \frac{27\text{CosIntegral}(3\text{ArcSin}(ax))}{32a^5}$$

[Out]  $-2*x^3/a^2/\arcsin(a*x)+5/2*x^5/\arcsin(a*x)-1/16*Ci(\arcsin(a*x))/a^5+27/32*Ci(3*\arcsin(a*x))/a^5-25/32*Ci(5*\arcsin(a*x))/a^5-1/2*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^2$

**Rubi [A]**

time = 0.24, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4729, 4807, 4731, 4491, 3383}

$$-\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{16a^5} + \frac{27\text{CosIntegral}(3\text{ArcSin}(ax))}{32a^5} - \frac{25\text{CosIntegral}(5\text{ArcSin}(ax))}{32a^5} - \frac{2x^3}{a^2\text{ArcSin}(ax)} - \frac{x^4\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} + \frac{5x^5}{2\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/\text{ArcSin}[a*x]^3, x]$

[Out]  $-1/2*(x^4*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]^2) - (2*x^3)/(a^2*\text{ArcSin}[a*x]) + (5*x^5)/(2*\text{ArcSin}[a*x]) - \text{CosIntegral}[\text{ArcSin}[a*x]]/(16*a^5) + (27*\text{CosIntegral}[3*\text{ArcSin}[a*x]])/(32*a^5) - (25*\text{CosIntegral}[5*\text{ArcSin}[a*x]])/(32*a^5)$

Rule 3383

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 4491

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]]^{n*\text{Cos}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 4729

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^m*\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] + (\text{Dist}[c*((m + 1)/(b*(n + 1))), \text{Int}[x^{(m + 1)}*((a + b*\text{ArcSin}[c*x])^{(n + 1)}/\text{Sqrt}[1 - c^2*x^2]), x], x] - \text{Dist}[m/(b*c*(n + 1)), \text{Int}[x^{(m - 1)}*((a + b*\text{ArcSin}[c*x])^{(n + 1)}/\text{Sqrt}[1 - c^2*x^2]), x], x]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m,$

0] && LtQ[n, -2]

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1
/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4}{\sin^{-1}(ax)^3} dx &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} + \frac{2 \int \frac{x^3}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2} dx}{a} - \frac{1}{2}(5a) \int \frac{x^5}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2} dx \\
 &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{2x^3}{a^2 \sin^{-1}(ax)} + \frac{5x^5}{2 \sin^{-1}(ax)} - \frac{25}{2} \int \frac{x^4}{\sin^{-1}(ax)} dx + \frac{6 \int \frac{x^2}{\sin^{-1}(ax)} dx}{a^2} \\
 &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{2x^3}{a^2 \sin^{-1}(ax)} + \frac{5x^5}{2 \sin^{-1}(ax)} + \frac{6 \text{Subst}\left(\int \frac{\cos(x) \sin^2(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^5} \\
 &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{2x^3}{a^2 \sin^{-1}(ax)} + \frac{5x^5}{2 \sin^{-1}(ax)} + \frac{6 \text{Subst}\left(\int \left(\frac{\cos(x)}{4x} - \frac{\cos(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a^5} \\
 &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{2x^3}{a^2 \sin^{-1}(ax)} + \frac{5x^5}{2 \sin^{-1}(ax)} - \frac{25 \text{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{32a^5} + \dots \\
 &= -\frac{x^4 \sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{2x^3}{a^2 \sin^{-1}(ax)} + \frac{5x^5}{2 \sin^{-1}(ax)} - \frac{\text{Ci}(\sin^{-1}(ax))}{16a^5} + \frac{27\text{Ci}(3 \sin^{-1}(ax))}{32a^5} - \dots
 \end{aligned}$$

### Mathematica [A]

time = 0.10, size = 103, normalized size = 1.05

$$\frac{-16a^4x^4\sqrt{1-a^2x^2} + 64a^3x^3\text{ArcSin}(ax) - 80a^5x^5\text{ArcSin}(ax) + 2\text{ArcSin}(ax)^2\text{CosIntegral}(\text{ArcSin}(ax)) - 27\text{ArcSin}(ax)^2\text{CosIntegral}(3\text{ArcSin}(ax)) + 25\text{ArcSin}(ax)^2\text{CosIntegral}(5\text{ArcSin}(ax))}{32a^5\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.



[In] Integrate[x^4/ArcSin[a\*x]^3,x]

[Out] 
$$\frac{-1/32*(16*a^4*x^4*\sqrt{1 - a^2*x^2} + 64*a^3*x^3*\text{ArcSin}[a*x] - 80*a^5*x^5*\text{ArcSin}[a*x] + 2*\text{ArcSin}[a*x]^2*\text{CosIntegral}[\text{ArcSin}[a*x]] - 27*\text{ArcSin}[a*x]^2*\text{CosIntegral}[3*\text{ArcSin}[a*x]] + 25*\text{ArcSin}[a*x]^2*\text{CosIntegral}[5*\text{ArcSin}[a*x]])}{a^5}$$

**Maple** [A]

time = 0.04, size = 121, normalized size = 1.23

method	result
derivativedivides	$\frac{-\frac{\sqrt{-a^2x^2+1}}{16\arcsin(ax)^2} + \frac{ax}{16\arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{16} + \frac{3\cos(3\arcsin(ax))}{32\arcsin(ax)^2} - \frac{9\sin(3\arcsin(ax))}{32\arcsin(ax)} + \frac{27\text{cosineIntegral}(3\arcsin(ax))}{32}}{a^5}$
default	$\frac{-\frac{\sqrt{-a^2x^2+1}}{16\arcsin(ax)^2} + \frac{ax}{16\arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{16} + \frac{3\cos(3\arcsin(ax))}{32\arcsin(ax)^2} - \frac{9\sin(3\arcsin(ax))}{32\arcsin(ax)} + \frac{27\text{cosineIntegral}(3\arcsin(ax))}{32}}{a^5}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arcsin(a\*x)^3,x,method=\_RETURNVERBOSE)

[Out] 
$$\frac{1}{a^5} * (-1/16/\arcsin(a*x)^2 * (-a^2*x^2+1)^{(1/2)} + 1/16*a*x/\arcsin(a*x) - 1/16*Ci(\arcsin(a*x)) + 3/32/\arcsin(a*x)^2 * \cos(3*\arcsin(a*x)) - 9/32/\arcsin(a*x) * \sin(3*\arcsin(a*x)) + 27/32*Ci(3*\arcsin(a*x)) - 1/32/\arcsin(a*x)^2 * \cos(5*\arcsin(a*x)) + 5/32/\arcsin(a*x) * \sin(5*\arcsin(a*x)) - 25/32*Ci(5*\arcsin(a*x)))$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^3,x, algorithm="maxima")

[Out] 
$$-1/2*(\sqrt{a*x + 1}*\sqrt{-a*x + 1}*a*x^4 + \arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))^2*\int(25*a^2*x^4 - 12*x^2)/\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}), x - (5*a^2*x^5 - 4*x^3)*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})/(a^2*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))^2$$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(x^4/arcsin(a\*x)^3, x)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x\*\*4/asin(a\*x)\*\*3,x)**[Out]** Integral(x\*\*4/asin(a\*x)\*\*3, x)**Giac [A]**

time = 0.43, size = 170, normalized size = 1.73

$$\frac{5(a^2x^2-1)^2x}{2a^4\operatorname{arcsin}(ax)} + \frac{3(a^2x^2-1)x}{a^4\operatorname{arcsin}(ax)} + \frac{x}{2a^4\operatorname{arcsin}(ax)} - \frac{25\operatorname{Ci}(5\operatorname{arcsin}(ax))}{32a^5} + \frac{27\operatorname{Ci}(3\operatorname{arcsin}(ax))}{32a^5} - \frac{\operatorname{Ci}(\operatorname{arcsin}(ax))}{16a^5} - \frac{(a^2x^2-1)^2\sqrt{-a^2x^2+1}}{2a^5\operatorname{arcsin}(ax)^2} + \frac{(-a^2x^2+1)^{\frac{3}{2}}}{a^5\operatorname{arcsin}(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{2a^5\operatorname{arcsin}(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x^4/arcsin(a\*x)^3,x, algorithm="giac")

**[Out]** 5/2\*(a^2\*x^2 - 1)^2\*x/(a^4\*arcsin(a\*x)) + 3\*(a^2\*x^2 - 1)\*x/(a^4\*arcsin(a\*x)) + 1/2\*x/(a^4\*arcsin(a\*x)) - 25/32\*cos\_integral(5\*arcsin(a\*x))/a^5 + 27/32\*cos\_integral(3\*arcsin(a\*x))/a^5 - 1/16\*cos\_integral(arcsin(a\*x))/a^5 - 1/2\*(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)^2) + (-a^2\*x^2 + 1)^(3/2)/(a^5\*arcsin(a\*x)^2) - 1/2\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)^2)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x^4/asin(a\*x)^3,x)**[Out]** int(x^4/asin(a\*x)^3, x)

### 3.61 $\int \frac{x^3}{\text{ArcSin}(ax)^3} dx$

**Optimal.** Leaf size=83

$$-\frac{x^3\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{3x^2}{2a^2\text{ArcSin}(ax)} + \frac{2x^4}{\text{ArcSin}(ax)} - \frac{\text{Si}(2\text{ArcSin}(ax))}{2a^4} + \frac{\text{Si}(4\text{ArcSin}(ax))}{a^4}$$

[Out]  $-3/2*x^2/a^2/\arcsin(a*x)+2*x^4/\arcsin(a*x)-1/2*\text{Si}(2*\arcsin(a*x))/a^4+\text{Si}(4*\arcsin(a*x))/a^4-1/2*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^2$

**Rubi [A]**

time = 0.20, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4729, 4807, 4731, 4491, 3380, 12}

$$-\frac{\text{Si}(2\text{ArcSin}(ax))}{2a^4} + \frac{\text{Si}(4\text{ArcSin}(ax))}{a^4} - \frac{3x^2}{2a^2\text{ArcSin}(ax)} - \frac{x^3\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} + \frac{2x^4}{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcSin[a\*x]^3,x]

[Out]  $-1/2*(x^3*\text{Sqrt}[1-a^2*x^2])/(a*\text{ArcSin}[a*x]^2) - (3*x^2)/(2*a^2*\text{ArcSin}[a*x]) + (2*x^4)/\text{ArcSin}[a*x] - \text{SinIntegral}[2*\text{ArcSin}[a*x]]/(2*a^4) + \text{SinIntegral}[4*\text{ArcSin}[a*x]]/a^4$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 3380

Int[sin[(e\_)+(f\_)\*(x\_)]/((c\_)+(d\_)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e+f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e-c\*f, 0]

Rule 4491

Int[Cos[(a\_)+(b\_)\*(x\_)]^(p\_)\*((c\_)+(d\_)\*(x\_))^(m\_)\*Sin[(a\_)+(b\_)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c+d\*x)^m, Sin[a+b\*x]]^n\*Cos[a+b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4729

Int[((a\_)+ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)^{(m\_)}, x\_Symbol] := Simp[x^m\*Sqrt[1-c^2\*x^2]\*((a+b\*ArcSin[c\*x])^(n+1)/(b\*c\*(n+1))), x] + Dis

```
t[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[1
/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sin^{-1}(ax)^3} dx &= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} + \frac{3 \int \frac{x^2}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^2} dx}{2a} - (2a) \int \frac{x^4}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^2} dx \\
&= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} - \frac{3x^2}{2a^2 \sin^{-1}(ax)} + \frac{2x^4}{\sin^{-1}(ax)} - 8 \int \frac{x^3}{\sin^{-1}(ax)} dx + \frac{3 \int \frac{x}{\sin^{-1}(ax)} dx}{a^2} \\
&= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} - \frac{3x^2}{2a^2 \sin^{-1}(ax)} + \frac{2x^4}{\sin^{-1}(ax)} + \frac{3 \text{Subst}\left(\int \frac{\cos(x) \sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} - \frac{3x^2}{2a^2 \sin^{-1}(ax)} + \frac{2x^4}{\sin^{-1}(ax)} + \frac{3 \text{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \sin^{-1}(ax)\right)}{a^4} - \frac{8 \int \frac{x}{\sin^{-1}(ax)} dx}{a^2} \\
&= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} - \frac{3x^2}{2a^2 \sin^{-1}(ax)} + \frac{2x^4}{\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^4} + \frac{3 \int \frac{x}{\sin^{-1}(ax)} dx}{a^2} \\
&= -\frac{x^3 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)^2} - \frac{3x^2}{2a^2 \sin^{-1}(ax)} + \frac{2x^4}{\sin^{-1}(ax)} - \frac{\text{Si}(2 \sin^{-1}(ax))}{2a^4} + \frac{\text{Si}(4 \sin^{-1}(ax))}{a^4}
\end{aligned}$$

**Mathematica** [A]

time = 0.12, size = 73, normalized size = 0.88

$$\frac{a^2 x^2 \left( -ax \sqrt{1 - a^2 x^2} + (-3 + 4a^2 x^2) \text{ArcSin}(ax) \right)}{\text{ArcSin}(ax)^2} - \frac{\text{Si}(2 \text{ArcSin}(ax)) + 2 \text{Si}(4 \text{ArcSin}(ax))}{2a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcSin[a\*x]^3,x]

[Out] ((a^2\*x^2\*(-(a\*x\*Sqrt[1 - a^2\*x^2]) + (-3 + 4\*a^2\*x^2)\*ArcSin[a\*x]))/ArcSin[a\*x]^2 - SinIntegral[2\*ArcSin[a\*x]] + 2\*SinIntegral[4\*ArcSin[a\*x]])/(2\*a^4)

**Maple [A]**

time = 0.03, size = 82, normalized size = 0.99

method	result
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(ax))}{8 \arcsin(ax)^2} - \frac{\cos(2 \arcsin(ax))}{4 \arcsin(ax)} - \frac{\sin \text{Integral}(2 \arcsin(ax))}{2} + \frac{\sin(4 \arcsin(ax))}{16 \arcsin(ax)^2} + \frac{\cos(4 \arcsin(ax))}{4 \arcsin(ax)} + \sin \text{Integral}(4 \arcsin(ax))}{a^4}$
default	$\frac{-\frac{\sin(2 \arcsin(ax))}{8 \arcsin(ax)^2} - \frac{\cos(2 \arcsin(ax))}{4 \arcsin(ax)} - \frac{\sin \text{Integral}(2 \arcsin(ax))}{2} + \frac{\sin(4 \arcsin(ax))}{16 \arcsin(ax)^2} + \frac{\cos(4 \arcsin(ax))}{4 \arcsin(ax)} + \sin \text{Integral}(4 \arcsin(ax))}{a^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arcsin(a\*x)^3,x,method=\_RETURNVERBOSE)

[Out] 1/a^4\*(-1/8/arcsin(a\*x)^2\*sin(2\*arcsin(a\*x))-1/4/arcsin(a\*x)\*cos(2\*arcsin(a\*x))-1/2\*Si(2\*arcsin(a\*x))+1/16/arcsin(a\*x)^2\*sin(4\*arcsin(a\*x))+1/4/arcsin(a\*x)\*cos(4\*arcsin(a\*x))+Si(4\*arcsin(a\*x)))

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*a\*x^3 + 2\*arctan2(a\*x, sqrt(a\*x + 1))\*sqrt(-a\*x + 1))^2\*integrate((8\*a^2\*x^3 - 3\*x)/arctan2(a\*x, sqrt(a\*x + 1))\*sqrt(-a\*x + 1), x) - (4\*a^2\*x^4 - 3\*x^2)\*arctan2(a\*x, sqrt(a\*x + 1))\*sqrt(-a\*x + 1))/(a^2\*arctan2(a\*x, sqrt(a\*x + 1))\*sqrt(-a\*x + 1))^2

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(x^3/arcsin(a\*x)^3, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/asin(a\*x)\*\*3,x)

[Out] Integral(x\*\*3/asin(a\*x)\*\*3, x)

**Giac** [A]

time = 0.43, size = 125, normalized size = 1.51

$$\frac{(-a^2x^2+1)^{\frac{3}{2}}x}{2a^3\arcsin(ax)^2} + \frac{2(a^2x^2-1)^2}{a^4\arcsin(ax)} + \frac{\operatorname{Si}(4\arcsin(ax))}{a^4} - \frac{\operatorname{Si}(2\arcsin(ax))}{2a^4} - \frac{\sqrt{-a^2x^2+1}x}{2a^3\arcsin(ax)^2} + \frac{5(a^2x^2-1)}{2a^4\arcsin(ax)} + \frac{1}{2a^4\arcsin(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)^3,x, algorithm="giac")

[Out] 1/2\*(-a^2\*x^2 + 1)^(3/2)\*x/(a^3\*arcsin(a\*x)^2) + 2\*(a^2\*x^2 - 1)^2/(a^4\*arcsin(a\*x)) + sin\_integral(4\*arcsin(a\*x))/a^4 - 1/2\*sin\_integral(2\*arcsin(a\*x))/a^4 - 1/2\*sqrt(-a^2\*x^2 + 1)\*x/(a^3\*arcsin(a\*x)^2) + 5/2\*(a^2\*x^2 - 1)/(a^4\*arcsin(a\*x)) + 1/2/(a^4\*arcsin(a\*x))

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x)^3,x)

[Out] int(x^3/asin(a\*x)^3, x)

### 3.62 $\int \frac{x^2}{\text{ArcSin}(ax)^3} dx$

**Optimal.** Leaf size=82

$$-\frac{x^2\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{x}{a^2\text{ArcSin}(ax)} + \frac{3x^3}{2\text{ArcSin}(ax)} - \frac{\text{CosIntegral}(\text{ArcSin}(ax))}{8a^3} + \frac{9\text{CosIntegral}(3\text{ArcSin}(ax))}{8a^3}$$

[Out]  $-x/a^2/\arcsin(ax)+3/2*x^3/\arcsin(ax)-1/8*Ci(\arcsin(ax))/a^3+9/8*Ci(3*\arcsin(ax))/a^3-1/2*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(ax)^2$

**Rubi [A]**

time = 0.17, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4729, 4807, 4731, 4491, 3383, 4719}

$$-\frac{\text{CosIntegral}(\text{ArcSin}(ax))}{8a^3} + \frac{9\text{CosIntegral}(3\text{ArcSin}(ax))}{8a^3} - \frac{x^2\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{x}{a^2\text{ArcSin}(ax)} + \frac{3x^3}{2\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcSin[a\*x]^3,x]

[Out]  $-1/2*(x^2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]^2) - x/(a^2*\text{ArcSin}[a*x]) + (3*x^3)/(2*\text{ArcSin}[a*x]) - \text{CosIntegral}[\text{ArcSin}[a*x]]/(8*a^3) + (9*\text{CosIntegral}[3*\text{ArcSin}[a*x]])/(8*a^3)$

**Rule 3383**

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

**Rule 4491**

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

**Rule 4719**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

**Rule 4729**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis
t[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1
/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)^3} dx &= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} + \frac{\int \frac{x}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2} dx}{a} - \frac{1}{2}(3a) \int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2} dx \\
&= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{x}{a^2\sin^{-1}(ax)} + \frac{3x^3}{2\sin^{-1}(ax)} - \frac{9}{2} \int \frac{x^2}{\sin^{-1}(ax)} dx + \frac{\int \frac{1}{\sin^{-1}(ax)} dx}{a^2} \\
&= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{x}{a^2\sin^{-1}(ax)} + \frac{3x^3}{2\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^3} - \frac{9\text{Subst}\left(\int \frac{\cos(x)}{4x} dx, x, \sin^{-1}(ax)\right)}{2a^3} \\
&= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{x}{a^2\sin^{-1}(ax)} + \frac{3x^3}{2\sin^{-1}(ax)} + \frac{\text{Ci}(\sin^{-1}(ax))}{a^3} - \frac{9\text{Subst}\left(\int \left(\frac{\cos(x)}{4x} - \frac{\cos(x)}{x}\right) dx, x, \sin^{-1}(ax)\right)}{2a^3} \\
&= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{x}{a^2\sin^{-1}(ax)} + \frac{3x^3}{2\sin^{-1}(ax)} + \frac{\text{Ci}(\sin^{-1}(ax))}{a^3} - \frac{9\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^3} \\
&= -\frac{x^2\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{x}{a^2\sin^{-1}(ax)} + \frac{3x^3}{2\sin^{-1}(ax)} - \frac{\text{Ci}(\sin^{-1}(ax))}{8a^3} + \frac{9\text{Ci}(3\sin^{-1}(ax))}{8a^3}
\end{aligned}$$

### Mathematica [A]



time = 0.08, size = 68, normalized size = 0.83

$$\frac{4ax \left( -ax\sqrt{1-a^2x^2} + (-2+3a^2x^2)\text{ArcSin}(ax) \right)}{\text{ArcSin}(ax)^2} - \frac{\text{CosIntegral}(\text{ArcSin}(ax)) + 9\text{CosIntegral}(3\text{ArcSin}(ax))}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcSin[a\*x]^3,x]

[Out] ((4\*a\*x\*(-(a\*x\*Sqrt[1 - a^2\*x^2])) + (-2 + 3\*a^2\*x^2)\*ArcSin[a\*x])/ArcSin[a\*x]^2 - CosIntegral[ArcSin[a\*x]] + 9\*CosIntegral[3\*ArcSin[a\*x]])/(8\*a^3)

**Maple** [A]

time = 0.02, size = 82, normalized size = 1.00

method	result
derivativedivides	$\frac{-\frac{\sqrt{-a^2x^2+1}}{8\arcsin(ax)^2} + \frac{ax}{8\arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{8} + \frac{\cos(3\arcsin(ax))}{8\arcsin(ax)^2} - \frac{3\sin(3\arcsin(ax))}{8\arcsin(ax)} + \frac{9\text{cosineIntegral}(3\arcsin(ax))}{8}}{a^3}$
default	$\frac{-\frac{\sqrt{-a^2x^2+1}}{8\arcsin(ax)^2} + \frac{ax}{8\arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{8} + \frac{\cos(3\arcsin(ax))}{8\arcsin(ax)^2} - \frac{3\sin(3\arcsin(ax))}{8\arcsin(ax)} + \frac{9\text{cosineIntegral}(3\arcsin(ax))}{8}}{a^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arcsin(a\*x)^3,x,method=\_RETURNVERBOSE)

[Out] 1/a^3\*(-1/8/arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)+1/8\*a\*x/arcsin(a\*x)-1/8\*Ci(arcsin(a\*x))+1/8/arcsin(a\*x)^2\*cos(3\*arcsin(a\*x))-3/8/arcsin(a\*x)\*sin(3\*arcsin(a\*x))+9/8\*Ci(3\*arcsin(a\*x)))

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^3,x, algorithm="maxima")

[Out] -1/2\*(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*a\*x^2 + arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2\*integrate((9\*a^2\*x^2 - 2)/arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1)), x) - (3\*a^2\*x^3 - 2\*x)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1)))/(a^2\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(x^2/arcsin(a\*x)^3, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/asin(a\*x)\*\*3,x)

[Out] Integral(x\*\*2/asin(a\*x)\*\*3, x)

**Giac** [A]

time = 0.44, size = 102, normalized size = 1.24

$$\frac{3(a^2x^2 - 1)x}{2a^2 \operatorname{arcsin}(ax)} + \frac{x}{2a^2 \operatorname{arcsin}(ax)} + \frac{9 \operatorname{Ci}(3 \operatorname{arcsin}(ax))}{8a^3} - \frac{\operatorname{Ci}(\operatorname{arcsin}(ax))}{8a^3} + \frac{(-a^2x^2 + 1)^{\frac{3}{2}}}{2a^3 \operatorname{arcsin}(ax)^2} - \frac{\sqrt{-a^2x^2 + 1}}{2a^3 \operatorname{arcsin}(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^3,x, algorithm="giac")

[Out] 3/2\*(a^2\*x^2 - 1)\*x/(a^2\*arcsin(a\*x)) + 1/2\*x/(a^2\*arcsin(a\*x)) + 9/8\*cos\_integral(3\*arcsin(a\*x))/a^3 - 1/8\*cos\_integral(arcsin(a\*x))/a^3 + 1/2\*(-a^2\*x^2 + 1)^(3/2)/(a^3\*arcsin(a\*x)^2) - 1/2\*sqrt(-a^2\*x^2 + 1)/(a^3\*arcsin(a\*x)^2)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/asin(a\*x)^3,x)

[Out] int(x^2/asin(a\*x)^3, x)

### 3.63 $\int \frac{x}{\text{ArcSin}(ax)^3} dx$

Optimal. Leaf size=64

$$-\frac{x\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{1}{2a^2\text{ArcSin}(ax)} + \frac{x^2}{\text{ArcSin}(ax)} - \frac{\text{Si}(2\text{ArcSin}(ax))}{a^2}$$

[Out]  $-1/2/a^2/\arcsin(a*x)+x^2/\arcsin(a*x)-\text{Si}(2*\arcsin(a*x))/a^2-1/2*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^2$

**Rubi** [A]

time = 0.11, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$ , Rules used = {4729, 4807, 4731, 4491, 12, 3380, 4737}

$$-\frac{\text{Si}(2\text{ArcSin}(ax))}{a^2} - \frac{x\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{1}{2a^2\text{ArcSin}(ax)} + \frac{x^2}{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x/ArcSin[a\*x]^3,x]

[Out]  $-1/2*(x*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]^2) - 1/(2*a^2*\text{ArcSin}[a*x]) + x^2/\text{ArcSin}[a*x] - \text{SinIntegral}[2*\text{ArcSin}[a*x]]/a^2$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_))^(n\_)\*(x\_)^{(m\_.)}, x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*(m + 1)/(b\*(n + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1))/Sqrt[

$1 - c^2 x^2$ ),  $x$ ],  $x$ ] - Dist[ $m/(b*c*(n + 1))$ , Int[ $x^{(m - 1)*((a + b*ArcSin[c*x])^{(n + 1)/Sqrt[1 - c^2*x^2])}$ ],  $x$ ],  $x$ )] /; FreeQ[{ $a, b, c$ },  $x$ ] && IGtQ[ $m, 0$ ] && LtQ[ $n, -2$ ]

#### Rule 4731

Int[ $((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)*(x_.)^{(m_.)}$ ,  $x\_Symbol$ ] := Dist[ $1/(b*c^{(m + 1)})$ , Subst[Int[ $x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]$ ,  $x$ ],  $x$ ,  $a + b*ArcSin[c*x]$ ],  $x$ ] /; FreeQ[{ $a, b, c, n$ },  $x$ ] && IGtQ[ $m, 0$ ]

#### Rule 4737

Int[ $((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}/Sqrt[(d_.) + (e_.)*(x_.)^2]$ ,  $x\_Symbol$ ] := Simp[ $(1/(b*c*(n + 1)))$ \*Simp[Sqrt[ $1 - c^2*x^2$ ]/Sqrt[ $d + e*x^2$ ]]\*( $a + b*ArcSin[c*x]$ )^{(n + 1)},  $x$ ] /; FreeQ[{ $a, b, c, d, e, n$ },  $x$ ] && EqQ[ $c^2*d + e, 0$ ] && NeQ[ $n, -1$ ]

#### Rule 4807

Int[ $((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)*((f_.)*(x_.))^{(m_.)}/Sqrt[(d_.) + (e_.)*(x_.)^2]$ ,  $x\_Symbol$ ] := Simp[ $((f*x)^m/(b*c*(n + 1)))$ \*Simp[Sqrt[ $1 - c^2*x^2$ ]/Sqrt[ $d + e*x^2$ ]]\*( $a + b*ArcSin[c*x]$ )^{(n + 1)},  $x$ ] - Dist[ $f*m/(b*c*(n + 1))$ \*Simp[Sqrt[ $1 - c^2*x^2$ ]/Sqrt[ $d + e*x^2$ ]], Int[ $(f*x)^{(m - 1)*(a + b*ArcSin[c*x])^{(n + 1)}$ ,  $x$ ],  $x$ ] /; FreeQ[{ $a, b, c, d, e, f, m$ },  $x$ ] && EqQ[ $c^2*d + e, 0$ ] && LtQ[ $n, -1$ ]

#### Rubi steps

$$\begin{aligned}
 \int \frac{x}{\sin^{-1}(ax)^3} dx &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} + \frac{\int \frac{1}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2} dx}{2a} - a \int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2} dx \\
 &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{1}{2a^2\sin^{-1}(ax)} + \frac{x^2}{\sin^{-1}(ax)} - 2 \int \frac{x}{\sin^{-1}(ax)} dx \\
 &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{1}{2a^2\sin^{-1}(ax)} + \frac{x^2}{\sin^{-1}(ax)} - \frac{2\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
 &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{1}{2a^2\sin^{-1}(ax)} + \frac{x^2}{\sin^{-1}(ax)} - \frac{2\text{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
 &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{1}{2a^2\sin^{-1}(ax)} + \frac{x^2}{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
 &= -\frac{x\sqrt{1-a^2x^2}}{2a\sin^{-1}(ax)^2} - \frac{1}{2a^2\sin^{-1}(ax)} + \frac{x^2}{\sin^{-1}(ax)} - \frac{\text{Si}(2\sin^{-1}(ax))}{a^2}
 \end{aligned}$$

**Mathematica [A]**

time = 0.04, size = 61, normalized size = 0.95

$$\frac{ax\sqrt{1-a^2x^2} + (1-2a^2x^2)\text{ArcSin}(ax) + 2\text{ArcSin}(ax)^2\text{Si}(2\text{ArcSin}(ax))}{2a^2\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

`[In] Integrate[x/ArcSin[a*x]^3,x]`

```
[Out] -1/2*(a*x*Sqrt[1 - a^2*x^2] + (1 - 2*a^2*x^2)*ArcSin[a*x] + 2*ArcSin[a*x]^2
*SinIntegral[2*ArcSin[a*x]])/(a^2*ArcSin[a*x]^2)
```

**Maple [A]**

time = 0.02, size = 45, normalized size = 0.70

method	result	size
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(ax))}{4 \arcsin(ax)^2} - \frac{\cos(2 \arcsin(ax))}{2 \arcsin(ax)} - \text{sinIntegral}(2 \arcsin(ax))}{a^2}$	45
default	$\frac{-\frac{\sin(2 \arcsin(ax))}{4 \arcsin(ax)^2} - \frac{\cos(2 \arcsin(ax))}{2 \arcsin(ax)} - \text{sinIntegral}(2 \arcsin(ax))}{a^2}$	45

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x/arcsin(a*x)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^2*(-1/4/arcsin(a*x)^2*sin(2*arcsin(a*x))-1/2/arcsin(a*x)*cos(2*arcsin(a
*x))-Si(2*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x/arcsin(a*x)^3,x, algorithm="maxima")`

```
[Out] -1/2*(4*a^2*arctan2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))^2*integrate(x/arctan
2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1), x) + sqrt(a*x + 1)*sqrt(-a*x + 1)*a*x
- (2*a^2*x^2 - 1)*arctan2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))/(a^2*arctan2
(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))^2)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(x/arcsin(a\*x)^3, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x)\*\*3,x)

[Out] Integral(x/asin(a\*x)\*\*3, x)

**Giac** [A]

time = 0.42, size = 67, normalized size = 1.05

$$-\frac{\operatorname{Si}(2 \operatorname{arcsin}(ax))}{a^2} - \frac{\sqrt{-a^2x^2 + 1} x}{2 a \operatorname{arcsin}(ax)^2} + \frac{a^2x^2 - 1}{a^2 \operatorname{arcsin}(ax)} + \frac{1}{2 a^2 \operatorname{arcsin}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^3,x, algorithm="giac")

[Out] -sin\_integral(2\*arcsin(a\*x))/a^2 - 1/2\*sqrt(-a^2\*x^2 + 1)\*x/(a\*arcsin(a\*x)^2) + (a^2\*x^2 - 1)/(a^2\*arcsin(a\*x)) + 1/2/(a^2\*arcsin(a\*x))

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^3,x)

[Out] int(x/asin(a\*x)^3, x)

### 3.64 $\int \frac{1}{\text{ArcSin}(ax)^3} dx$

Optimal. Leaf size=51

$$-\frac{\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} + \frac{x}{2\text{ArcSin}(ax)} - \frac{\text{CosIntegral}(\text{ArcSin}(ax))}{2a}$$

[Out] 1/2\*x/arcsin(a\*x)-1/2\*Ci(arcsin(a\*x))/a-1/2\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)^2

**Rubi** [A]

time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4717, 4807, 4719, 3383}

$$-\frac{\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)^2} - \frac{\text{CosIntegral}(\text{ArcSin}(ax))}{2a} + \frac{x}{2\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(-3), x]

[Out] -1/2\*Sqrt[1 - a^2\*x^2]/(a\*ArcSin[a\*x]^2) + x/(2\*ArcSin[a\*x]) - CosIntegral[ArcSin[a\*x]]/(2\*a)

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Simp[Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n)\*((f\_.)\*(x\_))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2], x], x]

```
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sin^{-1}(ax)^3} dx &= -\frac{\sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} - \frac{1}{2}a \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2} dx \\
 &= -\frac{\sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} + \frac{x}{2 \sin^{-1}(ax)} - \frac{1}{2} \int \frac{1}{\sin^{-1}(ax)} dx \\
 &= -\frac{\sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} + \frac{x}{2 \sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a} \\
 &= -\frac{\sqrt{1-a^2x^2}}{2a \sin^{-1}(ax)^2} + \frac{x}{2 \sin^{-1}(ax)} - \frac{\text{Ci}(\sin^{-1}(ax))}{2a}
 \end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 48, normalized size = 0.94

$$\frac{-\sqrt{1-a^2x^2} - ax \text{ArcSin}(ax) + \text{ArcSin}(ax)^2 \text{CosIntegral}(\text{ArcSin}(ax))}{2a \text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-3), x]

[Out] -1/2\*(Sqrt[1 - a^2\*x^2] - a\*x\*ArcSin[a\*x] + ArcSin[a\*x]^2\*CosIntegral[ArcSin[a\*x]])/(a\*ArcSin[a\*x]^2)

**Maple [A]**

time = 0.02, size = 43, normalized size = 0.84

method	result	size
derivativedivides	$  \frac{-\frac{\sqrt{-a^2x^2+1}}{2 \arcsin(ax)^2} + \frac{ax}{2 \arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{2}}{a}  $	43
default	$  \frac{-\frac{\sqrt{-a^2x^2+1}}{2 \arcsin(ax)^2} + \frac{ax}{2 \arcsin(ax)} - \frac{\text{cosineIntegral}(\arcsin(ax))}{2}}{a}  $	43

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x)^3,x,method=\_RETURNVERBOSE)



[Out]  $1/a*(-1/2/\arcsin(ax)^2*(-a^2x^2+1)^{(1/2)}+1/2*ax/\arcsin(ax)-1/2*Ci(\arcsin(ax)))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^3,x, algorithm="maxima")`

[Out]  $-1/2*(a*\arctan2(ax, \sqrt{ax+1})*\sqrt{-ax+1})^2*\int \frac{1}{\arctan2(ax, \sqrt{ax+1})*\sqrt{-ax+1}} dx - a*x*\arctan2(ax, \sqrt{ax+1})*\sqrt{-ax+1} + \sqrt{ax+1}*\sqrt{-ax+1})/(a*\arctan2(ax, \sqrt{ax+1})*\sqrt{-ax+1})^2$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^3,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^(-3), x)`

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arcsin^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/asin(a*x)**3,x)`

[Out] `Integral(asin(a*x)**(-3), x)`

**Giac [A]**

time = 0.42, size = 43, normalized size = 0.84

$$\frac{x}{2 \arcsin(ax)} - \frac{Ci(\arcsin(ax))}{2a} - \frac{\sqrt{-a^2x^2+1}}{2a \arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^3,x, algorithm="giac")`

```
[Out] 1/2*x/arcsin(a*x) - 1/2*cos_integral(arcsin(a*x))/a - 1/2*sqrt(-a^2*x^2 + 1)
)/(a*arcsin(a*x)^2)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/asin(a*x)^3,x)
```

```
[Out] int(1/asin(a*x)^3, x)
```

$$3.65 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^3,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^3),x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^3), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^3} dx = \int \frac{1}{x \sin^{-1}(ax)^3} dx$$

Mathematica [A]

time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^3),x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^3), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arcsin(a\*x)^3,x)

[Out] int(1/x/arcsin(a\*x)^3,x)

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)^3,x, algorithm="maxima")

[Out] 1/2\*(2\*x^2\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2\*integrate(1/(x^3\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))), x) - sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*a\*x + arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1)))/(a^2\*x^2\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2)

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(1/(x\*arcsin(a\*x)^3), x)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/asin(a\*x)\*\*3,x)

[Out] Integral(1/(x\*asin(a\*x)\*\*3), x)

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)^3,x, algorithm="giac")

[Out] integrate(1/(x\*arcsin(a\*x)^3), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{asin}(a x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^3),x)

[Out] int(1/(x\*asin(a\*x)^3), x)

$$3.66 \quad \int \frac{1}{x^2 \mathbf{ArcSin}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \mathbf{ArcSin}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x^2/arcsin(a\*x)^3,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*ArcSin[a\*x]^3),x]

[Out] Defer[Int][1/(x^2\*ArcSin[a\*x]^3), x]

Rubi steps

$$\int \frac{1}{x^2 \sin^{-1}(ax)^3} dx = \int \frac{1}{x^2 \sin^{-1}(ax)^3} dx$$

Mathematica [A]

time = 4.21, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*ArcSin[a\*x]^3),x]

[Out] Integrate[1/(x^2\*ArcSin[a\*x]^3), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arcsin(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arcsin(a\*x)^3,x)

[Out] int(1/x^2/arcsin(a\*x)^3,x)

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^3,x, algorithm="maxima")

[Out] 
$$-1/2*(x^3*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^2*\integrate((a^2*x^2 - 6)/(x^4*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})), x) + \sqrt{a*x + 1}*\sqrt{-a*x + 1}*a*x + (a^2*x^2 - 2)*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))/ (a^2*x^3*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})^2)$$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(1/(x^2\*arcsin(a\*x)^3), x)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{asin}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/asin(a\*x)\*\*3,x)

[Out] Integral(1/(x\*\*2\*asin(a\*x)\*\*3), x)

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^3,x, algorithm="giac")

[Out] integrate(1/(x^2\*arcsin(a\*x)^3), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{asin}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*asin(a*x)^3),x)`

[Out] `int(1/(x^2*asin(a*x)^3), x)`



### 3.67 $\int \frac{x^4}{\text{ArcSin}(ax)^4} dx$

**Optimal.** Leaf size=158

$$\frac{x^4\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{2x^3}{3a^2\text{ArcSin}(ax)^2} + \frac{5x^5}{6\text{ArcSin}(ax)^2} - \frac{2x^2\sqrt{1-a^2x^2}}{a^3\text{ArcSin}(ax)} + \frac{25x^4\sqrt{1-a^2x^2}}{6a\text{ArcSin}(ax)} + \frac{\text{Si}(\text{ArcSin}(ax))}{48a^5} - \frac{2}{48a^5}$$

[Out]  $-2/3*x^3/a^2/\arcsin(a*x)^2+5/6*x^5/\arcsin(a*x)^2+1/48*\text{Si}(\arcsin(a*x))/a^5-2/7/32*\text{Si}(3*\arcsin(a*x))/a^5+125/96*\text{Si}(5*\arcsin(a*x))/a^5-1/3*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^3-2*x^2*(-a^2*x^2+1)^{(1/2)}/a^3/\arcsin(a*x)+25/6*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)$

**Rubi** [A]

time = 0.21, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ ,

Rules used = {4729, 4807, 4727, 3380}

$$\frac{\text{Si}(\text{ArcSin}(ax))}{48a^5} - \frac{27\text{Si}(3\text{ArcSin}(ax))}{32a^5} + \frac{125\text{Si}(5\text{ArcSin}(ax))}{96a^5} - \frac{2x^3}{3a^2\text{ArcSin}(ax)^2} + \frac{25x^4\sqrt{1-a^2x^2}}{6a\text{ArcSin}(ax)} - \frac{x^4\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{2x^2\sqrt{1-a^2x^2}}{a^3\text{ArcSin}(ax)} + \frac{5x^5}{6\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] `Int[x^4/ArcSin[a*x]^4,x]`

[Out]  $-1/3*(x^4*\text{Sqrt}[1-a^2*x^2])/(a*\text{ArcSin}[a*x]^3) - (2*x^3)/(3*a^2*\text{ArcSin}[a*x]^2) + (5*x^5)/(6*\text{ArcSin}[a*x]^2) - (2*x^2*\text{Sqrt}[1-a^2*x^2])/(a^3*\text{ArcSin}[a*x]) + (25*x^4*\text{Sqrt}[1-a^2*x^2])/(6*a*\text{ArcSin}[a*x]) + \text{SinIntegral}[\text{ArcSin}[a*x]]/(48*a^5) - (27*\text{SinIntegral}[3*\text{ArcSin}[a*x]])/(32*a^5) + (125*\text{SinIntegral}[5*\text{ArcSin}[a*x]])/(96*a^5)$

**Rule 3380**

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

**Rule 4727**

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]`

**Rule 4729**

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis`

```
t[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*m/(b*c*(n
+ 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sin^{-1}(ax)^4} dx &= -\frac{x^4 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} + \frac{4 \int \frac{x^3}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx}{3a} - \frac{1}{3}(5a) \int \frac{x^5}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx \\
&= -\frac{x^4 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{2x^3}{3a^2 \sin^{-1}(ax)^2} + \frac{5x^5}{6 \sin^{-1}(ax)^2} - \frac{25}{6} \int \frac{x^4}{\sin^{-1}(ax)^2} dx + \frac{2 \int \frac{x^2}{\sin^{-1}(ax)^2} dx}{a^2} \\
&= -\frac{x^4 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{2x^3}{3a^2 \sin^{-1}(ax)^2} + \frac{5x^5}{6 \sin^{-1}(ax)^2} - \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \sin^{-1}(ax)} \\
&= -\frac{x^4 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{2x^3}{3a^2 \sin^{-1}(ax)^2} + \frac{5x^5}{6 \sin^{-1}(ax)^2} - \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \sin^{-1}(ax)} \\
&= -\frac{x^4 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{2x^3}{3a^2 \sin^{-1}(ax)^2} + \frac{5x^5}{6 \sin^{-1}(ax)^2} - \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \sin^{-1}(ax)}
\end{aligned}$$

### Mathematica [A]

time = 0.18, size = 159, normalized size = 1.01

$$\frac{-32a^4 x^4 \sqrt{1 - a^2 x^2} - 64a^3 x^3 \text{ArcSin}(ax) + 80a^2 x^2 \text{ArcSin}(ax) - 192a^2 x^2 \sqrt{1 - a^2 x^2} \text{ArcSin}(ax)^2 + 400a^4 x^4 \sqrt{1 - a^2 x^2} \text{ArcSin}(ax)^2 + 2 \text{ArcSin}(ax)^3 \text{Si}(\text{ArcSin}(ax)) - 81 \text{ArcSin}(ax)^2 \text{Si}(3 \text{ArcSin}(ax)) + 125 \text{ArcSin}(ax)^3 \text{Si}(5 \text{ArcSin}(ax))}{96a^2 \text{ArcSin}(ax)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^4/ArcSin[a*x]^4,x]
```

```
[Out] (-32*a^4*x^4*Sqrt[1 - a^2*x^2] - 64*a^3*x^3*ArcSin[a*x] + 80*a^5*x^5*ArcSin
[a*x] - 192*a^2*x^2*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2 + 400*a^4*x^4*Sqrt[1 -
a^2*x^2]*ArcSin[a*x]^2 + 2*ArcSin[a*x]^3*SinIntegral[ArcSin[a*x]] - 81*ArcS
```

$\text{in}[a*x]^3*\text{SinIntegral}[3*\text{ArcSin}[a*x]] + 125*\text{ArcSin}[a*x]^3*\text{SinIntegral}[5*\text{ArcSin}[a*x]]/(96*a^5*\text{ArcSin}[a*x]^3)$

**Maple [A]**

time = 0.03, size = 171, normalized size = 1.08

method	result
derivativedivides	$-\frac{\sqrt{-a^2x^2+1}}{24\arcsin(ax)^3} + \frac{ax}{48\arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{48\arcsin(ax)} + \frac{\text{sinIntegral}(\arcsin(ax))}{48} + \frac{\cos(3\arcsin(ax))}{16\arcsin(ax)^3} - \frac{3\sin(3\arcsin(ax))}{32\arcsin(ax)^2} - \frac{9}{32\arcsin(ax)}$
default	$-\frac{\sqrt{-a^2x^2+1}}{24\arcsin(ax)^3} + \frac{ax}{48\arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{48\arcsin(ax)} + \frac{\text{sinIntegral}(\arcsin(ax))}{48} + \frac{\cos(3\arcsin(ax))}{16\arcsin(ax)^3} - \frac{3\sin(3\arcsin(ax))}{32\arcsin(ax)^2} - \frac{9}{32\arcsin(ax)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

[Out]  $1/a^5*(-1/24/\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}+1/48*a*x/\arcsin(a*x)^2+1/48/a*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}+1/48*\text{Si}(\arcsin(a*x))+1/16/\arcsin(a*x)^3*\cos(3*\arcsin(a*x))-3/32/\arcsin(a*x)^2*\sin(3*\arcsin(a*x))-9/32/\arcsin(a*x)*\cos(3*\arcsin(a*x))-27/32*\text{Si}(3*\arcsin(a*x))-1/48/\arcsin(a*x)^3*\cos(5*\arcsin(a*x))+5/96/\arcsin(a*x)^2*\sin(5*\arcsin(a*x))+25/96/\arcsin(a*x)*\cos(5*\arcsin(a*x))+125/96*\text{Si}(5*\arcsin(a*x))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^4,x, algorithm="maxima")`

[Out]  $-1/6*(6*a^3*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3*\text{integrate}(1/6*(125*a^4*x^5 - 136*a^2*x^3 + 24*x)*\sqrt{a*x+1}*\sqrt{-a*x+1}/((a^5*x^2 - a^3)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})), x) + (2*a^2*x^4 - (25*a^2*x^4 - 12*x^2)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^2)*\sqrt{a*x+1}*\sqrt{-a*x+1} - (5*a^3*x^5 - 4*a*x^3)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1}))/((a^3*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3)$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^4,x, algorithm="fricas")`

[Out] integral(x^4/arcsin(a\*x)^4, x)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/asin(a\*x)\*\*4,x)

[Out] Integral(x\*\*4/asin(a\*x)\*\*4, x)

**Giac [A]**

time = 0.42, size = 250, normalized size = 1.58

$$\frac{5(a^2x^2-1)^2x}{6a^4\operatorname{arcsin}(ax)^2} + \frac{25(a^2x^2-1)^2\sqrt{-a^2x^2+1}}{6a^2\operatorname{arcsin}(ax)} + \frac{(a^2x^2-1)x}{a^4\operatorname{arcsin}(ax)^2} + \frac{125\operatorname{Si}(5\operatorname{arcsin}(ax))}{96a^5} - \frac{27\operatorname{Si}(3\operatorname{arcsin}(ax))}{32a^5} + \frac{\operatorname{Si}(\operatorname{arcsin}(ax))}{48a^5} - \frac{19(-a^2x^2+1)^{\frac{3}{2}}}{3a^5\operatorname{arcsin}(ax)} + \frac{x}{6a^4\operatorname{arcsin}(ax)^2} - \frac{(a^2x^2-1)^2\sqrt{-a^2x^2+1}}{3a^5\operatorname{arcsin}(ax)^2} + \frac{13\sqrt{-a^2x^2+1}}{6a^5\operatorname{arcsin}(ax)} + \frac{2(-a^2x^2+1)^{\frac{3}{2}}}{3a^5\operatorname{arcsin}(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{3a^5\operatorname{arcsin}(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^4,x, algorithm="giac")

[Out] 5/6\*(a^2\*x^2 - 1)^2\*x/(a^4\*arcsin(a\*x)^2) + 25/6\*(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)) + (a^2\*x^2 - 1)\*x/(a^4\*arcsin(a\*x)^2) + 125/96\*sin\_integral(5\*arcsin(a\*x))/a^5 - 27/32\*sin\_integral(3\*arcsin(a\*x))/a^5 + 1/48\*sin\_integral(arcsin(a\*x))/a^5 - 19/3\*(-a^2\*x^2 + 1)^(3/2)/(a^5\*arcsin(a\*x)) + 1/6\*x/(a^4\*arcsin(a\*x)^2) - 1/3\*(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)^3) + 13/6\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)) + 2/3\*(-a^2\*x^2 + 1)^(3/2)/(a^5\*arcsin(a\*x)^3) - 1/3\*sqrt(-a^2\*x^2 + 1)/(a^5\*arcsin(a\*x)^3)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/asin(a\*x)^4,x)

[Out] int(x^4/asin(a\*x)^4, x)

### 3.68 $\int \frac{x^3}{\text{ArcSin}(ax)^4} dx$

**Optimal.** Leaf size=144

$$\frac{x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{x^2}{2a^2\text{ArcSin}(ax)^2} + \frac{2x^4}{3\text{ArcSin}(ax)^2} - \frac{x\sqrt{1-a^2x^2}}{a^3\text{ArcSin}(ax)} + \frac{8x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)} - \frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{3a^4}$$

[Out]  $-1/2*x^2/a^2/\arcsin(a*x)^2+2/3*x^4/\arcsin(a*x)^2-1/3*Ci(2*\arcsin(a*x))/a^4+4/3*Ci(4*\arcsin(a*x))/a^4-1/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^3-x*(-a^2*x^2+1)^{(1/2)}/a^3/\arcsin(a*x)+8/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)$

**Rubi [A]**

time = 0.19, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4729, 4807, 4727, 3383}

$$-\frac{\text{CosIntegral}(2\text{ArcSin}(ax))}{3a^4} + \frac{4\text{CosIntegral}(4\text{ArcSin}(ax))}{3a^4} - \frac{x^2}{2a^2\text{ArcSin}(ax)^2} + \frac{8x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)} - \frac{x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{x\sqrt{1-a^2x^2}}{a^3\text{ArcSin}(ax)} + \frac{2x^4}{3\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcSin[a\*x]^4,x]

[Out]  $-1/3*(x^3*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]^3) - x^2/(2*a^2*\text{ArcSin}[a*x]^2) + (2*x^4)/(3*\text{ArcSin}[a*x]^2) - (x*\text{Sqrt}[1 - a^2*x^2])/(a^3*\text{ArcSin}[a*x]) + (8*x^3*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]) - \text{CosIntegral}[2*\text{ArcSin}[a*x]]/(3*a^4) + (4*\text{CosIntegral}[4*\text{ArcSin}[a*x]])/(3*a^4)$

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4727

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] - Dist[1/(b^2\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*((m + 1)/(b\*(n + 1))), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1))/Sqrt[

```
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*m/(b*c*(n
+ 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

Rubi steps

$$\int \frac{x^3}{\sin^{-1}(ax)^4} dx = -\frac{x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} + \frac{\int \frac{x^2 \sqrt{1 - a^2 x^2}}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx}{a} - \frac{1}{3}(4a) \int \frac{x^4}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx$$

$$= -\frac{x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x^2}{2a^2 \sin^{-1}(ax)^2} + \frac{2x^4}{3 \sin^{-1}(ax)^2} - \frac{8}{3} \int \frac{x^3}{\sin^{-1}(ax)^2} dx + \frac{\int \frac{x}{\sin^{-1}(ax)^2} dx}{a^2}$$

$$= -\frac{x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x^2}{2a^2 \sin^{-1}(ax)^2} + \frac{2x^4}{3 \sin^{-1}(ax)^2} - \frac{x \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)} + \dots$$

$$= -\frac{x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x^2}{2a^2 \sin^{-1}(ax)^2} + \frac{2x^4}{3 \sin^{-1}(ax)^2} - \frac{x \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)} + \dots$$

$$= -\frac{x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x^2}{2a^2 \sin^{-1}(ax)^2} + \frac{2x^4}{3 \sin^{-1}(ax)^2} - \frac{x \sqrt{1 - a^2 x^2}}{a^3 \sin^{-1}(ax)} + \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)} - \dots$$

Mathematica [A]

time = 0.22, size = 107, normalized size = 0.74

$$\frac{ax \left( \frac{-2a^2 x^2 \sqrt{1 - a^2 x^2} + ax(-3 + 4a^2 x^2) \text{ArcSin}(ax) + 2\sqrt{1 - a^2 x^2}(-3 + 8a^2 x^2) \text{ArcSin}(ax)^2}{\text{ArcSin}(ax)^3} \right) - 2\text{CosIntegral}(2\text{ArcSin}(ax)) + 8\text{CosIntegral}(4\text{ArcSin}(ax))}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcSin[a\*x]^4,x]

[Out] ((a\*x\*(-2\*a^2\*x^2\*Sqrt[1 - a^2\*x^2] + a\*x\*(-3 + 4\*a^2\*x^2)\*ArcSin[a\*x] + 2\*Sqrt[1 - a^2\*x^2]\*(-3 + 8\*a^2\*x^2)\*ArcSin[a\*x]^2))/ArcSin[a\*x]^3 - 2\*CosIntegral[2\*ArcSin[a\*x]] + 8\*CosIntegral[4\*ArcSin[a\*x]])/(6\*a^4)

**Maple [A]**

time = 0.04, size = 114, normalized size = 0.79

method	result
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(ax))}{12 \arcsin(ax)^3} - \frac{\cos(2 \arcsin(ax))}{12 \arcsin(ax)^2} + \frac{\sin(2 \arcsin(ax))}{6 \arcsin(ax)} - \frac{\operatorname{cosineIntegral}(2 \arcsin(ax))}{3} + \frac{\sin(4 \arcsin(ax))}{24 \arcsin(ax)^3} + \frac{\cos(4 \arcsin(ax))}{12 \arcsin(ax)^2} - \frac{\sin(4 \arcsin(ax))}{3}}{a^4}$
default	$\frac{-\frac{\sin(2 \arcsin(ax))}{12 \arcsin(ax)^3} - \frac{\cos(2 \arcsin(ax))}{12 \arcsin(ax)^2} + \frac{\sin(2 \arcsin(ax))}{6 \arcsin(ax)} - \frac{\operatorname{cosineIntegral}(2 \arcsin(ax))}{3} + \frac{\sin(4 \arcsin(ax))}{24 \arcsin(ax)^3} + \frac{\cos(4 \arcsin(ax))}{12 \arcsin(ax)^2} - \frac{\sin(4 \arcsin(ax))}{3}}{a^4}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/arcsin(a*x)^4,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^4*(-1/12/arcsin(a*x)^3*sin(2*arcsin(a*x))-1/12/arcsin(a*x)^2*cos(2*arcsin(a*x))+1/6/arcsin(a*x)*sin(2*arcsin(a*x))-1/3*Ci(2*arcsin(a*x))+1/24/arcsin(a*x)^3*sin(4*arcsin(a*x))+1/12/arcsin(a*x)^2*cos(4*arcsin(a*x))-1/3/arcsin(a*x)*sin(4*arcsin(a*x))+4/3*Ci(4*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^4,x, algorithm="maxima")
```

```
[Out] -1/6*(6*a^3*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3*integrate(1/3*(32*a^4*x^4 - 30*a^2*x^2 + 3)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^5*x^2 - a^3)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) + 2*(a^2*x^3 - (8*a^2*x^3 - 3*x)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2)*sqrt(a*x + 1)*sqrt(-a*x + 1) - (4*a^3*x^4 - 3*a*x^2)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))/(a^3*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^4,x, algorithm="fricas")
```

```
[Out] integral(x^3/arcsin(a*x)^4, x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a \sin^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/asin(a\*x)\*\*4,x)

[Out] Integral(x\*\*3/asin(a\*x)\*\*4, x)

**Giac** [A]

time = 0.44, size = 174, normalized size = 1.21

$$-\frac{8(-a^2x^2+1)^{\frac{3}{2}}x}{3a^3\arcsin(ax)} + \frac{5\sqrt{-a^2x^2+1}x}{3a^3\arcsin(ax)} + \frac{4\operatorname{Ci}(4\arcsin(ax))}{3a^4} - \frac{\operatorname{Ci}(2\arcsin(ax))}{3a^4} + \frac{(-a^2x^2+1)^{\frac{3}{2}}x}{3a^3\arcsin(ax)^3} + \frac{2(a^2x^2-1)^2}{3a^4\arcsin(ax)^2} - \frac{\sqrt{-a^2x^2+1}x}{3a^3\arcsin(ax)^3} + \frac{5(a^2x^2-1)}{6a^4\arcsin(ax)^2} + \frac{1}{6a^4\arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)^4,x, algorithm="giac")

[Out]  $-\frac{8}{3}(-a^2x^2+1)^{\frac{3}{2}}x/(a^3\arcsin(ax)) + \frac{5}{3}\sqrt{-a^2x^2+1}x/(a^3\arcsin(ax)) + \frac{4}{3}\operatorname{cos\_integral}(4\arcsin(ax))/a^4 - \frac{1}{3}\operatorname{cos\_integral}(2\arcsin(ax))/a^4 + \frac{1}{3}(-a^2x^2+1)^{\frac{3}{2}}x/(a^3\arcsin(ax)^3) + \frac{2}{3}(a^2x^2-1)^2/(a^4\arcsin(ax)^2) - \frac{1}{3}\sqrt{-a^2x^2+1}x/(a^3\arcsin(ax)^3) + \frac{5}{6}(a^2x^2-1)/(a^4\arcsin(ax)^2) + \frac{1}{6}/(a^4\arcsin(ax)^2)$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x)^4,x)

[Out] int(x^3/asin(a\*x)^4, x)



### 3.69 $\int \frac{x^2}{\text{ArcSin}(ax)^4} dx$

**Optimal.** Leaf size=141

$$-\frac{x^2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{x}{3a^2\text{ArcSin}(ax)^2} + \frac{x^3}{2\text{ArcSin}(ax)^2} - \frac{\sqrt{1-a^2x^2}}{3a^3\text{ArcSin}(ax)} + \frac{3x^2\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)} + \frac{\text{Si}(\text{ArcSin}(ax))}{24a^3} - \frac{9\text{Si}(3\text{ArcSin}(ax))}{8a^3}$$

[Out] -1/3\*x/a^2/arcsin(a\*x)^2+1/2\*x^3/arcsin(a\*x)^2+1/24\*Si(arcsin(a\*x))/a^3-9/8\*Si(3\*arcsin(a\*x))/a^3-1/3\*x^2\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)^3-1/3\*(-a^2\*x^2+1)^(1/2)/a^3/arcsin(a\*x)+3/2\*x^2\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)

**Rubi [A]**

time = 0.20, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4729, 4807, 4727, 3380, 4717, 4809}

$$\frac{\text{Si}(\text{ArcSin}(ax))}{24a^3} - \frac{9\text{Si}(3\text{ArcSin}(ax))}{8a^3} + \frac{3x^2\sqrt{1-a^2x^2}}{2a\text{ArcSin}(ax)} - \frac{x^2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{x}{3a^2\text{ArcSin}(ax)^2} - \frac{\sqrt{1-a^2x^2}}{3a^3\text{ArcSin}(ax)} + \frac{x^3}{2\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcSin[a\*x]^4,x]

[Out] -1/3\*(x^2\*Sqrt[1 - a^2\*x^2])/(a\*ArcSin[a\*x]^3) - x/(3\*a^2\*ArcSin[a\*x]^2) + x^3/(2\*ArcSin[a\*x]^2) - Sqrt[1 - a^2\*x^2]/(3\*a^3\*ArcSin[a\*x]) + (3\*x^2\*Sqrt[1 - a^2\*x^2])/(2\*a\*ArcSin[a\*x]) + SinIntegral[ArcSin[a\*x]]/(24\*a^3) - (9\*SinIntegral[3\*ArcSin[a\*x]])/(8\*a^3)

**Rule 3380**

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

**Rule 4717**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] :> Simp[Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

**Rule 4727**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\*(x\_.)^m, x\_Symbol] :> Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] - Dist[1/(b^2\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

## Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis
t[c*(m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

## Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

## Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

## Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)^4} dx &= -\frac{x^2 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} + \frac{2 \int \frac{x}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx}{3a} - a \int \frac{x^3}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^3} dx \\
&= -\frac{x^2 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x}{3a^2 \sin^{-1}(ax)^2} + \frac{x^3}{2 \sin^{-1}(ax)^2} - \frac{3}{2} \int \frac{x^2}{\sin^{-1}(ax)^2} dx + \frac{\int \frac{1}{\sin^{-1}(ax)^2} dx}{3a^2} \\
&= -\frac{x^2 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x}{3a^2 \sin^{-1}(ax)^2} + \frac{x^3}{2 \sin^{-1}(ax)^2} - \frac{\sqrt{1 - a^2 x^2}}{3a^3 \sin^{-1}(ax)} + \frac{3x^2 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)} - \frac{3}{2} \int \frac{x}{\sin^{-1}(ax)} dx \\
&= -\frac{x^2 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x}{3a^2 \sin^{-1}(ax)^2} + \frac{x^3}{2 \sin^{-1}(ax)^2} - \frac{\sqrt{1 - a^2 x^2}}{3a^3 \sin^{-1}(ax)} + \frac{3x^2 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)} - \frac{3}{2} \int \frac{1}{\sin^{-1}(ax)} dx \\
&= -\frac{x^2 \sqrt{1 - a^2 x^2}}{3a \sin^{-1}(ax)^3} - \frac{x}{3a^2 \sin^{-1}(ax)^2} + \frac{x^3}{2 \sin^{-1}(ax)^2} - \frac{\sqrt{1 - a^2 x^2}}{3a^3 \sin^{-1}(ax)} + \frac{3x^2 \sqrt{1 - a^2 x^2}}{2a \sin^{-1}(ax)} + \frac{3}{2} \int \frac{1}{\sin^{-1}(ax)} dx
\end{aligned}$$

**Mathematica [A]**

time = 0.14, size = 102, normalized size = 0.72

$$\frac{-\frac{8a^2x^2\sqrt{1-a^2x^2}}{\text{ArcSin}(ax)^3} + \frac{4ax(-2+3a^2x^2)}{\text{ArcSin}(ax)^2} + \frac{4\sqrt{1-a^2x^2}(-2+9a^2x^2)}{\text{ArcSin}(ax)} + \text{Si}(\text{ArcSin}(ax)) - 27\text{Si}(3\text{ArcSin}(ax))}{24a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcSin[a\*x]^4,x]

[Out]  $((-8a^2x^2\sqrt{1-a^2x^2})/\text{ArcSin}[a*x]^3 + (4a*x*(-2 + 3a^2*x^2))/\text{ArcSin}[a*x]^2 + (4*\sqrt{1-a^2*x^2}*(-2 + 9a^2*x^2))/\text{ArcSin}[a*x] + \text{SinIntegral}[\text{ArcSin}[a*x]] - 27*\text{SinIntegral}[3*\text{ArcSin}[a*x]])/(24*a^3)$

**Maple [A]**

time = 0.02, size = 117, normalized size = 0.83

method	result
derivativedivides	$\frac{-\frac{\sqrt{-a^2x^2+1}}{12\arcsin(ax)^3} + \frac{ax}{24\arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{24\arcsin(ax)} + \frac{\text{sinIntegral}(\arcsin(ax))}{24} + \frac{\cos(3\arcsin(ax))}{12\arcsin(ax)^3} - \frac{\sin(3\arcsin(ax))}{8\arcsin(ax)^2} - \frac{3\cos(3\arcsin(ax))}{8\arcsin(ax)}}{a^3}$
default	$\frac{-\frac{\sqrt{-a^2x^2+1}}{12\arcsin(ax)^3} + \frac{ax}{24\arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{24\arcsin(ax)} + \frac{\text{sinIntegral}(\arcsin(ax))}{24} + \frac{\cos(3\arcsin(ax))}{12\arcsin(ax)^3} - \frac{\sin(3\arcsin(ax))}{8\arcsin(ax)^2} - \frac{3\cos(3\arcsin(ax))}{8\arcsin(ax)}}{a^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arcsin(a\*x)^4,x,method=\_RETURNVERBOSE)

[Out]  $1/a^3*(-1/12/\arcsin(a*x)^3*(-a^2*x^2+1)^{(1/2)}+1/24*a*x/\arcsin(a*x)^2+1/24/a*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}+1/24*\text{Si}(\arcsin(a*x))+1/12/\arcsin(a*x)^3*\cos(3*\arcsin(a*x))-1/8/\arcsin(a*x)^2*\sin(3*\arcsin(a*x))-3/8/\arcsin(a*x)*\cos(3*\arcsin(a*x))-9/8*\text{Si}(3*\arcsin(a*x)))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^4,x, algorithm="maxima")

[Out]  $-1/6*(6*a^3*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3*\text{integrate}(1/6*(27*a^2*x^3 - 20*x)*\sqrt{a*x+1}*\sqrt{-a*x+1}/((a^3*x^2 - a)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})), x) + (2*a^2*x^2 - (9*a^2*x^2 - 2)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^2)*\sqrt{a*x+1}*\sqrt{-a*x+1} - (3*a^3*x^3 - 2*a*x)*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1}))/((a^3*\arctan2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3)$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2/arcsin(a*x)^4,x, algorithm="fricas")``[Out] integral(x^2/arcsin(a*x)^4, x)`**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**2/asin(a*x)**4,x)``[Out] Integral(x**2/asin(a*x)**4, x)`**Giac [A]**

time = 0.42, size = 148, normalized size = 1.05

$$\frac{(a^2x^2 - 1)x}{2a^2 \operatorname{arcsin}(ax)^2} - \frac{9 \operatorname{Si}(3 \operatorname{arcsin}(ax))}{8a^3} + \frac{\operatorname{Si}(\operatorname{arcsin}(ax))}{24a^3} - \frac{3(-a^2x^2 + 1)^{\frac{3}{2}}}{2a^3 \operatorname{arcsin}(ax)} + \frac{x}{6a^2 \operatorname{arcsin}(ax)^2} + \frac{7\sqrt{-a^2x^2 + 1}}{6a^3 \operatorname{arcsin}(ax)} + \frac{(-a^2x^2 + 1)^{\frac{3}{2}}}{3a^3 \operatorname{arcsin}(ax)^3} - \frac{\sqrt{-a^2x^2 + 1}}{3a^3 \operatorname{arcsin}(ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2/arcsin(a*x)^4,x, algorithm="giac")`

```
[Out] 1/2*(a^2*x^2 - 1)*x/(a^2*arcsin(a*x)^2) - 9/8*sin_integral(3*arcsin(a*x))/a^3 + 1/24*sin_integral(arcsin(a*x))/a^3 - 3/2*(-a^2*x^2 + 1)^(3/2)/(a^3*arcsin(a*x)) + 1/6*x/(a^2*arcsin(a*x)^2) + 7/6*sqrt(-a^2*x^2 + 1)/(a^3*arcsin(a*x)) + 1/3*(-a^2*x^2 + 1)^(3/2)/(a^3*arcsin(a*x)^3) - 1/3*sqrt(-a^2*x^2 + 1)/(a^3*arcsin(a*x)^3)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2/asin(a*x)^4,x)``[Out] int(x^2/asin(a*x)^4, x)`

### 3.70 $\int \frac{x}{\text{ArcSin}(ax)^4} dx$

**Optimal.** Leaf size=97

$$-\frac{x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{1}{6a^2\text{ArcSin}(ax)^2} + \frac{x^2}{3\text{ArcSin}(ax)^2} + \frac{2x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)} - \frac{2\text{CosIntegral}(2\text{ArcSin}(ax))}{3a^2}$$

[Out]  $-1/6/a^2/\arcsin(ax)^2 + 1/3*x^2/\arcsin(ax)^2 - 2/3*Ci(2*\arcsin(ax))/a^2 - 1/3*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(ax)^3 + 2/3*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(ax)$

**Rubi [A]**

time = 0.11, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4729, 4807, 4727, 3383, 4737}

$$-\frac{2\text{CosIntegral}(2\text{ArcSin}(ax))}{3a^2} + \frac{2x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)} - \frac{x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} - \frac{1}{6a^2\text{ArcSin}(ax)^2} + \frac{x^2}{3\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcSin[a\*x]^4,x]

[Out]  $-1/3*(x*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcSin}[a*x]^3) - 1/(6*a^2*\text{ArcSin}[a*x]^2) + x^2/(3*\text{ArcSin}[a*x]^2) + (2*x*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]) - (2*\text{CosIntegral}[2*\text{ArcSin}[a*x]])/(3*a^2)$

Rule 3383

Int[sin[(e.) + (f.)\*(x.)]/((c.) + (d.)\*(x.)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 4727

Int[((a.) + ArcSin[(c.)\*(x.)]\*(b.))^(n.)\*(x.)^(m.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] - Dist[1/(b^2\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 4729

Int[((a.) + ArcSin[(c.)\*(x.)]\*(b.))^(n.)\*(x.)^(m.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*((m + 1)/(b\*(n + 1))), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x)) /; FreeQ[{a, b, c}, x] && IGtQ[m,

0] && LtQ[n, -2]

### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x}{\sin^{-1}(ax)^4} dx &= -\frac{x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^3} + \frac{\int \frac{1}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3} dx}{3a} - \frac{1}{3}(2a) \int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3} dx \\ &= -\frac{x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^3} - \frac{1}{6a^2\sin^{-1}(ax)^2} + \frac{x^2}{3\sin^{-1}(ax)^2} - \frac{2}{3} \int \frac{x}{\sin^{-1}(ax)^2} dx \\ &= -\frac{x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^3} - \frac{1}{6a^2\sin^{-1}(ax)^2} + \frac{x^2}{3\sin^{-1}(ax)^2} + \frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)} - \frac{2\text{Subst}\left(\int \frac{\cos(2x)}{x} dx\right)}{3a^2} \\ &= -\frac{x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^3} - \frac{1}{6a^2\sin^{-1}(ax)^2} + \frac{x^2}{3\sin^{-1}(ax)^2} + \frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)} - \frac{2\text{Ci}(2\sin^{-1}(ax))}{3a^2} \end{aligned}$$

### Mathematica [A]

time = 0.07, size = 86, normalized size = 0.89

$$\frac{-2ax\sqrt{1-a^2x^2} + (-1+2a^2x^2)\text{ArcSin}(ax) + 4ax\sqrt{1-a^2x^2}\text{ArcSin}(ax)^2 - 4\text{ArcSin}(ax)^3\text{CosIntegral}(2\text{ArcSin}(ax))}{6a^2\text{ArcSin}(ax)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcSin[a\*x]^4,x]

[Out] (-2\*a\*x\*Sqrt[1 - a^2\*x^2] + (-1 + 2\*a^2\*x^2)\*ArcSin[a\*x] + 4\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2 - 4\*ArcSin[a\*x]^3\*CosIntegral[2\*ArcSin[a\*x]])/(6\*a^2\*ArcSin[a\*x]^3)

**Maple [A]**

time = 0.02, size = 60, normalized size = 0.62

method	result	size
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(ax))}{6 \arcsin(ax)^3} - \frac{\cos(2 \arcsin(ax))}{6 \arcsin(ax)^2} + \frac{\sin(2 \arcsin(ax))}{3 \arcsin(ax)} - \frac{2 \operatorname{cosineIntegral}(2 \arcsin(ax))}{3}}{a^2}$	60
default	$\frac{-\frac{\sin(2 \arcsin(ax))}{6 \arcsin(ax)^3} - \frac{\cos(2 \arcsin(ax))}{6 \arcsin(ax)^2} + \frac{\sin(2 \arcsin(ax))}{3 \arcsin(ax)} - \frac{2 \operatorname{cosineIntegral}(2 \arcsin(ax))}{3}}{a^2}$	60

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/arcsin(a*x)^4,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^2*(-1/6/arcsin(a*x)^3*sin(2*arcsin(a*x))-1/6/arcsin(a*x)^2*cos(2*arcsin(a*x))+1/3/arcsin(a*x)*sin(2*arcsin(a*x))-2/3*Ci(2*arcsin(a*x)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^4,x, algorithm="maxima")
```

```
[Out] -1/6*(6*a^2*arctan2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))^3*integrate(2/3*(2*a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^3*x^2 - a)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - 2*(2*a*x*arctan2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))^2 - a*x)*sqrt(a*x + 1)*sqrt(-a*x + 1) - (2*a^2*x^2 - 1)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))/(a^2*arctan2(a*x, sqrt(a*x + 1))*sqrt(-a*x + 1))^3)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^4,x, algorithm="fricas")
```

```
[Out] integral(x/arcsin(a*x)^4, x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a \sin^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x)\*\*4,x)

[Out] Integral(x/asin(a\*x)\*\*4, x)

**Giac [A]**

time = 0.42, size = 92, normalized size = 0.95

$$\frac{2\sqrt{-a^2x^2+1}x}{3a\arcsin(ax)} - \frac{2\operatorname{Ci}(2\arcsin(ax))}{3a^2} - \frac{\sqrt{-a^2x^2+1}x}{3a\arcsin(ax)^3} + \frac{a^2x^2-1}{3a^2\arcsin(ax)^2} + \frac{1}{6a^2\arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^4,x, algorithm="giac")

[Out] 2/3\*sqrt(-a^2\*x^2 + 1)\*x/(a\*arcsin(a\*x)) - 2/3\*cos\_integral(2\*arcsin(a\*x))/a^2 - 1/3\*sqrt(-a^2\*x^2 + 1)\*x/(a\*arcsin(a\*x)^3) + 1/3\*(a^2\*x^2 - 1)/(a^2\*a  
rcsin(a\*x)^2) + 1/6/(a^2\*arcsin(a\*x)^2)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^4,x)

[Out] int(x/asin(a\*x)^4, x)



### 3.71 $\int \frac{1}{\text{ArcSin}(ax)^4} dx$

Optimal. Leaf size=78

$$-\frac{\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} + \frac{x}{6\text{ArcSin}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{6a\text{ArcSin}(ax)} + \frac{\text{Si}(\text{ArcSin}(ax))}{6a}$$

[Out] 1/6\*x/arcsin(a\*x)^2+1/6\*Si(arcsin(a\*x))/a-1/3\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)^3+1/6\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)

Rubi [A]

time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4717, 4807, 4809, 3380}

$$\frac{\sqrt{1-a^2x^2}}{6a\text{ArcSin}(ax)} - \frac{\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^3} + \frac{\text{Si}(\text{ArcSin}(ax))}{6a} + \frac{x}{6\text{ArcSin}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(-4), x]

[Out] -1/3\*Sqrt[1 - a^2\*x^2]/(a\*ArcSin[a\*x]^3) + x/(6\*ArcSin[a\*x]^2) + Sqrt[1 - a^2\*x^2]/(6\*a\*ArcSin[a\*x]) + SinIntegral[ArcSin[a\*x]]/(6\*a)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4807

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sin^{-1}(ax)^4} dx &= -\frac{\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^3} - \frac{1}{3}a \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3} dx \\
&= -\frac{\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^3} + \frac{x}{6 \sin^{-1}(ax)^2} - \frac{1}{6} \int \frac{1}{\sin^{-1}(ax)^2} dx \\
&= -\frac{\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^3} + \frac{x}{6 \sin^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{6a \sin^{-1}(ax)} + \frac{1}{6}a \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx \\
&= -\frac{\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^3} + \frac{x}{6 \sin^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{6a \sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{6a} \\
&= -\frac{\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^3} + \frac{x}{6 \sin^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{6a \sin^{-1}(ax)} + \frac{\text{Si}(\sin^{-1}(ax))}{6a}
\end{aligned}$$

**Mathematica** [A]

time = 0.04, size = 70, normalized size = 0.90

$$\frac{-2\sqrt{1-a^2x^2} + ax \text{ArcSin}(ax) + \sqrt{1-a^2x^2} \text{ArcSin}(ax)^2 + \text{ArcSin}(ax)^3 \text{Si}(\text{ArcSin}(ax))}{6a \text{ArcSin}(ax)^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-4), x]

[Out] (-2\*Sqrt[1 - a^2\*x^2] + a\*x\*ArcSin[a\*x] + Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2 + ArcSin[a\*x]^3\*SinIntegral[ArcSin[a\*x]])/(6\*a\*ArcSin[a\*x]^3)

**Maple** [A]

time = 0.02, size = 63, normalized size = 0.81

method	result	size
derivativedivides	$ \frac{-\frac{\sqrt{-a^2x^2+1}}{3 \arcsin(ax)^3} + \frac{ax}{6 \arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{6 \arcsin(ax)} + \frac{\text{sinIntegral}(\arcsin(ax))}{6}}{a} $	63

default	$\frac{-\frac{\sqrt{-a^2x^2+1}}{3\arcsin(ax)^3} + \frac{ax}{6\arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{6\arcsin(ax)} + \frac{\sin\text{Integral}(\arcsin(ax))}{6}}{a}$	63
---------	---	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/arcsin(a*x)^4,x,method=_RETURNVERBOSE)`

[Out] `1/a*(-1/3/arcsin(a*x)^3*(-a^2*x^2+1)^(1/2)+1/6*a*x/arcsin(a*x)^2+1/6/arcsin(a*x)*(-a^2*x^2+1)^(1/2)+1/6*Si(arcsin(a*x)))`

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^4,x, algorithm="maxima")`

[Out] `-1/6*(6*a^2*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3*integrate(1/6*sqrt(a*x + 1)*sqrt(-a*x + 1)*x/((a^2*x^2 - 1)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - a*x*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)) - sqrt(a*x + 1)*sqrt(-a*x + 1)*(arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2 - 2))/(a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3)`

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^4,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^(-4), x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\text{asin}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/asin(a*x)**4,x)`

[Out] `Integral(asin(a*x)**(-4), x)`

**Giac [A]**

time = 0.41, size = 66, normalized size = 0.85

$$\frac{\operatorname{Si}(\arcsin(ax))}{6a} + \frac{x}{6 \arcsin(ax)^2} + \frac{\sqrt{-a^2x^2+1}}{6a \arcsin(ax)} - \frac{\sqrt{-a^2x^2+1}}{3a \arcsin(ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/arcsin(a*x)^4,x, algorithm="giac")``[Out] 1/6*sin_integral(arcsin(a*x))/a + 1/6*x/arcsin(a*x)^2 + 1/6*sqrt(-a^2*x^2 + 1)/(a*arcsin(a*x)) - 1/3*sqrt(-a^2*x^2 + 1)/(a*arcsin(a*x)^3)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/asin(a*x)^4,x)``[Out] int(1/asin(a*x)^4, x)`

$$3.72 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^4,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^4} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^4),x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^4), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^4} dx = \int \frac{1}{x \sin^{-1}(ax)^4} dx$$

Mathematica [A]

time = 1.49, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^4} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^4),x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^4), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arcsin(a*x)^4,x)`

[Out] `int(1/x/arcsin(a*x)^4,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^4,x, algorithm="maxima")`

[Out] `-1/6*(6*a^3*x^3*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3*integrate(1/3*(2*a^2*x^2 - 3)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^5*x^6 - a^3*x^4)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x) - a*x*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)) + 2*(a^2*x^2 + arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2)*sqrt(a*x + 1)*sqrt(-a*x + 1)/(a^3*x^3*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^4,x, algorithm="fricas")`

[Out] `integral(1/(x*arcsin(a*x)^4), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/asin(a*x)**4,x)`

[Out] `Integral(1/(x*asin(a*x)**4), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^4,x, algorithm="giac")`

[Out] integrate(1/(x\*arcsin(a\*x)^4), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \operatorname{asin}(a x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^4),x)

[Out] int(1/(x\*asin(a\*x)^4), x)

$$3.73 \quad \int \frac{1}{x^2 \mathbf{ArcSin}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \mathbf{ArcSin}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x^2/arcsin(a\*x)^4,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^4} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*ArcSin[a\*x]^4),x]

[Out] Defer[Int][1/(x^2\*ArcSin[a\*x]^4), x]

Rubi steps

$$\int \frac{1}{x^2 \sin^{-1}(ax)^4} dx = \int \frac{1}{x^2 \sin^{-1}(ax)^4} dx$$

Mathematica [A]

time = 11.74, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \mathbf{ArcSin}(ax)^4} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*ArcSin[a\*x]^4),x]

[Out] Integrate[1/(x^2\*ArcSin[a\*x]^4), x]

Maple [A]

time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arcsin(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(1/x^2/arcsin(a\*x)^4,x)

[Out] int(1/x^2/arcsin(a\*x)^4,x)

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^4,x, algorithm="maxima")

[Out] 1/6\*(6\*a^3\*x^4\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^3\*integrate(1/6\*(a^4\*x^4 - 20\*a^2\*x^2 + 24)\*sqrt(a\*x + 1)\*sqrt(-a\*x + 1)/((a^5\*x^7 - a^3\*x^5)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))), x) - (2\*a^2\*x^2 - (a^2\*x^2 - 6)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2)\*sqrt(a\*x + 1)\*sqrt(-a\*x + 1) - (a^3\*x^3 - 2\*a\*x)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))/(a^3\*x^4\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^3)

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^4,x, algorithm="fricas")

[Out] integral(1/(x^2\*arcsin(a\*x)^4), x)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{asin}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/asin(a\*x)\*\*4,x)

[Out] Integral(1/(x\*\*2\*asin(a\*x)\*\*4), x)

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)^4,x, algorithm="giac")

[Out] integrate(1/(x^2\*arcsin(a\*x)^4), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \operatorname{asin}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*asin(a\*x)^4),x)

[Out] int(1/(x^2\*asin(a\*x)^4), x)

### 3.74 $\int x^4 \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=121

$$\frac{1}{5}x^5 \sqrt{\text{ArcSin}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^5} - \frac{\sqrt{\frac{\pi}{10}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{80a^5}$$

[Out]  $-1/800*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/96*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5-1/16*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/5*x^5*\arcsin(a*x)^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4725, 4809, 3393, 3386, 3432}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^5} - \frac{\sqrt{\frac{\pi}{10}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{80a^5} + \frac{1}{5}x^5 \sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x^4*Sqrt[ArcSin[a*x]],x]`

[Out]  $(x^5*\text{Sqrt}[\text{ArcSin}[a*x]])/5 - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(8*a^5) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(16*a^5) - (\text{Sqrt}[\text{Pi}/10]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(80*a^5)$

Rule 3386

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3393

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rule 3432

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^4 \sqrt{\sin^{-1}(ax)} dx &= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{1}{10} a \int \frac{x^5}{\sqrt{1 - a^2 x^2} \sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin^5(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{10a^5} \\
&= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{5 \sin(x)}{8\sqrt{x}} - \frac{5 \sin(3x)}{16\sqrt{x}} + \frac{\sin(5x)}{16\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{10a^5} \\
&= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(5x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{160a^5} + \frac{\text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{32a^5} \\
&= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \sin(5x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{80a^5} + \frac{\text{Subst}\left(\int \sin(3x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{16a^5} \\
&= \frac{1}{5} x^5 \sqrt{\sin^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{16a^5} - \dots
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.05, size = 204, normalized size = 1.69

$$\frac{i\sqrt{\text{ArcSin}(ax)} \left(-150\sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) - \text{ArcSin}(ax)\right) + 150\sqrt{-\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) + 25\sqrt{3}\sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) - 30\text{ArcSin}(ax) - 25\sqrt{3}\sqrt{-\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) + 30\text{ArcSin}(ax) - 3\sqrt{5}\sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) - 5i\text{ArcSin}(ax) + 3\sqrt{5}\sqrt{-\text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}\right) + 5i\text{ArcSin}(ax)\right)}{2400a^5\sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*Sqrt[ArcSin[a\*x]], x]

```
[Out] ((I/2400)*Sqrt[ArcSin[a*x]]*(-150*Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-I)*ArcSin[a*x]] + 150*Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, I*ArcSin[a*x]] + 25*Sqrt[3]*Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-3*I)*ArcSin[a*x]] - 25*Sqrt[3]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (3*I)*ArcSin[a*x]] - 3*Sqrt[5]*Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-5*I)*ArcSin[a*x]] + 3*Sqrt[5]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (5*I)*ArcSin[a*x]]))/(a^5*Sqrt[ArcSin[a*x]^2])
```

**Maple [A]**

time = 0.10, size = 143, normalized size = 1.18

method	result
default	$-\frac{3\sqrt{\pi}\sqrt{5}\sqrt{2}\sqrt{\arcsin(ax)}s\left(\frac{\sqrt{2}\sqrt{5}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)-25\sqrt{\pi}\sqrt{3}\sqrt{2}\sqrt{\arcsin(ax)}s\left(\frac{\sqrt{2}}{\sqrt{\pi}}\right)}{a^5\sqrt{\arcsin(ax)^2}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/2400/a^5/arcsin(a*x)^(1/2)*(3*Pi^(1/2)*5^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*5^(1/2)*arcsin(a*x)^(1/2))-25*Pi^(1/2)*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+150*Pi^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))-300*a*x*arcsin(a*x)+150*arcsin(a*x)*sin(3*arcsin(a*x))-30*arcsin(a*x)*sin(5*arcsin(a*x))
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*asin(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*4\*sqrt(asin(a\*x)), x)

**Giac [C]** Result contains complex when optimal does not.

time = 0.48, size = 247, normalized size = 2.04

$$\frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1-1/2) \sqrt{10}}{10}\right)}{100} + \frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1+1/2) \sqrt{10}}{10}\right)}{100} + \frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1-1/2) \sqrt{6}}{6}\right)}{36} + \frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1+1/2) \sqrt{6}}{6}\right)}{36} + \frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1-1/2) \sqrt{2}}{2}\right)}{4} + \frac{(0.0, 0.0) \operatorname{erf}\left(\frac{(1+1/2) \sqrt{2}}{2}\right)}{4} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160} + \frac{1}{160}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out]  $-(1/3200*I - 1/3200)*\sqrt{10}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{10}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 + (1/3200*I + 1/3200)*\sqrt{10}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{10}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 + (1/384*I - 1/384)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{6}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 - (1/384*I + 1/384)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{6}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 - (1/64*I - 1/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 + (1/64*I + 1/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{2}*\sqrt{\operatorname{arcsin}(a*x)})/a^5 - 1/160*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(5*I*\operatorname{arcsin}(a*x))}/a^5 + 1/32*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(3*I*\operatorname{arcsin}(a*x))}/a^5 - 1/16*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(I*\operatorname{arcsin}(a*x))}/a^5 + 1/16*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(-I*\operatorname{arcsin}(a*x))}/a^5 - 1/32*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(-3*I*\operatorname{arcsin}(a*x))}/a^5 + 1/160*I*\sqrt{\operatorname{arcsin}(a*x)}*e^{(-5*I*\operatorname{arcsin}(a*x))}/a^5$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \sqrt{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*asin(a\*x)^(1/2),x)

[Out] int(x^4\*asin(a\*x)^(1/2), x)

### 3.75 $\int x^3 \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=95

$$-\frac{3\sqrt{\text{ArcSin}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\text{ArcSin}(ax)} - \frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{64a^4} + \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{16a^4}$$

[Out]  $-1/128*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4 + 1/16*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4 - 3/32*\arcsin(a*x)^{(1/2)}/a^4 + 1/4*x^4*\arcsin(a*x)^{(1/2)}$

Rubi [A]

time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4725, 4809, 3393, 3385, 3433}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{64a^4} + \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{16a^4} - \frac{3\sqrt{\text{ArcSin}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x^3*Sqrt[ArcSin[a*x]],x]`

[Out]  $(-3*\text{Sqrt}[\text{ArcSin}[a*x]])/(32*a^4) + (x^4*\text{Sqrt}[\text{ArcSin}[a*x]])/4 - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/(64*a^4) + (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(16*a^4)$

Rule 3385

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3393

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rule 3433

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{\sin^{-1}(ax)} dx &= \frac{1}{4}x^4 \sqrt{\sin^{-1}(ax)} - \frac{1}{8}a \int \frac{x^4}{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{1}{4}x^4 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin^4(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^4} \\
&= \frac{1}{4}x^4 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} - \frac{\cos(2x)}{2\sqrt{x}} + \frac{\cos(4x)}{8\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{8a^4} \\
&= -\frac{3\sqrt{\sin^{-1}(ax)}}{32a^4} + \frac{1}{4}x^4 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{64a^4} + \frac{\text{Subst}\left(\int \cos(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{32a^4} \\
&= -\frac{3\sqrt{\sin^{-1}(ax)}}{32a^4} + \frac{1}{4}x^4 \sqrt{\sin^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{64a^4} + \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a^4}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 138, normalized size = 1.45

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( -4\sqrt{2} \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, -2i \text{ArcSin}(ax)\right) - 4\sqrt{2} \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, 2i \text{ArcSin}(ax)\right) + \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, -4i \text{ArcSin}(ax)\right) + \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, 4i \text{ArcSin}(ax)\right) \right)}{128a^4 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Sqrt[ArcSin[a\*x]], x]



```
[Out] (Sqrt[ArcSin[a*x]]*(-4*Sqrt[2]*Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-2*I)*ArcSin[a*x]] - 4*Sqrt[2]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (2*I)*ArcSin[a*x]] + Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-4*I)*ArcSin[a*x]] + Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (4*I)*ArcSin[a*x]]))/(128*a^4*Sqrt[ArcSin[a*x]^2])
```

**Maple [A]**

time = 0.05, size = 90, normalized size = 0.95

method	result
default	$-\frac{\text{FresnelC}\left(\frac{2\sqrt{2}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\arcsin(ax)}\sqrt{\pi} + 16\arcsin(ax)\cos(2\arcsin(ax)) - 8\text{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{128a^4\sqrt{\arcsin(ax)}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/128/a^4/arcsin(a*x)^(1/2)*(FresnelC(2*2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)+16*arcsin(a*x)*cos(2*arcsin(a*x))-8*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(1/2)*Pi^(1/2)-4*arcsin(a*x)*cos(4*arcsin(a*x)))
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*3\*sqrt(asin(a\*x)), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.45, size = 153, normalized size = 1.61

$$\frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{(i-1)\sqrt{2}\sqrt{\operatorname{asin}(ax)}}{512a^4}\right) - (i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{-(i+1)\sqrt{2}\sqrt{\operatorname{asin}(ax)}}{512a^4}\right) - (i+1)\sqrt{\pi}\operatorname{erf}\left(\frac{(i-1)\sqrt{\operatorname{asin}(ax)}}{64a^4}\right) + (i-1)\sqrt{\pi}\operatorname{erf}\left(\frac{-(i+1)\sqrt{\operatorname{asin}(ax)}}{64a^4}\right) + \sqrt{\operatorname{asin}(ax)}\frac{e^{4\operatorname{asin}(ax)}}{64a^4} - \sqrt{\operatorname{asin}(ax)}\frac{e^{2\operatorname{asin}(ax)}}{16a^4} - \sqrt{\operatorname{asin}(ax)}\frac{e^{-2\operatorname{asin}(ax)}}{16a^4} + \sqrt{\operatorname{asin}(ax)}\frac{e^{-4\operatorname{asin}(ax)}}{64a^4}}{512a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] (1/512\*I + 1/512)\*sqrt(2)\*sqrt(pi)\*erf((I - 1)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^4 - (1/512\*I - 1/512)\*sqrt(2)\*sqrt(pi)\*erf(-(I + 1)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^4 - (1/64\*I + 1/64)\*sqrt(pi)\*erf((I - 1)\*sqrt(arcsin(a\*x)))/a^4 + (1/64\*I - 1/64)\*sqrt(pi)\*erf(-(I + 1)\*sqrt(arcsin(a\*x)))/a^4 + 1/64\*sqrt(arcsin(a\*x))\*e^(4\*I\*arcsin(a\*x))/a^4 - 1/16\*sqrt(arcsin(a\*x))\*e^(2\*I\*arcsin(a\*x))/a^4 - 1/16\*sqrt(arcsin(a\*x))\*e^(-2\*I\*arcsin(a\*x))/a^4 + 1/64\*sqrt(arcsin(a\*x))\*e^(-4\*I\*arcsin(a\*x))/a^4

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \sqrt{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*asin(a\*x)^(1/2),x)

[Out] int(x^3\*asin(a\*x)^(1/2), x)

### 3.76 $\int x^2 \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=86

$$\frac{1}{3}x^3\sqrt{\text{ArcSin}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^3} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{12a^3}$$

[Out] 1/72\*FresnelS(6^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*6^(1/2)\*Pi^(1/2)/a^3-1/8\*FresnelS(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^3+1/3\*x^3\*arcsin(a\*x)^(1/2)

Rubi [A]

time = 0.13, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4725, 4809, 3393, 3386, 3432}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^3} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{12a^3} + \frac{1}{3}x^3\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[ArcSin[a\*x]],x]

[Out] (x^3\*Sqrt[ArcSin[a\*x]])/3 - (Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(4\*a^3) + (Sqrt[Pi/6]\*FresnelS[Sqrt[6/Pi]\*Sqrt[ArcSin[a\*x]]])/(12\*a^3)

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3393

Int[((c\_.) + (d\_.)\*(x\_.))^m\_\*sin[(e\_.) + (f\_.)\*(x\_.)]^n, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{\sin^{-1}(ax)} \, dx &= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} - \frac{1}{6}a \int \frac{x^3}{\sqrt{1 - a^2x^2} \sqrt{\sin^{-1}(ax)}} \, dx \\
&= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin^3(x)}{\sqrt{x}} \, dx, x, \sin^{-1}(ax)\right)}{6a^3} \\
&= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3\sin(x)}{4\sqrt{x}} - \frac{\sin(3x)}{4\sqrt{x}}\right) \, dx, x, \sin^{-1}(ax)\right)}{6a^3} \\
&= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{x}} \, dx, x, \sin^{-1}(ax)\right)}{24a^3} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} \, dx, x, \sin^{-1}(ax)\right)}{8a^3} \\
&= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \sin(3x^2) \, dx, x, \sqrt{\sin^{-1}(ax)}\right)}{12a^3} - \frac{\text{Subst}\left(\int \sin(x^2) \, dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^3} \\
&= \frac{1}{3}x^3 \sqrt{\sin^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{4a^3} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{12a^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 126, normalized size = 1.47

$$\frac{9\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, -i\text{ArcSin}(ax)\right) + 9\sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, i\text{ArcSin}(ax)\right) - \sqrt{3}\left(\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, -3i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, 3i\text{ArcSin}(ax)\right)\right)}{72a^3 \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[ArcSin[a\*x]], x]

```
[Out] (9*Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (-I)*ArcSin[a*x]] + 9*Sqrt[I*ArcSin[a*
x]]*Gamma[3/2, I*ArcSin[a*x]] - Sqrt[3]*(Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2,
(-3*I)*ArcSin[a*x]] + Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (3*I)*ArcSin[a*x]]))/(
72*a^3*Sqrt[ArcSin[a*x]])
```

**Maple [A]**

time = 0.04, size = 96, normalized size = 1.12

method	result
default	$-\frac{\sqrt{\pi} \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) + 9\sqrt{\pi} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{72a^3 \sqrt{\arcsin(ax)}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/72/a^3/arcsin(a*x)^(1/2)*(-Pi^(1/2)*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*Fr
esnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+9*Pi^(1/2)*2^(1/2)*arcsi
n(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))-18*a*x*arcsin(a*x
)+6*arcsin(a*x)*sin(3*arcsin(a*x)))
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x)\*\*(1/2),x)

[Out] Integral(x\*\*2\*sqrt(asin(a\*x)), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.47, size = 165, normalized size = 1.92

$$\frac{(i-1)\sqrt{6}\sqrt{e^{\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{6}\sqrt{\arcsin(ax)}}}}{288a^3} - \frac{(i+1)\sqrt{6}\sqrt{e^{\left(-\frac{1}{2}i+\frac{1}{2}\right)\sqrt{6}\sqrt{\arcsin(ax)}}}}{288a^3} - \frac{(i-1)\sqrt{2}\sqrt{e^{\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}}}{32a^3} + \frac{(i+1)\sqrt{2}\sqrt{e^{\left(-\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}}}{32a^3} + \frac{i\sqrt{\arcsin(ax)}e^{(3i\arcsin(ax))}}{24a^3} - \frac{i\sqrt{\arcsin(ax)}e^{(3i\arcsin(ax))}}{8a^3} + \frac{i\sqrt{\arcsin(ax)}e^{(-3i\arcsin(ax))}}{8a^3} - \frac{i\sqrt{\arcsin(ax)}e^{(-3i\arcsin(ax))}}{24a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] (1/288\*I - 1/288)\*sqrt(6)\*sqrt(pi)\*erf((1/2\*I - 1/2)\*sqrt(6)\*sqrt(arcsin(a\*x)))/a^3 - (1/288\*I + 1/288)\*sqrt(6)\*sqrt(pi)\*erf(-(1/2\*I + 1/2)\*sqrt(6)\*sqrt(arcsin(a\*x)))/a^3 - (1/32\*I - 1/32)\*sqrt(2)\*sqrt(pi)\*erf((1/2\*I - 1/2)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^3 + (1/32\*I + 1/32)\*sqrt(2)\*sqrt(pi)\*erf(-(1/2\*I + 1/2)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^3 + 1/24\*I\*sqrt(arcsin(a\*x))\*e^(3\*I\*arcsin(a\*x))/a^3 - 1/8\*I\*sqrt(arcsin(a\*x))\*e^(I\*arcsin(a\*x))/a^3 + 1/8\*I\*sqrt(arcsin(a\*x))\*e^(-I\*arcsin(a\*x))/a^3 - 1/24\*I\*sqrt(arcsin(a\*x))\*e^(-3\*I\*arcsin(a\*x))/a^3

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*asin(a\*x)^(1/2),x)

[Out] int(x^2\*asin(a\*x)^(1/2), x)

### 3.77 $\int x \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=59

$$-\frac{\sqrt{\text{ArcSin}(ax)}}{4a^2} + \frac{1}{2}x^2 \sqrt{\text{ArcSin}(ax)} + \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{8a^2}$$

[Out]  $1/8*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-1/4*\arcsin(a*x)^{(1/2)}/a^2+1/2*x^2*\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.10, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4725, 4809, 3393, 3385, 3433}

$$\frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{8a^2} - \frac{\sqrt{\text{ArcSin}(ax)}}{4a^2} + \frac{1}{2}x^2 \sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[ArcSin[a*x]],x]`

[Out]  $-1/4*\text{Sqrt}[\text{ArcSin}[a*x]]/a^2 + (x^2*\text{Sqrt}[\text{ArcSin}[a*x]])/2 + (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(8*a^2)$

Rule 3385

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3393

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rule 3433

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

Rule 4725

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[x^(m+1)*((a + b*ArcSin[c*x])^n/(m+1)), x] - Dist[b*c*(n/(m+1)), Int[x^`

$(m + 1) * ((a + b * \text{ArcSin}[c * x])^{(n - 1)} / \text{Sqrt}[1 - c^2 * x^2]), x, x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

### Rule 4809

$\text{Int}[(a + \text{ArcSin}[c * x]) * (b + x)^{(n - 1)} * (d + e * x)^{(m - 1)} * (d + e * x)^{(p - 1)} / (1 - c^2 * x^2)^{(p - 1)}, x\_Symbol] :> \text{Dist}[(1 / (b * c^{(m + 1)})) * \text{Simp}[(d + e * x)^p / (1 - c^2 * x^2)^p], \text{Subst}[\text{Int}[x^n * \text{Sin}[-a/b + x/b]^m * \text{Cos}[-a/b + x/b]^{(2 * p + 1)}, x], x, a + b * \text{ArcSin}[c * x]], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2 * d + e, 0] \&\& \text{IGtQ}[2 * p + 2, 0] \&\& \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int x \sqrt{\sin^{-1}(ax)} dx &= \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} - \frac{1}{4} a \int \frac{x^2}{\sqrt{1 - a^2 x^2} \sqrt{\sin^{-1}(ax)}} dx \\ &= \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin^2(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a^2} \\ &= \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} - \frac{\cos(2x)}{2\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{4a^2} \\ &= -\frac{\sqrt{\sin^{-1}(ax)}}{4a^2} + \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^2} \\ &= -\frac{\sqrt{\sin^{-1}(ax)}}{4a^2} + \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} + \frac{\text{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^2} \\ &= -\frac{\sqrt{\sin^{-1}(ax)}}{4a^2} + \frac{1}{2} x^2 \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^2} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.01, size = 81, normalized size = 1.37

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, -2i \text{ArcSin}(ax)\right) + \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{3}{2}, 2i \text{ArcSin}(ax)\right) \right)}{8\sqrt{2} a^2 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[ArcSin[a\*x]], x]



```
[Out] -1/8*(Sqrt[ArcSin[a*x]]*(Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (-2*I)*ArcSin[a*x]]
+ Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (2*I)*ArcSin[a*x]]))/(Sqrt[2]*a^2*Sqrt
[ArcSin[a*x]^2])
```

**Maple [A]**

time = 0.03, size = 42, normalized size = 0.71

method	result	size
default	$\frac{-2\sqrt{\arcsin(ax)}\sqrt{\pi}\cos(2\arcsin(ax))+\pi\operatorname{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{8a^2\sqrt{\pi}}$	42

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/8/a^2/Pi^(1/2)*(-2*arcsin(a*x)^(1/2)*Pi^(1/2)*cos(2*arcsin(a*x))+Pi*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2)))
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*asin(a\*x)\*\*(1/2),x)

[Out] Integral(x\*sqrt(asin(a\*x)), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.45, size = 71, normalized size = 1.20

$$-\frac{(i+1)\sqrt{\pi}\operatorname{erf}\left((i-1)\sqrt{\arcsin(ax)}\right)}{32a^2} + \frac{(i-1)\sqrt{\pi}\operatorname{erf}\left(-(i+1)\sqrt{\arcsin(ax)}\right)}{32a^2} - \frac{\sqrt{\arcsin(ax)}e^{2i\arcsin(ax)}}{8a^2} - \frac{\sqrt{\arcsin(ax)}e^{-2i\arcsin(ax)}}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out]  $-(1/32*I + 1/32)*\sqrt{\pi}*\operatorname{erf}((I - 1)*\sqrt{\arcsin(a*x)})/a^2 + (1/32*I - 1/32)*\sqrt{\pi}*\operatorname{erf}(-(I + 1)*\sqrt{\arcsin(a*x)})/a^2 - 1/8*\sqrt{\arcsin(a*x)}*e^{(2*I*\arcsin(a*x))/a^2} - 1/8*\sqrt{\arcsin(a*x)}*e^{(-2*I*\arcsin(a*x))/a^2}$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int x \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^(1/2),x)

[Out] int(x\*asin(a\*x)^(1/2), x)

### 3.78 $\int \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=44

$$x\sqrt{\text{ArcSin}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

[Out]  $-1/2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+x*\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.06, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4715, 4809, 3386, 3432}

$$x\sqrt{\text{ArcSin}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[ArcSin[a\*x]],x]

[Out]  $x*\text{Sqrt}[\text{ArcSin}[a*x]] - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a$

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x

$^2)^p]$ , Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{\sin^{-1}(ax)} dx &= x \sqrt{\sin^{-1}(ax)} - \frac{1}{2}a \int \frac{x}{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}} dx \\ &= x \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{2a} \\ &= x \sqrt{\sin^{-1}(ax)} - \frac{\text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a} \\ &= x \sqrt{\sin^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 66, normalized size = 1.50

$$\frac{\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, -i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{3}{2}, i\text{ArcSin}(ax)\right)}{2a \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[ArcSin[a\*x]], x]

[Out] (Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[3/2, (-I)\*ArcSin[a\*x]] + Sqrt[I\*ArcSin[a\*x]]\*Gamma[3/2, I\*ArcSin[a\*x]])/(2\*a\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.03, size = 49, normalized size = 1.11

method	result	size
default	$\frac{-\sqrt{\pi} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) + 2ax \arcsin(ax)}{2a \sqrt{\arcsin(ax)}}$	49

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(1/2), x, method=\_RETURNVERBOSE)

[Out]  $\frac{1}{2} \frac{1}{a} \arcsin(ax)^{1/2} (-\pi^{1/2} 2^{1/2} \arcsin(ax)^{1/2} \text{FresnelS}(2^{1/2} \arcsin(ax)^{1/2}) / \pi^{1/2} \arcsin(ax)^{1/2}) + 2ax \arcsin(ax)$

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**(1/2),x)`

[Out] `Integral(sqrt(asin(a*x)), x)`

**Giac** [C] Result contains complex when optimal does not.

time = 0.44, size = 83, normalized size = 1.89

$$-\frac{(i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}{8a} + \frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}{8a} - \frac{i\sqrt{\arcsin(ax)}e^{i\arcsin(ax)}}{2a} + \frac{i\sqrt{\arcsin(ax)}e^{-i\arcsin(ax)}}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(1/2),x, algorithm="giac")`

[Out]  $-(1/8I - 1/8)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a + (1/8*I + 1/8)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a$

$(a*x)))/a - 1/2*I*sqrt(arcsin(a*x))*e^{(I*arcsin(a*x))/a} + 1/2*I*sqrt(arcsin(a*x))*e^{(-I*arcsin(a*x))/a}$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^(1/2),x)`

[Out] `int(asin(a*x)^(1/2), x)`

$$3.79 \quad \int \frac{\sqrt{\text{ArcSin}(ax)}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\sqrt{\text{ArcSin}(ax)}}{x}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^(1/2)/x,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{\text{ArcSin}(ax)}}{x} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[ArcSin[a\*x]]/x,x]

[Out] Defer[Int][Sqrt[ArcSin[a\*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{x} dx = \int \frac{\sqrt{\sin^{-1}(ax)}}{x} dx$$

Mathematica [A]

time = 0.30, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\text{ArcSin}(ax)}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[ArcSin[a\*x]]/x,x]

[Out] Integrate[Sqrt[ArcSin[a\*x]]/x, x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\arcsin(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^(1/2)/x,x)
```

```
[Out] int(arcsin(a*x)^(1/2)/x,x)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^(1/2)/x,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^(1/2)/x,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\arcsin(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)**(1/2)/x,x)
```

```
[Out] Integral(sqrt(asin(a*x))/x, x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^(1/2)/x,x, algorithm="giac")
```



[Out] integrate(sqrt(arcsin(a\*x))/x, x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\sqrt{\operatorname{asin}(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^(1/2)/x,x)

[Out] int(asin(a\*x)^(1/2)/x, x)

### 3.80 $\int x^4 \text{ArcSin}(ax)^{3/2} dx$

Optimal. Leaf size=214

$$\frac{4\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{25a^5} + \frac{2x^2\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{25a^3} + \frac{3x^4\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{50a} + \frac{1}{5}x^5\text{ArcSin}(ax)$$

[Out]  $1/5*x^5*\arcsin(a*x)^{(3/2)}-3/8000*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/192*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5-3/32*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5+4/25*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a^5+2/25*x^2*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a^3+3/50*x^4*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a$

Rubi [A]

time = 0.38, antiderivative size = 282, normalized size of antiderivative = 1.32, number of steps used = 23, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4725, 4795, 4767, 4719, 3385, 3433, 4731, 4491}

$$\frac{2\sqrt{2}\text{FresnelC}\left(\sqrt{\frac{2}{5}}\sqrt{\text{ArcSin}(ax)}\right)}{25a^5} + \frac{11\sqrt{\frac{3}{2}}\text{FresnelC}\left(\sqrt{\frac{3}{2}}\sqrt{\text{ArcSin}(ax)}\right)}{400a^5} + \frac{3\sqrt{\frac{3\pi}{2}}\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{800a^5} + \frac{\sqrt{\frac{\pi}{6}}\text{FresnelC}\left(\sqrt{\frac{\pi}{2}}\sqrt{\text{ArcSin}(ax)}\right)}{50a^5} - \frac{3\sqrt{\frac{\pi}{10}}\text{FresnelC}\left(\sqrt{\frac{10}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{800a^5} + \frac{3x^2\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{50a} + \frac{4\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{25a^3} + \frac{2x^4\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{25a^5} + \frac{1}{5}x^5\text{ArcSin}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcSin[a\*x]^(3/2), x]

[Out]  $(4*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(25*a^5) + (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(25*a^3) + (3*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(50*a) + (x^5*\text{ArcSin}[a*x]^{(3/2)})/5 - (11*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(400*a^5) - (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(25*a^5) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(50*a^5) + (3*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(800*a^5) - (3*\text{Sqrt}[\text{Pi}/10]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(800*a^5)$

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 4719

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

#### Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

#### Rubi steps

$$\begin{aligned}
\int x^4 \sin^{-1}(ax)^{3/2} dx &= \frac{1}{5} x^5 \sin^{-1}(ax)^{3/2} - \frac{1}{10} (3a) \int \frac{x^5 \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} + \frac{1}{5} x^5 \sin^{-1}(ax)^{3/2} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} + \frac{1}{5} x^5 \sin^{-1}(ax)^{3/2} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{4\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{25a^3} + \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{50a} - \frac{3}{100} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx - \frac{6}{100} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.04, size = 202, normalized size = 0.94

$$\frac{\sqrt{\text{ArcSin}[ax]} \left( 2250 \sqrt{\text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, -i \text{ArcSin}[ax]\right] + 2250 \sqrt{-i \text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, i \text{ArcSin}[ax]\right] - 125 \sqrt{3} \sqrt{i \text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, -3i \text{ArcSin}[ax]\right] - 125 \sqrt{3} \sqrt{-i \text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, 3i \text{ArcSin}[ax]\right] + 9 \sqrt{5} \sqrt{i \text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, -5i \text{ArcSin}[ax]\right] + 9 \sqrt{5} \sqrt{-i \text{ArcSin}[ax]} \text{Gamma}\left[\frac{5}{2}, 5i \text{ArcSin}[ax]\right] \right)}{36000 a^5 \sqrt{\text{ArcSin}[ax]^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcSin[a\*x]^(3/2),x]

[Out] (Sqrt[ArcSin[a\*x]]\*(2250\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-I)\*ArcSin[a\*x]] + 2250\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, I\*ArcSin[a\*x]] - 125\*Sqrt[3]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-3\*I)\*ArcSin[a\*x]] - 125\*Sqrt[3]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (3\*I)\*ArcSin[a\*x]] + 9\*Sqrt[5]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-5\*I)\*ArcSin[a\*x]] + 9\*Sqrt[5]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (5\*I)\*ArcSin[a\*x]]))/(36000\*a^5\*Sqrt[ArcSin[a\*x]^2])

**Maple [A]**

time = 0.07, size = 193, normalized size = 0.90

method	result
default	$\frac{-3000ax \arcsin(ax)^2 - 125 \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} + 9 \operatorname{FresnelC}\left(\frac{\sqrt{2}}{\sqrt{\pi}}\right)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/24000/a^5/arcsin(a*x)^(1/2)*(-3000*a*x*arcsin(a*x)^2-125*FresnelC(2^(1/2)
)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(
1/2)+9*FresnelC(2^(1/2)/Pi^(1/2)*5^(1/2)*arcsin(a*x)^(1/2))*5^(1/2)*2^(1/2
)*arcsin(a*x)^(1/2)*Pi^(1/2)+1500*arcsin(a*x)^2*sin(3*arcsin(a*x))-300*arcs
in(a*x)^2*sin(5*arcsin(a*x))+2250*FresnelC(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/
2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)+750*arcsin(a*x)*cos(3*arcsin(a*x))-9
0*arcsin(a*x)*cos(5*arcsin(a*x))-4500*arcsin(a*x)*(-a^2*x^2+1)^(1/2))
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*asin(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*4\*asin(a\*x)\*\*(3/2), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.47, size = 355, normalized size = 1.66

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/160*I*arcsin(a*x)^{(3/2)}*e^{(5*I*arcsin(a*x))}/a^5 + 1/32*I*arcsin(a*x)^{(3/2)}*e^{(3*I*arcsin(a*x))}/a^5 - 1/16*I*arcsin(a*x)^{(3/2)}*e^{(I*arcsin(a*x))}/a^5 \\ & + 1/16*I*arcsin(a*x)^{(3/2)}*e^{(-I*arcsin(a*x))}/a^5 - 1/32*I*arcsin(a*x)^{(3/2)}*e^{(-3*I*arcsin(a*x))}/a^5 + 1/160*I*arcsin(a*x)^{(3/2)}*e^{(-5*I*arcsin(a*x))}/a^5 \\ & + (3/32000*I + 3/32000)*sqrt(10)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(10)*sqrt(arcsin(a*x)))/a^5 - (3/32000*I - 3/32000)*sqrt(10)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(10)*sqrt(arcsin(a*x)))/a^5 \\ & - (1/768*I + 1/768)*sqrt(6)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(6)*sqrt(arcsin(a*x)))/a^5 + (1/768*I - 1/768)*sqrt(6)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(6)*sqrt(arcsin(a*x)))/a^5 \\ & + (3/128*I + 3/128)*sqrt(2)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^5 - (3/128*I - 3/128)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^5 \\ & + 3/1600*sqrt(arcsin(a*x))*e^{(5*I*arcsin(a*x))}/a^5 - 1/64*sqrt(arcsin(a*x))*e^{(3*I*arcsin(a*x))}/a^5 + 3/32*sqrt(arcsin(a*x))*e^{(I*arcsin(a*x))}/a^5 \\ & + 3/32*sqrt(arcsin(a*x))*e^{(-I*arcsin(a*x))}/a^5 - 1/64*sqrt(arcsin(a*x))*e^{(-3*I*arcsin(a*x))}/a^5 + 3/1600*sqrt(arcsin(a*x))*e^{(-5*I*arcsin(a*x))}/a^5 \end{aligned}$$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{asin}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*asin(a\*x)^(3/2),x)

[Out] int(x^4\*asin(a\*x)^(3/2), x)

### 3.81 $\int x^3 \text{ArcSin}(ax)^{3/2} dx$

Optimal. Leaf size=157

$$\frac{9x\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{64a^3} + \frac{3x^3\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{32a} - \frac{3\text{ArcSin}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4\text{ArcSin}(ax)^{3/2} + \frac{3\sqrt{\frac{\pi}{2}}}{\dots}$$

[Out]  $-3/32*\arcsin(a*x)^{(3/2)}/a^4+1/4*x^4*\arcsin(a*x)^{(3/2)}+3/1024*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-3/64*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+9/64*x*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a^3+3/32*x^3*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a$

Rubi [A]

time = 0.26, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4725, 4795, 4737, 4731, 4491, 12, 3386, 3432}

$$\frac{3\sqrt{\frac{\pi}{2}}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{512a^4} - \frac{3\sqrt{\pi}S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{64a^4} - \frac{3\text{ArcSin}(ax)^{3/2}}{32a^4} + \frac{3x^3\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{32a} + \frac{9x\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{64a^3} + \frac{1}{4}x^4\text{ArcSin}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3*\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(9*x*\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(64*a^3) + (3*x^3*\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(32*a) - (3*\text{ArcSin}[a*x]^{(3/2)})/(32*a^4) + (x^4*\text{ArcSin}[a*x]^{(3/2)})/4 + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(512*a^4) - (3*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(64*a^4)$

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3432

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{(2)}], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Simp[x^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && NeQ[n, -1]
```

#### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_))^(m)*((d_.) + (e_.)*(x_)^2)^(p), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

#### Rubi steps



$$\begin{aligned}
\int x^3 \sin^{-1}(ax)^{3/2} dx &= \frac{1}{4}x^4 \sin^{-1}(ax)^{3/2} - \frac{1}{8}(3a) \int \frac{x^4 \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \sin^{-1}(ax)^{3/2} - \frac{3}{64} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx - \frac{9}{64} \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \sin^{-1}(ax)^{3/2} - \frac{3}{64} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx - \frac{9}{64} \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} - \frac{3 \sin^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} - \frac{3 \sin^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} - \frac{3 \sin^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} - \frac{3 \sin^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \\
&= \frac{9x \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{64a^3} + \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{32a} - \frac{3 \sin^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 130, normalized size = 0.83

$$\frac{8\sqrt{2} \sqrt{-i \operatorname{ArcSin}(ax)} \operatorname{Gamma}\left(\frac{5}{2}, -2i \operatorname{ArcSin}(ax)\right) + 8\sqrt{2} \sqrt{i \operatorname{ArcSin}(ax)} \operatorname{Gamma}\left(\frac{5}{2}, 2i \operatorname{ArcSin}(ax)\right) - \sqrt{-i \operatorname{ArcSin}(ax)} \operatorname{Gamma}\left(\frac{5}{2}, -4i \operatorname{ArcSin}(ax)\right) - \sqrt{i \operatorname{ArcSin}(ax)} \operatorname{Gamma}\left(\frac{5}{2}, 4i \operatorname{ArcSin}(ax)\right)}{512a^4 \sqrt{\operatorname{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^(3/2),x]

[Out] (8\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (-2\*I)\*ArcSin[a\*x]] + 8\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (2\*I)\*ArcSin[a\*x]] - Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (-4\*I)\*ArcSin[a\*x]] - Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (4\*I)\*ArcSin[a\*x]])/(512\*a^4\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.05, size = 121, normalized size = 0.77

method	result
default	$-3S\left(\frac{\sqrt{2}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\arcsin(ax)}\sqrt{\pi}+128\arcsin(ax)^2\cos(2\arcsin(ax))-32\arcsin(ax)^2\cos(4\arcsin(ax))$ $1024a^4\sqrt{\arcsin(ax)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/1024/a^4*(-3*FresnelS(2*^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)+128*arcsin(a*x)^2*cos(2*arcsin(a*x))-32*arcsin(a*x)^2*cos(4*arcsin(a*x))+48*FresnelS(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(1/2)*Pi^(1/2)-96*arcsin(a*x)*sin(2*arcsin(a*x))+12*arcsin(a*x)*sin(4*arcsin(a*x)))/arcsin(a*x)^(1/2)
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x)\*\*(3/2),x)

[Out] Integral(x\*\*3\*asin(a\*x)\*\*(3/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.47, size = 225, normalized size = 1.43

$\frac{\arcsin(ax)^3 e^{i\arcsin(ax)}}{64a^4} - \frac{\arcsin(ax)^2 e^{i\arcsin(ax)}}{32a^4} - \frac{\arcsin(ax) e^{i\arcsin(ax)}}{16a^4} - \frac{\arcsin(ax)^3 e^{-i\arcsin(ax)}}{64a^4} + \frac{(3-3)\sqrt{2}\sqrt{\arcsin((i-1)\sqrt{\arcsin(ax)})}}{4096a^4} + \frac{(3+3)\sqrt{2}\sqrt{\arcsin((-i+1)\sqrt{\arcsin(ax)})}}{4096a^4} - \frac{(3-3)\sqrt{\arcsin((i-1)\sqrt{\arcsin(ax)})}}{256a^4} + \frac{(3+3)\sqrt{\arcsin((-i+1)\sqrt{\arcsin(ax)})}}{256a^4} - \frac{3i\sqrt{\arcsin(ax)^2 e^{i\arcsin(ax)}}}{312a^4} - \frac{3i\sqrt{\arcsin(ax)^2 e^{-i\arcsin(ax)}}}{312a^4} + \frac{3i\sqrt{\arcsin(ax)^2 e^{i\arcsin(ax)}}}{64a^4} - \frac{3i\sqrt{\arcsin(ax)^2 e^{-i\arcsin(ax)}}}{64a^4} + \frac{3i\sqrt{\arcsin(ax)^2 e^{i\arcsin(ax)}}}{312a^4} - \frac{3i\sqrt{\arcsin(ax)^2 e^{-i\arcsin(ax)}}}{312a^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{64}\arcsin(ax)^{3/2}e^{4I\arcsin(ax)}a^{-4} - \frac{1}{16}\arcsin(ax)^{3/2}e^{2I\arcsin(ax)}a^{-4} - \frac{1}{16}\arcsin(ax)^{3/2}e^{-2I\arcsin(ax)}a^{-4} + \frac{1}{64}\arcsin(ax)^{3/2}e^{-4I\arcsin(ax)}a^{-4} + (3/4096I - 3/4096)\sqrt{2}\sqrt{\pi}\operatorname{erf}((I-1)\sqrt{2}\sqrt{\arcsin(ax)})a^{-4} - (3/4096I + 3/4096)\sqrt{2}\sqrt{\pi}\operatorname{erf}(-(I+1)\sqrt{2}\sqrt{\arcsin(ax)})a^{-4} - (3/256I - 3/256)\sqrt{\pi}\operatorname{erf}((I-1)\sqrt{\arcsin(ax)})a^{-4} + (3/256I + 3/256)\sqrt{\pi}\operatorname{erf}(-(I+1)\sqrt{\arcsin(ax)})a^{-4} + 3/512I\sqrt{\arcsin(ax)}e^{4I\arcsin(ax)}a^{-4} - 3/64I\sqrt{\arcsin(ax)}e^{2I\arcsin(ax)}a^{-4} + 3/64I\sqrt{\arcsin(ax)}e^{-2I\arcsin(ax)}a^{-4} - 3/512I\sqrt{\arcsin(ax)}e^{-4I\arcsin(ax)}a^{-4}$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{asin}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*asin(a\*x)^(3/2),x)

[Out] int(x^3\*asin(a\*x)^(3/2), x)

## 3.82 $\int x^2 \text{ArcSin}(ax)^{3/2} dx$

Optimal. Leaf size=147

$$\frac{\sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)}}{6a} + \frac{1}{3}x^3 \text{ArcSin}(ax)^{3/2} - \frac{3\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^3}$$

[Out]  $\frac{1}{3}x^3 \arcsin(ax)^{3/2} + \frac{1}{144} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \arcsin(ax)\right) \sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)} + \frac{1}{6a} x^2 \sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)} - \frac{3\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^3}$

Rubi [A]

time = 0.21, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4725, 4795, 4767, 4719, 3385, 3433, 4731, 4491}

$$-\frac{3\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{24a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)}}{6a} + \frac{\sqrt{1-a^2x^2} \sqrt{\text{ArcSin}(ax)}}{3a^3} + \frac{1}{3}x^3 \text{ArcSin}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2 \text{ArcSin}[a*x]^{3/2}, x]$

[Out]  $(\text{Sqrt}[1 - a^2*x^2] * \text{Sqrt}[\text{ArcSin}[a*x]]) / (3*a^3) + (x^2 * \text{Sqrt}[1 - a^2*x^2] * \text{Sqrt}[\text{ArcSin}[a*x]]) / (6*a) + (x^3 * \text{ArcSin}[a*x]^{3/2}) / 3 - (3 * \text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[\text{ArcSin}[a*x]]]) / (8*a^3) + (\text{Sqrt}[\text{Pi}/6] * \text{FresnelC}[\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[\text{ArcSin}[a*x]]]) / (24*a^3)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)] / \text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] / (f * \text{Rt}[d, 2])) * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4491

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}], x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]]^{n*\text{Cos}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(m + 1)), x] - Dist[b\*c\*(n/(m + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

Rubi steps

$$\begin{aligned}
\int x^2 \sin^{-1}(ax)^{3/2} dx &= \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{1}{2}a \int \frac{x^3 \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{1}{12} \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{3a^3} + \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{3/2} - \frac{\int x \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.03, size = 136, normalized size = 0.93

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( 27 \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{5}{2}, -i \text{ArcSin}(ax)\right) + 27 \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{5}{2}, i \text{ArcSin}(ax)\right) - \sqrt{3} \left( \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{5}{2}, -3i \text{ArcSin}(ax)\right) + \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{5}{2}, 3i \text{ArcSin}(ax)\right) \right) \right)}{216a^3 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcSin[a\*x]^(3/2),x]

[Out] (Sqrt[ArcSin[a\*x]]\*(27\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-I)\*ArcSin[a\*x]] + 27\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, I\*ArcSin[a\*x]] - Sqrt[3]\*(Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-3\*I)\*ArcSin[a\*x]] + Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (3\*I)\*ArcSin[a\*x]])))/(216\*a^3\*Sqrt[ArcSin[a\*x]^2])

**Maple [A]**

time = 0.05, size = 131, normalized size = 0.89

method	result
--------	--------

default	$-36ax \arcsin(ax)^2 - \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} + 12 \arcsin(ax)^2 \sin(3 \arcsin(ax))$
---------	--

144

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/144/a^3/arcsin(a*x)^(1/2)*(-36*a*x*arcsin(a*x)^2-FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)+12*arcsin(a*x)^2*sin(3*arcsin(a*x))+27*FresnelC(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)+6*arcsin(a*x)*cos(3*arcsin(a*x))-54*arcsin(a*x)*(-a^2*x^2+1)^(1/2))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*asin(a*x)**(3/2),x)
```

[Out] Integral(x\*\*2\*asin(a\*x)\*\*(3/2), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.46, size = 237, normalized size = 1.61

$\frac{1}{24} \arcsin(ax)^{3/2} - \frac{1}{8} \arcsin(ax)^{3/2} e^{3i \arcsin(ax)} + \frac{1}{8} \arcsin(ax)^{3/2} e^{-i \arcsin(ax)} - \frac{1}{24} \arcsin(ax)^{3/2} e^{-3i \arcsin(ax)} - \frac{1}{576} \sqrt{6} \operatorname{erf}\left(\frac{1}{2} \sqrt{6} \sqrt{\arcsin(ax)}\right) + \frac{1}{576} \sqrt{6} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{\arcsin(ax)}\right) + \frac{3}{64} \sqrt{2} \operatorname{erf}\left(\frac{1}{2} \sqrt{2} \sqrt{\arcsin(ax)}\right) - \frac{3}{64} \sqrt{2} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{\arcsin(ax)}\right) - \frac{1}{48} \sqrt{\arcsin(ax)} e^{3i \arcsin(ax)} + \frac{3}{16} \sqrt{\arcsin(ax)} e^{i \arcsin(ax)} + \frac{3}{16} \sqrt{\arcsin(ax)} e^{-i \arcsin(ax)} - \frac{1}{48} \sqrt{\arcsin(ax)} e^{-3i \arcsin(ax)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{24} I \arcsin(ax)^{3/2} e^{3I \arcsin(ax)} / a^3 - \frac{1}{8} I \arcsin(ax)^{3/2} e^{I \arcsin(ax)} / a^3 + \frac{1}{8} I \arcsin(ax)^{3/2} e^{-I \arcsin(ax)} / a^3 - \frac{1}{24} I \arcsin(ax)^{3/2} e^{-3I \arcsin(ax)} / a^3 - \frac{1}{576} \sqrt{6} \operatorname{erf}\left(\frac{1}{2} \sqrt{6} \sqrt{\arcsin(ax)}\right) / a^3 + \frac{1}{576} \sqrt{6} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{\arcsin(ax)}\right) / a^3 + \frac{3}{64} \sqrt{2} \operatorname{erf}\left(\frac{1}{2} \sqrt{2} \sqrt{\arcsin(ax)}\right) / a^3 - \frac{3}{64} \sqrt{2} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{\arcsin(ax)}\right) / a^3 - \frac{1}{48} \sqrt{\arcsin(ax)} e^{3I \arcsin(ax)} / a^3 + \frac{3}{16} \sqrt{\arcsin(ax)} e^{I \arcsin(ax)} / a^3 + \frac{3}{16} \sqrt{\arcsin(ax)} e^{-I \arcsin(ax)} / a^3 - \frac{1}{48} \sqrt{\arcsin(ax)} e^{-3I \arcsin(ax)} / a^3$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{asin}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*asin(a\*x)^(3/2),x)

[Out] int(x^2\*asin(a\*x)^(3/2), x)



### 3.83 $\int x \text{ArcSin}(ax)^{3/2} dx$

**Optimal.** Leaf size=89

$$\frac{3x\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{8a} - \frac{\text{ArcSin}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)^{3/2} - \frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{32a^2}$$

[Out]  $-1/4*\arcsin(a*x)^{(3/2)}/a^2+1/2*x^2*\arcsin(a*x)^{(3/2)}-3/32*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2+3/8*x*(-a^2*x^2+1)^{(1/2)}*\arcsin(a*x)^{(1/2)}/a$

**Rubi [A]**

time = 0.12, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {4725, 4795, 4737, 4731, 4491, 12, 3386, 3432}

$$-\frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{32a^2} + \frac{3x\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{8a} - \frac{\text{ArcSin}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\text{ArcSin}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In] `Int[x*ArcSin[a*x]^(3/2),x]`

[Out]  $(3*x*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/(8*a) - \text{ArcSin}[a*x]^{(3/2)}/(4*a^2) + (x^2*\text{ArcSin}[a*x]^{(3/2)})/2 - (3*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(32*a^2)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 3386

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3432

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

Rule 4491

`Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]`

$]^n \cos[a + b*x]^p, x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(m + 1)), x] - Dist[b\*c\*(n/(m + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

#### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_)^(m\_))\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

#### Rubi steps

$$\begin{aligned}
\int x \sin^{-1}(ax)^{3/2} dx &= \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{1}{4}(3a) \int \frac{x^2 \sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3}{16} \int \frac{x}{\sqrt{\sin^{-1}(ax)}} dx - \frac{3 \int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx}{16a} \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} - \frac{\sin^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \frac{\cos(x) \sin^{-1}(ax)}{\sqrt{x}} dx\right)}{16a} \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} - \frac{\sin^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx\right)}{16a} \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} - \frac{\sin^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx\right)}{32a} \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} - \frac{\sin^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \sin(2x^2) dx\right)}{32a} \\
&= \frac{3x\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}}{8a} - \frac{\sin^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{3/2} - \frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a^2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.01, size = 71, normalized size = 0.80

$$\frac{\sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}, -2i \text{ArcSin}(ax)\right) + \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}, 2i \text{ArcSin}(ax)\right)}{16\sqrt{2} a^2 \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcSin[a\*x]^(3/2), x]

[Out] (Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (-2\*I)\*ArcSin[a\*x]] + Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (2\*I)\*ArcSin[a\*x]])/(16\*Sqrt[2]\*a^2\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.03, size = 64, normalized size = 0.72

method	result	size
--------	--------	------

default	$\frac{8 \arcsin(ax)^2 \cos(2 \arcsin(ax)) + 3 S\left(\frac{2 \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{\arcsin(ax)} \sqrt{\pi} - 6 \arcsin(ax) \sin(2 \arcsin(ax))}{32a^2 \sqrt{\arcsin(ax)}}$	64
---------	--	----

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/32/a^2*(8*arcsin(a*x)^2*cos(2*arcsin(a*x))+3*FresnelS(2*arcsin(a*x)^(1/2)
)/Pi^(1/2))*arcsin(a*x)^(1/2)*Pi^(1/2)-6*arcsin(a*x)*sin(2*arcsin(a*x)))/ar
csin(a*x)^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*asin(a*x)**(3/2),x)
```

```
[Out] Integral(x*asin(a*x)**(3/2), x)
```

**Giac [C]** Result contains complex when optimal does not.

time = 0.45, size = 107, normalized size = 1.20

$$\frac{\arcsin(ax)^{\frac{3}{2}} e^{2i \arcsin(ax)}}{8a^2} - \frac{\arcsin(ax)^{\frac{3}{2}} e^{-2i \arcsin(ax)}}{8a^2} - \frac{(3i-3)\sqrt{\pi} \operatorname{erf}\left(\frac{(i-1)\sqrt{\arcsin(ax)}}{\sqrt{2}}\right)}{128a^2} + \frac{(3i+3)\sqrt{\pi} \operatorname{erf}\left(\frac{-(i+1)\sqrt{\arcsin(ax)}}{\sqrt{2}}\right)}{128a^2} - \frac{3i\sqrt{\arcsin(ax)} e^{2i \arcsin(ax)}}{32a^2} + \frac{3i\sqrt{\arcsin(ax)} e^{-2i \arcsin(ax)}}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out]  $-1/8*\arcsin(a*x)^{(3/2)}*e^{(2*I*\arcsin(a*x))/a^2} - 1/8*\arcsin(a*x)^{(3/2)}*e^{(-2*I*\arcsin(a*x))/a^2} - (3/128*I - 3/128)*\sqrt{\pi}*\operatorname{erf}((I - 1)*\sqrt{\arcsin(a*x)})/a^2 + (3/128*I + 3/128)*\sqrt{\pi}*\operatorname{erf}(-(I + 1)*\sqrt{\arcsin(a*x)})/a^2 - 3/32*I*\sqrt{\arcsin(a*x)}*e^{(2*I*\arcsin(a*x))/a^2} + 3/32*I*\sqrt{\arcsin(a*x)}*e^{(-2*I*\arcsin(a*x))/a^2}$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{asin}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^(3/2),x)

[Out] int(x\*asin(a\*x)^(3/2), x)

### 3.84 $\int \text{ArcSin}(ax)^{3/2} dx$

Optimal. Leaf size=75

$$\frac{3\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{2a} + x\text{ArcSin}(ax)^{3/2} - \frac{3\sqrt{\frac{\pi}{2}}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{2a}$$

[Out] x\*arcsin(a\*x)^(3/2)-3/4\*FresnelC(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a+3/2\*(-a^2\*x^2+1)^(1/2)\*arcsin(a\*x)^(1/2)/a

**Rubi [A]**

time = 0.07, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4715, 4767, 4719, 3385, 3433}

$$\frac{3\sqrt{1-a^2x^2}\sqrt{\text{ArcSin}(ax)}}{2a} - \frac{3\sqrt{\frac{\pi}{2}}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{2a} + x\text{ArcSin}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(3/2), x]

[Out] (3\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])/(2\*a) + x\*ArcSin[a\*x]^(3/2) - (3\*Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(2\*a)

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] :> Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}

, n}, x]

### Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \sin^{-1}(ax)^{3/2} dx &= x \sin^{-1}(ax)^{3/2} - \frac{1}{2}(3a) \int \frac{x \sqrt{\sin^{-1}(ax)}}{\sqrt{1 - a^2x^2}} dx \\
 &= \frac{3\sqrt{1 - a^2x^2} \sqrt{\sin^{-1}(ax)}}{2a} + x \sin^{-1}(ax)^{3/2} - \frac{3}{4} \int \frac{1}{\sqrt{\sin^{-1}(ax)}} dx \\
 &= \frac{3\sqrt{1 - a^2x^2} \sqrt{\sin^{-1}(ax)}}{2a} + x \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a} \\
 &= \frac{3\sqrt{1 - a^2x^2} \sqrt{\sin^{-1}(ax)}}{2a} + x \sin^{-1}(ax)^{3/2} - \frac{3 \text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{2a} \\
 &= \frac{3\sqrt{1 - a^2x^2} \sqrt{\sin^{-1}(ax)}}{2a} + x \sin^{-1}(ax)^{3/2} - \frac{3\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{2a}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 76, normalized size = 1.01

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}, -i \text{ArcSin}(ax)\right) + \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{5}{2}, i \text{ArcSin}(ax)\right) \right)}{2a \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(3/2), x]

[Out] (Sqrt[ArcSin[a\*x]]\*(Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-I)\*ArcSin[a\*x]] + Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, I\*ArcSin[a\*x]]))/(2\*a\*Sqrt[ArcSin[a\*x]^2])

**Maple [A]**

time = 0.03, size = 72, normalized size = 0.96

method	result
default	$\frac{\sqrt{2} \left( 2 \arcsin(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} ax + 3 \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} \sqrt{-a^2 x^2 + 1} - 3\pi \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) \right)}{4a\sqrt{\pi}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/4/a*2^(1/2)*(2*arcsin(a*x)^(3/2)*2^(1/2)*Pi^(1/2)*a*x+3*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)*(-a^2*x^2+1)^(1/2)-3*Pi*FresnelC(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2)))/Pi^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)**(3/2),x)
```

```
[Out] Integral(asin(a*x)**(3/2), x)
```



**Giac [C]** Result contains complex when optimal does not.

time = 0.47, size = 119, normalized size = 1.59

$$\frac{-i \arcsin(ax)^{\frac{3}{2}} e^{i \arcsin(ax)}}{2a} + \frac{i \arcsin(ax)^{\frac{3}{2}} e^{-i \arcsin(ax)}}{2a} + \frac{(3i+3) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\arcsin(ax)}\right)}{16a} - \frac{(3i-3) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{\arcsin(ax)}\right)}{16a} + \frac{3 \sqrt{\arcsin(ax)} e^{i \arcsin(ax)}}{4a} + \frac{3 \sqrt{\arcsin(ax)} e^{-i \arcsin(ax)}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out]  $-1/2*I*\arcsin(a*x)^{(3/2)}*e^{(I*\arcsin(a*x))}/a + 1/2*I*\arcsin(a*x)^{(3/2)}*e^{(-I*\arcsin(a*x))}/a + (3/16*I + 3/16)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a - (3/16*I - 3/16)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a + 3/4*\sqrt{\arcsin(a*x)}*e^{(I*\arcsin(a*x))}/a + 3/4*\sqrt{\arcsin(a*x)}*e^{(-I*\arcsin(a*x))}/a$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{asin}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^(3/2),x)

[Out] int(asin(a\*x)^(3/2), x)

$$3.85 \quad \int \frac{\text{ArcSin}(ax)^{3/2}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^{3/2}}{x}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^(3/2)/x,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^{3/2}}{x} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^(3/2)/x,x]

[Out] Defer[Int][ArcSin[a\*x]^(3/2)/x, x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^{3/2}}{x} dx = \int \frac{\sin^{-1}(ax)^{3/2}}{x} dx$$

Mathematica [A]

time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^{3/2}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^(3/2)/x,x]

[Out] Integrate[ArcSin[a\*x]^(3/2)/x, x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^(3/2)/x,x)`

[Out] `int(arcsin(a*x)^(3/2)/x,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(3/2)/x,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(3/2)/x,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^{\frac{3}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**(3/2)/x,x)`

[Out] `Integral(asin(a*x)**(3/2)/x, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(3/2)/x,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^(3/2)/x, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\operatorname{asin}(ax)^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^(3/2)/x,x)

[Out] int(asin(a\*x)^(3/2)/x, x)

### 3.86 $\int x^4 \text{ArcSin}(ax)^{5/2} dx$

Optimal. Leaf size=263

$$-\frac{2x\sqrt{\text{ArcSin}(ax)}}{5a^4} - \frac{x^3\sqrt{\text{ArcSin}(ax)}}{15a^2} - \frac{3}{100}x^5\sqrt{\text{ArcSin}(ax)} + \frac{4\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{15a^5} + \frac{2x^2\sqrt{1-a^2x^2}}{15a^5}$$

```
[Out] 1/5*x^5*arcsin(a*x)^(5/2)+3/16000*FresnelS(10^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*10^(1/2)*Pi^(1/2)/a^5-5/1152*FresnelS(6^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*6^(1/2)*Pi^(1/2)/a^5+15/64*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^5+4/15*arcsin(a*x)^(3/2)*(-a^2*x^2+1)^(1/2)/a^5+2/15*x^2*arcsin(a*x)^(3/2)*(-a^2*x^2+1)^(1/2)/a^3+1/10*x^4*arcsin(a*x)^(3/2)*(-a^2*x^2+1)^(1/2)/a-2/5*x*arcsin(a*x)^(1/2)/a^4-1/15*x^3*arcsin(a*x)^(1/2)/a^2-3/100*x^5*arcsin(a*x)^(1/2)
```

**Rubi** [A]

time = 0.53, antiderivative size = 298, normalized size of antiderivative = 1.13, number of steps used = 26, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4725, 4795, 4767, 4715, 4809, 3386, 3432, 3393}

$$\frac{15\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{\pi}{2}}\sqrt{\text{ArcSin}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{32}{\pi}}S\left(\sqrt{\frac{\pi}{2}}\sqrt{\text{ArcSin}(ax)}\right)}{320a^5} - \frac{\sqrt{\frac{\pi}{6}}S\left(\sqrt{\frac{\pi}{6}}\sqrt{\text{ArcSin}(ax)}\right)}{60a^5} + \frac{3\sqrt{\frac{\pi}{10}}S\left(\sqrt{\frac{10}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{1600a^5} - \frac{2x\sqrt{\text{ArcSin}(ax)}}{5a^4} - \frac{x^3\sqrt{\text{ArcSin}(ax)}}{15a^2} + \frac{x^4\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{10a} + \frac{4\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{15a^5} + \frac{2x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{15a^5} + \frac{1}{5}x^2\text{ArcSin}(ax)^{3/2} - \frac{3}{100}x^5\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^4\*ArcSin[a\*x]^(5/2),x]

```
[Out] (-2*x*Sqrt[ArcSin[a*x]])/(5*a^4) - (x^3*Sqrt[ArcSin[a*x]])/(15*a^2) - (3*x^5*Sqrt[ArcSin[a*x]])/100 + (4*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^(3/2))/(15*a^5) + (2*x^2*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^(3/2))/(15*a^3) + (x^4*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^(3/2))/(10*a) + (x^5*ArcSin[a*x]^(5/2))/5 + (15*Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Sqrt[ArcSin[a*x]]])/(32*a^5) - (Sqrt[Pi/6]*FresnelS[Sqrt[6/Pi]*Sqrt[ArcSin[a*x]]])/(60*a^5) - (Sqrt[(3*Pi)/2]*FresnelS[Sqrt[6/Pi]*Sqrt[ArcSin[a*x]]])/(320*a^5) + (3*Sqrt[Pi/10]*FresnelS[Sqrt[10/Pi]*Sqrt[ArcSin[a*x]]])/(1600*a^5)
```

Rule 3386

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3393

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f}
```

, m}, x] && IGtQ[n, 1] && ( !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>, x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])<sup>n</sup>, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>(x\_)<sup>(m\_.)</sup>, x\_Symbol] := Simp[x<sup>(m + 1)</sup>((a + b\*ArcSin[c\*x])<sup>n/(m + 1)</sup>), x] - Dist[b\*c\*(n/(m + 1)), Int[x<sup>(m + 1)</sup>((a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>(x\_)\*((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Simp[(d + e\*x<sup>2</sup>)<sup>(p + 1)</sup>((a + b\*ArcSin[c\*x])<sup>n/(2\*e\*(p + 1))</sup>), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x<sup>2</sup>)<sup>p/(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>p</sup>], Int[(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>(p + 1/2)</sup>(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]</sup>

#### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>((f\_.)\*(x\_)<sup>(m\_.)</sup>((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Simp[f\*(f\*x)<sup>(m - 1)</sup>(d + e\*x<sup>2</sup>)<sup>(p + 1)</sup>((a + b\*ArcSin[c\*x])<sup>n/(e\*(m + 2\*p + 1))</sup>), x] + (Dist[f<sup>2</sup>((m - 1)/(c<sup>2</sup>(m + 2\*p + 1))), Int[(f\*x)<sup>(m - 2)</sup>(d + e\*x<sup>2</sup>)<sup>p\*(a + b\*ArcSin[c\*x])<sup>n</sup>, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x<sup>2</sup>)<sup>p/(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>p</sup>], Int[(f\*x)<sup>(m - 1)</sup>(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>(p + 1/2)</sup>(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]</sup></sup>

#### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>(x\_)<sup>(m\_.)</sup>((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Dist[(1/(b\*c<sup>(m + 1)</sup>))\*Simp[(d + e\*x<sup>2</sup>)<sup>p/(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>p</sup>], Subst[Int[x<sup>n</sup>\*Sin[-a/b + x/b]<sup>m</sup>\*Cos[-a/b + x/b]<sup>(2\*p + 1)</sup>, x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]</sup>

Rubi steps

$$\begin{aligned}
\int x^4 \sin^{-1}(ax)^{5/2} dx &= \frac{1}{5} x^5 \sin^{-1}(ax)^{5/2} - \frac{1}{2} a \int \frac{x^5 \sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{10a} + \frac{1}{5} x^5 \sin^{-1}(ax)^{5/2} - \frac{3}{20} \int x^4 \sqrt{\sin^{-1}(ax)} dx - \frac{2 \int \frac{x^3 \sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx}{\sqrt{1-a^2x^2}} \\
&= -\frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{2x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^3} + \frac{x^4 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{10a} \\
&= -\frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} + \frac{2x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} \\
&= -\frac{2x \sqrt{\sin^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} \\
&= -\frac{2x \sqrt{\sin^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} \\
&= -\frac{2x \sqrt{\sin^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} \\
&= -\frac{2x \sqrt{\sin^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5} \\
&= -\frac{2x \sqrt{\sin^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\sin^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\sin^{-1}(ax)} + \frac{4\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{15a^5}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.04, size = 204, normalized size = 0.78

$$\frac{i \sqrt{\text{ArcSin}(ax)} \left( 33750 \sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -i \text{ArcSin}(ax)\right) - 33750 \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, i \text{ArcSin}(ax)\right) - 625 \sqrt{3} \sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -3i \text{ArcSin}(ax)\right) + 625 \sqrt{3} \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, 3i \text{ArcSin}(ax)\right) + 27 \sqrt{5} \sqrt{\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -5i \text{ArcSin}(ax)\right) - 27 \sqrt{5} \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, 5i \text{ArcSin}(ax)\right) \right)}{540000 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*ArcSin[a\*x]^(5/2),x]

[Out] ((I/540000)\*Sqrt[ArcSin[a\*x]]\*(33750\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[7/2, (-I)\*ArcSin[a\*x]] - 33750\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[7/2, I\*ArcSin[a\*x]] - 625\*Sqrt[3]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[7/2, (-3\*I)\*ArcSin[a\*x]] + 625\*Sqrt[3]\*Sqrt[(-3\*I)\*ArcSin[a\*x]]\*Gamma[7/2, 3\*I\*ArcSin[a\*x]] - 27\*Sqrt[5]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[7/2, (-5\*I)\*ArcSin[a\*x]] + 27\*Sqrt[5]\*Sqrt[(-5\*I)\*ArcSin[a\*x]]\*Gamma[7/2, 5\*I\*ArcSin[a\*x]]))

$$\frac{t[(-I)*\text{ArcSin}[a*x]]*\text{Gamma}[7/2, (3*I)*\text{ArcSin}[a*x]] + 27*\text{Sqrt}[5]*\text{Sqrt}[I*\text{ArcSin}[a*x]]*\text{Gamma}[7/2, (-5*I)*\text{ArcSin}[a*x]] - 27*\text{Sqrt}[5]*\text{Sqrt}[(-I)*\text{ArcSin}[a*x]]*\text{Gamma}[7/2, (5*I)*\text{ArcSin}[a*x]]}{a^5*\text{Sqrt}[\text{ArcSin}[a*x]^2]}$$

**Maple [A]**

time = 0.08, size = 233, normalized size = 0.89

method	result
default	$\frac{-18000ax \arcsin(ax)^3 + 9000 \arcsin(ax)^3 \sin(3 \arcsin(ax)) - 1800 \arcsin(ax)^3 \sin(5 \arcsin(ax)) - 27\sqrt{\pi} \sqrt{5} \sqrt{2} \sqrt{\arcsin(ax)}}{a^5 \sqrt{\arcsin(ax)^2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out] 
$$\begin{aligned} & -1/144000/a^5/\arcsin(a*x)^{(1/2)}*(-18000*a*x*\arcsin(a*x)^3+9000*\arcsin(a*x)^3*\sin(3*\arcsin(a*x))-1800*\arcsin(a*x)^3*\sin(5*\arcsin(a*x))-27*\text{Pi}^{(1/2)}*5^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*5^{(1/2)}*\arcsin(a*x)^{(1/2)})+625*\text{Pi}^{(1/2)}*3^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}*\arcsin(a*x)^{(1/2)})-45000*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}+7500*\arcsin(a*x)^2*\cos(3*\arcsin(a*x))-900*\arcsin(a*x)^2*\cos(5*\arcsin(a*x))-33750*\text{Pi}^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})+67500*a*x*\arcsin(a*x)-3750*\arcsin(a*x)*\sin(3*\arcsin(a*x))+270*\arcsin(a*x)*\sin(5*\arcsin(a*x)) \end{aligned}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)



**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: SystemError

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**4*asin(a*x)**(5/2),x)``[Out] Exception raised: SystemError >> excessive stack use: stack is 3060 deep`**Giac** [C] Result contains complex when optimal does not.

time = 0.48, size = 463, normalized size = 1.76

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^4*arcsin(a*x)^(5/2),x, algorithm="giac")`

```
[Out] -1/160*I*arcsin(a*x)^(5/2)*e^(5*I*arcsin(a*x))/a^5 + 1/32*I*arcsin(a*x)^(5/2)*e^(3*I*arcsin(a*x))/a^5 - 1/16*I*arcsin(a*x)^(5/2)*e^(I*arcsin(a*x))/a^5 + 1/16*I*arcsin(a*x)^(5/2)*e^(-I*arcsin(a*x))/a^5 - 1/32*I*arcsin(a*x)^(5/2)*e^(-3*I*arcsin(a*x))/a^5 + 1/160*I*arcsin(a*x)^(5/2)*e^(-5*I*arcsin(a*x))/a^5 + 1/320*arcsin(a*x)^(3/2)*e^(5*I*arcsin(a*x))/a^5 - 5/192*arcsin(a*x)^(3/2)*e^(3*I*arcsin(a*x))/a^5 + 5/32*arcsin(a*x)^(3/2)*e^(I*arcsin(a*x))/a^5 + 5/32*arcsin(a*x)^(3/2)*e^(-I*arcsin(a*x))/a^5 - 5/192*arcsin(a*x)^(3/2)*e^(-3*I*arcsin(a*x))/a^5 + 1/320*arcsin(a*x)^(3/2)*e^(-5*I*arcsin(a*x))/a^5 + (3/64000*I - 3/64000)*sqrt(10)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(10)*sqrt(arcsin(a*x)))/a^5 - (3/64000*I + 3/64000)*sqrt(10)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(10)*sqrt(arcsin(a*x)))/a^5 - (5/4608*I - 5/4608)*sqrt(6)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(6)*sqrt(arcsin(a*x)))/a^5 + (5/4608*I + 5/4608)*sqrt(6)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(6)*sqrt(arcsin(a*x)))/a^5 + (15/256*I - 15/256)*sqrt(2)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^5 - (15/256*I + 15/256)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^5 + 3/3200*I*sqrt(arcsin(a*x))*e^(5*I*arcsin(a*x))/a^5 - 5/384*I*sqrt(arcsin(a*x))*e^(3*I*arcsin(a*x))/a^5 + 15/64*I*sqrt(arcsin(a*x))*e^(I*arcsin(a*x))/a^5 - 15/64*I*sqrt(arcsin(a*x))*e^(-I*arcsin(a*x))/a^5 + 5/384*I*sqrt(arcsin(a*x))*e^(-3*I*arcsin(a*x))/a^5 - 3/3200*I*sqrt(arcsin(a*x))*e^(-5*I*arcsin(a*x))/a^5
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{asin}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4*asin(a*x)^(5/2),x)``[Out] int(x^4*asin(a*x)^(5/2), x)`

### 3.87 $\int x^3 \text{ArcSin}(ax)^{5/2} dx$

Optimal. Leaf size=205

$$\frac{225\sqrt{\text{ArcSin}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\text{ArcSin}(ax)}}{256a^2} - \frac{15}{256}x^4\sqrt{\text{ArcSin}(ax)} + \frac{15x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{64a^3} + \frac{5x^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{5/2}}{32a^4}$$

[Out]  $-3/32*\arcsin(a*x)^{(5/2)}/a^4+1/4*x^4*\arcsin(a*x)^{(5/2)}+15/8192*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-15/256*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+15/64*x*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^3+5/32*x^3*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a+225/2048*\arcsin(a*x)^{(1/2)}/a^4-45/256*x^2*\arcsin(a*x)^{(1/2)}/a^2-15/256*x^4*\arcsin(a*x)^{(1/2)}/a^2$

Rubi [A]

time = 0.39, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4725, 4795, 4737, 4809, 3393, 3385, 3433}

$$\frac{15\sqrt{\frac{\pi}{2}}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{4096a^4} - \frac{15\sqrt{\pi}\text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{256a^4} - \frac{3\text{ArcSin}(ax)^{5/2}}{32a^4} + \frac{225\sqrt{\text{ArcSin}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\text{ArcSin}(ax)}}{256a^2} + \frac{5x^3\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{32a} + \frac{15x\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{64a^3} + \frac{1}{4}x^4\text{ArcSin}(ax)^{5/2} - \frac{15}{256}x^4\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3\*ArcSin[a\*x]^(5/2),x]

[Out]  $(225*\text{Sqrt}[\text{ArcSin}[a*x]])/(2048*a^4) - (45*x^2*\text{Sqrt}[\text{ArcSin}[a*x]])/(256*a^2) - (15*x^4*\text{Sqrt}[\text{ArcSin}[a*x]])/256 + (15*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(64*a^3) + (5*x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(32*a) - (3*\text{ArcSin}[a*x]^{(5/2)})/(32*a^4) + (x^4*\text{ArcSin}[a*x]^{(5/2)})/4 + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/(4096*a^4) - (15*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(256*a^4)$

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3393

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3433

Int[Cos[(d\_.)\*(e\_.) + (f\_.)\*(x\_)]^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)^m\_., x\_Symbol] := Simp[x^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(m + 1)), x] - Dist[b\*c\*(n/(m + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

#### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.\*((f\_.)\*(x\_)^m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

#### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)^m\_.\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int x^3 \sin^{-1}(ax)^{5/2} dx &= \frac{1}{4}x^4 \sin^{-1}(ax)^{5/2} - \frac{1}{8}(5a) \int \frac{x^4 \sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{5x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{32a} + \frac{1}{4}x^4 \sin^{-1}(ax)^{5/2} - \frac{15}{64} \int x^3 \sqrt{\sin^{-1}(ax)} dx - \frac{15 \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} + \frac{5x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{32a} \\
&= -\frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} + \frac{5x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{32a} \\
&= -\frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} + \frac{5x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{32a} \\
&= \frac{45 \sqrt{\sin^{-1}(ax)}}{2048a^4} - \frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225 \sqrt{\sin^{-1}(ax)}}{2048a^4} - \frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225 \sqrt{\sin^{-1}(ax)}}{2048a^4} - \frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225 \sqrt{\sin^{-1}(ax)}}{2048a^4} - \frac{45x^2 \sqrt{\sin^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\sin^{-1}(ax)} + \frac{15x \sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{64a^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 140, normalized size = 0.68

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( 16\sqrt{2} \sqrt{\text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, -2i \text{ArcSin}(ax)\right) + 16\sqrt{2} \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, 2i \text{ArcSin}(ax)\right) - \sqrt{\text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, -4i \text{ArcSin}(ax)\right) - \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, 4i \text{ArcSin}(ax)\right) \right)}{2048a^4 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^(5/2), x]

[Out] (Sqrt[ArcSin[a\*x]]\*(16\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[7/2, (-2\*I)\*ArcSin[a\*x]] + 16\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[7/2, (2\*I)\*ArcSin[a\*x]] -

$\text{Sqrt}[I*\text{ArcSin}[a*x]]*\text{Gamma}[7/2, (-4*I)*\text{ArcSin}[a*x]] - \text{Sqrt}[(-I)*\text{ArcSin}[a*x]]* \text{Gamma}[7/2, (4*I)*\text{ArcSin}[a*x]])/(2048*a^4*\text{Sqrt}[\text{ArcSin}[a*x]^2])$

**Maple [A]**

time = 0.05, size = 154, normalized size = 0.75

method	result
default	$\frac{1024 \arcsin(ax)^{\frac{5}{2}} \cos(2 \arcsin(ax)) \sqrt{\pi} - 256 \arcsin(ax)^{\frac{5}{2}} \cos(4 \arcsin(ax)) \sqrt{\pi} - 1280 \arcsin(ax)^{\frac{3}{2}} \sin(2 \arcsin(ax)) \sqrt{\pi} + 160 \arcsin(ax)^{\frac{3}{2}} \sin(4 \arcsin(ax)) \sqrt{\pi}}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-1/8192/a^4/\text{Pi}^{(1/2)}*(1024*\arcsin(a*x)^{(5/2)}*\cos(2*\arcsin(a*x))*\text{Pi}^{(1/2)}-256*\arcsin(a*x)^{(5/2)}*\cos(4*\arcsin(a*x))*\text{Pi}^{(1/2)}-1280*\arcsin(a*x)^{(3/2)}*\sin(2*\arcsin(a*x))*\text{Pi}^{(1/2)}+160*\arcsin(a*x)^{(3/2)}*\sin(4*\arcsin(a*x))*\text{Pi}^{(1/2)}-15*\text{Pi}*FresnelC(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}-960*\arcsin(a*x)^{(1/2)}*\text{Pi}^{(1/2)}*\cos(2*\arcsin(a*x))+480*\text{Pi}*FresnelC(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})+60*\cos(4*\arcsin(a*x))*\arcsin(a*x)^{(1/2)}*\text{Pi}^{(1/2)})$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \text{asin}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*3\*asin(a\*x)\*\*(5/2), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.48, size = 297, normalized size = 1.45

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out]  $\frac{1}{64} \arcsin(ax)^{5/2} e^{4i \arcsin(ax)} / a^4 - \frac{1}{16} \arcsin(ax)^{5/2} e^{2i \arcsin(ax)} / a^4 - \frac{1}{16} \arcsin(ax)^{5/2} e^{-2i \arcsin(ax)} / a^4 + \frac{1}{64} \arcsin(ax)^{5/2} e^{-4i \arcsin(ax)} / a^4 + \frac{5}{512} i \arcsin(ax)^{3/2} e^{4i \arcsin(ax)} / a^4 - \frac{5}{64} i \arcsin(ax)^{3/2} e^{2i \arcsin(ax)} / a^4 + \frac{5}{64} i \arcsin(ax)^{3/2} e^{-2i \arcsin(ax)} / a^4 - \frac{5}{512} i \arcsin(ax)^{3/2} e^{-4i \arcsin(ax)} / a^4 - \frac{15}{32768} i + \frac{15}{32768} \sqrt{2} \sqrt{\pi} \operatorname{erf}((i-1)\sqrt{2}\sqrt{\arcsin(ax)}) / a^4 + \frac{15}{32768} i - \frac{15}{32768} \sqrt{2} \sqrt{\pi} \operatorname{erf}(-(i+1)\sqrt{2}\sqrt{\arcsin(ax)}) / a^4 + \frac{15}{1024} i + \frac{15}{1024} \sqrt{\pi} \operatorname{erf}((i-1)\sqrt{\arcsin(ax)}) / a^4 - \frac{15}{1024} i - \frac{15}{1024} \sqrt{\pi} \operatorname{erf}(-(i+1)\sqrt{\arcsin(ax)}) / a^4 - \frac{15}{4096} \sqrt{\arcsin(ax)} e^{4i \arcsin(ax)} / a^4 + \frac{15}{256} \sqrt{\arcsin(ax)} e^{2i \arcsin(ax)} / a^4 + \frac{15}{256} \sqrt{\arcsin(ax)} e^{-2i \arcsin(ax)} / a^4 - \frac{15}{4096} \sqrt{\arcsin(ax)} e^{-4i \arcsin(ax)} / a^4$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \operatorname{asin}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*asin(a\*x)^(5/2),x)

[Out] int(x^3\*asin(a\*x)^(5/2), x)

### 3.88 $\int x^2 \text{ArcSin}(ax)^{5/2} dx$

Optimal. Leaf size=178

$$-\frac{5x\sqrt{\text{ArcSin}(ax)}}{6a^2} - \frac{5}{36}x^3\sqrt{\text{ArcSin}(ax)} + \frac{5\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{18a} + \frac{1}{3}x^3$$

[Out]  $1/3*x^3*\arcsin(a*x)^{(5/2)}-5/864*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3+15/32*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})^2*(1/2)*\text{Pi}^{(1/2)}/a^3+5/9*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^3+5/18*x^2*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a-5/6*x*\arcsin(a*x)^{(1/2)}/a^2-5/36*x^3*\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.31, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4725, 4795, 4767, 4715, 4809, 3386, 3432, 3393}

$$\frac{15\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{16a^3} - \frac{5\sqrt{\frac{\pi}{6}}S\left(\sqrt{\frac{6}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{144a^3} + \frac{5x^2\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{18a} - \frac{5x\sqrt{\text{ArcSin}(ax)}}{6a^2} + \frac{5\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{9a^3} + \frac{1}{3}x^3\text{ArcSin}(ax)^{5/2} - \frac{5}{36}x^3\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcSin[a\*x]^(5/2),x]

[Out]  $(-5*x*\text{Sqrt}[\text{ArcSin}[a*x]])/(6*a^2) - (5*x^3*\text{Sqrt}[\text{ArcSin}[a*x]])/36 + (5*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(9*a^3) + (5*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(18*a) + (x^3*\text{ArcSin}[a*x]^{(5/2)})/3 + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])]/(16*a^3) - (5*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])]/(144*a^3)$

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3393

Int[((c\_.) + (d\_.)\*(x\_))^(m)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^(2)], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(m + 1)), x] - Dist[b\*c\*(n/(m + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

Rubi steps



$$\begin{aligned}
\int x^2 \sin^{-1}(ax)^{5/2} dx &= \frac{1}{3}x^3 \sin^{-1}(ax)^{5/2} - \frac{1}{6}(5a) \int \frac{x^3 \sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{5x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \sin^{-1}(ax)^{5/2} - \frac{5}{12} \int x^2 \sqrt{\sin^{-1}(ax)} dx - \frac{5}{12} \int \frac{x^2}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{18a} + \frac{5x^2\sqrt{1-a^2x^2}}{18a} \\
&= -\frac{5x\sqrt{\sin^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}}{18a} \\
&= -\frac{5x\sqrt{\sin^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}}{18a} \\
&= -\frac{5x\sqrt{\sin^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}}{18a} \\
&= -\frac{5x\sqrt{\sin^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}}{18a} \\
&= -\frac{5x\sqrt{\sin^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{9a^3} + \frac{5x^2\sqrt{1-a^2x^2}}{18a}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 125, normalized size = 0.70

$$\frac{-81\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -i\text{ArcSin}(ax)\right) - 81\sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, i\text{ArcSin}(ax)\right) + \sqrt{3}\left(\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -3i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, 3i\text{ArcSin}(ax)\right)\right)}{648a^3\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcSin[a\*x]^(5/2), x]

[Out]  $(-81\sqrt{-i\text{ArcSin}[a*x]} \Gamma[7/2, (-i)\text{ArcSin}[a*x]] - 81\sqrt{i\text{ArcSin}[a*x]} \Gamma[7/2, i\text{ArcSin}[a*x]] + \sqrt{3}(\sqrt{-i\text{ArcSin}[a*x]} \Gamma[7/2, (-3*i)\text{ArcSin}[a*x]] + \sqrt{i\text{ArcSin}[a*x]} \Gamma[7/2, (3*i)\text{ArcSin}[a*x]]))/ (648*a^3\sqrt{\text{ArcSin}[a*x]})$

**Maple [A]**

time = 0.05, size = 156, normalized size = 0.88

method	result
default	$-\frac{-216ax \arcsin(ax)^3 + 72 \arcsin(ax)^3 \sin(3 \arcsin(ax)) + 5\sqrt{\pi} \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/864/a^3/arcsin(a*x)^(1/2)*(-216*a*x*arcsin(a*x)^3+72*arcsin(a*x)^3*sin(3
*arcsin(a*x))+5*Pi^(1/2)*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)
/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+60*arcsin(a*x)^2*cos(3*arcsin(a*x))-54
0*arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)-405*Pi^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*F
resnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))+810*a*x*arcsin(a*x)-30*arcsin(a
*x)*sin(3*arcsin(a*x))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{asin}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*asin(a*x)**(5/2),x)
```

```
[Out] Integral(x**2*asin(a*x)**(5/2), x)
```

**Giac** [C] Result contains complex when optimal does not.

time = 0.50, size = 309, normalized size = 1.74

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)^(5/2),x, algorithm="giac")
```

```
[Out] 1/24*I*arcsin(a*x)^(5/2)*e^(3*I*arcsin(a*x))/a^3 - 1/8*I*arcsin(a*x)^(5/2)*
e^(I*arcsin(a*x))/a^3 + 1/8*I*arcsin(a*x)^(5/2)*e^(-I*arcsin(a*x))/a^3 - 1/
24*I*arcsin(a*x)^(5/2)*e^(-3*I*arcsin(a*x))/a^3 - 5/144*arcsin(a*x)^(3/2)*e
^(3*I*arcsin(a*x))/a^3 + 5/16*arcsin(a*x)^(3/2)*e^(I*arcsin(a*x))/a^3 + 5/1
6*arcsin(a*x)^(3/2)*e^(-I*arcsin(a*x))/a^3 - 5/144*arcsin(a*x)^(3/2)*e^(-3*
I*arcsin(a*x))/a^3 - (5/3456*I - 5/3456)*sqrt(6)*sqrt(pi)*erf((1/2*I - 1/2)
*sqrt(6)*sqrt(arcsin(a*x)))/a^3 + (5/3456*I + 5/3456)*sqrt(6)*sqrt(pi)*erf(
-(1/2*I + 1/2)*sqrt(6)*sqrt(arcsin(a*x)))/a^3 + (15/128*I - 15/128)*sqrt(2)
*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^3 - (15/128*I + 15
/128)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(arcsin(a*x)))/a^3 -
5/288*I*sqrt(arcsin(a*x))*e^(3*I*arcsin(a*x))/a^3 + 15/32*I*sqrt(arcsin(a*x
))*e^(I*arcsin(a*x))/a^3 - 15/32*I*sqrt(arcsin(a*x))*e^(-I*arcsin(a*x))/a^3
+ 5/288*I*sqrt(arcsin(a*x))*e^(-3*I*arcsin(a*x))/a^3
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{asin}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*asin(a*x)^(5/2),x)
```

```
[Out] int(x^2*asin(a*x)^(5/2), x)
```

### 3.89 $\int x \operatorname{ArcSin}(ax)^{5/2} dx$

Optimal. Leaf size=119

$$\frac{15\sqrt{\operatorname{ArcSin}(ax)}}{64a^2} - \frac{15}{32}x^2\sqrt{\operatorname{ArcSin}(ax)} + \frac{5x\sqrt{1-a^2x^2}\operatorname{ArcSin}(ax)^{3/2}}{8a} - \frac{\operatorname{ArcSin}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2\operatorname{ArcSin}(ax)^{5/2} -$$

[Out]  $-1/4*\arcsin(a*x)^{(5/2)}/a^2+1/2*x^2*\arcsin(a*x)^{(5/2)}-15/128*\operatorname{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\pi^{(1/2)})*\pi^{(1/2)}/a^2+5/8*x*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a+15/64*\arcsin(a*x)^{(1/2)}/a^2-15/32*x^2*\arcsin(a*x)^{(1/2)}$

Rubi [A]

time = 0.19, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$ , Rules used = {4725, 4795, 4737, 4809, 3393, 3385, 3433}

$$-\frac{15\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{\operatorname{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{128a^2} + \frac{5x\sqrt{1-a^2x^2}\operatorname{ArcSin}(ax)^{3/2}}{8a} - \frac{\operatorname{ArcSin}(ax)^{5/2}}{4a^2} + \frac{15\sqrt{\operatorname{ArcSin}(ax)}}{64a^2} + \frac{1}{2}x^2\operatorname{ArcSin}(ax)^{5/2} - \frac{15}{32}x^2\sqrt{\operatorname{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x*\operatorname{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(15*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]])/(64*a^2) - (15*x^2*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]])/32 + (5*x*\operatorname{Sqrt}[1 - a^2*x^2]*\operatorname{ArcSin}[a*x]^{(3/2)})/(8*a) - \operatorname{ArcSin}[a*x]^{(5/2)}/(4*a^2) + (x^2*\operatorname{ArcSin}[a*x]^{(5/2)})/2 - (15*\operatorname{Sqrt}[\pi]*\operatorname{FresnelC}[(2*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]])/ \operatorname{Sqrt}[\pi]])/(128*a^2)$

Rule 3385

$\operatorname{Int}[\sin[\pi/2 + (e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Cos}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x]], x] /;$   $\operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \operatorname{ComplexFreeQ}[f] \ \&\& \ \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3393

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sin}[e + f*x]^n, x], x] /;$   $\operatorname{FreeQ}[\{c, d, e, f, m\}, x] \ \&\& \ \operatorname{IGtQ}[n, 1] \ \&\& \ (\operatorname{!RationalQ}[m] \ || \ (\operatorname{GeQ}[m, -1] \ \&\& \ \operatorname{LtQ}[m, 1]))$

Rule 3433

$\operatorname{Int}[\operatorname{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Sqrt}[\pi/2]/(f*\operatorname{Rt}[d, 2]))*\operatorname{FresnelC}[\operatorname{Sqrt}[2/\pi]*\operatorname{Rt}[d, 2]*(e + f*x)], x] /;$   $\operatorname{FreeQ}[\{d, e, f\}, x]$

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a
+ b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d
+ e, 0] && NeQ[n, -1]
```

#### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_))*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a +
b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
+ 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]
```

#### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_))*((d_) + (e_.)*(x_)^
2)^(p_), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int x \sin^{-1}(ax)^{5/2} dx &= \frac{1}{2}x^2 \sin^{-1}(ax)^{5/2} - \frac{1}{4}(5a) \int \frac{x^2 \sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} + \frac{1}{2}x^2 \sin^{-1}(ax)^{5/2} - \frac{15}{16} \int x \sqrt{\sin^{-1}(ax)} dx - \frac{5 \int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{8} \\
&= -\frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{5/2} \\
&= -\frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{5/2} \\
&= -\frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \sin^{-1}(ax)^{5/2} \\
&= \frac{15\sqrt{\sin^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} + \\
&= \frac{15\sqrt{\sin^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} + \\
&= \frac{15\sqrt{\sin^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2 \sqrt{\sin^{-1}(ax)} + \frac{5x\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{8a} - \frac{\sin^{-1}(ax)^{5/2}}{4a^2} +
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.01, size = 81, normalized size = 0.68

$$\frac{\sqrt{\text{ArcSin}(ax)} \left( \sqrt{i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, -2i \text{ArcSin}(ax)\right) + \sqrt{-i \text{ArcSin}(ax)} \text{Gamma}\left(\frac{7}{2}, 2i \text{ArcSin}(ax)\right) \right)}{32\sqrt{2} a^2 \sqrt{\text{ArcSin}(ax)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcSin[a\*x]^(5/2), x]

[Out] (Sqrt[ArcSin[a\*x]]\*(Sqrt[I\*ArcSin[a\*x]]\*Gamma[7/2, (-2\*I)\*ArcSin[a\*x]] + Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[7/2, (2\*I)\*ArcSin[a\*x]]))/(32\*Sqrt[2]\*a^2\*Sqrt[ArcSin[a\*x]^2])

**Maple [A]**

time = 0.05, size = 79, normalized size = 0.66

method	result
default	$-\frac{32 \arcsin(ax)^{\frac{5}{2}} \cos(2 \arcsin(ax)) \sqrt{\pi} - 40 \arcsin(ax)^{\frac{3}{2}} \sin(2 \arcsin(ax)) \sqrt{\pi} - 30 \sqrt{\arcsin(ax)} \sqrt{\pi} \cos(2 \arcsin(ax)) + 15 \pi \operatorname{FresnelC}\left(\frac{2 \arcsin(ax)}{\sqrt{\pi}}\right)}{128 a^2 \sqrt{\pi}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/128/a^2/Pi^(1/2)*(32*arcsin(a*x)^(5/2)*cos(2*arcsin(a*x))*Pi^(1/2)-40*arcsin(a*x)^(3/2)*sin(2*arcsin(a*x))*Pi^(1/2)-30*arcsin(a*x)^(1/2)*Pi^(1/2)*cos(2*arcsin(a*x))+15*Pi*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2)))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{asin}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*asin(a*x)**(5/2),x)
```

```
[Out] Integral(x*asin(a*x)**(5/2), x)
```

**Giac [C]** Result contains complex when optimal does not.  
time = 0.45, size = 143, normalized size = 1.20

$$\frac{\arcsin(ax)^{\frac{5}{2}} e^{2i \arcsin(ax)}}{8a^2} - \frac{\arcsin(ax)^{\frac{5}{2}} e^{-2i \arcsin(ax)}}{8a^2} - \frac{5i \arcsin(ax)^{\frac{3}{2}} e^{2i \arcsin(ax)}}{32a^2} + \frac{5i \arcsin(ax)^{\frac{3}{2}} e^{-2i \arcsin(ax)}}{32a^2} - \frac{(15+15)\sqrt{\pi} \operatorname{erf}\left(\frac{(i-1)\sqrt{\arcsin(ax)}}{512a^2}\right)}{512a^2} - \frac{(15-15)\sqrt{\pi} \operatorname{erf}\left(\frac{(-i+1)\sqrt{\arcsin(ax)}}{512a^2}\right)}{512a^2} + \frac{15\sqrt{\arcsin(ax)} e^{2i \arcsin(ax)}}{128a^2} + \frac{15\sqrt{\arcsin(ax)} e^{-2i \arcsin(ax)}}{128a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out]  $-1/8*\arcsin(a*x)^{(5/2)}*e^{(2*I*\arcsin(a*x))/a^2} - 1/8*\arcsin(a*x)^{(5/2)}*e^{(-2*I*\arcsin(a*x))/a^2} - 5/32*I*\arcsin(a*x)^{(3/2)}*e^{(2*I*\arcsin(a*x))/a^2} + 5/32*I*\arcsin(a*x)^{(3/2)}*e^{(-2*I*\arcsin(a*x))/a^2} + (15/512*I + 15/512)*\sqrt{\pi}*\operatorname{erf}((I - 1)*\sqrt{\arcsin(a*x)})/a^2 - (15/512*I - 15/512)*\sqrt{\pi}*\operatorname{erf}(-(I + 1)*\sqrt{\arcsin(a*x)})/a^2 + 15/128*\sqrt{\arcsin(a*x)}*e^{(2*I*\arcsin(a*x))/a^2} + 15/128*\sqrt{\arcsin(a*x)}*e^{(-2*I*\arcsin(a*x))/a^2}$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{asin}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*asin(a\*x)^(5/2),x)

[Out] int(x\*asin(a\*x)^(5/2), x)



### 3.90 $\int \text{ArcSin}(ax)^{5/2} dx$

Optimal. Leaf size=88

$$-\frac{15}{4}x\sqrt{\text{ArcSin}(ax)} + \frac{5\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{2a} + x\text{ArcSin}(ax)^{5/2} + \frac{15\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{4a}$$

[Out]  $x*\arcsin(a*x)^{(5/2)}+15/8*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+5/2*\arcsin(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a-15/4*x*\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.11, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4715, 4767, 4809, 3386, 3432}

$$\frac{5\sqrt{1-a^2x^2}\text{ArcSin}(ax)^{3/2}}{2a} + \frac{15\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{4a} + x\text{ArcSin}(ax)^{5/2} - \frac{15}{4}x\sqrt{\text{ArcSin}(ax)}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(5/2), x]

[Out]  $(-15*x*\text{Sqrt}[\text{ArcSin}[a*x]])/4 + (5*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(2*a) + x*\text{ArcSin}[a*x]^{(5/2)} + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/4*a$

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n-1))/Sqrt[1 - c^2\*x^2]], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sin^{-1}(ax)^{5/2} dx &= x \sin^{-1}(ax)^{5/2} - \frac{1}{2}(5a) \int \frac{x \sin^{-1}(ax)^{3/2}}{\sqrt{1 - a^2x^2}} dx \\
&= \frac{5\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{2a} + x \sin^{-1}(ax)^{5/2} - \frac{15}{4} \int \sqrt{\sin^{-1}(ax)} dx \\
&= -\frac{15}{4}x \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{2a} + x \sin^{-1}(ax)^{5/2} + \frac{1}{8}(15a) \int \frac{1}{\sqrt{1 - a^2x^2}} dx \\
&= -\frac{15}{4}x \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{2a} + x \sin^{-1}(ax)^{5/2} + \frac{15 \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx\right)}{8a} \\
&= -\frac{15}{4}x \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{2a} + x \sin^{-1}(ax)^{5/2} + \frac{15 \text{Subst}\left(\int \sin(x^2) dx\right)}{8a} \\
&= -\frac{15}{4}x \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{2a} + x \sin^{-1}(ax)^{5/2} + \frac{15\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{4a}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 68, normalized size = 0.77

$$\frac{-\sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, -i \text{ArcSin}(ax)\right) - \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{7}{2}, i \text{ArcSin}(ax)\right)}{2a \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(5/2),x]

[Out]  $(-\sqrt{(-1)\text{ArcSin}[a*x]}\text{Gamma}[7/2, (-1)\text{ArcSin}[a*x]]) - \sqrt{I\text{ArcSin}[a*x]}\text{Gamma}[7/2, I\text{ArcSin}[a*x]])/(2*a*\sqrt{\text{ArcSin}[a*x]})$

**Maple [A]**

time = 0.04, size = 88, normalized size = 1.00

method	result
default	$\frac{\sqrt{2} \left( 4 \arcsin(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} ax + 10 \arcsin(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \sqrt{-a^2 x^2 + 1} - 15 \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} ax + 15 \pi S \right)}{8a\sqrt{\pi}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(5/2),x,method=\_RETURNVERBOSE)

[Out]  $1/8/a*2^{(1/2)}/\text{Pi}^{(1/2)}*(4*\arcsin(a*x)^{(5/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*a*x+10*\arcsin(a*x)^{(3/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*(-a^2*x^2+1)^{(1/2)}-15*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{Pi}^{(1/2)}*a*x+15*\text{Pi}*FresnelS(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)}))$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \text{asin}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(5/2), x)

[Out] Integral(asin(a\*x)\*\*(5/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.48, size = 155, normalized size = 1.76

$$\frac{i \arcsin(ax)^{\frac{5}{2}} e^{i \arcsin(ax)}}{2a} + \frac{i \arcsin(ax)^{\frac{5}{2}} e^{-i \arcsin(ax)}}{2a} + \frac{5 \arcsin(ax)^{\frac{3}{2}} e^{i \arcsin(ax)}}{4a} + \frac{5 \arcsin(ax)^{\frac{3}{2}} e^{-i \arcsin(ax)}}{4a} + \frac{(15i - 15) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{\arcsin(ax)}\right)}{32a} - \frac{(15i + 15) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{\arcsin(ax)}\right)}{32a} + \frac{15i \sqrt{\arcsin(ax)} e^{i \arcsin(ax)}}{8a} - \frac{15i \sqrt{\arcsin(ax)} e^{-i \arcsin(ax)}}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2), x, algorithm="giac")

[Out]  $-1/2*I*\arcsin(a*x)^{(5/2)}*e^{(I*\arcsin(a*x))/a} + 1/2*I*\arcsin(a*x)^{(5/2)}*e^{(-I*\arcsin(a*x))/a} + 5/4*\arcsin(a*x)^{(3/2)}*e^{(I*\arcsin(a*x))/a} + 5/4*\arcsin(a*x)^{(3/2)}*e^{(-I*\arcsin(a*x))/a} + (15/32*I - 15/32)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}\left(\left(\frac{1}{2}I - \frac{1}{2}\right)*\sqrt{2}*\sqrt{\arcsin(a*x)}\right)/a - (15/32*I + 15/32)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}\left(-\left(\frac{1}{2}I + \frac{1}{2}\right)*\sqrt{2}*\sqrt{\arcsin(a*x)}\right)/a + 15/8*I*\sqrt{\arcsin(a*x)}*e^{(I*\arcsin(a*x))/a} - 15/8*I*\sqrt{\arcsin(a*x)}*e^{(-I*\arcsin(a*x))/a}$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{asin}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^(5/2), x)

[Out] int(asin(a\*x)^(5/2), x)

$$3.91 \quad \int \frac{\text{ArcSin}(ax)^{5/2}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^{5/2}}{x}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^(5/2)/x,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^{5/2}}{x} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^(5/2)/x,x]

[Out] Defer[Int][ArcSin[a\*x]^(5/2)/x, x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^{5/2}}{x} dx = \int \frac{\sin^{-1}(ax)^{5/2}}{x} dx$$

Mathematica [A]

time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^{5/2}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^(5/2)/x,x]

[Out] Integrate[ArcSin[a\*x]^(5/2)/x, x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^{5/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^(5/2)/x,x)`

[Out] `int(arcsin(a*x)^(5/2)/x,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(5/2)/x,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(5/2)/x,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^{\frac{5}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**(5/2)/x,x)`

[Out] `Integral(asin(a*x)**(5/2)/x, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^(5/2)/x,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^(5/2)/x, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\operatorname{asin}(ax)^{5/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^(5/2)/x,x)

[Out] int(asin(a\*x)^(5/2)/x, x)

$$3.92 \quad \int \frac{x^4}{\sqrt{\text{ArcSin}(ax)}} dx$$

**Optimal.** Leaf size=106

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{10}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5}$$

[Out] 1/80\*FresnelC(10^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*10^(1/2)\*Pi^(1/2)/a^5+1/8\*FresnelC(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a^5-1/16\*FresnelC(6^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*6^(1/2)\*Pi^(1/2)/a^5

**Rubi [A]**

time = 0.08, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4731, 4491, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{10}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/Sqrt[ArcSin[a\*x]], x]

[Out] (Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(4\*a^5) - (Sqrt[(3\*Pi)/2]\*FresnelC[Sqrt[6/Pi]\*Sqrt[ArcSin[a\*x]]])/(8\*a^5) + (Sqrt[Pi/10]\*FresnelC[Sqrt[10/Pi]\*Sqrt[ArcSin[a\*x]]])/(8\*a^5)

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]



## Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

## Rubi steps

$$\begin{aligned}
 \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x) \sin^4(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^5} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{8\sqrt{x}} - \frac{3\cos(3x)}{16\sqrt{x}} + \frac{\cos(5x)}{16\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^5} \\
 &= \frac{\text{Subst}\left(\int \frac{\cos(5x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^5} - \frac{3\text{Subst}\left(\int \frac{\cos(3x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{16a^5} \\
 &= \frac{\text{Subst}\left(\int \cos(5x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{8a^5} + \frac{\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^5} - \frac{3\text{Subst}\left(\int \cos(3x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{8a^5} \\
 &= \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a^5} + \frac{\sqrt{\frac{\pi}{10}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a^5}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.04, size = 193, normalized size = 1.82

$$\frac{i \left( 10 \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) - i \text{ArcSin}(ax) - 10 \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) + i \text{ArcSin}(ax) - 5 \sqrt{3} \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) - 3i \text{ArcSin}(ax) + 5 \sqrt{3} \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) + 3i \text{ArcSin}(ax) + \sqrt{5} \sqrt{-i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) - 5i \text{ArcSin}(ax) - \sqrt{5} \sqrt{i \text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}\right) + 5i \text{ArcSin}(ax) \right)}{160a^5 \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/Sqrt[ArcSin[a\*x]],x]

[Out] ((-1/160\*I)\*(10\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-I)\*ArcSin[a\*x]] - 10\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, I\*ArcSin[a\*x]] - 5\*Sqrt[3]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]] + 5\*Sqrt[3]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (3\*I)\*ArcSin[a\*x]] + Sqrt[5]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-5\*I)\*ArcSin[a\*x]] - Sqrt[5]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (5\*I)\*ArcSin[a\*x]]))/(a^5\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.06, size = 72, normalized size = 0.68

method	result
default	$\frac{\sqrt{2} \sqrt{\pi} \left( \sqrt{5} \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{5} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) - 5\sqrt{3} \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) + 10 \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) \right)}{80a^5}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/80/a^5*2^(1/2)*Pi^(1/2)*(5^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*5^(1/2)*arcsin(a*x)^(1/2))-5*3^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+10*FresnelC(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/asin(a*x)**(1/2),x)
```

```
[Out] Integral(x**4/sqrt(asin(a*x)), x)
```

**Giac [C]** Result contains complex when optimal does not.

time = 0.45, size = 139, normalized size = 1.31

$$\frac{(i+1)\sqrt{10}\sqrt{\pi}\operatorname{erf}\left(\frac{i}{2}\sqrt{10}\sqrt{\arcsin(ax)}\right)}{320a^5} + \frac{(i-1)\sqrt{10}\sqrt{\pi}\operatorname{erf}\left(-\frac{i}{2}\sqrt{10}\sqrt{\arcsin(ax)}\right)}{320a^5} + \frac{(i+1)\sqrt{6}\sqrt{\pi}\operatorname{erf}\left(\frac{i}{2}\sqrt{6}\sqrt{\arcsin(ax)}\right)}{64a^5} - \frac{(i-1)\sqrt{6}\sqrt{\pi}\operatorname{erf}\left(-\frac{i}{2}\sqrt{6}\sqrt{\arcsin(ax)}\right)}{64a^5} - \frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{i}{2}\sqrt{2}\sqrt{\arcsin(ax)}\right)}{32a^5} + \frac{(i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\frac{i}{2}\sqrt{2}\sqrt{\arcsin(ax)}\right)}{32a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out]  $-(1/320*I + 1/320)*\sqrt{10}*\sqrt{\pi}*\operatorname{erf}\left(\frac{1}{2}*I - 1/2\right)*\sqrt{10}*\sqrt{\arcsin(a*x)}/a^5 + (1/320*I - 1/320)*\sqrt{10}*\sqrt{\pi}*\operatorname{erf}\left(-\frac{1}{2}*I + 1/2\right)*\sqrt{10}*\sqrt{\arcsin(a*x)}/a^5 + (1/64*I + 1/64)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}\left(\frac{1}{2}*I - 1/2\right)*\sqrt{6}*\sqrt{\arcsin(a*x)}/a^5 - (1/64*I - 1/64)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}\left(-\frac{1}{2}*I + 1/2\right)*\sqrt{6}*\sqrt{\arcsin(a*x)}/a^5 - (1/32*I + 1/32)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}\left(\frac{1}{2}*I - 1/2\right)*\sqrt{2}*\sqrt{\arcsin(a*x)}/a^5 + (1/32*I - 1/32)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}\left(-\frac{1}{2}*I + 1/2\right)*\sqrt{2}*\sqrt{\arcsin(a*x)}/a^5$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{\operatorname{asin}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/asin(a\*x)^(1/2),x)

[Out] int(x^4/asin(a\*x)^(1/2), x)

$$3.93 \quad \int \frac{x^3}{\sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=65

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^4} + \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{4a^4}$$

[Out]  $-1/16*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+1/4*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4$

Rubi [A]

time = 0.06, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4731, 4491, 3386, 3432}

$$\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{4a^4} - \frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{8a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/Sqrt[ArcSin[a\*x]],x]

[Out]  $-1/8*(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^4 + (\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(4*a^4)$

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

## Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

## Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^3(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\sin(2x)}{4\sqrt{x}} - \frac{\sin(4x)}{8\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sin(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a^4} \\
 &= -\frac{\text{Subst}\left(\int \sin(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^4} + \frac{\text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{2a^4} \\
 &= -\frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a^4} + \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{4a^4}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 128, normalized size = 1.97

$$\frac{-2\sqrt{2}\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) - 2\sqrt{2}\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right) + \sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -4i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 4i\text{ArcSin}(ax)\right)}{32a^4\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/Sqrt[ArcSin[a\*x]], x]

[Out] (-2\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - 2\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] + Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] + Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]])/(32\*a^4\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.04, size = 44, normalized size = 0.68

method	result	size
default	$\frac{\sqrt{\pi} \left( -\sqrt{2} S\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) + 4S\left(\frac{\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \right)}{16a^4}$	44

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/16/a^4*Pi^(1/2)*(-2^(1/2)*FresnelS(2*2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))+
4*FresnelS(2*arcsin(a*x)^(1/2)/Pi^(1/2)))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/asin(a*x)**(1/2),x)
```

```
[Out] Integral(x**3/sqrt(asin(a*x)), x)
```

**Giac [C]** Result contains complex when optimal does not.

time = 0.44, size = 81, normalized size = 1.25

$$-\frac{(i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{(i-1)\sqrt{2}\sqrt{\arcsin(ax)}}{64a^4}\right)}{64a^4} + \frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{-(i+1)\sqrt{2}\sqrt{\arcsin(ax)}}{64a^4}\right)}{64a^4} + \frac{(i-1)\sqrt{\pi}\operatorname{erf}\left(\frac{(i-1)\sqrt{\arcsin(ax)}}{16a^4}\right)}{16a^4} - \frac{(i+1)\sqrt{\pi}\operatorname{erf}\left(\frac{-(i+1)\sqrt{\arcsin(ax)}}{16a^4}\right)}{16a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out]  $-(1/64*I - 1/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((I - 1)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a^4 + (1/64*I + 1/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(I + 1)*\sqrt{2}*\sqrt{\arcsin(a*x)})/a^4 + (1/16*I - 1/16)*\sqrt{\pi}*\operatorname{erf}((I - 1)*\sqrt{\arcsin(a*x)})/a^4 - (1/16*I + 1/16)*\sqrt{\pi}*\operatorname{erf}(-(I + 1)*\sqrt{\arcsin(a*x)})/a^4$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x)^(1/2),x)

[Out] int(x^3/asin(a\*x)^(1/2), x)

$$3.94 \quad \int \frac{x^2}{\sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=71

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^3}$$

[Out]  $-1/12*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{3+1/4}$   
 $*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3$

Rubi [A]

time = 0.06, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4731, 4491, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/Sqrt[ArcSin[a\*x]],x]

[Out]  $(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(2*a^3) - (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(2*a^3)$

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]



## Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

## Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^3} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{4\sqrt{x}} - \frac{\cos(3x)}{4\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
 &= \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a^3} \\
 &= \frac{\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{2a^3} - \frac{\text{Subst}\left(\int \cos(3x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{2a^3} \\
 &= \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{2a^3}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 128, normalized size = 1.80

$$\frac{i(3\sqrt{-i\text{ArcSin}(ax)} \Gamma(\frac{1}{2}, -i\text{ArcSin}(ax)) - 3\sqrt{i\text{ArcSin}(ax)} \Gamma(\frac{1}{2}, i\text{ArcSin}(ax)) + \sqrt{3}(-\sqrt{-i\text{ArcSin}(ax)} \Gamma(\frac{1}{2}, -3i\text{ArcSin}(ax)) + \sqrt{i\text{ArcSin}(ax)} \Gamma(\frac{1}{2}, 3i\text{ArcSin}(ax))))}{24a^3 \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Sqrt[ArcSin[a\*x]], x]

[Out] ((-1/24\*I)\*(3\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-I)\*ArcSin[a\*x]] - 3\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, I\*ArcSin[a\*x]] + Sqrt[3]\*(-(Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]]) + Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (3\*I)\*ArcSin[a\*x]])))/(a^3\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.04, size = 51, normalized size = 0.72

method	result	size
default	$\frac{\sqrt{2} \sqrt{\pi} \left( -\sqrt{3} \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) + 3 \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) \right)}{12a^3}$	51

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/12/a^3*2^(1/2)*Pi^(1/2)*(-3^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+3*FresnelC(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/asin(a*x)**(1/2),x)
```

```
[Out] Integral(x**2/sqrt(asin(a*x)), x)
```

**Giac [C]** Result contains complex when optimal does not.

time = 0.45, size = 93, normalized size = 1.31

$$\frac{(i+1)\sqrt{6}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{6}\sqrt{\arcsin(ax)}}{48a^3} - \frac{(i-1)\sqrt{6}\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{2}i+\frac{1}{2}\right)\sqrt{6}\sqrt{\arcsin(ax)}}{48a^3} - \frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}{16a^3} + \frac{(i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}}{16a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] (1/48\*I + 1/48)\*sqrt(6)\*sqrt(pi)\*erf((1/2\*I - 1/2)\*sqrt(6)\*sqrt(arcsin(a\*x)))/a^3 - (1/48\*I - 1/48)\*sqrt(6)\*sqrt(pi)\*erf(-(1/2\*I + 1/2)\*sqrt(6)\*sqrt(arcsin(a\*x)))/a^3 - (1/16\*I + 1/16)\*sqrt(2)\*sqrt(pi)\*erf((1/2\*I - 1/2)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^3 + (1/16\*I - 1/16)\*sqrt(2)\*sqrt(pi)\*erf(-(1/2\*I + 1/2)\*sqrt(2)\*sqrt(arcsin(a\*x)))/a^3

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{\operatorname{asin}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/asin(a\*x)^(1/2),x)

[Out] int(x^2/asin(a\*x)^(1/2), x)

$$3.95 \quad \int \frac{x}{\sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=28

$$\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{2a^2}$$

[Out] 1/2\*FresnelS(2\*arcsin(a\*x)^(1/2)/Pi^(1/2))\*Pi^(1/2)/a^2

**Rubi** [A]

time = 0.03, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4731, 4491, 12, 3386, 3432}

$$\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[ArcSin[a\*x]],x]

[Out] (Sqrt[Pi]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(2\*a^2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] :> Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

## Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

## Rubi steps

$$\begin{aligned}
 \int \frac{x}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{2a^2} \\
 &= \frac{\text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^2} \\
 &= \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a^2}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.01, size = 71, normalized size = 2.54

$$\frac{\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right)}{4\sqrt{2} a^2 \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[ArcSin[a\*x]], x]

[Out] -1/4\*(Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] + Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]])/(Sqrt[2]\*a^2\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.03, size = 21, normalized size = 0.75

method	result	size
--------	--------	------

default	$\frac{S\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\sqrt{\pi}}{2a^2}$	21
---------	---	----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/arcsin(a*x)^(1/2),x,method=_RETURNVERBOSE)`

[Out] `1/2*FresnelS(2*arcsin(a*x)^(1/2)/Pi^(1/2))*Pi^(1/2)/a^2`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/arcsin(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/arcsin(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/asin(a*x)**(1/2),x)`

[Out] `Integral(x/sqrt(asin(a*x)), x)`

**Giac** [C] Result contains complex when optimal does not.

time = 0.43, size = 35, normalized size = 1.25

$$\frac{(i-1)\sqrt{\pi}\operatorname{erf}\left((i-1)\sqrt{\arcsin(ax)}\right)}{8a^2} - \frac{(i+1)\sqrt{\pi}\operatorname{erf}\left(-(i+1)\sqrt{\arcsin(ax)}\right)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] (1/8\*I - 1/8)\*sqrt(pi)\*erf((I - 1)\*sqrt(arcsin(a\*x)))/a^2 - (1/8\*I + 1/8)\*sqrt(pi)\*erf(-(I + 1)\*sqrt(arcsin(a\*x)))/a^2

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x}{\sqrt{a \sin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^(1/2),x)

[Out] int(x/asin(a\*x)^(1/2), x)

$$3.96 \quad \int \frac{1}{\sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=30

$$\frac{\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

[Out] FresnelC(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a

Rubi [A]

time = 0.02, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4719, 3385, 3433}

$$\frac{\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[ArcSin[a\*x]],x]

[Out] (Sqrt[2\*Pi]\*FresnelC[Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/a

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n], x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps



$$\int \frac{1}{\sqrt{\sin^{-1}(ax)}} dx = \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a}$$

$$= \frac{2\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a}$$

$$= \frac{\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 69, normalized size = 2.30

$$\frac{i\left(\sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) - \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)\right)}{2a \sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[ArcSin[a\*x]],x]

[Out] ((-1/2\*I)\*(Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-I)\*ArcSin[a\*x]] - Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, I\*ArcSin[a\*x]]))/(a\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.02, size = 25, normalized size = 0.83

method	result	size
default	$\frac{\text{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\pi}}{a}$	25

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x)^(1/2),x,method=\_RETURNVERBOSE)

[Out] FresnelC(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/asin(a\*x)\*\*(1/2),x)

[Out] Integral(1/sqrt(asin(a\*x)), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.43, size = 47, normalized size = 1.57

$$\frac{(i+1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}\right)}{4a} + \frac{(i-1)\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{\arcsin(ax)}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] -(1/4\*I + 1/4)\*sqrt(2)\*sqrt(pi)\*erf((1/2\*I - 1/2)\*sqrt(2)\*sqrt(arcsin(a\*x))  
) / a + (1/4\*I - 1/4)\*sqrt(2)\*sqrt(pi)\*erf(-(1/2\*I + 1/2)\*sqrt(2)\*sqrt(arcsin  
(a\*x))) / a

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/asin(a\*x)^(1/2),x)

[Out] int(1/asin(a\*x)^(1/2), x)

$$3.97 \quad \int \frac{1}{x \sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \sqrt{\text{ArcSin}(ax)}}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^(1/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*Sqrt[ArcSin[a\*x]]), x]

[Out] Defer[Int][1/(x\*Sqrt[ArcSin[a\*x]]), x]

Rubi steps

$$\int \frac{1}{x \sqrt{\sin^{-1}(ax)}} dx = \int \frac{1}{x \sqrt{\sin^{-1}(ax)}} dx$$

Mathematica [A]

time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*Sqrt[ArcSin[a\*x]]), x]

[Out] Integrate[1/(x\*Sqrt[ArcSin[a\*x]]), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x/arcsin(a*x)^(1/2),x)
```

```
[Out] int(1/x/arcsin(a*x)^(1/2),x)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
      integ rate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/asin(a*x)**(1/2),x)
```

```
[Out] Integral(1/(x*sqrt(asin(a*x))), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(1/2),x, algorithm="giac")
```

[Out] integrate(1/(x\*sqrt(arcsin(a\*x))), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^(1/2)),x)

[Out] int(1/(x\*asin(a\*x)^(1/2)), x)

$$3.98 \quad \int \frac{1}{x^2 \sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x^2 \sqrt{\text{ArcSin}(ax)}}, x\right)$$

[Out] Unintegrable(1/x^2/arcsin(a\*x)^(1/2),x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*Sqrt[ArcSin[a\*x]]),x]

[Out] Defer[Int][1/(x^2\*Sqrt[ArcSin[a\*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{\sin^{-1}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\sin^{-1}(ax)}} dx$$

Mathematica [A]

time = 2.01, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*Sqrt[ArcSin[a\*x]]),x]

[Out] Integrate[1/(x^2\*Sqrt[ArcSin[a\*x]]), x]

Maple [A]

time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^2/arcsin(a*x)^(1/2),x)
```

```
[Out] int(1/x^2/arcsin(a*x)^(1/2),x)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:  integ
rate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/asin(a*x)**(1/2),x)
```

```
[Out] Integral(1/(x**2*sqrt(asin(a*x))), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/arcsin(a*x)^(1/2),x, algorithm="giac")
```

[Out] integrate(1/(x^2\*sqrt(arcsin(a\*x))), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x^2 \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*asin(a\*x)^(1/2)),x)

[Out] int(1/(x^2\*asin(a\*x)^(1/2)), x)



### 3.99 $\int \frac{x^6}{\text{ArcSin}(ax)^{3/2}} dx$

**Optimal.** Leaf size=171

$$\frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{5\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} + \frac{9\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} - \frac{5\sqrt{\frac{5\pi}{2}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} - \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

[Out]  $-5/32*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{7+9/3}$   
 $2*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{7-5/32}*\text{Fr}$   
 $\text{esnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^{7+1/32}*\text{Fres}$   
 $\text{nelS}(14^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*14^{(1/2)}*\text{Pi}^{(1/2)}/a^{7-2*x^6*(-a^2$   
 $*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.10, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4727, 3386, 3432}

$$\frac{5\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} + \frac{9\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} - \frac{5\sqrt{\frac{5\pi}{2}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} + \frac{\sqrt{\frac{7\pi}{2}} S\left(\sqrt{\frac{14}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{16a^7} - \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^6/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*x^6*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (5*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{S}$   
 $\text{qrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/(16*a^7) + (9*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/$   
 $\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/(16*a^7) - (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{S}$   
 $\text{qrt}[\text{ArcSin}[a*x]])/(16*a^7) + (\text{Sqrt}[(7*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[\text{Arc}$   
 $\text{Sin}[a*x]])/(16*a^7)$

**Rule 3386**

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d$   
 $, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /;$  FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

**Rule 3432**

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[$   
 $d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$  FreeQ[{d, e, f}, x]

**Rule 4727**

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x$   
 $^{m*}\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}$

`[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]`

Rubi steps

$$\begin{aligned} \int \frac{x^6}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2x^6 \sqrt{1 - a^2 x^2}}{a \sqrt{\sin^{-1}(ax)}} + \frac{2 \text{Subst} \left( \int \left( -\frac{5 \sin(x)}{64 \sqrt{x}} + \frac{27 \sin(3x)}{64 \sqrt{x}} - \frac{25 \sin(5x)}{64 \sqrt{x}} + \frac{7 \sin(7x)}{64 \sqrt{x}} \right) dx, x, \sin^{-1}(ax) \right)}{a^7} \\ &= -\frac{2x^6 \sqrt{1 - a^2 x^2}}{a \sqrt{\sin^{-1}(ax)}} - \frac{5 \text{Subst} \left( \int \frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{32a^7} + \frac{7 \text{Subst} \left( \int \frac{\sin(7x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{32a^7} \\ &= -\frac{2x^6 \sqrt{1 - a^2 x^2}}{a \sqrt{\sin^{-1}(ax)}} - \frac{5 \text{Subst} \left( \int \sin(x^2) dx, x, \sqrt{\sin^{-1}(ax)} \right)}{16a^7} + \frac{7 \text{Subst} \left( \int \sin(7x^2) dx, x, \sqrt{\sin^{-1}(ax)} \right)}{16a^7} \\ &= -\frac{2x^6 \sqrt{1 - a^2 x^2}}{a \sqrt{\sin^{-1}(ax)}} - \frac{5 \sqrt{\frac{\pi}{2}} S \left( \sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)} \right)}{16a^7} + \frac{9 \sqrt{\frac{3\pi}{2}} S \left( \sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)} \right)}{16a^7} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.14, size = 427, normalized size = 2.50

`(ArcSin[a*x])^(3/2) * Gamma[1/2, (-I)*ArcSin[a*x]] - Sqrt[(-I)*ArcSin[a*x]] * Gamma[1/2, (-I)*ArcSin[a*x]] - (5*(E^((-I)*ArcSin[a*x]) - Sqrt[I*ArcSin[a*x]]) * Gamma[1/2, I*ArcSin[a*x]]) / (64*Sqrt[ArcSin[a*x]]) + (9*(E^((3*I)*ArcSin[a*x]) - Sqrt[3]*Sqrt[(-I)*ArcSin[a*x]]) * Gamma[1/2, (-3*I)*ArcSin[a*x]]) / (64*Sqrt[ArcSin[a*x]]) + (9*(E^((-3*I)*ArcSin[a*x]) - Sqrt[3]*Sqrt[I*ArcSin[a*x]]) * Gamma[1/2, (3*I)*ArcSin[a*x]]) / (64*Sqrt[ArcSin[a*x]]) - (5*(E^((5*I)*ArcSin[a*x]) - Sqrt[5]*Sqrt[(-I)*ArcSin[a*x]]) * Gamma[1/2, (-5*I)*ArcSin[a*x]]) / (64*Sqrt[ArcSin[a*x]]) - (5*(E^((-5*I)*ArcSin[a*x]) - Sqrt[5]*Sqrt[I*ArcSin[a*x]]) * Gamma[1/2, (5*I)*ArcSin[a*x]]) / (64*Sqrt[ArcSin[a*x]]) + (E^((7*I)*ArcSin[a*x]) - Sqrt[7]*Sqrt[(-I)*ArcSin[a*x]]) * Gamma[1/2, (-7*I)*ArcSin[a*x]]`

Antiderivative was successfully verified.

`[In] Integrate[x^6/ArcSin[a*x]^(3/2), x]`

`[Out] ((-5*(E^(I*ArcSin[a*x]) - Sqrt[(-I)*ArcSin[a*x]]*Gamma[1/2, (-I)*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) - (5*(E^((-I)*ArcSin[a*x]) - Sqrt[I*ArcSin[a*x]]*Gamma[1/2, I*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) + (9*(E^((3*I)*ArcSin[a*x]) - Sqrt[3]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[1/2, (-3*I)*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) + (9*(E^((-3*I)*ArcSin[a*x]) - Sqrt[3]*Sqrt[I*ArcSin[a*x]]*Gamma[1/2, (3*I)*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) - (5*(E^((5*I)*ArcSin[a*x]) - Sqrt[5]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[1/2, (-5*I)*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) - (5*(E^((-5*I)*ArcSin[a*x]) - Sqrt[5]*Sqrt[I*ArcSin[a*x]]*Gamma[1/2, (5*I)*ArcSin[a*x]])) / (64*Sqrt[ArcSin[a*x]]) + (E^((7*I)*ArcSin[a*x]) - Sqrt[7]*Sqrt[(-I)*ArcSin[a*x]]*Gamma[1/2, (-7*I)*ArcSin[a*x]]`

$x]]/(64*\text{Sqrt}[\text{ArcSin}[a*x]]) + (E^{((-7*I)*\text{ArcSin}[a*x])} - \text{Sqrt}[7]*\text{Sqrt}[I*\text{ArcSin}[a*x]])*\text{Gamma}[1/2, (7*I)*\text{ArcSin}[a*x]]/(64*\text{Sqrt}[\text{ArcSin}[a*x]]))/a^7$

**Maple [A]**

time = 0.09, size = 184, normalized size = 1.08

method	result
default	$-\frac{\sqrt{2} \sqrt{\pi} \sqrt{7} s\left(\frac{\sqrt{2} \sqrt{7} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{\arcsin(ax)} + 5\sqrt{\pi} \sqrt{5} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{7} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{\arcsin(ax)^{3/2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-1/32/a^7*(-2^{(1/2)}*\text{Pi}^{(1/2)}*7^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*7^{(1/2)}*\arcsin(a*x)^{(1/2)}*\arcsin(a*x)^{(1/2)}+5*\text{Pi}^{(1/2)}*5^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*5^{(1/2)}*\arcsin(a*x)^{(1/2)})-9*\text{Pi}^{(1/2)}*3^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}*\arcsin(a*x)^{(1/2)})+5*\text{Pi}^{(1/2)}*2^{(1/2)}*\arcsin(a*x)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})+5*(-a^2*x^2+1)^{(1/2)}-9*\cos(3*\arcsin(a*x))+5*\cos(5*\arcsin(a*x))-9*\cos(7*\arcsin(a*x)))/\arcsin(a*x)^{(1/2)}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6/arcsin(a*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6/arcsin(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**6/asin(a*x)**(3/2),x)``[Out] Integral(x**6/asin(a*x)**(3/2), x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^6/arcsin(a*x)^(3/2),x, algorithm="giac")``[Out] integrate(x^6/arcsin(a*x)^(3/2), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^6/asin(a*x)^(3/2),x)``[Out] int(x^6/asin(a*x)^(3/2), x)`

### 3.100 $\int \frac{x^5}{\text{ArcSin}(ax)^{3/2}} dx$

**Optimal.** Leaf size=127

$$\frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{a^6} + \frac{\sqrt{3\pi} \text{FresnelC}\left(2\sqrt{\frac{3}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{8a^6} + \frac{5\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{8a^6} - \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

[Out]  $-1/2*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^6+5/8*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^6+1/8*\text{FresnelC}(2*3^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*3^{(1/2)}*\text{Pi}^{(1/2)}/a^6-2*x^5*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.08, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ ,

Rules used = {4727, 3385, 3433}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{a^6} + \frac{\sqrt{3\pi} \text{FresnelC}\left(2\sqrt{\frac{3}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{8a^6} + \frac{5\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{8a^6} - \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^5/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*x^5*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/a^6 + (\text{Sqrt}[3*\text{Pi}]*\text{FresnelC}[2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/(8*a^6) + (5*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(8*a^6)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4727

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}[1/(b^2*c^{(m + 1)}*(n + 1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[x^{(n + 1)}, \text{Sin}[-a/b$

+ x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x  
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^5}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\text{Subst}\left(\int\left(\frac{5\cos(2x)}{16\sqrt{x}} - \frac{\cos(4x)}{2\sqrt{x}} + \frac{3\cos(6x)}{16\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^6} \\ &= -\frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{3\text{Subst}\left(\int\frac{\cos(6x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^6} + \frac{5\text{Subst}\left(\int\frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a^6} \\ &= -\frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{3\text{Subst}\left(\int\cos(6x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^6} + \frac{5\text{Subst}\left(\int\cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a^6} \\ &= -\frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{a^6} + \frac{\sqrt{3\pi} C\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{8a^6} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.09, size = 231, normalized size = 1.82

$$\frac{5i\sqrt{2}\sqrt{-\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -2\text{ArcSin}(ax)\right) - 5i\sqrt{2}\sqrt{\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 2\text{ArcSin}(ax)\right) - 8i\sqrt{-\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -4\text{ArcSin}(ax)\right) + 8i\sqrt{\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 4\text{ArcSin}(ax)\right) + i\sqrt{2}\sqrt{-\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -6\text{ArcSin}(ax)\right) - i\sqrt{2}\sqrt{\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 6\text{ArcSin}(ax)\right) + 10\sin(2\text{ArcSin}(ax)) - 8\sin(4\text{ArcSin}(ax)) + 2\sin(6\text{ArcSin}(ax))}{32a^6\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/ArcSin[a\*x]^(3/2), x]

[Out] -1/32\*((5\*I)\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - (5\*I)\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] - (8\*I)\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] + (8\*I)\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]] + I\*Sqrt[6]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-6\*I)\*ArcSin[a\*x]] - I\*Sqrt[6]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (6\*I)\*ArcSin[a\*x]] + 10\*Sin[2\*ArcSin[a\*x]] - 8\*Sin[4\*ArcSin[a\*x]] + 2\*Sin[6\*ArcSin[a\*x]])/(a^6\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.06, size = 121, normalized size = 0.95

method	result
default	$-\frac{8 \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} - 2 \sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{6} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{16}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/16/a^6*(8*FresnelC(2*2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)-2*Pi^(1/2)*3^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*6^(1/2)*arcsin(a*x)^(1/2))*arcsin(a*x)^(1/2)-10*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(1/2)*Pi^(1/2)+5*sin(2*arcsin(a*x))-4*sin(4*arcsin(a*x))+sin(6*arcsin(a*x)))/arcsin(a*x)^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5/asin(a*x)**(3/2),x)
```

[Out] Integral( $x^{**5}/\text{asin}(a*x)^{(3/2)}$ , x)

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate( $x^5/\text{arcsin}(a*x)^{(3/2)}$ ,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vector & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{\text{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int( $x^5/\text{asin}(a*x)^{(3/2)}$ ,x)

[Out] int( $x^5/\text{asin}(a*x)^{(3/2)}$ , x)



### 3.101 $\int \frac{x^4}{\text{ArcSin}(ax)^{3/2}} dx$

**Optimal.** Leaf size=136

$$\frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^5} + \frac{3\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{5\pi}{2}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5}$$

[Out]  $-1/4*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{5+3/8}*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-1/8}*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-2*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.07, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4727, 3386, 3432}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^5} + \frac{3\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{5\pi}{2}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{4a^5} - \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*x^4*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(2*a^5) + (3*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(4*a^5) - (\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(4*a^5)$

**Rule 3386**

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

**Rule 3432**

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

**Rule 4727**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}$



method	result
default	$-\frac{-3\sqrt{\pi} \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) + \sqrt{\pi} \sqrt{5} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2}}{\sqrt{\pi}}\right)}{1}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/8/a^5*(-3*Pi^(1/2)*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi
^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+Pi^(1/2)*5^(1/2)*2^(1/2)*arcsin(a*x)^(1/2
)*FresnelS(2^(1/2)/Pi^(1/2)*5^(1/2)*arcsin(a*x)^(1/2))+2*Pi^(1/2)*2^(1/2)*a
rcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))+2*(-a^2*x^2+1
)^(1/2)-3*cos(3*arcsin(a*x))+cos(5*arcsin(a*x)))/arcsin(a*x)^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/asin(a*x)**(3/2),x)
```

[Out] Integral( $x^{**4}/\text{asin}(a*x)**(3/2)$ , x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate( $x^4/\text{arcsin}(a*x)^{(3/2)}$ ,x, algorithm="giac")

[Out] integrate( $x^4/\text{arcsin}(a*x)^{(3/2)}$ , x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\text{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int( $x^4/\text{asin}(a*x)^{(3/2)}$ ,x)

[Out] int( $x^4/\text{asin}(a*x)^{(3/2)}$ , x)

### 3.102 $\int \frac{x^3}{\text{ArcSin}(ax)^{3/2}} dx$

**Optimal.** Leaf size=90

$$\frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^4} + \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{a^4}$$

[Out]  $-1/2*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4-2*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.06, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4727, 3385, 3433}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^4} + \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{a^4} - \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*x^3*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]])/a^4 + (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/a^4$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

**Rule 3433**

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

**Rule 4727**

$\text{Int}[(c_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}[1/(b^2*c^{(m + 1)}*(n + 1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[x^{(n + 1)}, \text{Sin}[-a/b + x/b]^{(m - 1)}*(m - (m + 1)*\text{Sin}[-a/b + x/b]^2), x], x], x, a + b*\text{ArcSin}[c*x]$

]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\text{Subst}\left(\int\left(\frac{\cos(2x)}{2\sqrt{x}} - \frac{\cos(4x)}{2\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
 &= -\frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{\text{Subst}\left(\int\frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^4} - \frac{\text{Subst}\left(\int\frac{\cos(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
 &= -\frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\text{Subst}\left(\int\cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^4} - \frac{2\text{Subst}\left(\int\cos(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^4} \\
 &= -\frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{a^4} + \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^4}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.03, size = 154, normalized size = 1.71

$$\frac{-i\sqrt{2}\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) + i\sqrt{2}\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right) + i\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -4i\text{ArcSin}(ax)\right) - i\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 4i\text{ArcSin}(ax)\right) - 2\sin(2\text{ArcSin}(ax)) + \sin(4\text{ArcSin}(ax))}{4a^4\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcSin[a\*x]^(3/2), x]

[Out] ((-I)\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] + I\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] + I\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - I\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]] - 2\*Sin[2\*ArcSin[a\*x]] + Sin[4\*ArcSin[a\*x]])/(4\*a^4\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.05, size = 83, normalized size = 0.92

method	result
--------	--------

default	$\frac{2 \operatorname{FresnelC}\left(\frac{2\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} - 4 \operatorname{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \sqrt{\arcsin(ax)}}{4a^4 \sqrt{\arcsin(ax)}}$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/4/a^4*(2*FresnelC(2*2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)-4*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(1/2)*Pi^(1/2)+2*sin(2*arcsin(a*x))-sin(4*arcsin(a*x)))/arcsin(a*x)^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/asin(a*x)**(3/2),x)
```

```
[Out] Integral(x**3/asin(a*x)**(3/2), x)
```

**Giac [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcasin(a\*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
 eur & l) Error: Bad Argument Value

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x)^(3/2),x)

[Out] int(x^3/asin(a\*x)^(3/2), x)



### 3.103 $\int \frac{x^2}{\text{ArcSin}(ax)^{3/2}} dx$

**Optimal.** Leaf size=96

$$\frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^3} + \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^3}$$

[Out]  $-1/2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{3+1/2}*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{3-2*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.05, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4727, 3386, 3432}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^3} + \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^3} - \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] `Int[x^2/ArcSin[a*x]^(3/2),x]`

[Out]  $(-2*x^2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^3 + (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^3$

**Rule 3386**

`Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

**Rule 3432**

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

**Rule 4727**

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b`

+ x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x  
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\text{Subst}\left(\int\left(-\frac{\sin(x)}{4\sqrt{x}} + \frac{3\sin(3x)}{4\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
 &= -\frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{\text{Subst}\left(\int\frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{2a^3} + \frac{3\text{Subst}\left(\int\frac{\sin(3x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{2a^3} \\
 &= -\frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{\text{Subst}\left(\int\sin(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^3} + \frac{3\text{Subst}\left(\int\sin(3x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^3} \\
 &= -\frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a^3} + \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a^3}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.04, size = 211, normalized size = 2.20

$$\frac{-\frac{e^{i\text{ArcSin}(ax)} - \sqrt{-i\text{ArcSin}(ax)}}{4\sqrt{\text{ArcSin}(ax)}} \Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) - \frac{e^{-i\text{ArcSin}(ax)} - \sqrt{i\text{ArcSin}(ax)}}{4\sqrt{\text{ArcSin}(ax)}} \Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)}{a^3} + \frac{e^{3i\text{ArcSin}(ax)} - \sqrt{3}\sqrt{-i\text{ArcSin}(ax)}}{4\sqrt{\text{ArcSin}(ax)}} \Gamma\left(\frac{1}{2}, -3i\text{ArcSin}(ax)\right) + \frac{e^{-3i\text{ArcSin}(ax)} - \sqrt{3}\sqrt{i\text{ArcSin}(ax)}}{4\sqrt{\text{ArcSin}(ax)}} \Gamma\left(\frac{1}{2}, 3i\text{ArcSin}(ax)\right)}{a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcSin[a\*x]^(3/2), x]

[Out] (-1/4\*(E^(I\*ArcSin[a\*x]) - Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-I)\*ArcSin[a\*x]])/Sqrt[ArcSin[a\*x]] - (E^((-I)\*ArcSin[a\*x]) - Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, I\*ArcSin[a\*x]])/(4\*Sqrt[ArcSin[a\*x]]) + (E^((3\*I)\*ArcSin[a\*x]) - Sqrt[3]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]])/(4\*Sqrt[ArcSin[a\*x]]) + (E^((-3\*I)\*ArcSin[a\*x]) - Sqrt[3]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (3\*I)\*ArcSin[a\*x]])/(4\*Sqrt[ArcSin[a\*x]]))/a^3

**Maple [A]**

time = 0.04, size = 95, normalized size = 0.99

method	result
--------	--------

default	$-\frac{\sqrt{\pi} \sqrt{3} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) + \sqrt{\pi} \sqrt{2} \sqrt{\arcsin(ax)} s\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{2a^3 \sqrt{\arcsin(ax)}}$
---------	--

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/2/a^3*(-Pi^(1/2)*3^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))+Pi^(1/2)*2^(1/2)*arcsin(a*x)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))+(-a^2*x^2+1)^(1/2)-cos(3*arcsin(a*x)))/arcsin(a*x)^(1/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/asin(a*x)**(3/2),x)
```

```
[Out] Integral(x**2/asin(a*x)**(3/2), x)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2/arcsin(a\*x)^(3/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/asin(a\*x)^(3/2),x)

[Out] int(x^2/asin(a\*x)^(3/2), x)

### 3.104 $\int \frac{x}{\text{ArcSin}(ax)^{3/2}} dx$

Optimal. Leaf size=55

$$-\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} + \frac{2\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{a^2}$$

[Out]  $2*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-2*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.02, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4727, 3385, 3433}

$$\frac{2\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{a^2} - \frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*x*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) + (2*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/a^2$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4727

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}[1/(b^2*c^{(m + 1)}*(n + 1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[x^{(n + 1)}, \text{Sin}[-a/b + x/b]^{(m - 1)}*(m - (m + 1)*\text{Sin}[-a/b + x/b]^2)], x], x], x, a + b*\text{ArcSin}[c*x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GeQ}[n, -2] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{x}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{4\text{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} + \frac{2\sqrt{\pi} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.02, size = 91, normalized size = 1.65

$$\frac{i\sqrt{2}\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) - i\sqrt{2}\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right) + 2\sin(2\text{ArcSin}(ax))}{2a^2\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcSin[a\*x]^(3/2), x]

[Out]  $-1/2*(I*\text{Sqrt}[2]*\text{Sqrt}[(-I)*\text{ArcSin}[a*x]]*\Gamma[1/2, (-2*I)*\text{ArcSin}[a*x]] - I*\text{Sqrt}[2]*\text{Sqrt}[I*\text{ArcSin}[a*x]]*\Gamma[1/2, (2*I)*\text{ArcSin}[a*x]] + 2*\text{Sin}[2*\text{ArcSin}[a*x]])/(a^2*\text{Sqrt}[\text{ArcSin}[a*x]])$

**Maple [A]**

time = 0.03, size = 43, normalized size = 0.78

method	result	size
default	$ -\frac{2\text{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\sqrt{\arcsin(ax)}\sqrt{\pi} + \sin(2\arcsin(ax))}{a^2\sqrt{\arcsin(ax)}} $	43

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arcsin(a\*x)^(3/2), x, method=\_RETURNVERBOSE)

[Out]  $-1/a^2/\arcsin(a*x)^{(1/2)}*(-2*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\arcsin(a*x)^{(1/2)}*\text{Pi}^{(1/2)} + \sin(2*\arcsin(a*x)))$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x)\*\*(3/2),x)

[Out] Integral(x/asin(a\*x)\*\*(3/2), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(x/arcsin(a\*x)^(3/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^(3/2),x)

[Out] int(x/asin(a\*x)^(3/2), x)

### 3.105 $\int \frac{1}{\text{ArcSin}(ax)^{3/2}} dx$

Optimal. Leaf size=59

$$-\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

[Out]  $-2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a-2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

Rubi [A]

time = 0.06, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4717, 4809, 3386, 3432}

$$-\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\text{ArcSin}(ax)}} - \frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^{(-3/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\sin[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3432

$\text{Int}[\sin[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 4717

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.))^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n+1)}/(b*c*(n+1))), x] + \text{Dist}[c/(b*(n+1)), \text{Int}[x*((a + b*\text{ArcSin}[c*x])^{(n+1)}/\text{Sqrt}[1 - c^2*x^2]), x], x] /; \text{FreeQ}\{a, b, c, x\} \&\& \text{LtQ}[n, -1]$

Rule 4809



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - (2a) \int \frac{x}{\sqrt{1-a^2x^2}\sqrt{\sin^{-1}(ax)}} dx \\ &= -\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{2\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a} \\ &= -\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{4\text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a} \\ &= -\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.06, size = 87, normalized size = 1.47

$$\frac{-e^{-i\text{ArcSin}(ax)}(1 + e^{2i\text{ArcSin}(ax)}) + \sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) + \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)}{a\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-3/2), x]

[Out] (-(1 + E^((2\*I)\*ArcSin[a\*x]))/E^(I\*ArcSin[a\*x])) + Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-I)\*ArcSin[a\*x]] + Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, I\*ArcSin[a\*x]])/(a\*Sqrt[ArcSin[a\*x]])

**Maple [A]**

time = 0.03, size = 65, normalized size = 1.10

method	result	size
--------	--------	------

default	$\frac{\sqrt{2} \left( 2 \arcsin(ax) \pi S \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) + \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} \sqrt{-a^2 x^2 + 1} \right)}{a \sqrt{\pi} \arcsin(ax)}$	65
---------	---	----

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/arcsin(a*x)^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/a*2^(1/2)/Pi^(1/2)*(2*arcsin(a*x)*Pi*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))+2^(1/2)*arcsin(a*x)^(1/2)*Pi^(1/2)*(-a^2*x^2+1)^(1/2))/arcsin(a*x)
```

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/asin(a*x)**(3/2),x)
```

```
[Out] Integral(asin(a*x)**(-3/2), x)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/arcsin(a*x)^(3/2),x, algorithm="giac")``[Out] integrate(arcsin(a*x)^(-3/2), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(1/asin(a*x)^(3/2),x)``[Out] int(1/asin(a*x)^(3/2), x)`

$$3.106 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^{3/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^(3/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^(3/2)), x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^(3/2)), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^{3/2}} dx = \int \frac{1}{x \sin^{-1}(ax)^{3/2}} dx$$

Mathematica [A]

time = 0.30, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^(3/2)), x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^(3/2)), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arcsin(a*x)^(3/2),x)`

[Out] `int(1/x/arcsin(a*x)^(3/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/asin(a*x)**(3/2),x)`

[Out] `Integral(1/(x*asin(a*x)**(3/2)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/(x*arcsin(a*x)^(3/2)), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^(3/2)),x)

[Out] int(1/(x\*asin(a\*x)^(3/2)), x)

### 3.107 $\int \frac{x^4}{\text{ArcSin}(ax)^{5/2}} dx$

**Optimal.** Leaf size=171

$$\frac{2x^4\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\text{ArcSin}(ax)}} + \frac{20x^5}{3\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{3a^5} + 3\sqrt{\frac{3\pi}{2}}$$

[Out]  $-1/6*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{5+3/4}*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-5/12}*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-2/3}*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(3/2)}-16/3*x^3/a^2/\arcsin(a*x)^{(1/2)}+20/3*x^5/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.29, antiderivative size = 235, normalized size of antiderivative = 1.37, number of steps used = 19, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4729, 4807, 4731, 4491, 3385, 3433}

$$\frac{4\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^5} - \frac{25\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{3a^5} - \frac{4\sqrt{\frac{2\pi}{3}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{a^5} + \frac{25\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{2a^5} - \frac{5\sqrt{\frac{5\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{6a^5} - \frac{16x^3}{3a^2\sqrt{\text{ArcSin}(ax)}} - \frac{2x^4\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} + \frac{20x^5}{3\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^4*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) - (16*x^3)/(3*a^2*\text{Sqrt}[\text{ArcSin}[a*x]]) + (20*x^5)/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (25*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a^5) + (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^5 + (25*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(2*a^5) - (4*\text{Sqrt}[(2*\text{Pi})/3]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^5 - (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(6*a^5)$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{EqQ}[d*e - c*f, 0]$

**Rule 3433**

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f\}, x$

**Rule 4491**

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]$

$]^n \cos[a + b*x]^p, x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*(m + 1)/(b\*(n + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*((f\_.)\*(x\_))^(m\_.))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rubi steps



$$\begin{aligned}
\int \frac{x^4}{\sin^{-1}(ax)^{5/2}} dx &= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} + \frac{8\int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx}{3a} - \frac{1}{3}(10a) \int \frac{x^5}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} - \frac{100}{3} \int \frac{x^4}{\sqrt{\sin^{-1}(ax)}} dx + \dots \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{\sqrt{x}} dx, x\right)}{a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \left(\frac{\cos(x)}{4\sqrt{x}} - \frac{\cos(3x)}{4\sqrt{x}}\right) dx, x\right)}{a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} - \frac{25\text{Subst}\left(\int \frac{\cos(5x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{12a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} - \frac{25\text{Subst}\left(\int \cos(5x^2) dx, x\right)}{6a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\sin^{-1}(ax)}} - \frac{25\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{3a^5}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.18, size = 418, normalized size = 2.44

---

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcSin[a\*x]^(5/2), x]

[Out] ((I\*E^(I\*ArcSin[a\*x])\*(I - 2\*ArcSin[a\*x]) - 2\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-I)\*ArcSin[a\*x]])/(24\*ArcSin[a\*x]^(3/2)) - (1 - (2\*I)\*ArcSin[a\*x] + 2\*E^(I\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, I\*ArcSin[a\*x]])/(24\*E^(I\*ArcSin[a\*x])\*ArcSin[a\*x]^(3/2)) - (I\*E^((3\*I)\*ArcSin[a\*x])\*(I - 6\*ArcSin[a\*x]) - 6\*Sqrt[3]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]])

$$\begin{aligned} &)/(16*\text{ArcSin}[a*x]^{(3/2)}) + (1 - (6*I)*\text{ArcSin}[a*x] + 6*\text{Sqrt}[3]*E^{((3*I)*\text{ArcSin}[a*x])}*(I*\text{ArcSin}[a*x])^{(3/2)}*\text{Gamma}[1/2, (3*I)*\text{ArcSin}[a*x]])/(16*E^{((3*I)*\text{ArcSin}[a*x])}*\text{ArcSin}[a*x]^{(3/2)}) + (I*E^{((5*I)*\text{ArcSin}[a*x])}*(I - 10*\text{ArcSin}[a*x]) - 10*\text{Sqrt}[5]*((-I)*\text{ArcSin}[a*x])^{(3/2)}*\text{Gamma}[1/2, (-5*I)*\text{ArcSin}[a*x]])/(48*\text{ArcSin}[a*x]^{(3/2)}) - (1 - (10*I)*\text{ArcSin}[a*x] + 10*\text{Sqrt}[5]*E^{((5*I)*\text{ArcSin}[a*x])}*(I*\text{ArcSin}[a*x])^{(3/2)}*\text{Gamma}[1/2, (5*I)*\text{ArcSin}[a*x]])/(48*E^{((5*I)*\text{ArcSin}[a*x])}*\text{ArcSin}[a*x]^{(3/2)})))/a^5 \end{aligned}$$

**Maple [A]**

time = 0.08, size = 173, normalized size = 1.01

method	result
default	$-\frac{-18\sqrt{2}\sqrt{\pi}\sqrt{3}\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{3}{2}}+10\sqrt{2}\sqrt{\pi}\sqrt{5}\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{5}\sqrt{a}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{3}{2}}}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-1/24/a^5*(-18*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*\arcsin(a*x)^{(1/2)})*\arcsin(a*x)^{(3/2)}+10*2^{(1/2)}*Pi^{(1/2)}*5^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*5^{(1/2)}*\arcsin(a*x)^{(1/2)})*\arcsin(a*x)^{(3/2)}+4*2^{(1/2)}*Pi^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*\arcsin(a*x)^{(1/2)})*\arcsin(a*x)^{(3/2)}-4*a*x*\arcsin(a*x)+18*\arcsin(a*x)*\sin(3*\arcsin(a*x))-10*\arcsin(a*x)*\sin(5*\arcsin(a*x))+2*(-a^2*x^2+1)^{(1/2)}-3*\cos(3*\arcsin(a*x))+\cos(5*\arcsin(a*x)))/\arcsin(a*x)^{(3/2)}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/asin(a\*x)\*\*(5/2),x)

[Out] Integral(x\*\*4/asin(a\*x)\*\*(5/2), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^4/arcsin(a\*x)^(5/2), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/asin(a\*x)^(5/2),x)

[Out] int(x^4/asin(a\*x)^(5/2), x)

### 3.108 $\int \frac{x^3}{\text{ArcSin}(ax)^{5/2}} dx$

**Optimal.** Leaf size=126

$$\frac{2x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\text{ArcSin}(ax)}} + \frac{16x^4}{3\sqrt{\text{ArcSin}(ax)}} + \frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{3a^4} - \frac{4\sqrt{\pi} S\left(\frac{2\sqrt{A}}{\pi}\right)}{3a^4}$$

[Out]  $-4/3*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+4/3*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-2/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(3/2)}-4*x^2/a^2/\arcsin(a*x)^{(1/2)}+16/3*x^4/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.23, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4729, 4807, 4731, 4491, 3386, 3432, 12}

$$\frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{3a^4} - \frac{4\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{3a^4} - \frac{4x^2}{a^2\sqrt{\text{ArcSin}(ax)}} - \frac{2x^3\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} + \frac{16x^4}{3\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3/\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^3*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) - (4*x^2)/(a^2*\text{Sqrt}[\text{ArcSin}[a*x]]) + (16*x^4)/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) + (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a^4) - (4*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(3*a^4)$

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /;$  FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$  FreeQ[{d, e, f}, x]

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dist[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} + \frac{2\int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx}{a} - \frac{1}{3}(8a) \int \frac{x^4}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} - \frac{64}{3} \int \frac{x^3}{\sqrt{\sin^{-1}(ax)}} dx + \dots \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\sin(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \sin(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\sin^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\sin^{-1}(ax)}} + \frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{3a^4}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.23, size = 200, normalized size = 1.59

$$\frac{-4\text{ArcSin}(ax)\left(e^{-2i\text{ArcSin}(ax)} + e^{2i\text{ArcSin}(ax)} - \sqrt{2}\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) - \sqrt{2}\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right)\right) + 4\text{ArcSin}(ax)\left(e^{-4i\text{ArcSin}(ax)} + e^{4i\text{ArcSin}(ax)} - 2\sqrt{-i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, -4i\text{ArcSin}(ax)\right) - 2\sqrt{i\text{ArcSin}(ax)}\Gamma\left(\frac{1}{2}, 4i\text{ArcSin}(ax)\right)\right) - 2\sin(2\text{ArcSin}(ax)) + \sin(4\text{ArcSin}(ax))}{12a^4\text{ArcSin}(ax)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcSin[a\*x]^(5/2), x]

[Out] (-4\*ArcSin[a\*x]\*(E^((-2\*I)\*ArcSin[a\*x]) + E^((2\*I)\*ArcSin[a\*x])) - Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]]) + 4\*ArcSin[a\*x]\*(E^((-4\*I)\*ArcSin[a\*x]) + E^((4\*I)\*ArcSin[a\*x])) - 2\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - 2\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]]

$\text{cSin}[a*x] - 2*\text{Sqrt}[I*\text{ArcSin}[a*x]]*\text{Gamma}[1/2, (4*I)*\text{ArcSin}[a*x]] - 2*\text{Sin}[2*\text{ArcSin}[a*x] + \text{Sin}[4*\text{ArcSin}[a*x]]]/(12*a^4*\text{ArcSin}[a*x]^(3/2))$

**Maple [A]**

time = 0.05, size = 109, normalized size = 0.87

method	result
default	$\frac{-16\sqrt{2}\sqrt{\pi} \operatorname{S}\left(\frac{2\sqrt{2}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \arcsin(ax)^{\frac{3}{2}} + 16\sqrt{\pi} \operatorname{S}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \arcsin(ax)^{\frac{3}{2}} + 8 \arcsin(ax) \cos(2 \arcsin(ax)) - 8 \arcsin(ax) \cos(4 \arcsin(ax)) + 2 \sin(2 \arcsin(ax)) - \sin(4 \arcsin(ax))}{12a^4 \arcsin(ax)^{\frac{3}{2}}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out] 
$$\frac{-1/12/a^4*(-16*2^{(1/2)}*\text{Pi}^{(1/2)}*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*\arcsin(a*x)^{(3/2)}+16*\text{Pi}^{(1/2)}*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\arcsin(a*x)^{(3/2)}+8*\arcsin(a*x)*\cos(2*\arcsin(a*x))-8*\arcsin(a*x)*\cos(4*\arcsin(a*x))+2*\sin(2*\arcsin(a*x))-\sin(4*\arcsin(a*x))}{12a^4 \arcsin(a*x)^{(3/2)}}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arcsin(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arcsin(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\arcsin^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/asin(a*x)**(5/2),x)`

[Out] `Integral(x**3/asin(a*x)**(5/2), x)`

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arcsin(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
 eur & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/asin(a*x)^(5/2),x)`

[Out] `int(x^3/asin(a*x)^(5/2), x)`



### 3.109 $\int \frac{x^2}{\text{ArcSin}(ax)^{5/2}} dx$

**Optimal.** Leaf size=125

$$\frac{2x^2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\text{ArcSin}(ax)}} + \frac{4x^3}{\sqrt{\text{ArcSin}(ax)}} - \frac{\sqrt{2\pi}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{3a^3} + \frac{\sqrt{6\pi}\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{a^3}$$

[Out]  $-1/3*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3+\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3-2/3*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(3/2)}-8/3*x/a^2/\arcsin(a*x)^{(1/2)}+4*x^3/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.20, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4729, 4807, 4731, 4491, 3385, 3433, 4719}

$$\frac{\sqrt{2\pi}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{3a^3} + \frac{\sqrt{6\pi}\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{a^3} - \frac{2x^2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\text{ArcSin}(ax)}} + \frac{4x^3}{\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-2*x^2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) - (8*x)/(3*a^2*\text{Sqrt}[\text{ArcSin}[a*x]]) + (4*x^3)/\text{Sqrt}[\text{ArcSin}[a*x]] - (\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a^3) + (\text{Sqrt}[6*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^3$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

**Rule 3433**

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f, x\}$

**Rule 4491**

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]]^{(n)*\text{Cos}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

tQ[p, 0]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*(m + 1)/(b\*(n + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*((f\_.)\*(x\_)^(m\_.))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} + \frac{4\int \frac{x}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx}{3a} - (2a) \int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} - 12 \int \frac{x^2}{\sqrt{\sin^{-1}(ax)}} dx + \frac{8\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)}{3a^3} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} + \frac{8\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} + \frac{8\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{4x^3}{\sqrt{\sin^{-1}(ax)}} - \frac{\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{3a^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.09, size = 277, normalized size = 2.22

$$\frac{e^{i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) - e^{-i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)}{12\text{ArcSin}(ax)^{3/2}} - \frac{e^{i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) - e^{-i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)}{12\text{ArcSin}(ax)^{3/2}} + \frac{e^{i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, -i\text{ArcSin}(ax)\right) - e^{-i\text{ArcSin}(ax)}(1-2i\text{ArcSin}(ax))^{3/2}\Gamma\left(\frac{1}{2}, i\text{ArcSin}(ax)\right)}{12\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcSin[a\*x]^(5/2), x]

[Out] ((I\*E^(I\*ArcSin[a\*x])\*(I - 2\*ArcSin[a\*x]) - 2\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-I)\*ArcSin[a\*x]])/(12\*ArcSin[a\*x]^(3/2)) - (1 - (2\*I)\*ArcSin[a\*x] + 2\*E^(I\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, I\*ArcSin[a\*x]])/(12\*E^(-I\*ArcSin[a\*x])\*ArcSin[a\*x]^(3/2)) - (I\*E^((3\*I)\*ArcSin[a\*x])\*(I - 6\*ArcSi

$$\frac{n[ax] - 6\sqrt{3} * ((-I) * \text{ArcSin}[ax])^{3/2} * \Gamma[1/2, (-3I) * \text{ArcSin}[ax]] / (12 * \text{ArcSin}[ax]^{3/2}) + (1 - (6I) * \text{ArcSin}[ax] + 6\sqrt{3} * E^{((3I) * \text{ArcSin}[ax])} * (I * \text{ArcSin}[ax])^{3/2} * \Gamma[1/2, (3I) * \text{ArcSin}[ax]]) / (12 * E^{((3I) * \text{ArcSin}[ax])} * \text{ArcSin}[ax]^{3/2}))}{a^3}$$

**Maple [A]**

time = 0.06, size = 117, normalized size = 0.94

method	result
default	$-\frac{-6\sqrt{2} \sqrt{\pi} \sqrt{3} \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \arcsin(ax)^{\frac{3}{2}} + 2\sqrt{2} \sqrt{\pi} \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{6a^3 \arcsin(ax)^{\frac{3}{2}}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arcsin(a\*x)^(5/2),x,method=\_RETURNVERBOSE)

[Out] 
$$-1/6/a^3 * (-6 * 2^{1/2} * \pi^{1/2} * 3^{1/2} * \text{FresnelC}(2^{1/2}/\pi^{1/2} * 3^{1/2} * \arcsin(ax)^{1/2}) * \arcsin(ax)^{3/2} + 2 * 2^{1/2} * \pi^{1/2} * \text{FresnelC}(2^{1/2}/\pi^{1/2} * \arcsin(ax)^{1/2}) * \arcsin(ax)^{3/2} - 2 * a * x * \arcsin(ax) + 6 * \arcsin(ax) * \sin(3 * \arcsin(ax)) + (-a^2 * x^2 + 1)^{1/2} - \cos(3 * \arcsin(ax)) / \arcsin(ax)^{3/2}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\text{asin}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/asin(a*x)**(5/2),x)`

[Out] `Integral(x**2/asin(a*x)**(5/2), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/arcsin(a*x)^(5/2),x, algorithm="giac")`

[Out] `integrate(x^2/arcsin(a*x)^(5/2), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/asin(a*x)^(5/2),x)`

[Out] `int(x^2/asin(a*x)^(5/2), x)`

### 3.110 $\int \frac{x}{\text{ArcSin}(ax)^{5/2}} dx$

**Optimal.** Leaf size=89

$$-\frac{2x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\text{ArcSin}(ax)}} + \frac{8x^2}{3\sqrt{\text{ArcSin}(ax)}} - \frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{3a^2}$$

[Out]  $-8/3*\text{FresnelS}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-2/3*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(3/2)}-4/3/a^2/\arcsin(a*x)^{(1/2)}+8/3*x^2/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.12, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {4729, 4807, 4731, 4491, 12, 3386, 3432, 4737}

$$-\frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{3a^2} - \frac{2x\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\text{ArcSin}(ax)}} + \frac{8x^2}{3\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In] `Int[x/ArcSin[a*x]^(5/2),x]`

[Out]  $(-2*x*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) - 4/(3*a^2*\text{Sqrt}[\text{ArcSin}[a*x]]) + (8*x^2)/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (8*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(3*a^2)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 3386

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3432

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]`

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

#### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && NeQ[n, -1]
```

#### Rule 4807

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} + \frac{2\int \frac{1}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx}{3a} - \frac{1}{3}(4a) \int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{16}{3} \int \frac{x}{\sqrt{\sin^{-1}(ax)}} dx \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{3a\sin^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\sin^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\sin^{-1}(ax)}} - \frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a^2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.12, size = 112, normalized size = 1.26

$$\frac{2\text{ArcSin}(ax) \left( e^{-2i\text{ArcSin}(ax)} + e^{2i\text{ArcSin}(ax)} - \sqrt{2} \sqrt{-i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) - \sqrt{2} \sqrt{i\text{ArcSin}(ax)} \Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right) \right) + \sin(2\text{ArcSin}(ax))}{3a^2\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcSin[a\*x]^(5/2), x]

[Out] -1/3\*(2\*ArcSin[a\*x]\*(E^((-2\*I)\*ArcSin[a\*x]) + E^((2\*I)\*ArcSin[a\*x]) - Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]]) + Sin[2\*ArcSin[a\*x]])/(a^2\*ArcSin[a\*x]^(3/2))

**Maple [A]**

time = 0.04, size = 56, normalized size = 0.63



method	result	size
default	$\frac{8\sqrt{\pi} \operatorname{Si}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \arcsin(ax)^{\frac{3}{2}} + 4 \arcsin(ax) \cos(2 \arcsin(ax)) + \sin(2 \arcsin(ax))}{3a^2 \arcsin(ax)^{\frac{3}{2}}}$	56

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/3/a^2*(8*Pi^(1/2)*FresnelS(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(3/2)+4*arcsin(a*x)*cos(2*arcsin(a*x))+sin(2*arcsin(a*x)))/arcsin(a*x)^(3/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:  integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/asin(a*x)**(5/2),x)
```

```
[Out] Integral(x/asin(a*x)**(5/2), x)
```

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(x/arcsin(a\*x)^(5/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/asin(a\*x)^(5/2),x)

[Out] int(x/asin(a\*x)^(5/2), x)

### 3.111 $\int \frac{1}{\text{ArcSin}(ax)^{5/2}} dx$

Optimal. Leaf size=76

$$-\frac{2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} + \frac{4x}{3\sqrt{\text{ArcSin}(ax)}} - \frac{4\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{3a}$$

[Out]  $-4/3*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a-2/3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(3/2)}+4/3*x/\arcsin(a*x)^{(1/2)}$

**Rubi** [A]

time = 0.07, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4717, 4807, 4719, 3385, 3433}

$$-\frac{2\sqrt{1-a^2x^2}}{3a\text{ArcSin}(ax)^{3/2}} - \frac{4\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{3a} + \frac{4x}{3\sqrt{\text{ArcSin}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^{-5/2}, x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) + (4*x)/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4717

$\text{Int}[(a_.) + \text{ArcSin}(c_.*(x_.))*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n+1)}/(b*c*(n+1))), x] + \text{Dist}[c/(b*(n+1)), \text{Int}[x*((a + b*\text{ArcSin}[c*x])^{(n+1)}/\text{Sqrt}[1 - c^2*x^2]), x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{LtQ}[n, -1]$

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n \* Cos[-a/b + x/b], x], x, a + b \* ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b \* ArcSin[c\*x])^(n + 1), x] - Dist[f\*m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b \* ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^{3/2}} - \frac{1}{3}(2a) \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}} dx \\
 &= -\frac{2\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\sin^{-1}(ax)}} - \frac{4}{3} \int \frac{1}{\sqrt{\sin^{-1}(ax)}} dx \\
 &= -\frac{2\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\sin^{-1}(ax)}} - \frac{4 \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a} \\
 &= -\frac{2\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\sin^{-1}(ax)}} - \frac{8 \operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{3a} \\
 &= -\frac{2\sqrt{1-a^2x^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\sin^{-1}(ax)}} - \frac{4\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{3a}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.08, size = 138, normalized size = 1.82

$$\frac{-2ie^{i \operatorname{ArcSin}(ax)}(-i + 2 \operatorname{ArcSin}(ax)) - 4(-i \operatorname{ArcSin}(ax))^{3/2} \Gamma\left(\frac{1}{2}, -i \operatorname{ArcSin}(ax)\right)}{6a \operatorname{ArcSin}(ax)^{3/2}} + \frac{e^{-i \operatorname{ArcSin}(ax)}(-2 + 4i \operatorname{ArcSin}(ax) - 4e^{i \operatorname{ArcSin}(ax)}(i \operatorname{ArcSin}(ax))^{3/2} \Gamma\left(\frac{1}{2}, i \operatorname{ArcSin}(ax)\right))}{6a \operatorname{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-5/2), x]

```
[Out] ((-2*I)*E^(I*ArcSin[a*x])*(-I + 2*ArcSin[a*x]) - 4*((-I)*ArcSin[a*x])^(3/2)
*Gamma[1/2, (-I)*ArcSin[a*x]])/(6*a*ArcSin[a*x]^(3/2)) + (-2 + (4*I)*ArcSin
[a*x] - 4*E^(I*ArcSin[a*x])*(I*ArcSin[a*x])^(3/2)*Gamma[1/2, I*ArcSin[a*x]]
)/(6*a*E^(I*ArcSin[a*x])*ArcSin[a*x]^(3/2))
```

**Maple** [A]

time = 0.04, size = 83, normalized size = 1.09

method	result
default	$-\frac{\sqrt{2} \left( 4 \arcsin(ax)^2 \pi \operatorname{FresnelC} \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) - 2 \arcsin(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} ax + \sqrt{2} \sqrt{\arcsin(ax)} \sqrt{\pi} \right)}{3a \sqrt{\pi} \arcsin(ax)^2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/arcsin(a*x)^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/3/a*2^(1/2)/Pi^(1/2)*(4*arcsin(a*x)^2*Pi*FresnelC(2^(1/2)/Pi^(1/2)*arcsi
n(a*x)^(1/2))-2*arcsin(a*x)^(3/2)*2^(1/2)*Pi^(1/2)*a*x+2^(1/2)*arcsin(a*x)^(
1/2)*Pi^(1/2)*(-a^2*x^2+1)^(1/2))/arcsin(a*x)^2
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{asin}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/asin(a*x)**(5/2),x)`

[Out] `Integral(asin(a*x)**(-5/2), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^(5/2),x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^(-5/2), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/asin(a*x)^(5/2),x)`

[Out] `int(1/asin(a*x)^(5/2), x)`

$$3.112 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^{5/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^{5/2}}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^(5/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^(5/2)), x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^(5/2)), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^{5/2}} dx = \int \frac{1}{x \sin^{-1}(ax)^{5/2}} dx$$

Mathematica [A]

time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^(5/2)), x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^(5/2)), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x/arcsin(a*x)^(5/2),x)
```

```
[Out] int(1/x/arcsin(a*x)^(5/2),x)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:  integ
rate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/asin(a*x)**(5/2),x)
```

```
[Out] Integral(1/(x*asin(a*x)**(5/2)), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/arcsin(a*x)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(1/(x*arcsin(a*x)^(5/2)), x)
```



**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{asin}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*asin(a\*x)^(5/2)),x)

[Out] int(1/(x\*asin(a\*x)^(5/2)), x)

### 3.113 $\int \frac{x^4}{\text{ArcSin}(ax)^{7/2}} dx$

**Optimal.** Leaf size=264

$$\frac{2x^4\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{16x^3}{15a^2\text{ArcSin}(ax)^{3/2}} + \frac{4x^5}{3\text{ArcSin}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\text{ArcSin}(ax)}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\text{ArcSin}(ax)}} + \frac{\sqrt{2\pi}}{S} \left( \dots \right)$$

[Out]  $-16/15*x^3/a^2/\arcsin(a*x)^{(3/2)}+4/3*x^5/\arcsin(a*x)^{(3/2)}-9/10*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/15*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5+5/6*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5-2/5*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(5/2)}-32/5*x^2*(-a^2*x^2+1)^{(1/2)}/a^3/\arcsin(a*x)^{(1/2)}+40/3*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.27, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4729, 4807, 4727, 3386, 3432}

$$\frac{\sqrt{2\pi} S \left( \sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)} \right)}{15a^5} + \frac{8\sqrt{6\pi} S \left( \sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)} \right)}{5a^5} - \frac{5\sqrt{\frac{3\pi}{2}} S \left( \sqrt{\frac{6}{\pi}} \sqrt{\text{ArcSin}(ax)} \right)}{a^5} + \frac{5\sqrt{\frac{5\pi}{2}} S \left( \sqrt{\frac{10}{\pi}} \sqrt{\text{ArcSin}(ax)} \right)}{3a^5} - \frac{16x^3}{15a^2\text{ArcSin}(ax)^{3/2}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\text{ArcSin}(ax)}} - \frac{2x^2\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\text{ArcSin}(ax)}} + \frac{4x^5}{3\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/\text{ArcSin}[a*x]^{(7/2)}, x]$

[Out]  $(-2*x^4*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcSin}[a*x]^{(5/2)}) - (16*x^3)/(15*a^2*\text{ArcSin}[a*x]^{(3/2)}) + (4*x^5)/(3*\text{ArcSin}[a*x]^{(3/2)}) - (32*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a^3*\text{Sqrt}[\text{ArcSin}[a*x]]) + (40*x^4*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{Sqrt}[\text{ArcSin}[a*x]]) + (\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(15*a^5) - (5*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/a^5 + (8*\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(5*a^5) + (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a^5)$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3432

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 4727

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist
[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b
+ x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis
t[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sin^{-1}(ax)^{7/2}} dx &= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} + \frac{8\int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx}{5a} - (2a) \int \frac{x^5}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx \\
&= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^5}{3\sin^{-1}(ax)^{3/2}} - \frac{20}{3} \int \frac{x^4}{\sin^{-1}(ax)^{3/2}} dx + \frac{16}{3} \int \frac{x^5}{\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^5}{3\sin^{-1}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^5}{3\sin^{-1}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^5}{3\sin^{-1}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^4\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^5}{3\sin^{-1}(ax)^{3/2}} - \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\sin^{-1}(ax)}}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.40, size = 417, normalized size = 1.58

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcSin[a\*x]^(7/2),x]

[Out] (9\*E^((3\*I)\*ArcSin[a\*x])\*(1 + (2\*I)\*ArcSin[a\*x] - 12\*ArcSin[a\*x]^2) + 2\*E^(I\*ArcSin[a\*x])\*(-3 - (2\*I)\*ArcSin[a\*x] + 4\*ArcSin[a\*x]^2) + E^((5\*I)\*ArcSin[a\*x])\*(-3 - (10\*I)\*ArcSin[a\*x] + 100\*ArcSin[a\*x]^2) - 8\*Sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-I)\*ArcSin[a\*x]] + (-6 + (4\*I)\*ArcSin[a\*x] + 8\*ArcSin[a\*x]^2 + 8\*E^(I\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, I\*ArcSin[a\*x]])/E^(I\*ArcSin[a\*x]) + 108\*Sqrt[3]\*Sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]] - (9\*(-1 + (2\*I)\*ArcSin[a\*x] + 12\*ArcSin[a\*x]^2 + 12\*Sqrt[3]\*E^((3\*I)\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, (3\*I)\*ArcSin[a\*x]])/E^((3\*I)\*ArcSin[a\*x]) - 100\*Sqrt[5]\*Sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-5\*I)\*ArcSin[a\*x]] + (-3 + (10\*I)\*ArcSin[a\*x] + 100\*ArcSin[a\*x]^2 + 100\*Sqrt[5]\*E^((5\*I)\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, (5\*I)\*ArcSin[a\*x]])/E^((5\*I)\*ArcSin[a\*x])

$]^{(5/2)} \cdot \Gamma[1/2, (5 \cdot I) \cdot \text{ArcSin}[a \cdot x]] / E^{((5 \cdot I) \cdot \text{ArcSin}[a \cdot x])} / (240 \cdot a^5 \cdot \text{ArcSin}[a \cdot x]^{(5/2)})$

**Maple [A]**

time = 0.07, size = 225, normalized size = 0.85

method	result
default	$-\frac{108\sqrt{2}\sqrt{\pi}\sqrt{3}s\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{5}{2}}-100\sqrt{2}\sqrt{\pi}\sqrt{5}s\left(\frac{\sqrt{2}\sqrt{5}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)}{\arcsin(ax)^{5/2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/arcsin(a*x)^(7/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-1/120/a^5 \cdot (108 \cdot 2^{(1/2)} \cdot \pi^{(1/2)} \cdot 3^{(1/2)} \cdot \text{FresnelS}(2^{(1/2)}/\pi^{(1/2)} \cdot 3^{(1/2)} \cdot \arcsin(a \cdot x)^{(1/2)}) \cdot \arcsin(a \cdot x)^{(5/2)} - 100 \cdot 2^{(1/2)} \cdot \pi^{(1/2)} \cdot 5^{(1/2)} \cdot \text{FresnelS}(2^{(1/2)}/\pi^{(1/2)} \cdot 5^{(1/2)} \cdot \arcsin(a \cdot x)^{(1/2)}) \cdot \arcsin(a \cdot x)^{(5/2)} - 8 \cdot 2^{(1/2)} \cdot \pi^{(1/2)} \cdot \text{FresnelS}(2^{(1/2)}/\pi^{(1/2)} \cdot \arcsin(a \cdot x)^{(1/2)}) \cdot \arcsin(a \cdot x)^{(5/2)} - 8 \cdot \arcsin(a \cdot x)^2 \cdot (-a^2 \cdot x^2 + 1)^{(1/2)} + 108 \cdot \arcsin(a \cdot x)^2 \cdot \cos(3 \cdot \arcsin(a \cdot x)) - 100 \cdot \arcsin(a \cdot x)^2 \cdot \cos(5 \cdot \arcsin(a \cdot x)) - 4 \cdot a \cdot x \cdot \arcsin(a \cdot x) + 18 \cdot \arcsin(a \cdot x) \cdot \sin(3 \cdot \arcsin(a \cdot x)) - 10 \cdot \arcsin(a \cdot x) \cdot \sin(5 \cdot \arcsin(a \cdot x)) + 6 \cdot (-a^2 \cdot x^2 + 1)^{(1/2)} - 9 \cdot \cos(3 \cdot \arcsin(a \cdot x)) + 3 \cdot \cos(5 \cdot \arcsin(a \cdot x))) / \arcsin(a \cdot x)^{(5/2)}$$

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^(7/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x**4/asin(a*x)**(7/2),x)``[Out] Integral(x**4/asin(a*x)**(7/2), x)`**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^4/arcsin(a*x)^(7/2),x, algorithm="giac")``[Out] integrate(x^4/arcsin(a*x)^(7/2), x)`**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\operatorname{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^4/asin(a*x)^(7/2),x)``[Out] int(x^4/asin(a*x)^(7/2), x)`

### 3.114 $\int \frac{x^3}{\text{ArcSin}(ax)^{7/2}} dx$

**Optimal.** Leaf size=190

$$-\frac{2x^3\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{4x^2}{5a^2\text{ArcSin}(ax)^{3/2}} + \frac{16x^4}{15\text{ArcSin}(ax)^{3/2}} - \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\text{ArcSin}(ax)}} + \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} + \frac{32\sqrt{2\pi}}{15a^4}$$

[Out]  $-4/5*x^2/a^2/\arcsin(a*x)^{(3/2)}+16/15*x^4/\arcsin(a*x)^{(3/2)}-16/15*\text{FresnelC}(2*\arcsin(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+32/15*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-2/5*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(5/2)}-16/5*x*(-a^2*x^2+1)^{(1/2)}/a^3/\arcsin(a*x)^{(1/2)}+128/15*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.21, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4729, 4807, 4727, 3385, 3433}

$$\frac{32\sqrt{2\pi}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{15a^4} - \frac{16\sqrt{\pi}\text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{15a^4} - \frac{4x^2}{5a^2\text{ArcSin}(ax)^{3/2}} + \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} - \frac{2x^3\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\text{ArcSin}(ax)}} + \frac{16x^4}{15\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3/\text{ArcSin}[a*x]^{(7/2)}, x]$

[Out]  $(-2*x^3*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcSin}[a*x]^{(5/2)}) - (4*x^2)/(5*a^2*\text{ArcSin}[a*x]^{(3/2)}) + (16*x^4)/(15*\text{ArcSin}[a*x]^{(3/2)}) - (16*x*\text{Sqrt}[1 - a^2*x^2])/(5*a^3*\text{Sqrt}[\text{ArcSin}[a*x]]) + (128*x^3*\text{Sqrt}[1 - a^2*x^2])/(15*a*\text{Sqrt}[\text{ArcSin}[a*x]]) + (32*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(15*a^4) - (16*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(15*a^4)$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f, x\}$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{EqQ}[d*e - c*f, 0]$

**Rule 3433**

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f, x\}$

**Rule 4727**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{m*\text{Sqrt}[1 - c^2*x^2]}*((a + b*\text{ArcSin}[c*x])^{(n + 1)/(b*c*(n + 1))}), x] - \text{Dist}$

```
[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b
+ x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

#### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis
t[c*(m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

#### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{x^3}{\sin^{-1}(ax)^{7/2}} dx &= -\frac{2x^3\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} + \frac{6\int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx}{5a} - \frac{1}{5}(8a) \int \frac{x^4}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\sin^{-1}(ax)^{3/2}} + \frac{16x^4}{15\sin^{-1}(ax)^{3/2}} - \frac{64}{15} \int \frac{x^3}{\sin^{-1}(ax)^{3/2}} dx + \frac{8}{15} \int \frac{x^2}{\sin^{-1}(ax)^{1/2}} dx \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\sin^{-1}(ax)^{3/2}} + \frac{16x^4}{15\sin^{-1}(ax)^{3/2}} - \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\sin^{-1}(ax)^{3/2}} + \frac{16x^4}{15\sin^{-1}(ax)^{3/2}} - \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^3\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\sin^{-1}(ax)^{3/2}} + \frac{16x^4}{15\sin^{-1}(ax)^{3/2}} - \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\sin^{-1}(ax)}} + \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.68, size = 272, normalized size = 1.43

$$\frac{4\operatorname{ArcSin}[a^2x^2] - 4\operatorname{ArcSin}[ax] - 4\sqrt{2}(-\operatorname{ArcSin}[ax])^2\Gamma[1/2, -2\operatorname{ArcSin}[ax]] - 2\operatorname{ArcSin}[ax]}{5a\sqrt{\sin^{-1}(ax)}} + \frac{6\int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx}{5a} - \frac{1}{5}(8a) \int \frac{x^4}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcSin[a\*x]^(7/2), x]

[Out] (4\*ArcSin[a\*x]\*(I\*E^((2\*I)\*ArcSin[a\*x]))\*(I - 4\*ArcSin[a\*x]) - 4\*Sqrt[2]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]]) + (-1 + (4\*I)\*ArcSin[a\*x] - 4\*Sqrt[2]\*E^((2\*I)\*ArcSin[a\*x]))\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]]/E^((2\*I)\*ArcSin[a\*x])) - 4\*ArcSin[a\*x]\*(I\*E^((4\*I)\*ArcSin[a\*x]))\*(I - 8\*ArcSin[a\*x]) - 16\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] + (-1 + (8\*I)\*ArcSin[a\*x] - 16\*E^((4\*I)\*ArcSin[a\*x]))\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]]/E^((4\*I)\*ArcSin[a\*x])) - 6\*Sin[2\*ArcSin[a\*x]] + 3\*Sin[4\*ArcSin[a\*x]]/(60\*a^4\*ArcSin[a\*x]^(5/2))

**Maple [A]**

time = 0.05, size = 139, normalized size = 0.73

method	result
default	$\frac{128\sqrt{2}\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{2}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{5}{2}}-64\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{5}{2}}+32\sin(\arcsin(ax))\arcsin(ax)^{\frac{5}{2}}}{\arcsin(ax)^{\frac{5}{2}}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/arcsin(a*x)^(7/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/60/a^4*(128*2^(1/2)*Pi^(1/2)*FresnelC(2*2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))
*arcsin(a*x)^(5/2)-64*Pi^(1/2)*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(5/2)+32*sin(2*arcsin(a*x))*arcsin(a*x)^2-64*sin(4*arcsin(a*x))*arcsin(a*x)^2-8*arcsin(a*x)*cos(2*arcsin(a*x))+8*arcsin(a*x)*cos(4*arcsin(a*x))-6*sin(2*arcsin(a*x))+3*sin(4*arcsin(a*x)))/arcsin(a*x)^(5/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(7/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/asin(a*x)**(7/2),x)
```

[Out] Integral(x\*\*3/asin(a\*x)\*\*(7/2), x)

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcasin(a\*x)^(7/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
eur & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/asin(a\*x)^(7/2),x)

[Out] int(x^3/asin(a\*x)^(7/2), x)

### 3.115 $\int \frac{x^2}{\text{ArcSin}(ax)^{7/2}} dx$

**Optimal.** Leaf size=191

$$-\frac{2x^2\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{8x}{15a^2\text{ArcSin}(ax)^{3/2}} + \frac{4x^3}{5\text{ArcSin}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\text{ArcSin}(ax)}} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\text{ArcSin}(ax)}} + \frac{2\sqrt{2\pi} S}{\dots}$$

[Out]  $-8/15*x/a^2/\arcsin(a*x)^{(3/2)}+4/5*x^3/\arcsin(a*x)^{(3/2)}+2/15*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3-6/5*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arcsin(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3-2/5*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(5/2)}-16/15*(-a^2*x^2+1)^{(1/2)}/a^3/\arcsin(a*x)^{(1/2)}+24/5*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(a*x)^{(1/2)}$

**Rubi [A]**

time = 0.24, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4729, 4807, 4727, 3386, 3432, 4717, 4809}

$$\frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{15a^3} - \frac{6\sqrt{6\pi} S\left(\sqrt{\frac{6}{\pi}}\sqrt{\text{ArcSin}(ax)}\right)}{5a^3} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\text{ArcSin}(ax)}} - \frac{2x^2\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{8x}{15a^2\text{ArcSin}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\text{ArcSin}(ax)}} + \frac{4x^3}{5\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/\text{ArcSin}[a*x]^{(7/2)}, x]$

[Out]  $(-2*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcSin}[a*x]^{(5/2)}) - (8*x)/(15*a^2*\text{ArcSin}[a*x]^{(3/2)}) + (4*x^3)/(5*\text{ArcSin}[a*x]^{(3/2)}) - (16*\text{Sqrt}[1 - a^2*x^2])/(15*a^3*\text{Sqrt}[\text{ArcSin}[a*x]]) + (24*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{Sqrt}[\text{ArcSin}[a*x]]) + (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(15*a^3) - (6*\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(5*a^3)$

**Rule 3386**

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

**Rule 3432**

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \text{ :> Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /; \text{FreeQ}\{d, e, f\}, x]$

**Rule 4717**

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \text{ :> Simp}[\text{Sqrt}[1 - c^2*x^2]*((a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*(n + 1))), x] + \text{Dist}[c/(b*(n + 1)),$

```
Int[x*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

#### Rule 4727

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

#### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dist[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x)) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

#### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1]
```

#### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sin^{-1}(ax)^{7/2}} dx &= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} + \frac{4\int \frac{x}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx}{5a} - \frac{1}{5}(6a) \int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^3}{5\sin^{-1}(ax)^{3/2}} - \frac{12}{5} \int \frac{x^2}{\sin^{-1}(ax)^{3/2}} dx + \frac{8}{5} \int \frac{x}{\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^3}{5\sin^{-1}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\sin^{-1}(ax)}} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^3}{5\sin^{-1}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\sin^{-1}(ax)}} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^3}{5\sin^{-1}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\sin^{-1}(ax)}} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\sin^{-1}(ax)}} \\
&= -\frac{2x^2\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{4x^3}{5\sin^{-1}(ax)^{3/2}} - \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\sin^{-1}(ax)}} + \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\sin^{-1}(ax)}}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.20, size = 280, normalized size = 1.47

$$\frac{3^{3+3i\operatorname{ArcSin}[ax]}(1+2i\operatorname{ArcSin}[ax]) - 12i\operatorname{ArcSin}[ax]^2 + e^{3i\operatorname{ArcSin}[ax]}(-1-2i\operatorname{ArcSin}[ax] + 4i\operatorname{ArcSin}[ax]^2) - 4\sqrt{1-a^2x^2}\operatorname{ArcSin}[ax]\Gamma\left[\frac{1}{2}, -i\operatorname{ArcSin}[ax]\right] + e^{-3i\operatorname{ArcSin}[ax]}(-1-2i\operatorname{ArcSin}[ax] + 4i\operatorname{ArcSin}[ax]^2) + 4\sqrt{1-a^2x^2}\operatorname{ArcSin}[ax]\Gamma\left[\frac{1}{2}, i\operatorname{ArcSin}[ax]\right] + 36\sqrt{3}\sqrt{-i\operatorname{ArcSin}[ax]}\operatorname{ArcSin}[ax]\Gamma\left[\frac{1}{2}, -3i\operatorname{ArcSin}[ax]\right] - 36\sqrt{3}\sqrt{i\operatorname{ArcSin}[ax]}\operatorname{ArcSin}[ax]\Gamma\left[\frac{1}{2}, 3i\operatorname{ArcSin}[ax]\right]}{60a^3\sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcSin[a\*x]^(7/2), x]

[Out] (3\*E^((3\*I)\*ArcSin[a\*x])\*(1 + (2\*I)\*ArcSin[a\*x] - 12\*ArcSin[a\*x]^2) + E^(I\*ArcSin[a\*x])\*(-3 - (2\*I)\*ArcSin[a\*x] + 4\*ArcSin[a\*x]^2) - 4\*Sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-I)\*ArcSin[a\*x]] + (-3 + (2\*I)\*ArcSin[a\*x] + 4\*ArcSin[a\*x]^2 + 4\*E^(I\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, I\*ArcSin[a\*x]])/E^(I\*ArcSin[a\*x]) + 36\*Sqrt[3]\*Sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-3\*I)\*ArcSin[a\*x]] - (3\*(-1 + (2\*I)\*ArcSin[a\*x] + 12\*ArcSin[a\*x]^2 + 12\*Sqrt[3]\*E^((3\*I)\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, (3\*I)\*ArcSin[a\*x]])/E^((3\*I)\*ArcSin[a\*x]))/(60\*a^3\*ArcSin[a\*x]^(5/2))

**Maple [A]**

time = 0.04, size = 154, normalized size = 0.81

method	result
default	$-\frac{36\sqrt{2}\sqrt{\pi}\sqrt{3}\operatorname{S}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{5}{2}}-4\sqrt{2}\sqrt{\pi}\operatorname{S}\left(\frac{\sqrt{2}\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right)\arcsin(ax)^{\frac{5}{2}}}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/arcsin(a*x)^(7/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/30/a^3*(36*2^(1/2)*Pi^(1/2)*3^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arcsin(a*x)^(1/2))*arcsin(a*x)^(5/2)-4*2^(1/2)*Pi^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*arcsin(a*x)^(1/2))*arcsin(a*x)^(5/2)-4*arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)+36*arcsin(a*x)^2*cos(3*arcsin(a*x))-2*a*x*arcsin(a*x)+6*arcsin(a*x)*sin(3*arcsin(a*x))+3*(-a^2*x^2+1)^(1/2)-3*cos(3*arcsin(a*x)))/arcsin(a*x)^(5/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(7/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/asin(a*x)**(7/2),x)
```

[Out] Integral( $x^{**2}/\text{asin}(a*x)**(7/2)$ , x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate( $x^2/\text{arcsin}(a*x)^{(7/2)}$ ,x, algorithm="giac")

[Out] integrate( $x^2/\text{arcsin}(a*x)^{(7/2)}$ , x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\text{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int( $x^2/\text{asin}(a*x)^{(7/2)}$ ,x)

[Out] int( $x^2/\text{asin}(a*x)^{(7/2)}$ , x)



### 3.116 $\int \frac{x}{\text{ArcSin}(ax)^{7/2}} dx$

Optimal. Leaf size=119

$$\frac{2x\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{4}{15a^2\text{ArcSin}(ax)^{3/2}} + \frac{8x^2}{15\text{ArcSin}(ax)^{3/2}} + \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} - \frac{32\sqrt{\pi}\text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{15a^2}$$

[Out]  $-4/15/a^2/\arcsin(ax)^{(3/2)}+8/15*x^2/\arcsin(ax)^{(3/2)}-32/15*\text{FresnelC}(2*\arcsin(ax)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-2/5*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(ax)^{(5/2)}+32/15*x*(-a^2*x^2+1)^{(1/2)}/a/\arcsin(ax)^{(1/2)}$

Rubi [A]

time = 0.11, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4729, 4807, 4727, 3385, 3433, 4737}

$$-\frac{32\sqrt{\pi}\text{FresnelC}\left(\frac{2\sqrt{\text{ArcSin}(ax)}}{\sqrt{\pi}}\right)}{15a^2} + \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} - \frac{2x\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} - \frac{4}{15a^2\text{ArcSin}(ax)^{3/2}} + \frac{8x^2}{15\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x/ArcSin[a\*x]^(7/2), x]

[Out]  $(-2*x*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcSin}[a*x]^{(5/2)}) - 4/(15*a^2*\text{ArcSin}[a*x]^{(3/2)}) + (8*x^2)/(15*\text{ArcSin}[a*x]^{(3/2)}) + (32*x*\text{Sqrt}[1 - a^2*x^2])/(15*a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (32*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(15*a^2)$

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^(2)], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4727

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_)\*(x\_)^(m\_), x\_Symbol] := Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] - Dist[1/(b^2\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b + x/b]^(m - 1)\*(m - (m + 1)\*Sin[-a/b + x/b]^2), x], x], x, a + b\*ArcSin[c\*x]

]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*(m + 1)/(b\*(n + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && NeQ[n, -1]

#### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{x}{\sin^{-1}(ax)^{7/2}} dx &= -\frac{2x\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} + \frac{2\int \frac{1}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx}{5a} - \frac{1}{5}(4a) \int \frac{x^2}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^{5/2}} dx \\
&= -\frac{2x\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{8x^2}{15\sin^{-1}(ax)^{3/2}} - \frac{16}{15} \int \frac{x}{\sin^{-1}(ax)^{3/2}} dx \\
&= -\frac{2x\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{8x^2}{15\sin^{-1}(ax)^{3/2}} + \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}} - \frac{32\sqrt{\pi}}{15a^2\sqrt{\sin^{-1}(ax)}} \quad 32\text{Sub} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{8x^2}{15\sin^{-1}(ax)^{3/2}} + \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}} - \frac{64\sqrt{\pi}}{15a^2\sqrt{\sin^{-1}(ax)}} \quad 64\text{Sub} \\
&= -\frac{2x\sqrt{1-a^2x^2}}{5a\sin^{-1}(ax)^{5/2}} - \frac{4}{15a^2\sin^{-1}(ax)^{3/2}} + \frac{8x^2}{15\sin^{-1}(ax)^{3/2}} + \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\sin^{-1}(ax)}} - \frac{32\sqrt{\pi}}{15a^2\sqrt{\sin^{-1}(ax)}} \quad 32\sqrt{\pi}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.24, size = 146, normalized size = 1.23

$$\frac{\text{ArcSin}(ax) \left( 2e^{2i\text{ArcSin}(ax)} (1 + 4i\text{ArcSin}(ax)) + 8\sqrt{2} (-i\text{ArcSin}(ax))^{3/2} \Gamma\left(\frac{1}{2}, -2i\text{ArcSin}(ax)\right) + e^{-2i\text{ArcSin}(ax)} (2 - 8i\text{ArcSin}(ax) + 8\sqrt{2} e^{2i\text{ArcSin}(ax)} (i\text{ArcSin}(ax))^{3/2} \Gamma\left(\frac{1}{2}, 2i\text{ArcSin}(ax)\right)) \right) + 3\sin(2\text{ArcSin}(ax))}{15a^2\text{ArcSin}(ax)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcSin[a\*x]^(7/2), x]

[Out]  $-1/15*(\text{ArcSin}[a*x]*(2*E^{((2*I)*\text{ArcSin}[a*x])*(1 + (4*I)*\text{ArcSin}[a*x])} + 8*\text{Sqrt}[2]*((-I)*\text{ArcSin}[a*x])^{(3/2)}*\Gamma[1/2, (-2*I)*\text{ArcSin}[a*x]] + (2 - (8*I)*\text{ArcSin}[a*x] + 8*\text{Sqrt}[2]*E^{((2*I)*\text{ArcSin}[a*x])*(I*\text{ArcSin}[a*x])^{(3/2)}*\Gamma[1/2, (2*I)*\text{ArcSin}[a*x]])/E^{((2*I)*\text{ArcSin}[a*x])}) + 3*\text{Sin}[2*\text{ArcSin}[a*x]])/(a^2*\text{ArcSin}[a*x]^{(5/2)})$

**Maple [A]**

time = 0.04, size = 73, normalized size = 0.61

method	result
default	$ -\frac{32\sqrt{\pi}}{15a^2} \text{FresnelC}\left(\frac{2\sqrt{\arcsin(ax)}}{\sqrt{\pi}}\right) \arcsin(ax)^{5/2} + 16\sin(2\arcsin(ax)) \arcsin(ax)^2 - 4\arcsin(ax) \cos(2\arcsin(ax)) - 3\sin(2\arcsin(ax)) $

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/arcsin(a*x)^(7/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/15/a^2*(-32*Pi^(1/2)*FresnelC(2*arcsin(a*x)^(1/2)/Pi^(1/2))*arcsin(a*x)^(5/2)+16*sin(2*arcsin(a*x))*arcsin(a*x)^2-4*arcsin(a*x)*cos(2*arcsin(a*x))-3*sin(2*arcsin(a*x)))/arcsin(a*x)^(5/2)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^(7/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:
integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/asin(a*x)**(7/2),x)
```

```
[Out] Integral(x/asin(a*x)**(7/2), x)
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arcsin(a*x)^(7/2),x, algorithm="giac")
```

```
[Out] integrate(x/arcsin(a*x)^(7/2), x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/asin(a*x)^(7/2),x)
```

```
[Out] int(x/asin(a*x)^(7/2), x)
```

### 3.117 $\int \frac{1}{\text{ArcSin}(ax)^{7/2}} dx$

Optimal. Leaf size=105

$$-\frac{2\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} + \frac{4x}{15\text{ArcSin}(ax)^{3/2}} + \frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} + \frac{8\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{15a}$$

[Out] 4/15\*x/arcsin(a\*x)^(3/2)+8/15\*FresnelS(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))\*2^(1/2)\*Pi^(1/2)/a-2/5\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)^(5/2)+8/15\*(-a^2\*x^2+1)^(1/2)/a/arcsin(a\*x)^(1/2)

Rubi [A]

time = 0.11, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4717, 4807, 4809, 3386, 3432}

$$\frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\text{ArcSin}(ax)}} - \frac{2\sqrt{1-a^2x^2}}{5a\text{ArcSin}(ax)^{5/2}} + \frac{8\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\text{ArcSin}(ax)}\right)}{15a} + \frac{4x}{15\text{ArcSin}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(-7/2),x]

[Out] (-2\*Sqrt[1 - a^2\*x^2])/(5\*a\*ArcSin[a\*x]^(5/2)) + (4\*x)/(15\*ArcSin[a\*x]^(3/2)) + (8\*Sqrt[1 - a^2\*x^2])/(15\*a\*Sqrt[ArcSin[a\*x]]) + (8\*Sqrt[2\*Pi]\*FresnelS[Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(15\*a)

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Simp[Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a,

b, c}, x] && LtQ[n, -1]

### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sin^{-1}(ax)^{7/2}} dx &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} - \frac{1}{5}(2a) \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^{5/2}} dx \\
 &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} + \frac{4x}{15 \sin^{-1}(ax)^{3/2}} - \frac{4}{15} \int \frac{1}{\sin^{-1}(ax)^{3/2}} dx \\
 &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} + \frac{4x}{15 \sin^{-1}(ax)^{3/2}} + \frac{8\sqrt{1-a^2x^2}}{15a \sqrt{\sin^{-1}(ax)}} + \frac{1}{15}(8a) \int \frac{x}{\sqrt{1-a^2x^2} \sqrt{\sin^{-1}(ax)}} dx \\
 &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} + \frac{4x}{15 \sin^{-1}(ax)^{3/2}} + \frac{8\sqrt{1-a^2x^2}}{15a \sqrt{\sin^{-1}(ax)}} + \frac{8 \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{15a} \\
 &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} + \frac{4x}{15 \sin^{-1}(ax)^{3/2}} + \frac{8\sqrt{1-a^2x^2}}{15a \sqrt{\sin^{-1}(ax)}} + \frac{16 \text{Subst}\left(\int \sin(x^2) dx, x, \sin^{-1}(ax)\right)}{15a} \\
 &= -\frac{2\sqrt{1-a^2x^2}}{5a \sin^{-1}(ax)^{5/2}} + \frac{4x}{15 \sin^{-1}(ax)^{3/2}} + \frac{8\sqrt{1-a^2x^2}}{15a \sqrt{\sin^{-1}(ax)}} + \frac{8\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{15a}
 \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.15, size = 143, normalized size = 1.36

$$\frac{2e^{i\text{ArcSin}(ax)}(-3 - 2i\text{ArcSin}(ax) + 4\text{ArcSin}(ax)^2) - 8\sqrt{-i\text{ArcSin}(ax)} \text{ArcSin}(ax)^2\text{Gamma}(\frac{1}{2}, -i\text{ArcSin}(ax)) + e^{-i\text{ArcSin}(ax)}(-6 + 4i\text{ArcSin}(ax) + 8\text{ArcSin}(ax)^2 + 8e^{i\text{ArcSin}(ax)}(i\text{ArcSin}(ax))^{5/2}\text{Gamma}(\frac{1}{2}, i\text{ArcSin}(ax)))}{30a\text{ArcSin}(ax)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(-7/2), x]

[Out] (2\*E^(I\*ArcSin[a\*x])\*(-3 - (2\*I)\*ArcSin[a\*x] + 4\*ArcSin[a\*x]^2) - 8\*sqrt[(-I)\*ArcSin[a\*x]]\*ArcSin[a\*x]^2\*Gamma[1/2, (-I)\*ArcSin[a\*x]] + (-6 + (4\*I)\*ArcSin[a\*x] + 8\*ArcSin[a\*x]^2 + 8\*E^(I\*ArcSin[a\*x])\*(I\*ArcSin[a\*x])^(5/2)\*Gamma[1/2, I\*ArcSin[a\*x]])/E^(I\*ArcSin[a\*x]))/(30\*a\*ArcSin[a\*x]^(5/2))

**Maple [A]**

time = 0.04, size = 110, normalized size = 1.05

method	result
default	$\frac{\sqrt{2} \left( 8 \arcsin(ax)^3 \pi S \left( \frac{\sqrt{2} \sqrt{\arcsin(ax)}}{\sqrt{\pi}} \right) + 4 \arcsin(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} \sqrt{-a^2 x^2 + 1} + 2 \arcsin(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} ax - \dots \right)}{15a \sqrt{\pi} \arcsin(ax)^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x)^(7/2), x, method=\_RETURNVERBOSE)

[Out] 1/15/a\*2^(1/2)/Pi^(1/2)/arcsin(a\*x)^3\*(8\*arcsin(a\*x)^3\*Pi\*FresnelS(2^(1/2)/Pi^(1/2)\*arcsin(a\*x)^(1/2))+4\*arcsin(a\*x)^(5/2)\*2^(1/2)\*Pi^(1/2)\*(-a^2\*x^2+1)^(1/2)+2\*arcsin(a\*x)^(3/2)\*2^(1/2)\*Pi^(1/2)\*a\*x-3\*2^(1/2)\*arcsin(a\*x)^(1/2)\*Pi^(1/2)\*(-a^2\*x^2+1)^(1/2))

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^(7/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.



[In] `integrate(1/arcsin(a*x)^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/asin(a*x)**(7/2),x)`

[Out] `Integral(asin(a*x)**(-7/2), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)^(7/2),x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^(-7/2), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/asin(a*x)^(7/2),x)`

[Out] `int(1/asin(a*x)^(7/2), x)`

$$3.118 \quad \int \frac{1}{x \mathbf{ArcSin}(ax)^{7/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \mathbf{ArcSin}(ax)^{7/2}}, x\right)$$

[Out] Unintegrable(1/x/arcsin(a\*x)^(7/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{7/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*ArcSin[a\*x]^(7/2)), x]

[Out] Defer[Int][1/(x\*ArcSin[a\*x]^(7/2)), x]

Rubi steps

$$\int \frac{1}{x \sin^{-1}(ax)^{7/2}} dx = \int \frac{1}{x \sin^{-1}(ax)^{7/2}} dx$$

Mathematica [A]

time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{1}{x \mathbf{ArcSin}(ax)^{7/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*ArcSin[a\*x]^(7/2)), x]

[Out] Integrate[1/(x\*ArcSin[a\*x]^(7/2)), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arcsin(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arcsin(a*x)^(7/2),x)`

[Out] `int(1/x/arcsin(a*x)^(7/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(7/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{asin}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/asin(a*x)**(7/2),x)`

[Out] `Integral(1/(x*asin(a*x)**(7/2)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arcsin(a*x)^(7/2),x, algorithm="giac")`

[Out] `integrate(1/(x*arcsin(a*x)^(7/2)), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \operatorname{asin}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*asin(a*x)^(7/2)),x)`

[Out] `int(1/(x*asin(a*x)^(7/2)), x)`

### 3.119 $\int (bx)^m \text{ArcSin}(ax)^4 dx$

Optimal. Leaf size=65

$$\frac{(bx)^{1+m} \text{ArcSin}(ax)^4}{b(1+m)} - \frac{4a \text{Int}\left(\frac{(bx)^{1+m} \text{ArcSin}(ax)^3}{\sqrt{1-a^2x^2}}, x\right)}{b(1+m)}$$

[Out]  $(b*x)^{(1+m)}*\arcsin(a*x)^4/b/(1+m)-4*a*\text{Unintegrable}((b*x)^{(1+m)}*\arcsin(a*x)^3/(-a^2*x^2+1)^{(1/2)},x)/b/(1+m)$

**Rubi** [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (bx)^m \text{ArcSin}(ax)^4 dx$$

Verification is not applicable to the result.

[In]  $\text{Int}[(b*x)^m*\text{ArcSin}[a*x]^4,x]$

[Out]  $((b*x)^{(1+m)}*\text{ArcSin}[a*x]^4)/(b*(1+m)) - (4*a*\text{Defer}[\text{Int}][((b*x)^{(1+m)}*\text{ArcSin}[a*x]^3)/\text{Sqrt}[1 - a^2*x^2], x)]/(b*(1+m))$

Rubi steps

$$\int (bx)^m \sin^{-1}(ax)^4 dx = \frac{(bx)^{1+m} \sin^{-1}(ax)^4}{b(1+m)} - \frac{(4a) \int \frac{(bx)^{1+m} \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

**Mathematica** [A]

time = 0.88, size = 0, normalized size = 0.00

$$\int (bx)^m \text{ArcSin}(ax)^4 dx$$

Verification is not applicable to the result.

[In]  $\text{Integrate}[(b*x)^m*\text{ArcSin}[a*x]^4,x]$

[Out]  $\text{Integrate}[(b*x)^m*\text{ArcSin}[a*x]^4, x]$

**Maple** [A]

time = 0.54, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x)^m*arcsin(a*x)^4,x)
```

```
[Out] int((b*x)^m*arcsin(a*x)^4,x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m*arcsin(a*x)^4,x, algorithm="maxima")
```

```
[Out] (b^m*x*x^m*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^4 + 4*(a*b^m*m + a*b^m)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x*x^m*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^3/((a^2*m + a^2)*x^2 - m - 1), x)/(m + 1)
```

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m*arcsin(a*x)^4,x, algorithm="fricas")
```

```
[Out] integral((b*x)^m*arcsin(a*x)^4, x)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}^4(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)**m*asin(a*x)**4,x)
```

```
[Out] Integral((b*x)**m*asin(a*x)**4, x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m*arcsin(a*x)^4,x, algorithm="giac")
```

[Out] integrate((b\*x)^m\*arcsin(a\*x)^4, x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \operatorname{asin}(ax)^4 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^4\*(b\*x)^m,x)

[Out] int(asin(a\*x)^4\*(b\*x)^m, x)

### 3.120 $\int (bx)^m \text{ArcSin}(ax)^3 dx$

Optimal. Leaf size=65

$$\frac{(bx)^{1+m} \text{ArcSin}(ax)^3}{b(1+m)} - \frac{3a \text{Int}\left(\frac{(bx)^{1+m} \text{ArcSin}(ax)^2}{\sqrt{1-a^2x^2}}, x\right)}{b(1+m)}$$

[Out]  $(b*x)^{(1+m)}*\arcsin(a*x)^3/b/(1+m)-3*a*\text{Unintegrable}((b*x)^{(1+m)}*\arcsin(a*x)^2/(-a^2*x^2+1)^{(1/2)},x)/b/(1+m)$

Rubi [A]

time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (bx)^m \text{ArcSin}(ax)^3 dx$$

Verification is not applicable to the result.

[In]  $\text{Int}[(b*x)^m*\text{ArcSin}[a*x]^3,x]$

[Out]  $((b*x)^{(1+m)}*\text{ArcSin}[a*x]^3)/(b*(1+m)) - (3*a*\text{Defer}[\text{Int}][(b*x)^{(1+m)}*\text{ArcSin}[a*x]^2]/\text{Sqrt}[1 - a^2*x^2], x))/(b*(1+m))$

Rubi steps

$$\int (bx)^m \sin^{-1}(ax)^3 dx = \frac{(bx)^{1+m} \sin^{-1}(ax)^3}{b(1+m)} - \frac{(3a) \int \frac{(bx)^{1+m} \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

Mathematica [A]

time = 0.82, size = 0, normalized size = 0.00

$$\int (bx)^m \text{ArcSin}(ax)^3 dx$$

Verification is not applicable to the result.

[In]  $\text{Integrate}[(b*x)^m*\text{ArcSin}[a*x]^3,x]$

[Out]  $\text{Integrate}[(b*x)^m*\text{ArcSin}[a*x]^3, x]$

Maple [A]

time = 0.45, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax)^3 dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m*arcsin(a*x)^3,x)`

[Out] `int((b*x)^m*arcsin(a*x)^3,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^3,x, algorithm="maxima")`

[Out]  $(b^m x^m \arctan^2(ax, \sqrt{ax+1}) \sqrt{-ax+1})^3 + 3(a^m b^m + a^m b^m) \int \sqrt{ax+1} \sqrt{-ax+1} x^m \arctan^2(ax, \sqrt{ax+1}) \sqrt{-ax+1}^2 / ((a^{2m} + a^2) x^2 - m - 1), x) / (m + 1)$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^3,x, algorithm="fricas")`

[Out] `integral((b*x)^m*arcsin(a*x)^3, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m*asin(a*x)**3,x)`

[Out] `Integral((b*x)**m*asin(a*x)**3, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^3,x, algorithm="giac")`

[Out] integrate((b\*x)^m\*arcsin(a\*x)^3, x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \operatorname{asin}(ax)^3 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^3\*(b\*x)^m,x)

[Out] int(asin(a\*x)^3\*(b\*x)^m, x)

### 3.121 $\int (bx)^m \text{ArcSin}(ax)^2 dx$

**Optimal.** Leaf size=150

$$\frac{(bx)^{1+m} \text{ArcSin}(ax)^2}{b(1+m)} - \frac{2a(bx)^{2+m} \text{ArcSin}(ax) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{b^2(1+m)(2+m)} + \frac{2a^2(bx)^{3+m} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{b^3(1+m)(2+m)(3+m)}$$

```
[Out] (b*x)^(1+m)*arcsin(a*x)^2/b/(1+m)-2*a*(b*x)^(2+m)*arcsin(a*x)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], a^2*x^2)/b^2/(1+m)/(2+m)+2*a^2*(b*x)^(3+m)*hypergeom([1, 3/2+1/2*m, 3/2+1/2*m], [2+1/2*m, 5/2+1/2*m], a^2*x^2)/b^3/(3+m)/(m^2+3*m+2)
```

**Rubi [A]**

time = 0.08, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4723, 4805}

$$\frac{2a^2(bx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{b^3(m+1)(m+2)(m+3)} - \frac{2a \text{ArcSin}(ax)(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{b^2(m+1)(m+2)} + \frac{\text{ArcSin}(ax)^2(bx)^{m+1}}{b(m+1)}$$

Antiderivative was successfully verified.

```
[In] Int[(b*x)^m*ArcSin[a*x]^2,x]
```

```
[Out] ((b*x)^(1+m)*ArcSin[a*x]^2)/(b*(1+m)) - (2*a*(b*x)^(2+m)*ArcSin[a*x]*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2*x^2])/(b^2*(1+m)*(2+m)) + (2*a^2*(b*x)^(3+m)*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, a^2*x^2])/(b^3*(1+m)*(2+m)*(3+m))
```

**Rule 4723**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m+1)*((a + b*ArcSin[c*x])^n/(d*(m+1))), x] - Dist[b*c*(n/(d*(m+1))), Int[(d*x)^(m+1)*((a + b*ArcSin[c*x])^(n-1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

**Rule 4805**

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[((f*x)^(m+1)/(f*(m+1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2], x] - Simp[b*c*((f*x)^(m+2)/(f^2*(m+1)*(m+2)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && !IntegerQ[m]
```

Rubi steps

$$\int (bx)^m \sin^{-1}(ax)^2 dx = \frac{(bx)^{1+m} \sin^{-1}(ax)^2}{b(1+m)} - \frac{(2a) \int \frac{(bx)^{1+m} \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

$$= \frac{(bx)^{1+m} \sin^{-1}(ax)^2}{b(1+m)} - \frac{2a(bx)^{2+m} \sin^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2x^2\right)}{b^2(1+m)(2+m)} + \frac{2a^2(bx)^{3+m} {}_3F_2\left(\frac{1}{2}, \frac{3+m}{2}, \frac{3+m}{2}; \frac{5+m}{2}, \frac{5+m}{2}; a^2x^2\right)}{b^3(1+m)(2+m)(3+m)}$$

**Mathematica [A]**

time = 0.03, size = 122, normalized size = 0.81

$$\frac{x(bx)^m ((3+m)\text{ArcSin}(ax) - (2+m)\text{ArcSin}(ax) - 2ax\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)) + 2a^2x^2\text{HypergeometricPFQ}\left(\left\{1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}\right\}, \left\{2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}\right\}, a^2x^2\right)}{(1+m)(2+m)(3+m)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*x)^m*ArcSin[a*x]^2,x]
```

```
[Out] (x*(b*x)^m*((3 + m)*ArcSin[a*x]*((2 + m)*ArcSin[a*x] - 2*a*x*Hypergeometric
2F1[1/2, (2 + m)/2, (4 + m)/2, a^2*x^2]) + 2*a^2*x^2*HypergeometricPFQ[{1,
3/2 + m/2, 3/2 + m/2}, {2 + m/2, 5/2 + m/2}, a^2*x^2]))/((1 + m)*(2 + m)*(3
+ m))
```

**Maple [F]**

time = 0.51, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x)^m*arcsin(a*x)^2,x)
```

```
[Out] int((b*x)^m*arcsin(a*x)^2,x)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m*arcsin(a*x)^2,x, algorithm="maxima")
```

```
[Out] (b^m*x*x^m*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))^2 + 2*(a*b^m*m + a*b^
m)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x*x^m*arctan2(a*x, sqrt(a*x + 1)*
sqrt(-a*x + 1))/((a^2*m + a^2)*x^2 - m - 1), x))/(m + 1)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x)^m\*arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral((b\*x)^m\*arcsin(a\*x)^2, x)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x)\*\*m\*asin(a\*x)\*\*2,x)

[Out] Integral((b\*x)\*\*m\*asin(a\*x)\*\*2, x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x)^m\*arcsin(a\*x)^2,x, algorithm="giac")

[Out] integrate((b\*x)^m\*arcsin(a\*x)^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{asin}(ax)^2 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^2\*(b\*x)^m,x)

[Out] int(asin(a\*x)^2\*(b\*x)^m, x)

### 3.122 $\int (bx)^m \text{ArcSin}(ax) dx$

**Optimal.** Leaf size=69

$$\frac{(bx)^{1+m} \text{ArcSin}(ax)}{b(1+m)} - \frac{a(bx)^{2+m} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2 x^2\right)}{b^2(1+m)(2+m)}$$

[Out] (b\*x)^(1+m)\*arcsin(a\*x)/b/(1+m)-a\*(b\*x)^(2+m)\*hypergeom([1/2, 1+1/2\*m], [2+1/2\*m], a^2\*x^2)/b^2/(1+m)/(2+m)

**Rubi [A]**

time = 0.02, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4723, 371}

$$\frac{\text{ArcSin}(ax)(bx)^{m+1}}{b(m+1)} - \frac{a(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2 x^2\right)}{b^2(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Int[(b\*x)^m\*ArcSin[a\*x],x]

[Out] ((b\*x)^(1+m)\*ArcSin[a\*x])/(b\*(1+m)) - (a\*(b\*x)^(2+m)\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2\*x^2])/(b^2\*(1+m)\*(2+m))

Rule 371

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[a^p\*((c\*x)^(m+1)/(c\*(m+1)))\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, (-b)\*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int (bx)^m \sin^{-1}(ax) dx &= \frac{(bx)^{1+m} \sin^{-1}(ax)}{b(1+m)} - \frac{a \int \frac{(bx)^{1+m}}{\sqrt{1-a^2x^2}} dx}{b(1+m)} \\ &= \frac{(bx)^{1+m} \sin^{-1}(ax)}{b(1+m)} - \frac{a(bx)^{2+m} {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2 x^2\right)}{b^2(1+m)(2+m)} \end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 56, normalized size = 0.81

$$\frac{x(bx)^m \left( -((2+m)\text{ArcSin}(ax)) + ax \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right) \right)}{(1+m)(2+m)}$$

Antiderivative was successfully verified.

`[In] Integrate[(b*x)^m*ArcSin[a*x],x]`

```
[Out] -((x*(b*x)^m*(-((2 + m)*ArcSin[a*x])) + a*x*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, a^2*x^2]))/((1 + m)*(2 + m))
```

**Maple [F]**

time = 0.56, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((b*x)^m*arcsin(a*x),x)``[Out] int((b*x)^m*arcsin(a*x),x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((b*x)^m*arcsin(a*x),x, algorithm="maxima")`

```
[Out] (b^m*x*x^m*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)) + (a*b^m*m + a*b^m)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x*x^m/((a^2*m + a^2)*x^2 - m - 1), x))/(m + 1)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((b*x)^m*arcsin(a*x),x, algorithm="fricas")``[Out] integral((b*x)^m*arcsin(a*x), x)`

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x)\*\*m\*asin(a\*x),x)

[Out] Integral((b\*x)\*\*m\*asin(a\*x), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x)^m\*arcsin(a\*x),x, algorithm="giac")

[Out] integrate((b\*x)^m\*arcsin(a\*x), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{asin}(ax) (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)\*(b\*x)^m,x)

[Out] int(asin(a\*x)\*(b\*x)^m, x)



$$3.123 \quad \int \frac{(bx)^m}{\text{ArcSin}(ax)} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{(bx)^m}{\text{ArcSin}(ax)}, x\right)$$

[Out] Unintegrable((b\*x)^m/arcsin(a\*x), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m/ArcSin[a\*x], x]

[Out] Defer[Int] [(b\*x)^m/ArcSin[a\*x], x]

Rubi steps

$$\int \frac{(bx)^m}{\sin^{-1}(ax)} dx = \int \frac{(bx)^m}{\sin^{-1}(ax)} dx$$

Mathematica [A]

time = 0.79, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m/ArcSin[a\*x], x]

[Out] Integrate[(b\*x)^m/ArcSin[a\*x], x]

Maple [A]

time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m/arcsin(a*x),x)`

[Out] `int((b*x)^m/arcsin(a*x),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x),x, algorithm="maxima")`

[Out] `integrate((b*x)^m/arcsin(a*x), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x),x, algorithm="fricas")`

[Out] `integral((b*x)^m/arcsin(a*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m/asin(a*x),x)`

[Out] `Integral((b*x)**m/asin(a*x), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x),x, algorithm="giac")`

[Out] `integrate((b*x)^m/arcsin(a*x), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{(bx)^m}{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x)^m/asin(a*x),x)
```

```
[Out] int((b*x)^m/asin(a*x), x)
```

$$3.124 \quad \int \frac{(bx)^m}{\text{ArcSin}(ax)^2} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{(bx)^m}{\text{ArcSin}(ax)^2}, x\right)$$

[Out] Unintegrable((b\*x)^m/arcsin(a\*x)^2,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m/ArcSin[a\*x]^2,x]

[Out] Defer[Int] [(b\*x)^m/ArcSin[a\*x]^2, x]

Rubi steps

$$\int \frac{(bx)^m}{\sin^{-1}(ax)^2} dx = \int \frac{(bx)^m}{\sin^{-1}(ax)^2} dx$$

Mathematica [A]

time = 0.55, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m/ArcSin[a\*x]^2,x]

[Out] Integrate[(b\*x)^m/ArcSin[a\*x]^2, x]

Maple [A]

time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arcsin(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m/arcsin(a*x)^2,x)`

[Out] `int((b*x)^m/arcsin(a*x)^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^2,x, algorithm="maxima")`

[Out] `-(sqrt(a*x + 1)*sqrt(-a*x + 1)*b^m*x^m - a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))*integrate(((a^2*b^m*m + a^2*b^m)*x^2 - b^m*m)*sqrt(a*x + 1)*sqrt(-a*x + 1)*x^m/((a^3*x^3 - a*x)*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1))), x))/(a*arctan2(a*x, sqrt(a*x + 1)*sqrt(-a*x + 1)))`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^2,x, algorithm="fricas")`

[Out] `integral((b*x)^m/arcsin(a*x)^2, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{asin}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m/asin(a*x)**2,x)`

[Out] `Integral((b*x)**m/asin(a*x)**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^2,x, algorithm="giac")`

[Out] `integrate((b*x)^m/arcsin(a*x)^2, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{(bx)^m}{\operatorname{asin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m/asin(a*x)^2,x)`

[Out] `int((b*x)^m/asin(a*x)^2, x)`

### 3.125 $\int (bx)^m \text{ArcSin}(ax)^{3/2} dx$

Optimal. Leaf size=17

$$\text{Int}((bx)^m \text{ArcSin}(ax)^{3/2}, x)$$

[Out] Unintegrable((b\*x)^m\*arcsin(a\*x)^(3/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (bx)^m \text{ArcSin}(ax)^{3/2} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m\*ArcSin[a\*x]^(3/2), x]

[Out] Defer[Int] [(b\*x)^m\*ArcSin[a\*x]^(3/2), x]

Rubi steps

$$\int (bx)^m \sin^{-1}(ax)^{3/2} dx = \int (bx)^m \sin^{-1}(ax)^{3/2} dx$$

Mathematica [A]

time = 4.04, size = 0, normalized size = 0.00

$$\int (bx)^m \text{ArcSin}(ax)^{3/2} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m\*ArcSin[a\*x]^(3/2), x]

[Out] Integrate[(b\*x)^m\*ArcSin[a\*x]^(3/2), x]

Maple [A]

time = 0.04, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^m\*arcsin(a\*x)^(3/2), x)

[Out] `int((b*x)^m*arcsin(a*x)^(3/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m*asin(a*x)**(3/2),x)`

[Out] `Integral((b*x)**m*asin(a*x)**(3/2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*x)^m*arcsin(a*x)^(3/2), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \operatorname{asin}(ax)^{3/2} (bx)^m dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(asin(a*x)^(3/2)*(b*x)^m,x)
```

```
[Out] int(asin(a*x)^(3/2)*(b*x)^m, x)
```

### 3.126 $\int (bx)^m \sqrt{\text{ArcSin}(ax)} dx$

Optimal. Leaf size=17

$$\text{Int}\left((bx)^m \sqrt{\text{ArcSin}(ax)}, x\right)$$

[Out] Unintegrable((b\*x)^m\*arcsin(a\*x)^(1/2),x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (bx)^m \sqrt{\text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m\*Sqrt[ArcSin[a\*x]],x]

[Out] Defer[Int] [(b\*x)^m\*Sqrt[ArcSin[a\*x]], x]

Rubi steps

$$\int (bx)^m \sqrt{\sin^{-1}(ax)} dx = \int (bx)^m \sqrt{\sin^{-1}(ax)} dx$$

Mathematica [A]

time = 3.90, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\text{ArcSin}(ax)} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m\*Sqrt[ArcSin[a\*x]],x]

[Out] Integrate[(b\*x)^m\*Sqrt[ArcSin[a\*x]], x]

Maple [A]

time = 0.04, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m*arcsin(a*x)^(1/2),x)`

[Out] `int((b*x)^m*arcsin(a*x)^(1/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m*asin(a*x)**(1/2),x)`

[Out] `Integral((b*x)**m*sqrt(asin(a*x)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*x)^m*sqrt(arcsin(a*x)), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \sqrt{\operatorname{asin}(ax)} (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^(1/2)*(b*x)^m,x)`

[Out] `int(asin(a*x)^(1/2)*(b*x)^m, x)`

$$3.127 \quad \int \frac{(bx)^m}{\sqrt{\text{ArcSin}(ax)}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{(bx)^m}{\sqrt{\text{ArcSin}(ax)}}, x\right)$$

[Out] Unintegrable((b\*x)^m/arcsin(a\*x)^(1/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(bx)^m}{\sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m/Sqrt[ArcSin[a\*x]], x]

[Out] Defer[Int] [(b\*x)^m/Sqrt[ArcSin[a\*x]], x]

Rubi steps

$$\int \frac{(bx)^m}{\sqrt{\sin^{-1}(ax)}} dx = \int \frac{(bx)^m}{\sqrt{\sin^{-1}(ax)}} dx$$

Mathematica [A]

time = 2.85, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\text{ArcSin}(ax)}} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m/Sqrt[ArcSin[a\*x]], x]

[Out] Integrate[(b\*x)^m/Sqrt[ArcSin[a\*x]], x]

Maple [A]

time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x)^m/arcsin(a*x)^(1/2),x)
```

```
[Out] int((b*x)^m/arcsin(a*x)^(1/2),x)
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m/arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
      expt: undefined: 0 to a negative exponent.
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:  integ
rate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\operatorname{asin}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)**m/asin(a*x)**(1/2),x)
```

```
[Out] Integral((b*x)**m/sqrt(asin(a*x)), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)^m/arcsin(a*x)^(1/2),x, algorithm="giac")
```

[Out] integrate((b\*x)^m/sqrt(arcsin(a\*x)), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{(bx)^m}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^m/asin(a\*x)^(1/2),x)

[Out] int((b\*x)^m/asin(a\*x)^(1/2), x)

$$3.128 \quad \int \frac{(bx)^m}{\text{ArcSin}(ax)^{3/2}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{(bx)^m}{\text{ArcSin}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable((b\*x)^m/arcsin(a\*x)^(3/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m/ArcSin[a\*x]^(3/2), x]

[Out] Defer[Int] [(b\*x)^m/ArcSin[a\*x]^(3/2), x]

Rubi steps

$$\int \frac{(bx)^m}{\sin^{-1}(ax)^{3/2}} dx = \int \frac{(bx)^m}{\sin^{-1}(ax)^{3/2}} dx$$

Mathematica [A]

time = 3.17, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\text{ArcSin}(ax)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m/ArcSin[a\*x]^(3/2), x]

[Out] Integrate[(b\*x)^m/ArcSin[a\*x]^(3/2), x]

Maple [A]

time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((b*x)^m/arcsin(a*x)^(3/2),x)`

[Out] `int((b*x)^m/arcsin(a*x)^(3/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m/asin(a*x)**(3/2),x)`

[Out] `Integral((b*x)**m/asin(a*x)**(3/2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arcsin(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*x)^m/arcsin(a*x)^(3/2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{(bx)^m}{\operatorname{asin}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^m/asin(a\*x)^(3/2),x)

[Out] int((b\*x)^m/asin(a\*x)^(3/2), x)

### 3.129 $\int (bx)^m \text{ArcSin}(ax)^n dx$

Optimal. Leaf size=15

$$\text{Int}((bx)^m \text{ArcSin}(ax)^n, x)$$

[Out] Unintegrable((b\*x)^m\*arcsin(a\*x)^n,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ ,

Rules used = {}

$$\int (bx)^m \text{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^m\*ArcSin[a\*x]^n,x]

[Out] Defer[Int] [(b\*x)^m\*ArcSin[a\*x]^n, x]

Rubi steps

$$\int (bx)^m \sin^{-1}(ax)^n dx = \int (bx)^m \sin^{-1}(ax)^n dx$$

Mathematica [A]

time = 0.71, size = 0, normalized size = 0.00

$$\int (bx)^m \text{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^m\*ArcSin[a\*x]^n,x]

[Out] Integrate[(b\*x)^m\*ArcSin[a\*x]^n, x]

Maple [A]

time = 0.55, size = 0, normalized size = 0.00

$$\int (bx)^m \arcsin(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^m\*arcsin(a\*x)^n,x)

[Out] `int((b*x)^m*arcsin(a*x)^n,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^n,x, algorithm="fricas")`

[Out] `integral((b*x)^m*arcsin(a*x)^n, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m*asin(a*x)**n,x)`

[Out] `Integral((b*x)**m*asin(a*x)**n, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arcsin(a*x)^n,x, algorithm="giac")`

[Out] `integrate((b*x)^m*arcsin(a*x)^n, x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.07

$$\int \operatorname{asin}(ax)^n (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n*(b*x)^m,x)`

[Out] `int(asin(a*x)^n*(b*x)^m, x)`

### 3.130 $\int x^3 \text{ArcSin}(ax)^n dx$

**Optimal.** Leaf size=167

$$\frac{2^{-4-n}(-i \text{ArcSin}(ax))^{-n} \text{ArcSin}(ax)^n \Gamma(1+n, -2i \text{ArcSin}(ax))}{a^4} - \frac{2^{-4-n}(i \text{ArcSin}(ax))^{-n} \text{ArcSin}(ax)^n \Gamma(1+n, 2i \text{ArcSin}(ax))}{a^4}$$

```
[Out] -2^(-4-n)*arcsin(a*x)^n*GAMMA(1+n,-2*I*arcsin(a*x))/a^4/((-I*arcsin(a*x))^n)
-2^(-4-n)*arcsin(a*x)^n*GAMMA(1+n,2*I*arcsin(a*x))/a^4/(I*arcsin(a*x)^n)
+arcsin(a*x)^n*GAMMA(1+n,-4*I*arcsin(a*x))/(2^(6+2*n))/a^4/((-I*arcsin(a*x)
)^n)+arcsin(a*x)^n*GAMMA(1+n,4*I*arcsin(a*x))/(2^(6+2*n))/a^4/(I*arcsin(a*
x))^n)
```

**Rubi [A]**

time = 0.12, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4731, 4491, 3389, 2212}

$$\frac{2^{-4-n} \text{ArcSin}(ax)^n (-i \text{ArcSin}(ax))^{-n} \Gamma(n+1, -2i \text{ArcSin}(ax))}{a^4} + \frac{2^{-4-n} \text{ArcSin}(ax)^n (-i \text{ArcSin}(ax))^{-n} \Gamma(n+1, -4i \text{ArcSin}(ax))}{a^4} - \frac{2^{-4-n} (i \text{ArcSin}(ax))^{-n} \text{ArcSin}(ax)^n \Gamma(n+1, 2i \text{ArcSin}(ax))}{a^4} + \frac{2^{-4-n} (i \text{ArcSin}(ax))^{-n} \text{ArcSin}(ax)^n \Gamma(n+1, 4i \text{ArcSin}(ax))}{a^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*ArcSin[a*x]^n,x]
```

```
[Out] -((2^(-4 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-2*I)*ArcSin[a*x]])/(a^4*((-I)*ArcSin[a*x]^n)) - (2^(-4 - n)*ArcSin[a*x]^n*Gamma[1 + n, (2*I)*ArcSin[a*x]])/(a^4*(I*ArcSin[a*x]^n)) + (ArcSin[a*x]^n*Gamma[1 + n, (-4*I)*ArcSin[a*x]])/(2^(2*(3 + n))*a^4*((-I)*ArcSin[a*x]^n)) + (ArcSin[a*x]^n*Gamma[1 + n, (4*I)*ArcSin[a*x]])/(2^(2*(3 + n))*a^4*(I*ArcSin[a*x]^n))
```

Rule 2212

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d))^(IntPart[m] + 1))*((-f)*g*Log[F]*((c + d*x)/d)^FracPart[m])*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3389

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 4491

```
Int[Cos[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]
```

$]^n \cos[a + b*x]^p, x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

### Rule 4731

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \text{ :> } \text{Dist}[1/(b*c^{(m+1)}), \text{Subst}[\text{Int}[x^n*\text{Sin}[-a/b + x/b]^m*\text{Cos}[-a/b + x/b], x], x, a + b*\text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int x^3 \sin^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cos(x) \sin^3(x) dx, x, \sin^{-1}(ax)\right)}{a^4} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sin(2x) - \frac{1}{8}x^n \sin(4x)\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\ &= -\frac{\text{Subst}\left(\int x^n \sin(4x) dx, x, \sin^{-1}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int x^n \sin(2x) dx, x, \sin^{-1}(ax)\right)}{4a^4} \\ &= -\frac{i\text{Subst}\left(\int e^{-4ix} x^n dx, x, \sin^{-1}(ax)\right)}{16a^4} + \frac{i\text{Subst}\left(\int e^{4ix} x^n dx, x, \sin^{-1}(ax)\right)}{16a^4} + \frac{i\text{Subst}\left(\int e^{ix} x^n dx, x, \sin^{-1}(ax)\right)}{16a^4} \\ &= -\frac{2^{-4-n}(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -2i \sin^{-1}(ax))}{a^4} - \frac{2^{-4-n}(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, 2i \sin^{-1}(ax))}{a^4} + \frac{2^{-4-n}(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, i \sin^{-1}(ax))}{a^4} \end{aligned}$$

### Mathematica [A]

time = 0.05, size = 132, normalized size = 0.79

$$\frac{4^{-3-n} \text{ArcSin}(ax)^n (\text{ArcSin}(ax)^2)^{-n} (-2^{2+n} (i \text{ArcSin}(ax))^n \Gamma(1+n, -2i \text{ArcSin}(ax)) - 2^{2+n} (-i \text{ArcSin}(ax))^n \Gamma(1+n, 2i \text{ArcSin}(ax)) + (i \text{ArcSin}(ax))^n \Gamma(1+n, -4i \text{ArcSin}(ax)) + (-i \text{ArcSin}(ax))^n \Gamma(1+n, 4i \text{ArcSin}(ax)))}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*ArcSin[a\*x]^n,x]

[Out]  $(4^{(-3-n)} \text{ArcSin}[a*x]^n * (-2^{(2+n)} (I \text{ArcSin}[a*x])^n \Gamma[1+n, (-2*I) \text{ArcSin}[a*x]]) - 2^{(2+n)} ((-I) \text{ArcSin}[a*x])^n \Gamma[1+n, (2*I) \text{ArcSin}[a*x]] + (I \text{ArcSin}[a*x])^n \Gamma[1+n, (-4*I) \text{ArcSin}[a*x]] + ((-I) \text{ArcSin}[a*x])^n \Gamma[1+n, (4*I) \text{ArcSin}[a*x]])) / (a^4 * (\text{ArcSin}[a*x]^2)^n)$

### Maple [F]

time = 0.14, size = 0, normalized size = 0.00

$$\int x^3 \arcsin(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arcsin(a*x)^n,x)`

[Out] `int(x^3*arcsin(a*x)^n,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^n,x, algorithm="fricas")`

[Out] `integral(x^3*arcsin(a*x)^n, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*asin(a*x)**n,x)`

[Out] `Integral(x**3*asin(a*x)**n, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^n,x, algorithm="giac")`

[Out] `integrate(x^3*arcsin(a*x)^n, x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{asin}(a x)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*asin(a*x)^n,x)`

[Out] `int(x^3*asin(a*x)^n, x)`



### 3.131 $\int x^2 \text{ArcSin}(ax)^n dx$

**Optimal.** Leaf size=171

$$\frac{i(-i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\text{Gamma}(1+n, -i\text{ArcSin}(ax))}{8a^3} + \frac{i(i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\text{Gamma}(1+n, i\text{ArcSin}(ax))}{8a^3}$$

```
[Out] -1/8*I*arcsin(a*x)^n*GAMMA(1+n, -I*arcsin(a*x))/a^3/((-I*arcsin(a*x))^n)+1/8
*I*arcsin(a*x)^n*GAMMA(1+n, I*arcsin(a*x))/a^3/((I*arcsin(a*x))^n)+1/8*I^3^(
-1-n)*arcsin(a*x)^n*GAMMA(1+n, -3*I*arcsin(a*x))/a^3/((-I*arcsin(a*x))^n)-1/
8*I^3^(-1-n)*arcsin(a*x)^n*GAMMA(1+n, 3*I*arcsin(a*x))/a^3/((I*arcsin(a*x))^
n)
```

**Rubi [A]**

time = 0.12, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4731, 4491, 3388, 2212}

$$\frac{i\text{ArcSin}(ax)^{-n}\text{Gamma}(n+1, -i\text{ArcSin}(ax))}{8a^3} + \frac{i^{3-n}\text{ArcSin}(ax)^{-n}\text{Gamma}(n+1, -3i\text{ArcSin}(ax))}{8a^3} + \frac{i(i\text{ArcSin}(ax))^{-n}\text{Gamma}(n+1, i\text{ArcSin}(ax))}{8a^3} - \frac{i^{3-n}(i\text{ArcSin}(ax))^{-n}\text{Gamma}(n+1, 3i\text{ArcSin}(ax))}{8a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*ArcSin[a\*x]^n,x]

```
[Out] ((-1/8*I)*ArcSin[a*x]^n*Gamma[1 + n, (-I)*ArcSin[a*x]])/(a^3*((-I)*ArcSin[a
*x])^n) + ((I/8)*ArcSin[a*x]^n*Gamma[1 + n, I*ArcSin[a*x]])/(a^3*(I*ArcSin[
a*x])^n) + ((I/8)*3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-3*I)*ArcSin[a*x]
])/(a^3*((-I)*ArcSin[a*x])^n) - ((I/8)*3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n,
(3*I)*ArcSin[a*x]])/(a^3*(I*ArcSin[a*x])^n)
```

Rule 2212

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1))*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]]*Gamma[m + 1,
((-f)*g*(Log[F]/d)*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

Rule 3388

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 4491

```
Int[Cos[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b
_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
```

$]^n \cos[a + b*x]^p, x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

### Rule 4731

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(x)^m, x\_Symbol] := \text{Dist}[1/(b*c^{m+1}), \text{Subst}[\text{Int}[x^n*\text{Sin}[-a/b + x/b]^m*\text{Cos}[-a/b + x/b], x], x, a + b*\text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int x^2 \sin^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cos(x) \sin^2(x) dx, x, \sin^{-1}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \cos(x) - \frac{1}{4}x^n \cos(3x)\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int x^n \cos(x) dx, x, \sin^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int x^n \cos(3x) dx, x, \sin^{-1}(ax)\right)}{4a^3} \\ &= \frac{\text{Subst}\left(\int e^{-ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^3} + \frac{\text{Subst}\left(\int e^{ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^3} - \frac{\text{Subst}\left(\int e^{-3ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^3} \\ &= -\frac{i(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -i \sin^{-1}(ax))}{8a^3} + \frac{i(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, i \sin^{-1}(ax))}{8a^3} \end{aligned}$$

### Mathematica [A]

time = 0.05, size = 137, normalized size = 0.80

$$\frac{i^{3-1-n} \text{ArcSin}(ax)^n (\text{ArcSin}(ax)^2)^{-n} (-3^{1+n} (i \text{ArcSin}(ax))^n \Gamma(1+n, -i \text{ArcSin}(ax)) + 3^{1+n} (-i \text{ArcSin}(ax))^n \Gamma(1+n, i \text{ArcSin}(ax)) + (i \text{ArcSin}(ax))^n \Gamma(1+n, -3i \text{ArcSin}(ax)) - (-i \text{ArcSin}(ax))^n \Gamma(1+n, 3i \text{ArcSin}(ax)))}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*ArcSin[a\*x]^n,x]

[Out]  $((I/8)*3^{(-1-n)}*\text{ArcSin}[a*x]^n*(-(3^{(1+n)}*(I*\text{ArcSin}[a*x])^n*\Gamma[1+n, (-I)*\text{ArcSin}[a*x]]) + 3^{(1+n)}*((-I)*\text{ArcSin}[a*x])^n*\Gamma[1+n, I*\text{ArcSin}[a*x]]) + (I*\text{ArcSin}[a*x])^n*\Gamma[1+n, (-3*I)*\text{ArcSin}[a*x]] - ((-I)*\text{ArcSin}[a*x])^n*\Gamma[1+n, (3*I)*\text{ArcSin}[a*x]]))/ (a^3*(\text{ArcSin}[a*x]^2)^n)$

### Maple [F]

time = 0.13, size = 0, normalized size = 0.00

$$\int x^2 \arcsin(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arcsin(a*x)^n,x)`

[Out] `int(x^2*arcsin(a*x)^n,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^n,x, algorithm="fricas")`

[Out] `integral(x^2*arcsin(a*x)^n, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*asin(a*x)**n,x)`

[Out] `Integral(x**2*asin(a*x)**n, x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^n,x, algorithm="giac")`

[Out] `integrate(x^2*arcsin(a*x)^n, x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{asin}(a x)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*asin(a*x)^n,x)`

[Out] `int(x^2*asin(a*x)^n, x)`

### 3.132 $\int x \operatorname{ArcSin}(ax)^n dx$

**Optimal.** Leaf size=85

$$\frac{2^{-3-n}(-i \operatorname{ArcSin}(ax))^{-n} \operatorname{ArcSin}(ax)^n \Gamma(1+n, -2i \operatorname{ArcSin}(ax))}{a^2} - \frac{2^{-3-n}(i \operatorname{ArcSin}(ax))^{-n} \operatorname{ArcSin}(ax)^n \Gamma(1+n, 2i \operatorname{ArcSin}(ax))}{a^2}$$

[Out]  $-2^{-(3+n)} \operatorname{arcsin}(a*x)^n \operatorname{GAMMA}(1+n, -2*I \operatorname{arcsin}(a*x)) / a^2 / ((-I \operatorname{arcsin}(a*x))^{-n}) - 2^{-(3+n)} \operatorname{arcsin}(a*x)^n \operatorname{GAMMA}(1+n, 2*I \operatorname{arcsin}(a*x)) / a^2 / ((I \operatorname{arcsin}(a*x))^{-n})$

**Rubi [A]**

time = 0.06, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4731, 4491, 12, 3389, 2212}

$$\frac{2^{-n-3} \operatorname{ArcSin}(ax)^n (-i \operatorname{ArcSin}(ax))^{-n} \Gamma(n+1, -2i \operatorname{ArcSin}(ax))}{a^2} - \frac{2^{-n-3} (i \operatorname{ArcSin}(ax))^{-n} \operatorname{ArcSin}(ax)^n \Gamma(n+1, 2i \operatorname{ArcSin}(ax))}{a^2}$$

Antiderivative was successfully verified.

[In] `Int[x*ArcSin[a*x]^n,x]`

[Out]  $-\left(\frac{2^{-3-n} \operatorname{ArcSin}[a*x]^n \Gamma[1+n, (-2*I) \operatorname{ArcSin}[a*x]]}{a^2 ((-I) \operatorname{ArcSin}[a*x])^n}\right) - \left(\frac{2^{-3-n} \operatorname{ArcSin}[a*x]^n \Gamma[1+n, (2*I) \operatorname{ArcSin}[a*x]]}{a^2 (I \operatorname{ArcSin}[a*x])^n}\right)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 2212

`Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)))^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m])*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]`

Rule 3389

`Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

Rule 4491

`Int[Cos[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]`

$]^n \cos[a + b*x]^p, x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

### Rule 4731

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(x)^m, x\_Symbol] := \text{Dist}[1/(b*c^{m+1}), \text{Subst}[\text{Int}[x^n*\text{Sin}[-a/b + x/b]^m*\text{Cos}[-a/b + x/b], x], x, a + b*\text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned} \int x \sin^{-1}(ax)^n dx &= \frac{\text{Subst}(\int x^n \cos(x) \sin(x) dx, x, \sin^{-1}(ax))}{a^2} \\ &= \frac{\text{Subst}(\int \frac{1}{2}x^n \sin(2x) dx, x, \sin^{-1}(ax))}{a^2} \\ &= \frac{\text{Subst}(\int x^n \sin(2x) dx, x, \sin^{-1}(ax))}{2a^2} \\ &= \frac{i\text{Subst}(\int e^{-2ix}x^n dx, x, \sin^{-1}(ax))}{4a^2} - \frac{i\text{Subst}(\int e^{2ix}x^n dx, x, \sin^{-1}(ax))}{4a^2} \\ &= -\frac{2^{-3-n}(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -2i \sin^{-1}(ax))}{a^2} - \frac{2^{-3-n}(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, 2i \sin^{-1}(ax))}{a^2} \end{aligned}$$

### Mathematica [A]

time = 0.01, size = 75, normalized size = 0.88

$$\frac{2^{-3-n} \text{ArcSin}(ax)^n (\text{ArcSin}(ax)^2)^{-n} ((i \text{ArcSin}(ax))^n \Gamma(1+n, -2i \text{ArcSin}(ax)) + (-i \text{ArcSin}(ax))^n \Gamma(1+n, 2i \text{ArcSin}(ax)))}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*ArcSin[a\*x]^n, x]

[Out]  $-\left(2^{-3-n} \text{ArcSin}[a*x]^n \left( (i \text{ArcSin}[a*x])^n \Gamma[1+n, (-2*I) \text{ArcSin}[a*x]] + ((-I) \text{ArcSin}[a*x])^n \Gamma[1+n, (2*I) \text{ArcSin}[a*x]] \right) \right) / (a^2 (\text{ArcSin}[a*x]^2)^n)$

Maple [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.10, size = 138, normalized size = 1.62

method	result
default	$\frac{\sqrt{\pi} \left( \frac{2 \arcsin(ax)^{1+n} \sin(2 \arcsin(ax))}{\sqrt{\pi}^{(2+n)}} - \frac{2^{\frac{1}{2}-n} \sqrt{\arcsin(ax)} \text{LommelS1}\left(n+\frac{3}{2}, \frac{3}{2}, 2 \arcsin(ax)\right) \sin(2 \arcsin(ax))}{\sqrt{\pi}^{(2+n)}} - \frac{3 \cdot 2^{-\frac{3}{2}-n} \left(\frac{4}{3} + \frac{2n}{3}\right) (2 \arcsin(ax))^{n+1}}{4a^2} \right)}{4a^2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^n,x,method=_RETURNVERBOSE)
```

```
[Out] 1/4*Pi^(1/2)/a^2*(2/Pi^(1/2)/(2+n)*arcsin(a*x)^(1+n)*sin(2*arcsin(a*x))-2^(1/2-n)/Pi^(1/2)/(2+n)*arcsin(a*x)^(1/2)*LommelS1(n+3/2,3/2,2*arcsin(a*x))*sin(2*arcsin(a*x))-3*2^(-3/2-n)/Pi^(1/2)/(2+n)/arcsin(a*x)^(1/2)*(4/3+2/3*n)*(2*arcsin(a*x)*cos(2*arcsin(a*x))-sin(2*arcsin(a*x)))*LommelS1(n+1/2,1/2,2*arcsin(a*x))
```

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^n,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^n,x, algorithm="fricas")
```

```
[Out] integral(x*arcsin(a*x)^n, x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*asin(a*x)**n,x)
```

```
[Out] Integral(x*asin(a*x)**n, x)
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^n,x, algorithm="giac")
```

```
[Out] integrate(x*arcsin(a*x)^n, x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{asin}(a x)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*asin(a*x)^n,x)
```

```
[Out] int(x*asin(a*x)^n, x)
```



### 3.133 $\int \text{ArcSin}(ax)^n dx$

**Optimal.** Leaf size=79

$$\frac{i(-i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\Gamma(1+n, -i\text{ArcSin}(ax))}{2a} + \frac{i(i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\Gamma(1+n, i\text{ArcSin}(ax))}{2a}$$

[Out]  $-1/2*I*\arcsin(a*x)^n*\text{GAMMA}(1+n, -I*\arcsin(a*x))/a/((-I*\arcsin(a*x))^n)+1/2*I*\arcsin(a*x)^n*\text{GAMMA}(1+n, I*\arcsin(a*x))/a/((I*\arcsin(a*x))^n)$

**Rubi** [A]

time = 0.04, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4719, 3388, 2212}

$$\frac{i(i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\Gamma(n+1, i\text{ArcSin}(ax))}{2a} - \frac{i(-i\text{ArcSin}(ax))^{-n}\text{ArcSin}(ax)^n\Gamma(n+1, -i\text{ArcSin}(ax))}{2a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^n,x]

[Out]  $((-1/2*I)*\text{ArcSin}[a*x]^n*\Gamma[1+n, (-I)*\text{ArcSin}[a*x]])/(a*((-I)*\text{ArcSin}[a*x])^n) + ((1/2)*\text{ArcSin}[a*x]^n*\Gamma[1+n, I*\text{ArcSin}[a*x]])/(a*(I*\text{ArcSin}[a*x])^n)$

Rule 2212

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d))^(IntPart[m] + 1))*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m])*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3388

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 4719

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_), x_Symbol]
:> Dist[1/(b*c), Subst[Int[x^n*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned} \int \sin^{-1}(ax)^n dx &= \frac{\text{Subst}\left(\int x^n \cos(x) dx, x, \sin^{-1}(ax)\right)}{a} \\ &= \frac{\text{Subst}\left(\int e^{-ix} x^n dx, x, \sin^{-1}(ax)\right)}{2a} + \frac{\text{Subst}\left(\int e^{ix} x^n dx, x, \sin^{-1}(ax)\right)}{2a} \\ &= -\frac{i(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -i \sin^{-1}(ax))}{2a} + \frac{i(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, i \sin^{-1}(ax))}{2a} \end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 73, normalized size = 0.92

$$\frac{i \text{ArcSin}(ax)^n (\text{ArcSin}(ax)^2)^{-n} (-i \text{ArcSin}(ax))^n \Gamma(1+n, -i \text{ArcSin}(ax)) + (-i \text{ArcSin}(ax))^n \Gamma(1+n, i \text{ArcSin}(ax))}{2a}$$

Antiderivative was successfully verified.

**[In]** Integrate[ArcSin[a\*x]^n,x]

**[Out]** ((I/2)\*ArcSin[a\*x]^n\*(-((I\*ArcSin[a\*x])^n\*Gamma[1+n, (-I)\*ArcSin[a\*x]]) + ((-I)\*ArcSin[a\*x])^n\*Gamma[1+n, I\*ArcSin[a\*x]]))/(a\*(ArcSin[a\*x]^2)^n)

**Maple [C]** Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.07, size = 240, normalized size = 3.04

method	result
default	$2^n \sqrt{\pi} \left( \frac{2^{-1-n} \arcsin(ax)^n (6+2n) ax}{\sqrt{\pi} (1+n)(3+n)} + \frac{\arcsin(ax)^{n-2} \sqrt{-a^2 x^2 + 1} \left( a^2 x^2 \arcsin(ax) - \arcsin(ax) + ax \sqrt{-a^2 x^2 + 1} \right)}{\sqrt{\pi} (1+n)(a^2 x^2 - 1)} \right) + \frac{2^{-n} \sqrt{\pi}}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(arcsin(a\*x)^n,x,method=\_RETURNVERBOSE)

**[Out]** 2^n\*Pi^(1/2)/a\*(2^(-1-n)/Pi^(1/2)/(1+n)\*arcsin(a\*x)^n\*(6+2\*n)/(3+n)\*a\*x+1/Pi^(1/2)/(1+n)\*arcsin(a\*x)^n\*2^(-n)\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)\*(a^2\*x^2\*arcsin(a\*x)-arcsin(a\*x)+a\*x\*(-a^2\*x^2+1)^(1/2))+2^(-n)/Pi^(1/2)/(1+n)\*arcsin(a\*x)^(1/2)\*n\*LommelS1(n+1/2,3/2,arcsin(a\*x))\*a\*x-2^(-n)/Pi^(1/2)/(1+n)/arcsin(a\*x)^(1/2)\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)\*(a^2\*x^2\*arcsin(a\*x)-arcsin(a\*x)+a\*x\*(-a^2\*x^2+1)^(1/2))\*LommelS1(n+3/2,1/2,arcsin(a\*x))

**Maxima [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^n, x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*n,x)

[Out] Integral(asin(a\*x)\*\*n, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^n, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{asin}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(asin(a\*x)^n,x)

[Out] int(asin(a\*x)^n, x)

$$3.134 \quad \int \frac{\mathbf{ArcSin}(ax)^n}{x} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^n}{x}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^n/x, x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^n}{x} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^n/x, x]

[Out] Defer[Int][ArcSin[a\*x]^n/x, x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{x} dx = \int \frac{\sin^{-1}(ax)^n}{x} dx$$

Mathematica [A]

time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^n}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/x, x]

[Out] Integrate[ArcSin[a\*x]^n/x, x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^n/x,x)`

[Out] `int(arcsin(a*x)^n/x,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^n/x, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^n(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**n/x,x)`

[Out] `Integral(asin(a*x)**n/x, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^n/x, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\operatorname{asin}(a x)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n/x,x)`

[Out] `int(asin(a*x)^n/x, x)`

$$3.135 \quad \int \frac{\text{ArcSin}(ax)^n}{x^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^n}{x^2}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^n/x^2, x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^n}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^n/x^2, x]

[Out] Defer[Int][ArcSin[a\*x]^n/x^2, x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{x^2} dx = \int \frac{\sin^{-1}(ax)^n}{x^2} dx$$

Mathematica [A]

time = 0.46, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^n}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/x^2, x]

[Out] Integrate[ArcSin[a\*x]^n/x^2, x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^n/x^2,x)`

[Out] `int(arcsin(a*x)^n/x^2,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x^2,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x^2,x, algorithm="fricas")`

[Out] `integral(arcsin(a*x)^n/x^2, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{asin}^n(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**n/x**2,x)`

[Out] `Integral(asin(a*x)**n/x**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/x^2,x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^n/x^2, x)`



**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\operatorname{asin}(a x)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n/x^2,x)`

[Out] `int(asin(a*x)^n/x^2, x)`

### 3.136 $\int (bx)^{3/2} \text{ArcSin}(ax)^n dx$

Optimal. Leaf size=17

$$\text{Int}((bx)^{3/2} \text{ArcSin}(ax)^n, x)$$

[Out] Unintegrable((b\*x)^(3/2)\*arcsin(a\*x)^n,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ ,

Rules used = {}

$$\int (bx)^{3/2} \text{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Int[(b\*x)^(3/2)\*ArcSin[a\*x]^n,x]

[Out] Defer[Int] [(b\*x)^(3/2)\*ArcSin[a\*x]^n, x]

Rubi steps

$$\int (bx)^{3/2} \sin^{-1}(ax)^n dx = \int (bx)^{3/2} \sin^{-1}(ax)^n dx$$

Mathematica [A]

time = 2.45, size = 0, normalized size = 0.00

$$\int (bx)^{3/2} \text{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Integrate[(b\*x)^(3/2)\*ArcSin[a\*x]^n,x]

[Out] Integrate[(b\*x)^(3/2)\*ArcSin[a\*x]^n, x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int (bx)^{\frac{3}{2}} \arcsin(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x)^(3/2)\*arcsin(a\*x)^n,x)

[Out] `int((b*x)^(3/2)*arcsin(a*x)^n,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(3/2)*arcsin(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(3/2)*arcsin(a*x)^n,x, algorithm="fricas")`

[Out] `integral(sqrt(b*x)*b*x*arcsin(a*x)^n, x)`

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**(3/2)*asin(a*x)**n,x)`

[Out] Timed out

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(3/2)*arcsin(a*x)^n,x, algorithm="giac")`

[Out] `integrate((b*x)^(3/2)*arcsin(a*x)^n, x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \operatorname{asin}(ax)^n (bx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n*(b*x)^(3/2),x)`

[Out] `int(asin(a*x)^n*(b*x)^(3/2), x)`

### 3.137 $\int \sqrt{bx} \operatorname{ArcSin}(ax)^n dx$

Optimal. Leaf size=17

$$\operatorname{Int}\left(\sqrt{bx} \operatorname{ArcSin}(ax)^n, x\right)$$

[Out] Unintegrable((b\*x)^(1/2)\*arcsin(a\*x)^n,x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \sqrt{bx} \operatorname{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[b\*x]\*ArcSin[a\*x]^n,x]

[Out] Defer[Int][Sqrt[b\*x]\*ArcSin[a\*x]^n, x]

Rubi steps

$$\int \sqrt{bx} \sin^{-1}(ax)^n dx = \int \sqrt{bx} \sin^{-1}(ax)^n dx$$

Mathematica [A]

time = 3.09, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \operatorname{ArcSin}(ax)^n dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[b\*x]\*ArcSin[a\*x]^n,x]

[Out] Integrate[Sqrt[b\*x]\*ArcSin[a\*x]^n, x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \operatorname{arcsin}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^(1/2)*arcsin(a*x)^n,x)`

[Out] `int((b*x)^(1/2)*arcsin(a*x)^n,x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(1/2)*arcsin(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(1/2)*arcsin(a*x)^n,x, algorithm="fricas")`

[Out] `integral(sqrt(b*x)*arcsin(a*x)^n, x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \operatorname{asin}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**(1/2)*asin(a*x)**n,x)`

[Out] `Integral(sqrt(b*x)*asin(a*x)**n, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^(1/2)*arcsin(a*x)^n,x, algorithm="giac")`

[Out] `integrate(sqrt(b*x)*arcsin(a*x)^n, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \operatorname{asin}(ax)^n \sqrt{bx} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n*(b*x)^(1/2),x)`

[Out] `int(asin(a*x)^n*(b*x)^(1/2), x)`

$$3.138 \quad \int \frac{\text{ArcSin}(ax)^n}{\sqrt{bx}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^n}{\sqrt{bx}}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^n/(b\*x)^(1/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^n}{\sqrt{bx}} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^n/Sqrt[b\*x], x]

[Out] Defer[Int][ArcSin[a\*x]^n/Sqrt[b\*x], x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{\sqrt{bx}} dx = \int \frac{\sin^{-1}(ax)^n}{\sqrt{bx}} dx$$

Mathematica [A]

time = 1.00, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^n}{\sqrt{bx}} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/Sqrt[b\*x], x]

[Out] Integrate[ArcSin[a\*x]^n/Sqrt[b\*x], x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^n}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^n/(b*x)^(1/2),x)`

[Out] `int(arcsin(a*x)^n/(b*x)^(1/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(b*x)*arcsin(a*x)^n/(b*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\text{asin}^n(ax)}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**n/(b*x)**(1/2),x)`

[Out] `Integral(asin(a*x)**n/sqrt(b*x), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(1/2),x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^n/sqrt(b*x), x)`



**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\operatorname{asin}(a x)^n}{\sqrt{b x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n/(b*x)^(1/2),x)`

[Out] `int(asin(a*x)^n/(b*x)^(1/2), x)`

$$3.139 \quad \int \frac{\mathbf{ArcSin}(ax)^n}{(bx)^{3/2}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\text{ArcSin}(ax)^n}{(bx)^{3/2}}, x\right)$$

[Out] Unintegrable(arcsin(a\*x)^n/(b\*x)^(3/2), x)

Rubi [A]

time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\text{ArcSin}(ax)^n}{(bx)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[ArcSin[a\*x]^n/(b\*x)^(3/2), x]

[Out] Defer[Int][ArcSin[a\*x]^n/(b\*x)^(3/2), x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{(bx)^{3/2}} dx = \int \frac{\sin^{-1}(ax)^n}{(bx)^{3/2}} dx$$

Mathematica [A]

time = 1.35, size = 0, normalized size = 0.00

$$\int \frac{\text{ArcSin}(ax)^n}{(bx)^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/(b\*x)^(3/2), x]

[Out] Integrate[ArcSin[a\*x]^n/(b\*x)^(3/2), x]

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{\arcsin(ax)^n}{(bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^n/(b*x)^(3/2),x)`

[Out] `int(arcsin(a*x)^n/(b*x)^(3/2),x)`

**Maxima** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
expt: undefined: 0 to a negative exponent.

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(b*x)*arcsin(a*x)^n/(b^2*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{asin}^n(ax)}{(bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**n/(b*x)**(3/2),x)`

[Out] `Integral(asin(a*x)**n/(b*x)**(3/2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(b*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^n/(b*x)^(3/2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\operatorname{asin}(a x)^n}{(b x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(asin(a*x)^n/(b*x)^(3/2),x)`

[Out] `int(asin(a*x)^n/(b*x)^(3/2), x)`

### 3.140 $\int x^3(a + b\text{ArcSin}(cx)) dx$

Optimal. Leaf size=76

$$\frac{3bx\sqrt{1-c^2x^2}}{32c^3} + \frac{bx^3\sqrt{1-c^2x^2}}{16c} - \frac{3b\text{ArcSin}(cx)}{32c^4} + \frac{1}{4}x^4(a + b\text{ArcSin}(cx))$$

[Out]  $-3/32*b*\arcsin(c*x)/c^4+1/4*x^4*(a+b*\arcsin(c*x))+3/32*b*x*(-c^2*x^2+1)^(1/2)/c^3+1/16*b*x^3*(-c^2*x^2+1)^(1/2)/c$

Rubi [A]

time = 0.02, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4723, 327, 222}

$$\frac{1}{4}x^4(a + b\text{ArcSin}(cx)) - \frac{3b\text{ArcSin}(cx)}{32c^4} + \frac{bx^3\sqrt{1-c^2x^2}}{16c} + \frac{3bx\sqrt{1-c^2x^2}}{32c^3}$$

Antiderivative was successfully verified.

[In] `Int[x^3*(a + b*ArcSin[c*x]),x]`

[Out]  $(3*b*x*\text{Sqrt}[1 - c^2*x^2])/(32*c^3) + (b*x^3*\text{Sqrt}[1 - c^2*x^2])/(16*c) - (3*b*\text{ArcSin}[c*x])/(32*c^4) + (x^4*(a + b*\text{ArcSin}[c*x]))/4$

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 327

`Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n - 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]`

Rule 4723

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned}
\int x^3(a + b \sin^{-1}(cx)) dx &= \frac{1}{4}x^4(a + b \sin^{-1}(cx)) - \frac{1}{4}(bc) \int \frac{x^4}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{bx^3\sqrt{1 - c^2x^2}}{16c} + \frac{1}{4}x^4(a + b \sin^{-1}(cx)) - \frac{(3b) \int \frac{x^2}{\sqrt{1 - c^2x^2}} dx}{16c} \\
&= \frac{3bx\sqrt{1 - c^2x^2}}{32c^3} + \frac{bx^3\sqrt{1 - c^2x^2}}{16c} + \frac{1}{4}x^4(a + b \sin^{-1}(cx)) - \frac{(3b) \int \frac{1}{\sqrt{1 - c^2x^2}} dx}{32c^3} \\
&= \frac{3bx\sqrt{1 - c^2x^2}}{32c^3} + \frac{bx^3\sqrt{1 - c^2x^2}}{16c} - \frac{3b \sin^{-1}(cx)}{32c^4} + \frac{1}{4}x^4(a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 81, normalized size = 1.07

$$\frac{ax^4}{4} + \frac{3bx\sqrt{1 - c^2x^2}}{32c^3} + \frac{bx^3\sqrt{1 - c^2x^2}}{16c} - \frac{3b \operatorname{ArcSin}(cx)}{32c^4} + \frac{1}{4}bx^4 \operatorname{ArcSin}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x^3*(a + b*ArcSin[c*x]),x]`

```
[Out] (a*x^4)/4 + (3*b*x*Sqrt[1 - c^2*x^2])/(32*c^3) + (b*x^3*Sqrt[1 - c^2*x^2])/(16*c) - (3*b*ArcSin[c*x])/(32*c^4) + (b*x^4*ArcSin[c*x])/4
```

**Maple [A]**

time = 0.01, size = 72, normalized size = 0.95

method	result	size
derivativedivides	$\frac{\frac{c^4 x^4 a}{4} + b \left( \frac{c^4 x^4 \arcsin(cx)}{4} + \frac{c^3 x^3 \sqrt{-c^2 x^2 + 1}}{16} + \frac{3cx \sqrt{-c^2 x^2 + 1}}{32} - \frac{3 \arcsin(cx)}{32} \right)}{c^4}$	72
default	$\frac{\frac{c^4 x^4 a}{4} + b \left( \frac{c^4 x^4 \arcsin(cx)}{4} + \frac{c^3 x^3 \sqrt{-c^2 x^2 + 1}}{16} + \frac{3cx \sqrt{-c^2 x^2 + 1}}{32} - \frac{3 \arcsin(cx)}{32} \right)}{c^4}$	72

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^3*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)`

```
[Out] 1/c^4*(1/4*c^4*x^4*a+b*(1/4*c^4*x^4*arcsin(c*x)+1/16*c^3*x^3*(-c^2*x^2+1)^(1/2)+3/32*c*x*(-c^2*x^2+1)^(1/2)-3/32*arcsin(c*x)))
```

**Maxima [A]**

time = 0.50, size = 70, normalized size = 0.92

$$\frac{1}{4}ax^4 + \frac{1}{32} \left( 8x^4 \arcsin(cx) + \left( \frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin(cx)}{c^5} \right) c \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $\frac{1}{4}ax^4 + \frac{1}{32}(8x^4\arcsin(cx) + (2\sqrt{-c^2x^2 + 1})x^3/c^2 + 3\sqrt{-c^2x^2 + 1})x/c^4 - 3\arcsin(cx)/c^5)c)b$

**Fricas** [A]

time = 3.12, size = 61, normalized size = 0.80

$$\frac{8ac^4x^4 + (8bc^4x^4 - 3b)\arcsin(cx) + (2bc^3x^3 + 3bcx)\sqrt{-c^2x^2 + 1}}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{32}(8ac^4x^4 + (8b*c^4*x^4 - 3*b)*\arcsin(c*x) + (2*b*c^3*x^3 + 3*b*c*x)*\sqrt{-c^2*x^2 + 1})/c^4$

**Sympy** [A]

time = 0.21, size = 80, normalized size = 1.05

$$\begin{cases} \frac{ax^4}{4} + \frac{bx^4 \arcsin(cx)}{4} + \frac{bx^3 \sqrt{-c^2x^2 + 1}}{16c} + \frac{3bx \sqrt{-c^2x^2 + 1}}{32c^3} - \frac{3b \arcsin(cx)}{32c^4} & \text{for } c \neq 0 \\ \frac{ax^4}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*x\*\*4/4 + b\*x\*\*4\*asin(c\*x)/4 + b\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(16\*c) + 3\*b\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(32\*c\*\*3) - 3\*b\*asin(c\*x)/(32\*c\*\*4), Ne(c, 0)), (a\*x\*\*4/4, True))

**Giac** [A]

time = 0.43, size = 95, normalized size = 1.25

$$\frac{1}{4}ax^4 - \frac{(-c^2x^2 + 1)^{\frac{3}{2}}bx}{16c^3} + \frac{(c^2x^2 - 1)^2b \arcsin(cx)}{4c^4} + \frac{5\sqrt{-c^2x^2 + 1}bx}{32c^3} + \frac{(c^2x^2 - 1)b \arcsin(cx)}{2c^4} + \frac{5b \arcsin(cx)}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{4}ax^4 - \frac{1}{16}(-c^2x^2 + 1)^{\frac{3}{2}}bx/c^3 + \frac{1}{4}(c^2x^2 - 1)^2b \arcsin(cx)/c^4 + \frac{5}{32}\sqrt{-c^2x^2 + 1}bx/c^3 + \frac{1}{2}(c^2x^2 - 1)b \arcsin(cx)/c^4 + \frac{5}{32}b \arcsin(cx)/c^4$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (a + b \operatorname{asin}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*asin(c*x)),x)`

[Out] `int(x^3*(a + b*asin(c*x)), x)`



### 3.141 $\int x^2(a + b\text{ArcSin}(cx)) dx$

**Optimal.** Leaf size=60

$$\frac{b\sqrt{1-c^2x^2}}{3c^3} - \frac{b(1-c^2x^2)^{3/2}}{9c^3} + \frac{1}{3}x^3(a + b\text{ArcSin}(cx))$$

[Out]  $-1/9*b*(-c^2*x^2+1)^{(3/2)}/c^3+1/3*x^3*(a+b*\arcsin(c*x))+1/3*b*(-c^2*x^2+1)^{(1/2)}/c^3$

**Rubi [A]**

time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4723, 272, 45}

$$\frac{1}{3}x^3(a + b\text{ArcSin}(cx)) - \frac{b(1-c^2x^2)^{3/2}}{9c^3} + \frac{b\sqrt{1-c^2x^2}}{3c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) + (x^3\*(a + b\*ArcSin[c\*x]))/3

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^2(a + b \sin^{-1}(cx)) dx &= \frac{1}{3}x^3(a + b \sin^{-1}(cx)) - \frac{1}{3}(bc) \int \frac{x^3}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{1}{3}x^3(a + b \sin^{-1}(cx)) - \frac{1}{6}(bc) \text{Subst} \left( \int \frac{x}{\sqrt{1 - c^2x}} dx, x, x^2 \right) \\
&= \frac{1}{3}x^3(a + b \sin^{-1}(cx)) - \frac{1}{6}(bc) \text{Subst} \left( \int \left( \frac{1}{c^2\sqrt{1 - c^2x}} - \frac{\sqrt{1 - c^2x}}{c^2} \right) dx, x, x^2 \right) \\
&= \frac{b\sqrt{1 - c^2x^2}}{3c^3} - \frac{b(1 - c^2x^2)^{3/2}}{9c^3} + \frac{1}{3}x^3(a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 49, normalized size = 0.82

$$\frac{1}{9} \left( 3ax^3 + \frac{b\sqrt{1 - c^2x^2}(2 + c^2x^2)}{c^3} + 3bx^3 \text{ArcSin}(cx) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[x^2*(a + b*ArcSin[c*x]),x]``[Out] (3*a*x^3 + (b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2))/c^3 + 3*b*x^3*ArcSin[c*x])/9`**Maple [A]**

time = 0.00, size = 64, normalized size = 1.07

method	result	size
derivativedivides	$\frac{\frac{c^3x^3a}{3} + b \left( \frac{c^3x^3 \arcsin(cx)}{3} + \frac{c^2x^2\sqrt{-c^2x^2+1}}{9} + \frac{2\sqrt{-c^2x^2+1}}{9} \right)}{c^3}$	64
default	$\frac{\frac{c^3x^3a}{3} + b \left( \frac{c^3x^3 \arcsin(cx)}{3} + \frac{c^2x^2\sqrt{-c^2x^2+1}}{9} + \frac{2\sqrt{-c^2x^2+1}}{9} \right)}{c^3}$	64

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)``[Out] 1/c^3*(1/3*c^3*x^3*a+b*(1/3*c^3*x^3*arcsin(c*x)+1/9*c^2*x^2*(-c^2*x^2+1)^(1/2)+2/9*(-c^2*x^2+1)^(1/2)))`**Maxima [A]**

time = 0.50, size = 59, normalized size = 0.98

$$\frac{1}{3}ax^3 + \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4} \right) \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $\frac{1}{3}ax^3 + \frac{1}{9}(3x^3\arcsin(cx) + c(\sqrt{-c^2x^2 + 1})x^2/c^2 + 2\sqrt{-c^2x^2 + 1}/c^4)*b$

**Fricas** [A]

time = 3.34, size = 53, normalized size = 0.88

$$\frac{3bc^3x^3\arcsin(cx) + 3ac^3x^3 + (bc^2x^2 + 2b)\sqrt{-c^2x^2 + 1}}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{9}(3b*c^3*x^3*\arcsin(c*x) + 3*a*c^3*x^3 + (b*c^2*x^2 + 2*b)*\sqrt{-c^2*x^2 + 1})/c^3$

**Sympy** [A]

time = 0.15, size = 65, normalized size = 1.08

$$\begin{cases} \frac{ax^3}{3} + \frac{bx^3\arcsin(cx)}{3} + \frac{bx^2\sqrt{-c^2x^2 + 1}}{9c} + \frac{2b\sqrt{-c^2x^2 + 1}}{9c^3} & \text{for } c \neq 0 \\ \frac{ax^3}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*x\*\*3/3 + b\*x\*\*3\*asin(c\*x)/3 + b\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 2\*b\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3), Ne(c, 0)), (a\*x\*\*3/3, True))

**Giac** [A]

time = 0.41, size = 74, normalized size = 1.23

$$\frac{1}{3}ax^3 + \frac{(c^2x^2 - 1)bx\arcsin(cx)}{3c^2} + \frac{bx\arcsin(cx)}{3c^2} - \frac{(-c^2x^2 + 1)^{\frac{3}{2}}b}{9c^3} + \frac{\sqrt{-c^2x^2 + 1}b}{3c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{3}ax^3 + \frac{1}{3}(c^2x^2 - 1)*b*x*\arcsin(c*x)/c^2 + \frac{1}{3}b*x*\arcsin(c*x)/c^2 - \frac{1}{9}(-c^2x^2 + 1)^{(3/2)}*b/c^3 + \frac{1}{3}*\sqrt{-c^2x^2 + 1}*b/c^3$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\begin{cases} b \left( \frac{\sqrt{\frac{1}{c^2} - x^2} \left( \frac{2}{c^2} + x^2 \right)}{9} + \frac{x^3\arcsin(cx)}{3} \right) + \frac{ax^3}{3} & \text{if } 0 < c \\ \int x^2 (a + b\arcsin(cx)) dx & \text{if } -0 < c \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*asin(c*x)),x)
```

```
[Out] piecewise(0 < c, b*(((1/c^2 - x^2)^(1/2)*(2/c^2 + x^2))/9 + (x^3*asin(c*x))  
/3) + (a*x^3)/3, ~0 < c, int(x^2*(a + b*asin(c*x)), x))
```

### 3.142 $\int x(a + b\text{ArcSin}(cx)) dx$

Optimal. Leaf size=51

$$\frac{bx\sqrt{1-c^2x^2}}{4c} - \frac{b\text{ArcSin}(cx)}{4c^2} + \frac{1}{2}x^2(a + b\text{ArcSin}(cx))$$

[Out]  $-1/4*b*\arcsin(c*x)/c^2+1/2*x^2*(a+b*\arcsin(c*x))+1/4*b*x*(-c^2*x^2+1)^(1/2)/c$

Rubi [A]

time = 0.01, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4723, 327, 222}

$$\frac{1}{2}x^2(a + b\text{ArcSin}(cx)) - \frac{b\text{ArcSin}(cx)}{4c^2} + \frac{bx\sqrt{1-c^2x^2}}{4c}$$

Antiderivative was successfully verified.

[In] `Int[x*(a + b*ArcSin[c*x]),x]`

[Out] `(b*x*Sqrt[1 - c^2*x^2])/(4*c) - (b*ArcSin[c*x])/(4*c^2) + (x^2*(a + b*ArcSin[c*x]))/2`

Rule 222

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 327

`Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[c^(n - 1)*(c*x)^(m - n + 1)*((a + b*x^n)^(p + 1)/(b*(m + n*p + 1))), x] - Dist[a*c^n*((m - n + 1)/(b*(m + n*p + 1))), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]`

Rule 4723

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

Rubi steps

$$\begin{aligned}
\int x(a + b \sin^{-1}(cx)) dx &= \frac{1}{2}x^2(a + b \sin^{-1}(cx)) - \frac{1}{2}(bc) \int \frac{x^2}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{bx\sqrt{1 - c^2x^2}}{4c} + \frac{1}{2}x^2(a + b \sin^{-1}(cx)) - \frac{b \int \frac{1}{\sqrt{1 - c^2x^2}} dx}{4c} \\
&= \frac{bx\sqrt{1 - c^2x^2}}{4c} - \frac{b \sin^{-1}(cx)}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]**

time = 0.02, size = 56, normalized size = 1.10

$$\frac{ax^2}{2} + \frac{bx\sqrt{1 - c^2x^2}}{4c} - \frac{b \operatorname{ArcSin}(cx)}{4c^2} + \frac{1}{2}bx^2 \operatorname{ArcSin}(cx)$$

Antiderivative was successfully verified.

`[In] Integrate[x*(a + b*ArcSin[c*x]),x]`

```
[Out] (a*x^2)/2 + (b*x*Sqrt[1 - c^2*x^2])/(4*c) - (b*ArcSin[c*x])/(4*c^2) + (b*x^2*ArcSin[c*x])/2
```

**Maple [A]**

time = 0.01, size = 52, normalized size = 1.02

method	result	size
derivativedivides	$\frac{\frac{c^2x^2a}{2} + b \left( \frac{c^2x^2 \arcsin(cx)}{2} + \frac{cx\sqrt{-c^2x^2 + 1}}{4} - \frac{\arcsin(cx)}{4} \right)}{c^2}$	52
default	$\frac{\frac{c^2x^2a}{2} + b \left( \frac{c^2x^2 \arcsin(cx)}{2} + \frac{cx\sqrt{-c^2x^2 + 1}}{4} - \frac{\arcsin(cx)}{4} \right)}{c^2}$	52

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)`

```
[Out] 1/c^2*(1/2*c^2*x^2*a+b*(1/2*c^2*x^2*arcsin(c*x)+1/4*c*x*(-c^2*x^2+1)^(1/2)-1/4*arcsin(c*x)))
```

**Maxima [A]**

time = 0.49, size = 49, normalized size = 0.96

$$\frac{1}{2}ax^2 + \frac{1}{4} \left( 2x^2 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2 + 1} x}{c^2} - \frac{\arcsin(cx)}{c^3} \right) \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/2\*a\*x^2 + 1/4\*(2\*x^2\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x/c^2 - arcsin(c\*x)/c^3))\*b

**Fricas** [A]

time = 3.25, size = 49, normalized size = 0.96

$$\frac{2ac^2x^2 + \sqrt{-c^2x^2 + 1}bcx + (2bc^2x^2 - b)\arcsin(cx)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/4\*(2\*a\*c^2\*x^2 + sqrt(-c^2\*x^2 + 1)\*b\*c\*x + (2\*b\*c^2\*x^2 - b)\*arcsin(c\*x))/c^2

**Sympy** [A]

time = 0.10, size = 54, normalized size = 1.06

$$\begin{cases} \frac{ax^2}{2} + \frac{bx^2 \arcsin(cx)}{2} + \frac{bx\sqrt{-c^2x^2 + 1}}{4c} - \frac{b \arcsin(cx)}{4c^2} & \text{for } c \neq 0 \\ \frac{ax^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*x\*\*2/2 + b\*x\*\*2\*asin(c\*x)/2 + b\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4\*c) - b\*asin(c\*x)/(4\*c\*\*2), Ne(c, 0)), (a\*x\*\*2/2, True))

**Giac** [A]

time = 0.40, size = 64, normalized size = 1.25

$$\frac{\sqrt{-c^2x^2 + 1}bx}{4c} + \frac{(c^2x^2 - 1)b \arcsin(cx)}{2c^2} + \frac{(c^2x^2 - 1)a}{2c^2} + \frac{b \arcsin(cx)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/4\*sqrt(-c^2\*x^2 + 1)\*b\*x/c + 1/2\*(c^2\*x^2 - 1)\*b\*arcsin(c\*x)/c^2 + 1/2\*(c^2\*x^2 - 1)\*a/c^2 + 1/4\*b\*arcsin(c\*x)/c^2

**Mupad** [B]

time = 0.15, size = 45, normalized size = 0.88

$$\frac{ax^2}{2} + \frac{b \left( \frac{\arcsin(cx)(2c^2x^2 - 1)}{4} + \frac{cx\sqrt{1 - c^2x^2}}{4} \right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a + b*asin(c*x)),x)
```

```
[Out] (a*x^2)/2 + (b*((asin(c*x)*(2*c^2*x^2 - 1))/4 + (c*x*(1 - c^2*x^2)^(1/2))/4  
))/c^2
```



### 3.143 $\int (a + b \operatorname{ArcSin}(cx)) dx$

Optimal. Leaf size=30

$$ax + \frac{b\sqrt{1-c^2x^2}}{c} + bx \operatorname{ArcSin}(cx)$$

[Out] a\*x+b\*x\*arcsin(c\*x)+b\*(-c^2\*x^2+1)^(1/2)/c

Rubi [A]

time = 0.01, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4715, 267}

$$ax + bx \operatorname{ArcSin}(cx) + \frac{b\sqrt{1-c^2x^2}}{c}$$

Antiderivative was successfully verified.

[In] Int[a + b\*ArcSin[c\*x], x]

[Out] a\*x + (b\*Sqrt[1 - c^2\*x^2])/c + b\*x\*ArcSin[c\*x]

Rule 267

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int (a + b \sin^{-1}(cx)) dx &= ax + b \int \sin^{-1}(cx) dx \\ &= ax + bx \sin^{-1}(cx) - (bc) \int \frac{x}{\sqrt{1-c^2x^2}} dx \\ &= ax + \frac{b\sqrt{1-c^2x^2}}{c} + bx \sin^{-1}(cx) \end{aligned}$$

Mathematica [A]

time = 0.01, size = 30, normalized size = 1.00

$$ax + \frac{b\sqrt{1-c^2x^2}}{c} + bx \operatorname{ArcSin}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*ArcSin[c\*x],x]

[Out] a\*x + (b\*Sqrt[1 - c^2\*x^2])/c + b\*x\*ArcSin[c\*x]

**Maple [A]**

time = 0.00, size = 30, normalized size = 1.00

method	result	size
default	$ax + \frac{b \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right)}{c}$	30
derivativedivides	$\frac{cxa+b \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right)}{c}$	32

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*arcsin(c\*x),x,method=\_RETURNVERBOSE)

[Out] a\*x+b/c\*(c\*x\*arcsin(c\*x)+(-c^2\*x^2+1)^(1/2))

**Maxima [A]**

time = 0.51, size = 29, normalized size = 0.97

$$ax + \frac{\left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right) b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arcsin(c\*x),x, algorithm="maxima")

[Out] a\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b/c

**Fricas [A]**

time = 3.40, size = 31, normalized size = 1.03

$$\frac{bcx \arcsin(cx) + acx + \sqrt{-c^2x^2 + 1} b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arcsin(c\*x),x, algorithm="fricas")

[Out] (b\*c\*x\*arcsin(c\*x) + a\*c\*x + sqrt(-c^2\*x^2 + 1))\*b/c

**Sympy [A]**

time = 0.06, size = 26, normalized size = 0.87

$$ax + b \left( \begin{cases} x \operatorname{asin}(cx) + \frac{\sqrt{-c^2x^2 + 1}}{c} & \text{for } c \neq 0 \\ 0 & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*asin(c\*x),x)

[Out] a\*x + b\*Piecewise((x\*asin(c\*x) + sqrt(-c\*\*2\*x\*\*2 + 1)/c, Ne(c, 0)), (0, True))

**Giac** [A]

time = 0.40, size = 29, normalized size = 0.97

$$ax + \frac{(cx \arcsin(cx) + \sqrt{-c^2x^2 + 1})b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*arcsin(c\*x),x, algorithm="giac")

[Out] a\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b/c

**Mupad** [B]

time = 0.17, size = 28, normalized size = 0.93

$$ax + \frac{b\sqrt{1 - c^2x^2}}{c} + bx \arcsin(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b\*asin(c\*x),x)

[Out] a\*x + (b\*(1 - c^2\*x^2)^(1/2))/c + b\*x\*asin(c\*x)

### 3.144 $\int \frac{a+b\text{ArcSin}(cx)}{x} dx$

**Optimal.** Leaf size=63

$$-\frac{i(a+b\text{ArcSin}(cx))^2}{2b} + (a+b\text{ArcSin}(cx)) \log(1 - e^{2i\text{ArcSin}(cx)}) - \frac{1}{2}ib\text{PolyLog}(2, e^{2i\text{ArcSin}(cx)})$$

[Out]  $-1/2*I*(a+b*\arcsin(c*x))^2/b+(a+b*\arcsin(c*x))*\ln(1-(I*c*x+(-c^2*x^2+1)^(1/2))^2)-1/2*I*b*\text{polylog}(2,(I*c*x+(-c^2*x^2+1)^(1/2))^2)$

**Rubi [A]**

time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4721, 3798, 2221, 2317, 2438}

$$-\frac{i(a+b\text{ArcSin}(cx))^2}{2b} + \log(1 - e^{2i\text{ArcSin}(cx)}) (a + b\text{ArcSin}(cx)) - \frac{1}{2}ib\text{Li}_2(e^{2i\text{ArcSin}(cx)})$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/x, x]$

[Out]  $((-1/2*I)*(a + b*\text{ArcSin}[c*x])^2)/b + (a + b*\text{ArcSin}[c*x])*Log[1 - E^{((2*I)*\text{ArcSin}[c*x])}] - (I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}]$

Rule 2221

$\text{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^{(n_)*((c_) + (d_)*(x_))^{(m_))})/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m/(b*f*g*n*Log[F])*Log[1 + b*((F^(g*(e + f*x)))^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*Log[F])), \text{Int}[(c + d*x)^{(m-1)}*Log[1 + b*((F^(g*(e + f*x)))^n/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 2317

$\text{Int}[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^{(n_)}), x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*Log[F]), \text{Subst}[\text{Int}[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \&\& \text{GtQ}[a, 0]$

Rule 2438

$\text{Int}[Log[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x\_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x\} \&\& \text{EqQ}[c*d, 1]$

Rule 3798

$\text{Int}[((c_) + (d_)*(x_))^{(m_)*\tan[(e_) + \text{Pi}*(k_) + (f_)*(x_)]}, x\_Symbol] \rightarrow \text{Simp}[I*((c + d*x)^{(m+1)}/(d*(m+1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m$

$*E^{(2*I*k*Pi)}*(E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)}*E^{(2*I*(e + f*x))})), x], x] /; FreeQ[{c, d, e, f}, x] \&\& IntegerQ[4*k] \&\& IGtQ[m, 0]$

### Rule 4721

$Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n/(x_), x\_Symbol] :> Subst[Int[(a + b*x)^n*Cot[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] \&\& IGtQ[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x} dx &= \text{Subst} \left( \int (a + bx) \cot(x) dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{i(a + b \sin^{-1}(cx))^2}{2b} - 2i \text{Subst} \left( \int \frac{e^{2ix}(a + bx)}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{i(a + b \sin^{-1}(cx))^2}{2b} + (a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)}) - b \text{Subst} \left( \int \log(1 - e^{2ix}) dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{i(a + b \sin^{-1}(cx))^2}{2b} + (a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)}) + \frac{1}{2}(ib) \text{Subst} \left( \int \frac{1}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{i(a + b \sin^{-1}(cx))^2}{2b} + (a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)}) - \frac{1}{2}ib \text{Li}_2(e^{2i \sin^{-1}(cx)}) \end{aligned}$$

### Mathematica [A]

time = 0.02, size = 52, normalized size = 0.83

$$b \text{ArcSin}(cx) \log(1 - e^{2i \text{ArcSin}(cx)}) + a \log(x) - \frac{1}{2}ib(\text{ArcSin}(cx)^2 + \text{PolyLog}(2, e^{2i \text{ArcSin}(cx)}))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/x,x]

[Out] b\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + a\*Log[x] - (I/2)\*b\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])

### Maple [A]

time = 0.06, size = 122, normalized size = 1.94

method	result
derivativedivides	$a \ln(cx) - \frac{ib \arcsin(cx)^2}{2} + b \arcsin(cx) \ln(1 - icx - \sqrt{-c^2x^2 + 1}) + b \arcsin(cx) \ln(1 + icx - \sqrt{-c^2x^2 + 1})$
default	$a \ln(cx) - \frac{ib \arcsin(cx)^2}{2} + b \arcsin(cx) \ln(1 - icx - \sqrt{-c^2x^2 + 1}) + b \arcsin(cx) \ln(1 + icx - \sqrt{-c^2x^2 + 1})$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/x,x,method=_RETURNVERBOSE)
```

```
[Out] a*ln(c*x)-1/2*I*b*arcsin(c*x)^2+b*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))
+b*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-I*b*polylog(2,I*c*x+(-c^2*x^
2+1)^(1/2))-I*b*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x,x, algorithm="maxima")
```

```
[Out] b*integrate(arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))/x, x) + a*log(x)
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x,x, algorithm="fricas")
```

```
[Out] integral((b*arcsin(c*x) + a)/x, x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \operatorname{asin}(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x,x)
```

```
[Out] Integral((a + b*asin(c*x))/x, x)
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/x, x)

**Mupad [B]**

time = 0.15, size = 48, normalized size = 0.76

$$a \ln(x) - \frac{b \operatorname{polylog}(2, e^{\operatorname{asin}(cx) 2i}) \operatorname{li}}{2} - \frac{b \operatorname{asin}(cx)^2 \operatorname{li}}{2} + b \ln(1 - e^{\operatorname{asin}(cx) 2i}) \operatorname{asin}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))/x,x)

[Out] a\*log(x) - (b\*polylog(2, exp(asin(c\*x)\*2i))\*1i)/2 - (b\*asin(c\*x)^2\*1i)/2 + b\*log(1 - exp(asin(c\*x)\*2i))\*asin(c\*x)

### 3.145 $\int \frac{a+b\text{ArcSin}(cx)}{x^2} dx$

Optimal. Leaf size=33

$$-\frac{a + b\text{ArcSin}(cx)}{x} - bc \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)$$

[Out]  $(-a-b*\arcsin(c*x))/x-b*c*\arctanh((-c^2*x^2+1)^(1/2))$

Rubi [A]

time = 0.02, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4723, 272, 65, 214}

$$-\frac{a + b\text{ArcSin}(cx)}{x} - bc \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/x^2, x]$

[Out]  $-(a + b*\text{ArcSin}[c*x])/x - b*c*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]]$

Rule 65

$\text{Int}[(a_. + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x\_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 214

$\text{Int}[(a_. + (b_.)*(x_.)^2)^(-1), x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-a/b, 2]/a)*\text{ArcTanh}[x/\text{Rt}[-a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 272

$\text{Int}[(x_.)^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.), x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[Simplify[(m + 1)/n]]$

Rule 4723

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x\_Symbol] \rightarrow \text{Simp}[(d*x)^(m + 1)*((a + b*\text{ArcSin}[c*x])^n/(d*(m + 1))), x] - \text{Dist}[b*c*(n/(d*(m + 1))), \text{Int}[(d*x)^(m + 1)*((a + b*\text{ArcSin}[c*x])^(n - 1))/\text{Sqrt}[1 - c^2*$



$x^2$ ), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x^2} dx &= -\frac{a + b \sin^{-1}(cx)}{x} + (bc) \int \frac{1}{x\sqrt{1 - c^2x^2}} dx \\ &= -\frac{a + b \sin^{-1}(cx)}{x} + \frac{1}{2}(bc) \text{Subst}\left(\int \frac{1}{x\sqrt{1 - c^2x}} dx, x, x^2\right) \\ &= -\frac{a + b \sin^{-1}(cx)}{x} - \frac{b \text{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2x^2}\right)}{c} \\ &= -\frac{a + b \sin^{-1}(cx)}{x} - bc \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right) \end{aligned}$$

Mathematica [A]

time = 0.00, size = 36, normalized size = 1.09

$$-\frac{a}{x} - \frac{b \text{ArcSin}(cx)}{x} - bc \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/x^2,x]

[Out] -(a/x) - (b\*ArcSin[c\*x])/x - b\*c\*ArcTanh[Sqrt[1 - c^2\*x^2]]

Maple [A]

time = 0.01, size = 43, normalized size = 1.30

method	result	size
derivativedivides	$c\left(-\frac{a}{cx} + b\left(-\frac{\arcsin(cx)}{cx} - \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2 + 1}}\right)\right)\right)$	43
default	$c\left(-\frac{a}{cx} + b\left(-\frac{\arcsin(cx)}{cx} - \operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2 + 1}}\right)\right)\right)$	43

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2,x,method=\_RETURNVERBOSE)

[Out] c\*(-a/c/x+b\*(-1/c/x\*arcsin(c\*x)-arctanh(1/(-c^2\*x^2+1)^(1/2))))

Maxima [A]

time = 0.50, size = 47, normalized size = 1.42

$$-\left(c \log\left(\frac{2\sqrt{-c^2x^2 + 1}}{|x|} + \frac{2}{|x|}\right) + \frac{\arcsin(cx)}{x}\right)b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2,x, algorithm="maxima")

[Out] -(c\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c\*x)/x)\*b - a/x

**Fricas** [A]

time = 3.87, size = 55, normalized size = 1.67

$$\frac{bcx \log\left(\sqrt{-c^2x^2 + 1} + 1\right) - bcx \log\left(\sqrt{-c^2x^2 + 1} - 1\right) + 2b \arcsin(cx) + 2a}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2,x, algorithm="fricas")

[Out] -1/2\*(b\*c\*x\*log(sqrt(-c^2\*x^2 + 1) + 1) - b\*c\*x\*log(sqrt(-c^2\*x^2 + 1) - 1) + 2\*b\*arcsin(c\*x) + 2\*a)/x

**Sympy** [A]

time = 1.13, size = 39, normalized size = 1.18

$$-\frac{a}{x} + bc \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \left|\frac{1}{c^2x^2}\right| > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{b \operatorname{asin}(cx)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2,x)

[Out] -a/x + b\*c\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) - b\*asin(c\*x)/x

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 325 vs. 2(31) = 62.

time = 0.44, size = 325, normalized size = 9.85

$$\frac{\sqrt{-c^2x^2+1}bc^2x \operatorname{arcsin}(cx)}{2(\sqrt{-c^2x^2+1})^2} - \frac{bc^2x \operatorname{arcsin}(cx)}{2(\sqrt{-c^2x^2+1})^2} - \frac{\sqrt{-c^2x^2+1}ac^2x}{2(\sqrt{-c^2x^2+1})^2} + \frac{\sqrt{-c^2x^2+1}bc \log(|c|x)}{\sqrt{-c^2x^2+1}} - \frac{\sqrt{-c^2x^2+1}bc \log(\sqrt{-c^2x^2+1})}{\sqrt{-c^2x^2+1}} - \frac{ac^2x}{2(\sqrt{-c^2x^2+1})^2} + \frac{bc \log(|c|x)}{\sqrt{-c^2x^2+1}} - \frac{bc \log(\sqrt{-c^2x^2+1})}{\sqrt{-c^2x^2+1}} - \frac{\sqrt{-c^2x^2+1}b \operatorname{arcsin}(cx)}{2x} - \frac{b \operatorname{arcsin}(cx)}{2x} - \frac{\sqrt{-c^2x^2+1}a}{2x} - \frac{a}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] -1/2\*sqrt(-c^2\*x^2 + 1)\*b\*c^2\*x\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1) + 1)^2 - 1/2\*b\*c^2\*x\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1) + 1)^2 - 1/2\*sqrt(-c^2\*x^2 + 1)\*a\*c^2\*x/(sqrt(-c^2\*x^2 + 1) + 1)^2 + sqrt(-c^2\*x^2 + 1)\*b\*c\*log(abs(c)\*abs(x))/(sqrt(-c^2\*x^2 + 1) + 1) - sqrt(-c^2\*x^2 + 1)\*b\*c\*log(sqrt(-c^2\*x^2 + 1) + 1)/(sqrt(-c^2\*x^2 + 1) + 1) - 1/2\*a\*c^2\*x/(sqrt(-c^2\*x^2 + 1) + 1)^2 + b\*c\*log(abs(c)\*abs(x))/(sqrt(-c^2\*x^2 + 1) + 1) - b\*c\*log(sqrt(-c^2\*x^2 + 1) + 1)

+ 1)/(sqrt(-c^2\*x^2 + 1) + 1) - 1/2\*sqrt(-c^2\*x^2 + 1)\*b\*arcsin(c\*x)/x - 1/2\*b\*arcsin(c\*x)/x - 1/2\*sqrt(-c^2\*x^2 + 1)\*a/x - 1/2\*a/x

**Mupad [B]**

time = 0.13, size = 34, normalized size = 1.03

$$-\frac{a}{x} - \frac{b \operatorname{asin}(cx)}{x} - bc \operatorname{atanh}\left(\frac{1}{\sqrt{1 - c^2 x^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))/x^2,x)

[Out] - a/x - (b\*asin(c\*x))/x - b\*c\*atanh(1/(1 - c^2\*x^2)^(1/2))

### 3.146 $\int \frac{a+b\text{ArcSin}(cx)}{x^3} dx$

Optimal. Leaf size=39

$$-\frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{a+b\text{ArcSin}(cx)}{2x^2}$$

[Out]  $1/2*(-a-b*\arcsin(c*x))/x^2-1/2*b*c*(-c^2*x^2+1)^(1/2)/x$

Rubi [A]

time = 0.01, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4723, 270}

$$-\frac{a+b\text{ArcSin}(cx)}{2x^2} - \frac{bc\sqrt{1-c^2x^2}}{2x}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/x^3, x]

[Out]  $-1/2*(b*c*\text{Sqrt}[1 - c^2*x^2])/x - (a + b*\text{ArcSin}[c*x])/(2*x^2)$

Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c\*x)^(m+1)\*((a+b\*x^n)^(p+1)/(a\*c\*(m+1))), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a+b\sin^{-1}(cx)}{x^3} dx &= -\frac{a+b\sin^{-1}(cx)}{2x^2} + \frac{1}{2}(bc) \int \frac{1}{x^2\sqrt{1-c^2x^2}} dx \\ &= -\frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{a+b\sin^{-1}(cx)}{2x^2} \end{aligned}$$

**Mathematica [A]**

time = 0.01, size = 44, normalized size = 1.13

$$-\frac{a}{2x^2} - \frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{b\text{ArcSin}(cx)}{2x^2}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSin[c*x])/x^3,x]``[Out] -1/2*a/x^2 - (b*c*Sqrt[1 - c^2*x^2])/(2*x) - (b*ArcSin[c*x])/(2*x^2)`**Maple [A]**

time = 0.01, size = 50, normalized size = 1.28

method	result	size
derivativedivides	$c^2 \left( -\frac{a}{2c^2x^2} + b \left( -\frac{\arcsin(cx)}{2c^2x^2} - \frac{\sqrt{-c^2x^2+1}}{2cx} \right) \right)$	50
default	$c^2 \left( -\frac{a}{2c^2x^2} + b \left( -\frac{\arcsin(cx)}{2c^2x^2} - \frac{\sqrt{-c^2x^2+1}}{2cx} \right) \right)$	50

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))/x^3,x,method=_RETURNVERBOSE)``[Out] c^2*(-1/2*a/c^2/x^2+b*(-1/2/c^2/x^2*arcsin(c*x)-1/2/c/x*(-c^2*x^2+1)^(1/2)))`**Maxima [A]**

time = 0.49, size = 36, normalized size = 0.92

$$-\frac{1}{2}b \left( \frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))/x^3,x, algorithm="maxima")``[Out] -1/2*b*(sqrt(-c^2*x^2 + 1)*c/x + arcsin(c*x)/x^2) - 1/2*a/x^2`**Fricas [A]**

time = 4.01, size = 35, normalized size = 0.90

$$-\frac{\sqrt{-c^2x^2+1}bcx - ax^2 + b\arcsin(cx) + a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))/x^3,x, algorithm="fricas")`

[Out]  $-1/2*(\sqrt{-c^2*x^2 + 1})*b*c*x - a*x^2 + b*\arcsin(c*x) + a)/x^2$

**Sympy [A]**

time = 0.92, size = 61, normalized size = 1.56

$$-\frac{a}{2x^2} + \frac{bc \left( \begin{cases} -\frac{i\sqrt{c^2x^2-1}}{x} & \text{for } |c^2x^2| > 1 \\ -\frac{\sqrt{-c^2x^2+1}}{x} & \text{otherwise} \end{cases} \right)}{2} - \frac{b \operatorname{asin}(cx)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x**3,x)`

[Out]  $-a/(2*x**2) + b*c*\operatorname{Piecewise}((-I*\sqrt{c**2*x**2 - 1}/x, \operatorname{Abs}(c**2*x**2) > 1), (-\sqrt{-c**2*x**2 + 1}/x, \operatorname{True}))/2 - b*\operatorname{asin}(c*x)/(2*x**2)$

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 163 vs. 2(33) = 66.

time = 0.39, size = 163, normalized size = 4.18

$$\frac{bc^4x^2 \operatorname{asin}(cx)}{8(\sqrt{-c^2x^2+1}+1)^2} - \frac{ac^4x^2}{8(\sqrt{-c^2x^2+1}+1)^2} + \frac{bc^3x}{4(\sqrt{-c^2x^2+1}+1)} - \frac{1}{4}bc^2 \operatorname{asin}(cx) - \frac{1}{4}ac^2 - \frac{bc(\sqrt{-c^2x^2+1}+1)}{4x} - \frac{b(\sqrt{-c^2x^2+1}+1)^2 \operatorname{asin}(cx)}{8x^2} - \frac{a(\sqrt{-c^2x^2+1}+1)^2}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3,x, algorithm="giac")`

[Out]  $-1/8*b*c^4*x^2*\arcsin(c*x)/(\sqrt{-c^2*x^2 + 1} + 1)^2 - 1/8*a*c^4*x^2/(\sqrt{-c^2*x^2 + 1} + 1)^2 + 1/4*b*c^3*x/(\sqrt{-c^2*x^2 + 1} + 1) - 1/4*b*c^2*\arcsin(c*x) - 1/4*a*c^2 - 1/4*b*c*(\sqrt{-c^2*x^2 + 1} + 1)/x - 1/8*b*(\sqrt{-c^2*x^2 + 1} + 1)^2*\arcsin(c*x)/x^2 - 1/8*a*(\sqrt{-c^2*x^2 + 1} + 1)^2/x^2$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \operatorname{asin}(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))/x^3,x)`

[Out] `int((a + b*asin(c*x))/x^3, x)`

### 3.147 $\int \frac{a+b\text{ArcSin}(cx)}{x^4} dx$

Optimal. Leaf size=62

$$-\frac{bc\sqrt{1-c^2x^2}}{6x^2} - \frac{a+b\text{ArcSin}(cx)}{3x^3} - \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

[Out] 1/3\*(-a-b\*arcsin(c\*x))/x^3-1/6\*b\*c^3\*arctanh((-c^2\*x^2+1)^(1/2))-1/6\*b\*c\*(-c^2\*x^2+1)^(1/2)/x^2

Rubi [A]

time = 0.03, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4723, 272, 44, 65, 214}

$$-\frac{a+b\text{ArcSin}(cx)}{3x^3} - \frac{bc\sqrt{1-c^2x^2}}{6x^2} - \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/x^4,x]

[Out] -1/6\*(b\*c\*Sqrt[1 - c^2\*x^2])/x^2 - (a + b\*ArcSin[c\*x])/(3\*x^3) - (b\*c^3\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

Rule 44

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[(a + b\*x)^(m + 1)\*((c + d\*x)^(n + 1)/((b\*c - a\*d)\*(m + 1))), x] - Dist[d\*((m + n + 2)/((b\*c - a\*d)\*(m + 1))), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, -1] && !IntegerQ[n] && LtQ[n, 0]

Rule 65

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - a\*(d/b) + d\*(x^p/b))^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 214

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-a/b, 2]/a)\*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 272

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 4723

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4} dx &= -\frac{a + b \sin^{-1}(cx)}{3x^3} + \frac{1}{3}(bc) \int \frac{1}{x^3 \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{a + b \sin^{-1}(cx)}{3x^3} + \frac{1}{6}(bc) \text{Subst}\left(\int \frac{1}{x^2 \sqrt{1 - c^2 x}} dx, x, x^2\right) \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \sin^{-1}(cx)}{3x^3} + \frac{1}{12}(bc^3) \text{Subst}\left(\int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2\right) \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \sin^{-1}(cx)}{3x^3} - \frac{1}{6}(bc) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2 x^2}\right) \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \sin^{-1}(cx)}{3x^3} - \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)
\end{aligned}$$

### Mathematica [A]

time = 0.01, size = 67, normalized size = 1.08

$$-\frac{a}{3x^3} - \frac{bc\sqrt{1 - c^2x^2}}{6x^2} - \frac{b\text{ArcSin}(cx)}{3x^3} - \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])/x^4, x]
```

```
[Out] -1/3*a/x^3 - (b*c*Sqrt[1 - c^2*x^2])/(6*x^2) - (b*ArcSin[c*x])/(3*x^3) - (b
*c^3*ArcTanh[Sqrt[1 - c^2*x^2]])/6
```

### Maple [A]

time = 0.00, size = 65, normalized size = 1.05

method	result	size
--------	--------	------



derivativedivides	$c^3 \left( -\frac{a}{3c^3x^3} + b \left( -\frac{\arcsin(cx)}{3c^3x^3} - \frac{\sqrt{-c^2x^2+1}}{6c^2x^2} - \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right)}{6} \right) \right)$	65
default	$c^3 \left( -\frac{a}{3c^3x^3} + b \left( -\frac{\arcsin(cx)}{3c^3x^3} - \frac{\sqrt{-c^2x^2+1}}{6c^2x^2} - \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right)}{6} \right) \right)$	65

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x^4,x,method=_RETURNVERBOSE)`

[Out]  $c^3 * (-1/3 * a / c^3 / x^3 + b * (-1/3 / c^3 / x^3 * \arcsin(c*x) - 1/6 / c^2 / x^2 * (-c^2 * x^2 + 1)^{(1/2)} - 1/6 * \operatorname{arctanh}(1 / (-c^2 * x^2 + 1)^{(1/2)}))$

**Maxima** [A]

time = 0.48, size = 69, normalized size = 1.11

$$-\frac{1}{6} \left( \left( c^2 \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2x^2+1}}{x^2} \right) c + \frac{2 \arcsin(cx)}{x^3} \right) b - \frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^4,x, algorithm="maxima")`

[Out]  $-1/6 * ((c^2 * \log(2 * \sqrt{-c^2 * x^2 + 1} / \operatorname{abs}(x) + 2 / \operatorname{abs}(x)) + \sqrt{-c^2 * x^2 + 1} / x^2) * c + 2 * \arcsin(c * x) / x^3) * b - 1/3 * a / x^3$

**Fricas** [A]

time = 3.50, size = 80, normalized size = 1.29

$$\frac{bc^3x^3 \log(\sqrt{-c^2x^2+1} + 1) - bc^3x^3 \log(\sqrt{-c^2x^2+1} - 1) + 2\sqrt{-c^2x^2+1}bcx + 4b \arcsin(cx) + 4a}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^4,x, algorithm="fricas")`

[Out]  $-1/12 * (b * c^3 * x^3 * \log(\sqrt{-c^2 * x^2 + 1} + 1) - b * c^3 * x^3 * \log(\sqrt{-c^2 * x^2 + 1} - 1) + 2 * \sqrt{-c^2 * x^2 + 1} * b * c * x + 4 * b * \arcsin(c * x) + 4 * a) / x^3$

**Sympy** [A]

time = 1.84, size = 117, normalized size = 1.89

$$-\frac{a}{3x^3} + \frac{bc \left( \begin{array}{l} \left( -\frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} + \frac{c}{2x\sqrt{-1+\frac{1}{c^2x^2}}} - \frac{1}{2cx^3\sqrt{-1+\frac{1}{c^2x^2}}} \right) \text{ for } \frac{1}{|c^2x^2|} > 1 \\ \left( \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic\sqrt{1-\frac{1}{c^2x^2}}}{2x} \right) \text{ otherwise} \end{array} \right)}{3} - \frac{b \operatorname{asin}(cx)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4,x)

[Out]  $-a/(3*x**3) + b*c*\text{Piecewise}((-c**2*\text{acosh}(1/(c*x))/2 + c/(2*x*\text{sqrt}(-1 + 1/(c**2*x**2)))) - 1/(2*c*x**3*\text{sqrt}(-1 + 1/(c**2*x**2))), 1/\text{Abs}(c**2*x**2) > 1), (I*c**2*\text{asin}(1/(c*x))/2 - I*c*\text{sqrt}(1 - 1/(c**2*x**2)))/(2*x), \text{True}))/3 - b*\text{asin}(c*x)/(3*x**3)$

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 284 vs. 2(52) = 104.

time = 0.54, size = 284, normalized size = 4.58

$$\frac{bc^2x^3 \arcsin(cx)}{24(\sqrt{-c^2x^2+1})^3} - \frac{ac^2x^2}{24(\sqrt{-c^2x^2+1})^3} + \frac{bc^2x^2}{24(\sqrt{-c^2x^2+1})^3} - \frac{bc^2x \arcsin(cx)}{8(\sqrt{-c^2x^2+1})} - \frac{ac^2x}{8(\sqrt{-c^2x^2+1})} + \frac{1}{6} b c^2 \log(|c|x) - \frac{1}{6} b c^2 \log(\sqrt{-c^2x^2+1}) - \frac{bc^2(\sqrt{-c^2x^2+1}) \arcsin(cx)}{8x} - \frac{ac^2(\sqrt{-c^2x^2+1})}{8x} - \frac{bc(\sqrt{-c^2x^2+1})^2}{24x^2} - \frac{b(\sqrt{-c^2x^2+1})^3 \arcsin(cx)}{24x^2} - \frac{a(\sqrt{-c^2x^2+1})^3}{24x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out]  $-1/24*b*c^6*x^3*\arcsin(c*x)/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 - 1/24*a*c^6*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + 1/24*b*c^5*x^2/(\text{sqrt}(-c^2*x^2 + 1) + 1)^2 - 1/8*b*c^4*x*\arcsin(c*x)/(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/8*a*c^4*x/(\text{sqrt}(-c^2*x^2 + 1) + 1) + 1/6*b*c^3*\log(\text{abs}(c)*\text{abs}(x)) - 1/6*b*c^3*\log(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/8*b*c^2*(\text{sqrt}(-c^2*x^2 + 1) + 1)*\arcsin(c*x)/x - 1/8*a*c^2*(\text{sqrt}(-c^2*x^2 + 1) + 1)/x - 1/24*b*c*(\text{sqrt}(-c^2*x^2 + 1) + 1)^2/x^2 - 1/24*b*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3*\arcsin(c*x)/x^3 - 1/24*a*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3/x^3$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \arcsin(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))/x^4,x)

[Out] int((a + b\*asin(c\*x))/x^4, x)

### 3.148 $\int x^2(a + b\text{ArcSin}(cx))^2 dx$

**Optimal.** Leaf size=102

$$-\frac{4b^2x}{9c^2} - \frac{2b^2x^3}{27} + \frac{4b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{9c^3} + \frac{2bx^2\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{9c} + \frac{1}{3}x^3(a+b\text{ArcSin}(cx))$$

[Out]  $-4/9*b^2*x/c^2-2/27*b^2*x^3+1/3*x^3*(a+b*\arcsin(c*x))^2+4/9*b*(a+b*\arcsin(c*x))*(-c^2*x^2+1)^{(1/2)}/c^3+2/9*b*x^2*(a+b*\arcsin(c*x))*(-c^2*x^2+1)^{(1/2)}/c$

**Rubi [A]**

time = 0.10, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4723, 4795, 4767, 8, 30}

$$\frac{2bx^2\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{9c} + \frac{4b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{9c^3} + \frac{1}{3}x^3(a+b\text{ArcSin}(cx))^2 - \frac{4b^2x}{9c^2} - \frac{2}{27}b^2x^3$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-4*b^2*x)/(9*c^2) - (2*b^2*x^3)/27 + (4*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c^3) + (2*b*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c) + (x^3*(a + b*\text{ArcSin}[c*x])^2)/3$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], In

`t[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]`

### Rule 4795

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]`

### Rubi steps

$$\begin{aligned} \int x^2 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^2 - \frac{1}{3} (2bc) \int \frac{x^3 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx \\ &= \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^2 - \frac{1}{9} (2b^2) \int x^2 dx - \\ &= -\frac{2}{27} b^2 x^3 + \frac{4b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3} + \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c} \\ &= -\frac{4b^2 x}{9c^2} - \frac{2b^2 x^3}{27} + \frac{4b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3} + \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c} \end{aligned}$$

### Mathematica [A]

time = 0.12, size = 95, normalized size = 0.93

$$\frac{1}{3} \left( x^3 (a + b \operatorname{ArcSin}(cx))^2 - \frac{2b(6bcx + bc^3 x^3 - 6\sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}(cx)) - 3c^2 x^2 \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}(cx)))}{9c^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (x^3\*(a + b\*ArcSin[c\*x])^2 - (2\*b\*(6\*b\*c\*x + b\*c^3\*x^3 - 6\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]) - 3\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])))/(9\*c^3))/3

### Maple [A]

time = 0.03, size = 126, normalized size = 1.24

method	result
derivativedivides	$\frac{c^3 x^3 a^2 + b^2 \left( \frac{c^3 x^3 \arcsin(cx)^2}{3} + \frac{2 \arcsin(cx) (c^2 x^2 + 2) \sqrt{-c^2 x^2 + 1}}{9} - \frac{2c^3 x^3}{27} - \frac{4cx}{9} \right) + 2ab \left( \frac{c^3 x^3 \arcsin(cx)}{3} + \frac{c^2 x^2 \sqrt{-c^2 x^2 + 1}}{9} \right)}{c^3}$
default	$\frac{c^3 x^3 a^2 + b^2 \left( \frac{c^3 x^3 \arcsin(cx)^2}{3} + \frac{2 \arcsin(cx) (c^2 x^2 + 2) \sqrt{-c^2 x^2 + 1}}{9} - \frac{2c^3 x^3}{27} - \frac{4cx}{9} \right) + 2ab \left( \frac{c^3 x^3 \arcsin(cx)}{3} + \frac{c^2 x^2 \sqrt{-c^2 x^2 + 1}}{9} \right)}{c^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{c^3} * \left( \frac{1}{3} * c^3 * x^3 * a^2 + b^2 * \left( \frac{1}{3} * c^3 * x^3 * \arcsin(c*x)^2 + \frac{2}{9} * \arcsin(c*x) * (c^2 * x^2 + 2) * (-c^2 * x^2 + 1)^{(1/2)} - \frac{2}{27} * c^3 * x^3 - \frac{4}{9} * c*x \right) + 2 * a * b * \left( \frac{1}{3} * c^3 * x^3 * \arcsin(c*x) + \frac{1}{9} * c^2 * x^2 * (-c^2 * x^2 + 1)^{(1/2)} + \frac{2}{9} * (-c^2 * x^2 + 1)^{(1/2)} \right) \right)$

**Maxima** [A]

time = 0.49, size = 142, normalized size = 1.39

$$\frac{1}{3} b^2 x^3 \arcsin(cx)^2 + \frac{1}{3} a^2 x^3 + \frac{2}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) ab + \frac{2}{27} \left( 3c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \arcsin(cx) - \frac{c^2 x^3 + 6x}{c^2} \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $\frac{1}{3} * b^2 * x^3 * \arcsin(c*x)^2 + \frac{1}{3} * a^2 * x^3 + \frac{2}{9} * (3 * x^3 * \arcsin(c*x) + c * (\sqrt{-c^2 * x^2 + 1} * x^2 / c^2 + 2 * \sqrt{-c^2 * x^2 + 1} / c^4)) * a * b + \frac{2}{27} * (3 * c * (\sqrt{-c^2 * x^2 + 1} * x^2 / c^2 + 2 * \sqrt{-c^2 * x^2 + 1} / c^4) * \arcsin(c*x) - (c^2 * x^3 + 6 * x) / c^2) * b^2$

**Fricas** [A]

time = 3.40, size = 111, normalized size = 1.09

$$\frac{9b^2c^3x^3\arcsin(cx)^2 + 18abc^3x^3\arcsin(cx) + (9a^2 - 2b^2)c^3x^3 - 12b^2cx + 6(abc^2x^2 + 2ab + (b^2c^2x^2 + 2b^2)\arcsin(cx))\sqrt{-c^2x^2 + 1}}{27c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $\frac{1}{27} * (9 * b^2 * c^3 * x^3 * \arcsin(c*x)^2 + 18 * a * b * c^3 * x^3 * \arcsin(c*x) + (9 * a^2 - 2 * b^2) * c^3 * x^3 - 12 * b^2 * c * x + 6 * (a * b * c^2 * x^2 + 2 * a * b + (b^2 * c^2 * x^2 + 2 * b^2) * \arcsin(c*x)) * \sqrt{-c^2 * x^2 + 1}) / c^3$

**Sympy** [A]

time = 0.24, size = 170, normalized size = 1.67

$$\begin{cases} \frac{a^2 x^3}{3} + \frac{2abx^3 \arcsin(cx)}{3} + \frac{2abx^2 \sqrt{-c^2 x^2 + 1}}{9c} + \frac{4ab \sqrt{-c^2 x^2 + 1}}{9c^3} + \frac{b^2 x^3 \arcsin^2(cx)}{3} - \frac{2b^2 x^3}{27} + \frac{2b^2 x^2 \sqrt{-c^2 x^2 + 1} \arcsin(cx)}{9c} - \frac{4b^2 x}{9c^2} + \frac{4b^2 \sqrt{-c^2 x^2 + 1} \arcsin(cx)}{9c^3} & \text{for } c \neq 0 \\ \frac{a^2 x^3}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*x\*\*3/3 + 2\*a\*b\*x\*\*3\*asin(c\*x)/3 + 2\*a\*b\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 4\*a\*b\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + b\*\*2\*x\*\*3\*asin(c\*x)\*\*2/3 - 2\*b\*\*2\*x\*\*3/27 + 2\*b\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c) - 4\*b\*\*2\*x/(9\*c\*\*2) + 4\*b\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c\*\*3), Ne(c, 0)), (a\*\*2\*x\*\*3/3, True))

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 194 vs. 2(88) = 176.

time = 0.44, size = 194, normalized size = 1.90

$$\frac{1}{3}a^2x^3 + \frac{(c^2x^2-1)b^2x\arcsin(cx)^2}{3c^2} + \frac{2(c^2x^2-1)abx\arcsin(cx)}{3c^2} + \frac{b^2x\arcsin(cx)^2}{3c^2} - \frac{2(c^2x^2-1)b^2x}{27c^2} + \frac{2abx\arcsin(cx)}{3c^2} - \frac{2(-c^2x^2+1)^{\frac{3}{2}}b^2\arcsin(cx)}{9c^3} - \frac{14b^2x}{27c^2} - \frac{2(-c^2x^2+1)^{\frac{3}{2}}ab}{9c^3} + \frac{2\sqrt{-c^2x^2+1}b^2\arcsin(cx)}{3c^3} + \frac{2\sqrt{-c^2x^2+1}ab}{3c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 1/3\*a^2\*x^3 + 1/3\*(c^2\*x^2 - 1)\*b^2\*x\*arcsin(c\*x)^2/c^2 + 2/3\*(c^2\*x^2 - 1)\*a\*b\*x\*arcsin(c\*x)/c^2 + 1/3\*b^2\*x\*arcsin(c\*x)^2/c^2 - 2/27\*(c^2\*x^2 - 1)\*b^2\*x/c^2 + 2/3\*a\*b\*x\*arcsin(c\*x)/c^2 - 2/9\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*arcsin(c\*x)/c^3 - 14/27\*b^2\*x/c^2 - 2/9\*(-c^2\*x^2 + 1)^(3/2)\*a\*b/c^3 + 2/3\*sqrt(-c^2\*x^2 + 1)\*b^2\*arcsin(c\*x)/c^3 + 2/3\*sqrt(-c^2\*x^2 + 1)\*a\*b/c^3

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a + b\*asin(c\*x))^2,x)

[Out] int(x^2\*(a + b\*asin(c\*x))^2, x)

### 3.149 $\int x(a + b\text{ArcSin}(cx))^2 dx$

Optimal. Leaf size=76

$$-\frac{1}{4}b^2x^2 + \frac{bx\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{2c} - \frac{(a+b\text{ArcSin}(cx))^2}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^2$$

[Out]  $-1/4*b^2*x^2-1/4*(a+b*\arcsin(c*x))^2/c^2+1/2*x^2*(a+b*\arcsin(c*x))^2+1/2*b*x*(a+b*\arcsin(c*x))*(-c^2*x^2+1)^(1/2)/c$

Rubi [A]

time = 0.08, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4723, 4795, 4737, 30}

$$\frac{bx\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{2c} - \frac{(a+b\text{ArcSin}(cx))^2}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^2 - \frac{1}{4}b^2x^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(a + b*\text{ArcSin}[c*x])^2,x]$

[Out]  $-1/4*(b^2*x^2) + (b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*c) - (a + b*\text{ArcSin}[c*x])^2/(4*c^2) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/2$

Rule 30

$\text{Int}[(x_)^(m_), x\_Symbol] \rightarrow \text{Simp}[x^(m+1)/(m+1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4723

$\text{Int}[(a_) + \text{ArcSin}[(c_)*(x_)]*(b_)]^(n_)*((d_)*(x_))^(m_), x\_Symbol] \rightarrow \text{Simp}[(d*x)^(m+1)*((a + b*\text{ArcSin}[c*x])^n/(d*(m+1))), x] - \text{Dist}[b*c*(n/(d*(m+1))), \text{Int}[(d*x)^(m+1)*((a + b*\text{ArcSin}[c*x])^(n-1)/\text{Sqrt}[1 - c^2*x^2]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4737

$\text{Int}[(a_) + \text{ArcSin}[(c_)*(x_)]*(b_)]^(n_)/\text{Sqrt}[(d_) + (e_)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[(1/(b*c*(n+1)))*\text{Simp}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2]]*(a + b*\text{ArcSin}[c*x])^(n+1), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{NeQ}[n, -1]$

Rule 4795

$\text{Int}[(a_) + \text{ArcSin}[(c_)*(x_)]*(b_)]^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x\_Symbol] \rightarrow \text{Simp}[f*(f*x)^(m-1)*(d + e*x^2)^(p+1)*((a +$

$b \cdot \text{ArcSin}[c \cdot x]^n / (e \cdot (m + 2 \cdot p + 1))$ ,  $x$ ] + (Dist[ $f^2 \cdot ((m - 1) / (c^2 \cdot (m + 2 \cdot p + 1)))$ , Int[ $(f \cdot x)^{(m - 2)} \cdot (d + e \cdot x^2)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n$ ,  $x$ ] + Dist[ $b \cdot f \cdot (n / (c \cdot (m + 2 \cdot p + 1))) \cdot \text{Simp}[(d + e \cdot x^2)^p / (1 - c^2 \cdot x^2)^p$ , Int[ $(f \cdot x)^{(m - 1)} \cdot (1 - c^2 \cdot x^2)^{(p + 1/2)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{(n - 1)}$ ,  $x$ ] ] /; FreeQ[{ $a, b, c, d, e, f, p$ },  $x$ ] && EqQ[ $c^2 \cdot d + e, 0$ ] && GtQ[ $n, 0$ ] && IGtQ[ $m, 1$ ] && NeQ[ $m + 2 \cdot p + 1, 0$ ]

Rubi steps

$$\begin{aligned} \int x(a + b \sin^{-1}(cx))^2 dx &= \frac{1}{2}x^2(a + b \sin^{-1}(cx))^2 - (bc) \int \frac{x^2(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\ &= \frac{bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2c} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^2 - \frac{1}{2}b^2 \int x dx - \frac{b \int \frac{a+b}{\sqrt{1-c^2x^2}}}{\sqrt{1-c^2x^2}} \\ &= -\frac{1}{4}b^2x^2 + \frac{bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2c} - \frac{(a + b \sin^{-1}(cx))^2}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^2 \end{aligned}$$

**Mathematica [A]**

time = 0.05, size = 73, normalized size = 0.96

$$\frac{b^2c^2x^2 - 2bcx\sqrt{1 - c^2x^2}(a + b\text{ArcSin}(cx)) + (a + b\text{ArcSin}(cx))^2 - 2c^2x^2(a + b\text{ArcSin}(cx))^2}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[ $x \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^2$ ,  $x$ ]

[Out]  $-1/4 \cdot (b^2 \cdot c^2 \cdot x^2 - 2 \cdot b \cdot c \cdot x \cdot \text{Sqrt}[1 - c^2 \cdot x^2]) \cdot (a + b \cdot \text{ArcSin}[c \cdot x]) + (a + b \cdot \text{ArcSin}[c \cdot x])^2 - 2 \cdot c^2 \cdot x^2 \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^2 / c^2$

**Maple [A]**

time = 0.02, size = 120, normalized size = 1.58

method	result
derivativedivides	$\frac{c^2x^2a^2 + b^2 \left( \frac{(c^2x^2 - 1) \arcsin(cx)^2}{2} + \frac{\arcsin(cx) \left( cx \sqrt{-c^2x^2 + 1} + \arcsin(cx) \right)}{2} - \frac{\arcsin(cx)^2}{4} - \frac{c^2x^2}{4} \right) + 2ab \left( \frac{c^2x^2 \arcsin(cx)}{2} \right)}{c^2}$
default	$\frac{c^2x^2a^2 + b^2 \left( \frac{(c^2x^2 - 1) \arcsin(cx)^2}{2} + \frac{\arcsin(cx) \left( cx \sqrt{-c^2x^2 + 1} + \arcsin(cx) \right)}{2} - \frac{\arcsin(cx)^2}{4} - \frac{c^2x^2}{4} \right) + 2ab \left( \frac{c^2x^2 \arcsin(cx)}{2} \right)}{c^2}$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x*(a+b*arcsin(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]  $1/c^2*(1/2*c^2*x^2*a^2+b^2*(1/2*(c^2*x^2-1)*arcsin(c*x)^2+1/2*arcsin(c*x)*(c*x*(-c^2*x^2+1)^{(1/2)}+arcsin(c*x))-1/4*arcsin(c*x)^2-1/4*c^2*x^2)+2*a*b*(1/2*c^2*x^2*arcsin(c*x)+1/4*c*x*(-c^2*x^2+1)^{(1/2)}-1/4*arcsin(c*x))$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $1/2*a^2*x^2 + 1/2*(2*x^2*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x/c^2 - arcsin(c*x)/c^3))*a*b + 1/2*(x^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))^2 + 2*c*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)/(c^2*x^2 - 1), x)*b^2$

**Fricas** [A]

time = 3.92, size = 99, normalized size = 1.30

$$\frac{(2a^2 - b^2)c^2x^2 + (2b^2c^2x^2 - b^2) \arcsin(cx)^2 + 2(2abc^2x^2 - ab) \arcsin(cx) + 2(b^2cx \arcsin(cx) + abcx)\sqrt{-c^2x^2 + 1}}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $1/4*((2*a^2 - b^2)*c^2*x^2 + (2*b^2*c^2*x^2 - b^2)*arcsin(c*x)^2 + 2*(2*a*b*c^2*x^2 - a*b)*arcsin(c*x) + 2*(b^2*c*x*arcsin(c*x) + a*b*c*x)*sqrt(-c^2*x^2 + 1))/c^2$

**Sympy** [A]

time = 0.16, size = 126, normalized size = 1.66

$$\begin{cases} \frac{a^2x^2}{2} + abx^2 \arcsin(cx) + \frac{abx\sqrt{-c^2x^2 + 1}}{2c} - \frac{ab \arcsin(cx)}{2c^2} + \frac{b^2x^2 \arcsin^2(cx)}{2} - \frac{b^2x^2}{4} + \frac{b^2x\sqrt{-c^2x^2 + 1} \arcsin(cx)}{2c} - \frac{b^2 \arcsin^2(cx)}{4c^2} & \text{for } c \neq 0 \\ \frac{a^2x^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asin(c*x))**2,x)`

[Out] `Piecewise((a**2*x**2/2 + a*b*x**2*asin(c*x) + a*b*x*sqrt(-c**2*x**2 + 1)/(2*c) - a*b*asin(c*x)/(2*c**2) + b**2*x**2*asin(c*x)**2/2 - b**2*x**2/4 + b**2*x*sqrt(-c**2*x**2 + 1)*asin(c*x)/(2*c) - b**2*asin(c*x)**2/(4*c**2), Ne(c, 0)), (a**2*x**2/2, True))`

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 155 vs. 2(66) = 132.

time = 0.42, size = 155, normalized size = 2.04

$$\frac{\sqrt{-c^2x^2+1}b^2x\arcsin(cx)}{2c} + \frac{(c^2x^2-1)b^2\arcsin(cx)^2}{2c^2} + \frac{\sqrt{-c^2x^2+1}abx}{2c} + \frac{(c^2x^2-1)ab\arcsin(cx)}{c^2} + \frac{b^2\arcsin(cx)^2}{4c^2} + \frac{(c^2x^2-1)a^2}{2c^2} - \frac{(c^2x^2-1)b^2}{4c^2} + \frac{ab\arcsin(cx)}{2c^2} - \frac{b^2}{8c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 1/2\*sqrt(-c^2\*x^2 + 1)\*b^2\*x\*arcsin(c\*x)/c + 1/2\*(c^2\*x^2 - 1)\*b^2\*arcsin(c\*x)^2/c^2 + 1/2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*x/c + (c^2\*x^2 - 1)\*a\*b\*arcsin(c\*x)/c^2 + 1/4\*b^2\*arcsin(c\*x)^2/c^2 + 1/2\*(c^2\*x^2 - 1)\*a^2/c^2 - 1/4\*(c^2\*x^2 - 1)\*b^2/c^2 + 1/2\*a\*b\*arcsin(c\*x)/c^2 - 1/8\*b^2/c^2

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*asin(c\*x))^2,x)

[Out] int(x\*(a + b\*asin(c\*x))^2, x)

### 3.150 $\int (a + b\text{ArcSin}(cx))^2 dx$

Optimal. Leaf size=47

$$-2b^2x + \frac{2b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{c} + x(a+b\text{ArcSin}(cx))^2$$

[Out]  $-2*b^2*x+x*(a+b*\arcsin(c*x))^2+2*b*(a+b*\arcsin(c*x))*(-c^2*x^2+1)^(1/2)/c$

**Rubi** [A]

time = 0.04, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4715, 4767, 8}

$$\frac{2b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{c} + x(a+b\text{ArcSin}(cx))^2 - 2b^2x$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-2*b^2*x + (2*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/c + x*(a + b*\text{ArcSin}[c*x])^2$

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n, x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[x\*((a + b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\*(x)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(d + e\*x^2)^(p+1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p+1))), x] + Dist[b\*(n/(2\*c\*(p+1)))\*Simp[(d + e\*x^2)^p/(1-c^2\*x^2)^p], Int[(1-c^2\*x^2)^(p+1/2)\*(a + b\*ArcSin[c\*x])^(n-1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + b \sin^{-1}(cx))^2 dx &= x(a + b \sin^{-1}(cx))^2 - (2bc) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{2b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{c} + x(a + b \sin^{-1}(cx))^2 - (2b^2) \int 1 dx \\
&= -2b^2x + \frac{2b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{c} + x(a + b \sin^{-1}(cx))^2
\end{aligned}$$

**Mathematica [A]**

time = 0.03, size = 47, normalized size = 1.00

$$-2b^2x + \frac{2b\sqrt{1 - c^2x^2} (a + b\text{ArcSin}(cx))}{c} + x(a + b\text{ArcSin}(cx))^2$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSin[c*x])^2,x]``[Out] -2*b^2*x + (2*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + x*(a + b*ArcSin[c*x])^2`**Maple [A]**

time = 0.02, size = 72, normalized size = 1.53

method	result	size
derivativedivides	$\frac{cx a^2 + b^2 (cx \arcsin(cx)^2 - 2cx + 2 \arcsin(cx) \sqrt{-c^2x^2 + 1}) + 2ab (cx \arcsin(cx) + \sqrt{-c^2x^2 + 1})}{c}$	72
default	$\frac{cx a^2 + b^2 (cx \arcsin(cx)^2 - 2cx + 2 \arcsin(cx) \sqrt{-c^2x^2 + 1}) + 2ab (cx \arcsin(cx) + \sqrt{-c^2x^2 + 1})}{c}$	72

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))^2,x,method=_RETURNVERBOSE)``[Out] 1/c*(c*x*a^2+b^2*(c*x*arcsin(c*x)^2-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^(1/2))+2*a*b*(c*x*arcsin(c*x)+(-c^2*x^2+1)^(1/2)))`**Maxima [A]**

time = 0.48, size = 72, normalized size = 1.53

$$b^2x \arcsin(cx)^2 - 2b^2 \left( x - \frac{\sqrt{-c^2x^2 + 1} \arcsin(cx)}{c} \right) + a^2x + \frac{2 \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right) ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out]  $b^2*x*arcsin(c*x)^2 - 2*b^2*(x - \sqrt{-c^2*x^2 + 1})*arcsin(c*x)/c + a^2*x + 2*(c*x*arcsin(c*x) + \sqrt{-c^2*x^2 + 1})*a*b/c$

**Fricas** [A]

time = 3.25, size = 65, normalized size = 1.38

$$\frac{b^2 c x \arcsin(cx)^2 + 2 ab c x \arcsin(cx) + (a^2 - 2 b^2) c x + 2 \sqrt{-c^2 x^2 + 1} (b^2 \arcsin(cx) + ab)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $(b^2*c*x*arcsin(c*x)^2 + 2*a*b*c*x*arcsin(c*x) + (a^2 - 2*b^2)*c*x + 2*\sqrt{-c^2*x^2 + 1}*(b^2*arcsin(c*x) + a*b))/c$

**Sympy** [A]

time = 0.10, size = 82, normalized size = 1.74

$$\begin{cases} a^2 x + 2 ab x \operatorname{asin}(cx) + \frac{2 ab \sqrt{-c^2 x^2 + 1}}{c} + b^2 x \operatorname{asin}^2(cx) - 2 b^2 x + \frac{2 b^2 \sqrt{-c^2 x^2 + 1} \operatorname{asin}(cx)}{c} & \text{for } c \neq 0 \\ a^2 x & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*x\*asin(c\*x) + 2\*a\*b\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + b\*\*2\*x\*asin(c\*x)\*\*2 - 2\*b\*\*2\*x + 2\*b\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/c, Ne(c, 0)), (a\*\*2\*x, True))

**Giac** [A]

time = 0.41, size = 75, normalized size = 1.60

$$b^2 x \arcsin(cx)^2 + 2 ab x \arcsin(cx) + a^2 x - 2 b^2 x + \frac{2 \sqrt{-c^2 x^2 + 1} b^2 \arcsin(cx)}{c} + \frac{2 \sqrt{-c^2 x^2 + 1} ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x - 2*b^2*x + 2*\sqrt{-c^2*x^2 + 1}*b^2*arcsin(c*x)/c + 2*\sqrt{-c^2*x^2 + 1}*a*b/c$

**Mupad** [B]

time = 0.35, size = 142, normalized size = 3.02

$$\begin{cases} b^2 \left( x (\operatorname{asin}(cx))^2 - 2 \right) + 2 \operatorname{asin}(cx) \sqrt{\frac{1}{c^2} - x^2} + a^2 x + \frac{2 ab \left( \sqrt{1 - c^2 x^2} + cx \operatorname{asin}(cx) \right)}{c} & \text{if } 0 < c \\ a^2 x + b^2 x (\operatorname{asin}(cx))^2 - 2 + \frac{2 b^2 \operatorname{asin}(cx) \sqrt{1 - c^2 x^2}}{c} + \frac{2 ab \left( \sqrt{1 - c^2 x^2} + cx \operatorname{asin}(cx) \right)}{c} & \text{if } -0 < c \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))^2,x)`

[Out] `piecewise(0 < c, b^2*(x*(asin(c*x)^2 - 2) + 2*asin(c*x)*(1/c^2 - x^2)^(1/2)) + a^2*x + (2*a*b*((- c^2*x^2 + 1)^(1/2) + c*x*asin(c*x)))/c, ~0 < c, a^2*x + b^2*x*(asin(c*x)^2 - 2) + (2*b^2*asin(c*x)*(- c^2*x^2 + 1)^(1/2))/c + (2*a*b*((- c^2*x^2 + 1)^(1/2) + c*x*asin(c*x)))/c)`

$$3.151 \quad \int \frac{(a+b\text{ArcSin}(cx))^2}{x} dx$$

**Optimal.** Leaf size=90

$$-\frac{i(a+b\text{ArcSin}(cx))^3}{3b} + (a+b\text{ArcSin}(cx))^2 \log(1 - e^{2i\text{ArcSin}(cx)}) - ib(a+b\text{ArcSin}(cx)) \text{PolyLog}(2, e^{2i\text{ArcSin}(cx)})$$

[Out]  $-1/3*I*(a+b*\arcsin(c*x))^3/b+(a+b*\arcsin(c*x))^2*\ln(1-(I*c*x+(-c^2*x^2+1)^(1/2))^2)-I*b*(a+b*\arcsin(c*x))*\text{polylog}(2,(I*c*x+(-c^2*x^2+1)^(1/2))^2)+1/2*b^2*\text{polylog}(3,(I*c*x+(-c^2*x^2+1)^(1/2))^2)$

**Rubi [A]**

time = 0.09, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4721, 3798, 2221, 2611, 2320, 6724}

$$-ib\text{Li}_2(e^{2i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx)) - \frac{i(a+b\text{ArcSin}(cx))^3}{3b} + \log(1 - e^{2i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx))^2 + \frac{1}{2}b^2\text{Li}_3(e^{2i\text{ArcSin}(cx)})$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/x, x]$

[Out]  $((-1/3*I)*(a + b*\text{ArcSin}[c*x])^3)/b + (a + b*\text{ArcSin}[c*x])^2*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])] - I*b*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])] + (b^2*\text{PolyLog}[3, E^((2*I)*\text{ArcSin}[c*x])])/2$

**Rule 2221**

$\text{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^((n_)*((c_) + (d_)*(x_))^(m_)))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^((n_))), x\_Symbol] :> \text{Simp} [((c + d*x)^m/(b*f*g*n*\text{Log}[F]))*\text{Log}[1 + b*((F^(g*(e + f*x)))^n/a)], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^(m - 1)*\text{Log}[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

**Rule 2320**

$\text{Int}[u, x\_Symbol] :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

**Rule 2611**

$\text{Int}[\text{Log}[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^((n_)))]*((f_) + (g_)*(x_))^(m_), x\_Symbol] :> \text{Simp}[(-f + g*x)^m*(\text{PolyLog}[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*\text{Log}[F])), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^m]$

- 1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 3798

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[I\*((c + d\*x)^(m + 1)/(d\*(m + 1))), x] - Dist[2\*I, Int[(c + d\*x)^m \* E^(2\*I\*k\*Pi)\*(E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 4721

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n\*Cot[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 6724

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{x} dx &= \text{Subst} \left( \int (a + bx)^2 \cot(x) dx, x, \sin^{-1}(cx) \right) \\
 &= -\frac{i(a + b \sin^{-1}(cx))^3}{3b} - 2i \text{Subst} \left( \int \frac{e^{2ix}(a + bx)^2}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right) \\
 &= -\frac{i(a + b \sin^{-1}(cx))^3}{3b} + (a + b \sin^{-1}(cx))^2 \log(1 - e^{2i \sin^{-1}(cx)}) - (2b) \text{Subst} \left( \int (a + bx) \cot(x) dx, x, \sin^{-1}(cx) \right) \\
 &= -\frac{i(a + b \sin^{-1}(cx))^3}{3b} + (a + b \sin^{-1}(cx))^2 \log(1 - e^{2i \sin^{-1}(cx)}) - ib(a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)}) \\
 &= -\frac{i(a + b \sin^{-1}(cx))^3}{3b} + (a + b \sin^{-1}(cx))^2 \log(1 - e^{2i \sin^{-1}(cx)}) - ib(a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)}) \\
 &= -\frac{i(a + b \sin^{-1}(cx))^3}{3b} + (a + b \sin^{-1}(cx))^2 \log(1 - e^{2i \sin^{-1}(cx)}) - ib(a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)})
 \end{aligned}$$

### Mathematica [A]

time = 0.09, size = 143, normalized size = 1.59

$$a^2 \log(cx) + 2ab \left( \text{ArcSin}(cx) \log(1 - e^{2i \text{ArcSin}(cx)}) - \frac{1}{2} i (\text{ArcSin}(cx)^2 + \text{PolyLog}(2, e^{2i \text{ArcSin}(cx)})) \right) + b^2 \left( -\frac{i\pi^3}{24} + \frac{1}{3} i \text{ArcSin}(cx)^3 + \text{ArcSin}(cx)^2 \log(1 - e^{2i \text{ArcSin}(cx)}) + i \text{ArcSin}(cx) \text{PolyLog}(2, e^{2i \text{ArcSin}(cx)}) + \frac{1}{2} \text{PolyLog}(3, e^{2i \text{ArcSin}(cx)}) \right)$$



Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])^2/x,x]
```

```
[Out] a^2*Log[c*x] + 2*a*b*(ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] - (I/2)*(ArcSin[c*x]^2 + PolyLog[2, E^((2*I)*ArcSin[c*x])])) + b^2*((-1/24*I)*Pi^3 + (I/3)*ArcSin[c*x]^3 + ArcSin[c*x]^2*Log[1 - E^((-2*I)*ArcSin[c*x])] + I*ArcSin[c*x]*PolyLog[2, E^((-2*I)*ArcSin[c*x])] + PolyLog[3, E^((-2*I)*ArcSin[c*x])])/2)
```

**Maple [B]** Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 318 vs.  $2(114) = 228$ .

time = 0.04, size = 319, normalized size = 3.54

method	result
derivativedivides	$a^2 \ln(cx) - \frac{ib^2 \arcsin(cx)^3}{3} + b^2 \arcsin(cx)^2 \ln(1 + icx + \sqrt{-c^2x^2 + 1}) - 2ib^2 \arcsin(cx)$
default	$a^2 \ln(cx) - \frac{ib^2 \arcsin(cx)^3}{3} + b^2 \arcsin(cx)^2 \ln(1 + icx + \sqrt{-c^2x^2 + 1}) - 2ib^2 \arcsin(cx)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x,x,method=_RETURNVERBOSE)
```

```
[Out] a^2*ln(c*x)-1/3*I*b^2*arcsin(c*x)^3+b^2*arcsin(c*x)^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*I*b^2*arcsin(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+2*b^2*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))+b^2*arcsin(c*x)^2*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-2*I*b^2*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+2*b^2*polylog(3,I*c*x+(-c^2*x^2+1)^(1/2))-I*a*b*arcsin(c*x)^2-2*I*a*b*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-2*I*a*b*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+2*a*b*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+2*a*b*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x,x, algorithm="maxima")
```

```
[Out] a^2*log(x) + integrate((b^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))^2 + 2*a*b*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))/x, x)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/x, x)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x,x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/x, x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/x, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^2/x,x)

[Out] int((a + b\*asin(c\*x))^2/x, x)

$$3.152 \quad \int \frac{(a+b\text{ArcSin}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=81

$$-\frac{(a+b\text{ArcSin}(cx))^2}{x} - 4bc(a+b\text{ArcSin}(cx)) \tanh^{-1}(e^{i\text{ArcSin}(cx)}) + 2ib^2c \text{PolyLog}(2, -e^{i\text{ArcSin}(cx)}) - 2ib^2c \text{PolyLog}(2, e^{i\text{ArcSin}(cx)})$$

[Out]  $-(a+b*\arcsin(c*x))^2/x - 4*b*c*(a+b*\arcsin(c*x))*\arctanh(I*c*x+(-c^2*x^2+1)^(1/2)) + 2*I*b^2*c*\text{polylog}(2, -I*c*x+(-c^2*x^2+1)^(1/2)) - 2*I*b^2*c*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^(1/2))$

**Rubi [A]**

time = 0.09, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4723, 4803, 4268, 2317, 2438}

$$-\frac{(a+b\text{ArcSin}(cx))^2}{x} - 4bc \tanh^{-1}(e^{i\text{ArcSin}(cx)}) (a+b\text{ArcSin}(cx)) + 2ib^2c \text{Li}_2(-e^{i\text{ArcSin}(cx)}) - 2ib^2c \text{Li}_2(e^{i\text{ArcSin}(cx)})$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/x^2, x]

[Out]  $-((a + b*\text{ArcSin}[c*x])^2/x) - 4*b*c*(a + b*\text{ArcSin}[c*x])* \text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}] + (2*I)*b^2*c*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - (2*I)*b^2*c*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]$

**Rule 2317**

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

**Rule 2438**

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> Simp[-PolyLog[2, (-c)\*e\*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

**Rule 4268**

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[-2\*(c + d\*x)^m\*(ArcTanh[E^(I\*(e + f\*x))]/f), x] + (-Dist[d\*(m/f), Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[d\*(m/f), Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

**Rule 4723**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 4803

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] :> Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*
x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a,
b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{x} + (2bc) \int \frac{a + b \sin^{-1}(cx)}{x \sqrt{1 - c^2 x^2}} dx \\ &= -\frac{(a + b \sin^{-1}(cx))^2}{x} + (2bc) \text{Subst} \left( \int (a + bx) \csc(x) dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{(a + b \sin^{-1}(cx))^2}{x} - 4bc(a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) - (2b^2c) \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{(a + b \sin^{-1}(cx))^2}{x} - 4bc(a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) + (2ib^2c) \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^{-1}(cx) \right) \\ &= -\frac{(a + b \sin^{-1}(cx))^2}{x} - 4bc(a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) + 2ib^2c \text{Li}_2 \left( -e^{i \sin^{-1}(cx)} \right) \end{aligned}$$

### Mathematica [A]

time = 0.16, size = 126, normalized size = 1.56

$$\frac{a^2 + 2ab \left( \text{ArcSin}(cx) + cx \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right) \right) - ib^2 \left( i \text{ArcSin}(cx) \left( \text{ArcSin}(cx) + 2cx \left( -\log \left( 1 - e^{i \text{ArcSin}(cx)} \right) + \log \left( 1 + e^{i \text{ArcSin}(cx)} \right) \right) \right) + 2cx \text{PolyLog} \left( 2, -e^{i \text{ArcSin}(cx)} \right) - 2cx \text{PolyLog} \left( 2, e^{i \text{ArcSin}(cx)} \right) \right)}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])^2/x^2,x]
```

```
[Out] -((a^2 + 2*a*b*(ArcSin[c*x] + c*x*ArcTanh[Sqrt[1 - c^2*x^2]]) - I*b^2*(I*Ar
cSin[c*x]*(ArcSin[c*x] + 2*c*x*(-Log[1 - E^(I*ArcSin[c*x]]) + Log[1 + E^(I*
ArcSin[c*x]]))) + 2*c*x*PolyLog[2, -E^(I*ArcSin[c*x])] - 2*c*x*PolyLog[2, E
^(I*ArcSin[c*x])]))/x)
```

### Maple [A]

time = 0.03, size = 178, normalized size = 2.20

method	result
derivativedivides	$c \left( -\frac{a^2}{cx} - \frac{b^2 \arcsin(cx)^2}{cx} + 2b^2 \arcsin(cx) \ln(1 - icx - \sqrt{-c^2x^2 + 1}) - 2b^2 \arcsin(cx) \ln \right)$
default	$c \left( -\frac{a^2}{cx} - \frac{b^2 \arcsin(cx)^2}{cx} + 2b^2 \arcsin(cx) \ln(1 - icx - \sqrt{-c^2x^2 + 1}) - 2b^2 \arcsin(cx) \ln \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^2/x^2,x,method=_RETURNVERBOSE)`

[Out] `c*(-a^2/c/x-b^2/c/x*arcsin(c*x)^2+2*b^2*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-2*b^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+2*I*b^2*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*I*b^2*dilog(1-I*c*x-(-c^2*x^2+1)^(1/2))+2*a*b*(-1/c/x*arcsin(c*x)-arctanh(1/(-c^2*x^2+1)^(1/2))))`

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^2,x, algorithm="maxima")`

[Out] `-2*(c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c*x)/x)*a*b - (2*c*x*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*x^3 - x), x) + arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2)*b^2/x - a^2/x`

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^2,x, algorithm="fricas")`

[Out] `integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)/x^2, x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/x\*\*2, x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/x^2, x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^2/x^2,x)

[Out] int((a + b\*asin(c\*x))^2/x^2, x)

### 3.153 $\int x^2(a + b\text{ArcSin}(cx))^3 dx$

**Optimal.** Leaf size=178

$$-\frac{4ab^2x}{3c^2} - \frac{14b^3\sqrt{1-c^2x^2}}{9c^3} + \frac{2b^3(1-c^2x^2)^{3/2}}{27c^3} - \frac{4b^3x\text{ArcSin}(cx)}{3c^2} - \frac{2}{9}b^2x^3(a+b\text{ArcSin}(cx)) + \frac{2b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))}{3c^3}$$

[Out]  $-4/3*a*b^2*x/c^2+2/27*b^3*(-c^2*x^2+1)^{(3/2)}/c^3-4/3*b^3*x*\arcsin(c*x)/c^2-2/9*b^2*x^3*(a+b*\arcsin(c*x))+1/3*x^3*(a+b*\arcsin(c*x))^3-14/9*b^3*(-c^2*x^2+1)^{(1/2)}/c^3+2/3*b*(a+b*\arcsin(c*x))^2*(-c^2*x^2+1)^{(1/2)}/c^3+1/3*b*x^2*(a+b*\arcsin(c*x))^2*(-c^2*x^2+1)^{(1/2)}/c$

**Rubi [A]**

time = 0.21, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4723, 4795, 4767, 4715, 267, 272, 45}

$$-\frac{2}{9}b^2x^3(a+b\text{ArcSin}(cx)) + \frac{bx^2\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{3c} + \frac{2b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{3c^3} + \frac{1}{3}x^3(a+b\text{ArcSin}(cx))^3 - \frac{4ab^2x}{3c^2} - \frac{4b^3x\text{ArcSin}(cx)}{3c^2} + \frac{2b^3(1-c^2x^2)^{3/2}}{27c^3} - \frac{14b^3\sqrt{1-c^2x^2}}{9c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*ArcSin[c\*x])^3,x]

[Out]  $(-4*a*b^2*x)/(3*c^2) - (14*b^3*\text{Sqrt}[1 - c^2*x^2])/(9*c^3) + (2*b^3*(1 - c^2*x^2)^{(3/2)})/(27*c^3) - (4*b^3*x*\text{ArcSin}[c*x])/(3*c^2) - (2*b^2*x^3*(a + b*\text{ArcSin}[c*x]))/9 + (2*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(3*c^3) + (b*x*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(3*c) + (x^3*(a + b*\text{ArcSin}[c*x])^3)/3$

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 267

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 272

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

Rubi steps



$$\begin{aligned}
\int x^2 (a + b \sin^{-1}(cx))^3 dx &= \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^3 - (bc) \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2 x^2}} dx \\
&= \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^3 - \frac{1}{3} (2b^2) \int x^2 (a + b \sin^{-1}(cx))^2 dx \\
&= -\frac{2}{9} b^2 x^3 (a + b \sin^{-1}(cx)) + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2}}{3c} \\
&= -\frac{4ab^2 x}{3c^2} - \frac{2}{9} b^2 x^3 (a + b \sin^{-1}(cx)) + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2}}{3c} \\
&= -\frac{4ab^2 x}{3c^2} - \frac{4b^3 x \sin^{-1}(cx)}{3c^2} - \frac{2}{9} b^2 x^3 (a + b \sin^{-1}(cx)) + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3c^3} \\
&= -\frac{4ab^2 x}{3c^2} - \frac{14b^3 \sqrt{1 - c^2 x^2}}{9c^3} + \frac{2b^3 (1 - c^2 x^2)^{3/2}}{27c^3} - \frac{4b^3 x \sin^{-1}(cx)}{3c^2} - \frac{2}{9} b^2 x^3 (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]**

time = 0.26, size = 163, normalized size = 0.92

$$\frac{1}{27} \left( 9x^3 (a + b \operatorname{ArcSin}(cx))^3 + \frac{b(9c^2 x^2 \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}(cx))^2 - 2b(b \sqrt{1 - c^2 x^2} (2 + c^2 x^2) + 3c^2 x^3 (a + b \operatorname{ArcSin}(cx))) + 18(\sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}(cx))^2 - 2b(acx + b \sqrt{1 - c^2 x^2} + bcx \operatorname{ArcSin}(cx))))}{c^3} \right)$$

Antiderivative was successfully verified.

**[In]** Integrate[x^2\*(a + b\*ArcSin[c\*x])^3,x]

**[Out]** (9\*x^3\*(a + b\*ArcSin[c\*x])^3 + (b\*(9\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2 - 2\*b\*(b\*Sqrt[1 - c^2\*x^2]\*(2 + c^2\*x^2) + 3\*c^3\*x^3\*(a + b\*ArcSin[c\*x])) + 18\*(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2 - 2\*b\*(a\*c\*x + b\*Sqrt[1 - c^2\*x^2] + b\*c\*x\*ArcSin[c\*x]))))/c^3)/27

**Maple [A]**

time = 0.02, size = 235, normalized size = 1.32

method	result
derivativedivides	$\frac{c^3 x^3 a^3}{3} + b^3 \left( \frac{c^3 x^3 \arcsin(cx)^3}{3} + \frac{\arcsin(cx)^2 (c^2 x^2 + 2) \sqrt{-c^2 x^2 + 1}}{3} - \frac{4 \sqrt{-c^2 x^2 + 1}}{3} - \frac{4cx \arcsin(cx)}{3} - \frac{2c^3 x^3 \arcsin(cx)}{9} \right)$
default	$\frac{c^3 x^3 a^3}{3} + b^3 \left( \frac{c^3 x^3 \arcsin(cx)^3}{3} + \frac{\arcsin(cx)^2 (c^2 x^2 + 2) \sqrt{-c^2 x^2 + 1}}{3} - \frac{4 \sqrt{-c^2 x^2 + 1}}{3} - \frac{4cx \arcsin(cx)}{3} - \frac{2c^3 x^3 \arcsin(cx)}{9} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))^3,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{c^3} \left( \frac{1}{3} c^3 x^3 a^3 + b^3 \left( \frac{1}{3} c^3 x^3 \arcsin(c x)^3 + \frac{1}{3} \arcsin(c x)^2 (c^2 x^2 + 2) (-c^2 x^2 + 1)^{1/2} - \frac{4}{3} (-c^2 x^2 + 1)^{1/2} - \frac{4}{3} c x \arcsin(c x) - \frac{2}{9} c^3 x^3 \arcsin(c x) - \frac{2}{27} (c^2 x^2 + 2) (-c^2 x^2 + 1)^{1/2} \right) + 3 a b^2 \left( \frac{1}{3} c^3 x^3 \arcsin(c x)^2 + \frac{2}{9} \arcsin(c x) (c^2 x^2 + 2) (-c^2 x^2 + 1)^{1/2} - \frac{2}{27} c^3 x^3 - \frac{4}{9} c x \right) + 3 a^2 b \left( \frac{1}{3} c^3 x^3 \arcsin(c x) + \frac{1}{9} c^2 x^2 (-c^2 x^2 + 1)^{1/2} + \frac{2}{9} (-c^2 x^2 + 1)^{1/2} \right) \right)$

**Maxima [A]**

time = 0.51, size = 273, normalized size = 1.53

$$\frac{1}{3} b^3 x^3 \arcsin(c x)^3 + a b^2 x^3 \arcsin(c x)^2 + \frac{1}{3} a^2 x^3 + \frac{1}{3} \left( 3 x^3 \arcsin(c x) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2 + 2 \sqrt{-c^2 x^2 + 1}}{c^2} \right) \right) a b^2 + \frac{2}{9} \left( 3 c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2 + 2 \sqrt{-c^2 x^2 + 1}}{c^2} \right) \arcsin(c x) - \frac{c^2 x^3 + 6 x}{c^2} \right) a b^2 + \frac{1}{27} \left( 9 c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2 + 2 \sqrt{-c^2 x^2 + 1}}{c^2} \right) \arcsin(c x)^2 - 2 c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2 + 2 \sqrt{-c^2 x^2 + 1}}{c^2} + \frac{3 (c^2 x^3 + 6 x) \arcsin(c x)}{c^2} \right) \right) b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^3,x, algorithm="maxima")`

[Out]  $\frac{1}{3} b^3 x^3 \arcsin(c x)^3 + a b^2 x^3 \arcsin(c x)^2 + \frac{1}{3} a^3 x^3 + \frac{1}{3} (3 x^3 \arcsin(c x) + c (\sqrt{-c^2 x^2 + 1} x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4)) a^2 b + \frac{2}{9} (3 c (\sqrt{-c^2 x^2 + 1} x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4) \arcsin(c x) - (c^2 x^3 + 6 x) / c^2) a b^2 + \frac{1}{27} (9 c (\sqrt{-c^2 x^2 + 1} x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4) \arcsin(c x)^2 - 2 c ((\sqrt{-c^2 x^2 + 1} x^2 + 20 \sqrt{-c^2 x^2 + 1} / c^2) / c^2 + 3 (c^2 x^3 + 6 x) \arcsin(c x) / c^3)) b^3$

**Fricas [A]**

time = 2.22, size = 194, normalized size = 1.09

$$\frac{9 b^3 c^3 x^3 \arcsin(c x)^3 + 27 a b^2 c^3 x^3 \arcsin(c x)^2 + 3 (3 a^3 - 2 a b^2) c^3 x^3 - 36 a b^2 c x + 3 (9 a^2 b - 2 b^3) c^2 x^2 - 12 b^3 c x) \arcsin(c x) + ((9 a^2 b - 2 b^3) c^2 x^2 + 18 a^2 b - 40 b^3 + 9 (b^3 c^2 x^2 + 2 b^3) \arcsin(c x)^2 + 18 (a b^2 c^2 x^2 + 2 a b^2) \arcsin(c x)) \sqrt{-c^2 x^2 + 1}}{27 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^3,x, algorithm="fricas")`

[Out]  $\frac{1}{27} (9 b^3 c^3 x^3 \arcsin(c x)^3 + 27 a b^2 c^3 x^3 \arcsin(c x)^2 + 3 (3 a^3 - 2 a b^2) c^3 x^3 - 36 a b^2 c x + 3 ((9 a^2 b - 2 b^3) c^3 x^3 - 12 b^3 (3 c x) \arcsin(c x) + ((9 a^2 b - 2 b^3) c^2 x^2 + 18 a^2 b - 40 b^3 + 9 (b^3 c^2 x^2 + 2 b^3) \arcsin(c x)^2 + 18 (a b^2 c^2 x^2 + 2 a b^2) \arcsin(c x)) \sqrt{-c^2 x^2 + 1}) / c^3$

**Sympy [A]**

time = 0.38, size = 328, normalized size = 1.84

$$\left( \frac{a^3 x^3 + a^2 b x^3 \arcsin(c x) + \frac{2 b^2 x^3 \sqrt{-c^2 x^2 + 1}}{2 c} + \frac{3 a^2 b x^3 \sqrt{-c^2 x^2 + 1}}{3 c} + a b^2 x^3 \arcsin^2(c x) - \frac{3 a b^2 x^3}{3} + \frac{3 a^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} - \frac{3 a b^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} + \frac{b^2 x^3 \arcsin^3(c x)}{3} - \frac{3 a^2 x^3 \arcsin(c x)}{3 c} + \frac{b^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin^2(c x)}{3 c} - \frac{3 a b^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin^2(c x)}{3 c} + \frac{3 a^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} - \frac{3 a b^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} + \frac{3 a^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} - \frac{3 a b^2 x^3 \sqrt{-c^2 x^2 + 1} \arcsin(c x)}{3 c} \right) \text{ for } c \neq 0$$

otherwise

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*asin(c*x))**3,x)`

```
[Out] Piecewise((a**3*x**3/3 + a**2*b*x**3*asin(c*x) + a**2*b*x**2*sqrt(-c**2*x**
2 + 1)/(3*c) + 2*a**2*b*sqrt(-c**2*x**2 + 1)/(3*c**3) + a*b**2*x**3*asin(c*
x)**2 - 2*a*b**2*x**3/9 + 2*a*b**2*x**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(3*c
) - 4*a*b**2*x/(3*c**2) + 4*a*b**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(3*c**3)
+ b**3*x**3*asin(c*x)**3/3 - 2*b**3*x**3*asin(c*x)/9 + b**3*x**2*sqrt(-c**2
*x**2 + 1)*asin(c*x)**2/(3*c) - 2*b**3*x**2*sqrt(-c**2*x**2 + 1)/(27*c) - 4
*b**3*x*asin(c*x)/(3*c**2) + 2*b**3*sqrt(-c**2*x**2 + 1)*asin(c*x)**2/(3*c
**3) - 40*b**3*sqrt(-c**2*x**2 + 1)/(27*c**3), Ne(c, 0)), (a**3*x**3/3, True
))
```

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 368 vs. 2(154) = 308.

time = 0.44, size = 368, normalized size = 2.07

$\frac{1}{3}a^3 + \frac{c^2x^2 - 10b^2x \arcsin(cx)}{9c^2}, \frac{c^2x^2 - 10b^2x \arcsin(cx)}{9c^2}, \frac{b^2x \arcsin(cx)}{3c^2}, \frac{c^2x^2 - 10b^2x \arcsin(cx)}{9c^2}, \frac{2c^2x^2 - 10b^2x \arcsin(cx)}{9c^2}, \frac{a^2x \arcsin(cx)}{3c^2}, \frac{(-c^2x^2 + 1)b^3}{3c^2}, \frac{2c^2x^2 - 10b^2x}{9c^2}, \frac{a^2x \arcsin(cx)}{3c^2}, \frac{14b^2x \arcsin(cx)}{9c^2}, \frac{2(-c^2x^2 + 1)b^3 \arcsin(cx)}{3c^2}, \frac{\sqrt{-c^2x^2 + 1}b^3 \arcsin(cx)}{c^2}, \frac{14a^2x}{9c^2}, \frac{(-c^2x^2 + 1)b^3}{9c^2}, \frac{2(-c^2x^2 + 1)b^3}{27c^2}, \frac{2\sqrt{-c^2x^2 + 1}b^3 \arcsin(cx)}{c^2}, \frac{\sqrt{-c^2x^2 + 1}b^3}{c^2}, \frac{14\sqrt{-c^2x^2 + 1}b^3}{9c^2}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^3,x, algorithm="giac")
```

```
[Out] 1/3*a^3*x^3 + 1/3*(c^2*x^2 - 1)*b^3*x*arcsin(c*x)^3/c^2 + (c^2*x^2 - 1)*a*b
^2*x*arcsin(c*x)^2/c^2 + 1/3*b^3*x*arcsin(c*x)^3/c^2 + (c^2*x^2 - 1)*a^2*b*
x*arcsin(c*x)/c^2 - 2/9*(c^2*x^2 - 1)*b^3*x*arcsin(c*x)/c^2 + a*b^2*x*arcsi
n(c*x)^2/c^2 - 1/3*(-c^2*x^2 + 1)^(3/2)*b^3*arcsin(c*x)^2/c^3 - 2/9*(c^2*x^
2 - 1)*a*b^2*x/c^2 + a^2*b*x*arcsin(c*x)/c^2 - 14/9*b^3*x*arcsin(c*x)/c^2 -
2/3*(-c^2*x^2 + 1)^(3/2)*a*b^2*arcsin(c*x)/c^3 + sqrt(-c^2*x^2 + 1)*b^3*ar
csin(c*x)^2/c^3 - 14/9*a*b^2*x/c^2 - 1/3*(-c^2*x^2 + 1)^(3/2)*a^2*b/c^3 + 2
/27*(-c^2*x^2 + 1)^(3/2)*b^3/c^3 + 2*sqrt(-c^2*x^2 + 1)*a*b^2*arcsin(c*x)/c
^3 + sqrt(-c^2*x^2 + 1)*a^2*b/c^3 - 14/9*sqrt(-c^2*x^2 + 1)*b^3/c^3
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \operatorname{asin}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*asin(c*x))^3,x)
```

```
[Out] int(x^2*(a + b*asin(c*x))^3, x)
```

### 3.154 $\int x(a + b\text{ArcSin}(cx))^3 dx$

**Optimal.** Leaf size=125

$$-\frac{3b^3x\sqrt{1-c^2x^2}}{8c} + \frac{3b^3\text{ArcSin}(cx)}{8c^2} - \frac{3}{4}b^2x^2(a+b\text{ArcSin}(cx)) + \frac{3bx\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{4c} - \frac{(a+b\text{ArcSin}(cx))^3}{4c^2}$$

[Out]  $3/8*b^3*\arcsin(c*x)/c^2-3/4*b^2*x^2*(a+b*\arcsin(c*x))-1/4*(a+b*\arcsin(c*x))^3/c^2+1/2*x^2*(a+b*\arcsin(c*x))^3-3/8*b^3*x*(-c^2*x^2+1)^(1/2)/c+3/4*b*x*(a+b*\arcsin(c*x))^2*(-c^2*x^2+1)^(1/2)/c$

**Rubi [A]**

time = 0.15, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ ,

Rules used = {4723, 4795, 4737, 327, 222}

$$-\frac{3}{4}b^2x^2(a+b\text{ArcSin}(cx)) + \frac{3bx\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{4c} - \frac{(a+b\text{ArcSin}(cx))^3}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^3 + \frac{3b^3\text{ArcSin}(cx)}{8c^2} - \frac{3b^3x\sqrt{1-c^2x^2}}{8c}$$

Antiderivative was successfully verified.

[In] Int[x\*(a + b\*ArcSin[c\*x])^3,x]

[Out]  $(-3*b^3*x*\text{Sqrt}[1 - c^2*x^2])/(8*c) + (3*b^3*\text{ArcSin}[c*x])/(8*c^2) - (3*b^2*x^2*(a + b*\text{ArcSin}[c*x]))/4 + (3*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*c) - (a + b*\text{ArcSin}[c*x])^3/(4*c^2) + (x^2*(a + b*\text{ArcSin}[c*x])^3)/2$

Rule 222

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 327

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[c^(n-1)\*(c\*x)^(m-n+1)\*((a+b\*x^n)^(p+1)/(b\*(m+n\*p+1))), x] - Dist[a\*c^n\*((m-n+1)/(b\*(m+n\*p+1))), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^n/(d\*(m+1))), x] - Dist[b\*c\*(n/(d\*(m+1))), Int[(d\*x)^(m+1)\*((a+b\*ArcSin[c\*x])^(n-1)/Sqrt[1-c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && NeQ[n, -1]
```

#### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

#### Rubi steps

$$\begin{aligned}
\int x(a + b \sin^{-1}(cx))^3 dx &= \frac{1}{2}x^2(a + b \sin^{-1}(cx))^3 - \frac{1}{2}(3bc) \int \frac{x^2(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{4c} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^3 - \frac{1}{2}(3b^2) \int x(a + b \sin^{-1}(cx))^2 dx \\
&= -\frac{3}{4}b^2x^2(a + b \sin^{-1}(cx)) + \frac{3bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{4c} - \frac{(a + b \sin^{-1}(cx))^3}{4c^2} \\
&= -\frac{3b^3x\sqrt{1 - c^2x^2}}{8c} - \frac{3}{4}b^2x^2(a + b \sin^{-1}(cx)) + \frac{3bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{4c} \\
&= -\frac{3b^3x\sqrt{1 - c^2x^2}}{8c} + \frac{3b^3 \sin^{-1}(cx)}{8c^2} - \frac{3}{4}b^2x^2(a + b \sin^{-1}(cx)) + \frac{3bx\sqrt{1 - c^2x^2}}{4c}
\end{aligned}$$

#### Mathematica [A]

time = 0.09, size = 114, normalized size = 0.91

$$\frac{6bcx\sqrt{1 - c^2x^2}(a + b \operatorname{ArcSin}(cx))^2 - 2(a + b \operatorname{ArcSin}(cx))^3 + 4c^2x^2(a + b \operatorname{ArcSin}(cx))^3 - 3b^2\left(cx(2acx + b\sqrt{1 - c^2x^2}) + b(-1 + 2c^2x^2) \operatorname{ArcSin}(cx)\right)}{8c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*ArcSin[c\*x])^3,x]

[Out] (6\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2 - 2\*(a + b\*ArcSin[c\*x])^3 + 4\*c^2\*x^2\*(a + b\*ArcSin[c\*x])^3 - 3\*b^2\*(c\*x\*(2\*a\*c\*x + b\*Sqrt[1 - c^2\*x^2]) + b\*(-1 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/(8\*c^2)

**Maple [A]**

time = 0.03, size = 219, normalized size = 1.75

method	result
derivativedivides	$\frac{c^2 x^2 a^3}{2} + b^3 \left( \frac{(c^2 x^2 - 1) \arcsin(cx)^3}{2} + \frac{3 \arcsin(cx)^2 (cx \sqrt{-c^2 x^2 + 1} + \arcsin(cx))}{4} - \frac{3(c^2 x^2 - 1) \arcsin(cx)}{4} - \frac{3cx \sqrt{-c^2 x^2}}{8} \right)$
default	$\frac{c^2 x^2 a^3}{2} + b^3 \left( \frac{(c^2 x^2 - 1) \arcsin(cx)^3}{2} + \frac{3 \arcsin(cx)^2 (cx \sqrt{-c^2 x^2 + 1} + \arcsin(cx))}{4} - \frac{3(c^2 x^2 - 1) \arcsin(cx)}{4} - \frac{3cx \sqrt{-c^2 x^2}}{8} \right)$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x\*(a+b\*arcsin(c\*x))^3,x,method=\_RETURNVERBOSE)

**[Out]**  $1/c^2 * (1/2 * c^2 * x^2 * a^3 + b^3 * (1/2 * (c^2 * x^2 - 1) * \arcsin(c * x)^3 + 3/4 * \arcsin(c * x)^2 * (c * x * (-c^2 * x^2 + 1)^{(1/2)} + \arcsin(c * x)) - 3/4 * (c^2 * x^2 - 1) * \arcsin(c * x) - 3/8 * c * x * (-c^2 * x^2 + 1)^{(1/2)} - 3/8 * \arcsin(c * x) - 1/2 * \arcsin(c * x)^3) + 3 * a * b^2 * (1/2 * (c^2 * x^2 - 1) * \arcsin(c * x)^2 + 1/2 * \arcsin(c * x) * (c * x * (-c^2 * x^2 + 1)^{(1/2)} + \arcsin(c * x)) - 1/4 * \arcsin(c * x)^2 - 1/4 * c^2 * x^2) + 3 * a^2 * b * (1/2 * c^2 * x^2 * \arcsin(c * x) + 1/4 * c * x * (-c^2 * x^2 + 1)^{(1/2)} - 1/4 * \arcsin(c * x)))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x\*(a+b\*arcsin(c\*x))^3,x, algorithm="maxima")

**[Out]**  $1/2 * b^3 * x^2 * \arctan2(c * x, \sqrt{c * x + 1}) * \sqrt{-c * x + 1})^3 + 1/2 * a^3 * x^2 + 3/4 * (2 * x^2 * \arcsin(c * x) + c * (\sqrt{-c^2 * x^2 + 1}) * x / c^2 - \arcsin(c * x) / c^3) * a^2 * b + \int (3/2 * (\sqrt{c * x + 1}) * \sqrt{-c * x + 1}) * b^3 * c * x^2 * \arctan2(c * x, \sqrt{c * x + 1}) * \sqrt{-c * x + 1})^2 + 2 * (a * b^2 * c^2 * x^3 - a * b^2 * x) * \arctan2(c * x, \sqrt{c * x + 1}) * \sqrt{-c * x + 1})^2 / (c^2 * x^2 - 1), x$

**Fricas [A]**

time = 2.48, size = 169, normalized size = 1.35

$$\frac{2(2a^3 - 3ab^2)c^2x^2 + 2(2b^3c^2x^2 - b^3)\arcsin(cx)^3 + 6(2ab^2c^2x^2 - ab^2)\arcsin(cx)^2 + 3(2(2a^2b - b^3)c^2x^2 - 2a^2b + b^3)\arcsin(cx) + 3(2b^3cx\arcsin(cx)^2 + 4ab^2cx\arcsin(cx) + (2a^2b - b^3)cx)\sqrt{-c^2x^2 + 1}}{8c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x\*(a+b\*arcsin(c\*x))^3,x, algorithm="fricas")

**[Out]**  $1/8 * (2 * (2 * a^3 - 3 * a * b^2) * c^2 * x^2 + 2 * (2 * b^3 * c^2 * x^2 - b^3) * \arcsin(c * x)^3 + 6 * (2 * a * b^2 * c^2 * x^2 - a * b^2) * \arcsin(c * x)^2 + 3 * (2 * (2 * a^2 * b - b^3) * c^2 * x^2 -$

$2a^2b + b^3 \arcsin(cx) + 3(2b^3cx \arcsin(cx)^2 + 4ab^2cx \arcsin(cx) + (2a^2b - b^3)cx) \sqrt{-c^2x^2 + 1} / c^2$

**Sympy [B]** Leaf count of result is larger than twice the leaf count of optimal. 264 vs. 2(116) = 232.

time = 0.26, size = 264, normalized size = 2.11

$$\begin{cases} \frac{c^2x^2}{2} + \frac{3a^2bx \arcsin(cx)}{2} + \frac{3a^2bx \sqrt{-c^2x^2 + 1}}{4c} - \frac{3a^2b \arcsin(cx)}{4c} + \frac{3ab^2x^2 \arcsin^2(cx)}{2} - \frac{3ab^2x^2}{4} + \frac{3ab^2x \sqrt{-c^2x^2 + 1} \arcsin(cx)}{2c} - \frac{3ab^2 \arcsin^2(cx)}{4c^2} + \frac{b^3x^2 \arcsin^3(cx)}{2} - \frac{3b^3x \arcsin(cx)}{4c} + \frac{3b^3x \sqrt{-c^2x^2 + 1} \arcsin^2(cx)}{4c} - \frac{3b^3x \sqrt{-c^2x^2 + 1}}{8c} - \frac{b^3 \arcsin^3(cx)}{4c^2} + \frac{3b^3 \arcsin(cx)}{8c^2} & \text{for } c \neq 0 \\ \frac{a^2x^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*3,x)

[Out] Piecewise((a\*\*3\*x\*\*2/2 + 3\*a\*\*2\*b\*x\*\*2\*asin(c\*x)/2 + 3\*a\*\*2\*b\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4\*c) - 3\*a\*\*2\*b\*asin(c\*x)/(4\*c\*\*2) + 3\*a\*b\*\*2\*x\*\*2\*asin(c\*x)\*\*2/2 - 3\*a\*b\*\*2\*x\*\*2/4 + 3\*a\*b\*\*2\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(2\*c) - 3\*a\*b\*\*2\*asin(c\*x)\*\*2/(4\*c\*\*2) + b\*\*3\*x\*\*2\*asin(c\*x)\*\*3/2 - 3\*b\*\*3\*x\*\*2\*asin(c\*x)/4 + 3\*b\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)\*\*2/(4\*c) - 3\*b\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(8\*c) - b\*\*3\*asin(c\*x)\*\*3/(4\*c\*\*2) + 3\*b\*\*3\*asin(c\*x)/(8\*c\*\*2), Ne(c, 0)), (a\*\*3\*x\*\*2/2, True))

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 285 vs. 2(109) = 218.

time = 0.42, size = 285, normalized size = 2.28

$$\frac{3\sqrt{-c^2x^2+1}b^3x \arcsin(cx)^3}{4c} + \frac{c^2x^2-1}{2c^2}b^3 \arcsin(cx)^3 + \frac{3\sqrt{-c^2x^2+1}ab^2x \arcsin(cx)}{2c} + \frac{3(c^2x^2-1)ab^2 \arcsin(cx)^3}{2c^2} - \frac{b^3 \arcsin(cx)^3}{4c^2} + \frac{3\sqrt{-c^2x^2+1}a^2bx}{4c} - \frac{3\sqrt{-c^2x^2+1}b^3x}{8c} + \frac{3(c^2x^2-1)b^2b \arcsin(cx)}{2c^2} - \frac{3(c^2x^2-1)b^3 \arcsin(cx)}{4c^2} + \frac{3ab^2 \arcsin(cx)^3}{4c^2} + \frac{c^2x^2-1}{2c^2}a^2b^2 - \frac{3(c^2x^2-1)ab^2}{4c^2} + \frac{3a^2b \arcsin(cx)}{4c^2} - \frac{3b^3 \arcsin(cx)}{8c^2} - \frac{3ab^2}{8c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out]  $\frac{3}{4} \sqrt{-c^2x^2 + 1} b^3 x \arcsin(cx)^2 / c + \frac{1}{2} (c^2x^2 - 1) b^3 \arcsin(cx)^3 / c^2 + \frac{3}{2} \sqrt{-c^2x^2 + 1} a b^2 x \arcsin(cx) / c + \frac{3}{2} (c^2x^2 - 1) a b^2 \arcsin(cx)^2 / c^2 + \frac{1}{4} b^3 \arcsin(cx)^3 / c^2 + \frac{3}{4} \sqrt{-c^2x^2 + 1} a^2 b x / c - \frac{3}{8} \sqrt{-c^2x^2 + 1} b^3 x / c + \frac{3}{2} (c^2x^2 - 1) a^2 b \arcsin(cx) / c^2 - \frac{3}{4} (c^2x^2 - 1) b^3 \arcsin(cx) / c^2 + \frac{3}{4} a b^2 \arcsin(cx)^2 / c^2 + \frac{1}{2} (c^2x^2 - 1) a^3 / c^2 - \frac{3}{4} (c^2x^2 - 1) a b^2 / c^2 + \frac{3}{4} a^2 b \arcsin(cx) / c^2 - \frac{3}{8} b^3 \arcsin(cx) / c^2 - \frac{3}{8} a b^2 / c^2$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \arcsin(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*asin(c\*x))^3,x)

[Out] int(x\*(a + b\*asin(c\*x))^3, x)

### 3.155 $\int (a + b\text{ArcSin}(cx))^3 dx$

**Optimal.** Leaf size=82

$$-6ab^2x - \frac{6b^3\sqrt{1-c^2x^2}}{c} - 6b^3x\text{ArcSin}(cx) + \frac{3b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{c} + x(a+b\text{ArcSin}(cx))^3$$

[Out]  $-6*a*b^2*x - 6*b^3*x*\arcsin(c*x) + x*(a+b*\arcsin(c*x))^3 - 6*b^3*(-c^2*x^2+1)^{(1/2)}/c + 3*b*(a+b*\arcsin(c*x))^2*(-c^2*x^2+1)^{(1/2)}/c$

**Rubi [A]**

time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {4715, 4767, 267}

$$\frac{3b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^2}{c} + x(a+b\text{ArcSin}(cx))^3 - 6ab^2x - 6b^3x\text{ArcSin}(cx) - \frac{6b^3\sqrt{1-c^2x^2}}{c}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSin[c*x])^3, x]`

[Out]  $-6*a*b^2*x - (6*b^3*\text{Sqrt}[1 - c^2*x^2])/c - 6*b^3*x*\text{ArcSin}[c*x] + (3*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/c + x*(a + b*\text{ArcSin}[c*x])^3$

Rule 267

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]`

Rule 4715

`Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]`

Rule 4767

`Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)*(x)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p + 1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]`

Rubi steps



$$\begin{aligned}
\int (a + b \sin^{-1}(cx))^3 dx &= x(a + b \sin^{-1}(cx))^3 - (3bc) \int \frac{x(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c} + x(a + b \sin^{-1}(cx))^3 - (6b^2) \int (a + b \sin^{-1}(cx)) dx \\
&= -6ab^2x + \frac{3b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c} + x(a + b \sin^{-1}(cx))^3 - (6b^3) \int \sin^{-1}(cx) dx \\
&= -6ab^2x - 6b^3x \sin^{-1}(cx) + \frac{3b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c} + x(a + b \sin^{-1}(cx))^3 \\
&= -6ab^2x - \frac{6b^3\sqrt{1 - c^2x^2}}{c} - 6b^3x \sin^{-1}(cx) + \frac{3b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c} + x(a + b \sin^{-1}(cx))^3
\end{aligned}$$

**Mathematica [A]**

time = 0.05, size = 77, normalized size = 0.94

$$x(a + b \text{ArcSin}(cx))^3 + \frac{3b\left(\sqrt{1 - c^2x^2} (a + b \text{ArcSin}(cx))^2 - 2b\left( acx + b\sqrt{1 - c^2x^2} + bcx \text{ArcSin}(cx) \right)\right)}{c}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*ArcSin[c\*x])^3,x]**[Out]** x\*(a + b\*ArcSin[c\*x])^3 + (3\*b\*(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2 - 2\*b\*(a\*c\*x + b\*Sqrt[1 - c^2\*x^2] + b\*c\*x\*ArcSin[c\*x]))) / c**Maple [A]**

time = 0.02, size = 132, normalized size = 1.61

method	result
derivativedivides	$\frac{cx a^3 + b^3 \left( cx \arcsin(cx)^3 + 3 \arcsin(cx)^2 \sqrt{-c^2x^2 + 1} - 6 \sqrt{-c^2x^2 + 1} - 6cx \arcsin(cx) \right) + 3ab^2 \left( cx \arcsin(cx)^2 \right)}{c}$
default	$\frac{cx a^3 + b^3 \left( cx \arcsin(cx)^3 + 3 \arcsin(cx)^2 \sqrt{-c^2x^2 + 1} - 6 \sqrt{-c^2x^2 + 1} - 6cx \arcsin(cx) \right) + 3ab^2 \left( cx \arcsin(cx)^2 \right)}{c}$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((a+b\*arcsin(c\*x))^3,x,method=\_RETURNVERBOSE)**[Out]** 1/c\*(c\*x\*a^3+b^3\*(c\*x\*arcsin(c\*x)^3+3\*arcsin(c\*x)^2\*(-c^2\*x^2+1)^(1/2)-6\*(-c^2\*x^2+1)^(1/2)-6\*c\*x\*arcsin(c\*x))+3\*a\*b^2\*(c\*x\*arcsin(c\*x)^2-2\*c\*x+2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2))+3\*a^2\*b\*(c\*x\*arcsin(c\*x)+(-c^2\*x^2+1)^(1/2)))

**Maxima [A]**

time = 0.49, size = 141, normalized size = 1.72

$$b^3 x \arcsin(cx)^3 + 3 ab^2 x \arcsin(cx)^2 + 3 \left( \frac{\sqrt{-c^2 x^2 + 1} \arcsin(cx)^2}{c} - \frac{2(cx \arcsin(cx) + \sqrt{-c^2 x^2 + 1})}{c} \right) b^3 - 6 ab^2 \left( x - \frac{\sqrt{-c^2 x^2 + 1} \arcsin(cx)}{c} \right) + a^3 x + \frac{3(cx \arcsin(cx) + \sqrt{-c^2 x^2 + 1}) a^2 b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*arcsin(c\*x))^3,x, algorithm="maxima")

**[Out]**  $b^3 x \arcsin(c x)^3 + 3 a b^2 x \arcsin(c x)^2 + 3 (\sqrt{-c^2 x^2 + 1} \arcsin(c x)^2 / c - 2 (c x \arcsin(c x) + \sqrt{-c^2 x^2 + 1}) / c) b^3 - 6 a b^2 (x - \sqrt{-c^2 x^2 + 1} \arcsin(c x) / c) + a^3 x + 3 (c x \arcsin(c x) + \sqrt{-c^2 x^2 + 1}) a^2 b / c$

**Fricas [A]**

time = 1.48, size = 108, normalized size = 1.32

$$\frac{b^3 c x \arcsin(cx)^3 + 3 ab^2 c x \arcsin(cx)^2 + 3(a^2 b - 2 b^3) c x \arcsin(cx) + (a^3 - 6 ab^2) c x + 3(b^3 \arcsin(cx)^2 + 2 ab^2 \arcsin(cx) + a^2 b - 2 b^3) \sqrt{-c^2 x^2 + 1}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*arcsin(c\*x))^3,x, algorithm="fricas")

**[Out]**  $(b^3 c x \arcsin(c x)^3 + 3 a b^2 c x \arcsin(c x)^2 + 3(a^2 b - 2 b^3) c x \arcsin(c x) + (a^3 - 6 a b^2) c x + 3(b^3 \arcsin(c x)^2 + 2 a b^2 \arcsin(c x) + a^2 b - 2 b^3) \sqrt{-c^2 x^2 + 1}) / c$

**Sympy [B]** Leaf count of result is larger than twice the leaf count of optimal. 160 vs. 2(76) = 152.

time = 0.15, size = 160, normalized size = 1.95

$$\begin{cases} a^3 x + 3 a^2 b x \arcsin(cx) + \frac{3 a^2 b \sqrt{-c^2 x^2 + 1}}{c} + 3 a b^2 x \arcsin^2(cx) - 6 a b^2 x + \frac{6 a b^2 \sqrt{-c^2 x^2 + 1} \arcsin(cx)}{c} + b^3 x \arcsin^3(cx) - 6 b^3 x \arcsin(cx) + \frac{3 b^3 \sqrt{-c^2 x^2 + 1} \arcsin^2(cx)}{c} - \frac{6 b^3 \sqrt{-c^2 x^2 + 1}}{c} & \text{for } c \neq 0 \\ a^3 x & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+b\*asin(c\*x))\*\*3,x)

**[Out]** Piecewise((a\*\*3\*x + 3\*a\*\*2\*b\*x\*asin(c\*x) + 3\*a\*\*2\*b\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + 3\*a\*b\*\*2\*x\*asin(c\*x)\*\*2 - 6\*a\*b\*\*2\*x + 6\*a\*b\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/c + b\*\*3\*x\*asin(c\*x)\*\*3 - 6\*b\*\*3\*x\*asin(c\*x) + 3\*b\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)\*\*2/c - 6\*b\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/c, Ne(c, 0)), (a\*\*3\*x, True))

**Giac [A]**

time = 0.42, size = 150, normalized size = 1.83

$$b^3 x \arcsin(cx)^3 + 3 ab^2 x \arcsin(cx)^2 + 3 a^2 b x \arcsin(cx) - 6 b^3 x \arcsin(cx) + \frac{3 \sqrt{-c^2 x^2 + 1} b^3 \arcsin(cx)^2}{c} + a^3 x - 6 ab^2 x + \frac{6 \sqrt{-c^2 x^2 + 1} ab^2 \arcsin(cx)}{c} + \frac{3 \sqrt{-c^2 x^2 + 1} a^2 b}{c} - \frac{6 \sqrt{-c^2 x^2 + 1} b^3}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out]  $b^3 x \arcsin(cx)^3 + 3 a b^2 x \arcsin(cx)^2 + 3 a^2 b x \arcsin(cx) - 6 b^3 x \arcsin(cx) + 3 \sqrt{-c^2 x^2 + 1} b^3 \arcsin(cx)^2 / c + a^3 x - 6 a b^2 x + 6 \sqrt{-c^2 x^2 + 1} a b^2 \arcsin(cx) / c + 3 \sqrt{-c^2 x^2 + 1} a^2 b / c - 6 \sqrt{-c^2 x^2 + 1} b^3 / c$

**Mupad [B]**

time = 0.41, size = 242, normalized size = 2.95

$$\begin{cases} a^3 x - b^3 \left( x (6 \arcsin(cx) - \arcsin(cx)^3) - \sqrt{\frac{1}{c^2} - x^2} (3 \arcsin(cx)^2 - 6) \right) + 3 a b^2 \left( x (\arcsin(cx)^2 - 2) + 2 \arcsin(cx) \sqrt{\frac{1}{c^2} - x^2} \right) + \frac{3 a^2 b (\sqrt{1 - c^2 x^2} + c x \arcsin(cx))}{c} & \text{if } 0 < c \\ a^3 x + \frac{3 a^2 b (\sqrt{1 - c^2 x^2} + c x \arcsin(cx))}{c} + 3 a b^2 x (\arcsin(cx)^2 - 2) + b^3 x \arcsin(cx) (\arcsin(cx)^2 - 6) + \frac{3 b^3 \sqrt{1 - c^2 x^2} (\arcsin(cx)^2 - 2)}{c} + \frac{6 a b^2 \arcsin(cx) \sqrt{1 - c^2 x^2}}{c} & \text{if } -0 < c \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^3,x)

[Out]  $\text{piecewise}(0 < c, a^3 x - b^3 (x (6 \arcsin(cx) - \arcsin(cx)^3) - (1/c^2 - x^2)^{(1/2)} (3 \arcsin(cx)^2 - 6)) + 3 a b^2 (x (\arcsin(cx)^2 - 2) + 2 \arcsin(cx) (1/c^2 - x^2)^{(1/2)}) + (3 a^2 b ((-c^2 x^2 + 1)^{(1/2)} + c x \arcsin(cx)))/c, \sim 0 < c, a^3 x + (3 a^2 b ((-c^2 x^2 + 1)^{(1/2)} + c x \arcsin(cx)))/c + 3 a b^2 x (\arcsin(cx)^2 - 2) + b^3 x \arcsin(cx) (\arcsin(cx)^2 - 6) + (3 b^3 (-c^2 x^2 + 1)^{(1/2)} (\arcsin(cx)^2 - 2))/c + (6 a b^2 \arcsin(cx) (-c^2 x^2 + 1)^{(1/2)})/c)$

### 3.156 $\int \frac{(a+b\text{ArcSin}(cx))^3}{x} dx$

**Optimal.** Leaf size=123

$$-\frac{i(a+b\text{ArcSin}(cx))^4}{4b} + (a+b\text{ArcSin}(cx))^3 \log(1 - e^{2i\text{ArcSin}(cx)}) - \frac{3}{2}ib(a+b\text{ArcSin}(cx))^2 \text{PolyLog}(2, e^{2i\text{ArcSin}(cx)})$$

[Out]  $-1/4*I*(a+b*\arcsin(c*x))^4/b + (a+b*\arcsin(c*x))^3*\ln(1-(I*c*x+(-c^2*x^2+1)^(1/2))^2) - 3/2*I*b*(a+b*\arcsin(c*x))^2*\text{polylog}(2, (I*c*x+(-c^2*x^2+1)^(1/2))^2) + 3/2*b^2*(a+b*\arcsin(c*x))*\text{polylog}(3, (I*c*x+(-c^2*x^2+1)^(1/2))^2) + 3/4*I*b^3*\text{polylog}(4, (I*c*x+(-c^2*x^2+1)^(1/2))^2)$

**Rubi [A]**

time = 0.11, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ ,

Rules used = {4721, 3798, 2221, 2611, 6744, 2320, 6724}

$$\frac{3}{2}i^2\text{Li}_3(e^{2i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx)) - \frac{3}{2}ib\text{Li}_2(e^{2i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx))^2 - \frac{i(a+b\text{ArcSin}(cx))^4}{4b} + \log(1 - e^{2i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx))^3 + \frac{3}{4}ib^3\text{Li}_4(e^{2i\text{ArcSin}(cx)})$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^3/x, x]$

[Out]  $((-1/4*I)*(a + b*\text{ArcSin}[c*x])^4)/b + (a + b*\text{ArcSin}[c*x])^3*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] - ((3*I)/2)*b*(a + b*\text{ArcSin}[c*x])^2*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}] + (3*b^2*(a + b*\text{ArcSin}[c*x])*PolyLog[3, E^{((2*I)*\text{ArcSin}[c*x])}])/2 + ((3*I)/4)*b^3*\text{PolyLog}[4, E^{((2*I)*\text{ArcSin}[c*x])}]$

Rule 2221

$\text{Int}[(((F_)^((g_)*((e_) + (f_)*(x_))))^((n_)*((c_) + (d_)*(x_))^(m_)))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^((n_))), x\_Symbol] :> \text{Simp}[(c + d*x)^m/(b*f*g*n*\text{Log}[F])]*\text{Log}[1 + b*((F)^(g*(e + f*x)))^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*\text{Log}[F])), \text{Int}[(c + d*x)^(m - 1)*\text{Log}[1 + b*((F)^(g*(e + f*x)))^n/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGTQ}[m, 0]$

Rule 2320

$\text{Int}[u, x\_Symbol] :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v)^(n_))^(m_)] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^{((c_)*((a_) + (b_)*x))*}(F_)[v_] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]$

Rule 2611

$\text{Int}[\text{Log}[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^((n_))]*((f_) + (g_)*(x_))^(m_), x\_Symbol] :> \text{Simp}[(-f + g*x)^m*(\text{PolyLog}[2, (-e)*(F)^(c*(a +$

$b*x))^{n}/(b*c*n*\text{Log}[F]), x] + \text{Dist}[g*(m/(b*c*n*\text{Log}[F])), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, (-e)*(F^{(c*(a + b*x))}^{n}), x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

#### Rule 3798

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\tan[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)]}, x\_Symbol] \rightarrow \text{Simp}[I*((c + d*x)^{(m + 1)}/(d*(m + 1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)}*(E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)}*E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[4*k] \&\& \text{IGtQ}[m, 0]$

#### Rule 4721

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/(x_.), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cot}[x], x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0]$

#### Rule 6724

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

#### Rule 6744

$\text{Int}[(e_. + (f_.)*(x_.))^{(m_.)*\text{PolyLog}[n_, (d_.)*((F_)^{(c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]}], x\_Symbol] \rightarrow \text{Simp}[(e + f*x)^m*(\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))}^p)/(b*c*p*\text{Log}[F])]), x] - \text{Dist}[f*(m/(b*c*p*\text{Log}[F])), \text{Int}[(e + f*x)^{(m-1)}*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))}^p)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^3}{x} dx &= \text{Subst} \left( \int (a + bx)^3 \cot(x) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} - 2i \text{Subst} \left( \int \frac{e^{2ix}(a + bx)^3}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} + (a + b \sin^{-1}(cx))^3 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - (3b) \text{Subst} \left( \int (a + bx)^2 \cot(x) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} + (a + b \sin^{-1}(cx))^3 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \frac{3}{2} ib(a + b \sin^{-1}(cx))^2 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} + (a + b \sin^{-1}(cx))^3 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \frac{3}{2} ib(a + b \sin^{-1}(cx))^2 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} + (a + b \sin^{-1}(cx))^3 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \frac{3}{2} ib(a + b \sin^{-1}(cx))^2 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) \\
&= -\frac{i(a + b \sin^{-1}(cx))^4}{4b} + (a + b \sin^{-1}(cx))^3 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \frac{3}{2} ib(a + b \sin^{-1}(cx))^2 \log \left( 1 - e^{2i \sin^{-1}(cx)} \right)
\end{aligned}$$

**Mathematica [A]**

time = 0.13, size = 244, normalized size = 1.98

$$a^3 \log(cx) + 3a^2 b \left( \text{ArcSin}[cx] \log(1 - e^{2i \text{ArcSin}[cx]}) - \frac{1}{2} (\text{ArcSin}[cx]^2 + \text{PolyLog}[2, e^{2i \text{ArcSin}[cx]}]) \right) + \frac{3}{2} b^2 (-a^2 + 8a \text{ArcSin}[cx]^2 + 24 \text{ArcSin}[cx]^2 \log(1 - e^{2i \text{ArcSin}[cx]}) + 24 \text{ArcSin}[cx] \text{PolyLog}[2, e^{2i \text{ArcSin}[cx]}] + 12 \text{PolyLog}[3, e^{2i \text{ArcSin}[cx]}]) - \frac{3}{2} b^3 (a^2 - 16a \text{ArcSin}[cx]^2 + 64 \text{ArcSin}[cx]^2 \log(1 - e^{2i \text{ArcSin}[cx]}) - 96 \text{ArcSin}[cx]^2 \text{PolyLog}[2, e^{2i \text{ArcSin}[cx]}] + 96 \text{ArcSin}[cx] \text{PolyLog}[3, e^{2i \text{ArcSin}[cx]}] + 48 \text{PolyLog}[4, e^{2i \text{ArcSin}[cx]}])$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + b\*ArcSin[c\*x])^3/x,x]

**[Out]** a^3\*Log[c\*x] + 3\*a^2\*b\*(ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - (I/2)\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])) + (a\*b^2\*((-I)\*Pi^3 + (8\*I)\*ArcSin[c\*x]^3 + 24\*ArcSin[c\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])]) + (2\*4\*I)\*ArcSin[c\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])] + 12\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])]))/8 - (I/64)\*b^3\*(Pi^4 - 16\*ArcSin[c\*x]^4 + (64\*I)\*ArcSin[c\*x]^3\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])] - 96\*ArcSin[c\*x]^2\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])] + (96\*I)\*ArcSin[c\*x]\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])] + 48\*PolyLog[4, E^((-2\*I)\*ArcSin[c\*x])])

**Maple [B]** Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 591 vs. 2(152) = 304.

time = 0.05, size = 592, normalized size = 4.81

method	result
derivativedivides	$a^3 \ln(cx) - 6ia b^2 \arcsin(cx) \text{polylog}(2, icx + \sqrt{-c^2 x^2 + 1}) + b^3 \arcsin(cx)^3 \ln(1 + icx)$

default

$$a^3 \ln(cx) - 6ia b^2 \arcsin(cx) \operatorname{polylog}(2, icx + \sqrt{-c^2 x^2 + 1}) + b^3 \arcsin(cx)^3 \ln(1 + i)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^3/x,x,method=_RETURNVERBOSE)`

[Out]  $a^3 \ln(cx) - 6I a b^2 \arcsin(cx) \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2}) + b^3 \arcsin(cx)^3 \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) + 6I b^3 \operatorname{polylog}(4, I c x + (-c^2 x^2 + 1)^{1/2}) + 6I b^3 \arcsin(cx) \operatorname{polylog}(3, -I c x - (-c^2 x^2 + 1)^{1/2}) - 3I a^2 b \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2}) + b^3 \arcsin(cx)^3 \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) - 3I a^2 b \operatorname{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) + 6I b^3 \arcsin(cx) \operatorname{polylog}(3, I c x + (-c^2 x^2 + 1)^{1/2}) + 6I b^3 \operatorname{polylog}(4, -I c x - (-c^2 x^2 + 1)^{1/2}) - I a b^2 \arcsin(cx)^3 - 6I a b^2 \arcsin(cx) \operatorname{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) - 3I b^3 \arcsin(cx)^2 \operatorname{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) + 3 a b^2 \arcsin(cx)^2 \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) + 3 a b^2 \arcsin(cx)^2 \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) + 6 a b^2 \operatorname{polylog}(3, I c x + (-c^2 x^2 + 1)^{1/2}) + 6 a b^2 \operatorname{polylog}(3, -I c x - (-c^2 x^2 + 1)^{1/2}) - 1/4 I b^3 \arcsin(cx)^4 + 3 a^2 b \arcsin(cx) \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) + 3 a^2 b \arcsin(cx) \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) - 3/2 I a^2 b \arcsin(cx)^2 - 3 I b^3 \arcsin(cx)^2 \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2})$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^3/x,x, algorithm="maxima")`

[Out]  $a^3 \log(x) + \operatorname{integrate}(b^3 \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1})^3 + 3 a b^2 \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1})^2 + 3 a^2 b \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) / x, x$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^3/x,x, algorithm="fricas")`

[Out]  $\operatorname{integral}(b^3 \arcsin(cx)^3 + 3 a b^2 \arcsin(cx)^2 + 3 a^2 b \arcsin(cx) + a^3) / x, x$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*3/x,x)

[Out] Integral((a + b\*asin(c\*x))\*\*3/x, x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/x,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^3/x, x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^3/x,x)

[Out] int((a + b\*asin(c\*x))^3/x, x)



$$3.157 \quad \int \frac{(a+b\text{ArcSin}(cx))^3}{x^2} dx$$

**Optimal.** Leaf size=137

$$-\frac{(a+b\text{ArcSin}(cx))^3}{x} - 6bc(a+b\text{ArcSin}(cx))^2 \tanh^{-1}(e^{i\text{ArcSin}(cx)}) + 6ib^2c(a+b\text{ArcSin}(cx))\text{PolyLog}(2, -e^{i\text{ArcSin}(cx)})$$

[Out]  $-(a+b*\arcsin(c*x))^3/x - 6*b*c*(a+b*\arcsin(c*x))^2*\arctanh(I*c*x+(-c^2*x^2+1)^{(1/2)}) + 6*I*b^2*c*(a+b*\arcsin(c*x))*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) - 6*I*b^2*c*(a+b*\arcsin(c*x))*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)}) - 6*b^3*c*\text{polylog}(3, -I*c*x-(-c^2*x^2+1)^{(1/2)}) + 6*b^3*c*\text{polylog}(3, I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Rubi [A]**

time = 0.15, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4723, 4803, 4268, 2611, 2320, 6724}

$$6ib^2c\text{Li}_2(-e^{i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx)) - 6ib^2c\text{Li}_2(e^{i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx)) - \frac{(a+b\text{ArcSin}(cx))^3}{x} - 6bc\tanh^{-1}(e^{i\text{ArcSin}(cx)})(a+b\text{ArcSin}(cx))^2 - 6b^3c\text{Li}_3(-e^{i\text{ArcSin}(cx)}) + 6b^3c\text{Li}_3(e^{i\text{ArcSin}(cx)})$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^3/x^2, x]

[Out]  $-\frac{(a+b*\text{ArcSin}[c*x])^3}{x} - 6*b*c*(a+b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}] + (6*I)*b^2*c*(a+b*\text{ArcSin}[c*x])*PolyLog[2, -E^{(I*\text{ArcSin}[c*x])}] - (6*I)*b^2*c*(a+b*\text{ArcSin}[c*x])*PolyLog[2, E^{(I*\text{ArcSin}[c*x])}] - 6*b^3*c*PolyLog[3, -E^{(I*\text{ArcSin}[c*x])}] + 6*b^3*c*PolyLog[3, E^{(I*\text{ArcSin}[c*x])}]$

**Rule 2320**

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

**Rule 2611**

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-f + g\*x)^m\*(PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n]/(b\*c\*n\*Log[F])), x] + Dist[g\*(m/(b\*c\*n\*Log[F])), Int[(f + g\*x)^(m-1)\*PolyLog[2, (-e)\*(F^(c\*(a + b\*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

**Rule 4268**

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[-2\*(c + d\*x)^m\*(ArcTanh[E^(I\*(e + f\*x))]/f), x] + (-Dist[d\*(m/f), Int[(c + d

```
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 4803

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Dist[(1/c^(m + 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[m]
```

#### Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^3}{x^2} dx &= -\frac{(a + b \sin^{-1}(cx))^3}{x} + (3bc) \int \frac{(a + b \sin^{-1}(cx))^2}{x \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{(a + b \sin^{-1}(cx))^3}{x} + (3bc) \text{Subst} \left( \int (a + bx)^2 \csc(x) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{(a + b \sin^{-1}(cx))^3}{x} - 6bc(a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) - (6b^2c) \text{Subst} \left( \int (a + bx) \csc(x) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{(a + b \sin^{-1}(cx))^3}{x} - 6bc(a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) + 6ib^2c(a + b \sin^{-1}(cx)) \text{Subst} \left( \int \csc(x) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{(a + b \sin^{-1}(cx))^3}{x} - 6bc(a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) + 6ib^2c(a + b \sin^{-1}(cx)) \ln \left| \tan \left( \frac{x}{2} \right) \right| \\
&= -\frac{(a + b \sin^{-1}(cx))^3}{x} - 6bc(a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right) + 6ib^2c(a + b \sin^{-1}(cx)) \ln \left| \tan \left( \frac{\sin^{-1}(cx)}{2} \right) \right|
\end{aligned}$$

**Mathematica [B]** Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 283 vs.  $2(137) = 274$ .

time = 0.21, size = 283, normalized size = 2.07

$$\frac{d}{dx} \left( \frac{3a^3 \text{ArcSin}(cx) + 3a^2 b \log(x) - 3a^2 b \log(1 + \sqrt{1 - c^2 x^2}) + 3a^2 (-\text{ArcSin}(cx) \left( \frac{\text{ArcSin}(cx)}{cx} - 2 \log(1 - e^{\text{ArcSin}(cx)}) \right) + 2 \log(1 + e^{\text{ArcSin}(cx)}) \right) + 2 \text{PolyLog}(2, -e^{\text{ArcSin}(cx)}) - 2 \text{PolyLog}(2, e^{\text{ArcSin}(cx)}) \right) + a^2 \left( \frac{\text{ArcSin}(cx)^2}{cx} + 3 \text{ArcSin}(cx)^2 \log(1 - e^{\text{ArcSin}(cx)}) - 3 \text{ArcSin}(cx)^2 \log(1 + e^{\text{ArcSin}(cx)}) + 6 \text{ArcSin}(cx) \text{PolyLog}(2, -e^{\text{ArcSin}(cx)}) - 6 \text{ArcSin}(cx) \text{PolyLog}(2, e^{\text{ArcSin}(cx)}) - 6 \text{PolyLog}(3, -e^{\text{ArcSin}(cx)}) + 6 \text{PolyLog}(3, e^{\text{ArcSin}(cx)}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^3/x^2,x

[Out]  $-(a^3/x) - (3*a^2*b*ArcSin[c*x])/x + 3*a^2*b*c*Log[x] - 3*a^2*b*c*Log[1 + Sqrt[1 - c^2*x^2]] + 3*a*b^2*c*(-(ArcSin[c*x]*(ArcSin[c*x]/(c*x) - 2*Log[1 - E^(I*ArcSin[c*x])]) + 2*Log[1 + E^(I*ArcSin[c*x])])) + (2*I)*PolyLog[2, -E^(I*ArcSin[c*x])] - (2*I)*PolyLog[2, E^(I*ArcSin[c*x])] + b^3*c*(-(ArcSin[c*x]^3/(c*x)) + 3*ArcSin[c*x]^2*Log[1 - E^(I*ArcSin[c*x])] - 3*ArcSin[c*x]^2*Log[1 + E^(I*ArcSin[c*x])] + (6*I)*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c*x])]) - (6*I)*ArcSin[c*x]*PolyLog[2, E^(I*ArcSin[c*x])] - 6*PolyLog[3, -E^(I*ArcSin[c*x])] + 6*PolyLog[3, E^(I*ArcSin[c*x])])$

**Maple [B]** Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 379 vs. 2(175) = 350.

time = 0.09, size = 380, normalized size = 2.77

method	result
derivativedivides	$c \left( -\frac{a^3}{cx} - \frac{b^3 \arcsin(cx)^3}{cx} - 3b^3 \arcsin(cx)^2 \ln(1 + icx + \sqrt{-c^2 x^2 + 1}) + 6ib^3 \arcsin(cx) \right) p$
default	$c \left( -\frac{a^3}{cx} - \frac{b^3 \arcsin(cx)^3}{cx} - 3b^3 \arcsin(cx)^2 \ln(1 + icx + \sqrt{-c^2 x^2 + 1}) + 6ib^3 \arcsin(cx) \right) p$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^3/x^2,x,method=\_RETURNVERBOSE)

[Out]  $c*(-a^3/c/x - b^3/c/x*arcsin(c*x)^3 - 3*b^3*arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+6*I*b^3*arcsin(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-6*b^3*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))+3*b^3*arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-6*I*b^3*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+6*b^3*polylog(3,I*c*x+(-c^2*x^2+1)^(1/2))-3*a*b^2/c/x*arcsin(c*x)^2+6*a*b^2*arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-6*a*b^2*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+6*I*a*b^2*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))-6*I*a*b^2*dilog(1-I*c*x-(-c^2*x^2+1)^(1/2))+3*a^2*b*(-1/c/x*arcsin(c*x)-arctanh(1/(-c^2*x^2+1)^(1/2))))$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/x^2,x, algorithm="maxima")

[Out]  $-3*(c*\log(2*\sqrt{-c^2*x^2 + 1})/abs(x) + 2/abs(x)) + \arcsin(c*x)/x)*a^2*b - a^3/x - (b^3*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^3 + x*\int(3*(\sqrt{c*x + 1})*\sqrt{-c*x + 1}*b^3*c*x*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 - (a*b^2*c^2*x^2 - a*b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2)/(c^2*x^4 - x^2), x)/x$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/x^2,x, algorithm="fricas")

[Out]  $\int((b^3*\arcsin(c*x))^3 + 3*a*b^2*\arcsin(c*x)^2 + 3*a^2*b*\arcsin(c*x) + a^3)/x^2, x)$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*3/x\*\*2,x)

[Out]  $\int((a + b*\operatorname{asin}(c*x))**3/x**2, x)$

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/x^2,x, algorithm="giac")

[Out]  $\int((b*\arcsin(c*x) + a)^3/x^2, x)$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^3/x^2,x)

[Out]  $\int((a + b*\operatorname{asin}(c*x))^3/x^2, x)$

$$3.158 \quad \int \frac{x^2}{a+b\text{ArcSin}(cx)} dx$$

**Optimal.** Leaf size=121

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{4bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\text{ArcSin}(cx))}{b}\right)}{4bc^3} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{4bc^3}$$

[Out] 1/4\*Ci((a+b\*arcsin(c\*x))/b)\*cos(a/b)/b/c^3-1/4\*Ci(3\*(a+b\*arcsin(c\*x))/b)\*cos(3\*a/b)/b/c^3+1/4\*Si((a+b\*arcsin(c\*x))/b)\*sin(a/b)/b/c^3-1/4\*Si(3\*(a+b\*arcsin(c\*x))/b)\*sin(3\*a/b)/b/c^3

**Rubi [A]**

time = 0.15, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {4731, 4491, 3384, 3380, 3383}

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{4bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\text{ArcSin}(cx))}{b}\right)}{4bc^3} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{4bc^3} - \frac{\sin\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3(a+b\text{ArcSin}(cx))}{b}\right)}{4bc^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b\*ArcSin[c\*x]),x]

[Out] (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) - (Cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) + (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) - (Sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1
/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x) \sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^3} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^3} \\
 &= \frac{\text{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^3} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^3} \\
 &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^3} \\
 &= \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4bc^3} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^3}
 \end{aligned}$$

### Mathematica [A]

time = 0.14, size = 91, normalized size = 0.75

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) - \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) - \sin\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right)}{4bc^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/(a + b*ArcSin[c*x]),x]
```

```
[Out] (Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] - Cos[(3*a)/b]*CosIntegral[3*(a/b
+ ArcSin[c*x])] + Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]] - Sin[(3*a)/b]*Si
nIntegral[3*(a/b + ArcSin[c*x])])/(4*b*c^3)
```

### Maple [A]

time = 0.02, size = 102, normalized size = 0.84

method	result
derivativedivides	$\frac{\frac{\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)}{4b} + \frac{\cosine\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)}{4b} - \frac{\sin\text{Integral}\left(3\arcsin(cx)+\frac{3a}{b}\right)\sin\left(\frac{3a}{b}\right)}{4b} - \frac{\cosine\text{Integral}\left(3\arcsin(cx)+\frac{3a}{b}\right)\cos\left(\frac{3a}{b}\right)}{4b}}{c^3}$
default	$\frac{\frac{\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)}{4b} + \frac{\cosine\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)}{4b} - \frac{\sin\text{Integral}\left(3\arcsin(cx)+\frac{3a}{b}\right)\sin\left(\frac{3a}{b}\right)}{4b} - \frac{\cosine\text{Integral}\left(3\arcsin(cx)+\frac{3a}{b}\right)\cos\left(\frac{3a}{b}\right)}{4b}}{c^3}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c^3*(1/4*Si(arcsin(c*x)+a/b)*sin(a/b)/b+1/4*Ci(arcsin(c*x)+a/b)*cos(a/b)/
b-1/4*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)/b-1/4*Ci(3*arcsin(c*x)+3*a/b)*cos(
3*a/b)/b)
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(x^2/(b*arcsin(c*x) + a), x)
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(x^2/(b*arcsin(c*x) + a), x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*asin(c*x)),x)
```

```
[Out] Integral(x**2/(a + b*asin(c*x)), x)
```

**Giac [A]**

time = 0.44, size = 173, normalized size = 1.43

$$\frac{\cos\left(\frac{a}{b}\right)^3 \operatorname{Ci}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{bc^3} - \frac{\cos\left(\frac{a}{b}\right)^2 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{bc^3} + \frac{3 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{4bc^3} + \frac{\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \arcsin(cx)\right)}{4bc^3} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{4bc^3} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{4bc^3}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(x^2/(a+b*arcsin(c*x)),x, algorithm="giac")`

```
[Out] -cos(a/b)^3*cos_integral(3*a/b + 3*arcsin(c*x))/(b*c^3) - cos(a/b)^2*sin(a/
b)*sin_integral(3*a/b + 3*arcsin(c*x))/(b*c^3) + 3/4*cos(a/b)*cos_integral(
3*a/b + 3*arcsin(c*x))/(b*c^3) + 1/4*cos(a/b)*cos_integral(a/b + arcsin(c*x
))/(b*c^3) + 1/4*sin(a/b)*sin_integral(3*a/b + 3*arcsin(c*x))/(b*c^3) + 1/4
*sin(a/b)*sin_integral(a/b + arcsin(c*x))/(b*c^3)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(x^2/(a + b*asin(c*x)),x)``[Out] int(x^2/(a + b*asin(c*x)), x)`



$$3.159 \quad \int \frac{x}{a+b\mathbf{ArcSin}(cx)} dx$$

Optimal. Leaf size=63

$$-\frac{\text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right) \sin\left(\frac{2a}{b}\right)}{2bc^2} + \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{2bc^2}$$

[Out] 1/2\*cos(2\*a/b)\*Si(2\*(a+b\*arcsin(c\*x))/b)/b/c^2-1/2\*Ci(2\*(a+b\*arcsin(c\*x))/b)\*sin(2\*a/b)/b/c^2

Rubi [A]

time = 0.09, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4731, 4491, 12, 3384, 3380, 3383}

$$\frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{2bc^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{2bc^2}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*ArcSin[c\*x]),x]

[Out] -1/2\*(CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(2\*a)/b])/(b\*c^2) + (Cos[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c^2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d\*e - c\*f, 0]

### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x) \sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{2(a+bx)} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^2} \\
 &= \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^2} \\
 &= -\frac{\text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{2bc^2} + \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc^2}
 \end{aligned}$$

### Mathematica [A]

time = 0.05, size = 56, normalized size = 0.89

$$\frac{-\text{CosIntegral}\left(\frac{2a}{b} + 2\text{ArcSin}(cx)\right) \sin\left(\frac{2a}{b}\right) + \cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2\text{ArcSin}(cx)\right)}{2bc^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b\*ArcSin[c\*x]),x]

[Out] (-(CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]]\*Sin[(2\*a)/b]) + Cos[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(2\*b\*c^2)

**Maple [A]**

time = 0.02, size = 58, normalized size = 0.92

method	result	size
derivativedivides	$\frac{\frac{\sin\text{Integral}\left(2\arcsin(cx)+\frac{2a}{b}\right)\cos\left(\frac{2a}{b}\right)}{2b} - \frac{\cosine\text{Integral}\left(2\arcsin(cx)+\frac{2a}{b}\right)\sin\left(\frac{2a}{b}\right)}{2b}}{c^2}$	58
default	$\frac{\frac{\sin\text{Integral}\left(2\arcsin(cx)+\frac{2a}{b}\right)\cos\left(\frac{2a}{b}\right)}{2b} - \frac{\cosine\text{Integral}\left(2\arcsin(cx)+\frac{2a}{b}\right)\sin\left(\frac{2a}{b}\right)}{2b}}{c^2}$	58

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] 1/c^2*(1/2*Si(2*arcsin(c*x)+2*a/b)*cos(2*a/b)/b-1/2*Ci(2*arcsin(c*x)+2*a/b)*sin(2*a/b)/b)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(x/(b*arcsin(c*x) + a), x)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(x/(b*arcsin(c*x) + a), x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*asin(c*x)),x)
```

```
[Out] Integral(x/(a + b*asin(c*x)), x)
```

**Giac [A]**

time = 0.43, size = 86, normalized size = 1.37

$$-\frac{\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Si}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{bc^2} - \frac{\operatorname{Si}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{2bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -cos(a/b)\*cos\_integral(2\*a/b + 2\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) + cos(a/b)^2  
\*sin\_integral(2\*a/b + 2\*arcsin(c\*x))/(b\*c^2) - 1/2\*sin\_integral(2\*a/b + 2\*a  
rksin(c\*x))/(b\*c^2)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*asin(c\*x)),x)

[Out] int(x/(a + b\*asin(c\*x)), x)

$$3.160 \quad \int \frac{1}{a+b\mathbf{ArcSin}(cx)} dx$$

Optimal. Leaf size=53

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{bc}$$

[Out] Ci((a+b\*arcsin(c\*x))/b)\*cos(a/b)/b/c+Si((a+b\*arcsin(c\*x))/b)\*sin(a/b)/b/c

Rubi [A]

time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {4719, 3384, 3380, 3383}

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{bc}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^(-1), x]

[Out] (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c

, n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} \end{aligned}$$

**Mathematica [A]**

time = 0.05, size = 44, normalized size = 0.83

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) + \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(-1),x]

[Out] (Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] + Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(b\*c)

**Maple [A]**

time = 0.02, size = 48, normalized size = 0.91

method	result	size
derivativedivides	$\frac{\frac{\sin\text{Integral}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right)}{b} + \frac{\cosine\text{Integral}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)}{b}}{c}$	48
default	$\frac{\frac{\sin\text{Integral}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right)}{b} + \frac{\cosine\text{Integral}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)}{b}}{c}$	48

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x)),x,method=\_RETURNVERBOSE)

[Out] 1/c\*(Si(arcsin(c\*x)+a/b)\*sin(a/b)/b+Ci(arcsin(c\*x)+a/b)\*cos(a/b)/b)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/(b\*arcsin(c\*x) + a), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(1/(b\*arcsin(c\*x) + a), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*asin(c\*x)),x)

[Out] Integral(1/(a + b\*asin(c\*x)), x)

**Giac** [A]

time = 0.41, size = 49, normalized size = 0.92

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))/(b\*c) + sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*asin(c\*x)),x)

[Out] int(1/(a + b\*asin(c\*x)), x)

$$3.161 \quad \int \frac{1}{x(a+b\mathbf{ArcSin}(cx))} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b\mathbf{ArcSin}(cx))}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x)),x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x(a+b\mathbf{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][1/(x\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x(a+b\sin^{-1}(cx))} dx$$

Mathematica [A]

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\mathbf{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[1/(x\*(a + b\*ArcSin[c\*x])), x]

Maple [A]

time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/x/(a+b*arcsin(c*x)),x)`

[Out] `int(1/x/(a+b*arcsin(c*x)),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)*x), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x*arcsin(c*x) + a*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x)),x)`

[Out] `Integral(1/(x*(a + b*asin(c*x))), x)`

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,sageVARx):;OUTPUT:Not invertible Error: Bad Argument Value

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x (a + b \sin (c x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + b\*asin(c\*x))),x)

[Out] int(1/(x\*(a + b\*asin(c\*x))), x)

$$3.162 \quad \int \frac{1}{x^2(a+b\mathbf{ArcSin}(cx))} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x^2(a+b\text{ArcSin}(cx))}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx$$

Mathematica [A]

time = 1.50, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])), x]

Maple [A]

time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsin(c*x)),x)`

[Out] `int(1/x^2/(a+b*arcsin(c*x)),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)*x^2), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*x^2*arcsin(c*x) + a*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asin(c*x)),x)`

[Out] `Integral(1/(x**2*(a + b*asin(c*x))), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsin(c*x) + a)*x^2), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*asin(c*x))),x)
```

```
[Out] int(1/(x^2*(a + b*asin(c*x))), x)
```

$$3.163 \quad \int \frac{x^2}{(a+b\mathbf{ArcSin}(cx))^2} dx$$

**Optimal.** Leaf size=156

$$-\frac{x^2\sqrt{1-c^2x^2}}{bc(a+b\mathbf{ArcSin}(cx))} + \frac{\mathbf{CosIntegral}\left(\frac{a+b\mathbf{ArcSin}(cx)}{b}\right)\sin\left(\frac{a}{b}\right)}{4b^2c^3} - \frac{3\mathbf{CosIntegral}\left(\frac{3(a+b\mathbf{ArcSin}(cx))}{b}\right)\sin\left(\frac{3a}{b}\right)}{4b^2c^3} - \frac{\cos\left(\frac{3a}{b}\right)}{4b^2c^3}$$

[Out] -1/4\*cos(a/b)\*Si((a+b\*arcsin(c\*x))/b)/b^2/c^3+3/4\*cos(3\*a/b)\*Si(3\*(a+b\*arcsin(c\*x))/b)/b^2/c^3+1/4\*Ci((a+b\*arcsin(c\*x))/b)\*sin(a/b)/b^2/c^3-3/4\*Ci(3\*(a+b\*arcsin(c\*x))/b)\*sin(3\*a/b)/b^2/c^3-x^2\*(-c^2\*x^2+1)^(1/2)/b/c/(a+b\*arcsin(c\*x))

**Rubi [A]**

time = 0.15, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {4727, 3384, 3380, 3383}

$$\frac{\sin\left(\frac{a}{b}\right)\mathbf{CosIntegral}\left(\frac{a+b\mathbf{ArcSin}(cx)}{b}\right)}{4b^2c^3} - \frac{3\sin\left(\frac{3a}{b}\right)\mathbf{CosIntegral}\left(\frac{3(a+b\mathbf{ArcSin}(cx))}{b}\right)}{4b^2c^3} - \frac{\cos\left(\frac{a}{b}\right)\mathbf{Si}\left(\frac{a+b\mathbf{ArcSin}(cx)}{b}\right)}{4b^2c^3} + \frac{3\cos\left(\frac{3a}{b}\right)\mathbf{Si}\left(\frac{3(a+b\mathbf{ArcSin}(cx))}{b}\right)}{4b^2c^3} - \frac{x^2\sqrt{1-c^2x^2}}{bc(a+b\mathbf{ArcSin}(cx))}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((x^2\*sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(4\*b^2\*c^3) - (3\*CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b]\*Sin[(3\*a)/b])/(4\*b^2\*c^3) - (Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b^2\*c^3) + (3\*Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b^2\*c^3)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d\*e - c\*f, 0]

### Rule 4727

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist
[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b
+ x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{x^2 \sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \left(-\frac{\sin(x)}{4(a+bx)} + \frac{3 \sin(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^3} \\ &= -\frac{x^2 \sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^3} + \frac{3 \text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^3} \\ &= -\frac{x^2 \sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b} + x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^3} + \frac{(3 \cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b} + x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right))}{4bc^3} \\ &= -\frac{x^2 \sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{4b^2 c^3} - \frac{3 \text{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4b^2 c^3} \end{aligned}$$

### Mathematica [A]

time = 0.35, size = 125, normalized size = 0.80

$$\frac{-\frac{4b^2 x^2 \sqrt{1 - c^2 x^2}}{a + b \text{ArcSin}(cx)} + \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) \sin\left(\frac{a}{b}\right) - 3 \text{CosIntegral}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right) \sin\left(\frac{3a}{b}\right) - \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) + 3 \cos\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right)}{4b^2 c^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/(a + b*ArcSin[c*x])^2,x]
```

```
[Out] ((-4*b*c^2*x^2*Sqrt[1 - c^2*x^2])/(a + b*ArcSin[c*x]) + CosIntegral[a/b + A
rcSin[c*x]]*Sin[a/b] - 3*CosIntegral[3*(a/b + ArcSin[c*x])]*Sin[(3*a)/b] -
Cos[a/b]*SinIntegral[a/b + ArcSin[c*x]] + 3*Cos[(3*a)/b]*SinIntegral[3*(a/b
+ ArcSin[c*x])])/(4*b^2*c^3)
```

### Maple [A]

time = 0.03, size = 149, normalized size = 0.96

method	result
--------	--------

derivativedivides	$\frac{\sqrt{-c^2x^2+1}}{4(a+b\arcsin(cx))b} - \frac{\sin\text{Integral}(\arcsin(cx)+\frac{a}{b})\cos(\frac{a}{b}) - \cosine\text{Integral}(\arcsin(cx)+\frac{a}{b})\sin(\frac{a}{b})}{4b^2} + \frac{\cos(3\arcsin(cx))}{4(a+b\arcsin(cx))b} + \frac{3\sin\text{Integral}(\arcsin(cx)+\frac{a}{b})}{c^3}$
default	$\frac{\sqrt{-c^2x^2+1}}{4(a+b\arcsin(cx))b} - \frac{\sin\text{Integral}(\arcsin(cx)+\frac{a}{b})\cos(\frac{a}{b}) - \cosine\text{Integral}(\arcsin(cx)+\frac{a}{b})\sin(\frac{a}{b})}{4b^2} + \frac{\cos(3\arcsin(cx))}{4(a+b\arcsin(cx))b} + \frac{3\sin\text{Integral}(\arcsin(cx)+\frac{a}{b})}{c^3}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*arcsin(c*x))^2,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{c^3} \left( -\frac{1}{4} \frac{1}{(a+b\arcsin(cx))b} (-c^2x^2+1)^{1/2} - \frac{1}{4} (\text{Si}(\arcsin(cx)+a/b) \cos(a/b) - \text{Ci}(\arcsin(cx)+a/b) \sin(a/b)) / b^2 + \frac{1}{4} \frac{\cos(3\arcsin(cx))}{(a+b\arcsin(cx))b} + \frac{3}{4} (\text{Si}(3\arcsin(cx)+3a/b) \cos(3a/b) - \text{Ci}(3\arcsin(cx)+3a/b) \sin(3a/b)) / b^2 \right)$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $-(\sqrt{cx+1}\sqrt{-cx+1}x^2 - (b^2c\arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1}) + a*b*c) \int \frac{(3c^2x^3 - 2x)\sqrt{cx+1}\sqrt{-cx+1}}{(a*b*c^3x^2 - a*b*c + (b^2c^3x^2 - b^2c)\arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1})} dx / (b^2c\arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1} + a*b*c)$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $\int \frac{x^2}{(b^2\arcsin(cx))^2 + 2a*b\arcsin(cx) + a^2} dx$

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*2/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 646 vs. 2(146) = 292.

time = 0.46, size = 646, normalized size = 4.14

[Home](#)
[Help](#)
[Index](#)
[List](#)
[Table](#)
[View](#)
[Print](#)
[Refresh](#)
[Close](#)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned}
 & -3*b*\arcsin(c*x)*\cos(a/b)^2*\cos\_integral(3*a/b + 3*\arcsin(c*x))*\sin(a/b)/(b \\
 & ^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 3*b*\arcsin(c*x)*\cos(a/b)^3*\sin\_integral(3 \\
 & *a/b + 3*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 3*a*\cos(a/b)^2*\co \\
 & s\_integral(3*a/b + 3*\arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3 \\
 & ) + 3*a*\cos(a/b)^3*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) \\
 & + a*b^2*c^3) + 3/4*b*\arcsin(c*x)*\cos\_integral(3*a/b + 3*\arcsin(c*x))*\sin(a \\
 & /b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/4*b*\arcsin(c*x)*\cos\_integral(a/b \\
 & + \arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 9/4*b*\arcsin(c* \\
 & x)*\cos(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^ \\
 & 2*c^3) - 1/4*b*\arcsin(c*x)*\cos(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^ \\
 & 3*\arcsin(c*x) + a*b^2*c^3) + 3/4*a*\cos\_integral(3*a/b + 3*\arcsin(c*x))*\sin( \\
 & a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/4*a*\cos\_integral(a/b + \arcsin(c* \\
 & x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 9/4*a*\cos(a/b)*\sin\_integra \\
 & l(3*a/b + 3*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 1/4*a*\cos(a/b) \\
 & *\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + (-c^2* \\
 & x^2 + 1)^{(3/2)}*b/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - \sqrt{-c^2*x^2 + 1}*b/( \\
 & b^3*c^3*\arcsin(c*x) + a*b^2*c^3)
 \end{aligned}$$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*asin(c\*x))^2,x)

[Out] int(x^2/(a + b\*asin(c\*x))^2, x)

### 3.164 $\int \frac{x}{(a+b\text{ArcSin}(cx))^2} dx$

**Optimal.** Leaf size=90

$$-\frac{x\sqrt{1-c^2x^2}}{bc(a+b\text{ArcSin}(cx))} + \frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^2c^2}$$

[Out] Ci(2\*(a+b\*arcsin(c\*x))/b)\*cos(2\*a/b)/b^2/c^2+Si(2\*(a+b\*arcsin(c\*x))/b)\*sin(2\*a/b)/b^2/c^2-x\*(-c^2\*x^2+1)^(1/2)/b/c/(a+b\*arcsin(c\*x))

**Rubi [A]**

time = 0.06, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4727, 3384, 3380, 3383}

$$\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^2c^2} - \frac{x\sqrt{1-c^2x^2}}{bc(a+b\text{ArcSin}(cx))}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((x\*Sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x]))) + (Cos[(2\*a)/b]\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(b^2\*c^2) + (Sin[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(b^2\*c^2)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 4727

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist
[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Sin[-a/b
+ x/b]^(m - 1)*(m - (m + 1)*Sin[-a/b + x/b]^2), x], x], x, a + b*ArcSin[c*x
]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{x\sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\ &= -\frac{x\sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} + \frac{\sin\left(\frac{2a}{b}\right)}{b^2c^2} \\ &= -\frac{x\sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{b^2c^2} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{b^2c^2} \end{aligned}$$

**Mathematica [A]**

time = 0.18, size = 79, normalized size = 0.88

$$\frac{-\frac{bcx\sqrt{1 - c^2x^2}}{a+b\text{ArcSin}(cx)} + \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right) + \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right)}{b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b\*ArcSin[c\*x])^2,x]

[Out] (-(b\*c\*x\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])) + Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])]/(b^2\*c^2)

**Maple [A]**

time = 0.02, size = 77, normalized size = 0.86

method	result	size
derivativedivides	$\frac{-\frac{\sin(2 \arcsin(cx))}{2(a+b \arcsin(cx))b} + \frac{\sin \text{Integral}\left(2 \arcsin(cx) + \frac{2a}{b}\right) \sin\left(\frac{2a}{b}\right) + \text{cosineIntegral}\left(2 \arcsin(cx) + \frac{2a}{b}\right) \cos\left(\frac{2a}{b}\right)}{c^2}}{b^2}$	77
default	$\frac{-\frac{\sin(2 \arcsin(cx))}{2(a+b \arcsin(cx))b} + \frac{\sin \text{Integral}\left(2 \arcsin(cx) + \frac{2a}{b}\right) \sin\left(\frac{2a}{b}\right) + \text{cosineIntegral}\left(2 \arcsin(cx) + \frac{2a}{b}\right) \cos\left(\frac{2a}{b}\right)}{c^2}}{b^2}$	77

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arcsin(c\*x))^2,x,method=\_RETURNVERBOSE)

[Out]  $1/c^2*(-1/2*\sin(2*\arcsin(c*x))/(a+b*\arcsin(c*x))/b+(Si(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)+Ci(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b))/b^2$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $-(\sqrt{c*x + 1}*\sqrt{-c*x + 1}*x - (b^2*c*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})) + a*b*c)*\int((2*c^2*x^2 - 1)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(a*b*c^3*x^2 - a*b*c + (b^2*c^3*x^2 - b^2*c)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})), x)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + a*b*c)$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(x/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asin(c*x))**2,x)`

[Out] `Integral(x/(a + b*asin(c*x))**2, x)`

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 326 vs. 2(88) = 176.

time = 0.44, size = 326, normalized size = 3.62

$$\frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2} + \frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2} + \frac{2a \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2} + \frac{2a \cos\left(\frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2} - \frac{\sqrt{-c^2x^2 + 1} b c x}{b^2 \arcsin(cx) + ab^2} - \frac{b \arcsin(cx) \operatorname{Ci}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2} - \frac{a \operatorname{Ci}\left(\frac{a}{b} + 2 \arcsin(cx)\right)}{b^2 \arcsin(cx) + ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

```
[Out] 2*b*arcsin(c*x)*cos(a/b)^2*cos_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) + 2*b*arcsin(c*x)*cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) + 2*a*cos(a/b)^2*cos_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) + 2*a*cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) - sqrt(-c^2*x^2 + 1)*b*c*x/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) - b*arcsin(c*x)*cos_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2) - a*cos_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^2*arcsin(c*x) + a*b^2*c^2)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \sin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*asin(c*x))^2,x)
```

```
[Out] int(x/(a + b*asin(c*x))^2, x)
```

### 3.165 $\int \frac{1}{(a+b\text{ArcSin}(cx))^2} dx$

**Optimal.** Leaf size=86

$$-\frac{\sqrt{1-c^2x^2}}{bc(a+b\text{ArcSin}(cx))} + \frac{\text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right) \sin\left(\frac{a}{b}\right)}{b^2c} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{b^2c}$$

[Out]  $-\cos(a/b)*\text{Si}((a+b*\arcsin(c*x))/b)/b^2/c + \text{Ci}((a+b*\arcsin(c*x))/b)*\sin(a/b)/b^2/c - (\sqrt{1-c^2*x^2})/(b*c/(a+b*\arcsin(c*x)))$

**Rubi [A]**

time = 0.12, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4717, 4809, 3384, 3380, 3383}

$$\frac{\sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{b^2c} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{b^2c} - \frac{\sqrt{1-c^2x^2}}{bc(a+b\text{ArcSin}(cx))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^{-2}, x]$

[Out]  $-(\text{Sqrt}[1 - c^2*x^2]/(b*c*(a + b*\text{ArcSin}[c*x]))) + (\text{CosIntegral}[(a + b*\text{ArcSin}[c*x])/b]*\text{Sin}[a/b])/(b^2*c) - (\text{Cos}[a/b]*\text{SinIntegral}[(a + b*\text{ArcSin}[c*x])/b])/(b^2*c)$

**Rule 3380**

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x\_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

**Rule 3383**

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x\_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

**Rule 3384**

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x\_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[c*(f/d) + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[c*(f/d) + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

**Rule 4717**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[Sqrt[1 - c^2
*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[c/(b*(n + 1)),
Int[x*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a,
b, c}, x] && LtQ[n, -1]
```

### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{c \int \frac{x}{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))} dx}{b} \\ &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\ &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c} \\ &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{b^2 c} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c} \end{aligned}$$

### Mathematica [A]

time = 0.11, size = 72, normalized size = 0.84

$$\frac{-\frac{b\sqrt{1-c^2x^2}}{a+b\text{ArcSin}(cx)} + \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right) \sin\left(\frac{a}{b}\right) - \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{b^2 c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])^(-2), x]
```

```
[Out] (-((b*Sqrt[1 - c^2*x^2])/(a + b*ArcSin[c*x])) + CosIntegral[a/b + ArcSin[c*
x]]*Sin[a/b] - Cos[a/b]*SinIntegral[a/b + ArcSin[c*x]])/(b^2*c)
```

### Maple [A]

time = 0.03, size = 76, normalized size = 0.88

method	result	size
derivativedivides	$\frac{\sqrt{-c^2x^2+1}}{(a+b\arcsin(cx))b} - \frac{\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right) - \cosine\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)}{b^2}$	76
default	$\frac{\sqrt{-c^2x^2+1}}{(a+b\arcsin(cx))b} - \frac{\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right) - \cosine\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)}{b^2}$	76

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*arcsin(c*x))^2,x,method=_RETURNVERBOSE)
```

```
[Out] 1/c*(-1/(a+b*arcsin(c*x))/b*(-c^2*x^2+1)^(1/2)-(Si(arcsin(c*x)+a/b)*cos(a/b)-Ci(arcsin(c*x)+a/b)*sin(a/b))/b^2)
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] ((b^2*c^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c^2)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x/(a*b*c^2*x^2 - a*b + (b^2*c^2*x^2 - b^2)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)/(b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(1/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*asin(c*x))**2,x)
```



[Out] Integral((a + b\*asin(c\*x))\*\*(-2), x)

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 192 vs. 2(84) = 168.

time = 0.42, size = 192, normalized size = 2.23

$$\frac{b \arcsin(cx) \operatorname{Ci}\left(\frac{a}{b} + \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3 c \arcsin(cx) + ab^2 c} - \frac{b \arcsin(cx) \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{b^3 c \arcsin(cx) + ab^2 c} + \frac{a \operatorname{Ci}\left(\frac{a}{b} + \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3 c \arcsin(cx) + ab^2 c} - \frac{a \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{b^3 c \arcsin(cx) + ab^2 c} - \frac{\sqrt{-c^2 x^2 + 1} b}{b^3 c \arcsin(cx) + ab^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] b\*arcsin(c\*x)\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - b\*arcsin(c\*x)\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + a\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - a\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - sqrt(-c^2\*x^2 + 1)\*b/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*asin(c\*x))^2,x)

[Out] int(1/(a + b\*asin(c\*x))^2, x)

$$3.166 \quad \int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b\mathbf{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Defer[Int][1/(x\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x(a+b\sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 2.72, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^2), x]

Maple [A]

time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsin(c*x))^2,x)`

[Out] `int(1/x/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `((b^2*c*x*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c*x)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)/(a*b*c^3*x^4 - a*b*c*x^2 + (b^2*c^3*x^4 - b^2*c*x^2)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)/(b^2*c*x*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c*x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(1/(b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x))**2,x)`

[Out] `Integral(1/(x*(a + b*asin(c*x))**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^2*x), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x (a + b \sin (c x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + b\*asin(c\*x))^2),x)

[Out] int(1/(x\*(a + b\*asin(c\*x))^2), x)

$$3.167 \quad \int \frac{1}{x^2(a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x^2(a+b\text{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x^2(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 22.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

Maple [A]

time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsin(c*x))^2,x)`

[Out] `int(1/x^2/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-(b^2*c*x^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*x^2)*integrate((c^2*x^2 - 2)*sqrt(c*x + 1)*sqrt(-c*x + 1)/(a*b*c^3*x^5 - a*b*c*x^3 + (b^2*c^3*x^5 - b^2*c*x^3)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))), x) + sqrt(c*x + 1)*sqrt(-c*x + 1)/(b^2*c*x^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*x^2)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(1/(b^2*x^2*arcsin(c*x)^2 + 2*a*b*x^2*arcsin(c*x) + a^2*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asin(c*x))**2,x)`

[Out] `Integral(1/(x**2*(a + b*asin(c*x))**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] integrate(1/((b\*arcsin(c\*x) + a)^2\*x^2), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + b\*asin(c\*x))^2),x)

[Out] int(1/(x^2\*(a + b\*asin(c\*x))^2), x)

$$3.168 \quad \int \frac{x^2}{(a+b\text{ArcSin}(cx))^3} dx$$

**Optimal.** Leaf size=197

$$\frac{x^2\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2} - \frac{x}{b^2c^2(a+b\text{ArcSin}(cx))} + \frac{3x^3}{2b^2(a+b\text{ArcSin}(cx))} - \frac{\cos\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{8b^3c^3}$$

[Out]  $-x/b^2/c^2/(a+b*\arcsin(c*x))+3/2*x^3/b^2/(a+b*\arcsin(c*x))-1/8*Ci((a+b*\arcsin(c*x))/b)*\cos(a/b)/b^3/c^3+9/8*Ci(3*(a+b*\arcsin(c*x))/b)*\cos(3*a/b)/b^3/c^3-1/8*Si((a+b*\arcsin(c*x))/b)*\sin(a/b)/b^3/c^3+9/8*Si(3*(a+b*\arcsin(c*x))/b)*\sin(3*a/b)/b^3/c^3-1/2*x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^2$

**Rubi [A]**

time = 0.39, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4729, 4807, 4731, 4491, 3384, 3380, 3383, 4719}

$$-\frac{\cos\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{8b^3c^3} + \frac{9\cos\left(\frac{3a}{b}\right)\text{CosIntegral}\left(\frac{3(a+b\text{ArcSin}(cx))}{b}\right)}{8b^3c^3} - \frac{\sin\left(\frac{a}{b}\right)\text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{8b^3c^3} + \frac{9\sin\left(\frac{3a}{b}\right)\text{Si}\left(\frac{3(a+b\text{ArcSin}(cx))}{b}\right)}{8b^3c^3} - \frac{x}{b^2c^2(a+b\text{ArcSin}(cx))} + \frac{3x^3}{2b^2(a+b\text{ArcSin}(cx))} - \frac{x^2\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b\*ArcSin[c\*x])^3,x]

[Out]  $-1/2*(x^2*\text{Sqrt}[1 - c^2*x^2])/(b*c*(a + b*\text{ArcSin}[c*x])^2) - x/(b^2*c^2*(a + b*\text{ArcSin}[c*x])) + (3*x^3)/(2*b^2*(a + b*\text{ArcSin}[c*x])) - (\text{Cos}[a/b]*\text{CosIntegral}[(a + b*\text{ArcSin}[c*x])/b])/(8*b^3*c^3) + (9*\text{Cos}[(3*a)/b]*\text{CosIntegral}[(3*(a + b*\text{ArcSin}[c*x])/b])/(8*b^3*c^3) - (\text{Sin}[a/b]*\text{SinIntegral}[(a + b*\text{ArcSin}[c*x])/b])/(8*b^3*c^3) + (9*\text{Sin}[(3*a)/b]*\text{SinIntegral}[(3*(a + b*\text{ArcSin}[c*x])/b])/(8*b^3*c^3)$

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] &&



NeQ[d\*e - c\*f, 0]

#### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] :> Simp[x^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dist[c\*((m + 1)/(b\*(n + 1))), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_)\*((f\_.)\*(x\_))^(m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \sin^{-1}(cx))^3} dx &= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{\int \frac{x}{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2} dx}{bc} - \frac{(3c) \int \frac{x^3}{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))} dx}{2b} \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} - \frac{9 \int \frac{x^3}{a + b \sin^{-1}(cx)} dx}{9} \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} + \text{Subst}\left(\frac{9 \int \frac{x^3}{a + b \sin^{-1}(cx)} dx}{9}\right) \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} - \frac{9 \text{Subst}\left(\frac{9 \int \frac{x^3}{a + b \sin^{-1}(cx)} dx}{9}\right)}{9} \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right)}{\cos\left(\frac{a}{b}\right)} \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right)}{\cos\left(\frac{a}{b}\right)} \\
&= -\frac{x^2 \sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \sin^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \sin^{-1}(cx))} - \frac{9 \cos\left(\frac{a}{b}\right)}{9}
\end{aligned}$$

**Mathematica [A]**

time = 0.57, size = 168, normalized size = 0.85

$$-\frac{\frac{4b^2 x^2 \sqrt{1 - c^2 x^2}}{c(a + b \text{ArcSin}(cx))^2} + \frac{8bx}{c^2(a + b \text{ArcSin}(cx))} - \frac{12bx^3}{a + b \text{ArcSin}(cx)} + \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{c^3} - \frac{9 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right)}{c^3} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{c^3} - \frac{9 \sin\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \text{ArcSin}(cx)\right)\right)}{c^3}}{8b^3}$$

Antiderivative was successfully verified.

`[In] Integrate[x^2/(a + b*ArcSin[c*x])^3,x]`

```
[Out] -1/8*((4*b^2*x^2*Sqrt[1 - c^2*x^2])/(c*(a + b*ArcSin[c*x])^2) + (8*b*x)/(c^2*(a + b*ArcSin[c*x])) - (12*b*x^3)/(a + b*ArcSin[c*x]) + (Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]])/c^3 - (9*Cos[(3*a)/b]*CosIntegral[3*(a/b + ArcSin[c*x])])/c^3 + (Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]])/c^3 - (9*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])])/c^3)/b^3
```

**Maple [A]**

time = 0.03, size = 290, normalized size = 1.47

method	result
--------	--------

derivativedivides	$\frac{\sqrt{-c^2x^2+1}}{8(a+b\arcsin(cx))^2b} \arcsin(cx) \operatorname{sinIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b + \arcsin(cx) \operatorname{cosineIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{sinIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{cosineIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b}{8(a+b\arcsin(cx))^3}$
default	$\frac{\sqrt{-c^2x^2+1}}{8(a+b\arcsin(cx))^2b} \arcsin(cx) \operatorname{sinIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b + \arcsin(cx) \operatorname{cosineIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{sinIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{cosineIntegral}\left(\arcsin(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b}{8(a+b\arcsin(cx))^3}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a+b*arcsin(c*x))^3,x,method=_RETURNVERBOSE)
```

```
[Out] 1/c^3*(-1/8/(a+b*arcsin(c*x))^2/b*(-c^2*x^2+1)^(1/2)-1/8*(arcsin(c*x)*Si(arcsin(c*x)+a/b)*sin(a/b)*b+arcsin(c*x)*Ci(arcsin(c*x)+a/b)*cos(a/b)*b+Si(arcsin(c*x)+a/b)*sin(a/b)*a+Ci(arcsin(c*x)+a/b)*cos(a/b)*a-x*b*c)/(a+b*arcsin(c*x))/b^3+1/8*cos(3*arcsin(c*x))/(a+b*arcsin(c*x))^2/b+3/8*(3*arcsin(c*x)*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*b+3*arcsin(c*x)*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*b+3*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*a+3*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*a-sin(3*arcsin(c*x))*b)/(a+b*arcsin(c*x))/b^3
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^3,x, algorithm="maxima")
```

```
[Out] 1/2*(3*a*c^2*x^3 - sqrt(c*x + 1)*sqrt(-c*x + 1)*b*c*x^2 - 2*a*x + (3*b*c^2*x^3 - 2*b*x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) - 2*(b^4*c^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 2*a*b^3*c^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a^2*b^2*c^2)*integrate(1/2*(9*c^2*x^2 - 2)/(b^3*c^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b^2*c^2), x))/(b^4*c^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 2*a*b^3*c^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a^2*b^2*c^2)
```

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral(x^2/(b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x) + a^3), x)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*3,x)

[Out] Integral(x\*\*2/(a + b\*asin(c\*x))\*\*3, x)

**Giac [B]** Leaf count of result is larger than twice the leaf count of optimal. 1539 vs. 2(183) = 366.

time = 0.48, size = 1539, normalized size = 7.81

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out] 
$$\frac{9/2*b^2*arcsin(c*x)^2*cos(a/b)^3*cos\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 9/2*b^2*arcsin(c*x)^2*cos(a/b)^2*sin(a/b)*sin\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 9*a*b*arcsin(c*x)*cos(a/b)^3*cos\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 9*a*b*arcsin(c*x)*cos(a/b)^2*sin(a/b)*sin\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 3/2*(c^2*x^2 - 1)*b^2*c*x*arcsin(c*x)/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 27/8*b^2*arcsin(c*x)^2*cos(a/b)*cos\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 9/2*a^2*cos(a/b)^3*cos\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 1/8*b^2*arcsin(c*x)^2*cos(a/b)*cos\_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 9/8*b^2*arcsin(c*x)^2*sin(a/b)*sin\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 9/2*a^2*cos(a/b)^2*sin(a/b)*sin\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 1/8*b^2*arcsin(c*x)^2*sin(a/b)*sin\_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 3/2*(c^2*x^2 - 1)*a*b*c*x/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 1/2*b^2*c*x*arcsin(c*x)/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 27/4*a*b*arcsin(c*x)*cos(a/b)*cos\_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 1/4*a*b*arcsin(c*x)*cos(a/b)*cos\_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 9/4*$$

```

a*b*arcsin(c*x)*sin(a/b)*sin_integral(3*a/b + 3*arcsin(c*x))/(b^5*c^3*arcsi
n(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 1/4*a*b*arcsin(c*x)*sin
(a/b)*sin_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*
arcsin(c*x) + a^2*b^3*c^3) + 1/2*a*b*c*x/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c
^3*arcsin(c*x) + a^2*b^3*c^3) - 27/8*a^2*cos(a/b)*cos_integral(3*a/b + 3*ar
csin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3)
- 1/8*a^2*cos(a/b)*cos_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 +
2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 9/8*a^2*sin(a/b)*sin_integral(3*a
/b + 3*arcsin(c*x))/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*
b^3*c^3) - 1/8*a^2*sin(a/b)*sin_integral(a/b + arcsin(c*x))/(b^5*c^3*arcsin
(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) + 1/2*(-c^2*x^2 + 1)^(3/2)
*b^2/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a^2*b^3*c^3) - 1/2*
sqrt(-c^2*x^2 + 1)*b^2/(b^5*c^3*arcsin(c*x)^2 + 2*a*b^4*c^3*arcsin(c*x) + a
^2*b^3*c^3)

```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(a + b \sin(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*asin(c\*x))^3,x)

[Out] int(x^2/(a + b\*asin(c\*x))^3, x)

### 3.169 $\int \frac{x}{(a+b\text{ArcSin}(cx))^3} dx$

Optimal. Leaf size=130

$$-\frac{x\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2} - \frac{1}{2b^2c^2(a+b\text{ArcSin}(cx))} + \frac{x^2}{b^2(a+b\text{ArcSin}(cx))} + \frac{\text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right) \sin\left(\frac{2a}{b}\right)}{b^3c^2}$$

[Out]  $-1/2/b^2/c^2/(a+b*\arcsin(c*x))+x^2/b^2/(a+b*\arcsin(c*x))-\cos(2*a/b)*\text{Si}(2*(a+b*\arcsin(c*x))/b)/b^3/c^2+\text{Ci}(2*(a+b*\arcsin(c*x))/b)*\sin(2*a/b)/b^3/c^2-1/2*x*(-c^2*x^2+1)^(1/2)/b/c/(a+b*\arcsin(c*x))^2$

Rubi [A]

time = 0.22, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$ , Rules used = {4729, 4807, 4731, 4491, 12, 3384, 3380, 3383, 4737}

$$\frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^3c^2} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b\text{ArcSin}(cx))}{b}\right)}{b^3c^2} - \frac{1}{2b^2c^2(a+b\text{ArcSin}(cx))} + \frac{x^2}{b^2(a+b\text{ArcSin}(cx))} - \frac{x\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b\*ArcSin[c\*x])^3,x]

[Out]  $-1/2*(x*\text{Sqrt}[1 - c^2*x^2])/(b*c*(a + b*\text{ArcSin}[c*x])^2) - 1/(2*b^2*c^2*(a + b*\text{ArcSin}[c*x])) + x^2/(b^2*(a + b*\text{ArcSin}[c*x])) + (\text{CosIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b]*\text{Sin}[(2*a)/b])/(b^3*c^2) - (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(b^3*c^2)$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)

)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] &&  
NeQ[d\*e - c\*f, 0]

#### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b  
\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x  
]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG  
tQ[p, 0]

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[x  
^m\*Sqrt[1 - c^2\*x^2]\*((a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*(n + 1))), x] + (Dis  
t[c\*((m + 1)/(b\*(n + 1))), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n + 1)/Sqrt[  
1 - c^2\*x^2]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x^(m - 1)\*((a + b\*ArcSin[  
c\*x])^(n + 1)/Sqrt[1 - c^2\*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m,  
0] && LtQ[n, -2]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1  
/(b\*c^(m + 1)), Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b], x], x, a +  
b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_S  
ymbol] := Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a  
+ b\*ArcSin[c\*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d  
+ e, 0] && NeQ[n, -1]

#### Rule 4807

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.))/Sqrt[(d\_)  
+ (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c^  
2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])^(n + 1), x] - Dist[f\*(m/(b\*c\*(n  
+ 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]], Int[(f\*x)^(m - 1)\*(a + b\*A  
rcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d  
+ e, 0] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \sin^{-1}(cx))^3} dx &= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{\int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx}{2bc} - \frac{c \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx}{b} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} - \frac{2 \int \frac{1}{a+b\sin^{-1}(cx)} dx}{a+b} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} - \frac{2 \operatorname{Subst}\left(\frac{1}{a+b\sin^{-1}(cx)}, cx\right)}{a+b} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} - \frac{2 \operatorname{Subst}\left(\frac{1}{a+b\sin^{-1}(cx)}, cx\right)}{a+b} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} - \frac{\operatorname{Subst}\left(\frac{1}{a+b\sin^{-1}(cx)}, cx\right)}{a+b} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{2a}{b}\right)}{2(a+b\arcsin(cx))} \\
&= -\frac{x\sqrt{1-c^2x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \sin^{-1}(cx))} + \frac{x^2}{b^2(a + b \sin^{-1}(cx))} + \frac{\operatorname{Ci}\left(\frac{2a}{b}\right)}{2(a+b\arcsin(cx))}
\end{aligned}$$

**Mathematica [A]**

time = 0.22, size = 108, normalized size = 0.83

$$\frac{-\frac{b^2cx\sqrt{1-c^2x^2}}{(a+b\operatorname{ArcSin}(cx))^2} + \frac{b(-1+2c^2x^2)}{a+b\operatorname{ArcSin}(cx)} + 2\operatorname{CosIntegral}\left(2\left(\frac{a}{b} + \operatorname{ArcSin}(cx)\right)\right) \sin\left(\frac{2a}{b}\right) - 2\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(2\left(\frac{a}{b} + \operatorname{ArcSin}(cx)\right)\right)}{2b^3c^2}$$

Antiderivative was successfully verified.

`[In] Integrate[x/(a + b*ArcSin[c*x])^3,x]`

```
[Out] (-((b^2*c*x*Sqrt[1 - c^2*x^2])/(a + b*ArcSin[c*x])^2) + (b*(-1 + 2*c^2*x^2)
)/(a + b*ArcSin[c*x]) + 2*CosIntegral[2*(a/b + ArcSin[c*x]])*Sin[(2*a)/b] -
2*Cos[(2*a)/b]*SinIntegral[2*(a/b + ArcSin[c*x])])/(2*b^3*c^2)
```

**Maple [A]**

time = 0.02, size = 157, normalized size = 1.21

method	result
derivativedivides	$ -\frac{\sin(2\arcsin(cx))}{4(a+b\arcsin(cx))^2b} - \frac{2\arcsin(cx)\sin\operatorname{Integral}\left(2\arcsin(cx) + \frac{2a}{b}\right)\cos\left(\frac{2a}{b}\right)b - 2\arcsin(cx)\operatorname{cosineIntegral}\left(2\arcsin(cx) + \frac{2a}{b}\right)\sin\left(\frac{2a}{b}\right)b + 2}{c^2} $



default	$\frac{\frac{\sin(2 \arcsin(cx))}{4(a+b \arcsin(cx))^2 b} - \frac{2 \arcsin(cx) \operatorname{Si}(2 \arcsin(cx) + \frac{2a}{b}) \cos(\frac{2a}{b}) b - 2 \arcsin(cx) \operatorname{Ci}(2 \arcsin(cx) + \frac{2a}{b}) \sin(\frac{2a}{b})}{c^2}}{2(a+b \arcsin(cx))^2 b}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsin(c*x))^3,x,method=_RETURNVERBOSE)`

[Out]  $\frac{1}{c^2} \left( -\frac{1}{4} \frac{\sin(2 \arcsin(cx))}{(a+b \arcsin(cx))^2/b} - \frac{1}{2} (2 \arcsin(cx) \operatorname{Si}(2 \arcsin(cx) + 2a/b) \cos(2a/b) b - 2 \arcsin(cx) \operatorname{Ci}(2 \arcsin(cx) + 2a/b) \sin(2a/b) b + 2 \operatorname{Si}(2 \arcsin(cx) + 2a/b) \cos(2a/b) a - 2 \operatorname{Ci}(2 \arcsin(cx) + 2a/b) \sin(2a/b) a + \cos(2 \arcsin(cx)) b) / (a+b \arcsin(cx)) / b^3 \right)$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^3,x, algorithm="maxima")`

[Out]  $\frac{1}{2} (2a^2 c^2 x^2 - \sqrt{cx+1} \sqrt{-cx+1} b c x + (2b^2 c^2 x^2 - b) a \operatorname{rctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1})) - 4(b^4 c^2 \operatorname{arctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1}))^2 + 2a b^3 c^2 \operatorname{arctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1}) + a^2 b^2 c^2 \int \frac{x}{(b^3 \operatorname{arctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1}) + a b^2)^2} dx - a / (b^4 c^2 \operatorname{arctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1}))^2 + 2a b^3 c^2 \operatorname{arctan2}(cx, \sqrt{cx+1} \sqrt{-cx+1}) + a^2 b^2 c^2$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^3,x, algorithm="fricas")`

[Out] `integral(x/(b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x) + a^3), x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asin(c*x))**3,x)`

[Out] Integral(x/(a + b\*asin(c\*x))\*\*3, x)

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 864 vs. 2(124) = 248.

time = 0.46, size = 864, normalized size = 6.65

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out] 
$$2*b^2*arcsin(c*x)^2*cos(a/b)*cos\_integral(2*a/b + 2*arcsin(c*x))*sin(a/b)/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) - 2*b^2*arcsin(c*x)^2*cos(a/b)^2*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + 4*a*b*arcsin(c*x)*cos(a/b)*cos\_integral(2*a/b + 2*arcsin(c*x))*sin(a/b)/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) - 4*a*b*arcsin(c*x)*cos(a/b)^2*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + 2*a^2*cos(a/b)*cos\_integral(2*a/b + 2*arcsin(c*x))*sin(a/b)/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + b^2*arcsin(c*x)^2*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) - 2*a^2*cos(a/b)^2*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + (c^2*x^2 - 1)*b^2*c*x/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + (c^2*x^2 - 1)*b^2*arcsin(c*x)/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + 2*a*b*arcsin(c*x)*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + (c^2*x^2 - 1)*a*b/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + 1/2*b^2*arcsin(c*x)/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + a^2*sin\_integral(2*a/b + 2*arcsin(c*x))/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2) + 1/2*a*b/(b^5*c^2*arcsin(c*x)^2 + 2*a*b^4*c^2*arcsin(c*x) + a^2*b^3*c^2)$$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*asin(c\*x))^3,x)

[Out] int(x/(a + b\*asin(c\*x))^3, x)

$$3.170 \quad \int \frac{1}{(a+b\text{ArcSin}(cx))^3} dx$$

Optimal. Leaf size=111

$$-\frac{\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2} + \frac{x}{2b^2(a+b\text{ArcSin}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{2b^3c} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{2b^3c}$$

[Out] 1/2\*x/b^2/(a+b\*arcsin(c\*x))-1/2\*Ci((a+b\*arcsin(c\*x))/b)\*cos(a/b)/b^3/c-1/2\*Si((a+b\*arcsin(c\*x))/b)\*sin(a/b)/b^3/c-1/2\*(-c^2\*x^2+1)^(1/2)/b/c/(a+b\*arcsin(c\*x))^2

Rubi [A]

time = 0.13, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {4717, 4807, 4719, 3384, 3380, 3383}

$$-\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{2b^3c} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\text{ArcSin}(cx)}{b}\right)}{2b^3c} + \frac{x}{2b^2(a+b\text{ArcSin}(cx))} - \frac{\sqrt{1-c^2x^2}}{2bc(a+b\text{ArcSin}(cx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^(-3), x]

[Out] -1/2\*sqrt[1 - c^2\*x^2]/(b\*c\*(a + b\*ArcSin[c\*x])^2) + x/(2\*b^2\*(a + b\*ArcSin[c\*x])) - (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(2\*b^3\*c) - (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(2\*b^3\*c)

Rule 3380

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3383

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rule 3384

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 4717

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_), x_Symbol] := Simp[Sqrt[1 - c^2
*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[c/(b*(n + 1)),
Int[x*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a,
b, c}, x] && LtQ[n, -1]
```

#### Rule 4719

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c
, n}, x]
```

#### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_))^ (m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*m/(b*c*(n
+ 1))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \sin^{-1}(cx))^3} dx &= -\frac{\sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} - \frac{c \int \frac{x}{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2} dx}{2b} \\
&= -\frac{\sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{x}{2b^2(a + b \sin^{-1}(cx))} - \frac{\int \frac{1}{a + b \sin^{-1}(cx)} dx}{2b^2} \\
&= -\frac{\sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{x}{2b^2(a + b \sin^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{2b^3 c} \\
&= -\frac{\sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{x}{2b^2(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{2b^3 c} \\
&= -\frac{\sqrt{1 - c^2 x^2}}{2bc(a + b \sin^{-1}(cx))^2} + \frac{x}{2b^2(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a + b \sin^{-1}(cx)}{b}\right)}{2b^3 c} - \frac{\sin\left(\frac{a}{b}\right)}{2b^3 c}
\end{aligned}$$

#### Mathematica [A]

time = 0.27, size = 93, normalized size = 0.84

$$\frac{b \left( \frac{b \sqrt{1 - c^2 x^2}}{c} - x(a + b \text{ArcSin}(cx)) \right)}{(a + b \text{ArcSin}(cx))^2} + \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{c} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \text{ArcSin}(cx)\right)}{c}$$


---

2b<sup>3</sup>

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(-3),x]

[Out] 
$$-1/2*((b*((b*\sqrt{1-c^2*x^2})/c - x*(a + b*ArcSin[c*x]))) / (a + b*ArcSin[c*x])^2 + (\cos[a/b]*\text{CosIntegral}[a/b + ArcSin[c*x]])/c + (\sin[a/b]*\text{SinIntegral}[a/b + ArcSin[c*x]])/c) / b^3$$

**Maple [A]**

time = 0.03, size = 138, normalized size = 1.24

method	result
derivativedivides	$\frac{\sqrt{-c^2x^2+1}}{2(a+b\arcsin(cx))^2b} - \frac{\arcsin(cx)\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)b+\arcsin(cx)\cos\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)b+\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)b+\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)b}{2(a+b\arcsin(cx))^3c}$
default	$\frac{\sqrt{-c^2x^2+1}}{2(a+b\arcsin(cx))^2b} - \frac{\arcsin(cx)\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)b+\arcsin(cx)\cos\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)b+\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)b+\sin\text{Integral}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)b}{2(a+b\arcsin(cx))^3c}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))^3,x,method=\_RETURNVERBOSE)

[Out] 
$$1/c*(-1/2/(a+b*\arcsin(c*x))^2/b*(-c^2*x^2+1)^{(1/2)}-1/2*(\arcsin(c*x)*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*b+\arcsin(c*x)*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*b+\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*a+\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*a-x*b*c)/(a+b*\arcsin(c*x))/b^3$$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^3,x, algorithm="maxima")

[Out] 
$$1/2*(b*c*x*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1}) + a*c*x - \sqrt{c*x+1}*\sqrt{-c*x+1}*b - 2*(b^4*c*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1})^2 + 2*a*b^3*c*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1}) + a^2*b^2*c*\int\text{egrate}(1/2/(b^3*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1}) + a*b^2), x))/(b^4*c*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1})^2 + 2*a*b^3*c*\arctan2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1}) + a^2*b^2*c$$

**Fricas [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsin(c*x))^3,x, algorithm="fricas")
[Out] integral(1/(b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x)
+ a^3), x)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*asin(c*x))**3,x)
[Out] Integral((a + b*asin(c*x))**(-3), x)
```

**Giac** [B] Leaf count of result is larger than twice the leaf count of optimal. 482 vs. 2(101) = 202.

time = 0.42, size = 482, normalized size = 4.34

$$\frac{b^2 \operatorname{arcsin}(cx) \cos\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \sin\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \cos\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \sin\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \cos\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \sin\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \cos\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \sin\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \cos\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}} + \frac{b^2 \operatorname{arcsin}(cx) \sin\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \operatorname{asin}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{2 \sqrt{-c^2 x^2 + 1} \sqrt{a^2 + b^2 \operatorname{asin}^2(cx) + a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsin(c*x))^3,x, algorithm="giac")
[Out] -1/2*b^2*arcsin(c*x)^2*cos(a/b)*cos_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - 1/2*b^2*arcsin(c*x)^2*sin(a/b)*sin_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) + 1/2*b^2*c*x*arcsin(c*x)/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - a*b*arcsin(c*x)*cos(a/b)*cos_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - a*b*arcsin(c*x)*sin(a/b)*sin_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) + 1/2*a*b*c*x/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - 1/2*a^2*cos(a/b)*cos_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - 1/2*a^2*sin(a/b)*sin_integral(a/b + arcsin(c*x))/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c) - 1/2*sqrt(-c^2*x^2 + 1)*b^2/(b^5*c*arcsin(c*x)^2 + 2*a*b^4*c*arcsin(c*x) + a^2*b^3*c)
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a + b*asin(c*x))^3,x)
[Out] int(1/(a + b*asin(c*x))^3, x)
```

$$3.171 \quad \int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^3} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b\text{ArcSin}(cx))^3}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x))^3, x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*(a + b\*ArcSin[c\*x])^3), x]

[Out] Defer[Int][1/(x\*(a + b\*ArcSin[c\*x])^3), x]

Rubi steps

$$\int \frac{1}{x(a+b\sin^{-1}(cx))^3} dx = \int \frac{1}{x(a+b\sin^{-1}(cx))^3} dx$$

Mathematica [A]

time = 1.48, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^3), x]

[Out] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^3), x]

Maple [A]

time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\arcsin(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsin(c*x))^3,x)`

[Out] `int(1/x/(a+b*arcsin(c*x))^3,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^3,x, algorithm="maxima")`

[Out] 
$$-1/2*(\sqrt{c*x + 1}*\sqrt{-c*x + 1}*b*c*x - b*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})) - 2*(b^4*c^2*x^2*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))^2 + 2*a*b^3*c^2*x^2*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + a^2*b^2*c^2*x^2*\integrate(1/(b^3*c^2*x^3*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + a*b^2*c^2*x^3), x) - a/(b^4*c^2*x^2*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))^2 + 2*a*b^3*c^2*x^2*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + a^2*b^2*c^2*x^2$$

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^3,x, algorithm="fricas")`

[Out] `integral(1/(b^3*x*arcsin(c*x)^3 + 3*a*b^2*x*arcsin(c*x)^2 + 3*a^2*b*x*arcsin(c*x) + a^3*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x))**3,x)`

[Out] `Integral(1/(x*(a + b*asin(c*x))**3), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(1/x/(a+b*arcsin(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate(1/((b*arcsin(c*x) + a)^3*x), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*asin(c*x))^3),x)
```

```
[Out] int(1/(x*(a + b*asin(c*x))^3), x)
```

$$3.172 \quad \int \frac{1}{x^2(a+b\mathbf{ArcSin}(cx))^3} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x^2(a+b\text{ArcSin}(cx))^3}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x))^3,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*(a + b\*ArcSin[c\*x])^3),x]

[Out] Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])^3), x]

Rubi steps

$$\int \frac{1}{x^2(a+b\sin^{-1}(cx))^3} dx = \int \frac{1}{x^2(a+b\sin^{-1}(cx))^3} dx$$

Mathematica [A]

time = 12.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^3} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^3),x]

[Out] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^3), x]

Maple [A]

time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\arcsin(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsin(c*x))^3,x)`

[Out] `int(1/x^2/(a+b*arcsin(c*x))^3,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^3,x, algorithm="maxima")`

[Out] `-1/2*(a*c^2*x^2 + sqrt(c*x + 1)*sqrt(-c*x + 1)*b*c*x + (b*c^2*x^2 - 2*b)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + 2*(b^4*c^2*x^3*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 2*a*b^3*c^2*x^3*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a^2*b^2*c^2*x^3)*integrate(1/2*(c^2*x^2 - 6)/(b^3*c^2*x^4*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b^2*c^2*x^4), x) - 2*a)/(b^4*c^2*x^3*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 2*a*b^3*c^2*x^3*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a^2*b^2*c^2*x^3)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^3,x, algorithm="fricas")`

[Out] `integral(1/(b^3*x^2*arcsin(c*x)^3 + 3*a*b^2*x^2*arcsin(c*x)^2 + 3*a^2*b*x^2*arcsin(c*x) + a^3*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asin(c*x))**3,x)`

[Out] `Integral(1/(x**2*(a + b*asin(c*x))**3), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^3,x, algorithm="giac")
```

```
[Out] integrate(1/((b*arcsin(c*x) + a)^3*x^2), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*asin(c*x))^3),x)
```

```
[Out] int(1/(x^2*(a + b*asin(c*x))^3), x)
```

### 3.173 $\int x^2 \sqrt{a + b \operatorname{ArcSin}(cx)} dx$

**Optimal.** Leaf size=242

$$\frac{1}{3} x^3 \sqrt{a + b \operatorname{ArcSin}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{4c^3} + \frac{\sqrt{b} \sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{12c^3}$$

[Out]  $1/72*\cos(3*a/b)*\operatorname{FresnelS}(6^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*6^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3-1/72*\operatorname{FresnelC}(6^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(3*a/b)*b^{(1/2)}*6^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3-1/8*\cos(a/b)*\operatorname{FresnelS}(2^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3+1/8*\operatorname{FresnelC}(2^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*b^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3+1/3*x^3*(a+b*\arcsin(c*x))^{(1/2)}$

**Rubi [A]**

time = 0.48, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4725, 4809, 3393, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{4c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{b} \sin\left(\frac{3a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{12c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{4c^3} + \frac{\sqrt{\frac{\pi}{6}} \sqrt{b} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{12c^3} + \frac{1}{3} x^3 \sqrt{a + b \operatorname{ArcSin}(cx)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]], x]$

[Out]  $(x^3*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/3 - (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Cos}[a/b]*\operatorname{FresnelS}[(\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(4*c^3) + (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}/6]*\operatorname{Cos}[(3*a)/b]*\operatorname{FresnelS}[(\operatorname{Sqrt}[6/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(12*c^3) + (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{FresnelC}[(\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[a/b])/(4*c^3) - (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}/6]*\operatorname{FresnelC}[(\operatorname{Sqrt}[6/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[(3*a)/b])/(12*c^3)$

**Rule 3385**

$\operatorname{Int}[\sin[\operatorname{Pi}/2 + (e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Cos}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

**Rule 3386**

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Sin}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3393

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x
^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + b \sin^{-1}(cx)} dx &= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{1}{6} (bc) \int \frac{x^3}{\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} dx \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{b \text{Subst}\left(\int \frac{\sin^3(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{b \text{Subst}\left(\int \left(\frac{3 \sin(x)}{4\sqrt{a + bx}} - \frac{\sin(3x)}{4\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{b \text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{24c^3} - \frac{b \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{24c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{(b \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b} + x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8c^3} + \frac{(b \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b} + x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{4c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3} + \dots
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.19, size = 246, normalized size = 1.02

$$\frac{i e^{-\frac{a}{b}} \sqrt{a + b \text{ArcSin}(cx)} \left( 9 e^{\frac{a}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{i(a + b \text{ArcSin}(cx))}{b}\right) - 9 e^{\frac{a}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, \frac{i(a + b \text{ArcSin}(cx))}{b}\right) + \sqrt{3} \left( -\sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{3i(a + b \text{ArcSin}(cx))}{b}\right) + e^{\frac{a}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, \frac{3i(a + b \text{ArcSin}(cx))}{b}\right) \right) \right)}{72 c^3 \sqrt{\frac{(a + b \text{ArcSin}(cx))^2}{b^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] ((-1/72\*I)\*Sqrt[a + b\*ArcSin[c\*x]]\*(9\*E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] - 9\*E^(((4\*I)\*a)/b)\*Sqrt[(((I)\*(a + b\*ArcSin[c\*x]))/b)\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[3]\*(-(Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b]) + E^(((6\*I)\*a)/b)\*Sqrt[(((I)\*(a + b\*ArcSin[c\*x]))/b)\*Gamma[3/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]]))/(c^3\*E^(((3\*I)\*a)/b)\*Sqrt[(a + b\*ArcSin[c\*x])^2/b^2])

**Maple [A]**

time = 0.13, size = 361, normalized size = 1.49

method	result
default	$-\frac{-9\sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b}}}\right)}{b-9\sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{a + b \arcsin(cx)}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))^(1/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-1/72/c^3/(a+b*\arcsin(c*x))^{1/2}*(-9*2^{1/2}*\pi^{1/2}*(-1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\cos(a/b)*\operatorname{FresnelS}(2^{1/2}/\pi^{1/2}/(-1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*b-9*2^{1/2}*\pi^{1/2}*(-1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\sin(a/b)*\operatorname{FresnelC}(2^{1/2}/\pi^{1/2}/(-1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*b+2^{1/2}*\pi^{1/2}*(-3/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\cos(3*a/b)*\operatorname{FresnelS}(3*2^{1/2}/\pi^{1/2}/(-3/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*b+2^{1/2}*\pi^{1/2}*(-3/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\sin(3*a/b)*\operatorname{FresnelC}(3*2^{1/2}/\pi^{1/2}/(-3/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*b+18*\arcsin(c*x)*\sin(-(a+b*\arcsin(c*x))/b+a/b)*b+18*\sin(-(a+b*\arcsin(c*x))/b+a/b)*a-6*\arcsin(c*x)*\sin(-3*(a+b*\arcsin(c*x))/b+3*a/b)*b-6*\sin(-3*(a+b*\arcsin(c*x))/b+3*a/b)*a$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*arcsin(c*x) + a)*x^2, x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a + b \arcsin(cx)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(x\*\*2\*sqrt(a + b\*asin(c\*x)), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.94, size = 1057, normalized size = 4.37

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/8*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{ab} \\ & s(b) - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)/((I*b \\ & ^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})}*c^3) + 1/16*I*\sqrt{2}*\sqrt{\pi}*b^2*\operatorname{erf}(-1 \\ & /2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcs \\ & \sin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)/((I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b) \\ & ))}*c^3) + 1/8*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a \\ & )/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I* \\ & a/b)/((-I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})}*c^3) - 1/16*I*\sqrt{2}*\sqrt{\pi} \\ & *b^2*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{ \\ & b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I*a/b)/((-I*b^2/\sqrt{\operatorname{abs}(b)} + b \\ & *\sqrt{\operatorname{abs}(b)})}*c^3) - 1/4*\sqrt{\pi}*a*\sqrt{b}*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin \\ & (c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\operatorname{abs}(b))* \\ & e^{(3*I*a/b)/((\sqrt{6}*b + I*\sqrt{6})*b^2/\operatorname{abs}(b))*c^3) - 1/24*I*\sqrt{\pi}*b^{(3 \\ & /2)}*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b \\ & *\arcsin(c*x) + a}*\sqrt{b}/\operatorname{abs}(b))*e^{(3*I*a/b)/((\sqrt{6}*b + I*\sqrt{6})*b^2/a \\ & bs(b))*c^3) - 1/4*\sqrt{\pi}*a*\sqrt{b}*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + \\ & a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\operatorname{abs}(b))*e^{(-3*I* \\ & a/b)/((\sqrt{6}*b - I*\sqrt{6})*b^2/\operatorname{abs}(b))*c^3) + 1/24*I*\sqrt{\pi}*b^{(3/2)}*\operatorname{erf} \\ & (-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin \\ & (c*x) + a}*\sqrt{b}/\operatorname{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b - I*\sqrt{6})*b^2/\operatorname{abs}(b)) \\ & }*c^3) + 1/4*\sqrt{\pi}*a*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1 \\ & /2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\operatorname{abs}(b))*e^{(3*I*a/b)/((\sqrt{6})* \\ & \sqrt{b} + I*\sqrt{6})*b^{(3/2)}/\operatorname{abs}(b))*c^3) - 1/4*\sqrt{\pi}*a*\operatorname{erf}(-1/2*I*\sqrt{2} \\ & )*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a \\ & }*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)/(c^3*(I*\sqrt{2})*b/\sqrt{\operatorname{abs}(b)} + \sqrt{2}*\sqrt{a \\ & bs(b))}) - 1/4*\sqrt{\pi}*a*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{ab} \\ & s(b) - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I*a/b)/(c^3 \\ & *(-I*\sqrt{2})*b/\sqrt{\operatorname{abs}(b)} + \sqrt{2}*\sqrt{\operatorname{abs}(b))})} + 1/4*\sqrt{\pi}*a*\operatorname{erf}(- \\ & 1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c \\ & *x) + a}*\sqrt{b}/\operatorname{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6})*\sqrt{b} - I*\sqrt{6})*b^{(3/2) \\ & }/\operatorname{abs}(b))*c^3) + 1/24*I*\sqrt{b*\arcsin(c*x) + a}*e^{(3*I*\arcsin(c*x))/c^3} - 1/ \\ & 8*I*\sqrt{b*\arcsin(c*x) + a}*e^{(I*\arcsin(c*x))/c^3} + 1/8*I*\sqrt{b*\arcsin(c*x} \end{aligned}$$

) + a)\*e<sup>(-I\*arcsin(c\*x))/c<sup>3</sup> - 1/24\*I\*sqrt(b\*arcsin(c\*x) + a)\*e<sup>(-3\*I\*arcsin(c\*x))/c<sup>3</sup></sup></sup>

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x<sup>2</sup>\*(a + b\*asin(c\*x))<sup>(1/2)</sup>,x)

[Out] int(x<sup>2</sup>\*(a + b\*asin(c\*x))<sup>(1/2)</sup>, x)

### 3.174 $\int x \sqrt{a + b \operatorname{ArcSin}(cx)} dx$

Optimal. Leaf size=137

$$-\frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{4c^2} + \frac{1}{2}x^2 \sqrt{a + b \operatorname{ArcSin}(cx)} + \frac{\sqrt{b} \sqrt{\pi} \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{8c^2} + \frac{\sqrt{b}}{8c^2}$$

[Out]  $\frac{1}{8} \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) \sqrt{b} \sqrt{\pi} + \frac{1}{2} x^2 \sqrt{a + b \operatorname{ArcSin}(cx)} - \frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{4c^2} + \frac{\sqrt{b}}{8c^2}$

Rubi [A]

time = 0.24, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4725, 4809, 3393, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\pi} \sqrt{b} \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{8c^2} + \frac{\sqrt{\pi} \sqrt{b} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{8c^2} - \frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{4c^2} + \frac{1}{2}x^2 \sqrt{a + b \operatorname{ArcSin}(cx)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[a + b*ArcSin[c*x]],x]`

[Out]  $-\frac{1}{4} \sqrt{a + b \operatorname{ArcSin}(cx)} / c^2 + (x^2 \sqrt{a + b \operatorname{ArcSin}(cx)}) / 2 + (\sqrt{b} \sqrt{\pi} \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) / (\sqrt{b} \sqrt{\pi})) / (8c^2) + (\sqrt{b} \sqrt{\pi} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) / (\sqrt{b} \sqrt{\pi})) / (8c^2)$

Rule 3385

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3386

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3387

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,`

$e, f, x$  && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

### Rule 3393

Int[((c\_.) + (d\_.)\*(x\_)^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^2)], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_)^2)], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)\*(b\_.)]^(n\_)\*(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(m + 1)), x] - Dist[b\*c\*(n/(m + 1)), Int[x^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)\*(b\_.)]^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
\int x \sqrt{a + b \sin^{-1}(cx)} \, dx &= \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} - \frac{1}{4} (bc) \int \frac{x^2}{\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} \, dx \\
&= \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} - \frac{b \operatorname{Subst} \left( \int \frac{\sin^2(x)}{\sqrt{a + bx}} \, dx, x, \sin^{-1}(cx) \right)}{4c^2} \\
&= \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} - \frac{b \operatorname{Subst} \left( \int \left( \frac{1}{2\sqrt{a + bx}} - \frac{\cos(2x)}{2\sqrt{a + bx}} \right) \, dx, x, \sin^{-1}(cx) \right)}{4c^2} \\
&= -\frac{\sqrt{a + b \sin^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} + \frac{b \operatorname{Subst} \left( \int \frac{\cos(2x)}{\sqrt{a + bx}} \, dx, x, \sin^{-1}(cx) \right)}{8c^2} \\
&= -\frac{\sqrt{a + b \sin^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} + \frac{(b \cos(\frac{2a}{b})) \operatorname{Subst} \left( \int \frac{\cos(\frac{2a}{b} + 2x)}{\sqrt{a + bx}} \, dx, x, \sin^{-1}(cx) \right)}{8c^2} \\
&= -\frac{\sqrt{a + b \sin^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} + \frac{\cos(\frac{2a}{b}) \operatorname{Subst} \left( \int \cos\left(\frac{2x^2}{b}\right) \, dx, x, \sin^{-1}(cx) \right)}{4c^2} \\
&= -\frac{\sqrt{a + b \sin^{-1}(cx)}}{4c^2} + \frac{1}{2} x^2 \sqrt{a + b \sin^{-1}(cx)} + \frac{\sqrt{b} \sqrt{\pi} \cos(\frac{2a}{b}) C \left( \frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}} \right)}{8c^2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.05, size = 141, normalized size = 1.03

$$\frac{e^{-\frac{2ia}{b}} \sqrt{a + b \operatorname{ArcSin}(cx)} \left( \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, -\frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) + e^{\frac{4ia}{b}} \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, \frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right)}{8\sqrt{2} c^2 \sqrt{\frac{(a + b \operatorname{ArcSin}(cx))^2}{b^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] -1/8\*(Sqrt[a + b\*ArcSin[c\*x]]\*(Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((4\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(Sqrt[2]\*c^2\*E^(((2\*I)\*a)/b)\*Sqrt[(a + b\*ArcSin[c\*x])^2/b^2])

**Maple [A]**

time = 0.07, size = 192, normalized size = 1.40

method	result
default	$-\cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{-\frac{2}{b}}}\right) \sqrt{2}\sqrt{\pi}\sqrt{-\frac{2}{b}}\sqrt{a+b\arcsin(cx)} b + \sin\left(\frac{2a}{b}\right) \operatorname{FresnelS}\left(\frac{\sqrt{2}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{-\frac{2}{b}}}\right)$

16c<sup>2</sup>

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*arcsin(c*x))^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/16/c^2/(a+b*arcsin(c*x))^(1/2)*(-cos(2*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/
(-2/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(-2/b)^(1/2)*(a+b*
arcsin(c*x))^(1/2)*b+sin(2*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)*(a
+b*arcsin(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(-2/b)^(1/2)*(a+b*arcsin(c*x))^(1
/2)*b+4*arcsin(c*x)*cos(-2*(a+b*arcsin(c*x))/b+2*a/b)*b+4*cos(-2*(a+b*arcsi
n(c*x))/b+2*a/b)*a
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a)*x, x)
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(x\*sqrt(a + b\*asin(c\*x)), x)

**Giac** [C] Result contains complex when optimal does not.  
time = 0.76, size = 448, normalized size = 3.27

$$\frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} - \frac{\sqrt{a+b\operatorname{asin}(cx)} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{asin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{4}I\sqrt{\pi}a\sqrt{b}\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) - I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{2Ia/b}/((b+Ib^2/\operatorname{abs}(b))c^2) - \frac{1}{16}\sqrt{\pi}b^{3/2}\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) - I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{2Ia/b}/((b+Ib^2/\operatorname{abs}(b))c^2) - \frac{1}{4}I\sqrt{\pi}a\sqrt{b}\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) + I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{-2Ia/b}/((b-Ib^2/\operatorname{abs}(b))c^2) - \frac{1}{16}\sqrt{\pi}b^{3/2}\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) + I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{-2Ia/b}/((b-Ib^2/\operatorname{abs}(b))c^2) + \frac{1}{4}I\sqrt{\pi}a\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) + I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{-2Ia/b}/(c^2(\sqrt{b}-Ib^{3/2}/\operatorname{abs}(b))) - \frac{1}{4}I\sqrt{\pi}a\operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) - I\sqrt{b\arcsin(cx)+a}\sqrt{b}/\operatorname{abs}(b)e^{2Ia/b}/(\sqrt{b}c^2(Ib/\operatorname{abs}(b)+1)) - \frac{1}{8}\sqrt{b\arcsin(cx)+a}e^{2I\arcsin(cx)}/c^2 - \frac{1}{8}\sqrt{b\arcsin(cx)+a}e^{-2I\arcsin(cx)}/c^2$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int x \sqrt{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*asin(c\*x))^(1/2),x)

[Out] int(x\*(a + b\*asin(c\*x))^(1/2), x)

### 3.175 $\int \sqrt{a + b \operatorname{ArcSin}(cx)} dx$

Optimal. Leaf size=120

$$x\sqrt{a + b \operatorname{ArcSin}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{c} + \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{c}$$

[Out]  $-1/2*\cos(a/b)*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}/c+1/2*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*b^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}/c+x*(a+b*\arcsin(c*x))^{(1/2)}$

Rubi [A]

time = 0.18, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4715, 4809, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{c} + x\sqrt{a + b \operatorname{ArcSin}(cx)}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*ArcSin[c*x]],x]`

[Out]  $x*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]] - (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\pi/2]*\operatorname{Cos}[a/b]*\operatorname{FresnelS}[(\operatorname{Sqrt}[2/\pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/c + (\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\pi/2]*\operatorname{FresnelC}[(\operatorname{Sqrt}[2/\pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[a/b])/c$

Rule 3385

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3386

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3387

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d`



$*e - c*f)/d$ ,  $\text{Int}[\text{Cos}[c*(f/d) + f*x]/\text{Sqrt}[c + d*x], x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x]$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{NeQ}[d*e - c*f, 0]$

#### Rule 3432

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

#### Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

#### Rule 4715

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.))^{(n_.)}, x\_Symbol] :> \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c^n, \text{Int}[x*((a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2]], x], x] /;$   $\text{FreeQ}\{a, b, c\}, x]$  &&  $\text{GtQ}[n, 0]$

#### Rule 4809

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.))^{(n_.)}*(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] :> \text{Dist}[(1/(b*c^{(m + 1)}))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Subst}[\text{Int}[x^n*\text{Sin}[-a/b + x/b]^m*\text{Cos}[-a/b + x/b]^{(2*p + 1)}, x], x, a + b*\text{ArcSin}[c*x]], x] /;$   $\text{FreeQ}\{a, b, c, d, e, n\}, x]$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{IGtQ}[2*p + 2, 0]$  &&  $\text{IGtQ}[m, 0]$

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \sin^{-1}(cx)} dx &= x \sqrt{a + b \sin^{-1}(cx)} - \frac{1}{2}(bc) \int \frac{x}{\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} dx \\
&= x \sqrt{a + b \sin^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= x \sqrt{a + b \sin^{-1}(cx)} - \frac{(b \cos(\frac{a}{b})) \operatorname{Subst}\left(\int \frac{\sin(\frac{a}{b} + x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c} + \frac{(b \sin(\frac{a}{b})) \operatorname{Subst}\left(\int \frac{\cos(\frac{a}{b} + x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= x \sqrt{a + b \sin^{-1}(cx)} - \frac{\cos(\frac{a}{b}) \operatorname{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{c} + \frac{\sin(\frac{a}{b}) \operatorname{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{c} \\
&= x \sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos(\frac{a}{b}) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \sin(\frac{a}{b}) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.  
time = 0.06, size = 119, normalized size = 0.99

$$\frac{b e^{-\frac{ia}{b}} \left( \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, -\frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, \frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right)}{2c \sqrt{a + b \operatorname{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (b\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b])/(2\*c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]**

time = 0.06, size = 187, normalized size = 1.56

method	result
default	$ -\sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) b - \sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{a + b \arcsin(cx)} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) b $

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^(1/2),x,method=_RETURNVERBOSE)
[Out] -1/2/c/(a+b*arcsin(c*x))^(1/2)*(-2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b-2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b+2*arcsin(c*x)*sin(-(a+b*arcsin(c*x))/b+a/b)*b+2*sin(-(a+b*arcsin(c*x))/b+a/b)*a
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a), x)
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*asin(c*x)), x)
```

**Giac** [C] Result contains complex when optimal does not.

time = 0.61, size = 531, normalized size = 4.42

$$\frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}} + \frac{\sqrt{a+b \operatorname{asin}(cx)} \operatorname{atan2}\left(\sqrt{a+b \operatorname{asin}(cx)}, \sqrt{a+b \operatorname{asin}(cx)}\right)}{\sqrt{a+b \operatorname{asin}(cx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] 1/2*sqrt(2)*sqrt(pi)*a*b*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/((I*b^2/sqrt(abs(b)) + b*sqrt(abs(b)))c) + 1/4*I*sqrt(2)*sqrt(pi)*b^2*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/((I*b^2/sqrt(abs(b)) + b*sqrt(abs(b)))c) + 1/2*sqrt(2)*sqrt(pi)*a*b*erf(1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(-I*a/b)/((-I*b^2/sqrt(abs(b)) + b*sqrt(abs(b)))c) - 1/4*I*sqrt(2)*sqrt(pi)*b^2*erf(1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(-I*a/b)/((-I*b^2/sqrt(abs(b)) + b*sqrt(abs(b)))c) - sqrt(pi)*a*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/(c*(I*sqrt(2)*b/sqrt(abs(b)) + sqrt(2)*sqrt(abs(b)))) - sqrt(pi)*a*erf(1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(-I*a/b)/(c*(-I*sqrt(2)*b/sqrt(abs(b)) + sqrt(2)*sqrt(abs(b)))) - 1/2*I*sqrt(b*arcsin(c*x) + a)*e^(I*arcsin(c*x))/c + 1/2*I*sqrt(b*arcsin(c*x) + a)*e^(-I*arcsin(c*x))/c
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{a + b \sin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^(1/2), x)
```

```
[Out] int((a + b*asin(c*x))^(1/2), x)
```

$$3.176 \quad \int \frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{x} dx$$

Optimal. Leaf size=19

$$\operatorname{Int}\left(\frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{x}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(1/2)/x,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{x} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[a + b\*ArcSin[c\*x]]/x,x]

[Out] Defer[Int][Sqrt[a + b\*ArcSin[c\*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{a + b \sin^{-1}(cx)}}{x} dx = \int \frac{\sqrt{a + b \sin^{-1}(cx)}}{x} dx$$

Mathematica [A]

time = 2.18, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \operatorname{ArcSin}(cx)}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/x,x]

[Out] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/x, x]

Maple [A]

time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \arcsin(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^(1/2)/x,x)
```

```
[Out] int((a+b*arcsin(c*x))^(1/2)/x,x)
```

**Maxima** [A]

```
time = 0.00, size = 0, normalized size = 0.00
```

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a)/x, x)
```

**Fricas** [F(-2)]

```
time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [A]

```
time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sqrt{a + b \operatorname{asin}(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**(1/2)/x,x)
```

```
[Out] Integral(sqrt(a + b*asin(c*x))/x, x)
```

**Giac** [A]

```
time = 0.00, size = 0, normalized size = 0.00
```

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x,x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a)/x, x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{a + b \sin(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(1/2)/x,x)

[Out] int((a + b\*asin(c\*x))^(1/2)/x, x)

$$3.177 \quad \int \frac{\sqrt{a + b\text{ArcSin}(cx)}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sqrt{a + b\text{ArcSin}(cx)}}{x^2}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(1/2)/x^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{a + b\text{ArcSin}(cx)}}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[a + b\*ArcSin[c\*x]]/x^2,x]

[Out] Defer[Int][Sqrt[a + b\*ArcSin[c\*x]]/x^2, x]

Rubi steps

$$\int \frac{\sqrt{a + b \sin^{-1}(cx)}}{x^2} dx = \int \frac{\sqrt{a + b \sin^{-1}(cx)}}{x^2} dx$$

Mathematica [A]

time = 7.89, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b\text{ArcSin}(cx)}}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/x^2,x]

[Out] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/x^2, x]

Maple [A]

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \arcsin(cx)}}{x^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^(1/2)/x^2,x)
```

```
[Out] int((a+b*arcsin(c*x))^(1/2)/x^2,x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x^2,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a)/x^2, x)
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x^2,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \operatorname{asin}(cx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**(1/2)/x**2,x)
```

```
[Out] Integral(sqrt(a + b*asin(c*x))/x**2, x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/x^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*arcsin(c*x) + a)/x^2, x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{a + b \operatorname{asin}(cx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(1/2)/x^2,x)

[Out] int((a + b\*asin(c\*x))^(1/2)/x^2, x)

### 3.178 $\int x^2(a + b\text{ArcSin}(cx))^{3/2} dx$

Optimal. Leaf size=313

$$3b^{3/2} \sqrt{\frac{\pi}{2}}$$

$$\frac{b\sqrt{1-c^2x^2} \sqrt{a+b\text{ArcSin}(cx)}}{3c^3} + \frac{bx^2\sqrt{1-c^2x^2} \sqrt{a+b\text{ArcSin}(cx)}}{6c} + \frac{1}{3}x^3(a+b\text{ArcSin}(cx))^{3/2} -$$

[Out]  $\frac{1}{3}x^3(a+b\text{arcsin}(cx))^{3/2} + \frac{1}{144}b^{3/2}\cos(3a/b)\text{FresnelC}(6^{1/2}/\text{Pi}^{1/2}(a+b\text{arcsin}(cx))^{1/2}/b^{1/2})^{6^{1/2}}\text{Pi}^{1/2}/c^3 + \frac{1}{144}b^{3/2}\text{FresnelS}(6^{1/2}/\text{Pi}^{1/2}(a+b\text{arcsin}(cx))^{1/2}/b^{1/2})\sin(3a/b)^{6^{1/2}}\text{Pi}^{1/2}/c^3 - \frac{3}{16}b^{3/2}\cos(a/b)\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}(a+b\text{arcsin}(cx))^{1/2}/b^{1/2})^{2^{1/2}}\text{Pi}^{1/2}/c^3 - \frac{3}{16}b^{3/2}\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}(a+b\text{arcsin}(cx))^{1/2}/b^{1/2})\sin(a/b)^{2^{1/2}}\text{Pi}^{1/2}/c^3 + \frac{1}{3}b^{3/2}(-c^2x^2+1)^{1/2}(a+b\text{arcsin}(cx))^{1/2}/c^3 + \frac{1}{6}bx^2(-c^2x^2+1)^{1/2}(a+b\text{arcsin}(cx))^{1/2}/c$

Rubi [A]

time = 0.64, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 11, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$ , Rules used = {4725, 4795, 4767, 4719, 3387, 3386, 3432, 3385, 3433, 4731, 4491}

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{2}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{8c^3} + \frac{\sqrt{\frac{\pi}{6}}b^{3/2}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{2}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{24c^3} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\sin\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{2}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{8c^3} + \frac{\sqrt{\frac{\pi}{6}}b^{3/2}\sin\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{2}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{24c^3} + \frac{bx^2\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}(cx)}}{6c} + \frac{b\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}(cx)}}{3c^3} + \frac{1}{3}x^3(a+b\text{ArcSin}(cx))^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2(a + b\text{ArcSin}[c*x])^{3/2}, x]$

[Out]  $(b\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}[c*x]})/(3c^3) + (bx^2\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}[c*x]})/(6c) + (x^3(a+b\text{ArcSin}[c*x])^{3/2})/3 - (3b^{3/2}\sqrt{\text{Pi}/2}\cos[a/b]\text{FresnelC}[(\sqrt{2/\text{Pi}})\sqrt{a+b\text{ArcSin}[c*x]})/\sqrt{b}])/(8c^3) + (b^{3/2}\sqrt{\text{Pi}/6}\cos[(3a)/b]\text{FresnelC}[(\sqrt{6/\text{Pi}})\sqrt{a+b\text{ArcSin}[c*x]})/\sqrt{b}])/(24c^3) - (3b^{3/2}\sqrt{\text{Pi}/2}\text{FresnelS}[(\sqrt{2/\text{Pi}})\sqrt{a+b\text{ArcSin}[c*x]})/\sqrt{b}])\sin[a/b]/(8c^3) + (b^{3/2}\sqrt{\text{Pi}/6}\text{FresnelS}[(\sqrt{6/\text{Pi}})\sqrt{a+b\text{ArcSin}[c*x]})/\sqrt{b}])\sin[(3a)/b]/(24c^3)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)(x_.)]/\sqrt{(c_.) + (d_.)(x_.)}, x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \sqrt{c + d*x}], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{EqQ}[d*e - c*f, 0]$

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]<sup>(p\_.)</sup>\*((c\_.) + (d\_.)\*(x\_))<sup>(m\_.)</sup>\*Sin[(a\_.) + (b\_.)\*(x\_)]<sup>(n\_.)</sup>, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)<sup>m</sup>, Sin[a + b\*x]<sup>n</sup>\*Cos[a + b\*x]<sup>p</sup>, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>, x\_Symbol] := Dist[1/(b\*c), Subst[Int[x<sup>n</sup>\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>\*((x\_)<sup>(m\_.)</sup>, x\_Symbol] := Simp[x<sup>(m + 1)</sup>\*((a + b\*ArcSin[c\*x])<sup>n/(m + 1)</sup>), x] - Dist[b\*c\*(n/(m + 1)), Int[x<sup>(m + 1)</sup>\*((a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>\*((x\_)<sup>(m\_.)</sup>, x\_Symbol] := Dist[1/(b\*c<sup>(m + 1)</sup>), Subst[Int[x<sup>n</sup>\*Sin[-a/b + x/b]<sup>m</sup>\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4767

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1))), x] + Dist[b\*(n/(2\*c\*(p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sin^{-1}(cx))^{3/2} dx &= \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} - \frac{1}{2} (bc) \int \frac{x^3 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2 x^2}} dx \\
&= \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} - \frac{1}{12} b^2 \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2} \\
&= \frac{b\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bx^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{3/2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.20, size = 245, normalized size = 0.78

$$\frac{bc^{-4q} \sqrt{a + b \operatorname{ArcSin}(cx)} \left( 27e^{4q} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, -\frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) + 27e^{4q} \sqrt{\frac{-i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, \frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) - \sqrt{\pi} \left( \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, -\frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) + e^{4q} \sqrt{\frac{-i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, \frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right) \right)}{216c^3 \sqrt{\frac{(a + b \operatorname{ArcSin}(cx))^2}{b^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (b\*Sqrt[a + b\*ArcSin[c\*x]]\*(27\*E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 27\*E^(((4\*I)\*a)/b)\*Sqrt[((-I

)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, (I\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[3]\*(Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((6\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b])))/(216\*c^3\*E^(((3\*I)\*a)/b)\*Sqrt[(a + b\*ArcSin[c\*x])^2/b^2])

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 546 vs.  $2(241) = 482$ .

time = 0.12, size = 547, normalized size = 1.75

method	result
default	$\sqrt{-\frac{3}{b}} \sqrt{\pi} \sqrt{2} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{{}_3\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{3}{b}} b}\right) b^2 - \sqrt{-\frac{3}{b}} \sqrt{\pi} \sqrt{2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))^(3/2),x,method=\_RETURNVERBOSE)

[Out]  $\frac{1}{144}c^3(a+b\arcsin(cx))^{1/2}((-3/b)^{1/2}\pi^{1/2}2^{1/2}(a+b\arcsin(cx))^{1/2}\cos(3a/b)\text{FresnelC}(3\sqrt{2}^{1/2}/\pi^{1/2}/(-3/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)*b^2 - (-3/b)^{1/2}\pi^{1/2}2^{1/2}(a+b\arcsin(cx))^{1/2}\sin(3a/b)\text{FresnelS}(3\sqrt{2}^{1/2}/\pi^{1/2}/(-3/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)*b^2 + 27(-1/b)^{1/2}\pi^{1/2}2^{1/2}(a+b\arcsin(cx))^{1/2}\sin(a/b)\text{FresnelS}(2\sqrt{2}^{1/2}/\pi^{1/2}/(-1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)*b^2 - 27(-1/b)^{1/2}\pi^{1/2}2^{1/2}(a+b\arcsin(cx))^{1/2}\cos(a/b)\text{FresnelC}(2\sqrt{2}^{1/2}/\pi^{1/2}/(-1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)*b^2 + 12\arcsin(cx)^2\sin(-3(a+b\arcsin(cx))/b+3a/b)*b^2 - 36\arcsin(cx)^2\sin(-(a+b\arcsin(cx))/b+a/b)*b^2 + 54\arcsin(cx)\cos(-(a+b\arcsin(cx))/b+a/b)*b^2 + 24\arcsin(cx)\sin(-3(a+b\arcsin(cx))/b+3a/b)*a*b - 6\arcsin(cx)\cos(-3(a+b\arcsin(cx))/b+3a/b)*b^2 - 72\arcsin(cx)\sin(-(a+b\arcsin(cx))/b+a/b)*a*b + 54\cos(-(a+b\arcsin(cx))/b+a/b)*a*b + 12\sin(-3(a+b\arcsin(cx))/b+3a/b)*a^2 - 6\cos(-3(a+b\arcsin(cx))/b+3a/b)*a*b - 36\sin(-(a+b\arcsin(cx))/b+a/b)*a^2$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^(3/2)\*x^2, x)

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asin}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asin(c*x))**(3/2),x)
```

```
[Out] Integral(x**2*(a + b*asin(c*x))**(3/2), x)
```

**Giac [C]** Result contains complex when optimal does not.

time = 1.53, size = 1967, normalized size = 6.28

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] 1/8*sqrt(2)*sqrt(pi)*a^2*b^2*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(
abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/((
I*b^3/sqrt(abs(b)) + b^2*sqrt(abs(b)))*c^3) + 1/8*I*sqrt(2)*sqrt(pi)*a*b^3
*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt
(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/((I*b^3/sqrt(abs(b)) + b^2*sq
rt(abs(b)))*c^3) + 1/8*sqrt(2)*sqrt(pi)*a^2*b^2*erf(1/2*I*sqrt(2)*sqrt(b*ar
csin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(
b))/b)*e^(-I*a/b)/((-I*b^3/sqrt(abs(b)) + b^2*sqrt(abs(b)))*c^3) - 1/8*I*sq
rt(2)*sqrt(pi)*a*b^3*erf(1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b))
- 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(-I*a/b)/((-I*b^3/
sqrt(abs(b)) + b^2*sqrt(abs(b)))*c^3) - 1/4*sqrt(pi)*a^2*b^(3/2)*erf(-1/2*s
qrt(6)*sqrt(b*arcsin(c*x) + a)/sqrt(b) - 1/2*I*sqrt(6)*sqrt(b*arcsin(c*x) +
a)*sqrt(b)/abs(b))*e^(3*I*a/b)/((sqrt(6)*b^2 + I*sqrt(6)*b^3/abs(b))*c^3)
- 1/12*I*sqrt(pi)*a*b^(5/2)*erf(-1/2*sqrt(6)*sqrt(b*arcsin(c*x) + a)/sqrt(b)
- 1/2*I*sqrt(6)*sqrt(b*arcsin(c*x) + a)*sqrt(b)/abs(b))*e^(3*I*a/b)/((sqrt
(6)*b^2 + I*sqrt(6)*b^3/abs(b))*c^3) - 1/8*I*sqrt(2)*sqrt(pi)*a*b^2*erf(-1
```



$$\begin{aligned}
& /2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b*e^{(I*a/b)/((I*b^2/\sqrt{\text{abs}(b)} + b*\sqrt{\text{abs}(b)})*c^3)} + 3/32*\sqrt{2}*\sqrt{\pi}*b^3*\text{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(I*a/b)/((I*b^2/\sqrt{\text{abs}(b)} + b*\sqrt{\text{abs}(b)})*c^3)} + 1/8*I*\sqrt{2}*\sqrt{\pi}*a*b^2*\text{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(-I*a/b)/((-I*b^2/\sqrt{\text{abs}(b)} + b*\sqrt{\text{abs}(b)})*c^3)} + 3/32*\sqrt{2}*\sqrt{\pi}*b^3*\text{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(-I*a/b)/((-I*b^2/\sqrt{\text{abs}(b)} + b*\sqrt{\text{abs}(b)})*c^3)} - 1/4*\sqrt{\pi}*a^2*b^{(3/2)}*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b^2 - I*\sqrt{6})*b^3/\text{abs}(b))*c^3)} + 1/12*I*\sqrt{\pi}*a*b^{(5/2)}*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b^2 - I*\sqrt{6})*b^3/\text{abs}(b))*c^3)} + 1/4*\sqrt{\pi}*a^2*b*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/((\sqrt{6}*b^{(3/2)} + I*\sqrt{6})*b^{(5/2)}/\text{abs}(b))*c^3)} + 1/12*I*\sqrt{\pi}*a*b^2*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/((\sqrt{6}*b^{(3/2)} + I*\sqrt{6})*b^{(5/2)}/\text{abs}(b))*c^3)} - 1/4*\sqrt{\pi}*a^2*b*\text{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(I*a/b)/((I*\sqrt{2})*b^2/\sqrt{\text{abs}(b)} + \sqrt{2})*b*\sqrt{\text{abs}(b)})*c^3)} - 1/4*\sqrt{\pi}*a^2*b*\text{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(-I*a/b)/((-I*\sqrt{2})*b^2/\sqrt{\text{abs}(b)} + \sqrt{2})*b*\sqrt{\text{abs}(b)})*c^3)} + 1/4*\sqrt{\pi}*a^2*b*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b^{(3/2)} - I*\sqrt{6})*b^{(5/2)}/\text{abs}(b))*c^3)} - 1/12*I*\sqrt{\pi}*a*b^2*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b^{(3/2)} - I*\sqrt{6})*b^{(5/2)}/\text{abs}(b))*c^3)} - 1/48*\sqrt{\pi}*b^{(5/2)}*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/((\sqrt{6}*b + I*\sqrt{6})*b^2/\text{abs}(b))*c^3)} - 1/48*\sqrt{\pi}*b^{(5/2)}*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/((\sqrt{6}*b - I*\sqrt{6})*b^2/\text{abs}(b))*c^3)} + 1/24*I*\sqrt{b*\arcsin(c*x) + a}*b*\arcsin(c*x)*e^{(3*I*\arcsin(c*x))/c^3} - 1/8*I*\sqrt{b*\arcsin(c*x) + a}*b*\arcsin(c*x)*e^{(I*\arcsin(c*x))/c^3} + 1/8*I*\sqrt{b*\arcsin(c*x) + a}*b*\arcsin(c*x)*e^{(-I*\arcsin(c*x))/c^3} - 1/24*I*\sqrt{b*\arcsin(c*x) + a}*b*\arcsin(c*x)*e^{(-3*I*\arcsin(c*x))/c^3} + 1/24*I*\sqrt{b*\arcsin(c*x) + a}*a*e^{(3*I*\arcsin(c*x))/c^3} - 1/48*\sqrt{b*\arcsin(c*x) + a}*b*e^{(3*I*\arcsin(c*x))/c^3} - 1/8*I*\sqrt{b*\arcsin(c*x) + a}*a*e^{(I*\arcsin(c*x))/c^3} + 3/16*\sqrt{b*\arcsin(c*x) + a}*b*e^{(I*\arcsin(c*x))/c^3} + 1/8*I*\sqrt{b*\arcsin(c*x) + a}*a*e^{(-I*\arcsin(c*x))/c^3} + 3/16*\sqrt{b*\arcsin(c*x) + a}*b*e^{(-I*\arcsin(c*x))/c^3} - 1/24*I*\sqrt{b*\arcsin(c*x) + a}*a*e^{(-3*I*\arcsin(c*x))/c^3} - 1/48*\sqrt{b*\arcsin(c*x) + a}*b*e^{(-3*I*\arcsin(c*x))/c^3}
\end{aligned}$$

$(c*x)/c^3$

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \operatorname{asin}(cx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*asin(c*x))^(3/2),x)`

[Out] `int(x^2*(a + b*asin(c*x))^(3/2), x)`

### 3.179 $\int x(a + b\text{ArcSin}(cx))^{3/2} dx$

Optimal. Leaf size=172

$$\frac{3bx\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}(cx)}}{8c} - \frac{(a+b\text{ArcSin}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^{3/2} - \frac{3b^{3/2}\sqrt{\pi}\cos\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{32c^2}$$

[Out]  $-1/4*(a+b*\arcsin(c*x))^{(3/2)}/c^2+1/2*x^2*(a+b*\arcsin(c*x))^{(3/2)}-3/32*b^{(3/2)}*\cos(2*a/b)*\text{FresnelS}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/c^2+3/32*b^{(3/2)}*\text{FresnelC}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/c^2+3/8*b*x*(-c^2*x^2+1)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/c$

**Rubi [A]**

time = 0.29, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.786$ , Rules used = {4725, 4795, 4737, 4731, 4491, 12, 3387, 3386, 3432, 3385, 3433}

$$\frac{3\sqrt{\pi}b^{3/2}\sin\left(\frac{2a}{b}\right)\text{FresnelC}\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{32c^2} - \frac{3\sqrt{\pi}b^{3/2}\cos\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{32c^2} + \frac{3bx\sqrt{1-c^2x^2}\sqrt{a+b\text{ArcSin}(cx)}}{8c} - \frac{(a+b\text{ArcSin}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(3*b*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(8*c) - (a + b*\text{ArcSin}[c*x])^{(3/2)}/(4*c^2) + (x^2*(a + b*\text{ArcSin}[c*x])^{(3/2)})/2 - (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/(32*c^2) + (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))*\text{Sin}[(2*a)/b])/(32*c^2)$

Rule 12

$\text{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)](p_.)*((c_.) + (d_.)*(x_))(m_.)*Sin[(a_.) + (b
_.)*(x_)](n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[a + b*x
]n*Cos[a + b*x]p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)*(x_)(m_.), x_Symbol] := Simp[x
(m + 1)*((a + b*ArcSin[c*x])n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x
(m + 1)*((a + b*ArcSin[c*x])(n - 1)/Sqrt[1 - c2*x2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)*(x_)(m_.), x_Symbol] := Dist[1
/(b*c(m + 1)), Subst[Int[xn*Sin[-a/b + x/b]m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)/Sqrt[(d_.) + (e_.)*(x_)2], x_S
ymbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c2*x2]/Sqrt[d + e*x2]]*(a
+ b*ArcSin[c*x])(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c2*d
+ e, 0] && NeQ[n, -1]
```

Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)*((f_.)*(x_))(m_.)*((d_.) + (e_.
)*(x_)2)(p_.), x_Symbol] := Simp[f*(f*x)(m - 1)*(d + e*x2)(p + 1)*(a +
```

```

b*ArcSin[c*x]^n/(e*(m + 2*p + 1)), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
+ 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x]^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]

```

Rubi steps

$$\begin{aligned}
\int x(a + b \sin^{-1}(cx))^{3/2} dx &= \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{4}(3bc) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3bx \sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{16}(3b^2) \int \frac{x^2 \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.07, size = 126, normalized size = 0.73

$$\frac{b^2 e^{-\frac{2ia}{b}} \left( \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, -\frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) + e^{\frac{4ia}{b}} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{5}{2}, \frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right)}{16\sqrt{2} c^2 \sqrt{a + b \operatorname{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*ArcSin[c\*x])^(3/2),x]

[Out] (b^2\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[5/2, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(16\*Sqrt[2]\*c^2\*E^(((2\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 286 vs. 2(134) = 268.

time = 0.09, size = 287, normalized size = 1.67

method	result
default	$-\frac{3\sqrt{2} \cos\left(\frac{2a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b} b}}\right) \sqrt{a + b \arcsin(cx)} \sqrt{\pi} \sqrt{-\frac{2}{b} b^2 - 3\sqrt{2} \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b} b}}\right)}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^(3/2),x,method=\_RETURNVERBOSE)

[Out] -1/64/c^2/(a+b\*arcsin(c\*x))^(1/2)\*(-3\*2^(1/2)\*cos(2\*a/b)\*FresnelS(2\*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*(a+b\*arcsin(c\*x))^(1/2)\*Pi^(1/2)\*(-2/b)^(1/2)\*b^2-3\*2^(1/2)\*sin(2\*a/b)\*FresnelC(2\*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*(a+b\*arcsin(c\*x))^(1/2)\*Pi^(1/2)\*(-2/b)^(1/2)\*b^2+16\*arcsin(c\*x)^2\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*b^2+32\*arcsin(c\*x)\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a\*b+12\*arcsin(c\*x)\*sin(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*b^2+16\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a^2+12\*sin(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a\*b)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^(3/2)\*x, x)

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asin}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))\*\*(3/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.97, size = 845, normalized size = 4.91

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{4}I\sqrt{\pi}a^2b^{3/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) - I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(2Ia/b)/((b^2 + Ib^3/\operatorname{abs}(b))c^2)} - 1/8\sqrt{\pi}a*b^{5/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) - I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(2Ia/b)/((b^2 + Ib^3/\operatorname{abs}(b))c^2)} - 1/4I\sqrt{\pi}a^2b^{3/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) + I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(-2Ia/b)/((b^2 - Ib^3/\operatorname{abs}(b))c^2)} - 1/8\sqrt{\pi}a*b^{5/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) + I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(-2Ia/b)/((b^2 - Ib^3/\operatorname{abs}(b))c^2)} + 1/8\sqrt{\pi}a*b^2\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) - I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(2Ia/b)/((b^{3/2} + Ib^{5/2}/\operatorname{abs}(b))c^2)} + 1/4I\sqrt{\pi}a^2b\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) + I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(-2Ia/b)/((b^{3/2} - Ib^{5/2}/\operatorname{abs}(b))c^2)} + 1/8\sqrt{\pi}a*b^2\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) + I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(-2Ia/b)/((b^{3/2} - Ib^{5/2}/\operatorname{abs}(b))c^2)} - 1/4I\sqrt{\pi}a^2\sqrt{b}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) - I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(2Ia/b)/((b + Ib^2/\operatorname{abs}(b))c^2)} + 3/64I\sqrt{\pi}b^{5/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) - I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(2Ia/b)/((b + Ib^2/\operatorname{abs}(b))c^2)} - 3/64I\sqrt{\pi}b^{5/2}\operatorname{erf}(-\sqrt{b\operatorname{arcsin}(cx) + a}/\sqrt{b}) + I\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{b}/\operatorname{abs}(b))e^{(-2Ia/b)/((b - Ib^2/\operatorname{abs}(b))c^2)} - 1/8\sqrt{b\operatorname{arcsin}(cx) + a}b\operatorname{arcsin}(cx)e^{(2I\operatorname{arcsin}(cx))/c^2} - 1/8\sqrt{b\operatorname{arcsin}(cx) + a}a e^{(2I$

```
*arcsin(c*x))/c^2 - 3/32*I*sqrt(b*arcsin(c*x) + a)*b*e^(2*I*arcsin(c*x))/c^
2 - 1/8*sqrt(b*arcsin(c*x) + a)*a*e^(-2*I*arcsin(c*x))/c^2 + 3/32*I*sqrt(b*
arcsin(c*x) + a)*b*e^(-2*I*arcsin(c*x))/c^2
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \operatorname{asin}(cx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*asin(c\*x))^(3/2),x)

[Out] int(x\*(a + b\*asin(c\*x))^(3/2), x)



### 3.180 $\int (a + b \operatorname{ArcSin}(cx))^{3/2} dx$

**Optimal.** Leaf size=159

$$\frac{3b\sqrt{1-c^2x^2}\sqrt{a+b\operatorname{ArcSin}(cx)}}{2c} + x(a+b\operatorname{ArcSin}(cx))^{3/2} - \frac{3b^{3/2}\sqrt{\frac{\pi}{2}}\cos\left(\frac{a}{b}\right)\operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2c}$$

[Out]  $x*(a+b*\arcsin(c*x))^{3/2}-3/4*b^{3/2}*\cos(a/b)*\operatorname{FresnelC}(2^{1/2}/\pi^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*2^{1/2}*\pi^{1/2}/c-3/4*b^{3/2}*\operatorname{FresnelS}(2^{1/2}/\pi^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*\sin(a/b)*2^{1/2}*\pi^{1/2}/c+3/2*b*(-c^2*x^2+1)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/c$

**Rubi [A]**

time = 0.18, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4715, 4767, 4719, 3387, 3386, 3432, 3385, 3433}

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\cos\left(\frac{a}{b}\right)\operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2c} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\sin\left(\frac{a}{b}\right)\operatorname{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2c} + \frac{3b\sqrt{1-c^2x^2}\sqrt{a+b\operatorname{ArcSin}(cx)}}{2c} + x(a+b\operatorname{ArcSin}(cx))^{3/2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])^{3/2}, x]$

[Out]  $(3*b*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(2*c) + x*(a + b*\operatorname{ArcSin}[c*x])^{3/2} - (3*b^{3/2}*\operatorname{Sqrt}[\pi/2]*\operatorname{Cos}[a/b]*\operatorname{FresnelC}[(\operatorname{Sqrt}[2/\pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(2*c) - (3*b^{3/2}*\operatorname{Sqrt}[\pi/2]*\operatorname{FresnelS}[(\operatorname{Sqrt}[2/\pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[a/b])/(2*c)$

**Rule 3385**

$\operatorname{Int}[\sin[\pi/2 + (e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Cos}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{ComplexFreeQ}[f] \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

**Rule 3386**

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Sin}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{ComplexFreeQ}[f] \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

**Rule 3387**

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[c*(f/d) + f*x]/\operatorname{Sqrt}[c + d*x], x], x] + \operatorname{Dist}[\operatorname{Sin}[(d$

$*e - c*f)/d]$ ,  $\text{Int}[\text{Cos}[c*(f/d) + f*x]/\text{Sqrt}[c + d*x], x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\}$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{NeQ}[d*e - c*f, 0]$

#### Rule 3432

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f\}, x\}$

#### Rule 3433

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]/(f*\text{Rt}[d, 2]))*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)], x] /;$   $\text{FreeQ}\{d, e, f\}, x\}$

#### Rule 4715

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[x*((a + b*\text{ArcSin}[c*x])^{(n-1)})/\text{Sqrt}[1 - c^2*x^2]), x], x] /;$   $\text{FreeQ}\{a, b, c\}, x\}$  &&  $\text{GtQ}[n, 0]$

#### Rule 4719

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}, x\_Symbol] :> \text{Dist}[1/(b*c), \text{Subst}[\text{Int}[x^n*\text{Cos}[-a/b + x/b], x], x, a + b*\text{ArcSin}[c*x]], x] /;$   $\text{FreeQ}\{a, b, c, n\}, x\}$

#### Rule 4767

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}*(x_)*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] :> \text{Simp}[(d + e*x^2)^{(p+1)}*((a + b*\text{ArcSin}[c*x])^n/(2*e*(p+1))), x] + \text{Dist}[b*(n/(2*c*(p+1)))*\text{Simp}[(d + e*x^2)^p/(1 - c^2*x^2)^p], \text{Int}[(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, p\}, x\}$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{GtQ}[n, 0]$  &&  $\text{NeQ}[p, -1]$

#### Rubi steps

$$\begin{aligned}
\int (a + b \sin^{-1}(cx))^{3/2} dx &= x(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{2}(3bc) \int \frac{x \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3b\sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{4}(3b^2) \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= \frac{3b\sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b^2) \text{Subst} \left( \int \frac{\cos(\frac{a}{b})}{\sqrt{x}} dx \right)}{4} \\
&= \frac{3b\sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{1}{\sqrt{x}} dx \right)}{4} \\
&= \frac{3b\sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{1}{\sqrt{x}} dx \right)}{4} \\
&= \frac{3b\sqrt{1 - c^2x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{3b^{3/2} \sqrt{\frac{\pi}{2}} \cos(\frac{a}{b})}{4}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 1.83, size = 291, normalized size = 1.83

$$\frac{\left( \frac{2\sqrt{a + b \text{ArcSin}(cx)} (3\sqrt{1 - c^2x^2} + 2cx \text{ArcSin}(cx)) + \frac{2a + \sqrt{\frac{a + b \text{ArcSin}(cx)}{b}} \Gamma\left(\frac{3}{2}, \frac{(-1)(a + b \text{ArcSin}(cx))}{b}\right) \Gamma\left(\frac{3}{2}, \frac{(1)(a + b \text{ArcSin}(cx))}{b}\right)}{\sqrt{a + b \text{ArcSin}(cx)}} - \sqrt{\frac{1}{b}} \sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{1}{b}} \sqrt{\frac{2}{\pi}} \sqrt{a + b \text{ArcSin}(cx)}\right) (3b \cos(\frac{a}{b}) + 2a \sin(\frac{a}{b})) + \sqrt{\frac{1}{b}} \sqrt{2\pi} \text{FresnelS}\left(\sqrt{\frac{1}{b}} \sqrt{\frac{2}{\pi}} \sqrt{a + b \text{ArcSin}(cx)}\right) (2a \cos(\frac{a}{b}) - 3b \sin(\frac{a}{b}))}{4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (b\*(2\*sqrt[a + b\*ArcSin[c\*x]]\*(3\*sqrt[1 - c^2\*x^2] + 2\*c\*x\*ArcSin[c\*x]) + (2\*a\*(sqrt[(-1)\*(a + b\*ArcSin[c\*x]])/b]\*Gamma[3/2, ((-1)\*(a + b\*ArcSin[c\*x])]/b) + E^(((2\*I)\*a)/b)\*sqrt[(I\*(a + b\*ArcSin[c\*x])]/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x])]/b)))/(E^((I\*a)/b)\*sqrt[a + b\*ArcSin[c\*x]] - sqrt[b^(-1)]\*sqrt[2\*Pi]\*FresnelC[sqrt[b^(-1)]\*sqrt[2/Pi]\*sqrt[a + b\*ArcSin[c\*x]]]\*(3\*b\*cos[a/b] + 2\*a\*sin[a/b]) + sqrt[b^(-1)]\*sqrt[2\*Pi]\*FresnelS[sqrt[b^(-1)]\*sqrt[2/Pi]\*sqrt[a + b\*ArcSin[c\*x]]]\*(2\*a\*cos[a/b] - 3\*b\*sin[a/b])))/(4\*c)

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 277 vs. 2(123) = 246.

time = 0.07, size = 278, normalized size = 1.75

method	result
default	$\frac{3\sqrt{-\frac{1}{b}} \sqrt{\pi} \sqrt{2} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right)}{b^2 - 3\sqrt{-\frac{1}{b}} \sqrt{\pi} \sqrt{2}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/4/c*(3*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b^2-3*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b^2+4*arcsin(c*x)^2*sin(-(a+b*arcsin(c*x))/b+a/b)*b^2+8*arcsin(c*x)*sin(-(a+b*arcsin(c*x))/b+a/b)*a*b-6*arcsin(c*x)*cos(-(a+b*arcsin(c*x))/b+a/b)*b^2+4*sin(-(a+b*arcsin(c*x))/b+a/b)*a^2-6*cos(-(a+b*arcsin(c*x))/b+a/b)*a*b/(a+b*arcsin(c*x))^(1/2)
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*arcsin(c*x) + a)^(3/2), x)
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asin}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(3/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 1.08, size = 993, normalized size = 6.25

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & \frac{1}{2} \sqrt{2} \sqrt{\pi} a^2 b^2 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} / \left( \frac{I b^3}{\sqrt{\operatorname{abs}(b)}} + b^2 \sqrt{\operatorname{abs}(b)} \right) c + \frac{1}{2} I \sqrt{2} \sqrt{\pi} a b^3 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} / \left( \frac{I b^3}{\sqrt{\operatorname{abs}(b)}} + b^2 \sqrt{\operatorname{abs}(b)} \right) c + \frac{1}{2} \sqrt{2} \sqrt{\pi} a^2 b^2 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} / \left( -\frac{I b^3}{\sqrt{\operatorname{abs}(b)}} + b^2 \sqrt{\operatorname{abs}(b)} \right) c - \frac{1}{2} I \sqrt{2} \sqrt{\pi} a b^3 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} / \left( -\frac{I b^3}{\sqrt{\operatorname{abs}(b)}} + b^2 \sqrt{\operatorname{abs}(b)} \right) c - \frac{1}{2} I \sqrt{2} \sqrt{\pi} a b^2 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} / \left( \frac{I b^2}{\sqrt{\operatorname{abs}(b)}} + b \sqrt{\operatorname{abs}(b)} \right) c + \frac{3}{8} \sqrt{2} \sqrt{\pi} b^3 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} / \left( \frac{I b^2}{\sqrt{\operatorname{abs}(b)}} + b \sqrt{\operatorname{abs}(b)} \right) c + \frac{1}{2} I \sqrt{2} \sqrt{\pi} a b^2 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} / \left( -\frac{I b^2}{\sqrt{\operatorname{abs}(b)}} + b \sqrt{\operatorname{abs}(b)} \right) c + \frac{3}{8} \sqrt{2} \sqrt{\pi} b^3 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} / \left( -\frac{I b^2}{\sqrt{\operatorname{abs}(b)}} + b \sqrt{\operatorname{abs}(b)} \right) c - \sqrt{\pi} a^2 b \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} / \left( I \sqrt{2} b^2 / \sqrt{\operatorname{abs}(b)} + \sqrt{2} b \sqrt{\operatorname{abs}(b)} \right) c - \sqrt{\pi} a^2 b \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} / \left( -I \sqrt{2} b^2 / \sqrt{\operatorname{abs}(b)} + \sqrt{2} b \sqrt{\operatorname{abs}(b)} \right) c - \frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a} b \arcsin(c x) e^{I \arcsin(c x)} / c + \frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a} b \arcsin(c x) e^{-I \arcsin(c x)} / c - \frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a} a e^{I \arcsin(c x)} / c + \frac{3}{4} \sqrt{2} \sqrt{b \arcsin(c x) + a} b e^{I \arcsin(c x)} / c + \frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a} a e^{-I \arcsin(c x)} / c + \frac{3}{4} \sqrt{2} \sqrt{b \arcsin(c x) + a} b e^{-I \arcsin(c x)} / c \end{aligned}$$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^(3/2),x)
```

```
[Out] int((a + b*asin(c*x))^(3/2), x)
```

$$3.181 \quad \int \frac{(a+b\mathbf{ArcSin}(cx))^{3/2}}{x} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(a+b\mathbf{ArcSin}(cx))^{3/2}}{x}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(3/2)/x,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^{3/2}}{x} dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(3/2)/x,x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(3/2)/x, x]

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^{3/2}}{x} dx = \int \frac{(a+b\sin^{-1}(cx))^{3/2}}{x} dx$$

Mathematica [A]

time = 1.97, size = 0, normalized size = 0.00

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^{3/2}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/x,x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/x, x]

Maple [A]

time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(a+b\arcsin(cx))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(3/2)/x,x)`

[Out] `int((a+b*arcsin(c*x))^(3/2)/x,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x,x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(3/2)/x, x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**(3/2)/x,x)`

[Out] `Integral((a + b*asin(c*x))**(3/2)/x, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^(3/2)/x, x)`



**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \operatorname{asin}(cx))^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(3/2)/x,x)

[Out] int((a + b\*asin(c\*x))^(3/2)/x, x)

$$3.182 \quad \int \frac{(a+b\mathbf{ArcSin}(cx))^{3/2}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(a+b\text{ArcSin}(cx))^{3/2}}{x^2}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(3/2)/x^2,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a+b\text{ArcSin}(cx))^{3/2}}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(3/2)/x^2,x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(3/2)/x^2, x]

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^{3/2}}{x^2} dx = \int \frac{(a+b\sin^{-1}(cx))^{3/2}}{x^2} dx$$

Mathematica [A]

time = 7.14, size = 0, normalized size = 0.00

$$\int \frac{(a+b\text{ArcSin}(cx))^{3/2}}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/x^2,x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/x^2, x]

Maple [A]

time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{(a+b\arcsin(cx))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(3/2)/x^2,x)`

[Out] `int((a+b*arcsin(c*x))^(3/2)/x^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x^2,x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(3/2)/x^2, x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x^2,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**(3/2)/x**2,x)`

[Out] `Integral((a + b*asin(c*x))**(3/2)/x**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2)/x^2,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^(3/2)/x^2, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \operatorname{asin}(cx))^{3/2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(3/2)/x^2,x)

[Out] int((a + b\*asin(c\*x))^(3/2)/x^2, x)

### 3.183 $\int x^2(a + b\text{ArcSin}(cx))^{5/2} dx$

Optimal. Leaf size=358

$$-\frac{5b^2x\sqrt{a+b\text{ArcSin}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a+b\text{ArcSin}(cx)} + \frac{5b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{9c^3} + \frac{5bx^2\sqrt{1-c^2x^2}}{9c^3}$$

[Out]  $1/3*x^3*(a+b*\arcsin(c*x))^{5/2}-5/864*b^{5/2}*\cos(3*a/b)*\text{FresnelS}(6^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*6^{1/2}*\text{Pi}^{1/2}/c^3+5/864*b^{5/2}*\text{FresnelC}(6^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*\sin(3*a/b)*6^{1/2}*\text{Pi}^{1/2}/c^3+15/32*b^{5/2}*\cos(a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*2^{1/2}*\text{Pi}^{1/2}/c^3-15/32*b^{5/2}*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*\sin(a/b)*2^{1/2}*\text{Pi}^{1/2}/c^3+5/9*b*(a+b*\arcsin(c*x))^{3/2}*(-c^2*x^2+1)^{1/2}/c^3+5/18*b*x^2*(a+b*\arcsin(c*x))^{3/2}*(-c^2*x^2+1)^{1/2}/c-5/6*b^2*x*(a+b*\arcsin(c*x))^{1/2}/c^2-5/36*b^2*x^3*(a+b*\arcsin(c*x))^{1/2}$

Rubi [A]

time = 0.84, antiderivative size = 358, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 11, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$ , Rules used = {4725, 4795, 4767, 4715, 4809, 3387, 3386, 3432, 3385, 3433, 3393}

$$\frac{15\sqrt{\frac{\pi}{2}}b^{5/2}\sin\left(\frac{3a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{a+b\text{ArcSin}(cx)}{b}}}{\sqrt{b}}\right)}{144c^3} + \frac{5\sqrt{\frac{\pi}{6}}b^{5/2}\sin\left(\frac{3a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{a+b\text{ArcSin}(cx)}{b}}}{\sqrt{b}}\right)}{144c^3} + \frac{15\sqrt{\frac{\pi}{2}}b^{5/2}\cos\left(\frac{3a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{a+b\text{ArcSin}(cx)}{b}}}{\sqrt{b}}\right)}{144c^3} + \frac{5\sqrt{\frac{\pi}{6}}b^{5/2}\cos\left(\frac{3a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{a+b\text{ArcSin}(cx)}{b}}}{\sqrt{b}}\right)}{144c^3} + \frac{5b^2x\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{9c^3} + \frac{5b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{9c^3} + \frac{5bx^2\sqrt{1-c^2x^2}}{9c^3} + \frac{5b^2x\sqrt{a+b\text{ArcSin}(cx)}}{6c^2}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*ArcSin[c\*x])^(5/2), x]

[Out]  $(-5*b^2*x*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(6*c^2) - (5*b^2*x^3*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/36 + (5*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^{3/2})/(9*c^3) + (5*b*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^{3/2})/(18*c) + (x^3*(a + b*\text{ArcSin}[c*x])^{5/2})/3 + (15*b^{5/2}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*c^3) - (5*b^{5/2}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(144*c^3) - (15*b^{5/2}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(16*c^3) + (5*b^{5/2}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(144*c^3)$

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3386

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3393

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 -
c^2*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[(d + e*x^2)^(p + 1)*((a + b*ArcSin[c*x])^n/(2*e*(p +
1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], In
```

$t[(1 - c^2 x^2)^{p + 1/2} (a + b \operatorname{ArcSin}[c x])^{n - 1}, x], x] /;$  FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2 d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4795

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*((a + b\*ArcSin[c\*x])^n/(e\*(m + 2\*p + 1))), x] + (Dist[f^2\*((m - 1)/(c^2\*(m + 2\*p + 1))), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[b\*f\*(n/(c\*(m + 2\*p + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2\*p + 1, 0]

#### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[(1/(b\*c^(m + 1)))\*Simp[(d + e\*x^2)^p/(1 - c^2\*x^2)^p], Subst[Int[x^n\*Sin[-a/b + x/b]^m\*Cos[-a/b + x/b]^(2\*p + 1), x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sin^{-1}(cx))^{5/2} dx &= \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{5/2} - \frac{1}{6} (5bc) \int \frac{x^3 (a + b \sin^{-1}(cx))^{3/2}}{\sqrt{1 - c^2 x^2}} dx \\
&= \frac{5bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{18c} + \frac{1}{3} x^3 (a + b \sin^{-1}(cx))^{5/2} - \frac{1}{12} (5b^2) \int x \\
&= -\frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} + \frac{5bx^2 \sqrt{1 - c^2 x^2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3} \\
&= -\frac{5b^2 x \sqrt{a + b \sin^{-1}(cx)}}{6c^2} - \frac{5}{36} b^2 x^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{5b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^{3/2}}{9c^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.20, size = 228, normalized size = 0.64

$$\frac{b^7 c^{-7/2} \left( -81 c^{7/2} \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{7}{2}, -\frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) - 81 c^{7/2} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{7}{2}, \frac{i(a + b \operatorname{ArcSin}(cx))}{b}\right) + \sqrt{3} \left( \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{7}{2}, -\frac{3i(a + b \operatorname{ArcSin}(cx))}{b}\right) + c^{7/2} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{7}{2}, \frac{3i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right) \right)}{648 c^3 \sqrt{a + b \operatorname{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*ArcSin[c\*x])^(5/2),x]

[Out] (b^3\*(-81\*E^(((2\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[7/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] - 81\*E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b])



/b]\*Gamma[7/2, (I\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[3]\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[7/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((6\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[7/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(648\*c^3\*E^(((3\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])]

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 797 vs. 2(278) = 556.

time = 0.14, size = 798, normalized size = 2.23

method	result
default	$\frac{-5\sqrt{\pi} \sqrt{-\frac{3}{b}} \sqrt{2} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{3a}{b}\right) S\left(\frac{{}_3\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{3}{b}}}\right)}{b^3 - 5\sqrt{\pi} \sqrt{-\frac{3}{b}} \sqrt{2} \sqrt{a + b \arcsin(cx)}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))^(5/2),x,method=\_RETURNVERBOSE)

[Out] -1/864/c^3\*(-5\*Pi^(1/2)\*(-3/b)^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(3\*a/b)\*FresnelS(3\*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^3-5\*Pi^(1/2)\*(-3/b)^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(3\*a/b)\*FresnelC(3\*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^3+405\*Pi^(1/2)\*(-1/b)^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^3+405\*Pi^(1/2)\*(-1/b)^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^3+216\*arcsin(c\*x)^3\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*b^3-72\*arcsin(c\*x)^3\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*b^3+648\*arcsin(c\*x)^2\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*a\*b^2-540\*arcsin(c\*x)^2\*cos(-(a+b\*arcsin(c\*x))/b+a/b)\*b^3-216\*arcsin(c\*x)^2\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a\*b^2+60\*arcsin(c\*x)^2\*cos(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*b^3+648\*arcsin(c\*x)\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*a^2\*b-810\*arcsin(c\*x)\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*b^3-1080\*arcsin(c\*x)\*cos(-(a+b\*arcsin(c\*x))/b+a/b)\*a\*b^2-216\*arcsin(c\*x)\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a^2\*b+30\*arcsin(c\*x)\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*b^3+120\*arcsin(c\*x)\*cos(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a\*b^2+216\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*a^3-810\*sin(-(a+b\*arcsin(c\*x))/b+a/b)\*a\*b^2-540\*cos(-(a+b\*arcsin(c\*x))/b+a/b)\*a^2\*b-72\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a^3+30\*sin(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a\*b^2+60\*cos(-3\*(a+b\*arcsin(c\*x))/b+3\*a/b)\*a^2\*b/(a+b\*arcsin(c\*x))^(1/2)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^(5/2)\*x^2, x)

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x^2(a + b \operatorname{asin}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*(5/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))\*\*(5/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 2.10, size = 2466, normalized size = 6.89

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/576*(72*\sqrt{2}*\sqrt{\pi})*a^3*b^2*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b)/(I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})} + 72*\sqrt{2}*\sqrt{\pi})*a^3*b^2* \\ & \operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(-I*a/b)/(-I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})} + 216*I*\sqrt{2}*\sqrt{\pi})*a^2*b^2*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b)/(I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})} - 216*I*\sqrt{2}*\sqrt{\pi})*a^2*b^2*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(-I*a/b)/(-I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})} + 24*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b^2*\operatorname{arcsin}(c*x)^2*e^{(3*I*\operatorname{arcsin}(c*x))} - 72*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b^2*\operatorname{arcsin}(c*x)^2*e^{(I*\operatorname{arcsin}(c*x))} + 72*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b^2*\operatorname{arcsin}(c*x)^2*e^{(-I*\operatorname{arcsin}(c*x))} - \end{aligned}$$

$$\begin{aligned}
& 24*I*\sqrt{b*\arcsin(c*x) + a}*b^2*\arcsin(c*x)^2*e^{(-3*I*\arcsin(c*x))} - 144*\sqrt{\pi}*a^3*\sqrt{b}*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/(\sqrt{6}*b + I*\sqrt{6}*b^2/\text{abs}(b))} - 144*I*\sqrt{\pi}*a^2*b^{(3/2)}*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/(\sqrt{6}*b + I*\sqrt{6}*b^2/\text{abs}(b))} - 216*I*\sqrt{2}*\sqrt{\pi}*a^2*b*erf(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(I*a/b)/(I*b/\sqrt{\text{abs}(b)} + \sqrt{\text{abs}(b)})} - 135*I*\sqrt{2}*\sqrt{\pi}*b^3*erf(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(I*a/b)/(I*b/\sqrt{\text{abs}(b)} + \sqrt{\text{abs}(b)})} + 216*I*\sqrt{2}*\sqrt{\pi}*a^2*b*erf(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(-I*a/b)/(-I*b/\sqrt{\text{abs}(b)} + \sqrt{\text{abs}(b)})} + \sqrt{\text{abs}(b)}) + 135*I*\sqrt{2}*\sqrt{\pi}*b^3*erf(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(-I*a/b)/(-I*b/\sqrt{\text{abs}(b)} + \sqrt{\text{abs}(b)})} - 144*\sqrt{\pi}*a^3*\sqrt{b}*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/(\sqrt{6}*b - I*\sqrt{6}*b^2/\text{abs}(b))} + 144*I*\sqrt{\pi}*a^2*b^{(3/2)}*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/(\sqrt{6}*b - I*\sqrt{6}*b^2/\text{abs}(b))} + 48*I*\sqrt{b*\arcsin(c*x) + a}*a*b*\arcsin(c*x)*e^{(3*I*\arcsin(c*x))} - 20*\sqrt{b*\arcsin(c*x) + a}*b^2*\arcsin(c*x)*e^{(3*I*\arcsin(c*x))} - 144*I*\sqrt{b*\arcsin(c*x) + a}*a*b*\arcsin(c*x)*e^{(I*\arcsin(c*x))} + 180*\sqrt{b*\arcsin(c*x) + a}*b^2*\arcsin(c*x)*e^{(I*\arcsin(c*x))} + 144*I*\sqrt{b*\arcsin(c*x) + a}*a*b*\arcsin(c*x)*e^{(-I*\arcsin(c*x))} + 180*\sqrt{b*\arcsin(c*x) + a}*b^2*\arcsin(c*x)*e^{(-I*\arcsin(c*x))} - 48*I*\sqrt{b*\arcsin(c*x) + a}*a*b*\arcsin(c*x)*e^{(-3*I*\arcsin(c*x))} - 20*\sqrt{b*\arcsin(c*x) + a}*b^2*\arcsin(c*x)*e^{(-3*I*\arcsin(c*x))} + 144*\sqrt{\pi}*a^3*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/(\sqrt{6}*\sqrt{b} + I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))} + 144*I*\sqrt{\pi}*a^2*b*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/(\sqrt{6}*\sqrt{b} + I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))} + 36*\sqrt{\pi}*a*b^2*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b)/(\sqrt{6}*\sqrt{b} + I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))} - 144*\sqrt{\pi}*a^3*erf(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\text{abs}(b)}/b)*e^{(I*a/b)/(I*\sqrt{2}*b/\sqrt{\text{abs}(b)} + \sqrt{2}*\sqrt{\text{abs}(b)})} - 144*\sqrt{\pi}*a^3*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/(\sqrt{6}*\sqrt{b} - I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))} - 144*I*\sqrt{\pi}*a^2*b*erf(-1/2*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b)/(\sqrt{6}*\sqrt{b} - I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))} + 36*\sqrt{\pi}*a*b^2*erf(
\end{aligned}$$

```

-1/2*sqrt(6)*sqrt(b*arcsin(c*x) + a)/sqrt(b) + 1/2*I*sqrt(6)*sqrt(b*arcsin(
c*x) + a)*sqrt(b)/abs(b))*e^(-3*I*a/b)/(sqrt(6)*sqrt(b) - I*sqrt(6)*b^(3/2)
/abs(b)) - 36*sqrt(pi)*a*b^(3/2)*erf(-1/2*sqrt(6)*sqrt(b*arcsin(c*x) + a)/s
qrt(b) - 1/2*I*sqrt(6)*sqrt(b*arcsin(c*x) + a)*sqrt(b)/abs(b))*e^(3*I*a/b)/
(sqrt(6) + I*sqrt(6)*b/abs(b)) + 10*I*sqrt(pi)*b^(5/2)*erf(-1/2*sqrt(6)*sqr
t(b*arcsin(c*x) + a)/sqrt(b) - 1/2*I*sqrt(6)*sqrt(b*arcsin(c*x) + a)*sqrt(b
)/abs(b))*e^(3*I*a/b)/(sqrt(6) + I*sqrt(6)*b/abs(b)) - 36*sqrt(pi)*a*b^(3/2
)*erf(-1/2*sqrt(6)*sqrt(b*arcsin(c*x) + a)/sqrt(b) + 1/2*I*sqrt(6)*sqrt(b*a
rcsin(c*x) + a)*sqrt(b)/abs(b))*e^(-3*I*a/b)/(s...

```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \operatorname{asin}(cx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a + b\*asin(c\*x))^(5/2),x)

[Out] int(x^2\*(a + b\*asin(c\*x))^(5/2), x)

### 3.184 $\int x(a + b\text{ArcSin}(cx))^{5/2} dx$

Optimal. Leaf size=216

$$\frac{15b^2\sqrt{a + b\text{ArcSin}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b\text{ArcSin}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b\text{ArcSin}(cx))^{3/2}}{8c} - \frac{(a + b\text{ArcSin}(cx))^{5/2}}{4c^2}$$

[Out]  $-1/4*(a+b*\arcsin(c*x))^(5/2)/c^2+1/2*x^2*(a+b*\arcsin(c*x))^(5/2)-15/128*b^(5/2)*\cos(2*a/b)*\text{FresnelC}(2*(a+b*\arcsin(c*x))^(1/2)/b^(1/2)/\text{Pi}^(1/2))*\text{Pi}^(1/2)/c^2-15/128*b^(5/2)*\text{FresnelS}(2*(a+b*\arcsin(c*x))^(1/2)/b^(1/2)/\text{Pi}^(1/2))*\sin(2*a/b)*\text{Pi}^(1/2)/c^2+5/8*b*x*(a+b*\arcsin(c*x))^(3/2)*(-c^2*x^2+1)^(1/2)/c+15/64*b^2*(a+b*\arcsin(c*x))^(1/2)/c^2-15/32*b^2*x^2*(a+b*\arcsin(c*x))^(1/2)$

Rubi [A]

time = 0.43, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$ , Rules used = {4725, 4795, 4737, 4809, 3393, 3387, 3386, 3432, 3385, 3433}

$$-\frac{15\sqrt{\pi}b^{5/2}\cos\left(\frac{2a}{b}\right)\text{FresnelC}\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{128c^2} - \frac{15\sqrt{\pi}b^{5/2}\sin\left(\frac{2a}{b}\right)\text{FresnelS}\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{128c^2} + \frac{15b^2\sqrt{a+b\text{ArcSin}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a+b\text{ArcSin}(cx)} + \frac{5bx\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{8c} - \frac{(a+b\text{ArcSin}(cx))^{5/2}}{4c^2} + \frac{1}{2}x^2(a+b\text{ArcSin}(cx))^{5/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(a + b*\text{ArcSin}[c*x])^(5/2), x]$

[Out]  $(15*b^2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(64*c^2) - (15*b^2*x^2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/32 + (5*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^(3/2))/(8*c) - (a + b*\text{ArcSin}[c*x])^(5/2)/(4*c^2) + (x^2*(a + b*\text{ArcSin}[c*x])^(5/2))/2 - (15*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/(128*c^2) - (15*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(128*c^2)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

### Rule 3393

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

### Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

### Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x
^(m + 1)*((a + b*ArcSin[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^
(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 4737

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a
 + b*ArcSin[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d
 + e, 0] && NeQ[n, -1]
```

### Rule 4795

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*((a +
 b*ArcSin[c*x])^n/(e*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p
 + 1))), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; Fr
eeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && IGtQ[m,
1] && NeQ[m + 2*p + 1, 0]
```

## Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d + e*x^2)^p/(1 - c^2*x^2)^p], Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

## Rubi steps

$$\begin{aligned}
\int x(a + b \sin^{-1}(cx))^{5/2} dx &= \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{5/2} - \frac{1}{4}(5bc) \int \frac{x^2(a + b \sin^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} + \frac{1}{2}x^2(a + b \sin^{-1}(cx))^{5/2} - \frac{1}{16}(15b^2) \int \frac{(a + b \sin^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c} \\
&= -\frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c} \\
&= -\frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \sin^{-1}(cx))^{3/2}}{4c} \\
&= \frac{15b^2\sqrt{a + b \sin^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} \\
&= \frac{15b^2\sqrt{a + b \sin^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} \\
&= \frac{15b^2\sqrt{a + b \sin^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c} \\
&= \frac{15b^2\sqrt{a + b \sin^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \sin^{-1}(cx)} + \frac{5bx\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^{3/2}}{8c}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.09, size = 141, normalized size = 0.65

$$\frac{e^{-\frac{2ia}{b}}(a+b\text{ArcSin}(cx))^{5/2}\left(\sqrt{\frac{i(a+b\text{ArcSin}(cx))}{b}}\Gamma\left(\frac{7}{2},-\frac{2i(a+b\text{ArcSin}(cx))}{b}\right)+e^{\frac{4ia}{b}}\sqrt{-\frac{i(a+b\text{ArcSin}(cx))}{b}}\Gamma\left(\frac{7}{2},\frac{2i(a+b\text{ArcSin}(cx))}{b}\right)\right)}{32\sqrt{2}c^2\left(\frac{(a+b\text{ArcSin}(cx))^2}{b^2}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*ArcSin[c\*x])^(5/2),x]

[Out] ((a + b\*ArcSin[c\*x])^(5/2)\*(Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[7/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((4\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[7/2, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(32\*Sqrt[2]\*c^2\*E^(((2\*I)\*a)/b)\*((a + b\*ArcSin[c\*x])^2/b^2)^(3/2))

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 413 vs. 2(170) = 340.

time = 0.08, size = 414, normalized size = 1.92

method	result
default	$-\frac{15\cos\left(\frac{2a}{b}\right)\text{FresnelC}\left(\frac{2\sqrt{2}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{-\frac{2}{b}b}}\right)\sqrt{a+b\arcsin(cx)}\sqrt{-\frac{2}{b}}\sqrt{\pi}\sqrt{2}b^3-15\sin\left(\frac{2a}{b}\right)\text{S}\left(\frac{2\sqrt{2}}{\sqrt{\pi}\sqrt{-\frac{2}{b}b}}\right)}{32\sqrt{2}c^2\left(\frac{(a+b\arcsin(cx))^2}{b^2}\right)^{3/2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^(5/2),x,method=\_RETURNVERBOSE)

[Out] -1/256/c^2/(a+b\*arcsin(c\*x))^(1/2)\*(15\*cos(2\*a/b)\*FresnelC(2\*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b\*(a+b\*arcsin(c\*x))^(1/2)\*(-2/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*b^3-15\*sin(2\*a/b)\*FresnelS(2\*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b\*(a+b\*arcsin(c\*x))^(1/2)\*(-2/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*b^3+64\*arcsin(c\*x)^3\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*b^3+192\*arcsin(c\*x)^2\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a\*b^2+80\*arcsin(c\*x)^2\*sin(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*b^3+192\*arcsin(c\*x)\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a^2\*b-60\*arcsin(c\*x)\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*b^3+160\*arcsin(c\*x)\*sin(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a\*b^2+64\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a^3-60\*cos(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a\*b^2+80\*sin(-2\*(a+b\*arcsin(c\*x))/b+2\*a/b)\*a^2\*b)

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^(5/2)\*x, x)

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ  
rate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \operatorname{asin}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*(5/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))\*\*(5/2), x)

**Giac** [C] Result contains complex when optimal does not.

time = 1.17, size = 1307, normalized size = 6.05

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^(5/2),x, algorithm="giac")

[Out]  $\frac{1}{4} I \sqrt{\pi} a^3 b^{3/2} \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) - I \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{(2 I a / b) / ((b^2 + I b^3 / \operatorname{abs}(b)) c^2)} - 3 / 8 \sqrt{\pi} a^2 b^{5/2} \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) - I \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{(2 I a / b) / ((b^2 + I b^3 / \operatorname{abs}(b)) c^2)} - 1 / 4 I \sqrt{\pi} a^3 b^{3/2} \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) + I \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{(-2 I a / b) / ((b^2 - I b^3 / \operatorname{abs}(b)) c^2)} - 3 / 8 \sqrt{\pi} a^2 b^{5/2} \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) + I \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{(-2 I a / b) / ((b^2 - I b^3 / \operatorname{abs}(b)) c^2)} - 1 / 8 \sqrt{b \operatorname{arcsin}(c x) + a} b^2 \operatorname{arcsin}(c x)^2 e^{(2 I \operatorname{arcsin}(c x)) / c^2} - 1 / 8 \sqrt{b \operatorname{arcsin}(c x) + a} b^2 \operatorname{arcsin}(c x)^2 e^{(-2 I \operatorname{arcsin}(c x)) / c^2} + 3 / 8 \sqrt{\pi} a^2 b^2 \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) - I \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{(2 I a / b) / ((b^{3/2} + I b^{5/2} / \operatorname{abs}(b)) c^2)} - 9 / 64 I \sqrt{\pi} a b^3 \operatorname{erf}(-\sqrt{b \operatorname{arcsin}(c x) + a} / \sqrt{b}) - I \sqrt{b \operatorname{arcsin}(c x) + a}$

```

)*sqrt(b)/abs(b))*e^(2*I*a/b)/((b^(3/2) + I*b^(5/2)/abs(b))*c^2) + 1/4*I*sq
rt(pi)*a^3*b*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) + I*sqrt(b*arcsin(c*x) +
a)*sqrt(b)/abs(b))*e^(-2*I*a/b)/((b^(3/2) - I*b^(5/2)/abs(b))*c^2) + 3/8*sq
rt(pi)*a^2*b^2*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) + I*sqrt(b*arcsin(c*x)
+ a)*sqrt(b)/abs(b))*e^(-2*I*a/b)/((b^(3/2) - I*b^(5/2)/abs(b))*c^2) + 9/64
*I*sqrt(pi)*a*b^3*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) + I*sqrt(b*arcsin(c*
x) + a)*sqrt(b)/abs(b))*e^(-2*I*a/b)/((b^(3/2) - I*b^(5/2)/abs(b))*c^2) - 1
/4*I*sqrt(pi)*a^3*sqrt(b)*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) - I*sqrt(b*a
rcsin(c*x) + a)*sqrt(b)/abs(b))*e^(2*I*a/b)/((b + I*b^2/abs(b))*c^2) + 9/64
*I*sqrt(pi)*a*b^(5/2)*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) - I*sqrt(b*arcsi
n(c*x) + a)*sqrt(b)/abs(b))*e^(2*I*a/b)/((b + I*b^2/abs(b))*c^2) + 15/256*s
qrt(pi)*b^(7/2)*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) - I*sqrt(b*arcsin(c*x)
+ a)*sqrt(b)/abs(b))*e^(2*I*a/b)/((b + I*b^2/abs(b))*c^2) - 9/64*I*sqrt(pi)
)*a*b^(5/2)*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) + I*sqrt(b*arcsin(c*x) + a
)*sqrt(b)/abs(b))*e^(-2*I*a/b)/((b - I*b^2/abs(b))*c^2) + 15/256*sqrt(pi)*b
^(7/2)*erf(-sqrt(b*arcsin(c*x) + a)/sqrt(b) + I*sqrt(b*arcsin(c*x) + a)*sq
rt(b)/abs(b))*e^(-2*I*a/b)/((b - I*b^2/abs(b))*c^2) - 1/4*sqrt(b*arcsin(c*x)
+ a)*a*b*arcsin(c*x)*e^(2*I*arcsin(c*x))/c^2 - 5/32*I*sqrt(b*arcsin(c*x) +
a)*b^2*arcsin(c*x)*e^(2*I*arcsin(c*x))/c^2 - 1/4*sqrt(b*arcsin(c*x) + a)*a
*b*arcsin(c*x)*e^(-2*I*arcsin(c*x))/c^2 + 5/32*I*sqrt(b*arcsin(c*x) + a)*b^
2*arcsin(c*x)*e^(-2*I*arcsin(c*x))/c^2 - 1/8*sqrt(b*arcsin(c*x) + a)*a^2*e^
(2*I*arcsin(c*x))/c^2 - 5/32*I*sqrt(b*arcsin(c*x) + a)*a*b*e^(2*I*arcsin(c*
x))/c^2 + 15/128*sqrt(b*arcsin(c*x) + a)*b^2*e^(2*I*arcsin(c*x))/c^2 - 1/8*
sqrt(b*arcsin(c*x) + a)*a^2*e^(-2*I*arcsin(c*x))/c^2 + 5/32*I*sqrt(b*arcsin
(c*x) + a)*a*b*e^(-2*I*arcsin(c*x))/c^2 + 15/128*sqrt(b*arcsin(c*x) + a)*b^
2*e^(-2*I*arcsin(c*x))/c^2

```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int x (a + b \operatorname{asin}(cx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a + b\*asin(c\*x))^(5/2), x)

[Out] int(x\*(a + b\*asin(c\*x))^(5/2), x)

### 3.185 $\int (a + b\text{ArcSin}(cx))^{5/2} dx$

Optimal. Leaf size=179

$$-\frac{15}{4}b^2x\sqrt{a+b\text{ArcSin}(cx)} + \frac{5b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{2c} + x(a+b\text{ArcSin}(cx))^{5/2} + \frac{15b^{5/2}\sqrt{\frac{\pi}{2}}\cos\left(\frac{a}{b}\right)}{4c}$$

[Out]  $x*(a+b*\arcsin(c*x))^{5/2}+15/8*b^{5/2}*\cos(a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*2^{1/2}*\text{Pi}^{1/2}/c-15/8*b^{5/2}*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b^{1/2})*\sin(a/b)*2^{1/2}*\text{Pi}^{1/2}/c+5/2*b*(a+b*\arcsin(c*x))^{3/2}*(-c^2*x^2+1)^{1/2}/c-15/4*b^2*x*(a+b*\arcsin(c*x))^{1/2}$

Rubi [A]

time = 0.27, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4715, 4767, 4809, 3387, 3386, 3432, 3385, 3433}

$$-\frac{15\sqrt{\frac{\pi}{2}}b^{5/2}\sin\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{4c} + \frac{15\sqrt{\frac{\pi}{2}}b^{5/2}\cos\left(\frac{a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{15}{4}b^2x\sqrt{a+b\text{ArcSin}(cx)} + \frac{5b\sqrt{1-c^2x^2}(a+b\text{ArcSin}(cx))^{3/2}}{2c} + x(a+b\text{ArcSin}(cx))^{5/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^{5/2}, x]$

[Out]  $(-15*b^2*x*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/4 + (5*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^{3/2})/(2*c) + x*(a + b*\text{ArcSin}[c*x])^{5/2} + (15*b^{5/2}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*c) - (15*b^{5/2}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(4*c)$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

#### Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

#### Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

#### Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])n, x] - Dist[b*c*n, Int[x*((a + b*ArcSin[c*x])(n - 1)/Sqrt[1 -
c2*x2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 4767

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)*x*((d_) + (e_.)*(x_)2)(p_
.), x_Symbol] := Simp[(d + e*x2)(p + 1)*((a + b*ArcSin[c*x])n/(2*e*(p +
1))), x] + Dist[b*(n/(2*c*(p + 1)))*Simp[(d + e*x2)p/(1 - c2*x2)p, In
t[(1 - c2*x2)(p + 1/2)*(a + b*ArcSin[c*x])(n - 1), x], x] /; FreeQ[{a,
b, c, d, e, p}, x] && EqQ[c2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4809

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_.)*x(m_.)*((d_) + (e_.)*(x_)2)(p_
.), x_Symbol] := Dist[(1/(b*c(m + 1)))*Simp[(d + e*x2)p/(1 - c2*x
2)p, Subst[Int[xn*Sin[-a/b + x/b]m*Cos[-a/b + x/b](2*p + 1), x], x, a
+ b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c2*d + e, 0]
&& IGtQ[2*p + 2, 0] && IGtQ[m, 0]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \sin^{-1}(cx))^{5/2} dx &= x(a + b \sin^{-1}(cx))^{5/2} - \frac{1}{2}(5bc) \int \frac{x(a + b \sin^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{5b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}}{2c} + x(a + b \sin^{-1}(cx))^{5/2} - \frac{1}{4}(15b^2) \int \sqrt{a + b \sin^{-1}(cx)} dx \\
&= -\frac{15}{4}b^2x\sqrt{a + b \sin^{-1}(cx)} + \frac{5b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}}{2c} + x(a + b \sin^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \sin^{-1}(cx)} + \frac{5b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}}{2c} + x(a + b \sin^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \sin^{-1}(cx)} + \frac{5b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}}{2c} + x(a + b \sin^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \sin^{-1}(cx)} + \frac{5b\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}}{2c} + x(a + b \sin^{-1}(cx))^{5/2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 1.90, size = 379, normalized size = 2.12

$$\frac{\left( \frac{(a^2 - b^2)^{3/2} (1 - c^2 x^2)^{3/2} \sqrt{a + b \operatorname{ArcSin}(cx)} \operatorname{FresnelC}\left(\sqrt{\frac{2}{b}} \sqrt{\frac{a + b \operatorname{ArcSin}(cx)}{c}}\right) - (a^2 - b^2)^{3/2} (1 - c^2 x^2)^{3/2} \sqrt{a + b \operatorname{ArcSin}(cx)} \operatorname{FresnelS}\left(\sqrt{\frac{2}{b}} \sqrt{\frac{a + b \operatorname{ArcSin}(cx)}{c}}\right)}{\sqrt{\frac{2}{b}}}, \frac{(a^2 - b^2)^{3/2} (1 - c^2 x^2)^{3/2} \sqrt{a + b \operatorname{ArcSin}(cx)} \operatorname{Gamma}\left(\frac{3}{2}\right) + 2 \left( a^2 (a + b \operatorname{ArcSin}(cx)) (-11bcx + 10a\sqrt{1 - c^2x^2} + 2(4acx + 5b\sqrt{1 - c^2x^2}) \operatorname{ArcSin}(cx) + 4bc \operatorname{ArcSin}(cx)^2) + 2a^2 \sqrt{1 - c^2x^2} \operatorname{Gamma}\left(\frac{3}{2}\right) + 2a^2 \sqrt{1 - c^2x^2} \operatorname{Gamma}\left(\frac{3}{2}\right) \right)}{8c\sqrt{a + b \operatorname{ArcSin}(cx)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(5/2), x]

[Out] ((I\*(4\*a^2 + 15\*b^2)\*(-1 + E^(((2\*I)\*a)/b))\*Sqrt[Pi/2]\*Sqrt[a + b\*ArcSin[c\*x]]\*FresnelC[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]])/Sqrt[b^(-1)] + ((4\*a^2 + 15\*b^2)\*(1 + E^(((2\*I)\*a)/b))\*Sqrt[Pi/2]\*Sqrt[a + b\*ArcSin[c\*x]]\*FresnelS[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]])/Sqrt[b^(-1)] + 2\*b\*(E^((I\*a)/b)\*(a + b\*ArcSin[c\*x])\*(-15\*b\*c\*x + 10\*a\*Sqrt[1 - c^2\*x^2] + 2\*(4\*a\*c\*x + 5\*b\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + 4\*b\*c\*x\*ArcSin[c\*x]^2) + 2\*a^2\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 2\*a^2\*E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b])/(8\*c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 400 vs. 2(139) = 278.

time = 0.08, size = 401, normalized size = 2.24

method	result
default	$\frac{15\sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{2} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b}} b}\right) b^3 + 15\sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{2} \sqrt{a}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(5/2),x,method=_RETURNVERBOSE)`

[Out] `-1/8/c*(15*Pi^(1/2)*(-1/b)^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b^3+15*Pi^(1/2)*(-1/b)^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b^3+8*arcsin(c*x)^3*sin(-(a+b*arcsin(c*x))/b+a/b)*b^3+24*arcsin(c*x)^2*sin(-(a+b*arcsin(c*x))/b+a/b)*a*b^2-20*arcsin(c*x)^2*cos(-(a+b*arcsin(c*x))/b+a/b)*b^3+24*arcsin(c*x)*sin(-(a+b*arcsin(c*x))/b+a/b)*a^2*b-30*arcsin(c*x)*sin(-(a+b*arcsin(c*x))/b+a/b)*b^3-40*arcsin(c*x)*cos(-(a+b*arcsin(c*x))/b+a/b)*a*b^2+8*sin(-(a+b*arcsin(c*x))/b+a/b)*a^3-30*sin(-(a+b*arcsin(c*x))/b+a/b)*a*b^2-20*cos(-(a+b*arcsin(c*x))/b+a/b)*a^2*b)/(a+b*arcsin(c*x))^(1/2)`

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(5/2), x)`

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{asin}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(5/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(5/2), x)

**Giac [C]** Result contains complex when optimal does not.

time = 1.39, size = 1179, normalized size = 6.59

Too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(5/2),x, algorithm="giac")

[Out]  $\frac{1}{2}\sqrt{2}\sqrt{\pi}a^3b^3\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{Ia/b}/\left(\frac{Ib^4}{\sqrt{\operatorname{abs}(b)}} + b^3\sqrt{\operatorname{abs}(b)}\right)c + \frac{1}{2}\sqrt{2}\sqrt{\pi}a^3b^3\operatorname{erf}\left(\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-Ib^4}{\sqrt{\operatorname{abs}(b)}} + b^3\sqrt{\operatorname{abs}(b)}\right)c + \frac{3}{2}I\sqrt{2}\sqrt{\pi}a^2b^3\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{Ia/b}/\left(\frac{Ib^3}{\sqrt{\operatorname{abs}(b)}} + b^2\sqrt{\operatorname{abs}(b)}\right)c - \frac{3}{2}I\sqrt{2}\sqrt{\pi}a^2b^3\operatorname{erf}\left(\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-Ib^3}{\sqrt{\operatorname{abs}(b)}} + b^2\sqrt{\operatorname{abs}(b)}\right)c - \frac{3}{2}I\sqrt{2}\sqrt{\pi}a^2b^2\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{Ia/b}/\left(\frac{Ib^2}{\sqrt{\operatorname{abs}(b)}} + b\sqrt{\operatorname{abs}(b)}\right)c - \frac{15}{16}I\sqrt{2}\sqrt{\pi}b^4\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{Ia/b}/\left(\frac{Ib^2}{\sqrt{\operatorname{abs}(b)}} + b\sqrt{\operatorname{abs}(b)}\right)c + \frac{3}{2}I\sqrt{2}\sqrt{\pi}a^2b^2\operatorname{erf}\left(\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-Ib^2}{\sqrt{\operatorname{abs}(b)}} + b\sqrt{\operatorname{abs}(b)}\right)c + \frac{15}{16}I\sqrt{2}\sqrt{\pi}b^4\operatorname{erf}\left(\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-Ib^2}{\sqrt{\operatorname{abs}(b)}} + b\sqrt{\operatorname{abs}(b)}\right)c - \frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}b^2\operatorname{arcsin}(cx)^2\operatorname{e}^{I\operatorname{arcsin}(cx)}/c + \frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}b^2\operatorname{arcsin}(cx)^2\operatorname{e}^{-I\operatorname{arcsin}(cx)}/c - \sqrt{\pi}a^3b\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{Ia/b}/\left(\frac{I\sqrt{2}b^2}{\sqrt{\operatorname{abs}(b)}} + \sqrt{2}b\sqrt{\operatorname{abs}(b)}\right)c - \sqrt{\pi}a^3b\operatorname{erf}\left(\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-I\sqrt{2}b^2}{\sqrt{\operatorname{abs}(b)}} - \sqrt{2}b\sqrt{\operatorname{abs}(b)}\right)c - \sqrt{\pi}a^3b\operatorname{erf}\left(\frac{-1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(cx) + a}\sqrt{\operatorname{abs}(b)}/b\operatorname{e}^{-Ia/b}/\left(\frac{-I\sqrt{2}b^2}{\sqrt{\operatorname{abs}(b)}} - \sqrt{2}b\sqrt{\operatorname{abs}(b)}\right)c$

) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e<sup>(-I\*a/b)/((-I\*sqrt(2)\*b<sup>2</sup>/sqrt(abs(b)) + sqrt(2)\*b\*sqrt(abs(b)))\*c) - I\*sqrt(b\*arcsin(c\*x) + a)\*a\*b\*arcsin(c\*x)\*e<sup>(I\*arcsin(c\*x))/c</sup> + 5/4\*sqrt(b\*arcsin(c\*x) + a)\*b<sup>2</sup>\*arcsin(c\*x)\*e<sup>(I\*arcsin(c\*x))/c</sup> + I\*sqrt(b\*arcsin(c\*x) + a)\*a\*b\*arcsin(c\*x)\*e<sup>(-I\*arcsin(c\*x))/c</sup> + 5/4\*sqrt(b\*arcsin(c\*x) + a)\*b<sup>2</sup>\*arcsin(c\*x)\*e<sup>(-I\*arcsin(c\*x))/c</sup> - 1/2\*I\*sqrt(b\*arcsin(c\*x) + a)\*a<sup>2</sup>\*e<sup>(I\*arcsin(c\*x))/c</sup> + 5/4\*sqrt(b\*arcsin(c\*x) + a)\*a\*b\*e<sup>(I\*arcsin(c\*x))/c</sup> + 15/8\*I\*sqrt(b\*arcsin(c\*x) + a)\*b<sup>2</sup>\*e<sup>(I\*arcsin(c\*x))/c</sup> + 1/2\*I\*sqrt(b\*arcsin(c\*x) + a)\*a<sup>2</sup>\*e<sup>(-I\*arcsin(c\*x))/c</sup> + 5/4\*sqrt(b\*arcsin(c\*x) + a)\*a\*b\*e<sup>(-I\*arcsin(c\*x))/c</sup> - 15/8\*I\*sqrt(b\*arcsin(c\*x) + a)\*b<sup>2</sup>\*e<sup>(-I\*arcsin(c\*x))/c</sup></sup>

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(5/2), x)

[Out] int((a + b\*asin(c\*x))^(5/2), x)



$$3.186 \quad \int \frac{(a+b\mathbf{ArcSin}(cx))^{5/2}}{x} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(a+b\mathbf{ArcSin}(cx))^{5/2}}{x}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(5/2)/x,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^{5/2}}{x} dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(5/2)/x,x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(5/2)/x, x]

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^{5/2}}{x} dx = \int \frac{(a+b\sin^{-1}(cx))^{5/2}}{x} dx$$

Mathematica [A]

time = 2.07, size = 0, normalized size = 0.00

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^{5/2}}{x} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(5/2)/x,x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(5/2)/x, x]

Maple [A]

time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(a+b\arcsin(cx))^{5/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(5/2)/x,x)`

[Out] `int((a+b*arcsin(c*x))^(5/2)/x,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x,x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(5/2)/x, x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**(5/2)/x,x)`

[Out] `Integral((a + b*asin(c*x))**(5/2)/x, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^(5/2)/x, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \operatorname{asin}(c x))^{5/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(5/2)/x,x)

[Out] int((a + b\*asin(c\*x))^(5/2)/x, x)

$$3.187 \quad \int \frac{(a+b\mathbf{ArcSin}(cx))^{5/2}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{(a+b\text{ArcSin}(cx))^{5/2}}{x^2}, x\right)$$

[Out] Unintegrable((a+b\*arcsin(c\*x))^(5/2)/x^2,x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a+b\text{ArcSin}(cx))^{5/2}}{x^2} dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(5/2)/x^2,x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(5/2)/x^2, x]

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^{5/2}}{x^2} dx = \int \frac{(a+b\sin^{-1}(cx))^{5/2}}{x^2} dx$$

Mathematica [A]

time = 7.14, size = 0, normalized size = 0.00

$$\int \frac{(a+b\text{ArcSin}(cx))^{5/2}}{x^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(5/2)/x^2,x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(5/2)/x^2, x]

Maple [A]

time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{(a+b\arcsin(cx))^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(5/2)/x^2,x)`

[Out] `int((a+b*arcsin(c*x))^(5/2)/x^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x^2,x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(5/2)/x^2, x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x^2,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**(5/2)/x**2,x)`

[Out] `Integral((a + b*asin(c*x))**(5/2)/x**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(5/2)/x^2,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^(5/2)/x^2, x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \operatorname{asin}(cx))^{5/2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^(5/2)/x^2,x)

[Out] int((a + b\*asin(c\*x))^(5/2)/x^2, x)

$$3.188 \quad \int \frac{x^2}{\sqrt{a + b \operatorname{ArcSin}(cx)}} dx$$

Optimal. Leaf size=223

$$\frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3}$$

[Out]  $-1/12*\cos(3*a/b)*\operatorname{FresnelC}(6^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})$   
 $*6^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/b^{(1/2)}-1/12*\operatorname{FresnelS}(6^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*$   
 $x))^{(1/2)}/b^{(1/2)})*\sin(3*a/b)*6^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/b^{(1/2)}+1/4*\cos(a/b)*\operatorname{Fre}$   
 $\operatorname{snelC}(2^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^$   
 $3/b^{(1/2)}+1/4*\operatorname{FresnelS}(2^{(1/2)}/\operatorname{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{si}$   
 $\operatorname{n}(a/b)*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^3/b^{(1/2)}$

Rubi [A]

time = 0.22, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {4731, 4491, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} + \frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} - \frac{\sqrt{\frac{\pi}{6}} \sin\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^2/\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]], x]$

[Out]  $(\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Cos}[a/b]*\operatorname{FresnelC}[(\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(2*\operatorname{Sqrt}[b]*c^3) - (\operatorname{Sqrt}[\operatorname{Pi}/6]*\operatorname{Cos}[(3*a)/b]*\operatorname{FresnelC}[(\operatorname{Sqrt}[6/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(2*\operatorname{Sqrt}[b]*c^3) + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{FresnelS}[(\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[a/b])/(2*\operatorname{Sqrt}[b]*c^3) - (\operatorname{Sqrt}[\operatorname{Pi}/6]*\operatorname{FresnelS}[(\operatorname{Sqrt}[6/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[(3*a)/b])/(2*\operatorname{Sqrt}[b]*c^3)$

Rule 3385

$\operatorname{Int}[\sin[\operatorname{Pi}/2 + (e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Cos}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3386

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Sin}[f*(x^2/d)], x], x, \operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]<sup>(p\_.)</sup>\*((c\_.) + (d\_.)\*(x\_))<sup>(m\_.)</sup>\*Sin[(a\_.) + (b\_.)\*(x\_)]<sup>(n\_.)</sup>, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)<sup>m</sup>, Sin[a + b\*x]<sup>n</sup>\*Cos[a + b\*x]<sup>p</sup>, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>\*((x\_)<sup>(m\_)</sup>, x\_Symbol] := Dist[1/(b\*c<sup>(m + 1)</sup>), Subst[Int[x<sup>n</sup>\*Sin[-a/b + x/b]<sup>m</sup>\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{x^2}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x) \sin^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{c^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\cos(x)}{4\sqrt{a + bx}} - \frac{\cos(3x)}{4\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{c^3} \\
&= \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{4c^3} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{4c^3} \\
&= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{4c^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{3a}{b} + 3x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{4c^3} \\
&= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{2bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \cos\left(\frac{3x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{2bc^3} \\
&= \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.19, size = 228, normalized size = 1.02

$$\frac{ie^{-\frac{a}{b}} \left( 3e^{\frac{a}{b}} \sqrt{\frac{-i(a + b \text{ArcSin}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a + b \text{ArcSin}(cx))}{b}\right) - 3e^{\frac{3a}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{i(a + b \text{ArcSin}(cx))}{b}\right) + \sqrt{3} \left( -\sqrt{\frac{-i(a + b \text{ArcSin}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{3i(a + b \text{ArcSin}(cx))}{b}\right) + e^{\frac{3a}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{3i(a + b \text{ArcSin}(cx))}{b}\right) \right) \right)}{24c^3 \sqrt{a + b \text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] ((-1/24\*I)\*(3\*E^(((2\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] - 3\*E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[3]\*(-Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((6\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(c^3\*E^(((3\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]**

time = 0.09, size = 196, normalized size = 0.88

method	result
default	$\frac{\sqrt{\pi} \sqrt{2} \sqrt{-\frac{3}{b}} \left( \sqrt{-\frac{1}{b}} \sqrt{-\frac{3}{b}} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) b - \sqrt{-\frac{1}{b}} \sqrt{-\frac{3}{b}} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) \right)}{-}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a+b*arcsin(c*x))^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/12/c^3*Pi^(1/2)*2^(1/2)*(-3/b)^(1/2)*((-1/b)^(1/2)*(-3/b)^(1/2)*cos(a/b)
*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b-(-1/b)
^(1/2)*(-3/b)^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*ar
csin(c*x))^(1/2)/b)*b+cos(3*a/b)*FresnelC(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*
(a+b*arcsin(c*x))^(1/2)/b)-sin(3*a/b)*FresnelS(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/
2)*(a+b*arcsin(c*x))^(1/2)/b))
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x^2/sqrt(b*arcsin(c*x) + a), x)
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + b \arcsin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(x\*\*2/sqrt(a + b\*asin(c\*x)), x)

**Giac** [C] Result contains complex when optimal does not.

time = 0.56, size = 317, normalized size = 1.42

$$\frac{\sqrt{c} \operatorname{erf}\left(\frac{\sqrt{b} \sqrt{\operatorname{asin}(cx)+a} - \sqrt{b} \sqrt{\operatorname{asin}(cx)+a} \sqrt{b}}{2\sqrt{b}}\right) e^{i\frac{\pi}{4}}}{4\left(\sqrt{b} \sqrt{a} + \sqrt{b} \sqrt{a}\right)^2} - \frac{\sqrt{c} \operatorname{erf}\left(\frac{-\sqrt{2} \sqrt{\operatorname{asin}(cx)+a} - \sqrt{2} \sqrt{\operatorname{asin}(cx)+a} \sqrt{b}}{2\sqrt{b}}\right) e^{i\frac{\pi}{4}}}{4c^2\left(\frac{\sqrt{2}a}{\sqrt{b}} + \sqrt{2} \sqrt{b}\right)} - \frac{\sqrt{c} \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{\operatorname{asin}(cx)+a} - \sqrt{2} \sqrt{\operatorname{asin}(cx)+a} \sqrt{b}}{2\sqrt{b}}\right) e^{-i\frac{\pi}{4}}}{4c^2\left(-\frac{\sqrt{2}a}{\sqrt{b}} + \sqrt{2} \sqrt{b}\right)} + \frac{\sqrt{c} \operatorname{erf}\left(\frac{-\sqrt{b} \sqrt{\operatorname{asin}(cx)+a} + \sqrt{b} \sqrt{\operatorname{asin}(cx)+a} \sqrt{b}}{2\sqrt{b}}\right) e^{-i\frac{\pi}{4}}}{4\left(\sqrt{b} \sqrt{a} - \sqrt{b} \sqrt{a}\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{4}\sqrt{\pi}\operatorname{erf}\left(\frac{-1/2\sqrt{6}\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) - \frac{1}{2}I\sqrt{\pi}\left(\frac{6\sqrt{b\arcsin(cx)+a}\sqrt{b}}{\operatorname{abs}(b)}\right)e^{3Ia/b} / \left(\sqrt{6}\sqrt{b} + I\sqrt{6}b^{3/2}/\operatorname{abs}(b)\right)c^3 - \frac{1}{4}\sqrt{\pi}\operatorname{erf}\left(\frac{-1/2I\sqrt{2}\sqrt{b\arcsin(cx)+a}}{\sqrt{\operatorname{abs}(b)}}\right) - \frac{1}{2}\sqrt{2}\sqrt{b\arcsin(cx)+a}\sqrt{\operatorname{abs}(b)}/b e^{Ia/b} / \left(c^3(I\sqrt{2}b/\sqrt{\operatorname{abs}(b)} + \sqrt{2}\sqrt{\operatorname{abs}(b)})\right) - \frac{1}{4}\sqrt{\pi}\operatorname{erf}\left(\frac{1/2I\sqrt{2}\sqrt{b\arcsin(cx)+a}}{\sqrt{\operatorname{abs}(b)}}\right) - \frac{1}{2}\sqrt{2}\sqrt{b\arcsin(cx)+a}\sqrt{\operatorname{abs}(b)}/b e^{-Ia/b} / \left(c^3(-I\sqrt{2}b/\sqrt{\operatorname{abs}(b)} + \sqrt{2}\sqrt{\operatorname{abs}(b)})\right) + \frac{1}{4}\sqrt{\pi}\operatorname{erf}\left(\frac{-1/2\sqrt{6}\sqrt{b\arcsin(cx)+a}}{\sqrt{b}}\right) + \frac{1}{2}I\sqrt{\pi}\left(\frac{6\sqrt{b\arcsin(cx)+a}\sqrt{b}}{\operatorname{abs}(b)}\right)e^{-3Ia/b} / \left(\sqrt{6}\sqrt{b} - I\sqrt{6}b^{3/2}/\operatorname{abs}(b)\right)c^3$

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*asin(c\*x))^(1/2),x)

[Out] int(x^2/(a + b\*asin(c\*x))^(1/2), x)

$$3.189 \quad \int \frac{x}{\sqrt{a + b \operatorname{ArcSin}(cx)}} dx$$

Optimal. Leaf size=99

$$\frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2} - \frac{\sqrt{\pi} \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) \sin\left(\frac{2a}{b}\right)}{2\sqrt{b} c^2}$$

[Out] 1/2\*cos(2\*a/b)\*FresnelS(2\*(a+b\*arcsin(c\*x))^(1/2)/b^(1/2)/Pi^(1/2))\*Pi^(1/2)/c^2/b^(1/2)-1/2\*FresnelC(2\*(a+b\*arcsin(c\*x))^(1/2)/b^(1/2)/Pi^(1/2))\*sin(2\*a/b)\*Pi^(1/2)/c^2/b^(1/2)

**Rubi [A]**

time = 0.09, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4731, 4491, 12, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2} - \frac{\sqrt{\pi} \sin\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{2\sqrt{b} c^2}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (Sqrt[Pi]\*Cos[(2\*a)/b]\*FresnelS[(2\*Sqrt[a + b\*ArcSin[c\*x]])/(Sqrt[b]\*Sqrt[Pi])])/(2\*Sqrt[b]\*c^2) - (Sqrt[Pi]\*FresnelC[(2\*Sqrt[a + b\*ArcSin[c\*x]])/(Sqrt[b]\*Sqrt[Pi])])\*Sin[(2\*a)/b]/(2\*Sqrt[b]\*c^2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 3385

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3386

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[f\*(x^2/d)], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)](p_.)*((c_.) + (d_.)*(x_))(m_.)*Sin[(a_.) + (b
_.)*(x_)](n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[a + b*x
]n*Cos[a + b*x]p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))(n_.)*(x_)(m_.), x_Symbol] := Dist[1
/(b*c(m + 1)), Subst[Int[xn*Sin[-a/b + x/b]m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos(x) \sin(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c^2} \\
&= \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{2c^2} \\
&= \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \sin\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc^2} \\
&= \frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) \sin\left(\frac{2a}{b}\right)}{2\sqrt{b} c^2}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.07, size = 123, normalized size = 1.24

$$\frac{e^{-\frac{2ia}{b}} \left( \sqrt{-\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{2i(a + b \text{ArcSin}(cx))}{b}\right) \right) + e^{\frac{4ia}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{2i(a + b \text{ArcSin}(cx))}{b}\right) \right)}{4\sqrt{2} c^2 \sqrt{a + b \text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] -1/4\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(Sqrt[2]\*c^2\*E^(((2\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]**

time = 0.04, size = 94, normalized size = 0.95

method	result
--------	--------

default	$\frac{\sqrt{2} \sqrt{\pi} \sqrt{-\frac{2}{b}} \left( \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b}} b}\right) + \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b}} b}\right) \right)}{4c^2}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsin(c*x))^(1/2),x,method=_RETURNVERBOSE)`

[Out] 
$$\frac{-1/4*2^{(1/2)}*\pi^{(1/2)}*(-2/b)^{(1/2)}*(\cos(2*a/b)*\text{FresnelS}(2*2^{(1/2)}/\pi^{(1/2)}/(-2/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)+\sin(2*a/b)*\text{FresnelC}(2*2^{(1/2)}/\pi^{(1/2)}/(-2/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b))/c^2}$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(x/sqrt(b*arcsin(c*x) + a), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + b \arcsin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asin(c*x))**(1/2),x)`

[Out] `Integral(x/sqrt(a + b*asin(c*x)), x)`

**Giac [C]** Result contains complex when optimal does not.

time = 0.48, size = 132, normalized size = 1.33

$$\frac{i\sqrt{\pi} \operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}} + \frac{i\sqrt{b\arcsin(cx)+a}\sqrt{b}}{|b|}\right) e^{(-\frac{2ia}{b})}}{4c^2\left(\sqrt{b} - \frac{ib^{\frac{3}{2}}}{|b|}\right)} - \frac{i\sqrt{\pi} \operatorname{erf}\left(\frac{-\sqrt{b\arcsin(cx)+a}}{\sqrt{b}} - \frac{i\sqrt{b\arcsin(cx)+a}\sqrt{b}}{|b|}\right) e^{\frac{2ia}{b}}}{4\sqrt{b}c^2\left(\frac{ib}{|b|} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] 1/4\*I\*sqrt(pi)\*erf(-sqrt(b\*arcsin(c\*x) + a)/sqrt(b) + I\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(b)/abs(b))\*e^(-2\*I\*a/b)/(c^2\*(sqrt(b) - I\*b^(3/2)/abs(b))) - 1/4\*I\*sqrt(pi)\*erf(-sqrt(b\*arcsin(c\*x) + a)/sqrt(b) - I\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(b)/abs(b))\*e^(2\*I\*a/b)/(sqrt(b)\*c^2\*(I\*b/abs(b) + 1))

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b\*asin(c\*x))^(1/2),x)

[Out] int(x/(a + b\*asin(c\*x))^(1/2), x)



$$3.190 \quad \int \frac{1}{\sqrt{a + b \operatorname{ArcSin}(cx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c} + \frac{\sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{b} c}$$

[Out]  $\cos(a/b) * \operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)} * (a + b * \operatorname{arcsin}(c * x))^{(1/2)}/b^{(1/2)}) * 2^{(1/2)} * \pi^{(1/2)}/c/b^{(1/2)} + \operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)} * (a + b * \operatorname{arcsin}(c * x))^{(1/2)}/b^{(1/2)}) * \sin(a/b) * 2^{(1/2)} * \pi^{(1/2)}/c/b^{(1/2)}$

**Rubi [A]**

time = 0.07, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {4719, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c} + \frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \operatorname{ArcSin}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[1/\operatorname{Sqrt}[a + b * \operatorname{ArcSin}[c * x]], x]$

[Out]  $(\operatorname{Sqrt}[2 * \pi] * \operatorname{Cos}[a/b] * \operatorname{FresnelC}[(\operatorname{Sqrt}[2/\pi] * \operatorname{Sqrt}[a + b * \operatorname{ArcSin}[c * x]])/\operatorname{Sqrt}[b]])/(\operatorname{Sqrt}[b] * c) + (\operatorname{Sqrt}[2 * \pi] * \operatorname{FresnelS}[(\operatorname{Sqrt}[2/\pi] * \operatorname{Sqrt}[a + b * \operatorname{ArcSin}[c * x]])/\operatorname{Sqrt}[b]] * \operatorname{Sin}[a/b])/(\operatorname{Sqrt}[b] * c)$

**Rule 3385**

$\operatorname{Int}[\sin[\pi/2 + (e_.) + (f_.)(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Cos}[f * (x^2/d)], x], x, \operatorname{Sqrt}[c + d * x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d * e - c * f, 0]$

**Rule 3386**

$\operatorname{Int}[\sin[(e_.) + (f_.)(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Sin}[f * (x^2/d)], x], x, \operatorname{Sqrt}[c + d * x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d * e - c * f, 0]$

**Rule 3387**

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

### Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

### Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

### Rule 4719

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[xn*Cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c
, n}, x]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\
 &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\
 &= \frac{(2 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc} + \frac{(2 \sin\left(\frac{a}{b}\right)) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc} \\
 &= \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c} + \frac{\sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c}
 \end{aligned}$$

**Mathematica** [C] Result contains complex when optimal does not.

time = 0.09, size = 121, normalized size = 1.20

$$\frac{ie^{-\frac{ia}{b}} \left( -\sqrt{-\frac{i(a+b\text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b\text{ArcSin}(cx))}{b}\right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b\text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{i(a+b\text{ArcSin}(cx))}{b}\right) \right)}{2c\sqrt{a+b\text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] ((I/2)\*(-(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b]) + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b]))/(c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]**

time = 0.06, size = 90, normalized size = 0.89

method	result
default	$\frac{\sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \left( \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) - \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) \right)}{c}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))^(1/2),x,method=\_RETURNVERBOSE)

[Out] 2^(1/2)\*Pi^(1/2)\*(-1/b)^(1/2)\*(cos(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)-sin(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b))/c

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(b\*arcsin(c\*x) + a), x)

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(1/sqrt(a + b\*asin(c\*x)), x)

**Giac [C]** Result contains complex when optimal does not.

time = 0.48, size = 159, normalized size = 1.57

$$\frac{\sqrt{\pi} \operatorname{erf}\left(\frac{-i\sqrt{2}\sqrt{b\operatorname{arcsin}(cx)+a} - \sqrt{2}\sqrt{b\operatorname{arcsin}(cx)+a}\sqrt{|b|}}{2\sqrt{|b|}}\right) e^{\frac{ia}{b}}}{c\left(\frac{i\sqrt{2}b}{\sqrt{|b|}} + \sqrt{2}\sqrt{|b|}\right)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\frac{i\sqrt{2}\sqrt{b\operatorname{arcsin}(cx)+a} - \sqrt{2}\sqrt{b\operatorname{arcsin}(cx)+a}\sqrt{|b|}}{2\sqrt{|b|}}\right) e^{\left(-\frac{ia}{b}\right)}}{c\left(-\frac{i\sqrt{2}b}{\sqrt{|b|}} + \sqrt{2}\sqrt{|b|}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] -sqrt(pi)\*erf(-1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(I\*a/b)/(c\*(I\*sqrt(2)\*b/sqrt(abs(b)) + sqrt(2)\*sqrt(abs(b)))) - sqrt(pi)\*erf(1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(-I\*a/b)/(c\*(-I\*sqrt(2)\*b/sqrt(abs(b)) + sqrt(2)\*sqrt(abs(b))))

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*asin(c\*x))^(1/2),x)

[Out] int(1/(a + b\*asin(c\*x))^(1/2), x)

$$3.191 \quad \int \frac{1}{x \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x \sqrt{a + b \mathbf{ArcSin}(cx)}}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x))^(1/2), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*sqrt[a + b\*ArcSin[c\*x]]), x]

[Out] Defer[Int][1/(x\*sqrt[a + b\*ArcSin[c\*x]]), x]

Rubi steps

$$\int \frac{1}{x \sqrt{a + b \sin^{-1}(cx)}} dx = \int \frac{1}{x \sqrt{a + b \sin^{-1}(cx)}} dx$$

Mathematica [A]

time = 2.04, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*sqrt[a + b\*ArcSin[c\*x]]), x]

[Out] Integrate[1/(x\*sqrt[a + b\*ArcSin[c\*x]]), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a + b \arcsin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsin(c*x))^(1/2),x)`

[Out] `int(1/x/(a+b*arcsin(c*x))^(1/2),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(b*arcsin(c*x) + a)*x), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x))^(1/2),x)`

[Out] `Integral(1/(x*sqrt(a + b*asin(c*x))), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(1/2),x, algorithm="giac")`

[Out] `integrate(1/(sqrt(b*arcsin(c*x) + a)*x), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x \sqrt{a + b \sin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*asin(c*x))^(1/2)),x)
```

```
[Out] int(1/(x*(a + b*asin(c*x))^(1/2)), x)
```

$$3.192 \quad \int \frac{1}{x^2 \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x^2 \sqrt{a + b \mathbf{ArcSin}(cx)}}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x))^(1/2),x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*Sqrt[a + b\*ArcSin[c\*x]]),x]

[Out] Defer[Int][1/(x^2\*Sqrt[a + b\*ArcSin[c\*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{a + b \sin^{-1}(cx)}} dx = \int \frac{1}{x^2 \sqrt{a + b \sin^{-1}(cx)}} dx$$

Mathematica [A]

time = 9.18, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + b \mathbf{ArcSin}(cx)}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*Sqrt[a + b\*ArcSin[c\*x]]),x]

[Out] Integrate[1/(x^2\*Sqrt[a + b\*ArcSin[c\*x]]), x]

Maple [A]

time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + b \arcsin(cx)}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^2/(a+b*arcsin(c*x))^(1/2),x)
```

```
[Out] int(1/x^2/(a+b*arcsin(c*x))^(1/2),x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(1/(sqrt(b*arcsin(c*x) + a)*x^2), x)
```

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*asin(c*x))**(1/2),x)
```

```
[Out] Integral(1/(x**2*sqrt(a + b*asin(c*x))), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(b*arcsin(c*x) + a)*x^2), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 \sqrt{a + b \operatorname{asin}(c x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + b\*asin(c\*x))^(1/2)),x)

[Out] int(1/(x^2\*(a + b\*asin(c\*x))^(1/2)), x)

### 3.193 $\int \frac{x^2}{(a+b\text{ArcSin}(cx))^{3/2}} dx$

**Optimal.** Leaf size=250

$$\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}} - \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} + \frac{\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}$$

[Out]  $-1/2*\cos(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^3+1/2*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^3+1/2*\cos(3*a/b)*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^3-1/2*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(3*a/b)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^3-2*x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(1/2)}$

**Rubi [A]**

time = 0.23, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4727, 3387, 3386, 3432, 3385, 3433}

$$\frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} + \frac{\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*x^2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) + (\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) + (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[a/b])/(b^{(3/2)}*c^3) - (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[(3*a)/b])/(b^{(3/2)}*c^3)$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

**Rule 3386**

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4727

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_)</sup>(x\_)<sup>(m\_)</sup>, x\_Symbol] := Simp[x<sup>m</sup>\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*(n + 1)), x] - Dist[1/(b<sup>2</sup>\*c<sup>(m + 1)</sup>(n + 1)), Subst[Int[ExpandTrigReduce[x<sup>(n + 1)</sup>, Sin[-a/b + x/b]<sup>(m - 1)</sup>(m - (m + 1)\*Sin[-a/b + x/b]<sup>2</sup>), x], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} + \frac{2\text{Subst}\left(\int\left(-\frac{\sin(x)}{4\sqrt{a+bx}} + \frac{3\sin(3x)}{4\sqrt{a+bx}}\right) dx, x, \sin^{-1}\right)}{bc^3} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{\text{Subst}\left(\int\frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc^3} + \frac{3\text{Subst}\left(\int\frac{\sin(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{\cos\left(\frac{a}{b}\right)\text{Subst}\left(\int\frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc^3} + \frac{3\cos\left(\frac{3a}{b}\right)\text{Subst}\left(\int\frac{\sin\left(\frac{3a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{\cos\left(\frac{a}{b}\right)\text{Subst}\left(\int\sin\left(\frac{x}{b}\right) dx, x, \sqrt{a+b\sin^{-1}(cx)}\right)}{b^2c^3} + \frac{3\cos\left(\frac{3a}{b}\right)\text{Subst}\left(\int\sin\left(\frac{x}{b}\right) dx, x, \sqrt{a+b\sin^{-1}(cx)}\right)}{b^2c^3} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{\sqrt{\frac{\pi}{2}}\cos\left(\frac{a}{b}\right)S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} + \frac{\sqrt{\frac{3\pi}{2}}\cos\left(\frac{3a}{b}\right)S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.31, size = 343, normalized size = 1.37

$$\frac{e^{-\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) - e^{\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) + e^{\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) + e^{-\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) \Gamma\left(\frac{1}{2}, -\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) + e^{\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) \Gamma\left(\frac{1}{2}, \frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) - \sqrt{3} e^{\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) \Gamma\left(\frac{1}{2}, -\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) - \sqrt{3} e^{-\frac{3a}{b}} \text{Erfi}\left(\frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right) \Gamma\left(\frac{1}{2}, \frac{\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^2\sqrt{a+b\sin^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (E^(((3\*I)\*a)/b) - E^(((3\*I)\*a)/b + (2\*I)\*ArcSin[c\*x])) - E^(((3\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) + E^(((3\*I)\*(a + 2\*b\*ArcSin[c\*x]))/b) + E^(((2\*I)\*a)/b + (3\*I)\*ArcSin[c\*x])\*Sqrt[(-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((4\*I)\*a)/b + (3\*I)\*ArcSin[c\*x])\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[3]\*E^((3\*I)\*ArcSin[c\*x])\*Sqrt[(-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[3]\*E^((3\*I)\*((2\*a)/b + ArcSin[c\*x]))\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]/(4\*b\*c^3)\*E^(((3\*I)\*a)/b + b\*ArcSin[c\*x])\*Sqrt[a + b\*ArcSin[c\*x]]]

**Maple [A]**

time = 0.09, size = 301, normalized size = 1.20

method	result
default	$-\sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) \sqrt{-\frac{1}{b}} \sqrt{\pi} \sqrt{2} - \sqrt{a + b \arcsin(cx)} \sin\left(\frac{a}{b}\right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a+b*arcsin(c*x))^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/2/c^3/b/(a+b*arcsin(c*x))^(1/2)*(-(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)-(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)+(a+b*arcsin(c*x))^(1/2)*cos(3*a/b)*FresnelS(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-3/b)^(1/2)*Pi^(1/2)*2^(1/2)+(a+b*arcsin(c*x))^(1/2)*sin(3*a/b)*FresnelC(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-3/b)^(1/2)*Pi^(1/2)*2^(1/2)+cos(-(a+b*arcsin(c*x))/b+a/b)-cos(-3*(a+b*arcsin(c*x))/b+3*a/b))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x^2/(b*arcsin(c*x) + a)^(3/2), x)
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \arcsin(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral(x\*\*2/(a + b\*asin(c\*x))\*\*(3/2), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(x^2/(b\*arcsin(c\*x) + a)^(3/2), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \operatorname{asin}(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*asin(c\*x))^(3/2),x)

[Out] int(x^2/(a + b\*asin(c\*x))^(3/2), x)

### 3.194 $\int \frac{x}{(a+b\text{ArcSin}(cx))^{3/2}} dx$

**Optimal.** Leaf size=130

$$-\frac{2x\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}} + \frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{b^{3/2}c^2} + \frac{2\sqrt{\pi} S\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{b^{3/2}c^2}$$

[Out]  $2*\cos(2*a/b)*\text{FresnelC}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(3/2)}/c^2+2*\text{FresnelS}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/b^{(3/2)}/c^2-2*x*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(1/2)}$

**Rubi [A]**

time = 0.09, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4727, 3387, 3386, 3432, 3385, 3433}

$$\frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{b^{3/2}c^2} + \frac{2\sqrt{\pi} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{b^{3/2}c^2} - \frac{2x\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] `Int[x/(a + b*ArcSin[c*x])^(3/2), x]`

[Out]  $(-2*x*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/(b^{(3/2)}*c^2) + (2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(b^{(3/2)}*c^2)$

**Rule 3385**

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

**Rule 3386**

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

**Rule 3387**

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,`



e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] :> Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] :> Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

### Rule 4727

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_)</sup>(x\_)<sup>(m\_)</sup>, x\_Symbol] :> Simp[x<sup>m</sup>\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*(n + 1))), x] - Dist[1/(b<sup>2</sup>\*c<sup>(m + 1)</sup>\*(n + 1)), Subst[Int[ExpandTrigReduce[x<sup>(n + 1)</sup>, Sin[-a/b + x/b]<sup>(m - 1)</sup>\*(m - (m + 1))\*Sin[-a/b + x/b]<sup>2</sup>], x], x], x, a + b\*ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{2 \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\ &= -\frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2 \cos\left(\frac{2a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} + \\ &= -\frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(4 \cos\left(\frac{2a}{b}\right)) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2c^2} \\ &= -\frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2}c^2} + \frac{2\sqrt{\pi} S\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2}c^2} \end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.12, size = 155, normalized size = 1.19

$$\frac{ie^{-\frac{2ia}{b}} \left(-\sqrt{2} \sqrt{-\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{2i(a + b \text{ArcSin}(cx))}{b}\right) + \sqrt{2} e^{\frac{4ia}{b}} \sqrt{\frac{i(a + b \text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{2i(a + b \text{ArcSin}(cx))}{b}\right) + 2ie^{\frac{2ia}{b}} \sin(2 \text{ArcSin}(cx))\right)}{2bc^2 \sqrt{a + b \text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/(a + b*ArcSin[c*x])^(3/2),x]
```

```
[Out] ((I/2)*(-(Sqrt[2]*Sqrt[(-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-2*I)*(a + b*ArcSin[c*x])/b]) + Sqrt[2]*E^(((4*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x])/b]*Gamma[1/2, ((2*I)*(a + b*ArcSin[c*x])/b] + (2*I)*E^(((2*I)*a)/b)*Sin[2*ArcSin[c*x]]))/(b*c^2*E^(((2*I)*a)/b)*Sqrt[a + b*ArcSin[c*x]])
```

**Maple [A]**

time = 0.06, size = 164, normalized size = 1.26

method	result
default	$\frac{\sqrt{a + b \arcsin(cx)} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b} b}}\right) \sqrt{-\frac{2}{b}} \sqrt{\pi} \sqrt{2} - \sqrt{a + b \arcsin(cx)} \cos\left(\frac{2a}{b}\right)}{c^2 b \sqrt{a + b \arcsin(cx)}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a+b*arcsin(c*x))^(3/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/c^2/b*((a+b*arcsin(c*x))^(1/2)*sin(2*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b*(-2/b)^(1/2)*Pi^(1/2)*2^(1/2)-(a+b*arcsin(c*x))^(1/2)*cos(2*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b*(-2/b)^(1/2)*Pi^(1/2)*2^(1/2)-sin(-2*(a+b*arcsin(c*x))/b+2*a/b))/(a+b*arcsin(c*x))^(1/2)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x/(b*arcsin(c*x) + a)^(3/2), x)
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x/(a+b\*asin(c\*x))\*\*(3/2),x)**[Out]** Integral(x/(a + b\*asin(c\*x))\*\*(3/2), x)**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate(x/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")**[Out]** integrate(x/(b\*arcsin(c\*x) + a)^(3/2), x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int(x/(a + b\*asin(c\*x))^(3/2),x)**[Out]** int(x/(a + b\*asin(c\*x))^(3/2), x)

$$3.195 \quad \int \frac{1}{(a+b\text{ArcSin}(cx))^{3/2}} dx$$

Optimal. Leaf size=137

$$\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}} - \frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{2\sqrt{2\pi} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}$$

[Out]  $-2*\cos(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c+2*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c-2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(1/2)}$

Rubi [A]

time = 0.17, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4717, 4809, 3387, 3386, 3432, 3385, 3433}

$$\frac{2\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^{(-3/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (2*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/b^{(3/2)}*c$

Rule 3385

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>, x\_Symbol] := Simp[Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*(n + 1)), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 4809

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)</sup>(x\_)<sup>(m\_.)</sup>((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Dist[(1/(b\*c<sup>(m + 1)</sup>))\*Simp[(d + e\*x<sup>2</sup>)<sup>p</sup>/(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>p</sup>], Subst[Int[x<sup>n</sup>\*Sin[-a/b + x/b]<sup>m</sup>\*Cos[-a/b + x/b]<sup>(2\*p + 1)</sup>, x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IGtQ[2\*p + 2, 0] && IGtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{(2c) \int \frac{x}{\sqrt{1-c^2x^2} \sqrt{a+b\sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{2\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{(2\cos(\frac{a}{b})) \text{Subst}\left(\int \frac{\sin(\frac{a}{b}+x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} + \dots \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{(4\cos(\frac{a}{b})) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a+b\sin^{-1}(cx)}\right)}{b^2c} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\sin^{-1}(cx)}} - \frac{2\sqrt{2\pi} \cos(\frac{a}{b}) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \dots
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.23, size = 167, normalized size = 1.22

$$\frac{e^{-\frac{i(a+b\text{ArcSin}(cx))}{b}} \left( e^{i\text{ArcSin}(cx)} \sqrt{\frac{i(a+b\text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b\text{ArcSin}(cx))}{b}\right) + e^{\frac{ia}{b}} \left( -1 - e^{2i\text{ArcSin}(cx)} + e^{\frac{i(a+b\text{ArcSin}(cx))}{b}} \sqrt{\frac{i(a+b\text{ArcSin}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{i(a+b\text{ArcSin}(cx))}{b}\right) \right) \right)}{bc\sqrt{a+b\text{ArcSin}(cx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(-3/2), x]

[Out] (E^(I\*ArcSin[c\*x])\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^((I\*a)/b)\*(-1 - E^((2\*I)\*ArcSin[c\*x]) + E^((I\*(a + b\*ArcSin[c\*x]))/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b]))/(b\*c\*E^((I\*(a + b\*ArcSin[c\*x]))/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]**

time = 0.06, size = 158, normalized size = 1.15

method	result
--------	--------

default	$\frac{2 \left( -\sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b} b}}\right) \sqrt{-\frac{1}{b}} \sqrt{\pi} \sqrt{2} - \sqrt{a + b \arcsin(cx)} \right)}{cb \sqrt{a + b \arcsin(cx)}}$
---------	---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsin(c*x))^(3/2),x,method=_RETURNVERBOSE)`

[Out] `-2/c/b/(a+b*arcsin(c*x))^(1/2)*(-(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)-(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*(-1/b)^(1/2)*Pi^(1/2)*2^(1/2)+cos(-(a+b*arcsin(c*x))/b+a/b))`

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(-3/2), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arcsin(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asin(c*x))**(3/2),x)`

[Out] Integral((a + b\*asin(c\*x))\*\*(-3/2), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^(-3/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*asin(c\*x))^(3/2),x)

[Out] int(1/(a + b\*asin(c\*x))^(3/2), x)



$$3.196 \quad \int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^{3/2}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x(a+b\text{ArcSin}(cx))^{3/2}}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x))^(3/2), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

[Out] Defer[Int][1/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x(a+b\sin^{-1}(cx))^{3/2}} dx = \int \frac{1}{x(a+b\sin^{-1}(cx))^{3/2}} dx$$

Mathematica [A]

time = 2.38, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

[Out] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\arcsin(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsin(c*x))^(3/2),x)`

[Out] `int(1/x/(a+b*arcsin(c*x))^(3/2),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(3/2)*x), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x (a + b \operatorname{asin}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x))**(3/2),x)`

[Out] `Integral(1/(x*(a + b*asin(c*x))**(3/2)), x)`

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x (a + b \operatorname{asin}(c x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + b\*asin(c\*x))^(3/2)),x)

[Out] int(1/(x\*(a + b\*asin(c\*x))^(3/2)), x)

$$3.197 \quad \int \frac{1}{x^2(a+b\mathbf{ArcSin}(cx))^{3/2}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x^2(a+b\text{ArcSin}(cx))^{3/2}}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x))^(3/2), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{3/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

[Out] Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x^2(a+b\sin^{-1}(cx))^{3/2}} dx = \int \frac{1}{x^2(a+b\sin^{-1}(cx))^{3/2}} dx$$

Mathematica [A]

time = 9.18, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{3/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

[Out] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

Maple [A]

time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\arcsin(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsin(c*x))^(3/2),x)`

[Out] `int(1/x^2/(a+b*arcsin(c*x))^(3/2),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(3/2)*x^2), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asin(c*x))**(3/2),x)`

[Out] `Integral(1/(x**2*(a + b*asin(c*x))**(3/2)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(3/2)*x^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + b\*asin(c\*x))^(3/2)),x)

[Out] int(1/(x^2\*(a + b\*asin(c\*x))^(3/2)), x)

$$3.198 \quad \int \frac{x^2}{(a+b\text{ArcSin}(cx))^{5/2}} dx$$

**Optimal.** Leaf size=291

$$\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a+b\text{ArcSin}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a+b\text{ArcSin}(cx)}} + \frac{4x^3}{b^2\sqrt{a+b\text{ArcSin}(cx)}} - \frac{\sqrt{2\pi}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{a+b\text{ArcSin}(cx)}}{b}\right)}{3b^{5/2}}$$

[Out]  $-1/3*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}/c^3-1/3*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}/c^3+\cos(3*a/b)*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}/c^3+\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(3*a/b)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}/c^3-2/3*x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(3/2)}-8/3*x/b^2/c^2/(a+b*\arcsin(c*x))^{(1/2)}+4*x^3/b^2/(a+b*\arcsin(c*x))^{(1/2)}$

**Rubi [A]**

time = 0.63, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$ , Rules used = {4729, 4807, 4731, 4491, 3387, 3386, 3432, 3385, 3433, 4719}

$$\frac{\sqrt{2\pi}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} + \frac{\sqrt{6\pi}\cos\left(\frac{3a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3} - \frac{\sqrt{2\pi}\sin\left(\frac{a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} + \frac{\sqrt{6\pi}\sin\left(\frac{3a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\text{ArcSin}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3} - \frac{8x}{3b^2c^2\sqrt{a+b\text{ArcSin}(cx)}} + \frac{4x^3}{b^2\sqrt{a+b\text{ArcSin}(cx)}} - \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a+b\text{ArcSin}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/(a + b*\text{ArcSin}[c*x])^{(5/2)}, x]$

[Out]  $(-2*x^2*\text{Sqrt}[1 - c^2*x^2])/(3*b*c*(a + b*\text{ArcSin}[c*x])^{(3/2)}) - (8*x)/(3*b^2*c^2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (4*x^3)/(b^2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(3*b^{(5/2)}*c^3) + (\text{Sqrt}[6*\text{Pi}]*\text{Cos}[(3*a)/b]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(5/2)}*c^3) - (\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(3*b^{(5/2)}*c^3) + (\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(b^{(5/2)}*c^3)$

**Rule 3385**

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] := \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[f*(x^2/d)], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3386

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[f*(x^2/d)], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3387

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[c*(f/d) + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3432

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 3433

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]/(f*Rt[
d, 2]))*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)], x] /; FreeQ[{d, e, f}, x]
```

Rule 4491

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4719

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*cos[-a/b + x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c
, n}, x]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[x
^m*Sqrt[1 - c^2*x^2]*((a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1))), x] + (Dis
t[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcSin[c*x])^(n + 1)/Sqrt[
1 - c^2*x^2]), x], x] - Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcSin[
c*x])^(n + 1)/Sqrt[1 - c^2*x^2]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m,
0] && LtQ[n, -2]
```

Rule 4731



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1
/(b*c^(m + 1)), Subst[Int[x^n*Sin[-a/b + x/b]^m*Cos[-a/b + x/b], x], x, a +
b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \sin^{-1}(cx))^{5/2}} dx &= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^{3/2}} dx}{3bc} - \frac{(2c) \int \frac{1}{\sqrt{1-c^2x^2}} dx}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} - \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} - \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} - \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{1}{3bc} \\
&= -\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} - \frac{1}{3bc}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 1.15, size = 370, normalized size = 1.27

$-\frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \sin^{-1}(cx)}} - \frac{1}{3bc}$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/(a + b*ArcSin[c*x])^(5/2),x]
```

```
[Out] (((-6*I)*a)/E^((3*I)*ArcSin[c*x]) + (b*(1 - (6*I)*ArcSin[c*x]))/E^((3*I)*ArcSin[c*x]) + E^((3*I)*ArcSin[c*x])*((6*I)*a + b + (6*I)*b*ArcSin[c*x]) - I*E^(I*ArcSin[c*x])*(2*a - I*b + 2*b*ArcSin[c*x]) - (2*b*((-I)*(a + b*ArcSin[c*x]))/b)^(3/2)*Gamma[1/2, ((-I)*(a + b*ArcSin[c*x]))/b])/E^((I*a)/b) + (I*(2*a + I*b + 2*b*ArcSin[c*x] + (2*I)*b*E^((I*(a + b*ArcSin[c*x]))/b))*((I*(a + b*ArcSin[c*x]))/b)^(3/2)*Gamma[1/2, (I*(a + b*ArcSin[c*x]))/b])/E^(I*ArcSin[c*x]) + (6*Sqrt[3]*b*(((-I)*(a + b*ArcSin[c*x]))/b)^(3/2)*Gamma[1/2, ((-3*I)*(a + b*ArcSin[c*x]))/b])/E^(((3*I)*a)/b) + 6*Sqrt[3]*b*E^(((3*I)*a)/b)*((I*(a + b*ArcSin[c*x]))/b)^(3/2)*Gamma[1/2, ((3*I)*(a + b*ArcSin[c*x]))/b])/(12*b^2*c^3*(a + b*ArcSin[c*x])^(3/2))
```

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 671 vs.  $2(235) = 470$ .

time = 0.12, size = 672, normalized size = 2.31

method	result
default	$\frac{-6 \arcsin(cx) \sqrt{-\frac{3}{b}} \sqrt{2} \sqrt{\pi} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{{}_3\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{3}{b}}}\right)}{b + 6 \arcsin(cx)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a+b*arcsin(c*x))^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/6/c^3/b^2*(-6*arcsin(c*x)*(-3/b)^(1/2)*2^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(3*a/b)*FresnelC(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b+6*arcsin(c*x)*(-3/b)^(1/2)*2^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(3*a/b)*FresnelS(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b+2*arcsin(c*x)*2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b-2*arcsin(c*x)*2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b-6*(-3/b)^(1/2)*2^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(3*a/b)*FresnelC(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*a+6*(-3/b)^(1/2)*2^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(3*a/b)*FresnelS(3*2^(1/2)/Pi^(1/2)/(-3/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*a+2*2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*a-2*2^(1/2)*Pi^(1/2)*(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(-1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*a+2*arcsin(c*x)*sin(-(a+b*arcsin(c*x))/b+a/b)*b-6*arcsin(c*x)*sin(-3*(a+b*arcsin(c*x))/b+3*a/b)*b+cos(-(a+b*arcsin(c*x))/b+a/b)*b+2*si
```

$n(-\frac{a+b\arcsin(cx)}{b+a/b} * a - \cos(-\frac{3(a+b\arcsin(cx))}{b+3a/b} * b - 6\sin(-\frac{3(a+b\arcsin(cx))}{b+3a/b} * a)) / (a+b\arcsin(cx))^{3/2}$

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x^2/(b\*arcsin(c\*x) + a)^(5/2), x)

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy [F]**

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*(5/2),x)

[Out] Integral(x\*\*2/(a + b\*asin(c\*x))\*\*(5/2), x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^(5/2),x, algorithm="giac")

[Out] integrate(x^2/(b\*arcsin(c\*x) + a)^(5/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \sin(cx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b\*asin(c\*x))^(5/2),x)

[Out] int(x^2/(a + b\*asin(c\*x))^(5/2), x)

$$3.199 \quad \int \frac{x}{(a+b\mathbf{ArcSin}(cx))^{5/2}} dx$$

Optimal. Leaf size=180

$$\frac{2x\sqrt{1-c^2x^2}}{3bc(a+b\mathbf{ArcSin}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a+b\mathbf{ArcSin}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\mathbf{ArcSin}(cx)}} - \frac{8\sqrt{\pi}\cos\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2}$$

[Out]  $-8/3*\cos(2*a/b)*\mathbf{FresnelS}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\mathbf{Pi}^{(1/2)})*\mathbf{Pi}^{(1/2)}/b^{(5/2)}/c^2+8/3*\mathbf{FresnelC}(2*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)}/\mathbf{Pi}^{(1/2)})*\sin(2*a/b)*\mathbf{Pi}^{(1/2)}/b^{(5/2)}/c^2-2/3*x*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(3/2)}-4/3/b^2/c^2/(a+b*\arcsin(c*x))^{(1/2)}+8/3*x^2/b^2/(a+b*\arcsin(c*x))^{(1/2)}$

Rubi [A]

time = 0.32, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.786$ , Rules used = {4729, 4807, 4731, 4491, 12, 3387, 3386, 3432, 3385, 3433, 4737}

$$\frac{8\sqrt{\pi}\sin\left(\frac{2a}{b}\right)\mathbf{FresnelC}\left(\frac{2\sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{3b^{5/2}c^2} - \frac{8\sqrt{\pi}\cos\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{3b^{5/2}c^2} - \frac{4}{3b^2c^2\sqrt{a+b\mathbf{ArcSin}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b\mathbf{ArcSin}(cx)}} - \frac{2x\sqrt{1-c^2x^2}}{3bc(a+b\mathbf{ArcSin}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x/(a + b*\mathbf{ArcSin}[c*x])^{(5/2)}, x]$

[Out]  $(-2*x*\mathbf{Sqrt}[1 - c^2*x^2])/(3*b*c*(a + b*\mathbf{ArcSin}[c*x])^{(3/2)}) - 4/(3*b^2*c^2*\mathbf{Sqrt}[a + b*\mathbf{ArcSin}[c*x]]) + (8*x^2)/(3*b^2*\mathbf{Sqrt}[a + b*\mathbf{ArcSin}[c*x]]) - (8*\mathbf{Sqrt}[\mathbf{Pi}]*\mathbf{Cos}[(2*a)/b]*\mathbf{FresnelS}[(2*\mathbf{Sqrt}[a + b*\mathbf{ArcSin}[c*x]])/(\mathbf{Sqrt}[b]*\mathbf{Sqrt}[\mathbf{Pi}])])/(3*b^{(5/2)}*c^2) + (8*\mathbf{Sqrt}[\mathbf{Pi}]*\mathbf{FresnelC}[(2*\mathbf{Sqrt}[a + b*\mathbf{ArcSin}[c*x]])/(\mathbf{Sqrt}[b]*\mathbf{Sqrt}[\mathbf{Pi}])]*\mathbf{Sin}[(2*a)/b])/(3*b^{(5/2)}*c^2)$

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 3385

$\text{Int}[\sin[\mathbf{Pi}/2 + (e_.) + (f_.)*(x_.)]/\mathbf{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\mathbf{Cos}[f*(x^2/d)], x], x, \mathbf{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\mathbf{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\mathbf{Sin}[f*(x^2/d)], x], x, \mathbf{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4491

Int[Cos[(a\_.) + (b\_.)\*(x\_)]<sup>(p\_.)\*((c\_.) + (d\_.)\*(x\_))<sup>(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]<sup>(n\_.)</sup>, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)<sup>m</sup>, Sin[a + b\*x]<sup>n</sup>\*Cos[a + b\*x]<sup>p</sup>, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]</sup></sup>

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)\*(x\_)<sup>(m\_.)</sup>, x\_Symbol] := Simp[x<sup>m</sup>\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*(n + 1))), x] + (Dist[c\*(m + 1)/(b\*(n + 1)), Int[x<sup>(m + 1)</sup>\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x] - Dist[m/(b\*c\*(n + 1)), Int[x<sup>(m - 1)</sup>\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]</sup>

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)\*(x\_)<sup>(m\_.)</sup>, x\_Symbol] := Dist[1/(b\*c<sup>(m + 1)</sup>), Subst[Int[x<sup>n</sup>\*Sin[-a/b + x/b]<sup>m</sup>\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]</sup>

#### Rule 4737

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[(1/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]/Sqrt[d + e\*x<sup>2</sup>]]\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d</sup>

+ e, 0] && NeQ[n, -1]

### Rule 4807

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n)*((f_.)*(x_.))^m)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^m/(b*c*(n + 1)))*Simp[Sqrt[1 - c^
2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])^(n + 1), x] - Dist[f*(m/(b*c*(n
+ 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]], Int[(f*x)^(m - 1)*(a + b*A
rcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d
+ e, 0] && LtQ[n, -1]
```

### Rubi steps



$$\begin{aligned}
\int \frac{x}{(a + b \sin^{-1}(cx))^{5/2}} dx &= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{2 \int \frac{1}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^{3/2}} dx}{3bc} - \frac{(4c) \int \frac{1}{\sqrt{1-c^2x^2}} dx}{3bc} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}} \\
&= -\frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \sin^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \sin^{-1}(cx)}}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.81, size = 173, normalized size = 0.96

$$\frac{2(a + b \operatorname{ArcSin}(cx)) \left( e^{-2i \operatorname{ArcSin}(cx)} + e^{2i \operatorname{ArcSin}(cx)} - \sqrt{2} e^{-\frac{2ia}{b}} \sqrt{-\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, -\frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) - \sqrt{2} e^{\frac{2ia}{b}} \sqrt{\frac{i(a + b \operatorname{ArcSin}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, \frac{2i(a + b \operatorname{ArcSin}(cx))}{b}\right) \right) + b \sin(2 \operatorname{ArcSin}(cx))}{3b^2c^2(a + b \operatorname{ArcSin}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b\*ArcSin[c\*x])^(5/2), x]

```
[Out] -1/3*(2*(a + b*ArcSin[c*x])*(E^((-2*I)*ArcSin[c*x]) + E^((2*I)*ArcSin[c*x])
- (Sqrt[2]*Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-2*I)*(a + b*Ar
cSin[c*x]))/b])/E^(((2*I)*a)/b) - Sqrt[2]*E^(((2*I)*a)/b)*Sqrt[(I*(a + b*Ar
cSin[c*x]))/b]*Gamma[1/2, ((2*I)*(a + b*ArcSin[c*x]))/b]) + b*Sin[2*ArcSin[
c*x]])/(b^2*c^2*(a + b*ArcSin[c*x])^(3/2))
```

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 351 vs.  $2(142) = 284$ .

time = 0.08, size = 352, normalized size = 1.96

method	result
default	$-4 \arcsin(cx) \cos\left(\frac{2a}{b}\right) S\left(\frac{{}_2\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{2}{b}} b}\right) \sqrt{a + b \arcsin(cx)} \sqrt{2} \sqrt{\pi} \sqrt{-\frac{2}{b}} b^{-4 \arcsin(cx) \sin\left(\frac{2a}{b}\right)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a+b*arcsin(c*x))^(5/2),x,method=_RETURNVERBOSE)
```

```
[Out] -1/3/c^2/b^2*(-4*arcsin(c*x)*cos(2*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(-2/b)^(
1/2)*(a+b*arcsin(c*x))^(1/2)/b*(a+b*arcsin(c*x))^(1/2)*2^(1/2)*Pi^(1/2)*(
-2/b)^(1/2)*b-4*arcsin(c*x)*sin(2*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/(-2/b)^(
1/2)*(a+b*arcsin(c*x))^(1/2)/b*(a+b*arcsin(c*x))^(1/2)*2^(1/2)*Pi^(1/2)*(
-2/b)^(1/2)*b-4*cos(2*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)*(a+b*ar
cSin(c*x))^(1/2)/b*(a+b*arcsin(c*x))^(1/2)*2^(1/2)*Pi^(1/2)*(-2/b)^(1/2)*a-
4*sin(2*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/(-2/b)^(1/2)*(a+b*arcsin(c*x))^(1/
2)/b*(a+b*arcsin(c*x))^(1/2)*2^(1/2)*Pi^(1/2)*(-2/b)^(1/2)*a+4*arcsin(c*x)
*cos(-2*(a+b*arcsin(c*x))/b+2*a/b)*b-sin(-2*(a+b*arcsin(c*x))/b+2*a/b)*b+4*
cos(-2*(a+b*arcsin(c*x))/b+2*a/b)*a)/(a+b*arcsin(c*x))^(3/2)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arcsin(c*x))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(x/(b*arcsin(c*x) + a)^(5/2), x)
```

**Fricas [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asin(c*x))**(5/2),x)`

[Out] `Integral(x/(a + b*asin(c*x))**(5/2), x)`

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))^(5/2),x, algorithm="giac")`

[Out] `integrate(x/(b*arcsin(c*x) + a)^(5/2), x)`

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a + b*asin(c*x))^(5/2),x)`

[Out] `int(x/(a + b*asin(c*x))^(5/2), x)`

$$3.200 \quad \int \frac{1}{(a+b\mathbf{ArcSin}(cx))^{5/2}} dx$$

Optimal. Leaf size=163

$$-\frac{2\sqrt{1-c^2x^2}}{3bc(a+b\mathbf{ArcSin}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a+b\mathbf{ArcSin}(cx)}} - \frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \mathbf{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c}$$

[Out]  $-4/3*\cos(a/b)*\mathbf{FresnelC}(2^{(1/2)}/\mathbf{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\mathbf{Pi}^{(1/2)}/b^{(5/2)}/c-4/3*\mathbf{FresnelS}(2^{(1/2)}/\mathbf{Pi}^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\mathbf{Pi}^{(1/2)}/b^{(5/2)}/c-2/3*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arcsin(c*x))^{(3/2)}+4/3*x/b^2/(a+b*\arcsin(c*x))^{(1/2)}$

Rubi [A]

time = 0.20, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4717, 4807, 4719, 3387, 3386, 3432, 3385, 3433}

$$-\frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \mathbf{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} - \frac{4\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \mathbf{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\mathbf{ArcSin}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{4x}{3b^2\sqrt{a+b\mathbf{ArcSin}(cx)}} - \frac{2\sqrt{1-c^2x^2}}{3bc(a+b\mathbf{ArcSin}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\mathbf{ArcSin}[c*x])^{(-5/2)}, x]$

[Out]  $(-2*\sqrt{1-c^2*x^2})/(3*b*c*(a+b*\mathbf{ArcSin}[c*x])^{(3/2)}) + (4*x)/(3*b^2*\sqrt{a+b*\mathbf{ArcSin}[c*x]}) - (4*\sqrt{2*\mathbf{Pi}}*\cos[a/b]*\mathbf{FresnelC}[(\sqrt{2/\mathbf{Pi}}*\sqrt{a+b*\mathbf{ArcSin}[c*x]})/\sqrt{b}])/(3*b^{(5/2)}*c) - (4*\sqrt{2*\mathbf{Pi}}*\mathbf{FresnelS}[(\sqrt{2/\mathbf{Pi}}*\sqrt{a+b*\mathbf{ArcSin}[c*x]})/\sqrt{b}]*\sin[a/b])/(3*b^{(5/2)}*c)$

Rule 3385

$\text{Int}[\sin[\mathbf{Pi}/2 + (e_.) + (f_.)*(x_.)]/\sqrt{(c_.) + (d_.)*(x_.)}, x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\cos[f*(x^2/d)], x], x, \sqrt{c + d*x}], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3386

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\sqrt{(c_.) + (d_.)*(x_.)}, x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\sin[f*(x^2/d)], x], x, \sqrt{c + d*x}], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3387

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[c\*(f/d) + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

#### Rule 3432

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 3433

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]/(f\*Rt[d, 2]))\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)], x] /; FreeQ[{d, e, f}, x]

#### Rule 4717

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>, x\_Symbol] := Simp[Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*(n + 1)), x] + Dist[c/(b\*(n + 1)), Int[x\*((a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 4719

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>, x\_Symbol] := Dist[1/(b\*c), Subst[Int[x<sup>n</sup>\*Cos[-a/b + x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 4807

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>\*((f\_.)\*(x\_))<sup>(m\_)</sup>/Sqrt[(d\_.) + (e\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[((f\*x)<sup>m</sup>/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]/Sqrt[d + e\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>, x] - Dist[f\*(m/(b\*c\*(n + 1)))\*Simp[Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]/Sqrt[d + e\*x<sup>2</sup>], Int[(f\*x)<sup>(m - 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \sin^{-1}(cx))^{5/2}} dx &= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} - \frac{(2c) \int \frac{x}{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^{3/2}} dx}{3b} \\
&= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4x}{3b^2 \sqrt{a + b \sin^{-1}(cx)}} - \frac{4 \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx}{3b^2} \\
&= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4x}{3b^2 \sqrt{a + b \sin^{-1}(cx)}} - \frac{4 \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b} - \frac{x}{b}\right)}{\sqrt{x}} dx, x, a\right)}{3b^3 c} \\
&= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4x}{3b^2 \sqrt{a + b \sin^{-1}(cx)}} - \frac{(4 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a\right)}{3b^3 c} \\
&= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4x}{3b^2 \sqrt{a + b \sin^{-1}(cx)}} - \frac{(8 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \cos\left(\frac{x}{b}\right) dx, x, a\right)}{3b^3 c} \\
&= -\frac{2\sqrt{1 - c^2x^2}}{3bc(a + b \sin^{-1}(cx))^{3/2}} + \frac{4x}{3b^2 \sqrt{a + b \sin^{-1}(cx)}} - \frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\sqrt{\frac{2}{\pi}} \sqrt{\frac{a + b \sin^{-1}(cx)}{b}}\right)}{3b^{5/2} c}
\end{aligned}$$

**Mathematica [C]** Result contains complex when optimal does not.

time = 0.58, size = 214, normalized size = 1.31

$$\frac{e^{-\frac{i(a + b \text{ArcSin}(cx))}{b}} \left( -2b^2 \text{ArcSin}(cx) \left( -\frac{i(a + b \text{ArcSin}(cx))}{b} \right)^{3/2} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a + b \text{ArcSin}(cx))}{b}\right) - ie^{i\left(2a(-1 + e^{2i \text{ArcSin}(cx)}) + b(-i - 2 \text{ArcSin}(cx) + e^{2i \text{ArcSin}(cx)}(-i + 2 \text{ArcSin}(cx))) - 2ibe^{\frac{i(a + b \text{ArcSin}(cx))}{b}} \left( \frac{i(a + b \text{ArcSin}(cx))}{b} \right)^{3/2} \text{Gamma}\left(\frac{1}{2}, \frac{i(a + b \text{ArcSin}(cx))}{b}\right) \right)}{3b^2 c (a + b \text{ArcSin}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^(-5/2), x]

[Out] (-2\*b\*E^(I\*ArcSin[c\*x])\*((-I)\*(a + b\*ArcSin[c\*x]))/b)^(3/2)\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] - I\*E^((I\*a)/b)\*(2\*a\*(-1 + E^((2\*I)\*ArcSin[c\*x])) + b\*(-I - 2\*ArcSin[c\*x] + E^((2\*I)\*ArcSin[c\*x]))\*(-I + 2\*ArcSin[c\*x])) - (2\*I)\*b\*E^((I\*(a + b\*ArcSin[c\*x]))/b)\*((I\*(a + b\*ArcSin[c\*x]))/b)^(3/2)\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b]/(3\*b^2\*c\*E^((I\*(a + b\*ArcSin[c\*x]))/b)\*(a + b\*ArcSin[c\*x])^(3/2))

**Maple [B]** Leaf count of result is larger than twice the leaf count of optimal. 339 vs. 2(129) = 258.

time = 0.07, size = 340, normalized size = 2.09

method	result
default	$-\frac{2 \left( 2 \arcsin(cx) \sqrt{2} \sqrt{\pi} \sqrt{-\frac{1}{b}} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{\pi} \sqrt{-\frac{1}{b}} b}\right) \right)}{b - 2 \arcsin(cx)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsin(c*x))^(5/2),x,method=_RETURNVERBOSE)`

[Out] 
$$-2/3/c/b^2*(2*\arcsin(c*x)*2^{(1/2)}*Pi^{(1/2)}*(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\cos(a/b)*\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)}/(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)*b-2*\arcsin(c*x)*2^{(1/2)}*Pi^{(1/2)}*(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\sin(a/b)*\operatorname{FresnelS}(2^{(1/2)}/Pi^{(1/2)}/(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)*b+2*2^{(1/2)}*Pi^{(1/2)}*(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\cos(a/b)*\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)}/(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)*a-2*2^{(1/2)}*Pi^{(1/2)}*(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\sin(a/b)*\operatorname{FresnelS}(2^{(1/2)}/Pi^{(1/2)}/(-1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)*a+2*\arcsin(c*x)*\sin(-(a+b*\arcsin(c*x))/b+a/b)*b+\cos(-(a+b*\arcsin(c*x))/b+a/b)*b+2*\sin(-(a+b*\arcsin(c*x))/b+a/b)*a/(a+b*\arcsin(c*x))^{(3/2)}$$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(-5/2), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*asin(c\*x))\*\*(5/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(-5/2), x)

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^(-5/2), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*asin(c\*x))^(5/2),x)

[Out] int(1/(a + b\*asin(c\*x))^(5/2), x)



$$3.201 \quad \int \frac{1}{x(a+b\mathbf{ArcSin}(cx))^{5/2}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x(a+b\text{ArcSin}(cx))^{5/2}}, x\right)$$

[Out] Unintegrable(1/x/(a+b\*arcsin(c\*x))^(5/2), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x\*(a + b\*ArcSin[c\*x])^(5/2)), x]

[Out] Defer[Int][1/(x\*(a + b\*ArcSin[c\*x])^(5/2)), x]

Rubi steps

$$\int \frac{1}{x(a+b\sin^{-1}(cx))^{5/2}} dx = \int \frac{1}{x(a+b\sin^{-1}(cx))^{5/2}} dx$$

Mathematica [A]

time = 2.46, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\text{ArcSin}(cx))^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^(5/2)), x]

[Out] Integrate[1/(x\*(a + b\*ArcSin[c\*x])^(5/2)), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b\arcsin(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arcsin(c*x))^(5/2),x)`

[Out] `int(1/x/(a+b*arcsin(c*x))^(5/2),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(5/2)*x), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x (a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*asin(c*x))**(5/2),x)`

[Out] `Integral(1/(x*(a + b*asin(c*x))**(5/2)), x)`

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arcsin(c*x))^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x (a + b \operatorname{asin}(c x))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + b\*asin(c\*x))^(5/2)),x)

[Out] int(1/(x\*(a + b\*asin(c\*x))^(5/2)), x)

$$3.202 \quad \int \frac{1}{x^2(a+b\mathbf{ArcSin}(cx))^{5/2}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x^2(a+b\text{ArcSin}(cx))^{5/2}}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b\*arcsin(c\*x))^(5/2), x)

Rubi [A]

time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{5/2}} dx$$

Verification is not applicable to the result.

[In] Int[1/(x^2\*(a + b\*ArcSin[c\*x])^(5/2)), x]

[Out] Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])^(5/2)), x]

Rubi steps

$$\int \frac{1}{x^2(a+b\sin^{-1}(cx))^{5/2}} dx = \int \frac{1}{x^2(a+b\sin^{-1}(cx))^{5/2}} dx$$

Mathematica [A]

time = 9.42, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\text{ArcSin}(cx))^{5/2}} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^(5/2)), x]

[Out] Integrate[1/(x^2\*(a + b\*ArcSin[c\*x])^(5/2)), x]

Maple [A]

time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b\arcsin(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(a+b*arcsin(c*x))^(5/2),x)`

[Out] `int(1/x^2/(a+b*arcsin(c*x))^(5/2),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(5/2)*x^2), x)`

**Fricas** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{asin}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*asin(c*x))**(5/2),x)`

[Out] `Integral(1/(x**2*(a + b*asin(c*x))**(5/2)), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(a+b*arcsin(c*x))^(5/2),x, algorithm="giac")`

[Out] `integrate(1/((b*arcsin(c*x) + a)^(5/2)*x^2), x)`

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(cx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + b\*asin(c\*x))^(5/2)),x)

[Out] int(1/(x^2\*(a + b\*asin(c\*x))^(5/2)), x)

### 3.203 $\int (dx)^{5/2} (a + b \operatorname{ArcSin}(cx)) dx$

**Optimal.** Leaf size=120

$$\frac{20bd^2\sqrt{dx}\sqrt{1-c^2x^2}}{147c^3} + \frac{4b(dx)^{5/2}\sqrt{1-c^2x^2}}{49c} + \frac{2(dx)^{7/2}(a+b\operatorname{ArcSin}(cx))}{7d} - \frac{20bd^{5/2}\operatorname{EllipticF}\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}}{\sqrt{d}}\sqrt{dx}\right), I\right)}{147c^{7/2}}$$

[Out]  $2/7*(d*x)^{(7/2)}*(a+b*\arcsin(c*x))/d-20/147*b*d^{(5/2)}*\operatorname{EllipticF}(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)/c^{(7/2)}+4/49*b*(d*x)^{(5/2)}*(-c^2*x^2+1)^{(1/2)}/c+20/147*b*d^2*(d*x)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3$

**Rubi [A]**

time = 0.05, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ ,

Rules used = {4723, 327, 335, 227}

$$\frac{2(dx)^{7/2}(a+b\operatorname{ArcSin}(cx))}{7d} - \frac{20bd^{5/2}F\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{147c^{7/2}} + \frac{4b\sqrt{1-c^2x^2}(dx)^{5/2}}{49c} + \frac{20bd^2\sqrt{1-c^2x^2}\sqrt{dx}}{147c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d*x)^{(5/2)}*(a + b*\operatorname{ArcSin}[c*x]), x]$

[Out]  $(20*b*d^2*\operatorname{Sqrt}[d*x]*\operatorname{Sqrt}[1 - c^2*x^2])/(147*c^3) + (4*b*(d*x)^{(5/2)}*\operatorname{Sqrt}[1 - c^2*x^2])/(49*c) + (2*(d*x)^{(7/2)}*(a + b*\operatorname{ArcSin}[c*x]))/(7*d) - (20*b*d^{(5/2)}*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d*x])/\operatorname{Sqrt}[d]], -1])/(147*c^{(7/2)})$

Rule 227

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^4], x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 4]*(x/\operatorname{Rt}[a, 4])], -1]/(\operatorname{Rt}[a, 4]*\operatorname{Rt}[-b, 4]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[b/a] \&\& \operatorname{GtQ}[a, 0]$

Rule 327

$\operatorname{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \operatorname{Simp}[c^{(n-1)}*(c*x)^{(m-n+1)}*((a + b*x^n)^{(p+1)}/(b*(m+n*p+1))), x] - \operatorname{Dist}[a*c^n*((m-n+1)/(b*(m+n*p+1))), \operatorname{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, p\}, x] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{GtQ}[m, n-1] \&\& \operatorname{NeQ}[m+n*p+1, 0] \&\& \operatorname{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 335

$\operatorname{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \operatorname{With}\{k = \operatorname{Denominator}[m]\}, \operatorname{Dist}[k/c, \operatorname{Subst}[\operatorname{Int}[x^{(k*(m+1)-1)}*(a + b*(x^{(k*n)})/c^n)]^p, x], x, (c*x)^{(1/k)}, x]] /; \operatorname{FreeQ}\{a, b, c, p\}, x] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{F}$

ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int (dx)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))}{7d} - \frac{(2bc) \int \frac{(dx)^{7/2}}{\sqrt{1 - c^2x^2}} dx}{7d} \\
 &= \frac{4b(dx)^{5/2} \sqrt{1 - c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))}{7d} - \frac{(10bd) \int \frac{(dx)^{3/2}}{\sqrt{1 - c^2x^2}} dx}{49c} \\
 &= \frac{20bd^2 \sqrt{dx} \sqrt{1 - c^2x^2}}{147c^3} + \frac{4b(dx)^{5/2} \sqrt{1 - c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))}{7d} \\
 &= \frac{20bd^2 \sqrt{dx} \sqrt{1 - c^2x^2}}{147c^3} + \frac{4b(dx)^{5/2} \sqrt{1 - c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))}{7d} \\
 &= \frac{20bd^2 \sqrt{dx} \sqrt{1 - c^2x^2}}{147c^3} + \frac{4b(dx)^{5/2} \sqrt{1 - c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))}{7d}
 \end{aligned}$$

**Mathematica** [C] Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.05, size = 100, normalized size = 0.83

$$\frac{2d^2 \sqrt{dx} \left( 21ac^3x^3 + 10b\sqrt{1 - c^2x^2} + 6bc^2x^2\sqrt{1 - c^2x^2} + 21bc^3x^3 \text{ArcSin}(cx) - 10b \text{Hypergeometric2F1}\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, c^2x^2\right) \right)}{147c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*d^2\*Sqrt[d\*x]\*(21\*a\*c^3\*x^3 + 10\*b\*Sqrt[1 - c^2\*x^2] + 6\*b\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] + 21\*b\*c^3\*x^3\*ArcSin[c\*x] - 10\*b\*Hypergeometric2F1[1/4, 1/2, 5/4, c^2\*x^2]))/(147\*c^3)



**Maple [A]**

time = 0.06, size = 144, normalized size = 1.20

method	result
derivativedivides	$\frac{2\left(\frac{dx}{7}\right)^{\frac{7}{2}}a + 2b}{\left(\frac{dx}{7}\right)^{\frac{7}{2}} \arcsin(cx) - \frac{2c \left( -\frac{d^2 \left(\frac{dx}{7}\right)^{\frac{5}{2}} \sqrt{-c^2 x^2 + 1}}{7c^2} - \frac{5d^4 \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{21c^4} + \frac{5d^4 \sqrt{-cx + 1} \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{21c^4} \right)}{7d}}$
default	$\frac{2\left(\frac{dx}{7}\right)^{\frac{7}{2}}a + 2b}{\left(\frac{dx}{7}\right)^{\frac{7}{2}} \arcsin(cx) - \frac{2c \left( -\frac{d^2 \left(\frac{dx}{7}\right)^{\frac{5}{2}} \sqrt{-c^2 x^2 + 1}}{7c^2} - \frac{5d^4 \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{21c^4} + \frac{5d^4 \sqrt{-cx + 1} \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{21c^4} \right)}{7d}}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(5/2)*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] 2/d*(1/7*(d*x)^(7/2)*a+b*(1/7*(d*x)^(7/2)*arcsin(c*x)-2/7*c/d*(-1/7/c^2*d^2*(d*x)^(5/2)*(-c^2*x^2+1)^(1/2)-5/21/c^4*d^4*(d*x)^(1/2)*(-c^2*x^2+1)^(1/2)+5/21/c^4*d^4/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)))
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] 2/7*b*d^(5/2)*x^(7/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + 2/7*(a*d^2*x^(7/2) + 7*b*c*d^2*integrate(1/7*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(7/2)/(c^2*x^2 - 1), x))*sqrt(d)
```

**Fricas [C]** Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 1.13, size = 99, normalized size = 0.82

$$\frac{2 \left( 10 \sqrt{-c^2 d} b d^2 \text{weierstrassPInverse}\left(\frac{4}{c^2}, 0, x\right) + \left( 21 b c^5 d^2 x^3 \arcsin(cx) + 21 a c^5 d^2 x^3 + 2(3 b c^4 d^2 x^2 + 5 b c^2 d^2) \sqrt{-c^2 x^2 + 1} \right) \sqrt{dx} \right)}{147 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

[Out]  $2/147*(10*\sqrt{-c^2*d}*b*d^2*\text{weierstrassPInverse}(4/c^2, 0, x) + (21*b*c^5*d^2*x^3*\arcsin(c*x) + 21*a*c^5*d^2*x^3 + 2*(3*b*c^4*d^2*x^2 + 5*b*c^2*d^2)*\sqrt{-c^2*x^2 + 1})*\sqrt{d*x})/c^5$

**Sympy [A]**

time = 84.99, size = 82, normalized size = 0.68

$$a \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{\frac{7}{2}}}{7d} & \text{otherwise} \end{cases} \right) - bc \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{d^{\frac{5}{2}} x^{\frac{9}{2}} \Gamma(\frac{9}{4}) {}_2F_1\left(\frac{1}{2}, \frac{9}{4} \middle| \frac{13}{4}, c^2 x^2 e^{2i\pi}\right)}{7\Gamma(\frac{13}{4})} & \text{otherwise} \end{cases} \right) + b \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{\frac{7}{2}}}{7d} & \text{otherwise} \end{cases} \right) \arcsin(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(5/2)*(a+b*asin(c*x)),x)`

[Out] `a*Piecewise((0, Eq(d, 0)), (2*(d*x)**(7/2)/(7*d), True)) - b*c*Piecewise((0, Eq(d, 0)), (d**(5/2)*x**(9/2)*gamma(9/4)*hyper((1/2, 9/4), (13/4,), c**2*x**2*exp_polar(2*I*pi))/(7*gamma(13/4)), True)) + b*Piecewise((0, Eq(d, 0)), (2*(d*x)**(7/2)/(7*d), True))*asin(c*x)`

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((d*x)^(5/2)*(b*arcsin(c*x) + a), x)`

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arcsin(cx)) (dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))*(d*x)^(5/2),x)`

[Out] `int((a + b*asin(c*x))*(d*x)^(5/2), x)`

### 3.204 $\int (dx)^{3/2} (a + b \operatorname{ArcSin}(cx)) dx$

**Optimal.** Leaf size=124

$$\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2}(a+b\operatorname{ArcSin}(cx))}{5d} - \frac{12bd^{3/2}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{25c^{5/2}} + \frac{12bd^{3/2}F\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{25c^{5/2}}$$

[Out]  $2/5*(d*x)^{(5/2)*(a+b*\arcsin(c*x))/d-12/25*b*d^{(3/2)*\operatorname{EllipticE}(c^{(1/2)*(d*x)^{(1/2)/d^{(1/2)},I)/c^{(5/2)+12/25*b*d^{(3/2)*\operatorname{EllipticF}(c^{(1/2)*(d*x)^{(1/2)/d^{(1/2)},I)/c^{(5/2)+4/25*b*(d*x)^{(3/2)*(-c^2*x^2+1)^{(1/2)/c}}$

**Rubi** [A]

time = 0.07, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {4723, 327, 335, 313, 227, 1213, 435}

$$\frac{2(dx)^{5/2}(a+b\operatorname{ArcSin}(cx))}{5d} + \frac{12bd^{3/2}F\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{25c^{5/2}} - \frac{12bd^{3/2}E\left(\operatorname{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{25c^{5/2}} + \frac{4b\sqrt{1-c^2x^2}(dx)^{3/2}}{25c}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d*x)^{(3/2)*(a+b*\operatorname{ArcSin}[c*x]),x}$

[Out]  $(4*b*(d*x)^{(3/2)*\operatorname{Sqrt}[1-c^2*x^2])/(25*c) + (2*(d*x)^{(5/2)*(a+b*\operatorname{ArcSin}[c*x])})/(5*d) - (12*b*d^{(3/2)*\operatorname{EllipticE}[\operatorname{ArcSin}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d*x])/\operatorname{Sqrt}[d]], -1])/(25*c^{(5/2)}) + (12*b*d^{(3/2)*\operatorname{EllipticF}[\operatorname{ArcSin}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d*x])/\operatorname{Sqrt}[d]], -1])/(25*c^{(5/2)})$

Rule 227

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^4], x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 4]*(x/\operatorname{Rt}[a, 4])], -1]/(\operatorname{Rt}[a, 4]*\operatorname{Rt}[-b, 4]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[b/a] \ \&\& \operatorname{GtQ}[a, 0]$

Rule 313

$\operatorname{Int}[(x_)^2/\operatorname{Sqrt}[(a_) + (b_)*(x_)^4], x\_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[-b/a, 2]\}, \operatorname{Dist}[-q^{(-1)}, \operatorname{Int}[1/\operatorname{Sqrt}[a + b*x^4], x], x] + \operatorname{Dist}[1/q, \operatorname{Int}[(1 + q*x^2)/\operatorname{Sqrt}[a + b*x^4], x], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[b/a]$

Rule 327

$\operatorname{Int}[((c_)*(x_))^{(m_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x\_Symbol] \rightarrow \operatorname{Simp}[c^{(n-1)*(c*x)^{(m-n+1)*((a+b*x^n)^{(p+1)/(b*(m+n*p+1))}], x] - \operatorname{Dist}[a*c^n*((m-n+1)/(b*(m+n*p+1))), \operatorname{Int}[(c*x)^{(m-n)*(a+b*x^n)^p}, x], x] /; \operatorname{FreeQ}\{a, b, c, p\}, x \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& \operatorname{GtQ}[m, n-1] \ \&\& \operatorname{NeQ}[m+n*p]$

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 335

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + b\*(x^(k\*n)/c^n))^p, x], x, (c\*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 435

Int[Sqrt[(a\_) + (b\_.)\*(x\_)^2]/Sqrt[(c\_) + (d\_.)\*(x\_)^2], x\_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]\*Rt[-d/c, 2]))\*EllipticE[ArcSin[Rt[-d/c, 2]\*x], b\*(c/(a\*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

### Rule 1213

Int[((d\_) + (e\_.)\*(x\_)^2)/Sqrt[(a\_) + (c\_.)\*(x\_)^4], x\_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + e\*(x^2/d)]/Sqrt[1 - e\*(x^2/d)], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[a, 0]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int (dx)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} - \frac{(2bc) \int \frac{(dx)^{5/2}}{\sqrt{1 - c^2x^2}} dx}{5d} \\
&= \frac{4b(dx)^{3/2} \sqrt{1 - c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} - \frac{(6bd) \int \frac{\sqrt{dx}}{\sqrt{1 - c^2x^2}} dx}{25c} \\
&= \frac{4b(dx)^{3/2} \sqrt{1 - c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} - \frac{(12bd) \text{Subst} \left( \int \frac{1}{\sqrt{1 - c^2x^2}} dx \right)}{25c} \\
&= \frac{4b(dx)^{3/2} \sqrt{1 - c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} + \frac{(12bd) \text{Subst} \left( \int \frac{1}{\sqrt{1 - c^2x^2}} dx \right)}{25c} \\
&= \frac{4b(dx)^{3/2} \sqrt{1 - c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} + \frac{12bd^{3/2} F \left( \sin^{-1} \left( \frac{\sqrt{1 - c^2x^2}}{c} \right) \right)}{25c^{5/2}} \\
&= \frac{4b(dx)^{3/2} \sqrt{1 - c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))}{5d} - \frac{12bd^{3/2} E \left( \sin^{-1} \left( \frac{\sqrt{1 - c^2x^2}}{c} \right) \right)}{25c^{5/2}}
\end{aligned}$$

**Mathematica [C]** Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.04, size = 66, normalized size = 0.53

$$\frac{2(dx)^{3/2} \left( 5acx + 2b\sqrt{1 - c^2x^2} + 5bcx \text{ArcSin}(cx) - 2b \text{Hypergeometric2F1} \left( \frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2x^2 \right) \right)}{25c}$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*(d\*x)^(3/2)\*(5\*a\*c\*x + 2\*b\*Sqrt[1 - c^2\*x^2] + 5\*b\*c\*x\*ArcSin[c\*x] - 2\*b\*Hypergeometric2F1[1/2, 3/4, 7/4, c^2\*x^2]))/(25\*c)

**Maple [A]**

time = 0.02, size = 138, normalized size = 1.11

method	result
derivativedivides	$\frac{2(dx)^{\frac{5}{2}}a + 2b}{(dx)^{\frac{5}{2}} \arcsin(cx) - \frac{2c \left( -\frac{d^2(dx)^{\frac{3}{2}} \sqrt{-c^2x^2 + 1}}{5c^2} - \frac{3d^3 \sqrt{-cx + 1} \sqrt{cx + 1}}{5d} \left( \text{EllipticF} \left( \sqrt{\frac{dx}{c}} \sqrt{\frac{d^2(dx)^{\frac{3}{2}} \sqrt{-c^2x^2 + 1}}{5c^2}} \right) \right)}{5c^3 \sqrt{\frac{c}{d}} \sqrt{-c^2x^2 + 1}}}$
default	$\frac{2(dx)^{\frac{5}{2}}a + 2b}{(dx)^{\frac{5}{2}} \arcsin(cx) - \frac{2c \left( -\frac{d^2(dx)^{\frac{3}{2}} \sqrt{-c^2x^2 + 1}}{5c^2} - \frac{3d^3 \sqrt{-cx + 1} \sqrt{cx + 1}}{5d} \left( \text{EllipticF} \left( \sqrt{\frac{dx}{c}} \sqrt{\frac{d^2(dx)^{\frac{3}{2}} \sqrt{-c^2x^2 + 1}}{5c^2}} \right) \right)}{5c^3 \sqrt{\frac{c}{d}} \sqrt{-c^2x^2 + 1}}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)`

[Out]  $2/d*(1/5*(d*x)^{(5/2)}*a+b*(1/5*(d*x)^{(5/2)}*\arcsin(c*x)-2/5*c/d*(-1/5/c^2*d^2*(d*x)^{(3/2)}*(-c^2*x^2+1)^{(1/2)}-3/5/c^3*d^3/(c/d)^{(1/2)}*(-c*x+1)^{(1/2)}*(c*x+1)^{(1/2))/(-c^2*x^2+1)^{(1/2)}*(\text{EllipticF}((d*x)^{(1/2)}*(c/d)^{(1/2)},I)-\text{EllipticE}((d*x)^{(1/2)}*(c/d)^{(1/2)},I))))$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $2/5*b*d^{(3/2)}*x^{(5/2)}*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + 2/5*(a*d*x^{(5/2)} + 5*b*c*d*\integrate(1/5*\sqrt{c*x + 1}*\sqrt{-c*x + 1}*x^{(5/2)}/(c^2*x^2 - 1), x))*\sqrt{d}$

**Fricas** [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.80, size = 85, normalized size = 0.69

$$\frac{2 \left( 6 \sqrt{-c^2 d} b d \text{weierstrassZeta} \left( \frac{4}{c^2}, 0, \text{weierstrassPInverse} \left( \frac{4}{c^2}, 0, x \right) \right) - \left( 5 b c^3 d x^2 \arcsin(c x) + 5 a c^3 d x^2 + 2 \sqrt{-c^2 x^2 + 1} b c^2 d x \right) \sqrt{d x} \right)}{25 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $-2/25*(6*\sqrt{-c^2*d}*b*d*\text{weierstrassZeta}(4/c^2, 0, \text{weierstrassPInverse}(4/c^2, 0, x)) - (5*b*c^3*d*x^2*\arcsin(c*x) + 5*a*c^3*d*x^2 + 2*\sqrt{-c^2*x^2 + 1}*b*c^2*d*x)*\sqrt{d*x})/c^3$

**Sympy [A]**

time = 12.68, size = 82, normalized size = 0.66

$$a \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{\frac{5}{2}}}{5d} & \text{otherwise} \end{cases} \right) - bc \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{d^{\frac{3}{2}} x^{\frac{7}{2}} \Gamma(\frac{7}{4}) {}_2F_1\left(\frac{1}{2}, \frac{7}{4} \middle| \frac{11}{4}, c^2 x^2 e^{2i\pi}\right)}{5\Gamma(\frac{11}{4})} & \text{otherwise} \end{cases} \right) + b \left( \begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{\frac{5}{2}}}{5d} & \text{otherwise} \end{cases} \right) \operatorname{asin}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((d\*x)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

**[Out]** a\*Piecewise((0, Eq(d, 0)), (2\*(d\*x)\*\*(5/2)/(5\*d), True)) - b\*c\*Piecewise((0, Eq(d, 0)), (d\*\*(3/2)\*x\*\*(7/2)\*gamma(7/4)\*hyper((1/2, 7/4), (11/4, ), c\*\*2\*x\*\*2\*exp\_polar(2\*I\*pi))/(5\*gamma(11/4)), True)) + b\*Piecewise((0, Eq(d, 0)), (2\*(d\*x)\*\*(5/2)/(5\*d), True))\*asin(c\*x)

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((d\*x)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")**[Out]** integrate((d\*x)^(3/2)\*(b\*arcsin(c\*x) + a), x)**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx)) (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((a + b\*asin(c\*x))\*(d\*x)^(3/2),x)**[Out]** int((a + b\*asin(c\*x))\*(d\*x)^(3/2), x)

### 3.205 $\int \sqrt{dx} (a + b\text{ArcSin}(cx)) dx$

Optimal. Leaf size=88

$$\frac{4b\sqrt{dx} \sqrt{1-c^2x^2}}{9c} + \frac{2(dx)^{3/2}(a+b\text{ArcSin}(cx))}{3d} - \frac{4b\sqrt{d} F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{9c^{3/2}}$$

[Out]  $2/3*(d*x)^{(3/2)*(a+b*\arcsin(c*x))/d-4/9*b*EllipticF(c^{(1/2)*(d*x)^{(1/2)/d^{(1/2)}, I)*d^{(1/2)/c^{(3/2)+4/9*b*(d*x)^{(1/2)*(-c^2*x^2+1)^{(1/2)/c}}$

**Rubi [A]**

time = 0.03, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {4723, 327, 335, 227}

$$\frac{2(dx)^{3/2}(a+b\text{ArcSin}(cx))}{3d} - \frac{4b\sqrt{d} F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{9c^{3/2}} + \frac{4b\sqrt{1-c^2x^2}\sqrt{dx}}{9c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d\*x]\*(a + b\*ArcSin[c\*x]),x]

[Out]  $(4*b*\text{Sqrt}[d*x]*\text{Sqrt}[1 - c^2*x^2])/(9*c) + (2*(d*x)^{(3/2)*(a + b*\text{ArcSin}[c*x])})/(3*d) - (4*b*\text{Sqrt}[d]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/\text{Sqrt}[d]], -1])/(9*c^{(3/2)})$

Rule 227

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^4], x\_Symbol] := Simp[EllipticF[ArcSin[Rt[-b, 4]\*(x/Rt[a, 4])], -1]/(Rt[a, 4]\*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 327

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[c^(n-1)\*(c\*x)^(m-n+1)\*((a+b\*x^n)^(p+1)/(b\*(m+n\*p+1))), x] - Dist[a\*c^n\*((m-n+1)/(b\*(m+n\*p+1))), Int[(c\*x)^(m-n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n\*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 335

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m+1)-1)\*(a+b\*(x^(k\*n)/c^n)]^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F



ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n
/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*
x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{dx} (a + b \sin^{-1}(cx)) dx &= \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))}{3d} - \frac{(2bc) \int \frac{(dx)^{3/2}}{\sqrt{1 - c^2x^2}} dx}{3d} \\ &= \frac{4b\sqrt{dx} \sqrt{1 - c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))}{3d} - \frac{(2bd) \int \frac{1}{\sqrt{dx} \sqrt{1 - c^2x^2}}}{9c} \\ &= \frac{4b\sqrt{dx} \sqrt{1 - c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))}{3d} - \frac{(4b) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{c^2x}{d}}} \right)}{9c} \\ &= \frac{4b\sqrt{dx} \sqrt{1 - c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))}{3d} - \frac{4b\sqrt{d} F \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \right)}{9c^{3/2}} \end{aligned}$$

**Mathematica [C]** Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.04, size = 66, normalized size = 0.75

$$\frac{2\sqrt{dx} \left( 3acx + 2b\sqrt{1 - c^2x^2} + 3bcx \text{ArcSin}(cx) - 2b \text{Hypergeometric2F1} \left( \frac{1}{4}, \frac{1}{2}, \frac{5}{4}, c^2x^2 \right) \right)}{9c}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d*x]*(a + b*ArcSin[c*x]),x]
```

```
[Out] (2*Sqrt[d*x]*(3*a*c*x + 2*b*Sqrt[1 - c^2*x^2] + 3*b*c*x*ArcSin[c*x] - 2*b*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2]))/(9*c)
```

### Maple [A]

time = 0.02, size = 119, normalized size = 1.35

method	result
derivativedivides	$\frac{2(dx)^{\frac{3}{2}}a + 2b}{(dx)^{\frac{3}{2}} \arcsin(cx) - \frac{2c}{3d} \left( -\frac{d^2 \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{3c^2} + \frac{d^2 \sqrt{-cx + 1} \sqrt{cx + 1} \operatorname{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}} \sqrt{-c^2 x^2 + 1}\right)}{3c^2 \sqrt{\frac{c}{d}} \sqrt{-c^2 x^2 + 1}} \right)}$
default	$\frac{2(dx)^{\frac{3}{2}}a + 2b}{(dx)^{\frac{3}{2}} \arcsin(cx) - \frac{2c}{3d} \left( -\frac{d^2 \sqrt{dx} \sqrt{-c^2 x^2 + 1}}{3c^2} + \frac{d^2 \sqrt{-cx + 1} \sqrt{cx + 1} \operatorname{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}} \sqrt{-c^2 x^2 + 1}\right)}{3c^2 \sqrt{\frac{c}{d}} \sqrt{-c^2 x^2 + 1}} \right)}$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(1/2)*(a+b*arcsin(c*x)),x,method=_RETURNVERBOSE)
```

```
[Out] 2/d*(1/3*(d*x)^(3/2)*a+b*(1/3*(d*x)^(3/2)*arcsin(c*x)-2/3*c/d*(-1/3*c^2*d^2*(d*x)^(1/2)*(-c^2*x^2+1)^(1/2)+1/3/c^2*d^2/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)))
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] 2/3*b*sqrt(d)*x^(3/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + 2/3*(3*b*c*integrate(1/3*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)/(c^2*x^2 - 1), x) + a*x^(3/2))*sqrt(d)
```

**Fricas** [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.69, size = 68, normalized size = 0.77

$$\frac{2 \left( 2 \sqrt{-c^2 d} \operatorname{bweierstrassPInverse}\left(\frac{4}{c^2}, 0, x\right) + \left( 3 b c^3 x \arcsin(cx) + 3 a c^3 x + 2 \sqrt{-c^2 x^2 + 1} b c^2 \right) \sqrt{dx} \right)}{9 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 2/9*(2*sqrt(-c^2*d)*b*weierstrassPInverse(4/c^2, 0, x) + (3*b*c^3*x*arcsin(c*x) + 3*a*c^3*x + 2*sqrt(-c^2*x^2 + 1)*b*c^2)*sqrt(d*x))/c^3
```

**Sympy** [A]

time = 1.62, size = 76, normalized size = 0.86

$$\frac{2a(dx)^{\frac{3}{2}}}{3d} - \frac{bc(dx)^{\frac{5}{2}} \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{9}{4}; c^2 x^2 e^{2i\pi}\right)}{3d^2 \Gamma\left(\frac{9}{4}\right)} + \frac{2b(dx)^{\frac{3}{2}} \operatorname{asin}(cx)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(1/2)\*(a+b\*asin(c\*x)),x)

```
[Out] 2*a*(d*x)**(3/2)/(3*d) - b*c*(d*x)**(5/2)*gamma(5/4)*hyper((1/2, 5/4), (9/4, ), c**2*x**2*exp_polar(2*I*pi))/(3*d**2*gamma(9/4)) + 2*b*(d*x)**(3/2)*asin(c*x)/(3*d)
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(d\*x)\*(b\*arcsin(c\*x) + a), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx)) \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))\*(d\*x)^(1/2),x)

[Out] int((a + b\*asin(c\*x))\*(d\*x)^(1/2), x)

### 3.206 $\int \frac{a+b\text{ArcSin}(cx)}{\sqrt{dx}} dx$

Optimal. Leaf size=89

$$\frac{2\sqrt{dx}(a+b\text{ArcSin}(cx))}{d} - \frac{4bE\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}} + \frac{4bF\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}}$$

[Out]  $-4*b*\text{EllipticE}(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/c^{(1/2)}/d^{(1/2)}+4*b*\text{EllipticF}(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/c^{(1/2)}/d^{(1/2)}+2*(a+b*\arcsin(c*x))*(d*x)^{(1/2)}/d$

Rubi [A]

time = 0.05, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4723, 335, 313, 227, 1213, 435}

$$\frac{2\sqrt{dx}(a+b\text{ArcSin}(cx))}{d} + \frac{4bF\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}} - \frac{4bE\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*ArcSin[c*x])/Sqrt[d*x],x]`

[Out]  $(2*\text{Sqrt}[d*x]*(a + b*\text{ArcSin}[c*x]))/d - (4*b*\text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])], -1])/(\text{Sqrt}[c]*\text{Sqrt}[d]) + (4*b*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])], -1])/(\text{Sqrt}[c]*\text{Sqrt}[d])$

Rule 227

`Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[Rt[-b, 4]*(x/Rt[a, 4])], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]`

Rule 313

`Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[-b/a, 2]}, Dist[-q^(-1), Int[1/Sqrt[a + b*x^4], x], x] + Dist[1/q, Int[(1 + q*x^2)/Sqrt[a + b*x^4], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a]`

Rule 335

`Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + b*(x^(k*n))/c^n)]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F`

ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

#### Rule 435

Int[Sqrt[(a\_) + (b\_)\*(x\_)^2]/Sqrt[(c\_) + (d\_)\*(x\_)^2], x\_Symbol] :> Simp[(Sqrt[a]/(Sqrt[c]\*Rt[-d/c, 2]))\*EllipticE[ArcSin[Rt[-d/c, 2]\*x], b\*(c/(a\*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

#### Rule 1213

Int[((d\_) + (e\_)\*(x\_)^2)/Sqrt[(a\_) + (c\_)\*(x\_)^4], x\_Symbol] :> Dist[d/Sqrt[a], Int[Sqrt[1 + e\*(x^2/d)]/Sqrt[1 - e\*(x^2/d)], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[a, 0]

#### Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))}{d} - \frac{(2bc) \int \frac{\sqrt{dx}}{\sqrt{1 - c^2x^2}} dx}{d} \\
&= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))}{d} - \frac{(4bc) \text{Subst} \left( \int \frac{x^2}{\sqrt{1 - \frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d^2} \\
&= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))}{d} + \frac{(4b) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} - \frac{(4b) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} \\
&= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))}{d} + \frac{4bF \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{\sqrt{c} \sqrt{d}} - \frac{(4b) \text{Subst} \left( \int \frac{\sqrt{1 + \frac{c^2x^4}{d^2}}}{\sqrt{1 - \frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} \\
&= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))}{d} - \frac{4bE \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{\sqrt{c} \sqrt{d}} + \frac{4bF \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \right)}{\sqrt{c} \sqrt{d}}
\end{aligned}$$

**Mathematica [C]** Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.04, size = 45, normalized size = 0.51

$$\frac{2x(3(a + b\text{ArcSin}(cx)) - 2bcx\text{Hypergeometric2F1}(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2x^2))}{3\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/Sqrt[d\*x],x]

[Out] (2\*x\*(3\*(a + b\*ArcSin[c\*x]) - 2\*b\*c\*x\*Hypergeometric2F1[1/2, 3/4, 7/4, c^2\*x^2]))/(3\*Sqrt[d\*x])

**Maple [A]**

time = 0.02, size = 98, normalized size = 1.10

method	result
--------	--------

derivativedivides	$2\sqrt{dx} \ a+2b \left( \sqrt{dx} \ \arcsin(cx) + \frac{2\sqrt{-cx+1} \ \sqrt{cx+1} \ \left( \text{EllipticF}\left(\sqrt{dx} \ \sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx} \ \sqrt{\frac{c}{d}}\right) \right)}{\sqrt{\frac{c}{d}} \ \sqrt{-c^2x^2+1}}$
default	$2\sqrt{dx} \ a+2b \left( \sqrt{dx} \ \arcsin(cx) + \frac{2\sqrt{-cx+1} \ \sqrt{cx+1} \ \left( \text{EllipticF}\left(\sqrt{dx} \ \sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx} \ \sqrt{\frac{c}{d}}\right) \right)}{\sqrt{\frac{c}{d}} \ \sqrt{-c^2x^2+1}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(d*x)^(1/2),x,method=_RETURNVERBOSE)`

[Out]  $2/d*((d*x)^{(1/2)}*a+b*((d*x)^{(1/2)}*\arcsin(c*x)+2/(c/d)^{(1/2)}*(-c*x+1)^{(1/2)}*(c*x+1)^{(1/2)/(-c^2*x^2+1)^{(1/2)}*(\text{EllipticF}((d*x)^{(1/2)}*(c/d)^{(1/2)},I)-\text{EllipticE}((d*x)^{(1/2)}*(c/d)^{(1/2)},I)))$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(d*x)^(1/2),x, algorithm="maxima")`

[Out]  $2*(b*\sqrt{d}*\sqrt{x}*\arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1}) + (b*c*d*\text{integrate}(\sqrt{c*x+1}*\sqrt{-c*x+1}*\sqrt{x}/(c^2*d*x^2-d), x) + a*\sqrt{x}))*\sqrt{d}/d$

**Fricas** [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.65, size = 53, normalized size = 0.60

$$\frac{2 \left( 2 \sqrt{-c^2 d} b \text{weierstrassZeta}\left(\frac{4}{c^2}, 0, \text{weierstrassPInverse}\left(\frac{4}{c^2}, 0, x\right)\right) - (bc \arcsin(cx) + ac) \sqrt{dx} \right)}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(d*x)^(1/2),x, algorithm="fricas")`

[Out]  $-2*(2*\sqrt{-c^2*d}*b*\text{weierstrassZeta}(4/c^2, 0, \text{weierstrassPInverse}(4/c^2, 0, x)) - (b*c*\arcsin(c*x) + a*c)*\sqrt{d*x})/(c*d)$

**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(d\*x)\*\*(1/2),x)

[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(d\*x)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/sqrt(d\*x), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{asin}(cx)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))/(d\*x)^(1/2),x)

[Out] int((a + b\*asin(c\*x))/(d\*x)^(1/2), x)



$$3.207 \quad \int \frac{a+b\text{ArcSin}(cx)}{(dx)^{3/2}} dx$$

Optimal. Leaf size=55

$$-\frac{2(a+b\text{ArcSin}(cx))}{d\sqrt{dx}} + \frac{4b\sqrt{c} F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{d^{3/2}}$$

[Out]  $4*b*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)*c^{(1/2)}/d^{(3/2)}-2*(a+b*\arcsin(c*x))/d/(d*x)^{(1/2)}$

Rubi [A]

time = 0.02, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4723, 335, 227}

$$\frac{4b\sqrt{c} F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{d^{3/2}} - \frac{2(a+b\text{ArcSin}(cx))}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d\*x)^(3/2), x]

[Out]  $(-2*(a + b*\text{ArcSin}[c*x]))/(d*\text{Sqrt}[d*x]) + (4*b*\text{Sqrt}[c]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/\text{Sqrt}[d]], -1])/d^{(3/2)}$

Rule 227

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^4], x\_Symbol] := Simp[EllipticF[ArcSin[Rt[-b, 4]\*(x/Rt[a, 4])], -1]/(Rt[a, 4]\*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 335

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + b\*(x^(k\*n)/c^n)]^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(dx)^{3/2}} dx &= -\frac{2(a + b \sin^{-1}(cx))}{d\sqrt{dx}} + \frac{(2bc) \int \frac{1}{\sqrt{dx} \sqrt{1 - c^2x^2}} dx}{d} \\
&= -\frac{2(a + b \sin^{-1}(cx))}{d\sqrt{dx}} + \frac{(4bc) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d^2} \\
&= -\frac{2(a + b \sin^{-1}(cx))}{d\sqrt{dx}} + \frac{4b\sqrt{c} F \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{d^{3/2}}
\end{aligned}$$

**Mathematica** [C] Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.04, size = 40, normalized size = 0.73

$$-\frac{2x(a + b\text{ArcSin}(cx) - 2bcx\text{Hypergeometric2F1}(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, c^2x^2))}{(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d\*x)^(3/2), x]

[Out] (-2\*x\*(a + b\*ArcSin[c\*x] - 2\*b\*c\*x\*Hypergeometric2F1[1/4, 1/2, 5/4, c^2\*x^2]))/(d\*x)^(3/2)

**Maple** [A]

time = 0.02, size = 85, normalized size = 1.55

method	result	size
derivativedivides	$-\frac{2a}{\sqrt{dx}} + 2b \left( -\frac{\arcsin(cx)}{\sqrt{dx}} + \frac{2c\sqrt{-cx+1}\sqrt{cx+1} \text{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right)}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right)$	85
default	$-\frac{2a}{\sqrt{dx}} + 2b \left( -\frac{\arcsin(cx)}{\sqrt{dx}} + \frac{2c\sqrt{-cx+1}\sqrt{cx+1} \text{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right)}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right)$	85

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(d\*x)^(3/2), x, method=\_RETURNVERBOSE)

```
[Out] 2/d*(-a/(d*x)^(1/2)+b*(-1/(d*x)^(1/2)*arcsin(c*x)+2*c/d/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2), I)))
```

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(d*x)^(3/2),x, algorithm="maxima")
```

```
[Out] -2*(b*sqrt(d)*sqrt(x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + (b*c*d^2*sqrt(x)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(c^2*d^2*x^3 - d^2*x), x) + a)*sqrt(d)*sqrt(x))/(d^2*x)
```

**Fricas** [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.52, size = 49, normalized size = 0.89

$$\frac{2 \left( 2 \sqrt{-c^2 d} \operatorname{bxweierstrassPInverse}\left(\frac{4}{c^2}, 0, x\right) + (bc \arcsin(cx) + ac) \sqrt{dx} \right)}{cd^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(d*x)^(3/2),x, algorithm="fricas")
```

```
[Out] -2*(2*sqrt(-c^2*d)*b*x*weierstrassPInverse(4/c^2, 0, x) + (b*c*arcsin(c*x) + a*c)*sqrt(d*x))/(c*d^2*x)
```

**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(d*x)**(3/2),x)
```

```
[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(d*x)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(d*x)^(3/2), x)
```

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{asin}(c x)}{(d x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))/(d*x)^(3/2),x)
```

```
[Out] int((a + b*asin(c*x))/(d*x)^(3/2), x)
```

### 3.208 $\int \frac{a+b\text{ArcSin}(cx)}{(dx)^{5/2}} dx$

**Optimal.** Leaf size=125

$$-\frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a+b\text{ArcSin}(cx))}{3d(dx)^{3/2}} - \frac{4bc^{3/2}E\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} + \frac{4bc^{3/2}F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\right)}{3d^{5/2}}$$

[Out]  $-2/3*(a+b*\arcsin(c*x))/d/(d*x)^{(3/2)}-4/3*b*c^{(3/2)}*EllipticE(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/d^{(5/2)}+4/3*b*c^{(3/2)}*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/d^{(5/2)}-4/3*b*c*(-c^2*x^2+1)^{(1/2)}/d^2/(d*x)^{(1/2)}$

**Rubi [A]**

time = 0.07, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {4723, 331, 335, 313, 227, 1213, 435}

$$-\frac{2(a+b\text{ArcSin}(cx))}{3d(dx)^{3/2}} + \frac{4bc^{3/2}F\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} - \frac{4bc^{3/2}E\left(\text{ArcSin}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} - \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(d*x)^{(5/2)}, x]$

[Out]  $(-4*b*c*\text{Sqrt}[1 - c^2*x^2])/(3*d^2*\text{Sqrt}[d*x]) - (2*(a + b*\text{ArcSin}[c*x]))/(3*d*(d*x)^{(3/2)}) - (4*b*c^{(3/2)}*EllipticE[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d]), -1])/(3*d^{(5/2)}) + (4*b*c^{(3/2)}*EllipticF[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d]), -1])/(3*d^{(5/2)})$

**Rule 227**

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x\_Symbol] \rightarrow \text{Simp}[\text{EllipticF}[\text{ArcSin}[\text{Rt}[-b, 4]*(x/\text{Rt}[a, 4])], -1]/(\text{Rt}[a, 4]*\text{Rt}[-b, 4]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[b/a] \ \&\& \ \text{GtQ}[a, 0]$

**Rule 313**

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)*(x_)^4], x\_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-b/a, 2]\}, \text{Dist}[-q^{(-1)}, \text{Int}[1/\text{Sqrt}[a + b*x^4], x], x] + \text{Dist}[1/q, \text{Int}[(1 + q*x^2)/\text{Sqrt}[a + b*x^4], x], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[b/a]$

**Rule 331**

$\text{Int}[(c_)*(x_)^{(m_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)*((a+b*x^n)^{(p+1)/(a*c*(m+1))}, x] - \text{Dist}[b*((m+n*(p+1)+1)/(a*c^n*(m+1))], \text{Int}[(c*x)^{(m+n)}*(a+b*x^n)^p, x], x] /; \text{FreeQ}\{a,$

b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 335

Int[((c\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k\*(m + 1) - 1)\*(a + b\*(x^(k\*n)/c^n))^p, x], x, (c\*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 435

Int[Sqrt[(a\_) + (b\_)\*(x\_)^2]/Sqrt[(c\_) + (d\_)\*(x\_)^2], x\_Symbol] := Simp[(Sqrt[a]/(Sqrt[c]\*Rt[-d/c, 2]))\*EllipticE[ArcSin[Rt[-d/c, 2]\*x], b\*(c/(a\*d))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

### Rule 1213

Int[((d\_) + (e\_)\*(x\_)^2)/Sqrt[(a\_) + (c\_)\*(x\_)^4], x\_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + e\*(x^2/d)]/Sqrt[1 - e\*(x^2/d)], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[a, 0]

### Rule 4723

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_)\*(x\_)^(m\_)), x\_Symbol] := Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(dx)^{5/2}} dx &= -\frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} + \frac{(2bc) \int \frac{1}{(dx)^{3/2} \sqrt{1 - c^2 x^2}} dx}{3d} \\
&= -\frac{4bc\sqrt{1 - c^2 x^2}}{3d^2 \sqrt{dx}} - \frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} - \frac{(2bc^3) \int \frac{\sqrt{dx}}{\sqrt{1 - c^2 x^2}} dx}{3d^3} \\
&= -\frac{4bc\sqrt{1 - c^2 x^2}}{3d^2 \sqrt{dx}} - \frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} - \frac{(4bc^3) \text{Subst} \left( \int \frac{x^2}{\sqrt{1 - \frac{c^2 x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^4} \\
&= -\frac{4bc\sqrt{1 - c^2 x^2}}{3d^2 \sqrt{dx}} - \frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} + \frac{(4bc^2) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{c^2 x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^3} \\
&= -\frac{4bc\sqrt{1 - c^2 x^2}}{3d^2 \sqrt{dx}} - \frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} + \frac{4bc^{3/2} F \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{3d^{5/2}} \\
&= -\frac{4bc\sqrt{1 - c^2 x^2}}{3d^2 \sqrt{dx}} - \frac{2(a + b \sin^{-1}(cx))}{3d(dx)^{3/2}} - \frac{4bc^{3/2} E \left( \sin^{-1} \left( \frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{3d^{5/2}} + \dots
\end{aligned}$$

**Mathematica [C]** Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

time = 0.04, size = 42, normalized size = 0.34

$$-\frac{2x(a + b\text{ArcSin}(cx) + 2bcx\text{Hypergeometric2F1}(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, c^2x^2))}{3(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d\*x)^(5/2), x]

[Out] (-2\*x\*(a + b\*ArcSin[c\*x] + 2\*b\*c\*x\*Hypergeometric2F1[-1/4, 1/2, 3/4, c^2\*x^2]))/(3\*(d\*x)^(5/2))

**Maple [A]**

time = 0.02, size = 129, normalized size = 1.03

method	result
derivativedivides	$-\frac{2a}{3(dx)^{\frac{3}{2}}} + 2b \left( -\frac{\arcsin(cx)}{3(dx)^{\frac{3}{2}}} + \frac{2c \left( -\frac{\sqrt{-c^2x^2+1}}{\sqrt{dx}} + \frac{c\sqrt{-cx+1}\sqrt{cx+1}}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right) \left( \text{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) \right)}{3d} \right)$
default	$-\frac{2a}{3(dx)^{\frac{3}{2}}} + 2b \left( -\frac{\arcsin(cx)}{3(dx)^{\frac{3}{2}}} + \frac{2c \left( -\frac{\sqrt{-c^2x^2+1}}{\sqrt{dx}} + \frac{c\sqrt{-cx+1}\sqrt{cx+1}}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right) \left( \text{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) \right)}{3d} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(d*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out]  $2/d*(-1/3*a/(d*x)^(3/2)+b*(-1/3/(d*x)^(3/2)*arcsin(c*x)+2/3*c/d*(-(-c^2*x^2+1)^(1/2)/(d*x)^(1/2)+c/d/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*(EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)-EllipticE((d*x)^(1/2)*(c/d)^(1/2),I))))$

**Maxima** [F]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(d*x)^(5/2),x, algorithm="maxima")`

[Out]  $-2/3*(b*\sqrt{d}*x^{3/2}*arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1})) + (3*b*c*d^3*x^{5/2}*integrate(1/3*\sqrt{c*x+1}*\sqrt{-c*x+1}*\sqrt{x}/(c^2*d^3*x^4 - d^3*x^2), x) + a*x)*\sqrt{d}*\sqrt{x})/(d^3*x^3)$

**Fricas** [C] Result contains higher order function than in optimal. Order 9 vs. order 4.

time = 0.38, size = 70, normalized size = 0.56

$$\frac{2 \left( 2 \sqrt{-c^2 d} b c x^2 \text{weierstrassZeta}\left(\frac{4}{c^2}, 0, \text{weierstrassPInverse}\left(\frac{4}{c^2}, 0, x\right)\right) + \left( 2 \sqrt{-c^2 x^2 + 1} b c x + b \arcsin(c x) + a \right) \sqrt{d x} \right)}{3 d^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(d*x)^(5/2),x, algorithm="fricas")`

[Out]  $-2/3*(2*\sqrt{-c^2*d}*b*c*x^2*\text{weierstrassZeta}(4/c^2, 0, \text{weierstrassPInverse}(4/c^2, 0, x)) + (2*\sqrt{-c^2*x^2+1}*b*c*x + b*\arcsin(c*x) + a)*\sqrt{d*x})/(d^3*x^2)$



**Sympy [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(d\*x)\*\*(5/2),x)

[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo

**Giac [F]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(d\*x)^(5/2), x)

**Mupad [F]**

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{asin}(c x)}{(d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))/(d\*x)^(5/2),x)

[Out] int((a + b\*asin(c\*x))/(d\*x)^(5/2), x)

### 3.209 $\int (dx)^{5/2} (a + b \operatorname{ArcSin}(cx))^2 dx$

**Optimal.** Leaf size=109

$$\frac{2(dx)^{7/2}(a + b \operatorname{ArcSin}(cx))^2}{7d} - \frac{8bc(dx)^{9/2}(a + b \operatorname{ArcSin}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{9}{4}, \frac{13}{4}, c^2x^2\right)}{63d^2} + \frac{16b^2c^2(dx)^{11/2}}{693d^3}$$

[Out] 2/7\*(d\*x)^(7/2)\*(a+b\*arcsin(c\*x))^2/d-8/63\*b\*c\*(d\*x)^(9/2)\*(a+b\*arcsin(c\*x))\*hypergeom([1/2, 9/4], [13/4], c^2\*x^2)/d^2+16/693\*b^2\*c^2\*(d\*x)^(11/2)\*hypergeom([1, 11/4, 11/4], [13/4, 15/4], c^2\*x^2)/d^3

**Rubi [A]**

time = 0.10, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4723, 4805}

$$\frac{16b^2c^2(dx)^{11/2} {}_3F_2\left(1, \frac{11}{4}, \frac{13}{4}; \frac{15}{4}, c^2x^2\right)}{693d^3} - \frac{8bc(dx)^{9/2} {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}, c^2x^2\right) (a + b \operatorname{ArcSin}(cx))}{63d^2} + \frac{2(dx)^{7/2}(a + b \operatorname{ArcSin}(cx))^2}{7d}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (2\*(d\*x)^(7/2)\*(a + b\*ArcSin[c\*x])^2)/(7\*d) - (8\*b\*c\*(d\*x)^(9/2)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 9/4, 13/4, c^2\*x^2])/(63\*d^2) + (16\*b^2\*c^2\*(d\*x)^(11/2)\*HypergeometricPFQ[{1, 11/4, 11/4}, {13/4, 15/4}, c^2\*x^2])/(693\*d^3)

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4805

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)/(f\*(m + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2], x] - Simp[b\*c\*((f\*x)^(m + 2)/(f^2\*(m + 1)\*(m + 2)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && !IntegerQ[m]

Rubi steps

$$\int (dx)^{5/2} (a + b \sin^{-1}(cx))^2 dx = \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))^2}{7d} - \frac{(4bc) \int \frac{(dx)^{7/2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{7d}$$

$$= \frac{2(dx)^{7/2} (a + b \sin^{-1}(cx))^2}{7d} - \frac{8bc(dx)^{9/2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}, \frac{13}{4}; c^2\right)}{63d^2}$$

**Mathematica [A]**

time = 0.07, size = 90, normalized size = 0.83

$$\frac{2}{693} x(dx)^{5/2} \left( 11(a + b \operatorname{ArcSin}(cx)) \left( 9(a + b \operatorname{ArcSin}(cx)) - 4bcx \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{9}{4}, \frac{13}{4}, c^2 x^2\right) \right) + 8b^2 c^2 x^2 \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{11}{4}, \frac{11}{4}\right\}, \left\{\frac{13}{4}, \frac{15}{4}\right\}, c^2 x^2\right) \right)$$

Antiderivative was successfully verified.

**[In]** Integrate[(d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

**[Out]** (2\*x\*(d\*x)^(5/2)\*(11\*(a + b\*ArcSin[c\*x])\*(9\*(a + b\*ArcSin[c\*x]) - 4\*b\*c\*x\*Hypergeometric2F1[1/2, 9/4, 13/4, c^2\*x^2]) + 8\*b^2\*c^2\*x^2\*HypergeometricPFQ[{1, 11/4, 11/4}, {13/4, 15/4}, c^2\*x^2]))/693

**Maple [F]**

time = 0.05, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** int((d\*x)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)**[Out]** int((d\*x)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((d\*x)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

**[Out]** 2/7\*b^2\*d^(5/2)\*x^(7/2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 1/42\*a^2\*c^2\*d^(5/2)\*(4\*(3\*c^2\*x^(7/2) + 7\*x^(3/2))/c^4 + 42\*arctan(sqrt(c)\*sqrt(x))/c^(11/2) + 21\*log((c\*sqrt(x) - sqrt(c))/(c\*sqrt(x) + sqrt(c)))/c^(11/2)) + 14\*a\*b\*c^2\*d^(5/2)\*integrate(1/7\*x^(9/2)\*arctan(c\*x/(sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/(c^2\*x^2 - 1), x) + 4\*b^2\*c\*d^(5/2)\*integrate(1/7\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*x^(7/2)\*arctan(c\*x/(sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/(c^2\*

$x^2 - 1), x) - 1/6*a^2*d^{(5/2)}*(4*x^{(3/2)}/c^2 + 6*\arctan(\sqrt{c}*\sqrt{x})/c^{(7/2)} + 3*\log((c*\sqrt{x} - \sqrt{c})/(c*\sqrt{x} + \sqrt{c}))/c^{(7/2)}) - 14*a*b*d^{(5/2)}*\integrate(1/7*x^{(5/2)}*\arctan(c*x/(\sqrt{c*x + 1})*\sqrt{-c*x + 1}))/c^2*x^2 - 1), x)$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*d^2*x^2*arcsin(c*x)^2 + 2*a*b*d^2*x^2*arcsin(c*x) + a^2*d^2*x^2)*sqrt(d*x), x)`

**Sympy** [F(-1)] Timed out

time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(5/2)*(a+b*asin(c*x))**2,x)`

[Out] Timed out

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^2 (dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))^2*(d*x)^(5/2),x)`

[Out] `int((a + b*asin(c*x))^2*(d*x)^(5/2), x)`

### 3.210 $\int (dx)^{3/2} (a + b \operatorname{ArcSin}(cx))^2 dx$

**Optimal.** Leaf size=109

$$\frac{2(dx)^{5/2}(a + b \operatorname{ArcSin}(cx))^2}{5d} - \frac{8bc(dx)^{7/2}(a + b \operatorname{ArcSin}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{4}, \frac{11}{4}, c^2x^2\right)}{35d^2} + \frac{16b^2c^2(dx)^9}{5d^3}$$

[Out]  $2/5*(d*x)^{(5/2)}*(a+b*\operatorname{arcsin}(c*x))^{2/d-8}/35*b*c*(d*x)^{(7/2)}*(a+b*\operatorname{arcsin}(c*x))$   
 $*\operatorname{hypergeom}([1/2, 7/4], [11/4], c^2*x^2)/d^2+16/315*b^2*c^2*(d*x)^{(9/2)}*\operatorname{hypergeom}([1, 9/4, 9/4], [11/4, 13/4], c^2*x^2)/d^3$

**Rubi [A]**

time = 0.10, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ ,

Rules used = {4723, 4805}

$$\frac{16b^2c^2(dx)^{9/2} {}_3F_2\left(1, \frac{9}{4}, \frac{9}{4}, \frac{11}{4}, \frac{13}{4}; c^2x^2\right)}{315d^3} - \frac{8bc(dx)^{7/2} {}_2F_1\left(\frac{1}{2}, \frac{7}{4}, \frac{11}{4}; c^2x^2\right) (a + b \operatorname{ArcSin}(cx))}{35d^2} + \frac{2(dx)^{5/2}(a + b \operatorname{ArcSin}(cx))^2}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcSin}[c*x])^2, x]$

[Out]  $(2*(d*x)^{(5/2)}*(a + b*\operatorname{ArcSin}[c*x])^2)/(5*d) - (8*b*c*(d*x)^{(7/2)}*(a + b*\operatorname{ArcSin}[c*x])*\operatorname{Hypergeometric2F1}[1/2, 7/4, 11/4, c^2*x^2]/(35*d^2) + (16*b^2*c^2*(d*x)^{(9/2)}*\operatorname{HypergeometricPFQ}[\{1, 9/4, 9/4\}, \{11/4, 13/4\}, c^2*x^2]/(315*d^3))$

Rule 4723

$\operatorname{Int}[(a + \operatorname{ArcSin}(c*x))*b]^{(n)}*((d*x)^{(m)})$ , x\_Symbol  
 $\rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*((a + b*\operatorname{ArcSin}[c*x])^n/(d*(m+1))), x] - \operatorname{Dist}[b*c*(n/(d*(m+1))), \operatorname{Int}[(d*x)^{(m+1)}*((a + b*\operatorname{ArcSin}[c*x])^{(n-1)})/\operatorname{Sqrt}[1 - c^2*x^2]], x], x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4805

$\operatorname{Int}[(a + \operatorname{ArcSin}(c*x))*b]^{(n)}*((f*x)^{(m)})/\operatorname{Sqrt}[d + e*x^2]$ , x\_Symbol  
 $\rightarrow \operatorname{Simp}[(f*x)^{(m+1)}/(f*(m+1))]*\operatorname{Simp}[\operatorname{Sqrt}[1 - c^2*x^2]/\operatorname{Sqrt}[d + e*x^2]]*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2], x] - \operatorname{Simp}[b*c*((f*x)^{(m+2)}/(f^2*(m+1)*(m+2)))*\operatorname{Simp}[\operatorname{Sqrt}[1 - c^2*x^2]/\operatorname{Sqrt}[d + e*x^2]]*\operatorname{HypergeometricPFQ}[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && !IntegerQ[m]

Rubi steps

$$\int (dx)^{3/2} (a + b \sin^{-1}(cx))^2 dx = \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))^2}{5d} - \frac{(4bc) \int \frac{(dx)^{5/2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{5d}$$

$$= \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))^2}{5d} - \frac{8bc(dx)^{7/2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}, \frac{11}{4}; c^2 x\right)}{35d^2}$$

**Mathematica [A]**

time = 0.07, size = 90, normalized size = 0.83

$$\frac{2}{315} x (dx)^{3/2} \left( 9(a + b \operatorname{ArcSin}(cx)) \left( 7(a + b \operatorname{ArcSin}(cx)) - 4bcx \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{4}, \frac{11}{4}, c^2 x^2\right) \right) + 8b^2 c^2 x^2 \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{9}{4}, \frac{9}{4}\right\}, \left\{\frac{11}{4}, \frac{13}{4}\right\}, c^2 x^2\right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[(d*x)^(3/2)*(a + b*ArcSin[c*x])^2,x]`

```
[Out] (2*x*(d*x)^(3/2)*(9*(a + b*ArcSin[c*x])*(7*(a + b*ArcSin[c*x]) - 4*b*c*x*Hypergeometric2F1[1/2, 7/4, 11/4, c^2*x^2]) + 8*b^2*c^2*x^2*HypergeometricPFQ[{1, 9/4, 9/4}, {11/4, 13/4}, c^2*x^2]))/315
```

**Maple [F]**

time = 0.05, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((d*x)^(3/2)*(a+b*arcsin(c*x))^2,x)``[Out] int((d*x)^(3/2)*(a+b*arcsin(c*x))^2,x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((d*x)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

```
[Out] 2/5*b^2*d^(3/2)*x^(5/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 1/10*a^2*c^2*d^(3/2)*(4*(c^2*x^(5/2) + 5*sqrt(x))/c^4 - 10*arctan(sqrt(c)*sqrt(x))/c^(9/2) + 5*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(9/2)) + 10*a*b*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 - 1), x) + 4*b^2*c*d^(3/2)*integrate(1/5*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 -
```

1), x) - 1/2\*a^2\*d^(3/2)\*(4\*sqrt(x)/c^2 - 2\*arctan(sqrt(c)\*sqrt(x))/c^(5/2) + log((c\*sqrt(x) - sqrt(c))/(c\*sqrt(x) + sqrt(c)))/c^(5/2)) - 10\*a\*b\*d^(3/2)\*integrate(1/5\*x^(3/2)\*arctan(c\*x/(sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/(c^2\*x^2 - 1), x)

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((b^2\*d\*x\*arcsin(c\*x)^2 + 2\*a\*b\*d\*x\*arcsin(c\*x) + a^2\*d\*x)\*sqrt(d\*x), x)

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((d\*x)\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2, x)

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^2 (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^2\*(d\*x)^(3/2),x)

[Out] int((a + b\*asin(c\*x))^2\*(d\*x)^(3/2), x)

### 3.211 $\int \sqrt{dx} (a + b\text{ArcSin}(cx))^2 dx$

Optimal. Leaf size=109

$$\frac{2(dx)^{3/2}(a + b\text{ArcSin}(cx))^2}{3d} - \frac{8bc(dx)^{5/2}(a + b\text{ArcSin}(cx))\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)}{15d^2} + \frac{16b^2c^2(dx)^{7/2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)}{15d^3}$$

[Out] 2/3\*(d\*x)^(3/2)\*(a+b\*arcsin(c\*x))^2/d-8/15\*b\*c\*(d\*x)^(5/2)\*(a+b\*arcsin(c\*x))\*hypergeom([1/2, 5/4], [9/4], c^2\*x^2)/d^2+16/105\*b^2\*c^2\*(d\*x)^(7/2)\*hypergeom([1, 7/4, 7/4], [9/4, 11/4], c^2\*x^2)/d^3

**Rubi [A]**

time = 0.09, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ ,

Rules used = {4723, 4805}

$$\frac{16b^2c^2(dx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105d^3} - \frac{8bc(dx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a + b\text{ArcSin}(cx))}{15d^2} + \frac{2(dx)^{3/2}(a + b\text{ArcSin}(cx))^2}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (2\*(d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(3\*d) - (8\*b\*c\*(d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(15\*d^2) + (16\*b^2\*c^2\*(d\*x)^(7/2)\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2])/(105\*d^3)

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcSin[c*x])^(n - 1)/Sqrt[1 - c^2*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4805

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[((f*x)^(m + 1)/(f*(m + 1)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2], x] - Simp[b*c*((f*x)^(m + 2)/(f^2*(m + 1)*(m + 2)))*Simp[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2]]*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && !IntegerQ[m]
```

Rubi steps



$$\int \sqrt{dx} (a + b \sin^{-1}(cx))^2 dx = \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))^2}{3d} - \frac{(4bc) \int \frac{(dx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{3d}$$

$$= \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))^2}{3d} - \frac{8bc(dx)^{5/2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}; c^2 x^2\right)}{15d^2}$$

**Mathematica [A]**

time = 0.06, size = 90, normalized size = 0.83

$$\frac{2}{105} x \sqrt{dx} \left( 7(a + b \operatorname{ArcSin}(cx)) \left( 5(a + b \operatorname{ArcSin}(cx)) - 4bcx \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2 x^2\right) \right) + 8b^2 c^2 x^2 \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{7}{4}, \frac{7}{4}\right\}, \left\{\frac{9}{4}, \frac{11}{4}\right\}, c^2 x^2\right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[Sqrt[d*x]*(a + b*ArcSin[c*x])^2,x]`

```
[Out] (2*x*Sqrt[d*x]*(7*(a + b*ArcSin[c*x])*(5*(a + b*ArcSin[c*x]) - 4*b*c*x*Hypergeometric2F1[1/2, 5/4, 9/4, c^2*x^2]) + 8*b^2*c^2*x^2*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2*x^2]))/105
```

**Maple [F]**

time = 0.05, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((d*x)^(1/2)*(a+b*arcsin(c*x))^2,x)``[Out] int((d*x)^(1/2)*(a+b*arcsin(c*x))^2,x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((d*x)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

```
[Out] 2/3*b^2*sqrt(d)*x^(3/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 1/6*a^2*c^2*sqrt(d)*(4*x^(3/2)/c^2 + 6*arctan(sqrt(c)*sqrt(x))/c^(7/2) + 3*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(7/2)) + 6*a*b*c^2*sqrt(d)*integrate(1/3*x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 - 1), x) + 4*b^2*c*sqrt(d)*integrate(1/3*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 - 1), x) - 1/2*a^2*sqrt(d)*x^(3/2)
```

$t(d) \cdot (2 \cdot \arctan(\sqrt{c} \cdot \sqrt{x}) / c^{3/2} + \log((c \cdot \sqrt{x} - \sqrt{c}) / (c \cdot \sqrt{x} + \sqrt{c}))) / c^{3/2} - 6 \cdot a \cdot b \cdot \sqrt{d} \cdot \int (1/3 \cdot \sqrt{x} \cdot \arctan(c \cdot x / (\sqrt{c \cdot x + 1}) \cdot \sqrt{-c \cdot x + 1})) / (c^2 \cdot x^2 - 1), x$

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(d*x), x)`

**Sympy** [F]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)*(a+b*asin(c*x))**2,x)`

[Out] `Integral(sqrt(d*x)*(a + b*asin(c*x))**2, x)`

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
eur & l) Error: Bad Argument Value

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^2 \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))^2*(d*x)^(1/2),x)`

[Out] `int((a + b*asin(c*x))^2*(d*x)^(1/2), x)`

$$3.212 \quad \int \frac{(a+b\text{ArcSin}(cx))^2}{\sqrt{dx}} dx$$

**Optimal.** Leaf size=107

$$\frac{2\sqrt{dx}(a+b\text{ArcSin}(cx))^2}{d} - \frac{8bc(dx)^{3/2}(a+b\text{ArcSin}(cx))\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2x^2\right)}{3d^2} + \frac{16b^2c^2(dx)^{5/2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2x^2\right)}{3d^2}$$

[Out]  $-8/3*b*c*(d*x)^{(3/2)}*(a+b*\arcsin(c*x))*\text{hypergeom}([1/2, 3/4], [7/4], c^2*x^2)/d^2 + 16/15*b^2*c^2*(d*x)^{(5/2)}*\text{hypergeom}([1, 5/4, 5/4], [7/4, 9/4], c^2*x^2)/d^3 + 2*(a+b*\arcsin(c*x))^2*(d*x)^{(1/2)}/d$

**Rubi** [A]

time = 0.09, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4723, 4805}

$$\frac{16b^2c^2(dx)^{5/2} {}_3F_2\left(1, \frac{5}{4}, \frac{5}{4}, \frac{7}{4}, \frac{9}{4}, c^2x^2\right)}{15d^3} - \frac{8bc(dx)^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2x^2\right)(a+b\text{ArcSin}(cx))}{3d^2} + \frac{2\sqrt{dx}(a+b\text{ArcSin}(cx))^2}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/Sqrt[d\*x], x]

[Out]  $(2*\text{Sqrt}[d*x]*(a + b*\text{ArcSin}[c*x])^2)/d - (8*b*c*(d*x)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, c^2*x^2])/(3*d^2) + (16*b^2*c^2*(d*x)^{(5/2)}*\text{HypergeometricPFQ}[\{1, 5/4, 5/4\}, \{7/4, 9/4\}, c^2*x^2])/(15*d^3)$

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4805

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)/(f\*(m + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2], x] - Simp[b\*c\*((f\*x)^(m + 2)/(f^2\*(m + 1)\*(m + 2)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{dx}} dx = \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))^2}{d} - \frac{(4bc) \int \frac{\sqrt{dx} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{d}$$

$$= \frac{2\sqrt{dx} (a + b \sin^{-1}(cx))^2}{d} - \frac{8bc(dx)^{3/2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2 x^2\right)}{3d^2} + \frac{16b^2 c^2 (dx)^{5/2} (a + b \sin^{-1}(cx)) {}_3F_2\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}; \frac{5}{4}, \frac{9}{4}; c^2 x^2\right)}{15d^3}$$

**Mathematica [A]**

time = 0.06, size = 90, normalized size = 0.84

$$\frac{2x(5(a + b \operatorname{ArcSin}(cx)) (3(a + b \operatorname{ArcSin}(cx)) - 4bcx \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, c^2 x^2\right)) + 8b^2 c^2 x^2 \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{5}{4}, \frac{5}{4}\right\}, \left\{\frac{7}{4}, \frac{9}{4}\right\}, c^2 x^2\right))}{15\sqrt{dx}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSin[c*x])^2/Sqrt[d*x], x]`

```
[Out] (2*x*(5*(a + b*ArcSin[c*x])*(3*(a + b*ArcSin[c*x]) - 4*b*c*x*Hypergeometric
2F1[1/2, 3/4, 7/4, c^2*x^2]) + 8*b^2*c^2*x^2*HypergeometricPFQ[{1, 5/4, 5/4
}, {7/4, 9/4}, c^2*x^2]))/(15*Sqrt[d*x])
```

**Maple [F]**

time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^2}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))^2/(d*x)^(1/2), x)``[Out] int((a+b*arcsin(c*x))^2/(d*x)^(1/2), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(1/2), x, algorithm="maxima")`

```
[Out] 1/2*(4*b^2*sqrt(x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + (a^2*c^2*
sqrt(d)*(4*sqrt(x)/(c^2*d) - 2*arctan(sqrt(c)*sqrt(x))/(c^(5/2)*d) + log((c
*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/(c^(5/2)*d)) + 4*a*b*c^2*sqrt(d)
*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d*x^3 -
d*x), x) + 8*b^2*c*sqrt(d)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*a
```

```
rctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d*x^3 - d*x), x) + a^2*sqrt(d)*
(2*arctan(sqrt(c)*sqrt(x))/(sqrt(c)*d) - log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) +
sqrt(c)))/(sqrt(c)*d)) - 4*a*b*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x +
1)*sqrt(-c*x + 1)))/(c^2*d*x^3 - d*x), x))*sqrt(d)/sqrt(d)
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(d*x)/(d*x), x)
```

**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(d*x)**(1/2),x)
```

```
[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/sqrt(d*x), x)
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^2/(d*x)^(1/2),x)
```

```
[Out] int((a + b*asin(c*x))^2/(d*x)^(1/2), x)
```

$$3.213 \quad \int \frac{(a+b\text{ArcSin}(cx))^2}{(dx)^{3/2}} dx$$

**Optimal.** Leaf size=105

$$-\frac{2(a+b\text{ArcSin}(cx))^2}{d\sqrt{dx}} + \frac{8bc\sqrt{dx}(a+b\text{ArcSin}(cx))\text{Hypergeometric2F1}\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, c^2x^2\right)}{d^2} - \frac{16b^2c^2(dx)^{3/2}\text{Hypergeometric2F1}\left(\frac{3}{4}, \frac{3}{4}, 1, \frac{5}{4}, \frac{7}{4}, c^2x^2\right)}{d^3}$$

[Out]  $-16/3*b^2*c^2*(d*x)^{(3/2)*\text{hypergeom}([3/4, 3/4, 1], [5/4, 7/4], c^2*x^2)/d^3-2*(a+b*\text{arcsin}(c*x))^{2/d}/(d*x)^{(1/2)+8*b*c*(a+b*\text{arcsin}(c*x))*\text{hypergeom}([1/4, 1/2], [5/4], c^2*x^2)*(d*x)^{(1/2)}/d^2}$

**Rubi [A]**

time = 0.09, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4723, 4805}

$$-\frac{16b^2c^2(dx)^{3/2}{}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2x^2\right)}{3d^3} + \frac{8bc\sqrt{dx}{}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right)(a+b\text{ArcSin}(cx))}{d^2} - \frac{2(a+b\text{ArcSin}(cx))^2}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/(d*x)^{(3/2)}, x]$

[Out]  $(-2*(a + b*\text{ArcSin}[c*x])^2)/(d*\text{Sqrt}[d*x]) + (8*b*c*\text{Sqrt}[d*x]*(a + b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2])/d^2 - (16*b^2*c^2*(d*x)^{(3/2)}*HypergeometricPFQ[{3/4, 3/4, 1}, {5/4, 7/4}, c^2*x^2])/(3*d^3)$

Rule 4723

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d*x)^m), x]$   
 $\text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[b*c*(n/(d*(m+1))), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^{n-1}/\text{Sqrt}[1 - c^2*x^2]), x, x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4805

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d*x)^m)/\text{Sqrt}[d + e*x^2], x]$   
 $\text{Simp}[(f*x)^{m+1}/(f*(m+1))*\text{Simp}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2], x] - \text{Simp}[b*c*((f*x)^{m+2}/(f^2*(m+1)*(m+2))]*\text{Simp}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2])*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{(dx)^{3/2}} dx = -\frac{2(a + b \sin^{-1}(cx))^2}{d\sqrt{dx}} + \frac{(4bc) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{dx} \sqrt{1 - c^2x^2}} dx}{d}$$

$$= -\frac{2(a + b \sin^{-1}(cx))^2}{d\sqrt{dx}} + \frac{8bc\sqrt{dx} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right)}{d^2} - \frac{16b^2c^2(dx)^{3/2}}{d^2}$$

**Mathematica [A]**

time = 0.07, size = 87, normalized size = 0.83

$$\frac{2x(3(a + b \operatorname{ArcSin}(cx))(a + b \operatorname{ArcSin}(cx)) - 4bcx \operatorname{Hypergeometric2F1}\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, c^2x^2\right)) + 8b^2c^2x^2 \operatorname{HypergeometricPFQ}\left(\left\{\frac{3}{4}, \frac{3}{4}, 1\right\}, \left\{\frac{5}{4}, \frac{7}{4}\right\}, c^2x^2\right)}{3(dx)^{3/2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*ArcSin[c*x])^2/(d*x)^(3/2), x]`

```
[Out] (-2*x*(3*(a + b*ArcSin[c*x])*(a + b*ArcSin[c*x] - 4*b*c*x*Hypergeometric2F1
[1/4, 1/2, 5/4, c^2*x^2]) + 8*b^2*c^2*x^2*HypergeometricPFQ[{3/4, 3/4, 1},
{5/4, 7/4}, c^2*x^2]))/(3*(d*x)^(3/2))
```

**Maple [F]**

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^2}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))^2/(d*x)^(3/2), x)``[Out] int((a+b*arcsin(c*x))^2/(d*x)^(3/2), x)`**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(3/2), x, algorithm="maxima")`

```
[Out] -1/2*(4*b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 - (a^2*c^2*sqrt(d)
*(2*arctan(sqrt(c)*sqrt(x))/(c^(3/2)*d^2) + log((c*sqrt(x) - sqrt(c))/(c*sq
rt(x) + sqrt(c)))/(c^(3/2)*d^2)) + 4*a*b*c^2*sqrt(d)*integrate(x^(5/2)*arct
an(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^2*x^4 - d^2*x^2), x) - 8*b^2*
c*sqrt(d)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c
```

```
*x + 1)*sqrt(-c*x + 1))/(c^2*d^2*x^4 - d^2*x^2), x) - a^2*sqrt(d)*(2*sqrt(c)*arctan(sqrt(c)*sqrt(x))/d^2 + sqrt(c)*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/d^2 + 4/(d^2*sqrt(x))) - 4*a*b*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^2*x^4 - d^2*x^2), x))*d^(3/2)*sqrt(x))/(d^(3/2)*sqrt(x))
```

**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(d*x)/(d^2*x^2), x)
```

**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))^2/(d*x)**(3/2),x)
```

```
[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo
```

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(d*x)^(3/2), x)
```

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^2/(d*x)^(3/2),x)
```

```
[Out] int((a + b*asin(c*x))^2/(d*x)^(3/2), x)
```



$$3.214 \quad \int \frac{(a+b\text{ArcSin}(cx))^2}{(dx)^{5/2}} dx$$

**Optimal.** Leaf size=109

$$\frac{2(a+b\text{ArcSin}(cx))^2}{3d(dx)^{3/2}} - \frac{8bc(a+b\text{ArcSin}(cx))\text{Hypergeometric2F1}\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, c^2x^2\right)}{3d^2\sqrt{dx}} + \frac{16b^2c^2\sqrt{dx}\text{Hypergeometric2F1}\left(\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, c^2x^2\right)}{3d^2\sqrt{dx}}$$

[Out]  $-2/3*(a+b*\arcsin(c*x))^2/d/(d*x)^{(3/2)}-8/3*b*c*(a+b*\arcsin(c*x))*\text{hypergeom}([ -1/4, 1/2 ], [3/4], c^2*x^2)/d^2/(d*x)^{(1/2)}+16/3*b^2*c^2*\text{hypergeom}([1/4, 1/4, 1], [3/4, 5/4], c^2*x^2)*(d*x)^{(1/2)}/d^3$

**Rubi** [A]

time = 0.10, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4723, 4805}

$$\frac{16b^2c^2\sqrt{dx}}{3d^3} {}_3F_2\left(\frac{1}{4}, \frac{1}{4}, 1; \frac{3}{4}, \frac{5}{4}; c^2x^2\right) - \frac{8bc {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; c^2x^2\right)(a+b\text{ArcSin}(cx))}{3d^2\sqrt{dx}} - \frac{2(a+b\text{ArcSin}(cx))^2}{3d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(d\*x)^(5/2), x]

[Out]  $(-2*(a + b*\text{ArcSin}[c*x])^2)/(3*d*(d*x)^{(3/2)}) - (8*b*c*(a + b*\text{ArcSin}[c*x])*H\text{ypergeometric2F1}[-1/4, 1/2, 3/4, c^2*x^2])/(3*d^2*\text{Sqrt}[d*x]) + (16*b^2*c^2*\text{Sqrt}[d*x]*H\text{ypergeometricPFQ}[\{1/4, 1/4, 1\}, \{3/4, 5/4\}, c^2*x^2])/(3*d^3)$

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^n/(d\*(m + 1))), x] - Dist[b\*c\*(n/(d\*(m + 1))), Int[(d\*x)^(m + 1)\*((a + b\*ArcSin[c\*x])^(n - 1)/Sqrt[1 - c^2\*x^2]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4805

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)/(f\*(m + 1)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2], x] - Simp[b\*c\*((f\*x)^(m + 2)/(f^2\*(m + 1)\*(m + 2)))\*Simp[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2]]\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{(dx)^{5/2}} dx = -\frac{2(a + b \sin^{-1}(cx))^2}{3d(dx)^{3/2}} + \frac{(4bc) \int \frac{a + b \sin^{-1}(cx)}{(dx)^{3/2} \sqrt{1 - c^2 x^2}} dx}{3d}$$

$$= -\frac{2(a + b \sin^{-1}(cx))^2}{3d(dx)^{3/2}} - \frac{8bc(a + b \sin^{-1}(cx)) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; c^2 x^2\right)}{3d^2 \sqrt{dx}} + \frac{16b^2 c^2 \sqrt{dx} {}_3F_2\left(-\frac{1}{4}, -\frac{1}{4}, -\frac{1}{4}; \frac{3}{4}, \frac{5}{4}; c^2 x^2\right)}{3d^2 \sqrt{dx}}$$

**Mathematica [A]**

time = 0.06, size = 87, normalized size = 0.80

$$\frac{x(-2(a + b \operatorname{ArcSin}(cx))(a + b \operatorname{ArcSin}(cx) + 4bcx \operatorname{Hypergeometric2F1}(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, c^2 x^2)) + 16b^2 c^2 x^2 \operatorname{HypergeometricPFQ}(\{\frac{1}{4}, \frac{1}{4}, 1\}, \{\frac{3}{4}, \frac{5}{4}\}, c^2 x^2))}{3(dx)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])^2/(d*x)^(5/2), x]
```

```
[Out] (x*(-2*(a + b*ArcSin[c*x])*(a + b*ArcSin[c*x] + 4*b*c*x*Hypergeometric2F1[-1/4, 1/2, 3/4, c^2*x^2]) + 16*b^2*c^2*x^2*HypergeometricPFQ[{1/4, 1/4, 1}, {3/4, 5/4}, c^2*x^2]))/(3*(d*x)^(5/2))
```

**Maple [F]**

time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^2}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(d*x)^(5/2), x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(d*x)^(5/2), x)
```

**Maxima [F]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(d*x)^(5/2), x, algorithm="maxima")
```

```
[Out] -1/6*((3*a^2*c^2*sqrt(d)*(2*arctan(sqrt(c)*sqrt(x))/(sqrt(c)*d^3) - log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c))))/(sqrt(c)*d^3)) - 36*a*b*c^2*sqrt(d)*integrate(1/3*x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^3*x^5 - d^3*x^3), x) + 24*b^2*c*sqrt(d)*integrate(1/3*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^3*x^5 - d
```

$$\begin{aligned} &^3x^3), x) - a^2\sqrt{d}(6c^{3/2}\arctan(\sqrt{c}\sqrt{x})/d^3 - 3c^{3/2}) \\ &)\log((c\sqrt{x} - \sqrt{c})/(c\sqrt{x} + \sqrt{c}))/d^3 - 4/(d^3x^{3/2})) + \\ &36ab\sqrt{d}\int(1/3\sqrt{x}\arctan(cx/(\sqrt{cx+1})\sqrt{-cx+1}))/ \\ &(c^2d^3x^5 - d^3x^3), x)d^{5/2}x^{3/2} + 4b^2\arctan^2(cx, \sqrt{ \\ &t(cx+1)\sqrt{-cx+1}})^2/(d^{5/2}x^{3/2}) \end{aligned}$$
**Fricas** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(d\*x)^(5/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(d\*x)/(d^3\*x^3), x)

**Sympy** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(d\*x)\*\*(5/2),x)

[Out] Exception raised: TypeError &gt;&gt; Invalid comparison of non-real zoo

**Giac** [F]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(d\*x)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(d\*x)^(5/2), x)

**Mupad** [F]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^2/(d\*x)^(5/2),x)

[Out] int((a + b\*asin(c\*x))^2/(d\*x)^(5/2), x)

### 3.215 $\int (dx)^{3/2} (a + b \operatorname{ArcSin}(cx))^3 dx$

Optimal. Leaf size=69

$$\frac{2(dx)^{5/2}(a + b \operatorname{ArcSin}(cx))^3}{5d} - \frac{6bc \operatorname{Int}\left(\frac{(dx)^{5/2}(a + b \operatorname{ArcSin}(cx))^2}{\sqrt{1 - c^2 x^2}}, x\right)}{5d}$$

[Out]  $2/5*(d*x)^{(5/2)}*(a+b*\arcsin(c*x))^{3/d}-6/5*b*c*\operatorname{Unintegrable}((d*x)^{(5/2)}*(a+b*\arcsin(c*x))^{2/(-c^2*x^2+1)^{(1/2)},x)/d$

Rubi [A]

time = 0.11, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (dx)^{3/2} (a + b \operatorname{ArcSin}(cx))^3 dx$$

Verification is not applicable to the result.

[In]  $\operatorname{Int}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcSin}[c*x])^3,x]$

[Out]  $(2*(d*x)^{(5/2)}*(a + b*\operatorname{ArcSin}[c*x])^3)/(5*d) - (6*b*c*\operatorname{Defer}[\operatorname{Int}][((d*x)^{(5/2)}*(a + b*\operatorname{ArcSin}[c*x])^2)/\operatorname{Sqrt}[1 - c^2*x^2], x])/(5*d)$

Rubi steps

$$\int (dx)^{3/2} (a + b \sin^{-1}(cx))^3 dx = \frac{2(dx)^{5/2} (a + b \sin^{-1}(cx))^3}{5d} - \frac{(6bc) \int \frac{(dx)^{5/2} (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2 x^2}} dx}{5d}$$

Mathematica [A]

time = 116.36, size = 0, normalized size = 0.00

$$\int (dx)^{3/2} (a + b \operatorname{ArcSin}(cx))^3 dx$$

Verification is not applicable to the result.

[In]  $\operatorname{Integrate}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcSin}[c*x])^3,x]$

[Out]  $\operatorname{Integrate}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcSin}[c*x])^3, x]$

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \arcsin(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)*(a+b*arcsin(c*x))^3,x)`

[Out] `int((d*x)^(3/2)*(a+b*arcsin(c*x))^3,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*(a+b*arcsin(c*x))^3,x, algorithm="maxima")`

[Out] `2/5*b^3*d^(3/2)*x^(5/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^3 + 1/10*a^3*c^2*d^(3/2)*(4*(c^2*x^(5/2) + 5*sqrt(x))/c^4 - 10*arctan(sqrt(c)*sqrt(x))/c^(9/2) + 5*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(9/2)) + 15*a*b^2*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^2 - 1), x) + 15*a^2*b*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 - 1), x) + 6*b^3*c*d^(3/2)*integrate(1/5*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^2 - 1), x) - 1/2*a^3*d^(3/2)*(4*sqrt(x)/c^2 - 2*arctan(sqrt(c)*sqrt(x))/c^(5/2) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(5/2)) - 15*a*b^2*d^(3/2)*integrate(1/5*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^2 - 1), x) - 15*a^2*b*d^(3/2)*integrate(1/5*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*x^2 - 1), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*(a+b*arcsin(c*x))^3,x, algorithm="fricas")`

[Out] `integral((b^3*d*x*arcsin(c*x)^3 + 3*a*b^2*d*x*arcsin(c*x)^2 + 3*a^2*b*d*x*arcsin(c*x) + a^3*d*x)*sqrt(d*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)*(a+b*asin(c*x))**3,x)`

[Out] Integral((d\*x)\*\*(3/2)\*(a + b\*asin(c\*x))\*\*3, x)

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(3/2)\*(a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
 eur & l) Error: Bad Argument Value

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^3 (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^3\*(d\*x)^(3/2),x)

[Out] int((a + b\*asin(c\*x))^3\*(d\*x)^(3/2), x)

### 3.216 $\int \sqrt{dx} (a + b\text{ArcSin}(cx))^3 dx$

Optimal. Leaf size=67

$$\frac{2(dx)^{3/2}(a + b\text{ArcSin}(cx))^3}{3d} - \frac{2bc\text{Int}\left(\frac{(dx)^{3/2}(a+b\text{ArcSin}(cx))^2}{\sqrt{1-c^2x^2}}, x\right)}{d}$$

[Out]  $2/3*(d*x)^{(3/2)}*(a+b*\arcsin(c*x))^{3/d}-2*b*c*\text{Unintegrable}((d*x)^{(3/2)}*(a+b*\arcsin(c*x))^{2/(-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A]

time = 0.11, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \sqrt{dx} (a + b\text{ArcSin}(cx))^3 dx$$

Verification is not applicable to the result.

[In] `Int[Sqrt[d*x]*(a + b*ArcSin[c*x])^3,x]`

[Out]  $(2*(d*x)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^3)/(3*d) - (2*b*c*\text{Defer}[\text{Int}][((d*x)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[1 - c^2*x^2], x])/d$

Rubi steps

$$\int \sqrt{dx} (a + b \sin^{-1}(cx))^3 dx = \frac{2(dx)^{3/2} (a + b \sin^{-1}(cx))^3}{3d} - \frac{(2bc) \int \frac{(dx)^{3/2} (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [F]

time = 180.00, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] `Integrate[Sqrt[d*x]*(a + b*ArcSin[c*x])^3,x]`

[Out] \$Aborted

Maple [A]

time = 0.05, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \arcsin(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(1/2)*(a+b*arcsin(c*x))^3,x)
```

```
[Out] int((d*x)^(1/2)*(a+b*arcsin(c*x))^3,x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)*(a+b*arcsin(c*x))^3,x, algorithm="maxima")
```

```
[Out] 2/3*b^3*sqrt(d)*x^(3/2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^3 + 1/6*
a^3*c^2*sqrt(d)*(4*x^(3/2)/c^2 + 6*arctan(sqrt(c)*sqrt(x))/c^(7/2) + 3*log(
(c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(7/2)) + 3*a*b^2*c^2*sqrt(d)
*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^2 -
1), x) + 3*a^2*b*c^2*sqrt(d)*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sq
rt(-c*x + 1)))/(c^2*x^2 - 1), x) + 2*b^3*c*sqrt(d)*integrate(sqrt(c*x + 1)*
sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^
2 - 1), x) - 1/2*a^3*sqrt(d)*(2*arctan(sqrt(c)*sqrt(x))/c^(3/2) + log((c*sq
rt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(3/2)) - 3*a*b^2*sqrt(d)*integrat
e(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*x^2 - 1), x) -
3*a^2*b*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1))
)/(c^2*x^2 - 1), x)
```

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)*(a+b*arcsin(c*x))^3,x, algorithm="fricas")
```

```
[Out] integral((b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x) +
a^3)*sqrt(d*x), x)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \operatorname{asin}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**(1/2)*(a+b*asin(c*x))**3,x)
```



[Out] Integral(sqrt(d\*x)\*(a + b\*asin(c\*x))\*\*3, x)

**Giac** [F(-2)]

time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^(1/2)\*(a+b\*arcsin(c\*x))^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vect  
eur & l) Error: Bad Argument Value

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{asin}(cx))^3 \sqrt{dx} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*asin(c\*x))^3\*(d\*x)^(1/2),x)

[Out] int((a + b\*asin(c\*x))^3\*(d\*x)^(1/2), x)

$$3.217 \quad \int \frac{(a+b\text{ArcSin}(cx))^3}{\sqrt{dx}} dx$$

Optimal. Leaf size=65

$$\frac{2\sqrt{dx} (a + b\text{ArcSin}(cx))^3}{d} - \frac{6bc \text{Int}\left(\frac{\sqrt{dx} (a+b\text{ArcSin}(cx))^2}{\sqrt{1-c^2x^2}}, x\right)}{d}$$

[Out]  $2*(a+b*\arcsin(c*x))^3*(d*x)^{(1/2)}/d-6*b*c*\text{Unintegrable}((a+b*\arcsin(c*x))^2*(d*x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)},x)/d$

Rubi [A]

time = 0.10, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a + b\text{ArcSin}(cx))^3}{\sqrt{dx}} dx$$

Verification is not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^3/Sqrt[d\*x], x]

[Out]  $(2*\text{Sqrt}[d*x]*(a + b*\text{ArcSin}[c*x])^3)/d - (6*b*c*\text{Defer}[\text{Int}][(\text{Sqrt}[d*x]*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[1 - c^2*x^2], x])/d$

Rubi steps

$$\int \frac{(a + b\sin^{-1}(cx))^3}{\sqrt{dx}} dx = \frac{2\sqrt{dx} (a + b\sin^{-1}(cx))^3}{d} - \frac{(6bc) \int \frac{\sqrt{dx} (a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A]

time = 105.56, size = 0, normalized size = 0.00

$$\int \frac{(a + b\text{ArcSin}(cx))^3}{\sqrt{dx}} dx$$

Verification is not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^3/Sqrt[d\*x], x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^3/Sqrt[d\*x], x]

**Maple [A]**

time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^3}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^3/(d\*x)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^3/(d\*x)^(1/2),x)

**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/(d\*x)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2}*(4*b^3*\sqrt{x}*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))^3 + (a^3*c^2*\sqrt{d}*(4*\sqrt{x}/(c^2*d) - 2*\arctan(\sqrt{c}*\sqrt{x}))/c^{5/2}*d) + \log((c*\sqrt{x} - \sqrt{c})/(c*\sqrt{x} + \sqrt{c}))/c^{5/2}*d) + 6*a*b^2*c^2*\sqrt{d}*integrate(x^{5/2}*\arctan(c*x/(\sqrt{c*x + 1}*\sqrt{-c*x + 1}))^2/(c^2*d*x^3 - d*x), x) + 6*a^2*b*c^2*\sqrt{d}*integrate(x^{5/2}*\arctan(c*x/(\sqrt{c*x + 1}*\sqrt{-c*x + 1}))/c^2*d*x^3 - d*x), x) + 12*b^3*c*\sqrt{d}*integrate(\sqrt{c*x + 1}*\sqrt{-c*x + 1}*x^{3/2}*\arctan(c*x/(\sqrt{c*x + 1}*\sqrt{-c*x + 1}))^2/(c^2*d*x^3 - d*x), x) + a^3*\sqrt{d}*(2*\arctan(\sqrt{c}*\sqrt{x}))/(\sqrt{c}*d) - \log((c*\sqrt{x} - \sqrt{c})/(c*\sqrt{x} + \sqrt{c}))/(\sqrt{c}*d) - 6*a*b^2*\sqrt{d}*integrate(\sqrt{x}*\arctan(c*x/(\sqrt{c*x + 1}*\sqrt{-c*x + 1}))^2/(c^2*d*x^3 - d*x), x) - 6*a^2*b*\sqrt{d}*integrate(\sqrt{x}*\arctan(c*x/(\sqrt{c*x + 1}*\sqrt{-c*x + 1}))/c^2*d*x^3 - d*x), x))*\sqrt{d})/\sqrt{d}$

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^3/(d\*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^3\*arcsin(c\*x)^3 + 3\*a\*b^2\*arcsin(c\*x)^2 + 3\*a^2\*b\*arcsin(c\*x) + a^3)\*sqrt(d\*x)/(d\*x), x)

**Sympy [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**3/(d*x)**(1/2),x)
```

```
[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo
```

**Giac** [A]

```
time = 0.00, size = 0, normalized size = 0.00
```

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^3/sqrt(d*x), x)
```

**Mupad** [A]

```
time = 0.00, size = -1, normalized size = -0.02
```

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^3/(d*x)^(1/2),x)
```

```
[Out] int((a + b*asin(c*x))^3/(d*x)^(1/2), x)
```

$$3.218 \quad \int \frac{(a+b\text{ArcSin}(cx))^3}{(dx)^{3/2}} dx$$

Optimal. Leaf size=65

$$-\frac{2(a+b\text{ArcSin}(cx))^3}{d\sqrt{dx}} + \frac{6bc\text{Int}\left(\frac{(a+b\text{ArcSin}(cx))^2}{\sqrt{dx}\sqrt{1-c^2x^2}}, x\right)}{d}$$

[Out]  $-2*(a+b*\arcsin(c*x))^3/d/(d*x)^{(1/2)}+6*b*c*\text{Unintegrable}((a+b*\arcsin(c*x))^2/(d*x)^{(1/2)/(-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A]

time = 0.10, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a+b\text{ArcSin}(cx))^3}{(dx)^{3/2}} dx$$

Verification is not applicable to the result.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^3/(d*x)^{(3/2)}, x]$

[Out]  $(-2*(a + b*\text{ArcSin}[c*x])^3)/(d*\text{Sqrt}[d*x]) + (6*b*c*\text{Defer}[\text{Int}][(a + b*\text{ArcSin}[c*x])^2/(\text{Sqrt}[d*x]*\text{Sqrt}[1 - c^2*x^2]), x])/d$

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^3}{(dx)^{3/2}} dx = -\frac{2(a+b\sin^{-1}(cx))^3}{d\sqrt{dx}} + \frac{(6bc) \int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{dx}\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A]

time = 95.77, size = 0, normalized size = 0.00

$$\int \frac{(a+b\text{ArcSin}(cx))^3}{(dx)^{3/2}} dx$$

Verification is not applicable to the result.

[In]  $\text{Integrate}[(a + b*\text{ArcSin}[c*x])^3/(d*x)^{(3/2)}, x]$

[Out]  $\text{Integrate}[(a + b*\text{ArcSin}[c*x])^3/(d*x)^{(3/2)}, x]$

**Maple [A]**

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^3}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))^3/(d*x)^(3/2),x)``[Out] int((a+b*arcsin(c*x))^3/(d*x)^(3/2),x)`**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(3/2),x, algorithm="maxima")`

```
[Out] -1/2*(4*b^3*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))^3 - (a^3*c^2*sqrt(d)
*(2*arctan(sqrt(c)*sqrt(x))/(c^(3/2)*d^2) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/(c^(3/2)*d^2)) + 6*a*b^2*c^2*sqrt(d)*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^2*x^4 - d^2*x^2), x) + 6*a^2*b*c^2*sqrt(d)*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^2*x^4 - d^2*x^2), x) - 12*b^3*c*sqrt(d)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^2*x^4 - d^2*x^2), x) - a^3*sqrt(d)*(2*sqrt(c)*arctan(sqrt(c)*sqrt(x))/d^2 + sqrt(c)*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/d^2 + 4/(d^2*sqrt(x))) - 6*a*b^2*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^2*x^4 - d^2*x^2), x) - 6*a^2*b*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^2*x^4 - d^2*x^2), x))*d^(3/2)*sqrt(x))/(d^(3/2)*sqrt(x))
```

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(3/2),x, algorithm="fricas")`

```
[Out] integral((b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x) + a^3)*sqrt(d*x)/(d^2*x^2), x)
```

**Sympy [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**3/(d*x)**(3/2),x)
```

```
[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo
```

**Giac** [A]

```
time = 0.00, size = 0, normalized size = 0.00
```

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^3/(d*x)^(3/2), x)
```

**Mupad** [A]

```
time = 0.00, size = -1, normalized size = -0.02
```

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*asin(c*x))^3/(d*x)^(3/2),x)
```

```
[Out] int((a + b*asin(c*x))^3/(d*x)^(3/2), x)
```

$$3.219 \quad \int \frac{(a+b\mathbf{ArcSin}(cx))^3}{(dx)^{5/2}} dx$$

Optimal. Leaf size=67

$$-\frac{2(a+b\mathbf{ArcSin}(cx))^3}{3d(dx)^{3/2}} + \frac{2bc\mathbf{Int}\left(\frac{(a+b\mathbf{ArcSin}(cx))^2}{(dx)^{3/2}\sqrt{1-c^2x^2}}, x\right)}{d}$$

[Out]  $-2/3*(a+b*\arcsin(c*x))^3/d/(d*x)^{(3/2)}+2*b*c*\mathbf{Unintegrable}((a+b*\arcsin(c*x))^2/(d*x)^{(3/2)/(1-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A]

time = 0.11, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ ,

Rules used = {}

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^3}{(dx)^{5/2}} dx$$

Verification is not applicable to the result.

[In]  $\mathbf{Int}[(a + b*\mathbf{ArcSin}[c*x])^3/(d*x)^{(5/2)}, x]$

[Out]  $(-2*(a + b*\mathbf{ArcSin}[c*x])^3)/(3*d*(d*x)^{(3/2)}) + (2*b*c*\mathbf{Defer}[\mathbf{Int}[(a + b*\mathbf{ArcSin}[c*x])^2/((d*x)^{(3/2})*\mathbf{Sqrt}[1 - c^2*x^2]), x])/d$

Rubi steps

$$\int \frac{(a+b\sin^{-1}(cx))^3}{(dx)^{5/2}} dx = -\frac{2(a+b\sin^{-1}(cx))^3}{3d(dx)^{3/2}} + \frac{(2bc) \int \frac{(a+b\sin^{-1}(cx))^2}{(dx)^{3/2}\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A]

time = 69.39, size = 0, normalized size = 0.00

$$\int \frac{(a+b\mathbf{ArcSin}(cx))^3}{(dx)^{5/2}} dx$$

Verification is not applicable to the result.

[In]  $\mathbf{Integrate}[(a + b*\mathbf{ArcSin}[c*x])^3/(d*x)^{(5/2)}, x]$

[Out]  $\mathbf{Integrate}[(a + b*\mathbf{ArcSin}[c*x])^3/(d*x)^{(5/2)}, x]$



**Maple [A]**

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arcsin(cx))^3}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((a+b*arcsin(c*x))^3/(d*x)^(5/2),x)``[Out] int((a+b*arcsin(c*x))^3/(d*x)^(5/2),x)`**Maxima [A]**

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(5/2),x, algorithm="maxima")`

```
[Out] -1/6*(4*b^3*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^3 + (3*a^3*c^2*sqrt(d)*
(2*arctan(sqrt(c)*sqrt(x))/(sqrt(c)*d^3) - log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) +
sqrt(c)))/(sqrt(c)*d^3)) - 18*a*b^2*c^2*sqrt(d)*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^3*x^5 - d^3*x^3), x) - 18*a^2*b*c^2*sqrt(d)*integrate(x^(5/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^3*x^5 - d^3*x^3), x) + 12*b^3*c*sqrt(d)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^3*x^5 - d^3*x^3), x) - a^3*sqrt(d)*(6*c^(3/2)*arctan(sqrt(c)*sqrt(x))/d^3 - 3*c^(3/2)*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/d^3 - 4/(d^3*x^(3/2))) + 18*a*b^2*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))^2/(c^2*d^3*x^5 - d^3*x^3), x) + 18*a^2*b*sqrt(d)*integrate(sqrt(x)*arctan(c*x/(sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d^3*x^5 - d^3*x^3), x))*d^(5/2)*x^(3/2))/(d^(5/2)*x^(3/2))
```

**Fricas [A]**

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((a+b*arcsin(c*x))^3/(d*x)^(5/2),x, algorithm="fricas")`

```
[Out] integral((b^3*arcsin(c*x)^3 + 3*a*b^2*arcsin(c*x)^2 + 3*a^2*b*arcsin(c*x) + a^3)*sqrt(d*x)/(d^3*x^3), x)
```

**Sympy [F(-2)]**

time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**3/(d*x)**(5/2),x)`

[Out] Exception raised: TypeError >> Invalid comparison of non-real zoo

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^3/(d*x)^(5/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^3/(d*x)^(5/2), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{asin}(cx))^3}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*asin(c*x))^3/(d*x)^(5/2),x)`

[Out] `int((a + b*asin(c*x))^3/(d*x)^(5/2), x)`

$$3.220 \quad \int \frac{(dx)^{3/2}}{a+b\mathbf{ArcSin}(cx)} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{(dx)^{3/2}}{a+b\mathbf{ArcSin}(cx)}, x\right)$$

[Out] Unintegrable((d\*x)^(3/2)/(a+b\*arcsin(c\*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(dx)^{3/2}}{a+b\mathbf{ArcSin}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x]), x]

[Out] Defer[Int] [(d\*x)^(3/2)/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{(dx)^{3/2}}{a+b\sin^{-1}(cx)} dx = \int \frac{(dx)^{3/2}}{a+b\sin^{-1}(cx)} dx$$

Mathematica [A]

time = 2.25, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{3/2}}{a+b\mathbf{ArcSin}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x]), x]

[Out] Integrate[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x]), x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{a+b\arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(3/2)/(a+b*arcsin(c*x)),x)
```

```
[Out] int((d*x)^(3/2)/(a+b*arcsin(c*x)),x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate((d*x)^(3/2)/(b*arcsin(c*x) + a), x)
```

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(sqrt(d*x)*d*x/(b*arcsin(c*x) + a), x)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**(3/2)/(a+b*asin(c*x)),x)
```

```
[Out] Integral((d*x)**(3/2)/(a + b*asin(c*x)), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((d*x)^(3/2)/(b*arcsin(c*x) + a), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^{3/2}}{a + b \sin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(3/2)/(a + b*asin(c*x)),x)
```

```
[Out] int((d*x)^(3/2)/(a + b*asin(c*x)), x)
```

$$3.221 \quad \int \frac{\sqrt{dx}}{a+b\mathbf{ArcSin}(cx)} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sqrt{dx}}{a+b\text{ArcSin}(cx)}, x\right)$$

[Out] Unintegrable((d\*x)^(1/2)/(a+b\*arcsin(c\*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{dx}}{a+b\text{ArcSin}(cx)} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[d\*x]/(a + b\*ArcSin[c\*x]), x]

[Out] Defer[Int][Sqrt[d\*x]/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{\sqrt{dx}}{a+b\sin^{-1}(cx)} dx = \int \frac{\sqrt{dx}}{a+b\sin^{-1}(cx)} dx$$

Mathematica [A]

time = 2.04, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a+b\text{ArcSin}(cx)} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[d\*x]/(a + b\*ArcSin[c\*x]), x]

[Out] Integrate[Sqrt[d\*x]/(a + b\*ArcSin[c\*x]), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a+b\arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(1/2)/(a+b*arcsin(c*x)),x)
```

```
[Out] int((d*x)^(1/2)/(a+b*arcsin(c*x)),x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(d*x)/(b*arcsin(c*x) + a), x)
```

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(sqrt(d*x)/(b*arcsin(c*x) + a), x)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**(1/2)/(a+b*asin(c*x)),x)
```

```
[Out] Integral(sqrt(d*x)/(a + b*asin(c*x)), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(d*x)/(b*arcsin(c*x) + a), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{dx}}{a + b \sin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)/(a + b*asin(c*x)),x)`

[Out] `int((d*x)^(1/2)/(a + b*asin(c*x)), x)`



$$3.222 \quad \int \frac{1}{\sqrt{dx} (a+b\mathbf{ArcSin}(cx))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))}, x\right)$$

[Out] Unintegrable(1/(d\*x)^(1/2)/(a+b\*arcsin(c\*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{\sqrt{dx} (a + b \sin^{-1}(cx))} dx = \int \frac{1}{\sqrt{dx} (a + b \sin^{-1}(cx))} dx$$

Mathematica [A]

time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(d*x)^(1/2)/(a+b*arcsin(c*x)),x)
```

```
[Out] int(1/(d*x)^(1/2)/(a+b*arcsin(c*x)),x)
```

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(1/(sqrt(d*x)*(b*arcsin(c*x) + a)), x)
```

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(sqrt(d*x)/(b*d*x*arcsin(c*x) + a*d*x), x)
```

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d*x)**(1/2)/(a+b*asin(c*x)),x)
```

```
[Out] Integral(1/(sqrt(d*x)*(a + b*asin(c*x))), x)
```

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d*x)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(d*x)*(b*arcsin(c*x) + a)), x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \sin(cx)) \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + b*asin(c*x))*(d*x)^(1/2)),x)
```

```
[Out] int(1/((a + b*asin(c*x))*(d*x)^(1/2)), x)
```

$$3.223 \quad \int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))}, x\right)$$

[Out] Unintegrable(1/(d\*x)^(3/2)/(a+b\*arcsin(c\*x)), x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Int[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(dx)^{3/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{(dx)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Mathematica [A]

time = 3.04, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}}(a+b\arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(d*x)^(3/2)/(a+b*arcsin(c*x)),x)`

[Out] `int(1/(d*x)^(3/2)/(a+b*arcsin(c*x)),x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/((d*x)^(3/2)*(b*arcsin(c*x) + a)), x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)/(b*d^2*x^2*arcsin(c*x) + a*d^2*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)**(3/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(1/((d*x)**(3/2)*(a + b*asin(c*x))), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((d*x)^(3/2)*(b*arcsin(c*x) + a)), x)`

**Mupad** [A]

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \operatorname{asin}(cx)) (dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + b*asin(c*x))*(d*x)^(3/2)),x)
```

```
[Out] int(1/((a + b*asin(c*x))*(d*x)^(3/2)), x)
```

$$3.224 \quad \int \frac{(dx)^{3/2}}{(a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{(dx)^{3/2}}{(a+b\mathbf{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable((d\*x)^(3/2)/(a+b\*arcsin(c\*x))^2, x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(dx)^{3/2}}{(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x])^2, x]

[Out] Defer[Int] [(d\*x)^(3/2)/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{(dx)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx = \int \frac{(dx)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 3.88, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{3/2}}{(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x])^2, x]

[Out] Integrate[(d\*x)^(3/2)/(a + b\*ArcSin[c\*x])^2, x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{(a+b\arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(3/2)/(a+b*arcsin(c*x))^2,x)`

[Out] `int((d*x)^(3/2)/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-(sqrt(c*x + 1)*sqrt(-c*x + 1)*d^(3/2)*x^(3/2) - (b^2*c*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c)*sqrt(d)*integrate(1/2*(5*c^2*d*x^2 - 3*d)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*x^2 - a*b*c + (b^2*c^3*x^2 - b^2*c)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))), x))/(b^2*c*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)*d*x/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)/(a+b*asin(c*x))**2,x)`

[Out] `Integral((d*x)**(3/2)/(a + b*asin(c*x))**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((d*x)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((d*x)^(3/2)/(b*arcsin(c*x) + a)^2, x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^{3/2}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(3/2)/(a + b*asin(c*x))^2,x)
```

```
[Out] int((d*x)^(3/2)/(a + b*asin(c*x))^2, x)
```

$$3.225 \quad \int \frac{\sqrt{dx}}{(a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sqrt{dx}}{(a+b\text{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable((d\*x)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt{dx}}{(a+b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[Sqrt[d\*x]/(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][Sqrt[d\*x]/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{\sqrt{dx}}{(a+b\sin^{-1}(cx))^2} dx = \int \frac{\sqrt{dx}}{(a+b\sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 3.24, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a+b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[Sqrt[d\*x]/(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[Sqrt[d\*x]/(a + b\*ArcSin[c\*x])^2, x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a+b\arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out] `int((d*x)^(1/2)/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `((b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)*sqrt(d)*integrate(1/2*(3*c^2*x^2 - 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*x^3 - a*b*c*x + (b^2*c^3*x^3 - b^2*c*x)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x)/(b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)/(a+b*asin(c*x))**2,x)`

[Out] `Integral(sqrt(d*x)/(a + b*asin(c*x))**2, x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(d*x)/(b*arcsin(c*x) + a)^2, x)
```

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{dx}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(1/2)/(a + b*asin(c*x))^2,x)
```

```
[Out] int((d*x)^(1/2)/(a + b*asin(c*x))^2, x)
```

$$3.226 \quad \int \frac{1}{\sqrt{dx} (a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable(1/(d\*x)^(1/2)/(a+b\*arcsin(c\*x))^2, x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{\sqrt{dx} (a + b \sin^{-1}(cx))^2} dx = \int \frac{1}{\sqrt{dx} (a + b \sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 5.47, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b\text{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(Sqrt[d\*x]\*(a + b\*ArcSin[c\*x])^2), x]

Maple [A]

time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(d*x)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out] `int(1/(d*x)^(1/2)/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `((b^2*c*d*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*d*x)*sqrt(d) *integrate(1/2*(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*d*x^4 - a*b*c*d*x^2 + (b^2*c^3*d*x^4 - b^2*c*d*x^2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x))/(b^2*c*d*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*d*x)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)/(b^2*d*x*arcsin(c*x)^2 + 2*a*b*d*x*arcsin(c*x) + a^2*d*x), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)**(1/2)/(a+b*asin(c*x))**2,x)`

[Out] `Integral(1/(sqrt(d*x)*(a + b*asin(c*x))**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d\*x)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/(sqrt(d\*x)\*(b\*arcsin(c\*x) + a)^2), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^2 \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*asin(c\*x))^2\*(d\*x)^(1/2)),x)

[Out] int(1/((a + b\*asin(c\*x))^2\*(d\*x)^(1/2)), x)

$$3.227 \quad \int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))^2}, x\right)$$

[Out] Unintegrable(1/(d\*x)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

Rubi [A]

time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Int[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Defer[Int][1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{(dx)^{3/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{(dx)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Mathematica [A]

time = 9.74, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{3/2}(a+b\mathbf{ArcSin}(cx))^2} dx$$

Verification is not applicable to the result.

[In] Integrate[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Integrate[1/((d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Maple [A]

time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}}(a+b\arcsin(cx))^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(d*x)^(3/2)/(a+b*arcsin(c*x))^2,x)`

[Out] `int(1/(d*x)^(3/2)/(a+b*arcsin(c*x))^2,x)`

**Maxima** [A]

time = 0.00, size = 0, normalized size = 0.00

Failed to integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-((b^2*c*d^2*x^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c*d^2*x^2)*sqrt(d)*integrate(1/2*(c^2*x^2 - 3)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*d^2*x^5 - a*b*c*d^2*x^3 + (b^2*c^3*d^2*x^5 - b^2*c*d^2*x^3)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)), x) + sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x)/(b^2*c*d^2*x^2*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c*d^2*x^2)`

**Fricas** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(d*x)/(b^2*d^2*x^2*arcsin(c*x)^2 + 2*a*b*d^2*x^2*arcsin(c*x) + a^2*d^2*x^2), x)`

**Sympy** [A]

time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)**(3/2)/(a+b*asin(c*x))**2,x)`

[Out] `Integral(1/((d*x)**(3/2)*(a + b*asin(c*x))**2), x)`

**Giac** [A]

time = 0.00, size = 0, normalized size = 0.00

could not integrate

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d\*x)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((d\*x)^(3/2)\*(b\*arcsin(c\*x) + a)^2), x)

**Mupad [A]**

time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^2 (dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b\*asin(c\*x))^2\*(d\*x)^(3/2)),x)

[Out] int(1/((a + b\*asin(c\*x))^2\*(d\*x)^(3/2)), x)

# Chapter 4

## Appendix

### Local contents

4.1	Download section . . . . .	958
4.2	Listing of Grading functions . . . . .	958

## 4.1 Download section

The following zip files contain the raw integrals used in this test.

**Mathematica format** Mathematica\_syntax.zip

**Maple and Mupad format** Maple\_syntax.zip

**Sympy format** SYMPY\_syntax.zip

**Sage math format** SAGE\_syntax.zip

## 4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*           Small rewrite of logic in main function to make it*)
(*           match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*           GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*           is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*           antiderivative*)
(* "A" if result can be considered optimal*)
```

```

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafC
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A","none"}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
      ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A","none"}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $
      ]
    ]
    ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "<
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)

```

(\*9 = unknown function\*)

```
ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
  If[Head[expn]==Plus || Head[expn]==Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
  If[Head[expn]==RootSum,
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
  If[Head[expn]==Integrate || Head[expn]==Int,
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
  9]]]]]]]]]]
```

```
ElementaryFunctionQ[func_] :=
  MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
  },func]
```

```
SpecialFunctionQ[func_] :=
  MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
```

```

ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]

```

## 4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issues";
  fi;

  leaf_count_optimal := leafcount(optimal);
  ExpnType_result := ExpnType(result);
  ExpnType_optimal := ExpnType(optimal);

```

```

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#   is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
#   antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A","";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of r
                    convert(leaf_count_result,string)," vs. $2 (" ,
                    convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_co

        end if
    else #result contains complex but optimal is not
        if debug then
            print("result contains complex but optimal is not");
        fi;
        return "C","Result contains complex when optimal does not.";
    fi;
else # result do not contain complex

```



```

    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A","";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of o
                        convert(leaf_count_result,string)," $ vs. $2(",
                        convert(leaf_count_optimal,string),")=",convert(2*leaf_cou

    fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                  convert(ExpnType_result,string)," vs. order ",
                  convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function

```

```

# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,

```

```

    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

### 4.2.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```

```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnT
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

#### 4.2.4 SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

```



```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.op
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or instan
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger t
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_resu

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```